2055 Niagara Falls Boulevard,
Niagara Falls, New York 14304
USA
www.ghd.com

Our ref: 12601828

May 26, 2023

Mr. Tim Walsh
Acting Regional Director
New York State Department of Environmental Conservation
Region 8-Division of Air Resources
6274 Avon-Lima Road
Avon, NY 14414

Re: Ambient Monitoring Work Plan – Dudley/Northside Elementary School Campus North Monitoring Station, and South Monitoring Station Monthly Report (April 1, 2023, through April 30, 2023) High Acres Landfill

Dear Mr. Walsh:

On April 30, 2019, GHD submitted a Revised Surface Emission Monitoring and Ambient Monitoring Work Plan (Work Plan) to the New York State Department of Environmental Conservation (NYSDEC) for the Waste Management of New York LLC (WMNY), High Acres Landfill and Recycling Center located in Perinton, New York (Facility or Site). This submittal serves to provide NYSDEC with a discussion of work and monitoring activities that occurred during the month of April 2023 at the Dudley/Northside combined campus, North Monitoring Station (NMS), and South Monitoring Station (SMS).

Initial Equipment Installation

GHD has performed continuous hydrogen sulfide monitoring at the Dudley/Northside Elementary School Campus and the North Monitoring Station since November 2019. On October 28, 2021, GHD commenced continuous monitoring activities at the South Monitoring Station. The Acrulog hydrogen sulfide (H_2S) monitoring units are installed at the following locations:

Station Name	Unit Serial Number	Last Calibration Date[1]
School Monitoring Station (School) [4/1-4/17]	180200450	October 27, 2022
School Monitoring Station (School) [4/17-4/30]	180200452	April 4, 2023
North Monitoring Station (NMS)	180200447	November 29, 2022
South Monitoring Station (SMS)	171000376	March 7, 2023

The Acrulog unit, which consists of the monitoring equipment enclosed within a weather shelter, was padlocked to a mounting bracket. The Acrulog unit at the Dudley/Northside School Campus was hung from an apparatus placed on top of the roof. The units at the North Monitoring Station and South Monitoring Station were each installed into the side of a tree. In order to assess whether tampering of the unit has occurred, a camera (Wildgame Innovations Cloak Pro Lights Out Trail Camera) was mounted approximately 20 to 25 feet away from each Acrulog unit. The camera unit is motion activated and will snap a 12-megapixel picture upon

[1] According to manufacturer, a calibration of the instrument should occur every 6 months.

.

detection of motion (at 15 second intervals). The camera has "night-vision" lenses that allow for pictures to be taken during night-time hours.

Acrulog Data Download

On the mornings of April 3, 2023, April 17, 2023, and May 1, 2023, Mr. Britt Gebhardt visited each of the three monitoring stations. An initial inspection of the monitoring station and the surrounding area was performed. Next, the Acrulog units were linked to a laptop via Bluetooth connection, and the monitoring data was downloaded. After downloading the monitoring data, the connection was terminated, and the Acrulog units were checked to ensure that the equipment was continuing to log samples every 10 minutes.

Summary of Collected Monitoring Data

A preliminary review of the data provides the following:

- Of the total of 4,314 readings taken at the School Monitoring Station, 4,312 were below detection.
  - There were two detections at the School Monitoring Station ranging from 3 ppb to 4 ppb. A review of the meteorological data indicated that both detections occurred when the prevailing wind direction was not from the direction of the landfill. Neither detection occurred during a time period outside of the landfill's operating schedule of 7:00 a.m. to 3:30 p.m. A review of the Weekly NYSDEC Hotline Summary Reports during the month of April (compiled by Barton & Loguidice) indicates that there were no hotline calls made within 1 hour of either detection.
- Of the total of 4,318 readings taken at the North Monitoring Station, 4,264 were below detection.
  - There were fifty-four detections at the North Monitoring Station ranging from 3 ppb to 8 ppb. A review of the meteorological data indicated that 53 of the 54 detections occurred when the prevailing wind direction was not from the direction of the landfill. In addition, 48 of the 54 detections occurred during a time period outside of the landfill's operating schedule of 7:00 a.m. to 3:30 p.m. A review of the Weekly NYSDEC Hotline Summary Reports during the month of April (compiled by Barton & Loguidice) indicates that there were no hotline calls made within 1 hour of either detection.
- Of the total of 4,318 readings taken at the South Monitoring Station, 4,318 were below detection.

The on-site meteorological data at the Site for April 1, 2023, through April 30, 2023, is provided in Attachment 1A. Upon analyzing the on-site meteorological data, GHD personnel discovered technical issues with the weather station data logger/recorder during this reporting period. Meteorological wind data was not recorded during portions of April 1, 2023, April 5, 2023, April 6, 2023, April 22, 2023, April 23, 2023, April 29, 2023, and April 30, 2023. The meteorological data was supplemented using meteorological data from the Rochester International Airport weather station and has been provided in Attachment 1B. Data gaps such as these are not uncommon with long term monitoring programs and the use of supplemental data is routine. Should further data gaps occur, this same supplemental data source will be used.

NYSDEC's ambient standard for H_2S is 10 ppb for a 1-hour average (6 NYCRR Subpart 257-10). There were no 1-hour averages during the reporting period above the 10-ppb threshold.

Ambient average concentrations of H_2S typically range from 0.11 to 0.33 ppb (Agency for Toxic Substances and Disease Registry (ATSDR) Toxicological Profile for Hydrogen Sulfide and Carbonyl Sulfide).

The raw data for each monitoring station during the period of April 1, 2023, through April 30, 2023, is provided as Attachment 2 to this report.

Summary of Landfill Activities

Operational activities occurring during the month of monitoring included the following:

- Leachate extraction
- Operations and maintenance
- Transportation, filling, compaction, and cover of typical volumes of waste received by rail and truck
- Typical volumes of landfill gas extraction and combustion in flare and engine plants
- Composting
- North road relocation
- Flare pad construction

We appreciate your assistance in this process. We plan to issue reports every month going forward until the completion of work activities. Please feel free to contact us if you have any questions, if you would like any clarifications, or additional information.

Regards.

Steven D. Wilsey
Principal

716-205-1982
steven.wilsey@ghd.com

Bryan P. Szalda
Engineer

716-205-1894
bryan.szalda@ghd.com

SDW/cs/4
Encl.

LEGEND

AMBIENT AIR MONITORING LOCATION

0 750 1500 ft

1" = 1500 ft

N

GHD

WASTE MANAGEMENT OF NEW YORK
HIGH ACRES LANDFILL
FAIRPORT, NEW YORK
APRIL 2023 AMBIENT AIR MONITORING

AMBIENT AIR MONITORING LOCATIONS

Project No. **12601828**
Date **May 2023**

FIGURE 1

Filename: N:\US\Niagara Falls\Projects\564\12601828\Digital_Design\ACAD\Figures\AMBIENT AIR MONITORING\2023-04-AIR\12601828-GHD-00-00-RPT-EN-D101_WA-2023-04-AIR.dwg
Plot Date: 11 May 2023 7:50 AM

Attachment 1A

On-Site Meteorological Data
April 1-30, 2023

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-01 00:00:00	0	0	0	0	121	9.89	11.86	47.4	87.7	98.11	-0.4	-0.6	0	47.4	0.14	100	8396	98.09	47.5
2023-04-01 00:05:00	0	0	0	0	116	10.11	12.41	47.5	87.8	98.08	-0.5	-0.5	0	47.5	0.14	100	8374	98.06	47.7
2023-04-01 00:10:00	0	0	0	0	126	10.76	13.18	47.6	87.9	98.07	-0.5	-0.7	0	47.6	0.14	100	8363	98.06	48
2023-04-01 00:15:00	0	0	0	0	130	10.33	13.31	47.8	87.7	98.08	-0.5	-0.7	0	47.8	0.14	100	8358	98.07	48.1
2023-04-01 00:20:00	0	0	0	0	125	10.27	13.8	47.9	87	98.07	-0.4	-0.5	0	47.9	0.15	100	8371	98.05	48.2
2023-04-01 00:25:00	0	0	0	0	129	10.74	14.72	47.9	87.2	98.06	-0.1	-0.8	0	47.9	0.15	100	8373	98.05	48
2023-04-01 00:30:00	0	0	0	0	132	11.03	16.08	48	86.9	98.05	-0.3	-0.7	0	48	0.15	100	8378	98.04	48
2023-04-01 00:35:00	0	0	0	0	136	11.74	15.57	48.1	86.6	98.05	-0.2	-0.5	0	48.1	0.15	100	8376	98.04	48
2023-04-01 00:40:00	0	0	0	0	138	10.45	14.7	48.1	86.6	98.05	-0.3	-0.6	0	48.1	0.15	100	8375	98.03	48.1
2023-04-01 00:45:00	0	0	0	0	141	9.17	11.79	48.1	86.9	98.05	-0.4	-0.7	0	48.1	0.15	100	8378	98.03	48
2023-04-01 00:50:00	0	0	0	0	139	10.74	13.35	48.1	86.5	98.03	-0.6	-0.5	0	48.1	0.15	100	8375	98.02	48.1
2023-04-01 00:55:00	0	0	0	0	131	10.33	13.06	48.2	86.8	98.01	-0.4	-0.5	0	48.2	0.15	100	8374	98	48.1
2023-04-01 01:00:00	0	0	0	0	122	11.79	14.9	48.2	86.5	97.99	-0.4	-0.2	0	48.2	0.16	100	8374	97.98	48.1
2023-04-01 01:05:00	0	0	0	0	134	12.3	15.12	48.2	86.3	97.98	-0.3	-0.5	0	48.2	0.16	100	8374	97.98	48.1
2023-04-01 01:10:00	0	0	0	0	137	10.87	14.52	48.3	86.4	97.98	-0.5	-0.4	0	48.3	0.16	100	8376	97.97	48.1
2023-04-01 01:15:00	0	0	0	0	148	9.24	13.44	48.3	86.6	97.98	-0.3	-0.5	0	48.2	0.15	100	8375	97.97	48.1
2023-04-01 01:20:00	0	0	0	0	149	9.31	11.88	48.2	86.5	97.97	-0.5	-0.4	0	48.2	0.15	100	8374	97.96	48.1
2023-04-01 01:25:00	0	0	0	0	149	8.1	10.42	48.2	86.6	97.97	-0.4	-0.6	0	48.2	0.15	100	8373	97.95	48.1
2023-04-01 01:30:00	0	0	0	0	149	8.9	11.5	48.2	86.9	97.96	-0.5	-0.6	0	48.2	0.15	100	8374	97.94	48.1
2023-04-01 01:35:00	0	0	0	0	153	7.9	9.62	48.2	87.3	97.96	-0.3	-0.5	0	48.2	0.15	100	8372	97.94	48.1
2023-04-01 01:40:00	0	0.00134	2	11	172	7.74	10.49	48	87.7	97.98	-0.4	-0.5	0.04	47.9	0.14	100	8373	97.96	48
2023-04-01 01:45:00	0	0.00536	1	11	160	6.62	9.26	47.9	88.8	97.94	-0.2	-0.6	0.08	47.9	0.13	100	8373	97.91	48
2023-04-01 01:50:00	0	0.00067	2	11	141	5.37	7.31	47.8	89.8	97.92	-0.4	-0.6	0.04	47.8	0.12	100	8370	97.9	47.9
2023-04-01 01:55:00	0	0.00536	0	0	112	5.73	14.32	47.6	90.4	97.91	-0.4	-0.6	0.161	47.6	0.11	100	8371	97.89	47.7
2023-04-01 02:00:00	0	0.01474	0	0	116	7.52	12.24	47.4	91.4	97.88	-0.4	-0.5	0.201	47.4	0.1	100	8370	97.85	47.6
2023-04-01 02:05:00	0	0.01005	0	0	111	6.49	8.46	47.2	93.4	97.85	-0.3	-0.5	0.161	47.2	0.07	100	8370	97.82	47.5
2023-04-01 02:10:00	0	0.00871	0	0	108	7.81	8.99	46.9	93.9	97.8	-0.3	-0.7	0.241	47	0.07	100	8370	97.78	47.3
2023-04-01 02:15:00	0	0.02278	0	0	107	9.35	12.12	46.9	94.4	97.75	-0.5	-0.4	0.522	46.9	0.06	100	8368	97.72	47.2
2023-04-01 02:20:00	0	0.02681	0	0	110	13	16.84	46.7	94.7	97.68	-0.5	-0.5	1.566	46.7	0.06	100	8364	97.65	47.1
2023-04-01 02:25:00	0	0.00603	0	0	120	13.49	18.99	46.7	94.9	97.63	-0.6	-0.3	0.08	46.7	0.06	100	8365	97.63	47
2023-04-01 02:30:00	0	0.00268	0	0	151	12.12	18.1	46.5	95.1	97.7	-0.2	-0.6	0.04	46.5	0.05	100	8368	97.71	47
2023-04-01 02:35:00	0	0.00134	0	0	154	10.98	16.6	46.5	95.9	97.72	-0.2	-0.6	0.04	46.5	0.04	100	8367	97.71	46.9
2023-04-01 02:40:00	0	0.00402	1	11	143	12.39	21.61	46.5	95.5	97.69	-0.8	-0.5	0.12	46.5	0.05	100	8366	97.68	47
2023-04-01 02:45:00	0	0.02614	0	0	138	12.5	15.99	46.6	96	97.65	-0.3	-0.4	0.361	46.7	0.04	100	8365	97.64	46.9
2023-04-01 02:50:00	0	0.02278	0	0	123	12.64	15.99	46.5	96.4	97.57	-0.9	-0.5	0.562	46.5	0.04	100	8363	97.56	46.9
2023-04-01 02:55:00	0	0.02479	0	0	117	15.5	18.77	46.4	96.5	97.48	-0.5	-0.6	0.964	46.5	0.04	100	8362	97.46	46.8
2023-04-01 03:00:00	0	0.01809	0	0	#N/A	#N/A	#N/A	46.4	96.8	97.42	-0.7	-0.4	0.281	46.5	#N/A	100	8365	97.42	46.7
2023-04-01 03:05:00	0	0.00469	1	23	#N/A	#N/A	#N/A	46.4	97.2	97.48	-0.3	-0.6	0.08	46.5	#N/A	100	8360	97.47	46.7
2023-04-01 03:10:00	0	0.00201	2	9	#N/A	#N/A	#N/A	46.4	97.2	97.48	-0.5	-0.7	0.08	46.5	#N/A	100	8361	97.47	46.7
2023-04-01 03:15:00	0	0.03083	3	4	#N/A	#N/A	#N/A	46.4	97.2	97.49	-0.3	-0.5	1.084	46.4	#N/A	100	8364	97.49	46.6
2023-04-01 03:20:00	0	0.02748	3	1	#N/A	#N/A	#N/A	46.4	97.3	97.56	-0.4	-0.7	0.402	46.4	#N/A	100	8358	97.57	46.7
2023-04-01 03:25:00	0	0.08494	1	1	#N/A	#N/A	#N/A	46.4	98	97.55	0	-0.9	1.727	46.4	#N/A	100	8360	97.52	46.7
2023-04-01 03:30:00	0	0.01876	2	1	#N/A	#N/A	#N/A	46.5	97.9	97.47	-0.5	-0.5	0.321	46.5	#N/A	100	8361	97.45	46.6
2023-04-01 03:35:00	0	0.02211	0	0	#N/A	#N/A	#N/A	46.6	98	97.44	-0.7	-0.4	0.281	46.6	#N/A	100	8359	97.43	46.7
2023-04-01 03:40:00	0	0.01139	0	0	#N/A	#N/A	#N/A	46.7	98.3	97.43	-0.6	-0.5	0.281	46.7	#N/A	100	8359	97.42	46.7
2023-04-01 03:45:00	0	0.01407	0	0	#N/A	#N/A	#N/A	46.8	98.2	97.42	-0.4	-0.8	0.241	46.8	#N/A	100	8356	97.41	46.8
2023-04-01 03:50:00	0	0.00804	0	0	#N/A	#N/A	#N/A	46.9	98.2	97.38	-0.4	-0.5	0.161	46.9	#N/A	100	8355	97.37	46.8
2023-04-01 03:55:00	0	0.00402	0	0	#N/A	#N/A	#N/A	47	98.6	97.34	-0.5	-0.4	0.08	47	#N/A	100	8358	97.33	46.9
2023-04-01 04:00:00	0	0.00067	0	0	#N/A	#N/A	#N/A	47	98.6	97.33	-0.3	-0.6	0.04	47	#N/A	100	8355	97.32	46.8
2023-04-01 04:05:00	0	0	0	0	#N/A	#N/A	#N/A	46.9	98.1	97.32	-0.5	-0.8	0	46.9	#N/A	100	8355	97.31	46.9
2023-04-01 04:10:00	0	0.00134	0	0	#N/A	#N/A	#N/A	46.9	98.5	97.34	-0.4	-0.5	0.04	46.9	#N/A	100	8355	97.33	46.9
2023-04-01 04:15:00	0	0.02278	0	0	#N/A	#N/A	#N/A	47	98.7	97.31	-0.6	-0.4	0.482	47	#N/A	100	8353	97.29	46.9
2023-04-01 04:20:00	0	0.04691	0	0	#N/A	#N/A	#N/A	47.1	98.9	97.29	-0.3	-0.3	1.767	47.1	#N/A	100	8352	97.28	47.1
2023-04-01 04:25:00	0	0.03016	0	0	#N/A	#N/A	#N/A	47.2	98.7	97.29	-0.4	-0.5	0.522	47.2	#N/A	100	8352	97.29	47.2
2023-04-01 04:30:00	0	0.01139	0	0	#N/A	#N/A	#N/A	47.3	98.6	97.29	-0.6	-0.4	0.201	47.2	#N/A	100	8353	97.28	47.2
2023-04-01 04:35:00	0	0.01206	0	0	#N/A	#N/A	#N/A	47.3	98.6	97.27	-0.4	-0.5	0.321	47.3	#N/A	100	8352	97.25	47.2
2023-04-01 04:40:00	0	0.00268	0	0	#N/A	#N/A	#N/A	47.3	98.9	97.25	-0.3	-0.6	0.08	47.3	#N/A	100	8352	97.24	47.2
2023-04-01 04:45:00	0	0	0	0	#N/A	#N/A	#N/A	47.3	98.5	97.24	-0.5	-0.6	0	47.3	#N/A	100	8352	97.22	47.2
2023-04-01 04:50:00	0	0.00067	0	0	#N/A	#N/A	#N/A	47.3	99	97.23	-0.4	-0.4	0.04	47.3	#N/A	100	8352	97.21	47.3
2023-04-01 04:55:00	0	0	0	0	#N/A	#N/A	#N/A	47.3	98.9	97.2	-0.3	-0.5	0	47.3	#N/A	100	8352	97.18	47.3

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-01 05:00:00	0	0	0	0	#N/A	#N/A	#N/A	47.3	99.2	97.18	-0.3	-0.7	0	47.3	#N/A	100	8352	97.16	47.3
2023-04-01 05:05:00	0	0	0	0	#N/A	#N/A	#N/A	47.6	99.1	97.16	-0.4	-0.6	0	47.6	#N/A	100	8350	97.15	47.5
2023-04-01 05:10:00	0	0	0	0	#N/A	#N/A	#N/A	47.7	99	97.14	-0.3	-0.6	0	47.7	#N/A	100	8348	97.13	47.6
2023-04-01 05:15:00	0	0	0	0	#N/A	#N/A	#N/A	47.9	99.4	97.13	-0.4	-0.8	0	47.9	#N/A	100	8349	97.12	47.8
2023-04-01 05:20:00	0	0	0	0	#N/A	#N/A	#N/A	48	99.1	97.12	-0.3	-0.7	0	48.1	#N/A	100	8349	97.11	47.9
2023-04-01 05:25:00	0	0	0	0	#N/A	#N/A	#N/A	48.2	99.2	97.1	-0.3	-0.6	0	48.3	#N/A	100	8350	97.1	48.1
2023-04-01 05:30:00	0	0	0	0	#N/A	#N/A	#N/A	48.4	99.1	97.1	-0.3	-0.5	0	48.4	#N/A	100	8349	97.1	48.3
2023-04-01 05:35:00	0	0	0	0	#N/A	#N/A	#N/A	48.7	99	97.11	-0.3	-0.6	0	48.7	#N/A	100	8330	97.1	48.7
2023-04-01 05:40:00	0	0	0	0	#N/A	#N/A	#N/A	48.8	99.1	97.06	-0.5	-0.4	0	48.8	#N/A	100	8336	97.06	49
2023-04-01 05:45:00	0	0	0	0	#N/A	#N/A	#N/A	49.1	99.1	97.05	-0.3	-0.6	0	49.1	#N/A	100	8338	97.05	49.1
2023-04-01 05:50:00	0	0	0	0	#N/A	#N/A	#N/A	49.4	98.9	97.06	0.1	-0.6	0	49.4	#N/A	100	8338	97.06	49.3
2023-04-01 05:55:00	0	0	0	0	#N/A	#N/A	#N/A	49.6	99	97.04	-0.6	0	0	49.6	#N/A	100	8336	97.05	49.6
2023-04-01 06:00:00	0	0	0	0	#N/A	#N/A	#N/A	49.9	98.7	97.03	-0.4	-0.3	0	49.9	#N/A	100	8338	97.03	49.7
2023-04-01 06:05:00	0	0	0	0	#N/A	#N/A	#N/A	50.1	98.4	97.02	-0.7	-0.5	0	50.2	#N/A	100	8336	97.02	49.9
2023-04-01 06:10:00	0	0	0	0	#N/A	#N/A	#N/A	50.4	98.1	97.02	-0.1	-0.3	0	50.4	#N/A	100	8337	97.02	50.1
2023-04-01 06:15:00	0	0	0	0	#N/A	#N/A	#N/A	50.6	98.3	97.03	-0.2	-0.2	0	50.6	#N/A	100	8339	97.02	50.2
2023-04-01 06:20:00	0	0	0	0	#N/A	#N/A	#N/A	50.9	97.7	97.02	-0.3	-0.6	0	50.9	#N/A	100	8336	97.01	50.4
2023-04-01 06:25:00	0	0	0	0	#N/A	#N/A	#N/A	51.2	97.9	97.01	-0.5	-0.6	0	51.2	#N/A	100	8336	97	50.7
2023-04-01 06:30:00	0	0	0	0	#N/A	#N/A	#N/A	51.6	97.8	97.01	-0.1	-1.1	0	51.6	#N/A	100	8336	97	51.2
2023-04-01 06:35:00	0.8	0	0	0	#N/A	#N/A	#N/A	52.2	97	97.02	-0.2	-0.3	0	52.2	#N/A	100	8337	97.01	51.7
2023-04-01 06:40:00	2	0	0	0	#N/A	#N/A	#N/A	52.7	96.3	97.02	-0.2	-0.6	0	52.7	#N/A	100	8336	97	52.2
2023-04-01 06:45:00	3.8	0	0	0	#N/A	#N/A	#N/A	53.2	95	97.02	-0.3	-0.7	0	53.2	#N/A	100	8333	97.01	52.7
2023-04-01 06:50:00	6.8	0	0	0	#N/A	#N/A	#N/A	53.7	93.6	97.03	-0.2	-1	0	53.6	#N/A	100	8335	97.02	53.1
2023-04-01 06:55:00	14.6	0	0	0	#N/A	#N/A	#N/A	54	92.5	97.05	-0.3	-0.9	0	54	#N/A	100	8336	97.04	53.4
2023-04-01 07:00:00	45.8	0	0	0	#N/A	#N/A	#N/A	54.4	91.5	97.03	-0.3	-0.5	0	54.4	#N/A	100	8342	97.02	53.8
2023-04-01 07:05:00	50.6	0	0	0	#N/A	#N/A	#N/A	55	89.8	97.02	-0.3	-0.7	0	55	#N/A	100	8342	97.01	54.3
2023-04-01 07:10:00	64	0	0	0	#N/A	#N/A	#N/A	55.4	88.1	97.03	-0.2	-0.9	0	55.4	#N/A	100	8346	97.03	54.8
2023-04-01 07:15:00	35.6	0	0	0	#N/A	#N/A	#N/A	56	86.1	97.06	-0.1	-0.8	0	56	#N/A	100	8345	97.05	55.4
2023-04-01 07:20:00	27	0	0	0	#N/A	#N/A	#N/A	56.1	85.1	97.09	-0.2	-1.1	0	56.1	#N/A	100	8345	97.07	55.8
2023-04-01 07:25:00	31.2	0	0	0	#N/A	#N/A	#N/A	56.2	83.6	97.07	-0.2	-0.9	0	56.2	#N/A	100	8340	97.05	56.2
2023-04-01 07:30:00	15.2	0	0	0	#N/A	#N/A	#N/A	56.4	82.2	97.06	-0.4	-0.9	0	56.4	#N/A	100	8342	97.04	56.5
2023-04-01 07:35:00	17.2	0	0	0	#N/A	#N/A	#N/A	56.7	80.6	97.03	-0.2	-0.2	0	56.7	#N/A	100	8340	97.01	56.8
2023-04-01 07:40:00	22.2	0	0	0	211	15.03	20.47	56.9	78.7	97	-0.2	-0.8	0	56.9	0.34	100	8341	96.98	56.9
2023-04-01 07:45:00	57.6	0	0	0	209	16.8	24.45	57.1	77.2	97.01	0.4	-0.9	0	57.2	0.36	100	8342	96.99	57.2
2023-04-01 07:50:00	61.8	0	0	0	211	17.52	22.03	57.3	75.9	97	-0.4	-0.9	0	57.4	0.39	100	8340	96.99	57.4
2023-04-01 07:55:00	48.6	0	0	0	214	14.76	22.91	57.6	75	97.01	-0.1	-1	0	57.7	0.4	100	8340	96.99	57.5
2023-04-01 08:00:00	46.6	0	0	0	211	18.19	28.1	57.6	73.7	97	-0.1	-1.1	0	57.7	0.43	100	8341	96.97	57.5
2023-04-01 08:05:00	32.2	0	0	0	210	15.26	22.46	57.7	72.3	97	-0.4	-0.7	0	57.8	0.45	100	8337	96.98	57.5
2023-04-01 08:10:00	39.2	0	0	0	209	16.93	25.1	57.7	71.7	96.99	0.2	-1.4	0	57.7	0.46	100	8336	96.97	57.5
2023-04-01 08:15:00	121.6	0	0	0	215	17.49	24.9	58.2	70.5	97	-0.3	-0.4	0	58.5	0.49	100	8347	96.99	57.6
2023-04-01 08:20:00	171.6	0	0	0	220	18.72	26.75	58.8	68.5	97	-0.5	-0.5	0	59.1	0.53	100	8353	97	58
2023-04-01 08:25:00	119.4	0	0	0	221	20.42	25.37	59.2	66.6	97	0.1	-1.3	0	59.4	0.57	100	8356	96.99	58.4
2023-04-01 08:30:00	255	0	0	0	220	21.05	32.19	59.9	64.4	97	0.2	-1.1	0	60.4	0.63	100	8372	97.01	58.9
2023-04-01 08:35:00	260.4	0	0	0	228	18.66	26.26	60.9	61.9	96.99	0.1	-1	0	61.4	0.7	100	8385	97.01	59.5
2023-04-01 08:40:00	260.2	0	0	0	234	18.86	32.82	61.7	60.2	97.01	-0.3	-0.8	0	62.1	0.75	100	8393	97.03	60.1
2023-04-01 08:45:00	275	0	0	0	231	21.23	29.66	62.1	59.6	97.03	-0.1	-0.7	0	62.6	0.77	100	8400	97.05	60.7
2023-04-01 08:50:00	303.8	0	0	0	236	20.74	29.97	62.4	59.5	97.04	0.4	-1.6	0	62.9	0.78	100	8410	97.05	61.1
2023-04-01 08:55:00	329.6	0	0	0	232	19.37	29.59	62.7	60.9	97.05	0.4	-1.1	0	63.2	0.76	100	8422	97.07	61.5
2023-04-01 09:00:00	357.2	0	0	0	243	18.19	23.71	62.9	60.3	97.08	-0.6	-0.5	0	63.5	0.78	100	8425	97.1	61.8
2023-04-01 09:05:00	375	0	0	0	248	19.6	30.58	63.1	58.9	97.09	-0.4	-0.5	0	63.8	0.81	100	8434	97.11	62.2
2023-04-01 09:10:00	391.6	0	0	0	256	21.9	28.25	63.5	57.8	97.11	0.4	-1.2	0	64.1	0.84	100	8440	97.12	62.5
2023-04-01 09:15:00	408.2	0	0	0	246	22.95	32.23	63.7	55.7	97.11	-0.6	0	0	64.3	0.89	100	8448	97.11	62.8
2023-04-01 09:20:00	425.4	0	0	0	253	24.79	33.06	63.8	53.6	97.1	-0.1	-0.3	0	64.4	0.94	100	8454	97.12	62.9
2023-04-01 09:25:00	441.8	0	0	0	258	24.87	37.07	64	53.4	97.11	-0.8	-0.9	0	64.6	0.95	100	8462	97.11	63
2023-04-01 09:30:00	457	0	0	0	243	24.96	33.42	64	53.2	97.1	0.8	-0.7	0	64.6	0.95	100	8471	97.13	63.2
2023-04-01 09:35:00	474.8	0	0	0	247	27.36	37.13	64.2	51.9	97.11	0.4	-0.8	0	64.7	0.98	100	8477	97.13	63.3
2023-04-01 09:40:00	490.8	0	0	0	248	26.46	36.93	64.2	50.8	97.11	0	1	0	64.7	1.01	100	8485	97.14	63.4
2023-04-01 09:45:00	506.4	0	0	0	242	23.04	33.84	64.4	50.7	97.12	0.7	-0.9	0	64.9	1.02	100	8491	97.14	63.5
2023-04-01 09:50:00	512	0	0	0	246	21.65	32.41	64.4	50.1	97.12	-0.1	-1.3	0	65.1	1.03	100	8495	97.14	63.7
2023-04-01 09:55:00	506.6	0	0	0	251	23.09	35.88	64.7	48	97.11	0.5	-0.1	0	65.3	1.08	100	8504	97.12	63.9

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-01 10:00:00	498.4	0	0	0	251	19.13	28.01	64.8	47.2	97.12	-0.4	-0.8	0	65.6	1.11	100	8508	97.14	64.1
2023-04-01 10:05:00	481	0	0	0	253	22.1	33.62	65.1	45.7	97.12	-0.9	-0.3	0	65.7	1.15	100	8513	97.14	64.3
2023-04-01 10:10:00	501.8	0	0	0	260	17.58	32.37	65.2	44.3	97.12	-0.1	-1.3	0	65.8	1.18	100	8518	97.14	64.5
2023-04-01 10:15:00	542	0	0	0	258	15.79	25.01	65.5	44.3	97.11	-0.1	-0.7	0	66.2	1.19	100	8521	97.13	64.7
2023-04-01 10:20:00	577	0	0	0	249	20.11	29.21	65.8	43	97.1	-1.1	-1.1	0	66.5	1.24	100	8526	97.12	65
2023-04-01 10:25:00	611.6	0	0	0	261	20.24	28.68	65.9	41.1	97.1	0.5	-0.6	0	66.6	1.28	100	8532	97.11	65.1
2023-04-01 10:30:00	624	0	0	0	251	20.85	32.97	66	41.1	97.1	-0.1	-0.4	0	66.6	1.29	100	8539	97.12	65.2
2023-04-01 10:35:00	635	0	0	0	252	18.43	30.02	66	40.4	97.09	-0.2	-1.2	0	66.6	1.3	100	8538	97.11	65.3
2023-04-01 10:40:00	647.8	0	0	0	244	20	32.41	66.2	40.7	97.07	0.4	-0.3	0	66.8	1.3	100	8543	97.09	65.5
2023-04-01 10:45:00	657.2	0	0	0	242	21.14	33.58	66.4	39.2	97.06	0.2	-0.9	0	67	1.34	100	8546	97.08	65.6
2023-04-01 10:50:00	666.4	0	0	0	256	16.4	24.94	66.4	39.5	97.07	-0.1	-0.6	0	67.1	1.34	100	8547	97.09	65.8
2023-04-01 10:55:00	677.2	0	0	0	251	20.6	32.08	66.6	38.6	97.07	0.6	-1.5	0	67.3	1.37	100	8549	97.09	65.9
2023-04-01 11:00:00	683.4	0	0	0	255	22.73	31.68	66.5	38.6	97.07	-1.4	0.4	0	67.1	1.36	100	8555	97.09	65.9
2023-04-01 11:05:00	667.2	0	0	0	260	22.86	31.34	66.5	38.6	97.06	0.7	-1	0	67.1	1.36	100	8559	97.09	65.9
2023-04-01 11:10:00	649.2	0	0	0	266	19.17	34.34	66.4	39.1	97.07	0.5	-0.1	0	67	1.35	100	8558	97.1	65.9
2023-04-01 11:15:00	614.4	0	0	0	251	23.06	31.32	66.5	38.1	97.08	-1.1	0.8	0	67.1	1.37	100	8563	97.09	66
2023-04-01 11:20:00	620.6	0	0	0	252	19.82	27.45	66.4	37.7	97.07	-0.8	-1.1	0	67	1.38	100	8565	97.09	65.9
2023-04-01 11:25:00	674.4	0	0	0	263	16.71	26.75	66.5	39.6	97.08	0.5	-1.1	0	67.1	1.34	100	8566	97.09	66.1
2023-04-01 11:30:00	716.6	0	0	0	253	16.89	25.57	66.6	39	97.07	0.2	-0.6	0	67.2	1.36	100	8567	97.09	66.1
2023-04-01 11:35:00	743.6	0	0	0	260	14.7	28.1	66.7	39	97.07	-0.1	-0.8	0	67.4	1.36	100	8564	97.09	66.3
2023-04-01 11:40:00	751	0	0	0	242	20.15	29.26	67.1	38.3	97.05	0.6	-0.5	0	67.7	1.4	100	8567	97.07	66.5
2023-04-01 11:45:00	757.2	0	0	0	243	17.92	25.61	67	37.1	97.05	0.1	-0.7	0	67.6	1.42	100	8570	97.07	66.4
2023-04-01 11:50:00	762.4	0	0	0	254	19.64	25.03	66.9	36.6	97.05	-0.4	-0.5	0	67.5	1.43	100	8571	97.07	66.4
2023-04-01 11:55:00	762.2	0	0	0	262	19.89	31.27	66.9	36.7	97.04	0.6	-0.7	0	67.6	1.43	100	8570	97.04	66.4
2023-04-01 12:00:00	735.2	0	0	0	266	18.66	26.11	67	37.2	97.03	0.2	-0.5	0	67.6	1.42	100	8573	97.05	66.5
2023-04-01 12:05:00	706	0	0	0	271	16.93	24.72	67.1	36.8	97.03	0.3	-0.9	0	67.8	1.43	100	8573	97.03	66.6
2023-04-01 12:10:00	661.2	0	0	0	270	17.85	24.58	67.2	35.9	97.01	0.3	-1.2	0	67.9	1.46	100	8571	97.01	66.7
2023-04-01 12:15:00	693.4	0	0	0	262	19.8	26.37	67.4	36.5	97	0.2	-0.5	0	68	1.45	100	8571	97.01	66.7
2023-04-01 12:20:00	742.6	0	0	0	262	17.54	25.46	67.4	36.1	96.99	-0.1	-1.1	0	68	1.46	100	8572	97	66.8
2023-04-01 12:25:00	783.4	0	0	0	259	13.73	20.24	67.6	37.6	96.97	0	-0.3	0	68.3	1.44	100	8571	96.97	67
2023-04-01 12:30:00	790.8	0	0	0	245	14.25	20.42	67.8	37	96.96	0.4	-1.4	0	68.6	1.46	100	8571	96.96	67.2
2023-04-01 12:35:00	792.6	0	0	0	246	11.45	18.68	68	36.4	96.94	-0.4	-0.6	0	68.8	1.49	100	8570	96.94	67.3
2023-04-01 12:40:00	791.6	0	0	0	266	12.86	18.92	68.3	36.7	96.93	0.2	-0.9	0	69.1	1.49	100	8567	96.93	67.6
2023-04-01 12:45:00	784	0	0	0	230	14.74	24.65	68.6	35.5	96.91	0	-0.7	0	69.3	1.54	100	8570	96.92	67.7
2023-04-01 12:50:00	758.6	0	0	0	245	12.8	17.34	68.7	35.9	96.9	0	-0.9	0	69.5	1.53	100	8567	96.9	67.9
2023-04-01 12:55:00	733	0	0	0	236	14.79	23.09	68.9	35.2	96.88	-0.1	-0.7	0	69.6	1.56	100	8567	96.88	67.9
2023-04-01 13:00:00	689.2	0	0	0	236	14.9	24.81	68.9	35.3	96.87	-0.2	-0.5	0	69.6	1.56	100	8564	96.88	67.9
2023-04-01 13:05:00	673.2	0	0	0	210	15.97	23.4	69	35.2	96.87	-0.1	-0.7	0	69.7	1.57	100	8562	96.87	68
2023-04-01 13:10:00	716.8	0	0	0	222	19.13	27.72	69	34	96.85	0.5	-1	0	69.7	1.6	100	8563	96.84	68
2023-04-01 13:15:00	747.2	0	0	0	216	17.05	26.96	69.2	34.7	96.84	0.3	-0.8	0	69.8	1.59	100	8558	96.84	68
2023-04-01 13:20:00	772.8	0	0	0	228	15.3	22.41	69.1	35.3	96.82	0.2	-0.9	0	69.9	1.57	100	8556	96.82	68.1
2023-04-01 13:25:00	788.2	0	0	0	253	12.84	18.54	69.4	34.9	96.81	0.1	-1	0	70.1	1.6	100	8552	96.81	68.3
2023-04-01 13:30:00	786.6	0	0	0	257	10.31	16.75	69.8	35.6	96.79	-0.1	-0.7	0	70.6	1.6	100	8551	96.79	68.6
2023-04-01 13:35:00	785	0	0	0	217	13.82	20.98	70.1	35.9	96.77	0	-0.8	0	71	1.61	100	8548	96.77	69
2023-04-01 13:40:00	780.2	0	0	0	203	14.63	24.65	70.3	34.9	96.76	-0.1	-1.1	0	71	1.64	100	8542	96.75	69.1
2023-04-01 13:45:00	781.2	0	0	0	221	13.53	21.05	70.3	33.4	96.74	-0.2	-1	0	71.1	1.68	100	8540	96.74	69.1
2023-04-01 13:50:00	781.8	0	0	0	250	11.48	19.28	70.4	32.1	96.73	0	-0.8	0	71.3	1.72	100	8535	96.72	69.3
2023-04-01 13:55:00	774.6	0	0	0	248	14.23	21.25	70.8	30.8	96.72	0	-0.8	0	71.5	1.78	100	8531	96.72	69.4
2023-04-01 14:00:00	755	0	0	0	249	13.04	17.58	70.8	31.7	96.72	0.3	-0.8	0	71.5	1.75	100	8526	96.71	69.4
2023-04-01 14:05:00	685.8	0	0	0	238	12.06	17.18	70.9	31.4	96.71	0	-0.7	0	71.7	1.77	100	8523	96.7	69.5
2023-04-01 14:10:00	437.4	0	0	0	267	12.64	18.12	70.4	30.9	96.71	0.1	-1	0	71.1	1.75	100	8520	96.68	69.5
2023-04-01 14:15:00	514	0	0	0	258	11.56	16.46	69.9	31	96.69	0	-0.9	0	70.7	1.72	100	8515	96.67	69.4
2023-04-01 14:20:00	525	0	0	0	257	13.98	24.92	69.8	31.4	96.68	-0.1	-1.1	0	70.6	1.7	100	8513	96.65	69.5
2023-04-01 14:25:00	471	0	0	0	268	9.91	18.34	69.7	31.3	96.67	0	-0.8	0	70.6	1.7	100	8509	96.65	69.6
2023-04-01 14:30:00	349.4	0	0	0	271	10.98	17.29	69.4	31.9	96.67	-0.1	-0.4	0	70.2	1.67	100	8507	96.63	69.6
2023-04-01 14:35:00	301.4	0	0	0	292	10.47	14.74	68.9	31	96.66	0	-0.8	0	69.6	1.66	100	8504	96.62	69.5
2023-04-01 14:40:00	307	0	0	0	275	9.78	14.65	68.6	30.4	96.66	-0.3	-0.6	0	69.3	1.66	100	8503	96.62	69.3
2023-04-01 14:45:00	454	0	0	0	318	9.64	16.06	68.4	32.4	96.65	-0.2	-0.6	0	69.3	1.6	100	8501	96.61	69.2
2023-04-01 14:50:00	391.4	0	0	0	318	13.02	16.87	68.5	33.4	96.65	-0.2	-0.7	0	69.3	1.58	100	8497	96.61	69.4
2023-04-01 14:55:00	232.8	0	0	0	313	13.91	20.13	68.3	34	96.66	-0.2	-0.4	0	68.8	1.55	100	8495	96.62	69.2

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-01 15:00:00	181	0	0	0	324	11.18	14.74	67.7	35	96.68	-0.2	-0.6	0	68.1	1.51	100	8488	96.64	68.7
2023-04-01 15:05:00	122.4	0	0	0	322	9.73	17.07	67.1	35.3	96.7	-0.1	-0.7	0	67.5	1.47	100	8488	96.65	68.2
2023-04-01 15:10:00	67.6	0	0	0	346	16.89	23.44	66.5	36.6	96.72	-0.2	-0.6	0	66.7	1.41	100	8482	96.67	67.4
2023-04-01 15:15:00	34.8	0	0	0	340	21.45	30.8	64.8	39.7	96.75	0.8	-0.7	0	64.9	1.26	100	8478	96.69	65.8
2023-04-01 15:20:00	22.8	0	0	0	316	23.2	31.14	62.8	42.4	96.79	0	-0.1	0	62.8	1.12	100	8474	96.74	64.1
2023-04-01 15:25:00	20	0	1	12	285	19.19	27.94	61	44.7	96.87	-0.7	-0.3	0	61	1.01	100	8475	96.82	62.3
2023-04-01 15:30:00	13.8	0.00402	0	0	234	24.92	36.91	60.2	46.9	96.86	-0.7	-0.8	0.12	60.2	0.94	100	8468	96.8	60.2
2023-04-01 15:35:00	14.4	0	0	0	287	22.17	27.18	59.1	49.8	96.91	-0.4	-0.1	0	59.1	0.86	100	8466	96.87	60.2
2023-04-01 15:40:00	21.2	0.00134	0	0	258	31.52	46.86	58.1	56.2	96.97	0.1	-0.5	0.04	58.1	0.72	100	8463	96.95	58
2023-04-01 15:45:00	28.6	0.00938	0	0	264	30.76	40.78	55.4	69.3	97.02	-1.7	-0.2	0.241	55.4	0.46	100	8460	96.99	55.9
2023-04-01 15:50:00	30.8	0.01206	0	0	265	28.41	39.35	52.5	76.6	97.07	-0.8	-2.4	0.161	52.4	0.32	100	8456	97.03	54.4
2023-04-01 15:55:00	21.8	0.00938	0	0	262	25.52	37.31	50.4	80.5	97.1	0.6	0.3	0.241	50.4	0.24	100	8454	97.07	53.1
2023-04-01 16:00:00	19.8	0.01139	0	0	257	24.36	41.29	49.1	83.7	97.09	-0.4	-1	0.201	49	0.19	100	8454	97.07	52
2023-04-01 16:05:00	22	0.00804	0	0	256	22.84	29.39	48.1	86.5	97.12	-0.6	-0.2	0.161	48.1	0.15	100	8448	97.09	51.2
2023-04-01 16:10:00	21	0.01005	0	0	253	35.01	37.65	47.6	87	97.15	0	-1	0.241	47.5	0.15	100	8447	97.12	50.3
2023-04-01 16:15:00	15.4	0.01876	0	0	#N/A	#N/A	#N/A	47	88.3	97.17	-0.9	0.1	0.281	47	#N/A	100	8444	97.13	49.7
2023-04-01 16:20:00	13.6	0.0201	0	0	#N/A	#N/A	#N/A	46.6	89.5	97.17	-0.4	-1.7	0.321	46.6	#N/A	100	8442	97.13	49.1
2023-04-01 16:25:00	16.4	0.01541	0	0	#N/A	#N/A	#N/A	46.1	90.2	97.16	-0.5	-0.2	0.241	46.1	#N/A	100	8440	97.13	48.5
2023-04-01 16:30:00	28.2	0.01876	0	0	#N/A	#N/A	#N/A	45.9	90.8	97.17	-0.7	-0.2	0.321	45.9	#N/A	100	8440	97.14	48.1
2023-04-01 16:35:00	41.4	0.01273	0	0	#N/A	#N/A	#N/A	45.7	92.1	97.17	-0.6	-0.7	0.281	45.8	#N/A	100	8437	97.14	47.7
2023-04-01 16:40:00	75.8	0.00469	0	0	#N/A	#N/A	#N/A	45.6	92.2	97.15	-0.4	-0.4	0.08	45.6	#N/A	100	8437	97.11	47.4
2023-04-01 16:45:00	224	0.00067	0	0	#N/A	#N/A	#N/A	45.7	90.9	97.11	-0.9	-1.1	0.04	45.7	#N/A	100	8437	97.09	47.2
2023-04-01 16:50:00	542.6	0	0	0	#N/A	#N/A	#N/A	46.5	89.6	97.08	-0.7	-0.6	0	46.7	#N/A	100	8440	97.07	48
2023-04-01 16:55:00	540.2	0	0	0	#N/A	#N/A	#N/A	47.7	88.9	97.06	-0.8	-0.8	0	47.8	#N/A	100	8439	97.05	49
2023-04-01 17:00:00	438	0	0	0	#N/A	#N/A	#N/A	48.5	87.1	97.05	-0.4	-0.7	0	48.6	#N/A	100	8441	97.03	49.7
2023-04-01 17:05:00	405.8	0	0	0	#N/A	#N/A	#N/A	49.1	84.7	97.02	-0.8	-0.5	0	49.1	#N/A	100	8437	97	50.1
2023-04-01 17:10:00	383.4	0	0	0	#N/A	#N/A	#N/A	49.6	83.1	97.01	-0.7	-0.6	0	49.6	#N/A	100	8437	96.99	50.5
2023-04-01 17:15:00	364	0	0	0	#N/A	#N/A	#N/A	50.1	82.4	97.01	-0.5	-0.6	0	50	#N/A	100	8437	97	51
2023-04-01 17:20:00	347.4	0	0	0	#N/A	#N/A	#N/A	50.4	81.3	97.02	-0.5	-0.7	0	50.4	#N/A	100	8437	97	51.4
2023-04-01 17:25:00	302.4	0	0	0	#N/A	#N/A	#N/A	50.7	79.2	97.02	-0.5	-0.7	0	50.7	#N/A	100	8436	96.99	51.1
2023-04-01 17:30:00	269.4	0	0	0	#N/A	#N/A	#N/A	50.6	77.4	97.03	-0.1	-0.7	0	50.6	#N/A	100	8433	97	51
2023-04-01 17:35:00	230	0	0	0	#N/A	#N/A	#N/A	50.5	78.1	97.04	-0.3	-0.8	0	50.5	#N/A	100	8434	97.01	51.2
2023-04-01 17:40:00	229.6	0	0	0	#N/A	#N/A	#N/A	50.7	77.1	97.04	-0.3	-0.8	0	50.7	#N/A	100	8431	97.02	51.2
2023-04-01 17:45:00	246	0	0	0	#N/A	#N/A	#N/A	50.9	75.9	97.04	-0.5	-0.5	0	50.9	#N/A	100	8431	97.02	51.5
2023-04-01 17:50:00	161	0	0	0	#N/A	#N/A	#N/A	50.8	74.8	97.06	-0.3	-0.6	0	50.8	#N/A	100	8432	97.03	51.3
2023-04-01 17:55:00	135.2	0	0	0	#N/A	#N/A	#N/A	50.5	75.4	97.07	-0.4	-0.5	0	50.5	#N/A	100	8434	97.04	50.8
2023-04-01 18:00:00	114	0	0	0	#N/A	#N/A	#N/A	50.2	75.6	97.07	-0.6	-0.5	0	50.2	#N/A	100	8432	97.04	50.6
2023-04-01 18:05:00	70	0	0	0	#N/A	#N/A	#N/A	50	74.9	97.08	-0.6	-0.7	0	49.9	#N/A	100	8428	97.05	50.4
2023-04-01 18:10:00	31.4	0	0	0	#N/A	#N/A	#N/A	49.6	76.3	97.09	-0.5	-0.7	0	49.6	#N/A	100	8429	97.07	50.2
2023-04-01 18:15:00	25.2	0	0	0	#N/A	#N/A	#N/A	49.2	76.3	97.1	-0.1	-0.7	0	49.2	#N/A	100	8428	97.06	50
2023-04-01 18:20:00	80	0	0	0	240	8.01	11.36	49.1	77	97.1	-0.7	-0.9	0	49.1	0.27	100	8427	97.07	49.8
2023-04-01 18:25:00	83	0	0	0	231	10.87	17.07	48.9	77.7	97.1	-0.3	-0.8	0	49.1	0.26	100	8428	97.07	49.8
2023-04-01 18:30:00	60.8	0	0	0	229	9.93	13.71	49	77.6	97.11	-0.7	-0.7	0	49.1	0.26	100	8426	97.08	49.7
2023-04-01 18:35:00	31.2	0	0	0	224	9.73	13.49	49	77.7	97.12	-0.6	-0.6	0	49.1	0.26	100	8424	97.09	49.7
2023-04-01 18:40:00	7	0	0	0	233	10.45	14.5	49	77.6	97.14	-0.5	-0.5	0	49.1	0.27	100	8421	97.11	49.7
2023-04-01 18:45:00	0.8	0	0	0	241	9.53	17.72	49	77.4	97.16	-0.4	-0.5	0	49	0.27	100	8422	97.13	49.6
2023-04-01 18:50:00	0	0	0	0	247	20.27	34.36	48.9	76.9	97.17	0.5	-1.3	0	49	0.27	100	8421	97.14	49.4
2023-04-01 18:55:00	0	0	0	0	238	25.39	35.68	48.5	77.3	97.19	-0.7	0	0	48.5	0.26	100	8419	97.17	48.5
2023-04-01 19:00:00	0	0.00067	0	0	261	28.59	38.12	47.7	77.8	97.22	0	-1.4	0.04	47.7	0.25	100	8420	97.2	47.6
2023-04-01 19:05:00	0	0.00134	0	0	269	24.14	42.19	46.5	80	97.25	-1.6	-0.4	0.04	46.4	0.22	100	8416	97.22	46.5
2023-04-01 19:10:00	0	0.0134	0	0	257	21.09	30.65	45.4	84.1	97.27	-0.7	-0.3	0.201	45.4	0.16	100	8415	97.25	45.8
2023-04-01 19:15:00	0	0.00804	0	0	249	22.01	30.87	44.4	87	97.29	-1.1	-0.7	0.161	44.3	0.13	100	8414	97.26	45.2
2023-04-01 19:20:00	0	0.00402	0	0	248	23.82	32.93	43.7	87.6	97.29	0.5	-0.9	0.08	43.7	0.12	100	8412	97.27	44.7
2023-04-01 19:25:00	0	0.00335	0	0	251	23.89	34.43	43	88.1	97.32	-1.6	-0.9	0.08	43	0.11	100	8411	97.29	44.2
2023-04-01 19:30:00	0	0.00201	0	0	268	24.63	34.74	42.6	89.4	97.35	0	-1.5	0.04	42.6	0.1	100	8412	97.3	43.7
2023-04-01 19:35:00	0	0.00067	0	0	284	27.74	40.67	42.3	88.4	97.38	0.1	-1.7	0.04	42.3	0.11	100	8410	97.32	43.3
2023-04-01 19:40:00	0	0.00067	0	0	283	28.48	37.22	42	86.8	97.38	-1.4	0.8	0.04	42	0.12	100	8406	97.33	42.7
2023-04-01 19:45:00	0	0	0	0	293	27.49	40.62	41.5	87.8	97.4	-0.3	-0.7	0	41.5	0.11	100	8407	97.35	42.1
2023-04-01 19:50:00	0	0	0	0	294	31.9	48.12	40.9	86.7	97.41	0	-0.2	0	40.9	0.12	100	8407	97.35	41.5
2023-04-01 19:55:00	0	0	0	0	294	32.75	50.13	40.3	85.5	97.42	-2.5	-2.3	0	40.3	0.12	100	8406	97.38	40.8

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-01 20:00:00	0	0	0	0	289	26.26	36.51	39.8	85	97.48	-0.5	-0.2	0	39.8	0.12	100	8405	97.44	40.3
2023-04-01 20:05:00	0	0	0	0	290	22.59	31.5	39.5	85.7	97.48	-0.2	-1.4	0	39.5	0.12	100	8403	97.46	39.8
2023-04-01 20:10:00	0	0	0	0	291	24.56	33.67	39.2	86	97.5	-0.7	-0.4	0	39.1	0.11	100	8406	97.47	39.5
2023-04-01 20:15:00	0	0	0	0	289	26.24	39.75	38.8	86.2	97.5	0.3	0	0	38.8	0.11	100	8403	97.47	39.1
2023-04-01 20:20:00	0	0	0	0	292	22.08	31.79	38.5	86.4	97.53	-1	-0.1	0	38.5	0.11	100	8399	97.49	38.8
2023-04-01 20:25:00	0	0	0	0	290	21.43	31.61	38.4	86.5	97.55	-0.6	-0.1	0	38.4	0.11	100	8399	97.52	38.8
2023-04-01 20:30:00	0	0	0	0	279	20.74	33.11	38.3	87.1	97.56	-1.4	-0.1	0	38.3	0.1	100	8400	97.54	38.7
2023-04-01 20:35:00	0	0	0	0	283	19.53	27	38.3	86.7	97.57	-1.9	0.1	0	38.2	0.1	100	8399	97.55	38.6
2023-04-01 20:40:00	0	0	0	0	282	22.03	37.38	38.1	86.2	97.6	-0.3	-1.3	0	38.1	0.11	100	8397	97.57	38.4
2023-04-01 20:45:00	0	0	0	0	286	21.77	33.24	38	85.9	97.6	-0.6	-0.3	0	38	0.11	100	8396	97.6	38.3
2023-04-01 20:50:00	0	0	0	0	283	19.35	27.07	37.9	86.2	97.64	-0.7	-0.6	0	37.9	0.11	100	8396	97.61	38
2023-04-01 20:55:00	0	0	0	0	285	21.88	31.61	37.9	86	97.64	-0.7	-0.8	0	37.9	0.11	100	8396	97.62	37.7
2023-04-01 21:00:00	0	0	0	0	285	19.71	28.66	37.6	86.5	97.66	-0.7	0.2	0	37.6	0.1	100	8396	97.63	37.3
2023-04-01 21:05:00	0	0	0	0	282	20.22	26.69	37.5	86.6	97.68	-0.5	-1.1	0	37.5	0.1	100	8393	97.65	37.1
2023-04-01 21:10:00	0	0	0	0	282	18.39	30.22	37.5	86.6	97.69	-0.6	-0.2	0	37.5	0.1	100	8393	97.68	37
2023-04-01 21:15:00	0	0	0	0	285	23.51	34.09	37.4	87	97.7	-1.2	-0.9	0	37.4	0.1	100	8393	97.68	37
2023-04-01 21:20:00	0	0	0	0	292	18.12	27.65	37.3	86.8	97.73	-0.7	0.5	0	37.3	0.1	100	8390	97.71	36.9
2023-04-01 21:25:00	0	0	0	0	283	19.39	25.86	37.3	86.9	97.74	-0.7	-1.5	0	37.3	0.1	100	8390	97.72	36.8
2023-04-01 21:30:00	0	0	0	0	291	22.57	31.97	37.2	86.5	97.75	-1.5	-0.6	0	37.2	0.1	100	8389	97.72	36.7
2023-04-01 21:35:00	0	0	0	0	284	23.15	36.06	37.1	86.5	97.77	-0.4	-1	0	37.1	0.1	100	8389	97.74	36.4
2023-04-01 21:40:00	0	0	0	0	283	20.78	30.98	36.9	87.2	97.79	-1.3	-0.8	0	36.9	0.09	100	8390	97.76	36.3
2023-04-01 21:45:00	0	0	0	0	285	22.24	32.61	36.6	88.1	97.79	-0.2	-2.2	0	36.5	0.09	100	8390	97.78	36
2023-04-01 21:50:00	0	0	0	0	284	21.65	38.7	36.4	88.4	97.82	-0.6	-1.5	0	36.4	0.08	100	8387	97.78	35.9
2023-04-01 21:55:00	0	0	0	0	293	22.73	31.52	36.3	88.7	97.82	0.3	-2.1	0	36.3	0.08	100	8390	97.8	35.7
2023-04-01 22:00:00	0	0	0	0	290	19.26	26.24	36.1	89.5	97.85	-0.9	0.4	0	36.1	0.08	100	8388	97.83	35.6
2023-04-01 22:05:00	0	0.00134	0	0	297	21.43	33.04	36	90.1	97.86	-0.5	-1.4	0.04	36	0.07	100	8386	97.84	35.5
2023-04-01 22:10:00	0	0.00067	0	0	294	24.14	35.61	35.8	90	97.88	-1.1	-0.5	0.04	35.8	0.07	100	8385	97.85	35.3
2023-04-01 22:15:00	0	0.00134	0	0	294	21.3	29.37	35.5	91.1	97.9	-0.9	-0.8	0.04	35.5	0.06	100	8386	97.88	35.1
2023-04-01 22:20:00	0	0.00067	0	0	295	21.65	32.3	35.3	91.6	97.91	-2.1	0.7	0.04	35.3	0.06	100	8385	97.88	35
2023-04-01 22:25:00	0	0	0	0	296	23.09	30.24	35.1	92.1	97.91	-0.8	-1.2	0	35.1	0.05	100	8384	97.9	34.8
2023-04-01 22:30:00	0	0.00067	0	0	297	25.61	34.69	35	91.6	97.92	-0.9	-0.5	0.04	35	0.06	100	8383	97.9	34.6
2023-04-01 22:35:00	0	0.00067	0	0	292	24.38	34.85	34.6	92.2	97.93	-1.8	-2.1	0.04	34.5	0.05	100	8382	97.93	34.2
2023-04-01 22:40:00	0	0	0	0	298	20.92	29.39	34.2	92.8	97.96	-1	-0.3	0	34.2	0.05	100	8383	97.94	33.9
2023-04-01 22:45:00	0	0.00067	0	0	298	20.36	27.51	34.1	93.3	97.98	-1	-0.4	0.04	34.1	0.04	100	8381	97.96	33.9
2023-04-01 22:50:00	0	0	0	0	295	20.6	24.74	33.9	92.8	98	-0.6	-0.6	0	33.9	0.05	100	8378	97.98	33.6
2023-04-01 22:55:00	0	0	0	0	298	21.39	28.5	33.8	92.9	98	-0.6	-1.7	0	33.8	0.05	100	8380	97.98	33.3
2023-04-01 23:00:00	0	0	0	0	298	19.15	25.5	33.7	93.4	98.02	-1.1	-0.6	0	33.6	0.04	100	8379	98.01	33
2023-04-01 23:05:00	0	0	0	0	297	18.16	28.32	33.4	93.6	98.05	-0.7	-0.2	0	33.4	0.04	100	8379	98.03	32.8
2023-04-01 23:10:00	0	0.00067	0	0	288	19.8	29.55	33.2	93.9	98.07	-0.8	-0.5	0.04	33.2	0.04	100	8377	98.05	32.6
2023-04-01 23:15:00	0	0.00067	0	0	292	18.72	25.17	33.1	94	98.08	-1.1	-1.1	0.04	33.1	0.04	100	8379	98.06	32.5
2023-04-01 23:20:00	0	0	0	0	289	19.28	28.07	33	94.4	98.09	-1.5	-0.5	0	33	0.04	100	8375	98.07	32.4
2023-04-01 23:25:00	0	0	0	0	296	19.26	25.75	32.9	94.5	98.1	-0.5	-0.7	0	32.9	0.03	100	8380	98.08	32.3
2023-04-01 23:30:00	0	0.00067	0	0	295	18.45	30.62	32.9	94.7	98.11	-1	-0.9	0.04	32.9	0.03	100	8377	98.1	32.3
2023-04-01 23:35:00	0	0	0	0	298	19.51	26.89	32.9	94.1	98.13	-1.2	-1	0	32.9	0.04	100	8373	98.11	32.3
2023-04-01 23:40:00	0	0	0	0	302	21.85	28.43	32.9	93	98.15	-1.4	-0.8	0	32.9	0.04	100	8374	98.12	32.2
2023-04-01 23:45:00	0	0	0	0	312	20.54	29.57	33.1	91.1	98.16	-1.1	-0.3	0	33.1	0.06	100	8377	98.14	32.1
2023-04-01 23:50:00	0	0	0	0	309	20.45	26.78	33.2	89.2	98.18	-1.1	-0.8	0	33.2	0.07	100	8373	98.16	32.1
2023-04-01 23:55:00	0	0	0	0	308	21.79	29.06	33.3	88.1	98.19	-1	0	0	33.3	0.08	100	8374	98.18	32.2
2023-04-02 00:00:00	0	0	0	0	307	18.97	27.2	33.3	87.2	98.22	-0.8	0	0	33.4	0.08	100	8374	98.2	32.2
2023-04-02 00:05:00	0	0	0	0	311	18.92	29.04	33.3	86.9	98.23	-0.9	-0.7	0	33.3	0.08	100	8342	98.22	32.4
2023-04-02 00:10:00	0	0	0	0	309	18.45	26.26	33.3	85.8	98.26	-0.7	-0.6	0	33.3	0.09	100	8335	98.25	32.6
2023-04-02 00:15:00	0	0	0	0	312	18.57	23.42	33.2	85.2	98.27	-1	-1	0	33.2	0.09	100	8323	98.26	32.7
2023-04-02 00:20:00	0	0	0	0	315	23	32.61	33.3	84.3	98.28	-0.2	-0.7	0	33.3	0.1	100	8342	98.25	32.5
2023-04-02 00:25:00	0	0	0	0	314	21.41	29.3	33.3	82.5	98.3	-1.1	0.2	0	33.3	0.11	100	8341	98.28	32.3
2023-04-02 00:30:00	0	0	0	0	318	19.91	26.82	33.3	80.9	98.32	-1.2	-0.3	0	33.3	0.12	100	8349	98.3	32.1
2023-04-02 00:35:00	0	0	0	0	311	17.52	26.37	33.2	81.6	98.35	-1.4	-0.2	0	33.2	0.12	100	8347	98.33	32.1
2023-04-02 00:40:00	0	0	0	0	306	18.19	28.74	33.1	81.1	98.37	-0.8	-0.5	0	33.2	0.12	100	8349	98.36	32
2023-04-02 00:45:00	0	0	0	0	298	20.29	34.23	33.1	80.5	98.39	-1.6	-0.7	0	33.1	0.12	100	8349	98.36	31.9
2023-04-02 00:50:00	0	0	0	0	303	20.2	29.59	33.1	79.9	98.42	-0.7	-0.4	0	33.1	0.13	100	8350	98.4	31.9
2023-04-02 00:55:00	0	0	0	0	302	22.77	33.78	32.9	78.9	98.42	-1.3	-1.7	0	32.9	0.13	100	8350	98.41	31.8

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-02 01:00:00	0	0	0	0	317	20.04	25.28	32.9	78.9	98.45	-1.4	-0.5	0	32.8	0.13	100	8346	98.44	31.7
2023-04-02 01:05:00	0	0	0	0	324	22.06	34.99	32.8	78.9	98.46	-0.9	-0.1	0	32.8	0.13	100	8349	98.44	31.7
2023-04-02 01:10:00	0	0	0	0	312	19.01	27.58	32.6	78	98.49	-1.3	-0.9	0	32.6	0.14	100	8351	98.47	31.6
2023-04-02 01:15:00	0	0	0	0	307	21.59	33.38	32.4	78.3	98.49	-0.8	-1	0	32.4	0.13	100	8349	98.47	31.4
2023-04-02 01:20:00	0	0	0	0	313	21.81	31.12	32.3	78	98.5	-0.9	-1.3	0	32.3	0.14	100	8346	98.49	31.4
2023-04-02 01:25:00	0	0	0	0	307	20.02	30.36	32.2	78	98.53	-0.8	-0.7	0	32.2	0.14	100	8347	98.5	31.3
2023-04-02 01:30:00	0	0	0	0	307	20.58	28.86	32.1	76.6	98.54	-0.5	-0.6	0	32.1	0.14	100	8348	98.52	31.2
2023-04-02 01:35:00	0	0	0	0	313	24.83	42.41	32	76.4	98.54	-1.6	-0.4	0	32	0.14	100	8348	98.5	31.1
2023-04-02 01:40:00	0	0	0	0	310	24.27	33.38	31.8	75.8	98.57	-1.8	-0.5	0	31.8	0.15	100	8348	98.55	31.1
2023-04-02 01:45:00	0	0	0	0	301	25.01	34.31	31.8	75.5	98.59	-0.5	-0.7	0	31.8	0.15	100	8347	98.57	31
2023-04-02 01:50:00	0	0	0	0	302	23.2	31.79	31.7	75.2	98.61	-1.1	-0.7	0	31.7	0.15	100	8344	98.6	30.9
2023-04-02 01:55:00	0	0	0	0	316	20.33	26.62	31.6	74.8	98.62	-1.2	0.5	0	31.6	0.15	100	8346	98.61	30.8
2023-04-02 02:00:00	0	0	0	0	308	20.22	29.57	31.4	75.7	98.65	-1.9	-0.5	0	31.4	0.14	100	8347	98.63	30.8
2023-04-02 02:05:00	0	0	0	0	308	23.26	31.25	31.3	74.8	98.65	-2	0.4	0	31.3	0.15	100	8345	98.65	30.7
2023-04-02 02:10:00	0	0	0	0	312	23.58	34.99	31.1	74.6	98.67	-0.5	-0.2	0	31.2	0.15	100	8348	98.65	30.6
2023-04-02 02:15:00	0	0	0	0	303	23.35	34.07	31	73.9	98.68	-1.3	-0.4	0	31	0.15	100	8348	98.66	30.5
2023-04-02 02:20:00	0	0	0	0	305	20.49	37.49	30.9	73.6	98.71	-0.7	-0.7	0	30.9	0.15	100	8346	98.7	30.3
2023-04-02 02:25:00	0	0	0	0	310	22.97	35.21	30.8	73.3	98.72	-1.4	-0.4	0	30.8	0.16	100	8344	98.7	30.2
2023-04-02 02:30:00	0	0	0	0	300	24.65	34.92	30.6	72.3	98.72	-0.2	-0.3	0	30.6	0.16	100	8345	98.72	30.1
2023-04-02 02:35:00	0	0	0	0	305	23.09	31.79	30.4	72.4	98.74	-1.4	-0.7	0	30.4	0.16	100	8345	98.73	29.9
2023-04-02 02:40:00	0	0	0	0	307	20.71	28.83	30.4	71.3	98.76	-0.7	-0.4	0	30.4	0.16	100	8343	98.74	29.8
2023-04-02 02:45:00	0	0	0	0	303	24.79	34.54	30.2	70.1	98.77	-1.5	-0.6	0	30.2	0.17	100	8344	98.75	29.7
2023-04-02 02:50:00	0	0	0	0	310	25.95	33.51	30.1	69	98.77	-0.6	-0.6	0	30.1	0.18	100	8341	98.75	29.6
2023-04-02 02:55:00	0	0	0	0	307	25.5	36.51	29.9	69	98.79	-0.7	-1.1	0	29.9	0.17	100	8343	98.78	29.5
2023-04-02 03:00:00	0	0	0	0	303	23.11	36.51	29.9	68.4	98.82	-1.2	-0.9	0	29.9	0.18	100	8344	98.8	29.3
2023-04-02 03:05:00	0	0	0	0	304	24.18	35.05	29.8	68	98.81	-0.9	0.7	0	29.8	0.18	100	8336	98.8	29.1
2023-04-02 03:10:00	0	0	0	0	307	23.87	34.25	29.5	68.9	98.82	-1	-0.4	0	29.5	0.17	100	8345	98.81	28.8
2023-04-02 03:15:00	0	0	0	0	311	21.09	28.66	29.4	67.6	98.84	-1.3	-0.3	0	29.4	0.18	100	8341	98.82	28.5
2023-04-02 03:20:00	0	0	0	0	321	20.09	27.29	29.1	67.3	98.84	-1.9	-1.1	0	29.1	0.18	100	8340	98.82	28.2
2023-04-02 03:25:00	0	0	0	0	320	19.44	25.86	28.9	66.1	98.86	-1.7	-0.6	0	29	0.18	100	8339	98.84	27.9
2023-04-02 03:30:00	0	0	0	0	311	26.55	35.1	28.7	63.2	98.85	-2.1	0.9	0	28.7	0.2	100	8339	98.83	27.7
2023-04-02 03:35:00	0	0	0	0	310	22.75	31.99	28.6	61.2	98.87	-1.4	-0.5	0	28.6	0.21	100	8340	98.86	27.5
2023-04-02 03:40:00	0	0	0	0	312	22.77	33.91	28.3	60.8	98.88	-0.7	-0.4	0	28.3	0.21	100	8339	98.86	27.3
2023-04-02 03:45:00	0	0	0	0	314	21.34	28.99	28.1	61.3	98.9	-0.7	-0.9	0	28.1	0.2	100	8339	98.88	27.1
2023-04-02 03:50:00	0	0	0	0	319	23.31	35.08	28	63.5	98.9	-1	-0.9	0	28.1	0.19	100	8336	98.88	26.9
2023-04-02 03:55:00	0	0	0	0	317	21.09	28.3	28	62.5	98.91	-2.1	-0.5	0	27.9	0.19	100	8336	98.89	26.7
2023-04-02 04:00:00	0	0	0	0	318	23.89	34.36	27.8	62.3	98.92	-1.4	-0.3	0	27.8	0.19	100	8336	98.9	26.5
2023-04-02 04:05:00	0	0	0	0	320	23.94	36.19	27.7	62.4	98.91	-0.3	-0.4	0	27.7	0.19	100	8336	98.91	26.4
2023-04-02 04:10:00	0	0	0	0	321	24.49	34.52	27.5	60.9	98.93	-2.2	0.3	0	27.5	0.2	100	8336	98.91	26.3
2023-04-02 04:15:00	0	0	0	0	321	23.42	30.74	27.4	61.1	98.94	-1.5	-0.3	0	27.4	0.2	100	8336	98.91	26.1
2023-04-02 04:20:00	0	0	0	0	321	23.73	36.08	27.3	60.3	98.96	-1.5	-2.5	0	27.3	0.2	100	8334	98.93	26
2023-04-02 04:25:00	0	0	0	0	320	18.05	22.7	27.2	61	98.99	-1.6	-0.1	0	27.2	0.2	100	8333	98.97	25.8
2023-04-02 04:30:00	0	0	0	0	318	20.76	27.92	27.1	60.8	98.99	-1.7	0	0	27.1	0.2	100	8331	98.97	25.6
2023-04-02 04:35:00	0	0	0	0	318	24.29	34.52	27	60.1	98.98	-2	-0.1	0	27	0.2	100	8331	98.97	25.6
2023-04-02 04:40:00	0	0	0	0	320	22.26	30.53	27	60.3	98.99	-0.8	-0.7	0	26.9	0.2	100	8332	98.97	25.5
2023-04-02 04:45:00	0	0	0	0	319	20.87	31.56	26.9	60.2	99	-0.9	0	0	26.9	0.2	100	8333	98.99	25.3
2023-04-02 04:50:00	0	0	0	0	316	22.03	29.57	26.8	59.6	99.01	-1.7	-0.2	0	26.8	0.2	100	8332	98.98	25.2
2023-04-02 04:55:00	0	0	0	0	318	23.02	30.85	26.7	59	99.02	-0.4	-0.8	0	26.7	0.2	100	8331	99.01	25.1
2023-04-02 05:00:00	0	0	0	0	319	17.87	27.87	26.6	58.8	99.06	-0.9	-0.2	0	26.6	0.2	100	8330	99.04	25
2023-04-02 05:05:00	0	0	0	0	320	21	29.01	26.4	59.2	99.07	-1.4	-1	0	26.4	0.2	100	8330	99.05	24.8
2023-04-02 05:10:00	0	0	0	0	322	22.21	34.63	26.3	57.9	99.08	-0.5	-0.7	0	26.3	0.2	100	8329	99.05	24.7
2023-04-02 05:15:00	0	0	0	0	317	22.15	34.65	26.3	56.7	99.08	-1.4	-0.3	0	26.3	0.21	100	8329	99.05	24.6
2023-04-02 05:20:00	0	0	0	0	318	22.39	27.67	26.1	56.3	99.09	-1.1	-0.7	0	26.1	0.21	100	8327	99.06	24.5
2023-04-02 05:25:00	0	0	0	0	329	22.48	32.39	26	54.8	99.09	-1.5	-0.7	0	26	0.22	100	8330	99.07	24.4
2023-04-02 05:30:00	0	0	0	0	327	20.74	27.78	25.9	54.7	99.1	-1.7	-0.2	0	25.9	0.22	100	8328	99.08	24.3
2023-04-02 05:35:00	0	0	0	0	324	21.21	28.72	25.7	53.7	99.11	-1.2	-1	0	25.7	0.22	100	8327	99.09	24.1
2023-04-02 05:40:00	0	0	0	0	323	21.41	30.42	25.6	53.6	99.12	-0.8	-2.1	0	25.6	0.22	100	8327	99.1	24
2023-04-02 05:45:00	0	0	0	0	327	20.58	27.36	25.4	53.9	99.13	-1.3	-1.1	0	25.4	0.22	100	8331	99.11	23.9
2023-04-02 05:50:00	0	0	0	0	329	19.53	26.91	25.3	55.9	99.15	-1.1	-0.6	0	25.3	0.21	100	8327	99.13	23.8
2023-04-02 05:55:00	0	0	0	0	330	16.78	22.73	25.4	56.7	99.18	-1.3	-0.8	0	25.4	0.2	100	8323	99.16	23.7

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-02 06:00:00	0	0	0	0	329	15.79	21.36	25.2	56.2	99.2	-1.4	-0.1	0	25.2	0.2	100	8326	99.18	23.6
2023-04-02 06:05:00	0	0	0	0	317	15.21	19.1	25.2	56.7	99.22	-1.4	-0.3	0	25.2	0.2	100	8322	99.2	23.5
2023-04-02 06:10:00	0	0	0	0	325	13.18	24.27	25.2	58.4	99.22	-1.2	-0.7	0	25.1	0.19	100	8323	99.2	23.4
2023-04-02 06:15:00	0	0	0	0	324	18.16	23.96	25.1	58.7	99.22	-1	-1	0	25.1	0.19	100	8323	99.2	23.3
2023-04-02 06:20:00	0	0	0	0	335	19.22	24.63	25.1	57.7	99.22	-0.4	-0.2	0	25.1	0.19	100	8322	99.21	23.3
2023-04-02 06:25:00	0	0	0	0	338	17.36	21.99	25.1	56.6	99.24	-1.2	-0.9	0	25	0.2	100	8323	99.22	23.3
2023-04-02 06:30:00	1.2	0	0	0	335	16.17	22.15	25	56.8	99.26	-1	-0.4	0	25	0.2	100	8320	99.23	23.2
2023-04-02 06:35:00	2.8	0	0	0	328	16.91	24.92	24.8	57.6	99.26	-1.2	-0.3	0	24.8	0.19	100	8320	99.24	23.1
2023-04-02 06:40:00	5.2	0	0	0	322	17.07	24.11	24.8	58.4	99.28	-1.2	-0.9	0	24.9	0.19	100	8320	99.26	23
2023-04-02 06:45:00	8.4	0	0	0	315	13.62	19.39	24.9	58.8	99.31	-1.3	-0.4	0	24.9	0.19	100	8326	99.29	22.9
2023-04-02 06:50:00	20.2	0	0	0	329	14.56	22.08	24.9	58.6	99.3	-0.9	-0.9	0	24.9	0.19	100	8330	99.29	22.8
2023-04-02 06:55:00	31.4	0	0	0	325	18.99	24.54	25	57.1	99.31	-1.7	0.2	0	25.1	0.2	100	8336	99.29	23
2023-04-02 07:00:00	41	0	0	0	327	17.2	23.35	25.3	57.4	99.33	-1	-0.6	0	25.3	0.2	100	8344	99.32	23.2
2023-04-02 07:05:00	49.8	0	0	0	332	13.91	20.49	25.5	56.9	99.35	-1.3	-0.5	0	25.6	0.2	100	8353	99.34	23.4
2023-04-02 07:10:00	58.2	0	0	0	325	13.24	17.96	25.8	56.9	99.36	-1.2	-0.6	0	25.9	0.2	100	8366	99.35	23.6
2023-04-02 07:15:00	70	0	0	0	332	15.77	19.93	26.1	56.3	99.36	-1.7	-0.3	0	26.2	0.21	100	8376	99.35	23.9
2023-04-02 07:20:00	85	0	0	0	331	15.01	19.95	26.3	55.7	99.37	-1.4	-0.1	0	26.5	0.21	100	8388	99.36	24.3
2023-04-02 07:25:00	100	0	0	0	322	17.29	25.05	26.6	55.2	99.38	-1	-1	0	26.8	0.22	100	8403	99.36	24.7
2023-04-02 07:30:00	115	0	0	0	333	15.32	21.34	26.8	54.7	99.39	-1.1	-0.7	0	27	0.22	100	8417	99.39	25
2023-04-02 07:35:00	129.8	0	0	0	328	14.54	20.98	27.1	54	99.4	-0.9	-0.1	0	27.3	0.23	100	8430	99.39	25.3
2023-04-02 07:40:00	143.4	0	0	0	328	13.49	17.31	27.4	53.4	99.41	-1	-0.6	0	27.7	0.24	100	8444	99.41	25.7
2023-04-02 07:45:00	156.6	0	0	0	337	14.79	20	27.8	52.5	99.41	-1.5	-0.2	0	28.1	0.24	100	8456	99.41	26
2023-04-02 07:50:00	169.8	0	0	0	322	14.29	18.72	28.2	51.5	99.42	-1.2	-0.3	0	28.5	0.25	100	8468	99.42	26.4
2023-04-02 07:55:00	187	0	0	0	326	15.12	21.7	28.4	51.1	99.42	-0.9	-0.3	0	28.8	0.26	100	8484	99.43	26.7
2023-04-02 08:00:00	201.6	0	0	0	338	16.49	24.67	28.7	52	99.42	-1.2	-0.2	0	29.2	0.26	100	8497	99.42	27
2023-04-02 08:05:00	216	0	0	0	327	20.58	28.61	28.9	51.2	99.42	-1.4	-0.6	0	29.3	0.26	100	8510	99.43	27.3
2023-04-02 08:10:00	231.2	0	0	0	329	19.53	25.99	28.9	51.2	99.43	-1	-1.1	0	29.3	0.26	100	8523	99.43	27.5
2023-04-02 08:15:00	247.2	0	0	0	345	19.73	26.64	29	50.3	99.44	-1	-0.4	0	29.5	0.27	100	8538	99.44	27.6
2023-04-02 08:20:00	263	0	0	0	339	18.79	26.64	29.1	50.4	99.44	-1.4	-0.7	0	29.6	0.27	100	8550	99.45	27.8
2023-04-02 08:25:00	276.6	0	0	0	335	18.16	27.11	29.2	50.6	99.46	-1.1	-0.6	0	29.7	0.27	100	8562	99.47	27.9
2023-04-02 08:30:00	280.6	0	0	0	338	18.45	24.61	29.5	50	99.47	-1.1	-0.4	0	30	0.28	100	8577	99.48	28.1
2023-04-02 08:35:00	285.2	0	0	0	328	19.26	26.13	29.5	50.8	99.48	-1.1	-0.8	0	30	0.27	100	8586	99.49	28.3
2023-04-02 08:40:00	284.8	0	0	0	340	18.32	23.78	29.6	50.2	99.5	-1.2	-0.3	0	30.1	0.28	100	8600	99.5	28.5
2023-04-02 08:45:00	292	0	0	0	328	21.36	27.92	29.8	48.4	99.49	-0.9	-0.7	0	30.3	0.29	100	8614	99.5	28.6
2023-04-02 08:50:00	321.2	0	0	0	342	19.46	27.69	29.8	49.5	99.5	-1.3	-0.3	0	30.3	0.28	100	8625	99.52	28.7
2023-04-02 08:55:00	350.6	0	0	0	343	20.24	26.93	29.9	48.5	99.52	-0.9	-0.8	0	30.4	0.29	100	8639	99.53	28.9
2023-04-02 09:00:00	378.6	0	0	0	331	17.05	22.41	30	48.6	99.53	-0.9	-0.4	0	30.7	0.29	100	8649	99.54	29
2023-04-02 09:05:00	400.4	0	0	0	331	20	27.16	30.3	48.7	99.52	-1.3	-0.6	0	31	0.29	100	8661	99.53	29.3
2023-04-02 09:10:00	417.6	0	0	0	338	18.92	26.8	30.4	47.5	99.53	-1.2	0	0	31	0.3	100	8670	99.54	29.4
2023-04-02 09:15:00	433.8	0	0	0	333	16.17	23.38	30.5	48.4	99.54	-1.4	-0.2	0	31.2	0.3	100	8683	99.55	29.6
2023-04-02 09:20:00	449.2	0	0	0	314	18.5	26.78	30.7	47.3	99.54	-1.2	-0.7	0	31.4	0.3	100	8692	99.55	29.8
2023-04-02 09:25:00	465	0	0	0	328	17.22	24.94	30.8	46.4	99.54	-1.2	0	0	31.5	0.31	100	8703	99.56	30
2023-04-02 09:30:00	479.6	0	0	0	342	16.35	22.37	30.9	46.5	99.55	-0.9	-0.5	0	31.6	0.31	100	8712	99.56	30.2
2023-04-02 09:35:00	493.2	0	0	0	330	15.08	23.13	31.1	48.2	99.55	-1.1	-0.4	0	31.8	0.31	100	8716	99.57	30.5
2023-04-02 09:40:00	508.2	0	0	0	319	15.61	23.71	31.5	47.4	99.55	-1.1	0	0	32.2	0.32	100	8725	99.57	30.8
2023-04-02 09:45:00	521.6	0	0	0	319	17.43	23.35	31.8	46.2	99.56	-1.2	-0.1	0	32.5	0.33	100	8733	99.57	31.2
2023-04-02 09:50:00	531.8	0	0	0	334	18.14	25.41	31.9	46	99.56	-1.3	-0.4	0	32.6	0.33	100	8741	99.58	31.3
2023-04-02 09:55:00	524	0	0	0	337	20.22	27.81	32	46.2	99.56	-1.1	-0.6	0	32.6	0.33	100	8747	99.58	31.4
2023-04-02 10:00:00	516.4	0	0	0	345	17.29	24.29	31.9	46	99.57	-0.9	-0.8	0	32.6	0.33	100	8752	99.59	31.4
2023-04-02 10:05:00	498.8	0	0	0	346	16.28	24.27	31.9	46	99.57	-1	-0.4	0	32.6	0.33	100	8758	99.59	31.5
2023-04-02 10:10:00	508.2	0	0	0	321	18.28	24.74	32.3	45	99.58	-0.5	-0.3	0	32.9	0.34	100	8765	99.6	31.6
2023-04-02 10:15:00	551	0	0	0	324	16.64	24.76	32.3	45	99.59	-0.9	-0.4	0	33	0.34	100	8772	99.61	31.7
2023-04-02 10:20:00	584	0	0	0	335	16.02	23.09	32.4	45.4	99.6	-1.3	-0.4	0	33.2	0.34	100	8773	99.63	32
2023-04-02 10:25:00	622.6	0	0	0	313	16.8	22.44	32.8	46	99.62	-1.2	-0.4	0	33.4	0.34	100	8778	99.63	32.3
2023-04-02 10:30:00	637.6	0	0	0	322	15.52	21.27	32.9	45.2	99.62	-0.9	-0.4	0	33.6	0.35	100	8784	99.64	32.5
2023-04-02 10:35:00	649.4	0	0	0	323	14.85	22.91	32.9	46.2	99.61	-0.9	-0.7	0	33.6	0.34	100	8785	99.64	32.7
2023-04-02 10:40:00	660.4	0	0	0	311	15.55	22.73	33.2	46.5	99.62	-1.2	-0.5	0	33.8	0.34	100	8787	99.64	32.9
2023-04-02 10:45:00	670.8	0	0	0	338	18.16	25.41	33.2	45.8	99.62	-1	-0.3	0	33.9	0.35	100	8789	99.63	33
2023-04-02 10:50:00	683	0	0	0	347	15.46	21.45	33.2	46.1	99.61	-1	-0.5	0	33.9	0.35	100	8794	99.63	33.1
2023-04-02 10:55:00	692.2	0	0	0	317	13.44	23.55	33.3	46	99.6	-0.9	-0.3	0	34	0.35	100	8795	99.62	33

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-02 11:00:00	700.2	0	0	0	325	14.36	20.69	33.5	46.3	99.61	-1	-0.4	0	34.2	0.35	100	8798	99.63	33.2
2023-04-02 11:05:00	687.2	0	0	0	335	12.64	24.23	33.8	46.3	99.61	-0.8	-0.3	0	34.6	0.35	100	8799	99.63	33.7
2023-04-02 11:10:00	668.4	0	0	0	333	12.57	22.41	34.1	42.7	99.63	-1.1	-0.3	0	34.9	0.38	100	8806	99.65	33.9
2023-04-02 11:15:00	635.2	0	0	0	311	15.48	24.36	34.3	42.7	99.63	-1	-0.4	0	35	0.38	100	8804	99.66	34
2023-04-02 11:20:00	627.4	0	0	0	295	9.42	16.75	34.1	43	99.64	-0.8	-0.5	0	35	0.38	100	8804	99.67	34
2023-04-02 11:25:00	683.6	0	0	0	338	11.01	23.04	34.5	43.6	99.66	-0.9	-0.5	0	35.4	0.38	100	8804	99.67	34.4
2023-04-02 11:30:00	729.2	0	0	0	326	13.4	22.93	34.9	42.5	99.66	-1.1	-0.4	0	35.6	0.39	100	8806	99.68	34.7
2023-04-02 11:35:00	761	0	0	0	338	7.99	18.95	34.6	41.9	99.65	-0.9	-0.3	0	35.6	0.39	100	8805	99.66	34.6
2023-04-02 11:40:00	768.6	0	0	0	335	17	24.16	35	40.6	99.63	-1	-0.6	0	35.8	0.41	100	8806	99.65	34.8
2023-04-02 11:45:00	776.2	0	0	0	319	12.1	21.97	34.8	39.5	99.65	-1	-0.6	0	35.6	0.41	100	8806	99.66	34.6
2023-04-02 11:50:00	782.4	0	0	0	2	10.69	18.97	34.6	38.9	99.64	-0.8	-0.4	0	35.5	0.41	100	8804	99.66	34.6
2023-04-02 11:55:00	784.2	0	0	0	347	14.94	21.52	34.8	40.7	99.63	-0.7	-0.5	0	35.6	0.41	100	8805	99.65	34.6
2023-04-02 12:00:00	757	0	0	0	330	10.76	19.1	34.7	39.7	99.65	-0.9	-0.4	0	35.5	0.41	100	8805	99.65	34.5
2023-04-02 12:05:00	729	0	0	0	12	12.75	19.46	34.8	37.2	99.65	-0.9	-0.2	0	35.5	0.43	100	8805	99.66	34.6
2023-04-02 12:10:00	681.4	0	0	0	355	12.66	22.06	34.8	38	99.66	-1	-0.3	0	35.7	0.42	100	8807	99.67	34.6
2023-04-02 12:15:00	711.8	0	0	0	340	14.07	22.06	34.9	37.9	99.67	-0.9	-0.6	0	35.6	0.43	100	8806	99.67	34.5
2023-04-02 12:20:00	766	0	0	0	353	14.47	23.71	34.8	39.7	99.66	-1.1	-0.7	0	35.6	0.41	100	8804	99.68	34.6
2023-04-02 12:25:00	809.2	0	0	0	344	11.54	24.49	34.9	40.2	99.67	-0.9	-0.2	0	35.8	0.41	100	8802	99.68	34.5
2023-04-02 12:30:00	817.4	0	0	0	329	9.8	15.61	34.9	41.6	99.67	-0.9	-0.5	0	35.8	0.4	100	8803	99.68	34.5
2023-04-02 12:35:00	818.6	0	0	0	329	9.8	17.36	35.2	42.9	99.67	-0.8	-0.6	0	36.1	0.4	100	8801	99.67	34.7
2023-04-02 12:40:00	819	0	0	0	350	14.27	18.68	35.7	40.9	99.66	-1.1	0.1	0	36.5	0.42	100	8799	99.66	34.9
2023-04-02 12:45:00	811	0	0	0	341	12.41	18.48	35.5	41.3	99.65	-0.9	-0.5	0	36.2	0.41	100	8801	99.66	34.8
2023-04-02 12:50:00	785.6	0	0	0	342	9.46	14.25	35.3	41.9	99.65	-0.8	-0.5	0	36.2	0.4	100	8798	99.66	34.7
2023-04-02 12:55:00	757.4	0	0	0	356	9.64	19.42	35.5	41.9	99.64	-0.8	-0.5	0	36.3	0.41	100	8797	99.64	34.7
2023-04-02 13:00:00	710.4	0	0	0	343	15.61	23.06	35.9	41.5	99.62	-0.8	-0.6	0	36.6	0.42	100	8796	99.63	34.8
2023-04-02 13:05:00	699.2	0	0	0	355	10.98	16.67	35.7	41.8	99.63	-1	-0.6	0	36.5	0.41	100	8791	99.64	34.8
2023-04-02 13:10:00	748.2	0	0	0	338	5.66	10.94	35.6	43.1	99.64	-0.9	-0.6	0	36.8	0.4	100	8791	99.64	35.1
2023-04-02 13:15:00	782.4	0	0	0	281	4.65	12.06	36	39.6	99.64	-0.9	-0.4	0	37.2	0.43	100	8785	99.64	35.1
2023-04-02 13:20:00	812.6	0	0	0	4	10.6	17.98	36.6	39.5	99.64	-0.8	-0.7	0	37.7	0.44	100	8782	99.64	35.3
2023-04-02 13:25:00	825.8	0	0	0	4	9.71	17.25	36.4	39.5	99.64	-1	-0.6	0	37.3	0.44	100	8779	99.64	35.2
2023-04-02 13:30:00	825.8	0	0	0	310	4.97	11.61	36.2	39.3	99.65	-0.9	-0.5	0	37.4	0.44	100	8775	99.65	35.2
2023-04-02 13:35:00	823	0	0	0	15	4.09	10.89	36.3	39.7	99.65	-0.8	-0.6	0	37.8	0.44	100	8769	99.64	35.4
2023-04-02 13:40:00	819.8	0	0	0	3	8.48	15.88	37	39.7	99.65	-0.7	-0.5	0	38.1	0.45	100	8760	99.64	35.9
2023-04-02 13:45:00	817.8	0	0	0	337	8.9	12.46	37.1	39	99.66	-0.7	-0.5	0	38	0.46	100	8755	99.65	35.8
2023-04-02 13:50:00	814	0	0	0	343	5.23	11.21	36.8	39.2	99.66	-0.7	-0.5	0	38	0.45	100	8745	99.65	35.7
2023-04-02 13:55:00	804	0	0	0	0	9.33	13.65	37.3	41.1	99.65	-0.9	-0.4	0	38.3	0.44	100	8743	99.64	35.8
2023-04-02 14:00:00	784.8	0	0	0	4	8.46	12.68	37.1	40.9	99.65	-0.7	-0.6	0	38	0.44	100	8736	99.64	35.8
2023-04-02 14:05:00	768.4	0	0	0	9	3.62	9.51	36.7	42	99.65	-0.8	-0.5	0	38	0.43	100	8729	99.64	35.8
2023-04-02 14:10:00	753.4	0	0	0	344	4.81	8.08	37.1	41.6	99.65	-0.8	-0.4	0	38.4	0.44	100	8725	99.64	36
2023-04-02 14:15:00	739.4	0	0	0	327	7.58	12.68	37.8	40.5	99.65	-0.7	-0.5	0	38.9	0.46	100	8719	99.64	36.3
2023-04-02 14:20:00	722.6	0	0	0	349	10.54	16.73	37.9	39	99.65	-0.8	-1.1	0	38.9	0.47	100	8712	99.64	36.3
2023-04-02 14:25:00	699.8	0	0	0	340	11.18	16.98	37.7	39.1	99.64	-0.6	-0.6	0	38.6	0.47	100	8707	99.63	36.1
2023-04-02 14:30:00	672.8	0	0	0	323	10.69	15.46	37.5	37.3	99.64	-0.5	-0.5	0	38.4	0.48	100	8703	99.62	36.1
2023-04-02 14:35:00	647.2	0	0	0	337	6.67	15.41	37.5	37.1	99.64	-0.7	-0.6	0	38.4	0.48	100	8698	99.62	36
2023-04-02 14:40:00	632	0	0	0	334	6.78	12.82	37.5	36.2	99.64	-0.8	-0.5	0	38.8	0.49	100	8694	99.62	36.1
2023-04-02 14:45:00	631	0	0	0	291	4.97	10.87	37.9	36.4	99.64	-0.8	-0.5	0	39.1	0.49	100	8688	99.62	36.3
2023-04-02 14:50:00	639.6	0	0	0	333	9.08	16.26	38.4	38.1	99.64	-0.6	-0.6	0	39.5	0.49	100	8687	99.61	36.5
2023-04-02 14:55:00	650.2	0	0	0	304	9.42	13.2	38.4	37.5	99.64	-0.7	-0.5	0	39.3	0.49	100	8685	99.61	36.6
2023-04-02 15:00:00	658.2	0	0	0	315	8.79	14.36	38.4	34.3	99.63	-0.6	-0.5	0	39.2	0.52	100	8679	99.6	36.6
2023-04-02 15:05:00	661	0	0	0	339	5.66	8.72	38.2	35.1	99.62	-0.8	-0.6	0	39.2	0.51	100	8675	99.59	36.5
2023-04-02 15:10:00	661	0	0	0	11	6.11	9.8	38.4	37.1	99.61	-0.7	-0.7	0	39.6	0.5	100	8673	99.58	36.7
2023-04-02 15:15:00	658.8	0	0	0	55	3.44	6.2	38.2	39.3	99.59	-0.7	-0.5	0	39.6	0.47	100	8670	99.56	37.1
2023-04-02 15:20:00	658.6	0	0	0	19	7.74	12.86	38.8	39.7	99.58	-0.7	-0.7	0	40	0.48	100	8664	99.55	37.8
2023-04-02 15:25:00	659	0	0	0	13	11.77	16.35	39.1	38.3	99.58	-0.6	-0.6	0	40	0.5	100	8665	99.55	37.9
2023-04-02 15:30:00	658.2	0	0	0	357	7.94	13.18	38.6	37	99.58	-0.7	-0.6	0	39.6	0.5	100	8661	99.55	37.7
2023-04-02 15:35:00	653.2	0	0	0	356	6.51	12.3	38.4	36.8	99.58	-0.7	-0.6	0	39.5	0.5	100	8656	99.55	37.7
2023-04-02 15:40:00	642.4	0	0	0	236	4.38	8.88	38.4	37.7	99.59	-0.8	-0.6	0	39.8	0.49	100	8653	99.56	37.9
2023-04-02 15:45:00	630.2	0	0	0	10	6.53	13.58	38.9	36.6	99.58	-0.7	-0.5	0	40.2	0.51	100	8651	99.55	38.3
2023-04-02 15:50:00	617.2	0	0	0	10	5.7	11.54	38.9	36	99.57	-0.7	-0.6	0	40	0.52	100	8646	99.54	38.6
2023-04-02 15:55:00	605.2	0	0	0	11	3.65	8.5	38.9	35.3	99.57	-0.7	-0.6	0	40.2	0.52	100	8646	99.54	39

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-02 16:00:00	592	0	0	0	330	4.92	13.6	39	34.9	99.57	-0.7	-0.6	0	40.6	0.53	100	8645	99.54	39.5
2023-04-02 16:05:00	578.2	0	0	0	348	8.9	14.05	39.8	35.1	99.58	-0.5	-0.7	0	40.7	0.54	100	8640	99.56	39.7
2023-04-02 16:10:00	565.2	0	0	0	349	4.45	8.08	39.2	35.4	99.59	-0.6	-0.6	0	40.5	0.53	100	8640	99.56	39.7
2023-04-02 16:15:00	551.4	0	0	0	319	6.2	10.58	39.5	35.6	99.58	-0.7	-0.7	0	40.6	0.53	100	8635	99.55	40.1
2023-04-02 16:20:00	537.8	0	0	0	338	6.08	11.25	39.6	36.6	99.58	-0.7	-0.6	0	40.8	0.52	100	8633	99.55	40.5
2023-04-02 16:25:00	522.8	0	0	0	335	3.24	5.82	39.6	35.8	99.57	-0.6	-0.5	0	40.9	0.53	100	8631	99.55	40.9
2023-04-02 16:30:00	509.6	0	0	0	289	3.85	6.49	40	34.6	99.56	-0.7	-0.6	0	41.4	0.55	100	8630	99.54	41.4
2023-04-02 16:35:00	495	0	0	0	285	1.74	3.13	40	35.3	99.56	-0.6	-0.7	0	41.8	0.54	100	8627	99.53	41.9
2023-04-02 16:40:00	479.2	0	0	0	304	2.17	4.38	40.5	35.6	99.56	-0.7	-0.6	0	42.4	0.55	100	8625	99.54	42.8
2023-04-02 16:45:00	463.2	0	0	0	0	5.41	9.31	41.3	34	99.56	-0.5	-0.7	0	42.6	0.58	100	8623	99.54	43.2
2023-04-02 16:50:00	446.4	0	0	0	37	3.98	6.29	41	34.4	99.55	-0.6	-0.7	0	42.4	0.57	100	8623	99.53	43.4
2023-04-02 16:55:00	431.8	0	0	0	59	7.11	11.12	41	33.5	99.54	-0.7	-0.7	0	42.1	0.58	100	8619	99.52	43.5
2023-04-02 17:00:00	415.4	0	0	0	34	5.97	9.31	40.4	34.5	99.53	-0.7	-0.5	0	41.5	0.56	100	8619	99.52	43.5
2023-04-02 17:05:00	398.2	0	0	0	84	2.62	5.5	39.9	36.4	99.51	-0.8	-0.6	0	41.4	0.53	100	8617	99.5	43.7
2023-04-02 17:10:00	380.2	0	0	0	20	5.75	9.98	40	35.2	99.51	-0.5	-0.6	0	41.4	0.54	100	8616	99.49	44
2023-04-02 17:15:00	361.6	0	0	0	40	3.69	7.45	39.9	35.4	99.51	-0.6	-0.6	0	41.3	0.54	100	8615	99.5	43.8
2023-04-02 17:20:00	347.6	0	0	0	103	7.18	11.54	40.2	35.5	99.51	-0.6	-0.7	0	41.3	0.55	100	8611	99.5	43.6
2023-04-02 17:25:00	331.2	0	0	0	103	6.26	11.99	39.8	35.1	99.52	-0.7	-0.5	0	40.9	0.54	100	8607	99.5	42.6
2023-04-02 17:30:00	312.6	0	0	0	273	1.92	4.07	39.2	34.9	99.52	-0.8	-0.6	0	40.7	0.53	100	8607	99.5	43.2
2023-04-02 17:35:00	295	0	0	0	137	4.25	7.07	39.7	36	99.52	-0.6	-0.6	0	41.1	0.53	100	8603	99.5	43.6
2023-04-02 17:40:00	277.4	0	0	0	205	3.6	7.09	39.7	33.5	99.53	-0.7	-0.6	0	40.8	0.55	100	8602	99.52	43.2
2023-04-02 17:45:00	261	0	0	0	181	3.69	7.34	39.7	34.4	99.55	-0.6	-0.7	0	40.9	0.54	100	8600	99.53	43.4
2023-04-02 17:50:00	243.6	0	0	0	125	5.77	9.71	40	34.1	99.56	-0.8	-0.6	0	40.8	0.55	100	8596	99.54	43.1
2023-04-02 17:55:00	226.2	0	0	0	150	5.64	9.42	39.6	33.7	99.55	-0.7	-0.7	0	40.4	0.55	100	8597	99.53	43.1
2023-04-02 18:00:00	208	0	0	0	81	4.07	6.64	39.3	34.2	99.55	-0.8	-0.7	0	40.1	0.54	100	8594	99.54	42.8
2023-04-02 18:05:00	190.2	0	0	0	90	4.61	7.07	39.2	35.7	99.56	-0.9	-0.6	0	39.9	0.52	100	8591	99.55	43.3
2023-04-02 18:10:00	172.8	0	0	0	72	3.62	5.41	39.1	35.3	99.56	-0.7	-0.6	0	39.8	0.52	100	8593	99.55	43.4
2023-04-02 18:15:00	156.2	0	0	0	21	5.17	6.93	39.1	35.6	99.56	-0.7	-0.6	0	39.7	0.52	100	8591	99.54	43.4
2023-04-02 18:20:00	139.6	0	0	0	87	5.75	11.39	38.9	35.8	99.55	-0.8	-0.6	0	39.4	0.52	100	8589	99.54	43.2
2023-04-02 18:25:00	123.6	0	0	0	117	6.08	8.79	38.9	35.6	99.54	-0.7	-0.6	0	39.3	0.52	100	8586	99.52	42.5
2023-04-02 18:30:00	108	0	0	0	110	5.19	8.12	38.6	35.3	99.54	-0.7	-0.7	0	39	0.51	100	8585	99.52	42
2023-04-02 18:35:00	93	0	0	0	105	6.71	10.36	38.4	36	99.53	-0.6	-0.6	0	38.8	0.51	100	8583	99.52	41.8
2023-04-02 18:40:00	79.4	0	0	0	113	7.4	10.63	38.3	35.4	99.53	-0.8	-0.7	0	38.6	0.51	100	8581	99.51	41.4
2023-04-02 18:45:00	66.4	0	0	0	113	6.76	10.07	38	35.6	99.52	-0.7	-0.5	0	38.2	0.5	100	8578	99.5	40.7
2023-04-02 18:50:00	54.4	0	0	0	108	8.34	12.91	37.8	35.6	99.51	-0.8	-0.6	0	37.9	0.5	100	8576	99.49	40.3
2023-04-02 18:55:00	42.2	0	0	0	111	6.08	9.71	37.5	36	99.51	-0.9	-0.4	0	37.7	0.49	100	8576	99.49	39.7
2023-04-02 19:00:00	32.4	0	0	0	117	6.38	9.48	37.3	36.5	99.51	-0.9	-0.6	0	37.4	0.48	100	8573	99.48	39.3
2023-04-02 19:05:00	24.6	0	0	0	135	5.77	7.92	37.1	36.8	99.51	-0.8	-0.5	0	37.1	0.47	100	8573	99.48	38.6
2023-04-02 19:10:00	16.4	0	0	0	148	7.31	9.17	36.8	39.8	99.51	-0.8	-0.6	0	36.8	0.44	100	8569	99.48	37.8
2023-04-02 19:15:00	11	0	0	0	139	7.85	9.17	36.5	39.9	99.5	-0.8	-0.5	0	36.6	0.44	100	8570	99.47	37
2023-04-02 19:20:00	7.2	0	0	0	143	7.58	9.37	36.2	39.6	99.48	-0.8	-0.5	0	36.2	0.44	100	8566	99.45	36.3
2023-04-02 19:25:00	4.2	0	0	0	149	8.32	9.42	35.9	41.1	99.48	-0.8	-0.5	0	35.9	0.42	100	8570	99.44	35.7
2023-04-02 19:30:00	2	0	0	0	130	8.41	10.51	35.7	40.4	99.47	-0.9	-0.5	0	35.7	0.42	100	8566	99.43	35.3
2023-04-02 19:35:00	0.6	0	0	0	129	8.05	10.33	35.5	41	99.47	-0.9	-0.5	0	35.4	0.41	100	8564	99.43	35
2023-04-02 19:40:00	0	0	0	0	124	8.14	11.88	35.2	41.2	99.47	-0.9	-0.5	0	35.2	0.41	100	8564	99.43	34.7
2023-04-02 19:45:00	0	0	0	0	117	7.25	9.19	35	40.9	99.47	-0.9	-0.5	0	35	0.41	100	8559	99.43	34.4
2023-04-02 19:50:00	0	0	0	0	118	7.43	8.99	34.8	41.9	99.47	-0.9	-0.6	0	34.7	0.4	100	8559	99.43	34.1
2023-04-02 19:55:00	0	0	0	0	119	6.85	8.9	34.6	42.5	99.47	-1	-0.5	0	34.6	0.39	100	8558	99.43	33.8
2023-04-02 20:00:00	0	0	0	0	117	6.87	8.41	34.4	42.8	99.46	-0.8	-0.5	0	34.4	0.39	100	8556	99.42	33.5
2023-04-02 20:05:00	0	0	0	0	111	5.7	7.38	34.2	43.8	99.47	-1	-0.5	0	34.2	0.37	100	8558	99.43	33.3
2023-04-02 20:10:00	0	0	0	0	111	6.31	7.96	34.1	44.6	99.47	-0.8	-0.5	0	34	0.37	100	8554	99.43	33
2023-04-02 20:15:00	0	0	0	0	112	6.4	8.46	33.8	44.8	99.47	-1	-0.4	0	33.8	0.36	100	8552	99.43	32.7
2023-04-02 20:20:00	0	0	0	0	118	6.04	7.47	33.6	44.8	99.48	-1	-0.4	0	33.7	0.36	100	8550	99.44	32.6
2023-04-02 20:25:00	0	0	0	0	109	5.88	7.25	33.4	45.4	99.48	-1.1	-0.4	0	33.4	0.35	100	8551	99.44	32.4
2023-04-02 20:30:00	0	0	0	0	91	3.83	5.68	33.4	48.3	99.49	-1	-0.5	0	33.4	0.33	100	8548	99.45	32
2023-04-02 20:35:00	0	0	0	0	104	4.29	6.35	33	50.2	99.5	-1	-0.5	0	33	0.32	100	8545	99.45	31.6
2023-04-02 20:40:00	0	0	0	0	105	4.52	5.73	32.8	52.2	99.5	-1	-0.5	0	32.8	0.3	100	8548	99.45	31.3
2023-04-02 20:45:00	0	0	0	0	118	5.57	7.36	32.6	52.3	99.49	-1	-0.4	0	32.6	0.3	100	8549	99.45	31.2
2023-04-02 20:50:00	0	0	0	0	120	6.96	9.55	32.5	52	99.49	-1	-0.4	0	32.5	0.3	100	8542	99.45	31.2
2023-04-02 20:55:00	0	0	0	0	121	7.65	9.51	32.5	51.6	99.49	-1	-0.5	0	32.5	0.3	100	8545	99.45	31.2

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-02 21:00:00	0	0	0	0	118	7.7	9.46	32.5	53	99.49	-1	-0.4	0	32.5	0.29	100	8545	99.45	31.1
2023-04-02 21:05:00	0	0	0	0	118	8.12	11.07	32.4	53.2	99.49	-1	-0.5	0	32.3	0.29	100	8542	99.45	31.1
2023-04-02 21:10:00	0	0	0	0	119	7.38	9.17	32.2	53.6	99.49	-1.1	-0.4	0	32.2	0.29	100	8539	99.45	31
2023-04-02 21:15:00	0	0	0	0	120	7	9.4	32.2	53.9	99.49	-1.1	-0.5	0	32.2	0.28	100	8539	99.45	30.8
2023-04-02 21:20:00	0	0	0	0	120	7.65	9.28	32.1	53.2	99.48	-1.1	-0.5	0	32.1	0.29	100	8540	99.44	30.8
2023-04-02 21:25:00	0	0	0	0	125	7.65	10.13	32	53.1	99.49	-1.1	-0.5	0	32	0.29	100	8538	99.45	30.7
2023-04-02 21:30:00	0	0	0	0	122	7.76	10.25	32	53	99.49	-1	-0.4	0	32	0.29	100	8539	99.45	30.6
2023-04-02 21:35:00	0	0	0	0	114	6.49	8.12	31.9	52.9	99.49	-1	-0.5	0	31.9	0.29	100	8536	99.45	30.6
2023-04-02 21:40:00	0	0	0	0	118	6.98	9.08	31.8	52.8	99.49	-1	-0.5	0	31.7	0.29	100	8535	99.45	30.5
2023-04-02 21:45:00	0	0	0	0	113	6.98	9.62	31.7	52.9	99.48	-1	-0.5	0	31.7	0.28	100	8535	99.44	30.3
2023-04-02 21:50:00	0	0	0	0	110	7.05	8.77	31.7	53.4	99.46	-1.1	-0.4	0	31.6	0.28	100	8534	99.42	30.2
2023-04-02 21:55:00	0	0	0	0	113	7.4	8.75	31.5	53.9	99.46	-1.1	-0.5	0	31.5	0.28	100	8534	99.42	30.1
2023-04-02 22:00:00	0	0	0	0	116	8.16	9.64	31.4	54.4	99.45	-1.1	-0.5	0	31.4	0.27	100	8533	99.41	30
2023-04-02 22:05:00	0	0	0	0	115	8.34	10.33	31.3	53.9	99.43	-1.1	-0.5	0	31.3	0.27	100	8531	99.4	29.9
2023-04-02 22:10:00	0	0	0	0	118	7.67	10.11	31.1	56	99.43	-1.1	-0.5	0	31.1	0.26	100	8529	99.39	29.9
2023-04-02 22:15:00	0	0	0	0	109	7.38	9.08	31.1	55.7	99.42	-1	-0.5	0	31.1	0.26	100	8529	99.38	29.8
2023-04-02 22:20:00	0	0	0	0	113	7.72	9.69	31	55.6	99.41	-1	-0.5	0	31	0.26	100	8529	99.38	29.8
2023-04-02 22:25:00	0	0	0	0	108	8.43	10.4	31	55.2	99.4	-1.1	-0.3	0	31	0.26	100	8528	99.37	29.7
2023-04-02 22:30:00	0	0	0	0	112	8.5	10.74	31	55.6	99.4	-1.1	-0.5	0	31	0.26	100	8529	99.37	29.6
2023-04-02 22:35:00	0	0	0	0	111	9.06	11.18	31	55.2	99.4	-1.1	-0.4	0	31	0.26	100	8526	99.36	29.6
2023-04-02 22:40:00	0	0	0	0	114	9.26	11.1	30.9	54.8	99.38	-1	-0.5	0	30.9	0.26	100	8526	99.34	29.5
2023-04-02 22:45:00	0	0	0	0	120	9.73	11.52	30.8	55.3	99.38	-1	-0.3	0	30.8	0.26	100	8526	99.35	29.5
2023-04-02 22:50:00	0	0	0	0	129	9.93	11.83	30.8	56.8	99.37	-1	-0.3	0	30.8	0.25	100	8524	99.34	29.5
2023-04-02 22:55:00	0	0	0	0	128	10.04	11.9	30.8	56.7	99.36	-1.1	-0.4	0	30.8	0.25	100	8524	99.33	29.5
2023-04-02 23:00:00	0	0	0	0	130	10.38	13.91	30.8	56.9	99.35	-1	-0.4	0	30.8	0.25	100	8525	99.32	29.4
2023-04-02 23:05:00	0	0	0	0	137	10.2	12.55	30.6	57.1	99.35	-1	-0.4	0	30.6	0.25	100	8526	99.31	29.4
2023-04-02 23:10:00	0	0	0	0	139	9.64	12.3	30.6	58.2	99.33	-1	-0.4	0	30.6	0.24	100	8523	99.3	29.3
2023-04-02 23:15:00	0	0	0	0	139	10.49	12.97	30.6	59	99.32	-1	-0.4	0	30.6	0.24	100	8521	99.29	29.3
2023-04-02 23:20:00	0	0	0	0	137	11.27	16.04	30.5	58.4	99.3	-1	-0.6	0	30.5	0.24	100	8517	99.27	29.2
2023-04-02 23:25:00	0	0	0	0	138	10.4	12.62	30.4	59.3	99.3	-1	-0.5	0	30.4	0.23	100	8519	99.27	29.2
2023-04-02 23:30:00	0	0	0	0	141	11.07	13.8	30.5	59.2	99.28	-1	-0.5	0	30.4	0.23	100	8521	99.25	29.2
2023-04-02 23:35:00	0	0	0	0	144	10.92	13.53	30.5	59.2	99.27	-1.1	-0.5	0	30.5	0.23	100	8519	99.24	29.2
2023-04-02 23:40:00	0	0	0	0	139	11.14	14.05	30.5	59.5	99.26	-1	-0.5	0	30.5	0.23	100	8520	99.24	29.2
2023-04-02 23:45:00	0	0	0	0	139	11.16	14.23	30.5	59.1	99.26	-1.2	-0.5	0	30.5	0.24	100	8519	99.23	29.2
2023-04-02 23:50:00	0	0	0	0	142	11.3	13.56	30.5	59.1	99.25	-1	-0.6	0	30.5	0.24	100	8515	99.22	29.3
2023-04-02 23:55:00	0	0	0	0	144	11.25	13.71	30.6	59	99.24	-0.9	-0.5	0	30.6	0.24	100	8515	99.22	29.3
2023-04-03 00:00:00	0	0	0	0	141	11.77	13.82	30.5	59.1	99.24	-1.1	-0.5	0	30.5	0.24	100	8513	99.21	29.4
2023-04-03 00:05:00	0	0	0	0	140	11.07	13.51	30.6	59.6	99.23	-1.1	-0.3	0	30.6	0.23	100	8488	99.21	29.6
2023-04-03 00:10:00	0	0	0	0	137	10.6	12.71	30.6	59.9	99.24	-1.2	-0.2	0	30.7	0.23	100	8471	99.21	29.9
2023-04-03 00:15:00	0	0	0	0	139	10.89	13.44	30.7	58.6	99.24	-1.1	-0.5	0	30.7	0.24	100	8469	99.22	30.2
2023-04-03 00:20:00	0	0	0	0	140	10.67	12.75	30.9	58.9	99.24	-1	-0.5	0	30.9	0.24	100	8481	99.22	30.2
2023-04-03 00:25:00	0	0	0	0	137	11.3	13.53	30.9	58.6	99.24	-1	-0.5	0	30.9	0.24	100	8485	99.21	30.1
2023-04-03 00:30:00	0	0	0	0	138	11.14	13.42	31.1	58.5	99.23	-1.2	-0.5	0	31.1	0.24	100	8485	99.21	30.1
2023-04-03 00:35:00	0	0	0	0	137	11.36	13.49	31.1	57.8	99.22	-1	-0.5	0	31.1	0.25	100	8487	99.19	30.1
2023-04-03 00:40:00	0	0	0	0	132	11.99	15.46	31.2	57.4	99.2	-1.1	-0.3	0	31.2	0.25	100	8490	99.18	30.2
2023-04-03 00:45:00	0	0	0	0	131	12.21	15.61	31.2	56.7	99.2	-0.8	-0.5	0	31.2	0.26	100	8489	99.17	30.3
2023-04-03 00:50:00	0	0	0	0	131	12.71	14.85	31.4	57.1	99.19	-1.2	-0.4	0	31.4	0.26	100	8489	99.17	30.3
2023-04-03 00:55:00	0	0	0	0	135	12.12	14.41	31.3	56.6	99.19	-1.1	-0.5	0	31.3	0.26	100	8489	99.17	30.3
2023-04-03 01:00:00	0	0	0	0	133	11.41	14.41	31.4	56.8	99.19	-0.9	-0.3	0	31.4	0.26	100	8491	99.16	30.3
2023-04-03 01:05:00	0	0	0	0	132	11.52	13.62	31.3	56.5	99.18	-1	-0.3	0	31.3	0.26	100	8489	99.15	30.2
2023-04-03 01:10:00	0	0	0	0	130	12.12	15.43	31.3	56.9	99.17	-1.1	-0.4	0	31.3	0.26	100	8489	99.15	30.2
2023-04-03 01:15:00	0	0	0	0	134	11.81	14.05	31.2	56	99.17	-1	-0.5	0	31.2	0.26	100	8490	99.15	30.1
2023-04-03 01:20:00	0	0	0	0	133	11.61	14.76	31.2	56.8	99.17	-1	-0.4	0	31.2	0.26	100	8488	99.14	30.1
2023-04-03 01:25:00	0	0	0	0	132	12.39	15.1	31.2	57.5	99.15	-1.1	-0.4	0	31.2	0.25	100	8490	99.12	30.1
2023-04-03 01:30:00	0	0	0	0	131	11.83	15.03	31.1	57	99.14	-0.9	-0.4	0	31.1	0.25	100	8488	99.12	30.1
2023-04-03 01:35:00	0	0	0	0	132	11.05	14.58	31	57.3	99.13	-1.1	-0.3	0	31	0.25	100	8488	99.1	30
2023-04-03 01:40:00	0	0	0	0	131	11.25	13.53	31.1	57.5	99.12	-1.1	-0.6	0	31.1	0.25	100	8488	99.1	30
2023-04-03 01:45:00	0	0	0	0	128	11.34	13.2	31.1	57.6	99.12	-1.1	-0.5	0	31.1	0.25	100	8490	99.09	30.1
2023-04-03 01:50:00	0	0	0	0	129	11.65	13.89	31.1	57.7	99.1	-1.1	-0.6	0	31.2	0.25	100	8488	99.08	30.1
2023-04-03 01:55:00	0	0	0	0	126	11.27	13.56	31.2	57.5	99.1	-0.9	-0.5	0	31.2	0.25	100	8488	99.07	30.2

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-03 02:00:00	0	0	0	0	125	11.23	13.62	31.3	57.2	99.09	-1	-0.4	0	31.3	0.25	100	8486	99.06	30.3
2023-04-03 02:05:00	0	0	0	0	125	11.54	13.44	31.5	56.9	99.08	-1	-0.4	0	31.5	0.26	100	8486	99.05	30.4
2023-04-03 02:10:00	0	0	0	0	131	11.01	13.62	31.6	57.1	99.08	-0.9	-0.4	0	31.6	0.26	100	8486	99.06	30.6
2023-04-03 02:15:00	0	0	0	0	133	11.83	15.43	31.7	57	99.08	-1.1	-0.5	0	31.7	0.26	100	8488	99.05	30.7
2023-04-03 02:20:00	0	0	0	0	135	11.7	15.05	31.8	56.8	99.06	-1	-0.4	0	31.8	0.26	100	8485	99.04	30.8
2023-04-03 02:25:00	0	0	0	0	138	12.3	16.13	31.9	57.1	99.05	-0.9	-0.4	0	31.9	0.26	100	8486	99.03	31
2023-04-03 02:30:00	0	0	0	0	139	11.03	13.78	32	57.3	99.05	-0.9	-0.5	0	32	0.26	100	8487	99.02	31.1
2023-04-03 02:35:00	0	0	0	0	141	12.24	14.76	32.1	57.9	99.04	-1.1	-0.5	0	32.1	0.26	100	8485	99.01	31.2
2023-04-03 02:40:00	0	0	0	0	145	11.23	13.91	32.4	58.1	99.03	-1.1	-0.4	0	32.4	0.26	100	8486	99	31.4
2023-04-03 02:45:00	0	0	0	0	137	11.05	13.87	32.5	57.7	99.03	-1.2	-0.4	0	32.5	0.26	100	8483	99	31.5
2023-04-03 02:50:00	0	0	0	0	138	10.87	15.61	32.6	57.4	99.03	-0.9	-0.3	0	32.6	0.27	100	8484	99.01	31.7
2023-04-03 02:55:00	0	0	0	0	137	9.57	12.64	32.9	58.2	99.04	-0.9	-0.5	0	32.9	0.26	100	8485	99.02	31.8
2023-04-03 03:00:00	0	0	0	0	135	9.35	12.08	32.9	57.1	99.05	-0.9	-0.6	0	32.9	0.27	100	8485	99.03	32
2023-04-03 03:05:00	0	0	0	0	131	10.42	12.53	33.1	56.3	99.06	-0.9	-0.4	0	33.2	0.28	100	8485	99.03	32.2
2023-04-03 03:10:00	0	0	0	0	125	9.93	11.97	33.3	55.9	99.05	-1	-0.4	0	33.3	0.28	100	8484	99.02	32.3
2023-04-03 03:15:00	0	0	0	0	132	10.04	12.62	33.4	55.7	99.05	-1	-0.4	0	33.4	0.29	100	8485	99.03	32.4
2023-04-03 03:20:00	0	0	0	0	130	10.6	13.11	33.4	55.6	99.06	-0.9	-0.4	0	33.4	0.29	100	8483	99.03	32.6
2023-04-03 03:25:00	0	0	0	0	140	11.21	13.06	33.6	54.9	99.06	-1	-0.5	0	33.6	0.29	100	8480	99.03	32.7
2023-04-03 03:30:00	0	0	0	0	137	12.37	14.09	33.7	55	99.05	-1	-0.3	0	33.7	0.29	100	8482	99.03	32.8
2023-04-03 03:35:00	0	0	0	0	138	12.48	15.61	33.8	54.8	99.05	-0.9	-0.6	0	33.9	0.3	100	8482	99.03	32.9
2023-04-03 03:40:00	0	0	0	0	139	11.48	14.97	33.8	55	99.05	-1	-0.3	0	33.8	0.3	100	8478	99.02	32.9
2023-04-03 03:45:00	0	0	0	0	133	12.44	14.61	33.8	54.7	99.04	-0.8	-0.5	0	33.8	0.3	100	8479	99.01	33
2023-04-03 03:50:00	0	0	0	0	136	10.76	13.42	33.9	55.4	99.05	-1	-0.5	0	33.9	0.29	100	8480	99.02	33.1
2023-04-03 03:55:00	0	0	0	0	136	11.18	13.44	34	55	99.05	-0.9	-0.3	0	33.9	0.3	100	8480	99.03	33.1
2023-04-03 04:00:00	0	0	0	0	140	11.07	13.27	34.1	54.5	99.06	-0.7	-0.4	0	34.1	0.3	100	8477	99.03	33.2
2023-04-03 04:05:00	0	0	0	0	142	10.02	13.04	34.1	55.1	99.06	-0.8	-0.5	0	34.1	0.3	100	8480	99.03	33.2
2023-04-03 04:10:00	0	0	0	0	146	9.64	13.44	34.2	56.1	99.05	-0.9	-0.6	0	34.2	0.29	100	8478	99.02	33.3
2023-04-03 04:15:00	0	0	0	0	140	10.98	13.38	34.1	55.9	99.03	-1	-0.3	0	34.1	0.29	100	8481	99.01	33.3
2023-04-03 04:20:00	0	0	0	0	140	11.86	14.58	34.2	54.6	99.03	-0.8	-0.5	0	34.2	0.3	100	8478	99	33.4
2023-04-03 04:25:00	0	0	0	0	142	11.54	14.18	34.2	55.7	99.02	-1.1	-0.4	0	34.2	0.3	100	8475	98.99	33.4
2023-04-03 04:30:00	0	0	0	0	132	12.86	17.29	34.3	55.6	99	-0.9	-0.5	0	34.3	0.3	100	8477	98.97	33.4
2023-04-03 04:35:00	0	0	0	0	131	12.46	16.08	34.3	55.2	99	-1	-0.2	0	34.3	0.3	100	8475	98.97	33.4
2023-04-03 04:40:00	0	0	0	0	126	13.69	16.06	34.2	55.4	98.97	-0.9	-0.4	0	34.2	0.3	100	8475	98.94	33.4
2023-04-03 04:45:00	0	0	0	0	127	14.12	18.79	34.3	55	98.96	-0.7	-0.6	0	34.3	0.3	100	8473	98.93	33.4
2023-04-03 04:50:00	0	0	0	0	130	13.73	17.56	34.3	54.5	98.95	-1.3	-0.3	0	34.3	0.31	100	8472	98.93	33.5
2023-04-03 04:55:00	0	0	0	0	137	12.35	15.55	34.4	54.9	98.96	-1	-0.6	0	34.4	0.3	100	8472	98.93	33.6
2023-04-03 05:00:00	0	0	0	0	145	10.54	14.72	34.5	55.7	98.98	-0.8	-0.4	0	34.5	0.3	100	8473	98.96	33.7
2023-04-03 05:05:00	0	0	0	0	134	10.29	13.22	34.6	55.2	99	-0.9	-0.4	0	34.5	0.3	100	8474	98.97	33.7
2023-04-03 05:10:00	0	0	0	0	125	11.45	13.67	34.7	54.4	98.99	-1	-0.5	0	34.7	0.31	100	8474	98.96	33.9
2023-04-03 05:15:00	0	0	0	0	123	11.81	15.5	34.9	54	98.99	-0.9	-0.6	0	34.9	0.32	100	8472	98.97	34.1
2023-04-03 05:20:00	0	0	0	0	125	12.3	15.93	35	53.6	98.99	-0.9	-0.4	0	35	0.32	100	8471	98.96	34.2
2023-04-03 05:25:00	0	0	0	0	129	12.26	15.77	35.2	53.3	98.98	-0.7	-0.4	0	35.2	0.32	100	8469	98.95	34.4
2023-04-03 05:30:00	0	0	0	0	132	11.03	14.85	35.3	53.6	98.98	-1	-0.5	0	35.3	0.32	100	8472	98.96	34.5
2023-04-03 05:35:00	0	0	0	0	131	10.67	13.47	35.4	53.7	98.99	-0.9	-0.5	0	35.4	0.32	100	8472	98.96	34.6
2023-04-03 05:40:00	0	0	0	0	138	10.02	11.56	35.5	53.4	98.99	-0.9	-0.4	0	35.5	0.33	100	8470	98.96	34.6
2023-04-03 05:45:00	0	0	0	0	134	12.55	14.79	35.6	53.4	98.99	-0.8	-0.6	0	35.6	0.33	100	8472	98.96	34.6
2023-04-03 05:50:00	0	0	0	0	134	10.63	15.46	35.6	53.9	99	-0.9	-0.4	0	35.6	0.32	100	8469	98.97	34.6
2023-04-03 05:55:00	0	0	0	0	134	11.3	14.34	35.6	53.6	98.99	-0.9	-0.5	0	35.6	0.33	100	8469	98.96	34.6
2023-04-03 06:00:00	0	0	0	0	132	11.77	13.22	35.5	54.2	98.97	-0.9	-0.5	0	35.5	0.32	100	8470	98.94	34.5
2023-04-03 06:05:00	0	0	0	0	134	11.56	13.69	35.4	54.6	98.96	-1.1	-0.4	0	35.4	0.32	100	8468	98.93	34.3
2023-04-03 06:10:00	0	0	0	0	132	11.21	15.41	35.2	54.7	98.96	-0.9	-0.5	0	35.2	0.31	100	8466	98.93	34.2
2023-04-03 06:15:00	0	0	0	0	134	9.69	12.86	35.2	54.8	98.97	-0.9	-0.5	0	35.2	0.31	100	8468	98.94	34.1
2023-04-03 06:20:00	0	0	0	0	128	8.59	10.58	35	55.4	98.97	-0.9	-0.5	0	35	0.31	100	8465	98.94	33.9
2023-04-03 06:25:00	0	0	0	0	134	9.35	11.23	35	55.3	98.96	-1.1	-0.5	0	35	0.31	100	8464	98.93	33.8
2023-04-03 06:30:00	0.6	0	0	0	129	8.9	12.59	34.9	55.3	98.97	-0.9	-0.5	0	34.9	0.31	100	8466	98.93	33.8
2023-04-03 06:35:00	1.8	0	0	0	132	9.93	12.64	34.9	55.3	98.96	-0.9	-0.4	0	34.9	0.31	100	8463	98.93	33.7
2023-04-03 06:40:00	3.8	0	0	0	138	9.95	12.91	35	56.3	98.95	-1	-0.5	0	35	0.3	100	8463	98.92	33.6
2023-04-03 06:45:00	6.2	0	0	0	141	11.05	15.68	34.9	56.3	98.94	-0.8	-0.5	0	34.9	0.3	100	8465	98.91	33.5
2023-04-03 06:50:00	9.6	0	0	0	142	11.45	15.23	34.8	56.5	98.95	-1	-0.4	0	34.8	0.3	100	8460	98.92	33.5
2023-04-03 06:55:00	15	0	0	0	141	11.72	14.2	34.8	56.4	98.94	-0.9	-0.5	0	34.9	0.3	100	8462	98.91	33.5

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-03 07:00:00	36.4	0	0	0	139	13.42	16.55	34.8	57	98.91	-0.9	-0.3	0	35	0.29	100	8470	98.89	33.5
2023-04-03 07:05:00	49.6	0	0	0	143	13.67	19.77	35.1	56.3	98.9	-0.7	-0.7	0	35.3	0.3	100	8477	98.88	33.6
2023-04-03 07:10:00	59.8	0	0	0	149	12.66	16.67	35.6	55.6	98.91	-1.1	-0.5	0	35.7	0.31	100	8488	98.89	34
2023-04-03 07:15:00	70.8	0	0	0	151	10.98	15.59	35.9	55.7	98.92	-0.7	-0.7	0	36.1	0.32	100	8496	98.9	34.3
2023-04-03 07:20:00	89.2	0	0	0	152	10.63	13.65	36.3	55.1	98.94	-0.9	-0.5	0	36.6	0.33	100	8504	98.92	34.8
2023-04-03 07:25:00	82	0	0	0	147	9.8	12.53	36.5	54.3	98.96	-0.9	-0.4	0	36.7	0.33	100	8510	98.93	35.2
2023-04-03 07:30:00	113.2	0	0	0	144	9.89	14.81	37	54	98.97	-0.8	-0.4	0	37.3	0.34	100	8522	98.95	35.5
2023-04-03 07:35:00	101.6	0	0	0	139	8.63	13.6	37.4	53.3	98.97	-0.8	-0.6	0	37.7	0.35	100	8526	98.95	36
2023-04-03 07:40:00	122.4	0	0	0	139	10.2	12.48	37.7	52.5	98.95	-0.9	-0.4	0	38	0.36	100	8534	98.94	36.4
2023-04-03 07:45:00	156.6	0	0	0	143	10.85	13.78	38.2	52.5	98.94	-0.7	-0.6	0	38.6	0.37	100	8545	98.92	36.8
2023-04-03 07:50:00	214.8	0	0	0	142	12.06	14.85	38.8	51.4	98.93	-1	-0.4	0	39.3	0.39	100	8558	98.92	37.4
2023-04-03 07:55:00	238	0	0	0	142	14.34	16.53	39.6	49.9	98.91	-0.8	-0.1	0	40.1	0.41	100	8570	98.91	38.2
2023-04-03 08:00:00	178.6	0	0	0	143	12.75	18.19	39.9	49	98.92	-0.5	-0.6	0	40.3	0.43	100	8570	98.91	38.8
2023-04-03 08:05:00	214.4	0	0	0	139	12.97	16.28	39.8	49.8	98.92	-0.6	-0.6	0	40.2	0.42	100	8576	98.91	39.1
2023-04-03 08:10:00	255	0	0	0	133	12.35	17.4	40.3	49.5	98.91	-0.9	-0.4	0	40.9	0.43	100	8581	98.9	39.5
2023-04-03 08:15:00	183.6	0	0	0	141	12.97	16.49	40.5	49.2	98.9	-0.6	-0.6	0	40.9	0.43	100	8579	98.88	40
2023-04-03 08:20:00	165.4	0	0	0	142	11.1	14.97	40.2	50.7	98.89	-0.8	-0.4	0	40.6	0.42	100	8573	98.87	40.1
2023-04-03 08:25:00	149.2	0	0	0	143	12.33	16.49	40.1	50.9	98.89	-0.7	-0.5	0	40.4	0.41	100	8570	98.86	40.1
2023-04-03 08:30:00	171	0	0	0	148	12.03	15.1	40.1	51.4	98.87	-0.7	-0.6	0	40.4	0.41	100	8576	98.85	40.1
2023-04-03 08:35:00	250.4	0	0	0	145	14.18	19.15	40.5	51.9	98.83	-0.5	-0.2	0	41.1	0.41	100	8581	98.83	40.3
2023-04-03 08:40:00	221	0	0	0	147	13.58	18.12	41.1	51.4	98.83	-0.7	-0.7	0	41.6	0.43	100	8583	98.81	40.7
2023-04-03 08:45:00	215.2	0	0	0	143	12.41	17.22	41.3	51.3	98.81	-0.9	-0.4	0	41.8	0.43	100	8583	98.79	41
2023-04-03 08:50:00	240.6	0	0	0	144	13.04	17.83	41.8	51.8	98.8	-0.9	-0.7	0	42.3	0.43	100	8588	98.79	41.5
2023-04-03 08:55:00	324.6	0	0	0	152	12.39	15.26	42.5	51.4	98.8	-0.5	-0.6	0	43.2	0.45	100	8594	98.8	42
2023-04-03 09:00:00	290.2	0	0	0	154	12.21	15.1	43	51.1	98.82	-0.6	-0.6	0	43.7	0.46	100	8595	98.8	42.6
2023-04-03 09:05:00	204.6	0	0	0	161	10.11	12.68	43.4	52.5	98.85	-0.7	-0.4	0	43.9	0.45	100	8588	98.82	43.1
2023-04-03 09:10:00	218	0	0	0	160	8.88	12.53	43.6	52.7	98.85	-0.6	-0.6	0	44.2	0.46	100	8590	98.82	43.4
2023-04-03 09:15:00	201	0	0	0	154	9.42	11.99	43.9	53.2	98.84	-0.5	-0.5	0	44.4	0.46	100	8586	98.81	43.8
2023-04-03 09:20:00	208.4	0	0	0	152	9.46	12.77	44.1	52.9	98.83	-0.7	-0.6	0	44.6	0.46	100	8584	98.8	44.1
2023-04-03 09:25:00	229.2	0	0	0	156	8.81	13.33	44.5	53.6	98.82	-0.7	-0.5	0	45.1	0.46	100	8581	98.8	44.5
2023-04-03 09:30:00	196.8	0	0	0	168	10.47	15.82	45.1	54.3	98.83	-0.7	-0.7	0	45.7	0.47	100	8581	98.8	45
2023-04-03 09:35:00	203.6	0	0	0	174	10.85	14.32	45.8	53	98.82	-0.6	-0.5	0	46.3	0.49	100	8580	98.79	45.6
2023-04-03 09:40:00	215.4	0	0	0	176	11.36	17.36	46.5	51.9	98.81	-0.5	-0.5	0	47.1	0.52	100	8580	98.78	46.2
2023-04-03 09:45:00	205.8	0	0	0	173	11.03	14.25	47.1	51.3	98.8	-0.5	-0.5	0	47.6	0.54	100	8580	98.76	46.6
2023-04-03 09:50:00	236.2	0	0	0	179	13.38	19.55	47.6	50.7	98.79	-0.5	-0.7	0	48.1	0.55	100	8575	98.76	47
2023-04-03 09:55:00	219.4	0	0	0	173	13.31	19.69	48	50.8	98.79	-0.5	-0.8	0	48.5	0.56	100	8576	98.75	47.4
2023-04-03 10:00:00	238.6	0	0	0	177	13.04	18.9	48.3	50.9	98.76	-0.3	-0.2	0	48.8	0.57	100	8578	98.73	47.7
2023-04-03 10:05:00	286.2	0	0	0	177	12.12	18.95	48.8	50.7	98.75	-0.6	-0.2	0	49.4	0.58	100	8576	98.72	48.2
2023-04-03 10:10:00	309.8	0	0	0	173	14	20.13	49.4	49.9	98.74	-0.6	-0.4	0	50	0.6	100	8580	98.71	48.7
2023-04-03 10:15:00	360.2	0	0	0	173	13.35	18.1	50	50.1	98.74	-0.6	-0.6	0	50.8	0.61	100	8582	98.71	49.2
2023-04-03 10:20:00	345	0	0	0	184	13.82	18.97	50.7	49	98.74	-0.5	-0.3	0	51.5	0.64	100	8586	98.71	49.8
2023-04-03 10:25:00	340	0	0	0	178	15.12	22.59	51.3	47.2	98.74	-0.6	-0.9	0	51.9	0.68	100	8584	98.71	50.4
2023-04-03 10:30:00	404.2	0	0	0	177	13.51	17.87	51.5	48	98.74	-0.2	-0.9	0	52.3	0.68	100	8592	98.71	50.8
2023-04-03 10:35:00	497.2	0	0	0	181	13.22	19.84	52.7	47	98.73	-0.6	-0.4	0	53.5	0.72	100	8596	98.71	51.5
2023-04-03 10:40:00	464.2	0	0	0	177	15.97	22.84	53.4	45.2	98.72	0	-0.4	0	54.1	0.76	100	8604	98.69	52.2
2023-04-03 10:45:00	518	0	0	0	176	14.47	21.47	54	45.1	98.71	-0.4	-0.5	0	54.7	0.78	100	8606	98.69	52.8
2023-04-03 10:50:00	522.4	0	0	0	182	16.15	21.16	54.6	44.2	98.72	-0.6	-0.5	0	55.4	0.81	100	8608	98.69	53.5
2023-04-03 10:55:00	443	0	0	0	178	14.38	19.6	54.9	43.7	98.72	-0.5	-0.5	0	55.6	0.83	100	8611	98.7	54
2023-04-03 11:00:00	479.2	0	0	0	177	14.94	22.24	55.1	43.9	98.72	-0.2	-0.9	0	55.9	0.83	100	8610	98.69	54.3
2023-04-03 11:05:00	476.4	0	0	0	187	15.57	20	55.8	43.7	98.73	-0.4	-0.8	0	56.4	0.85	100	8611	98.7	54.8
2023-04-03 11:10:00	464.8	0	0	0	184	14.34	21.68	56	43.3	98.73	-0.3	-0.5	0	56.7	0.87	100	8613	98.71	55.3
2023-04-03 11:15:00	528.8	0	0	0	183	13.69	23.87	56.8	42.6	98.72	-0.6	-0.7	0	57.6	0.9	100	8619	98.71	55.8
2023-04-03 11:20:00	622.4	0	0	0	189	13.4	17.45	58.2	41.7	98.71	-0.4	-0.7	0	58.9	0.96	100	8627	98.7	56.5
2023-04-03 11:25:00	665.4	0	0	0	179	16.69	25.93	59.2	40	98.69	-0.2	-0.5	0	59.9	1.03	100	8634	98.68	57.2
2023-04-03 11:30:00	706	0	0	0	189	12.75	17.07	59.8	40.2	98.69	-0.1	-0.5	0	60.6	1.05	100	8637	98.69	57.8
2023-04-03 11:35:00	733	0	0	0	196	22.55	39.21	60.7	39.3	98.66	-0.6	-0.5	0	61.4	1.1	100	8638	98.66	58.6
2023-04-03 11:40:00	732.4	0	0	0	202	20.36	29.84	61.1	39.1	98.67	-0.7	-0.4	0	61.7	1.12	100	8641	98.67	59.1
2023-04-03 11:45:00	751.8	0	0	0	214	19.28	27.96	61.4	39.6	98.67	-0.4	-0.6	0	62.1	1.12	100	8640	98.66	59.6
2023-04-03 11:50:00	753.2	0	0	0	197	19.26	28.16	61.8	38.8	98.66	0.4	-1.5	0	62.4	1.15	100	8643	98.66	60
2023-04-03 11:55:00	758.6	0	0	0	209	16.87	25.79	62.1	38.8	98.67	0.1	-0.8	0	62.7	1.16	100	8640	98.67	60.5

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-03 12:00:00	757.8	0	0	0	209	13.44	18.14	62.5	38.8	98.66	-0.1	-0.6	0	63.2	1.18	100	8642	98.66	61.1
2023-04-03 12:05:00	701.6	0	0	0	214	12.97	26.15	63.1	39.4	98.66	0.1	-0.5	0	63.8	1.19	100	8641	98.66	61.7
2023-04-03 12:10:00	674.4	0	0	0	212	18.92	32.7	63.6	39	98.65	-0.1	-0.4	0	64.4	1.22	100	8640	98.64	62.3
2023-04-03 12:15:00	694	0	0	0	217	21.79	34.45	63.7	38.1	98.63	-0.4	-1.4	0	64.2	1.25	100	8640	98.63	62.3
2023-04-03 12:20:00	761.2	0	0	0	216	18.16	26.44	63.7	39.4	98.63	-0.3	-0.5	0	64.4	1.22	100	8639	98.63	62.7
2023-04-03 12:25:00	779.4	0	0	0	194	17.43	27.4	64.1	39.4	98.62	-0.2	-0.7	0	64.8	1.24	100	8637	98.62	63
2023-04-03 12:30:00	787	0	0	0	200	19.66	28.25	64.2	38.5	98.62	0.1	-0.7	0	64.9	1.26	100	8632	98.62	63.2
2023-04-03 12:35:00	788.4	0	0	0	192	21.47	32.82	64.2	38.6	98.59	0.2	-0.5	0	64.8	1.26	100	8630	98.58	63.3
2023-04-03 12:40:00	786.4	0	0	0	195	15.9	25.17	64.3	39.1	98.57	0.3	-0.9	0	65	1.25	100	8633	98.58	63.5
2023-04-03 12:45:00	779	0	0	0	197	19.66	28.16	64.6	38.8	98.56	-0.3	-0.4	0	65.3	1.27	100	8628	98.56	63.7
2023-04-03 12:50:00	756.2	0	0	0	199	22.03	35.5	64.9	39	98.57	0	-0.5	0	65.6	1.28	100	8626	98.56	63.9
2023-04-03 12:55:00	731	0	0	0	197	25.43	34.9	64.9	38.9	98.55	0.4	-2.2	0	65.4	1.28	100	8625	98.54	63.8
2023-04-03 13:00:00	683.6	0	0	0	206	19.33	34.94	64.7	38.9	98.55	-0.3	-0.4	0	65.2	1.27	100	8621	98.56	63.8
2023-04-03 13:05:00	683.4	0	0	0	211	21.39	35.46	65	39.7	98.54	-0.6	-0.9	0	65.6	1.27	100	8621	98.54	64.1
2023-04-03 13:10:00	730.4	0	0	0	210	20.36	34.29	65	39	98.54	0.7	-0.9	0	65.6	1.28	100	8619	98.54	64.2
2023-04-03 13:15:00	756.2	0	0	0	201	19.46	28.61	65	39.4	98.54	0.3	-0.2	0	65.7	1.28	100	8614	98.54	64.3
2023-04-03 13:20:00	782.2	0	0	0	202	15.48	24.18	65.2	39.6	98.54	-0.4	-0.5	0	65.9	1.28	100	8611	98.54	64.5
2023-04-03 13:25:00	793.8	0	0	0	202	18.52	27.63	65.7	39.4	98.53	-0.9	-0.9	0	66.4	1.31	100	8608	98.53	64.9
2023-04-03 13:30:00	837.6	0	0	0	206	17.13	24.25	66	39	98.55	-0.1	-0.8	0	66.7	1.33	100	8603	98.54	65.1
2023-04-03 13:35:00	462.8	0	0	0	216	17.09	25.1	65.6	39.3	98.56	-0.1	-0.4	0	66.2	1.31	100	8595	98.54	65.2
2023-04-03 13:40:00	411	0	0	0	196	20.18	28.36	64.8	39.5	98.56	-0.2	-0.3	0	65.5	1.27	100	8592	98.53	64.9
2023-04-03 13:45:00	612.6	0	0	0	202	17.74	24.2	64.7	40.2	98.53	-0.2	-0.7	0	65.4	1.25	100	8591	98.51	64.8
2023-04-03 13:50:00	911.2	0	0	0	215	13.76	24.65	65.8	41.1	98.52	-0.7	-0.7	0	66.6	1.28	100	8585	98.52	65.4
2023-04-03 13:55:00	800.2	0	0	0	204	15.95	28.45	67.2	40.2	98.53	0.2	-0.1	0	68	1.36	100	8581	98.52	66.3
2023-04-03 14:00:00	791.4	0	0	0	218	15.03	23.11	68.1	39.4	98.5	0.1	-1	0	68.8	1.42	100	8577	98.5	66.8
2023-04-03 14:05:00	834.2	0	0	0	236	12.06	20.89	68.7	39.4	98.51	-0.1	-0.9	0	69.4	1.45	100	8572	98.5	67.3
2023-04-03 14:10:00	796.2	0	0	0	247	13.6	18.72	69	39	98.51	-0.2	-0.8	0	69.8	1.48	100	8570	98.49	67.8
2023-04-03 14:15:00	680.6	0	0	0	236	15.19	25.39	69.3	38.8	98.5	0.5	-0.8	0	69.9	1.49	100	8566	98.49	68.1
2023-04-03 14:20:00	585	0	0	0	219	15.66	23.55	68.9	38.9	98.5	0.4	-0.9	0	69.6	1.47	100	8564	98.49	68.2
2023-04-03 14:25:00	417.6	0	0	0	240	14.47	20.83	68.3	39.2	98.53	-0.3	-1	0	68.9	1.43	100	8559	98.5	68
2023-04-03 14:30:00	452.2	0	0	0	248	12.8	22.32	67.7	40.1	98.55	0	-0.2	0	68.5	1.39	100	8558	98.52	68
2023-04-03 14:35:00	424.6	0	0	0	260	12.3	17.94	67.7	40.2	98.55	-0.8	-0.6	0	68.6	1.39	100	8551	98.51	68.2
2023-04-03 14:40:00	309.4	0	0	0	235	18.86	27.83	67.7	39.5	98.55	-0.1	-1.1	0	68.4	1.4	100	8550	98.52	68.1
2023-04-03 14:45:00	286	0	0	0	241	13.11	17.83	67.1	39.4	98.57	-0.1	-0.7	0	67.7	1.37	100	8548	98.53	67.7
2023-04-03 14:50:00	250.6	0	0	0	261	17.6	24.76	66.7	39.6	98.59	-0.2	-0.5	0	67.2	1.35	100	8545	98.55	67.5
2023-04-03 14:55:00	225	0	0	0	257	16.11	22.48	66.2	39.1	98.61	-0.2	-0.9	0	66.6	1.34	100	8539	98.56	67.1
2023-04-03 15:00:00	219.4	0	0	0	253	11.72	19.73	65.7	40.4	98.62	-0.1	-0.6	0	66.2	1.29	100	8538	98.57	66.8
2023-04-03 15:05:00	207.6	0	0	0	262	13.4	22.01	65.6	39.9	98.62	-0.1	-1	0	66	1.29	100	8533	98.57	66.7
2023-04-03 15:10:00	206	0	0	0	281	11.05	17.92	65.3	40.5	98.63	0	-0.7	0	65.8	1.27	100	8529	98.58	66.6
2023-04-03 15:15:00	227.6	0	0	0	285	15.32	21.83	65.4	39	98.62	-0.3	-0.3	0	65.8	1.3	100	8526	98.57	66.5
2023-04-03 15:20:00	210.2	0	0	0	282	16.69	27.13	65.4	39	98.62	-0.2	-0.7	0	65.8	1.3	100	8523	98.57	66.4
2023-04-03 15:25:00	195.6	0	0	0	292	14.99	21.99	65.1	40.1	98.63	0.2	-0.6	0	65.5	1.27	100	8520	98.59	66.2
2023-04-03 15:30:00	193.8	0	0	0	292	16.24	22.26	64.8	40.8	98.65	-0.2	-0.7	0	65.2	1.24	100	8520	98.6	65.9
2023-04-03 15:35:00	261.4	0	0	0	291	15.57	23.51	64.4	41.5	98.64	-0.2	-0.7	0	64.9	1.21	100	8516	98.59	65.6
2023-04-03 15:40:00	215.2	0	0	0	293	16.82	24.61	64.3	42.2	98.65	-0.2	-0.6	0	64.7	1.19	100	8513	98.6	65.4
2023-04-03 15:45:00	152.6	0	0	0	294	15.57	25.19	63.9	42.4	98.66	-0.4	-0.9	0	64.3	1.17	100	8510	98.61	64.9
2023-04-03 15:50:00	121	0	0	0	306	18.32	23.53	63.4	43.3	98.67	-0.1	-0.9	0	63.6	1.13	100	8507	98.62	64.4
2023-04-03 15:55:00	120.2	0	0	0	291	14.88	20.69	62.7	44	98.69	0.1	-0.5	0	62.9	1.09	100	8504	98.64	63.8
2023-04-03 16:00:00	115.4	0	0	0	286	15.73	20	62.1	44.9	98.7	-0.4	-0.6	0	62.4	1.05	100	8500	98.65	63.4
2023-04-03 16:05:00	106.4	0	0	0	291	13.13	19.44	61.7	45.1	98.71	-0.3	-0.7	0	62	1.03	100	8500	98.66	63
2023-04-03 16:10:00	76.4	0	0	0	302	14.27	20.07	61.5	45.3	98.72	-0.1	-0.9	0	61.6	1.02	100	8496	98.67	62.7
2023-04-03 16:15:00	82.4	0	0	0	291	16.46	24.2	61.3	45.1	98.73	-0.5	-0.7	0	61.4	1.01	100	8495	98.67	62.4
2023-04-03 16:20:00	79.2	0	0	0	294	19.57	27.34	61	45.1	98.74	0	-0.9	0	61.1	1	100	8488	98.68	62.1
2023-04-03 16:25:00	94	0	0	0	284	18.43	25.99	60.7	45.6	98.74	-0.2	-0.1	0	60.8	0.98	100	8487	98.69	61.8
2023-04-03 16:30:00	88	0	0	0	271	17.54	23.98	60.4	46	98.74	-0.3	-0.8	0	60.6	0.97	100	8486	98.69	61.5
2023-04-03 16:35:00	105.4	0	0	0	281	14.45	23.2	60.3	46.6	98.73	-0.2	-0.8	0	60.5	0.95	100	8484	98.69	61.3
2023-04-03 16:40:00	75	0	0	0	288	15.7	23.42	60.3	45.8	98.74	0.1	-0.7	0	60.5	0.97	100	8483	98.69	61.2
2023-04-03 16:45:00	53.4	0	0	0	283	16.11	23.85	60.3	45.7	98.77	-0.2	-1.1	0	60.4	0.97	100	8480	98.72	61
2023-04-03 16:50:00	47	0	0	0	293	15.73	25.61	60.2	45.6	98.78	-0.2	-1.1	0	60.2	0.97	100	8477	98.73	60.8
2023-04-03 16:55:00	49.6	0	0	0	297	19.55	31.27	60.1	44.9	98.78	-1.2	-0.6	0	60.2	0.97	100	8473	98.73	60.7

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-03 17:00:00	61.6	0	0	0	299	19.46	25.21	60.1	44.4	98.78	-0.5	-1.3	0	60.2	0.99	100	8472	98.73	60.6
2023-04-03 17:05:00	77.2	0	0	0	300	15.77	21.83	60.1	44.2	98.78	-0.6	-0.5	0	60.2	0.99	100	8469	98.72	60.6
2023-04-03 17:10:00	68.2	0	0	0	300	20.51	34.16	60.1	43.6	98.79	-0.4	-0.9	0	60.2	1	100	8470	98.73	60.5
2023-04-03 17:15:00	69.8	0	0	0	294	22.1	31.45	60	43.2	98.79	-0.1	-1.3	0	60.1	1	100	8468	98.74	60.3
2023-04-03 17:20:00	55.4	0	0	0	290	19.39	29.95	59.7	42.9	98.82	0	-1	0	59.8	1	100	8466	98.76	60.1
2023-04-03 17:25:00	39.6	0	0	0	292	20.8	30.15	59.7	42.8	98.82	-0.4	-0.5	0	59.7	1	100	8464	98.76	60
2023-04-03 17:30:00	28.6	0	0	0	331	15.41	20.98	59.2	44.3	98.84	-0.7	-0.4	0	59.3	0.95	100	8462	98.79	59.4
2023-04-03 17:35:00	22.2	0	0	0	327	11.99	14.12	57.9	46.2	98.86	-0.4	-0.5	0	58	0.88	100	8459	98.8	58.3
2023-04-03 17:40:00	21.6	0	0	0	332	13.85	19.33	56.7	47.9	98.87	-0.4	-1.1	0	56.8	0.82	100	8459	98.81	57.4
2023-04-03 17:45:00	14.2	0	0	0	330	15.35	18.72	56	48.3	98.88	-0.5	-0.5	0	56	0.79	100	8457	98.83	56.8
2023-04-03 17:50:00	14.2	0	0	0	333	16.24	20.31	55.4	49	98.9	-0.5	-0.9	0	55.4	0.76	100	8454	98.85	56.3
2023-04-03 17:55:00	12.6	0	0	0	330	15.39	19.95	54.8	49.4	98.9	-0.4	-0.8	0	54.8	0.74	100	8451	98.85	55.7
2023-04-03 18:00:00	13.8	0	0	0	330	15.95	20.11	54.3	49.8	98.9	-0.4	-0.8	0	54.3	0.72	100	8453	98.85	55.3
2023-04-03 18:05:00	16.2	0	0	0	330	16.84	20.6	53.9	50.1	98.89	-0.2	-0.7	0	54	0.71	100	8450	98.84	54.9
2023-04-03 18:10:00	16.4	0	0	0	326	14.92	21.99	53.7	50.3	98.9	-0.5	-0.5	0	53.8	0.7	100	8444	98.84	54.7
2023-04-03 18:15:00	17.4	0	0	0	327	15.88	21.92	53.6	50.7	98.9	-0.4	-0.6	0	53.6	0.69	100	8446	98.84	54.5
2023-04-03 18:20:00	16.2	0	0	0	329	16.67	21.59	53.6	50.9	98.89	-0.6	-0.6	0	53.6	0.69	100	8444	98.84	54.3
2023-04-03 18:25:00	14.6	0	0	0	327	14.76	20.04	53.5	51.1	98.89	-0.5	-0.5	0	53.5	0.68	100	8443	98.83	54.1
2023-04-03 18:30:00	11.8	0	0	0	328	14.76	18.01	53.4	51.6	98.88	-0.5	-0.8	0	53.4	0.67	100	8442	98.83	53.9
2023-04-03 18:35:00	10.2	0	0	0	330	15.48	20	53.3	52	98.89	-0.4	-0.6	0	53.3	0.67	100	8437	98.84	53.8
2023-04-03 18:40:00	8.8	0	0	0	323	19.8	28.45	53.2	52	98.89	-0.3	-0.6	0	53.2	0.66	100	8437	98.84	53.6
2023-04-03 18:45:00	8.6	0	0	0	312	16.37	25.59	53	52.2	98.91	-0.1	-0.7	0	53.1	0.66	100	8437	98.85	53.4
2023-04-03 18:50:00	6.8	0	0	0	314	13.44	18.79	53	51.7	98.92	-0.2	-0.5	0	53	0.66	100	8436	98.87	53.3
2023-04-03 18:55:00	4.4	0	0	0	322	10.42	16.11	53	52	98.94	-0.6	-0.6	0	53	0.66	100	8436	98.89	53.2
2023-04-03 19:00:00	5	0	0	0	315	9.91	15.17	52.9	51.5	98.95	-0.3	-0.6	0	53	0.66	100	8434	98.9	53
2023-04-03 19:05:00	3.6	0	0	0	300	7.34	10.83	52.8	51.3	98.96	-0.5	-0.5	0	52.8	0.66	100	8431	98.91	53
2023-04-03 19:10:00	2	0	0	0	308	9.46	13.87	52.9	50.8	98.98	-0.4	-0.6	0	53	0.67	100	8431	98.93	52.9
2023-04-03 19:15:00	1	0	0	0	325	8.43	11.59	53	50.7	98.99	-0.4	-0.7	0	53	0.67	100	8431	98.94	52.9
2023-04-03 19:20:00	0	0	0	0	335	7.27	9.35	52.9	50	98.99	-0.4	-0.7	0	52.9	0.68	100	8428	98.94	52.8
2023-04-03 19:25:00	0	0	0	0	329	7.11	9.24	52.8	49.9	98.99	-0.4	-0.7	0	52.8	0.68	100	8428	98.94	52.6
2023-04-03 19:30:00	0	0	0	0	338	8.39	12.97	52.6	49.4	99	-0.6	-0.6	0	52.6	0.68	100	8429	98.94	52.5
2023-04-03 19:35:00	0	0	0	0	336	8.59	11.21	52.6	49.5	99	-0.4	-0.7	0	52.6	0.68	100	8423	98.95	52.3
2023-04-03 19:40:00	0	0	0	0	328	6.98	9.35	52.3	49.2	98.99	-0.4	-0.5	0	52.3	0.68	100	8425	98.94	52.1
2023-04-03 19:45:00	0	0	0	0	315	7.45	11.32	52.2	48.1	99	-0.2	-0.6	0	52.1	0.69	100	8425	98.95	51.9
2023-04-03 19:50:00	0	0	0	0	302	7.52	10.63	52.1	46.5	99.02	-0.4	-0.6	0	52.1	0.71	100	8422	98.96	51.8
2023-04-03 19:55:00	0	0	0	0	294	8.28	12.59	52	46	99.03	-0.4	-0.6	0	51.9	0.71	100	8422	98.98	51.7
2023-04-03 20:00:00	0	0	0	0	295	7.7	12.17	51.9	46.3	99.05	-0.4	-0.6	0	51.9	0.71	100	8423	99	51.7
2023-04-03 20:05:00	0	0	0	0	298	7.81	13.76	51.9	45.9	99.05	-0.6	-0.6	0	51.9	0.71	100	8423	98.99	51.7
2023-04-03 20:10:00	0	0	0	0	291	12.1	20.36	51.9	46	99.06	-0.5	-0.6	0	51.9	0.71	100	8416	99.01	51.7
2023-04-03 20:15:00	0	0	0	0	282	10.71	18.23	52.1	46.2	99.08	-0.4	-0.7	0	52.1	0.71	100	8419	99.02	51.8
2023-04-03 20:20:00	0	0	0	0	279	8.3	10.49	52.2	46.5	99.08	-0.5	-0.6	0	52.2	0.71	100	8416	99.03	51.8
2023-04-03 20:25:00	0	0	0	0	272	8.16	11.16	52.1	46.7	99.07	-0.4	-0.6	0	52.1	0.71	100	8417	99.02	51.8
2023-04-03 20:30:00	0	0	0	0	264	9.04	12.95	52	46.9	99.08	-0.4	-0.8	0	52	0.7	100	8419	99.03	51.8
2023-04-03 20:35:00	0	0	0	0	275	9.24	11.12	52.1	48.1	99.1	-0.4	-0.6	0	52.1	0.69	100	8412	99.05	51.4
2023-04-03 20:40:00	0	0	0	0	287	7.87	10.04	51.8	50.7	99.12	-0.5	-0.6	0	51.8	0.65	100	8413	99.07	50.4
2023-04-03 20:45:00	0	0.00804	0	0	276	4.7	6.46	51.4	53.8	99.14	-0.4	-0.6	0.12	51.4	0.6	100	8413	99.08	49.3
2023-04-03 20:50:00	0	0.00737	0	0	267	5.91	10.96	50.9	56.5	99.16	-0.5	-0.6	0.12	50.9	0.55	100	8412	99.1	48.5
2023-04-03 20:55:00	0	0.00536	0	0	254	7.36	12.06	50.3	59.6	99.17	-0.5	-0.7	0.08	50.3	0.5	100	8412	99.11	48
2023-04-03 21:00:00	0	0.00335	0	0	228	5.84	8.61	49.5	62.2	99.18	-0.6	-0.5	0.04	49.5	0.46	100	8409	99.12	47.8
2023-04-03 21:05:00	0	0.00335	0	0	205	4.83	6.76	48.8	66.7	99.17	-0.6	-0.5	0.04	48.7	0.39	100	8410	99.12	47.7
2023-04-03 21:10:00	0	0.00201	0	0	222	3.98	5.46	48	69.7	99.18	-0.5	-0.5	0.04	48	0.35	100	8409	99.13	47.5
2023-04-03 21:15:00	0	0.00268	0	0	233	5.12	6.91	47.6	71.3	99.18	-0.5	-0.6	0.04	47.6	0.32	100	8407	99.14	47.4
2023-04-03 21:20:00	0	0.00067	0	0	220	6.73	11.1	47.4	71.2	99.18	-0.5	-0.5	0.04	47.4	0.32	100	8406	99.12	47.3
2023-04-03 21:25:00	0	0.00737	0	0	173	10.02	12.59	47.3	73.1	99.13	-0.7	-0.7	0.12	47.2	0.3	100	8408	99.09	47.2
2023-04-03 21:30:00	0	0.00804	0	0	174	7.4	10.87	46.5	77.1	99.13	-0.6	-0.6	0.12	46.5	0.25	100	8404	99.09	46.9
2023-04-03 21:35:00	0	0.00201	0	0	172	5.88	7.52	45.9	77.5	99.14	-0.5	-0.6	0.04	45.8	0.24	100	8400	99.1	46.7
2023-04-03 21:40:00	0	0.00201	0	0	166	4.65	6.62	45.5	78.8	99.14	-0.6	-0.6	0.04	45.5	0.22	100	8400	99.1	46.5
2023-04-03 21:45:00	0	0.00469	0	0	154	4.61	5.68	45.4	80.4	99.14	-0.6	-0.5	0.08	45.4	0.2	100	8399	99.1	46.3
2023-04-03 21:50:00	0	0.00335	0	0	155	3.78	5.57	45.2	81.4	99.15	-0.7	-0.6	0.08	45.2	0.19	100	8401	99.11	46.1
2023-04-03 21:55:00	0	0.00335	0	0	120	2.28	3.89	45.1	83.5	99.15	-0.7	-0.5	0.08	45.1	0.17	100	8398	99.11	46

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-03 22:00:00	0	0.00067	0	0	77	3.06	4.05	45.2	85	99.14	-0.7	-0.5	0.04	45.1	0.15	100	8398	99.1	45.8
2023-04-03 22:05:00	0	0	0	0	71	3.36	4.74	45.1	86	99.13	-0.7	-0.6	0	45.1	0.14	100	8398	99.09	45.5
2023-04-03 22:10:00	0	0	0	0	68	3.36	4.18	45.1	86.1	99.12	-0.6	-0.4	0	45.1	0.14	100	8397	99.08	45.4
2023-04-03 22:15:00	0	0	0	0	76	3.47	4.47	45.1	85.5	99.11	-0.8	-0.6	0	45.1	0.15	100	8396	99.07	45.2
2023-04-03 22:20:00	0	0.00067	0	0	100	5.48	7.29	45.1	85	99.11	-0.6	-0.5	0.04	45.1	0.15	100	8396	99.07	45.2
2023-04-03 22:25:00	0	0	0	0	114	5.59	6.64	45.2	84.4	99.11	-0.7	-0.5	0	45.2	0.16	100	8396	99.07	45.3
2023-04-03 22:30:00	0	0	0	0	133	5.28	6.76	45.2	85.2	99.11	-0.7	-0.5	0	45.2	0.15	100	8395	99.07	45.3
2023-04-03 22:35:00	0	0	0	0	133	4.68	5.48	45.3	85.6	99.11	-0.6	-0.6	0	45.3	0.15	100	8396	99.07	45.3
2023-04-03 22:40:00	0	0	0	0	139	6.08	8.05	45.3	85.7	99.11	-0.5	-0.5	0	45.3	0.15	100	8393	99.07	45.4
2023-04-03 22:45:00	0	0	0	0	145	7.16	8.12	45.2	86	99.09	-0.6	-0.5	0	45.2	0.14	100	8396	99.06	45.3
2023-04-03 22:50:00	0	0	0	0	148	7.81	9.98	45.1	88.2	99.09	-0.7	-0.5	0	45.1	0.12	100	8393	99.05	45.2
2023-04-03 22:55:00	0	0	0	0	148	7.56	8.66	45.1	89.7	99.08	-0.5	-0.6	0	45.1	0.11	100	8393	99.05	45
2023-04-03 23:00:00	0	0	0	0	140	6.71	9.4	45.1	89.7	99.1	-0.6	-0.6	0	45.1	0.1	100	8390	99.06	45
2023-04-03 23:05:00	0	0	0	0	139	6.87	9.24	45	88.7	99.11	-0.5	-0.5	0	45	0.11	100	8390	99.08	45
2023-04-03 23:10:00	0	0	0	0	136	4.94	6.69	45	88.7	99.12	-0.6	-0.6	0	45	0.11	100	8392	99.09	45
2023-04-03 23:15:00	0	0.00134	0	0	141	3.36	4.16	45	89.2	99.14	-0.6	-0.6	0.04	45	0.11	100	8388	99.11	45
2023-04-03 23:20:00	0	0.00134	0	0	141	4.52	5.59	44.9	89.4	99.14	-0.7	-0.5	0.04	44.9	0.11	100	8389	99.11	44.9
2023-04-03 23:25:00	0	0.00201	0	0	156	5.59	6.55	44.9	89.6	99.14	-0.7	-0.6	0.04	44.9	0.11	100	8390	99.1	44.9
2023-04-03 23:30:00	0	0.00134	0	0	162	5.97	7.45	44.9	89.4	99.14	-0.5	-0.7	0.04	44.9	0.11	100	8387	99.11	44.8
2023-04-03 23:35:00	0	0.00201	0	0	152	7.07	8.23	44.7	89.8	99.13	-0.6	-0.5	0.04	44.7	0.1	100	8389	99.09	44.7
2023-04-03 23:40:00	0	0	0	0	137	6.06	7.34	44.7	90.6	99.11	-0.5	-0.6	0	44.7	0.09	100	8387	99.08	44.7
2023-04-03 23:45:00	0	0.00067	0	0	120	5.55	6.85	44.7	91.2	99.11	-0.6	-0.5	0.04	44.7	0.09	100	8384	99.08	44.6
2023-04-03 23:50:00	0	0	0	0	114	6.26	7.58	44.7	91.2	99.11	-0.7	-0.6	0	44.7	0.09	100	8384	99.08	44.6
2023-04-03 23:55:00	0	0.00134	0	0	120	7.18	8.72	44.7	90.5	99.11	-0.6	-0.6	0.04	44.7	0.1	100	8383	99.08	44.6
2023-04-04 00:00:00	0	0.00201	0	0	123	7.05	8.25	44.6	90.7	99.13	-0.8	-0.7	0.04	44.7	0.09	100	8386	99.1	44.6
2023-04-04 00:05:00	0	0.00067	0	0	134	8.19	9.13	44.7	90.4	99.13	-0.6	-0.5	0.04	44.7	0.1	100	8355	99.11	44.8
2023-04-04 00:10:00	0	0.00067	0	0	132	7.43	8.55	44.6	90.9	99.14	-0.8	-0.5	0.04	44.6	0.09	100	8351	99.12	45
2023-04-04 00:15:00	0	0	0	0	117	6.76	8.86	44.7	90.6	99.16	-0.5	-0.6	0	44.7	0.09	100	8346	99.13	45.1
2023-04-04 00:20:00	0	0	0	0	111	7.27	9.26	44.6	91.1	99.15	-0.6	-0.5	0	44.7	0.09	100	8358	99.12	45
2023-04-04 00:25:00	0	0.00067	0	0	104	7.63	11.23	44.7	91.3	99.13	-0.6	-0.6	0.04	44.7	0.09	100	8360	99.1	44.8
2023-04-04 00:30:00	0	0.00067	0	0	100	7.58	8.77	44.6	91.9	99.13	-0.6	-0.5	0.04	44.6	0.08	100	8362	99.09	44.7
2023-04-04 00:35:00	0	0.00067	0	0	98	7.99	9.69	44.5	91.8	99.11	-0.5	-0.6	0.04	44.5	0.08	100	8363	99.08	44.6
2023-04-04 00:40:00	0	0.00067	0	0	104	7.36	8.66	44.6	91.9	99.1	-0.5	-0.5	0.04	44.7	0.08	100	8363	99.07	44.6
2023-04-04 00:45:00	0	0.00201	0	0	105	6.6	8.08	44.5	92.4	99.1	-0.6	-0.5	0.04	44.5	0.08	100	8361	99.07	44.5
2023-04-04 00:50:00	0	0.00201	0	0	103	7.49	9.48	44.4	92.5	99.09	-0.6	-0.6	0.04	44.4	0.07	100	8364	99.06	44.4
2023-04-04 00:55:00	0	0.00201	0	0	107	6.51	8.1	44.4	92.5	99.1	-0.6	-0.6	0.04	44.4	0.07	100	8362	99.07	44.4
2023-04-04 01:00:00	0	0.00067	0	0	107	7.11	9.75	44.3	92.2	99.11	-0.6	-0.5	0.04	44.3	0.08	100	8364	99.08	44.3
2023-04-04 01:05:00	0	0	0	0	112	6.76	8.3	44.4	91.8	99.12	-0.6	-0.5	0	44.4	0.08	100	8361	99.1	44.4
2023-04-04 01:10:00	0	0.00067	0	0	110	6.76	8.39	44.3	91.5	99.13	-0.5	-0.4	0.04	44.3	0.08	100	8361	99.1	44.4
2023-04-04 01:15:00	0	0	0	0	104	6.87	8.63	44.3	91.3	99.13	-0.6	-0.5	0	44.3	0.09	100	8363	99.1	44.3
2023-04-04 01:20:00	0	0	0	0	105	7.18	8.97	44.4	91.5	99.13	-0.6	-0.6	0	44.4	0.08	100	8361	99.1	44.3
2023-04-04 01:25:00	0	0	0	0	105	7.83	9.28	44.4	91.3	99.13	-0.6	-0.5	0	44.5	0.09	100	8359	99.09	44.3
2023-04-04 01:30:00	0	0.00268	0	0	107	8.03	9.71	44.4	91.4	99.11	-0.7	-0.5	0.04	44.4	0.09	100	8361	99.08	44.3
2023-04-04 01:35:00	0	0.00268	0	0	106	8.3	10.11	44.3	91.7	99.11	-0.7	-0.4	0.04	44.4	0.08	100	8361	99.08	44.3
2023-04-04 01:40:00	0	0.00268	0	0	107	8.57	10.65	44.3	91.9	99.1	-0.7	-0.7	0.04	44.3	0.08	100	8358	99.07	44.2
2023-04-04 01:45:00	0	0.00268	0	0	114	8.79	10.58	44.2	92.5	99.09	-0.8	-0.5	0.04	44.2	0.07	100	8361	99.07	44.2
2023-04-04 01:50:00	0	0.00335	0	0	125	10.42	13.27	44.1	92.5	99.09	-0.6	-0.6	0.04	44.1	0.07	100	8358	99.07	44.2
2023-04-04 01:55:00	0	0.00201	0	0	132	9.89	11.95	44.1	92.6	99.09	-0.7	-0.7	0.04	44.1	0.07	100	8359	99.07	44.2
2023-04-04 02:00:00	0	0.00268	0	0	145	7.81	10.51	44.1	92.8	99.1	-0.7	-0.4	0.04	44.1	0.07	100	8358	99.07	44.1
2023-04-04 02:05:00	0	0.00134	0	0	136	7.16	9.31	44	93.5	99.1	-0.6	-0.5	0.04	44	0.06	100	8356	99.07	44.1
2023-04-04 02:10:00	0	0.00201	0	0	127	6.82	8.61	43.9	93.7	99.09	-0.5	-0.5	0.04	43.9	0.06	100	8358	99.07	44
2023-04-04 02:15:00	0	0.00335	0	0	127	6.44	8.9	43.8	93.9	99.1	-0.7	-0.6	0.08	43.8	0.06	100	8355	99.08	44
2023-04-04 02:20:00	0	0.00268	0	0	142	5.5	7.07	43.9	93.9	99.11	-0.6	-0.4	0.04	43.9	0.06	100	8355	99.09	44
2023-04-04 02:25:00	0	0.00067	0	0	150	5.55	6.67	43.8	93.8	99.12	-0.7	-0.5	0.04	43.8	0.06	100	8358	99.1	44
2023-04-04 02:30:00	0	0.00268	0	0	148	4.85	5.91	43.7	94.1	99.14	-0.6	-0.6	0.04	43.7	0.06	100	8356	99.11	43.9
2023-04-04 02:35:00	0	0.00402	0	0	134	4.94	5.93	43.8	94.6	99.13	-0.6	-0.6	0.08	43.8	0.05	100	8353	99.11	43.9
2023-04-04 02:40:00	0	0.00536	0	0	125	5.19	6.69	43.7	94.9	99.14	-0.7	-0.5	0.08	43.7	0.05	100	8354	99.12	43.9
2023-04-04 02:45:00	0	0.00804	0	0	117	5.14	6.26	43.7	95	99.15	-0.7	-0.5	0.12	43.8	0.05	100	8356	99.13	43.9
2023-04-04 02:50:00	0	0.00536	0	0	106	4.7	5.97	43.7	95.1	99.16	-0.6	-0.5	0.08	43.7	0.05	100	8355	99.13	43.8
2023-04-04 02:55:00	0	0.00871	0	0	105	4.79	5.86	43.7	95.3	99.16	-0.6	-0.5	0.12	43.7	0.05	100	8355	99.13	43.8

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-04 03:00:00	0	0.00737	0	0	114	5.19	7.23	43.7	96.1	99.16	-0.6	-0.4	0.12	43.7	0.04	100	8355	99.13	43.8
2023-04-04 03:05:00	0	0.01005	0	0	130	6.42	8.12	43.6	95.9	99.15	-0.6	-0.5	0.161	43.6	0.04	100	8351	99.12	43.7
2023-04-04 03:10:00	0	0.00871	0	0	149	6.29	7.78	43.7	96.2	99.15	-0.7	-0.6	0.12	43.7	0.04	100	8354	99.13	43.7
2023-04-04 03:15:00	0	0.0067	0	0	148	6.35	7.85	43.6	96.6	99.15	-0.7	-0.5	0.12	43.6	0.03	100	8352	99.13	43.7
2023-04-04 03:20:00	0	0.00603	0	0	137	5.1	6.11	43.7	96.9	99.15	-0.6	-0.5	0.12	43.7	0.03	100	8352	99.13	43.7
2023-04-04 03:25:00	0	0.00603	0	0	87	3.62	5.19	43.5	96.8	99.16	-0.6	-0.6	0.08	43.5	0.03	100	8349	99.14	43.6
2023-04-04 03:30:00	0	0.00402	0	0	88	2.98	4.05	43.5	96.7	99.15	-0.6	-0.5	0.08	43.5	0.03	100	8350	99.13	43.6
2023-04-04 03:35:00	0	0.0067	0	0	106	4.68	5.53	43.6	96.9	99.15	-0.7	-0.5	0.12	43.6	0.03	100	8349	99.12	43.6
2023-04-04 03:40:00	0	0.00201	0	0	102	5.53	7.4	43.4	97.6	99.14	-0.7	-0.5	0.04	43.5	0.02	100	8349	99.11	43.6
2023-04-04 03:45:00	0	0.00134	0	0	114	4.29	5.32	43.4	97.5	99.14	-0.6	-0.6	0.04	43.4	0.02	100	8351	99.12	43.6
2023-04-04 03:50:00	0	0.00335	0	0	114	4.97	6.6	43.5	97.4	99.13	-0.6	-0.5	0.08	43.5	0.02	100	8349	99.1	43.6
2023-04-04 03:55:00	0	0.00335	0	0	113	5.39	6.42	43.5	97.4	99.12	-0.6	-0.5	0.08	43.5	0.02	100	8348	99.1	43.5
2023-04-04 04:00:00	0	0.00335	0	0	110	5.19	7.25	43.5	97.7	99.13	-0.7	-0.5	0.12	43.5	0.02	100	8350	99.1	43.5
2023-04-04 04:05:00	0	0.01005	0	0	109	5.08	6.91	43.5	97.8	99.13	-0.6	-0.5	0.161	43.6	0.02	100	8349	99.1	43.5
2023-04-04 04:10:00	0	0.0067	0	0	116	5.5	7.34	43.6	98	99.11	-0.6	-0.5	0.12	43.6	0.02	100	8347	99.09	43.5
2023-04-04 04:15:00	0	0.00335	0	0	136	7.14	9.42	43.6	98	99.1	-0.6	-0.5	0.04	43.6	0.02	100	8348	99.08	43.5
2023-04-04 04:20:00	0	0.00469	0	0	130	9.48	10.54	43.6	98	99.09	-0.7	-0.6	0.08	43.6	0.02	100	8346	99.07	43.6
2023-04-04 04:25:00	0	0.00469	0	0	134	7.9	9.93	43.5	98.6	99.08	-0.5	-0.6	0.08	43.5	0.01	100	8343	99.07	43.6
2023-04-04 04:30:00	0	0.00469	0	0	141	7.18	8.68	43.6	98.2	99.09	-0.6	-0.6	0.08	43.6	0.02	100	8346	99.08	43.6
2023-04-04 04:35:00	0	0.00536	0	0	142	5.39	7.2	43.7	98.3	99.12	-0.6	-0.6	0.08	43.7	0.02	100	8346	99.1	43.6
2023-04-04 04:40:00	0	0.00536	0	0	142	5.77	7.63	43.6	98.4	99.13	-0.6	-0.6	0.08	43.6	0.02	100	8344	99.11	43.6
2023-04-04 04:45:00	0	0.0067	0	0	143	6.38	7.83	43.7	98.2	99.13	-0.7	-0.6	0.08	43.7	0.02	100	8344	99.11	43.7
2023-04-04 04:50:00	0	0.00938	0	0	151	5.64	6.87	43.8	98.4	99.13	-0.6	-0.5	0.161	43.8	0.02	100	8345	99.11	43.7
2023-04-04 04:55:00	0	0.01005	0	0	141	3.91	5.12	43.7	98.5	99.14	-0.6	-0.5	0.161	43.7	0.01	100	8343	99.12	43.7
2023-04-04 05:00:00	0	0.00804	0	0	105	3.15	4.07	43.7	98.5	99.15	-0.5	-0.6	0.12	43.7	0.01	100	8343	99.13	43.7
2023-04-04 05:05:00	0	0.00871	0	0	71	2.82	3.76	43.8	98.6	99.15	-0.6	-0.6	0.12	43.8	0.01	100	8342	99.13	43.7
2023-04-04 05:10:00	0	0.0067	0	0	89	3.85	5.77	43.7	98.5	99.14	-0.6	-0.6	0.08	43.7	0.01	100	8344	99.12	43.7
2023-04-04 05:15:00	0	0.00737	0	0	99	5.59	7.07	43.9	98.5	99.13	-0.6	-0.6	0.12	43.9	0.01	100	8343	99.11	43.7
2023-04-04 05:20:00	0	0.00536	0	0	97	5.82	8.05	43.8	98.6	99.13	-0.6	-0.7	0.08	43.8	0.01	100	8339	99.11	43.7
2023-04-04 05:25:00	0	0.0067	0	0	102	6.02	6.98	43.8	98.6	99.13	-0.6	-0.6	0.12	43.8	0.01	100	8339	99.11	43.7
2023-04-04 05:30:00	0	0.00402	0	0	105	5.84	7.78	43.8	98.9	99.14	-0.6	-0.5	0.08	43.8	0.01	100	8345	99.12	43.6
2023-04-04 05:35:00	0	0.00335	0	0	109	5.84	7.49	43.8	98.9	99.14	-0.5	-0.5	0.08	43.8	0.01	100	8339	99.12	43.6
2023-04-04 05:40:00	0	0.00469	0	0	114	6.71	9.28	43.8	98.8	99.13	-0.7	-0.5	0.08	43.8	0.01	100	8340	99.11	43.6
2023-04-04 05:45:00	0	0.00603	0	0	111	7.61	9.69	43.7	99.1	99.12	-0.7	-0.5	0.08	43.7	0.01	100	8342	99.1	43.6
2023-04-04 05:50:00	0	0.00536	0	0	111	7.45	9.42	43.8	99.1	99.12	-0.7	-0.5	0.08	43.8	0.01	100	8341	99.11	43.6
2023-04-04 05:55:00	0	0.00402	0	0	113	7.11	8.77	43.7	98.9	99.12	-0.6	-0.5	0.08	43.7	0.01	100	8339	99.1	43.6
2023-04-04 06:00:00	0	0.00402	0	0	119	7.23	9.4	43.6	99.1	99.12	-0.6	-0.5	0.08	43.7	0.01	100	8341	99.11	43.6
2023-04-04 06:05:00	0	0.00804	0	0	123	7.92	9.64	43.7	99.2	99.13	-0.6	-0.4	0.12	43.7	0.01	100	8336	99.11	43.6
2023-04-04 06:10:00	0	0.0067	0	0	121	8.5	10.49	43.7	99.3	99.12	-0.6	-0.4	0.08	43.7	0.01	100	8337	99.11	43.6
2023-04-04 06:15:00	0	0.00402	0	0	119	8.48	10.56	43.7	99.2	99.11	-0.6	-0.6	0.08	43.7	0.01	100	8338	99.09	43.6
2023-04-04 06:20:00	0	0.00268	0	0	118	7.63	9.86	43.7	99.1	99.11	-0.7	-0.5	0.04	43.7	0.01	100	8337	99.1	43.6
2023-04-04 06:25:00	0	0.00268	0	0	126	8.01	10.8	43.7	99.3	99.12	-0.7	-0.7	0.04	43.7	0.01	100	8337	99.11	43.6
2023-04-04 06:30:00	0	0.00402	0	0	127	8.97	11.63	43.8	99.4	99.11	-0.4	-0.5	0.12	43.8	0.01	100	8335	99.11	43.6
2023-04-04 06:35:00	0	0.00469	0	0	132	8.77	10.71	43.7	99.2	99.12	-0.6	-0.6	0.08	43.7	0.01	100	8335	99.11	43.7
2023-04-04 06:40:00	0	0.00268	0	0	132	8.68	10.33	43.8	99.2	99.12	-0.7	-0.3	0.04	43.8	0.01	100	8336	99.11	43.7
2023-04-04 06:45:00	0	0.00402	0	0	127	6.96	10	43.8	99.1	99.13	-0.6	-0.6	0.08	43.8	0.01	100	8334	99.12	43.7
2023-04-04 06:50:00	0.8	0.00201	0	0	102	5.91	8.59	43.9	99.6	99.16	-0.6	-0.4	0.04	43.9	0	100	8333	99.15	43.8
2023-04-04 06:55:00	1	0.00335	0	0	77	4.14	5.68	43.9	99.6	99.18	-0.6	-0.5	0.08	43.9	0	100	8333	99.16	43.8
2023-04-04 07:00:00	2	0.00268	0	0	82	4.27	5.88	43.8	99.4	99.19	-0.6	-0.5	0.04	43.8	0.01	100	8336	99.18	43.8
2023-04-04 07:05:00	2.6	0.00201	0	0	59	4.63	7.43	43.8	99.6	99.2	-0.6	-0.5	0.04	43.8	0	100	8334	99.18	43.8
2023-04-04 07:10:00	5.2	0.00268	0	0	56	5.21	6.87	43.9	99.6	99.21	-0.6	-0.4	0.04	44	0	100	8333	99.19	43.8
2023-04-04 07:15:00	7.2	0.00134	0	0	65	5.21	8.08	43.9	99.6	99.22	-0.5	-0.5	0.04	43.9	0	100	8333	99.21	43.8
2023-04-04 07:20:00	6	0.00134	0	0	61	6.02	7.94	43.8	99.7	99.24	-0.5	-0.7	0.04	43.9	0	100	8332	99.22	43.8
2023-04-04 07:25:00	8	0.00067	0	0	64	6.67	8.9	43.8	99.5	99.23	-0.6	-0.6	0.04	43.8	0	100	8332	99.22	43.8
2023-04-04 07:30:00	12.2	0.00201	0	0	71	6.38	9.13	43.9	99.6	99.25	-0.6	-0.5	0.04	43.9	0	100	8330	99.23	43.8
2023-04-04 07:35:00	8.2	0.00134	0	0	76	5.7	8.12	43.7	99.6	99.26	-0.6	-0.6	0.04	43.7	0	100	8331	99.25	43.8
2023-04-04 07:40:00	14	0.00067	0	0	80	5.68	6.93	43.7	99.7	99.27	-0.5	-0.6	0.04	43.8	0	100	8331	99.25	43.8
2023-04-04 07:45:00	16.8	0.00469	0	0	88	5.44	7.18	43.7	99.4	99.27	-0.7	-0.6	0.08	43.8	0.01	100	8332	99.26	43.8
2023-04-04 07:50:00	15.4	0.00335	0	0	96	5.5	8.12	43.7	99.6	99.28	-0.6	-0.6	0.04	43.8	0	100	8329	99.26	43.8
2023-04-04 07:55:00	23.6	0.00469	0	0	103	6.33	7.96	43.8	99.2	99.28	-0.6	-0.5	0.08	43.8	0.01	100	8332	99.27	43.9

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-04 08:00:00	32.2	0.00603	0	0	104	6.13	7.56	43.7	99.5	99.28	-0.7	-0.5	0.08	43.8	0	100	8333	99.27	43.9
2023-04-04 08:05:00	29.6	0.00402	0	0	106	6.93	8.46	43.7	100	99.28	-0.6	-0.6	0.08	43.9	0	100	8326	99.27	43.9
2023-04-04 08:10:00	36.6	0.00268	0	0	106	6.4	8.57	43.8	99.4	99.28	-0.7	-0.6	0.04	43.9	0.01	100	8328	99.27	44
2023-04-04 08:15:00	39.8	0.00201	0	0	105	6.62	8.9	43.7	99.4	99.29	-0.6	-0.6	0.04	43.8	0.01	100	8327	99.28	44
2023-04-04 08:20:00	37.6	0.00067	0	0	99	5.66	7.31	43.8	99.4	99.29	-0.7	-0.5	0.04	43.9	0.01	100	8326	99.28	44
2023-04-04 08:25:00	39.8	0.00067	0	0	94	5.06	7.18	43.9	99.6	99.29	-0.6	-0.5	0.04	44	0	100	8329	99.28	44
2023-04-04 08:30:00	48	0.00067	0	0	104	6.78	8.86	43.9	99.6	99.29	-0.6	-0.5	0.04	44.1	0	100	8327	99.28	44.1
2023-04-04 08:35:00	59.6	0.00067	0	0	106	6.26	8.52	43.9	99.8	99.29	-0.6	-0.5	0.04	44.1	0	100	8327	99.28	44.1
2023-04-04 08:40:00	63.2	0	0	0	103	6.04	7.9	44	99.8	99.29	-0.6	-0.5	0	44.2	0	100	8327	99.28	44.2
2023-04-04 08:45:00	62.8	0.00067	0	0	103	6.04	9.33	44.1	99.9	99.3	-0.7	-0.6	0.04	44.2	0	100	8327	99.28	44.2
2023-04-04 08:50:00	91.8	0.00134	0	0	105	6.38	8.08	44.1	99.9	99.28	-0.5	-0.6	0.04	44.3	0	100	8329	99.27	44.3
2023-04-04 08:55:00	93	0.00134	0	0	107	7.87	9.84	44.1	99.8	99.27	-0.6	-0.7	0.04	44.3	0	100	8328	99.26	44.4
2023-04-04 09:00:00	77	0.00067	0	0	106	7.54	9.48	44.1	99.8	99.27	-0.7	-0.5	0.04	44.4	0	100	8328	99.26	44.5
2023-04-04 09:05:00	51.4	0.00134	0	0	107	7.65	10.4	44.2	100	99.27	-0.6	-0.6	0.04	44.4	0	100	8328	99.26	44.5
2023-04-04 09:10:00	43.6	0.00134	0	0	105	6.98	9.26	44.2	99.4	99.28	-0.5	-0.6	0.04	44.3	0.01	100	8327	99.27	44.5
2023-04-04 09:15:00	58.8	0.00067	0	0	89	5.44	6.69	44.2	99.4	99.29	-0.7	-0.5	0.04	44.4	0.01	100	8325	99.28	44.5
2023-04-04 09:20:00	61.6	0.00134	0	0	68	5.99	9.1	44.2	99.7	99.29	-0.5	-0.5	0.04	44.4	0	100	8325	99.28	44.6
2023-04-04 09:25:00	91	0	0	0	70	6.62	8.59	44.1	100	99.28	-0.7	-0.6	0	44.5	0	100	8325	99.27	44.6
2023-04-04 09:30:00	123.4	0	0	0	70	6.4	8.57	44.2	100.2	99.27	-0.6	-0.6	0	44.6	0	100	8328	99.26	44.7
2023-04-04 09:35:00	145.6	0.00067	0	0	71	6.8	9.37	44.3	99.8	99.27	-0.6	-0.6	0.04	44.8	0	100	8330	99.26	44.9
2023-04-04 09:40:00	140.2	0.00067	0	0	73	6.15	8.12	44.5	99.9	99.27	-0.6	-0.6	0.04	45	0	100	8331	99.26	45.1
2023-04-04 09:45:00	135.2	0	0	0	57	6.35	9.01	44.6	99.7	99.28	-0.5	-0.6	0	45.1	0	100	8332	99.27	45.2
2023-04-04 09:50:00	130	0	0	0	63	6.42	9.01	44.7	99.8	99.3	-0.7	-0.6	0	45.1	0	100	8330	99.29	45.3
2023-04-04 09:55:00	140.2	0.00067	0	0	62	6.15	8.55	44.8	100	99.31	-0.5	-0.6	0.04	45.2	0	100	8333	99.3	45.5
2023-04-04 10:00:00	119.8	0	0	0	68	6.62	9.78	44.9	99.6	99.31	-0.5	-0.6	0	45.4	0	100	8333	99.31	45.5
2023-04-04 10:05:00	155	0.00067	0	0	68	6.15	10.07	45	99.5	99.31	-0.6	-0.7	0.04	45.4	0.01	100	8334	99.3	45.6
2023-04-04 10:10:00	185	0	0	0	65	6.33	9.75	44.9	99.6	99.31	-0.5	-0.5	0	45.5	0	100	8337	99.3	45.8
2023-04-04 10:15:00	164.4	0.00067	0	0	63	7.05	10.27	45.1	99.6	99.31	-0.6	-0.6	0.04	45.7	0	100	8338	99.3	46
2023-04-04 10:20:00	179.6	0	0	0	64	7.87	11.81	45.1	99.8	99.31	-0.6	-0.7	0	45.7	0	100	8339	99.3	46.1
2023-04-04 10:25:00	244.6	0	0	0	70	7.74	10.65	45.2	99.6	99.31	-0.6	-0.5	0	45.9	0	100	8341	99.31	46.2
2023-04-04 10:30:00	273.4	0.00067	0	0	63	7.25	10.07	45.3	99.9	99.32	-0.5	-0.6	0.04	46.1	0	100	8346	99.31	46.5
2023-04-04 10:35:00	295.8	0.00134	0	0	59	7.94	12.33	45.5	99.5	99.31	-0.5	-0.7	0.04	46.3	0	100	8347	99.31	46.8
2023-04-04 10:40:00	256.6	0.00067	0	0	47	7.92	10.94	45.7	99.5	99.31	-0.5	-0.4	0.04	46.5	0	100	8349	99.31	47
2023-04-04 10:45:00	186	0	0	0	43	7.81	11.41	45.9	98.6	99.32	-0.5	-0.7	0	46.5	0.01	100	8350	99.31	47
2023-04-04 10:50:00	133.4	0	0	0	59	9.24	13.56	45.8	97.8	99.31	-0.4	-0.5	0	46.3	0.02	100	8349	99.3	46.9
2023-04-04 10:55:00	129.8	0	0	0	70	8.93	14.5	45.7	97.6	99.3	-0.5	-0.4	0	46	0.03	100	8348	99.29	46.7
2023-04-04 11:00:00	150	0	0	0	75	8.93	12.08	45.6	97.4	99.29	-0.6	-0.6	0	45.9	0.03	100	8348	99.28	46.6
2023-04-04 11:05:00	163.2	0	0	0	73	7.65	10.6	45.5	97.8	99.29	-0.5	-0.7	0	45.9	0.02	100	8351	99.29	46.7
2023-04-04 11:10:00	159.4	0	0	0	81	8.01	10.83	45.6	97.8	99.29	-0.5	-0.6	0	46	0.02	100	8350	99.28	46.7
2023-04-04 11:15:00	157.6	0	0	0	79	8.14	11.21	45.6	97.8	99.28	-0.6	-0.7	0	46.1	0.02	100	8350	99.27	46.8
2023-04-04 11:20:00	163.2	0	0	0	77	8.72	11.41	45.7	97.2	99.28	-0.6	-0.6	0	46.1	0.03	100	8352	99.27	46.9
2023-04-04 11:25:00	143.4	0	0	0	80	6.08	8.81	45.7	97.8	99.28	-0.6	-0.5	0	46.2	0.02	100	8350	99.27	47
2023-04-04 11:30:00	130.6	0	0	0	66	5.5	8.21	45.9	97.9	99.29	-0.4	-0.6	0	46.3	0.02	100	8351	99.28	47.2
2023-04-04 11:35:00	163.4	0	0	0	93	7.99	12.59	46	97.8	99.29	-0.5	-0.7	0	46.4	0.02	100	8352	99.28	47.3
2023-04-04 11:40:00	182	0	0	0	87	7.74	10.42	46.1	97.4	99.28	-0.5	-0.5	0	46.6	0.03	100	8352	99.27	47.5
2023-04-04 11:45:00	213.8	0	0	0	92	7.18	9.26	46.3	97.7	99.27	-0.4	-0.5	0	46.9	0.02	100	8354	99.25	47.7
2023-04-04 11:50:00	250.8	0	0	0	96	7.05	10.51	46.5	98	99.25	-0.4	-0.6	0	47.2	0.02	100	8355	99.25	48
2023-04-04 11:55:00	263.6	0	0	0	103	8.28	11.39	46.8	97.2	99.23	-0.6	-0.6	0	47.5	0.03	100	8360	99.23	48.3
2023-04-04 12:00:00	319.2	0	0	0	100	7.31	10.38	47	97.6	99.23	-0.6	-0.5	0	47.9	0.03	100	8365	99.23	48.5
2023-04-04 12:05:00	370.6	0	0	0	91	6.22	8.1	47.4	97.5	99.23	-0.3	-0.6	0	48.5	0.03	100	8368	99.23	49
2023-04-04 12:10:00	365.4	0	0	0	94	6.29	8.28	47.9	97.2	99.24	-0.4	-0.5	0	49	0.03	100	8374	99.24	49.6
2023-04-04 12:15:00	443.2	0	0	0	102	7.54	10.16	48.7	94.8	99.23	-0.3	-0.6	0	49.7	0.06	100	8378	99.23	50.2
2023-04-04 12:20:00	567	0	0	0	103	7.7	11.56	49.2	93.4	99.22	-0.4	-0.7	0	50.2	0.08	100	8384	99.24	50.7
2023-04-04 12:25:00	361.6	0	0	0	67	6.76	9.64	49.5	92.6	99.24	-0.5	-0.6	0	50.4	0.09	100	8385	99.24	51.3
2023-04-04 12:30:00	339	0	0	0	61	7.14	11.36	49.5	92.2	99.25	-0.4	-0.5	0	50.5	0.09	100	8388	99.25	51.6
2023-04-04 12:35:00	340.4	0	0	0	76	7.23	9.82	49.5	90.9	99.27	-0.5	-0.6	0	50.5	0.11	100	8390	99.26	51.9
2023-04-04 12:40:00	385.2	0	0	0	70	6.44	10.29	49.5	91	99.27	-0.4	-0.6	0	50.6	0.11	100	8391	99.27	52.1
2023-04-04 12:45:00	305.8	0	0	0	39	6.73	8.72	49.6	90.5	99.29	-0.5	-0.5	0	50.6	0.11	100	8388	99.29	52.4
2023-04-04 12:50:00	194	0	0	0	24	9.04	13.58	49.8	89.7	99.3	-0.3	-0.5	0	50.4	0.12	100	8386	99.29	52.1
2023-04-04 12:55:00	269.2	0	0	0	34	7.96	12.19	49.5	89.3	99.3	-0.5	-0.7	0	50.1	0.13	100	8389	99.29	51.8

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-04 13:00:00	264.6	0	0	0	39	8.39	12.41	49.3	90.4	99.29	-0.3	-0.5	0	50.1	0.11	100	8390	99.29	51.7
2023-04-04 13:05:00	332	0	0	0	46	7.49	10.8	49.3	89.9	99.29	-0.5	-0.7	0	50.1	0.12	100	8392	99.29	51.8
2023-04-04 13:10:00	355.8	0	0	0	55	7.49	11.3	49.5	90	99.3	-0.5	-0.5	0	50.4	0.12	100	8396	99.3	52.1
2023-04-04 13:15:00	344.4	0	0	0	21	7.07	11.79	49.7	89.4	99.31	-0.3	-0.6	0	50.8	0.13	100	8399	99.32	52.4
2023-04-04 13:20:00	347	0	0	0	28	6.71	10.13	50.1	89.3	99.34	-0.5	-0.5	0	51.2	0.13	100	8401	99.34	52.6
2023-04-04 13:25:00	412.2	0	0	0	53	7.94	11.45	50.5	86.9	99.34	-0.3	-0.7	0	51.5	0.16	100	8400	99.34	53
2023-04-04 13:30:00	400	0	0	0	57	7.14	10.49	50.9	86.5	99.35	-0.4	-0.6	0	51.9	0.17	100	8403	99.35	53.3
2023-04-04 13:35:00	463.8	0	0	0	61	8.55	14.09	51.3	85.5	99.35	-0.4	-0.5	0	52.3	0.19	100	8409	99.35	53.8
2023-04-04 13:40:00	509	0	0	0	76	8.3	11.63	51.8	83.9	99.36	-0.3	-0.6	0	52.8	0.21	100	8414	99.36	54.3
2023-04-04 13:45:00	320	0	0	0	11	10.87	17.47	52.2	83.4	99.37	-0.2	-0.9	0	53	0.22	100	8409	99.37	54.5
2023-04-04 13:50:00	204.8	0	0	0	355	10	14.05	52.1	84.3	99.39	-0.3	-0.5	0	52.5	0.21	100	8409	99.38	54
2023-04-04 13:55:00	239.4	0	0	0	356	10.78	15.05	51.5	84.6	99.39	-0.3	-0.6	0	52	0.2	100	8409	99.38	53.5
2023-04-04 14:00:00	323	0	0	0	355	11.23	16.6	51.1	85.5	99.39	-0.4	-0.7	0	51.7	0.19	100	8412	99.38	53.2
2023-04-04 14:05:00	421.4	0	0	0	21	11.9	15.3	51	85.6	99.39	-0.6	-0.5	0	51.8	0.18	100	8414	99.38	53.1
2023-04-04 14:10:00	451	0	0	0	7	12.64	17.6	51.2	84.9	99.39	-0.3	-0.4	0	52.1	0.19	100	8417	99.38	53.2
2023-04-04 14:15:00	409.4	0	0	0	20	11.65	18.63	51.5	84.3	99.39	-0.3	-0.5	0	52.3	0.2	100	8418	99.39	53.4
2023-04-04 14:20:00	378.4	0	0	0	5	11.27	14.47	51.8	84.1	99.39	-0.4	-0.6	0	52.6	0.21	100	8418	99.39	53.6
2023-04-04 14:25:00	375	0	0	0	27	10.45	15.19	51.9	84.1	99.41	-0.2	-0.6	0	52.8	0.21	100	8420	99.4	53.7
2023-04-04 14:30:00	359	0	0	0	49	12.3	17.34	52.1	82.8	99.41	-0.3	-0.4	0	52.9	0.23	100	8422	99.4	53.9
2023-04-04 14:35:00	391.8	0	0	0	26	11.48	15.77	52.1	82.8	99.41	-0.4	-0.6	0	52.9	0.23	100	8423	99.4	54
2023-04-04 14:40:00	353.6	0	0	0	15	11.74	19.22	52.1	83.4	99.41	-0.4	-0.8	0	52.9	0.22	100	8424	99.4	54
2023-04-04 14:45:00	361.6	0	0	0	14	11.36	17.09	52.1	83.2	99.42	-0.2	-0.4	0	53	0.22	100	8425	99.41	54
2023-04-04 14:50:00	384	0	0	0	8	11.14	15.79	52.2	82.7	99.44	-0.4	-0.6	0	53	0.23	100	8428	99.43	53.9
2023-04-04 14:55:00	439	0	0	0	10	13.33	20.74	52.2	82	99.44	-0.4	-0.5	0	53	0.24	100	8431	99.44	53.8
2023-04-04 15:00:00	456.8	0	0	0	13	15.86	21.39	51.9	80.2	99.44	-0.6	-0.3	0	52.6	0.26	100	8431	99.44	53.4
2023-04-04 15:05:00	405	0	0	0	11	13.73	19.08	51.3	80.5	99.44	-0.5	-0.1	0	52.1	0.25	100	8433	99.43	53
2023-04-04 15:10:00	373	0	0	0	3	14.41	19.35	50.9	80.7	99.44	-0.8	-0.4	0	51.6	0.24	100	8434	99.44	52.6
2023-04-04 15:15:00	288.8	0	0	0	18	10.67	15.3	50.4	81.4	99.46	-0.6	-0.6	0	51	0.23	100	8432	99.45	52.2
2023-04-04 15:20:00	255.8	0	0	0	27	12.77	18.1	50.1	81.5	99.47	-0.4	-0.5	0	50.8	0.23	100	8431	99.45	52
2023-04-04 15:25:00	238.6	0	0	0	25	14.65	21.34	49.7	79.7	99.47	0	-1	0	50.2	0.25	100	8431	99.46	51.5
2023-04-04 15:30:00	228	0	0	0	33	14.83	19.6	49.1	79.4	99.47	-0.3	-0.3	0	49.6	0.24	100	8432	99.46	51
2023-04-04 15:35:00	234.8	0	0	0	22	17.87	27.98	48.6	78.3	99.48	-0.4	-0.7	0	49.1	0.25	100	8432	99.47	50.4
2023-04-04 15:40:00	222	0	0	0	22	15.82	21.47	48.1	77	99.49	-0.6	-0.5	0	48.6	0.26	100	8433	99.48	49.9
2023-04-04 15:45:00	218.6	0	0	0	20	17.85	27.13	47.7	76.2	99.49	-0.5	-0.5	0	48.1	0.27	100	8434	99.48	49.5
2023-04-04 15:50:00	187.6	0	0	0	16	16.35	23.96	47.3	75.4	99.49	-0.1	-0.7	0	47.7	0.27	100	8431	99.49	49.2
2023-04-04 15:55:00	177.2	0	0	0	32	14.16	18.48	47.1	75.1	99.51	-0.4	0.1	0	47.4	0.27	100	8431	99.51	48.9
2023-04-04 16:00:00	158.6	0	0	0	28	9.64	13.02	46.9	75.7	99.53	-0.4	-0.5	0	47.2	0.27	100	8432	99.52	48.7
2023-04-04 16:05:00	139.6	0	0	0	23	8.97	13.65	46.9	75.7	99.54	-0.5	-0.6	0	47.3	0.27	100	8428	99.53	48.7
2023-04-04 16:10:00	130.6	0	0	0	17	13	22.7	46.9	73.5	99.54	-0.5	-0.5	0	47.2	0.29	100	8426	99.52	48.6
2023-04-04 16:15:00	113.2	0	0	0	20	13.31	19.04	46.9	72	99.54	-0.5	-0.5	0	47.2	0.31	100	8425	99.52	48.3
2023-04-04 16:20:00	106.4	0	0	0	25	15.84	21.9	46.7	71.4	99.54	-0.4	-0.4	0	46.9	0.31	100	8424	99.52	48.1
2023-04-04 16:25:00	97.4	0	0	0	27	14.23	22.95	46.7	71.7	99.53	-0.7	-0.4	0	46.9	0.31	100	8425	99.51	47.9
2023-04-04 16:30:00	103.4	0	0	0	29	17.13	27.27	46.5	72.1	99.53	-0.4	-0.2	0	46.7	0.3	100	8423	99.51	47.7
2023-04-04 16:35:00	98.4	0	0	0	47	15.12	22.1	46.4	72.1	99.54	-0.4	-0.6	0	46.6	0.3	100	8423	99.52	47.6
2023-04-04 16:40:00	82.8	0	0	0	40	11.92	19.19	46.4	72.7	99.55	-0.2	-0.5	0	46.6	0.29	100	8422	99.53	47.5
2023-04-04 16:45:00	56.8	0	0	0	31	13.35	19.91	46.5	72.5	99.56	-0.7	-0.8	0	46.6	0.3	100	8420	99.54	47.4
2023-04-04 16:50:00	59.8	0	0	0	32	11.16	18.1	46.4	72.6	99.56	-0.6	-0.7	0	46.5	0.29	100	8415	99.54	47.4
2023-04-04 16:55:00	66.6	0	0	0	40	9.6	16.08	46.4	72.6	99.56	-0.9	-0.2	0	46.6	0.29	100	8415	99.55	47.3
2023-04-04 17:00:00	74.4	0	0	0	32	10.38	16.98	46.6	72.6	99.57	-0.5	-0.5	0	46.8	0.3	100	8416	99.55	47.3
2023-04-04 17:05:00	75.8	0	0	0	31	9.28	12.73	46.5	73.1	99.57	-0.5	-0.6	0	46.8	0.29	100	8414	99.54	47.3
2023-04-04 17:10:00	58	0	0	0	29	9.51	14	46.7	72.6	99.58	-0.5	-0.7	0	46.8	0.3	100	8414	99.55	47.3
2023-04-04 17:15:00	63.8	0	0	0	40	8.1	12.28	46.7	72.4	99.57	-0.5	-0.8	0	46.9	0.3	100	8412	99.55	47.3
2023-04-04 17:20:00	55.4	0	0	0	51	8.34	16.55	46.8	72.7	99.57	-0.4	-0.7	0	46.9	0.3	100	8411	99.55	47.4
2023-04-04 17:25:00	59.6	0	0	0	58	10.74	17.76	46.8	71.4	99.57	-0.5	-0.4	0	46.9	0.31	100	8413	99.55	47.4
2023-04-04 17:30:00	64.2	0	0	0	35	10.47	16.93	46.9	71.6	99.58	-0.3	-0.8	0	47	0.31	100	8408	99.56	47.3
2023-04-04 17:35:00	69	0	0	0	40	10.85	14.61	46.9	71.1	99.59	-0.5	-0.4	0	47.1	0.32	100	8409	99.56	47.3
2023-04-04 17:40:00	64.8	0	0	0	36	10.8	18.7	47	71.2	99.59	-0.5	-0.5	0	47.2	0.32	100	8409	99.57	47.3
2023-04-04 17:45:00	66.2	0	0	0	41	10.56	19.3	46.9	70.6	99.61	-0.5	-0.6	0	47	0.32	100	8409	99.58	47.3
2023-04-04 17:50:00	76	0	0	0	51	12.24	17.09	47	69.9	99.61	-0.5	-0.7	0	47.2	0.33	100	8409	99.59	47.2
2023-04-04 17:55:00	78.4	0	0	0	45	10.96	15.77	46.9	69.8	99.62	-0.4	-0.6	0	47.1	0.33	100	8406	99.6	47.3

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-04 18:00:00	69.4	0	0	0	34	11.43	16.62	47	69.4	99.62	-0.5	-0.4	0	47.2	0.34	100	8406	99.6	47.2
2023-04-04 18:05:00	59.4	0	0	0	35	11.41	15.73	47	69.4	99.62	-0.5	-0.6	0	47.2	0.34	100	8408	99.59	47.2
2023-04-04 18:10:00	57.2	0	0	0	43	10.16	14.99	46.9	69.5	99.61	-0.6	-0.4	0	47	0.33	100	8401	99.58	47.1
2023-04-04 18:15:00	58.2	0	0	0	49	8.79	14.05	46.9	69.9	99.6	-0.5	-0.5	0	47	0.33	100	8403	99.57	47.1
2023-04-04 18:20:00	49.8	0	0	0	29	8.52	12.12	46.9	70.2	99.62	-0.3	-0.5	0	46.9	0.33	100	8400	99.59	47.1
2023-04-04 18:25:00	43	0	0	0	27	8.93	11.61	46.8	69.7	99.62	-0.5	-0.5	0	47	0.33	100	8400	99.59	47
2023-04-04 18:30:00	38.4	0	0	0	19	9.15	15.64	46.8	69.6	99.63	-0.7	-0.6	0	46.9	0.33	100	8398	99.6	46.9
2023-04-04 18:35:00	36.8	0	0	0	37	9.78	14.07	46.7	69	99.62	-0.6	-0.6	0	46.8	0.34	100	8399	99.59	46.8
2023-04-04 18:40:00	33	0	0	0	35	9.69	13.58	46.5	69	99.62	-0.5	-0.5	0	46.6	0.33	100	8397	99.59	46.7
2023-04-04 18:45:00	29.8	0	0	0	37	8.66	11.05	46.4	68.9	99.62	-0.7	-0.5	0	46.5	0.33	100	8396	99.6	46.6
2023-04-04 18:50:00	25.8	0	0	0	36	11.7	17.16	46.4	68.8	99.63	-0.4	-0.6	0	46.5	0.33	100	8395	99.6	46.5
2023-04-04 18:55:00	21.4	0	0	0	34	9.62	14.65	46.3	68.5	99.63	-0.5	-0.6	0	46.3	0.34	100	8395	99.6	46.4
2023-04-04 19:00:00	14.4	0	0	0	31	8.39	13.6	46.2	68.8	99.64	-0.6	-0.5	0	46.3	0.33	100	8393	99.61	46.3
2023-04-04 19:05:00	9.4	0	0	0	26	8.19	11.18	46.2	69	99.65	-0.6	-0.6	0	46.2	0.33	100	8391	99.62	46.2
2023-04-04 19:10:00	6.6	0	0	0	18	9.04	14.7	46.1	69.4	99.66	-0.5	-0.6	0	46.1	0.32	100	8390	99.63	46.1
2023-04-04 19:15:00	4	0	0	0	18	10.09	15.55	46	69	99.67	-0.7	-0.5	0	46.1	0.33	100	8391	99.64	46.1
2023-04-04 19:20:00	2.4	0	0	0	20	7.81	10.71	46	69.4	99.67	-0.5	-0.6	0	46	0.32	100	8388	99.64	46
2023-04-04 19:25:00	1.6	0	0	0	21	8.28	12.95	46	69.4	99.67	-0.5	-0.7	0	46	0.32	100	8392	99.64	45.9
2023-04-04 19:30:00	1	0	0	0	19	9.06	12.17	45.9	70.3	99.67	-0.6	-0.7	0	45.9	0.31	100	8388	99.65	45.8
2023-04-04 19:35:00	0	0	0	0	21	9.4	12.68	45.8	69.9	99.68	-0.6	-0.5	0	45.8	0.32	100	8387	99.66	45.7
2023-04-04 19:40:00	0	0	0	0	26	8.52	13.65	45.7	70.1	99.69	-0.5	-0.7	0	45.8	0.31	100	8387	99.67	45.6
2023-04-04 19:45:00	0	0	0	0	17	9.44	14.36	45.6	70.1	99.71	-0.6	-0.6	0	45.6	0.31	100	8384	99.68	45.5
2023-04-04 19:50:00	0	0	0	0	13	8.86	11.5	45.5	70.5	99.73	-0.7	-0.6	0	45.6	0.31	100	8385	99.7	45.4
2023-04-04 19:55:00	0	0	0	0	22	10.11	14.99	45.4	70.7	99.73	-0.6	-0.5	0	45.4	0.3	100	8384	99.71	45.4
2023-04-04 20:00:00	0	0	0	0	30	11.18	18.07	45.4	71	99.73	-0.8	-0.6	0	45.4	0.3	100	8384	99.7	45.3
2023-04-04 20:05:00	0	0	0	0	26	11.25	15.43	45.3	71.2	99.73	-0.6	-0.6	0	45.3	0.3	100	8384	99.7	45.2
2023-04-04 20:10:00	0	0	0	0	29	10.85	18.23	45.2	71.9	99.73	-0.6	-0.5	0	45.2	0.29	100	8380	99.7	45.1
2023-04-04 20:15:00	0	0	0	0	33	10.49	16.71	45.2	72.1	99.74	-0.7	-0.4	0	45.2	0.29	100	8381	99.71	45.1
2023-04-04 20:20:00	0	0	0	0	31	9.66	13.94	45.1	72.3	99.75	-0.6	-0.5	0	45.1	0.28	100	8378	99.72	45
2023-04-04 20:25:00	0	0	0	0	27	10.76	16.78	45.1	72.8	99.76	-0.4	-0.7	0	45.1	0.28	100	8380	99.73	45
2023-04-04 20:30:00	0	0	0	0	34	9.06	13.18	45.1	72.6	99.77	-0.5	-0.5	0	45.1	0.28	100	8378	99.73	44.9
2023-04-04 20:35:00	0	0	0	0	30	9.4	16.6	45	73.1	99.77	-0.6	-0.5	0	45	0.27	100	8377	99.74	44.9
2023-04-04 20:40:00	0	0	0	0	24	10.45	17.29	45	72.9	99.77	-0.7	-0.6	0	45	0.28	100	8376	99.74	44.8
2023-04-04 20:45:00	0	0	0	0	23	9.1	14.34	45	73.1	99.79	-0.4	-0.6	0	45	0.27	100	8377	99.76	44.8
2023-04-04 20:50:00	0	0	0	0	40	12.75	18.37	45	72.7	99.79	-0.5	-0.6	0	45	0.28	100	8374	99.75	44.7
2023-04-04 20:55:00	0	0	0	0	26	9.22	13	45	72.7	99.8	-0.5	-0.6	0	45	0.28	100	8373	99.77	44.7
2023-04-04 21:00:00	0	0	0	0	23	8.46	13.18	44.9	72.9	99.8	-0.5	-0.5	0	44.9	0.27	100	8374	99.78	44.7
2023-04-04 21:05:00	0	0	0	0	24	9.48	12.97	44.9	72.8	99.82	-0.7	-0.5	0	44.9	0.28	100	8374	99.79	44.7
2023-04-04 21:10:00	0	0	0	0	26	8.59	12.06	45	72.2	99.83	-0.5	-0.5	0	45	0.28	100	8372	99.8	44.7
2023-04-04 21:15:00	0	0	0	0	34	8.99	12.26	44.9	72.2	99.82	-0.4	-0.4	0	44.9	0.28	100	8373	99.79	44.7
2023-04-04 21:20:00	0	0	0	0	36	10	14.07	44.9	72.3	99.83	-0.5	-0.6	0	44.9	0.28	100	8368	99.8	44.7
2023-04-04 21:25:00	0	0	0	0	47	11.27	17.25	44.9	71.7	99.83	-0.5	-0.5	0	44.9	0.29	100	8372	99.8	44.7
2023-04-04 21:30:00	0	0	0	0	41	11.14	16.93	45	71.5	99.84	-0.3	-0.4	0	45.1	0.29	100	8370	99.82	44.7
2023-04-04 21:35:00	0	0	0	0	39	9.42	13.15	45.1	71.2	99.86	-0.7	-0.5	0	45.1	0.29	100	8368	99.83	44.7
2023-04-04 21:40:00	0	0	0	0	28	11.39	19.33	45.1	70.8	99.85	-0.5	-0.5	0	45.1	0.3	100	8369	99.82	44.8
2023-04-04 21:45:00	0	0	0	0	29	10.31	14.5	45.2	70.7	99.86	-0.5	-0.5	0	45.1	0.3	100	8369	99.82	44.8
2023-04-04 21:50:00	0	0	0	0	25	11.48	17.81	45.1	70.4	99.85	-0.5	-0.5	0	45.1	0.3	100	8369	99.82	44.8
2023-04-04 21:55:00	0	0	0	0	28	12.88	18.48	45.1	70	99.85	-0.5	-0.2	0	45.1	0.31	100	8367	99.83	44.8
2023-04-04 22:00:00	0	0	0	0	32	11.45	15.55	45.1	69.6	99.86	-0.7	-0.6	0	45.1	0.31	100	8366	99.82	44.8
2023-04-04 22:05:00	0	0	0	0	32	15.75	20.74	45.1	69.3	99.83	-0.4	-0.9	0	45.1	0.31	100	8364	99.8	44.8
2023-04-04 22:10:00	0	0	0	0	33	10.78	14.83	45.1	69.3	99.82	-0.6	-0.9	0	45.1	0.31	100	8365	99.79	44.7
2023-04-04 22:15:00	0	0	0	0	36	12.15	17.34	45	69.6	99.81	-0.3	-0.5	0	45	0.31	100	8362	99.78	44.6
2023-04-04 22:20:00	0	0	0	0	40	12.97	19.04	44.9	69.5	99.79	-0.5	-0.3	0	44.9	0.31	100	8368	99.75	44.4
2023-04-04 22:25:00	0	0	0	0	45	12.08	20.58	44.7	69.9	99.77	-0.6	-0.7	0	44.7	0.3	100	8363	99.73	44.2
2023-04-04 22:30:00	0	0	0	0	54	11.65	16.8	44.5	70.3	99.74	-0.6	-0.4	0	44.4	0.3	100	8365	99.69	43.9
2023-04-04 22:35:00	0	0	0	0	60	12.39	24.02	44.3	70.5	99.71	-0.6	-0.5	0	44.3	0.29	100	8361	99.68	43.6
2023-04-04 22:40:00	0	0	0	0	46	9.31	14.43	44	71.2	99.72	-0.5	-0.5	0	44	0.28	100	8363	99.69	43.4
2023-04-04 22:45:00	0	0	0	0	26	10.47	14.41	43.7	71.4	99.73	-0.5	-0.5	0	43.7	0.28	100	8359	99.7	43.1
2023-04-04 22:50:00	0	0	0	0	44	11.39	15.39	43.4	71.3	99.73	-0.7	-0.5	0	43.4	0.27	100	8357	99.69	42.9
2023-04-04 22:55:00	0	0	0	0	46	11.97	17.49	43.4	71.5	99.7	-0.6	-0.6	0	43.4	0.27	100	8358	99.67	42.8

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-04 23:00:00	0	0	0	0	48	10.27	15.88	43.2	71.5	99.71	-0.7	-0.5	0	43.2	0.27	100	8358	99.68	42.6
2023-04-04 23:05:00	0	0	0	0	43	9.26	13.44	43.1	71.7	99.72	-0.5	-0.5	0	43.1	0.27	100	8357	99.68	42.5
2023-04-04 23:10:00	0	0	0	0	47	10	14.7	43	72.1	99.71	-0.8	-0.6	0	43	0.26	100	8355	99.67	42.3
2023-04-04 23:15:00	0	0	0	0	44	8.81	12.84	42.8	72.5	99.7	-0.8	-0.4	0	42.8	0.26	100	8356	99.66	42.1
2023-04-04 23:20:00	0	0	0	0	35	10.2	15.14	42.7	72.6	99.68	-0.7	-0.5	0	42.7	0.25	100	8353	99.65	42
2023-04-04 23:25:00	0	0	0	0	55	7.96	11.59	42.5	73	99.67	-0.7	-0.5	0	42.5	0.25	100	8355	99.64	41.8
2023-04-04 23:30:00	0	0	0	0	48	7.07	10.94	42.4	72.9	99.69	-0.6	-0.5	0	42.4	0.25	100	8355	99.65	41.6
2023-04-04 23:35:00	0	0	0	0	55	7.65	12.77	42.2	73.5	99.68	-0.7	-0.6	0	42.2	0.24	100	8353	99.65	41.4
2023-04-04 23:40:00	0	0	0	0	62	7.11	10.29	42.1	73.7	99.67	-0.7	-0.5	0	42.1	0.24	100	8353	99.64	41.3
2023-04-04 23:45:00	0	0	0	0	68	7.45	12.68	41.9	74.4	99.67	-0.7	-0.5	0	41.9	0.23	100	8352	99.63	41.1
2023-04-04 23:50:00	0	0	0	0	71	7.29	12.03	41.8	74.3	99.67	-0.8	-0.6	0	41.8	0.23	100	8350	99.64	41
2023-04-04 23:55:00	0	0	0	0	49	5.28	9.26	41.9	74.3	99.71	-0.7	-0.6	0	41.9	0.23	100	8352	99.68	40.9
2023-04-05 00:00:00	0	0	0	0	13	6.55	9.37	41.7	74.7	99.73	-0.7	-0.6	0	41.7	0.23	100	8350	99.7	40.8
2023-04-05 00:05:00	0	0	0	0	12	6.76	8.95	41.6	74.5	99.73	-0.7	-0.5	0	41.6	0.23	100	8326	99.71	40.9
2023-04-05 00:10:00	0	0	0	0	15	6.22	7.76	41.6	74.5	99.73	-0.7	-0.5	0	41.6	0.23	100	8317	99.7	41.1
2023-04-05 00:15:00	0	0	0	0	7	4.59	6.35	41.5	75.1	99.74	-0.6	-0.5	0	41.5	0.22	100	8313	99.72	41.2
2023-04-05 00:20:00	0	0	0	0	4	5.93	7.74	41.4	74.9	99.75	-0.6	-0.5	0	41.4	0.22	100	8323	99.72	41
2023-04-05 00:25:00	0	0	0	0	2	4.52	6.08	41.3	74.8	99.74	-0.6	-0.5	0	41.3	0.22	100	8326	99.71	40.8
2023-04-05 00:30:00	0	0	0	0	18	4.65	6.53	41.3	75.2	99.73	-0.7	-0.5	0	41.3	0.22	100	8328	99.7	40.7
2023-04-05 00:35:00	0	0	0	0	35	5.73	8.25	41.3	75.5	99.72	-0.7	-0.6	0	41.3	0.22	100	8327	99.68	40.6
2023-04-05 00:40:00	0	0	0	0	41	6.89	10.6	41.2	75.8	99.7	-0.7	-0.4	0	41.2	0.21	100	8327	99.68	40.6
2023-04-05 00:45:00	0	0	0	0	36	5.77	8.39	41.3	75.8	99.72	-0.6	-0.5	0	41.3	0.21	100	8328	99.69	40.6
2023-04-05 00:50:00	0	0	0	0	39	7.25	11.61	41.3	76	99.7	-0.6	-0.6	0	41.3	0.21	100	8326	99.67	40.6
2023-04-05 00:55:00	0	0	0	0	40	8.39	11.54	41.2	76.3	99.69	-0.7	-0.4	0	41.2	0.21	100	8327	99.67	40.6
2023-04-05 01:00:00	0	0	0	0	30	7.83	12.24	41.2	76.3	99.71	-0.6	-0.4	0	41.1	0.21	100	8328	99.68	40.6
2023-04-05 01:05:00	0	0	0	0	27	7.92	12.66	41.2	76.5	99.7	-0.5	-0.6	0	41.2	0.21	100	8327	99.68	40.6
2023-04-05 01:10:00	0	0	0	0	37	8.12	12.12	41.3	75.9	99.69	-0.8	-0.6	0	41.3	0.21	100	8328	99.65	40.7
2023-04-05 01:15:00	0	0	0	0	44	8.08	10.27	41.3	76.4	99.65	-0.7	-0.5	0	41.3	0.21	100	8327	99.62	40.6
2023-04-05 01:20:00	0	0	0	0	34	8.16	12.44	41.2	76.9	99.65	-0.6	-0.5	0	41.2	0.2	100	8327	99.62	40.6
2023-04-05 01:25:00	0	0	0	0	27	8.93	13.6	41.3	76.3	99.66	-0.7	-0.7	0	41.3	0.21	100	8327	99.63	40.6
2023-04-05 01:30:00	0	0	0	0	29	10.58	15.3	41.2	76.3	99.66	-0.7	-0.6	0	41.2	0.21	100	8327	99.63	40.6
2023-04-05 01:35:00	0	0	0	0	28	9.75	13.49	41.3	76.5	99.66	-0.6	-0.4	0	41.3	0.21	100	8325	99.63	40.6
2023-04-05 01:40:00	0	0	0	0	47	9.82	14.12	41.1	76.4	99.65	-0.7	-0.5	0	41.1	0.21	100	8324	99.62	40.5
2023-04-05 01:45:00	0	0	0	0	33	8.16	12.12	41.1	76.5	99.66	-0.7	-0.5	0	41.1	0.21	100	8326	99.63	40.5
2023-04-05 01:50:00	0	0	0	0	48	6.71	9.37	41.1	76.6	99.65	-0.6	-0.6	0	41.1	0.2	100	8322	99.62	40.4
2023-04-05 01:55:00	0	0	0	0	44	6.91	10.89	41	76.5	99.63	-0.7	-0.5	0	41	0.21	100	8323	99.6	40.2
2023-04-05 02:00:00	0	0	0	0	32	6.85	8.75	40.9	77	99.64	-0.8	-0.4	0	40.9	0.2	100	8325	99.61	40.1
2023-04-05 02:05:00	0	0	0	0	55	6.4	9.01	40.7	77.4	99.63	-0.6	-0.6	0	40.7	0.2	100	8325	99.6	40
2023-04-05 02:10:00	0	0	0	0	73	7.18	9.91	40.6	77.8	99.6	-0.6	-0.7	0	40.6	0.19	100	8323	99.56	39.9
2023-04-05 02:15:00	0	0	0	0	70	8.37	11.77	40.5	77.6	99.57	-0.7	-0.5	0	40.5	0.19	100	8327	99.54	39.8
2023-04-05 02:20:00	0	0	0	0	66	8.08	13.76	40.5	78.5	99.57	-0.6	-0.6	0	40.5	0.18	100	8322	99.54	39.7
2023-04-05 02:25:00	0	0	0	0	74	7.09	9.8	40.5	78.3	99.56	-0.8	-0.4	0	40.5	0.19	100	8321	99.53	39.6
2023-04-05 02:30:00	0	0	0	0	88	7.23	9.46	40.4	78.5	99.54	-0.6	-0.6	0	40.4	0.18	100	8322	99.5	39.6
2023-04-05 02:35:00	0	0	0	0	93	8.79	12.35	40.2	78.4	99.51	-0.7	-0.5	0	40.2	0.18	100	8320	99.48	39.6
2023-04-05 02:40:00	0	0	0	0	100	7.49	12.46	40.3	78.7	99.51	-0.6	-0.4	0	40.3	0.18	100	8320	99.48	39.5
2023-04-05 02:45:00	0	0	0	0	99	6.71	9.93	40.3	79	99.5	-0.7	-0.6	0	40.3	0.18	100	8320	99.47	39.4
2023-04-05 02:50:00	0	0	0	0	97	5.88	7.58	40.2	79.6	99.5	-0.8	-0.5	0	40.2	0.17	100	8319	99.47	39.3
2023-04-05 02:55:00	0	0	0	0	90	5.55	8.37	40.1	79.4	99.5	-0.7	-0.5	0	40.1	0.17	100	8319	99.47	39.3
2023-04-05 03:00:00	0	0	0	0	86	5.66	7.94	40.1	79.6	99.5	-0.8	-0.4	0	40.1	0.17	100	8320	99.47	39.2
2023-04-05 03:05:00	0	0	0	0	84	4.9	7.14	40	79.2	99.49	-0.7	-0.5	0	40	0.17	100	8317	99.46	39.1
2023-04-05 03:10:00	0	0	0	0	84	5.55	7.43	39.9	80.1	99.48	-0.7	-0.5	0	40	0.17	100	8320	99.44	39.1
2023-04-05 03:15:00	0	0	0	0	95	5.86	8.12	39.9	80	99.47	-0.7	-0.4	0	39.9	0.17	100	8317	99.44	39
2023-04-05 03:20:00	0	0	0	0	104	5.23	6.87	39.8	80.5	99.47	-0.7	-0.6	0	39.8	0.16	100	8317	99.45	39
2023-04-05 03:25:00	0	0	0	0	123	5.08	6.2	39.7	80.7	99.48	-0.7	-0.4	0	39.7	0.16	100	8315	99.46	39
2023-04-05 03:30:00	0	0	0	0	123	5.68	7.05	39.8	80.8	99.47	-0.7	-0.4	0	39.8	0.16	100	8317	99.44	39
2023-04-05 03:35:00	0	0	0	0	120	5.77	6.87	39.8	81.3	99.46	-0.8	-0.4	0	39.8	0.16	100	8318	99.43	39
2023-04-05 03:40:00	0	0	0	0	114	5.12	6.62	39.8	81.2	99.46	-0.7	-0.5	0	39.8	0.16	100	8316	99.44	39
2023-04-05 03:45:00	0	0	0	0	98	3.49	4.76	39.7	81.6	99.47	-0.7	-0.5	0	39.7	0.15	100	8315	99.45	39
2023-04-05 03:50:00	0	0	0	0	339	1.72	2.04	39.8	81.7	99.48	-0.7	-0.4	0	39.8	0.15	100	8314	99.46	39.1
2023-04-05 03:55:00	0	0	0	0	2	1.61	2.21	39.6	81.6	99.48	-0.7	-0.5	0	39.6	0.15	100	8314	99.45	39

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-05 04:00:00	0	0	0	0	85	1.1	1.99	39.6	81.7	99.45	-0.6	-0.6	0	39.6	0.15	100	8316	99.42	38.8
2023-04-05 04:05:00	0	0	0	0	96	2.55	3.74	39.4	83	99.41	-0.7	-0.5	0	39.4	0.14	100	8314	99.38	38.6
2023-04-05 04:10:00	0	0	0	0	69	4.38	6.08	39.3	83.4	99.39	-0.8	-0.5	0	39.2	0.14	100	8313	99.36	38.6
2023-04-05 04:15:00	0	0	0	0	70	4.94	7.14	39.1	83.1	99.38	-0.7	-0.5	0	39.1	0.14	100	8313	99.36	38.5
2023-04-05 04:20:00	0	0	0	0	74	6.29	9.84	39.1	83.2	99.37	-0.6	-0.6	0	39.1	0.14	100	8311	99.34	38.4
2023-04-05 04:25:00	0	0	0	0	79	7.83	10.11	39.1	83.2	99.35	-0.6	-0.6	0	39.2	0.14	100	8311	99.32	38.4
2023-04-05 04:30:00	0	0	0	0	80	7.05	9.42	39.1	83.2	99.36	-0.7	-0.5	0	39.1	0.14	100	8312	99.33	38.4
2023-04-05 04:35:00	0	0	0	0	93	6.22	8.39	39.1	83.4	99.36	-0.7	-0.6	0	39.1	0.13	100	8311	99.33	38.4
2023-04-05 04:40:00	0	0	0	0	86	6.4	8.05	39.1	83.4	99.35	-0.8	-0.6	0	39.1	0.13	100	8309	99.32	38.4
2023-04-05 04:45:00	0	0	0	0	80	6.31	8.9	39.2	83.7	99.33	-0.7	-0.5	0	39.2	0.13	100	8310	99.31	38.4
2023-04-05 04:50:00	0	0	0	0	76	7.05	9.13	39.1	83.5	99.33	-0.8	-0.5	0	39.1	0.13	100	8310	99.3	38.3
2023-04-05 04:55:00	0	0	0	0	75	6.96	9.98	39.1	83.4	99.31	-0.8	-0.5	0	39.1	0.13	100	8308	99.28	38.4
2023-04-05 05:00:00	0	0	0	0	76	6.91	10.58	39.1	84	99.3	-0.7	-0.5	0	39.1	0.13	100	8308	99.27	38.4
2023-04-05 05:05:00	0	0	0	0	84	8.59	11.34	39.1	83.9	99.29	-0.7	-0.6	0	39.1	0.13	100	8308	99.26	38.4
2023-04-05 05:10:00	0	0	0	0	92	10.74	13.98	39.4	84	99.27	-0.7	-0.5	0	39.4	0.13	100	8308	99.25	38.5
2023-04-05 05:15:00	0	0	0	0	95	9.17	13.22	39.4	84.3	99.27	-0.9	-0.5	0	39.4	0.13	100	8309	99.25	38.7
2023-04-05 05:20:00	0	0	0	0	95	7.87	10.92	39.6	84.4	99.28	-0.7	-0.5	0	39.6	0.13	100	8307	99.26	38.8
2023-04-05 05:25:00	0	0	0	0	97	8.84	13	39.6	84.5	99.29	-0.7	-0.4	0	39.6	0.13	100	8308	99.27	38.9
2023-04-05 05:30:00	0	0	0	0	108	8.7	12.77	39.8	84.1	99.31	-0.6	-0.4	0	39.8	0.13	100	8306	99.29	39.1
2023-04-05 05:35:00	0	0	0	0	95	6.26	8.52	40	84.2	99.32	-0.7	-0.6	0	40	0.13	100	8308	99.3	39.3
2023-04-05 05:40:00	0	0	0	0	87	6.96	9.31	40.1	84.7	99.31	-0.7	-0.5	0	40.2	0.13	100	8308	99.29	39.4
2023-04-05 05:45:00	0	0	0	0	90	6.93	10.25	40.2	84.9	99.33	-0.6	-0.4	0	40.2	0.13	100	8308	99.31	39.5
2023-04-05 05:50:00	0	0	0	0	87	7.16	10.54	40.4	84.7	99.34	-0.7	-0.5	0	40.4	0.13	100	8304	99.31	39.7
2023-04-05 05:55:00	0	0	0	0	83	8.72	11.3	40.5	85.2	99.32	-0.8	-0.6	0	40.5	0.13	100	8306	99.3	39.8
2023-04-05 06:00:00	0	0	0	0	78	8.32	11.9	40.7	84.8	99.32	-0.8	-0.5	0	40.6	0.13	100	8308	99.29	39.9
2023-04-05 06:05:00	0	0	0	0	71	7.45	9.73	40.7	85.3	99.33	-0.7	-0.5	0	40.7	0.13	100	8303	99.3	40
2023-04-05 06:10:00	0	0	0	0	61	5.86	7.67	40.7	85.1	99.33	-0.6	-0.6	0	40.7	0.13	100	8305	99.3	40.2
2023-04-05 06:15:00	0	0	0	0	61	6.8	10.11	40.9	85.6	99.32	-0.9	-0.6	0	40.9	0.13	100	8305	99.29	40.3
2023-04-05 06:20:00	0	0	0	0	66	7.61	11.39	40.9	86.1	99.3	-0.7	-0.6	0	40.9	0.12	100	8305	99.27	40.3
2023-04-05 06:25:00	0	0	0	0	74	7.74	11.32	40.8	85.9	99.29	-0.7	-0.3	0	40.9	0.12	100	8304	99.26	40.4
2023-04-05 06:30:00	0	0	0	0	76	8.63	12.5	40.9	85.8	99.29	-0.7	-0.5	0	40.9	0.12	100	8305	99.26	40.4
2023-04-05 06:35:00	0.6	0	0	0	74	7.23	9.57	40.9	85.8	99.28	-0.7	-0.5	0	40.9	0.12	100	8303	99.25	40.4
2023-04-05 06:40:00	0	0	0	0	80	8.3	12.3	40.7	86.3	99.27	-0.6	-0.3	0	40.7	0.12	100	8301	99.25	40.5
2023-04-05 06:45:00	1.2	0	0	0	78	8.23	11.45	40.8	86.6	99.26	-0.6	-0.7	0	40.8	0.12	100	8303	99.23	40.5
2023-04-05 06:50:00	2.6	0	0	0	79	7.81	10.29	40.9	87.2	99.25	-0.6	-0.5	0	40.9	0.11	100	8301	99.23	40.6
2023-04-05 06:55:00	4.4	0	0	0	77	7.74	11.54	41	87.3	99.24	-0.7	-0.5	0	41	0.11	100	8305	99.22	40.7
2023-04-05 07:00:00	7.2	0	0	0	79	7.96	11.27	41.1	87.5	99.23	-0.6	-0.5	0	41.1	0.11	100	8302	99.2	40.8
2023-04-05 07:05:00	12	0	0	0	80	8.72	11.79	41.3	88	99.21	-0.6	-0.5	0	41.3	0.11	100	8301	99.18	40.9
2023-04-05 07:10:00	16.4	0	0	0	81	8.72	12.77	41.3	88.1	99.19	-0.5	-0.5	0	41.4	0.11	100	8302	99.16	41
2023-04-05 07:15:00	20.6	0	0	0	88	8.05	10.27	41.5	88.7	99.17	-0.7	-0.5	0	41.5	0.1	100	8303	99.14	41.1
2023-04-05 07:20:00	28.8	0	0	0	94	9.04	13.49	41.6	89.5	99.15	-0.8	-0.4	0	41.8	0.09	100	8301	99.12	41.3
2023-04-05 07:25:00	35.4	0	0	0	97	12.41	17.34	42	89.4	99.13	-0.6	-0.4	0	42.1	0.1	100	8302	99.1	41.6
2023-04-05 07:30:00	38.8	0	0	0	100	13.31	19.89	42.4	89.9	99.11	-0.8	-0.7	0	42.5	0.09	100	8300	99.09	41.9
2023-04-05 07:35:00	41.6	0	0	0	102	15.7	20.02	42.8	89.9	99.11	-0.9	-0.4	0	42.9	0.09	100	8301	99.09	42.2
2023-04-05 07:40:00	43.2	0	0	0	102	14.23	19.1	43.2	89.7	99.12	-0.6	-0.6	0	43.2	0.1	100	8301	99.1	42.5
2023-04-05 07:45:00	38	0	0	0	99	14.85	19.19	43.5	89.7	99.11	-0.7	-0.3	0	43.7	0.1	100	8303	99.09	42.8
2023-04-05 07:50:00	27.6	0	0	0	103	14.38	20.18	43.9	89	99.08	-0.5	-0.8	0	44	0.11	100	8301	99.06	43.1
2023-04-05 07:55:00	19.2	0	0	0	108	13.2	16.51	44.1	88.6	99.08	-0.7	-0.7	0	44.2	0.11	100	8300	99.06	43.3
2023-04-05 08:00:00	20	0	0	0	111	12.59	18.12	44.2	88.2	99.09	-0.4	-0.7	0	44.3	0.12	100	8301	99.07	43.5
2023-04-05 08:05:00	28.6	0	0	0	113	13.4	17.78	44.3	87.9	99.08	-0.5	-0.8	0	44.4	0.12	100	8298	99.07	43.7
2023-04-05 08:10:00	44	0	0	0	111	13.53	16.75	44.5	87.9	99.07	-0.7	-0.4	0	44.7	0.12	100	8298	99.06	43.9
2023-04-05 08:15:00	29.2	0	0	0	115	12.21	16.55	44.7	87.5	99.07	-0.5	-0.5	0	44.8	0.13	100	8301	99.05	44.1
2023-04-05 08:20:00	20	0	0	0	113	12.75	15.46	44.9	87.2	99.07	-0.6	-0.4	0	44.9	0.13	100	8301	99.05	44.2
2023-04-05 08:25:00	29	0	0	0	112	12.93	15.77	45.1	87.5	99.05	-0.6	-0.4	0	45.1	0.13	100	8298	99.03	44.4
2023-04-05 08:30:00	36.2	0	0	0	110	18.45	25.28	45.2	86.8	98.99	-0.7	-0.3	0	45.2	0.14	100	8297	98.96	44.6
2023-04-05 08:35:00	32.6	0	0	0	110	17.92	23.22	45.4	86.7	98.98	-0.6	-0.7	0	45.4	0.14	100	8298	98.97	44.8
2023-04-05 08:40:00	31.4	0	0	0	119	12.77	17.65	45.4	87.1	99.02	-0.8	-0.3	0	45.5	0.13	100	8298	99.02	44.9
2023-04-05 08:45:00	41	0	0	0	120	10.94	15.68	45.6	87.1	99.02	-0.4	-0.6	0	45.7	0.13	100	8298	99.01	45.1
2023-04-05 08:50:00	63.8	0	0	0	118	10.74	14.58	45.9	87	99	-0.7	-0.5	0	46	0.14	100	8298	98.98	45.4
2023-04-05 08:55:00	71.6	0	0	0	125	12.21	17.09	46.1	87.2	98.99	-0.4	-0.9	0	46.3	0.14	100	8298	98.98	45.6

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-05 09:00:00	72.2	0	0	0	129	13.69	18.16	46.5	86.8	98.98	-0.5	-0.6	0	46.7	0.14	100	8299	98.98	45.9
2023-04-05 09:05:00	72	0	0	0	124	14	18.59	46.9	86.7	98.95	-0.2	-0.7	0	47	0.14	100	8297	98.94	46.2
2023-04-05 09:10:00	69.6	0	0	0	121	16.35	20.11	47.2	87	98.94	-0.7	-0.4	0	47.4	0.14	100	8300	98.93	46.6
2023-04-05 09:15:00	65.2	0	0	0	116	13.33	19.06	47.7	86.7	98.93	-0.4	-0.4	0	47.9	0.15	100	8301	98.92	47
2023-04-05 09:20:00	71.4	0	0	0	111	11.56	14.85	48.1	86.8	98.93	-0.4	-0.6	0	48.2	0.15	100	8299	98.91	47.4
2023-04-05 09:25:00	61.4	0	0	0	106	10.09	13.62	48.5	86.8	98.94	-0.5	-0.5	0	48.7	0.15	100	8300	98.92	47.8
2023-04-05 09:30:00	59.6	0	2	11	104	10	12.5	49	86.5	98.95	-0.5	-0.4	0	49.1	0.16	100	8299	98.93	48.1
2023-04-05 09:35:00	64.8	0	0	0	106	11.81	14.2	49.3	86.2	98.94	-0.4	-0.6	0	49.5	0.16	100	8297	98.91	48.5
2023-04-05 09:40:00	75.2	0	0	0	111	12.1	15.41	49.7	86.4	98.91	-0.4	-0.8	0	49.9	0.16	100	8299	98.89	49
2023-04-05 09:45:00	96	0	0	0	110	10.94	14.32	50.1	86.6	98.91	-0.3	-0.5	0	50.4	0.17	100	8299	98.89	49.4
2023-04-05 09:50:00	125.2	0	0	0	113	9.69	13.06	50.7	86.9	98.91	-0.2	-0.5	0	51	0.16	100	8303	98.9	50
2023-04-05 09:55:00	156.2	0	0	0	135	4.43	8.57	51.3	87.1	98.93	-0.4	-0.5	0	51.7	0.17	100	8302	98.91	50.7
2023-04-05 10:00:00	168.8	0	0	0	134	7.16	9.4	51.9	86.9	98.91	-0.4	-0.5	0	52.5	0.17	100	8304	98.89	51.4
2023-04-05 10:05:00	189.8	0	0	0	101	2.95	5.57	52.5	87	98.92	-0.5	-0.7	0	53.2	0.18	100	8305	98.91	52.2
2023-04-05 10:10:00	209.4	0	0	0	111	7.72	14.34	53.2	85.8	98.89	-0.3	-0.7	0	53.9	0.2	100	8309	98.86	53
2023-04-05 10:15:00	268.2	0	0	0	109	11.7	16.26	54.2	84.4	98.85	-0.2	-0.7	0	54.8	0.22	100	8313	98.83	53.7
2023-04-05 10:20:00	276.8	0	0	0	125	12.44	18.28	55.1	84.6	98.84	-0.2	-0.7	0	55.8	0.23	100	8316	98.83	54.6
2023-04-05 10:25:00	251	0	0	0	134	11.21	15.79	56.4	84	98.83	-0.3	-0.4	0	57	0.25	100	8317	98.83	55.6
2023-04-05 10:30:00	277.2	0	0	0	226	4.54	6.89	57.3	84.4	98.88	-0.1	-0.5	0	58.3	0.25	100	8321	98.86	56.7
2023-04-05 10:35:00	307.8	0	0	0	152	9.42	14.5	58.3	82	98.83	-0.1	-0.7	0	59.2	0.3	100	8322	98.81	57.7
2023-04-05 10:40:00	307	0	0	0	163	7.25	12.55	59.5	80.3	98.84	-0.2	-0.8	0	60.3	0.34	100	8328	98.83	58.7
2023-04-05 10:45:00	504.4	0	0	0	206	2.84	6.96	60.3	79.9	98.83	-0.1	-0.6	0	61.8	0.36	100	8337	98.83	59.7
2023-04-05 10:50:00	483.4	0	0	0	154	4.5	7.76	61.8	77.8	98.82	0	-0.5	0	63.3	0.42	100	8342	98.82	60.9
2023-04-05 10:55:00	365	0	0	0	152	5.41	7.45	63.1	74.5	98.82	-0.1	-0.6	0	64.3	0.5	100	8343	98.81	62.2
2023-04-05 11:00:00	290.8	0	0	0	180	3.8	5.44	63.6	73.8	98.83	-0.1	-0.6	0	64.8	0.53	100	8346	98.81	63.1
2023-04-05 11:05:00	363	0	0	0	158	4.05	5.95	63.8	73.5	98.82	0	-0.7	0	65.1	0.53	100	8349	98.8	63.8
2023-04-05 11:10:00	446.2	0	0	0	148	7.47	11.79	65	72.2	98.8	-0.2	-0.8	0	66.2	0.58	100	8352	98.8	64.6
2023-04-05 11:15:00	432	0	0	0	152	11.32	13.98	66.6	70.4	98.78	0	-0.7	0	67.6	0.66	100	8355	98.79	65.8
2023-04-05 11:20:00	401.4	0	0	0	153	10.07	14.52	67.9	67.6	98.78	0.2	-0.6	0	68.9	0.75	100	8357	98.77	66.9
2023-04-05 11:25:00	449.8	0	0	0	153	10.02	13.2	68.8	66.1	98.78	0	-0.6	0	69.7	0.81	100	8363	98.78	67.7
2023-04-05 11:30:00	508.4	0	0	0	156	11.3	15.23	69.9	64.6	98.77	0.3	-1	0	70.8	0.88	100	8365	98.77	68.5
2023-04-05 11:35:00	366	0	0	0	159	14.56	19.66	70.4	63.4	98.76	-0.1	-0.9	0	71.2	0.93	100	8366	98.75	69.1
2023-04-05 11:40:00	379	0	0	0	159	15.41	20.78	70.5	62.8	98.74	0.1	-0.6	0	71.3	0.95	100	8368	98.74	69.4
2023-04-05 11:45:00	408	0	0	0	161	15.48	19.69	70.7	62.7	98.75	-0.6	-1	0	71.4	0.96	100	8371	98.74	69.7
2023-04-05 11:50:00	392.8	0	0	0	160	16.62	21.97	70.9	62.2	98.75	0.2	-0.8	0	71.6	0.97	100	8372	98.74	70
2023-04-05 11:55:00	354	0	0	0	162	15.95	20	70.8	62.4	98.76	-0.1	-0.6	0	71.5	0.97	100	8371	98.74	70.1
2023-04-05 12:00:00	362.6	0	0	0	160	16.91	20.85	71	61.7	98.73	0.6	-0.7	0	71.7	0.99	100	8372	98.72	70.3
2023-04-05 12:05:00	355.8	0	0	0	161	15.64	19.82	71.1	61.9	98.72	0.1	-1.1	0	71.7	0.99	100	8373	98.72	70.5
2023-04-05 12:10:00	428.8	0	0	0	161	14.99	22.48	71.2	62.5	98.73	0	-0.7	0	72	0.98	100	8374	98.72	70.7
2023-04-05 12:15:00	404	0	0	0	163	15.14	20.02	71.5	61.9	98.72	-0.1	-0.7	0	72.2	1	100	8377	98.71	71
2023-04-05 12:20:00	320.8	0	0	0	160	14.74	19.35	71.6	61.6	98.7	-0.2	-0.4	0	72.3	1.01	100	8374	98.69	71.2
2023-04-05 12:25:00	270.4	0	0	0	163	13.94	18.52	71.7	61.4	98.71	0.4	-0.8	0	72.3	1.02	100	8376	98.69	71.3
2023-04-05 12:30:00	253.2	0	0	0	165	13.67	18.05	71.5	61.2	98.72	0.1	-0.6	0	72.1	1.02	100	8374	98.7	71.3
2023-04-05 12:35:00	268.6	0	0	0	167	12.66	15.9	71.5	61.5	98.7	0.2	-0.7	0	72.1	1.01	100	8374	98.68	71.3
2023-04-05 12:40:00	296.4	0	0	0	172	12.46	18.77	71.6	61.6	98.69	0	-1.1	0	72.3	1.01	100	8375	98.66	71.6
2023-04-05 12:45:00	375.6	0	0	0	154	10.74	14.29	71.9	61.2	98.67	-0.1	-0.7	0	72.7	1.03	100	8377	98.64	71.9
2023-04-05 12:50:00	335.6	0	0	0	141	11.07	16.8	72.2	61.2	98.63	0	-0.5	0	73	1.04	100	8374	98.61	72.1
2023-04-05 12:55:00	299.8	0	0	0	145	11.81	15.3	72.1	61.2	98.62	0.1	-0.6	0	72.9	1.04	100	8375	98.6	72.2
2023-04-05 13:00:00	280.8	0	0	0	152	11.21	14.07	72.2	60.9	98.62	0.3	-0.9	0	72.9	1.06	100	8375	98.6	72.3
2023-04-05 13:05:00	228.8	0	0	0	151	9.98	14.18	72.3	61.6	98.62	0.1	-0.8	0	73	1.04	100	8373	98.59	72.5
2023-04-05 13:10:00	222.4	0	0	0	152	9.28	12.08	72.4	61.7	98.62	0.2	-0.9	0	73	1.04	100	8371	98.59	72.6
2023-04-05 13:15:00	252.6	0	0	0	146	9.84	12.1	72.6	61.5	98.61	0.1	-0.6	0	73.2	1.05	100	8373	98.58	72.7
2023-04-05 13:20:00	318.8	0	0	0	147	8.77	10.83	72.6	62	98.6	0.1	-0.6	0	73.4	1.04	100	8371	98.58	73
2023-04-05 13:25:00	320.2	0	0	0	159	10.07	15.86	73.1	61.5	98.58	0.2	-0.6	0	74	1.07	100	8374	98.56	73.3
2023-04-05 13:30:00	325.4	0	0	0	169	12.91	23.13	74.2	60.6	98.56	0.1	-1.1	0	74.9	1.14	100	8368	98.53	74
2023-04-05 13:35:00	544.6	0	0	0	164	13.29	25.23	75.6	62.7	98.53	0.8	-2.2	0	76.5	1.13	100	8376	98.53	75.1
2023-04-05 13:40:00	587	0	0	0	177	17.4	24.94	77.3	59.7	98.51	0.3	0.2	0	78.1	1.29	100	8377	98.5	76.2
2023-04-05 13:45:00	424.2	0	0	0	181	12.55	17.65	78.2	58.6	98.52	0.4	-1.2	0	78.9	1.36	100	8374	98.5	77
2023-04-05 13:50:00	341.4	0	0	0	170	12.93	18.43	78.7	57.5	98.53	-0.1	-0.7	0	79.4	1.42	100	8375	98.5	77.5
2023-04-05 13:55:00	213.6	0	0	0	174	16.31	23.35	78.9	56.2	98.54	-0.7	-0.6	0	79.4	1.48	100	8372	98.51	77.7

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-05 14:00:00	112.2	0	0	0	181	11.59	16.87	78.8	56.4	98.59	0.2	-0.9	0	79.1	1.46	100	8371	98.56	77.5
2023-04-05 14:05:00	63	0	0	0	186	11.79	15.79	78.4	56.2	98.61	0	-0.7	0	78.6	1.45	100	8368	98.57	77.3
2023-04-05 14:10:00	40.8	0	0	0	189	10.09	16.64	78.1	56.5	98.62	0.4	-0.8	0	78.2	1.43	100	8365	98.58	77.2
2023-04-05 14:15:00	33.4	0	0	0	195	15.21	21.99	78	55.9	98.62	0.1	-0.9	0	78.1	1.44	100	8361	98.57	77.2
2023-04-05 14:20:00	32.6	0	0	0	198	11.56	19.42	77.9	55.8	98.62	-0.2	-0.8	0	78	1.44	100	8356	98.58	77.2
2023-04-05 14:25:00	32.4	0	0	0	196	12.8	20.29	77.7	55.9	98.62	-0.2	-0.7	0	77.8	1.43	100	8355	98.59	77.1
2023-04-05 14:30:00	40.8	0	1	7	203	10.38	14.94	77.5	57.1	98.62	0	-0.8	0	77.6	1.38	100	8353	98.58	76.9
2023-04-05 14:35:00	45.8	0	2	6	191	6.53	10.02	76.9	57.8	98.61	0.1	-0.7	0	77	1.33	100	8352	98.57	76.6
2023-04-05 14:40:00	57.8	0	0	0	179	6.06	10.83	76.4	58.1	98.6	0	-0.9	0	76.6	1.3	100	8347	98.55	76.2
2023-04-05 14:45:00	102.2	0	0	0	145	2.55	3.53	76	59.9	98.58	-0.1	-0.8	0	76.4	1.23	100	8348	98.54	75.9
2023-04-05 14:50:00	136.6	0	1	4	111	3.6	4.63	75.7	61.2	98.56	0	-0.7	0	76.3	1.18	100	8343	98.52	75.7
2023-04-05 14:55:00	118.4	0	3	7	317	11.92	37.13	75.7	60.3	98.59	0.1	-0.4	0	76.2	1.2	100	8345	98.56	75.5
2023-04-05 15:00:00	74.8	0	1	7	322	30.56	38.99	72.4	52.9	98.65	-1.4	-0.5	0	72.3	1.28	100	8341	98.6	71.5
2023-04-05 15:05:00	74.2	0	3	7	322	26.31	33.62	65.3	57.9	98.76	-0.7	-1.5	0	65.1	0.9	100	8338	98.69	66.5
2023-04-05 15:10:00	109.2	0	1	7	346	21.81	31.9	59.7	65.8	98.7	-0.2	-1.3	0	59.8	0.6	100	8336	98.65	62.9
2023-04-05 15:15:00	66.6	0	1	7	339	14.9	25.61	56.2	72.8	98.72	-0.4	-0.7	0	56.2	0.42	100	8333	98.69	60.3
2023-04-05 15:20:00	24.4	0.00134	4	7	334	14.58	19.53	54	76.5	98.74	-0.5	-0.4	0.08	54	0.33	100	8328	98.71	58.4
2023-04-05 15:25:00	7.4	0.03217	2	7	320	15.88	25.14	52.3	78.4	98.79	-0.2	-0.7	1.245	52.3	0.29	100	8327	98.77	56.6
2023-04-05 15:30:00	6.6	0.08293	1	7	333	14.92	25.41	50.3	82.1	98.86	-0.4	-0.7	2.169	50.2	0.22	100	8325	98.83	54.3
2023-04-05 15:35:00	8.6	0.06634	2	7	307	10.54	14.72	48.4	85.9	98.89	-0.7	-0.6	1.405	48.4	0.16	100	8323	98.87	52.7
2023-04-05 15:40:00	16.6	0.0769	3	7	321	9.89	11.03	47.3	88.3	98.92	-0.6	-0.3	1.245	47.3	0.13	100	8322	98.89	51.4
2023-04-05 15:45:00	101.4	0.05763	3	5	#N/A	#N/A	#N/A	46.5	89.8	98.88	-0.7	-0.5	1.205	46.5	#N/A	100	8319	98.85	50.4
2023-04-05 15:50:00	477.4	0.02077	3	5	#N/A	#N/A	#N/A	46.7	90.5	98.77	-0.7	-0.5	1.004	46.7	#N/A	100	8317	98.75	50.2
2023-04-05 15:55:00	293.4	0.00067	2	5	#N/A	#N/A	#N/A	46.9	92.3	98.75	-0.6	-0.7	0.04	47	#N/A	100	8320	98.73	50.2
2023-04-05 16:00:00	389.4	0	0	0	#N/A	#N/A	#N/A	47.8	93.4	98.72	-0.7	-0.5	0	47.8	#N/A	100	8324	98.7	50.5
2023-04-05 16:05:00	217.8	0	0	0	#N/A	#N/A	#N/A	48.3	93.5	98.71	-0.5	-0.8	0	48.3	#N/A	100	8324	98.69	50.6
2023-04-05 16:10:00	221.8	0	1	12	#N/A	#N/A	#N/A	48.5	93.6	98.72	-0.6	-0.6	0	48.5	#N/A	100	8327	98.7	50.4
2023-04-05 16:15:00	80.4	0	1	7	#N/A	#N/A	#N/A	48.7	94	98.73	-0.6	-0.7	0	48.7	#N/A	100	8324	98.73	50.4
2023-04-05 16:20:00	14.8	0.00134	3	7	#N/A	#N/A	#N/A	48.7	94.4	98.87	-0.6	-0.9	0.04	48.7	#N/A	100	8321	98.86	50.1
2023-04-05 16:25:00	36	0.05495	4	5	#N/A	#N/A	#N/A	48.4	94.7	98.88	-0.6	-0.6	1.727	48.4	#N/A	100	8319	98.84	49.7
2023-04-05 16:30:00	78	0.01742	2	5	#N/A	#N/A	#N/A	48.3	95.5	98.81	-0.7	-0.6	0.361	48.4	#N/A	100	8320	98.79	49.7
2023-04-05 16:35:00	77.4	0.00335	2	5	#N/A	#N/A	#N/A	48.6	96.2	98.74	-0.5	-1	0.08	48.6	#N/A	100	8320	98.72	49.7
2023-04-05 16:40:00	30.6	0	0	0	#N/A	#N/A	#N/A	48.7	96.5	98.77	-0.8	-0.6	0	48.7	#N/A	100	8318	98.76	49.7
2023-04-05 16:45:00	54	0.03217	1	6	#N/A	#N/A	#N/A	49	96.9	98.83	-0.4	-1.1	1.205	49	#N/A	100	8317	98.81	49.8
2023-04-05 16:50:00	135.4	0.02412	1	6	#N/A	#N/A	#N/A	49.3	97.1	98.79	-0.6	-0.7	1.044	49.3	#N/A	100	8316	98.77	49.9
2023-04-05 16:55:00	234.6	0.00067	0	0	#N/A	#N/A	#N/A	49.8	97.3	98.75	-0.5	-0.5	0.04	49.8	#N/A	100	8317	98.74	50.3
2023-04-05 17:00:00	125.6	0	0	0	#N/A	#N/A	#N/A	50.5	97.4	98.74	-0.7	-0.6	0	50.5	#N/A	100	8319	98.72	50.7
2023-04-05 17:05:00	73	0	0	0	#N/A	#N/A	#N/A	50.8	97.6	98.74	-0.3	-0.7	0	50.8	#N/A	100	8319	98.72	51
2023-04-05 17:10:00	25.2	0	0	0	#N/A	#N/A	#N/A	51	98	98.75	-0.7	-0.7	0	51	#N/A	100	8316	98.74	51.2
2023-04-05 17:15:00	17	0	0	0	#N/A	#N/A	#N/A	51.5	98.2	98.76	-0.3	-0.6	0	51.5	#N/A	100	8315	98.75	51.5
2023-04-05 17:20:00	37.6	0	0	0	#N/A	#N/A	#N/A	51.7	98.4	98.79	-0.6	-0.6	0	51.8	#N/A	100	8312	98.77	51.7
2023-04-05 17:25:00	24.8	0	0	0	#N/A	#N/A	#N/A	52.1	98.4	98.79	-0.5	-0.5	0	52.1	#N/A	100	8316	98.77	52
2023-04-05 17:30:00	32	0	0	0	#N/A	#N/A	#N/A	52.4	98.5	98.84	-0.5	-0.6	0	52.4	#N/A	100	8312	98.83	52.3
2023-04-05 17:35:00	15.8	0	0	0	#N/A	#N/A	#N/A	52.6	98.8	98.9	-0.4	-0.7	0	52.6	#N/A	100	8313	98.88	52.5
2023-04-05 17:40:00	4.4	0	0	0	#N/A	#N/A	#N/A	52.7	98.5	98.97	-0.4	-0.7	0	52.7	#N/A	100	8312	98.95	52.6
2023-04-05 17:45:00	4.2	0	0	0	#N/A	#N/A	#N/A	52.8	98.4	99.01	-0.8	-0.6	0	52.7	#N/A	100	8312	98.98	52.6
2023-04-05 17:50:00	16.6	0	0	0	#N/A	#N/A	#N/A	52.8	98.3	98.99	-0.5	-0.6	0	52.8	#N/A	100	8311	98.96	52.7
2023-04-05 17:55:00	20.2	0.00536	0	0	#N/A	#N/A	#N/A	52.8	98.6	99	-0.6	-0.7	0.08	52.8	#N/A	100	8311	98.97	52.8
2023-04-05 18:00:00	22.4	0.02077	0	0	#N/A	#N/A	#N/A	52.8	98.3	99.01	-0.4	-0.7	0.402	52.8	#N/A	100	8310	98.97	52.8
2023-04-05 18:05:00	25.2	0.00603	0	0	#N/A	#N/A	#N/A	52.9	98.5	98.99	-0.5	-0.6	0.12	53	#N/A	100	8307	98.96	52.9
2023-04-05 18:10:00	20.6	0.00134	0	0	#N/A	#N/A	#N/A	52.9	98.5	99.01	-0.4	-0.7	0.04	52.9	#N/A	100	8310	98.99	53
2023-04-05 18:15:00	12.2	0	0	0	#N/A	#N/A	#N/A	53	98.8	99.03	-0.4	-0.7	0	53	#N/A	100	8308	99	53
2023-04-05 18:20:00	8.8	0	0	0	#N/A	#N/A	#N/A	53	98.5	99.02	-0.4	-0.7	0	53	#N/A	100	8306	99	53.1
2023-04-05 18:25:00	7.4	0.00469	0	0	#N/A	#N/A	#N/A	53	98.7	99.07	-0.4	-0.6	0.161	53	#N/A	100	8302	99.06	53.1
2023-04-05 18:30:00	14	0.03284	0	0	#N/A	#N/A	#N/A	53.1	98.8	99.11	-0.6	-0.6	0.642	53.1	#N/A	100	8306	99.07	53.2
2023-04-05 18:35:00	14.8	0.00603	0	0	#N/A	#N/A	#N/A	53.2	98.9	99.08	-0.5	-0.6	0.12	53.2	#N/A	100	8303	99.05	53.3
2023-04-05 18:40:00	8.4	0.00536	0	0	#N/A	#N/A	#N/A	53.6	99.2	99.05	-0.5	-0.6	0.08	53.6	#N/A	100	8305	99.02	53.6
2023-04-05 18:45:00	10.4	0.00603	0	0	#N/A	#N/A	#N/A	54.1	99.2	99.07	-0.4	-0.7	0.08	54.1	#N/A	100	8304	99.04	54
2023-04-05 18:50:00	19.8	0.00402	0	0	#N/A	#N/A	#N/A	54.5	99.6	99.06	-0.4	-0.7	0.08	54.4	#N/A	100	8302	99.03	54.2
2023-04-05 18:55:00	36.2	0.00134	0	0	#N/A	#N/A	#N/A	54.2	99.2	99.05	-0.4	-0.7	0.04	54.2	#N/A	100	8302	99.03	54

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-05 19:00:00	23	0	0	0	#N/A	#N/A	#N/A	54	99.2	99.05	-0.4	-0.5	0	54	#N/A	100	8301	99.03	53.9
2023-04-05 19:05:00	17.2	0	0	0	#N/A	#N/A	#N/A	54.2	99.2	99.04	-0.3	-0.6	0	54.2	#N/A	100	8301	99.01	54.1
2023-04-05 19:10:00	13.8	0	0	0	#N/A	#N/A	#N/A	54.4	99.4	99.03	-0.4	-0.6	0	54.4	#N/A	100	8301	99.01	54.3
2023-04-05 19:15:00	6.2	0	0	0	#N/A	#N/A	#N/A	54.7	99.5	99.04	-0.3	-0.7	0	54.7	#N/A	100	8300	99.01	54.5
2023-04-05 19:20:00	1.4	0	0	0	#N/A	#N/A	#N/A	54.9	99.4	99.04	-0.4	-0.6	0	54.9	#N/A	100	8301	99.02	54.7
2023-04-05 19:25:00	0	0	0	0	#N/A	#N/A	#N/A	55.2	99.5	99.06	-0.5	-0.7	0	55.2	#N/A	100	8298	99.04	54.9
2023-04-05 19:30:00	0	0	0	0	#N/A	#N/A	#N/A	55.3	99.5	99.08	-0.5	-0.6	0	55.3	#N/A	100	8296	99.05	55
2023-04-05 19:35:00	0	0	0	0	#N/A	#N/A	#N/A	55.5	99.6	99.07	-0.4	-0.6	0	55.5	#N/A	100	8298	99.03	55.2
2023-04-05 19:40:00	0	0	0	0	#N/A	#N/A	#N/A	55.9	99.9	99.06	-0.4	-0.6	0	56	#N/A	100	8296	99.03	55.5
2023-04-05 19:45:00	0	0	0	0	#N/A	#N/A	#N/A	56.2	99.7	99.06	-0.2	-0.7	0	56.2	#N/A	100	8297	99.04	55.7
2023-04-05 19:50:00	0	0	0	0	#N/A	#N/A	#N/A	56.2	100	99.06	-0.4	-0.6	0	56.2	#N/A	100	8295	99.03	55.7
2023-04-05 19:55:00	0	0	0	0	#N/A	#N/A	#N/A	56.1	99.7	99.06	-0.4	-0.6	0	56.1	#N/A	100	8297	99.03	55.6
2023-04-05 20:00:00	0	0	0	0	#N/A	#N/A	#N/A	56	99.9	99.06	-0.5	-0.7	0	56	#N/A	100	8295	99.04	55.6
2023-04-05 20:05:00	0	0	0	0	#N/A	#N/A	#N/A	56.3	99.7	99.08	-0.2	-0.6	0	56.3	#N/A	100	8295	99.05	55.7
2023-04-05 20:10:00	0	0	0	0	#N/A	#N/A	#N/A	56.2	100.1	99.08	-0.3	-0.7	0	56.2	#N/A	100	8293	99.05	55.6
2023-04-05 20:15:00	0	0	0	0	#N/A	#N/A	#N/A	56	99.6	99.09	-0.3	-0.7	0	56	#N/A	100	8295	99.07	55.5
2023-04-05 20:20:00	0	0	0	0	#N/A	#N/A	#N/A	55.9	99.6	99.11	-0.4	-0.6	0	55.9	#N/A	100	8293	99.09	55.5
2023-04-05 20:25:00	0	0	0	0	#N/A	#N/A	#N/A	55.9	99.6	99.12	-0.4	-0.7	0	55.9	#N/A	100	8292	99.1	55.5
2023-04-05 20:30:00	0	0	0	0	#N/A	#N/A	#N/A	55.9	99.7	99.14	-0.3	-0.7	0	55.9	#N/A	100	8293	99.12	55.7
2023-04-05 20:35:00	0	0	0	0	#N/A	#N/A	#N/A	56	99.7	99.14	-0.4	-0.7	0	56	#N/A	100	8292	99.11	55.8
2023-04-05 20:40:00	0	0	0	0	#N/A	#N/A	#N/A	56.3	99.5	99.13	-0.3	-0.7	0	56.3	#N/A	100	8291	99.11	56
2023-04-05 20:45:00	0	0	0	0	#N/A	#N/A	#N/A	56.4	100	99.13	-0.5	-0.6	0	56.4	#N/A	100	8289	99.11	56.1
2023-04-05 20:50:00	0	0	0	0	#N/A	#N/A	#N/A	56.6	99.6	99.17	-0.5	-0.5	0	56.5	#N/A	100	8289	99.14	56.2
2023-04-05 20:55:00	0	0.00067	0	0	#N/A	#N/A	#N/A	56.6	99.6	99.19	-0.3	-0.6	0.04	56.6	#N/A	100	8289	99.16	56.4
2023-04-05 21:00:00	0	0.00201	0	0	#N/A	#N/A	#N/A	56.8	100	99.2	-0.3	-0.7	0.04	56.8	#N/A	100	8289	99.17	56.5
2023-04-05 21:05:00	0	0.00402	0	0	#N/A	#N/A	#N/A	56.9	99.9	99.18	-0.3	-0.6	0.08	56.9	#N/A	100	8289	99.15	56.7
2023-04-05 21:10:00	0	0.00469	0	0	#N/A	#N/A	#N/A	57.2	99.7	99.18	-0.4	-0.6	0.08	57.2	#N/A	100	8289	99.15	56.9
2023-04-05 21:15:00	0	0.01407	0	0	#N/A	#N/A	#N/A	57.6	100	99.19	-0.3	-0.6	0.321	57.6	#N/A	100	8288	99.17	57.2
2023-04-05 21:20:00	0	0.01541	0	0	#N/A	#N/A	#N/A	57.7	100	99.2	-0.3	-0.6	0.201	57.7	#N/A	100	8287	99.17	57.3
2023-04-05 21:25:00	0	0.01273	0	0	#N/A	#N/A	#N/A	57.9	99.8	99.19	-0.3	-0.7	0.161	57.9	#N/A	100	8288	99.17	57.5
2023-04-05 21:30:00	0	0.00737	0	0	#N/A	#N/A	#N/A	58.2	99.9	99.21	-0.3	-0.7	0.12	58.2	#N/A	100	8286	99.18	57.8
2023-04-05 21:35:00	0	0.00804	0	0	#N/A	#N/A	#N/A	58.2	99.9	99.21	-0.4	-0.6	0.12	58.2	#N/A	100	8285	99.19	57.9
2023-04-05 21:40:00	0	0.00871	0	0	#N/A	#N/A	#N/A	58.4	99.8	99.22	-0.4	-0.6	0.12	58.4	#N/A	100	8284	99.19	58
2023-04-05 21:45:00	0	0.01273	0	0	#N/A	#N/A	#N/A	58.5	100	99.23	-0.4	-0.6	0.201	58.5	#N/A	100	8284	99.21	58.1
2023-04-05 21:50:00	0	0.01273	0	0	#N/A	#N/A	#N/A	58.7	99.9	99.25	-0.3	-0.7	0.201	58.7	#N/A	100	8285	99.22	58.3
2023-04-05 21:55:00	0	0.01608	0	0	#N/A	#N/A	#N/A	58.8	99.9	99.25	-0.4	-0.6	0.281	58.9	#N/A	100	8286	99.22	58.4
2023-04-05 22:00:00	0	0.06299	0	0	#N/A	#N/A	#N/A	58.9	99.9	99.25	-0.3	-0.6	1.124	58.9	#N/A	100	8283	99.22	58.5
2023-04-05 22:05:00	0	0.02949	0	0	#N/A	#N/A	#N/A	58.9	100	99.21	-0.5	-0.2	0.562	58.9	#N/A	100	8285	99.2	58.6
2023-04-05 22:10:00	0	0.00804	0	0	#N/A	#N/A	#N/A	58.9	99.9	99.18	-0.4	-0.7	0.12	58.9	#N/A	100	8282	99.17	58.6
2023-04-05 22:15:00	0	0.01675	0	0	#N/A	#N/A	#N/A	58.9	99.8	99.18	-0.1	-0.7	0.321	58.9	#N/A	100	8282	99.16	58.7
2023-04-05 22:20:00	0	0.01005	0	0	#N/A	#N/A	#N/A	59	99.8	99.15	-0.3	-0.7	0.161	59	#N/A	100	8282	99.13	58.9
2023-04-05 22:25:00	0	0.01072	0	0	#N/A	#N/A	#N/A	59	99.9	99.17	-0.4	-0.5	0.241	59	#N/A	100	8279	99.13	59
2023-04-05 22:30:00	0	0.00402	0	0	#N/A	#N/A	#N/A	59.1	99.7	99.11	-0.3	-0.9	0.08	59.1	#N/A	100	8282	99.09	59
2023-04-05 22:35:00	0	0.00268	0	0	#N/A	#N/A	#N/A	59.1	99.7	99.09	-0.5	-0.8	0.04	59.1	#N/A	100	8281	99.08	59.1
2023-04-05 22:40:00	0	0.00402	0	0	#N/A	#N/A	#N/A	59.1	99.9	99.1	-0.4	-0.6	0.12	59.1	#N/A	100	8279	99.1	59.2
2023-04-05 22:45:00	0	0.00201	0	0	#N/A	#N/A	#N/A	59.1	99.8	99.15	-0.1	-0.5	0.04	59.1	#N/A	100	8278	99.14	59.2
2023-04-05 22:50:00	0	0.00402	0	0	#N/A	#N/A	#N/A	59.2	99.7	99.2	-0.2	-0.8	0.08	59.2	#N/A	100	8277	99.19	59.2
2023-04-05 22:55:00	0	0.0067	0	0	#N/A	#N/A	#N/A	59.1	99.5	99.25	-0.2	-0.7	0.12	59.1	#N/A	100	8277	99.24	59.2
2023-04-05 23:00:00	0	0.00067	0	0	#N/A	#N/A	#N/A	59.1	99.3	99.27	-0.3	-0.6	0.04	59.1	#N/A	100	8276	99.24	59.3
2023-04-05 23:05:00	0	0.00469	0	0	#N/A	#N/A	#N/A	59.4	99.2	99.19	-0.3	-0.9	0.161	59.5	#N/A	100	8276	99.17	59.6
2023-04-05 23:10:00	0	0.00134	0	0	#N/A	#N/A	#N/A	59.7	99.2	99.19	-0.3	-0.6	0.04	59.7	#N/A	100	8277	99.17	59.9
2023-04-05 23:15:00	0	0.00067	0	0	#N/A	#N/A	#N/A	59.8	98.9	99.19	-0.2	-0.7	0.04	59.8	#N/A	100	8276	99.17	60
2023-04-05 23:20:00	0	0	0	0	#N/A	#N/A	#N/A	60	98.9	99.2	-0.3	-0.7	0	60	#N/A	100	8275	99.17	60
2023-04-05 23:25:00	0	0	0	0	#N/A	#N/A	#N/A	60	98.6	99.18	-0.3	-0.6	0	60	#N/A	100	8276	99.15	60.1
2023-04-05 23:30:00	0	0	0	0	#N/A	#N/A	#N/A	60	98.6	99.17	-0.3	-0.5	0	60	#N/A	100	8276	99.14	60.1
2023-04-05 23:35:00	0	0	0	0	#N/A	#N/A	#N/A	60.1	98.5	99.17	-0.3	-0.7	0	60.1	#N/A	100	8272	99.15	60.1
2023-04-05 23:40:00	0	0	0	0	#N/A	#N/A	#N/A	60.1	98.2	99.16	-0.3	-0.6	0	60.1	#N/A	100	8275	99.14	60.2
2023-04-05 23:45:00	0	0.00067	0	0	#N/A	#N/A	#N/A	60	98.1	99.18	-0.4	-0.6	0.04	60	#N/A	100	8272	99.15	60.1
2023-04-05 23:50:00	0	0	0	0	#N/A	#N/A	#N/A	59.7	97.9	99.16	-0.1	-1	0	59.8	#N/A	100	8272	99.14	59.8
2023-04-05 23:55:00	0	0	0	0	#N/A	#N/A	#N/A	59.5	98.3	99.15	-0.2	-0.7	0	59.5	#N/A	100	8270	99.13	59.6

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-06 00:00:00	0	0	0	0	#N/A	#N/A	#N/A	59.5	98.3	99.12	-0.4	-0.4	0	59.4	#N/A	100	8272	99.09	59.5
2023-04-06 00:05:00	0	0	0	0	#N/A	#N/A	#N/A	59.3	98.5	99.08	-0.2	-0.7	0	59.3	#N/A	100	8253	99.06	59.5
2023-04-06 00:10:00	0	0	0	0	#N/A	#N/A	#N/A	59.1	98.4	99.05	-0.5	-0.5	0	59.1	#N/A	100	8248	99.03	59.6
2023-04-06 00:15:00	0	0	0	0	#N/A	#N/A	#N/A	59.3	98.9	99.03	-0.3	-0.7	0	59.3	#N/A	100	8238	99.02	60
2023-04-06 00:20:00	0	0	0	0	#N/A	#N/A	#N/A	59.5	98.8	99.03	-0.4	-0.6	0	59.5	#N/A	100	8251	99.02	60.1
2023-04-06 00:25:00	0	0	0	0	#N/A	#N/A	#N/A	59.8	98.5	99.01	-0.3	-0.4	0	59.8	#N/A	100	8253	98.98	60
2023-04-06 00:30:00	0	0	0	0	#N/A	#N/A	#N/A	59.7	98.4	98.98	-0.2	-0.5	0	59.7	#N/A	100	8254	98.96	60
2023-04-06 00:35:00	0	0	0	0	#N/A	#N/A	#N/A	59.8	98.1	98.96	-0.3	-0.7	0	59.8	#N/A	100	8254	98.95	60
2023-04-06 00:40:00	0	0	0	0	#N/A	#N/A	#N/A	59.9	97.9	99	0	-0.6	0	59.9	#N/A	100	8255	98.99	60.2
2023-04-06 00:45:00	0	0	0	0	#N/A	#N/A	#N/A	60.1	97.6	99.05	-0.2	-0.8	0	60.1	#N/A	100	8255	99.04	60.3
2023-04-06 00:50:00	0	0	0	0	#N/A	#N/A	#N/A	60.2	97.4	99.07	-0.2	-0.6	0	60.2	#N/A	100	8255	99.06	60.4
2023-04-06 00:55:00	0	0	0	0	#N/A	#N/A	#N/A	60.2	97.1	99.09	-0.3	-0.8	0	60.2	#N/A	100	8254	99.07	60.4
2023-04-06 01:00:00	0	0	0	0	#N/A	#N/A	#N/A	60.1	97.1	99.1	0	-0.6	0	60.2	#N/A	100	8252	99.08	60.4
2023-04-06 01:05:00	0	0	0	0	#N/A	#N/A	#N/A	60.1	96.8	99.07	-0.3	-0.7	0	60.2	#N/A	100	8253	99.04	60.4
2023-04-06 01:10:00	0	0	0	0	#N/A	#N/A	#N/A	60.2	96.6	99.05	-0.4	-0.7	0	60.2	#N/A	100	8250	99.02	60.4
2023-04-06 01:15:00	0	0	0	0	#N/A	#N/A	#N/A	60.2	96.1	99.06	-0.3	-0.7	0	60.2	#N/A	100	8254	99.04	60.3
2023-04-06 01:20:00	0	0	0	0	#N/A	#N/A	#N/A	60.1	95.9	99.07	-0.4	-0.8	0	60.1	#N/A	100	8252	99.05	60.3
2023-04-06 01:25:00	0	0	0	0	#N/A	#N/A	#N/A	60.2	95.7	99.08	-0.1	-0.6	0	60.2	#N/A	100	8251	99.06	60.4
2023-04-06 01:30:00	0	0	0	0	#N/A	#N/A	#N/A	60.2	95.8	99.08	-0.2	-0.5	0	60.2	#N/A	100	8254	99.06	60.4
2023-04-06 01:35:00	0	0	0	0	#N/A	#N/A	#N/A	60.1	95.7	99.07	-0.3	-0.6	0	60.1	#N/A	100	8249	99.05	60.3
2023-04-06 01:40:00	0	0	0	0	#N/A	#N/A	#N/A	60.1	95.4	99.07	-0.3	-0.9	0	60.1	#N/A	100	8250	99.05	60.3
2023-04-06 01:45:00	0	0	0	0	#N/A	#N/A	#N/A	60.1	95.4	99.07	-0.3	-0.6	0	60.1	#N/A	100	8248	99.05	60.3
2023-04-06 01:50:00	0	0	0	0	#N/A	#N/A	#N/A	60.2	94.7	99.08	-0.2	-0.6	0	60.2	#N/A	100	8249	99.06	60.4
2023-04-06 01:55:00	0	0	0	0	#N/A	#N/A	#N/A	60.2	94.2	99.08	-0.3	-0.7	0	60.2	#N/A	100	8249	99.06	60.4
2023-04-06 02:00:00	0	0	0	0	#N/A	#N/A	#N/A	60.3	93.6	99.1	-0.2	-0.7	0	60.3	#N/A	100	8248	99.07	60.5
2023-04-06 02:05:00	0	0	0	0	#N/A	#N/A	#N/A	60.4	93.7	99.1	-0.2	-0.9	0	60.4	#N/A	100	8248	99.08	60.5
2023-04-06 02:10:00	0	0	0	0	#N/A	#N/A	#N/A	60.2	93.7	99.11	-0.1	-0.6	0	60.2	#N/A	100	8248	99.08	60.4
2023-04-06 02:15:00	0	0	0	0	#N/A	#N/A	#N/A	60.2	93.3	99.11	-0.2	-0.7	0	60.2	#N/A	100	8248	99.08	60.5
2023-04-06 02:20:00	0	0	0	0	#N/A	#N/A	#N/A	60.3	93.1	99.11	-0.3	-0.5	0	60.3	#N/A	100	8248	99.09	60.5
2023-04-06 02:25:00	0	0	0	0	#N/A	#N/A	#N/A	60.3	93	99.12	-0.1	-0.7	0	60.3	#N/A	100	8248	99.09	60.5
2023-04-06 02:30:00	0	0	0	0	#N/A	#N/A	#N/A	60.3	93.1	99.13	-0.3	-0.7	0	60.3	#N/A	100	8249	99.1	60.4
2023-04-06 02:35:00	0	0	0	0	#N/A	#N/A	#N/A	60.2	93.2	99.14	-0.3	-0.8	0	60.2	#N/A	100	8245	99.12	60.3
2023-04-06 02:40:00	0	0	0	0	#N/A	#N/A	#N/A	60.1	93.3	99.14	-0.2	-0.7	0	60.1	#N/A	100	8245	99.11	60.3
2023-04-06 02:45:00	0	0	0	0	#N/A	#N/A	#N/A	60	93.5	99.12	-0.3	-0.6	0	60	#N/A	100	8246	99.1	60.2
2023-04-06 02:50:00	0	0	0	0	#N/A	#N/A	#N/A	60	93.4	99.13	-0.2	-0.8	0	60	#N/A	100	8248	99.11	60.2
2023-04-06 02:55:00	0	0	0	0	#N/A	#N/A	#N/A	60.1	93.1	99.14	-0.3	-0.7	0	60.1	#N/A	100	8246	99.12	60.3
2023-04-06 03:00:00	0	0	0	0	#N/A	#N/A	#N/A	60.1	92.8	99.14	-0.2	-0.5	0	60.1	#N/A	100	8244	99.11	60.4
2023-04-06 03:05:00	0	0	0	0	#N/A	#N/A	#N/A	60.4	91.7	99.16	-0.3	-0.7	0	60.5	#N/A	100	8244	99.13	60.7
2023-04-06 03:10:00	0	0	0	0	#N/A	#N/A	#N/A	60.8	90.5	99.15	-0.3	-0.7	0	60.8	#N/A	100	8243	99.13	61.1
2023-04-06 03:15:00	0	0	0	0	#N/A	#N/A	#N/A	61.1	89.6	99.15	-0.1	-0.6	0	61.1	#N/A	100	8243	99.13	61.4
2023-04-06 03:20:00	0	0	0	0	#N/A	#N/A	#N/A	61.3	89.1	99.16	-0.2	-0.6	0	61.3	#N/A	100	8244	99.14	61.4
2023-04-06 03:25:00	0	0	0	0	#N/A	#N/A	#N/A	61.2	90.1	99.18	-0.1	-0.6	0	61.2	#N/A	100	8244	99.14	61.2
2023-04-06 03:30:00	0	0	0	0	#N/A	#N/A	#N/A	60.9	90.1	99.16	-0.2	-0.7	0	60.9	#N/A	100	8244	99.13	61.1
2023-04-06 03:35:00	0	0	0	0	#N/A	#N/A	#N/A	60.9	90	99.17	-0.2	-0.7	0	60.9	#N/A	100	8241	99.14	61
2023-04-06 03:40:00	0	0	0	0	#N/A	#N/A	#N/A	60.8	90.3	99.18	-0.2	-0.6	0	60.8	#N/A	100	8240	99.16	61
2023-04-06 03:45:00	0	0	0	0	259	7.56	10.22	60.9	90.1	99.18	-0.3	-0.7	0	60.9	0.18	100	8241	99.16	61.1
2023-04-06 03:50:00	0	0	0	0	266	7.14	11.99	61.1	89.7	99.2	-0.1	-0.9	0	61.1	0.19	100	8240	99.17	61.2
2023-04-06 03:55:00	0	0	0	0	263	7.07	9.31	60.9	90	99.2	-0.3	-0.6	0	60.9	0.18	100	8241	99.17	61.1
2023-04-06 04:00:00	0	0	0	0	258	9.75	17.72	61.1	89.2	99.2	-0.5	-0.7	0	61.1	0.2	100	8240	99.18	61.2
2023-04-06 04:05:00	0	0	0	0	256	9.19	16.22	61.2	88.7	99.22	-0.4	-0.7	0	61.2	0.21	100	8238	99.18	61.4
2023-04-06 04:10:00	0	0	0	0	259	8.97	13.47	61.4	88.1	99.22	-0.2	-0.6	0	61.4	0.22	100	8238	99.19	61.5
2023-04-06 04:15:00	0	0	0	0	257	8.28	12.84	61.5	87.6	99.22	-0.1	-0.7	0	61.5	0.23	100	8236	99.19	61.6
2023-04-06 04:20:00	0	0	0	0	260	8.97	14.32	61.5	87.5	99.23	-0.2	-0.7	0	61.5	0.23	100	8237	99.2	61.6
2023-04-06 04:25:00	0	0	0	0	267	8.93	14.05	61.5	87.2	99.24	-0.3	-0.6	0	61.5	0.24	100	8237	99.21	61.6
2023-04-06 04:30:00	0	0	0	0	275	7.81	9.91	61.5	87.4	99.25	-0.2	-0.8	0	61.5	0.24	100	8236	99.22	61.5
2023-04-06 04:35:00	0	0	0	0	276	7.7	9.04	61.3	87.8	99.26	-0.2	-0.8	0	61.2	0.23	100	8237	99.23	61.3
2023-04-06 04:40:00	0	0	0	0	274	8.19	12.39	61.2	88.1	99.25	-0.3	-0.6	0	61.1	0.22	100	8234	99.22	61.2
2023-04-06 04:45:00	0	0	0	0	266	9.44	13.11	61	87.9	99.26	-0.3	-0.7	0	61.1	0.22	100	8233	99.23	61.2
2023-04-06 04:50:00	0	0	0	0	273	8.77	13.04	61	88.1	99.26	-0.4	-0.8	0	61	0.22	100	8235	99.23	61.1
2023-04-06 04:55:00	0	0	0	0	277	8.57	13.6	60.8	88.1	99.27	-0.2	-0.5	0	60.8	0.22	100	8235	99.24	60.8

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-06 05:00:00	0	0	0	0	283	11.79	19.66	60.5	88.5	99.28	-0.4	-0.8	0	60.5	0.21	100	8234	99.25	60.7
2023-04-06 05:05:00	0	0	0	0	278	15.41	20.51	60.5	88.2	99.28	-0.5	-0.7	0	60.5	0.21	100	8235	99.25	60.6
2023-04-06 05:10:00	0	0	0	0	266	13.51	23.06	60.5	88.4	99.28	-0.3	-0.5	0	60.5	0.21	100	8232	99.25	60.2
2023-04-06 05:15:00	0	0	0	0	262	13.42	20.85	60.3	87.8	99.29	-0.3	-0.5	0	60.3	0.22	100	8232	99.26	59.8
2023-04-06 05:20:00	0	0	0	0	262	15.14	20.18	60.2	87.6	99.29	-0.3	-0.5	0	60.2	0.22	100	8234	99.26	59.6
2023-04-06 05:25:00	0	0	0	0	260	15.21	20.62	59.9	87.6	99.29	-0.3	0.1	0	59.9	0.22	100	8232	99.26	59.6
2023-04-06 05:30:00	0	0	0	0	260	15.41	19.55	59.9	87.7	99.29	-0.6	-0.5	0	60	0.22	100	8232	99.26	59.7
2023-04-06 05:35:00	0	0	0	0	259	15.84	23.11	59.9	87.1	99.3	0.2	-0.5	0	59.9	0.23	100	8232	99.27	59.9
2023-04-06 05:40:00	0	0	0	0	255	14.81	24.79	60	85.9	99.31	-0.3	-0.7	0	60	0.25	100	8231	99.28	60
2023-04-06 05:45:00	0	0	0	0	257	13.87	19.84	59.9	84.7	99.31	-0.3	-1.2	0	59.9	0.27	100	8234	99.28	60.1
2023-04-06 05:50:00	0	0	0	0	257	11.01	15.75	59.9	83.9	99.31	-0.2	-0.6	0	59.9	0.28	100	8229	99.28	60
2023-04-06 05:55:00	0	0	0	0	250	11.68	19.98	59.8	83.5	99.32	0.1	-0.5	0	59.8	0.29	100	8229	99.29	60
2023-04-06 06:00:00	0	0	0	0	253	13.35	21.9	59.8	82.6	99.32	-0.2	-0.3	0	59.8	0.3	100	8229	99.29	59.9
2023-04-06 06:05:00	0	0	0	0	251	13.2	18.72	59.7	81.7	99.32	0.1	-0.4	0	59.7	0.32	100	8230	99.28	59.9
2023-04-06 06:10:00	0	0	0	0	259	12.48	19.48	59.6	80.9	99.31	-0.2	-0.3	0	59.6	0.33	100	8229	99.29	59.8
2023-04-06 06:15:00	0	0	0	0	257	12.46	22.93	59.6	80	99.34	-0.3	-0.7	0	59.6	0.35	100	8229	99.31	59.7
2023-04-06 06:20:00	0	0	0	0	255	13.58	18.99	59.4	79.6	99.36	-0.3	-0.7	0	59.4	0.35	100	8228	99.34	59.6
2023-04-06 06:25:00	0	0	0	0	256	12.64	17.85	59.5	78.6	99.38	-0.3	-0.6	0	59.4	0.37	100	8227	99.35	59.6
2023-04-06 06:30:00	0	0	0	0	258	10.42	15.73	59.2	79.1	99.4	-0.4	-0.8	0	59.2	0.36	100	8226	99.37	59.4
2023-04-06 06:35:00	0	0	0	0	267	12.24	18.07	59	78.8	99.4	-0.2	-0.7	0	59	0.36	100	8224	99.37	59.3
2023-04-06 06:40:00	1.2	0	0	0	273	15.95	21.5	58.8	78	99.41	-0.2	-0.2	0	58.8	0.37	100	8227	99.37	59.1
2023-04-06 06:45:00	2.4	0	0	0	265	14.38	20.89	58.7	78.6	99.42	-0.1	-0.5	0	58.7	0.36	100	8227	99.38	59
2023-04-06 06:50:00	4	0	0	0	266	13.49	18.9	58.6	78.7	99.43	-0.3	-0.4	0	58.6	0.36	100	8225	99.39	58.8
2023-04-06 06:55:00	8.2	0	0	0	268	13.13	21.41	58.4	79.2	99.43	-0.2	-0.5	0	58.4	0.35	100	8224	99.41	58.6
2023-04-06 07:00:00	8	0	0	0	262	11.56	16.98	58.3	79.7	99.45	-0.2	-0.6	0	58.3	0.34	100	8224	99.42	58.4
2023-04-06 07:05:00	12.2	0	0	0	265	11.36	18.37	58	80.6	99.46	-0.2	-0.7	0	58.1	0.32	100	8222	99.42	58
2023-04-06 07:10:00	18.4	0	0	0	265	10.71	14.67	57.8	81.2	99.46	-0.3	-0.8	0	57.9	0.31	100	8222	99.43	57.4
2023-04-06 07:15:00	24.8	0	0	0	260	12.46	16.82	57.6	81.6	99.48	-0.4	-0.7	0	57.7	0.3	100	8222	99.44	57.1
2023-04-06 07:20:00	26.8	0	0	0	257	11.54	22.32	57.2	82.8	99.49	-0.3	-0.8	0	57.3	0.28	100	8222	99.46	56.8
2023-04-06 07:25:00	26.4	0	0	0	262	10.49	14.97	56.9	84	99.51	-0.4	-0.6	0	56.9	0.25	100	8219	99.48	56.6
2023-04-06 07:30:00	46.4	0	0	0	257	10.27	12.39	56.6	85.4	99.52	-0.5	-0.6	0	56.7	0.23	100	8222	99.49	56.3
2023-04-06 07:35:00	51.2	0	0	0	259	10.38	14.72	56.4	86.2	99.52	-0.5	-0.7	0	56.5	0.21	100	8222	99.49	56.1
2023-04-06 07:40:00	45	0	0	0	257	12.48	17.65	56.2	86.6	99.53	-0.1	-0.9	0	56.3	0.21	100	8219	99.5	56
2023-04-06 07:45:00	41.4	0	0	0	253	11.32	15.03	56	86.7	99.55	-0.3	-0.7	0	56.2	0.2	100	8219	99.52	56.1
2023-04-06 07:50:00	43.6	0	0	0	259	13.42	18.1	56.2	86.9	99.55	-0.4	-0.6	0	56.2	0.2	100	8219	99.52	56.1
2023-04-06 07:55:00	55.8	0	0	0	285	14.67	23.02	55.9	82.8	99.54	-0.3	-0.7	0	56	0.26	100	8217	99.51	56
2023-04-06 08:00:00	82	0	0	0	288	14.41	19.82	55.5	72.6	99.54	-0.4	-0.5	0	55.7	0.41	100	8217	99.51	55.7
2023-04-06 08:05:00	73	0	0	0	291	16.55	23.87	55	69.5	99.55	-0.7	-0.9	0	55.2	0.45	100	8219	99.52	55.4
2023-04-06 08:10:00	75.6	0	0	0	284	15.52	21.18	54.7	67.9	99.57	-0.6	-0.5	0	54.8	0.47	100	8216	99.55	55.1
2023-04-06 08:15:00	97.4	0	0	0	279	13.13	20.6	54.2	69	99.61	-0.5	-0.5	0	54.4	0.45	100	8218	99.58	54.8
2023-04-06 08:20:00	121.6	0	0	0	283	12.77	17.27	53.9	69	99.61	-0.4	-0.7	0	54.2	0.44	100	8219	99.58	54.7
2023-04-06 08:25:00	111.4	0	0	0	283	12.48	19.53	53.9	70.3	99.6	-0.3	-0.9	0	54.1	0.42	100	8220	99.58	54.5
2023-04-06 08:30:00	100.8	0	0	0	275	13.6	19.64	53.7	72	99.62	-0.6	-0.7	0	54	0.39	100	8222	99.59	54.4
2023-04-06 08:35:00	154.2	0	0	0	277	11.86	17.09	53.6	72.4	99.61	-0.5	-0.3	0	53.9	0.39	100	8220	99.58	54.3
2023-04-06 08:40:00	147.2	0	0	0	275	13.44	21.74	53.7	71.2	99.64	-0.3	-0.4	0	54	0.41	100	8220	99.62	54.3
2023-04-06 08:45:00	122.4	0	0	0	275	14.85	22.24	53.7	67.4	99.64	-0.2	-0.3	0	54	0.46	100	8222	99.6	54.2
2023-04-06 08:50:00	143.4	0	0	0	285	13.27	17.02	53.5	67.8	99.61	-0.3	-0.7	0	53.9	0.45	100	8222	99.59	54.2
2023-04-06 08:55:00	144	0	0	0	283	12.71	20.13	53.5	67.8	99.63	-0.3	-0.9	0	53.9	0.45	100	8222	99.6	54.1
2023-04-06 09:00:00	161.4	0	0	0	278	13.56	17.38	53.4	68.1	99.62	-0.4	-0.7	0	53.8	0.44	100	8225	99.6	54.1
2023-04-06 09:05:00	159.2	0	0	0	284	12.62	19.04	53.5	67.6	99.65	-0.5	-0.3	0	53.9	0.45	100	8225	99.62	54.1
2023-04-06 09:10:00	160.8	0	0	0	281	10.04	14.83	53.5	68.6	99.64	-0.2	-0.7	0	53.9	0.44	100	8226	99.61	54.1
2023-04-06 09:15:00	155.6	0	0	0	283	10.16	15.1	53.5	69.7	99.65	-0.5	-0.6	0	53.9	0.42	100	8226	99.63	54.1
2023-04-06 09:20:00	160.8	0	0	0	264	12.93	19.33	53.5	71.9	99.66	-0.3	-0.7	0	53.9	0.39	100	8225	99.63	54.1
2023-04-06 09:25:00	140	0	0	0	263	12.62	20.49	53.4	73.7	99.67	-0.4	-0.2	0	53.7	0.37	100	8226	99.65	54
2023-04-06 09:30:00	164	0	0	0	258	16.13	20.76	53.2	72.6	99.69	-0.4	-0.7	0	53.6	0.38	100	8229	99.67	53.8
2023-04-06 09:35:00	216.8	0	0	0	252	15.75	21.94	53	70.3	99.68	-0.3	-0.4	0	53.4	0.41	100	8230	99.66	53.6
2023-04-06 09:40:00	195	0	0	0	259	15.61	22.35	52.8	67.2	99.7	-0.2	-0.6	0	53.3	0.45	100	8231	99.68	53.5
2023-04-06 09:45:00	247.8	0	0	0	273	14.74	21.12	52.7	63.3	99.69	-0.3	-0.7	0	53.2	0.5	100	8234	99.67	53.5
2023-04-06 09:50:00	182.6	0	0	0	271	14.52	21.99	52.7	61.8	99.71	-0.1	-0.5	0	53.2	0.52	100	8234	99.69	53.4
2023-04-06 09:55:00	202.4	0	0	0	254	12.17	18.25	52.6	64.3	99.72	-0.2	-0.5	0	53.1	0.48	100	8235	99.69	53.3

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-06 10:00:00	176.8	0	0	0	263	17.16	24.25	52.5	62.4	99.73	-0.2	-0.8	0	52.9	0.51	100	8234	99.7	53.2
2023-04-06 10:05:00	145.6	0	0	0	260	13.27	18.16	52.3	62.6	99.73	-0.3	-0.8	0	52.6	0.5	100	8235	99.7	53
2023-04-06 10:10:00	158	0	0	0	257	13.2	19.84	52.1	64.2	99.73	-0.5	-0.3	0	52.4	0.48	100	8232	99.7	52.8
2023-04-06 10:15:00	184.2	0	0	0	256	11.99	16.93	51.9	64.3	99.71	-0.4	-0.7	0	52.3	0.47	100	8235	99.69	52.7
2023-04-06 10:20:00	234.2	0	0	0	263	11.05	16.58	51.8	64.3	99.69	-0.3	-0.6	0	52.3	0.47	100	8236	99.67	52.7
2023-04-06 10:25:00	307.8	0	0	0	258	10.89	21.16	51.8	65	99.69	-0.4	-0.5	0	52.6	0.46	100	8240	99.67	52.8
2023-04-06 10:30:00	304.4	0	0	0	260	11.32	19.46	52.1	64.9	99.72	-0.3	-0.7	0	52.9	0.47	100	8245	99.7	52.9
2023-04-06 10:35:00	365.4	0	0	0	253	13.2	18.88	52.4	63.4	99.71	-0.1	-0.5	0	53.2	0.49	100	8250	99.69	53.1
2023-04-06 10:40:00	521.2	0	0	0	246	13.78	18.66	53	61.1	99.69	-0.3	-0.2	0	53.8	0.53	100	8260	99.69	53.2
2023-04-06 10:45:00	377	0	0	0	261	12.3	19.26	53.3	60.3	99.73	-0.3	-0.7	0	54.1	0.55	100	8257	99.72	53.6
2023-04-06 10:50:00	286	0	0	0	278	16.69	28.32	53.3	59	99.74	-0.6	-0.3	0	54	0.57	100	8260	99.72	53.7
2023-04-06 10:55:00	280.6	0	0	0	273	15.1	22.17	53	58.2	99.75	-0.6	-0.6	0	53.5	0.57	100	8261	99.72	53.5
2023-04-06 11:00:00	276	0	0	0	271	13.35	17.63	52.9	57.4	99.74	-0.4	-0.8	0	53.4	0.58	100	8262	99.72	53.4
2023-04-06 11:05:00	261.2	0	0	0	259	12.62	18.05	52.8	58.9	99.77	-0.1	-0.7	0	53.4	0.56	100	8264	99.75	53.4
2023-04-06 11:10:00	283.4	0	0	0	256	11.07	17.6	52.7	60.5	99.79	-0.5	-0.6	0	53.4	0.54	100	8266	99.77	53.5
2023-04-06 11:15:00	379.4	0	0	0	244	15.66	21.59	52.8	58.8	99.78	-0.6	-0.5	0	53.5	0.56	100	8269	99.76	53.5
2023-04-06 11:20:00	493.6	0	0	0	257	14.14	20.49	53.3	58.1	99.78	-0.5	-0.6	0	54.1	0.58	100	8277	99.77	53.7
2023-04-06 11:25:00	373.4	0	0	0	263	14.76	21.85	53.5	56.4	99.79	-0.3	-0.7	0	54.2	0.61	100	8274	99.77	54.1
2023-04-06 11:30:00	369.2	0	0	0	256	16.44	24.32	53.5	52.9	99.8	-0.6	-0.5	0	54.2	0.66	100	8280	99.77	54.1
2023-04-06 11:35:00	368	0	0	0	256	14.72	26.24	53.3	52.6	99.8	-0.3	-0.7	0	54	0.66	100	8281	99.78	54.2
2023-04-06 11:40:00	269.4	0	0	0	264	16.35	23.15	53.2	52.5	99.82	-0.2	-0.5	0	53.8	0.66	100	8280	99.8	54
2023-04-06 11:45:00	260.8	0	0	0	269	16.75	26.22	52.9	53.2	99.84	-0.3	-0.4	0	53.3	0.64	100	8281	99.82	53.8
2023-04-06 11:50:00	275.4	0	0	0	275	17.69	27.65	52.6	52.9	99.85	-0.1	-0.8	0	53	0.63	100	8283	99.82	53.5
2023-04-06 11:55:00	293.8	0	0	0	273	14.16	22.37	52.4	54.8	99.84	-0.5	-0.7	0	53	0.61	100	8285	99.81	53.5
2023-04-06 12:00:00	372.4	0	0	0	280	15.17	21.41	52.3	55.1	99.84	-0.7	-0.6	0	53	0.6	100	8288	99.81	53.5
2023-04-06 12:05:00	348.8	0	0	0	275	12.93	22.82	52.6	56.1	99.84	-0.3	-0.7	0	53.3	0.59	100	8288	99.82	53.8
2023-04-06 12:10:00	363.8	0	0	0	271	14.43	20.29	52.8	56.4	99.85	-0.3	-0.4	0	53.5	0.59	100	8292	99.83	53.9
2023-04-06 12:15:00	295.8	0	0	0	272	14.23	18.41	52.8	56.7	99.86	-0.3	-0.3	0	53.5	0.59	100	8292	99.83	53.9
2023-04-06 12:20:00	283.8	0	0	0	263	13.51	19.91	52.8	57.6	99.87	-0.6	-0.9	0	53.4	0.58	100	8291	99.84	53.9
2023-04-06 12:25:00	284	0	0	0	267	14	21.21	52.8	57.7	99.88	-0.4	-0.7	0	53.4	0.58	100	8294	99.85	53.8
2023-04-06 12:30:00	333.6	0	0	0	266	11.88	20.2	52.7	59.4	99.85	-0.3	-1	0	53.5	0.55	100	8295	99.82	53.9
2023-04-06 12:35:00	288.8	0	0	0	265	9.48	13.82	52.8	60.8	99.85	-0.3	-0.5	0	53.6	0.53	100	8295	99.82	54
2023-04-06 12:40:00	302.8	0	0	0	267	12.86	20.29	53	61.3	99.84	-0.6	-0.7	0	53.7	0.53	100	8298	99.82	54.1
2023-04-06 12:45:00	265.6	0	0	0	262	11.21	16.24	53	61.7	99.85	-0.3	-0.8	0	53.6	0.53	100	8297	99.81	54
2023-04-06 12:50:00	295	0	0	0	267	9.33	12.84	53.1	63.8	99.84	-0.3	-0.9	0	53.8	0.5	100	8300	99.81	54.2
2023-04-06 12:55:00	262.2	0	0	0	271	13.87	21.56	53.3	63.5	99.84	-0.7	-0.3	0	54	0.51	100	8299	99.81	54.3
2023-04-06 13:00:00	320.4	0	0	0	268	14.14	18.32	53.4	63.1	99.84	-0.3	-0.4	0	54	0.51	100	8304	99.81	54.3
2023-04-06 13:05:00	362.4	0	0	0	267	13.09	19.73	53.4	63.1	99.84	-0.2	-0.5	0	54.2	0.51	100	8302	99.82	54.4
2023-04-06 13:10:00	300	0	0	0	263	11.97	19.57	53.7	62.2	99.85	-0.3	-0.9	0	54.4	0.53	100	8307	99.82	54.6
2023-04-06 13:15:00	184.8	0	0	0	267	10.74	17.02	53.8	63.2	99.85	-0.4	-0.8	0	54.3	0.52	100	8303	99.82	54.6
2023-04-06 13:20:00	161.8	0	0	0	268	13.53	19.69	53.6	62.5	99.86	-0.6	-0.5	0	54	0.53	100	8303	99.82	54.3
2023-04-06 13:25:00	237.2	0	0	0	252	14.05	21	53.3	62.5	99.84	-0.4	-0.5	0	53.7	0.52	100	8303	99.81	54.1
2023-04-06 13:30:00	267.8	0	0	0	233	14.56	24.32	53.1	62.1	99.84	-0.3	-0.6	0	53.6	0.52	100	8306	99.81	54
2023-04-06 13:35:00	237.4	0	0	0	257	11.74	16.87	53.1	63.3	99.85	-0.3	-0.9	0	53.6	0.5	100	8306	99.82	54.1
2023-04-06 13:40:00	196.8	0	0	0	255	11.39	16.58	53.2	61.2	99.85	-0.4	-0.3	0	53.7	0.54	100	8306	99.82	54.1
2023-04-06 13:45:00	215.4	0	0	0	254	16.53	21.14	53.1	58.6	99.86	-0.9	-0.5	0	53.5	0.57	100	8307	99.84	54
2023-04-06 13:50:00	315.4	0	0	0	263	14.52	23.4	53	58.2	99.85	-0.5	-0.5	0	53.6	0.57	100	8309	99.82	53.9
2023-04-06 13:55:00	397.2	0	0	0	263	15.99	24.36	53.1	59.1	99.84	-0.4	-0.1	0	53.9	0.56	100	8313	99.82	54.1
2023-04-06 14:00:00	339.8	0	0	0	259	16.37	23.09	53.4	58.8	99.84	-0.5	-0.6	0	54.1	0.57	100	8314	99.81	54.3
2023-04-06 14:05:00	366	0	0	0	241	16.35	22.82	53.5	59.2	99.86	-0.7	-0.8	0	54.2	0.57	100	8317	99.84	54.4
2023-04-06 14:10:00	296	0	0	0	257	16.96	25.23	53.6	57.9	99.87	-0.7	-0.5	0	54.1	0.59	100	8314	99.84	54.3
2023-04-06 14:15:00	287	0	0	0	244	14.76	20.87	53.4	58.6	99.85	-0.5	-1	0	54	0.58	100	8319	99.82	54.2
2023-04-06 14:20:00	275.6	0	0	0	248	11.83	18.32	53.2	60	99.86	-0.3	-0.7	0	53.9	0.55	100	8321	99.83	54.2
2023-04-06 14:25:00	247.8	0	0	0	244	11.43	16.67	53.3	60.6	99.85	-0.4	-0.5	0	54	0.55	100	8319	99.82	54.3
2023-04-06 14:30:00	278	0	0	0	241	14.18	21.56	53.5	60.4	99.85	-0.2	-0.8	0	54	0.55	100	8318	99.82	54.3
2023-04-06 14:35:00	299.4	0	0	0	238	15.64	21.03	53.3	59.3	99.85	-0.8	-0.7	0	54	0.56	100	8320	99.82	54.2
2023-04-06 14:40:00	300.8	0	0	0	243	14.72	20.96	53.4	57.8	99.85	-0.2	-0.5	0	54	0.59	100	8323	99.83	54.2
2023-04-06 14:45:00	275.4	0	0	0	256	14.12	21.77	53.5	58.2	99.88	-0.2	-0.5	0	54	0.58	100	8325	99.84	54.4
2023-04-06 14:50:00	276.4	0	0	0	257	16.24	22.93	53.6	56.6	99.87	-0.2	-0.1	0	54.1	0.61	100	8323	99.85	54.4
2023-04-06 14:55:00	308.8	0	0	0	260	10.85	16.31	53.5	57	99.88	-0.6	-0.7	0	54.2	0.6	100	8324	99.85	54.4

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-06 15:00:00	254.4	0	0	0	253	11.54	18.57	53.6	56.3	99.88	-0.5	-0.3	0	54.2	0.61	100	8326	99.85	54.6
2023-04-06 15:05:00	266.8	0	0	0	269	11.92	16.71	53.6	54.8	99.89	-0.5	-0.4	0	54.2	0.63	100	8326	99.86	54.6
2023-04-06 15:10:00	283.8	0	0	0	263	14.05	20.07	53.6	54.6	99.89	-0.2	-0.5	0	54.3	0.64	100	8327	99.86	54.5
2023-04-06 15:15:00	273.4	0	0	0	278	14.29	18.9	53.5	52.5	99.91	-0.3	-0.7	0	54	0.66	100	8330	99.89	54.4
2023-04-06 15:20:00	271.6	0	0	0	269	11.81	16.91	53.3	55	99.91	-0.3	-0.6	0	54	0.62	100	8330	99.88	54.3
2023-04-06 15:25:00	248.2	0	0	0	271	13.22	22.84	53.4	54.4	99.91	-0.3	-0.7	0	54	0.63	100	8328	99.88	54.2
2023-04-06 15:30:00	245	0	0	0	262	14.85	22.59	53.2	54.9	99.91	-0.3	-0.7	0	53.7	0.62	100	8330	99.88	54.1
2023-04-06 15:35:00	217.8	0	0	0	258	12.57	19.33	53	55.4	99.91	-0.4	-0.8	0	53.4	0.61	100	8333	99.88	53.9
2023-04-06 15:40:00	254	0	0	0	273	12.1	19.46	52.7	55.9	99.91	-0.7	-0.4	0	53.3	0.6	100	8331	99.88	53.8
2023-04-06 15:45:00	206.4	0	0	0	265	15.1	21.05	52.8	54.8	99.9	-0.2	-0.7	0	53.3	0.62	100	8333	99.87	53.6
2023-04-06 15:50:00	138	0	0	0	255	15.21	22.06	52.7	54.6	99.93	-0.4	-0.7	0	53	0.61	100	8330	99.89	53.4
2023-04-06 15:55:00	138	0	0	0	251	13.35	22.91	52.3	53.6	99.92	-0.6	-0.4	0	52.6	0.62	100	8332	99.88	53.2
2023-04-06 16:00:00	250.2	0	0	0	237	17.63	26.78	52	53.6	99.92	-0.8	-0.6	0	52.3	0.61	100	8331	99.89	52.8
2023-04-06 16:05:00	379	0	0	0	251	12.26	21.39	51.8	55.7	99.91	-0.7	-0.6	0	52.5	0.58	100	8333	99.88	53
2023-04-06 16:10:00	223.8	0	0	0	261	20.09	28.88	52.3	53	99.91	-0.2	-0.8	0	52.7	0.63	100	8334	99.88	53.1
2023-04-06 16:15:00	240	0	0	0	253	19.48	27.85	52.2	51	99.91	-0.6	-1	0	52.6	0.65	100	8334	99.87	52.8
2023-04-06 16:20:00	233.4	0	0	0	252	16.73	25.32	52.1	50.9	99.91	-0.3	-0.8	0	52.4	0.65	100	8331	99.87	52.7
2023-04-06 16:25:00	148.2	0	0	0	255	16.02	26.91	52	50.1	99.91	0	-0.3	0	52.3	0.66	100	8334	99.87	52.6
2023-04-06 16:30:00	145	0	0	0	259	12.95	21.54	51.8	50.5	99.91	-0.1	-0.4	0	52.1	0.65	100	8332	99.88	52.4
2023-04-06 16:35:00	177.6	0	0	0	258	17.29	23.6	51.7	48.7	99.92	-0.6	-1	0	52	0.67	100	8332	99.88	52.4
2023-04-06 16:40:00	167.8	0	0	0	252	19.3	29.1	51.7	46.3	99.92	-0.3	-0.6	0	52	0.7	100	8333	99.89	52.2
2023-04-06 16:45:00	179.8	0	0	0	257	19.98	26.6	51.6	44.7	99.93	-0.9	-0.1	0	51.9	0.72	100	8334	99.89	52.2
2023-04-06 16:50:00	136.8	0	0	0	261	19.3	28.9	51.6	44.3	99.93	-0.9	-1.1	0	51.8	0.73	100	8332	99.9	52
2023-04-06 16:55:00	136.6	0	0	0	265	17.25	29.71	51.4	43.7	99.93	-0.6	-0.2	0	51.7	0.73	100	8332	99.89	51.9
2023-04-06 17:00:00	122.6	0	0	0	255	19.26	27.51	51.4	44.3	99.93	0.2	-0.5	0	51.5	0.72	100	8331	99.89	51.8
2023-04-06 17:05:00	90.8	0	0	0	245	17.81	27.85	51.3	43.9	99.94	-0.5	-0.8	0	51.5	0.72	100	8330	99.91	51.6
2023-04-06 17:10:00	163	0	0	0	259	16.11	24.61	51.1	44.6	99.95	-0.6	-0.7	0	51.4	0.71	100	8330	99.92	51.6
2023-04-06 17:15:00	135	0	0	0	261	13.69	21.63	51.2	45.6	99.95	-0.8	-0.7	0	51.5	0.7	100	8330	99.91	51.6
2023-04-06 17:20:00	145.6	0	0	0	273	15.79	19.62	51.2	44.8	99.96	-0.3	-0.4	0	51.5	0.71	100	8328	99.92	51.6
2023-04-06 17:25:00	125.4	0	0	0	264	14.45	22.57	51.1	45.2	99.96	-0.6	-0.4	0	51.4	0.7	100	8329	99.91	51.5
2023-04-06 17:30:00	119.8	0	0	0	254	17	23.49	51	43.7	99.96	0	-0.2	0	51.3	0.72	100	8329	99.93	51.4
2023-04-06 17:35:00	134	0	0	0	279	13.78	20	50.9	45.4	99.97	-0.4	-0.6	0	51.2	0.69	100	8328	99.92	51.2
2023-04-06 17:40:00	129	0	0	0	272	12.88	19.55	50.8	45.5	99.96	-0.5	-0.6	0	51	0.69	100	8328	99.92	51.2
2023-04-06 17:45:00	112.8	0	0	0	272	17.56	27.27	50.6	45.4	99.96	-0.8	-0.8	0	50.8	0.69	100	8328	99.92	51
2023-04-06 17:50:00	117.4	0	0	0	269	20.18	28.14	50.5	43.8	99.95	-0.1	-0.4	0	50.7	0.7	100	8326	99.9	50.8
2023-04-06 17:55:00	90.6	0	0	0	266	19.04	25.19	50.3	43.5	99.95	-0.6	-0.6	0	50.5	0.7	100	8327	99.91	50.6
2023-04-06 18:00:00	65.4	0	0	0	260	18.16	24.18	50.1	44.2	99.96	-0.4	-0.2	0	50.3	0.69	100	8324	99.92	50.3
2023-04-06 18:05:00	127.4	0	0	0	266	19.55	28.32	49.9	42.9	99.95	-0.9	-0.4	0	50	0.7	100	8325	99.92	50.2
2023-04-06 18:10:00	254	0	0	0	255	17.94	23.06	50.1	43.6	99.97	-0.3	-0.7	0	50.5	0.69	100	8323	99.93	51
2023-04-06 18:15:00	160.4	0	0	0	263	15.79	23.89	50.5	43.5	99.96	-0.4	-0.8	0	50.9	0.71	100	8321	99.93	51.6
2023-04-06 18:20:00	130.2	0	0	0	266	14.9	19.19	50.6	43.1	99.98	-0.3	-0.5	0	50.9	0.72	100	8320	99.94	51.3
2023-04-06 18:25:00	129.6	0	0	0	264	12.03	17.65	50.7	43.1	100	-0.5	-0.6	0	51	0.72	100	8321	99.96	51.3
2023-04-06 18:30:00	80.2	0	0	0	260	15.48	25.77	50.6	43.8	100.01	-0.2	-0.8	0	50.9	0.71	100	8321	99.96	51.3
2023-04-06 18:35:00	46.8	0	0	0	260	14.7	20.6	50.4	42.6	100	-0.7	-0.8	0	50.5	0.72	100	8319	99.96	50.6
2023-04-06 18:40:00	39.8	0	0	0	261	11.48	16.37	50	44.2	100.03	-0.5	-0.9	0	50	0.68	100	8318	99.99	50.1
2023-04-06 18:45:00	23.6	0	0	0	262	12.68	17.98	49.5	45.1	100.04	-0.4	-0.6	0	49.5	0.66	100	8316	99.99	49.4
2023-04-06 18:50:00	18.8	0	0	0	257	17.52	27.02	49	44.2	100.03	-0.7	-0.4	0	49.1	0.66	100	8314	99.99	48.9
2023-04-06 18:55:00	16.2	0	0	0	253	14.07	22.03	48.5	45.1	100.03	-0.6	-0.8	0	48.6	0.64	100	8311	99.99	48.4
2023-04-06 19:00:00	13.8	0	0	0	250	18.03	25.93	48.2	44.2	100.04	-0.4	-0.5	0	48.2	0.64	100	8314	100	48
2023-04-06 19:05:00	11.4	0	0	0	257	16.49	25.41	47.9	43.4	100.05	-0.6	-0.2	0	47.9	0.64	100	8313	100.01	47.8
2023-04-06 19:10:00	9.8	0	0	0	254	14.58	22.46	47.7	43.8	100.04	-0.1	-0.8	0	47.8	0.63	100	8311	99.99	47.5
2023-04-06 19:15:00	6.2	0	0	0	256	12.35	17.09	47.4	44.3	100.04	-0.7	-0.7	0	47.4	0.62	100	8310	99.99	47.1
2023-04-06 19:20:00	4.4	0	0	0	256	16.67	24.4	47.2	44.1	100.04	-0.4	-1.2	0	47.2	0.62	100	8312	100	46.8
2023-04-06 19:25:00	3.2	0	0	0	256	13.04	21.94	46.9	44.8	100.04	-0.4	-0.7	0	46.9	0.6	100	8309	100	46.5
2023-04-06 19:30:00	2	0	0	0	259	12.08	18.43	46.6	45.3	100.05	-0.7	-0.5	0	46.6	0.59	100	8311	100.01	46.1
2023-04-06 19:35:00	1	0	0	0	256	14.27	19.73	46.3	45.6	100.05	-0.6	-0.8	0	46.3	0.58	100	8307	100.01	45.9
2023-04-06 19:40:00	0.8	0	0	0	261	19.93	29.21	46.2	44.8	100.05	-0.1	-0.9	0	46.1	0.59	100	8307	100	45.8
2023-04-06 19:45:00	0	0	0	0	259	15.86	23.38	46.1	45.2	100.06	-0.6	-1	0	46.1	0.58	100	8305	100.01	45.6
2023-04-06 19:50:00	0	0	0	0	259	13.47	18.79	45.9	45.9	100.06	-0.7	-0.4	0	45.9	0.57	100	8305	100.02	45.3
2023-04-06 19:55:00	0	0	0	0	256	11.21	18.54	45.6	47.6	100.06	-0.8	-0.6	0	45.6	0.55	100	8303	100.01	44.9

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-06 20:00:00	0	0	0	0	253	11.72	17	45.3	48.3	100.05	-0.4	-0.3	0	45.3	0.53	100	8303	100.01	44.6
2023-04-06 20:05:00	0	0	0	0	255	12.28	21.16	45.1	48.5	100.06	-0.7	-0.5	0	45.1	0.53	100	8301	100.01	44.3
2023-04-06 20:10:00	0	0	0	0	257	13.33	20.42	45	48.7	100.06	-0.7	-0.4	0	45	0.52	100	8303	100.02	44.2
2023-04-06 20:15:00	0	0	0	0	253	15.28	26.24	44.9	48.6	100.07	-0.3	-0.9	0	44.9	0.52	100	8301	100.02	44
2023-04-06 20:20:00	0	0	0	0	256	14.34	21.36	44.9	47.9	100.06	-0.8	-0.4	0	44.9	0.53	100	8299	100.02	44
2023-04-06 20:25:00	0	0	0	0	258	12.95	21.07	44.8	47.8	100.07	-0.4	-0.8	0	44.8	0.53	100	8301	100.02	43.8
2023-04-06 20:30:00	0	0	0	0	254	12.48	17.72	44.6	48.8	100.08	-0.5	-0.5	0	44.6	0.51	100	8301	100.04	43.6
2023-04-06 20:35:00	0	0	0	0	253	12.75	19.89	44.3	49.3	100.07	-0.5	-0.7	0	44.3	0.5	100	8298	100.03	43.4
2023-04-06 20:40:00	0	0	0	0	253	14.65	23.51	44.2	49.5	100.08	-0.4	-0.6	0	44.2	0.5	100	8296	100.04	43.3
2023-04-06 20:45:00	0	0	0	0	256	15.12	24.34	44.1	49.4	100.1	-0.3	-0.5	0	44.2	0.5	100	8297	100.05	43.2
2023-04-06 20:50:00	0	0	0	0	257	15.88	22.26	44.1	48.9	100.11	-0.6	-0.9	0	44.1	0.5	100	8297	100.06	43.2
2023-04-06 20:55:00	0	0	0	0	256	14.07	23.42	44	49.9	100.12	-0.7	-0.6	0	44	0.49	100	8296	100.07	43
2023-04-06 21:00:00	0	0	0	0	257	15.03	21.18	43.9	50.3	100.14	-0.6	-0.7	0	43.9	0.48	100	8296	100.09	42.9
2023-04-06 21:05:00	0	0	0	0	258	16.33	23.94	43.8	51.7	100.14	-0.4	-0.6	0	43.8	0.47	100	8293	100.09	42.8
2023-04-06 21:10:00	0	0	0	0	260	16.49	24	43.7	52.4	100.15	-0.9	-0.5	0	43.7	0.46	100	8295	100.1	42.7
2023-04-06 21:15:00	0	0	0	0	263	16.53	27.22	43.6	52.8	100.16	-0.4	-0.9	0	43.6	0.45	100	8295	100.1	42.6
2023-04-06 21:20:00	0	0	0	0	257	16.69	25.52	43.4	53.4	100.16	-1.2	-0.7	0	43.4	0.45	100	8292	100.11	42.5
2023-04-06 21:25:00	0	0	0	0	258	15.95	24.05	43.4	54.1	100.17	-0.6	-0.6	0	43.4	0.44	100	8289	100.12	42.4
2023-04-06 21:30:00	0	0	0	0	257	13.85	22.32	43.2	55.2	100.17	-1.1	-0.6	0	43.2	0.43	100	8293	100.12	42.3
2023-04-06 21:35:00	0	0	0	0	254	15.05	22.01	43.1	55.2	100.18	-0.4	0	0	43.1	0.42	100	8291	100.13	42.2
2023-04-06 21:40:00	0	0	0	0	255	15.23	20.13	43	55.6	100.18	-0.7	-0.4	0	43	0.42	100	8291	100.14	42.1
2023-04-06 21:45:00	0	0	0	0	250	16.08	22.79	43	56.3	100.18	-0.9	0	0	42.9	0.41	100	8289	100.13	42
2023-04-06 21:50:00	0	0	0	0	256	16.44	23.29	42.9	57.7	100.18	-0.3	-0.8	0	42.9	0.4	100	8291	100.14	42
2023-04-06 21:55:00	0	0	0	0	252	12.01	18.92	42.9	58.8	100.19	-0.4	-0.6	0	42.9	0.39	100	8289	100.15	41.9
2023-04-06 22:00:00	0	0	0	0	248	11.48	19.73	42.6	59.2	100.19	-0.7	-0.5	0	42.6	0.38	100	8290	100.15	41.6
2023-04-06 22:05:00	0	0	0	0	241	13.18	21.68	42.5	58.5	100.2	-0.7	-0.6	0	42.5	0.38	100	8286	100.16	41.5
2023-04-06 22:10:00	0	0	0	0	243	13.62	18.99	42.5	57.8	100.21	-0.8	-0.6	0	42.4	0.39	100	8286	100.16	41.4
2023-04-06 22:15:00	0	0	0	0	244	12.35	21.27	42.4	59	100.22	-0.7	-0.6	0	42.3	0.38	100	8288	100.18	41.4
2023-04-06 22:20:00	0	0	0	0	243	12.39	20.27	42.3	59.2	100.22	-0.9	-0.6	0	42.3	0.37	100	8286	100.18	41.3
2023-04-06 22:25:00	0	0	0	0	241	10.8	17.69	42.1	59.4	100.23	-0.7	-0.6	0	42.1	0.37	100	8286	100.18	41.1
2023-04-06 22:30:00	0	0	0	0	239	10.63	16.44	41.9	60.2	100.25	-0.7	-0.6	0	41.9	0.36	100	8288	100.2	41
2023-04-06 22:35:00	0	0	0	0	232	13.27	17.07	41.8	61.3	100.23	-0.9	-0.7	0	41.8	0.35	100	8282	100.19	40.9
2023-04-06 22:40:00	0	0	0	0	231	11.41	15.37	41.8	61.8	100.25	-0.7	-0.7	0	41.8	0.34	100	8285	100.2	40.8
2023-04-06 22:45:00	0	0	0	0	226	13.18	18.3	41.7	62.5	100.25	-0.5	-0.5	0	41.7	0.34	100	8282	100.21	40.8
2023-04-06 22:50:00	0	0	0	0	220	12.15	16.78	41.7	62.9	100.25	-0.8	-0.7	0	41.7	0.33	100	8280	100.21	40.8
2023-04-06 22:55:00	0	0	0	0	225	11.3	16.37	41.6	62.9	100.25	-0.7	-0.6	0	41.6	0.33	100	8282	100.2	40.7
2023-04-06 23:00:00	0	0	0	0	229	13.4	19.73	41.6	63.7	100.25	-0.8	-0.5	0	41.6	0.32	100	8282	100.2	40.6
2023-04-06 23:05:00	0	0	0	0	222	13.15	19.17	41.6	63.9	100.25	-0.9	-0.4	0	41.6	0.32	100	8280	100.2	40.6
2023-04-06 23:10:00	0	0	0	0	225	13.4	19.84	41.5	63.6	100.25	-0.5	-0.5	0	41.5	0.32	100	8282	100.2	40.5
2023-04-06 23:15:00	0	0	0	0	217	14.09	17.38	41.5	63.7	100.25	-0.7	-0.5	0	41.4	0.32	100	8278	100.2	40.5
2023-04-06 23:20:00	0	0	0	0	227	12.71	20.96	41.4	64.2	100.25	-0.7	-0.5	0	41.3	0.32	100	8281	100.21	40.5
2023-04-06 23:25:00	0	0	0	0	224	13.96	21.94	41.4	64.4	100.26	-0.5	-0.4	0	41.4	0.32	100	8278	100.21	40.3
2023-04-06 23:30:00	0	0	0	0	226	12.93	17.96	41.3	64.7	100.26	-1	-1	0	41.3	0.31	100	8281	100.22	40.3
2023-04-06 23:35:00	0	0	0	0	225	11.61	17.36	41.2	65	100.27	-0.7	-0.5	0	41.2	0.31	100	8279	100.22	40.2
2023-04-06 23:40:00	0	0	0	0	231	10.74	15.03	41.1	65.2	100.27	-0.9	-0.5	0	41.1	0.3	100	8276	100.23	40.1
2023-04-06 23:45:00	0	0	0	0	223	11.25	16.71	41	66	100.28	-0.7	-0.6	0	41	0.3	100	8279	100.24	40
2023-04-06 23:50:00	0	0	0	0	224	9.75	16.64	41	66	100.28	-0.7	-0.5	0	41	0.3	100	8276	100.24	39.9
2023-04-06 23:55:00	0	0	0	0	222	11.18	17.22	40.9	66.3	100.28	-0.7	-0.6	0	40.9	0.29	100	8276	100.24	39.8
2023-04-07 00:00:00	0	0	0	0	230	10.11	13.76	40.9	65.9	100.28	-0.7	-0.5	0	40.9	0.3	100	8276	100.24	39.8
2023-04-07 00:05:00	0	0	0	0	226	10.6	16.44	40.8	66	100.27	-0.7	-0.5	0	40.8	0.29	100	8252	100.23	39.9
2023-04-07 00:10:00	0	0	0	0	229	10.96	17.05	40.7	66.3	100.26	-0.8	-0.7	0	40.7	0.29	100	8244	100.23	40.1
2023-04-07 00:15:00	0	0	0	0	223	11.07	17.83	40.9	66.4	100.26	-0.9	-0.6	0	40.9	0.29	100	8235	100.22	40.1
2023-04-07 00:20:00	0	0	0	0	229	10.54	14.7	40.6	66.7	100.27	-0.7	-0.4	0	40.6	0.29	100	8250	100.23	40
2023-04-07 00:25:00	0	0	0	0	232	9.71	13.13	40.6	67	100.26	-0.7	-0.6	0	40.6	0.28	100	8254	100.22	39.7
2023-04-07 00:30:00	0	0	0	0	232	9.17	12.55	40.5	67.4	100.25	-0.6	-0.5	0	40.5	0.28	100	8255	100.21	39.5
2023-04-07 00:35:00	0	0	0	0	235	9.69	13.87	40.4	67.9	100.25	-0.6	-0.5	0	40.4	0.27	100	8254	100.21	39.4
2023-04-07 00:40:00	0	0	0	0	229	10.47	15.66	40.3	67.9	100.25	-0.7	-0.6	0	40.3	0.27	100	8254	100.2	39.3
2023-04-07 00:45:00	0	0	0	0	223	8.68	12.15	40.2	68.3	100.25	-0.9	-0.5	0	40.2	0.27	100	8256	100.2	39.2
2023-04-07 00:50:00	0	0	0	0	217	10.11	12.95	40.3	68.1	100.24	-0.8	-0.3	0	40.3	0.27	100	8255	100.2	39.2
2023-04-07 00:55:00	0	0	0	0	213	8.21	11.63	40.3	68.2	100.25	-0.9	-0.6	0	40.3	0.27	100	8254	100.2	39.1

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-07 01:00:00	0	0	0	0	210	7.52	10.83	40.1	68.8	100.25	-0.9	-0.5	0	40.1	0.26	100	8254	100.21	38.9
2023-04-07 01:05:00	0	0	0	0	206	9.4	13.15	39.9	68.9	100.25	-0.8	-0.6	0	40	0.26	100	8253	100.21	38.8
2023-04-07 01:10:00	0	0	0	0	206	9.62	13.67	39.9	69.2	100.25	-0.8	-0.5	0	39.9	0.26	100	8252	100.2	38.7
2023-04-07 01:15:00	0	0	0	0	206	9.48	11.99	39.8	69.6	100.24	-0.7	-0.5	0	39.8	0.25	100	8253	100.19	38.6
2023-04-07 01:20:00	0	0	0	0	211	8.37	11.9	39.8	69	100.24	-0.7	-0.4	0	39.8	0.26	100	8255	100.19	38.5
2023-04-07 01:25:00	0	0	0	0	220	10.2	14.25	39.7	69.1	100.23	-0.7	-0.4	0	39.7	0.26	100	8255	100.19	38.4
2023-04-07 01:30:00	0	0	0	0	221	10.54	15.32	39.7	68.6	100.23	-0.8	-0.4	0	39.7	0.26	100	8253	100.19	38.5
2023-04-07 01:35:00	0	0	0	0	225	10.2	14.07	39.8	68.4	100.23	-0.8	-0.5	0	39.8	0.26	100	8253	100.19	38.5
2023-04-07 01:40:00	0	0	0	0	225	11.39	15.32	39.7	68.4	100.23	-0.9	-0.4	0	39.7	0.26	100	8254	100.2	38.5
2023-04-07 01:45:00	0	0	0	0	230	10.27	16.28	39.8	68.5	100.23	-0.7	-0.5	0	39.8	0.26	100	8254	100.19	38.5
2023-04-07 01:50:00	0	0	0	0	235	9.93	13.47	39.7	68.5	100.24	-0.8	-0.4	0	39.7	0.26	100	8251	100.2	38.4
2023-04-07 01:55:00	0	0	0	0	232	11.97	16.44	39.7	68.1	100.24	-0.8	-0.6	0	39.7	0.26	100	8251	100.2	38.4
2023-04-07 02:00:00	0	0	0	0	235	12.3	17.18	39.8	68.2	100.24	-0.8	-0.7	0	39.9	0.26	100	8251	100.2	38.5
2023-04-07 02:05:00	0	0	0	0	240	9.6	13.6	39.9	68.2	100.24	-0.7	-0.5	0	39.9	0.27	100	8249	100.19	38.5
2023-04-07 02:10:00	0	0	0	0	238	10.02	16.11	40	68.3	100.23	-0.8	-0.5	0	40	0.27	100	8251	100.18	38.4
2023-04-07 02:15:00	0	0	0	0	239	12.86	17.74	39.9	68	100.23	-0.6	-0.4	0	39.9	0.27	100	8251	100.18	38.5
2023-04-07 02:20:00	0	0	0	0	241	11.05	15.73	40	68.1	100.22	-0.5	-0.4	0	40	0.27	100	8250	100.18	38.5
2023-04-07 02:25:00	0	0	0	0	238	11.59	20.31	40	67.7	100.22	-0.9	-0.7	0	40	0.27	100	8248	100.18	38.5
2023-04-07 02:30:00	0	0	0	0	245	11.74	18.48	40	68.1	100.22	-0.9	-0.4	0	40	0.27	100	8249	100.18	38.5
2023-04-07 02:35:00	0	0	0	0	249	12.95	19.15	40.1	67.8	100.22	-0.7	-0.5	0	40.1	0.27	100	8248	100.18	38.6
2023-04-07 02:40:00	0	0	0	0	236	12.73	18.48	40.1	67.4	100.22	-0.7	-0.7	0	40.1	0.27	100	8250	100.18	38.6
2023-04-07 02:45:00	0	0	0	0	245	11.86	19.28	40.2	67.5	100.23	-0.9	-0.6	0	40.2	0.27	100	8249	100.19	38.7
2023-04-07 02:50:00	0	0	0	0	245	12.95	18.28	40.1	67.3	100.22	-0.8	-0.6	0	40.1	0.27	100	8247	100.18	38.6
2023-04-07 02:55:00	0	0	0	0	246	12.97	19.28	40	67.2	100.23	-0.8	-0.7	0	40.1	0.28	100	8247	100.19	38.7
2023-04-07 03:00:00	0	0	0	0	250	12.17	16.35	40.1	67.4	100.23	-0.8	-0.5	0	40.1	0.27	100	8248	100.19	38.6
2023-04-07 03:05:00	0	0	0	0	246	12.26	17.18	40.1	67.7	100.22	-0.8	-0.7	0	40.1	0.27	100	8244	100.18	38.6
2023-04-07 03:10:00	0	0	0	0	248	11.74	17.29	39.9	67.9	100.23	-0.7	-0.8	0	39.9	0.27	100	8245	100.18	38.5
2023-04-07 03:15:00	0	0	0	0	258	13.94	19.73	39.8	67.4	100.23	-0.8	-0.3	0	39.8	0.27	100	8246	100.19	38.5
2023-04-07 03:20:00	0	0	0	0	257	12.62	18.07	39.9	67.2	100.24	-0.7	-0.7	0	39.9	0.27	100	8243	100.2	38.6
2023-04-07 03:25:00	0	0	0	0	263	13.6	18.16	39.9	68	100.24	-1.3	-0.6	0	39.9	0.27	100	8245	100.19	38.5
2023-04-07 03:30:00	0	0	0	0	262	13.02	22.68	39.8	68.2	100.23	-1	-0.6	0	39.8	0.26	100	8243	100.19	38.5
2023-04-07 03:35:00	0	0	0	0	264	13.15	19.93	39.6	68.2	100.23	-1.1	-0.8	0	39.7	0.26	100	8242	100.19	38.4
2023-04-07 03:40:00	0	0	0	0	264	13.71	19.6	39.6	68.1	100.24	-0.8	-0.5	0	39.6	0.26	100	8244	100.2	38.4
2023-04-07 03:45:00	0	0	0	0	263	14.12	20.8	39.6	68.2	100.25	-0.8	-0.5	0	39.6	0.26	100	8243	100.21	38.3
2023-04-07 03:50:00	0	0	0	0	264	14.38	20.45	39.5	68	100.26	-0.9	-0.5	0	39.5	0.26	100	8243	100.22	38.3
2023-04-07 03:55:00	0	0	0	0	264	13.13	18.14	39.5	68.2	100.26	-0.9	-0.5	0	39.5	0.26	100	8241	100.22	38.2
2023-04-07 04:00:00	0	0	0	0	263	13.94	19.6	39.4	68.4	100.26	-0.8	-0.6	0	39.4	0.26	100	8241	100.22	38.1
2023-04-07 04:05:00	0	0	0	0	259	13.24	18.07	39.3	68.5	100.27	-0.9	-0.3	0	39.3	0.26	100	8241	100.22	38
2023-04-07 04:10:00	0	0	0	0	261	13.35	18.72	39.2	68.9	100.26	-1.1	-0.5	0	39.2	0.25	100	8241	100.22	38
2023-04-07 04:15:00	0	0	0	0	263	12.26	19.01	39.1	69.1	100.27	-0.7	-0.6	0	39.1	0.25	100	8243	100.23	37.8
2023-04-07 04:20:00	0	0	0	0	264	12.5	19.37	39	69.4	100.26	-0.8	-0.4	0	39	0.25	100	8241	100.22	37.7
2023-04-07 04:25:00	0	0	0	0	261	14.74	19.06	38.8	68.8	100.26	-0.8	-0.3	0	38.8	0.25	100	8239	100.22	37.7
2023-04-07 04:30:00	0	0	0	0	260	13.18	20.96	38.9	68.6	100.26	-1.1	-0.8	0	38.9	0.25	100	8240	100.22	37.6
2023-04-07 04:35:00	0	0	0	0	266	12.97	21.07	38.8	68.7	100.27	-0.8	-0.6	0	38.8	0.25	100	8239	100.23	37.6
2023-04-07 04:40:00	0	0	0	0	265	13.02	19.06	38.8	68.4	100.28	-0.7	-0.5	0	38.8	0.25	100	8238	100.24	37.5
2023-04-07 04:45:00	0	0	0	0	267	11.86	18.01	38.7	68.5	100.28	-0.9	-0.7	0	38.7	0.25	100	8241	100.24	37.4
2023-04-07 04:50:00	0	0	0	0	268	12.62	17.67	38.5	68.3	100.27	-0.9	-0.3	0	38.4	0.25	100	8237	100.23	37.2
2023-04-07 04:55:00	0	0	0	0	266	11.95	17.34	38.4	68.4	100.27	-0.6	-0.2	0	38.4	0.25	100	8241	100.23	37.1
2023-04-07 05:00:00	0	0	0	0	267	11.81	15.5	38.3	68.8	100.27	-0.6	-0.6	0	38.3	0.24	100	8238	100.23	37
2023-04-07 05:05:00	0	0	0	0	264	12.1	16.42	38.2	68.3	100.28	-0.9	-0.6	0	38.2	0.25	100	8238	100.25	36.9
2023-04-07 05:10:00	0	0	0	0	264	11.97	16.71	38	68.3	100.29	-1	-0.6	0	38	0.25	100	8238	100.25	36.8
2023-04-07 05:15:00	0	0	0	0	264	11.63	16.64	38	68.4	100.3	-0.9	-0.4	0	38	0.25	100	8238	100.27	36.7
2023-04-07 05:20:00	0	0	0	0	260	12.28	17.69	37.9	68.6	100.31	-0.6	-0.4	0	37.9	0.24	100	8235	100.27	36.6
2023-04-07 05:25:00	0	0	0	0	260	11.43	14.47	37.9	68.5	100.31	-1.1	-0.5	0	37.9	0.24	100	8235	100.27	36.6
2023-04-07 05:30:00	0	0	0	0	260	10.83	15.99	37.9	68.6	100.31	-1	-0.6	0	37.9	0.24	100	8236	100.28	36.5
2023-04-07 05:35:00	0	0	0	0	262	12.24	16.22	37.8	68.5	100.32	-1.1	-0.4	0	37.9	0.24	100	8234	100.28	36.4
2023-04-07 05:40:00	0	0	0	0	262	11.95	16.91	37.8	68.7	100.33	-0.6	-0.5	0	37.8	0.24	100	8235	100.3	36.4
2023-04-07 05:45:00	0	0	0	0	270	11.18	18.7	37.7	68.7	100.34	-0.8	-0.7	0	37.7	0.24	100	8233	100.3	36.3
2023-04-07 05:50:00	0	0	0	0	276	10.98	16.37	37.5	68.2	100.34	-0.8	-0.4	0	37.6	0.24	100	8232	100.3	36.1
2023-04-07 05:55:00	0	0	0	0	272	12.64	17.98	37.3	68.9	100.34	-0.8	-0.5	0	37.3	0.23	100	8233	100.31	36

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-07 06:00:00	0	0	0	0	272	14.36	20.2	37.5	68.4	100.36	-0.8	-0.6	0	37.5	0.24	100	8233	100.32	36.1
2023-04-07 06:05:00	0	0	0	0	278	12.01	19.77	37.5	67.7	100.37	-1	-0.4	0	37.5	0.25	100	8231	100.33	36.1
2023-04-07 06:10:00	0	0	0	0	278	13.53	17.81	37.5	67.5	100.37	-0.8	-0.3	0	37.5	0.25	100	8235	100.33	36.1
2023-04-07 06:15:00	0	0	0	0	294	12.66	15.99	37.6	67.4	100.4	-0.8	-0.5	0	37.6	0.25	100	8232	100.37	36.1
2023-04-07 06:20:00	0.6	0	0	0	313	16.58	22.03	37.6	67.9	100.42	-0.8	-0.5	0	37.6	0.25	100	8232	100.38	36.1
2023-04-07 06:25:00	1.6	0	0	0	306	17.56	24.76	37.5	69.7	100.41	-0.8	-0.6	0	37.5	0.23	100	8229	100.37	36
2023-04-07 06:30:00	3.2	0	0	0	312	17.58	23.64	37.4	70.3	100.43	-0.4	-1.1	0	37.4	0.22	100	8230	100.38	35.8
2023-04-07 06:35:00	6.4	0	0	0	318	15.55	23	37.1	70.8	100.44	-0.7	-0.6	0	37.1	0.22	100	8231	100.4	35.6
2023-04-07 06:40:00	14	0	0	0	313	16.11	23.24	37	71.1	100.45	-1.1	-0.4	0	37	0.21	100	8232	100.41	35.4
2023-04-07 06:45:00	25.2	0	0	0	318	14.03	20.54	36.8	71.5	100.45	-0.7	-0.6	0	36.9	0.21	100	8235	100.42	35.3
2023-04-07 06:50:00	36	0	0	0	314	13.8	18.5	36.7	71.9	100.46	-0.7	-0.7	0	36.8	0.21	100	8241	100.43	35.2
2023-04-07 06:55:00	46	0	0	0	316	16.22	21.88	36.8	71.8	100.46	-0.9	-0.3	0	36.9	0.21	100	8247	100.43	35.3
2023-04-07 07:00:00	56	0	0	0	321	17.85	24.36	36.8	72.7	100.47	-0.9	-0.5	0	36.9	0.2	100	8251	100.45	35.4
2023-04-07 07:05:00	66.4	0	0	0	310	16.24	19.91	36.9	72.8	100.47	-1	-0.4	0	37	0.2	100	8260	100.45	35.6
2023-04-07 07:10:00	79.6	0	0	0	316	15.55	22.95	37	73.7	100.48	-0.7	-0.6	0	37.1	0.2	100	8267	100.45	35.8
2023-04-07 07:15:00	66.4	0	0	0	319	14.47	19.84	36.9	73.9	100.49	-1	-0.5	0	37.1	0.19	100	8264	100.47	36
2023-04-07 07:20:00	62.2	0	0	0	314	16.4	22.26	36.7	74.7	100.5	-0.7	-0.6	0	36.8	0.19	100	8263	100.46	36.1
2023-04-07 07:25:00	88.8	0	0	0	317	20.89	32.19	36.2	75.6	100.5	-1.2	-0.1	0	36.3	0.18	100	8262	100.47	35.9
2023-04-07 07:30:00	101.8	0	0	0	322	20.13	27.31	36	75.7	100.51	-0.8	-0.9	0	36.1	0.17	100	8265	100.49	35.8
2023-04-07 07:35:00	132.6	0	0	0	308	17.69	25.39	36	76.4	100.52	-0.9	-0.4	0	36.2	0.17	100	8270	100.5	35.7
2023-04-07 07:40:00	78.6	0	0	0	309	16.46	21.34	36.1	76.3	100.54	-0.8	-0.7	0	36.4	0.17	100	8268	100.51	35.8
2023-04-07 07:45:00	71.6	0	0	0	312	16.49	28.45	36	75.9	100.54	-0.8	-0.3	0	36.1	0.17	100	8267	100.51	35.7
2023-04-07 07:50:00	110	0	0	0	296	18.03	23.29	35.7	74.9	100.56	-0.7	-0.5	0	35.8	0.18	100	8268	100.53	35.6
2023-04-07 07:55:00	172	0	0	0	302	20.94	30.09	35.6	74	100.55	-0.9	-0.4	0	35.8	0.18	100	8279	100.52	35.5
2023-04-07 08:00:00	119.4	0	0	0	308	21.3	28.1	35.6	73.1	100.57	-1.4	0.1	0	35.9	0.19	100	8277	100.55	35.5
2023-04-07 08:05:00	138.8	0	0	0	305	20.87	24.85	35.4	72.9	100.58	-0.8	0.1	0	35.6	0.19	100	8278	100.56	35.4
2023-04-07 08:10:00	124.6	0	0	0	304	20.49	27.92	35.2	72.7	100.59	-1.2	-0.4	0	35.5	0.19	100	8279	100.57	35.3
2023-04-07 08:15:00	104.8	0	0	0	309	17.02	26.08	35.1	73	100.6	-0.9	-0.1	0	35.3	0.19	100	8276	100.59	35.3
2023-04-07 08:20:00	134.2	0	0	0	297	16.44	23.55	35.1	73.7	100.62	-0.8	-0.6	0	35.3	0.18	100	8278	100.6	35.3
2023-04-07 08:25:00	123.8	0	0	0	313	20.62	27.94	35.1	72.3	100.61	-0.7	-0.7	0	35.3	0.19	100	8281	100.59	35.3
2023-04-07 08:30:00	156.6	0	0	0	309	16.49	24.38	35.1	72.4	100.61	-0.9	-0.7	0	35.3	0.19	100	8286	100.59	35.2
2023-04-07 08:35:00	248.4	0	0	0	301	11.95	17	35.7	72.1	100.61	-1.1	-0.3	0	36.3	0.2	100	8300	100.61	35.3
2023-04-07 08:40:00	237.2	0	0	0	300	14.52	20.04	36.6	71.6	100.62	-0.6	-0.9	0	37.1	0.21	100	8310	100.61	35.7
2023-04-07 08:45:00	247.8	0	0	0	291	15.41	25.01	37.2	69.5	100.63	-0.9	-0.6	0	37.6	0.23	100	8325	100.62	36
2023-04-07 08:50:00	263.2	0	0	0	292	16.24	24.16	37.9	67.4	100.64	-1.2	-0.4	0	38.4	0.25	100	8336	100.63	36.6
2023-04-07 08:55:00	353.6	0	0	0	296	21.72	33.38	38.3	64.5	100.61	-1.1	-0.5	0	38.9	0.28	100	8357	100.61	37.1
2023-04-07 09:00:00	398	0	0	0	303	17.78	25.1	39	62.5	100.63	-0.8	-0.4	0	39.7	0.3	100	8375	100.63	37.7
2023-04-07 09:05:00	370.4	0	0	0	298	17	23.47	39.5	61.1	100.65	-0.6	-0.4	0	40.1	0.32	100	8380	100.65	38.5
2023-04-07 09:10:00	374.6	0	0	0	305	17.9	27.92	39.6	61.1	100.65	-1	-0.7	0	40.2	0.32	100	8383	100.64	39.1
2023-04-07 09:15:00	262.4	0	0	0	312	23.64	31.79	39	59.5	100.65	-0.6	0.4	0	39.3	0.33	100	8384	100.63	39.1
2023-04-07 09:20:00	367.2	0	0	0	294	20.58	27.31	39.1	60.1	100.67	-0.8	-0.7	0	39.5	0.32	100	8387	100.65	39.1
2023-04-07 09:25:00	371.4	0	0	0	305	19.06	24.36	39	60	100.67	-0.5	-0.6	0	39.6	0.32	100	8396	100.66	39.1
2023-04-07 09:30:00	299.8	0	0	0	306	17.34	23.2	38.8	59.7	100.68	-0.6	-0.5	0	39.3	0.32	100	8396	100.67	39.1
2023-04-07 09:35:00	208.2	0	0	0	310	19.91	28.16	38.4	60.5	100.69	-1	-0.6	0	38.8	0.31	100	8395	100.68	39.1
2023-04-07 09:40:00	296.6	0	0	0	305	17.16	26.78	38.2	60.7	100.7	-0.6	-0.7	0	38.7	0.31	100	8404	100.68	38.8
2023-04-07 09:45:00	284	0	0	0	309	21.09	36.15	38.6	59.1	100.68	-1	-0.4	0	39.1	0.33	100	8402	100.67	38.8
2023-04-07 09:50:00	466.8	0	0	0	311	21.36	28.54	38.9	55.2	100.66	-0.7	-0.7	0	39.4	0.36	100	8425	100.66	38.7
2023-04-07 09:55:00	585.4	0	0	0	316	22.46	30.27	39.9	53.3	100.67	-0.4	0.3	0	40.5	0.39	100	8444	100.67	39
2023-04-07 10:00:00	518.4	0	0	0	312	23.35	34.74	40.5	51.5	100.66	-0.4	-0.7	0	41	0.42	100	8453	100.66	39.6
2023-04-07 10:05:00	475.4	0	0	0	320	23.78	30.82	40.1	52.4	100.66	0.3	-1.3	0	40.7	0.4	100	8463	100.68	39.8
2023-04-07 10:10:00	529.6	0	0	0	311	23.11	31.16	40.6	51.5	100.68	-1.2	0	0	41.1	0.42	100	8468	100.68	40
2023-04-07 10:15:00	427.8	0	0	0	318	23.29	40	39.7	52.8	100.68	-1.3	0.1	0	40.2	0.39	100	8479	100.69	39.9
2023-04-07 10:20:00	618.2	0	0	0	313	23.87	34.61	40.6	52.8	100.69	-1.3	-1.8	0	41.2	0.41	100	8491	100.69	40.1
2023-04-07 10:25:00	635.8	0	0	0	314	21.68	33.78	40.7	53	100.7	-0.5	-1	0	41.3	0.41	100	8504	100.71	40.5
2023-04-07 10:30:00	573.4	0	0	0	321	22.93	30.42	41	52.3	100.7	-0.9	0.3	0	41.5	0.42	100	8504	100.71	40.9
2023-04-07 10:35:00	577.6	0	0	0	301	17.92	27.16	40.5	53.7	100.73	-1.1	-0.6	0	41.1	0.4	100	8518	100.73	40.7
2023-04-07 10:40:00	754.8	0	0	0	309	21.12	32.79	41.4	52.6	100.72	-0.3	-0.8	0	42	0.42	100	8532	100.74	40.9
2023-04-07 10:45:00	606.8	0	0	0	307	19.42	28.57	41.6	52	100.73	-0.9	-0.5	0	42.2	0.43	100	8537	100.74	41.2
2023-04-07 10:50:00	681.8	0	0	0	295	21.56	28.27	41.8	52	100.73	-1.1	-0.2	0	42.4	0.43	100	8548	100.75	41.4
2023-04-07 10:55:00	809	0	0	0	317	19.13	28.88	42	50.9	100.73	-0.9	-1.8	0	42.7	0.45	100	8558	100.75	41.7

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-07 11:00:00	742.2	0	0	0	306	20.98	31.03	42.4	50.6	100.75	-0.8	0	0	43	0.45	100	8566	100.75	42
2023-04-07 11:05:00	752	0	0	0	327	18.66	24.38	42.6	50.3	100.74	-0.8	-0.3	0	43.2	0.46	100	8573	100.75	42.2
2023-04-07 11:10:00	669.2	0	0	0	313	22.48	34.96	42.4	49.5	100.73	-1.2	0	0	42.9	0.46	100	8581	100.74	42.3
2023-04-07 11:15:00	706.8	0	0	0	299	18.63	26.87	42.5	48.4	100.75	-0.2	-0.4	0	43.2	0.48	100	8586	100.76	42.2
2023-04-07 11:20:00	727.8	0	0	0	303	16.44	26.19	42.5	48.1	100.75	-0.5	-1	0	43.1	0.48	100	8597	100.77	42.2
2023-04-07 11:25:00	536.6	0	0	0	302	19.95	26.06	42.7	47.9	100.76	-0.6	0	0	43.3	0.48	100	8595	100.77	42.6
2023-04-07 11:30:00	680.2	0	0	0	301	21.43	28.9	42.5	46.3	100.77	-0.8	-0.8	0	43.1	0.5	100	8598	100.77	42.3
2023-04-07 11:35:00	797.4	0	0	0	296	19.6	30.09	42.1	46.6	100.76	-0.2	-0.8	0	42.7	0.49	100	8608	100.78	42.2
2023-04-07 11:40:00	821.2	0	0	0	308	16.75	27.54	42.3	46.8	100.75	-0.5	-0.8	0	43.1	0.49	100	8612	100.76	42.3
2023-04-07 11:45:00	550.4	0	0	0	320	21.12	27.6	42	47.1	100.76	-0.5	-0.4	0	42.6	0.48	100	8611	100.75	42.3
2023-04-07 11:50:00	836.8	0	0	0	321	20.83	31.92	42.2	46	100.74	-0.6	-0.1	0	42.8	0.49	100	8617	100.74	42.1
2023-04-07 11:55:00	818	0	0	0	303	19.6	29.1	42.3	46.1	100.74	-0.6	-0.3	0	42.8	0.49	100	8624	100.75	42.2
2023-04-07 12:00:00	836.8	0	0	0	323	21.32	33.42	42.7	44.5	100.74	-0.6	0.3	0	43.2	0.52	100	8628	100.75	42.4
2023-04-07 12:05:00	825	0	0	0	308	15.37	30.44	42.9	44.4	100.75	-0.3	-0.9	0	43.6	0.52	100	8637	100.76	42.6
2023-04-07 12:10:00	743	0	0	0	298	19.15	26.57	43.5	43.3	100.74	-0.8	-0.8	0	44.1	0.54	100	8639	100.75	42.8
2023-04-07 12:15:00	744.8	0	0	0	317	18.05	28.48	43.4	42.6	100.75	-0.1	0.1	0	44.1	0.55	100	8641	100.76	42.8
2023-04-07 12:20:00	807	0	0	0	313	18.14	31.09	43.3	43.1	100.75	-0.7	0.1	0	44	0.54	100	8644	100.75	42.8
2023-04-07 12:25:00	893.2	0	0	0	314	19.73	33.58	43.5	43.1	100.75	-0.7	-0.6	0	44.1	0.55	100	8652	100.75	43
2023-04-07 12:30:00	827.2	0	0	0	301	20.94	27.76	43.6	44.1	100.75	-0.6	-0.1	0	44.3	0.54	100	8648	100.74	43.2
2023-04-07 12:35:00	866.8	0	0	0	302	19.98	25.9	43.6	43.6	100.73	-0.3	-0.1	0	44.2	0.54	100	8650	100.74	43.1
2023-04-07 12:40:00	865.6	0	0	0	302	20.89	31.92	43.5	43.5	100.73	-0.8	-0.3	0	44.1	0.54	100	8651	100.73	43
2023-04-07 12:45:00	847	0	0	0	321	24.18	32.75	43.5	42.5	100.73	-0.8	-0.2	0	44.1	0.55	100	8654	100.73	43
2023-04-07 12:50:00	769.8	0	0	0	319	24.14	34.83	43.3	41.9	100.73	-1.2	-0.4	0	44	0.55	100	8654	100.73	43
2023-04-07 12:55:00	789.2	0	0	0	320	20.31	28.12	43.3	41.5	100.73	-0.2	-0.9	0	43.9	0.56	100	8656	100.73	42.9
2023-04-07 13:00:00	706.4	0	0	0	305	18.45	25.14	43.7	42.3	100.75	-0.8	-0.4	0	44.4	0.56	100	8655	100.75	43.1
2023-04-07 13:05:00	729.4	0	0	0	300	17.81	28.57	43.6	42.9	100.75	-0.6	-0.5	0	44.3	0.55	100	8653	100.75	43
2023-04-07 13:10:00	789.6	0	0	0	307	20.89	27.02	43.9	42.5	100.73	-0.6	-0.6	0	44.6	0.56	100	8653	100.72	43.2
2023-04-07 13:15:00	769.4	0	0	0	303	20.18	28.86	43.7	41.3	100.74	-0.3	-0.6	0	44.4	0.57	100	8655	100.73	43.2
2023-04-07 13:20:00	716.6	0	0	0	306	21.05	31.92	43.3	39.8	100.74	-1.1	0.4	0	44	0.57	100	8649	100.74	43
2023-04-07 13:25:00	826.2	0	0	0	310	20.04	28.54	43.3	41.1	100.73	-0.9	-0.7	0	43.9	0.56	100	8651	100.72	42.9
2023-04-07 13:30:00	859.4	0	0	0	308	22.53	27.94	43.5	41.9	100.72	-1	0	0	44.1	0.56	100	8648	100.71	42.9
2023-04-07 13:35:00	822.4	0	0	0	303	22.68	30.89	43.4	42	100.74	-1.4	-0.6	0	44.1	0.55	100	8643	100.73	42.9
2023-04-07 13:40:00	804.6	0	0	0	290	20.22	31.7	43.2	40.8	100.75	-0.4	-0.4	0	43.9	0.56	100	8642	100.74	42.8
2023-04-07 13:45:00	756.4	0	0	0	293	18.37	29.3	43.3	42	100.75	-0.9	-0.5	0	44	0.55	100	8635	100.74	42.9
2023-04-07 13:50:00	841.6	0	0	0	313	16.64	28.23	43.7	41.9	100.75	-0.5	-0.6	0	44.5	0.56	100	8630	100.73	43
2023-04-07 13:55:00	681.8	0	0	0	324	22.26	31.79	43.6	42.2	100.75	-1.3	0.1	0	44.1	0.56	100	8627	100.74	43
2023-04-07 14:00:00	709.6	0	0	0	325	22.57	30.44	43.4	42.5	100.74	-1.2	-0.5	0	44	0.55	100	8626	100.73	42.8
2023-04-07 14:05:00	690.4	0	0	0	323	22.66	32.91	43.2	42.1	100.75	-0.8	-0.9	0	43.8	0.55	100	8621	100.73	42.7
2023-04-07 14:10:00	635	0	0	0	323	18.88	27.16	43	41.2	100.76	-1	-0.7	0	43.6	0.55	100	8616	100.74	42.5
2023-04-07 14:15:00	681.4	0	0	0	333	24.11	31.14	43.1	41.7	100.74	-1	-1.3	0	43.7	0.55	100	8614	100.73	42.4
2023-04-07 14:20:00	618.4	0	0	0	317	22.46	34.74	42.9	42.8	100.76	-1	-0.6	0	43.4	0.54	100	8610	100.72	42.2
2023-04-07 14:25:00	639.8	0	0	0	303	20.94	31.79	42.9	43.3	100.74	-0.9	-0.1	0	43.5	0.53	100	8609	100.72	42
2023-04-07 14:30:00	670.4	0	0	0	315	22.79	29.01	42.8	41.3	100.72	-0.7	-1.5	0	43.3	0.55	100	8606	100.71	41.9
2023-04-07 14:35:00	654.6	0	0	0	321	23.24	34.05	42.7	40.7	100.73	-0.8	-1	0	43.2	0.55	100	8602	100.71	41.8
2023-04-07 14:40:00	608.2	0	0	0	307	24.38	32.64	42.6	41.4	100.73	-0.1	-1.4	0	43.2	0.54	100	8599	100.71	41.8
2023-04-07 14:45:00	683.2	0	0	0	294	16.78	26.02	42.6	43.1	100.74	-0.5	0.1	0	43.3	0.53	100	8595	100.72	41.7
2023-04-07 14:50:00	675.4	0	0	0	300	18.16	27.63	42.9	42.8	100.74	-0.8	-0.8	0	43.6	0.54	100	8595	100.72	41.9
2023-04-07 14:55:00	651.6	0	0	0	303	20.42	37.69	43.1	43.2	100.74	-0.4	-0.8	0	43.7	0.54	100	8591	100.71	42
2023-04-07 15:00:00	621	0	0	0	309	21.99	34.94	42.9	42.2	100.74	-0.1	-1	0	43.5	0.54	100	8588	100.72	41.9
2023-04-07 15:05:00	606	0	0	0	319	20.47	27.92	42.7	41	100.73	-2.1	-0.5	0	43.3	0.55	100	8586	100.7	41.8
2023-04-07 15:10:00	669.2	0	0	0	308	17.92	24.07	42.9	42.7	100.74	-0.8	-0.4	0	43.5	0.54	100	8584	100.71	41.8
2023-04-07 15:15:00	648.4	0	0	0	312	19.77	31.88	43.1	43	100.72	0.1	-0.8	0	43.8	0.54	100	8581	100.68	42
2023-04-07 15:20:00	669.2	0	0	0	297	20.8	28.72	43	41.6	100.72	-0.6	-0.5	0	43.6	0.55	100	8576	100.69	42
2023-04-07 15:25:00	682.8	0	0	0	324	20.29	34.58	42.9	41.2	100.71	-0.6	-0.6	0	43.4	0.55	100	8576	100.67	41.9
2023-04-07 15:30:00	677.2	0	0	0	316	18.77	25.9	42.7	40.7	100.72	-0.4	-0.7	0	43.3	0.55	100	8575	100.69	42
2023-04-07 15:35:00	650.6	0	0	0	315	24.87	35.3	42.7	41.2	100.7	-0.7	-0.4	0	43.3	0.55	100	8573	100.68	42
2023-04-07 15:40:00	641.2	0	0	0	321	23.73	34	42.4	41.1	100.71	-0.4	-0.7	0	43	0.54	100	8570	100.69	41.9
2023-04-07 15:45:00	637.2	0	0	0	312	21.88	31.09	42.2	39.9	100.72	-1.2	-0.5	0	42.7	0.55	100	8568	100.69	41.9
2023-04-07 15:50:00	610.6	0	0	0	311	17.74	26.06	42.1	40.5	100.72	-0.5	-0.5	0	42.7	0.54	100	8566	100.69	42.1
2023-04-07 15:55:00	616	0	0	0	320	18.23	24.72	42.2	41.6	100.71	-0.6	-0.6	0	42.9	0.53	100	8563	100.68	42.3

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-07 16:00:00	618.6	0	0	0	328	20.15	27.38	42.5	41.8	100.68	-1	-1	0	43.1	0.54	100	8563	100.66	42.4
2023-04-07 16:05:00	600.8	0	0	0	305	18.16	24.7	42.4	43.4	100.69	-0.3	-0.4	0	43.1	0.52	100	8561	100.67	42.7
2023-04-07 16:10:00	573.4	0	0	0	303	17.36	28.3	42.5	42.4	100.69	-0.4	-0.4	0	43.2	0.53	100	8558	100.65	42.8
2023-04-07 16:15:00	549.6	0	0	0	325	22.79	30.24	42.4	41.7	100.67	-1.4	-0.4	0	43	0.54	100	8557	100.64	42.7
2023-04-07 16:20:00	542.4	0	0	0	324	18.88	27.58	42	41.2	100.67	-0.7	-0.7	0	42.7	0.53	100	8555	100.64	42.6
2023-04-07 16:25:00	510	0	0	0	307	22.77	32.5	42.1	41.1	100.67	-0.7	-0.7	0	42.7	0.54	100	8554	100.64	42.7
2023-04-07 16:30:00	506.2	0	0	0	330	22.77	33.08	42	41.7	100.66	-1.3	-0.6	0	42.5	0.53	100	8552	100.62	42.6
2023-04-07 16:35:00	525.2	0	0	0	325	20.36	26.69	41.9	42.7	100.67	-0.8	-1	0	42.6	0.52	100	8551	100.65	42.8
2023-04-07 16:40:00	524.4	0	0	0	300	19.51	29.51	42.1	42	100.68	-0.3	-1.3	0	42.8	0.53	100	8551	100.66	43
2023-04-07 16:45:00	432.8	0	0	0	321	19.57	28.3	42.3	40.8	100.68	-0.8	0.2	0	42.9	0.54	100	8549	100.66	43.1
2023-04-07 16:50:00	408.4	0	0	0	304	19.64	30.31	41.9	41.6	100.68	-1.3	-0.4	0	42.5	0.53	100	8547	100.65	42.8
2023-04-07 16:55:00	455.6	0	0	0	333	18.48	23.44	41.9	41.9	100.66	-1.1	-0.2	0	42.5	0.52	100	8548	100.63	42.9
2023-04-07 17:00:00	469.6	0	0	0	318	16.44	30.11	42.1	42.8	100.66	-0.5	-0.6	0	42.7	0.52	100	8546	100.64	43.4
2023-04-07 17:05:00	442.2	0	0	0	322	20.94	28.21	42.4	42.1	100.65	0	-0.1	0	43	0.53	100	8542	100.63	43.7
2023-04-07 17:10:00	427.6	0	0	0	320	25.12	32.59	42.3	40.8	100.65	-1.4	-1.1	0	42.9	0.54	100	8542	100.63	43.4
2023-04-07 17:15:00	404.4	0	0	0	314	15.1	24.56	42	42.1	100.68	-0.3	-0.2	0	42.7	0.53	100	8542	100.66	42.9
2023-04-07 17:20:00	377.8	0	0	0	301	19.66	25.03	42.3	43.6	100.68	-0.5	-0.7	0	42.9	0.52	100	8539	100.65	43.6
2023-04-07 17:25:00	355.2	0	0	0	306	21.25	30.18	42.3	42.2	100.67	-0.5	-1.2	0	42.8	0.53	100	8542	100.65	43.6
2023-04-07 17:30:00	318.8	0	0	0	317	20.15	26.82	42	41.9	100.67	-1.4	-0.4	0	42.5	0.53	100	8542	100.64	43.5
2023-04-07 17:35:00	324.4	0	0	0	303	20.11	28.27	41.8	42.1	100.66	-0.8	-0.5	0	42.3	0.52	100	8535	100.63	43.4
2023-04-07 17:40:00	310.6	0	0	0	315	17.87	24.2	41.6	42.3	100.68	-1	0	0	42.2	0.52	100	8536	100.65	43.5
2023-04-07 17:45:00	286.8	0	0	0	303	18.07	23.78	41.6	42.2	100.68	-0.5	-0.7	0	42.2	0.52	100	8535	100.65	43.5
2023-04-07 17:50:00	267.6	0	0	0	315	21.34	31.79	41.5	42.2	100.67	-0.9	-1.1	0	42.1	0.51	100	8532	100.64	43.4
2023-04-07 17:55:00	168.8	0	0	0	317	19.37	26.35	41.3	42.7	100.68	-0.5	-0.4	0	41.6	0.5	100	8531	100.65	42.9
2023-04-07 18:00:00	161.2	0	0	0	321	17.4	28.16	40.8	43.7	100.68	-0.8	-0.7	0	41.1	0.49	100	8529	100.65	41.8
2023-04-07 18:05:00	230.4	0	0	0	325	17.67	25.88	40.5	44.4	100.68	-0.8	-0.3	0	41	0.48	100	8528	100.66	42.2
2023-04-07 18:10:00	207.6	0	0	0	320	17.85	26.55	40.5	44	100.68	-0.7	-1.4	0	40.8	0.48	100	8529	100.66	42.5
2023-04-07 18:15:00	190.4	0	0	0	323	17.96	27.92	40.5	44.3	100.68	-0.8	-0.7	0	40.8	0.48	100	8524	100.65	42.6
2023-04-07 18:20:00	170.8	0	0	0	319	17.07	24.36	40.5	44.3	100.68	-1.1	-0.7	0	40.7	0.48	100	8523	100.66	42.4
2023-04-07 18:25:00	146.2	0	0	0	303	19.15	28.25	40.4	43.9	100.7	-1.3	-0.4	0	40.6	0.48	100	8523	100.68	42.3
2023-04-07 18:30:00	121.8	0	0	0	307	17.69	25.28	40.3	43.1	100.71	-0.8	-0.8	0	40.5	0.48	100	8524	100.68	41.9
2023-04-07 18:35:00	114.8	0	0	0	307	19.28	27.94	40.1	42.8	100.71	-1	-0.2	0	40.3	0.48	100	8518	100.68	41.7
2023-04-07 18:40:00	98.6	0	0	0	307	19.77	31.88	39.9	43.1	100.71	-0.5	-0.4	0	40.1	0.48	100	8520	100.68	41.5
2023-04-07 18:45:00	84.4	0	0	0	309	14.72	18.79	39.7	43.9	100.71	-1	-0.6	0	39.9	0.47	100	8516	100.68	41.4
2023-04-07 18:50:00	71.8	0	0	0	310	15.64	20.96	39.6	44.6	100.71	-1	-0.5	0	39.7	0.46	100	8513	100.68	41.1
2023-04-07 18:55:00	62	0	0	0	309	17.52	24.79	39.3	44.8	100.71	-0.9	-0.7	0	39.5	0.45	100	8511	100.68	40.8
2023-04-07 19:00:00	49.2	0	0	0	314	17.31	22.53	39.1	44.5	100.71	-0.8	-0.8	0	39.2	0.45	100	8513	100.68	40.4
2023-04-07 19:05:00	38.6	0	0	0	317	14.23	18.92	38.8	45.4	100.72	-0.6	-0.9	0	38.8	0.44	100	8507	100.68	40
2023-04-07 19:10:00	29.8	0	0	0	306	16.42	21.83	38.5	45.8	100.72	-0.6	-0.4	0	38.5	0.43	100	8507	100.68	39.6
2023-04-07 19:15:00	22.4	0	0	0	304	16.02	22.39	38.3	46.4	100.71	-0.9	-0.1	0	38.3	0.42	100	8508	100.68	39.1
2023-04-07 19:20:00	16.2	0	0	0	311	13.82	20.15	38	47	100.71	-0.8	-0.7	0	38	0.41	100	8505	100.67	38.6
2023-04-07 19:25:00	11	0	0	0	311	11.88	20.56	37.8	47.1	100.7	-0.8	-0.6	0	37.8	0.41	100	8505	100.67	38.1
2023-04-07 19:30:00	7.2	0	0	0	313	10.69	15.43	37.4	48	100.71	-0.6	-0.6	0	37.4	0.39	100	8504	100.67	37.4
2023-04-07 19:35:00	4.6	0	0	0	315	11.36	16.33	37.1	48.3	100.7	-0.8	-0.5	0	37.1	0.39	100	8499	100.66	36.7
2023-04-07 19:40:00	2.8	0	0	0	315	10.04	14.23	36.8	49	100.69	-0.9	-0.5	0	36.8	0.38	100	8501	100.65	36.1
2023-04-07 19:45:00	1	0	0	0	315	12.97	21.05	36.4	49.7	100.69	-0.7	-0.7	0	36.4	0.37	100	8497	100.65	35.7
2023-04-07 19:50:00	0	0	0	0	321	12.28	15.39	36.2	49.8	100.69	-0.7	-0.6	0	36.2	0.36	100	8499	100.64	35.4
2023-04-07 19:55:00	0	0	0	0	324	12.77	19.89	36.1	49.8	100.69	-1.1	-0.6	0	36	0.36	100	8496	100.64	35.2
2023-04-07 20:00:00	0	0	0	0	314	12.1	15.52	35.9	49.7	100.69	-0.8	-0.3	0	35.9	0.36	100	8494	100.65	34.9
2023-04-07 20:05:00	0	0	0	0	314	11.83	17.74	35.7	49.3	100.7	-1.1	-0.5	0	35.7	0.36	100	8494	100.65	34.7
2023-04-07 20:10:00	0	0	0	0	314	11.81	16.62	35.6	49.9	100.7	-0.9	-0.5	0	35.6	0.35	100	8493	100.66	34.5
2023-04-07 20:15:00	0	0	0	0	315	10.85	15.26	35.5	49.8	100.7	-0.9	-0.5	0	35.5	0.35	100	8491	100.66	34.3
2023-04-07 20:20:00	0	0	0	0	311	9.37	13.44	35.3	50.2	100.71	-1	-0.5	0	35.3	0.35	100	8491	100.67	34.1
2023-04-07 20:25:00	0	0	0	0	316	8.81	11.81	35.1	50.6	100.72	-0.9	-0.6	0	35.1	0.34	100	8491	100.67	33.8
2023-04-07 20:30:00	0	0	0	0	316	9.22	12.55	35	50.8	100.72	-0.9	-0.5	0	35.1	0.34	100	8490	100.68	33.6
2023-04-07 20:35:00	0	0	0	0	315	7.76	9.93	34.8	51.1	100.73	-1.1	-0.5	0	34.8	0.33	100	8487	100.68	33.4
2023-04-07 20:40:00	0	0	0	0	319	8.59	11.14	34.7	51.4	100.73	-0.9	-0.5	0	34.7	0.33	100	8488	100.69	33.1
2023-04-07 20:45:00	0	0	0	0	322	9.64	13.27	34.6	51.6	100.73	-0.9	-0.5	0	34.6	0.33	100	8486	100.68	32.9
2023-04-07 20:50:00	0	0	0	0	320	8.79	11.16	34.4	52.3	100.72	-1	-0.5	0	34.4	0.32	100	8486	100.68	32.7
2023-04-07 20:55:00	0	0	0	0	313	10	11.92	34.3	52.4	100.74	-0.9	-0.6	0	34.3	0.32	100	8482	100.69	32.6

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-07 21:00:00	0	0	0	0	315	11.03	14.65	34.2	52.4	100.73	-0.9	-0.5	0	34.2	0.32	100	8484	100.69	32.6
2023-04-07 21:05:00	0	0	0	0	316	9.95	14.07	34.2	53.3	100.73	-0.9	-0.4	0	34.2	0.31	100	8482	100.69	32.5
2023-04-07 21:10:00	0	0	0	0	316	9.69	13.91	34.1	54.3	100.74	-1	-0.7	0	34.1	0.3	100	8481	100.7	32.3
2023-04-07 21:15:00	0	0	0	0	317	9.82	12.1	33.9	54.5	100.75	-1	-0.3	0	33.9	0.3	100	8479	100.7	32.2
2023-04-07 21:20:00	0	0	0	0	314	11.68	15.14	33.9	54.7	100.74	-1	-0.6	0	33.9	0.3	100	8478	100.69	32.1
2023-04-07 21:25:00	0	0	0	0	309	10.27	14.79	33.9	54.5	100.74	-1	-0.4	0	33.9	0.3	100	8481	100.7	32.1
2023-04-07 21:30:00	0	0	0	0	311	9.71	12.64	33.9	54.9	100.75	-1.1	-0.6	0	33.9	0.3	100	8480	100.7	32
2023-04-07 21:35:00	0	0	0	0	308	7.61	11.48	33.7	55.6	100.75	-1	-0.6	0	33.7	0.29	100	8475	100.7	31.9
2023-04-07 21:40:00	0	0	0	0	307	7.85	12.06	33.6	56.8	100.75	-0.9	-0.5	0	33.5	0.28	100	8475	100.7	31.7
2023-04-07 21:45:00	0	0	0	0	310	8.28	11.61	33.5	57.1	100.76	-0.9	-0.5	0	33.4	0.28	100	8476	100.71	31.6
2023-04-07 21:50:00	0	0	0	0	307	7.43	9.15	33.4	57.1	100.77	-1	-0.5	0	33.4	0.28	100	8476	100.72	31.5
2023-04-07 21:55:00	0	0	0	0	307	7.56	9.4	33.3	57.7	100.77	-1	-0.4	0	33.3	0.27	100	8474	100.72	31.3
2023-04-07 22:00:00	0	0	0	0	310	8.48	10.83	33.2	58.8	100.76	-0.9	-0.6	0	33.2	0.26	100	8475	100.71	31.2
2023-04-07 22:05:00	0	0	0	0	316	7.74	10.54	33.1	59.5	100.76	-1	-0.7	0	33.1	0.26	100	8472	100.72	31.1
2023-04-07 22:10:00	0	0	0	0	307	7.81	9.53	33	59.6	100.77	-1.1	-0.5	0	33	0.26	100	8472	100.72	31
2023-04-07 22:15:00	0	0	0	0	305	7.31	9.8	32.9	60.1	100.77	-1.1	-0.5	0	32.9	0.25	100	8472	100.72	30.8
2023-04-07 22:20:00	0	0	0	0	299	7.74	10.4	32.9	61	100.76	-1	-0.6	0	32.8	0.25	100	8470	100.72	30.8
2023-04-07 22:25:00	0	0	0	0	304	6.8	8.81	32.7	61.8	100.76	-1	-0.6	0	32.7	0.24	100	8467	100.72	30.6
2023-04-07 22:30:00	0	0	0	0	307	6.11	8.43	32.5	62.3	100.77	-1	-0.5	0	32.5	0.23	100	8469	100.72	30.4
2023-04-07 22:35:00	0	0	0	0	305	5.48	8.41	32.4	62.9	100.77	-1	-0.5	0	32.4	0.23	100	8468	100.72	30.2
2023-04-07 22:40:00	0	0	0	0	309	6.11	7.49	32.3	63.2	100.77	-1	-0.6	0	32.3	0.23	100	8467	100.72	30.1
2023-04-07 22:45:00	0	0	0	0	309	7.23	10.04	32.2	63.4	100.76	-1	-0.5	0	32.2	0.23	100	8466	100.71	30
2023-04-07 22:50:00	0	0	0	0	311	7.2	9.44	32.2	63.4	100.75	-1.1	-0.4	0	32.2	0.23	100	8466	100.71	30
2023-04-07 22:55:00	0	0	0	0	302	8.28	12.37	32.3	63.2	100.76	-0.9	-0.4	0	32.3	0.23	100	8469	100.71	30
2023-04-07 23:00:00	0	0	0	0	300	7.11	9.62	32.2	63.4	100.76	-1	-0.4	0	32.2	0.23	100	8468	100.71	30
2023-04-07 23:05:00	0	0	0	0	292	7.61	10.09	32.1	63.6	100.76	-1.1	-0.5	0	32.1	0.22	100	8466	100.71	29.9
2023-04-07 23:10:00	0	0	0	0	283	6.69	8.66	32.1	64.3	100.76	-1	-0.6	0	32	0.22	100	8463	100.72	29.8
2023-04-07 23:15:00	0	0	0	0	278	6.51	8.19	31.9	64.1	100.77	-1.1	-0.5	0	31.9	0.22	100	8463	100.72	29.7
2023-04-07 23:20:00	0	0	0	0	279	6.17	8.05	31.8	64.7	100.77	-1.1	-0.5	0	31.7	0.21	100	8460	100.72	29.7
2023-04-07 23:25:00	0	0	0	0	271	6.15	7.36	31.6	64.8	100.76	-1	-0.5	0	31.6	0.21	100	8462	100.72	29.5
2023-04-07 23:30:00	0	0	0	0	265	6.33	8.1	31.6	65.6	100.76	-1	-0.5	0	31.6	0.21	100	8463	100.72	29.4
2023-04-07 23:35:00	0	0	0	0	273	7	8.79	31.5	65.2	100.76	-1.1	-0.5	0	31.5	0.21	100	8459	100.72	29.3
2023-04-07 23:40:00	0	0	0	0	281	6.24	7.81	31.4	65.3	100.77	-1.1	-0.5	0	31.4	0.21	100	8459	100.73	29.3
2023-04-07 23:45:00	0	0	0	0	276	6.04	7.54	31.2	65.9	100.77	-1	-0.5	0	31.2	0.2	100	8459	100.73	29.2
2023-04-07 23:50:00	0	0	0	0	274	6.58	7.85	31.2	66	100.78	-1	-0.4	0	31.2	0.2	100	8458	100.73	29
2023-04-07 23:55:00	0	0	0	0	278	6.64	9.35	31.1	66.5	100.78	-1	-0.6	0	31.1	0.2	100	8459	100.74	29
2023-04-08 00:00:00	0	0	0	0	286	6.2	8.05	31.1	67.7	100.79	-1	-0.5	0	31.1	0.19	100	8456	100.74	28.8
2023-04-08 00:05:00	0	0	0	0	288	6.31	7.52	30.8	68	100.79	-1	-0.5	0	30.8	0.19	100	8426	100.76	28.9
2023-04-08 00:10:00	0	0	0	0	296	4.85	7.92	30.7	68.5	100.81	-1.1	-0.4	0	30.8	0.18	100	8412	100.77	29
2023-04-08 00:15:00	0	0	0	0	297	4.61	5.88	30.7	69.1	100.81	-0.9	-0.4	0	30.7	0.18	100	8406	100.77	28.9
2023-04-08 00:20:00	0	0	0	0	300	6.11	7.61	30.6	69.3	100.81	-1	-0.5	0	30.6	0.18	100	8424	100.77	28.7
2023-04-08 00:25:00	0	0	0	0	307	6.71	8.28	30.5	69.5	100.81	-1.1	-0.5	0	30.5	0.18	100	8426	100.77	28.5
2023-04-08 00:30:00	0	0	0	0	311	7.2	9.55	30.5	69.5	100.81	-1	-0.4	0	30.5	0.18	100	8426	100.77	28.4
2023-04-08 00:35:00	0	0	0	0	316	7.4	9.17	30.5	69.7	100.82	-1	-0.4	0	30.5	0.17	100	8427	100.77	28.2
2023-04-08 00:40:00	0	0	0	0	313	6.91	8.16	30.5	69.6	100.82	-1.2	-0.5	0	30.5	0.17	100	8430	100.77	28.1
2023-04-08 00:45:00	0	0	0	0	309	7.67	9.8	30.3	69.7	100.82	-1	-0.5	0	30.4	0.17	100	8428	100.78	28.1
2023-04-08 00:50:00	0	0	0	0	304	6.58	8.46	30.6	69.4	100.83	-1.1	-0.4	0	30.6	0.18	100	8428	100.78	28.1
2023-04-08 00:55:00	0	0	0	0	302	6.17	7.9	30.4	69.8	100.83	-1.2	-0.5	0	30.4	0.17	100	8428	100.79	28
2023-04-08 01:00:00	0	0	0	0	302	7.07	8.95	30.3	70	100.83	-1.2	-0.5	0	30.4	0.17	100	8431	100.79	28
2023-04-08 01:05:00	0	0	0	0	303	6.85	8.23	30.3	70	100.84	-1.1	-0.5	0	30.3	0.17	100	8429	100.79	27.9
2023-04-08 01:10:00	0	0	0	0	303	6.11	8.46	30.2	70.4	100.84	-1.1	-0.4	0	30.2	0.17	100	8430	100.79	27.9
2023-04-08 01:15:00	0	0	0	0	303	6.26	8.43	30.2	70.3	100.84	-1.1	-0.5	0	30.2	0.17	100	8429	100.79	27.8
2023-04-08 01:20:00	0	0	0	0	304	6.53	8.57	30.1	70.6	100.83	-1.1	-0.5	0	30.1	0.17	100	8428	100.79	27.7
2023-04-08 01:25:00	0	0	0	0	294	6.06	7.27	29.9	71.1	100.83	-1.1	-0.4	0	29.9	0.16	100	8427	100.79	27.5
2023-04-08 01:30:00	0	0	0	0	289	5.46	6.44	29.9	72.1	100.83	-1	-0.4	0	29.9	0.16	100	8429	100.79	27.4
2023-04-08 01:35:00	0	0	0	0	287	5.41	6.82	29.7	73.1	100.83	-1.1	-0.5	0	29.7	0.15	100	8428	100.79	27.2
2023-04-08 01:40:00	0	0	0	0	284	5.37	6.46	29.6	72.3	100.83	-1.1	-0.5	0	29.6	0.15	100	8425	100.79	27.1
2023-04-08 01:45:00	0	0	0	0	275	5.21	5.99	29.5	72.5	100.83	-1.2	-0.4	0	29.4	0.15	100	8430	100.79	27.1
2023-04-08 01:50:00	0	0	0	0	271	6.13	8.52	29.5	72.5	100.83	-1.1	-0.4	0	29.5	0.15	100	8428	100.8	27
2023-04-08 01:55:00	0	0	0	0	270	6.4	8.12	29.5	72.5	100.83	-1.1	-0.5	0	29.4	0.15	100	8428	100.8	27.1

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-08 02:00:00	0	0	0	0	271	6.91	8.79	29.4	72.8	100.84	-1.1	-0.5	0	29.4	0.15	100	8425	100.8	27.1
2023-04-08 02:05:00	0	0	0	0	272	7.14	10.22	29.4	72.7	100.83	-1.2	-0.5	0	29.4	0.15	100	8425	100.79	27.1
2023-04-08 02:10:00	0	0	0	0	275	6.82	8.3	29.3	73.1	100.83	-1.2	-0.6	0	29.3	0.15	100	8425	100.79	27
2023-04-08 02:15:00	0	0	0	0	279	7.07	8.68	29.3	73.2	100.83	-1.1	-0.5	0	29.3	0.15	100	8425	100.79	27
2023-04-08 02:20:00	0	0	0	0	280	6.85	8.66	29.3	73.2	100.83	-1.1	-0.5	0	29.2	0.15	100	8424	100.79	26.9
2023-04-08 02:25:00	0	0	0	0	282	6.02	7.38	29	73.8	100.83	-1.1	-0.4	0	29	0.14	100	8425	100.79	26.8
2023-04-08 02:30:00	0	0	0	0	283	6.58	8.19	29	73.9	100.82	-1.1	-0.5	0	29	0.14	100	8425	100.79	26.7
2023-04-08 02:35:00	0	0	0	0	279	7.27	8.57	28.9	74.4	100.83	-1.1	-0.5	0	28.9	0.14	100	8423	100.79	26.6
2023-04-08 02:40:00	0	0	0	0	286	6.73	9.17	28.9	75.2	100.83	-1.2	-0.4	0	28.9	0.13	100	8426	100.79	26.6
2023-04-08 02:45:00	0	0	0	0	291	6.11	7.43	28.7	76	100.83	-1	-0.4	0	28.7	0.13	100	8422	100.8	26.4
2023-04-08 02:50:00	0	0	0	0	293	6.2	7.81	28.7	76.3	100.84	-1.2	-0.5	0	28.7	0.13	100	8422	100.8	26.3
2023-04-08 02:55:00	0	0	0	0	290	6.71	8.72	28.6	75.5	100.84	-1.1	-0.4	0	28.6	0.13	100	8422	100.8	26.3
2023-04-08 03:00:00	0	0	0	0	293	5.99	7.27	28.5	75.3	100.84	-1.2	-0.5	0	28.5	0.13	100	8423	100.8	26.2
2023-04-08 03:05:00	0	0	0	0	292	5.7	6.69	28.4	75.9	100.84	-1.2	-0.5	0	28.4	0.13	100	8425	100.8	26
2023-04-08 03:10:00	0	0	0	0	284	5.88	7.61	28.3	76.1	100.84	-1.2	-0.4	0	28.3	0.13	100	8420	100.8	25.9
2023-04-08 03:15:00	0	0	0	0	280	6.51	8.14	28.3	76.2	100.84	-1.2	-0.5	0	28.3	0.12	100	8421	100.8	25.9
2023-04-08 03:20:00	0	0	0	0	285	6.55	8.43	28.3	76	100.83	-1.2	-0.4	0	28.3	0.13	100	8422	100.79	25.9
2023-04-08 03:25:00	0	0	0	0	283	6.53	8.05	28.3	76.2	100.82	-1	-0.6	0	28.3	0.12	100	8420	100.78	25.9
2023-04-08 03:30:00	0	0	0	0	281	6.29	7.27	28.3	75.7	100.82	-1.2	-0.4	0	28.3	0.13	100	8418	100.78	25.9
2023-04-08 03:35:00	0	0	0	0	282	6.13	8.05	28.3	76	100.82	-1.1	-0.4	0	28.3	0.13	100	8418	100.78	25.9
2023-04-08 03:40:00	0	0	0	0	280	6.2	7.49	28.3	76.1	100.82	-1.2	-0.5	0	28.3	0.13	100	8420	100.79	25.8
2023-04-08 03:45:00	0	0	0	0	274	6.93	8.21	28.2	76.4	100.83	-1.2	-0.5	0	28.2	0.12	100	8417	100.8	25.8
2023-04-08 03:50:00	0	0	0	0	271	7.27	8.75	28.2	76.1	100.84	-1.2	-0.4	0	28.2	0.13	100	8416	100.81	25.9
2023-04-08 03:55:00	0	0	0	0	275	7.18	9.28	28.2	74.4	100.84	-1.1	-0.4	0	28.2	0.13	100	8420	100.8	25.9
2023-04-08 04:00:00	0	0	0	0	279	6.44	8.23	28.1	74.8	100.84	-1.2	-0.5	0	28.1	0.13	100	8418	100.81	25.8
2023-04-08 04:05:00	0	0	0	0	279	5.86	7.52	28.1	74.7	100.85	-1.1	-0.4	0	28.1	0.13	100	8416	100.81	25.7
2023-04-08 04:10:00	0	0	0	0	278	5.37	5.99	28	75	100.85	-1.2	-0.5	0	28	0.13	100	8415	100.82	25.6
2023-04-08 04:15:00	0	0	0	0	268	5.84	7.78	27.9	75.6	100.86	-1	-0.5	0	27.9	0.13	100	8416	100.82	25.5
2023-04-08 04:20:00	0	0	0	0	260	6.8	8.57	27.8	76.1	100.86	-1.2	-0.4	0	27.8	0.12	100	8415	100.82	25.5
2023-04-08 04:25:00	0	0	0	0	258	6.49	8.19	27.9	77.1	100.86	-1.2	-0.5	0	27.9	0.12	100	8415	100.83	25.5
2023-04-08 04:30:00	0	0	0	0	255	6.8	9.71	27.9	77.4	100.87	-1.2	-0.4	0	27.9	0.12	100	8415	100.83	25.5
2023-04-08 04:35:00	0	0	0	0	257	6.62	8.88	27.9	77.4	100.87	-1.1	-0.4	0	27.9	0.12	100	8415	100.84	25.6
2023-04-08 04:40:00	0	0	0	0	257	7.07	10.63	27.9	77.3	100.86	-1.2	-0.4	0	27.9	0.12	100	8414	100.83	25.6
2023-04-08 04:45:00	0	0	0	0	264	7.27	9.78	27.9	77.4	100.86	-1.2	-0.5	0	27.9	0.12	100	8414	100.83	25.7
2023-04-08 04:50:00	0	0	0	0	264	6.73	8.68	27.9	77.4	100.87	-1.2	-0.5	0	27.9	0.12	100	8412	100.83	25.6
2023-04-08 04:55:00	0	0	0	0	264	6.85	8.05	27.8	77.8	100.87	-1.1	-0.5	0	27.8	0.11	100	8413	100.83	25.4
2023-04-08 05:00:00	0	0	0	0	267	7.25	8.77	27.6	77.2	100.86	-1.2	-0.4	0	27.5	0.12	100	8411	100.83	25.3
2023-04-08 05:05:00	0	0	0	0	272	6.93	8.9	27.5	77.2	100.86	-1.1	-0.4	0	27.5	0.12	100	8411	100.84	25.3
2023-04-08 05:10:00	0	0	0	0	275	6.38	7.31	27.2	78.3	100.87	-1.1	-0.5	0	27.2	0.11	100	8412	100.84	25.1
2023-04-08 05:15:00	0	0	0	0	276	6.22	8.5	27.2	79.3	100.87	-1.1	-0.6	0	27.2	0.1	100	8412	100.84	25
2023-04-08 05:20:00	0	0	0	0	280	5.79	8.39	27.1	79.7	100.87	-1.1	-0.3	0	27	0.1	100	8409	100.84	24.8
2023-04-08 05:25:00	0	0	0	0	278	5.57	7.67	26.9	78.9	100.87	-1.2	-0.4	0	26.9	0.1	100	8411	100.84	24.7
2023-04-08 05:30:00	0	0	0	0	272	6.98	9.75	26.8	79	100.88	-1.2	-0.5	0	26.8	0.1	100	8409	100.85	24.6
2023-04-08 05:35:00	0	0	0	0	268	7.65	9.55	26.8	79	100.88	-1.2	-0.4	0	26.8	0.1	100	8409	100.85	24.6
2023-04-08 05:40:00	0	0	0	0	266	7.45	9.13	26.7	79.1	100.88	-1.1	-0.3	0	26.8	0.1	100	8409	100.85	24.6
2023-04-08 05:45:00	0	0	0	0	267	7.76	9.26	26.7	79.2	100.89	-1.2	-0.5	0	26.7	0.1	100	8407	100.86	24.6
2023-04-08 05:50:00	0	0	0	0	270	7.02	8.48	26.7	79.1	100.89	-1.3	-0.4	0	26.7	0.1	100	8406	100.86	24.5
2023-04-08 05:55:00	0	0	0	0	267	6.93	7.76	26.7	79.2	100.89	-1.2	-0.5	0	26.7	0.1	100	8407	100.86	24.5
2023-04-08 06:00:00	0	0	0	0	267	6.96	9.15	26.6	79.6	100.9	-1.2	-0.4	0	26.6	0.1	100	8406	100.87	24.4
2023-04-08 06:05:00	0	0	0	0	265	7.27	8.81	26.6	79.6	100.91	-1.1	-0.4	0	26.6	0.1	100	8406	100.88	24.4
2023-04-08 06:10:00	0	0	0	0	263	6.87	9.1	26.5	79.8	100.9	-1.3	-0.5	0	26.5	0.1	100	8407	100.87	24.3
2023-04-08 06:15:00	0	0	0	0	267	6.76	7.87	26.5	79.9	100.9	-1.2	-0.4	0	26.5	0.1	100	8408	100.88	24.3
2023-04-08 06:20:00	1.2	0	0	0	269	6.91	8.81	26.6	79.7	100.91	-1.2	-0.5	0	26.6	0.1	100	8405	100.88	24.2
2023-04-08 06:25:00	2.8	0	0	0	273	6.46	8.63	26.5	80.1	100.91	-1.3	-0.4	0	26.5	0.1	100	8406	100.88	24.2
2023-04-08 06:30:00	5.2	0	0	0	276	5.82	6.98	26.4	80.3	100.91	-1.2	-0.4	0	26.4	0.1	100	8406	100.88	24.1
2023-04-08 06:35:00	8.6	0	0	0	268	6.26	7.92	26.3	80.5	100.91	-1.2	-0.5	0	26.3	0.09	100	8407	100.89	24
2023-04-08 06:40:00	20	0	0	0	269	6.76	8.19	26.5	80.2	100.92	-1.2	-0.4	0	26.6	0.1	100	8412	100.9	24.1
2023-04-08 06:45:00	31.4	0	0	0	273	6.55	8.34	26.7	80.7	100.92	-1.1	-0.4	0	26.9	0.09	100	8420	100.9	24.4
2023-04-08 06:50:00	42	0	0	0	273	6.49	8.16	27	80.4	100.93	-1	-0.4	0	27.1	0.1	100	8424	100.91	24.7
2023-04-08 06:55:00	53.2	0	0	0	268	5.73	7.54	27.3	80.1	100.94	-1.2	-0.4	0	27.5	0.1	100	8436	100.92	25

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-08 07:00:00	64	0	0	0	270	5.73	7.14	27.7	80.3	100.95	-1.3	-0.4	0	27.9	0.1	100	8445	100.93	25.5
2023-04-08 07:05:00	74	0	0	0	275	6.4	8.25	28.1	79.3	100.96	-1	-0.5	0	28.4	0.11	100	8456	100.94	26
2023-04-08 07:10:00	83	0	0	0	276	5.91	8.7	28.6	79	100.97	-1.1	-0.5	0	28.9	0.11	100	8469	100.95	26.6
2023-04-08 07:15:00	90.8	0	0	0	280	5.77	8.12	29.1	79.1	100.98	-1.2	-0.5	0	29.4	0.11	100	8482	100.96	27.2
2023-04-08 07:20:00	100.4	0	0	0	269	5.59	8.12	29.6	77.9	101	-1.1	-0.5	0	30	0.12	100	8491	100.99	28
2023-04-08 07:25:00	116.2	0	0	0	272	6.87	8.86	30.1	77.9	101	-1.1	-0.4	0	30.4	0.12	100	8506	101	28.8
2023-04-08 07:30:00	133.4	0	0	0	272	7.4	9.66	30.7	75.9	101.01	-1.1	-0.3	0	31.1	0.14	100	8518	101	29.5
2023-04-08 07:35:00	150.4	0	0	0	275	6.69	8.55	31	76.3	101.01	-1	-0.3	0	31.5	0.14	100	8529	101	30
2023-04-08 07:40:00	168.4	0	0	0	284	5.86	8.1	31.5	75.4	101.01	-1	-0.5	0	32.1	0.15	100	8542	101.01	30.6
2023-04-08 07:45:00	183.2	0	0	0	286	6.2	8.08	32	74.9	101.03	-1	-0.5	0	32.6	0.15	100	8551	101.03	31.3
2023-04-08 07:50:00	197.6	0	0	0	286	6.42	7.83	32.6	73.6	101.04	-1	-0.4	0	33.2	0.17	100	8564	101.04	31.9
2023-04-08 07:55:00	211.2	0	0	0	285	6.11	8.14	33.1	72.6	101.05	-1.1	-0.5	0	33.8	0.18	100	8572	101.05	32.6
2023-04-08 08:00:00	227.8	0	0	0	282	5.57	7.07	33.5	72.3	101.06	-1.1	-0.4	0	34.3	0.18	100	8585	101.06	33.3
2023-04-08 08:05:00	243.8	0	0	0	304	5.14	6.93	34.2	72	101.06	-1	-0.5	0	35	0.19	100	8592	101.06	34
2023-04-08 08:10:00	259	0	0	0	299	4.99	6.2	34.7	70.8	101.07	-0.9	-0.4	0	35.6	0.2	100	8604	101.07	34.7
2023-04-08 08:15:00	274.8	0	0	0	294	5.39	7.65	35.2	69	101.08	-1	-0.5	0	36.2	0.22	100	8613	101.08	35.5
2023-04-08 08:20:00	290.8	0	0	0	290	5.32	7.61	35.7	68	101.09	-0.8	-0.5	0	36.7	0.23	100	8621	101.09	36.1
2023-04-08 08:25:00	306	0	0	0	293	5.21	7.87	36.1	67.5	101.09	-0.9	-0.4	0	37.2	0.23	100	8628	101.1	36.7
2023-04-08 08:30:00	320.8	0	0	0	295	6.04	8.08	36.6	66.4	101.1	-0.9	-0.5	0	37.7	0.25	100	8639	101.1	37.3
2023-04-08 08:35:00	326.2	0	0	0	309	5.99	8.84	37.2	64.9	101.11	-0.9	-0.4	0	38.3	0.26	100	8646	101.11	38
2023-04-08 08:40:00	329.4	0	0	0	319	4.68	7.49	37.5	63.3	101.11	-0.8	-0.6	0	38.7	0.28	100	8652	101.12	38.6
2023-04-08 08:45:00	327.6	0	0	0	309	4.36	6.33	38	61.8	101.12	-1	-0.4	0	39.2	0.3	100	8656	101.13	39.1
2023-04-08 08:50:00	328.4	0	0	0	325	7.45	11.07	38.7	60.4	101.12	-0.8	-0.5	0	39.7	0.32	100	8664	101.13	39.7
2023-04-08 08:55:00	356.2	0	0	0	319	3.53	9.08	38.8	59.9	101.12	-0.8	-0.4	0	40.2	0.32	100	8669	101.13	40.2
2023-04-08 09:00:00	388.6	0	0	0	332	5.55	9.57	39.4	58.3	101.12	-0.7	-0.5	0	40.7	0.34	100	8675	101.13	40.7
2023-04-08 09:05:00	418.2	0	0	0	9	3.36	7.18	39.7	58	101.12	-0.9	-0.5	0	41.1	0.35	100	8680	101.13	41.2
2023-04-08 09:10:00	442.8	0	0	0	302	5.66	9.98	40.5	57.8	101.12	-0.8	-0.5	0	41.9	0.36	100	8685	101.13	41.8
2023-04-08 09:15:00	459.8	0	0	0	348	4.79	8.99	40.8	56.4	101.12	-0.7	-0.5	0	42	0.38	100	8691	101.14	42.1
2023-04-08 09:20:00	476.2	0	0	0	346	3.8	6.26	41	56.2	101.13	-0.8	-0.5	0	42.5	0.38	100	8688	101.14	42.6
2023-04-08 09:25:00	493	0	0	0	319	6.26	10.58	41.6	55.5	101.13	-0.7	-0.5	0	42.9	0.4	100	8694	101.15	43
2023-04-08 09:30:00	508.2	0	0	0	0	6.35	10.56	41.9	53.7	101.14	-0.6	-0.5	0	43	0.42	100	8700	101.15	43.3
2023-04-08 09:35:00	524.8	0	0	0	62	5.14	8.19	42.1	52.8	101.14	-0.7	-0.6	0	43.3	0.43	100	8703	101.16	43.6
2023-04-08 09:40:00	541.2	0	0	0	79	3.91	6.64	42.2	50.6	101.14	-0.7	-0.5	0	43.5	0.45	100	8706	101.16	44
2023-04-08 09:45:00	571.2	0	0	0	340	5.39	8.72	42.6	50.6	101.14	-0.7	-0.4	0	44	0.46	100	8708	101.16	44.4
2023-04-08 09:50:00	600.6	0	0	0	307	4.09	8.32	42.9	49.6	101.14	-0.7	-0.4	0	44.4	0.47	100	8712	101.16	44.7
2023-04-08 09:55:00	599.6	0	0	0	349	7.47	10.33	43.5	47.3	101.13	-0.7	-0.5	0	44.6	0.51	100	8716	101.15	45
2023-04-08 10:00:00	606.4	0	0	0	11	7.76	11.86	43.7	47	101.13	-0.7	-0.4	0	44.7	0.51	100	8717	101.15	45.1
2023-04-08 10:05:00	588.2	0	0	0	10	2.71	5.64	43.5	47.1	101.13	-0.8	-0.5	0	44.9	0.51	100	8718	101.15	45.2
2023-04-08 10:10:00	549.6	0	0	0	325	2.33	8.12	43.7	48.7	101.12	-0.5	-0.5	0	45.8	0.5	100	8720	101.14	45.7
2023-04-08 10:15:00	549.4	0	0	0	10	3.33	7.94	44.9	48.1	101.12	-0.6	-0.5	0	46.4	0.53	100	8721	101.14	46.3
2023-04-08 10:20:00	595.4	0	0	0	144	6.33	11.83	45.6	46.4	101.12	-0.6	-0.6	0	46.9	0.56	100	8719	101.13	46.7
2023-04-08 10:25:00	623.2	0	0	0	177	4.81	9.84	44.9	46.8	101.11	-0.6	-0.6	0	46	0.54	100	8723	101.13	46.3
2023-04-08 10:30:00	663.8	0	0	0	114	7.05	12.06	44.6	46.9	101.11	-0.6	-0.6	0	45.8	0.53	100	8723	101.12	46.2
2023-04-08 10:35:00	678.6	0	0	0	99	7.02	11.79	44.6	45.3	101.11	-0.6	-0.5	0	45.6	0.55	100	8723	101.12	46.2
2023-04-08 10:40:00	686.2	0	0	0	94	7.29	13.78	44.2	46.4	101.1	-0.7	-0.5	0	45.3	0.53	100	8725	101.12	46.2
2023-04-08 10:45:00	696	0	0	0	99	4.23	8.1	44.3	47.2	101.1	-0.6	-0.5	0	45.6	0.52	100	8726	101.12	46.4
2023-04-08 10:50:00	706.2	0	0	0	19	6.46	11.97	44.6	46.1	101.11	-0.6	-0.4	0	45.9	0.54	100	8727	101.12	46.7
2023-04-08 10:55:00	715.2	0	0	0	326	5.88	8.25	44.9	44.2	101.1	-0.6	-0.4	0	46	0.56	100	8729	101.11	46.6
2023-04-08 11:00:00	723.6	0	0	0	277	3.44	5.17	44.8	43.4	101.1	-0.7	-0.5	0	46.2	0.57	100	8730	101.1	46.4
2023-04-08 11:05:00	726.6	0	0	0	231	3.76	6.24	45.2	43	101.09	-0.6	-0.6	0	46.6	0.58	100	8730	101.1	46.7
2023-04-08 11:10:00	711.2	0	0	0	265	3.98	7.72	45.4	43.9	101.09	-0.6	-0.6	0	47	0.58	100	8728	101.1	47.1
2023-04-08 11:15:00	688	0	0	0	36	7.81	19.28	46.1	44.8	101.08	-0.7	-0.5	0	47.2	0.59	100	8728	101.09	47.4
2023-04-08 11:20:00	647.8	0	0	0	105	5.08	8.55	46	44.2	101.08	-0.5	-0.6	0	47.1	0.59	100	8725	101.1	47.6
2023-04-08 11:25:00	666.4	0	0	0	147	5.23	11.48	45.8	44.5	101.09	-0.7	-0.5	0	47.1	0.58	100	8728	101.1	47.6
2023-04-08 11:30:00	722	0	0	0	145	8.12	12.5	45.9	45	101.09	-0.7	-0.7	0	47.1	0.58	100	8728	101.1	47.5
2023-04-08 11:35:00	767	0	0	0	174	7.34	12.15	45.8	44.2	101.08	-0.7	-0.5	0	46.7	0.58	100	8727	101.09	47
2023-04-08 11:40:00	787.6	0	0	0	79	6.82	10.63	45.4	45.3	101.08	-0.6	-0.5	0	46.5	0.57	100	8727	101.08	46.8
2023-04-08 11:45:00	793.2	0	0	0	115	4.12	6.82	45.4	44.3	101.08	-0.5	-0.5	0	46.7	0.58	100	8731	101.08	47
2023-04-08 11:50:00	799.8	0	0	0	177	3	7.49	45.6	43.7	101.07	-0.7	-0.6	0	47.2	0.59	100	8729	101.07	47.2
2023-04-08 11:55:00	804.8	0	0	0	152	5.03	8.21	46.3	42.1	101.05	-0.6	-0.6	0	47.6	0.62	100	8730	101.06	47.3

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-08 12:00:00	785.6	0	0	0	27	5.93	11.68	46.6	43.5	101.05	-0.6	-0.5	0	47.8	0.61	100	8727	101.05	47.6
2023-04-08 12:05:00	755.2	0	0	0	5	5.35	9.46	46.9	42.3	101.03	-0.5	-0.5	0	48	0.63	100	8727	101.04	47.7
2023-04-08 12:10:00	706.4	0	0	0	343	3.29	6.78	46.7	41.1	101.03	-0.5	-0.5	0	48.2	0.64	100	8728	101.03	47.6
2023-04-08 12:15:00	716	0	0	0	129	4.18	8.79	47.3	41.4	101.02	-0.5	-0.6	0	48.8	0.65	100	8726	101.02	47.9
2023-04-08 12:20:00	775.4	0	0	0	109	3.15	6.98	47.4	42.2	101.01	-0.6	-0.6	0	49	0.64	100	8725	101.01	48
2023-04-08 12:25:00	823.2	0	0	0	166	3.98	9.75	47.8	44.5	101	-0.5	-0.5	0	49.4	0.63	100	8722	101	48.4
2023-04-08 12:30:00	832	0	0	0	85	3.65	9.01	48.2	42.5	101	-0.4	-0.7	0	49.7	0.66	100	8725	100.99	48.5
2023-04-08 12:35:00	834.2	0	0	0	339	7.78	12.41	48.4	40.1	100.99	-0.5	-0.6	0	49.5	0.69	100	8720	100.98	48.6
2023-04-08 12:40:00	833.8	0	0	0	12	4.25	8.93	48.1	40.6	100.98	-0.5	-0.5	0	49.4	0.68	100	8719	100.98	48.6
2023-04-08 12:45:00	819.2	0	0	0	40	5.3	8.63	48.5	40.6	100.97	-0.5	-0.5	0	49.8	0.69	100	8720	100.97	48.8
2023-04-08 12:50:00	792	0	0	0	61	5.39	11.01	48.7	42.2	100.96	-0.4	-0.5	0	49.9	0.68	100	8716	100.96	49
2023-04-08 12:55:00	735.4	0	0	0	59	5.95	11.36	48.8	41.2	100.96	-0.5	-0.5	0	50	0.69	100	8715	100.95	49.4
2023-04-08 13:00:00	708.6	0	0	0	59	6.69	12.1	48.9	41.7	100.96	-0.4	-0.7	0	50.1	0.69	100	8712	100.95	49.5
2023-04-08 13:05:00	732.4	0	0	0	48	6.49	11.65	48.7	39.3	100.95	-0.4	-0.6	0	49.8	0.71	100	8707	100.94	49.4
2023-04-08 13:10:00	780	0	0	0	79	7.85	11.54	48.6	37.9	100.94	-0.6	-0.6	0	49.5	0.72	100	8708	100.94	49.3
2023-04-08 13:15:00	811.8	0	0	0	33	6.02	12.73	48.3	39.1	100.94	-0.4	-0.6	0	49.4	0.7	100	8702	100.93	49.3
2023-04-08 13:20:00	835.6	0	0	0	27	5.03	7.02	48.3	37.7	100.94	-0.6	-0.6	0	49.5	0.72	100	8700	100.93	49.2
2023-04-08 13:25:00	840	0	0	0	51	4.65	7.85	48.4	38.3	100.94	-0.5	-0.7	0	49.8	0.71	100	8697	100.93	49.3
2023-04-08 13:30:00	837.2	0	0	0	87	3.31	6.4	48.5	38.2	100.93	-0.4	-0.6	0	50	0.72	100	8693	100.92	49.5
2023-04-08 13:35:00	834.8	0	0	0	32	4.23	6.46	48.9	37.5	100.93	-0.5	-0.6	0	50.4	0.74	100	8687	100.92	49.5
2023-04-08 13:40:00	832.4	0	0	0	21	4.97	9.64	49.3	38.5	100.92	-0.4	-0.6	0	50.6	0.74	100	8681	100.9	49.7
2023-04-08 13:45:00	827	0	0	0	0	9.86	13.51	49.5	37.5	100.91	-0.4	-0.6	0	50.4	0.75	100	8676	100.9	49.6
2023-04-08 13:50:00	819.2	0	0	0	24	3.69	7.76	49.1	37.9	100.91	-0.5	-0.7	0	50.4	0.74	100	8670	100.89	49.4
2023-04-08 13:55:00	802.8	0	0	0	48	4.54	8.99	49.5	39	100.91	-0.4	-0.7	0	50.9	0.74	100	8665	100.89	49.6
2023-04-08 14:00:00	785.6	0	0	0	81	5.46	12.1	49.9	36.8	100.91	-0.4	-0.7	0	51	0.77	100	8660	100.88	49.9
2023-04-08 14:05:00	770.2	0	0	0	61	3.83	7.99	49.5	38.3	100.9	-0.4	-0.7	0	50.9	0.74	100	8653	100.88	49.9
2023-04-08 14:10:00	754.2	0	0	0	180	3.33	8.3	49.6	37.1	100.89	-0.4	-0.6	0	51.2	0.76	100	8649	100.87	50.1
2023-04-08 14:15:00	735.8	0	0	0	198	4.68	9.75	50	37.4	100.88	-0.4	-0.7	0	51.4	0.77	100	8646	100.86	49.9
2023-04-08 14:20:00	712.6	0	0	0	222	3.53	9.35	50	38.8	100.89	-0.5	-0.6	0	51.3	0.75	100	8640	100.87	49.8
2023-04-08 14:25:00	685.6	0	0	0	308	6.31	15.28	50.4	38.4	100.89	-0.4	-0.6	0	51.8	0.77	100	8637	100.86	49.8
2023-04-08 14:30:00	660.4	0	0	0	359	8.9	15.73	50.7	38.6	100.88	-0.4	-0.8	0	51.6	0.77	100	8633	100.86	49.6
2023-04-08 14:35:00	646.6	0	0	0	2	11.3	20.33	50.2	38.5	100.88	-0.5	-0.5	0	51.1	0.76	100	8629	100.85	49.3
2023-04-08 14:40:00	650.8	0	0	0	337	15.08	21.72	49.7	38	100.87	-0.6	-0.5	0	50.5	0.75	100	8625	100.84	48.8
2023-04-08 14:45:00	663.2	0	0	0	351	15.01	21.88	49	38.8	100.86	-0.4	-0.8	0	49.7	0.72	100	8621	100.83	48.3
2023-04-08 14:50:00	673	0	0	0	353	15.26	21.09	48.3	38.9	100.85	-0.4	-0.6	0	49	0.7	100	8616	100.82	47.9
2023-04-08 14:55:00	677.4	0	0	0	4	12.39	17.78	47.9	39.8	100.84	-0.4	-0.6	0	48.7	0.68	100	8617	100.82	47.7
2023-04-08 15:00:00	682.4	0	0	0	349	14.63	20.42	47.8	39.8	100.82	-0.5	-0.3	0	48.6	0.68	100	8612	100.79	47.6
2023-04-08 15:05:00	683.8	0	0	0	335	13.69	18.3	47.6	39.8	100.81	-0.6	-0.8	0	48.3	0.68	100	8610	100.78	47.3
2023-04-08 15:10:00	682.6	0	0	0	351	12.06	18.32	47.6	40.6	100.81	-0.5	-1	0	48.3	0.67	100	8605	100.78	47.4
2023-04-08 15:15:00	684	0	0	0	357	12.01	19.37	47.6	40.5	100.81	-0.5	-0.4	0	48.5	0.67	100	8608	100.78	47.3
2023-04-08 15:20:00	707.8	0	0	0	1	13	17.65	47.8	40.6	100.81	-0.7	-0.5	0	48.6	0.67	100	8600	100.78	47.5
2023-04-08 15:25:00	658.4	0	0	0	356	11.5	16.49	47.8	39.9	100.81	-0.5	-0.7	0	48.7	0.68	100	8602	100.78	47.6
2023-04-08 15:30:00	578	0	0	0	356	7.27	12.39	47.6	39.6	100.81	-0.6	-0.6	0	48.6	0.68	100	8602	100.78	47.8
2023-04-08 15:35:00	635.2	0	0	0	357	9.35	15.14	47.7	39.8	100.8	-0.5	-0.7	0	48.7	0.68	100	8600	100.77	48.1
2023-04-08 15:40:00	704.6	0	0	0	352	7.23	11.81	48.1	39.8	100.8	-0.5	-0.8	0	49.1	0.69	100	8601	100.77	48.4
2023-04-08 15:45:00	682.8	0	0	0	10	9.86	17.09	48.6	39.8	100.79	-0.5	-0.8	0	49.6	0.7	100	8599	100.76	48.8
2023-04-08 15:50:00	670.6	0	0	0	10	8.93	14.81	48.8	39.4	100.8	-0.4	-0.7	0	49.8	0.71	100	8594	100.77	49.2
2023-04-08 15:55:00	629.8	0	0	0	14	10.16	16.04	48.8	39.1	100.79	-0.4	-0.6	0	49.6	0.71	100	8592	100.76	49.3
2023-04-08 16:00:00	644	0	0	0	33	10.45	15.79	48.6	39.6	100.79	-0.3	-0.7	0	49.4	0.7	100	8593	100.76	49.4
2023-04-08 16:05:00	640.6	0	0	0	20	8.84	14.54	48.3	39.4	100.79	-0.6	-0.6	0	49.2	0.7	100	8592	100.76	49.8
2023-04-08 16:10:00	497.6	0	0	0	0	9.44	14.41	48.2	38.6	100.78	-0.5	-0.6	0	49.1	0.7	100	8591	100.75	49.9
2023-04-08 16:15:00	430.8	0	0	0	26	9.57	13.38	47.7	40.3	100.78	-0.5	-0.7	0	48.6	0.67	100	8589	100.74	49.4
2023-04-08 16:20:00	361.2	0	0	0	28	9.82	14.14	47.1	40.2	100.77	-0.7	-0.7	0	47.9	0.66	100	8589	100.74	48.9
2023-04-08 16:25:00	536.8	0	0	0	355	6.8	13.09	46.6	40.3	100.77	-0.4	-0.7	0	47.7	0.64	100	8584	100.74	49
2023-04-08 16:30:00	502	0	0	0	348	11.68	18.34	47.1	40.2	100.76	-0.6	-0.6	0	48	0.66	100	8582	100.74	49.2
2023-04-08 16:35:00	424.2	0	0	0	350	12.93	17.47	47.3	39.7	100.76	-0.6	-0.7	0	48	0.67	100	8582	100.73	49.2
2023-04-08 16:40:00	359.2	0	0	0	351	11.9	17.94	46.8	39.7	100.76	-0.7	-0.6	0	47.5	0.66	100	8582	100.73	48.5
2023-04-08 16:45:00	444.2	0	0	0	2	10.71	15.03	46.4	40.3	100.76	-0.5	-0.6	0	47.3	0.64	100	8581	100.73	48.1
2023-04-08 16:50:00	334.4	0	0	0	24	8.05	14.88	46.3	42	100.76	-0.5	-0.5	0	47.2	0.62	100	8574	100.73	48.4
2023-04-08 16:55:00	255.6	0	0	0	10	8.3	11.14	46.2	41.7	100.76	-0.5	-0.6	0	46.9	0.62	100	8573	100.73	48

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-08 17:00:00	228.6	0	0	0	11	8.99	15.88	45.9	42.3	100.76	-0.6	-0.6	0	46.6	0.61	100	8576	100.72	47.5
2023-04-08 17:05:00	217	0	0	0	354	10.27	14.36	45.6	41.7	100.75	-0.6	-0.5	0	46.2	0.61	100	8570	100.71	46.9
2023-04-08 17:10:00	197	0	0	0	5	10.25	14.27	45.1	42.3	100.75	-0.7	-0.5	0	45.6	0.59	100	8573	100.71	46.4
2023-04-08 17:15:00	182.4	0	0	0	354	9.71	14.58	44.7	42.3	100.74	-0.8	-0.4	0	45.2	0.58	100	8572	100.7	45.9
2023-04-08 17:20:00	172.2	0	0	0	347	10.22	13.58	44.4	42.8	100.74	-0.7	-0.5	0	44.9	0.57	100	8570	100.7	45.6
2023-04-08 17:25:00	166.4	0	0	0	347	8.88	13.71	44.1	43	100.74	-0.6	-0.5	0	44.5	0.56	100	8569	100.7	45.3
2023-04-08 17:30:00	164.8	0	0	0	351	10.42	14.05	43.9	43.3	100.74	-0.6	-0.4	0	44.3	0.55	100	8567	100.7	45.1
2023-04-08 17:35:00	165	0	0	0	355	8.97	11.86	43.7	44.1	100.74	-0.7	-0.7	0	44.1	0.54	100	8567	100.7	45
2023-04-08 17:40:00	155.2	0	0	0	357	9.75	14.83	43.6	44.8	100.73	-0.6	-0.5	0	44	0.53	100	8567	100.69	44.8
2023-04-08 17:45:00	154.6	0	0	0	356	11.3	13.62	43.5	44.4	100.74	-0.8	-0.5	0	43.9	0.53	100	8563	100.7	44.7
2023-04-08 17:50:00	257	0	0	0	349	9.26	11.68	43.4	45.5	100.73	-0.7	-0.6	0	44.1	0.52	100	8564	100.7	45.2
2023-04-08 17:55:00	262	0	0	0	17	11.34	14.67	43.8	44.7	100.73	-0.8	-0.7	0	44.5	0.54	100	8560	100.7	46.2
2023-04-08 18:00:00	121.4	0	0	0	349	9.78	14.43	43.9	44.1	100.74	-0.7	-0.6	0	44.2	0.54	100	8558	100.7	45.9
2023-04-08 18:05:00	94.6	0	0	0	345	9.22	13	43.7	44.1	100.74	-0.7	-0.6	0	43.9	0.54	100	8554	100.7	44.7
2023-04-08 18:10:00	83	0	0	0	346	9.26	12.17	43.1	44.2	100.73	-0.7	-0.6	0	43.3	0.53	100	8552	100.69	43.9
2023-04-08 18:15:00	73.4	0	0	0	4	8.48	12.62	42.7	44.7	100.73	-0.8	-0.5	0	42.9	0.51	100	8552	100.68	43.2
2023-04-08 18:20:00	77.6	0	0	0	359	7.18	9.44	42.3	45.6	100.72	-0.7	-0.5	0	42.5	0.5	100	8551	100.68	42.8
2023-04-08 18:25:00	77.8	0	0	0	6	8.63	11.81	41.9	46.5	100.72	-0.7	-0.4	0	42.1	0.48	100	8550	100.67	42.5
2023-04-08 18:30:00	75	0	0	0	1	8.21	12.44	41.6	45.9	100.72	-0.7	-0.5	0	41.9	0.48	100	8548	100.67	42.3
2023-04-08 18:35:00	68.2	0	0	0	12	8.9	14.99	41.6	46.2	100.71	-0.8	-0.6	0	41.8	0.48	100	8542	100.67	42
2023-04-08 18:40:00	56.2	0	0	0	351	8.81	11.21	41.3	46.7	100.71	-0.8	-0.5	0	41.5	0.47	100	8546	100.66	41.7
2023-04-08 18:45:00	48.2	0	0	0	347	10.31	13.78	41.1	46.6	100.7	-0.8	-0.6	0	41.3	0.47	100	8542	100.66	41.5
2023-04-08 18:50:00	37.4	0	0	0	355	8.66	11.03	40.9	46.1	100.7	-0.8	-0.5	0	41	0.47	100	8539	100.66	41.3
2023-04-08 18:55:00	31.2	0	0	0	345	10.11	13.35	40.7	46.2	100.7	-0.8	-0.3	0	40.8	0.46	100	8538	100.65	41
2023-04-08 19:00:00	27.2	0	0	0	346	10.58	13.6	40.4	44.3	100.69	-0.8	-0.5	0	40.6	0.47	100	8538	100.65	40.7
2023-04-08 19:05:00	23.8	0	0	0	350	10.94	15.39	40.2	42.7	100.68	-0.8	-0.6	0	40.3	0.48	100	8535	100.64	40.5
2023-04-08 19:10:00	19.6	0	0	0	342	11.72	15.52	40	41	100.68	-0.9	-0.4	0	40.1	0.5	100	8535	100.64	40.2
2023-04-08 19:15:00	17.6	0	0	0	347	10.09	13.53	39.8	39.7	100.68	-0.8	-0.5	0	39.8	0.5	100	8533	100.64	39.8
2023-04-08 19:20:00	15.4	0	0	0	350	9.64	13.18	39.5	40.6	100.68	-0.9	-0.5	0	39.5	0.49	100	8531	100.64	39.7
2023-04-08 19:25:00	11.8	0	0	0	354	8.39	11.05	39.2	40.3	100.68	-0.8	-0.5	0	39.3	0.49	100	8531	100.64	39.6
2023-04-08 19:30:00	7	0	0	0	345	7.31	10.22	39.2	40.9	100.68	-0.9	-0.5	0	39.2	0.48	100	8528	100.64	39.3
2023-04-08 19:35:00	3.4	0	0	0	355	8.39	10.92	38.9	41.3	100.68	-0.9	-0.4	0	38.9	0.47	100	8529	100.63	38.7
2023-04-08 19:40:00	1.6	0	0	0	341	8.05	10.07	38.7	41.7	100.68	-0.8	-0.7	0	38.7	0.46	100	8526	100.63	38.2
2023-04-08 19:45:00	0.4	0	0	0	344	6.73	8.5	38.3	43.3	100.68	-0.9	-0.4	0	38.3	0.44	100	8525	100.62	37.7
2023-04-08 19:50:00	0	0	0	0	339	4.99	6.17	38	43.9	100.67	-0.8	-0.5	0	38	0.44	100	8523	100.62	37.2
2023-04-08 19:55:00	0	0	0	0	334	4.43	5.77	37.7	44.4	100.67	-0.8	-0.4	0	37.7	0.43	100	8523	100.62	36.7
2023-04-08 20:00:00	0	0	0	0	323	3.24	4.94	37.3	45	100.67	-0.9	-0.5	0	37.3	0.42	100	8521	100.62	36.2
2023-04-08 20:05:00	0	0	0	0	315	2.75	3.53	36.9	44.6	100.67	-0.9	-0.5	0	36.9	0.41	100	8520	100.62	35.7
2023-04-08 20:10:00	0	0	0	0	340	3.4	4.18	36.6	45.2	100.68	-0.9	-0.4	0	36.6	0.4	100	8521	100.62	35.2
2023-04-08 20:15:00	0	0	0	0	337	2.55	4.09	36.2	46.4	100.67	-0.9	-0.5	0	36.2	0.39	100	8519	100.61	34.7
2023-04-08 20:20:00	0	0	0	0	330	1.61	1.92	36.1	47.3	100.66	-1	-0.5	0	36.1	0.38	100	8516	100.61	34.3
2023-04-08 20:25:00	0	0	0	0	332	1.45	2.06	35.7	47.9	100.66	-0.9	-0.6	0	35.7	0.37	100	8520	100.61	33.9
2023-04-08 20:30:00	0	0	0	0	305	0.63	0.87	35.3	49.2	100.66	-1	-0.6	0	35.3	0.35	100	8516	100.61	33.4
2023-04-08 20:35:00	0	0	0	0	315	0.81	0.96	34.9	49.6	100.66	-1	-0.6	0	34.9	0.35	100	8513	100.61	32.9
2023-04-08 20:40:00	0	0	0	0	296	1.07	1.16	34.6	50.2	100.66	-1	-0.4	0	34.6	0.34	100	8511	100.61	32.6
2023-04-08 20:45:00	0	0	0	0	249	1.14	1.32	34.1	50.8	100.67	-0.9	-0.5	0	34.1	0.33	100	8511	100.61	32.2
2023-04-08 20:50:00	0	0	0	0	193	1.19	1.43	34.1	49.6	100.67	-1.1	-0.5	0	34.1	0.34	100	8510	100.62	32
2023-04-08 20:55:00	0	0	0	0	152	1.97	2.64	34.2	52.8	100.68	-0.9	-0.4	0	34.2	0.31	100	8510	100.62	31.8
2023-04-08 21:00:00	0	0	0	0	146	2.26	2.84	34.3	62.2	100.68	-1.1	-0.5	0	34.3	0.25	100	8507	100.63	31.8
2023-04-08 21:05:00	0	0	0	0	154	2.19	2.59	34.4	63.9	100.69	-0.9	-0.4	0	34.4	0.24	100	8507	100.63	31.9
2023-04-08 21:10:00	0	0	0	0	161	3.36	4.92	34.4	63.8	100.69	-1	-0.5	0	34.4	0.24	100	8506	100.64	32
2023-04-08 21:15:00	0	0	0	0	166	4.79	5.21	34.5	59.2	100.7	-0.9	-0.4	0	34.5	0.28	100	8505	100.64	32.2
2023-04-08 21:20:00	0	0	0	0	172	3.89	4.68	34.7	59.3	100.71	-1	-0.4	0	34.7	0.28	100	8507	100.65	32.2
2023-04-08 21:25:00	0	0	0	0	161	3.91	4.25	34.7	58.2	100.71	-1	-0.5	0	34.7	0.28	100	8504	100.66	32.2
2023-04-08 21:30:00	0	0	0	0	163	3.85	4.36	34.7	59.7	100.72	-0.9	-0.5	0	34.7	0.27	100	8505	100.66	32.2
2023-04-08 21:35:00	0	0	0	0	168	4.18	4.5	34.6	57.8	100.72	-0.9	-0.5	0	34.6	0.29	100	8501	100.67	32.2
2023-04-08 21:40:00	0	0	0	0	161	3.27	3.96	34.6	56.1	100.73	-1	-0.5	0	34.6	0.3	100	8501	100.67	32.2
2023-04-08 21:45:00	0	0	0	0	118	1.3	2.64	34.6	58.2	100.73	-0.9	-0.5	0	34.6	0.28	100	8501	100.68	31.9
2023-04-08 21:50:00	0	0	0	0	342	0.92	1.61	34.3	61.5	100.74	-0.9	-0.5	0	34.3	0.26	100	8501	100.68	31.4
2023-04-08 21:55:00	0	0	0	0	210	2.77	4.45	33.9	62.1	100.73	-1	-0.5	0	33.9	0.25	100	8499	100.68	31.1

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-08 22:00:00	0	0	0	0	207	4.05	4.54	33.8	59.4	100.74	-1	-0.5	0	33.8	0.27	100	8500	100.68	31.2
2023-04-08 22:05:00	0	0	0	0	194	4.61	5.37	33.8	55.4	100.74	-0.9	-0.6	0	33.8	0.29	100	8500	100.69	31.3
2023-04-08 22:10:00	0	0	0	0	202	3.71	4.74	33.8	55.2	100.75	-1	-0.4	0	33.8	0.29	100	8497	100.69	31.2
2023-04-08 22:15:00	0	0	0	0	233	2.89	3.31	33.7	56	100.75	-0.9	-0.5	0	33.7	0.29	100	8497	100.69	31.1
2023-04-08 22:20:00	0	0	0	0	273	2.17	3.51	33.6	56.7	100.75	-1	-0.5	0	33.6	0.28	100	8494	100.69	30.9
2023-04-08 22:25:00	0	0	0	0	299	2.21	4.05	33.3	60.4	100.75	-1	-0.5	0	33.3	0.25	100	8496	100.69	30.6
2023-04-08 22:30:00	0	0	0	0	310	2.13	5.26	32.8	60.8	100.74	-1	-0.5	0	32.9	0.25	100	8495	100.69	30.2
2023-04-08 22:35:00	0	0	0	0	334	1.72	2.82	32.5	68.5	100.74	-1	-0.5	0	32.5	0.2	100	8492	100.68	29.8
2023-04-08 22:40:00	0	0	0	0	281	1.54	1.9	32.2	72.5	100.73	-1.1	-0.5	0	32.2	0.17	100	8493	100.68	29.4
2023-04-08 22:45:00	0	0	0	0	304	1.68	2.39	31.9	61.9	100.73	-1	-0.5	0	31.8	0.23	100	8492	100.68	29.2
2023-04-08 22:50:00	0	0	0	0	293	2.21	2.8	31.6	68	100.73	-1	-0.4	0	31.5	0.19	100	8490	100.68	29.1
2023-04-08 22:55:00	0	0	0	0	290	2.71	3.27	31.4	67.7	100.73	-1	-0.4	0	31.4	0.19	100	8492	100.68	29.1
2023-04-08 23:00:00	0	0	0	0	285	3.02	3.44	31.4	66.7	100.72	-1.1	-0.4	0	31.4	0.2	100	8491	100.68	29.1
2023-04-08 23:05:00	0	0	0	0	277	3.33	3.51	31.5	64.9	100.72	-1	-0.4	0	31.5	0.21	100	8488	100.67	29.2
2023-04-08 23:10:00	0	0	0	0	269	3.89	4.45	31.6	60.3	100.72	-1	-0.5	0	31.6	0.24	100	8489	100.67	29.2
2023-04-08 23:15:00	0	0	0	0	260	4.79	5.7	32	58.9	100.72	-1.1	-0.5	0	32	0.25	100	8488	100.66	29.3
2023-04-08 23:20:00	0	0	0	0	255	4.74	5.91	32.3	61.2	100.72	-1	-0.4	0	32.3	0.24	100	8488	100.67	29.5
2023-04-08 23:25:00	0	0	0	0	268	5.48	6.78	32.4	62.8	100.72	-0.9	-0.5	0	32.4	0.23	100	8486	100.67	29.6
2023-04-08 23:30:00	0	0	0	0	280	4.79	5.41	32.4	59.7	100.73	-1	-0.5	0	32.4	0.25	100	8487	100.67	29.6
2023-04-08 23:35:00	0	0	0	0	272	4.76	5.28	32.3	60.7	100.72	-1	-0.4	0	32.3	0.24	100	8486	100.67	29.6
2023-04-08 23:40:00	0	0	0	0	275	5.1	5.84	32.2	60	100.72	-1	-0.5	0	32.2	0.25	100	8485	100.67	29.6
2023-04-08 23:45:00	0	0	0	0	273	4	5.14	32.2	61.3	100.73	-1	-0.5	0	32.2	0.24	100	8486	100.68	29.5
2023-04-08 23:50:00	0	0	0	0	261	5.21	6.11	32.1	60.9	100.72	-1.2	-0.5	0	32.1	0.24	100	8483	100.67	29.3
2023-04-08 23:55:00	0	0	0	0	254	4.7	5.97	32.1	60.4	100.73	-1	-0.4	0	32.1	0.24	100	8483	100.67	29.3
2023-04-09 00:00:00	0	0	0	0	259	4.05	5.21	32	59.2	100.73	-1.1	-0.4	0	32.1	0.25	100	8485	100.68	29.3
2023-04-09 00:05:00	0	0	0	0	274	3.91	4.88	32.1	57.8	100.74	-1	-0.4	0	32.1	0.26	100	8456	100.69	29.4
2023-04-09 00:10:00	0	0	0	0	305	1.88	2.68	31.9	59.5	100.75	-1.1	-0.4	0	31.9	0.25	100	8443	100.71	29.5
2023-04-09 00:15:00	0	0	0	0	59	0.76	1.32	31.5	63.2	100.75	-0.9	-0.4	0	31.4	0.22	100	8434	100.7	29
2023-04-09 00:20:00	0	0	0	0	211	1.12	1.59	31.1	65.4	100.75	-1.1	-0.5	0	31.1	0.2	100	8449	100.7	28.5
2023-04-09 00:25:00	0	0	0	0	309	1.01	1.57	30.8	64.3	100.75	-1.1	-0.5	0	30.7	0.21	100	8453	100.7	28
2023-04-09 00:30:00	0	0	0	0	323	1.21	1.92	30.4	65.7	100.75	-1.1	-0.5	0	30.3	0.2	100	8454	100.7	27.5
2023-04-09 00:35:00	0	0	0	0	353	0.96	1.66	29.9	68.3	100.75	-1	-0.5	0	29.9	0.18	100	8454	100.7	27.1
2023-04-09 00:40:00	0	0	0	0	310	1.05	1.52	29.6	69.1	100.75	-1.1	-0.6	0	29.5	0.17	100	8457	100.7	26.7
2023-04-09 00:45:00	0	0	0	0	314	1.92	2.39	29.3	66.5	100.75	-1.1	-0.5	0	29.3	0.18	100	8456	100.7	26.6
2023-04-09 00:50:00	0	0	0	0	314	1.95	2.28	29.4	65.9	100.75	-1.2	-0.4	0	29.4	0.19	100	8456	100.7	26.6
2023-04-09 00:55:00	0	0	0	0	295	1.77	2.04	29.4	64.8	100.75	-1	-0.5	0	29.4	0.19	100	8456	100.7	26.6
2023-04-09 01:00:00	0	0	0	0	296	1.83	2.26	29.5	61.6	100.75	-1.1	-0.4	0	29.5	0.21	100	8454	100.7	26.6
2023-04-09 01:05:00	0	0	0	0	297	2.15	2.82	29.6	61.3	100.75	-1.2	-0.5	0	29.6	0.21	100	8453	100.7	26.7
2023-04-09 01:10:00	0	0	0	0	288	2.64	3.11	29.7	61.4	100.75	-1.1	-0.5	0	29.7	0.22	100	8450	100.7	27
2023-04-09 01:15:00	0	0	0	0	242	3.09	3.6	29.9	64.6	100.75	-1.1	-0.5	0	29.9	0.2	100	8453	100.7	27.1
2023-04-09 01:20:00	0	0	0	0	246	2.84	3.38	30	66.4	100.76	-1.1	-0.4	0	30	0.19	100	8454	100.71	26.9
2023-04-09 01:25:00	0	0	0	0	268	2.55	3.27	30.1	64	100.76	-1.1	-0.5	0	30.1	0.2	100	8454	100.7	26.7
2023-04-09 01:30:00	0	0	0	0	283	1.92	2.91	30	69.5	100.76	-1.1	-0.4	0	30	0.17	100	8452	100.7	26.5
2023-04-09 01:35:00	0	0	0	0	271	2.75	3.38	29.8	67.2	100.75	-1.1	-0.5	0	29.8	0.18	100	8453	100.7	26.3
2023-04-09 01:40:00	0	0	0	0	241	2.44	2.93	29.8	66.3	100.75	-1	-0.4	0	29.8	0.19	100	8454	100.7	26.3
2023-04-09 01:45:00	0	0	0	0	232	3	4.38	29.8	65.4	100.75	-1.1	-0.4	0	29.8	0.19	100	8452	100.7	26.3
2023-04-09 01:50:00	0	0	0	0	214	3.58	4.16	29.9	66.4	100.75	-1	-0.5	0	29.9	0.19	100	8451	100.7	26.3
2023-04-09 01:55:00	0	0	0	0	239	3.58	3.96	29.9	64.7	100.76	-1.1	-0.5	0	29.9	0.2	100	8450	100.71	26.4
2023-04-09 02:00:00	0	0	0	0	251	3.65	4.29	30.1	60.5	100.76	-1.1	-0.4	0	30.1	0.22	100	8453	100.71	26.6
2023-04-09 02:05:00	0	0	0	0	264	4.18	4.56	30.4	59.3	100.76	-1.1	-0.4	0	30.4	0.23	100	8451	100.7	26.9
2023-04-09 02:10:00	0	0	0	0	294	2.19	4.23	30.6	63.4	100.76	-1.1	-0.4	0	30.6	0.21	100	8453	100.71	27
2023-04-09 02:15:00	0	0	0	0	261	3.42	4.34	30.3	62.7	100.75	-1.1	-0.4	0	30.3	0.21	100	8451	100.7	26.7
2023-04-09 02:20:00	0	0	0	0	264	3.47	3.96	30.4	58	100.75	-1.1	-0.5	0	30.4	0.24	100	8450	100.7	26.9
2023-04-09 02:25:00	0	0	0	0	280	3.22	3.91	30.5	57.7	100.75	-1.1	-0.5	0	30.5	0.24	100	8451	100.7	27.1
2023-04-09 02:30:00	0	0	0	0	277	3.02	4.32	30.2	59.9	100.75	-1.1	-0.5	0	30.2	0.23	100	8452	100.7	27
2023-04-09 02:35:00	0	0	0	0	276	4.12	4.38	30.3	56	100.75	-1.1	-0.5	0	30.4	0.25	100	8450	100.7	27.2
2023-04-09 02:40:00	0	0	0	0	286	3.29	3.8	30.4	57	100.75	-1.1	-0.4	0	30.3	0.25	100	8451	100.71	27.4
2023-04-09 02:45:00	0	0	0	0	290	2.44	2.86	30.2	61.9	100.76	-1.2	-0.4	0	30.2	0.22	100	8451	100.71	27.2
2023-04-09 02:50:00	0	0	0	0	279	3.53	4.27	30	60.3	100.75	-1.1	-0.5	0	30	0.22	100	8450	100.7	27.1
2023-04-09 02:55:00	0	0	0	0	278	4.25	4.79	30	55.7	100.75	-1.1	-0.5	0	30	0.25	100	8449	100.71	27.2

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-09 03:00:00	0	0	0	0	283	3.29	3.78	30.2	57.7	100.76	-1.1	-0.5	0	30.2	0.24	100	8448	100.71	27.4
2023-04-09 03:05:00	0	0	0	0	280	3.24	3.85	30.2	57.7	100.76	-1.1	-0.5	0	30.2	0.24	100	8450	100.71	27.4
2023-04-09 03:10:00	0	0	0	0	273	3.2	3.56	30.2	56.3	100.76	-1.1	-0.6	0	30.2	0.25	100	8447	100.71	27.3
2023-04-09 03:15:00	0	0	0	0	270	3.33	3.74	30.2	53.5	100.76	-1	-0.5	0	30.2	0.26	100	8449	100.71	27.2
2023-04-09 03:20:00	0	0	0	0	282	3.02	3.36	30.2	55.2	100.77	-1	-0.5	0	30.2	0.25	100	8445	100.72	27.2
2023-04-09 03:25:00	0	0	0	0	282	2.3	2.66	30.2	56.4	100.77	-1.2	-0.5	0	30.1	0.25	100	8447	100.72	27.3
2023-04-09 03:30:00	0	0	0	0	287	1.86	2.15	30	58.2	100.77	-1.1	-0.4	0	30	0.24	100	8447	100.72	27.2
2023-04-09 03:35:00	0	0	0	0	288	1.83	2.1	29.8	59	100.77	-1.2	-0.6	0	29.8	0.23	100	8447	100.72	27
2023-04-09 03:40:00	0	0	0	0	279	2.13	2.51	29.6	61.1	100.77	-1.2	-0.4	0	29.6	0.22	100	8447	100.72	26.8
2023-04-09 03:45:00	0	0	0	0	285	1.32	2.35	29.5	60.9	100.77	-1.1	-0.5	0	29.4	0.22	100	8447	100.72	26.6
2023-04-09 03:50:00	0	0	0	0	209	1.16	2.28	29.2	61.6	100.77	-1	-0.5	0	29.2	0.21	100	8444	100.72	26.1
2023-04-09 03:55:00	0	0	0	0	174	2.28	3.22	29.1	67.4	100.77	-1.3	-0.4	0	29.1	0.18	100	8446	100.73	26
2023-04-09 04:00:00	0	0	0	0	171	3.89	4.88	29	73.2	100.77	-1.2	-0.5	0	29	0.15	100	8445	100.73	25.9
2023-04-09 04:05:00	0	0	0	0	170	5.61	6.44	28.9	78.1	100.78	-1.1	-0.4	0	28.9	0.12	100	8444	100.73	25.9
2023-04-09 04:10:00	0	0	0	0	166	6.29	7.34	28.4	77.2	100.77	-1.2	-0.4	0	28.4	0.12	100	8442	100.73	25.7
2023-04-09 04:15:00	0	0	0	0	164	7.67	8.55	28	76.4	100.77	-1.1	-0.4	0	28	0.12	100	8445	100.73	25.6
2023-04-09 04:20:00	0	0	0	0	169	7.4	9.04	27.9	74.8	100.77	-1.3	-0.5	0	27.9	0.13	100	8440	100.73	25.6
2023-04-09 04:25:00	0	0	0	0	170	7.23	8.5	27.8	75.9	100.77	-1.1	-0.4	0	27.8	0.12	100	8443	100.74	25.7
2023-04-09 04:30:00	0	0	0	0	181	6.85	8.19	27.7	76.4	100.77	-1.3	-0.5	0	27.7	0.12	100	8443	100.73	25.6
2023-04-09 04:35:00	0	0	0	0	185	6.93	7.92	27.8	75.8	100.77	-1.2	-0.4	0	27.8	0.12	100	8441	100.74	25.7
2023-04-09 04:40:00	0	0	0	0	187	7.31	8.63	27.8	75.8	100.78	-1.1	-0.4	0	27.8	0.12	100	8443	100.74	25.8
2023-04-09 04:45:00	0	0	0	0	186	7.16	8.48	28	74.8	100.78	-1.2	-0.4	0	28	0.13	100	8443	100.74	25.9
2023-04-09 04:50:00	0	0	0	0	186	7.09	8.12	28	74	100.78	-1.2	-0.4	0	28	0.14	100	8442	100.75	26
2023-04-09 04:55:00	0	0	0	0	185	6.82	8.08	28.3	72.4	100.79	-1	-0.5	0	28.3	0.14	100	8440	100.75	26.2
2023-04-09 05:00:00	0	0	0	0	180	6.76	7.9	28.4	71.9	100.8	-1.1	-0.5	0	28.4	0.15	100	8438	100.76	26.3
2023-04-09 05:05:00	0	0	0	0	185	6.31	7.23	28.7	70.5	100.8	-1.1	-0.4	0	28.7	0.16	100	8439	100.76	26.4
2023-04-09 05:10:00	0	0	0	0	184	6.44	7.11	28.9	68.8	100.81	-1.1	-0.4	0	28.9	0.17	100	8440	100.77	26.5
2023-04-09 05:15:00	0	0	0	0	185	6.13	7.16	29.2	67.1	100.81	-1.2	-0.5	0	29.2	0.18	100	8441	100.77	26.7
2023-04-09 05:20:00	0	0	0	0	188	5.82	6.51	29.5	65.3	100.82	-1.1	-0.4	0	29.5	0.19	100	8437	100.78	26.8
2023-04-09 05:25:00	0	0	0	0	185	5.7	6.31	29.7	64.6	100.83	-1.1	-0.4	0	29.7	0.2	100	8437	100.79	27
2023-04-09 05:30:00	0	0	0	0	186	5.84	6.33	30	62.2	100.83	-1.1	-0.4	0	30	0.21	100	8438	100.79	27.1
2023-04-09 05:35:00	0	0	0	0	189	5.44	6.2	30.2	62.1	100.83	-1.1	-0.5	0	30.2	0.22	100	8438	100.79	27.2
2023-04-09 05:40:00	0	0	0	0	194	4.88	5.91	30.3	61.3	100.84	-1	-0.4	0	30.3	0.22	100	8437	100.8	27.2
2023-04-09 05:45:00	0	0	0	0	196	4.32	4.7	30.5	59.9	100.85	-1.1	-0.4	0	30.5	0.23	100	8437	100.8	27.2
2023-04-09 05:50:00	0	0	0	0	202	3.76	4.68	30.5	60.6	100.85	-1.1	-0.4	0	30.5	0.23	100	8437	100.8	27
2023-04-09 05:55:00	0	0	0	0	203	4.21	5.19	30.1	62.6	100.85	-1.1	-0.4	0	30.1	0.21	100	8436	100.8	26.7
2023-04-09 06:00:00	0	0	0	0	200	5.14	5.84	29.6	64.4	100.85	-1.2	-0.4	0	29.5	0.2	100	8434	100.8	26.3
2023-04-09 06:05:00	0	0	0	0	236	2.1	3.8	29	67.9	100.85	-1.1	-0.4	0	29	0.17	100	8433	100.8	25.8
2023-04-09 06:10:00	0	0	0	0	262	2.28	4.16	28.4	70.9	100.85	-1.3	-0.4	0	28.4	0.15	100	8436	100.81	25.3
2023-04-09 06:15:00	0.2	0	0	0	218	3.18	4.07	27.8	70.4	100.86	-1.1	-0.4	0	27.7	0.15	100	8436	100.82	25
2023-04-09 06:20:00	1.4	0	0	0	237	2.04	3.24	27.5	70.4	100.86	-1.2	-0.4	0	27.5	0.15	100	8433	100.82	24.6
2023-04-09 06:25:00	3	0	0	0	260	2.98	4.16	27.4	67.9	100.86	-1.2	-0.5	0	27.4	0.16	100	8433	100.83	24.4
2023-04-09 06:30:00	5.4	0	0	0	264	3.31	4.54	27.6	62.7	100.87	-1.2	-0.4	0	27.6	0.19	100	8431	100.83	24.7
2023-04-09 06:35:00	9.6	0	0	0	232	2.19	3.53	28.1	62.2	100.88	-1.2	-0.4	0	28.2	0.2	100	8436	100.84	25.1
2023-04-09 06:40:00	18.8	0	0	0	260	1.81	2.64	28.3	63.9	100.89	-1.1	-0.5	0	28.4	0.19	100	8440	100.85	25.1
2023-04-09 06:45:00	27.6	0	0	0	312	1.21	1.57	28.5	65.7	100.89	-1.1	-0.4	0	28.7	0.18	100	8445	100.85	25.2
2023-04-09 06:50:00	37	0	0	0	276	1.1	1.59	28.7	66.6	100.9	-1.1	-0.6	0	28.9	0.18	100	8449	100.86	25.3
2023-04-09 06:55:00	48	0	0	0	290	0.85	1.34	28.7	67.7	100.91	-1.1	-0.6	0	29.2	0.17	100	8456	100.87	25.4
2023-04-09 07:00:00	58.2	0	0	0	186	1.74	2.3	29.2	70.4	100.92	-1.1	-0.4	0	29.6	0.16	100	8465	100.88	25.9
2023-04-09 07:05:00	69	0	0	0	214	1.72	2.77	29.4	70.9	100.93	-1.1	-0.5	0	29.8	0.16	100	8472	100.89	26.5
2023-04-09 07:10:00	78.8	0	0	0	298	1.25	1.61	29.7	73.6	100.94	-1.1	-0.4	0	30.3	0.15	100	8484	100.9	27.2
2023-04-09 07:15:00	87.6	0	0	0	319	0.78	1.41	30.3	74.2	100.95	-1.1	-0.5	0	31.1	0.15	100	8496	100.92	28
2023-04-09 07:20:00	97.4	0	0	0	210	1.07	1.74	31	70.6	100.95	-1.1	-0.4	0	31.7	0.17	100	8507	100.93	28.9
2023-04-09 07:25:00	111.8	0	0	0	191	1.83	2.35	31.8	65.9	100.96	-1	-0.4	0	32.5	0.21	100	8519	100.94	30
2023-04-09 07:30:00	129.2	0	0	0	178	2.55	3.31	32.4	64.4	100.97	-1	-0.5	0	33.1	0.22	100	8530	100.95	31.1
2023-04-09 07:35:00	146.6	0	0	0	176	2.42	2.89	32.9	64.7	100.98	-1.1	-0.4	0	33.7	0.22	100	8540	100.96	31.9
2023-04-09 07:40:00	164.4	0	0	0	167	1.61	2.44	33.4	64	100.98	-1	-0.5	0	34.3	0.23	100	8551	100.96	32.6
2023-04-09 07:45:00	179.8	0	0	0	162	1.86	2.48	33.9	62.5	100.99	-1	-0.4	0	35	0.25	100	8562	100.97	33.4
2023-04-09 07:50:00	194	0	0	0	178	1.7	2.51	34.4	62.5	101	-1	-0.5	0	35.6	0.25	100	8572	100.99	34.2
2023-04-09 07:55:00	208.2	0	0	0	244	1.21	2.04	34.9	61.5	101	-0.9	-0.5	0	36.3	0.26	100	8582	100.99	35

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-09 08:00:00	224.4	0	0	0	16	1.32	2.26	35.8	68.1	101.02	-0.9	-0.4	0	37.4	0.23	100	8592	101.01	35.9
2023-04-09 08:05:00	240.8	0	0	0	0	1.12	2.57	36.5	68.4	101.03	-0.9	-0.6	0	38.4	0.23	100	8601	101.01	36.9
2023-04-09 08:10:00	256	0	0	0	350	2.39	3.71	37.8	66.8	101.04	-0.9	-0.5	0	39.2	0.26	100	8610	101.02	37.8
2023-04-09 08:15:00	272	0	0	0	329	2.15	3.33	38.3	65.8	101.04	-0.8	-0.4	0	39.7	0.27	100	8618	101.03	38.5
2023-04-09 08:20:00	288	0	0	0	3	1.23	2.01	38.6	65.4	101.05	-0.8	-0.5	0	40.5	0.28	100	8625	101.04	39.3
2023-04-09 08:25:00	303.8	0	0	0	339	1.61	2.8	39.5	63.8	101.06	-0.7	-0.6	0	41.5	0.3	100	8634	101.04	40.3
2023-04-09 08:30:00	319.6	0	0	0	349	2.08	3.65	40.4	59.8	101.06	-0.7	-0.5	0	42.2	0.34	100	8643	101.05	41.2
2023-04-09 08:35:00	327.2	0	0	0	350	1.61	3	40.9	59	101.07	-0.6	-0.5	0	42.9	0.36	100	8644	101.06	42.1
2023-04-09 08:40:00	330.8	0	0	0	328	2.37	3.53	41.8	55.8	101.07	-0.7	-0.5	0	43.5	0.4	100	8652	101.06	42.8
2023-04-09 08:45:00	330.8	0	0	0	319	2.62	3.71	42.4	54	101.07	-0.7	-0.5	0	44.2	0.42	100	8656	101.07	43.4
2023-04-09 08:50:00	329	0	0	0	280	1.12	2.48	42.5	54.4	101.08	-0.7	-0.5	0	44.7	0.42	100	8662	101.08	44.2
2023-04-09 08:55:00	352.4	0	0	0	296	1.48	3.11	43.3	54	101.09	-0.7	-0.6	0	45.6	0.44	100	8668	101.08	45.2
2023-04-09 09:00:00	386.4	0	0	0	333	2.77	4.5	44.5	50.9	101.09	-0.7	-0.4	0	46.3	0.49	100	8670	101.09	46
2023-04-09 09:05:00	415.2	0	0	0	323	3.02	4.88	45	50	101.09	-0.6	-0.5	0	46.7	0.51	100	8674	101.09	46.5
2023-04-09 09:10:00	442.6	0	0	0	307	2.75	5.48	45.5	47	101.1	-0.6	-0.6	0	47.2	0.55	100	8677	101.1	47.1
2023-04-09 09:15:00	459.8	0	0	0	307	4.52	5.75	46.1	41.6	101.1	-0.5	-0.5	0	47.5	0.62	100	8681	101.1	47.5
2023-04-09 09:20:00	475.8	0	0	0	295	3.18	5.1	46.1	42.1	101.1	-0.5	-0.5	0	47.6	0.61	100	8683	101.1	47.9
2023-04-09 09:25:00	492	0	0	0	295	2.08	3.6	46.1	41.9	101.11	-0.7	-0.5	0	48	0.62	100	8687	101.11	48.5
2023-04-09 09:30:00	506.2	0	0	0	306	3.02	4.94	46.9	39.5	101.11	-0.5	-0.5	0	48.7	0.66	100	8687	101.11	49.1
2023-04-09 09:35:00	521	0	0	0	339	2.3	4.16	47.3	39.3	101.11	-0.6	-0.6	0	49.2	0.67	100	8686	101.11	49.6
2023-04-09 09:40:00	536	0	0	0	325	2.66	5.39	48	38.8	101.11	-0.5	-0.5	0	49.7	0.7	100	8693	101.12	50.2
2023-04-09 09:45:00	549.6	0	0	0	331	2.89	6.87	48.4	38.1	101.11	-0.6	-0.6	0	50.2	0.72	100	8692	101.12	50.7
2023-04-09 09:50:00	563.6	0	0	0	321	3.02	5.06	48.9	37	101.12	-0.5	-0.6	0	50.5	0.74	100	8693	101.12	51
2023-04-09 09:55:00	574.8	0	0	0	315	2.28	7.7	49	38.7	101.12	-0.4	-0.5	0	50.8	0.73	100	8692	101.12	51.4
2023-04-09 10:00:00	568.2	0	0	0	256	2.39	4.85	49.6	38.9	101.12	-0.5	-0.6	0	51.5	0.74	100	8697	101.13	52.1
2023-04-09 10:05:00	560	0	0	0	199	1.81	2.89	50	37.9	101.13	-0.5	-0.4	0	52	0.76	100	8697	101.13	52.7
2023-04-09 10:10:00	540.8	0	0	0	131	1.77	3.33	50.3	36.4	101.13	-0.5	-0.5	0	52.5	0.79	100	8697	101.13	53.3
2023-04-09 10:15:00	536.2	0	0	0	128	1.52	3.27	50.7	35.5	101.13	-0.5	-0.6	0	52.8	0.81	100	8695	101.13	53.8
2023-04-09 10:20:00	581.4	0	0	0	309	1.7	3.44	51.1	35.5	101.13	-0.4	-0.5	0	53.3	0.83	100	8694	101.14	54.2
2023-04-09 10:25:00	617.2	0	0	0	18	2.42	5.28	52.2	34.8	101.14	-0.4	-0.5	0	54.2	0.87	100	8696	101.14	54.8
2023-04-09 10:30:00	659.8	0	0	0	48	3.69	6.69	52.8	33	101.14	-0.3	-0.7	0	54.4	0.91	100	8693	101.14	55.2
2023-04-09 10:35:00	675.4	0	0	0	65	3.69	6.93	52.7	32.6	101.14	-0.4	-0.5	0	54.1	0.91	100	8694	101.14	55.4
2023-04-09 10:40:00	686	0	0	0	88	3.56	6.06	52.6	34.2	101.14	-0.4	-0.6	0	54	0.89	100	8695	101.14	55.5
2023-04-09 10:45:00	697	0	0	0	114	3.56	8.66	52.3	34.8	101.14	-0.4	-0.6	0	53.9	0.87	100	8691	101.14	55.5
2023-04-09 10:50:00	708.2	0	0	0	187	3.36	5.64	52.2	35	101.14	-0.4	-0.6	0	53.7	0.87	100	8692	101.14	55.4
2023-04-09 10:55:00	717.8	0	0	0	55	4.25	7.52	52.5	35	101.14	-0.4	-0.6	0	54	0.88	100	8692	101.14	55.4
2023-04-09 11:00:00	727	0	0	0	64	4.14	7.99	52.4	35.4	101.14	-0.5	-0.5	0	53.8	0.87	100	8692	101.14	55.2
2023-04-09 11:05:00	737	0	0	0	112	4.09	7.16	52.4	35.8	101.13	-0.3	-0.5	0	53.8	0.86	100	8693	101.13	55.1
2023-04-09 11:10:00	718.8	0	0	0	65	5.12	9.71	52.4	35.3	101.13	-0.4	-0.6	0	53.7	0.87	100	8692	101.13	55.1
2023-04-09 11:15:00	694.2	0	0	0	8	4.79	8.23	52.4	35.9	101.13	-0.4	-0.6	0	53.8	0.86	100	8693	101.13	55.1
2023-04-09 11:20:00	655.2	0	0	0	347	4.56	7.74	52.5	35	101.13	-0.3	-0.6	0	53.9	0.88	100	8690	101.12	55.1
2023-04-09 11:25:00	665	0	0	0	347	5.57	8.34	52.7	34.9	101.13	-0.4	-0.7	0	53.9	0.88	100	8693	101.12	54.9
2023-04-09 11:30:00	722.8	0	0	0	331	6.38	9.26	52.9	35.2	101.12	-0.5	-0.5	0	54.1	0.89	100	8692	101.12	54.8
2023-04-09 11:35:00	769.8	0	0	0	307	7.27	10.27	52.7	34.9	101.12	-0.3	-0.5	0	53.7	0.88	100	8690	101.12	54.6
2023-04-09 11:40:00	793.2	0	0	0	268	3.67	6.24	52.4	35.5	101.12	-0.4	-0.5	0	53.7	0.87	100	8693	101.11	54.4
2023-04-09 11:45:00	801.2	0	0	0	50	2.35	3.74	52.6	36.4	101.11	-0.4	-0.5	0	54.4	0.86	100	8692	101.11	54.8
2023-04-09 11:50:00	808.2	0	0	0	24	4.94	9.04	53.5	35.3	101.11	-0.3	-0.7	0	54.9	0.9	100	8690	101.11	55.2
2023-04-09 11:55:00	812.6	0	0	0	66	4.92	9.69	53.6	34.9	101.11	-0.4	-0.6	0	54.9	0.91	100	8690	101.1	55.4
2023-04-09 12:00:00	796	0	0	0	6	5.88	13.15	53.4	34.6	101.1	-0.4	-0.6	0	54.6	0.91	100	8692	101.09	55.2
2023-04-09 12:05:00	764	0	0	0	38	3.98	10.58	53.2	34.6	101.1	-0.4	-0.4	0	54.5	0.9	100	8690	101.09	55
2023-04-09 12:10:00	714.2	0	0	0	207	3.38	7.72	53.2	35.3	101.09	-0.4	-0.5	0	54.8	0.9	100	8690	101.08	55
2023-04-09 12:15:00	718.4	0	0	0	222	4.68	9.66	53.6	36.1	101.08	-0.4	-0.7	0	54.9	0.9	100	8690	101.07	54.9
2023-04-09 12:20:00	780.4	0	0	0	78	5.28	10.33	53.7	35.7	101.08	-0.5	-0.6	0	55	0.91	100	8686	101.07	55
2023-04-09 12:25:00	830.4	0	0	0	9	9.44	15.21	53.8	34.4	101.07	-0.4	-0.8	0	54.8	0.92	100	8688	101.06	54.8
2023-04-09 12:30:00	842	0	0	0	12	7.25	12.93	53.2	34.8	101.07	-0.2	-0.8	0	54.1	0.9	100	8687	101.06	54.4
2023-04-09 12:35:00	845.6	0	0	0	8	5.79	11.23	53	35.4	101.07	-0.3	-0.6	0	54.3	0.89	100	8685	101.06	54.3
2023-04-09 12:40:00	839.2	0	0	0	19	5.88	13.69	53.3	33.9	101.06	-0.4	-0.6	0	54.4	0.92	100	8686	101.05	54.1
2023-04-09 12:45:00	826.6	0	0	0	84	3.76	13.42	53.1	34.5	101.06	-0.4	-0.8	0	54.8	0.9	100	8683	101.05	54.1
2023-04-09 12:50:00	798.2	0	0	0	87	6.13	10.45	53.6	35.5	101.06	-0.3	-0.6	0	54.7	0.91	100	8681	101.04	54.2
2023-04-09 12:55:00	760.2	0	0	0	66	5.68	11.7	53.5	35.7	101.06	-0.4	-0.7	0	54.7	0.9	100	8681	101.04	54.4

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-09 13:00:00	712.6	0	0	0	74	7.58	14.72	53.7	35.5	101.05	-0.4	-0.6	0	54.8	0.91	100	8678	101.04	54.6
2023-04-09 13:05:00	740.8	0	0	0	71	5.88	9.44	53.5	34.8	101.05	-0.4	-0.6	0	54.7	0.91	100	8676	101.04	54.7
2023-04-09 13:10:00	789.2	0	0	0	75	4.54	6.91	53.5	34.4	101.05	-0.3	-0.7	0	54.8	0.92	100	8675	101.03	54.8
2023-04-09 13:15:00	822.8	0	0	0	36	7.45	13.04	53.7	34.7	101.04	-0.3	-0.7	0	54.9	0.92	100	8674	101.03	54.8
2023-04-09 13:20:00	843	0	0	0	64	6.64	11.68	53.7	34.2	101.05	-0.2	-0.7	0	54.8	0.93	100	8670	101.03	54.6
2023-04-09 13:25:00	846.2	0	0	0	315	5.12	9.31	53.5	34.1	101.04	-0.4	-0.7	0	54.6	0.92	100	8666	101.03	54.3
2023-04-09 13:30:00	842.2	0	0	0	223	4.27	7.2	53.6	34.4	101.04	-0.3	-0.7	0	55	0.92	100	8665	101.02	54.2
2023-04-09 13:35:00	841.6	0	0	0	145	3.44	10.65	53.9	34.5	101.04	-0.3	-0.7	0	55.4	0.93	100	8659	101.02	54.4
2023-04-09 13:40:00	839.6	0	0	0	103	9.51	14.52	54.6	34.1	101.04	-0.4	-0.7	0	55.7	0.96	100	8653	101.02	54.6
2023-04-09 13:45:00	835.8	0	0	0	111	9.37	15.59	54.4	34.1	101.03	-0.3	-0.7	0	55.3	0.95	100	8647	101.01	54.5
2023-04-09 13:50:00	826.4	0	0	0	152	5.26	10.33	53.7	34.1	101.03	-0.4	-0.6	0	54.8	0.93	100	8644	101.01	54.1
2023-04-09 13:55:00	807	0	0	0	82	8.03	13.76	53.9	34.8	101.03	-0.5	-0.6	0	55	0.92	100	8638	101	54.2
2023-04-09 14:00:00	788.6	0	0	0	136	8.08	14.9	54.1	34	101.02	-0.4	-0.7	0	55.1	0.94	100	8633	101	54.2
2023-04-09 14:05:00	774	0	0	0	122	6.82	11.77	53.8	34.7	101.02	-0.3	-0.7	0	54.9	0.92	100	8628	101	54
2023-04-09 14:10:00	756.8	0	0	0	125	5.26	10.76	53.7	34.8	101.02	-0.3	-0.6	0	54.8	0.92	100	8624	100.99	53.8
2023-04-09 14:15:00	739.2	0	0	0	224	4.29	9.19	53.7	35.7	101.02	-0.3	-0.7	0	55.2	0.9	100	8622	100.99	53.9
2023-04-09 14:20:00	713.8	0	0	0	214	3.87	6.44	54.1	35.8	101.01	-0.3	-0.7	0	55.5	0.92	100	8614	100.98	53.9
2023-04-09 14:25:00	684.4	0	0	0	166	4.54	11.07	54.6	36.4	101	-0.1	-0.7	0	55.9	0.92	100	8612	100.97	54.1
2023-04-09 14:30:00	661	0	0	0	209	6.51	12.57	54.8	34.3	101	-0.3	-0.6	0	56	0.96	100	8609	100.97	54
2023-04-09 14:35:00	654	0	0	0	218	6.17	11.88	54.7	34.4	101	-0.1	-0.7	0	55.7	0.96	100	8607	100.96	53.8
2023-04-09 14:40:00	661.4	0	0	0	146	4.27	8.81	54.6	35.4	101	-0.4	-0.7	0	56	0.94	100	8599	100.96	53.9
2023-04-09 14:45:00	673	0	0	0	142	4	8.81	54.6	33.1	100.99	-0.3	-0.8	0	56	0.97	100	8596	100.96	53.9
2023-04-09 14:50:00	681.6	0	0	0	96	3.18	8.01	54.5	34.7	100.99	-0.3	-0.7	0	56.2	0.94	100	8593	100.96	54.3
2023-04-09 14:55:00	687.8	0	0	0	36	6.76	13.13	55.3	36	100.99	-0.4	-0.6	0	56.6	0.95	100	8592	100.95	54.7
2023-04-09 15:00:00	691.2	0	0	0	16	7.11	11.03	55.3	37.5	100.98	-0.2	-0.6	0	56.3	0.93	100	8586	100.95	54.7
2023-04-09 15:05:00	691.8	0	0	0	12	12.48	16.22	55.3	38.2	100.97	-0.3	-0.7	0	56.2	0.92	100	8586	100.94	54.6
2023-04-09 15:10:00	690.8	0	0	0	9	7.74	18.7	54.7	38.1	100.98	-0.2	-0.8	0	55.7	0.9	100	8581	100.94	54.2
2023-04-09 15:15:00	689.8	0	0	0	342	14.54	18.77	54.7	38.8	100.96	-0.1	-0.6	0	55.4	0.89	100	8579	100.93	54
2023-04-09 15:20:00	693.4	0	0	0	330	9.28	14.65	54.1	38.6	100.97	-0.4	-0.6	0	54.9	0.88	100	8576	100.93	53.8
2023-04-09 15:25:00	690	0	0	0	341	8.57	13.73	53.9	39.1	100.97	-0.2	-0.8	0	55	0.86	100	8577	100.93	53.7
2023-04-09 15:30:00	680	0	0	0	1	12.3	19.26	54.1	40	100.96	-0.6	-0.5	0	55	0.86	100	8573	100.92	53.9
2023-04-09 15:35:00	668.2	0	0	0	354	12.68	18.19	54.1	40	100.96	-0.1	-0.9	0	54.9	0.86	100	8567	100.92	53.9
2023-04-09 15:40:00	656.2	0	0	0	352	14.79	22.64	53.8	39.7	100.95	-0.3	-0.6	0	54.5	0.85	100	8567	100.91	53.8
2023-04-09 15:45:00	644.6	0	0	0	358	13.69	19.66	53.3	40.3	100.95	-0.6	-0.6	0	54	0.83	100	8564	100.91	53.6
2023-04-09 15:50:00	632	0	0	0	350	13.38	17.09	53	40.6	100.95	-0.3	-0.9	0	53.7	0.81	100	8561	100.91	53.5
2023-04-09 15:55:00	619	0	0	0	350	13	17.65	52.8	41.2	100.95	-0.4	-0.4	0	53.6	0.8	100	8560	100.91	53.5
2023-04-09 16:00:00	606.4	0	0	0	339	14.14	19.53	52.7	40.5	100.94	-0.4	-0.7	0	53.5	0.81	100	8558	100.9	53.6
2023-04-09 16:05:00	594.4	0	0	0	337	11.81	19.48	52.5	41.5	100.94	-0.4	-0.7	0	53.3	0.79	100	8557	100.91	53.7
2023-04-09 16:10:00	582.6	0	0	0	337	14.03	18.9	52.6	40.8	100.93	-0.4	-0.8	0	53.3	0.8	100	8553	100.9	53.7
2023-04-09 16:15:00	569	0	0	0	347	12.97	18.05	52.4	41.3	100.94	-0.3	-0.8	0	53.1	0.79	100	8550	100.9	53.8
2023-04-09 16:20:00	554.8	0	0	0	336	14.81	19.15	52.4	41.3	100.93	-0.5	-0.6	0	53.1	0.79	100	8548	100.89	53.7
2023-04-09 16:25:00	540.2	0	0	0	341	14.12	19.3	52.1	41.6	100.92	-0.5	-0.4	0	52.8	0.77	100	8547	100.89	53.7
2023-04-09 16:30:00	526	0	0	0	329	13.2	18.95	52	42.1	100.92	-0.1	-0.6	0	52.8	0.76	100	8545	100.89	53.7
2023-04-09 16:35:00	511.6	0	0	0	337	14.47	22.1	51.9	41.9	100.91	-0.3	-0.5	0	52.7	0.77	100	8543	100.88	53.8
2023-04-09 16:40:00	496.6	0	0	0	333	15.52	19.44	51.8	41.7	100.91	-0.4	-0.4	0	52.6	0.77	100	8542	100.87	53.7
2023-04-09 16:45:00	482	0	0	0	339	13.67	17.67	51.5	42	100.91	-0.5	-0.4	0	52.4	0.75	100	8539	100.87	53.7
2023-04-09 16:50:00	465.8	0	0	0	338	10.87	14.47	51.4	42	100.91	-0.6	-0.5	0	52.3	0.75	100	8539	100.88	53.8
2023-04-09 16:55:00	449.4	0	0	0	354	8.84	14.61	51.4	41.8	100.92	-0.4	-0.7	0	52.2	0.75	100	8534	100.88	53.9
2023-04-09 17:00:00	433	0	0	0	358	10.11	14.41	51.4	42.5	100.91	-0.3	-0.8	0	52.4	0.74	100	8533	100.88	54.1
2023-04-09 17:05:00	416.4	0	0	0	348	9.51	14.27	51.5	41.8	100.91	-0.5	-0.7	0	52.4	0.76	100	8532	100.88	54.1
2023-04-09 17:10:00	399.2	0	0	0	351	10.6	15.99	51.6	42	100.91	-0.4	-0.8	0	52.5	0.76	100	8531	100.87	53.5
2023-04-09 17:15:00	382	0	0	0	354	10.11	14.81	51.4	41.5	100.91	-0.4	-0.5	0	52.3	0.76	100	8532	100.88	53.6
2023-04-09 17:20:00	364.4	0	0	0	2	11.77	15.23	51.4	42.3	100.91	-0.4	-0.5	0	52.2	0.75	100	8526	100.87	53.6
2023-04-09 17:25:00	347.8	0	0	0	355	11.12	15.61	51.1	41.9	100.9	-0.4	-0.7	0	52	0.74	100	8525	100.87	53.6
2023-04-09 17:30:00	330.8	0	0	0	343	12.19	17.18	51	42.3	100.9	-0.3	-0.9	0	51.8	0.74	100	8526	100.86	53.7
2023-04-09 17:35:00	314	0	0	0	340	11.95	17.25	51	42.1	100.9	-0.5	-0.5	0	51.7	0.74	100	8522	100.86	53.6
2023-04-09 17:40:00	296.2	0	0	0	352	10.8	13.91	50.8	42.8	100.9	-0.3	-0.7	0	51.5	0.72	100	8520	100.86	53.5
2023-04-09 17:45:00	278.4	0	0	0	338	9.73	14.05	50.6	42.9	100.9	-0.3	-0.5	0	51.3	0.72	100	8518	100.86	53.6
2023-04-09 17:50:00	261.4	0	0	0	335	11.01	16.08	50.6	42.9	100.89	-0.5	-0.7	0	51.2	0.72	100	8517	100.86	53.6
2023-04-09 17:55:00	244.4	0	0	0	347	10.49	14.65	50.5	43.2	100.89	-0.5	-0.6	0	51.1	0.71	100	8516	100.85	53.5

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-09 18:00:00	227.2	0	0	0	331	11.97	15.52	50.4	42.6	100.88	-0.4	-0.7	0	50.9	0.72	100	8514	100.84	53.2
2023-04-09 18:05:00	210.2	0	0	0	335	11.3	16.22	50	43.2	100.88	-0.4	-0.6	0	50.5	0.7	100	8516	100.84	53
2023-04-09 18:10:00	193.2	0	0	0	350	10.87	15.52	49.6	43	100.88	-0.5	-0.7	0	50	0.69	100	8510	100.84	52.6
2023-04-09 18:15:00	175.6	0	0	0	353	10.85	14.58	49.4	43.5	100.88	-0.5	-0.7	0	49.8	0.68	100	8513	100.84	52.3
2023-04-09 18:20:00	159.2	0	0	0	349	9.78	13.11	49.1	43.8	100.88	-0.6	-0.5	0	49.6	0.67	100	8507	100.84	52.1
2023-04-09 18:25:00	143.4	0	0	0	354	10.36	12.66	48.8	43.6	100.88	-0.5	-0.6	0	49.2	0.66	100	8506	100.84	51.7
2023-04-09 18:30:00	128	0	0	0	353	10.54	13.62	48.6	44	100.87	-0.4	-0.9	0	48.9	0.65	100	8507	100.84	51.3
2023-04-09 18:35:00	113	0	0	0	356	9.15	12.06	48.2	44.9	100.87	-0.5	-0.7	0	48.5	0.63	100	8505	100.83	50.9
2023-04-09 18:40:00	98	0	0	0	347	9.95	14.29	47.9	44.6	100.87	-0.6	-0.7	0	48.1	0.63	100	8502	100.83	50.7
2023-04-09 18:45:00	83.2	0	0	0	341	11.03	14.5	47.5	44.8	100.86	-0.4	-0.7	0	47.7	0.62	100	8501	100.82	50.2
2023-04-09 18:50:00	69.8	0	0	0	346	8.59	14.07	47.2	45.8	100.86	-0.5	-0.6	0	47.4	0.6	100	8501	100.82	49.8
2023-04-09 18:55:00	57.8	0	0	0	357	8.48	11.41	46.9	45.8	100.85	-0.6	-0.7	0	47	0.59	100	8497	100.81	49.4
2023-04-09 19:00:00	47.4	0	0	0	356	8.16	12.41	46.5	46.5	100.85	-0.6	-0.7	0	46.6	0.58	100	8498	100.8	48.8
2023-04-09 19:05:00	38.4	0	0	0	347	9.26	12.08	46.1	46.8	100.84	-0.5	-0.7	0	46.3	0.56	100	8494	100.79	48.4
2023-04-09 19:10:00	30.2	0	0	0	355	6.46	11.05	45.8	47.3	100.83	-0.7	-0.7	0	45.8	0.55	100	8494	100.79	47.9
2023-04-09 19:15:00	23	0	0	0	359	5.48	8.08	45.4	48.4	100.83	-0.6	-0.6	0	45.5	0.53	100	8494	100.78	47.3
2023-04-09 19:20:00	17	0	0	0	11	5.35	7.11	45	49	100.82	-0.7	-0.7	0	45	0.52	100	8489	100.78	46.8
2023-04-09 19:25:00	12	0	0	0	20	6.02	7.83	44.6	49.7	100.82	-0.8	-0.5	0	44.7	0.5	100	8491	100.77	46
2023-04-09 19:30:00	8	0	0	0	22	6.69	8.97	44.1	50.2	100.81	-0.7	-0.6	0	44.1	0.49	100	8490	100.76	45.2
2023-04-09 19:35:00	4.8	0	0	0	17	5.75	7.45	43.7	50.5	100.8	-0.8	-0.6	0	43.7	0.48	100	8488	100.75	44.3
2023-04-09 19:40:00	2.6	0	0	0	11	4.81	6.6	43.2	51.6	100.79	-0.8	-0.6	0	43.2	0.46	100	8486	100.74	43.3
2023-04-09 19:45:00	1.2	0	0	0	29	4	6.08	42.8	52.5	100.79	-0.8	-0.6	0	42.8	0.44	100	8485	100.73	42.5
2023-04-09 19:50:00	0	0	0	0	28	3.8	4.97	42.3	53.5	100.78	-0.7	-0.5	0	42.3	0.43	100	8483	100.72	41.9
2023-04-09 19:55:00	0	0	0	0	33	3.51	5.23	41.9	54.3	100.77	-0.9	-0.5	0	41.9	0.41	100	8482	100.72	41.3
2023-04-09 20:00:00	0	0	0	0	26	3.27	4.21	41.6	55	100.77	-0.8	-0.5	0	41.6	0.4	100	8481	100.71	40.8
2023-04-09 20:05:00	0	0	0	0	28	2.86	3.51	41.2	55.3	100.76	-0.8	-0.5	0	41.2	0.39	100	8478	100.71	40.3
2023-04-09 20:10:00	0	0	0	0	6	2.48	3.4	40.9	56.2	100.76	-0.7	-0.6	0	40.9	0.38	100	8481	100.71	39.8
2023-04-09 20:15:00	0	0	0	0	15	2.19	2.75	40.6	55.8	100.76	-0.9	-0.5	0	40.6	0.38	100	8478	100.7	39.3
2023-04-09 20:20:00	0	0	0	0	22	2.46	3.27	40.4	56.4	100.76	-0.8	-0.5	0	40.4	0.37	100	8475	100.71	38.9
2023-04-09 20:25:00	0	0	0	0	53	2.91	3.65	40.1	57	100.76	-0.7	-0.5	0	40.1	0.36	100	8475	100.71	38.7
2023-04-09 20:30:00	0	0	0	0	57	1.79	2.59	40	57.2	100.77	-0.8	-0.5	0	40	0.36	100	8475	100.71	38.3
2023-04-09 20:35:00	0	0	0	0	45	1.88	2.75	39.7	58.5	100.77	-0.9	-0.5	0	39.7	0.34	100	8472	100.71	37.9
2023-04-09 20:40:00	0	0	0	0	33	1.57	2.08	39.6	58.1	100.78	-0.8	-0.5	0	39.6	0.35	100	8472	100.72	37.5
2023-04-09 20:45:00	0	0	0	0	66	1.34	1.72	39.3	58.8	100.78	-0.8	-0.4	0	39.2	0.34	100	8472	100.72	37.2
2023-04-09 20:50:00	0	0	0	0	18	1.34	1.97	39.1	58.5	100.79	-0.9	-0.5	0	39.1	0.34	100	8469	100.73	36.8
2023-04-09 20:55:00	0	0	0	0	59	1.83	2.37	38.8	58.7	100.79	-0.9	-0.5	0	38.8	0.33	100	8470	100.73	36.5
2023-04-09 21:00:00	0	0	0	0	65	1.68	2.13	38.7	59	100.79	-0.9	-0.5	0	38.7	0.33	100	8471	100.73	36.2
2023-04-09 21:05:00	0	0	0	0	74	1.07	2.51	38.6	59.2	100.8	-1	-0.5	0	38.6	0.32	100	8469	100.73	36
2023-04-09 21:10:00	0	0	0	0	93	2.21	3.15	38.6	59.5	100.8	-0.9	-0.5	0	38.6	0.32	100	8467	100.74	35.9
2023-04-09 21:15:00	0	0	0	0	115	2.33	3.38	38.7	60.2	100.8	-0.9	-0.5	0	38.7	0.32	100	8467	100.73	36
2023-04-09 21:20:00	0	0	0	0	147	2.28	3.06	38.7	66.6	100.79	-0.9	-0.5	0	38.7	0.27	100	8466	100.73	36
2023-04-09 21:25:00	0	0	0	0	160	1.14	1.79	38.7	68.1	100.8	-0.8	-0.5	0	38.7	0.25	100	8466	100.74	36
2023-04-09 21:30:00	0	0	0	0	170	2.24	4.09	38.6	66.3	100.8	-0.7	-0.5	0	38.6	0.27	100	8462	100.73	35.9
2023-04-09 21:35:00	0	0	0	0	184	4.54	5.44	38.6	66.4	100.79	-0.9	-0.5	0	38.6	0.27	100	8461	100.74	36.2
2023-04-09 21:40:00	0	0	0	0	185	4.83	5.35	38.5	67.5	100.79	-1	-0.5	0	38.4	0.26	100	8463	100.74	36.2
2023-04-09 21:45:00	0	0	0	0	186	4.85	5.41	38.5	66.3	100.79	-0.8	-0.5	0	38.5	0.27	100	8463	100.74	36.1
2023-04-09 21:50:00	0	0	0	0	187	4.81	5.57	38.5	67.3	100.79	-0.7	-0.4	0	38.4	0.26	100	8460	100.73	36.1
2023-04-09 21:55:00	0	0	0	0	181	5.59	6.22	38.4	65.5	100.78	-0.8	-0.6	0	38.4	0.27	100	8461	100.73	36.1
2023-04-09 22:00:00	0	0	0	0	175	5.61	6.96	38.3	65.9	100.78	-0.8	-0.6	0	38.4	0.27	100	8461	100.72	36.1
2023-04-09 22:05:00	0	0	0	0	178	6.73	7.34	38.4	65.1	100.78	-0.8	-0.4	0	38.4	0.28	100	8458	100.72	36.1
2023-04-09 22:10:00	0	0	0	0	174	6.13	6.87	38.4	64.5	100.78	-0.8	-0.5	0	38.4	0.28	100	8459	100.72	36
2023-04-09 22:15:00	0	0	0	0	171	6.13	6.67	38.3	63.7	100.78	-0.9	-0.4	0	38.2	0.28	100	8461	100.72	35.9
2023-04-09 22:20:00	0	0	0	0	174	5.01	6.11	38.4	63.3	100.78	-0.9	-0.4	0	38.4	0.29	100	8456	100.72	35.9
2023-04-09 22:25:00	0	0	0	0	181	5.19	5.77	38.6	63.1	100.78	-0.9	-0.5	0	38.5	0.29	100	8456	100.72	35.9
2023-04-09 22:30:00	0	0	0	0	180	5.21	5.79	38.4	64.1	100.77	-0.8	-0.6	0	38.4	0.28	100	8456	100.72	35.9
2023-04-09 22:35:00	0	0	0	0	179	6.55	7.49	38.4	64.3	100.77	-0.8	-0.5	0	38.3	0.28	100	8453	100.71	35.8
2023-04-09 22:40:00	0	0	0	0	175	7.29	8.03	38.2	64.1	100.76	-0.9	-0.4	0	38.1	0.28	100	8458	100.7	35.7
2023-04-09 22:45:00	0	0	0	0	176	7.83	9.08	38	64.7	100.75	-0.9	-0.6	0	38	0.27	100	8454	100.69	35.7
2023-04-09 22:50:00	0	0	0	0	176	7.16	7.81	37.9	64.8	100.75	-0.9	-0.5	0	37.9	0.27	100	8455	100.69	35.7
2023-04-09 22:55:00	0	0	0	0	173	7.23	7.83	37.9	63.8	100.75	-1	-0.5	0	37.9	0.28	100	8455	100.69	35.7

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-09 23:00:00	0	0	0	0	176	7.43	8.16	38	63.4	100.74	-0.9	-0.6	0	38	0.28	100	8453	100.69	35.8
2023-04-09 23:05:00	0	0	0	0	177	7.94	8.93	38.1	63.9	100.74	-0.8	-0.4	0	38	0.28	100	8454	100.68	35.9
2023-04-09 23:10:00	0	0	0	0	174	8.16	9.01	38.1	63.1	100.73	-0.9	-0.4	0	38.1	0.29	100	8449	100.68	35.9
2023-04-09 23:15:00	0	0	0	0	175	8.37	9.01	38.2	63	100.73	-0.9	-0.5	0	38.2	0.29	100	8451	100.67	35.9
2023-04-09 23:20:00	0	0	0	0	174	8.57	9.33	38.2	62.8	100.72	-0.9	-0.5	0	38.2	0.29	100	8450	100.67	36
2023-04-09 23:25:00	0	0	0	0	174	8.48	9.93	38	63	100.72	-0.9	-0.6	0	38	0.29	100	8450	100.67	36
2023-04-09 23:30:00	0	0	0	0	174	8.63	9.55	38.2	62.8	100.72	-0.8	-0.5	0	38.2	0.29	100	8451	100.66	36
2023-04-09 23:35:00	0	0	0	0	173	8.63	9.91	38.1	62.9	100.72	-0.7	-0.4	0	38.1	0.29	100	8450	100.66	36.1
2023-04-09 23:40:00	0	0	0	0	172	8.48	10.25	38.1	62.9	100.71	-0.9	-0.5	0	38.1	0.29	100	8451	100.66	36
2023-04-09 23:45:00	0	0	0	0	174	8.3	9.13	38	63.5	100.71	-0.8	-0.4	0	38	0.28	100	8448	100.66	36
2023-04-09 23:50:00	0	0	0	0	177	8.21	9.55	37.9	63.3	100.71	-0.8	-0.4	0	37.9	0.28	100	8447	100.66	35.9
2023-04-09 23:55:00	0	0	0	0	178	8.39	9.51	37.9	63.5	100.71	-0.9	-0.4	0	37.9	0.28	100	8446	100.66	35.9
2023-04-10 00:00:00	0	0	0	0	180	8.79	9.51	37.8	63.7	100.71	-0.9	-0.5	0	37.8	0.28	100	8447	100.66	35.9
2023-04-10 00:05:00	0	0	0	0	180	8.48	10.18	37.7	64.1	100.71	-0.8	-0.4	0	37.8	0.28	100	8419	100.66	36.1
2023-04-10 00:10:00	0	0	0	0	180	8.93	10.11	37.8	64.3	100.71	-0.9	-0.5	0	37.8	0.27	100	8410	100.66	36.4
2023-04-10 00:15:00	0	0	0	0	179	8.68	10.16	37.8	64.5	100.71	-0.9	-0.5	0	37.8	0.27	100	8406	100.66	36.5
2023-04-10 00:20:00	0	0	0	0	175	8.7	9.66	37.7	65	100.7	-0.9	-0.5	0	37.7	0.27	100	8421	100.66	36.4
2023-04-10 00:25:00	0	0	0	0	174	8.88	10.13	37.5	65.4	100.7	-0.9	-0.4	0	37.5	0.26	100	8420	100.65	36
2023-04-10 00:30:00	0	0	0	0	173	9.01	9.93	37.4	65.6	100.69	-0.8	-0.4	0	37.4	0.26	100	8422	100.65	35.9
2023-04-10 00:35:00	0	0	0	0	174	9.04	9.82	37.5	66.5	100.69	-0.9	-0.5	0	37.5	0.25	100	8425	100.64	35.8
2023-04-10 00:40:00	0	0	0	0	173	8.39	10.22	37.4	66.8	100.69	-0.9	-0.5	0	37.4	0.25	100	8424	100.65	35.8
2023-04-10 00:45:00	0	0	0	0	175	8.19	8.81	37.5	66.9	100.69	-0.8	-0.5	0	37.5	0.25	100	8425	100.64	35.7
2023-04-10 00:50:00	0	0	0	0	176	8.14	9.08	37.5	67	100.69	-1.1	-0.3	0	37.5	0.25	100	8422	100.64	35.6
2023-04-10 00:55:00	0	0	0	0	173	7.87	8.63	37.4	67.3	100.69	-0.8	-0.4	0	37.4	0.25	100	8423	100.64	35.5
2023-04-10 01:00:00	0	0	0	0	171	8.16	8.84	37.3	67.5	100.69	-1	-0.5	0	37.3	0.25	100	8424	100.64	35.4
2023-04-10 01:05:00	0	0	0	0	177	8.14	9.28	37.2	67.8	100.69	-0.8	-0.6	0	37.2	0.24	100	8422	100.64	35.3
2023-04-10 01:10:00	0	0	0	0	175	8.12	8.95	37.2	67.8	100.68	-0.9	-0.4	0	37.2	0.24	100	8422	100.63	35.3
2023-04-10 01:15:00	0	0	0	0	173	8.63	9.73	37.1	68.2	100.68	-0.7	-0.5	0	37.1	0.24	100	8422	100.63	35.2
2023-04-10 01:20:00	0	0	0	0	171	9.28	10.65	37.1	69	100.68	-0.9	-0.5	0	37.1	0.23	100	8420	100.62	35.3
2023-04-10 01:25:00	0	0	0	0	170	8.72	10.42	37.1	69.4	100.68	-0.9	-0.4	0	37.1	0.23	100	8422	100.63	35.3
2023-04-10 01:30:00	0	0	0	0	168	7.78	8.57	37.1	69.5	100.68	-0.9	-0.5	0	37.1	0.23	100	8423	100.63	35.2
2023-04-10 01:35:00	0	0	0	0	166	7.07	7.9	37.1	69.3	100.68	-0.8	-0.4	0	37.1	0.23	100	8422	100.62	35.1
2023-04-10 01:40:00	0	0	0	0	168	7.65	8.48	37.1	69.4	100.67	-0.7	-0.5	0	37.1	0.23	100	8422	100.62	34.9
2023-04-10 01:45:00	0	0	0	0	171	6.58	7.4	37	69.6	100.67	-0.9	-0.5	0	37	0.23	100	8423	100.62	34.8
2023-04-10 01:50:00	0	0	0	0	178	5.14	6.04	37	69.6	100.67	-0.9	-0.5	0	37	0.23	100	8420	100.62	34.7
2023-04-10 01:55:00	0	0	0	0	180	5.1	5.77	36.9	70.4	100.66	-0.9	-0.4	0	36.9	0.22	100	8421	100.61	34.6
2023-04-10 02:00:00	0	0	0	0	171	5.08	5.82	36.5	72.4	100.66	-0.9	-0.5	0	36.5	0.2	100	8422	100.61	34.4
2023-04-10 02:05:00	0	0	0	0	183	4.32	5.68	36	73.9	100.65	-0.9	-0.4	0	36	0.19	100	8418	100.6	33.9
2023-04-10 02:10:00	0	0	0	0	195	4.76	5.77	35.3	75.6	100.65	-1	-0.4	0	35.3	0.17	100	8418	100.6	33.6
2023-04-10 02:15:00	0	0	0	0	179	5.82	6.91	35.2	75.5	100.64	-0.9	-0.5	0	35.2	0.17	100	8420	100.6	33.5
2023-04-10 02:20:00	0	0	0	0	182	5.82	6.87	35.2	76.1	100.64	-0.9	-0.6	0	35.2	0.17	100	8418	100.59	33.6
2023-04-10 02:25:00	0	0	0	0	175	5.86	6.69	35.1	75.9	100.63	-0.9	-0.4	0	35.1	0.17	100	8417	100.59	33.6
2023-04-10 02:30:00	0	0	0	0	176	5.91	6.42	35	76	100.63	-0.9	-0.5	0	35.1	0.17	100	8416	100.59	33.6
2023-04-10 02:35:00	0	0	0	0	181	5.68	6.71	35.2	75.9	100.62	-0.9	-0.5	0	35.2	0.17	100	8416	100.58	33.6
2023-04-10 02:40:00	0	0	0	0	184	5.53	7.02	35.5	75.5	100.62	-0.9	-0.5	0	35.5	0.17	100	8416	100.58	33.7
2023-04-10 02:45:00	0	0	0	0	190	6.15	7.52	35.6	75.2	100.61	-0.9	-0.4	0	35.6	0.17	100	8415	100.57	33.7
2023-04-10 02:50:00	0	0	0	0	191	5.5	6.29	35.6	75.1	100.61	-0.9	-0.5	0	35.6	0.18	100	8416	100.57	33.8
2023-04-10 02:55:00	0	0	0	0	185	4.7	5.66	35.6	75.5	100.61	-0.9	-0.4	0	35.6	0.17	100	8415	100.56	33.7
2023-04-10 03:00:00	0	0	0	0	190	4.23	5.01	35.3	76.7	100.61	-1	-0.5	0	35.3	0.16	100	8415	100.56	33.4
2023-04-10 03:05:00	0	0	0	0	188	3.67	4.72	35	77	100.6	-0.9	-0.5	0	35	0.16	100	8416	100.55	33.2
2023-04-10 03:10:00	0	0	0	0	188	3.94	4.88	34.8	76.8	100.59	-1	-0.5	0	34.8	0.16	100	8415	100.55	33
2023-04-10 03:15:00	0	0	0	0	185	4.47	5.23	34.9	76.6	100.59	-1.1	-0.5	0	34.9	0.16	100	8415	100.55	33.1
2023-04-10 03:20:00	0	0	0	0	185	4.5	6.02	35	76.2	100.59	-1	-0.4	0	35	0.16	100	8412	100.55	33.1
2023-04-10 03:25:00	0	0	0	0	177	3.47	4.14	34.8	77.4	100.59	-0.9	-0.5	0	34.8	0.15	100	8413	100.55	32.9
2023-04-10 03:30:00	0	0	0	0	182	3.89	4.59	34.7	77.7	100.59	-0.9	-0.5	0	34.7	0.15	100	8415	100.55	32.7
2023-04-10 03:35:00	0	0	0	0	185	4.65	6.24	34.6	77.3	100.59	-0.9	-0.4	0	34.6	0.15	100	8412	100.55	32.7
2023-04-10 03:40:00	0	0	0	0	177	4.68	5.23	34.6	77.6	100.59	-0.9	-0.4	0	34.6	0.15	100	8412	100.55	32.7
2023-04-10 03:45:00	0	0	0	0	172	4.29	5.06	34.4	78.3	100.59	-1	-0.5	0	34.4	0.15	100	8411	100.54	32.6
2023-04-10 03:50:00	0	0	0	0	172	4.81	5.44	34.2	78.7	100.58	-1	-0.4	0	34.2	0.14	100	8411	100.54	32.4
2023-04-10 03:55:00	0	0	0	0	167	4.29	6.35	33.8	79.3	100.58	-1	-0.5	0	33.7	0.14	100	8411	100.54	32

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-10 04:00:00	0	0	0	0	164	5.28	5.99	33.4	79.8	100.58	-1	-0.5	0	33.4	0.13	100	8411	100.54	31.7
2023-04-10 04:05:00	0	0	0	0	175	5.46	6.33	33.1	79.8	100.58	-0.9	-0.5	0	33.2	0.13	100	8410	100.54	31.4
2023-04-10 04:10:00	0	0	0	0	193	4.34	5.48	33.2	79.6	100.58	-1	-0.4	0	33.2	0.13	100	8409	100.54	31.3
2023-04-10 04:15:00	0	0	0	0	188	5.61	6.91	33.2	80.2	100.58	-1	-0.5	0	33.2	0.13	100	8409	100.53	31.2
2023-04-10 04:20:00	0	0	0	0	193	5.77	6.82	33.3	79.7	100.57	-1	-0.4	0	33.3	0.13	100	8407	100.54	31.3
2023-04-10 04:25:00	0	0	0	0	189	5.75	6.82	33.5	79.7	100.58	-1.1	-0.5	0	33.5	0.13	100	8408	100.54	31.4
2023-04-10 04:30:00	0	0	0	0	193	5.79	6.76	33.7	79.3	100.58	-0.9	-0.4	0	33.7	0.14	100	8409	100.54	31.5
2023-04-10 04:35:00	0	0	0	0	200	4.45	6.71	33.8	79.1	100.58	-1	-0.5	0	33.8	0.14	100	8406	100.55	31.6
2023-04-10 04:40:00	0	0	0	0	311	2.28	3.06	33.8	80.2	100.59	-0.9	-0.5	0	33.8	0.13	100	8407	100.55	31.3
2023-04-10 04:45:00	0	0	0	0	238	1.61	2.68	33.1	81.2	100.58	-0.9	-0.5	0	33.1	0.12	100	8406	100.54	30.6
2023-04-10 04:50:00	0	0	0	0	170	2.57	3.22	32.7	81.1	100.58	-1	-0.5	0	32.8	0.12	100	8406	100.54	30.4
2023-04-10 04:55:00	0	0	0	0	174	2.68	3.4	32.8	81	100.58	-1	-0.5	0	32.8	0.12	100	8406	100.54	30.3
2023-04-10 05:00:00	0	0	0	0	194	2.62	3.09	32.8	80.3	100.58	-1	-0.5	0	32.8	0.12	100	8406	100.54	30.3
2023-04-10 05:05:00	0	0	0	0	188	2.59	3.13	32.9	80	100.59	-1	-0.5	0	32.9	0.13	100	8403	100.54	30.3
2023-04-10 05:10:00	0	0	0	0	161	3.24	3.96	33	79.7	100.59	-1	-0.5	0	33.1	0.13	100	8404	100.55	30.4
2023-04-10 05:15:00	0	0	0	0	156	3.65	4.16	33	80.3	100.59	-0.9	-0.5	0	33	0.13	100	8404	100.55	30.3
2023-04-10 05:20:00	0	0	0	0	142	3.89	4.68	32.9	80.5	100.59	-0.9	-0.5	0	32.9	0.12	100	8403	100.54	30.2
2023-04-10 05:25:00	0	0	0	0	131	3.53	4.32	32.7	81.2	100.58	-1	-0.5	0	32.7	0.12	100	8403	100.54	30.2
2023-04-10 05:30:00	0	0	0	0	146	3.33	3.96	32.6	81.9	100.58	-1	-0.5	0	32.6	0.11	100	8403	100.54	30.1
2023-04-10 05:35:00	0	0	0	0	161	3.36	4.47	32.3	82.4	100.57	-1	-0.5	0	32.3	0.11	100	8403	100.53	30
2023-04-10 05:40:00	0	0	0	0	162	4.83	5.82	32.2	82.7	100.57	-1	-0.5	0	32.2	0.11	100	8401	100.53	29.9
2023-04-10 05:45:00	0	0	0	0	162	5.53	6.29	32.1	82.5	100.57	-1	-0.5	0	32.1	0.11	100	8402	100.53	29.9
2023-04-10 05:50:00	0	0	0	0	167	5.17	5.68	32	82	100.58	-1	-0.4	0	32	0.11	100	8400	100.54	29.9
2023-04-10 05:55:00	0	0	0	0	163	4.38	5.41	32	82.6	100.58	-1	-0.5	0	32	0.11	100	8402	100.54	29.8
2023-04-10 06:00:00	0	0	0	0	177	1.83	3.65	31.7	82.8	100.59	-1.1	-0.4	0	31.7	0.1	100	8401	100.55	29.6
2023-04-10 06:05:00	0	0	0	0	162	1.95	2.82	31.6	82.8	100.59	-1.1	-0.5	0	31.6	0.1	100	8397	100.55	29.3
2023-04-10 06:10:00	0	0	0	0	99	1.07	2.04	31.6	83	100.59	-1.1	-0.5	0	31.6	0.1	100	8399	100.55	29.1
2023-04-10 06:15:00	0.8	0	0	0	138	2.86	3.8	31.4	83.9	100.59	-1.1	-0.4	0	31.4	0.1	100	8398	100.55	28.9
2023-04-10 06:20:00	2	0	0	0	137	4.45	5.46	31.5	84.9	100.58	-1.1	-0.4	0	31.5	0.09	100	8398	100.55	29
2023-04-10 06:25:00	3.8	0	0	0	154	4.97	5.91	31.5	85.2	100.58	-1	-0.5	0	31.5	0.09	100	8396	100.55	29.2
2023-04-10 06:30:00	6.6	0	0	0	159	5.37	6.42	31.5	85.2	100.59	-1	-0.5	0	31.5	0.09	100	8399	100.56	29.3
2023-04-10 06:35:00	13.6	0	0	0	157	5.95	7.18	31.5	85.1	100.59	-1.1	-0.4	0	31.6	0.09	100	8402	100.55	29.4
2023-04-10 06:40:00	25	0	0	0	158	7.07	8.99	31.8	85.1	100.59	-1	-0.5	0	31.9	0.09	100	8406	100.56	29.7
2023-04-10 06:45:00	34.8	0	0	0	155	7.92	9.51	32.2	84.5	100.59	-1.1	-0.6	0	32.3	0.1	100	8409	100.57	30
2023-04-10 06:50:00	45.2	0	0	0	160	6.31	8.41	32.6	83	100.6	-1	-0.4	0	32.7	0.11	100	8418	100.57	30.5
2023-04-10 06:55:00	56.6	0	0	0	161	4.63	6.13	33.1	82.6	100.61	-1	-0.4	0	33.3	0.11	100	8425	100.59	30.9
2023-04-10 07:00:00	68	0	0	0	295	1.7	3.2	33.5	82.4	100.63	-1.1	-0.4	0	33.9	0.11	100	8433	100.61	31.3
2023-04-10 07:05:00	77.4	0	0	0	292	1.01	2.93	33.8	82.9	100.64	-1	-0.5	0	34.3	0.11	100	8442	100.61	31.6
2023-04-10 07:10:00	86.4	0	0	0	307	2.37	3.58	34.2	82.8	100.65	-0.9	-0.5	0	34.7	0.11	100	8452	100.63	32.2
2023-04-10 07:15:00	94.2	0	0	0	296	2.8	3.71	34.6	82.6	100.66	-0.9	-0.4	0	35	0.12	100	8465	100.63	32.7
2023-04-10 07:20:00	102.2	0	0	0	315	1.59	2.55	34.6	83.1	100.66	-1	-0.4	0	35.2	0.11	100	8477	100.64	33.5
2023-04-10 07:25:00	115.2	0	0	0	13	0.85	1.45	35	82.1	100.66	-0.9	-0.5	0	36	0.12	100	8487	100.65	34.6
2023-04-10 07:30:00	132	0	0	0	117	1.41	2.33	35.9	79.2	100.67	-0.9	-0.4	0	36.8	0.15	100	8495	100.66	35.9
2023-04-10 07:35:00	148.8	0	0	0	40	1.16	2.37	36.6	78.6	100.68	-0.8	-0.5	0	37.7	0.16	100	8502	100.67	37.1
2023-04-10 07:40:00	166.6	0	0	0	332	1.01	1.48	37.4	79.2	100.68	-0.9	-0.4	0	38.7	0.16	100	8514	100.67	38.2
2023-04-10 07:45:00	184	0	0	0	81	1.34	2.08	38.6	76.6	100.68	-0.9	-0.5	0	39.9	0.19	100	8523	100.68	39.2
2023-04-10 07:50:00	199	0	0	0	354	1.32	1.99	39.3	74.1	100.69	-0.7	-0.6	0	40.7	0.21	100	8531	100.68	40.3
2023-04-10 07:55:00	212	0	0	0	357	1.1	2.26	40.3	72.6	100.69	-0.8	-0.4	0	41.8	0.23	100	8538	100.68	41.2
2023-04-10 08:00:00	228	0	0	0	70	1.16	1.74	41.1	71.9	100.69	-0.7	-0.5	0	42.8	0.25	100	8548	100.68	42.2
2023-04-10 08:05:00	244.6	0	0	0	132	2.04	4.72	42.1	69.9	100.7	-0.8	-0.5	0	43.7	0.27	100	8556	100.69	43.3
2023-04-10 08:10:00	260.8	0	0	0	154	3.94	4.92	43	66.8	100.7	-0.7	-0.5	0	44.1	0.31	100	8562	100.69	43.9
2023-04-10 08:15:00	275.4	0	0	0	159	3.29	4.59	42.8	66.6	100.7	-0.7	-0.5	0	43.9	0.31	100	8572	100.7	44
2023-04-10 08:20:00	290	0	0	0	178	2.64	4.29	42.9	66.2	100.7	-0.7	-0.5	0	44.3	0.32	100	8576	100.71	44.3
2023-04-10 08:25:00	304	0	0	0	193	1.43	2.75	42.9	65.8	100.72	-0.7	-0.6	0	44.8	0.32	100	8586	100.71	44.8
2023-04-10 08:30:00	322.8	0	0	0	178	0.98	3.47	43.6	65.1	100.72	-0.7	-0.5	0	45.8	0.34	100	8593	100.72	45.6
2023-04-10 08:35:00	329.4	0	0	0	325	1.74	3.2	44.6	64.2	100.73	-0.7	-0.5	0	46.8	0.36	100	8597	100.73	46.6
2023-04-10 08:40:00	330	0	0	0	85	0.98	1.74	45.7	62.8	100.73	-0.5	-0.6	0	48.1	0.39	100	8605	100.73	47.7
2023-04-10 08:45:00	328.2	0	0	0	344	2.08	3.53	46.9	63.2	100.73	-0.6	-0.5	0	49	0.4	100	8609	100.73	48.7
2023-04-10 08:50:00	329.6	0	0	0	158	0.94	2.48	47.7	62.3	100.73	-0.5	-0.5	0	50	0.42	100	8612	100.73	49.6
2023-04-10 08:55:00	349.8	0	0	0	110	1.1	2.06	48.3	60.8	100.74	-0.6	-0.5	0	51.1	0.45	100	8618	100.74	50.6

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-10 09:00:00	382.6	0	0	0	176	2.1	3.71	49.6	52.1	100.74	-0.5	-0.5	0	51.8	0.58	100	8622	100.74	51.6
2023-04-10 09:05:00	410.8	0	0	0	196	2.08	4	50.3	51.3	100.74	-0.4	-0.4	0	52.1	0.6	100	8624	100.74	52.2
2023-04-10 09:10:00	441	0	0	0	185	1.72	3.49	50.5	52.4	100.74	-0.4	-0.5	0	52.8	0.59	100	8630	100.74	53
2023-04-10 09:15:00	458.2	0	0	0	168	2.28	3.49	51.7	50.6	100.73	-0.4	-0.6	0	53.7	0.65	100	8634	100.73	53.7
2023-04-10 09:20:00	473.4	0	0	0	209	1.92	3.31	52.2	50.3	100.73	-0.3	-0.6	0	54.1	0.66	100	8636	100.74	54.3
2023-04-10 09:25:00	487.4	0	0	0	220	1.48	3.67	52.7	51.6	100.74	-0.4	-0.6	0	54.9	0.66	100	8639	100.74	55.1
2023-04-10 09:30:00	503.6	0	0	0	223	1.34	3.06	53.5	50.4	100.74	-0.3	-0.6	0	56	0.69	100	8640	100.74	56
2023-04-10 09:35:00	518.2	0	0	0	308	2.26	4.68	54.9	48.2	100.73	-0.2	-0.5	0	56.9	0.76	100	8639	100.73	57
2023-04-10 09:40:00	530.4	0	0	0	270	3.22	5.93	56	45.8	100.73	-0.4	-0.6	0	57.7	0.83	100	8643	100.73	57.7
2023-04-10 09:45:00	550.6	0	0	0	278	2.73	5.61	56.7	45	100.73	-0.3	-0.5	0	58.3	0.86	100	8645	100.73	58.4
2023-04-10 09:50:00	564.6	0	0	0	258	3.71	7.02	57.3	43	100.73	-0.2	-0.6	0	58.9	0.92	100	8644	100.73	59.1
2023-04-10 09:55:00	576.2	0	0	0	289	3.58	5.46	57.8	41.8	100.73	-0.2	-0.7	0	59.4	0.95	100	8644	100.73	59.8
2023-04-10 10:00:00	571.4	0	0	0	305	2.53	7.14	58.5	40.6	100.73	-0.3	-0.6	0	60.3	0.99	100	8646	100.73	60.6
2023-04-10 10:05:00	561.6	0	0	0	309	3.4	7.67	59.3	38.7	100.72	-0.2	-0.6	0	61.1	1.06	100	8643	100.72	61.4
2023-04-10 10:10:00	544.4	0	0	0	271	5.03	8.46	60.1	35.9	100.72	-0.2	-0.6	0	61.4	1.14	100	8644	100.73	61.9
2023-04-10 10:15:00	513.2	0	0	0	286	5.03	7.76	60.4	35.2	100.72	-0.1	-0.7	0	61.7	1.16	100	8643	100.72	62.3
2023-04-10 10:20:00	574	0	0	0	282	6.2	10.89	60.6	33.8	100.72	-0.2	-0.7	0	61.8	1.19	100	8643	100.72	62.6
2023-04-10 10:25:00	611	0	0	0	276	6.98	9.53	60.7	34.1	100.71	-0.3	-0.7	0	61.8	1.19	100	8643	100.71	62.7
2023-04-10 10:30:00	652.2	0	0	0	259	5.64	9.35	60.7	34.4	100.71	-0.3	-0.6	0	61.9	1.19	100	8644	100.71	62.9
2023-04-10 10:35:00	673.2	0	0	0	252	6.4	10.4	60.9	35.5	100.7	-0.2	-0.6	0	62	1.18	100	8641	100.7	63.2
2023-04-10 10:40:00	675.4	0	0	0	268	5.3	9.75	61	34.2	100.7	-0.3	-0.7	0	62.3	1.2	100	8640	100.7	63.4
2023-04-10 10:45:00	677	0	0	0	245	6.38	10.16	61.4	35	100.7	-0.2	-0.5	0	62.7	1.21	100	8639	100.7	63.6
2023-04-10 10:50:00	700.8	0	0	0	246	8.32	10.87	61.7	33.2	100.69	-0.1	-0.7	0	62.7	1.25	100	8641	100.69	63.7
2023-04-10 10:55:00	706.4	0	0	0	234	7.18	10.58	61.4	32.3	100.69	-0.2	-0.4	0	62.5	1.26	100	8637	100.68	63.6
2023-04-10 11:00:00	710.8	0	0	0	249	6.53	13.02	61.7	32.1	100.69	-0.2	-0.6	0	62.8	1.28	100	8640	100.68	63.8
2023-04-10 11:05:00	730.4	0	0	0	263	7.63	10.78	62.1	30.7	100.68	-0.3	-0.7	0	63.1	1.32	100	8637	100.68	63.9
2023-04-10 11:10:00	708.2	0	0	0	243	7.09	10.56	62.2	30.1	100.68	-0.1	-0.6	0	63.2	1.34	100	8638	100.67	64
2023-04-10 11:15:00	697.4	0	0	0	203	5.82	13.6	62.1	29.7	100.68	-0.2	-0.6	0	63.2	1.34	100	8637	100.67	64
2023-04-10 11:20:00	661	0	0	0	257	7.45	13.27	62.4	29.9	100.68	-0.2	-0.6	0	63.6	1.35	100	8634	100.67	64.2
2023-04-10 11:25:00	656.8	0	0	0	247	6.96	13.27	62.8	29.1	100.68	0	-0.6	0	63.8	1.38	100	8636	100.67	64.3
2023-04-10 11:30:00	714.4	0	0	0	255	4.25	9.6	62.7	28.8	100.68	-0.2	-0.7	0	64	1.39	100	8636	100.68	64.5
2023-04-10 11:35:00	761	0	0	0	273	6.53	14.63	63.4	28.1	100.68	-0.2	-0.6	0	64.8	1.43	100	8633	100.67	64.8
2023-04-10 11:40:00	789.4	0	0	0	290	4.72	7.72	63.7	27.2	100.67	-0.2	-0.6	0	64.9	1.46	100	8632	100.67	64.9
2023-04-10 11:45:00	796.2	0	0	0	258	5.23	13	63.9	27.7	100.67	0	-0.5	0	65.3	1.46	100	8634	100.66	65.2
2023-04-10 11:50:00	801.8	0	0	0	296	6.78	9.78	64.4	27.2	100.67	0	-0.6	0	65.5	1.5	100	8630	100.66	65.4
2023-04-10 11:55:00	806.2	0	0	0	294	4.83	8.41	64.1	26.9	100.66	0	-0.6	0	65.3	1.49	100	8628	100.66	65.4
2023-04-10 12:00:00	792	0	0	0	273	6.44	10.58	64.4	27.5	100.66	-0.1	-0.7	0	65.6	1.5	100	8629	100.65	65.6
2023-04-10 12:05:00	758.6	0	0	0	171	3.4	6.29	64.5	27.3	100.65	-0.1	-0.6	0	65.9	1.5	100	8627	100.64	65.7
2023-04-10 12:10:00	710.8	0	0	0	264	6.04	14.74	64.9	27.9	100.64	-0.2	-0.7	0	66.3	1.51	100	8627	100.63	66
2023-04-10 12:15:00	712.6	0	0	0	269	8.37	15.08	65.3	26.8	100.63	-0.3	-0.7	0	66.3	1.56	100	8622	100.62	66
2023-04-10 12:20:00	774.4	0	0	0	209	4.68	8.08	64.9	26.4	100.63	-0.2	-0.8	0	66.1	1.54	100	8621	100.62	65.9
2023-04-10 12:25:00	810.2	0	0	0	240	5.53	11.83	64.9	26	100.62	-0.1	-0.7	0	66.3	1.56	100	8621	100.61	65.8
2023-04-10 12:30:00	833.2	0	0	0	320	8.43	11.36	65	25.2	100.61	-0.1	-0.7	0	66.1	1.58	100	8619	100.6	65.7
2023-04-10 12:35:00	834.4	0	0	0	277	5.12	10	65.1	25.6	100.61	-0.2	-0.7	0	66.3	1.57	100	8617	100.59	65.9
2023-04-10 12:40:00	834.8	0	0	0	273	4.81	8.75	65.4	27.1	100.6	-0.2	-0.7	0	66.8	1.56	100	8613	100.58	66.2
2023-04-10 12:45:00	817	0	0	0	271	8.23	13.18	66	26.3	100.59	0	-0.6	0	67	1.61	100	8612	100.57	66.3
2023-04-10 12:50:00	790.2	0	0	0	283	4.05	7.54	65.8	25.2	100.58	-0.2	-0.7	0	67	1.62	100	8611	100.56	66.3
2023-04-10 12:55:00	751.6	0	0	0	279	7.81	13.56	66	25.6	100.57	-0.1	-0.8	0	67.2	1.62	100	8610	100.55	66.3
2023-04-10 13:00:00	705	0	0	0	315	6.02	9.69	65.9	24.6	100.56	-0.1	-0.7	0	67	1.64	100	8607	100.54	66.2
2023-04-10 13:05:00	737	0	0	0	281	6.51	10	66	25.2	100.56	-0.2	-0.7	0	67.1	1.63	100	8605	100.54	66.3
2023-04-10 13:10:00	782.6	0	0	0	268	5.23	9.08	66.1	25.4	100.55	-0.1	-0.7	0	67.3	1.63	100	8603	100.53	66.5
2023-04-10 13:15:00	816	0	0	0	283	6.4	15.43	66.3	24.7	100.55	0	-0.6	0	67.5	1.66	100	8599	100.53	66.5
2023-04-10 13:20:00	836.4	0	0	0	296	7.96	11.83	66.4	24.8	100.55	-0.2	-0.7	0	67.5	1.66	100	8597	100.52	66.5
2023-04-10 13:25:00	836.4	0	0	0	293	5.32	10.67	66.3	25.2	100.54	-0.1	-0.7	0	67.5	1.65	100	8593	100.52	66.6
2023-04-10 13:30:00	834.6	0	0	0	270	8.7	11.97	66.6	25.4	100.54	-0.2	-0.6	0	67.7	1.66	100	8588	100.52	66.8
2023-04-10 13:35:00	831.2	0	0	0	287	4.9	9.42	66.5	24.3	100.53	0	-0.7	0	67.6	1.68	100	8583	100.51	66.7
2023-04-10 13:40:00	829.2	0	0	0	303	4.52	11.07	66.7	25.2	100.53	0	-0.7	0	68.2	1.67	100	8580	100.5	67
2023-04-10 13:45:00	827.6	0	0	0	274	7.38	11.48	67.3	24.7	100.52	-0.2	-0.8	0	68.4	1.72	100	8573	100.5	67
2023-04-10 13:50:00	814.6	0	0	0	325	3.78	6.78	67.1	24.4	100.52	0.1	-0.7	0	68.5	1.71	100	8567	100.49	67.1
2023-04-10 13:55:00	797.8	0	0	0	308	4	8.7	67.4	23.7	100.51	-0.1	-0.8	0	68.8	1.74	100	8563	100.48	67.2

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-10 14:00:00	780	0	0	0	335	6.93	11.72	67.8	23.2	100.5	0	-0.8	0	68.9	1.78	100	8561	100.47	67.2
2023-04-10 14:05:00	766	0	0	0	310	7.29	10.11	67.6	23.2	100.5	0	-0.8	0	68.6	1.77	100	8556	100.47	67.1
2023-04-10 14:10:00	748.4	0	0	0	289	4.29	11.63	67.3	24.5	100.49	0	-0.7	0	68.6	1.72	100	8551	100.46	67
2023-04-10 14:15:00	731.6	0	0	0	237	4	6.82	67.6	24.5	100.48	0	-0.6	0	69	1.74	100	8542	100.46	67.2
2023-04-10 14:20:00	705.6	0	0	0	239	2.82	7.72	67.5	24.4	100.48	-0.1	-0.8	0	69.2	1.74	100	8542	100.46	67.3
2023-04-10 14:25:00	677.8	0	0	0	253	5.79	8.63	68.1	24.4	100.48	-0.1	-0.7	0	69.3	1.77	100	8537	100.45	67.4
2023-04-10 14:30:00	654.6	0	0	0	239	3.67	8.32	68	24.3	100.47	0	-0.8	0	69.4	1.77	100	8532	100.44	67.4
2023-04-10 14:35:00	650.4	0	0	0	181	3.18	5.84	67.9	23.8	100.47	-0.1	-0.8	0	69.4	1.78	100	8529	100.44	67.5
2023-04-10 14:40:00	658.6	0	0	0	280	6.67	10.13	68.3	24.2	100.46	0	-0.8	0	69.5	1.79	100	8523	100.42	67.5
2023-04-10 14:45:00	671.4	0	0	0	293	8.08	16.53	68.4	23.9	100.45	-0.1	-0.9	0	69.5	1.81	100	8522	100.42	67.4
2023-04-10 14:50:00	678.8	0	0	0	283	6.64	10.85	68.3	23.7	100.45	-0.1	-0.9	0	69.3	1.8	100	8516	100.41	67.2
2023-04-10 14:55:00	685	0	0	0	294	5.68	10.38	68	24	100.45	0	-0.7	0	69.3	1.78	100	8514	100.41	67.4
2023-04-10 15:00:00	687.6	0	0	0	318	4.32	7.92	68.2	24.4	100.44	0	-0.8	0	69.5	1.78	100	8510	100.4	67.6
2023-04-10 15:05:00	686.8	0	0	0	50	2.44	9.31	68.2	23.9	100.43	0	-0.8	0	69.8	1.79	100	8507	100.39	67.9
2023-04-10 15:10:00	684.4	0	0	0	309	6.29	9.98	68.6	24.2	100.42	-0.1	-0.7	0	69.9	1.81	100	8505	100.38	68.1
2023-04-10 15:15:00	685.6	0	0	0	302	4.21	7.63	68.5	24.1	100.42	0	-0.8	0	69.8	1.8	100	8503	100.38	68
2023-04-10 15:20:00	687.4	0	0	0	232	2.89	5.99	68.5	25.5	100.42	0	-0.9	0	70	1.77	100	8497	100.38	68.2
2023-04-10 15:25:00	682	0	0	0	290	3.8	10.49	68.5	26.3	100.41	0	-0.7	0	70.3	1.75	100	8494	100.37	68.7
2023-04-10 15:30:00	671.6	0	0	0	308	4.56	9.91	69	25	100.4	-0.1	-0.8	0	70.3	1.82	100	8492	100.36	68.6
2023-04-10 15:35:00	658.4	0	0	0	301	8.25	14.32	69.1	25.6	100.39	0	-0.8	0	70.3	1.81	100	8488	100.35	68.8
2023-04-10 15:40:00	646.4	0	0	0	324	8.61	12.3	69.1	25.8	100.38	-0.1	-0.8	0	70	1.8	100	8486	100.34	68.8
2023-04-10 15:45:00	634.8	0	0	0	344	5.14	8.52	68.5	25.5	100.38	0	-0.8	0	69.6	1.77	100	8483	100.34	68.8
2023-04-10 15:50:00	623	0	0	0	340	5.23	12.12	68.4	26.4	100.38	0	-0.9	0	69.7	1.75	100	8482	100.33	69.1
2023-04-10 15:55:00	610.6	0	0	0	242	4.9	10.8	68.6	27.1	100.37	-0.1	-0.8	0	70	1.74	100	8477	100.33	69.5
2023-04-10 16:00:00	598.8	0	0	0	215	5.57	10.83	68.8	27.1	100.37	-0.1	-0.8	0	69.9	1.75	100	8475	100.33	69.5
2023-04-10 16:05:00	584.4	0	0	0	255	3.62	6.62	68.4	28.2	100.36	-0.1	-0.8	0	69.8	1.7	100	8472	100.32	69.6
2023-04-10 16:10:00	571.6	0	0	0	270	3.49	9.44	68.7	26.9	100.36	-0.1	-0.8	0	70.2	1.75	100	8470	100.31	70
2023-04-10 16:15:00	556.2	0	0	0	302	6.71	11.59	69.1	26.8	100.36	-0.2	-0.8	0	70.4	1.77	100	8469	100.31	70.4
2023-04-10 16:20:00	537.6	0	0	0	284	5.66	13.02	69.2	27.1	100.35	-0.1	-0.8	0	70.4	1.77	100	8461	100.3	70.4
2023-04-10 16:25:00	532.6	0	0	0	286	8.55	12.53	69.3	26.5	100.34	-0.1	-0.8	0	70.3	1.8	100	8462	100.29	70.2
2023-04-10 16:30:00	512	0	0	0	291	4.81	8.1	68.9	25.6	100.34	-0.1	-0.8	0	70	1.79	100	8459	100.29	70.3
2023-04-10 16:35:00	499	0	0	0	280	5.7	12.26	68.8	26	100.34	0	-0.8	0	70.1	1.78	100	8456	100.28	70.5
2023-04-10 16:40:00	488.6	0	0	0	230	5.01	7.99	68.7	27.1	100.33	-0.1	-0.8	0	69.9	1.75	100	8454	100.28	70.5
2023-04-10 16:45:00	476.6	0	0	0	211	2.51	5.88	68.3	27.4	100.32	-0.2	-0.8	0	70	1.71	100	8451	100.27	70.8
2023-04-10 16:50:00	456.6	0	0	0	234	2.57	5.28	68.3	27.4	100.32	-0.1	-0.8	0	70.1	1.71	100	8447	100.27	71.2
2023-04-10 16:55:00	436.4	0	0	0	259	5.06	9.22	69	27.7	100.31	0	-0.7	0	70.4	1.75	100	8444	100.26	71.5
2023-04-10 17:00:00	421	0	0	0	255	6.6	12.33	69.1	26.8	100.31	0	-0.7	0	70.2	1.78	100	8444	100.26	71.3
2023-04-10 17:05:00	406.4	0	0	0	249	4.52	7.43	68.8	27.6	100.31	-0.1	-0.8	0	70	1.74	100	8443	100.26	70.9
2023-04-10 17:10:00	390.6	0	0	0	268	3.74	6.53	68.5	27.9	100.31	-0.1	-0.8	0	70	1.72	100	8439	100.25	70.6
2023-04-10 17:15:00	373.6	0	0	0	296	5.97	9.69	68.9	26.9	100.3	-0.1	-0.6	0	70.1	1.76	100	8436	100.24	70.9
2023-04-10 17:20:00	355.2	0	0	0	315	6.76	10.98	68.7	26.6	100.3	-0.1	-0.8	0	69.8	1.76	100	8436	100.25	71.1
2023-04-10 17:25:00	338	0	0	0	284	5.26	7.9	68.5	27	100.31	-0.2	-0.9	0	69.7	1.73	100	8433	100.25	71.2
2023-04-10 17:30:00	322	0	0	0	285	5.23	9.1	68.4	26.6	100.3	0	-0.8	0	69.5	1.74	100	8431	100.25	71
2023-04-10 17:35:00	304.6	0	0	0	247	4.54	10.8	68.4	26.9	100.3	-0.1	-0.9	0	69.4	1.73	100	8429	100.25	71.1
2023-04-10 17:40:00	285.6	0	0	0	227	2.44	6.31	67.9	27.9	100.3	0	-0.9	0	69.3	1.68	100	8428	100.24	71.6
2023-04-10 17:45:00	271	0	0	0	281	3.62	6.51	68.3	27.3	100.3	-0.1	-0.8	0	69.5	1.72	100	8423	100.24	71.8
2023-04-10 17:50:00	254.8	0	0	0	303	5.53	8.25	68.6	26.4	100.29	0	-0.7	0	69.5	1.76	100	8421	100.23	71.7
2023-04-10 17:55:00	237.2	0	0	0	300	5.08	9.24	68.4	26.4	100.29	-0.2	-0.9	0	69.3	1.75	100	8420	100.23	71.6
2023-04-10 18:00:00	220.2	0	0	0	331	7.61	13.15	68.3	27.2	100.29	0	-0.9	0	69	1.72	100	8418	100.23	71.3
2023-04-10 18:05:00	202.6	0	0	0	301	6.35	9.8	68	27.7	100.29	-0.1	-0.6	0	68.6	1.69	100	8417	100.23	70.8
2023-04-10 18:10:00	183.8	0	0	0	330	5.41	7.54	67.6	28.3	100.29	-0.1	-0.7	0	68.3	1.65	100	8415	100.23	70.6
2023-04-10 18:15:00	168.2	0	0	0	341	4.41	6.6	67.4	30.3	100.29	-0.2	-0.8	0	68	1.59	100	8413	100.22	70.6
2023-04-10 18:20:00	134.8	0	0	0	345	5.53	7.81	67.1	30.4	100.28	-0.2	-0.8	0	67.6	1.57	100	8410	100.21	70.1
2023-04-10 18:25:00	123.6	0	0	0	317	5.3	6.33	66.7	31.7	100.28	-0.2	-0.8	0	67.1	1.53	100	8410	100.21	69.6
2023-04-10 18:30:00	85.4	0	0	0	321	5.75	7.87	66.2	32.1	100.28	-0.2	-0.7	0	66.5	1.49	100	8406	100.21	68.6
2023-04-10 18:35:00	69.8	0	0	0	341	5.59	8.01	65.5	33.6	100.28	-0.3	-0.7	0	65.8	1.42	100	8405	100.21	67.3
2023-04-10 18:40:00	72.8	0	0	0	348	5.7	7.16	64.7	34.4	100.28	-0.3	-0.7	0	64.9	1.37	100	8403	100.21	66.4
2023-04-10 18:45:00	84.2	0	0	0	349	5.53	7.07	64	35	100.27	-0.3	-0.8	0	64.2	1.32	100	8401	100.21	65.9
2023-04-10 18:50:00	80.2	0	0	0	355	5.73	7.18	63.6	35.8	100.27	-0.3	-0.9	0	63.8	1.29	100	8399	100.2	65.8
2023-04-10 18:55:00	65	0	0	0	352	6.11	9.35	63.2	36.2	100.27	-0.4	-0.5	0	63.4	1.26	100	8398	100.21	65.3

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-10 19:00:00	58.6	0	0	0	345	5.23	7	62.8	37	100.27	-0.2	-0.8	0	63.1	1.23	100	8396	100.2	64.7
2023-04-10 19:05:00	42.2	0	0	0	357	4.25	5.86	62.5	36.8	100.27	-0.2	-0.8	0	62.6	1.22	100	8394	100.2	63.8
2023-04-10 19:10:00	33.6	0	0	0	356	3.56	4.5	62	37.5	100.27	-0.3	-0.7	0	62.1	1.18	100	8396	100.2	62.7
2023-04-10 19:15:00	24	0	0	0	333	5.19	7.14	61.5	38.4	100.27	-0.2	-0.8	0	61.6	1.15	100	8393	100.21	61.8
2023-04-10 19:20:00	14.8	0	0	0	330	5.14	7.07	61	39	100.27	-0.3	-0.7	0	61.1	1.12	100	8388	100.2	61.1
2023-04-10 19:25:00	8.6	0	0	0	328	4.52	6.17	60.4	39.3	100.27	-0.3	-0.6	0	60.5	1.09	100	8388	100.2	60.5
2023-04-10 19:30:00	4.8	0	0	0	338	5.66	8.16	60	39.6	100.27	-0.4	-0.7	0	60	1.07	100	8386	100.2	59.9
2023-04-10 19:35:00	2.6	0	0	0	348	5.3	8.01	59.6	39.7	100.27	-0.4	-0.7	0	59.6	1.05	100	8384	100.2	59.4
2023-04-10 19:40:00	1.2	0	0	0	339	3.85	5.64	59.1	40.3	100.27	-0.4	-0.7	0	59.1	1.02	100	8385	100.2	58.7
2023-04-10 19:45:00	0.2	0	0	0	339	4.27	5.97	58.7	41.1	100.27	-0.3	-0.7	0	58.6	0.99	100	8382	100.2	58.1
2023-04-10 19:50:00	0	0	0	0	341	4.14	6.71	58.3	41.6	100.27	-0.4	-0.7	0	58.3	0.97	100	8384	100.2	57.6
2023-04-10 19:55:00	0	0	0	0	355	3.38	4.72	57.8	42.1	100.27	-0.4	-0.6	0	57.8	0.94	100	8382	100.2	57.2
2023-04-10 20:00:00	0	0	0	0	6	2.44	3.53	57.4	42.4	100.26	-0.4	-0.6	0	57.4	0.93	100	8380	100.2	56.8
2023-04-10 20:05:00	0	0	0	0	26	1.45	2.39	57.1	42.7	100.26	-0.5	-0.6	0	57.1	0.91	100	8379	100.19	56.3
2023-04-10 20:10:00	0	0	0	0	10	1.7	2.33	56.7	43.2	100.26	-0.4	-0.7	0	56.7	0.89	100	8377	100.2	55.9
2023-04-10 20:15:00	0	0	0	0	14	2.06	2.64	56.4	43.8	100.27	-0.5	-0.6	0	56.3	0.87	100	8375	100.2	55.6
2023-04-10 20:20:00	0	0	0	0	339	1.83	2.13	56.2	44.2	100.26	-0.4	-0.7	0	56.2	0.86	100	8372	100.19	55.4
2023-04-10 20:25:00	0	0	0	0	322	1.16	1.5	55.9	44.6	100.26	-0.5	-0.6	0	55.9	0.85	100	8372	100.19	55.2
2023-04-10 20:30:00	0	0	0	0	326	0.85	1.1	55.7	45	100.26	-0.5	-0.7	0	55.7	0.83	100	8371	100.2	55
2023-04-10 20:35:00	0	0	0	0	15	1.07	1.45	55.4	45.4	100.26	-0.5	-0.7	0	55.4	0.82	100	8373	100.19	54.7
2023-04-10 20:40:00	0	0	0	0	359	0.65	1.12	55.3	45.6	100.26	-0.4	-0.6	0	55.3	0.81	100	8370	100.2	54.4
2023-04-10 20:45:00	0	0	0	0	196	1.03	1.52	55.1	46.6	100.27	-0.6	-0.6	0	55.1	0.79	100	8371	100.2	54.2
2023-04-10 20:50:00	0	0	0	0	333	0.92	1.88	55.1	45.7	100.27	-0.5	-0.6	0	55.1	0.8	100	8368	100.21	54
2023-04-10 20:55:00	0	0	0	0	297	2.48	3.87	55	46.4	100.28	-0.4	-0.6	0	54.9	0.79	100	8366	100.21	53.8
2023-04-10 21:00:00	0	0	0	0	282	4.38	4.83	54.9	47.6	100.29	-0.5	-0.7	0	54.9	0.77	100	8366	100.22	53.8
2023-04-10 21:05:00	0	0	0	0	283	4.83	5.41	54.8	47.8	100.29	-0.5	-0.7	0	54.8	0.77	100	8367	100.23	53.7
2023-04-10 21:10:00	0	0	0	0	282	4.43	5.12	54.6	48.5	100.3	-0.5	-0.6	0	54.7	0.75	100	8366	100.23	53.6
2023-04-10 21:15:00	0	0	0	0	281	4.72	5.59	54.6	47.7	100.29	-0.5	-0.6	0	54.6	0.76	100	8361	100.23	53.5
2023-04-10 21:20:00	0	0	0	0	284	4.99	6.31	54.5	46.7	100.29	-0.5	-0.6	0	54.5	0.77	100	8363	100.22	53.4
2023-04-10 21:25:00	0	0	0	0	282	4.41	5.66	54.5	47.1	100.29	-0.5	-0.6	0	54.5	0.77	100	8364	100.22	53.3
2023-04-10 21:30:00	0	0	0	0	274	4.34	5.23	54.4	46.7	100.29	-0.4	-0.7	0	54.4	0.77	100	8361	100.22	53.1
2023-04-10 21:35:00	0	0	0	0	262	3.67	3.98	54.3	45.8	100.29	-0.4	-0.6	0	54.3	0.78	100	8361	100.22	52.8
2023-04-10 21:40:00	0	0	0	0	208	4	4.68	54.2	47.3	100.29	-0.4	-0.7	0	54.2	0.76	100	8361	100.22	52.5
2023-04-10 21:45:00	0	0	0	0	201	4.25	5.03	54.1	48	100.28	-0.4	-0.7	0	54.1	0.74	100	8360	100.21	52.4
2023-04-10 21:50:00	0	0	0	0	198	3.18	3.91	54	47.5	100.28	-0.4	-0.6	0	54	0.75	100	8356	100.21	52.2
2023-04-10 21:55:00	0	0	0	0	190	4.05	5.48	53.9	49	100.27	-0.4	-0.5	0	53.9	0.72	100	8358	100.2	51.9
2023-04-10 22:00:00	0	0	0	0	195	6.46	7.67	53.6	51.4	100.27	-0.4	-0.6	0	53.6	0.68	100	8358	100.2	51.6
2023-04-10 22:05:00	0	0	0	0	192	6.85	7.67	53.3	51.1	100.27	-0.5	-0.6	0	53.3	0.68	100	8357	100.21	51.4
2023-04-10 22:10:00	0	0	0	0	190	6.55	8.23	53	51.4	100.26	-0.4	-0.7	0	53	0.67	100	8355	100.19	51.2
2023-04-10 22:15:00	0	0	0	0	182	6.85	8.14	53.1	50.4	100.26	-0.5	-0.6	0	53.1	0.68	100	8352	100.19	51.2
2023-04-10 22:20:00	0	0	0	0	196	5.73	7.23	53.3	49.7	100.25	-0.5	-0.6	0	53.3	0.7	100	8353	100.18	51.2
2023-04-10 22:25:00	0	0	0	0	201	5.68	7.05	53.5	49.4	100.25	-0.5	-0.7	0	53.5	0.71	100	8354	100.19	51.3
2023-04-10 22:30:00	0	0	0	0	205	5.41	6.4	53.8	49.2	100.25	-0.4	-0.6	0	53.8	0.72	100	8353	100.18	51.5
2023-04-10 22:35:00	0	0	0	0	221	5.64	6.49	54	47.7	100.24	-0.5	-0.7	0	54	0.74	100	8354	100.17	51.6
2023-04-10 22:40:00	0	0	0	0	222	5.46	6.29	54	47	100.24	-0.5	-0.6	0	54	0.75	100	8352	100.17	51.6
2023-04-10 22:45:00	0	0	0	0	215	6.69	8.66	53.9	47.5	100.23	-0.5	-0.7	0	53.9	0.74	100	8352	100.16	51.4
2023-04-10 22:50:00	0	0	0	0	222	7.72	9.55	53.6	48.4	100.22	-0.5	-0.7	0	53.6	0.72	100	8352	100.15	51.2
2023-04-10 22:55:00	0	0	0	0	230	7.94	12.06	53.4	47.9	100.21	-0.4	-0.6	0	53.4	0.72	100	8350	100.14	51.2
2023-04-10 23:00:00	0	0	0	0	237	7.4	9.33	53.1	48	100.2	-0.5	-0.7	0	53	0.71	100	8349	100.13	51
2023-04-10 23:05:00	0	0	0	0	239	6.91	11.23	52.8	47.8	100.19	-0.5	-0.6	0	52.8	0.71	100	8349	100.12	50.8
2023-04-10 23:10:00	0	0	0	0	248	7.58	11.39	52.6	47	100.19	-0.5	-0.7	0	52.6	0.72	100	8347	100.12	50.8
2023-04-10 23:15:00	0	0	0	0	251	7.78	12.21	52.5	47	100.19	-0.6	-0.6	0	52.5	0.71	100	8346	100.13	50.8
2023-04-10 23:20:00	0	0	0	0	257	7.43	10.18	52.4	46.6	100.19	-0.5	-0.6	0	52.4	0.72	100	8348	100.12	50.8
2023-04-10 23:25:00	0	0	0	0	254	7	9.44	52.4	47	100.18	-0.4	-0.5	0	52.4	0.71	100	8346	100.12	50.7
2023-04-10 23:30:00	0	0	0	0	249	6.42	9.33	52.2	46.7	100.18	-0.5	-0.7	0	52.2	0.71	100	8346	100.12	50.5
2023-04-10 23:35:00	0	0	0	0	233	6.64	8.55	52.1	46.5	100.18	-0.5	-0.7	0	52.1	0.71	100	8345	100.11	50.4
2023-04-10 23:40:00	0	0	0	0	225	7.02	9.08	52.2	45.9	100.16	-0.5	-0.5	0	52.1	0.72	100	8342	100.1	50.3
2023-04-10 23:45:00	0	0	0	0	230	7.11	10.96	52.1	46.3	100.15	-0.6	-0.6	0	52.1	0.71	100	8345	100.09	50.3
2023-04-10 23:50:00	0	0	0	0	231	7.34	10.36	52.1	45.8	100.15	-0.6	-0.5	0	52.1	0.72	100	8343	100.08	50.3
2023-04-10 23:55:00	0	0	0	0	248	6.11	8.23	52.1	45.6	100.14	-0.5	-0.6	0	52.1	0.72	100	8343	100.08	50.2

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-11 00:00:00	0	0	0	0	254	5.86	8.59	51.9	45.5	100.13	-0.4	-0.6	0	51.9	0.72	100	8344	100.07	50.1
2023-04-11 00:05:00	0	0	0	0	247	4.92	7.34	51.8	45.3	100.13	-0.5	-0.6	0	51.7	0.72	100	8319	100.06	50
2023-04-11 00:10:00	0	0	0	0	195	4.03	5.61	51.5	46.3	100.13	-0.5	-0.7	0	51.5	0.7	100	8311	100.06	49.9
2023-04-11 00:15:00	0	0	0	0	180	4.36	7.14	51.2	47.7	100.11	-0.5	-0.6	0	51.2	0.67	100	8309	100.05	49.6
2023-04-11 00:20:00	0	0	0	0	202	5.5	7.65	50.9	48	100.11	-0.5	-0.4	0	50.9	0.66	100	8318	100.04	49.4
2023-04-11 00:25:00	0	0	0	0	202	4.56	6.13	50.8	47.5	100.11	-0.4	-0.6	0	50.8	0.66	100	8321	100.04	49.1
2023-04-11 00:30:00	0	0	0	0	203	2.84	3.96	50.6	46.9	100.11	-0.6	-0.5	0	50.6	0.67	100	8321	100.04	48.8
2023-04-11 00:35:00	0	0	0	0	212	3	3.78	50.5	47.2	100.11	-0.5	-0.5	0	50.5	0.66	100	8321	100.04	48.6
2023-04-11 00:40:00	0	0	0	0	230	4.63	7.14	50.3	48.8	100.1	-0.6	-0.5	0	50.3	0.64	100	8319	100.04	48.5
2023-04-11 00:45:00	0	0	0	0	251	5.7	7.27	50.1	48.9	100.1	-0.5	-0.6	0	50.1	0.63	100	8320	100.03	48.3
2023-04-11 00:50:00	0	0	0	0	256	4.83	6.22	50.1	48	100.09	-0.5	-0.6	0	50.1	0.64	100	8320	100.03	48.2
2023-04-11 00:55:00	0	0	0	0	238	4.07	6.76	50.1	49	100.09	-0.6	-0.6	0	50.1	0.63	100	8321	100.03	48
2023-04-11 01:00:00	0	0	0	0	264	4.61	7.4	49.9	48.4	100.09	-0.5	-0.6	0	49.9	0.63	100	8322	100.03	47.9
2023-04-11 01:05:00	0	0	0	0	279	4.52	5.01	49.9	48	100.09	-0.6	-0.5	0	49.9	0.64	100	8320	100.03	48
2023-04-11 01:10:00	0	0	0	0	276	4.61	5.12	49.6	49.7	100.09	-0.6	-0.5	0	49.6	0.61	100	8318	100.02	47.9
2023-04-11 01:15:00	0	0	0	0	266	6.46	7.4	49.5	48.4	100.08	-0.5	-0.7	0	49.5	0.62	100	8320	100.01	47.7
2023-04-11 01:20:00	0	0	0	0	266	6.06	7.14	49.5	48.2	100.08	-0.6	-0.6	0	49.5	0.62	100	8318	100.01	47.6
2023-04-11 01:25:00	0	0	0	0	257	4.16	5.99	49.4	48.8	100.07	-0.6	-0.6	0	49.4	0.62	100	8316	100	47.4
2023-04-11 01:30:00	0	0	0	0	200	3.09	5.01	49.1	49.8	100.06	-0.5	-0.6	0	49	0.6	100	8317	99.99	47
2023-04-11 01:35:00	0	0	0	0	206	4.09	5.32	48.9	49.3	100.05	-0.6	-0.6	0	48.9	0.6	100	8317	99.98	46.8
2023-04-11 01:40:00	0	0	0	0	201	5.86	7.61	49	48.6	100.04	-0.5	-0.6	0	49	0.61	100	8314	99.98	46.8
2023-04-11 01:45:00	0	0	0	0	201	5.99	7.96	49.1	48.3	100.04	-0.4	-0.6	0	49.1	0.61	100	8316	99.97	46.9
2023-04-11 01:50:00	0	0	0	0	198	6.67	8.99	49.2	47.5	100.04	-0.6	-0.5	0	49.2	0.63	100	8317	99.97	47
2023-04-11 01:55:00	0	0	0	0	203	6.69	9.42	49.3	46.5	100.04	-0.6	-0.6	0	49.3	0.64	100	8315	99.97	47.2
2023-04-11 02:00:00	0	0	0	0	201	7.34	9.33	49.5	46.2	100.03	-0.7	-0.5	0	49.5	0.65	100	8317	99.96	47.4
2023-04-11 02:05:00	0	0	0	0	194	6.64	7.76	49.6	46.1	100.02	-0.6	-0.7	0	49.6	0.65	100	8314	99.96	47.4
2023-04-11 02:10:00	0	0	0	0	190	7.36	11.77	49.5	46.6	100.01	-0.5	-0.6	0	49.5	0.64	100	8314	99.95	47.2
2023-04-11 02:15:00	0	0	0	0	188	7.87	11.5	49.4	45.9	100	-0.6	-0.7	0	49.4	0.65	100	8315	99.94	47.3
2023-04-11 02:20:00	0	0	0	0	185	7.29	10.29	49.5	44.9	100	-0.5	-0.8	0	49.5	0.66	100	8313	99.93	47.6
2023-04-11 02:25:00	0	0	0	0	186	6.58	10.71	49.3	45.3	99.99	-0.5	-0.7	0	49.3	0.65	100	8314	99.92	47.5
2023-04-11 02:30:00	0	0	0	0	192	6.62	11.03	49.4	44.5	99.98	-0.5	-0.6	0	49.4	0.67	100	8313	99.92	47.5
2023-04-11 02:35:00	0	0	0	0	198	7.58	11.25	49.5	43.9	99.97	-0.6	-0.6	0	49.5	0.67	100	8311	99.9	47.6
2023-04-11 02:40:00	0	0	0	0	191	6.96	15.64	49.6	43.2	99.96	-0.6	-0.5	0	49.6	0.69	100	8312	99.89	47.9
2023-04-11 02:45:00	0	0	0	0	178	4.9	8.21	49.5	44.2	99.95	-0.6	-0.7	0	49.5	0.67	100	8313	99.88	47.6
2023-04-11 02:50:00	0	0	0	0	178	4.7	6.73	49.1	44.8	99.94	-0.5	-0.5	0	49.1	0.66	100	8309	99.87	47.2
2023-04-11 02:55:00	0	0	0	0	204	5.73	9.89	49	43.7	99.93	-0.5	-0.7	0	48.9	0.66	100	8311	99.87	47
2023-04-11 03:00:00	0	0	0	0	215	7.72	10.6	49.2	42.7	99.94	-0.5	-0.6	0	49.3	0.68	100	8311	99.87	47.4
2023-04-11 03:05:00	0	0	0	0	222	10.09	14.58	49.7	41.3	99.93	-0.6	-0.6	0	49.7	0.71	100	8311	99.87	48
2023-04-11 03:10:00	0	0	0	0	213	7.99	11.36	50.2	40.6	99.93	-0.6	-0.6	0	50.2	0.74	100	8311	99.87	48.4
2023-04-11 03:15:00	0	0	0	0	215	8.52	12.82	50.5	40	99.92	-0.6	-0.5	0	50.5	0.75	100	8310	99.86	48.5
2023-04-11 03:20:00	0	0	0	0	216	7.23	10.54	50.6	39.8	99.92	-0.5	-0.7	0	50.6	0.76	100	8308	99.86	48.7
2023-04-11 03:25:00	0	0	0	0	206	7.94	11.27	50.7	39.7	99.91	-0.6	-0.6	0	50.7	0.76	100	8308	99.84	48.7
2023-04-11 03:30:00	0	0	0	0	201	8.37	16.06	50.7	38.9	99.9	-0.5	-0.5	0	50.8	0.77	100	8308	99.83	48.8
2023-04-11 03:35:00	0	0	0	0	210	8.95	14.79	50.7	39.1	99.89	-0.5	-0.6	0	50.7	0.77	100	8308	99.83	48.8
2023-04-11 03:40:00	0	0	0	0	214	8.79	14.05	50.7	38.6	99.89	-0.6	-0.6	0	50.7	0.77	100	8308	99.82	49
2023-04-11 03:45:00	0	0	0	0	235	9.22	12.12	51	38	99.89	-0.5	-0.6	0	51	0.79	100	8308	99.82	49.2
2023-04-11 03:50:00	0	0	0	0	249	6.71	8.81	51.1	37.9	99.89	-0.6	-0.7	0	51.1	0.79	100	8311	99.83	49.2
2023-04-11 03:55:00	0	0	0	0	253	8.05	11.7	50.9	37.4	99.9	-0.7	-0.6	0	50.9	0.79	100	8306	99.83	49.1
2023-04-11 04:00:00	0	0	0	0	250	8.39	12.68	50.9	37.8	99.9	-0.4	-0.6	0	50.9	0.79	100	8309	99.83	49.1
2023-04-11 04:05:00	0	0	0	0	255	7.11	9.06	50.8	38.6	99.89	-0.5	-0.7	0	50.8	0.78	100	8307	99.82	49
2023-04-11 04:10:00	0	0	0	0	254	8.03	13.2	50.7	38	99.88	-0.5	-0.5	0	50.7	0.78	100	8309	99.82	49.1
2023-04-11 04:15:00	0	0	0	0	249	8.48	12.12	50.7	37.8	99.88	-0.6	-0.8	0	50.7	0.78	100	8304	99.82	49.2
2023-04-11 04:20:00	0	0	0	0	247	10.42	18.84	50.9	36.6	99.88	-0.5	-0.5	0	50.9	0.8	100	8304	99.81	49.4
2023-04-11 04:25:00	0	0	0	0	245	9.26	12.48	51.2	36.3	99.88	-0.5	-0.7	0	51.2	0.82	100	8305	99.81	49.7
2023-04-11 04:30:00	0	0	0	0	245	10.16	14.36	51.4	36.4	99.88	-0.6	-0.7	0	51.4	0.82	100	8305	99.81	49.8
2023-04-11 04:35:00	0	0	0	0	240	10.42	16.02	51.6	36	99.88	-0.5	-0.6	0	51.6	0.83	100	8305	99.81	50
2023-04-11 04:40:00	0	0	0	0	238	11.14	15.99	51.7	35.9	99.88	-0.2	-0.7	0	51.7	0.84	100	8304	99.81	50.1
2023-04-11 04:45:00	0	0	0	0	240	10.8	15.99	51.7	36.1	99.88	-0.4	-0.5	0	51.7	0.84	100	8305	99.81	50.2
2023-04-11 04:50:00	0	0	0	0	237	10.87	14.07	51.7	36.3	99.88	-0.5	-0.7	0	51.7	0.83	100	8303	99.81	50.2
2023-04-11 04:55:00	0	0	0	0	246	11.1	19.35	51.7	36.6	99.88	-0.7	-0.5	0	51.7	0.83	100	8304	99.82	50.3

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-11 05:00:00	0	0	0	0	249	9.48	14.03	51.5	37.1	99.89	-0.5	-0.6	0	51.5	0.82	100	8303	99.82	50.2
2023-04-11 05:05:00	0	0	0	0	254	8.52	11.43	51.5	37.1	99.89	-0.5	-0.6	0	51.5	0.82	100	8304	99.82	50.2
2023-04-11 05:10:00	0	0	0	0	258	10.09	13.67	51.5	37.6	99.89	-0.6	-0.7	0	51.5	0.81	100	8303	99.82	50.2
2023-04-11 05:15:00	0	0	0	0	256	10.76	14.43	51.3	38.2	99.88	-0.7	-0.6	0	51.3	0.8	100	8301	99.81	50.2
2023-04-11 05:20:00	0	0	0	0	252	10.78	15.37	51.4	37.9	99.88	-0.6	-0.7	0	51.4	0.8	100	8301	99.81	50.3
2023-04-11 05:25:00	0	0	0	0	250	9.95	17.22	51.5	38.6	99.87	-0.6	-0.7	0	51.5	0.8	100	8301	99.8	50.3
2023-04-11 05:30:00	0	0	0	0	244	9.26	14.23	51.4	39.2	99.86	-0.6	-0.7	0	51.4	0.79	100	8298	99.8	50.2
2023-04-11 05:35:00	0	0	0	0	242	10.16	17.11	51.3	39.6	99.85	-0.5	-0.7	0	51.3	0.78	100	8299	99.79	50.1
2023-04-11 05:40:00	0	0	0	0	237	10.36	16.44	51.2	39.9	99.85	-0.7	-0.6	0	51.2	0.77	100	8299	99.78	50.1
2023-04-11 05:45:00	0	0	0	0	234	11.3	15.52	51.2	40.2	99.85	-0.6	-0.8	0	51.2	0.77	100	8300	99.78	50.1
2023-04-11 05:50:00	0	0	0	0	229	13.24	18.03	51.3	40.4	99.84	-0.5	-0.8	0	51.3	0.77	100	8296	99.78	50.1
2023-04-11 05:55:00	0	0	0	0	226	14.43	19.57	51.3	40.5	99.83	-0.3	-0.7	0	51.3	0.77	100	8298	99.77	50.2
2023-04-11 06:00:00	0	0	0	0	223	15.46	21.52	51.4	40.3	99.82	-0.5	-0.4	0	51.3	0.77	100	8297	99.76	50.3
2023-04-11 06:05:00	0	0	0	0	226	15.39	25.08	51.5	40.2	99.81	-0.6	-0.5	0	51.5	0.78	100	8298	99.75	50.5
2023-04-11 06:10:00	0	0	0	0	226	14.88	20.83	51.7	40.6	99.8	-0.4	-0.8	0	51.7	0.78	100	8298	99.74	50.5
2023-04-11 06:15:00	0	0	0	0	225	14.74	20.31	51.7	40.5	99.8	-0.3	-0.6	0	51.7	0.78	100	8299	99.74	50.6
2023-04-11 06:20:00	1.2	0	0	0	227	13.04	18.57	51.7	40.4	99.81	-0.5	-0.6	0	51.7	0.78	100	8298	99.75	50.6
2023-04-11 06:25:00	3.4	0	0	0	225	12.62	16.53	51.7	40.8	99.82	-0.4	-0.4	0	51.7	0.77	100	8297	99.75	50.6
2023-04-11 06:30:00	8	0	0	0	224	13.82	21.14	51.8	40.6	99.82	-0.5	-0.7	0	51.8	0.78	100	8296	99.75	50.6
2023-04-11 06:35:00	15.6	0	0	0	228	14.9	24.02	51.8	41	99.81	-0.2	-0.8	0	51.8	0.78	100	8297	99.75	50.7
2023-04-11 06:40:00	26.8	0	0	0	228	13.13	22.26	51.9	40.8	99.81	-0.4	-0.7	0	51.9	0.78	100	8297	99.75	50.8
2023-04-11 06:45:00	37.2	0	0	0	222	15.77	23.6	52.1	40.2	99.81	-0.4	-1	0	52.2	0.79	100	8300	99.75	51
2023-04-11 06:50:00	50	0	0	0	229	14.38	22.59	52.5	40.1	99.81	-0.5	-0.4	0	52.5	0.81	100	8300	99.75	51.3
2023-04-11 06:55:00	57.2	0	0	0	233	15.1	20.74	52.7	40.2	99.81	-0.1	-0.5	0	52.8	0.81	100	8304	99.75	51.5
2023-04-11 07:00:00	67	0	0	0	227	15.08	20.67	53	40	99.81	-0.5	-0.6	0	53.1	0.82	100	8303	99.75	51.7
2023-04-11 07:05:00	73.8	0	0	0	225	14.63	19.86	53.2	39.7	99.8	-0.4	-0.6	0	53.3	0.83	100	8304	99.75	52
2023-04-11 07:10:00	72.2	0	0	0	232	12.8	18.28	53.4	39.9	99.81	-0.3	-0.6	0	53.6	0.84	100	8305	99.76	52.2
2023-04-11 07:15:00	71.2	0	0	0	227	12.62	16.91	53.4	39.7	99.81	-0.4	-0.6	0	53.6	0.84	100	8305	99.76	52.4
2023-04-11 07:20:00	81	0	0	0	231	15.21	26.93	53.5	39.4	99.82	-0.5	-0.7	0	53.7	0.85	100	8309	99.76	52.5
2023-04-11 07:25:00	111.6	0	0	0	234	13.98	20.6	53.7	39.4	99.82	-0.4	-0.6	0	53.9	0.85	100	8313	99.76	52.7
2023-04-11 07:30:00	91.4	0	0	0	238	13.65	20.31	54	39.3	99.81	-0.4	-0.8	0	54.2	0.86	100	8313	99.76	52.9
2023-04-11 07:35:00	93.6	0	0	0	229	13.51	18.84	53.9	39.2	99.81	-0.3	-0.7	0	54.1	0.86	100	8314	99.75	53
2023-04-11 07:40:00	95.6	0	0	0	226	11.86	16.58	53.7	40	99.81	-0.5	-0.7	0	54	0.84	100	8313	99.75	53
2023-04-11 07:45:00	99.2	0	0	0	228	12.88	20.45	53.9	39.9	99.8	-0.6	-0.5	0	54	0.85	100	8316	99.75	53
2023-04-11 07:50:00	117	0	0	0	234	14	22.44	53.9	39.8	99.81	-0.5	-0.5	0	54.2	0.85	100	8318	99.75	53.2
2023-04-11 07:55:00	114.6	0	0	0	232	13.42	17.69	54	39.9	99.81	-0.5	-0.6	0	54.2	0.85	100	8319	99.76	53.3
2023-04-11 08:00:00	125.8	0	0	0	239	13.06	21.03	54.1	40.1	99.81	-0.3	-0.6	0	54.4	0.86	100	8323	99.76	53.4
2023-04-11 08:05:00	150.4	0	0	0	236	12.8	18.84	54.4	39.6	99.8	-0.7	-0.7	0	54.7	0.87	100	8323	99.75	53.6
2023-04-11 08:10:00	154.4	0	0	0	231	13.04	18.59	54.6	39.8	99.79	-0.7	-0.6	0	55	0.88	100	8329	99.75	53.9
2023-04-11 08:15:00	171.4	0	0	0	233	12.68	23.02	54.9	39.7	99.79	-0.4	-0.7	0	55.3	0.89	100	8333	99.75	54.1
2023-04-11 08:20:00	182	0	0	0	243	12.53	18.14	55.3	39.7	99.79	-0.4	-0.7	0	55.7	0.9	100	8334	99.75	54.5
2023-04-11 08:25:00	221.2	0	0	0	240	12.84	22.06	55.7	39.3	99.79	-0.2	-0.5	0	56.2	0.92	100	8339	99.75	54.9
2023-04-11 08:30:00	242.2	0	0	0	244	12.44	20.51	56.3	38.9	99.79	-0.5	-0.7	0	56.8	0.94	100	8349	99.75	55.4
2023-04-11 08:35:00	284.4	0	0	0	240	16.2	25.26	56.9	38.5	99.78	-0.6	-0.4	0	57.4	0.97	100	8353	99.74	56
2023-04-11 08:40:00	307.2	0	0	0	242	14	21.39	57.6	38.3	99.77	-0.2	-1	0	58.3	1	100	8364	99.73	56.6
2023-04-11 08:45:00	296.6	0	0	0	236	15.37	26.62	58.2	37.4	99.76	0	-0.7	0	58.7	1.04	100	8370	99.72	57.3
2023-04-11 08:50:00	321.4	0	0	0	239	16.08	23.82	58.5	37	99.75	-0.3	-0.6	0	59.2	1.05	100	8376	99.72	57.8
2023-04-11 08:55:00	334.8	0	0	0	242	14.76	23.85	59.1	36.8	99.74	-0.1	-0.7	0	59.8	1.08	100	8380	99.71	58.4
2023-04-11 09:00:00	343.2	0	0	0	250	14.05	19.84	59.4	36.6	99.74	-0.5	-0.8	0	60.1	1.09	100	8384	99.7	58.9
2023-04-11 09:05:00	361.6	0	0	0	246	15.37	22.75	59.7	36.4	99.73	-0.3	-0.6	0	60.4	1.11	100	8388	99.7	59.3
2023-04-11 09:10:00	345.6	0	0	0	244	15.21	21.99	59.9	36	99.73	-0.1	-0.8	0	60.6	1.13	100	8390	99.69	59.7
2023-04-11 09:15:00	336.2	0	0	0	246	16.93	25.95	60	35.7	99.72	-0.3	-0.4	0	60.7	1.14	100	8394	99.68	59.9
2023-04-11 09:20:00	296.4	0	0	0	243	16.87	25.32	60	36	99.72	-0.7	-0.6	0	60.7	1.13	100	8393	99.68	60
2023-04-11 09:25:00	292.2	0	0	0	245	14.85	21.23	60	36.4	99.72	-0.3	-0.9	0	60.5	1.12	100	8395	99.68	60.1
2023-04-11 09:30:00	302	0	0	0	248	14.88	23.09	60	36.5	99.72	-0.4	-0.3	0	60.6	1.12	100	8396	99.68	60.2
2023-04-11 09:35:00	311.6	0	0	0	241	14.65	20.18	60	36.9	99.72	-0.4	-1.3	0	60.7	1.11	100	8396	99.67	60.3
2023-04-11 09:40:00	291.8	0	0	0	247	14.56	21.07	60.2	36.3	99.72	-0.2	-1.2	0	60.8	1.13	100	8397	99.66	60.5
2023-04-11 09:45:00	284.8	0	0	0	238	17.43	23.04	60.3	36.4	99.71	-0.1	-0.6	0	60.9	1.13	100	8399	99.66	60.5
2023-04-11 09:50:00	311.2	0	0	0	245	14.74	20.54	60.3	36.4	99.7	0.1	-1.3	0	61	1.14	100	8402	99.65	60.6
2023-04-11 09:55:00	359.4	0	0	0	241	14.7	21.77	60.5	36.7	99.69	-0.7	-0.8	0	61.3	1.14	100	8406	99.65	60.8

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-11 10:00:00	435.6	0	0	0	244	13.56	21.59	61.1	36.4	99.68	-0.2	-0.5	0	61.8	1.17	100	8411	99.65	61.1
2023-04-11 10:05:00	396.8	0	0	0	237	16.22	22.64	61.7	35.6	99.68	-0.5	-0.8	0	62.4	1.21	100	8415	99.64	61.5
2023-04-11 10:10:00	374.2	0	0	0	242	14.32	22.82	62	35.8	99.67	-0.1	-0.7	0	62.7	1.21	100	8420	99.64	61.8
2023-04-11 10:15:00	412.6	0	0	0	239	14.9	23.35	62.4	35.5	99.66	-0.2	-0.8	0	63.1	1.24	100	8423	99.63	62.2
2023-04-11 10:20:00	483.8	0	0	0	239	16.44	30.2	62.9	34.7	99.64	-0.2	-1	0	63.6	1.28	100	8427	99.61	62.5
2023-04-11 10:25:00	473.6	0	0	0	234	20.36	31.12	63.5	33.8	99.62	-0.1	-1	0	64.1	1.32	100	8434	99.6	62.9
2023-04-11 10:30:00	497.4	0	0	0	244	15.23	24.58	63.8	34.2	99.62	0	-0.8	0	64.4	1.33	100	8437	99.6	63.3
2023-04-11 10:35:00	481	0	0	0	241	18.92	30	64.1	33.7	99.61	-0.5	-0.5	0	64.8	1.35	100	8440	99.59	63.7
2023-04-11 10:40:00	454.8	0	0	0	247	18.21	26.22	64.3	33.5	99.62	-0.1	-0.6	0	64.9	1.36	100	8443	99.59	64
2023-04-11 10:45:00	463	0	0	0	248	15.43	23.8	64.4	33.8	99.61	0.1	-0.4	0	65.1	1.36	100	8446	99.58	64.2
2023-04-11 10:50:00	472.4	0	0	0	245	16.84	23.89	64.7	33.4	99.61	-0.5	-0.7	0	65.3	1.39	100	8448	99.57	64.5
2023-04-11 10:55:00	509.2	0	0	0	242	15.86	28.7	65	33.3	99.6	0.1	-0.9	0	65.7	1.4	100	8451	99.57	64.7
2023-04-11 11:00:00	529.6	0	0	0	248	16.64	23.8	65.4	33.1	99.59	-0.1	-1.2	0	66.2	1.43	100	8456	99.56	65.2
2023-04-11 11:05:00	562.8	0	0	0	246	16.64	28.83	66	31.7	99.57	-0.1	-1	0	66.7	1.49	100	8460	99.54	65.6
2023-04-11 11:10:00	605.4	0	0	0	240	15.95	20.36	66.6	31.7	99.55	0	-0.4	0	67.3	1.52	100	8465	99.53	66.1
2023-04-11 11:15:00	533.6	0	0	0	242	19.44	28.57	67	30.4	99.55	0.1	-0.3	0	67.7	1.57	100	8467	99.52	66.5
2023-04-11 11:20:00	486	0	0	0	249	18.57	29.84	66.8	30.4	99.55	0.4	-0.8	0	67.5	1.56	100	8466	99.52	66.6
2023-04-11 11:25:00	667.6	0	0	0	239	18.5	28.07	67.4	30	99.53	0.5	-0.4	0	68.1	1.6	100	8472	99.52	66.9
2023-04-11 11:30:00	596.8	0	0	0	249	17.02	27.45	67.8	30.1	99.53	0.1	-1.4	0	68.5	1.62	100	8475	99.51	67.4
2023-04-11 11:35:00	484	0	0	0	243	20.65	30.24	68	29.4	99.53	-0.6	-0.7	0	68.7	1.65	100	8470	99.5	67.7
2023-04-11 11:40:00	320.8	0	0	0	248	22.93	35.7	67.3	29.3	99.54	-0.5	0.3	0	67.9	1.61	100	8466	99.49	67.4
2023-04-11 11:45:00	282.6	0	0	0	248	16.98	28.27	66.6	30.6	99.55	-0.3	-0.1	0	67.1	1.54	100	8465	99.49	67.1
2023-04-11 11:50:00	275.2	0	0	0	255	16.4	23.24	66.1	31	99.54	-0.5	-0.7	0	66.7	1.51	100	8460	99.49	66.8
2023-04-11 11:55:00	375.4	0	0	0	236	16.44	23.24	65.9	31.5	99.53	-0.2	-0.8	0	66.6	1.49	100	8463	99.48	66.7
2023-04-11 12:00:00	627	0	0	0	240	16.84	22.24	66.7	30.7	99.51	-0.2	-0.7	0	67.5	1.55	100	8469	99.48	66.9
2023-04-11 12:05:00	549.6	0	0	0	249	16.04	29.21	67.3	30.9	99.5	-0.5	-0.4	0	68	1.58	100	8472	99.47	67.3
2023-04-11 12:10:00	657.4	0	0	0	245	15.95	24.54	68.1	30.7	99.49	0	-0.7	0	68.9	1.63	100	8472	99.46	67.8
2023-04-11 12:15:00	370.4	0	0	0	242	14.99	25.84	68.1	30.7	99.49	-0.5	-0.8	0	68.8	1.62	100	8472	99.44	68
2023-04-11 12:20:00	490.4	0	0	0	236	16.75	26.31	68	30.6	99.48	-0.4	-0.3	0	68.7	1.62	100	8473	99.44	68
2023-04-11 12:25:00	619	0	0	0	239	19.28	39.73	68.3	30.1	99.46	-0.1	-0.4	0	69	1.65	100	8475	99.43	68.1
2023-04-11 12:30:00	556.6	0	0	0	238	16.15	28.43	68.9	30.5	99.47	-0.1	-0.7	0	69.6	1.67	100	8475	99.43	68.4
2023-04-11 12:35:00	590	0	0	0	243	17.94	28.12	68.8	30.1	99.45	-0.1	-0.4	0	69.5	1.68	100	8478	99.42	68.5
2023-04-11 12:40:00	694.4	0	0	0	256	16.06	24.67	69.5	30.8	99.43	0	-0.3	0	70.2	1.7	100	8482	99.41	68.9
2023-04-11 12:45:00	660.6	0	0	0	260	17.47	24.72	70	29.9	99.43	0.2	-1.2	0	70.7	1.76	100	8478	99.4	69.4
2023-04-11 12:50:00	627	0	0	0	256	13.91	18.37	70.6	30.2	99.43	0.2	-0.8	0	71.3	1.78	100	8480	99.4	69.9
2023-04-11 12:55:00	597.8	0	0	0	244	18.01	25.9	71	29.6	99.41	0	-0.9	0	71.6	1.82	100	8479	99.38	70.1
2023-04-11 13:00:00	610	0	0	0	244	16.51	24.07	71	30	99.4	-0.3	-0.9	0	71.7	1.81	100	8483	99.38	70.2
2023-04-11 13:05:00	655.2	0	0	0	240	20.74	28.57	71.2	29.3	99.38	-0.4	-2	0	71.9	1.85	100	8482	99.36	70.3
2023-04-11 13:10:00	750.4	0	0	0	238	21.05	30.58	71.4	29.2	99.37	-0.1	-0.4	0	72	1.86	100	8485	99.35	70.4
2023-04-11 13:15:00	664	0	0	0	234	17.72	27.04	71.4	29.4	99.37	0	-1.2	0	72	1.85	100	8481	99.34	70.6
2023-04-11 13:20:00	573.6	0	0	0	236	19.22	33.78	71.2	30	99.37	-0.6	-2	0	71.9	1.83	100	8480	99.33	70.8
2023-04-11 13:25:00	408.6	0	0	0	235	18.34	28.97	70.9	30.3	99.36	0	-0.8	0	71.6	1.8	100	8477	99.32	70.8
2023-04-11 13:30:00	607.4	0	0	0	249	15.59	22.93	70.7	30.6	99.35	-0.1	-0.7	0	71.4	1.78	100	8479	99.32	70.7
2023-04-11 13:35:00	832.6	0	0	0	251	17.36	27.94	71.7	29.9	99.33	0	-1	0	72.4	1.86	100	8477	99.31	71.2
2023-04-11 13:40:00	753.2	0	0	0	259	17.58	24.2	72.4	29.8	99.32	0.9	-1	0	73.1	1.91	100	8479	99.29	71.8
2023-04-11 13:45:00	465.2	0	0	0	260	16.6	26.96	72.4	30	99.32	-0.4	-0.8	0	73.1	1.9	100	8475	99.29	72.1
2023-04-11 13:50:00	391	0	0	0	248	15.17	25.9	72	30.4	99.32	-0.3	-0.7	0	72.6	1.86	100	8475	99.27	72
2023-04-11 13:55:00	517.6	0	0	0	243	16.15	22.12	71.7	30.4	99.31	-0.1	-1	0	72.4	1.84	100	8473	99.27	71.9
2023-04-11 14:00:00	428.8	0	0	0	245	12.75	18.7	71.9	31.1	99.3	-0.1	-0.8	0	72.6	1.84	100	8470	99.25	72.1
2023-04-11 14:05:00	571.4	0	0	0	246	16.44	34.49	72	30.4	99.28	0.1	-0.5	0	72.7	1.86	100	8469	99.25	72.1
2023-04-11 14:10:00	601.6	0	0	0	243	20.56	31.32	72.6	29.8	99.26	-0.5	0.3	0	73.2	1.92	100	8466	99.24	72.2
2023-04-11 14:15:00	571.6	0	0	0	255	17.11	24.74	72.5	30	99.27	-0.1	-0.7	0	73.2	1.91	100	8465	99.23	72.3
2023-04-11 14:20:00	603.6	0	0	0	261	15.19	21.7	72.8	30.2	99.26	0.1	-0.3	0	73.4	1.92	100	8463	99.23	72.6
2023-04-11 14:25:00	505	0	0	0	248	20.22	30.58	73.1	30	99.25	-0.7	-1.2	0	73.7	1.95	100	8462	99.22	72.8
2023-04-11 14:30:00	393.6	0	0	0	253	20.22	29.62	72.6	29.6	99.27	0.3	-0.7	0	73.2	1.92	100	8459	99.22	72.5
2023-04-11 14:35:00	619.6	0	0	0	256	22.28	36.53	72.6	30.1	99.24	-0.9	-1.3	0	73.3	1.91	100	8460	99.2	72.5
2023-04-11 14:40:00	451.2	0	0	0	253	23.29	31.09	72.5	29.6	99.24	-0.9	-1.2	0	73.1	1.92	100	8458	99.18	72.4
2023-04-11 14:45:00	426.4	0	0	0	251	21.16	28.88	72	30.2	99.23	0.3	-0.6	0	72.7	1.87	100	8455	99.18	72.3
2023-04-11 14:50:00	351.6	0	0	0	246	21.63	35.97	71.9	30.5	99.22	-0.5	-0.1	0	72.5	1.85	100	8450	99.18	72.1
2023-04-11 14:55:00	293.4	0	0	0	248	19.57	29.59	71.5	30.7	99.22	-0.9	-1	0	72	1.82	100	8453	99.18	71.8

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-11 15:00:00	276.6	0	0	0	257	18.12	29.3	71	31.7	99.23	-1.5	-1.6	0	71.5	1.77	100	8448	99.18	71.6
2023-04-11 15:05:00	247.6	0	0	0	250	16.53	29.95	70.7	31.9	99.22	0.1	-1.1	0	71.2	1.74	100	8448	99.17	71.4
2023-04-11 15:10:00	268.2	0	0	0	255	18.57	29.39	70.4	32.3	99.23	0.4	-1.3	0	71	1.72	100	8445	99.16	71.3
2023-04-11 15:15:00	369.6	0	0	0	254	21.77	36.37	70.4	32.2	99.21	0.5	-0.8	0	71.1	1.72	100	8444	99.16	71.2
2023-04-11 15:20:00	507	0	0	0	255	18.79	28.92	70.7	32.3	99.2	0.4	-2.1	0	71.3	1.74	100	8442	99.15	71.3
2023-04-11 15:25:00	621.6	0	0	0	252	21.05	33.93	71.5	32	99.18	-0.5	0.1	0	72.2	1.79	100	8442	99.15	71.8
2023-04-11 15:30:00	691.6	0	0	0	254	22.12	34.72	72.3	31.4	99.18	1.3	-0.5	0	73	1.86	100	8439	99.15	72.1
2023-04-11 15:35:00	556	0	0	0	259	25.17	41.32	72.6	30.4	99.17	0.6	-3.2	0	73.3	1.9	100	8438	99.12	72.3
2023-04-11 15:40:00	447.2	0	0	0	257	20.15	28.16	72.4	31	99.17	-1.1	-0.9	0	73	1.87	100	8438	99.13	72.2
2023-04-11 15:45:00	300	0	0	0	246	20.92	33.15	72	31.5	99.17	-0.5	-0.2	0	72.6	1.83	100	8432	99.12	72
2023-04-11 15:50:00	236.8	0	0	0	250	18.1	28.43	71.5	31.9	99.17	0	-0.4	0	72	1.79	100	8433	99.11	71.6
2023-04-11 15:55:00	176.8	0	0	0	249	16.35	24.2	71.2	32.6	99.17	-0.3	-0.9	0	71.5	1.76	100	8431	99.11	71.3
2023-04-11 16:00:00	142.4	0	0	0	256	14.5	22.21	70.7	33.7	99.17	0.4	-0.4	0	70.9	1.7	100	8427	99.11	71
2023-04-11 16:05:00	124.4	0	0	0	254	14.07	23.09	70.2	33.8	99.16	-0.6	-0.5	0	70.4	1.67	100	8424	99.1	70.6
2023-04-11 16:10:00	143.2	0	0	0	253	12.82	19.33	69.7	34.1	99.16	0	-1.2	0	70	1.63	100	8421	99.1	70.3
2023-04-11 16:15:00	135.8	0	0	0	244	17.72	21.77	69.5	34.4	99.16	-0.2	-0.3	0	69.7	1.61	100	8422	99.09	70
2023-04-11 16:20:00	138	0	0	0	252	14.67	24.23	69.1	34.8	99.16	0	-0.6	0	69.4	1.58	100	8416	99.11	69.7
2023-04-11 16:25:00	138.4	0	0	0	254	19.71	27.2	68.9	34.7	99.16	-0.4	-0.2	0	69.1	1.57	100	8415	99.1	69.5
2023-04-11 16:30:00	126.6	0	0	0	257	18.88	27.07	68.6	35.2	99.16	1.1	-1.8	0	68.9	1.55	100	8412	99.1	69.3
2023-04-11 16:35:00	120.4	0	0	0	253	18.14	25.68	68.5	35.5	99.16	0.3	-0.8	0	68.6	1.53	100	8412	99.1	69.1
2023-04-11 16:40:00	105.2	0	0	0	253	18.63	33.04	68.3	35.8	99.15	0.6	-0.9	0	68.5	1.52	100	8409	99.1	68.9
2023-04-11 16:45:00	101	0	0	0	257	20.02	30.04	68.3	36.1	99.15	0	-0.7	0	68.4	1.51	100	8407	99.09	68.8
2023-04-11 16:50:00	113	0	0	0	248	17.58	29.15	68.1	36.7	99.16	-0.8	-1	0	68.3	1.48	100	8405	99.09	68.6
2023-04-11 16:55:00	117	0	0	0	260	19.24	33.42	68.1	37.1	99.16	-0.6	-0.5	0	68.3	1.47	100	8402	99.1	68.5
2023-04-11 17:00:00	110	0	0	0	259	19.24	24.54	67.9	37.4	99.16	0	-0.2	0	68.1	1.46	100	8401	99.1	68.3
2023-04-11 17:05:00	97.6	0	0	0	254	16.22	25.48	67.8	37.7	99.16	-0.2	-0.5	0	68	1.45	100	8396	99.1	68.2
2023-04-11 17:10:00	100.4	0	0	0	254	17.38	28.03	67.6	37.7	99.16	0.6	-1.1	0	67.8	1.44	100	8396	99.09	68
2023-04-11 17:15:00	96.2	0	0	0	258	18.52	28.95	67.6	37.9	99.15	0	-1.4	0	67.8	1.43	100	8398	99.08	67.9
2023-04-11 17:20:00	89.6	0	0	0	257	21.27	31.23	67.5	38.2	99.14	-0.7	-1.5	0	67.6	1.42	100	8393	99.07	67.7
2023-04-11 17:25:00	93.2	0	0	0	261	17.9	26.13	67.4	38.3	99.14	-0.4	-1.4	0	67.5	1.41	100	8392	99.08	67.6
2023-04-11 17:30:00	93	0	0	0	266	17.36	26.19	67.1	38.7	99.15	-0.4	-1	0	67.4	1.39	100	8392	99.08	67.4
2023-04-11 17:35:00	95.2	0	0	0	256	15.97	20.51	67	38.8	99.14	-0.1	-0.5	0	67.2	1.38	100	8387	99.08	67.3
2023-04-11 17:40:00	97.2	0	0	0	256	16.24	26.62	66.8	38.7	99.14	-0.5	-0.6	0	67	1.38	100	8387	99.08	67.2
2023-04-11 17:45:00	107	0	0	0	253	18.72	27.58	66.7	38.9	99.14	-0.2	-0.5	0	67	1.37	100	8386	99.07	67
2023-04-11 17:50:00	112.2	0	0	0	255	18.5	26.82	66.6	38.8	99.14	-0.3	-0.9	0	66.8	1.36	100	8383	99.08	66.9
2023-04-11 17:55:00	104.6	0	0	0	254	16.15	29.86	66.5	39.1	99.14	0	-0.8	0	66.7	1.35	100	8383	99.08	66.8
2023-04-11 18:00:00	92.2	0	0	0	256	16.51	24.65	66.4	39	99.15	-0.4	-0.7	0	66.6	1.35	100	8381	99.08	66.6
2023-04-11 18:05:00	77	0	0	0	257	15.97	27.6	66.3	39.2	99.14	0	-1	0	66.5	1.34	100	8380	99.08	66.5
2023-04-11 18:10:00	64.4	0	0	0	256	16.33	23.44	66.1	39.2	99.14	0.3	-0.6	0	66.2	1.33	100	8377	99.08	66.3
2023-04-11 18:15:00	56.2	0	0	0	256	22.24	28.66	66	38.9	99.14	-0.3	-0.6	0	66.1	1.33	100	8377	99.07	66.1
2023-04-11 18:20:00	49.2	0	0	0	257	22.39	35.61	65.8	38.7	99.14	-0.6	-0.1	0	65.9	1.33	100	8375	99.07	66
2023-04-11 18:25:00	46	0	0	0	260	21.43	35.41	65.6	38.8	99.14	-0.4	-1.6	0	65.7	1.32	100	8374	99.06	65.8
2023-04-11 18:30:00	44.8	0	0	0	260	20.09	28.79	65.4	39	99.14	0.5	-1.7	0	65.4	1.3	100	8370	99.07	65.6
2023-04-11 18:35:00	42.4	0	0	0	253	18.99	27.78	65.2	39.2	99.14	-0.2	-0.9	0	65.2	1.29	100	8371	99.07	65.4
2023-04-11 18:40:00	41	0	0	0	263	17.63	26.89	64.9	39.9	99.14	-0.4	-0.6	0	65	1.26	100	8367	99.08	65.1
2023-04-11 18:45:00	38.6	0	0	0	254	18.84	27.11	64.7	39.8	99.14	0.1	0.4	0	64.7	1.25	100	8366	99.07	65
2023-04-11 18:50:00	33	0	0	0	255	25.97	37.07	64.5	39.7	99.13	0	0.2	0	64.6	1.25	100	8365	99.07	64.8
2023-04-11 18:55:00	27.6	0	0	0	250	19.66	28.92	64.5	40.1	99.14	-0.6	0.1	0	64.5	1.24	100	8365	99.07	64.7
2023-04-11 19:00:00	21.4	0	0	0	263	18.52	27.4	64.3	40.4	99.14	-0.6	-0.8	0	64.3	1.22	100	8365	99.06	64.5
2023-04-11 19:05:00	17.6	0	0	0	256	21.43	29.86	64.2	40.6	99.13	-0.3	-0.6	0	64.2	1.22	100	8359	99.06	64.3
2023-04-11 19:10:00	13	0	0	0	256	18.01	27.76	64.1	40.9	99.13	-0.4	-0.4	0	64.1	1.21	100	8361	99.06	64.2
2023-04-11 19:15:00	9	0	0	0	248	20.09	30.47	63.9	41.1	99.11	-0.8	-1.2	0	63.9	1.19	100	8358	99.05	64
2023-04-11 19:20:00	5.8	0	0	0	256	20.04	30.02	63.8	41.2	99.11	-0.5	-0.7	0	63.8	1.19	100	8354	99.04	63.9
2023-04-11 19:25:00	3.6	0	0	0	258	18.88	28.39	63.7	41.4	99.11	-0.2	-0.5	0	63.7	1.18	100	8355	99.04	63.8
2023-04-11 19:30:00	1.4	0	0	0	252	21.54	34.4	63.6	41.4	99.1	-0.4	-1.4	0	63.6	1.18	100	8354	99.03	63.7
2023-04-11 19:35:00	0.4	0	0	0	250	19.53	29.17	63.7	41.6	99.09	-0.5	-0.8	0	63.7	1.18	100	8353	99.04	63.6
2023-04-11 19:40:00	0	0	0	0	251	19.77	30.06	63.5	41.8	99.11	-0.4	-1.3	0	63.5	1.16	100	8350	99.04	63.5
2023-04-11 19:45:00	0	0	0	0	252	16.82	25.21	63.4	42	99.11	-0.2	-0.8	0	63.4	1.15	100	8353	99.05	63.4
2023-04-11 19:50:00	0	0	0	0	254	18.57	28.32	63.3	42.1	99.11	0	-0.2	0	63.3	1.15	100	8349	99.04	63.3
2023-04-11 19:55:00	0	0	0	0	254	20.96	29.21	63.3	41.7	99.12	-0.3	-0.8	0	63.3	1.16	100	8349	99.05	63.2

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-11 20:00:00	0	0	0	0	246	21.34	31.61	63.2	42	99.11	0.3	-0.5	0	63.2	1.15	100	8347	99.05	63.1
2023-04-11 20:05:00	0	0	0	0	251	19.55	26.15	63.1	41.9	99.11	0.2	-0.5	0	63.2	1.15	100	8344	99.04	63.1
2023-04-11 20:10:00	0	0	0	0	251	18.05	30.13	63.1	42	99.12	-0.2	-0.5	0	63.1	1.14	100	8342	99.05	63
2023-04-11 20:15:00	0	0	0	0	256	16.15	26.44	63	41.9	99.13	-0.8	-0.8	0	63	1.14	100	8341	99.05	62.9
2023-04-11 20:20:00	0	0	0	0	260	16.11	23.94	62.9	42.3	99.13	-0.1	-0.6	0	62.9	1.13	100	8342	99.06	62.8
2023-04-11 20:25:00	0	0	0	0	255	13.47	21.34	62.7	42.7	99.12	-0.2	-1.5	0	62.7	1.11	100	8341	99.06	62.6
2023-04-11 20:30:00	0	0	0	0	249	14.83	25.17	62.6	42.8	99.11	-0.4	-0.9	0	62.6	1.11	100	8342	99.05	62.5
2023-04-11 20:35:00	0	0	0	0	254	16.67	26.6	62.6	42.9	99.11	-0.8	-0.2	0	62.6	1.11	100	8339	99.04	62.5
2023-04-11 20:40:00	0	0	0	0	255	15.77	22.77	62.6	42.7	99.11	0	-0.8	0	62.6	1.11	100	8337	99.05	62.5
2023-04-11 20:45:00	0	0	0	0	254	17.07	23.17	62.8	42.7	99.12	0	-0.8	0	62.8	1.12	100	8336	99.06	62.5
2023-04-11 20:50:00	0	0	0	0	253	17.72	22.82	62.9	42.4	99.12	-0.5	-0.6	0	62.9	1.13	100	8336	99.05	62.6
2023-04-11 20:55:00	0	0	0	0	252	13.91	19.42	62.9	42.5	99.12	-0.3	-1	0	62.9	1.12	100	8333	99.05	62.6
2023-04-11 21:00:00	0	0	0	0	252	14.94	23.49	62.9	42.5	99.12	-0.5	-0.8	0	63	1.13	100	8334	99.06	62.5
2023-04-11 21:05:00	0	0	0	0	251	14.52	20.76	62.9	42.8	99.12	-0.4	-0.6	0	62.9	1.12	100	8332	99.05	62.5
2023-04-11 21:10:00	0	0	0	0	253	15.03	25.3	62.9	42.9	99.12	-0.3	-0.3	0	62.9	1.12	100	8330	99.06	62.5
2023-04-11 21:15:00	0	0	0	0	251	14.67	21.34	62.9	43.2	99.12	-0.1	-0.7	0	62.9	1.11	100	8330	99.06	62.5
2023-04-11 21:20:00	0	0	0	0	254	16.26	23.96	62.9	42.9	99.12	0.1	-0.6	0	62.9	1.12	100	8329	99.06	62.5
2023-04-11 21:25:00	0	0	0	0	259	16.51	31.09	63	42.8	99.12	-0.4	-0.9	0	63	1.12	100	8327	99.05	62.6
2023-04-11 21:30:00	0	0	0	0	255	15.1	23	62.9	42.9	99.12	0	-0.6	0	62.9	1.12	100	8329	99.05	62.6
2023-04-11 21:35:00	0	0	0	0	255	15.57	26.6	63.1	43.1	99.12	-0.7	-1	0	63.1	1.12	100	8326	99.05	62.6
2023-04-11 21:40:00	0	0	0	0	258	14.76	20.83	63.1	43.1	99.12	0	-0.5	0	63.1	1.12	100	8324	99.05	62.6
2023-04-11 21:45:00	0	0	0	0	262	14.74	21.61	63	43.2	99.12	-0.3	-0.9	0	63.1	1.12	100	8327	99.05	62.5
2023-04-11 21:50:00	0	0	0	0	264	15.03	19.57	63	43.3	99.12	0	-0.7	0	63	1.11	100	8324	99.05	62.4
2023-04-11 21:55:00	0	0	0	0	265	15.32	23.13	62.8	43.6	99.12	-0.4	0	0	62.9	1.1	100	8324	99.05	62.4
2023-04-11 22:00:00	0	0	0	0	265	14.94	23.62	62.8	43.7	99.12	-0.4	-0.7	0	62.8	1.1	100	8323	99.05	62.4
2023-04-11 22:05:00	0	0	0	0	261	14.38	21.88	62.8	43.7	99.12	-0.3	-0.6	0	62.8	1.1	100	8322	99.05	62.3
2023-04-11 22:10:00	0	0	0	0	265	14.45	20.31	62.6	44.1	99.12	-0.1	-0.6	0	62.6	1.08	100	8321	99.05	62.2
2023-04-11 22:15:00	0	0	0	0	265	13.76	20.8	62.6	44.2	99.11	0.3	-0.6	0	62.6	1.08	100	8320	99.05	62.2
2023-04-11 22:20:00	0	0	0	0	261	13.8	19.89	62.5	44.5	99.11	-0.5	-0.8	0	62.5	1.07	100	8317	99.04	62.1
2023-04-11 22:25:00	0	0	0	0	257	15.52	21.97	62.4	44.7	99.11	-0.1	-0.6	0	62.4	1.06	100	8317	99.04	62
2023-04-11 22:30:00	0	0	0	0	265	14.72	23.13	62.3	45	99.1	-0.5	-0.9	0	62.3	1.05	100	8316	99.03	61.9
2023-04-11 22:35:00	0	0	0	0	264	16.62	23.94	62.3	45	99.1	-0.8	-0.6	0	62.3	1.05	100	8316	99.04	61.9
2023-04-11 22:40:00	0	0	0	0	262	15.43	24.05	62.2	45.4	99.1	-0.7	-0.7	0	62.2	1.04	100	8315	99.03	61.8
2023-04-11 22:45:00	0	0	0	0	262	16.78	26.26	62.2	45.6	99.09	-0.1	-0.7	0	62.2	1.04	100	8314	99.03	61.8
2023-04-11 22:50:00	0	0	0	0	266	17.02	24.49	62.1	45.7	99.09	-0.1	-1	0	62.1	1.03	100	8314	99.03	61.8
2023-04-11 22:55:00	0	0	0	0	263	16.46	22.88	62.1	45.8	99.09	-0.7	-0.6	0	62.1	1.03	100	8314	99.02	61.8
2023-04-11 23:00:00	0	0	0	0	264	16.73	24.4	62.2	46.1	99.09	-0.5	-0.7	0	62.2	1.03	100	8313	99.03	61.8
2023-04-11 23:05:00	0	0	0	0	263	17.22	24.38	62.1	46.3	99.09	-0.4	-0.7	0	62.1	1.02	100	8311	99.03	61.8
2023-04-11 23:10:00	0	0	0	0	268	16.44	27.47	62	46.2	99.09	-0.3	-0.3	0	62	1.02	100	8310	99.02	61.7
2023-04-11 23:15:00	0	0	0	0	269	16.98	27.81	62	46.7	99.08	0.1	-0.8	0	62	1.01	100	8311	99.01	61.7
2023-04-11 23:20:00	0	0	0	0	263	20.49	32.39	62	46.4	99.08	-0.2	-0.6	0	62	1.01	100	8310	99.01	61.7
2023-04-11 23:25:00	0	0	0	0	266	17.58	28.72	62	46.6	99.07	-0.1	-0.7	0	61.9	1.01	100	8310	99	61.7
2023-04-11 23:30:00	0	0	0	0	266	17.22	25.57	61.9	47	99.07	-0.7	-0.8	0	61.9	1	100	8307	99	61.6
2023-04-11 23:35:00	0	0	0	0	273	16.8	24.2	61.8	46.8	99.07	-0.5	-0.2	0	61.8	1	100	8305	99	61.5
2023-04-11 23:40:00	0	0	0	0	271	15.01	27.81	61.7	47.2	99.07	-0.5	-0.6	0	61.7	0.99	100	8305	99.01	61.4
2023-04-11 23:45:00	0	0	0	0	270	16.02	19.51	61.5	47.6	99.07	-0.6	-0.4	0	61.5	0.98	100	8307	99.01	61.3
2023-04-11 23:50:00	0	0	0	0	271	16.49	24.65	61.5	47.6	99.07	-0.2	-0.7	0	61.5	0.98	100	8304	99	61.3
2023-04-11 23:55:00	0	0	0	0	268	16.62	24.05	61.4	47.9	99.07	-0.1	-0.6	0	61.4	0.97	100	8304	99	61.3
2023-04-12 00:00:00	0	0	0	0	271	17.76	25.01	61.3	48.1	99.07	-0.1	-0.7	0	61.3	0.96	100	8303	99.01	61.2
2023-04-12 00:05:00	0	0	0	0	270	16.06	25.97	61.4	48.2	99.07	0.1	-0.5	0	61.4	0.96	100	8284	99.01	61.4
2023-04-12 00:10:00	0	0	0	0	270	17.81	24.65	61.3	48	99.07	-0.4	-1.1	0	61.4	0.96	100	8276	99.01	61.6
2023-04-12 00:15:00	0	0	0	0	270	15.57	23.55	61.4	48.2	99.07	-0.2	-0.4	0	61.4	0.96	100	8270	99.01	61.7
2023-04-12 00:20:00	0	0	0	0	266	16.87	21.59	61.4	48.2	99.08	-0.3	-0.3	0	61.4	0.96	100	8284	99.01	61.6
2023-04-12 00:25:00	0	0	0	0	272	13.35	19.28	61.4	48.2	99.08	-0.2	-1	0	61.4	0.96	100	8286	99.02	61.4
2023-04-12 00:30:00	0	0	0	0	272	13.13	21.34	61.3	48.4	99.09	-0.4	-0.7	0	61.3	0.96	100	8285	99.02	61.2
2023-04-12 00:35:00	0	0	0	0	271	12.77	18.19	61.3	48.6	99.09	0	-0.6	0	61.3	0.95	100	8282	99.03	61.2
2023-04-12 00:40:00	0	0	0	0	274	12.64	19.28	61.1	48.9	99.1	-0.3	-0.8	0	61.1	0.94	100	8283	99.03	61.1
2023-04-12 00:45:00	0	0	0	0	279	15.21	24.43	61.2	48.9	99.1	-0.1	-0.5	0	61.2	0.94	100	8283	99.03	61
2023-04-12 00:50:00	0	0	0	0	277	12.73	21.63	61.1	48.7	99.11	-0.4	-0.5	0	61.1	0.94	100	8282	99.04	61
2023-04-12 00:55:00	0	0	0	0	280	12.82	16.64	61.1	48.9	99.11	-0.5	-0.8	0	61.1	0.94	100	8285	99.04	61

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-12 01:00:00	0	0	0	0	273	11.5	18.12	61.1	49.1	99.11	-0.1	-1	0	61.1	0.93	100	8282	99.04	60.9
2023-04-12 01:05:00	0	0	0	0	271	12.19	18.97	61	49.2	99.11	-0.3	-0.7	0	61	0.93	100	8282	99.05	60.8
2023-04-12 01:10:00	0	0	0	0	270	11.81	17.13	61.1	49.5	99.11	-0.5	-0.8	0	61	0.93	100	8281	99.04	60.8
2023-04-12 01:15:00	0	0	0	0	275	12.41	17.92	61	49.3	99.11	-0.4	-0.7	0	61	0.93	100	8279	99.04	60.7
2023-04-12 01:20:00	0	0	0	0	273	13.47	17.36	61	49.6	99.11	-0.4	-0.5	0	61	0.92	100	8281	99.04	60.8
2023-04-12 01:25:00	0	0	0	0	271	12.59	17.34	61	49.6	99.1	-0.3	-0.6	0	61	0.92	100	8280	99.04	60.8
2023-04-12 01:30:00	0	0	0	0	269	12.53	20.04	60.9	49.8	99.09	-0.3	-0.7	0	60.9	0.92	100	8279	99.03	60.7
2023-04-12 01:35:00	0	0	0	0	273	13	17.92	60.9	50	99.09	-0.3	-0.8	0	60.9	0.91	100	8278	99.03	60.7
2023-04-12 01:40:00	0	0	0	0	273	12.82	16.15	60.9	50	99.09	-0.4	-0.8	0	60.9	0.91	100	8279	99.03	60.7
2023-04-12 01:45:00	0	0	0	0	274	15.61	19.77	60.9	50	99.09	0	-0.8	0	60.9	0.91	100	8279	99.03	60.7
2023-04-12 01:50:00	0	0	0	0	269	13.47	18.99	60.9	50.1	99.09	0	-0.7	0	60.9	0.91	100	8276	99.02	60.7
2023-04-12 01:55:00	0	0	0	0	268	12.53	17.85	60.9	50.3	99.08	-0.4	-0.9	0	60.9	0.91	100	8278	99.02	60.7
2023-04-12 02:00:00	0	0	0	0	268	12.03	17.45	60.9	50.5	99.07	-0.3	-0.4	0	60.9	0.9	100	8277	99.01	60.6
2023-04-12 02:05:00	0	0	0	0	264	11.56	18.12	60.8	50.7	99.07	-0.4	-0.5	0	60.8	0.89	100	8275	99.01	60.5
2023-04-12 02:10:00	0	0	0	0	267	12.75	21.25	60.8	51.1	99.06	-0.1	-0.7	0	60.8	0.89	100	8276	99	60.5
2023-04-12 02:15:00	0	0	0	0	266	12.75	16.51	60.7	51.1	99.06	-0.3	-0.9	0	60.7	0.89	100	8273	98.99	60.4
2023-04-12 02:20:00	0	0	0	0	269	12.82	18.7	60.6	51	99.05	-0.3	-0.7	0	60.6	0.88	100	8275	98.99	60.4
2023-04-12 02:25:00	0	0	0	0	272	13.82	19.53	60.5	51.2	99.05	-0.2	-0.5	0	60.5	0.88	100	8275	98.98	60.4
2023-04-12 02:30:00	0	0	0	0	278	12.68	18.68	60.6	51.1	99.05	-0.3	-0.8	0	60.6	0.88	100	8273	98.98	60.3
2023-04-12 02:35:00	0	0	0	0	278	13	18.23	60.6	51.2	99.04	-0.5	-0.9	0	60.6	0.88	100	8270	98.98	60.3
2023-04-12 02:40:00	0	0	0	0	279	12.39	17.07	60.5	51.8	99.04	-0.1	-0.8	0	60.5	0.87	100	8273	98.98	60.2
2023-04-12 02:45:00	0	0	0	0	280	12.53	16.28	60.4	51.9	99.05	-0.2	-0.8	0	60.4	0.86	100	8270	98.98	60.1
2023-04-12 02:50:00	0	0	0	0	278	11.83	17.22	60.3	51.9	99.04	-0.4	-0.6	0	60.3	0.86	100	8270	98.98	60
2023-04-12 02:55:00	0	0	0	0	281	12.5	17.63	60.2	52.2	99.05	-0.3	-0.8	0	60.2	0.85	100	8269	98.98	60
2023-04-12 03:00:00	0	0	0	0	279	12.19	17.2	60.2	52.2	99.04	-0.5	-0.6	0	60.2	0.85	100	8271	98.98	59.9
2023-04-12 03:05:00	0	0	0	0	280	13.67	20.6	60.1	52.4	99.04	-0.6	-0.3	0	60	0.84	100	8269	98.98	59.9
2023-04-12 03:10:00	0	0	0	0	278	12.91	20.49	60	52.7	99.04	-0.5	-0.7	0	60	0.84	100	8270	98.98	59.8
2023-04-12 03:15:00	0	0	0	0	276	12.66	17.9	60	52.6	99.04	-0.2	-0.8	0	60	0.84	100	8270	98.97	59.7
2023-04-12 03:20:00	0	0	0	0	277	12.5	17.2	59.9	53	99.04	-0.7	0	0	59.9	0.83	100	8270	98.97	59.6
2023-04-12 03:25:00	0	0	0	0	276	13.29	18.43	59.9	53	99.03	-0.3	-0.7	0	59.9	0.83	100	8267	98.97	59.6
2023-04-12 03:30:00	0	0	0	0	277	11.54	17.18	59.8	53.5	99.03	-0.4	-0.6	0	59.8	0.81	100	8264	98.96	59.5
2023-04-12 03:35:00	0	0	0	0	278	10.98	14.65	59.6	53.5	99.03	-0.4	-0.7	0	59.6	0.81	100	8265	98.97	59.4
2023-04-12 03:40:00	0	0	0	0	277	10.54	13.78	59.5	53.9	99.03	-0.3	-0.8	0	59.5	0.8	100	8265	98.97	59.2
2023-04-12 03:45:00	0	0	0	0	282	11.45	17	59.2	54.3	99.04	-0.2	-0.7	0	59.2	0.79	100	8265	98.97	59
2023-04-12 03:50:00	0	0	0	0	282	11.43	18.9	59.2	54.2	99.04	-0.1	-0.5	0	59.2	0.78	100	8263	98.98	59
2023-04-12 03:55:00	0	0	0	0	279	12.28	16.51	59.1	54.5	99.04	-0.2	-0.8	0	59.1	0.78	100	8265	98.98	58.9
2023-04-12 04:00:00	0	0	0	0	279	11.81	17.81	59	54.8	99.03	-0.4	-0.6	0	59	0.77	100	8263	98.97	58.7
2023-04-12 04:05:00	0	0	0	0	273	13.24	20.24	58.7	55.1	99.03	-0.6	-0.5	0	58.8	0.76	100	8262	98.97	58.6
2023-04-12 04:10:00	0	0	0	0	275	12.55	17.43	58.7	55.2	99.03	-0.4	-0.6	0	58.7	0.76	100	8263	98.97	58.4
2023-04-12 04:15:00	0	0	0	0	277	11.25	15.59	58.6	55.5	99.04	-0.5	-0.7	0	58.6	0.75	100	8263	98.97	58.2
2023-04-12 04:20:00	0	0	0	0	275	12.53	18.86	58.4	55.8	99.04	-0.3	-0.5	0	58.4	0.74	100	8263	98.97	58.1
2023-04-12 04:25:00	0	0	0	0	282	11.81	16.46	58.3	56.4	99.04	-0.3	-0.8	0	58.3	0.72	100	8263	98.98	58
2023-04-12 04:30:00	0	0	0	0	275	11.25	14.43	58.1	56.3	99.04	-0.4	-0.7	0	58.1	0.72	100	8260	98.98	57.8
2023-04-12 04:35:00	0	0	0	0	277	11.05	15.48	57.8	56.8	99.03	-0.4	-0.7	0	57.8	0.71	100	8260	98.97	57.6
2023-04-12 04:40:00	0	0	0	0	276	10.83	16.28	57.7	57.1	99.04	-0.2	-0.8	0	57.7	0.7	100	8259	98.98	57.3
2023-04-12 04:45:00	0	0	0	0	281	12.08	17.52	57.5	57.8	99.04	-0.4	-0.9	0	57.4	0.68	100	8260	98.98	57.2
2023-04-12 04:50:00	0	0	0	0	280	11.97	17.76	57.3	57.8	99.05	-0.4	-0.5	0	57.3	0.68	100	8260	98.99	57.1
2023-04-12 04:55:00	0	0	0	0	278	11.65	15.84	57.2	58	99.05	-0.6	-0.6	0	57.2	0.67	100	8258	98.99	56.9
2023-04-12 05:00:00	0	0	0	0	278	10.67	15.14	57.1	58.4	99.06	-0.5	-0.5	0	57.1	0.66	100	8255	98.99	56.8
2023-04-12 05:05:00	0	0	0	0	279	10.38	13.6	56.9	58.9	99.05	-0.3	-0.7	0	56.9	0.65	100	8256	98.99	56.6
2023-04-12 05:10:00	0	0	0	0	279	9.71	12.46	56.8	59.3	99.05	-0.5	-0.5	0	56.8	0.64	100	8256	98.99	56.5
2023-04-12 05:15:00	0	0	0	0	275	9.01	13.73	56.6	59.5	99.05	-0.5	-0.8	0	56.6	0.63	100	8256	99	56.3
2023-04-12 05:20:00	0	0	0	0	269	7.96	10.89	56.5	59.8	99.06	-0.4	-0.7	0	56.5	0.63	100	8253	99	56.2
2023-04-12 05:25:00	0	0	0	0	266	9.1	13.13	56.3	60.1	99.06	-0.4	-0.8	0	56.3	0.62	100	8253	99	56
2023-04-12 05:30:00	0	0	0	0	266	9.15	13.13	56.3	60.3	99.05	-0.2	-0.8	0	56.3	0.61	100	8256	99	55.9
2023-04-12 05:35:00	0	0	0	0	267	8.46	13.31	56.1	60.8	99.07	-0.3	-0.7	0	56.2	0.6	100	8254	99.01	55.8
2023-04-12 05:40:00	0	0	0	0	265	9.06	12.73	55.9	61.1	99.07	-0.3	-0.6	0	55.9	0.59	100	8252	99.01	55.6
2023-04-12 05:45:00	0	0	0	0	264	9.4	12.55	55.8	61.5	99.07	-0.4	-0.6	0	55.7	0.58	100	8252	99.01	55.4
2023-04-12 05:50:00	0	0	0	0	260	8.93	14.09	55.5	61.8	99.07	-0.4	-0.7	0	55.5	0.57	100	8254	99.01	55.2
2023-04-12 05:55:00	0	0	0	0	262	8.16	10.54	55.3	62.3	99.08	-0.4	-0.5	0	55.3	0.56	100	8252	99.02	55

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-12 06:00:00	0	0	0	0	263	8.52	12.41	55.2	62.5	99.08	-0.4	-0.6	0	55.1	0.56	100	8254	99.03	54.9
2023-04-12 06:05:00	0	0	0	0	266	7.36	10.38	54.9	63.1	99.09	-0.4	-0.6	0	54.9	0.54	100	8249	99.03	54.7
2023-04-12 06:10:00	0	0	0	0	269	9.33	13.11	54.8	63.2	99.09	-0.5	-0.7	0	54.7	0.54	100	8251	99.03	54.4
2023-04-12 06:15:00	0	0	0	0	265	8.95	11.88	54.6	63.3	99.09	-0.4	-0.6	0	54.6	0.53	100	8250	99.04	54.2
2023-04-12 06:20:00	0.8	0	0	0	264	8.61	11.1	54.4	63.8	99.09	-0.5	-0.5	0	54.4	0.52	100	8247	99.04	54.1
2023-04-12 06:25:00	1.6	0	0	0	260	8.25	11.56	54.3	64.3	99.09	-0.4	-0.5	0	54.2	0.51	100	8248	99.03	53.8
2023-04-12 06:30:00	3	0	0	0	258	8.39	11.81	54.1	64.7	99.08	-0.4	-0.6	0	54.1	0.5	100	8250	99.03	53.6
2023-04-12 06:35:00	4.8	0	0	0	258	8.84	12.5	53.9	65	99.08	-0.6	-0.6	0	53.9	0.5	100	8248	99.02	53.4
2023-04-12 06:40:00	7.4	0	0	0	261	8.88	11.48	53.9	65.2	99.08	-0.5	-0.6	0	53.9	0.49	100	8248	99.03	53.3
2023-04-12 06:45:00	17.8	0	0	0	264	8.86	11.34	53.7	65.7	99.08	-0.7	-0.8	0	53.9	0.48	100	8248	99.03	53.3
2023-04-12 06:50:00	32.6	0	0	0	267	8.43	12.06	53.8	65.8	99.08	-0.5	-0.6	0	53.9	0.48	100	8247	99.03	53.4
2023-04-12 06:55:00	52.4	0	0	0	268	9.15	12.03	54.1	65.5	99.08	-0.4	-0.6	0	54.2	0.49	100	8254	99.03	53.5
2023-04-12 07:00:00	61.4	0	0	0	269	8.66	13.49	54.4	65.4	99.09	-0.3	-0.7	0	54.5	0.5	100	8255	99.04	53.7
2023-04-12 07:05:00	40.2	0	0	0	278	8.03	10.74	54.5	65	99.11	-0.5	-0.5	0	54.6	0.51	100	8252	99.06	53.9
2023-04-12 07:10:00	40.8	0	0	0	282	7.54	11.25	54.4	64.9	99.12	-0.6	-0.6	0	54.5	0.51	100	8255	99.07	53.8
2023-04-12 07:15:00	62.4	0	0	0	294	5.26	8.5	54.1	65.3	99.13	-0.4	-0.6	0	54.4	0.5	100	8257	99.08	53.7
2023-04-12 07:20:00	107.8	0	0	0	293	4.5	7.07	54.4	65.1	99.12	-0.4	-0.5	0	54.8	0.5	100	8264	99.08	53.7
2023-04-12 07:25:00	39.8	0	0	0	300	4.05	5.14	55	64.1	99.14	-0.4	-0.6	0	55.2	0.53	100	8262	99.09	54.2
2023-04-12 07:30:00	32.4	0	0	0	285	5.21	6.33	54.8	63.9	99.14	-0.6	-0.5	0	54.9	0.53	100	8259	99.09	54.2
2023-04-12 07:35:00	125	0	0	0	274	6.31	9.15	54.8	64.6	99.12	-0.3	-0.5	0	55.1	0.52	100	8272	99.08	54.3
2023-04-12 07:40:00	157.2	0	0	0	280	6.96	10.22	55.5	64.3	99.12	-0.4	-0.7	0	55.9	0.54	100	8281	99.09	54.9
2023-04-12 07:45:00	168	0	0	0	278	7.18	10.29	56.2	62.7	99.12	-0.4	-0.5	0	56.7	0.57	100	8285	99.09	55.6
2023-04-12 07:50:00	169.8	0	0	0	278	6.58	9.6	56.9	62	99.12	-0.4	-0.5	0	57.5	0.6	100	8276	99.09	56.5
2023-04-12 07:55:00	197.2	0	0	0	280	7.16	10.13	57.5	60.8	99.13	-0.4	-0.7	0	58.1	0.63	100	8293	99.1	57.3
2023-04-12 08:00:00	223.8	0	0	0	278	6.98	12.97	58.1	59.6	99.11	-0.2	-0.7	0	58.8	0.67	100	8302	99.09	57.9
2023-04-12 08:05:00	241	0	0	0	265	7.14	10.96	58.8	58.5	99.11	-0.2	-0.5	0	59.5	0.7	100	8310	99.08	58.7
2023-04-12 08:10:00	256	0	0	0	274	8.08	11.65	59.6	57.4	99.11	-0.5	-0.7	0	60.4	0.74	100	8319	99.09	59.4
2023-04-12 08:15:00	271.4	0	0	0	269	7.92	11.74	60.3	56	99.1	-0.3	-0.6	0	61	0.78	100	8329	99.08	60.1
2023-04-12 08:20:00	286.8	0	0	0	274	9.1	14.45	60.8	55.2	99.09	-0.4	-0.7	0	61.6	0.82	100	8335	99.07	60.8
2023-04-12 08:25:00	302	0	0	0	271	10.38	14.99	61.3	54.2	99.09	-0.2	-0.7	0	62.1	0.85	100	8342	99.07	61.4
2023-04-12 08:30:00	316.8	0	0	0	270	10.22	14.54	61.8	53.8	99.08	-0.3	-0.5	0	62.6	0.87	100	8351	99.06	61.9
2023-04-12 08:35:00	331.4	0	0	0	265	9.71	14.58	62.2	53.2	99.06	-0.1	-0.8	0	63	0.89	100	8358	99.04	62.4
2023-04-12 08:40:00	338.6	0	0	0	267	10.49	16.15	62.7	52.4	99.04	-0.4	-0.7	0	63.6	0.93	100	8365	99.02	62.9
2023-04-12 08:45:00	342.6	0	0	0	260	9.1	13.09	63.1	51.8	99.03	-0.1	-0.7	0	64	0.95	100	8375	99.01	63.4
2023-04-12 08:50:00	313.2	0	0	0	274	7.83	10.67	63.6	51.7	99.03	-0.3	-0.7	0	64.6	0.97	100	8380	99.01	64.1
2023-04-12 08:55:00	342.8	0	0	0	279	10.96	15.03	64.4	50	99.02	-0.2	-0.7	0	65.3	1.03	100	8387	99	64.6
2023-04-12 09:00:00	374.4	0	0	0	271	10.87	17.18	64.8	49.2	99.03	-0.3	-0.6	0	65.7	1.06	100	8395	99.01	65
2023-04-12 09:05:00	399.4	0	0	0	264	11.59	14.85	65.3	48.5	99.02	-0.2	-0.4	0	66.1	1.1	100	8399	99.01	65.5
2023-04-12 09:10:00	427.6	0	0	0	258	10.31	15.3	65.5	48.3	99.01	-0.1	-0.6	0	66.3	1.11	100	8407	99	65.8
2023-04-12 09:15:00	447.6	0	0	0	274	10.42	13.82	65.8	47.7	99.01	0.2	-0.9	0	66.7	1.13	100	8415	99	66.2
2023-04-12 09:20:00	463.6	0	0	0	274	8.5	13.78	66.2	47.7	99.01	-0.1	-0.7	0	67.2	1.15	100	8420	99	66.7
2023-04-12 09:25:00	479.2	0	0	0	271	8.23	12.8	66.7	47.2	99	-0.2	-0.7	0	67.8	1.18	100	8428	98.99	67.2
2023-04-12 09:30:00	493.6	0	0	0	290	8.19	14.29	67.3	46	99	-0.2	-0.6	0	68.2	1.23	100	8433	98.99	67.7
2023-04-12 09:35:00	504.8	0	0	0	275	8.61	12.64	67.7	45.7	99	-0.3	-0.7	0	68.7	1.26	100	8436	98.99	68.3
2023-04-12 09:40:00	518	0	0	0	304	11.25	14.65	68.1	44.4	98.99	-0.1	-0.6	0	69	1.31	100	8444	98.98	68.6
2023-04-12 09:45:00	531.4	0	0	0	301	11.3	14.72	68.3	44.3	98.99	-0.3	-0.4	0	69.1	1.31	100	8447	98.98	68.9
2023-04-12 09:50:00	543.8	0	0	0	305	9.71	14.56	68.5	44.1	98.98	0	-0.8	0	69.3	1.33	100	8455	98.97	69.2
2023-04-12 09:55:00	556.8	0	0	0	271	8.01	10.47	68.6	44.4	98.98	-0.1	-0.7	0	69.6	1.33	100	8458	98.97	69.5
2023-04-12 10:00:00	561.2	0	0	0	253	9.33	15.35	69.2	45.1	98.97	0.1	-0.5	0	70.2	1.33	100	8461	98.97	70
2023-04-12 10:05:00	550.6	0	0	0	264	9.19	14.07	69.7	43.7	98.97	0.1	-0.7	0	70.6	1.39	100	8464	98.96	70.4
2023-04-12 10:10:00	537.8	0	0	0	302	7.25	13.29	69.9	43.5	98.97	0	-0.7	0	70.9	1.41	100	8469	98.96	70.7
2023-04-12 10:15:00	518.2	0	0	0	294	9.26	12.53	70.3	42.6	98.96	-0.1	-0.7	0	71.2	1.45	100	8475	98.95	71.1
2023-04-12 10:20:00	542	0	0	0	277	6.67	11.72	70.7	42.9	98.95	0	-0.6	0	71.7	1.46	100	8475	98.94	71.6
2023-04-12 10:25:00	583.6	0	0	0	286	8.46	12.91	71.2	42.1	98.95	0	-0.6	0	72.2	1.51	100	8482	98.94	72.1
2023-04-12 10:30:00	620	0	0	0	294	9.51	13.8	71.6	41.5	98.94	-0.1	-0.6	0	72.5	1.54	100	8485	98.93	72.4
2023-04-12 10:35:00	650.4	0	0	0	264	7.76	11.01	71.8	42.1	98.93	0	-0.7	0	72.8	1.54	100	8486	98.92	72.8
2023-04-12 10:40:00	660.8	0	0	0	272	9.04	13.38	72.2	41.6	98.92	-0.1	-0.7	0	73.3	1.58	100	8485	98.91	73.2
2023-04-12 10:45:00	672.6	0	0	0	284	13.71	20.49	72.7	40.9	98.91	0.2	-0.9	0	73.5	1.62	100	8493	98.89	73.4
2023-04-12 10:50:00	681.8	0	0	0	279	9.82	16.87	72.6	41.3	98.9	-0.2	-0.7	0	73.6	1.61	100	8497	98.9	73.5
2023-04-12 10:55:00	691.6	0	0	0	275	11.99	18.48	73	41.1	98.9	-0.2	-0.8	0	73.8	1.63	100	8495	98.89	73.8

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-12 11:00:00	701	0	0	0	282	12.08	18.16	73.2	40.8	98.9	0.2	-0.5	0	74	1.65	100	8498	98.89	73.9
2023-04-12 11:05:00	709.2	0	0	0	272	9.86	15.9	73.3	41.4	98.91	0	-0.5	0	74.2	1.64	100	8502	98.9	74.2
2023-04-12 11:10:00	705.8	0	0	0	245	12.08	16.22	73.8	40.7	98.9	0	-0.9	0	74.6	1.69	100	8498	98.89	74.5
2023-04-12 11:15:00	683.4	0	0	0	245	10.67	17.65	73.7	41.2	98.9	-0.3	-0.6	0	74.5	1.67	100	8501	98.89	74.5
2023-04-12 11:20:00	653.4	0	0	0	274	11.72	17.76	73.8	40.7	98.89	-0.1	-0.7	0	74.7	1.69	100	8503	98.89	74.6
2023-04-12 11:25:00	631.4	0	0	0	264	9.95	15.08	73.9	40.6	98.89	-0.1	-0.5	0	74.8	1.7	100	8502	98.89	74.7
2023-04-12 11:30:00	681.8	0	0	0	259	7.83	14.2	74.3	40.7	98.89	-0.2	-0.7	0	75.3	1.72	100	8502	98.88	75.1
2023-04-12 11:35:00	726.8	0	0	0	250	11.92	18.12	74.8	39.6	98.89	0.1	-0.6	0	75.7	1.78	100	8504	98.88	75.4
2023-04-12 11:40:00	761.2	0	0	0	235	11.01	16.37	74.8	39.5	98.89	0	-0.6	0	75.6	1.78	100	8505	98.88	75.3
2023-04-12 11:45:00	768.6	0	0	0	262	11.41	14.94	74.7	40	98.89	-0.2	-0.7	0	75.6	1.76	100	8505	98.88	75.3
2023-04-12 11:50:00	775.2	0	0	0	275	9.64	15.32	74.8	39.7	98.88	0	-0.7	0	75.7	1.78	100	8507	98.87	75.5
2023-04-12 11:55:00	781	0	0	0	264	9.98	16.55	75.1	40.1	98.88	0	-1	0	76	1.78	100	8505	98.87	75.7
2023-04-12 12:00:00	772.6	0	0	0	258	10.04	15.61	75.4	39.8	98.88	-0.2	-0.8	0	76.3	1.81	100	8506	98.87	76
2023-04-12 12:05:00	740.6	0	0	0	276	9.33	14.2	75.7	39.4	98.87	0.1	-0.7	0	76.6	1.84	100	8506	98.86	76.1
2023-04-12 12:10:00	696	0	0	0	278	8.88	12.75	75.9	39.1	98.86	-0.2	-0.7	0	76.8	1.86	100	8505	98.85	76.2
2023-04-12 12:15:00	691.6	0	0	0	263	11.05	17.94	76.2	39.5	98.86	-0.2	-0.7	0	77.1	1.86	100	8504	98.85	76.4
2023-04-12 12:20:00	752.4	0	0	0	260	11.3	19.57	76.3	39.6	98.86	0.2	-0.9	0	77.1	1.87	100	8504	98.84	76.6
2023-04-12 12:25:00	799.2	0	0	0	271	9.28	14.61	76.2	39	98.85	-0.2	-0.8	0	77.2	1.88	100	8502	98.84	76.6
2023-04-12 12:30:00	810	0	0	0	271	9.69	16.93	76.3	39	98.85	0.2	-0.6	0	77.2	1.89	100	8503	98.84	76.5
2023-04-12 12:35:00	811.8	0	0	0	252	10.2	16.17	76.5	39.9	98.84	0.1	-0.6	0	77.4	1.87	100	8503	98.83	76.7
2023-04-12 12:40:00	810.8	0	0	0	259	12.33	15.75	76.7	39.8	98.83	-0.1	-0.8	0	77.5	1.89	100	8501	98.82	76.8
2023-04-12 12:45:00	790.2	0	0	0	259	10.78	15.66	76.5	40.1	98.83	-0.1	-0.8	0	77.3	1.87	100	8497	98.81	76.7
2023-04-12 12:50:00	766.4	0	0	0	267	13.6	22.64	76.6	39.9	98.82	-0.3	-0.8	0	77.4	1.88	100	8497	98.8	76.8
2023-04-12 12:55:00	726	0	0	0	259	11.16	16.46	76.5	39.8	98.82	0.1	-0.9	0	77.4	1.88	100	8495	98.8	76.7
2023-04-12 13:00:00	686.8	0	0	0	275	8.95	15.57	76.6	40.6	98.82	-0.2	-0.7	0	77.5	1.85	100	8493	98.8	76.9
2023-04-12 13:05:00	726.6	0	0	0	261	11.1	21.03	77	40.1	98.81	0	-0.9	0	77.9	1.9	100	8490	98.79	77.1
2023-04-12 13:10:00	768	0	0	0	248	12.44	17.94	77.1	40.1	98.8	0	-0.7	0	77.9	1.9	100	8490	98.78	77.2
2023-04-12 13:15:00	803	0	0	0	260	13.94	19.71	77.3	40	98.8	-0.3	-0.3	0	78	1.91	100	8489	98.78	77.2
2023-04-12 13:20:00	816.4	0	0	0	264	13.62	20.6	77.3	39.8	98.79	0.3	-1.2	0	78	1.92	100	8487	98.77	77.2
2023-04-12 13:25:00	818	0	0	0	269	11.72	17.96	77.1	40.1	98.79	0.3	-0.6	0	78	1.91	100	8485	98.77	77.2
2023-04-12 13:30:00	813.4	0	0	0	288	12.37	18.14	77.4	39.9	98.78	0	-1.2	0	78.2	1.93	100	8483	98.76	77.3
2023-04-12 13:35:00	811.2	0	0	0	284	13.78	24.76	77.3	39.6	98.78	0.4	-0.8	0	78.2	1.93	100	8475	98.76	77.2
2023-04-12 13:40:00	809.6	0	0	0	261	13.38	21.65	77.5	40	98.78	-0.2	-1	0	78.3	1.93	100	8472	98.76	77.3
2023-04-12 13:45:00	805	0	0	0	289	14.85	19.86	77.5	39	98.77	-0.3	-0.7	0	78.3	1.97	100	8469	98.74	77.3
2023-04-12 13:50:00	790.2	0	0	0	289	13.15	20.04	77.5	39.4	98.76	-0.1	-0.8	0	78.3	1.95	100	8463	98.74	77.3
2023-04-12 13:55:00	773	0	0	0	287	12.1	16.69	77.6	39.1	98.76	0	-0.9	0	78.4	1.97	100	8459	98.74	77.3
2023-04-12 14:00:00	759.4	0	0	0	268	11.99	20.24	77.8	39.6	98.76	0.1	-0.8	0	78.5	1.96	100	8456	98.74	77.4
2023-04-12 14:05:00	744	0	0	0	258	13.06	18.97	78.1	39.5	98.76	-0.2	-0.6	0	78.8	1.98	100	8450	98.73	77.6
2023-04-12 14:10:00	725.8	0	0	0	273	12.37	19.64	78.2	39.4	98.75	-0.1	-0.7	0	79	1.99	100	8446	98.73	77.7
2023-04-12 14:15:00	703.8	0	0	0	283	16.67	25.37	78.3	38.3	98.75	-0.3	-0.9	0	79.1	2.04	100	8442	98.72	77.6
2023-04-12 14:20:00	676.6	0	0	0	285	16.51	21.63	78	37.7	98.74	-0.3	-0.6	0	78.6	2.04	100	8438	98.72	77.3
2023-04-12 14:25:00	651.2	0	0	0	281	14.72	25.03	77.8	38.4	98.75	-0.1	-0.6	0	78.5	2	100	8432	98.72	77.2
2023-04-12 14:30:00	634.4	0	0	0	300	13.13	19.15	77.8	38.9	98.75	-0.1	-0.5	0	78.5	1.98	100	8429	98.71	77.2
2023-04-12 14:35:00	636.4	0	0	0	289	13.31	19.26	77.9	38.9	98.75	0.4	-0.6	0	78.7	1.99	100	8425	98.72	77.3
2023-04-12 14:40:00	650.4	0	0	0	279	15.05	21.61	78.2	38.4	98.75	0.4	-0.9	0	78.9	2.03	100	8422	98.71	77.5
2023-04-12 14:45:00	660.8	0	0	0	281	15.3	20.04	78.3	38	98.74	0.2	-0.6	0	79	2.05	100	8421	98.7	77.5
2023-04-12 14:50:00	667.8	0	0	0	268	14.88	22.73	78.3	37.8	98.74	-0.1	-1.1	0	79	2.05	100	8416	98.71	77.5
2023-04-12 14:55:00	669.4	0	0	0	275	13.2	17.4	78.4	38.4	98.73	-0.5	-0.6	0	79.2	2.04	100	8413	98.7	77.7
2023-04-12 15:00:00	671.6	0	0	0	279	13.73	22.39	78.6	38.3	98.73	0	-1.1	0	79.4	2.06	100	8409	98.69	77.9
2023-04-12 15:05:00	673.6	0	0	0	270	12.88	19.08	78.8	37.9	98.73	0	-0.6	0	79.6	2.09	100	8406	98.7	77.9
2023-04-12 15:10:00	674	0	0	0	259	15.48	21.56	78.9	37.4	98.73	0.2	-0.8	0	79.6	2.11	100	8403	98.69	78
2023-04-12 15:15:00	677	0	0	0	269	16.37	20.54	78.8	37.6	98.73	0	-1	0	79.6	2.1	100	8399	98.7	78
2023-04-12 15:20:00	672.6	0	0	0	275	12.75	21.03	78.6	38.1	98.73	-0.3	-0.9	0	79.4	2.07	100	8398	98.69	77.9
2023-04-12 15:25:00	662.8	0	0	0	274	16.46	24.74	78.8	37.4	98.73	-0.4	-0.7	0	79.5	2.1	100	8395	98.69	78
2023-04-12 15:30:00	653	0	0	0	286	16.22	20.89	78.5	37.4	98.72	0.1	-1	0	79.2	2.09	100	8391	98.68	77.9
2023-04-12 15:35:00	642.2	0	0	0	285	14.99	20.83	78.4	37.6	98.71	-0.4	-0.7	0	79.1	2.07	100	8387	98.67	77.9
2023-04-12 15:40:00	631	0	0	0	274	15.41	25.32	78.3	38.1	98.71	0	-1	0	79.1	2.05	100	8384	98.67	78
2023-04-12 15:45:00	618.4	0	0	0	270	16.51	28.19	78.3	38.1	98.72	0	-0.6	0	79	2.04	100	8384	98.67	78
2023-04-12 15:50:00	606.4	0	0	0	275	16.33	22.95	78.3	38.2	98.71	-0.5	-1.1	0	78.9	2.04	100	8380	98.67	78
2023-04-12 15:55:00	595.6	0	0	0	282	14.85	21.72	78.3	39.2	98.7	0.3	-1.1	0	79	2.01	100	8377	98.66	78.2

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-12 16:00:00	580.2	0	0	0	258	13	23.98	78.3	39.7	98.71	0.3	-0.7	0	79.1	2	100	8372	98.67	78.5
2023-04-12 16:05:00	567.8	0	0	0	268	13.85	22.03	78.5	39.6	98.7	0	-0.7	0	79.3	2.01	100	8371	98.66	78.7
2023-04-12 16:10:00	557.8	0	0	0	272	15.08	21.39	78.7	39.8	98.7	-0.1	-0.6	0	79.4	2.01	100	8368	98.66	78.8
2023-04-12 16:15:00	545.8	0	0	0	258	16.84	24.34	78.8	39.5	98.69	0	-0.9	0	79.5	2.03	100	8368	98.65	78.8
2023-04-12 16:20:00	532.4	0	0	0	268	16.69	22.37	78.5	39.6	98.7	0	-1.1	0	79.2	2.01	100	8365	98.65	78.7
2023-04-12 16:25:00	520	0	0	0	259	15.39	23.11	78.4	39.8	98.69	0	-0.9	0	79.1	2	100	8361	98.66	78.8
2023-04-12 16:30:00	504.2	0	0	0	255	15.86	31	78.4	39.1	98.68	0.1	-1.1	0	79.1	2.02	100	8359	98.65	78.8
2023-04-12 16:35:00	491.8	0	0	0	273	12.91	21.65	78.3	39.5	98.69	0.5	-0.9	0	79.1	2	100	8357	98.65	79
2023-04-12 16:40:00	480.6	0	0	0	253	15.77	27.25	78.5	39.2	98.68	0.4	-0.6	0	79.3	2.02	100	8355	98.64	79.2
2023-04-12 16:45:00	464.2	0	0	0	261	19.35	27.92	78.8	37.1	98.68	0	-1	0	79.4	2.11	100	8351	98.63	79.1
2023-04-12 16:50:00	449.2	0	0	0	260	20.83	33.22	78.5	36.4	98.68	-0.3	-0.7	0	79.2	2.12	100	8352	98.63	78.9
2023-04-12 16:55:00	432.2	0	0	0	262	19.44	34.43	78.3	36.4	98.68	0.9	-2	0	78.9	2.1	100	8347	98.64	78.8
2023-04-12 17:00:00	416.8	0	0	0	266	17.78	29.77	78.2	36.8	98.69	-1.8	-1.3	0	78.8	2.08	100	8344	98.64	78.9
2023-04-12 17:05:00	401.8	0	0	0	253	18.3	27.4	78	37	98.69	-0.3	-1.4	0	78.7	2.06	100	8342	98.64	78.7
2023-04-12 17:10:00	383	0	0	0	272	22.75	35.5	77.8	36.8	98.68	-0.4	-1.4	0	78.4	2.06	100	8340	98.63	78.4
2023-04-12 17:15:00	367.4	0	0	0	267	18.5	26.78	77.4	37.7	98.69	0	-0.9	0	78	2	100	8339	98.63	78.2
2023-04-12 17:20:00	351.2	0	0	0	262	19.01	26.33	77.2	38	98.69	-0.3	-0.6	0	77.8	1.98	100	8335	98.63	78.2
2023-04-12 17:25:00	334.8	0	0	0	267	21.72	32.64	77.2	37.7	98.68	0.5	-1.2	0	77.8	1.98	100	8336	98.62	78.1
2023-04-12 17:30:00	318.8	0	0	0	255	21.36	37.13	77	37.9	98.67	0.4	0	0	77.5	1.96	100	8331	98.63	77.8
2023-04-12 17:35:00	302	0	0	0	256	22.1	40.82	76.9	37.7	98.68	0.8	-1.5	0	77.4	1.96	100	8330	98.63	77.6
2023-04-12 17:40:00	284.2	0	0	0	253	22.03	33.62	76.7	37.6	98.66	1.4	0.1	0	77.2	1.96	100	8327	98.63	77.5
2023-04-12 17:45:00	268.2	0	0	0	259	20.58	30.31	76.6	37.8	98.67	0.4	-0.3	0	77	1.94	100	8324	98.61	77.4
2023-04-12 17:50:00	251.8	0	0	0	265	23.29	32.01	76.4	38	98.65	1.4	-0.1	0	76.8	1.92	100	8324	98.6	77.3
2023-04-12 17:55:00	234.6	0	0	0	260	18.23	29.95	76.1	38.4	98.67	-0.2	-2.5	0	76.5	1.89	100	8324	98.61	77.1
2023-04-12 18:00:00	217.6	0	0	0	273	18.21	27.58	75.9	39	98.67	-0.2	-1.3	0	76.3	1.86	100	8322	98.61	77
2023-04-12 18:05:00	200.8	0	0	0	259	17.38	29.97	75.7	39.2	98.68	0	-1.1	0	76.1	1.85	100	8318	98.62	76.9
2023-04-12 18:10:00	185.6	0	0	0	247	18.5	26.55	75.7	39.2	98.68	0.8	-0.2	0	76	1.84	100	8320	98.63	76.7
2023-04-12 18:15:00	169.2	0	0	0	253	16.26	24.85	75.6	39.2	98.68	-0.1	-0.2	0	75.9	1.83	100	8314	98.62	76.5
2023-04-12 18:20:00	154	0	0	0	257	16.11	28.03	75.5	39.6	98.68	0.2	-1.1	0	75.7	1.82	100	8310	98.62	76.5
2023-04-12 18:25:00	139.4	0	0	0	258	18.9	33.87	75.3	39.7	98.67	0	-1.8	0	75.6	1.8	100	8309	98.61	76.2
2023-04-12 18:30:00	124.8	0	0	0	256	19.04	29.51	74.9	40	98.67	-0.6	-0.7	0	75.2	1.77	100	8308	98.6	75.8
2023-04-12 18:35:00	110	0	0	0	249	19.46	30.13	74.7	40.3	98.66	-0.3	-1.2	0	74.9	1.75	100	8306	98.62	75.5
2023-04-12 18:40:00	97.6	0	0	0	253	14	23.31	74.4	40.8	98.68	-0.3	-0.7	0	74.6	1.72	100	8304	98.62	75.4
2023-04-12 18:45:00	84.2	0	0	0	251	17.65	28.43	74.2	40.7	98.67	-0.1	-0.7	0	74.3	1.71	100	8304	98.62	75.1
2023-04-12 18:50:00	72.4	0	0	0	246	18.1	29.57	73.9	40.9	98.68	-0.2	0.7	0	74	1.69	100	8304	98.61	74.8
2023-04-12 18:55:00	61	0	0	0	252	17.05	23.78	73.6	40.9	98.67	0	-1	0	73.8	1.67	100	8301	98.62	74.4
2023-04-12 19:00:00	51	0	0	0	255	16.02	24.43	73.4	41.2	98.68	0	-0.5	0	73.4	1.65	100	8299	98.62	74.1
2023-04-12 19:05:00	41.6	0	0	0	248	18.23	30.74	73.1	41.1	98.68	0.6	-1.5	0	73.1	1.64	100	8298	98.62	73.8
2023-04-12 19:10:00	33	0	0	0	249	17.43	25.12	72.8	41.3	98.68	-0.1	-0.4	0	72.9	1.62	100	8296	98.62	73.5
2023-04-12 19:15:00	25.8	0	0	0	256	16.84	30.11	72.5	41.7	98.68	0.2	-0.9	0	72.6	1.59	100	8295	98.62	73.1
2023-04-12 19:20:00	19.2	0	0	0	257	15.43	26.78	72.2	41.8	98.68	-0.3	0.3	0	72.2	1.57	100	8296	98.62	72.6
2023-04-12 19:25:00	14	0	0	0	251	14.25	21.77	71.9	42.3	98.7	0.2	0	0	71.9	1.54	100	8290	98.63	72.1
2023-04-12 19:30:00	9.2	0	0	0	249	13.58	24.43	71.3	43.2	98.7	-0.5	-0.8	0	71.3	1.49	100	8292	98.63	71.5
2023-04-12 19:35:00	5.8	0	0	0	256	15.93	26.06	71.1	43.1	98.69	0	-0.8	0	71.1	1.48	100	8290	98.63	71.1
2023-04-12 19:40:00	3.2	0	0	0	256	16.89	23.6	70.9	43.4	98.7	-0.8	-0.3	0	70.9	1.46	100	8291	98.63	70.8
2023-04-12 19:45:00	1.6	0	0	0	250	16.02	22.84	70.7	43.9	98.7	-1	-0.5	0	70.7	1.44	100	8287	98.65	70.5
2023-04-12 19:50:00	0.4	0	0	0	257	12.01	17.2	70.5	44.2	98.71	-0.3	-0.8	0	70.5	1.42	100	8286	98.65	70.2
2023-04-12 19:55:00	0	0	0	0	257	12.01	16.58	70.1	44.6	98.72	0	-0.5	0	70.1	1.39	100	8286	98.66	69.8
2023-04-12 20:00:00	0	0	0	0	254	13.96	21.94	69.8	44.8	98.71	0.1	-0.7	0	69.9	1.37	100	8282	98.65	69.5
2023-04-12 20:05:00	0	0	0	0	255	12.91	26.46	69.7	45.1	98.73	0.1	-1	0	69.6	1.36	100	8282	98.66	69.4
2023-04-12 20:10:00	0	0	0	0	247	14.61	23.8	69.5	44.9	98.72	0	-1.1	0	69.5	1.35	100	8279	98.66	69.3
2023-04-12 20:15:00	0	0	0	0	253	11.83	18.21	69.5	45.2	98.73	-0.1	-0.8	0	69.5	1.35	100	8279	98.67	69
2023-04-12 20:20:00	0	0	0	0	254	13.33	21.43	69.3	45.4	98.73	0.1	-1.2	0	69.3	1.33	100	8281	98.67	68.9
2023-04-12 20:25:00	0	0	0	0	255	13.22	20.24	69.3	45.5	98.74	-0.4	-0.8	0	69.3	1.33	100	8279	98.67	68.7
2023-04-12 20:30:00	0	0	0	0	256	11.5	19.01	69	45.6	98.75	-0.2	-0.8	0	69	1.32	100	8279	98.68	68.5
2023-04-12 20:35:00	0	0	0	0	248	12.91	19.71	68.8	45.8	98.74	-0.2	-0.8	0	68.8	1.3	100	8276	98.68	68.3
2023-04-12 20:40:00	0	0	0	0	254	12.86	18.21	68.8	45.8	98.75	-0.1	-0.5	0	68.8	1.3	100	8276	98.69	68.2
2023-04-12 20:45:00	0	0	0	0	255	10.83	15.64	68.7	46.1	98.75	-0.2	-0.7	0	68.7	1.29	100	8274	98.69	68.1
2023-04-12 20:50:00	0	0	0	0	248	11.7	17.74	68.6	46.1	98.76	-0.1	-0.9	0	68.5	1.29	100	8273	98.69	67.9
2023-04-12 20:55:00	0	0	0	0	249	11.74	17.2	68.5	46.3	98.75	-0.3	-0.3	0	68.5	1.28	100	8271	98.69	67.8

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-12 21:00:00	0	0	0	0	248	10.6	15.21	68.4	46.4	98.76	-0.2	-0.8	0	68.4	1.27	100	8271	98.69	67.7
2023-04-12 21:05:00	0	0	0	0	254	10.69	15.41	68.3	46.6	98.76	-0.1	-0.7	0	68.3	1.26	100	8271	98.69	67.6
2023-04-12 21:10:00	0	0	0	0	245	8.88	12.12	68.1	46.7	98.75	-0.2	-0.8	0	68.1	1.25	100	8269	98.69	67.4
2023-04-12 21:15:00	0	0	0	0	249	10.67	18.07	68	46.9	98.75	-0.2	-0.7	0	68	1.24	100	8270	98.69	67.2
2023-04-12 21:20:00	0	0	0	0	246	9.66	15.41	67.9	46.9	98.75	-0.4	-0.4	0	67.8	1.23	100	8267	98.68	67.1
2023-04-12 21:25:00	0	0	0	0	245	10.45	13.62	67.8	47.1	98.75	-0.5	-0.5	0	67.8	1.23	100	8265	98.68	67
2023-04-12 21:30:00	0	0	0	0	241	11.1	14.38	67.6	47.1	98.74	-0.1	-0.7	0	67.7	1.22	100	8266	98.68	66.9
2023-04-12 21:35:00	0	0	0	0	247	11.39	17.25	67.7	47.1	98.75	-0.5	-0.9	0	67.7	1.22	100	8265	98.68	66.9
2023-04-12 21:40:00	0	0	0	0	255	11.07	17.63	67.6	47.1	98.75	-0.3	-0.6	0	67.6	1.22	100	8263	98.69	66.8
2023-04-12 21:45:00	0	0	0	0	253	10.94	15.37	67.6	46.9	98.75	-0.4	-0.6	0	67.6	1.22	100	8264	98.69	66.8
2023-04-12 21:50:00	0	0	0	0	255	11.63	18.75	67.5	47.1	98.76	-0.2	-0.7	0	67.5	1.22	100	8263	98.7	66.7
2023-04-12 21:55:00	0	0	0	0	254	11.83	17.69	67.5	47.2	98.76	-0.3	-0.6	0	67.5	1.21	100	8262	98.7	66.6
2023-04-12 22:00:00	0	0	0	0	253	10.11	13.62	67.5	47.3	98.76	-0.2	-0.7	0	67.5	1.21	100	8262	98.7	66.5
2023-04-12 22:05:00	0	0	0	0	256	10.4	13.71	67.4	47.4	98.76	0	-0.6	0	67.4	1.2	100	8261	98.7	66.5
2023-04-12 22:10:00	0	0	0	0	255	12.39	17.58	67.4	47.1	98.77	-0.2	-0.8	0	67.4	1.21	100	8260	98.7	66.5
2023-04-12 22:15:00	0	0	0	0	256	11.32	21.18	67.4	47.1	98.77	-0.1	-0.5	0	67.4	1.21	100	8260	98.71	66.5
2023-04-12 22:20:00	0	0	0	0	255	10.89	19.82	67.4	46.9	98.77	-0.3	-0.7	0	67.4	1.22	100	8260	98.71	66.4
2023-04-12 22:25:00	0	0	0	0	256	12.1	17.07	67.4	46.8	98.77	-0.4	-0.7	0	67.5	1.22	100	8258	98.71	66.5
2023-04-12 22:30:00	0	0	0	0	252	13	21.97	67.5	46.7	98.76	-0.6	-0.4	0	67.5	1.22	100	8256	98.7	66.5
2023-04-12 22:35:00	0	0	0	0	254	14.41	22.12	67.6	46.4	98.76	-0.1	-0.7	0	67.7	1.24	100	8257	98.7	66.6
2023-04-12 22:40:00	0	0	0	0	256	12.91	19.24	67.7	46.2	98.76	-0.1	-0.5	0	67.7	1.24	100	8254	98.7	66.6
2023-04-12 22:45:00	0	0	0	0	250	12.35	18.25	67.6	46.4	98.75	-0.3	0	0	67.6	1.23	100	8255	98.69	66.6
2023-04-12 22:50:00	0	0	0	0	251	13.51	17.72	67.6	46.3	98.75	-0.5	-0.7	0	67.6	1.24	100	8254	98.69	66.6
2023-04-12 22:55:00	0	0	0	0	252	12.59	17	67.6	46.3	98.75	0	-0.8	0	67.6	1.24	100	8254	98.68	66.6
2023-04-12 23:00:00	0	0	0	0	253	12.93	17.13	67.6	46.3	98.74	-0.3	-0.9	0	67.6	1.24	100	8254	98.68	66.6
2023-04-12 23:05:00	0	0	0	0	248	13.89	19.86	67.7	46.2	98.74	0	-1.2	0	67.7	1.25	100	8251	98.68	66.7
2023-04-12 23:10:00	0	0	0	0	248	12.59	20.6	67.8	45.9	98.74	-0.1	-0.1	0	67.8	1.26	100	8248	98.68	66.8
2023-04-12 23:15:00	0	0	0	0	248	13.89	19.91	67.9	45.9	98.73	-0.3	-0.3	0	67.9	1.26	100	8252	98.67	66.7
2023-04-12 23:20:00	0	0	0	0	248	12.53	15.95	67.8	46	98.73	-0.3	-0.6	0	67.8	1.25	100	8249	98.66	66.7
2023-04-12 23:25:00	0	0	0	0	249	10.89	15.95	67.8	46	98.72	-0.3	-0.6	0	67.8	1.25	100	8250	98.66	66.7
2023-04-12 23:30:00	0	0	0	0	249	12.77	19.84	67.7	46.1	98.72	-0.2	-1	0	67.7	1.25	100	8251	98.66	66.6
2023-04-12 23:35:00	0	0	0	0	251	11.81	20.94	67.6	46.4	98.72	-0.2	-0.9	0	67.6	1.24	100	8248	98.66	66.6
2023-04-12 23:40:00	0	0	0	0	246	13.82	18.88	67.7	46.3	98.72	-0.4	-0.4	0	67.6	1.24	100	8250	98.66	66.6
2023-04-12 23:45:00	0	0	0	0	249	13.56	21.56	67.6	46.1	98.72	-0.1	-0.8	0	67.6	1.24	100	8247	98.66	66.6
2023-04-12 23:50:00	0	0	0	0	251	11.45	14.61	67.6	46.4	98.72	-0.2	-0.7	0	67.7	1.24	100	8246	98.66	66.6
2023-04-12 23:55:00	0	0	0	0	249	12.12	19.82	67.5	46.7	98.72	-0.4	-0.8	0	67.5	1.22	100	8246	98.66	66.5
2023-04-13 00:00:00	0	0	0	0	247	12.37	18.84	67.5	46.6	98.72	0	-1	0	67.5	1.23	100	8245	98.66	66.5
2023-04-13 00:05:00	0	0	0	0	252	12.64	20.67	67.4	46.7	98.73	-0.1	-0.7	0	67.4	1.22	100	8224	98.66	66.6
2023-04-13 00:10:00	0	0	0	0	248	12.35	18.97	67.5	46.9	98.73	-0.2	-0.8	0	67.5	1.22	100	8218	98.67	66.8
2023-04-13 00:15:00	0	0	0	0	251	13.27	19.55	67.4	46.9	98.72	-0.4	-0.6	0	67.4	1.22	100	8216	98.66	66.9
2023-04-13 00:20:00	0	0	0	0	250	12.77	16.93	67.5	46.9	98.72	-0.3	-0.8	0	67.5	1.22	100	8228	98.66	66.9
2023-04-13 00:25:00	0	0	0	0	253	12.28	16.82	67.5	46.8	98.72	0	-0.8	0	67.5	1.22	100	8225	98.66	66.7
2023-04-13 00:30:00	0	0	0	0	252	12.46	17.67	67.5	47	98.72	-0.1	-0.8	0	67.5	1.22	100	8229	98.66	66.6
2023-04-13 00:35:00	0	0	0	0	255	12.06	17.38	67.5	47.1	98.72	-0.2	-0.4	0	67.5	1.21	100	8225	98.66	66.5
2023-04-13 00:40:00	0	0	0	0	254	12.12	17.98	67.4	47.4	98.73	0.2	-0.6	0	67.4	1.2	100	8225	98.67	66.5
2023-04-13 00:45:00	0	0	0	0	257	10.69	14.81	67.4	47.4	98.73	-0.2	-0.6	0	67.4	1.2	100	8226	98.67	66.5
2023-04-13 00:50:00	0	0	0	0	250	14.18	20.67	67.4	47.2	98.73	-0.6	-1	0	67.4	1.21	100	8229	98.67	66.5
2023-04-13 00:55:00	0	0	0	0	252	13.98	19.04	67.6	47	98.73	-0.1	-0.7	0	67.6	1.22	100	8227	98.67	66.6
2023-04-13 01:00:00	0	0	0	0	255	11.65	18.43	67.6	47	98.74	-0.1	-0.5	0	67.6	1.22	100	8225	98.68	66.5
2023-04-13 01:05:00	0	0	0	0	255	11.81	18.54	67.4	47.3	98.73	0.1	-0.8	0	67.5	1.21	100	8225	98.67	66.4
2023-04-13 01:10:00	0	0	0	0	254	13.02	20.02	67.5	47.4	98.73	-0.2	-0.7	0	67.5	1.21	100	8225	98.67	66.4
2023-04-13 01:15:00	0	0	0	0	255	13.6	20.29	67.5	47.1	98.73	-0.2	-0.5	0	67.5	1.21	100	8226	98.67	66.5
2023-04-13 01:20:00	0	0	0	0	258	13.31	18.7	67.5	47.3	98.73	0.1	-0.8	0	67.5	1.21	100	8224	98.67	66.5
2023-04-13 01:25:00	0	0	0	0	256	12.17	16.53	67.4	47.8	98.73	-0.1	-0.9	0	67.4	1.19	100	8225	98.67	66.3
2023-04-13 01:30:00	0	0	0	0	257	13.06	20.15	67.4	47.9	98.73	-0.2	-0.6	0	67.4	1.19	100	8223	98.67	66.3
2023-04-13 01:35:00	0	0	0	0	258	13.27	16.91	67.2	48	98.73	-0.3	-0.6	0	67.2	1.18	100	8222	98.67	66.2
2023-04-13 01:40:00	0	0	0	0	256	12.84	18.95	67.1	48.1	98.73	0.2	-0.9	0	67.1	1.18	100	8222	98.67	66.1
2023-04-13 01:45:00	0	0	0	0	254	12.73	20.45	67	48.4	98.73	0.2	-0.6	0	67	1.16	100	8221	98.67	66
2023-04-13 01:50:00	0	0	0	0	253	14.38	21.52	67	48.5	98.73	0	-0.3	0	67	1.16	100	8221	98.67	66
2023-04-13 01:55:00	0	0	0	0	258	14.29	20.22	67	48.5	98.73	-0.5	-0.8	0	66.9	1.16	100	8221	98.67	66.1

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-13 02:00:00	0	0	0	0	259	14.81	21.45	67	48.2	98.73	-0.4	-1.2	0	67	1.17	100	8223	98.66	66.1
2023-04-13 02:05:00	0	0	0	0	262	15.14	21.09	67.1	48.1	98.73	0.1	-1	0	67.1	1.17	100	8222	98.67	66.1
2023-04-13 02:10:00	0	0	0	0	261	13.38	20.45	67	48.3	98.74	-0.3	-0.8	0	67	1.17	100	8219	98.68	66
2023-04-13 02:15:00	0	0	0	0	268	12.3	19.55	66.7	48.7	98.74	-0.2	-0.6	0	66.7	1.15	100	8221	98.68	65.8
2023-04-13 02:20:00	0	0	0	0	269	12.15	17.49	66.5	48.9	98.74	-0.3	-0.7	0	66.5	1.13	100	8218	98.68	65.6
2023-04-13 02:25:00	0	0	0	0	267	12.75	20.18	66.2	49.3	98.74	-0.4	-0.4	0	66.2	1.11	100	8218	98.68	65.4
2023-04-13 02:30:00	0	0	0	0	267	13.33	19.06	66.2	49.4	98.74	-0.2	-0.8	0	66.2	1.11	100	8217	98.67	65.4
2023-04-13 02:35:00	0	0	0	0	267	11.79	16.44	66.1	49.5	98.74	0	-1	0	66.1	1.11	100	8219	98.68	65.3
2023-04-13 02:40:00	0	0	0	0	264	11.43	22.82	65.9	49.9	98.74	-0.2	-0.6	0	65.9	1.09	100	8216	98.68	65.1
2023-04-13 02:45:00	0	0	0	0	263	12.68	17.29	65.7	50.1	98.74	-0.2	-0.4	0	65.7	1.08	100	8215	98.68	64.9
2023-04-13 02:50:00	0	0	0	0	263	13.51	19.66	65.5	50	98.73	0	-0.9	0	65.5	1.07	100	8216	98.68	64.8
2023-04-13 02:55:00	0	0	0	0	260	15.64	21.18	65.6	49.9	98.73	-0.2	-0.6	0	65.6	1.07	100	8215	98.67	64.8
2023-04-13 03:00:00	0	0	0	0	263	14.09	19.66	65.6	49.5	98.74	-0.1	-0.7	0	65.6	1.09	100	8213	98.68	64.8
2023-04-13 03:05:00	0	0	0	0	259	15.35	26.66	65.6	49.3	98.73	-0.2	-0.7	0	65.7	1.09	100	8213	98.67	64.9
2023-04-13 03:10:00	0	0	0	0	261	11.77	16.62	65.6	49.3	98.73	-0.3	-0.6	0	65.6	1.09	100	8215	98.67	64.8
2023-04-13 03:15:00	0	0	0	0	262	12.24	17.98	65.5	49.8	98.73	-0.1	-0.7	0	65.5	1.08	100	8215	98.67	64.6
2023-04-13 03:20:00	0	0	0	0	263	12.06	18.16	65.2	49.6	98.73	0.1	-0.8	0	65.2	1.07	100	8212	98.66	64.5
2023-04-13 03:25:00	0	0	0	0	262	13.35	21.5	65.2	49.8	98.73	-0.4	-0.7	0	65.2	1.06	100	8215	98.67	64.4
2023-04-13 03:30:00	0	0	0	0	261	12.19	18.32	65.2	49.7	98.73	-0.2	-0.6	0	65.2	1.07	100	8211	98.67	64.4
2023-04-13 03:35:00	0	0	0	0	261	12.37	18.05	65.1	49.6	98.73	-0.1	-0.5	0	65.1	1.06	100	8212	98.67	64.3
2023-04-13 03:40:00	0	0	0	0	264	11.59	20.65	65.2	49.9	98.74	-0.3	-0.7	0	65.2	1.06	100	8210	98.68	64.3
2023-04-13 03:45:00	0	0	0	0	264	10.87	16.17	65.1	49.9	98.74	-0.3	-0.7	0	65.1	1.06	100	8211	98.68	64.2
2023-04-13 03:50:00	0	0	0	0	263	10.02	13.33	64.9	49.9	98.74	-0.2	-0.7	0	64.8	1.05	100	8210	98.68	64
2023-04-13 03:55:00	0	0	0	0	260	11.12	16.87	64.8	50.3	98.74	-0.4	-0.9	0	64.8	1.04	100	8210	98.68	63.9
2023-04-13 04:00:00	0	0	0	0	260	10.71	17.27	64.7	50.1	98.74	-0.1	-0.6	0	64.7	1.04	100	8209	98.68	63.9
2023-04-13 04:05:00	0	0	0	0	257	11.27	16.06	64.7	50	98.74	-0.5	-0.8	0	64.7	1.04	100	8208	98.68	63.9
2023-04-13 04:10:00	0	0	0	0	262	10.29	15.7	64.7	50.1	98.75	-0.2	-0.7	0	64.7	1.04	100	8209	98.68	63.8
2023-04-13 04:15:00	0	0	0	0	265	10.18	15.66	64.6	50.4	98.75	-0.2	-0.7	0	64.6	1.03	100	8207	98.68	63.7
2023-04-13 04:20:00	0	0	0	0	261	9.1	14.18	64.4	50.5	98.75	-0.2	-0.6	0	64.4	1.02	100	8206	98.69	63.6
2023-04-13 04:25:00	0	0	0	0	264	10.87	15.52	64.5	50.5	98.74	-0.3	-0.6	0	64.5	1.02	100	8206	98.69	63.5
2023-04-13 04:30:00	0	0	0	0	262	10.22	16.4	64.4	50.7	98.75	-0.4	-0.5	0	64.4	1.02	100	8208	98.69	63.5
2023-04-13 04:35:00	0	0	0	0	259	9.04	12.84	64.4	50.7	98.76	-0.3	-0.6	0	64.4	1.02	100	8206	98.7	63.5
2023-04-13 04:40:00	0	0	0	0	257	10	14.99	64.4	50.6	98.76	-0.3	-0.8	0	64.4	1.02	100	8206	98.7	63.4
2023-04-13 04:45:00	0	0	0	0	256	10.76	14.27	64.3	50.8	98.76	-0.3	-0.7	0	64.3	1.01	100	8203	98.7	63.4
2023-04-13 04:50:00	0	0	0	0	256	9.33	14.94	64.3	51.1	98.76	-0.4	-0.8	0	64.3	1	100	8204	98.7	63.3
2023-04-13 04:55:00	0	0	0	0	258	11.72	19.39	64.1	51	98.76	-0.5	-0.5	0	64	1	100	8203	98.7	63.2
2023-04-13 05:00:00	0	0	0	0	257	11.56	14.25	64.3	51	98.76	-0.4	-0.9	0	64.3	1.01	100	8205	98.7	63.3
2023-04-13 05:05:00	0	0	0	0	254	11.21	18.19	64.2	50.9	98.76	-0.4	-0.8	0	64.2	1.01	100	8202	98.7	63.3
2023-04-13 05:10:00	0	0	0	0	257	12.33	17.05	64.3	51	98.77	-0.3	-0.6	0	64.3	1.01	100	8203	98.7	63.3
2023-04-13 05:15:00	0	0	0	0	256	11.21	15.66	64.3	51	98.77	-0.4	-0.6	0	64.3	1.01	100	8201	98.71	63.3
2023-04-13 05:20:00	0	0	0	0	256	10.51	14.81	64.2	51	98.77	-0.1	-0.7	0	64.2	1	100	8202	98.71	63.3
2023-04-13 05:25:00	0	0	0	0	254	10.42	14.29	64.1	51.3	98.77	-0.2	-0.7	0	64.1	0.99	100	8203	98.71	63.2
2023-04-13 05:30:00	0	0	0	0	257	9.66	14.18	64	51.5	98.78	-0.3	-0.5	0	64	0.99	100	8203	98.72	63.1
2023-04-13 05:35:00	0	0	0	0	253	10.69	14.79	63.9	51.6	98.78	-0.6	-0.6	0	63.9	0.98	100	8197	98.72	63
2023-04-13 05:40:00	0	0	0	0	257	10.09	16.08	63.9	51.7	98.78	-0.2	-0.6	0	63.9	0.98	100	8202	98.72	63
2023-04-13 05:45:00	0	0	0	0	258	10.25	15.55	63.9	51.8	98.79	-0.3	-0.6	0	63.8	0.98	100	8200	98.73	62.9
2023-04-13 05:50:00	0	0	0	0	256	10.07	16.17	63.7	51.8	98.79	-0.4	-0.6	0	63.7	0.97	100	8200	98.73	62.8
2023-04-13 05:55:00	0	0	0	0	257	9.28	13.6	63.8	52.2	98.79	-0.2	-0.5	0	63.8	0.96	100	8197	98.73	62.7
2023-04-13 06:00:00	0	0	0	0	252	8.95	14.23	63.6	52.3	98.8	-0.4	-0.7	0	63.6	0.96	100	8198	98.74	62.6
2023-04-13 06:05:00	0	0	0	0	246	7.96	12.57	63.4	52.6	98.81	-0.4	-0.7	0	63.4	0.95	100	8199	98.74	62.5
2023-04-13 06:10:00	0.6	0	0	0	246	8.52	12.82	63.3	52.8	98.8	-0.3	-0.7	0	63.2	0.94	100	8196	98.75	62.3
2023-04-13 06:15:00	1.8	0	0	0	241	8.5	13.33	63.3	52.7	98.81	-0.4	-0.5	0	63.3	0.94	100	8195	98.75	62.3
2023-04-13 06:20:00	3.6	0	0	0	245	7.63	12.28	63.3	52.9	98.81	-0.3	-0.6	0	63.3	0.93	100	8195	98.75	62.3
2023-04-13 06:25:00	6.4	0	0	0	251	7.31	12.48	63.1	53.1	98.82	-0.4	-0.6	0	63.1	0.92	100	8197	98.76	62.1
2023-04-13 06:30:00	10.8	0	0	0	247	7.78	13.94	63	53.5	98.82	-0.3	-0.7	0	63.1	0.91	100	8196	98.76	62
2023-04-13 06:35:00	18.2	0	0	0	248	7.63	13.51	62.9	53.7	98.82	-0.1	-0.7	0	63	0.91	100	8196	98.76	61.9
2023-04-13 06:40:00	27	0	0	0	243	9.08	15.28	63	53.6	98.83	-0.3	-0.8	0	63.1	0.91	100	8197	98.77	62
2023-04-13 06:45:00	37	0	0	0	245	8.39	13.98	63.3	53	98.83	-0.3	-0.7	0	63.4	0.93	100	8197	98.78	62.2
2023-04-13 06:50:00	47.6	0	0	0	248	7.2	11.48	63.6	52.9	98.83	-0.3	-0.6	0	63.6	0.94	100	8201	98.78	62.4
2023-04-13 06:55:00	58.4	0	0	0	250	8.72	13.98	63.7	52.7	98.83	-0.3	-0.6	0	63.9	0.95	100	8204	98.78	62.7

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-13 07:00:00	69.4	0	0	0	252	7.74	12.48	64.1	52	98.84	-0.4	-0.7	0	64.3	0.98	100	8210	98.79	63
2023-04-13 07:05:00	80.4	0	0	0	244	8.68	12.15	64.5	51.9	98.83	-0.1	-0.6	0	64.8	1	100	8213	98.78	63.4
2023-04-13 07:10:00	91	0	0	0	253	9.15	14.09	64.8	51	98.83	-0.4	-0.5	0	65	1.03	100	8216	98.78	63.8
2023-04-13 07:15:00	100.4	0	0	0	248	10.02	15.52	65.3	50.6	98.83	-0.2	-0.7	0	65.6	1.05	100	8222	98.79	64.2
2023-04-13 07:20:00	108	0	0	0	255	9.93	16.78	65.6	49.8	98.83	-0.3	-0.8	0	65.9	1.08	100	8229	98.79	64.7
2023-04-13 07:25:00	116.6	0	0	0	254	9.78	15.03	66	49.3	98.83	-0.2	-0.9	0	66.3	1.11	100	8235	98.79	65.1
2023-04-13 07:30:00	131.4	0	0	0	254	10.13	13.53	66.5	48.8	98.84	-0.3	-0.7	0	66.8	1.13	100	8239	98.8	65.6
2023-04-13 07:35:00	149	0	0	0	246	10.31	15.52	66.9	48	98.83	-0.1	-0.7	0	67.3	1.17	100	8247	98.8	66
2023-04-13 07:40:00	166.4	0	0	0	246	10.4	14.41	67.2	47.6	98.83	-0.3	-0.8	0	67.6	1.19	100	8254	98.81	66.5
2023-04-13 07:45:00	184	0	0	0	251	11.07	16.13	67.6	47.1	98.84	-0.1	-0.9	0	68.1	1.22	100	8257	98.81	67
2023-04-13 07:50:00	199.8	0	0	0	250	9.26	16.96	68	46.7	98.84	-0.2	-0.5	0	68.5	1.25	100	8263	98.81	67.4
2023-04-13 07:55:00	214.4	0	0	0	244	10.11	15.59	68.5	46	98.84	-0.2	-0.7	0	69	1.28	100	8271	98.81	67.9
2023-04-13 08:00:00	228.4	0	0	0	247	10.56	14.76	68.9	45.7	98.84	-0.3	-0.7	0	69.4	1.31	100	8276	98.81	68.3
2023-04-13 08:05:00	243.8	0	0	0	252	10.45	16.91	69.2	45.1	98.83	-0.3	-0.8	0	69.8	1.33	100	8281	98.81	68.7
2023-04-13 08:10:00	259	0	0	0	255	9.6	14.61	69.6	45	98.83	-0.1	-0.7	0	70.3	1.36	100	8289	98.81	69.2
2023-04-13 08:15:00	274.8	0	0	0	246	10.33	15.79	69.9	44.3	98.84	-0.1	-0.7	0	70.6	1.39	100	8296	98.81	69.6
2023-04-13 08:20:00	289	0	0	0	255	8.95	15.66	70.3	44.4	98.84	-0.4	-0.7	0	71	1.41	100	8301	98.81	70.1
2023-04-13 08:25:00	304.6	0	0	0	241	9.95	14.9	70.7	43.5	98.83	0	-0.5	0	71.4	1.45	100	8309	98.82	70.5
2023-04-13 08:30:00	320.2	0	0	0	252	11.7	15.82	71	43	98.83	-0.2	-0.8	0	71.7	1.47	100	8314	98.81	70.8
2023-04-13 08:35:00	334.2	0	0	0	241	12.75	17.92	71.2	42.4	98.83	-0.2	-0.7	0	72.1	1.5	100	8322	98.81	71.2
2023-04-13 08:40:00	339	0	0	0	242	13.94	20.13	71.5	42.2	98.82	-0.1	-0.9	0	72.2	1.52	100	8327	98.81	71.4
2023-04-13 08:45:00	341.6	0	0	0	245	10.6	14.81	71.7	42.2	98.82	-0.1	-0.6	0	72.6	1.53	100	8333	98.81	71.7
2023-04-13 08:50:00	339.4	0	0	0	252	11.25	17.63	72.1	41.6	98.83	-0.1	-0.6	0	73	1.57	100	8340	98.81	72.1
2023-04-13 08:55:00	340.6	0	0	0	247	14.72	21.21	72.6	40.7	98.82	-0.2	-1.2	0	73.3	1.62	100	8346	98.8	72.5
2023-04-13 09:00:00	368.8	0	0	0	247	13.91	20.31	72.8	40.3	98.83	-0.2	-0.9	0	73.5	1.64	100	8352	98.81	72.7
2023-04-13 09:05:00	399.6	0	0	0	254	11.07	18.81	73	40.7	98.83	0.1	-0.7	0	73.8	1.64	100	8356	98.82	73
2023-04-13 09:10:00	428.4	0	0	0	249	11.77	16.55	73.3	40.3	98.84	-0.1	-0.9	0	74.2	1.67	100	8362	98.82	73.4
2023-04-13 09:15:00	451.8	0	0	0	249	12.95	18.3	73.8	40	98.83	-0.1	-1	0	74.6	1.71	100	8372	98.82	73.8
2023-04-13 09:20:00	468.4	0	0	0	263	13.56	21.32	74	39.6	98.83	-0.1	-0.8	0	74.9	1.73	100	8375	98.82	74
2023-04-13 09:25:00	482.8	0	0	0	252	12.3	19.33	74.2	39.8	98.83	-0.3	-0.9	0	75	1.74	100	8384	98.81	74.3
2023-04-13 09:30:00	497.2	0	0	0	243	13.69	20.07	74.4	39.1	98.82	-0.3	-0.6	0	75.2	1.77	100	8387	98.82	74.5
2023-04-13 09:35:00	510.6	0	0	0	250	10.02	14.81	74.6	39.3	98.83	-0.1	-0.8	0	75.5	1.77	100	8391	98.82	74.8
2023-04-13 09:40:00	524.2	0	0	0	255	8.41	13.6	75	40.1	98.83	-0.1	-0.6	0	76	1.78	100	8400	98.82	75.3
2023-04-13 09:45:00	537.4	0	0	0	257	10.42	16.69	75.7	39.1	98.82	-0.1	-0.6	0	76.6	1.85	100	8401	98.81	75.8
2023-04-13 09:50:00	550.6	0	0	0	266	10.83	19.13	76	38.6	98.82	-0.1	-0.9	0	77	1.88	100	8405	98.81	76.1
2023-04-13 09:55:00	563.4	0	0	0	255	9.69	14.94	76.3	38.5	98.82	-0.1	-0.4	0	77.2	1.9	100	8411	98.82	76.4
2023-04-13 10:00:00	571.2	0	0	0	259	10.04	16.6	76.8	38.3	98.82	0.1	-0.6	0	77.7	1.94	100	8415	98.81	76.9
2023-04-13 10:05:00	562	0	0	0	260	11.88	19.51	77	37.8	98.82	0.2	-0.9	0	77.9	1.97	100	8417	98.82	77.2
2023-04-13 10:10:00	552	0	0	0	258	13.56	24.47	77.3	36.7	98.82	-0.1	-0.9	0	78.2	2.02	100	8424	98.81	77.5
2023-04-13 10:15:00	530.8	0	0	0	255	13.35	21.21	77.5	36.4	98.81	0.2	-1	0	78.3	2.05	100	8426	98.81	77.7
2023-04-13 10:20:00	544.2	0	0	0	262	15.28	20.98	77.6	36.1	98.81	0.2	-0.7	0	78.4	2.06	100	8426	98.81	77.8
2023-04-13 10:25:00	587.4	0	0	0	269	12.95	19.57	77.6	36.8	98.81	-0.1	-1	0	78.4	2.04	100	8431	98.81	77.9
2023-04-13 10:30:00	623.4	0	0	0	265	15.03	22.01	77.8	36.1	98.81	-0.3	-1.2	0	78.6	2.08	100	8434	98.8	78.1
2023-04-13 10:35:00	657.4	0	0	0	270	17.4	28.86	78	35.7	98.8	-0.5	-0.6	0	78.7	2.11	100	8436	98.79	78.2
2023-04-13 10:40:00	669.8	0	0	0	271	15.03	25.64	78	35.9	98.8	-0.2	-0.9	0	78.8	2.1	100	8437	98.8	78.3
2023-04-13 10:45:00	679.8	0	0	0	262	15.93	24.27	78.3	35.9	98.8	0.1	-0.8	0	78.9	2.11	100	8440	98.8	78.5
2023-04-13 10:50:00	690.8	0	0	0	262	16.31	23.04	78.4	35.4	98.8	-0.2	-0.9	0	79.2	2.15	100	8442	98.79	78.6
2023-04-13 10:55:00	699.8	0	0	0	268	14.14	22.3	78.5	35.5	98.8	0.4	-1	0	79.2	2.15	100	8447	98.8	78.7
2023-04-13 11:00:00	708.8	0	0	0	261	12.97	18.28	78.8	35.8	98.8	0.2	-0.3	0	79.6	2.16	100	8447	98.8	79
2023-04-13 11:05:00	717.4	0	0	0	259	13.8	19.55	79.1	35.3	98.81	0.1	-1.3	0	79.9	2.19	100	8449	98.8	79.3
2023-04-13 11:10:00	717	0	0	0	261	15.3	22.44	79.3	35	98.81	-0.1	-1.2	0	80.1	2.22	100	8449	98.8	79.4
2023-04-13 11:15:00	694.4	0	0	0	259	14.27	20.67	79.4	34.9	98.81	0	-0.9	0	80.1	2.23	100	8450	98.8	79.5
2023-04-13 11:20:00	667.4	0	0	0	258	11.21	15.7	79.6	35.5	98.81	-0.4	-0.4	0	80.4	2.22	100	8452	98.81	79.8
2023-04-13 11:25:00	636.6	0	0	0	267	13.18	19.13	79.8	35	98.8	-0.1	-0.9	0	80.7	2.26	100	8456	98.79	80.1
2023-04-13 11:30:00	683.2	0	0	0	267	12.77	19.48	80.1	34.2	98.8	-0.1	-0.7	0	80.8	2.3	100	8456	98.79	80.1
2023-04-13 11:35:00	729.6	0	0	0	255	12.48	18.05	80.2	35	98.8	-0.1	-0.5	0	81.1	2.29	100	8457	98.8	80.4
2023-04-13 11:40:00	767.6	0	0	0	254	14	18.57	80.6	34.4	98.8	0.1	-0.7	0	81.3	2.34	100	8454	98.8	80.6
2023-04-13 11:45:00	775.4	0	0	0	253	12.53	17.52	80.5	34.3	98.81	-0.2	-0.8	0	81.3	2.34	100	8457	98.79	80.7
2023-04-13 11:50:00	781.6	0	0	0	262	13.89	22.03	80.6	33.8	98.8	-0.3	-0.3	0	81.4	2.36	100	8457	98.79	80.8
2023-04-13 11:55:00	787	0	0	0	261	14.25	19.33	80.7	33.8	98.8	0.3	-0.5	0	81.4	2.37	100	8457	98.79	80.9

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-13 12:00:00	778.4	0	0	0	273	11.54	16.89	80.9	34.2	98.8	0	-0.9	0	81.8	2.37	100	8453	98.78	81.1
2023-04-13 12:05:00	747.4	0	0	0	269	11.9	18.84	81.3	33.8	98.79	0.3	-0.7	0	82.1	2.41	100	8456	98.78	81.4
2023-04-13 12:10:00	702.2	0	0	0	245	12.55	17.27	81.5	33.6	98.79	0.2	-0.7	0	82.4	2.44	100	8457	98.78	81.6
2023-04-13 12:15:00	694.8	0	0	0	263	13	22.19	81.5	33.8	98.79	0.3	-0.6	0	82.3	2.43	100	8458	98.78	81.6
2023-04-13 12:20:00	755.6	0	0	0	272	12.17	17.58	81.6	33.7	98.79	0.2	-0.9	0	82.5	2.44	100	8459	98.78	81.7
2023-04-13 12:25:00	802.4	0	0	0	279	12.26	18.23	81.7	33.6	98.79	-0.1	-0.9	0	82.5	2.45	100	8455	98.78	81.7
2023-04-13 12:30:00	814.8	0	0	0	236	12.84	17.67	81.9	33.2	98.79	-0.2	-1	0	82.6	2.48	100	8456	98.78	81.8
2023-04-13 12:35:00	816.6	0	0	0	250	11.74	19.42	81.9	33.3	98.79	0.1	-0.8	0	82.7	2.48	100	8455	98.78	82
2023-04-13 12:40:00	816.8	0	0	0	229	12.33	18.84	82	33.2	98.79	0	-0.6	0	82.7	2.49	100	8456	98.78	82
2023-04-13 12:45:00	795.4	0	0	0	255	11.79	20.6	82	33.4	98.79	-0.1	-0.9	0	82.9	2.49	100	8451	98.78	82.1
2023-04-13 12:50:00	769.2	0	0	0	267	11.1	16.15	82.3	33.1	98.79	0	-0.9	0	83.1	2.52	100	8449	98.77	82.2
2023-04-13 12:55:00	728	0	0	0	260	10.85	16.4	82.4	33.1	98.79	0.1	-1.1	0	83.2	2.53	100	8446	98.77	82.2
2023-04-13 13:00:00	692.2	0	0	0	251	10.56	17.6	82.4	33	98.79	0.2	-1.1	0	83.3	2.53	100	8445	98.77	82.4
2023-04-13 13:05:00	733.8	0	0	0	274	9.91	17.47	82.8	33.3	98.78	0.2	-0.5	0	83.7	2.55	100	8444	98.76	82.7
2023-04-13 13:10:00	774.4	0	0	0	268	9.55	13.69	83.1	33.6	98.78	0	-0.8	0	83.9	2.56	100	8440	98.76	82.9
2023-04-13 13:15:00	807.2	0	0	0	242	9.95	14.38	83.6	32.8	98.78	0	-0.9	0	84.5	2.64	100	8438	98.76	83.3
2023-04-13 13:20:00	818	0	0	0	258	11.97	18.5	83.6	32.2	98.77	0.2	-0.7	0	84.5	2.66	100	8435	98.75	83.3
2023-04-13 13:25:00	819.2	0	0	0	272	12.95	18.28	83.4	32.4	98.77	-0.2	-0.7	0	84.2	2.64	100	8434	98.74	83.2
2023-04-13 13:30:00	817	0	0	0	277	13.22	18.3	83.4	32.1	98.77	0.1	-0.9	0	84.1	2.65	100	8431	98.75	83.1
2023-04-13 13:35:00	815	0	0	0	267	15.12	23.6	83.5	32.4	98.76	0	-0.6	0	84.2	2.64	100	8425	98.75	83.1
2023-04-13 13:40:00	811.2	0	0	0	281	12.75	17.85	83.5	32.9	98.77	-0.1	-0.8	0	84.3	2.63	100	8423	98.75	83.2
2023-04-13 13:45:00	806.8	0	0	0	275	14.72	25.17	83.7	32.1	98.77	-0.2	-0.7	0	84.3	2.67	100	8419	98.74	83.2
2023-04-13 13:50:00	792.6	0	0	0	259	15.12	21.74	83.6	31.8	98.78	-0.8	-0.7	0	84.3	2.68	100	8414	98.74	83.2
2023-04-13 13:55:00	773.6	0	0	0	260	15.88	23.24	83.6	31.8	98.77	0.2	-1	0	84.3	2.67	100	8409	98.74	83.1
2023-04-13 14:00:00	760.8	0	0	0	258	15.7	19.82	83.6	31.7	98.76	0	-0.9	0	84.3	2.68	100	8405	98.73	83.2
2023-04-13 14:05:00	745.6	0	0	0	261	16.04	24.87	83.6	31.3	98.75	0	-1.5	0	84.3	2.7	100	8400	98.73	83.1
2023-04-13 14:10:00	728.6	0	0	0	267	14.76	19.33	83.7	31.6	98.76	-0.2	-0.7	0	84.5	2.7	100	8397	98.73	83.2
2023-04-13 14:15:00	705.2	0	0	0	268	12.91	18.95	83.8	31.4	98.75	0.2	-0.7	0	84.5	2.71	100	8394	98.72	83.2
2023-04-13 14:20:00	678.4	0	0	0	281	15.19	20.78	84.1	31.4	98.75	-0.1	-0.6	0	84.9	2.74	100	8388	98.72	83.4
2023-04-13 14:25:00	655.6	0	0	0	280	15.05	19.91	84.2	30.4	98.75	0.6	-1.1	0	84.9	2.79	100	8385	98.72	83.3
2023-04-13 14:30:00	643.8	0	0	0	260	16.84	29.57	84.1	30.4	98.75	0.1	-1.2	0	84.8	2.78	100	8380	98.72	83.3
2023-04-13 14:35:00	649.4	0	0	0	272	16.73	22.91	84	30	98.75	-0.4	-0.2	0	84.7	2.79	100	8377	98.72	83.2
2023-04-13 14:40:00	661.8	0	0	0	275	15.46	21.72	83.9	30.6	98.75	0	-0.5	0	84.7	2.76	100	8373	98.71	83.1
2023-04-13 14:45:00	672.4	0	0	0	258	15.84	23.55	84	30.5	98.74	-0.3	-1	0	84.8	2.77	100	8368	98.71	83.2
2023-04-13 14:50:00	678.2	0	0	0	258	15.17	22.86	84.1	30.3	98.75	-0.2	-0.9	0	84.8	2.78	100	8368	98.72	83.3
2023-04-13 14:55:00	682.2	0	0	0	263	12.64	19.51	84.3	30.3	98.75	-0.2	-0.9	0	85.1	2.8	100	8366	98.71	83.5
2023-04-13 15:00:00	682.4	0	0	0	268	17.58	28.86	84.4	29.9	98.73	0.1	-1.4	0	85.1	2.82	100	8361	98.7	83.5
2023-04-13 15:05:00	684	0	0	0	262	17.2	24.14	84.4	29.6	98.74	-0.3	-1.2	0	85	2.84	100	8356	98.69	83.3
2023-04-13 15:10:00	686.4	0	0	0	246	16.8	25.64	84.2	29.2	98.73	0.5	-0.9	0	84.9	2.84	100	8355	98.7	83.3
2023-04-13 15:15:00	687.6	0	0	0	262	15.9	21.65	84.2	29.6	98.73	0.3	-0.7	0	84.9	2.82	100	8351	98.69	83.3
2023-04-13 15:20:00	683.4	0	0	0	273	17.49	26.84	84.2	29.6	98.73	-0.1	-0.6	0	84.8	2.82	100	8346	98.69	83.3
2023-04-13 15:25:00	674.8	0	0	0	257	16.44	26.28	83.9	29.1	98.73	0.4	-1	0	84.6	2.81	100	8342	98.69	83.2
2023-04-13 15:30:00	665.2	0	0	0	269	15.57	20.87	83.8	29	98.72	-0.6	-0.2	0	84.5	2.81	100	8340	98.68	83.1
2023-04-13 15:35:00	657.8	0	0	0	263	16.8	24.18	83.8	28.7	98.71	0.1	-0.6	0	84.5	2.82	100	8339	98.67	83.2
2023-04-13 15:40:00	646.2	0	0	0	260	17.85	26.13	83.8	28.1	98.71	0.6	-0.6	0	84.4	2.84	100	8333	98.67	83.2
2023-04-13 15:45:00	637	0	0	0	260	16.87	24.54	83.7	28.5	98.71	0	-1.1	0	84.3	2.82	100	8330	98.67	83.2
2023-04-13 15:50:00	624.6	0	0	0	250	15.23	25.81	83.6	28.5	98.7	0.3	-0.4	0	84.3	2.81	100	8327	98.67	83.3
2023-04-13 15:55:00	613	0	0	0	275	16.44	21.97	83.6	28.8	98.7	0.2	-1	0	84.3	2.8	100	8325	98.65	83.4
2023-04-13 16:00:00	601.6	0	0	0	268	16.44	21.77	83.6	28.6	98.7	0.2	-0.8	0	84.2	2.8	100	8327	98.66	83.3
2023-04-13 16:05:00	588	0	0	0	276	13.27	20.38	83.4	29.3	98.7	0	-0.9	0	84.2	2.76	100	8319	98.66	83.4
2023-04-13 16:10:00	575.4	0	0	0	273	13.35	20.27	83.3	29.2	98.69	0.2	-0.8	0	84.1	2.76	100	8317	98.65	83.5
2023-04-13 16:15:00	561.4	0	0	0	268	13.94	21.47	83.3	29.2	98.7	0.4	-1.3	0	84.1	2.75	100	8319	98.65	83.5
2023-04-13 16:20:00	548	0	0	0	272	16.08	25.86	83.3	29.3	98.7	-0.3	-0.8	0	84	2.75	100	8313	98.65	83.5
2023-04-13 16:25:00	534	0	0	0	271	15.14	23.09	83.1	29.5	98.7	-0.1	-1	0	83.8	2.73	100	8309	98.65	83.3
2023-04-13 16:30:00	519.4	0	0	0	276	15.79	22.24	82.9	29	98.69	-0.1	-0.8	0	83.6	2.72	100	8308	98.64	83.2
2023-04-13 16:35:00	506.2	0	0	0	270	14	20.18	82.5	29.7	98.69	-0.3	-0.7	0	83.3	2.66	100	8305	98.65	83.2
2023-04-13 16:40:00	490.8	0	0	0	272	15.86	25.17	82.6	29.2	98.69	-0.1	-0.8	0	83.3	2.69	100	8307	98.64	83.2
2023-04-13 16:45:00	476	0	0	0	271	14.9	24.16	82.4	29.1	98.68	-0.2	-0.6	0	83.1	2.68	100	8304	98.63	83
2023-04-13 16:50:00	460.2	0	0	0	258	14.99	21.18	82.2	29.4	98.69	-0.2	-0.3	0	82.9	2.65	100	8300	98.64	83
2023-04-13 16:55:00	445	0	0	0	275	11.86	18.14	82.2	30	98.68	-0.1	-0.6	0	83	2.63	100	8298	98.63	83.2

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-13 17:00:00	430.4	0	0	0	260	13.22	18.99	82.1	29.4	98.69	0.2	-0.8	0	82.9	2.64	100	8296	98.64	83.1
2023-04-13 17:05:00	414.4	0	0	0	266	15.64	24	82.1	29.1	98.69	-0.3	-1	0	82.8	2.65	100	8295	98.64	83
2023-04-13 17:10:00	398	0	0	0	269	15.03	22.03	81.9	28.7	98.69	-0.4	-0.5	0	82.5	2.65	100	8292	98.64	82.7
2023-04-13 17:15:00	380.8	0	0	0	263	15.86	24.25	81.6	28.5	98.69	-0.5	0	0	82.3	2.63	100	8290	98.64	82.5
2023-04-13 17:20:00	364.2	0	0	0	263	16.15	23.15	81.4	28.5	98.7	-0.2	-1.2	0	82.1	2.61	100	8290	98.65	82.4
2023-04-13 17:25:00	347.2	0	0	0	258	15.99	22.03	81.2	28.6	98.7	0.3	-1.2	0	81.9	2.59	100	8286	98.66	82.3
2023-04-13 17:30:00	330.6	0	0	0	263	17.54	24.45	81	28.7	98.71	-0.3	-1.4	0	81.6	2.58	100	8285	98.65	82
2023-04-13 17:35:00	313.4	0	0	0	255	16.31	24.07	80.8	28.4	98.71	-0.1	-1.3	0	81.4	2.57	100	8282	98.66	81.8
2023-04-13 17:40:00	296.6	0	0	0	261	13.06	23.13	80.6	29.7	98.71	-0.3	-0.7	0	81.2	2.5	100	8279	98.66	81.8
2023-04-13 17:45:00	279.8	0	0	0	262	14.2	20.71	80.6	29.2	98.71	0.3	-0.8	0	81.2	2.52	100	8280	98.66	81.8
2023-04-13 17:50:00	262.4	0	0	0	269	11.68	20.24	80.5	29.4	98.72	-0.2	-1.2	0	81	2.5	100	8276	98.66	81.7
2023-04-13 17:55:00	245.4	0	0	0	284	13.85	19.64	80.4	29.3	98.71	0.1	-0.8	0	80.9	2.5	100	8275	98.66	81.7
2023-04-13 18:00:00	228.4	0	0	0	281	11.99	17.18	80.2	29.5	98.71	-0.1	-0.8	0	80.8	2.48	100	8273	98.65	81.6
2023-04-13 18:05:00	211.6	0	0	0	278	15.01	21.54	80.1	30.1	98.7	0.1	-1	0	80.6	2.45	100	8268	98.64	81.4
2023-04-13 18:10:00	195.2	0	0	0	274	13.04	20.15	79.7	30.9	98.71	0.2	-1.1	0	80.2	2.39	100	8269	98.65	81
2023-04-13 18:15:00	179	0	0	0	278	15.37	22.41	79.4	30.9	98.71	0.2	-0.7	0	79.8	2.37	100	8266	98.65	80.7
2023-04-13 18:20:00	163	0	0	0	277	15.86	21.41	79.1	31.2	98.72	-0.2	-0.5	0	79.4	2.34	100	8265	98.65	80.3
2023-04-13 18:25:00	148	0	0	0	284	12.5	20.42	78.8	32	98.72	-0.2	-0.8	0	79.1	2.28	100	8263	98.66	80
2023-04-13 18:30:00	133	0	0	0	274	16.31	24.27	78.5	31.7	98.71	-0.3	-1	0	78.8	2.27	100	8262	98.65	79.6
2023-04-13 18:35:00	118.4	0	0	0	269	17.4	24.56	77.9	31.7	98.71	-0.5	-0.2	0	78.2	2.23	100	8259	98.65	79.1
2023-04-13 18:40:00	105.8	0	0	0	263	12.77	17.49	77.6	31.9	98.73	0	-0.7	0	77.8	2.2	100	8257	98.67	78.8
2023-04-13 18:45:00	92.2	0	0	0	260	12.59	17.52	77.2	32.4	98.73	-0.2	-1	0	77.4	2.15	100	8257	98.67	78.5
2023-04-13 18:50:00	78	0	0	0	264	11.88	18.3	77	32.8	98.73	-0.2	-0.6	0	77.1	2.12	100	8256	98.67	78.2
2023-04-13 18:55:00	62	0	0	0	270	8.72	11.27	76.6	33.6	98.74	-0.1	-0.7	0	76.7	2.08	100	8257	98.67	77.8
2023-04-13 19:00:00	51	0	0	0	276	8.61	14.5	76.2	33.8	98.75	-0.2	-0.8	0	76.4	2.04	100	8254	98.68	77.3
2023-04-13 19:05:00	42	0	0	0	266	9.26	12.66	75.8	33.3	98.75	-0.2	-1	0	75.9	2.03	100	8251	98.69	76.8
2023-04-13 19:10:00	32	0	0	0	260	10.8	16.46	75.6	32.4	98.76	-0.3	-0.7	0	75.7	2.04	100	8248	98.69	76.3
2023-04-13 19:15:00	24.2	0	0	0	265	8.28	11.99	75.2	32.7	98.76	-0.2	-1.2	0	75.3	2.01	100	8248	98.69	75.6
2023-04-13 19:20:00	20.4	0	0	0	265	7.25	11.39	74.8	33.2	98.76	-0.2	-0.9	0	74.8	1.96	100	8248	98.7	75.1
2023-04-13 19:25:00	16.8	0	0	0	264	8.16	15.46	74.2	33.3	98.76	-0.3	-0.7	0	74.2	1.92	100	8247	98.7	74.6
2023-04-13 19:30:00	11.8	0	0	0	263	12.33	18.01	73.8	32.7	98.77	-0.3	-0.8	0	73.8	1.92	100	8246	98.69	74.1
2023-04-13 19:35:00	7.8	0	0	0	267	16.02	22.39	73.7	33	98.76	-0.1	-0.6	0	73.7	1.9	100	8244	98.7	73.7
2023-04-13 19:40:00	4.4	0	0	0	264	13.56	18.92	73.3	33.3	98.77	-0.2	-0.7	0	73.3	1.87	100	8244	98.7	73.1
2023-04-13 19:45:00	2.6	0	0	0	268	14.41	20.15	72.9	33.7	98.77	-0.5	-0.6	0	73	1.83	100	8241	98.7	72.6
2023-04-13 19:50:00	1.2	0	0	0	268	15.64	21.18	72.7	33.6	98.78	-0.5	-0.9	0	72.7	1.82	100	8241	98.71	72.2
2023-04-13 19:55:00	0	0	0	0	264	14.47	21.54	72.3	33.5	98.79	-0.3	-1	0	72.2	1.8	100	8241	98.72	71.9
2023-04-13 20:00:00	0	0	0	0	263	12.24	17.47	72.1	33.9	98.79	-0.4	-0.9	0	72.1	1.78	100	8238	98.71	71.6
2023-04-13 20:05:00	0	0	0	0	265	12.44	18.79	71.7	33.9	98.8	-0.2	-0.9	0	71.7	1.75	100	8235	98.73	71.3
2023-04-13 20:10:00	0	0	0	0	263	12.71	18.81	71.5	34.3	98.8	-0.1	-0.7	0	71.5	1.73	100	8235	98.73	70.9
2023-04-13 20:15:00	0	0	0	0	261	12.24	20.11	71.2	34.7	98.8	-0.2	-1.1	0	71.2	1.7	100	8235	98.73	70.7
2023-04-13 20:20:00	0	0	0	0	265	11.95	16.91	71	35.2	98.8	-0.3	-0.6	0	71	1.68	100	8233	98.74	70.4
2023-04-13 20:25:00	0	0	0	0	265	11.52	15.79	70.9	35.5	98.81	-0.2	-0.6	0	70.9	1.67	100	8232	98.74	70.2
2023-04-13 20:30:00	0	0	0	0	267	10.74	14.61	70.7	36.1	98.82	-0.4	-0.7	0	70.7	1.64	100	8232	98.75	69.9
2023-04-13 20:35:00	0	0	0	0	267	10.45	15.17	70.4	36.6	98.82	-0.5	-0.8	0	70.4	1.61	100	8231	98.75	69.6
2023-04-13 20:40:00	0	0	0	0	267	11.18	16.37	70.2	36.8	98.82	-0.3	-0.6	0	70.2	1.59	100	8232	98.75	69.5
2023-04-13 20:45:00	0	0	0	0	266	9.31	11.59	70	37.4	98.83	-0.3	-0.7	0	70	1.56	100	8230	98.76	69.1
2023-04-13 20:50:00	0	0	0	0	261	10.67	16.53	69.6	37.7	98.83	-0.4	-0.9	0	69.6	1.54	100	8229	98.76	68.9
2023-04-13 20:55:00	0	0	0	0	252	8.57	11.79	69.5	38.2	98.84	-0.3	-0.8	0	69.4	1.52	100	8228	98.77	68.6
2023-04-13 21:00:00	0	0	0	0	254	10.54	16.35	69.4	37.9	98.84	-0.6	-0.8	0	69.4	1.52	100	8225	98.78	68.5
2023-04-13 21:05:00	0	0	0	0	252	11.03	16.26	69.4	37.8	98.85	-0.2	-0.9	0	69.4	1.53	100	8225	98.78	68.4
2023-04-13 21:10:00	0	0	0	0	260	11.1	15.23	69.4	37.1	98.85	-0.5	-0.5	0	69.4	1.54	100	8227	98.78	68.4
2023-04-13 21:15:00	0	0	0	0	263	11.34	15.28	69.4	36.7	98.85	-0.6	-0.5	0	69.4	1.55	100	8222	98.78	68.4
2023-04-13 21:20:00	0	0	0	0	264	11.65	15.7	69.4	36.3	98.85	-0.2	-0.8	0	69.4	1.56	100	8222	98.78	68.4
2023-04-13 21:25:00	0	0	0	0	264	11.95	18.32	69.5	35.8	98.85	-0.4	-0.7	0	69.5	1.58	100	8222	98.78	68.4
2023-04-13 21:30:00	0	0	0	0	260	12.26	18.52	69.6	35.3	98.85	-0.2	-0.5	0	69.6	1.59	100	8222	98.79	68.5
2023-04-13 21:35:00	0	0	0	0	262	11.45	16.2	69.7	34.8	98.87	-0.3	-0.5	0	69.7	1.61	100	8220	98.8	68.5
2023-04-13 21:40:00	0	0	0	0	256	10.22	14.41	69.8	34.8	98.87	-0.2	-0.7	0	69.8	1.62	100	8220	98.81	68.5
2023-04-13 21:45:00	0	0	0	0	250	9.15	18.21	69.7	34.7	98.88	-0.3	-0.7	0	69.7	1.62	100	8221	98.82	68.4
2023-04-13 21:50:00	0	0	0	0	246	8.88	14.63	69.6	34.4	98.89	-0.2	-0.7	0	69.6	1.62	100	8220	98.82	68.3
2023-04-13 21:55:00	0	0	0	0	242	7.47	10.56	69.6	34.5	98.89	-0.4	-0.7	0	69.6	1.62	100	8218	98.83	68.2

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-13 22:00:00	0	0	0	0	254	8.59	13.35	69.3	34.7	98.9	-0.5	-0.8	0	69.3	1.6	100	8215	98.83	68
2023-04-13 22:05:00	0	0	0	0	261	8.99	14.88	69.3	34.7	98.9	-0.2	-0.7	0	69.3	1.59	100	8217	98.83	67.9
2023-04-13 22:10:00	0	0	0	0	263	11.27	15.03	69.1	34.7	98.89	-0.5	-1	0	69.1	1.58	100	8216	98.82	67.8
2023-04-13 22:15:00	0	0	0	0	264	11.54	17.67	69	34.5	98.88	-0.4	-0.9	0	69	1.58	100	8218	98.81	67.8
2023-04-13 22:20:00	0	0	0	0	262	10.36	15.61	69	34.5	98.89	-0.2	-0.9	0	69.1	1.59	100	8216	98.82	67.8
2023-04-13 22:25:00	0	0	0	0	257	9.86	16.73	69.1	34.6	98.89	-0.2	-0.9	0	69	1.59	100	8212	98.82	67.7
2023-04-13 22:30:00	0	0	0	0	261	7.99	10.22	68.9	34.5	98.88	-0.3	-0.7	0	68.9	1.58	100	8214	98.82	67.5
2023-04-13 22:35:00	0	0	0	0	259	9.66	13.33	68.8	34.3	98.88	-0.3	-0.6	0	68.8	1.58	100	8214	98.81	67.4
2023-04-13 22:40:00	0	0	0	0	256	10.22	15.9	68.8	34.3	98.89	-0.2	-0.6	0	68.8	1.58	100	8211	98.81	67.4
2023-04-13 22:45:00	0	0	0	0	255	9.8	15.46	68.8	34.4	98.89	-0.1	-0.6	0	68.8	1.57	100	8210	98.82	67.4
2023-04-13 22:50:00	0	0	0	0	245	8.81	11.79	68.7	34.6	98.89	-0.5	-0.7	0	68.7	1.57	100	8211	98.83	67.3
2023-04-13 22:55:00	0	0	0	0	243	8.39	11.1	68.6	35	98.9	-0.2	-0.8	0	68.6	1.55	100	8212	98.83	67.2
2023-04-13 23:00:00	0	0	0	0	249	9.06	13.78	68.5	35.2	98.89	-0.3	-0.7	0	68.4	1.54	100	8210	98.82	67
2023-04-13 23:05:00	0	0	0	0	256	8.84	14.36	68.2	35.8	98.89	-0.3	-0.7	0	68.2	1.51	100	8209	98.83	66.9
2023-04-13 23:10:00	0	0	0	0	249	8.48	14.25	68	36.3	98.9	-0.4	-0.8	0	67.9	1.49	100	8206	98.83	66.6
2023-04-13 23:15:00	0	0	0	0	252	8.12	13.6	67.7	36.7	98.9	-0.1	-0.8	0	67.7	1.47	100	8206	98.84	66.4
2023-04-13 23:20:00	0	0	0	0	250	7.65	12.39	67.5	37.2	98.91	-0.3	-0.7	0	67.4	1.44	100	8206	98.84	66.2
2023-04-13 23:25:00	0	0	0	0	250	8.01	12.35	67.2	37.8	98.91	-0.4	-0.7	0	67.2	1.42	100	8205	98.84	66
2023-04-13 23:30:00	0	0	0	0	251	6.91	9.35	67.1	38.1	98.91	-0.3	-0.8	0	67.1	1.4	100	8206	98.84	65.8
2023-04-13 23:35:00	0	0	0	0	250	6.78	13.13	66.8	38.8	98.92	-0.3	-0.8	0	66.7	1.37	100	8206	98.85	65.5
2023-04-13 23:40:00	0	0	0	0	237	7.05	10.4	66.5	39.6	98.93	-0.4	-0.7	0	66.5	1.34	100	8201	98.86	65.2
2023-04-13 23:45:00	0	0	0	0	245	7.47	12.26	66.1	40.4	98.93	-0.4	-0.7	0	66.1	1.31	100	8202	98.86	64.9
2023-04-13 23:50:00	0	0	0	0	252	6.82	10.87	65.9	41.1	98.93	-0.3	-0.7	0	65.9	1.28	100	8200	98.86	64.7
2023-04-13 23:55:00	0	0	0	0	252	6.55	9.66	65.6	42.3	98.93	-0.2	-0.6	0	65.6	1.24	100	8203	98.86	64.4
2023-04-14 00:00:00	0	0	0	0	254	8.5	13.98	65.3	42.6	98.93	-0.4	-0.8	0	65.3	1.22	100	8203	98.86	64.2
2023-04-14 00:05:00	0	0	0	0	244	7.81	11.99	65.1	43.3	98.93	-0.2	-0.5	0	65.1	1.2	100	8180	98.87	64.3
2023-04-14 00:10:00	0	0	0	0	239	7.81	12.59	64.9	43.7	98.93	-0.4	-0.6	0	64.9	1.18	100	8175	98.87	64.3
2023-04-14 00:15:00	0	0	0	0	244	7.27	10.87	64.8	44.3	98.94	-0.2	-0.7	0	64.8	1.17	100	8171	98.87	64.3
2023-04-14 00:20:00	0	0	0	0	244	7.05	10.42	64.6	44.8	98.94	-0.5	-0.7	0	64.5	1.15	100	8183	98.88	64
2023-04-14 00:25:00	0	0	0	0	249	7.23	11.05	64.4	45.1	98.94	-0.4	-0.8	0	64.4	1.13	100	8181	98.88	63.7
2023-04-14 00:30:00	0	0	0	0	242	7.29	9.78	64.4	45.4	98.94	-0.3	-0.7	0	64.4	1.13	100	8181	98.88	63.5
2023-04-14 00:35:00	0	0	0	0	247	7.52	12.46	64.3	45.7	98.95	-0.4	-0.7	0	64.3	1.12	100	8181	98.88	63.4
2023-04-14 00:40:00	0	0	0	0	242	7.99	11.88	64.3	45.8	98.95	-0.4	-0.8	0	64.3	1.11	100	8182	98.88	63.3
2023-04-14 00:45:00	0	0	0	0	247	7.99	13.89	64.4	45.9	98.95	-0.5	-0.6	0	64.4	1.11	100	8184	98.89	63.4
2023-04-14 00:50:00	0	0	0	0	241	6.35	9.28	64.4	45.8	98.95	-0.4	-0.7	0	64.5	1.12	100	8181	98.88	63.3
2023-04-14 00:55:00	0	0	0	0	241	7.11	10.85	64.4	46	98.95	-0.3	-0.6	0	64.4	1.11	100	8181	98.89	63.1
2023-04-14 01:00:00	0	0	0	0	242	6.93	10.4	64.3	46.2	98.96	-0.2	-0.5	0	64.3	1.11	100	8181	98.89	63.1
2023-04-14 01:05:00	0	0	0	0	238	7.16	10.58	64.4	46	98.96	-0.3	-0.7	0	64.3	1.11	100	8181	98.89	63
2023-04-14 01:10:00	0	0	0	0	240	6.58	10.04	64.3	46.1	98.96	-0.3	-0.6	0	64.3	1.11	100	8179	98.89	63
2023-04-14 01:15:00	0	0	0	0	232	7	10.07	64.2	46.4	98.95	-0.4	-0.5	0	64.2	1.1	100	8181	98.89	62.9
2023-04-14 01:20:00	0	0	0	0	232	8.46	11.1	64.1	46.6	98.95	-0.4	-0.9	0	64.1	1.09	100	8179	98.88	62.9
2023-04-14 01:25:00	0	0	0	0	228	6.87	10.27	64.2	46.5	98.95	-0.3	-0.7	0	64.1	1.09	100	8181	98.88	62.8
2023-04-14 01:30:00	0	0	0	0	230	7.9	9.82	64	46.7	98.95	-0.4	-0.8	0	64	1.08	100	8179	98.88	62.7
2023-04-14 01:35:00	0	0	0	0	232	7.52	9.42	64	46.7	98.95	-0.4	-0.6	0	64	1.08	100	8177	98.88	62.7
2023-04-14 01:40:00	0	0	0	0	238	7.09	9.64	64	47	98.95	-0.3	-0.7	0	64	1.08	100	8177	98.88	62.7
2023-04-14 01:45:00	0	0	0	0	242	7.81	13.85	64	47.1	98.95	-0.3	-0.8	0	64	1.08	100	8180	98.88	62.6
2023-04-14 01:50:00	0	0	0	0	245	8.81	12.37	63.9	47.2	98.95	-0.5	-0.7	0	63.9	1.07	100	8176	98.88	62.6
2023-04-14 01:55:00	0	0	0	0	251	7.99	12.41	64	47.4	98.95	-0.4	-0.8	0	63.9	1.07	100	8177	98.88	62.6
2023-04-14 02:00:00	0	0	0	0	244	5.99	8.9	63.9	47.6	98.94	-0.4	-0.7	0	63.9	1.06	100	8175	98.88	62.5
2023-04-14 02:05:00	0	0	0	0	248	6.78	10.74	63.6	47.9	98.94	-0.3	-0.8	0	63.6	1.05	100	8175	98.87	62.3
2023-04-14 02:10:00	0	0	0	0	243	6.26	8.79	63.6	48.1	98.93	-0.4	-0.7	0	63.6	1.04	100	8175	98.87	62.2
2023-04-14 02:15:00	0	0	0	0	251	5.82	8.52	63.4	48.4	98.93	-0.3	-0.8	0	63.4	1.03	100	8175	98.87	62
2023-04-14 02:20:00	0	0	0	0	244	5.17	8.08	63.3	48.4	98.93	-0.4	-0.7	0	63.3	1.02	100	8174	98.87	61.9
2023-04-14 02:25:00	0	0	0	0	248	6.15	9.08	63.1	48.9	98.93	-0.4	-0.6	0	63.1	1.01	100	8175	98.87	61.7
2023-04-14 02:30:00	0	0	0	0	238	7.09	10.09	63.1	48.8	98.93	-0.4	-0.7	0	63.1	1.01	100	8175	98.86	61.8
2023-04-14 02:35:00	0	0	0	0	238	7.14	10.89	63.2	48.8	98.93	-0.4	-0.7	0	63.2	1.01	100	8172	98.86	61.8
2023-04-14 02:40:00	0	0	0	0	237	5.79	9.4	63.2	48.8	98.93	-0.3	-0.6	0	63.2	1.01	100	8174	98.86	61.8
2023-04-14 02:45:00	0	0	0	0	226	5.93	8.23	63.1	49	98.93	-0.4	-0.6	0	63.1	1.01	100	8175	98.86	61.6
2023-04-14 02:50:00	0	0	0	0	215	6.2	9.8	63.1	48.9	98.93	-0.4	-0.6	0	63.2	1.01	100	8174	98.86	61.7
2023-04-14 02:55:00	0	0	0	0	208	4.16	8.14	63.1	48.9	98.92	-0.2	-0.6	0	63.1	1.01	100	8171	98.86	61.6

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-14 03:00:00	0	0	0	0	202	5.23	7.78	63	49	98.92	-0.4	-0.8	0	63	1	100	8170	98.86	61.3
2023-04-14 03:05:00	0	0	0	0	202	6.46	7.85	62.9	49.2	98.92	-0.3	-0.7	0	62.9	0.99	100	8172	98.85	61.2
2023-04-14 03:10:00	0	0	0	0	202	6.53	8.7	62.7	49.6	98.92	-0.2	-0.6	0	62.7	0.98	100	8170	98.85	61.1
2023-04-14 03:15:00	0	0	0	0	196	7.05	8.77	62.6	49.7	98.91	-0.4	-0.7	0	62.6	0.97	100	8170	98.85	61
2023-04-14 03:20:00	0	0	0	0	200	7.31	8.66	62.5	49.8	98.91	-0.3	-0.7	0	62.5	0.97	100	8170	98.84	60.9
2023-04-14 03:25:00	0	0	0	0	196	7.78	10.4	62.5	49.8	98.9	-0.3	-0.6	0	62.5	0.97	100	8169	98.84	60.9
2023-04-14 03:30:00	0	0	0	0	195	8.77	11.72	62.4	50.2	98.9	-0.3	-0.7	0	62.4	0.96	100	8168	98.84	60.8
2023-04-14 03:35:00	0	0	0	0	196	9.15	11.74	62.4	50.1	98.9	-0.3	-0.7	0	62.3	0.96	100	8170	98.83	60.9
2023-04-14 03:40:00	0	0	0	0	195	10.29	12.75	62.5	49.8	98.9	-0.1	-0.6	0	62.5	0.97	100	8169	98.84	61
2023-04-14 03:45:00	0	0	0	0	202	9.8	12.39	62.6	49.5	98.9	-0.3	-0.8	0	62.6	0.98	100	8168	98.84	61.2
2023-04-14 03:50:00	0	0	0	0	206	9.4	12.1	62.9	49.3	98.9	-0.4	-0.6	0	63	0.99	100	8168	98.84	61.4
2023-04-14 03:55:00	0	0	0	0	199	9.73	11.77	63.1	48.9	98.9	-0.3	-0.6	0	63.1	1.01	100	8167	98.84	61.6
2023-04-14 04:00:00	0	0	0	0	199	9.17	11.81	63	48.6	98.9	-0.4	-0.6	0	63	1.01	100	8167	98.84	61.5
2023-04-14 04:05:00	0	0	0	0	199	8.43	11.27	63.1	48.5	98.91	-0.4	-0.7	0	63.1	1.01	100	8168	98.85	61.5
2023-04-14 04:10:00	0	0	0	0	198	7.11	10.11	63.1	48.4	98.91	-0.3	-0.8	0	63.1	1.02	100	8165	98.85	61.5
2023-04-14 04:15:00	0	0	0	0	200	6.15	8.52	62.9	48.6	98.91	-0.3	-0.7	0	62.9	1.01	100	8166	98.85	61.3
2023-04-14 04:20:00	0	0	0	0	203	6.64	7.52	62.8	49	98.92	-0.4	-0.7	0	62.7	0.99	100	8167	98.85	61.1
2023-04-14 04:25:00	0	0	0	0	197	6.98	8.88	62.6	49.2	98.92	-0.3	-0.7	0	62.6	0.98	100	8168	98.86	60.9
2023-04-14 04:30:00	0	0	0	0	200	6.17	7.94	62.4	49.3	98.93	-0.3	-0.7	0	62.4	0.97	100	8166	98.86	60.8
2023-04-14 04:35:00	0	0	0	0	201	5.99	6.98	62.3	49.4	98.93	-0.5	-0.7	0	62.3	0.97	100	8163	98.87	60.7
2023-04-14 04:40:00	0	0	0	0	204	5.77	6.58	62.3	49.2	98.93	-0.5	-0.7	0	62.3	0.98	100	8165	98.86	60.5
2023-04-14 04:45:00	0	0	0	0	201	5.91	7.2	62.3	49.4	98.93	-0.3	-0.8	0	62.3	0.97	100	8166	98.87	60.4
2023-04-14 04:50:00	0	0	0	0	209	5.84	7.47	62.3	49.1	98.93	-0.4	-0.6	0	62.3	0.97	100	8166	98.87	60.3
2023-04-14 04:55:00	0	0	0	0	203	4.76	5.79	62.3	49.4	98.93	-0.4	-0.8	0	62.3	0.97	100	8165	98.86	60.2
2023-04-14 05:00:00	0	0	0	0	197	5.19	6.24	62.3	49.3	98.93	-0.4	-0.8	0	62.3	0.97	100	8165	98.87	60.1
2023-04-14 05:05:00	0	0	0	0	199	5.26	6.06	62.1	49.4	98.93	-0.3	-0.6	0	62.1	0.96	100	8161	98.87	60
2023-04-14 05:10:00	0	0	0	0	205	5.46	8.34	62	49.7	98.93	-0.4	-0.6	0	62	0.95	100	8165	98.87	60
2023-04-14 05:15:00	0	0	0	0	204	5.77	7.58	62	49.7	98.93	-0.5	-0.6	0	62	0.95	100	8163	98.87	59.9
2023-04-14 05:20:00	0	0	0	0	212	6.13	9.17	61.9	49.7	98.94	-0.3	-0.7	0	61.9	0.95	100	8162	98.87	60
2023-04-14 05:25:00	0	0	0	0	220	6.8	9.57	62.2	49.3	98.94	-0.4	-0.7	0	62.2	0.97	100	8163	98.87	60.2
2023-04-14 05:30:00	0	0	0	0	219	6.44	8.23	62.3	49.3	98.93	-0.3	-0.6	0	62.3	0.97	100	8161	98.87	60.4
2023-04-14 05:35:00	0	0	0	0	220	5.46	7.38	62.2	49.5	98.93	-0.3	-0.8	0	62.2	0.97	100	8162	98.87	60.3
2023-04-14 05:40:00	0	0	0	0	224	6.13	8.08	62.2	49.2	98.94	-0.4	-0.7	0	62.3	0.97	100	8162	98.87	60.3
2023-04-14 05:45:00	0	0	0	0	232	5.32	8.32	62.3	49.1	98.94	-0.4	-0.7	0	62.3	0.97	100	8161	98.88	60.3
2023-04-14 05:50:00	0	0	0	0	236	5.03	5.91	62.1	49	98.94	-0.4	-0.7	0	62.1	0.97	100	8160	98.88	60.2
2023-04-14 05:55:00	0	0	0	0	228	6.51	8.93	62.1	49	98.95	-0.4	-0.5	0	62.1	0.97	100	8161	98.88	60.1
2023-04-14 06:00:00	0	0	0	0	227	7.2	9.01	62.1	49	98.94	-0.4	-0.7	0	62.1	0.97	100	8158	98.88	60.2
2023-04-14 06:05:00	0	0	0	0	229	6.69	8.41	62.1	49.1	98.94	-0.3	-0.6	0	62.1	0.97	100	8160	98.87	60.3
2023-04-14 06:10:00	1.4	0	0	0	235	6.51	8.77	62.2	48.8	98.94	-0.4	-0.6	0	62.2	0.98	100	8159	98.88	60.3
2023-04-14 06:15:00	2	0	0	0	231	6.67	8.48	62.2	48.7	98.94	-0.4	-0.6	0	62.2	0.98	100	8159	98.88	60.4
2023-04-14 06:20:00	3	0	0	0	230	6.53	7.52	62.2	48.7	98.95	-0.4	-0.7	0	62.2	0.98	100	8160	98.89	60.4
2023-04-14 06:25:00	5	0	0	0	239	5.37	7.29	62.1	48.6	98.94	-0.4	-0.7	0	62.2	0.98	100	8158	98.88	60.3
2023-04-14 06:30:00	7.6	0	0	0	238	5.01	6.35	62.1	48.6	98.94	-0.4	-0.5	0	62.1	0.98	100	8161	98.88	60.1
2023-04-14 06:35:00	11.4	0	0	0	236	4.76	5.82	62	48.2	98.94	-0.5	-0.7	0	62.1	0.98	100	8156	98.89	60.1
2023-04-14 06:40:00	16	0	0	0	241	4.09	5.39	62.2	47.8	98.95	-0.4	-0.5	0	62.3	0.99	100	8158	98.89	60.1
2023-04-14 06:45:00	21.2	0	0	0	249	3.42	4	62.1	48	98.95	-0.4	-0.7	0	62.2	0.99	100	8157	98.89	60
2023-04-14 06:50:00	24.4	0	0	0	279	2.55	4.21	62.1	48.1	98.96	-0.4	-0.6	0	62.2	0.99	100	8157	98.9	60
2023-04-14 06:55:00	27	0	0	0	4	1.36	2.08	61.7	49	98.97	-0.3	-0.6	0	61.9	0.96	100	8156	98.91	59.7
2023-04-14 07:00:00	31.8	0	0	0	254	1.99	2.86	61.5	48.9	98.97	-0.4	-0.7	0	61.7	0.95	100	8158	98.91	59.4
2023-04-14 07:05:00	43.8	0	0	0	266	2.77	3.51	61.4	49.1	98.97	-0.4	-0.6	0	61.6	0.94	100	8160	98.91	59.6
2023-04-14 07:10:00	39.8	0	0	0	236	4.65	7.07	61.5	49.1	98.97	-0.3	-0.7	0	61.7	0.95	100	8158	98.92	59.8
2023-04-14 07:15:00	40.2	0	0	0	216	6.08	8.75	61.8	49.8	98.98	-0.3	-0.7	0	62	0.94	100	8157	98.93	60.1
2023-04-14 07:20:00	45.2	0	0	0	200	5.46	7.31	62	49.1	98.99	-0.4	-0.7	0	62.2	0.97	100	8160	98.93	60.3
2023-04-14 07:25:00	52	0	0	0	201	4.94	6.51	62.2	48.7	98.99	-0.3	-0.6	0	62.4	0.98	100	8161	98.93	60.4
2023-04-14 07:30:00	54	0	0	0	205	5.7	7.2	62.3	48.5	98.99	-0.4	-0.6	0	62.5	0.99	100	8162	98.94	60.6
2023-04-14 07:35:00	70	0	0	0	203	6.46	7.92	62.6	48.7	98.99	-0.4	-0.6	0	62.9	0.99	100	8165	98.94	60.9
2023-04-14 07:40:00	91.8	0	0	0	204	6.24	7.92	63	48.2	98.99	-0.3	-0.6	0	63.2	1.02	100	8168	98.94	61.3
2023-04-14 07:45:00	104.4	0	0	0	207	4.99	7.34	63.2	48.2	98.99	-0.4	-0.6	0	63.6	1.03	100	8172	98.95	61.6
2023-04-14 07:50:00	151.4	0	0	0	229	4.47	6.24	63.7	48	98.99	-0.4	-0.7	0	64.2	1.05	100	8181	98.95	62.1
2023-04-14 07:55:00	159.8	0	0	0	230	4.81	6.35	64.4	46.5	99	-0.3	-0.5	0	65	1.1	100	8183	98.95	62.8

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-14 08:00:00	208.8	0	0	0	235	4.29	5.93	65.2	45.9	98.98	-0.2	-0.7	0	65.9	1.15	100	8191	98.95	63.6
2023-04-14 08:05:00	256	0	0	0	261	2.86	5.21	66	45.7	98.98	-0.2	-0.6	0	67	1.18	100	8202	98.95	64.6
2023-04-14 08:10:00	270.2	0	0	0	280	2.06	4.88	66.8	47.1	98.98	-0.3	-0.7	0	68.4	1.19	100	8210	98.96	65.7
2023-04-14 08:15:00	268.6	0	0	0	314	2.13	3.85	68	44.2	98.98	-0.3	-0.7	0	69.4	1.3	100	8216	98.96	66.8
2023-04-14 08:20:00	309.4	0	0	0	258	3.44	6.46	68.8	43.5	98.97	-0.3	-0.7	0	70.3	1.36	100	8226	98.95	67.8
2023-04-14 08:25:00	323.6	0	0	0	233	5.12	7.47	69.9	40.7	98.97	-0.2	-0.8	0	71.1	1.48	100	8232	98.95	69.1
2023-04-14 08:30:00	338.4	0	0	0	251	5.01	7.56	70.7	40.6	98.97	-0.3	-0.6	0	71.9	1.52	100	8242	98.95	70.2
2023-04-14 08:35:00	354.2	0	0	0	252	4.18	7.23	71.3	39.7	98.96	-0.2	-0.7	0	72.7	1.58	100	8250	98.95	71.2
2023-04-14 08:40:00	338.4	0	0	0	254	3.98	6.8	72.1	39.6	98.96	-0.2	-0.7	0	73.5	1.62	100	8254	98.94	72.1
2023-04-14 08:45:00	284.2	0	0	0	256	5.48	9.8	72.8	38.3	98.97	-0.1	-0.7	0	73.9	1.7	100	8261	98.94	72.8
2023-04-14 08:50:00	347.2	0	0	0	252	6.87	11.97	73.3	35.8	98.96	-0.1	-0.5	0	74.3	1.79	100	8268	98.95	73.3
2023-04-14 08:55:00	350.2	0	0	0	258	6.11	9.33	73.8	35.6	98.96	-0.1	-0.6	0	75	1.83	100	8276	98.94	73.9
2023-04-14 09:00:00	383	0	0	0	265	5.88	9.06	74.4	35.4	98.96	-0.1	-0.7	0	75.7	1.88	100	8284	98.94	74.5
2023-04-14 09:05:00	412.6	0	0	0	271	6.82	10.74	75.2	34.5	98.96	-0.1	-0.8	0	76.4	1.95	100	8291	98.94	75.1
2023-04-14 09:10:00	447.6	0	0	0	272	5.28	8.75	75.6	34.6	98.95	0	-0.7	0	76.9	1.98	100	8295	98.94	75.7
2023-04-14 09:15:00	473.6	0	0	0	272	7.38	11.9	76.2	34	98.95	-0.1	-0.6	0	77.3	2.03	100	8304	98.94	76.1
2023-04-14 09:20:00	490	0	0	0	284	6.2	8.5	76.3	33.9	98.95	0	-0.8	0	77.4	2.05	100	8309	98.94	76.4
2023-04-14 09:25:00	503.6	0	0	0	291	6.15	9.04	76.5	33.5	98.95	-0.2	-0.7	0	77.7	2.07	100	8317	98.94	76.7
2023-04-14 09:30:00	518.4	0	0	0	271	7.9	11.41	76.8	33.5	98.95	-0.1	-0.6	0	77.8	2.09	100	8323	98.94	76.9
2023-04-14 09:35:00	531.8	0	0	0	260	6.17	10.49	76.7	33.5	98.95	-0.2	-0.6	0	77.8	2.08	100	8325	98.94	77.2
2023-04-14 09:40:00	545	0	0	0	292	6.87	9.82	76.9	33.7	98.95	-0.1	-0.6	0	78	2.09	100	8337	98.94	77.5
2023-04-14 09:45:00	557.6	0	0	0	293	6.69	9.78	77.2	33.3	98.94	-0.1	-0.6	0	78.3	2.12	100	8340	98.93	77.8
2023-04-14 09:50:00	570.6	0	0	0	281	7.05	10.47	77.4	33.5	98.95	0	-0.7	0	78.5	2.13	100	8346	98.93	78.1
2023-04-14 09:55:00	583.4	0	0	0	293	6.89	11.54	77.5	33.1	98.94	-0.1	-0.5	0	78.6	2.15	100	8351	98.93	78.4
2023-04-14 10:00:00	594.4	0	0	0	284	5.61	10.25	77.8	33.3	98.94	-0.1	-0.7	0	78.9	2.17	100	8356	98.93	78.7
2023-04-14 10:05:00	585.6	0	0	0	263	4.45	6.4	78.3	33.6	98.94	-0.1	-0.7	0	79.7	2.2	100	8361	98.93	79.4
2023-04-14 10:10:00	566.8	0	0	0	270	6.11	8.68	78.9	32.7	98.94	-0.1	-0.8	0	80.2	2.27	100	8365	98.93	79.8
2023-04-14 10:15:00	548.6	0	0	0	276	3.85	6.55	79	32	98.94	-0.1	-0.7	0	80.3	2.3	100	8371	98.93	80
2023-04-14 10:20:00	551.6	0	0	0	281	4.14	6.55	79.4	31.9	98.94	0	-0.7	0	80.7	2.34	100	8373	98.93	80.3
2023-04-14 10:25:00	600	0	0	0	293	3.27	5.7	79.8	31.4	98.94	0	-0.7	0	81.2	2.38	100	8377	98.93	80.7
2023-04-14 10:30:00	635.8	0	0	0	313	2.86	5.19	80.2	31.5	98.94	-0.1	-0.8	0	81.9	2.41	100	8380	98.93	81.2
2023-04-14 10:35:00	672.6	0	0	0	290	4.07	6.53	80.9	30.5	98.94	0	-0.8	0	82.2	2.5	100	8384	98.94	81.7
2023-04-14 10:40:00	687.4	0	0	0	186	1.88	3.49	80.8	31.2	98.95	0	-0.8	0	82.7	2.46	100	8387	98.94	82.2
2023-04-14 10:45:00	700.8	0	0	0	276	1.43	3.06	81	31.4	98.95	-0.1	-0.7	0	83.3	2.48	100	8387	98.94	82.9
2023-04-14 10:50:00	707.4	0	0	0	260	1.97	4.16	81.9	30.6	98.95	0	-0.8	0	84.2	2.58	100	8391	98.94	83.6
2023-04-14 10:55:00	720.4	0	0	0	272	4.14	6.62	83	29.4	98.95	-0.1	-0.8	0	84.5	2.72	100	8393	98.94	83.9
2023-04-14 11:00:00	735	0	0	0	295	2.77	5.39	82.8	29.3	98.94	0	-0.8	0	84.5	2.71	100	8399	98.94	84
2023-04-14 11:05:00	746.2	0	0	0	293	2.66	4.38	82.9	29.2	98.94	-0.1	-0.7	0	84.6	2.72	100	8398	98.93	84.2
2023-04-14 11:10:00	732.6	0	0	0	308	2.57	6.55	83.2	29.2	98.94	0.1	-0.7	0	85.1	2.74	100	8399	98.94	84.5
2023-04-14 11:15:00	660	0	0	0	293	5.01	7.81	83.8	28.1	98.95	0	-0.7	0	85.1	2.84	100	8399	98.94	84.6
2023-04-14 11:20:00	671.2	0	0	0	285	3.67	7.47	83.3	28.5	98.95	0	-0.7	0	84.7	2.78	100	8398	98.94	84.5
2023-04-14 11:25:00	644.4	0	0	0	299	3.4	6.22	83.1	28.6	98.94	0	-0.8	0	84.6	2.76	100	8402	98.93	84.6
2023-04-14 11:30:00	685.8	0	0	0	358	3.29	4.54	83.4	28.3	98.94	0	-0.8	0	84.9	2.8	100	8400	98.94	84.8
2023-04-14 11:35:00	729.4	0	0	0	332	3.83	6.22	83.7	28	98.94	0	-0.8	0	85.1	2.84	100	8402	98.93	85
2023-04-14 11:40:00	780.2	0	0	0	290	5.14	8.01	84	27.9	98.94	0	-0.8	0	85.3	2.87	100	8404	98.93	85
2023-04-14 11:45:00	789.2	0	0	0	353	4.12	6.87	83.9	27.8	98.94	0	-0.8	0	85.2	2.87	100	8404	98.93	84.9
2023-04-14 11:50:00	799.2	0	0	0	297	5.82	9.98	84.2	28.7	98.93	-0.1	-0.7	0	85.4	2.86	100	8402	98.92	85.2
2023-04-14 11:55:00	800.6	0	0	0	315	4.68	8.01	84.3	27.6	98.93	0	-0.8	0	85.6	2.91	100	8403	98.92	85.2
2023-04-14 12:00:00	796.4	0	0	0	323	3.89	8.93	84.2	28	98.92	-0.1	-0.8	0	85.6	2.88	100	8403	98.91	85.2
2023-04-14 12:05:00	760.8	0	0	0	334	7.02	10.45	84.7	27.4	98.92	0	-0.8	0	85.9	2.95	100	8403	98.91	85.4
2023-04-14 12:10:00	702	0	0	0	10	4.14	7.2	84.3	27.6	98.92	0	-0.9	0	85.6	2.91	100	8406	98.9	85.4
2023-04-14 12:15:00	697.8	0	0	0	356	5.93	8.81	84.5	27.5	98.91	0	-0.8	0	85.8	2.93	100	8405	98.89	85.3
2023-04-14 12:20:00	749.4	0	0	0	8	5.55	7.96	84.5	27.8	98.9	-0.1	-0.8	0	85.7	2.92	100	8403	98.89	85.3
2023-04-14 12:25:00	807	0	0	0	8	5.1	7.83	84.7	27.7	98.89	0	-0.8	0	85.9	2.94	100	8403	98.88	85.3
2023-04-14 12:30:00	806.2	0	0	0	21	4.65	9.53	84.8	27.9	98.89	-0.1	-0.9	0	86.1	2.94	100	8403	98.88	85.4
2023-04-14 12:35:00	815.2	0	0	0	2	3.71	8.99	84.9	27.1	98.89	-0.1	-0.9	0	86.3	2.99	100	8401	98.87	85.4
2023-04-14 12:40:00	820	0	0	0	335	4.14	6.35	85.1	27.7	98.89	-0.1	-0.9	0	86.5	2.98	100	8400	98.87	85.5
2023-04-14 12:45:00	782.2	0	0	0	336	3.38	6.85	85.2	27.6	98.88	0	-0.9	0	86.7	2.99	100	8403	98.87	85.5
2023-04-14 12:50:00	767	0	0	0	37	5.3	8.1	85.7	26.8	98.87	0	-0.8	0	87	3.07	100	8400	98.86	85.7
2023-04-14 12:55:00	729.8	0	0	0	314	6.42	11.63	85.6	26.9	98.87	0.1	-1	0	86.8	3.07	100	8396	98.85	85.7

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-14 13:00:00	710.2	0	0	0	297	6.62	10.22	85.6	26.7	98.86	0	-0.8	0	86.7	3.07	100	8398	98.84	85.5
2023-04-14 13:05:00	739.4	0	0	0	282	5.7	9.28	85.5	26.4	98.86	0	-0.8	0	86.6	3.07	100	8398	98.84	85.4
2023-04-14 13:10:00	756.6	0	0	0	171	3.71	7.4	85.1	27	98.85	-0.1	-0.9	0	86.6	3.01	100	8390	98.83	85.4
2023-04-14 13:15:00	811.4	0	0	0	4	6.42	9.84	85.5	27	98.84	-0.1	-0.9	0	86.7	3.04	100	8393	98.82	85.6
2023-04-14 13:20:00	827.8	0	0	0	345	4.43	7.47	85.7	26.6	98.85	0.1	-0.8	0	87	3.09	100	8391	98.83	85.7
2023-04-14 13:25:00	813.4	0	0	0	293	1.81	4.29	85.6	26.3	98.85	0.1	-0.8	0	87.4	3.08	100	8390	98.83	85.8
2023-04-14 13:30:00	822.6	0	0	0	129	2.17	4.43	86.2	26.6	98.84	0.1	-0.9	0	88.3	3.13	100	8384	98.82	86.3
2023-04-14 13:35:00	810.6	0	0	0	300	2.68	6.98	86.8	25.9	98.84	0	-0.8	0	88.6	3.22	100	8380	98.82	86.6
2023-04-14 13:40:00	811.8	0	0	0	259	3.36	6.55	87.2	25.3	98.83	0.1	-0.8	0	88.8	3.29	100	8378	98.81	86.6
2023-04-14 13:45:00	791.6	0	0	0	308	3.33	9.64	87.2	24.5	98.83	0.1	-0.8	0	88.9	3.33	100	8377	98.8	86.8
2023-04-14 13:50:00	809.8	0	0	0	345	4.29	7.49	87.6	23.8	98.82	0	-0.9	0	89	3.4	100	8368	98.8	86.9
2023-04-14 13:55:00	746.4	0	0	0	352	5.64	10.65	87.5	23.8	98.82	0.1	-0.8	0	88.8	3.4	100	8369	98.79	86.8
2023-04-14 14:00:00	746.4	0	0	0	322	5.82	8.01	87.2	24	98.82	0.1	-0.9	0	88.4	3.35	100	8361	98.79	86.6
2023-04-14 14:05:00	741.6	0	0	0	325	6.78	10.27	87.1	23.7	98.82	0	-0.8	0	88.2	3.35	100	8360	98.79	86.3
2023-04-14 14:10:00	710.4	0	0	0	319	6.06	8.81	86.8	23.8	98.82	0.1	-1	0	87.9	3.32	100	8355	98.79	86.1
2023-04-14 14:15:00	648.4	0	0	0	281	4.45	7.49	86.4	24.1	98.81	0	-0.8	0	87.6	3.26	100	8350	98.78	85.9
2023-04-14 14:20:00	671.4	0	0	0	351	5.14	7.72	86.4	24.5	98.81	0.1	-0.9	0	87.7	3.24	100	8348	98.78	85.9
2023-04-14 14:25:00	647.4	0	0	0	352	4.59	8.05	86.4	24.1	98.81	0	-0.9	0	87.7	3.26	100	8342	98.78	85.9
2023-04-14 14:30:00	635.6	0	0	0	356	1.81	4.14	86.1	25.1	98.81	0	-0.8	0	87.8	3.18	100	8339	98.78	85.9
2023-04-14 14:35:00	638.4	0	0	0	357	2.59	5.57	86.5	24.2	98.8	0.1	-0.9	0	88.3	3.27	100	8336	98.77	86.2
2023-04-14 14:40:00	652.8	0	0	0	18	2.28	5.57	86.9	25.2	98.8	0	-0.9	0	88.8	3.26	100	8335	98.77	86.5
2023-04-14 14:45:00	640.4	0	0	0	25	4.05	6.02	87.4	24.5	98.8	0	-0.9	0	88.9	3.35	100	8330	98.76	86.8
2023-04-14 14:50:00	505.2	0	0	0	341	4.29	7.85	87.1	25	98.81	-0.1	-0.9	0	88.5	3.3	100	8327	98.76	86.8
2023-04-14 14:55:00	627.2	0	0	0	302	5.21	7.94	87	25.2	98.79	0	-0.9	0	88.3	3.28	100	8325	98.76	86.5
2023-04-14 15:00:00	643.6	0	0	0	357	4.7	8.21	86.8	24.5	98.79	0	-0.7	0	88	3.29	100	8321	98.76	86.3
2023-04-14 15:05:00	650.4	0	0	0	346	7.4	14.18	86.6	26	98.79	0.1	-0.9	0	87.8	3.2	100	8316	98.75	86.3
2023-04-14 15:10:00	666.6	0	0	0	341	11.34	17.56	86.5	28	98.78	0.1	-0.8	0	87.4	3.1	100	8315	98.74	85.9
2023-04-14 15:15:00	664.4	0	0	0	348	9.44	13.87	86	28.5	98.79	0	-0.9	0	86.9	3.03	100	8310	98.75	85.6
2023-04-14 15:20:00	685.6	0	0	0	336	9.84	13.11	85.7	28.3	98.79	0	-1	0	86.6	3.01	100	8308	98.75	85.4
2023-04-14 15:25:00	610	0	0	0	13	7.96	12.77	85.5	28.8	98.79	0	-0.7	0	86.4	2.97	100	8309	98.75	85.4
2023-04-14 15:30:00	613.4	0	0	0	348	11.12	14.14	85.1	28.6	98.79	0.1	-0.8	0	86	2.94	100	8304	98.75	85
2023-04-14 15:35:00	622.6	0	0	0	349	11.32	15.9	84.6	28.9	98.78	-0.2	-0.8	0	85.4	2.88	100	8304	98.74	84.7
2023-04-14 15:40:00	580.8	0	0	0	21	7.78	10.11	84.1	29.4	98.79	0.1	-0.7	0	85.1	2.82	100	8298	98.74	84.6
2023-04-14 15:45:00	543.2	0	0	0	16	7.99	13.53	83.9	29.6	98.79	0	-0.8	0	84.9	2.8	100	8295	98.74	84.7
2023-04-14 15:50:00	512.2	0	0	0	13	6.93	10.49	83.8	29.8	98.78	0	-0.8	0	84.9	2.77	100	8292	98.74	84.7
2023-04-14 15:55:00	495.2	0	0	0	21	10.54	15.01	83.8	29.5	98.78	0.1	-0.7	0	84.8	2.79	100	8292	98.73	84.6
2023-04-14 16:00:00	485.4	0	0	0	19	10.04	15.39	83.4	29.1	98.78	0	-0.9	0	84.2	2.77	100	8289	98.74	84.2
2023-04-14 16:05:00	523.8	0	0	0	21	8.95	11.72	83.2	29.4	98.78	0	-0.9	0	84.1	2.73	100	8289	98.73	84.2
2023-04-14 16:10:00	542.6	0	0	0	359	9.44	12.84	83.2	28.6	98.77	-0.2	-0.6	0	84.1	2.76	100	8286	98.73	84.3
2023-04-14 16:15:00	560.6	0	0	0	14	9.08	12.8	83.2	28.6	98.77	-0.1	-0.9	0	84.1	2.77	100	8285	98.73	84.3
2023-04-14 16:20:00	553.8	0	0	0	359	8.97	15.12	83.3	28.4	98.77	0	-0.9	0	84.2	2.78	100	8282	98.73	84.6
2023-04-14 16:25:00	545.6	0	0	0	16	7.25	11.43	83.3	28.2	98.77	0	-0.9	0	84.2	2.79	100	8279	98.72	84.8
2023-04-14 16:30:00	466.2	0	0	0	2	7.81	11.27	83.3	28.5	98.76	-0.2	-0.7	0	84.3	2.78	100	8279	98.72	85
2023-04-14 16:35:00	418.6	0	0	0	17	8.55	13.76	83.4	28.3	98.76	0.1	-1	0	84.3	2.8	100	8278	98.71	84.8
2023-04-14 16:40:00	404	0	0	0	16	8.19	14.65	83	29	98.76	-0.1	-0.9	0	84.1	2.74	100	8276	98.71	84.6
2023-04-14 16:45:00	360.8	0	0	0	14	9.33	13.49	82.8	28.6	98.76	-0.1	-0.8	0	83.6	2.73	100	8273	98.71	84.2
2023-04-14 16:50:00	417.2	0	0	0	19	8.32	13.78	82.3	29	98.76	-0.2	-0.8	0	83.3	2.68	100	8272	98.71	84.1
2023-04-14 16:55:00	412.6	0	0	0	8	11.5	15.43	82.4	28	98.75	-0.2	-1	0	83.3	2.72	100	8268	98.7	84.1
2023-04-14 17:00:00	437.6	0	0	0	352	11.34	15.43	82.4	28.2	98.74	0.1	-0.9	0	83.2	2.71	100	8267	98.69	83.9
2023-04-14 17:05:00	427.4	0	0	0	352	11.88	16.46	82.4	27.8	98.74	-0.3	-1	0	83.2	2.73	100	8265	98.69	84
2023-04-14 17:10:00	372.4	0	0	0	350	12.03	23.4	82.3	27.9	98.74	0	-1.1	0	83.1	2.72	100	8266	98.69	83.8
2023-04-14 17:15:00	335	0	0	0	3	10.96	15.12	82	28.2	98.75	0	-0.8	0	82.9	2.68	100	8263	98.69	83.6
2023-04-14 17:20:00	339.4	0	0	0	1	10.83	14.67	81.9	27.9	98.74	-0.1	-1.1	0	82.7	2.68	100	8263	98.69	83.4
2023-04-14 17:25:00	340.8	0	0	0	2	10.92	15.1	81.7	27.8	98.74	-0.2	-0.9	0	82.4	2.67	100	8262	98.69	83.4
2023-04-14 17:30:00	296.2	0	0	0	13	9.64	13.98	81.4	27.5	98.75	-0.2	-0.8	0	82.1	2.66	100	8257	98.69	82.9
2023-04-14 17:35:00	343.6	0	0	0	6	9.78	14.79	81.2	27.8	98.75	0	-0.9	0	82	2.62	100	8258	98.69	82.9
2023-04-14 17:40:00	331	0	0	0	4	9.53	12.8	81	27.9	98.74	-0.1	-0.6	0	81.9	2.6	100	8256	98.7	83.2
2023-04-14 17:45:00	291.2	0	0	0	15	9.15	14.38	81	27.9	98.75	0	-0.8	0	81.8	2.6	100	8257	98.7	83.1
2023-04-14 17:50:00	245.6	0	0	0	9	9.06	13.44	81	27.9	98.75	0.1	-0.8	0	81.6	2.6	100	8253	98.7	82.9
2023-04-14 17:55:00	215.4	0	0	0	17	8.01	11.9	80.8	28.1	98.75	-0.2	-0.9	0	81.4	2.58	100	8251	98.7	82.5

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-14 18:00:00	188.6	0	0	0	30	7.47	9.91	80.5	28.5	98.76	-0.1	-0.9	0	81	2.53	100	8248	98.7	82.1
2023-04-14 18:05:00	204.8	0	0	0	34	6.64	9.91	80.1	29.3	98.76	-0.1	-0.8	0	80.7	2.48	100	8249	98.7	82.1
2023-04-14 18:10:00	181.4	0	0	0	45	6.15	8.59	79.9	29.7	98.76	-0.2	-0.7	0	80.5	2.45	100	8248	98.7	82.1
2023-04-14 18:15:00	150	0	0	0	31	7.09	9.26	79.6	29.3	98.75	-0.2	-0.8	0	80	2.44	100	8248	98.69	81.6
2023-04-14 18:20:00	117.2	0	0	0	43	7.07	9.98	79.2	29.6	98.76	-0.2	-0.9	0	79.5	2.4	100	8244	98.7	80.8
2023-04-14 18:25:00	121.2	0	0	0	41	7.11	9.75	78.7	29.4	98.76	-0.1	-0.8	0	79.1	2.36	100	8242	98.69	80.2
2023-04-14 18:30:00	104	0	0	0	23	7.27	9.8	78.2	29.8	98.76	-0.1	-0.8	0	78.4	2.31	100	8242	98.69	79.6
2023-04-14 18:35:00	91.2	0	0	0	22	7.07	10.33	77.8	30.2	98.76	-0.2	-0.9	0	78	2.27	100	8240	98.69	79.1
2023-04-14 18:40:00	91.4	0	0	0	19	6.6	8.37	77.4	30.7	98.76	-0.2	-0.8	0	77.7	2.23	100	8236	98.69	78.5
2023-04-14 18:45:00	84.2	0	0	0	18	6.82	9.15	77.1	31.1	98.75	-0.3	-0.8	0	77.4	2.19	100	8238	98.69	78.2
2023-04-14 18:50:00	71.4	0	0	0	13	7.02	8.93	76.8	31.4	98.75	-0.2	-0.9	0	77	2.16	100	8232	98.68	77.7
2023-04-14 18:55:00	62.6	0	0	0	19	6.71	8.7	76.4	31.6	98.75	-0.1	-0.6	0	76.6	2.12	100	8234	98.68	77.2
2023-04-14 19:00:00	53.2	0	0	0	11	6.35	9.6	76.2	31.8	98.75	-0.2	-0.8	0	76.3	2.1	100	8233	98.68	76.6
2023-04-14 19:05:00	44.6	0	0	0	22	5.86	8.86	75.7	32.3	98.75	-0.2	-0.7	0	75.9	2.05	100	8229	98.68	76.1
2023-04-14 19:10:00	37.8	0	0	0	24	6.15	8.5	75.4	32.4	98.76	-0.2	-0.7	0	75.5	2.03	100	8229	98.69	75.6
2023-04-14 19:15:00	29	0	0	0	16	5.19	7.07	75.1	33	98.76	-0.3	-0.8	0	75.2	1.99	100	8226	98.69	75.1
2023-04-14 19:20:00	22	0	0	0	11	6.06	7.47	74.7	33.3	98.76	-0.2	-0.7	0	74.8	1.95	100	8226	98.69	74.5
2023-04-14 19:25:00	16	0	0	0	8	4.72	7.38	74.3	33.5	98.76	-0.2	-0.8	0	74.4	1.93	100	8225	98.69	74
2023-04-14 19:30:00	10	0	0	0	351	4.7	5.84	73.9	33.9	98.76	-0.3	-0.7	0	73.9	1.89	100	8222	98.69	73.5
2023-04-14 19:35:00	6.2	0	0	0	334	3.31	4.79	73.3	35	98.76	-0.3	-0.7	0	73.3	1.82	100	8222	98.69	72.9
2023-04-14 19:40:00	3.4	0	0	0	338	4.47	5.7	72.9	34.9	98.75	-0.2	-0.8	0	72.9	1.8	100	8219	98.68	72.3
2023-04-14 19:45:00	4.6	0	0	0	1	4.63	6.42	72.5	34.9	98.76	-0.2	-0.8	0	72.5	1.77	100	8219	98.69	71.8
2023-04-14 19:50:00	4.2	0	0	0	356	4.54	5.88	72.1	34.8	98.76	-0.3	-0.7	0	72.1	1.75	100	8219	98.69	71.3
2023-04-14 19:55:00	0.6	0	0	0	358	5.19	6.53	71.7	34.6	98.75	-0.3	-0.6	0	71.7	1.73	100	8219	98.69	71
2023-04-14 20:00:00	0	0	0	0	6	3.94	5.46	71.5	34.6	98.76	-0.3	-0.7	0	71.5	1.72	100	8217	98.69	70.7
2023-04-14 20:05:00	0	0	0	0	3	4.21	5.84	71.2	34.5	98.77	-0.3	-0.7	0	71.2	1.71	100	8216	98.7	70.4
2023-04-14 20:10:00	0	0	0	0	354	4.68	6.29	71	34.7	98.77	-0.3	-0.8	0	71	1.69	100	8214	98.7	70.1
2023-04-14 20:15:00	0	0	0	0	356	5.99	8.16	70.7	34.7	98.78	-0.4	-0.7	0	70.7	1.67	100	8214	98.7	69.7
2023-04-14 20:20:00	0	0	0	0	352	7.47	9.95	70.6	34.7	98.77	-0.3	-0.7	0	70.6	1.67	100	8213	98.7	69.6
2023-04-14 20:25:00	0	0	0	0	355	6.08	7.65	70.3	34.6	98.77	-0.2	-0.7	0	70.3	1.66	100	8213	98.71	69.4
2023-04-14 20:30:00	0	0	0	0	11	4.54	6.35	70.1	34.7	98.79	-0.3	-0.7	0	70.1	1.64	100	8210	98.71	69.2
2023-04-14 20:35:00	0	0	0	0	15	4.45	5.88	69.9	35.1	98.79	-0.3	-0.7	0	69.9	1.62	100	8209	98.72	68.9
2023-04-14 20:40:00	0	0	0	0	17	4.52	5.61	69.7	35.1	98.79	-0.3	-0.7	0	69.7	1.61	100	8210	98.73	68.6
2023-04-14 20:45:00	0	0	0	0	48	3.53	5.19	69.4	35.4	98.8	-0.3	-0.6	0	69.4	1.59	100	8207	98.73	68.3
2023-04-14 20:50:00	0	0	0	0	56	4	5.01	69.3	35.8	98.8	-0.4	-0.7	0	69.3	1.57	100	8208	98.73	68
2023-04-14 20:55:00	0	0	0	0	26	4.61	6.44	69	36.4	98.8	-0.3	-0.7	0	69	1.54	100	8206	98.73	67.8
2023-04-14 21:00:00	0	0	0	0	45	4.88	6.62	68.8	36.9	98.8	-0.4	-0.7	0	68.8	1.52	100	8206	98.74	67.6
2023-04-14 21:05:00	0	0	0	0	46	4.72	6.2	68.6	37.9	98.8	-0.4	-0.5	0	68.6	1.48	100	8203	98.73	67.4
2023-04-14 21:10:00	0	0	0	0	55	4.14	5.82	68.4	38.5	98.8	-0.4	-0.7	0	68.4	1.46	100	8204	98.74	67.2
2023-04-14 21:15:00	0	0	0	0	43	4.92	7.54	68.3	38.9	98.8	-0.4	-0.7	0	68.3	1.44	100	8203	98.73	66.9
2023-04-14 21:20:00	0	0	0	0	13	4.12	5.59	68.1	39.6	98.79	-0.3	-0.7	0	68	1.41	100	8203	98.72	66.7
2023-04-14 21:25:00	0	0	0	0	38	3.2	5.1	67.6	39.8	98.8	-0.4	-0.8	0	67.6	1.39	100	8202	98.73	66.4
2023-04-14 21:30:00	0	0	0	0	90	5.53	7.25	67.5	40.4	98.8	-0.4	-0.7	0	67.5	1.37	100	8200	98.74	66.2
2023-04-14 21:35:00	0	0	0	0	107	4.72	6.73	67.2	42.6	98.8	-0.3	-0.7	0	67.2	1.31	100	8203	98.73	66.1
2023-04-14 21:40:00	0	0	0	0	88	5.21	6.69	67.2	41.6	98.8	-0.3	-0.6	0	67.2	1.33	100	8200	98.73	66
2023-04-14 21:45:00	0	0	0	0	90	5.28	6.98	67.2	41.4	98.8	-0.4	-0.7	0	67.2	1.33	100	8199	98.73	65.9
2023-04-14 21:50:00	0	0	0	0	93	4.12	6.35	67.2	42	98.8	-0.4	-0.7	0	67.2	1.32	100	8197	98.74	65.8
2023-04-14 21:55:00	0	0	0	0	93	3.83	5.35	67.1	42.5	98.8	-0.3	-0.6	0	67.1	1.3	100	8198	98.74	65.6
2023-04-14 22:00:00	0	0	0	0	112	5.01	7.09	66.8	42.4	98.81	-0.4	-0.7	0	66.8	1.29	100	8196	98.74	65.5
2023-04-14 22:05:00	0	0	0	0	98	5.03	6.64	66.8	42.3	98.81	-0.3	-0.7	0	66.8	1.29	100	8197	98.74	65.5
2023-04-14 22:10:00	0	0	0	0	83	3.78	5.1	66.8	42.4	98.81	-0.3	-0.7	0	66.8	1.29	100	8195	98.74	65.5
2023-04-14 22:15:00	0	0	0	0	84	3.4	4.18	66.7	42.6	98.81	-0.4	-0.7	0	66.7	1.28	100	8195	98.74	65.3
2023-04-14 22:20:00	0	0	0	0	95	3.98	5.97	66.6	42.7	98.81	-0.3	-0.7	0	66.6	1.27	100	8194	98.74	65
2023-04-14 22:25:00	0	0	0	0	118	4.05	5.88	66.4	43.6	98.81	-0.4	-0.6	0	66.4	1.25	100	8194	98.75	65
2023-04-14 22:30:00	0	0	0	0	114	4.29	7.4	66.3	44.5	98.82	-0.3	-0.6	0	66.3	1.22	100	8193	98.75	64.9
2023-04-14 22:35:00	0	0	0	0	115	4.72	7.76	66.2	44.1	98.82	-0.4	-0.6	0	66.2	1.22	100	8192	98.76	64.9
2023-04-14 22:40:00	0	0	0	0	106	5.17	7.14	66.1	44.1	98.82	-0.3	-0.6	0	66.1	1.22	100	8191	98.76	64.8
2023-04-14 22:45:00	0	0	0	0	101	5.21	6.93	66	44	98.82	-0.4	-0.7	0	66	1.22	100	8190	98.76	64.7
2023-04-14 22:50:00	0	0	0	0	94	4.85	6.17	65.9	44	98.82	-0.5	-0.6	0	65.9	1.22	100	8192	98.75	64.7
2023-04-14 22:55:00	0	0	0	0	104	5.82	8.84	65.9	43.9	98.82	-0.3	-0.7	0	65.9	1.22	100	8191	98.76	64.7

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-14 23:00:00	0	0	0	0	101	5.73	7.09	66	43.6	98.82	-0.4	-0.7	0	66	1.23	100	8189	98.76	64.7
2023-04-14 23:05:00	0	0	0	0	100	4.99	6.22	66	44	98.82	-0.4	-0.7	0	66	1.22	100	8189	98.75	64.6
2023-04-14 23:10:00	0	0	0	0	106	4.56	6.4	65.8	44.3	98.82	-0.3	-0.6	0	65.8	1.2	100	8190	98.75	64.5
2023-04-14 23:15:00	0	0	0	0	102	5.32	7.14	65.6	44.2	98.82	-0.4	-0.6	0	65.6	1.2	100	8187	98.75	64.4
2023-04-14 23:20:00	0	0	0	0	99	3.96	5.79	65.5	44.5	98.81	-0.4	-0.7	0	65.5	1.19	100	8187	98.74	64.3
2023-04-14 23:25:00	0	0	0	0	104	3.76	4.68	65.4	44.8	98.81	-0.2	-0.6	0	65.4	1.18	100	8186	98.74	64.1
2023-04-14 23:30:00	0	0	0	0	108	3.8	4.9	65.2	44.9	98.8	-0.4	-0.7	0	65.2	1.17	100	8184	98.73	63.9
2023-04-14 23:35:00	0	0	0	0	98	4.47	5.44	65.1	44.8	98.79	-0.4	-0.7	0	65.1	1.17	100	8188	98.73	63.8
2023-04-14 23:40:00	0	0	0	0	101	3.31	4.32	65	45.7	98.79	-0.3	-0.7	0	65	1.14	100	8184	98.72	63.7
2023-04-14 23:45:00	0	0	0	0	105	2.86	4.12	64.8	45.9	98.79	-0.4	-0.7	0	64.8	1.13	100	8186	98.72	63.5
2023-04-14 23:50:00	0	0	0	0	111	2.91	3.87	64.5	45.7	98.79	-0.4	-0.7	0	64.5	1.12	100	8182	98.72	63.3
2023-04-14 23:55:00	0	0	0	0	117	2.77	4.03	64.4	46	98.79	-0.5	-0.7	0	64.4	1.11	100	8181	98.72	63.1
2023-04-15 00:00:00	0	0	0	0	157	3.51	4.63	64.2	46.9	98.79	-0.4	-0.7	0	64.2	1.09	100	8181	98.72	62.8
2023-04-15 00:05:00	0	0	0	0	159	3.87	4.27	64.1	46.4	98.79	-0.4	-0.7	0	64.1	1.1	100	8163	98.72	62.9
2023-04-15 00:10:00	0	0	0	0	161	4.25	4.85	64	46.5	98.79	-0.5	-0.7	0	64.1	1.09	100	8158	98.72	63
2023-04-15 00:15:00	0	0	0	0	165	4.12	4.41	64	46.6	98.79	-0.3	-0.6	0	64	1.09	100	8150	98.72	63
2023-04-15 00:20:00	0	0	0	0	160	3.87	4.59	64	46.3	98.79	-0.3	-0.5	0	64	1.09	100	8165	98.72	62.9
2023-04-15 00:25:00	0	0	0	0	156	3.42	4.05	64	46.5	98.79	-0.4	-0.7	0	64	1.09	100	8165	98.72	62.7
2023-04-15 00:30:00	0	0	0	0	157	3.29	3.6	64	46.8	98.79	-0.4	-0.7	0	64	1.08	100	8163	98.72	62.3
2023-04-15 00:35:00	0	0	0	0	163	3.87	5.26	63.7	46.8	98.79	-0.5	-0.6	0	63.7	1.07	100	8164	98.72	62.1
2023-04-15 00:40:00	0	0	0	0	167	5.1	5.73	63.8	47.2	98.79	-0.4	-0.7	0	63.8	1.07	100	8164	98.72	62.1
2023-04-15 00:45:00	0	0	0	0	174	4.72	5.37	63.8	46.9	98.78	-0.3	-0.7	0	63.8	1.07	100	8163	98.72	62.1
2023-04-15 00:50:00	0	0	0	0	169	4.99	6.02	63.9	46.8	98.78	-0.4	-0.7	0	63.9	1.08	100	8165	98.72	62.1
2023-04-15 00:55:00	0	0	0	0	170	5.66	6.2	64.1	46.8	98.78	-0.3	-0.5	0	64.1	1.09	100	8164	98.72	62.2
2023-04-15 01:00:00	0	0	0	0	173	5.88	6.42	64	46.7	98.79	-0.5	-0.7	0	64	1.08	100	8162	98.72	62
2023-04-15 01:05:00	0	0	0	0	173	6.11	6.49	64.1	47	98.79	-0.3	-0.7	0	64.1	1.08	100	8162	98.73	61.8
2023-04-15 01:10:00	0	0	0	0	174	5.77	6.2	64	47	98.79	-0.4	-0.7	0	64	1.08	100	8163	98.73	61.6
2023-04-15 01:15:00	0	0	0	0	175	5.91	6.53	63.9	47	98.79	-0.5	-0.7	0	63.9	1.07	100	8163	98.73	61.5
2023-04-15 01:20:00	0	0	0	0	172	7.11	7.92	63.9	47.3	98.8	-0.4	-0.6	0	63.9	1.07	100	8163	98.74	61.4
2023-04-15 01:25:00	0	0	0	0	167	6.29	7.23	63.6	47.9	98.81	-0.4	-0.6	0	63.6	1.05	100	8161	98.74	61.3
2023-04-15 01:30:00	0	0	0	0	169	6.26	6.87	63.1	48.2	98.81	-0.4	-0.7	0	63.1	1.02	100	8160	98.74	60.9
2023-04-15 01:35:00	0	0	0	0	176	6.51	7.02	63	48.6	98.8	-0.4	-0.7	0	63	1.01	100	8162	98.74	60.7
2023-04-15 01:40:00	0	0	0	0	181	6.06	6.76	63	49	98.8	-0.4	-0.7	0	63	1	100	8159	98.74	60.7
2023-04-15 01:45:00	0	0	0	0	187	5.66	6.31	63.1	48.9	98.8	-0.4	-0.6	0	63.1	1.01	100	8158	98.74	60.7
2023-04-15 01:50:00	0	0	0	0	190	5.3	5.79	63.1	49.2	98.8	-0.4	-0.7	0	63.1	1	100	8159	98.74	60.6
2023-04-15 01:55:00	0	0	0	0	192	5.1	6.24	63.1	49	98.79	-0.4	-0.6	0	63.1	1	100	8161	98.73	60.6
2023-04-15 02:00:00	0	0	0	0	199	3.65	4.23	63.1	48.6	98.79	-0.3	-0.6	0	63.1	1.01	100	8160	98.72	60.4
2023-04-15 02:05:00	0	0	0	0	300	1.7	2.17	63.1	49.6	98.78	-0.4	-0.7	0	63	0.99	100	8160	98.71	60.3
2023-04-15 02:10:00	0	0	0	0	337	1.59	2.06	62.6	51.1	98.77	-0.4	-0.7	0	62.6	0.95	100	8157	98.7	59.9
2023-04-15 02:15:00	0	0	0	0	315	1.21	1.72	61.9	51.7	98.76	-0.4	-0.7	0	61.9	0.91	100	8159	98.69	59.5
2023-04-15 02:20:00	0	0	0	0	340	1.99	2.73	61.5	52.1	98.75	-0.4	-0.6	0	61.5	0.89	100	8156	98.68	59.4
2023-04-15 02:25:00	0	0	0	0	351	2.46	3.29	61.2	52.5	98.73	-0.5	-0.7	0	61.2	0.87	100	8156	98.67	59.1
2023-04-15 02:30:00	0	0	0	0	342	2.37	3.44	60.9	52.7	98.72	-0.6	-0.6	0	60.9	0.86	100	8156	98.66	59.1
2023-04-15 02:35:00	0	0	0	0	350	2.21	3.22	60.9	52.9	98.72	-0.4	-0.6	0	60.9	0.86	100	8156	98.65	59.1
2023-04-15 02:40:00	0	0	0	0	342	1.54	2.57	60.9	52.6	98.71	-0.4	-0.7	0	60.9	0.87	100	8154	98.65	59.2
2023-04-15 02:45:00	0	0	0	0	5	0.85	1.88	60.8	52.5	98.71	-0.5	-0.6	0	60.8	0.86	100	8155	98.65	59.2
2023-04-15 02:50:00	0	0	0	0	155	1.16	2.21	60.8	52.9	98.71	-0.4	-0.7	0	60.8	0.85	100	8153	98.65	59.2
2023-04-15 02:55:00	0	0	0	0	133	1.61	2.44	61.1	52.7	98.72	-0.5	-0.7	0	61.1	0.87	100	8153	98.65	59.3
2023-04-15 03:00:00	0	0	0	0	124	0.63	1.34	61.2	53.3	98.72	-0.5	-0.7	0	61.2	0.86	100	8154	98.65	59.3
2023-04-15 03:05:00	0	0	0	0	351	1.01	1.66	61.1	53.2	98.72	-0.4	-0.6	0	61.1	0.86	100	8152	98.65	59.2
2023-04-15 03:10:00	0	0	0	0	353	1.28	2.26	60.9	53.6	98.72	-0.5	-0.7	0	60.9	0.85	100	8154	98.65	59
2023-04-15 03:15:00	0	0	0	0	357	2.35	3	60.6	54.4	98.71	-0.5	-0.8	0	60.6	0.82	100	8153	98.64	58.8
2023-04-15 03:20:00	0	0	0	0	5	2.68	3.38	60.3	55	98.7	-0.4	-0.5	0	60.3	0.8	100	8150	98.64	58.6
2023-04-15 03:25:00	0	0	0	0	24	2.57	3.94	60.1	55.4	98.7	-0.5	-0.7	0	60.2	0.79	100	8152	98.64	58.6
2023-04-15 03:30:00	0	0	0	0	51	2.53	4.99	60.2	54.2	98.7	-0.5	-0.7	0	60.3	0.82	100	8150	98.63	58.7
2023-04-15 03:35:00	0	0	0	0	6	2.64	5.01	60.6	54.4	98.7	-0.4	-0.7	0	60.6	0.82	100	8150	98.63	58.9
2023-04-15 03:40:00	0	0	0	0	342	2.26	4.36	60.6	54.7	98.69	-0.4	-0.5	0	60.6	0.82	100	8152	98.63	59
2023-04-15 03:45:00	0	0	0	0	343	2.98	3.85	60.5	55.3	98.69	-0.4	-0.5	0	60.5	0.8	100	8151	98.62	58.9
2023-04-15 03:50:00	0	0	0	0	348	1.81	3.67	60.2	55.9	98.68	-0.4	-0.6	0	60.2	0.78	100	8150	98.62	58.7
2023-04-15 03:55:00	0	0	0	0	158	2.98	5.91	59.9	56.4	98.69	-0.5	-0.5	0	59.9	0.77	100	8153	98.62	58.6

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-15 04:00:00	0	0	0	0	185	7.65	9.51	59.5	61.2	98.69	-0.4	-0.5	0	59.5	0.67	100	8149	98.62	58.3
2023-04-15 04:05:00	0	0	0	0	192	5.73	8.01	58.4	64.3	98.68	-0.5	-0.7	0	58.4	0.6	100	8149	98.63	57.5
2023-04-15 04:10:00	0	0	0	0	184	5.06	7.11	57.8	62.1	98.69	-0.4	-0.6	0	57.8	0.62	100	8150	98.63	57.2
2023-04-15 04:15:00	0	0	0	0	184	5.12	7.07	58.1	62.7	98.69	-0.5	-0.6	0	58.1	0.62	100	8150	98.63	57.1
2023-04-15 04:20:00	0	0	0	0	183	6.55	7.78	58	62.3	98.69	-0.4	-0.5	0	58	0.62	100	8144	98.63	57.1
2023-04-15 04:25:00	0	0	0	0	183	5.14	5.68	58	61.7	98.69	-0.5	-0.6	0	58	0.63	100	8146	98.63	57.1
2023-04-15 04:30:00	0	0	0	0	175	5.1	6.08	58.2	61.2	98.68	-0.4	-0.5	0	58.2	0.64	100	8147	98.62	57.2
2023-04-15 04:35:00	0	0	0	0	174	4.68	5.01	58.4	60.8	98.67	-0.4	-0.6	0	58.4	0.65	100	8144	98.61	57.3
2023-04-15 04:40:00	0	0	0	0	181	3.71	5.21	58.7	59.5	98.67	-0.5	-0.6	0	58.7	0.68	100	8146	98.61	57.5
2023-04-15 04:45:00	0	0	0	0	188	1.19	2.48	58.8	60.4	98.67	-0.5	-0.6	0	58.9	0.67	100	8146	98.61	57.5
2023-04-15 04:50:00	0	0	0	0	246	1.16	3.11	58.6	61.5	98.68	-0.5	-0.6	0	58.6	0.65	100	8145	98.61	57.3
2023-04-15 04:55:00	0	0	0	0	205	4.85	7.07	58.6	60.2	98.68	-0.4	-0.6	0	58.6	0.67	100	8144	98.62	57.3
2023-04-15 05:00:00	0	0	0	0	288	3.51	5.06	58.6	62.6	98.68	-0.4	-0.6	0	58.6	0.63	100	8145	98.62	57.2
2023-04-15 05:05:00	0	0	0	0	297	3.42	4.59	58.2	67.5	98.68	-0.5	-0.5	0	58.1	0.54	100	8144	98.62	56.8
2023-04-15 05:10:00	0	0	0	0	316	2.62	3.24	57.5	68.9	98.67	-0.4	-0.7	0	57.5	0.5	100	8144	98.61	56.3
2023-04-15 05:15:00	0	0	0	0	306	2.8	3.22	57	67.9	98.67	-0.5	-0.6	0	57	0.51	100	8141	98.61	56.1
2023-04-15 05:20:00	0	0	0	0	292	4.07	4.88	56.8	67.4	98.67	-0.5	-0.6	0	56.7	0.51	100	8142	98.61	56.1
2023-04-15 05:25:00	0	0	0	0	295	4.32	4.99	56.7	66.4	98.68	-0.4	-0.7	0	56.7	0.53	100	8143	98.62	56.1
2023-04-15 05:30:00	0	0	0	0	291	4.05	4.83	56.8	65.7	98.68	-0.5	-0.6	0	56.8	0.54	100	8141	98.62	56.1
2023-04-15 05:35:00	0	0	0	0	290	4.12	5.06	56.8	65	98.68	-0.5	-0.6	0	56.7	0.55	100	8142	98.63	56.2
2023-04-15 05:40:00	0	0	0	0	300	3.94	4.52	56.8	66.3	98.69	-0.5	-0.7	0	56.8	0.53	100	8142	98.63	56
2023-04-15 05:45:00	0	0	0	0	304	4.03	4.61	56.6	67.8	98.69	-0.5	-0.5	0	56.6	0.5	100	8142	98.63	55.8
2023-04-15 05:50:00	0	0	0	0	324	3.89	5.46	56.3	68.3	98.69	-0.4	-0.6	0	56.3	0.49	100	8141	98.64	55.5
2023-04-15 05:55:00	0	0	0	0	314	3	4.97	56.1	66.7	98.71	-0.5	-0.6	0	56.1	0.51	100	8140	98.65	55.4
2023-04-15 06:00:00	0	0	0	0	221	1.07	1.45	56	67	98.72	-0.5	-0.6	0	56	0.51	100	8139	98.67	55.3
2023-04-15 06:05:00	0	0	0	0	294	1.12	2.48	55.9	67.9	98.73	-0.5	-0.6	0	55.8	0.49	100	8140	98.67	55.1
2023-04-15 06:10:00	1.2	0	0	0	10	3.56	4.94	55.6	69.2	98.72	-0.5	-0.6	0	55.6	0.46	100	8140	98.66	54.9
2023-04-15 06:15:00	3.8	0	0	0	6	3.85	5.41	55.4	70.9	98.72	-0.5	-0.6	0	55.4	0.43	100	8140	98.66	54.7
2023-04-15 06:20:00	5.8	0	0	0	9	4.41	5.48	55.3	68.9	98.72	-0.7	-0.6	0	55.3	0.46	100	8140	98.67	54.6
2023-04-15 06:25:00	9.2	0	0	0	3	4.38	5.59	55.1	68.9	98.72	-0.7	-0.6	0	55.2	0.46	100	8138	98.67	54.5
2023-04-15 06:30:00	14.8	0	0	0	42	2.89	4.25	55	69.1	98.73	-0.7	-0.5	0	55.2	0.46	100	8140	98.68	54.4
2023-04-15 06:35:00	17	0	0	0	73	2.59	3.94	55	69.1	98.74	-0.5	-0.6	0	55	0.46	100	8137	98.69	54.3
2023-04-15 06:40:00	22.8	0	0	0	79	2.57	3.4	55.1	70.4	98.75	-0.6	-0.6	0	55.2	0.44	100	8137	98.7	54.2
2023-04-15 06:45:00	27.2	0	0	0	61	2.06	3.11	55	70.1	98.76	-0.6	-0.6	0	55.1	0.44	100	8140	98.71	54.2
2023-04-15 06:50:00	31.2	0	0	0	327	2.26	4.79	54.9	70.3	98.76	-0.6	-0.5	0	55	0.44	100	8135	98.71	54.1
2023-04-15 06:55:00	35	0	0	0	297	3.42	4.03	54.8	71.6	98.75	-0.6	-0.6	0	54.9	0.42	100	8140	98.71	54
2023-04-15 07:00:00	39.8	0	0	0	311	3.09	3.65	54.6	74	98.75	-0.6	-0.5	0	54.8	0.38	100	8137	98.7	53.8
2023-04-15 07:05:00	46.6	0	0	0	340	4.41	5.46	54.4	75.7	98.75	-0.4	-0.5	0	54.6	0.35	100	8137	98.7	53.7
2023-04-15 07:10:00	48.8	0	0	0	352	5.12	6.29	54.3	76.3	98.74	-0.6	-0.5	0	54.5	0.34	100	8137	98.69	53.6
2023-04-15 07:15:00	53	0	0	0	350	4.21	5.3	54	74.8	98.74	-0.6	-0.6	0	54.2	0.36	100	8141	98.69	53.6
2023-04-15 07:20:00	58.8	0	0	0	332	3.42	5.12	54.1	74.2	98.74	-0.6	-0.6	0	54.3	0.37	100	8141	98.69	53.6
2023-04-15 07:25:00	66.2	0	0	0	345	3.76	4.65	54.1	74.1	98.73	-0.5	-0.6	0	54.4	0.37	100	8140	98.69	53.7
2023-04-15 07:30:00	72.8	0	0	0	345	2.44	3.65	54	75	98.73	-0.6	-0.6	0	54.3	0.36	100	8141	98.69	53.7
2023-04-15 07:35:00	81.4	0	0	0	349	1.83	2.93	54	75	98.74	-0.6	-0.6	0	54.5	0.36	100	8140	98.7	53.9
2023-04-15 07:40:00	96.8	0	0	0	109	0.67	1.36	54	74.4	98.74	-0.7	-0.6	0	54.8	0.36	100	8142	98.7	54
2023-04-15 07:45:00	123.8	0	0	0	18	2.37	4.29	54.4	73.1	98.73	-0.6	-0.6	0	55.2	0.39	100	8145	98.69	54.3
2023-04-15 07:50:00	141.4	0	0	0	321	2.62	3.78	55.1	72.2	98.73	-0.6	-0.6	0	55.8	0.41	100	8151	98.69	54.8
2023-04-15 07:55:00	160	0	0	0	265	1.05	1.72	55.4	72.1	98.73	-0.5	-0.6	0	56.4	0.42	100	8156	98.69	55.4
2023-04-15 08:00:00	173	0	0	0	280	2.28	4.16	56.1	71.3	98.73	-0.5	-0.5	0	57.2	0.44	100	8161	98.7	56.2
2023-04-15 08:05:00	193.4	0	0	0	298	2.28	3.89	56.9	70.2	98.74	-0.5	-0.6	0	57.8	0.47	100	8166	98.71	56.8
2023-04-15 08:10:00	240.8	0	0	0	260	1.14	2.3	57	70.8	98.74	-0.5	-0.6	0	58.7	0.46	100	8172	98.72	57.6
2023-04-15 08:15:00	264.2	0	0	0	282	1.07	2.08	58	71	98.74	-0.4	-0.6	0	60	0.48	100	8180	98.72	58.7
2023-04-15 08:20:00	286.6	0	0	0	215	2.62	4.23	59.6	67.9	98.74	-0.4	-0.7	0	61.2	0.56	100	8188	98.72	60
2023-04-15 08:25:00	330	0	0	0	205	3.65	5.41	60.8	65.5	98.74	-0.4	-0.7	0	62.2	0.63	100	8198	98.72	61
2023-04-15 08:30:00	335.2	0	0	0	241	2.26	3.33	61.4	64.6	98.73	-0.4	-0.6	0	63.1	0.66	100	8206	98.72	62
2023-04-15 08:35:00	355.6	0	0	0	305	3.29	5.55	62.2	62.9	98.73	-0.3	-0.5	0	63.9	0.71	100	8215	98.71	62.9
2023-04-15 08:40:00	345	0	0	0	335	3.62	6.33	63.3	60.8	98.73	-0.4	-0.7	0	64.8	0.78	100	8221	98.72	63.8
2023-04-15 08:45:00	366	0	0	0	332	3.31	6.33	63.9	59.1	98.73	-0.5	-0.7	0	65.4	0.83	100	8231	98.72	64.6
2023-04-15 08:50:00	374.4	0	0	0	315	3.58	4.99	64.8	57.8	98.74	-0.3	-0.5	0	66.3	0.88	100	8238	98.73	65.4
2023-04-15 08:55:00	372.8	0	0	0	309	2.19	3.94	65.3	57	98.74	-0.3	-0.6	0	67.1	0.92	100	8246	98.74	66.2

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-15 09:00:00	388.6	0	0	0	347	1.16	2.33	65.9	56.5	98.73	-0.2	-0.6	0	68.3	0.95	100	8257	98.73	67.3
2023-04-15 09:05:00	420	0	0	0	312	1.59	3.27	67.3	53.9	98.73	-0.2	-0.5	0	69.6	1.05	100	8262	98.73	68.4
2023-04-15 09:10:00	441.6	0	0	0	7	1.77	3	68.4	51.7	98.74	-0.3	-0.7	0	70.5	1.14	100	8269	98.73	69.5
2023-04-15 09:15:00	471	0	0	0	309	3	6.02	69.6	50.2	98.73	-0.1	-0.7	0	71.4	1.23	100	8278	98.73	70.4
2023-04-15 09:20:00	493	0	0	0	314	3.96	5.95	70.1	48.4	98.73	-0.2	-0.7	0	71.6	1.3	100	8282	98.72	70.9
2023-04-15 09:25:00	520.2	0	0	0	308	3.8	5.95	70.4	46.8	98.72	-0.2	-0.7	0	71.8	1.35	100	8292	98.71	71.4
2023-04-15 09:30:00	544.4	0	0	0	277	3.76	6.15	70.8	46.8	98.72	-0.2	-0.7	0	72.2	1.37	100	8300	98.71	71.9
2023-04-15 09:35:00	558	0	0	0	295	5.03	6.82	71.1	46.2	98.71	-0.3	-0.7	0	72.5	1.4	100	8306	98.7	72.3
2023-04-15 09:40:00	569	0	0	0	303	4.94	6.6	71.6	45	98.71	-0.2	-0.7	0	72.9	1.45	100	8312	98.7	72.9
2023-04-15 09:45:00	574.2	0	0	0	306	5.08	7.85	71.9	43.7	98.7	-0.1	-0.7	0	73.2	1.5	100	8320	98.7	73.4
2023-04-15 09:50:00	577.6	0	0	0	317	3.58	5.95	72.2	44.1	98.71	-0.2	-0.8	0	73.6	1.51	100	8324	98.7	74
2023-04-15 09:55:00	565.2	0	0	0	296	3.47	6.64	72.7	43.3	98.7	-0.2	-0.8	0	74.3	1.55	100	8327	98.69	74.6
2023-04-15 10:00:00	556.8	0	0	0	296	3.94	6.8	73.4	42.9	98.7	-0.2	-0.7	0	74.9	1.6	100	8333	98.69	75.1
2023-04-15 10:05:00	558.2	0	0	0	269	2.01	4.76	73.7	43.4	98.69	-0.1	-0.7	0	75.5	1.6	100	8339	98.69	75.8
2023-04-15 10:10:00	554.4	0	0	0	286	3.38	6.49	74.7	43.3	98.69	-0.1	-0.7	0	76.3	1.66	100	8344	98.69	76.4
2023-04-15 10:15:00	542.6	0	0	0	281	3.06	4.92	75.2	42.4	98.69	-0.1	-0.7	0	76.9	1.72	100	8349	98.69	76.8
2023-04-15 10:20:00	542	0	0	0	293	3.11	6.31	75.6	42.4	98.68	-0.1	-0.7	0	77.1	1.74	100	8353	98.68	77.1
2023-04-15 10:25:00	584.2	0	0	0	293	4.5	7.18	76.2	41.4	98.68	-0.2	-0.7	0	77.6	1.81	100	8359	98.67	77.5
2023-04-15 10:30:00	622.2	0	0	0	279	3.4	5.66	76.4	41.4	98.67	-0.2	-0.6	0	77.9	1.82	100	8365	98.67	77.9
2023-04-15 10:35:00	660.8	0	0	0	279	3.98	5.77	76.9	40.5	98.66	0	-0.8	0	78.3	1.88	100	8368	98.66	78.2
2023-04-15 10:40:00	669.2	0	0	0	290	4.16	7.92	77.3	40.2	98.66	-0.1	-0.8	0	78.7	1.91	100	8371	98.66	78.5
2023-04-15 10:45:00	666.8	0	0	0	284	3.62	6.87	77.5	40	98.66	-0.1	-0.7	0	78.9	1.93	100	8375	98.65	78.9
2023-04-15 10:50:00	647.4	0	0	0	267	4.29	7.65	77.8	39.9	98.66	-0.1	-0.6	0	79.2	1.95	100	8377	98.65	79.3
2023-04-15 10:55:00	668.2	0	0	0	282	2.82	5.48	78.1	39	98.66	-0.2	-0.8	0	79.5	2	100	8378	98.65	79.6
2023-04-15 11:00:00	679	0	0	0	285	2.64	5.59	78.2	39	98.65	-0.1	-0.7	0	80	2.01	100	8381	98.65	79.8
2023-04-15 11:05:00	661.8	0	0	0	310	5.03	8.46	79	38.1	98.65	-0.2	-0.7	0	80.5	2.09	100	8385	98.64	80.2
2023-04-15 11:10:00	644.4	0	0	0	331	3.89	7.92	78.9	38.3	98.65	-0.1	-0.8	0	80.2	2.08	100	8387	98.64	80.4
2023-04-15 11:15:00	686.8	0	0	0	325	3.09	8.7	78.9	39.2	98.64	-0.1	-0.7	0	80.7	2.05	100	8390	98.64	80.6
2023-04-15 11:20:00	687.4	0	0	0	349	4.52	8.97	79.9	37.8	98.63	0	-0.8	0	81.2	2.16	100	8392	98.63	80.9
2023-04-15 11:25:00	650.4	0	0	0	347	2.28	4.97	80	37.9	98.64	-0.1	-0.7	0	81.6	2.17	100	8393	98.63	81.2
2023-04-15 11:30:00	678.8	0	0	0	7	3.36	6.26	80.7	37.5	98.64	0	-0.8	0	82.4	2.24	100	8398	98.63	81.7
2023-04-15 11:35:00	729.6	0	0	0	303	1.81	4.09	81	37.8	98.63	0	-0.8	0	83	2.24	100	8399	98.63	82.2
2023-04-15 11:40:00	773.6	0	0	0	347	3.49	7.47	82.1	36.3	98.63	-0.1	-0.8	0	83.8	2.39	100	8399	98.63	82.7
2023-04-15 11:45:00	784.4	0	0	0	44	3.94	7.96	82.5	35.9	98.63	-0.1	-0.8	0	83.8	2.43	100	8402	98.63	83
2023-04-15 11:50:00	796.2	0	0	0	26	3.44	7.52	82.4	36	98.62	-0.1	-0.8	0	84.1	2.42	100	8403	98.62	83.3
2023-04-15 11:55:00	805.2	0	0	0	86	3.53	5.75	82.7	35	98.62	0	-0.8	0	84.1	2.48	100	8404	98.62	83.5
2023-04-15 12:00:00	807.6	0	0	0	32	2.46	5.48	82.5	36.1	98.62	0	-0.8	0	84.2	2.42	100	8406	98.62	83.8
2023-04-15 12:05:00	779.4	0	0	0	62	3.42	5.84	83.4	35.2	98.62	0	-0.8	0	85	2.53	100	8405	98.62	84.2
2023-04-15 12:10:00	747.8	0	0	0	16	3.22	6.11	83.9	35	98.62	0	-0.8	0	85.5	2.58	100	8406	98.62	84.6
2023-04-15 12:15:00	715	0	0	0	351	7.31	10.11	84.2	35.5	98.62	-0.1	-0.7	0	85.4	2.58	100	8407	98.62	84.6
2023-04-15 12:20:00	749.4	0	0	0	4	4.94	9.46	83.6	35.9	98.62	-0.2	-0.8	0	84.6	2.52	100	8403	98.62	83.9
2023-04-15 12:25:00	837	0	0	0	7	4.03	11.07	82.9	36.6	98.62	-0.1	-0.7	0	84.3	2.43	100	8405	98.61	83.6
2023-04-15 12:30:00	845.2	0	0	0	342	9.04	12.68	83.3	36.4	98.61	-0.1	-0.8	0	84.3	2.47	100	8405	98.61	83.4
2023-04-15 12:35:00	850	0	0	0	348	9.46	13.2	82.7	36.6	98.61	-0.2	-0.7	0	83.6	2.42	100	8406	98.6	82.9
2023-04-15 12:40:00	835.4	0	0	0	349	9.8	13.76	82	37.1	98.61	-0.2	-0.7	0	83	2.35	100	8405	98.6	82.4
2023-04-15 12:45:00	810.4	0	0	0	352	9.4	12.21	81.5	37.3	98.61	0	-1.1	0	82.4	2.3	100	8406	98.6	82
2023-04-15 12:50:00	779.6	0	0	0	342	10.4	15.1	81	37.9	98.61	-0.2	-0.8	0	81.9	2.24	100	8406	98.59	81.6
2023-04-15 12:55:00	732.8	0	0	0	345	9.51	13.65	80.8	37.9	98.61	0	-0.7	0	81.6	2.22	100	8403	98.6	81.3
2023-04-15 13:00:00	701.8	0	0	0	334	8.46	11.32	80.5	38.3	98.61	-0.1	-0.8	0	81.5	2.19	100	8406	98.6	81.1
2023-04-15 13:05:00	748.4	0	0	0	352	7.56	10.87	80.4	38.6	98.61	-0.2	-0.5	0	81.5	2.18	100	8406	98.59	81
2023-04-15 13:10:00	785	0	0	0	327	9.19	13.51	80.5	38.8	98.6	0	-0.7	0	81.5	2.18	100	8403	98.58	80.9
2023-04-15 13:15:00	818.8	0	0	0	335	10	12.48	80.6	38.3	98.59	-0.1	-0.7	0	81.5	2.2	100	8400	98.57	80.9
2023-04-15 13:20:00	826.4	0	0	0	339	9.04	12.93	80.5	38.4	98.58	0	-1	0	81.4	2.18	100	8401	98.57	80.8
2023-04-15 13:25:00	825.2	0	0	0	339	9.53	13.4	80.6	38.5	98.58	-0.5	-0.5	0	81.4	2.19	100	8399	98.56	80.8
2023-04-15 13:30:00	824.4	0	0	0	342	8.84	13.06	80.7	38.5	98.58	-0.1	-0.7	0	81.6	2.2	100	8397	98.56	80.9
2023-04-15 13:35:00	822.4	0	0	0	327	9.62	12.71	80.8	38.1	98.57	0	-0.5	0	81.8	2.22	100	8395	98.55	80.9
2023-04-15 13:40:00	818.6	0	0	0	324	10.33	14.79	81	37.8	98.57	0	-0.9	0	81.8	2.24	100	8391	98.55	80.9
2023-04-15 13:45:00	813.6	0	0	0	336	8.99	12.82	80.9	37.5	98.57	0	-0.9	0	81.8	2.25	100	8387	98.55	80.9
2023-04-15 13:50:00	797.4	0	0	0	319	9.08	12.08	81	37.2	98.57	-0.1	-0.6	0	81.9	2.27	100	8385	98.55	80.9
2023-04-15 13:55:00	780.2	0	0	0	340	8.63	12.71	81.2	36.9	98.57	-0.2	-0.8	0	82.1	2.29	100	8381	98.55	81

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-15 14:00:00	766.4	0	0	0	348	7.92	11.65	81.4	36.4	98.57	0	-0.8	0	82.4	2.32	100	8377	98.55	81.1
2023-04-15 14:05:00	751.2	0	0	0	349	8.66	12.73	81.8	36.2	98.56	0	-0.7	0	82.7	2.36	100	8377	98.54	81.3
2023-04-15 14:10:00	732	0	0	0	344	8.1	11.3	82	35.5	98.56	0	-1	0	83.1	2.41	100	8370	98.54	81.5
2023-04-15 14:15:00	707.4	0	0	0	6	8.34	13	82.3	35	98.56	-0.1	-1	0	83.4	2.45	100	8368	98.54	81.6
2023-04-15 14:20:00	679.6	0	0	0	336	8.77	11.3	82.5	34.7	98.55	0.1	-0.9	0	83.5	2.47	100	8363	98.53	81.6
2023-04-15 14:25:00	657.6	0	0	0	326	8.79	12.21	82.5	34.7	98.55	0	-0.9	0	83.4	2.47	100	8359	98.53	81.6
2023-04-15 14:30:00	644.8	0	0	0	337	7.72	12.62	82.4	34.7	98.55	-0.1	-0.7	0	83.5	2.47	100	8358	98.52	81.6
2023-04-15 14:35:00	656.2	0	0	0	342	9.1	13.06	82.5	34.8	98.55	0	-0.8	0	83.5	2.48	100	8355	98.51	81.7
2023-04-15 14:40:00	665.2	0	0	0	342	9.55	14.14	82.4	34.7	98.54	0.1	-0.7	0	83.4	2.47	100	8352	98.51	81.7
2023-04-15 14:45:00	652.2	0	0	0	338	10.11	12.93	82.5	35.3	98.53	0.1	-0.9	0	83.4	2.46	100	8346	98.5	81.6
2023-04-15 14:50:00	658.4	0	0	0	340	10.33	13.78	82.4	35.1	98.54	0	-0.7	0	83.3	2.45	100	8344	98.51	81.6
2023-04-15 14:55:00	685.2	0	0	0	344	10.07	13.38	82.1	35.2	98.53	0	-0.7	0	83	2.43	100	8342	98.5	81.4
2023-04-15 15:00:00	688.4	0	0	0	338	10.49	14.83	82	35.3	98.53	0	-0.8	0	82.9	2.41	100	8339	98.5	81.4
2023-04-15 15:05:00	699.4	0	0	0	340	9.69	13.62	82	35	98.54	-0.1	-0.8	0	82.8	2.42	100	8336	98.5	81.3
2023-04-15 15:10:00	704	0	0	0	319	9.73	12.44	81.8	35	98.53	-0.1	-0.8	0	82.8	2.41	100	8333	98.5	81.3
2023-04-15 15:15:00	704	0	0	0	311	8.34	11.81	81.8	34.7	98.54	0	-0.7	0	82.7	2.42	100	8330	98.5	81.3
2023-04-15 15:20:00	701.2	0	0	0	321	9.04	13.78	81.8	34.7	98.53	-0.1	-0.9	0	82.8	2.42	100	8327	98.5	81.4
2023-04-15 15:25:00	723.8	0	0	0	329	9.15	12.46	81.9	34.9	98.53	-0.1	-0.8	0	82.9	2.42	100	8328	98.5	81.6
2023-04-15 15:30:00	723.8	0	0	0	343	10.09	13.56	82.2	34.4	98.52	0	-1.1	0	83.1	2.46	100	8323	98.49	81.9
2023-04-15 15:35:00	714.4	0	0	0	323	9.66	12.5	82.3	34.2	98.52	-0.1	-0.7	0	83.2	2.47	100	8319	98.48	82.2
2023-04-15 15:40:00	717.2	0	0	0	331	9.4	12.91	82.4	33.8	98.52	-0.1	-0.9	0	83.4	2.5	100	8320	98.48	82.4
2023-04-15 15:45:00	710.8	0	0	0	340	10.16	14.27	82.5	33.5	98.51	-0.1	-1	0	83.3	2.52	100	8320	98.48	82.7
2023-04-15 15:50:00	683.8	0	0	0	345	8.84	12.39	82.4	33.7	98.5	-0.1	-0.7	0	83.3	2.5	100	8316	98.47	82.9
2023-04-15 15:55:00	682.4	0	0	0	335	8.46	11.72	82.5	34.2	98.5	0	-1.1	0	83.4	2.49	100	8315	98.47	83.1
2023-04-15 16:00:00	596	0	0	0	347	9.51	13.58	82.6	33.9	98.5	-0.1	-0.6	0	83.5	2.51	100	8312	98.46	83.4
2023-04-15 16:05:00	611.4	0	0	0	347	9.22	12.91	82.2	33.7	98.5	0	-0.9	0	83.1	2.49	100	8311	98.46	83.2
2023-04-15 16:10:00	668.8	0	0	0	343	10.33	13.91	82.1	33.7	98.48	0.1	-1.1	0	83	2.48	100	8310	98.44	83.3
2023-04-15 16:15:00	659.2	0	0	0	348	10.02	13.47	82.1	33.4	98.47	0.1	-1	0	82.9	2.49	100	8310	98.44	83.3
2023-04-15 16:20:00	578.8	0	0	0	340	8.72	12.59	81.9	34.3	98.47	-0.1	-0.8	0	82.8	2.44	100	8306	98.44	83.5
2023-04-15 16:25:00	522.6	0	0	0	329	10.54	15.32	81.9	33.6	98.48	0	-0.8	0	82.8	2.47	100	8308	98.44	83.4
2023-04-15 16:30:00	476.4	0	0	0	356	10.58	13.78	81.6	34.3	98.48	-0.3	-0.6	0	82.5	2.42	100	8301	98.44	83.1
2023-04-15 16:35:00	478	0	0	0	348	10.13	12.55	81	34.4	98.48	-0.2	-0.8	0	81.8	2.37	100	8299	98.45	82.4
2023-04-15 16:40:00	501.6	0	0	0	334	10.29	12.82	80.4	34.2	98.48	-0.1	-1	0	81.3	2.33	100	8298	98.45	82.3
2023-04-15 16:45:00	457.4	0	0	0	328	10.51	15.32	80.1	33.9	98.48	-0.2	-0.5	0	81	2.32	100	8295	98.44	82.3
2023-04-15 16:50:00	442.4	0	0	0	334	9.8	14.2	79.7	33.2	98.48	-0.2	-0.6	0	80.6	2.31	100	8292	98.44	82.2
2023-04-15 16:55:00	284.8	0	0	0	313	8.7	10.71	79.5	34.4	98.5	-0.1	-0.8	0	80.3	2.25	100	8290	98.44	81.8
2023-04-15 17:00:00	180.6	0	0	0	337	6.69	10.36	79	35.6	98.5	-0.1	-0.8	0	79.6	2.18	100	8292	98.45	80.8
2023-04-15 17:05:00	128.2	0	0	0	352	6.85	9.53	78.7	36.4	98.5	-0.3	-0.7	0	79	2.13	100	8288	98.44	79.9
2023-04-15 17:10:00	145	0	0	0	343	7.07	10.13	77.9	37	98.5	-0.2	-0.8	0	78.3	2.06	100	8286	98.44	79.1
2023-04-15 17:15:00	243.8	0	0	0	348	5.7	7.49	77.5	38.2	98.5	-0.2	-0.7	0	78.3	1.99	100	8282	98.45	79.1
2023-04-15 17:20:00	226	0	0	0	355	6.2	7.16	77.4	37.6	98.5	-0.2	-0.7	0	78	2	100	8285	98.45	79.2
2023-04-15 17:25:00	284.8	0	0	0	351	5.7	7.54	77.1	37.7	98.51	-0.1	-0.9	0	78	1.98	100	8279	98.46	79.4
2023-04-15 17:30:00	296.8	0	0	0	43	3.98	6.15	77.2	37.9	98.52	-0.2	-0.8	0	78.4	1.98	100	8279	98.47	80.1
2023-04-15 17:35:00	288.4	0	0	0	21	4.43	6.08	77.5	38.2	98.53	-0.2	-0.8	0	78.7	1.99	100	8278	98.48	80.7
2023-04-15 17:40:00	291.8	0	0	0	10	4.76	6.64	78	40	98.53	-0.1	-0.8	0	79	1.96	100	8276	98.49	81.2
2023-04-15 17:45:00	286.8	0	0	0	6	4.27	6.08	78.2	39.4	98.54	-0.2	-0.9	0	79.3	1.99	100	8274	98.49	81.4
2023-04-15 17:50:00	285.6	0	0	0	8	4.09	7.45	78.4	39.5	98.54	-0.1	-0.8	0	79.6	2.01	100	8274	98.5	81.8
2023-04-15 17:55:00	264.4	0	0	0	15	4.92	6.87	78.7	38.8	98.55	-0.2	-0.8	0	79.7	2.05	100	8272	98.5	81.9
2023-04-15 18:00:00	212.6	0	0	0	4	3.98	4.97	78.7	38.5	98.55	-0.2	-0.7	0	79.6	2.06	100	8271	98.5	81.7
2023-04-15 18:05:00	209.6	0	0	0	359	3.69	5.06	78.7	37.6	98.55	-0.1	-0.9	0	79.6	2.09	100	8269	98.5	81.5
2023-04-15 18:10:00	217.6	0	0	0	349	4.99	7.52	78.8	38.5	98.55	0	-0.9	0	79.6	2.06	100	8267	98.5	81.6
2023-04-15 18:15:00	209.4	0	0	0	334	4.85	8.01	78.7	39.1	98.55	-0.1	-0.8	0	79.5	2.04	100	8265	98.51	81.7
2023-04-15 18:20:00	193.8	0	0	0	340	4.14	6.29	78.7	39	98.56	-0.1	-0.9	0	79.4	2.04	100	8265	98.5	81.7
2023-04-15 18:25:00	188.8	0	0	0	343	3.96	6.2	78.7	39.4	98.55	0.1	-0.8	0	79.5	2.03	100	8263	98.5	82
2023-04-15 18:30:00	167.4	0	0	0	340	4.14	5.86	78.8	39.2	98.56	-0.2	-0.8	0	79.4	2.04	100	8261	98.5	82.2
2023-04-15 18:35:00	148.8	0	0	0	345	4.21	5.73	78.8	38.9	98.56	-0.2	-0.8	0	79.4	2.06	100	8261	98.51	82.1
2023-04-15 18:40:00	129.2	0	0	0	338	5.12	7.25	78.8	38.5	98.56	-0.2	-0.9	0	79.2	2.06	100	8257	98.51	81.9
2023-04-15 18:45:00	101.2	0	0	0	6	4.7	6.98	78.5	38.5	98.57	-0.2	-0.8	0	78.9	2.05	100	8256	98.51	81.3
2023-04-15 18:50:00	69.4	0	0	0	59	4.29	5.7	78.1	38.7	98.58	-0.1	-0.8	0	78.4	2.01	100	8257	98.52	80.4
2023-04-15 18:55:00	53.4	0	0	0	23	3.2	5.44	77.7	39.1	98.58	-0.2	-0.9	0	77.9	1.97	100	8253	98.52	79.5

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-15 19:00:00	40.8	0	0	0	10	3.36	4.14	77.2	39.3	98.58	-0.1	-0.8	0	77.4	1.93	100	8251	98.52	78.8
2023-04-15 19:05:00	26.4	0	0	0	338	4.76	6.42	76.7	40.4	98.58	-0.3	-0.8	0	76.7	1.87	100	8252	98.52	77.7
2023-04-15 19:10:00	20.4	0	0	0	342	5.39	6.85	76.1	42.3	98.59	-0.1	-0.8	0	76.1	1.77	100	8248	98.52	76.6
2023-04-15 19:15:00	18	0	0	0	341	4.68	5.97	75.3	44.1	98.59	-0.2	-0.6	0	75.5	1.67	100	8246	98.53	75.8
2023-04-15 19:20:00	19	0	0	0	340	4.81	5.93	74.8	45.5	98.59	-0.2	-0.7	0	74.8	1.6	100	8243	98.53	75.3
2023-04-15 19:25:00	16	0	0	0	339	4.14	5.64	74.1	46.4	98.6	-0.3	-0.8	0	74.2	1.54	100	8244	98.54	74.9
2023-04-15 19:30:00	10	0	0	0	335	4.16	5.48	73.6	47.2	98.61	-0.2	-0.7	0	73.6	1.49	100	8244	98.55	74
2023-04-15 19:35:00	6.4	0	0	0	343	3.98	5.19	73.1	48	98.62	-0.2	-0.8	0	73.1	1.45	100	8241	98.56	73.2
2023-04-15 19:40:00	4.2	0	0	0	334	3.85	5.01	72.5	48.6	98.63	-0.3	-0.8	0	72.5	1.4	100	8240	98.56	72.5
2023-04-15 19:45:00	2.4	0	0	0	306	4.38	5.46	71.9	49.6	98.64	-0.3	-0.8	0	71.9	1.35	100	8238	98.57	71.8
2023-04-15 19:50:00	1.2	0	0	0	291	5.99	8.97	71.3	50.4	98.64	-0.3	-0.7	0	71.3	1.3	100	8235	98.58	71.1
2023-04-15 19:55:00	0	0	0	0	292	5.7	8.95	70.6	50.8	98.66	-0.4	-0.7	0	70.6	1.26	100	8234	98.6	70.4
2023-04-15 20:00:00	0	0	0	0	290	5.59	8.23	69.9	51.5	98.67	-0.3	-0.6	0	69.9	1.21	100	8234	98.6	69.8
2023-04-15 20:05:00	0	0	0	0	306	4.72	6.6	69.5	51.5	98.67	-0.4	-0.7	0	69.4	1.19	100	8233	98.61	69.4
2023-04-15 20:10:00	0	0	0	0	323	4.05	5.46	69.1	52.1	98.68	-0.3	-0.7	0	69.1	1.16	100	8231	98.62	68.9
2023-04-15 20:15:00	0	0	0	0	320	3.87	5.03	68.6	52.6	98.69	-0.2	-0.7	0	68.6	1.13	100	8230	98.63	68.3
2023-04-15 20:20:00	0	0	0	0	295	4.83	5.66	68.3	53.1	98.69	-0.5	-0.7	0	68.3	1.1	100	8227	98.63	67.9
2023-04-15 20:25:00	0	0	0	0	288	4.85	6.11	68	54.1	98.7	-0.3	-0.7	0	68	1.07	100	8226	98.63	67.6
2023-04-15 20:30:00	0	0	0	0	287	3.8	4.72	67.6	54.1	98.7	-0.4	-0.6	0	67.6	1.06	100	8225	98.64	67.2
2023-04-15 20:35:00	0	0	0	0	293	4.21	4.88	67.4	54.1	98.71	-0.3	-0.8	0	67.4	1.05	100	8225	98.65	66.9
2023-04-15 20:40:00	0	0	0	0	297	3.8	4.7	67.1	54.4	98.7	-0.4	-0.7	0	67.1	1.03	100	8225	98.64	66.6
2023-04-15 20:45:00	0	0	0	0	305	2.48	3.53	67	54.2	98.69	-0.3	-0.6	0	67	1.03	100	8221	98.63	66.4
2023-04-15 20:50:00	0	0	0	0	324	2.35	3.04	66.8	54.3	98.69	-0.5	-0.6	0	66.8	1.03	100	8225	98.64	66.2
2023-04-15 20:55:00	0	0	0	0	309	2.64	2.98	66.7	55	98.7	-0.5	-0.7	0	66.7	1	100	8221	98.64	65.9
2023-04-15 21:00:00	0	0	0	0	294	3.38	4.29	66.5	55.6	98.7	-0.4	-0.6	0	66.5	0.98	100	8221	98.64	65.7
2023-04-15 21:05:00	0	0	0	0	281	5.01	5.97	66.3	56.2	98.7	-0.4	-0.7	0	66.3	0.97	100	8220	98.64	65.5
2023-04-15 21:10:00	0	0	0	0	281	5.41	6.22	66.1	55.8	98.7	-0.4	-0.6	0	66.1	0.96	100	8219	98.64	65.2
2023-04-15 21:15:00	0	0	0	0	287	5.28	6.02	65.9	56.1	98.7	-0.4	-0.7	0	65.9	0.95	100	8218	98.64	64.9
2023-04-15 21:20:00	0	0	0	0	285	4.16	5.32	65.6	56.8	98.7	-0.4	-0.7	0	65.7	0.93	100	8216	98.64	64.7
2023-04-15 21:25:00	0	0	0	0	274	3.09	4.18	65.4	56.2	98.71	-0.4	-0.6	0	65.4	0.94	100	8216	98.65	64.6
2023-04-15 21:30:00	0	0	0	0	191	4.63	7.29	65.4	56.6	98.72	-0.4	-0.6	0	65.4	0.93	100	8215	98.66	64.4
2023-04-15 21:35:00	0	0	0	0	166	7.63	8.9	65.1	59.3	98.72	-0.5	-0.8	0	65.1	0.86	100	8215	98.66	64.1
2023-04-15 21:40:00	0	0	0	0	181	6.87	8.57	64.8	57.7	98.72	-0.5	-0.7	0	64.9	0.89	100	8214	98.66	63.8
2023-04-15 21:45:00	0	0	0	0	173	6.93	8.48	64.7	56.8	98.72	-0.3	-0.7	0	64.7	0.9	100	8213	98.66	63.8
2023-04-15 21:50:00	0	0	0	0	168	6.71	7.83	65	54.5	98.71	-0.4	-0.7	0	65.1	0.96	100	8214	98.65	63.8
2023-04-15 21:55:00	0	0	0	0	172	5.79	6.69	65.5	53.2	98.69	-0.4	-0.7	0	65.5	1	100	8213	98.64	64.1
2023-04-15 22:00:00	0	0	0	0	192	3.69	5.46	65.7	52.9	98.68	-0.3	-0.6	0	65.7	1.01	100	8213	98.62	64.1
2023-04-15 22:05:00	0	0	0	0	261	1.54	2.71	65.6	53.3	98.67	-0.4	-0.7	0	65.6	1	100	8210	98.61	63.9
2023-04-15 22:10:00	0	0	0	0	307	1.99	3.11	65.3	54.4	98.65	-0.4	-0.6	0	65.3	0.97	100	8209	98.59	63.7
2023-04-15 22:15:00	0	0	0	0	170	1.34	3.04	64.8	56	98.64	-0.5	-0.7	0	64.8	0.92	100	8211	98.58	63.4
2023-04-15 22:20:00	0	0	0	0	147	3.11	4.81	64.6	55.2	98.62	-0.3	-0.7	0	64.6	0.93	100	8209	98.56	63.1
2023-04-15 22:25:00	0	0	0	0	133	5.19	6.78	64.5	59.6	98.6	-0.4	-0.6	0	64.5	0.84	100	8206	98.54	63.2
2023-04-15 22:30:00	0	0	0	0	141	5.1	6.38	64.1	61.6	98.58	-0.3	-0.7	0	64.1	0.78	100	8206	98.53	63
2023-04-15 22:35:00	0	0	0	0	127	5.97	7.2	64	60.9	98.58	-0.4	-0.8	0	64	0.79	100	8205	98.52	63
2023-04-15 22:40:00	0	0	0	0	125	5.73	6.76	64	57.9	98.56	-0.4	-0.6	0	64	0.86	100	8204	98.5	63.1
2023-04-15 22:45:00	0	0	0	0	129	5.48	6.17	64.4	56.7	98.54	-0.4	-0.7	0	64.4	0.89	100	8204	98.48	63.3
2023-04-15 22:50:00	0	0	0	0	124	4.27	5.55	64.5	56.5	98.52	-0.3	-0.7	0	64.6	0.9	100	8203	98.47	63.5
2023-04-15 22:55:00	0	0	0	0	109	5.23	8.97	64.7	56	98.51	-0.4	-0.7	0	64.7	0.92	100	8204	98.45	63.5
2023-04-15 23:00:00	0	0	0	0	116	6.15	7.16	64.7	58.2	98.5	-0.3	-0.6	0	64.7	0.87	100	8205	98.44	63.4
2023-04-15 23:05:00	0	0	0	0	114	5.59	6.64	64.4	57.8	98.47	-0.3	-0.6	0	64.5	0.87	100	8201	98.41	63.4
2023-04-15 23:10:00	0	0	0	0	116	5.64	6.6	64.5	58.3	98.46	-0.3	-0.8	0	64.5	0.86	100	8201	98.41	63.5
2023-04-15 23:15:00	0	0	0	0	112	4.72	5.91	64.5	59	98.45	-0.3	-0.7	0	64.5	0.85	100	8201	98.39	63.4
2023-04-15 23:20:00	0	0	0	0	107	4.68	5.82	64.4	59.9	98.44	-0.4	-0.6	0	64.5	0.83	100	8200	98.38	63.2
2023-04-15 23:25:00	0	0	0	0	104	2.86	4.38	64.2	60.4	98.44	-0.4	-0.6	0	64.2	0.81	100	8202	98.38	63.1
2023-04-15 23:30:00	0	0	0	0	93	2.53	3.38	64	61.5	98.46	-0.4	-0.6	0	64	0.78	100	8197	98.41	62.8
2023-04-15 23:35:00	0	0	0	0	107	2.42	2.91	63.8	62.5	98.48	-0.4	-0.7	0	63.8	0.76	100	8199	98.42	62.5
2023-04-15 23:40:00	0	0	0	0	138	1.41	3.38	63.5	63.9	98.48	-0.4	-0.7	0	63.5	0.72	100	8199	98.43	62.2
2023-04-15 23:45:00	0	0	0	0	182	1.72	2.3	63.4	64.3	98.5	-0.4	-0.6	0	63.4	0.71	100	8200	98.45	62
2023-04-15 23:50:00	0	0	0	0	168	2.53	3.13	63.2	64.9	98.52	-0.4	-0.6	0	63.2	0.69	100	8200	98.46	61.9
2023-04-15 23:55:00	0	0	0	0	164	3.02	3.38	63.1	65.3	98.53	-0.3	-0.6	0	63.1	0.68	100	8196	98.48	61.9

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-16 00:00:00	0	0	0	0	169	2.82	3.33	63.1	65.3	98.55	-0.4	-0.6	0	63.1	0.68	100	8197	98.5	61.9
2023-04-16 00:05:00	0	0	0	0	220	3.91	4.9	63.2	64.8	98.58	-0.4	-0.6	0	63.2	0.7	100	8180	98.52	62
2023-04-16 00:10:00	0	0	0	0	254	5.19	6.13	63.1	64.6	98.6	-0.3	-0.7	0	63.1	0.7	100	8168	98.55	62.1
2023-04-16 00:15:00	0	0	0	0	261	7.4	9.82	62.7	64.8	98.62	-0.4	-0.7	0	62.7	0.68	100	8168	98.57	61.9
2023-04-16 00:20:00	0	0	0	0	258	9.13	11.72	62.3	64	98.64	-0.2	-0.5	0	62.3	0.69	100	8175	98.59	61.7
2023-04-16 00:25:00	0	0	0	0	264	9.08	11.83	62.3	64.2	98.67	-0.5	-0.7	0	62.3	0.69	100	8176	98.62	61.5
2023-04-16 00:30:00	0	0	0	0	274	8.03	10.78	61.7	65.6	98.7	-0.4	-0.7	0	61.6	0.65	100	8180	98.64	60.8
2023-04-16 00:35:00	0	0	0	0	273	7.85	11.68	60.9	66.9	98.72	-0.4	-0.6	0	60.8	0.6	100	8175	98.66	60.2
2023-04-16 00:40:00	0	0	0	0	272	7.18	9.42	60.3	67.9	98.73	-0.5	-0.6	0	60.2	0.57	100	8177	98.67	59.8
2023-04-16 00:45:00	0	0	0	0	270	7.96	10.11	59.7	68.6	98.74	-0.4	-0.6	0	59.7	0.55	100	8178	98.68	59.4
2023-04-16 00:50:00	0	0	0	0	263	7.92	9.55	59.4	69	98.75	-0.6	-0.6	0	59.4	0.54	100	8174	98.69	59.3
2023-04-16 00:55:00	0	0	0	0	257	7.9	11.16	59.6	69.7	98.76	-0.6	-0.6	0	59.6	0.53	100	8176	98.7	59.5
2023-04-16 01:00:00	0	0	0	0	253	7.87	11.01	60.2	70.6	98.76	-0.5	-0.7	0	60.2	0.52	100	8175	98.71	59.8
2023-04-16 01:05:00	0	0	0	0	249	6.89	9.24	60.6	70.6	98.76	-0.5	-0.7	0	60.7	0.53	100	8177	98.7	60.2
2023-04-16 01:10:00	0	0	0	0	247	6.6	8.81	61.1	70.4	98.76	-0.3	-0.7	0	61.2	0.54	100	8174	98.71	60.4
2023-04-16 01:15:00	0	0	0	0	247	5.91	7.96	61.3	70.2	98.76	-0.4	-0.6	0	61.3	0.55	100	8172	98.71	60.6
2023-04-16 01:20:00	0	0	0	0	231	5.21	6.96	61.7	69.8	98.76	-0.4	-0.7	0	61.7	0.57	100	8173	98.71	60.7
2023-04-16 01:25:00	0	0	0	0	222	4.83	5.88	61.8	69.4	98.77	-0.3	-0.7	0	61.8	0.58	100	8174	98.71	60.7
2023-04-16 01:30:00	0	0	0	0	214	5.57	9.06	62	70.5	98.76	-0.4	-0.7	0	62.1	0.56	100	8175	98.71	60.9
2023-04-16 01:35:00	0	0	0	0	212	5.57	7.45	62.6	70.7	98.75	-0.4	-0.5	0	62.6	0.57	100	8175	98.7	61.2
2023-04-16 01:40:00	0	0	0	0	231	5.59	7.9	62.8	70.7	98.75	-0.5	-0.5	0	62.8	0.57	100	8174	98.7	61.5
2023-04-16 01:45:00	0	0	0	0	240	6.42	8.79	63.1	70.6	98.74	-0.4	-0.6	0	63.1	0.58	100	8175	98.69	61.8
2023-04-16 01:50:00	0	0	0	0	259	4.27	7.16	63.3	70.4	98.73	-0.3	-0.6	0	63.3	0.59	100	8171	98.67	61.9
2023-04-16 01:55:00	0	0	0	0	298	3.58	4.79	63	69	98.72	-0.4	-0.6	0	63	0.61	100	8171	98.66	61.5
2023-04-16 02:00:00	0	0	0	0	298	4.9	5.77	62.2	68.4	98.7	-0.4	-0.7	0	62.2	0.6	100	8171	98.65	60.8
2023-04-16 02:05:00	0	0	0	0	298	2.82	4.59	61.4	68.5	98.7	-0.5	-0.6	0	61.4	0.59	100	8171	98.64	60.2
2023-04-16 02:10:00	0	0	0	0	298	1.66	2.95	61	70.9	98.69	-0.3	-0.6	0	61	0.53	100	8171	98.64	60
2023-04-16 02:15:00	0	0	0	0	298	2.59	3.8	60.8	72.8	98.69	-0.5	-0.7	0	60.9	0.49	100	8171	98.63	59.9
2023-04-16 02:20:00	0	0	0	0	311	2.55	3.24	60.9	72.9	98.68	-0.4	-0.7	0	60.9	0.49	100	8168	98.62	59.9
2023-04-16 02:25:00	0	0	0	0	296	2.51	3.29	60.8	73.1	98.67	-0.4	-0.6	0	60.8	0.49	100	8169	98.62	59.9
2023-04-16 02:30:00	0	0	0	0	260	2.15	2.95	60.8	73.4	98.67	-0.4	-0.6	0	60.8	0.48	100	8165	98.62	59.8
2023-04-16 02:35:00	0	0	0	0	132	1.3	2.53	60.7	74.1	98.67	-0.4	-0.5	0	60.7	0.47	100	8168	98.62	59.5
2023-04-16 02:40:00	0	0	0	0	108	2.42	3.6	60.5	74.7	98.68	-0.3	-0.6	0	60.5	0.45	100	8168	98.62	59.2
2023-04-16 02:45:00	0	0	0	0	121	2.71	3.74	60.5	74.2	98.67	-0.5	-0.6	0	60.5	0.46	100	8167	98.62	59.1
2023-04-16 02:50:00	0	0	0	0	184	1.28	2.28	60.7	74.9	98.67	-0.4	-0.6	0	60.7	0.45	100	8166	98.61	59.2
2023-04-16 02:55:00	0	0	0	0	213	1.5	1.99	60.8	75	98.65	-0.3	-0.5	0	60.8	0.45	100	8165	98.6	59.1
2023-04-16 03:00:00	0	0	0	0	298	2.55	4.72	60.8	75.2	98.65	-0.4	-0.6	0	60.8	0.45	100	8168	98.6	59.2
2023-04-16 03:05:00	0	0	0	0	309	1.05	2.42	60.4	74.4	98.65	-0.5	-0.7	0	60.4	0.46	100	8168	98.6	58.8
2023-04-16 03:10:00	0	0	0	0	182	1.12	1.66	59.9	75.3	98.65	-0.5	-0.5	0	59.9	0.43	100	8162	98.6	58.4
2023-04-16 03:15:00	0	0	0	0	257	2.33	3.42	59.6	76.6	98.64	-0.5	-0.6	0	59.6	0.41	100	8165	98.59	58.1
2023-04-16 03:20:00	0	0	0	0	215	3.42	4.74	59.5	77.6	98.64	-0.5	-0.6	0	59.5	0.39	100	8164	98.59	58
2023-04-16 03:25:00	0	0	0	0	211	1.86	2.42	59.4	77.6	98.63	-0.4	-0.6	0	59.4	0.39	100	8164	98.58	57.9
2023-04-16 03:30:00	0	0	0	0	208	2.19	4.12	59.4	77.7	98.63	-0.5	-0.7	0	59.4	0.39	100	8163	98.58	57.8
2023-04-16 03:35:00	0	0	0	0	201	4.65	5.35	59.5	77.5	98.63	-0.5	-0.7	0	59.4	0.39	100	8159	98.58	57.7
2023-04-16 03:40:00	0	0	0	0	200	5.23	5.73	59.4	77.1	98.63	-0.5	-0.6	0	59.4	0.4	100	8161	98.58	57.6
2023-04-16 03:45:00	0	0	0	0	231	2.93	4.59	59.5	77.1	98.63	-0.5	-0.6	0	59.5	0.4	100	8164	98.58	57.6
2023-04-16 03:50:00	0	0	0	0	23	1.59	2.89	59.1	77.4	98.62	-0.5	-0.7	0	59.1	0.39	100	8160	98.57	57.4
2023-04-16 03:55:00	0	0	0	0	139	2.1	2.46	58.8	78.3	98.61	-0.5	-0.6	0	58.8	0.37	100	8159	98.56	57.1
2023-04-16 04:00:00	0	0	0	0	210	1.79	3.33	58.6	78.5	98.6	-0.4	-0.6	0	58.6	0.36	100	8162	98.56	57
2023-04-16 04:05:00	0	0	0	0	182	5.21	5.88	58.8	78.5	98.62	-0.4	-0.5	0	58.8	0.36	100	8158	98.57	57.2
2023-04-16 04:10:00	0	0	0	0	154	5.86	7.31	58.7	78.7	98.62	-0.5	-0.6	0	58.7	0.36	100	8157	98.57	57.2
2023-04-16 04:15:00	0	0	0	0	137	6.46	9.19	58.5	78.9	98.62	-0.5	-0.6	0	58.5	0.35	100	8159	98.57	57
2023-04-16 04:20:00	0	0	0	0	131	7.49	9.75	58.1	79.8	98.61	-0.7	-0.5	0	58.1	0.33	100	8158	98.57	56.9
2023-04-16 04:25:00	0	0	0	0	126	5.46	6.29	57.8	80.1	98.61	-0.5	-0.7	0	57.8	0.32	100	8157	98.56	56.8
2023-04-16 04:30:00	0	0	0	0	118	5.82	7.05	58	79.4	98.61	-0.5	-0.5	0	58	0.34	100	8159	98.57	57
2023-04-16 04:35:00	0	0	0	0	143	4.74	7	58.1	79.4	98.6	-0.5	-0.5	0	58.2	0.34	100	8156	98.55	57.1
2023-04-16 04:40:00	0	0	0	0	145	3.89	5.14	58.2	79.5	98.6	-0.6	-0.6	0	58.2	0.34	100	8155	98.56	57.1
2023-04-16 04:45:00	0	0	0	0	146	2.93	3.69	58.1	79.7	98.6	-0.6	-0.7	0	58.2	0.34	100	8155	98.56	56.9
2023-04-16 04:50:00	0	0	0	0	160	3.33	4.45	58.1	80	98.6	-0.5	-0.6	0	58.1	0.33	100	8157	98.55	56.8
2023-04-16 04:55:00	0	0	0	0	158	4.63	5.17	57.8	80.1	98.58	-0.6	-0.6	0	57.7	0.32	100	8155	98.54	56.5

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-16 05:00:00	0	0	0	0	161	5.06	6.33	57.5	80.4	98.58	-0.5	-0.7	0	57.5	0.32	100	8156	98.54	56.2
2023-04-16 05:05:00	0	0	0	0	174	4.9	5.88	57.2	80.9	98.59	-0.6	-0.7	0	57.2	0.31	100	8156	98.54	56
2023-04-16 05:10:00	0	0	0	0	219	1.5	3.49	57	81.1	98.6	-0.6	-0.6	0	57	0.3	100	8153	98.56	55.6
2023-04-16 05:15:00	0	0	0	0	171	4.36	6.35	56.6	82.2	98.61	-0.5	-0.7	0	56.5	0.28	100	8153	98.56	55.2
2023-04-16 05:20:00	0	0	0	0	176	5.28	6.33	56.5	82.9	98.61	-0.5	-0.8	0	56.5	0.27	100	8151	98.57	55.3
2023-04-16 05:25:00	0	0	0	0	180	5.93	7.05	56.7	82.9	98.6	-0.6	-0.5	0	56.7	0.27	100	8152	98.55	55.3
2023-04-16 05:30:00	0	0	0	0	177	5.75	6.67	56.8	82.5	98.6	-0.6	-0.7	0	56.8	0.27	100	8153	98.56	55.4
2023-04-16 05:35:00	0	0	0	0	185	4.47	5.39	57	82.5	98.61	-0.6	-0.5	0	57	0.28	100	8151	98.57	55.5
2023-04-16 05:40:00	0	0	0	0	173	4.65	5.14	57	82	98.6	-0.4	-0.7	0	57	0.29	100	8150	98.56	55.5
2023-04-16 05:45:00	0	0	0	0	177	4	4.85	57.3	81.7	98.6	-0.4	-0.5	0	57.3	0.29	100	8150	98.56	55.6
2023-04-16 05:50:00	0	0	0	0	166	3.91	5.21	57.3	81.5	98.6	-0.4	-0.7	0	57.3	0.3	100	8150	98.56	55.5
2023-04-16 05:55:00	0	0	0	0	147	5.66	6.55	57.3	81.8	98.6	-0.5	-0.6	0	57.3	0.29	100	8150	98.57	55.4
2023-04-16 06:00:00	0	0	0	0	148	5.75	6.49	56.9	82.7	98.61	-0.5	-0.6	0	56.9	0.27	100	8150	98.57	55.3
2023-04-16 06:05:00	0.6	0	0	0	156	6.51	7.47	56.6	83.2	98.61	-0.6	-0.6	0	56.6	0.26	100	8149	98.56	55.1
2023-04-16 06:10:00	1.8	0	0	0	155	6.22	7.36	56.4	83.3	98.61	-0.6	-0.5	0	56.3	0.26	100	8148	98.56	55.1
2023-04-16 06:15:00	3.4	0	0	0	167	6.24	8.3	56.4	83.5	98.61	-0.5	-0.6	0	56.4	0.26	100	8149	98.57	55.1
2023-04-16 06:20:00	5.8	0	0	0	169	7.16	8.41	56.4	83.7	98.61	-0.6	-0.6	0	56.4	0.25	100	8148	98.58	55.1
2023-04-16 06:25:00	10.2	0	0	0	168	6.78	8.03	56.3	83.9	98.62	-0.6	-0.6	0	56.3	0.25	100	8150	98.58	55.2
2023-04-16 06:30:00	16.8	0	0	0	162	7.9	9.4	56.5	84.2	98.63	-0.6	-0.6	0	56.6	0.25	100	8149	98.6	55.3
2023-04-16 06:35:00	24.6	0	0	0	163	7.45	7.99	56.5	84.1	98.63	-0.6	-0.4	0	56.5	0.25	100	8149	98.59	55.4
2023-04-16 06:40:00	33.6	0	0	0	162	7.4	8.46	56.6	84.2	98.62	-0.5	-0.5	0	56.6	0.25	100	8153	98.58	55.5
2023-04-16 06:45:00	42.8	0	0	0	156	7.43	8.37	56.9	84	98.61	-0.5	-0.6	0	57	0.25	100	8155	98.58	55.8
2023-04-16 06:50:00	52	0	0	0	152	7.94	8.93	57.2	82.7	98.61	-0.5	-0.7	0	57.2	0.28	100	8156	98.59	56.1
2023-04-16 06:55:00	63	0	0	0	161	8.37	9.42	57.2	82.9	98.62	-0.6	-0.6	0	57.4	0.27	100	8159	98.59	56.3
2023-04-16 07:00:00	73.4	0	0	0	149	8.37	9.53	57.4	82.5	98.61	-0.5	-0.6	0	57.6	0.28	100	8165	98.58	56.5
2023-04-16 07:05:00	85	0	0	0	152	7.67	9.04	57.5	82.4	98.61	-0.5	-0.5	0	57.7	0.28	100	8169	98.58	56.8
2023-04-16 07:10:00	96.8	0	0	0	172	6.51	7.61	57.6	82.2	98.61	-0.6	-0.4	0	57.8	0.29	100	8175	98.59	57
2023-04-16 07:15:00	107	0	0	0	193	5.21	6.76	58	81.9	98.63	-0.4	-0.8	0	58.4	0.3	100	8178	98.61	57.5
2023-04-16 07:20:00	116	0	0	0	194	4.32	5.73	58.3	81.1	98.63	-0.5	-0.6	0	58.7	0.31	100	8186	98.61	57.9
2023-04-16 07:25:00	123.6	0	0	0	178	4.47	5.95	58.7	80.3	98.63	-0.4	-0.6	0	59.3	0.33	100	8190	98.61	58.5
2023-04-16 07:30:00	132	0	0	0	169	3.2	4.79	59.4	79.5	98.63	-0.4	-0.5	0	59.9	0.35	100	8197	98.61	59.1
2023-04-16 07:35:00	148	0	0	0	138	1.57	3.44	59.8	79.3	98.63	-0.5	-0.6	0	60.8	0.36	100	8203	98.61	59.8
2023-04-16 07:40:00	166.2	0	0	0	124	3.6	4.5	60.7	76.3	98.61	-0.3	-0.6	0	61.4	0.43	100	8212	98.59	60.6
2023-04-16 07:45:00	183	0	0	0	118	4.03	5.68	61.2	75.2	98.61	-0.6	-0.6	0	61.9	0.46	100	8218	98.59	61.2
2023-04-16 07:50:00	201.8	0	0	0	133	4.94	6.2	61.6	74.6	98.6	-0.5	-0.5	0	62.3	0.47	100	8225	98.59	61.7
2023-04-16 07:55:00	217.4	0	0	0	154	5.53	6.4	61.8	73.8	98.6	-0.4	-0.6	0	62.6	0.49	100	8231	98.59	62.1
2023-04-16 08:00:00	233.6	0	0	0	162	5.44	7.09	62.1	73.1	98.6	-0.4	-0.7	0	62.9	0.51	100	8238	98.59	62.5
2023-04-16 08:05:00	247.2	0	0	0	149	5.23	6.26	62.5	73	98.6	-0.4	-0.6	0	63.3	0.52	100	8245	98.59	62.9
2023-04-16 08:10:00	262.8	0	0	0	160	5.26	6.11	62.9	72.6	98.59	-0.4	-0.5	0	63.9	0.54	100	8254	98.59	63.5
2023-04-16 08:15:00	278	0	0	0	172	3.58	4.74	63.4	72.1	98.6	-0.4	-0.6	0	64.5	0.55	100	8262	98.59	64
2023-04-16 08:20:00	293.2	0	0	0	162	4.76	6.02	64.2	70.6	98.6	-0.3	-0.7	0	65.4	0.6	100	8267	98.59	64.7
2023-04-16 08:25:00	308.6	0	0	0	153	4.41	5.61	65	68.6	98.6	-0.3	-0.6	0	66.2	0.66	100	8273	98.6	65.5
2023-04-16 08:30:00	323.6	0	0	0	172	5.37	7.05	65.8	67	98.6	-0.2	-0.6	0	67	0.72	100	8283	98.6	66.2
2023-04-16 08:35:00	337.4	0	0	0	181	4.76	5.73	66.4	66.2	98.61	-0.2	-0.7	0	67.6	0.75	100	8289	98.6	66.7
2023-04-16 08:40:00	349.6	0	0	0	181	4.79	6.53	66.9	65	98.6	-0.3	-0.6	0	68.1	0.79	100	8295	98.6	67.3
2023-04-16 08:45:00	352.2	0	0	0	186	5.46	6.93	67.6	63.2	98.59	-0.3	-0.8	0	68.8	0.85	100	8303	98.59	67.9
2023-04-16 08:50:00	354.8	0	0	0	179	4.59	7.09	68.1	62.4	98.59	-0.4	-0.7	0	69.4	0.88	100	8309	98.58	68.4
2023-04-16 08:55:00	350.2	0	0	0	175	4.92	6.11	68.9	60.5	98.57	-0.2	-0.6	0	70.2	0.95	100	8317	98.57	69.1
2023-04-16 09:00:00	359.6	0	0	0	163	3.8	6.06	69.5	59.9	98.57	-0.2	-0.6	0	70.9	0.99	100	8323	98.57	69.7
2023-04-16 09:05:00	390.8	0	0	0	167	3.83	5.88	70.3	58.7	98.56	-0.3	-0.6	0	71.7	1.04	100	8330	98.56	70.5
2023-04-16 09:10:00	419.6	0	0	0	177	3.09	4.83	70.9	58.5	98.55	-0.2	-0.7	0	72.5	1.07	100	8336	98.56	71.3
2023-04-16 09:15:00	449	0	0	0	175	2.95	5.08	71.7	58.2	98.55	-0.2	-0.6	0	73.4	1.11	100	8342	98.55	72.1
2023-04-16 09:20:00	468.2	0	0	0	158	3.44	7.07	72.6	56.8	98.54	-0.1	-0.7	0	74.1	1.18	100	8349	98.54	72.9
2023-04-16 09:25:00	484.4	0	0	0	200	2.68	5.19	73	55.9	98.53	-0.1	-0.7	0	74.7	1.22	100	8354	98.54	73.6
2023-04-16 09:30:00	499.8	0	0	0	240	1.1	3	73.3	55.8	98.53	-0.2	-0.7	0	75.7	1.24	100	8360	98.53	74.4
2023-04-16 09:35:00	511.8	0	0	0	198	1.88	4.61	74.5	54.1	98.52	-0.2	-0.7	0	76.8	1.34	100	8365	98.52	75.5
2023-04-16 09:40:00	526.2	0	0	0	190	3.18	6.11	75.8	51.2	98.51	-0.1	-0.6	0	77.5	1.49	100	8369	98.52	76.3
2023-04-16 09:45:00	538.6	0	0	0	198	3.42	5.12	76.2	50.9	98.51	-0.1	-0.7	0	77.7	1.51	100	8375	98.51	76.8
2023-04-16 09:50:00	551	0	0	0	225	1.88	4.88	76.1	51	98.51	-0.2	-0.7	0	78	1.51	100	8375	98.52	77.4
2023-04-16 09:55:00	562	0	0	0	293	2.44	5.79	76.7	49.9	98.51	-0.2	-0.7	0	78.8	1.57	100	8382	98.51	78

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-16 10:00:00	575.4	0	0	0	308	3.44	6.4	77.7	48.7	98.5	-0.2	-0.7	0	79.2	1.66	100	8385	98.5	78.5
2023-04-16 10:05:00	574.4	0	0	0	311	3.98	6.71	78.1	48.2	98.5	-0.1	-0.7	0	79.6	1.7	100	8390	98.5	79
2023-04-16 10:10:00	566.4	0	0	0	298	2.26	4.5	78.1	47.8	98.49	-0.2	-0.7	0	79.8	1.71	100	8393	98.49	79.3
2023-04-16 10:15:00	549	0	0	0	62	3.09	7.76	78.5	47.9	98.49	-0.1	-0.7	0	80.5	1.73	100	8396	98.49	80
2023-04-16 10:20:00	534.4	0	0	0	109	3.62	6.69	79.2	46	98.49	-0.2	-0.7	0	80.7	1.84	100	8399	98.49	80.5
2023-04-16 10:25:00	572.6	0	0	0	80	3.4	5.48	79	46.6	98.48	-0.2	-0.8	0	80.4	1.81	100	8399	98.48	80.9
2023-04-16 10:30:00	611.4	0	0	0	95	3.44	6.46	79.1	46.1	98.47	0	-0.8	0	80.7	1.83	100	8403	98.48	81.2
2023-04-16 10:35:00	650.6	0	0	0	87	3.24	5.77	79.5	45.7	98.47	-0.1	-0.7	0	81.1	1.87	100	8406	98.47	81.6
2023-04-16 10:40:00	672.2	0	0	0	112	7.63	11.68	80	43.5	98.46	0	-0.8	0	81.2	1.97	100	8409	98.46	81.8
2023-04-16 10:45:00	683.8	0	0	0	148	4.14	7.11	79.7	44	98.45	-0.1	-0.8	0	81	1.93	100	8411	98.46	81.6
2023-04-16 10:50:00	696	0	0	0	84	5.53	8.37	79.9	44.6	98.45	-0.2	-0.9	0	81.1	1.93	100	8411	98.45	81.6
2023-04-16 10:55:00	693.6	0	0	0	80	6.17	9.82	80.1	44.2	98.45	-0.1	-0.8	0	81.2	1.96	100	8412	98.45	81.9
2023-04-16 11:00:00	708.8	0	0	0	97	7.7	12.41	80.4	43.7	98.44	-0.1	-0.7	0	81.4	1.99	100	8414	98.44	82.1
2023-04-16 11:05:00	731.6	0	0	0	116	6.6	10.6	80.4	43.4	98.43	-0.1	-0.8	0	81.4	2	100	8416	98.44	82
2023-04-16 11:10:00	737.2	0	0	0	77	3.56	6.31	80.2	44.6	98.43	-0.2	-0.8	0	81.6	1.95	100	8418	98.43	82.2
2023-04-16 11:15:00	720.8	0	0	0	109	6.58	10.27	81.1	43.3	98.42	-0.1	-0.8	0	82.3	2.05	100	8418	98.42	82.7
2023-04-16 11:20:00	698.8	0	0	0	104	7.65	12.84	81.4	41.1	98.41	0	-0.8	0	82.4	2.15	100	8423	98.42	82.6
2023-04-16 11:25:00	647	0	0	0	112	6.17	9.28	81.2	41.7	98.41	-0.2	-0.8	0	82.3	2.12	100	8422	98.41	82.6
2023-04-16 11:30:00	686	0	0	0	134	7.29	12.28	81.5	41.5	98.4	0	-0.8	0	82.6	2.15	100	8424	98.41	82.7
2023-04-16 11:35:00	735.4	0	0	0	125	6.2	10.98	81.5	40.9	98.4	-0.1	-0.8	0	82.6	2.17	100	8425	98.4	82.7
2023-04-16 11:40:00	777.6	0	0	0	145	5.82	9.04	81.6	41.6	98.39	-0.2	-0.7	0	82.8	2.15	100	8425	98.4	82.8
2023-04-16 11:45:00	774.4	0	0	0	120	7.92	14.05	81.9	40.9	98.39	0	-0.8	0	83	2.2	100	8424	98.39	82.8
2023-04-16 11:50:00	761.8	0	0	0	134	8.7	14.41	81.8	40.4	98.38	-0.1	-0.8	0	82.7	2.21	100	8425	98.39	82.7
2023-04-16 11:55:00	749.8	0	0	0	125	7.4	11.1	81.7	40.5	98.38	0	-0.7	0	82.7	2.2	100	8425	98.38	82.6
2023-04-16 12:00:00	757.4	0	0	0	106	5.77	10.45	81.6	41.2	98.39	-0.1	-0.8	0	82.8	2.17	100	8426	98.38	82.6
2023-04-16 12:05:00	764.8	0	0	0	131	7.7	11.5	82	40.4	98.37	0.3	-0.6	0	83.1	2.22	100	8427	98.38	82.8
2023-04-16 12:10:00	729	0	0	0	109	6.6	9.93	82.2	41	98.38	-0.2	-0.8	0	83.4	2.22	100	8425	98.38	83
2023-04-16 12:15:00	700.8	0	0	0	126	9.24	15.41	82.5	40.8	98.37	-0.1	-0.7	0	83.5	2.24	100	8425	98.37	83.1
2023-04-16 12:20:00	759	0	0	0	134	7.72	13.53	82.3	40.5	98.36	-0.3	-0.7	0	83.3	2.24	100	8425	98.37	82.9
2023-04-16 12:25:00	797.2	0	0	0	131	10.36	15.93	82.4	41.1	98.35	-0.2	-0.9	0	83.3	2.22	100	8424	98.36	82.9
2023-04-16 12:30:00	807	0	0	0	161	7.87	13.94	82.3	42.5	98.36	-0.3	-0.6	0	83.2	2.16	100	8425	98.36	82.8
2023-04-16 12:35:00	812.2	0	0	0	124	7.96	10.92	82.3	43.7	98.35	0.1	-0.9	0	83.3	2.12	100	8424	98.35	82.8
2023-04-16 12:40:00	811.2	0	0	0	113	10.87	17.63	82.5	43.4	98.34	0.2	-0.8	0	83.3	2.15	100	8424	98.34	82.8
2023-04-16 12:45:00	791.6	0	0	0	102	8.43	13.96	82.4	43.5	98.34	-0.3	-0.8	0	83.4	2.13	100	8422	98.34	82.9
2023-04-16 12:50:00	767.6	0	0	0	138	11.43	18.1	82.4	42.4	98.32	-0.1	-0.7	0	83.4	2.18	100	8422	98.33	82.9
2023-04-16 12:55:00	721.6	0	0	0	113	12.03	16.6	82.4	41.8	98.32	0.2	-1.2	0	83.3	2.2	100	8421	98.32	82.7
2023-04-16 13:00:00	693	0	0	0	109	9.08	14.45	82.2	41.8	98.32	-0.2	-0.8	0	83.1	2.19	100	8419	98.31	82.7
2023-04-16 13:05:00	741.4	0	0	0	132	11.88	16.93	82.2	41.6	98.31	-0.4	-0.7	0	83.1	2.19	100	8419	98.3	82.7
2023-04-16 13:10:00	781.2	0	0	0	123	11.23	16.73	82.1	40.7	98.3	-0.1	-0.9	0	82.9	2.22	100	8417	98.29	82.5
2023-04-16 13:15:00	814	0	0	0	114	11.39	18.07	82.1	40.8	98.29	-0.1	-0.5	0	82.9	2.21	100	8416	98.29	82.5
2023-04-16 13:20:00	822	0	0	0	112	12.5	18.32	82.2	39.8	98.28	-0.2	-1	0	83	2.26	100	8412	98.27	82.5
2023-04-16 13:25:00	822.2	0	0	0	113	13.53	19.33	82	39.8	98.27	0.4	-0.9	0	82.8	2.25	100	8413	98.26	82.4
2023-04-16 13:30:00	818.8	0	0	0	103	11.03	20.31	82	39.8	98.27	0	-1.1	0	82.9	2.25	100	8409	98.26	82.4
2023-04-16 13:35:00	817.2	0	0	0	116	14.97	19.8	82.3	39.5	98.25	-0.2	-0.9	0	83	2.28	100	8406	98.26	82.6
2023-04-16 13:40:00	815.6	0	0	0	104	13.47	19.26	82.1	39.3	98.26	0.5	-1.1	0	82.9	2.28	100	8403	98.25	82.5
2023-04-16 13:45:00	808.6	0	0	0	103	13.04	16.2	82.1	39.7	98.26	0	-0.8	0	82.8	2.25	100	8396	98.24	82.5
2023-04-16 13:50:00	790.2	0	0	0	98	12.33	16.62	82.1	39.3	98.26	0	-0.8	0	82.8	2.27	100	8390	98.24	82.5
2023-04-16 13:55:00	771	0	0	0	131	13.82	18.03	82.3	39.7	98.24	0.2	-1.1	0	83.1	2.27	100	8390	98.24	82.5
2023-04-16 14:00:00	757.2	0	0	0	127	12.59	20.67	82.3	39.4	98.24	0.1	-0.5	0	83	2.28	100	8387	98.23	82.4
2023-04-16 14:05:00	742.6	0	0	0	109	14.74	20.51	82.4	37.9	98.23	0.2	-1	0	83.2	2.34	100	8381	98.22	82.4
2023-04-16 14:10:00	725.2	0	0	0	108	14.9	20.56	82.5	37.2	98.23	-0.1	-0.9	0	83.2	2.38	100	8378	98.22	82.5
2023-04-16 14:15:00	699	0	0	0	101	13.44	18.97	82.7	36.6	98.24	0	-1	0	83.5	2.42	100	8374	98.22	82.7
2023-04-16 14:20:00	670.6	0	0	0	108	13.65	18.54	82.8	36.4	98.23	0.1	-1.1	0	83.6	2.44	100	8370	98.21	82.8
2023-04-16 14:25:00	649.6	0	0	0	119	12.8	18.25	83.1	36.9	98.23	-0.1	-1.1	0	83.9	2.44	100	8366	98.21	82.9
2023-04-16 14:30:00	648.8	0	0	0	125	12.33	17.87	83.3	37	98.22	0	-0.8	0	84.1	2.45	100	8361	98.21	82.9
2023-04-16 14:35:00	662.2	0	0	0	107	14.54	21	83.2	36.9	98.21	0.1	-0.8	0	83.9	2.45	100	8358	98.2	82.9
2023-04-16 14:40:00	673.4	0	0	0	104	15.68	19.46	83.2	36.8	98.2	0.3	-0.6	0	83.9	2.45	100	8356	98.18	82.9
2023-04-16 14:45:00	683.2	0	0	0	112	15.21	20.13	83.1	36.5	98.19	0.2	-1.1	0	83.8	2.46	100	8351	98.18	82.9
2023-04-16 14:50:00	687.8	0	0	0	111	14.07	20.36	82.9	36.4	98.19	-0.1	-0.7	0	83.8	2.45	100	8349	98.17	82.8
2023-04-16 14:55:00	685.8	0	0	0	117	13.76	20.58	82.9	36.4	98.19	0.3	-1	0	83.7	2.45	100	8348	98.17	82.9

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-16 15:00:00	687.8	0	0	0	109	15.46	19.44	83.2	35.9	98.18	-0.1	-0.7	0	83.9	2.49	100	8348	98.16	83
2023-04-16 15:05:00	688	0	0	0	116	14.18	20.29	83.2	36.1	98.17	0.1	-0.9	0	83.9	2.48	100	8339	98.15	83
2023-04-16 15:10:00	695.4	0	0	0	122	12.88	19.62	83.4	36.1	98.17	0.1	-0.9	0	84.1	2.49	100	8338	98.15	83.1
2023-04-16 15:15:00	693.4	0	0	0	112	14.07	19.95	83.2	36.4	98.16	0	-1.1	0	84	2.47	100	8333	98.14	83.1
2023-04-16 15:20:00	686	0	0	0	105	16.22	22.59	83.2	36.5	98.15	-0.1	-0.8	0	83.9	2.46	100	8331	98.12	83.1
2023-04-16 15:25:00	661	0	0	0	106	15.1	22.1	83.2	36.7	98.14	0.1	-0.7	0	83.9	2.45	100	8327	98.11	83.2
2023-04-16 15:30:00	626	0	0	0	112	15.39	22.08	83.2	36.5	98.12	0	-0.9	0	83.9	2.46	100	8325	98.1	83.3
2023-04-16 15:35:00	657.2	0	0	0	106	14.94	18.68	83.2	36.4	98.12	0.1	-0.5	0	84	2.47	100	8322	98.09	83.4
2023-04-16 15:40:00	643	0	0	0	110	15.73	19.8	83.2	36.9	98.1	0.2	-1.1	0	83.9	2.44	100	8321	98.07	83.5
2023-04-16 15:45:00	633.4	0	0	0	132	14.14	18.61	83.1	37.6	98.08	-0.1	-0.9	0	83.8	2.41	100	8317	98.07	83.4
2023-04-16 15:50:00	619.6	0	0	0	129	12.55	16.04	82.9	38.1	98.07	0.1	-0.8	0	83.7	2.38	100	8314	98.05	83.4
2023-04-16 15:55:00	604.2	0	0	0	110	14.52	19.89	83.1	38.8	98.07	0	-0.7	0	83.8	2.36	100	8311	98.04	83.5
2023-04-16 16:00:00	588.6	0	0	0	98	14.67	20.56	83.1	39.1	98.06	-0.1	-0.8	0	83.8	2.35	100	8310	98.02	83.8
2023-04-16 16:05:00	570	0	0	0	110	14.83	19.17	83	39	98.06	-0.4	-0.7	0	83.8	2.35	100	8304	98.03	83.9
2023-04-16 16:10:00	556	0	0	0	102	17.27	21.52	83	38.7	98.05	-0.4	-1.1	0	83.7	2.36	100	8305	98.01	84
2023-04-16 16:15:00	527.8	0	0	0	117	14.99	20.94	82.6	38.8	98.04	0	-1	0	83.3	2.33	100	8301	98.01	83.9
2023-04-16 16:20:00	477.4	0	0	0	142	11.43	15.5	82.5	39.4	98.04	-0.2	-0.8	0	83.3	2.3	100	8299	98.01	83.6
2023-04-16 16:25:00	441.8	0	0	0	112	13.98	19.08	82.4	39	98.04	0.1	-1.2	0	83.2	2.31	100	8296	98.01	83.5
2023-04-16 16:30:00	448.2	0	0	0	115	14	19.15	82.4	38.7	98.02	0	-1.3	0	83.2	2.31	100	8295	98	83.4
2023-04-16 16:35:00	458.6	0	0	0	110	16.2	21.97	82.3	38.7	98.01	0.5	-1.4	0	83	2.31	100	8292	97.99	83.4
2023-04-16 16:40:00	438.6	0	0	0	114	14.58	19.98	82.3	38.6	98.01	0	-1.2	0	83	2.31	100	8291	97.99	83.3
2023-04-16 16:45:00	434	0	0	0	108	16.26	20.29	82	38.5	98.01	0	-1.2	0	82.8	2.3	100	8288	97.98	83.3
2023-04-16 16:50:00	414	0	0	0	116	13.18	17.9	81.8	38.9	98	0.1	-0.8	0	82.6	2.26	100	8286	97.97	83.2
2023-04-16 16:55:00	395.6	0	0	0	105	14.94	20.4	82	38.8	98	0.1	-0.4	0	82.8	2.28	100	8286	97.96	83.4
2023-04-16 17:00:00	382	0	0	0	109	14.99	21.9	81.9	38.6	97.99	-0.5	-0.4	0	82.7	2.28	100	8281	97.96	83.5
2023-04-16 17:05:00	399.2	0	0	0	111	16.02	22.37	82	38.7	97.97	0.1	-0.9	0	82.7	2.29	100	8282	97.95	83.4
2023-04-16 17:10:00	390.4	0	0	0	113	15.7	20.15	81.9	38.8	97.96	0.2	-0.4	0	82.6	2.28	100	8280	97.93	83.3
2023-04-16 17:15:00	365.8	0	0	0	111	14.18	19.57	81.7	39.1	97.95	0	-1.2	0	82.5	2.25	100	8279	97.92	83.2
2023-04-16 17:20:00	351.6	0	0	0	116	15.32	19.75	81.6	39.4	97.93	0.3	-0.3	0	82.4	2.23	100	8275	97.9	83.2
2023-04-16 17:25:00	349.4	0	0	0	119	15.39	20.45	81.6	39.3	97.92	-0.1	-0.8	0	82.3	2.24	100	8273	97.9	82.9
2023-04-16 17:30:00	342.8	0	0	0	111	14.74	19.19	81.5	39.4	97.92	-0.3	-1.1	0	82.2	2.22	100	8271	97.89	82.9
2023-04-16 17:35:00	321.4	0	0	0	115	15.52	22.41	81.5	39.8	97.91	0.2	-0.8	0	82.2	2.21	100	8267	97.9	83
2023-04-16 17:40:00	293.2	0	0	0	108	17.31	23	81.4	39.8	97.92	0	-1	0	82	2.2	100	8271	97.88	82.8
2023-04-16 17:45:00	272	0	0	0	111	15.28	21.5	81.2	40.3	97.91	-0.2	-0.6	0	81.8	2.17	100	8267	97.88	82.9
2023-04-16 17:50:00	266	0	0	0	113	17.45	23.51	81.1	40.6	97.9	-0.1	-0.6	0	81.6	2.15	100	8263	97.87	82.6
2023-04-16 17:55:00	241	0	0	0	111	16.64	23.17	81	40.9	97.89	0.1	-1.1	0	81.5	2.13	100	8264	97.87	82.5
2023-04-16 18:00:00	213.6	0	0	0	116	15.52	20.56	80.8	41	97.9	0.3	-0.8	0	81.2	2.11	100	8264	97.87	82.3
2023-04-16 18:05:00	175.4	0	0	0	114	16.87	21.52	80.6	40.9	97.89	-0.2	-0.9	0	80.9	2.11	100	8260	97.87	81.7
2023-04-16 18:10:00	201.6	0	0	0	126	17.43	22.15	80.4	41	97.88	-0.5	-0.5	0	80.7	2.09	100	8260	97.87	81.6
2023-04-16 18:15:00	184.2	0	0	0	125	17.11	21.23	80.2	41.1	97.89	-0.8	-0.4	0	80.6	2.07	100	8255	97.86	81.5
2023-04-16 18:20:00	170.2	0	0	0	121	13.04	17.92	80.1	41.3	97.89	-0.2	-1	0	80.5	2.06	100	8256	97.86	81.4
2023-04-16 18:25:00	157.6	0	0	0	109	15.52	19.13	80	41.3	97.89	-0.1	-0.9	0	80.4	2.05	100	8251	97.85	81.5
2023-04-16 18:30:00	86.8	0	0	0	116	16.2	23.38	79.8	41.4	97.89	-0.3	-0.9	0	80.1	2.04	100	8251	97.84	81.1
2023-04-16 18:35:00	118.6	0	0	0	115	16.64	25.61	79.6	41.6	97.86	0.5	-1.2	0	79.8	2.01	100	8250	97.83	80.5
2023-04-16 18:40:00	117.8	0	0	0	112	15.7	20.13	79.4	41.9	97.85	-0.1	-0.6	0	79.6	1.99	100	8248	97.82	80.6
2023-04-16 18:45:00	52	0	0	0	108	16.13	21.72	79.2	42.2	97.85	-0.4	-0.9	0	79.3	1.97	100	8248	97.8	80.2
2023-04-16 18:50:00	39.6	0	0	0	122	13.38	19.37	78.8	42.6	97.85	-0.1	-0.9	0	78.9	1.93	100	8245	97.8	79.2
2023-04-16 18:55:00	61.4	0	0	0	116	17.31	21.72	78.4	43	97.84	-0.2	-0.7	0	78.6	1.89	100	8244	97.8	79
2023-04-16 19:00:00	61.4	0	0	0	120	15.23	23.09	78.3	43.2	97.85	-0.3	-0.4	0	78.4	1.88	100	8244	97.81	79.1
2023-04-16 19:05:00	32.4	0	0	0	121	14.29	18.3	78.1	43.5	97.85	-0.4	-0.7	0	78.2	1.85	100	8240	97.81	78.8
2023-04-16 19:10:00	27.2	0	0	0	120	17.09	23.44	77.9	43.2	97.84	-0.3	-0.5	0	78	1.86	100	8241	97.8	78.1
2023-04-16 19:15:00	25.4	0	0	0	115	15.9	24.02	77.6	43.5	97.83	-0.1	-0.4	0	77.7	1.83	100	8240	97.79	77.8
2023-04-16 19:20:00	22.4	0	0	0	112	15.86	20.33	77.4	43.6	97.83	0.1	-1	0	77.5	1.81	100	8235	97.77	77.7
2023-04-16 19:25:00	19.4	0	0	0	116	13.89	21.18	77.2	43.9	97.82	-0.1	-0.6	0	77.3	1.79	100	8236	97.77	77.5
2023-04-16 19:30:00	14.4	0	0	0	113	14.09	19.62	77	44.1	97.81	-0.3	-0.5	0	77	1.77	100	8235	97.77	77.2
2023-04-16 19:35:00	8.4	0	0	0	113	14.47	18.84	76.8	44	97.81	-0.1	-0.5	0	76.8	1.76	100	8234	97.76	76.8
2023-04-16 19:40:00	3.8	0	0	0	115	14	20.15	76.6	44.3	97.82	-0.2	-0.6	0	76.5	1.74	100	8232	97.77	76.5
2023-04-16 19:45:00	1.6	0	0	0	119	14.16	19.37	76.3	44.4	97.81	-0.1	-0.5	0	76.2	1.72	100	8229	97.76	76.2
2023-04-16 19:50:00	0.4	0	0	0	120	13.15	17.98	76	45	97.8	-0.1	-0.6	0	76	1.69	100	8225	97.77	75.9
2023-04-16 19:55:00	0	0	0	0	114	14.25	19.39	75.8	44.8	97.81	0.1	-0.8	0	75.8	1.68	100	8227	97.76	75.7

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-16 20:00:00	0	0	0	0	117	14.38	18.79	75.6	45.1	97.8	-0.2	-0.6	0	75.6	1.66	100	8225	97.75	75.5
2023-04-16 20:05:00	0	0	0	0	117	14.54	19.33	75.5	45.2	97.8	-0.4	-0.5	0	75.5	1.65	100	8225	97.75	75.3
2023-04-16 20:10:00	0	0	0	0	121	15.01	19.35	75.2	45.1	97.79	-0.4	-0.6	0	75.2	1.64	100	8223	97.75	75.1
2023-04-16 20:15:00	0	0	0	0	124	14.27	18.16	75.2	45.3	97.79	-0.4	-0.4	0	75.2	1.63	100	8222	97.76	74.9
2023-04-16 20:20:00	0	0	0	0	123	14.14	19.93	74.9	45.7	97.8	-0.6	-0.3	0	75	1.61	100	8221	97.75	74.8
2023-04-16 20:25:00	0	0	0	0	121	14.76	19.82	74.8	45.5	97.8	-0.2	-0.9	0	74.8	1.6	100	8221	97.76	74.6
2023-04-16 20:30:00	0	0	0	0	122	14.9	20.6	74.7	45.6	97.8	-0.3	-0.4	0	74.7	1.6	100	8221	97.76	74.5
2023-04-16 20:35:00	0	0	0	0	130	13.29	20.6	74.6	45.9	97.8	-0.2	-0.7	0	74.6	1.58	100	8221	97.76	74.4
2023-04-16 20:40:00	0	0	0	0	134	12.73	18.19	74.5	46.2	97.8	-0.2	-1.1	0	74.5	1.57	100	8216	97.76	74.3
2023-04-16 20:45:00	0	0	0	0	137	13.13	17.05	74.5	46.4	97.8	-0.3	-0.5	0	74.5	1.56	100	8217	97.76	74.2
2023-04-16 20:50:00	0	0	0	0	133	14.72	20.96	74.4	46.9	97.8	0	-0.8	0	74.4	1.54	100	8214	97.76	74.2
2023-04-16 20:55:00	0	0	0	0	137	14.56	19.89	74.4	47.4	97.8	-0.3	-0.8	0	74.4	1.53	100	8213	97.77	74.1
2023-04-16 21:00:00	0	0	0	0	134	14.09	19.48	74.3	47.6	97.81	-0.2	-0.4	0	74.3	1.52	100	8213	97.77	74
2023-04-16 21:05:00	0	0	0	0	140	13.53	18.32	74.2	48	97.81	-0.4	-0.8	0	74.2	1.5	100	8211	97.76	73.9
2023-04-16 21:10:00	0	0	0	0	131	14.97	20.09	74.1	48.6	97.8	-0.5	-0.9	0	74.1	1.48	100	8210	97.76	73.8
2023-04-16 21:15:00	0	0	0	0	135	12.1	14.92	73.9	49	97.8	-0.2	-0.9	0	73.9	1.45	100	8209	97.76	73.6
2023-04-16 21:20:00	0	0	0	0	134	13.09	16.24	73.8	49.3	97.79	-0.4	-0.7	0	73.7	1.44	100	8207	97.75	73.5
2023-04-16 21:25:00	0	0	0	0	131	12.84	17.29	73.6	49.9	97.79	-0.2	-0.7	0	73.6	1.41	100	8209	97.75	73.3
2023-04-16 21:30:00	0	0	0	0	134	11.7	14.56	73.4	50.4	97.8	0	-0.8	0	73.4	1.39	100	8207	97.75	73.2
2023-04-16 21:35:00	0	0	0	0	139	13.29	17.07	73.2	50.9	97.8	-0.2	-0.7	0	73.2	1.37	100	8204	97.75	73
2023-04-16 21:40:00	0	0	0	0	142	11.79	15.37	73	51.5	97.8	0	-0.8	0	73	1.34	100	8203	97.75	72.9
2023-04-16 21:45:00	0	0	0	0	145	12.21	14.81	72.9	52.2	97.8	-0.5	-0.4	0	72.9	1.32	100	8204	97.75	72.8
2023-04-16 21:50:00	0	0	0	0	139	12.97	17.29	72.8	52.6	97.79	-0.1	-0.6	0	72.8	1.31	100	8202	97.75	72.7
2023-04-16 21:55:00	0	0	0	0	146	11.14	15.28	72.8	53	97.8	-0.3	-0.8	0	72.8	1.29	100	8203	97.75	72.6
2023-04-16 22:00:00	0	0	0	0	146	11.18	15.41	72.7	53.4	97.79	-0.4	-0.8	0	72.7	1.28	100	8200	97.75	72.5
2023-04-16 22:05:00	0	0	0	0	147	10.6	13.69	72.6	53.5	97.8	-0.2	-0.8	0	72.5	1.27	100	8201	97.75	72.4
2023-04-16 22:10:00	0	0	0	0	146	9.51	12.5	72.6	54	97.81	-0.3	-0.6	0	72.6	1.26	100	8200	97.76	72.3
2023-04-16 22:15:00	0	0	0	0	145	9.53	13.29	72.4	54.2	97.81	-0.3	-0.5	0	72.4	1.24	100	8198	97.76	72.2
2023-04-16 22:20:00	0	0	0	0	174	8.01	11.01	72.3	54.7	97.84	-0.3	-0.6	0	72.3	1.23	100	8199	97.79	72.1
2023-04-16 22:25:00	0	0	0	0	274	18.03	28.41	71.9	55.5	97.89	-0.6	-0.1	0	71.9	1.19	100	8197	97.83	71.5
2023-04-16 22:30:00	0	0	0	0	273	23.47	36.31	69.7	57.3	97.9	0.4	0.6	0	69.5	1.05	100	8197	97.85	69.1
2023-04-16 22:35:00	0	0	0	0	268	21.61	28.45	66.1	61.9	97.94	-0.3	-0.8	0	65.9	0.83	100	8194	97.89	66.6
2023-04-16 22:40:00	0	0	0	0	265	18.7	28.9	63.5	66.3	97.97	-0.9	-1.3	0	63.4	0.67	100	8195	97.91	65
2023-04-16 22:45:00	0	0	0	0	263	18.12	25.17	61.7	69.9	97.98	0	-0.6	0	61.7	0.56	100	8194	97.92	63.8
2023-04-16 22:50:00	0	0	0	0	265	16.46	27.07	60.5	72.5	97.99	-0.8	-0.5	0	60.5	0.49	100	8191	97.93	62.8
2023-04-16 22:55:00	0	0	0	0	269	22.64	34.85	59.6	74.1	97.99	-0.9	-0.7	0	59.6	0.45	100	8189	97.93	61.9
2023-04-16 23:00:00	0	0	0	0	275	21	28.25	58.7	75.2	97.99	-0.3	-0.6	0	58.7	0.42	100	8190	97.93	61
2023-04-16 23:05:00	0	0	0	0	274	22.68	32.99	58.1	76	97.99	-1.1	-1.6	0	58.1	0.4	100	8187	97.93	60.3
2023-04-16 23:10:00	0	0	0	0	273	15.41	22.01	57.7	76.7	98.01	-0.6	-0.7	0	57.7	0.38	100	8186	97.96	59.7
2023-04-16 23:15:00	0	0	0	0	269	19.98	29.77	57.2	77.3	98.03	-1.1	-1	0	57.2	0.36	100	8184	97.98	59.3
2023-04-16 23:20:00	0	0	0	0	267	22.48	30.67	56.9	77	98.03	0.1	-0.4	0	56.9	0.36	100	8183	97.99	58.8
2023-04-16 23:25:00	0	0	0	0	261	18.37	27.16	56.5	76.5	98.05	-0.5	-0.5	0	56.4	0.37	100	8183	98.01	58.3
2023-04-16 23:30:00	0	0	0	0	268	20.85	30.53	56.3	76.5	98.05	-1	0.3	0	56.3	0.36	100	8182	98	57.9
2023-04-16 23:35:00	0	0	0	0	279	21.12	31.63	55.8	75.8	98.05	-0.5	-0.9	0	55.8	0.37	100	8178	98	57.4
2023-04-16 23:40:00	0	0	0	0	274	20.27	29.33	55.7	75.9	98.06	-0.9	0.5	0	55.7	0.36	100	8181	98.02	57
2023-04-16 23:45:00	0	0	0	0	276	20.24	34.56	55.3	76	98.08	-0.8	-0.6	0	55.3	0.36	100	8178	98.03	56.6
2023-04-16 23:50:00	0	0	0	0	270	19.19	25.41	55.1	75.9	98.1	-0.4	-0.3	0	55.1	0.36	100	8181	98.05	56.3
2023-04-16 23:55:00	0	0	0	0	273	19.39	29.84	54.8	75.7	98.1	-0.3	-0.8	0	54.8	0.36	100	8177	98.05	56
2023-04-17 00:00:00	0	0	0	0	260	23.26	30.58	54.6	75.4	98.1	-0.4	-0.6	0	54.6	0.36	100	8178	98.06	55.7
2023-04-17 00:05:00	0	0	0	0	267	20.87	28.21	54.5	75.4	98.1	0	0	0	54.4	0.36	100	8159	98.06	55.5
2023-04-17 00:10:00	0	0	0	0	259	17.87	25.52	54.1	76	98.11	-0.7	-0.3	0	54.1	0.34	100	8146	98.06	55.5
2023-04-17 00:15:00	0	0	0	0	256	18.41	24.38	53.9	76.3	98.11	-1.1	-0.8	0	53.9	0.34	100	8142	98.07	55.3
2023-04-17 00:20:00	0	0	0	0	257	16.24	30.53	53.8	76.8	98.12	-0.4	-0.2	0	53.8	0.33	100	8156	98.08	54.8
2023-04-17 00:25:00	0	0	0	0	252	20.15	28.83	53.3	77.5	98.13	-0.6	-1	0	53.3	0.31	100	8157	98.09	54.1
2023-04-17 00:30:00	0	0	0	0	256	21.09	31.52	52.7	78.9	98.14	-1.4	-1.2	0	52.7	0.29	100	8157	98.1	53
2023-04-17 00:35:00	0	0.00938	0	0	261	20.11	29.64	51.9	80.3	98.14	-0.8	-0.2	0.201	51.8	0.26	100	8157	98.09	52.1
2023-04-17 00:40:00	0	0.00335	0	0	267	18.54	26.51	50.7	82.8	98.14	-0.9	-0.4	0.08	50.6	0.22	100	8156	98.09	51.4
2023-04-17 00:45:00	0	0.00871	0	0	266	16.17	25.1	49.9	84.9	98.13	-0.4	-0.9	0.12	49.8	0.18	100	8157	98.09	50.7
2023-04-17 00:50:00	0	0.00938	0	0	261	13.38	23.76	49.1	87.5	98.14	-0.8	-0.3	0.161	49.1	0.15	100	8158	98.1	50.3
2023-04-17 00:55:00	0	0.00938	0	0	261	11.27	14.81	48.6	89	98.16	-1.3	-0.7	0.201	48.6	0.13	100	8155	98.12	49.8

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-17 01:00:00	0	0.01072	0	0	257	12.44	18.03	48.2	90.3	98.15	-0.7	-0.4	0.201	48.2	0.11	100	8155	98.12	49.4
2023-04-17 01:05:00	0	0.00201	0	0	265	15.05	24	47.8	90.8	98.15	-0.7	-0.6	0.08	47.8	0.1	100	8154	98.11	49.1
2023-04-17 01:10:00	0	0.00134	0	0	264	16.35	22.37	47.6	90.4	98.14	-0.9	-0.3	0.04	47.5	0.11	100	8155	98.1	48.8
2023-04-17 01:15:00	0	0.00067	0	0	269	14.99	22.7	47.4	90.9	98.13	-1.2	-0.6	0.04	47.4	0.1	100	8153	98.09	48.5
2023-04-17 01:20:00	0	0.00335	0	0	262	14.7	21.39	47.3	91	98.14	-1.5	-0.4	0.12	47.3	0.1	100	8153	98.11	48.2
2023-04-17 01:25:00	0	0.00268	0	0	264	16.55	25.77	47.2	91.4	98.13	-1.1	-0.7	0.04	47.2	0.1	100	8151	98.09	48
2023-04-17 01:30:00	0	0.00067	0	0	260	17.52	25.3	46.9	90.8	98.14	-1.5	-0.5	0.04	46.9	0.1	100	8151	98.11	47.8
2023-04-17 01:35:00	0	0.00134	0	0	262	14.23	22.68	46.7	91.5	98.14	-1	-0.3	0.08	46.7	0.09	100	8150	98.1	47.6
2023-04-17 01:40:00	0	0.00335	0	0	257	16.26	22.64	46.7	91.1	98.15	-1.1	-0.7	0.08	46.7	0.1	100	8153	98.11	47.3
2023-04-17 01:45:00	0	0.00603	0	0	260	18.81	31.85	46.4	91.3	98.13	-0.6	-0.8	0.161	46.5	0.09	100	8149	98.09	47
2023-04-17 01:50:00	0	0.01072	0	0	261	16.58	24.09	46.1	92	98.12	-1.1	-0.4	0.161	46	0.09	100	8150	98.09	46.7
2023-04-17 01:55:00	0	0.00402	0	0	264	17.43	29.42	45.8	92.3	98.11	-0.9	-0.7	0.08	45.8	0.08	100	8150	98.08	46.5
2023-04-17 02:00:00	0	0.00804	0	0	264	17.67	23.09	45.6	92.4	98.1	-0.5	-0.7	0.161	45.5	0.08	100	8150	98.08	46.2
2023-04-17 02:05:00	0	0.00268	0	0	258	16.15	23	45.3	93	98.12	-1.1	-0.9	0.08	45.3	0.07	100	8148	98.09	46.1
2023-04-17 02:10:00	0	0.00268	0	0	262	13.49	25.1	45.2	93	98.12	-0.6	-0.7	0.08	45.1	0.07	100	8147	98.1	45.9
2023-04-17 02:15:00	0	0.00067	0	0	264	15.12	23.55	45.1	93.1	98.12	-1.1	-0.7	0.04	45.1	0.07	100	8150	98.09	45.8
2023-04-17 02:20:00	0	0.00067	0	0	261	14.09	22.91	45.1	92.3	98.12	-0.7	-0.6	0.04	45.2	0.08	100	8146	98.09	45.6
2023-04-17 02:25:00	0	0.00134	0	0	263	15.57	24.79	45	92.1	98.12	-1.2	-0.5	0.04	45.1	0.08	100	8147	98.09	45.5
2023-04-17 02:30:00	0	0.00469	0	0	263	14.9	24.07	45	92	98.13	-0.9	-0.4	0.08	45	0.08	100	8145	98.1	45.3
2023-04-17 02:35:00	0	0.0067	0	0	257	9.53	13.38	44.8	92.5	98.15	-1	-0.5	0.08	44.8	0.08	100	8146	98.13	45.2
2023-04-17 02:40:00	0	0.01273	0	0	260	9.37	14.07	44.6	93.1	98.15	-0.8	-0.4	0.201	44.6	0.07	100	8144	98.13	45.1
2023-04-17 02:45:00	0	0.01206	0	0	267	9.82	13.65	44.5	93.5	98.14	-1	-0.4	0.201	44.5	0.07	100	8144	98.11	44.9
2023-04-17 02:50:00	0	0.00804	0	0	272	8.75	14	44.3	93.8	98.12	-1	-0.6	0.12	44.3	0.06	100	8144	98.08	44.7
2023-04-17 02:55:00	0	0.00871	0	0	268	8.9	12.95	44.3	93.9	98.11	-0.7	-0.6	0.161	44.3	0.06	100	8145	98.09	44.6
2023-04-17 03:00:00	0	0.00536	0	0	263	8.37	14.2	44.1	94.3	98.12	-0.9	-0.5	0.08	44.1	0.06	100	8146	98.1	44.5
2023-04-17 03:05:00	0	0.00134	0	0	270	8.57	11.56	44.1	93.7	98.11	-0.9	-0.5	0.04	44.1	0.06	100	8143	98.08	44.5
2023-04-17 03:10:00	0	0.00335	0	0	262	9.53	15.37	44.1	93.8	98.12	-0.9	-0.4	0.08	44.1	0.06	100	8145	98.09	44.4
2023-04-17 03:15:00	0	0.00268	0	0	262	7.31	11.01	44.1	93.9	98.12	-0.9	-0.5	0.04	44.2	0.06	100	8144	98.09	44.4
2023-04-17 03:20:00	0	0.0067	0	0	266	7.54	12.1	44.1	93.9	98.11	-0.8	-0.5	0.12	44.1	0.06	100	8141	98.07	44.3
2023-04-17 03:25:00	0	0.00201	0	0	263	7.76	11.59	44.1	93.7	98.09	-0.8	-0.5	0.04	44.1	0.06	100	8143	98.06	44.3
2023-04-17 03:30:00	0	0.00469	0	0	258	7.52	12.97	44.1	93.7	98.09	-0.9	-0.5	0.08	44.1	0.06	100	8143	98.07	44.2
2023-04-17 03:35:00	0	0.00134	0	0	264	7.38	11.95	44.1	93.7	98.09	-0.9	-0.6	0.04	44.1	0.06	100	8140	98.06	44.2
2023-04-17 03:40:00	0	0.00067	0	0	269	7.11	11.3	44.1	93.4	98.08	-0.9	-0.5	0.04	44.1	0.06	100	8141	98.05	44.2
2023-04-17 03:45:00	0	0.00067	0	0	273	7.29	11.23	44.1	93.1	98.08	-0.9	-0.6	0.04	44.1	0.07	100	8140	98.05	44.2
2023-04-17 03:50:00	0	0.00067	0	0	274	6.35	8.03	44.1	93.2	98.07	-0.9	-0.4	0.04	44.1	0.07	100	8141	98.05	44.1
2023-04-17 03:55:00	0	0.00201	0	0	269	5.57	8.16	44.1	93.7	98.09	-0.9	-0.6	0.04	44.1	0.06	100	8142	98.06	44.1
2023-04-17 04:00:00	0	0.00067	0	0	267	5.64	8.55	44.2	93.4	98.1	-0.9	-0.5	0.04	44.2	0.07	100	8141	98.07	44.1
2023-04-17 04:05:00	0	0.00536	0	0	251	4.88	7.07	44.1	93.9	98.12	-1	-0.4	0.08	44.1	0.06	100	8140	98.09	44.1
2023-04-17 04:10:00	0	0.00737	0	0	249	4.29	5.95	44.2	94.1	98.12	-1	-0.4	0.12	44.2	0.06	100	8140	98.1	44.2
2023-04-17 04:15:00	0	0.00871	0	0	237	3.58	5.08	44.2	94.6	98.12	-0.9	-0.4	0.12	44.2	0.05	100	8139	98.1	44.2
2023-04-17 04:20:00	0	0.00335	0	0	235	4	5.37	44.2	93.7	98.12	-0.9	-0.5	0.08	44.2	0.06	100	8138	98.09	44.2
2023-04-17 04:25:00	0	0.00134	0	0	224	2.84	5.32	44.2	93.9	98.11	-0.9	-0.5	0.04	44.2	0.06	100	8138	98.08	44.2
2023-04-17 04:30:00	0	0.00067	0	0	213	3.15	4.7	44.3	93.9	98.11	-0.9	-0.6	0.04	44.3	0.06	100	8137	98.08	44.2
2023-04-17 04:35:00	0	0	0	0	195	3.11	4.43	44.3	94	98.11	-0.9	-0.5	0	44.3	0.06	100	8140	98.09	44.3
2023-04-17 04:40:00	0	0.00134	0	0	161	4.32	5.66	44.4	94.6	98.11	-0.7	-0.4	0.04	44.5	0.05	100	8140	98.08	44.3
2023-04-17 04:45:00	0	0.00134	0	0	161	4.25	5.53	44.5	94.4	98.09	-0.9	-0.4	0.04	44.5	0.06	100	8139	98.06	44.4
2023-04-17 04:50:00	0	0.00134	0	0	165	2.64	3.96	44.5	93.9	98.07	-0.8	-0.4	0.04	44.5	0.06	100	8138	98.04	44.4
2023-04-17 04:55:00	0	0.00067	0	0	164	2.89	3.67	44.5	94.1	98.07	-0.9	-0.6	0.04	44.5	0.06	100	8136	98.04	44.4
2023-04-17 05:00:00	0	0.00067	0	0	166	3.24	4.41	44.5	94.3	98.06	-0.9	-0.5	0.04	44.5	0.06	100	8139	98.04	44.5
2023-04-17 05:05:00	0	0	0	0	166	4.12	5.3	44.5	94	98.07	-0.9	-0.5	0	44.5	0.06	100	8136	98.04	44.5
2023-04-17 05:10:00	0	0	0	0	162	4.34	5.44	44.6	94	98.07	-0.9	-0.6	0	44.6	0.06	100	8136	98.05	44.5
2023-04-17 05:15:00	0	0.00067	0	0	167	5.08	6.4	44.6	94.1	98.09	-0.7	-0.5	0.04	44.7	0.06	100	8137	98.07	44.6
2023-04-17 05:20:00	0	0	0	0	168	4.97	7.02	44.7	94.4	98.08	-0.9	-0.5	0	44.7	0.06	100	8134	98.06	44.6
2023-04-17 05:25:00	0	0	0	0	181	3.83	4.83	44.8	94.4	98.07	-0.9	-0.5	0	44.8	0.06	100	8139	98.05	44.7
2023-04-17 05:30:00	0	0	0	0	191	3.67	4.76	44.8	94.8	98.06	-0.9	-0.6	0	44.8	0.05	100	8137	98.03	44.7
2023-04-17 05:35:00	0	0	0	0	172	4.34	6.11	45	94.6	98.07	-0.8	-0.6	0	44.9	0.06	100	8134	98.05	44.8
2023-04-17 05:40:00	0	0	0	0	166	5.84	7	44.9	95.1	98.09	-0.8	-0.4	0	45	0.05	100	8135	98.07	44.9
2023-04-17 05:45:00	0	0	0	0	166	5.55	7.45	45	94.6	98.09	-0.8	-0.6	0	44.9	0.06	100	8135	98.07	44.9
2023-04-17 05:50:00	0	0	0	0	168	5.95	7.2	45	94.6	98.1	-0.8	-0.5	0	45	0.06	100	8135	98.08	45
2023-04-17 05:55:00	0	0	0	0	172	4.97	6.93	45.1	94	98.11	-0.9	-0.5	0	45.1	0.06	100	8132	98.08	45

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-17 06:00:00	0	0	0	0	172	4.59	6.55	45.1	94.1	98.09	-0.8	-0.4	0	45.1	0.06	100	8133	98.07	45
2023-04-17 06:05:00	0	0.00402	0	0	170	4.61	6.26	45.1	94.3	98.08	-0.8	-0.5	0.08	45.1	0.06	100	8135	98.06	45.1
2023-04-17 06:10:00	0	0.00067	0	0	163	4.25	5.61	45	94.6	98.07	-1	-0.4	0.04	45	0.05	100	8134	98.05	45
2023-04-17 06:15:00	0	0	0	0	161	4.47	6.11	45	94.5	98.07	-1	-0.5	0	45	0.06	100	8133	98.05	45
2023-04-17 06:20:00	0.4	0	0	0	164	4.63	5.99	45	94	98.07	-0.8	-0.6	0	45	0.06	100	8134	98.05	45.1
2023-04-17 06:25:00	0.2	0	0	0	162	5.26	6.33	45	93.9	98.08	-0.9	-0.4	0	45	0.06	100	8131	98.06	45.1
2023-04-17 06:30:00	0	0	0	0	155	3.13	4.68	45	93.6	98.05	-0.9	-0.5	0	45	0.06	100	8132	98.03	45.1
2023-04-17 06:35:00	0	0.00536	0	0	160	4.32	5.32	45	93.3	98.07	-0.8	-0.5	0.161	45	0.07	100	8133	98.05	45.1
2023-04-17 06:40:00	0.4	0.00603	0	0	161	4.03	5.01	45	93.6	98.06	-0.8	-0.5	0.161	45	0.06	100	8133	98.04	45.2
2023-04-17 06:45:00	2	0.01072	0	0	164	5.21	6.8	45	94	98.07	-1	-0.4	0.201	45	0.06	100	8131	98.06	45.1
2023-04-17 06:50:00	2.6	0.00737	0	0	167	5.28	6.93	44.9	93.8	98.08	-0.9	-0.5	0.161	44.9	0.06	100	8131	98.06	45
2023-04-17 06:55:00	2.6	0.00335	0	0	163	4.63	7	44.7	94.7	98.08	-0.9	-0.4	0.08	44.7	0.05	100	8131	98.06	45
2023-04-17 07:00:00	7.8	0.00134	0	0	156	4.47	5.95	44.7	92.9	98.07	-0.9	-0.6	0.04	44.7	0.07	100	8129	98.05	44.9
2023-04-17 07:05:00	24.8	0.00067	0	0	174	3.8	5.3	44.5	93.4	98.04	-1	-0.5	0.04	44.6	0.07	100	8131	98.03	44.8
2023-04-17 07:10:00	37.2	0.00067	0	0	182	2.48	5.28	44.2	92.7	98.06	-0.8	-0.5	0.04	44.4	0.07	100	8131	98.04	44.7
2023-04-17 07:15:00	29.4	0.00067	0	0	195	2.86	3.94	44.2	92.7	98.06	-0.9	-0.5	0.04	44.4	0.07	100	8130	98.04	44.6
2023-04-17 07:20:00	24.2	0.00536	0	0	235	3.27	6.08	44.2	93.3	98.07	-0.8	-0.5	0.161	44.3	0.07	100	8127	98.05	44.6
2023-04-17 07:25:00	21	0.01005	0	0	237	5.01	7.58	44.1	92.5	98.07	-0.9	-0.6	0.161	44.2	0.07	100	8130	98.06	44.5
2023-04-17 07:30:00	19.4	0.00603	0	0	210	4.32	5.84	44.1	93.5	98.09	-0.8	-0.4	0.12	44.2	0.06	100	8127	98.07	44.3
2023-04-17 07:35:00	18.2	0.00134	0	0	218	3.18	4.7	44.1	93.8	98.08	-0.9	-0.4	0.04	44.1	0.06	100	8127	98.07	44.3
2023-04-17 07:40:00	15.4	0.00067	0	0	225	2.37	3.47	44	94.1	98.08	-0.8	-0.6	0.04	44.1	0.06	100	8128	98.06	44.3
2023-04-17 07:45:00	14.2	0	0	0	246	2.28	3.69	44	94	98.08	-0.8	-0.5	0	44.1	0.06	100	8128	98.06	44.3
2023-04-17 07:50:00	20.6	0	0	0	276	3.22	4.34	43.9	94.2	98.07	-0.8	-0.5	0	44	0.06	100	8128	98.05	44.2
2023-04-17 07:55:00	34.6	0	0	0	271	2.89	4.59	43.9	93.4	98.08	-0.8	-0.6	0	44	0.06	100	8126	98.06	44.2
2023-04-17 08:00:00	63.6	0	0	0	313	1.14	1.81	43.7	94.5	98.07	-0.8	-0.5	0	44.1	0.05	100	8127	98.06	44.2
2023-04-17 08:05:00	69.6	0	0	0	341	2.37	4.14	43.7	93.4	98.07	-0.9	-0.5	0	44.1	0.06	100	8131	98.05	44.3
2023-04-17 08:10:00	76.8	0	0	0	326	2.73	3.56	43.8	91.8	98.06	-1	-0.4	0	44.2	0.08	100	8128	98.05	44.4
2023-04-17 08:15:00	54.4	0	0	0	338	3.38	4.74	44	91.9	98.07	-0.9	-0.5	0	44.3	0.08	100	8129	98.05	44.5
2023-04-17 08:20:00	65.8	0	0	0	303	4.34	6.06	44.1	92.4	98.07	-0.8	-0.4	0	44.4	0.07	100	8127	98.05	44.7
2023-04-17 08:25:00	84	0	0	0	308	4.5	6.02	44.2	93.2	98.06	-0.9	-0.4	0	44.4	0.07	100	8127	98.05	44.8
2023-04-17 08:30:00	73	0	0	0	308	4.45	6.42	44.3	93.6	98.07	-0.8	-0.6	0	44.6	0.06	100	8128	98.05	44.9
2023-04-17 08:35:00	40	0	0	0	292	5.23	6.96	44.6	92.9	98.08	-0.9	-0.5	0	44.7	0.07	100	8129	98.06	45
2023-04-17 08:40:00	33.4	0	0	0	312	5.53	8.3	44.6	92.9	98.08	-0.9	-0.5	0	44.8	0.07	100	8130	98.06	45
2023-04-17 08:45:00	19.4	0	0	0	300	8.25	11.48	44.6	92.3	98.08	-0.9	-0.5	0	44.7	0.08	100	8131	98.07	45
2023-04-17 08:50:00	18.8	0	0	0	290	7.4	11.92	44.5	92.7	98.08	-0.8	-0.5	0	44.6	0.07	100	8127	98.06	44.9
2023-04-17 08:55:00	41.2	0	0	0	271	5.14	8.05	44.4	92.8	98.08	-0.7	-0.5	0	44.5	0.07	100	8128	98.06	44.7
2023-04-17 09:00:00	86.8	0	0	0	300	4.43	7.16	44.3	93.2	98.06	-0.9	-0.5	0	44.5	0.07	100	8128	98.04	44.6
2023-04-17 09:05:00	83.8	0	0	0	313	3.29	4.85	44.1	92.8	98.06	-0.9	-0.5	0	44.5	0.07	100	8130	98.04	44.7
2023-04-17 09:10:00	85.4	0	0	0	311	4.12	5.61	44.2	92.9	98.06	-0.8	-0.5	0	44.6	0.07	100	8130	98.04	44.8
2023-04-17 09:15:00	109.4	0	0	0	347	2.51	4.29	44.2	92.5	98.05	-0.9	-0.4	0	44.7	0.07	100	8127	98.03	44.9
2023-04-17 09:20:00	147.4	0	0	0	320	2.33	4.07	44.1	92.9	98.04	-0.8	-0.5	0	44.9	0.07	100	8130	98.03	45.1
2023-04-17 09:25:00	172.2	0	0	0	304	3	4.43	44.4	92.4	98.04	-0.9	-0.5	0	45.1	0.08	100	8132	98.03	45.4
2023-04-17 09:30:00	205.6	0	0	0	301	2.28	3.89	44.5	92.4	98.03	-0.7	-0.5	0	45.5	0.08	100	8135	98.02	45.7
2023-04-17 09:35:00	230.4	0	0	0	300	2.93	4.38	44.7	91.6	98.03	-0.8	-0.6	0	45.8	0.08	100	8136	98.01	46.1
2023-04-17 09:40:00	230.8	0	0	0	303	2.75	4.27	45	91.9	98.02	-0.8	-0.6	0	46.1	0.08	100	8140	98.01	46.5
2023-04-17 09:45:00	259.4	0	0	0	324	2.04	3.62	45.2	92.1	98.02	-0.9	-0.4	0	46.6	0.08	100	8143	98.01	47
2023-04-17 09:50:00	307	0	0	0	307	2.73	4.41	45.6	91	98.01	-0.9	-0.5	0	47.1	0.09	100	8148	98	47.4
2023-04-17 09:55:00	350.4	0	0	0	334	1.01	2.91	45.4	93.2	98	-0.7	-0.6	0	47.7	0.07	100	8154	97.99	47.9
2023-04-17 10:00:00	345.4	0	0	0	58	2.3	4.61	46.7	91.6	97.98	-0.8	-0.5	0	48.7	0.09	100	8159	97.97	48.6
2023-04-17 10:05:00	344.6	0	0	0	52	3.51	5.28	47.7	88.3	97.97	-0.7	-0.6	0	49.1	0.13	100	8166	97.96	49.2
2023-04-17 10:10:00	499.6	0	0	0	89	3.2	5.91	48.4	88	97.95	-0.7	-0.5	0	50	0.14	100	8175	97.95	49.8
2023-04-17 10:15:00	452.6	0	0	0	89	3.94	6.51	49.2	86	97.95	-0.7	-0.5	0	50.6	0.17	100	8183	97.95	50.5
2023-04-17 10:20:00	361.2	0	0	0	106	5.17	7.9	49.5	85.4	97.95	-0.7	-0.6	0	50.8	0.18	100	8184	97.95	51.2
2023-04-17 10:25:00	252.4	0	0	0	117	4.81	7.96	49.6	83.6	97.95	-0.6	-0.6	0	50.5	0.2	100	8187	97.94	51.5
2023-04-17 10:30:00	280.6	0	0	0	151	5.06	11.48	49.3	82.5	97.95	-0.7	-0.5	0	50.2	0.21	100	8186	97.94	51.6
2023-04-17 10:35:00	305	0	0	0	115	5.35	8.39	49.3	80.7	97.94	-0.8	-0.5	0	50.4	0.23	100	8188	97.93	51.7
2023-04-17 10:40:00	307.4	0	0	0	171	6.22	10.6	49.4	80.9	97.94	-0.8	-0.5	0	50.4	0.23	100	8191	97.94	51.7
2023-04-17 10:45:00	561.4	0	0	0	186	5.44	13.18	50	80.7	97.92	-0.6	-0.5	0	51.1	0.24	100	8208	97.93	51.8
2023-04-17 10:50:00	765.2	0	0	0	174	7.49	13.18	51.9	75.3	97.9	-0.8	-0.5	0	53.1	0.33	100	8227	97.92	52.4
2023-04-17 10:55:00	763.2	0	0	0	190	8.46	15.03	53.3	69.3	97.89	-0.7	-0.3	0	54.4	0.43	100	8238	97.91	53.3

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-17 11:00:00	737.4	0	0	0	223	8.66	17.11	54.3	65.3	97.89	-0.5	-0.6	0	55.2	0.5	100	8253	97.9	54.1
2023-04-17 11:05:00	795.6	0	0	0	268	8.28	11.56	54.9	62.3	97.87	-0.6	-0.4	0	55.9	0.55	100	8263	97.89	54.8
2023-04-17 11:10:00	777.6	0	0	0	264	12.21	16.51	55.7	57.9	97.86	-0.5	-0.8	0	56.5	0.64	100	8273	97.88	55.7
2023-04-17 11:15:00	764.6	0	0	0	243	12.28	16.26	55.9	56	97.86	-0.6	-0.5	0	56.7	0.67	100	8280	97.87	56.2
2023-04-17 11:20:00	742.4	0	0	0	256	15.01	21.52	56.3	54.6	97.85	-0.7	-0.6	0	57.1	0.7	100	8294	97.87	56.6
2023-04-17 11:25:00	722.2	0	0	0	253	14.32	20.18	56.5	53.3	97.86	-0.4	-0.7	0	57.3	0.73	100	8303	97.87	56.9
2023-04-17 11:30:00	695.6	0	0	0	258	13.13	21.5	56.8	52.7	97.85	-0.5	-0.5	0	57.6	0.74	100	8307	97.87	57.3
2023-04-17 11:35:00	446	0	0	0	254	9.1	13.2	56.2	55	97.87	-0.5	-0.5	0	57	0.69	100	8303	97.86	57.7
2023-04-17 11:40:00	326.6	0	0	0	263	8.32	15.28	55.4	54.9	97.88	-0.6	-0.6	0	56.2	0.67	100	8300	97.86	57.7
2023-04-17 11:45:00	435.6	0	0	0	262	12.68	19.46	55.4	56.1	97.87	-0.7	-0.4	0	56.2	0.66	100	8302	97.85	57.6
2023-04-17 11:50:00	555.2	0	0	0	240	10.83	16.62	55	56.1	97.85	-0.5	-0.5	0	55.9	0.65	100	8307	97.85	57.4
2023-04-17 11:55:00	691.2	0	0	0	238	15.14	23.87	55.7	54.1	97.84	-0.8	-1.1	0	56.4	0.69	100	8314	97.84	57.5
2023-04-17 12:00:00	462.6	0	0	0	249	12.26	20.87	55.5	53.3	97.86	-0.4	-0.5	0	56.3	0.7	100	8317	97.84	57.3
2023-04-17 12:05:00	367	0	0	0	236	10.6	17.11	55.1	54.1	97.86	-0.6	-0.8	0	55.9	0.68	100	8317	97.84	57.3
2023-04-17 12:10:00	369.2	0	0	0	233	13.58	19.19	54.7	53.4	97.85	-0.5	-0.8	0	55.6	0.68	100	8315	97.83	57
2023-04-17 12:15:00	304.2	0	0	0	203	12.88	17.34	54.5	53.5	97.84	-0.7	-0.5	0	55.2	0.67	100	8317	97.82	56.8
2023-04-17 12:20:00	338	0	0	0	238	7.7	14.18	54.3	55.3	97.83	-0.5	-0.6	0	55.1	0.64	100	8317	97.81	56.5
2023-04-17 12:25:00	695.8	0	0	0	240	12.71	22.41	55	53.6	97.8	-0.5	-0.5	0	55.9	0.69	100	8329	97.8	56.7
2023-04-17 12:30:00	804.8	0	0	0	210	15.48	26.4	56.4	51.9	97.8	-0.7	-0.1	0	57.3	0.75	100	8336	97.79	57.3
2023-04-17 12:35:00	717.6	0	0	0	194	21.05	27.98	56.8	48.1	97.78	-0.4	-1.8	0	57.4	0.82	100	8342	97.78	57.4
2023-04-17 12:40:00	473.2	0	0	0	203	20.09	29.77	56.8	47.3	97.8	-0.4	-0.7	0	57.3	0.83	100	8342	97.78	57.3
2023-04-17 12:45:00	484.6	0	0	0	228	13.18	22.57	56.3	47.8	97.81	-0.6	-0.4	0	57	0.81	100	8346	97.8	57.1
2023-04-17 12:50:00	833.6	0	0	0	213	20.87	32.26	56.9	46.7	97.78	-0.7	-0.7	0	57.6	0.84	100	8355	97.77	57.3
2023-04-17 12:55:00	902.6	0	0	0	217	20	26.78	58	44.8	97.77	-0.4	-0.9	0	58.7	0.91	100	8362	97.78	57.7
2023-04-17 13:00:00	472.8	0	0	0	232	17.94	25.79	57.6	45.5	97.8	-0.7	-0.3	0	58.2	0.88	100	8360	97.79	57.7
2023-04-17 13:05:00	448.6	0	0	0	219	18.21	26.42	56.9	45.9	97.81	-0.8	-0.5	0	57.5	0.86	100	8362	97.79	57.5
2023-04-17 13:10:00	799.4	0	0	0	233	15.48	20.8	56.8	46	97.8	-0.4	-0.4	0	57.5	0.85	100	8368	97.79	57.3
2023-04-17 13:15:00	696.4	0	0	0	221	15.08	22.55	57.4	46.9	97.79	-0.3	-0.4	0	58.1	0.85	100	8368	97.78	57.6
2023-04-17 13:20:00	318.8	0	0	0	210	11.77	17.02	56.8	46.9	97.8	-0.6	-0.6	0	57.5	0.84	100	8364	97.78	57.6
2023-04-17 13:25:00	343.6	0	0	0	206	14.03	23.35	56.2	47.8	97.8	-0.6	-0.5	0	56.9	0.8	100	8366	97.78	57.3
2023-04-17 13:30:00	321.8	0	0	0	205	15.26	22.77	55.7	48.2	97.8	-0.1	-0.4	0	56.4	0.78	100	8362	97.78	56.9
2023-04-17 13:35:00	292.8	0	0	0	196	15.61	26.53	55.4	49	97.81	-0.8	-1	0	56	0.76	100	8365	97.78	56.7
2023-04-17 13:40:00	188	0	0	0	200	18.75	27.58	55	49.6	97.81	-0.2	-0.6	0	55.5	0.75	100	8361	97.78	56.4
2023-04-17 13:45:00	165.8	0	0	0	193	17.25	24.27	54.6	50	97.81	-0.6	-0.4	0	54.9	0.73	100	8359	97.78	55.8
2023-04-17 13:50:00	260.2	0	0	0	202	14.56	19.86	54.1	51.6	97.81	-0.7	-0.7	0	54.6	0.69	100	8361	97.78	55.5
2023-04-17 13:55:00	412.8	0	0	0	202	12.28	16.96	54.2	51	97.8	-0.6	-0.6	0	55	0.7	100	8363	97.77	55.6
2023-04-17 14:00:00	268	0	0	0	212	13.89	18.92	54.5	51.7	97.8	-0.9	-0.4	0	55.1	0.7	100	8365	97.77	55.7
2023-04-17 14:05:00	259.4	0	0	0	187	17.98	22.75	54.4	51.1	97.78	-0.1	-1.3	0	54.9	0.7	100	8363	97.75	55.5
2023-04-17 14:10:00	242.4	0	0	0	205	12.97	17.38	54.2	51	97.79	-0.4	-0.6	0	54.8	0.7	100	8365	97.76	55.4
2023-04-17 14:15:00	189.4	0	0	0	211	14.47	21.47	54.1	51.3	97.8	-0.6	-0.5	0	54.6	0.7	100	8364	97.76	55.2
2023-04-17 14:20:00	159	0	0	0	212	11.27	15.48	54	51.7	97.79	-0.6	-0.5	0	54.3	0.69	100	8362	97.76	55
2023-04-17 14:25:00	121	0	0	0	215	9.08	18.3	53.7	52.2	97.79	-0.7	-0.5	0	54.1	0.67	100	8361	97.76	54.8
2023-04-17 14:30:00	107.6	0	0	0	228	8.37	13.89	53.6	53	97.79	-0.7	-0.6	0	53.9	0.66	100	8360	97.76	54.6
2023-04-17 14:35:00	115.4	0	0	0	226	10.78	19.69	53.4	52.2	97.79	-0.8	-0.7	0	53.6	0.66	100	8355	97.75	54.4
2023-04-17 14:40:00	129.2	0	0	0	224	12.28	18.84	53.3	52.1	97.79	-0.8	-0.6	0	53.5	0.66	100	8357	97.75	54.1
2023-04-17 14:45:00	361	0	0	0	215	10.83	17.31	53.2	53.1	97.76	-0.6	-0.6	0	53.8	0.65	100	8358	97.73	54.2
2023-04-17 14:50:00	412.6	0	0	0	207	7.76	11.65	53.6	54.2	97.75	-0.6	-0.6	0	54.6	0.64	100	8361	97.73	54.8
2023-04-17 14:55:00	394	0	0	0	210	9.57	13	54.2	52.5	97.75	-0.5	-0.4	0	55.1	0.68	100	8364	97.72	55.3
2023-04-17 15:00:00	272.4	0	0	0	188	10.6	17.43	54.6	51.9	97.74	-0.6	-0.5	0	55.4	0.7	100	8365	97.71	55.4
2023-04-17 15:05:00	174.8	0	0	0	185	9.17	15.57	54.5	51.7	97.74	-0.6	-0.6	0	55	0.7	100	8365	97.7	55.3
2023-04-17 15:10:00	174	0	0	0	174	9.91	13.24	54.3	52.4	97.73	-0.6	-0.6	0	54.8	0.68	100	8362	97.69	55.2
2023-04-17 15:15:00	305	0	0	0	176	7.47	10.92	54.1	53.1	97.72	-0.5	-0.7	0	54.8	0.67	100	8362	97.69	55
2023-04-17 15:20:00	284.2	0	0	0	187	7	11.1	54.1	54.3	97.72	-0.6	-0.7	0	55	0.65	100	8366	97.69	55.3
2023-04-17 15:25:00	221.4	0	0	0	186	10.54	15.52	54.6	52.6	97.71	-0.7	-0.8	0	55.1	0.69	100	8364	97.68	55.3
2023-04-17 15:30:00	182.2	0	0	0	192	8.23	13.62	54.5	52.5	97.71	-0.5	-0.5	0	55	0.69	100	8364	97.67	55.2
2023-04-17 15:35:00	82.6	0	0	0	184	10.29	14.32	54.4	52.9	97.71	-0.7	-0.7	0	54.8	0.68	100	8358	97.67	55.1
2023-04-17 15:40:00	47.4	0	0	0	196	11.01	18.1	54.3	52.9	97.71	-0.5	-0.5	0	54.3	0.68	100	8358	97.67	54.7
2023-04-17 15:45:00	42.2	0	0	0	194	10.69	17.47	53.8	53.9	97.71	-0.7	-0.7	0	54	0.65	100	8355	97.66	54.4
2023-04-17 15:50:00	34.4	0	0	0	199	10.45	17.29	53.7	55	97.71	-0.6	-0.6	0	53.8	0.63	100	8352	97.67	54.2
2023-04-17 15:55:00	29.6	0	0	0	193	12.08	17.4	53.5	54.7	97.71	-0.7	-0.5	0	53.6	0.63	100	8352	97.67	54

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-17 16:00:00	27.2	0	0	0	216	13.44	16.8	53.4	54.2	97.72	-0.9	-0.8	0	53.4	0.64	100	8351	97.69	53.8
2023-04-17 16:05:00	25.8	0	0	0	278	21.72	37	53	58	97.74	-1.3	-0.1	0	53	0.57	100	8349	97.69	52.8
2023-04-17 16:10:00	31.4	0.00268	0	0	273	17.05	25.7	51.2	65.1	97.76	-0.8	-1	0.08	51.2	0.45	100	8347	97.71	50.4
2023-04-17 16:15:00	30.8	0	0	0	268	17.65	23.26	49.6	69.3	97.77	-1	-0.6	0	49.6	0.37	100	8342	97.72	49.2
2023-04-17 16:20:00	45	0.00201	0	0	270	13.35	22.5	48.3	72.3	97.77	-1.2	-0.9	0.04	48.4	0.32	100	8342	97.73	48.3
2023-04-17 16:25:00	69.4	0	0	0	273	12.84	17.63	47.5	75.6	97.76	-0.9	-0.6	0	47.6	0.27	100	8342	97.72	47.7
2023-04-17 16:30:00	86.4	0	0	0	273	14.41	20.51	46.9	77.2	97.76	-1	-0.5	0	47	0.25	100	8341	97.73	47.5
2023-04-17 16:35:00	69.2	0	0	0	274	14.25	20.71	46.7	78	97.77	-0.7	-0.5	0	46.8	0.24	100	8340	97.73	47.4
2023-04-17 16:40:00	57.4	0	0	0	271	12.75	21.14	46.5	78.6	97.78	-0.8	-0.5	0	46.7	0.23	100	8339	97.75	47.3
2023-04-17 16:45:00	49.2	0	0	0	276	12.62	18.9	46.4	79.3	97.78	-0.5	-0.4	0	46.5	0.22	100	8338	97.75	47.2
2023-04-17 16:50:00	41.6	0	0	0	272	11.32	17.69	46.4	78.6	97.78	-0.9	-0.3	0	46.5	0.23	100	8336	97.74	47.1
2023-04-17 16:55:00	41	0	0	0	271	9.01	12.57	46.3	79.3	97.78	-0.8	-0.7	0	46.4	0.22	100	8336	97.74	47
2023-04-17 17:00:00	43.6	0	0	0	273	9.24	13.73	46.2	79.6	97.77	-0.7	-0.6	0	46.4	0.22	100	8333	97.74	46.8
2023-04-17 17:05:00	55.2	0	0	0	276	8.63	11.88	46.3	79.2	97.78	-0.8	-0.5	0	46.4	0.22	100	8334	97.74	46.7
2023-04-17 17:10:00	69.2	0	0	0	279	9.01	14.45	46.3	78.7	97.77	-0.9	-0.4	0	46.5	0.23	100	8335	97.74	46.7
2023-04-17 17:15:00	79.8	0	0	0	270	6.04	9.69	46.3	79	97.77	-0.8	-0.5	0	46.6	0.22	100	8333	97.74	46.7
2023-04-17 17:20:00	70.6	0	0	0	275	5.99	8.72	46.5	79.4	97.77	-0.9	-0.4	0	46.7	0.22	100	8333	97.74	46.8
2023-04-17 17:25:00	37.6	0	0	0	267	6.33	9.31	46.7	78.8	97.78	-0.8	-0.6	0	46.9	0.23	100	8333	97.75	46.8
2023-04-17 17:30:00	49.2	0	0	0	268	6.46	10.27	46.6	78.9	97.79	-0.8	-0.5	0	46.7	0.23	100	8327	97.76	46.8
2023-04-17 17:35:00	70.4	0	0	0	273	7.14	9.73	46.7	78.9	97.8	-0.9	-0.5	0	46.8	0.23	100	8331	97.77	46.8
2023-04-17 17:40:00	54.2	0	0	0	270	7.54	9.69	46.8	79.2	97.82	-0.7	-0.6	0	46.9	0.23	100	8328	97.79	46.9
2023-04-17 17:45:00	40.4	0	0	0	276	8.34	12.06	46.8	79.4	97.83	-0.8	-0.7	0	46.9	0.22	100	8327	97.8	46.8
2023-04-17 17:50:00	36.6	0	0	0	283	11.32	18.57	46.8	79.7	97.85	-0.8	-0.6	0	46.9	0.22	100	8325	97.82	46.6
2023-04-17 17:55:00	10.2	0.00804	0	0	274	26.11	38.9	46.5	79.1	97.89	1	-2.1	0.361	46.5	0.22	100	8326	97.87	45.8
2023-04-17 18:00:00	17.8	0.02345	0	0	271	24.43	42.23	44.1	80.7	97.94	-1.2	0.4	0.763	44.1	0.19	100	8323	97.9	43.8
2023-04-17 18:05:00	20.4	0.00469	0	0	276	18.41	25.77	41.8	84.1	97.93	-1	-1	0.12	41.7	0.14	100	8322	97.89	42.7
2023-04-17 18:10:00	19.6	0.00134	0	0	274	15.61	22.79	40.6	87.4	97.93	-1.1	-0.7	0.04	40.7	0.11	100	8320	97.91	42
2023-04-17 18:15:00	26.8	0.00067	0	0	273	15.32	20.89	40.2	89	97.94	-1.2	-0.7	0.04	40.2	0.09	100	8322	97.92	41.6
2023-04-17 18:20:00	28.8	0	0	0	271	13.67	20.76	39.9	89.7	97.94	-1.5	-0.7	0	40	0.09	100	8317	97.92	41.3
2023-04-17 18:25:00	29	0.00067	0	0	265	14.41	21.54	39.8	89.9	97.94	-0.8	-0.6	0.04	39.9	0.08	100	8318	97.93	41
2023-04-17 18:30:00	26.2	0	0	0	261	17.18	25.97	40	90.4	97.95	-1.1	-0.1	0	40.1	0.08	100	8317	97.92	40.9
2023-04-17 18:35:00	25.4	0	0	0	258	16.44	23.76	40	89.6	97.94	-0.8	-0.3	0	40	0.09	100	8314	97.91	40.7
2023-04-17 18:40:00	24	0	0	0	264	16.13	22.32	40	89.3	97.93	-0.6	-0.1	0	40.1	0.09	100	8315	97.9	40.6
2023-04-17 18:45:00	19.8	0	0	0	261	13.09	22.24	40.1	88.9	97.93	-1.2	-0.6	0	40.1	0.09	100	8314	97.91	40.5
2023-04-17 18:50:00	18.2	0	0	0	258	12.59	20.22	40.1	88.9	97.95	-0.9	-0.5	0	40.2	0.09	100	8312	97.93	40.5
2023-04-17 18:55:00	18	0	0	0	257	11.25	16.22	40.2	88.7	97.96	-1	-0.5	0	40.3	0.1	100	8313	97.94	40.4
2023-04-17 19:00:00	17	0	0	0	267	10.6	16.53	40.2	88.6	97.96	-1	-0.4	0	40.3	0.1	100	8313	97.94	40.4
2023-04-17 19:05:00	17	0	0	0	267	9.4	13.49	40.2	88.3	97.96	-1	-0.5	0	40.2	0.1	100	8311	97.93	40.3
2023-04-17 19:10:00	16.2	0	0	0	267	10.54	16.71	40.1	88	97.96	-0.8	-0.3	0	40.2	0.1	100	8311	97.94	40.3
2023-04-17 19:15:00	14.8	0	0	0	264	11.41	19.06	40.2	87.6	97.97	-0.9	-0.7	0	40.2	0.1	100	8309	97.95	40.2
2023-04-17 19:20:00	12.4	0	0	0	264	8.63	13.15	40.1	87.5	97.98	-1.1	-0.5	0	40.2	0.11	100	8310	97.95	40.2
2023-04-17 19:25:00	7.4	0	0	0	269	6.53	10.45	40.1	88.2	97.97	-0.9	-0.5	0	40.2	0.1	100	8307	97.94	40.1
2023-04-17 19:30:00	4.2	0	0	0	265	6.2	11.81	40.1	88.3	97.97	-1	-0.3	0	40.1	0.1	100	8309	97.95	40
2023-04-17 19:35:00	3	0	0	0	280	7	9.93	40	88.6	97.97	-1.1	-0.4	0	40	0.1	100	8306	97.94	40
2023-04-17 19:40:00	2.6	0	0	0	293	8.97	15.82	40.1	88	97.97	-1	-0.5	0	40.1	0.1	100	8306	97.94	39.9
2023-04-17 19:45:00	0.8	0	0	0	275	9.15	13.87	40	87.6	97.97	-1	-0.7	0	40	0.1	100	8305	97.94	39.8
2023-04-17 19:50:00	0	0	0	0	278	7.78	13.31	39.9	87.2	97.97	-0.9	-0.5	0	39.9	0.11	100	8304	97.94	39.8
2023-04-17 19:55:00	0	0	0	0	274	8.03	15.08	39.9	86.8	97.97	-0.9	-0.5	0	39.9	0.11	100	8304	97.95	39.7
2023-04-17 20:00:00	0	0	0	0	264	10.45	16.64	39.7	85.7	97.98	-1.1	-0.7	0	39.7	0.12	100	8306	97.95	39.6
2023-04-17 20:05:00	0	0	0	0	273	10.13	17.78	39.7	84.5	97.97	-1	-0.3	0	39.7	0.13	100	8303	97.95	39.5
2023-04-17 20:10:00	0	0	0	0	269	11.27	16.67	39.6	84.2	97.97	-1	-0.6	0	39.6	0.13	100	8303	97.95	39.4
2023-04-17 20:15:00	0	0	0	0	268	11.36	18.66	39.3	83.4	97.97	-1.2	-0.5	0	39.3	0.14	100	8301	97.95	39.3
2023-04-17 20:20:00	0	0	0	0	274	11.18	14.45	39.2	83.5	97.97	-1.1	-0.5	0	39.2	0.13	100	8301	97.95	39.2
2023-04-17 20:25:00	0	0	0	0	272	10.25	15.86	39.2	84	97.97	-1.3	-0.6	0	39.2	0.13	100	8298	97.95	39.1
2023-04-17 20:30:00	0	0	0	0	271	11.65	18.54	39.1	84.1	97.98	-1	-0.5	0	39.1	0.13	100	8301	97.96	39
2023-04-17 20:35:00	0	0	0	0	275	13.29	20.89	39	83.5	97.99	-1.2	-0.6	0	39	0.13	100	8300	97.97	38.9
2023-04-17 20:40:00	0	0	0	0	269	13.91	19.69	39	83.5	98	-1.4	-0.5	0	39	0.13	100	8300	97.98	38.9
2023-04-17 20:45:00	0	0	0	0	270	13.42	19.39	39.1	83.4	98.01	-1.4	-0.2	0	39	0.13	100	8302	97.99	38.8
2023-04-17 20:50:00	0	0	0	0	266	13.35	17.94	38.9	83.7	98.04	-1.3	-0.7	0	38.9	0.13	100	8299	98.02	38.8
2023-04-17 20:55:00	0	0	0	0	257	12.03	19.22	39	83.8	98.05	-1.1	-0.5	0	39	0.13	100	8296	98.03	38.8

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-17 21:00:00	0	0	0	0	255	10.71	15.43	39	84.2	98.06	-1	-0.7	0	39	0.13	100	8299	98.03	38.8
2023-04-17 21:05:00	0	0	0	0	253	9.06	15.5	39.1	84.3	98.04	-1	-0.5	0	39.1	0.13	100	8299	98.01	38.7
2023-04-17 21:10:00	0	0	0	0	237	7.11	10.74	38.9	84.6	98.03	-1	-0.5	0	38.9	0.12	100	8295	98.01	38.5
2023-04-17 21:15:00	0	0	0	0	241	10.6	15.84	38.9	84.4	98.03	-1.1	-0.4	0	38.9	0.12	100	8295	98.01	38.5
2023-04-17 21:20:00	0	0	0	0	248	9.84	14.56	38.9	84.2	98.04	-1.2	-0.5	0	38.9	0.13	100	8295	98.02	38.6
2023-04-17 21:25:00	0	0	0	0	253	9.26	14.12	38.9	84.3	98.05	-1	-0.5	0	39	0.13	100	8294	98.03	38.7
2023-04-17 21:30:00	0	0	0	0	254	8.41	12.15	38.9	84.3	98.05	-1.1	-0.4	0	38.9	0.13	100	8295	98.03	38.8
2023-04-17 21:35:00	0	0	0	0	254	8.16	13.6	39.1	84.6	98.06	-0.9	-0.4	0	39.1	0.12	100	8295	98.04	38.8
2023-04-17 21:40:00	0	0	0	0	259	8.12	11.36	39	84.3	98.06	-1.1	-0.3	0	39	0.13	100	8295	98.04	38.9
2023-04-17 21:45:00	0	0	0	0	248	6.58	9.06	39	85.3	98.07	-0.9	-0.6	0	39	0.12	100	8292	98.04	38.9
2023-04-17 21:50:00	0	0	0	0	260	9.28	13.62	39.1	85	98.07	-1	-0.4	0	39.1	0.12	100	8292	98.04	38.9
2023-04-17 21:55:00	0	0	0	0	268	9.46	12.64	38.9	85.8	98.08	-1	-0.4	0	38.9	0.11	100	8292	98.05	38.7
2023-04-17 22:00:00	0	0.00067	0	0	265	8.12	12.24	38.9	86.2	98.07	-1	-0.4	0.04	38.9	0.11	100	8292	98.04	38.4
2023-04-17 22:05:00	0	0	0	0	257	7.25	12.12	38.7	86.4	98.06	-1	-0.4	0	38.7	0.11	100	8291	98.04	38.2
2023-04-17 22:10:00	0	0	0	0	254	7.65	12.93	38.5	87.2	98.06	-1.1	-0.3	0	38.5	0.1	100	8292	98.03	38.1
2023-04-17 22:15:00	0	0	0	0	262	8.99	14.34	38.5	86.5	98.05	-1.1	-0.4	0	38.5	0.11	100	8289	98.03	38
2023-04-17 22:20:00	0	0	0	0	255	13.02	19.64	38.5	85.5	98.04	-0.9	-0.5	0	38.5	0.11	100	8289	98.02	38
2023-04-17 22:25:00	0	0	0	0	260	12.44	19.73	38.5	84.8	98.04	-0.8	-0.4	0	38.5	0.12	100	8289	98.02	37.9
2023-04-17 22:30:00	0	0	0	0	260	12.57	17.11	38.4	84.6	98.04	-1.1	-0.6	0	38.4	0.12	100	8288	98.01	37.9
2023-04-17 22:35:00	0	0	0	0	260	11.86	18.54	38.3	84.5	98.04	-0.8	-0.6	0	38.3	0.12	100	8287	98.01	37.8
2023-04-17 22:40:00	0	0	0	0	255	10.56	15.52	38.2	85.6	98.04	-1.1	-0.4	0	38.3	0.11	100	8288	98.01	37.8
2023-04-17 22:45:00	0	0	0	0	245	11.48	16.91	38.2	85.7	98.03	-1.1	-0.6	0	38.2	0.11	100	8289	98.01	37.6
2023-04-17 22:50:00	0	0	0	0	244	12.21	17.56	38	85.4	98.03	-1.1	-0.6	0	38	0.11	100	8283	98.01	37.5
2023-04-17 22:55:00	0	0	0	0	240	12.44	16.82	38	85.2	98.03	-1.2	-0.2	0	38	0.12	100	8286	98	37.5
2023-04-17 23:00:00	0	0	0	0	236	10.27	17.18	38	85.2	98.03	-1.2	-0.5	0	38	0.12	100	8286	98	37.5
2023-04-17 23:05:00	0	0	0	0	239	12.41	20.42	38	85	98.02	-0.9	-0.4	0	38	0.12	100	8285	97.99	37.6
2023-04-17 23:10:00	0	0	0	0	243	12.08	17.07	38	84.9	98.02	-0.9	-0.6	0	38	0.12	100	8285	97.99	37.6
2023-04-17 23:15:00	0	0	0	0	218	12.91	21.43	38.1	84.5	98.01	-1.1	-0.5	0	38.1	0.12	100	8285	97.99	37.6
2023-04-17 23:20:00	0	0	0	0	226	9.42	13.58	38.1	84.7	98.02	-1.1	-0.5	0	38.1	0.12	100	8283	98	37.6
2023-04-17 23:25:00	0	0	0	0	225	9.22	12.48	38	85.2	98.02	-1	-0.4	0	38	0.12	100	8282	97.99	37.4
2023-04-17 23:30:00	0	0	0	0	230	7.16	10.67	37.9	85.4	98.02	-1.1	-0.4	0	37.9	0.11	100	8281	97.99	37.3
2023-04-17 23:35:00	0	0	0	0	229	7.9	12.1	37.7	85.5	98.01	-1.1	-0.5	0	37.7	0.11	100	8282	97.99	37.1
2023-04-17 23:40:00	0	0	0	0	214	8.79	12.75	37.6	85.2	98	-1	-0.4	0	37.6	0.11	100	8281	97.98	36.9
2023-04-17 23:45:00	0	0	0	0	221	10.25	14.76	37.5	84	98	-1.2	-0.6	0	37.5	0.12	100	8279	97.97	36.8
2023-04-17 23:50:00	0	0	0	0	231	9.89	18.84	37.4	84.1	97.99	-1.2	-0.6	0	37.4	0.12	100	8278	97.97	36.7
2023-04-17 23:55:00	0	0	0	0	230	11.48	16.46	37.3	83.4	97.98	-1.1	-0.4	0	37.3	0.13	100	8280	97.96	36.6
2023-04-18 00:00:00	0	0	0	0	228	11.07	17.11	37.2	82.5	97.98	-0.9	-0.5	0	37.1	0.13	100	8281	97.97	36.6
2023-04-18 00:05:00	0	0	0	0	229	12.66	17.11	37.2	82.4	97.98	-1.2	-0.4	0	37.2	0.13	100	8248	97.97	36.8
2023-04-18 00:10:00	0	0	0	0	242	12.59	22.24	37.3	81.4	97.98	-0.8	-0.4	0	37.3	0.14	100	8246	97.97	37.1
2023-04-18 00:15:00	0	0	0	0	233	12.33	18.52	37.4	80.9	97.98	-1.2	-0.5	0	37.4	0.14	100	8235	97.97	37.2
2023-04-18 00:20:00	0	0	0	0	226	14.29	21.77	37.4	80.4	97.98	-0.9	-0.2	0	37.4	0.15	100	8251	97.96	37.2
2023-04-18 00:25:00	0	0	0	0	241	10.36	16.98	37.4	80.4	97.98	-1.1	-0.6	0	37.4	0.15	100	8254	97.96	37
2023-04-18 00:30:00	0	0	0	0	240	12.46	19.28	37.3	79.6	97.98	-1.2	-0.5	0	37.3	0.15	100	8255	97.96	36.8
2023-04-18 00:35:00	0	0	0	0	236	12.41	20.07	37.3	79.6	97.98	-1.3	-0.4	0	37.3	0.15	100	8253	97.96	36.7
2023-04-18 00:40:00	0	0	0	0	240	10.58	17.25	37.1	79.7	97.98	-1.1	-0.8	0	37.1	0.15	100	8256	97.96	36.6
2023-04-18 00:45:00	0	0	0	0	231	10.76	16.67	37.1	79.4	97.98	-0.9	-0.2	0	37	0.15	100	8259	97.96	36.5
2023-04-18 00:50:00	0	0	0	0	223	10.2	14.41	37.1	79.3	97.98	-1.1	-0.3	0	37.1	0.16	100	8257	97.96	36.5
2023-04-18 00:55:00	0	0	0	0	226	9.35	13.2	37.1	79.6	97.98	-1	-0.4	0	37.1	0.15	100	8257	97.96	36.6
2023-04-18 01:00:00	0	0	0	0	234	10.63	15.01	37.2	79.2	97.99	-1.1	-0.6	0	37.2	0.16	100	8257	97.97	36.7
2023-04-18 01:05:00	0	0	0	0	246	11.39	17.96	37.3	79	97.99	-1.2	-0.6	0	37.3	0.16	100	8257	97.96	36.8
2023-04-18 01:10:00	0	0	0	0	234	12.44	18.68	37.5	79	97.99	-0.8	-0.7	0	37.5	0.16	100	8255	97.97	37
2023-04-18 01:15:00	0	0	0	0	228	14.07	24.34	37.6	77.7	97.99	-1.4	-0.1	0	37.6	0.17	100	8257	97.97	37.1
2023-04-18 01:20:00	0	0	0	0	228	14.79	20.62	37.8	77.9	97.98	-1	-0.8	0	37.9	0.17	100	8254	97.96	37.3
2023-04-18 01:25:00	0	0	0	0	224	12.75	18.86	37.9	77.5	97.98	-1.2	-0.4	0	37.9	0.17	100	8257	97.95	37.4
2023-04-18 01:30:00	0	0	0	0	224	10.85	17.94	38.1	77.1	97.97	-1	-0.6	0	38.1	0.18	100	8254	97.95	37.5
2023-04-18 01:35:00	0	0	0	0	223	12.41	17.81	38.1	76.8	97.96	-1.1	-0.4	0	38	0.18	100	8251	97.94	37.6
2023-04-18 01:40:00	0	0	0	0	224	12.88	22.44	38.1	77	97.96	-1.1	-0.6	0	38.1	0.18	100	8252	97.94	37.7
2023-04-18 01:45:00	0	0	0	0	227	11.88	15.75	38.2	76.4	97.96	-1	-0.7	0	38.2	0.18	100	8253	97.94	37.7
2023-04-18 01:50:00	0	0	0	0	218	12.06	19.06	38.3	76.4	97.96	-0.9	-0.2	0	38.3	0.18	100	8253	97.93	37.8
2023-04-18 01:55:00	0	0	0	0	220	13.09	21.12	38.4	75.9	97.95	-1	-0.8	0	38.4	0.19	100	8255	97.93	37.9

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-18 02:00:00	0	0	0	0	218	11.74	16.55	38.4	76.1	97.95	-0.7	-0.2	0	38.4	0.19	100	8255	97.93	38
2023-04-18 02:05:00	0	0	0	0	215	13.4	21.99	38.4	75.8	97.95	-1.1	-0.4	0	38.4	0.19	100	8253	97.93	38.1
2023-04-18 02:10:00	0	0	0	0	220	13.62	19.44	38.5	75.5	97.95	-1	-0.7	0	38.5	0.19	100	8253	97.93	38.1
2023-04-18 02:15:00	0	0	0	0	225	13.82	19.1	38.5	75.9	97.95	-0.6	-0.7	0	38.4	0.19	100	8251	97.93	38.1
2023-04-18 02:20:00	0	0	0	0	214	12.95	16.24	38.4	76.1	97.95	-1.2	-0.8	0	38.4	0.19	100	8251	97.92	38
2023-04-18 02:25:00	0	0	0	0	207	12.66	21.99	38.4	76.1	97.94	-0.8	-0.4	0	38.4	0.19	100	8251	97.92	38.1
2023-04-18 02:30:00	0	0	0	0	205	11.23	16.71	38.5	76.4	97.94	-1.1	-0.4	0	38.5	0.19	100	8250	97.91	38.1
2023-04-18 02:35:00	0	0	0	0	194	9.55	13.71	38.4	76	97.94	-1	-0.6	0	38.4	0.19	100	8248	97.91	38.1
2023-04-18 02:40:00	0	0	0	0	200	11.54	17.47	38.3	76.8	97.93	-0.9	-0.4	0	38.3	0.18	100	8248	97.91	38
2023-04-18 02:45:00	0	0	0	0	200	10.6	14.94	38.2	76.7	97.93	-1	-0.6	0	38.2	0.18	100	8250	97.91	38
2023-04-18 02:50:00	0	0	0	0	213	10.67	14.05	38.2	76.8	97.93	-1	-0.6	0	38.2	0.18	100	8250	97.91	38
2023-04-18 02:55:00	0	0	0	0	220	9.53	13.87	38.3	77.3	97.93	-1.1	-0.5	0	38.3	0.18	100	8248	97.91	38.1
2023-04-18 03:00:00	0	0	0	0	228	9.46	14.25	38.5	76.9	97.93	-1	-0.3	0	38.5	0.18	100	8249	97.91	38.1
2023-04-18 03:05:00	0	0	0	0	224	12.24	18.41	38.4	76.3	97.93	-1	-0.6	0	38.4	0.19	100	8250	97.91	38.1
2023-04-18 03:10:00	0	0	0	0	207	15.93	21.9	38.4	77.7	97.93	-0.8	-0.5	0	38.4	0.18	100	8248	97.91	38.1
2023-04-18 03:15:00	0	0	0	0	215	11.01	18.54	38	79.5	97.93	-1.2	-0.4	0	38	0.16	100	8249	97.91	37.9
2023-04-18 03:20:00	0	0	0	0	210	13.51	19.75	38	79.7	97.92	-1.4	-0.4	0	37.9	0.16	100	8248	97.9	37.8
2023-04-18 03:25:00	0	0	0	0	220	12.62	19.1	37.8	81	97.91	-0.6	-0.9	0	37.8	0.15	100	8250	97.89	37.7
2023-04-18 03:30:00	0	0	0	0	201	11.54	16.96	37.8	80.7	97.91	-1.1	-0.5	0	37.8	0.15	100	8246	97.88	37.6
2023-04-18 03:35:00	0	0	0	0	196	14.03	19.15	37.7	80.8	97.89	-1	-0.4	0	37.7	0.15	100	8247	97.87	37.5
2023-04-18 03:40:00	0	0	0	0	196	12.06	16.64	37.6	80.9	97.9	-0.9	-0.6	0	37.6	0.15	100	8249	97.87	37.4
2023-04-18 03:45:00	0	0	0	0	192	13.13	18.61	37.6	81.1	97.89	-1.2	-0.3	0	37.6	0.14	100	8246	97.87	37.3
2023-04-18 03:50:00	0	0	0	0	189	13.27	18.23	37.4	81.7	97.9	-0.9	-0.2	0	37.5	0.14	100	8244	97.87	37.2
2023-04-18 03:55:00	0	0	0	0	194	13.51	20.18	37.4	82.2	97.9	-1.1	-0.5	0	37.4	0.13	100	8244	97.87	37.1
2023-04-18 04:00:00	0	0	0	0	194	12.37	18.43	37.3	83.1	97.88	-1	-0.8	0	37.3	0.13	100	8244	97.86	37
2023-04-18 04:05:00	0	0	0	0	190	11.59	18.99	37.2	83.3	97.88	-0.9	-0.5	0	37.2	0.13	100	8243	97.86	36.9
2023-04-18 04:10:00	0	0	0	0	193	11.97	18.16	37	83.8	97.89	-1	-0.7	0	37	0.12	100	8242	97.86	36.8
2023-04-18 04:15:00	0	0	0	0	199	12.68	18.7	37	84	97.89	-1	-0.6	0	37	0.12	100	8242	97.87	36.7
2023-04-18 04:20:00	0	0	0	0	192	11.03	17.6	36.9	83.9	97.89	-1.2	-0.3	0	36.9	0.12	100	8243	97.88	36.7
2023-04-18 04:25:00	0	0	0	0	196	10.42	16.53	37	84.6	97.89	-1.2	-0.5	0	37	0.11	100	8241	97.87	36.7
2023-04-18 04:30:00	0	0	0	0	196	10.87	15.52	36.9	84.7	97.91	-1.2	-0.5	0	36.9	0.11	100	8243	97.89	36.6
2023-04-18 04:35:00	0	0	0	0	195	11.18	15.1	37	84.6	97.91	-1.1	-0.4	0	36.9	0.11	100	8241	97.89	36.6
2023-04-18 04:40:00	0	0	0	0	199	10.89	21.79	36.9	84.9	97.91	-0.9	-0.5	0	36.9	0.11	100	8238	97.89	36.6
2023-04-18 04:45:00	0	0	0	0	211	10.83	20.18	36.9	84.4	97.91	-1.2	-0.5	0	36.9	0.12	100	8242	97.9	36.6
2023-04-18 04:50:00	0	0	0	0	204	12.35	17.94	37	83.6	97.91	-1	-0.3	0	37	0.12	100	8239	97.9	36.7
2023-04-18 04:55:00	0	0	0	0	210	13.27	17.74	37.1	83.7	97.92	-1.3	-0.7	0	37.1	0.12	100	8241	97.9	36.7
2023-04-18 05:00:00	0	0	0	0	218	14.52	22.03	37.3	82.2	97.92	-1.2	-0.3	0	37.3	0.13	100	8240	97.9	36.9
2023-04-18 05:05:00	0	0	0	0	211	11.99	17.74	37.5	81.6	97.92	-0.9	-0.3	0	37.5	0.14	100	8242	97.9	37
2023-04-18 05:10:00	0	0	0	0	198	11.74	16.58	37.6	81.4	97.93	-1.1	-0.7	0	37.6	0.14	100	8238	97.9	37
2023-04-18 05:15:00	0	0	0	0	208	11.48	19.57	37.5	81.6	97.92	-1.1	-0.4	0	37.5	0.14	100	8237	97.9	37
2023-04-18 05:20:00	0	0	0	0	201	11.36	17.22	37.6	81	97.92	-1.1	-0.5	0	37.5	0.15	100	8237	97.9	37
2023-04-18 05:25:00	0	0	0	0	198	12.5	18.52	37.6	81.2	97.92	-1	-0.3	0	37.6	0.14	100	8238	97.9	37
2023-04-18 05:30:00	0	0	0	0	198	10.29	16.44	37.6	81.2	97.94	-1.1	-0.4	0	37.6	0.14	100	8238	97.91	37
2023-04-18 05:35:00	0	0	0	0	201	12.17	18.01	37.7	80.8	97.94	-0.9	-0.6	0	37.7	0.15	100	8237	97.91	37.1
2023-04-18 05:40:00	0	0	0	0	212	8.86	13.42	37.7	80.4	97.94	-0.8	-0.6	0	37.7	0.15	100	8237	97.93	37.1
2023-04-18 05:45:00	0	0	0	0	212	8.84	14.67	37.7	80.2	97.95	-1	-0.6	0	37.7	0.15	100	8236	97.93	37.2
2023-04-18 05:50:00	0	0	0	0	219	10.11	19.33	37.8	79.6	97.95	-1	-0.5	0	37.8	0.16	100	8234	97.93	37.3
2023-04-18 05:55:00	0	0	0	0	211	13.4	18.86	37.9	78.7	97.95	-1	-0.3	0	37.9	0.16	100	8235	97.93	37.3
2023-04-18 06:00:00	0	0	0	0	213	12.26	17.4	38	78.6	97.95	-1	-0.7	0	38	0.17	100	8232	97.93	37.4
2023-04-18 06:05:00	0	0	0	0	213	13.82	24.85	38	78.5	97.95	-1.1	-0.5	0	38	0.17	100	8235	97.93	37.5
2023-04-18 06:10:00	0.4	0	0	0	216	13.91	23.09	38.1	78.5	97.96	-0.9	-0.5	0	38.1	0.17	100	8235	97.94	37.5
2023-04-18 06:15:00	2.4	0	0	0	226	14.67	21.14	38	78.7	97.95	-1.2	-0.3	0	38	0.17	100	8235	97.93	37.4
2023-04-18 06:20:00	4.6	0	0	0	221	14.23	22.97	37.9	79.7	97.95	-0.9	-0.4	0	37.9	0.16	100	8231	97.93	37.3
2023-04-18 06:25:00	5.8	0	0	0	223	15.28	19.93	37.8	79.5	97.95	-1	-0.4	0	37.8	0.16	100	8234	97.93	37.3
2023-04-18 06:30:00	7.6	0	0	0	227	14.03	20.45	37.8	79.4	97.96	-1	-0.7	0	37.8	0.16	100	8233	97.94	37.3
2023-04-18 06:35:00	9.8	0	0	0	219	11.56	17.05	37.8	79.9	97.96	-1.1	-0.4	0	37.8	0.15	100	8232	97.93	37.3
2023-04-18 06:40:00	15.2	0	0	0	216	12.46	21.18	37.7	79.7	97.96	-1.1	-0.5	0	37.8	0.16	100	8235	97.93	37.3
2023-04-18 06:45:00	20	0	0	0	217	13.8	22.35	37.8	79.9	97.95	-1	-0.6	0	37.8	0.15	100	8230	97.94	37.3
2023-04-18 06:50:00	20.4	0	0	0	212	13.65	20.07	37.9	80.1	97.96	-0.7	-0.2	0	38	0.15	100	8232	97.94	37.4
2023-04-18 06:55:00	16	0	0	0	204	13.15	19.64	37.9	80.3	97.97	-1.1	-0.6	0	37.9	0.15	100	8232	97.95	37.5

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-18 07:00:00	22.4	0	0	0	205	13.11	17.25	37.9	80.1	97.97	-1.1	-0.6	0	37.9	0.15	100	8231	97.96	37.5
2023-04-18 07:05:00	23	0	0	0	203	11.32	15.93	37.9	80.6	97.98	-1	-0.5	0	38	0.15	100	8232	97.96	37.5
2023-04-18 07:10:00	20.6	0	0	0	212	13.85	20.29	37.9	80	97.97	-1	-0.5	0	37.9	0.15	100	8230	97.96	37.5
2023-04-18 07:15:00	17.4	0	0	0	227	12.26	23.73	38.1	79.5	97.98	-0.8	-0.6	0	38.2	0.16	100	8231	97.97	37.6
2023-04-18 07:20:00	19	0	0	0	229	10.58	14.97	38	80	98	-1.1	-0.5	0	38.1	0.16	100	8231	97.98	37.6
2023-04-18 07:25:00	21.2	0	0	0	217	11.3	17.9	38	80	98	-1	-0.5	0	38.1	0.16	100	8229	97.98	37.6
2023-04-18 07:30:00	24.6	0	0	0	216	11.68	20.49	38.1	79.9	98.01	-1	-0.6	0	38.2	0.16	100	8230	97.99	37.7
2023-04-18 07:35:00	28	0	0	0	212	9.98	18.66	38.1	80.4	98.01	-1.1	-0.4	0	38.2	0.15	100	8225	98	37.7
2023-04-18 07:40:00	33.8	0	0	0	201	9.89	15.05	38	81.1	98.01	-0.9	-0.5	0	38.2	0.15	100	8230	98	37.7
2023-04-18 07:45:00	42.6	0	0	0	209	11.83	16.08	38	81.4	98.02	-1	-0.5	0	38.2	0.14	100	8227	98	37.7
2023-04-18 07:50:00	52.2	0	0	0	221	10.4	14.41	38	81.3	98.03	-1	-0.4	0	38.1	0.15	100	8228	98.01	37.8
2023-04-18 07:55:00	62	0	0	0	223	12.39	19.95	38.2	81.5	98.03	-1.2	-0.4	0	38.3	0.14	100	8229	98.01	37.8
2023-04-18 08:00:00	86.2	0	0	0	222	10.02	14.25	38.3	81.6	98.03	-1.1	-0.6	0	38.4	0.14	100	8231	98.01	37.9
2023-04-18 08:05:00	99.8	0	0	0	222	15.43	22.15	38.4	80.9	98.03	-1.2	-0.7	0	38.6	0.15	100	8230	98.01	38.1
2023-04-18 08:10:00	102.2	0	0	0	227	15.48	21.5	38.5	80.1	98.04	-1.1	-0.5	0	38.7	0.16	100	8232	98.02	38.3
2023-04-18 08:15:00	101.8	0	0	0	232	13.82	21.72	38.7	79.8	98.04	-1	-0.5	0	38.9	0.16	100	8233	98.03	38.4
2023-04-18 08:20:00	103	0	0	0	223	16.02	27.16	38.8	78.8	98.04	-1	-0.6	0	38.9	0.17	100	8233	98.03	38.5
2023-04-18 08:25:00	94	0	0	0	223	14.43	25.01	38.9	79.2	98.05	-1.2	-0.6	0	39.1	0.17	100	8234	98.03	38.6
2023-04-18 08:30:00	70.8	0	0	0	227	16.42	21.27	38.7	79.4	98.05	-1	-0.2	0	38.9	0.16	100	8233	98.04	38.4
2023-04-18 08:35:00	68	0	0	0	219	15.1	21.97	38.4	80.8	98.06	-0.9	-0.2	0	38.6	0.15	100	8232	98.04	38.2
2023-04-18 08:40:00	57.8	0.00067	0	0	229	12.44	18.16	38.2	82.1	98.06	-1	-0.6	0.04	38.3	0.14	100	8231	98.05	38
2023-04-18 08:45:00	50	0.00201	0	0	238	10.63	16.64	37.8	83	98.07	-1.1	-0.6	0.04	38	0.13	100	8232	98.05	37.8
2023-04-18 08:50:00	53.8	0.00201	0	0	239	10.87	16.46	37.5	84.1	98.07	-1.2	-0.4	0.04	37.7	0.12	100	8231	98.05	37.5
2023-04-18 08:55:00	50	0.00134	0	0	263	8.12	13.22	37.3	85.5	98.07	-1	-0.4	0.04	37.5	0.11	100	8232	98.05	37.3
2023-04-18 09:00:00	46.4	0.00067	0	0	280	9.55	13.96	37.1	86.4	98.07	-1.3	-0.4	0.04	37.3	0.1	100	8231	98.05	37
2023-04-18 09:05:00	47.8	0.00469	0	0	285	9.48	12.88	37.1	86.8	98.07	-1.2	-0.4	0.08	37.2	0.1	100	8229	98.05	36.7
2023-04-18 09:10:00	64.6	0.00536	0	0	277	9.64	12.39	36.6	87	98.07	-1	-0.4	0.08	36.8	0.1	100	8230	98.06	36.1
2023-04-18 09:15:00	94.4	0.00469	0	0	276	8.1	10.54	36.2	88.6	98.08	-1	-0.5	0.08	36.4	0.08	100	8232	98.06	35.9
2023-04-18 09:20:00	84.4	0.00268	0	0	283	9.04	13.27	36	90.1	98.08	-1.2	-0.4	0.04	36.3	0.07	100	8231	98.06	35.9
2023-04-18 09:25:00	119.4	0.00603	0	0	271	10.07	15.5	35.9	91.1	98.08	-1	-0.5	0.08	36.1	0.06	100	8232	98.07	35.8
2023-04-18 09:30:00	238.4	0.00268	0	0	252	9.42	12.24	35.7	92.7	98.08	-1.1	-0.5	0.08	36.4	0.05	100	8238	98.07	35.9
2023-04-18 09:35:00	316.6	0	0	0	233	7.78	13	36	93.3	98.08	-1	-0.4	0	36.8	0.05	100	8244	98.07	36.3
2023-04-18 09:40:00	395	0	0	0	230	8.77	13.4	36.5	92.4	98.08	-1.1	-0.5	0	37.5	0.06	100	8256	98.08	36.8
2023-04-18 09:45:00	221.4	0	0	0	228	10.02	15.23	37.4	90.9	98.1	-1	-0.4	0	38	0.07	100	8255	98.09	37.3
2023-04-18 09:50:00	260.6	0.00067	0	0	250	10.02	17.16	37.6	91.5	98.1	-1.1	-0.5	0.04	38.2	0.07	100	8259	98.1	37.7
2023-04-18 09:55:00	299	0.00067	0	0	247	11.52	17.94	38	89.8	98.1	-1.1	-0.4	0.04	38.7	0.08	100	8261	98.1	38
2023-04-18 10:00:00	273.8	0	0	0	232	11.5	16.58	38.2	88.7	98.11	-1.1	-0.7	0	38.9	0.09	100	8265	98.1	38.2
2023-04-18 10:05:00	224.2	0	0	0	252	11.56	17.25	38.5	87.4	98.11	-1	-0.4	0	39.1	0.1	100	8264	98.1	38.4
2023-04-18 10:10:00	194.2	0	0	0	237	14.27	21.05	38.8	85.9	98.12	-1.3	-0.5	0	39.2	0.11	100	8263	98.11	38.5
2023-04-18 10:15:00	182	0	0	0	260	13.67	19.98	38.7	85	98.13	-0.9	-0.6	0	39.1	0.12	100	8266	98.12	38.4
2023-04-18 10:20:00	277.2	0	0	0	281	11.9	17.05	38.7	86.4	98.13	-1	-0.5	0	39.3	0.11	100	8267	98.12	38.5
2023-04-18 10:25:00	278.2	0.00067	0	0	284	12.62	19.82	38.8	86.3	98.14	-0.9	-0.6	0.04	39.5	0.11	100	8271	98.13	38.6
2023-04-18 10:30:00	173.4	0	0	0	279	12.15	21.05	39	86	98.15	-1	-0.5	0	39.5	0.11	100	8268	98.14	38.6
2023-04-18 10:35:00	143.4	0.00067	0	0	290	11.36	18.63	38.8	85.4	98.16	-0.7	-0.6	0.04	39.1	0.12	100	8270	98.15	38.4
2023-04-18 10:40:00	319	0	0	0	283	11.54	17.34	38.5	86.9	98.16	-1	-0.5	0	39.2	0.1	100	8275	98.15	38.4
2023-04-18 10:45:00	328.2	0	0	0	270	11.03	16.4	38.7	87.4	98.16	-1.2	-0.5	0	39.5	0.1	100	8280	98.16	38.8
2023-04-18 10:50:00	354.4	0.00067	0	0	263	11.56	17.58	39.2	85	98.16	-1	-0.3	0.04	40	0.12	100	8286	98.15	39.2
2023-04-18 10:55:00	390.2	0	0	0	242	13.53	20.49	39.8	81.5	98.16	-0.8	-0.5	0	40.6	0.15	100	8292	98.16	39.5
2023-04-18 11:00:00	259.4	0	0	0	260	14.25	24.32	40.4	80.4	98.17	-1.2	-0.6	0	41	0.17	100	8294	98.16	39.8
2023-04-18 11:05:00	240.2	0	0	0	256	18.34	28.74	40.5	77.6	98.18	-0.7	-0.3	0	40.9	0.19	100	8292	98.17	39.8
2023-04-18 11:10:00	297.4	0	0	0	277	13.8	18.99	40.1	81.1	98.19	-0.7	-0.8	0	40.9	0.16	100	8295	98.17	39.8
2023-04-18 11:15:00	229.8	0	0	0	278	15.05	22.17	40	80.5	98.19	-1	-0.4	0	40.5	0.16	100	8295	98.17	39.7
2023-04-18 11:20:00	212.8	0	0	0	271	14.76	24.36	39.8	80.1	98.19	-0.5	-0.5	0	40.4	0.17	100	8295	98.17	39.7
2023-04-18 11:25:00	296.8	0	0	0	266	12.64	18.75	39.7	79.1	98.19	-1.1	-0.5	0	40.2	0.17	100	8298	98.17	39.6
2023-04-18 11:30:00	489.8	0	0	0	260	13.4	18.99	40.1	79.3	98.18	-0.8	-0.8	0	40.9	0.17	100	8311	98.18	40
2023-04-18 11:35:00	489.6	0	0	0	262	12.55	17.18	40.9	79.6	98.19	-0.9	-0.5	0	41.6	0.18	100	8317	98.18	40.7
2023-04-18 11:40:00	307	0	0	0	273	13.2	19.6	41.2	78	98.2	-0.9	-0.5	0	41.9	0.19	100	8313	98.19	41.1
2023-04-18 11:45:00	230.4	0	0	0	271	13.58	19.91	41	77.9	98.2	-0.9	-0.4	0	41.5	0.19	100	8319	98.19	41.1
2023-04-18 11:50:00	268	0	0	0	269	13.98	20.33	40.8	79	98.2	-1.1	-0.8	0	41.4	0.18	100	8317	98.18	41.2
2023-04-18 11:55:00	430	0	0	0	264	14.14	20.94	40.8	78.2	98.2	-1	-0.8	0	41.5	0.19	100	8323	98.19	41.3

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-18 12:00:00	503	0	0	0	265	12.84	20.67	41.4	77.9	98.21	-1	-0.4	0	42.2	0.2	100	8335	98.2	41.7
2023-04-18 12:05:00	391	0	0	0	278	16.08	23.15	42	76.2	98.22	-0.8	-0.4	0	42.8	0.22	100	8333	98.21	42.2
2023-04-18 12:10:00	182.8	0	0	0	263	15.9	22.53	42	74.7	98.23	-1	-0.6	0	42.5	0.23	100	8333	98.22	42.2
2023-04-18 12:15:00	213.8	0	0	0	267	19.22	26.78	41.6	72.8	98.23	-0.8	-1.3	0	42	0.24	100	8330	98.22	41.9
2023-04-18 12:20:00	197.8	0	0	0	269	17.69	24.47	41.3	72.7	98.23	-1.5	-0.1	0	41.6	0.24	100	8327	98.22	41.7
2023-04-18 12:25:00	219.2	0	0	0	265	16.51	25.46	41.1	73.4	98.24	-1.1	-0.5	0	41.5	0.23	100	8328	98.23	41.6
2023-04-18 12:30:00	209.8	0	0	0	278	15.93	22.88	41.1	73.1	98.25	-1.1	-0.5	0	41.5	0.24	100	8328	98.23	41.5
2023-04-18 12:35:00	231.4	0	0	0	277	20.85	32.23	41	72.4	98.25	-0.9	0.1	0	41.5	0.24	100	8330	98.23	41.4
2023-04-18 12:40:00	149.4	0	0	0	274	18.43	27.09	40.9	71.8	98.25	-0.9	-0.1	0	41.3	0.25	100	8329	98.24	41.3
2023-04-18 12:45:00	103	0	0	0	266	18.07	25.55	40.8	72.1	98.25	-0.6	-0.7	0	41	0.24	100	8328	98.24	41.1
2023-04-18 12:50:00	122.4	0	0	0	266	18.75	26.87	40.6	71.4	98.27	-0.8	-0.6	0	40.7	0.25	100	8327	98.25	40.8
2023-04-18 12:55:00	259.4	0	0	0	264	17.18	26.96	40.4	72.8	98.26	-1.3	-0.5	0	40.8	0.23	100	8330	98.25	40.6
2023-04-18 13:00:00	484	0	0	0	262	14.27	18.95	40.8	74.7	98.26	-0.8	-0.5	0	41.5	0.22	100	8341	98.26	40.9
2023-04-18 13:05:00	304.6	0	0	0	253	14.16	22.84	41.4	73.8	98.27	-0.9	-0.6	0	42.2	0.23	100	8339	98.26	41.7
2023-04-18 13:10:00	305.8	0	0	0	258	20.87	29.57	42	70.9	98.27	-0.9	-0.3	0	42.4	0.26	100	8341	98.26	41.9
2023-04-18 13:15:00	496.2	0	0	0	255	14.9	24.7	42.3	71.3	98.26	-1.1	-0.6	0	42.9	0.26	100	8349	98.25	42
2023-04-18 13:20:00	538.8	0	0	0	267	17.69	28.92	43	71.2	98.25	-0.9	0.3	0	43.7	0.27	100	8352	98.25	42.8
2023-04-18 13:25:00	665	0	0	0	266	20.4	31.74	44	68.4	98.25	-0.7	-1	0	44.7	0.31	100	8361	98.25	43.5
2023-04-18 13:30:00	646.6	0	0	0	252	22.62	35.95	45	64.8	98.25	-0.7	-0.3	0	45.6	0.36	100	8367	98.26	44.1
2023-04-18 13:35:00	441.8	0	0	0	258	22.88	31.83	44.9	62.8	98.28	-0.8	-0.1	0	45.5	0.38	100	8368	98.27	44.4
2023-04-18 13:40:00	416.6	0	0	0	258	20.65	28.72	44.5	62.5	98.29	-1.3	-1.1	0	45.1	0.37	100	8369	98.27	44.4
2023-04-18 13:45:00	437.4	0	0	0	261	21.23	34.09	44.6	63	98.29	-0.4	-1.1	0	45.2	0.37	100	8372	98.29	44.6
2023-04-18 13:50:00	271.2	0	0	0	261	23.2	41	44.4	61.4	98.29	-1.4	0.5	0	44.8	0.38	100	8371	98.28	44.4
2023-04-18 13:55:00	266.2	0	0	0	251	18.5	31.38	43.9	62.5	98.31	-1.1	-0.5	0	44.3	0.37	100	8372	98.29	44.2
2023-04-18 14:00:00	345.4	0	0	0	229	21.07	34.65	43.7	61.8	98.3	-1.5	-1.2	0	44.3	0.37	100	8374	98.29	44.1
2023-04-18 14:05:00	394.4	0	0	0	250	16.17	23.17	43.9	63.2	98.31	-0.9	-0.3	0	44.6	0.36	100	8375	98.3	44.4
2023-04-18 14:10:00	443	0	0	0	239	21.3	28.74	44.5	61.4	98.3	-0.7	0.3	0	45.1	0.39	100	8380	98.3	44.6
2023-04-18 14:15:00	337	0	0	0	246	20.83	26.73	44.5	60.5	98.31	-1.1	-0.2	0	45.1	0.39	100	8382	98.3	44.6
2023-04-18 14:20:00	314.4	0	0	0	254	18.25	24.83	44.5	60.8	98.32	-1	-0.3	0	45.1	0.39	100	8383	98.31	44.6
2023-04-18 14:25:00	155	0	0	0	262	21.81	30.22	44.5	59.6	98.32	-0.9	-0.3	0	44.8	0.4	100	8380	98.31	44.5
2023-04-18 14:30:00	138.6	0	0	0	253	21.43	30.29	43.9	60.3	98.34	0.3	-0.4	0	44.1	0.39	100	8377	98.33	44.1
2023-04-18 14:35:00	148	0	0	0	251	15.41	23.98	43.4	61.1	98.36	-0.2	-0.4	0	43.6	0.37	100	8376	98.34	44
2023-04-18 14:40:00	96.6	0	0	0	261	18.52	33.06	43.4	60.7	98.36	-1.2	-1.3	0	43.6	0.38	100	8374	98.34	43.7
2023-04-18 14:45:00	94.4	0	0	0	265	18.37	30.15	43	60.8	98.37	-1.2	-1.1	0	43.2	0.37	100	8373	98.35	43.4
2023-04-18 14:50:00	82.4	0	0	0	260	18.25	28.19	42.8	61.3	98.38	-0.6	-0.3	0	42.9	0.36	100	8371	98.36	43.2
2023-04-18 14:55:00	128.8	0	0	0	265	20.6	31.54	42.4	62.3	98.38	-0.9	-0.3	0	42.6	0.35	100	8371	98.36	42.9
2023-04-18 15:00:00	143.2	0	0	0	261	20.38	32.14	42.4	61.1	98.38	-0.6	-0.6	0	42.5	0.36	100	8367	98.36	42.8
2023-04-18 15:05:00	171.8	0	0	0	259	18.1	25.55	42.2	62.3	98.39	-0.6	-0.8	0	42.6	0.34	100	8368	98.37	42.9
2023-04-18 15:10:00	83.2	0	0	0	263	18.19	35.19	42.3	61.9	98.41	-1.2	-0.4	0	42.5	0.35	100	8369	98.39	42.8
2023-04-18 15:15:00	76.8	0	0	0	261	25.28	35.03	42.1	62	98.41	0.3	-0.9	0	42.2	0.35	100	8369	98.39	42.4
2023-04-18 15:20:00	116.4	0	0	0	267	24.87	36.51	41.6	63.9	98.43	-0.6	-0.8	0	41.8	0.32	100	8367	98.4	42
2023-04-18 15:25:00	222.4	0	0	0	266	21.23	32.55	41.1	65.5	98.43	-0.4	-0.2	0	41.4	0.3	100	8372	98.41	41.7
2023-04-18 15:30:00	280.2	0	0	0	269	18.48	22.84	41	66.4	98.43	-1	-0.7	0	41.5	0.29	100	8371	98.42	41.8
2023-04-18 15:35:00	245.2	0	0	0	279	20.96	33.13	41.1	65.8	98.43	-1.5	-0.6	0	41.6	0.3	100	8371	98.4	42
2023-04-18 15:40:00	178	0	0	0	280	23	33.67	41.3	65	98.44	-0.8	-0.3	0	41.6	0.31	100	8374	98.42	41.8
2023-04-18 15:45:00	214	0	0	0	273	19.51	31.92	40.9	65.5	98.45	-1.2	-0.7	0	41.3	0.3	100	8376	98.43	41.6
2023-04-18 15:50:00	284	0	0	0	266	14.97	19.55	40.9	67.2	98.46	-0.8	-0.3	0	41.5	0.28	100	8377	98.44	41.8
2023-04-18 15:55:00	232.4	0	0	0	260	20	28.54	41.3	66.2	98.45	-2.2	0.3	0	41.7	0.3	100	8378	98.44	41.9
2023-04-18 16:00:00	235.8	0	0	0	246	24.4	31.41	41.3	64.4	98.46	-1.4	0.1	0	41.7	0.31	100	8377	98.44	41.7
2023-04-18 16:05:00	231.8	0	0	0	257	23.87	34.78	41.1	63.4	98.46	-0.6	-0.7	0	41.5	0.32	100	8380	98.44	41.6
2023-04-18 16:10:00	187.4	0	0	0	261	19.35	28.9	41.1	64.1	98.47	-0.9	-0.5	0	41.5	0.31	100	8381	98.46	41.5
2023-04-18 16:15:00	216.4	0	0	0	259	20.38	30.42	41	63.8	98.48	-0.7	-0.6	0	41.4	0.31	100	8379	98.46	41.4
2023-04-18 16:20:00	273	0	0	0	256	19.75	36.84	40.9	64.1	98.48	-0.4	-0.3	0	41.3	0.31	100	8381	98.46	41.4
2023-04-18 16:25:00	329.6	0	0	0	258	21.47	33.89	40.8	64.9	98.48	-1.1	-1.2	0	41.4	0.3	100	8385	98.46	41.1
2023-04-18 16:30:00	315.4	0	0	0	246	23.2	32.97	40.8	64.9	98.48	-2	0.5	0	41.4	0.3	100	8387	98.46	40.7
2023-04-18 16:35:00	271.8	0	0	0	241	22.59	31.81	40.7	63.9	98.49	-0.4	-0.7	0	41.2	0.31	100	8387	98.47	40.9
2023-04-18 16:40:00	247	0	0	0	239	19.39	31.36	40.8	64	98.48	-1.2	0.1	0	41.2	0.31	100	8388	98.48	41.2
2023-04-18 16:45:00	265.8	0	0	0	257	15.88	22.55	41	65.2	98.51	-0.6	-0.2	0	41.5	0.3	100	8387	98.49	41.5
2023-04-18 16:50:00	211	0	0	0	258	17.02	32.61	41	64.8	98.51	-1.4	-0.7	0	41.5	0.31	100	8388	98.49	41.4
2023-04-18 16:55:00	202.8	0	0	0	242	19.98	26.11	41.2	64	98.51	-0.5	-0.2	0	41.6	0.32	100	8390	98.5	41.5

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-18 17:00:00	153	0	0	0	240	20.4	32.21	41.1	63.6	98.52	-1.4	-0.7	0	41.5	0.32	100	8389	98.51	41.4
2023-04-18 17:05:00	249.8	0	0	0	228	21.21	32.84	40.9	66.2	98.53	-1.6	-0.8	0	41.3	0.29	100	8386	98.51	41.1
2023-04-18 17:10:00	290	0	0	0	245	19.69	31.45	40.3	68.3	98.53	-1.2	-0.7	0	40.9	0.27	100	8388	98.52	40.8
2023-04-18 17:15:00	249.6	0	0	0	240	18.7	26.15	40	68.2	98.53	-0.6	-0.4	0	40.5	0.27	100	8390	98.51	40.7
2023-04-18 17:20:00	204.6	0	0	0	249	19.35	27.07	40.1	67.9	98.54	-1.2	-0.7	0	40.5	0.27	100	8387	98.53	40.8
2023-04-18 17:25:00	256.8	0	0	0	249	22.62	29.77	40.2	66.5	98.55	-1.2	-0.8	0	40.6	0.28	100	8389	98.53	40.9
2023-04-18 17:30:00	200.2	0	0	0	255	22.28	34.23	40.4	65.6	98.55	-0.8	-1.4	0	40.7	0.29	100	8388	98.54	41.1
2023-04-18 17:35:00	113	0	0	0	257	23.94	35.19	40.2	64.8	98.55	-1.8	-0.5	0	40.4	0.3	100	8386	98.54	40.7
2023-04-18 17:40:00	202.6	0	0	0	262	20.65	33.38	39.8	66.9	98.56	-0.2	-1	0	40.1	0.28	100	8387	98.54	40
2023-04-18 17:45:00	167	0	0	0	251	20.94	31	39.7	68.7	98.56	-0.9	-0.5	0	40	0.26	100	8385	98.55	39.5
2023-04-18 17:50:00	143.6	0	0	0	249	18.84	32.41	39.6	69.2	98.58	-1	-0.1	0	39.8	0.25	100	8386	98.57	39.5
2023-04-18 17:55:00	110.4	0	0	0	254	19.35	27.02	39.4	68.9	98.58	-0.9	-0.4	0	39.6	0.25	100	8384	98.56	39.5
2023-04-18 18:00:00	94.2	0	0	0	270	22.7	30.44	39.1	68.6	98.58	-1.4	-0.1	0	39.2	0.25	100	8385	98.56	39.1
2023-04-18 18:05:00	72.2	0	0	0	254	22.66	35.5	38.7	70.1	98.6	-0.3	-0.9	0	38.8	0.24	100	8380	98.58	38.5
2023-04-18 18:10:00	58.4	0	0	0	262	19.95	28.12	38.2	71.5	98.61	-1.1	-0.7	0	38.3	0.22	100	8381	98.59	37.8
2023-04-18 18:15:00	69	0	0	0	252	18.9	29.8	37.6	73.9	98.62	-0.9	-0.3	0	37.7	0.2	100	8382	98.59	37.1
2023-04-18 18:20:00	76	0	0	0	251	17.9	26.66	37	74.4	98.62	-0.8	-0.6	0	37.2	0.19	100	8375	98.59	36.8
2023-04-18 18:25:00	70.6	0	0	0	243	19.06	28.01	36.7	74.9	98.62	-1.5	-0.2	0	36.8	0.18	100	8377	98.61	36.6
2023-04-18 18:30:00	65.8	0	0	0	253	18.12	26.66	36.5	75.6	98.63	-1.3	0.2	0	36.6	0.18	100	8377	98.6	36.5
2023-04-18 18:35:00	63.6	0	0	0	251	16.17	26.82	36.3	76.6	98.63	-1.2	-0.8	0	36.4	0.17	100	8376	98.61	36.4
2023-04-18 18:40:00	73.2	0	0	0	257	15.59	23.44	36.3	76.6	98.63	-1.1	-0.6	0	36.4	0.17	100	8374	98.61	36.4
2023-04-18 18:45:00	84	0	0	0	255	18.25	32.86	36.5	76	98.63	-1.4	-0.3	0	36.7	0.18	100	8372	98.61	36.4
2023-04-18 18:50:00	71.6	0	0	0	259	16.06	26.42	36.6	75.8	98.64	-1.2	-0.5	0	36.7	0.18	100	8371	98.62	36.5
2023-04-18 18:55:00	40.8	0	0	0	250	13.04	22.7	36.8	76.4	98.65	-1.5	-0.3	0	36.9	0.17	100	8371	98.63	36.5
2023-04-18 19:00:00	22.4	0	0	0	256	13.8	21.54	36.8	76	98.66	-1.1	-0.4	0	36.8	0.18	100	8370	98.63	36.5
2023-04-18 19:05:00	17.8	0	0	0	253	16.26	24.27	36.8	75.9	98.66	-1.4	-0.3	0	36.9	0.18	100	8369	98.64	36.5
2023-04-18 19:10:00	16	0	0	0	256	16.58	26.02	36.8	74.5	98.67	-0.8	-0.3	0	36.9	0.19	100	8368	98.65	36.5
2023-04-18 19:15:00	15	0	0	0	260	16.49	27.09	36.9	74.1	98.68	-1.5	-0.3	0	36.9	0.19	100	8368	98.66	36.4
2023-04-18 19:20:00	11.6	0	0	0	263	16.49	22.66	36.9	73.5	98.69	-0.9	-0.5	0	36.9	0.2	100	8366	98.66	36.4
2023-04-18 19:25:00	7	0	0	0	262	13.44	22.62	36.9	73.7	98.69	-1.3	-0.5	0	36.9	0.2	100	8367	98.67	36.4
2023-04-18 19:30:00	6.6	0	0	0	252	16.04	20.71	36.9	73.6	98.69	-1.2	-0.6	0	36.9	0.2	100	8365	98.67	36.4
2023-04-18 19:35:00	5.4	0	0	0	246	14.16	21.56	36.8	73.4	98.7	-0.7	-0.3	0	36.8	0.2	100	8364	98.68	36.3
2023-04-18 19:40:00	4.2	0	0	0	247	14.32	22.95	36.9	73.6	98.71	-1.1	-0.8	0	36.9	0.2	100	8363	98.69	36.3
2023-04-18 19:45:00	2.6	0	0	0	247	12.86	20.09	36.8	74.1	98.72	-1.2	-0.4	0	36.8	0.19	100	8362	98.7	36.2
2023-04-18 19:50:00	1.2	0	0	0	251	11.86	17.43	36.7	73.6	98.73	-1	-0.3	0	36.7	0.19	100	8360	98.71	36.1
2023-04-18 19:55:00	0.2	0	0	0	241	14.45	25.7	36.6	74.2	98.73	-0.8	-0.3	0	36.6	0.19	100	8361	98.71	36.1
2023-04-18 20:00:00	0	0	0	0	248	13.47	20.8	36.5	74.3	98.74	-1.4	-0.6	0	36.5	0.19	100	8360	98.72	36.1
2023-04-18 20:05:00	0	0	0	0	246	12.77	19.1	36.5	73.8	98.74	-0.9	-0.6	0	36.5	0.19	100	8358	98.72	36
2023-04-18 20:10:00	0	0	0	0	249	12.86	19.1	36.6	74.6	98.75	-1	-0.5	0	36.6	0.19	100	8358	98.73	36
2023-04-18 20:15:00	0	0	0	0	249	13.24	17.31	36.5	74.8	98.77	-1.2	-0.5	0	36.5	0.18	100	8359	98.74	36
2023-04-18 20:20:00	0	0	0	0	248	14.45	26.87	36.6	73.7	98.77	-1.2	-0.4	0	36.6	0.19	100	8356	98.74	36.1
2023-04-18 20:25:00	0	0	0	0	247	16.44	23.98	36.6	74.7	98.78	-1.1	-0.6	0	36.6	0.19	100	8355	98.75	36.1
2023-04-18 20:30:00	0	0	0	0	253	12.97	20.31	36.6	74.9	98.78	-0.9	-0.4	0	36.6	0.18	100	8355	98.76	36.1
2023-04-18 20:35:00	0	0	0	0	251	10.2	20.42	36.7	74.8	98.79	-1.1	-0.6	0	36.7	0.19	100	8355	98.77	36.1
2023-04-18 20:40:00	0	0	0	0	253	11.7	18.95	36.6	75.2	98.79	-1.1	-0.4	0	36.6	0.18	100	8355	98.77	36.1
2023-04-18 20:45:00	0	0	0	0	244	15.52	24.18	36.6	75.4	98.79	-1.2	-0.7	0	36.6	0.18	100	8354	98.76	36.1
2023-04-18 20:50:00	0	0	0	0	242	12.03	17.87	36.7	75.2	98.8	-1.2	-0.6	0	36.7	0.18	100	8352	98.78	36.1
2023-04-18 20:55:00	0	0	0	0	253	12.75	18.86	36.7	75.9	98.81	-0.9	-0.5	0	36.7	0.18	100	8352	98.78	36.1
2023-04-18 21:00:00	0	0	0	0	247	11.01	20.2	36.7	76	98.81	-1	-0.6	0	36.7	0.18	100	8351	98.79	36
2023-04-18 21:05:00	0	0	0	0	240	11.5	17.09	36.7	76	98.82	-0.8	-0.6	0	36.7	0.18	100	8350	98.8	36
2023-04-18 21:10:00	0	0	0	0	231	10.04	14.61	36.6	76.3	98.82	-0.8	-0.4	0	36.6	0.17	100	8349	98.8	36
2023-04-18 21:15:00	0	0	0	0	235	8.99	13.65	36.6	76.4	98.82	-0.9	-0.4	0	36.7	0.17	100	8349	98.8	36
2023-04-18 21:20:00	0	0	0	0	242	8.61	12.77	36.6	76.4	98.83	-1	-0.3	0	36.6	0.17	100	8348	98.81	36
2023-04-18 21:25:00	0	0	0	0	233	10.42	15.39	36.6	76.4	98.83	-1	-0.3	0	36.6	0.17	100	8349	98.81	36
2023-04-18 21:30:00	0	0	0	0	241	9.33	13.4	36.6	77	98.84	-0.9	-0.5	0	36.7	0.17	100	8346	98.82	36
2023-04-18 21:35:00	0	0	0	0	242	10.94	16.4	36.6	77.2	98.84	-1.2	-0.4	0	36.6	0.17	100	8343	98.82	36.1
2023-04-18 21:40:00	0	0	0	0	248	11.5	16.93	36.6	77	98.85	-0.9	-0.5	0	36.7	0.17	100	8345	98.83	36.1
2023-04-18 21:45:00	0	0	0	0	253	9.42	16.31	36.7	77.4	98.86	-1.1	-0.4	0	36.7	0.17	100	8345	98.83	36.1
2023-04-18 21:50:00	0	0	0	0	254	11.23	16.55	36.8	77.2	98.86	-1.1	-0.4	0	36.8	0.17	100	8343	98.84	36.2
2023-04-18 21:55:00	0	0	0	0	250	10.56	16.15	36.8	77	98.86	-1	-0.5	0	36.8	0.17	100	8342	98.83	36.2

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-18 22:00:00	0	0	0	0	251	12.59	16.6	36.8	77.2	98.86	-1.1	-0.5	0	36.8	0.17	100	8343	98.84	36.2
2023-04-18 22:05:00	0	0	0	0	254	9.91	14.03	36.9	77.3	98.86	-1.1	-0.3	0	36.9	0.17	100	8342	98.84	36.3
2023-04-18 22:10:00	0	0	0	0	261	9.84	16.98	36.9	78	98.86	-0.9	-0.4	0	37	0.16	100	8340	98.84	36.3
2023-04-18 22:15:00	0	0	0	0	241	8.7	15.79	37	77.9	98.87	-0.9	-0.5	0	36.9	0.16	100	8340	98.84	36.2
2023-04-18 22:20:00	0	0	0	0	251	10.49	15.28	36.9	78.2	98.87	-1	-0.4	0	36.9	0.16	100	8342	98.84	36.3
2023-04-18 22:25:00	0	0	0	0	249	8.63	15.26	36.9	77.7	98.87	-1	-0.4	0	36.9	0.17	100	8337	98.85	36.3
2023-04-18 22:30:00	0	0	0	0	247	9.69	15.37	37	77.9	98.87	-1.1	-0.5	0	37	0.16	100	8336	98.85	36.3
2023-04-18 22:35:00	0	0	0	0	248	9.37	12.93	37	77.6	98.87	-1	-0.5	0	37	0.17	100	8336	98.85	36.4
2023-04-18 22:40:00	0	0	0	0	249	9.19	12.88	37	77.7	98.87	-1	-0.4	0	37	0.17	100	8338	98.85	36.4
2023-04-18 22:45:00	0	0	0	0	245	8.23	12.91	37.1	78.3	98.87	-1	-0.4	0	37.1	0.16	100	8340	98.85	36.4
2023-04-18 22:50:00	0	0	0	0	257	9.75	13.02	37.1	78.1	98.87	-0.9	-0.5	0	37.1	0.16	100	8336	98.84	36.5
2023-04-18 22:55:00	0	0	0	0	248	9.84	14.9	37.1	78.1	98.87	-1	-0.6	0	37.1	0.16	100	8335	98.85	36.5
2023-04-18 23:00:00	0	0	0	0	232	10.11	15.5	37	78.4	98.87	-1	-0.6	0	37	0.16	100	8333	98.85	36.5
2023-04-18 23:05:00	0	0	0	0	236	10.45	15.77	37	78.2	98.87	-1.1	-0.6	0	37	0.16	100	8333	98.85	36.5
2023-04-18 23:10:00	0	0	0	0	243	9.04	14.32	37	78.7	98.87	-1.1	-0.6	0	37	0.16	100	8334	98.85	36.5
2023-04-18 23:15:00	0	0	0	0	243	9.04	19.86	37.1	78.8	98.87	-1	-0.4	0	37.1	0.16	100	8335	98.85	36.5
2023-04-18 23:20:00	0	0	0	0	239	9.89	14.67	37.1	78.6	98.87	-0.9	-0.5	0	37.1	0.16	100	8336	98.85	36.6
2023-04-18 23:25:00	0	0	0	0	232	10.74	15.05	37.1	78.6	98.87	-1	-0.6	0	37.2	0.16	100	8333	98.84	36.6
2023-04-18 23:30:00	0	0	0	0	243	8.52	13.02	37.2	78.8	98.87	-1.1	-0.6	0	37.2	0.16	100	8330	98.85	36.6
2023-04-18 23:35:00	0	0	0	0	254	11.01	16.15	37.1	79.2	98.88	-1	-0.6	0	37.1	0.16	100	8329	98.85	36.6
2023-04-18 23:40:00	0	0	0	0	253	9.93	16.35	37.1	79.1	98.88	-1.1	-0.6	0	37.1	0.16	100	8331	98.86	36.6
2023-04-18 23:45:00	0	0	0	0	261	10.71	15.59	37	79.2	98.88	-1.2	-0.6	0	37.1	0.16	100	8331	98.86	36.5
2023-04-18 23:50:00	0	0	0	0	262	9.95	13.09	37.1	78.8	98.88	-1	-0.4	0	37.1	0.16	100	8330	98.86	36.5
2023-04-18 23:55:00	0	0	0	0	274	9.82	13.11	37.1	78.3	98.88	-0.9	-0.5	0	37.1	0.16	100	8327	98.86	36.5
2023-04-19 00:00:00	0	0	0	0	267	11.54	15.88	37.1	77.8	98.89	-1.1	-0.3	0	37.1	0.17	100	8329	98.86	36.5
2023-04-19 00:05:00	0	0	0	0	271	13.35	17.67	37	76	98.88	-1.1	-0.4	0	37	0.18	100	8301	98.87	36.7
2023-04-19 00:10:00	0	0	0	0	273	16.84	21.59	37.2	73.2	98.89	-0.9	-0.1	0	37.2	0.2	100	8295	98.87	36.9
2023-04-19 00:15:00	0	0	0	0	275	13.8	18.05	37.1	72	98.89	-0.9	-0.4	0	37.1	0.21	100	8286	98.88	37
2023-04-19 00:20:00	0	0	0	0	272	11.12	17.65	37	71.7	98.9	-1.1	-0.4	0	37	0.21	100	8300	98.89	36.9
2023-04-19 00:25:00	0	0	0	0	263	12.35	18.48	36.9	71.5	98.91	-1.3	-0.4	0	36.9	0.21	100	8303	98.88	36.7
2023-04-19 00:30:00	0	0	0	0	262	13.27	19.93	37	71.1	98.91	-1.4	-0.4	0	37	0.21	100	8304	98.89	36.5
2023-04-19 00:35:00	0	0	0	0	265	13.87	20.45	36.8	70.7	98.91	-1.2	-0.5	0	36.8	0.22	100	8303	98.88	36.4
2023-04-19 00:40:00	0	0	0	0	259	13.15	20.96	36.8	70.6	98.91	-0.9	-0.5	0	36.8	0.22	100	8302	98.89	36.4
2023-04-19 00:45:00	0	0	0	0	267	11.59	18.86	36.7	71	98.91	-0.8	-0.6	0	36.7	0.21	100	8305	98.9	36.3
2023-04-19 00:50:00	0	0	0	0	266	13.53	19.84	36.6	71.3	98.92	-1	-0.4	0	36.6	0.21	100	8304	98.9	36.2
2023-04-19 00:55:00	0	0	0	0	272	14.41	24.85	36.6	71.1	98.92	-1	-0.1	0	36.6	0.21	100	8306	98.9	36.2
2023-04-19 01:00:00	0	0	0	0	276	11.23	20.18	36.6	71.5	98.93	-0.8	-0.6	0	36.6	0.21	100	8306	98.9	36.1
2023-04-19 01:05:00	0	0	0	0	274	9.71	18.07	36.5	71.7	98.93	-0.9	-0.2	0	36.5	0.21	100	8304	98.91	36
2023-04-19 01:10:00	0	0	0	0	274	9.44	13.49	36.4	71.7	98.93	-1	-0.5	0	36.4	0.21	100	8304	98.91	36
2023-04-19 01:15:00	0	0	0	0	274	11.54	16.22	36.4	72.5	98.94	-1.2	-0.1	0	36.4	0.2	100	8303	98.91	35.9
2023-04-19 01:20:00	0	0	0	0	265	9.06	14.32	36.4	72.7	98.93	-1	-0.4	0	36.4	0.2	100	8301	98.92	35.9
2023-04-19 01:25:00	0	0	0	0	259	9.8	16.84	36.4	72.9	98.94	-1.1	-0.4	0	36.4	0.2	100	8302	98.91	35.9
2023-04-19 01:30:00	0	0	0	0	263	8.79	15.41	36.4	73.1	98.94	-0.9	-0.6	0	36.4	0.2	100	8301	98.92	35.9
2023-04-19 01:35:00	0	0	0	0	258	8.41	12.77	36.4	72.8	98.95	-1	-0.4	0	36.4	0.2	100	8300	98.92	35.9
2023-04-19 01:40:00	0	0	0	0	256	10.67	16.69	36.5	73	98.94	-0.7	-0.3	0	36.5	0.2	100	8301	98.92	35.9
2023-04-19 01:45:00	0	0	0	0	259	9.15	18.41	36.5	73.3	98.95	-1	-0.5	0	36.5	0.2	100	8301	98.93	36
2023-04-19 01:50:00	0	0	0	0	260	12.03	16.6	36.5	72.9	98.94	-1	-0.5	0	36.4	0.2	100	8298	98.92	36
2023-04-19 01:55:00	0	0	0	0	257	12.73	18.19	36.5	72.9	98.94	-0.9	-0.5	0	36.5	0.2	100	8300	98.92	36
2023-04-19 02:00:00	0	0	0	0	258	11.9	23.02	36.5	73.6	98.94	-1.1	-0.6	0	36.5	0.19	100	8301	98.92	36
2023-04-19 02:05:00	0	0	0	0	262	12.75	23.44	36.6	73.4	98.95	-1	-0.7	0	36.6	0.2	100	8300	98.92	36
2023-04-19 02:10:00	0	0	0	0	265	11.45	18.84	36.5	73.7	98.95	-1	-0.4	0	36.5	0.19	100	8296	98.93	36
2023-04-19 02:15:00	0	0	0	0	256	10.04	16.28	36.6	73.4	98.95	-1.1	-0.4	0	36.6	0.2	100	8298	98.93	36
2023-04-19 02:20:00	0	0	0	0	259	12.77	20.22	36.6	73.5	98.95	-0.9	-0.4	0	36.6	0.19	100	8298	98.93	36.1
2023-04-19 02:25:00	0	0	0	0	260	11.18	16.78	36.6	73.9	98.95	-0.9	-0.5	0	36.6	0.19	100	8298	98.93	36.1
2023-04-19 02:30:00	0	0	0	0	258	11.43	16.37	36.6	74.1	98.95	-1.2	-0.6	0	36.6	0.19	100	8298	98.93	36.1
2023-04-19 02:35:00	0	0	0	0	265	13.42	24.45	36.6	74.6	98.96	-1.1	-0.6	0	36.6	0.19	100	8295	98.93	36.1
2023-04-19 02:40:00	0	0	0	0	261	12.8	20.07	36.6	74.5	98.96	-0.6	-0.5	0	36.6	0.19	100	8297	98.94	36.1
2023-04-19 02:45:00	0	0	0	0	262	12.48	18.23	36.6	74.9	98.96	-1.4	-0.6	0	36.6	0.18	100	8296	98.93	36.1
2023-04-19 02:50:00	0	0	0	0	266	10.11	15.14	36.7	74.7	98.96	-1.2	-0.3	0	36.7	0.19	100	8274	98.93	36.2
2023-04-19 02:55:00	0	0	0	0	269	11.03	19.75	36.6	75.1	98.96	-1	-0.6	0	36.6	0.18	100	8279	98.93	36.4

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-19 03:00:00	0	0	0	0	269	11.95	15.52	36.6	75.2	98.96	-1	-0.5	0	36.6	0.18	100	8281	98.93	36.3
2023-04-19 03:05:00	0	0	0	0	264	13.18	21.68	36.6	75.7	98.96	-0.7	-0.5	0	36.6	0.18	100	8283	98.93	36.2
2023-04-19 03:10:00	0	0	0	0	273	12.17	17.09	36.6	76.1	98.96	-1.2	-0.5	0	36.5	0.18	100	8284	98.93	35.9
2023-04-19 03:15:00	0	0	0	0	276	12.37	17.6	36.5	76.5	98.95	-1.2	-0.5	0	36.5	0.17	100	8283	98.93	35.9
2023-04-19 03:20:00	0	0	0	0	276	12.53	16.55	36.6	76.3	98.96	-1	-0.5	0	36.6	0.17	100	8285	98.94	36
2023-04-19 03:25:00	0	0	0	0	274	12.8	18.7	36.6	76.3	98.97	-1	-0.5	0	36.6	0.17	100	8283	98.94	36.1
2023-04-19 03:30:00	0	0	0	0	267	12.48	19.06	36.6	76.3	98.97	-0.9	-0.5	0	36.6	0.17	100	8282	98.95	36.2
2023-04-19 03:35:00	0	0	0	0	284	11.99	15.9	36.7	76	98.98	-1.2	-0.3	0	36.7	0.18	100	8283	98.95	36.2
2023-04-19 03:40:00	0	0	0	0	284	13.87	21.41	36.6	76.1	98.98	-0.7	-0.7	0	36.6	0.18	100	8285	98.96	36.2
2023-04-19 03:45:00	0	0	0	0	282	12.66	19.91	36.8	76.6	98.98	-1	-0.3	0	36.8	0.17	100	8285	98.96	36.1
2023-04-19 03:50:00	0	0	0	0	283	12.37	17.22	36.7	76.8	98.99	-0.9	-0.7	0	36.7	0.17	100	8280	98.96	36
2023-04-19 03:55:00	0	0	0	0	285	16.8	23.33	36.6	76.4	98.99	-0.9	-0.2	0	36.6	0.17	100	8280	98.96	36
2023-04-19 04:00:00	0	0	0	0	281	16.8	22.44	36.6	76.4	98.98	-1.4	-0.4	0	36.6	0.17	100	8280	98.95	35.8
2023-04-19 04:05:00	0	0	0	0	284	17.87	27.04	36.5	76.5	98.99	-1.1	-0.3	0	36.5	0.17	100	8281	98.96	35.6
2023-04-19 04:10:00	0	0	0	0	293	13.56	20.45	36.3	77.4	99	-0.9	-0.2	0	36.3	0.16	100	8281	98.97	35.3
2023-04-19 04:15:00	0	0	0	0	272	13.18	18.3	36.3	78.3	99	-0.8	-0.8	0	36.3	0.16	100	8281	98.97	35.2
2023-04-19 04:20:00	0	0	0	0	272	12.53	21.27	36.1	78.8	99	-1.3	-0.2	0	36.1	0.15	100	8280	98.98	35.4
2023-04-19 04:25:00	0	0	0	0	275	12.1	18.16	36.1	78.8	99	-1.1	-0.5	0	36.1	0.15	100	8281	98.98	35.6
2023-04-19 04:30:00	0	0	0	0	265	14.88	20.8	36.1	78.9	99	-1.2	-0.6	0	36.1	0.15	100	8279	98.98	35.6
2023-04-19 04:35:00	0	0	0	0	268	15.08	22.55	36.1	78.7	99	-1	-0.4	0	36	0.15	100	8278	98.98	35.5
2023-04-19 04:40:00	0	0	0	0	278	15.75	20.49	36.1	79	99	-1	-0.7	0	36.1	0.15	100	8276	98.98	35.2
2023-04-19 04:45:00	0	0	0	0	272	14.54	22.12	36	78.4	99.01	-1.2	-0.6	0	36	0.15	100	8278	98.99	35.2
2023-04-19 04:50:00	0	0	0	0	277	14.61	18.3	36	78.2	99.01	-0.8	-0.5	0	36	0.16	100	8276	98.99	35.3
2023-04-19 04:55:00	0	0	0	0	286	12.75	18.57	36	78.1	99.02	-1	-0.6	0	36	0.16	100	8278	99	35.5
2023-04-19 05:00:00	0	0	0	0	281	15.73	21.81	36.1	77.5	99.02	-0.8	-0.7	0	36.1	0.16	100	8276	98.99	35.6
2023-04-19 05:05:00	0	0	0	0	280	14.34	24.65	36.1	77.3	99.03	-0.9	-0.4	0	36.1	0.16	100	8280	99.01	35.6
2023-04-19 05:10:00	0	0	0	0	287	13.02	22.77	36.2	77.3	99.03	-1.1	-0.3	0	36.1	0.16	100	8276	99.01	35.7
2023-04-19 05:15:00	0	0	0	0	277	13.58	22.24	36.2	77.5	99.04	-1.1	-0.6	0	36.2	0.16	100	8276	99.02	35.7
2023-04-19 05:20:00	0	0	0	0	274	15.43	21.25	36.3	77.2	99.05	-1.3	-0.5	0	36.2	0.17	100	8274	99.03	35.7
2023-04-19 05:25:00	0	0	0	0	275	12.73	17	36.2	77.3	99.05	-0.8	-0.6	0	36.2	0.16	100	8275	99.03	35.7
2023-04-19 05:30:00	0	0	0	0	276	11.03	17.69	36.2	77.6	99.05	-1.1	-0.6	0	36.2	0.16	100	8275	99.03	35.7
2023-04-19 05:35:00	0	0	0	0	274	13.35	18.84	36.2	77.6	99.05	-1	-0.6	0	36.2	0.16	100	8272	99.03	35.7
2023-04-19 05:40:00	0	0	0	0	273	11.7	15.66	36.2	77.5	99.05	-1.1	-0.4	0	36.2	0.16	100	8273	99.03	35.7
2023-04-19 05:45:00	0	0	0	0	276	11.74	17.76	36.1	77.7	99.06	-1	-0.3	0	36.1	0.16	100	8274	99.04	35.7
2023-04-19 05:50:00	0	0	0	0	278	13.98	22.32	36.2	77.5	99.07	-1.2	-0.8	0	36.2	0.16	100	8273	99.05	35.7
2023-04-19 05:55:00	0	0	0	0	278	14.5	19.51	36.3	76.7	99.07	-0.8	-0.4	0	36.3	0.17	100	8275	99.05	35.7
2023-04-19 06:00:00	0	0	0	0	268	12.97	16.73	36.3	76	99.08	-1.1	-0.7	0	36.4	0.17	100	8273	99.06	35.8
2023-04-19 06:05:00	0	0	0	0	278	16.73	26.11	36.4	75.6	99.08	-1.1	-0.6	0	36.3	0.18	100	8272	99.06	35.8
2023-04-19 06:10:00	0	0	0	0	273	16.15	23.69	36.3	75.7	99.1	-0.8	-0.4	0	36.4	0.18	100	8270	99.08	35.8
2023-04-19 06:15:00	0	0	0	0	282	18.39	27.96	36.3	75.5	99.1	-1	-0.7	0	36.4	0.18	100	8272	99.08	35.7
2023-04-19 06:20:00	0	0	0	0	281	14.61	21.45	36.4	75.5	99.11	-1.1	-0.9	0	36.4	0.18	100	8269	99.09	35.4
2023-04-19 06:25:00	0.2	0	0	0	283	13.6	20.45	36.3	75.7	99.13	-1.2	-0.6	0	36.3	0.18	100	8268	99.09	35.4
2023-04-19 06:30:00	1.2	0	0	0	293	18.48	24.23	36.3	76.4	99.12	-1.1	-0.6	0	36.3	0.17	100	8268	99.1	35.3
2023-04-19 06:35:00	2.6	0	0	0	287	15.14	22.66	36.2	77.3	99.13	-1	-0.4	0	36.1	0.16	100	8268	99.11	35
2023-04-19 06:40:00	3.4	0	0	0	292	15.35	22.26	36	77.4	99.14	-1	-0.2	0	36	0.16	100	8267	99.11	34.7
2023-04-19 06:45:00	6	0	0	0	299	14.34	21.52	35.7	77.5	99.14	-1.2	-0.5	0	35.8	0.16	100	8267	99.11	34.4
2023-04-19 06:50:00	10	0	0	0	286	17.72	25.99	35.7	76.6	99.14	-0.8	-1.4	0	35.7	0.17	100	8267	99.11	34.3
2023-04-19 06:55:00	12.8	0	0	0	284	15.55	22.64	35.6	76	99.14	-0.7	-0.8	0	35.6	0.17	100	8267	99.12	34.4
2023-04-19 07:00:00	14.2	0	0	0	289	15.46	29.12	35.7	75.5	99.15	-1	-0.7	0	35.7	0.17	100	8267	99.12	34.5
2023-04-19 07:05:00	17.4	0	0	0	288	19.17	23.33	35.7	74.3	99.15	-0.8	-0.7	0	35.7	0.18	100	8267	99.12	34.6
2023-04-19 07:10:00	21.8	0	0	0	283	14.85	22.93	35.6	73.9	99.15	-1.1	0	0	35.6	0.18	100	8266	99.13	34.7
2023-04-19 07:15:00	30.2	0	0	0	278	17.69	25.81	35.7	74.2	99.14	-1.3	-0.6	0	35.8	0.18	100	8267	99.12	34.8
2023-04-19 07:20:00	33.6	0	0	0	278	14.36	19.04	35.6	73.6	99.16	-1.1	-0.8	0	35.8	0.19	100	8263	99.14	35
2023-04-19 07:25:00	32.2	0	0	0	271	14.74	21.07	35.7	74	99.17	-1	-0.4	0	35.7	0.18	100	8267	99.14	35.1
2023-04-19 07:30:00	26.6	0	0	0	273	14.5	21.7	35.7	74.9	99.19	-1.3	-0.6	0	35.7	0.18	100	8266	99.18	35.1
2023-04-19 07:35:00	28	0	0	0	272	16.58	24.99	35.7	75.3	99.2	-0.8	-0.5	0	35.8	0.17	100	8264	99.19	35.1
2023-04-19 07:40:00	49.8	0	0	0	272	18.03	26.04	35.6	76.7	99.21	-0.8	-0.4	0	35.8	0.16	100	8264	99.19	34.8
2023-04-19 07:45:00	61.6	0	0	0	267	17.16	23.51	35.6	77.8	99.22	-1.2	-0.7	0	35.7	0.16	100	8265	99.21	34.7
2023-04-19 07:50:00	79.4	0	0	0	269	15.35	20.36	35.5	77.7	99.23	-1.1	-0.3	0	35.7	0.16	100	8263	99.22	35
2023-04-19 07:55:00	99.6	0	0	0	267	15.82	24.38	35.6	77.3	99.24	-1.1	-0.4	0	35.8	0.16	100	8265	99.22	35.3

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-19 08:00:00	102	0	0	0	265	12.64	17.58	35.9	76.7	99.25	-1.2	-0.5	0	36.1	0.17	100	8267	99.24	35.5
2023-04-19 08:05:00	104	0	0	0	277	12.1	16.71	36.2	75.9	99.27	-0.9	-0.5	0	36.4	0.17	100	8267	99.25	35.8
2023-04-19 08:10:00	104.8	0	0	0	277	15.99	22.59	36.5	74.8	99.28	-1.3	-0.7	0	36.7	0.18	100	8270	99.27	36
2023-04-19 08:15:00	104.4	0	0	0	284	19.57	28.57	36.6	73.4	99.27	-1.2	-0.1	0	36.8	0.2	100	8270	99.25	36.2
2023-04-19 08:20:00	95.8	0	0	0	279	14.65	18.16	36.8	73	99.28	-1.3	-0.6	0	37	0.2	100	8270	99.27	36.3
2023-04-19 08:25:00	98	0	0	0	282	16.28	23.94	36.9	72.4	99.3	-0.8	-0.5	0	37.1	0.2	100	8271	99.28	36.4
2023-04-19 08:30:00	107	0	0	0	289	19.22	26.44	37	71.2	99.29	-1.1	-0.8	0	37.2	0.22	100	8274	99.27	36.5
2023-04-19 08:35:00	128.8	0	0	0	291	18.7	27.2	37.1	71.5	99.29	-0.7	-0.9	0	37.4	0.21	100	8273	99.27	36.6
2023-04-19 08:40:00	94.6	0	0	0	288	15.28	22.95	37.3	70.9	99.3	-1.4	-0.6	0	37.4	0.22	100	8273	99.29	36.8
2023-04-19 08:45:00	101.2	0	0	0	285	16.69	37.49	37.2	70.4	99.32	-0.8	-0.6	0	37.4	0.22	100	8274	99.3	36.8
2023-04-19 08:50:00	110.4	0	0	0	293	18.07	29.42	37.3	70.4	99.32	-0.8	-0.4	0	37.5	0.22	100	8276	99.3	36.9
2023-04-19 08:55:00	119.6	0	0	0	287	19.42	27.81	37.3	70.1	99.33	-0.8	-0.1	0	37.5	0.23	100	8275	99.31	37
2023-04-19 09:00:00	110.2	0	0	0	285	15.55	22.84	37.4	70.6	99.35	-0.9	-0.6	0	37.7	0.22	100	8274	99.33	37.1
2023-04-19 09:05:00	131.6	0	0	0	279	18.45	26.17	37.5	70.7	99.34	-1.2	-0.6	0	37.7	0.22	100	8276	99.32	37.2
2023-04-19 09:10:00	106	0	0	0	282	16.71	22.26	37.6	70.5	99.35	-1.4	0	0	37.9	0.23	100	8275	99.34	37.3
2023-04-19 09:15:00	97.4	0	0	0	270	19.89	25.14	37.6	70.7	99.35	-0.5	0.2	0	37.8	0.22	100	8276	99.33	37.3
2023-04-19 09:20:00	95	0	0	0	272	17.94	27.22	37.5	71.1	99.35	-1.6	-0.4	0	37.7	0.22	100	8276	99.33	37.1
2023-04-19 09:25:00	98.2	0	0	0	277	18.72	25.37	37.4	72.7	99.36	-0.8	-0.5	0	37.5	0.21	100	8276	99.33	36.7
2023-04-19 09:30:00	96.8	0	0	0	281	14.76	20.58	37.1	73.6	99.37	-1.5	-0.3	0	37.4	0.2	100	8279	99.35	36.4
2023-04-19 09:35:00	108	0	0	0	282	18.28	27.11	37.1	74.6	99.38	-0.9	-0.5	0	37.3	0.19	100	8279	99.36	36.4
2023-04-19 09:40:00	86.4	0	0	0	272	17.16	29.97	36.9	75.1	99.39	-1	-0.7	0	37.1	0.18	100	8278	99.37	36.4
2023-04-19 09:45:00	73.8	0	0	0	280	18.81	26.75	36.8	75.7	99.39	-1.1	-0.2	0	36.9	0.18	100	8279	99.37	36.2
2023-04-19 09:50:00	72	0	0	0	299	19.15	26.93	36.6	76.4	99.39	-1	-0.3	0	36.6	0.17	100	8276	99.37	36
2023-04-19 09:55:00	80.4	0	0	0	306	18.39	23.04	36.4	77.5	99.4	-1.3	-0.4	0	36.5	0.16	100	8277	99.38	35.7
2023-04-19 10:00:00	99.2	0	0	0	301	16.37	28.05	36.2	78.9	99.41	-0.9	-0.4	0	36.4	0.15	100	8279	99.39	35.6
2023-04-19 10:05:00	207.6	0	0	0	291	17.31	24.05	36.1	79	99.41	-0.8	-0.2	0	36.4	0.15	100	8279	99.39	35.8
2023-04-19 10:10:00	173.6	0	0	0	290	16.24	21.23	36.4	78.4	99.42	-1.3	-0.1	0	36.8	0.16	100	8282	99.4	36.2
2023-04-19 10:15:00	204.4	0	0	0	298	15.12	24.45	36.6	77.7	99.43	-1.1	-0.9	0	36.9	0.16	100	8286	99.42	36.6
2023-04-19 10:20:00	171.8	0	0	0	301	13.31	19.19	36.9	78.1	99.45	-0.8	-0.7	0	37.4	0.16	100	8285	99.44	37
2023-04-19 10:25:00	166.8	0	0	0	281	14.18	19.3	37.1	77	99.46	-0.8	-0.4	0	37.4	0.17	100	8289	99.44	37.1
2023-04-19 10:30:00	136.4	0	0	0	280	18.28	22.77	37.1	75.7	99.47	-1.5	-0.4	0	37.4	0.18	100	8289	99.45	37.1
2023-04-19 10:35:00	124.2	0	0	0	292	16.11	22.66	37.1	75.2	99.47	-0.7	-0.6	0	37.4	0.19	100	8287	99.46	37.1
2023-04-19 10:40:00	151	0	0	0	276	17.31	24	37.1	75.6	99.48	-0.8	-1	0	37.4	0.18	100	8289	99.47	37.1
2023-04-19 10:45:00	213.4	0	0	0	276	16.53	22.53	37.1	75.4	99.49	-1.2	-0.5	0	37.4	0.18	100	8293	99.47	37.1
2023-04-19 10:50:00	199.4	0	0	0	292	14.74	21.3	37.3	75.8	99.48	-0.8	-0.5	0	37.8	0.18	100	8292	99.47	37.3
2023-04-19 10:55:00	121.8	0	0	0	289	14.88	20.27	37.5	73.8	99.49	-1.2	-0.4	0	37.8	0.2	100	8293	99.47	37.5
2023-04-19 11:00:00	147.8	0	0	0	289	20.94	28.9	37.4	73.5	99.49	-1	-0.1	0	37.7	0.2	100	8294	99.48	37.3
2023-04-19 11:05:00	176.2	0	0	0	287	18.48	29.35	37.2	73.1	99.5	-1.3	-0.1	0	37.5	0.2	100	8295	99.48	37.3
2023-04-19 11:10:00	190.8	0	0	0	282	17.2	26.55	37.3	73.4	99.5	-1	-0.6	0	37.7	0.2	100	8297	99.49	37.5
2023-04-19 11:15:00	265.2	0	0	0	276	17.56	27.83	37.4	72.7	99.51	-0.8	-0.8	0	37.8	0.21	100	8302	99.49	37.7
2023-04-19 11:20:00	396.2	0	0	0	277	17.6	24.36	37.8	72.9	99.51	-1.1	-0.4	0	38.6	0.21	100	8308	99.5	38.2
2023-04-19 11:25:00	266.4	0	0	0	272	17.63	25.03	38.5	70.1	99.51	-1.3	-0.9	0	39.1	0.24	100	8308	99.49	38.5
2023-04-19 11:30:00	232.4	0	0	0	276	12.88	17.05	38.7	69.3	99.52	-0.9	-0.5	0	39.2	0.24	100	8311	99.51	38.7
2023-04-19 11:35:00	246.6	0	0	0	279	17.78	26.02	38.9	68.5	99.53	-0.8	-0.1	0	39.3	0.25	100	8311	99.52	38.9
2023-04-19 11:40:00	256.6	0	0	0	276	19.48	24.43	38.9	67.4	99.54	-0.7	-0.6	0	39.4	0.26	100	8316	99.52	39
2023-04-19 11:45:00	311	0	0	0	282	16.08	21.56	39	66.9	99.54	-0.9	-0.9	0	39.6	0.27	100	8317	99.53	39.1
2023-04-19 11:50:00	308.2	0	0	0	277	18.57	26.35	39.2	66.2	99.54	-0.9	-0.3	0	39.9	0.28	100	8320	99.53	39.4
2023-04-19 11:55:00	319.4	0	0	0	271	16.98	28.03	39.4	65.6	99.54	-0.9	-0.6	0	40	0.28	100	8323	99.53	39.6
2023-04-19 12:00:00	353.4	0	0	0	273	17.05	27.13	39.7	65.4	99.55	-0.9	-0.9	0	40.3	0.29	100	8329	99.54	39.8
2023-04-19 12:05:00	377.4	0	0	0	273	18.9	35.52	40	65	99.55	-0.8	-0.5	0	40.5	0.29	100	8333	99.54	40.1
2023-04-19 12:10:00	330	0	0	0	273	17.18	27.34	40.1	64	99.55	-1.2	-0.1	0	40.7	0.3	100	8336	99.54	40.4
2023-04-19 12:15:00	337.8	0	0	0	281	18.05	23.82	40.1	64	99.55	-1.1	-0.6	0	40.8	0.3	100	8342	99.54	40.4
2023-04-19 12:20:00	364	0	0	0	280	17.45	26.55	40.2	63.8	99.55	-1.3	-0.4	0	40.9	0.31	100	8340	99.54	40.6
2023-04-19 12:25:00	382.6	0	0	0	280	18.61	26.31	40.2	63.9	99.56	-0.5	-0.7	0	40.9	0.31	100	8345	99.54	40.7
2023-04-19 12:30:00	458.6	0	0	0	268	15.7	25.26	40.6	64.5	99.55	-0.9	-0.4	0	41.4	0.3	100	8351	99.54	41.1
2023-04-19 12:35:00	470.6	0	0	0	267	16.2	24.56	41.2	63.1	99.55	-1	-0.5	0	41.9	0.32	100	8355	99.54	41.4
2023-04-19 12:40:00	473.6	0	0	0	287	17.92	28.32	41.4	61.7	99.55	-1.1	-0.6	0	42.1	0.34	100	8361	99.54	41.7
2023-04-19 12:45:00	470.8	0	0	0	295	17.13	24.67	41.6	60.9	99.56	-1	-0.3	0	42.3	0.35	100	8366	99.54	41.9
2023-04-19 12:50:00	427.6	0	0	0	296	16.91	24.74	41.6	60.2	99.55	-1.3	-0.7	0	42.3	0.35	100	8368	99.55	42.1
2023-04-19 12:55:00	449	0	0	0	288	14.79	21.3	41.7	60.3	99.56	-0.7	-0.9	0	42.4	0.36	100	8371	99.55	42.3

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-19 13:00:00	457.6	0	0	0	289	18.92	26.73	41.9	59.3	99.54	-0.9	-0.3	0	42.7	0.37	100	8375	99.54	42.4
2023-04-19 13:05:00	554.6	0	0	0	280	14.16	19.73	42	59.3	99.54	-0.9	0	0	42.7	0.37	100	8380	99.54	42.6
2023-04-19 13:10:00	590.2	0	0	0	288	16.87	24.09	42.8	59.1	99.54	-1.1	-0.4	0	43.5	0.38	100	8389	99.55	43.2
2023-04-19 13:15:00	571	0	0	0	274	16.06	23.02	43.3	58.1	99.56	-1	-0.4	0	44	0.4	100	8390	99.56	43.6
2023-04-19 13:20:00	411.4	0	0	0	275	12.59	20.56	43.2	59.8	99.57	-0.8	-0.6	0	44	0.38	100	8389	99.57	43.7
2023-04-19 13:25:00	427	0	0	0	260	15.05	24.32	43.2	59.6	99.58	-0.5	-0.9	0	44	0.38	100	8394	99.57	43.7
2023-04-19 13:30:00	424.8	0	0	0	281	16.22	22.93	43.2	59	99.58	-0.4	-0.5	0	43.8	0.39	100	8396	99.57	43.8
2023-04-19 13:35:00	498.4	0	0	0	278	12.68	22.53	43.4	59.6	99.58	-0.8	-0.4	0	44.2	0.39	100	8396	99.58	44
2023-04-19 13:40:00	620	0	0	0	277	17	25.86	43.7	57.6	99.57	-0.9	-0.3	0	44.5	0.41	100	8404	99.57	44.1
2023-04-19 13:45:00	693.2	0	0	0	281	18.68	23.73	44.2	57	99.57	-1	-0.8	0	44.9	0.42	100	8408	99.57	44.2
2023-04-19 13:50:00	702.8	0	0	0	280	18.19	24	44.5	56.2	99.59	-0.7	-0.4	0	45.1	0.44	100	8409	99.59	44.3
2023-04-19 13:55:00	601.8	0	0	0	280	16.78	26.06	44.7	56.8	99.6	-1	-0.3	0	45.4	0.43	100	8413	99.59	44.6
2023-04-19 14:00:00	514.2	0	0	0	286	16.02	22.46	44.5	55.6	99.6	-0.9	-0.6	0	45.1	0.44	100	8415	99.59	44.6
2023-04-19 14:05:00	623.6	0	0	0	277	16.2	26.06	44.2	56.9	99.6	-0.8	-0.4	0	44.9	0.43	100	8418	99.59	44.6
2023-04-19 14:10:00	630.4	0	0	0	281	14.81	22.24	44.7	56	99.6	-0.8	-0.5	0	45.5	0.44	100	8421	99.6	44.8
2023-04-19 14:15:00	616.6	0	0	0	300	15.73	23.94	45	55.6	99.6	-0.7	-0.5	0	45.7	0.45	100	8421	99.59	45
2023-04-19 14:20:00	565.8	0	0	0	294	15.23	19.17	45	55.8	99.6	-0.4	-0.9	0	45.8	0.45	100	8422	99.6	45.2
2023-04-19 14:25:00	469.8	0	0	0	285	18.61	28.7	45	56.3	99.61	-0.2	-0.4	0	45.7	0.44	100	8426	99.59	45.3
2023-04-19 14:30:00	619	0	0	0	292	18.3	24.76	45.1	55.1	99.6	-0.6	-0.5	0	45.7	0.46	100	8426	99.59	45.2
2023-04-19 14:35:00	531.2	0	0	0	295	15.66	23.67	45.2	56.3	99.61	-0.8	-0.9	0	45.9	0.45	100	8425	99.6	45.5
2023-04-19 14:40:00	535.4	0	0	0	293	18.97	27.76	45.4	56.1	99.6	-0.7	-0.7	0	46.1	0.45	100	8431	99.59	45.6
2023-04-19 14:45:00	558.6	0	0	0	297	16.64	21.7	45.5	55.1	99.59	-0.9	0	0	46.1	0.46	100	8431	99.58	45.6
2023-04-19 14:50:00	560.2	0	0	0	283	15.95	23.76	45.5	55.1	99.6	-0.9	-0.3	0	46.3	0.47	100	8433	99.59	45.7
2023-04-19 14:55:00	629	0	0	0	289	16.82	23.15	45.9	55	99.59	-0.5	-0.7	0	46.6	0.47	100	8432	99.59	45.9
2023-04-19 15:00:00	703.8	0	0	0	300	15.9	21.88	46.1	53.7	99.59	-0.9	-0.6	0	46.8	0.49	100	8434	99.58	46.1
2023-04-19 15:05:00	683.2	0	0	0	307	15.14	21.74	46.6	54	99.6	-0.7	-0.2	0	47.4	0.5	100	8437	99.59	46.5
2023-04-19 15:10:00	783.8	0	0	0	299	14.92	22.12	47.1	53	99.6	-0.8	-0.8	0	47.9	0.52	100	8434	99.59	46.8
2023-04-19 15:15:00	794.2	0	0	0	310	15.86	25.77	47.7	51.9	99.59	-0.7	-0.3	0	48.4	0.54	100	8437	99.57	47.3
2023-04-19 15:20:00	806	0	0	0	299	17.34	27.89	48.1	51.4	99.57	-1.1	-0.6	0	48.8	0.56	100	8434	99.56	47.5
2023-04-19 15:25:00	680.6	0	0	0	308	18.97	28.57	48.2	50.6	99.57	-0.8	-0.6	0	48.8	0.57	100	8432	99.55	47.6
2023-04-19 15:30:00	726	0	0	0	299	16.89	23.55	48.2	50.7	99.59	-0.4	-0.9	0	48.8	0.57	100	8433	99.58	47.9
2023-04-19 15:35:00	718	0	0	0	277	11.72	17.81	48.1	51.3	99.6	-0.4	-0.7	0	48.9	0.56	100	8432	99.59	48.1
2023-04-19 15:40:00	635.6	0	0	0	302	16.02	23.55	48.5	51.6	99.6	-0.9	-0.3	0	49.3	0.56	100	8431	99.59	48.6
2023-04-19 15:45:00	477	0	0	0	312	15.73	24.36	48.3	49.9	99.61	-0.5	-0.7	0	49.1	0.58	100	8430	99.58	48.7
2023-04-19 15:50:00	550.2	0	0	0	297	15.84	24.11	48	50.8	99.6	-0.6	-0.5	0	48.7	0.56	100	8428	99.58	48.5
2023-04-19 15:55:00	617.4	0	0	0	282	15.1	29.33	48.2	51.2	99.6	-0.4	-0.8	0	49	0.56	100	8431	99.58	48.8
2023-04-19 16:00:00	614.8	0	0	0	279	13.49	19.46	48.6	50.9	99.61	-0.6	-0.7	0	49.3	0.57	100	8425	99.59	49.1
2023-04-19 16:05:00	480.4	0	0	0	277	11.05	15.59	48.6	50.9	99.61	-0.8	-0.5	0	49.4	0.57	100	8425	99.59	49.3
2023-04-19 16:10:00	414.2	0	0	0	300	15.23	23.2	48.5	50.7	99.6	-0.9	-0.7	0	49.2	0.57	100	8424	99.58	49.2
2023-04-19 16:15:00	500	0	0	0	285	11.81	19.28	48.3	50.5	99.61	-0.6	-0.5	0	49.1	0.57	100	8425	99.58	49.2
2023-04-19 16:20:00	467.4	0	0	0	315	14.27	20.11	48.5	50.8	99.6	-1	-0.9	0	49.2	0.57	100	8423	99.58	49.5
2023-04-19 16:25:00	419	0	0	0	346	11.36	20	48.2	51.3	99.61	-0.8	-0.5	0	49	0.56	100	8424	99.59	49.4
2023-04-19 16:30:00	438.4	0	0	0	337	10.94	17.63	47.9	53.6	99.61	-0.6	-0.8	0	48.8	0.53	100	8426	99.59	49.4
2023-04-19 16:35:00	453.6	0	0	0	346	13.11	23.98	47.7	53.2	99.6	-0.6	-0.5	0	48.6	0.53	100	8426	99.59	49.2
2023-04-19 16:40:00	548.6	0	0	0	345	14.79	19.3	47.4	53.2	99.61	-0.7	-0.5	0	48.2	0.52	100	8425	99.6	49
2023-04-19 16:45:00	582	0	0	0	352	13.44	19.39	47.2	54	99.62	-0.4	-0.5	0	47.9	0.51	100	8426	99.61	49.2
2023-04-19 16:50:00	540.6	0	0	0	342	15.43	22.06	47.1	54.3	99.63	-0.6	-0.7	0	47.8	0.5	100	8423	99.62	49.4
2023-04-19 16:55:00	489.6	0	0	0	353	16.42	21.16	47	54	99.64	-0.5	-0.7	0	47.7	0.51	100	8422	99.63	49.3
2023-04-19 17:00:00	428.2	0	0	0	351	12.95	18.21	46.4	54.4	99.65	-0.8	-0.7	0	47.2	0.49	100	8421	99.64	48.8
2023-04-19 17:05:00	438.2	0	0	0	342	12.93	18.07	46.4	55.6	99.67	-0.7	-0.7	0	47.2	0.48	100	8421	99.66	49
2023-04-19 17:10:00	402.6	0	0	0	330	12.93	17.18	46.5	55.2	99.68	-0.9	-0.6	0	47.2	0.48	100	8418	99.67	49.1
2023-04-19 17:15:00	407.2	0	0	0	330	14.65	19.28	46.4	55.3	99.68	-0.9	-0.7	0	47.2	0.48	100	8424	99.66	49.1
2023-04-19 17:20:00	372.8	0	0	0	343	12.86	16.67	46.2	55.2	99.68	-0.8	-0.4	0	46.9	0.48	100	8415	99.67	49
2023-04-19 17:25:00	333.2	0	0	0	357	13.29	18.88	46.1	55.5	99.68	-0.7	-0.5	0	46.9	0.47	100	8415	99.66	48.8
2023-04-19 17:30:00	202.4	0	0	0	356	12.84	18.23	45.7	55.8	99.68	-0.8	-0.9	0	46.3	0.46	100	8413	99.66	47.8
2023-04-19 17:35:00	226.8	0	0	0	335	11.21	16.28	45.2	56.8	99.68	-1	-0.3	0	45.7	0.44	100	8412	99.66	47
2023-04-19 17:40:00	148	0	0	0	341	11.7	15.7	45	56.7	99.68	-0.7	-0.5	0	45.4	0.44	100	8412	99.66	46.5
2023-04-19 17:45:00	146	0	0	0	357	10.47	15.23	44.2	57.7	99.69	-0.9	-0.5	0	44.6	0.42	100	8411	99.66	45.6
2023-04-19 17:50:00	163.2	0	0	0	359	8.99	11.54	43.7	58.9	99.7	-0.8	-0.6	0	44.1	0.4	100	8409	99.68	45.1
2023-04-19 17:55:00	165	0	0	0	339	9.08	12.21	43.5	59.9	99.7	-1.1	-0.5	0	44	0.38	100	8409	99.68	44.8

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-19 18:00:00	120.8	0	0	0	341	9.06	11.95	43.5	60.4	99.7	-0.8	-0.6	0	43.8	0.38	100	8408	99.68	44.7
2023-04-19 18:05:00	112.8	0	0	0	342	9.28	14.54	43.3	60.4	99.71	-0.8	-0.4	0	43.6	0.38	100	8407	99.69	44.3
2023-04-19 18:10:00	140.4	0	0	0	345	9.71	13.47	43.1	60.6	99.71	-0.7	-0.7	0	43.4	0.37	100	8408	99.69	44.1
2023-04-19 18:15:00	139.4	0	0	0	347	8.79	12.82	42.8	61.1	99.71	-0.8	-0.5	0	43.3	0.36	100	8406	99.69	44.1
2023-04-19 18:20:00	82.6	0	0	0	343	9.31	12.17	42.8	61.1	99.72	-0.8	-0.5	0	43	0.36	100	8405	99.69	43.8
2023-04-19 18:25:00	76.4	0	0	0	339	10.45	13.15	42.6	61.4	99.73	-0.9	-0.3	0	42.8	0.36	100	8405	99.7	43.3
2023-04-19 18:30:00	72.6	0	0	0	343	8.39	12.66	42.3	62.2	99.72	-1	-0.6	0	42.5	0.35	100	8404	99.69	43
2023-04-19 18:35:00	75	0	0	0	348	8.77	13.29	42.1	62.8	99.71	-0.8	-0.6	0	42.3	0.34	100	8401	99.69	42.7
2023-04-19 18:40:00	75.6	0	0	0	357	7.94	11.01	41.9	63.2	99.71	-0.9	-0.4	0	42.1	0.33	100	8399	99.68	42.6
2023-04-19 18:45:00	79	0	0	0	354	8.63	11.88	41.7	63.6	99.71	-1	-0.4	0	41.9	0.33	100	8399	99.69	42.3
2023-04-19 18:50:00	74.2	0	0	0	337	9.22	12.44	41.6	63.7	99.72	-0.9	-0.5	0	41.8	0.32	100	8396	99.7	42.2
2023-04-19 18:55:00	56.4	0	0	0	340	8.05	10.33	41.5	64	99.73	-1	-0.4	0	41.6	0.32	100	8399	99.7	42
2023-04-19 19:00:00	50.4	0	0	0	330	8.19	10.45	41.4	64.5	99.74	-0.9	-0.4	0	41.5	0.31	100	8396	99.71	41.8
2023-04-19 19:05:00	58.4	0	0	0	342	8.59	12.28	41.4	64.9	99.74	-0.9	-0.4	0	41.5	0.31	100	8393	99.71	42
2023-04-19 19:10:00	51.4	0	0	0	351	8.55	12.46	41.3	64.7	99.73	-0.9	-0.4	0	41.4	0.31	100	8396	99.7	42
2023-04-19 19:15:00	34.6	0	0	0	351	5.17	7.31	41.1	65	99.73	-0.8	-0.6	0	41.2	0.31	100	8393	99.71	41.5
2023-04-19 19:20:00	23.6	0	0	0	5	5.14	7.85	41	65.1	99.73	-1	-0.4	0	41.1	0.3	100	8390	99.7	41
2023-04-19 19:25:00	15.2	0	0	0	2	6.08	7.94	40.7	66	99.72	-0.9	-0.6	0	40.7	0.29	100	8389	99.69	40.6
2023-04-19 19:30:00	11	0	0	0	359	6.71	8.86	40.5	66.7	99.71	-0.9	-0.6	0	40.5	0.29	100	8390	99.67	40.1
2023-04-19 19:35:00	8	0	0	0	5	6.26	8.19	40.1	66.9	99.7	-1	-0.4	0	40.1	0.28	100	8387	99.67	39.8
2023-04-19 19:40:00	5.2	0	0	0	5	3.87	5.3	39.8	67.6	99.7	-1.1	-0.5	0	39.8	0.27	100	8388	99.67	39.4
2023-04-19 19:45:00	3	0	0	0	355	5.14	7.18	39.6	67.7	99.7	-0.9	-0.4	0	39.5	0.27	100	8387	99.67	39
2023-04-19 19:50:00	1.2	0	0	0	352	6.13	8.05	39.3	68.6	99.71	-1	-0.5	0	39.3	0.26	100	8384	99.68	38.7
2023-04-19 19:55:00	0	0	0	0	347	4.72	6.29	39.1	69.1	99.74	-1	-0.5	0	39.1	0.25	100	8382	99.71	38.5
2023-04-19 20:00:00	0	0	0	0	332	3.87	5.41	38.9	69.6	99.75	-0.9	-0.5	0	38.9	0.25	100	8382	99.72	38.3
2023-04-19 20:05:00	0	0	0	0	331	2.26	3.65	38.8	69.9	99.75	-1.1	-0.5	0	38.8	0.24	100	8380	99.72	38
2023-04-19 20:10:00	0	0	0	0	350	3.71	4.79	38.6	70.4	99.76	-1	-0.5	0	38.6	0.24	100	8381	99.73	37.7
2023-04-19 20:15:00	0	0	0	0	358	2.44	3.96	38.5	70.7	99.76	-1.2	-0.4	0	38.5	0.23	100	8382	99.73	37.5
2023-04-19 20:20:00	0	0	0	0	334	0.74	2.01	38.3	71.3	99.77	-1	-0.4	0	38.2	0.22	100	8379	99.73	37.2
2023-04-19 20:25:00	0	0	0	0	348	2.64	4.5	38	71.5	99.75	-1	-0.4	0	38	0.22	100	8379	99.72	36.8
2023-04-19 20:30:00	0	0	0	0	346	3.27	4.83	37.9	72.2	99.76	-1	-0.6	0	37.9	0.21	100	8378	99.72	36.6
2023-04-19 20:35:00	0	0	0	0	54	2.71	3.24	37.8	72.4	99.75	-1.1	-0.5	0	37.9	0.21	100	8375	99.72	36.6
2023-04-19 20:40:00	0	0	0	0	18	2.39	4.9	37.8	73.2	99.78	-1	-0.4	0	37.9	0.21	100	8375	99.74	36.5
2023-04-19 20:45:00	0	0	0	0	13	4.65	5.64	37.9	74.4	99.75	-1.1	-0.5	0	37.9	0.2	100	8375	99.72	36.6
2023-04-19 20:50:00	0	0	0	0	120	1.72	3.27	37.8	75.1	99.76	-1	-0.4	0	37.8	0.19	100	8373	99.73	36.5
2023-04-19 20:55:00	0	0	0	0	184	2.95	3.69	37.7	75.3	99.77	-1.1	-0.4	0	37.7	0.19	100	8374	99.73	36.3
2023-04-19 21:00:00	0	0	0	0	198	1.3	3.02	37.7	76.2	99.77	-1.2	-0.5	0	37.7	0.18	100	8374	99.72	36.1
2023-04-19 21:05:00	0	0	0	0	80	2.91	4.07	37.6	75.2	99.73	-0.9	-0.4	0	37.6	0.19	100	8373	99.68	35.8
2023-04-19 21:10:00	0	0	0	0	123	3.98	5.41	37.6	75.7	99.71	-1	-0.4	0	37.6	0.19	100	8368	99.68	35.9
2023-04-19 21:15:00	0	0	0	0	190	3.51	5.21	37.5	78.2	99.76	-1.1	-0.4	0	37.6	0.17	100	8372	99.73	35.9
2023-04-19 21:20:00	0	0	0	0	194	4.23	7.05	37.4	78.2	99.78	-1.1	-0.5	0	37.4	0.16	100	8369	99.75	35.7
2023-04-19 21:25:00	0	0	0	0	188	4.05	8.05	37.2	77.5	99.79	-1	-0.4	0	37.2	0.17	100	8369	99.75	35.6
2023-04-19 21:30:00	0	0	0	0	168	4.07	6.06	37	77.1	99.78	-1.1	-0.4	0	37	0.17	100	8368	99.75	35.5
2023-04-19 21:35:00	0	0	0	0	165	5.41	6.15	37	77.1	99.78	-0.9	-0.4	0	37	0.17	100	8366	99.76	35.5
2023-04-19 21:40:00	0	0	0	0	184	3.76	4.79	37	76.3	99.81	-1.1	-0.4	0	37	0.18	100	8367	99.78	35.5
2023-04-19 21:45:00	0	0	0	0	178	4.14	4.63	37	76.3	99.81	-1	-0.5	0	37.1	0.18	100	8367	99.78	35.6
2023-04-19 21:50:00	0	0	0	0	169	4.43	5.41	37.1	76.5	99.81	-1.1	-0.4	0	37.1	0.18	100	8364	99.78	35.7
2023-04-19 21:55:00	0	0	0	0	161	2.1	4.81	37.1	76.9	99.81	-1	-0.5	0	37.1	0.17	100	8366	99.78	35.7
2023-04-19 22:00:00	0	0	0	0	89	2.68	4.12	37.1	77.4	99.8	-1.1	-0.4	0	37.1	0.17	100	8366	99.76	35.7
2023-04-19 22:05:00	0	0	0	0	166	6.49	9.66	37.2	78	99.79	-1	-0.5	0	37.2	0.17	100	8363	99.76	35.9
2023-04-19 22:10:00	0	0	0	0	129	6.85	8.46	37.2	78.3	99.77	-1	-0.5	0	37.2	0.16	100	8365	99.74	36
2023-04-19 22:15:00	0	0	0	0	123	7.2	8.9	37.3	76.8	99.75	-1.1	-0.5	0	37.3	0.18	100	8364	99.73	36.3
2023-04-19 22:20:00	0	0	0	0	161	7.34	8.55	37.6	77.6	99.76	-1	-0.4	0	37.6	0.17	100	8362	99.74	36.6
2023-04-19 22:25:00	0	0	0	0	152	7.05	9.37	37.6	77.3	99.76	-0.9	-0.5	0	37.6	0.17	100	8360	99.72	36.7
2023-04-19 22:30:00	0	0	0	0	164	8.12	10.11	37.7	78.4	99.75	-1	-0.4	0	37.7	0.17	100	8364	99.73	36.8
2023-04-19 22:35:00	0	0	0	0	159	9.66	11.14	37.6	77.5	99.72	-1	-0.4	0	37.6	0.17	100	8362	99.7	36.9
2023-04-19 22:40:00	0	0	0	0	168	6.17	9.55	37.6	77.5	99.75	-1	-0.4	0	37.6	0.17	100	8360	99.73	36.9
2023-04-19 22:45:00	0	0	0	0	155	4.36	6.02	37.6	77.2	99.77	-1.1	-0.4	0	37.6	0.17	100	8358	99.74	37
2023-04-19 22:50:00	0	0	0	0	161	5.79	7.34	37.9	77	99.77	-1	-0.4	0	37.9	0.18	100	8358	99.75	37.2
2023-04-19 22:55:00	0	0	0	0	167	4.36	6.26	37.9	76.5	99.8	-1	-0.4	0	37.9	0.18	100	8358	99.78	37.3

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-19 23:00:00	0	0	0	0	163	4.36	5.19	38	76.6	99.81	-1	-0.5	0	37.9	0.18	100	8356	99.79	37.4
2023-04-19 23:05:00	0	0	0	0	166	4.23	5.12	38.1	77.1	99.83	-1.1	-0.5	0	38.1	0.18	100	8355	99.8	37.5
2023-04-19 23:10:00	0	0	0	0	168	5.66	7	38.2	76.8	99.83	-1	-0.5	0	38.2	0.18	100	8357	99.8	37.6
2023-04-19 23:15:00	0	0	0	0	168	5.86	7.4	38.1	77	99.83	-1	-0.4	0	38.1	0.18	100	8356	99.8	37.6
2023-04-19 23:20:00	0	0	0	0	168	6.46	7.81	38.2	76.8	99.82	-0.9	-0.4	0	38.2	0.18	100	8355	99.79	37.7
2023-04-19 23:25:00	0	0	0	0	162	6.15	7.49	38.2	76.8	99.82	-0.9	-0.4	0	38.2	0.18	100	8355	99.8	37.7
2023-04-19 23:30:00	0	0	0	0	160	5.46	6.4	38.2	76.6	99.83	-0.9	-0.5	0	38.2	0.18	100	8355	99.81	37.7
2023-04-19 23:35:00	0	0	0	0	163	5.79	6.96	38.3	76.5	99.85	-1	-0.6	0	38.2	0.18	100	8355	99.82	37.8
2023-04-19 23:40:00	0	0	0	0	166	5.88	7.2	38.3	77.2	99.85	-1	-0.4	0	38.3	0.18	100	8353	99.83	37.8
2023-04-19 23:45:00	0	0	0	0	170	6.64	8.03	38.3	77.2	99.86	-0.9	-0.5	0	38.3	0.18	100	8353	99.84	37.8
2023-04-19 23:50:00	0	0	0	0	171	6.13	7.36	38.3	77.7	99.87	-0.9	-0.4	0	38.3	0.17	100	8352	99.85	37.8
2023-04-19 23:55:00	0	0	0	0	170	5.66	6.58	38.3	77.8	99.9	-1.1	-0.4	0	38.3	0.17	100	8352	99.88	37.8
2023-04-20 00:00:00	0	0	0	0	164	5.55	6.71	38.3	77.6	99.91	-1.1	-0.5	0	38.3	0.18	100	8352	99.88	37.8
2023-04-20 00:05:00	0	0	0	0	164	5.61	7.52	38.3	77.7	99.91	-1.1	-0.4	0	38.3	0.17	100	8320	99.89	38.1
2023-04-20 00:10:00	0	0	0	0	170	6.06	8.37	38.4	76.7	99.92	-0.9	-0.5	0	38.4	0.18	100	8314	99.91	38.4
2023-04-20 00:15:00	0	0	0	0	180	5.3	7.29	38.6	77.2	99.96	-0.8	-0.4	0	38.5	0.18	100	8309	99.94	38.6
2023-04-20 00:20:00	0	0	0	0	181	6.46	8.61	38.6	76.9	99.97	-1	-0.6	0	38.6	0.18	100	8318	99.95	38.7
2023-04-20 00:25:00	0	0	0	0	172	5.82	7.29	38.7	76.6	99.97	-1	-0.6	0	38.7	0.19	100	8323	99.95	38.5
2023-04-20 00:30:00	0	0	0	0	163	6.82	9.17	38.7	76.1	99.95	-0.9	-0.5	0	38.7	0.19	100	8323	99.93	38.5
2023-04-20 00:35:00	0	0	0	0	151	6.33	7.67	38.7	76.4	99.95	-0.9	-0.6	0	38.7	0.19	100	8323	99.93	38.5
2023-04-20 00:40:00	0	0	0	0	147	5.73	6.85	38.8	76.4	99.95	-1	-0.4	0	38.8	0.19	100	8327	99.92	38.5
2023-04-20 00:45:00	0	0	0	0	136	5.3	6.22	38.9	76.4	99.94	-1	-0.5	0	38.9	0.19	100	8327	99.91	38.6
2023-04-20 00:50:00	0	0	0	0	135	5.01	7.11	38.9	76.2	99.93	-1	-0.5	0	38.8	0.19	100	8324	99.91	38.6
2023-04-20 00:55:00	0	0	0	0	158	5.75	7	38.9	76.5	99.95	-1	-0.5	0	38.9	0.19	100	8324	99.92	38.6
2023-04-20 01:00:00	0	0	0	0	139	5.44	6.98	38.7	77.4	99.93	-1	-0.5	0	38.8	0.18	100	8326	99.91	38.5
2023-04-20 01:05:00	0	0	0	0	144	4.74	7.49	38.6	78.2	99.95	-1	-0.5	0	38.6	0.17	100	8325	99.93	38.4
2023-04-20 01:10:00	0	0	0	0	154	4.38	5.26	38.5	78.7	99.95	-1	-0.4	0	38.4	0.17	100	8326	99.92	38.3
2023-04-20 01:15:00	0	0	0	0	166	4.05	4.79	38.5	79.2	99.95	-1	-0.5	0	38.5	0.16	100	8326	99.93	38.3
2023-04-20 01:20:00	0	0	0	0	171	2.71	4.47	38.5	79.2	99.97	-1	-0.5	0	38.5	0.16	100	8323	99.95	38.2
2023-04-20 01:25:00	0	0	0	0	131	2.15	2.93	38.6	78.1	99.97	-1	-0.5	0	38.5	0.17	100	8323	99.95	38.3
2023-04-20 01:30:00	0	0	0	0	102	2.39	3.24	38.6	78.1	99.97	-0.9	-0.5	0	38.6	0.17	100	8322	99.94	38.3
2023-04-20 01:35:00	0	0	0	0	114	2.95	3.96	38.7	77.9	99.96	-0.9	-0.4	0	38.7	0.18	100	8324	99.94	38.3
2023-04-20 01:40:00	0	0	0	0	134	2.8	4	38.8	77.7	99.96	-0.9	-0.5	0	38.8	0.18	100	8325	99.94	38.3
2023-04-20 01:45:00	0	0	0	0	109	2.64	3.58	38.9	77.5	99.97	-1	-0.5	0	38.8	0.18	100	8323	99.95	38.4
2023-04-20 01:50:00	0	0	0	0	90	2.08	3.02	38.9	77.3	99.98	-1	-0.4	0	38.9	0.18	100	8320	99.96	38.4
2023-04-20 01:55:00	0	0	0	0	65	1.92	2.93	39	78.4	99.98	-1.1	-0.5	0	39	0.17	100	8321	99.96	38.4
2023-04-20 02:00:00	0	0	0	0	38	2.19	2.84	38.9	79.8	99.98	-1	-0.5	0	38.9	0.16	100	8321	99.96	38.4
2023-04-20 02:05:00	0	0	0	0	38	1.36	1.86	38.8	80.1	99.98	-0.9	-0.6	0	38.8	0.16	100	8320	99.96	38.4
2023-04-20 02:10:00	0	0	0	0	57	2.15	3	38.8	79.6	99.97	-1	-0.4	0	38.8	0.16	100	8322	99.95	38.4
2023-04-20 02:15:00	0	0	0	0	35	2.55	3.2	38.8	79.8	99.97	-1	-0.5	0	38.8	0.16	100	8321	99.94	38.4
2023-04-20 02:20:00	0	0	0	0	50	2.59	3.56	38.8	79.9	99.95	-1	-0.5	0	38.8	0.16	100	8320	99.93	38.3
2023-04-20 02:25:00	0	0	0	0	42	2.26	3.36	38.7	80.4	99.96	-1	-0.4	0	38.7	0.16	100	8319	99.93	38.3
2023-04-20 02:30:00	0	0	0	0	41	2.24	3	38.7	80.4	99.95	-1	-0.5	0	38.7	0.16	100	8317	99.92	38.3
2023-04-20 02:35:00	0	0	0	0	53	2.17	2.98	38.7	81.4	99.93	-1	-0.5	0	38.7	0.15	100	8317	99.9	38.3
2023-04-20 02:40:00	0	0	0	0	73	3.71	4.99	38.7	81.4	99.91	-1	-0.4	0	38.7	0.15	100	8318	99.89	38.3
2023-04-20 02:45:00	0	0	0	0	75	4.52	6.06	38.7	80.7	99.91	-0.9	-0.5	0	38.7	0.15	100	8317	99.9	38.3
2023-04-20 02:50:00	0	0	0	0	63	3.6	5.35	38.7	80.8	99.93	-1	-0.5	0	38.7	0.15	100	8316	99.91	38.4
2023-04-20 02:55:00	0	0	0	0	66	3.89	5.08	38.7	81	99.93	-1	-0.5	0	38.7	0.15	100	8317	99.91	38.3
2023-04-20 03:00:00	0	0	0	0	82	4.47	5.46	38.8	80.2	99.93	-0.9	-0.4	0	38.8	0.16	100	8317	99.91	38.3
2023-04-20 03:05:00	0	0	0	0	71	4	5.77	38.7	80.3	99.94	-0.9	-0.5	0	38.7	0.16	100	8312	99.92	38.3
2023-04-20 03:10:00	0	0	0	0	53	3.67	5.64	38.7	80.2	99.95	-0.9	-0.5	0	38.7	0.16	100	8314	99.92	38.3
2023-04-20 03:15:00	0	0	0	0	61	4.25	5.75	38.7	80.4	99.95	-1	-0.6	0	38.7	0.16	100	8313	99.93	38.2
2023-04-20 03:20:00	0	0	0	0	61	4.34	6.58	38.5	80.8	99.95	-1	-0.5	0	38.5	0.15	100	8314	99.93	38.1
2023-04-20 03:25:00	0	0	0	0	60	4.81	6.96	38.6	80.6	99.95	-1.1	-0.4	0	38.6	0.15	100	8314	99.93	38
2023-04-20 03:30:00	0	0	0	0	71	4.07	5.75	38.4	81.2	99.95	-1	-0.3	0	38.3	0.15	100	8314	99.93	37.8
2023-04-20 03:35:00	0	0	0	0	70	4.68	6.24	38.3	81.1	99.95	-1.1	-0.4	0	38.3	0.15	100	8312	99.93	37.8
2023-04-20 03:40:00	0	0	0	0	71	4.54	6.02	38.2	80.5	99.96	-0.9	-0.5	0	38.2	0.15	100	8310	99.94	37.7
2023-04-20 03:45:00	0	0	0	0	76	4.41	5.99	38.2	80.7	99.96	-1.1	-0.5	0	38.2	0.15	100	8311	99.94	37.6
2023-04-20 03:50:00	0	0	0	0	81	5.21	7.76	38.2	80.7	99.95	-0.9	-0.5	0	38.2	0.15	100	8309	99.93	37.6
2023-04-20 03:55:00	0	0	0	0	85	5.46	7.56	38.2	80.7	99.94	-0.9	-0.5	0	38.2	0.15	100	8311	99.92	37.7

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-20 04:00:00	0	0	0	0	90	5.77	8.66	38.3	80.6	99.93	-1.1	-0.4	0	38.3	0.15	100	8311	99.91	37.7
2023-04-20 04:05:00	0	0	0	0	113	6.13	7.72	38.3	80.6	99.93	-1	-0.4	0	38.2	0.15	100	8309	99.91	37.8
2023-04-20 04:10:00	0	0	0	0	111	7.07	9.1	38.3	80.4	99.93	-1.1	-0.5	0	38.3	0.15	100	8308	99.91	37.8
2023-04-20 04:15:00	0	0	0	0	103	6.22	9.01	38.4	80.1	99.93	-1	-0.5	0	38.4	0.16	100	8308	99.91	37.9
2023-04-20 04:20:00	0	0	0	0	78	5.32	7.72	38.4	80.2	99.93	-0.9	-0.5	0	38.4	0.16	100	8308	99.92	38
2023-04-20 04:25:00	0	0	0	0	73	5.39	7.09	38.3	80.1	99.95	-0.9	-0.4	0	38.3	0.16	100	8308	99.92	38
2023-04-20 04:30:00	0	0	0	0	79	4.74	7.14	38.4	80.4	99.96	-1	-0.3	0	38.4	0.15	100	8306	99.94	38
2023-04-20 04:35:00	0	0	0	0	94	6.53	9.33	38.4	79.9	99.95	-1.1	-0.5	0	38.4	0.16	100	8307	99.93	38
2023-04-20 04:40:00	0	0	0	0	76	4.79	6.91	38.4	80	99.95	-0.9	-0.5	0	38.4	0.16	100	8307	99.93	38
2023-04-20 04:45:00	0	0	0	0	59	4.72	6.78	38.4	80.3	99.96	-0.9	-0.4	0	38.3	0.16	100	8305	99.94	37.8
2023-04-20 04:50:00	0	0	0	0	70	3.36	4.97	38.3	80.3	99.98	-1	-0.5	0	38.3	0.15	100	8304	99.96	37.6
2023-04-20 04:55:00	0	0	0	0	75	3.4	4.99	38.1	80.8	99.97	-1	-0.4	0	38.1	0.15	100	8305	99.95	37.5
2023-04-20 05:00:00	0	0	0	0	56	3.85	5.39	38	81.4	99.98	-0.9	-0.5	0	38	0.14	100	8304	99.95	37.4
2023-04-20 05:05:00	0	0	0	0	68	4.45	6.15	38	81.3	99.96	-1	-0.4	0	38	0.15	100	8304	99.94	37.3
2023-04-20 05:10:00	0	0	0	0	23	3.78	6.35	37.9	81.5	99.99	-1	-0.5	0	37.9	0.14	100	8302	99.97	37.2
2023-04-20 05:15:00	0	0	0	0	33	4.14	5.97	37.8	81.9	99.99	-1	-0.4	0	37.8	0.14	100	8301	99.96	37
2023-04-20 05:20:00	0	0	0	0	28	5.08	7.02	37.7	81.7	99.98	-1	-0.6	0	37.7	0.14	100	8301	99.96	36.8
2023-04-20 05:25:00	0	0	0	0	74	5.41	7.23	37.5	81.5	99.96	-0.9	-0.5	0	37.5	0.14	100	8301	99.93	36.6
2023-04-20 05:30:00	0	0	0	0	72	5.53	7.87	37.4	81.8	99.96	-1.1	-0.5	0	37.4	0.14	100	8301	99.94	36.5
2023-04-20 05:35:00	0	0	0	0	61	4.54	7.27	37.3	82.1	99.97	-1.1	-0.4	0	37.3	0.14	100	8299	99.95	36.5
2023-04-20 05:40:00	0	0	0	0	66	3.56	5.64	37.4	82.7	99.96	-0.9	-0.4	0	37.4	0.13	100	8296	99.94	36.6
2023-04-20 05:45:00	0	0	0	0	59	5.12	6.98	37.3	82.6	99.96	-1	-0.5	0	37.3	0.13	100	8298	99.94	36.6
2023-04-20 05:50:00	0	0	0	0	66	5.64	7.18	37.4	83.1	99.95	-1	-0.4	0	37.4	0.13	100	8297	99.93	36.7
2023-04-20 05:55:00	0	0	0	0	67	5.37	7.87	37.4	82.4	99.95	-1	-0.6	0	37.4	0.13	100	8298	99.94	36.8
2023-04-20 06:00:00	0	0	0	0	70	5.48	7.85	37.5	81.9	99.97	-1	-0.5	0	37.5	0.14	100	8298	99.95	36.9
2023-04-20 06:05:00	1.2	0	0	0	82	5.03	7.27	37.6	81.2	99.98	-0.9	-0.6	0	37.7	0.14	100	8297	99.97	37
2023-04-20 06:10:00	3.4	0	0	0	76	5.41	7.9	37.8	80.9	99.99	-1	-0.5	0	37.8	0.15	100	8298	99.97	37.1
2023-04-20 06:15:00	5	0	0	0	51	4.18	6.13	37.8	80.8	100.01	-1	-0.5	0	37.8	0.15	100	8298	100	37.2
2023-04-20 06:20:00	8.6	0	0	0	48	4	5.55	38	80.3	100.04	-0.9	-0.4	0	38	0.15	100	8295	100.03	37.4
2023-04-20 06:25:00	7.6	0	0	0	61	4.36	6.53	38.1	80.4	100.05	-1	-0.5	0	38.1	0.15	100	8295	100.04	37.5
2023-04-20 06:30:00	7.6	0	0	0	62	5.1	7.47	38.2	79.9	100.06	-0.9	-0.6	0	38.2	0.16	100	8298	100.05	37.6
2023-04-20 06:35:00	8.6	0	0	0	48	4.41	7.45	38.2	80.5	100.07	-1.1	-0.6	0	38.2	0.15	100	8296	100.06	37.7
2023-04-20 06:40:00	8.6	0	0	0	46	4.16	6.33	38.2	81	100.07	-1	-0.5	0	38.2	0.15	100	8296	100.05	37.7
2023-04-20 06:45:00	5.6	0.00067	0	0	67	4.61	7.09	38.2	82.5	100.07	-1	-0.5	0.04	38.2	0.14	100	8295	100.04	37.7
2023-04-20 06:50:00	4.4	0.00134	0	0	93	6.11	8.08	38.1	82.6	100.05	-1	-0.6	0.04	38.2	0.14	100	8292	100.03	37.6
2023-04-20 06:55:00	8.6	0	0	0	111	7.25	8.7	38.1	82.1	100.04	-0.9	-0.4	0	38.1	0.14	100	8296	100.02	37.6
2023-04-20 07:00:00	9.8	0.00067	0	0	120	7.23	9.04	38	82.1	100.04	-1	-0.5	0.04	38	0.14	100	8293	100.03	37.6
2023-04-20 07:05:00	10.2	0.00134	0	0	126	6.85	8.75	37.9	82.5	100.05	-0.9	-0.4	0.04	38	0.13	100	8293	100.03	37.6
2023-04-20 07:10:00	14	0.00134	0	0	112	7.02	9.24	37.8	82.1	100.05	-1	-0.6	0.04	37.8	0.14	100	8295	100.04	37.6
2023-04-20 07:15:00	19.2	0.00134	0	0	107	6.02	7.14	37.8	82.5	100.06	-1	-0.4	0.04	37.8	0.13	100	8292	100.05	37.6
2023-04-20 07:20:00	26.2	0	0	0	111	5.44	7.27	37.7	83.6	100.07	-0.9	-0.5	0	37.8	0.13	100	8290	100.06	37.6
2023-04-20 07:25:00	24.6	0	0	0	126	6.24	7.92	37.8	83.3	100.09	-1.2	-0.4	0	37.8	0.13	100	8289	100.08	37.6
2023-04-20 07:30:00	21.2	0	0	0	134	7.23	9.26	37.7	83.1	100.08	-1.1	-0.5	0	37.8	0.13	100	8291	100.07	37.6
2023-04-20 07:35:00	16.4	0	0	0	135	7.96	10.87	37.8	82.9	100.08	-1	-0.5	0	38	0.13	100	8289	100.07	37.7
2023-04-20 07:40:00	19.4	0	0	0	125	7.72	10.54	37.9	82.9	100.08	-0.8	-0.5	0	37.9	0.13	100	8290	100.07	37.7
2023-04-20 07:45:00	29.4	0	0	0	111	6.55	8.72	37.9	82.9	100.09	-1	-0.5	0	38	0.13	100	8289	100.08	37.8
2023-04-20 07:50:00	39.6	0	0	0	112	6.31	7.81	38.1	83	100.09	-1	-0.5	0	38.2	0.13	100	8287	100.07	37.9
2023-04-20 07:55:00	37.6	0	0	0	111	6.98	9.06	38.2	83.3	100.09	-1.1	-0.5	0	38.3	0.13	100	8290	100.08	38.1
2023-04-20 08:00:00	44.6	0	0	0	116	7.29	9.42	38.3	83.3	100.09	-0.9	-0.5	0	38.4	0.13	100	8289	100.08	38.2
2023-04-20 08:05:00	50.2	0	0	0	113	6.91	8.43	38.3	83.5	100.1	-1	-0.6	0	38.4	0.13	100	8289	100.08	38.3
2023-04-20 08:10:00	57.8	0	0	0	120	7.58	10.69	38.4	83.4	100.1	-1.2	-0.4	0	38.6	0.13	100	8289	100.09	38.4
2023-04-20 08:15:00	46.8	0	0	0	114	6.26	8.81	38.7	82.9	100.12	-1	-0.5	0	38.8	0.14	100	8286	100.1	38.5
2023-04-20 08:20:00	60	0	0	0	107	6.62	9.46	38.7	81.9	100.12	-0.9	-0.4	0	38.9	0.14	100	8288	100.1	38.6
2023-04-20 08:25:00	71.4	0	0	0	103	7.61	9.55	38.8	81.8	100.11	-1	-0.5	0	39	0.15	100	8289	100.1	38.8
2023-04-20 08:30:00	66	0	0	0	97	7.14	10.2	39	82	100.11	-0.9	-0.5	0	39.2	0.15	100	8290	100.1	38.9
2023-04-20 08:35:00	73.4	0	0	0	103	8.99	11.74	39.2	81.2	100.1	-0.8	-0.5	0	39.4	0.15	100	8289	100.09	39.1
2023-04-20 08:40:00	58.6	0	0	0	103	7.94	9.69	39.3	79.8	100.12	-1	-0.4	0	39.5	0.16	100	8289	100.1	39.2
2023-04-20 08:45:00	58.2	0	0	0	100	6.89	10.67	39.4	80.2	100.12	-0.8	-0.5	0	39.6	0.16	100	8290	100.11	39.3
2023-04-20 08:50:00	85.2	0	0	0	93	4.9	8.12	39.5	80.9	100.14	-0.9	-0.4	0	39.8	0.16	100	8290	100.13	39.5
2023-04-20 08:55:00	130.6	0	0	0	79	5.73	8.39	39.5	80.9	100.14	-0.9	-0.6	0	40	0.16	100	8292	100.13	39.8

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-20 09:00:00	163.2	0	0	0	86	5.64	8.81	39.8	80.1	100.15	-1	-0.5	0	40.3	0.17	100	8295	100.14	40.1
2023-04-20 09:05:00	170.6	0	0	0	95	5.99	8.81	40.1	79	100.14	-1	-0.5	0	40.6	0.18	100	8296	100.14	40.5
2023-04-20 09:10:00	160.6	0	0	0	95	6.29	7.92	40.4	78.2	100.15	-0.9	-0.5	0	40.9	0.19	100	8298	100.14	40.7
2023-04-20 09:15:00	178.4	0	0	0	117	7.07	9.78	40.7	77.3	100.14	-0.8	-0.4	0	41.2	0.2	100	8299	100.13	41
2023-04-20 09:20:00	175	0	0	0	105	9.04	12.41	40.8	76.5	100.13	-0.9	-0.4	0	41.3	0.2	100	8302	100.12	41.2
2023-04-20 09:25:00	188.4	0	0	0	102	8.99	12.86	40.9	75.4	100.13	-0.8	-0.4	0	41.5	0.21	100	8301	100.12	41.4
2023-04-20 09:30:00	229.2	0	0	0	120	9.24	13.31	41	75.9	100.12	-0.9	-0.4	0	41.6	0.21	100	8308	100.11	41.6
2023-04-20 09:35:00	278.2	0	0	0	120	9.93	13.11	41.4	75	100.11	-0.8	-0.5	0	42	0.22	100	8315	100.1	41.8
2023-04-20 09:40:00	302.8	0	0	0	109	9.37	12.75	41.9	73.9	100.09	-1	-0.6	0	42.7	0.24	100	8323	100.09	42.1
2023-04-20 09:45:00	397	0	0	0	103	10.18	13.13	42.8	73.2	100.08	-0.8	-0.5	0	43.7	0.25	100	8336	100.09	42.4
2023-04-20 09:50:00	542.8	0	0	0	101	9.1	12.33	43.9	71.1	100.08	-0.8	-0.4	0	44.9	0.28	100	8358	100.09	43.1
2023-04-20 09:55:00	545.4	0	0	0	115	8.72	13.29	45.1	70	100.08	-0.7	-0.7	0	46	0.31	100	8377	100.1	44
2023-04-20 10:00:00	609.8	0	0	0	128	10.49	18.54	46	67.1	100.08	-0.9	-0.5	0	46.9	0.35	100	8393	100.1	44.9
2023-04-20 10:05:00	617.6	0	0	0	128	12.19	16.15	46.8	66.2	100.06	-0.7	-0.4	0	47.6	0.37	100	8408	100.08	45.7
2023-04-20 10:10:00	611.2	0	0	0	128	13.09	18.77	47.3	65.5	100.03	-0.8	-0.4	0	48.1	0.38	100	8418	100.05	46.4
2023-04-20 10:15:00	599	0	0	0	109	15.46	20.31	47.7	62.6	100.02	-0.5	-0.5	0	48.4	0.42	100	8434	100.05	46.9
2023-04-20 10:20:00	575.2	0	0	0	110	13.09	17.94	47.8	62.7	100.04	-0.6	-0.7	0	48.7	0.42	100	8443	100.06	47.4
2023-04-20 10:25:00	572.4	0	0	0	98	12.19	19.62	48.2	62.7	100.03	-0.6	-0.6	0	49	0.43	100	8453	100.05	47.9
2023-04-20 10:30:00	603.4	0	0	0	105	13.89	18.32	48.5	61.2	100.02	-0.8	-0.5	0	49.2	0.45	100	8463	100.04	48.4
2023-04-20 10:35:00	642	0	0	0	108	13.98	20.51	48.6	61.1	100	-0.6	-0.4	0	49.4	0.45	100	8471	100.02	48.8
2023-04-20 10:40:00	690.2	0	0	0	118	14.43	20.51	49.1	61.3	99.99	-0.6	-0.5	0	49.8	0.46	100	8482	100.02	49.2
2023-04-20 10:45:00	704	0	0	0	113	11.16	20.09	49.3	61.4	100.01	-0.7	-0.4	0	50.1	0.46	100	8491	100.03	49.4
2023-04-20 10:50:00	706.8	0	0	0	98	12.01	19.91	49.8	60.8	100	-0.7	-0.3	0	50.7	0.48	100	8497	100.01	50.1
2023-04-20 10:55:00	731.8	0	0	0	99	13.38	22.88	50.2	59.7	99.99	-0.6	-0.3	0	51	0.5	100	8506	100.01	50.6
2023-04-20 11:00:00	667.4	0	0	0	100	13.49	17.43	50.4	58.7	100.01	-0.7	-0.8	0	51.1	0.51	100	8512	100.03	50.9
2023-04-20 11:05:00	748.6	0	0	0	101	10.45	16.91	50.3	58.3	100.03	-0.8	-0.3	0	51.2	0.52	100	8516	100.05	51.2
2023-04-20 11:10:00	796.6	0	0	0	82	7.65	12.46	50.8	58.9	100.02	-0.8	-0.3	0	51.8	0.52	100	8521	100.04	51.7
2023-04-20 11:15:00	733.4	0	0	0	86	10.58	16.06	51.5	57.7	100.01	-0.7	-0.4	0	52.4	0.55	100	8529	100.02	52.5
2023-04-20 11:20:00	739.6	0	0	0	91	11.27	16.89	51.9	56.7	100	-0.5	-0.5	0	52.7	0.57	100	8533	100.02	52.8
2023-04-20 11:25:00	693	0	0	0	94	8.59	15.26	52	56.8	100	-0.7	-0.5	0	53	0.57	100	8541	100.02	53.1
2023-04-20 11:30:00	664.2	0	0	0	110	9.86	14.7	52.2	56.3	100	-0.5	-0.6	0	53.1	0.58	100	8545	100.02	53.3
2023-04-20 11:35:00	720.8	0	0	0	88	9.48	14	52.3	56	100	-0.4	-0.5	0	53.2	0.59	100	8546	100.01	53.3
2023-04-20 11:40:00	763.4	0	0	0	86	9.37	16.35	52.3	56.6	99.99	-0.6	-0.5	0	53.3	0.58	100	8551	100	53.7
2023-04-20 11:45:00	785.4	0	0	0	121	9.57	13.6	52.7	56.4	99.96	-0.5	-0.8	0	53.6	0.59	100	8555	99.97	53.8
2023-04-20 11:50:00	794.4	0	0	0	103	12.93	19.91	53	56.3	99.93	-0.7	-0.8	0	53.9	0.6	100	8557	99.95	54
2023-04-20 11:55:00	798.6	0	0	0	96	13.35	18.68	53.1	55.5	99.94	-0.6	-0.3	0	53.8	0.61	100	8561	99.95	54
2023-04-20 12:00:00	801.8	0	0	0	97	9.8	14.9	52.8	55.8	99.94	-0.7	-0.5	0	53.7	0.6	100	8563	99.95	54
2023-04-20 12:05:00	784	0	0	0	96	11.27	16.6	53.2	54.7	99.93	-0.4	-0.5	0	54	0.63	100	8566	99.94	54.3
2023-04-20 12:10:00	767	0	0	0	106	12.48	17.43	53.1	55	99.94	-0.5	-0.7	0	54	0.62	100	8569	99.95	54.4
2023-04-20 12:15:00	765.8	0	0	0	106	9.71	17.02	53.2	54.9	99.93	-0.5	-0.7	0	54.2	0.62	100	8570	99.93	54.5
2023-04-20 12:20:00	798.4	0	0	0	83	10.98	18.63	53.5	54.9	99.91	-0.6	-0.5	0	54.3	0.63	100	8572	99.91	54.6
2023-04-20 12:25:00	821.8	0	0	0	79	10.36	18.03	53.6	55.7	99.91	-0.5	-0.5	0	54.5	0.62	100	8573	99.91	55
2023-04-20 12:30:00	826.2	0	0	0	60	10.22	15.37	54	55.8	99.91	-0.5	-0.7	0	54.9	0.63	100	8575	99.92	55.2
2023-04-20 12:35:00	832	0	0	0	75	8.93	18.48	54.1	55.1	99.91	-0.5	-0.6	0	55.1	0.64	100	8577	99.92	55.5
2023-04-20 12:40:00	831.8	0	0	0	77	8.03	16.04	54.5	54.5	99.91	-0.6	-0.7	0	55.4	0.66	100	8579	99.91	55.7
2023-04-20 12:45:00	810.8	0	0	0	120	11.65	20.04	54.7	53.7	99.89	-0.7	-0.7	0	55.7	0.68	100	8577	99.9	55.9
2023-04-20 12:50:00	780.6	0	0	0	87	9.22	16.17	54.8	54.2	99.88	-0.6	-0.5	0	55.6	0.67	100	8576	99.89	55.8
2023-04-20 12:55:00	741	0	0	0	47	10.16	14.41	55.1	54.3	99.87	-0.5	-0.5	0	56.1	0.68	100	8576	99.88	56.2
2023-04-20 13:00:00	750.2	0	0	0	71	9.24	16.02	55.5	52.9	99.89	-0.5	-0.7	0	56.5	0.71	100	8578	99.89	56.6
2023-04-20 13:05:00	766.6	0	0	0	61	7.14	10.98	55.7	52.3	99.89	-0.5	-0.7	0	56.6	0.72	100	8576	99.9	57
2023-04-20 13:10:00	436.6	0	0	0	77	9.69	13.62	55.7	52.3	99.91	-0.5	-0.5	0	56.6	0.72	100	8567	99.89	57.5
2023-04-20 13:15:00	556.4	0	0	0	85	6.91	10.6	55.1	53.7	99.91	-0.5	-0.6	0	56.1	0.69	100	8567	99.89	57.6
2023-04-20 13:20:00	626	0	0	0	82	8.16	11.34	55.4	53.4	99.89	-0.5	-0.6	0	56.5	0.7	100	8565	99.88	57.9
2023-04-20 13:25:00	874.8	0	0	0	112	8.63	15.93	56	51.3	99.87	-0.5	-0.7	0	57.1	0.75	100	8567	99.88	57.9
2023-04-20 13:30:00	634.8	0	0	0	89	9.42	17.63	56.3	50.9	99.87	-0.3	-0.4	0	57.3	0.76	100	8565	99.87	58.4
2023-04-20 13:35:00	679.6	0	0	0	102	10.49	16.82	56.5	49.5	99.86	-0.5	-0.6	0	57.3	0.79	100	8564	99.85	58.4
2023-04-20 13:40:00	701	0	0	0	92	7.38	13.49	56.3	51.2	99.85	-0.5	-0.6	0	57.3	0.75	100	8562	99.84	58.6
2023-04-20 13:45:00	914.6	0	0	0	105	11.97	17.52	57.2	50.3	99.82	-0.5	-0.7	0	58.1	0.79	100	8561	99.83	58.7
2023-04-20 13:50:00	835.8	0	0	0	118	6.62	12.53	57.5	49.4	99.85	-0.4	-0.6	0	58.5	0.82	100	8557	99.85	58.9
2023-04-20 13:55:00	887.8	0	0	0	101	11.77	19.08	58	49	99.84	-0.4	-0.7	0	59	0.84	100	8552	99.84	59.2

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-20 14:00:00	731.6	0	0	0	97	9.33	15.82	58.1	47.8	99.84	-0.3	-0.6	0	58.9	0.86	100	8549	99.84	59.4
2023-04-20 14:05:00	545.6	0	0	0	66	8.55	13.73	57.7	49.5	99.85	-0.4	-0.7	0	58.7	0.82	100	8544	99.83	59.6
2023-04-20 14:10:00	467	0	0	0	128	10.54	15.75	57.5	48	99.84	-0.4	-0.5	0	58.4	0.84	100	8546	99.82	59.3
2023-04-20 14:15:00	614	0	0	0	93	9.19	13	57.4	50	99.82	-0.4	-0.6	0	58.3	0.8	100	8545	99.81	59.2
2023-04-20 14:20:00	621	0	0	0	81	7.92	13.56	57.7	50.2	99.82	-0.4	-0.6	0	58.7	0.81	100	8543	99.81	59.8
2023-04-20 14:25:00	710.6	0	0	0	79	10.09	16.2	58.2	49.7	99.81	-0.4	-0.4	0	59.1	0.83	100	8541	99.79	60.3
2023-04-20 14:30:00	546.8	0	0	0	76	9.4	15.52	58.4	49.8	99.8	-0.4	-0.4	0	59.3	0.84	100	8539	99.78	60.5
2023-04-20 14:35:00	494.2	0	0	0	67	7.78	13.96	58.4	49.4	99.81	-0.5	-0.5	0	59.4	0.84	100	8536	99.79	60.5
2023-04-20 14:40:00	604.4	0	0	0	73	6.13	9.73	58.4	49.3	99.8	-0.3	-0.6	0	59.4	0.84	100	8531	99.79	60.3
2023-04-20 14:45:00	625.8	0	0	0	56	8.84	13.69	59	49.2	99.82	-0.4	-0.8	0	60	0.87	100	8527	99.8	60.5
2023-04-20 14:50:00	807.6	0	0	0	55	9.53	19.1	59.3	47.5	99.81	-0.4	-0.6	0	60.2	0.9	100	8524	99.79	60.8
2023-04-20 14:55:00	775.2	0	0	0	112	10.11	14.36	59.6	46.3	99.8	-0.5	-0.6	0	60.5	0.93	100	8525	99.79	61.1
2023-04-20 15:00:00	729.8	0	0	0	102	6.87	11.18	59.7	46.2	99.8	-0.3	-0.7	0	60.7	0.94	100	8520	99.79	61
2023-04-20 15:05:00	740.4	0	0	0	70	7.56	11.9	59.8	47.5	99.81	-0.2	-0.6	0	60.9	0.92	100	8516	99.8	61.3
2023-04-20 15:10:00	701.8	0	0	0	86	8.1	12.48	60.1	45.4	99.82	-0.3	-0.7	0	61.1	0.97	100	8513	99.8	61.4
2023-04-20 15:15:00	629.4	0	0	0	24	11.83	14.41	59.8	46.9	99.81	-0.4	-0.8	0	60.7	0.93	100	8510	99.79	61.1
2023-04-20 15:20:00	519.2	0	0	0	21	11.92	18.57	59	47.3	99.8	-0.3	-0.8	0	59.8	0.9	100	8510	99.78	60.6
2023-04-20 15:25:00	548.8	0	0	0	18	13.04	18.28	58.4	48.1	99.79	-0.4	-0.8	0	59.1	0.86	100	8509	99.77	60
2023-04-20 15:30:00	463.6	0	0	0	53	12.12	17.78	57.7	49.1	99.78	-0.4	-0.6	0	58.5	0.83	100	8506	99.76	59.9
2023-04-20 15:35:00	445	0	0	0	19	13.56	18.61	57.4	49.6	99.78	-0.5	-0.9	0	58.2	0.81	100	8504	99.75	59.7
2023-04-20 15:40:00	575.2	0	0	0	21	13.87	19.1	57.2	50	99.77	-0.6	-0.4	0	57.9	0.8	100	8502	99.75	59.2
2023-04-20 15:45:00	677	0	0	0	30	14.54	19.08	57.2	49.8	99.75	-0.5	-0.3	0	58	0.8	100	8499	99.73	59.2
2023-04-20 15:50:00	629.4	0	0	0	70	13.22	18.48	57.3	49.8	99.73	-0.5	-0.4	0	58	0.8	100	8494	99.71	59.5
2023-04-20 15:55:00	628.4	0	0	0	64	12.66	18.81	57.2	50.1	99.73	-0.4	-0.9	0	58	0.8	100	8494	99.71	59.9
2023-04-20 16:00:00	334	0	0	0	64	12.55	17.38	57.1	50.1	99.74	-0.4	-0.4	0	57.7	0.79	100	8494	99.71	60
2023-04-20 16:05:00	490.2	0	0	0	57	13.38	17.02	56.7	50.7	99.72	-0.7	-0.8	0	57.3	0.77	100	8488	99.69	59.4
2023-04-20 16:10:00	469	0	0	0	54	13.58	18.19	56.8	50.9	99.71	-0.6	-0.7	0	57.5	0.77	100	8487	99.68	59.5
2023-04-20 16:15:00	468.8	0	0	0	73	10.94	15.32	56.5	51.2	99.7	-0.5	-0.7	0	57.3	0.76	100	8485	99.67	59.3
2023-04-20 16:20:00	567.8	0	0	0	71	11.56	18.68	56.7	51.2	99.69	-0.3	-0.6	0	57.6	0.77	100	8481	99.67	59.9
2023-04-20 16:25:00	541.2	0	0	0	64	11.56	18.68	57	50.8	99.68	-0.6	-0.7	0	57.9	0.78	100	8478	99.66	60.4
2023-04-20 16:30:00	513.8	0	0	0	67	11.56	15.99	57.2	50.3	99.68	-0.4	-0.7	0	58	0.79	100	8479	99.66	60.6
2023-04-20 16:35:00	495.8	0	0	0	66	11.43	16.51	57.2	50.5	99.68	-0.5	-0.7	0	58.1	0.79	100	8476	99.66	60.8
2023-04-20 16:40:00	484.8	0	0	0	83	11.25	16.46	57.5	50	99.67	-0.5	-0.3	0	58.4	0.81	100	8472	99.65	61.1
2023-04-20 16:45:00	469.8	0	0	0	46	10.56	15.84	57.6	50.4	99.68	-0.5	-0.7	0	58.5	0.8	100	8472	99.65	61.3
2023-04-20 16:50:00	454	0	0	0	35	10.45	17.09	57.7	50.4	99.68	-0.3	-0.5	0	58.6	0.81	100	8469	99.66	61.2
2023-04-20 16:55:00	440.6	0	0	0	51	10.49	14.25	57.7	50.7	99.68	-0.5	-0.5	0	58.6	0.8	100	8468	99.66	61.3
2023-04-20 17:00:00	427.8	0	0	0	49	10.54	18.05	57.8	50.3	99.68	-0.4	-0.6	0	58.7	0.81	100	8465	99.65	61.5
2023-04-20 17:05:00	413.8	0	0	0	51	10.65	14.99	57.6	50.5	99.67	-0.6	-0.4	0	58.5	0.8	100	8465	99.65	61.5
2023-04-20 17:10:00	395	0	0	0	39	11.32	17.56	57.6	50.3	99.68	-0.3	-0.9	0	58.5	0.81	100	8461	99.65	61.6
2023-04-20 17:15:00	382	0	0	0	43	10.74	15.08	57.6	50.8	99.67	-0.5	-0.8	0	58.4	0.8	100	8460	99.65	61.4
2023-04-20 17:20:00	344.6	0	0	0	62	9.69	13.02	57.5	51.2	99.66	-0.4	-0.6	0	58.4	0.79	100	8461	99.63	61.6
2023-04-20 17:25:00	178.4	0	0	0	46	10.47	15.66	57.4	50.5	99.65	-0.3	-0.6	0	57.9	0.8	100	8453	99.62	60.9
2023-04-20 17:30:00	192	0	0	0	68	12.08	17.65	56.9	50.9	99.64	-0.3	-0.6	0	57.2	0.78	100	8455	99.61	59.8
2023-04-20 17:35:00	273	0	0	0	55	11.61	17.16	56.4	51.7	99.63	-0.4	-0.5	0	56.9	0.75	100	8453	99.6	59.7
2023-04-20 17:40:00	341.8	0	0	0	66	10.65	14.25	56.3	51.9	99.62	-0.6	-0.5	0	57	0.74	100	8450	99.59	60
2023-04-20 17:45:00	334.4	0	0	0	65	12.55	20.49	56.4	51.7	99.61	-0.6	-0.6	0	57.2	0.75	100	8450	99.59	60.5
2023-04-20 17:50:00	305	0	0	0	61	11.14	17.25	56.4	51.7	99.6	-0.5	-0.8	0	57.2	0.75	100	8447	99.58	60.5
2023-04-20 17:55:00	237.6	0	0	0	58	12.39	17.6	56.4	51.1	99.6	-0.7	-0.4	0	57.1	0.76	100	8448	99.57	60.3
2023-04-20 18:00:00	204.2	0	0	0	64	12.24	17.56	56.1	51.1	99.6	-0.6	-0.7	0	56.6	0.75	100	8446	99.57	59.7
2023-04-20 18:05:00	218.2	0	0	0	66	13.49	19.39	55.8	51.6	99.6	-0.7	-0.6	0	56.2	0.73	100	8443	99.57	59.3
2023-04-20 18:10:00	204.4	0	0	0	58	11.83	15.41	55.5	52	99.59	-0.5	-0.5	0	56	0.72	100	8441	99.57	59.2
2023-04-20 18:15:00	162.2	0	0	0	62	10.71	16.64	55.3	52.1	99.6	-0.5	-0.8	0	55.7	0.71	100	8440	99.58	58.9
2023-04-20 18:20:00	137.8	0	0	0	52	10.09	15.28	55	52.1	99.62	-0.5	-0.6	0	55.3	0.71	100	8435	99.59	58.5
2023-04-20 18:25:00	90.8	0	0	0	43	10.22	15.82	54.6	52.7	99.6	-0.5	-0.4	0	54.8	0.69	100	8438	99.57	57.3
2023-04-20 18:30:00	125.6	0	0	0	46	9.44	13.06	54.1	53.2	99.61	-0.6	-0.6	0	54.3	0.67	100	8434	99.58	56.9
2023-04-20 18:35:00	134.6	0	0	0	60	9.78	13.98	53.7	53.9	99.61	-0.6	-0.6	0	54	0.65	100	8431	99.57	56.6
2023-04-20 18:40:00	140	0	0	0	42	10.36	14.38	53.6	53.9	99.61	-0.5	-0.6	0	53.9	0.65	100	8431	99.58	56.7
2023-04-20 18:45:00	106.4	0	0	0	41	10.18	14.07	53.4	53	99.6	-0.6	-0.5	0	53.6	0.65	100	8429	99.57	56.4
2023-04-20 18:50:00	66.6	0	0	0	36	8.72	13.06	53.1	53.6	99.61	-0.6	-0.8	0	53.2	0.64	100	8426	99.58	55.3
2023-04-20 18:55:00	51.8	0	0	0	33	9.53	13.09	52.6	54.1	99.61	-0.5	-0.6	0	52.7	0.62	100	8425	99.57	54.5

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-20 19:00:00	40	0	0	0	35	8.81	12.93	52	55.1	99.62	-0.8	-0.6	0	52.1	0.59	100	8422	99.58	53.7
2023-04-20 19:05:00	30.8	0	0	0	28	9.75	13.76	51.4	55.2	99.61	-0.7	-0.7	0	51.5	0.58	100	8420	99.58	52.8
2023-04-20 19:10:00	24.4	0	0	0	22	9.71	14.79	50.9	55.7	99.62	-0.7	-0.8	0	50.9	0.56	100	8422	99.58	52.1
2023-04-20 19:15:00	22.2	0	0	0	20	11.21	14.03	50.4	55.6	99.62	-0.6	-0.5	0	50.4	0.55	100	8420	99.59	51.6
2023-04-20 19:20:00	19.4	0	0	0	19	10.49	15.97	49.9	55.5	99.62	-0.8	-0.7	0	49.9	0.54	100	8418	99.58	51
2023-04-20 19:25:00	17.4	0	0	0	27	9.31	11.77	49.5	56.4	99.62	-0.7	-0.7	0	49.5	0.53	100	8416	99.58	50.6
2023-04-20 19:30:00	12.8	0	0	0	39	9.95	13.56	49.2	56.5	99.62	-0.7	-0.4	0	49.2	0.52	100	8414	99.59	50.2
2023-04-20 19:35:00	6.8	0	0	0	17	7.65	10.56	48.8	57.2	99.62	-0.7	-0.4	0	48.9	0.5	100	8413	99.59	49.8
2023-04-20 19:40:00	3.2	0	0	0	43	9.6	13.91	48.5	57	99.61	-0.8	-0.6	0	48.5	0.5	100	8412	99.58	49.4
2023-04-20 19:45:00	1.4	0	0	0	36	7.27	11.05	48.2	57.3	99.63	-0.8	-0.5	0	48.2	0.49	100	8410	99.59	49.1
2023-04-20 19:50:00	0.2	0	0	0	53	7.27	11.03	47.9	57.3	99.62	-0.8	-0.6	0	47.9	0.48	100	8406	99.58	48.8
2023-04-20 19:55:00	0	0	0	0	49	8.63	11.99	47.7	57.8	99.63	-0.7	-0.5	0	47.7	0.47	100	8409	99.59	48.5
2023-04-20 20:00:00	0	0	0	0	52	8.03	11.54	47.4	57.4	99.63	-0.7	-0.6	0	47.4	0.48	100	8407	99.59	48.1
2023-04-20 20:05:00	0	0	0	0	66	9.19	14.38	47.2	58.4	99.6	-0.9	-0.5	0	47.2	0.46	100	8406	99.56	47.8
2023-04-20 20:10:00	0	0	0	0	69	9.17	13.18	46.9	58.6	99.62	-0.9	-0.6	0	46.9	0.45	100	8404	99.58	47.6
2023-04-20 20:15:00	0	0	0	0	72	8.1	12.03	46.8	58.9	99.62	-0.7	-0.6	0	46.9	0.45	100	8406	99.58	47.4
2023-04-20 20:20:00	0	0	0	0	70	9.31	13.44	46.7	59	99.61	-0.7	-0.6	0	46.7	0.45	100	8403	99.57	47.2
2023-04-20 20:25:00	0	0	0	0	68	9.84	13.09	46.7	59.3	99.61	-1	-0.4	0	46.7	0.44	100	8399	99.57	47
2023-04-20 20:30:00	0	0	0	0	57	8.41	12.12	46.5	59.5	99.61	-0.7	-0.5	0	46.5	0.44	100	8399	99.57	46.8
2023-04-20 20:35:00	0	0	0	0	61	6.13	9.35	46.4	60.2	99.6	-0.8	-0.5	0	46.4	0.43	100	8399	99.56	46.7
2023-04-20 20:40:00	0	0	0	0	73	6.64	10.09	46.3	60.7	99.6	-0.9	-0.6	0	46.3	0.42	100	8399	99.57	46.5
2023-04-20 20:45:00	0	0	0	0	77	7.11	10.78	46.3	60.8	99.61	-0.9	-0.4	0	46.3	0.42	100	8396	99.57	46.3
2023-04-20 20:50:00	0	0	0	0	83	6.38	9.53	46.2	61	99.61	-0.9	-0.4	0	46.2	0.41	100	8394	99.57	46.1
2023-04-20 20:55:00	0	0	0	0	93	7.47	12.28	46.1	61.5	99.59	-0.9	-0.4	0	46.1	0.41	100	8396	99.55	46
2023-04-20 21:00:00	0	0	0	0	93	7.81	10.67	46.2	61.6	99.58	-0.9	-0.6	0	46.2	0.41	100	8394	99.55	45.9
2023-04-20 21:05:00	0	0	0	0	96	6.89	9.15	46.1	62.2	99.58	-0.9	-0.5	0	46.1	0.4	100	8393	99.54	45.8
2023-04-20 21:10:00	0	0	0	0	97	8.34	11.05	46	62.4	99.57	-0.9	-0.4	0	46	0.4	100	8395	99.52	45.7
2023-04-20 21:15:00	0	0	0	0	94	8.39	11.16	46	62.2	99.55	-0.8	-0.5	0	46	0.4	100	8391	99.51	45.6
2023-04-20 21:20:00	0	0	0	0	80	7.61	10.04	46	62.6	99.54	-1	-0.4	0	46	0.39	100	8390	99.51	45.5
2023-04-20 21:25:00	0	0	0	0	88	7.49	10.29	45.8	62.9	99.54	-0.8	-0.4	0	45.9	0.39	100	8391	99.5	45.3
2023-04-20 21:30:00	0	0	0	0	106	8.68	12.39	45.8	62.9	99.53	-0.7	-0.5	0	45.8	0.39	100	8389	99.49	45.2
2023-04-20 21:35:00	0	0	0	0	110	9.66	12.28	45.7	63.2	99.52	-0.9	-0.4	0	45.7	0.38	100	8384	99.48	45.3
2023-04-20 21:40:00	0	0	0	0	112	8.68	10.78	45.7	63.4	99.51	-0.8	-0.4	0	45.7	0.38	100	8389	99.47	45.3
2023-04-20 21:45:00	0	0	0	0	110	10	11.59	45.6	63.7	99.49	-0.9	-0.4	0	45.6	0.38	100	8387	99.45	45.2
2023-04-20 21:50:00	0	0	0	0	113	10.36	12.3	45.6	64.1	99.47	-0.9	-0.5	0	45.6	0.37	100	8385	99.44	45.2
2023-04-20 21:55:00	0	0	0	0	112	9.22	11.88	45.6	64.7	99.46	-0.8	-0.8	0	45.6	0.37	100	8383	99.43	45.2
2023-04-20 22:00:00	0	0	0	0	113	9.44	11.16	45.5	64.8	99.46	-0.9	-0.5	0	45.5	0.37	100	8384	99.42	45.2
2023-04-20 22:05:00	0	0	0	0	121	9.69	11.41	45.8	64.8	99.45	-0.9	-0.5	0	45.8	0.37	100	8385	99.42	45.2
2023-04-20 22:10:00	0	0	0	0	122	10.78	13.47	45.6	65.3	99.44	-0.8	-0.7	0	45.6	0.36	100	8384	99.41	45.2
2023-04-20 22:15:00	0	0	0	0	121	11.52	14.45	45.7	65.2	99.44	-0.9	-0.4	0	45.7	0.36	100	8384	99.41	45.2
2023-04-20 22:20:00	0	0	0	0	134	9.48	11.86	45.6	65.4	99.44	-1	-0.4	0	45.6	0.36	100	8380	99.41	45.2
2023-04-20 22:25:00	0	0	0	0	130	9.53	11.48	45.6	66.3	99.42	-0.8	-0.4	0	45.6	0.35	100	8383	99.38	45.2
2023-04-20 22:30:00	0	0	0	0	132	11.56	14.03	45.6	66.4	99.38	-0.9	-0.5	0	45.6	0.35	100	8381	99.35	45.2
2023-04-20 22:35:00	0	0	0	0	132	13	14.92	45.5	66.7	99.35	-0.9	-0.4	0	45.5	0.35	100	8377	99.32	45.2
2023-04-20 22:40:00	0	0	0	0	133	11.5	13.98	45.5	67.1	99.34	-0.9	-0.5	0	45.4	0.34	100	8377	99.32	45.2
2023-04-20 22:45:00	0	0	0	0	124	10.4	12.84	45.6	67	99.35	-0.8	-0.6	0	45.6	0.34	100	8377	99.32	45.2
2023-04-20 22:50:00	0	0	0	0	121	9.4	10.96	45.6	67.2	99.33	-0.7	-0.4	0	45.6	0.34	100	8376	99.3	45.3
2023-04-20 22:55:00	0	0	0	0	112	10.51	13.42	45.7	67.4	99.31	-0.9	-0.4	0	45.7	0.34	100	8378	99.27	45.3
2023-04-20 23:00:00	0	0	0	0	109	9.55	12.84	45.7	67.1	99.3	-0.7	-0.6	0	45.7	0.34	100	8374	99.27	45.2
2023-04-20 23:05:00	0	0	0	0	104	9.44	11.63	45.6	67.4	99.31	-0.8	-0.5	0	45.6	0.34	100	8371	99.27	45.2
2023-04-20 23:10:00	0	0	0	0	108	11.92	15.23	45.6	67.5	99.29	-0.6	-0.4	0	45.6	0.34	100	8374	99.25	45.3
2023-04-20 23:15:00	0	0	0	0	109	10.09	12.53	45.8	67.5	99.29	-0.9	-0.5	0	45.8	0.34	100	8373	99.27	45.4
2023-04-20 23:20:00	0	0	0	0	103	7.07	9.48	45.9	67.6	99.32	-0.8	-0.6	0	45.9	0.34	100	8375	99.29	45.5
2023-04-20 23:25:00	0	0	0	0	92	5.06	7.25	45.9	67.5	99.33	-0.9	-0.5	0	45.9	0.34	100	8373	99.3	45.5
2023-04-20 23:30:00	0	0	0	0	80	3.78	5.23	45.9	68.4	99.33	-0.9	-0.5	0	45.9	0.33	100	8373	99.3	45.4
2023-04-20 23:35:00	0	0	0	0	76	3.67	4.74	45.7	68.3	99.34	-0.8	-0.5	0	45.8	0.33	100	8371	99.3	45.3
2023-04-20 23:40:00	0	0	0	0	89	4.74	6.64	45.6	68.3	99.34	-0.8	-0.3	0	45.6	0.33	100	8371	99.31	45.2
2023-04-20 23:45:00	0	0	0	0	74	4.07	5.91	45.8	68.8	99.34	-0.8	-0.5	0	45.8	0.33	100	8372	99.3	45.2
2023-04-20 23:50:00	0	0	0	0	45	3.27	4.74	45.6	69.3	99.34	-0.8	-0.4	0	45.6	0.32	100	8371	99.31	45.1
2023-04-20 23:55:00	0	0	0	0	58	2.68	3.74	45.5	70.1	99.34	-0.7	-0.4	0	45.4	0.31	100	8370	99.3	44.9

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-21 00:00:00	0	0	0	0	72	3.4	4.45	45.4	69.9	99.33	-0.9	-0.5	0	45.4	0.31	100	8369	99.3	44.8
2023-04-21 00:05:00	0	0	0	0	47	3.67	4.85	45.3	69.5	99.33	-0.9	-0.6	0	45.2	0.31	100	8343	99.3	44.9
2023-04-21 00:10:00	0	0	0	0	69	4.05	5.91	45.2	70	99.33	-0.8	-0.4	0	45.2	0.31	100	8336	99.29	45.1
2023-04-21 00:15:00	0	0	0	0	60	2.84	4	45.2	70	99.33	-0.8	-0.5	0	45.2	0.31	100	8330	99.29	45.2
2023-04-21 00:20:00	0	0	0	0	66	4.16	5.7	45.1	69.5	99.32	-0.8	-0.6	0	45.1	0.31	100	8343	99.29	45.1
2023-04-21 00:25:00	0	0	0	0	60	4	5.28	45.2	70	99.31	-1	-0.6	0	45.2	0.31	100	8345	99.28	44.9
2023-04-21 00:30:00	0	0	0	0	47	2.62	4.25	45.1	70.5	99.31	-0.8	-0.4	0	45.1	0.3	100	8348	99.28	44.8
2023-04-21 00:35:00	0	0	0	0	55	3.47	4.79	45.1	70.4	99.3	-0.8	-0.5	0	45.1	0.3	100	8347	99.27	44.7
2023-04-21 00:40:00	0	0	0	0	26	3.91	5.14	45.1	70.3	99.3	-0.9	-0.5	0	45.1	0.3	100	8346	99.27	44.6
2023-04-21 00:45:00	0	0	0	0	36	3.53	4.52	45.1	70.4	99.31	-0.8	-0.5	0	45	0.3	100	8346	99.27	44.5
2023-04-21 00:50:00	0	0	0	0	51	4.45	5.73	45	70.5	99.3	-0.8	-0.5	0	45	0.3	100	8345	99.27	44.5
2023-04-21 00:55:00	0	0	0	0	55	5.28	7.18	45	70.7	99.3	-0.8	-0.6	0	45.1	0.3	100	8346	99.27	44.5
2023-04-21 01:00:00	0	0	0	0	57	5.28	7.29	45.2	70.1	99.3	-0.9	-0.5	0	45.2	0.31	100	8346	99.27	44.6
2023-04-21 01:05:00	0	0	0	0	67	5.37	7.47	45.3	70.3	99.3	-0.8	-0.4	0	45.3	0.31	100	8344	99.27	44.7
2023-04-21 01:10:00	0	0	0	0	70	5.48	7.81	45.4	70.5	99.3	-0.8	-0.4	0	45.4	0.3	100	8345	99.27	44.9
2023-04-21 01:15:00	0	0	0	0	80	5.79	8.23	45.5	70.3	99.3	-0.7	-0.6	0	45.5	0.31	100	8344	99.26	45
2023-04-21 01:20:00	0	0	0	0	88	7.45	10.92	45.6	70.1	99.29	-0.7	-0.3	0	45.6	0.31	100	8346	99.25	45.1
2023-04-21 01:25:00	0	0	0	0	84	7.31	9.82	45.7	69.9	99.29	-0.8	-0.5	0	45.7	0.31	100	8343	99.25	45.2
2023-04-21 01:30:00	0	0	0	0	64	4.99	6.87	45.8	70.3	99.29	-0.7	-0.5	0	45.8	0.31	100	8342	99.26	45.2
2023-04-21 01:35:00	0	0	0	0	48	4.41	6.22	45.7	70.2	99.29	-0.9	-0.4	0	45.7	0.31	100	8340	99.25	45.1
2023-04-21 01:40:00	0	0	0	0	68	5.08	6.98	45.6	70.4	99.28	-0.7	-0.6	0	45.6	0.31	100	8342	99.24	45
2023-04-21 01:45:00	0	0	0	0	89	6.69	8.97	45.6	70.6	99.26	-0.7	-0.5	0	45.5	0.31	100	8340	99.23	44.9
2023-04-21 01:50:00	0	0	0	0	87	6.89	8.88	45.6	71.1	99.26	-0.9	-0.5	0	45.6	0.3	100	8342	99.22	45
2023-04-21 01:55:00	0	0	0	0	77	5.61	7.83	45.6	71	99.26	-0.7	-0.4	0	45.6	0.3	100	8342	99.22	44.9
2023-04-21 02:00:00	0	0	0	0	72	4.07	5.95	45.6	71.8	99.26	-0.7	-0.5	0	45.6	0.29	100	8340	99.22	44.9
2023-04-21 02:05:00	0	0	0	0	59	3.62	5.48	45.5	71.6	99.25	-0.8	-0.5	0	45.5	0.29	100	8340	99.22	44.8
2023-04-21 02:10:00	0	0	0	0	44	3.02	3.89	45.4	72.1	99.26	-0.8	-0.5	0	45.4	0.29	100	8339	99.22	44.7
2023-04-21 02:15:00	0	0	0	0	29	3.38	4.5	45.2	72.7	99.25	-0.8	-0.5	0	45.3	0.28	100	8338	99.22	44.5
2023-04-21 02:20:00	0	0	0	0	72	3.74	5.01	45.2	73.2	99.24	-0.8	-0.4	0	45.2	0.28	100	8338	99.2	44.5
2023-04-21 02:25:00	0	0	0	0	97	4.79	6.08	45.2	73	99.23	-0.8	-0.6	0	45.2	0.28	100	8334	99.2	44.5
2023-04-21 02:30:00	0	0	0	0	98	4.54	5.77	45.4	73	99.22	-0.8	-0.5	0	45.4	0.28	100	8338	99.19	44.7
2023-04-21 02:35:00	0	0	0	0	107	4.63	5.46	45.4	73	99.21	-0.9	-0.5	0	45.4	0.28	100	8336	99.18	44.8
2023-04-21 02:40:00	0	0	0	0	109	5.26	6.53	45.6	72.8	99.2	-0.8	-0.4	0	45.6	0.28	100	8339	99.17	44.9
2023-04-21 02:45:00	0	0	0	0	123	5.57	6.89	45.6	72.6	99.2	-0.7	-0.5	0	45.6	0.29	100	8338	99.16	45
2023-04-21 02:50:00	0	0	0	0	128	5.46	7.23	45.7	72.7	99.19	-0.8	-0.6	0	45.8	0.28	100	8336	99.16	45.1
2023-04-21 02:55:00	0	0	0	0	127	3.53	5.01	45.7	72.8	99.2	-0.8	-0.6	0	45.7	0.28	100	8334	99.17	45.3
2023-04-21 03:00:00	0	0	0	0	92	2.1	3.51	45.8	72.6	99.2	-0.7	-0.4	0	45.8	0.29	100	8334	99.17	45.4
2023-04-21 03:05:00	0	0	0	0	312	1.66	3.04	45.8	74	99.2	-0.8	-0.5	0	45.8	0.27	100	8334	99.17	45.3
2023-04-21 03:10:00	0	0	0	0	94	2.42	4.32	45.7	74.2	99.18	-0.8	-0.5	0	45.7	0.27	100	8333	99.15	45.3
2023-04-21 03:15:00	0	0	0	0	111	3.67	4.5	45.7	73.7	99.18	-0.9	-0.5	0	45.7	0.27	100	8333	99.15	45.3
2023-04-21 03:20:00	0	0	0	0	111	3.11	3.91	45.8	73.4	99.18	-0.8	-0.5	0	45.8	0.28	100	8332	99.15	45.4
2023-04-21 03:25:00	0	0	0	0	122	5.01	6.98	45.9	73.1	99.17	-0.7	-0.4	0	45.9	0.28	100	8332	99.13	45.5
2023-04-21 03:30:00	0	0	0	0	130	5.73	6.87	45.9	73.7	99.16	-0.9	-0.4	0	45.9	0.28	100	8331	99.13	45.6
2023-04-21 03:35:00	0	0	0	0	141	4.76	6.29	46	75.7	99.16	-0.8	-0.4	0	46	0.26	100	8331	99.13	45.7
2023-04-21 03:40:00	0	0	0	0	119	2.84	4.16	46	76.2	99.16	-0.7	-0.4	0	46	0.25	100	8333	99.13	45.7
2023-04-21 03:45:00	0	0	0	0	341	3.78	6.24	46	75.7	99.17	-0.8	-0.7	0	46	0.26	100	8332	99.15	45.6
2023-04-21 03:50:00	0	0	0	0	330	5.99	8.37	45.9	77	99.19	-0.8	-0.5	0	45.9	0.24	100	8332	99.15	45.4
2023-04-21 03:55:00	0	0	0	0	6	2.35	3.4	45.7	75.1	99.16	-0.9	-0.5	0	45.6	0.26	100	8330	99.13	45.3
2023-04-21 04:00:00	0	0	0	0	13	2.15	3.31	45.6	74.9	99.16	-0.7	-0.6	0	45.6	0.26	100	8329	99.13	45.1
2023-04-21 04:05:00	0	0	0	0	342	5.19	7.56	45.4	75.5	99.17	-0.9	-0.5	0	45.4	0.25	100	8328	99.14	44.9
2023-04-21 04:10:00	0	0	0	0	8	3.85	5.61	45.3	76	99.16	-0.8	-0.5	0	45.3	0.25	100	8326	99.13	44.8
2023-04-21 04:15:00	0	0	0	0	26	3.83	4.85	45.3	75.5	99.15	-0.8	-0.4	0	45.2	0.25	100	8327	99.12	44.8
2023-04-21 04:20:00	0	0	0	0	30	3.31	4.85	45.2	75.7	99.14	-0.9	-0.4	0	45.2	0.25	100	8327	99.11	44.7
2023-04-21 04:25:00	0	0	0	0	51	3.6	5.23	45.1	75.3	99.14	-0.9	-0.5	0	45.1	0.25	100	8325	99.1	44.5
2023-04-21 04:30:00	0	0	0	0	86	2.93	4.76	45.1	75.3	99.13	-0.9	-0.5	0	45.1	0.25	100	8325	99.1	44.4
2023-04-21 04:35:00	0	0	0	0	104	3.89	4.99	45.1	76	99.12	-0.8	-0.5	0	45.1	0.24	100	8323	99.08	44.4
2023-04-21 04:40:00	0	0	0	0	107	4.76	6.46	45.3	75.9	99.11	-1	-0.5	0	45.3	0.25	100	8325	99.07	44.4
2023-04-21 04:45:00	0	0	0	0	130	3.96	5.06	45.4	76.7	99.1	-0.9	-0.5	0	45.4	0.24	100	8322	99.06	44.4
2023-04-21 04:50:00	0	0	0	0	130	4.52	5.99	45.2	77.3	99.09	-0.8	-0.5	0	45.2	0.23	100	8323	99.06	44.3
2023-04-21 04:55:00	0	0	0	0	153	4.83	5.82	45	77.7	99.09	-0.8	-0.5	0	45	0.23	100	8320	99.05	44.2

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-21 05:00:00	0	0	0	0	153	5.39	6.13	44.9	78.1	99.08	-0.8	-0.5	0	44.9	0.22	100	8323	99.04	44
2023-04-21 05:05:00	0	0	0	0	146	5.82	6.78	44.8	78.3	99.07	-0.8	-0.5	0	44.8	0.22	100	8321	99.04	43.9
2023-04-21 05:10:00	0	0	0	0	149	4.68	5.88	44.6	77.9	99.07	-0.8	-0.5	0	44.6	0.22	100	8320	99.04	43.8
2023-04-21 05:15:00	0	0	0	0	148	3.4	4.54	44.6	77.8	99.08	-0.8	-0.6	0	44.7	0.22	100	8320	99.06	43.7
2023-04-21 05:20:00	0	0	0	0	153	2.89	4.05	44.6	77.8	99.09	-0.9	-0.4	0	44.6	0.22	100	8319	99.06	43.6
2023-04-21 05:25:00	0	0	0	0	165	4.23	4.99	44.7	77.3	99.08	-0.8	-0.5	0	44.7	0.23	100	8320	99.05	43.5
2023-04-21 05:30:00	0	0	0	0	180	2.86	3.44	44.6	77.8	99.08	-0.8	-0.4	0	44.6	0.22	100	8318	99.05	43.4
2023-04-21 05:35:00	0	0	0	0	176	3.13	3.78	44.4	78.4	99.07	-0.8	-0.4	0	44.4	0.21	100	8316	99.04	43.2
2023-04-21 05:40:00	0	0	0	0	201	2.21	2.93	44.2	78.5	99.07	-0.9	-0.5	0	44.2	0.21	100	8317	99.04	42.9
2023-04-21 05:45:00	0	0	0	0	171	3.89	5.06	44.1	78.5	99.06	-0.9	-0.4	0	44.1	0.21	100	8320	99.03	42.8
2023-04-21 05:50:00	0	0	0	0	165	4.76	5.17	44.1	78.5	99.05	-0.9	-0.5	0	44	0.21	100	8314	99.02	42.7
2023-04-21 05:55:00	0	0	0	0	173	3.89	4.61	44	78.7	99.05	-0.9	-0.5	0	44	0.21	100	8314	99.02	42.6
2023-04-21 06:00:00	0.8	0	0	0	166	5.14	5.79	44.1	78.4	99.05	-0.9	-0.6	0	44.1	0.21	100	8314	99.02	42.6
2023-04-21 06:05:00	2.6	0	0	0	158	5.53	5.95	44	79.1	99.05	-0.8	-0.5	0	44	0.2	100	8314	99.01	42.6
2023-04-21 06:10:00	4.8	0	0	0	155	4.9	5.97	44	79	99.04	-0.9	-0.4	0	44.1	0.21	100	8312	99.01	42.6
2023-04-21 06:15:00	8	0	0	0	160	4.97	5.7	43.8	79.1	99.04	-0.8	-0.4	0	43.9	0.2	100	8313	99.01	42.5
2023-04-21 06:20:00	11.8	0	0	0	164	5.1	5.53	43.7	79.6	99.05	-0.9	-0.7	0	43.7	0.2	100	8314	99.02	42.4
2023-04-21 06:25:00	18.8	0	0	0	159	5.06	5.68	43.8	79.3	99.04	-1	-0.4	0	43.9	0.2	100	8313	99.01	42.4
2023-04-21 06:30:00	27	0	0	0	156	4.72	5.61	44.1	79.5	99.04	-0.9	-0.5	0	44.2	0.2	100	8315	99.01	42.6
2023-04-21 06:35:00	37	0	0	0	152	6.04	7.16	44.3	79.3	99.03	-0.8	-0.5	0	44.4	0.21	100	8317	99	42.9
2023-04-21 06:40:00	46.8	0	0	0	160	5.66	6.44	44.6	78.8	99.03	-0.8	-0.5	0	44.7	0.21	100	8323	99	43.2
2023-04-21 06:45:00	59	0	0	0	165	4.63	5.39	44.8	78.9	99.03	-0.7	-0.6	0	45	0.21	100	8327	99	43.6
2023-04-21 06:50:00	70.8	0	0	0	166	3.74	4.85	45.1	78.9	99.02	-0.7	-0.6	0	45.3	0.22	100	8330	99	44
2023-04-21 06:55:00	72	0	0	0	187	1.97	3.47	45.5	78.9	99.04	-0.8	-0.6	0	45.9	0.22	100	8334	99.01	44.4
2023-04-21 07:00:00	88	0	0	0	231	1.19	2.06	45.8	80.3	99.04	-0.8	-0.5	0	46.5	0.21	100	8341	99.02	45
2023-04-21 07:05:00	77.2	0	0	0	171	1.63	2.48	46.4	77.9	99.05	-0.8	-0.6	0	46.9	0.24	100	8342	99.03	45.6
2023-04-21 07:10:00	107.4	0	0	0	298	1.05	1.81	46.8	78.9	99.06	-0.7	-0.5	0	47.6	0.23	100	8351	99.04	46.2
2023-04-21 07:15:00	88.8	0	0	0	167	1.45	2.24	47.2	78.2	99.07	-0.7	-0.5	0	47.9	0.24	100	8352	99.05	46.7
2023-04-21 07:20:00	130.8	0	0	0	151	1.63	2.37	47.6	77.2	99.07	-0.7	-0.4	0	48.3	0.26	100	8361	99.05	47.4
2023-04-21 07:25:00	150.8	0	0	0	142	2.68	4.79	48.5	75.8	99.06	-0.6	-0.5	0	49.3	0.28	100	8369	99.04	48.3
2023-04-21 07:30:00	151.4	0	0	0	136	4.16	5.46	49.2	72.9	99.05	-0.6	-0.4	0	49.9	0.32	100	8377	99.04	49.1
2023-04-21 07:35:00	156	0	0	0	157	5.1	7.4	49.7	73	99.04	-0.8	-0.5	0	50.3	0.33	100	8383	99.03	49.7
2023-04-21 07:40:00	200.2	0	0	0	163	6.4	7.58	50	73.2	99.03	-0.6	-0.5	0	50.6	0.33	100	8393	99.02	50
2023-04-21 07:45:00	230.2	0	0	0	158	5.86	7.31	50.4	72.4	99.03	-0.6	-0.6	0	51.1	0.34	100	8403	99.03	50.4
2023-04-21 07:50:00	241.2	0	0	0	146	4.83	6.2	50.8	72	99.03	-0.7	-0.6	0	51.7	0.35	100	8411	99.02	51
2023-04-21 07:55:00	247.8	0	0	0	137	5.68	7.29	51.3	70.5	99.02	-0.6	-0.5	0	52.2	0.38	100	8414	99.02	51.7
2023-04-21 08:00:00	247.6	0	0	0	146	6.51	7.96	51.8	69.6	99.01	-0.8	-0.5	0	52.6	0.4	100	8419	99.01	52.2
2023-04-21 08:05:00	250	0	0	0	141	6.76	8.37	52.2	69.3	99.01	-0.7	-0.6	0	53	0.41	100	8427	99	52.7
2023-04-21 08:10:00	261	0	0	0	138	5.64	7.07	52.4	69.8	99.01	-0.9	-0.6	0	53.3	0.41	100	8431	99	53.2
2023-04-21 08:15:00	291.4	0	0	0	134	6.31	7.74	53	69.3	99	-0.6	-0.6	0	53.9	0.42	100	8439	99	53.7
2023-04-21 08:20:00	326.2	0	0	0	134	5.26	6.89	53.5	68.4	99	-0.6	-0.5	0	54.6	0.44	100	8447	99	54.3
2023-04-21 08:25:00	345.4	0	0	0	128	4.85	6.31	54.1	68.1	99	-0.6	-0.6	0	55.4	0.46	100	8453	99	55.1
2023-04-21 08:30:00	345.4	0	0	0	131	5.5	7.76	54.9	66.7	99	-0.4	-0.6	0	56.2	0.49	100	8458	99	55.8
2023-04-21 08:35:00	325.8	0	0	0	123	4.72	7.27	55.5	66.1	99	-0.5	-0.6	0	56.7	0.51	100	8462	99	56.5
2023-04-21 08:40:00	332.4	0	0	0	120	4.88	6.46	56	65.4	99	-0.5	-0.6	0	57.2	0.53	100	8464	99	57.2
2023-04-21 08:45:00	374.6	0	0	0	119	5.26	6.64	56.7	64.5	99	-0.5	-0.6	0	57.9	0.56	100	8472	99	57.9
2023-04-21 08:50:00	374	0	0	0	126	6.24	8.19	57.5	63.3	98.99	-0.4	-0.6	0	58.7	0.59	100	8475	98.99	58.5
2023-04-21 08:55:00	387.4	0	0	0	124	5.75	7.49	58.1	62.5	98.99	-0.3	-0.6	0	59.3	0.62	100	8483	98.99	59.2
2023-04-21 09:00:00	381.6	0	0	0	129	4.94	7.2	58.7	61.1	98.99	-0.5	-0.7	0	60	0.66	100	8484	98.99	59.9
2023-04-21 09:05:00	388.4	0	0	0	132	3.67	5.06	59.3	60.9	98.99	-0.3	-0.6	0	60.8	0.67	100	8488	98.99	60.7
2023-04-21 09:10:00	421.4	0	0	0	126	2.82	4.52	60.1	60.6	98.99	-0.4	-0.6	0	61.7	0.7	100	8491	98.99	61.6
2023-04-21 09:15:00	398	0	0	0	116	1.68	2.82	60.6	60.8	99	-0.3	-0.5	0	62.6	0.71	100	8491	98.99	62.7
2023-04-21 09:20:00	394.8	0	0	0	189	1.1	2.37	61.1	60.9	99	-0.4	-0.6	0	63.6	0.72	100	8493	98.99	63.8
2023-04-21 09:25:00	360	0	0	0	108	1.01	2.51	62.1	60.6	99	-0.4	-0.7	0	64.7	0.75	100	8492	98.99	64.9
2023-04-21 09:30:00	403.4	0	0	0	140	1.19	2.75	62.8	58.7	99	-0.4	-0.7	0	65.6	0.8	100	8495	98.99	65.8
2023-04-21 09:35:00	459.4	0	0	0	112	1.59	3.2	64.5	56.1	98.98	-0.2	-0.6	0	66.8	0.91	100	8498	98.98	66.8
2023-04-21 09:40:00	483.4	0	0	0	149	2.1	3.51	65.8	54	98.98	-0.3	-0.6	0	68	1	100	8506	98.98	67.8
2023-04-21 09:45:00	471.2	0	0	0	127	1.59	2.77	66.7	53.1	98.98	-0.2	-0.7	0	68.8	1.05	100	8504	98.98	68.7
2023-04-21 09:50:00	474.6	0	0	0	135	1.86	3.71	67.6	52.5	98.98	-0.2	-0.6	0	69.8	1.1	100	8507	98.97	69.7
2023-04-21 09:55:00	590.2	0	0	0	140	2.68	3.94	69.4	50.2	98.96	-0.2	-0.7	0	71.2	1.22	100	8513	98.97	70.7

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-21 10:00:00	621	0	0	0	168	3.58	5.3	70.9	48.1	98.95	-0.2	-0.8	0	72.6	1.34	100	8516	98.97	71.9
2023-04-21 10:05:00	640.6	0	0	0	175	3.49	5.39	72.4	45.5	98.95	-0.1	-0.7	0	73.9	1.48	100	8505	98.96	73.3
2023-04-21 10:10:00	589.8	0	0	0	178	4.76	6.93	73.8	43.6	98.95	-0.2	-0.6	0	75.2	1.61	100	8507	98.95	74.6
2023-04-21 10:15:00	630.2	0	0	0	187	4.59	6.64	75	42.4	98.94	-0.1	-0.7	0	76.4	1.71	100	8513	98.95	75.5
2023-04-21 10:20:00	573.4	0	0	0	195	5.57	10.13	76.2	38.7	98.93	0	-0.8	0	77.5	1.89	100	8513	98.94	76.6
2023-04-21 10:25:00	486.4	0	0	0	187	5.86	8.55	77.3	37.4	98.92	-0.1	-0.7	0	78.4	2	100	8510	98.92	77.5
2023-04-21 10:30:00	568.6	0	0	0	179	4.9	10.47	78	36.5	98.91	-0.1	-0.7	0	79.3	2.08	100	8514	98.92	78.2
2023-04-21 10:35:00	657.8	0	0	0	215	7.11	10.94	79.1	35.7	98.91	-0.2	-0.6	0	80.3	2.18	100	8513	98.92	79
2023-04-21 10:40:00	699.8	0	0	0	234	7.47	12.37	80.2	34.4	98.9	-0.1	-0.6	0	81.2	2.31	100	8516	98.91	80
2023-04-21 10:45:00	712.8	0	0	0	200	7.4	13.76	81.1	33.8	98.9	-0.3	-0.7	0	82.1	2.39	100	8515	98.9	80.8
2023-04-21 10:50:00	724.4	0	0	0	199	10.09	15.08	81.7	31.9	98.88	0	-0.6	0	82.7	2.52	100	8510	98.89	81.4
2023-04-21 10:55:00	733.6	0	0	0	205	9.78	13.6	82.3	31.3	98.87	0	-0.9	0	83.2	2.58	100	8510	98.88	82
2023-04-21 11:00:00	742	0	0	0	187	10.71	16.13	82.6	30.2	98.86	0.1	-0.8	0	83.5	2.65	100	8510	98.87	82.4
2023-04-21 11:05:00	750.2	0	0	0	186	12.35	17.67	82.9	29.7	98.86	0.1	-0.7	0	83.7	2.7	100	8507	98.86	82.7
2023-04-21 11:10:00	760.6	0	0	0	185	10.16	14.05	82.8	29.9	98.85	-0.1	-0.7	0	83.7	2.69	100	8504	98.86	82.8
2023-04-21 11:15:00	762.2	0	0	0	183	9.01	13.6	83.2	30.3	98.84	0	-0.8	0	84	2.7	100	8506	98.85	83.2
2023-04-21 11:20:00	720.2	0	0	0	177	9.84	12.33	83.4	29.5	98.84	-0.1	-0.9	0	84.4	2.75	100	8501	98.84	83.5
2023-04-21 11:25:00	695.6	0	0	0	184	8.93	12.53	83.6	29.2	98.83	-0.1	-0.7	0	84.5	2.78	100	8499	98.84	83.7
2023-04-21 11:30:00	672.6	0	0	0	168	10.94	18.45	83.8	29.4	98.83	0.2	-0.8	0	84.8	2.8	100	8499	98.84	84
2023-04-21 11:35:00	735.2	0	0	0	179	10.33	14.32	84.2	28.7	98.82	0	-0.7	0	85.1	2.86	100	8496	98.83	84.2
2023-04-21 11:40:00	778.2	0	0	0	193	10.04	16.04	84.5	28.8	98.83	0	-0.9	0	85.3	2.87	100	8492	98.83	84.5
2023-04-21 11:45:00	806.2	0	0	0	183	7.81	12.39	84.6	28.9	98.82	0.1	-0.8	0	85.5	2.88	100	8491	98.83	84.7
2023-04-21 11:50:00	811.2	0	0	0	177	10.71	17.34	85	28.3	98.81	0	-0.6	0	85.9	2.95	100	8488	98.81	85
2023-04-21 11:55:00	805.8	0	0	0	177	11.56	16.17	85.1	28.1	98.8	0	-0.4	0	86	2.96	100	8487	98.8	85.2
2023-04-21 12:00:00	810.8	0	0	0	183	12.08	16.28	85.2	27.5	98.8	0.2	-0.5	0	86	3	100	8484	98.79	85.3
2023-04-21 12:05:00	803.2	0	0	0	199	10.94	16.2	85.2	27.7	98.8	0	-0.9	0	86.1	2.99	100	8480	98.8	85.4
2023-04-21 12:10:00	782.2	0	0	0	226	11.14	15.97	85.5	27.4	98.8	-0.2	-0.9	0	86.3	3.03	100	8477	98.79	85.6
2023-04-21 12:15:00	798	0	0	0	226	10.31	17.65	85.6	27.5	98.78	0.1	-0.8	0	86.5	3.04	100	8475	98.78	85.8
2023-04-21 12:20:00	817.6	0	0	0	201	10.69	17.07	85.9	27.6	98.78	0.4	-1	0	86.8	3.06	100	8474	98.78	86
2023-04-21 12:25:00	816.4	0	0	0	215	11.5	17.6	86	27.4	98.78	0.1	-0.9	0	86.9	3.08	100	8470	98.77	86.2
2023-04-21 12:30:00	826.2	0	0	0	226	11.12	15.82	86	26.7	98.77	-0.1	-1	0	86.9	3.11	100	8466	98.77	86.2
2023-04-21 12:35:00	839.6	0	0	0	225	11.01	17.65	86.1	27.1	98.77	-0.2	-0.8	0	86.9	3.1	100	8465	98.77	86.3
2023-04-21 12:40:00	840.2	0	0	0	212	9.98	16.08	86.3	27.5	98.77	0	-1	0	87.2	3.11	100	8462	98.77	86.4
2023-04-21 12:45:00	817.6	0	0	0	201	12.91	19.3	86.4	26.6	98.77	-0.1	-0.5	0	87.2	3.15	100	8458	98.76	86.5
2023-04-21 12:50:00	781.8	0	0	0	217	15.12	20.24	86.4	26.2	98.77	0	-1.1	0	87.2	3.17	100	8455	98.76	86.4
2023-04-21 12:55:00	730.8	0	0	0	206	11.16	21.47	86.3	27.3	98.77	-0.2	-0.7	0	87.1	3.11	100	8450	98.76	86.4
2023-04-21 13:00:00	725.2	0	0	0	210	13.49	18.84	86.4	26.8	98.76	-0.3	-0.7	0	87.2	3.14	100	8447	98.75	86.4
2023-04-21 13:05:00	782.4	0	0	0	215	11.92	19.77	86.4	26.3	98.76	-0.1	-0.7	0	87.2	3.17	100	8448	98.75	86.4
2023-04-21 13:10:00	815.8	0	0	0	231	10.71	16.06	86.4	26.5	98.75	0	-0.7	0	87.2	3.15	100	8441	98.75	86.4
2023-04-21 13:15:00	836.8	0	0	0	233	11.97	16.91	86.5	26.3	98.75	-0.1	-0.8	0	87.4	3.18	100	8439	98.73	86.6
2023-04-21 13:20:00	846	0	0	0	196	12.8	22.62	86.4	25.9	98.73	-0.2	0	0	87.2	3.19	100	8437	98.72	86.5
2023-04-21 13:25:00	845.2	0	0	0	212	13.33	25.05	86.6	26.5	98.73	0	-0.3	0	87.4	3.18	100	8431	98.72	86.6
2023-04-21 13:30:00	841.2	0	0	0	233	12.5	20.54	86.7	26.4	98.73	0.1	-0.8	0	87.5	3.19	100	8428	98.72	86.6
2023-04-21 13:35:00	840.4	0	0	0	225	10.69	18.54	86.9	26.3	98.74	-0.2	-0.7	0	87.8	3.21	100	8422	98.71	86.8
2023-04-21 13:40:00	839.8	0	0	0	243	14.25	19.53	87	25.4	98.72	0.1	-0.7	0	87.8	3.27	100	8418	98.71	86.8
2023-04-21 13:45:00	820.8	0	0	0	233	18.7	23.06	86.9	25.4	98.71	0.2	-0.7	0	87.7	3.26	100	8414	98.7	86.6
2023-04-21 13:50:00	797.6	0	0	0	242	14.29	24.23	86.8	25.7	98.72	0	-0.8	0	87.5	3.23	100	8409	98.7	86.5
2023-04-21 13:55:00	781.2	0	0	0	265	15.23	23.98	86.8	26.4	98.71	-0.1	-0.5	0	87.5	3.2	100	8403	98.69	86.5
2023-04-21 14:00:00	763.4	0	0	0	317	15.52	22.55	86	31.2	98.71	0	-1.3	0	86.7	2.92	100	8399	98.68	85.5
2023-04-21 14:05:00	746.2	0	0	0	323	15.28	19.44	84.6	33.4	98.7	0	-0.7	0	85.2	2.7	100	8391	98.69	84.3
2023-04-21 14:10:00	707.6	0	0	0	335	15.28	22.59	83.1	35.9	98.72	-0.1	-1.5	0	83.7	2.47	100	8387	98.69	83.1
2023-04-21 14:15:00	730.8	0	0	0	342	16.87	24.29	81.5	37	98.71	0	-0.2	0	82.1	2.31	100	8384	98.69	81.8
2023-04-21 14:20:00	721.4	0	0	0	328	14.65	19.08	79.5	38.8	98.73	-0.1	-0.6	0	80.1	2.1	100	8380	98.71	80.1
2023-04-21 14:25:00	540	0	0	0	337	16.04	20.11	77.2	40.7	98.74	0.1	-0.7	0	77.7	1.89	100	8378	98.71	78.3
2023-04-21 14:30:00	588.2	0	0	0	337	13.53	18.34	75.1	43.2	98.74	-0.1	-0.8	0	75.7	1.69	100	8374	98.7	76.9
2023-04-21 14:35:00	758.2	0	0	0	352	12.93	17.6	73.9	44.8	98.73	-0.3	-1.1	0	74.7	1.58	100	8371	98.71	76
2023-04-21 14:40:00	641	0	0	0	346	13.91	19.8	73.4	45.4	98.73	-0.3	-1.1	0	74.2	1.53	100	8368	98.7	75.6
2023-04-21 14:45:00	532.2	0	0	0	356	14.97	20.2	72.9	46.1	98.72	-0.4	-0.9	0	73.5	1.49	100	8367	98.69	75.1
2023-04-21 14:50:00	406	0	0	0	353	11.7	19.06	72.3	47	98.73	-0.4	-0.7	0	72.9	1.43	100	8362	98.69	74.5
2023-04-21 14:55:00	663.6	0	0	0	342	12.46	17.56	72.2	48	98.72	-0.1	-0.8	0	73	1.4	100	8361	98.68	74.3

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-21 15:00:00	446	0	0	0	345	15.12	21.03	72.4	46.6	98.71	0	-1.1	0	73.1	1.45	100	8363	98.68	74.2
2023-04-21 15:05:00	205.2	0	0	0	339	15.73	22.82	71.9	46.6	98.74	-0.4	-0.7	0	72.4	1.42	100	8358	98.69	73.5
2023-04-21 15:10:00	389.8	0	0	0	355	16.4	20.62	70.9	46.3	98.75	-0.2	-0.5	0	71.4	1.39	100	8357	98.7	72.5
2023-04-21 15:15:00	303.6	0	0	0	351	14.76	18.99	69.8	46.9	98.75	-0.5	-0.8	0	70.4	1.32	100	8356	98.7	71.9
2023-04-21 15:20:00	311	0	0	0	351	16.84	24.49	69.5	46.1	98.73	-0.2	-1.2	0	70.1	1.33	100	8355	98.68	71.3
2023-04-21 15:25:00	427.2	0	0	0	354	14.34	20.51	68.9	45.6	98.73	-0.5	-0.5	0	69.4	1.31	100	8353	98.69	70.6
2023-04-21 15:30:00	779.8	0	0	0	351	11.18	16.8	69.3	46.2	98.73	-0.2	-0.9	0	70.1	1.31	100	8354	98.7	71.1
2023-04-21 15:35:00	707.2	0	0	0	339	12.91	18.16	70.2	45.1	98.72	-0.4	-0.5	0	71.1	1.38	100	8352	98.69	71.9
2023-04-21 15:40:00	657	0	0	0	351	12.77	17.9	70.7	44.5	98.72	0	-0.9	0	71.5	1.42	100	8350	98.69	72.1
2023-04-21 15:45:00	662.2	0	0	0	346	12.17	16.58	71	43.7	98.72	-0.2	-1	0	71.7	1.46	100	8350	98.68	72.2
2023-04-21 15:50:00	657.4	0	0	0	345	12.44	16.62	71.1	43.8	98.7	-0.1	-0.8	0	71.9	1.46	100	8349	98.67	72.5
2023-04-21 15:55:00	645.6	0	0	0	339	12.46	17.52	71.3	43.3	98.71	-0.3	-0.7	0	72.2	1.49	100	8344	98.67	72.8
2023-04-21 16:00:00	632.6	0	0	0	350	12.97	16.49	71.6	41.8	98.69	-0.3	-1	0	72.4	1.54	100	8345	98.66	72.9
2023-04-21 16:05:00	616.8	0	0	0	343	9.04	12.26	71.6	41.7	98.71	-0.5	-0.6	0	72.5	1.54	100	8344	98.67	73.2
2023-04-21 16:10:00	576.8	0	0	0	3	7.56	12.1	71.8	41.8	98.71	-0.2	-0.8	0	72.8	1.55	100	8342	98.67	73.6
2023-04-21 16:15:00	447.2	0	0	0	6	6.31	9.48	72	41.4	98.72	-0.3	-0.7	0	73	1.57	100	8341	98.68	73.8
2023-04-21 16:20:00	208.8	0	0	0	2	5.01	8.88	72	42	98.73	-0.3	-0.8	0	72.7	1.55	100	8339	98.68	73.3
2023-04-21 16:25:00	260.4	0	0	0	49	5.48	7.56	71.7	42	98.72	-0.1	-0.7	0	72.6	1.54	100	8340	98.68	73
2023-04-21 16:30:00	480.4	0	0	0	36	6.73	12.8	71.5	42.6	98.73	-0.1	-0.8	0	72.4	1.51	100	8339	98.68	73
2023-04-21 16:35:00	279.4	0	0	0	6	9.1	11.54	71.8	42.4	98.72	-0.2	-0.9	0	72.5	1.53	100	8336	98.67	73.4
2023-04-21 16:40:00	161.4	0	0	0	352	9.04	11.9	71.4	42.2	98.73	-0.3	-0.6	0	71.8	1.51	100	8336	98.68	72.6
2023-04-21 16:45:00	121.6	0	0	0	1	4.94	9.46	70.9	42.8	98.76	-0.4	-0.9	0	71.3	1.48	100	8335	98.72	71.9
2023-04-21 16:50:00	319	0	0	0	338	3.31	6.71	70.2	44.8	98.79	-0.4	-0.7	0	71.2	1.39	100	8332	98.74	72
2023-04-21 16:55:00	519.2	0	0	0	17	4.85	7.99	70.8	45.2	98.76	-0.3	-0.7	0	72.1	1.41	100	8332	98.72	73.3
2023-04-21 17:00:00	320.2	0	0	0	15	9.89	13.24	71.6	43.6	98.73	-0.1	-0.8	0	72.6	1.49	100	8332	98.68	73.7
2023-04-21 17:05:00	210.8	0	0	0	2	12.62	17.56	71.7	42.5	98.7	-0.3	-0.6	0	72.3	1.53	100	8327	98.66	72.9
2023-04-21 17:10:00	181.4	0	0	0	352	12.71	18.3	71.3	43.1	98.72	-0.2	-0.5	0	71.7	1.49	100	8330	98.67	72.1
2023-04-21 17:15:00	152.2	0	0	0	352	8.21	11.34	70.7	43.7	98.76	-0.3	-0.7	0	71.1	1.44	100	8327	98.71	71.4
2023-04-21 17:20:00	107.8	0	0	0	2	6.67	11.27	70.2	43.8	98.79	-0.3	-0.7	0	70.6	1.42	100	8327	98.73	70.9
2023-04-21 17:25:00	87.6	0	0	0	354	8.75	11.56	69.9	44.1	98.78	-0.4	-0.8	0	70.1	1.39	100	8324	98.73	70.4
2023-04-21 17:30:00	61.8	0	0	0	329	12.26	18.23	69.5	44.6	98.78	0	-1	0	69.6	1.36	100	8325	98.72	70
2023-04-21 17:35:00	89	0	0	0	317	13.15	16.44	69	45.3	98.78	-0.3	-0.7	0	69.2	1.33	100	8322	98.73	69.6
2023-04-21 17:40:00	108.8	0	0	0	329	16.71	21.16	68.6	46.3	98.75	-0.4	-0.4	0	68.8	1.28	100	8319	98.68	69.1
2023-04-21 17:45:00	100.2	0	0	0	338	15.55	20.45	68.1	47.2	98.73	-0.5	-1	0	68.3	1.24	100	8317	98.68	68.3
2023-04-21 17:50:00	69.4	0	0	0	324	13.11	18.43	67.6	47.9	98.75	-0.4	-0.9	0	67.8	1.2	100	8315	98.71	68.1
2023-04-21 17:55:00	54.2	0	0	0	335	10.67	13.65	67.4	47.7	98.77	-0.4	-0.5	0	67.5	1.19	100	8314	98.71	68
2023-04-21 18:00:00	48.4	0	0	0	326	11.68	14.56	67.1	47.4	98.75	-0.3	-0.6	0	67.3	1.19	100	8314	98.7	67.8
2023-04-21 18:05:00	46.4	0	0	0	352	9.04	14.88	67	48.1	98.74	-0.2	-0.6	0	67.1	1.17	100	8312	98.69	67.4
2023-04-21 18:10:00	54.8	0	0	0	308	5.12	7.58	66.8	48.7	98.79	-0.4	-0.6	0	66.9	1.15	100	8311	98.74	67.2
2023-04-21 18:15:00	82.8	0	0	0	337	7.9	15.73	66.6	48.9	98.8	-0.4	-0.5	0	66.8	1.14	100	8309	98.74	67.1
2023-04-21 18:20:00	71.4	0	0	0	354	8.12	14.65	66.4	48.9	98.78	-0.5	-0.6	0	66.6	1.13	100	8308	98.73	67
2023-04-21 18:25:00	52.8	0	0	0	342	5.35	9.35	66.2	49.6	98.82	-0.4	-0.6	0	66.5	1.11	100	8306	98.77	66.8
2023-04-21 18:30:00	42	0	0	0	299	5.79	10.04	66.2	49.7	98.83	-0.4	-0.7	0	66.3	1.1	100	8305	98.78	66.6
2023-04-21 18:35:00	26.4	0	0	0	295	6.31	9.84	66.1	50	98.86	-0.3	-0.6	0	66.2	1.09	100	8302	98.81	66.4
2023-04-21 18:40:00	26.4	0	0	0	286	6.11	8.28	65.8	51.5	98.87	-0.3	-0.8	0	65.8	1.05	100	8302	98.82	66.1
2023-04-21 18:45:00	25.4	0	0	0	295	7.14	9.75	65.6	51.9	98.87	-0.3	-0.7	0	65.7	1.04	100	8301	98.81	65.8
2023-04-21 18:50:00	27	0	0	0	336	3.24	5.75	65.5	52	98.86	-0.4	-0.6	0	65.6	1.03	100	8301	98.81	65.5
2023-04-21 18:55:00	29	0	0	0	58	3.36	4.76	65.3	52.5	98.86	-0.3	-0.7	0	65.3	1.01	100	8299	98.81	65.3
2023-04-21 19:00:00	25.4	0	0	0	142	3.2	5.55	64.9	53.1	98.9	-0.4	-0.5	0	65.1	0.99	100	8299	98.85	65.2
2023-04-21 19:05:00	27.8	0	0	0	168	2.89	4.72	64.9	53.1	98.9	-0.4	-0.7	0	65	0.98	100	8298	98.85	65.2
2023-04-21 19:10:00	26.2	0	0	0	318	2.37	3.44	64.9	53.8	98.9	-0.4	-0.7	0	64.9	0.97	100	8297	98.85	64.9
2023-04-21 19:15:00	25.4	0	0	0	349	1.72	3.04	64.7	53.1	98.89	-0.4	-0.7	0	64.9	0.98	100	8295	98.83	64.7
2023-04-21 19:20:00	24.8	0	0	0	31	2.86	4.07	64.5	53.9	98.87	-0.3	-0.7	0	64.7	0.95	100	8294	98.81	64.5
2023-04-21 19:25:00	19	0	0	0	354	5.3	6.91	64.4	54.6	98.84	-0.5	-0.5	0	64.5	0.94	100	8293	98.78	64.3
2023-04-21 19:30:00	13	0	0	0	339	8.66	11.9	64.2	55.1	98.82	-0.4	-0.7	0	64.2	0.92	100	8292	98.77	63.9
2023-04-21 19:35:00	9	0	0	0	332	9.82	11.77	63.9	56.2	98.81	-0.4	-0.5	0	63.9	0.89	100	8290	98.76	63.7
2023-04-21 19:40:00	5.8	0	0	0	329	9.89	11.65	63.7	56.2	98.81	-0.5	-0.4	0	63.7	0.88	100	8291	98.76	63.4
2023-04-21 19:45:00	3.2	0	0	0	319	8.99	11.16	63.6	56.2	98.82	-0.4	-0.6	0	63.6	0.88	100	8289	98.77	63.3
2023-04-21 19:50:00	1.4	0	0	0	314	7.94	11.77	63.5	56.2	98.82	-0.4	-0.6	0	63.5	0.87	100	8285	98.77	63.2
2023-04-21 19:55:00	0.4	0	0	0	316	6.55	9.35	63.5	56.3	98.82	-0.4	-0.6	0	63.5	0.87	100	8286	98.77	63

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-21 20:00:00	0	0	0	0	308	5.28	7.23	63.3	56.5	98.83	-0.5	-0.6	0	63.3	0.86	100	8283	98.77	62.8
2023-04-21 20:05:00	0	0	0	0	308	3.89	5.03	63.2	57.1	98.83	-0.5	-0.6	0	63.2	0.85	100	8284	98.78	62.5
2023-04-21 20:10:00	0	0	0	0	320	3.65	4.68	62.8	57.4	98.82	-0.5	-0.6	0	62.8	0.83	100	8282	98.77	62.2
2023-04-21 20:15:00	0	0	0	0	311	2.75	4.88	62.6	57.5	98.84	-0.5	-0.6	0	62.6	0.82	100	8283	98.78	61.9
2023-04-21 20:20:00	0	0	0	0	291	2.51	3.96	62.4	57.8	98.85	-0.5	-0.6	0	62.4	0.81	100	8281	98.8	61.6
2023-04-21 20:25:00	0	0	0	0	281	2.89	4.54	62.1	58.2	98.85	-0.4	-0.7	0	62.1	0.79	100	8282	98.8	61.2
2023-04-21 20:30:00	0	0	0	0	284	3.31	4.34	61.8	58.3	98.85	-0.4	-0.7	0	61.8	0.79	100	8280	98.8	61
2023-04-21 20:35:00	0	0	0	0	281	2.98	4.09	61.7	58.8	98.86	-0.5	-0.7	0	61.7	0.77	100	8276	98.81	60.8
2023-04-21 20:40:00	0	0	0	0	291	2.8	3.98	61.6	58.6	98.86	-0.5	-0.6	0	61.5	0.77	100	8279	98.81	60.7
2023-04-21 20:45:00	0	0	0	0	275	4.76	7.07	61.5	58.7	98.87	-0.5	-0.6	0	61.5	0.77	100	8277	98.82	60.6
2023-04-21 20:50:00	0	0	0	0	287	5.35	8.55	61.6	59.2	98.88	-0.5	-0.7	0	61.6	0.76	100	8276	98.83	60.6
2023-04-21 20:55:00	0	0	0	0	282	5.12	7.31	61.5	59.2	98.88	-0.5	-0.6	0	61.5	0.76	100	8275	98.83	60.6
2023-04-21 21:00:00	0	0	0	0	263	4.18	6.04	61.4	59	98.9	-0.4	-0.7	0	61.4	0.76	100	8276	98.85	60.5
2023-04-21 21:05:00	0	0	0	0	205	3.76	4.54	61.3	59.1	98.91	-0.4	-0.7	0	61.3	0.76	100	8272	98.87	60.2
2023-04-21 21:10:00	0	0	0	0	182	4.09	5.59	61.2	59.5	98.94	-0.6	-0.7	0	61.2	0.75	100	8271	98.89	60
2023-04-21 21:15:00	0	0	0	0	194	3.4	4.61	61.1	60.1	98.96	-0.6	-0.7	0	61.1	0.73	100	8272	98.91	60
2023-04-21 21:20:00	0	0	0	0	185	3.87	5.14	61.1	60.1	98.97	-0.5	-0.7	0	61.1	0.73	100	8271	98.92	60
2023-04-21 21:25:00	0	0	0	0	181	4.23	6.33	61.1	59.5	98.98	-0.5	-0.6	0	61.2	0.74	100	8271	98.93	60.2
2023-04-21 21:30:00	0	0	0	0	206	4.85	6.6	61.3	59.7	99	-0.4	-0.7	0	61.3	0.75	100	8270	98.95	60.4
2023-04-21 21:35:00	0	0	0	0	200	4.43	6.33	61.5	59.3	98.99	-0.4	-0.7	0	61.5	0.76	100	8269	98.94	60.6
2023-04-21 21:40:00	0	0	0	0	247	4.23	6.76	61.5	59.7	98.99	-0.4	-0.5	0	61.4	0.75	100	8270	98.94	60.7
2023-04-21 21:45:00	0	0	0	0	254	4.97	7.43	61.5	60.9	99.01	-0.4	-0.7	0	61.5	0.73	100	8267	98.96	60.7
2023-04-21 21:50:00	0	0	0	0	205	3.56	5.48	61.4	60.9	99.03	-0.4	-0.7	0	61.4	0.73	100	8267	98.98	60.7
2023-04-21 21:55:00	0	0	0	0	168	4.97	6.26	61.4	61.1	99.04	-0.6	-0.6	0	61.4	0.72	100	8267	98.99	60.7
2023-04-21 22:00:00	0	0	0	0	172	2.8	5.39	61.2	62	99.03	-0.4	-0.6	0	61.2	0.7	100	8266	98.97	60.5
2023-04-21 22:05:00	0	0	0	0	274	3.18	5.66	60.8	62.2	99.01	-0.5	-0.6	0	60.9	0.69	100	8265	98.95	60.2
2023-04-21 22:10:00	0	0	0	0	308	4.43	5.53	60.5	66.4	98.99	-0.5	-0.7	0	60.6	0.6	100	8265	98.93	59.9
2023-04-21 22:15:00	0	0	0	0	313	4.45	6.33	60	68.8	98.98	-0.6	-0.6	0	60	0.55	100	8263	98.93	59.3
2023-04-21 22:20:00	0	0	0	0	331	5.35	8.08	59.5	66.1	98.97	-0.5	-0.7	0	59.5	0.59	100	8263	98.92	59
2023-04-21 22:25:00	0	0	0	0	349	6.87	8.28	59.4	65.5	98.93	-0.6	-0.6	0	59.4	0.6	100	8263	98.88	58.8
2023-04-21 22:30:00	0	0	0	0	354	7.52	9.91	59.3	66.2	98.91	-0.5	-0.6	0	59.3	0.58	100	8262	98.87	58.6
2023-04-21 22:35:00	0	0	0	0	321	8.21	10.07	59.1	66.4	98.94	-0.6	-0.7	0	59.1	0.57	100	8262	98.89	58.6
2023-04-21 22:40:00	0	0	0	0	331	10.07	13.62	59	67.1	98.91	-0.6	-0.3	0	59	0.56	100	8261	98.86	58.5
2023-04-21 22:45:00	0	0	0	0	338	11.79	16.06	58.8	66.5	98.89	-0.6	-0.7	0	58.8	0.57	100	8260	98.84	58.5
2023-04-21 22:50:00	0	0	0	0	337	8.81	11.97	58.7	65.8	98.91	-0.5	-0.7	0	58.7	0.58	100	8260	98.87	58.5
2023-04-21 22:55:00	0	0	1	17	303	7.54	11.54	58.5	65.8	98.95	-0.5	-0.7	0	58.5	0.57	100	8260	98.91	58.5
2023-04-21 23:00:00	0	0	0	0	270	9.42	12.64	58.5	66	99	-0.4	-0.7	0	58.5	0.57	100	8258	98.96	58.4
2023-04-21 23:05:00	0	0	0	0	282	11.14	16.15	58.4	66.8	99.01	-0.3	-0.6	0	58.3	0.55	100	8257	98.94	58.3
2023-04-21 23:10:00	0	0.01541	1	11	330	15.1	19.15	58.1	70.8	98.91	-0.8	-0.6	0.361	58.1	0.48	100	8256	98.85	57.1
2023-04-21 23:15:00	0	0.00067	2	11	317	13	16.82	56.9	73.8	98.9	-0.6	-0.7	0.04	56.9	0.41	100	8256	98.85	55.8
2023-04-21 23:20:00	0	0.00067	3	5	306	12.37	16.6	56.2	74.9	98.91	-0.8	-0.6	0.04	56.1	0.39	100	8253	98.86	55.2
2023-04-21 23:25:00	0	0	1	5	289	9.73	14.41	55.7	76.1	98.94	-0.7	-0.4	0	55.7	0.36	100	8254	98.91	54.9
2023-04-21 23:30:00	0	0.00067	0	0	256	9.01	12.3	55.4	77.1	99	-0.6	-0.6	0.04	55.4	0.34	100	8251	98.96	54.9
2023-04-21 23:35:00	0	0.02211	0	0	232	8.12	10.96	55	80.1	99.02	-0.7	-0.6	0.321	55	0.29	100	8253	98.97	54.7
2023-04-21 23:40:00	0	0.02345	0	0	241	5.7	7.31	54.1	83.9	98.99	-0.6	-0.5	0.402	54	0.23	100	8252	98.94	54.3
2023-04-21 23:45:00	0	0.01541	0	0	269	5.86	9.33	53.4	86.7	98.98	-0.7	-0.5	0.281	53.3	0.18	100	8253	98.94	53.9
2023-04-21 23:50:00	0	0.0201	0	0	244	7.23	9.48	53	88.7	99	-0.7	-0.5	0.321	53	0.15	100	8248	98.96	53.7
2023-04-21 23:55:00	0	0.01273	0	0	280	4.76	6.69	52.7	90.1	98.98	-0.7	-0.7	0.201	52.7	0.13	100	8248	98.94	53.5
2023-04-22 00:00:00	0	0.00536	0	0	266	3	4.09	52.5	91	98.98	-0.7	-0.6	0.12	52.6	0.12	100	8248	98.94	53.3
2023-04-22 00:05:00	0	0.01005	0	0	295	3.06	4.68	52.4	91.3	98.97	-0.7	-0.6	0.161	52.4	0.12	100	8229	98.93	53.4
2023-04-22 00:10:00	0	0.01139	0	0	226	2.59	4.18	52.4	92.1	98.97	-0.6	-0.6	0.161	52.4	0.11	100	8221	98.94	53.5
2023-04-22 00:15:00	0	0.00603	0	0	212	4.97	6.58	52.3	92.4	98.97	-0.7	-0.4	0.12	52.3	0.1	100	8214	98.94	53.6
2023-04-22 00:20:00	0	0.00402	0	0	217	3.6	5.75	52.4	92.7	98.98	-0.6	-0.5	0.08	52.4	0.1	100	8222	98.94	53.5
2023-04-22 00:25:00	0	0.00134	0	0	241	3.83	4.81	52.3	92.8	98.96	-0.7	-0.5	0.04	52.3	0.1	100	8227	98.92	53.3
2023-04-22 00:30:00	0	0	0	0	290	2.24	4.72	52.3	92.8	98.93	-0.7	-0.6	0	52.3	0.1	100	8229	98.89	53.2
2023-04-22 00:35:00	0	0	0	0	40	2.71	4.09	52.3	93.3	98.92	-0.7	-0.6	0	52.3	0.09	100	8225	98.88	53.1
2023-04-22 00:40:00	0	0.00335	0	0	37	1.81	3.06	52.4	93.6	98.92	-0.7	-0.6	0.04	52.4	0.09	100	8228	98.88	53
2023-04-22 00:45:00	0	0.00603	0	0	310	2.64	3.62	52.4	94.2	98.91	-0.9	-0.6	0.08	52.4	0.08	100	8229	98.87	52.9
2023-04-22 00:50:00	0	0.00201	0	0	346	2.55	3.38	52.3	94.6	98.88	-0.7	-0.6	0.04	52.3	0.07	100	8225	98.85	52.7
2023-04-22 00:55:00	0	0.00067	0	0	35	2.77	4.63	52.3	95.1	98.87	-0.7	-0.5	0.04	52.4	0.07	100	8227	98.83	52.6

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-22 01:00:00	0	0	0	0	52	4.23	5.28	52.2	95.6	98.84	-0.8	-0.6	0	52.2	0.06	100	8227	98.81	52.5
2023-04-22 01:05:00	0	0	0	0	40	3.85	4.83	52.2	95.3	98.83	-0.7	-0.6	0	52.2	0.06	100	8225	98.8	52.4
2023-04-22 01:10:00	0	0	0	0	19	3.98	5.21	52.1	94.9	98.82	-0.8	-0.6	0	52.1	0.07	100	8226	98.79	52.3
2023-04-22 01:15:00	0	0	0	0	357	3.44	5.39	52.1	94.9	98.82	-0.8	-0.6	0	52.1	0.07	100	8225	98.79	52.2
2023-04-22 01:20:00	0	0	0	0	335	2.39	2.89	52	95.1	98.81	-0.7	-0.5	0	52	0.06	100	8222	98.78	52
2023-04-22 01:25:00	0	0	0	0	313	1.77	2.71	51.8	95.4	98.81	-0.6	-0.6	0	51.8	0.06	100	8224	98.79	51.9
2023-04-22 01:30:00	0	0	0	0	207	2.71	3.44	51.7	95.8	98.83	-0.8	-0.6	0	51.7	0.05	100	8226	98.8	51.8
2023-04-22 01:35:00	0	0	0	0	227	1.83	2.53	51.8	96.1	98.83	-0.8	-0.6	0	51.8	0.05	100	8224	98.79	51.8
2023-04-22 01:40:00	0	0	0	0	324	2.13	3.42	51.8	96.2	98.81	-0.7	-0.5	0	51.8	0.05	100	8225	98.78	51.9
2023-04-22 01:45:00	0	0	0	0	318	3.44	4.09	51.9	96.1	98.81	-0.7	-0.6	0	51.9	0.05	100	8222	98.77	51.9
2023-04-22 01:50:00	0	0	0	0	271	3.58	4.7	51.9	97.2	98.81	-0.6	-0.5	0	51.9	0.04	100	8222	98.78	52
2023-04-22 01:55:00	0	0.00268	0	0	250	3.11	4.47	52	97.2	98.82	-0.6	-0.5	0.04	52	0.04	100	8221	98.79	52
2023-04-22 02:00:00	0	0.00067	0	0	246	4.88	6.22	52.1	97.4	98.83	-0.7	-0.5	0.04	52.1	0.03	100	8222	98.8	52.1
2023-04-22 02:05:00	0	0.00067	0	0	297	2.57	3.6	52.2	97.5	98.81	-0.6	-0.5	0.04	52.2	0.03	100	8221	98.78	52.2
2023-04-22 02:10:00	0	0	0	0	243	1.52	2.8	52.1	97.3	98.81	-0.7	-0.6	0	52.1	0.04	100	8222	98.78	52.2
2023-04-22 02:15:00	0	0.00201	0	0	264	3.04	5.7	52.2	97.2	98.81	-0.6	-0.6	0.04	52.2	0.04	100	8220	98.78	52.2
2023-04-22 02:20:00	0	0.00335	0	0	248	4.32	5.3	52.4	97.2	98.81	-0.7	-0.6	0.04	52.4	0.04	100	8222	98.79	52.3
2023-04-22 02:25:00	0	0.00402	0	0	267	3.83	6.15	52.4	97.5	98.81	-0.6	-0.5	0.08	52.4	0.03	100	8219	98.78	52.4
2023-04-22 02:30:00	0	0.00871	0	0	248	3.49	4.79	52.5	97.1	98.8	-0.8	-0.5	0.161	52.5	0.04	100	8221	98.78	52.4
2023-04-22 02:35:00	0	0.00335	0	0	26	3.71	7.61	52.5	97.1	98.76	-0.6	-0.6	0.08	52.5	0.04	100	8219	98.72	52.4
2023-04-22 02:40:00	0	0.00201	0	0	62	6.87	8.61	52.6	97.3	98.7	-0.7	-0.6	0.04	52.6	0.04	100	8217	98.67	52.5
2023-04-22 02:45:00	0	0.00201	0	0	91	5.37	7.38	52.5	97.5	98.71	-0.7	-0.5	0.04	52.5	0.03	100	8219	98.69	52.5
2023-04-22 02:50:00	0	0	0	0	177	2.75	5.28	52.6	97.7	98.74	-0.6	-0.6	0	52.6	0.03	100	8216	98.72	52.5
2023-04-22 02:55:00	0	0.00067	0	0	172	0.92	1.72	52.6	97.4	98.75	-0.7	-0.5	0.04	52.6	0.03	100	8219	98.72	52.5
2023-04-22 03:00:00	0	0	1	11	346	2.73	7.49	52.5	97.4	98.73	-0.7	-0.6	0	52.5	0.04	100	8218	98.71	52.5
2023-04-22 03:05:00	0	0	0	0	300	6.26	8.81	52.5	97.2	98.73	-0.7	-0.6	0	52.5	0.04	100	8218	98.7	52.4
2023-04-22 03:10:00	0	0	0	0	290	5.5	6.87	52.6	97.9	98.73	-0.7	-0.5	0	52.6	0.03	100	8216	98.71	52.5
2023-04-22 03:15:00	0	0.00469	0	0	269	6.55	9.28	52.5	98	98.75	-0.5	-0.5	0.08	52.5	0.03	100	8218	98.73	52.5
2023-04-22 03:20:00	0	0.00268	0	0	273	7.45	9.51	52.5	97.8	98.75	-0.7	-0.5	0.08	52.6	0.03	100	8214	98.73	52.5
2023-04-22 03:25:00	0	0.00067	0	0	313	7.2	10.49	52.6	97.7	98.73	-0.7	-0.6	0.04	52.6	0.03	100	8213	98.69	52.5
2023-04-22 03:30:00	0	0.00067	0	0	339	8.75	12.64	52.6	97.9	98.69	-0.7	-0.5	0.04	52.6	0.03	100	8215	98.66	52.6
2023-04-22 03:35:00	0	0	0	0	301	7.74	10.63	52.7	97.9	98.71	-0.8	-0.5	0	52.7	0.03	100	8213	98.69	52.6
2023-04-22 03:40:00	0	0	0	0	261	7.61	11.05	52.7	98.1	98.75	-0.6	-0.7	0	52.7	0.03	100	8215	98.72	52.6
2023-04-22 03:45:00	0	0	0	0	14	5.39	7.54	52.7	97.8	98.7	-0.7	-0.5	0	52.7	0.03	100	8214	98.67	52.6
2023-04-22 03:50:00	0	0	0	0	66	6.31	9.66	52.7	97.6	98.68	-0.6	-0.5	0	52.7	0.03	100	8213	98.65	52.6
2023-04-22 03:55:00	0	0	0	0	51	6.49	9.82	52.7	97.4	98.66	-0.7	-0.5	0	52.7	0.04	100	8212	98.64	52.6
2023-04-22 04:00:00	0	0	0	0	99	5.48	10.2	52.6	97.9	98.66	-0.6	-0.6	0	52.6	0.03	100	8213	98.63	52.6
2023-04-22 04:05:00	0	0	0	0	78	9.08	12.93	52.7	97.6	98.6	-0.7	-0.6	0	52.7	0.03	100	8213	98.56	52.6
2023-04-22 04:10:00	0	0	0	0	82	7.09	10.33	52.6	97.7	98.59	-0.7	-0.7	0	52.6	0.03	100	8213	98.57	52.6
2023-04-22 04:15:00	0	0	0	0	92	6.62	10.38	52.5	98	98.61	-0.6	-0.5	0	52.5	0.03	100	8211	98.58	52.5
2023-04-22 04:20:00	0	0	0	0	106	7.43	9.42	52.6	98.2	98.6	-0.6	-0.4	0	52.6	0.02	100	8210	98.57	52.5
2023-04-22 04:25:00	0	0	0	0	96	7.45	10.31	52.6	97.7	98.58	-0.7	-0.6	0	52.6	0.03	100	8210	98.55	52.5
2023-04-22 04:30:00	0	0	0	0	88	7.72	11.03	52.6	98	98.57	-0.7	-0.6	0	52.7	0.03	100	8212	98.55	52.4
2023-04-22 04:35:00	0	0	0	0	97	6.78	9.13	52.6	97.3	98.57	-0.6	-0.5	0	52.6	0.04	100	8207	98.55	52.3
2023-04-22 04:40:00	0	0	0	0	87	6.2	9.19	52.5	97.7	98.56	-0.7	-0.6	0	52.5	0.03	100	8212	98.54	52.3
2023-04-22 04:45:00	0	0	0	0	85	6.02	8.5	52.4	97.8	98.56	-0.7	-0.6	0	52.4	0.03	100	8210	98.54	52.1
2023-04-22 04:50:00	0	0	0	0	83	6.96	10.2	52.4	97.8	98.56	-0.6	-0.4	0	52.4	0.03	100	8210	98.54	52.1
2023-04-22 04:55:00	0	0	0	0	88	7.67	11.41	52.5	97.5	98.56	-0.8	-0.4	0	52.5	0.03	100	8206	98.54	52.2
2023-04-22 05:00:00	0	0	0	0	90	8.21	13.06	52.5	97.5	98.56	-0.6	-0.4	0	52.5	0.03	100	8209	98.54	52.3
2023-04-22 05:05:00	0	0	0	0	90	11.03	15.86	52.4	97.5	98.56	-0.8	-0.8	0	52.4	0.03	100	8208	98.54	52.4
2023-04-22 05:10:00	0	0	0	0	90	7.76	10.74	52.4	97.6	98.57	-0.9	-0.6	0	52.4	0.03	100	8205	98.54	52.4
2023-04-22 05:15:00	0	0	0	0	94	7.72	12.3	52.4	97.7	98.56	-0.7	-0.6	0	52.4	0.03	100	8206	98.54	52.4
2023-04-22 05:20:00	0	0	0	0	96	8.79	11.16	52.3	97.9	98.56	-0.6	-0.7	0	52.4	0.03	100	8207	98.53	52.4
2023-04-22 05:25:00	0	0	0	0	105	9.64	12.95	52.4	97.8	98.54	-0.6	-0.7	0	52.4	0.03	100	8204	98.52	52.4
2023-04-22 05:30:00	0	0	0	0	105	7.99	11.14	52.4	97.9	98.53	-0.6	-0.5	0	52.4	0.03	100	8207	98.51	52.5
2023-04-22 05:35:00	0	0	0	0	102	7.25	9.42	52.4	98.1	98.52	-0.7	-0.5	0	52.4	0.03	100	8205	98.5	52.5
2023-04-22 05:40:00	0	0	0	0	104	6.78	9.93	52.4	98.1	98.52	-0.6	-0.6	0	52.4	0.03	100	8206	98.49	52.5
2023-04-22 05:45:00	0	0	0	0	79	3.78	7.14	52.6	98.2	98.51	-0.6	-0.5	0	52.6	0.02	100	8207	98.49	52.5
2023-04-22 05:50:00	0	0	0	0	61	4.14	5.93	52.3	98.5	98.5	-0.6	-0.6	0	52.3	0.02	100	8206	98.48	52.5
2023-04-22 05:55:00	0	0	0	0	70	3.51	5.68	52.4	98	98.5	-0.6	-0.5	0	52.4	0.03	100	8204	98.47	52.5

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-22 06:00:00	0	0	0	0	64	2.35	4.41	52.3	98.5	98.48	-0.5	-0.5	0	52.3	0.02	100	8205	98.46	52.4
2023-04-22 06:05:00	0.2	0	0	0	100	2.01	4.27	52.4	98.2	98.48	-0.6	-0.6	0	52.4	0.02	100	8205	98.46	52.4
2023-04-22 06:10:00	1.8	0	0	0	116	3.62	5.32	52.4	98.5	98.47	-0.6	-0.6	0	52.4	0.02	100	8200	98.45	52.4
2023-04-22 06:15:00	4.2	0	0	0	127	3.98	5.12	52.4	98.7	98.46	-0.7	-0.5	0	52.4	0.02	100	8203	98.44	52.3
2023-04-22 06:20:00	6.2	0	0	0	138	3.83	5.06	52.3	98.6	98.45	-0.6	-0.5	0	52.3	0.02	100	8202	98.43	52.3
2023-04-22 06:25:00	10	0	0	0	151	3.49	4.7	52.3	98.6	98.44	-0.7	-0.5	0	52.3	0.02	100	8202	98.42	52.2
2023-04-22 06:30:00	15	0	0	0	151	3.76	4.5	52.3	98.8	98.43	-0.7	-0.6	0	52.4	0.02	100	8200	98.42	52.2
2023-04-22 06:35:00	19.4	0	0	0	165	3.87	4.52	52.3	98.9	98.43	-0.6	-0.6	0	52.3	0.01	100	8201	98.42	52.1
2023-04-22 06:40:00	24.6	0	0	0	169	3.89	5.03	52.3	98.9	98.43	-0.6	-0.6	0	52.3	0.01	100	8202	98.41	52.1
2023-04-22 06:45:00	33.8	0	0	0	180	3.56	5.32	52.2	99.1	98.42	-0.6	-0.6	0	52.3	0.01	100	8200	98.4	52.1
2023-04-22 06:50:00	40	0	0	0	172	3.53	4.68	52.1	99.3	98.41	-0.7	-0.5	0	52.3	0.01	100	8201	98.4	52.1
2023-04-22 06:55:00	43.8	0	0	0	162	3.42	4.45	52.2	99.3	98.4	-0.6	-0.6	0	52.4	0.01	100	8200	98.39	52.1
2023-04-22 07:00:00	47.2	0	0	0	148	3.91	4.56	52.2	99.6	98.39	-0.6	-0.7	0	52.3	0.01	100	8200	98.38	52.1
2023-04-22 07:05:00	57.2	0	0	0	153	4.09	5.01	52.3	99.7	98.39	-0.7	-0.5	0	52.5	0	100	8197	98.38	52.2
2023-04-22 07:10:00	70	0	0	0	152	4.07	5.08	52.3	99.8	98.39	-0.7	-0.4	0	52.6	0	100	8201	98.37	52.3
2023-04-22 07:15:00	81.4	0	0	0	143	4.21	5.1	52.4	99.9	98.38	-0.6	-0.6	0	52.7	0	100	8201	98.37	52.3
2023-04-22 07:20:00	88.4	0	0	0	133	4.38	5.37	52.4	99.6	98.38	-0.5	-0.5	0	52.8	0.01	100	8201	98.36	52.4
2023-04-22 07:25:00	91.8	0	0	0	130	4.12	4.97	52.5	99.5	98.38	-0.6	-0.5	0	52.8	0.01	100	8201	98.36	52.5
2023-04-22 07:30:00	97.4	0	0	0	133	3.42	4.23	52.6	99.7	98.37	-0.6	-0.6	0	53	0	100	8202	98.35	52.6
2023-04-22 07:35:00	111	0	0	0	120	5.23	8.37	52.7	99.4	98.35	-0.6	-0.5	0	53.1	0.01	100	8203	98.33	52.7
2023-04-22 07:40:00	124.6	0	0	0	117	5.82	7.11	52.8	98.9	98.34	-0.6	-0.5	0	53.3	0.02	100	8207	98.33	52.9
2023-04-22 07:45:00	138.6	0	0	0	120	6.29	9.1	53.1	98.6	98.35	-0.6	-0.7	0	53.5	0.02	100	8206	98.34	53.1
2023-04-22 07:50:00	145	0	0	0	117	6.76	11.3	53.2	97.9	98.34	-0.6	-0.7	0	53.6	0.03	100	8205	98.34	53.2
2023-04-22 07:55:00	148.4	0	0	0	117	7.4	11.23	53.3	97.6	98.34	-0.6	-0.5	0	53.8	0.03	100	8208	98.32	53.4
2023-04-22 08:00:00	149.6	0	0	0	113	7.4	10.94	53.5	97	98.33	-0.6	-0.5	0	53.9	0.04	100	8209	98.31	53.5
2023-04-22 08:05:00	172.4	0	0	0	109	7.87	10.45	53.5	96.9	98.31	-0.5	-0.7	0	54	0.04	100	8211	98.29	53.8
2023-04-22 08:10:00	212	0	0	0	117	8.23	10.47	53.7	97	98.3	-0.6	-0.6	0	54.4	0.04	100	8215	98.3	54
2023-04-22 08:15:00	202.2	0	0	0	123	6.55	8.55	53.9	96.3	98.3	-0.5	-0.7	0	54.5	0.05	100	8216	98.3	54.2
2023-04-22 08:20:00	191.8	0	0	0	119	7.16	10.51	54	95.9	98.3	-0.5	-0.5	0	54.6	0.06	100	8218	98.29	54.4
2023-04-22 08:25:00	196.8	0	0	0	128	7.65	10.74	54.2	95.9	98.29	-0.6	-0.5	0	54.8	0.06	100	8219	98.28	54.6
2023-04-22 08:30:00	188.2	0	0	0	125	9.13	11.41	54.4	95.1	98.28	-0.5	-0.6	0	54.9	0.07	100	8219	98.27	54.8
2023-04-22 08:35:00	194.2	0	0	0	127	9.17	13.62	54.4	94.8	98.26	-0.4	-0.4	0	55	0.07	100	8222	98.26	54.9
2023-04-22 08:40:00	226.4	0	0	0	126	9.04	10.63	54.6	94.6	98.25	-0.6	-0.6	0	55.2	0.08	100	8225	98.25	55.1
2023-04-22 08:45:00	242.6	0	0	0	129	7.96	10.85	54.9	95	98.25	-0.6	-0.6	0	55.6	0.07	100	8231	98.24	55.3
2023-04-22 08:50:00	280	0	0	0	123	10.45	14.63	55.3	93.9	98.24	-0.5	-0.5	0	56	0.09	100	8232	98.24	55.7
2023-04-22 08:55:00	275.6	0	0	0	130	8.05	10.76	55.6	94	98.23	-0.6	-0.4	0	56.4	0.09	100	8237	98.23	56
2023-04-22 09:00:00	242.8	0	0	0	126	8.63	10.83	55.9	93.2	98.23	-0.4	-0.6	0	56.6	0.1	100	8238	98.22	56.4
2023-04-22 09:05:00	204.8	0	0	0	132	8.88	11.39	56.2	92.8	98.22	-0.7	-0.6	0	56.7	0.11	100	8238	98.21	56.7
2023-04-22 09:10:00	205.8	0	0	0	138	11.56	15.86	56.4	92.5	98.2	-0.6	-0.6	0	57	0.12	100	8238	98.2	56.9
2023-04-22 09:15:00	222	0	0	0	139	13.22	17.92	56.7	91.4	98.19	-0.8	-0.6	0	57.2	0.13	100	8241	98.19	57.1
2023-04-22 09:20:00	274.4	0	0	0	143	12.12	14.79	57.1	91.4	98.18	-0.6	-0.5	0	57.7	0.14	100	8244	98.18	57.4
2023-04-22 09:25:00	313.6	0	0	0	142	13.11	17.34	57.5	90.5	98.16	-0.6	-0.4	0	58.2	0.15	100	8251	98.17	57.8
2023-04-22 09:30:00	415.8	0	0	0	150	12.48	17.36	58.1	89.7	98.16	-0.6	-0.5	0	59	0.17	100	8260	98.17	58.3
2023-04-22 09:35:00	381.8	0	0	0	150	12.37	18.3	59.1	88.2	98.15	-0.2	-0.7	0	59.9	0.2	100	8261	98.16	59
2023-04-22 09:40:00	330.8	0	0	0	149	16.35	22.91	59.6	86.4	98.14	-0.8	0.3	0	60.2	0.24	100	8267	98.15	59.6
2023-04-22 09:45:00	313.8	0	0	0	144	16.26	19.55	60	85.3	98.13	-0.6	-0.5	0	60.6	0.26	100	8270	98.14	60
2023-04-22 09:50:00	366.2	0	0	0	139	16.69	20.74	60.3	84.8	98.11	-0.1	-0.2	0	61	0.27	100	8272	98.13	60.4
2023-04-22 09:55:00	314	0	0	0	139	16.91	19.98	60.7	83.4	98.11	-0.2	-0.6	0	61.3	0.3	100	8274	98.13	60.8
2023-04-22 10:00:00	281.6	0	0	0	135	16.71	21.63	60.9	82.6	98.11	-0.3	-0.5	0	61.5	0.32	100	8277	98.12	61.1
2023-04-22 10:05:00	289.6	0	0	0	139	16.98	23.76	61.2	81.8	98.11	-0.2	-1.2	0	61.7	0.33	100	8279	98.12	61.4
2023-04-22 10:10:00	320.2	0	0	0	144	16.04	21.21	61.4	82.1	98.11	-0.3	-0.9	0	62	0.33	100	8282	98.11	61.6
2023-04-22 10:15:00	349.2	0	0	0	144	15.35	20.2	61.9	81.6	98.1	-0.8	-0.6	0	62.6	0.35	100	8288	98.11	62
2023-04-22 10:20:00	384.4	0	0	0	140	17.72	29.68	62.4	80	98.09	-0.8	-1.6	0	63.1	0.38	100	8289	98.1	62.4
2023-04-22 10:25:00	405.4	0	0	0	145	17.11	22.86	62.9	78.5	98.08	-0.4	-0.8	0	63.6	0.42	100	8294	98.1	62.8
2023-04-22 10:30:00	438	0	0	0	144	17.05	23.94	63.4	77.5	98.06	0	-0.5	0	64.1	0.45	100	8300	98.09	63.3
2023-04-22 10:35:00	495.2	0	0	0	144	15.37	18.79	64.1	76.2	98.06	-0.2	-0.7	0	64.9	0.49	100	8308	98.08	63.8
2023-04-22 10:40:00	440.4	0	0	0	146	17.96	24.49	64.9	74.5	98.05	-0.3	-0.4	0	65.6	0.53	100	8310	98.07	64.5
2023-04-22 10:45:00	341.4	0	0	0	146	17.31	24.07	64.9	73.8	98.05	0	-1	0	65.6	0.55	100	8311	98.07	64.8
2023-04-22 10:50:00	382	0	0	0	151	16.33	23.69	65.2	73.9	98.05	-0.1	-1.4	0	65.9	0.55	100	8317	98.06	65.1
2023-04-22 10:55:00	412	0	0	0	146	16.15	24.67	65.4	72.8	98.05	-0.4	-0.3	0	66.2	0.58	100	8320	98.06	65.3

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-22 11:00:00	633.6	0	0	0	151	15.88	22.79	66.4	71.6	98.01	-0.1	-0.6	0	67.2	0.63	100	8331	98.04	65.7
2023-04-22 11:05:00	606.8	0	0	0	144	18.45	27.02	67.5	68.9	97.99	-0.2	0	0	68.2	0.71	100	8340	98.03	66.5
2023-04-22 11:10:00	714.6	0	0	0	144	18.77	26.82	68.5	67.1	97.98	-0.6	-0.5	0	69.2	0.78	100	8346	98.02	67.2
2023-04-22 11:15:00	411.4	0	0	0	145	18.95	28.57	68.8	66.2	98	-0.4	-1.3	0	69.4	0.81	100	8342	98.01	67.9
2023-04-22 11:20:00	371	0	0	0	144	18.57	25.01	68.4	65.5	98	-0.8	-1.3	0	69	0.82	100	8345	98.01	68.2
2023-04-22 11:25:00	461.4	0	0	0	146	19.17	28.01	68.3	64.8	97.99	0.1	-1	0	69	0.83	100	8346	98	68.3
2023-04-22 11:30:00	539.4	0	0	0	147	19.8	28.5	69	63.7	97.96	-0.7	0	0	69.6	0.88	100	8352	97.98	68.6
2023-04-22 11:35:00	561.4	0	0	0	156	17.6	23.31	69.7	63.4	97.96	-0.5	-0.2	0	70.3	0.9	100	8356	97.98	69.1
2023-04-22 11:40:00	479	0	0	0	145	19.04	26.49	70.1	61.8	97.97	-0.8	-0.5	0	70.8	0.96	100	8356	97.97	69.6
2023-04-22 11:45:00	401.6	0	0	0	147	20.18	25.59	70.1	60.5	97.94	0	-1.5	0	70.7	0.99	100	8355	97.96	69.7
2023-04-22 11:50:00	370	0	0	0	154	22.91	27.89	69.9	59.5	97.92	0.6	-1.5	0	70.5	1.01	100	8355	97.93	69.8
2023-04-22 11:55:00	382.6	0	0	0	150	20.47	28.52	70	59.6	97.93	0.5	-0.7	0	70.6	1.01	100	8355	97.94	69.9
2023-04-22 12:00:00	410.4	0	0	0	148	23.4	31.23	70.1	58.4	97.91	-0.2	-0.8	0	70.7	1.04	100	8355	97.94	70
2023-04-22 12:05:00	466	0	0	0	145	18.28	26.82	70.4	58.7	97.93	-0.3	-0.6	0	71.1	1.05	100	8360	97.93	70.2
2023-04-22 12:10:00	547.4	0	0	0	146	18.97	25.77	70.7	58.4	97.92	-0.2	-0.2	0	71.4	1.07	100	8364	97.93	70.4
2023-04-22 12:15:00	552.4	0	0	0	148	18.99	25.95	71.3	58.4	97.9	-0.4	-1.5	0	72	1.09	100	8365	97.92	70.8
2023-04-22 12:20:00	289.8	0	0	0	144	23.71	33.24	71.1	58.7	97.9	-1.3	-0.1	0	71.7	1.07	100	8361	97.92	70.9
2023-04-22 12:25:00	231.6	0	0	0	146	24.56	31	70.6	58.8	97.89	-2.4	0	0	70.9	1.05	100	8362	97.9	70.6
2023-04-22 12:30:00	157	0	0	0	137	25.19	36.66	70.1	58.3	97.88	-1.1	0.6	0	70.3	1.05	100	8358	97.91	70.3
2023-04-22 12:35:00	167.4	0	0	0	145	24.58	30.62	69.6	58.6	97.89	-0.3	0.5	0	69.8	1.02	100	8358	97.91	69.9
2023-04-22 12:40:00	237.4	0	0	0	143	23.94	31.45	69.4	59.6	97.92	-0.9	-1.5	0	69.8	0.99	100	8356	97.92	69.8
2023-04-22 12:45:00	197.2	0	0	0	148	21.43	31.92	69.3	60.2	97.94	-1	-1	0	69.7	0.97	100	8355	97.92	69.7
2023-04-22 12:50:00	85.2	0	0	0	155	25.86	34.99	69.4	55.4	97.92	0	-0.5	0	69.6	1.09	100	8351	97.91	69.8
2023-04-22 12:55:00	64.4	0	0	0	166	21.72	31.03	69.7	53	97.96	-0.1	-0.4	0	69.7	1.16	100	8349	97.93	69.8
2023-04-22 13:00:00	45.4	0	0	0	168	24.02	32.23	69.7	51.3	97.96	-0.1	-0.7	0	69.8	1.21	100	8346	97.94	69.8
2023-04-22 13:05:00	39.4	0	0	0	189	24.63	35.28	68.9	55.4	98	0.7	0.2	0	68.9	1.07	100	8342	97.94	68.9
2023-04-22 13:10:00	141.6	0	0	0	179	19.73	26.22	67.7	58.9	97.99	-0.7	-0.1	0	67.8	0.95	100	8342	97.94	68
2023-04-22 13:15:00	343	0	0	0	180	18.75	27.07	67.6	59.3	97.99	-0.4	-0.3	0	68.2	0.94	100	8346	97.97	68.1
2023-04-22 13:20:00	252.2	0	0	0	174	17.87	28.12	68.1	58.8	98.01	0.4	-0.3	0	68.6	0.97	100	8346	97.98	68.7
2023-04-22 13:25:00	272.8	0	0	0	172	23.24	31.43	68.7	56.5	97.98	-0.5	0.1	0	69.2	1.04	100	8344	97.96	69.1
2023-04-22 13:30:00	393.8	0.00067	0	0	178	29.15	45.95	69.3	52.8	97.97	1	-0.9	0.04	69.9	1.15	100	8347	97.92	69.5
2023-04-22 13:35:00	364.6	0	0	0	177	25.32	36.57	69.8	51	97.96	-1.9	0.7	0	70.4	1.22	100	8349	97.96	69.8
2023-04-22 13:40:00	530	0	0	0	169	29.75	38.3	70.4	50.4	97.97	0.2	-0.1	0	71	1.26	100	8350	97.97	70.1
2023-04-22 13:45:00	515.6	0	0	0	171	25.55	32.88	71.1	49	97.98	-0.5	0.1	0	71.6	1.32	100	8353	97.97	70.4
2023-04-22 13:50:00	722.4	0	0	0	184	25.14	36.84	71.7	48.1	97.96	0.1	-0.1	0	72.3	1.37	100	8357	97.96	70.8
2023-04-22 13:55:00	721.8	0	0	0	192	24	35.48	72.3	47.1	97.96	-0.7	-0.8	0	72.9	1.43	100	8358	97.96	71.2
2023-04-22 14:00:00	683.2	0	0	0	196	21.83	36.42	72.9	47.2	97.98	-0.1	-2.2	0	73.6	1.45	100	8361	97.97	71.7
2023-04-22 14:05:00	856.2	0	0	0	186	26.11	41.34	73.4	46.6	97.96	0	-1.1	0	74	1.5	100	8361	97.96	71.9
2023-04-22 14:10:00	595.4	0	0	0	186	23.76	34.83	73.7	47.2	97.98	-0.5	-1.1	0	74.3	1.5	100	8360	97.96	72.2
2023-04-22 14:15:00	469.4	0	0	0	175	22.35	29.68	73.4	47.4	97.98	0.5	-0.8	0	73.9	1.48	100	8362	97.97	72.2
2023-04-22 14:20:00	390.6	0	0	0	187	20.76	29.17	72.9	48.3	98	0.1	-0.3	0	73.5	1.43	100	8359	97.98	72.2
2023-04-22 14:25:00	529.2	0	0	0	194	16.8	25.46	72.8	48.7	98	-0.6	-0.6	0	73.4	1.41	100	8364	98	72.2
2023-04-22 14:30:00	429.4	0	0	0	217	18.34	30.65	72.8	47.6	98.04	-0.2	-0.1	0	73.5	1.44	100	8361	98.01	72.4
2023-04-22 14:35:00	535.4	0	0	0	223	16.84	27.87	72.6	48	98.04	-0.1	-1.5	0	73.3	1.42	100	8359	98.03	72.3
2023-04-22 14:40:00	431.4	0	0	0	215	18.77	28.66	72.4	47.6	98.05	-0.7	-0.9	0	72.9	1.42	100	8358	98.02	72.1
2023-04-22 14:45:00	339.2	0	0	0	220	19.35	25.95	71.9	47.8	98.05	-0.6	-0.9	0	72.4	1.39	100	8358	98.03	71.9
2023-04-22 14:50:00	322.8	0	0	0	222	13.38	18.95	71.4	48.7	98.07	-0.3	-0.7	0	72	1.34	100	8359	98.04	71.7
2023-04-22 14:55:00	211.6	0	0	0	225	13.94	25.9	71.1	49.2	98.07	-0.6	-0.7	0	71.6	1.32	100	8360	98.04	71.6
2023-04-22 15:00:00	297.8	0	0	0	236	14.94	26.02	70.8	48.1	98.07	0.2	-0.3	0	71.3	1.34	100	8358	98.05	71.4
2023-04-22 15:05:00	286.2	0	0	0	259	18.43	28.12	70.2	53.7	98.09	-0.7	-1.1	0	70.7	1.16	100	8354	98.06	70.9
2023-04-22 15:10:00	163.8	0	0	0	261	17.58	24.7	68.9	56.2	98.11	-0.2	0.2	0	69.3	1.06	100	8352	98.07	69.8
2023-04-22 15:15:00	164.4	0	0	0	262	18.48	25.97	67.6	58.4	98.12	0.4	-0.9	0	67.8	0.96	100	8352	98.09	68.7
2023-04-22 15:20:00	222.8	0	0	0	257	19.69	26.35	66.6	60.3	98.12	-0.1	-0.5	0	66.9	0.88	100	8350	98.08	67.9
2023-04-22 15:25:00	264.6	0	1	19	257	19.62	27.4	65.7	62.1	98.12	-0.7	-0.3	0	66.1	0.82	100	8351	98.09	67.3
2023-04-22 15:30:00	332.8	0	0	0	260	14.85	21.63	65.2	63.6	98.13	-0.6	-0.4	0	65.8	0.77	100	8351	98.1	67
2023-04-22 15:35:00	285.6	0	0	0	254	17.22	27.58	64.9	64.4	98.15	-0.4	-0.6	0	65.5	0.75	100	8346	98.12	66.8
2023-04-22 15:40:00	194.8	0	0	0	240	14.54	24.27	64.7	64.6	98.17	-0.4	0.1	0	65.1	0.74	100	8346	98.13	66.4
2023-04-22 15:45:00	129	0	0	0	241	19.3	30.65	64.3	63.2	98.18	-0.7	-0.9	0	64.5	0.76	100	8343	98.14	65.9
2023-04-22 15:50:00	96.6	0	0	0	240	16.53	22.41	63.9	63.2	98.19	-0.3	-1	0	64	0.74	100	8342	98.15	65.5
2023-04-22 15:55:00	68.6	0	0	0	242	14.41	20.13	63.5	64	98.19	0.1	-0.6	0	63.6	0.72	100	8341	98.15	65

z6-17454
Records: 8640

Timestamps	Port1 ATMOS 41 All-in-one Weather Station															Port7 Battery		Port8 Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-22 16:00:00	48.2	0	0	0	254	12.3	17.43	63.2	64.6	98.19	-0.2	-0.5	0	63.4	0.7	100	8339	98.15	64.6
2023-04-22 16:05:00	46.4	0	0	0	276	15.68	25.57	62.9	65.5	98.2	-0.3	-1	0	63	0.68	100	8337	98.15	64.2
2023-04-22 16:10:00	41.6	0	0	0	293	15.48	21.45	62.5	67.7	98.21	-0.1	-1	0	62.5	0.62	100	8333	98.17	63.4
2023-04-22 16:15:00	37.2	0	0	0	299	17.31	27.67	61.5	69.2	98.23	-0.2	-0.7	0	61.6	0.57	100	8335	98.18	62.5
2023-04-22 16:20:00	36.8	0	0	0	296	16.62	26.02	60.5	70.8	98.25	-0.3	-0.7	0	60.6	0.53	100	8332	98.22	61.4
2023-04-22 16:25:00	40.6	0.00134	0	0	271	12.46	19.04	59.7	74.2	98.3	-0.5	-1	0.04	59.8	0.45	100	8330	98.26	60
2023-04-22 16:30:00	33.4	0.00469	0	0	270	15.52	22.57	58.6	76.2	98.33	-0.1	-0.4	0.08	58.6	0.4	100	8329	98.3	58.7
2023-04-22 16:35:00	28.6	0.00469	0	0	267	15.95	21.5	57.3	77.8	98.35	-0.9	-0.8	0.08	57.3	0.36	100	8326	98.32	57.7
2023-04-22 16:40:00	26.4	0.00536	0	0	262	16.69	22.03	55.9	79.5	98.37	-0.4	-0.3	0.08	55.9	0.31	100	8323	98.33	56.9
2023-04-22 16:45:00	28.2	0.00737	0	0	267	11.54	17.36	54.9	83	98.37	-0.8	-0.5	0.12	54.9	0.25	100	8323	98.34	56.2
2023-04-22 16:50:00	34.8	0.00938	0	0	269	12.66	16.15	54	85.4	98.38	-0.5	-0.3	0.12	54	0.21	100	8320	98.34	55.7
2023-04-22 16:55:00	38.2	0.00737	0	0	270	12.5	18.68	53.4	87	98.38	-1	-0.8	0.12	53.6	0.18	100	8320	98.34	55.2
2023-04-22 17:00:00	39.2	0.00804	0	0	268	12.44	17.96	53.1	88.4	98.37	-0.8	-0.6	0.12	53.2	0.16	100	8318	98.34	54.8
2023-04-22 17:05:00	37.2	0.00804	0	0	272	14.2	21.68	52.9	89.3	98.38	-0.8	-0.5	0.12	53	0.15	100	8317	98.34	54.4
2023-04-22 17:10:00	36.4	0.0067	0	0	274	17.47	21.79	52.3	88.8	98.37	-0.4	-0.5	0.12	52.4	0.15	100	8315	98.34	53.8
2023-04-22 17:15:00	31	0.0067	0	0	267	13.15	18.19	51.8	89.6	98.38	-1.4	-0.6	0.12	51.8	0.14	100	8314	98.36	53.2
2023-04-22 17:20:00	25	0.00737	0	0	268	13.44	17.13	51.4	90.6	98.39	-0.6	-0.7	0.12	51.4	0.12	100	8312	98.36	52.8
2023-04-22 17:25:00	20.4	0.01072	0	0	267	10.42	13.51	51	91.3	98.4	-0.6	-0.7	0.161	51	0.11	100	8309	98.38	52.5
2023-04-22 17:30:00	16.4	0.01072	0	0	275	11.01	14.9	50.6	92.6	98.41	-0.8	-0.7	0.161	50.8	0.09	100	8310	98.38	52.1
2023-04-22 17:35:00	12.2	0.01005	0	0	270	10.38	16.15	50.5	92.7	98.42	-1	-0.4	0.161	50.5	0.09	100	8311	98.4	51.8
2023-04-22 17:40:00	10.2	0.01407	0	0	267	13.13	19.71	50.2	92.9	98.43	-0.9	-0.4	0.201	50.2	0.09	100	8309	98.41	51.4
2023-04-22 17:45:00	10.2	0.01541	0	0	279	13.22	19.73	49.8	93.2	98.44	-0.5	-0.6	0.241	49.8	0.08	100	8307	98.42	51
2023-04-22 17:50:00	11	0.00804	0	0	273	14.56	19.3	49.5	93.3	98.46	-0.3	-0.6	0.12	49.5	0.08	100	8304	98.43	50.6
2023-04-22 17:55:00	10.8	0.01273	0	0	271	12.93	23.29	49.2	93.2	98.48	-0.5	-0.9	0.201	49.2	0.08	100	8304	98.46	50.2
2023-04-22 18:00:00	9.2	0.01005	0	0	272	13.51	20.67	48.9	93.4	98.51	-0.8	-0.9	0.161	48.9	0.08	100	8304	98.48	49.8
2023-04-22 18:05:00	9	0.01139	0	0	269	13.15	19.06	48.5	93.4	98.52	-0.4	-0.2	0.201	48.5	0.08	100	8303	98.51	49.4
2023-04-22 18:10:00	8.2	0.01273	0	0	265	9.75	15.97	48.2	93.7	98.55	-1.1	-0.7	0.201	48.2	0.07	100	8304	98.53	49.1
2023-04-22 18:15:00	6.4	0.01206	0	0	270	11.36	11.36	47.8	94.2	98.57	-0.8	-0.5	0.201	47.8	0.07	100	8301	98.54	48.8
2023-04-22 18:20:00	6.4	0.01005	0	0	252	13.53	14.72	47.6	94.2	98.57	-0.8	-0.4	0.161	47.6	0.06	100	8298	98.55	48.6
2023-04-22 18:25:00	6.4	0.01407	0	0	263	13.47	13.44	47.4	93.6	98.57	-0.6	-0.5	0.201	47.4	0.07	100	8298	98.55	48.3
2023-04-22 18:30:00	6.2	0.01206	0	0	#N/A	#N/A	#N/A	47.2	94	98.57	-0.6	-0.4	0.161	47.2	#N/A	100	8299	98.55	48.1
2023-04-22 18:35:00	7	0.00938	0	0	#N/A	#N/A	#N/A	47	94.1	98.57	-0.9	-0.7	0.12	47	#N/A	100	8297	98.55	47.9
2023-04-22 18:40:00	7	0.01273	0	0	#N/A	#N/A	#N/A	46.9	94.7	98.58	-0.9	-0.7	0.161	46.9	#N/A	100	8297	98.56	47.7
2023-04-22 18:45:00	7.2	0.01206	0	0	#N/A	#N/A	#N/A	46.9	94.9	98.57	-0.8	-0.3	0.161	46.9	#N/A	100	8296	98.54	47.6
2023-04-22 18:50:00	8	0.00737	0	0	#N/A	#N/A	#N/A	46.8	95.4	98.56	-0.8	-0.5	0.12	46.8	#N/A	100	8295	98.54	47.5
2023-04-22 18:55:00	7	0.01206	0	0	#N/A	#N/A	#N/A	46.8	95.5	98.56	-0.8	-0.4	0.201	46.8	#N/A	100	8294	98.53	47.4
2023-04-22 19:00:00	4.8	0.01407	0	0	#N/A	#N/A	#N/A	46.8	95.7	98.54	-0.9	-0.6	0.241	46.8	#N/A	100	8295	98.52	47.3
2023-04-22 19:05:00	4	0.01206	0	0	#N/A	#N/A	#N/A	46.8	95.7	98.54	-0.9	-0.4	0.161	46.8	#N/A	100	8292	98.52	47.3
2023-04-22 19:10:00	4	0.00603	0	0	#N/A	#N/A	#N/A	46.7	95.5	98.54	-0.8	-0.4	0.08	46.7	#N/A	100	8293	98.52	47.2
2023-04-22 19:15:00	5.4	0.00134	0	0	#N/A	#N/A	#N/A	46.7	95.8	98.55	-0.9	-0.5	0.04	46.7	#N/A	100	8294	98.54	47.1
2023-04-22 19:20:00	5.2	0.00134	0	0	#N/A	#N/A	#N/A	46.7	95.9	98.57	-0.8	-0.5	0.04	46.7	#N/A	100	8290	98.55	47.1
2023-04-22 19:25:00	3.4	0.00067	0	0	#N/A	#N/A	#N/A	46.7	95.8	98.57	-0.9	-0.6	0.04	46.7	#N/A	100	8293	98.54	47.1
2023-04-22 19:30:00	4	0	0	0	#N/A	#N/A	#N/A	46.8	95.1	98.56	-0.8	-0.5	0	46.8	#N/A	100	8291	98.55	47
2023-04-22 19:35:00	5.6	0	0	0	#N/A	#N/A	#N/A	46.9	95.3	98.59	-0.8	-0.4	0	46.9	#N/A	100	8289	98.57	47.2
2023-04-22 19:40:00	5	0	0	0	#N/A	#N/A	#N/A	46.9	95.4	98.6	-0.8	-0.5	0	46.9	#N/A	100	8289	98.58	47.3
2023-04-22 19:45:00	4	0	0	0	#N/A	#N/A	#N/A	46.9	95.2	98.59	-0.9	-0.5	0	46.9	#N/A	100	8289	98.57	47.3
2023-04-22 19:50:00	3.2	0	0	0	#N/A	#N/A	#N/A	46.9	94.8	98.59	-0.7	-0.5	0	46.9	#N/A	100	8290	98.57	47.3
2023-04-22 19:55:00	0	0	0	0	#N/A	#N/A	#N/A	46.9	94.9	98.6	-0.8	-0.7	0	46.9	#N/A	100	8287	98.58	47.2
2023-04-22 20:00:00	0	0	0	0	#N/A	#N/A	#N/A	46.9	94.9	98.6	-0.8	-0.5	0	47	#N/A	100	8286	98.58	47.2
2023-04-22 20:05:00	0	0	0	0	#N/A	#N/A	#N/A	46.9	94.7	98.61	-0.9	-0.5	0	46.9	#N/A	100	8286	98.59	47.2
2023-04-22 20:10:00	0	0	0	0	#N/A	#N/A	#N/A	47	94.5	98.59	-0.8	-0.5	0	47	#N/A	100	8285	98.58	47.2
2023-04-22 20:15:00	0	0	0	0	#N/A	#N/A	#N/A	47	94.1	98.61	-0.8	-0.4	0	47	#N/A	100	8283	98.6	47.2
2023-04-22 20:20:00	0	0	0	0	#N/A	#N/A	#N/A	47	93.9	98.62	-0.8	-0.6	0	47	#N/A	100	8285	98.6	47.2
2023-04-22 20:25:00	0	0	0	0	#N/A	#N/A	#N/A	47	93.8	98.61	-0.8	-0.5	0	47	#N/A	100	8284	98.59	47.2
2023-04-22 20:30:00	0	0	0	0	#N/A	#N/A	#N/A	46.9	93.6	98.6	-0.8	-0.6	0	46.9	#N/A	100	8284	98.58	47.2
2023-04-22 20:35:00	0	0	0	0	#N/A	#N/A	#N/A	46.9	93.5	98.63	-0.7	-0.5	0	46.9	#N/A	100	8263	98.61	47.3
2023-04-22 20:40:00	0	0	0	0	#N/A	#N/A	#N/A	46.9	93.2	98.64	-0.7	-0.5	0	47	#N/A	100	8268	98.62	47.5
2023-04-22 20:45:00	0	0	0	0	#N/A	#N/A	#N/A	46.9	92.7	98.66	-0.8	-0.5	0	46.9	#N/A	100	8270	98.64	47.4
2023-04-22 20:50:00	0	0	0	0	#N/A	#N/A	#N/A	46.9	92.7	98.65	-0.8	-0.6	0	46.9	#N/A	100	8271	98.63	47.4
2023-04-22 20:55:00	0	0	0	0	#N/A	#N/A	#N/A	47	92.2	98.65	-1	-0.5	0	47	#N/A	100	8271	98.63	47.3

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-22 21:00:00	0	0	0	0	#N/A	#N/A	#N/A	46.9	92.5	98.65	-0.7	-0.5	0	46.9	#N/A	100	8272	98.63	47.3
2023-04-22 21:05:00	0	0	0	0	#N/A	#N/A	#N/A	46.8	92.7	98.65	-0.7	-0.5	0	46.9	#N/A	100	8270	98.64	47.1
2023-04-22 21:10:00	0	0	0	0	#N/A	#N/A	#N/A	46.8	92.7	98.66	-0.9	-0.5	0	46.8	#N/A	100	8270	98.64	47
2023-04-22 21:15:00	0	0	0	0	#N/A	#N/A	#N/A	46.6	92.1	98.68	-0.9	-0.5	0	46.6	#N/A	100	8269	98.66	46.8
2023-04-22 21:20:00	0	0	0	0	#N/A	#N/A	#N/A	46.6	92.1	98.69	-0.7	-0.5	0	46.6	#N/A	100	8269	98.67	46.7
2023-04-22 21:25:00	0	0	0	0	#N/A	#N/A	#N/A	46.5	92	98.7	-0.7	-0.5	0	46.5	#N/A	100	8267	98.68	46.6
2023-04-22 21:30:00	0	0	0	0	#N/A	#N/A	#N/A	46.4	91.6	98.71	-0.7	-0.6	0	46.4	#N/A	100	8267	98.7	46.5
2023-04-22 21:35:00	0	0	0	0	#N/A	#N/A	#N/A	46.3	91.6	98.73	-0.8	-0.4	0	46.3	#N/A	100	8268	98.71	46.3
2023-04-22 21:40:00	0	0	0	0	#N/A	#N/A	#N/A	46.1	91.9	98.75	-0.9	-0.4	0	46.1	#N/A	100	8268	98.73	46.2
2023-04-22 21:45:00	0	0	0	0	#N/A	#N/A	#N/A	46.1	92.1	98.75	-0.8	-0.5	0	46.1	#N/A	100	8267	98.73	45.9
2023-04-22 21:50:00	0	0	0	0	#N/A	#N/A	#N/A	46	92.5	98.75	-0.8	-0.5	0	46	#N/A	100	8265	98.73	45.6
2023-04-22 21:55:00	0	0	0	0	#N/A	#N/A	#N/A	45.9	92.3	98.76	-0.8	-0.5	0	45.9	#N/A	100	8265	98.74	45.5
2023-04-22 22:00:00	0	0	0	0	#N/A	#N/A	#N/A	45.8	92.7	98.75	-0.7	-0.4	0	45.8	#N/A	100	8265	98.73	45.5
2023-04-22 22:05:00	0	0	0	0	#N/A	#N/A	#N/A	45.8	92.9	98.76	-0.8	-0.5	0	45.8	#N/A	100	8263	98.75	45.5
2023-04-22 22:10:00	0	0	0	0	#N/A	#N/A	#N/A	45.8	93.7	98.78	-0.9	-0.5	0	45.8	#N/A	100	8263	98.77	45.5
2023-04-22 22:15:00	0	0	0	0	#N/A	#N/A	#N/A	45.8	95.1	98.79	-0.8	-0.5	0	45.8	#N/A	100	8264	98.77	45.5
2023-04-22 22:20:00	0	0	0	0	#N/A	#N/A	#N/A	45.9	95	98.79	-0.8	-0.6	0	45.9	#N/A	100	8263	98.76	45.5
2023-04-22 22:25:00	0	0	0	0	#N/A	#N/A	#N/A	45.9	94.2	98.77	-0.8	-0.5	0	45.9	#N/A	100	8263	98.75	45.4
2023-04-22 22:30:00	0	0	0	0	#N/A	#N/A	#N/A	45.9	93.1	98.78	-0.8	-0.5	0	45.8	#N/A	100	8264	98.75	45.5
2023-04-22 22:35:00	0	0	0	0	#N/A	#N/A	#N/A	45.9	92.3	98.78	-0.8	-0.5	0	45.9	#N/A	100	8263	98.77	45.6
2023-04-22 22:40:00	0	0	0	0	#N/A	#N/A	#N/A	45.9	93	98.79	-0.8	-0.5	0	45.9	#N/A	100	8262	98.77	45.6
2023-04-22 22:45:00	0	0	0	0	#N/A	#N/A	#N/A	45.9	94.3	98.79	-0.8	-0.4	0	45.9	#N/A	100	8263	98.77	45.5
2023-04-22 22:50:00	0	0	0	0	#N/A	#N/A	#N/A	45.9	95.2	98.8	-0.9	-0.6	0	45.9	#N/A	100	8259	98.78	45.4
2023-04-22 22:55:00	0	0	0	0	#N/A	#N/A	#N/A	45.9	94.5	98.8	-0.8	-0.6	0	45.9	#N/A	100	8262	98.78	45.3
2023-04-22 23:00:00	0	0	0	0	#N/A	#N/A	#N/A	45.8	94.1	98.8	-0.8	-0.6	0	45.8	#N/A	100	8260	98.78	45.2
2023-04-22 23:05:00	0	0	0	0	#N/A	#N/A	#N/A	45.7	93.5	98.8	-0.8	-0.5	0	45.7	#N/A	100	8260	98.78	45.1
2023-04-22 23:10:00	0	0	0	0	#N/A	#N/A	#N/A	45.7	93.2	98.79	-0.8	-0.5	0	45.7	#N/A	100	8259	98.77	45.2
2023-04-22 23:15:00	0	0	0	0	#N/A	#N/A	#N/A	45.8	92.3	98.78	-0.9	-0.4	0	45.8	#N/A	100	8258	98.76	45.4
2023-04-22 23:20:00	0	0	0	0	#N/A	#N/A	#N/A	45.9	92	98.78	-0.8	-0.6	0	45.9	#N/A	100	8259	98.76	45.6
2023-04-22 23:25:00	0	0	0	0	#N/A	#N/A	#N/A	46	91.6	98.78	-0.8	-0.5	0	46	#N/A	100	8259	98.76	45.7
2023-04-22 23:30:00	0	0	0	0	#N/A	#N/A	#N/A	46	91.6	98.78	-0.8	-0.5	0	46	#N/A	100	8260	98.76	45.8
2023-04-22 23:35:00	0	0	0	0	#N/A	#N/A	#N/A	46	91	98.78	-0.9	-0.4	0	46	#N/A	100	8257	98.75	45.8
2023-04-22 23:40:00	0	0	0	0	#N/A	#N/A	#N/A	46	91	98.76	-0.9	-0.5	0	46	#N/A	100	8257	98.74	45.7
2023-04-22 23:45:00	0	0	0	0	#N/A	#N/A	#N/A	45.9	91.2	98.77	-1	-0.5	0	45.9	#N/A	100	8258	98.75	45.6
2023-04-22 23:50:00	0	0	0	0	#N/A	#N/A	#N/A	45.8	90.5	98.77	-0.8	-0.6	0	45.8	#N/A	100	8256	98.75	45.5
2023-04-22 23:55:00	0	0	0	0	#N/A	#N/A	#N/A	45.8	90.5	98.76	-0.8	-0.5	0	45.8	#N/A	100	8256	98.75	45.4
2023-04-23 00:00:00	0	0	0	0	#N/A	#N/A	#N/A	45.6	90	98.76	-0.7	-0.6	0	45.6	#N/A	100	8253	98.74	45.3
2023-04-23 00:05:00	0	0	0	0	#N/A	#N/A	#N/A	45.5	90.7	98.75	-0.7	-0.4	0	45.5	#N/A	100	8230	98.73	45.3
2023-04-23 00:10:00	0	0	0	0	#N/A	#N/A	#N/A	45.3	90.5	98.75	-0.8	-0.5	0	45.3	#N/A	100	8222	98.73	45.4
2023-04-23 00:15:00	0	0	0	0	#N/A	#N/A	#N/A	45.3	90.5	98.74	-0.8	-0.5	0	45.3	#N/A	100	8218	98.72	45.4
2023-04-23 00:20:00	0	0	0	0	#N/A	#N/A	#N/A	45.2	90.3	98.73	-0.8	-0.6	0	45.2	#N/A	100	8233	98.72	45.3
2023-04-23 00:25:00	0	0	0	0	#N/A	#N/A	#N/A	45.2	90.1	98.74	-0.8	-0.4	0	45.2	#N/A	100	8234	98.72	45.1
2023-04-23 00:30:00	0	0	0	0	#N/A	#N/A	#N/A	45.1	90.3	98.75	-0.8	-0.5	0	45.1	#N/A	100	8235	98.73	44.9
2023-04-23 00:35:00	0	0	0	0	#N/A	#N/A	#N/A	45	90.2	98.75	-0.9	-0.6	0	45	#N/A	100	8232	98.73	44.9
2023-04-23 00:40:00	0	0	0	0	#N/A	#N/A	#N/A	45.1	89.9	98.75	-0.9	-0.6	0	45.1	#N/A	100	8236	98.73	44.6
2023-04-23 00:45:00	0	0	0	0	#N/A	#N/A	#N/A	44.9	90	98.76	-0.7	-0.5	0	44.9	#N/A	100	8235	98.74	44.3
2023-04-23 00:50:00	0	0	0	0	#N/A	#N/A	#N/A	44.7	90	98.76	-0.9	-0.5	0	44.7	#N/A	100	8232	98.74	44.2
2023-04-23 00:55:00	0	0	0	0	#N/A	#N/A	#N/A	44.7	89.6	98.76	-0.7	-0.5	0	44.7	#N/A	100	8235	98.74	44.1
2023-04-23 01:00:00	0	0	0	0	#N/A	#N/A	#N/A	44.6	89.9	98.77	-1	-0.4	0	44.6	#N/A	100	8233	98.75	44.1
2023-04-23 01:05:00	0	0	0	0	#N/A	#N/A	#N/A	44.7	89.7	98.77	-0.7	-0.5	0	44.7	#N/A	100	8234	98.75	44.2
2023-04-23 01:10:00	0	0	0	0	#N/A	#N/A	#N/A	44.7	90.1	98.77	-0.8	-0.5	0	44.7	#N/A	100	8230	98.75	44.2
2023-04-23 01:15:00	0	0	0	0	#N/A	#N/A	#N/A	44.6	89.9	98.76	-0.9	-0.5	0	44.6	#N/A	100	8230	98.74	44.2
2023-04-23 01:20:00	0	0	0	0	#N/A	#N/A	#N/A	44.7	89.2	98.76	-0.7	-0.6	0	44.7	#N/A	100	8232	98.74	44.3
2023-04-23 01:25:00	0	0	0	0	#N/A	#N/A	#N/A	44.8	89.1	98.75	-0.9	-0.5	0	44.8	#N/A	100	8232	98.74	44.3
2023-04-23 01:30:00	0	0	0	0	#N/A	#N/A	#N/A	44.8	89.3	98.76	-0.7	-0.5	0	44.8	#N/A	100	8231	98.75	44.3
2023-04-23 01:35:00	0	0	0	0	#N/A	#N/A	#N/A	44.8	88.7	98.76	-0.9	-0.5	0	44.8	#N/A	100	8232	98.75	44.4
2023-04-23 01:40:00	0	0	0	0	#N/A	#N/A	#N/A	44.9	89.3	98.77	-0.9	-0.5	0	44.9	#N/A	100	8229	98.75	44.5
2023-04-23 01:45:00	0	0	0	0	#N/A	#N/A	#N/A	45.1	88	98.77	-0.8	-0.5	0	45.1	#N/A	100	8232	98.75	44.6
2023-04-23 01:50:00	0	0	0	0	#N/A	#N/A	#N/A	45.2	89	98.77	-0.7	-0.5	0	45.2	#N/A	100	8232	98.75	44.7
2023-04-23 01:55:00	0	0	0	0	#N/A	#N/A	#N/A	45.2	89	98.76	-0.8	-0.6	0	45.2	#N/A	100	8231	98.74	44.7

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-23 02:00:00	0	0	0	0	216	3.69	4.14	45.3	88.1	98.76	-0.7	-0.5	0	45.3	0.12	100	8229	98.74	44.8
2023-04-23 02:05:00	0	0	0	0	241	3.58	6.4	45.4	88	98.76	-0.7	-0.4	0	45.4	0.12	100	8228	98.75	45
2023-04-23 02:10:00	0	0	0	0	254	4.68	7.23	45.6	87	98.76	-0.8	-0.5	0	45.5	0.14	100	8229	98.74	45.2
2023-04-23 02:15:00	0	0	0	0	271	3.85	6.82	45.8	87.4	98.76	-0.9	-0.7	0	45.8	0.13	100	8229	98.74	45.4
2023-04-23 02:20:00	0	0	0	0	282	3.56	4.79	45.6	88.1	98.76	-0.8	-0.6	0	45.6	0.12	100	8225	98.74	45.3
2023-04-23 02:25:00	0	0	0	0	268	4.21	5.99	45.5	88.1	98.76	-0.8	-0.7	0	45.6	0.12	100	8228	98.74	45.2
2023-04-23 02:30:00	0	0	0	0	262	4.97	7.36	45.5	88.6	98.76	-0.7	-0.5	0	45.5	0.12	100	8229	98.75	45.3
2023-04-23 02:35:00	0	0	0	0	266	4.81	6.4	45.6	88.7	98.76	-0.8	-0.7	0	45.6	0.12	100	8227	98.74	45.3
2023-04-23 02:40:00	0	0	0	0	269	4.85	6.4	45.5	89	98.76	-0.8	-0.5	0	45.5	0.11	100	8225	98.74	45.3
2023-04-23 02:45:00	0	0	0	0	260	5.17	7.05	45.5	89	98.76	-0.7	-0.5	0	45.5	0.11	100	8225	98.74	45.3
2023-04-23 02:50:00	0	0	0	0	251	5.14	7.96	45.5	89.7	98.76	-0.8	-0.5	0	45.5	0.11	100	8226	98.75	45.3
2023-04-23 02:55:00	0	0	0	0	243	6.29	8.14	45.7	88.8	98.76	-0.7	-0.6	0	45.7	0.12	100	8225	98.75	45.4
2023-04-23 03:00:00	0	0	0	0	239	6.22	7.76	45.8	88.7	98.77	-0.8	-0.5	0	45.8	0.12	100	8225	98.75	45.5
2023-04-23 03:05:00	0	0	0	0	227	5.21	6.87	45.9	87.8	98.77	-0.9	-0.4	0	45.9	0.13	100	8224	98.75	45.6
2023-04-23 03:10:00	0	0	0	0	203	3.58	5.46	45.9	88.4	98.77	-0.9	-0.5	0	45.9	0.12	100	8226	98.75	45.6
2023-04-23 03:15:00	0	0	0	0	186	2.75	4.34	45.9	88.1	98.77	-0.9	-0.5	0	45.9	0.12	100	8225	98.75	45.5
2023-04-23 03:20:00	0	0	0	0	184	2.39	3.96	45.9	88.9	98.77	-0.8	-0.4	0	45.9	0.12	100	8223	98.75	45.5
2023-04-23 03:25:00	0	0	0	0	197	1.81	2.44	45.8	90.4	98.77	-0.7	-0.5	0	45.8	0.1	100	8223	98.75	45.4
2023-04-23 03:30:00	0	0	0	0	189	2.3	3.02	45.6	89.8	98.77	-0.8	-0.5	0	45.6	0.11	100	8224	98.75	45.3
2023-04-23 03:35:00	0	0	0	0	195	2.19	3.76	45.6	89	98.77	-0.8	-0.4	0	45.6	0.11	100	8221	98.75	45.2
2023-04-23 03:40:00	0	0	0	0	222	2.91	6.31	45.6	89.1	98.77	-0.9	-0.4	0	45.5	0.11	100	8224	98.75	45.2
2023-04-23 03:45:00	0	0	0	0	209	2.86	3.74	45.5	89	98.77	-0.8	-0.6	0	45.5	0.11	100	8221	98.75	45.2
2023-04-23 03:50:00	0	0	0	0	220	3.56	5.21	45.5	89	98.77	-0.8	-0.6	0	45.5	0.11	100	8222	98.75	45.1
2023-04-23 03:55:00	0	0	0	0	230	5.84	8.23	45.5	89	98.76	-0.9	-0.5	0	45.5	0.11	100	8221	98.74	45.2
2023-04-23 04:00:00	0	0	0	0	241	6.8	9.62	45.8	88.7	98.77	-0.8	-0.5	0	45.8	0.12	100	8222	98.75	45.2
2023-04-23 04:05:00	0	0	0	0	254	6.38	7.87	45.8	88.5	98.77	-0.9	-0.5	0	45.7	0.12	100	8221	98.75	45.2
2023-04-23 04:10:00	0	0	0	0	260	7.61	10.16	45.7	88.4	98.77	-0.7	-0.6	0	45.7	0.12	100	8221	98.75	45.2
2023-04-23 04:15:00	0	0	0	0	261	6.85	9.73	45.6	88.1	98.77	-0.8	-0.7	0	45.6	0.12	100	8221	98.75	45.2
2023-04-23 04:20:00	0	0	0	0	263	5.79	10.27	45.7	88.1	98.77	-0.8	-0.5	0	45.7	0.12	100	8220	98.75	45.3
2023-04-23 04:25:00	0	0	0	0	257	6.51	9.15	45.7	87.5	98.78	-0.8	-0.6	0	45.7	0.13	100	8222	98.76	45.3
2023-04-23 04:30:00	0	0	0	0	256	5.99	8.86	45.9	87.2	98.78	-0.7	-0.5	0	45.9	0.13	100	8219	98.75	45.4
2023-04-23 04:35:00	0	0	0	0	259	7.43	10.6	45.8	86.9	98.77	-0.7	-0.5	0	45.8	0.14	100	8217	98.75	45.4
2023-04-23 04:40:00	0	0	0	0	256	6.85	10.67	45.8	86.9	98.78	-0.9	-0.5	0	45.8	0.14	100	8218	98.76	45.4
2023-04-23 04:45:00	0	0	0	0	254	7.27	13.11	45.8	87.1	98.78	-0.8	-0.5	0	45.8	0.14	100	8220	98.76	45.4
2023-04-23 04:50:00	0	0	0	0	252	6.4	8.72	45.8	87.3	98.78	-0.7	-0.5	0	45.9	0.13	100	8219	98.77	45.4
2023-04-23 04:55:00	0	0	0	0	251	6.22	8.23	45.8	87.1	98.79	-0.8	-0.5	0	45.8	0.14	100	8218	98.77	45.3
2023-04-23 05:00:00	0	0	0	0	254	5.84	9.48	45.7	87.1	98.8	-0.8	-0.5	0	45.8	0.13	100	8216	98.78	45.2
2023-04-23 05:05:00	0	0	0	0	252	6.91	10.67	45.7	87.2	98.81	-0.9	-0.5	0	45.6	0.13	100	8216	98.79	45.2
2023-04-23 05:10:00	0	0	0	0	251	6.02	8.37	45.6	87	98.81	-0.8	-0.5	0	45.6	0.14	100	8215	98.79	45.1
2023-04-23 05:15:00	0	0	0	0	240	6.11	10.29	45.5	87.1	98.81	-0.8	-0.5	0	45.5	0.13	100	8218	98.8	45
2023-04-23 05:20:00	0	0	0	0	249	6.04	11.52	45.5	87.4	98.82	-0.9	-0.6	0	45.5	0.13	100	8215	98.8	45
2023-04-23 05:25:00	0	0	0	0	249	6.38	9.04	45.4	87.1	98.83	-0.8	-0.3	0	45.4	0.13	100	8215	98.81	44.9
2023-04-23 05:30:00	0	0	0	0	248	6.22	8.37	45.5	87.6	98.84	-0.8	-0.6	0	45.5	0.13	100	8215	98.82	44.9
2023-04-23 05:35:00	0	0	0	0	248	8.12	11.88	45.4	87.7	98.84	-0.8	-0.5	0	45.4	0.13	100	8213	98.83	44.8
2023-04-23 05:40:00	0	0	0	0	248	9.08	16.55	45.4	87.1	98.85	-0.8	-0.5	0	45.4	0.13	100	8214	98.84	44.9
2023-04-23 05:45:00	0	0	0	0	244	7.83	15.86	45.4	87.4	98.86	-0.9	-0.4	0	45.4	0.13	100	8215	98.84	44.9
2023-04-23 05:50:00	0	0	0	0	254	7.96	11.07	45.4	86.2	98.86	-0.7	-0.4	0	45.4	0.14	100	8213	98.84	44.9
2023-04-23 05:55:00	0	0	0	0	253	8.05	12.12	45.3	85.9	98.87	-0.9	-0.5	0	45.3	0.15	100	8210	98.85	44.9
2023-04-23 06:00:00	0.2	0	0	0	252	8.19	11.97	45.2	85.3	98.87	-0.6	-0.5	0	45.2	0.15	100	8213	98.85	44.9
2023-04-23 06:05:00	1.2	0	0	0	258	5.77	8.14	45.2	86	98.87	-1	-0.5	0	45.2	0.14	100	8210	98.85	44.8
2023-04-23 06:10:00	2.6	0	0	0	262	6.33	9.66	45	86	98.87	-0.8	-0.5	0	45	0.14	100	8211	98.86	44.7
2023-04-23 06:15:00	4	0	0	0	267	6.38	8.88	44.8	86.4	98.88	-0.7	-0.4	0	44.8	0.14	100	8213	98.86	44.5
2023-04-23 06:20:00	5.8	0	0	0	266	6.91	10.45	44.8	86.3	98.88	-0.8	-0.6	0	44.8	0.14	100	8210	98.87	44.4
2023-04-23 06:25:00	7.8	0	0	0	262	8.01	11.16	44.6	84.8	98.89	-0.7	-0.4	0	44.6	0.15	100	8216	98.87	44.3
2023-04-23 06:30:00	14.2	0	0	0	263	9.35	14.25	44.4	82.4	98.9	-0.6	-0.5	0	44.4	0.17	100	8212	98.88	44.2
2023-04-23 06:35:00	20.2	0	0	0	267	9.04	13.11	44.4	82.4	98.91	-0.6	-0.4	0	44.4	0.17	100	8212	98.9	44.1
2023-04-23 06:40:00	25.6	0	0	0	265	8.88	11.9	44.2	82.3	98.92	-0.8	-0.4	0	44.3	0.17	100	8211	98.9	43.9
2023-04-23 06:45:00	30.8	0	0	0	268	8.25	11.74	44	82.2	98.91	-0.8	-0.5	0	44.1	0.17	100	8210	98.9	43.7
2023-04-23 06:50:00	36	0	0	0	268	8.12	11.79	43.9	82.4	98.92	-0.8	-0.5	0	44.1	0.17	100	8212	98.9	43.5
2023-04-23 06:55:00	37	0	0	0	267	8.55	11.45	43.7	81.9	98.92	-1	-0.5	0	43.8	0.17	100	8213	98.9	43.3

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-23 07:00:00	44.6	0	0	0	267	9.24	17.6	43.6	81.7	98.92	-0.9	-0.5	0	43.6	0.18	100	8216	98.9	43.2
2023-04-23 07:05:00	50.8	0	0	0	270	9.17	13.18	43.6	80.9	98.91	-1	-0.5	0	43.7	0.18	100	8214	98.9	43.2
2023-04-23 07:10:00	87	0	0	0	271	8.23	10.54	43.6	80.7	98.91	-0.9	-0.5	0	43.8	0.19	100	8223	98.9	43.1
2023-04-23 07:15:00	110.2	0	0	0	275	7.49	12.66	43.8	80.6	98.92	-0.8	-0.5	0	44.2	0.19	100	8229	98.91	43.3
2023-04-23 07:20:00	114.8	0	0	0	273	6.73	10.16	44.2	79.8	98.93	-0.8	-0.5	0	44.6	0.2	100	8234	98.92	43.7
2023-04-23 07:25:00	106	0	0	0	271	7.18	10.65	44.5	79.3	98.94	-0.9	-0.5	0	44.8	0.21	100	8239	98.94	44
2023-04-23 07:30:00	77	0	0	0	264	7.25	9.73	44.5	78.7	98.96	-0.8	-0.6	0	44.7	0.21	100	8238	98.95	44.2
2023-04-23 07:35:00	168.8	0	0	0	264	7.47	10.85	44.6	78.8	98.96	-0.8	-0.6	0	44.9	0.21	100	8251	98.95	44.3
2023-04-23 07:40:00	173.6	0	0	0	248	8.68	14.09	45	78.8	98.96	-0.7	-0.3	0	45.5	0.22	100	8261	98.96	44.9
2023-04-23 07:45:00	185.6	0	0	0	259	8.41	11.7	45.6	76.6	98.97	-0.6	-0.4	0	46.1	0.24	100	8270	98.97	45.4
2023-04-23 07:50:00	213.8	0	0	0	255	7.85	13.38	46.1	76	98.98	-0.8	-0.5	0	46.7	0.25	100	8280	98.98	45.9
2023-04-23 07:55:00	274.8	0	0	0	256	6.62	9.42	46.7	75.2	98.98	-0.8	-0.4	0	47.4	0.27	100	8292	98.99	46.6
2023-04-23 08:00:00	184.8	0	0	0	259	9.75	13.69	47.3	72.8	98.99	-0.7	-0.6	0	47.9	0.3	100	8293	98.99	47.2
2023-04-23 08:05:00	217.8	0	0	0	258	11.52	18.88	47.3	71.7	98.99	-0.7	-0.8	0	47.8	0.31	100	8297	98.99	47.4
2023-04-23 08:10:00	301.2	0	0	0	268	11.36	16.78	47.3	71.9	98.98	-0.7	-0.5	0	47.9	0.31	100	8314	98.99	47.5
2023-04-23 08:15:00	363.2	0	0	0	270	11.43	19.95	48	71.3	98.98	-0.8	-0.5	0	48.8	0.33	100	8328	98.98	48.1
2023-04-23 08:20:00	322.4	0	0	0	275	12.01	16.89	48.6	69.1	98.98	-0.9	-0.5	0	49.3	0.36	100	8328	98.99	48.7
2023-04-23 08:25:00	234	0	0	0	270	11.72	18.14	48.3	68.2	98.99	-0.9	-0.6	0	48.9	0.37	100	8330	98.98	48.8
2023-04-23 08:30:00	227.8	0	0	0	268	13.11	17.65	47.8	68.4	98.99	-0.8	-0.5	0	48.3	0.36	100	8335	98.98	48.7
2023-04-23 08:35:00	392	0	0	0	279	13.11	17.74	48.1	68.2	98.97	-0.8	-0.6	0	48.8	0.36	100	8350	98.98	48.6
2023-04-23 08:40:00	259.4	0	0	0	287	10.92	14.74	48.3	67.7	98.98	-0.7	-0.5	0	49	0.37	100	8351	98.98	48.9
2023-04-23 08:45:00	281.4	0	0	0	281	11.27	15.73	48.3	67.1	98.98	-0.7	-0.6	0	48.8	0.38	100	8361	98.98	48.9
2023-04-23 08:50:00	331.4	0	0	0	284	9.82	14.34	48.5	67.3	98.97	-0.8	-0.4	0	49.3	0.38	100	8368	98.97	49.1
2023-04-23 08:55:00	264.6	0	0	0	284	11.86	19.3	48.6	66.7	98.97	-1	-0.6	0	49.2	0.39	100	8368	98.97	49.2
2023-04-23 09:00:00	208.4	0	0	0	283	10.33	15.57	48.3	67.3	98.98	-0.8	-0.5	0	48.8	0.38	100	8368	98.97	49.2
2023-04-23 09:05:00	238.6	0	0	0	280	9.24	13.71	47.8	68.4	98.99	-0.9	-0.3	0	48.4	0.36	100	8364	98.98	49.1
2023-04-23 09:10:00	250	0	0	0	267	10.94	14.94	47.7	69	99.01	-0.8	-0.5	0	48.3	0.35	100	8365	99	49.1
2023-04-23 09:15:00	267.8	0	0	0	256	9.06	12.95	47.6	69.4	99	-0.9	-0.6	0	48.3	0.34	100	8364	98.99	49.1
2023-04-23 09:20:00	281.4	0	0	0	262	11.05	14.43	47.7	69	99	-0.6	-0.3	0	48.4	0.35	100	8368	98.99	49.1
2023-04-23 09:25:00	291.2	0	0	0	273	7.47	11.05	47.7	69.9	99	-0.8	-0.5	0	48.6	0.34	100	8368	98.99	49.2
2023-04-23 09:30:00	281.6	0	0	0	260	9.6	14.47	48.2	70	99	-0.7	-0.6	0	48.9	0.34	100	8371	98.98	49.4
2023-04-23 09:35:00	282.8	0	0	0	279	9.53	13.65	48.5	67.9	99	-0.8	-0.4	0	49.2	0.37	100	8372	98.98	49.5
2023-04-23 09:40:00	267.2	0	0	0	293	11.92	18.01	48.7	66.4	99	-0.8	-0.5	0	49.4	0.39	100	8376	98.98	49.6
2023-04-23 09:45:00	300.4	0	0	0	297	12.35	18.14	48.7	65	99	-0.8	-0.5	0	49.4	0.41	100	8380	98.99	49.6
2023-04-23 09:50:00	319.2	0	0	0	292	12.86	19.95	48.8	64	99	-0.7	-0.6	0	49.6	0.42	100	8381	99	49.6
2023-04-23 09:55:00	379.8	0	0	0	300	14	20.71	48.9	63.3	99.01	-0.7	-0.4	0	49.6	0.43	100	8385	99.01	49.8
2023-04-23 10:00:00	378.4	0	0	0	280	11.23	18.39	49	63.7	99.02	-0.5	-0.7	0	49.8	0.43	100	8390	99.01	50
2023-04-23 10:05:00	344.6	0	0	0	295	14	18.23	49	63.2	99.03	-0.7	-0.5	0	49.8	0.44	100	8390	99.02	50.2
2023-04-23 10:10:00	336.4	0	0	0	293	15.01	19.62	49.1	62.6	99.04	-0.5	-0.6	0	49.8	0.44	100	8390	99.03	50.2
2023-04-23 10:15:00	320.6	0	0	0	275	14.74	18.37	49.1	63.3	99.05	-0.8	-0.5	0	49.7	0.44	100	8393	99.04	50
2023-04-23 10:20:00	326.2	0	0	0	281	12.19	16.8	49	62.7	99.07	-0.4	-0.6	0	49.6	0.44	100	8395	99.05	49.9
2023-04-23 10:25:00	361.4	0	0	0	283	13.31	19.51	49	62.9	99.06	-0.9	-0.7	0	49.7	0.44	100	8395	99.05	50
2023-04-23 10:30:00	342.6	0	0	0	284	9.42	12.24	48.9	62	99.06	-0.7	-0.6	0	49.7	0.45	100	8400	99.05	50.1
2023-04-23 10:35:00	350.6	0	0	0	277	9.66	17.2	49.1	62.4	99.07	-0.8	-0.7	0	49.9	0.45	100	8401	99.06	50.3
2023-04-23 10:40:00	356.8	0	0	0	269	10.54	16.96	49.3	62.9	99.07	-0.8	-0.6	0	50.3	0.44	100	8402	99.06	50.6
2023-04-23 10:45:00	360.4	0	0	0	265	13.31	18.97	49.8	59.1	99.07	-0.6	-0.6	0	50.6	0.5	100	8406	99.06	50.9
2023-04-23 10:50:00	312.6	0	0	0	269	13.09	19.98	49.9	57.7	99.08	-0.8	-0.6	0	50.6	0.52	100	8406	99.07	51
2023-04-23 10:55:00	285.6	0	0	0	268	12.03	18.84	49.8	58.2	99.09	-0.7	-0.9	0	50.5	0.51	100	8405	99.08	51
2023-04-23 11:00:00	282.4	0	0	0	263	13.6	18.95	49.7	57.9	99.1	-0.6	-0.5	0	50.4	0.51	100	8404	99.08	50.8
2023-04-23 11:05:00	291.8	0	0	0	260	11.12	17.49	49.6	58.4	99.1	-0.9	-0.4	0	50.3	0.5	100	8405	99.08	50.7
2023-04-23 11:10:00	295.4	0	0	0	261	11.48	16.58	49.5	59	99.1	-0.7	-0.5	0	50.2	0.49	100	8406	99.08	50.7
2023-04-23 11:15:00	243.6	0	0	0	264	13.35	20.96	49.6	59.6	99.11	-0.8	-0.6	0	50.1	0.49	100	8406	99.09	50.7
2023-04-23 11:20:00	181	0	0	0	264	11.99	15.73	49.3	58.3	99.12	-0.9	-0.7	0	49.7	0.5	100	8403	99.1	50.4
2023-04-23 11:25:00	150.6	0	0	0	266	12.44	16.6	49	58.3	99.13	-0.9	-0.6	0	49.3	0.49	100	8402	99.11	49.9
2023-04-23 11:30:00	136.8	0	0	0	258	10.96	14.45	48.5	60.6	99.13	-0.6	-0.4	0	48.9	0.46	100	8402	99.11	49.6
2023-04-23 11:35:00	126.4	0	0	0	267	12.59	16.75	48.2	60.9	99.14	-0.7	-0.5	0	48.5	0.45	100	8399	99.11	49.3
2023-04-23 11:40:00	120.2	0	0	0	266	9.86	15.37	48	61.8	99.14	-0.6	-0.6	0	48.2	0.44	100	8399	99.12	48.9
2023-04-23 11:45:00	124	0	0	0	268	10.04	15.79	47.8	63	99.14	-0.8	-0.6	0	48.2	0.42	100	8397	99.12	48.8
2023-04-23 11:50:00	123	0	0	0	273	10.74	13.62	47.7	63.1	99.15	-0.8	-0.4	0	48	0.42	100	8396	99.12	48.6
2023-04-23 11:55:00	110.8	0	0	0	268	9.19	13.18	47.6	63.3	99.15	-0.7	-0.4	0	47.9	0.41	100	8396	99.12	48.5

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-23 12:00:00	100.6	0	0	0	269	11.99	15.79	47.6	63.4	99.14	-0.7	-0.6	0	47.8	0.41	100	8396	99.12	48.3
2023-04-23 12:05:00	88.4	0	0	0	270	8.59	13.18	47.4	63.7	99.14	-0.8	-0.6	0	47.6	0.4	100	8393	99.12	48
2023-04-23 12:10:00	93.4	0	0	0	262	9.37	14.56	47.2	64.9	99.15	-0.8	-0.6	0	47.4	0.39	100	8393	99.12	47.8
2023-04-23 12:15:00	114	0	0	0	269	10.16	13.38	47	64.6	99.14	-0.6	-0.4	0	47.3	0.39	100	8393	99.12	47.6
2023-04-23 12:20:00	119.4	0	0	0	271	10.04	15.75	46.9	64.5	99.14	-0.7	-0.6	0	47.2	0.39	100	8392	99.12	47.4
2023-04-23 12:25:00	147	0	0	0	275	9.6	14.58	46.9	64	99.14	-0.7	-0.6	0	47.2	0.39	100	8392	99.12	47.4
2023-04-23 12:30:00	172.6	0	0	0	268	8.52	11.61	46.8	64.3	99.14	-0.7	-0.5	0	47.2	0.39	100	8393	99.11	47.5
2023-04-23 12:35:00	167.2	0	0	0	255	8.28	11.41	46.9	63.3	99.13	-0.8	-0.6	0	47.3	0.4	100	8390	99.1	47.6
2023-04-23 12:40:00	153.6	0	0	0	259	8.46	13.44	47	62.8	99.12	-0.8	-0.4	0	47.4	0.41	100	8394	99.1	47.7
2023-04-23 12:45:00	161.4	0	0	0	264	8.3	12.44	47	62.6	99.12	-0.9	-0.6	0	47.4	0.41	100	8395	99.1	47.7
2023-04-23 12:50:00	179.6	0	0	0	252	7.31	11.27	47	63.5	99.12	-0.6	-0.6	0	47.5	0.4	100	8395	99.1	47.8
2023-04-23 12:55:00	181.2	0	0	0	269	6.62	9.75	47.2	63.8	99.12	-0.7	-0.5	0	47.7	0.4	100	8396	99.09	47.9
2023-04-23 13:00:00	161.2	0	0	0	280	7.81	10.94	47.3	62.1	99.11	-0.8	-0.5	0	47.8	0.42	100	8396	99.09	48
2023-04-23 13:05:00	153.6	0	0	0	255	6.2	8.95	47.2	62.5	99.11	-0.7	-0.7	0	47.7	0.41	100	8393	99.09	48
2023-04-23 13:10:00	162	0	0	0	246	6.44	9.48	47.3	62.4	99.11	-0.7	-0.4	0	47.8	0.42	100	8393	99.09	48.1
2023-04-23 13:15:00	175.2	0	0	0	283	7.18	10.49	47.4	62.2	99.11	-0.8	-0.5	0	47.9	0.42	100	8393	99.09	48.1
2023-04-23 13:20:00	194.4	0	0	0	281	8.39	12.71	47.5	61.7	99.1	-0.7	-0.6	0	48.1	0.43	100	8393	99.08	48.1
2023-04-23 13:25:00	263.4	0	0	0	291	8.05	12.55	47.6	61.3	99.09	-0.7	-0.5	0	48.2	0.43	100	8396	99.07	48.3
2023-04-23 13:30:00	362.2	0	0	0	285	7.38	11.05	47.9	61.6	99.09	-0.8	-0.5	0	48.8	0.44	100	8401	99.08	48.7
2023-04-23 13:35:00	382	0	0	0	286	8.72	13.15	48.3	61.6	99.1	-0.7	-0.5	0	49.4	0.44	100	8402	99.08	49.3
2023-04-23 13:40:00	360.2	0	0	0	298	6.85	12.44	48.7	60	99.1	-0.6	-0.5	0	49.7	0.47	100	8405	99.09	49.8
2023-04-23 13:45:00	245.8	0	0	0	308	8.81	12.97	49.3	58.3	99.11	-0.6	-0.6	0	50	0.5	100	8408	99.08	50
2023-04-23 13:50:00	171.8	0	0	0	343	13.24	16.42	49.3	61	99.12	-0.7	-0.8	0	49.8	0.47	100	8407	99.09	49.8
2023-04-23 13:55:00	149.4	0	0	0	353	10.2	15.14	48.7	64.8	99.13	-0.7	-0.5	0	49.1	0.41	100	8403	99.1	49.3
2023-04-23 14:00:00	136	0	0	0	356	10.22	14.16	48.1	66.1	99.13	-0.8	-0.5	0	48.5	0.39	100	8398	99.1	48.8
2023-04-23 14:05:00	122.2	0	0	0	357	9.86	13.42	47.6	67	99.13	-0.7	-0.4	0	47.9	0.37	100	8399	99.1	48.4
2023-04-23 14:10:00	113.6	0	0	0	1	8.55	11.56	47.2	67.2	99.13	-0.7	-0.4	0	47.6	0.36	100	8399	99.11	48.1
2023-04-23 14:15:00	93.8	0	0	0	359	6.22	8.5	46.9	67.5	99.14	-0.6	-0.5	0	47.2	0.35	100	8399	99.11	47.8
2023-04-23 14:20:00	81.8	0	0	0	357	6.33	9.01	46.7	67.6	99.15	-0.6	-0.7	0	47	0.35	100	8396	99.12	47.6
2023-04-23 14:25:00	83.6	0	0	0	306	4.25	6.91	46.6	68	99.15	-0.8	-0.5	0	46.9	0.35	100	8395	99.13	47.5
2023-04-23 14:30:00	90.8	0	0	0	314	4.81	7	46.6	67.5	99.15	-0.7	-0.5	0	46.9	0.35	100	8393	99.13	47.4
2023-04-23 14:35:00	86.2	0	0	0	312	5.79	7.56	46.6	67.8	99.16	-0.7	-0.5	0	46.9	0.35	100	8393	99.14	47.4
2023-04-23 14:40:00	88.8	0	0	0	298	7.65	13.51	46.8	67.3	99.17	-0.7	-0.5	0	46.9	0.35	100	8393	99.14	47.4
2023-04-23 14:45:00	92.2	0	0	0	265	12.12	16.24	46.9	62.4	99.17	-0.8	-0.6	0	47.1	0.41	100	8393	99.14	47.5
2023-04-23 14:50:00	93.8	0	0	0	264	11.23	18.5	47	60	99.17	-0.7	-0.7	0	47.2	0.44	100	8390	99.14	47.4
2023-04-23 14:55:00	92.2	0	0	0	267	13.38	22.24	46.9	58.9	99.16	-1.1	-0.6	0	47.2	0.45	100	8393	99.14	47.4
2023-04-23 15:00:00	104.2	0	0	0	275	13.85	19.73	47	56.1	99.16	-0.6	-0.6	0	47.2	0.48	100	8391	99.13	47.4
2023-04-23 15:05:00	103.4	0	0	0	273	11.41	16.13	47.1	56.7	99.16	-0.9	-0.5	0	47.3	0.48	100	8388	99.14	47.4
2023-04-23 15:10:00	93.4	0	0	0	270	9.71	13.67	47	56.7	99.16	-0.7	-0.7	0	47.2	0.48	100	8387	99.13	47.3
2023-04-23 15:15:00	84.6	0	0	0	283	10.69	14.9	47	56.3	99.16	-0.6	-0.4	0	47.2	0.48	100	8388	99.13	47.3
2023-04-23 15:20:00	86.6	0	0	0	275	11.54	17.38	47.1	55.1	99.17	-1	-0.5	0	47.3	0.49	100	8385	99.14	47.3
2023-04-23 15:25:00	91.4	0	0	0	272	13.49	18.99	46.9	55	99.16	-0.8	-0.7	0	47.1	0.49	100	8385	99.14	47.2
2023-04-23 15:30:00	100.2	0	0	0	263	13.98	21.14	47	55.7	99.16	-0.8	-0.4	0	47.2	0.49	100	8385	99.14	47.2
2023-04-23 15:35:00	100.4	0	0	0	272	12.59	19.71	46.9	55.1	99.16	-0.9	-0.7	0	47.1	0.49	100	8387	99.14	47.1
2023-04-23 15:40:00	102	0	0	0	269	12.73	20.45	46.9	57	99.17	-0.7	-0.4	0	47.1	0.47	100	8384	99.14	47.1
2023-04-23 15:45:00	98.6	0	0	0	266	13	18.92	46.8	56.7	99.17	-1.1	-0.8	0	47	0.47	100	8384	99.14	47.1
2023-04-23 15:50:00	108.2	0	0	0	272	13.96	21.99	46.8	57.3	99.17	-0.7	-0.4	0	47	0.46	100	8385	99.14	47
2023-04-23 15:55:00	124.4	0	0	0	269	10.65	17.72	46.8	57.7	99.17	-1	-0.6	0	47	0.46	100	8387	99.14	47
2023-04-23 16:00:00	131.6	0	0	0	274	12.41	18.34	46.7	57.2	99.17	-0.8	-0.7	0	47	0.46	100	8385	99.13	47
2023-04-23 16:05:00	133.4	0	0	0	281	12.24	18.43	46.8	56.8	99.17	-0.9	-0.5	0	47.1	0.47	100	8385	99.15	47.1
2023-04-23 16:10:00	125.2	0	0	0	279	12.33	17	46.8	56.6	99.18	-0.8	-0.5	0	47.1	0.47	100	8386	99.15	47.1
2023-04-23 16:15:00	136.2	0	0	0	285	13.18	17.22	46.8	56.5	99.18	-0.8	-0.5	0	47.1	0.47	100	8384	99.15	47.1
2023-04-23 16:20:00	147.4	0	0	0	276	10.4	15.7	46.9	57.2	99.18	-0.7	-0.7	0	47.2	0.47	100	8386	99.15	47.1
2023-04-23 16:25:00	157.8	0	0	0	269	10.27	15.26	47	58	99.17	-0.8	-0.6	0	47.4	0.46	100	8387	99.15	47.3
2023-04-23 16:30:00	150	0	0	0	281	9.31	21.99	47	58.5	99.17	-0.9	-0.4	0	47.4	0.46	100	8386	99.15	47.4
2023-04-23 16:35:00	145	0	0	0	271	13.29	19.53	47.2	56.5	99.18	-0.6	-0.7	0	47.5	0.48	100	8386	99.15	47.5
2023-04-23 16:40:00	139.2	0	0	0	267	14.03	21.14	47.3	56.6	99.19	-0.8	-0.5	0	47.6	0.48	100	8387	99.16	47.5
2023-04-23 16:45:00	144.4	0	0	0	274	12.91	19.24	47.2	55.4	99.19	-0.7	-0.6	0	47.5	0.49	100	8387	99.16	47.4
2023-04-23 16:50:00	145.2	0	0	0	276	11.52	20.29	47.2	55.9	99.19	-0.7	-0.6	0	47.6	0.49	100	8387	99.16	47.4
2023-04-23 16:55:00	154.6	0	0	0	267	14.81	20.89	47.3	55.6	99.19	-0.7	-0.5	0	47.6	0.49	100	8387	99.17	47.5

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-23 17:00:00	152.6	0	0	0	263	12.88	18.01	47.3	55.8	99.21	-0.9	-0.5	0	47.7	0.49	100	8387	99.18	47.5
2023-04-23 17:05:00	171	0	0	0	265	12.21	17.74	47.3	56.3	99.21	-0.8	-0.7	0	47.7	0.49	100	8384	99.18	47.6
2023-04-23 17:10:00	188.8	0	0	0	279	14.07	19.71	47.3	54.7	99.21	-0.7	-0.4	0	47.8	0.5	100	8390	99.19	47.7
2023-04-23 17:15:00	203.4	0	0	0	283	12.88	17.47	47.4	53.8	99.22	-0.8	-0.6	0	47.9	0.52	100	8386	99.19	47.9
2023-04-23 17:20:00	220.6	0	0	0	288	14.05	22.41	47.8	52.3	99.22	-0.8	-0.5	0	48.2	0.54	100	8387	99.19	48.2
2023-04-23 17:25:00	215	0	0	0	278	14.74	21.23	48	51.4	99.22	-0.8	-0.4	0	48.5	0.55	100	8388	99.2	48.4
2023-04-23 17:30:00	215.4	0	0	0	279	15.66	23.4	48.2	50.5	99.22	-0.8	-0.8	0	48.7	0.57	100	8388	99.19	48.5
2023-04-23 17:35:00	235.6	0	0	0	274	14.32	21	48.2	51	99.22	-0.7	-0.5	0	48.8	0.56	100	8389	99.2	48.7
2023-04-23 17:40:00	242.8	0	0	0	271	15.08	24.61	48.5	50.4	99.22	-0.6	-0.1	0	49.1	0.58	100	8388	99.19	49
2023-04-23 17:45:00	166.4	0	0	0	282	18.52	23.89	48.7	48.1	99.23	-0.3	-0.7	0	49	0.61	100	8384	99.2	49
2023-04-23 17:50:00	147.8	0	0	0	275	16.33	22.1	48.4	47.6	99.24	-0.7	-0.7	0	48.7	0.61	100	8393	99.21	48.5
2023-04-23 17:55:00	111.4	0	0	0	269	12.88	20.62	48.1	48.4	99.25	-0.8	-0.7	0	48.4	0.59	100	8388	99.22	48.3
2023-04-23 18:00:00	90.6	0	0	0	264	12.53	17.94	47.9	49.3	99.25	-1.1	-0.5	0	48.2	0.58	100	8389	99.22	48.1
2023-04-23 18:05:00	89.8	0	0	0	258	15.26	21.07	47.8	49.6	99.25	-0.6	-0.3	0	47.9	0.57	100	8385	99.22	47.9
2023-04-23 18:10:00	94	0	0	0	267	12.8	17.69	47.5	50.3	99.26	-0.8	-0.5	0	47.7	0.55	100	8384	99.23	47.8
2023-04-23 18:15:00	82.2	0	0	0	266	10.76	14.63	47.3	50.6	99.26	-0.9	-0.5	0	47.5	0.55	100	8382	99.23	47.7
2023-04-23 18:20:00	76	0	0	0	263	10.63	15.32	47.3	51.7	99.27	-0.8	-0.6	0	47.6	0.54	100	8380	99.24	47.6
2023-04-23 18:25:00	84.8	0	0	0	265	9.51	12.21	47.2	51.7	99.27	-0.8	-0.4	0	47.4	0.53	100	8380	99.24	47.6
2023-04-23 18:30:00	110.8	0	0	0	263	11.61	18.86	47.2	50.7	99.26	-0.8	-0.6	0	47.5	0.54	100	8379	99.24	47.8
2023-04-23 18:35:00	133	0	0	0	266	10.89	16.42	47.3	51.5	99.26	-0.8	-0.6	0	47.6	0.54	100	8380	99.24	48.3
2023-04-23 18:40:00	124	0	0	0	263	8.48	13.53	47.6	52.1	99.27	-0.6	-0.5	0	47.9	0.54	100	8377	99.24	48.8
2023-04-23 18:45:00	105.6	0	0	0	259	12.19	18.66	47.9	51.2	99.27	-0.7	-0.6	0	48.2	0.55	100	8377	99.24	48.7
2023-04-23 18:50:00	99.8	0	0	0	259	13.87	24.61	47.9	51.6	99.26	-0.8	-0.9	0	48.1	0.55	100	8374	99.24	48.6
2023-04-23 18:55:00	85.2	0	0	0	271	14	21.23	47.8	50.4	99.27	-0.7	-0.6	0	48	0.56	100	8375	99.24	48.4
2023-04-23 19:00:00	53	0	0	0	255	14.16	18.12	47.7	51.6	99.28	-0.2	-0.8	0	47.7	0.54	100	8374	99.25	48.1
2023-04-23 19:05:00	37.4	0	0	0	253	11.45	17.09	47.2	52.2	99.28	-0.5	-0.6	0	47.3	0.53	100	8371	99.25	47.4
2023-04-23 19:10:00	28.8	0	0	0	257	11.32	15.9	46.8	53	99.29	-0.7	-0.5	0	46.9	0.51	100	8372	99.25	47
2023-04-23 19:15:00	22	0	0	0	266	12.71	18.72	46.6	53.9	99.29	-0.5	-0.3	0	46.6	0.5	100	8373	99.26	46.6
2023-04-23 19:20:00	17.8	0	0	0	259	9.28	13.33	46.1	55.4	99.3	-0.7	-0.4	0	46.1	0.47	100	8370	99.26	46.2
2023-04-23 19:25:00	17	0	0	0	256	11.56	15.88	45.9	57.2	99.3	-0.6	-0.6	0	45.9	0.45	100	8368	99.27	46
2023-04-23 19:30:00	14.4	0	0	0	260	10.76	14.88	45.6	58.1	99.31	-0.7	-0.5	0	45.6	0.44	100	8368	99.28	45.7
2023-04-23 19:35:00	10.8	0	0	0	263	12.12	17.22	45.4	59.4	99.31	-0.5	-0.5	0	45.4	0.42	100	8365	99.28	45.4
2023-04-23 19:40:00	7.8	0	0	0	261	12.64	20.36	45.1	61.1	99.32	-0.6	-0.4	0	45.1	0.4	100	8365	99.28	45.1
2023-04-23 19:45:00	5.2	0	0	0	268	11.34	16.58	44.9	62.3	99.33	-0.9	-0.4	0	44.9	0.38	100	8362	99.29	44.8
2023-04-23 19:50:00	3.2	0	0	0	259	11.36	18.05	44.6	63.2	99.33	-0.7	-0.3	0	44.7	0.37	100	8363	99.3	44.5
2023-04-23 19:55:00	1.4	0	0	0	269	10.96	16.64	44.4	63.4	99.34	-0.8	-0.4	0	44.4	0.36	100	8362	99.3	44.2
2023-04-23 20:00:00	0.4	0	0	0	268	9.19	16.44	44.1	65.1	99.34	-0.9	-0.5	0	44.1	0.34	100	8361	99.31	43.9
2023-04-23 20:05:00	0	0	0	0	265	9.64	13.18	43.9	65.5	99.35	-1	-0.6	0	43.9	0.34	100	8359	99.32	43.6
2023-04-23 20:10:00	0	0	0	0	266	10.31	14.43	43.6	66.5	99.36	-1	-0.4	0	43.6	0.32	100	8361	99.32	43.4
2023-04-23 20:15:00	0	0	0	0	275	13.38	18.97	43.6	66.1	99.36	-0.8	-0.5	0	43.6	0.33	100	8357	99.32	43.3
2023-04-23 20:20:00	0	0	0	0	274	11.72	17.67	43.4	66.4	99.36	-0.8	-0.3	0	43.4	0.32	100	8355	99.33	43.3
2023-04-23 20:25:00	0	0	0	0	278	12.8	19.53	43.3	66.4	99.37	-0.9	-0.5	0	43.3	0.32	100	8355	99.33	43.2
2023-04-23 20:30:00	0	0	0	0	268	12.35	17.78	43.4	66.9	99.38	-0.6	-0.8	0	43.4	0.32	100	8355	99.34	43.2
2023-04-23 20:35:00	0	0	0	0	271	10.36	16.89	43.3	67.2	99.39	-0.7	-0.6	0	43.3	0.31	100	8355	99.35	43.1
2023-04-23 20:40:00	0	0	0	0	271	11.32	15.64	43.3	66.9	99.39	-0.7	-0.5	0	43.3	0.32	100	8354	99.35	43
2023-04-23 20:45:00	0	0	0	0	270	7.9	10.02	43.3	67.2	99.39	-0.8	-0.5	0	43.3	0.31	100	8353	99.36	42.9
2023-04-23 20:50:00	0	0	0	0	264	7.83	11.48	43.2	67.6	99.4	-0.8	-0.4	0	43.2	0.31	100	8350	99.37	42.7
2023-04-23 20:55:00	0	0	0	0	259	7.83	10.76	43	67.9	99.41	-0.9	-0.4	0	43	0.3	100	8352	99.37	42.5
2023-04-23 21:00:00	0	0	0	0	257	7.78	11.3	42.8	68.4	99.41	-0.9	-0.5	0	42.8	0.3	100	8352	99.38	42.3
2023-04-23 21:05:00	0	0	0	0	259	9.28	12.55	42.7	68.2	99.42	-0.9	-0.6	0	42.6	0.3	100	8350	99.38	42.1
2023-04-23 21:10:00	0	0	0	0	259	8.48	11.63	42.4	68.9	99.42	-0.9	-0.6	0	42.4	0.29	100	8348	99.38	41.8
2023-04-23 21:15:00	0	0	0	0	254	8.14	12.24	42.3	68.9	99.42	-1.1	-0.6	0	42.3	0.28	100	8349	99.39	41.6
2023-04-23 21:20:00	0	0	0	0	256	6.24	9.66	42	70	99.43	-0.9	-0.5	0	42	0.27	100	8349	99.39	41.3
2023-04-23 21:25:00	0	0	0	0	247	5.93	9.62	41.6	70.7	99.43	-1	-0.4	0	41.6	0.26	100	8347	99.4	41
2023-04-23 21:30:00	0	0	0	0	250	8.08	11.3	41.5	70.6	99.43	-0.9	-0.4	0	41.5	0.26	100	8346	99.4	40.8
2023-04-23 21:35:00	0	0	0	0	258	9.84	13.8	41.3	71.1	99.43	-0.9	-0.7	0	41.3	0.26	100	8346	99.4	40.8
2023-04-23 21:40:00	0	0	0	0	256	11.16	16.31	41.3	70.9	99.43	-0.8	-0.6	0	41.3	0.26	100	8346	99.4	40.7
2023-04-23 21:45:00	0	0	0	0	263	11.27	16.89	41.3	71.4	99.43	-0.9	-0.5	0	41.3	0.25	100	8343	99.39	40.7
2023-04-23 21:50:00	0	0	0	0	263	9.69	14.43	41.2	71.7	99.44	-1	-0.5	0	41.2	0.25	100	8344	99.4	40.5
2023-04-23 21:55:00	0	0	0	0	258	6.91	9.24	41.1	72.2	99.44	-0.8	-0.5	0	41.1	0.24	100	8342	99.4	40.4

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-23 22:00:00	0	0	0	0	246	5.88	8.72	40.9	72.4	99.43	-1	-0.4	0	40.9	0.24	100	8343	99.4	40.2
2023-04-23 22:05:00	0	0	0	0	248	6.38	8.28	40.9	72.5	99.43	-0.9	-0.5	0	40.9	0.24	100	8341	99.4	40.1
2023-04-23 22:10:00	0	0	0	0	241	6.02	10.18	40.9	72.6	99.43	-0.9	-0.5	0	40.9	0.24	100	8342	99.4	40
2023-04-23 22:15:00	0	0	0	0	245	7.85	11.12	40.7	72.5	99.43	-1.1	-0.6	0	40.8	0.24	100	8342	99.4	40
2023-04-23 22:20:00	0	0	0	0	257	8.43	11.5	40.8	72.7	99.42	-0.9	-0.5	0	40.8	0.24	100	8339	99.39	40.1
2023-04-23 22:25:00	0	0	0	0	253	7.36	11.72	40.6	73.3	99.42	-0.9	-0.5	0	40.6	0.23	100	8339	99.38	40
2023-04-23 22:30:00	0	0	0	0	255	7.43	12.77	40.7	73.4	99.41	-1	-0.5	0	40.6	0.23	100	8337	99.38	39.9
2023-04-23 22:35:00	0	0	0	0	253	8.7	12.5	40.5	73.9	99.4	-1.1	-0.5	0	40.5	0.22	100	8335	99.37	39.8
2023-04-23 22:40:00	0	0	0	0	263	5.53	7.76	40.4	74.1	99.4	-0.9	-0.5	0	40.3	0.22	100	8335	99.37	39.6
2023-04-23 22:45:00	0	0	0	0	266	7.45	10.29	40.1	74.3	99.39	-0.9	-0.3	0	40.1	0.22	100	8335	99.36	39.4
2023-04-23 22:50:00	0	0	0	0	261	7.63	11.1	40	74.8	99.4	-1.1	-0.5	0	40	0.21	100	8335	99.37	39.4
2023-04-23 22:55:00	0	0	0	0	258	6.85	10.25	40	75.1	99.4	-0.9	-0.4	0	40	0.21	100	8333	99.37	39.3
2023-04-23 23:00:00	0	0	0	0	257	6.06	8.66	40	75.5	99.4	-1	-0.4	0	40	0.21	100	8333	99.36	39.2
2023-04-23 23:05:00	0	0	0	0	257	6.02	8.28	40	75.5	99.4	-0.9	-0.5	0	39.9	0.21	100	8333	99.36	39
2023-04-23 23:10:00	0	0	0	0	251	7.67	11.36	39.8	75.8	99.4	-1	-0.4	0	39.8	0.2	100	8334	99.37	38.9
2023-04-23 23:15:00	0	0	0	0	255	8.12	11.34	39.7	75.4	99.4	-1	-0.5	0	39.8	0.2	100	8334	99.37	38.9
2023-04-23 23:20:00	0	0	0	0	258	6.96	9.64	39.7	75.8	99.4	-0.9	-0.5	0	39.7	0.2	100	8330	99.37	38.9
2023-04-23 23:25:00	0	0	0	0	260	6.69	8.81	39.6	76.2	99.39	-1	-0.4	0	39.6	0.2	100	8331	99.36	38.8
2023-04-23 23:30:00	0	0	0	0	265	7.07	9.6	39.6	76.3	99.39	-0.9	-0.4	0	39.6	0.2	100	8332	99.36	38.8
2023-04-23 23:35:00	0	0	0	0	261	7.16	9.37	39.5	76.1	99.39	-0.9	-0.4	0	39.5	0.2	100	8327	99.36	38.6
2023-04-23 23:40:00	0	0	0	0	264	6.4	9.13	39.4	76.7	99.39	-0.9	-0.3	0	39.4	0.19	100	8330	99.35	38.5
2023-04-23 23:45:00	0	0	0	0	265	6.6	9.06	39.3	76.8	99.38	-0.9	-0.4	0	39.3	0.19	100	8330	99.35	38.4
2023-04-23 23:50:00	0	0	0	0	265	7.16	9.84	39.2	77.2	99.38	-1	-0.4	0	39.2	0.19	100	8322	99.35	38.3
2023-04-23 23:55:00	0	0	0	0	261	5.99	8.7	39.1	77.8	99.39	-1	-0.6	0	39.1	0.18	100	8326	99.35	38.2
2023-04-24 00:00:00	0	0	0	0	257	6.51	9.78	39.1	78.2	99.38	-1.1	-0.5	0	39.1	0.18	100	8323	99.35	38.2
2023-04-24 00:05:00	0	0	0	0	252	6.8	8.88	39.2	78.1	99.38	-1	-0.5	0	39.2	0.18	100	8301	99.35	38.4
2023-04-24 00:10:00	0	0	0	0	250	7.61	12.17	39.2	78.3	99.38	-1.2	-0.5	0	39.2	0.18	100	8283	99.35	38.7
2023-04-24 00:15:00	0	0	0	0	246	7.9	12.17	39.3	78.4	99.38	-1	-0.4	0	39.3	0.18	100	8286	99.36	38.9
2023-04-24 00:20:00	0	0	0	0	248	8.66	13.15	39.3	78.3	99.38	-1	-0.5	0	39.3	0.18	100	8296	99.35	38.9
2023-04-24 00:25:00	0	0	0	0	249	8.19	12.66	39.5	79	99.38	-1	-0.7	0	39.5	0.17	100	8298	99.36	38.9
2023-04-24 00:30:00	0	0	0	0	250	7.67	10.51	39.5	78.9	99.38	-0.9	-0.4	0	39.6	0.17	100	8300	99.35	38.8
2023-04-24 00:35:00	0	0	0	0	255	7.78	12.35	39.6	78.8	99.38	-0.9	-0.4	0	39.6	0.17	100	8300	99.35	38.8
2023-04-24 00:40:00	0	0	0	0	252	7.67	11.77	39.6	79.1	99.37	-0.9	-0.5	0	39.6	0.17	100	8303	99.35	38.6
2023-04-24 00:45:00	0	0	0	0	248	8.39	13.76	39.4	79.4	99.37	-0.8	-0.6	0	39.4	0.17	100	8300	99.35	38.6
2023-04-24 00:50:00	0	0	0	0	252	8.01	12.88	39.4	79.8	99.38	-1	-0.4	0	39.4	0.17	100	8301	99.35	38.4
2023-04-24 00:55:00	0	0	0	0	249	7.87	12.3	39.3	79.8	99.37	-1	-0.3	0	39.3	0.16	100	8303	99.34	38.4
2023-04-24 01:00:00	0	0	0	0	248	8.14	10.29	39.2	80.3	99.37	-1.1	-0.5	0	39.2	0.16	100	8298	99.34	38.2
2023-04-24 01:05:00	0	0	0	0	255	8.61	12.55	39.2	80.1	99.36	-1	-0.3	0	39.2	0.16	100	8298	99.33	38.2
2023-04-24 01:10:00	0	0	0	0	255	8.01	12.62	39.1	80.6	99.36	-0.9	-0.4	0	39.1	0.16	100	8298	99.33	38.1
2023-04-24 01:15:00	0	0	0	0	251	7.87	12.91	39.1	80.6	99.36	-1	-0.5	0	39.1	0.16	100	8301	99.33	38
2023-04-24 01:20:00	0	0	0	0	247	7.7	11.27	39	80.8	99.36	-0.9	-0.4	0	39.1	0.16	100	8298	99.33	38
2023-04-24 01:25:00	0	0	0	0	245	8.1	11.81	39	81	99.36	-1	-0.4	0	39	0.15	100	8298	99.33	37.9
2023-04-24 01:30:00	0	0	0	0	245	6.4	8.81	39.1	80.9	99.36	-0.8	-0.4	0	39.1	0.15	100	8298	99.33	37.9
2023-04-24 01:35:00	0	0	0	0	247	7.45	11.88	39	80.9	99.36	-0.8	-0.4	0	39	0.15	100	8294	99.33	37.8
2023-04-24 01:40:00	0	0	0	0	253	6.55	9.62	38.9	81.2	99.36	-1	-0.6	0	38.9	0.15	100	8297	99.33	37.8
2023-04-24 01:45:00	0	0	0	0	245	8.43	11.25	38.8	81.7	99.36	-0.9	-0.6	0	38.8	0.15	100	8299	99.33	37.8
2023-04-24 01:50:00	0	0	0	0	257	7.29	12.41	38.9	81.8	99.35	-1.1	-0.5	0	38.9	0.15	100	8298	99.32	37.8
2023-04-24 01:55:00	0	0	0	0	248	7.9	10.2	38.9	81.6	99.34	-1	-0.4	0	38.9	0.15	100	8298	99.31	37.8
2023-04-24 02:00:00	0	0	0	0	245	8.1	11.68	38.9	81.8	99.34	-0.9	-0.6	0	38.9	0.15	100	8296	99.32	37.9
2023-04-24 02:05:00	0	0	0	0	253	6.8	10.67	39	81.9	99.34	-0.9	-0.5	0	39	0.15	100	8298	99.31	38
2023-04-24 02:10:00	0	0	0	0	255	7.65	10.51	39	81.7	99.33	-0.9	-0.5	0	39	0.15	100	8296	99.31	38
2023-04-24 02:15:00	0	0	0	0	253	8.14	13.31	39.2	81.5	99.33	-0.9	-0.5	0	39.2	0.15	100	8298	99.31	38.2
2023-04-24 02:20:00	0	0	0	0	258	8.59	12.77	39.3	81.7	99.33	-0.9	-0.6	0	39.3	0.15	100	8295	99.3	38.3
2023-04-24 02:25:00	0	0	0	0	253	7.31	10.89	39.4	81.8	99.33	-1	-0.5	0	39.4	0.15	100	8294	99.3	38.5
2023-04-24 02:30:00	0	0	0	0	258	9.08	13.89	39.5	81.6	99.33	-0.9	-0.6	0	39.5	0.15	100	8295	99.3	38.6
2023-04-24 02:35:00	0	0	0	0	242	9.51	14.05	39.6	81.5	99.33	-1	-0.3	0	39.6	0.15	100	8294	99.31	38.7
2023-04-24 02:40:00	0	0	0	0	253	8.28	13.47	39.7	81.6	99.33	-1	-0.6	0	39.7	0.15	100	8293	99.3	38.8
2023-04-24 02:45:00	0	0	0	0	255	9.19	13.71	39.7	80.9	99.33	-1	-0.4	0	39.8	0.16	100	8295	99.3	38.9
2023-04-24 02:50:00	0	0	0	0	247	8.48	12.01	39.7	80.9	99.33	-0.8	-0.5	0	39.8	0.16	100	8293	99.31	38.9
2023-04-24 02:55:00	0	0	0	0	243	7.92	11.63	39.8	80.6	99.34	-0.9	-0.5	0	39.8	0.16	100	8295	99.31	38.9

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-24 03:00:00	0	0	0	0	248	7.25	10.45	39.7	80.9	99.34	-0.9	-0.5	0	39.7	0.16	100	8295	99.32	38.9
2023-04-24 03:05:00	0	0	0	0	237	8.5	13.24	39.6	80.8	99.34	-0.9	-0.4	0	39.6	0.16	100	8292	99.31	38.9
2023-04-24 03:10:00	0	0	0	0	237	7.56	12.21	39.6	81.1	99.34	-1	-0.5	0	39.6	0.16	100	8292	99.31	38.9
2023-04-24 03:15:00	0	0	0	0	241	7.94	11.63	39.6	81	99.33	-0.9	-0.4	0	39.6	0.16	100	8293	99.31	38.9
2023-04-24 03:20:00	0	0	0	0	238	7.43	12.3	39.5	80.7	99.33	-0.9	-0.4	0	39.5	0.16	100	8293	99.31	38.9
2023-04-24 03:25:00	0	0	0	0	242	5.88	9.31	39.4	81.5	99.33	-0.8	-0.3	0	39.4	0.15	100	8292	99.31	38.8
2023-04-24 03:30:00	0	0	0	0	238	5.46	8.21	39.3	81.4	99.33	-1	-0.5	0	39.3	0.15	100	8289	99.3	38.8
2023-04-24 03:35:00	0	0	0	0	233	7.38	11.65	39.2	81.3	99.33	-0.9	-0.5	0	39.3	0.15	100	8289	99.3	38.7
2023-04-24 03:40:00	0	0	0	0	236	7.38	9.95	39.3	81.3	99.32	-1	-0.5	0	39.3	0.15	100	8292	99.3	38.7
2023-04-24 03:45:00	0	0	0	0	233	7.87	10.07	39.3	80.8	99.32	-1	-0.4	0	39.3	0.16	100	8289	99.3	38.7
2023-04-24 03:50:00	0	0	0	0	234	8.19	11.95	39.3	81.1	99.32	-0.9	-0.4	0	39.3	0.15	100	8288	99.29	38.7
2023-04-24 03:55:00	0	0	0	0	239	6.6	9.35	39.3	81.2	99.31	-0.9	-0.5	0	39.3	0.15	100	8288	99.29	38.6
2023-04-24 04:00:00	0	0	0	0	242	5.48	8.68	39.1	81.4	99.32	-1	-0.5	0	39.1	0.15	100	8289	99.29	38.5
2023-04-24 04:05:00	0	0	0	0	243	5.12	8.9	39	82.1	99.32	-1	-0.4	0	39	0.14	100	8287	99.29	38.3
2023-04-24 04:10:00	0	0	0	0	247	5.32	7.67	38.9	82.1	99.31	-1.1	-0.4	0	38.9	0.14	100	8289	99.29	38.3
2023-04-24 04:15:00	0	0	0	0	242	5.79	8.08	38.8	82.3	99.31	-0.9	-0.5	0	38.8	0.14	100	8286	99.28	38.2
2023-04-24 04:20:00	0	0	0	0	241	6.64	9.06	38.8	82.4	99.3	-1	-0.5	0	38.8	0.14	100	8286	99.28	38.1
2023-04-24 04:25:00	0	0	0	0	243	7.09	9.48	38.8	82.3	99.3	-0.9	-0.6	0	38.7	0.14	100	8286	99.28	38
2023-04-24 04:30:00	0	0	0	0	242	7.38	11.68	38.7	82.8	99.31	-0.9	-0.6	0	38.7	0.14	100	8286	99.29	38
2023-04-24 04:35:00	0	0	0	0	240	6.76	10.45	38.7	82.4	99.31	-0.9	-0.5	0	38.6	0.14	100	8283	99.29	38
2023-04-24 04:40:00	0	0	0	0	248	6.93	9.37	38.7	82.4	99.31	-1	-0.5	0	38.7	0.14	100	8283	99.28	38
2023-04-24 04:45:00	0	0	0	0	248	7.18	10.83	38.8	82.4	99.3	-1	-0.4	0	38.8	0.14	100	8283	99.28	38
2023-04-24 04:50:00	0	0	0	0	246	6.08	8.1	38.7	82.8	99.29	-0.9	-0.4	0	38.7	0.14	100	8282	99.27	38
2023-04-24 04:55:00	0	0	0	0	243	6.85	8.95	38.7	82.8	99.29	-1.1	-0.4	0	38.7	0.14	100	8281	99.27	38
2023-04-24 05:00:00	0	0	0	0	236	6.11	8.01	38.7	82.9	99.29	-1	-0.5	0	38.7	0.14	100	8282	99.27	38
2023-04-24 05:05:00	0	0	0	0	240	5.61	8.05	38.8	82.4	99.29	-1	-0.4	0	38.8	0.14	100	8281	99.27	38
2023-04-24 05:10:00	0	0	0	0	249	5.08	7.7	38.8	83.1	99.29	-1	-0.5	0	38.8	0.14	100	8282	99.27	38
2023-04-24 05:15:00	0	0	0	0	252	5.73	8.34	38.6	83.8	99.29	-1	-0.5	0	38.6	0.13	100	8282	99.27	38
2023-04-24 05:20:00	0	0	0	0	251	6.29	11.79	38.8	83.3	99.29	-0.9	-0.4	0	38.8	0.13	100	8282	99.27	38
2023-04-24 05:25:00	0	0	0	0	247	6.96	11.43	38.9	83.4	99.3	-1	-0.6	0	38.9	0.13	100	8282	99.27	38.1
2023-04-24 05:30:00	0	0	0	0	248	6.6	10.89	38.8	83.6	99.3	-0.8	-0.4	0	38.9	0.13	100	8282	99.28	38.1
2023-04-24 05:35:00	0	0	0	0	241	5.93	8.97	39	83	99.3	-0.9	-0.4	0	39	0.14	100	8280	99.29	38.2
2023-04-24 05:40:00	0	0	0	0	235	6.89	9.37	39	83.1	99.31	-0.9	-0.5	0	39	0.14	100	8278	99.29	38.2
2023-04-24 05:45:00	0	0	0	0	239	6.71	9.44	39	83.2	99.31	-1	-0.5	0	39	0.14	100	8280	99.29	38.2
2023-04-24 05:50:00	0	0	0	0	234	7.92	10.94	39.1	83.1	99.31	-1	-0.5	0	39	0.14	100	8278	99.29	38.3
2023-04-24 05:55:00	0	0	0	0	240	7.92	9.22	39.1	82.9	99.31	-0.9	-0.4	0	39.1	0.14	100	8279	99.29	38.3
2023-04-24 06:00:00	0.6	0	0	0	248	6.22	8.59	39.2	82.6	99.32	-1	-0.6	0	39.2	0.14	100	8277	99.3	38.4
2023-04-24 06:05:00	1.4	0	0	0	248	6.38	9.55	39.1	83.1	99.32	-1	-0.6	0	39.1	0.14	100	8279	99.3	38.4
2023-04-24 06:10:00	2.8	0	0	0	253	6.96	10.54	39.2	83.6	99.32	-1	-0.6	0	39.2	0.13	100	8278	99.31	38.5
2023-04-24 06:15:00	4.4	0	0	0	256	7.02	10.09	39.2	83	99.33	-1	-0.4	0	39.3	0.14	100	8278	99.31	38.5
2023-04-24 06:20:00	7	0	0	0	253	6.17	8.81	39.3	83.2	99.33	-0.9	-0.4	0	39.3	0.14	100	8276	99.31	38.6
2023-04-24 06:25:00	9.8	0	0	0	249	5.5	7.92	39.3	83.5	99.34	-1	-0.5	0	39.4	0.13	100	8274	99.32	38.6
2023-04-24 06:30:00	12.8	0	0	0	246	5.95	7.7	39.3	83.6	99.34	-1	-0.4	0	39.3	0.13	100	8277	99.32	38.6
2023-04-24 06:35:00	16.2	0	0	0	243	6.76	9.73	39.4	83.4	99.35	-1	-0.4	0	39.5	0.14	100	8278	99.33	38.7
2023-04-24 06:40:00	21	0	0	0	249	6.33	9.01	39.5	83.3	99.35	-1	-0.6	0	39.5	0.14	100	8276	99.33	38.8
2023-04-24 06:45:00	25	0	0	0	248	6.35	8.7	39.6	83.2	99.35	-0.9	-0.5	0	39.7	0.14	100	8274	99.33	38.8
2023-04-24 06:50:00	30	0	0	0	235	7.18	10.92	39.6	83.3	99.35	-0.9	-0.5	0	39.7	0.14	100	8275	99.33	38.9
2023-04-24 06:55:00	33.6	0	0	0	236	7.76	12.75	39.7	82.6	99.36	-0.9	-0.5	0	39.8	0.14	100	8274	99.34	39
2023-04-24 07:00:00	38	0	0	0	241	6.42	10.11	39.8	82.6	99.37	-0.8	-0.5	0	40	0.14	100	8276	99.35	39.1
2023-04-24 07:05:00	43.2	0	0	0	239	6.33	8.61	39.8	82.7	99.38	-0.9	-0.6	0	40	0.14	100	8273	99.36	39.3
2023-04-24 07:10:00	49.8	0	0	0	234	5.48	7.72	40.1	82.3	99.38	-1	-0.4	0	40.2	0.15	100	8274	99.37	39.4
2023-04-24 07:15:00	58.4	0	0	0	249	4.05	5.46	40	82.9	99.39	-1	-0.5	0	40.2	0.14	100	8273	99.37	39.5
2023-04-24 07:20:00	67.2	0	0	0	243	5.95	9.15	40.2	82.3	99.39	-0.9	-0.5	0	40.4	0.15	100	8275	99.37	39.6
2023-04-24 07:25:00	76	0	0	0	239	7.52	13.71	40.3	81.7	99.4	-0.9	-0.4	0	40.5	0.16	100	8275	99.38	39.8
2023-04-24 07:30:00	76.8	0	0	0	241	6.11	9.26	40.4	82	99.4	-0.9	-0.5	0	40.7	0.15	100	8274	99.39	40
2023-04-24 07:35:00	75.2	0	0	0	246	7.27	9.84	40.6	81.6	99.4	-0.8	-0.5	0	40.9	0.16	100	8272	99.38	40.2
2023-04-24 07:40:00	90.6	0	0	0	225	7.07	10.09	40.7	80.9	99.4	-0.9	-0.6	0	41	0.16	100	8276	99.39	40.3
2023-04-24 07:45:00	118	0	0	0	248	6.87	9.57	41	81.1	99.4	-0.9	-0.4	0	41.3	0.16	100	8280	99.38	40.5
2023-04-24 07:50:00	136.2	0	0	0	241	5.79	8.52	41.1	81	99.4	-1	-0.5	0	41.5	0.17	100	8279	99.39	40.7
2023-04-24 07:55:00	155	0	0	0	251	5.97	9.08	41.2	81.1	99.4	-0.9	-0.5	0	41.7	0.17	100	8282	99.39	40.9

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-24 08:00:00	168	0	0	0	248	8.1	10.78	41.4	80.3	99.4	-1.2	-0.7	0	42	0.17	100	8289	99.39	41.2
2023-04-24 08:05:00	172.4	0	0	0	244	7.23	11.21	41.8	80	99.4	-0.8	-0.5	0	42.3	0.18	100	8290	99.39	41.5
2023-04-24 08:10:00	178.4	0	0	0	259	6.49	9.33	42	80.1	99.41	-0.8	-0.4	0	42.6	0.18	100	8289	99.4	41.8
2023-04-24 08:15:00	187.8	0	0	0	257	7.49	10.02	42.3	79.3	99.41	-0.7	-0.7	0	42.8	0.19	100	8295	99.4	42.1
2023-04-24 08:20:00	213.2	0	0	0	274	8.57	16.51	42.5	79	99.42	-0.7	-0.4	0	43.2	0.19	100	8299	99.4	42.4
2023-04-24 08:25:00	229.8	0	0	0	253	10.25	16.42	42.9	78.1	99.41	-0.9	-0.4	0	43.4	0.21	100	8304	99.4	42.7
2023-04-24 08:30:00	247.4	0	0	0	250	9.55	13.6	43.2	77.9	99.42	-0.7	-0.4	0	43.8	0.21	100	8308	99.41	42.9
2023-04-24 08:35:00	252.4	0	0	0	264	11.45	15.35	43.5	76.9	99.42	-0.9	-0.7	0	44.1	0.22	100	8312	99.41	43.2
2023-04-24 08:40:00	269.2	0	0	0	257	9.33	14.03	43.7	76.9	99.42	-0.7	-0.5	0	44.4	0.22	100	8321	99.41	43.6
2023-04-24 08:45:00	354	0	0	0	269	9.95	14.65	44.1	77.9	99.42	-0.9	-0.6	0	45	0.22	100	8328	99.41	44.1
2023-04-24 08:50:00	390.2	0	0	0	258	9.91	15.68	44.9	76.1	99.41	-0.6	-0.3	0	45.8	0.24	100	8336	99.42	44.7
2023-04-24 08:55:00	367	0	0	0	265	9.44	15.75	45.4	75	99.42	-0.9	-0.6	0	46.3	0.26	100	8339	99.42	45.3
2023-04-24 09:00:00	277.4	0	0	0	260	10.18	17.13	45.6	73.8	99.43	-0.9	-0.4	0	46.3	0.27	100	8340	99.42	45.6
2023-04-24 09:05:00	237.6	0	0	0	258	12.41	15.46	45.3	73.3	99.43	-0.7	-0.8	0	45.9	0.28	100	8341	99.42	45.6
2023-04-24 09:10:00	137.6	0	0	0	258	10.98	16.58	44.9	73.5	99.44	-0.7	-0.5	0	45.2	0.27	100	8339	99.42	45.3
2023-04-24 09:15:00	194.6	0	0	0	260	8.55	11.59	44.3	74.2	99.43	-0.9	-0.5	0	44.8	0.26	100	8341	99.41	45
2023-04-24 09:20:00	195.4	0	0	0	256	8.46	13.49	44.1	74.7	99.43	-1	-0.6	0	44.6	0.25	100	8340	99.42	44.8
2023-04-24 09:25:00	227.8	0	0	0	275	8.01	11.83	44	74.8	99.43	-0.8	-0.4	0	44.7	0.25	100	8342	99.41	44.8
2023-04-24 09:30:00	259.4	0	0	0	270	7.25	13.38	44.1	75	99.42	-0.8	-0.4	0	44.8	0.24	100	8346	99.41	44.9
2023-04-24 09:35:00	287	0	0	0	263	6.96	9.4	44.2	74.9	99.42	-0.8	-0.3	0	45.1	0.25	100	8351	99.41	45.2
2023-04-24 09:40:00	546.4	0	0	0	262	6.24	10.13	45.2	74.5	99.4	-0.7	-0.5	0	46.4	0.26	100	8372	99.41	45.8
2023-04-24 09:45:00	697.4	0	0	0	237	7.76	13.2	46.9	70.9	99.4	-0.8	-0.6	0	48.1	0.32	100	8391	99.42	46.9
2023-04-24 09:50:00	557.8	0	0	0	239	7.34	10.85	47.9	69	99.41	-0.7	-0.5	0	48.9	0.35	100	8396	99.42	47.9
2023-04-24 09:55:00	535.6	0	0	0	226	5.44	8.57	48	67.7	99.41	-0.7	-0.6	0	49.2	0.37	100	8406	99.42	48.6
2023-04-24 10:00:00	561.8	0	0	0	258	7.49	11.88	48.5	66.8	99.41	-0.7	-0.6	0	49.6	0.39	100	8415	99.42	49.2
2023-04-24 10:05:00	374.6	0	0	0	272	4.32	7.02	48.8	65	99.42	-0.6	-0.5	0	50	0.41	100	8412	99.42	49.8
2023-04-24 10:10:00	126.6	0	0	0	253	5.82	10.85	48.8	64.8	99.44	-0.7	-0.6	0	49.4	0.41	100	8403	99.42	49.9
2023-04-24 10:15:00	86.6	0	0	0	283	10.27	14.99	48.1	65.1	99.44	-0.9	-0.4	0	48.3	0.4	100	8398	99.42	49.2
2023-04-24 10:20:00	151.8	0.00067	0	0	302	9.46	13.87	46.9	68	99.44	-0.6	-0.7	0.04	47.2	0.35	100	8393	99.41	47.6
2023-04-24 10:25:00	218.4	0	0	0	297	8.23	12.82	45.8	70.8	99.43	-0.8	-0.5	0	46.4	0.31	100	8393	99.41	46.7
2023-04-24 10:30:00	400.4	0	0	0	269	5.06	7.56	45.5	73.6	99.43	-0.8	-0.5	0	46.5	0.27	100	8405	99.42	46.6
2023-04-24 10:35:00	654.8	0	0	0	283	6.35	12.66	46.7	72.5	99.41	-0.7	-0.4	0	48	0.3	100	8418	99.42	47.2
2023-04-24 10:40:00	591.8	0	0	0	290	8.3	15.28	48.1	68.4	99.42	-0.7	-0.6	0	49.1	0.36	100	8424	99.42	48.2
2023-04-24 10:45:00	448.2	0	0	0	264	10.56	15.97	48.5	66.8	99.44	-0.7	-0.5	0	49.4	0.39	100	8429	99.43	48.8
2023-04-24 10:50:00	260.2	0	0	0	262	11.48	17.45	48.3	66.8	99.45	-0.5	-0.5	0	49	0.38	100	8423	99.43	48.9
2023-04-24 10:55:00	243.2	0	0	0	274	12.86	17.72	47.7	67.8	99.45	-0.6	-0.7	0	48.2	0.36	100	8419	99.44	48.3
2023-04-24 11:00:00	394.2	0	0	0	268	10.18	15.19	46.9	69.2	99.44	-0.8	-0.4	0	47.7	0.34	100	8423	99.43	48
2023-04-24 11:05:00	505.4	0	0	0	272	12.39	17.4	47.3	68.7	99.44	-0.4	-0.6	0	48.2	0.35	100	8430	99.44	48.2
2023-04-24 11:10:00	467.8	0	0	0	264	11.52	16.26	47.7	66.7	99.45	-0.7	-0.5	0	48.6	0.38	100	8435	99.45	48.6
2023-04-24 11:15:00	517.4	0	0	0	255	9.75	15.05	48.1	66.2	99.45	-0.7	-0.4	0	49	0.39	100	8439	99.45	49.1
2023-04-24 11:20:00	546.4	0	0	0	282	11.83	19.44	48.7	64.6	99.45	-0.7	-0.6	0	49.5	0.41	100	8446	99.44	49.5
2023-04-24 11:25:00	514.6	0	0	0	293	11.77	17.07	48.9	62.9	99.44	-0.5	-0.6	0	49.7	0.44	100	8451	99.44	49.6
2023-04-24 11:30:00	602.8	0	0	0	284	10.67	18.21	49.2	62.1	99.44	-0.7	-0.4	0	50.1	0.45	100	8459	99.45	49.9
2023-04-24 11:35:00	557.4	0	0	0	285	10.96	20.31	49.6	61.9	99.44	-0.7	-0.5	0	50.5	0.46	100	8466	99.44	50.3
2023-04-24 11:40:00	613.4	0	0	0	284	13.09	18.88	49.9	59.9	99.44	-0.7	-0.4	0	50.7	0.49	100	8474	99.44	50.4
2023-04-24 11:45:00	785.6	0	0	0	281	12.53	18.7	50.5	59.3	99.43	-0.5	-0.6	0	51.3	0.51	100	8483	99.44	50.6
2023-04-24 11:50:00	768	0	0	0	297	13.85	17.27	51.2	57.5	99.42	-0.6	-0.5	0	51.9	0.54	100	8489	99.43	51.1
2023-04-24 11:55:00	717.8	0	0	0	299	10.83	18.43	50.7	57.5	99.43	-0.7	-0.6	0	51.5	0.53	100	8499	99.43	51.3
2023-04-24 12:00:00	434.2	0	0	0	278	14.47	22.84	51	58.6	99.43	-0.5	-0.5	0	51.8	0.53	100	8491	99.43	51.8
2023-04-24 12:05:00	310.6	0	0	0	299	13.67	20.96	50.2	57.2	99.43	-0.7	-0.2	0	50.8	0.53	100	8486	99.42	51.2
2023-04-24 12:10:00	488	0	0	0	283	10.11	15.73	49.5	59.2	99.43	-0.6	-0.5	0	50.1	0.49	100	8495	99.42	50.7
2023-04-24 12:15:00	940.2	0	0	0	300	12.57	17.58	50.5	58.1	99.4	-0.6	-0.5	0	51.3	0.52	100	8509	99.42	51.1
2023-04-24 12:20:00	808.6	0	0	0	266	9.13	12.57	51.3	57.1	99.4	-0.5	-0.7	0	52.2	0.55	100	8510	99.41	51.8
2023-04-24 12:25:00	1048.8	0	0	0	278	10.45	17.72	52.3	57.9	99.4	-0.6	-0.7	0	53.2	0.56	100	8523	99.41	52.9
2023-04-24 12:30:00	671.2	0	0	0	307	11.5	16.17	53.4	55.4	99.41	-0.5	-0.4	0	54.2	0.62	100	8521	99.41	53.8
2023-04-24 12:35:00	321	0	0	0	314	14.41	19.82	52.5	53.2	99.43	-0.6	-0.7	0	53.1	0.63	100	8513	99.41	53.5
2023-04-24 12:40:00	175.4	0	0	0	332	21.52	29.97	51.2	58.1	99.42	-0.2	0.2	0	51.4	0.54	100	8507	99.4	52.5
2023-04-24 12:45:00	252.6	0	0	0	340	19.6	25.05	49.2	64.5	99.42	-0.7	-0.8	0	49.5	0.42	100	8500	99.4	51.1
2023-04-24 12:50:00	251	0	0	0	339	17.43	23.73	47.8	67.7	99.42	-0.8	-0.5	0	48.3	0.37	100	8501	99.41	50.2
2023-04-24 12:55:00	239.8	0	0	0	332	16.75	21.52	47.1	69.3	99.43	-0.9	-0.3	0	47.5	0.34	100	8496	99.4	49.6

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-24 13:00:00	247.2	0	0	0	320	17.67	24.63	46.7	70.4	99.43	-0.8	-0.8	0	47	0.32	100	8497	99.41	49
2023-04-24 13:05:00	664.8	0	0	0	330	20.36	28.61	46.3	71.2	99.41	-0.3	-0.4	0	46.9	0.31	100	8506	99.4	47.6
2023-04-24 13:10:00	997.6	0	0	0	318	18.48	25.39	47.2	69.8	99.39	-1	-0.8	0	47.9	0.33	100	8519	99.4	47.1
2023-04-24 13:15:00	945.6	0	0	0	320	16.02	22.93	47.7	67.7	99.4	-0.7	-0.6	0	48.3	0.36	100	8525	99.4	47.4
2023-04-24 13:20:00	920.2	0	0	0	314	17.11	23.02	48.4	67.4	99.4	-0.9	-0.5	0	49.1	0.38	100	8529	99.41	48
2023-04-24 13:25:00	915.8	0	0	0	326	16.8	23.76	48.7	66.1	99.4	-0.7	-0.4	0	49.3	0.4	100	8532	99.41	48.4
2023-04-24 13:30:00	968	0	0	0	332	14.7	26.4	49	66.5	99.4	-0.6	-0.8	0	49.8	0.4	100	8528	99.41	48.9
2023-04-24 13:35:00	713.4	0	0	0	328	14.61	21.94	49.3	64.5	99.41	-0.8	-0.5	0	50	0.42	100	8528	99.41	49.5
2023-04-24 13:40:00	646.4	0	0	0	324	15.17	21.56	49	64.7	99.42	-0.4	-0.5	0	49.7	0.42	100	8528	99.41	49.7
2023-04-24 13:45:00	362.8	0	0	0	331	15.55	23.94	48.7	62.8	99.43	-1	-0.4	0	49.3	0.44	100	8524	99.42	49.7
2023-04-24 13:50:00	283	0	0	0	334	15.26	19.3	48.2	61.2	99.44	-0.7	0.1	0	48.8	0.45	100	8523	99.42	49.5
2023-04-24 13:55:00	290	0	0	0	306	12.66	19.35	47.7	61.6	99.44	-0.7	-0.6	0	48.3	0.43	100	8522	99.42	49.4
2023-04-24 14:00:00	350.4	0	0	0	300	15.7	23.69	47.7	60.8	99.44	-0.4	-0.3	0	48.4	0.44	100	8521	99.42	49.3
2023-04-24 14:05:00	326	0	0	0	289	17.83	25.77	47.6	63.1	99.44	-0.5	-0.3	0	48.2	0.41	100	8518	99.42	49.1
2023-04-24 14:10:00	304	0	0	0	299	15.23	21.34	47.4	64	99.44	-1.1	-0.7	0	48	0.4	100	8520	99.42	48.9
2023-04-24 14:15:00	327.6	0	0	0	317	13.4	18.28	47.2	64.1	99.44	-0.7	-0.7	0	47.8	0.4	100	8519	99.42	48.8
2023-04-24 14:20:00	357.6	0	0	0	290	13.53	18.88	47.2	64.4	99.44	-0.6	-0.4	0	47.9	0.39	100	8516	99.43	48.6
2023-04-24 14:25:00	758.4	0	0	0	326	13.89	19.73	47.7	65.6	99.43	-0.7	-0.2	0	48.5	0.39	100	8519	99.43	48.7
2023-04-24 14:30:00	795.4	0	0	0	312	12.86	17.56	49.1	64.9	99.43	-0.7	-0.5	0	49.9	0.42	100	8518	99.42	49.3
2023-04-24 14:35:00	795.6	0	0	0	314	12.3	19.19	49.9	63.2	99.43	-0.5	-0.5	0	50.8	0.45	100	8519	99.42	49.8
2023-04-24 14:40:00	820.6	0	0	0	312	12.95	17.38	50.6	62	99.43	-0.7	-0.5	0	51.5	0.48	100	8511	99.42	50.3
2023-04-24 14:45:00	840.6	0	0	0	316	13.89	21.34	51.2	61.2	99.43	-0.6	-0.7	0	51.9	0.5	100	8511	99.42	50.7
2023-04-24 14:50:00	589	0	0	0	315	13.76	19.82	51.2	60.9	99.44	-0.9	-0.3	0	51.9	0.5	100	8513	99.43	50.8
2023-04-24 14:55:00	373.4	0	0	0	318	10.83	13.94	50.4	61.7	99.46	-0.6	-0.5	0	51	0.48	100	8512	99.44	50.6
2023-04-24 15:00:00	803.8	0	0	0	301	12.66	19.15	50.5	62.6	99.44	-0.5	-0.5	0	51.3	0.47	100	8512	99.44	50.7
2023-04-24 15:05:00	529.6	0	0	0	320	12.1	19.1	50.8	61	99.46	-0.5	-0.6	0	51.6	0.49	100	8507	99.44	51.1
2023-04-24 15:10:00	617.2	0	0	0	297	10.25	17.43	50.9	56.5	99.46	-0.5	-0.6	0	51.7	0.55	100	8506	99.45	51.2
2023-04-24 15:15:00	286.4	0	0	0	309	9.73	17.47	50.7	54.8	99.47	-0.6	-0.5	0	51.4	0.57	100	8507	99.45	51.2
2023-04-24 15:20:00	387.6	0	0	0	323	8.86	13.67	50.1	54.1	99.47	-0.7	-0.6	0	51	0.57	100	8508	99.45	51.1
2023-04-24 15:25:00	294.2	0	0	0	309	10.63	17.22	50	55.9	99.48	-0.6	-0.6	0	50.8	0.54	100	8508	99.46	51.1
2023-04-24 15:30:00	207.4	0	0	0	296	11.27	17.74	49.7	55.5	99.49	-0.6	-0.7	0	50.3	0.54	100	8504	99.46	50.7
2023-04-24 15:35:00	201.2	0	0	0	297	11.41	16.24	49.4	58.3	99.49	-0.9	-0.3	0	49.8	0.5	100	8506	99.47	50.4
2023-04-24 15:40:00	198.2	0	0	0	298	11.39	14.79	48.7	59.8	99.48	-0.9	-0.5	0	49.2	0.47	100	8504	99.46	50
2023-04-24 15:45:00	212.4	0	0	0	299	10.89	14.63	48.2	60.8	99.49	-0.8	-0.4	0	48.8	0.45	100	8502	99.47	49.8
2023-04-24 15:50:00	258.8	0	0	0	307	13.15	16.49	48	60.5	99.49	-0.6	-0.7	0	48.6	0.45	100	8503	99.47	49.6
2023-04-24 15:55:00	274.8	0	0	0	303	9.33	11.88	47.7	61.3	99.5	-0.7	-0.6	0	48.4	0.44	100	8501	99.48	49.6
2023-04-24 16:00:00	273.6	0	0	0	295	9.44	12.8	47.7	62	99.5	-0.7	-0.7	0	48.4	0.43	100	8501	99.48	49.5
2023-04-24 16:05:00	304.4	0	0	0	335	5.26	7.18	47.6	62.1	99.5	-0.7	-0.4	0	48.6	0.43	100	8503	99.48	49.7
2023-04-24 16:10:00	308.6	0	0	0	286	7.4	11.07	47.8	61.8	99.5	-0.7	-0.6	0	48.8	0.43	100	8502	99.48	49.8
2023-04-24 16:15:00	283.4	0	0	0	283	6.11	11.36	48	62.1	99.5	-0.7	-0.5	0	49.1	0.43	100	8503	99.48	49.9
2023-04-24 16:20:00	249	0	0	0	302	8.23	10.92	48.2	59.8	99.49	-0.7	-0.5	0	49	0.46	100	8501	99.47	49.9
2023-04-24 16:25:00	239.2	0	0	0	305	9.19	15.08	48.3	58.2	99.49	-0.9	-0.5	0	48.9	0.48	100	8502	99.47	49.8
2023-04-24 16:30:00	225.2	0	0	0	286	6.13	12.01	48.1	58.6	99.49	-0.7	-0.6	0	48.8	0.47	100	8502	99.47	49.7
2023-04-24 16:35:00	130.8	0	0	0	289	5.82	10.47	48.1	59	99.5	-0.7	-0.6	0	48.6	0.47	100	8499	99.47	49.5
2023-04-24 16:40:00	61.4	0	0	0	294	7.7	11.01	48.1	59.8	99.5	-0.6	-0.5	0	48.3	0.46	100	8495	99.47	49.2
2023-04-24 16:45:00	41.4	0.00067	0	0	321	11.03	15.28	47.9	60.9	99.5	-0.9	-0.4	0.04	48	0.44	100	8492	99.47	48.8
2023-04-24 16:50:00	32.6	0.0067	0	0	306	7.4	11.92	47.3	64.6	99.51	-0.8	-0.4	0.12	47.3	0.39	100	8490	99.48	47.5
2023-04-24 16:55:00	43.6	0.00268	0	0	334	6.24	8.32	46.7	67.3	99.52	-0.9	-0.6	0.08	46.7	0.35	100	8485	99.48	46.4
2023-04-24 17:00:00	89.6	0	0	0	340	8.48	11.65	46.1	70.3	99.52	-0.7	-0.4	0	46.3	0.31	100	8485	99.49	46.1
2023-04-24 17:05:00	101.8	0	0	0	339	11.97	21.12	45.8	71.8	99.52	-1.1	-0.5	0	46.1	0.3	100	8482	99.48	46
2023-04-24 17:10:00	96.6	0	0	0	334	12.21	15.82	45.5	71.1	99.51	-0.7	-0.3	0	45.8	0.3	100	8481	99.48	45.8
2023-04-24 17:15:00	74	0	0	0	339	13.76	18.97	45.5	71.5	99.51	-0.8	-0.4	0	45.7	0.3	100	8480	99.48	45.7
2023-04-24 17:20:00	92.2	0	0	0	341	17.74	24.2	45.4	72.8	99.51	-0.9	-0.4	0	45.6	0.28	100	8478	99.48	45.6
2023-04-24 17:25:00	48.8	0.00268	0	0	335	14.38	22.55	45.2	74.7	99.53	-0.8	-0.6	0.08	45.4	0.26	100	8475	99.5	45.2
2023-04-24 17:30:00	41.6	0.00134	0	0	331	14.32	18.7	44.9	74.8	99.53	-0.8	-0.5	0.04	44.9	0.26	100	8476	99.5	44.4
2023-04-24 17:35:00	48.8	0.00134	0	0	334	11.27	15.9	44.4	75.3	99.54	-0.9	-0.6	0.04	44.5	0.25	100	8472	99.51	43.8
2023-04-24 17:40:00	51.6	0.0067	0	0	342	6.38	11.03	44	76.6	99.55	-0.8	-0.5	0.321	44.1	0.23	100	8471	99.52	43.5
2023-04-24 17:45:00	63.2	0.00067	0	0	4	4.29	5.95	43.6	79	99.55	-0.8	-0.5	0.04	43.9	0.2	100	8471	99.53	43.4
2023-04-24 17:50:00	118.6	0	0	0	18	4.99	6.96	43.6	79.6	99.56	-0.9	-0.4	0	43.8	0.2	100	8467	99.53	43.5
2023-04-24 17:55:00	207.8	0	0	0	89	2.08	3.31	43.4	80.8	99.56	-0.9	-0.5	0	44.4	0.18	100	8466	99.55	44.7

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-24 18:00:00	157.4	0	0	0	213	4.36	8.55	43.9	80.7	99.58	-0.8	-0.7	0	44.7	0.19	100	8467	99.56	45.2
2023-04-24 18:05:00	123.4	0	0	0	263	5.46	9.31	44.4	78.2	99.59	-0.9	-0.5	0	44.9	0.22	100	8466	99.57	45
2023-04-24 18:10:00	111.2	0	0	0	266	12.37	18.86	44.7	72.1	99.59	-0.8	-0.6	0	45.1	0.28	100	8465	99.56	44.7
2023-04-24 18:15:00	93.4	0	0	0	278	12.12	17.96	44.6	70.6	99.59	-0.9	-0.5	0	44.8	0.29	100	8466	99.56	44.5
2023-04-24 18:20:00	82.2	0	0	0	286	13.58	18.84	44.3	70.8	99.59	-0.8	-0.6	0	44.6	0.29	100	8462	99.56	44.4
2023-04-24 18:25:00	71.6	0	0	0	284	12.19	17.81	44.3	70.4	99.58	-0.9	-0.3	0	44.5	0.29	100	8460	99.56	44.3
2023-04-24 18:30:00	73.4	0	0	0	273	10.22	15.73	44.2	71.8	99.58	-0.8	-0.6	0	44.3	0.28	100	8463	99.55	44.2
2023-04-24 18:35:00	58.2	0	0	0	281	9.04	12.33	44.1	72.4	99.59	-0.8	-0.4	0	44.2	0.27	100	8458	99.56	44.2
2023-04-24 18:40:00	56	0	0	0	271	10.74	19.13	43.8	71.3	99.59	-0.7	-0.7	0	44	0.28	100	8458	99.57	43.9
2023-04-24 18:45:00	53.4	0	0	0	266	10.18	14.16	43.6	70.9	99.6	-0.8	-0.5	0	43.7	0.28	100	8456	99.57	43.7
2023-04-24 18:50:00	48.6	0	0	0	276	7.96	11.45	43.5	70.3	99.6	-0.8	-0.6	0	43.7	0.28	100	8456	99.57	43.6
2023-04-24 18:55:00	42	0	0	0	263	7.47	12.77	43.3	71.7	99.6	-1	-0.5	0	43.4	0.27	100	8455	99.57	43.4
2023-04-24 19:00:00	36.4	0	0	0	272	8.32	13.4	43.3	72.7	99.6	-0.9	-0.4	0	43.4	0.26	100	8453	99.57	43.4
2023-04-24 19:05:00	34.8	0	0	0	271	10.67	14.56	43.2	72.1	99.61	-0.6	-0.5	0	43.3	0.27	100	8450	99.58	43.3
2023-04-24 19:10:00	31.8	0	0	0	263	8.86	12.33	43.2	73	99.61	-0.8	-0.5	0	43.2	0.26	100	8450	99.58	43.2
2023-04-24 19:15:00	29	0	0	0	265	9.66	14.03	43.1	74	99.61	-0.9	-0.6	0	43.1	0.25	100	8448	99.58	43.1
2023-04-24 19:20:00	24.4	0	0	0	270	10.27	15.99	42.9	73.4	99.61	-0.9	-0.6	0	42.9	0.25	100	8446	99.59	42.9
2023-04-24 19:25:00	19.8	0	0	0	264	9.69	14.85	42.7	73.9	99.62	-0.8	-0.5	0	42.8	0.24	100	8447	99.59	42.7
2023-04-24 19:30:00	16.4	0	0	0	264	8.19	12.35	42.6	74.4	99.62	-0.9	-0.5	0	42.6	0.24	100	8446	99.59	42.5
2023-04-24 19:35:00	12.4	0	0	0	270	8.77	14.58	42.3	74.6	99.62	-0.8	-0.5	0	42.3	0.23	100	8444	99.59	42.3
2023-04-24 19:40:00	8.2	0	0	0	269	7.23	12.66	42.1	74.9	99.62	-1	-0.4	0	42.2	0.23	100	8443	99.6	42.2
2023-04-24 19:45:00	5.2	0	0	0	261	5.79	9.55	42.1	75.8	99.63	-0.9	-0.5	0	42.1	0.22	100	8442	99.6	42
2023-04-24 19:50:00	2.8	0	0	0	254	8.48	11.79	42.1	76.1	99.63	-0.9	-0.6	0	42.1	0.22	100	8444	99.6	41.9
2023-04-24 19:55:00	1.6	0	0	0	254	9.57	13.58	42	76.2	99.63	-0.9	-0.6	0	42	0.22	100	8439	99.6	41.9
2023-04-24 20:00:00	0.8	0	0	0	258	8.21	12.01	42	76.6	99.63	-0.9	-0.5	0	42	0.21	100	8438	99.6	41.8
2023-04-24 20:05:00	0	0	0	0	263	8.03	11.41	41.9	76.9	99.63	-0.8	-0.5	0	41.9	0.21	100	8437	99.6	41.6
2023-04-24 20:10:00	0	0	0	0	263	7.72	10.33	41.8	77	99.64	-0.9	-0.4	0	41.8	0.21	100	8433	99.61	41.4
2023-04-24 20:15:00	0	0	0	0	264	6.98	10.07	41.7	77.1	99.64	-0.9	-0.5	0	41.7	0.21	100	8436	99.61	41.2
2023-04-24 20:20:00	0	0	0	0	261	6.8	10.47	41.4	77.6	99.64	-0.9	-0.5	0	41.4	0.2	100	8433	99.61	41
2023-04-24 20:25:00	0	0	0	0	254	7.2	9.31	41.4	78	99.64	-0.8	-0.5	0	41.3	0.19	100	8434	99.61	40.8
2023-04-24 20:30:00	0	0	0	0	255	7.76	11.63	41.2	78.1	99.65	-0.9	-0.5	0	41.1	0.19	100	8431	99.62	40.6
2023-04-24 20:35:00	0	0	0	0	259	9.26	11.97	41	78.9	99.65	-1.1	-0.6	0	41	0.18	100	8433	99.62	40.5
2023-04-24 20:40:00	0	0	0	0	264	8.97	12.82	40.9	78.7	99.65	-1	-0.5	0	40.9	0.19	100	8431	99.62	40.4
2023-04-24 20:45:00	0	0	0	0	263	8.55	13.6	40.8	79	99.65	-1	-0.4	0	40.8	0.18	100	8430	99.63	40.2
2023-04-24 20:50:00	0	0	0	0	263	8.93	11.99	40.6	79.2	99.66	-0.8	-0.5	0	40.6	0.18	100	8428	99.63	40
2023-04-24 20:55:00	0	0	0	0	262	7.43	11.45	40.6	79.3	99.67	-0.8	-0.6	0	40.5	0.18	100	8430	99.64	40
2023-04-24 21:00:00	0	0	0	0	261	7	9.71	40.5	79.9	99.67	-0.9	-0.5	0	40.5	0.17	100	8431	99.64	39.9
2023-04-24 21:05:00	0	0	0	0	263	7.2	10.47	40.5	80	99.67	-0.9	-0.5	0	40.5	0.17	100	8425	99.64	40
2023-04-24 21:10:00	0	0	0	0	267	7.02	10.6	40.6	79.9	99.67	-1	-0.5	0	40.6	0.17	100	8426	99.64	40
2023-04-24 21:15:00	0	0	0	0	268	7.14	9.89	40.6	80.5	99.67	-0.8	-0.5	0	40.6	0.17	100	8427	99.64	40
2023-04-24 21:20:00	0	0	0	0	273	6.93	11.45	40.5	79.7	99.68	-1.1	-0.4	0	40.5	0.17	100	8424	99.65	39.9
2023-04-24 21:25:00	0	0	0	0	269	5.99	8.12	40.6	80.3	99.68	-1	-0.5	0	40.6	0.17	100	8423	99.65	39.9
2023-04-24 21:30:00	0	0	0	0	265	7.23	9.98	40.4	80.4	99.68	-0.9	-0.4	0	40.4	0.17	100	8424	99.66	39.8
2023-04-24 21:35:00	0	0	0	0	263	5.59	8.75	40.4	80.4	99.69	-0.8	-0.5	0	40.4	0.17	100	8422	99.66	39.8
2023-04-24 21:40:00	0	0	0	0	263	5.91	9.01	40.4	80.7	99.69	-0.7	-0.5	0	40.4	0.16	100	8422	99.66	39.6
2023-04-24 21:45:00	0	0	0	0	258	7.14	10.47	40.3	80.8	99.68	-0.9	-0.4	0	40.3	0.16	100	8420	99.66	39.5
2023-04-24 21:50:00	0	0	0	0	264	7.87	11.68	40.2	80.4	99.68	-0.9	-0.5	0	40.2	0.17	100	8418	99.66	39.5
2023-04-24 21:55:00	0	0	0	0	262	7.72	11.54	40.1	80.5	99.69	-1	-0.5	0	40.1	0.16	100	8419	99.66	39.3
2023-04-24 22:00:00	0	0	0	0	261	5.41	8.43	40	81	99.69	-1	-0.4	0	40	0.16	100	8418	99.66	39.1
2023-04-24 22:05:00	0	0	0	0	261	8.52	11.92	39.8	80.8	99.69	-0.9	-0.5	0	39.8	0.16	100	8417	99.66	38.9
2023-04-24 22:10:00	0	0	0	0	261	7.67	9.82	39.6	81	99.69	-1.1	-0.5	0	39.7	0.16	100	8415	99.66	38.8
2023-04-24 22:15:00	0	0	0	0	263	7.65	10.78	39.6	80.7	99.69	-0.8	-0.5	0	39.6	0.16	100	8416	99.66	38.8
2023-04-24 22:20:00	0	0	0	0	265	7.87	12.41	39.6	80.8	99.69	-1	-0.5	0	39.6	0.16	100	8413	99.66	38.7
2023-04-24 22:25:00	0	0	0	0	266	7.67	9.78	39.5	81.1	99.68	-0.9	-0.6	0	39.5	0.16	100	8412	99.66	38.6
2023-04-24 22:30:00	0	0	0	0	265	7.43	11.16	39.3	80.8	99.68	-0.9	-0.5	0	39.3	0.16	100	8415	99.65	38.4
2023-04-24 22:35:00	0	0	0	0	262	6.78	12.19	39.1	81.5	99.68	-0.9	-0.5	0	39.1	0.15	100	8412	99.65	38.3
2023-04-24 22:40:00	0	0	0	0	255	6.69	9.22	39.1	81.6	99.68	-1	-0.5	0	39	0.15	100	8412	99.65	38.1
2023-04-24 22:45:00	0	0	0	0	253	5.3	8.55	38.9	82.1	99.68	-0.9	-0.4	0	38.9	0.14	100	8411	99.65	38
2023-04-24 22:50:00	0	0	0	0	251	6.17	7.99	38.8	82.3	99.67	-1.1	-0.4	0	38.8	0.14	100	8409	99.64	37.9
2023-04-24 22:55:00	0	0	0	0	248	8.61	12.17	38.8	82.3	99.67	-0.8	-0.5	0	38.8	0.14	100	8410	99.64	37.9

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-24 23:00:00	0	0	0	0	250	7.56	10.58	38.8	82.3	99.67	-1	-0.4	0	38.8	0.14	100	8409	99.64	37.8
2023-04-24 23:05:00	0	0	0	0	247	8.37	11.05	38.8	82.6	99.67	-0.9	-0.5	0	38.7	0.14	100	8409	99.64	37.8
2023-04-24 23:10:00	0	0	0	0	245	8.88	12.55	38.7	82.7	99.66	-1.1	-0.6	0	38.7	0.14	100	8410	99.64	37.7
2023-04-24 23:15:00	0	0	0	0	243	7.54	11.05	38.7	82.3	99.66	-1.1	-0.4	0	38.7	0.14	100	8406	99.64	37.7
2023-04-24 23:20:00	0	0	0	0	239	7.45	10.98	38.6	82	99.66	-0.9	-0.5	0	38.6	0.14	100	8405	99.64	37.6
2023-04-24 23:25:00	0	0	0	0	246	6.78	10.65	38.6	82	99.66	-1	-0.6	0	38.6	0.14	100	8403	99.64	37.5
2023-04-24 23:30:00	0	0	0	0	244	7	11.52	38.4	82.1	99.66	-1	-0.4	0	38.5	0.14	100	8405	99.63	37.3
2023-04-24 23:35:00	0	0	0	0	244	7.29	11.65	38.3	82.7	99.66	-0.9	-0.4	0	38.3	0.14	100	8403	99.64	37.3
2023-04-24 23:40:00	0	0	0	0	254	7.65	15.48	38.2	82.4	99.66	-1	-0.5	0	38.2	0.14	100	8402	99.63	37.1
2023-04-24 23:45:00	0	0	0	0	257	8.79	11.68	38.2	82.1	99.66	-1	-0.6	0	38.2	0.14	100	8402	99.63	37
2023-04-24 23:50:00	0	0	0	0	257	7.9	11.83	38	82.6	99.66	-1	-0.4	0	38	0.14	100	8399	99.64	36.9
2023-04-24 23:55:00	0	0	0	0	255	7.61	12.48	37.9	82.5	99.66	-1.1	-0.3	0	37.9	0.13	100	8399	99.64	36.8
2023-04-25 00:00:00	0	0	0	0	266	7.09	11.81	37.7	82.4	99.66	-1.1	-0.3	0	37.7	0.14	100	8401	99.64	36.6
2023-04-25 00:05:00	0	0	0	0	263	7.36	12.24	37.7	82.3	99.66	-0.9	-0.6	0	37.7	0.14	100	8367	99.63	36.6
2023-04-25 00:10:00	0	0	0	0	258	8.7	12.19	37.5	82.5	99.66	-0.9	-0.5	0	37.5	0.13	100	8362	99.64	36.8
2023-04-25 00:15:00	0	0	0	0	260	8.79	12.28	37.5	82.7	99.66	-1.1	-0.7	0	37.5	0.13	100	8352	99.64	36.8
2023-04-25 00:20:00	0	0	0	0	261	10.54	15.97	37.3	82.3	99.66	-1.1	-0.3	0	37.3	0.13	100	8367	99.63	36.7
2023-04-25 00:25:00	0	0	0	0	262	10.71	14.58	37.3	82.1	99.66	-1	-0.6	0	37.3	0.14	100	8370	99.63	36.6
2023-04-25 00:30:00	0	0	0	0	257	10.54	14.72	37.4	81.8	99.66	-1.1	-0.3	0	37.4	0.14	100	8373	99.63	36.4
2023-04-25 00:35:00	0	0	0	0	259	9.24	14.2	37.3	82.2	99.65	-1	-0.5	0	37.3	0.13	100	8372	99.63	36.3
2023-04-25 00:40:00	0	0	0	0	251	8.59	12.82	37.2	82.4	99.65	-1.1	-0.5	0	37.3	0.13	100	8371	99.63	36.2
2023-04-25 00:45:00	0	0	0	0	247	10.11	14.07	37.1	81.7	99.66	-1.2	-0.4	0	37.1	0.14	100	8373	99.63	36.1
2023-04-25 00:50:00	0	0	0	0	248	10.07	16.24	37.1	81.5	99.66	-1.1	-0.3	0	37.1	0.14	100	8374	99.63	36
2023-04-25 00:55:00	0	0	0	0	249	10.69	14.63	37.1	81.5	99.65	-1	-0.5	0	37.1	0.14	100	8373	99.63	36
2023-04-25 01:00:00	0	0	0	0	243	10.27	15.35	37	81.7	99.65	-0.9	-0.6	0	37	0.14	100	8374	99.63	36
2023-04-25 01:05:00	0	0	0	0	248	9.91	14.36	37.1	81	99.65	-1.2	-0.4	0	37.1	0.14	100	8373	99.62	35.9
2023-04-25 01:10:00	0	0	0	0	241	11.34	18.1	37	80.6	99.64	-1	-0.4	0	37	0.15	100	8374	99.62	35.9
2023-04-25 01:15:00	0	0	0	0	242	9.98	15.32	37	80.4	99.65	-1	-0.4	0	37	0.15	100	8374	99.63	35.9
2023-04-25 01:20:00	0	0	0	0	238	11.54	16.26	36.9	80.7	99.65	-0.9	-0.4	0	36.9	0.14	100	8373	99.63	35.8
2023-04-25 01:25:00	0	0	0	0	242	11.12	15.75	36.9	80.1	99.64	-1.2	-0.5	0	36.9	0.15	100	8371	99.62	35.8
2023-04-25 01:30:00	0	0	0	0	243	12.28	21.16	36.9	80.4	99.64	-1.2	-0.4	0	37	0.15	100	8373	99.62	35.8
2023-04-25 01:35:00	0	0	0	0	251	10.54	15.08	36.9	80.8	99.64	-1	-0.5	0	36.9	0.14	100	8370	99.62	35.7
2023-04-25 01:40:00	0	0	0	0	250	10.94	16.22	36.9	80.9	99.64	-0.9	-0.4	0	36.9	0.14	100	8370	99.62	35.6
2023-04-25 01:45:00	0	0	0	0	244	10.22	15.86	36.8	81	99.64	-1	-0.6	0	36.7	0.14	100	8371	99.61	35.5
2023-04-25 01:50:00	0	0	0	0	245	10.67	16.73	36.6	81.3	99.64	-0.9	-0.4	0	36.5	0.14	100	8369	99.62	35.5
2023-04-25 01:55:00	0	0	0	0	239	9.57	14.09	36.4	81.7	99.64	-1	-0.5	0	36.4	0.13	100	8369	99.62	35.3
2023-04-25 02:00:00	0	0	0	0	241	10.13	14.25	36.5	81.9	99.64	-0.9	-0.2	0	36.5	0.13	100	8371	99.62	35.2
2023-04-25 02:05:00	0	0	0	0	249	8.75	13.27	36.2	82	99.63	-1.2	-0.4	0	36.2	0.13	100	8368	99.61	35.1
2023-04-25 02:10:00	0	0	0	0	250	10.63	16.26	36.1	82.4	99.63	-1.1	-0.6	0	36.2	0.13	100	8369	99.61	35
2023-04-25 02:15:00	0	0	0	0	241	9.86	13.31	36.1	82.6	99.63	-1	-0.4	0	36	0.12	100	8367	99.6	34.9
2023-04-25 02:20:00	0	0	0	0	241	10.18	14.23	35.9	83.3	99.62	-1.1	-0.3	0	35.9	0.12	100	8367	99.61	34.8
2023-04-25 02:25:00	0	0	0	0	237	10.07	14.63	35.7	83.1	99.62	-1.1	-0.5	0	35.7	0.12	100	8369	99.6	34.8
2023-04-25 02:30:00	0	0	0	0	243	9.8	14.41	35.6	83.8	99.63	-1.1	-0.4	0	35.6	0.11	100	8368	99.61	34.6
2023-04-25 02:35:00	0	0	0	0	240	8.37	12.93	35.6	83.8	99.63	-1.1	-0.4	0	35.6	0.11	100	8366	99.61	34.5
2023-04-25 02:40:00	0	0	0	0	236	8.25	11.56	35.5	84.4	99.62	-1.1	-0.6	0	35.5	0.11	100	8365	99.6	34.4
2023-04-25 02:45:00	0	0	0	0	243	9.22	12.1	35.3	84.3	99.62	-1.3	-0.4	0	35.3	0.11	100	8365	99.6	34.3
2023-04-25 02:50:00	0	0	0	0	243	8.16	12.5	35.3	84.7	99.62	-1	-0.5	0	35.3	0.11	100	8365	99.61	34.2
2023-04-25 02:55:00	0	0	0	0	249	7.45	11.65	35.1	85.3	99.63	-1	-0.4	0	35.1	0.1	100	8363	99.61	34.1
2023-04-25 03:00:00	0	0	0	0	254	6.93	10.47	35.1	85.1	99.63	-1.2	-0.4	0	35.1	0.1	100	8365	99.61	34.1
2023-04-25 03:05:00	0	0	0	0	249	7.14	9.51	35.1	85.4	99.63	-1.1	-0.4	0	35.1	0.1	100	8362	99.61	34.1
2023-04-25 03:10:00	0	0	0	0	247	6.89	9.84	35.1	85.2	99.63	-1.1	-0.4	0	35.1	0.1	100	8364	99.62	34.1
2023-04-25 03:15:00	0	0	0	0	250	6.29	9.51	35	85.3	99.64	-1.1	-0.4	0	35.1	0.1	100	8364	99.62	34.1
2023-04-25 03:20:00	0	0	0	0	245	7.02	10.89	35.2	84.9	99.65	-1.2	-0.5	0	35.2	0.1	100	8360	99.63	34.1
2023-04-25 03:25:00	0	0	0	0	238	6.69	11.79	35.2	84.8	99.65	-1.1	-0.5	0	35.2	0.11	100	8361	99.63	34.2
2023-04-25 03:30:00	0	0	0	0	244	8.08	13	35.3	85	99.65	-1.3	-0.6	0	35.3	0.1	100	8362	99.64	34.3
2023-04-25 03:35:00	0	0	0	0	241	8.32	12.53	35.5	84.7	99.66	-1.1	-0.4	0	35.5	0.11	100	8359	99.64	34.5
2023-04-25 03:40:00	0	0	0	0	241	7.45	10.71	35.6	84.9	99.66	-0.8	-0.3	0	35.6	0.11	100	8359	99.65	34.6
2023-04-25 03:45:00	0	0	0	0	252	7.25	9.75	35.8	85	99.67	-1	-0.4	0	35.8	0.11	100	8357	99.65	34.7
2023-04-25 03:50:00	0	0	0	0	254	8.01	10.69	35.9	85	99.67	-1.1	-0.4	0	35.9	0.11	100	8359	99.65	34.8
2023-04-25 03:55:00	0	0	0	0	248	6.04	9.08	36	85.1	99.67	-1	-0.4	0	36	0.11	100	8358	99.65	35

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-25 04:00:00	0	0	0	0	243	5.79	7.9	36.1	84.6	99.68	-1	-0.5	0	36.1	0.11	100	8359	99.66	35.1
2023-04-25 04:05:00	0	0	0	0	239	6.11	8.61	36.2	84.2	99.68	-1.1	-0.4	0	36.2	0.11	100	8358	99.67	35.2
2023-04-25 04:10:00	0	0	0	0	238	6.55	9.17	36.3	84.3	99.69	-1.1	-0.6	0	36.3	0.11	100	8358	99.67	35.3
2023-04-25 04:15:00	0	0	0	0	237	5.46	8.39	36.5	83.8	99.69	-1	-0.4	0	36.5	0.12	100	8358	99.68	35.4
2023-04-25 04:20:00	0	0	0	0	247	5.77	8.23	36.4	84.2	99.7	-1.1	-0.4	0	36.4	0.12	100	8356	99.68	35.5
2023-04-25 04:25:00	0	0	0	0	239	5.79	7.63	36.6	83.9	99.7	-1.1	-0.5	0	36.6	0.12	100	8356	99.68	35.6
2023-04-25 04:30:00	0	0	0	0	248	7.43	13.33	36.6	83.9	99.7	-1	-0.4	0	36.6	0.12	100	8355	99.68	35.7
2023-04-25 04:35:00	0	0	0	0	252	6.15	9.24	36.7	83.9	99.7	-1	-0.4	0	36.7	0.12	100	8357	99.68	35.7
2023-04-25 04:40:00	0	0	0	0	252	5.57	9.24	36.7	84.1	99.7	-1	-0.5	0	36.7	0.12	100	8355	99.68	35.7
2023-04-25 04:45:00	0	0	0	0	256	4.99	6.64	36.6	84.4	99.7	-1.1	-0.5	0	36.6	0.11	100	8355	99.68	35.7
2023-04-25 04:50:00	0	0	0	0	251	5.12	7.27	36.6	84	99.7	-1.1	-0.5	0	36.6	0.12	100	8353	99.68	35.7
2023-04-25 04:55:00	0	0	0	0	259	5.01	7.36	36.6	84.5	99.69	-1	-0.5	0	36.6	0.11	100	8355	99.68	35.7
2023-04-25 05:00:00	0	0	0	0	256	5.82	8.01	36.7	84.2	99.69	-1.1	-0.4	0	36.7	0.12	100	8354	99.67	35.7
2023-04-25 05:05:00	0	0	0	0	260	6.33	9.66	36.7	84.2	99.7	-1.1	-0.4	0	36.7	0.12	100	8352	99.67	35.8
2023-04-25 05:10:00	0	0	0	0	251	6.04	8.19	36.7	83.9	99.69	-1	-0.5	0	36.7	0.12	100	8352	99.67	35.8
2023-04-25 05:15:00	0	0	0	0	253	6.67	10.22	36.6	84.3	99.69	-1.1	-0.4	0	36.6	0.12	100	8352	99.67	35.8
2023-04-25 05:20:00	0	0	0	0	243	6.78	10.09	36.7	84.1	99.69	-1	-0.5	0	36.7	0.12	100	8351	99.68	35.8
2023-04-25 05:25:00	0	0	0	0	244	7.07	9.95	36.7	84.2	99.69	-1.1	-0.3	0	36.7	0.12	100	8352	99.68	35.9
2023-04-25 05:30:00	0	0	0	0	239	6.64	9.82	36.8	83.8	99.69	-1	-0.5	0	36.8	0.12	100	8350	99.67	35.9
2023-04-25 05:35:00	0	0	0	0	237	7.02	9.64	36.7	84.1	99.7	-1	-0.4	0	36.8	0.12	100	8352	99.68	36
2023-04-25 05:40:00	0	0	0	0	231	6.11	9.57	36.9	83.5	99.7	-1	-0.4	0	36.9	0.12	100	8352	99.68	36
2023-04-25 05:45:00	0	0	0	0	236	5.97	8.93	36.9	83.6	99.7	-1	-0.4	0	36.9	0.12	100	8349	99.69	36
2023-04-25 05:50:00	0	0	0	0	240	5.61	8.21	37	83.2	99.71	-1	-0.4	0	37	0.12	100	8349	99.69	36.1
2023-04-25 05:55:00	0.2	0	0	0	235	7.54	10.02	36.9	83.3	99.7	-1	-0.5	0	36.9	0.12	100	8349	99.69	36.1
2023-04-25 06:00:00	1.4	0	0	0	230	8.66	11.68	37	83.1	99.71	-1	-0.5	0	37	0.13	100	8349	99.69	36.1
2023-04-25 06:05:00	2.8	0	0	0	228	8.21	11.27	37	83.2	99.71	-1	-0.4	0	37	0.12	100	8349	99.69	36.2
2023-04-25 06:10:00	5.2	0	0	0	228	8.37	10.27	37	83.1	99.71	-1	-0.5	0	37	0.13	100	8349	99.69	36.2
2023-04-25 06:15:00	9	0	0	0	230	6.53	9.33	37	83.1	99.71	-1	-0.5	0	37	0.13	100	8348	99.69	36.2
2023-04-25 06:20:00	13.2	0	0	0	227	6.67	9.91	37	83.1	99.72	-1.1	-0.5	0	37	0.13	100	8346	99.7	36.2
2023-04-25 06:25:00	16.4	0	0	0	228	8.1	10.45	37	83.1	99.72	-1.1	-0.4	0	37	0.13	100	8346	99.71	36.2
2023-04-25 06:30:00	20.6	0	0	0	235	8.7	13.87	37	82.6	99.73	-1.1	-0.5	0	37.1	0.13	100	8346	99.71	36.2
2023-04-25 06:35:00	26.6	0	0	0	236	7.63	10.22	37	83.1	99.73	-1	-0.4	0	37.1	0.13	100	8346	99.72	36.2
2023-04-25 06:40:00	32	0	0	0	228	8.75	12.48	36.9	82.7	99.74	-1	-0.5	0	37	0.13	100	8346	99.72	36.3
2023-04-25 06:45:00	36	0	0	0	231	8.97	11.36	36.9	82.4	99.74	-1.1	-0.5	0	37.1	0.13	100	8345	99.72	36.3
2023-04-25 06:50:00	41.4	0	0	0	230	9.15	13.69	37.1	82.1	99.74	-1.1	-0.5	0	37.2	0.13	100	8345	99.73	36.4
2023-04-25 06:55:00	58.4	0	0	0	220	7.14	10.18	37	82.5	99.74	-0.9	-0.5	0	37.2	0.13	100	8349	99.73	36.4
2023-04-25 07:00:00	84.4	0	0	0	211	7.85	10.85	37.2	82.5	99.75	-0.9	-0.4	0	37.4	0.13	100	8349	99.73	36.6
2023-04-25 07:05:00	95.8	0	0	0	212	7.67	16.51	37.4	83.3	99.75	-1	-0.4	0	37.7	0.13	100	8352	99.74	36.8
2023-04-25 07:10:00	118.6	0	0	0	235	8.88	16.73	37.8	82	99.75	-1	-0.5	0	38	0.14	100	8361	99.74	37.1
2023-04-25 07:15:00	169.6	0	0	0	226	8.12	12.88	38.3	81.6	99.76	-0.7	-0.3	0	38.7	0.14	100	8371	99.75	37.5
2023-04-25 07:20:00	218.4	0	0	0	238	7.78	11.56	38.9	81.2	99.76	-0.8	-0.5	0	39.6	0.15	100	8384	99.76	38.2
2023-04-25 07:25:00	197	0	0	0	238	8.84	12.66	39.9	79.8	99.77	-0.9	-0.4	0	40.5	0.17	100	8393	99.76	39.1
2023-04-25 07:30:00	230.8	0	0	0	232	9.35	13.76	40.4	77.9	99.76	-1	-0.4	0	41	0.19	100	8407	99.76	39.7
2023-04-25 07:35:00	131.8	0	0	0	229	8.84	13.6	40.7	76.8	99.78	-0.8	-0.4	0	41.1	0.2	100	8398	99.76	40.2
2023-04-25 07:40:00	110.6	0	0	0	238	9.46	12.77	40.5	76.7	99.78	-1	-0.7	0	40.8	0.2	100	8399	99.77	40.3
2023-04-25 07:45:00	99	0	0	0	228	8.95	15.19	40.1	76.8	99.78	-0.8	-0.5	0	40.4	0.2	100	8396	99.77	40.1
2023-04-25 07:50:00	107.6	0	0	0	233	8.08	12.93	39.8	77.8	99.78	-0.8	-0.4	0	40.1	0.18	100	8400	99.77	39.9
2023-04-25 07:55:00	173.2	0	0	0	239	8.75	11.59	39.8	78.3	99.78	-1	-0.5	0	40.2	0.18	100	8408	99.77	39.9
2023-04-25 08:00:00	212.6	0	0	0	250	7.29	12.01	40.1	79	99.78	-0.9	-0.4	0	40.8	0.18	100	8415	99.78	40.2
2023-04-25 08:05:00	232.6	0	0	0	250	7.18	11.01	40.5	77.6	99.78	-0.8	-0.4	0	41.1	0.19	100	8421	99.78	40.6
2023-04-25 08:10:00	242.6	0	0	0	250	9.15	13.89	41	77	99.78	-0.9	-0.5	0	41.7	0.2	100	8428	99.78	41.1
2023-04-25 08:15:00	294	0	0	0	266	8.48	11.56	41.6	76.8	99.79	-0.7	-0.4	0	42.3	0.21	100	8438	99.78	41.7
2023-04-25 08:20:00	452.4	0	0	0	244	9.17	15.57	42.6	75.6	99.77	-0.9	-0.5	0	43.6	0.23	100	8456	99.79	42.6
2023-04-25 08:25:00	539.8	0	0	0	227	11.14	15.88	44.2	72.5	99.77	-0.7	-0.4	0	45.1	0.27	100	8476	99.79	43.6
2023-04-25 08:30:00	400	0	0	0	260	9.44	14.03	44.8	72.1	99.8	-0.9	-0.6	0	45.7	0.28	100	8479	99.79	44.7
2023-04-25 08:35:00	321.6	0	0	0	264	9.91	14.12	45	69.9	99.81	-0.9	-0.4	0	45.8	0.31	100	8477	99.8	45.2
2023-04-25 08:40:00	254.4	0	0	0	234	10.78	14.7	44.6	69.9	99.82	-0.8	-0.4	0	45.2	0.3	100	8474	99.81	45.2
2023-04-25 08:45:00	197.4	0	0	0	242	10.69	17.6	44.2	69	99.82	-0.8	-0.5	0	44.6	0.31	100	8471	99.81	44.8
2023-04-25 08:50:00	140.8	0	0	0	250	11.34	16.24	43.5	69.2	99.82	-0.9	-0.5	0	43.8	0.3	100	8466	99.81	44.4
2023-04-25 08:55:00	146.4	0	0	0	252	8.81	14.09	42.7	69.9	99.82	-0.7	-0.5	0	43.1	0.28	100	8463	99.81	44

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-25 09:00:00	168	0	0	0	256	8.88	12.71	42.3	70.8	99.82	-0.8	-0.6	0	42.8	0.27	100	8461	99.81	43.7
2023-04-25 09:05:00	192.6	0	0	0	238	8.19	12.86	42.2	71	99.82	-0.8	-0.5	0	42.7	0.27	100	8460	99.81	43.6
2023-04-25 09:10:00	200.8	0	0	0	229	8.23	13.78	42.2	71.1	99.82	-0.8	-0.6	0	42.7	0.26	100	8457	99.81	43.4
2023-04-25 09:15:00	231.4	0	0	0	222	9.01	12.95	42.1	70.5	99.81	-0.9	-0.5	0	42.7	0.27	100	8460	99.8	43.3
2023-04-25 09:20:00	317	0	0	0	230	8.63	12.73	42.4	70.5	99.81	-0.7	-0.5	0	43.1	0.27	100	8471	99.81	43.2
2023-04-25 09:25:00	466.4	0	0	0	231	7.9	10.98	43.3	70.2	99.8	-0.8	-0.4	0	44.3	0.28	100	8492	99.81	43.6
2023-04-25 09:30:00	474.2	0	0	0	227	8.61	11.9	44.7	67.9	99.8	-0.6	-0.5	0	45.6	0.32	100	8505	99.81	44.3
2023-04-25 09:35:00	592.6	0	0	0	235	7.36	10.36	45.8	65.3	99.8	-0.6	-0.4	0	46.8	0.36	100	8524	99.82	45.2
2023-04-25 09:40:00	607.6	0	0	0	222	8.68	12.91	46.9	63.3	99.8	-0.7	-0.5	0	47.8	0.4	100	8539	99.82	46.1
2023-04-25 09:45:00	647.4	0	0	0	205	7.47	11.48	47.6	62	99.8	-0.6	-0.5	0	48.6	0.43	100	8553	99.82	47
2023-04-25 09:50:00	658.2	0	0	0	194	10.16	16.33	48.3	58.8	99.8	-0.4	-0.5	0	49.2	0.47	100	8558	99.82	47.7
2023-04-25 09:55:00	647.8	0	0	0	190	9.33	13.35	48.6	57.8	99.8	-0.6	-0.7	0	49.5	0.49	100	8570	99.82	48.2
2023-04-25 10:00:00	586.8	0	0	0	195	6.98	11.99	48.6	57.5	99.81	-0.6	-0.6	0	49.6	0.5	100	8575	99.82	48.7
2023-04-25 10:05:00	659	0	0	0	186	10.02	14.63	49	56.6	99.81	-0.8	-0.7	0	49.9	0.51	100	8583	99.82	49
2023-04-25 10:10:00	714.4	0	0	0	204	8.03	15.61	49.2	56.1	99.81	-0.6	-0.5	0	50.2	0.52	100	8589	99.83	49.4
2023-04-25 10:15:00	605.8	0	0	0	242	7.7	11.48	49.3	56.9	99.82	-0.6	-0.5	0	50.3	0.51	100	8589	99.83	50
2023-04-25 10:20:00	376.2	0	0	0	242	4.72	8.63	49.2	59.2	99.85	-0.6	-0.5	0	50.4	0.49	100	8582	99.84	50.6
2023-04-25 10:25:00	316.2	0	0	0	267	5.86	12.06	49.1	56.1	99.85	-0.6	-0.6	0	50.2	0.52	100	8574	99.84	50.7
2023-04-25 10:30:00	343.8	0	0	0	261	6.87	10.4	48.6	56.3	99.85	-0.7	-0.6	0	49.6	0.51	100	8572	99.84	50.4
2023-04-25 10:35:00	342.2	0	0	0	254	9.24	18.16	48.2	56.8	99.84	-0.7	-0.5	0	49.2	0.5	100	8568	99.83	50.3
2023-04-25 10:40:00	625.2	0	0	0	270	7.31	11.83	48.2	57.2	99.82	-0.7	-0.5	0	49.2	0.49	100	8584	99.83	50.2
2023-04-25 10:45:00	673	0	0	0	220	6.82	12.53	49.8	55.9	99.82	-0.5	-0.5	0	50.9	0.54	100	8586	99.83	50.9
2023-04-25 10:50:00	345.6	0	0	0	216	9.6	16.35	49.5	55.9	99.85	-0.7	-0.6	0	50.4	0.53	100	8576	99.84	51.3
2023-04-25 10:55:00	317.8	0	0	0	208	8.19	11.79	48.8	54.3	99.84	-0.6	-0.5	0	49.7	0.54	100	8572	99.83	50.8
2023-04-25 11:00:00	375.8	0	0	0	200	5.84	10.09	48.3	54.1	99.84	-0.6	-0.5	0	49.4	0.53	100	8571	99.83	50.5
2023-04-25 11:05:00	310.4	0	0	0	179	6.91	12.21	48	55.6	99.84	-0.8	-0.7	0	49	0.51	100	8566	99.83	50.4
2023-04-25 11:10:00	289.6	0	0	0	218	8.01	12.59	47.9	54.9	99.84	-0.6	-0.7	0	48.8	0.51	100	8566	99.82	50.1
2023-04-25 11:15:00	421.2	0	0	0	263	6.58	11.43	47.9	54.9	99.83	-0.6	-0.5	0	49	0.51	100	8567	99.82	50.1
2023-04-25 11:20:00	344.8	0	0	0	265	7.09	11.16	48.3	54.4	99.83	-0.6	-0.7	0	49.4	0.53	100	8564	99.82	50.4
2023-04-25 11:25:00	332.2	0	0	0	270	5.46	10.22	48.3	51.3	99.83	-0.6	-0.5	0	49.4	0.56	100	8565	99.82	50.4
2023-04-25 11:30:00	406.4	0	0	0	228	7.9	14.41	48.6	51.3	99.83	-0.7	-0.4	0	49.7	0.57	100	8566	99.82	50.4
2023-04-25 11:35:00	706.4	0	0	0	233	5.82	12.86	49	51.2	99.82	-0.5	-0.6	0	50.2	0.58	100	8581	99.82	50.6
2023-04-25 11:40:00	967	0	0	0	203	10.02	13.76	50.8	50	99.81	-0.5	-0.7	0	51.8	0.63	100	8597	99.82	51.2
2023-04-25 11:45:00	1056.6	0	0	0	189	9.84	14.14	52.3	48.4	99.81	-0.5	-0.5	0	53.3	0.69	100	8606	99.82	52.2
2023-04-25 11:50:00	642.6	0	0	0	235	12.08	16.8	52.6	47.3	99.83	-0.6	-0.6	0	53.4	0.71	100	8600	99.83	52.6
2023-04-25 11:55:00	260.8	0	0	0	274	13.53	26.11	51.5	47.6	99.87	-0.4	-0.9	0	52.2	0.68	100	8589	99.84	52.3
2023-04-25 12:00:00	97.4	0	0	0	288	18.9	30.13	49.8	52.7	99.88	-0.6	-1	0	50	0.58	100	8581	99.86	50.6
2023-04-25 12:05:00	53.6	0	0	0	276	20.74	30.04	47.3	58.6	99.88	-0.7	-1.1	0	47.3	0.46	100	8573	99.85	48.7
2023-04-25 12:10:00	60	0.00804	0	0	273	19.04	34.72	45	66.8	99.91	-0.5	-0.4	0.161	45	0.34	100	8566	99.88	45.8
2023-04-25 12:15:00	72.4	0.00737	3	4	273	12.88	17.69	42.6	74.1	99.92	-0.9	-0.6	0.161	42.7	0.24	100	8562	99.89	44
2023-04-25 12:20:00	86.4	0.00134	0	0	281	13.31	18.07	41.2	76.3	99.89	-0.7	-1.1	0.04	41.3	0.21	100	8554	99.87	43.2
2023-04-25 12:25:00	166	0.00134	0	0	274	7.61	12.91	40.4	78.7	99.88	-1	-0.6	0.04	40.7	0.18	100	8553	99.87	42.6
2023-04-25 12:30:00	376.2	0	0	0	260	6.42	8.37	40	82.2	99.87	-0.8	-0.6	0	41	0.15	100	8558	99.86	42.6
2023-04-25 12:35:00	673.4	0	1	1	244	4.63	6.42	40.6	81.4	99.85	-0.8	-0.5	0	41.9	0.16	100	8574	99.85	43
2023-04-25 12:40:00	977	0	0	0	215	4.63	8.32	43	81.8	99.84	-0.9	-0.4	0	44.3	0.17	100	8591	99.85	44
2023-04-25 12:45:00	949.6	0	0	0	235	3.02	5.88	44.6	77.8	99.84	-0.8	-0.5	0	46.3	0.22	100	8599	99.85	45.3
2023-04-25 12:50:00	895.8	0	0	0	176	2.95	6.82	46.3	72.5	99.85	-0.8	-0.4	0	48	0.29	100	8605	99.86	46.6
2023-04-25 12:55:00	600.4	0	0	0	181	5.55	9.42	47.5	68.4	99.86	-0.7	-0.6	0	48.8	0.35	100	8600	99.86	47.5
2023-04-25 13:00:00	288.4	0	0	0	208	3.11	6.67	46.8	66.5	99.88	-0.7	-0.6	0	48.1	0.36	100	8593	99.86	47.6
2023-04-25 13:05:00	130.6	0	0	0	275	6.44	11.9	46.8	65.9	99.88	-0.7	-0.6	0	47.4	0.37	100	8586	99.86	47.4
2023-04-25 13:10:00	69.6	0	0	0	264	7.23	10.6	46.3	67.1	99.9	-0.9	-0.6	0	46.5	0.35	100	8580	99.88	46.9
2023-04-25 13:15:00	40.2	0.00201	0	0	285	21.54	34.09	45.3	69.4	99.91	-1.2	-0.8	0.08	45.4	0.32	100	8575	99.88	45.9
2023-04-25 13:20:00	39.2	0.00871	0	0	302	20.47	31.21	42.9	76.4	99.93	-1	-0.1	0.161	42.8	0.22	100	8568	99.9	43.1
2023-04-25 13:25:00	37.8	0.00938	0	0	306	15.37	21.68	40.2	80.3	99.94	-0.9	-1	0.161	40.2	0.17	100	8564	99.91	41.3
2023-04-25 13:30:00	37.4	0.0134	0	0	273	10.71	17.38	38.3	83.3	99.95	-1	-0.5	0.201	38.3	0.13	100	8559	99.93	39.9
2023-04-25 13:35:00	75	0.02077	0	0	322	5.39	8.1	37	87	99.93	-1	-0.4	0.522	37.3	0.1	100	8554	99.9	39.3
2023-04-25 13:40:00	189	0.00134	0	0	6	7.99	10.67	36.6	89.4	99.88	-1.1	-0.6	0.04	37	0.08	100	8556	99.88	39.1
2023-04-25 13:45:00	405.4	0.00067	0	0	47	7.11	10.13	36.4	92.1	99.86	-1.2	-0.4	0.04	37.3	0.06	100	8561	99.86	39.1
2023-04-25 13:50:00	477	0	0	0	83	6.89	9.53	36.9	93.3	99.85	-1	-0.4	0	37.9	0.05	100	8562	99.85	39.6
2023-04-25 13:55:00	687.6	0	0	0	91	6.26	8.23	37.9	93.3	99.84	-1.1	-0.4	0	39	0.05	100	8569	99.85	40.3

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-25 14:00:00	800	0	0	0	91	6.8	9.17	39.3	92.2	99.83	-1	-0.4	0	40.4	0.06	100	8571	99.84	41
2023-04-25 14:05:00	574.8	0	0	0	88	6.6	9.13	40.1	91.1	99.84	-0.9	-0.5	0	41.1	0.07	100	8572	99.84	41.6
2023-04-25 14:10:00	691.6	0	0	0	85	6.31	9.53	40.9	89.9	99.83	-0.9	-0.4	0	42	0.09	100	8573	99.84	42.2
2023-04-25 14:15:00	657	0	0	0	90	5.61	8.57	41.9	89.5	99.84	-1	-0.7	0	43.1	0.09	100	8570	99.84	43.1
2023-04-25 14:20:00	578.6	0	0	0	100	6.31	8.3	42.6	87.2	99.84	-0.8	-0.5	0	43.7	0.12	100	8568	99.84	43.8
2023-04-25 14:25:00	662.8	0	0	0	106	6.17	9.28	43.2	84.4	99.84	-0.6	-0.6	0	44.3	0.15	100	8567	99.84	44
2023-04-25 14:30:00	810	0	0	0	98	6.69	9.64	43.8	84.1	99.83	-0.7	-0.5	0	45	0.15	100	8567	99.83	44.5
2023-04-25 14:35:00	832.6	0	0	0	112	6.02	8.93	44.7	80.1	99.83	-0.7	-0.6	0	45.8	0.2	100	8568	99.83	45.1
2023-04-25 14:40:00	656.4	0	0	0	137	6.13	9.46	45.2	77.7	99.83	-0.8	-0.6	0	46.4	0.23	100	8567	99.83	45.8
2023-04-25 14:45:00	834.8	0	0	0	117	4.52	8.23	45.8	75.3	99.83	-0.7	-0.6	0	47.2	0.26	100	8571	99.83	46.3
2023-04-25 14:50:00	598.4	0	0	0	130	3.56	7.94	46.4	72.5	99.84	-0.7	-0.6	0	47.8	0.3	100	8567	99.83	47.2
2023-04-25 14:55:00	441.6	0	0	0	118	5.75	9.26	46.7	73.1	99.84	-0.7	-0.6	0	47.9	0.29	100	8567	99.83	47.7
2023-04-25 15:00:00	664	0	0	0	137	4.07	6.22	46.9	72.6	99.84	-0.7	-0.5	0	48.2	0.3	100	8567	99.83	48.1
2023-04-25 15:05:00	547	0	0	0	113	3.58	6.33	47.2	72	99.83	-0.6	-0.5	0	48.7	0.31	100	8570	99.82	48.8
2023-04-25 15:10:00	279.6	0	0	0	112	4.59	8.59	47.4	69.6	99.83	-0.7	-0.5	0	48.6	0.34	100	8567	99.81	49.1
2023-04-25 15:15:00	296.6	0	0	0	68	2.73	5.41	47.2	69.2	99.82	-0.7	-0.5	0	48.4	0.34	100	8570	99.81	49.1
2023-04-25 15:20:00	486.8	0	0	0	171	5.75	10.04	47.4	69.9	99.82	-0.8	-0.6	0	48.7	0.34	100	8565	99.81	49.2
2023-04-25 15:25:00	614.4	0	0	0	101	5.48	9.48	47.7	69.1	99.81	-0.6	-0.6	0	49	0.35	100	8563	99.81	49.4
2023-04-25 15:30:00	309	0	0	0	105	5.93	10.16	48	66.8	99.81	-0.6	-0.6	0	48.9	0.38	100	8562	99.8	49.7
2023-04-25 15:35:00	160	0	0	0	107	4.72	8.01	47.9	65.6	99.81	-0.7	-0.5	0	48.5	0.39	100	8555	99.8	49.4
2023-04-25 15:40:00	147.6	0	0	0	142	6.91	10.02	47.6	65.5	99.82	-0.6	-0.6	0	48	0.39	100	8557	99.8	49
2023-04-25 15:45:00	113.4	0	0	0	158	6.53	14	47.3	64.5	99.83	-0.6	-0.6	0	47.7	0.39	100	8558	99.81	48.5
2023-04-25 15:50:00	112.2	0	0	0	137	9.31	12.62	46.9	67.2	99.82	-0.7	-0.4	0	47.2	0.36	100	8549	99.81	48.2
2023-04-25 15:55:00	108.4	0	0	0	175	7.07	10.27	46.5	68.3	99.84	-0.9	-0.5	0	46.9	0.34	100	8546	99.82	47.9
2023-04-25 16:00:00	119.2	0	0	0	204	10.54	15.59	46.1	67	99.84	-0.8	-0.6	0	46.5	0.35	100	8546	99.82	47.5
2023-04-25 16:05:00	152	0	0	0	201	8.9	17.6	45.6	65.6	99.84	-0.7	-0.4	0	45.9	0.36	100	8543	99.82	47.2
2023-04-25 16:10:00	212.6	0	0	0	273	11.61	24.25	45.1	69.1	99.84	-0.9	-0.7	0	45.8	0.32	100	8546	99.82	47.1
2023-04-25 16:15:00	368.2	0	0	0	354	14.12	21.32	45.1	71.1	99.84	-0.6	-0.6	0	45.6	0.29	100	8545	99.82	46.7
2023-04-25 16:20:00	625.8	0	1	15	5	13	17.22	45.2	74.4	99.81	-0.9	-0.8	0	46	0.26	100	8545	99.81	47.1
2023-04-25 16:25:00	461.8	0	1	12	1	12.82	17.67	45.1	74.2	99.82	-0.6	-0.6	0	45.9	0.26	100	8547	99.82	47
2023-04-25 16:30:00	441.2	0	0	0	5	10.71	15.1	44.9	74.8	99.83	-0.7	-0.7	0	45.7	0.26	100	8544	99.83	46.9
2023-04-25 16:35:00	295.2	0	0	0	10	8.72	14.74	44.6	75	99.85	-0.6	-0.4	0	45.4	0.25	100	8542	99.84	46.7
2023-04-25 16:40:00	185.6	0	0	0	40	7.49	12.21	44.5	75.3	99.86	-0.9	-0.4	0	45	0.25	100	8540	99.84	46.2
2023-04-25 16:45:00	246	0	0	0	30	8.66	12.44	44.1	75.3	99.85	-0.7	-0.4	0	44.7	0.24	100	8542	99.83	45.8
2023-04-25 16:50:00	350	0	0	0	45	9.04	14.12	43.8	77.9	99.84	-0.6	-0.4	0	44.8	0.21	100	8540	99.83	46
2023-04-25 16:55:00	308.2	0	0	0	36	9.01	12.82	44.1	77.4	99.83	-0.8	-0.4	0	44.9	0.22	100	8539	99.82	46.5
2023-04-25 17:00:00	371.4	0	0	0	60	8.46	12.08	44	77.6	99.83	-0.7	-0.6	0	44.9	0.22	100	8541	99.82	46.7
2023-04-25 17:05:00	314	0	0	0	54	9.15	11.9	44.1	77.8	99.83	-0.6	-0.5	0	45	0.22	100	8535	99.82	47.2
2023-04-25 17:10:00	233.6	0	0	0	40	7.05	11.39	44.2	77.3	99.83	-0.8	-0.6	0	45	0.22	100	8535	99.83	47.1
2023-04-25 17:15:00	180.6	0	0	0	66	8.7	12.53	44.3	76	99.84	-0.7	-0.6	0	44.9	0.24	100	8535	99.82	46.6
2023-04-25 17:20:00	137	0	0	0	67	7.87	10.94	44.2	76.4	99.84	-0.8	-0.4	0	44.7	0.23	100	8532	99.82	46.2
2023-04-25 17:25:00	138	0	0	0	68	6.33	9.44	44	76.8	99.84	-0.8	-0.4	0	44.4	0.23	100	8531	99.83	45.9
2023-04-25 17:30:00	179.8	0	0	0	87	7.23	12.86	43.9	77.4	99.84	-0.8	-0.5	0	44.5	0.22	100	8532	99.83	45.8
2023-04-25 17:35:00	159.8	0	0	0	107	8.23	10.85	44	75.7	99.84	-0.8	-0.6	0	44.5	0.24	100	8528	99.83	45.7
2023-04-25 17:40:00	140.8	0	0	0	91	7.78	11.18	44	77	99.84	-0.7	-0.6	0	44.4	0.23	100	8529	99.83	45.5
2023-04-25 17:45:00	131.8	0	0	0	83	6.62	10.36	44	76.4	99.84	-0.9	-0.5	0	44.3	0.23	100	8529	99.83	45.4
2023-04-25 17:50:00	127.8	0	0	0	78	4.68	6.33	43.9	78	99.85	-0.8	-0.4	0	44.4	0.21	100	8525	99.83	45.4
2023-04-25 17:55:00	118.2	0	0	0	88	5.5	9.44	43.9	78.3	99.84	-0.7	-0.5	0	44.4	0.21	100	8525	99.82	45.4
2023-04-25 18:00:00	108.6	0	0	0	108	10.27	13.04	44.1	77.5	99.83	-0.8	-0.6	0	44.3	0.22	100	8520	99.82	45.2
2023-04-25 18:05:00	105.4	0	0	0	107	10.09	12.64	44	77.8	99.83	-0.7	-0.4	0	44.2	0.22	100	8520	99.82	45
2023-04-25 18:10:00	93.6	0	0	0	120	7.72	10.63	43.9	77.6	99.84	-0.8	-0.4	0	44.2	0.22	100	8520	99.83	44.9
2023-04-25 18:15:00	83.4	0	0	0	130	6.46	8.5	43.9	77.3	99.85	-0.8	-0.5	0	44.1	0.22	100	8518	99.83	44.8
2023-04-25 18:20:00	84.4	0	0	0	138	8.03	10.22	43.7	78	99.84	-0.7	-0.3	0	44	0.21	100	8516	99.83	44.7
2023-04-25 18:25:00	82.4	0	0	0	108	7.23	10.56	43.8	78.1	99.84	-0.9	-0.6	0	44	0.21	100	8516	99.83	44.6
2023-04-25 18:30:00	72	0	0	0	11	5.28	9.1	43.7	78.9	99.87	-0.8	-0.6	0	44	0.2	100	8512	99.85	44.5
2023-04-25 18:35:00	53.2	0	0	0	340	10.96	17	43.7	77.9	99.87	-0.9	-0.5	0	43.9	0.21	100	8513	99.84	44.4
2023-04-25 18:40:00	51.8	0	0	0	340	10.29	14.88	43.6	77.8	99.87	-0.6	-0.4	0	43.7	0.21	100	8510	99.85	44.1
2023-04-25 18:45:00	49.4	0	0	0	351	4.74	7.96	43.2	78.9	99.87	-0.8	-0.5	0	43.4	0.2	100	8506	99.85	43.9
2023-04-25 18:50:00	41	0	0	0	341	7.67	12.39	43.2	78.9	99.88	-0.8	-0.4	0	43.2	0.2	100	8507	99.85	43.7
2023-04-25 18:55:00	31	0	0	0	347	9.48	12.53	42.9	79.3	99.87	-0.9	-0.5	0	43	0.19	100	8504	99.85	43.4

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-25 19:00:00	21.6	0	0	0	354	4.41	8.1	42.6	79.8	99.87	-0.9	-0.5	0	42.6	0.19	100	8501	99.85	43.1
2023-04-25 19:05:00	16.2	0	0	0	27	2.95	4.27	42.4	80.3	99.87	-0.8	-0.4	0	42.5	0.18	100	8500	99.85	43
2023-04-25 19:10:00	17	0	0	0	28	2.28	3.27	42.2	80.6	99.87	-0.8	-0.4	0	42.3	0.18	100	8501	99.85	42.8
2023-04-25 19:15:00	21.2	0	0	0	19	2.44	2.8	42.2	81	99.87	-0.9	-0.4	0	42.3	0.17	100	8499	99.85	42.7
2023-04-25 19:20:00	21.6	0	0	0	57	3.18	5.19	42.2	81.7	99.87	-0.9	-0.5	0	42.2	0.17	100	8495	99.84	42.5
2023-04-25 19:25:00	21.4	0	0	0	73	3.85	5.28	42.2	81.7	99.86	-0.9	-0.4	0	42.3	0.17	100	8496	99.84	42.5
2023-04-25 19:30:00	22.8	0	0	0	86	3.74	4.83	42.1	82.5	99.86	-0.8	-0.5	0	42.2	0.16	100	8493	99.84	42.3
2023-04-25 19:35:00	19.6	0	0	0	86	4	5.1	42	81.9	99.86	-0.8	-0.4	0	42.2	0.16	100	8492	99.84	42.2
2023-04-25 19:40:00	14.2	0	0	0	41	3.09	4.18	42	82.4	99.86	-0.9	-0.6	0	42.1	0.16	100	8492	99.84	42.1
2023-04-25 19:45:00	8	0	0	0	30	3.15	4.47	41.8	83.2	99.86	-1	-0.5	0	41.8	0.15	100	8489	99.84	41.9
2023-04-25 19:50:00	3.4	0	0	0	42	2.59	3.78	41.8	83.3	99.86	-0.9	-0.6	0	41.8	0.15	100	8488	99.84	41.7
2023-04-25 19:55:00	1.6	0	0	0	73	3.27	4.63	41.6	83.7	99.86	-0.9	-0.4	0	41.6	0.15	100	8489	99.84	41.4
2023-04-25 20:00:00	0.6	0	0	0	73	2.98	4.21	41.6	84.2	99.87	-0.8	-0.4	0	41.6	0.14	100	8483	99.84	41.3
2023-04-25 20:05:00	0	0	0	0	40	2.73	4	41.4	84.7	99.87	-0.8	-0.4	0	41.4	0.14	100	8483	99.84	41.1
2023-04-25 20:10:00	0	0	0	0	2	2.57	3.78	41.3	85.3	99.87	-0.9	-0.4	0	41.3	0.13	100	8483	99.85	40.8
2023-04-25 20:15:00	0	0	0	0	6	1.66	2.35	41	86.1	99.87	-0.9	-0.4	0	41.1	0.12	100	8483	99.85	40.5
2023-04-25 20:20:00	0	0	0	0	54	2.91	3.96	40.9	86.4	99.88	-0.9	-0.4	0	40.9	0.12	100	8482	99.85	40.3
2023-04-25 20:25:00	0	0	0	0	58	2.98	4.34	40.9	86.7	99.88	-0.9	-0.5	0	40.9	0.12	100	8484	99.85	40.3
2023-04-25 20:30:00	0	0	0	0	40	3.04	3.71	40.9	86.5	99.89	-0.9	-0.4	0	40.9	0.12	100	8482	99.86	40.3
2023-04-25 20:35:00	0	0	0	0	353	2.95	3.65	40.8	87.3	99.89	-0.9	-0.5	0	40.9	0.11	100	8476	99.87	40.3
2023-04-25 20:40:00	0	0	0	0	325	1.72	2.42	40.7	87.4	99.9	-0.9	-0.4	0	40.7	0.11	100	8476	99.88	40.2
2023-04-25 20:45:00	0	0	0	0	334	2.26	3.18	40.7	87.8	99.9	-0.9	-0.5	0	40.7	0.11	100	8477	99.88	40.1
2023-04-25 20:50:00	0	0	0	0	343	2.19	3.49	40.6	87.8	99.91	-1	-0.4	0	40.6	0.1	100	8472	99.89	40.1
2023-04-25 20:55:00	0	0	0	0	307	0.98	1.39	40.6	88.1	99.91	-0.9	-0.5	0	40.6	0.1	100	8473	99.89	40
2023-04-25 21:00:00	0	0	0	0	111	0.83	2.51	40.5	88.3	99.91	-0.9	-0.5	0	40.5	0.1	100	8472	99.89	40
2023-04-25 21:05:00	0	0	0	0	51	1.99	3.2	40.5	89.1	99.92	-0.9	-0.5	0	40.5	0.09	100	8472	99.9	39.9
2023-04-25 21:10:00	0	0	0	0	183	2.21	4.05	40.6	89.1	99.92	-0.9	-0.6	0	40.6	0.09	100	8470	99.9	39.9
2023-04-25 21:15:00	0	0	0	0	118	4.07	5.41	40.6	89.1	99.92	-0.9	-0.4	0	40.6	0.09	100	8472	99.9	40.1
2023-04-25 21:20:00	0	0	0	0	289	1.3	3.22	40.7	89.1	99.93	-0.9	-0.5	0	40.7	0.09	100	8467	99.91	40.2
2023-04-25 21:25:00	0	0	0	0	116	1.68	3.62	40.7	89.6	99.93	-0.8	-0.4	0	40.7	0.09	100	8468	99.9	40.1
2023-04-25 21:30:00	0	0	0	0	161	2.33	3.27	40.7	89.2	99.92	-0.9	-0.4	0	40.7	0.09	100	8469	99.9	40.2
2023-04-25 21:35:00	0	0	0	0	167	1.7	2.33	40.9	89.4	99.93	-0.9	-0.4	0	40.9	0.09	100	8467	99.9	40.2
2023-04-25 21:40:00	0	0	0	0	156	2.55	3.56	40.8	89.6	99.93	-1	-0.4	0	40.8	0.09	100	8469	99.9	40.3
2023-04-25 21:45:00	0	0	0	0	174	3.53	4.21	40.9	89.7	99.92	-0.9	-0.5	0	41	0.09	100	8466	99.9	40.4
2023-04-25 21:50:00	0	0	0	0	200	2.68	4.5	41	89.5	99.92	-0.8	-0.4	0	41	0.09	100	8466	99.9	40.5
2023-04-25 21:55:00	0	0	0	0	247	1.41	3.56	40.9	89.7	99.91	-0.9	-0.5	0	40.9	0.09	100	8460	99.89	40.5
2023-04-25 22:00:00	0	0	0	0	279	1.86	3.6	40.9	89.2	99.91	-0.8	-0.5	0	40.9	0.09	100	8463	99.89	40.5
2023-04-25 22:05:00	0	0	0	0	321	2.55	4.81	40.9	89.9	99.91	-0.8	-0.5	0	40.9	0.09	100	8460	99.89	40.5
2023-04-25 22:10:00	0	0	0	0	342	1.97	4.41	40.9	89.4	99.9	-1	-0.5	0	40.9	0.09	100	8461	99.88	40.4
2023-04-25 22:15:00	0	0	0	0	306	1.9	4	40.8	89.5	99.9	-0.9	-0.5	0	40.7	0.09	100	8459	99.88	40.2
2023-04-25 22:20:00	0	0	0	0	301	1.28	1.92	40.6	89.5	99.9	-0.9	-0.5	0	40.6	0.09	100	8458	99.88	40
2023-04-25 22:25:00	0	0	0	0	287	0.65	0.87	40.5	90.1	99.89	-1	-0.5	0	40.5	0.08	100	8458	99.87	39.8
2023-04-25 22:30:00	0	0	0	0	206	0.83	1.23	40.4	90.8	99.89	-0.8	-0.5	0	40.4	0.08	100	8456	99.87	39.7
2023-04-25 22:35:00	0	0	0	0	192	0.89	1.3	40.4	90.7	99.89	-1	-0.5	0	40.4	0.08	100	8456	99.87	39.6
2023-04-25 22:40:00	0	0	0	0	229	0.67	0.96	40.4	91	99.88	-0.9	-0.4	0	40.5	0.08	100	8457	99.86	39.7
2023-04-25 22:45:00	0	0	0	0	227	1.14	1.52	40.5	90.2	99.87	-1	-0.4	0	40.4	0.08	100	8455	99.85	39.7
2023-04-25 22:50:00	0	0	0	0	265	1.01	1.74	40.5	91.1	99.87	-0.9	-0.4	0	40.5	0.08	100	8453	99.85	39.8
2023-04-25 22:55:00	0	0	0	0	294	1.68	3.31	40.6	89.6	99.86	-0.9	-0.5	0	40.5	0.09	100	8452	99.84	39.9
2023-04-25 23:00:00	0	0	0	0	315	0.92	1.54	40.6	89.6	99.86	-0.9	-0.4	0	40.6	0.09	100	8456	99.84	39.9
2023-04-25 23:05:00	0	0	0	0	337	1.39	1.86	40.5	90.8	99.86	-0.8	-0.5	0	40.5	0.08	100	8450	99.84	39.8
2023-04-25 23:10:00	0	0	0	0	334	0.78	1.23	40.5	91.1	99.86	-0.9	-0.4	0	40.6	0.08	100	8451	99.84	39.8
2023-04-25 23:15:00	0	0	0	0	303	1.12	1.45	40.4	91	99.85	-0.9	-0.4	0	40.4	0.08	100	8449	99.83	39.7
2023-04-25 23:20:00	0	0	0	0	312	1.3	1.52	40.4	91.5	99.85	-0.9	-0.5	0	40.4	0.07	100	8447	99.83	39.7
2023-04-25 23:25:00	0	0	0	0	340	1.79	2.39	40.4	92.8	99.85	-1	-0.4	0	40.4	0.06	100	8450	99.83	39.8
2023-04-25 23:30:00	0	0	0	0	348	1.57	1.92	40.5	92.6	99.84	-0.9	-0.5	0	40.5	0.06	100	8448	99.83	39.7
2023-04-25 23:35:00	0	0	0	0	345	0.65	1.52	40.4	93.1	99.85	-0.9	-0.5	0	40.4	0.06	100	8447	99.83	39.7
2023-04-25 23:40:00	0	0	0	0	73	0.51	0.96	40.3	93.2	99.85	-1	-0.5	0	40.3	0.06	100	8444	99.83	39.6
2023-04-25 23:45:00	0	0	0	0	83	1.79	2.39	40.4	92.9	99.85	-0.9	-0.5	0	40.4	0.06	100	8442	99.83	39.6
2023-04-25 23:50:00	0	0	0	0	97	2.53	3.22	40.5	92.6	99.85	-0.9	-0.5	0	40.5	0.06	100	8444	99.83	39.6
2023-04-25 23:55:00	0	0	0	0	92	3.09	3.67	40.5	92.8	99.85	-0.8	-0.6	0	40.5	0.06	100	8444	99.83	39.8

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-26 00:00:00	0	0	0	0	80	2.91	3.71	40.6	92.6	99.84	-0.9	-0.5	0	40.6	0.06	100	8445	99.82	39.8
2023-04-26 00:05:00	0	0	0	0	85	2.91	3.76	40.6	93	99.84	-0.9	-0.3	0	40.6	0.06	100	8415	99.82	40
2023-04-26 00:10:00	0	0	0	0	96	2.37	3.06	40.6	93.2	99.84	-0.9	-0.5	0	40.6	0.06	100	8409	99.83	40.3
2023-04-26 00:15:00	0	0	0	0	86	2.57	3.33	40.6	92.5	99.84	-0.9	-0.4	0	40.6	0.06	100	8396	99.83	40.4
2023-04-26 00:20:00	0	0	0	0	107	3.27	4.05	40.6	91.6	99.85	-0.9	-0.5	0	40.6	0.07	100	8412	99.83	40.4
2023-04-26 00:25:00	0	0	0	0	102	4.23	5.61	40.7	91.2	99.84	-0.9	-0.4	0	40.7	0.08	100	8417	99.83	40.4
2023-04-26 00:30:00	0	0	0	0	105	4.88	5.93	40.9	90.5	99.84	-0.9	-0.5	0	40.9	0.08	100	8413	99.82	40.4
2023-04-26 00:35:00	0	0	0	0	113	4.38	6.02	40.8	91.1	99.84	-0.9	-0.5	0	40.7	0.08	100	8417	99.82	40.4
2023-04-26 00:40:00	0	0	0	0	105	4.32	5.77	40.8	91.4	99.84	-0.9	-0.5	0	40.8	0.07	100	8418	99.82	40.3
2023-04-26 00:45:00	0	0	0	0	92	3.85	5.1	40.7	91.4	99.84	-0.8	-0.5	0	40.7	0.07	100	8418	99.82	40.3
2023-04-26 00:50:00	0	0	0	0	100	3.15	4.52	40.6	91.5	99.84	-0.9	-0.5	0	40.6	0.07	100	8417	99.82	40.2
2023-04-26 00:55:00	0	0	0	0	126	1.34	2.01	40.6	92.1	99.84	-0.8	-0.5	0	40.6	0.07	100	8418	99.82	40.2
2023-04-26 01:00:00	0	0	0	0	98	0.76	1.3	40.6	91.9	99.84	-0.9	-0.5	0	40.6	0.07	100	8416	99.82	40.1
2023-04-26 01:05:00	0	0	0	0	344	1.7	3.47	40.5	91.8	99.84	-0.9	-0.4	0	40.5	0.07	100	8416	99.82	40.1
2023-04-26 01:10:00	0	0	0	0	327	2.64	3.76	40.5	92.3	99.83	-0.9	-0.6	0	40.5	0.07	100	8418	99.82	40.1
2023-04-26 01:15:00	0	0	0	0	321	1.72	2.44	40.5	91.8	99.83	-0.9	-0.4	0	40.5	0.07	100	8418	99.82	40.1
2023-04-26 01:20:00	0	0	0	0	345	1.23	1.88	40.5	92	99.83	-0.9	-0.4	0	40.4	0.07	100	8412	99.82	40
2023-04-26 01:25:00	0	0	0	0	337	0.78	1.03	40.4	91.8	99.83	-0.9	-0.5	0	40.4	0.07	100	8415	99.81	40
2023-04-26 01:30:00	0	0	0	0	3	1.63	2.46	40.4	92.2	99.82	-0.9	-0.6	0	40.4	0.07	100	8415	99.81	40
2023-04-26 01:35:00	0	0	0	0	334	2.39	2.89	40.4	92.3	99.82	-0.9	-0.4	0	40.4	0.07	100	8415	99.8	40
2023-04-26 01:40:00	0	0	0	0	359	1.32	1.79	40.4	92.9	99.82	-0.9	-0.4	0	40.4	0.06	100	8414	99.8	40
2023-04-26 01:45:00	0	0	0	0	334	0.45	1.1	40.5	92.5	99.82	-0.9	-0.5	0	40.5	0.06	100	8412	99.8	39.9
2023-04-26 01:50:00	0	0.00201	0	0	55	0.76	1.25	40.4	92.6	99.81	-0.9	-0.5	0.04	40.4	0.06	100	8410	99.8	39.9
2023-04-26 01:55:00	0	0.00335	0	0	124	1.23	1.92	40.4	92.4	99.81	-0.8	-0.4	0.08	40.4	0.06	100	8413	99.79	39.9
2023-04-26 02:00:00	0	0.00201	0	0	62	2.15	4.05	40.4	92.8	99.81	-0.9	-0.4	0.04	40.4	0.06	100	8412	99.79	39.9
2023-04-26 02:05:00	0	0.00134	0	0	77	2.71	5.7	40.4	88.9	99.8	-1	-0.5	0.04	40.4	0.09	100	8409	99.79	39.9
2023-04-26 02:10:00	0	0.00067	0	0	99	2.28	4.47	40.5	92.4	99.8	-0.9	-0.5	0.04	40.5	0.07	100	8415	99.78	39.9
2023-04-26 02:15:00	0	0.00067	0	0	93	2.44	3.51	40.4	90.7	99.79	-0.8	-0.4	0.04	40.4	0.08	100	8409	99.78	39.9
2023-04-26 02:20:00	0	0.00067	0	0	131	2.8	4.07	40.4	92.4	99.79	-0.9	-0.5	0.04	40.4	0.06	100	8411	99.77	39.9
2023-04-26 02:25:00	0	0.00067	0	0	141	2.53	3.47	40.4	93.2	99.78	-0.8	-0.5	0.04	40.4	0.06	100	8407	99.77	39.9
2023-04-26 02:30:00	0	0	0	0	135	1.81	3.11	40.3	94.2	99.78	-0.9	-0.5	0	40.3	0.05	100	8409	99.76	39.9
2023-04-26 02:35:00	0	0.00067	0	0	327	3.06	4.41	40.3	94.4	99.78	-0.9	-0.5	0.04	40.3	0.05	100	8406	99.77	39.9
2023-04-26 02:40:00	0	0.00067	0	0	323	4.29	5.5	40.3	95	99.78	-0.9	-0.5	0.04	40.3	0.04	100	8409	99.77	39.8
2023-04-26 02:45:00	0	0	0	0	349	2.75	4.03	40.2	95.2	99.78	-0.8	-0.5	0	40.2	0.04	100	8406	99.76	39.8
2023-04-26 02:50:00	0	0	0	0	5	3.24	4.07	40.1	95	99.76	-0.9	-0.5	0	40.1	0.04	100	8407	99.75	39.7
2023-04-26 02:55:00	0	0	0	0	344	5.59	7	40	95.3	99.76	-0.9	-0.5	0	40	0.04	100	8405	99.74	39.6
2023-04-26 03:00:00	0	0	0	0	344	6.73	8.77	40	95	99.75	-0.8	-0.5	0	40.1	0.04	100	8405	99.74	39.5
2023-04-26 03:05:00	0	0	0	0	346	6.55	8.3	39.9	93.6	99.75	-0.9	-0.4	0	39.9	0.05	100	8403	99.74	39.5
2023-04-26 03:10:00	0	0.00067	0	0	356	6.35	8.23	39.7	92.7	99.75	-0.9	-0.4	0.04	39.8	0.06	100	8405	99.73	39.3
2023-04-26 03:15:00	0	0	0	0	349	5.82	7.67	39.6	92	99.74	-0.7	-0.6	0	39.6	0.07	100	8403	99.73	39.2
2023-04-26 03:20:00	0	0	0	0	350	7.74	12.12	39.6	91.9	99.74	-1	-0.5	0	39.6	0.07	100	8404	99.73	39.1
2023-04-26 03:25:00	0	0	0	0	355	8.72	12.77	39.5	92.6	99.73	-0.9	-0.3	0	39.5	0.06	100	8406	99.72	39.1
2023-04-26 03:30:00	0	0	0	0	8	7.11	10.11	39.3	93.3	99.74	-1	-0.6	0	39.3	0.05	100	8402	99.73	39
2023-04-26 03:35:00	0	0	0	0	351	8.39	11.86	39.2	93.7	99.75	-1	-0.4	0	39.2	0.05	100	8400	99.74	38.9
2023-04-26 03:40:00	0	0	0	0	348	8.3	12.39	39.1	94.2	99.76	-0.9	-0.5	0	39.1	0.05	100	8399	99.75	38.8
2023-04-26 03:45:00	0	0	0	0	353	7.58	9.84	39	94.1	99.76	-1.1	-0.5	0	39	0.05	100	8399	99.75	38.8
2023-04-26 03:50:00	0	0	0	0	354	7.11	9.13	38.9	94.1	99.76	-0.9	-0.4	0	38.9	0.05	100	8399	99.74	38.8
2023-04-26 03:55:00	0	0	0	0	351	7.58	12.33	38.9	94.5	99.76	-0.9	-0.3	0	38.9	0.04	100	8396	99.75	38.7
2023-04-26 04:00:00	0	0	0	0	358	7.05	8.7	38.8	94.8	99.75	-0.9	-0.4	0	38.8	0.04	100	8399	99.75	38.6
2023-04-26 04:05:00	0	0	0	0	357	5.3	9.4	38.7	95.1	99.76	-0.8	-0.6	0	38.7	0.04	100	8397	99.75	38.5
2023-04-26 04:10:00	0	0	0	0	354	5.21	6.85	38.6	95.1	99.76	-1	-0.4	0	38.6	0.04	100	8398	99.75	38.4
2023-04-26 04:15:00	0	0	0	0	341	6.6	9.35	38.7	95.2	99.76	-1	-0.5	0	38.7	0.04	100	8396	99.75	38.3
2023-04-26 04:20:00	0	0.00067	0	0	341	8.25	10.31	38.5	94.9	99.76	-1	-0.5	0.04	38.5	0.04	100	8399	99.76	38.3
2023-04-26 04:25:00	0	0.00201	0	0	328	7.96	9.31	38.5	95	99.77	-1	-0.4	0.08	38.5	0.04	100	8396	99.77	38.3
2023-04-26 04:30:00	0	0.00067	0	0	340	7.45	10.42	38.5	95.9	99.77	-1	-0.3	0.04	38.5	0.03	100	8395	99.77	38.2
2023-04-26 04:35:00	0	0.00067	0	0	337	7.9	10.47	38.4	95.6	99.77	-0.9	-0.6	0.04	38.4	0.03	100	8393	99.77	38.2
2023-04-26 04:40:00	0	0	0	0	323	5.35	7.74	38.4	95.9	99.78	-0.9	-0.5	0	38.4	0.03	100	8394	99.77	38.1
2023-04-26 04:45:00	0	0.00067	0	0	328	4.99	6.91	38.4	96.3	99.77	-0.9	-0.3	0.04	38.4	0.03	100	8393	99.77	38.2
2023-04-26 04:50:00	0	0	0	0	332	6.06	7.63	38.4	96.7	99.78	-1	-0.4	0	38.4	0.03	100	8391	99.78	38.2
2023-04-26 04:55:00	0	0.00067	0	0	336	6.55	8.41	38.4	96.3	99.79	-0.8	-0.5	0.04	38.4	0.03	100	8391	99.78	38.1

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-26 05:00:00	0	0	0	0	335	6.89	8.55	38.5	96.1	99.78	-0.9	-0.6	0	38.4	0.03	100	8391	99.77	38.1
2023-04-26 05:05:00	0	0	0	0	338	5.86	7.36	38.4	96.3	99.78	-0.9	-0.6	0	38.4	0.03	100	8392	99.77	38
2023-04-26 05:10:00	0	0	0	0	323	5.82	8.05	38.3	96.6	99.78	-1	-0.4	0	38.3	0.03	100	8390	99.77	38
2023-04-26 05:15:00	0	0	0	0	331	6.22	8.01	38.2	95.7	99.78	-1	-0.4	0	38.2	0.03	100	8390	99.77	37.9
2023-04-26 05:20:00	0	0	0	0	356	7.72	10.54	38.2	95.9	99.77	-0.9	-0.4	0	38.2	0.03	100	8388	99.76	37.8
2023-04-26 05:25:00	0	0	0	0	296	6.33	9.84	38.2	95.8	99.79	-1.1	-0.5	0	38.1	0.03	100	8389	99.77	37.8
2023-04-26 05:30:00	0	0.00201	0	0	341	8.99	11.99	38	96.4	99.77	-1.1	-0.4	0.08	38	0.03	100	8389	99.76	37.8
2023-04-26 05:35:00	0	0.00335	0	0	349	6.89	8.97	38	96.6	99.76	-1.1	-0.6	0.08	38	0.03	100	8388	99.75	37.7
2023-04-26 05:40:00	0	0.00067	0	0	313	6.55	9.57	38	96.8	99.77	-1.1	-0.4	0.04	38	0.03	100	8387	99.76	37.7
2023-04-26 05:45:00	0	0.00134	0	0	334	6.82	10.04	37.9	96.9	99.77	-1	-0.4	0.04	37.9	0.02	100	8386	99.77	37.7
2023-04-26 05:50:00	0	0.00067	0	0	0	8.86	11.07	37.9	97.2	99.77	-0.9	-0.4	0.04	37.9	0.02	100	8387	99.76	37.6
2023-04-26 05:55:00	0	0.00067	0	0	336	6.51	9.95	37.8	96.9	99.77	-1	-0.5	0.04	37.8	0.02	100	8384	99.77	37.6
2023-04-26 06:00:00	0	0	0	0	334	5.5	7.25	37.8	97.2	99.78	-0.9	-0.5	0	37.8	0.02	100	8384	99.77	37.5
2023-04-26 06:05:00	0.2	0.00067	0	0	18	8.48	11.86	37.8	97.1	99.77	-0.9	-0.4	0.04	37.8	0.02	100	8384	99.76	37.5
2023-04-26 06:10:00	0.4	0.00067	0	0	353	6.8	10.38	37.8	97.1	99.78	-1.1	-0.5	0.04	37.8	0.02	100	8384	99.77	37.5
2023-04-26 06:15:00	0.4	0.00067	0	0	326	4.85	7.74	37.8	96.5	99.78	-0.9	-0.5	0.04	37.7	0.03	100	8384	99.78	37.4
2023-04-26 06:20:00	2	0.00067	0	0	7	6.98	10	37.8	97.1	99.78	-1	-0.5	0.04	37.8	0.02	100	8380	99.77	37.4
2023-04-26 06:25:00	5.4	0	0	0	353	7.14	10.42	37.6	97.1	99.79	-0.9	-0.4	0	37.7	0.02	100	8380	99.78	37.3
2023-04-26 06:30:00	3.8	0	0	0	343	4.61	6.8	37.6	97.2	99.8	-1	-0.4	0	37.6	0.02	100	8380	99.79	37.3
2023-04-26 06:35:00	5.4	0.00067	0	0	5	6.13	8.05	37.6	97	99.8	-1	-0.5	0.04	37.6	0.02	100	8380	99.8	37.3
2023-04-26 06:40:00	6.4	0.00134	0	0	8	6.89	8.77	37.5	96.6	99.8	-0.9	-0.6	0.04	37.5	0.03	100	8380	99.8	37.2
2023-04-26 06:45:00	9.4	0.00402	0	0	0	6.73	8.21	37.4	96.7	99.8	-0.9	-0.5	0.08	37.5	0.02	100	8380	99.79	37.1
2023-04-26 06:50:00	13.4	0.00201	0	0	2	6.53	8.48	37.4	96.7	99.8	-1	-0.4	0.04	37.4	0.02	100	8377	99.8	37.1
2023-04-26 06:55:00	19	0	0	0	345	6.6	9.19	37.4	97.3	99.8	-1	-0.4	0	37.4	0.02	100	8377	99.8	37
2023-04-26 07:00:00	12.4	0.00134	0	0	345	7.31	9.51	37.3	97.3	99.81	-1	-0.4	0.04	37.3	0.02	100	8378	99.8	37
2023-04-26 07:05:00	4.4	0.00134	0	0	332	6.64	8.57	37.4	96.7	99.82	-0.9	-0.6	0.04	37.4	0.02	100	8374	99.81	37
2023-04-26 07:10:00	11	0.00268	0	0	341	5.88	8.75	37.3	97.1	99.82	-0.9	-0.5	0.08	37.3	0.02	100	8376	99.82	37
2023-04-26 07:15:00	9.8	0.00134	0	0	342	6.2	9.01	37.2	97.3	99.82	-0.9	-0.6	0.04	37.3	0.02	100	8377	99.82	37
2023-04-26 07:20:00	8.8	0	0	0	329	6.87	9.13	37.3	97.4	99.83	-0.8	-0.5	0	37.4	0.02	100	8375	99.82	37
2023-04-26 07:25:00	15.2	0.00067	0	0	336	6.42	9.57	37.2	97.2	99.83	-1.1	-0.4	0.04	37.3	0.02	100	8376	99.83	37
2023-04-26 07:30:00	20.6	0.00067	0	0	335	6.31	8.61	37.2	97.2	99.83	-1	-0.5	0.04	37.3	0.02	100	8376	99.83	36.9
2023-04-26 07:35:00	21.4	0	0	0	340	7.16	10.42	37.2	96.9	99.84	-1	-0.4	0	37.2	0.02	100	8373	99.83	36.9
2023-04-26 07:40:00	27.8	0	0	0	340	6.51	9.24	37.2	96.9	99.84	-0.9	-0.4	0	37.2	0.02	100	8374	99.84	36.8
2023-04-26 07:45:00	34.6	0.00067	0	0	338	7.43	9.04	37.1	96.8	99.84	-1	-0.4	0.04	37.3	0.02	100	8374	99.84	36.8
2023-04-26 07:50:00	35.2	0	0	0	342	7.61	9.6	37.1	96.2	99.84	-0.9	-0.4	0	37.2	0.03	100	8372	99.84	36.8
2023-04-26 07:55:00	34.6	0	0	0	337	7.34	9.75	37	96.4	99.85	-1	-0.5	0	37.2	0.03	100	8373	99.84	36.8
2023-04-26 08:00:00	48	0	0	0	339	5.77	7.9	37	96.1	99.85	-1	-0.5	0	37.1	0.03	100	8371	99.84	36.8
2023-04-26 08:05:00	54.2	0	0	0	347	6.26	8.3	37	96.1	99.84	-0.9	-0.5	0	37.2	0.03	100	8372	99.84	36.8
2023-04-26 08:10:00	60	0	0	0	347	7.11	9.19	37.1	96.1	99.84	-0.9	-0.4	0	37.3	0.03	100	8371	99.84	36.8
2023-04-26 08:15:00	90	0	0	0	343	6.8	8.39	37.1	96.2	99.84	-0.9	-0.4	0	37.3	0.03	100	8371	99.84	36.9
2023-04-26 08:20:00	90	0	0	0	2	8.21	9.95	37.2	95.8	99.84	-1	-0.4	0	37.5	0.03	100	8374	99.84	37
2023-04-26 08:25:00	97	0	0	0	2	6.93	9.35	37.3	95.8	99.84	-0.9	-0.5	0	37.5	0.03	100	8377	99.84	37.1
2023-04-26 08:30:00	75.6	0	0	0	356	5.79	7.56	37.3	95.6	99.85	-1	-0.6	0	37.7	0.03	100	8376	99.84	37.2
2023-04-26 08:35:00	77.6	0	0	0	355	5.84	7.14	37.4	95.3	99.85	-0.9	-0.4	0	37.7	0.04	100	8374	99.84	37.3
2023-04-26 08:40:00	129.8	0	0	0	354	4.97	7.09	37.4	95.3	99.84	-1	-0.4	0	37.8	0.04	100	8377	99.84	37.5
2023-04-26 08:45:00	160.4	0	0	0	354	4.7	6.64	37.5	96.5	99.84	-0.8	-0.6	0	38.1	0.03	100	8379	99.84	37.8
2023-04-26 08:50:00	168	0	0	0	5	4.14	6.06	37.8	96.3	99.85	-1	-0.5	0	38.4	0.03	100	8382	99.85	38.1
2023-04-26 08:55:00	182.2	0	0	0	10	3.8	6.51	37.9	96.1	99.86	-1	-0.5	0	38.7	0.03	100	8382	99.86	38.4
2023-04-26 09:00:00	158.8	0	0	0	7	3.02	4.92	38.2	94.3	99.86	-1	-0.4	0	38.9	0.04	100	8384	99.86	38.6
2023-04-26 09:05:00	128	0	0	0	356	4.09	5.79	38.4	94	99.86	-0.9	-0.5	0	38.9	0.05	100	8384	99.86	38.8
2023-04-26 09:10:00	130.8	0	0	0	354	4.45	6.29	38.5	93.7	99.86	-1	-0.5	0	39	0.05	100	8385	99.86	38.9
2023-04-26 09:15:00	136.8	0	0	0	3	4.88	7.16	38.7	92.1	99.86	-1	-0.5	0	39.1	0.06	100	8387	99.86	39
2023-04-26 09:20:00	216.6	0	0	0	20	4.74	6.49	38.6	92.8	99.86	-0.8	-0.5	0	39.3	0.06	100	8389	99.86	39.1
2023-04-26 09:25:00	240.6	0	0	0	22	5.1	6.64	38.7	93.5	99.86	-0.8	-0.6	0	39.6	0.05	100	8395	99.86	39.5
2023-04-26 09:30:00	291.4	0	0	0	28	4.61	7.29	38.9	93.1	99.86	-0.9	-0.4	0	40	0.06	100	8399	99.86	39.9
2023-04-26 09:35:00	269.6	0	0	0	17	5.77	8.55	39.5	92.3	99.86	-0.9	-0.4	0	40.4	0.06	100	8402	99.86	40.3
2023-04-26 09:40:00	206.2	0	0	0	18	4.92	6.69	39.7	91.6	99.86	-0.9	-0.4	0	40.4	0.07	100	8404	99.86	40.6
2023-04-26 09:45:00	188.6	0	0	0	55	3.49	5.95	39.9	90.8	99.87	-0.9	-0.5	0	40.6	0.08	100	8403	99.86	40.8
2023-04-26 09:50:00	180.2	0	0	0	310	1.32	3.02	39.7	91.2	99.87	-0.8	-0.6	0	40.7	0.07	100	8402	99.87	41.1
2023-04-26 09:55:00	220.6	0	0	0	40	2.37	4.43	39.8	91.6	99.87	-0.8	-0.4	0	41	0.07	100	8406	99.87	41.4

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-26 10:00:00	185.4	0	0	0	108	2.28	4.7	40.1	90.5	99.87	-0.8	-0.5	0	41.2	0.08	100	8407	99.87	41.8
2023-04-26 10:05:00	183.6	0	0	0	6	1.43	3.65	40.3	90.3	99.87	-0.9	-0.4	0	41.4	0.08	100	8405	99.88	42
2023-04-26 10:10:00	184.4	0	0	0	26	3.31	5.14	40.6	89.7	99.87	-0.9	-0.5	0	41.5	0.09	100	8409	99.88	42.2
2023-04-26 10:15:00	226.8	0	0	0	51	2.89	5.99	40.6	89.5	99.87	-0.9	-0.5	0	41.7	0.09	100	8411	99.87	42.3
2023-04-26 10:20:00	226.4	0	0	0	7	3.44	5.12	40.7	89.3	99.87	-0.8	-0.5	0	41.8	0.09	100	8411	99.88	42.6
2023-04-26 10:25:00	243.8	0	0	0	348	3.6	5.37	41	88.3	99.88	-0.8	-0.5	0	42	0.1	100	8415	99.88	42.7
2023-04-26 10:30:00	282.4	0	0	0	10	2.59	4.52	41	89.3	99.88	-0.8	-0.6	0	42.4	0.09	100	8418	99.88	43
2023-04-26 10:35:00	370.6	0	0	0	355	3.58	7.99	41.5	89.1	99.87	-0.8	-0.5	0	43	0.1	100	8422	99.89	43.6
2023-04-26 10:40:00	439.2	0	0	0	326	6.38	9.75	42.7	86.8	99.87	-0.8	-0.5	0	43.9	0.12	100	8432	99.89	44.1
2023-04-26 10:45:00	468.6	0	0	0	296	4.16	7.07	43.1	85.8	99.88	-0.6	-0.5	0	44.4	0.13	100	8440	99.89	44.5
2023-04-26 10:50:00	404.6	0	0	0	268	3.85	5.97	43.3	86.3	99.89	-0.8	-0.5	0	44.8	0.13	100	8441	99.9	45.2
2023-04-26 10:55:00	409.2	0	0	0	298	5.77	9.48	43.8	85.1	99.89	-0.8	-0.5	0	45.1	0.14	100	8446	99.9	45.7
2023-04-26 11:00:00	575.2	0	0	0	300	5.53	10.29	44.4	83.5	99.88	-0.8	-0.4	0	45.6	0.16	100	8453	99.9	46.2
2023-04-26 11:05:00	396.6	0	0	0	285	6.13	10.67	44.7	82.7	99.89	-0.7	-0.4	0	45.9	0.17	100	8456	99.9	46.7
2023-04-26 11:10:00	363	0	0	0	281	7.07	10.09	44.5	82.1	99.9	-0.7	-0.5	0	45.6	0.18	100	8455	99.9	46.8
2023-04-26 11:15:00	281.6	0	0	0	297	9.13	12.35	44.5	81.7	99.9	-0.7	-0.7	0	45.4	0.18	100	8455	99.9	46.7
2023-04-26 11:20:00	233.8	0	0	0	286	7.85	12.44	44.2	81.7	99.9	-0.7	-0.5	0	44.9	0.18	100	8450	99.91	46.4
2023-04-26 11:25:00	148.4	0	0	0	284	6.17	10.83	43.8	81.7	99.9	-0.8	-0.5	0	44.4	0.18	100	8449	99.9	46
2023-04-26 11:30:00	125.8	0	0	0	258	6.46	10.78	43.6	81.6	99.9	-0.8	-0.5	0	44	0.18	100	8447	99.9	45.6
2023-04-26 11:35:00	146.4	0	0	0	291	8.21	11.18	43.2	82.4	99.89	-0.9	-0.5	0	43.6	0.17	100	8444	99.89	45.3
2023-04-26 11:40:00	266	0	0	0	303	8.28	11.61	42.8	84	99.89	-0.9	-0.5	0	43.4	0.15	100	8449	99.89	45.1
2023-04-26 11:45:00	308.6	0	0	0	307	8.39	13.04	42.8	84.7	99.89	-0.9	-0.5	0	43.6	0.14	100	8453	99.89	45.2
2023-04-26 11:50:00	321.8	0	0	0	274	7.96	14.56	43	85	99.89	-0.8	-0.5	0	43.8	0.14	100	8453	99.9	45.4
2023-04-26 11:55:00	393.2	0	0	0	299	9.91	12.75	43.4	85.2	99.89	-0.8	-0.5	0	44.3	0.14	100	8459	99.9	45.6
2023-04-26 12:00:00	411	0	0	0	315	8.46	11.95	43.6	83.9	99.89	-0.8	-0.5	0	44.6	0.15	100	8466	99.9	45.8
2023-04-26 12:05:00	532.2	0	0	0	291	7.76	10.09	44.1	83.6	99.88	-0.8	-0.5	0	45.1	0.16	100	8469	99.9	46.3
2023-04-26 12:10:00	803.6	0	0	0	273	6.02	9.33	45.2	81.6	99.87	-0.7	-0.4	0	46.4	0.19	100	8488	99.9	46.8
2023-04-26 12:15:00	582	0	0	0	295	9.46	15.21	46.4	78.6	99.88	-0.7	-0.4	0	47.5	0.23	100	8489	99.89	47.7
2023-04-26 12:20:00	506.2	0	0	0	316	10.04	14.63	46.5	76.2	99.88	-0.6	-0.5	0	47.3	0.26	100	8489	99.89	48
2023-04-26 12:25:00	434.4	0	0	0	304	8.86	14.27	46.3	77.8	99.88	-0.6	-0.6	0	47.2	0.24	100	8492	99.88	48.2
2023-04-26 12:30:00	473.2	0	0	0	301	10.71	14.56	46.2	76.4	99.87	-0.6	-0.5	0	47.1	0.25	100	8494	99.87	48.3
2023-04-26 12:35:00	655.6	0	0	0	292	8.14	11.1	46.4	76	99.86	-0.7	-0.4	0	47.3	0.26	100	8502	99.88	48.4
2023-04-26 12:40:00	688.4	0	0	0	299	10.16	18.54	47.2	75.2	99.86	-0.7	-0.4	0	48.2	0.27	100	8507	99.87	48.8
2023-04-26 12:45:00	890.6	0	0	0	301	8.19	13.56	48.2	74.7	99.86	-0.7	-0.6	0	49.2	0.29	100	8518	99.88	49.5
2023-04-26 12:50:00	662.2	0	0	0	309	10.07	13.76	48.8	72.5	99.86	-0.5	-0.6	0	49.7	0.32	100	8521	99.88	50.1
2023-04-26 12:55:00	661.4	0	0	0	294	11.32	16.33	49.2	71.7	99.87	-0.6	-0.5	0	50.1	0.34	100	8521	99.88	50.3
2023-04-26 13:00:00	627	0	0	0	298	10.04	13.78	49.2	71.6	99.87	-0.7	-0.7	0	50	0.34	100	8524	99.88	50.4
2023-04-26 13:05:00	606.4	0	0	0	285	8.88	14.43	48.8	70.6	99.87	-0.6	-0.4	0	49.7	0.35	100	8524	99.89	50.2
2023-04-26 13:10:00	767	0	0	0	304	10.78	15.79	48.9	69.9	99.87	-0.7	-0.8	0	49.9	0.35	100	8534	99.88	50.1
2023-04-26 13:15:00	690.2	0	0	0	286	9.46	14.65	49.3	69.6	99.87	-0.5	-0.7	0	50.1	0.36	100	8531	99.88	50.1
2023-04-26 13:20:00	967.6	0	0	0	293	8.25	13.04	49.4	69	99.86	-0.5	-0.5	0	50.3	0.37	100	8535	99.87	50.3
2023-04-26 13:25:00	746.8	0	0	0	287	8.86	15.12	49.8	69	99.86	-0.6	-0.5	0	50.8	0.38	100	8539	99.87	51
2023-04-26 13:30:00	894.4	0	0	0	309	9.66	15.61	50.3	67	99.85	-0.5	-0.6	0	51.2	0.41	100	8536	99.87	51.3
2023-04-26 13:35:00	1016.2	0	0	0	292	8.43	14.52	50.6	65.1	99.85	-0.3	-0.6	0	51.5	0.44	100	8537	99.87	51.6
2023-04-26 13:40:00	411	0	0	0	283	7.58	11.52	50.7	66.7	99.88	-0.5	-0.6	0	51.6	0.42	100	8535	99.87	51.9
2023-04-26 13:45:00	969	0	0	0	284	7.23	14.23	50.8	65.3	99.86	-0.7	-0.6	0	51.9	0.44	100	8538	99.87	52.2
2023-04-26 13:50:00	1026	0	0	0	275	9.33	17.92	51.8	63	99.86	-0.6	-0.6	0	52.8	0.49	100	8535	99.87	52.7
2023-04-26 13:55:00	879	0	0	0	271	8.05	13.96	52.3	62.9	99.87	-0.3	-0.7	0	53.2	0.5	100	8538	99.87	53.2
2023-04-26 14:00:00	771.8	0	0	0	287	10.25	16.08	52.9	61.2	99.86	-0.5	-0.6	0	53.9	0.53	100	8536	99.87	53.7
2023-04-26 14:05:00	263.4	0	0	0	308	13.15	20.29	52.1	59.7	99.87	-0.5	-0.4	0	52.6	0.53	100	8530	99.86	53.2
2023-04-26 14:10:00	558.6	0	0	0	323	9.8	13.76	50.9	60.1	99.87	-0.7	-0.6	0	51.6	0.51	100	8529	99.86	52.5
2023-04-26 14:15:00	279.6	0	0	0	298	9.66	13.53	50.5	60.5	99.87	-0.3	-0.7	0	51.2	0.49	100	8528	99.86	52.3
2023-04-26 14:20:00	256.6	0	0	0	294	11.92	17.94	50	60.6	99.88	-0.7	-0.5	0	50.6	0.48	100	8523	99.87	52
2023-04-26 14:25:00	517.4	0	0	0	285	9.13	13.49	49.4	61.8	99.87	-0.6	-0.6	0	50.2	0.46	100	8527	99.87	51.6
2023-04-26 14:30:00	661.6	0	0	0	283	9.48	13.38	50.1	61	99.87	-0.6	-0.7	0	51	0.48	100	8526	99.87	51.9
2023-04-26 14:35:00	337	0	0	0	272	6.8	10.42	50.1	58.9	99.88	-0.5	-0.4	0	50.9	0.51	100	8523	99.86	52
2023-04-26 14:40:00	816	0	0	0	243	8.01	13.38	50.5	59.6	99.86	-0.4	-0.4	0	51.6	0.51	100	8523	99.86	52.2
2023-04-26 14:45:00	781.4	0	0	0	239	9.48	13.42	51.3	60	99.86	-0.5	-0.8	0	52.3	0.52	100	8521	99.86	52.7
2023-04-26 14:50:00	920.6	0	0	0	269	8.86	14.32	52	57.6	99.84	-0.6	-0.5	0	53	0.56	100	8520	99.84	53.1
2023-04-26 14:55:00	439.6	0	0	0	258	6.42	15.21	52.2	58.7	99.86	-0.5	-0.6	0	53.2	0.55	100	8520	99.85	53.7

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-26 15:00:00	491.6	0	0	0	355	7.16	12.95	52.4	57.5	99.86	-0.5	-0.5	0	53.5	0.57	100	8520	99.84	53.9
2023-04-26 15:05:00	271.6	0	0	0	319	8.63	12.8	52.1	56.9	99.86	-0.5	-0.7	0	52.8	0.57	100	8516	99.84	53.6
2023-04-26 15:10:00	266.4	0	0	0	333	10.63	16.28	51.5	56.5	99.85	-0.6	-0.7	0	52.2	0.56	100	8517	99.84	53
2023-04-26 15:15:00	257.2	0	0	0	345	10.78	15.99	50.7	56.8	99.85	-0.5	-0.6	0	51.3	0.54	100	8519	99.83	52.5
2023-04-26 15:20:00	364.4	0	0	0	324	11.23	13.4	50.3	58	99.84	-0.8	-0.4	0	51	0.52	100	8516	99.83	52.1
2023-04-26 15:25:00	364	0	0	0	334	7.94	13.78	50.3	58.1	99.84	-0.5	-0.5	0	51	0.52	100	8515	99.83	52.2
2023-04-26 15:30:00	472.2	0	0	0	340	8.48	12.41	50.6	57.7	99.83	-0.5	-0.8	0	51.3	0.53	100	8516	99.82	52.3
2023-04-26 15:35:00	475	0	0	0	355	7.11	10.27	50.8	57.2	99.83	-0.6	-0.7	0	51.7	0.54	100	8515	99.82	52.9
2023-04-26 15:40:00	268	0	0	0	343	10.27	12.93	51	55.8	99.83	-0.6	-0.5	0	51.7	0.56	100	8511	99.81	52.7
2023-04-26 15:45:00	285.6	0	0	0	342	9.62	15.03	50.8	55.9	99.83	-0.4	-0.5	0	51.4	0.56	100	8509	99.8	52.3
2023-04-26 15:50:00	656.6	0	0	0	335	11.56	19.06	51	56.1	99.8	-0.5	-0.5	0	51.9	0.56	100	8510	99.8	52.7
2023-04-26 15:55:00	249.2	0	0	0	312	7.61	13.53	51.3	55.1	99.82	-0.6	-0.6	0	51.9	0.58	100	8507	99.81	53
2023-04-26 16:00:00	269.6	0	0	0	316	7.99	16.02	50.9	55.7	99.83	-0.5	-0.6	0	51.8	0.56	100	8508	99.81	52.6
2023-04-26 16:05:00	271.8	0	0	0	316	9.35	13.2	51	56	99.83	-0.7	-0.4	0	51.7	0.56	100	8506	99.81	52.4
2023-04-26 16:10:00	443.8	0	0	0	339	12.08	14.67	51	58.5	99.82	-0.4	-0.6	0	51.7	0.53	100	8506	99.81	52.4
2023-04-26 16:15:00	466.2	0	0	0	345	10.4	16.6	51.1	58.6	99.82	-0.5	-0.7	0	51.8	0.53	100	8506	99.81	52.8
2023-04-26 16:20:00	276.2	0	0	0	330	11.86	15.95	51.3	59.8	99.83	-0.7	-0.5	0	51.9	0.52	100	8503	99.81	53.2
2023-04-26 16:25:00	185.6	0	0	0	346	10.29	15.12	51	58.6	99.83	-0.6	-0.4	0	51.4	0.53	100	8501	99.81	52.3
2023-04-26 16:30:00	187	0	0	0	339	9.01	11.54	50.4	60.5	99.83	-0.5	-0.6	0	50.9	0.49	100	8499	99.81	51.7
2023-04-26 16:35:00	313.6	0	0	0	357	9.98	13.31	50	63.3	99.83	-0.5	-0.8	0	50.7	0.45	100	8499	99.81	51.7
2023-04-26 16:40:00	691.2	0	0	0	333	9.6	13.09	50.5	63.9	99.82	-0.7	-0.5	0	51.4	0.45	100	8501	99.82	52.7
2023-04-26 16:45:00	707.8	0	0	0	350	9.73	15.21	51.7	63.1	99.82	-0.4	-0.4	0	52.6	0.48	100	8501	99.82	54.5
2023-04-26 16:50:00	610	0	0	0	21	9.26	14.83	52.5	61.5	99.82	-0.4	-0.6	0	53.4	0.52	100	8499	99.82	55.2
2023-04-26 16:55:00	552.4	0	0	0	330	10.92	19.75	53	59.8	99.83	-0.2	-0.5	0	53.9	0.55	100	8497	99.81	55.8
2023-04-26 17:00:00	542.4	0	0	0	335	14.43	19.95	53.3	57	99.82	-0.6	-0.7	0	54	0.6	100	8497	99.82	55.7
2023-04-26 17:05:00	303.2	0	0	0	325	14.32	20	52.8	56.6	99.83	-0.6	-0.3	0	53.4	0.59	100	8494	99.82	55
2023-04-26 17:10:00	463.2	0	0	0	345	15.64	21.56	52.2	58.1	99.82	-0.5	-0.9	0	52.8	0.56	100	8496	99.81	54.2
2023-04-26 17:15:00	441.2	0	0	0	353	14.74	20.07	51.8	59.5	99.82	-0.7	-0.6	0	52.6	0.53	100	8493	99.81	54.4
2023-04-26 17:20:00	410.6	0	0	0	342	14.61	21.12	51.7	59.2	99.83	-0.6	-0.9	0	52.4	0.53	100	8491	99.82	54.4
2023-04-26 17:25:00	366	0	0	0	344	13.82	17.92	51.3	58.2	99.83	-0.5	-0.8	0	52.1	0.54	100	8491	99.82	54.3
2023-04-26 17:30:00	363.6	0	0	0	343	13.67	17.18	51.1	58.4	99.84	-0.7	-0.5	0	51.8	0.53	100	8488	99.83	53.9
2023-04-26 17:35:00	347.6	0	0	0	337	13.27	16.89	50.8	59.9	99.84	-0.6	-1	0	51.5	0.51	100	8486	99.83	53.8
2023-04-26 17:40:00	332	0	0	0	334	12.68	16.55	50.5	59.2	99.84	-0.5	-0.9	0	51.2	0.51	100	8481	99.83	53.8
2023-04-26 17:45:00	315.6	0	0	0	328	12.17	17.65	50.5	59.7	99.84	-0.6	-0.8	0	51.2	0.5	100	8480	99.83	53.9
2023-04-26 17:50:00	296.6	0	0	0	333	11.45	16.73	50.4	58.8	99.86	-0.6	-0.4	0	51.1	0.51	100	8478	99.84	53.9
2023-04-26 17:55:00	279.6	0	0	0	325	12.01	15.08	50.5	59	99.86	-0.2	-0.8	0	51.2	0.51	100	8478	99.85	53.7
2023-04-26 18:00:00	263.2	0	0	0	347	10.58	15.43	50.2	58.7	99.86	-0.6	-0.7	0	50.9	0.51	100	8475	99.85	53.5
2023-04-26 18:05:00	248	0	0	0	331	10.65	14.38	50.2	58.4	99.87	-0.6	-0.5	0	50.8	0.51	100	8472	99.86	53.5
2023-04-26 18:10:00	229.4	0	0	0	340	12.73	16.13	50.1	58.3	99.87	-0.6	-0.5	0	50.6	0.51	100	8471	99.86	53.3
2023-04-26 18:15:00	212.2	0	0	0	338	11.16	14.7	49.9	58.2	99.87	-0.7	-0.6	0	50.3	0.51	100	8468	99.86	52.9
2023-04-26 18:20:00	196	0	0	0	351	11.27	16.71	49.6	57.1	99.87	-0.6	-0.5	0	50.1	0.52	100	8469	99.86	52.6
2023-04-26 18:25:00	161.8	0	0	0	343	10.63	16.08	49.4	56.5	99.87	-0.7	-0.4	0	49.8	0.52	100	8471	99.85	52.2
2023-04-26 18:30:00	157.6	0	0	0	349	7.65	10.65	49.1	57.5	99.87	-0.8	-0.6	0	49.5	0.5	100	8469	99.86	51.9
2023-04-26 18:35:00	146.6	0	0	0	1	8.23	12.1	49	57.8	99.87	-0.6	-0.6	0	49.4	0.5	100	8467	99.86	51.9
2023-04-26 18:40:00	130.2	0	0	0	11	9.84	15.21	48.9	57.6	99.87	-0.7	-0.5	0	49.2	0.5	100	8463	99.85	51.5
2023-04-26 18:45:00	117.6	0	0	0	19	8.3	10.76	48.5	58	99.87	-0.6	-0.6	0	48.8	0.49	100	8462	99.86	51.2
2023-04-26 18:50:00	105	0	0	0	10	7.61	10.96	48.2	58.8	99.87	-0.7	-0.6	0	48.5	0.47	100	8459	99.86	50.9
2023-04-26 18:55:00	91.6	0	0	0	350	8.46	13.4	47.9	58.8	99.87	-0.7	-0.8	0	48.2	0.47	100	8459	99.85	50.6
2023-04-26 19:00:00	80.4	0	0	0	358	8.7	11.32	47.8	59.3	99.87	-0.5	-0.7	0	48	0.46	100	8456	99.85	50.2
2023-04-26 19:05:00	68.8	0	0	0	352	8.34	11.95	47.4	60.1	99.87	-0.7	-0.5	0	47.6	0.44	100	8454	99.85	49.7
2023-04-26 19:10:00	57.2	0	0	0	356	8.34	11.5	47.2	60.1	99.87	-0.8	-0.5	0	47.4	0.44	100	8454	99.85	49.3
2023-04-26 19:15:00	47	0	0	0	346	6.24	8.48	46.9	60.6	99.88	-0.6	-0.6	0	47.1	0.43	100	8451	99.86	48.9
2023-04-26 19:20:00	37.6	0	0	0	347	6.62	8.81	46.8	61.6	99.88	-0.6	-0.5	0	46.9	0.42	100	8452	99.86	48.6
2023-04-26 19:25:00	31	0	0	0	348	6.26	7.99	46.5	61.9	99.88	-0.8	-0.4	0	46.6	0.41	100	8450	99.86	48.1
2023-04-26 19:30:00	25.2	0	0	0	351	6.51	8.43	46.2	62.4	99.88	-0.7	-0.7	0	46.3	0.4	100	8447	99.86	47.6
2023-04-26 19:35:00	20.2	0	0	0	351	7.23	9.46	45.9	62.8	99.88	-0.7	-0.6	0	45.9	0.39	100	8444	99.86	47.1
2023-04-26 19:40:00	13.2	0	0	0	355	5.57	7.87	45.6	63	99.88	-0.8	-0.5	0	45.6	0.38	100	8446	99.86	46.3
2023-04-26 19:45:00	9.2	0	0	0	358	5.44	7.9	45.1	63.9	99.88	-0.8	-0.4	0	45.1	0.37	100	8444	99.85	45.3
2023-04-26 19:50:00	6	0	0	0	348	5.86	7.4	44.7	64.6	99.89	-0.6	-0.4	0	44.8	0.36	100	8443	99.86	44.6
2023-04-26 19:55:00	3.6	0	0	0	346	4.61	6.08	44.4	65.6	99.89	-0.9	-0.5	0	44.4	0.34	100	8443	99.86	44

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-26 20:00:00	2	0	0	0	325	4.23	5.68	44.1	67.1	99.89	-0.9	-0.4	0	44	0.32	100	8442	99.86	43.4
2023-04-26 20:05:00	0.6	0	0	0	328	5.93	8.08	43.6	67.6	99.89	-0.8	-0.4	0	43.6	0.31	100	8437	99.86	42.9
2023-04-26 20:10:00	0	0	0	0	339	5.01	5.61	43.3	68.5	99.89	-0.9	-0.6	0	43.2	0.3	100	8439	99.86	42.5
2023-04-26 20:15:00	0	0	0	0	349	4.09	4.99	42.9	69.4	99.89	-0.8	-0.4	0	42.9	0.29	100	8436	99.86	42
2023-04-26 20:20:00	0	0	0	0	1	4.21	5.06	42.6	68.5	99.89	-0.9	-0.5	0	42.5	0.29	100	8433	99.86	41.6
2023-04-26 20:25:00	0	0	0	0	0	3.71	4.43	42.3	68.4	99.9	-0.9	-0.5	0	42.3	0.29	100	8434	99.87	41.2
2023-04-26 20:30:00	0	0	0	0	2	2.73	3.38	42.1	68.2	99.91	-0.9	-0.5	0	42.1	0.29	100	8433	99.88	40.8
2023-04-26 20:35:00	0	0	0	0	12	2.71	3.67	41.8	68.6	99.91	-0.9	-0.5	0	41.8	0.28	100	8431	99.87	40.5
2023-04-26 20:40:00	0	0	0	0	15	2.75	3.6	41.6	69.4	99.91	-0.9	-0.5	0	41.6	0.27	100	8430	99.88	40.2
2023-04-26 20:45:00	0	0	0	0	31	2.53	3.42	41.6	69.3	99.92	-1	-0.5	0	41.5	0.27	100	8431	99.88	40
2023-04-26 20:50:00	0	0	0	0	115	2.82	3.42	41.4	71.2	99.92	-0.8	-0.5	0	41.4	0.25	100	8430	99.88	39.8
2023-04-26 20:55:00	0	0	0	0	116	1.77	3.2	41.4	73.5	99.92	-0.9	-0.5	0	41.4	0.23	100	8427	99.89	39.6
2023-04-26 21:00:00	0	0	0	0	114	2.64	3.2	41.3	73.8	99.93	-1	-0.5	0	41.2	0.23	100	8428	99.89	39.4
2023-04-26 21:05:00	0	0	0	0	146	1.54	2.24	41.3	76.3	99.93	-0.9	-0.5	0	41.3	0.21	100	8425	99.9	39.3
2023-04-26 21:10:00	0	0	0	0	125	1.45	2.35	41	76.7	99.93	-0.9	-0.4	0	41	0.2	100	8427	99.9	39
2023-04-26 21:15:00	0	0	0	0	117	2.26	3.09	41	75.1	99.93	-0.9	-0.4	0	41	0.22	100	8425	99.9	38.8
2023-04-26 21:20:00	0	0	0	0	141	1.99	2.91	41	74	99.93	-1	-0.6	0	40.9	0.23	100	8422	99.9	38.7
2023-04-26 21:25:00	0	0	0	0	157	2.82	3.83	41	73.7	99.94	-1	-0.6	0	41	0.23	100	8425	99.9	38.8
2023-04-26 21:30:00	0	0	0	0	153	3.85	4.45	40.9	76.6	99.94	-0.9	-0.5	0	40.9	0.2	100	8424	99.9	38.9
2023-04-26 21:35:00	0	0	0	0	155	3.74	4.23	40.8	79.3	99.94	-0.8	-0.5	0	40.8	0.18	100	8419	99.9	38.8
2023-04-26 21:40:00	0	0	0	0	159	3.94	4.25	40.7	77.5	99.94	-1	-0.4	0	40.7	0.19	100	8423	99.9	38.6
2023-04-26 21:45:00	0	0	0	0	166	3.33	3.83	40.6	75.6	99.94	-0.9	-0.5	0	40.6	0.21	100	8422	99.9	38.6
2023-04-26 21:50:00	0	0	0	0	185	1.63	2.73	40.6	76.5	99.93	-1	-0.4	0	40.6	0.2	100	8418	99.9	38.4
2023-04-26 21:55:00	0	0	0	0	187	2.98	4.59	40.4	76.5	99.93	-0.9	-0.4	0	40.4	0.2	100	8418	99.9	38.1
2023-04-26 22:00:00	0	0	0	0	194	3.62	4.36	40.2	76.5	99.93	-0.9	-0.5	0	40.2	0.2	100	8418	99.89	38.2
2023-04-26 22:05:00	0	0	0	0	186	3.71	4.14	40.1	76.8	99.93	-1	-0.4	0	40.2	0.2	100	8418	99.89	38
2023-04-26 22:10:00	0	0	0	0	173	3.33	3.91	39.9	77	99.92	-0.9	-0.4	0	40	0.19	100	8414	99.89	37.9
2023-04-26 22:15:00	0	0	0	0	173	2.53	3.11	39.9	77.6	99.92	-1	-0.4	0	39.8	0.19	100	8415	99.88	37.7
2023-04-26 22:20:00	0	0	0	0	174	2.95	3.36	39.6	77.6	99.92	-0.9	-0.5	0	39.6	0.18	100	8409	99.88	37.5
2023-04-26 22:25:00	0	0	0	0	173	3.36	3.91	39.6	77.4	99.91	-1	-0.5	0	39.6	0.19	100	8412	99.88	37.5
2023-04-26 22:30:00	0	0	0	0	170	4.21	4.65	39.6	77.1	99.91	-1	-0.6	0	39.6	0.19	100	8411	99.88	37.6
2023-04-26 22:35:00	0	0	0	0	163	4.03	4.85	39.6	77.6	99.9	-1	-0.5	0	39.6	0.18	100	8409	99.87	37.6
2023-04-26 22:40:00	0	0	0	0	164	3.11	3.65	39.6	77.3	99.9	-0.9	-0.5	0	39.6	0.19	100	8410	99.86	37.5
2023-04-26 22:45:00	0	0	0	0	170	2.95	3.85	39.5	77.7	99.9	-0.9	-0.5	0	39.5	0.18	100	8410	99.86	37.3
2023-04-26 22:50:00	0	0	0	0	177	3.94	4.27	39.4	77.7	99.89	-1	-0.5	0	39.4	0.18	100	8409	99.86	37.3
2023-04-26 22:55:00	0	0	0	0	182	3.67	4.16	39.5	78.2	99.9	-0.9	-0.4	0	39.5	0.18	100	8407	99.86	37.2
2023-04-26 23:00:00	0	0	0	0	185	3.11	3.4	39.3	78.6	99.9	-0.9	-0.4	0	39.3	0.17	100	8409	99.86	37
2023-04-26 23:05:00	0	0	0	0	170	2.44	3.09	39.2	78.6	99.89	-1	-0.5	0	39.2	0.17	100	8406	99.85	36.8
2023-04-26 23:10:00	0	0	0	0	179	3.15	3.76	39.1	78.4	99.89	-1	-0.5	0	39.1	0.17	100	8406	99.85	36.5
2023-04-26 23:15:00	0	0	0	0	172	3.89	4.54	39.1	78.3	99.89	-1	-0.6	0	39.1	0.18	100	8403	99.85	36.6
2023-04-26 23:20:00	0	0	0	0	169	4.03	4.47	39	79	99.89	-0.9	-0.5	0	39.1	0.17	100	8404	99.85	36.7
2023-04-26 23:25:00	0	0	0	0	167	3.94	4.34	38.8	80.1	99.89	-0.9	-0.4	0	38.8	0.16	100	8403	99.85	36.5
2023-04-26 23:30:00	0	0	0	0	176	4.65	5.21	38.6	80.1	99.89	-0.9	-0.4	0	38.6	0.16	100	8405	99.85	36.3
2023-04-26 23:35:00	0	0	0	0	179	4.9	5.17	38.6	79.5	99.89	-1.1	-0.5	0	38.6	0.16	100	8403	99.86	36.2
2023-04-26 23:40:00	0	0	0	0	186	4.27	4.97	38.7	78.6	99.89	-1	-0.5	0	38.7	0.17	100	8400	99.85	36.2
2023-04-26 23:45:00	0	0	0	0	185	4.14	4.68	38.6	79.6	99.89	-0.9	-0.4	0	38.6	0.16	100	8400	99.86	36
2023-04-26 23:50:00	0	0	0	0	187	4.52	4.9	38.5	79.7	99.9	-1	-0.5	0	38.5	0.16	100	8401	99.86	35.7
2023-04-26 23:55:00	0	0	0	0	187	4.41	4.79	38.4	79.3	99.9	-1	-0.5	0	38.5	0.16	100	8400	99.86	35.5
2023-04-27 00:00:00	0	0	0	0	170	4.43	5.3	38.6	79.1	99.9	-0.9	-0.4	0	38.6	0.17	100	8399	99.86	35.5
2023-04-27 00:05:00	0	0	0	0	162	4.88	5.48	38.6	79.1	99.9	-1	-0.5	0	38.6	0.17	100	8373	99.87	35.9
2023-04-27 00:10:00	0	0	0	0	172	4.43	5.06	38.7	78.9	99.9	-0.9	-0.4	0	38.6	0.17	100	8366	99.87	36.2
2023-04-27 00:15:00	0	0	0	0	177	4.38	4.85	38.7	79.1	99.9	-1	-0.5	0	38.7	0.17	100	8355	99.87	36.4
2023-04-27 00:20:00	0	0	0	0	177	4.38	4.7	38.7	78.7	99.9	-0.9	-0.4	0	38.8	0.17	100	8368	99.86	36.4
2023-04-27 00:25:00	0	0	0	0	187	4.54	5.1	38.8	78.1	99.9	-1	-0.4	0	38.8	0.18	100	8373	99.87	36.4
2023-04-27 00:30:00	0	0	0	0	195	4.16	4.85	38.9	78.4	99.9	-1	-0.4	0	38.9	0.17	100	8374	99.87	36.2
2023-04-27 00:35:00	0	0	0	0	193	3.91	4.94	38.7	78.4	99.9	-1	-0.4	0	38.7	0.17	100	8372	99.87	35.9
2023-04-27 00:40:00	0	0	0	0	188	4.54	4.79	38.5	78.4	99.9	-0.9	-0.4	0	38.5	0.17	100	8373	99.86	35.8
2023-04-27 00:45:00	0	0	0	0	190	4.72	5.1	38.6	78.6	99.9	-1	-0.4	0	38.6	0.17	100	8376	99.86	35.8
2023-04-27 00:50:00	0	0	0	0	197	4.41	4.74	38.7	78.8	99.89	-0.9	-0.4	0	38.7	0.17	100	8375	99.86	35.9
2023-04-27 00:55:00	0	0	0	0	196	4.85	5.17	38.8	78.6	99.89	-0.9	-0.4	0	38.9	0.17	100	8374	99.86	35.9

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-27 01:00:00	0	0	0	0	193	4.97	5.23	38.9	78.2	99.9	-1	-0.5	0	38.8	0.17	100	8375	99.86	35.8
2023-04-27 01:05:00	0	0	0	0	188	4.76	4.94	38.6	78.7	99.9	-1	-0.5	0	38.5	0.17	100	8374	99.86	35.5
2023-04-27 01:10:00	0	0	0	0	186	4.76	5.12	38.3	79.1	99.9	-1	-0.4	0	38.3	0.16	100	8373	99.86	35.2
2023-04-27 01:15:00	0	0	0	0	194	4.29	4.85	38.4	78.6	99.89	-0.9	-0.5	0	38.4	0.17	100	8375	99.86	35
2023-04-27 01:20:00	0	0	0	0	201	3.04	3.8	38.5	79.2	99.9	-0.9	-0.5	0	38.5	0.16	100	8371	99.86	34.7
2023-04-27 01:25:00	0	0	0	0	187	2.71	3.06	38.2	79.9	99.89	-1	-0.4	0	38.1	0.16	100	8374	99.85	34.5
2023-04-27 01:30:00	0	0	0	0	179	2.59	3.18	38.1	79.1	99.89	-0.9	-0.5	0	38	0.16	100	8374	99.85	34.4
2023-04-27 01:35:00	0	0	0	0	228	2.35	2.77	37.9	79.4	99.89	-1	-0.5	0	37.9	0.16	100	8371	99.85	34.4
2023-04-27 01:40:00	0	0	0	0	221	3	3.58	37.9	78.8	99.89	-1	-0.5	0	37.9	0.16	100	8371	99.85	34.6
2023-04-27 01:45:00	0	0	0	0	208	3.89	4.81	37.9	77.9	99.89	-0.9	-0.4	0	37.9	0.17	100	8371	99.85	34.8
2023-04-27 01:50:00	0	0	0	0	207	4.12	4.61	37.9	78.5	99.89	-0.9	-0.4	0	37.9	0.17	100	8373	99.85	34.6
2023-04-27 01:55:00	0	0	0	0	212	3.42	4.14	37.8	78	99.88	-1	-0.4	0	37.8	0.17	100	8372	99.84	34.1
2023-04-27 02:00:00	0	0	0	0	262	2.1	2.91	37.9	78.8	99.88	-1	-0.4	0	37.9	0.16	100	8371	99.84	33.9
2023-04-27 02:05:00	0	0	0	0	248	1.59	2.35	37.4	81.3	99.87	-1	-0.5	0	37.4	0.14	100	8370	99.82	33.4
2023-04-27 02:10:00	0	0	0	0	164	3.51	4.54	36.8	81.8	99.86	-1	-0.5	0	36.8	0.13	100	8369	99.82	33.1
2023-04-27 02:15:00	0	0	0	0	158	2.24	4.5	36.5	82.2	99.85	-1	-0.4	0	36.4	0.13	100	8368	99.81	33
2023-04-27 02:20:00	0	0	0	0	163	1.66	3.58	36.1	83.3	99.84	-1	-0.4	0	36.1	0.12	100	8368	99.8	32.7
2023-04-27 02:25:00	0	0	0	0	176	1.99	3.89	35.5	84.9	99.83	-1.1	-0.4	0	35.5	0.11	100	8367	99.8	32.4
2023-04-27 02:30:00	0	0	0	0	159	4.14	5.48	35	85.5	99.83	-1.1	-0.4	0	34.9	0.1	100	8368	99.8	32.2
2023-04-27 02:35:00	0	0	0	0	151	1.68	4.41	34.7	86.5	99.83	-1.1	-0.4	0	34.7	0.09	100	8365	99.8	32.2
2023-04-27 02:40:00	0	0	0	0	122	2.86	3.83	34.5	87.3	99.82	-1.1	-0.4	0	34.5	0.09	100	8363	99.79	32
2023-04-27 02:45:00	0	0	0	0	100	3.58	4.65	34.3	89.2	99.81	-1.1	-0.4	0	34.3	0.07	100	8365	99.79	32
2023-04-27 02:50:00	0	0	0	0	106	4.43	4.85	34.3	89.5	99.81	-1.1	-0.5	0	34.3	0.07	100	8364	99.78	32.1
2023-04-27 02:55:00	0	0	0	0	107	3.62	4.97	34.5	89.5	99.8	-1.1	-0.5	0	34.5	0.07	100	8364	99.78	32.3
2023-04-27 03:00:00	0	0	0	0	95	1.95	2.68	34.5	90.4	99.81	-1.1	-0.3	0	34.5	0.07	100	8365	99.78	32.3
2023-04-27 03:05:00	0	0	0	0	94	2.42	3.53	34.3	90.7	99.8	-1	-0.5	0	34.3	0.06	100	8362	99.78	32.1
2023-04-27 03:10:00	0	0	0	0	121	3.24	4.03	34.1	90.7	99.8	-1.1	-0.5	0	34	0.06	100	8362	99.78	31.9
2023-04-27 03:15:00	0	0	0	0	118	2.59	3.06	33.8	91.3	99.8	-1	-0.4	0	33.8	0.06	100	8364	99.78	31.8
2023-04-27 03:20:00	0	0	0	0	116	1.81	2.66	33.6	91.7	99.8	-1.1	-0.4	0	33.6	0.05	100	8365	99.78	31.6
2023-04-27 03:25:00	0	0	0	0	128	1.34	2.17	33.5	92.5	99.8	-1.2	-0.4	0	33.5	0.05	100	8362	99.78	31.5
2023-04-27 03:30:00	0	0	0	0	139	0.58	1.41	33.4	92.5	99.8	-1.2	-0.5	0	33.4	0.05	100	8361	99.78	31.2
2023-04-27 03:35:00	0	0	0	0	229	1.36	2.57	33.1	92.3	99.8	-1.1	-0.4	0	33.1	0.05	100	8361	99.78	31
2023-04-27 03:40:00	0	0	0	0	251	1.14	1.61	33	92.9	99.8	-1.2	-0.4	0	33	0.05	100	8361	99.78	31
2023-04-27 03:45:00	0	0	0	0	258	1.05	1.68	32.8	93.4	99.8	-1.2	-0.4	0	32.8	0.04	100	8360	99.78	30.8
2023-04-27 03:50:00	0	0	0	0	272	1.9	3.67	32.7	93.9	99.8	-1.1	-0.4	0	32.7	0.04	100	8356	99.78	30.8
2023-04-27 03:55:00	0	0	0	0	272	3.2	3.74	32.8	93.5	99.8	-1.1	-0.5	0	32.8	0.04	100	8359	99.78	30.9
2023-04-27 04:00:00	0	0	0	0	239	2.62	3.09	32.9	93.3	99.8	-1.1	-0.4	0	33	0.04	100	8361	99.78	30.9
2023-04-27 04:05:00	0	0	0	0	226	3.04	3.62	33.3	93.1	99.8	-1.1	-0.4	0	33.3	0.04	100	8358	99.78	30.9
2023-04-27 04:10:00	0	0	0	0	226	4	5.39	33.4	92.7	99.8	-1	-0.3	0	33.4	0.05	100	8357	99.78	31
2023-04-27 04:15:00	0	0	0	0	229	3.76	5.17	33.4	93	99.8	-1.1	-0.3	0	33.4	0.05	100	8358	99.78	30.9
2023-04-27 04:20:00	0	0	0	0	291	2.21	2.84	33.1	92.9	99.81	-1.1	-0.4	0	33.1	0.05	100	8356	99.78	30.6
2023-04-27 04:25:00	0	0	0	0	278	2.44	3.18	32.9	93.3	99.81	-1.2	-0.4	0	32.9	0.04	100	8355	99.79	30.4
2023-04-27 04:30:00	0	0	0	0	272	2.8	3.22	32.6	94.2	99.81	-1.2	-0.4	0	32.6	0.04	100	8355	99.79	30.3
2023-04-27 04:35:00	0	0	0	0	278	3.47	4.05	32.5	94.4	99.81	-1.1	-0.4	0	32.4	0.03	100	8353	99.8	30.3
2023-04-27 04:40:00	0	0	0	0	275	3.53	4.47	32.5	95.1	99.82	-1.1	-0.4	0	32.5	0.03	100	8353	99.8	30.4
2023-04-27 04:45:00	0	0	0	0	263	5.08	5.57	32.8	93.7	99.82	-1.2	-0.5	0	32.8	0.04	100	8355	99.8	30.6
2023-04-27 04:50:00	0	0	0	0	276	4.85	5.82	33.5	91.8	99.83	-1.1	-0.3	0	33.5	0.05	100	8354	99.81	30.9
2023-04-27 04:55:00	0	0	0	0	272	4.27	4.79	33.8	90	99.83	-1.1	-0.5	0	33.7	0.07	100	8355	99.81	30.9
2023-04-27 05:00:00	0	0	0	0	273	4.21	4.85	34.1	89.2	99.84	-1	-0.5	0	34.1	0.07	100	8353	99.82	31.1
2023-04-27 05:05:00	0	0	0	0	267	3.65	4.32	34.2	88.7	99.85	-1.1	-0.4	0	34.2	0.08	100	8352	99.82	31.4
2023-04-27 05:10:00	0	0	0	0	240	4.38	5.28	34.4	88.7	99.85	-1.1	-0.4	0	34.4	0.08	100	8352	99.82	31.6
2023-04-27 05:15:00	0	0	0	0	262	3.58	4.9	34.7	88.2	99.85	-1.1	-0.5	0	34.7	0.08	100	8353	99.83	31.7
2023-04-27 05:20:00	0	0	0	0	268	3.36	4.18	34.5	87.3	99.86	-1.1	-0.4	0	34.5	0.09	100	8352	99.83	31.6
2023-04-27 05:25:00	0	0	0	0	266	3.49	5.03	34.4	87.5	99.86	-1.2	-0.5	0	34.4	0.08	100	8352	99.84	31.5
2023-04-27 05:30:00	0	0	0	0	247	4.65	5.46	34.6	87.6	99.87	-1.1	-0.4	0	34.6	0.08	100	8352	99.85	31.6
2023-04-27 05:35:00	0	0	0	0	232	3.51	4.56	34.7	87.7	99.88	-1.2	-0.4	0	34.8	0.08	100	8349	99.85	31.6
2023-04-27 05:40:00	0	0	0	0	255	3.22	3.8	34.6	87.6	99.88	-1.2	-0.5	0	34.6	0.08	100	8352	99.85	31.3
2023-04-27 05:45:00	0.2	0	0	0	266	2.53	3.98	34.4	87.5	99.87	-1.1	-0.4	0	34.4	0.08	100	8352	99.84	31.1
2023-04-27 05:50:00	1.4	0	0	0	249	4	4.63	34.5	88.3	99.87	-1.2	-0.4	0	34.5	0.08	100	8347	99.85	31.2
2023-04-27 05:55:00	3.2	0	0	0	264	2.26	3.2	34.5	87.9	99.88	-1.1	-0.4	0	34.5	0.08	100	8351	99.85	31.2

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-27 06:00:00	5.8	0	0	0	248	4.18	5.21	34.2	88.3	99.88	-1	-0.4	0	34.3	0.08	100	8349	99.86	31
2023-04-27 06:05:00	9.6	0	0	0	253	4.9	5.82	34.4	88.2	99.88	-1.1	-0.5	0	34.4	0.08	100	8349	99.86	31.2
2023-04-27 06:10:00	18.6	0	0	0	251	5.08	5.73	34.8	87.6	99.89	-1.1	-0.4	0	34.9	0.08	100	8351	99.86	31.6
2023-04-27 06:15:00	26.8	0	0	0	256	4.85	5.61	35.1	87.5	99.89	-1.1	-0.4	0	35.3	0.09	100	8353	99.87	31.8
2023-04-27 06:20:00	36.2	0	0	0	259	4.18	5.57	35.5	86.9	99.89	-1.1	-0.4	0	35.6	0.09	100	8357	99.87	32.2
2023-04-27 06:25:00	47.2	0	0	0	261	3.42	4.45	35.7	87	99.9	-1	-0.3	0	35.9	0.09	100	8365	99.87	32.5
2023-04-27 06:30:00	58.4	0	0	0	260	3.62	4.32	36	86.9	99.9	-1.1	-0.4	0	36.2	0.09	100	8369	99.88	32.8
2023-04-27 06:35:00	70.8	0	0	0	252	3.94	5.26	36.2	87	99.91	-1.2	-0.4	0	36.5	0.09	100	8377	99.89	33.4
2023-04-27 06:40:00	82.2	0	0	0	287	2.51	3.44	36.5	86.4	99.91	-1.1	-0.4	0	36.9	0.1	100	8384	99.89	33.8
2023-04-27 06:45:00	95.6	0	0	0	327	1.36	2.73	36.6	85.9	99.91	-1.1	-0.5	0	37.1	0.1	100	8393	99.9	34
2023-04-27 06:50:00	108.2	0	0	0	313	0.4	0.92	36.6	87	99.92	-0.9	-0.4	0	37.6	0.1	100	8401	99.9	34.4
2023-04-27 06:55:00	119.8	0	0	0	308	1.05	1.45	37.2	87.8	99.93	-1.1	-0.4	0	38.2	0.09	100	8412	99.91	35.2
2023-04-27 07:00:00	133.8	0	0	0	330	1.39	1.74	37.8	86.7	99.93	-1	-0.4	0	38.7	0.1	100	8420	99.91	35.9
2023-04-27 07:05:00	148	0	0	0	343	1.66	2.46	38.4	85.1	99.93	-1	-0.5	0	39.3	0.12	100	8431	99.92	36.7
2023-04-27 07:10:00	161.8	0	0	0	347	0.69	1.88	38.5	85.5	99.93	-0.9	-0.5	0	39.7	0.11	100	8440	99.93	37.4
2023-04-27 07:15:00	174.2	0	0	0	10	1.07	2.24	39.1	86	99.94	-0.8	-0.4	0	40.6	0.11	100	8450	99.93	38.4
2023-04-27 07:20:00	188.2	0	0	0	342	2.1	2.73	39.9	82.5	99.94	-0.9	-0.5	0	41	0.15	100	8457	99.94	39.2
2023-04-27 07:25:00	200.8	0	0	0	327	1.61	2.21	40.2	82.5	99.95	-0.9	-0.4	0	41.5	0.15	100	8468	99.95	39.9
2023-04-27 07:30:00	208.8	0	0	0	334	1.92	2.55	40.9	82.4	99.95	-0.9	-0.4	0	42.2	0.15	100	8478	99.95	40.6
2023-04-27 07:35:00	215.2	0	0	0	315	1.63	2.51	41.5	81.4	99.97	-0.9	-0.4	0	42.8	0.17	100	8488	99.97	41.5
2023-04-27 07:40:00	218.6	0	0	0	329	1.63	2.24	42.3	81.3	99.98	-0.9	-0.5	0	43.6	0.17	100	8498	99.98	42.4
2023-04-27 07:45:00	226.2	0	0	0	319	1.9	3.29	43.2	80	99.99	-0.9	-0.5	0	44.5	0.19	100	8505	99.99	43.4
2023-04-27 07:50:00	247.6	0	0	0	327	1.68	2.57	43.8	78.3	99.99	-0.7	-0.5	0	45.3	0.21	100	8513	100	44.4
2023-04-27 07:55:00	268.6	0	0	0	330	1.54	2.95	44.5	77	100	-0.6	-0.5	0	46.2	0.23	100	8523	100	45.4
2023-04-27 08:00:00	288.2	0	0	0	320	2.33	3.89	45.5	74.2	100	-0.8	-0.5	0	47.1	0.27	100	8529	100.01	46.5
2023-04-27 08:05:00	309.6	0	0	0	333	2.01	3.11	46.1	71.7	100.01	-0.8	-0.5	0	47.8	0.3	100	8535	100.01	47.3
2023-04-27 08:10:00	323	0	0	0	319	2.77	3.74	46.8	69.7	100.01	-0.8	-0.5	0	48.5	0.33	100	8544	100.01	48
2023-04-27 08:15:00	341.2	0	0	0	299	2.8	4.12	47.1	68.3	100.01	-0.7	-0.4	0	48.8	0.35	100	8551	100.02	48.5
2023-04-27 08:20:00	356.4	0	0	0	304	3.02	4.25	47.5	67.3	100.01	-0.7	-0.4	0	49.2	0.36	100	8555	100.02	49.1
2023-04-27 08:25:00	373.8	0	0	0	306	2.39	4.27	47.7	67	100.02	-0.6	-0.5	0	49.4	0.37	100	8564	100.02	49.7
2023-04-27 08:30:00	388.8	0	0	0	321	1.88	4	48	68.4	100.02	-0.6	-0.4	0	50	0.36	100	8570	100.04	50.5
2023-04-27 08:35:00	402.4	0	0	0	278	2.57	4.94	49	65.7	100.03	-0.6	-0.6	0	50.8	0.4	100	8575	100.04	51.3
2023-04-27 08:40:00	421.2	0	0	0	301	1.83	3.69	49.4	63.8	100.04	-0.6	-0.5	0	51.3	0.43	100	8579	100.05	51.9
2023-04-27 08:45:00	438.8	0	0	0	333	2.59	4.14	50.2	63	100.04	-0.6	-0.4	0	52.1	0.46	100	8583	100.05	52.7
2023-04-27 08:50:00	453.8	0	0	0	3	2.57	4.14	50.9	60.9	100.04	-0.7	-0.4	0	52.6	0.5	100	8588	100.05	53.3
2023-04-27 08:55:00	453.6	0	0	0	333	2.37	3.58	51.2	60.8	100.04	-0.5	-0.4	0	53.1	0.5	100	8596	100.05	53.9
2023-04-27 09:00:00	451.4	0	0	0	5	2.44	4.45	51.9	57.8	100.04	-0.5	-0.6	0	53.6	0.56	100	8599	100.05	54.5
2023-04-27 09:05:00	444.4	0	0	0	66	1.83	3.74	52.2	56.4	100.04	-0.5	-0.5	0	54.2	0.58	100	8600	100.05	55.1
2023-04-27 09:10:00	442.6	0	0	0	76	3.58	6.46	53	54.6	100.04	-0.5	-0.5	0	54.6	0.62	100	8607	100.05	55.6
2023-04-27 09:15:00	482	0	0	0	47	4.12	7.61	53.2	52.6	100.03	-0.4	-0.6	0	54.6	0.66	100	8611	100.05	56
2023-04-27 09:20:00	518.4	0	0	0	80	5.23	8.93	53.4	51.6	100.03	-0.6	-0.4	0	54.7	0.67	100	8611	100.04	56.3
2023-04-27 09:25:00	550.4	0	0	0	71	5.53	8.14	53.4	51.9	100.02	-0.4	-0.6	0	54.6	0.67	100	8615	100.04	56.4
2023-04-27 09:30:00	569	0	0	0	67	5.28	9.33	53.2	51	100.01	-0.6	-0.5	0	54.4	0.68	100	8618	100.03	56.5
2023-04-27 09:35:00	578.2	0	0	0	20	4.54	7.36	53.2	50.2	100.01	-0.5	-0.5	0	54.5	0.69	100	8620	100.03	56.6
2023-04-27 09:40:00	597.2	0	0	0	47	5.32	8.57	53.5	50	100.02	-0.6	-0.5	0	54.7	0.7	100	8622	100.03	56.6
2023-04-27 09:45:00	611.4	0	0	0	37	2.89	6.82	53.5	49.2	100.01	-0.6	-0.6	0	55	0.71	100	8626	100.03	56.8
2023-04-27 09:50:00	622.8	0	0	0	71	5.06	8.08	54.2	50.1	100.02	-0.4	-0.5	0	55.6	0.72	100	8628	100.03	57.2
2023-04-27 09:55:00	637.4	0	0	0	70	4.18	8.03	54.4	49.4	100.02	-0.4	-0.4	0	55.8	0.73	100	8631	100.03	57.5
2023-04-27 10:00:00	649.2	0	0	0	45	4.74	7.76	54.8	49.5	100.01	-0.6	-0.5	0	56	0.74	100	8633	100.02	57.9
2023-04-27 10:05:00	666.4	0	0	0	38	3.78	7.27	54.9	48.7	100.01	-0.5	-0.7	0	56.2	0.75	100	8633	100.03	58.1
2023-04-27 10:10:00	679.4	0	0	0	54	4.54	10.87	55.2	48.4	100.02	-0.4	-0.6	0	56.7	0.77	100	8639	100.03	58.2
2023-04-27 10:15:00	674.6	0	0	0	8	4.23	8.23	55.5	47.9	100.01	-0.6	-0.6	0	56.7	0.78	100	8640	100.03	58.3
2023-04-27 10:20:00	662	0	0	0	38	5.95	10.27	55.7	46.9	100.01	-0.5	-0.5	0	57	0.8	100	8640	100.02	58.4
2023-04-27 10:25:00	641.8	0	0	0	32	6.73	10.49	55.8	45.9	100.01	-0.4	-0.6	0	56.9	0.82	100	8641	100.02	58.5
2023-04-27 10:30:00	607.4	0	0	0	6	5.57	10.2	55.6	45.5	100.01	-0.4	-0.5	0	56.7	0.82	100	8643	100.01	58.3
2023-04-27 10:35:00	634	0	0	0	25	4.99	8.21	55.5	46.6	99.99	-0.6	-0.5	0	56.7	0.8	100	8643	100	58.3
2023-04-27 10:40:00	694	0	0	0	355	6.2	10.42	55.9	45.1	99.99	-0.5	-0.7	0	57	0.84	100	8643	100	58.5
2023-04-27 10:45:00	732.8	0	0	0	343	5.73	10.51	56	45.7	99.98	-0.5	-0.5	0	57.3	0.83	100	8644	99.99	58.5
2023-04-27 10:50:00	756.8	0	0	0	42	8.01	12.62	56.3	45.8	99.97	-0.5	-0.5	0	57.3	0.84	100	8647	99.98	58.8
2023-04-27 10:55:00	769	0	0	0	26	5.95	9.19	56.2	44.6	99.97	-0.4	-0.7	0	57.2	0.85	100	8647	99.98	58.7

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-27 11:00:00	775.2	0	0	0	77	5.41	8.63	56.2	45.1	99.97	-0.5	-0.6	0	57.5	0.85	100	8648	99.98	58.9
2023-04-27 11:05:00	801.2	0	0	0	48	4.83	8.03	56.4	45	99.97	-0.5	-0.6	0	57.7	0.85	100	8647	99.98	59.2
2023-04-27 11:10:00	797.6	0	0	0	88	5.59	9.73	56.7	44.6	99.97	-0.5	-0.6	0	58	0.87	100	8649	99.98	59.4
2023-04-27 11:15:00	814.2	0	0	0	48	6.46	10.33	56.9	43.5	99.97	-0.4	-0.6	0	58.1	0.89	100	8650	99.98	59.6
2023-04-27 11:20:00	838	0	0	0	0	4.56	10.65	57.1	43.7	99.96	-0.4	-0.5	0	58.4	0.9	100	8651	99.97	59.8
2023-04-27 11:25:00	846.8	0	0	0	30	6.29	9.73	57.6	43.8	99.97	-0.4	-0.6	0	58.9	0.91	100	8652	99.98	60.1
2023-04-27 11:30:00	839.8	0	0	0	33	5.91	11.7	57.9	43.1	99.98	-0.4	-0.6	0	59	0.93	100	8652	99.99	60.3
2023-04-27 11:35:00	748.6	0	0	0	7	5.37	7.92	57.8	42.7	99.98	-0.4	-0.7	0	58.9	0.93	100	8649	99.98	60.4
2023-04-27 11:40:00	895.6	0	0	0	359	5.41	10.11	57.8	42.3	99.96	-0.4	-0.6	0	59	0.94	100	8652	99.97	60.3
2023-04-27 11:45:00	892	0	0	0	53	6.82	11.32	58.1	42.5	99.95	-0.4	-0.5	0	59.3	0.95	100	8653	99.96	60.4
2023-04-27 11:50:00	912.6	0	0	0	66	6.42	11.23	58.2	41.7	99.96	-0.3	-0.7	0	59.2	0.97	100	8652	99.96	60.7
2023-04-27 11:55:00	909.2	0	0	0	163	7.31	10.8	58.3	41.9	99.94	-0.3	-0.5	0	59.5	0.97	100	8652	99.94	60.9
2023-04-27 12:00:00	940.4	0	0	0	139	4.09	10.4	58.2	42	99.95	-0.5	-0.7	0	59.4	0.96	100	8651	99.96	60.6
2023-04-27 12:05:00	940.2	0	0	0	177	6.35	14.67	58.6	43.1	99.95	-0.6	-0.4	0	60.1	0.96	100	8649	99.95	61.1
2023-04-27 12:10:00	924.2	0	0	0	53	6.24	11.74	59.1	39.6	99.95	-0.3	-0.6	0	60.2	1.03	100	8652	99.95	61
2023-04-27 12:15:00	913	0	0	0	357	5.59	11.39	58.9	39.4	99.95	-0.4	-0.5	0	60.1	1.03	100	8648	99.96	60.9
2023-04-27 12:20:00	921.6	0	0	0	25	7.25	11.39	59.3	38.7	99.94	-0.4	-0.6	0	60.4	1.05	100	8647	99.94	60.9
2023-04-27 12:25:00	933.2	0	0	0	70	6.8	11.07	59.4	38.9	99.94	-0.4	-0.6	0	60.4	1.05	100	8649	99.94	61
2023-04-27 12:30:00	932.6	0	0	0	119	7.4	15.26	59.3	37.6	99.93	-0.5	-0.5	0	60.3	1.07	100	8645	99.93	60.9
2023-04-27 12:35:00	919.6	0	0	0	124	13.22	17.38	59.2	36	99.91	-0.5	-0.4	0	60	1.1	100	8646	99.92	60.6
2023-04-27 12:40:00	914.8	0	0	0	134	9.51	15.99	58.5	37.3	99.91	-0.3	-0.7	0	59.4	1.05	100	8644	99.91	60.1
2023-04-27 12:45:00	892	0	0	0	147	5.12	8.19	58.2	38.3	99.91	-0.3	-0.7	0	59.3	1.02	100	8642	99.91	59.9
2023-04-27 12:50:00	864.2	0	0	0	154	6.13	9.71	58.3	38.7	99.9	-0.5	-0.4	0	59.5	1.02	100	8640	99.9	59.9
2023-04-27 12:55:00	800.8	0	0	0	149	3.06	9.82	58.4	39.7	99.9	-0.3	-0.6	0	59.8	1.01	100	8634	99.89	60
2023-04-27 13:00:00	822.8	0	0	0	100	12.12	16.58	59.3	37.6	99.89	-0.2	-0.5	0	60.2	1.07	100	8634	99.89	60.3
2023-04-27 13:05:00	870.6	0	0	0	107	5.57	9.89	58.9	36.8	99.89	-0.4	-0.6	0	59.9	1.07	100	8633	99.89	60.2
2023-04-27 13:10:00	771.6	0	0	0	51	2.73	7.38	58.4	36.8	99.89	-0.3	-0.7	0	59.8	1.05	100	8628	99.88	60.3
2023-04-27 13:15:00	903.8	0	0	0	359	3.42	6.49	58.9	37.4	99.88	-0.3	-0.7	0	60.6	1.06	100	8627	99.87	60.5
2023-04-27 13:20:00	899.2	0	0	0	57	4.25	8.75	59.7	37.3	99.88	-0.4	-0.6	0	61.2	1.1	100	8625	99.87	60.9
2023-04-27 13:25:00	915.2	0	0	0	52	8.81	13.85	60.4	36.2	99.87	-0.3	-0.7	0	61.4	1.14	100	8625	99.87	61.3
2023-04-27 13:30:00	886.8	0	0	0	69	8.81	16.49	59.9	36.4	99.88	-0.3	-0.6	0	60.8	1.12	100	8617	99.86	61.1
2023-04-27 13:35:00	897.4	0	0	0	153	11.05	18.92	59.6	37.8	99.87	-0.4	-0.7	0	60.5	1.08	100	8612	99.85	60.8
2023-04-27 13:40:00	881.4	0	0	0	155	9.42	15.59	59.2	38	99.86	-0.3	-0.7	0	60.2	1.07	100	8605	99.85	60.1
2023-04-27 13:45:00	857	0	0	0	158	8.19	14.47	58.8	38.7	99.86	-0.5	-0.6	0	59.7	1.04	100	8599	99.85	59.8
2023-04-27 13:50:00	836.8	0	0	0	116	2.95	5.61	58.4	38.5	99.86	-0.4	-0.7	0	59.7	1.03	100	8595	99.84	59.6
2023-04-27 13:55:00	812.2	0	0	0	134	5.95	18.25	58.8	38.7	99.85	-0.5	-0.6	0	60.4	1.04	100	8589	99.83	59.8
2023-04-27 14:00:00	795.4	0	0	0	117	10.74	15.7	59.4	36.9	99.84	-0.5	-0.6	0	60.2	1.09	100	8586	99.83	59.8
2023-04-27 14:05:00	767.8	0	0	0	140	8.61	13.62	59	37.2	99.85	-0.3	-0.7	0	59.9	1.07	100	8580	99.83	59.6
2023-04-27 14:10:00	739.4	0	0	0	165	6.13	10.51	58.8	37.4	99.85	-0.3	-0.7	0	59.9	1.06	100	8578	99.84	59.4
2023-04-27 14:15:00	717.6	0	0	0	156	10.27	15.23	59.1	36.5	99.86	-0.5	-0.6	0	60	1.09	100	8574	99.84	59.3
2023-04-27 14:20:00	711.4	0	0	0	173	3.02	7.4	58.5	37	99.85	-0.4	-0.8	0	59.9	1.06	100	8569	99.83	59.2
2023-04-27 14:25:00	724.6	0	0	0	5	5.68	8.14	59.2	35.9	99.84	-0.4	-0.7	0	60.4	1.1	100	8566	99.82	59.4
2023-04-27 14:30:00	736.8	0	0	0	39	4.07	7.29	59.5	36.4	99.84	-0.3	-0.6	0	60.9	1.11	100	8565	99.82	59.8
2023-04-27 14:35:00	747.8	0	0	0	92	7.76	19.8	60.2	35.7	99.84	0.1	-0.9	0	61.2	1.14	100	8561	99.82	60.1
2023-04-27 14:40:00	761.2	0	0	0	53	8.52	11.68	60.2	37.2	99.84	-0.2	-0.7	0	61.2	1.12	100	8558	99.82	60.5
2023-04-27 14:45:00	768.8	0	0	0	135	8.23	15.41	60.2	36.7	99.83	-0.3	-0.7	0	61.2	1.13	100	8553	99.81	60.5
2023-04-27 14:50:00	770.2	0	0	0	119	3.49	7.67	59.7	35.6	99.83	-0.3	-0.7	0	61.1	1.13	100	8551	99.81	60.3
2023-04-27 14:55:00	775.2	0	0	0	123	9.73	19.44	60	36.6	99.81	-0.2	-0.7	0	61.2	1.12	100	8547	99.79	60.4
2023-04-27 15:00:00	775.8	0	0	0	143	8.99	13.82	59.9	36.5	99.81	-0.3	-0.8	0	60.9	1.12	100	8543	99.78	60.1
2023-04-27 15:05:00	729.8	0	0	0	151	3.78	8.32	59.5	36.7	99.8	-0.3	-0.6	0	60.7	1.1	100	8547	99.77	60
2023-04-27 15:10:00	759.2	0	0	0	63	8.84	14.56	59.8	38.1	99.79	-0.4	-0.8	0	61	1.09	100	8540	99.76	60.3
2023-04-27 15:15:00	752.8	0	0	0	328	4.88	13.15	59.8	37.9	99.78	-0.4	-0.6	0	61	1.09	100	8537	99.75	60.5
2023-04-27 15:20:00	742.4	0	0	0	186	11.48	16.67	60.4	37.1	99.77	-0.5	-0.7	0	61.4	1.13	100	8533	99.75	60.7
2023-04-27 15:25:00	732.2	0	0	0	148	5.79	10.94	60.3	36.5	99.78	-0.4	-0.7	0	61.4	1.13	100	8531	99.76	60.7
2023-04-27 15:30:00	723.6	0	0	0	180	3.42	6.82	60.2	37.4	99.78	-0.3	-0.6	0	61.6	1.11	100	8528	99.75	61.1
2023-04-27 15:35:00	711	0	0	0	147	6.82	13.8	60.6	36.9	99.78	-0.3	-0.8	0	61.9	1.14	100	8526	99.75	61.6
2023-04-27 15:40:00	696	0	0	0	126	9.78	13.98	60.9	35	99.76	-0.3	-0.7	0	61.8	1.18	100	8523	99.74	61.4
2023-04-27 15:45:00	687.8	0	0	0	132	4.56	10.67	60.3	36.2	99.76	-0.3	-0.6	0	61.5	1.14	100	8522	99.73	61.6
2023-04-27 15:50:00	677.8	0	0	0	121	7.83	17.81	60.8	36.2	99.76	-0.3	-0.9	0	62	1.16	100	8520	99.73	62.1
2023-04-27 15:55:00	658.2	0	0	0	87	7.96	13.4	60.9	35.7	99.76	-0.4	-0.7	0	61.9	1.17	100	8515	99.73	62.3

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-27 16:00:00	648.8	0	0	0	17	9.75	14.38	60.9	37.1	99.75	-0.3	-0.6	0	61.8	1.15	100	8513	99.72	62.6
2023-04-27 16:05:00	639	0	0	0	27	12.26	18.95	60.7	40.3	99.75	-0.1	-0.8	0	61.5	1.08	100	8511	99.71	62.3
2023-04-27 16:10:00	626.6	0	0	0	42	12.35	18.16	60	39.8	99.75	-0.3	-0.6	0	60.8	1.06	100	8510	99.72	62
2023-04-27 16:15:00	611.2	0	0	0	27	12.62	19.51	59.4	41	99.75	-0.5	-0.7	0	60.2	1.02	100	8506	99.72	61.8
2023-04-27 16:20:00	599.6	0	0	0	33	12.15	17.25	59	42	99.73	-0.5	-0.6	0	59.7	0.99	100	8504	99.7	61.6
2023-04-27 16:25:00	588.6	0	0	0	39	13.15	23.31	58.7	42	99.73	-0.5	-1	0	59.5	0.98	100	8502	99.7	61.6
2023-04-27 16:30:00	575	0	0	0	17	16.62	23.17	58.4	42.2	99.72	-0.3	-0.6	0	59.2	0.97	100	8501	99.69	61.3
2023-04-27 16:35:00	564.6	0	0	0	19	16.44	22.57	58.1	41.9	99.72	-0.2	-1.1	0	58.9	0.96	100	8496	99.69	60.8
2023-04-27 16:40:00	538.4	0	0	0	19	14.92	22.19	57.7	42.4	99.72	-0.6	-0.6	0	58.4	0.94	100	8496	99.69	60.6
2023-04-27 16:45:00	476.2	0	0	0	16	15.7	22.59	57.3	42.6	99.72	-0.4	-0.5	0	58	0.92	100	8495	99.69	60.1
2023-04-27 16:50:00	509.2	0	0	0	17	15.68	19.62	57.1	43	99.73	-0.3	0.2	0	57.8	0.91	100	8492	99.7	59.8
2023-04-27 16:55:00	502.4	0	0	0	20	13.96	17.43	56.9	43.6	99.73	-0.4	-0.5	0	57.7	0.89	100	8490	99.7	60
2023-04-27 17:00:00	487.6	0	0	0	14	15.28	23.44	56.8	42.8	99.73	-0.1	-0.8	0	57.5	0.9	100	8488	99.7	59.9
2023-04-27 17:05:00	467.2	0	0	0	10	15.14	21.85	56.8	42.9	99.73	-0.6	-1	0	57.6	0.9	100	8488	99.7	59.8
2023-04-27 17:10:00	451.2	0	0	0	18	15.59	23.53	56.6	42.2	99.72	-0.4	-0.5	0	57.3	0.9	100	8485	99.69	59.6
2023-04-27 17:15:00	436.8	0	0	0	17	14.09	20.51	56.4	42.8	99.71	-0.5	-0.5	0	57.1	0.89	100	8483	99.69	59.5
2023-04-27 17:20:00	419.8	0	0	0	21	13.8	20.54	56.4	43	99.71	-0.4	-0.9	0	57.1	0.88	100	8480	99.68	59.5
2023-04-27 17:25:00	402	0	0	0	26	13.47	20.62	56.4	42.9	99.71	-0.5	-0.8	0	57.2	0.89	100	8478	99.68	59.6
2023-04-27 17:30:00	386.2	0	0	0	8	15.32	21.65	56.3	42.4	99.7	-0.5	-0.7	0	57.1	0.89	100	8477	99.67	59.4
2023-04-27 17:35:00	369	0	0	0	20	12.44	16.53	56	42.8	99.71	-0.5	-0.6	0	56.7	0.88	100	8476	99.68	59.2
2023-04-27 17:40:00	351.4	0	0	0	18	13.31	18.52	56.1	42.6	99.7	-0.7	-0.8	0	56.8	0.88	100	8474	99.68	59.3
2023-04-27 17:45:00	333.2	0	0	0	25	12.75	19.3	56	42.4	99.71	-0.5	-0.8	0	56.8	0.88	100	8474	99.68	59.4
2023-04-27 17:50:00	316.4	0	0	0	11	14.63	21.65	56.1	42.2	99.7	-0.9	-0.6	0	56.7	0.89	100	8471	99.67	59.3
2023-04-27 17:55:00	299.6	0	0	0	22	10.8	21.61	55.9	42.9	99.69	-0.6	-0.6	0	56.7	0.87	100	8471	99.66	59.3
2023-04-27 18:00:00	281	0	0	0	27	10.45	17.94	56	43.3	99.69	-0.3	-0.7	0	56.7	0.87	100	8469	99.66	59.4
2023-04-27 18:05:00	264.8	0	0	0	26	11.36	15.73	56	42	99.69	-0.5	-0.9	0	56.7	0.89	100	8465	99.66	59.4
2023-04-27 18:10:00	248	0	0	0	39	12.82	19.71	56	41.7	99.68	-0.4	-0.7	0	56.6	0.89	100	8465	99.65	59.3
2023-04-27 18:15:00	230	0	0	0	24	12.37	20.76	55.7	42.1	99.68	-0.6	-0.8	0	56.3	0.88	100	8466	99.65	59.2
2023-04-27 18:20:00	214	0	0	0	30	14.88	20.07	55.6	41	99.68	-0.4	-0.6	0	56	0.89	100	8465	99.65	58.7
2023-04-27 18:25:00	197.8	0	0	0	21	14.56	23.11	55.2	41.4	99.68	-0.7	-0.8	0	55.7	0.87	100	8462	99.65	58.3
2023-04-27 18:30:00	181.2	0	0	0	23	13.4	18.14	54.9	41.7	99.68	-0.6	-0.5	0	55.3	0.86	100	8458	99.65	57.9
2023-04-27 18:35:00	164.6	0	0	0	33	12.88	18.61	54.5	41.8	99.68	-0.6	-0.6	0	54.9	0.84	100	8456	99.65	57.7
2023-04-27 18:40:00	149.6	0	0	0	21	15.12	18.84	54.2	41.6	99.67	-0.4	-0.5	0	54.5	0.84	100	8455	99.64	57.3
2023-04-27 18:45:00	134	0	0	0	20	12.75	21.18	53.9	42.2	99.68	-0.7	-0.6	0	54.1	0.82	100	8453	99.64	56.8
2023-04-27 18:50:00	119	0	0	0	22	12.71	21.25	53.6	42.1	99.67	-0.6	-0.5	0	53.9	0.81	100	8453	99.63	56.6
2023-04-27 18:55:00	104.4	0	0	0	27	11.39	17.38	53.2	42.9	99.67	-0.6	-0.7	0	53.5	0.79	100	8451	99.64	56.3
2023-04-27 19:00:00	90.6	0	0	0	28	10.27	14.47	53	43.2	99.68	-0.7	-0.6	0	53.2	0.78	100	8450	99.64	56.1
2023-04-27 19:05:00	77.8	0	0	0	28	10.96	18.57	52.7	43.6	99.67	-0.8	-0.6	0	52.9	0.76	100	8446	99.64	55.8
2023-04-27 19:10:00	66.2	0	0	0	39	11.68	15.03	52.5	43.4	99.67	-0.6	-0.8	0	52.7	0.76	100	8445	99.63	55.4
2023-04-27 19:15:00	55	0	0	0	38	10.96	15.28	52.1	44.1	99.66	-0.7	-0.5	0	52.3	0.74	100	8444	99.63	55
2023-04-27 19:20:00	45	0	0	0	52	10.22	16.73	51.8	44.5	99.65	-0.4	-0.7	0	51.9	0.73	100	8444	99.62	54.5
2023-04-27 19:25:00	36.4	0	0	0	42	10.98	15.08	51.5	44.7	99.65	-0.7	-0.5	0	51.5	0.72	100	8440	99.61	54
2023-04-27 19:30:00	28.4	0	0	0	34	9.37	14.58	51.2	45.3	99.65	-0.5	-0.4	0	51.3	0.7	100	8440	99.61	53.4
2023-04-27 19:35:00	21.6	0	0	0	46	9.91	13.94	50.8	45.2	99.65	-0.6	-0.5	0	50.9	0.69	100	8438	99.61	52.8
2023-04-27 19:40:00	16	0	0	0	47	9.6	13.96	50.4	45.7	99.64	-0.7	-0.6	0	50.5	0.68	100	8439	99.6	52.2
2023-04-27 19:45:00	11.4	0	0	0	53	9.62	15.46	50	45.6	99.64	-0.8	-0.4	0	50.1	0.67	100	8437	99.6	51.4
2023-04-27 19:50:00	7.6	0	0	0	46	7.94	10.83	49.7	46.1	99.64	-0.8	-0.6	0	49.7	0.65	100	8434	99.6	50.7
2023-04-27 19:55:00	4.8	0	0	0	44	7.94	11.45	49.2	46.9	99.63	-0.7	-0.7	0	49.2	0.63	100	8436	99.59	49.9
2023-04-27 20:00:00	2.6	0	0	0	38	7.61	10.33	48.9	47.6	99.63	-0.7	-0.6	0	48.9	0.62	100	8437	99.59	49.2
2023-04-27 20:05:00	1.2	0	0	0	41	8.43	13.58	48.6	47.3	99.63	-0.7	-0.5	0	48.6	0.61	100	8433	99.58	48.7
2023-04-27 20:10:00	0	0	0	0	45	6.89	9.13	48.2	47.9	99.63	-0.6	-0.5	0	48.2	0.6	100	8431	99.58	48.1
2023-04-27 20:15:00	0	0	0	0	45	7.85	13.29	47.9	48.6	99.63	-0.7	-0.5	0	47.9	0.58	100	8430	99.58	47.7
2023-04-27 20:20:00	0	0	0	0	50	8.48	12.62	47.6	48.3	99.62	-0.8	-0.5	0	47.6	0.58	100	8428	99.58	47.3
2023-04-27 20:25:00	0	0	0	0	47	7.07	10.22	47.3	48.8	99.63	-0.8	-0.7	0	47.3	0.57	100	8425	99.58	47
2023-04-27 20:30:00	0	0	0	0	46	7.43	11.74	47.2	48.5	99.63	-0.6	-0.4	0	47.2	0.57	100	8426	99.58	46.6
2023-04-27 20:35:00	0	0	0	0	41	7.83	10.45	46.9	48.5	99.63	-0.8	-0.5	0	46.9	0.56	100	8425	99.58	46.3
2023-04-27 20:40:00	0	0	0	0	39	7.67	11.61	46.7	47.9	99.63	-0.8	-0.5	0	46.7	0.57	100	8424	99.58	46
2023-04-27 20:45:00	0	0	0	0	48	5.97	9.62	46.5	48.5	99.63	-0.7	-0.4	0	46.5	0.55	100	8421	99.59	45.7
2023-04-27 20:50:00	0	0	0	0	47	6.69	8.95	46.3	48.8	99.63	-0.8	-0.5	0	46.2	0.55	100	8422	99.59	45.4
2023-04-27 20:55:00	0	0	0	0	59	6.85	9.95	46	48.8	99.63	-0.8	-0.5	0	46	0.54	100	8421	99.58	45.2

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-27 21:00:00	0	0	0	0	66	7.2	12.64	45.8	49.4	99.63	-0.8	-0.5	0	45.8	0.53	100	8418	99.58	45
2023-04-27 21:05:00	0	0	0	0	67	6.96	11.52	45.8	49.5	99.64	-0.7	-0.4	0	45.8	0.53	100	8418	99.59	44.9
2023-04-27 21:10:00	0	0	0	0	72	6.6	9.24	45.6	49.9	99.65	-0.9	-0.5	0	45.6	0.52	100	8418	99.6	44.7
2023-04-27 21:15:00	0	0	0	0	76	6.35	9.31	45.6	50.1	99.66	-0.8	-0.5	0	45.6	0.52	100	8416	99.61	44.5
2023-04-27 21:20:00	0	0	0	0	79	5.59	8.12	45.6	50.6	99.66	-0.9	-0.5	0	45.6	0.51	100	8417	99.62	44.4
2023-04-27 21:25:00	0	0	0	0	76	5.66	9.78	45.4	50.7	99.66	-0.8	-0.4	0	45.4	0.51	100	8418	99.61	44.2
2023-04-27 21:30:00	0	0	0	0	74	4.63	6.78	45.5	51	99.66	-0.8	-0.5	0	45.4	0.51	100	8414	99.61	44.1
2023-04-27 21:35:00	0	0	0	0	73	4.61	5.99	45.3	51.1	99.66	-0.9	-0.5	0	45.3	0.5	100	8415	99.61	43.9
2023-04-27 21:40:00	0	0	0	0	80	4.97	7.18	45.1	51.5	99.66	-0.9	-0.4	0	45.1	0.5	100	8413	99.61	43.8
2023-04-27 21:45:00	0	0	0	0	81	5.03	6.46	45.1	51.7	99.66	-0.9	-0.4	0	45.1	0.49	100	8413	99.61	43.7
2023-04-27 21:50:00	0	0	0	0	87	6.69	9.08	45.1	51.6	99.65	-0.8	-0.4	0	45.1	0.49	100	8411	99.6	43.7
2023-04-27 21:55:00	0	0	0	0	87	7.23	9.84	45.3	51.5	99.64	-0.7	-0.5	0	45.4	0.5	100	8409	99.59	43.8
2023-04-27 22:00:00	0	0	0	0	89	7.54	9.8	45.3	51	99.64	-0.8	-0.5	0	45.3	0.5	100	8411	99.59	43.8
2023-04-27 22:05:00	0	0	0	0	93	8.7	12.39	45.4	51	99.64	-0.7	-0.4	0	45.4	0.51	100	8409	99.59	43.9
2023-04-27 22:10:00	0	0	0	0	97	7.54	9.57	45.5	51.1	99.64	-0.9	-0.5	0	45.5	0.51	100	8408	99.59	44
2023-04-27 22:15:00	0	0	0	0	107	6.24	7.83	45.4	51.9	99.64	-0.9	-0.5	0	45.4	0.5	100	8409	99.59	43.9
2023-04-27 22:20:00	0	0	0	0	112	6.58	8.88	45.4	52.2	99.64	-0.8	-0.6	0	45.4	0.49	100	8409	99.59	44
2023-04-27 22:25:00	0	0	0	0	110	7.7	9.17	45.3	51.8	99.64	-0.9	-0.5	0	45.3	0.5	100	8408	99.59	44
2023-04-27 22:30:00	0	0	0	0	98	6.15	7.96	45.3	52.5	99.64	-0.9	-0.5	0	45.3	0.49	100	8406	99.59	44
2023-04-27 22:35:00	0	0	0	0	97	6.58	7.74	45.2	52.6	99.64	-0.7	-0.6	0	45.2	0.49	100	8405	99.59	43.9
2023-04-27 22:40:00	0	0	0	0	94	5.55	7.31	45.1	52.4	99.64	-0.8	-0.5	0	45.1	0.49	100	8404	99.58	43.8
2023-04-27 22:45:00	0	0	0	0	101	5.46	6.67	45	53	99.63	-0.9	-0.4	0	45	0.48	100	8406	99.58	43.6
2023-04-27 22:50:00	0	0	0	0	107	5.68	7.27	45	53.5	99.62	-0.8	-0.5	0	45	0.47	100	8400	99.57	43.6
2023-04-27 22:55:00	0	0	0	0	114	6.2	9.53	44.9	53.7	99.61	-0.8	-0.5	0	44.9	0.47	100	8399	99.56	43.6
2023-04-27 23:00:00	0	0	0	0	100	5.28	6.46	44.9	54.1	99.6	-0.9	-0.5	0	44.9	0.46	100	8403	99.55	43.6
2023-04-27 23:05:00	0	0	0	0	100	5.86	7.11	44.8	54.3	99.59	-0.9	-0.5	0	44.8	0.46	100	8401	99.54	43.4
2023-04-27 23:10:00	0	0	0	0	110	6.02	7.43	44.7	54.6	99.59	-0.7	-0.6	0	44.7	0.46	100	8399	99.54	43.4
2023-04-27 23:15:00	0	0	0	0	112	6.62	7.78	44.7	54.7	99.58	-0.8	-0.4	0	44.7	0.46	100	8399	99.54	43.5
2023-04-27 23:20:00	0	0	0	0	118	6.91	8.84	44.8	54.9	99.58	-0.9	-0.5	0	44.8	0.45	100	8399	99.54	43.6
2023-04-27 23:25:00	0	0	0	0	122	7.36	9.01	44.9	55.4	99.59	-0.8	-0.4	0	44.9	0.45	100	8398	99.54	43.7
2023-04-27 23:30:00	0	0	0	0	143	7.16	9.44	45	56.9	99.59	-0.9	-0.4	0	44.9	0.44	100	8396	99.54	43.8
2023-04-27 23:35:00	0	0	0	0	147	6.04	8.21	44.7	59.4	99.58	-0.9	-0.4	0	44.7	0.41	100	8396	99.53	43.5
2023-04-27 23:40:00	0	0	0	0	135	7.87	9.8	44.6	59.4	99.58	-0.8	-0.4	0	44.6	0.41	100	8398	99.54	43.5
2023-04-27 23:45:00	0	0	0	0	123	7.18	10.07	44.5	58.6	99.57	-0.9	-0.5	0	44.6	0.41	100	8397	99.53	43.6
2023-04-27 23:50:00	0	0	0	0	118	6.31	8.1	44.5	59.1	99.57	-0.8	-0.4	0	44.5	0.41	100	8396	99.53	43.5
2023-04-27 23:55:00	0	0	0	0	124	6.8	7.92	44.6	58.6	99.57	-0.9	-0.4	0	44.7	0.41	100	8392	99.53	43.5
2023-04-28 00:00:00	0	0	0	0	136	6.71	8.43	44.6	59.1	99.58	-0.8	-0.6	0	44.6	0.41	100	8396	99.54	43.5
2023-04-28 00:05:00	0	0	0	0	147	7.25	9.26	44.6	59.2	99.59	-0.9	-0.4	0	44.6	0.41	100	8371	99.55	43.6
2023-04-28 00:10:00	0	0	0	0	154	5.97	7.11	44.3	60.3	99.59	-0.8	-0.5	0	44.3	0.39	100	8361	99.55	43.6
2023-04-28 00:15:00	0	0	0	0	145	5.66	7.56	44.1	60.3	99.59	-0.9	-0.6	0	44	0.39	100	8353	99.55	43.4
2023-04-28 00:20:00	0	0	0	0	136	6.44	7.56	43.8	60.6	99.58	-0.9	-0.6	0	43.8	0.38	100	8367	99.54	43.2
2023-04-28 00:25:00	0	0	0	0	126	6.31	8.03	43.8	60.4	99.57	-0.9	-0.6	0	43.8	0.38	100	8369	99.53	43.1
2023-04-28 00:30:00	0	0	0	0	120	6.67	8.41	43.8	61.8	99.56	-0.8	-0.5	0	43.8	0.37	100	8369	99.51	43
2023-04-28 00:35:00	0	0	0	0	119	7.31	9.42	43.9	62.5	99.55	-0.9	-0.4	0	43.9	0.37	100	8369	99.51	43
2023-04-28 00:40:00	0	0	0	0	135	6.62	9.04	43.9	63.1	99.55	-0.9	-0.5	0	43.9	0.36	100	8374	99.51	43
2023-04-28 00:45:00	0	0	0	0	149	5.93	7.45	43.9	63.6	99.55	-0.9	-0.6	0	43.9	0.35	100	8371	99.5	42.8
2023-04-28 00:50:00	0	0	0	0	137	5.26	6.24	43.6	65.5	99.53	-0.8	-0.5	0	43.6	0.33	100	8371	99.49	42.5
2023-04-28 00:55:00	0	0	0	0	120	5.08	6.15	43.3	65.7	99.52	-0.7	-0.5	0	43.3	0.33	100	8369	99.48	42.4
2023-04-28 01:00:00	0	0	0	0	112	5.5	7.87	43.2	65.3	99.52	-0.8	-0.6	0	43.2	0.33	100	8371	99.48	42.2
2023-04-28 01:05:00	0	0	0	0	110	7.02	8.23	43.2	65.5	99.51	-0.9	-0.5	0	43.2	0.33	100	8369	99.47	42.3
2023-04-28 01:10:00	0	0	0	0	113	5.99	7.05	43.4	64.8	99.51	-0.9	-0.5	0	43.4	0.34	100	8371	99.47	42.4
2023-04-28 01:15:00	0	0	0	0	125	5.01	5.88	43.6	65.3	99.51	-0.8	-0.6	0	43.6	0.33	100	8368	99.47	42.4
2023-04-28 01:20:00	0	0	0	0	144	4.61	5.26	43.5	66.3	99.51	-0.9	-0.5	0	43.5	0.32	100	8368	99.47	42.3
2023-04-28 01:25:00	0	0	0	0	141	4.79	5.59	43.3	66.5	99.51	-0.8	-0.6	0	43.3	0.32	100	8366	99.47	42.2
2023-04-28 01:30:00	0	0	0	0	139	5.35	6.44	43.2	67.3	99.5	-0.9	-0.5	0	43.2	0.31	100	8369	99.46	42
2023-04-28 01:35:00	0	0	0	0	133	6.24	7.92	43.1	67.8	99.5	-0.9	-0.4	0	43.1	0.3	100	8368	99.47	42
2023-04-28 01:40:00	0	0	0	0	145	6.62	7.49	43.1	68.7	99.51	-0.8	-0.4	0	43.1	0.3	100	8368	99.47	42
2023-04-28 01:45:00	0	0	0	0	153	6.69	7.81	43	68	99.51	-1	-0.6	0	43	0.3	100	8371	99.47	41.9
2023-04-28 01:50:00	0	0	0	0	161	5.48	6.89	43	67.8	99.51	-0.8	-0.4	0	43	0.3	100	8365	99.46	41.8
2023-04-28 01:55:00	0	0	0	0	152	5.35	6.26	42.8	68.5	99.5	-0.9	-0.5	0	42.8	0.29	100	8368	99.46	41.6

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-28 02:00:00	0	0	0	0	147	5.28	6.22	42.7	68	99.49	-0.9	-0.4	0	42.7	0.3	100	8368	99.45	41.5
2023-04-28 02:05:00	0	0	0	0	153	4.74	5.68	42.6	68	99.49	-1	-0.5	0	42.6	0.3	100	8365	99.45	41.4
2023-04-28 02:10:00	0	0	0	0	155	5.08	5.7	42.4	69.5	99.49	-0.8	-0.4	0	42.4	0.28	100	8365	99.45	41.3
2023-04-28 02:15:00	0	0	0	0	144	5.7	6.62	42.2	69.8	99.48	-0.9	-0.5	0	42.2	0.28	100	8368	99.44	41.2
2023-04-28 02:20:00	0	0	0	0	155	4.99	5.91	42.2	69.7	99.47	-1	-0.4	0	42.2	0.28	100	8364	99.43	41.1
2023-04-28 02:25:00	0	0	0	0	149	5.46	6.49	42.2	70.6	99.47	-0.8	-0.5	0	42.1	0.27	100	8365	99.43	41
2023-04-28 02:30:00	0	0	0	0	153	5.46	6.33	42	70.6	99.47	-0.9	-0.5	0	42	0.27	100	8364	99.43	40.9
2023-04-28 02:35:00	0	0	0	0	145	5.66	7.02	41.9	70.9	99.46	-0.9	-0.5	0	41.9	0.26	100	8363	99.42	40.8
2023-04-28 02:40:00	0	0	0	0	142	5.57	6.26	41.9	71	99.46	-1	-0.6	0	41.9	0.26	100	8364	99.42	40.8
2023-04-28 02:45:00	0	0	0	0	131	5.41	7.34	41.9	70.9	99.45	-0.9	-0.5	0	41.9	0.26	100	8362	99.42	40.8
2023-04-28 02:50:00	0	0	0	0	136	5.79	6.8	42	71.8	99.45	-0.8	-0.5	0	42	0.26	100	8361	99.41	40.9
2023-04-28 02:55:00	0	0	0	0	127	7.4	8.72	42.1	72.3	99.45	-0.8	-0.4	0	42.2	0.25	100	8361	99.42	41
2023-04-28 03:00:00	0	0	0	0	125	8.68	10.51	42.4	71.7	99.46	-1	-0.5	0	42.4	0.26	100	8361	99.43	41.3
2023-04-28 03:05:00	0	0	0	0	122	8.46	9.86	42.7	71.4	99.46	-0.9	-0.5	0	42.7	0.27	100	8359	99.43	41.5
2023-04-28 03:10:00	0	0	0	0	115	9.06	10.51	42.9	71.5	99.46	-0.8	-0.4	0	42.9	0.27	100	8362	99.42	41.7
2023-04-28 03:15:00	0	0	0	0	119	8.7	10.8	43	71.8	99.46	-0.9	-0.5	0	43	0.27	100	8358	99.43	41.8
2023-04-28 03:20:00	0	0	0	0	133	6.53	7.76	43.1	72.7	99.47	-0.9	-0.5	0	43.1	0.26	100	8359	99.43	41.8
2023-04-28 03:25:00	0	0	0	0	132	6.35	8.21	42.9	73.3	99.46	-0.8	-0.4	0	42.9	0.25	100	8359	99.42	41.6
2023-04-28 03:30:00	0	0	0	0	141	5.66	7.49	42.7	74.7	99.46	-0.8	-0.5	0	42.7	0.24	100	8361	99.42	41.4
2023-04-28 03:35:00	0	0	0	0	135	5.23	6.93	42.4	75.2	99.45	-0.9	-0.6	0	42.4	0.23	100	8357	99.41	41.1
2023-04-28 03:40:00	0	0	0	0	145	5.28	6.22	42.2	75.9	99.44	-0.8	-0.6	0	42.2	0.22	100	8357	99.4	41
2023-04-28 03:45:00	0	0	0	0	140	5.55	6.6	42	75.1	99.43	-1	-0.5	0	42	0.23	100	8357	99.4	40.8
2023-04-28 03:50:00	0	0	0	0	125	7	8.59	42.1	76.3	99.43	-0.8	-0.5	0	42.1	0.22	100	8355	99.39	40.9
2023-04-28 03:55:00	0	0	0	0	117	8.55	10.65	42.4	76.4	99.42	-0.7	-0.5	0	42.4	0.22	100	8355	99.39	41.2
2023-04-28 04:00:00	0	0	0	0	120	9.28	11.1	42.7	76.1	99.42	-0.9	-0.4	0	42.7	0.22	100	8355	99.39	41.6
2023-04-28 04:05:00	0	0	0	0	115	9.51	12.17	43	75.5	99.42	-0.9	-0.5	0	43	0.23	100	8355	99.38	41.8
2023-04-28 04:10:00	0	0	0	0	115	10.27	11.74	43.2	75.5	99.41	-0.9	-0.4	0	43.1	0.23	100	8355	99.38	42
2023-04-28 04:15:00	0	0	0	0	114	10.04	11.7	43.3	76.1	99.42	-0.9	-0.5	0	43.3	0.23	100	8352	99.38	42.1
2023-04-28 04:20:00	0	0	0	0	112	10.42	12.46	43.4	76.2	99.42	-0.9	-0.5	0	43.4	0.23	100	8355	99.39	42.2
2023-04-28 04:25:00	0	0	0	0	111	9.78	11.14	43.5	76.3	99.43	-0.8	-0.4	0	43.4	0.23	100	8354	99.39	42.2
2023-04-28 04:30:00	0	0	0	0	108	8.41	10.27	43.4	76.9	99.43	-0.7	-0.6	0	43.4	0.22	100	8355	99.39	42.1
2023-04-28 04:35:00	0	0	0	0	106	8.52	10.11	43.4	76.8	99.43	-0.8	-0.5	0	43.4	0.22	100	8353	99.39	42.1
2023-04-28 04:40:00	0	0	0	0	109	8.93	9.91	43.3	77.6	99.43	-0.9	-0.4	0	43.3	0.21	100	8354	99.39	42.1
2023-04-28 04:45:00	0	0	0	0	111	8.66	10	43.4	78.1	99.43	-0.8	-0.4	0	43.4	0.21	100	8352	99.39	42.2
2023-04-28 04:50:00	0	0	0	0	107	9.46	10.8	43.5	78.2	99.43	-0.8	-0.5	0	43.5	0.21	100	8352	99.39	42.2
2023-04-28 04:55:00	0	0	0	0	109	9.33	10.94	43.5	79	99.43	-0.8	-0.5	0	43.5	0.2	100	8354	99.39	42.3
2023-04-28 05:00:00	0	0	0	0	113	8.43	9.53	43.7	79.2	99.44	-0.8	-0.6	0	43.7	0.2	100	8350	99.4	42.4
2023-04-28 05:05:00	0	0	0	0	109	8.05	9.22	43.7	79.7	99.44	-0.9	-0.5	0	43.7	0.2	100	8352	99.4	42.5
2023-04-28 05:10:00	0	0	0	0	106	8.08	10	43.8	79.8	99.44	-0.8	-0.6	0	43.8	0.2	100	8349	99.4	42.5
2023-04-28 05:15:00	0	0	0	0	108	7.99	9.66	43.7	80	99.44	-0.9	-0.5	0	43.7	0.19	100	8349	99.4	42.4
2023-04-28 05:20:00	0	0	0	0	109	8.75	11.3	43.8	80.8	99.43	-0.8	-0.6	0	43.9	0.19	100	8345	99.4	42.5
2023-04-28 05:25:00	0	0	0	0	111	9.26	11.92	43.9	81.2	99.43	-0.8	-0.4	0	44	0.18	100	8348	99.4	42.7
2023-04-28 05:30:00	0	0	0	0	111	9.35	11.97	44.2	81	99.44	-0.7	-0.5	0	44.2	0.19	100	8347	99.4	42.9
2023-04-28 05:35:00	0	0	0	0	111	9.28	11.83	44.2	81.8	99.43	-0.9	-0.6	0	44.2	0.18	100	8346	99.4	42.9
2023-04-28 05:40:00	0.2	0	0	0	104	9.24	10.89	44.4	81.8	99.43	-0.7	-0.4	0	44.4	0.18	100	8346	99.39	43
2023-04-28 05:45:00	1.8	0	0	0	106	9.08	11.65	44.3	82	99.43	-1	-0.4	0	44.3	0.18	100	8346	99.39	43
2023-04-28 05:50:00	3.6	0	0	0	108	8.86	11.12	44.2	82.3	99.42	-0.7	-0.6	0	44.2	0.17	100	8348	99.39	42.9
2023-04-28 05:55:00	4.8	0	0	0	107	10	12.73	44.2	83	99.41	-0.8	-0.5	0	44.3	0.17	100	8346	99.38	43
2023-04-28 06:00:00	7	0	0	0	105	11.05	13.02	44.3	83.3	99.41	-0.7	-0.4	0	44.3	0.17	100	8343	99.38	43
2023-04-28 06:05:00	12.6	0	0	0	107	10.85	12.91	44.3	84.1	99.41	-0.7	-0.6	0	44.3	0.16	100	8345	99.38	43.2
2023-04-28 06:10:00	18.2	0	0	0	106	10.16	12.44	44.5	84.5	99.41	-0.9	-0.6	0	44.6	0.15	100	8346	99.38	43.3
2023-04-28 06:15:00	25.4	0	0	0	105	10.87	14.5	44.6	84.6	99.42	-0.9	-0.2	0	44.7	0.15	100	8346	99.38	43.5
2023-04-28 06:20:00	36.2	0	0	0	108	10.63	13.33	44.9	84.5	99.42	-0.8	-0.5	0	45	0.16	100	8349	99.39	43.8
2023-04-28 06:25:00	40.4	0	0	0	105	10.56	13.6	45.2	84.4	99.42	-0.9	-0.4	0	45.2	0.16	100	8349	99.39	44
2023-04-28 06:30:00	42.2	0	0	0	106	10.45	13.02	45.3	84.1	99.41	-0.8	-0.4	0	45.5	0.16	100	8349	99.39	44.3
2023-04-28 06:35:00	47.6	0	0	0	106	11.16	13.18	45.6	84.2	99.41	-0.9	-0.6	0	45.8	0.16	100	8351	99.39	44.6
2023-04-28 06:40:00	52.2	0	0	0	107	11.27	14.41	45.9	84.1	99.41	-0.8	-0.7	0	46	0.17	100	8352	99.39	44.8
2023-04-28 06:45:00	69	0	0	0	110	10.02	11.77	46.1	84	99.43	-0.8	-0.5	0	46.3	0.17	100	8352	99.4	45.1
2023-04-28 06:50:00	74.2	0	0	0	107	11.01	13.47	46.4	84.1	99.43	-0.7	-0.4	0	46.6	0.17	100	8353	99.4	45.4
2023-04-28 06:55:00	80.4	0	0	0	107	10.22	12.68	46.7	83.7	99.44	-0.7	-0.7	0	46.8	0.18	100	8355	99.41	45.6

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-28 07:00:00	95.2	0	0	0	105	10.45	13.04	46.8	83.5	99.44	-0.8	-0.4	0	47	0.18	100	8360	99.41	45.9
2023-04-28 07:05:00	106.2	0	0	0	105	11.72	14.97	47.1	83.3	99.44	-0.4	-0.6	0	47.4	0.18	100	8361	99.42	46.2
2023-04-28 07:10:00	123.4	0	0	0	103	11.12	15.59	47.3	83.2	99.44	-0.8	-0.5	0	47.7	0.19	100	8363	99.42	46.5
2023-04-28 07:15:00	123	0	0	0	103	11.3	14.88	47.6	82.9	99.44	-0.6	-0.6	0	47.9	0.19	100	8369	99.42	46.8
2023-04-28 07:20:00	127.8	0	0	0	104	13.09	16.53	47.9	82.2	99.44	-0.9	-0.7	0	48.2	0.2	100	8369	99.42	47.1
2023-04-28 07:25:00	134.8	0	0	0	112	11.1	14.9	48.2	82.1	99.44	-0.7	-0.5	0	48.5	0.21	100	8374	99.43	47.5
2023-04-28 07:30:00	142.6	0	0	0	107	12.8	16.71	48.5	81.4	99.45	-0.6	-0.5	0	48.8	0.22	100	8377	99.43	47.8
2023-04-28 07:35:00	156.8	0	0	0	108	13.22	16.96	48.7	81.1	99.44	-0.5	-0.6	0	49.1	0.22	100	8380	99.43	48.1
2023-04-28 07:40:00	164.6	0	0	0	105	11.63	14.54	49	80.9	99.45	-0.5	-0.5	0	49.4	0.23	100	8384	99.43	48.5
2023-04-28 07:45:00	186.6	0	0	0	111	12.19	15.84	49.4	80.5	99.44	-0.8	-0.6	0	49.8	0.23	100	8390	99.43	48.8
2023-04-28 07:50:00	202.8	0	0	0	108	13.22	18.97	49.8	79.7	99.45	-0.7	-0.6	0	50.3	0.25	100	8393	99.43	49.2
2023-04-28 07:55:00	226.2	0	0	0	112	14.83	19.95	50.1	79.1	99.44	-0.7	-0.6	0	50.6	0.26	100	8401	99.43	49.6
2023-04-28 08:00:00	230.4	0	0	0	110	13.98	21.16	50.5	78.8	99.44	-0.7	-0.3	0	51	0.27	100	8410	99.43	50.1
2023-04-28 08:05:00	259.6	0	0	0	114	14.94	19.42	50.9	78.2	99.44	-0.6	-0.6	0	51.4	0.28	100	8413	99.44	50.5
2023-04-28 08:10:00	298.6	0	0	0	120	13.65	16.75	51.4	78.1	99.44	-0.8	-0.5	0	52.1	0.28	100	8422	99.44	51
2023-04-28 08:15:00	313.2	0	0	0	110	14.56	18.99	51.9	76.9	99.43	-0.9	-0.4	0	52.6	0.3	100	8429	99.42	51.5
2023-04-28 08:20:00	312	0	0	0	116	14.41	17.74	52.3	76.2	99.43	-0.7	-0.7	0	53	0.32	100	8434	99.43	52.1
2023-04-28 08:25:00	320.4	0	0	0	130	15.48	21.16	52.7	75.4	99.42	-0.3	-0.6	0	53.4	0.33	100	8440	99.43	52.5
2023-04-28 08:30:00	301.8	0	0	0	123	15.01	20.31	52.9	74.7	99.43	-0.6	-0.8	0	53.6	0.35	100	8445	99.43	52.8
2023-04-28 08:35:00	284.4	0	0	0	127	16.26	22.1	53.1	74.3	99.43	-0.7	-0.4	0	53.7	0.35	100	8447	99.43	53.2
2023-04-28 08:40:00	318.2	0	0	0	130	16.62	23.13	53.4	73.5	99.43	-0.7	-0.7	0	54	0.37	100	8451	99.43	53.5
2023-04-28 08:45:00	306.8	0	0	0	136	18.41	23.26	53.9	71.8	99.42	0	-1.2	0	54.4	0.4	100	8454	99.44	53.8
2023-04-28 08:50:00	340.6	0	0	0	133	15.77	20.98	53.9	71.8	99.43	-0.7	-0.4	0	54.6	0.4	100	8461	99.44	54.1
2023-04-28 08:55:00	327.8	0	0	0	120	17.52	22.82	54.2	70.6	99.42	-0.4	-0.7	0	54.9	0.42	100	8460	99.43	54.4
2023-04-28 09:00:00	325.6	0	0	0	127	15.39	22.7	54.4	70.4	99.43	-0.7	-0.8	0	55	0.43	100	8463	99.44	54.7
2023-04-28 09:05:00	333.4	0	0	0	131	18.45	26.4	54.6	69.4	99.44	-0.5	-0.9	0	55.2	0.45	100	8466	99.43	54.9
2023-04-28 09:10:00	355.6	0	0	0	133	19.89	27.42	54.8	69.2	99.42	0.1	-1.3	0	55.5	0.45	100	8469	99.43	55.1
2023-04-28 09:15:00	417.2	0	0	0	126	21.03	26.06	55.1	68.1	99.41	-0.4	0	0	55.8	0.47	100	8477	99.43	55.3
2023-04-28 09:20:00	470	0	0	0	127	18.79	26.28	55.7	67.4	99.41	-0.2	-0.9	0	56.3	0.49	100	8484	99.43	55.8
2023-04-28 09:25:00	490.4	0	0	0	119	18.61	26.57	56.3	66.4	99.41	-0.5	-0.4	0	57	0.52	100	8492	99.44	56.3
2023-04-28 09:30:00	481.4	0	0	0	130	16.6	23.94	56.8	65.5	99.41	-0.4	-0.4	0	57.5	0.54	100	8500	99.43	56.8
2023-04-28 09:35:00	494.4	0	0	0	141	16.89	23.94	57.3	64.6	99.4	-1.1	0	0	57.9	0.57	100	8503	99.41	57.2
2023-04-28 09:40:00	488.2	0	0	0	120	20.15	28.03	57.5	63.3	99.4	-0.2	-1	0	58.1	0.59	100	8507	99.41	57.5
2023-04-28 09:45:00	496	0	0	0	126	19.08	26.46	57.8	62.9	99.4	0.1	-0.7	0	58.4	0.6	100	8511	99.41	57.9
2023-04-28 09:50:00	469.4	0	0	0	122	19.51	25.48	57.9	62.8	99.4	-0.3	-0.9	0	58.5	0.61	100	8514	99.42	58.1
2023-04-28 09:55:00	479.6	0	0	0	120	18.37	25.37	58	62.2	99.4	-0.6	-0.2	0	58.7	0.62	100	8520	99.41	58.4
2023-04-28 10:00:00	480.4	0	0	0	121	17.45	23.26	58.4	61.1	99.39	-0.4	-0.5	0	59	0.65	100	8520	99.4	58.7
2023-04-28 10:05:00	499.2	0	0	0	132	17.94	23.29	58.7	60.8	99.39	-0.1	-0.7	0	59.4	0.66	100	8525	99.39	59.1
2023-04-28 10:10:00	535.8	0	0	0	130	16.69	22.21	59.1	60.1	99.37	-0.8	-0.2	0	59.9	0.68	100	8532	99.39	59.4
2023-04-28 10:15:00	561.4	0	0	0	119	17.29	21.54	59.7	58.4	99.37	-0.2	-0.8	0	60.4	0.73	100	8535	99.38	59.9
2023-04-28 10:20:00	536.2	0	0	0	130	15.93	20.38	59.9	58.1	99.38	-0.4	-0.3	0	60.6	0.74	100	8535	99.39	60.2
2023-04-28 10:25:00	506.2	0	0	0	134	18.68	25.66	60.2	57.7	99.37	-0.3	0.3	0	60.9	0.75	100	8539	99.39	60.5
2023-04-28 10:30:00	509	0	0	0	130	20.62	25.5	60.3	57.4	99.36	-0.6	-0.6	0	61	0.76	100	8542	99.39	60.7
2023-04-28 10:35:00	543.2	0	0	0	124	21.79	27.72	60.4	57.3	99.36	-0.1	0.2	0	61	0.76	100	8542	99.38	60.9
2023-04-28 10:40:00	552.8	0	0	0	144	17.07	21.88	60.4	57.7	99.37	-0.1	-0.6	0	61.1	0.76	100	8544	99.38	61
2023-04-28 10:45:00	563.2	0	0	0	121	17.92	24.61	60.7	57.8	99.37	0	-0.4	0	61.3	0.76	100	8548	99.38	61.3
2023-04-28 10:50:00	588.2	0	0	0	125	19.75	28.41	61.2	56.7	99.36	-0.3	-0.9	0	61.8	0.8	100	8548	99.38	61.7
2023-04-28 10:55:00	619.6	0	0	0	132	20.15	25.99	61.5	56.3	99.36	-0.9	-0.4	0	62.1	0.81	100	8554	99.38	61.8
2023-04-28 11:00:00	638.4	0	0	0	132	19.15	25.03	61.7	55.5	99.36	-0.5	-0.9	0	62.3	0.83	100	8556	99.39	62.1
2023-04-28 11:05:00	614.8	0	0	0	144	22.03	28.41	61.9	55	99.36	-0.5	-0.8	0	62.5	0.85	100	8558	99.38	62.3
2023-04-28 11:10:00	566.2	0	0	0	137	20.36	28.36	61.7	55.4	99.36	0.2	-0.6	0	62.3	0.84	100	8556	99.39	62.3
2023-04-28 11:15:00	546.8	0	0	0	138	19.06	25.68	61.5	55.5	99.38	0	-0.5	0	62.1	0.83	100	8557	99.39	62.3
2023-04-28 11:20:00	570.2	0	0	0	151	17.67	25.01	61.5	56.3	99.38	0	-0.9	0	62.1	0.81	100	8555	99.39	62.4
2023-04-28 11:25:00	523	0	0	0	138	18.23	24.38	61.7	56	99.39	-0.7	-0.4	0	62.3	0.83	100	8556	99.39	62.6
2023-04-28 11:30:00	490.2	0	0	0	120	17.09	22.28	61.5	56.3	99.39	-0.4	-0.3	0	62.2	0.81	100	8554	99.38	62.6
2023-04-28 11:35:00	477	0	0	0	123	17.38	22.44	61.3	56.5	99.38	-0.6	-0.3	0	62	0.81	100	8554	99.38	62.6
2023-04-28 11:40:00	490.2	0	0	0	118	16.51	23.78	61.4	57.1	99.39	-0.6	-0.3	0	62.1	0.8	100	8551	99.39	62.7
2023-04-28 11:45:00	485	0	0	0	110	17.38	26.98	61.5	56.1	99.38	-0.8	-0.2	0	62.2	0.82	100	8551	99.38	62.8
2023-04-28 11:50:00	514	0	0	0	122	18.05	23.02	61.6	56.3	99.37	-0.3	-1.1	0	62.2	0.82	100	8556	99.37	62.9
2023-04-28 11:55:00	552.4	0	0	0	130	19.19	24.52	61.8	56.3	99.36	0	-0.2	0	62.5	0.82	100	8552	99.37	62.9

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-28 12:00:00	546.4	0	0	0	114	18.57	23.71	62	55.7	99.36	-0.3	-0.4	0	62.7	0.84	100	8550	99.36	63.1
2023-04-28 12:05:00	548	0	0	0	128	16.64	21.52	62.2	55.3	99.37	-0.2	-0.6	0	62.9	0.85	100	8551	99.36	63.3
2023-04-28 12:10:00	545.2	0	0	0	112	17.92	22.75	62.4	54.9	99.37	-0.7	-0.7	0	63	0.87	100	8551	99.36	63.5
2023-04-28 12:15:00	527.2	0	0	0	111	17.11	24.83	62.6	54.8	99.37	-0.5	-0.4	0	63.3	0.87	100	8554	99.36	63.8
2023-04-28 12:20:00	523.8	0	0	0	115	18.68	23.22	62.6	54.2	99.36	-0.6	-0.8	0	63.4	0.89	100	8550	99.36	64
2023-04-28 12:25:00	525.6	0	0	0	117	15.37	19.71	62.5	54.4	99.37	-0.4	-0.4	0	63.2	0.88	100	8550	99.36	63.9
2023-04-28 12:30:00	483.2	0	0	0	125	16.04	26.04	62.5	54.4	99.36	-0.3	-0.4	0	63.2	0.88	100	8546	99.35	63.8
2023-04-28 12:35:00	443	0	0	0	126	16.53	23.33	62.5	54.8	99.36	-0.2	-0.8	0	63.2	0.87	100	8532	99.36	63.9
2023-04-28 12:40:00	409.2	0	0	0	132	17.74	25.41	62.3	55.3	99.36	-0.6	-0.5	0	63	0.86	100	8532	99.35	64
2023-04-28 12:45:00	357.4	0	0	0	126	18.14	24.61	62.2	55.3	99.36	-0.5	-0.3	0	62.8	0.85	100	8533	99.35	63.8
2023-04-28 12:50:00	348.8	0	0	0	122	17.16	23.42	62	55.8	99.37	0	-0.4	0	62.7	0.84	100	8530	99.35	63.6
2023-04-28 12:55:00	366	0	0	0	126	19.51	26.75	61.8	55.7	99.36	-0.6	0	0	62.6	0.84	100	8529	99.35	63.5
2023-04-28 13:00:00	341.4	0	0	0	130	19.82	26.84	61.7	55.5	99.35	0.3	-0.1	0	62.3	0.84	100	8529	99.35	63.3
2023-04-28 13:05:00	257	0	0	0	129	19.71	25.68	61.7	55.8	99.35	-0.6	-0.4	0	62.2	0.83	100	8523	99.35	63.2
2023-04-28 13:10:00	253	0	0	0	134	18.99	26.19	61.3	56.4	99.36	-0.7	-0.7	0	61.8	0.81	100	8522	99.35	62.9
2023-04-28 13:15:00	262.8	0	0	0	115	17.16	25.48	61.2	56.5	99.36	-0.5	-0.7	0	61.6	0.8	100	8520	99.35	62.7
2023-04-28 13:20:00	256.6	0	0	0	129	13.09	17.9	61	57.7	99.37	-0.3	-0.6	0	61.6	0.77	100	8517	99.35	62.7
2023-04-28 13:25:00	257.8	0	0	0	131	15.01	24.02	61.1	57.6	99.37	-0.5	-0.8	0	61.6	0.78	100	8519	99.35	62.6
2023-04-28 13:30:00	277.4	0	0	0	147	20.15	28.16	61.1	57.2	99.34	-0.2	-1.3	0	61.6	0.79	100	8517	99.33	62.5
2023-04-28 13:35:00	277.2	0	0	0	151	21.68	28.19	61.1	57.1	99.35	-0.9	0.1	0	61.6	0.79	100	8515	99.33	62.4
2023-04-28 13:40:00	270.2	0	0	0	146	19.73	25.97	61.1	57	99.34	-0.5	0	0	61.5	0.79	100	8512	99.33	62.3
2023-04-28 13:45:00	254.8	0	0	0	155	21.18	27.49	60.9	57.2	99.34	-0.4	-0.5	0	61.3	0.78	100	8511	99.33	62.2
2023-04-28 13:50:00	225.4	0	0	0	152	18.66	24.36	60.8	57.4	99.34	-0.5	-1.1	0	61.2	0.77	100	8509	99.33	62
2023-04-28 13:55:00	225	0	0	0	157	19.98	25.93	60.7	57.7	99.34	-0.8	-0.5	0	61.2	0.77	100	8507	99.32	61.9
2023-04-28 14:00:00	243.2	0	0	0	156	17.56	21.43	60.8	58.2	99.35	-0.4	-0.5	0	61.2	0.76	100	8506	99.33	61.8
2023-04-28 14:05:00	240.4	0	0	0	148	16.93	20.85	60.8	58	99.35	-0.8	-0.2	0	61.2	0.76	100	8505	99.33	61.9
2023-04-28 14:10:00	228.6	0	0	0	159	14.52	19.77	60.8	58.2	99.36	-0.4	-1	0	61.3	0.76	100	8505	99.34	61.9
2023-04-28 14:15:00	218.2	0	0	0	158	19.48	26.22	60.9	58.4	99.36	-0.1	-0.2	0	61.2	0.76	100	8501	99.34	61.8
2023-04-28 14:20:00	214	0	0	0	151	17.78	24.09	60.8	58.4	99.36	-0.7	0.2	0	61.2	0.75	100	8500	99.34	61.7
2023-04-28 14:25:00	203	0	0	0	167	15.55	21.54	60.7	59.5	99.37	-0.2	-1.1	0	61.1	0.73	100	8499	99.34	61.6
2023-04-28 14:30:00	190.2	0	0	0	167	16.96	26.87	60.4	59.3	99.37	-0.3	-0.7	0	60.9	0.73	100	8496	99.33	61.4
2023-04-28 14:35:00	188	0	0	0	167	16.71	21.5	60.3	59.5	99.37	0	-0.7	0	60.7	0.72	100	8494	99.33	61.2
2023-04-28 14:40:00	194.2	0	0	0	162	15.21	19.24	60.2	60.1	99.37	-0.6	-0.7	0	60.5	0.71	100	8494	99.34	61.1
2023-04-28 14:45:00	193.4	0	0	0	154	13.94	18.32	60.1	60.1	99.37	-0.5	-0.2	0	60.6	0.71	100	8493	99.34	61.1
2023-04-28 14:50:00	193.4	0	0	0	159	14.34	21.72	60.1	60	99.36	-0.1	-0.8	0	60.5	0.71	100	8491	99.34	61.1
2023-04-28 14:55:00	189.2	0	0	0	166	14.83	18.86	60.2	60.3	99.36	-0.6	-0.6	0	60.6	0.71	100	8490	99.33	60.9
2023-04-28 15:00:00	180.2	0	0	0	159	13.91	17.98	60	60.9	99.36	-0.7	-0.5	0	60.4	0.69	100	8488	99.33	60.9
2023-04-28 15:05:00	182.6	0	0	0	160	13.87	18.43	60.1	60.3	99.35	-0.4	-0.9	0	60.4	0.7	100	8487	99.33	60.8
2023-04-28 15:10:00	185.8	0	0	0	164	15.32	21.81	60	60.2	99.35	-0.3	-1	0	60.4	0.7	100	8485	99.32	60.8
2023-04-28 15:15:00	178.6	0	0	0	152	16.71	23.62	60	59.9	99.34	-0.2	-0.8	0	60.4	0.71	100	8483	99.31	60.7
2023-04-28 15:20:00	176.4	0	0	0	150	13.35	19.33	59.8	60.4	99.34	-0.6	-0.5	0	60.2	0.69	100	8479	99.31	60.7
2023-04-28 15:25:00	175.6	0	0	0	164	13.94	19.15	59.8	61.1	99.33	-0.3	-0.8	0	60.2	0.68	100	8480	99.3	60.6
2023-04-28 15:30:00	172.6	0	0	0	163	13.53	20.76	59.8	61.2	99.32	-0.1	-0.6	0	60.2	0.68	100	8478	99.29	60.6
2023-04-28 15:35:00	168	0	0	0	161	14.99	21.52	59.8	60.6	99.31	-0.7	-0.2	0	60.2	0.69	100	8476	99.29	60.5
2023-04-28 15:40:00	134.8	0	0	0	156	15.97	22.35	59.7	60.8	99.31	-0.1	-0.4	0	60	0.68	100	8478	99.29	60.4
2023-04-28 15:45:00	94.8	0	0	0	156	14.65	18.7	59.6	60.7	99.31	-0.3	-1.1	0	59.8	0.68	100	8473	99.28	60.3
2023-04-28 15:50:00	73.6	0	0	0	152	13.67	17.27	59.4	60.8	99.31	-0.2	-0.6	0	59.6	0.68	100	8470	99.28	60.1
2023-04-28 15:55:00	70	0	0	0	146	16.87	22.21	59.3	61	99.29	-0.2	-0.6	0	59.4	0.67	100	8466	99.27	60
2023-04-28 16:00:00	85.8	0	0	0	146	17.22	23.44	59.2	61.1	99.29	0.1	-0.3	0	59.3	0.67	100	8466	99.27	59.8
2023-04-28 16:05:00	138.2	0	0	0	147	16.15	21.36	58.9	62.1	99.28	-0.5	-0.4	0	59.2	0.64	100	8467	99.26	59.7
2023-04-28 16:10:00	157	0	0	0	151	15.39	20.51	58.7	62.7	99.29	-0.6	-0.5	0	59	0.63	100	8466	99.26	59.6
2023-04-28 16:15:00	152.8	0	0	0	149	12.08	16.51	58.8	63.3	99.29	-0.5	-0.7	0	59.1	0.62	100	8463	99.26	59.6
2023-04-28 16:20:00	147.4	0	0	0	156	13.71	21.74	58.9	63.2	99.28	-0.5	-0.6	0	59.2	0.63	100	8461	99.25	59.6
2023-04-28 16:25:00	135.6	0	0	0	152	12.97	16.53	58.9	62.6	99.28	-0.5	-0.3	0	59.2	0.64	100	8461	99.25	59.6
2023-04-28 16:30:00	120.8	0	0	0	153	12.62	16.73	59	62.4	99.28	-0.4	-0.8	0	59.3	0.64	100	8459	99.24	59.6
2023-04-28 16:35:00	117.2	0	0	0	132	15.37	19.04	59	61.7	99.27	-0.6	-0.4	0	59.3	0.65	100	8458	99.25	59.6
2023-04-28 16:40:00	113.8	0	0	0	130	14.14	19.71	59.1	61.3	99.27	-0.7	-0.2	0	59.3	0.66	100	8459	99.25	59.6
2023-04-28 16:45:00	114.2	0	0	0	133	14.58	20.36	59	61.4	99.26	-0.5	-0.6	0	59.3	0.66	100	8456	99.24	59.6
2023-04-28 16:50:00	109.8	0	0	0	145	15.66	21.92	59.1	61.3	99.27	-0.2	-0.6	0	59.3	0.66	100	8454	99.24	59.5
2023-04-28 16:55:00	102	0	0	0	151	15.43	21.65	59	60.6	99.28	-0.4	-0.7	0	59.2	0.67	100	8451	99.25	59.4

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-28 17:00:00	94.6	0	0	0	144	14.27	18.9	58.7	60.8	99.28	-0.2	-0.9	0	58.9	0.66	100	8453	99.25	59.3
2023-04-28 17:05:00	91	0	0	0	151	18.05	23.51	58.6	59.9	99.27	-0.6	-0.4	0	58.9	0.67	100	8450	99.24	59.1
2023-04-28 17:10:00	91.2	0	0	0	144	14.54	18.9	58.5	60.2	99.28	-0.6	-1.1	0	58.7	0.67	100	8447	99.25	59
2023-04-28 17:15:00	91.4	0	0	0	150	16.78	24.18	58.5	59.4	99.28	-0.2	-0.4	0	58.7	0.68	100	8447	99.24	58.9
2023-04-28 17:20:00	85.4	0	0	0	149	16.8	23.35	58.3	59.4	99.27	-0.6	-0.7	0	58.5	0.67	100	8446	99.24	58.8
2023-04-28 17:25:00	80	0	0	0	146	15.19	19.53	58.2	59.6	99.27	-0.8	-0.4	0	58.4	0.67	100	8444	99.24	58.7
2023-04-28 17:30:00	76.2	0	0	0	140	12.03	15.95	58.1	60.1	99.27	-0.6	-0.5	0	58.2	0.66	100	8444	99.24	58.6
2023-04-28 17:35:00	73.4	0	0	0	139	13.53	18.75	58	59.9	99.27	-0.5	-0.3	0	58.2	0.66	100	8440	99.24	58.5
2023-04-28 17:40:00	71.4	0	0	0	148	14.52	18.59	58	59.8	99.27	-0.6	-0.7	0	58.2	0.66	100	8440	99.24	58.4
2023-04-28 17:45:00	70.6	0	0	0	147	17.2	22.26	58	59.3	99.27	-0.3	-0.4	0	58.1	0.67	100	8436	99.25	58.3
2023-04-28 17:50:00	73.4	0	0	0	143	15.32	18.7	57.8	59.6	99.28	-0.5	-0.4	0	58	0.66	100	8437	99.25	58.2
2023-04-28 17:55:00	82.6	0	0	0	149	16.75	25.14	57.7	59.5	99.28	-0.4	-0.5	0	57.9	0.66	100	8433	99.25	58.2
2023-04-28 18:00:00	104.2	0	0	0	147	16.75	21.14	57.7	58.8	99.28	-0.4	-0.6	0	57.9	0.67	100	8434	99.25	58.1
2023-04-28 18:05:00	144.4	0	0	0	151	18.1	28.39	57.6	58.6	99.28	-0.7	-0.1	0	57.8	0.67	100	8432	99.25	58
2023-04-28 18:10:00	169	0	0	0	147	22.41	28.92	57.6	58	99.26	-0.5	0.6	0	57.9	0.68	100	8428	99.25	58
2023-04-28 18:15:00	158.2	0	0	0	146	22.39	30.4	57.5	57.7	99.26	0	-0.9	0	57.8	0.68	100	8432	99.25	58
2023-04-28 18:20:00	129.4	0	0	0	150	24.7	31.25	57.4	57.8	99.26	-0.2	-0.6	0	57.6	0.68	100	8431	99.24	57.8
2023-04-28 18:25:00	113.2	0	0	0	156	21.12	27.92	57	59.2	99.26	-0.5	-0.3	0	57.2	0.65	100	8430	99.25	57.6
2023-04-28 18:30:00	96.8	0	0	0	155	19.35	25.99	56.7	60.3	99.27	-1.1	0.4	0	56.8	0.62	100	8432	99.24	57.2
2023-04-28 18:35:00	83.8	0	0	0	156	22.06	29.84	56.2	61.1	99.26	-0.5	-1.1	0	56.4	0.6	100	8428	99.24	56.9
2023-04-28 18:40:00	68.2	0	0	0	161	20.96	29.53	55.9	62.2	99.28	-0.7	-0.7	0	56.1	0.58	100	8426	99.24	56.6
2023-04-28 18:45:00	55.2	0	0	0	157	24.02	33.71	55.7	62.9	99.25	-0.7	-0.5	0	55.8	0.56	100	8425	99.23	56.3
2023-04-28 18:50:00	47.6	0	0	0	147	20.49	25.88	55.3	63.9	99.27	-0.6	-0.9	0	55.4	0.54	100	8421	99.25	56
2023-04-28 18:55:00	39.6	0	0	0	150	18.25	23.73	55	65.2	99.27	-0.8	-0.5	0	55	0.51	100	8422	99.25	55.7
2023-04-28 19:00:00	32.2	0	0	0	155	18.57	25.7	54.6	66.4	99.28	-0.3	-1.3	0	54.7	0.49	100	8420	99.25	55.4
2023-04-28 19:05:00	27	0	0	0	155	18.57	27.96	54.5	66.9	99.28	-0.4	-0.9	0	54.5	0.48	100	8418	99.25	55.2
2023-04-28 19:10:00	22.6	0	0	0	146	17.09	23.67	54.2	67.7	99.28	-0.7	-0.6	0	54.2	0.46	100	8417	99.25	55
2023-04-28 19:15:00	18.8	0	0	0	143	18.45	24.52	54.2	67.8	99.27	-0.7	-0.1	0	54.2	0.46	100	8417	99.25	54.8
2023-04-28 19:20:00	15	0	0	0	144	18.61	25.21	53.9	68.5	99.27	-0.9	-0.1	0	53.9	0.45	100	8415	99.25	54.6
2023-04-28 19:25:00	12.2	0	0	0	149	20.62	27.94	53.7	68.7	99.26	-0.5	-0.4	0	53.7	0.44	100	8410	99.24	54.3
2023-04-28 19:30:00	8.8	0	0	0	147	21.16	30.31	53.2	70.6	99.26	-0.5	0.3	0	53.2	0.41	100	8409	99.24	53.9
2023-04-28 19:35:00	7	0	0	0	146	23.62	28.99	52.6	71.2	99.24	-1.1	-0.9	0	52.6	0.39	100	8408	99.24	53.4
2023-04-28 19:40:00	5.8	0	0	0	150	25.57	30.94	52	71.2	99.24	-1.1	-1	0	52	0.38	100	8411	99.23	52.9
2023-04-28 19:45:00	4.2	0	0	0	139	22.64	34.4	51.5	72.6	99.25	-0.5	-0.4	0	51.5	0.36	100	8409	99.24	52.5
2023-04-28 19:50:00	2	0.00067	0	0	140	20.45	29.17	51.2	73.8	99.25	-1.6	0	0.04	51.2	0.34	100	8407	99.24	52
2023-04-28 19:55:00	1	0	0	0	139	19.57	23.64	50.9	75.1	99.26	-1.5	-0.4	0	50.8	0.32	100	8403	99.25	51.6
2023-04-28 20:00:00	0.2	0.00134	0	0	145	17.07	22.53	50.4	77	99.26	-0.4	-0.2	0.04	50.4	0.29	100	8401	99.24	51.2
2023-04-28 20:05:00	0	0.00134	0	0	137	19.46	24.45	50.2	77.3	99.25	-0.4	-0.7	0.04	50.1	0.28	100	8403	99.24	50.8
2023-04-28 20:10:00	0	0.00067	0	0	139	18.61	26.02	49.9	78.4	99.26	-0.6	-0.3	0.04	49.9	0.26	100	8401	99.24	50.5
2023-04-28 20:15:00	0	0.00201	0	0	136	19.66	25.43	49.6	78.6	99.25	-0.4	-0.4	0.04	49.6	0.26	100	8398	99.24	50.3
2023-04-28 20:20:00	0	0.00134	0	0	134	19.93	27.45	49.4	79.1	99.25	-0.8	-0.3	0.04	49.4	0.25	100	8398	99.24	50
2023-04-28 20:25:00	0	0.00067	0	0	135	19.6	30.71	49.1	79.6	99.25	-0.3	-0.5	0.04	49.1	0.24	100	8397	99.25	49.7
2023-04-28 20:30:00	0	0.00067	0	0	131	17.81	25.43	49	80.1	99.26	-0.7	-0.8	0.04	49	0.23	100	8398	99.24	49.5
2023-04-28 20:35:00	0	0.00067	0	0	124	17.85	24.2	48.8	80.2	99.26	-0.5	-0.9	0.04	48.8	0.23	100	8396	99.24	49.2
2023-04-28 20:40:00	0	0.00067	0	0	117	18.23	22.79	48.7	80.8	99.25	-1.1	-0.2	0.04	48.7	0.22	100	8392	99.23	49.1
2023-04-28 20:45:00	0	0.00134	0	0	119	20.31	24.61	48.4	82.2	99.24	-0.4	-0.8	0.04	48.4	0.21	100	8396	99.23	48.8
2023-04-28 20:50:00	0	0.00469	0	0	115	17.67	23.87	47.9	83.1	99.23	-0.9	-0.5	0.08	47.9	0.19	100	8393	99.23	48.6
2023-04-28 20:55:00	0	0.00335	0	0	114	16.15	19.62	47.6	85.1	99.24	-0.6	-0.4	0.08	47.6	0.17	100	8389	99.22	48.4
2023-04-28 21:00:00	0	0.00402	0	0	112	15.32	18.92	47.3	86.8	99.24	-0.7	-0.6	0.08	47.3	0.15	100	8391	99.22	48.2
2023-04-28 21:05:00	0	0.00402	0	0	110	14.58	21.94	47.1	87.9	99.23	-0.9	-0.3	0.08	47.1	0.13	100	8387	99.2	48
2023-04-28 21:10:00	0	0.00469	0	0	109	17.72	21.88	46.9	88.8	99.21	-0.8	-0.7	0.08	46.9	0.12	100	8386	99.18	47.9
2023-04-28 21:15:00	0	0.00335	0	0	112	17.34	25.28	46.8	89.2	99.21	-0.9	0	0.08	46.8	0.12	100	8388	99.19	47.8
2023-04-28 21:20:00	0	0.00402	0	0	107	18.19	24.29	46.7	89.1	99.19	-0.8	-0.4	0.08	46.7	0.12	100	8385	99.16	47.6
2023-04-28 21:25:00	0	0.00335	0	0	108	17	21.7	46.5	90	99.19	-0.5	-0.5	0.08	46.6	0.11	100	8387	99.16	47.5
2023-04-28 21:30:00	0	0.00335	0	0	111	16.69	22.91	46.5	90.3	99.18	-0.3	-0.9	0.08	46.5	0.1	100	8385	99.17	47.4
2023-04-28 21:35:00	0	0.00134	0	0	110	16.87	24.58	46.4	90.8	99.18	-0.5	-0.3	0.04	46.4	0.1	100	8384	99.16	47.3
2023-04-28 21:40:00	0	0.00067	0	0	116	17.11	21.5	46.3	90.9	99.18	-1.2	-0.3	0.04	46.4	0.1	100	8383	99.17	47.2
2023-04-28 21:45:00	0	0	0	0	117	18.16	23.4	46.3	90.5	99.18	-0.7	-0.2	0	46.3	0.1	100	8384	99.18	47.1
2023-04-28 21:50:00	0	0.00134	0	0	121	16.28	20.98	46.4	91.2	99.19	-1.2	-0.6	0.04	46.4	0.09	100	8382	99.19	47.1
2023-04-28 21:55:00	0	0.00335	0	0	118	17.9	23.24	46.3	91	99.19	-0.9	-0.5	0.04	46.3	0.1	100	8382	99.18	47

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-28 22:00:00	0	0.00402	0	0	121	16.13	20.85	46.4	91.5	99.19	-0.5	-0.6	0.08	46.4	0.09	100	8380	99.18	46.9
2023-04-28 22:05:00	0	0.00335	0	0	124	15.55	21.56	46.2	91.8	99.18	-0.6	-0.7	0.04	46.2	0.09	100	8378	99.17	46.8
2023-04-28 22:10:00	0	0.00268	0	0	124	16.55	24.79	46.1	92.3	99.17	-1.1	-0.3	0.04	46.2	0.08	100	8380	99.17	46.7
2023-04-28 22:15:00	0	0.00268	0	0	116	16.55	26.19	46.1	92.5	99.17	-1	-0.2	0.08	46.1	0.08	100	8379	99.16	46.6
2023-04-28 22:20:00	0	0.00402	0	0	116	15.35	21.5	46	93	99.17	-0.9	-0.6	0.08	46	0.07	100	8377	99.15	46.6
2023-04-28 22:25:00	0	0.00134	0	0	118	14.27	19.01	45.9	93	99.16	-0.7	-0.4	0.04	45.9	0.07	100	8376	99.15	46.5
2023-04-28 22:30:00	0	0.00067	0	0	122	13.76	19.06	46	93.5	99.16	-0.3	-0.4	0.04	46	0.07	100	8377	99.16	46.5
2023-04-28 22:35:00	0	0.00067	0	0	126	14.25	20.09	46	93.3	99.15	-0.2	-0.6	0.04	46	0.07	100	8374	99.15	46.4
2023-04-28 22:40:00	0	0.00067	0	0	126	14.32	18.59	46	93.2	99.16	-0.5	-1	0.04	46	0.07	100	8374	99.14	46.4
2023-04-28 22:45:00	0	0	0	0	119	15.3	20.67	46	92.8	99.14	-0.6	-0.6	0	46	0.08	100	8374	99.14	46.4
2023-04-28 22:50:00	0	0	0	0	117	14.88	19.6	46	92.8	99.13	-1	-0.4	0	46.1	0.08	100	8374	99.12	46.4
2023-04-28 22:55:00	0	0.00067	0	0	116	15.32	21.07	45.9	92.7	99.12	-0.8	-0.8	0.04	45.9	0.08	100	8372	99.11	46.3
2023-04-28 23:00:00	0	0.00201	0	0	129	11.59	15.66	46	92.7	99.12	-0.8	-0.6	0.04	46	0.08	100	8372	99.11	46.3
2023-04-28 23:05:00	0	0.00335	0	0	132	11.03	14.83	45.9	93.2	99.12	-0.9	-0.5	0.08	45.9	0.07	100	8370	99.11	46.2
2023-04-28 23:10:00	0	0.00536	0	0	135	10.96	16.33	45.8	93.8	99.12	-0.6	-0.4	0.08	45.9	0.07	100	8371	99.1	46.2
2023-04-28 23:15:00	0	0.0067	0	0	133	13.44	18.61	45.8	94	99.11	-0.9	-0.5	0.12	45.8	0.06	100	8370	99.1	46.1
2023-04-28 23:20:00	0	0.00804	0	0	136	12.88	18.81	45.7	94.5	99.11	-0.7	-0.6	0.161	45.7	0.06	100	8368	99.09	46.1
2023-04-28 23:25:00	0	0.00469	0	0	128	13.27	15.84	45.6	95	99.08	-0.6	-0.5	0.08	45.6	0.05	100	8365	99.08	46
2023-04-28 23:30:00	0	0.00402	0	0	125	12.95	17.85	45.5	95.5	99.07	-0.4	-0.8	0.08	45.5	0.05	100	8368	99.07	46
2023-04-28 23:35:00	0	0.00469	0	0	120	13.29	17.78	45.4	95.6	99.07	-0.8	-0.4	0.08	45.4	0.05	100	8365	99.06	46
2023-04-28 23:40:00	0	0.0067	0	0	120	14.74	18.92	45.3	95.3	99.05	-0.7	-0.2	0.12	45.2	0.05	100	8368	99.05	45.9
2023-04-28 23:45:00	0	0.00603	0	0	121	13.6	17.34	45.3	95.7	99.04	-1	-0.6	0.08	45.3	0.04	100	8368	99.04	45.8
2023-04-28 23:50:00	0	0.00201	0	0	118	14.36	17.47	45.3	95.9	99.03	-0.5	-0.8	0.04	45.3	0.04	100	8365	99.03	45.8
2023-04-28 23:55:00	0	0	0	0	114	15.5	21.16	45.2	95.7	99.02	-0.9	-0.1	0	45.2	0.04	100	8366	99.01	45.8
2023-04-29 00:00:00	0	0.00268	0	0	113	17.31	22.03	45.2	95.4	99.01	-0.9	-0.9	0.08	45.2	0.05	100	8366	99.01	45.8
2023-04-29 00:05:00	0	0.00402	0	0	114	16.11	20.54	45.2	95.6	99	-0.9	-0.5	0.08	45.2	0.05	100	8339	99.01	45.9
2023-04-29 00:10:00	0	0.00335	0	0	112	18.07	24.87	45.2	95.6	98.99	-0.9	-0.4	0.08	45.2	0.05	100	8330	98.99	46.1
2023-04-29 00:15:00	0	0.00201	0	0	113	16.64	21.59	45.1	95.7	98.98	-0.8	-0.2	0.04	45.1	0.04	100	8325	98.97	46.1
2023-04-29 00:20:00	0	0.00402	0	0	111	18.43	24.16	45.1	95.8	98.96	-0.2	-0.5	0.08	45.1	0.04	100	8337	98.95	46
2023-04-29 00:25:00	0	0.00469	0	0	112	17.94	23.09	45	95.7	98.96	-0.7	-0.3	0.12	45	0.04	100	8340	98.95	45.8
2023-04-29 00:30:00	0	0.00469	0	0	112	19.3	24.43	44.9	95.8	98.95	-0.7	-0.3	0.12	44.9	0.04	100	8341	98.94	45.7
2023-04-29 00:35:00	0	0.01273	0	0	#N/A	#N/A	#N/A	44.9	96.1	98.94	-0.2	-0.7	0.201	44.9	#N/A	100	8341	98.94	45.6
2023-04-29 00:40:00	0	0.01139	0	0	#N/A	#N/A	#N/A	44.7	96.1	98.93	-1.2	-0.5	0.201	44.7	#N/A	100	8341	98.93	45.5
2023-04-29 00:45:00	0	0.00335	0	0	#N/A	#N/A	#N/A	44.7	96	98.92	-0.6	-0.7	0.08	44.7	#N/A	100	8343	98.92	45.4
2023-04-29 00:50:00	0	0.00134	0	0	#N/A	#N/A	#N/A	44.6	95.7	98.91	-0.6	-0.8	0.04	44.7	#N/A	100	8342	98.92	45.4
2023-04-29 00:55:00	0	0.00335	0	0	#N/A	#N/A	#N/A	44.6	95.8	98.91	-0.8	-0.4	0.08	44.6	#N/A	100	8341	98.91	45.3
2023-04-29 01:00:00	0	0.00335	0	0	#N/A	#N/A	#N/A	44.7	95.4	98.91	-0.7	-1.2	0.08	44.7	#N/A	100	8341	98.9	45.2
2023-04-29 01:05:00	0	0.00335	0	0	#N/A	#N/A	#N/A	44.6	95.3	98.9	-0.5	-0.5	0.08	44.7	#N/A	100	8341	98.89	45.2
2023-04-29 01:10:00	0	0.00268	0	0	#N/A	#N/A	#N/A	44.6	95.1	98.89	-0.7	-0.3	0.04	44.6	#N/A	100	8341	98.87	45.2
2023-04-29 01:15:00	0	0.00067	0	0	#N/A	#N/A	#N/A	44.6	95.1	98.88	-0.6	-0.3	0.04	44.6	#N/A	100	8338	98.87	45.2
2023-04-29 01:20:00	0	0.00067	0	0	#N/A	#N/A	#N/A	44.6	94.6	98.87	-0.5	-0.9	0.04	44.6	#N/A	100	8340	98.86	45.2
2023-04-29 01:25:00	0	0.00067	0	0	#N/A	#N/A	#N/A	44.7	94.2	98.87	-0.7	-0.3	0.04	44.7	#N/A	100	8337	98.86	45.2
2023-04-29 01:30:00	0	0.00067	0	0	#N/A	#N/A	#N/A	44.9	93.6	98.86	-0.7	-0.2	0.04	44.9	#N/A	100	8338	98.86	45.2
2023-04-29 01:35:00	0	0.00469	0	0	#N/A	#N/A	#N/A	44.7	93.6	98.85	-1.2	0	0.08	44.7	#N/A	100	8337	98.84	45.2
2023-04-29 01:40:00	0	0.00335	0	0	#N/A	#N/A	#N/A	44.6	93.7	98.84	-1.1	-0.5	0.04	44.6	#N/A	100	8338	98.83	45.1
2023-04-29 01:45:00	0	0.00402	0	0	#N/A	#N/A	#N/A	44.6	93.5	98.83	-0.7	-0.6	0.08	44.6	#N/A	100	8338	98.82	45.1
2023-04-29 01:50:00	0	0.00268	0	0	#N/A	#N/A	#N/A	44.6	93.6	98.81	-0.8	-0.5	0.08	44.6	#N/A	100	8337	98.8	45.1
2023-04-29 01:55:00	0	0	0	0	#N/A	#N/A	#N/A	44.5	93.1	98.81	-1.4	0	0	44.6	#N/A	100	8337	98.81	45.1
2023-04-29 02:00:00	0	0	0	0	#N/A	#N/A	#N/A	44.6	92.5	98.81	-1.2	-0.5	0	44.6	#N/A	100	8336	98.81	45.1
2023-04-29 02:05:00	0	0.00201	0	0	#N/A	#N/A	#N/A	44.6	92.9	98.82	-1.1	-0.5	0.08	44.7	#N/A	100	8337	98.8	45.1
2023-04-29 02:10:00	0	0.00201	0	0	#N/A	#N/A	#N/A	44.7	92.5	98.81	-0.6	-0.6	0.08	44.7	#N/A	100	8335	98.8	45
2023-04-29 02:15:00	0	0	0	0	#N/A	#N/A	#N/A	44.6	92.1	98.81	-1	-0.6	0	44.6	#N/A	100	8336	98.8	45
2023-04-29 02:20:00	0	0	0	0	#N/A	#N/A	#N/A	44.8	91.6	98.8	-1.3	-0.5	0	44.8	#N/A	100	8334	98.78	45.1
2023-04-29 02:25:00	0	0	0	0	#N/A	#N/A	#N/A	44.9	91.2	98.79	-1.1	-0.4	0	44.9	#N/A	100	8336	98.78	45.2
2023-04-29 02:30:00	0	0	0	0	#N/A	#N/A	#N/A	44.9	90.9	98.78	-1	-0.5	0	44.9	#N/A	100	8335	98.77	45.2
2023-04-29 02:35:00	0	0	0	0	#N/A	#N/A	#N/A	45	90.5	98.78	-1	-0.5	0	45	#N/A	100	8333	98.76	45.3
2023-04-29 02:40:00	0	0	0	0	#N/A	#N/A	#N/A	45.1	89.4	98.76	-0.4	-0.5	0	45.1	#N/A	100	8333	98.75	45.4
2023-04-29 02:45:00	0	0	0	0	#N/A	#N/A	#N/A	45.3	88.2	98.75	-0.1	-0.7	0	45.3	#N/A	100	8333	98.75	45.5
2023-04-29 02:50:00	0	0	0	0	#N/A	#N/A	#N/A	45.2	88.1	98.75	-0.1	-0.6	0	45.2	#N/A	100	8333	98.75	45.6
2023-04-29 02:55:00	0	0	0	0	#N/A	#N/A	#N/A	45.4	86.7	98.74	-0.9	0	0	45.3	#N/A	100	8335	98.74	45.6

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-29 03:00:00	0	0	0	0	#N/A	#N/A	#N/A	45.4	86.4	98.75	-0.1	-0.5	0	45.4	#N/A	100	8332	98.74	45.7
2023-04-29 03:05:00	0	0	0	0	#N/A	#N/A	#N/A	45.4	86.4	98.74	0.2	-0.9	0	45.4	#N/A	100	8327	98.75	45.7
2023-04-29 03:10:00	0	0	0	0	#N/A	#N/A	#N/A	45.2	86.2	98.74	-0.9	-0.7	0	45.1	#N/A	100	8328	98.75	45.6
2023-04-29 03:15:00	0	0	0	0	#N/A	#N/A	#N/A	45	86.8	98.73	-1.2	-0.7	0	45	#N/A	100	8330	98.74	45.4
2023-04-29 03:20:00	0	0	0	0	130	15.21	19.35	44.7	88.1	98.75	-1	-0.3	0	44.7	0.12	100	8327	98.74	45.2
2023-04-29 03:25:00	0	0.00134	0	0	127	18.19	25.55	44.5	88.7	98.74	-0.6	-0.6	0.04	44.5	0.11	100	8328	98.74	45
2023-04-29 03:30:00	0	0.00201	0	0	127	19.15	24.83	44.3	89.3	98.73	-0.1	-1.4	0.04	44.3	0.11	100	8330	98.73	44.7
2023-04-29 03:35:00	0	0	0	0	124	15.03	20.07	44.1	90.5	98.74	-0.6	-0.8	0	44.1	0.09	100	8327	98.73	44.6
2023-04-29 03:40:00	0	0.00067	0	0	126	14.56	20	44	91.3	98.75	-0.8	-0.5	0.04	44	0.09	100	8327	98.74	44.4
2023-04-29 03:45:00	0	0	0	0	120	14.41	19.3	44	91.5	98.74	-0.6	-0.7	0	44	0.08	100	8327	98.73	44.3
2023-04-29 03:50:00	0	0	0	0	120	14.23	25.17	43.9	92.4	98.73	-0.6	-0.3	0	43.9	0.07	100	8324	98.71	44.2
2023-04-29 03:55:00	0	0	0	0	118	18.05	24.83	43.9	92.2	98.71	-1	-0.5	0	43.9	0.08	100	8326	98.7	44.2
2023-04-29 04:00:00	0	0.00067	0	0	117	15.7	23.11	43.8	92.3	98.71	-0.7	-0.6	0.04	43.8	0.07	100	8325	98.69	44.1
2023-04-29 04:05:00	0	0.00067	0	0	120	17.02	22.5	43.8	92.4	98.7	-0.6	-0.7	0.04	43.8	0.07	100	8323	98.69	44
2023-04-29 04:10:00	0	0.00067	0	0	123	17.78	26.57	43.8	92.8	98.71	-0.9	-0.8	0.04	43.8	0.07	100	8324	98.7	44
2023-04-29 04:15:00	0	0.00067	0	0	123	17.65	21.81	43.7	93	98.71	-0.7	-0.5	0.04	43.7	0.07	100	8323	98.71	43.9
2023-04-29 04:20:00	0	0	0	0	121	16.82	23.47	43.7	93.3	98.71	-0.4	0	0	43.8	0.06	100	8322	98.7	43.9
2023-04-29 04:25:00	0	0.00067	0	0	118	12.68	17.65	43.7	93.8	98.71	-0.8	-0.1	0.04	43.7	0.06	100	8320	98.7	43.8
2023-04-29 04:30:00	0	0.00201	0	0	116	15.12	20.65	43.6	94.2	98.7	-0.6	-1.2	0.04	43.6	0.06	100	8320	98.7	43.8
2023-04-29 04:35:00	0	0.00603	0	0	115	13.85	20.6	43.6	94.9	98.71	-1	-0.6	0.08	43.6	0.05	100	8320	98.69	43.7
2023-04-29 04:40:00	0	0.00603	0	0	119	14.14	20.45	43.4	95.5	98.7	-0.6	-0.5	0.08	43.4	0.04	100	8322	98.69	43.7
2023-04-29 04:45:00	0	0.00804	0	0	115	14.97	18.23	43.4	95.6	98.69	-0.8	-0.5	0.12	43.4	0.04	100	8320	98.68	43.6
2023-04-29 04:50:00	0	0.00938	0	0	118	17.02	22.84	43.3	96.1	98.68	-1.3	-0.4	0.161	43.3	0.04	100	8320	98.68	43.6
2023-04-29 04:55:00	0	0.00938	0	0	117	15.08	20.83	43.2	96.3	98.7	-1.1	-0.3	0.161	43.2	0.04	100	8319	98.69	43.6
2023-04-29 05:00:00	0	0.00268	0	0	124	14.29	19.3	43.2	97.1	98.69	-0.8	-0.7	0.08	43.2	0.03	100	8319	98.68	43.5
2023-04-29 05:05:00	0	0	0	0	121	13.91	17.69	43.3	97.2	98.69	-0.7	-0.4	0	43.3	0.03	100	8300	98.69	43.6
2023-04-29 05:10:00	0	0.00134	0	0	120	14.65	20.98	43.3	97.6	98.69	-1	-0.3	0.04	43.3	0.02	100	8304	98.69	43.8
2023-04-29 05:15:00	0	0.00201	0	0	115	12.73	18.28	43.4	97.4	98.69	-0.7	-0.7	0.04	43.4	0.02	100	8310	98.68	43.7
2023-04-29 05:20:00	0	0.00067	0	0	114	13.24	18.52	43.3	97.5	98.68	-0.9	-0.4	0.04	43.3	0.02	100	8309	98.66	43.6
2023-04-29 05:25:00	0	0.00067	0	0	107	15.19	18.79	43.3	97.6	98.66	-0.4	-0.4	0.04	43.3	0.02	100	8305	98.65	43.6
2023-04-29 05:30:00	0	0	0	0	110	13.73	17.69	43.4	97.7	98.65	-0.7	-0.4	0	43.4	0.02	100	8308	98.64	43.6
2023-04-29 05:35:00	0	0	0	0	111	13.15	17.54	43.4	97.8	98.66	-0.8	-0.6	0	43.4	0.02	100	8306	98.66	43.6
2023-04-29 05:40:00	0	0	0	0	114	14.18	18.68	43.4	97.7	98.68	-0.7	-0.7	0	43.3	0.02	100	8306	98.67	43.6
2023-04-29 05:45:00	0	0	0	0	116	12.15	15.84	43.3	97.8	98.68	-0.9	-0.3	0	43.3	0.02	100	8306	98.68	43.6
2023-04-29 05:50:00	0	0	0	0	114	13.8	19.51	43.4	97.4	98.67	-0.8	-0.2	0	43.4	0.02	100	8307	98.67	43.6
2023-04-29 05:55:00	0	0.00201	0	0	109	14.18	17.81	43.4	97.5	98.67	-0.8	-0.6	0.04	43.4	0.02	100	8309	98.66	43.6
2023-04-29 06:00:00	0.2	0.00067	0	0	110	14.63	18.9	43.5	97.7	98.67	-0.6	-0.5	0.04	43.5	0.02	100	8307	98.65	43.6
2023-04-29 06:05:00	1	0.00134	0	0	108	16.71	23.6	43.4	97.6	98.65	-0.6	-0.3	0.04	43.4	0.02	100	8304	98.65	43.6
2023-04-29 06:10:00	2	0	0	0	108	16.53	20.83	43.6	97.3	98.66	-0.6	-0.4	0	43.6	0.03	100	8307	98.64	43.6
2023-04-29 06:15:00	2.8	0	0	0	114	14.81	19.86	43.5	97.1	98.67	-0.7	-0.5	0	43.5	0.03	100	8304	98.66	43.6
2023-04-29 06:20:00	3	0	0	0	128	13.96	17.92	43.6	97.1	98.67	-0.7	-0.5	0	43.6	0.03	100	8305	98.67	43.7
2023-04-29 06:25:00	3.4	0	0	0	117	15.3	23.96	43.6	96.9	98.66	-0.8	-0.3	0	43.6	0.03	100	8304	98.65	43.8
2023-04-29 06:30:00	4.4	0	0	0	112	18.52	29.12	43.7	96.9	98.64	-0.5	-0.2	0	43.7	0.03	100	8305	98.64	43.8
2023-04-29 06:35:00	5.6	0	0	0	112	18.81	25.03	43.8	96.3	98.64	-1.2	-0.5	0	43.8	0.04	100	8303	98.64	43.9
2023-04-29 06:40:00	7	0	0	0	116	19.13	26.13	43.8	96.1	98.64	-0.7	-0.2	0	43.8	0.04	100	8301	98.64	44
2023-04-29 06:45:00	7.8	0	0	0	119	17.65	24.09	43.8	95.9	98.65	-1.1	-0.2	0	43.8	0.04	100	8302	98.65	44
2023-04-29 06:50:00	10	0	0	0	119	17.52	23.02	43.9	95.5	98.65	-1	-0.6	0	44	0.04	100	8302	98.66	44
2023-04-29 06:55:00	13.6	0	0	0	120	17.74	22.21	44	95.5	98.65	-0.7	-0.6	0	44.1	0.04	100	8305	98.66	44
2023-04-29 07:00:00	14.4	0	0	0	123	20.76	25.59	44	94.9	98.64	-0.9	-0.3	0	44.1	0.05	100	8302	98.66	44.1
2023-04-29 07:05:00	13.4	0	0	0	116	18.81	25.41	44.1	94.8	98.65	-0.7	-1.2	0	44.1	0.05	100	8303	98.66	44.1
2023-04-29 07:10:00	13.2	0	0	0	118	20.78	26.15	44.1	94.5	98.64	-0.8	0.6	0	44.2	0.05	100	8301	98.66	44.2
2023-04-29 07:15:00	20.6	0	0	0	125	18.57	28.63	44.2	94.2	98.65	-1.1	0.3	0	44.2	0.06	100	8301	98.65	44.2
2023-04-29 07:20:00	30.8	0	0	0	121	18.01	25.93	44.2	94	98.65	-1.2	-0.1	0	44.3	0.06	100	8301	98.66	44.3
2023-04-29 07:25:00	38	0	0	0	120	16.91	20.96	44.3	93.6	98.65	-0.7	-0.8	0	44.3	0.06	100	8301	98.66	44.3
2023-04-29 07:30:00	41.2	0	0	0	116	17.85	24.32	44.3	93.3	98.65	-0.6	-0.2	0	44.4	0.07	100	8301	98.65	44.3
2023-04-29 07:35:00	34.6	0	0	0	117	20.62	28.97	44.3	93.4	98.64	-0.8	-0.6	0	44.4	0.07	100	8298	98.65	44.4
2023-04-29 07:40:00	32.2	0	0	0	116	17.72	22.48	44.2	93.8	98.64	0	-0.4	0	44.2	0.06	100	8299	98.64	44.3
2023-04-29 07:45:00	45	0	0	0	113	19.44	27.6	44.1	93.8	98.64	-0.5	-0.3	0	44.1	0.06	100	8301	98.64	44.2
2023-04-29 07:50:00	57.6	0	0	0	116	16.71	27.63	44	94.4	98.64	0.1	-0.8	0	44.1	0.05	100	8299	98.64	44.2
2023-04-29 07:55:00	69.2	0.00067	0	0	119	19.46	28.9	43.9	94.5	98.62	-0.9	-0.3	0.04	44.1	0.05	100	8301	98.63	44.2

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-29 08:00:00	105	0	0	0	115	18.72	22.62	43.9	94.5	98.62	-1	-0.2	0	44.1	0.05	100	8301	98.62	44.2
2023-04-29 08:05:00	97.4	0.00067	0	0	115	17.76	24.49	44.1	95	98.62	-0.6	-0.8	0.04	44.3	0.05	100	8298	98.63	44.3
2023-04-29 08:10:00	67.2	0	0	0	112	18.28	28.16	44.1	94.7	98.62	-0.6	-0.4	0	44.3	0.05	100	8301	98.62	44.3
2023-04-29 08:15:00	65	0	0	0	115	17.54	22.86	44.2	94.6	98.61	-0.5	-1.3	0	44.3	0.05	100	8302	98.63	44.3
2023-04-29 08:20:00	72	0	0	0	112	17.13	24.23	44.1	95	98.62	-1	-0.2	0	44.2	0.05	100	8301	98.61	44.3
2023-04-29 08:25:00	66	0	0	0	112	17.76	25.72	44.1	95.1	98.61	-1.1	-0.2	0	44.2	0.05	100	8301	98.61	44.3
2023-04-29 08:30:00	80.6	0	0	0	113	18.37	25.72	44.1	94.9	98.6	-1	-0.8	0	44.2	0.05	100	8301	98.6	44.3
2023-04-29 08:35:00	92.6	0	0	0	115	17.87	22.57	44.2	95.5	98.6	-0.8	-0.5	0	44.4	0.04	100	8304	98.59	44.4
2023-04-29 08:40:00	76.4	0	0	0	111	18.14	26.13	44.2	95	98.59	-0.8	-0.6	0	44.4	0.05	100	8304	98.59	44.4
2023-04-29 08:45:00	95.4	0	0	0	115	18.39	23.51	44.3	95	98.58	-0.9	0.1	0	44.4	0.05	100	8302	98.58	44.5
2023-04-29 08:50:00	89.6	0	0	0	116	17.45	23.11	44.4	94.6	98.59	-1.1	-0.2	0	44.6	0.05	100	8301	98.58	44.6
2023-04-29 08:55:00	79.4	0	0	0	124	17.07	22.88	44.4	95.1	98.59	-0.3	-0.7	0	44.6	0.05	100	8301	98.6	44.6
2023-04-29 09:00:00	95.2	0	0	0	118	16.64	21.77	44.5	94.8	98.59	-1.3	0	0	44.7	0.05	100	8302	98.59	44.7
2023-04-29 09:05:00	125.2	0	0	0	122	16.73	22.44	44.5	95.3	98.58	-0.2	-1.4	0	44.7	0.05	100	8303	98.59	44.8
2023-04-29 09:10:00	133.8	0.00067	0	0	125	13.29	16.78	44.6	95.7	98.58	-1	-0.5	0.04	44.9	0.04	100	8306	98.59	44.9
2023-04-29 09:15:00	151.4	0.00067	0	0	125	16.11	22.82	44.6	95.5	98.56	-0.2	-0.7	0.04	44.9	0.04	100	8308	98.58	45
2023-04-29 09:20:00	166.2	0.00067	0	0	122	15.28	19.69	44.8	95.6	98.57	-0.3	-0.5	0.04	45.1	0.04	100	8308	98.57	45.1
2023-04-29 09:25:00	184.6	0.00067	0	0	121	17.87	26.4	44.9	95.9	98.54	-0.9	-0.1	0.04	45.2	0.04	100	8309	98.56	45.2
2023-04-29 09:30:00	185.8	0.00268	0	0	119	15.77	18.97	45	95.9	98.55	-0.6	-0.6	0.04	45.4	0.04	100	8311	98.56	45.4
2023-04-29 09:35:00	150.4	0.00134	0	0	125	15.57	20.69	45.2	96.3	98.54	-0.5	-0.7	0.04	45.5	0.04	100	8311	98.55	45.5
2023-04-29 09:40:00	168.4	0.00067	0	0	120	16.22	20.27	45.2	96.2	98.53	-1.3	-0.5	0.04	45.5	0.04	100	8311	98.54	45.6
2023-04-29 09:45:00	160	0	0	0	117	16.08	21.81	45.3	96.2	98.53	-1	-0.4	0	45.6	0.04	100	8313	98.53	45.7
2023-04-29 09:50:00	150.2	0	0	0	117	14.25	21.23	45.5	96.6	98.53	-0.7	0	0	45.8	0.03	100	8314	98.53	45.8
2023-04-29 09:55:00	174.2	0	0	0	120	16.71	22.48	45.7	95.8	98.52	-1.2	-0.2	0	46	0.04	100	8314	98.53	46
2023-04-29 10:00:00	166	0	0	0	122	16.46	24.49	45.8	95.6	98.52	-0.9	-0.6	0	46.1	0.05	100	8315	98.53	46.1
2023-04-29 10:05:00	147.8	0	0	0	121	14.7	24.36	45.9	95.6	98.53	-0.5	-0.5	0	46.2	0.05	100	8315	98.53	46.3
2023-04-29 10:10:00	112	0	0	0	125	17.16	22.62	46.1	95	98.53	-0.5	-0.5	0	46.3	0.05	100	8315	98.54	46.5
2023-04-29 10:15:00	131.2	0	0	0	123	15.66	23.15	46.3	94.8	98.53	-0.8	-0.4	0	46.6	0.06	100	8317	98.54	46.6
2023-04-29 10:20:00	151	0	0	0	123	15.73	23.13	46.5	94.7	98.52	-0.7	-0.4	0	46.8	0.06	100	8317	98.53	46.8
2023-04-29 10:25:00	182.8	0	0	0	123	14.2	18.86	46.7	94.5	98.53	-0.9	-0.4	0	47	0.06	100	8320	98.53	47.1
2023-04-29 10:30:00	159.6	0	0	0	121	14.67	19.64	47	94.5	98.53	-0.4	-0.5	0	47.3	0.06	100	8320	98.53	47.4
2023-04-29 10:35:00	138.2	0	0	0	127	16.69	20.65	47.3	94.2	98.52	-0.6	-1	0	47.7	0.06	100	8320	98.53	47.7
2023-04-29 10:40:00	161.6	0	0	0	127	15.77	22.7	47.7	93.5	98.52	-0.5	-0.4	0	48.1	0.07	100	8323	98.52	47.9
2023-04-29 10:45:00	201	0	0	0	126	16.33	21.74	47.9	93.1	98.51	-0.2	-0.9	0	48.4	0.08	100	8324	98.52	48.3
2023-04-29 10:50:00	268	0	0	0	126	17.07	20.31	48.2	92.9	98.51	-0.7	-0.4	0	48.7	0.08	100	8328	98.52	48.6
2023-04-29 10:55:00	297	0	0	0	125	15.66	18.5	48.6	92.4	98.51	-0.7	-0.3	0	49.2	0.09	100	8330	98.51	49
2023-04-29 11:00:00	255.2	0	0	0	121	16.51	20.27	49.1	91.6	98.5	-0.8	-0.3	0	49.6	0.1	100	8330	98.51	49.5
2023-04-29 11:05:00	308.2	0	0	0	118	16.8	22.08	49.4	90.9	98.5	-0.6	-0.6	0	49.9	0.11	100	8336	98.5	49.9
2023-04-29 11:10:00	285.8	0	0	0	124	15.61	21.21	49.7	90.5	98.5	-0.5	-0.5	0	50.4	0.12	100	8337	98.51	50.3
2023-04-29 11:15:00	375.2	0	0	0	122	16.46	21.39	50.2	90.1	98.5	-0.9	-0.2	0	50.8	0.12	100	8342	98.52	50.7
2023-04-29 11:20:00	413.6	0	0	0	132	16.46	19.44	50.5	89.9	98.5	-0.5	-0.7	0	51.3	0.13	100	8346	98.52	51.2
2023-04-29 11:25:00	415.6	0	0	0	139	16.53	21.52	51.2	89.2	98.51	-0.7	-0.7	0	51.9	0.14	100	8351	98.52	51.8
2023-04-29 11:30:00	308.6	0	0	0	142	16.91	22.73	51.5	88	98.52	-0.6	-0.3	0	52.2	0.16	100	8352	98.53	52.2
2023-04-29 11:35:00	220.8	0	0	0	146	17.74	23.33	51.8	87.1	98.52	-0.7	0	0	52.2	0.17	100	8351	98.52	52.4
2023-04-29 11:40:00	168.6	0	0	0	143	21.81	27.27	52	85.6	98.5	0.1	-1.3	0	52.3	0.19	100	8349	98.51	52.6
2023-04-29 11:45:00	144.2	0	0	0	144	19.75	28.36	52.1	84.4	98.51	-0.4	0	0	52.3	0.21	100	8349	98.52	52.6
2023-04-29 11:50:00	155	0	0	0	143	16.11	23.51	52.2	84.3	98.52	-0.6	-0.6	0	52.5	0.21	100	8349	98.52	52.6
2023-04-29 11:55:00	186.6	0	0	0	140	17.94	22.77	52.3	83.6	98.51	-0.4	-0.5	0	52.6	0.22	100	8351	98.51	52.8
2023-04-29 12:00:00	175.8	0	0	0	151	15.97	23.55	52.5	84.1	98.51	0.1	-1.1	0	52.8	0.21	100	8352	98.51	53
2023-04-29 12:05:00	201.4	0	0	0	145	17.65	25.12	52.7	83.9	98.5	-0.3	-0.4	0	53.1	0.22	100	8351	98.5	53.2
2023-04-29 12:10:00	271.4	0	0	0	146	19.69	30.06	52.8	83.2	98.48	0.2	-1.1	0	53.3	0.23	100	8353	98.48	53.4
2023-04-29 12:15:00	290.8	0	0	0	146	17.22	24.87	53.1	83.1	98.48	-0.8	-0.3	0	53.6	0.23	100	8355	98.48	53.7
2023-04-29 12:20:00	256.4	0	0	0	155	19.3	26.93	53.5	82.3	98.48	-0.3	-0.6	0	54	0.25	100	8356	98.48	54
2023-04-29 12:25:00	224.8	0	0	0	154	19.19	24.54	53.7	81.6	98.48	0.1	-1.3	0	54.1	0.26	100	8357	98.48	54.2
2023-04-29 12:30:00	388	0	0	0	149	20.51	28.77	53.9	80.5	98.46	-0.5	-0.5	0	54.4	0.28	100	8363	98.47	54.4
2023-04-29 12:35:00	425.8	0	0	0	149	22.53	32.91	54.4	80.3	98.44	-0.1	-0.7	0	55	0.28	100	8364	98.45	54.8
2023-04-29 12:40:00	503	0	0	0	150	20.65	26.4	55	79.3	98.42	-0.6	-0.8	0	55.7	0.31	100	8371	98.45	55.3
2023-04-29 12:45:00	489	0	0	0	148	21.68	33.82	55.7	79.2	98.43	-0.2	-0.5	0	56.3	0.31	100	8376	98.44	55.8
2023-04-29 12:50:00	529.4	0	0	0	150	21.16	30.29	55.9	77.3	98.42	0	-0.7	0	56.6	0.35	100	8379	98.44	56.1
2023-04-29 12:55:00	544.8	0	0	0	156	18.92	26.91	56.3	78.5	98.43	0	0.1	0	56.9	0.33	100	8382	98.44	56.6

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-29 13:00:00	405.8	0	0	0	141	18.68	24.56	56.5	77.1	98.44	-0.6	-0.5	0	57.1	0.36	100	8382	98.45	56.9
2023-04-29 13:05:00	200.6	0	0	0	147	16.31	23.64	56.2	77.3	98.46	-0.5	-0.5	0	56.7	0.35	100	8378	98.45	56.8
2023-04-29 13:10:00	131.8	0	0	0	150	19.33	26.31	55.8	77.6	98.46	-0.2	-0.7	0	56.1	0.34	100	8379	98.45	56.5
2023-04-29 13:15:00	212.8	0	0	0	150	18.25	27.16	55.4	77.9	98.46	-0.2	0.1	0	55.8	0.33	100	8377	98.44	56.2
2023-04-29 13:20:00	175	0	0	0	148	18.23	28.48	55.1	78.2	98.44	-0.3	-0.5	0	55.5	0.32	100	8377	98.44	56
2023-04-29 13:25:00	137.4	0	0	0	151	18.68	24.56	55	78.7	98.45	-0.9	0.3	0	55.3	0.32	100	8376	98.44	55.9
2023-04-29 13:30:00	127.2	0	0	0	149	18.1	23.17	54.8	78.7	98.43	-0.8	-0.3	0	55	0.31	100	8371	98.43	55.7
2023-04-29 13:35:00	201.6	0	0	0	147	18.12	23	54.8	79.1	98.42	-0.4	-0.9	0	55.1	0.31	100	8376	98.42	55.7
2023-04-29 13:40:00	238.4	0	0	0	145	17	21.07	54.9	79.2	98.42	-0.4	-1	0	55.3	0.31	100	8377	98.42	55.7
2023-04-29 13:45:00	277.2	0	0	0	138	17.94	24.05	55.1	78.7	98.41	-0.9	-0.5	0	55.6	0.32	100	8377	98.41	55.9
2023-04-29 13:50:00	251.4	0	0	0	146	16.78	23.06	55.4	78.8	98.41	-0.4	-0.5	0	55.8	0.32	100	8378	98.4	56.1
2023-04-29 13:55:00	200.2	0	0	0	138	17.9	23.55	55.4	78.4	98.39	-1.3	-0.4	0	55.8	0.32	100	8378	98.39	56.2
2023-04-29 14:00:00	171	0	0	0	140	15.37	24.02	55.5	78.4	98.4	-0.1	-0.9	0	55.9	0.32	100	8377	98.39	56.1
2023-04-29 14:05:00	163.4	0	0	0	133	14	18.75	55.4	79	98.41	-0.6	-0.6	0	55.8	0.31	100	8378	98.4	56.1
2023-04-29 14:10:00	180	0	0	0	124	19.55	23.38	55.4	78.2	98.39	-0.7	-0.1	0	55.8	0.33	100	8375	98.38	56.1
2023-04-29 14:15:00	178	0	0	0	132	17.72	22.95	55.5	78.4	98.38	-0.4	-0.6	0	55.8	0.32	100	8378	98.38	56
2023-04-29 14:20:00	191.6	0	0	0	137	17.47	22.15	55.4	78.7	98.37	-0.5	0.1	0	55.7	0.32	100	8376	98.37	56
2023-04-29 14:25:00	266	0	0	0	150	17.58	26.33	55.5	79.2	98.38	0	0	0	56	0.31	100	8379	98.36	56.2
2023-04-29 14:30:00	416.2	0	0	0	149	20.18	27.81	56	78.3	98.33	-0.1	0	0	56.6	0.33	100	8382	98.35	56.5
2023-04-29 14:35:00	355.8	0	0	0	150	20.38	27.94	56.4	77.8	98.34	-0.8	-0.2	0	57	0.34	100	8383	98.35	56.9
2023-04-29 14:40:00	300.4	0	0	0	152	18.37	28.23	56.6	77.6	98.34	-1	-0.1	0	57.2	0.35	100	8384	98.34	57.1
2023-04-29 14:45:00	262.6	0	0	0	149	17.36	25.05	56.7	77.5	98.35	-0.7	-0.6	0	57.2	0.35	100	8386	98.34	57.1
2023-04-29 14:50:00	276.2	0	0	0	152	16.51	23.73	56.7	77.1	98.35	-0.8	0.1	0	57.2	0.36	100	8384	98.34	57.2
2023-04-29 14:55:00	300.4	0	0	0	147	19.42	28.5	56.8	76.9	98.33	-0.4	-0.3	0	57.3	0.36	100	8387	98.32	57.3
2023-04-29 15:00:00	362.4	0	0	0	154	20.09	24.45	57	76.5	98.31	-0.2	-1	0	57.6	0.37	100	8389	98.32	57.3
2023-04-29 15:05:00	360.2	0	0	0	127	16.26	20.74	57.1	76.6	98.32	-0.9	-0.6	0	57.8	0.37	100	8390	98.33	57.6
2023-04-29 15:10:00	318.4	0	0	0	130	17	22.57	57.5	76.4	98.32	-0.4	-0.8	0	58.1	0.38	100	8391	98.32	57.9
2023-04-29 15:15:00	253.6	0	0	0	136	18.54	25.84	57.5	75.8	98.31	0.1	-0.9	0	58	0.39	100	8389	98.3	57.9
2023-04-29 15:20:00	649.6	0	0	0	123	21.79	27.13	57.8	75.3	98.26	-0.7	-1	0	58.4	0.4	100	8392	98.28	58.1
2023-04-29 15:25:00	623.8	0	0	0	118	23.42	34	58.6	74.9	98.24	0	-0.4	0	59.2	0.42	100	8390	98.26	58.7
2023-04-29 15:30:00	492.8	0	0	0	130	20.49	28.57	58.7	74.6	98.24	-0.8	-0.5	0	59.4	0.43	100	8391	98.26	58.9
2023-04-29 15:35:00	441	0	0	0	129	21.09	26.64	58.9	74.5	98.24	-0.5	-0.2	0	59.5	0.43	100	8391	98.26	59.1
2023-04-29 15:40:00	364.6	0	0	0	132	21.83	31.41	58.9	74.2	98.25	-0.7	-0.4	0	59.4	0.44	100	8394	98.26	59
2023-04-29 15:45:00	230	0	0	0	124	21.25	28.16	58.6	74.9	98.26	0.9	-0.6	0	59	0.42	100	8394	98.26	58.8
2023-04-29 15:50:00	327.8	0	0	0	132	20.94	26.87	58.1	75.8	98.25	-1.3	-0.5	0	58.6	0.4	100	8396	98.27	58.6
2023-04-29 15:55:00	525.6	0	0	0	143	19.84	29.77	58.2	76.8	98.25	-0.2	-0.8	0	58.8	0.38	100	8396	98.26	58.8
2023-04-29 16:00:00	702.6	0	0	0	139	23.15	29.86	58.7	76	98.23	0.1	-0.3	0	59.3	0.4	100	8397	98.25	59.2
2023-04-29 16:05:00	787	0	0	0	139	22.15	29.89	59.4	75.7	98.23	0	-1.2	0	60	0.42	100	8396	98.25	59.8
2023-04-29 16:10:00	617.6	0	0	0	155	21.74	31.32	59.7	75.3	98.24	-0.4	-1.1	0	60.4	0.43	100	8393	98.25	60.2
2023-04-29 16:15:00	605.2	0	0	0	139	24.67	30.78	60.1	74.1	98.22	-0.4	-0.1	0	60.6	0.46	100	8394	98.24	60.4
2023-04-29 16:20:00	541.8	0	0	0	146	24.23	30.56	60.1	73.5	98.22	0	0.2	0	60.7	0.47	100	8396	98.24	60.4
2023-04-29 16:25:00	642.2	0	0	0	146	23.09	30	60	73.7	98.21	-0.2	-0.2	0	60.6	0.46	100	8396	98.23	60.3
2023-04-29 16:30:00	514.8	0	0	0	148	21.83	26.57	60	74.3	98.22	0	-1	0	60.7	0.45	100	8398	98.23	60.4
2023-04-29 16:35:00	676.4	0	0	0	148	21.05	28.05	60.2	74	98.23	0.3	-0.8	0	60.8	0.46	100	8400	98.24	60.7
2023-04-29 16:40:00	641.8	0	0	0	140	24.87	31.54	60.4	73.1	98.22	-0.2	-1.3	0	61.1	0.48	100	8398	98.23	61.1
2023-04-29 16:45:00	519.8	0	0	0	143	22.48	34.14	60.3	72.6	98.22	-0.5	-0.7	0	60.9	0.49	100	8397	98.23	61
2023-04-29 16:50:00	440.2	0	0	0	140	22.37	34.69	59.7	74	98.22	-0.2	-0.3	0	60.2	0.45	100	8395	98.24	60.6
2023-04-29 16:55:00	588.6	0	0	0	147	21.21	27.42	59.6	74.8	98.24	-0.4	0.1	0	60.2	0.44	100	8390	98.24	60.8
2023-04-29 17:00:00	538	0	0	0	140	21.14	28.57	59.8	74.4	98.23	0.1	-1.2	0	60.4	0.45	100	8392	98.25	60.9
2023-04-29 17:05:00	477.8	0	0	0	142	19.06	24.11	59.9	74.8	98.25	-0.6	-0.8	0	60.4	0.44	100	8391	98.24	61
2023-04-29 17:10:00	450.4	0	0	0	142	21.97	28.88	59.8	74.2	98.24	-0.2	-0.8	0	60.3	0.45	100	8390	98.24	60.8
2023-04-29 17:15:00	493.8	0	0	0	144	21.77	30.71	59.8	74.6	98.23	-1.1	-0.5	0	60.4	0.45	100	8392	98.24	60.9
2023-04-29 17:20:00	576.4	0	0	0	141	23.67	29.06	59.9	74.2	98.22	0.6	-1.5	0	60.6	0.45	100	8389	98.25	61
2023-04-29 17:25:00	463.4	0	0	0	141	22.75	27.07	59.9	74.6	98.23	-0.8	-0.5	0	60.5	0.45	100	8390	98.26	61.1
2023-04-29 17:30:00	273.8	0	0	0	140	22.24	31.65	59.5	74.9	98.25	0	-1.7	0	60	0.44	100	8387	98.25	60.6
2023-04-29 17:35:00	278.8	0	0	0	145	22.55	28.14	59.1	75.3	98.25	-0.7	-0.5	0	59.6	0.42	100	8390	98.25	60
2023-04-29 17:40:00	211.4	0	0	0	147	20.15	27.56	58.6	76.2	98.27	-0.8	-0.7	0	59	0.4	100	8389	98.26	59.5
2023-04-29 17:45:00	204.8	0	0	0	152	21.63	28.63	58.2	76.8	98.25	-0.9	-0.6	0	58.6	0.38	100	8390	98.25	59.1
2023-04-29 17:50:00	168.8	0	0	0	148	23.06	31.12	58.1	76.9	98.25	-0.1	-1.1	0	58.4	0.38	100	8387	98.25	58.8
2023-04-29 17:55:00	125	0	0	0	151	22.48	27.07	57.7	77.1	98.25	-1	0	0	57.9	0.37	100	8387	98.26	58.5

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-29 18:00:00	113.6	0	0	0	148	22.21	30.29	57.5	77.8	98.27	0.7	-1	0	57.7	0.36	100	8384	98.26	58.2
2023-04-29 18:05:00	103.4	0	0	0	147	19.37	24.65	57.2	78.6	98.27	-0.4	-0.7	0	57.4	0.34	100	8380	98.27	58
2023-04-29 18:10:00	97	0	0	0	148	20.2	24.96	56.9	79.5	98.27	-0.8	0.1	0	57.1	0.32	100	8380	98.26	57.8
2023-04-29 18:15:00	101.4	0	0	0	140	21.97	30.09	56.7	79.6	98.26	-1.3	-0.6	0	56.9	0.32	100	8380	98.26	57.6
2023-04-29 18:20:00	106.6	0	0	0	145	19.75	24.63	56.7	79.8	98.27	-0.4	-0.6	0	56.8	0.32	100	8378	98.26	57.5
2023-04-29 18:25:00	108.4	0	0	0	140	19.8	29.86	56.6	80.4	98.27	-0.2	-0.5	0	56.8	0.31	100	8375	98.26	57.4
2023-04-29 18:30:00	98.8	0	0	0	143	21.16	31.52	56.4	80.3	98.26	0.5	-1	0	56.6	0.31	100	8377	98.25	57.2
2023-04-29 18:35:00	84.6	0	0	0	145	19.82	26.15	56.3	80.6	98.26	-0.8	-0.1	0	56.4	0.3	100	8375	98.25	57.1
2023-04-29 18:40:00	81.6	0	0	0	155	19.26	26.06	56.3	80.9	98.27	-0.8	-0.2	0	56.4	0.29	100	8374	98.25	56.9
2023-04-29 18:45:00	40.4	0	0	0	152	18.57	21.65	56.1	81.5	98.27	-0.6	-0.5	0	56.2	0.28	100	8372	98.26	56.8
2023-04-29 18:50:00	27	0	0	0	150	18.66	25.7	56.1	81.3	98.28	-0.2	-0.5	0	56.1	0.29	100	8371	98.26	56.6
2023-04-29 18:55:00	21.6	0	0	0	153	19.3	27.92	55.8	81.7	98.28	-0.6	-0.8	0	55.9	0.28	100	8370	98.27	56.4
2023-04-29 19:00:00	16.4	0	0	0	152	18.66	23.33	55.8	81.7	98.28	-0.9	-0.1	0	55.8	0.28	100	8368	98.27	56.3
2023-04-29 19:05:00	15.6	0	0	0	147	16.08	20.8	55.7	82.3	98.28	-0.6	-0.4	0	55.8	0.27	100	8365	98.26	56.2
2023-04-29 19:10:00	13	0	0	0	146	14.9	19.46	55.6	82.7	98.28	-0.8	-0.5	0	55.7	0.26	100	8365	98.26	56.1
2023-04-29 19:15:00	8.6	0	0	0	148	13.65	19.19	55.7	82.8	98.28	-0.4	-0.6	0	55.7	0.26	100	8365	98.26	56
2023-04-29 19:20:00	7.2	0	0	0	147	13.15	18.1	55.5	83.1	98.28	-0.3	-0.6	0	55.6	0.25	100	8362	98.26	55.9
2023-04-29 19:25:00	8	0	0	0	137	13.78	18.92	55.5	83.2	98.28	-0.4	-0.8	0	55.5	0.25	100	8363	98.26	55.8
2023-04-29 19:30:00	7.8	0	0	0	135	12.66	16.64	55.4	83.3	98.28	-0.3	-0.8	0	55.5	0.25	100	8361	98.26	55.7
2023-04-29 19:35:00	6.6	0	0	0	136	11.39	14.27	55.3	83.6	98.29	-0.3	-0.7	0	55.3	0.24	100	8360	98.26	55.6
2023-04-29 19:40:00	4.6	0	0	0	133	12.44	16.04	55.3	83.7	98.28	-0.5	-0.6	0	55.3	0.24	100	8361	98.26	55.5
2023-04-29 19:45:00	3	0	0	0	133	12.19	16.24	55.3	84.2	98.28	-0.3	-0.6	0	55.3	0.23	100	8358	98.27	55.4
2023-04-29 19:50:00	1.4	0	0	0	135	14.05	16.89	55.1	84.5	98.3	-0.6	-0.4	0	55.1	0.23	100	8354	98.28	55.3
2023-04-29 19:55:00	1	0	0	0	133	12.88	16.33	55	84.9	98.29	-0.5	-0.9	0	55.1	0.22	100	8358	98.27	55.2
2023-04-29 20:00:00	0.4	0	0	0	131	12.1	16.24	54.9	84.8	98.29	-0.3	-0.8	0	54.8	0.22	100	8354	98.27	55.1
2023-04-29 20:05:00	0	0	0	0	130	12.53	16.53	54.9	85.2	98.29	-0.3	-0.6	0	54.9	0.22	100	8352	98.28	55.1
2023-04-29 20:10:00	0	0	0	0	128	12.91	16.46	54.8	85.2	98.3	-0.4	-0.6	0	54.8	0.22	100	8352	98.28	55
2023-04-29 20:15:00	0	0	0	0	140	12.93	16.75	54.8	85.6	98.31	-0.5	-0.4	0	54.8	0.21	100	8352	98.29	54.9
2023-04-29 20:20:00	0	0	0	0	137	13.89	17.98	54.7	85.7	98.3	-0.5	-0.4	0	54.7	0.21	100	8350	98.28	54.9
2023-04-29 20:25:00	0	0	0	0	136	13.04	16.55	54.6	85.7	98.31	-0.5	-0.7	0	54.6	0.21	100	8349	98.29	54.8
2023-04-29 20:30:00	0	0	0	0	139	13.44	18.57	54.6	86.2	98.31	-0.8	-0.7	0	54.6	0.2	100	8349	98.29	54.8
2023-04-29 20:35:00	0	0	0	0	141	11.39	16.44	54.6	86.2	98.32	-0.6	-0.5	0	54.6	0.2	100	8346	98.3	54.7
2023-04-29 20:40:00	0	0	0	0	138	12.17	15.28	54.5	86.3	98.32	-0.5	-0.4	0	54.5	0.2	100	8346	98.29	54.6
2023-04-29 20:45:00	0	0	0	0	138	12.28	17.81	54.5	86.4	98.31	-0.4	-0.6	0	54.5	0.2	100	8345	98.29	54.6
2023-04-29 20:50:00	0	0	0	0	138	12.68	17.67	54.5	86.6	98.31	-0.5	-0.5	0	54.5	0.19	100	8343	98.3	54.5
2023-04-29 20:55:00	0	0	0	0	138	12.28	17.07	54.4	86.9	98.32	-0.2	-0.7	0	54.4	0.19	100	8346	98.3	54.5
2023-04-29 21:00:00	0	0	0	0	149	10.98	14.99	54.2	87.9	98.32	-0.7	-0.6	0	54.2	0.17	100	8342	98.3	54.4
2023-04-29 21:05:00	0	0.00335	0	0	147	11.03	13.47	53.9	88.7	98.32	-0.5	-0.9	0.08	53.9	0.16	100	8342	98.3	54.2
2023-04-29 21:10:00	0	0.00335	0	0	142	11.1	13.4	53.7	89.7	98.31	-0.7	-0.4	0.04	53.6	0.15	100	8339	98.29	54
2023-04-29 21:15:00	0	0.00134	0	0	141	10.98	14.18	53.4	90.5	98.31	-0.4	-0.7	0.04	53.4	0.13	100	8342	98.29	53.8
2023-04-29 21:20:00	0	0.00134	0	0	133	10.51	13.96	53.1	91.2	98.3	-0.4	-0.7	0.04	53.1	0.12	100	8340	98.28	53.6
2023-04-29 21:25:00	0	0.00067	0	0	129	11.01	15.5	53.1	91.6	98.29	-0.4	-0.6	0.04	53.1	0.12	100	8338	98.28	53.5
2023-04-29 21:30:00	0	0.00067	0	0	128	10.22	12.06	53	92.1	98.29	-0.5	-0.6	0.04	53	0.11	100	8336	98.27	53.4
2023-04-29 21:35:00	0	0	0	0	132	9.98	13.58	52.9	92.7	98.29	-0.5	-0.7	0	52.9	0.1	100	8339	98.27	53.3
2023-04-29 21:40:00	0	0	0	0	132	9.91	12.5	52.9	92.8	98.29	-0.4	-0.6	0	52.9	0.1	100	8336	98.27	53.2
2023-04-29 21:45:00	0	0.00067	0	0	134	9.62	11.68	52.8	93.1	98.3	-0.5	-0.6	0.04	52.8	0.09	100	8336	98.28	53.2
2023-04-29 21:50:00	0	0	0	0	134	9.22	11.63	52.8	93.1	98.29	-0.5	-0.6	0	52.8	0.09	100	8336	98.27	53.1
2023-04-29 21:55:00	0	0	0	0	133	8.95	10.85	52.8	93.2	98.29	-0.7	-0.5	0	52.8	0.09	100	8335	98.27	53
2023-04-29 22:00:00	0	0.00134	0	0	135	10.67	12.71	52.8	93.3	98.28	-0.4	-0.6	0.04	52.8	0.09	100	8334	98.27	53
2023-04-29 22:05:00	0	0.00201	0	0	129	10.22	14.09	52.7	93.8	98.28	-0.6	-0.5	0.04	52.7	0.08	100	8333	98.26	53
2023-04-29 22:10:00	0	0.00067	0	0	129	11.23	14.36	52.7	93.7	98.27	-0.7	-0.5	0.04	52.7	0.09	100	8333	98.25	52.9
2023-04-29 22:15:00	0	0.00067	0	0	135	11.03	15.32	52.7	94.1	98.26	-0.4	-0.5	0.04	52.7	0.08	100	8330	98.25	52.9
2023-04-29 22:20:00	0	0.00067	0	0	125	10.51	14.94	52.5	94.1	98.26	-0.6	-0.7	0.04	52.5	0.08	100	8331	98.24	52.8
2023-04-29 22:25:00	0	0.00067	0	0	125	10.47	14.41	52.6	94.2	98.26	-0.4	-0.7	0.04	52.6	0.08	100	8329	98.24	52.8
2023-04-29 22:30:00	0	0	0	0	119	10.83	13.87	52.5	94.3	98.25	-0.3	-0.6	0	52.5	0.08	100	8327	98.23	52.8
2023-04-29 22:35:00	0	0	0	0	121	10.4	13.42	52.4	94.5	98.24	-0.5	-0.8	0	52.4	0.07	100	8326	98.23	52.7
2023-04-29 22:40:00	0	0	0	0	121	10.67	13.47	52.5	94.4	98.24	-0.4	-0.7	0	52.6	0.08	100	8326	98.22	52.7
2023-04-29 22:45:00	0	0.00067	0	0	124	9.93	14.12	52.4	94.7	98.24	-0.6	-0.6	0.04	52.5	0.07	100	8328	98.22	52.6
2023-04-29 22:50:00	0	0.00067	0	0	122	10	14.16	52.4	94.5	98.23	-0.5	-0.6	0.04	52.4	0.07	100	8325	98.21	52.6
2023-04-29 22:55:00	0	0	0	0	124	9.82	12.59	52.4	94.7	98.23	-0.5	-0.7	0	52.4	0.07	100	8325	98.21	52.6

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-29 23:00:00	0	0.00067	0	0	120	9.82	14.07	52.3	94.9	98.22	-0.6	-0.5	0.04	52.4	0.07	100	8326	98.21	52.5
2023-04-29 23:05:00	0	0	0	0	119	9.8	14.09	52.3	94.6	98.22	-0.6	-0.6	0	52.3	0.07	100	8323	98.2	52.5
2023-04-29 23:10:00	0	0.00067	0	0	121	9.62	12.59	52.4	94.8	98.21	-0.5	-0.5	0.04	52.4	0.07	100	8323	98.2	52.5
2023-04-29 23:15:00	0	0	0	0	129	10.45	13.04	52.3	94.8	98.21	-0.7	-0.3	0	52.4	0.07	100	8324	98.2	52.4
2023-04-29 23:20:00	0	0	0	0	125	11.01	14.14	52.3	94.8	98.22	-0.6	-0.5	0	52.3	0.07	100	8320	98.2	52.5
2023-04-29 23:25:00	0	0	0	0	129	10.6	14.81	52.4	94.6	98.21	-0.6	-0.2	0	52.4	0.07	100	8321	98.2	52.5
2023-04-29 23:30:00	0	0	0	0	130	12.39	15.68	52.3	94.5	98.2	-0.5	-0.6	0	52.3	0.07	100	8321	98.19	52.5
2023-04-29 23:35:00	0	0	0	0	136	11.39	15.43	52.5	94	98.2	-0.6	-0.6	0	52.5	0.08	100	8320	98.19	52.5
2023-04-29 23:40:00	0	0	0	0	134	10.89	14.38	52.5	93.5	98.2	-0.4	-0.6	0	52.5	0.09	100	8317	98.18	52.6
2023-04-29 23:45:00	0	0	0	0	134	11.03	15.32	52.5	94	98.2	-0.5	-0.6	0	52.5	0.08	100	8315	98.18	52.6
2023-04-29 23:50:00	0	0	0	0	124	10.92	15.57	52.5	93.5	98.19	-0.5	-0.6	0	52.5	0.09	100	8316	98.17	52.6
2023-04-29 23:55:00	0	0	0	0	130	10.83	13.96	52.6	93.6	98.19	-0.6	-0.7	0	52.6	0.09	100	8317	98.17	52.6
2023-04-30 00:00:00	0	0	0	0	127	11.54	14.85	52.5	93.8	98.18	-0.4	-0.3	0	52.5	0.08	100	8314	98.17	52.6
2023-04-30 00:05:00	0	0	0	0	128	11.63	15.23	52.5	93.5	98.17	-0.5	-0.3	0	52.6	0.09	100	8292	98.15	52.8
2023-04-30 00:10:00	0	0	0	0	120	13.09	16.98	52.6	93.3	98.15	-0.7	-0.4	0	52.6	0.09	100	8282	98.14	53.1
2023-04-30 00:15:00	0	0	0	0	120	11.74	16.51	52.5	93.1	98.15	-0.4	-0.5	0	52.6	0.09	100	8278	98.13	53.2
2023-04-30 00:20:00	0	0	0	0	122	10.36	15.37	52.6	93.1	98.15	-0.5	-0.6	0	52.6	0.09	100	8292	98.13	53.2
2023-04-30 00:25:00	0	0	0	0	120	11.21	14.07	52.6	93	98.15	-0.3	-0.5	0	52.6	0.09	100	8293	98.13	53
2023-04-30 00:30:00	0	0	0	0	120	10.33	12.59	52.7	92.7	98.14	-0.6	-0.4	0	52.7	0.1	100	8295	98.13	52.9
2023-04-30 00:35:00	0	0	0	0	125	9.91	11.99	52.5	92.8	98.14	-0.5	-0.6	0	52.5	0.1	100	8294	98.12	52.8
2023-04-30 00:40:00	0	0	0	0	131	10.04	12.73	52.6	92.8	98.13	-0.5	-0.6	0	52.6	0.1	100	8294	98.12	52.8
2023-04-30 00:45:00	0	0	0	0	130	9.93	11.59	52.4	92.7	98.12	-0.8	-0.5	0	52.4	0.1	100	8295	98.11	52.7
2023-04-30 00:50:00	0	0	0	0	129	10.16	13.65	52.5	92.6	98.12	-0.5	-0.5	0	52.5	0.1	100	8293	98.11	52.7
2023-04-30 00:55:00	0	0	0	0	135	9.69	11.77	52.5	92.3	98.12	-0.6	-0.4	0	52.5	0.1	100	8294	98.1	52.6
2023-04-30 01:00:00	0	0	0	0	134	10.96	15.17	52.6	92.1	98.11	-0.7	-0.5	0	52.6	0.11	100	8295	98.09	52.6
2023-04-30 01:05:00	0	0	0	0	139	9.95	12.21	52.6	91.9	98.11	-0.7	-0.5	0	52.5	0.11	100	8292	98.09	52.6
2023-04-30 01:10:00	0	0	0	0	138	9.37	11.79	52.5	91.9	98.1	-0.6	-0.4	0	52.5	0.11	100	8293	98.09	52.6
2023-04-30 01:15:00	0	0	0	0	138	9.51	11.77	52.6	91.5	98.1	-0.4	-0.6	0	52.5	0.11	100	8292	98.08	52.6
2023-04-30 01:20:00	0	0	0	0	136	9.64	12.24	52.6	91.3	98.09	-0.7	-0.4	0	52.5	0.12	100	8290	98.07	52.6
2023-04-30 01:25:00	0	0	0	0	135	9.22	11.97	52.5	91.6	98.08	-0.5	-0.6	0	52.5	0.11	100	8290	98.06	52.6
2023-04-30 01:30:00	0	0	0	0	133	9.44	11.86	52.6	91.8	98.08	-0.6	-0.5	0	52.6	0.11	100	8289	98.06	52.5
2023-04-30 01:35:00	0	0	0	0	126	9.75	12.59	52.5	91.3	98.07	-0.7	-0.5	0	52.5	0.12	100	8288	98.05	52.5
2023-04-30 01:40:00	0	0	0	0	128	9.42	13.18	52.5	91.4	98.07	-0.6	-0.6	0	52.4	0.12	100	8286	98.05	52.5
2023-04-30 01:45:00	0	0	0	0	121	11.43	13.96	52.4	91.3	98.06	-0.4	-0.6	0	52.4	0.12	100	8289	98.04	52.5
2023-04-30 01:50:00	0	0	0	0	120	11.45	16.78	52.5	91.1	98.05	-0.4	-0.6	0	52.5	0.12	100	8286	98.04	52.4
2023-04-30 01:55:00	0	0	0	0	127	11.23	14.54	52.5	91	98.05	-0.6	-0.7	0	52.4	0.12	100	8288	98.03	52.4
2023-04-30 02:00:00	0	0	0	0	125	11.63	14.32	52.4	91.1	98.04	-0.7	-0.4	0	52.4	0.12	100	8288	98.03	52.2
2023-04-30 02:05:00	0	0	0	0	130	11.36	14.83	52.3	91.1	98.04	-0.5	-0.4	0	52.3	0.12	100	8288	98.02	52.1
2023-04-30 02:10:00	0	0	0	0	129	12.19	14.45	52.2	91.5	98.03	-0.6	-0.6	0	52.2	0.11	100	8286	98.02	51.9
2023-04-30 02:15:00	0	0	0	0	131	11.39	14.03	52	91.6	98.03	-0.4	-0.7	0	52	0.11	100	8286	98.01	51.8
2023-04-30 02:20:00	0	0	0	0	130	12.08	16.17	51.9	91.9	98.01	-0.8	-0.2	0	51.9	0.11	100	8286	98	51.6
2023-04-30 02:25:00	0	0	0	0	130	12.3	16.13	51.9	92	98.01	-0.7	-0.5	0	51.8	0.11	100	8286	98	51.5
2023-04-30 02:30:00	0	0	0	0	129	10.27	13.38	51.7	92.3	98.01	-0.5	-0.6	0	51.7	0.1	100	8285	97.99	51.4
2023-04-30 02:35:00	0	0	0	0	125	10.33	13.53	51.5	92.8	98.01	-0.6	-0.4	0	51.5	0.09	100	8283	97.99	51.2
2023-04-30 02:40:00	0	0	0	0	128	10.13	15.23	51.5	93.1	98.01	-0.5	-0.5	0	51.5	0.09	100	8282	97.99	51.1
2023-04-30 02:45:00	0	0	0	0	126	11.54	14.23	51.4	93.4	98	-0.7	-0.4	0	51.4	0.08	100	8282	97.99	51
2023-04-30 02:50:00	0	0	0	0	130	10.42	12.62	51.4	93.7	98	-0.4	-0.7	0	51.4	0.08	100	8282	97.98	50.9
2023-04-30 02:55:00	0	0	0	0	131	11.16	15.57	51.3	94.1	98	-0.5	-0.6	0	51.3	0.08	100	8281	97.99	50.9
2023-04-30 03:00:00	0	0	0	0	124	10.94	14.09	51.3	94.1	97.99	-0.7	-0.5	0	51.2	0.08	100	8282	97.98	50.8
2023-04-30 03:05:00	0	0	0	0	125	10.38	13.51	51.1	94.6	97.99	-0.5	-0.6	0	51.1	0.07	100	8280	97.97	50.7
2023-04-30 03:10:00	0	0	0	0	124	12.03	16.96	51.1	94.6	97.98	-0.3	-0.4	0	51.1	0.07	100	8280	97.97	50.6
2023-04-30 03:15:00	0	0	0	0	121	11.81	16.2	51	94.5	97.97	-0.7	-0.4	0	51	0.07	100	8279	97.96	50.6
2023-04-30 03:20:00	0	0	0	0	124	10.83	15.84	51.1	94.6	97.98	-0.6	-0.6	0	51	0.07	100	8277	97.96	50.5
2023-04-30 03:25:00	0	0	0	0	125	11.01	14.81	50.9	94.6	97.97	-0.5	-0.5	0	50.9	0.07	100	8279	97.95	50.4
2023-04-30 03:30:00	0	0	0	0	130	11.92	17.38	50.9	94.7	97.97	-0.5	-0.3	0	50.9	0.07	100	8276	97.95	50.4
2023-04-30 03:35:00	0	0	0	0	124	10.58	12.88	50.9	94.6	97.96	-0.6	-0.5	0	50.9	0.07	100	8276	97.94	50.4
2023-04-30 03:40:00	0	0	0	0	133	9.69	12.37	50.9	94.7	97.96	-0.7	-0.5	0	50.9	0.07	100	8276	97.94	50.3
2023-04-30 03:45:00	0	0	0	0	130	9.78	13.2	50.8	94.6	97.95	-0.6	-0.4	0	50.8	0.07	100	8276	97.93	50.2
2023-04-30 03:50:00	0	0	0	0	132	11.95	15.26	50.8	94.6	97.94	-0.3	-0.4	0	50.8	0.07	100	8276	97.93	50.2
2023-04-30 03:55:00	0	0	0	0	130	10.98	14.9	50.8	94.5	97.94	-0.6	-0.6	0	50.8	0.07	100	8276	97.92	50.2

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-30 04:00:00	0	0	0	0	127	10.47	12.44	50.8	94.4	97.93	-0.7	-0.5	0	50.8	0.07	100	8274	97.91	50.1
2023-04-30 04:05:00	0	0	0	0	132	11.1	14.7	50.7	94.4	97.93	-0.5	-0.7	0	50.7	0.07	100	8274	97.91	50.1
2023-04-30 04:10:00	0	0	0	0	126	11.59	14.2	50.8	94.4	97.91	-0.6	-0.6	0	50.8	0.07	100	8273	97.9	50.1
2023-04-30 04:15:00	0	0	0	0	125	11.14	15.37	50.7	94.3	97.92	-0.6	-0.4	0	50.7	0.07	100	8274	97.91	50.1
2023-04-30 04:20:00	0	0	0	0	120	10.67	14.07	50.8	94.1	97.92	-0.8	-0.5	0	50.8	0.07	100	8272	97.9	50.1
2023-04-30 04:25:00	0	0	0	0	110	10.33	12.5	50.7	94.1	97.93	-0.5	-0.4	0	50.7	0.07	100	8274	97.9	50
2023-04-30 04:30:00	0	0	0	0	106	10.51	13.56	50.6	94	97.93	-0.5	-0.4	0	50.6	0.08	100	8273	97.9	49.9
2023-04-30 04:35:00	0	0	0	0	106	10.54	13.65	50.5	93.9	97.93	-0.8	-0.5	0	50.5	0.08	100	8270	97.9	49.9
2023-04-30 04:40:00	0	0	0	0	105	10.87	13.06	50.4	94.1	97.91	-0.8	-0.6	0	50.4	0.07	100	8270	97.89	49.8
2023-04-30 04:45:00	0	0	0	0	109	11.05	14	50.3	94.2	97.89	-0.6	-0.6	0	50.3	0.07	100	8270	97.87	49.7
2023-04-30 04:50:00	0	0	0	0	112	9.69	13.65	50.3	94.3	97.89	-0.6	-0.5	0	50.3	0.07	100	8271	97.86	49.6
2023-04-30 04:55:00	0	0	0	0	115	9.01	13.4	50.2	94.2	97.88	-0.8	-0.6	0	50.1	0.07	100	8270	97.86	49.6
2023-04-30 05:00:00	0	0	0	0	109	8.57	11.92	50.1	94.4	97.87	-0.7	-0.5	0	50	0.07	100	8270	97.85	49.5
2023-04-30 05:05:00	0	0	0	0	105	8.59	13.13	50	94.5	97.86	-0.6	-0.5	0	50	0.07	100	8269	97.84	49.4
2023-04-30 05:10:00	0	0	0	0	107	9.24	11.63	49.8	94.8	97.86	-0.7	-0.4	0	49.8	0.06	100	8268	97.84	49.2
2023-04-30 05:15:00	0	0	0	0	111	8.99	11.34	49.8	95	97.85	-0.6	-0.4	0	49.8	0.06	100	8267	97.83	49.2
2023-04-30 05:20:00	0	0	0	0	110	10.25	14.2	49.8	95	97.84	-0.5	-0.4	0	49.8	0.06	100	8266	97.82	49.3
2023-04-30 05:25:00	0	0	0	0	109	9.19	12.08	49.9	94.9	97.84	-0.6	-0.4	0	49.9	0.06	100	8267	97.82	49.3
2023-04-30 05:30:00	0	0	0	0	112	11.83	18.79	49.9	94.7	97.83	-0.6	-0.7	0	49.9	0.06	100	8267	97.81	49.4
2023-04-30 05:35:00	0	0	0	0	114	14.41	17.94	50	94.5	97.83	-0.5	-0.4	0	50	0.07	100	8267	97.82	49.6
2023-04-30 05:40:00	0	0	0	0	114	16.31	20.74	50.2	94.3	97.83	-1.1	-0.2	0	50.2	0.07	100	8266	97.82	49.7
2023-04-30 05:45:00	0	0	0	0	112	15.95	21.65	50.3	94.1	97.82	-0.6	-0.4	0	50.3	0.07	100	8266	97.81	49.9
2023-04-30 05:50:00	0	0	0	0	110	12.73	18.3	50.4	93.8	97.83	-0.4	-0.7	0	50.4	0.08	100	8266	97.82	50
2023-04-30 05:55:00	0.4	0	0	0	111	11.03	16.06	50.5	93.4	97.83	-0.5	-0.7	0	50.5	0.08	100	8265	97.81	50
2023-04-30 06:00:00	1.4	0	0	0	114	12.53	16.04	50.4	93.5	97.83	-0.8	-0.3	0	50.4	0.08	100	8265	97.82	50
2023-04-30 06:05:00	3.2	0	0	0	114	11.79	16.53	50.5	93.5	97.83	-0.3	-0.6	0	50.5	0.08	100	8263	97.81	50
2023-04-30 06:10:00	5.4	0	0	0	110	13.29	18.23	50.5	93.4	97.82	-0.4	-0.9	0	50.5	0.08	100	8265	97.8	50
2023-04-30 06:15:00	7.6	0	0	0	115	14.23	21.77	50.4	93.8	97.82	-0.7	-0.5	0	50.5	0.08	100	8267	97.81	50.1
2023-04-30 06:20:00	10.4	0	0	0	114	13.98	18.79	50.5	93.4	97.81	-0.6	-0.3	0	50.5	0.08	100	8263	97.8	50.1
2023-04-30 06:25:00	10.6	0	0	0	110	12.28	17.58	50.6	93.5	97.8	-0.4	-0.4	0	50.6	0.08	100	8262	97.78	50.2
2023-04-30 06:30:00	14.4	0	0	0	109	12.88	19.46	50.5	93.5	97.79	-0.6	-0.6	0	50.5	0.08	100	8263	97.77	50.2
2023-04-30 06:35:00	16.4	0	0	0	108	11.99	15.43	50.5	93.4	97.78	-0.8	-0.3	0	50.6	0.08	100	8262	97.77	50.2
2023-04-30 06:40:00	20	0	0	0	107	13.98	19.95	50.5	93.4	97.77	-0.7	-0.7	0	50.5	0.08	100	8262	97.76	50.2
2023-04-30 06:45:00	21.4	0	0	0	111	12.33	17.9	50.6	93.5	97.78	-0.6	-0.4	0	50.6	0.08	100	8262	97.76	50.3
2023-04-30 06:50:00	21.2	0	0	0	115	11.59	16.35	50.6	93.2	97.79	-0.5	-0.6	0	50.6	0.09	100	8261	97.77	50.3
2023-04-30 06:55:00	25	0	0	0	115	11.77	14.52	50.8	93.3	97.78	-0.7	-0.3	0	50.8	0.08	100	8259	97.77	50.4
2023-04-30 07:00:00	30.2	0	0	0	119	11.83	18.01	50.8	92.9	97.77	-0.4	-0.7	0	50.8	0.09	100	8259	97.76	50.5
2023-04-30 07:05:00	30.6	0	0	0	115	11.9	18.45	50.9	92.8	97.78	-0.5	-0.5	0	50.9	0.09	100	8262	97.77	50.6
2023-04-30 07:10:00	33.2	0	0	0	120	12.73	17.49	50.9	92.7	97.78	-0.6	-0.3	0	51	0.09	100	8260	97.77	50.7
2023-04-30 07:15:00	35	0	0	0	110	13.51	18.16	51	92.3	97.78	-0.6	-0.6	0	51.2	0.1	100	8260	97.76	50.8
2023-04-30 07:20:00	38	0	0	0	109	15.9	21.09	51.2	92.3	97.76	-0.4	-0.5	0	51.2	0.1	100	8259	97.75	50.9
2023-04-30 07:25:00	39.8	0	0	0	112	15.55	20.62	51.2	92	97.75	-0.2	-0.6	0	51.2	0.1	100	8259	97.75	51
2023-04-30 07:30:00	44.8	0	0	0	110	14.94	20.04	51.2	92.3	97.75	-0.4	-0.4	0	51.3	0.1	100	8259	97.74	51
2023-04-30 07:35:00	60.2	0	0	0	111	15.41	19.51	51	92.6	97.75	-0.7	-0.3	0	51.2	0.09	100	8259	97.75	51
2023-04-30 07:40:00	67	0	0	0	109	13.67	17.02	51	92.6	97.75	-0.5	-0.3	0	51	0.09	100	8259	97.74	51
2023-04-30 07:45:00	67	0	0	0	107	14.61	20.24	51	93.4	97.75	-0.3	-0.5	0	51.1	0.08	100	8259	97.73	51
2023-04-30 07:50:00	63.2	0	0	0	104	12.91	19.69	50.9	93.8	97.74	-0.6	-0.8	0	50.9	0.08	100	8258	97.72	51
2023-04-30 07:55:00	65.4	0	0	0	103	13.8	18.12	50.9	93.9	97.74	-0.4	-0.4	0	50.9	0.08	100	8257	97.72	51
2023-04-30 08:00:00	66.4	0	0	0	103	10.87	13.96	50.7	94.7	97.73	-0.7	-0.6	0	50.9	0.07	100	8257	97.72	50.9
2023-04-30 08:05:00	63.6	0.00335	0	0	109	11.79	15.35	50.6	95.1	97.72	-0.7	-0.5	0.04	50.8	0.06	100	8258	97.71	50.9
2023-04-30 08:10:00	53.4	0.00603	0	0	110	11.7	15.79	50.5	95.7	97.72	-0.5	-0.7	0.08	50.7	0.05	100	8258	97.7	50.8
2023-04-30 08:15:00	43.8	0.00737	0	0	109	10.09	15.19	50.5	96.1	97.71	-0.4	-0.6	0.12	50.6	0.05	100	8256	97.69	50.8
2023-04-30 08:20:00	50.4	0.00603	0	0	114	11.27	15.32	50.4	96.6	97.7	-0.5	-0.5	0.08	50.5	0.04	100	8254	97.68	50.8
2023-04-30 08:25:00	58	0.00402	0	0	113	11.9	15.88	50.3	97.1	97.68	-0.6	-0.5	0.08	50.4	0.04	100	8254	97.67	50.8
2023-04-30 08:30:00	72	0.00335	0	0	113	11.48	16.98	50.4	97.6	97.67	-0.7	-0.8	0.04	50.6	0.03	100	8256	97.66	50.8
2023-04-30 08:35:00	90.6	0.00268	0	0	118	12.48	17.58	50.5	97.9	97.66	-0.6	-0.4	0.04	50.6	0.03	100	8254	97.65	50.9
2023-04-30 08:40:00	108.2	0.00201	0	0	122	12.62	16.69	50.5	98.2	97.65	-0.6	-0.5	0.04	50.8	0.02	100	8257	97.65	51
2023-04-30 08:45:00	124	0.00067	0	0	120	11.43	16.62	50.8	98.1	97.65	-0.4	-0.6	0.04	51.1	0.02	100	8258	97.65	51.2
2023-04-30 08:50:00	118.2	0.00067	0	0	126	11.27	16.42	51	98.4	97.64	-0.7	-0.3	0.04	51.3	0.02	100	8258	97.64	51.4
2023-04-30 08:55:00	122.8	0.00067	0	0	126	11.3	16.78	51	98.5	97.64	-0.5	-0.8	0.04	51.4	0.02	100	8263	97.64	51.5

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-30 09:00:00	133.6	0.00067	0	0	133	11.03	15.17	51.1	98.5	97.64	-0.5	-0.5	0.04	51.4	0.02	100	8261	97.63	51.6
2023-04-30 09:05:00	123.6	0.00134	0	0	121	12.41	16.31	51.3	98.2	97.63	-0.4	-0.6	0.04	51.6	0.02	100	8260	97.63	51.7
2023-04-30 09:10:00	102	0.00268	0	0	115	12.86	17.31	51.4	97.9	97.62	-0.3	-0.4	0.04	51.7	0.03	100	8260	97.62	51.8
2023-04-30 09:15:00	90	0.00268	0	0	114	12.86	16.69	51.3	97.7	97.62	-0.7	-0.5	0.04	51.5	0.03	100	8261	97.62	51.8
2023-04-30 09:20:00	80.2	0.00469	0	0	110	11.07	16.91	51.3	97.9	97.62	-0.5	-0.4	0.08	51.5	0.03	100	8260	97.61	51.8
2023-04-30 09:25:00	77.2	0.00335	0	0	115	12.44	17.6	51.3	98	97.61	-0.7	-0.4	0.04	51.5	0.03	100	8260	97.6	51.7
2023-04-30 09:30:00	83	0.00402	0	0	111	12.17	15.99	51.3	97.8	97.59	-0.4	-0.6	0.08	51.4	0.03	100	8260	97.58	51.7
2023-04-30 09:35:00	100.6	0.00335	0	0	113	12.64	17.07	51.3	98.2	97.58	-0.4	-0.7	0.04	51.5	0.02	100	8260	97.58	51.7
2023-04-30 09:40:00	116.8	0.00134	0	0	117	12.19	15.55	51.2	98.5	97.59	-0.7	-0.5	0.04	51.4	0.02	100	8262	97.58	51.8
2023-04-30 09:45:00	135.6	0.00201	0	0	114	12.84	16.91	51.3	98.5	97.59	-0.1	-0.3	0.04	51.5	0.02	100	8263	97.58	51.8
2023-04-30 09:50:00	160.8	0.00201	0	0	122	11.32	15.64	51.4	98.7	97.58	-0.5	-0.5	0.04	51.8	0.02	100	8262	97.58	51.9
2023-04-30 09:55:00	168	0.00134	0	0	118	11.72	17.2	51.4	98.7	97.57	-0.8	-0.3	0.04	51.8	0.02	100	8263	97.56	52.1
2023-04-30 10:00:00	139.6	0.00134	0	0	112	12.57	16.64	51.6	98.5	97.57	-0.4	-0.6	0.04	51.9	0.02	100	8263	97.55	52.2
2023-04-30 10:05:00	123.8	0.00067	0	0	114	13.58	20.69	51.7	98.4	97.56	-0.4	-0.7	0.04	51.9	0.02	100	8263	97.55	52.3
2023-04-30 10:10:00	118	0.00134	0	0	113	14	20.65	51.7	98.3	97.55	-0.5	-0.6	0.04	52	0.02	100	8264	97.54	52.3
2023-04-30 10:15:00	108	0.00067	0	0	111	12.12	15.88	51.8	98.3	97.54	-0.3	-0.8	0.04	52.1	0.02	100	8265	97.53	52.4
2023-04-30 10:20:00	83.2	0.00067	0	0	111	12.15	19.33	51.8	98.2	97.54	-0.4	-0.5	0.04	52	0.02	100	8263	97.53	52.4
2023-04-30 10:25:00	88.8	0.00134	0	0	115	10.54	14.7	51.8	98.3	97.54	-0.5	-0.5	0.04	52	0.02	100	8263	97.53	52.4
2023-04-30 10:30:00	83.8	0.00536	0	0	116	11.12	13.8	51.9	98.4	97.54	-0.5	-0.6	0.08	52.1	0.02	100	8264	97.53	52.4
2023-04-30 10:35:00	106.2	0.00402	0	0	116	11.88	14.67	52	98.4	97.52	-0.3	-0.5	0.08	52.2	0.02	100	8264	97.52	52.5
2023-04-30 10:40:00	124.4	0.00335	0	0	116	12.3	18.72	52	98.9	97.53	-0.6	-0.6	0.04	52.3	0.01	100	8265	97.52	52.6
2023-04-30 10:45:00	121	0.00268	0	0	113	12.46	17.22	52.2	98.6	97.51	-0.2	-0.8	0.04	52.4	0.02	100	8263	97.51	52.6
2023-04-30 10:50:00	119.2	0.00268	0	0	111	13	16.37	52.2	98.6	97.51	-0.4	-0.6	0.04	52.5	0.02	100	8266	97.5	52.7
2023-04-30 10:55:00	123.6	0.00268	0	0	112	12.68	18.57	52.2	98.4	97.5	-0.5	-0.8	0.04	52.5	0.02	100	8267	97.49	52.8
2023-04-30 11:00:00	118.4	0.00402	0	0	111	13.73	18.41	52.3	98.6	97.48	-0.4	-0.9	0.08	52.6	0.02	100	8267	97.47	52.8
2023-04-30 11:05:00	117	0.00201	0	0	108	12.71	15.99	52.4	98.8	97.47	-0.6	-0.3	0.04	52.7	0.02	100	8265	97.46	52.9
2023-04-30 11:10:00	114.6	0.00201	0	0	107	13.38	17.92	52.4	98.5	97.46	-0.6	-0.8	0.04	52.7	0.02	100	8265	97.45	53
2023-04-30 11:15:00	113.2	0.00134	0	0	104	12.8	17.27	52.6	99.1	97.45	-0.6	-0.6	0.04	52.8	0.01	100	8266	97.44	53.1
2023-04-30 11:20:00	121	0.00335	0	0	110	12.75	16.26	52.7	98.9	97.45	-0.5	-0.5	0.08	53	0.01	100	8267	97.43	53.2
2023-04-30 11:25:00	133	0.00402	0	0	108	11.65	15.86	52.8	99	97.44	-0.7	-0.3	0.08	53.2	0.01	100	8269	97.43	53.3
2023-04-30 11:30:00	152.6	0.00268	0	0	109	11.63	15.73	52.9	98.9	97.43	-0.5	-0.6	0.04	53.2	0.02	100	8269	97.42	53.4
2023-04-30 11:35:00	150.8	0.00268	0	0	114	12.19	20.02	53	99.1	97.43	-0.6	-0.5	0.04	53.3	0.01	100	8269	97.42	53.6
2023-04-30 11:40:00	173.8	0.00201	0	0	111	12.86	19.48	53.2	98.9	97.42	-0.6	-0.5	0.04	53.5	0.02	100	8268	97.41	53.7
2023-04-30 11:45:00	152.8	0.00067	0	0	112	14.92	21.52	53.3	98.5	97.41	-0.5	-0.5	0.04	53.6	0.02	100	8272	97.4	53.8
2023-04-30 11:50:00	132.2	0	0	0	114	13.51	17.87	53.2	98.6	97.4	-0.5	-1	0	53.5	0.02	100	8270	97.4	53.9
2023-04-30 11:55:00	123.2	0	0	0	116	14.45	18.66	53.3	98.2	97.39	-0.4	-0.8	0	53.6	0.03	100	8269	97.39	53.9
2023-04-30 12:00:00	115.4	0.00067	0	0	113	13.53	17.54	53.2	97.7	97.39	-0.3	-0.2	0.04	53.5	0.03	100	8271	97.38	53.9
2023-04-30 12:05:00	120.8	0.00134	0	0	110	14.58	18.97	53.3	98.1	97.37	-0.7	-0.4	0.04	53.6	0.03	100	8270	97.36	53.9
2023-04-30 12:10:00	98.8	0.00134	0	0	112	13.44	16.04	53.2	98	97.37	-0.6	-0.5	0.04	53.5	0.03	100	8270	97.36	53.9
2023-04-30 12:15:00	82	0.00268	0	0	113	14.12	17.49	53.3	97.9	97.35	-0.4	0.1	0.04	53.5	0.03	100	8271	97.35	53.9
2023-04-30 12:20:00	92.2	0.00402	0	0	111	15.99	21.72	53.3	97.9	97.35	-0.4	-0.8	0.08	53.5	0.03	100	8268	97.35	53.9
2023-04-30 12:25:00	95.2	0.00603	0	0	111	15.26	20	53.2	98.6	97.35	-0.4	-0.2	0.08	53.5	0.02	100	8270	97.34	53.9
2023-04-30 12:30:00	92	0.00335	0	0	109	17	25.93	53.2	98.5	97.34	-0.3	-0.6	0.04	53.4	0.02	100	8268	97.33	53.9
2023-04-30 12:35:00	82.6	0.00201	0	0	110	15.97	19.8	53.2	98.8	97.34	-0.4	-0.7	0.04	53.5	0.02	100	8268	97.33	53.9
2023-04-30 12:40:00	77.6	0.00134	0	0	113	16.02	20.89	53.3	98.5	97.33	-0.4	-0.3	0.04	53.5	0.02	100	8270	97.32	54
2023-04-30 12:45:00	80.4	0.00268	0	0	115	15.93	20.6	53.4	98.4	97.33	-0.2	-0.2	0.08	53.6	0.02	100	8267	97.33	54
2023-04-30 12:50:00	86.8	0.00469	0	0	116	17.49	23.35	53.5	98.4	97.31	-0.5	-0.3	0.08	53.7	0.02	100	8270	97.32	54.1
2023-04-30 12:55:00	91.2	0.00402	0	0	120	15.77	22.24	53.5	98.4	97.3	-0.9	0	0.08	53.6	0.02	100	8267	97.32	54.1
2023-04-30 13:00:00	84.2	0.00335	0	0	116	13.85	20.15	53.6	98.5	97.3	-0.6	-0.4	0.08	53.8	0.02	100	8268	97.31	54.2
2023-04-30 13:05:00	88	0.00335	0	0	118	15.37	19.82	53.6	98.7	97.29	0	-0.7	0.08	53.8	0.02	100	8266	97.3	54.2
2023-04-30 13:10:00	96.4	0.00335	0	0	121	15.3	21.3	53.7	98.5	97.29	-0.6	-0.6	0.08	53.9	0.02	100	8267	97.29	54.3
2023-04-30 13:15:00	87	0.0067	0	0	121	15.23	20.47	53.7	98.9	97.29	-0.4	-0.1	0.12	53.9	0.01	100	8268	97.29	54.3
2023-04-30 13:20:00	75.2	0.00871	0	0	124	15.26	19.91	53.8	99	97.28	-0.6	-0.7	0.12	54	0.01	100	8267	97.29	54.4
2023-04-30 13:25:00	69.4	0.00871	0	0	117	15.84	21.07	53.9	99.3	97.26	0.2	-0.6	0.12	54	0.01	100	8267	97.28	54.4
2023-04-30 13:30:00	66.8	0.00469	0	0	118	15.82	20.11	53.8	99.2	97.27	-0.3	-0.1	0.08	54	0.01	100	8267	97.27	54.4
2023-04-30 13:35:00	70.6	0.00335	0	0	121	14.97	20.71	53.9	99.1	97.27	-0.8	-0.6	0.04	54	0.01	100	8266	97.27	54.4
2023-04-30 13:40:00	77	0.00335	0	0	120	16.64	23.24	53.8	99.2	97.26	0.1	-0.2	0.08	54	0.01	100	8267	97.26	54.4
2023-04-30 13:45:00	86.6	0.00536	0	0	120	18.19	24.61	53.9	99.3	97.24	-0.8	0.2	0.08	54	0.01	100	8267	97.25	54.4
2023-04-30 13:50:00	93.6	0.00402	0	0	125	16.02	19.6	54	99.3	97.24	-0.5	-0.5	0.08	54.1	0.01	100	8267	97.25	54.5
2023-04-30 13:55:00	95.2	0.00201	0	0	122	18.28	20.36	54.1	98.9	97.24	-1.1	-0.5	0.04	54.1	0.02	100	8267	97.24	54.5

z6-17454
Records: 8640

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-04-30 14:00:00	84.6	0.00268	0	0	#N/A	#N/A	#N/A	54.1	98.6	97.23	-0.3	-0.5	0.08	54.1	#N/A	100	8266	97.24	54.6
2023-04-30 14:05:00	76	0.00134	0	0	#N/A	#N/A	#N/A	54.2	98.7	97.24	-0.3	-0.2	0.04	54.2	#N/A	100	8265	97.24	54.6
2023-04-30 14:10:00	78.6	0.00335	0	0	#N/A	#N/A	#N/A	54.2	98.7	97.23	-0.1	-1	0.08	54.2	#N/A	100	8264	97.23	54.7
2023-04-30 14:15:00	82.6	0.00402	0	0	#N/A	#N/A	#N/A	54.2	98.7	97.23	-0.6	-0.7	0.08	54.2	#N/A	100	8266	97.24	54.7
2023-04-30 14:20:00	82.8	0.00469	0	0	#N/A	#N/A	#N/A	54.2	98.7	97.23	-0.5	-0.6	0.08	54.2	#N/A	100	8263	97.24	54.7
2023-04-30 14:25:00	83.6	0.00402	0	0	#N/A	#N/A	#N/A	54.4	98.4	97.21	-0.8	-0.9	0.08	54.3	#N/A	100	8263	97.23	54.8
2023-04-30 14:30:00	85.8	0.00469	0	0	#N/A	#N/A	#N/A	54.3	98.4	97.22	-0.4	-0.9	0.08	54.3	#N/A	100	8264	97.22	54.8
2023-04-30 14:35:00	81.4	0.00469	0	0	#N/A	#N/A	#N/A	54.2	98.4	97.21	-0.5	-0.7	0.08	54.2	#N/A	100	8264	97.21	54.8
2023-04-30 14:40:00	88	0.00536	0	0	#N/A	#N/A	#N/A	54.2	98.4	97.2	-0.4	-0.6	0.08	54.2	#N/A	100	8265	97.21	54.8
2023-04-30 14:45:00	77.4	0.00536	0	0	#N/A	#N/A	#N/A	54.2	98.5	97.2	-0.5	-0.4	0.08	54.2	#N/A	100	8263	97.2	54.7
2023-04-30 14:50:00	75.8	0.00603	0	0	#N/A	#N/A	#N/A	54.2	98.2	97.19	-0.7	0	0.08	54.2	#N/A	100	8264	97.18	54.7
2023-04-30 14:55:00	79.6	0.0067	0	0	#N/A	#N/A	#N/A	54.2	98.5	97.17	-0.6	-0.6	0.08	54.1	#N/A	100	8263	97.17	54.7
2023-04-30 15:00:00	79.6	0.00469	0	0	#N/A	#N/A	#N/A	54.1	98.8	97.17	-0.3	-0.4	0.08	54.1	#N/A	100	8265	97.16	54.7
2023-04-30 15:05:00	82.2	0.00536	0	0	#N/A	#N/A	#N/A	54.1	98.8	97.15	-0.6	-0.7	0.08	54.1	#N/A	100	8263	97.15	54.7
2023-04-30 15:10:00	89.2	0.00536	0	0	#N/A	#N/A	#N/A	54.1	98.9	97.14	-0.5	-0.4	0.08	54.1	#N/A	100	8263	97.13	54.7
2023-04-30 15:15:00	106.4	0.00402	0	0	#N/A	#N/A	#N/A	54.1	98.6	97.13	-0.5	-0.3	0.08	54.1	#N/A	100	8264	97.12	54.7
2023-04-30 15:20:00	99.4	0.00536	0	0	#N/A	#N/A	#N/A	54	98.4	97.12	-0.5	-0.6	0.08	54	#N/A	100	8263	97.11	54.6
2023-04-30 15:25:00	110.6	0.00469	0	0	#N/A	#N/A	#N/A	54	98	97.1	-0.6	-0.5	0.12	54	#N/A	100	8264	97.1	54.6
2023-04-30 15:30:00	115.6	0.00469	0	0	#N/A	#N/A	#N/A	54	97.9	97.1	-0.7	-0.5	0.08	54	#N/A	100	8264	97.1	54.5
2023-04-30 15:35:00	99.2	0.00402	0	0	#N/A	#N/A	#N/A	53.8	98.1	97.1	-0.6	-0.7	0.08	53.8	#N/A	100	8264	97.1	54.5
2023-04-30 15:40:00	71.6	0.01072	0	0	#N/A	#N/A	#N/A	53.6	98.2	97.09	-0.4	-0.8	0.161	53.6	#N/A	100	8263	97.08	54.4
2023-04-30 15:45:00	79.8	0.0067	0	0	#N/A	#N/A	#N/A	53.5	98.2	97.08	-0.6	-0.5	0.08	53.5	#N/A	100	8260	97.07	54.2
2023-04-30 15:50:00	72.4	0.00402	0	0	#N/A	#N/A	#N/A	53.4	98.4	97.07	-0.5	-0.6	0.08	53.5	#N/A	100	8263	97.07	54.2
2023-04-30 15:55:00	55.2	0.0067	0	0	#N/A	#N/A	#N/A	53.4	98.4	97.07	-0.5	-0.7	0.12	53.4	#N/A	100	8261	97.06	54.1
2023-04-30 16:00:00	45.2	0.00603	0	0	#N/A	#N/A	#N/A	53.3	98.5	97.06	-0.4	-0.7	0.08	53.3	#N/A	100	8260	97.05	54
2023-04-30 16:05:00	45.2	0.00536	0	0	#N/A	#N/A	#N/A	53.3	98.8	97.04	-0.8	-0.8	0.08	53.3	#N/A	100	8260	97.03	54
2023-04-30 16:10:00	48.2	0.00603	0	0	#N/A	#N/A	#N/A	53.3	98.9	97.04	-0.7	-0.5	0.08	53.3	#N/A	100	8261	97.04	53.9
2023-04-30 16:15:00	42.6	0.00469	0	0	#N/A	#N/A	#N/A	53.3	98.9	97.03	-0.9	-0.5	0.08	53.3	#N/A	100	8260	97.03	53.9
2023-04-30 16:20:00	37.4	0.00603	0	0	#N/A	#N/A	#N/A	53.2	98.6	97.03	-0.5	-0.5	0.12	53.2	#N/A	100	8257	97.03	53.8
2023-04-30 16:25:00	36.6	0.00871	0	0	#N/A	#N/A	#N/A	53.1	98.9	97.03	-0.5	-0.7	0.12	53.1	#N/A	100	8257	97.02	53.8
2023-04-30 16:30:00	38.2	0.0134	0	0	#N/A	#N/A	#N/A	53.2	99	97.03	-0.6	-0.5	0.201	53.2	#N/A	100	8258	97.02	53.7
2023-04-30 16:35:00	40.2	0.01206	0	0	#N/A	#N/A	#N/A	53.1	99.2	97.01	-0.5	-0.5	0.161	53.1	#N/A	100	8256	97	53.7
2023-04-30 16:40:00	36.4	0.00938	0	0	#N/A	#N/A	#N/A	53.1	99.6	97	-0.5	-0.5	0.12	53.1	#N/A	100	8256	96.99	53.7
2023-04-30 16:45:00	33	0.00804	0	0	#N/A	#N/A	#N/A	53.1	99.2	96.98	-0.5	-0.5	0.12	53.1	#N/A	100	8256	96.97	53.6
2023-04-30 16:50:00	33	0.00737	0	0	#N/A	#N/A	#N/A	53.2	99.5	96.98	-0.7	-0.6	0.12	53.2	#N/A	100	8254	96.97	53.6
2023-04-30 16:55:00	30.2	0.00871	0	0	#N/A	#N/A	#N/A	53.1	99.7	96.97	-0.5	-0.6	0.12	53.1	#N/A	100	8254	96.96	53.6
2023-04-30 17:00:00	25.6	0.01675	0	0	#N/A	#N/A	#N/A	53.1	99.7	96.97	-0.5	-0.5	0.241	53.1	#N/A	100	8254	96.95	53.6
2023-04-30 17:05:00	27.4	0.01139	0	0	#N/A	#N/A	#N/A	53.2	99.6	96.96	-0.5	-0.6	0.161	53.3	#N/A	100	8254	96.95	53.6
2023-04-30 17:10:00	30.2	0.01072	0	0	#N/A	#N/A	#N/A	53.2	99.9	96.94	-0.4	-0.4	0.161	53.2	#N/A	100	8252	96.93	53.6
2023-04-30 17:15:00	37.2	0.00804	0	0	#N/A	#N/A	#N/A	53.3	99.8	96.93	-0.4	-0.5	0.12	53.3	#N/A	100	8252	96.92	53.6
2023-04-30 17:20:00	41.6	0.00737	0	0	#N/A	#N/A	#N/A	53.3	100.1	96.93	-0.6	-0.5	0.12	53.3	#N/A	100	8251	96.91	53.6
2023-04-30 17:25:00	39.8	0.01005	0	0	#N/A	#N/A	#N/A	53.3	100.1	96.91	-0.5	-0.6	0.161	53.3	#N/A	100	8248	96.89	53.6
2023-04-30 17:30:00	35.4	0.00938	0	0	#N/A	#N/A	#N/A	53.3	99.8	96.88	-0.5	-0.7	0.161	53.3	#N/A	100	8251	96.87	53.6
2023-04-30 17:35:00	38	0.00737	0	0	#N/A	#N/A	#N/A	53.4	99.8	96.86	-0.3	-0.5	0.12	53.4	#N/A	100	8253	96.85	53.6
2023-04-30 17:40:00	41	0.00603	0	0	#N/A	#N/A	#N/A	53.4	100	96.86	-0.6	-0.5	0.08	53.4	#N/A	100	8249	96.84	53.7
2023-04-30 17:45:00	42.2	0.00938	0	0	#N/A	#N/A	#N/A	53.4	99.8	96.85	-0.6	-0.5	0.161	53.4	#N/A	100	8247	96.84	53.7
2023-04-30 17:50:00	40.6	0.01139	0	0	#N/A	#N/A	#N/A	53.5	99.8	96.84	-0.6	-0.5	0.161	53.5	#N/A	100	8248	96.83	53.7
2023-04-30 17:55:00	36.6	0.00871	0	0	#N/A	#N/A	#N/A	53.5	99.9	96.84	-0.3	-0.7	0.161	53.5	#N/A	100	8247	96.82	53.7
2023-04-30 18:00:00	39.2	0.00804	0	0	#N/A	#N/A	#N/A	53.5	99.9	96.83	-0.5	-0.6	0.12	53.6	#N/A	100	8247	96.83	53.7
2023-04-30 18:05:00	26.8	0.01876	0	0	#N/A	#N/A	#N/A	53.6	100	96.84	-0.4	-0.6	0.241	53.6	#N/A	100	8247	96.83	53.8
2023-04-30 18:10:00	17.2	0.01474	0	0	#N/A	#N/A	#N/A	53.7	99.9	96.86	-0.4	-0.5	0.201	53.7	#N/A	100	8248	96.85	53.8
2023-04-30 18:15:00	18.4	0.01005	0	0	#N/A	#N/A	#N/A	53.6	100.2	96.86	-0.4	-0.5	0.161	53.6	#N/A	100	8246	96.85	53.8
2023-04-30 18:20:00	15.2	0.0067	0	0	#N/A	#N/A	#N/A	53.6	99.9	96.86	-0.5	-0.8	0.12	53.5	#N/A	100	8246	96.85	53.8
2023-04-30 18:25:00	18.2	0.00603	0	0	#N/A	#N/A	#N/A	53.5	100	96.87	-0.4	-0.6	0.08	53.5	#N/A	100	8245	96.86	53.8
2023-04-30 18:30:00	18.4	0.00536	0	0	#N/A	#N/A	#N/A	53.4	100	96.87	-0.6	-0.6	0.08	53.4	#N/A	100	8245	96.86	53.7
2023-04-30 18:35:00	16.4	0.01273	0	0	#N/A	#N/A	#N/A	53.3	99.8	96.87	-0.5	-0.5	0.201	53.3	#N/A	100	8243	96.85	53.7
2023-04-30 18:40:00	20.4	0.01072	0	0	#N/A	#N/A	#N/A	53.2	100	96.86	-0.5	-0.4	0.161	53.2	#N/A	100	8243	96.84	53.6
2023-04-30 18:45:00	25.4	0.00737	0	0	#N/A	#N/A	#N/A	53.1	100.2	96.85	-0.5	-0.6	0.12	53.1	#N/A	100	8245	96.83	53.5
2023-04-30 18:50:00	24.6	0.00469	0	0	#N/A	#N/A	#N/A	52.9	100.2	96.84	-0.5	-0.6	0.08	52.9	#N/A	100	8243	96.83	53.4
2023-04-30 18:55:00	17	0.00402	0	0	#N/A	#N/A	#N/A	52.9	100.1	96.84	-0.5	-0.6	0.08	52.9	#N/A	100	8242	96.83	53.3

Attachment 1B

Meteorological Data from the Rochester International Airport Weather Station

Attachment 1B

Meteorological Data from the Rochester International Airport

STATION	DATE	TIME	Hourly Dew Point Temp F	Hourly Dry Bulb Temp F	Hourly Relative Humidity	Hourly Station Pressure	Hourly Wind Direction Degrees	Hourly Wind Speed
ROCHESTER GREATER INTERNATIONAL NY US	4/1/2023	306	48	49	97	28.82	140	6
ROCHESTER GREATER INTERNATIONAL NY US	4/1/2023	354	49	51	92	28.79	170	8
ROCHESTER GREATER INTERNATIONAL NY US	4/1/2023	454	50	54	87	28.74	190	14
ROCHESTER GREATER INTERNATIONAL NY US	4/1/2023	554	50	55	83	28.74	250	16
ROCHESTER GREATER INTERNATIONAL NY US	4/1/2023	654	48	57	72	28.74	210	14
ROCHESTER GREATER INTERNATIONAL NY US	4/1/2023	754	43	60	53	28.75	260	24
ROCHESTER GREATER INTERNATIONAL NY US	4/1/2023	1654	42	51	71	28.74	250	21
ROCHESTER GREATER INTERNATIONAL NY US	4/1/2023	1754	40	46	79	28.79	270	25
ROCHESTER GREATER INTERNATIONAL NY US	4/1/2023	1801	41	45	86	28.81	270	23
ROCHESTER GREATER INTERNATIONAL NY US	4/1/2023	1852	37	39	93	28.9	320	21
ROCHESTER GREATER INTERNATIONAL NY US	4/5/2023	1545	46	47	97	29.25	170	8
ROCHESTER GREATER INTERNATIONAL NY US	4/5/2023	1554	47	48	96	29.25	160	7
ROCHESTER GREATER INTERNATIONAL NY US	4/5/2023	1652	48	50	94	29.33	220	5
ROCHESTER GREATER INTERNATIONAL NY US	4/5/2023	1654	49	50	96	29.33	230	6
ROCHESTER GREATER INTERNATIONAL NY US	4/5/2023	1710	49	50	96	29.31	230	3
ROCHESTER GREATER INTERNATIONAL NY US	4/5/2023	1754	51	52	97	29.34	160	3
ROCHESTER GREATER INTERNATIONAL NY US	4/5/2023	1854	51	53	93	29.34	100	3
ROCHESTER GREATER INTERNATIONAL NY US	4/5/2023	1900	51	53	93	29.3	100	3
ROCHESTER GREATER INTERNATIONAL NY US	4/5/2023	1954	53	55	93	29.36	170	9
ROCHESTER GREATER INTERNATIONAL NY US	4/5/2023	2054	57	58	97	29.34	180	16
ROCHESTER GREATER INTERNATIONAL NY US	4/5/2023	2154	59	62	90	29.39	230	20
ROCHESTER GREATER INTERNATIONAL NY US	4/5/2023	2254	59	61	93	29.34	180	11
ROCHESTER GREATER INTERNATIONAL NY US	4/5/2023	2354	59	62	90	29.34	210	9
ROCHESTER GREATER INTERNATIONAL NY US	4/6/2023	54	57	62	84	29.34	230	10
ROCHESTER GREATER INTERNATIONAL NY US	4/6/2023	100	57	62	84	29.31	230	10
ROCHESTER GREATER INTERNATIONAL NY US	4/6/2023	154	57	62	84	29.36	240	11
ROCHESTER GREATER INTERNATIONAL NY US	4/6/2023	254	56	63	78	29.37	270	11
ROCHESTER GREATER INTERNATIONAL NY US	4/6/2023	354	56	60	86	29.39	260	13
ROCHESTER GREATER INTERNATIONAL NY US	4/22/2023	1854	44	48	86	29.21	240	11
ROCHESTER GREATER INTERNATIONAL NY US	4/22/2023	1900	44	48	86	29.18	240	11
ROCHESTER GREATER INTERNATIONAL NY US	4/22/2023	1954	43	47	86	29.23	250	8
ROCHESTER GREATER INTERNATIONAL NY US	4/22/2023	2054	42	46	86	29.25	230	5
ROCHESTER GREATER INTERNATIONAL NY US	4/22/2023	2154	41	47	80	29.26	230	8
ROCHESTER GREATER INTERNATIONAL NY US	4/22/2023	2254	40	44	85	29.26	220	7
ROCHESTER GREATER INTERNATIONAL NY US	4/22/2023	2354	41	44	89	29.27	220	3
ROCHESTER GREATER INTERNATIONAL NY US	4/23/2023	54	40	45	83	29.27	220	3
ROCHESTER GREATER INTERNATIONAL NY US	4/23/2023	100	40	45	83	29.23	220	3
ROCHESTER GREATER INTERNATIONAL NY US	4/23/2023	154	40	44	85	29.27	240	5
ROCHESTER GREATER INTERNATIONAL NY US	4/29/2023	54	42	47	83	29.28	140	11
ROCHESTER GREATER INTERNATIONAL NY US	4/29/2023	100	42	47	83	29.25	140	11
ROCHESTER GREATER INTERNATIONAL NY US	4/29/2023	154	42	46	86	29.27	130	11
ROCHESTER GREATER INTERNATIONAL NY US	4/29/2023	216	42	46	86	29.26	130	9
ROCHESTER GREATER INTERNATIONAL NY US	4/29/2023	254	40	46	79	29.26	140	16
ROCHESTER GREATER INTERNATIONAL NY US	4/30/2023	1454	53	56	90	28.74	130	15
ROCHESTER GREATER INTERNATIONAL NY US	4/30/2023	1536	53	55	93	28.72	120	14
ROCHESTER GREATER INTERNATIONAL NY US	4/30/2023	1554	53	55	93	28.71	120	11
ROCHESTER GREATER INTERNATIONAL NY US	4/30/2023	1654	52	55	90	28.71	150	3
ROCHESTER GREATER INTERNATIONAL NY US	4/30/2023	1736	53	55	93	28.71	230	3
ROCHESTER GREATER INTERNATIONAL NY US	4/30/2023	1745	52	54	93	28.71	270	15
ROCHESTER GREATER INTERNATIONAL NY US	4/30/2023	1752	52	54	94	28.71	270	10
ROCHESTER GREATER INTERNATIONAL NY US	4/30/2023	1754	51	53	93	28.71	270	16
ROCHESTER GREATER INTERNATIONAL NY US	4/30/2023	1804	50	52	93	28.71	280	13
ROCHESTER GREATER INTERNATIONAL NY US	4/30/2023	1854	46	48	93	28.71	280	15
ROCHESTER GREATER INTERNATIONAL NY US	4/30/2023	1900	46	48	93	28.68	280	15
ROCHESTER GREATER INTERNATIONAL NY US	4/30/2023	1931	45	47	93	28.71	270	15
ROCHESTER GREATER INTERNATIONAL NY US	4/30/2023	1954	44	46	93	28.72	270	11
ROCHESTER GREATER INTERNATIONAL NY US	4/30/2023	2054	44	46	93	28.72	270	11
ROCHESTER GREATER INTERNATIONAL NY US	4/30/2023	2117	44	46	93	28.72	280	8
ROCHESTER GREATER INTERNATIONAL NY US	4/30/2023	2147	44	46	93	28.71	260	10
ROCHESTER GREATER INTERNATIONAL NY US	4/30/2023	2152	45	46	93	28.71	260	11
ROCHESTER GREATER INTERNATIONAL NY US	4/30/2023	2154	44	46	93	28.71	260	10
ROCHESTER GREATER INTERNATIONAL NY US	4/30/2023	2254	44	46	93	28.69	270	13
ROCHESTER GREATER INTERNATIONAL NY US	4/30/2023	2352	43	46	87	28.66	270	10
ROCHESTER GREATER INTERNATIONAL NY US	4/30/2023	2354	43	46	89	28.65	270	10

Attachment 2

Raw Data for Each Monitoring Station
April 1-30, 2023

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/1/2023, 12:00:49 AM	0	6.877	49.8	86.2	
4/1/2023, 12:10:49 AM	0	6.877	49.6	86.1	
4/1/2023, 12:20:49 AM	0	6.877	49.6	86	
4/1/2023, 12:30:49 AM	0	6.877	49.5	86.1	
4/1/2023, 12:40:49 AM	0	6.877	49.5	86.1	
4/1/2023, 12:50:49 AM	0	6.877	49.5	86.2	0
4/1/2023, 1:00:49 AM	0	6.877	49.6	86.2	0
4/1/2023, 1:10:49 AM	0	6.877	49.6	86.2	0
4/1/2023, 1:20:49 AM	0	6.877	49.8	86.2	0
4/1/2023, 1:30:49 AM	0	6.877	49.8	86.2	0
4/1/2023, 1:40:49 AM	0	6.877	49.8	86.2	0
4/1/2023, 1:50:49 AM	0	6.877	50	86.2	0
4/1/2023, 2:00:49 AM	0	6.877	49.8	86.3	0
4/1/2023, 2:10:49 AM	0	6.877	49.6	86.6	0
4/1/2023, 2:20:49 AM	0	6.877	49.5	87	0
4/1/2023, 2:30:49 AM	0	6.877	49.3	87.4	0
4/1/2023, 2:40:49 AM	0	6.877	49.1	87.9	0
4/1/2023, 2:50:49 AM	0	6.877	48.9	88.3	0
4/1/2023, 3:00:49 AM	0	6.877	48.9	88.7	0
4/1/2023, 3:10:49 AM	0	6.877	48.7	89	0
4/1/2023, 3:20:49 AM	0	6.877	48.6	89.5	0
4/1/2023, 3:30:49 AM	0	6.877	48.4	89.9	0
4/1/2023, 3:40:49 AM	0	6.877	48.4	90.2	0
4/1/2023, 3:50:49 AM	0	6.877	48.4	90.6	0
4/1/2023, 4:00:49 AM	0	6.877	48.4	91	0
4/1/2023, 4:10:49 AM	0	6.877	48.4	91.4	0
4/1/2023, 4:20:49 AM	0	6.877	48.4	91.7	0
4/1/2023, 4:30:49 AM	0	6.877	48.4	92.1	0
4/1/2023, 4:40:49 AM	0	6.877	48.6	92.4	0
4/1/2023, 4:50:49 AM	0	6.877	48.6	92.6	0
4/1/2023, 5:00:49 AM	0	6.877	48.7	92.9	0
4/1/2023, 5:10:49 AM	0	6.877	48.7	93.1	0
4/1/2023, 5:20:49 AM	0	6.877	48.7	93.2	0
4/1/2023, 5:30:49 AM	0	6.877	48.9	93.4	0
4/1/2023, 5:40:49 AM	0	6.877	49.1	93.6	0
4/1/2023, 5:50:49 AM	0	6.877	49.3	93.8	0
4/1/2023, 6:00:49 AM	0	6.877	49.5	94	0
4/1/2023, 6:10:49 AM	0	6.877	49.8	94.2	0
4/1/2023, 6:20:49 AM	0	6.877	50	94.2	0
4/1/2023, 6:30:49 AM	0	6.877	50.2	94.4	0
4/1/2023, 6:40:49 AM	0	6.877	50.7	94.7	0
4/1/2023, 6:50:49 AM	0	6.886	51.6	95.1	0
4/1/2023, 7:00:49 AM	0	6.886	52.2	95.3	0
4/1/2023, 7:10:49 AM	0	6.886	52.9	95.3	0
4/1/2023, 7:20:49 AM	0	6.886	53.6	95.1	0
4/1/2023, 7:30:49 AM	0	6.886	54.3	94.6	0
4/1/2023, 7:40:49 AM	0	6.886	55.2	93.7	0
4/1/2023, 7:50:49 AM	0	6.886	56.1	92.2	0
4/1/2023, 8:00:49 AM	0	6.886	56.8	90.4	0
4/1/2023, 8:10:49 AM	0	6.886	57.4	88.5	0
4/1/2023, 8:20:49 AM	0	6.895	57.7	86.7	0
4/1/2023, 8:30:49 AM	0	6.895	58.5	85	0
4/1/2023, 8:40:49 AM	0	6.895	59.2	83.2	0
4/1/2023, 8:50:49 AM	0	6.895	60.3	81.6	0
4/1/2023, 9:00:49 AM	0	6.895	61.2	79.8	0
4/1/2023, 9:10:49 AM	0	6.895	61.9	78.1	0
4/1/2023, 9:20:49 AM	0	6.895	62.6	76.4	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/1/2023, 9:30:49 AM	0	6.895	63.3	74.6	0
4/1/2023, 9:40:49 AM	0	6.895	63.9	73	0
4/1/2023, 9:50:49 AM	0	6.895	64.2	71.5	0
4/1/2023, 10:00:49 AM	0	6.895	64.8	69.9	0
4/1/2023, 10:10:49 AM	0	6.895	65.1	68.3	0
4/1/2023, 10:20:49 AM	0	6.895	65.7	66.7	0
4/1/2023, 10:30:49 AM	0	6.904	66.2	65.6	0
4/1/2023, 10:40:49 AM	0	6.904	66.7	64.6	0
4/1/2023, 10:50:49 AM	0	6.904	67.5	63.5	0
4/1/2023, 11:00:49 AM	0	6.904	68	62.4	0
4/1/2023, 11:10:49 AM	0	6.904	68.7	61.5	0
4/1/2023, 11:20:49 AM	0	6.904	69.3	60.8	0
4/1/2023, 11:30:49 AM	0	6.904	69.4	60.1	0
4/1/2023, 11:40:49 AM	0	6.904	69.6	59.4	0
4/1/2023, 11:50:49 AM	0	6.904	70.2	58.7	0
4/1/2023, 12:00:49 PM	0	6.904	70.5	58.2	0
4/1/2023, 12:10:49 PM	0	6.904	70.9	57.7	0
4/1/2023, 12:20:49 PM	0	6.904	71.2	57.1	0
4/1/2023, 12:30:49 PM	0	6.904	71.6	56.6	0
4/1/2023, 12:40:49 PM	0	6.904	72.1	56.2	0
4/1/2023, 12:50:49 PM	0	6.904	72.5	55.8	0
4/1/2023, 1:00:49 PM	0	6.904	73.2	55.6	0
4/1/2023, 1:10:49 PM	0	6.904	73.8	55.3	0
4/1/2023, 1:20:49 PM	0	6.904	74.7	55.1	0
4/1/2023, 1:30:49 PM	0	6.904	75.2	54.7	0
4/1/2023, 1:40:49 PM	0	6.904	75.6	54.2	0
4/1/2023, 1:50:49 PM	0	6.904	75.9	53.8	0
4/1/2023, 2:00:49 PM	0	6.904	76.3	53.6	0
4/1/2023, 2:10:49 PM	0	6.904	76.8	53.3	0
4/1/2023, 2:20:49 PM	0	6.904	77.4	53	0
4/1/2023, 2:30:49 PM	0	6.913	77.2	52.8	0
4/1/2023, 2:40:49 PM	0	6.913	76.8	52.5	0
4/1/2023, 2:50:49 PM	0	6.913	75.9	52.5	0
4/1/2023, 3:00:49 PM	0	6.913	75.6	52.7	0
4/1/2023, 3:10:49 PM	0	6.913	74.7	52.9	0
4/1/2023, 3:20:49 PM	0	6.913	73.6	52.9	0
4/1/2023, 3:30:49 PM	0	6.913	71.1	53	0
4/1/2023, 3:40:49 PM	0	6.913	68.4	53.5	0
4/1/2023, 3:50:49 PM	0	6.913	66	55	0
4/1/2023, 4:00:49 PM	0	6.913	62.2	58.8	0
4/1/2023, 4:10:49 PM	0	6.904	59	62.7	0
4/1/2023, 4:20:49 PM	0	6.904	56.7	66	0
4/1/2023, 4:30:49 PM	0	6.904	54.7	68.3	0
4/1/2023, 4:40:49 PM	0	6.895	53.2	70.4	0
4/1/2023, 4:50:49 PM	0	6.895	52	72.2	0
4/1/2023, 5:00:49 PM	0	6.895	51.8	73.8	0
4/1/2023, 5:10:49 PM	0	6.886	52.5	75.2	0
4/1/2023, 5:20:49 PM	0	6.886	53.1	75.7	0
4/1/2023, 5:30:49 PM	0	6.886	53.6	75.7	0
4/1/2023, 5:40:49 PM	0	6.886	53.6	75.1	0
4/1/2023, 5:50:49 PM	0	6.886	53.4	74.8	0
4/1/2023, 6:00:49 PM	0	6.886	53.2	74.9	0
4/1/2023, 6:10:49 PM	0	6.886	52.9	75	0
4/1/2023, 6:20:49 PM	0	6.886	52.5	75.2	0
4/1/2023, 6:30:49 PM	0	6.886	52.2	75.5	0
4/1/2023, 6:40:49 PM	0	6.886	52	75.7	0
4/1/2023, 6:50:49 PM	0	6.886	51.8	76	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/1/2023, 7:00:49 PM	0	6.886	51.4	75.7	0
4/1/2023, 7:10:49 PM	0	6.886	50.9	75.5	0
4/1/2023, 7:20:49 PM	0	6.886	49.8	75.9	0
4/1/2023, 7:30:49 PM	0	6.886	48.6	76.7	0
4/1/2023, 7:40:49 PM	0	6.886	47.7	77.5	0
4/1/2023, 7:50:49 PM	0	6.886	46.8	77.8	0
4/1/2023, 8:00:49 PM	0	6.877	45.5	77.6	0
4/1/2023, 8:10:49 PM	0	6.877	44.4	77.4	0
4/1/2023, 8:20:49 PM	0	6.877	43.3	77.5	0
4/1/2023, 8:30:49 PM	0	6.877	42.4	77.8	0
4/1/2023, 8:40:49 PM	0	6.869	41.7	78.1	0
4/1/2023, 8:50:49 PM	0	6.869	41.4	78.5	0
4/1/2023, 9:00:49 PM	0	6.869	41	78.8	0
4/1/2023, 9:10:49 PM	0	6.869	40.5	79.2	0
4/1/2023, 9:20:49 PM	0	6.869	40.1	79.6	0
4/1/2023, 9:30:49 PM	0	6.869	39.7	79.8	0
4/1/2023, 9:40:49 PM	0	6.869	39.6	80.2	0
4/1/2023, 9:50:49 PM	0	6.86	39.2	80.5	0
4/1/2023, 10:00:49 PM	0	6.86	38.7	81	0
4/1/2023, 10:10:49 PM	0	6.86	38.3	81.5	0
4/1/2023, 10:20:49 PM	0	6.86	38.1	82.1	0
4/1/2023, 10:30:49 PM	0	6.86	37.8	82.5	0
4/1/2023, 10:40:49 PM	0	6.86	37.4	82.9	0
4/1/2023, 10:50:49 PM	0	6.86	36.9	83.2	0
4/1/2023, 11:00:49 PM	0	6.86	36.5	83.5	0
4/1/2023, 11:10:49 PM	0	6.86	36	83.8	0
4/1/2023, 11:20:49 PM	0	6.851	35.6	84.1	0
4/1/2023, 11:30:49 PM	0	6.851	35.2	84.4	0
4/1/2023, 11:40:49 PM	0	6.851	35.1	84.7	0
4/1/2023, 11:50:49 PM	0	6.851	34.9	84.9	0
4/2/2023, 12:00:49 AM	0	6.851	34.9	84.8	0
4/2/2023, 12:10:49 AM	0	6.851	34.9	84.6	0
4/2/2023, 12:20:49 AM	0	6.851	34.9	84.2	0
4/2/2023, 12:30:49 AM	0	6.851	34.9	83.7	0
4/2/2023, 12:40:49 AM	0	6.851	34.9	83.1	0
4/2/2023, 12:50:49 AM	0	6.851	34.9	82.4	0
4/2/2023, 1:00:49 AM	0	6.851	34.7	81.7	0
4/2/2023, 1:10:49 AM	0	6.851	34.5	81.2	0
4/2/2023, 1:20:49 AM	0	6.851	34.5	80.6	0
4/2/2023, 1:30:49 AM	0	6.851	34.2	80	0
4/2/2023, 1:40:49 AM	0	6.851	34	79.4	0
4/2/2023, 1:50:49 AM	0	6.851	33.8	78.8	0
4/2/2023, 2:00:49 AM	0	6.851	33.4	78.4	0
4/2/2023, 2:10:49 AM	0	6.842	33.3	78	0
4/2/2023, 2:20:49 AM	0	6.842	33.1	77.7	0
4/2/2023, 2:30:49 AM	0	6.842	32.9	77.2	0
4/2/2023, 2:40:49 AM	0	6.842	32.5	76.6	0
4/2/2023, 2:50:49 AM	0	6.842	32.4	76.1	0
4/2/2023, 3:00:49 AM	0	6.842	32	75.4	0
4/2/2023, 3:10:49 AM	0	6.842	32	74.9	0
4/2/2023, 3:20:49 AM	0	6.842	31.6	74.4	0
4/2/2023, 3:30:49 AM	0	6.842	31.3	73.7	0
4/2/2023, 3:40:49 AM	0	6.842	30.7	72.8	0
4/2/2023, 3:50:49 AM	0	6.833	30.4	71.8	0
4/2/2023, 4:00:49 AM	0	6.833	30	71.1	0
4/2/2023, 4:10:49 AM	0	6.833	29.7	70.5	0
4/2/2023, 4:20:49 AM	0	6.833	29.3	69.8	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/2/2023, 4:30:49 AM	0	6.833	28.9	69.3	0
4/2/2023, 4:40:49 AM	0	6.833	28.6	68.9	0
4/2/2023, 4:50:49 AM	0	6.833	28.4	68.5	0
4/2/2023, 5:00:49 AM	0	6.833	28.2	68.2	0
4/2/2023, 5:10:49 AM	0	6.825	28	67.8	0
4/2/2023, 5:20:49 AM	0	6.825	27.7	67.4	0
4/2/2023, 5:30:49 AM	0	6.825	27.5	66.9	0
4/2/2023, 5:40:49 AM	0	6.825	27.3	66.4	0
4/2/2023, 5:50:49 AM	0	6.825	27	65.9	0
4/2/2023, 6:00:49 AM	0	6.825	26.8	65.5	0
4/2/2023, 6:10:49 AM	0	6.825	26.6	65.5	0
4/2/2023, 6:20:49 AM	0	6.825	26.4	65.5	0
4/2/2023, 6:30:49 AM	0	6.825	26.4	65.7	0
4/2/2023, 6:40:49 AM	0	6.825	26.2	65.7	0
4/2/2023, 6:50:49 AM	0	6.825	25.9	65.7	0
4/2/2023, 7:00:49 AM	0	6.816	25.7	65.7	0
4/2/2023, 7:10:49 AM	0	6.816	25.9	65.6	0
4/2/2023, 7:20:49 AM	0	6.816	26.1	65.7	0
4/2/2023, 7:30:49 AM	0	6.816	26.2	65.7	0
4/2/2023, 7:40:49 AM	0	6.816	26.6	65.4	0
4/2/2023, 7:50:49 AM	0	6.816	27	65.3	0
4/2/2023, 8:00:49 AM	0	6.825	27.5	65.1	0
4/2/2023, 8:10:49 AM	0	6.825	28	64.9	0
4/2/2023, 8:20:49 AM	0	6.825	28.4	64.7	0
4/2/2023, 8:30:49 AM	0	6.825	28.9	64.6	0
4/2/2023, 8:40:49 AM	0	6.825	29.5	64.3	0
4/2/2023, 8:50:49 AM	0	6.825	29.8	64.1	0
4/2/2023, 9:00:49 AM	0	6.833	30.4	63.9	0
4/2/2023, 9:10:49 AM	0	6.833	30.6	63.5	0
4/2/2023, 9:20:49 AM	0	6.833	30.9	63.4	0
4/2/2023, 9:30:49 AM	0	6.833	31.3	63	0
4/2/2023, 9:40:49 AM	0	6.833	31.5	62.6	0
4/2/2023, 9:50:49 AM	0	6.833	31.6	62.4	0
4/2/2023, 10:00:49 AM	0	6.833	32	62.5	0
4/2/2023, 10:10:49 AM	0	6.833	32.2	62.3	0
4/2/2023, 10:20:49 AM	0	6.833	32.9	62.3	0
4/2/2023, 10:30:49 AM	0	6.833	33.4	62.5	0
4/2/2023, 10:40:49 AM	0	6.842	34.3	62.6	0
4/2/2023, 10:50:49 AM	0	6.842	34.7	62.5	0
4/2/2023, 11:00:49 AM	0	6.842	35.1	62.5	0
4/2/2023, 11:10:49 AM	0	6.842	35.4	62.2	0
4/2/2023, 11:20:49 AM	0	6.842	36.1	62.1	0
4/2/2023, 11:30:49 AM	0	6.842	36.7	61.6	0
4/2/2023, 11:40:49 AM	0	6.842	37.2	61.1	0
4/2/2023, 11:50:49 AM	0	6.842	37.8	60.5	0
4/2/2023, 12:00:49 PM	0	6.851	38.1	59.9	0
4/2/2023, 12:10:49 PM	0	6.851	38.5	59	0
4/2/2023, 12:20:49 PM	0	6.851	38.8	58.4	0
4/2/2023, 12:30:49 PM	0	6.851	39.4	58	0
4/2/2023, 12:40:49 PM	0	6.851	39.6	57.4	0
4/2/2023, 12:50:49 PM	0	6.851	39.7	57.1	0
4/2/2023, 1:00:49 PM	0	6.851	39.9	57	0
4/2/2023, 1:10:49 PM	0	6.851	40.3	56.7	0
4/2/2023, 1:20:49 PM	0	6.851	40.8	56.5	0
4/2/2023, 1:30:49 PM	0	6.851	41.2	56.3	0
4/2/2023, 1:40:49 PM	0	6.851	41.9	56.1	0
4/2/2023, 1:50:49 PM	0	6.851	42.1	55.7	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/2/2023, 2:00:49 PM	0	6.86	43	55.6	0
4/2/2023, 2:10:49 PM	0	6.86	43.7	55.3	0
4/2/2023, 2:20:49 PM	0	6.86	44.1	54.9	0
4/2/2023, 2:30:49 PM	0	6.86	44.6	54.3	0
4/2/2023, 2:40:49 PM	0	6.86	44.8	54.2	0
4/2/2023, 2:50:49 PM	0	6.86	45.1	54.1	0
4/2/2023, 3:00:49 PM	0	6.86	45.5	53.9	0
4/2/2023, 3:10:49 PM	0	6.86	46	53.8	0
4/2/2023, 3:20:49 PM	0	6.86	46.6	53.6	0
4/2/2023, 3:30:49 PM	0	6.869	46.4	53.2	0
4/2/2023, 3:40:49 PM	0	6.869	46.4	53	0
4/2/2023, 3:50:49 PM	0	6.869	46.6	52.7	0
4/2/2023, 4:00:49 PM	0	6.869	46.6	52.6	0
4/2/2023, 4:10:49 PM	0	6.869	46.8	52.4	0
4/2/2023, 4:20:49 PM	0	6.869	46.9	52.1	0
4/2/2023, 4:30:49 PM	0	6.869	47.5	51.9	0
4/2/2023, 4:40:49 PM	0	6.869	47.8	51.6	0
4/2/2023, 4:50:49 PM	0	6.869	47.8	51.6	0
4/2/2023, 5:00:49 PM	0	6.869	48	51.5	0
4/2/2023, 5:10:49 PM	0	6.869	48.2	51.4	0
4/2/2023, 5:20:49 PM	0	6.869	48.2	51.2	0
4/2/2023, 5:30:49 PM	0	6.869	48	50.9	0
4/2/2023, 5:40:49 PM	0	6.869	47.1	50.6	0
4/2/2023, 5:50:49 PM	0	6.869	46.6	50.4	0
4/2/2023, 6:00:49 PM	0	6.869	46.4	50.3	0
4/2/2023, 6:10:49 PM	0	6.869	46	50.2	0
4/2/2023, 6:20:49 PM	0	6.869	45.5	50.1	0
4/2/2023, 6:30:49 PM	0	6.869	44.6	50	0
4/2/2023, 6:40:49 PM	0	6.869	44.1	49.9	0
4/2/2023, 6:50:49 PM	0	6.869	43.3	49.8	0
4/2/2023, 7:00:49 PM	0	6.869	42.3	49.8	0
4/2/2023, 7:10:49 PM	0	6.869	41.2	49.8	0
4/2/2023, 7:20:49 PM	0	6.869	40.3	49.8	0
4/2/2023, 7:30:49 PM	0	6.86	39.4	49.9	0
4/2/2023, 7:40:49 PM	0	6.86	38.7	50.1	0
4/2/2023, 7:50:49 PM	0	6.86	37.9	50.3	0
4/2/2023, 8:00:49 PM	0	6.86	37.2	50.6	0
4/2/2023, 8:10:49 PM	0	6.86	36.7	50.9	0
4/2/2023, 8:20:49 PM	0	6.851	36	51.3	0
4/2/2023, 8:30:49 PM	0	6.851	35.4	51.8	0
4/2/2023, 8:40:49 PM	0	6.851	34.7	52.4	0
4/2/2023, 8:50:49 PM	0	6.851	34	53.2	0
4/2/2023, 9:00:49 PM	0	6.851	33.4	54.1	0
4/2/2023, 9:10:49 PM	0	6.842	32.9	55.3	0
4/2/2023, 9:20:49 PM	0	6.842	32.5	56.5	0
4/2/2023, 9:30:49 PM	0	6.842	32.2	57.6	0
4/2/2023, 9:40:49 PM	0	6.842	32	58.5	0
4/2/2023, 9:50:49 PM	0	6.842	31.8	59	0
4/2/2023, 10:00:49 PM	0	6.842	31.6	59.5	0
4/2/2023, 10:10:49 PM	0	6.842	31.5	59.8	0
4/2/2023, 10:20:49 PM	0	6.842	31.5	60.1	0
4/2/2023, 10:30:49 PM	0	6.842	31.3	60.3	0
4/2/2023, 10:40:49 PM	0	6.842	31.3	60.6	0
4/2/2023, 10:50:49 PM	0	6.833	31.1	60.8	0
4/2/2023, 11:00:49 PM	0	6.842	30.9	61	0
4/2/2023, 11:10:49 PM	0	6.842	30.9	61.2	0
4/2/2023, 11:20:49 PM	0	6.833	30.9	61.5	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/2/2023, 11:30:49 PM	0	6.833	30.7	61.8	0
4/2/2023, 11:40:49 PM	0	6.833	30.7	62.1	0
4/2/2023, 11:50:49 PM	0	6.833	30.6	62.4	0
4/3/2023, 12:00:49 AM	0	6.833	30.7	62.6	0
4/3/2023, 12:10:49 AM	0	6.833	30.7	62.9	0
4/3/2023, 12:20:49 AM	0	6.833	30.9	63.1	0
4/3/2023, 12:30:49 AM	0	6.833	30.9	63.2	0
4/3/2023, 12:40:49 AM	0	6.833	31.1	63.1	0
4/3/2023, 12:50:49 AM	0	6.833	31.3	63.1	0
4/3/2023, 1:00:49 AM	0	6.833	31.5	62.9	0
4/3/2023, 1:10:49 AM	0	6.842	31.6	62.9	0
4/3/2023, 1:20:49 AM	0	6.842	31.6	62.8	0
4/3/2023, 1:30:49 AM	0	6.842	31.5	62.7	0
4/3/2023, 1:40:49 AM	0	6.842	31.5	62.8	0
4/3/2023, 1:50:49 AM	0	6.833	31.3	62.9	0
4/3/2023, 2:00:49 AM	0	6.833	31.3	63	0
4/3/2023, 2:10:49 AM	0	6.833	31.5	63.1	0
4/3/2023, 2:20:49 AM	0	6.842	31.6	63.3	0
4/3/2023, 2:30:49 AM	0	6.842	31.8	63.4	0
4/3/2023, 2:40:49 AM	0	6.842	32	63.5	0
4/3/2023, 2:50:49 AM	0	6.842	32.4	63.5	0
4/3/2023, 3:00:49 AM	0	6.842	32.5	63.6	0
4/3/2023, 3:10:49 AM	0	6.842	32.9	63.7	0
4/3/2023, 3:20:49 AM	0	6.842	33.3	63.7	0
4/3/2023, 3:30:49 AM	0	6.842	33.4	63.7	0
4/3/2023, 3:40:49 AM	0	6.842	33.8	63.7	0
4/3/2023, 3:50:49 AM	0	6.842	34.2	63.6	0
4/3/2023, 4:00:49 AM	0	6.842	34.3	63.5	0
4/3/2023, 4:10:49 AM	0	6.842	34.5	63.3	0
4/3/2023, 4:20:49 AM	0	6.842	34.7	63.1	0
4/3/2023, 4:30:49 AM	0	6.851	34.9	62.9	0
4/3/2023, 4:40:49 AM	0	6.851	35.1	62.8	0
4/3/2023, 4:50:49 AM	0	6.851	35.1	62.7	0
4/3/2023, 5:00:49 AM	0	6.851	35.1	62.7	0
4/3/2023, 5:10:49 AM	0	6.851	35.2	62.7	0
4/3/2023, 5:20:49 AM	0	6.851	35.4	62.7	0
4/3/2023, 5:30:49 AM	0	6.851	35.6	62.6	0
4/3/2023, 5:40:49 AM	0	6.851	36	62.7	0
4/3/2023, 5:50:49 AM	0	6.851	36.1	62.6	0
4/3/2023, 6:00:49 AM	0	6.851	36.1	62.6	0
4/3/2023, 6:10:49 AM	0	6.851	36.3	62.5	0
4/3/2023, 6:20:49 AM	0	6.851	36.1	62.4	0
4/3/2023, 6:30:49 AM	0	6.851	36.1	62.4	0
4/3/2023, 6:40:49 AM	0	6.851	36.1	62.5	0
4/3/2023, 6:50:49 AM	0	6.851	36	62.5	0
4/3/2023, 7:00:49 AM	0	6.851	36	62.6	0
4/3/2023, 7:10:49 AM	0	6.851	35.8	62.7	0
4/3/2023, 7:20:49 AM	0	6.851	35.8	62.8	0
4/3/2023, 7:30:49 AM	0	6.851	36.1	62.9	0
4/3/2023, 7:40:49 AM	0	6.851	36.5	62.9	0
4/3/2023, 7:50:49 AM	0	6.851	37	63	0
4/3/2023, 8:00:49 AM	0	6.851	37.8	63	0
4/3/2023, 8:10:49 AM	0	6.851	38.7	62.9	0
4/3/2023, 8:20:49 AM	0	6.851	39.6	62.6	0
4/3/2023, 8:30:49 AM	0	6.86	40.1	62.4	0
4/3/2023, 8:40:49 AM	0	6.86	40.6	62.2	0
4/3/2023, 8:50:49 AM	0	6.86	41.4	62.1	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/3/2023, 9:00:49 AM	0	6.86	42.1	62	0
4/3/2023, 9:10:49 AM	0	6.86	43	62	0
4/3/2023, 9:20:49 AM	0	6.86	43.9	61.9	0
4/3/2023, 9:30:49 AM	0	6.869	44.4	61.9	0
4/3/2023, 9:40:49 AM	0	6.869	45.3	62	0
4/3/2023, 9:50:49 AM	0	6.869	46.2	62.1	0
4/3/2023, 10:00:49 AM	0	6.869	47.5	62.2	0
4/3/2023, 10:10:49 AM	0	6.869	48.6	62.1	0
4/3/2023, 10:20:49 AM	0	6.877	49.8	61.8	0
4/3/2023, 10:30:49 AM	0	6.877	51.1	61.5	0
4/3/2023, 10:40:49 AM	0	6.877	52.3	61	0
4/3/2023, 10:50:49 AM	0	6.877	53.8	60.6	0
4/3/2023, 11:00:49 AM	0	6.877	55.2	60.2	0
4/3/2023, 11:10:49 AM	0	6.886	56.1	59.6	0
4/3/2023, 11:37:20 AM	0	6.93	62.2	56.9	0
4/3/2023, 11:47:20 AM	0	6.895	64.2	57	0
4/3/2023, 11:57:20 AM	0	6.895	64.6	56.5	0
4/3/2023, 12:07:20 PM	0	6.895	65.3	56.2	0
4/3/2023, 12:17:20 PM	0	6.895	66.2	56	0
4/3/2023, 12:27:20 PM	0	6.895	67.1	55.8	0
4/3/2023, 12:37:20 PM	0	6.895	67.6	55.4	0
4/3/2023, 12:47:20 PM	0	6.895	68	55.2	0
4/3/2023, 12:57:20 PM	0	6.895	68.5	55.1	0
4/3/2023, 1:07:20 PM	0	6.904	68.9	54.9	0
4/3/2023, 1:17:20 PM	0	6.904	69.3	54.8	0
4/3/2023, 1:27:20 PM	0	6.904	69.6	54.7	0
4/3/2023, 1:37:20 PM	0	6.904	70.2	54.7	0
4/3/2023, 1:47:20 PM	0	6.904	71.1	54.7	0
4/3/2023, 1:57:20 PM	0	6.904	72.1	54.7	0
4/3/2023, 2:07:20 PM	0	6.904	73	54.7	0
4/3/2023, 2:17:20 PM	0	6.904	73.6	54.6	0
4/3/2023, 2:27:20 PM	0	6.904	72.9	54.3	0
4/3/2023, 2:37:20 PM	0	6.904	73.2	54.3	0
4/3/2023, 2:47:20 PM	0	6.904	73.8	54.3	0
4/3/2023, 2:57:20 PM	0	6.904	73.8	54.2	0
4/3/2023, 3:07:20 PM	0	6.904	73.4	54	0
4/3/2023, 3:17:20 PM	0	6.904	72.3	53.7	0
4/3/2023, 3:27:20 PM	0	6.904	71.6	53.5	0
4/3/2023, 3:37:20 PM	0	6.904	70.9	53.7	0
4/3/2023, 3:47:20 PM	0	6.904	70	54	0
4/3/2023, 3:57:20 PM	0	6.904	68.9	54.4	0
4/3/2023, 4:07:20 PM	0	6.904	67.8	54.7	0
4/3/2023, 4:17:20 PM	0	6.904	66.9	55	0
4/3/2023, 4:27:20 PM	0	6.904	66.2	55.3	0
4/3/2023, 4:37:20 PM	0	6.904	65.7	55.5	0
4/3/2023, 4:47:20 PM	0	6.904	65.1	55.8	0
4/3/2023, 4:57:20 PM	0	6.904	64.8	56.1	0
4/3/2023, 5:07:20 PM	0	6.904	64.2	56.1	0
4/3/2023, 5:17:20 PM	0	6.904	63.9	56.1	0
4/3/2023, 5:27:20 PM	0	6.904	63.5	56	0
4/3/2023, 5:37:20 PM	0	6.904	63	56	0
4/3/2023, 5:47:20 PM	0	6.904	61.5	56.3	0
4/3/2023, 5:57:20 PM	0	6.904	60.4	56.7	0
4/3/2023, 6:07:20 PM	0	6.895	59.4	57.1	0
4/3/2023, 6:17:20 PM	0	6.895	58.5	57.4	0
4/3/2023, 6:27:20 PM	0	6.895	57.9	57.7	0
4/3/2023, 6:37:20 PM	0	6.895	57.4	58.2	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/3/2023, 6:47:20 PM	0	6.895	57	58.6	0
4/3/2023, 6:57:20 PM	0	6.895	56.5	58.9	0
4/3/2023, 7:07:20 PM	0	6.895	56.1	59.2	0
4/3/2023, 7:17:20 PM	0	6.895	55.9	59.2	0
4/3/2023, 7:27:20 PM	0	6.895	55.8	59.2	0
4/3/2023, 7:37:20 PM	0	6.895	55.6	59.1	0
4/3/2023, 7:47:20 PM	0	6.895	55.4	58.8	0
4/3/2023, 7:57:20 PM	0	6.895	55	58.4	0
4/3/2023, 8:07:20 PM	0	6.886	54.9	58.2	0
4/3/2023, 8:17:20 PM	0	6.886	54.5	58.1	0
4/3/2023, 8:27:20 PM	0	6.886	54.3	58	0
4/3/2023, 8:37:20 PM	0	6.886	54.3	57.8	0
4/3/2023, 8:47:20 PM	0	6.886	54.1	57.9	0
4/3/2023, 8:57:20 PM	0	6.886	54	58.7	0
4/3/2023, 9:07:20 PM	0	6.886	53.4	60.3	0
4/3/2023, 9:17:20 PM	0	6.886	52.7	62.5	0
4/3/2023, 9:27:20 PM	0	6.886	52.2	65.2	0
4/3/2023, 9:37:20 PM	0	6.886	51.4	67.6	0
4/3/2023, 9:47:20 PM	0	6.886	50.7	69.3	0
4/3/2023, 9:57:20 PM	0	6.886	50.4	71.2	0
4/3/2023, 10:07:20 PM	0	6.886	49.8	73.5	0
4/3/2023, 10:17:20 PM	0	6.886	49.3	75.4	0
4/3/2023, 10:27:20 PM	0	6.886	48.7	76.8	0
4/3/2023, 10:37:20 PM	0	6.877	48.4	77.8	0
4/3/2023, 10:47:20 PM	0	6.877	48.2	78.7	0
4/3/2023, 10:57:20 PM	0	6.877	47.8	79.6	0
4/3/2023, 11:07:20 PM	0	6.877	47.7	80.6	0
4/3/2023, 11:17:20 PM	0	6.877	47.5	81.3	0
4/3/2023, 11:27:20 PM	0	6.877	47.3	81.9	0
4/3/2023, 11:37:20 PM	0	6.877	47.3	82.5	0
4/3/2023, 11:47:20 PM	0	6.877	47.1	83.1	0
4/3/2023, 11:57:20 PM	0	6.877	46.9	83.6	0
4/4/2023, 12:07:20 AM	0	6.877	46.8	83.9	0
4/4/2023, 12:17:20 AM	0	6.877	46.8	84	0
4/4/2023, 12:27:20 AM	0	6.877	46.6	84.2	0
4/4/2023, 12:37:20 AM	0	6.877	46.6	84.5	0
4/4/2023, 12:47:20 AM	0	6.877	46.4	84.8	0
4/4/2023, 12:57:20 AM	0	6.877	46.4	85.2	0
4/4/2023, 1:07:20 AM	0	6.877	46.2	85.5	0
4/4/2023, 1:17:20 AM	0	6.877	46.2	85.8	0
4/4/2023, 1:27:20 AM	0	6.877	46.2	86.1	0
4/4/2023, 1:37:20 AM	0	6.877	46	86.3	0
4/4/2023, 1:47:20 AM	0	6.877	46	86.4	0
4/4/2023, 1:57:20 AM	0	6.877	46	86.5	0
4/4/2023, 2:07:20 AM	0	6.877	45.9	86.7	0
4/4/2023, 2:17:20 AM	0	6.877	45.9	87	0
4/4/2023, 2:27:20 AM	0	6.877	45.7	87.1	0
4/4/2023, 2:37:20 AM	0	6.877	45.7	87.4	0
4/4/2023, 2:47:20 AM	0	6.877	45.7	87.6	0
4/4/2023, 2:57:20 AM	0	6.877	45.5	87.8	0
4/4/2023, 3:07:20 AM	0	6.877	45.5	88.1	0
4/4/2023, 3:17:20 AM	0	6.877	45.5	88.3	0
4/4/2023, 3:27:20 AM	0	6.877	45.5	88.6	0
4/4/2023, 3:37:20 AM	0	6.877	45.3	88.9	0
4/4/2023, 3:47:20 AM	0	6.877	45.3	89.2	0
4/4/2023, 3:57:20 AM	0	6.869	45.3	89.5	0
4/4/2023, 4:07:20 AM	0	6.877	45.1	89.7	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/4/2023, 4:17:20 AM	0	6.869	45.1	90	0
4/4/2023, 4:27:20 AM	0	6.877	45.1	90.2	0
4/4/2023, 4:37:20 AM	0	6.869	45.1	90.5	0
4/4/2023, 4:47:20 AM	0	6.869	45.1	90.7	0
4/4/2023, 4:57:20 AM	0	6.869	45.1	90.9	0
4/4/2023, 5:07:20 AM	0	6.869	45.1	91.2	0
4/4/2023, 5:17:20 AM	0	6.869	45.1	91.4	0
4/4/2023, 5:27:20 AM	0	6.869	45.3	91.7	0
4/4/2023, 5:37:20 AM	0	6.869	45.3	91.9	0
4/4/2023, 5:47:20 AM	0	6.869	45.3	92	0
4/4/2023, 5:57:20 AM	0	6.869	45.3	92.1	0
4/4/2023, 6:07:20 AM	0	6.869	45.3	92.1	0
4/4/2023, 6:17:20 AM	0	6.869	45.1	92.3	0
4/4/2023, 6:27:20 AM	0	6.869	45.1	92.4	0
4/4/2023, 6:37:20 AM	0	6.869	45.1	92.5	0
4/4/2023, 6:47:20 AM	0	6.869	45.1	92.6	0
4/4/2023, 6:57:20 AM	0	6.869	45.1	92.7	0
4/4/2023, 7:07:20 AM	0	6.869	45.3	92.9	0
4/4/2023, 7:17:20 AM	0	6.869	45.3	93	0
4/4/2023, 7:27:20 AM	0	6.869	45.3	93.2	0
4/4/2023, 7:37:20 AM	0	6.869	45.5	93.2	0
4/4/2023, 7:47:20 AM	0	6.869	45.5	93.3	0
4/4/2023, 7:57:20 AM	0	6.877	45.5	93.3	0
4/4/2023, 8:07:20 AM	0	6.869	45.5	93.3	0
4/4/2023, 8:17:20 AM	0	6.869	45.5	93.3	0
4/4/2023, 8:27:20 AM	0	6.869	45.5	93.2	0
4/4/2023, 8:37:20 AM	0	6.869	45.7	93.2	0
4/4/2023, 8:47:20 AM	0	6.869	45.7	93.2	0
4/4/2023, 8:57:20 AM	0	6.869	45.9	93.2	0
4/4/2023, 9:07:20 AM	0	6.877	45.9	93.2	0
4/4/2023, 9:17:20 AM	0	6.869	46	93.3	0
4/4/2023, 9:27:20 AM	0	6.869	46	93.3	0
4/4/2023, 9:37:20 AM	0	6.869	46.2	93.3	0
4/4/2023, 9:47:20 AM	0	6.877	46.2	93.3	0
4/4/2023, 9:57:20 AM	0	6.877	46.4	93.3	0
4/4/2023, 10:07:20 AM	0	6.877	46.8	93.4	0
4/4/2023, 10:17:20 AM	0	6.877	46.9	93.4	0
4/4/2023, 10:27:20 AM	0	6.877	47.1	93.3	0
4/4/2023, 10:37:20 AM	0	6.877	47.3	93.3	0
4/4/2023, 10:47:20 AM	0	6.877	47.7	93.3	0
4/4/2023, 10:57:20 AM	0	6.877	47.8	93.2	0
4/4/2023, 11:07:20 AM	0	6.877	47.8	92.9	0
4/4/2023, 11:17:20 AM	0	6.877	48	92.7	0
4/4/2023, 11:27:20 AM	0	6.877	48	92.4	0
4/4/2023, 11:37:20 AM	0	6.877	48.2	92.2	0
4/4/2023, 11:47:20 AM	0	6.877	48.4	91.9	0
4/4/2023, 11:57:20 AM	0	6.877	48.6	91.7	0
4/4/2023, 12:07:20 PM	0	6.877	48.9	91.6	0
4/4/2023, 12:17:20 PM	0	6.877	49.6	91.5	0
4/4/2023, 12:27:20 PM	0	6.877	50.7	91.6	0
4/4/2023, 12:37:20 PM	0	6.877	51.4	91.1	0
4/4/2023, 12:47:20 PM	0	6.877	51.8	90.6	0
4/4/2023, 12:57:20 PM	0	6.877	52	89.8	0
4/4/2023, 1:07:20 PM	0	6.877	52	89.1	0
4/4/2023, 1:17:20 PM	0	6.877	52.2	88.6	0
4/4/2023, 1:27:20 PM	0	6.886	52.7	88.3	0
4/4/2023, 1:37:20 PM	0	6.886	53.4	88	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/4/2023, 1:47:20 PM	0	6.886	54	87.6	0
4/4/2023, 1:57:20 PM	0	6.886	54.1	87.1	0
4/4/2023, 2:07:20 PM	0	6.886	54	86.5	0
4/4/2023, 2:17:20 PM	0	6.886	54	86	0
4/4/2023, 2:27:20 PM	0	6.886	54.3	85.6	0
4/4/2023, 2:37:20 PM	0	6.886	54.7	85.1	0
4/4/2023, 2:47:20 PM	0	6.886	55	84.5	0
4/4/2023, 2:57:20 PM	0	6.886	54.9	83.5	0
4/4/2023, 3:07:20 PM	0	6.886	54.7	82.8	0
4/4/2023, 3:17:20 PM	0	6.886	54.3	82	0
4/4/2023, 3:27:20 PM	0	6.886	53.4	81.2	0
4/4/2023, 3:37:20 PM	0	6.886	52.7	80.6	0
4/4/2023, 3:47:20 PM	0	6.886	52	79.7	0
4/4/2023, 3:57:20 PM	0	6.886	51.3	78.8	0
4/4/2023, 4:07:20 PM	0	6.886	50.7	78	0
4/4/2023, 4:17:20 PM	0	6.877	50.2	77.2	0
4/4/2023, 4:27:20 PM	0	6.877	50	76.5	0
4/4/2023, 4:37:20 PM	0	6.877	49.6	76.1	0
4/4/2023, 4:47:20 PM	0	6.877	49.5	76.1	0
4/4/2023, 4:57:20 PM	0	6.877	49.1	76	0
4/4/2023, 5:07:20 PM	0	6.877	49.1	75.9	0
4/4/2023, 5:17:20 PM	0	6.877	48.9	75.8	0
4/4/2023, 5:27:20 PM	0	6.877	48.9	75.7	0
4/4/2023, 5:37:20 PM	0	6.877	48.9	75.5	0
4/4/2023, 5:47:20 PM	0	6.877	48.9	75.4	0
4/4/2023, 5:57:20 PM	0	6.877	48.9	75.3	0
4/4/2023, 6:07:20 PM	0	6.877	48.9	75.1	0
4/4/2023, 6:17:20 PM	0	6.877	48.9	74.9	0
4/4/2023, 6:27:20 PM	0	6.877	48.9	74.6	0
4/4/2023, 6:37:20 PM	0	6.877	48.9	74.4	0
4/4/2023, 6:47:20 PM	0	6.877	48.7	74.2	0
4/4/2023, 6:57:20 PM	0	6.877	48.6	74	0
4/4/2023, 7:07:20 PM	0	6.877	48.6	73.9	0
4/4/2023, 7:17:20 PM	0	6.877	48.4	73.6	0
4/4/2023, 7:27:20 PM	0	6.877	48	73.5	0
4/4/2023, 7:37:20 PM	0	6.877	47.8	73.4	0
4/4/2023, 7:47:20 PM	0	6.877	47.8	73.5	0
4/4/2023, 7:57:20 PM	0	6.877	47.7	73.7	0
4/4/2023, 8:07:20 PM	0	6.877	47.5	73.9	0
4/4/2023, 8:17:20 PM	0	6.877	47.3	74.1	0
4/4/2023, 8:27:20 PM	0	6.877	47.1	74.2	0
4/4/2023, 8:37:20 PM	0	6.877	46.9	74.4	0
4/4/2023, 8:47:20 PM	0	6.877	46.9	74.6	0
4/4/2023, 8:57:20 PM	0	6.877	46.8	74.7	0
4/4/2023, 9:07:20 PM	0	6.877	46.8	74.9	0
4/4/2023, 9:17:20 PM	0	6.877	46.6	74.9	0
4/4/2023, 9:27:20 PM	0	6.877	46.6	74.9	0
4/4/2023, 9:37:20 PM	0	6.877	46.6	74.8	0
4/4/2023, 9:47:20 PM	0	6.877	46.6	74.8	0
4/4/2023, 9:57:20 PM	0	6.877	46.6	74.7	0
4/4/2023, 10:07:20 PM	0	6.877	46.6	74.5	0
4/4/2023, 10:17:20 PM	0	6.877	46.6	74.2	0
4/4/2023, 10:27:20 PM	0	6.877	46.6	74	0
4/4/2023, 10:37:20 PM	0	6.877	46.4	73.8	0
4/4/2023, 10:47:20 PM	0	6.877	46	73.7	0
4/4/2023, 10:57:20 PM	0	6.877	45.7	73.8	0
4/4/2023, 11:07:20 PM	0	6.877	45.3	73.8	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/4/2023, 11:17:20 PM	0	6.877	45.1	73.9	0
4/4/2023, 11:27:20 PM	0	6.869	44.8	74	0
4/4/2023, 11:37:20 PM	0	6.869	44.4	74.3	0
4/4/2023, 11:47:20 PM	0	6.869	44.1	74.5	0
4/4/2023, 11:57:20 PM	0	6.869	43.9	74.7	0
4/5/2023, 12:07:20 AM	0	6.869	43.5	75	0
4/5/2023, 12:17:20 AM	0	6.869	43.2	75.3	0
4/5/2023, 12:27:20 AM	0	6.869	43	75.6	0
4/5/2023, 12:37:20 AM	0	6.869	42.8	75.9	0
4/5/2023, 12:47:20 AM	0	6.869	42.6	76.2	0
4/5/2023, 12:57:20 AM	0	6.869	42.4	76.5	0
4/5/2023, 1:07:20 AM	0	6.869	42.4	76.7	0
4/5/2023, 1:17:20 AM	0	6.869	42.4	76.9	0
4/5/2023, 1:27:20 AM	0	6.869	42.4	77.1	0
4/5/2023, 1:37:20 AM	0	6.869	42.6	77.2	0
4/5/2023, 1:47:20 AM	0	6.869	42.6	77.2	0
4/5/2023, 1:57:20 AM	0	6.869	42.4	77.3	0
4/5/2023, 2:07:20 AM	0	6.869	42.3	77.3	0
4/5/2023, 2:17:20 AM	0	6.869	42.3	77.4	0
4/5/2023, 2:27:20 AM	0	6.869	42.1	77.6	0
4/5/2023, 2:37:20 AM	0	6.869	41.9	77.7	0
4/5/2023, 2:47:20 AM	0	6.869	41.7	77.9	0
4/5/2023, 2:57:20 AM	0	6.869	41.4	78.1	0
4/5/2023, 3:07:20 AM	0	6.869	41.2	78.3	0
4/5/2023, 3:17:20 AM	0	6.869	41	78.5	0
4/5/2023, 3:27:20 AM	0	6.86	40.8	78.8	0
4/5/2023, 3:37:20 AM	0	6.86	40.6	79.1	0
4/5/2023, 3:47:20 AM	0	6.86	40.6	79.5	0
4/5/2023, 3:57:20 AM	0	6.86	40.5	79.9	0
4/5/2023, 4:07:20 AM	0	6.86	40.5	80.2	0
4/5/2023, 4:17:20 AM	0	6.86	40.5	80.5	0
4/5/2023, 4:27:20 AM	0	6.86	40.3	80.8	0
4/5/2023, 4:37:20 AM	0	6.86	40.3	81	0
4/5/2023, 4:47:20 AM	0	6.86	40.3	81.1	0
4/5/2023, 4:57:20 AM	0	6.86	40.3	81.3	0
4/5/2023, 5:07:20 AM	0	6.86	40.3	81.5	0
4/5/2023, 5:17:20 AM	0	6.86	40.3	81.8	0
4/5/2023, 5:27:20 AM	0	6.86	40.3	82	0
4/5/2023, 5:37:20 AM	0	6.86	40.5	82.2	0
4/5/2023, 5:47:20 AM	0	6.86	40.6	82.5	0
4/5/2023, 5:57:20 AM	0	6.86	41	82.8	0
4/5/2023, 6:07:20 AM	0	6.86	41.2	83	0
4/5/2023, 6:17:20 AM	0	6.86	41.2	83.2	0
4/5/2023, 6:27:20 AM	0	6.86	41.4	83.4	0
4/5/2023, 6:37:20 AM	0	6.86	41.5	83.6	0
4/5/2023, 6:47:20 AM	0	6.86	41.7	83.8	0
4/5/2023, 6:57:20 AM	0	6.86	42.1	84	0
4/5/2023, 7:07:20 AM	0	6.86	42.3	84.1	0
4/5/2023, 7:17:20 AM	0	6.86	42.4	84.4	0
4/5/2023, 7:27:20 AM	0	6.869	42.6	84.6	0
4/5/2023, 7:37:20 AM	0	6.869	42.8	84.8	0
4/5/2023, 7:47:20 AM	0	6.869	43	85.1	0
4/5/2023, 7:57:20 AM	0	6.869	43.3	85.5	0
4/5/2023, 8:07:20 AM	0	6.869	43.7	85.9	0
4/5/2023, 8:17:20 AM	0	6.869	44.2	86.5	0
4/5/2023, 8:27:20 AM	0	6.869	44.6	86.8	0
4/5/2023, 8:37:20 AM	0	6.869	45.1	86.9	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/5/2023, 8:47:20 AM	0	6.869	45.5	87	0
4/5/2023, 8:57:20 AM	0	6.869	46	87	0
4/5/2023, 9:07:20 AM	0	6.869	46.4	87	0
4/5/2023, 9:17:20 AM	0	6.869	46.9	87.1	0
4/5/2023, 9:27:20 AM	0	6.869	47.5	87.1	0
4/5/2023, 9:37:20 AM	0	6.869	48	87.2	0
4/5/2023, 9:47:20 AM	0	6.877	48.7	87.4	0
4/5/2023, 9:57:20 AM	0	6.877	49.5	87.6	0
4/5/2023, 10:07:20 AM	0	6.877	50.4	87.8	0
4/5/2023, 10:17:20 AM	0	6.877	51.4	87.7	0
4/5/2023, 10:27:20 AM	0	6.877	52.7	87.4	0
4/5/2023, 10:37:20 AM	0	6.877	54.1	87.3	0
4/5/2023, 10:47:20 AM	0	6.877	55.6	86.8	0
4/5/2023, 10:57:20 AM	0	6.886	57.4	85.9	0
4/5/2023, 11:07:20 AM	0	6.886	59.4	85	0
4/5/2023, 11:17:20 AM	0	6.886	61	84.1	0
4/5/2023, 11:27:20 AM	0	6.886	62.8	83.3	0
4/5/2023, 11:37:20 AM	0	6.886	64.9	82.5	0
4/5/2023, 11:47:20 AM	0	6.895	67.1	81.3	0
4/5/2023, 11:57:20 AM	0	6.895	69.3	79.8	0
4/5/2023, 12:07:20 PM	0	6.895	70.9	78.3	0
4/5/2023, 12:17:20 PM	0	6.895	72.5	76.4	0
4/5/2023, 12:27:20 PM	0	6.895	73.8	74.9	0
4/5/2023, 12:37:20 PM	0	6.904	74.5	73.5	0
4/5/2023, 12:47:20 PM	0	6.904	75.2	72.5	0
4/5/2023, 12:57:20 PM	0	6.904	75.9	71.7	0
4/5/2023, 1:07:20 PM	0	6.904	76.6	70.9	0
4/5/2023, 1:17:20 PM	0	6.904	77.2	70.3	0
4/5/2023, 1:27:20 PM	0	6.904	77.7	69.9	0
4/5/2023, 1:37:20 PM	0	6.904	78.6	69.3	0
4/5/2023, 1:47:20 PM	0	6.904	79.5	68.7	0
4/5/2023, 1:57:20 PM	0	6.904	80.6	67.9	0
4/5/2023, 2:07:20 PM	0	6.904	81.3	67.2	0
4/5/2023, 2:17:20 PM	0	6.913	81.1	66.7	0
4/5/2023, 2:27:20 PM	0	6.913	80.8	66.5	0
4/5/2023, 2:37:20 PM	0	6.913	80.6	66.4	0
4/5/2023, 2:47:20 PM	0	6.913	79.9	67	0
4/5/2023, 2:57:20 PM	0	6.913	78.4	66	0
4/5/2023, 3:07:20 PM	0	6.913	74.7	64.2	0
4/5/2023, 3:17:20 PM	0	6.913	68.7	63.8	0
4/5/2023, 3:27:20 PM	0	6.913	63.9	65.2	0
4/5/2023, 3:37:20 PM	0	6.904	60.3	67.1	0
4/5/2023, 3:47:20 PM	0	6.904	56.8	68.9	0
4/5/2023, 3:57:20 PM	0	6.904	54.7	71.2	0
4/5/2023, 4:07:20 PM	0	6.895	53.8	73.7	0
4/5/2023, 4:17:20 PM	0	6.895	53.2	76.2	0
4/5/2023, 4:27:20 PM	0	6.895	52.9	78.4	0
4/5/2023, 4:37:20 PM	0	6.886	52.3	79.8	0
4/5/2023, 4:47:20 PM	0	6.886	51.8	81	0
4/5/2023, 4:57:20 PM	0	6.886	51.4	82.5	0
4/5/2023, 5:07:20 PM	0	6.886	51.6	84.1	0
4/5/2023, 5:17:20 PM	0	6.886	51.8	85.7	0
4/5/2023, 5:27:20 PM	0	6.886	52.2	86.9	0
4/5/2023, 5:37:20 PM	0	6.886	52.3	88	0
4/5/2023, 5:47:20 PM	0	6.886	52.7	89.1	0
4/5/2023, 5:57:20 PM	0	6.886	53.2	89.9	0
4/5/2023, 6:07:20 PM	0	6.886	53.4	90.5	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/5/2023, 6:17:20 PM	0	6.886	53.8	90.9	0
4/5/2023, 6:27:20 PM	0	6.886	54	91.2	0
4/5/2023, 6:37:20 PM	0	6.886	54	91.5	0
4/5/2023, 6:47:20 PM	0	6.886	54.1	91.7	0
4/5/2023, 6:57:20 PM	0	6.886	54.1	91.8	0
4/5/2023, 7:07:20 PM	0	6.886	54.3	92	0
4/5/2023, 7:17:20 PM	0	6.886	54.3	92.4	0
4/5/2023, 7:27:20 PM	0	6.886	54.5	92.7	0
4/5/2023, 7:37:20 PM	0	6.886	54.7	93.1	0
4/5/2023, 7:47:20 PM	0	6.886	54.9	93.4	0
4/5/2023, 7:57:20 PM	0	6.886	55	93.7	0
4/5/2023, 8:07:20 PM	0	6.886	55.2	93.9	0
4/5/2023, 8:17:20 PM	0	6.886	55.2	94.1	0
4/5/2023, 8:27:20 PM	0	6.886	55.4	94.3	0
4/5/2023, 8:37:20 PM	0	6.886	55.4	94.4	0
4/5/2023, 8:47:20 PM	0	6.886	55.6	94.6	0
4/5/2023, 8:57:20 PM	0	6.886	55.8	94.8	0
4/5/2023, 9:07:20 PM	0	6.886	55.9	95	0
4/5/2023, 9:17:20 PM	0	6.886	56.3	95.3	0
4/5/2023, 9:27:20 PM	0	6.886	56.5	95.5	0
4/5/2023, 9:37:20 PM	0	6.886	56.7	95.7	0
4/5/2023, 9:47:20 PM	0	6.886	57	95.9	0
4/5/2023, 9:57:20 PM	0	6.886	57.2	96.1	0
4/5/2023, 10:07:20 PM	0	6.886	57.4	96.3	0
4/5/2023, 10:17:20 PM	0	6.886	57.6	96.4	0
4/5/2023, 10:27:20 PM	0	6.886	57.9	96.6	0
4/5/2023, 10:37:20 PM	0	6.886	58.5	96.8	0
4/5/2023, 10:47:20 PM	0	6.895	59.2	97	0
4/5/2023, 10:57:20 PM	0	6.895	59.5	97.2	0
4/5/2023, 11:07:20 PM	0	6.895	59.9	97.4	0
4/5/2023, 11:17:20 PM	0	6.895	60.4	97.5	0
4/5/2023, 11:27:20 PM	0	6.895	60.6	97.5	0
4/5/2023, 11:37:20 PM	0	6.895	60.8	97.4	0
4/5/2023, 11:47:20 PM	0	6.895	61	97.3	0
4/5/2023, 11:57:20 PM	0	6.895	61.2	97.2	0
4/6/2023, 12:07:20 AM	0	6.895	61.2	97.1	0
4/6/2023, 12:17:20 AM	0	6.895	61.3	97	0
4/6/2023, 12:27:20 AM	0	6.895	61.5	96.8	0
4/6/2023, 12:37:20 AM	0	6.895	61.5	96.5	0
4/6/2023, 12:47:20 AM	0	6.895	61.5	96.3	0
4/6/2023, 12:57:20 AM	0	6.895	61.5	96.1	0
4/6/2023, 1:07:20 AM	0	6.895	61.5	95.9	0
4/6/2023, 1:17:20 AM	0	6.895	61.7	95.7	0
4/6/2023, 1:27:20 AM	0	6.895	61.7	95.4	0
4/6/2023, 1:37:20 AM	0	6.895	61.9	95.1	0
4/6/2023, 1:47:20 AM	0	6.895	62.1	94.7	0
4/6/2023, 1:57:20 AM	0	6.895	62.1	94.2	0
4/6/2023, 2:07:20 AM	0	6.895	62.4	93.3	0
4/6/2023, 2:17:20 AM	0	6.895	62.6	92.5	0
4/6/2023, 2:27:20 AM	0	6.895	62.8	91.7	0
4/6/2023, 2:37:20 AM	0	6.895	63	90.9	0
4/6/2023, 2:47:20 AM	0	6.895	63	90.5	0
4/6/2023, 2:57:20 AM	0	6.895	63.1	90.1	0
4/6/2023, 3:07:20 AM	0	6.895	63.1	89.9	0
4/6/2023, 3:17:20 AM	0	6.895	63.1	89.8	0
4/6/2023, 3:27:20 AM	0	6.895	63.1	89.8	0
4/6/2023, 3:37:20 AM	0	6.895	63	89.9	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/6/2023, 3:47:20 AM	0	6.895	62.8	90	0
4/6/2023, 3:57:20 AM	0	6.895	62.6	90.1	0
4/6/2023, 4:07:20 AM	0	6.895	62.6	90.1	0
4/6/2023, 4:17:20 AM	0	6.895	62.4	90.2	0
4/6/2023, 4:27:20 AM	0	6.895	62.4	90.2	0
4/6/2023, 4:37:20 AM	0	6.895	62.4	90.2	0
4/6/2023, 4:47:20 AM	0	6.895	62.4	89.9	0
4/6/2023, 4:57:20 AM	0	6.895	62.4	89.6	0
4/6/2023, 5:07:20 AM	0	6.895	62.4	89.1	0
4/6/2023, 5:17:20 AM	0	6.895	62.4	88.8	0
4/6/2023, 5:27:20 AM	0	6.895	62.2	88.5	0
4/6/2023, 5:37:20 AM	0	6.895	62.2	88.2	0
4/6/2023, 5:47:20 AM	0	6.895	62.1	87.9	0
4/6/2023, 5:57:20 AM	0	6.895	61.9	87.3	0
4/6/2023, 6:07:20 AM	0	6.895	61.9	86.7	0
4/6/2023, 6:17:20 AM	0	6.895	61.7	85.9	0
4/6/2023, 6:27:20 AM	0	6.895	61.5	85.1	0
4/6/2023, 6:37:20 AM	0	6.895	61.3	84.4	0
4/6/2023, 6:47:20 AM	0	6.895	61.2	83.5	0
4/6/2023, 6:57:20 AM	0	6.895	61	82.9	0
4/6/2023, 7:07:20 AM	0	6.895	60.8	82.6	0
4/6/2023, 7:17:20 AM	0	6.895	60.4	82.5	0
4/6/2023, 7:27:20 AM	0	6.895	60.1	82.7	0
4/6/2023, 7:37:20 AM	0	6.895	59.7	83	0
4/6/2023, 7:47:20 AM	0	6.895	59.4	83.3	0
4/6/2023, 7:57:20 AM	0	6.895	59.2	83.3	0
4/6/2023, 8:07:20 AM	0	6.895	58.8	81.2	0
4/6/2023, 8:17:20 AM	0	6.895	58.1	78.6	0
4/6/2023, 8:27:20 AM	0	6.895	57.4	77.2	0
4/6/2023, 8:37:20 AM	0	6.895	57	76.4	0
4/6/2023, 8:47:20 AM	0	6.895	56.7	76.2	0
4/6/2023, 8:57:20 AM	0	6.886	56.5	75.9	0
4/6/2023, 9:07:20 AM	0	6.886	56.1	74.8	0
4/6/2023, 9:17:20 AM	0	6.886	55.9	74.3	0
4/6/2023, 9:27:20 AM	0	6.886	55.9	74	0
4/6/2023, 9:37:20 AM	0	6.886	55.8	73.8	0
4/6/2023, 9:47:20 AM	0	6.886	55.8	74.6	0
4/6/2023, 9:57:20 AM	0	6.886	55.6	73.3	0
4/6/2023, 10:07:20 AM	0	6.886	55.4	71.9	0
4/6/2023, 10:17:20 AM	0	6.886	55.2	71.1	0
4/6/2023, 10:27:20 AM	0	6.886	54.9	70.3	0
4/6/2023, 10:37:20 AM	0	6.886	54.9	70.2	0
4/6/2023, 10:47:20 AM	0	6.886	55.2	70.4	0
4/6/2023, 10:57:20 AM	0	6.886	55.9	70.5	0
4/6/2023, 11:07:20 AM	0	6.886	56.1	69.9	0
4/6/2023, 11:17:20 AM	0	6.886	55.9	68.6	0
4/6/2023, 11:27:20 AM	0	6.886	55.9	67.2	0
4/6/2023, 11:37:20 AM	0	6.886	56.1	66.3	0
4/6/2023, 11:47:20 AM	0	6.886	56.5	65.6	0
4/6/2023, 11:57:20 AM	0	6.886	56.5	64.9	0
4/6/2023, 12:07:20 PM	0	6.886	56.5	64.6	0
4/6/2023, 12:17:20 PM	0	6.886	56.7	64.7	0
4/6/2023, 12:27:20 PM	0	6.886	56.8	64.7	0
4/6/2023, 12:37:20 PM	0	6.886	56.7	64.8	0
4/6/2023, 12:47:20 PM	0	6.886	56.8	65.2	0
4/6/2023, 12:57:20 PM	0	6.886	56.7	65.5	0
4/6/2023, 1:07:20 PM	0	6.886	56.8	65.9	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/6/2023, 1:17:20 PM	0	6.886	57.2	65.9	0
4/6/2023, 1:27:20 PM	0	6.886	57.2	65.8	0
4/6/2023, 1:37:20 PM	0	6.886	57	65.8	0
4/6/2023, 1:47:20 PM	0	6.886	57	65.8	0
4/6/2023, 1:57:20 PM	0	6.886	56.8	65.7	0
4/6/2023, 2:07:20 PM	0	6.886	57.2	65.3	0
4/6/2023, 2:17:20 PM	0	6.886	57.7	64.8	0
4/6/2023, 2:27:20 PM	0	6.886	57.9	64.2	0
4/6/2023, 2:37:20 PM	0	6.886	57.9	63.8	0
4/6/2023, 2:47:20 PM	0	6.886	57.9	63.6	0
4/6/2023, 2:57:20 PM	0	6.886	58.1	63.2	0
4/6/2023, 3:07:20 PM	0	6.886	57.9	62.2	0
4/6/2023, 3:17:20 PM	0	6.886	57.7	61.4	0
4/6/2023, 3:27:20 PM	0	6.886	57.6	61.1	0
4/6/2023, 3:37:20 PM	0	6.886	57.4	61	0
4/6/2023, 3:47:20 PM	0	6.886	57	60.9	0
4/6/2023, 3:57:20 PM	0	6.886	56.8	60.9	0
4/6/2023, 4:07:20 PM	0	6.886	56.3	61	0
4/6/2023, 4:17:20 PM	0	6.886	56.3	61.2	0
4/6/2023, 4:27:20 PM	0	6.886	56.5	61	0
4/6/2023, 4:37:20 PM	0	6.886	56.1	60.5	0
4/6/2023, 4:47:20 PM	0	6.886	55.9	59.8	0
4/6/2023, 4:57:20 PM	0	6.886	55.8	59	0
4/6/2023, 5:07:20 PM	0	6.886	55.4	58.4	0
4/6/2023, 5:17:20 PM	0	6.886	55.2	57.9	0
4/6/2023, 5:27:20 PM	0	6.886	55	57.4	0
4/6/2023, 5:37:20 PM	0	6.886	54.7	56.9	0
4/6/2023, 5:47:20 PM	0	6.886	54.3	56.7	0
4/6/2023, 5:57:20 PM	0	6.886	54.1	56.8	0
4/6/2023, 6:07:20 PM	0	6.886	54	56.8	0
4/6/2023, 6:17:20 PM	0	6.886	53.6	56.4	0
4/6/2023, 6:27:20 PM	0	6.886	53.6	56.1	0
4/6/2023, 6:37:20 PM	0	6.886	53.4	55.7	0
4/6/2023, 6:47:20 PM	0	6.886	53.1	55.4	0
4/6/2023, 6:57:20 PM	0	6.886	52.3	55.2	0
4/6/2023, 7:07:20 PM	0	6.886	51.6	55.1	0
4/6/2023, 7:17:20 PM	0	6.886	50.9	55.1	0
4/6/2023, 7:27:20 PM	0	6.886	50.4	55.3	0
4/6/2023, 7:37:20 PM	0	6.886	49.6	55.4	0
4/6/2023, 7:47:20 PM	0	6.877	49.1	55.6	0
4/6/2023, 7:57:20 PM	0	6.877	48.6	55.9	0
4/6/2023, 8:07:20 PM	0	6.877	48.2	56.1	0
4/6/2023, 8:17:20 PM	0	6.877	47.7	56.4	0
4/6/2023, 8:27:20 PM	0	6.877	47.3	56.7	0
4/6/2023, 8:37:20 PM	0	6.877	46.8	56.9	0
4/6/2023, 8:47:20 PM	0	6.877	46.4	57.3	0
4/6/2023, 8:57:20 PM	0	6.877	46	57.6	0
4/6/2023, 9:07:20 PM	0	6.877	45.7	57.9	0
4/6/2023, 9:17:20 PM	0	6.877	45.3	58.3	0
4/6/2023, 9:27:20 PM	0	6.877	45	58.9	0
4/6/2023, 9:37:20 PM	0	6.877	44.8	59.7	0
4/6/2023, 9:47:20 PM	0	6.869	44.6	60.5	0
4/6/2023, 9:57:20 PM	0	6.869	44.2	61.3	0
4/6/2023, 10:07:20 PM	0	6.869	44.1	62	0
4/6/2023, 10:17:20 PM	0	6.869	43.7	62.6	0
4/6/2023, 10:27:20 PM	0	6.869	43.5	63.3	0
4/6/2023, 10:37:20 PM	0	6.869	43.2	64	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/6/2023, 10:47:20 PM	0	6.869	43	64.6	0
4/6/2023, 10:57:20 PM	0	6.869	42.8	65.2	0
4/6/2023, 11:07:20 PM	0	6.869	42.6	65.7	0
4/6/2023, 11:17:20 PM	0	6.869	42.4	66.1	0
4/6/2023, 11:27:20 PM	0	6.869	42.1	66.5	0
4/6/2023, 11:37:20 PM	0	6.869	41.9	66.9	0
4/6/2023, 11:47:20 PM	0	6.869	41.7	67.2	0
4/6/2023, 11:57:20 PM	0	6.869	41.4	67.6	0
4/7/2023, 12:07:20 AM	0	6.869	41.2	67.9	0
4/7/2023, 12:17:20 AM	0	6.869	40.8	68.3	0
4/7/2023, 12:27:20 AM	0	6.869	40.6	68.7	0
4/7/2023, 12:37:20 AM	0	6.86	40.3	69.1	0
4/7/2023, 12:47:20 AM	0	6.86	40.1	69.5	0
4/7/2023, 12:57:20 AM	0	6.86	39.7	69.9	0
4/7/2023, 1:07:20 AM	0	6.86	39.4	70.4	0
4/7/2023, 1:17:20 AM	0	6.86	39	70.8	0
4/7/2023, 1:27:20 AM	0	6.86	39	71.2	0
4/7/2023, 1:37:20 AM	0	6.86	38.8	71.5	0
4/7/2023, 1:47:20 AM	0	6.86	38.8	71.7	0
4/7/2023, 1:57:20 AM	0	6.86	38.8	71.9	0
4/7/2023, 2:07:20 AM	0	6.86	38.8	72	0
4/7/2023, 2:17:20 AM	0	6.86	38.8	72.1	0
4/7/2023, 2:27:20 AM	0	6.86	38.8	72.1	0
4/7/2023, 2:37:20 AM	0	6.86	39	72.2	0
4/7/2023, 2:47:20 AM	0	6.86	39	72.2	0
4/7/2023, 2:57:20 AM	0	6.86	39	72.2	0
4/7/2023, 3:07:20 AM	0	6.86	39	72.2	0
4/7/2023, 3:17:20 AM	0	6.86	39	72.2	0
4/7/2023, 3:27:20 AM	0	6.86	39	72.3	0
4/7/2023, 3:37:20 AM	0	6.86	39	72.4	0
4/7/2023, 3:47:20 AM	0	6.86	39	72.5	0
4/7/2023, 3:57:20 AM	0	6.86	39	72.5	0
4/7/2023, 4:07:20 AM	0	6.86	39	72.6	0
4/7/2023, 4:17:20 AM	0	6.86	39	72.6	0
4/7/2023, 4:27:20 AM	0	6.86	38.8	72.7	0
4/7/2023, 4:37:20 AM	0	6.86	38.8	72.6	0
4/7/2023, 4:47:20 AM	0	6.86	38.7	72.6	0
4/7/2023, 4:57:20 AM	0	6.86	38.5	72.5	0
4/7/2023, 5:07:20 AM	0	6.86	38.3	72.5	0
4/7/2023, 5:17:20 AM	0	6.86	38.1	72.3	0
4/7/2023, 5:27:20 AM	0	6.86	37.9	72.2	0
4/7/2023, 5:37:20 AM	0	6.86	37.6	72.2	0
4/7/2023, 5:47:20 AM	0	6.86	37.6	72.1	0
4/7/2023, 5:57:20 AM	0	6.86	37.4	72.1	0
4/7/2023, 6:07:20 AM	0	6.86	37.6	71.9	0
4/7/2023, 6:17:20 AM	0	6.851	37.8	71.7	0
4/7/2023, 6:27:20 AM	0	6.86	37.8	71.8	0
4/7/2023, 6:37:20 AM	0	6.851	37.8	72.3	0
4/7/2023, 6:47:20 AM	0	6.851	37.4	72.5	0
4/7/2023, 6:57:20 AM	0	6.851	37.2	72.7	0
4/7/2023, 7:07:20 AM	0	6.851	37	73	0
4/7/2023, 7:17:20 AM	0	6.851	37	73.5	0
4/7/2023, 7:27:20 AM	0	6.851	37	73.9	0
4/7/2023, 7:37:20 AM	0	6.851	37	74.3	0
4/7/2023, 7:47:20 AM	0	6.851	37	74.6	0
4/7/2023, 7:57:20 AM	0	6.851	37	74.7	0
4/7/2023, 8:07:20 AM	0	6.851	37.2	74.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/7/2023, 8:17:20 AM	0	6.851	37.2	73.9	0
4/7/2023, 8:27:20 AM	0	6.851	37.2	73.7	0
4/7/2023, 8:37:20 AM	0	6.851	37.2	73.4	0
4/7/2023, 8:47:20 AM	0	6.851	37.8	73.3	0
4/7/2023, 8:57:20 AM	0	6.851	38.7	72.9	0
4/7/2023, 9:07:20 AM	0	6.851	39.6	72.1	0
4/7/2023, 9:17:20 AM	0	6.851	40.3	71.1	0
4/7/2023, 9:27:20 AM	0	6.86	40.6	70.2	0
4/7/2023, 9:37:20 AM	0	6.86	41	69.3	0
4/7/2023, 9:47:20 AM	0	6.86	41.2	68.6	0
4/7/2023, 9:57:20 AM	0	6.86	41.2	67.5	0
4/7/2023, 10:07:20 AM	0	6.86	41.9	66.6	0
4/7/2023, 10:17:20 AM	0	6.86	42.6	65.9	0
4/7/2023, 10:27:20 AM	0	6.86	43.2	65.4	0
4/7/2023, 10:37:20 AM	0	6.86	43.7	65	0
4/7/2023, 10:47:20 AM	0	6.86	44.1	64.6	0
4/7/2023, 10:57:20 AM	0	6.86	44.6	64.2	0
4/7/2023, 11:07:20 AM	0	6.86	45.3	63.7	0
4/7/2023, 11:17:20 AM	0	6.86	46	63.2	0
4/7/2023, 11:27:20 AM	0	6.86	46.6	62.5	0
4/7/2023, 11:37:20 AM	0	6.869	46.9	61.8	0
4/7/2023, 11:47:20 AM	0	6.869	47.3	61.1	0
4/7/2023, 11:57:20 AM	0	6.869	47.8	60.6	0
4/7/2023, 12:07:20 PM	0	6.869	48.4	60	0
4/7/2023, 12:17:20 PM	0	6.869	48.9	59.4	0
4/7/2023, 12:27:20 PM	0	6.869	49.3	58.9	0
4/7/2023, 12:37:20 PM	0	6.869	49.5	58.4	0
4/7/2023, 12:47:20 PM	0	6.869	49.8	58.1	0
4/7/2023, 12:57:20 PM	0	6.869	49.8	57.7	0
4/7/2023, 1:07:20 PM	0	6.869	50.2	57.1	0
4/7/2023, 1:17:20 PM	0	6.869	50.4	56.9	0
4/7/2023, 1:27:20 PM	0	6.869	50.7	56.7	0
4/7/2023, 1:37:20 PM	0	6.869	50.4	56.2	0
4/7/2023, 1:47:20 PM	0	6.869	50.5	56	0
4/7/2023, 1:57:20 PM	0	6.869	50.5	55.6	0
4/7/2023, 2:07:20 PM	0	6.869	50	55.3	0
4/7/2023, 2:17:20 PM	0	6.869	49.8	55.3	0
4/7/2023, 2:27:20 PM	0	6.869	49.5	55	0
4/7/2023, 2:37:20 PM	0	6.869	49.6	55	0
4/7/2023, 2:47:20 PM	0	6.869	50	54.9	0
4/7/2023, 2:57:20 PM	0	6.869	50.4	54.7	0
4/7/2023, 3:07:20 PM	0	6.869	50.4	54.7	0
4/7/2023, 3:17:20 PM	0	6.869	50	54.4	0
4/7/2023, 3:27:20 PM	0	6.869	49.8	54.2	0
4/7/2023, 3:37:20 PM	0	6.869	50	54.2	0
4/7/2023, 3:47:20 PM	0	6.869	49.6	54	0
4/7/2023, 3:57:20 PM	0	6.869	49.5	53.7	0
4/7/2023, 4:07:20 PM	0	6.869	49.6	53.6	0
4/7/2023, 4:17:20 PM	0	6.869	50	53.7	0
4/7/2023, 4:27:20 PM	0	6.869	49.5	53.6	0
4/7/2023, 4:37:20 PM	0	6.869	48.9	53.4	0
4/7/2023, 4:47:20 PM	0	6.869	49.1	53.6	0
4/7/2023, 4:57:20 PM	0	6.869	48.9	53.5	0
4/7/2023, 5:07:20 PM	0	6.869	48.4	53.4	0
4/7/2023, 5:17:20 PM	0	6.869	48	53.4	0
4/7/2023, 5:27:20 PM	0	6.869	47.8	53.3	0
4/7/2023, 5:37:20 PM	0	6.869	47.3	53.3	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/7/2023, 5:47:20 PM	0	6.869	46.8	53.4	0
4/7/2023, 5:57:20 PM	0	6.869	46.4	53.5	0
4/7/2023, 6:07:20 PM	0	6.869	45.7	53.5	0
4/7/2023, 6:17:20 PM	0	6.869	45	53.7	0
4/7/2023, 6:27:20 PM	0	6.869	44.6	53.9	0
4/7/2023, 6:37:20 PM	0	6.869	44.2	54	0
4/7/2023, 6:47:20 PM	0	6.869	43.7	54	0
4/7/2023, 6:57:20 PM	0	6.86	43	54.1	0
4/7/2023, 7:07:20 PM	0	6.86	42.3	54.2	0
4/7/2023, 7:17:20 PM	0	6.86	41.4	54.4	0
4/7/2023, 7:27:20 PM	0	6.86	40.6	54.8	0
4/7/2023, 7:37:20 PM	0	6.86	40.1	55.1	0
4/7/2023, 7:47:20 PM	0	6.86	39.4	55.5	0
4/7/2023, 7:57:20 PM	0	6.86	38.8	55.8	0
4/7/2023, 8:07:20 PM	0	6.86	38.3	56	0
4/7/2023, 8:17:20 PM	0	6.86	37.9	56.4	0
4/7/2023, 8:27:20 PM	0	6.851	37.4	56.6	0
4/7/2023, 8:37:20 PM	0	6.851	36.9	56.9	0
4/7/2023, 8:47:20 PM	0	6.851	36.5	57.2	0
4/7/2023, 8:57:20 PM	0	6.851	36.1	57.4	0
4/7/2023, 9:07:20 PM	0	6.851	35.6	57.8	0
4/7/2023, 9:17:20 PM	0	6.851	35.2	58.3	0
4/7/2023, 9:27:20 PM	0	6.851	34.9	58.8	0
4/7/2023, 9:37:20 PM	0	6.851	34.5	59.3	0
4/7/2023, 9:47:20 PM	0	6.842	34.3	59.9	0
4/7/2023, 9:57:20 PM	0	6.842	34	60.5	0
4/7/2023, 10:07:20 PM	0	6.842	33.6	61.1	0
4/7/2023, 10:17:20 PM	0	6.842	33.3	61.8	0
4/7/2023, 10:27:20 PM	0	6.842	32.9	62.5	0
4/7/2023, 10:37:20 PM	0	6.842	32.7	63.2	0
4/7/2023, 10:47:20 PM	0	6.842	32.4	63.9	0
4/7/2023, 10:57:20 PM	0	6.842	32	64.5	0
4/7/2023, 11:07:20 PM	0	6.842	31.6	65.1	0
4/7/2023, 11:17:20 PM	0	6.842	31.3	65.7	0
4/7/2023, 11:27:20 PM	0	6.833	30.9	66.3	0
4/7/2023, 11:37:20 PM	0	6.833	30.6	67.1	0
4/7/2023, 11:47:20 PM	0	6.833	30.4	67.7	0
4/7/2023, 11:57:20 PM	0	6.833	30	68.2	0
4/8/2023, 12:07:20 AM	0	6.833	29.8	68.7	0
4/8/2023, 12:17:20 AM	0	6.833	29.7	69.1	0
4/8/2023, 12:27:20 AM	0	6.833	29.3	69.5	0
4/8/2023, 12:37:20 AM	0	6.833	28.9	69.9	0
4/8/2023, 12:47:20 AM	0	6.825	28.6	70.4	0
4/8/2023, 12:57:20 AM	0	6.825	28.4	70.8	0
4/8/2023, 1:07:20 AM	0	6.825	28.2	71.2	0
4/8/2023, 1:17:20 AM	0	6.825	28.2	71.6	0
4/8/2023, 1:27:20 AM	0	6.825	28.2	72	0
4/8/2023, 1:37:20 AM	0	6.825	28	72.4	0
4/8/2023, 1:47:20 AM	0	6.825	27.7	73.2	0
4/8/2023, 1:57:20 AM	0	6.825	27.3	73.9	0
4/8/2023, 2:07:20 AM	0	6.825	27.1	74.5	0
4/8/2023, 2:17:20 AM	0	6.825	27	75.1	0
4/8/2023, 2:27:20 AM	0	6.825	26.8	75.5	0
4/8/2023, 2:37:20 AM	0	6.825	26.4	75.8	0
4/8/2023, 2:47:20 AM	0	6.825	26.4	76	0
4/8/2023, 2:57:20 AM	0	6.816	26.2	76.2	0
4/8/2023, 3:07:20 AM	0	6.816	25.9	76.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/8/2023, 3:17:20 AM	0	6.816	25.5	76.6	0
4/8/2023, 3:27:20 AM	0	6.816	25.3	77.1	0
4/8/2023, 3:37:20 AM	0	6.816	25.3	77.6	0
4/8/2023, 3:47:20 AM	0	6.816	25.3	78	0
4/8/2023, 3:57:20 AM	0	6.816	25.2	78.3	0
4/8/2023, 4:07:20 AM	0	6.816	25.2	78.6	0
4/8/2023, 4:17:20 AM	0	6.816	25	79	0
4/8/2023, 4:27:20 AM	0	6.816	24.8	79.3	0
4/8/2023, 4:37:20 AM	0	6.816	24.8	79.7	0
4/8/2023, 4:47:20 AM	0	6.816	24.6	80.1	0
4/8/2023, 4:57:20 AM	0	6.816	24.4	80.3	0
4/8/2023, 5:07:20 AM	0	6.816	24.1	80.6	0
4/8/2023, 5:17:20 AM	0	6.816	23.9	81	0
4/8/2023, 5:27:20 AM	0	6.807	23.7	81.3	0
4/8/2023, 5:37:20 AM	0	6.807	23.7	81.6	0
4/8/2023, 5:47:20 AM	0	6.807	23.5	81.7	0
4/8/2023, 5:57:20 AM	0	6.807	23.4	81.9	0
4/8/2023, 6:07:20 AM	0	6.807	23.4	82.2	0
4/8/2023, 6:17:20 AM	0	6.807	23.2	82.5	0
4/8/2023, 6:27:20 AM	0	6.807	23.2	82.7	0
4/8/2023, 6:37:20 AM	0	6.807	23.2	82.9	0
4/8/2023, 6:47:20 AM	0	6.807	23.2	83.1	0
4/8/2023, 6:57:20 AM	0	6.807	23	83.2	0
4/8/2023, 7:07:20 AM	0	6.807	23	83.4	0
4/8/2023, 7:17:20 AM	0	6.807	23.4	83.8	0
4/8/2023, 7:27:20 AM	0	6.807	24.1	84.3	0
4/8/2023, 7:37:20 AM	0	6.807	25	84.8	0
4/8/2023, 7:47:20 AM	0	6.816	26.2	85.1	0
4/8/2023, 7:57:20 AM	0	6.816	27.7	85.1	0
4/8/2023, 8:07:20 AM	0	6.816	29.1	84.8	0
4/8/2023, 8:17:20 AM	0	6.825	30.6	84.3	0
4/8/2023, 8:27:20 AM	0	6.825	32	83.5	0
4/8/2023, 8:37:20 AM	0	6.833	33.1	82.4	0
4/8/2023, 8:47:20 AM	0	6.833	34.3	81.3	0
4/8/2023, 8:57:20 AM	0	6.842	35.8	79.9	0
4/8/2023, 9:07:20 AM	0	6.842	37	78.4	0
4/8/2023, 9:17:20 AM	0	6.842	38.5	76.8	0
4/8/2023, 9:27:20 AM	0	6.842	39.6	75.2	0
4/8/2023, 9:37:20 AM	0	6.851	40.8	73.6	0
4/8/2023, 9:47:20 AM	0	6.851	42.1	71.9	0
4/8/2023, 9:57:20 AM	0	6.851	43.2	70.4	0
4/8/2023, 10:07:20 AM	0	6.86	44.1	69	0
4/8/2023, 10:17:20 AM	0	6.86	44.8	67.7	0
4/8/2023, 10:27:20 AM	0	6.86	45.3	66.5	0
4/8/2023, 10:37:20 AM	0	6.86	46	65.5	0
4/8/2023, 10:47:20 AM	0	6.86	47.3	64.7	0
4/8/2023, 10:57:20 AM	0	6.86	48.4	63.8	0
4/8/2023, 11:07:20 AM	0	6.869	48.9	63	0
4/8/2023, 11:17:20 AM	0	6.869	49.5	62.2	0
4/8/2023, 11:27:20 AM	0	6.869	50.5	61.5	0
4/8/2023, 11:37:20 AM	0	6.869	51.3	60.9	0
4/8/2023, 11:47:20 AM	0	6.869	52	60.2	0
4/8/2023, 11:57:20 AM	0	6.869	52.2	59.6	0
4/8/2023, 12:07:20 PM	0	6.869	52.5	59.1	0
4/8/2023, 12:17:20 PM	0	6.869	53.4	58.5	0
4/8/2023, 12:27:20 PM	0	6.869	54.3	57.9	0
4/8/2023, 12:37:20 PM	0	6.869	55	57.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/8/2023, 12:47:20 PM	0	6.877	55	56.8	0
4/8/2023, 12:57:20 PM	0	6.877	55.4	56.2	0
4/8/2023, 1:07:20 PM	0	6.877	56.3	55.8	0
4/8/2023, 1:17:20 PM	0	6.877	56.8	55.2	0
4/8/2023, 1:27:20 PM	0	6.877	57	54.7	0
4/8/2023, 1:37:20 PM	0	6.877	57.6	54.4	0
4/8/2023, 1:47:20 PM	0	6.877	58.1	54.2	0
4/8/2023, 1:57:20 PM	0	6.877	57.7	53.8	0
4/8/2023, 2:07:20 PM	0	6.877	57.9	53.5	0
4/8/2023, 2:17:20 PM	0	6.877	58.1	53.2	0
4/8/2023, 2:27:20 PM	0	6.877	57.2	53.2	0
4/8/2023, 2:37:20 PM	0	6.877	56.7	53.3	0
4/8/2023, 2:47:20 PM	0	6.877	56.3	53.3	0
4/8/2023, 2:57:20 PM	0	6.877	55.8	53.2	0
4/8/2023, 3:07:20 PM	0	6.877	55.6	53.2	0
4/8/2023, 3:17:20 PM	0	6.877	55.4	53.1	0
4/8/2023, 3:27:20 PM	0	6.877	55.4	53.1	0
4/8/2023, 3:37:20 PM	0	6.877	55	52.9	0
4/8/2023, 3:47:20 PM	0	6.877	55	52.9	0
4/8/2023, 3:57:20 PM	0	6.877	55.2	52.8	0
4/8/2023, 4:07:20 PM	0	6.877	55	52.6	0
4/8/2023, 4:17:20 PM	0	6.877	54.9	52.5	0
4/8/2023, 4:27:20 PM	0	6.877	54	52.3	0
4/8/2023, 4:37:20 PM	0	6.877	53.2	52.3	0
4/8/2023, 4:47:20 PM	0	6.877	53.1	52.4	0
4/8/2023, 4:57:20 PM	0	6.877	52.7	52.4	0
4/8/2023, 5:07:20 PM	0	6.877	51.8	52.4	0
4/8/2023, 5:17:20 PM	0	6.877	50.7	52.4	0
4/8/2023, 5:27:20 PM	0	6.877	50	52.5	0
4/8/2023, 5:37:20 PM	0	6.877	49.5	52.7	0
4/8/2023, 5:47:20 PM	0	6.877	48.9	52.9	0
4/8/2023, 5:57:20 PM	0	6.877	48.7	53.2	0
4/8/2023, 6:07:20 PM	0	6.869	48.7	53.4	0
4/8/2023, 6:17:20 PM	0	6.869	48.2	53.5	0
4/8/2023, 6:27:20 PM	0	6.869	47.3	53.6	0
4/8/2023, 6:37:20 PM	0	6.869	46.6	53.7	0
4/8/2023, 6:47:20 PM	0	6.869	45.9	53.9	0
4/8/2023, 6:57:20 PM	0	6.869	45.3	54.1	0
4/8/2023, 7:07:20 PM	0	6.869	44.6	54	0
4/8/2023, 7:17:20 PM	0	6.869	44.1	53.9	0
4/8/2023, 7:27:20 PM	0	6.869	43.5	53.9	0
4/8/2023, 7:37:20 PM	0	6.869	42.8	53.9	0
4/8/2023, 7:47:20 PM	0	6.86	42.1	54	0
4/8/2023, 7:57:20 PM	0	6.86	41.4	54.2	0
4/8/2023, 8:07:20 PM	0	6.86	40.8	54.2	0
4/8/2023, 8:17:20 PM	0	6.86	39.9	54.3	0
4/8/2023, 8:27:20 PM	0	6.86	39.4	54.4	0
4/8/2023, 8:37:20 PM	0	6.86	38.5	54.6	0
4/8/2023, 8:47:20 PM	0	6.86	37.8	55	0
4/8/2023, 8:57:20 PM	0	6.851	37	55.3	0
4/8/2023, 9:07:20 PM	0	6.851	36.3	55.9	0
4/8/2023, 9:17:20 PM	0	6.851	35.4	56.6	0
4/8/2023, 9:27:20 PM	0	6.851	34.7	57.6	0
4/8/2023, 9:37:20 PM	0	6.851	34	58.8	0
4/8/2023, 9:47:20 PM	0	6.842	33.4	59.9	0
4/8/2023, 9:57:20 PM	0	6.842	32.9	61.5	0
4/8/2023, 10:07:20 PM	0	6.842	32.4	62.8	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/8/2023, 10:17:20 PM	0	6.842	32	63.6	0
4/8/2023, 10:27:20 PM	0	6.842	31.5	64.4	0
4/8/2023, 10:37:20 PM	0	6.833	30.9	65.4	0
4/8/2023, 10:47:20 PM	0	6.833	30.6	66.6	0
4/8/2023, 10:57:20 PM	0	6.833	30	67.9	0
4/8/2023, 11:07:20 PM	0	6.833	29.7	68.9	0
4/8/2023, 11:17:20 PM	0	6.833	29.1	69.6	0
4/8/2023, 11:27:20 PM	0	6.825	28.8	70.2	0
4/8/2023, 11:37:20 PM	0	6.825	28.4	70.9	0
4/8/2023, 11:47:20 PM	0	6.825	28	71.6	0
4/8/2023, 11:57:20 PM	0	6.825	27.5	72.3	0
4/9/2023, 12:07:20 AM	0	6.825	27	73	0
4/9/2023, 12:17:20 AM	0	6.825	26.6	73.8	0
4/9/2023, 12:27:20 AM	0	6.816	26.2	74.8	0
4/9/2023, 12:37:20 AM	0	6.816	26.1	75.9	0
4/9/2023, 12:47:20 AM	0	6.816	25.7	76.6	0
4/9/2023, 12:57:20 AM	0	6.816	25.3	77.1	0
4/9/2023, 1:07:20 AM	0	6.816	25	77.6	0
4/9/2023, 1:17:20 AM	0	6.816	24.8	78.1	0
4/9/2023, 1:27:20 AM	0	6.816	24.6	78.6	0
4/9/2023, 1:37:20 AM	0	6.816	24.4	79.1	0
4/9/2023, 1:47:20 AM	0	6.816	24.3	79.6	0
4/9/2023, 1:57:20 AM	0	6.816	24.1	80	0
4/9/2023, 2:07:20 AM	0	6.807	23.9	80.4	0
4/9/2023, 2:17:20 AM	0	6.807	23.5	80.7	0
4/9/2023, 2:27:20 AM	0	6.807	23.5	81	0
4/9/2023, 2:37:20 AM	0	6.807	23.4	81.3	0
4/9/2023, 2:47:20 AM	0	6.807	23.4	81.7	0
4/9/2023, 2:57:20 AM	0	6.807	23.2	82.1	0
4/9/2023, 3:07:20 AM	0	6.807	23.2	82.4	0
4/9/2023, 3:17:20 AM	0	6.807	23.2	82.7	0
4/9/2023, 3:27:20 AM	0	6.807	22.8	82.8	0
4/9/2023, 3:37:20 AM	0	6.807	22.6	83	0
4/9/2023, 3:47:20 AM	0	6.807	22.5	83	0
4/9/2023, 3:57:20 AM	0	6.807	22.3	83.1	0
4/9/2023, 4:07:20 AM	0	6.807	22.3	83.3	0
4/9/2023, 4:17:20 AM	0	6.807	22.3	83.4	0
4/9/2023, 4:27:20 AM	0	6.807	22.3	83.5	0
4/9/2023, 4:37:20 AM	0	6.807	22.5	83.8	0
4/9/2023, 4:47:20 AM	0	6.807	22.6	84.2	0
4/9/2023, 4:57:20 AM	0	6.807	22.8	84.5	0
4/9/2023, 5:07:20 AM	0	6.807	22.6	84.6	0
4/9/2023, 5:17:20 AM	0	6.807	22.5	84.6	0
4/9/2023, 5:27:20 AM	0	6.807	22.3	84.6	0
4/9/2023, 5:37:20 AM	0	6.807	22.3	84.6	0
4/9/2023, 5:47:20 AM	0	6.807	22.1	84.7	0
4/9/2023, 5:57:20 AM	0	6.798	22.1	84.8	0
4/9/2023, 6:07:20 AM	0	6.807	22.1	84.8	0
4/9/2023, 6:17:20 AM	0	6.798	21.9	84.9	0
4/9/2023, 6:27:20 AM	0	6.798	21.7	84.9	0
4/9/2023, 6:37:20 AM	0	6.798	21.4	84.8	0
4/9/2023, 6:47:20 AM	0	6.798	21.2	84.7	0
4/9/2023, 6:57:20 AM	0	6.798	21	84.6	0
4/9/2023, 7:07:20 AM	0	6.798	21	84.6	0
4/9/2023, 7:17:20 AM	0	6.798	21.4	84.9	0
4/9/2023, 7:27:20 AM	0	6.798	22.1	85.2	0
4/9/2023, 7:37:20 AM	0	6.798	23	85.7	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/9/2023, 7:47:20 AM	0	6.807	24.3	86.2	0
4/9/2023, 7:57:20 AM	0	6.807	25.5	86.8	0
4/9/2023, 8:07:20 AM	0	6.816	26.8	87.2	0
4/9/2023, 8:17:20 AM	0	6.816	28.2	87.8	0
4/9/2023, 8:27:20 AM	0	6.825	29.8	88.4	0
4/9/2023, 8:37:20 AM	0	6.825	31.5	88.9	0
4/9/2023, 8:47:20 AM	0	6.833	32.9	89.4	0
4/9/2023, 8:57:20 AM	0	6.833	34.5	89.4	0
4/9/2023, 9:07:20 AM	0	6.842	36.3	88.6	0
4/9/2023, 9:17:20 AM	0	6.842	37.9	87.1	0
4/9/2023, 9:27:20 AM	0	6.851	39.9	84.3	0
4/9/2023, 9:37:20 AM	0	6.851	41.9	80.8	0
4/9/2023, 9:47:20 AM	0	6.851	43.7	77.2	0
4/9/2023, 9:57:20 AM	0	6.86	45.7	74	0
4/9/2023, 10:07:20 AM	0	6.86	47.3	71.3	0
4/9/2023, 10:17:20 AM	0	6.86	48.9	69	0
4/9/2023, 10:27:20 AM	0	6.869	50.4	67.1	0
4/9/2023, 10:37:20 AM	0	6.869	51.8	65.5	0
4/9/2023, 10:47:20 AM	0	6.869	52.9	64.2	0
4/9/2023, 10:57:20 AM	0	6.869	54.1	63	0
4/9/2023, 11:07:20 AM	0	6.877	54.9	61.9	0
4/9/2023, 11:17:20 AM	0	6.877	55.6	60.9	0
4/9/2023, 11:27:20 AM	0	6.877	56.7	60.2	0
4/9/2023, 11:37:20 AM	0	6.877	57.4	59.5	0
4/9/2023, 11:47:20 AM	0	6.877	57.7	58.7	0
4/9/2023, 11:57:20 AM	0	6.877	58.3	57.9	0
4/9/2023, 12:07:20 PM	0	6.877	59	57.3	0
4/9/2023, 12:17:20 PM	0	6.877	59.5	56.8	0
4/9/2023, 12:27:20 PM	0	6.877	60.3	56.2	0
4/9/2023, 12:37:20 PM	0	6.877	61.2	55.7	0
4/9/2023, 12:47:20 PM	0	6.877	61.7	55.2	0
4/9/2023, 12:57:20 PM	0	6.886	61.9	54.7	0
4/9/2023, 1:07:20 PM	0	6.886	62.6	54.4	0
4/9/2023, 1:17:20 PM	0	6.886	62.8	53.9	0
4/9/2023, 1:27:20 PM	0	6.886	62.6	53.4	0
4/9/2023, 1:37:20 PM	0	6.886	63.3	53.1	0
4/9/2023, 1:47:20 PM	0	6.886	63.3	52.8	0
4/9/2023, 1:57:20 PM	0	6.886	63	52.5	0
4/9/2023, 2:07:20 PM	0	6.886	63.3	52.3	0
4/9/2023, 2:17:20 PM	0	6.886	63.1	52.3	0
4/9/2023, 2:27:20 PM	0	6.886	63.7	52.2	0
4/9/2023, 2:37:20 PM	0	6.886	64.6	52.1	0
4/9/2023, 2:47:20 PM	0	6.886	64.6	52	0
4/9/2023, 2:57:20 PM	0	6.886	64	51.9	0
4/9/2023, 3:07:20 PM	0	6.886	63.5	52	0
4/9/2023, 3:17:20 PM	0	6.886	63.1	52.1	0
4/9/2023, 3:27:20 PM	0	6.886	62.4	52.1	0
4/9/2023, 3:37:20 PM	0	6.886	61.7	52.2	0
4/9/2023, 3:47:20 PM	0	6.886	61.2	52.3	0
4/9/2023, 3:57:20 PM	0	6.886	61	52.5	0
4/9/2023, 4:07:20 PM	0	6.886	60.6	52.6	0
4/9/2023, 4:17:20 PM	0	6.886	60.3	52.7	0
4/9/2023, 4:27:20 PM	0	6.886	60.3	52.8	0
4/9/2023, 4:37:20 PM	0	6.886	60.1	52.9	0
4/9/2023, 4:47:20 PM	0	6.886	59.7	52.9	0
4/9/2023, 4:57:20 PM	0	6.886	59.2	52.8	0
4/9/2023, 5:07:20 PM	0	6.886	58.8	52.9	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/9/2023, 5:17:20 PM	0	6.886	57.9	52.9	0
4/9/2023, 5:27:20 PM	0	6.886	57.2	53	0
4/9/2023, 5:37:20 PM	0	6.886	56.7	53.1	0
4/9/2023, 5:47:20 PM	0	6.886	56.3	53.3	0
4/9/2023, 5:57:20 PM	0	6.877	55.8	53.4	0
4/9/2023, 6:07:20 PM	0	6.877	55	53.6	0
4/9/2023, 6:17:20 PM	0	6.877	54.1	53.7	0
4/9/2023, 6:27:20 PM	0	6.877	53.4	53.8	0
4/9/2023, 6:37:20 PM	0	6.877	52.7	54	0
4/9/2023, 6:47:20 PM	0	6.877	52	54.2	0
4/9/2023, 6:57:20 PM	0	6.877	51.3	54.4	0
4/9/2023, 7:07:20 PM	0	6.877	50.2	54.7	0
4/9/2023, 7:17:20 PM	0	6.877	49.1	55	0
4/9/2023, 7:27:20 PM	0	6.877	48.2	55.5	0
4/9/2023, 7:37:20 PM	0	6.877	47.3	56	0
4/9/2023, 7:47:20 PM	0	6.869	46.4	56.6	0
4/9/2023, 7:57:20 PM	0	6.869	45.7	57.1	0
4/9/2023, 8:07:20 PM	0	6.869	44.8	57.7	0
4/9/2023, 8:17:20 PM	0	6.869	44.1	58.3	0
4/9/2023, 8:27:20 PM	0	6.869	43.3	59	0
4/9/2023, 8:37:20 PM	0	6.869	42.6	59.8	0
4/9/2023, 8:47:20 PM	0	6.86	41.7	60.4	0
4/9/2023, 8:57:20 PM	0	6.86	40.8	61.6	0
4/9/2023, 9:07:20 PM	0	6.86	39.9	62.7	0
4/9/2023, 9:17:20 PM	0	6.86	39.2	63.7	0
4/9/2023, 9:27:20 PM	0	6.86	38.5	64.6	0
4/9/2023, 9:37:20 PM	0	6.86	37.8	65.7	0
4/9/2023, 9:47:20 PM	0	6.851	37	66.7	0
4/9/2023, 9:57:20 PM	0	6.851	36.5	67.7	0
4/9/2023, 10:07:20 PM	0	6.851	36	68.4	0
4/9/2023, 10:17:20 PM	0	6.851	35.6	69.1	0
4/9/2023, 10:27:20 PM	0	6.851	34.9	69.9	0
4/9/2023, 10:37:20 PM	0	6.851	34.3	70.9	0
4/9/2023, 10:47:20 PM	0	6.842	34	72.2	0
4/9/2023, 10:57:20 PM	0	6.842	33.6	73.4	0
4/9/2023, 11:07:20 PM	0	6.842	33.3	74.5	0
4/9/2023, 11:17:20 PM	0	6.842	32.9	75.5	0
4/9/2023, 11:27:20 PM	0	6.842	32.7	76.3	0
4/9/2023, 11:37:20 PM	0	6.842	32.5	76.9	0
4/9/2023, 11:47:20 PM	0	6.842	32.2	77.4	0
4/9/2023, 11:57:20 PM	0	6.833	32	77.8	0
4/10/2023, 12:07:20 AM	0	6.833	32	78.2	0
4/10/2023, 12:17:20 AM	0	6.833	31.8	78.5	0
4/10/2023, 12:27:20 AM	0	6.833	31.6	78.7	0
4/10/2023, 12:37:20 AM	0	6.833	31.3	78.9	0
4/10/2023, 12:47:20 AM	0	6.833	30.9	79.2	0
4/10/2023, 12:57:20 AM	0	6.833	30.6	79.8	0
4/10/2023, 1:07:20 AM	0	6.833	30.6	80.3	0
4/10/2023, 1:17:20 AM	0	6.833	30.4	80.7	0
4/10/2023, 1:27:20 AM	0	6.833	30	81	0
4/10/2023, 1:37:20 AM	0	6.833	30	81.3	0
4/10/2023, 1:47:20 AM	0	6.833	29.7	81.6	0
4/10/2023, 1:57:20 AM	0	6.833	29.7	81.8	0
4/10/2023, 2:07:20 AM	0	6.825	29.5	82.2	0
4/10/2023, 2:17:20 AM	0	6.833	29.3	82.4	0
4/10/2023, 2:27:20 AM	0	6.825	28.8	82.5	0
4/10/2023, 2:37:20 AM	0	6.825	28.6	82.7	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/10/2023, 2:47:20 AM	0	6.825	28.2	82.9	0
4/10/2023, 2:57:20 AM	0	6.825	28	83.1	0
4/10/2023, 3:07:20 AM	0	6.825	27.7	83.2	0
4/10/2023, 3:17:20 AM	0	6.825	27.5	83.4	0
4/10/2023, 3:27:20 AM	0	6.825	27.1	83.7	0
4/10/2023, 3:37:20 AM	0	6.825	27.1	83.9	0
4/10/2023, 3:47:20 AM	0	6.816	27	84.2	0
4/10/2023, 3:57:20 AM	0	6.816	26.8	84.5	0
4/10/2023, 4:07:20 AM	0	6.816	26.8	84.7	0
4/10/2023, 4:17:20 AM	0	6.816	26.8	85	0
4/10/2023, 4:27:20 AM	0	6.816	26.8	85.2	0
4/10/2023, 4:37:20 AM	0	6.816	26.8	85.4	0
4/10/2023, 4:47:20 AM	0	6.816	26.8	85.6	0
4/10/2023, 4:57:20 AM	0	6.816	27	85.9	0
4/10/2023, 5:07:20 AM	0	6.816	27	86.2	0
4/10/2023, 5:17:20 AM	0	6.816	27	86.6	0
4/10/2023, 5:27:20 AM	0	6.816	27.1	86.8	0
4/10/2023, 5:37:20 AM	0	6.816	27.1	87.1	0
4/10/2023, 5:47:20 AM	0	6.816	27	87.1	0
4/10/2023, 5:57:20 AM	0	6.816	26.8	87.1	0
4/10/2023, 6:07:20 AM	0	6.816	26.8	87.3	0
4/10/2023, 6:17:20 AM	0	6.816	26.8	87.4	0
4/10/2023, 6:27:20 AM	0	6.816	27	87.6	0
4/10/2023, 6:37:20 AM	0	6.816	26.8	87.7	0
4/10/2023, 6:47:20 AM	0	6.816	26.6	87.7	0
4/10/2023, 6:57:20 AM	0	6.816	26.6	87.8	0
4/10/2023, 7:07:20 AM	0	6.816	26.8	87.9	0
4/10/2023, 7:17:20 AM	0	6.816	27.3	88.2	0
4/10/2023, 7:27:20 AM	0	6.816	28.2	88.5	0
4/10/2023, 7:37:20 AM	0	6.825	29.3	89	0
4/10/2023, 7:47:20 AM	0	6.825	30.4	89.5	0
4/10/2023, 7:57:20 AM	0	6.825	31.5	89.9	0
4/10/2023, 8:07:20 AM	0	6.833	32.5	90.3	0
4/10/2023, 8:17:20 AM	0	6.833	33.8	90.7	0
4/10/2023, 8:27:20 AM	0	6.833	35.2	91.1	0
4/10/2023, 8:37:20 AM	0	6.842	36.9	91.4	0
4/10/2023, 8:47:20 AM	0	6.842	38.7	91.8	0
4/10/2023, 8:57:20 AM	0	6.851	40.5	91.5	0
4/10/2023, 9:07:20 AM	0	6.851	42.4	90.1	0
4/10/2023, 9:17:20 AM	0	6.851	44.6	88	0
4/10/2023, 9:27:20 AM	0	6.86	46.8	84.9	0
4/10/2023, 9:37:20 AM	0	6.86	49.1	81.1	0
4/10/2023, 9:47:20 AM	0	6.869	51.1	77.1	0
4/10/2023, 9:57:20 AM	0	6.869	53.2	73.7	0
4/10/2023, 10:07:20 AM	0	6.869	55	70.8	0
4/10/2023, 10:17:20 AM	0	6.869	56.8	68.7	0
4/10/2023, 10:27:20 AM	0	6.877	58.6	66.9	0
4/10/2023, 10:37:20 AM	0	6.877	60.3	65.5	0
4/10/2023, 10:47:20 AM	0	6.877	61.5	64.2	0
4/10/2023, 10:57:20 AM	0	6.877	62.8	62.7	0
4/10/2023, 11:07:20 AM	0	6.886	63.7	61.5	0
4/10/2023, 11:17:20 AM	0	6.886	64.2	60.2	0
4/10/2023, 11:27:20 AM	0	6.886	64.9	59.1	0
4/10/2023, 11:37:20 AM	0	6.886	66.2	58.2	0
4/10/2023, 11:47:20 AM	0	6.886	67.6	57.4	0
4/10/2023, 11:57:20 AM	0	6.886	68.7	56.5	0
4/10/2023, 12:07:20 PM	0	6.886	69.8	55.6	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/10/2023, 12:17:20 PM	0	6.886	70.5	54.9	0
4/10/2023, 12:27:20 PM	0	6.895	71.2	54.1	0
4/10/2023, 12:37:20 PM	0	6.895	71.8	53.5	0
4/10/2023, 12:47:20 PM	0	6.895	72.3	52.9	0
4/10/2023, 12:57:20 PM	0	6.895	73	52.4	0
4/10/2023, 1:07:20 PM	0	6.895	73.8	52	0
4/10/2023, 1:17:20 PM	0	6.895	74.1	51.6	0
4/10/2023, 1:27:20 PM	0	6.895	74.8	51.2	0
4/10/2023, 1:37:20 PM	0	6.895	75.2	50.8	0
4/10/2023, 1:47:20 PM	0	6.895	75.7	50.5	0
4/10/2023, 1:57:20 PM	0	6.895	76.1	50.1	0
4/10/2023, 2:07:20 PM	0	6.895	76.6	49.9	0
4/10/2023, 2:17:20 PM	0	6.895	77	49.7	0
4/10/2023, 2:27:20 PM	0	6.895	77.4	49.5	0
4/10/2023, 2:37:20 PM	0	6.895	77.7	49.2	0
4/10/2023, 2:47:20 PM	0	6.895	78.3	48.9	0
4/10/2023, 2:57:20 PM	0	6.895	78.6	48.9	0
4/10/2023, 3:07:20 PM	0	6.904	79	48.7	0
4/10/2023, 3:17:20 PM	0	6.904	79.5	48.6	0
4/10/2023, 3:27:20 PM	0	6.904	79.3	48.5	0
4/10/2023, 3:37:20 PM	0	6.904	79.3	48.4	0
4/10/2023, 3:47:20 PM	0	6.904	79.9	48.5	0
4/10/2023, 3:57:20 PM	0	6.904	80.2	48.5	0
4/10/2023, 4:07:20 PM	0	6.904	79.7	48.5	0
4/10/2023, 4:17:20 PM	0	6.904	79.7	48.5	0
4/10/2023, 4:27:20 PM	0	6.904	79.9	48.5	0
4/10/2023, 4:37:20 PM	0	6.904	80.1	48.5	0
4/10/2023, 4:47:20 PM	0	6.904	80.1	48.5	0
4/10/2023, 4:57:20 PM	0	6.904	80.1	48.3	0
4/10/2023, 5:07:20 PM	0	6.904	79.9	48.2	0
4/10/2023, 5:17:20 PM	0	6.904	79.7	48.1	0
4/10/2023, 5:27:20 PM	0	6.904	79	47.9	0
4/10/2023, 5:37:20 PM	0	6.904	78.4	47.7	0
4/10/2023, 5:47:20 PM	0	6.904	77.5	47.6	0
4/10/2023, 5:57:20 PM	0	6.904	76.8	47.5	0
4/10/2023, 6:07:20 PM	0	6.904	75.9	47.6	0
4/10/2023, 6:17:20 PM	0	6.904	75.4	47.6	0
4/10/2023, 6:27:20 PM	0	6.904	74.1	48	0
4/10/2023, 6:37:20 PM	0	6.904	72.5	48.3	0
4/10/2023, 6:47:20 PM	0	6.904	70.9	48.7	0
4/10/2023, 6:57:20 PM	0	6.904	69.6	49.2	0
4/10/2023, 7:07:20 PM	0	6.904	68.4	49.7	0
4/10/2023, 7:17:20 PM	0	6.895	67.5	50.2	0
4/10/2023, 7:27:20 PM	0	6.895	66.2	50.6	0
4/10/2023, 7:37:20 PM	0	6.895	65.1	51	0
4/10/2023, 7:47:20 PM	0	6.895	64	51.4	0
4/10/2023, 7:57:20 PM	0	6.895	63.1	51.8	0
4/10/2023, 8:07:20 PM	0	6.895	62.2	52.2	0
4/10/2023, 8:17:20 PM	0	6.895	61.3	52.6	0
4/10/2023, 8:27:20 PM	0	6.895	60.4	53.1	0
4/10/2023, 8:37:20 PM	0	6.895	59.5	53.9	0
4/10/2023, 8:47:20 PM	0	6.895	59	54.4	0
4/10/2023, 8:57:20 PM	0	6.886	58.3	55.2	0
4/10/2023, 9:07:20 PM	0	6.886	57.7	56.2	0
4/10/2023, 9:17:20 PM	0	6.886	57	56.9	0
4/10/2023, 9:27:20 PM	0	6.886	56.3	57.7	0
4/10/2023, 9:37:20 PM	0	6.886	55.4	58.9	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/10/2023, 9:47:20 PM	0	6.886	54.5	59.7	0
4/10/2023, 9:57:20 PM	0	6.886	53.8	60.3	0
4/10/2023, 10:07:20 PM	0	6.886	53.1	61.5	0
4/10/2023, 10:17:20 PM	0	6.886	52.3	62.8	0
4/10/2023, 10:27:20 PM	0	6.886	51.4	63.7	0
4/10/2023, 10:37:20 PM	0	6.877	50.7	64.6	0
4/10/2023, 10:47:20 PM	0	6.877	50	65.4	0
4/10/2023, 10:57:20 PM	0	6.877	49.3	66.2	0
4/10/2023, 11:07:20 PM	0	6.877	48.4	67	0
4/10/2023, 11:17:20 PM	0	6.877	47.7	68	0
4/10/2023, 11:27:20 PM	0	6.877	46.9	69.2	0
4/10/2023, 11:37:20 PM	0	6.877	46.6	69.7	0
4/10/2023, 11:47:20 PM	0	6.877	46.4	69.7	0
4/10/2023, 11:57:20 PM	0	6.869	46.2	69.2	0
4/11/2023, 12:07:20 AM	0	6.869	45.9	69	0
4/11/2023, 12:17:20 AM	0	6.869	45.9	68.6	0
4/11/2023, 12:27:20 AM	0	6.869	45.7	68.4	0
4/11/2023, 12:37:20 AM	0	6.869	45.3	68.6	0
4/11/2023, 12:47:20 AM	0	6.869	44.8	69	0
4/11/2023, 12:57:20 AM	0	6.869	44.2	69.5	0
4/11/2023, 1:07:20 AM	0	6.869	43.9	69.6	0
4/11/2023, 1:17:20 AM	0	6.869	43.7	69.3	0
4/11/2023, 1:27:20 AM	0	6.869	43.9	69.1	0
4/11/2023, 1:37:20 AM	0	6.869	44.4	69	0
4/11/2023, 1:47:20 AM	0	6.869	44.6	68.8	0
4/11/2023, 1:57:20 AM	0	6.869	44.8	68.5	0
4/11/2023, 2:07:20 AM	0	6.869	44.8	68.1	0
4/11/2023, 2:17:20 AM	0	6.869	44.6	67.8	0
4/11/2023, 2:27:20 AM	0	6.869	44.2	67.5	0
4/11/2023, 2:37:20 AM	0	6.869	44.1	67.6	0
4/11/2023, 2:47:20 AM	0	6.869	43.5	68	0
4/11/2023, 2:57:20 AM	0	6.869	42.8	68.4	0
4/11/2023, 3:07:20 AM	0	6.869	42.3	68.7	0
4/11/2023, 3:17:20 AM	0	6.869	41.9	69.2	0
4/11/2023, 3:27:20 AM	0	6.86	41.9	69.3	0
4/11/2023, 3:37:20 AM	0	6.86	41.7	68.9	0
4/11/2023, 3:47:20 AM	0	6.86	42.1	67.9	0
4/11/2023, 3:57:20 AM	0	6.86	42.8	66.7	0
4/11/2023, 4:07:20 AM	0	6.869	44.1	65.6	0
4/11/2023, 4:17:20 AM	0	6.869	45	64.8	0
4/11/2023, 4:27:20 AM	0	6.869	45.7	63.9	0
4/11/2023, 4:37:20 AM	0	6.869	46.2	63.2	0
4/11/2023, 4:47:20 AM	0	6.869	46.8	62.5	0
4/11/2023, 4:57:20 AM	0	6.869	47.3	61.8	0
4/11/2023, 5:07:20 AM	0	6.869	47.8	61.1	0
4/11/2023, 5:17:20 AM	0	6.869	48.2	60.6	0
4/11/2023, 5:27:20 AM	0	6.869	48.6	60.2	0
4/11/2023, 5:37:20 AM	0	6.869	48.9	59.9	0
4/11/2023, 5:47:20 AM	0	6.869	49.1	59.6	0
4/11/2023, 5:57:20 AM	0	6.869	49.3	59.4	0
4/11/2023, 6:07:20 AM	0	6.877	49.5	59.3	0
4/11/2023, 6:17:20 AM	0	6.877	49.6	59.2	0
4/11/2023, 6:27:20 AM	0	6.877	50	59.2	0
4/11/2023, 6:37:20 AM	0	6.877	50.2	59	0
4/11/2023, 6:47:20 AM	0	6.877	50.5	58.9	0
4/11/2023, 6:57:20 AM	0	6.877	50.9	58.8	0
4/11/2023, 7:07:20 AM	0	6.877	51.3	58.7	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/11/2023, 7:17:20 AM	0	6.877	51.6	58.6	0
4/11/2023, 7:27:20 AM	0	6.877	52	58.4	0
4/11/2023, 7:37:20 AM	0	6.877	52.5	58.3	0
4/11/2023, 7:47:20 AM	0	6.877	52.9	58.1	0
4/11/2023, 7:57:20 AM	0	6.877	53.1	58	0
4/11/2023, 8:07:20 AM	0	6.877	53.6	57.9	0
4/11/2023, 8:17:20 AM	0	6.877	54	57.8	0
4/11/2023, 8:27:20 AM	0	6.877	54.5	57.7	0
4/11/2023, 8:37:20 AM	0	6.877	55.2	57.5	0
4/11/2023, 8:47:20 AM	0	6.877	56.3	57.4	0
4/11/2023, 8:57:20 AM	0	6.877	57.4	57.2	0
4/11/2023, 9:07:20 AM	0	6.877	58.6	56.9	0
4/11/2023, 9:17:20 AM	0	6.886	59.7	56.6	0
4/11/2023, 9:27:20 AM	0	6.886	60.6	56.2	0
4/11/2023, 9:37:20 AM	0	6.886	61.2	55.8	0
4/11/2023, 9:47:20 AM	0	6.886	61.7	55.5	0
4/11/2023, 9:57:20 AM	0	6.886	62.1	55.2	0
4/11/2023, 10:07:20 AM	0	6.886	62.6	55	0
4/11/2023, 10:17:20 AM	0	6.886	63.3	54.9	0
4/11/2023, 10:27:20 AM	0	6.886	64	54.6	0
4/11/2023, 10:37:20 AM	0	6.886	64.9	54.4	0
4/11/2023, 10:47:20 AM	0	6.886	65.8	54.2	0
4/11/2023, 10:57:20 AM	0	6.886	66.4	54	0
4/11/2023, 11:07:20 AM	0	6.886	67.1	53.7	0
4/11/2023, 11:17:20 AM	0	6.886	68	53.3	0
4/11/2023, 11:27:20 AM	0	6.895	69.1	53	0
4/11/2023, 11:37:20 AM	0	6.895	70.2	52.7	0
4/11/2023, 11:47:20 AM	0	6.895	70.7	52.3	0
4/11/2023, 11:57:20 AM	0	6.895	70.3	52	0
4/11/2023, 12:07:20 PM	0	6.895	70.3	51.7	0
4/11/2023, 12:17:20 PM	0	6.895	71.1	51.7	0
4/11/2023, 12:27:20 PM	0	6.895	71.6	51.5	0
4/11/2023, 12:37:20 PM	0	6.895	72.3	51.5	0
4/11/2023, 12:47:20 PM	0	6.895	72.7	51.3	0
4/11/2023, 12:57:20 PM	0	6.895	73.4	51.2	0
4/11/2023, 1:07:20 PM	0	6.895	74.3	51.2	0
4/11/2023, 1:17:20 PM	0	6.895	75	51.1	0
4/11/2023, 1:27:20 PM	0	6.895	75.6	51	0
4/11/2023, 1:37:20 PM	0	6.895	75.2	50.8	0
4/11/2023, 1:47:20 PM	0	6.895	75.9	50.9	0
4/11/2023, 1:57:20 PM	0	6.895	76.5	50.8	0
4/11/2023, 2:07:20 PM	0	6.895	76.5	50.8	0
4/11/2023, 2:17:20 PM	0	6.895	76.5	50.6	0
4/11/2023, 2:27:20 PM	0	6.895	77.2	50.7	0
4/11/2023, 2:37:20 PM	0	6.904	77.5	50.6	0
4/11/2023, 2:47:20 PM	0	6.904	77.5	50.5	0
4/11/2023, 2:57:20 PM	0	6.904	77.4	50.5	0
4/11/2023, 3:07:20 PM	0	6.904	76.6	50.3	0
4/11/2023, 3:17:20 PM	0	6.904	75.9	50.4	0
4/11/2023, 3:27:20 PM	0	6.904	75.7	50.4	0
4/11/2023, 3:37:20 PM	0	6.904	76.6	50.7	0
4/11/2023, 3:47:20 PM	0	6.904	77.4	50.8	0
4/11/2023, 3:57:20 PM	0	6.904	76.6	50.6	0
4/11/2023, 4:07:20 PM	0	6.904	75.7	50.6	0
4/11/2023, 4:17:20 PM	0	6.904	74.7	50.7	0
4/11/2023, 4:27:20 PM	0	6.904	74.1	50.9	0
4/11/2023, 4:37:20 PM	0	6.904	73.6	51.1	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/11/2023, 4:47:20 PM	0	6.904	73	51.4	0
4/11/2023, 4:57:20 PM	0	6.904	72.5	51.6	0
4/11/2023, 5:07:20 PM	0	6.904	72.1	51.9	0
4/11/2023, 5:17:20 PM	0	6.904	71.8	52.2	0
4/11/2023, 5:27:20 PM	0	6.895	71.4	52.4	0
4/11/2023, 5:37:20 PM	0	6.895	70.9	52.7	0
4/11/2023, 5:47:20 PM	0	6.895	70.5	52.9	0
4/11/2023, 5:57:20 PM	0	6.895	70.2	53	0
4/11/2023, 6:07:20 PM	0	6.895	70	53.2	0
4/11/2023, 6:17:20 PM	0	6.895	69.6	53.4	0
4/11/2023, 6:27:20 PM	0	6.895	69.3	53.5	0
4/11/2023, 6:37:20 PM	0	6.895	68.9	53.7	0
4/11/2023, 6:47:20 PM	0	6.895	68.5	53.8	0
4/11/2023, 6:57:20 PM	0	6.895	68	53.9	0
4/11/2023, 7:07:20 PM	0	6.895	67.6	54	0
4/11/2023, 7:17:20 PM	0	6.895	67.3	54.2	0
4/11/2023, 7:27:20 PM	0	6.895	66.7	54.4	0
4/11/2023, 7:37:20 PM	0	6.895	66.4	54.6	0
4/11/2023, 7:47:20 PM	0	6.895	66.2	54.9	0
4/11/2023, 7:57:20 PM	0	6.895	65.8	55.1	0
4/11/2023, 8:07:20 PM	0	6.895	65.7	55.3	0
4/11/2023, 8:17:20 PM	0	6.895	65.5	55.5	0
4/11/2023, 8:27:20 PM	0	6.895	65.1	55.7	0
4/11/2023, 8:37:20 PM	0	6.895	64.9	55.8	0
4/11/2023, 8:47:20 PM	0	6.895	64.9	55.9	0
4/11/2023, 8:57:20 PM	0	6.895	64.8	56	0
4/11/2023, 9:07:20 PM	0	6.895	64.8	56.1	0
4/11/2023, 9:17:20 PM	0	6.895	64.8	56.1	0
4/11/2023, 9:27:20 PM	0	6.895	64.8	56.2	0
4/11/2023, 9:37:20 PM	0	6.895	64.6	56.4	0
4/11/2023, 9:47:20 PM	0	6.895	64.6	56.5	0
4/11/2023, 9:57:20 PM	0	6.895	64.6	56.7	0
4/11/2023, 10:07:20 PM	0	6.895	64.4	56.8	0
4/11/2023, 10:17:20 PM	0	6.895	64.2	57	0
4/11/2023, 10:27:20 PM	0	6.895	64.2	57.2	0
4/11/2023, 10:37:20 PM	0	6.895	64	57.5	0
4/11/2023, 10:47:20 PM	0	6.895	63.9	57.7	0
4/11/2023, 10:57:20 PM	0	6.895	63.7	57.9	0
4/11/2023, 11:07:20 PM	0	6.895	63.7	58.1	0
4/11/2023, 11:17:20 PM	0	6.895	63.5	58.4	0
4/11/2023, 11:27:20 PM	0	6.895	63.5	58.6	0
4/11/2023, 11:37:20 PM	0	6.895	63.3	58.8	0
4/11/2023, 11:47:20 PM	0	6.895	63.3	58.9	0
4/11/2023, 11:57:20 PM	0	6.895	63.1	59.1	0
4/12/2023, 12:07:20 AM	0	6.895	63	59.3	0
4/12/2023, 12:17:20 AM	0	6.895	63	59.5	0
4/12/2023, 12:27:20 AM	0	6.895	62.8	59.7	0
4/12/2023, 12:37:20 AM	0	6.895	62.8	59.8	0
4/12/2023, 12:47:20 AM	0	6.895	62.6	60	0
4/12/2023, 12:57:20 AM	0	6.895	62.6	60.1	0
4/12/2023, 1:07:20 AM	0	6.895	62.6	60.3	0
4/12/2023, 1:17:20 AM	0	6.886	62.4	60.4	0
4/12/2023, 1:27:20 AM	0	6.895	62.4	60.6	0
4/12/2023, 1:37:20 AM	0	6.886	62.4	60.7	0
4/12/2023, 1:47:20 AM	0	6.886	62.4	60.9	0
4/12/2023, 1:57:20 AM	0	6.886	62.4	61	0
4/12/2023, 2:07:20 AM	0	6.886	62.4	61.1	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/12/2023, 2:17:20 AM	0	6.886	62.4	61.2	0
4/12/2023, 2:27:20 AM	0	6.886	62.4	61.3	0
4/12/2023, 2:37:20 AM	0	6.886	62.2	61.4	0
4/12/2023, 2:47:20 AM	0	6.886	62.2	61.6	0
4/12/2023, 2:57:20 AM	0	6.886	62.1	61.7	0
4/12/2023, 3:07:20 AM	0	6.886	61.9	61.9	0
4/12/2023, 3:17:20 AM	0	6.886	61.9	62.1	0
4/12/2023, 3:27:20 AM	0	6.886	61.7	62.2	0
4/12/2023, 3:37:20 AM	0	6.886	61.5	62.4	0
4/12/2023, 3:47:20 AM	0	6.886	61.3	62.6	0
4/12/2023, 3:57:20 AM	0	6.886	61.2	62.8	0
4/12/2023, 4:07:20 AM	0	6.886	61	62.9	0
4/12/2023, 4:17:20 AM	0	6.886	60.8	63.2	0
4/12/2023, 4:27:20 AM	0	6.886	60.6	63.4	0
4/12/2023, 4:37:20 AM	0	6.886	60.3	63.6	0
4/12/2023, 4:47:20 AM	0	6.886	60.1	63.8	0
4/12/2023, 4:57:20 AM	0	6.886	59.7	64.1	0
4/12/2023, 5:07:20 AM	0	6.886	59.4	64.4	0
4/12/2023, 5:17:20 AM	0	6.886	59	64.7	0
4/12/2023, 5:27:20 AM	0	6.886	58.6	65	0
4/12/2023, 5:37:20 AM	0	6.886	58.5	65.3	0
4/12/2023, 5:47:20 AM	0	6.886	58.1	65.6	0
4/12/2023, 5:57:20 AM	0	6.886	57.7	65.9	0
4/12/2023, 6:07:20 AM	0	6.886	57.6	66.3	0
4/12/2023, 6:17:20 AM	0	6.886	57.2	66.6	0
4/12/2023, 6:27:20 AM	0	6.886	56.8	66.9	0
4/12/2023, 6:37:20 AM	0	6.886	56.5	67.2	0
4/12/2023, 6:47:20 AM	0	6.886	56.1	67.5	0
4/12/2023, 6:57:20 AM	0	6.886	55.8	67.9	0
4/12/2023, 7:07:20 AM	0	6.886	55.6	68.3	0
4/12/2023, 7:17:20 AM	0	6.886	55.6	68.6	0
4/12/2023, 7:27:20 AM	0	6.886	55.6	68.8	0
4/12/2023, 7:37:20 AM	0	6.886	55.8	69	0
4/12/2023, 7:47:20 AM	0	6.877	55.9	69.1	0
4/12/2023, 7:57:20 AM	0	6.886	56.5	69.1	0
4/12/2023, 8:07:20 AM	0	6.877	57.4	68.9	0
4/12/2023, 8:17:20 AM	0	6.886	58.3	68.5	0
4/12/2023, 8:27:20 AM	0	6.877	59.4	68	0
4/12/2023, 8:37:20 AM	0	6.886	60.6	67.3	0
4/12/2023, 8:47:20 AM	0	6.886	61.7	66.7	0
4/12/2023, 8:57:20 AM	0	6.886	63	65.9	0
4/12/2023, 9:07:20 AM	0	6.886	64	65.2	0
4/12/2023, 9:17:20 AM	0	6.886	65.3	64.5	0
4/12/2023, 9:27:20 AM	0	6.886	66.4	63.8	0
4/12/2023, 9:37:20 AM	0	6.886	67.5	63.1	0
4/12/2023, 9:47:20 AM	0	6.886	68.5	62.4	0
4/12/2023, 9:57:20 AM	0	6.886	69.6	61.8	0
4/12/2023, 10:07:20 AM	0	6.886	70.7	61.2	0
4/12/2023, 10:17:20 AM	0	6.895	71.8	60.6	0
4/12/2023, 10:27:20 AM	0	6.895	72.5	59.9	0
4/12/2023, 10:37:20 AM	0	6.895	73.6	59.4	0
4/12/2023, 10:47:20 AM	0	6.895	74.5	58.9	0
4/12/2023, 10:57:20 AM	0	6.895	75.4	58.5	0
4/12/2023, 11:07:20 AM	0	6.895	76.5	58.2	0
4/12/2023, 11:17:20 AM	0	6.895	77.2	57.8	0
4/12/2023, 11:27:20 AM	0	6.895	78.3	57.5	0
4/12/2023, 11:37:20 AM	0	6.895	79	57.1	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/12/2023, 11:47:20 AM	0	6.895	79.3	56.6	0
4/12/2023, 11:57:20 AM	0	6.895	80.1	56.2	0
4/12/2023, 12:07:20 PM	0	6.895	80.2	55.9	0
4/12/2023, 12:17:20 PM	0	6.895	80.8	55.8	0
4/12/2023, 12:27:20 PM	0	6.895	81.5	55.6	0
4/12/2023, 12:37:20 PM	0	6.904	82	55.5	0
4/12/2023, 12:47:20 PM	0	6.904	82.4	55.3	0
4/12/2023, 12:57:20 PM	0	6.904	82.8	55.3	0
4/12/2023, 1:07:20 PM	0	6.904	83.5	55.3	0
4/12/2023, 1:17:20 PM	0	6.904	83.8	55.1	0
4/12/2023, 1:27:20 PM	0	6.904	84	55	0
4/12/2023, 1:37:20 PM	0	6.904	84.4	54.9	0
4/12/2023, 1:47:20 PM	0	6.904	84.9	54.8	0
4/12/2023, 1:57:20 PM	0	6.904	85.1	54.7	0
4/12/2023, 2:07:20 PM	0	6.904	85.3	54.6	0
4/12/2023, 2:17:20 PM	0	6.904	84.9	54.4	0
4/12/2023, 2:27:20 PM	0	6.904	85.3	54.3	0
4/12/2023, 2:37:20 PM	0	6.904	85.1	54.2	0
4/12/2023, 2:47:20 PM	0	6.904	85.3	54.2	0
4/12/2023, 2:57:20 PM	0	6.904	85.3	54.1	0
4/12/2023, 3:07:20 PM	0	6.904	85.5	54.1	0
4/12/2023, 3:17:20 PM	0	6.904	85.6	54	0
4/12/2023, 3:27:20 PM	0	6.904	85.8	54	0
4/12/2023, 3:37:20 PM	0	6.904	85.8	53.9	0
4/12/2023, 3:47:20 PM	0	6.904	85.5	53.8	0
4/12/2023, 3:57:20 PM	0	6.904	85.3	53.9	0
4/12/2023, 4:07:20 PM	0	6.904	85.5	54.1	0
4/12/2023, 4:17:20 PM	0	6.904	85.3	54.2	0
4/12/2023, 4:27:20 PM	0	6.904	85.1	54.3	0
4/12/2023, 4:37:20 PM	0	6.904	84.9	54.3	0
4/12/2023, 4:47:20 PM	0	6.904	84.7	54.3	0
4/12/2023, 4:57:20 PM	0	6.904	84.6	54.1	0
4/12/2023, 5:07:20 PM	0	6.904	84	53.9	0
4/12/2023, 5:17:20 PM	0	6.904	83.7	53.8	0
4/12/2023, 5:27:20 PM	0	6.904	83.3	53.8	0
4/12/2023, 5:37:20 PM	0	6.904	82.8	53.9	0
4/12/2023, 5:47:20 PM	0	6.904	82.4	54	0
4/12/2023, 5:57:20 PM	0	6.904	81.7	54	0
4/12/2023, 6:07:20 PM	0	6.904	81	54	0
4/12/2023, 6:17:20 PM	0	6.904	80.4	54.1	0
4/12/2023, 6:27:20 PM	0	6.904	79.9	54.2	0
4/12/2023, 6:37:20 PM	0	6.904	79.2	54.5	0
4/12/2023, 6:47:20 PM	0	6.904	78.6	54.7	0
4/12/2023, 6:57:20 PM	0	6.904	77.9	54.9	0
4/12/2023, 7:07:20 PM	0	6.904	77.2	55.2	0
4/12/2023, 7:17:20 PM	0	6.904	76.5	55.3	0
4/12/2023, 7:27:20 PM	0	6.904	75.6	55.5	0
4/12/2023, 7:37:20 PM	0	6.904	74.8	55.8	0
4/12/2023, 7:47:20 PM	0	6.904	74.3	56.1	0
4/12/2023, 7:57:20 PM	0	6.904	73.8	56.4	0
4/12/2023, 8:07:20 PM	0	6.904	73	56.7	0
4/12/2023, 8:17:20 PM	0	6.904	72.7	57	0
4/12/2023, 8:27:20 PM	0	6.904	72.1	57.3	0
4/12/2023, 8:37:20 PM	0	6.904	71.8	57.5	0
4/12/2023, 8:47:20 PM	0	6.904	71.4	57.8	0
4/12/2023, 8:57:20 PM	0	6.895	71.1	58.1	0
4/12/2023, 9:07:20 PM	0	6.895	70.7	58.3	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/12/2023, 9:17:20 PM	0	6.904	70.2	58.6	0
4/12/2023, 9:27:20 PM	0	6.895	69.8	58.9	0
4/12/2023, 9:37:20 PM	0	6.895	69.4	59.1	0
4/12/2023, 9:47:20 PM	0	6.895	69.3	59.4	0
4/12/2023, 9:57:20 PM	0	6.895	68.9	59.6	0
4/12/2023, 10:07:20 PM	0	6.895	68.7	59.8	0
4/12/2023, 10:17:20 PM	0	6.895	68.4	60	0
4/12/2023, 10:27:20 PM	0	6.895	68	60.2	0
4/12/2023, 10:37:20 PM	0	6.895	68	60.3	0
4/12/2023, 10:47:20 PM	0	6.895	67.8	60.5	0
4/12/2023, 10:57:20 PM	0	6.895	67.6	60.6	0
4/12/2023, 11:07:20 PM	0	6.895	67.6	60.6	0
4/12/2023, 11:17:20 PM	0	6.895	67.6	60.7	0
4/12/2023, 11:27:20 PM	0	6.895	67.6	60.7	0
4/12/2023, 11:37:20 PM	0	6.895	67.6	60.7	0
4/12/2023, 11:47:20 PM	0	6.895	67.6	60.8	0
4/12/2023, 11:57:20 PM	0	6.895	67.6	60.8	0
4/13/2023, 12:07:20 AM	0	6.895	67.6	60.8	0
4/13/2023, 12:17:20 AM	0	6.895	67.6	60.9	0
4/13/2023, 12:27:20 AM	0	6.895	67.6	60.9	0
4/13/2023, 12:37:20 AM	0	6.895	67.6	61	0
4/13/2023, 12:47:20 AM	0	6.895	67.6	61	0
4/13/2023, 12:57:20 AM	0	6.895	67.6	61.2	0
4/13/2023, 1:07:20 AM	0	6.895	67.5	61.3	0
4/13/2023, 1:17:20 AM	0	6.895	67.5	61.4	0
4/13/2023, 1:27:20 AM	0	6.895	67.3	61.5	0
4/13/2023, 1:37:20 AM	0	6.895	67.3	61.6	0
4/13/2023, 1:47:20 AM	0	6.895	67.1	61.8	0
4/13/2023, 1:57:20 AM	0	6.895	66.9	61.9	0
4/13/2023, 2:07:20 AM	0	6.895	66.9	62	0
4/13/2023, 2:17:20 AM	0	6.895	66.7	62.1	0
4/13/2023, 2:27:20 AM	0	6.895	66.6	62.3	0
4/13/2023, 2:37:20 AM	0	6.895	66.4	62.3	0
4/13/2023, 2:47:20 AM	0	6.895	66.4	62.3	0
4/13/2023, 2:57:20 AM	0	6.895	66.6	62.3	0
4/13/2023, 3:07:20 AM	0	6.895	66.4	62.2	0
4/13/2023, 3:17:20 AM	0	6.895	66.6	62.1	0
4/13/2023, 3:27:20 AM	0	6.895	66.6	61.9	0
4/13/2023, 3:37:20 AM	0	6.895	66.4	61.9	0
4/13/2023, 3:47:20 AM	0	6.895	66.2	61.9	0
4/13/2023, 3:57:20 AM	0	6.895	66.2	61.9	0
4/13/2023, 4:07:20 AM	0	6.895	66	61.9	0
4/13/2023, 4:17:20 AM	0	6.895	66	61.9	0
4/13/2023, 4:27:20 AM	0	6.895	65.8	62	0
4/13/2023, 4:37:20 AM	0	6.895	65.5	62.1	0
4/13/2023, 4:47:20 AM	0	6.895	65.1	62.3	0
4/13/2023, 4:57:20 AM	0	6.895	64.9	62.5	0
4/13/2023, 5:07:20 AM	0	6.895	64.6	62.7	0
4/13/2023, 5:17:20 AM	0	6.895	64.2	62.9	0
4/13/2023, 5:27:20 AM	0	6.895	64	63.2	0
4/13/2023, 5:37:20 AM	0	6.895	64	63.4	0
4/13/2023, 5:47:20 AM	0	6.895	63.9	63.6	0
4/13/2023, 5:57:20 AM	0	6.895	63.9	63.7	0
4/13/2023, 6:07:20 AM	0	6.895	63.7	63.9	0
4/13/2023, 6:17:20 AM	0	6.895	63.5	64.1	0
4/13/2023, 6:27:20 AM	0	6.895	63.1	64.3	0
4/13/2023, 6:37:20 AM	0	6.895	62.8	64.5	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/13/2023, 6:47:20 AM	0	6.895	62.6	64.7	0
4/13/2023, 6:57:20 AM	0	6.886	62.4	65	0
4/13/2023, 7:07:20 AM	0	6.895	62.4	65.2	0
4/13/2023, 7:17:20 AM	0	6.886	62.6	65.3	0
4/13/2023, 7:27:20 AM	0	6.886	63.3	65.3	0
4/13/2023, 7:37:20 AM	0	6.886	64	65.1	0
4/13/2023, 7:47:20 AM	0	6.886	64.9	64.8	0
4/13/2023, 7:57:20 AM	0	6.886	65.8	64.4	0
4/13/2023, 8:07:20 AM	0	6.886	66.9	63.8	0
4/13/2023, 8:17:20 AM	0	6.886	67.8	63.1	0
4/13/2023, 8:27:20 AM	0	6.895	68.9	62.5	0
4/13/2023, 8:37:20 AM	0	6.895	69.8	61.9	0
4/13/2023, 8:47:20 AM	0	6.895	70.7	61.3	0
4/13/2023, 8:57:20 AM	0	6.895	71.6	60.8	0
4/13/2023, 9:07:20 AM	0	6.895	72.3	60.2	0
4/13/2023, 9:17:20 AM	0	6.895	73.2	59.8	0
4/13/2023, 9:27:20 AM	0	6.895	73.9	59.3	0
4/13/2023, 9:37:20 AM	0	6.895	74.7	58.9	0
4/13/2023, 9:47:20 AM	0	6.895	75.4	58.7	0
4/13/2023, 9:57:20 AM	0	6.895	76.3	58.2	0
4/13/2023, 10:07:20 AM	0	6.895	77.2	57.8	0
4/13/2023, 10:17:20 AM	0	6.895	78.1	57.3	0
4/13/2023, 10:27:20 AM	0	6.895	79	57	0
4/13/2023, 10:37:20 AM	0	6.895	79.9	56.4	0
4/13/2023, 10:47:20 AM	0	6.895	80.6	56.1	0
4/13/2023, 10:57:20 AM	0	6.895	81.3	55.7	0
4/13/2023, 11:07:20 AM	0	6.895	82	55.4	0
4/13/2023, 11:17:20 AM	0	6.895	82.6	55.1	0
4/13/2023, 11:27:20 AM	0	6.904	83.1	54.8	0
4/13/2023, 11:37:20 AM	0	6.904	83.8	54.5	0
4/13/2023, 11:47:20 AM	0	6.904	84.6	54.2	0
4/13/2023, 11:57:20 AM	0	6.904	85.3	54	0
4/13/2023, 12:07:20 PM	0	6.904	86.2	53.9	0
4/13/2023, 12:17:20 PM	0	6.904	86.4	53.6	0
4/13/2023, 12:27:20 PM	0	6.904	86.9	53.4	0
4/13/2023, 12:37:20 PM	0	6.904	87.3	53.3	0
4/13/2023, 12:47:20 PM	0	6.904	87.6	53	0
4/13/2023, 12:57:20 PM	0	6.904	88	52.8	0
4/13/2023, 1:07:20 PM	0	6.904	88.3	52.8	0
4/13/2023, 1:17:20 PM	0	6.904	89.1	52.8	0
4/13/2023, 1:27:20 PM	0	6.904	89.8	52.8	0
4/13/2023, 1:37:20 PM	0	6.904	90.3	52.6	0
4/13/2023, 1:47:20 PM	0	6.904	90.7	52.5	0
4/13/2023, 1:57:20 PM	0	6.904	91	52.3	0
4/13/2023, 2:07:20 PM	0	6.904	91.2	52.3	0
4/13/2023, 2:17:20 PM	0	6.904	91.9	52.3	0
4/13/2023, 2:27:20 PM	0	6.904	92.3	52	0
4/13/2023, 2:37:20 PM	0	6.904	92.1	51.7	0
4/13/2023, 2:47:20 PM	0	6.904	92.3	51.5	0
4/13/2023, 2:57:20 PM	0	6.913	92.8	51.5	0
4/13/2023, 3:07:20 PM	0	6.913	92.8	51.2	0
4/13/2023, 3:17:20 PM	0	6.913	92.7	51	0
4/13/2023, 3:27:20 PM	0	6.913	92.5	50.8	0
4/13/2023, 3:37:20 PM	0	6.913	91.9	50.6	0
4/13/2023, 3:47:20 PM	0	6.913	91.8	50.3	0
4/13/2023, 3:57:20 PM	0	6.913	91.2	50.1	0
4/13/2023, 4:07:20 PM	0	6.913	90.9	50	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/13/2023, 4:17:20 PM	0	6.913	90.5	49.9	0
4/13/2023, 4:27:20 PM	0	6.913	90.5	49.9	0
4/13/2023, 4:37:20 PM	0	6.913	90.1	49.9	0
4/13/2023, 4:47:20 PM	0	6.913	89.6	49.9	0
4/13/2023, 4:57:20 PM	0	6.913	89.1	49.8	0
4/13/2023, 5:07:20 PM	0	6.913	88.5	49.7	0
4/13/2023, 5:17:20 PM	0	6.904	88.2	49.8	0
4/13/2023, 5:27:20 PM	0	6.913	87.8	49.8	0
4/13/2023, 5:37:20 PM	0	6.904	87.3	49.9	0
4/13/2023, 5:47:20 PM	0	6.913	86.5	49.8	0
4/13/2023, 5:57:20 PM	0	6.904	85.8	49.8	0
4/13/2023, 6:07:20 PM	0	6.904	85.3	49.8	0
4/13/2023, 6:17:20 PM	0	6.904	84.7	49.9	0
4/13/2023, 6:27:20 PM	0	6.904	83.8	50.1	0
4/13/2023, 6:37:20 PM	0	6.904	83.1	50.2	0
4/13/2023, 6:47:20 PM	0	6.904	82.4	50.5	0
4/13/2023, 6:57:20 PM	0	6.904	81.9	50.7	0
4/13/2023, 7:07:20 PM	0	6.904	81	50.7	0
4/13/2023, 7:17:20 PM	0	6.904	79.9	50.3	0
4/13/2023, 7:27:20 PM	0	6.904	79	50.1	0
4/13/2023, 7:37:20 PM	0	6.904	78.1	50.1	0
4/13/2023, 7:47:20 PM	0	6.904	77.4	50.2	0
4/13/2023, 7:57:20 PM	0	6.904	76.5	50.4	0
4/13/2023, 8:07:20 PM	0	6.904	75.7	50.7	0
4/13/2023, 8:17:20 PM	0	6.904	75.2	50.9	0
4/13/2023, 8:27:20 PM	0	6.904	74.7	51.2	0
4/13/2023, 8:37:20 PM	0	6.904	74.1	51.5	0
4/13/2023, 8:47:20 PM	0	6.904	73.4	51.9	0
4/13/2023, 8:57:20 PM	0	6.904	72.9	52.2	0
4/13/2023, 9:07:20 PM	0	6.904	72.1	52.6	0
4/13/2023, 9:17:20 PM	0	6.904	71.4	53	0
4/13/2023, 9:27:20 PM	0	6.904	71.1	53.3	0
4/13/2023, 9:37:20 PM	0	6.895	70.7	53.4	0
4/13/2023, 9:47:20 PM	0	6.895	70.5	53.5	0
4/13/2023, 9:57:20 PM	0	6.895	70.3	53.5	0
4/13/2023, 10:07:20 PM	0	6.895	70.3	53.5	0
4/13/2023, 10:17:20 PM	0	6.895	70.3	53.4	0
4/13/2023, 10:27:20 PM	0	6.895	70.2	53.3	0
4/13/2023, 10:37:20 PM	0	6.895	70	53.2	0
4/13/2023, 10:47:20 PM	0	6.895	69.8	53.2	0
4/13/2023, 10:57:20 PM	0	6.895	69.4	53.1	0
4/13/2023, 11:07:20 PM	0	6.895	69.1	53	0
4/13/2023, 11:17:20 PM	0	6.895	68.9	53.1	0
4/13/2023, 11:27:20 PM	0	6.895	68.7	53.3	0
4/13/2023, 11:37:20 PM	0	6.895	68.4	53.5	0
4/13/2023, 11:47:20 PM	0	6.895	68.2	53.9	0
4/13/2023, 11:57:20 PM	0	6.895	67.8	54.3	0
4/14/2023, 12:07:20 AM	0	6.895	67.5	54.8	0
4/14/2023, 12:17:20 AM	0	6.895	66.9	55.2	0
4/14/2023, 12:27:20 AM	0	6.895	66.4	55.8	0
4/14/2023, 12:37:20 AM	0	6.895	66	56.4	0
4/14/2023, 12:47:20 AM	0	6.895	65.7	56.9	0
4/14/2023, 12:57:20 AM	0	6.895	65.1	57.4	0
4/14/2023, 1:07:20 AM	0	6.895	64.6	57.8	0
4/14/2023, 1:17:20 AM	0	6.895	64.2	58.3	0
4/14/2023, 1:27:20 AM	0	6.895	63.7	58.8	0
4/14/2023, 1:37:20 AM	0	6.895	63	59.3	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/14/2023, 1:47:20 AM	0	6.895	62.4	59.7	0
4/14/2023, 1:57:20 AM	0	6.895	62.1	60.3	0
4/14/2023, 2:07:20 AM	0	6.895	61.7	60.8	0
4/14/2023, 2:17:20 AM	0	6.886	61	61.3	0
4/14/2023, 2:27:20 AM	0	6.886	60.3	62	0
4/14/2023, 2:37:20 AM	0	6.886	59.4	62.7	0
4/14/2023, 2:47:20 AM	0	6.886	58.6	63.4	0
4/14/2023, 2:57:20 AM	0	6.886	58.1	64	0
4/14/2023, 3:07:20 AM	0	6.886	57.6	64.7	0
4/14/2023, 3:17:20 AM	0	6.886	56.8	65.4	0
4/14/2023, 3:27:20 AM	0	6.886	56.3	66.1	0
4/14/2023, 3:37:20 AM	0	6.886	55.6	66.9	0
4/14/2023, 3:47:20 AM	0	6.886	55	67.6	0
4/14/2023, 3:57:20 AM	0	6.886	54.7	68.4	0
4/14/2023, 4:07:20 AM	0	6.886	54.3	69.1	0
4/14/2023, 4:17:20 AM	0	6.886	54.3	69.8	0
4/14/2023, 4:27:20 AM	0	6.877	54.3	70.2	0
4/14/2023, 4:37:20 AM	0	6.886	54.1	70.4	0
4/14/2023, 4:47:20 AM	0	6.886	54	70.8	0
4/14/2023, 4:57:20 AM	0	6.877	53.8	71.2	0
4/14/2023, 5:07:20 AM	0	6.877	53.6	71.5	0
4/14/2023, 5:17:20 AM	0	6.877	53.4	71.9	0
4/14/2023, 5:27:20 AM	0	6.877	53.4	72.2	0
4/14/2023, 5:37:20 AM	0	6.877	53.1	72.5	0
4/14/2023, 5:47:20 AM	0	6.877	52.9	72.8	0
4/14/2023, 5:57:20 AM	0	6.877	52.9	73	0
4/14/2023, 6:07:20 AM	0	6.877	52.7	73.2	0
4/14/2023, 6:17:20 AM	0	6.877	52.5	73.5	0
4/14/2023, 6:27:20 AM	0	6.877	52.5	73.8	0
4/14/2023, 6:37:20 AM	0	6.877	52.3	74	0
4/14/2023, 6:47:20 AM	0	6.877	52.3	74.3	0
4/14/2023, 6:57:20 AM	0	6.877	52.3	74.6	0
4/14/2023, 7:07:20 AM	0	6.877	52.3	75	0
4/14/2023, 7:17:20 AM	0	6.877	52.3	75.2	0
4/14/2023, 7:27:20 AM	0	6.877	52.5	75.2	0
4/14/2023, 7:37:20 AM	0	6.877	52.7	75.6	0
4/14/2023, 7:47:20 AM	0	6.877	53.1	76	0
4/14/2023, 7:57:20 AM	0	6.877	53.4	76.1	0
4/14/2023, 8:07:20 AM	0	6.877	54	75.9	0
4/14/2023, 8:17:20 AM	0	6.877	55	76.3	0
4/14/2023, 8:27:20 AM	0	6.877	56.8	76	0
4/14/2023, 8:37:20 AM	0	6.877	59.2	74.1	0
4/14/2023, 8:47:20 AM	0	6.877	62.2	71.3	0
4/14/2023, 8:57:20 AM	0	6.877	65.3	68.6	0
4/14/2023, 9:07:20 AM	0	6.886	67.6	66.3	0
4/14/2023, 9:17:20 AM	0	6.886	69.4	64.6	0
4/14/2023, 9:27:20 AM	0	6.886	71.2	63.2	0
4/14/2023, 9:37:20 AM	0	6.886	72.9	62	0
4/14/2023, 9:47:20 AM	0	6.886	74.5	60.9	0
4/14/2023, 9:57:20 AM	0	6.895	76.1	59.8	0
4/14/2023, 10:07:20 AM	0	6.895	77.4	58.7	0
4/14/2023, 10:17:20 AM	0	6.895	78.8	57.8	0
4/14/2023, 10:27:20 AM	0	6.895	80.4	57	0
4/14/2023, 10:37:20 AM	0	6.895	81.9	56.3	0
4/14/2023, 10:47:20 AM	0	6.895	83.3	55.7	0
4/14/2023, 10:57:20 AM	0	6.895	84.6	54.9	0
4/14/2023, 11:07:20 AM	0	6.895	85.6	54.2	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/14/2023, 11:17:20 AM	0	6.895	86.7	53.7	0
4/14/2023, 11:27:20 AM	0	6.904	87.3	53.3	0
4/14/2023, 11:37:20 AM	0	6.904	88.3	53	0
4/14/2023, 11:47:20 AM	0	6.904	89.4	52.8	0
4/14/2023, 11:57:20 AM	0	6.904	90.7	52.5	0
4/14/2023, 12:07:20 PM	0	6.904	91.9	52.3	0
4/14/2023, 12:17:20 PM	0	6.904	92.5	52	0
4/14/2023, 12:27:20 PM	0	6.904	93	51.6	0
4/14/2023, 12:37:20 PM	0	6.904	93.6	51.4	0
4/14/2023, 12:47:20 PM	0	6.904	94.3	51.2	0
4/14/2023, 12:57:20 PM	0	6.904	95	50.9	0
4/14/2023, 1:07:20 PM	0	6.904	95.4	50.6	0
4/14/2023, 1:17:20 PM	0	6.904	95.9	50.4	0
4/14/2023, 1:27:20 PM	0	6.904	96.3	50	0
4/14/2023, 1:37:20 PM	0	6.904	96.6	49.6	0
4/14/2023, 1:47:20 PM	0	6.904	97	49.2	0
4/14/2023, 1:57:20 PM	0	6.913	97.5	49	0
4/14/2023, 2:07:20 PM	0	6.913	97.3	48.8	0
4/14/2023, 2:17:20 PM	0	6.913	97.5	48.7	0
4/14/2023, 2:27:20 PM	0	6.913	98.4	48.7	0
4/14/2023, 2:37:20 PM	0	6.913	99	48.4	0
4/14/2023, 2:47:20 PM	0	6.913	98.6	48.1	0
4/14/2023, 2:57:20 PM	0	6.913	96.8	48.4	0
4/14/2023, 3:07:20 PM	0	6.913	95.4	48.6	0
4/14/2023, 3:17:20 PM	0	6.913	94.3	48.9	0
4/14/2023, 3:27:20 PM	0	6.913	93.7	49.2	0
4/14/2023, 3:37:20 PM	0	6.913	93.4	49.3	0
4/14/2023, 3:47:20 PM	0	6.913	92.8	49.4	0
4/14/2023, 3:57:20 PM	0	6.913	92.3	49.4	0
4/14/2023, 4:07:20 PM	0	6.913	91.9	49.5	0
4/14/2023, 4:17:20 PM	0	6.913	91.6	49.5	0
4/14/2023, 4:27:20 PM	0	6.913	91	49.5	0
4/14/2023, 4:37:20 PM	0	6.913	90.9	49.5	0
4/14/2023, 4:47:20 PM	0	6.913	90.3	49.4	0
4/14/2023, 4:57:20 PM	0	6.913	89.6	49.3	0
4/14/2023, 5:07:20 PM	0	6.904	89.2	49.4	0
4/14/2023, 5:17:20 PM	0	6.904	88.9	49.4	0
4/14/2023, 5:27:20 PM	0	6.904	88.2	49.4	0
4/14/2023, 5:37:20 PM	0	6.904	87.3	49.3	0
4/14/2023, 5:47:20 PM	0	6.904	86.7	49.4	0
4/14/2023, 5:57:20 PM	0	6.904	86.2	49.4	0
4/14/2023, 6:07:20 PM	0	6.904	85.6	49.4	0
4/14/2023, 6:17:20 PM	0	6.904	84.9	49.4	0
4/14/2023, 6:27:20 PM	0	6.904	84.4	49.5	0
4/14/2023, 6:37:20 PM	0	6.904	83.7	49.5	0
4/14/2023, 6:47:20 PM	0	6.904	82.9	49.6	0
4/14/2023, 6:57:20 PM	0	6.904	82.2	49.8	0
4/14/2023, 7:07:20 PM	0	6.904	81.5	50	0
4/14/2023, 7:17:20 PM	0	6.904	80.6	50.2	0
4/14/2023, 7:27:20 PM	0	6.904	79.9	50.5	0
4/14/2023, 7:37:20 PM	0	6.904	79	50.7	0
4/14/2023, 7:47:20 PM	0	6.904	78.1	50.8	0
4/14/2023, 7:57:20 PM	0	6.904	77.2	50.9	0
4/14/2023, 8:07:20 PM	0	6.904	76.3	51.2	0
4/14/2023, 8:17:20 PM	0	6.904	75.4	51.5	0
4/14/2023, 8:27:20 PM	0	6.904	74.3	51.8	0
4/14/2023, 8:37:20 PM	0	6.904	73.4	52.8	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/14/2023, 8:47:20 PM	0	6.904	72.5	53.3	0
4/14/2023, 8:57:20 PM	0	6.904	71.8	53.9	0
4/14/2023, 9:07:20 PM	0	6.895	70.7	55.3	0
4/14/2023, 9:17:20 PM	0	6.895	69.8	56	0
4/14/2023, 9:27:20 PM	0	6.895	69.1	56.3	0
4/14/2023, 9:37:20 PM	0	6.895	68.4	56.8	0
4/14/2023, 9:47:20 PM	0	6.895	67.6	57	0
4/14/2023, 9:57:20 PM	0	6.895	67.1	57.5	0
4/14/2023, 10:07:20 PM	0	6.895	66.6	58	0
4/14/2023, 10:17:20 PM	0	6.895	66.2	58.6	0
4/14/2023, 10:27:20 PM	0	6.895	65.5	59.4	0
4/14/2023, 10:37:20 PM	0	6.895	64.9	60.3	0
4/14/2023, 10:47:20 PM	0	6.895	64.4	61.5	0
4/14/2023, 10:57:20 PM	0	6.895	63.7	63	0
4/14/2023, 11:07:20 PM	0	6.895	63.1	63.7	0
4/14/2023, 11:17:20 PM	0	6.895	62.8	64.7	0
4/14/2023, 11:27:20 PM	0	6.886	62.1	65.7	0
4/14/2023, 11:37:20 PM	0	6.886	61.5	66.4	0
4/14/2023, 11:47:20 PM	0	6.886	61	67	0
4/14/2023, 11:57:20 PM	0	6.886	60.4	67.3	0
4/15/2023, 12:07:20 AM	0	6.886	59.9	67.3	0
4/15/2023, 12:17:20 AM	0	6.886	59.4	67.9	0
4/15/2023, 12:27:20 AM	0	6.886	59	68.5	0
4/15/2023, 12:37:20 AM	0	6.886	58.5	69	0
4/15/2023, 12:47:20 AM	0	6.886	58.1	69.5	0
4/15/2023, 12:57:20 AM	0	6.886	57.7	69.9	0
4/15/2023, 1:07:20 AM	0	6.886	57.2	70.4	0
4/15/2023, 1:17:20 AM	0	6.886	56.8	70.8	0
4/15/2023, 1:27:20 AM	0	6.886	56.5	71.4	0
4/15/2023, 1:37:20 AM	0	6.886	56.1	72.3	0
4/15/2023, 1:47:20 AM	0	6.886	55.8	73.5	0
4/15/2023, 1:57:20 AM	0	6.877	55.6	74.4	0
4/15/2023, 2:07:20 AM	0	6.877	55.4	75	0
4/15/2023, 2:17:20 AM	0	6.877	55	75.6	0
4/15/2023, 2:27:20 AM	0	6.877	54.7	76.1	0
4/15/2023, 2:37:20 AM	0	6.877	54.3	76.7	0
4/15/2023, 2:47:20 AM	0	6.877	54	77.3	0
4/15/2023, 2:57:20 AM	0	6.877	53.8	77.8	0
4/15/2023, 3:07:20 AM	0	6.877	53.6	78	0
4/15/2023, 3:17:20 AM	0	6.877	53.4	78.4	0
4/15/2023, 3:27:20 AM	0	6.877	53.2	78.7	0
4/15/2023, 3:37:20 AM	0	6.877	53.1	79.1	0
4/15/2023, 3:47:20 AM	0	6.877	53.1	79.3	0
4/15/2023, 3:57:20 AM	0	6.877	53.1	79.5	0
4/15/2023, 4:07:20 AM	0	6.877	53.1	79.5	0
4/15/2023, 4:17:20 AM	0	6.877	53.1	79.9	0
4/15/2023, 4:27:20 AM	0	6.877	53.1	80.3	0
4/15/2023, 4:37:20 AM	0	6.877	53.1	80.7	0
4/15/2023, 4:47:20 AM	0	6.877	52.9	81	0
4/15/2023, 4:57:20 AM	0	6.877	52.9	81.1	0
4/15/2023, 5:07:20 AM	0	6.877	52.9	81	0
4/15/2023, 5:17:20 AM	0	6.877	53.1	81	0
4/15/2023, 5:27:20 AM	0	6.877	53.2	81.3	0
4/15/2023, 5:37:20 AM	0	6.877	53.1	81.6	0
4/15/2023, 5:47:20 AM	0	6.877	53.1	81.9	0
4/15/2023, 5:57:20 AM	0	6.877	53.1	82.1	0
4/15/2023, 6:07:20 AM	0	6.877	52.9	82	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/15/2023, 6:17:20 AM	0	6.877	52.9	82.1	0
4/15/2023, 6:27:20 AM	0	6.877	52.9	82.2	0
4/15/2023, 6:37:20 AM	0	6.877	52.9	82.2	0
4/15/2023, 6:47:20 AM	0	6.877	52.7	82.1	0
4/15/2023, 6:57:20 AM	0	6.877	52.7	82	0
4/15/2023, 7:07:20 AM	0	6.877	52.7	81.9	0
4/15/2023, 7:17:20 AM	0	6.877	52.9	81.9	0
4/15/2023, 7:27:20 AM	0	6.877	52.9	81.8	0
4/15/2023, 7:37:20 AM	0	6.877	53.1	81.5	0
4/15/2023, 7:47:20 AM	0	6.877	53.2	81	0
4/15/2023, 7:57:20 AM	0	6.877	53.8	80.6	0
4/15/2023, 8:07:20 AM	0	6.877	54.3	80.2	0
4/15/2023, 8:17:20 AM	0	6.877	55.4	79.5	0
4/15/2023, 8:27:20 AM	0	6.877	56.5	78.6	0
4/15/2023, 8:37:20 AM	0	6.877	57.7	77.7	0
4/15/2023, 8:47:20 AM	0	6.877	59	76.8	0
4/15/2023, 8:57:20 AM	0	6.877	60.6	75.9	0
4/15/2023, 9:07:20 AM	0	6.877	62.4	74.6	0
4/15/2023, 9:17:20 AM	0	6.877	64.4	73.1	0
4/15/2023, 9:27:20 AM	0	6.877	66.4	71.6	0
4/15/2023, 9:37:20 AM	0	6.886	68.4	70.4	0
4/15/2023, 9:47:20 AM	0	6.886	70.2	69	0
4/15/2023, 9:57:20 AM	0	6.886	71.6	67.4	0
4/15/2023, 10:07:20 AM	0	6.886	73	65.8	0
4/15/2023, 10:17:20 AM	0	6.886	74.5	64.7	0
4/15/2023, 10:27:20 AM	0	6.886	76.1	63.3	0
4/15/2023, 10:37:20 AM	0	6.886	77.7	61.9	0
4/15/2023, 10:47:20 AM	0	6.895	79.3	61	0
4/15/2023, 10:57:20 AM	0	6.895	80.6	60.2	0
4/15/2023, 11:07:20 AM	0	6.895	81.7	59.4	0
4/15/2023, 11:17:20 AM	0	6.895	82.8	58.7	0
4/15/2023, 11:27:20 AM	0	6.895	83.7	58.2	0
4/15/2023, 11:37:20 AM	0	6.895	84.9	57.7	0
4/15/2023, 11:47:20 AM	0	6.895	85.8	57.3	0
4/15/2023, 11:57:20 AM	0	6.895	86.7	56.8	0
4/15/2023, 12:07:20 PM	0	6.895	86.9	56.5	0
4/15/2023, 12:17:20 PM	0	6.895	87.3	56.2	0
4/15/2023, 12:27:20 PM	0	6.904	87.8	56.1	0
4/15/2023, 12:37:20 PM	0	6.904	87.6	55.9	0
4/15/2023, 12:47:20 PM	0	6.904	87.3	55.6	0
4/15/2023, 12:57:20 PM	0	6.904	87.3	55.5	0
4/15/2023, 1:07:20 PM	0	6.904	87.3	55.3	0
4/15/2023, 1:17:20 PM	0	6.904	87.3	55.2	0
4/15/2023, 1:27:20 PM	0	6.904	87.6	55.2	0
4/15/2023, 1:37:20 PM	0	6.904	87.8	55	0
4/15/2023, 1:47:20 PM	0	6.904	87.6	54.7	0
4/15/2023, 1:57:20 PM	0	6.904	88.2	54.6	0
4/15/2023, 2:07:20 PM	0	6.904	88.9	54.4	0
4/15/2023, 2:17:20 PM	0	6.904	89.4	54.2	0
4/15/2023, 2:27:20 PM	0	6.904	89.6	54	0
4/15/2023, 2:37:20 PM	0	6.904	89.8	53.7	0
4/15/2023, 2:47:20 PM	0	6.904	90	53.6	0
4/15/2023, 2:57:20 PM	0	6.904	90	53.5	0
4/15/2023, 3:07:20 PM	0	6.904	89.8	53.4	0
4/15/2023, 3:17:20 PM	0	6.904	89.6	53.3	0
4/15/2023, 3:27:20 PM	0	6.904	90.3	53.3	0
4/15/2023, 3:37:20 PM	0	6.904	90.7	53.2	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/15/2023, 3:47:20 PM	0	6.904	90.7	52.9	0
4/15/2023, 3:57:20 PM	0	6.904	90.7	52.7	0
4/15/2023, 4:07:20 PM	0	6.904	90.5	52.6	0
4/15/2023, 4:17:20 PM	0	6.904	90.3	52.5	0
4/15/2023, 4:27:20 PM	0	6.904	90.1	52.4	0
4/15/2023, 4:37:20 PM	0	6.904	89.1	52.2	0
4/15/2023, 4:47:20 PM	0	6.904	88	52.2	0
4/15/2023, 4:57:20 PM	0	6.904	87.3	52.3	0
4/15/2023, 5:07:20 PM	0	6.904	86.7	52.5	0
4/15/2023, 5:17:20 PM	0	6.904	86.7	52.8	0
4/15/2023, 5:27:20 PM	0	6.904	86.4	53	0
4/15/2023, 5:37:20 PM	0	6.904	85.3	53.1	0
4/15/2023, 5:47:20 PM	0	6.904	84.7	53.4	0
4/15/2023, 5:57:20 PM	0	6.904	84.6	53.6	0
4/15/2023, 6:07:20 PM	0	6.904	84.6	53.9	0
4/15/2023, 6:17:20 PM	0	6.904	84.6	53.9	0
4/15/2023, 6:27:20 PM	0	6.904	84.6	54	0
4/15/2023, 6:37:20 PM	0	6.904	84.4	54.2	0
4/15/2023, 6:47:20 PM	0	6.904	83.8	54.5	0
4/15/2023, 6:57:20 PM	0	6.904	82.9	54.8	0
4/15/2023, 7:07:20 PM	0	6.904	81.9	55.2	0
4/15/2023, 7:17:20 PM	0	6.904	80.6	55.6	0
4/15/2023, 7:27:20 PM	0	6.904	79.3	56.1	0
4/15/2023, 7:37:20 PM	0	6.904	78.1	56.6	0
4/15/2023, 7:47:20 PM	0	6.904	77	57.3	0
4/15/2023, 7:57:20 PM	0	6.904	75.9	57.8	0
4/15/2023, 8:07:20 PM	0	6.904	75	58.2	0
4/15/2023, 8:17:20 PM	0	6.895	73.9	58.7	0
4/15/2023, 8:27:20 PM	0	6.895	73	59.2	0
4/15/2023, 8:37:20 PM	0	6.895	72.1	59.7	0
4/15/2023, 8:47:20 PM	0	6.895	71.4	60.2	0
4/15/2023, 8:57:20 PM	0	6.895	70.5	61	0
4/15/2023, 9:07:20 PM	0	6.895	69.6	61.7	0
4/15/2023, 9:17:20 PM	0	6.895	68.9	62.3	0
4/15/2023, 9:27:20 PM	0	6.895	68.2	63	0
4/15/2023, 9:37:20 PM	0	6.895	67.5	63.8	0
4/15/2023, 9:47:20 PM	0	6.895	66.7	64.8	0
4/15/2023, 9:57:20 PM	0	6.895	66	65.6	0
4/15/2023, 10:07:20 PM	0	6.895	65.5	66.3	0
4/15/2023, 10:17:20 PM	0	6.895	64.9	67	0
4/15/2023, 10:27:20 PM	0	6.886	64.2	67.9	0
4/15/2023, 10:37:20 PM	0	6.886	63.7	68.8	0
4/15/2023, 10:47:20 PM	0	6.886	63	69.9	0
4/15/2023, 10:57:20 PM	0	6.886	62.2	70.6	0
4/15/2023, 11:07:20 PM	0	6.886	61.7	71.1	0
4/15/2023, 11:17:20 PM	0	6.886	61.2	71.7	0
4/15/2023, 11:27:20 PM	0	6.886	60.8	72.3	0
4/15/2023, 11:37:20 PM	0	6.886	60.3	73.1	0
4/15/2023, 11:47:20 PM	0	6.886	59.9	73.5	0
4/15/2023, 11:57:20 PM	0	6.886	59.5	74.2	0
4/16/2023, 12:07:20 AM	0	6.886	59.2	74.6	0
4/16/2023, 12:17:20 AM	0	6.886	59	75.4	0
4/16/2023, 12:27:20 AM	0	6.886	58.6	76.5	0
4/16/2023, 12:37:20 AM	0	6.886	58.5	76.8	0
4/16/2023, 12:47:20 AM	0	6.886	58.6	76.5	0
4/16/2023, 12:57:20 AM	0	6.877	58.6	76.2	0
4/16/2023, 1:07:20 AM	0	6.877	58.5	76	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/16/2023, 1:17:20 AM	0	6.886	58.3	76.1	0
4/16/2023, 1:27:20 AM	0	6.877	57.9	76.5	0
4/16/2023, 1:37:20 AM	0	6.877	57.6	76.8	0
4/16/2023, 1:47:20 AM	0	6.877	57.2	77	0
4/16/2023, 1:57:20 AM	0	6.877	56.8	77.4	0
4/16/2023, 2:07:20 AM	0	6.877	56.8	77.7	0
4/16/2023, 2:17:20 AM	0	6.877	56.7	78.1	0
4/16/2023, 2:27:20 AM	0	6.877	56.5	78.6	0
4/16/2023, 2:37:20 AM	0	6.877	56.1	78.9	0
4/16/2023, 2:47:20 AM	0	6.877	56.1	79.2	0
4/16/2023, 2:57:20 AM	0	6.877	55.8	79.5	0
4/16/2023, 3:07:20 AM	0	6.877	55.4	79.8	0
4/16/2023, 3:17:20 AM	0	6.877	55	80.2	0
4/16/2023, 3:27:20 AM	0	6.877	54.9	80.7	0
4/16/2023, 3:37:20 AM	0	6.877	54.7	81.1	0
4/16/2023, 3:47:20 AM	0	6.877	54.3	81.6	0
4/16/2023, 3:57:20 AM	0	6.877	54	82	0
4/16/2023, 4:07:20 AM	0	6.877	53.6	82.4	0
4/16/2023, 4:17:20 AM	0	6.877	53.4	82.9	0
4/16/2023, 4:27:20 AM	0	6.877	53.2	83.5	0
4/16/2023, 4:37:20 AM	0	6.877	52.9	83.8	0
4/16/2023, 4:47:20 AM	0	6.877	52.7	84.3	0
4/16/2023, 4:57:20 AM	0	6.877	52.5	85.3	0
4/16/2023, 5:07:20 AM	0	6.877	52.7	86	0
4/16/2023, 5:17:20 AM	0	6.869	52.3	86.4	0
4/16/2023, 5:27:20 AM	0	6.869	52.2	86.6	0
4/16/2023, 5:37:20 AM	0	6.869	51.8	87	0
4/16/2023, 5:47:20 AM	0	6.869	51.6	87.4	0
4/16/2023, 5:57:20 AM	0	6.869	51.6	87.9	0
4/16/2023, 6:07:20 AM	0	6.869	51.4	88	0
4/16/2023, 6:17:20 AM	0	6.869	51.1	88.1	0
4/16/2023, 6:27:20 AM	0	6.869	50.9	88.3	0
4/16/2023, 6:37:20 AM	0	6.869	50.9	88.8	0
4/16/2023, 6:47:20 AM	0	6.869	50.9	89.3	0
4/16/2023, 6:57:20 AM	0	6.869	51.1	89.7	0
4/16/2023, 7:07:20 AM	0	6.869	51.3	90.3	0
4/16/2023, 7:17:20 AM	0	6.869	52	90.9	0
4/16/2023, 7:27:20 AM	0	6.869	52.7	91.5	0
4/16/2023, 7:37:20 AM	0	6.869	54	91.8	0
4/16/2023, 7:47:20 AM	0	6.869	55.2	91.7	0
4/16/2023, 7:57:20 AM	0	6.869	56.5	91.2	0
4/16/2023, 8:07:20 AM	0	6.869	57.7	90.3	0
4/16/2023, 8:17:20 AM	0	6.877	59.2	89.2	0
4/16/2023, 8:27:20 AM	0	6.877	60.6	87.9	0
4/16/2023, 8:37:20 AM	0	6.877	62.2	86.4	0
4/16/2023, 8:47:20 AM	0	6.877	64	84.7	0
4/16/2023, 8:57:20 AM	0	6.877	65.8	82.8	0
4/16/2023, 9:07:20 AM	0	6.877	67.6	80.9	0
4/16/2023, 9:17:20 AM	0	6.886	69.4	78.8	0
4/16/2023, 9:27:20 AM	0	6.886	71.2	76.9	0
4/16/2023, 9:37:20 AM	0	6.886	72.9	74.9	0
4/16/2023, 9:47:20 AM	0	6.886	74.5	72.8	0
4/16/2023, 9:57:20 AM	0	6.886	76.1	70.8	0
4/16/2023, 10:07:20 AM	0	6.886	77.4	68.6	0
4/16/2023, 10:17:20 AM	0	6.886	79	66.8	0
4/16/2023, 10:27:20 AM	0	6.886	80.4	65.1	0
4/16/2023, 10:37:20 AM	0	6.895	81.9	63.8	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/16/2023, 10:47:20 AM	0	6.895	83.3	62.7	0
4/16/2023, 10:57:20 AM	0	6.895	84.4	62.1	0
4/16/2023, 11:07:20 AM	0	6.895	84.9	61.6	0
4/16/2023, 11:17:20 AM	0	6.895	85.5	60.8	0
4/16/2023, 11:27:20 AM	0	6.895	86.4	60.3	0
4/16/2023, 11:37:20 AM	0	6.895	86.9	59.7	0
4/16/2023, 11:47:20 AM	0	6.895	87.6	59.3	0
4/16/2023, 11:57:20 AM	0	6.895	88.5	58.6	0
4/16/2023, 12:07:20 PM	0	6.895	89.1	58	0
4/16/2023, 12:17:20 PM	0	6.895	89.4	57.5	0
4/16/2023, 12:27:20 PM	0	6.904	90	57.3	0
4/16/2023, 12:37:20 PM	0	6.904	90.5	57.1	0
4/16/2023, 12:47:20 PM	0	6.904	90.7	56.9	0
4/16/2023, 12:57:20 PM	0	6.904	90.9	56.9	0
4/16/2023, 1:07:20 PM	0	6.904	90.9	57	0
4/16/2023, 1:17:20 PM	0	6.904	90.7	57	0
4/16/2023, 1:27:20 PM	0	6.904	90.9	56.9	0
4/16/2023, 1:37:20 PM	0	6.904	91	56.5	0
4/16/2023, 1:47:20 PM	0	6.904	91	56.1	0
4/16/2023, 1:57:20 PM	0	6.904	91.2	56	0
4/16/2023, 2:07:20 PM	0	6.904	91.4	55.7	0
4/16/2023, 2:17:20 PM	0	6.904	91.2	55.6	0
4/16/2023, 2:27:20 PM	0	6.904	91.4	55.4	0
4/16/2023, 2:37:20 PM	0	6.904	91.6	55.2	0
4/16/2023, 2:47:20 PM	0	6.904	91.4	54.9	0
4/16/2023, 2:57:20 PM	0	6.904	91.8	54.9	0
4/16/2023, 3:07:20 PM	0	6.904	91.6	54.7	0
4/16/2023, 3:17:20 PM	0	6.904	91.2	54.5	0
4/16/2023, 3:27:20 PM	0	6.904	91.2	54.5	0
4/16/2023, 3:37:20 PM	0	6.904	91.4	54.5	0
4/16/2023, 3:47:20 PM	0	6.904	91	54.4	0
4/16/2023, 3:57:20 PM	0	6.904	90.7	54.4	0
4/16/2023, 4:07:20 PM	0	6.904	90.5	54.5	0
4/16/2023, 4:17:20 PM	0	6.904	90.1	54.7	0
4/16/2023, 4:27:20 PM	0	6.904	89.6	54.9	0
4/16/2023, 4:37:20 PM	0	6.904	89.4	55.1	0
4/16/2023, 4:47:20 PM	0	6.904	89.2	55.2	0
4/16/2023, 4:57:20 PM	0	6.904	88.9	55.2	0
4/16/2023, 5:07:20 PM	0	6.904	88.5	55.2	0
4/16/2023, 5:17:20 PM	0	6.904	88.2	55.2	0
4/16/2023, 5:27:20 PM	0	6.904	87.6	55.3	0
4/16/2023, 5:37:20 PM	0	6.904	87.1	55.4	0
4/16/2023, 5:47:20 PM	0	6.904	86.7	55.6	0
4/16/2023, 5:57:20 PM	0	6.904	86	55.8	0
4/16/2023, 6:07:20 PM	0	6.904	85.5	56	0
4/16/2023, 6:17:20 PM	0	6.904	84.9	56.3	0
4/16/2023, 6:27:20 PM	0	6.904	84.2	56.6	0
4/16/2023, 6:37:20 PM	0	6.904	83.7	56.8	0
4/16/2023, 6:47:20 PM	0	6.904	83.3	56.9	0
4/16/2023, 6:57:20 PM	0	6.904	82.8	57.2	0
4/16/2023, 7:07:20 PM	0	6.904	82	57.4	0
4/16/2023, 7:17:20 PM	0	6.904	81.3	57.7	0
4/16/2023, 7:27:20 PM	0	6.904	80.6	57.9	0
4/16/2023, 7:37:20 PM	0	6.904	80.1	58.2	0
4/16/2023, 7:47:20 PM	0	6.904	79.5	58.5	0
4/16/2023, 7:57:20 PM	0	6.904	79	58.6	0
4/16/2023, 8:07:20 PM	0	6.895	78.4	58.9	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/16/2023, 8:17:20 PM	0	6.895	77.9	59.1	0
4/16/2023, 8:27:20 PM	0	6.895	77.4	59.2	0
4/16/2023, 8:37:20 PM	0	6.895	77	59.4	0
4/16/2023, 8:47:20 PM	0	6.895	76.6	59.7	0
4/16/2023, 8:57:20 PM	0	6.895	76.5	59.8	0
4/16/2023, 9:07:20 PM	0	6.895	76.1	60.1	0
4/16/2023, 9:17:20 PM	0	6.895	75.9	60.6	0
4/16/2023, 9:27:20 PM	0	6.895	75.7	60.9	0
4/16/2023, 9:37:20 PM	0	6.895	75.4	61.4	0
4/16/2023, 9:47:20 PM	0	6.895	75.2	61.9	0
4/16/2023, 9:57:20 PM	0	6.895	74.8	62.4	0
4/16/2023, 10:07:20 PM	0	6.895	74.7	62.9	0
4/16/2023, 10:17:20 PM	0	6.895	74.5	63.4	0
4/16/2023, 10:27:20 PM	0	6.895	74.3	63.9	0
4/16/2023, 10:37:20 PM	0	6.895	73	64.2	0
4/16/2023, 10:47:20 PM	0	6.895	70.2	64.8	0
4/16/2023, 10:57:20 PM	0	6.895	67.6	66	0
4/16/2023, 11:07:20 PM	0	6.895	65.8	67.4	0
4/16/2023, 11:17:20 PM	0	6.895	64.2	68.6	0
4/16/2023, 11:27:20 PM	0	6.895	63	69.5	0
4/16/2023, 11:37:20 PM	0	6.886	61.9	70.3	0
4/16/2023, 11:47:20 PM	0	6.886	60.8	70.6	0
4/16/2023, 11:57:20 PM	0	6.886	59.9	70.7	0
4/17/2023, 12:07:20 AM	0	6.886	59	70.9	0
4/17/2023, 12:17:20 AM	0	6.886	58.1	71.2	0
4/17/2023, 12:27:20 AM	0	6.886	57.6	71.8	0
4/17/2023, 12:37:20 AM	0	6.877	56.8	72.3	0
4/17/2023, 12:47:20 AM	0	6.877	55.6	73.2	0
4/17/2023, 12:57:20 AM	0	6.877	54.5	74.5	0
4/17/2023, 1:07:20 AM	0	6.877	53.4	75.8	0
4/17/2023, 1:17:20 AM	0	6.877	52.5	77.1	0
4/17/2023, 1:27:20 AM	0	6.877	51.6	78.1	0
4/17/2023, 1:37:20 AM	0	6.877	50.9	79	0
4/17/2023, 1:47:20 AM	0	6.869	50.4	79.7	0
4/17/2023, 1:57:20 AM	0	6.869	49.8	80.3	0
4/17/2023, 2:07:20 AM	0	6.869	49.3	80.9	0
4/17/2023, 2:17:20 AM	0	6.869	48.7	81.4	0
4/17/2023, 2:27:20 AM	0	6.869	48.2	81.8	0
4/17/2023, 2:37:20 AM	0	6.869	47.8	82.1	0
4/17/2023, 2:47:20 AM	0	6.869	47.7	82.3	0
4/17/2023, 2:57:20 AM	0	6.869	47.3	82.6	0
4/17/2023, 3:07:20 AM	0	6.86	46.9	83	0
4/17/2023, 3:17:20 AM	0	6.86	46.8	83.3	0
4/17/2023, 3:27:20 AM	0	6.86	46.6	83.6	0
4/17/2023, 3:37:20 AM	0	6.86	46.4	83.9	0
4/17/2023, 3:47:20 AM	0	6.86	46.2	84.2	0
4/17/2023, 3:57:20 AM	0	6.86	46.2	84.5	0
4/17/2023, 4:07:20 AM	0	6.86	46	84.9	0
4/17/2023, 4:17:20 AM	0	6.86	46	85.2	0
4/17/2023, 4:27:20 AM	0	6.86	46	85.6	0
4/17/2023, 4:37:20 AM	0	6.86	46	86	0
4/17/2023, 4:47:20 AM	0	6.86	45.9	86.4	0
4/17/2023, 4:57:20 AM	0	6.86	45.9	86.9	0
4/17/2023, 5:07:20 AM	0	6.86	46	87.4	0
4/17/2023, 5:17:20 AM	0	6.86	46	87.8	0
4/17/2023, 5:27:20 AM	0	6.86	46	88.2	0
4/17/2023, 5:37:20 AM	0	6.86	46	88.5	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/17/2023, 5:47:20 AM	0	6.86	46	88.7	0
4/17/2023, 5:57:20 AM	0	6.86	46.2	89	0
4/17/2023, 6:07:20 AM	0	6.86	46.2	89.3	0
4/17/2023, 6:17:20 AM	0	6.86	46.2	89.4	0
4/17/2023, 6:27:20 AM	0	6.86	46.2	89.5	0
4/17/2023, 6:37:20 AM	0	6.86	46.2	89.6	0
4/17/2023, 6:47:20 AM	0	6.86	46.2	89.7	0
4/17/2023, 6:57:20 AM	0	6.86	46.4	89.9	0
4/17/2023, 7:07:20 AM	0	6.86	46.4	90.1	0
4/17/2023, 7:17:20 AM	0	6.86	46.4	90.1	0
4/17/2023, 7:27:20 AM	0	6.86	46.2	89.9	0
4/17/2023, 7:37:20 AM	0	6.86	46.2	89.5	0
4/17/2023, 7:47:20 AM	0	6.86	46	89.3	0
4/17/2023, 7:57:20 AM	0	6.86	46	89	0
4/17/2023, 8:07:20 AM	0	6.86	45.9	88.8	0
4/17/2023, 8:17:20 AM	0	6.86	45.9	88.7	0
4/17/2023, 8:27:20 AM	0	6.86	45.9	88.6	0
4/17/2023, 8:37:20 AM	0	6.86	46	88.6	0
4/17/2023, 8:47:20 AM	0	6.86	46	88.7	0
4/17/2023, 8:57:20 AM	0	6.86	46.2	88.7	0
4/17/2023, 9:07:20 AM	0	6.86	46	88.7	0
4/17/2023, 9:17:20 AM	0	6.86	46.2	88.8	0
4/17/2023, 9:27:20 AM	0	6.86	46.6	88.7	0
4/17/2023, 9:37:20 AM	0	6.86	46.8	88.5	0
4/17/2023, 9:47:20 AM	0	6.86	47.3	88.4	0
4/17/2023, 9:57:20 AM	0	6.86	47.8	88.3	0
4/17/2023, 10:07:20 AM	0	6.86	48.7	88.1	0
4/17/2023, 10:17:20 AM	0	6.86	49.5	87.8	0
4/17/2023, 10:27:20 AM	0	6.86	50.4	87.6	0
4/17/2023, 10:37:20 AM	0	6.86	51.1	87.2	0
4/17/2023, 10:47:20 AM	0	6.86	52	86.4	0
4/17/2023, 10:57:20 AM	0	6.86	53.1	85.3	0
4/17/2023, 11:07:20 AM	0	6.869	54.5	84.2	0
4/17/2023, 11:17:20 AM	0	6.869	55.8	81	0
4/17/2023, 11:27:20 AM	0	6.869	56.7	77.5	0
4/17/2023, 11:37:20 AM	0	6.869	57.6	75	0
4/17/2023, 11:47:20 AM	0	6.869	57.9	72.7	0
4/17/2023, 12:49:01 PM	0	6.869	66.4	60.6	0
4/17/2023, 12:59:01 PM	4	6.869	66.6	59.7	0.666666667
4/17/2023, 1:09:01 PM	3	6.86	64.8	58.5	1.166666667
4/17/2023, 1:19:01 PM	0	6.86	63.3	58.2	1.166666667
4/17/2023, 1:29:01 PM	0	6.86	62.8	58.1	1.166666667
4/17/2023, 1:39:01 PM	0	6.851	62.6	58.1	1.166666667
4/17/2023, 1:49:01 PM	0	6.851	62.6	57.8	1.166666667
4/17/2023, 1:59:01 PM	0	6.851	63	57.6	0.5
4/17/2023, 2:09:01 PM	0	6.851	62.4	57.2	0
4/17/2023, 2:19:01 PM	0	6.851	61.9	56.9	0
4/17/2023, 2:29:01 PM	0	6.851	61.9	56.8	0
4/17/2023, 2:39:01 PM	0	6.842	61.2	56.7	0
4/17/2023, 2:49:01 PM	0	6.842	60.3	56.7	0
4/17/2023, 2:59:01 PM	0	6.842	59.4	56.9	0
4/17/2023, 3:09:01 PM	0	6.842	59	57.2	0
4/17/2023, 3:19:01 PM	0	6.842	58.6	57.4	0
4/17/2023, 3:29:01 PM	0	6.842	58.1	57.5	0
4/17/2023, 3:39:01 PM	0	6.842	57.6	57.7	0
4/17/2023, 3:49:01 PM	0	6.842	57	57.9	0
4/17/2023, 3:59:01 PM	0	6.842	57	58.3	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/17/2023, 4:09:01 PM	0	6.842	57.9	58.7	0
4/17/2023, 4:19:01 PM	0	6.842	58.5	58.7	0
4/17/2023, 4:29:01 PM	0	6.842	58.3	58.7	0
4/17/2023, 4:39:01 PM	0	6.842	58.3	58.7	0
4/17/2023, 4:49:01 PM	0	6.842	57.9	59	0
4/17/2023, 4:59:01 PM	0	6.842	57.4	59.1	0
4/17/2023, 5:09:01 PM	0	6.842	56.8	59.4	0
4/17/2023, 5:19:01 PM	0	6.842	55.4	61	0
4/17/2023, 5:29:01 PM	0	6.842	53.6	63	0
4/17/2023, 5:39:01 PM	0	6.833	52.2	65	0
4/17/2023, 5:49:01 PM	0	6.833	51.3	66.5	0
4/17/2023, 5:59:01 PM	0	6.833	50.7	67.5	0
4/17/2023, 6:09:01 PM	0	6.833	50.4	68.4	0
4/17/2023, 6:19:01 PM	0	6.825	50	69.2	0
4/17/2023, 6:29:01 PM	0	6.825	49.8	69.9	0
4/17/2023, 6:39:01 PM	0	6.825	49.6	70.6	0
4/17/2023, 6:49:01 PM	0	6.825	49.5	71.3	0
4/17/2023, 6:59:01 PM	0	6.825	49.5	71.9	0
4/17/2023, 7:09:01 PM	0	6.825	48.4	71.9	0
4/17/2023, 7:19:01 PM	0	6.825	46.6	72.4	0
4/17/2023, 7:29:01 PM	0	6.825	45.1	73.3	0
4/17/2023, 7:39:01 PM	0	6.825	44.2	74.2	0
4/17/2023, 7:49:01 PM	0	6.816	43.7	75	0
4/17/2023, 7:59:01 PM	0	6.816	43.3	75.6	0
4/17/2023, 8:09:01 PM	0	6.816	43	76.3	0
4/17/2023, 8:19:01 PM	0	6.816	42.8	76.8	0
4/17/2023, 8:29:01 PM	0	6.816	42.6	77.3	0
4/17/2023, 8:39:01 PM	0	6.816	42.4	77.6	0
4/17/2023, 8:49:01 PM	0	6.816	42.3	77.9	0
4/17/2023, 8:59:01 PM	0	6.816	42.1	78	0
4/17/2023, 9:09:01 PM	0	6.816	41.9	78	0
4/17/2023, 9:19:01 PM	0	6.816	41.7	78	0
4/17/2023, 9:29:01 PM	0	6.816	41.4	77.9	0
4/17/2023, 9:39:01 PM	0	6.816	41.2	77.7	0
4/17/2023, 9:49:01 PM	0	6.816	41	77.8	0
4/17/2023, 9:59:01 PM	0	6.816	41	77.8	0
4/17/2023, 10:09:01 PM	0	6.816	40.8	78	0
4/17/2023, 10:19:01 PM	0	6.816	40.6	78.1	0
4/17/2023, 10:29:01 PM	0	6.816	40.5	78.3	0
4/17/2023, 10:39:01 PM	0	6.816	40.5	78.6	0
4/17/2023, 10:49:01 PM	0	6.816	40.5	78.8	0
4/17/2023, 10:59:01 PM	0	6.816	40.5	79.1	0
4/17/2023, 11:09:01 PM	0	6.816	40.3	79.2	0
4/17/2023, 11:19:01 PM	0	6.816	40.1	79.5	0
4/17/2023, 11:29:01 PM	0	6.816	39.9	79.7	0
4/17/2023, 11:39:01 PM	0	6.816	39.9	79.7	0
4/17/2023, 11:49:01 PM	0	6.816	39.7	79.5	0
4/17/2023, 11:59:01 PM	0	6.816	39.7	79.5	0
4/18/2023, 12:09:01 AM	0	6.816	39.7	79.4	0
4/18/2023, 12:19:01 AM	0	6.816	39.7	79.2	0
4/18/2023, 12:29:01 AM	0	6.816	39.6	79.1	0
4/18/2023, 12:39:01 AM	0	6.816	39.6	78.8	0
4/18/2023, 12:49:01 AM	0	6.816	39.4	78.7	0
4/18/2023, 12:59:01 AM	0	6.816	39.2	78.6	0
4/18/2023, 1:09:01 AM	0	6.816	38.8	78.6	0
4/18/2023, 1:19:01 AM	0	6.816	38.7	78.6	0
4/18/2023, 1:29:01 AM	0	6.816	38.5	78.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/18/2023, 1:39:01 AM	0	6.816	38.3	78.2	0
4/18/2023, 1:49:01 AM	0	6.816	38.1	78.1	0
4/18/2023, 1:59:01 AM	0	6.816	37.9	78	0
4/18/2023, 2:09:01 AM	0	6.816	37.9	78	0
4/18/2023, 2:19:01 AM	0	6.816	38.1	77.9	0
4/18/2023, 2:29:01 AM	0	6.816	38.3	77.9	0
4/18/2023, 2:39:01 AM	0	6.816	38.5	77.7	0
4/18/2023, 2:49:01 AM	0	6.816	38.7	77.6	0
4/18/2023, 2:59:01 AM	0	6.816	38.8	77.4	0
4/18/2023, 3:09:01 AM	0	6.816	39	77.1	0
4/18/2023, 3:19:01 AM	0	6.816	39	77	0
4/18/2023, 3:29:01 AM	0	6.816	39.2	76.9	0
4/18/2023, 3:39:01 AM	0	6.816	39.2	76.9	0
4/18/2023, 3:49:01 AM	0	6.816	39.2	76.9	0
4/18/2023, 3:59:01 AM	0	6.816	39.2	76.8	0
4/18/2023, 4:09:01 AM	0	6.816	39.4	76.9	0
4/18/2023, 4:19:01 AM	0	6.816	39.2	77	0
4/18/2023, 4:29:01 AM	0	6.816	39	77.4	0
4/18/2023, 4:39:01 AM	0	6.816	38.8	77.7	0
4/18/2023, 4:49:01 AM	0	6.816	38.7	78	0
4/18/2023, 4:59:01 AM	0	6.816	38.7	78.2	0
4/18/2023, 5:09:01 AM	0	6.816	38.7	78.3	0
4/18/2023, 5:19:01 AM	0	6.816	38.5	78.5	0
4/18/2023, 5:29:01 AM	0	6.816	38.5	78.7	0
4/18/2023, 5:39:01 AM	0	6.816	38.3	78.9	0
4/18/2023, 5:49:01 AM	0	6.816	38.3	79	0
4/18/2023, 5:59:01 AM	0	6.816	38.3	79.1	0
4/18/2023, 6:09:01 AM	0	6.816	38.3	79.1	0
4/18/2023, 6:19:01 AM	0	6.816	38.3	79.1	0
4/18/2023, 6:29:01 AM	0	6.816	38.3	79	0
4/18/2023, 6:39:01 AM	0	6.816	38.5	78.9	0
4/18/2023, 6:49:01 AM	0	6.816	38.5	78.8	0
4/18/2023, 6:59:01 AM	0	6.816	38.5	78.7	0
4/18/2023, 7:09:01 AM	0	6.816	38.7	78.6	0
4/18/2023, 7:19:01 AM	0	6.816	38.7	78.4	0
4/18/2023, 7:29:01 AM	0	6.816	38.7	78.4	0
4/18/2023, 7:39:01 AM	0	6.816	38.7	78.4	0
4/18/2023, 7:49:01 AM	0	6.816	38.7	78.4	0
4/18/2023, 7:59:01 AM	0	6.816	38.7	78.4	0
4/18/2023, 8:09:01 AM	0	6.816	38.7	78.4	0
4/18/2023, 8:19:01 AM	0	6.816	38.8	78.5	0
4/18/2023, 8:29:01 AM	0	6.816	38.8	78.5	0
4/18/2023, 8:39:01 AM	0	6.816	38.8	78.5	0
4/18/2023, 8:49:01 AM	0	6.816	39	78.5	0
4/18/2023, 8:59:01 AM	0	6.816	39	78.5	0
4/18/2023, 9:09:01 AM	0	6.816	39.2	78.6	0
4/18/2023, 9:19:01 AM	0	6.816	39.4	78.6	0
4/18/2023, 9:29:01 AM	0	6.816	39.6	78.6	0
4/18/2023, 9:39:01 AM	0	6.816	39.6	78.5	0
4/18/2023, 9:49:01 AM	0	6.816	39.6	78.5	0
4/18/2023, 9:59:01 AM	0	6.825	39.4	78.8	0
4/18/2023, 10:09:01 AM	0	6.816	39.2	79.2	0
4/18/2023, 10:19:01 AM	0	6.816	39	79.7	0
4/18/2023, 10:29:01 AM	0	6.816	38.8	80.4	0
4/18/2023, 10:39:01 AM	0	6.816	39	81	0
4/18/2023, 10:49:01 AM	0	6.816	39.4	81.5	0
4/18/2023, 10:59:01 AM	0	6.816	39.9	81.6	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/18/2023, 11:09:01 AM	0	6.816	40.3	81.5	0
4/18/2023, 11:19:01 AM	0	6.825	40.5	81.2	0
4/18/2023, 11:29:01 AM	0	6.825	40.1	80.9	0
4/18/2023, 11:39:01 AM	0	6.825	40.3	81	0
4/18/2023, 11:49:01 AM	0	6.825	40.3	81	0
4/18/2023, 11:59:01 AM	0	6.825	40.6	81.1	0
4/18/2023, 12:09:01 PM	0	6.825	41	80.9	0
4/18/2023, 12:19:01 PM	0	6.825	41.2	80.2	0
4/18/2023, 12:29:01 PM	0	6.825	41.4	79.3	0
4/18/2023, 12:39:01 PM	0	6.825	41.9	78.9	0
4/18/2023, 12:49:01 PM	0	6.825	42.4	78.7	0
4/18/2023, 12:59:01 PM	0	6.825	42.6	78.3	0
4/18/2023, 1:09:01 PM	0	6.825	43	77.8	0
4/18/2023, 1:19:01 PM	0	6.825	43.3	77.3	0
4/18/2023, 1:29:01 PM	0	6.825	43.3	76.5	0
4/18/2023, 1:39:01 PM	0	6.833	43.2	75.9	0
4/18/2023, 1:49:01 PM	0	6.833	43	75.4	0
4/18/2023, 1:59:01 PM	0	6.833	42.8	75	0
4/18/2023, 2:09:01 PM	0	6.833	43.2	74.8	0
4/18/2023, 2:19:01 PM	0	6.833	43.9	74.5	0
4/18/2023, 2:29:01 PM	0	6.833	44.8	74.2	0
4/18/2023, 2:39:01 PM	0	6.833	45.9	73.2	0
4/18/2023, 2:49:01 PM	0	6.833	46	72.2	0
4/18/2023, 2:59:01 PM	0	6.833	46	71.8	0
4/18/2023, 3:09:01 PM	0	6.833	45.7	71.6	0
4/18/2023, 3:19:01 PM	0	6.833	45.9	71.5	0
4/18/2023, 3:29:01 PM	0	6.833	46	71.1	0
4/18/2023, 3:39:01 PM	0	6.833	45.9	70.7	0
4/18/2023, 3:49:01 PM	0	6.833	45.3	70.3	0
4/18/2023, 3:59:01 PM	0	6.833	45	70	0
4/18/2023, 4:09:01 PM	0	6.833	44.8	69.5	0
4/18/2023, 4:19:01 PM	0	6.833	44.8	69.1	0
4/18/2023, 4:29:01 PM	0	6.833	44.4	69	0
4/18/2023, 4:39:01 PM	0	6.833	44.1	68.9	0
4/18/2023, 4:49:01 PM	0	6.833	43.7	68.8	0
4/18/2023, 4:59:01 PM	0	6.833	43.5	68.7	0
4/18/2023, 5:09:01 PM	0	6.833	43.5	68.5	0
4/18/2023, 5:19:01 PM	0	6.833	43.3	68.3	0
4/18/2023, 5:29:01 PM	0	6.833	43.3	68	0
4/18/2023, 5:39:01 PM	0	6.833	43.5	67.8	0
4/18/2023, 5:49:01 PM	0	6.833	43.7	67.7	0
4/18/2023, 5:59:01 PM	0	6.833	43.7	67.8	0
4/18/2023, 6:09:01 PM	0	6.833	43.5	67.8	0
4/18/2023, 6:19:01 PM	0	6.833	43.7	67.7	0
4/18/2023, 6:29:01 PM	0	6.833	43.9	67.5	0
4/18/2023, 6:39:01 PM	0	6.833	43.7	67.4	0
4/18/2023, 6:49:01 PM	0	6.833	43.5	67.1	0
4/18/2023, 6:59:01 PM	0	6.833	43	67.2	0
4/18/2023, 7:09:01 PM	0	6.833	42.3	67.7	0
4/18/2023, 7:19:01 PM	0	6.825	41.7	68.1	0
4/18/2023, 7:29:01 PM	0	6.825	41	68.6	0
4/18/2023, 7:39:01 PM	0	6.825	40.5	69.1	0
4/18/2023, 7:49:01 PM	0	6.825	40.1	69.6	0
4/18/2023, 7:59:01 PM	0	6.825	39.9	70.1	0
4/18/2023, 8:09:01 PM	0	6.825	39.6	70.4	0
4/18/2023, 8:19:01 PM	0	6.825	39.4	70.6	0
4/18/2023, 8:29:01 PM	0	6.825	39.2	70.7	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/18/2023, 8:39:01 PM	0	6.825	39	70.8	0
4/18/2023, 8:49:01 PM	0	6.825	38.8	71	0
4/18/2023, 8:59:01 PM	0	6.825	38.7	71.2	0
4/18/2023, 9:09:01 PM	0	6.825	38.5	71.4	0
4/18/2023, 9:19:01 PM	0	6.816	38.3	71.7	0
4/18/2023, 9:29:01 PM	0	6.825	38.1	71.9	0
4/18/2023, 9:39:01 PM	0	6.825	38.1	72.2	0
4/18/2023, 9:49:01 PM	0	6.825	37.9	72.6	0
4/18/2023, 9:59:01 PM	0	6.825	37.9	72.9	0
4/18/2023, 10:09:01 PM	0	6.816	37.9	73.2	0
4/18/2023, 10:19:01 PM	0	6.816	37.8	73.4	0
4/18/2023, 10:29:01 PM	0	6.816	37.8	73.7	0
4/18/2023, 10:39:01 PM	0	6.816	37.8	74	0
4/18/2023, 10:49:01 PM	0	6.816	37.6	74.3	0
4/18/2023, 10:59:01 PM	0	6.816	37.8	74.6	0
4/18/2023, 11:09:01 PM	0	6.816	37.8	74.7	0
4/18/2023, 11:19:01 PM	0	6.816	37.8	74.9	0
4/18/2023, 11:29:01 PM	0	6.816	37.8	75.2	0
4/18/2023, 11:39:01 PM	0	6.816	37.8	75.4	0
4/18/2023, 11:49:01 PM	0	6.825	37.8	75.6	0
4/18/2023, 11:59:01 PM	0	6.825	37.9	75.7	0
4/19/2023, 12:09:01 AM	0	6.825	37.9	76	0
4/19/2023, 12:19:01 AM	0	6.816	37.9	76.1	0
4/19/2023, 12:29:01 AM	0	6.825	37.9	76.3	0
4/19/2023, 12:39:01 AM	0	6.825	37.9	76.5	0
4/19/2023, 12:49:01 AM	0	6.825	37.9	76.6	0
4/19/2023, 12:59:01 AM	0	6.825	38.1	76.7	0
4/19/2023, 1:09:01 AM	0	6.825	38.1	76.4	0
4/19/2023, 1:19:01 AM	0	6.825	38.1	75.7	0
4/19/2023, 1:29:01 AM	0	6.825	37.9	75.1	0
4/19/2023, 1:39:01 AM	0	6.825	37.9	74.6	0
4/19/2023, 1:49:01 AM	0	6.825	37.9	74.2	0
4/19/2023, 1:59:01 AM	0	6.825	37.9	73.9	0
4/19/2023, 2:09:01 AM	0	6.825	37.8	73.8	0
4/19/2023, 2:19:01 AM	0	6.825	37.8	73.7	0
4/19/2023, 2:29:01 AM	0	6.825	37.8	73.7	0
4/19/2023, 2:39:01 AM	0	6.825	37.6	73.7	0
4/19/2023, 2:49:01 AM	0	6.825	37.6	73.8	0
4/19/2023, 2:59:01 AM	0	6.825	37.6	73.8	0
4/19/2023, 3:09:01 AM	0	6.825	37.6	73.9	0
4/19/2023, 3:19:01 AM	0	6.825	37.6	74	0
4/19/2023, 3:29:01 AM	0	6.825	37.6	74.1	0
4/19/2023, 3:39:01 AM	0	6.825	37.6	74.2	0
4/19/2023, 3:49:01 AM	0	6.825	37.6	74.4	0
4/19/2023, 3:59:01 AM	0	6.825	37.8	74.5	0
4/19/2023, 4:09:01 AM	0	6.825	37.8	74.7	0
4/19/2023, 4:19:01 AM	0	6.825	37.8	74.9	0
4/19/2023, 4:29:01 AM	0	6.825	37.8	75.1	0
4/19/2023, 4:39:01 AM	0	6.825	37.8	75.3	0
4/19/2023, 4:49:01 AM	0	6.825	37.8	75.4	0
4/19/2023, 4:59:01 AM	0	6.825	37.8	75.5	0
4/19/2023, 5:09:01 AM	0	6.825	37.8	75.5	0
4/19/2023, 5:19:01 AM	0	6.825	37.8	75.7	0
4/19/2023, 5:29:01 AM	0	6.825	37.6	75.8	0
4/19/2023, 5:39:01 AM	0	6.825	37.6	75.9	0
4/19/2023, 5:49:01 AM	0	6.825	37.6	76.1	0
4/19/2023, 5:59:01 AM	0	6.825	37.4	76.1	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/19/2023, 6:09:01 AM	0	6.825	37.4	76.1	0
4/19/2023, 6:19:01 AM	0	6.825	37.4	76.1	0
4/19/2023, 6:29:01 AM	0	6.825	37.4	76.1	0
4/19/2023, 6:39:01 AM	0	6.825	37.4	76.2	0
4/19/2023, 6:49:01 AM	0	6.825	37.4	76.3	0
4/19/2023, 6:59:01 AM	0	6.825	37.4	76.3	0
4/19/2023, 7:09:01 AM	0	6.825	37.4	76.3	0
4/19/2023, 7:19:01 AM	0	6.825	37.4	76.2	0
4/19/2023, 7:29:01 AM	0	6.825	37.4	76.1	0
4/19/2023, 7:39:01 AM	0	6.825	37.4	76.2	0
4/19/2023, 7:49:01 AM	0	6.825	37.2	76.3	0
4/19/2023, 7:59:01 AM	0	6.825	37	76.4	0
4/19/2023, 8:09:01 AM	0	6.825	37	76.1	0
4/19/2023, 8:19:01 AM	0	6.825	37	75.8	0
4/19/2023, 8:29:01 AM	0	6.825	37	75.6	0
4/19/2023, 8:39:01 AM	0	6.825	37	75.4	0
4/19/2023, 8:49:01 AM	0	6.825	37.2	75.4	0
4/19/2023, 8:59:01 AM	0	6.825	37.2	75.6	0
4/19/2023, 9:09:01 AM	0	6.825	37.4	75.5	0
4/19/2023, 9:19:01 AM	0	6.825	37.6	75.4	0
4/19/2023, 9:29:01 AM	0	6.825	37.8	75.1	0
4/19/2023, 9:39:01 AM	0	6.825	37.9	74.8	0
4/19/2023, 9:49:01 AM	0	6.825	38.3	74.5	0
4/19/2023, 9:59:01 AM	0	6.825	38.3	74.3	0
4/19/2023, 10:09:01 AM	0	6.825	38.7	74.1	0
4/19/2023, 10:19:01 AM	0	6.825	38.8	73.9	0
4/19/2023, 10:29:01 AM	0	6.825	39	73.8	0
4/19/2023, 10:39:01 AM	0	6.825	39	73.9	0
4/19/2023, 10:49:01 AM	0	6.825	38.8	74.1	0
4/19/2023, 10:59:01 AM	0	6.825	38.7	74.5	0
4/19/2023, 11:09:01 AM	0	6.825	38.5	74.9	0
4/19/2023, 11:19:01 AM	0	6.825	38.7	75.2	0
4/19/2023, 11:29:01 AM	0	6.825	39	75.3	0
4/19/2023, 11:39:01 AM	0	6.825	39.2	75.2	0
4/19/2023, 11:49:01 AM	0	6.825	39.2	75	0
4/19/2023, 11:59:01 AM	0	6.825	39.2	74.7	0
4/19/2023, 12:09:01 PM	0	6.825	39.2	74.4	0
4/19/2023, 12:19:01 PM	0	6.825	39.4	74.1	0
4/19/2023, 12:29:01 PM	0	6.825	39.7	73.9	0
4/19/2023, 12:39:01 PM	0	6.825	40.3	73.2	0
4/19/2023, 12:49:01 PM	0	6.825	40.6	72.6	0
4/19/2023, 12:59:01 PM	0	6.825	41.2	72	0
4/19/2023, 1:09:01 PM	0	6.833	41.7	71.4	0
4/19/2023, 1:19:01 PM	0	6.833	42.3	70.8	0
4/19/2023, 1:29:01 PM	0	6.833	42.6	70.4	0
4/19/2023, 1:39:01 PM	0	6.833	43	70	0
4/19/2023, 1:49:01 PM	0	6.833	43.5	69.4	0
4/19/2023, 1:59:01 PM	0	6.833	44.2	68.8	0
4/19/2023, 2:09:01 PM	0	6.833	45.1	68.1	0
4/19/2023, 2:19:01 PM	0	6.833	45.7	67.4	0
4/19/2023, 2:29:01 PM	0	6.842	46.2	66.9	0
4/19/2023, 2:39:01 PM	0	6.842	46.8	66.4	0
4/19/2023, 2:49:01 PM	0	6.842	47.7	66	0
4/19/2023, 2:59:01 PM	0	6.842	48.4	65.5	0
4/19/2023, 3:09:01 PM	0	6.842	48.9	64.9	0
4/19/2023, 3:19:01 PM	0	6.842	49.5	64.3	0
4/19/2023, 3:29:01 PM	0	6.842	50.2	63.9	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/19/2023, 3:39:01 PM	0	6.851	50.5	63.4	0
4/19/2023, 3:49:01 PM	0	6.851	50.9	63	0
4/19/2023, 3:59:01 PM	0	6.851	51.1	62.5	0
4/19/2023, 4:09:01 PM	0	6.851	51.6	62.1	0
4/19/2023, 4:19:01 PM	0	6.851	52.2	61.6	0
4/19/2023, 4:29:01 PM	0	6.851	53.4	61.2	0
4/19/2023, 4:39:01 PM	0	6.851	54	60.7	0
4/19/2023, 4:49:01 PM	0	6.851	54.5	60.3	0
4/19/2023, 4:59:01 PM	0	6.851	54.5	59.8	0
4/19/2023, 5:09:01 PM	0	6.86	54.9	59.4	0
4/19/2023, 5:19:01 PM	0	6.86	54.7	59.1	0
4/19/2023, 5:29:01 PM	0	6.86	54.5	58.8	0
4/19/2023, 5:39:01 PM	0	6.86	54.3	58.7	0
4/19/2023, 5:49:01 PM	0	6.86	54	58.7	0
4/19/2023, 5:59:01 PM	0	6.86	53.6	58.7	0
4/19/2023, 6:09:01 PM	0	6.86	53.1	58.8	0
4/19/2023, 6:19:01 PM	0	6.86	52.7	58.9	0
4/19/2023, 6:29:01 PM	0	6.86	52.5	59.1	0
4/19/2023, 6:39:01 PM	0	6.851	51.6	59.1	0
4/19/2023, 6:49:01 PM	0	6.851	50.5	59.2	0
4/19/2023, 6:59:01 PM	0	6.851	49.5	59.5	0
4/19/2023, 7:09:01 PM	0	6.851	48.6	59.9	0
4/19/2023, 7:19:01 PM	0	6.851	48	60.4	0
4/19/2023, 7:29:01 PM	0	6.851	47.8	60.9	0
4/19/2023, 7:39:01 PM	0	6.851	47.3	61.3	0
4/19/2023, 7:49:01 PM	0	6.851	46.8	61.8	0
4/19/2023, 7:59:01 PM	0	6.851	46.2	62.1	0
4/19/2023, 8:09:01 PM	0	6.842	45.7	62.5	0
4/19/2023, 8:19:01 PM	0	6.842	45.1	62.9	0
4/19/2023, 8:29:01 PM	0	6.842	44.8	63.3	0
4/19/2023, 8:39:01 PM	0	6.842	44.2	63.8	0
4/19/2023, 8:49:01 PM	0	6.842	43.7	64.2	0
4/19/2023, 8:59:01 PM	0	6.842	43.2	64.6	0
4/19/2023, 9:09:01 PM	0	6.842	42.8	65	0
4/19/2023, 9:19:01 PM	0	6.842	42.1	65.5	0
4/19/2023, 9:29:01 PM	0	6.833	41.5	66.1	0
4/19/2023, 9:39:01 PM	0	6.833	41	66.8	0
4/19/2023, 9:49:01 PM	0	6.833	40.5	67.6	0
4/19/2023, 9:59:01 PM	0	6.833	40.1	68.3	0
4/19/2023, 10:09:01 PM	0	6.833	39.7	68.9	0
4/19/2023, 10:19:01 PM	0	6.833	39.4	69.4	0
4/19/2023, 10:29:01 PM	0	6.825	38.7	70	0
4/19/2023, 10:39:01 PM	0	6.825	38.3	70.7	0
4/19/2023, 10:49:01 PM	0	6.825	37.8	71.4	0
4/19/2023, 10:59:01 PM	0	6.825	37.4	72.1	0
4/19/2023, 11:09:01 PM	0	6.825	37	72.9	0
4/19/2023, 11:19:01 PM	0	6.825	36.9	73.6	0
4/19/2023, 11:29:01 PM	0	6.825	36.9	74.1	0
4/19/2023, 11:39:01 PM	0	6.825	37.2	74.4	0
4/19/2023, 11:49:01 PM	0	6.825	37.6	74.5	0
4/19/2023, 11:59:01 PM	0	6.825	37.8	74.6	0
4/20/2023, 12:09:01 AM	0	6.825	37.9	74.6	0
4/20/2023, 12:19:01 AM	0	6.825	38.1	74.6	0
4/20/2023, 12:29:01 AM	0	6.825	38.3	74.7	0
4/20/2023, 12:39:01 AM	0	6.825	38.5	74.7	0
4/20/2023, 12:49:01 AM	0	6.825	38.7	74.7	0
4/20/2023, 12:59:01 AM	0	6.825	38.7	74.7	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/20/2023, 1:09:01 AM	0	6.825	38.8	74.8	0
4/20/2023, 1:19:01 AM	0	6.825	38.8	74.8	0
4/20/2023, 1:29:01 AM	0	6.825	39	74.9	0
4/20/2023, 1:39:01 AM	0	6.825	39	74.9	0
4/20/2023, 1:49:01 AM	0	6.825	39.2	75	0
4/20/2023, 1:59:01 AM	0	6.825	39.2	75.1	0
4/20/2023, 2:09:01 AM	0	6.825	39.4	75.2	0
4/20/2023, 2:19:01 AM	0	6.825	39.4	75.5	0
4/20/2023, 2:29:01 AM	0	6.825	39.2	75.9	0
4/20/2023, 2:39:01 AM	0	6.825	39.2	76.2	0
4/20/2023, 2:49:01 AM	0	6.825	39.2	76.6	0
4/20/2023, 2:59:01 AM	0	6.833	39.4	77	0
4/20/2023, 3:09:01 AM	0	6.825	39.4	77.2	0
4/20/2023, 3:19:01 AM	0	6.825	39.4	77.4	0
4/20/2023, 3:29:01 AM	0	6.833	39.6	77.7	0
4/20/2023, 3:39:01 AM	0	6.825	39.6	78	0
4/20/2023, 3:49:01 AM	0	6.833	39.6	78.3	0
4/20/2023, 3:59:01 AM	0	6.833	39.7	78.4	0
4/20/2023, 4:09:01 AM	0	6.833	39.7	78.3	0
4/20/2023, 4:19:01 AM	0	6.833	39.7	78.3	0
4/20/2023, 4:29:01 AM	0	6.833	39.7	78.3	0
4/20/2023, 4:39:01 AM	0	6.833	39.6	78.3	0
4/20/2023, 4:49:01 AM	0	6.833	39.6	78.2	0
4/20/2023, 4:59:01 AM	0	6.833	39.4	78.2	0
4/20/2023, 5:09:01 AM	0	6.833	39.4	78.3	0
4/20/2023, 5:19:01 AM	0	6.825	39.4	78.4	0
4/20/2023, 5:29:01 AM	0	6.833	39.4	78.5	0
4/20/2023, 5:39:01 AM	0	6.833	39.4	78.6	0
4/20/2023, 5:49:01 AM	0	6.833	39.6	78.7	0
4/20/2023, 5:59:01 AM	0	6.833	39.6	78.6	0
4/20/2023, 6:09:01 AM	0	6.833	39.6	78.6	0
4/20/2023, 6:19:01 AM	0	6.833	39.6	78.6	0
4/20/2023, 6:29:01 AM	0	6.833	39.4	78.6	0
4/20/2023, 6:39:01 AM	0	6.833	39.2	78.7	0
4/20/2023, 6:49:01 AM	0	6.833	39	78.8	0
4/20/2023, 6:59:01 AM	0	6.825	39	79	0
4/20/2023, 7:09:01 AM	0	6.825	39	79.1	0
4/20/2023, 7:19:01 AM	0	6.833	39	79	0
4/20/2023, 7:29:01 AM	0	6.833	39.2	79	0
4/20/2023, 7:39:01 AM	0	6.825	39.4	79.1	0
4/20/2023, 7:49:01 AM	0	6.833	39.4	79.2	0
4/20/2023, 7:59:01 AM	0	6.833	39.6	79.4	0
4/20/2023, 8:09:01 AM	0	6.833	39.4	79.5	0
4/20/2023, 8:19:01 AM	0	6.833	39.4	79.6	0
4/20/2023, 8:29:01 AM	0	6.833	39.4	79.9	0
4/20/2023, 8:39:01 AM	0	6.833	39.4	80.1	0
4/20/2023, 8:49:01 AM	0	6.833	39.4	80.2	0
4/20/2023, 8:59:01 AM	0	6.833	39.6	80.4	0
4/20/2023, 9:09:01 AM	0	6.833	39.7	80.5	0
4/20/2023, 9:19:01 AM	0	6.833	39.9	80.5	0
4/20/2023, 9:29:01 AM	0	6.833	40.1	80.3	0
4/20/2023, 9:39:01 AM	0	6.833	40.3	80.3	0
4/20/2023, 9:49:01 AM	0	6.833	40.6	80.2	0
4/20/2023, 9:59:01 AM	0	6.833	40.8	79.8	0
4/20/2023, 10:09:01 AM	0	6.833	41.2	79.6	0
4/20/2023, 10:19:01 AM	0	6.833	41.7	79.3	0
4/20/2023, 10:29:01 AM	0	6.833	42.3	79	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/20/2023, 10:39:01 AM	0	6.833	42.6	78.7	0
4/20/2023, 10:49:01 AM	0	6.833	43.3	78.3	0
4/20/2023, 10:59:01 AM	0	6.833	44.4	77.7	0
4/20/2023, 11:09:01 AM	0	6.842	45.9	77.1	0
4/20/2023, 11:19:01 AM	0	6.842	47.3	76	0
4/20/2023, 11:29:01 AM	0	6.842	48.4	74.9	0
4/20/2023, 11:39:01 AM	0	6.842	49.3	73.9	0
4/20/2023, 11:49:01 AM	0	6.851	50.2	73.1	0
4/20/2023, 11:59:01 AM	0	6.851	51.3	72.3	0
4/20/2023, 12:09:01 PM	0	6.851	52.5	71.3	0
4/20/2023, 12:19:01 PM	0	6.851	53.6	70.1	0
4/20/2023, 12:29:01 PM	0	6.851	54.3	69.2	0
4/20/2023, 12:39:01 PM	0	6.86	55.2	68.2	0
4/20/2023, 12:49:01 PM	0	6.86	56.5	67.4	0
4/20/2023, 12:59:01 PM	0	6.86	57.6	66.6	0
4/20/2023, 1:09:01 PM	0	6.86	58.3	65.8	0
4/20/2023, 1:19:01 PM	0	6.86	58.5	65	0
4/20/2023, 1:29:01 PM	0	6.86	59	64.5	0
4/20/2023, 1:39:01 PM	0	6.86	59.7	63.9	0
4/20/2023, 1:49:01 PM	0	6.869	60.4	63.2	0
4/20/2023, 1:59:01 PM	0	6.869	61.3	62.6	0
4/20/2023, 2:09:01 PM	0	6.869	61.9	61.9	0
4/20/2023, 2:19:01 PM	0	6.869	62.4	61.3	0
4/20/2023, 2:29:01 PM	0	6.869	62.2	60.8	0
4/20/2023, 2:39:01 PM	0	6.869	62.6	60.5	0
4/20/2023, 2:49:01 PM	0	6.869	63	60.2	0
4/20/2023, 2:59:01 PM	0	6.869	63.1	59.8	0
4/20/2023, 3:09:01 PM	0	6.869	63.9	59.5	0
4/20/2023, 3:19:01 PM	0	6.877	63.9	59.2	0
4/20/2023, 3:29:01 PM	0	6.877	64.2	58.9	0
4/20/2023, 3:39:01 PM	0	6.877	64.8	58.6	0
4/20/2023, 3:49:01 PM	0	6.877	64.6	58.3	0
4/20/2023, 3:59:01 PM	0	6.877	65.1	58.3	0
4/20/2023, 4:09:01 PM	0	6.877	65.5	58.1	0
4/20/2023, 4:19:01 PM	0	6.877	65.7	57.8	0
4/20/2023, 4:29:01 PM	0	6.877	65.3	57.5	0
4/20/2023, 4:39:01 PM	0	6.877	64	57.2	0
4/20/2023, 4:49:01 PM	0	6.877	63	57.3	0
4/20/2023, 4:59:01 PM	0	6.877	62.8	57.5	0
4/20/2023, 5:09:01 PM	0	6.877	62.6	57.7	0
4/20/2023, 5:19:01 PM	0	6.877	62.6	57.9	0
4/20/2023, 5:29:01 PM	0	6.877	62.4	57.9	0
4/20/2023, 5:39:01 PM	0	6.877	62.2	57.9	0
4/20/2023, 5:49:01 PM	0	6.877	62.4	58	0
4/20/2023, 5:59:01 PM	0	6.877	62.6	58.1	0
4/20/2023, 6:09:01 PM	0	6.877	62.6	58.1	0
4/20/2023, 6:19:01 PM	0	6.877	62.6	58.2	0
4/20/2023, 6:29:01 PM	0	6.877	62.4	58.2	0
4/20/2023, 6:39:01 PM	0	6.877	61.5	58.2	0
4/20/2023, 6:49:01 PM	0	6.877	60.8	58.3	0
4/20/2023, 6:59:01 PM	0	6.877	60.6	58.4	0
4/20/2023, 7:09:01 PM	0	6.877	60.3	58.5	0
4/20/2023, 7:19:01 PM	0	6.877	59.7	58.5	0
4/20/2023, 7:29:01 PM	0	6.869	58.6	58.4	0
4/20/2023, 7:39:01 PM	0	6.869	57.7	58.6	0
4/20/2023, 7:49:01 PM	0	6.869	57	58.8	0
4/20/2023, 7:59:01 PM	0	6.869	56.3	59	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/20/2023, 8:09:01 PM	0	6.869	55.2	59.2	0
4/20/2023, 8:19:01 PM	0	6.869	54.3	59.5	0
4/20/2023, 8:29:01 PM	0	6.869	53.4	59.8	0
4/20/2023, 8:39:01 PM	0	6.869	52.7	60.1	0
4/20/2023, 8:49:01 PM	0	6.869	52	60.2	0
4/20/2023, 8:59:01 PM	0	6.86	51.3	60.3	0
4/20/2023, 9:09:01 PM	0	6.86	50.7	60.6	0
4/20/2023, 9:19:01 PM	0	6.86	50.2	60.9	0
4/20/2023, 9:29:01 PM	0	6.86	49.8	61.2	0
4/20/2023, 9:39:01 PM	0	6.86	49.5	61.6	0
4/20/2023, 9:49:01 PM	0	6.86	49.1	62	0
4/20/2023, 9:59:01 PM	0	6.86	48.7	62.4	0
4/20/2023, 10:09:01 PM	0	6.86	48.4	62.8	0
4/20/2023, 10:19:01 PM	0	6.851	47.8	63.2	0
4/20/2023, 10:29:01 PM	0	6.851	47.7	63.7	0
4/20/2023, 10:39:01 PM	0	6.851	47.1	64.1	0
4/20/2023, 10:49:01 PM	0	6.851	46.9	64.6	0
4/20/2023, 10:59:01 PM	0	6.851	46.8	65.1	0
4/20/2023, 11:09:01 PM	0	6.851	46.4	65.5	0
4/20/2023, 11:19:01 PM	0	6.851	46.2	65.9	0
4/20/2023, 11:29:01 PM	0	6.851	46	66.4	0
4/20/2023, 11:39:01 PM	0	6.851	45.9	66.9	0
4/20/2023, 11:49:01 PM	0	6.851	45.9	67.4	0
4/20/2023, 11:59:01 PM	0	6.851	45.9	67.9	0
4/21/2023, 12:09:01 AM	0	6.851	45.9	68.2	0
4/21/2023, 12:19:01 AM	0	6.851	45.9	68.6	0
4/21/2023, 12:29:01 AM	0	6.851	46	68.9	0
4/21/2023, 12:39:01 AM	0	6.851	46	69.2	0
4/21/2023, 12:49:01 AM	0	6.851	46.2	69.3	0
4/21/2023, 12:59:01 AM	0	6.851	46.2	69.6	0
4/21/2023, 1:09:01 AM	0	6.851	46.2	69.9	0
4/21/2023, 1:19:01 AM	0	6.851	46	70.1	0
4/21/2023, 1:29:01 AM	0	6.851	46	70.3	0
4/21/2023, 1:39:01 AM	0	6.851	45.9	70.5	0
4/21/2023, 1:49:01 AM	0	6.851	45.9	70.7	0
4/21/2023, 1:59:01 AM	0	6.851	45.9	70.8	0
4/21/2023, 2:09:01 AM	0	6.851	45.7	71	0
4/21/2023, 2:19:01 AM	0	6.851	45.7	71.1	0
4/21/2023, 2:29:01 AM	0	6.851	45.9	71.2	0
4/21/2023, 2:39:01 AM	0	6.851	45.9	71.3	0
4/21/2023, 2:49:01 AM	0	6.851	46	71.5	0
4/21/2023, 2:59:01 AM	0	6.851	45.9	71.6	0
4/21/2023, 3:09:01 AM	0	6.851	45.7	71.7	0
4/21/2023, 3:19:01 AM	0	6.851	45.5	72	0
4/21/2023, 3:29:01 AM	0	6.851	45.5	72.3	0
4/21/2023, 3:39:01 AM	0	6.851	45.3	72.6	0
4/21/2023, 3:49:01 AM	0	6.851	45.1	72.9	0
4/21/2023, 3:59:01 AM	0	6.842	45	73.3	0
4/21/2023, 4:09:01 AM	0	6.851	45	73.6	0
4/21/2023, 4:19:01 AM	0	6.842	45	74.2	0
4/21/2023, 4:29:01 AM	0	6.842	45	74.7	0
4/21/2023, 4:39:01 AM	0	6.842	45.1	75.1	0
4/21/2023, 4:49:01 AM	0	6.851	45.1	75.4	0
4/21/2023, 4:59:01 AM	0	6.842	45.3	75.5	0
4/21/2023, 5:09:01 AM	0	6.851	45.5	75.5	0
4/21/2023, 5:19:01 AM	0	6.851	45.5	75.6	0
4/21/2023, 5:29:01 AM	0	6.851	45.5	75.7	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/21/2023, 5:39:01 AM	0	6.842	45.7	75.8	0
4/21/2023, 5:49:01 AM	0	6.851	45.3	75.8	0
4/21/2023, 5:59:01 AM	0	6.842	45.1	76	0
4/21/2023, 6:09:01 AM	0	6.842	44.8	76.4	0
4/21/2023, 6:19:01 AM	0	6.842	44.4	76.8	0
4/21/2023, 6:29:01 AM	0	6.842	44.1	77.2	0
4/21/2023, 6:39:01 AM	0	6.842	43.7	77.5	0
4/21/2023, 6:49:01 AM	0	6.842	43.5	77.9	0
4/21/2023, 6:59:01 AM	0	6.842	43.2	78.2	0
4/21/2023, 7:09:01 AM	0	6.842	42.8	78.6	0
4/21/2023, 7:19:01 AM	0	6.842	42.4	78.9	0
4/21/2023, 7:29:01 AM	0	6.842	42.4	79.3	0
4/21/2023, 7:39:01 AM	0	6.842	42.1	79.6	0
4/21/2023, 7:49:01 AM	0	6.842	42.3	79.9	0
4/21/2023, 7:59:01 AM	0	6.842	42.3	80.3	0
4/21/2023, 8:09:01 AM	0	6.842	42.6	80.6	0
4/21/2023, 8:19:01 AM	0	6.842	43.3	80.8	0
4/21/2023, 8:29:01 AM	0	6.842	44.1	81	0
4/21/2023, 8:39:01 AM	0	6.842	45	80.9	0
4/21/2023, 8:49:01 AM	0	6.842	46.2	80.5	0
4/21/2023, 8:59:01 AM	0	6.842	47.3	80.1	0
4/21/2023, 9:09:01 AM	0	6.851	48.7	79.7	0
4/21/2023, 9:19:01 AM	0	6.851	50.2	79.1	0
4/21/2023, 9:29:01 AM	0	6.851	51.6	78.4	0
4/21/2023, 9:39:01 AM	0	6.851	53.2	77.7	0
4/21/2023, 9:49:01 AM	0	6.86	54.9	76.7	0
4/21/2023, 9:59:01 AM	0	6.86	56.5	75.6	0
4/21/2023, 10:09:01 AM	0	6.86	58.1	74.4	0
4/21/2023, 10:19:01 AM	0	6.869	59.7	73.4	0
4/21/2023, 10:29:01 AM	0	6.869	61.3	72.1	0
4/21/2023, 10:39:01 AM	0	6.869	63.1	70.9	0
4/21/2023, 10:49:01 AM	0	6.869	64.8	69.9	0
4/21/2023, 10:59:01 AM	0	6.877	66.6	68.8	0
4/21/2023, 11:09:01 AM	0	6.877	68.7	67.8	0
4/21/2023, 11:19:01 AM	0	6.877	71.2	66.6	0
4/21/2023, 11:29:01 AM	0	6.877	73.8	65.1	0
4/21/2023, 11:39:01 AM	0	6.886	75.9	63.2	0
4/21/2023, 11:49:01 AM	0	6.886	78.3	61.1	0
4/21/2023, 11:59:01 AM	0	6.886	80.6	59.6	0
4/21/2023, 12:09:01 PM	0	6.886	82.6	58.1	0
4/21/2023, 12:19:01 PM	0	6.895	84	56.8	0
4/21/2023, 12:29:01 PM	0	6.895	85.5	55.9	0
4/21/2023, 12:39:01 PM	0	6.895	86.5	55	0
4/21/2023, 12:49:01 PM	0	6.895	87.6	54.3	0
4/21/2023, 12:59:01 PM	0	6.895	88.9	53.8	0
4/21/2023, 1:09:01 PM	0	6.895	90	53.3	0
4/21/2023, 1:19:01 PM	0	6.904	90.7	52.7	0
4/21/2023, 1:29:01 PM	0	6.904	91.2	52.3	0
4/21/2023, 1:39:01 PM	0	6.904	92.1	51.9	0
4/21/2023, 1:49:01 PM	0	6.904	92.5	51.5	0
4/21/2023, 1:59:01 PM	0	6.904	92.7	51.2	0
4/21/2023, 2:09:01 PM	0	6.904	93	50.9	0
4/21/2023, 2:19:01 PM	0	6.904	93	50.6	0
4/21/2023, 2:29:01 PM	0	6.904	93.2	50.4	0
4/21/2023, 2:39:01 PM	0	6.904	93.7	50.3	0
4/21/2023, 2:49:01 PM	0	6.904	94.1	50.1	0
4/21/2023, 2:59:01 PM	0	6.904	94.1	50.2	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/21/2023, 3:09:01 PM	0	6.913	92.3	50.7	0
4/21/2023, 3:19:01 PM	0	6.913	90	51.1	0
4/21/2023, 3:29:01 PM	0	6.913	87.1	51.5	0
4/21/2023, 3:39:01 PM	0	6.904	84.7	52	0
4/21/2023, 3:49:01 PM	0	6.904	82.6	52.6	0
4/21/2023, 3:59:01 PM	0	6.904	80.8	53.2	0
4/21/2023, 4:09:01 PM	0	6.904	80.1	53.8	0
4/21/2023, 4:19:01 PM	0	6.904	78.3	54.2	0
4/21/2023, 4:29:01 PM	0	6.904	76.8	54.5	0
4/21/2023, 4:39:01 PM	0	6.904	75.6	54.6	0
4/21/2023, 4:49:01 PM	0	6.904	75.9	55.1	0
4/21/2023, 4:59:01 PM	0	6.895	76.5	55.2	0
4/21/2023, 5:09:01 PM	0	6.895	77	55	0
4/21/2023, 5:19:01 PM	0	6.895	77.5	55	0
4/21/2023, 5:29:01 PM	0	6.895	77.9	54.9	0
4/21/2023, 5:39:01 PM	0	6.895	77.2	54.8	0
4/21/2023, 5:49:01 PM	0	6.895	76.5	54.9	0
4/21/2023, 5:59:01 PM	0	6.895	75.9	55	0
4/21/2023, 6:09:01 PM	0	6.895	75.6	55.2	0
4/21/2023, 6:19:01 PM	0	6.895	75.2	55.4	0
4/21/2023, 6:29:01 PM	0	6.895	74.7	55.6	0
4/21/2023, 6:39:01 PM	0	6.895	73.9	55.7	0
4/21/2023, 6:49:01 PM	0	6.895	73.4	56	0
4/21/2023, 6:59:01 PM	0	6.895	73	56.3	0
4/21/2023, 7:09:01 PM	0	6.895	72.1	56.4	0
4/21/2023, 7:19:01 PM	0	6.895	71.6	56.7	0
4/21/2023, 7:29:01 PM	0	6.895	71.1	57.1	0
4/21/2023, 7:39:01 PM	0	6.895	70.3	57.6	0
4/21/2023, 7:49:01 PM	0	6.895	69.8	58.1	0
4/21/2023, 7:59:01 PM	0	6.895	69.3	58.6	0
4/21/2023, 8:09:01 PM	0	6.895	68.9	59.1	0
4/21/2023, 8:19:01 PM	0	6.895	68.5	59.6	0
4/21/2023, 8:29:01 PM	0	6.895	68.2	60.2	0
4/21/2023, 8:39:01 PM	0	6.895	67.8	60.6	0
4/21/2023, 8:49:01 PM	0	6.895	67.3	61.1	0
4/21/2023, 8:59:01 PM	0	6.895	66.7	61.5	0
4/21/2023, 9:09:01 PM	0	6.886	66.2	61.8	0
4/21/2023, 9:19:01 PM	0	6.886	65.7	62.2	0
4/21/2023, 9:29:01 PM	0	6.886	64.9	62.7	0
4/21/2023, 9:39:01 PM	0	6.886	64.2	63.3	0
4/21/2023, 9:49:01 PM	0	6.886	63.5	63.9	0
4/21/2023, 9:59:01 PM	0	6.886	62.8	64.6	0
4/21/2023, 10:09:01 PM	0	6.886	62.2	65.1	0
4/21/2023, 10:19:01 PM	0	6.886	61.5	65.6	0
4/21/2023, 10:29:01 PM	0	6.886	61	66.8	0
4/21/2023, 10:39:01 PM	0	6.886	60.6	68	0
4/21/2023, 10:49:01 PM	0	6.886	60.3	68.4	0
4/21/2023, 10:59:01 PM	0	6.877	60.1	68.9	0
4/21/2023, 11:09:01 PM	0	6.877	60.1	69.2	0
4/21/2023, 11:19:01 PM	0	6.877	59.9	70	0
4/21/2023, 11:29:01 PM	0	6.877	59.7	70	0
4/21/2023, 11:39:01 PM	0	6.877	59.7	70.3	0
4/21/2023, 11:49:01 PM	0	6.877	59.4	70.2	0
4/21/2023, 11:59:01 PM	0	6.877	59.4	70.2	0
4/22/2023, 12:09:01 AM	0	6.877	59.4	70.1	0
4/22/2023, 12:19:01 AM	0	6.877	59.4	70.5	0
4/22/2023, 12:29:01 AM	0	6.877	59.2	71.6	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/22/2023, 12:39:01 AM	0	6.877	58.5	72.6	0
4/22/2023, 12:49:01 AM	0	6.877	57.7	73.9	0
4/22/2023, 12:59:01 AM	0	6.877	57.2	75.4	0
4/22/2023, 1:09:01 AM	0	6.877	56.7	76.8	0
4/22/2023, 1:19:01 AM	0	6.877	56.1	78.3	0
4/22/2023, 1:29:01 AM	0	6.877	55.8	79.4	0
4/22/2023, 1:39:01 AM	0	6.869	55.4	80.5	0
4/22/2023, 1:49:01 AM	0	6.869	55.2	81.6	0
4/22/2023, 1:59:01 AM	0	6.869	55	82.4	0
4/22/2023, 2:09:01 AM	0	6.869	54.9	83.1	0
4/22/2023, 2:19:01 AM	0	6.869	54.7	83.8	0
4/22/2023, 2:29:01 AM	0	6.869	54.3	84.2	0
4/22/2023, 2:39:01 AM	0	6.869	54.1	84.7	0
4/22/2023, 2:49:01 AM	0	6.869	54	85.2	0
4/22/2023, 2:59:01 AM	0	6.869	54	85.8	0
4/22/2023, 3:09:01 AM	0	6.869	54	86.3	0
4/22/2023, 3:19:01 AM	0	6.869	54	86.8	0
4/22/2023, 3:29:01 AM	0	6.869	54	87.4	0
4/22/2023, 3:39:01 AM	0	6.869	54	87.8	0
4/22/2023, 3:49:01 AM	0	6.869	54	88.3	0
4/22/2023, 3:59:01 AM	0	6.869	54	88.4	0
4/22/2023, 4:09:01 AM	0	6.869	54	88.6	0
4/22/2023, 4:19:01 AM	0	6.869	54	88.8	0
4/22/2023, 4:29:01 AM	0	6.869	54	89.1	0
4/22/2023, 4:39:01 AM	0	6.869	54	89.4	0
4/22/2023, 4:49:01 AM	0	6.869	54	89.5	0
4/22/2023, 4:59:01 AM	0	6.869	53.8	89.7	0
4/22/2023, 5:09:01 AM	0	6.86	53.8	89.9	0
4/22/2023, 5:19:01 AM	0	6.86	53.8	90.1	0
4/22/2023, 5:29:01 AM	0	6.86	53.6	90.2	0
4/22/2023, 5:39:01 AM	0	6.86	53.6	90.3	0
4/22/2023, 5:49:01 AM	0	6.869	53.4	90.3	0
4/22/2023, 5:59:01 AM	0	6.86	53.2	90.4	0
4/22/2023, 6:09:01 AM	0	6.86	53.2	90.6	0
4/22/2023, 6:19:01 AM	0	6.86	53.2	90.8	0
4/22/2023, 6:29:01 AM	0	6.86	53.2	91	0
4/22/2023, 6:39:01 AM	0	6.86	53.2	91.2	0
4/22/2023, 6:49:01 AM	0	6.86	53.2	91.3	0
4/22/2023, 6:59:01 AM	0	6.86	53.2	91.4	0
4/22/2023, 7:09:01 AM	0	6.86	53.2	91.6	0
4/22/2023, 7:19:01 AM	0	6.86	53.4	91.7	0
4/22/2023, 7:29:01 AM	0	6.86	53.4	91.8	0
4/22/2023, 7:39:01 AM	0	6.86	53.2	91.7	0
4/22/2023, 7:49:01 AM	0	6.86	53.1	91.8	0
4/22/2023, 7:59:01 AM	0	6.86	53.1	91.9	0
4/22/2023, 8:09:01 AM	0	6.86	53.1	92	0
4/22/2023, 8:19:01 AM	0	6.86	53.1	92.2	0
4/22/2023, 8:29:01 AM	0	6.86	53.2	92.4	0
4/22/2023, 8:39:01 AM	0	6.86	53.2	92.6	0
4/22/2023, 8:49:01 AM	0	6.86	53.4	92.9	0
4/22/2023, 8:59:01 AM	0	6.86	53.8	93.2	0
4/22/2023, 9:09:01 AM	0	6.86	54.1	93.4	0
4/22/2023, 9:19:01 AM	0	6.86	54.5	93.4	0
4/22/2023, 9:29:01 AM	0	6.86	54.9	93.3	0
4/22/2023, 9:39:01 AM	0	6.86	55.4	93.1	0
4/22/2023, 9:49:01 AM	0	6.86	55.8	92.7	0
4/22/2023, 9:59:01 AM	0	6.869	56.3	92.5	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/22/2023, 10:09:01 AM	0	6.869	56.8	92.3	0
4/22/2023, 10:19:01 AM	0	6.869	57.4	92	0
4/22/2023, 10:29:01 AM	0	6.869	57.9	91.5	0
4/22/2023, 10:39:01 AM	0	6.869	58.5	91.3	0
4/22/2023, 10:49:01 AM	0	6.869	59.5	90.9	0
4/22/2023, 10:59:01 AM	0	6.869	60.4	90	0
4/22/2023, 11:09:01 AM	0	6.869	61.2	89.1	0
4/22/2023, 11:19:01 AM	0	6.869	61.7	88.2	0
4/22/2023, 11:29:01 AM	0	6.877	62.2	87.5	0
4/22/2023, 11:39:01 AM	0	6.877	62.8	86.7	0
4/22/2023, 11:49:01 AM	0	6.877	63.9	85.9	0
4/22/2023, 11:59:01 AM	0	6.877	64.9	84.8	0
4/22/2023, 12:09:01 PM	0	6.877	65.7	83.6	0
4/22/2023, 12:19:01 PM	0	6.877	67.1	82.4	0
4/22/2023, 12:29:01 PM	0	6.877	68.4	80.9	0
4/22/2023, 12:39:01 PM	0	6.877	69.3	79.3	0
4/22/2023, 12:49:01 PM	0	6.877	70.2	78	0
4/22/2023, 12:59:01 PM	0	6.886	70.9	76.1	0
4/22/2023, 1:09:01 PM	0	6.886	71.4	74.6	0
4/22/2023, 1:19:01 PM	0	6.886	72.1	73.2	0
4/22/2023, 1:29:01 PM	0	6.886	73.2	71.8	0
4/22/2023, 1:39:01 PM	0	6.886	73	70.9	0
4/22/2023, 1:49:01 PM	0	6.886	72.5	70	0
4/22/2023, 1:59:01 PM	0	6.886	72.1	69.6	0
4/22/2023, 2:09:01 PM	0	6.886	71.8	67.4	0
4/22/2023, 2:19:01 PM	0	6.886	71.4	67.8	0
4/22/2023, 2:29:01 PM	0	6.886	70.9	68	0
4/22/2023, 2:39:01 PM	0	6.886	70.9	67.1	0
4/22/2023, 2:49:01 PM	0	6.886	71.6	65.9	0
4/22/2023, 2:59:01 PM	0	6.886	72.9	64.9	0
4/22/2023, 3:09:01 PM	0	6.886	74.7	64	0
4/22/2023, 3:19:01 PM	0	6.886	75.9	63.2	0
4/22/2023, 3:29:01 PM	0	6.886	76.5	62.2	0
4/22/2023, 3:39:01 PM	0	6.886	76.3	61.2	0
4/22/2023, 3:49:01 PM	0	6.895	75.6	60.7	0
4/22/2023, 3:59:01 PM	0	6.895	75	60.4	0
4/22/2023, 4:09:01 PM	0	6.895	74.3	61	0
4/22/2023, 4:19:01 PM	0	6.895	73.6	61.9	0
4/22/2023, 4:29:01 PM	0	6.895	72.1	62.6	0
4/22/2023, 4:39:01 PM	0	6.895	70.9	63.3	0
4/22/2023, 4:49:01 PM	0	6.886	70	63.8	0
4/22/2023, 4:59:01 PM	0	6.886	69.3	64.3	0
4/22/2023, 5:09:01 PM	0	6.886	68.5	64.9	0
4/22/2023, 5:19:01 PM	0	6.886	67.5	65.6	0
4/22/2023, 5:29:01 PM	0	6.886	65.8	66.6	0
4/22/2023, 5:39:01 PM	0	6.886	64.4	68.1	0
4/22/2023, 5:49:01 PM	0	6.886	63.1	69	0
4/22/2023, 5:59:01 PM	0	6.886	61.5	70.1	0
4/22/2023, 6:09:01 PM	0	6.886	60.3	71.5	0
4/22/2023, 6:19:01 PM	0	6.877	59	72.6	0
4/22/2023, 6:29:01 PM	0	6.877	57.7	73.6	0
4/22/2023, 6:39:01 PM	0	6.877	56.7	74.3	0
4/22/2023, 6:49:01 PM	0	6.877	55.6	75.4	0
4/22/2023, 6:59:01 PM	0	6.869	54.7	76.3	0
4/22/2023, 7:09:01 PM	0	6.869	53.8	76.9	0
4/22/2023, 7:19:01 PM	0	6.869	52.9	77.5	0
4/22/2023, 7:29:01 PM	0	6.869	52.2	78.3	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/22/2023, 7:39:01 PM	0	6.86	51.4	79	0
4/22/2023, 7:49:01 PM	0	6.86	50.9	79.4	0
4/22/2023, 7:59:01 PM	0	6.86	50.5	80	0
4/22/2023, 8:09:01 PM	0	6.86	50.2	80.7	0
4/22/2023, 8:19:01 PM	0	6.86	49.8	81.4	0
4/22/2023, 8:29:01 PM	0	6.86	49.5	82.1	0
4/22/2023, 8:39:01 PM	0	6.86	49.3	82.7	0
4/22/2023, 8:49:01 PM	0	6.851	49.1	83.3	0
4/22/2023, 8:59:01 PM	0	6.851	48.9	83.8	0
4/22/2023, 9:09:01 PM	0	6.851	48.9	84.1	0
4/22/2023, 9:19:01 PM	0	6.851	48.7	84.5	0
4/22/2023, 9:29:01 PM	0	6.851	48.6	84.8	0
4/22/2023, 9:39:01 PM	0	6.851	48.6	85	0
4/22/2023, 9:49:01 PM	0	6.851	48.4	85.2	0
4/22/2023, 9:59:01 PM	0	6.851	48.4	85.5	0
4/22/2023, 10:09:01 PM	0	6.851	48.2	85.7	0
4/22/2023, 10:19:01 PM	0	6.851	48.2	85.9	0
4/22/2023, 10:29:01 PM	0	6.851	47.8	86	0
4/22/2023, 10:39:01 PM	0	6.851	47.7	86.1	0
4/22/2023, 10:49:01 PM	0	6.851	47.3	86.2	0
4/22/2023, 10:59:01 PM	0	6.851	46.9	86.3	0
4/22/2023, 11:09:01 PM	0	6.851	46.6	86.5	0
4/22/2023, 11:19:01 PM	0	6.851	46.2	86.7	0
4/22/2023, 11:29:01 PM	0	6.842	46	87	0
4/22/2023, 11:39:01 PM	0	6.842	45.9	87.5	0
4/22/2023, 11:49:01 PM	0	6.842	45.7	87.8	0
4/22/2023, 11:59:01 PM	0	6.842	45.5	88.1	0
4/23/2023, 12:09:01 AM	0	6.842	45.3	88.3	0
4/23/2023, 12:19:01 AM	0	6.842	45.3	88.6	0
4/23/2023, 12:29:01 AM	0	6.842	45.1	88.8	0
4/23/2023, 12:39:01 AM	0	6.842	45.1	89.1	0
4/23/2023, 12:49:01 AM	0	6.842	45.1	89.3	0
4/23/2023, 12:59:01 AM	0	6.842	45	89.4	0
4/23/2023, 1:09:01 AM	0	6.842	44.6	89.5	0
4/23/2023, 1:19:01 AM	0	6.842	44.4	89.5	0
4/23/2023, 1:29:01 AM	0	6.842	44.2	89.7	0
4/23/2023, 1:39:01 AM	0	6.842	44.1	89.8	0
4/23/2023, 1:49:01 AM	0	6.842	43.9	89.9	0
4/23/2023, 1:59:01 AM	0	6.842	43.9	89.9	0
4/23/2023, 2:09:01 AM	0	6.842	43.9	89.8	0
4/23/2023, 2:19:01 AM	0	6.833	43.7	89.8	0
4/23/2023, 2:29:01 AM	0	6.833	43.7	89.8	0
4/23/2023, 2:39:01 AM	0	6.833	43.7	89.9	0
4/23/2023, 2:49:01 AM	0	6.833	43.7	89.9	0
4/23/2023, 2:59:01 AM	0	6.833	43.7	90	0
4/23/2023, 3:09:01 AM	0	6.833	43.7	90.1	0
4/23/2023, 3:19:01 AM	0	6.833	43.7	90.3	0
4/23/2023, 3:29:01 AM	0	6.833	43.7	90.4	0
4/23/2023, 3:39:01 AM	0	6.833	43.7	90.6	0
4/23/2023, 3:49:01 AM	0	6.833	43.7	90.8	0
4/23/2023, 3:59:01 AM	0	6.833	43.7	91	0
4/23/2023, 4:09:01 AM	0	6.833	43.7	91.1	0
4/23/2023, 4:19:01 AM	0	6.833	43.7	91.3	0
4/23/2023, 4:29:01 AM	0	6.833	43.9	91.4	0
4/23/2023, 4:39:01 AM	0	6.833	43.9	91.5	0
4/23/2023, 4:49:01 AM	0	6.833	43.7	91.5	0
4/23/2023, 4:59:01 AM	0	6.833	43.7	91.6	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/23/2023, 5:09:01 AM	0	6.833	43.7	91.7	0
4/23/2023, 5:19:01 AM	0	6.833	43.9	92	0
4/23/2023, 5:29:01 AM	0	6.833	44.1	92.2	0
4/23/2023, 5:39:01 AM	0	6.833	44.2	92.1	0
4/23/2023, 5:49:01 AM	0	6.833	44.2	91.8	0
4/23/2023, 5:59:01 AM	0	6.833	44.4	91.6	0
4/23/2023, 6:09:01 AM	0	6.833	44.4	91.4	0
4/23/2023, 6:19:01 AM	0	6.833	44.4	91.2	0
4/23/2023, 6:29:01 AM	0	6.833	44.2	91.1	0
4/23/2023, 6:39:01 AM	0	6.833	44.2	91	0
4/23/2023, 6:49:01 AM	0	6.833	44.4	90.8	0
4/23/2023, 6:59:01 AM	0	6.833	44.4	90.7	0
4/23/2023, 7:09:01 AM	0	6.833	44.6	90.3	0
4/23/2023, 7:19:01 AM	0	6.842	44.8	89.5	0
4/23/2023, 7:29:01 AM	0	6.842	44.8	88.9	0
4/23/2023, 7:39:01 AM	0	6.842	45	88.3	0
4/23/2023, 7:49:01 AM	0	6.842	44.8	87.7	0
4/23/2023, 7:59:01 AM	0	6.842	44.8	87.1	0
4/23/2023, 8:09:01 AM	0	6.842	44.6	86.6	0
4/23/2023, 8:19:01 AM	0	6.833	44.4	86.1	0
4/23/2023, 8:29:01 AM	0	6.842	44.6	85.6	0
4/23/2023, 8:39:01 AM	0	6.842	45.1	85.1	0
4/23/2023, 8:49:01 AM	0	6.842	45.3	84.5	0
4/23/2023, 8:59:01 AM	0	6.842	45.5	84	0
4/23/2023, 9:09:01 AM	0	6.842	45.9	83.6	0
4/23/2023, 9:19:01 AM	0	6.842	46.2	83	0
4/23/2023, 9:29:01 AM	0	6.842	46.8	82.3	0
4/23/2023, 9:39:01 AM	0	6.842	47.5	81.4	0
4/23/2023, 9:49:01 AM	0	6.842	48	80.6	0
4/23/2023, 9:59:01 AM	0	6.842	48.6	79.8	0
4/23/2023, 10:09:01 AM	0	6.842	49.1	79.2	0
4/23/2023, 10:19:01 AM	0	6.842	49.3	78.5	0
4/23/2023, 10:29:01 AM	0	6.842	49.3	77.8	0
4/23/2023, 10:39:01 AM	0	6.851	49.5	77.2	0
4/23/2023, 10:49:01 AM	0	6.851	50.2	76.5	0
4/23/2023, 10:59:01 AM	0	6.851	51.1	76.2	0
4/23/2023, 11:09:01 AM	0	6.851	51.6	75.4	0
4/23/2023, 11:19:01 AM	0	6.851	51.8	74.5	0
4/23/2023, 11:29:01 AM	0	6.851	51.8	73.7	0
4/23/2023, 11:39:01 AM	0	6.851	51.8	72.9	0
4/23/2023, 11:49:01 AM	0	6.851	52.2	72.5	0
4/23/2023, 11:59:01 AM	0	6.851	52.7	71.4	0
4/23/2023, 12:09:01 PM	0	6.851	53.1	70.6	0
4/23/2023, 12:19:01 PM	0	6.851	53.1	69.7	0
4/23/2023, 12:29:01 PM	0	6.851	53.2	69	0
4/23/2023, 12:39:01 PM	0	6.851	52.9	68.4	0
4/23/2023, 12:49:01 PM	0	6.86	52.3	68	0
4/23/2023, 12:59:01 PM	0	6.851	51.8	68	0
4/23/2023, 1:09:01 PM	0	6.851	51.3	67.9	0
4/23/2023, 1:19:01 PM	0	6.851	50.7	67.7	0
4/23/2023, 1:29:01 PM	0	6.851	50.4	67.7	0
4/23/2023, 1:39:01 PM	0	6.851	50.2	67.7	0
4/23/2023, 1:49:01 PM	0	6.851	50	67.6	0
4/23/2023, 1:59:01 PM	0	6.851	50	67.5	0
4/23/2023, 2:09:01 PM	0	6.851	50.2	67.4	0
4/23/2023, 2:19:01 PM	0	6.851	50.4	67.3	0
4/23/2023, 2:29:01 PM	0	6.851	50.7	67.2	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/23/2023, 2:39:01 PM	0	6.851	51.1	67.2	0
4/23/2023, 2:49:01 PM	0	6.851	52.2	67.7	0
4/23/2023, 2:59:01 PM	0	6.851	52.2	67.9	0
4/23/2023, 3:09:01 PM	0	6.851	51.4	67.9	0
4/23/2023, 3:19:01 PM	0	6.851	50.9	68	0
4/23/2023, 3:29:01 PM	0	6.851	50.5	68.2	0
4/23/2023, 3:39:01 PM	0	6.851	50.4	68.4	0
4/23/2023, 3:49:01 PM	0	6.851	50.2	68.4	0
4/23/2023, 3:59:01 PM	0	6.851	50.2	67.3	0
4/23/2023, 4:09:01 PM	0	6.851	50.2	66.1	0
4/23/2023, 4:19:01 PM	0	6.851	50	65.3	0
4/23/2023, 4:29:01 PM	0	6.851	50	64.7	0
4/23/2023, 4:39:01 PM	0	6.851	49.8	64.3	0
4/23/2023, 4:49:01 PM	0	6.851	49.6	64.3	0
4/23/2023, 4:59:01 PM	0	6.851	49.5	64.2	0
4/23/2023, 5:09:01 PM	0	6.851	49.5	63.8	0
4/23/2023, 5:19:01 PM	0	6.851	49.5	63.7	0
4/23/2023, 5:29:01 PM	0	6.851	49.5	63.6	0
4/23/2023, 5:39:01 PM	0	6.851	49.5	63.6	0
4/23/2023, 5:49:01 PM	0	6.851	49.6	63.4	0
4/23/2023, 5:59:01 PM	0	6.851	49.6	63.2	0
4/23/2023, 6:09:01 PM	0	6.851	49.6	62.9	0
4/23/2023, 6:19:01 PM	0	6.851	50	62.6	0
4/23/2023, 6:29:01 PM	0	6.851	50.4	62.1	0
4/23/2023, 6:39:01 PM	0	6.851	50.9	61.8	0
4/23/2023, 6:49:01 PM	0	6.851	51.3	61.4	0
4/23/2023, 6:59:01 PM	0	6.851	51.4	60.8	0
4/23/2023, 7:09:01 PM	0	6.851	51.1	60.3	0
4/23/2023, 7:19:01 PM	0	6.851	50.7	60.1	0
4/23/2023, 7:29:01 PM	0	6.851	50.5	60	0
4/23/2023, 7:39:01 PM	0	6.851	50.4	59.8	0
4/23/2023, 7:49:01 PM	0	6.851	50.5	59.9	0
4/23/2023, 7:59:01 PM	0	6.851	50.5	59.8	0
4/23/2023, 8:09:01 PM	0	6.851	50.4	59.5	0
4/23/2023, 8:19:01 PM	0	6.851	50	59.6	0
4/23/2023, 8:29:01 PM	0	6.851	49.5	59.9	0
4/23/2023, 8:39:01 PM	0	6.851	48.9	60.5	0
4/23/2023, 8:49:01 PM	0	6.851	48.4	61.3	0
4/23/2023, 8:59:01 PM	0	6.851	47.8	62.2	0
4/23/2023, 9:09:01 PM	0	6.851	47.3	63.1	0
4/23/2023, 9:19:01 PM	0	6.842	46.8	63.7	0
4/23/2023, 9:29:01 PM	0	6.842	46.2	64.3	0
4/23/2023, 9:39:01 PM	0	6.842	45.9	64.8	0
4/23/2023, 9:49:01 PM	0	6.842	45.7	65.3	0
4/23/2023, 9:59:01 PM	0	6.842	45.3	65.8	0
4/23/2023, 10:09:01 PM	0	6.842	45	66.2	0
4/23/2023, 10:19:01 PM	0	6.842	44.6	66.6	0
4/23/2023, 10:29:01 PM	0	6.842	44.1	66.9	0
4/23/2023, 10:39:01 PM	0	6.833	43.5	67.3	0
4/23/2023, 10:49:01 PM	0	6.833	43.2	67.8	0
4/23/2023, 10:59:01 PM	0	6.833	42.8	68.2	0
4/23/2023, 11:09:01 PM	0	6.833	42.4	68.8	0
4/23/2023, 11:19:01 PM	0	6.833	42.1	69.3	0
4/23/2023, 11:29:01 PM	0	6.833	41.9	69.8	0
4/23/2023, 11:39:01 PM	0	6.833	41.7	70.2	0
4/23/2023, 11:49:01 PM	0	6.833	41.5	70.7	0
4/23/2023, 11:59:01 PM	0	6.825	41.2	71.1	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/24/2023, 12:09:01 AM	0	6.825	41.2	71.4	0
4/24/2023, 12:19:01 AM	0	6.825	40.8	71.7	0
4/24/2023, 12:29:01 AM	0	6.825	40.6	72.1	0
4/24/2023, 12:39:01 AM	0	6.825	40.5	72.4	0
4/24/2023, 12:49:01 AM	0	6.825	40.3	72.8	0
4/24/2023, 12:59:01 AM	0	6.825	40.1	73.1	0
4/24/2023, 1:09:01 AM	0	6.825	39.7	73.5	0
4/24/2023, 1:19:01 AM	0	6.825	39.6	73.9	0
4/24/2023, 1:29:01 AM	0	6.825	39.6	74.3	0
4/24/2023, 1:39:01 AM	0	6.825	39.6	74.8	0
4/24/2023, 1:49:01 AM	0	6.825	39.6	75.2	0
4/24/2023, 1:59:01 AM	0	6.825	39.4	75.6	0
4/24/2023, 2:09:01 AM	0	6.825	39.2	76.1	0
4/24/2023, 2:19:01 AM	0	6.825	39	76.5	0
4/24/2023, 2:29:01 AM	0	6.825	39	77	0
4/24/2023, 2:39:01 AM	0	6.825	39	77.4	0
4/24/2023, 2:49:01 AM	0	6.825	38.8	77.7	0
4/24/2023, 2:59:01 AM	0	6.825	38.8	78.1	0
4/24/2023, 3:09:01 AM	0	6.825	38.8	78.5	0
4/24/2023, 3:19:01 AM	0	6.825	39	78.8	0
4/24/2023, 3:29:01 AM	0	6.825	39.2	79.1	0
4/24/2023, 3:39:01 AM	0	6.825	39.4	79.4	0
4/24/2023, 3:49:01 AM	0	6.825	39.6	79.6	0
4/24/2023, 3:59:01 AM	0	6.825	39.6	79.7	0
4/24/2023, 4:09:01 AM	0	6.825	39.7	79.7	0
4/24/2023, 4:19:01 AM	0	6.825	39.7	79.8	0
4/24/2023, 4:29:01 AM	0	6.825	39.7	79.8	0
4/24/2023, 4:39:01 AM	0	6.825	39.7	79.7	0
4/24/2023, 4:49:01 AM	0	6.825	39.7	79.7	0
4/24/2023, 4:59:01 AM	0	6.825	39.6	79.8	0
4/24/2023, 5:09:01 AM	0	6.825	39.4	79.8	0
4/24/2023, 5:19:01 AM	0	6.825	39.4	79.9	0
4/24/2023, 5:29:01 AM	0	6.825	39.2	80.1	0
4/24/2023, 5:39:01 AM	0	6.825	39	80.2	0
4/24/2023, 5:49:01 AM	0	6.825	38.8	80.4	0
4/24/2023, 5:59:01 AM	0	6.825	38.8	80.6	0
4/24/2023, 6:09:01 AM	0	6.825	38.8	80.7	0
4/24/2023, 6:19:01 AM	0	6.825	38.8	80.9	0
4/24/2023, 6:29:01 AM	0	6.825	38.8	81	0
4/24/2023, 6:39:01 AM	0	6.825	38.8	81.2	0
4/24/2023, 6:49:01 AM	0	6.825	38.8	81.3	0
4/24/2023, 6:59:01 AM	0	6.825	38.8	81.5	0
4/24/2023, 7:09:01 AM	0	6.825	39	81.6	0
4/24/2023, 7:19:01 AM	0	6.825	39	81.8	0
4/24/2023, 7:29:01 AM	0	6.825	39	81.9	0
4/24/2023, 7:39:01 AM	0	6.825	39	82	0
4/24/2023, 7:49:01 AM	0	6.825	39.2	82.1	0
4/24/2023, 7:59:01 AM	0	6.825	39.2	82.3	0
4/24/2023, 8:09:01 AM	0	6.825	39.4	82.3	0
4/24/2023, 8:19:01 AM	0	6.825	39.6	82.5	0
4/24/2023, 8:29:01 AM	0	6.825	39.7	82.5	0
4/24/2023, 8:39:01 AM	0	6.825	40.1	82.5	0
4/24/2023, 8:49:01 AM	0	6.825	40.5	82.5	0
4/24/2023, 8:59:01 AM	0	6.825	41	82.3	0
4/24/2023, 9:09:01 AM	0	6.825	41.5	82.2	0
4/24/2023, 9:19:01 AM	0	6.825	42.1	81.9	0
4/24/2023, 9:29:01 AM	0	6.825	42.8	81.6	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/24/2023, 9:39:01 AM	0	6.833	43.5	81.2	0
4/24/2023, 9:49:01 AM	0	6.833	44.2	80.7	0
4/24/2023, 9:59:01 AM	0	6.833	45.1	80.2	0
4/24/2023, 10:09:01 AM	0	6.833	45.9	79.5	0
4/24/2023, 10:19:01 AM	0	6.842	46.2	78.8	0
4/24/2023, 10:29:01 AM	0	6.842	46.2	78.3	0
4/24/2023, 10:39:01 AM	0	6.842	46.8	77.8	0
4/24/2023, 10:49:01 AM	0	6.842	47.7	77.2	0
4/24/2023, 10:59:01 AM	0	6.842	48.9	76.4	0
4/24/2023, 11:09:01 AM	0	6.842	49.8	75.3	0
4/24/2023, 11:19:01 AM	0	6.842	50	74.4	0
4/24/2023, 11:29:01 AM	0	6.851	49.8	73.7	0
4/24/2023, 11:39:01 AM	0	6.851	50.7	73.1	0
4/24/2023, 11:49:01 AM	0	6.851	51.4	72.1	0
4/24/2023, 11:59:01 AM	0	6.851	51.4	71.9	0
4/24/2023, 12:09:01 PM	0	6.851	51.6	71.5	0
4/24/2023, 12:19:01 PM	0	6.851	52.2	70.7	0
4/24/2023, 12:29:01 PM	0	6.851	52.9	70.2	0
4/24/2023, 12:39:01 PM	0	6.851	53.6	69.1	0
4/24/2023, 12:49:01 PM	0	6.851	54.3	68.2	0
4/24/2023, 12:59:01 PM	0	6.86	55.6	67.5	0
4/24/2023, 1:09:01 PM	0	6.86	56.3	66.4	0
4/24/2023, 1:19:01 PM	0	6.86	56.8	65.6	0
4/24/2023, 1:29:01 PM	0	6.86	57.7	64.5	0
4/24/2023, 1:39:01 PM	0	6.86	57.4	63.9	0
4/24/2023, 1:49:01 PM	0	6.86	55.9	64.4	0
4/24/2023, 1:59:01 PM	0	6.86	54.3	64.9	0
4/24/2023, 2:09:01 PM	0	6.86	52.7	65.5	0
4/24/2023, 2:19:01 PM	0	6.86	52.2	66.3	0
4/24/2023, 2:29:01 PM	0	6.86	53.1	66.7	0
4/24/2023, 2:39:01 PM	0	6.851	53.8	66.5	0
4/24/2023, 2:49:01 PM	0	6.851	53.1	65.7	0
4/24/2023, 2:59:01 PM	0	6.851	52.5	65.2	0
4/24/2023, 3:09:01 PM	0	6.851	52.9	65.1	0
4/24/2023, 3:19:01 PM	0	6.851	52.9	64.9	0
4/24/2023, 3:29:01 PM	0	6.86	53.2	65.1	0
4/24/2023, 3:39:01 PM	0	6.86	54.7	65.4	0
4/24/2023, 3:49:01 PM	0	6.86	55.8	65.3	0
4/24/2023, 3:59:01 PM	0	6.86	56.5	64.9	0
4/24/2023, 4:09:01 PM	0	6.86	56.3	64	0
4/24/2023, 4:19:01 PM	0	6.86	56.1	63.2	0
4/24/2023, 4:29:01 PM	0	6.86	56.7	62.6	0
4/24/2023, 4:39:01 PM	0	6.86	56.3	62.3	0
4/24/2023, 4:49:01 PM	0	6.86	55	62	0
4/24/2023, 4:59:01 PM	0	6.86	54.7	61.9	0
4/24/2023, 5:09:01 PM	0	6.86	54.7	62.1	0
4/24/2023, 5:19:01 PM	0	6.86	54.7	61.7	0
4/24/2023, 5:29:01 PM	0	6.86	54.9	61.5	0
4/24/2023, 5:39:01 PM	0	6.86	54.9	61.3	0
4/24/2023, 5:49:01 PM	0	6.86	54.1	61.3	0
4/24/2023, 5:59:01 PM	0	6.86	53.2	61.8	0
4/24/2023, 6:09:01 PM	0	6.86	52.7	62.7	0
4/24/2023, 6:19:01 PM	0	6.86	52.3	63.5	0
4/24/2023, 6:29:01 PM	0	6.86	51.4	64.2	0
4/24/2023, 6:39:01 PM	0	6.86	50.5	65.1	0
4/24/2023, 6:49:01 PM	0	6.851	50.2	65.8	0
4/24/2023, 6:59:01 PM	0	6.851	51.1	66.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/24/2023, 7:09:01 PM	0	6.851	51.4	65.3	0
4/24/2023, 7:19:01 PM	0	6.851	51.1	64.6	0
4/24/2023, 7:29:01 PM	0	6.851	50.4	64.6	0
4/24/2023, 7:39:01 PM	0	6.851	49.6	64.8	0
4/24/2023, 7:49:01 PM	0	6.851	49.1	64.9	0
4/24/2023, 7:59:01 PM	0	6.851	48.6	65	0
4/24/2023, 8:09:01 PM	0	6.851	48.2	65.3	0
4/24/2023, 8:19:01 PM	0	6.851	47.7	65.7	0
4/24/2023, 8:29:01 PM	0	6.851	47.3	66.2	0
4/24/2023, 8:39:01 PM	0	6.851	46.9	66.6	0
4/24/2023, 8:49:01 PM	0	6.842	46.4	67.1	0
4/24/2023, 8:59:01 PM	0	6.842	46	67.6	0
4/24/2023, 9:09:01 PM	0	6.842	45.5	68.2	0
4/24/2023, 9:19:01 PM	0	6.842	45.1	68.7	0
4/24/2023, 9:29:01 PM	0	6.842	44.8	69.2	0
4/24/2023, 9:39:01 PM	0	6.842	44.2	69.7	0
4/24/2023, 9:49:01 PM	0	6.842	43.9	70.3	0
4/24/2023, 9:59:01 PM	0	6.842	43.3	70.8	0
4/24/2023, 10:09:01 PM	0	6.833	43	71.5	0
4/24/2023, 10:19:01 PM	0	6.833	42.6	72.1	0
4/24/2023, 10:29:01 PM	0	6.833	42.4	72.5	0
4/24/2023, 10:39:01 PM	0	6.833	42.4	73	0
4/24/2023, 10:49:01 PM	0	6.833	42.3	73.4	0
4/24/2023, 10:59:01 PM	0	6.833	42.1	73.8	0
4/24/2023, 11:09:01 PM	0	6.833	41.9	74.1	0
4/24/2023, 11:19:01 PM	0	6.833	41.5	74.4	0
4/24/2023, 11:29:01 PM	0	6.833	41.2	74.7	0
4/24/2023, 11:39:01 PM	0	6.833	41	75	0
4/24/2023, 11:49:01 PM	0	6.833	40.6	75.3	0
4/24/2023, 11:59:01 PM	0	6.825	40.5	75.6	0
4/25/2023, 12:09:01 AM	0	6.825	40.1	76	0
4/25/2023, 12:19:01 AM	0	6.825	39.7	76.4	0
4/25/2023, 12:29:01 AM	0	6.825	39.6	76.7	0
4/25/2023, 12:39:01 AM	0	6.825	39.2	77	0
4/25/2023, 12:49:01 AM	0	6.825	38.8	77.4	0
4/25/2023, 12:59:01 AM	0	6.825	38.7	77.7	0
4/25/2023, 1:09:01 AM	0	6.825	38.3	78.1	0
4/25/2023, 1:19:01 AM	0	6.825	38.1	78.4	0
4/25/2023, 1:29:01 AM	0	6.825	37.9	78.6	0
4/25/2023, 1:39:01 AM	0	6.825	37.8	78.8	0
4/25/2023, 1:49:01 AM	0	6.825	37.8	78.9	0
4/25/2023, 1:59:01 AM	0	6.816	37.6	79	0
4/25/2023, 2:09:01 AM	0	6.816	37.2	79.1	0
4/25/2023, 2:19:01 AM	0	6.816	37	79.2	0
4/25/2023, 2:29:01 AM	0	6.816	36.9	79.2	0
4/25/2023, 2:39:01 AM	0	6.816	36.7	79.3	0
4/25/2023, 2:49:01 AM	0	6.816	36.5	79.4	0
4/25/2023, 2:59:01 AM	0	6.816	36.5	79.5	0
4/25/2023, 3:09:01 AM	0	6.816	36.3	79.7	0
4/25/2023, 3:19:01 AM	0	6.816	36.1	79.8	0
4/25/2023, 3:29:01 AM	0	6.816	36	80.1	0
4/25/2023, 3:39:01 AM	0	6.816	35.8	80.3	0
4/25/2023, 3:49:01 AM	0	6.816	35.6	80.6	0
4/25/2023, 3:59:01 AM	0	6.816	35.4	80.8	0
4/25/2023, 4:09:01 AM	0	6.816	35.2	81	0
4/25/2023, 4:19:01 AM	0	6.816	35.1	81.3	0
4/25/2023, 4:29:01 AM	0	6.816	34.9	81.6	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/25/2023, 4:39:01 AM	0	6.816	35.1	81.9	0
4/25/2023, 4:49:01 AM	0	6.816	35.2	82.2	0
4/25/2023, 4:59:01 AM	0	6.816	35.6	82.4	0
4/25/2023, 5:09:01 AM	0	6.816	35.8	82.5	0
4/25/2023, 5:19:01 AM	0	6.816	36	82.6	0
4/25/2023, 5:29:01 AM	0	6.816	36.1	82.7	0
4/25/2023, 5:39:01 AM	0	6.816	36.3	82.7	0
4/25/2023, 5:49:01 AM	0	6.816	36.3	82.8	0
4/25/2023, 5:59:01 AM	0	6.816	36.5	82.8	0
4/25/2023, 6:09:01 AM	0	6.816	36.5	82.9	0
4/25/2023, 6:19:01 AM	0	6.816	36.5	82.9	0
4/25/2023, 6:29:01 AM	0	6.816	36.7	83	0
4/25/2023, 6:39:01 AM	0	6.816	36.7	83	0
4/25/2023, 6:49:01 AM	0	6.816	36.9	83	0
4/25/2023, 6:59:01 AM	0	6.816	36.9	83	0
4/25/2023, 7:09:01 AM	0	6.816	36.9	83	0
4/25/2023, 7:19:01 AM	0	6.816	37	83	0
4/25/2023, 7:29:01 AM	0	6.816	37	82.9	0
4/25/2023, 7:39:01 AM	0	6.816	37	82.9	0
4/25/2023, 7:49:01 AM	0	6.816	37.2	82.8	0
4/25/2023, 7:59:01 AM	0	6.816	37.4	82.8	0
4/25/2023, 8:09:01 AM	0	6.816	37.6	82.7	0
4/25/2023, 8:19:01 AM	0	6.816	37.9	82.6	0
4/25/2023, 8:29:01 AM	0	6.825	38.8	82.4	0
4/25/2023, 8:39:01 AM	0	6.825	39.6	82.1	0
4/25/2023, 8:49:01 AM	0	6.825	40.1	81.6	0
4/25/2023, 8:59:01 AM	0	6.825	40.3	81.3	0
4/25/2023, 9:09:01 AM	0	6.825	40.8	81.1	0
4/25/2023, 9:19:01 AM	0	6.825	41.5	80.6	0
4/25/2023, 9:29:01 AM	0	6.833	42.6	80.1	0
4/25/2023, 9:39:01 AM	0	6.833	43.7	79.3	0
4/25/2023, 9:49:01 AM	0	6.833	44.2	78.5	0
4/25/2023, 9:59:01 AM	0	6.833	44.4	77.6	0
4/25/2023, 10:09:01 AM	0	6.833	44.4	76.8	0
4/25/2023, 10:19:01 AM	0	6.833	44.6	76.2	0
4/25/2023, 10:29:01 AM	0	6.842	44.8	75.6	0
4/25/2023, 10:39:01 AM	0	6.833	45.3	75.2	0
4/25/2023, 10:49:01 AM	0	6.842	46.8	74.7	0
4/25/2023, 10:59:01 AM	0	6.842	48.4	73.4	0
4/25/2023, 11:09:01 AM	0	6.842	50	72.1	0
4/25/2023, 11:19:01 AM	0	6.842	51.3	70.8	0
4/25/2023, 11:29:01 AM	0	6.851	51.6	69.5	0
4/25/2023, 11:39:01 AM	0	6.851	51.8	68.4	0
4/25/2023, 11:49:01 AM	0	6.851	52.3	67.5	0
4/25/2023, 11:59:01 AM	0	6.851	52.7	66.7	0
4/25/2023, 12:09:01 PM	0	6.851	52.7	65.7	0
4/25/2023, 12:19:01 PM	0	6.851	53.6	65	0
4/25/2023, 12:29:01 PM	0	6.851	55	64.1	0
4/25/2023, 12:39:01 PM	0	6.86	55	63.1	0
4/25/2023, 12:49:01 PM	0	6.86	54.7	62.4	0
4/25/2023, 12:59:01 PM	0	6.86	54.3	61.8	0
4/25/2023, 1:09:01 PM	0	6.86	53.1	62.1	0
4/25/2023, 1:19:01 PM	0	6.86	50.4	63.5	0
4/25/2023, 1:29:01 PM	0	6.86	48.2	65.1	0
4/25/2023, 1:39:01 PM	0	6.851	47.3	66.9	0
4/25/2023, 1:49:01 PM	0	6.851	48.2	69	0
4/25/2023, 1:59:01 PM	0	6.851	50.5	68.7	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/25/2023, 2:09:01 PM	0	6.851	51.6	68.3	0
4/25/2023, 2:19:01 PM	0	6.851	51.3	67.7	0
4/25/2023, 2:29:01 PM	0	6.851	49.1	67.7	0
4/25/2023, 2:39:01 PM	0	6.851	46	68.5	0
4/25/2023, 2:49:01 PM	0	6.842	44.2	69.8	0
4/25/2023, 2:59:01 PM	0	6.842	43.5	71.5	0
4/25/2023, 3:09:01 PM	0	6.842	44.2	73.6	0
4/25/2023, 3:19:01 PM	0	6.842	45.7	75.5	0
4/25/2023, 3:29:01 PM	0	6.842	46.9	76	0
4/25/2023, 3:39:01 PM	0	6.842	48.4	76.5	0
4/25/2023, 3:49:01 PM	0	6.842	49.5	75.7	0
4/25/2023, 3:59:01 PM	0	6.842	50.5	74.8	0
4/25/2023, 4:09:01 PM	0	6.842	50.9	74.5	0
4/25/2023, 4:19:01 PM	0	6.851	51.3	73.8	0
4/25/2023, 4:29:01 PM	0	6.851	51.8	73.3	0
4/25/2023, 4:39:01 PM	0	6.851	52.2	72.8	0
4/25/2023, 4:49:01 PM	0	6.851	52.2	72.1	0
4/25/2023, 4:59:01 PM	0	6.851	51.8	71.3	0
4/25/2023, 5:09:01 PM	0	6.851	51.4	70.3	0
4/25/2023, 5:19:01 PM	0	6.851	50.5	70.4	0
4/25/2023, 5:29:01 PM	0	6.851	49.5	71	0
4/25/2023, 5:39:01 PM	0	6.851	49.1	71.7	0
4/25/2023, 5:49:01 PM	0	6.851	48.4	72.1	0
4/25/2023, 5:59:01 PM	0	6.851	47.8	72.7	0
4/25/2023, 6:09:01 PM	0	6.851	47.8	73.4	0
4/25/2023, 6:19:01 PM	0	6.851	47.8	73.7	0
4/25/2023, 6:29:01 PM	0	6.851	47.7	73.4	0
4/25/2023, 6:39:01 PM	0	6.842	47.5	73.6	0
4/25/2023, 6:49:01 PM	0	6.842	47.3	73.8	0
4/25/2023, 6:59:01 PM	0	6.842	47.3	74	0
4/25/2023, 7:09:01 PM	0	6.842	47.1	74	0
4/25/2023, 7:19:01 PM	0	6.842	46.9	74.3	0
4/25/2023, 7:29:01 PM	0	6.842	46.8	74.5	0
4/25/2023, 7:39:01 PM	0	6.842	46.6	74.8	0
4/25/2023, 7:49:01 PM	0	6.842	46.4	75.1	0
4/25/2023, 7:59:01 PM	0	6.842	46	75.3	0
4/25/2023, 8:09:01 PM	0	6.842	45.7	75.7	0
4/25/2023, 8:19:01 PM	0	6.842	45.3	76.2	0
4/25/2023, 8:29:01 PM	0	6.842	45	76.6	0
4/25/2023, 8:39:01 PM	0	6.842	44.8	77	0
4/25/2023, 8:49:01 PM	0	6.842	44.6	77.5	0
4/25/2023, 8:59:01 PM	0	6.842	44.2	77.9	0
4/25/2023, 9:09:01 PM	0	6.842	44.1	78.2	0
4/25/2023, 9:19:01 PM	0	6.842	43.5	78.5	0
4/25/2023, 9:29:01 PM	0	6.842	43.2	78.9	0
4/25/2023, 9:39:01 PM	0	6.842	42.8	79.4	0
4/25/2023, 9:49:01 PM	0	6.833	42.6	79.9	0
4/25/2023, 9:59:01 PM	0	6.833	42.4	80.4	0
4/25/2023, 10:09:01 PM	0	6.833	42.3	80.8	0
4/25/2023, 10:19:01 PM	0	6.833	42.1	81.2	0
4/25/2023, 10:29:01 PM	0	6.833	41.9	81.6	0
4/25/2023, 10:39:01 PM	0	6.833	41.9	82	0
4/25/2023, 10:49:01 PM	0	6.833	41.7	82.4	0
4/25/2023, 10:59:01 PM	0	6.833	41.7	82.8	0
4/25/2023, 11:09:01 PM	0	6.833	41.7	83.1	0
4/25/2023, 11:19:01 PM	0	6.833	41.7	83.3	0
4/25/2023, 11:29:01 PM	0	6.833	41.5	83.6	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/25/2023, 11:39:01 PM	0	6.833	41.4	83.9	0
4/25/2023, 11:49:01 PM	0	6.833	41.2	84.2	0
4/25/2023, 11:59:01 PM	0	6.833	41.2	84.6	0
4/26/2023, 12:09:01 AM	0	6.833	41	85	0
4/26/2023, 12:19:01 AM	0	6.833	41	85.3	0
4/26/2023, 12:29:01 AM	0	6.833	41	85.7	0
4/26/2023, 12:39:01 AM	0	6.833	41	86	0
4/26/2023, 12:49:01 AM	0	6.833	41	86.3	0
4/26/2023, 12:59:01 AM	0	6.833	40.8	86.5	0
4/26/2023, 1:09:01 AM	0	6.833	40.8	86.7	0
4/26/2023, 1:19:01 AM	0	6.833	40.8	86.9	0
4/26/2023, 1:29:01 AM	0	6.833	40.6	87	0
4/26/2023, 1:39:01 AM	0	6.833	40.6	87.2	0
4/26/2023, 1:49:01 AM	0	6.833	40.6	87.4	0
4/26/2023, 1:59:01 AM	0	6.833	40.6	87.5	0
4/26/2023, 2:09:01 AM	0	6.833	40.6	87.5	0
4/26/2023, 2:19:01 AM	0	6.833	40.6	87.6	0
4/26/2023, 2:29:01 AM	0	6.833	40.6	87.7	0
4/26/2023, 2:39:01 AM	0	6.833	40.8	87.8	0
4/26/2023, 2:49:01 AM	0	6.833	40.8	88	0
4/26/2023, 2:59:01 AM	0	6.833	40.8	88.2	0
4/26/2023, 3:09:01 AM	0	6.833	41	88.4	0
4/26/2023, 3:19:01 AM	0	6.833	41	88.4	0
4/26/2023, 3:29:01 AM	0	6.833	41	88.5	0
4/26/2023, 3:39:01 AM	0	6.833	40.8	88.6	0
4/26/2023, 3:49:01 AM	0	6.833	40.8	88.7	0
4/26/2023, 3:59:01 AM	0	6.833	40.8	88.8	0
4/26/2023, 4:09:01 AM	0	6.833	40.8	88.8	0
4/26/2023, 4:19:01 AM	0	6.833	40.8	88.8	0
4/26/2023, 4:29:01 AM	0	6.833	40.6	88.7	0
4/26/2023, 4:39:01 AM	0	6.833	40.6	88.7	0
4/26/2023, 4:49:01 AM	0	6.833	40.5	88.8	0
4/26/2023, 4:59:01 AM	0	6.833	40.3	88.9	0
4/26/2023, 5:09:01 AM	0	6.833	40.3	89	0
4/26/2023, 5:19:01 AM	0	6.833	40.3	89.2	0
4/26/2023, 5:29:01 AM	0	6.833	40.3	89.3	0
4/26/2023, 5:39:01 AM	0	6.833	40.1	89.4	0
4/26/2023, 5:49:01 AM	0	6.833	40.1	89.5	0
4/26/2023, 5:59:01 AM	0	6.833	40.1	89.5	0
4/26/2023, 6:09:01 AM	0	6.833	39.9	89.5	0
4/26/2023, 6:19:01 AM	0	6.825	39.9	89.5	0
4/26/2023, 6:29:01 AM	0	6.825	39.9	89.6	0
4/26/2023, 6:39:01 AM	0	6.833	39.7	89.7	0
4/26/2023, 6:49:01 AM	0	6.825	39.7	89.7	0
4/26/2023, 6:59:01 AM	0	6.825	39.7	89.7	0
4/26/2023, 7:09:01 AM	0	6.825	39.7	89.8	0
4/26/2023, 7:19:01 AM	0	6.825	39.6	89.8	0
4/26/2023, 7:29:01 AM	0	6.825	39.6	89.9	0
4/26/2023, 7:39:01 AM	0	6.825	39.6	89.9	0
4/26/2023, 7:49:01 AM	0	6.825	39.4	89.8	0
4/26/2023, 7:59:01 AM	0	6.825	39.4	89.9	0
4/26/2023, 8:09:01 AM	0	6.825	39.2	90	0
4/26/2023, 8:19:01 AM	0	6.825	39.2	90	0
4/26/2023, 8:29:01 AM	0	6.825	39.2	90	0
4/26/2023, 8:39:01 AM	0	6.825	39.2	89.9	0
4/26/2023, 8:49:01 AM	0	6.825	39.2	89.9	0
4/26/2023, 8:59:01 AM	0	6.825	39.2	89.8	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/26/2023, 9:09:01 AM	0	6.825	39.2	89.9	0
4/26/2023, 9:19:01 AM	0	6.825	39.4	89.8	0
4/26/2023, 9:29:01 AM	0	6.825	39.6	89.7	0
4/26/2023, 9:39:01 AM	0	6.825	39.6	89.5	0
4/26/2023, 9:49:01 AM	0	6.825	39.7	89.5	0
4/26/2023, 9:59:01 AM	0	6.825	40.3	89.3	0
4/26/2023, 10:09:01 AM	0	6.825	40.8	89.1	0
4/26/2023, 10:19:01 AM	0	6.825	41.2	88.7	0
4/26/2023, 10:29:01 AM	0	6.833	41.5	88.3	0
4/26/2023, 10:39:01 AM	0	6.833	41.9	87.9	0
4/26/2023, 10:49:01 AM	0	6.833	42.3	87.7	0
4/26/2023, 10:59:01 AM	0	6.833	42.6	87.5	0
4/26/2023, 11:09:01 AM	0	6.833	43	87.3	0
4/26/2023, 11:19:01 AM	0	6.833	43.3	86.8	0
4/26/2023, 11:29:01 AM	0	6.833	43.7	86.5	0
4/26/2023, 11:39:01 AM	0	6.833	44.2	86.3	0
4/26/2023, 11:49:01 AM	0	6.833	45	85.9	0
4/26/2023, 11:59:01 AM	0	6.842	45.7	85.7	0
4/26/2023, 12:09:01 PM	0	6.842	46.4	85.5	0
4/26/2023, 12:19:01 PM	0	6.842	46.9	84.9	0
4/26/2023, 12:29:01 PM	0	6.842	46.9	84.2	0
4/26/2023, 12:39:01 PM	0	6.842	46.8	83.9	0
4/26/2023, 12:49:01 PM	0	6.842	46.6	83.6	0
4/26/2023, 12:59:01 PM	0	6.842	46.4	83.3	0
4/26/2023, 1:09:01 PM	0	6.842	46.8	83.2	0
4/26/2023, 1:19:01 PM	0	6.842	47.7	83	0
4/26/2023, 1:29:01 PM	0	6.842	48.4	83	0
4/26/2023, 1:39:01 PM	0	6.851	49.1	82	0
4/26/2023, 1:49:01 PM	0	6.851	49.5	81.2	0
4/26/2023, 1:59:01 PM	0	6.851	50	80.8	0
4/26/2023, 2:09:01 PM	0	6.851	50.4	80.4	0
4/26/2023, 2:19:01 PM	0	6.851	51.8	80	0
4/26/2023, 2:29:01 PM	0	6.851	52.9	78.9	0
4/26/2023, 2:39:01 PM	0	6.851	53.2	77.6	0
4/26/2023, 2:49:01 PM	0	6.851	54.1	76.6	0
4/26/2023, 2:59:01 PM	0	6.86	54.3	75.2	0
4/26/2023, 3:09:01 PM	0	6.86	54.3	73.6	0
4/26/2023, 3:19:01 PM	0	6.86	54.7	72.5	0
4/26/2023, 3:29:01 PM	0	6.86	55.4	71.2	0
4/26/2023, 3:39:01 PM	0	6.86	56.7	70.2	0
4/26/2023, 3:49:01 PM	0	6.86	57.4	68.9	0
4/26/2023, 3:59:01 PM	0	6.86	57.7	67.6	0
4/26/2023, 4:09:01 PM	0	6.86	57.6	66.8	0
4/26/2023, 4:19:01 PM	0	6.86	56.8	66.1	0
4/26/2023, 4:29:01 PM	0	6.86	56.7	65.8	0
4/26/2023, 4:39:01 PM	0	6.86	56.5	65.4	0
4/26/2023, 4:49:01 PM	0	6.86	57.4	65.1	0
4/26/2023, 4:59:01 PM	0	6.869	57.4	64.7	0
4/26/2023, 5:09:01 PM	0	6.869	57.4	64.5	0
4/26/2023, 5:19:01 PM	0	6.869	57.4	64.7	0
4/26/2023, 5:29:01 PM	0	6.869	57.7	64.5	0
4/26/2023, 5:39:01 PM	0	6.869	57.4	64.2	0
4/26/2023, 5:49:01 PM	0	6.869	58.1	64.1	0
4/26/2023, 5:59:01 PM	0	6.869	58.5	63.5	0
4/26/2023, 6:09:01 PM	0	6.869	58.1	63.2	0
4/26/2023, 6:19:01 PM	0	6.869	57.2	63.2	0
4/26/2023, 6:29:01 PM	0	6.869	56.8	63.2	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/26/2023, 6:39:01 PM	0	6.869	56.3	63.2	0
4/26/2023, 6:49:01 PM	0	6.869	55.6	63.1	0
4/26/2023, 6:59:01 PM	0	6.86	55	62.9	0
4/26/2023, 7:09:01 PM	0	6.869	54.7	63.1	0
4/26/2023, 7:19:01 PM	0	6.86	54.1	63.1	0
4/26/2023, 7:29:01 PM	0	6.86	53.6	63.1	0
4/26/2023, 7:39:01 PM	0	6.86	53.1	63.1	0
4/26/2023, 7:49:01 PM	0	6.86	52.5	63	0
4/26/2023, 7:59:01 PM	0	6.86	52.2	63.1	0
4/26/2023, 8:09:01 PM	0	6.86	51.6	63.3	0
4/26/2023, 8:19:01 PM	0	6.86	51.1	63.6	0
4/26/2023, 8:29:01 PM	0	6.86	50.7	63.9	0
4/26/2023, 8:39:01 PM	0	6.86	49.8	64.2	0
4/26/2023, 8:49:01 PM	0	6.86	49.1	64.6	0
4/26/2023, 8:59:01 PM	0	6.851	48.2	65	0
4/26/2023, 9:09:01 PM	0	6.851	47.5	65.1	0
4/26/2023, 9:19:01 PM	0	6.851	46.8	65.5	0
4/26/2023, 9:29:01 PM	0	6.851	45.9	66.3	0
4/26/2023, 9:39:01 PM	0	6.851	45	67	0
4/26/2023, 9:49:01 PM	0	6.851	44.1	67.9	0
4/26/2023, 9:59:01 PM	0	6.842	43	68.8	0
4/26/2023, 10:09:01 PM	0	6.842	42.1	69.6	0
4/26/2023, 10:19:01 PM	0	6.842	41.2	70.5	0
4/26/2023, 10:29:01 PM	0	6.842	40.5	71.4	0
4/26/2023, 10:39:01 PM	0	6.833	39.7	72.2	0
4/26/2023, 10:49:01 PM	0	6.833	39	73.1	0
4/26/2023, 10:59:01 PM	0	6.833	38.3	73.8	0
4/26/2023, 11:09:01 PM	0	6.833	37.6	74.5	0
4/26/2023, 11:19:01 PM	0	6.825	36.9	75.2	0
4/26/2023, 11:29:01 PM	0	6.825	36.3	76.1	0
4/26/2023, 11:39:01 PM	0	6.825	36	76.8	0
4/26/2023, 11:49:01 PM	0	6.825	35.4	77.4	0
4/26/2023, 11:59:01 PM	0	6.816	34.9	77.9	0
4/27/2023, 12:09:01 AM	0	6.816	34.3	78.4	0
4/27/2023, 12:19:01 AM	0	6.816	34	78.9	0
4/27/2023, 12:29:01 AM	0	6.816	33.4	79.4	0
4/27/2023, 12:39:01 AM	0	6.816	33.3	79.8	0
4/27/2023, 12:49:01 AM	0	6.816	32.7	80.1	0
4/27/2023, 12:59:01 AM	0	6.807	32.4	80.5	0
4/27/2023, 1:09:01 AM	0	6.807	32.2	80.9	0
4/27/2023, 1:19:01 AM	0	6.807	32	81.2	0
4/27/2023, 1:29:01 AM	0	6.807	31.8	81.5	0
4/27/2023, 1:39:01 AM	0	6.807	31.5	81.8	0
4/27/2023, 1:49:01 AM	0	6.807	31.3	82.1	0
4/27/2023, 1:59:01 AM	0	6.807	30.9	82.3	0
4/27/2023, 2:09:01 AM	0	6.807	30.6	82.6	0
4/27/2023, 2:19:01 AM	0	6.798	30.4	82.8	0
4/27/2023, 2:29:01 AM	0	6.798	30.2	83.1	0
4/27/2023, 2:39:01 AM	0	6.798	30	83.3	0
4/27/2023, 2:49:01 AM	0	6.798	29.7	83.4	0
4/27/2023, 2:59:01 AM	0	6.798	29.5	83.6	0
4/27/2023, 3:09:01 AM	0	6.798	29.5	83.8	0
4/27/2023, 3:19:01 AM	0	6.798	29.3	84	0
4/27/2023, 3:29:01 AM	0	6.798	29.1	84.2	0
4/27/2023, 3:39:01 AM	0	6.798	28.9	84.4	0
4/27/2023, 3:49:01 AM	0	6.798	28.8	84.5	0
4/27/2023, 3:59:01 AM	0	6.798	28.6	84.6	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/27/2023, 4:09:01 AM	0	6.798	28.4	84.8	0
4/27/2023, 4:19:01 AM	0	6.798	28.4	85.1	0
4/27/2023, 4:29:01 AM	0	6.798	28.2	85.3	0
4/27/2023, 4:39:01 AM	0	6.798	28	85.4	0
4/27/2023, 4:49:01 AM	0	6.798	27.9	85.4	0
4/27/2023, 4:59:01 AM	0	6.79	27.7	85.4	0
4/27/2023, 5:09:01 AM	0	6.79	27.7	85.6	0
4/27/2023, 5:19:01 AM	0	6.79	27.7	85.9	0
4/27/2023, 5:29:01 AM	0	6.79	27.7	86	0
4/27/2023, 5:39:01 AM	0	6.79	27.7	86.3	0
4/27/2023, 5:49:01 AM	0	6.79	27.9	86.7	0
4/27/2023, 5:59:01 AM	0	6.79	27.9	87	0
4/27/2023, 6:09:01 AM	0	6.79	28	87.2	0
4/27/2023, 6:19:01 AM	0	6.79	28.2	87.4	0
4/27/2023, 6:29:01 AM	0	6.79	28	87.4	0
4/27/2023, 6:39:01 AM	0	6.79	27.7	87.2	0
4/27/2023, 6:49:01 AM	0	6.79	27.5	87.1	0
4/27/2023, 6:59:01 AM	0	6.79	27.3	87	0
4/27/2023, 7:09:01 AM	0	6.79	27.1	87	0
4/27/2023, 7:19:01 AM	0	6.79	27.1	87	0
4/27/2023, 7:29:01 AM	0	6.79	27.1	87.1	0
4/27/2023, 7:39:01 AM	0	6.79	27.5	87.5	0
4/27/2023, 7:49:01 AM	0	6.79	27.9	88	0
4/27/2023, 7:59:01 AM	0	6.798	28.4	88.5	0
4/27/2023, 8:09:01 AM	0	6.798	29.3	89.1	0
4/27/2023, 8:19:01 AM	0	6.798	30.2	89.7	0
4/27/2023, 8:29:01 AM	0	6.798	31.3	90.3	0
4/27/2023, 8:39:01 AM	0	6.807	32.4	90.9	0
4/27/2023, 8:49:01 AM	0	6.807	33.4	91.4	0
4/27/2023, 8:59:01 AM	0	6.807	34.5	91.8	0
4/27/2023, 9:09:01 AM	0	6.816	36	92.3	0
4/27/2023, 9:19:01 AM	0	6.816	37.8	92.8	0
4/27/2023, 9:29:01 AM	0	6.825	39.6	93.3	0
4/27/2023, 9:39:01 AM	0	6.825	41.2	93.7	0
4/27/2023, 9:49:01 AM	0	6.833	42.8	94.1	0
4/27/2023, 9:59:01 AM	0	6.833	44.6	94.5	0
4/27/2023, 10:09:01 AM	0	6.842	46.2	94.1	0
4/27/2023, 10:19:01 AM	0	6.842	47.8	91.2	0
4/27/2023, 10:29:01 AM	0	6.842	49.6	88	0
4/27/2023, 10:39:01 AM	0	6.851	51.3	84.9	0
4/27/2023, 10:49:01 AM	0	6.851	53.1	81.7	0
4/27/2023, 10:59:01 AM	0	6.851	54.7	78.6	0
4/27/2023, 11:09:01 AM	0	6.86	56.1	75.8	0
4/27/2023, 11:19:01 AM	0	6.86	57.2	73.7	0
4/27/2023, 11:29:01 AM	0	6.86	58.3	71.8	0
4/27/2023, 11:39:01 AM	0	6.86	59.4	70.1	0
4/27/2023, 11:49:01 AM	0	6.869	59.7	68.6	0
4/27/2023, 11:59:01 AM	0	6.869	60.3	67.2	0
4/27/2023, 12:09:01 PM	0	6.869	60.8	65.8	0
4/27/2023, 12:19:01 PM	0	6.869	61.3	64.6	0
4/27/2023, 12:29:01 PM	0	6.869	61.9	63.4	0
4/27/2023, 12:39:01 PM	0	6.869	62.8	62.3	0
4/27/2023, 12:49:01 PM	0	6.869	63.3	61.2	0
4/27/2023, 12:59:01 PM	0	6.869	64	60.3	0
4/27/2023, 1:09:01 PM	0	6.869	64.6	59.4	0
4/27/2023, 1:19:01 PM	0	6.877	63.7	58.6	0
4/27/2023, 1:29:01 PM	0	6.877	63.5	57.9	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/27/2023, 1:39:01 PM	0	6.877	64.8	57.3	0
4/27/2023, 1:49:01 PM	0	6.877	65.8	56.8	0
4/27/2023, 1:59:01 PM	0	6.877	66.2	56.3	0
4/27/2023, 2:09:01 PM	0	6.877	66	55.8	0
4/27/2023, 2:19:01 PM	0	6.877	66	55.3	0
4/27/2023, 2:29:01 PM	0	6.877	66.6	54.8	0
4/27/2023, 2:39:01 PM	0	6.877	67.3	54.6	0
4/27/2023, 2:49:01 PM	0	6.877	67.8	54.1	0
4/27/2023, 2:59:01 PM	0	6.877	68.2	53.7	0
4/27/2023, 3:09:01 PM	0	6.877	68.5	53.3	0
4/27/2023, 3:19:01 PM	0	6.877	68.9	53.1	0
4/27/2023, 3:29:01 PM	0	6.877	69.8	52.9	0
4/27/2023, 3:39:01 PM	0	6.877	70.2	52.6	0
4/27/2023, 3:49:01 PM	0	6.877	70.5	52.3	0
4/27/2023, 3:59:01 PM	0	6.877	70.7	52	0
4/27/2023, 4:09:01 PM	0	6.877	70.7	51.8	0
4/27/2023, 4:19:01 PM	0	6.877	70.2	51.5	0
4/27/2023, 4:29:01 PM	0	6.886	70.3	51.5	0
4/27/2023, 4:39:01 PM	0	6.886	70.3	51.5	0
4/27/2023, 4:49:01 PM	0	6.886	69.8	51.8	0
4/27/2023, 4:59:01 PM	0	6.886	68.7	51.9	0
4/27/2023, 5:09:01 PM	0	6.886	67.3	52	0
4/27/2023, 5:19:01 PM	0	6.886	66.6	52.2	0
4/27/2023, 5:29:01 PM	0	6.877	65.8	52.3	0
4/27/2023, 5:39:01 PM	0	6.877	65.1	52.4	0
4/27/2023, 5:49:01 PM	0	6.877	64.6	52.7	0
4/27/2023, 5:59:01 PM	0	6.877	63.7	52.9	0
4/27/2023, 6:09:01 PM	0	6.877	63.1	53	0
4/27/2023, 6:19:01 PM	0	6.877	62.4	53.1	0
4/27/2023, 6:29:01 PM	0	6.877	61.7	53.2	0
4/27/2023, 6:39:01 PM	0	6.877	61.2	53.4	0
4/27/2023, 6:49:01 PM	0	6.877	60.8	53.6	0
4/27/2023, 6:59:01 PM	0	6.877	60.4	53.8	0
4/27/2023, 7:09:01 PM	0	6.877	60.3	53.9	0
4/27/2023, 7:19:01 PM	0	6.877	59.5	53.9	0
4/27/2023, 7:29:01 PM	0	6.877	59	54	0
4/27/2023, 7:39:01 PM	0	6.877	58.5	54	0
4/27/2023, 7:49:01 PM	0	6.869	58.1	54.1	0
4/27/2023, 7:59:01 PM	0	6.869	57.6	54.2	0
4/27/2023, 8:09:01 PM	0	6.869	57.2	54.3	0
4/27/2023, 8:19:01 PM	0	6.869	56.8	54.3	0
4/27/2023, 8:29:01 PM	0	6.869	56.1	54.3	0
4/27/2023, 8:39:01 PM	0	6.869	55	54.3	0
4/27/2023, 8:49:01 PM	0	6.869	54	54.4	0
4/27/2023, 8:59:01 PM	0	6.869	53.1	54.6	0
4/27/2023, 9:09:01 PM	0	6.869	52.2	54.9	0
4/27/2023, 9:19:01 PM	0	6.869	51.4	55.2	0
4/27/2023, 9:29:01 PM	0	6.86	50.7	55.5	0
4/27/2023, 9:39:01 PM	0	6.86	49.8	55.9	0
4/27/2023, 9:49:01 PM	0	6.86	49.3	56.2	0
4/27/2023, 9:59:01 PM	0	6.86	48.7	56.4	0
4/27/2023, 10:09:01 PM	0	6.86	48	56.6	0
4/27/2023, 10:19:01 PM	0	6.86	47.7	56.9	0
4/27/2023, 10:29:01 PM	0	6.86	47.1	57.1	0
4/27/2023, 10:39:01 PM	0	6.851	46.8	57.4	0
4/27/2023, 10:49:01 PM	0	6.851	46.4	57.6	0
4/27/2023, 10:59:01 PM	0	6.851	46	57.8	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/27/2023, 11:09:01 PM	0	6.851	45.7	58.1	0
4/27/2023, 11:19:01 PM	0	6.851	45.5	58.5	0
4/27/2023, 11:29:01 PM	0	6.851	45.1	58.9	0
4/27/2023, 11:39:01 PM	0	6.851	44.8	59.4	0
4/27/2023, 11:49:01 PM	0	6.851	44.6	59.8	0
4/27/2023, 11:59:01 PM	0	6.851	44.2	60.1	0
4/28/2023, 12:09:01 AM	0	6.851	44.1	60.5	0
4/28/2023, 12:19:01 AM	0	6.842	43.9	60.9	0
4/28/2023, 12:29:01 AM	0	6.842	43.7	61.4	0
4/28/2023, 12:39:01 AM	0	6.842	43.5	61.9	0
4/28/2023, 12:49:01 AM	0	6.842	43.2	62.8	0
4/28/2023, 12:59:01 AM	0	6.842	42.8	63.7	0
4/28/2023, 1:09:01 AM	0	6.842	42.3	64.3	0
4/28/2023, 1:19:01 AM	0	6.842	41.9	64.9	0
4/28/2023, 1:29:01 AM	0	6.842	41.5	65.6	0
4/28/2023, 1:39:01 AM	0	6.842	41	66.4	0
4/28/2023, 1:49:01 AM	0	6.842	40.8	67.1	0
4/28/2023, 1:59:01 AM	0	6.842	40.6	67.7	0
4/28/2023, 2:09:01 AM	0	6.842	40.6	68.2	0
4/28/2023, 2:19:01 AM	0	6.842	40.5	68.7	0
4/28/2023, 2:29:01 AM	0	6.833	40.3	69.3	0
4/28/2023, 2:39:01 AM	0	6.833	40.1	69.9	0
4/28/2023, 2:49:01 AM	0	6.833	40.1	70.6	0
4/28/2023, 2:59:01 AM	0	6.833	39.9	71.3	0
4/28/2023, 3:09:01 AM	0	6.833	39.9	71.9	0
4/28/2023, 3:19:01 AM	0	6.833	39.7	72.3	0
4/28/2023, 3:29:01 AM	0	6.833	39.6	72.8	0
4/28/2023, 3:39:01 AM	0	6.833	39.4	73.1	0
4/28/2023, 3:49:01 AM	0	6.833	39.2	73.6	0
4/28/2023, 3:59:01 AM	0	6.833	39	73.9	0
4/28/2023, 4:09:01 AM	0	6.833	38.8	74.4	0
4/28/2023, 4:19:01 AM	0	6.833	38.7	74.9	0
4/28/2023, 4:29:01 AM	0	6.833	38.7	75.5	0
4/28/2023, 4:39:01 AM	0	6.833	38.5	76.1	0
4/28/2023, 4:49:01 AM	0	6.833	38.5	76.6	0
4/28/2023, 4:59:01 AM	0	6.833	38.5	77	0
4/28/2023, 5:09:01 AM	0	6.833	38.5	77.3	0
4/28/2023, 5:19:01 AM	0	6.833	38.5	77.7	0
4/28/2023, 5:29:01 AM	0	6.833	38.5	78	0
4/28/2023, 5:39:01 AM	0	6.833	38.3	78.4	0
4/28/2023, 5:49:01 AM	0	6.833	38.3	79	0
4/28/2023, 5:59:01 AM	0	6.833	38.3	79.6	0
4/28/2023, 6:09:01 AM	0	6.833	38.5	80.2	0
4/28/2023, 6:19:01 AM	0	6.833	38.5	80.8	0
4/28/2023, 6:29:01 AM	0	6.833	38.7	81.6	0
4/28/2023, 6:39:01 AM	0	6.833	39.4	82.7	0
4/28/2023, 6:49:01 AM	0	6.833	40.3	83.5	0
4/28/2023, 6:59:01 AM	0	6.833	41	84.1	0
4/28/2023, 7:09:01 AM	0	6.833	41.7	84.4	0
4/28/2023, 7:19:01 AM	0	6.842	42.3	84.6	0
4/28/2023, 7:29:01 AM	0	6.842	42.6	84.9	0
4/28/2023, 7:39:01 AM	0	6.842	43.3	85.1	0
4/28/2023, 7:49:01 AM	0	6.842	44.1	85.2	0
4/28/2023, 7:59:01 AM	0	6.842	44.6	85.3	0
4/28/2023, 8:09:01 AM	0	6.842	45.3	85.3	0
4/28/2023, 8:19:01 AM	0	6.851	45.9	85.2	0
4/28/2023, 8:29:01 AM	0	6.851	46.6	85.1	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/28/2023, 8:39:01 AM	0	6.851	47.3	85	0
4/28/2023, 8:49:01 AM	0	6.851	48	84.8	0
4/28/2023, 8:59:01 AM	0	6.851	48.7	84.5	0
4/28/2023, 9:09:01 AM	0	6.851	49.6	84.1	0
4/28/2023, 9:19:01 AM	0	6.851	50.5	83.7	0
4/28/2023, 9:29:01 AM	0	6.851	51.4	83.1	0
4/28/2023, 9:39:01 AM	0	6.86	52.3	82.4	0
4/28/2023, 9:49:01 AM	0	6.86	53.1	81.7	0
4/28/2023, 9:59:01 AM	0	6.86	53.8	80.8	0
4/28/2023, 10:09:01 AM	0	6.86	54.7	79.9	0
4/28/2023, 10:19:01 AM	0	6.86	55.4	78.8	0
4/28/2023, 10:29:01 AM	0	6.86	56.1	77.9	0
4/28/2023, 10:39:01 AM	0	6.86	57.2	77	0
4/28/2023, 10:49:01 AM	0	6.869	58.3	75.9	0
4/28/2023, 10:59:01 AM	0	6.869	59	74.8	0
4/28/2023, 11:09:01 AM	0	6.869	59.7	73.8	0
4/28/2023, 11:19:01 AM	0	6.869	60.6	72.5	0
4/28/2023, 11:29:01 AM	0	6.869	61.3	71.4	0
4/28/2023, 11:39:01 AM	0	6.869	62.1	70.4	0
4/28/2023, 11:49:01 AM	0	6.869	62.8	69.5	0
4/28/2023, 11:59:01 AM	0	6.877	63.5	68.7	0
4/28/2023, 12:09:01 PM	0	6.877	64.2	67.9	0
4/28/2023, 12:19:01 PM	0	6.877	64.9	67	0
4/28/2023, 12:29:01 PM	0	6.877	65.1	66.2	0
4/28/2023, 12:39:01 PM	0	6.877	65.3	65.6	0
4/28/2023, 12:49:01 PM	0	6.877	65.7	65.3	0
4/28/2023, 12:59:01 PM	0	6.877	65.8	65	0
4/28/2023, 1:09:01 PM	0	6.877	66.2	64.6	0
4/28/2023, 1:19:01 PM	0	6.877	66.7	64.2	0
4/28/2023, 1:29:01 PM	0	6.877	66.9	63.7	0
4/28/2023, 1:39:01 PM	0	6.877	67.1	63.3	0
4/28/2023, 1:49:01 PM	0	6.877	67.1	63	0
4/28/2023, 1:59:01 PM	0	6.877	66.9	62.7	0
4/28/2023, 2:09:01 PM	0	6.877	66.6	62.6	0
4/28/2023, 2:19:01 PM	0	6.877	66.2	62.5	0
4/28/2023, 2:29:01 PM	0	6.877	65.8	62.6	0
4/28/2023, 2:39:01 PM	0	6.877	65.7	62.8	0
4/28/2023, 2:49:01 PM	0	6.877	65.5	62.9	0
4/28/2023, 2:59:01 PM	0	6.877	65.3	62.9	0
4/28/2023, 3:09:01 PM	0	6.877	64.9	63	0
4/28/2023, 3:19:01 PM	0	6.877	64.8	63.2	0
4/28/2023, 3:29:01 PM	0	6.877	64.6	63.3	0
4/28/2023, 3:39:01 PM	0	6.877	64.2	63.5	0
4/28/2023, 3:49:01 PM	0	6.877	64	63.6	0
4/28/2023, 3:59:01 PM	0	6.877	63.9	63.9	0
4/28/2023, 4:09:01 PM	0	6.877	63.5	64	0
4/28/2023, 4:19:01 PM	0	6.877	63.3	64.1	0
4/28/2023, 4:29:01 PM	0	6.877	63.1	64.3	0
4/28/2023, 4:39:01 PM	0	6.877	63	64.4	0
4/28/2023, 4:49:01 PM	0	6.877	62.8	64.6	0
4/28/2023, 4:59:01 PM	0	6.877	62.6	64.7	0
4/28/2023, 5:09:01 PM	0	6.877	62.4	64.9	0
4/28/2023, 5:19:01 PM	0	6.877	62.2	65.2	0
4/28/2023, 5:29:01 PM	0	6.877	62.2	65.3	0
4/28/2023, 5:39:01 PM	0	6.877	62.1	65.5	0
4/28/2023, 5:49:01 PM	0	6.877	61.9	65.5	0
4/28/2023, 5:59:01 PM	0	6.877	61.7	65.6	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/28/2023, 6:09:01 PM	0	6.877	61.7	65.8	0
4/28/2023, 6:19:01 PM	0	6.877	61.5	65.4	0
4/28/2023, 6:29:01 PM	0	6.877	61.2	65.1	0
4/28/2023, 6:39:01 PM	0	6.877	61	64.9	0
4/28/2023, 6:49:01 PM	0	6.877	60.8	64.8	0
4/28/2023, 6:59:01 PM	0	6.877	60.6	64.8	0
4/28/2023, 7:09:01 PM	0	6.877	60.4	64.8	0
4/28/2023, 7:19:01 PM	0	6.877	60.3	64.7	0
4/28/2023, 7:29:01 PM	0	6.877	60.3	64.5	0
4/28/2023, 7:39:01 PM	0	6.877	59.9	64.4	0
4/28/2023, 7:49:01 PM	0	6.877	59.5	64.5	0
4/28/2023, 7:59:01 PM	0	6.877	58.8	64.9	0
4/28/2023, 8:09:01 PM	0	6.877	58.3	65.4	0
4/28/2023, 8:19:01 PM	0	6.877	57.7	66	0
4/28/2023, 8:29:01 PM	0	6.877	57.2	66.7	0
4/28/2023, 8:39:01 PM	0	6.869	56.7	67.5	0
4/28/2023, 8:49:01 PM	0	6.869	55.9	68	0
4/28/2023, 8:59:01 PM	0	6.869	55	68.7	0
4/28/2023, 9:09:01 PM	0	6.869	54.3	69.6	0
4/28/2023, 9:19:01 PM	0	6.869	53.6	70.5	0
4/28/2023, 9:29:01 PM	0	6.869	52.9	71.3	0
4/28/2023, 9:39:01 PM	0	6.869	52.3	72.2	0
4/28/2023, 9:49:01 PM	0	6.869	52	72.9	0
4/28/2023, 9:59:01 PM	0	6.869	51.4	73.7	0
4/28/2023, 10:09:01 PM	0	6.86	50.9	74.7	0
4/28/2023, 10:19:01 PM	0	6.86	50.4	75.7	0
4/28/2023, 10:29:01 PM	0	6.86	50	76.6	0
4/28/2023, 10:39:01 PM	0	6.86	49.6	77.4	0
4/28/2023, 10:49:01 PM	0	6.86	49.3	78.1	0
4/28/2023, 10:59:01 PM	0	6.86	48.9	78.8	0
4/28/2023, 11:09:01 PM	0	6.86	48.7	79.4	0
4/28/2023, 11:19:01 PM	0	6.86	48.6	80.1	0
4/28/2023, 11:29:01 PM	0	6.86	48.4	80.7	0
4/28/2023, 11:39:01 PM	0	6.86	48.2	81.3	0
4/28/2023, 11:49:01 PM	0	6.86	48	81.9	0
4/28/2023, 11:59:01 PM	0	6.851	47.8	82.3	0
4/29/2023, 12:09:01 AM	0	6.851	47.7	82.8	0
4/29/2023, 12:19:01 AM	0	6.851	47.7	83.1	0
4/29/2023, 12:29:01 AM	0	6.851	47.5	83.6	0
4/29/2023, 12:39:01 AM	0	6.851	47.5	84	0
4/29/2023, 12:49:01 AM	0	6.851	47.3	84.3	0
4/29/2023, 12:59:01 AM	0	6.851	47.1	84.6	0
4/29/2023, 1:09:01 AM	0	6.851	46.9	84.9	0
4/29/2023, 1:19:01 AM	0	6.851	46.9	85.1	0
4/29/2023, 1:29:01 AM	0	6.851	46.9	85.3	0
4/29/2023, 1:39:01 AM	0	6.851	46.9	85.5	0
4/29/2023, 1:49:01 AM	0	6.851	46.8	85.7	0
4/29/2023, 1:59:01 AM	0	6.851	46.6	85.8	0
4/29/2023, 2:09:01 AM	0	6.851	46.6	85.9	0
4/29/2023, 2:19:01 AM	0	6.851	46.4	86	0
4/29/2023, 2:29:01 AM	0	6.851	46.4	86.1	0
4/29/2023, 2:39:01 AM	0	6.851	46.2	86.2	0
4/29/2023, 2:49:01 AM	0	6.851	46.2	86.3	0
4/29/2023, 2:59:01 AM	0	6.851	46.2	86.4	0
4/29/2023, 3:09:01 AM	0	6.851	46.2	86.3	0
4/29/2023, 3:19:01 AM	0	6.851	46	86.4	0
4/29/2023, 3:29:01 AM	0	6.851	46	86.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/29/2023, 3:39:01 AM	0	6.851	46	86.3	0
4/29/2023, 3:49:01 AM	0	6.851	46	86.2	0
4/29/2023, 3:59:01 AM	0	6.851	46.2	86	0
4/29/2023, 4:09:01 AM	0	6.851	46.2	85.7	0
4/29/2023, 4:19:01 AM	0	6.851	46.4	85.5	0
4/29/2023, 4:29:01 AM	0	6.851	46.4	85.2	0
4/29/2023, 4:39:01 AM	0	6.851	46.2	85.1	0
4/29/2023, 4:49:01 AM	0	6.851	46	85.2	0
4/29/2023, 4:59:01 AM	0	6.851	45.9	85.5	0
4/29/2023, 5:09:01 AM	0	6.851	45.7	85.7	0
4/29/2023, 5:19:01 AM	0	6.851	45.5	85.9	0
4/29/2023, 5:29:01 AM	0	6.851	45.3	86.1	0
4/29/2023, 5:39:01 AM	0	6.851	45.3	86.5	0
4/29/2023, 5:49:01 AM	0	6.851	45.1	86.8	0
4/29/2023, 5:59:01 AM	0	6.851	45.1	87	0
4/29/2023, 6:09:01 AM	0	6.851	45	87.4	0
4/29/2023, 6:19:01 AM	0	6.851	45	87.7	0
4/29/2023, 6:29:01 AM	0	6.851	44.8	88.1	0
4/29/2023, 6:39:01 AM	0	6.851	44.8	88.3	0
4/29/2023, 6:49:01 AM	0	6.851	44.8	88.6	0
4/29/2023, 6:59:01 AM	0	6.851	44.8	88.8	0
4/29/2023, 7:09:01 AM	0	6.851	44.8	89	0
4/29/2023, 7:19:01 AM	0	6.842	44.8	89.1	0
4/29/2023, 7:29:01 AM	0	6.851	44.8	89.3	0
4/29/2023, 7:39:01 AM	0	6.842	44.8	89.4	0
4/29/2023, 7:49:01 AM	0	6.851	45	89.5	0
4/29/2023, 7:59:01 AM	0	6.851	45	89.6	0
4/29/2023, 8:09:01 AM	0	6.851	45.1	89.5	0
4/29/2023, 8:19:01 AM	0	6.851	45.1	89.5	0
4/29/2023, 8:29:01 AM	0	6.851	45.3	89.4	0
4/29/2023, 8:39:01 AM	0	6.851	45.3	89.3	0
4/29/2023, 8:49:01 AM	0	6.851	45.5	89.2	0
4/29/2023, 8:59:01 AM	0	6.851	45.5	89.2	0
4/29/2023, 9:09:01 AM	0	6.851	45.5	89.2	0
4/29/2023, 9:19:01 AM	0	6.851	45.5	89.2	0
4/29/2023, 9:29:01 AM	0	6.851	45.5	89.3	0
4/29/2023, 9:39:01 AM	0	6.851	45.7	89.3	0
4/29/2023, 9:49:01 AM	0	6.851	45.7	89.4	0
4/29/2023, 9:59:01 AM	0	6.851	45.7	89.4	0
4/29/2023, 10:09:01 AM	0	6.851	45.9	89.4	0
4/29/2023, 10:19:01 AM	0	6.851	46	89.5	0
4/29/2023, 10:29:01 AM	0	6.851	46.2	89.6	0
4/29/2023, 10:39:01 AM	0	6.851	46.4	89.7	0
4/29/2023, 10:49:01 AM	0	6.851	46.8	89.9	0
4/29/2023, 10:59:01 AM	0	6.851	46.9	90	0
4/29/2023, 11:09:01 AM	0	6.851	46.9	90.2	0
4/29/2023, 11:19:01 AM	0	6.851	47.3	90.3	0
4/29/2023, 11:29:01 AM	0	6.851	47.5	90.4	0
4/29/2023, 11:39:01 AM	0	6.851	48	90.4	0
4/29/2023, 11:49:01 AM	0	6.851	48.4	90.3	0
4/29/2023, 11:59:01 AM	0	6.851	48.9	90.2	0
4/29/2023, 12:09:01 PM	0	6.851	49.5	90.2	0
4/29/2023, 12:19:01 PM	0	6.851	50.4	90.1	0
4/29/2023, 12:29:01 PM	0	6.86	51.1	89.9	0
4/29/2023, 12:39:01 PM	0	6.86	52.2	89.7	0
4/29/2023, 12:49:01 PM	0	6.86	52.9	89.1	0
4/29/2023, 12:59:01 PM	0	6.86	53.4	88.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/29/2023, 1:09:01 PM	0	6.86	53.6	87.6	0
4/29/2023, 1:19:01 PM	0	6.86	54	86.9	0
4/29/2023, 1:29:01 PM	0	6.86	54.3	86.2	0
4/29/2023, 1:39:01 PM	0	6.86	54.9	85.6	0
4/29/2023, 1:49:01 PM	0	6.86	55.8	85.1	0
4/29/2023, 1:59:01 PM	0	6.869	56.7	84.4	0
4/29/2023, 2:09:01 PM	0	6.869	57.2	83.5	0
4/29/2023, 2:19:01 PM	0	6.869	57.6	82.7	0
4/29/2023, 2:29:01 PM	0	6.869	57.6	82	0
4/29/2023, 2:39:01 PM	0	6.869	57.4	81.6	0
4/29/2023, 2:49:01 PM	0	6.869	57.4	81.2	0
4/29/2023, 2:59:01 PM	0	6.869	57.7	80.9	0
4/29/2023, 3:09:01 PM	0	6.869	58.1	80.7	0
4/29/2023, 3:19:01 PM	0	6.869	58.3	80.1	0
4/29/2023, 3:29:01 PM	0	6.869	58.1	79.8	0
4/29/2023, 3:39:01 PM	0	6.869	58.6	79.7	0
4/29/2023, 3:49:01 PM	0	6.869	59.5	79.3	0
4/29/2023, 3:59:01 PM	0	6.869	60.1	78.8	0
4/29/2023, 4:09:01 PM	0	6.877	60.3	78.2	0
4/29/2023, 4:19:01 PM	0	6.869	60.6	77.8	0
4/29/2023, 4:29:01 PM	0	6.869	61.7	77.4	0
4/29/2023, 4:39:01 PM	0	6.877	62.8	76.8	0
4/29/2023, 4:49:01 PM	0	6.877	63.9	76.1	0
4/29/2023, 4:59:01 PM	0	6.877	63.5	75.3	0
4/29/2023, 5:09:01 PM	0	6.877	64	75.2	0
4/29/2023, 5:19:01 PM	0	6.877	64.8	74.8	0
4/29/2023, 5:29:01 PM	0	6.877	64.4	74.3	0
4/29/2023, 5:39:01 PM	0	6.877	64.2	74	0
4/29/2023, 5:49:01 PM	0	6.877	64.4	73.9	0
4/29/2023, 5:59:01 PM	0	6.877	64.8	73.6	0
4/29/2023, 6:09:01 PM	0	6.877	64.9	73.5	0
4/29/2023, 6:19:01 PM	0	6.877	65.1	73.2	0
4/29/2023, 6:29:01 PM	0	6.877	64.9	73.1	0
4/29/2023, 6:39:01 PM	0	6.877	64.6	72.8	0
4/29/2023, 6:49:01 PM	0	6.877	63.9	73	0
4/29/2023, 6:59:01 PM	0	6.877	63.1	73.1	0
4/29/2023, 7:09:01 PM	0	6.877	62.4	73.5	0
4/29/2023, 7:19:01 PM	0	6.877	61.7	74	0
4/29/2023, 7:29:01 PM	0	6.877	61	74.6	0
4/29/2023, 7:39:01 PM	0	6.877	60.4	75.1	0
4/29/2023, 7:49:01 PM	0	6.877	60.1	75.6	0
4/29/2023, 7:59:01 PM	0	6.877	59.5	76.2	0
4/29/2023, 8:09:01 PM	0	6.877	59	76.7	0
4/29/2023, 8:19:01 PM	0	6.877	58.6	77.3	0
4/29/2023, 8:29:01 PM	0	6.877	58.3	77.8	0
4/29/2023, 8:39:01 PM	0	6.877	58.1	78.3	0
4/29/2023, 8:49:01 PM	0	6.877	57.9	78.7	0
4/29/2023, 8:59:01 PM	0	6.869	57.6	79.1	0
4/29/2023, 9:09:01 PM	0	6.869	57.4	79.5	0
4/29/2023, 9:19:01 PM	0	6.869	57.2	79.9	0
4/29/2023, 9:29:01 PM	0	6.869	57	80.3	0
4/29/2023, 9:39:01 PM	0	6.869	56.8	80.7	0
4/29/2023, 9:49:01 PM	0	6.869	56.7	81.1	0
4/29/2023, 9:59:01 PM	0	6.869	56.7	81.3	0
4/29/2023, 10:09:01 PM	0	6.869	56.5	81.6	0
4/29/2023, 10:19:01 PM	0	6.869	56.3	82.1	0
4/29/2023, 10:29:01 PM	0	6.869	55.9	82.6	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/29/2023, 10:39:01 PM	0	6.869	55.6	83.2	0
4/29/2023, 10:49:01 PM	0	6.869	55.4	83.7	0
4/29/2023, 10:59:01 PM	0	6.869	55	84.2	0
4/29/2023, 11:09:01 PM	0	6.869	54.9	84.7	0
4/29/2023, 11:19:01 PM	0	6.869	54.9	85.1	0
4/29/2023, 11:29:01 PM	0	6.869	54.7	85.6	0
4/29/2023, 11:39:01 PM	0	6.869	54.5	85.9	0
4/29/2023, 11:49:01 PM	0	6.869	54.3	86.3	0
4/29/2023, 11:59:01 PM	0	6.869	54.1	86.6	0
4/30/2023, 12:09:01 AM	0	6.869	54.1	87	0
4/30/2023, 12:19:01 AM	0	6.869	54	87.3	0
4/30/2023, 12:29:01 AM	0	6.869	54	87.5	0
4/30/2023, 12:39:01 AM	0	6.869	53.8	87.8	0
4/30/2023, 12:49:01 AM	0	6.869	53.8	88	0
4/30/2023, 12:59:01 AM	0	6.869	53.8	88.2	0
4/30/2023, 1:09:01 AM	0	6.869	53.8	88.4	0
4/30/2023, 1:19:01 AM	0	6.869	53.8	88.5	0
4/30/2023, 1:29:01 AM	0	6.869	53.8	88.5	0
4/30/2023, 1:39:01 AM	0	6.869	53.8	88.6	0
4/30/2023, 1:49:01 AM	0	6.869	53.8	88.6	0
4/30/2023, 1:59:01 AM	0	6.869	53.8	88.6	0
4/30/2023, 2:09:01 AM	0	6.869	53.6	88.6	0
4/30/2023, 2:19:01 AM	0	6.869	53.6	88.6	0
4/30/2023, 2:29:01 AM	0	6.869	53.8	88.5	0
4/30/2023, 2:39:01 AM	0	6.869	53.8	88.5	0
4/30/2023, 2:49:01 AM	0	6.869	53.8	88.4	0
4/30/2023, 2:59:01 AM	0	6.869	53.6	88.3	0
4/30/2023, 3:09:01 AM	0	6.869	53.6	88.2	0
4/30/2023, 3:19:01 AM	0	6.869	53.4	88.2	0
4/30/2023, 3:29:01 AM	0	6.869	53.2	88.2	0
4/30/2023, 3:39:01 AM	0	6.869	52.9	88.2	0
4/30/2023, 3:49:01 AM	0	6.869	52.7	88.3	0
4/30/2023, 3:59:01 AM	0	6.869	52.3	88.6	0
4/30/2023, 4:09:01 AM	0	6.86	52.2	88.8	0
4/30/2023, 4:19:01 AM	0	6.86	52	89.1	0
4/30/2023, 4:29:01 AM	0	6.86	51.8	89.3	0
4/30/2023, 4:39:01 AM	0	6.86	51.6	89.5	0
4/30/2023, 4:49:01 AM	0	6.86	51.4	89.7	0
4/30/2023, 4:59:01 AM	0	6.86	51.3	89.9	0
4/30/2023, 5:09:01 AM	0	6.86	51.1	90.1	0
4/30/2023, 5:19:01 AM	0	6.86	51.1	90.3	0
4/30/2023, 5:29:01 AM	0	6.86	50.9	90.4	0
4/30/2023, 5:39:01 AM	0	6.86	50.7	90.5	0
4/30/2023, 5:49:01 AM	0	6.86	50.7	90.8	0
4/30/2023, 5:59:01 AM	0	6.86	50.7	90.9	0
4/30/2023, 6:09:01 AM	0	6.86	50.7	90.9	0
4/30/2023, 6:19:01 AM	0	6.86	50.5	91	0
4/30/2023, 6:29:01 AM	0	6.86	50.4	91	0
4/30/2023, 6:39:01 AM	0	6.86	50.4	91.1	0
4/30/2023, 6:49:01 AM	0	6.86	50.4	91.3	0
4/30/2023, 6:59:01 AM	0	6.86	50.4	91.4	0
4/30/2023, 7:09:01 AM	0	6.86	50.5	91.6	0
4/30/2023, 7:19:01 AM	0	6.86	50.7	91.6	0
4/30/2023, 7:29:01 AM	0	6.86	50.7	91.6	0
4/30/2023, 7:39:01 AM	0	6.86	50.9	91.5	0
4/30/2023, 7:49:01 AM	0	6.86	51.1	91.5	0
4/30/2023, 7:59:01 AM	0	6.86	51.1	91.4	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/30/2023, 8:09:01 AM	0	6.86	51.3	91.3	0
4/30/2023, 8:19:01 AM	0	6.86	51.4	91.2	0
4/30/2023, 8:29:01 AM	0	6.86	51.6	91.1	0
4/30/2023, 8:39:01 AM	0	6.86	51.8	91.1	0
4/30/2023, 8:49:01 AM	0	6.86	52	90.9	0
4/30/2023, 8:59:01 AM	0	6.86	52.2	90.8	0
4/30/2023, 9:09:01 AM	0	6.86	52.3	90.7	0
4/30/2023, 9:19:01 AM	0	6.86	52.3	90.6	0
4/30/2023, 9:29:01 AM	0	6.86	52.3	90.6	0
4/30/2023, 9:39:01 AM	0	6.86	52.3	90.8	0
4/30/2023, 9:49:01 AM	0	6.86	52.3	91	0
4/30/2023, 9:59:01 AM	0	6.86	52.3	91.3	0
4/30/2023, 10:09:01 AM	0	6.86	52.5	91.6	0
4/30/2023, 10:19:01 AM	0	6.86	52.7	91.8	0
4/30/2023, 10:29:01 AM	0	6.86	52.9	92	0
4/30/2023, 10:39:01 AM	0	6.86	52.9	92	0
4/30/2023, 10:49:01 AM	0	6.86	53.1	92.1	0
4/30/2023, 10:59:01 AM	0	6.86	53.1	92.1	0
4/30/2023, 11:09:01 AM	0	6.86	53.2	92.2	0
4/30/2023, 11:19:01 AM	0	6.86	53.4	92.3	0
4/30/2023, 11:29:01 AM	0	6.86	53.4	92.3	0
4/30/2023, 11:39:01 AM	0	6.86	53.6	92.4	0
4/30/2023, 11:49:01 AM	0	6.86	53.6	92.4	0
4/30/2023, 11:59:01 AM	0	6.86	53.8	92.6	0
4/30/2023, 12:09:01 PM	0	6.86	53.8	92.6	0
4/30/2023, 12:19:01 PM	0	6.869	54	92.7	0
4/30/2023, 12:29:01 PM	0	6.869	54.1	92.9	0
4/30/2023, 12:39:01 PM	0	6.869	54.3	93	0
4/30/2023, 12:49:01 PM	0	6.869	54.5	93.1	0
4/30/2023, 12:59:01 PM	0	6.869	54.7	93.2	0
4/30/2023, 1:09:01 PM	0	6.869	54.9	93.1	0
4/30/2023, 1:19:01 PM	0	6.869	55	93.1	0
4/30/2023, 1:29:01 PM	0	6.869	55	92.9	0
4/30/2023, 1:39:01 PM	0	6.869	55	92.9	0
4/30/2023, 1:49:01 PM	0	6.869	55	92.9	0
4/30/2023, 1:59:01 PM	0	6.869	55	92.9	0
4/30/2023, 2:09:01 PM	0	6.869	55.2	92.9	0
4/30/2023, 2:19:01 PM	0	6.869	55.2	93	0
4/30/2023, 2:29:01 PM	0	6.869	55.4	93.1	0
4/30/2023, 2:39:01 PM	0	6.869	55.4	93.2	0
4/30/2023, 2:49:01 PM	0	6.869	55.6	93.2	0
4/30/2023, 2:59:01 PM	0	6.869	55.6	93.2	0
4/30/2023, 3:09:01 PM	0	6.869	55.6	93.3	0
4/30/2023, 3:19:01 PM	0	6.869	55.8	93.3	0
4/30/2023, 3:29:01 PM	0	6.869	55.8	93.3	0
4/30/2023, 3:39:01 PM	0	6.869	55.9	93.4	0
4/30/2023, 3:49:01 PM	0	6.869	55.9	93.3	0
4/30/2023, 3:59:01 PM	0	6.869	55.9	93.2	0
4/30/2023, 4:09:01 PM	0	6.869	55.9	93.2	0
4/30/2023, 4:19:01 PM	0	6.869	55.9	93.2	0
4/30/2023, 4:29:01 PM	0	6.869	55.9	93.2	0
4/30/2023, 4:39:01 PM	0	6.869	55.9	93.1	0
4/30/2023, 4:49:01 PM	0	6.869	55.9	92.8	0
4/30/2023, 4:59:01 PM	0	6.869	55.8	92.6	0
4/30/2023, 5:09:01 PM	0	6.869	55.6	92.6	0
4/30/2023, 5:19:01 PM	0	6.869	55.6	92.6	0
4/30/2023, 5:29:01 PM	0	6.869	55.4	92.6	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/30/2023, 5:39:01 PM	0	6.869	55.2	92.7	0
4/30/2023, 5:49:01 PM	0	6.869	55.2	92.8	0
4/30/2023, 5:59:01 PM	0	6.869	55	92.9	0
4/30/2023, 6:09:01 PM	0	6.869	55	93	0
4/30/2023, 6:19:01 PM	0	6.869	55	93.2	0
4/30/2023, 6:29:01 PM	0	6.869	54.9	93.4	0
4/30/2023, 6:39:01 PM	0	6.869	54.9	93.5	0
4/30/2023, 6:49:01 PM	0	6.869	54.9	93.6	0
4/30/2023, 6:59:01 PM	0	6.869	54.9	93.8	0
4/30/2023, 7:09:01 PM	0	6.869	54.9	94	0
4/30/2023, 7:19:01 PM	0	6.869	54.9	94.2	0
4/30/2023, 7:29:01 PM	0	6.869	55	94.4	0
4/30/2023, 7:39:01 PM	0	6.869	55	94.6	0
4/30/2023, 7:49:01 PM	0	6.869	55	94.6	0
4/30/2023, 7:59:01 PM	0	6.869	54.9	94.5	0
4/30/2023, 8:09:01 PM	0	6.869	54.9	94.3	0
4/30/2023, 8:19:01 PM	0	6.869	54.7	94.2	0
4/30/2023, 8:29:01 PM	0	6.869	54.5	94.2	0
4/30/2023, 8:39:01 PM	0	6.869	54.3	93.8	0
4/30/2023, 8:49:01 PM	0	6.869	53.8	93.4	0
4/30/2023, 8:59:01 PM	0	6.869	53.2	92.7	0
4/30/2023, 9:09:01 PM	0	6.869	52.3	91.8	0
4/30/2023, 9:19:01 PM	0	6.86	51.4	91.3	0
4/30/2023, 9:29:01 PM	0	6.86	50.7	91	0
4/30/2023, 9:39:01 PM	0	6.86	50	90.9	0
4/30/2023, 9:49:01 PM	0	6.86	49.5	90.8	0
4/30/2023, 9:59:01 PM	0	6.86	48.9	90.9	0
4/30/2023, 10:09:01 PM	0	6.86	48.6	90.8	0
4/30/2023, 10:19:01 PM	0	6.86	48.2	90.8	0
4/30/2023, 10:29:01 PM	0	6.86	47.8	90.8	0
4/30/2023, 10:39:01 PM	0	6.851	47.5	90.9	0
4/30/2023, 10:49:01 PM	0	6.851	47.3	91	0
4/30/2023, 10:59:01 PM	0	6.851	46.9	91.2	0
4/30/2023, 11:09:01 PM	0	6.851	46.9	91.4	0
4/30/2023, 11:19:01 PM	0	6.851	46.8	91.5	0
4/30/2023, 11:29:01 PM	0	6.851	46.6	91.7	0
4/30/2023, 11:39:01 PM	0	6.851	46.6	91.8	0
4/30/2023, 11:49:01 PM	0	6.851	46.6	92	0
4/30/2023, 11:59:01 PM	0	6.851	46.4	92.2	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/1/2023, 12:01:46 AM	0	6.86	50.5	86.4	
4/1/2023, 12:11:46 AM	0	6.86	50.5	86.4	
4/1/2023, 12:21:46 AM	0	6.86	50.5	86.5	
4/1/2023, 12:31:46 AM	0	6.86	50.7	86.5	
4/1/2023, 12:41:46 AM	0	6.86	50.7	86.6	
4/1/2023, 12:51:46 AM	0	6.86	50.9	86.5	0
4/1/2023, 1:01:46 AM	0	6.86	50.9	86.5	0
4/1/2023, 1:11:46 AM	0	6.86	51.1	86.5	0
4/1/2023, 1:21:46 AM	0	6.86	51.1	86.4	0
4/1/2023, 1:31:46 AM	0	6.86	51.3	86.4	0
4/1/2023, 1:41:46 AM	0	6.86	51.3	86.3	0
4/1/2023, 1:51:46 AM	0	6.86	51.3	86.4	0
4/1/2023, 2:01:46 AM	0	6.86	51.1	86.6	0
4/1/2023, 2:11:46 AM	0	6.86	51.1	86.9	0
4/1/2023, 2:21:46 AM	0	6.86	50.9	87.2	0
4/1/2023, 2:31:46 AM	0	6.86	50.7	87.5	0
4/1/2023, 2:41:46 AM	0	6.86	50.5	87.8	0
4/1/2023, 2:51:46 AM	0	6.86	50.4	88.1	0
4/1/2023, 3:01:46 AM	0	6.86	50.4	88.4	0
4/1/2023, 3:11:46 AM	0	6.86	50.2	88.8	0
4/1/2023, 3:21:46 AM	0	6.86	50	89	0
4/1/2023, 3:31:46 AM	0	6.86	50	89.3	0
4/1/2023, 3:41:46 AM	0	6.86	50	89.6	0
4/1/2023, 3:51:46 AM	0	6.86	50	90	0
4/1/2023, 4:01:46 AM	0	6.86	50	90.3	0
4/1/2023, 4:11:46 AM	0	6.86	50	90.7	0
4/1/2023, 4:21:46 AM	0	6.86	50	90.9	0
4/1/2023, 4:31:46 AM	0	6.86	50	91.1	0
4/1/2023, 4:41:46 AM	0	6.86	50	91.5	0
4/1/2023, 4:51:46 AM	0	6.86	50.2	91.8	0
4/1/2023, 5:01:46 AM	0	6.86	50.2	92	0
4/1/2023, 5:11:46 AM	0	6.86	50.2	92.2	0
4/1/2023, 5:21:46 AM	0	6.86	50.4	92.4	0
4/1/2023, 5:31:46 AM	0	6.86	50.5	92.7	0
4/1/2023, 5:41:46 AM	0	6.86	50.7	92.9	0
4/1/2023, 5:51:46 AM	0	6.86	50.9	93.3	0
4/1/2023, 6:01:46 AM	0	6.86	51.1	93.5	0
4/1/2023, 6:11:46 AM	0	6.86	51.3	93.8	0
4/1/2023, 6:21:46 AM	0	6.86	51.6	94.1	0
4/1/2023, 6:31:46 AM	0	6.86	51.8	94.3	0
4/1/2023, 6:41:46 AM	0	6.86	52.2	94.6	0
4/1/2023, 6:51:46 AM	0	6.869	52.3	94.9	0
4/1/2023, 7:01:46 AM	0	6.86	52.7	95.3	0
4/1/2023, 7:11:46 AM	0	6.869	53.4	95.7	0
4/1/2023, 7:21:46 AM	0	6.869	53.8	95.8	0
4/1/2023, 7:31:46 AM	0	6.869	54.3	95.7	0
4/1/2023, 7:41:46 AM	0	6.869	54.9	95.3	0
4/1/2023, 7:51:46 AM	0	6.869	55.2	94.6	0
4/1/2023, 8:01:46 AM	0	6.869	55.9	93.7	0
4/1/2023, 8:11:46 AM	0	6.869	56.5	92.6	0
4/1/2023, 8:21:46 AM	0	6.869	56.8	91.3	0
4/1/2023, 8:31:46 AM	0	6.869	57.2	90.2	0
4/1/2023, 8:41:46 AM	0	6.869	57.9	88.9	0
4/1/2023, 8:51:46 AM	0	6.869	59	87.8	0
4/1/2023, 9:01:46 AM	0	6.869	60.1	86.5	0
4/1/2023, 9:11:46 AM	0	6.877	61.2	85.1	0
4/1/2023, 9:21:46 AM	0	6.877	62.4	83.1	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/1/2023, 9:31:46 AM	0	6.877	63.7	81.1	0
4/1/2023, 9:41:46 AM	0	6.877	65.1	79.1	0
4/1/2023, 9:51:46 AM	0	6.877	66.7	77.4	0
4/1/2023, 10:01:46 AM	0	6.877	68.2	74.8	0
4/1/2023, 10:11:46 AM	0	6.877	69.4	72.3	0
4/1/2023, 10:21:46 AM	0	6.886	70.5	70.1	0
4/1/2023, 10:31:46 AM	0	6.886	71.4	68.2	0
4/1/2023, 10:41:46 AM	0	6.886	72.7	66.5	0
4/1/2023, 10:51:46 AM	0	6.886	73.4	65.3	0
4/1/2023, 11:01:46 AM	0	6.886	74.1	64.2	0
4/1/2023, 11:11:46 AM	0	6.886	74.8	62.8	0
4/1/2023, 11:21:46 AM	0	6.886	75.7	61.7	0
4/1/2023, 11:31:46 AM	0	6.886	76.3	60.8	0
4/1/2023, 11:41:46 AM	0	6.886	76.6	60.1	0
4/1/2023, 11:51:46 AM	0	6.886	77.2	59.5	0
4/1/2023, 12:01:46 PM	0	6.886	77.7	58.9	0
4/1/2023, 12:11:46 PM	0	6.886	78.3	58.2	0
4/1/2023, 12:21:46 PM	0	6.895	78.6	57.6	0
4/1/2023, 12:31:46 PM	0	6.895	79	57.1	0
4/1/2023, 12:41:46 PM	0	6.895	79.2	56.5	0
4/1/2023, 12:51:46 PM	0	6.895	79.5	56.2	0
4/1/2023, 1:01:46 PM	0	6.895	79.5	55.7	0
4/1/2023, 1:11:46 PM	0	6.895	79.5	55.5	0
4/1/2023, 1:21:46 PM	0	6.895	79.5	55.1	0
4/1/2023, 1:31:46 PM	0	6.895	79.2	54.8	0
4/1/2023, 1:41:46 PM	0	6.895	78.8	54.5	0
4/1/2023, 1:51:46 PM	0	6.895	78.8	54.6	0
4/1/2023, 2:01:46 PM	0	6.895	79	54.3	0
4/1/2023, 2:11:46 PM	0	6.895	79	54.1	0
4/1/2023, 2:21:46 PM	0	6.895	79	53.7	0
4/1/2023, 2:31:46 PM	0	6.895	78.6	53.5	0
4/1/2023, 2:41:46 PM	0	6.895	78.4	53.5	0
4/1/2023, 2:51:46 PM	0	6.895	78.1	53.4	0
4/1/2023, 3:01:46 PM	0	6.895	77.5	53.4	0
4/1/2023, 3:11:46 PM	0	6.895	77	53.6	0
4/1/2023, 3:21:46 PM	0	6.895	75.6	53.9	0
4/1/2023, 3:31:46 PM	0	6.895	73	54.1	0
4/1/2023, 3:41:46 PM	0	6.895	70.5	54.3	0
4/1/2023, 3:51:46 PM	0	6.895	68.5	55.1	0
4/1/2023, 4:01:46 PM	0	6.895	66.2	57.7	0
4/1/2023, 4:11:46 PM	0	6.895	63	60.9	0
4/1/2023, 4:21:46 PM	0	6.886	60.4	63.6	0
4/1/2023, 4:31:46 PM	0	6.886	58.5	65.7	0
4/1/2023, 4:41:46 PM	0	6.886	56.8	67.7	0
4/1/2023, 4:51:46 PM	0	6.877	55.4	69.5	0
4/1/2023, 5:01:46 PM	0	6.877	54.5	71.7	0
4/1/2023, 5:11:46 PM	0	6.877	54.7	73.7	0
4/1/2023, 5:21:46 PM	0	6.877	54.9	74.7	0
4/1/2023, 5:31:46 PM	0	6.877	54.7	75.3	0
4/1/2023, 5:41:46 PM	0	6.877	54.3	75.7	0
4/1/2023, 5:51:46 PM	0	6.877	54	76	0
4/1/2023, 6:01:46 PM	0	6.877	53.8	76.6	0
4/1/2023, 6:11:46 PM	0	6.869	53.6	77	0
4/1/2023, 6:21:46 PM	0	6.869	53.6	77.2	0
4/1/2023, 6:31:46 PM	0	6.869	53.4	77.3	0
4/1/2023, 6:41:46 PM	0	6.869	53.2	77.3	0
4/1/2023, 6:51:46 PM	0	6.869	53.1	77.6	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/1/2023, 7:01:46 PM	0	6.869	52.9	77.9	0
4/1/2023, 7:11:46 PM	0	6.869	52.5	77.6	0
4/1/2023, 7:21:46 PM	0	6.869	51.8	77.8	0
4/1/2023, 7:31:46 PM	0	6.869	50.9	78.2	0
4/1/2023, 7:41:46 PM	0	6.869	49.8	78.7	0
4/1/2023, 7:51:46 PM	0	6.869	48.9	78.7	0
4/1/2023, 8:01:46 PM	0	6.869	48	78.4	0
4/1/2023, 8:11:46 PM	0	6.86	46.9	78.2	0
4/1/2023, 8:21:46 PM	0	6.86	46	78.2	0
4/1/2023, 8:31:46 PM	0	6.86	45.1	78.3	0
4/1/2023, 8:41:46 PM	0	6.86	44.4	78.6	0
4/1/2023, 8:51:46 PM	0	6.86	43.9	78.9	0
4/1/2023, 9:01:46 PM	0	6.851	43.3	79.1	0
4/1/2023, 9:11:46 PM	0	6.851	43	79.4	0
4/1/2023, 9:21:46 PM	0	6.851	42.6	79.6	0
4/1/2023, 9:31:46 PM	0	6.851	42.3	80	0
4/1/2023, 9:41:46 PM	0	6.851	42.1	80.2	0
4/1/2023, 9:51:46 PM	0	6.851	41.7	80.4	0
4/1/2023, 10:01:46 PM	0	6.851	41.4	80.7	0
4/1/2023, 10:11:46 PM	0	6.851	41	81	0
4/1/2023, 10:21:46 PM	0	6.851	40.6	81.4	0
4/1/2023, 10:31:46 PM	0	6.851	40.3	81.8	0
4/1/2023, 10:41:46 PM	0	6.842	39.9	82.2	0
4/1/2023, 10:51:46 PM	0	6.842	39.6	82.4	0
4/1/2023, 11:01:46 PM	0	6.842	39.2	82.6	0
4/1/2023, 11:11:46 PM	0	6.842	38.8	82.8	0
4/1/2023, 11:21:46 PM	0	6.842	38.5	83	0
4/1/2023, 11:31:46 PM	0	6.842	38.1	83.2	0
4/1/2023, 11:41:46 PM	0	6.842	37.8	83.6	0
4/1/2023, 11:51:46 PM	0	6.842	37.6	83.8	0
4/2/2023, 12:01:46 AM	0	6.842	37.4	83.8	0
4/2/2023, 12:11:46 AM	0	6.833	37.2	83.8	0
4/2/2023, 12:21:46 AM	0	6.833	37	83.8	0
4/2/2023, 12:31:46 AM	0	6.833	36.9	83.6	0
4/2/2023, 12:41:46 AM	0	6.833	36.7	83.4	0
4/2/2023, 12:51:46 AM	0	6.833	36.5	83.1	0
4/2/2023, 1:01:46 AM	0	6.833	36.5	82.8	0
4/2/2023, 1:11:46 AM	0	6.833	36.3	82.5	0
4/2/2023, 1:21:46 AM	0	6.833	36.1	82.1	0
4/2/2023, 1:31:46 AM	0	6.833	36	81.8	0
4/2/2023, 1:41:46 AM	0	6.833	35.8	81.4	0
4/2/2023, 1:51:46 AM	0	6.833	35.6	81.1	0
4/2/2023, 2:01:46 AM	0	6.833	35.4	80.7	0
4/2/2023, 2:11:46 AM	0	6.833	35.2	80.5	0
4/2/2023, 2:21:46 AM	0	6.833	35.1	80.1	0
4/2/2023, 2:31:46 AM	0	6.833	35.1	79.8	0
4/2/2023, 2:41:46 AM	0	6.833	34.7	79.3	0
4/2/2023, 2:51:46 AM	0	6.833	34.5	79	0
4/2/2023, 3:01:46 AM	0	6.833	34.3	78.7	0
4/2/2023, 3:11:46 AM	0	6.825	34.2	78.1	0
4/2/2023, 3:21:46 AM	0	6.825	33.8	77.6	0
4/2/2023, 3:31:46 AM	0	6.825	33.4	76.9	0
4/2/2023, 3:41:46 AM	0	6.825	33.1	76.1	0
4/2/2023, 3:51:46 AM	0	6.825	32.5	75.2	0
4/2/2023, 4:01:46 AM	0	6.825	32.2	74.6	0
4/2/2023, 4:11:46 AM	0	6.825	32	74	0
4/2/2023, 4:21:46 AM	0	6.825	31.6	73.6	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/2/2023, 4:31:46 AM	0	6.825	31.3	73.1	0
4/2/2023, 4:41:46 AM	0	6.816	30.9	72.7	0
4/2/2023, 4:51:46 AM	0	6.816	30.6	72.4	0
4/2/2023, 5:01:46 AM	0	6.816	30.4	72	0
4/2/2023, 5:11:46 AM	0	6.816	30	71.7	0
4/2/2023, 5:21:46 AM	0	6.816	29.8	71.3	0
4/2/2023, 5:31:46 AM	0	6.816	29.7	70.9	0
4/2/2023, 5:41:46 AM	0	6.816	29.3	70.5	0
4/2/2023, 5:51:46 AM	0	6.816	29.1	70.1	0
4/2/2023, 6:01:46 AM	0	6.816	28.8	69.8	0
4/2/2023, 6:11:46 AM	0	6.807	28.6	69.7	0
4/2/2023, 6:21:46 AM	0	6.807	28.4	69.6	0
4/2/2023, 6:31:46 AM	0	6.807	28.2	69.5	0
4/2/2023, 6:41:46 AM	0	6.807	28	69.4	0
4/2/2023, 6:51:46 AM	0	6.807	27.9	69.3	0
4/2/2023, 7:01:46 AM	0	6.807	27.7	69.2	0
4/2/2023, 7:11:46 AM	0	6.807	27.7	69.2	0
4/2/2023, 7:21:46 AM	0	6.807	27.7	69.1	0
4/2/2023, 7:31:46 AM	0	6.807	27.7	69	0
4/2/2023, 7:41:46 AM	0	6.807	28	69	0
4/2/2023, 7:51:46 AM	0	6.807	28.4	69	0
4/2/2023, 8:01:46 AM	0	6.807	28.9	69	0
4/2/2023, 8:11:46 AM	0	6.807	29.7	69	0
4/2/2023, 8:21:46 AM	0	6.807	30.2	68.8	0
4/2/2023, 8:31:46 AM	0	6.807	30.7	68.7	0
4/2/2023, 8:41:46 AM	0	6.816	31.3	68.4	0
4/2/2023, 8:51:46 AM	0	6.816	31.8	68.1	0
4/2/2023, 9:01:46 AM	0	6.816	32.4	67.9	0
4/2/2023, 9:11:46 AM	0	6.816	33.1	67.6	0
4/2/2023, 9:21:46 AM	0	6.816	33.8	67.2	0
4/2/2023, 9:31:46 AM	0	6.825	35.1	67	0
4/2/2023, 9:41:46 AM	0	6.825	36.3	66.6	0
4/2/2023, 9:51:46 AM	0	6.825	37.8	66.2	0
4/2/2023, 10:01:46 AM	0	6.825	39	65.8	0
4/2/2023, 10:11:46 AM	0	6.833	39.9	65.2	0
4/2/2023, 10:21:46 AM	0	6.833	41	64.6	0
4/2/2023, 10:31:46 AM	0	6.833	42.1	63.9	0
4/2/2023, 10:41:46 AM	0	6.833	43	63.4	0
4/2/2023, 10:51:46 AM	0	6.842	43.9	62.9	0
4/2/2023, 11:01:46 AM	0	6.842	44.1	62.1	0
4/2/2023, 11:11:46 AM	0	6.842	44.6	61.7	0
4/2/2023, 11:21:46 AM	0	6.842	45.3	61.2	0
4/2/2023, 11:31:46 AM	0	6.842	45.5	60.4	0
4/2/2023, 11:41:46 AM	0	6.842	45.5	59.7	0
4/2/2023, 11:51:46 AM	0	6.842	45.5	59.1	0
4/2/2023, 12:01:46 PM	0	6.842	45.5	58.6	0
4/2/2023, 12:11:46 PM	0	6.851	45.5	58.2	0
4/2/2023, 12:21:46 PM	0	6.851	45.7	57.5	0
4/2/2023, 12:31:46 PM	0	6.851	45.7	57	0
4/2/2023, 12:41:46 PM	0	6.851	45.1	56.7	0
4/2/2023, 12:51:46 PM	0	6.851	45.3	56.7	0
4/2/2023, 1:01:46 PM	0	6.851	45.5	56.6	0
4/2/2023, 1:11:46 PM	0	6.851	45.7	56.6	0
4/2/2023, 1:21:46 PM	0	6.851	45.7	56.3	0
4/2/2023, 1:31:46 PM	0	6.851	45.7	56	0
4/2/2023, 1:41:46 PM	0	6.851	45.1	55.7	0
4/2/2023, 1:51:46 PM	0	6.851	44.8	55.4	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/2/2023, 2:01:46 PM	0	6.851	44.4	55.2	0
4/2/2023, 2:11:46 PM	0	6.851	44.1	55.4	0
4/2/2023, 2:21:46 PM	0	6.851	44.1	55.4	0
4/2/2023, 2:31:46 PM	0	6.842	44.4	55.4	0
4/2/2023, 2:41:46 PM	0	6.851	45.1	55.3	0
4/2/2023, 2:51:46 PM	0	6.851	45.7	54.9	0
4/2/2023, 3:01:46 PM	0	6.851	46	54.6	0
4/2/2023, 3:11:46 PM	0	6.851	46.4	54.6	0
4/2/2023, 3:21:46 PM	0	6.851	46.9	54.5	0
4/2/2023, 3:31:46 PM	0	6.851	47.3	54.3	0
4/2/2023, 3:41:46 PM	0	6.851	46.9	54	0
4/2/2023, 3:51:46 PM	0	6.851	46.9	53.8	0
4/2/2023, 4:01:46 PM	0	6.851	47.1	53.6	0
4/2/2023, 4:11:46 PM	0	6.851	47.3	53.6	0
4/2/2023, 4:21:46 PM	0	6.851	47.5	53.3	0
4/2/2023, 4:31:46 PM	0	6.851	47.7	53.3	0
4/2/2023, 4:41:46 PM	0	6.851	47.3	53	0
4/2/2023, 4:51:46 PM	0	6.851	47.1	52.6	0
4/2/2023, 5:01:46 PM	0	6.851	47.1	52.5	0
4/2/2023, 5:11:46 PM	0	6.851	46.9	52.3	0
4/2/2023, 5:21:46 PM	0	6.86	46.6	52.1	0
4/2/2023, 5:31:46 PM	0	6.86	45.9	51.9	0
4/2/2023, 5:41:46 PM	0	6.851	44.8	51.7	0
4/2/2023, 5:51:46 PM	0	6.851	43.9	51.5	0
4/2/2023, 6:01:46 PM	0	6.851	43	51.4	0
4/2/2023, 6:11:46 PM	0	6.851	42.4	51.5	0
4/2/2023, 6:21:46 PM	0	6.851	41.9	51.6	0
4/2/2023, 6:31:46 PM	0	6.851	41.4	51.8	0
4/2/2023, 6:41:46 PM	0	6.851	40.8	51.9	0
4/2/2023, 6:51:46 PM	0	6.842	40.5	52	0
4/2/2023, 7:01:46 PM	0	6.842	40.1	52.1	0
4/2/2023, 7:11:46 PM	0	6.842	39.9	52.3	0
4/2/2023, 7:21:46 PM	0	6.842	39.6	52.3	0
4/2/2023, 7:31:46 PM	0	6.842	39	52.5	0
4/2/2023, 7:41:46 PM	0	6.842	38.7	52.7	0
4/2/2023, 7:51:46 PM	0	6.842	38.1	53	0
4/2/2023, 8:01:46 PM	0	6.842	37.8	53.4	0
4/2/2023, 8:11:46 PM	0	6.842	37.4	53.8	0
4/2/2023, 8:21:46 PM	0	6.833	36.9	54.3	0
4/2/2023, 8:31:46 PM	0	6.833	36.5	54.8	0
4/2/2023, 8:41:46 PM	0	6.833	36.1	55.7	0
4/2/2023, 8:51:46 PM	0	6.833	35.8	56.6	0
4/2/2023, 9:01:46 PM	0	6.833	35.4	57.4	0
4/2/2023, 9:11:46 PM	0	6.833	35.1	58.6	0
4/2/2023, 9:21:46 PM	0	6.833	34.7	59.2	0
4/2/2023, 9:31:46 PM	0	6.825	34.5	59.7	0
4/2/2023, 9:41:46 PM	0	6.825	34.3	60.1	0
4/2/2023, 9:51:46 PM	0	6.825	34.2	60.3	0
4/2/2023, 10:01:46 PM	0	6.825	34	60.5	0
4/2/2023, 10:11:46 PM	0	6.825	34	60.9	0
4/2/2023, 10:21:46 PM	0	6.825	33.8	61	0
4/2/2023, 10:31:46 PM	0	6.825	33.6	61.2	0
4/2/2023, 10:41:46 PM	0	6.825	33.6	61.4	0
4/2/2023, 10:51:46 PM	0	6.825	33.6	61.5	0
4/2/2023, 11:01:46 PM	0	6.825	33.6	61.6	0
4/2/2023, 11:11:46 PM	0	6.825	33.4	61.8	0
4/2/2023, 11:21:46 PM	0	6.825	33.3	62	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/2/2023, 11:31:46 PM	0	6.825	33.1	62.3	0
4/2/2023, 11:41:46 PM	0	6.825	32.9	62.5	0
4/2/2023, 11:51:46 PM	0	6.825	32.7	62.9	0
4/3/2023, 12:01:46 AM	0	6.825	32.7	63.3	0
4/3/2023, 12:11:46 AM	0	6.825	32.7	63.6	0
4/3/2023, 12:21:46 AM	0	6.825	32.9	63.7	0
4/3/2023, 12:31:46 AM	0	6.816	33.1	63.9	0
4/3/2023, 12:41:46 AM	0	6.816	33.1	64	0
4/3/2023, 12:51:46 AM	0	6.825	33.4	64	0
4/3/2023, 1:01:46 AM	0	6.825	33.6	63.9	0
4/3/2023, 1:11:46 AM	0	6.825	33.6	63.9	0
4/3/2023, 1:21:46 AM	0	6.825	33.6	63.8	0
4/3/2023, 1:31:46 AM	0	6.825	33.6	63.7	0
4/3/2023, 1:41:46 AM	0	6.825	33.6	63.7	0
4/3/2023, 1:51:46 AM	0	6.825	33.6	63.7	0
4/3/2023, 2:01:46 AM	0	6.825	33.6	63.6	0
4/3/2023, 2:11:46 AM	0	6.825	33.6	63.7	0
4/3/2023, 2:21:46 AM	0	6.825	33.8	63.7	0
4/3/2023, 2:31:46 AM	0	6.825	34	63.8	0
4/3/2023, 2:41:46 AM	0	6.825	34.3	64	0
4/3/2023, 2:51:46 AM	0	6.825	34.5	64.1	0
4/3/2023, 3:01:46 AM	0	6.825	34.9	64.2	0
4/3/2023, 3:11:46 AM	0	6.825	35.1	64.2	0
4/3/2023, 3:21:46 AM	0	6.825	35.4	64.3	0
4/3/2023, 3:31:46 AM	0	6.825	35.6	64.2	0
4/3/2023, 3:41:46 AM	0	6.825	36	64.1	0
4/3/2023, 3:51:46 AM	0	6.825	36.1	63.9	0
4/3/2023, 4:01:46 AM	0	6.825	36.3	63.8	0
4/3/2023, 4:11:46 AM	0	6.833	36.5	63.8	0
4/3/2023, 4:21:46 AM	0	6.825	36.7	63.7	0
4/3/2023, 4:31:46 AM	0	6.833	36.9	63.6	0
4/3/2023, 4:41:46 AM	0	6.833	36.9	63.7	0
4/3/2023, 4:51:46 AM	0	6.833	37	63.6	0
4/3/2023, 5:01:46 AM	0	6.833	37	63.5	0
4/3/2023, 5:11:46 AM	0	6.833	37	63.5	0
4/3/2023, 5:21:46 AM	0	6.833	37.2	63.5	0
4/3/2023, 5:31:46 AM	0	6.833	37.4	63.5	0
4/3/2023, 5:41:46 AM	0	6.833	37.6	63.5	0
4/3/2023, 5:51:46 AM	0	6.833	37.8	63.3	0
4/3/2023, 6:01:46 AM	0	6.833	37.9	63.2	0
4/3/2023, 6:11:46 AM	0	6.833	37.9	63.1	0
4/3/2023, 6:21:46 AM	0	6.833	37.9	63	0
4/3/2023, 6:31:46 AM	0	6.833	37.8	63	0
4/3/2023, 6:41:46 AM	0	6.833	37.8	63	0
4/3/2023, 6:51:46 AM	0	6.833	37.6	63	0
4/3/2023, 7:01:46 AM	0	6.833	37.4	63.1	0
4/3/2023, 7:11:46 AM	0	6.833	37.4	63.1	0
4/3/2023, 7:21:46 AM	0	6.833	37.4	63.2	0
4/3/2023, 7:31:46 AM	0	6.833	37.6	63.4	0
4/3/2023, 7:41:46 AM	0	6.833	37.9	63.5	0
4/3/2023, 7:51:46 AM	0	6.833	38.5	63.5	0
4/3/2023, 8:01:46 AM	0	6.833	39	63.5	0
4/3/2023, 8:11:46 AM	0	6.833	40.1	63.5	0
4/3/2023, 8:21:46 AM	0	6.833	41	63.4	0
4/3/2023, 8:31:46 AM	0	6.842	41.7	63.2	0
4/3/2023, 8:41:46 AM	0	6.842	42.3	63	0
4/3/2023, 8:51:46 AM	0	6.842	43	63	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/3/2023, 9:01:46 AM	0	6.842	43.7	62.9	0
4/3/2023, 9:11:46 AM	0	6.842	45	63	0
4/3/2023, 9:21:46 AM	0	6.842	45.9	63	0
4/3/2023, 9:31:46 AM	0	6.851	46.6	63	0
4/3/2023, 9:41:46 AM	0	6.851	47.3	63	0
4/3/2023, 9:51:46 AM	0	6.851	48.2	63.1	0
4/3/2023, 10:01:46 AM	0	6.851	49.1	63.2	0
4/3/2023, 10:11:46 AM	0	6.851	50	63	0
4/3/2023, 10:21:46 AM	0	6.86	51.1	62.8	0
4/3/2023, 10:31:46 AM	0	6.86	52.3	62.6	0
4/3/2023, 10:41:46 AM	0	6.86	53.6	62.2	0
4/3/2023, 11:11:05 AM	0	6.93	64.6	58.8	0
4/3/2023, 11:21:05 AM	0	6.869	64	58.5	0
4/3/2023, 11:31:05 AM	0	6.869	64.2	57.7	0
4/3/2023, 11:41:05 AM	0	6.869	65.3	57.4	0
4/3/2023, 11:51:05 AM	0	6.869	66.7	57.2	0
4/3/2023, 12:01:05 PM	0	6.869	67.8	56.9	0
4/3/2023, 12:11:05 PM	0	6.869	68.7	56.5	0
4/3/2023, 12:21:05 PM	0	6.877	69.4	56.1	0
4/3/2023, 12:31:05 PM	0	6.877	70.3	56	0
4/3/2023, 12:41:05 PM	0	6.877	71.1	55.8	0
4/3/2023, 12:51:05 PM	0	6.877	71.4	55.6	0
4/3/2023, 1:01:05 PM	0	6.877	71.8	55.3	0
4/3/2023, 1:11:05 PM	0	6.877	72.3	55.2	0
4/3/2023, 1:21:05 PM	0	6.877	72.7	55.2	0
4/3/2023, 1:31:05 PM	0	6.877	72.9	55.1	0
4/3/2023, 1:41:05 PM	0	6.877	73	55	0
4/3/2023, 1:51:05 PM	0	6.877	72.5	54.7	0
4/3/2023, 2:01:05 PM	0	6.877	72	54.7	0
4/3/2023, 2:11:05 PM	0	6.877	72.5	55.1	0
4/3/2023, 2:21:05 PM	0	6.877	73.2	55.3	0
4/3/2023, 2:31:05 PM	0	6.877	73.9	55.5	0
4/3/2023, 2:41:05 PM	0	6.877	74.3	55.5	0
4/3/2023, 2:51:05 PM	0	6.877	74.7	55.4	0
4/3/2023, 3:01:05 PM	0	6.886	74.3	55.2	0
4/3/2023, 3:11:05 PM	0	6.886	73.8	55.1	0
4/3/2023, 3:21:05 PM	0	6.886	73	55	0
4/3/2023, 3:31:05 PM	0	6.886	72.5	54.8	0
4/3/2023, 3:41:05 PM	0	6.886	72	54.8	0
4/3/2023, 3:51:05 PM	0	6.886	71.4	55.1	0
4/3/2023, 4:01:05 PM	0	6.886	70.7	55.3	0
4/3/2023, 4:11:05 PM	0	6.886	69.6	55.5	0
4/3/2023, 4:21:05 PM	0	6.877	68.7	55.8	0
4/3/2023, 4:31:05 PM	0	6.877	67.8	56.1	0
4/3/2023, 4:41:05 PM	0	6.877	67.1	56.4	0
4/3/2023, 4:51:05 PM	0	6.877	66.4	56.7	0
4/3/2023, 5:01:05 PM	0	6.877	65.8	56.9	0
4/3/2023, 5:11:05 PM	0	6.877	65.3	56.9	0
4/3/2023, 5:21:05 PM	0	6.877	64.9	57	0
4/3/2023, 5:31:05 PM	0	6.877	64.6	57	0
4/3/2023, 5:41:05 PM	0	6.877	64	57.1	0
4/3/2023, 5:51:05 PM	0	6.877	63	57.4	0
4/3/2023, 6:01:05 PM	0	6.877	61.9	57.7	0
4/3/2023, 6:11:05 PM	0	6.877	60.8	57.9	0
4/3/2023, 6:21:05 PM	0	6.877	59.9	58.2	0
4/3/2023, 6:31:05 PM	0	6.869	59.2	58.6	0
4/3/2023, 6:41:05 PM	0	6.869	58.6	59	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/3/2023, 6:51:05 PM	0	6.869	58.1	59.5	0
4/3/2023, 7:01:05 PM	0	6.869	57.6	59.8	0
4/3/2023, 7:11:05 PM	0	6.869	57.2	60.1	0
4/3/2023, 7:21:05 PM	0	6.869	56.8	60.5	0
4/3/2023, 7:31:05 PM	0	6.869	56.5	60.6	0
4/3/2023, 7:41:05 PM	0	6.869	56.1	60.8	0
4/3/2023, 7:51:05 PM	0	6.869	55.9	60.9	0
4/3/2023, 8:01:05 PM	0	6.869	55.6	61.1	0
4/3/2023, 8:11:05 PM	0	6.869	55.2	61.4	0
4/3/2023, 8:21:05 PM	0	6.869	54.9	61.1	0
4/3/2023, 8:31:05 PM	0	6.869	54.5	61	0
4/3/2023, 8:41:05 PM	0	6.869	54.3	61.2	0
4/3/2023, 8:51:05 PM	0	6.86	54.1	61.5	0
4/3/2023, 9:01:05 PM	0	6.86	54	63.7	0
4/3/2023, 9:11:05 PM	0	6.86	53.4	65.9	0
4/3/2023, 9:21:05 PM	0	6.86	52.7	67.9	0
4/3/2023, 9:31:05 PM	0	6.86	52	69.7	0
4/3/2023, 9:41:05 PM	0	6.86	51.4	70.6	0
4/3/2023, 9:51:05 PM	0	6.86	51.1	71.9	0
4/3/2023, 10:01:05 PM	0	6.86	50.7	73.1	0
4/3/2023, 10:11:05 PM	0	6.86	50.5	74.4	0
4/3/2023, 10:21:05 PM	0	6.86	50.2	75.5	0
4/3/2023, 10:31:05 PM	0	6.86	49.8	76.5	0
4/3/2023, 10:41:05 PM	0	6.86	49.5	77.6	0
4/3/2023, 10:51:05 PM	0	6.851	49.3	78.5	0
4/3/2023, 11:01:05 PM	0	6.86	49.1	79.1	0
4/3/2023, 11:11:05 PM	0	6.851	48.9	79.5	0
4/3/2023, 11:21:05 PM	0	6.851	48.9	80	0
4/3/2023, 11:31:05 PM	0	6.851	48.9	80.5	0
4/3/2023, 11:41:05 PM	0	6.851	48.7	81	0
4/3/2023, 11:51:05 PM	0	6.851	48.7	81.6	0
4/4/2023, 12:01:05 AM	0	6.851	48.6	82	0
4/4/2023, 12:11:05 AM	0	6.851	48.4	82.4	0
4/4/2023, 12:21:05 AM	0	6.851	48.4	82.7	0
4/4/2023, 12:31:05 AM	0	6.851	48.4	83	0
4/4/2023, 12:41:05 AM	0	6.851	48.2	83.3	0
4/4/2023, 12:51:05 AM	0	6.851	48.2	83.7	0
4/4/2023, 1:01:05 AM	0	6.851	48.2	83.9	0
4/4/2023, 1:11:05 AM	0	6.851	48	84.1	0
4/4/2023, 1:21:05 AM	0	6.851	48	84.4	0
4/4/2023, 1:31:05 AM	0	6.851	48	84.5	0
4/4/2023, 1:41:05 AM	0	6.851	47.8	84.7	0
4/4/2023, 1:51:05 AM	0	6.851	47.8	84.9	0
4/4/2023, 2:01:05 AM	0	6.851	47.8	85	0
4/4/2023, 2:11:05 AM	0	6.851	47.7	85.3	0
4/4/2023, 2:21:05 AM	0	6.851	47.7	85.6	0
4/4/2023, 2:31:05 AM	0	6.851	47.7	85.8	0
4/4/2023, 2:41:05 AM	0	6.851	47.5	85.9	0
4/4/2023, 2:51:05 AM	0	6.851	47.5	86.2	0
4/4/2023, 3:01:05 AM	0	6.851	47.5	86.4	0
4/4/2023, 3:11:05 AM	0	6.851	47.5	86.7	0
4/4/2023, 3:21:05 AM	0	6.851	47.3	86.9	0
4/4/2023, 3:31:05 AM	0	6.851	47.3	87.2	0
4/4/2023, 3:41:05 AM	0	6.851	47.3	87.5	0
4/4/2023, 3:51:05 AM	0	6.851	47.1	87.7	0
4/4/2023, 4:01:05 AM	0	6.851	47.1	87.9	0
4/4/2023, 4:11:05 AM	0	6.851	47.1	88.1	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/4/2023, 4:21:05 AM	0	6.851	47.1	88.3	0
4/4/2023, 4:31:05 AM	0	6.851	47.1	88.5	0
4/4/2023, 4:41:05 AM	0	6.851	46.9	88.7	0
4/4/2023, 4:51:05 AM	0	6.851	46.9	89	0
4/4/2023, 5:01:05 AM	0	6.851	46.9	89.2	0
4/4/2023, 5:11:05 AM	0	6.851	47.1	89.4	0
4/4/2023, 5:21:05 AM	0	6.851	47.1	89.7	0
4/4/2023, 5:31:05 AM	0	6.851	47.1	89.8	0
4/4/2023, 5:41:05 AM	0	6.851	47.1	89.9	0
4/4/2023, 5:51:05 AM	0	6.851	47.1	90	0
4/4/2023, 6:01:05 AM	0	6.851	47.1	90.2	0
4/4/2023, 6:11:05 AM	0	6.851	46.9	90.3	0
4/4/2023, 6:21:05 AM	0	6.851	46.9	90.4	0
4/4/2023, 6:31:05 AM	0	6.851	46.9	90.6	0
4/4/2023, 6:41:05 AM	0	6.851	46.9	90.7	0
4/4/2023, 6:51:05 AM	0	6.851	46.9	90.9	0
4/4/2023, 7:01:05 AM	0	6.851	46.9	91	0
4/4/2023, 7:11:05 AM	0	6.851	47.1	91.2	0
4/4/2023, 7:21:05 AM	0	6.851	47.1	91.4	0
4/4/2023, 7:31:05 AM	0	6.851	47.1	91.5	0
4/4/2023, 7:41:05 AM	0	6.851	47.1	91.6	0
4/4/2023, 7:51:05 AM	0	6.851	47.1	91.6	0
4/4/2023, 8:01:05 AM	0	6.851	47.1	91.6	0
4/4/2023, 8:11:05 AM	0	6.851	47.1	91.7	0
4/4/2023, 8:21:05 AM	0	6.851	47.3	91.7	0
4/4/2023, 8:31:05 AM	0	6.851	47.3	91.8	0
4/4/2023, 8:41:05 AM	0	6.851	47.3	91.8	0
4/4/2023, 8:51:05 AM	0	6.851	47.5	91.9	0
4/4/2023, 9:01:05 AM	0	6.851	47.5	91.9	0
4/4/2023, 9:11:05 AM	0	6.851	47.7	92	0
4/4/2023, 9:21:05 AM	0	6.851	47.7	92	0
4/4/2023, 9:31:05 AM	0	6.851	47.7	92	0
4/4/2023, 9:41:05 AM	0	6.851	47.8	92.1	0
4/4/2023, 9:51:05 AM	0	6.851	48	92.2	0
4/4/2023, 10:01:05 AM	0	6.851	48.2	92.3	0
4/4/2023, 10:11:05 AM	0	6.851	48.4	92.4	0
4/4/2023, 10:21:05 AM	0	6.851	48.7	92.4	0
4/4/2023, 10:31:05 AM	0	6.851	48.9	92.4	0
4/4/2023, 10:41:05 AM	0	6.851	49.3	92.4	0
4/4/2023, 10:51:05 AM	0	6.851	49.5	92.3	0
4/4/2023, 11:01:05 AM	0	6.851	49.6	92.1	0
4/4/2023, 11:11:05 AM	0	6.851	49.8	91.9	0
4/4/2023, 11:21:05 AM	0	6.851	49.8	91.7	0
4/4/2023, 11:31:05 AM	0	6.851	50	91.4	0
4/4/2023, 11:41:05 AM	0	6.851	50.2	91.1	0
4/4/2023, 11:51:05 AM	0	6.851	50.2	90.9	0
4/4/2023, 12:01:05 PM	0	6.851	50.4	90.8	0
4/4/2023, 12:11:05 PM	0	6.851	50.7	90.9	0
4/4/2023, 12:21:05 PM	0	6.851	51.8	91.2	0
4/4/2023, 12:31:05 PM	0	6.851	52.7	91	0
4/4/2023, 12:41:05 PM	0	6.851	53.4	90.5	0
4/4/2023, 12:51:05 PM	0	6.86	54	89.9	0
4/4/2023, 1:01:05 PM	0	6.86	54	89.2	0
4/4/2023, 1:11:05 PM	0	6.86	54	88.6	0
4/4/2023, 1:21:05 PM	0	6.86	54.1	88.1	0
4/4/2023, 1:31:05 PM	0	6.86	54.5	87.8	0
4/4/2023, 1:41:05 PM	0	6.86	55	87.4	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/4/2023, 1:51:05 PM	0	6.86	55.8	86.9	0
4/4/2023, 2:01:05 PM	0	6.86	55.9	86.3	0
4/4/2023, 2:11:05 PM	0	6.86	55.8	85.8	0
4/4/2023, 2:21:05 PM	0	6.86	55.9	85.6	0
4/4/2023, 2:31:05 PM	0	6.86	56.1	85.2	0
4/4/2023, 2:41:05 PM	0	6.86	56.5	84.9	0
4/4/2023, 2:51:05 PM	0	6.86	56.7	84.4	0
4/4/2023, 3:01:05 PM	0	6.86	56.8	83.8	0
4/4/2023, 3:11:05 PM	0	6.86	56.8	83.2	0
4/4/2023, 3:21:05 PM	0	6.86	56.7	82.4	0
4/4/2023, 3:31:05 PM	0	6.86	55.9	81.5	0
4/4/2023, 3:41:05 PM	0	6.86	55.2	80.7	0
4/4/2023, 3:51:05 PM	0	6.86	54.5	80.3	0
4/4/2023, 4:01:05 PM	0	6.86	54	79.3	0
4/4/2023, 4:11:05 PM	0	6.86	53.4	78.2	0
4/4/2023, 4:21:05 PM	0	6.86	52.7	77.3	0
4/4/2023, 4:31:05 PM	0	6.86	52.2	76.8	0
4/4/2023, 4:41:05 PM	0	6.86	51.8	76.7	0
4/4/2023, 4:51:05 PM	0	6.86	51.6	76.6	0
4/4/2023, 5:01:05 PM	0	6.86	51.3	76.4	0
4/4/2023, 5:11:05 PM	0	6.86	51.1	76.2	0
4/4/2023, 5:21:05 PM	0	6.851	51.1	76.1	0
4/4/2023, 5:31:05 PM	0	6.851	50.9	76	0
4/4/2023, 5:41:05 PM	0	6.851	50.9	76	0
4/4/2023, 5:51:05 PM	0	6.851	50.9	75.8	0
4/4/2023, 6:01:05 PM	0	6.851	50.9	75.6	0
4/4/2023, 6:11:05 PM	0	6.851	50.9	75.4	0
4/4/2023, 6:21:05 PM	0	6.851	50.9	75	0
4/4/2023, 6:31:05 PM	0	6.851	50.7	74.8	0
4/4/2023, 6:41:05 PM	0	6.851	50.5	74.6	0
4/4/2023, 6:51:05 PM	0	6.851	50.4	74.5	0
4/4/2023, 7:01:05 PM	0	6.851	50.4	74.3	0
4/4/2023, 7:11:05 PM	0	6.851	50.2	74.2	0
4/4/2023, 7:21:05 PM	0	6.851	50	74.2	0
4/4/2023, 7:31:05 PM	0	6.851	49.8	74.2	0
4/4/2023, 7:41:05 PM	0	6.851	49.6	74.1	0
4/4/2023, 7:51:05 PM	0	6.851	49.5	74.2	0
4/4/2023, 8:01:05 PM	0	6.851	49.3	74.2	0
4/4/2023, 8:11:05 PM	0	6.851	49.1	74.4	0
4/4/2023, 8:21:05 PM	0	6.851	48.9	74.5	0
4/4/2023, 8:31:05 PM	0	6.851	48.9	74.8	0
4/4/2023, 8:41:05 PM	0	6.851	48.7	74.9	0
4/4/2023, 8:51:05 PM	0	6.851	48.7	75.1	0
4/4/2023, 9:01:05 PM	0	6.851	48.6	75.2	0
4/4/2023, 9:11:05 PM	0	6.851	48.4	75.3	0
4/4/2023, 9:21:05 PM	0	6.851	48.4	75.3	0
4/4/2023, 9:31:05 PM	0	6.851	48.4	75.2	0
4/4/2023, 9:41:05 PM	0	6.851	48.4	75.1	0
4/4/2023, 9:51:05 PM	0	6.851	48.4	75	0
4/4/2023, 10:01:05 PM	0	6.851	48.4	74.9	0
4/4/2023, 10:11:05 PM	0	6.851	48.4	74.7	0
4/4/2023, 10:21:05 PM	0	6.851	48.4	74.6	0
4/4/2023, 10:31:05 PM	0	6.851	48.4	74.4	0
4/4/2023, 10:41:05 PM	0	6.851	48.2	74.3	0
4/4/2023, 10:51:05 PM	0	6.851	47.8	74.2	0
4/4/2023, 11:01:05 PM	0	6.851	47.5	74.1	0
4/4/2023, 11:11:05 PM	0	6.851	47.1	74.2	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/4/2023, 11:21:05 PM	0	6.851	46.9	74.2	0
4/4/2023, 11:31:05 PM	0	6.851	46.6	74.4	0
4/4/2023, 11:41:05 PM	0	6.851	46.4	74.5	0
4/4/2023, 11:51:05 PM	0	6.851	46	74.7	0
4/5/2023, 12:01:05 AM	0	6.842	45.7	74.9	0
4/5/2023, 12:11:05 AM	0	6.842	45.5	75	0
4/5/2023, 12:21:05 AM	0	6.842	45.3	75.2	0
4/5/2023, 12:31:05 AM	0	6.842	45	75.4	0
4/5/2023, 12:41:05 AM	0	6.842	44.8	75.7	0
4/5/2023, 12:51:05 AM	0	6.842	44.6	76	0
4/5/2023, 1:01:05 AM	0	6.842	44.6	76.3	0
4/5/2023, 1:11:05 AM	0	6.842	44.6	76.6	0
4/5/2023, 1:21:05 AM	0	6.842	44.6	76.8	0
4/5/2023, 1:31:05 AM	0	6.842	44.6	76.9	0
4/5/2023, 1:41:05 AM	0	6.842	44.6	77	0
4/5/2023, 1:51:05 AM	0	6.842	44.6	77	0
4/5/2023, 2:01:05 AM	0	6.842	44.4	77.1	0
4/5/2023, 2:11:05 AM	0	6.842	44.4	77.1	0
4/5/2023, 2:21:05 AM	0	6.842	44.2	77.2	0
4/5/2023, 2:31:05 AM	0	6.842	44.1	77.4	0
4/5/2023, 2:41:05 AM	0	6.842	43.9	77.5	0
4/5/2023, 2:51:05 AM	0	6.842	43.7	77.6	0
4/5/2023, 3:01:05 AM	0	6.842	43.5	77.8	0
4/5/2023, 3:11:05 AM	0	6.842	43.5	78	0
4/5/2023, 3:21:05 AM	0	6.842	43.3	78.2	0
4/5/2023, 3:31:05 AM	0	6.842	43.2	78.4	0
4/5/2023, 3:41:05 AM	0	6.842	43	78.7	0
4/5/2023, 3:51:05 AM	0	6.842	43	78.9	0
4/5/2023, 4:01:05 AM	0	6.842	42.8	79.2	0
4/5/2023, 4:11:05 AM	0	6.842	42.8	79.5	0
4/5/2023, 4:21:05 AM	0	6.842	42.8	79.7	0
4/5/2023, 4:31:05 AM	0	6.842	42.6	79.9	0
4/5/2023, 4:41:05 AM	0	6.842	42.6	80.1	0
4/5/2023, 4:51:05 AM	0	6.833	42.4	80.2	0
4/5/2023, 5:01:05 AM	0	6.833	42.4	80.4	0
4/5/2023, 5:11:05 AM	0	6.833	42.3	80.6	0
4/5/2023, 5:21:05 AM	0	6.833	42.3	80.9	0
4/5/2023, 5:31:05 AM	0	6.833	42.3	81.2	0
4/5/2023, 5:41:05 AM	0	6.833	42.4	81.5	0
4/5/2023, 5:51:05 AM	0	6.833	42.6	81.9	0
4/5/2023, 6:01:05 AM	0	6.833	42.8	82.2	0
4/5/2023, 6:11:05 AM	0	6.833	43	82.5	0
4/5/2023, 6:21:05 AM	0	6.833	43.2	82.7	0
4/5/2023, 6:31:05 AM	0	6.833	43.3	82.9	0
4/5/2023, 6:41:05 AM	0	6.842	43.5	83	0
4/5/2023, 6:51:05 AM	0	6.842	43.5	83.2	0
4/5/2023, 7:01:05 AM	0	6.842	43.7	83.3	0
4/5/2023, 7:11:05 AM	0	6.842	43.9	83.6	0
4/5/2023, 7:21:05 AM	0	6.842	44.1	83.9	0
4/5/2023, 7:31:05 AM	0	6.842	43.7	84.4	0
4/5/2023, 7:41:05 AM	0	6.842	44.4	84.6	0
4/5/2023, 7:51:05 AM	0	6.842	44.8	85.1	0
4/5/2023, 8:01:05 AM	0	6.842	45.3	85.6	0
4/5/2023, 8:11:05 AM	0	6.842	45.7	86	0
4/5/2023, 8:21:05 AM	0	6.842	46.2	86.2	0
4/5/2023, 8:31:05 AM	0	6.842	46.6	86.3	0
4/5/2023, 8:41:05 AM	0	6.842	46.9	86.4	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/5/2023, 8:51:05 AM	0	6.842	47.3	86.4	0
4/5/2023, 9:01:05 AM	0	6.842	47.8	86.5	0
4/5/2023, 9:11:05 AM	0	6.851	48.2	86.6	0
4/5/2023, 9:21:05 AM	0	6.842	48.7	86.7	0
4/5/2023, 9:31:05 AM	0	6.851	49.3	87	0
4/5/2023, 9:41:05 AM	0	6.851	49.8	87.2	0
4/5/2023, 9:51:05 AM	0	6.851	50.5	87.4	0
4/5/2023, 10:01:05 AM	0	6.851	51.3	87.7	0
4/5/2023, 10:11:05 AM	0	6.851	52.2	87.9	0
4/5/2023, 10:21:05 AM	0	6.851	53.2	88.1	0
4/5/2023, 10:31:05 AM	0	6.851	54.5	88.4	0
4/5/2023, 10:41:05 AM	0	6.851	55.9	88.9	0
4/5/2023, 10:51:05 AM	0	6.86	57.7	89.1	0
4/5/2023, 11:01:05 AM	0	6.86	60.1	88.6	0
4/5/2023, 11:11:05 AM	0	6.86	62.2	87.7	0
4/5/2023, 11:21:05 AM	0	6.86	64	86.7	0
4/5/2023, 11:31:05 AM	0	6.869	66	85.7	0
4/5/2023, 11:41:05 AM	0	6.869	68.2	84.5	0
4/5/2023, 11:51:05 AM	0	6.869	70	82.7	0
4/5/2023, 12:01:05 PM	0	6.869	71.4	80.9	0
4/5/2023, 12:11:05 PM	0	6.877	72.7	79.2	0
4/5/2023, 12:21:05 PM	0	6.877	73.4	77.8	0
4/5/2023, 12:31:05 PM	0	6.877	74.3	76.6	0
4/5/2023, 12:41:05 PM	0	6.877	74.7	75.5	0
4/5/2023, 12:51:05 PM	0	6.877	74.8	74.7	0
4/5/2023, 1:01:05 PM	0	6.877	75.6	74.3	0
4/5/2023, 1:11:05 PM	0	6.877	76.1	73.6	0
4/5/2023, 1:21:05 PM	0	6.877	76.3	73.1	0
4/5/2023, 1:31:05 PM	0	6.877	76.6	72.9	0
4/5/2023, 1:41:05 PM	0	6.877	77	72.6	0
4/5/2023, 1:51:05 PM	0	6.877	78.4	72	0
4/5/2023, 2:01:05 PM	0	6.886	79.9	71	0
4/5/2023, 2:11:05 PM	0	6.886	80.8	70.2	0
4/5/2023, 2:21:05 PM	0	6.886	80.8	69.6	0
4/5/2023, 2:31:05 PM	0	6.886	80.6	69	0
4/5/2023, 2:41:05 PM	0	6.886	80.2	69.2	0
4/5/2023, 2:51:05 PM	0	6.886	79.9	69.2	0
4/5/2023, 3:01:05 PM	0	6.886	79.5	69.6	0
4/5/2023, 3:11:05 PM	0	6.886	78.1	66.7	0
4/5/2023, 3:21:05 PM	3	6.886	73.9	65.1	0.5
4/5/2023, 3:31:05 PM	4	6.886	69.1	65.5	1.166666667
4/5/2023, 3:41:05 PM	4	6.886	65.7	66.4	1.833333333
4/5/2023, 3:51:05 PM	3	6.877	62.2	67.6	2.333333333
4/5/2023, 4:01:05 PM	0	6.877	59.9	69.4	2.333333333
4/5/2023, 4:11:05 PM	0	6.877	58.5	71.8	2.333333333
4/5/2023, 4:21:05 PM	0	6.877	57.2	73.7	1.833333333
4/5/2023, 4:31:05 PM	0	6.869	56.3	75.4	1.166666667
4/5/2023, 4:41:05 PM	0	6.869	55.6	76.8	0.5
4/5/2023, 4:51:05 PM	0	6.869	54.9	78.3	0
4/5/2023, 5:01:05 PM	0	6.869	54.5	79.8	0
4/5/2023, 5:11:05 PM	0	6.869	54.5	81.5	0
4/5/2023, 5:21:05 PM	0	6.86	54.5	83.1	0
4/5/2023, 5:31:05 PM	0	6.86	54.7	84.4	0
4/5/2023, 5:41:05 PM	0	6.86	54.9	85.6	0
4/5/2023, 5:51:05 PM	0	6.86	55	86.6	0
4/5/2023, 6:01:05 PM	0	6.86	55.2	87.3	0
4/5/2023, 6:11:05 PM	0	6.86	55.4	87.9	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/5/2023, 6:21:05 PM	0	6.86	55.6	88.4	0
4/5/2023, 6:31:05 PM	0	6.86	55.8	89	0
4/5/2023, 6:41:05 PM	0	6.86	55.8	89.3	0
4/5/2023, 6:51:05 PM	0	6.86	55.9	89.7	0
4/5/2023, 7:01:05 PM	0	6.86	55.9	90	0
4/5/2023, 7:11:05 PM	0	6.86	55.9	90.5	0
4/5/2023, 7:21:05 PM	0	6.86	56.1	91	0
4/5/2023, 7:31:05 PM	0	6.86	56.5	91.5	0
4/5/2023, 7:41:05 PM	0	6.86	56.7	91.9	0
4/5/2023, 7:51:05 PM	0	6.86	56.7	92.1	0
4/5/2023, 8:01:05 PM	0	6.86	56.7	92.2	0
4/5/2023, 8:11:05 PM	0	6.86	56.7	92.4	0
4/5/2023, 8:21:05 PM	0	6.86	56.8	92.6	0
4/5/2023, 8:31:05 PM	0	6.86	56.8	92.7	0
4/5/2023, 8:41:05 PM	0	6.86	56.7	92.9	0
4/5/2023, 8:51:05 PM	0	6.86	57	93.4	0
4/5/2023, 9:01:05 PM	0	6.86	57.2	93.8	0
4/5/2023, 9:11:05 PM	0	6.86	57.4	93.9	0
4/5/2023, 9:21:05 PM	0	6.869	57.4	93.9	0
4/5/2023, 9:31:05 PM	0	6.86	57.4	94	0
4/5/2023, 9:41:05 PM	0	6.86	57.6	94.3	0
4/5/2023, 9:51:05 PM	0	6.86	57.9	94.7	0
4/5/2023, 10:01:05 PM	0	6.869	58.1	95	0
4/5/2023, 10:11:05 PM	0	6.869	58.3	95.1	0
4/5/2023, 10:21:05 PM	0	6.869	58.5	95.4	0
4/5/2023, 10:31:05 PM	0	6.869	59.2	96.2	0
4/5/2023, 10:41:05 PM	0	6.869	59.7	96.8	0
4/5/2023, 10:51:05 PM	0	6.869	60.3	97.1	0
4/5/2023, 11:01:05 PM	0	6.869	60.6	97.3	0
4/5/2023, 11:11:05 PM	0	6.869	60.8	97.3	0
4/5/2023, 11:21:05 PM	0	6.869	61	97.2	0
4/5/2023, 11:31:05 PM	0	6.869	61.2	97.2	0
4/5/2023, 11:41:05 PM	0	6.869	61.2	96.9	0
4/5/2023, 11:51:05 PM	0	6.869	61	96.5	0
4/6/2023, 12:01:05 AM	0	6.869	61.2	96.6	0
4/6/2023, 12:11:05 AM	0	6.869	61.3	96.7	0
4/6/2023, 12:21:05 AM	0	6.869	61.3	96.6	0
4/6/2023, 12:31:05 AM	0	6.869	61.3	96.7	0
4/6/2023, 12:41:05 AM	0	6.869	61.5	97	0
4/6/2023, 12:51:05 AM	0	6.869	61.7	97.1	0
4/6/2023, 1:01:05 AM	0	6.869	61.9	97.3	0
4/6/2023, 1:11:05 AM	0	6.869	62.1	97.4	0
4/6/2023, 1:21:05 AM	0	6.869	62.1	97.3	0
4/6/2023, 1:31:05 AM	0	6.869	62.1	97.2	0
4/6/2023, 1:41:05 AM	0	6.869	62.1	97	0
4/6/2023, 1:51:05 AM	0	6.869	62.1	96.8	0
4/6/2023, 2:01:05 AM	0	6.869	61.9	96.5	0
4/6/2023, 2:11:05 AM	0	6.869	61.9	96.4	0
4/6/2023, 2:21:05 AM	0	6.869	61.9	96.3	0
4/6/2023, 2:31:05 AM	0	6.869	62.1	96.1	0
4/6/2023, 2:41:05 AM	0	6.869	61.9	96	0
4/6/2023, 2:51:05 AM	0	6.869	61.9	95.6	0
4/6/2023, 3:01:05 AM	0	6.869	61.7	95.2	0
4/6/2023, 3:11:05 AM	0	6.869	61.3	94.9	0
4/6/2023, 3:21:05 AM	0	6.869	61.2	94.9	0
4/6/2023, 3:31:05 AM	0	6.869	61	94.7	0
4/6/2023, 3:41:05 AM	0	6.869	60.6	94.6	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/6/2023, 3:51:05 AM	0	6.869	60.4	94.4	0
4/6/2023, 4:01:05 AM	0	6.869	60.3	94.5	0
4/6/2023, 4:11:05 AM	0	6.869	60.1	94.5	0
4/6/2023, 4:21:05 AM	0	6.869	59.9	94.6	0
4/6/2023, 4:31:05 AM	0	6.869	59.9	94.9	0
4/6/2023, 4:41:05 AM	0	6.869	60.1	95.1	0
4/6/2023, 4:51:05 AM	0	6.869	60.1	95.3	0
4/6/2023, 5:01:05 AM	0	6.869	60.1	95.5	0
4/6/2023, 5:11:05 AM	0	6.869	60.1	95.6	0
4/6/2023, 5:21:05 AM	0	6.869	60.3	95.8	0
4/6/2023, 5:31:05 AM	0	6.869	60.4	96.1	0
4/6/2023, 5:41:05 AM	0	6.869	60.6	96	0
4/6/2023, 5:51:05 AM	0	6.869	60.6	95.6	0
4/6/2023, 6:01:05 AM	0	6.869	60.4	95	0
4/6/2023, 6:11:05 AM	0	6.869	60.4	94.4	0
4/6/2023, 6:21:05 AM	0	6.869	60.3	93.8	0
4/6/2023, 6:31:05 AM	0	6.869	60.1	93.2	0
4/6/2023, 6:41:05 AM	0	6.869	59.9	92.7	0
4/6/2023, 6:51:05 AM	0	6.869	59.7	91.9	0
4/6/2023, 7:01:05 AM	0	6.869	59.7	91.4	0
4/6/2023, 7:11:05 AM	0	6.869	59.5	91	0
4/6/2023, 7:21:05 AM	0	6.869	59.5	90.6	0
4/6/2023, 7:31:05 AM	0	6.869	59.4	90.4	0
4/6/2023, 7:41:05 AM	0	6.869	59.2	90.5	0
4/6/2023, 7:51:05 AM	0	6.869	59.2	90.6	0
4/6/2023, 8:01:05 AM	0	6.869	59	90.5	0
4/6/2023, 8:11:05 AM	0	6.869	58.8	88.2	0
4/6/2023, 8:21:05 AM	0	6.869	58.5	86.1	0
4/6/2023, 8:31:05 AM	0	6.869	58.1	84.8	0
4/6/2023, 8:41:05 AM	0	6.869	57.9	84.1	0
4/6/2023, 8:51:05 AM	0	6.869	57.7	83.6	0
4/6/2023, 9:01:05 AM	0	6.86	57.7	82.5	0
4/6/2023, 9:11:05 AM	0	6.86	57.6	81.5	0
4/6/2023, 9:21:05 AM	0	6.86	57.6	81.2	0
4/6/2023, 9:31:05 AM	0	6.86	57.6	80.8	0
4/6/2023, 9:41:05 AM	0	6.86	57.6	81.4	0
4/6/2023, 9:51:05 AM	0	6.86	57.7	81.2	0
4/6/2023, 10:01:05 AM	0	6.86	57.9	78.8	0
4/6/2023, 10:11:05 AM	0	6.86	57.9	78.1	0
4/6/2023, 10:21:05 AM	0	6.86	57.7	77.2	0
4/6/2023, 10:31:05 AM	0	6.86	57.6	76.5	0
4/6/2023, 10:41:05 AM	0	6.86	57.7	76.2	0
4/6/2023, 10:51:05 AM	0	6.86	58.3	76	0
4/6/2023, 11:01:05 AM	0	6.86	59.2	75.1	0
4/6/2023, 11:11:05 AM	0	6.86	59.4	73.4	0
4/6/2023, 11:21:05 AM	0	6.86	59.2	71.7	0
4/6/2023, 11:31:05 AM	0	6.86	59	71.1	0
4/6/2023, 11:41:05 AM	0	6.86	59.5	70.4	0
4/6/2023, 11:51:05 AM	0	6.86	60.1	69.4	0
4/6/2023, 12:01:05 PM	0	6.869	59.9	68.6	0
4/6/2023, 12:11:05 PM	0	6.869	59.7	68.1	0
4/6/2023, 12:21:05 PM	0	6.869	59.7	68	0
4/6/2023, 12:31:05 PM	0	6.869	59.9	67.9	0
4/6/2023, 12:41:05 PM	0	6.869	59.7	67.6	0
4/6/2023, 12:51:05 PM	0	6.869	59.7	67.6	0
4/6/2023, 1:01:05 PM	0	6.869	59.5	67.9	0
4/6/2023, 1:11:05 PM	0	6.869	59.7	68.2	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/6/2023, 1:21:05 PM	0	6.869	59.9	68.4	0
4/6/2023, 1:31:05 PM	0	6.869	59.9	68	0
4/6/2023, 1:41:05 PM	0	6.869	59.7	68.1	0
4/6/2023, 1:51:05 PM	0	6.869	59.5	68	0
4/6/2023, 2:01:05 PM	0	6.869	59.5	67.3	0
4/6/2023, 2:11:05 PM	0	6.869	59.5	67.1	0
4/6/2023, 2:21:05 PM	0	6.86	60.1	66.9	0
4/6/2023, 2:31:05 PM	0	6.869	60.3	66.6	0
4/6/2023, 2:41:05 PM	0	6.869	60.3	66.3	0
4/6/2023, 2:51:05 PM	0	6.869	60.4	66.5	0
4/6/2023, 3:01:05 PM	0	6.869	60.6	66.1	0
4/6/2023, 3:11:05 PM	0	6.869	60.8	65.2	0
4/6/2023, 3:21:05 PM	0	6.869	60.6	64.4	0
4/6/2023, 3:31:05 PM	0	6.869	60.4	64	0
4/6/2023, 3:41:05 PM	0	6.869	60.3	63.8	0
4/6/2023, 3:51:05 PM	0	6.869	59.9	63.8	0
4/6/2023, 4:01:05 PM	0	6.869	59.7	64	0
4/6/2023, 4:11:05 PM	0	6.869	59.4	64	0
4/6/2023, 4:21:05 PM	0	6.86	59.4	63.9	0
4/6/2023, 4:31:05 PM	0	6.869	59.2	63.2	0
4/6/2023, 4:41:05 PM	0	6.869	58.8	62.8	0
4/6/2023, 4:51:05 PM	0	6.86	58.5	62.3	0
4/6/2023, 5:01:05 PM	0	6.86	58.3	61.7	0
4/6/2023, 5:11:05 PM	0	6.86	57.9	61.1	0
4/6/2023, 5:21:05 PM	0	6.86	57.6	60.8	0
4/6/2023, 5:31:05 PM	0	6.86	57.2	60.6	0
4/6/2023, 5:41:05 PM	0	6.86	57	60.3	0
4/6/2023, 5:51:05 PM	0	6.86	56.8	60	0
4/6/2023, 6:01:05 PM	0	6.86	56.5	59.9	0
4/6/2023, 6:11:05 PM	0	6.86	56.1	59.7	0
4/6/2023, 6:21:05 PM	0	6.86	55.8	59.4	0
4/6/2023, 6:31:05 PM	0	6.86	55.4	59.2	0
4/6/2023, 6:41:05 PM	0	6.86	55	58.8	0
4/6/2023, 6:51:05 PM	0	6.86	54.5	58.5	0
4/6/2023, 7:01:05 PM	0	6.86	53.8	58.4	0
4/6/2023, 7:11:05 PM	0	6.86	52.9	58.4	0
4/6/2023, 7:21:05 PM	0	6.86	52	58.7	0
4/6/2023, 7:31:05 PM	0	6.86	51.3	58.8	0
4/6/2023, 7:41:05 PM	0	6.86	50.7	58.7	0
4/6/2023, 7:51:05 PM	0	6.851	50	58.9	0
4/6/2023, 8:01:05 PM	0	6.851	49.5	59.1	0
4/6/2023, 8:11:05 PM	0	6.851	49.1	59.4	0
4/6/2023, 8:21:05 PM	0	6.851	48.4	59.7	0
4/6/2023, 8:31:05 PM	0	6.851	48	60.1	0
4/6/2023, 8:41:05 PM	0	6.851	47.5	60.4	0
4/6/2023, 8:51:05 PM	0	6.851	47.1	60.7	0
4/6/2023, 9:01:05 PM	0	6.851	46.8	61.1	0
4/6/2023, 9:11:05 PM	0	6.851	46.4	61.5	0
4/6/2023, 9:21:05 PM	0	6.851	46	61.9	0
4/6/2023, 9:31:05 PM	0	6.851	45.9	62.4	0
4/6/2023, 9:41:05 PM	0	6.842	45.5	63	0
4/6/2023, 9:51:05 PM	0	6.842	45.1	63.6	0
4/6/2023, 10:01:05 PM	0	6.842	45	64.1	0
4/6/2023, 10:11:05 PM	0	6.842	44.8	64.6	0
4/6/2023, 10:21:05 PM	0	6.842	44.6	65.3	0
4/6/2023, 10:31:05 PM	0	6.842	44.2	65.8	0
4/6/2023, 10:41:05 PM	0	6.842	44.1	66.3	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/6/2023, 10:51:05 PM	0	6.842	43.9	66.7	0
4/6/2023, 11:01:05 PM	0	6.842	43.7	67.2	0
4/6/2023, 11:11:05 PM	0	6.842	43.7	67.6	0
4/6/2023, 11:21:05 PM	0	6.842	43.7	67.8	0
4/6/2023, 11:31:05 PM	0	6.842	43.5	68.1	0
4/6/2023, 11:41:05 PM	0	6.842	43.5	68.3	0
4/6/2023, 11:51:05 PM	0	6.842	43.3	68.7	0
4/7/2023, 12:01:05 AM	0	6.842	43.2	68.9	0
4/7/2023, 12:11:05 AM	0	6.842	43	69.2	0
4/7/2023, 12:21:05 AM	0	6.842	42.6	69.5	0
4/7/2023, 12:31:05 AM	0	6.842	42.4	69.8	0
4/7/2023, 12:41:05 AM	0	6.833	42.3	70.1	0
4/7/2023, 12:51:05 AM	0	6.833	42.1	70.4	0
4/7/2023, 1:01:05 AM	0	6.833	41.9	70.7	0
4/7/2023, 1:11:05 AM	0	6.833	41.7	70.9	0
4/7/2023, 1:21:05 AM	0	6.833	41.5	71.2	0
4/7/2023, 1:31:05 AM	0	6.833	41.4	71.4	0
4/7/2023, 1:41:05 AM	0	6.833	41.2	71.6	0
4/7/2023, 1:51:05 AM	0	6.833	41.2	71.8	0
4/7/2023, 2:01:05 AM	0	6.833	40.8	72	0
4/7/2023, 2:11:05 AM	0	6.833	40.6	72.2	0
4/7/2023, 2:21:05 AM	0	6.833	40.3	72.5	0
4/7/2023, 2:31:05 AM	0	6.833	40.1	72.8	0
4/7/2023, 2:41:05 AM	0	6.833	40.1	73.1	0
4/7/2023, 2:51:05 AM	0	6.833	39.9	73.4	0
4/7/2023, 3:01:05 AM	0	6.833	39.7	73.6	0
4/7/2023, 3:11:05 AM	0	6.833	39.6	73.8	0
4/7/2023, 3:21:05 AM	0	6.833	39.6	74.1	0
4/7/2023, 3:31:05 AM	0	6.833	39.6	74.3	0
4/7/2023, 3:41:05 AM	0	6.833	39.6	74.5	0
4/7/2023, 3:51:05 AM	0	6.833	39.6	74.7	0
4/7/2023, 4:01:05 AM	0	6.833	39.6	74.8	0
4/7/2023, 4:11:05 AM	0	6.833	39.6	75	0
4/7/2023, 4:21:05 AM	0	6.833	39.4	75	0
4/7/2023, 4:31:05 AM	0	6.833	39.4	75.1	0
4/7/2023, 4:41:05 AM	0	6.833	39.4	75.1	0
4/7/2023, 4:51:05 AM	0	6.833	39.2	75.2	0
4/7/2023, 5:01:05 AM	0	6.833	38.8	75.2	0
4/7/2023, 5:11:05 AM	0	6.833	38.7	75.2	0
4/7/2023, 5:21:05 AM	0	6.833	38.5	75.4	0
4/7/2023, 5:31:05 AM	0	6.825	38.1	75.4	0
4/7/2023, 5:41:05 AM	0	6.825	37.9	75.4	0
4/7/2023, 5:51:05 AM	0	6.825	37.6	75.5	0
4/7/2023, 6:01:05 AM	0	6.825	37.4	75.7	0
4/7/2023, 6:11:05 AM	0	6.825	37.4	75.7	0
4/7/2023, 6:21:05 AM	0	6.825	37.4	75.7	0
4/7/2023, 6:31:05 AM	0	6.825	37.4	75.8	0
4/7/2023, 6:41:05 AM	0	6.825	37.6	76	0
4/7/2023, 6:51:05 AM	0	6.825	37.8	76.1	0
4/7/2023, 7:01:05 AM	0	6.825	37.8	76.2	0
4/7/2023, 7:11:05 AM	0	6.825	37.9	76.3	0
4/7/2023, 7:21:05 AM	0	6.825	37.9	76.6	0
4/7/2023, 7:31:05 AM	0	6.825	38.1	76.8	0
4/7/2023, 7:41:05 AM	0	6.825	38.5	77	0
4/7/2023, 7:51:05 AM	0	6.825	38.7	77.2	0
4/7/2023, 8:01:05 AM	0	6.825	39	77	0
4/7/2023, 8:11:05 AM	0	6.825	39.4	76.5	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/7/2023, 8:21:05 AM	0	6.825	39.6	76.1	0
4/7/2023, 8:31:05 AM	0	6.825	39.7	75.7	0
4/7/2023, 8:41:05 AM	0	6.825	39.9	75.3	0
4/7/2023, 8:51:05 AM	0	6.825	40.3	75.1	0
4/7/2023, 9:01:05 AM	0	6.825	41.2	74.7	0
4/7/2023, 9:11:05 AM	0	6.833	42.1	74	0
4/7/2023, 9:21:05 AM	0	6.833	43	73.1	0
4/7/2023, 9:31:05 AM	0	6.833	43.5	72.1	0
4/7/2023, 9:41:05 AM	0	6.833	44.2	71.3	0
4/7/2023, 9:51:05 AM	0	6.833	44.8	70.5	0
4/7/2023, 10:01:05 AM	0	6.833	45.5	69.3	0
4/7/2023, 10:11:05 AM	0	6.833	47.1	68.5	0
4/7/2023, 10:21:05 AM	0	6.842	48.4	67.5	0
4/7/2023, 10:31:05 AM	0	6.842	48.7	66.5	0
4/7/2023, 10:41:05 AM	0	6.842	49.3	65.9	0
4/7/2023, 10:51:05 AM	0	6.842	49.8	65.4	0
4/7/2023, 11:01:05 AM	0	6.842	50.7	64.9	0
4/7/2023, 11:11:05 AM	0	6.842	50.9	64.1	0
4/7/2023, 11:21:05 AM	0	6.842	51.6	63.5	0
4/7/2023, 11:31:05 AM	0	6.842	52.5	62.9	0
4/7/2023, 11:41:05 AM	0	6.842	52.9	62.1	0
4/7/2023, 11:51:05 AM	0	6.842	53.2	61.4	0
4/7/2023, 12:01:05 PM	0	6.851	53.4	60.8	0
4/7/2023, 12:11:05 PM	0	6.851	54	60.2	0
4/7/2023, 12:21:05 PM	0	6.851	54.5	59.7	0
4/7/2023, 12:31:05 PM	0	6.851	54.7	59	0
4/7/2023, 12:41:05 PM	0	6.851	54.9	58.6	0
4/7/2023, 12:51:05 PM	0	6.851	54.9	58	0
4/7/2023, 1:01:05 PM	0	6.851	55	57.7	0
4/7/2023, 1:11:05 PM	0	6.851	55	57.1	0
4/7/2023, 1:21:05 PM	0	6.851	55	56.9	0
4/7/2023, 1:31:05 PM	0	6.851	55	56.7	0
4/7/2023, 1:41:05 PM	0	6.851	54.9	56.3	0
4/7/2023, 1:51:05 PM	0	6.851	54.7	56.1	0
4/7/2023, 2:01:05 PM	0	6.851	54.7	56.1	0
4/7/2023, 2:11:05 PM	0	6.851	54.1	55.9	0
4/7/2023, 2:21:05 PM	0	6.851	53.6	55.7	0
4/7/2023, 2:31:05 PM	0	6.851	53.2	55.4	0
4/7/2023, 2:41:05 PM	0	6.851	53.2	55.5	0
4/7/2023, 2:51:05 PM	0	6.851	53.4	55.4	0
4/7/2023, 3:01:05 PM	0	6.851	53.8	55.2	0
4/7/2023, 3:11:05 PM	0	6.851	53.8	55.2	0
4/7/2023, 3:21:05 PM	0	6.851	53.4	55	0
4/7/2023, 3:31:05 PM	0	6.851	53.2	54.7	0
4/7/2023, 3:41:05 PM	0	6.851	53.1	54.6	0
4/7/2023, 3:51:05 PM	0	6.851	52.9	54.6	0
4/7/2023, 4:01:05 PM	0	6.851	52.7	54.4	0
4/7/2023, 4:11:05 PM	0	6.851	52.9	54.4	0
4/7/2023, 4:21:05 PM	0	6.851	52.7	54.5	0
4/7/2023, 4:31:05 PM	0	6.851	52.2	54.4	0
4/7/2023, 4:41:05 PM	0	6.851	51.8	54.4	0
4/7/2023, 4:51:05 PM	0	6.851	51.8	54.4	0
4/7/2023, 5:01:05 PM	0	6.851	51.8	54.3	0
4/7/2023, 5:11:05 PM	0	6.851	51.6	54.4	0
4/7/2023, 5:21:05 PM	0	6.851	51.4	54.5	0
4/7/2023, 5:31:05 PM	0	6.851	50.5	54.4	0
4/7/2023, 5:41:05 PM	0	6.851	49.5	54.3	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/7/2023, 5:51:05 PM	0	6.851	48.4	54.4	0
4/7/2023, 6:01:05 PM	0	6.851	47.5	54.5	0
4/7/2023, 6:11:05 PM	0	6.842	46.8	54.6	0
4/7/2023, 6:21:05 PM	0	6.842	45.9	54.7	0
4/7/2023, 6:31:05 PM	0	6.842	45.1	55	0
4/7/2023, 6:41:05 PM	0	6.842	44.6	55.2	0
4/7/2023, 6:51:05 PM	0	6.842	44.1	55.4	0
4/7/2023, 7:01:05 PM	0	6.842	43.9	55.7	0
4/7/2023, 7:11:05 PM	0	6.842	43.5	55.9	0
4/7/2023, 7:21:05 PM	0	6.833	43	56.1	0
4/7/2023, 7:31:05 PM	0	6.833	42.3	56.3	0
4/7/2023, 7:41:05 PM	0	6.833	41.7	56.7	0
4/7/2023, 7:51:05 PM	0	6.833	41	57	0
4/7/2023, 8:01:05 PM	0	6.833	40.5	57.4	0
4/7/2023, 8:11:05 PM	0	6.833	39.9	57.6	0
4/7/2023, 8:21:05 PM	0	6.833	39.4	58	0
4/7/2023, 8:31:05 PM	0	6.833	38.8	58.3	0
4/7/2023, 8:41:05 PM	0	6.825	38.5	58.7	0
4/7/2023, 8:51:05 PM	0	6.825	37.9	59.1	0
4/7/2023, 9:01:05 PM	0	6.825	37.4	59.3	0
4/7/2023, 9:11:05 PM	0	6.825	36.7	59.8	0
4/7/2023, 9:21:05 PM	0	6.825	36.3	60.4	0
4/7/2023, 9:31:05 PM	0	6.825	36	60.9	0
4/7/2023, 9:41:05 PM	0	6.816	35.6	61.4	0
4/7/2023, 9:51:05 PM	0	6.816	35.2	62.1	0
4/7/2023, 10:01:05 PM	0	6.816	34.9	62.6	0
4/7/2023, 10:11:05 PM	0	6.816	34.7	63	0
4/7/2023, 10:21:05 PM	0	6.816	34.3	63.4	0
4/7/2023, 10:31:05 PM	0	6.816	34	63.9	0
4/7/2023, 10:41:05 PM	0	6.816	33.6	64.4	0
4/7/2023, 10:51:05 PM	0	6.816	33.4	64.9	0
4/7/2023, 11:01:05 PM	0	6.816	33.1	65.5	0
4/7/2023, 11:11:05 PM	0	6.807	32.9	66	0
4/7/2023, 11:21:05 PM	0	6.807	32.7	66.5	0
4/7/2023, 11:31:05 PM	0	6.807	32.5	66.9	0
4/7/2023, 11:41:05 PM	0	6.807	32.2	67.2	0
4/7/2023, 11:51:05 PM	0	6.807	32	67.6	0
4/8/2023, 12:01:05 AM	0	6.807	32	68.3	0
4/8/2023, 12:11:05 AM	0	6.807	31.8	69.1	0
4/8/2023, 12:21:05 AM	0	6.807	31.8	69.7	0
4/8/2023, 12:31:05 AM	0	6.807	31.6	70.2	0
4/8/2023, 12:41:05 AM	0	6.807	31.5	70.5	0
4/8/2023, 12:51:05 AM	0	6.807	31.3	71.1	0
4/8/2023, 1:01:05 AM	0	6.807	31.1	71.6	0
4/8/2023, 1:11:05 AM	0	6.807	30.9	72	0
4/8/2023, 1:21:05 AM	0	6.798	30.9	72.2	0
4/8/2023, 1:31:05 AM	0	6.798	30.7	72.4	0
4/8/2023, 1:41:05 AM	0	6.798	30.6	72.6	0
4/8/2023, 1:51:05 AM	0	6.798	30.6	72.9	0
4/8/2023, 2:01:05 AM	0	6.798	30.4	73.1	0
4/8/2023, 2:11:05 AM	0	6.798	30	73.6	0
4/8/2023, 2:21:05 AM	0	6.798	29.8	73.9	0
4/8/2023, 2:31:05 AM	0	6.798	29.8	74.4	0
4/8/2023, 2:41:05 AM	0	6.798	29.8	74.9	0
4/8/2023, 2:51:05 AM	0	6.798	29.7	75.3	0
4/8/2023, 3:01:05 AM	0	6.798	29.5	75.9	0
4/8/2023, 3:11:05 AM	0	6.798	29.5	76.3	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/8/2023, 3:21:05 AM	0	6.798	29.1	76.7	0
4/8/2023, 3:31:05 AM	0	6.798	28.9	76.9	0
4/8/2023, 3:41:05 AM	0	6.798	28.8	77	0
4/8/2023, 3:51:05 AM	0	6.798	28.8	77.2	0
4/8/2023, 4:01:05 AM	0	6.79	28.6	77.4	0
4/8/2023, 4:11:05 AM	0	6.79	28.4	77.5	0
4/8/2023, 4:21:05 AM	0	6.79	28.4	77.9	0
4/8/2023, 4:31:05 AM	0	6.79	28.4	78.3	0
4/8/2023, 4:41:05 AM	0	6.79	28.2	78.6	0
4/8/2023, 4:51:05 AM	0	6.79	28	78.8	0
4/8/2023, 5:01:05 AM	0	6.79	27.9	79.1	0
4/8/2023, 5:11:05 AM	0	6.79	27.9	79.3	0
4/8/2023, 5:21:05 AM	0	6.79	27.7	79.4	0
4/8/2023, 5:31:05 AM	0	6.79	27.7	79.5	0
4/8/2023, 5:41:05 AM	0	6.79	27.5	79.7	0
4/8/2023, 5:51:05 AM	0	6.79	27.3	79.9	0
4/8/2023, 6:01:05 AM	0	6.79	27.1	80	0
4/8/2023, 6:11:05 AM	0	6.79	27	80.2	0
4/8/2023, 6:21:05 AM	0	6.79	26.8	80.3	0
4/8/2023, 6:31:05 AM	0	6.79	26.6	80.5	0
4/8/2023, 6:41:05 AM	0	6.79	26.4	80.8	0
4/8/2023, 6:51:05 AM	0	6.79	26.4	81.1	0
4/8/2023, 7:01:05 AM	0	6.781	26.4	81.3	0
4/8/2023, 7:11:05 AM	0	6.781	26.4	81.5	0
4/8/2023, 7:21:05 AM	0	6.781	26.6	81.9	0
4/8/2023, 7:31:05 AM	0	6.79	27.1	82.4	0
4/8/2023, 7:41:05 AM	0	6.781	27.9	83	0
4/8/2023, 7:51:05 AM	0	6.79	28.8	83.4	0
4/8/2023, 8:01:05 AM	0	6.79	30	83.7	0
4/8/2023, 8:11:05 AM	0	6.79	31.1	83.6	0
4/8/2023, 8:21:05 AM	0	6.798	32.4	83.3	0
4/8/2023, 8:31:05 AM	0	6.798	33.4	82.9	0
4/8/2023, 8:41:05 AM	0	6.798	34.9	82.2	0
4/8/2023, 8:51:05 AM	0	6.807	36.1	81.6	0
4/8/2023, 9:01:05 AM	0	6.807	37.4	80.6	0
4/8/2023, 9:11:05 AM	0	6.816	38.8	79.6	0
4/8/2023, 9:21:05 AM	0	6.816	40.1	78.3	0
4/8/2023, 9:31:05 AM	0	6.816	41.4	77.1	0
4/8/2023, 9:41:05 AM	0	6.825	42.8	75.8	0
4/8/2023, 9:51:05 AM	0	6.825	44.2	74.3	0
4/8/2023, 10:01:05 AM	0	6.833	45	72.8	0
4/8/2023, 10:11:05 AM	0	6.833	46.2	71.5	0
4/8/2023, 10:21:05 AM	0	6.833	47.3	70	0
4/8/2023, 10:31:05 AM	0	6.833	48.7	68.9	0
4/8/2023, 10:41:05 AM	0	6.842	50	67.8	0
4/8/2023, 10:51:05 AM	0	6.842	51.3	66.6	0
4/8/2023, 11:01:05 AM	0	6.842	51.6	65.3	0
4/8/2023, 11:11:05 AM	0	6.842	52	64.4	0
4/8/2023, 11:21:05 AM	0	6.842	52.5	63.6	0
4/8/2023, 11:31:05 AM	0	6.842	53.1	62.8	0
4/8/2023, 11:41:05 AM	0	6.842	53.6	62.1	0
4/8/2023, 11:51:05 AM	0	6.851	53.8	61.2	0
4/8/2023, 12:01:05 PM	0	6.851	54	60.5	0
4/8/2023, 12:11:05 PM	0	6.851	54.1	59.9	0
4/8/2023, 12:21:05 PM	0	6.851	54.5	59.3	0
4/8/2023, 12:31:05 PM	0	6.851	54.7	58.7	0
4/8/2023, 12:41:05 PM	0	6.851	54.9	58.3	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/8/2023, 12:51:05 PM	0	6.851	55.6	57.9	0
4/8/2023, 1:01:05 PM	0	6.851	55.9	57.4	0
4/8/2023, 1:11:05 PM	0	6.851	56.1	57.1	0
4/8/2023, 1:21:05 PM	0	6.851	56.3	56.7	0
4/8/2023, 1:31:05 PM	0	6.851	56.5	56.3	0
4/8/2023, 1:41:05 PM	0	6.851	56.3	56	0
4/8/2023, 1:51:05 PM	0	6.851	56.3	55.6	0
4/8/2023, 2:01:05 PM	0	6.851	55.9	55.4	0
4/8/2023, 2:11:05 PM	0	6.851	55.4	55.2	0
4/8/2023, 2:21:05 PM	0	6.851	55.6	55.2	0
4/8/2023, 2:31:05 PM	0	6.851	55.9	55.1	0
4/8/2023, 2:41:05 PM	0	6.851	56.1	55	0
4/8/2023, 2:51:05 PM	0	6.851	55.9	55.1	0
4/8/2023, 3:01:05 PM	0	6.851	55.9	55.1	0
4/8/2023, 3:11:05 PM	0	6.851	56.1	55.3	0
4/8/2023, 3:21:05 PM	0	6.851	55.9	55.1	0
4/8/2023, 3:31:05 PM	0	6.851	55.8	55	0
4/8/2023, 3:41:05 PM	0	6.851	55.6	54.9	0
4/8/2023, 3:51:05 PM	0	6.851	55.4	54.9	0
4/8/2023, 4:01:05 PM	0	6.851	55.8	54.9	0
4/8/2023, 4:11:05 PM	0	6.851	55.9	54.8	0
4/8/2023, 4:21:05 PM	0	6.851	55.4	54.6	0
4/8/2023, 4:31:05 PM	0	6.851	54.5	54.3	0
4/8/2023, 4:41:05 PM	0	6.851	54	54.3	0
4/8/2023, 4:51:05 PM	0	6.851	53.8	54.5	0
4/8/2023, 5:01:05 PM	0	6.851	53.1	54.3	0
4/8/2023, 5:11:05 PM	0	6.851	52.5	54.4	0
4/8/2023, 5:21:05 PM	0	6.851	52	54.5	0
4/8/2023, 5:31:05 PM	0	6.851	51.3	54.6	0
4/8/2023, 5:41:05 PM	0	6.851	50.5	54.6	0
4/8/2023, 5:51:05 PM	0	6.851	50	54.8	0
4/8/2023, 6:01:05 PM	0	6.851	49.5	55	0
4/8/2023, 6:11:05 PM	0	6.842	48.9	55.2	0
4/8/2023, 6:21:05 PM	0	6.842	48.2	55.4	0
4/8/2023, 6:31:05 PM	0	6.842	47.7	55.6	0
4/8/2023, 6:41:05 PM	0	6.842	47.1	55.9	0
4/8/2023, 6:51:05 PM	0	6.842	46.8	56.1	0
4/8/2023, 7:01:05 PM	0	6.842	46.4	56.3	0
4/8/2023, 7:11:05 PM	0	6.842	45.9	56.2	0
4/8/2023, 7:21:05 PM	0	6.842	45.3	56	0
4/8/2023, 7:31:05 PM	0	6.842	44.8	55.7	0
4/8/2023, 7:41:05 PM	0	6.842	44.2	55.5	0
4/8/2023, 7:51:05 PM	0	6.833	43.7	55.5	0
4/8/2023, 8:01:05 PM	0	6.833	43	55.5	0
4/8/2023, 8:11:05 PM	0	6.833	42.3	55.9	0
4/8/2023, 8:21:05 PM	0	6.833	41.4	56.1	0
4/8/2023, 8:31:05 PM	0	6.833	40.6	56.4	0
4/8/2023, 8:41:05 PM	0	6.833	39.7	57	0
4/8/2023, 8:51:05 PM	0	6.825	39	57.7	0
4/8/2023, 9:01:05 PM	0	6.825	38.5	58.5	0
4/8/2023, 9:11:05 PM	0	6.825	37.9	59.5	0
4/8/2023, 9:21:05 PM	0	6.825	37.4	61	0
4/8/2023, 9:31:05 PM	0	6.825	36.7	62	0
4/8/2023, 9:41:05 PM	0	6.825	36.3	62.8	0
4/8/2023, 9:51:05 PM	0	6.816	36	63.5	0
4/8/2023, 10:01:05 PM	0	6.816	35.6	63.8	0
4/8/2023, 10:11:05 PM	0	6.816	35.1	64.2	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/8/2023, 10:21:05 PM	0	6.816	34.7	64.8	0
4/8/2023, 10:31:05 PM	0	6.816	34.3	65.5	0
4/8/2023, 10:41:05 PM	0	6.816	34	65.9	0
4/8/2023, 10:51:05 PM	0	6.816	33.6	66.4	0
4/8/2023, 11:01:05 PM	0	6.807	33.3	67.1	0
4/8/2023, 11:11:05 PM	0	6.807	32.9	67.8	0
4/8/2023, 11:21:05 PM	0	6.807	32.5	68.3	0
4/8/2023, 11:31:05 PM	0	6.807	32.2	68.9	0
4/8/2023, 11:41:05 PM	0	6.807	32	69.6	0
4/8/2023, 11:51:05 PM	0	6.807	31.8	70.2	0
4/9/2023, 12:01:05 AM	0	6.807	31.6	70.8	0
4/9/2023, 12:11:05 AM	0	6.807	31.3	71.3	0
4/9/2023, 12:21:05 AM	0	6.798	31.1	71.9	0
4/9/2023, 12:31:05 AM	0	6.798	31.1	72.3	0
4/9/2023, 12:41:05 AM	0	6.798	30.9	72.7	0
4/9/2023, 12:51:05 AM	0	6.798	30.7	73	0
4/9/2023, 1:01:05 AM	0	6.798	30.6	73.4	0
4/9/2023, 1:11:05 AM	0	6.798	30.4	73.8	0
4/9/2023, 1:21:05 AM	0	6.798	30.2	74.5	0
4/9/2023, 1:31:05 AM	0	6.798	30.2	75.1	0
4/9/2023, 1:41:05 AM	0	6.798	30	75.6	0
4/9/2023, 1:51:05 AM	0	6.798	30	76	0
4/9/2023, 2:01:05 AM	0	6.798	29.8	76.3	0
4/9/2023, 2:11:05 AM	0	6.798	29.7	76.6	0
4/9/2023, 2:21:05 AM	0	6.798	29.5	76.8	0
4/9/2023, 2:31:05 AM	0	6.798	29.3	77	0
4/9/2023, 2:41:05 AM	0	6.79	29.3	77.2	0
4/9/2023, 2:51:05 AM	0	6.79	29.3	77.5	0
4/9/2023, 3:01:05 AM	0	6.79	29.1	77.8	0
4/9/2023, 3:11:05 AM	0	6.79	29.1	77.9	0
4/9/2023, 3:21:05 AM	0	6.79	28.9	78	0
4/9/2023, 3:31:05 AM	0	6.79	28.8	78.1	0
4/9/2023, 3:41:05 AM	0	6.79	28.6	78.4	0
4/9/2023, 3:51:05 AM	0	6.79	28.4	78.6	0
4/9/2023, 4:01:05 AM	0	6.79	28.2	78.9	0
4/9/2023, 4:11:05 AM	0	6.79	28	79.2	0
4/9/2023, 4:21:05 AM	0	6.79	27.9	79.5	0
4/9/2023, 4:31:05 AM	0	6.79	27.7	79.9	0
4/9/2023, 4:41:05 AM	0	6.79	27.7	80.3	0
4/9/2023, 4:51:05 AM	0	6.79	27.7	80.8	0
4/9/2023, 5:01:05 AM	0	6.79	27.9	81.1	0
4/9/2023, 5:11:05 AM	0	6.79	27.9	81.3	0
4/9/2023, 5:21:05 AM	0	6.79	27.9	81.5	0
4/9/2023, 5:31:05 AM	0	6.79	27.7	81.6	0
4/9/2023, 5:41:05 AM	0	6.79	27.7	81.6	0
4/9/2023, 5:51:05 AM	0	6.79	27.5	81.7	0
4/9/2023, 6:01:05 AM	0	6.79	27.3	82	0
4/9/2023, 6:11:05 AM	0	6.79	27.3	82.3	0
4/9/2023, 6:21:05 AM	0	6.79	27.3	82.5	0
4/9/2023, 6:31:05 AM	0	6.781	27.1	82.7	0
4/9/2023, 6:41:05 AM	0	6.79	27	82.7	0
4/9/2023, 6:51:05 AM	0	6.781	27	83	0
4/9/2023, 7:01:05 AM	0	6.781	26.8	83.2	0
4/9/2023, 7:11:05 AM	0	6.781	27	83.4	0
4/9/2023, 7:21:05 AM	0	6.781	27.1	83.8	0
4/9/2023, 7:31:05 AM	0	6.781	27.7	84.3	0
4/9/2023, 7:41:05 AM	0	6.79	28.4	84.7	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/9/2023, 7:51:05 AM	0	6.79	29.3	85.3	0
4/9/2023, 8:01:05 AM	0	6.79	30.4	85.7	0
4/9/2023, 8:11:05 AM	0	6.79	31.5	85.5	0
4/9/2023, 8:21:05 AM	0	6.798	32.5	85.2	0
4/9/2023, 8:31:05 AM	0	6.798	33.6	84.8	0
4/9/2023, 8:41:05 AM	0	6.798	35.1	84	0
4/9/2023, 8:51:05 AM	0	6.807	36.5	82.6	0
4/9/2023, 9:01:05 AM	0	6.807	37.9	81.2	0
4/9/2023, 9:11:05 AM	0	6.816	39.4	79.7	0
4/9/2023, 9:21:05 AM	0	6.816	41	77.8	0
4/9/2023, 9:31:05 AM	0	6.816	42.8	76	0
4/9/2023, 9:41:05 AM	0	6.825	44.8	73.9	0
4/9/2023, 9:51:05 AM	0	6.825	46.8	72	0
4/9/2023, 10:01:05 AM	0	6.833	48.9	70.2	0
4/9/2023, 10:11:05 AM	0	6.833	50.9	68.5	0
4/9/2023, 10:21:05 AM	0	6.842	52.7	67	0
4/9/2023, 10:31:05 AM	0	6.842	54.1	65.5	0
4/9/2023, 10:41:05 AM	0	6.842	55.2	64.1	0
4/9/2023, 10:51:05 AM	0	6.842	56.1	63	0
4/9/2023, 11:01:05 AM	0	6.851	56.7	61.9	0
4/9/2023, 11:11:05 AM	0	6.851	57.2	61	0
4/9/2023, 11:21:05 AM	0	6.851	57.7	60.1	0
4/9/2023, 11:31:05 AM	0	6.851	58.5	59.2	0
4/9/2023, 11:41:05 AM	0	6.851	58.8	58.6	0
4/9/2023, 11:51:05 AM	0	6.851	59	57.9	0
4/9/2023, 12:01:05 PM	0	6.851	59.5	57.3	0
4/9/2023, 12:11:05 PM	0	6.851	60.1	56.9	0
4/9/2023, 12:21:05 PM	0	6.86	60.6	56.6	0
4/9/2023, 12:31:05 PM	0	6.86	60.8	56	0
4/9/2023, 12:41:05 PM	0	6.86	60.6	55.7	0
4/9/2023, 12:51:05 PM	0	6.86	60.8	55.2	0
4/9/2023, 1:01:05 PM	0	6.86	61	54.8	0
4/9/2023, 1:11:05 PM	0	6.86	61.2	54.6	0
4/9/2023, 1:21:05 PM	0	6.86	61.3	54.3	0
4/9/2023, 1:31:05 PM	0	6.86	61.5	54.2	0
4/9/2023, 1:41:05 PM	0	6.86	61.5	54	0
4/9/2023, 1:51:05 PM	0	6.86	61.2	53.8	0
4/9/2023, 2:01:05 PM	0	6.86	60.8	53.6	0
4/9/2023, 2:11:05 PM	0	6.86	60.6	53.5	0
4/9/2023, 2:21:05 PM	0	6.86	60.4	53.3	0
4/9/2023, 2:31:05 PM	0	6.86	60.3	53.3	0
4/9/2023, 2:41:05 PM	0	6.86	60.4	53.3	0
4/9/2023, 2:51:05 PM	0	6.86	61	53.2	0
4/9/2023, 3:01:05 PM	0	6.86	61.2	53.4	0
4/9/2023, 3:11:05 PM	0	6.86	61.3	53.7	0
4/9/2023, 3:21:05 PM	0	6.86	61	53.7	0
4/9/2023, 3:31:05 PM	0	6.86	60.8	54.1	0
4/9/2023, 3:41:05 PM	0	6.86	60.8	54.4	0
4/9/2023, 3:51:05 PM	0	6.86	60.6	54.6	0
4/9/2023, 4:01:05 PM	0	6.86	60.4	54.7	0
4/9/2023, 4:11:05 PM	0	6.86	60.4	54.8	0
4/9/2023, 4:21:05 PM	0	6.86	60.1	54.8	0
4/9/2023, 4:31:05 PM	0	6.86	59.5	54.9	0
4/9/2023, 4:41:05 PM	0	6.86	59.7	55	0
4/9/2023, 4:51:05 PM	0	6.86	60.1	55.1	0
4/9/2023, 5:01:05 PM	0	6.86	59.9	55.1	0
4/9/2023, 5:11:05 PM	0	6.86	59.7	55	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/9/2023, 5:21:05 PM	0	6.86	59	54.9	0
4/9/2023, 5:31:05 PM	0	6.86	58.1	54.8	0
4/9/2023, 5:41:05 PM	0	6.86	57	54.9	0
4/9/2023, 5:51:05 PM	0	6.86	56.1	55.1	0
4/9/2023, 6:01:05 PM	0	6.86	55.2	55.3	0
4/9/2023, 6:11:05 PM	0	6.86	54.5	55.5	0
4/9/2023, 6:21:05 PM	0	6.86	53.6	55.7	0
4/9/2023, 6:31:05 PM	0	6.86	52.7	56	0
4/9/2023, 6:41:05 PM	0	6.851	52.2	56.3	0
4/9/2023, 6:51:05 PM	0	6.851	51.6	56.7	0
4/9/2023, 7:01:05 PM	0	6.851	51.3	56.9	0
4/9/2023, 7:11:05 PM	0	6.851	50.5	57.1	0
4/9/2023, 7:21:05 PM	0	6.851	49.6	57.4	0
4/9/2023, 7:31:05 PM	0	6.851	48.9	57.7	0
4/9/2023, 7:41:05 PM	0	6.851	48.2	58.1	0
4/9/2023, 7:51:05 PM	0	6.842	47.5	58.3	0
4/9/2023, 8:01:05 PM	0	6.842	46.9	58.6	0
4/9/2023, 8:11:05 PM	0	6.842	46.4	59	0
4/9/2023, 8:21:05 PM	0	6.842	45.7	59.4	0
4/9/2023, 8:31:05 PM	0	6.842	45	60.1	0
4/9/2023, 8:41:05 PM	0	6.842	43.9	61.1	0
4/9/2023, 8:51:05 PM	0	6.842	43.2	62	0
4/9/2023, 9:01:05 PM	0	6.833	42.4	62.9	0
4/9/2023, 9:11:05 PM	0	6.833	41.7	64	0
4/9/2023, 9:21:05 PM	0	6.833	41	64.8	0
4/9/2023, 9:31:05 PM	0	6.833	40.5	66	0
4/9/2023, 9:41:05 PM	0	6.833	39.9	66.8	0
4/9/2023, 9:51:05 PM	0	6.833	39.6	67.6	0
4/9/2023, 10:01:05 PM	0	6.825	39	68.5	0
4/9/2023, 10:11:05 PM	0	6.825	38.5	69.3	0
4/9/2023, 10:21:05 PM	0	6.825	37.9	70.2	0
4/9/2023, 10:31:05 PM	0	6.825	37.6	70.8	0
4/9/2023, 10:41:05 PM	0	6.825	37.4	71.2	0
4/9/2023, 10:51:05 PM	0	6.825	36.9	71.8	0
4/9/2023, 11:01:05 PM	0	6.816	36.5	72.5	0
4/9/2023, 11:11:05 PM	0	6.816	36.3	73.2	0
4/9/2023, 11:21:05 PM	0	6.816	36.1	73.7	0
4/9/2023, 11:31:05 PM	0	6.816	35.8	74.1	0
4/9/2023, 11:41:05 PM	0	6.816	35.4	74.4	0
4/9/2023, 11:51:05 PM	0	6.816	35.2	74.8	0
4/10/2023, 12:01:05 AM	0	6.816	35.1	75.3	0
4/10/2023, 12:11:05 AM	0	6.816	35.1	75.7	0
4/10/2023, 12:21:05 AM	0	6.816	34.9	76	0
4/10/2023, 12:31:05 AM	0	6.816	34.7	76.6	0
4/10/2023, 12:41:05 AM	0	6.807	34.5	77	0
4/10/2023, 12:51:05 AM	0	6.807	34.5	77.4	0
4/10/2023, 1:01:05 AM	0	6.807	34.5	77.8	0
4/10/2023, 1:11:05 AM	0	6.807	34.3	78	0
4/10/2023, 1:21:05 AM	0	6.807	34	78.2	0
4/10/2023, 1:31:05 AM	0	6.807	33.8	78.6	0
4/10/2023, 1:41:05 AM	0	6.807	33.6	79.1	0
4/10/2023, 1:51:05 AM	0	6.807	33.4	79.5	0
4/10/2023, 2:01:05 AM	0	6.807	33.4	80	0
4/10/2023, 2:11:05 AM	0	6.807	33.3	80.3	0
4/10/2023, 2:21:05 AM	0	6.807	33.1	80.7	0
4/10/2023, 2:31:05 AM	0	6.807	33.1	81	0
4/10/2023, 2:41:05 AM	0	6.807	32.9	81.3	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/10/2023, 2:51:05 AM	0	6.807	32.7	81.7	0
4/10/2023, 3:01:05 AM	0	6.807	32.5	81.9	0
4/10/2023, 3:11:05 AM	0	6.807	32.4	82	0
4/10/2023, 3:21:05 AM	0	6.807	32.2	82.2	0
4/10/2023, 3:31:05 AM	0	6.807	32	82.3	0
4/10/2023, 3:41:05 AM	0	6.807	32	82.5	0
4/10/2023, 3:51:05 AM	0	6.798	32	82.9	0
4/10/2023, 4:01:05 AM	0	6.798	31.8	83.1	0
4/10/2023, 4:11:05 AM	0	6.798	31.8	83.4	0
4/10/2023, 4:21:05 AM	0	6.798	31.6	83.7	0
4/10/2023, 4:31:05 AM	0	6.798	31.6	84.1	0
4/10/2023, 4:41:05 AM	0	6.798	31.6	84.4	0
4/10/2023, 4:51:05 AM	0	6.798	31.6	84.7	0
4/10/2023, 5:01:05 AM	0	6.798	31.5	84.8	0
4/10/2023, 5:11:05 AM	0	6.798	31.3	84.9	0
4/10/2023, 5:21:05 AM	0	6.798	31.1	84.9	0
4/10/2023, 5:31:05 AM	0	6.798	31.1	85.1	0
4/10/2023, 5:41:05 AM	0	6.798	31.1	85.3	0
4/10/2023, 5:51:05 AM	0	6.798	31.1	85.6	0
4/10/2023, 6:01:05 AM	0	6.798	30.9	85.7	0
4/10/2023, 6:11:05 AM	0	6.798	30.9	85.8	0
4/10/2023, 6:21:05 AM	0	6.798	30.9	86	0
4/10/2023, 6:31:05 AM	0	6.798	30.7	86	0
4/10/2023, 6:41:05 AM	0	6.798	30.7	86.2	0
4/10/2023, 6:51:05 AM	0	6.798	30.7	86.4	0
4/10/2023, 7:01:05 AM	0	6.798	30.7	86.5	0
4/10/2023, 7:11:05 AM	0	6.798	30.7	86.8	0
4/10/2023, 7:21:05 AM	0	6.798	31.1	87.2	0
4/10/2023, 7:31:05 AM	0	6.798	31.6	87.7	0
4/10/2023, 7:41:05 AM	0	6.798	32.2	88.3	0
4/10/2023, 7:51:05 AM	0	6.798	33.1	88.9	0
4/10/2023, 8:01:05 AM	0	6.798	34	89.3	0
4/10/2023, 8:11:05 AM	0	6.807	35.2	89.6	0
4/10/2023, 8:21:05 AM	0	6.807	36.5	89.6	0
4/10/2023, 8:31:05 AM	0	6.807	37.9	89.4	0
4/10/2023, 8:41:05 AM	0	6.816	39.4	88.8	0
4/10/2023, 8:51:05 AM	0	6.816	41	88.2	0
4/10/2023, 9:01:05 AM	0	6.816	42.6	86.7	0
4/10/2023, 9:11:05 AM	0	6.825	44.2	85.5	0
4/10/2023, 9:21:05 AM	0	6.825	46	84.4	0
4/10/2023, 9:31:05 AM	0	6.833	48	82.8	0
4/10/2023, 9:41:05 AM	0	6.833	50.4	80.6	0
4/10/2023, 9:51:05 AM	0	6.833	52.7	78.3	0
4/10/2023, 10:01:05 AM	0	6.842	55.2	75.8	0
4/10/2023, 10:11:05 AM	0	6.842	57.7	72.9	0
4/10/2023, 10:21:05 AM	0	6.851	60.3	70.2	0
4/10/2023, 10:31:05 AM	0	6.851	62.4	68	0
4/10/2023, 10:41:05 AM	0	6.851	64.4	66.1	0
4/10/2023, 10:51:05 AM	0	6.86	66	64.5	0
4/10/2023, 11:01:05 AM	0	6.86	67.3	63	0
4/10/2023, 11:11:05 AM	0	6.86	68.5	61.6	0
4/10/2023, 11:21:05 AM	0	6.86	69.4	60.1	0
4/10/2023, 11:31:05 AM	0	6.869	70.3	58.9	0
4/10/2023, 11:41:05 AM	0	6.869	71.4	57.8	0
4/10/2023, 11:51:05 AM	0	6.869	72.1	56.8	0
4/10/2023, 12:01:05 PM	0	6.869	72.5	55.8	0
4/10/2023, 12:11:05 PM	0	6.869	72.9	55	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/10/2023, 12:21:05 PM	0	6.869	73.4	54.4	0
4/10/2023, 12:31:05 PM	0	6.869	73.8	53.8	0
4/10/2023, 12:41:05 PM	0	6.869	74.1	53.3	0
4/10/2023, 12:51:05 PM	0	6.869	74.3	52.8	0
4/10/2023, 1:01:05 PM	0	6.869	74.3	52.4	0
4/10/2023, 1:11:05 PM	0	6.869	74.5	52	0
4/10/2023, 1:21:05 PM	0	6.869	74.7	51.7	0
4/10/2023, 1:31:05 PM	0	6.869	75	51.4	0
4/10/2023, 1:41:05 PM	0	6.877	75	51.2	0
4/10/2023, 1:51:05 PM	0	6.877	75.2	51	0
4/10/2023, 2:01:05 PM	0	6.877	75	50.8	0
4/10/2023, 2:11:05 PM	0	6.877	74.5	50.5	0
4/10/2023, 2:21:05 PM	0	6.877	74.5	50.6	0
4/10/2023, 2:31:05 PM	0	6.877	74.7	50.8	0
4/10/2023, 2:41:05 PM	0	6.877	75	50.6	0
4/10/2023, 2:51:05 PM	0	6.877	75.6	50.6	0
4/10/2023, 3:01:05 PM	0	6.877	75.9	50.4	0
4/10/2023, 3:11:05 PM	0	6.877	75.9	50.1	0
4/10/2023, 3:21:05 PM	0	6.877	75.7	49.9	0
4/10/2023, 3:31:05 PM	0	6.877	75.7	49.8	0
4/10/2023, 3:41:05 PM	0	6.877	75.9	49.8	0
4/10/2023, 3:51:05 PM	0	6.877	76.1	49.9	0
4/10/2023, 4:01:05 PM	0	6.877	76.3	49.9	0
4/10/2023, 4:11:05 PM	0	6.877	76.3	49.9	0
4/10/2023, 4:21:05 PM	0	6.877	76.3	49.8	0
4/10/2023, 4:31:05 PM	0	6.877	76.1	49.9	0
4/10/2023, 4:41:05 PM	0	6.877	76.3	50.1	0
4/10/2023, 4:51:05 PM	0	6.877	76.5	50	0
4/10/2023, 5:01:05 PM	0	6.877	76.5	50	0
4/10/2023, 5:11:05 PM	0	6.877	76.3	50	0
4/10/2023, 5:21:05 PM	0	6.877	75.7	50	0
4/10/2023, 5:31:05 PM	0	6.877	74.8	50	0
4/10/2023, 5:41:05 PM	0	6.877	73.8	49.8	0
4/10/2023, 5:51:05 PM	0	6.877	72.9	49.7	0
4/10/2023, 6:01:05 PM	0	6.877	71.8	49.8	0
4/10/2023, 6:11:05 PM	0	6.877	70.7	49.9	0
4/10/2023, 6:21:05 PM	0	6.877	69.8	50.5	0
4/10/2023, 6:31:05 PM	0	6.877	68.9	50.9	0
4/10/2023, 6:41:05 PM	0	6.877	68	51.5	0
4/10/2023, 6:51:05 PM	0	6.877	67.1	52.2	0
4/10/2023, 7:01:05 PM	0	6.869	66.4	52.6	0
4/10/2023, 7:11:05 PM	0	6.877	65.7	53.2	0
4/10/2023, 7:21:05 PM	0	6.869	64.9	53.6	0
4/10/2023, 7:31:05 PM	0	6.869	64	54.2	0
4/10/2023, 7:41:05 PM	0	6.869	63.1	55	0
4/10/2023, 7:51:05 PM	0	6.869	62.1	55.7	0
4/10/2023, 8:01:05 PM	0	6.869	61	56.8	0
4/10/2023, 8:11:05 PM	0	6.869	59.7	57.4	0
4/10/2023, 8:21:05 PM	0	6.869	58.6	58.2	0
4/10/2023, 8:31:05 PM	0	6.869	57.7	59.4	0
4/10/2023, 8:41:05 PM	0	6.86	56.8	61.4	0
4/10/2023, 8:51:05 PM	0	6.86	56.3	62.7	0
4/10/2023, 9:01:05 PM	0	6.86	55.6	63.8	0
4/10/2023, 9:11:05 PM	0	6.86	55.2	64.4	0
4/10/2023, 9:21:05 PM	0	6.86	54.9	65.5	0
4/10/2023, 9:31:05 PM	0	6.86	54.3	66.3	0
4/10/2023, 9:41:05 PM	0	6.86	53.6	66.6	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/10/2023, 9:51:05 PM	0	6.86	52.9	67.1	0
4/10/2023, 10:01:05 PM	0	6.86	52.2	68	0
4/10/2023, 10:11:05 PM	0	6.851	51.3	69.3	0
4/10/2023, 10:21:05 PM	0	6.851	50.7	70.4	0
4/10/2023, 10:31:05 PM	0	6.851	50	71.3	0
4/10/2023, 10:41:05 PM	0	6.851	49.5	71.9	0
4/10/2023, 10:51:05 PM	0	6.851	48.9	72.1	0
4/10/2023, 11:01:05 PM	0	6.851	48.2	72.5	0
4/10/2023, 11:11:05 PM	0	6.851	47.7	73.3	0
4/10/2023, 11:21:05 PM	0	6.851	47.3	73.9	0
4/10/2023, 11:31:05 PM	0	6.842	46.8	74	0
4/10/2023, 11:41:05 PM	0	6.842	46.2	74.5	0
4/10/2023, 11:51:05 PM	0	6.842	45.7	75	0
4/11/2023, 12:01:05 AM	0	6.842	45.1	75.9	0
4/11/2023, 12:11:05 AM	0	6.842	44.8	76.8	0
4/11/2023, 12:21:05 AM	0	6.842	44.6	77.4	0
4/11/2023, 12:31:05 AM	0	6.842	44.2	78.1	0
4/11/2023, 12:41:05 AM	0	6.842	43.9	78.8	0
4/11/2023, 12:51:05 AM	0	6.842	43.9	79.4	0
4/11/2023, 1:01:05 AM	0	6.842	43.5	79.7	0
4/11/2023, 1:11:05 AM	0	6.833	43.3	79.8	0
4/11/2023, 1:21:05 AM	0	6.833	43	79.9	0
4/11/2023, 1:31:05 AM	0	6.833	42.6	80	0
4/11/2023, 1:41:05 AM	0	6.833	42.4	80.1	0
4/11/2023, 1:51:05 AM	0	6.833	42.1	80.4	0
4/11/2023, 2:01:05 AM	0	6.833	41.9	80.8	0
4/11/2023, 2:11:05 AM	0	6.833	41.7	81	0
4/11/2023, 2:21:05 AM	0	6.833	41.4	81.3	0
4/11/2023, 2:31:05 AM	0	6.833	41.2	81.6	0
4/11/2023, 2:41:05 AM	0	6.833	41	81.8	0
4/11/2023, 2:51:05 AM	0	6.833	40.8	82.1	0
4/11/2023, 3:01:05 AM	0	6.833	40.6	82.2	0
4/11/2023, 3:11:05 AM	0	6.833	40.6	82.1	0
4/11/2023, 3:21:05 AM	0	6.833	40.6	81.8	0
4/11/2023, 3:31:05 AM	0	6.833	40.5	81.6	0
4/11/2023, 3:41:05 AM	0	6.833	40.5	81.6	0
4/11/2023, 3:51:05 AM	0	6.825	40.5	81.7	0
4/11/2023, 4:01:05 AM	0	6.825	40.5	81.7	0
4/11/2023, 4:11:05 AM	0	6.825	40.5	81.7	0
4/11/2023, 4:21:05 AM	0	6.833	40.5	81.7	0
4/11/2023, 4:31:05 AM	0	6.825	40.5	81.7	0
4/11/2023, 4:41:05 AM	0	6.825	40.6	81.5	0
4/11/2023, 4:51:05 AM	0	6.825	41	80.7	0
4/11/2023, 5:01:05 AM	0	6.833	41.5	79.5	0
4/11/2023, 5:11:05 AM	0	6.833	42.3	78.4	0
4/11/2023, 5:21:05 AM	0	6.833	43.2	77.3	0
4/11/2023, 5:31:05 AM	0	6.833	43.9	76.4	0
4/11/2023, 5:41:05 AM	0	6.833	44.4	75.5	0
4/11/2023, 5:51:05 AM	0	6.833	45	74.5	0
4/11/2023, 6:01:05 AM	0	6.833	45.3	73.7	0
4/11/2023, 6:11:05 AM	0	6.842	45.7	73.1	0
4/11/2023, 6:21:05 AM	0	6.842	46.2	72.4	0
4/11/2023, 6:31:05 AM	0	6.842	46.8	71.9	0
4/11/2023, 6:41:05 AM	0	6.842	47.1	71.3	0
4/11/2023, 6:51:05 AM	0	6.842	47.5	70.9	0
4/11/2023, 7:01:05 AM	0	6.842	48	70.2	0
4/11/2023, 7:11:05 AM	0	6.842	48.7	69.8	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/11/2023, 7:21:05 AM	0	6.842	49.5	69.1	0
4/11/2023, 7:31:05 AM	0	6.842	50	68.6	0
4/11/2023, 7:41:05 AM	0	6.842	50.7	68.3	0
4/11/2023, 7:51:05 AM	0	6.842	51.4	67.6	0
4/11/2023, 8:01:05 AM	0	6.842	52.2	67.1	0
4/11/2023, 8:11:05 AM	0	6.851	52.7	66.5	0
4/11/2023, 8:21:05 AM	0	6.851	53.6	66.1	0
4/11/2023, 8:31:05 AM	0	6.851	54.3	65.7	0
4/11/2023, 8:41:05 AM	0	6.851	55.2	65	0
4/11/2023, 8:51:05 AM	0	6.851	56.5	64.5	0
4/11/2023, 9:01:05 AM	0	6.851	57.9	63.8	0
4/11/2023, 9:11:05 AM	0	6.851	59.4	63.2	0
4/11/2023, 9:21:05 AM	0	6.86	60.6	62.5	0
4/11/2023, 9:31:05 AM	0	6.86	61.9	61.8	0
4/11/2023, 9:41:05 AM	0	6.86	62.8	61.1	0
4/11/2023, 9:51:05 AM	0	6.86	63.5	60.3	0
4/11/2023, 10:01:05 AM	0	6.86	64	59.7	0
4/11/2023, 10:11:05 AM	0	6.86	64.9	59.3	0
4/11/2023, 10:21:05 AM	0	6.86	66	58.8	0
4/11/2023, 10:31:05 AM	0	6.86	67.1	58.2	0
4/11/2023, 10:41:05 AM	0	6.869	68.4	57.7	0
4/11/2023, 10:51:05 AM	0	6.869	69.3	57.2	0
4/11/2023, 11:01:05 AM	0	6.869	69.8	56.5	0
4/11/2023, 11:11:05 AM	0	6.869	70.5	56.1	0
4/11/2023, 11:21:05 AM	0	6.869	71.8	55.8	0
4/11/2023, 11:31:05 AM	0	6.869	72.7	55.3	0
4/11/2023, 11:41:05 AM	0	6.869	73.8	55	0
4/11/2023, 11:51:05 AM	0	6.869	74.1	54.4	0
4/11/2023, 12:01:05 PM	0	6.869	73.6	53.9	0
4/11/2023, 12:11:05 PM	0	6.869	73.2	53.5	0
4/11/2023, 12:21:05 PM	0	6.869	73.9	53.5	0
4/11/2023, 12:31:05 PM	0	6.869	74.7	53.4	0
4/11/2023, 12:41:05 PM	0	6.877	75.4	53.4	0
4/11/2023, 12:51:05 PM	0	6.877	75.9	53.2	0
4/11/2023, 1:01:05 PM	0	6.877	76.8	53.1	0
4/11/2023, 1:11:05 PM	0	6.877	77.4	52.9	0
4/11/2023, 1:21:05 PM	0	6.877	77.9	52.8	0
4/11/2023, 1:31:05 PM	0	6.877	78.6	52.8	0
4/11/2023, 1:41:05 PM	0	6.877	78.8	52.7	0
4/11/2023, 1:51:05 PM	0	6.877	79.3	52.7	0
4/11/2023, 2:01:05 PM	0	6.877	79.7	52.5	0
4/11/2023, 2:11:05 PM	0	6.877	79.3	52.4	0
4/11/2023, 2:21:05 PM	0	6.877	79.3	52.3	0
4/11/2023, 2:31:05 PM	0	6.877	79.7	52.2	0
4/11/2023, 2:41:05 PM	0	6.877	79.7	52.1	0
4/11/2023, 2:51:05 PM	0	6.877	79.7	52.1	0
4/11/2023, 3:01:05 PM	0	6.877	79.7	52.1	0
4/11/2023, 3:11:05 PM	0	6.877	79.2	52.1	0
4/11/2023, 3:21:05 PM	0	6.877	78.3	52	0
4/11/2023, 3:31:05 PM	0	6.877	77.7	52.1	0
4/11/2023, 3:41:05 PM	0	6.877	78.3	52.3	0
4/11/2023, 3:51:05 PM	0	6.877	78.8	52.4	0
4/11/2023, 4:01:05 PM	0	6.877	78.4	52.3	0
4/11/2023, 4:11:05 PM	0	6.877	77.5	52.1	0
4/11/2023, 4:21:05 PM	0	6.877	76.6	52.2	0
4/11/2023, 4:31:05 PM	0	6.877	75.7	52.4	0
4/11/2023, 4:41:05 PM	0	6.877	75	52.6	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/11/2023, 4:51:05 PM	0	6.877	74.3	52.8	0
4/11/2023, 5:01:05 PM	0	6.877	73.8	53.1	0
4/11/2023, 5:11:05 PM	0	6.877	73.2	53.4	0
4/11/2023, 5:21:05 PM	0	6.877	72.9	53.8	0
4/11/2023, 5:31:05 PM	0	6.877	72.3	54.1	0
4/11/2023, 5:41:05 PM	0	6.877	72	54.3	0
4/11/2023, 5:51:05 PM	0	6.877	71.6	54.6	0
4/11/2023, 6:01:05 PM	0	6.877	71.2	55	0
4/11/2023, 6:11:05 PM	0	6.877	70.9	55.1	0
4/11/2023, 6:21:05 PM	0	6.877	70.7	55.3	0
4/11/2023, 6:31:05 PM	0	6.877	70.2	55.5	0
4/11/2023, 6:41:05 PM	0	6.877	69.8	55.5	0
4/11/2023, 6:51:05 PM	0	6.877	69.3	55.5	0
4/11/2023, 7:01:05 PM	0	6.877	68.9	55.6	0
4/11/2023, 7:11:05 PM	0	6.869	68.4	55.9	0
4/11/2023, 7:21:05 PM	0	6.869	67.8	56.1	0
4/11/2023, 7:31:05 PM	0	6.869	67.5	56.3	0
4/11/2023, 7:41:05 PM	0	6.869	66.9	56.6	0
4/11/2023, 7:51:05 PM	0	6.869	66.6	56.8	0
4/11/2023, 8:01:05 PM	0	6.869	66.4	57.2	0
4/11/2023, 8:11:05 PM	0	6.869	66	57.5	0
4/11/2023, 8:21:05 PM	0	6.869	65.8	57.6	0
4/11/2023, 8:31:05 PM	0	6.869	65.7	57.6	0
4/11/2023, 8:41:05 PM	0	6.869	65.3	57.8	0
4/11/2023, 8:51:05 PM	0	6.869	65.1	58	0
4/11/2023, 9:01:05 PM	0	6.869	64.9	58.3	0
4/11/2023, 9:11:05 PM	0	6.869	64.8	58.4	0
4/11/2023, 9:21:05 PM	0	6.869	64.8	58.7	0
4/11/2023, 9:31:05 PM	0	6.869	64.6	58.8	0
4/11/2023, 9:41:05 PM	0	6.869	64.4	59	0
4/11/2023, 9:51:05 PM	0	6.869	64.2	59.2	0
4/11/2023, 10:01:05 PM	0	6.869	64	59.3	0
4/11/2023, 10:11:05 PM	0	6.869	63.9	59.5	0
4/11/2023, 10:21:05 PM	0	6.869	63.7	59.7	0
4/11/2023, 10:31:05 PM	0	6.869	63.7	60	0
4/11/2023, 10:41:05 PM	0	6.869	63.5	60.2	0
4/11/2023, 10:51:05 PM	0	6.869	63.3	60.5	0
4/11/2023, 11:01:05 PM	0	6.869	63.3	60.7	0
4/11/2023, 11:11:05 PM	0	6.869	63.3	60.8	0
4/11/2023, 11:21:05 PM	0	6.869	63.3	60.9	0
4/11/2023, 11:31:05 PM	0	6.869	63.3	61.1	0
4/11/2023, 11:41:05 PM	0	6.869	63.3	61.3	0
4/11/2023, 11:51:05 PM	0	6.869	63.3	61.5	0
4/12/2023, 12:01:05 AM	0	6.869	63.1	61.6	0
4/12/2023, 12:11:05 AM	0	6.869	63.1	61.7	0
4/12/2023, 12:21:05 AM	0	6.869	63.1	61.9	0
4/12/2023, 12:31:05 AM	0	6.869	63	62	0
4/12/2023, 12:41:05 AM	0	6.869	63	62.2	0
4/12/2023, 12:51:05 AM	0	6.869	63	62.3	0
4/12/2023, 1:01:05 AM	0	6.869	62.8	62.4	0
4/12/2023, 1:11:05 AM	0	6.869	62.8	62.7	0
4/12/2023, 1:21:05 AM	0	6.869	62.6	62.9	0
4/12/2023, 1:31:05 AM	0	6.869	62.4	63.1	0
4/12/2023, 1:41:05 AM	0	6.869	62.2	63.4	0
4/12/2023, 1:51:05 AM	0	6.869	62.1	63.6	0
4/12/2023, 2:01:05 AM	0	6.869	62.1	63.7	0
4/12/2023, 2:11:05 AM	0	6.869	61.9	64	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/12/2023, 2:21:05 AM	0	6.869	61.9	64.2	0
4/12/2023, 2:31:05 AM	0	6.869	61.9	64.4	0
4/12/2023, 2:41:05 AM	0	6.869	61.7	64.5	0
4/12/2023, 2:51:05 AM	0	6.86	61.5	64.6	0
4/12/2023, 3:01:05 AM	0	6.86	61.5	64.8	0
4/12/2023, 3:11:05 AM	0	6.86	61.3	65	0
4/12/2023, 3:21:05 AM	0	6.86	61.3	65.1	0
4/12/2023, 3:31:05 AM	0	6.86	61.2	65.3	0
4/12/2023, 3:41:05 AM	0	6.86	61	65.4	0
4/12/2023, 3:51:05 AM	0	6.86	60.8	65.7	0
4/12/2023, 4:01:05 AM	0	6.86	60.6	65.7	0
4/12/2023, 4:11:05 AM	0	6.86	60.4	66.1	0
4/12/2023, 4:21:05 AM	0	6.86	60.3	66.2	0
4/12/2023, 4:31:05 AM	0	6.86	59.9	66.4	0
4/12/2023, 4:41:05 AM	0	6.86	59.5	66.6	0
4/12/2023, 4:51:05 AM	0	6.86	59.4	66.8	0
4/12/2023, 5:01:05 AM	0	6.86	59	67.1	0
4/12/2023, 5:11:05 AM	0	6.86	58.5	67.3	0
4/12/2023, 5:21:05 AM	0	6.86	58.1	67.6	0
4/12/2023, 5:31:05 AM	0	6.86	57.7	68	0
4/12/2023, 5:41:05 AM	0	6.86	57.6	68.5	0
4/12/2023, 5:51:05 AM	0	6.86	57.2	68.9	0
4/12/2023, 6:01:05 AM	0	6.86	56.8	69.2	0
4/12/2023, 6:11:05 AM	0	6.86	56.5	69.5	0
4/12/2023, 6:21:05 AM	0	6.86	56.3	69.8	0
4/12/2023, 6:31:05 AM	0	6.86	55.9	70.1	0
4/12/2023, 6:41:05 AM	0	6.86	55.4	70.5	0
4/12/2023, 6:51:05 AM	0	6.86	55	70.8	0
4/12/2023, 7:01:05 AM	0	6.86	54.5	71.2	0
4/12/2023, 7:11:05 AM	0	6.851	54.5	71.8	0
4/12/2023, 7:21:05 AM	0	6.851	54.5	72.4	0
4/12/2023, 7:31:05 AM	0	6.851	54.5	72.8	0
4/12/2023, 7:41:05 AM	0	6.851	54.7	72.9	0
4/12/2023, 7:51:05 AM	0	6.851	55	73.3	0
4/12/2023, 8:01:05 AM	0	6.851	55.6	73.5	0
4/12/2023, 8:11:05 AM	0	6.851	56.7	73.5	0
4/12/2023, 8:21:05 AM	0	6.851	57.9	73	0
4/12/2023, 8:31:05 AM	0	6.851	59.2	72.5	0
4/12/2023, 8:41:05 AM	0	6.86	60.6	71.9	0
4/12/2023, 8:51:05 AM	0	6.86	62.1	71	0
4/12/2023, 9:01:05 AM	0	6.86	63.5	69.9	0
4/12/2023, 9:11:05 AM	0	6.86	64.9	68.7	0
4/12/2023, 9:21:05 AM	0	6.86	66.4	67.8	0
4/12/2023, 9:31:05 AM	0	6.86	68	66.7	0
4/12/2023, 9:41:05 AM	0	6.869	69.6	65.6	0
4/12/2023, 9:51:05 AM	0	6.869	71.2	64.8	0
4/12/2023, 10:01:05 AM	0	6.869	73.2	63.7	0
4/12/2023, 10:11:05 AM	0	6.869	74.8	62.6	0
4/12/2023, 10:21:05 AM	0	6.869	76.3	61.8	0
4/12/2023, 10:31:05 AM	0	6.869	78.1	60.9	0
4/12/2023, 10:41:05 AM	0	6.869	79.5	60	0
4/12/2023, 10:51:05 AM	0	6.877	80.6	59.2	0
4/12/2023, 11:01:05 AM	0	6.877	81.5	58.5	0
4/12/2023, 11:11:05 AM	0	6.877	82.6	58	0
4/12/2023, 11:21:05 AM	0	6.877	83.5	57.6	0
4/12/2023, 11:31:05 AM	0	6.877	84.4	57.2	0
4/12/2023, 11:41:05 AM	0	6.877	84.9	56.8	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/12/2023, 11:51:05 AM	0	6.877	85.3	56.3	0
4/12/2023, 12:01:05 PM	0	6.877	85.6	56	0
4/12/2023, 12:11:05 PM	0	6.877	86.4	55.8	0
4/12/2023, 12:21:05 PM	0	6.877	86.9	55.5	0
4/12/2023, 12:31:05 PM	0	6.877	87.1	55.3	0
4/12/2023, 12:41:05 PM	0	6.877	87.3	55.2	0
4/12/2023, 12:51:05 PM	0	6.886	87.6	55.2	0
4/12/2023, 1:01:05 PM	0	6.886	88	55.1	0
4/12/2023, 1:11:05 PM	0	6.886	88.3	55	0
4/12/2023, 1:21:05 PM	0	6.886	88.5	55	0
4/12/2023, 1:31:05 PM	0	6.886	88.7	55	0
4/12/2023, 1:41:05 PM	0	6.886	88.7	55	0
4/12/2023, 1:51:05 PM	0	6.886	88.7	54.9	0
4/12/2023, 2:01:05 PM	0	6.886	88.5	55	0
4/12/2023, 2:11:05 PM	0	6.886	88.3	54.9	0
4/12/2023, 2:21:05 PM	0	6.886	88.2	54.9	0
4/12/2023, 2:31:05 PM	0	6.886	88.3	54.9	0
4/12/2023, 2:41:05 PM	0	6.886	88.3	54.9	0
4/12/2023, 2:51:05 PM	0	6.886	88.3	54.6	0
4/12/2023, 3:01:05 PM	0	6.886	88.5	54.6	0
4/12/2023, 3:11:05 PM	0	6.886	88.5	54.6	0
4/12/2023, 3:21:05 PM	0	6.886	88.5	54.5	0
4/12/2023, 3:31:05 PM	0	6.886	88.5	54.5	0
4/12/2023, 3:41:05 PM	0	6.886	88.5	54.4	0
4/12/2023, 3:51:05 PM	0	6.886	88.5	54.4	0
4/12/2023, 4:01:05 PM	0	6.886	88.7	54.6	0
4/12/2023, 4:11:05 PM	0	6.886	88.7	54.6	0
4/12/2023, 4:21:05 PM	0	6.886	88.5	54.6	0
4/12/2023, 4:31:05 PM	0	6.886	88.2	54.6	0
4/12/2023, 4:41:05 PM	0	6.886	88	54.6	0
4/12/2023, 4:51:05 PM	0	6.886	87.8	54.6	0
4/12/2023, 5:01:05 PM	0	6.886	87.4	54.4	0
4/12/2023, 5:11:05 PM	0	6.886	87.1	54.1	0
4/12/2023, 5:21:05 PM	0	6.886	86.2	54	0
4/12/2023, 5:31:05 PM	0	6.886	85.1	54	0
4/12/2023, 5:41:05 PM	0	6.886	83.8	54.2	0
4/12/2023, 5:51:05 PM	0	6.886	82.6	54.4	0
4/12/2023, 6:01:05 PM	0	6.886	81.7	54.7	0
4/12/2023, 6:11:05 PM	0	6.886	80.8	54.9	0
4/12/2023, 6:21:05 PM	0	6.886	79.9	55.3	0
4/12/2023, 6:31:05 PM	0	6.886	79.2	55.7	0
4/12/2023, 6:41:05 PM	0	6.886	78.6	56.1	0
4/12/2023, 6:51:05 PM	0	6.877	78.1	56.4	0
4/12/2023, 7:01:05 PM	0	6.877	77.5	56.7	0
4/12/2023, 7:11:05 PM	0	6.877	76.8	56.9	0
4/12/2023, 7:21:05 PM	0	6.877	76.1	57	0
4/12/2023, 7:31:05 PM	0	6.877	75.4	57.3	0
4/12/2023, 7:41:05 PM	0	6.877	74.7	57.7	0
4/12/2023, 7:51:05 PM	0	6.877	73.9	58	0
4/12/2023, 8:01:05 PM	0	6.877	73.4	58.3	0
4/12/2023, 8:11:05 PM	0	6.877	72.7	58.7	0
4/12/2023, 8:21:05 PM	0	6.877	72.1	59.1	0
4/12/2023, 8:31:05 PM	0	6.877	71.6	59.5	0
4/12/2023, 8:41:05 PM	0	6.877	71.2	59.8	0
4/12/2023, 8:51:05 PM	0	6.877	70.7	60.2	0
4/12/2023, 9:01:05 PM	0	6.877	70.2	60.5	0
4/12/2023, 9:11:05 PM	0	6.877	69.6	60.9	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/12/2023, 9:21:05 PM	0	6.877	69.1	61.3	0
4/12/2023, 9:31:05 PM	0	6.877	68.5	61.7	0
4/12/2023, 9:41:05 PM	0	6.869	68	62	0
4/12/2023, 9:51:05 PM	0	6.869	67.6	62.4	0
4/12/2023, 10:01:05 PM	0	6.869	67.3	62.9	0
4/12/2023, 10:11:05 PM	0	6.869	66.9	63.1	0
4/12/2023, 10:21:05 PM	0	6.869	66.7	63.3	0
4/12/2023, 10:31:05 PM	0	6.869	66.4	63.6	0
4/12/2023, 10:41:05 PM	0	6.869	66.4	63.8	0
4/12/2023, 10:51:05 PM	0	6.869	66.2	64.1	0
4/12/2023, 11:01:05 PM	0	6.869	66	64.3	0
4/12/2023, 11:11:05 PM	0	6.869	65.8	64.5	0
4/12/2023, 11:21:05 PM	0	6.869	65.7	64.6	0
4/12/2023, 11:31:05 PM	0	6.869	65.8	64.7	0
4/12/2023, 11:41:05 PM	0	6.869	65.8	64.9	0
4/12/2023, 11:51:05 PM	0	6.869	65.8	65	0
4/13/2023, 12:01:05 AM	0	6.869	66	65	0
4/13/2023, 12:11:05 AM	0	6.869	66	64.9	0
4/13/2023, 12:21:05 AM	0	6.869	66	65.1	0
4/13/2023, 12:31:05 AM	0	6.869	65.8	65.1	0
4/13/2023, 12:41:05 AM	0	6.869	65.8	65.3	0
4/13/2023, 12:51:05 AM	0	6.869	65.7	65.4	0
4/13/2023, 1:01:05 AM	0	6.869	65.7	65.4	0
4/13/2023, 1:11:05 AM	0	6.869	65.7	65.6	0
4/13/2023, 1:21:05 AM	0	6.869	65.7	65.6	0
4/13/2023, 1:31:05 AM	0	6.869	65.7	65.7	0
4/13/2023, 1:41:05 AM	0	6.869	65.5	65.8	0
4/13/2023, 1:51:05 AM	0	6.869	65.5	65.8	0
4/13/2023, 2:01:05 AM	0	6.869	65.3	65.8	0
4/13/2023, 2:11:05 AM	0	6.869	65.3	65.9	0
4/13/2023, 2:21:05 AM	0	6.869	65.3	66	0
4/13/2023, 2:31:05 AM	0	6.869	65.1	66	0
4/13/2023, 2:41:05 AM	0	6.869	65.1	66.1	0
4/13/2023, 2:51:05 AM	0	6.869	64.9	66.1	0
4/13/2023, 3:01:05 AM	0	6.869	64.6	66.2	0
4/13/2023, 3:11:05 AM	0	6.869	64.6	66.3	0
4/13/2023, 3:21:05 AM	0	6.869	64.6	66.2	0
4/13/2023, 3:31:05 AM	0	6.869	64.6	66.2	0
4/13/2023, 3:41:05 AM	0	6.869	64.4	66.2	0
4/13/2023, 3:51:05 AM	0	6.869	64.2	66.2	0
4/13/2023, 4:01:05 AM	0	6.869	64	66.3	0
4/13/2023, 4:11:05 AM	0	6.869	63.9	66.3	0
4/13/2023, 4:21:05 AM	0	6.869	63.7	66.4	0
4/13/2023, 4:31:05 AM	0	6.869	63.3	66.5	0
4/13/2023, 4:41:05 AM	0	6.869	63	66.6	0
4/13/2023, 4:51:05 AM	0	6.869	62.6	66.8	0
4/13/2023, 5:01:05 AM	0	6.869	62.2	67.1	0
4/13/2023, 5:11:05 AM	0	6.869	62.1	67.4	0
4/13/2023, 5:21:05 AM	0	6.86	62.1	67.7	0
4/13/2023, 5:31:05 AM	0	6.86	61.9	67.8	0
4/13/2023, 5:41:05 AM	0	6.86	61.9	68	0
4/13/2023, 5:51:05 AM	0	6.86	61.7	68.1	0
4/13/2023, 6:01:05 AM	0	6.86	61.5	68.2	0
4/13/2023, 6:11:05 AM	0	6.86	61.3	68.4	0
4/13/2023, 6:21:05 AM	0	6.86	61.2	68.6	0
4/13/2023, 6:31:05 AM	0	6.86	61	68.8	0
4/13/2023, 6:41:05 AM	0	6.86	60.8	69.1	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/13/2023, 6:51:05 AM	0	6.86	60.6	69.3	0
4/13/2023, 7:01:05 AM	0	6.86	60.6	69.7	0
4/13/2023, 7:11:05 AM	0	6.86	60.8	69.9	0
4/13/2023, 7:21:05 AM	0	6.86	61.2	70.1	0
4/13/2023, 7:31:05 AM	0	6.86	61.7	70.2	0
4/13/2023, 7:41:05 AM	0	6.86	62.4	70.3	0
4/13/2023, 7:51:05 AM	0	6.86	63.5	69.7	0
4/13/2023, 8:01:05 AM	0	6.86	64.6	69.2	0
4/13/2023, 8:11:05 AM	0	6.86	65.8	68.5	0
4/13/2023, 8:21:05 AM	0	6.86	67.1	67.7	0
4/13/2023, 8:31:05 AM	0	6.869	68.4	67.1	0
4/13/2023, 8:41:05 AM	0	6.869	69.6	66.1	0
4/13/2023, 8:51:05 AM	0	6.869	71.1	65.4	0
4/13/2023, 9:01:05 AM	0	6.869	72.3	64.5	0
4/13/2023, 9:11:05 AM	0	6.869	73.6	63.5	0
4/13/2023, 9:21:05 AM	0	6.869	74.7	62.8	0
4/13/2023, 9:31:05 AM	0	6.869	75.9	61.8	0
4/13/2023, 9:41:05 AM	0	6.869	77.4	61.2	0
4/13/2023, 9:51:05 AM	0	6.869	79	60.6	0
4/13/2023, 10:01:05 AM	0	6.877	80.8	59.8	0
4/13/2023, 10:11:05 AM	0	6.877	82.4	59	0
4/13/2023, 10:21:05 AM	0	6.877	83.8	58.2	0
4/13/2023, 10:31:05 AM	0	6.877	85.1	57.5	0
4/13/2023, 10:41:05 AM	0	6.877	86.2	56.9	0
4/13/2023, 10:51:05 AM	0	6.877	87.1	56.4	0
4/13/2023, 11:01:05 AM	0	6.877	87.8	55.9	0
4/13/2023, 11:11:05 AM	0	6.877	88.7	55.5	0
4/13/2023, 11:21:05 AM	0	6.877	89.6	55.2	0
4/13/2023, 11:31:05 AM	0	6.877	90.3	54.9	0
4/13/2023, 11:41:05 AM	0	6.886	91	54.5	0
4/13/2023, 11:51:05 AM	0	6.886	91.4	54.2	0
4/13/2023, 12:01:05 PM	0	6.886	91.6	54	0
4/13/2023, 12:11:05 PM	0	6.886	92.1	53.8	0
4/13/2023, 12:21:05 PM	0	6.886	92.5	53.6	0
4/13/2023, 12:31:05 PM	0	6.886	92.8	53.5	0
4/13/2023, 12:41:05 PM	0	6.886	92.8	53.4	0
4/13/2023, 12:51:05 PM	0	6.886	93.2	53.2	0
4/13/2023, 1:01:05 PM	0	6.886	93.6	53.1	0
4/13/2023, 1:11:05 PM	0	6.886	93.7	53	0
4/13/2023, 1:21:05 PM	0	6.886	93.9	53	0
4/13/2023, 1:31:05 PM	0	6.886	94.1	53	0
4/13/2023, 1:41:05 PM	0	6.886	94.1	53	0
4/13/2023, 1:51:05 PM	0	6.886	94.1	52.9	0
4/13/2023, 2:01:05 PM	0	6.886	93.9	52.8	0
4/13/2023, 2:11:05 PM	0	6.886	93.4	52.7	0
4/13/2023, 2:21:05 PM	0	6.886	93.2	52.7	0
4/13/2023, 2:31:05 PM	0	6.886	93.4	52.7	0
4/13/2023, 2:41:05 PM	0	6.886	93.7	52.7	0
4/13/2023, 2:51:05 PM	0	6.886	93.9	52.5	0
4/13/2023, 3:01:05 PM	0	6.886	94.1	52.3	0
4/13/2023, 3:11:05 PM	0	6.886	94.1	52.3	0
4/13/2023, 3:21:05 PM	0	6.886	94.1	52.2	0
4/13/2023, 3:31:05 PM	0	6.886	93.9	51.9	0
4/13/2023, 3:41:05 PM	0	6.886	93.7	51.7	0
4/13/2023, 3:51:05 PM	0	6.895	93.7	51.5	0
4/13/2023, 4:01:05 PM	0	6.895	93.9	51.4	0
4/13/2023, 4:11:05 PM	0	6.895	93.7	51.2	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/13/2023, 4:21:05 PM	0	6.895	93.2	51.1	0
4/13/2023, 4:31:05 PM	0	6.886	92.8	51	0
4/13/2023, 4:41:05 PM	0	6.886	92.8	51	0
4/13/2023, 4:51:05 PM	0	6.886	92.5	50.9	0
4/13/2023, 5:01:05 PM	0	6.886	92.1	50.8	0
4/13/2023, 5:11:05 PM	0	6.886	91.6	50.8	0
4/13/2023, 5:21:05 PM	0	6.886	90.7	50.8	0
4/13/2023, 5:31:05 PM	3	6.895	89.6	50.8	0.5
4/13/2023, 5:41:05 PM	5	6.886	88.5	50.7	1.333333333
4/13/2023, 5:51:05 PM	5	6.886	87.3	50.9	2.166666667
4/13/2023, 6:01:05 PM	5	6.886	86.2	50.9	3
4/13/2023, 6:11:05 PM	5	6.886	85.1	51	3.833333333
4/13/2023, 6:21:05 PM	4	6.886	84.2	51.2	4.5
4/13/2023, 6:31:05 PM	4	6.886	83.3	51.5	4.666666667
4/13/2023, 6:41:05 PM	4	6.886	82.6	51.7	4.5
4/13/2023, 6:51:05 PM	0	6.886	81.9	51.9	3.666666667
4/13/2023, 7:01:05 PM	3	6.886	81.1	52.2	3.333333333
4/13/2023, 7:11:05 PM	3	6.886	80.2	52.4	3
4/13/2023, 7:21:05 PM	4	6.886	79.3	52.3	3
4/13/2023, 7:31:05 PM	4	6.886	78.3	52.4	3
4/13/2023, 7:41:05 PM	3	6.886	77	52.6	2.833333333
4/13/2023, 7:51:05 PM	4	6.877	75.9	52.9	3.5
4/13/2023, 8:01:05 PM	3	6.877	75	53.1	3.5
4/13/2023, 8:11:05 PM	0	6.877	74.3	53.4	3
4/13/2023, 8:21:05 PM	0	6.877	73.6	53.5	2.333333333
4/13/2023, 8:31:05 PM	0	6.877	73	53.7	1.666666667
4/13/2023, 8:41:05 PM	0	6.877	72.3	54.2	1.166666667
4/13/2023, 8:51:05 PM	0	6.877	71.6	54.7	0.5
4/13/2023, 9:01:05 PM	0	6.877	70.7	55.1	0
4/13/2023, 9:11:05 PM	0	6.877	69.8	55.6	0
4/13/2023, 9:21:05 PM	0	6.877	68.9	56.1	0
4/13/2023, 9:31:05 PM	0	6.877	68.4	56.7	0
4/13/2023, 9:41:05 PM	0	6.869	67.8	57	0
4/13/2023, 9:51:05 PM	0	6.869	67.5	57.2	0
4/13/2023, 10:01:05 PM	0	6.869	67.1	57.5	0
4/13/2023, 10:11:05 PM	0	6.869	66.9	57.5	0
4/13/2023, 10:21:05 PM	0	6.869	66.9	57.5	0
4/13/2023, 10:31:05 PM	0	6.869	66.7	57.5	0
4/13/2023, 10:41:05 PM	0	6.869	66.4	57.5	0
4/13/2023, 10:51:05 PM	0	6.869	66	57.5	0
4/13/2023, 11:01:05 PM	0	6.869	65.8	57.5	0
4/13/2023, 11:11:05 PM	0	6.869	65.5	57.6	0
4/13/2023, 11:21:05 PM	0	6.869	65.1	57.9	0
4/13/2023, 11:31:05 PM	0	6.869	64.8	58.2	0
4/13/2023, 11:41:05 PM	0	6.869	64.6	58.5	0
4/13/2023, 11:51:05 PM	0	6.869	64.4	58.8	0
4/14/2023, 12:01:05 AM	0	6.869	64	59.2	0
4/14/2023, 12:11:05 AM	0	6.869	63.7	59.6	0
4/14/2023, 12:21:05 AM	0	6.869	63.3	60.3	0
4/14/2023, 12:31:05 AM	0	6.869	62.8	61	0
4/14/2023, 12:41:05 AM	0	6.869	62.2	61.7	0
4/14/2023, 12:51:05 AM	0	6.869	61.7	62.4	0
4/14/2023, 1:01:05 AM	0	6.86	61.2	63.1	0
4/14/2023, 1:11:05 AM	0	6.86	61	63.9	0
4/14/2023, 1:21:05 AM	0	6.86	60.8	64.6	0
4/14/2023, 1:31:05 AM	0	6.86	60.6	65.3	0
4/14/2023, 1:41:05 AM	0	6.86	60.4	65.7	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/14/2023, 1:51:05 AM	0	6.86	60.3	66	0
4/14/2023, 2:01:05 AM	0	6.86	60.1	66.3	0
4/14/2023, 2:11:05 AM	0	6.86	59.7	66.9	0
4/14/2023, 2:21:05 AM	0	6.86	59.5	67.2	0
4/14/2023, 2:31:05 AM	0	6.86	59.4	67.7	0
4/14/2023, 2:41:05 AM	0	6.86	58.8	68.4	0
4/14/2023, 2:51:05 AM	0	6.86	58.5	69.3	0
4/14/2023, 3:01:05 AM	0	6.86	57.7	69.9	0
4/14/2023, 3:11:05 AM	0	6.86	57.2	70.5	0
4/14/2023, 3:21:05 AM	0	6.86	56.7	71.2	0
4/14/2023, 3:31:05 AM	0	6.86	56.3	71.8	0
4/14/2023, 3:41:05 AM	0	6.86	55.9	72.4	0
4/14/2023, 3:51:05 AM	0	6.86	55.6	73.2	0
4/14/2023, 4:01:05 AM	0	6.851	55.2	73.7	0
4/14/2023, 4:11:05 AM	0	6.851	55.2	74.3	0
4/14/2023, 4:21:05 AM	0	6.851	55	74.7	0
4/14/2023, 4:31:05 AM	0	6.851	54.9	74.8	0
4/14/2023, 4:41:05 AM	0	6.851	54.7	75.1	0
4/14/2023, 4:51:05 AM	0	6.851	54.3	75.4	0
4/14/2023, 5:01:05 AM	0	6.851	54.1	75.8	0
4/14/2023, 5:11:05 AM	0	6.851	53.8	76.2	0
4/14/2023, 5:21:05 AM	0	6.851	53.4	76.6	0
4/14/2023, 5:31:05 AM	0	6.851	53.2	77	0
4/14/2023, 5:41:05 AM	0	6.851	53.1	77.4	0
4/14/2023, 5:51:05 AM	0	6.851	52.9	77.8	0
4/14/2023, 6:01:05 AM	0	6.851	52.7	78.3	0
4/14/2023, 6:11:05 AM	0	6.851	52.5	78.7	0
4/14/2023, 6:21:05 AM	0	6.851	52.3	79.2	0
4/14/2023, 6:31:05 AM	0	6.851	52.2	79.5	0
4/14/2023, 6:41:05 AM	0	6.851	52	80.3	0
4/14/2023, 6:51:05 AM	0	6.851	52	80.7	0
4/14/2023, 7:01:05 AM	0	6.851	52	80.9	0
4/14/2023, 7:11:05 AM	0	6.851	52.2	81.1	0
4/14/2023, 7:21:05 AM	0	6.851	52.2	81.5	0
4/14/2023, 7:31:05 AM	0	6.851	52.3	81.8	0
4/14/2023, 7:41:05 AM	0	6.851	52.7	82	0
4/14/2023, 7:51:05 AM	0	6.851	53.1	82.2	0
4/14/2023, 8:01:05 AM	0	6.851	53.6	82.4	0
4/14/2023, 8:11:05 AM	0	6.851	54.3	82.9	0
4/14/2023, 8:21:05 AM	0	6.851	55.6	83.1	0
4/14/2023, 8:31:05 AM	0	6.851	57.4	83.1	0
4/14/2023, 8:41:05 AM	0	6.851	59.4	82.8	0
4/14/2023, 8:51:05 AM	0	6.851	61.7	80.9	0
4/14/2023, 9:01:05 AM	0	6.851	64	77.6	0
4/14/2023, 9:11:05 AM	0	6.86	66.7	74.5	0
4/14/2023, 9:21:05 AM	0	6.86	69.1	71.6	0
4/14/2023, 9:31:05 AM	0	6.86	71.6	69.4	0
4/14/2023, 9:41:05 AM	0	6.86	73.9	67.3	0
4/14/2023, 9:51:05 AM	0	6.869	76.5	65.3	0
4/14/2023, 10:01:05 AM	0	6.869	78.8	63.5	0
4/14/2023, 10:11:05 AM	0	6.869	81	61.9	0
4/14/2023, 10:21:05 AM	0	6.869	82.9	60.3	0
4/14/2023, 10:31:05 AM	0	6.869	84.6	59	0
4/14/2023, 10:41:05 AM	0	6.877	86	57.8	0
4/14/2023, 10:51:05 AM	0	6.877	87.1	56.8	0
4/14/2023, 11:01:05 AM	0	6.877	87.8	56	0
4/14/2023, 11:11:05 AM	0	6.877	88.5	55.5	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/14/2023, 11:21:05 AM	0	6.877	88.9	55	0
4/14/2023, 11:31:05 AM	0	6.877	89.4	54.6	0
4/14/2023, 11:41:05 AM	0	6.877	90.1	54.2	0
4/14/2023, 11:51:05 AM	0	6.877	90.7	53.9	0
4/14/2023, 12:01:05 PM	0	6.877	91.4	53.7	0
4/14/2023, 12:11:05 PM	0	6.886	92.3	53.4	0
4/14/2023, 12:21:05 PM	0	6.886	92.7	53	0
4/14/2023, 12:31:05 PM	0	6.886	92.8	52.9	0
4/14/2023, 12:41:05 PM	0	6.886	93	52.7	0
4/14/2023, 12:51:05 PM	0	6.886	92.8	52.4	0
4/14/2023, 1:01:05 PM	0	6.886	93	52.6	0
4/14/2023, 1:11:05 PM	0	6.886	93	52.5	0
4/14/2023, 1:21:05 PM	0	6.886	93	52.4	0
4/14/2023, 1:31:05 PM	0	6.886	93	52.3	0
4/14/2023, 1:41:05 PM	0	6.886	93.2	52	0
4/14/2023, 1:51:05 PM	0	6.886	93.2	51.6	0
4/14/2023, 2:01:05 PM	0	6.886	93.2	51.4	0
4/14/2023, 2:11:05 PM	0	6.886	93.2	51.3	0
4/14/2023, 2:21:05 PM	0	6.886	93.2	51.1	0
4/14/2023, 2:31:05 PM	0	6.886	93	50.7	0
4/14/2023, 2:41:05 PM	0	6.886	92.8	50.5	0
4/14/2023, 2:51:05 PM	0	6.886	92.7	50.4	0
4/14/2023, 3:01:05 PM	0	6.886	92.3	50.4	0
4/14/2023, 3:11:05 PM	0	6.886	91.9	50.8	0
4/14/2023, 3:21:05 PM	0	6.886	91.8	51.3	0
4/14/2023, 3:31:05 PM	0	6.886	91.9	51.8	0
4/14/2023, 3:41:05 PM	0	6.886	91.9	52	0
4/14/2023, 3:51:05 PM	0	6.886	91.4	52.1	0
4/14/2023, 4:01:05 PM	0	6.886	91	52.2	0
4/14/2023, 4:11:05 PM	0	6.886	90.5	52.2	0
4/14/2023, 4:21:05 PM	0	6.886	89.6	52	0
4/14/2023, 4:31:05 PM	0	6.886	89.4	52.1	0
4/14/2023, 4:41:05 PM	0	6.886	89.2	51.9	0
4/14/2023, 4:51:05 PM	0	6.886	88.9	52	0
4/14/2023, 5:01:05 PM	0	6.886	88.3	52	0
4/14/2023, 5:11:05 PM	0	6.886	87.8	51.9	0
4/14/2023, 5:21:05 PM	0	6.886	87.4	51.9	0
4/14/2023, 5:31:05 PM	3	6.886	86.5	51.7	0.5
4/14/2023, 5:41:05 PM	4	6.886	85.6	51.6	1.166666667
4/14/2023, 5:51:05 PM	3	6.886	84.9	51.6	1.666666667
4/14/2023, 6:01:05 PM	0	6.886	84.2	51.8	1.666666667
4/14/2023, 6:11:05 PM	0	6.886	83.5	51.8	1.666666667
4/14/2023, 6:21:05 PM	3	6.886	82.9	52	2.166666667
4/14/2023, 6:31:05 PM	0	6.886	82.2	52.3	1.666666667
4/14/2023, 6:41:05 PM	0	6.886	81.7	52.3	1
4/14/2023, 6:51:05 PM	0	6.877	81.1	52.3	0.5
4/14/2023, 7:01:05 PM	0	6.877	80.6	52.5	0.5
4/14/2023, 7:11:05 PM	0	6.877	79.9	52.6	0.5
4/14/2023, 7:21:05 PM	0	6.877	79.2	52.7	0
4/14/2023, 7:31:05 PM	0	6.877	78.6	52.8	0
4/14/2023, 7:41:05 PM	0	6.877	77.9	52.9	0
4/14/2023, 7:51:05 PM	0	6.877	76.8	53.2	0
4/14/2023, 8:01:05 PM	0	6.877	75.7	53.6	0
4/14/2023, 8:11:05 PM	0	6.877	74.3	54	0
4/14/2023, 8:21:05 PM	0	6.877	73	54.7	0
4/14/2023, 8:31:05 PM	3	6.877	72	55.3	0.5
4/14/2023, 8:41:05 PM	4	6.877	70.9	57.2	1.166666667

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/14/2023, 8:51:05 PM	3	6.869	69.8	58.6	1.666666667
4/14/2023, 9:01:05 PM	0	6.877	68.9	59.3	1.666666667
4/14/2023, 9:11:05 PM	0	6.869	68	60	1.666666667
4/14/2023, 9:21:05 PM	0	6.869	67.3	61	1.666666667
4/14/2023, 9:31:05 PM	0	6.869	66.6	62.3	1.166666667
4/14/2023, 9:41:05 PM	0	6.869	66	64.2	0.5
4/14/2023, 9:51:05 PM	0	6.869	65.3	65.1	0
4/14/2023, 10:01:05 PM	0	6.869	64.8	66.2	0
4/14/2023, 10:11:05 PM	0	6.869	64.2	67.7	0
4/14/2023, 10:21:05 PM	0	6.869	63.7	68.3	0
4/14/2023, 10:31:05 PM	0	6.869	63.3	69	0
4/14/2023, 10:41:05 PM	0	6.869	63	69.7	0
4/14/2023, 10:51:05 PM	0	6.869	62.4	70.2	0
4/14/2023, 11:01:05 PM	0	6.869	62.1	70.7	0
4/14/2023, 11:11:05 PM	0	6.86	61.7	71.4	0
4/14/2023, 11:21:05 PM	0	6.86	61.3	72.1	0
4/14/2023, 11:31:05 PM	0	6.86	61	72.7	0
4/14/2023, 11:41:05 PM	0	6.86	60.6	73.3	0
4/14/2023, 11:51:05 PM	0	6.86	60.3	74.1	0
4/15/2023, 12:01:05 AM	0	6.86	59.9	74.7	0
4/15/2023, 12:11:05 AM	0	6.86	59.5	75.3	0
4/15/2023, 12:21:05 AM	0	6.86	59.2	75.9	0
4/15/2023, 12:31:05 AM	0	6.86	58.8	76.4	0
4/15/2023, 12:41:05 AM	0	6.86	58.5	76.5	0
4/15/2023, 12:51:05 AM	0	6.86	58.1	76.7	0
4/15/2023, 1:01:05 AM	0	6.86	57.7	76.9	0
4/15/2023, 1:11:05 AM	0	6.86	57.4	77.1	0
4/15/2023, 1:21:05 AM	0	6.86	57	77.5	0
4/15/2023, 1:31:05 AM	0	6.86	56.8	78.1	0
4/15/2023, 1:41:05 AM	0	6.86	56.7	78.5	0
4/15/2023, 1:51:05 AM	0	6.851	56.5	79	0
4/15/2023, 2:01:05 AM	0	6.851	56.3	79.3	0
4/15/2023, 2:11:05 AM	0	6.851	55.9	79.7	0
4/15/2023, 2:21:05 AM	0	6.851	55.6	80.2	0
4/15/2023, 2:31:05 AM	0	6.851	55.4	80.6	0
4/15/2023, 2:41:05 AM	0	6.851	55.2	80.7	0
4/15/2023, 2:51:05 AM	0	6.851	55	80.7	0
4/15/2023, 3:01:05 AM	0	6.851	54.9	80.9	0
4/15/2023, 3:11:05 AM	0	6.851	54.7	81.6	0
4/15/2023, 3:21:05 AM	0	6.851	54.7	81.8	0
4/15/2023, 3:31:05 AM	0	6.851	54.7	81.7	0
4/15/2023, 3:41:05 AM	0	6.851	54.9	82	0
4/15/2023, 3:51:05 AM	0	6.851	54.7	82.3	0
4/15/2023, 4:01:05 AM	0	6.851	54.7	82.7	0
4/15/2023, 4:11:05 AM	0	6.851	54.7	83.1	0
4/15/2023, 4:21:05 AM	0	6.851	54.7	83.7	0
4/15/2023, 4:31:05 AM	0	6.851	54.7	84.1	0
4/15/2023, 4:41:05 AM	0	6.851	54.7	84.4	0
4/15/2023, 4:51:05 AM	0	6.851	54.7	84.5	0
4/15/2023, 5:01:05 AM	0	6.851	54.7	84.5	0
4/15/2023, 5:11:05 AM	0	6.851	54.7	84.7	0
4/15/2023, 5:21:05 AM	0	6.851	54.7	84.9	0
4/15/2023, 5:31:05 AM	0	6.851	54.7	84.9	0
4/15/2023, 5:41:05 AM	0	6.851	54.7	84.7	0
4/15/2023, 5:51:05 AM	0	6.851	54.7	84.7	0
4/15/2023, 6:01:05 AM	0	6.851	54.7	84.6	0
4/15/2023, 6:11:05 AM	0	6.851	54.7	84.7	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/15/2023, 6:21:05 AM	0	6.851	54.7	85	0
4/15/2023, 6:31:05 AM	0	6.851	54.7	85.2	0
4/15/2023, 6:41:05 AM	0	6.851	54.7	85.2	0
4/15/2023, 6:51:05 AM	0	6.851	54.5	85.2	0
4/15/2023, 7:01:05 AM	0	6.851	54.5	85	0
4/15/2023, 7:11:05 AM	0	6.851	54.5	85	0
4/15/2023, 7:21:05 AM	0	6.851	54.7	84.8	0
4/15/2023, 7:31:05 AM	0	6.851	54.9	84.4	0
4/15/2023, 7:41:05 AM	0	6.851	55	84.4	0
4/15/2023, 7:51:05 AM	0	6.851	55.4	84.3	0
4/15/2023, 8:01:05 AM	0	6.851	55.9	83.6	0
4/15/2023, 8:11:05 AM	0	6.851	56.7	83.1	0
4/15/2023, 8:21:05 AM	0	6.851	57.6	82.2	0
4/15/2023, 8:31:05 AM	0	6.851	58.6	81.7	0
4/15/2023, 8:41:05 AM	0	6.851	59.7	81	0
4/15/2023, 8:51:05 AM	0	6.851	61.2	80.3	0
4/15/2023, 9:01:05 AM	0	6.851	62.6	79.2	0
4/15/2023, 9:11:05 AM	0	6.851	64	77.6	0
4/15/2023, 9:21:05 AM	0	6.86	65.7	76.4	0
4/15/2023, 9:31:05 AM	0	6.86	67.3	74.9	0
4/15/2023, 9:41:05 AM	0	6.86	69.1	73.2	0
4/15/2023, 9:51:05 AM	0	6.86	71.2	71.6	0
4/15/2023, 10:01:05 AM	0	6.86	73.6	70.2	0
4/15/2023, 10:11:05 AM	0	6.86	75.9	68.6	0
4/15/2023, 10:21:05 AM	0	6.869	77.7	66.8	0
4/15/2023, 10:31:05 AM	0	6.869	79.2	65.3	0
4/15/2023, 10:41:05 AM	0	6.869	80.4	64.1	0
4/15/2023, 10:51:05 AM	0	6.869	81.7	62.8	0
4/15/2023, 11:01:05 AM	0	6.869	82.6	61.7	0
4/15/2023, 11:11:05 AM	0	6.869	83.7	60.9	0
4/15/2023, 11:21:05 AM	0	6.877	84.6	60.2	0
4/15/2023, 11:31:05 AM	0	6.877	85.5	59.5	0
4/15/2023, 11:41:05 AM	0	6.877	86.2	59	0
4/15/2023, 11:51:05 AM	0	6.877	86.7	58.5	0
4/15/2023, 12:01:05 PM	0	6.877	87.4	58.4	0
4/15/2023, 12:11:05 PM	0	6.877	88.2	58.1	0
4/15/2023, 12:21:05 PM	0	6.877	88.7	58	0
4/15/2023, 12:31:05 PM	0	6.877	88.9	58.1	0
4/15/2023, 12:41:05 PM	0	6.877	89.1	58	0
4/15/2023, 12:51:05 PM	0	6.877	89.2	57.8	0
4/15/2023, 1:01:05 PM	0	6.877	89.4	57.6	0
4/15/2023, 1:11:05 PM	0	6.877	89.2	57.5	0
4/15/2023, 1:21:05 PM	0	6.877	89.2	57.3	0
4/15/2023, 1:31:05 PM	0	6.877	89.1	57.3	0
4/15/2023, 1:41:05 PM	0	6.877	88.9	57.2	0
4/15/2023, 1:51:05 PM	0	6.877	88.7	57.1	0
4/15/2023, 2:01:05 PM	0	6.877	88.7	57.2	0
4/15/2023, 2:11:05 PM	0	6.886	88.9	56.8	0
4/15/2023, 2:21:05 PM	0	6.877	89.1	56.5	0
4/15/2023, 2:31:05 PM	0	6.877	89.2	56.4	0
4/15/2023, 2:41:05 PM	0	6.886	89.6	56.3	0
4/15/2023, 2:51:05 PM	0	6.886	89.8	56.2	0
4/15/2023, 3:01:05 PM	0	6.886	90	56	0
4/15/2023, 3:11:05 PM	0	6.886	90	56	0
4/15/2023, 3:21:05 PM	0	6.886	89.8	55.7	0
4/15/2023, 3:31:05 PM	0	6.886	90.1	55.5	0
4/15/2023, 3:41:05 PM	0	6.886	90.5	55.4	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/15/2023, 3:51:05 PM	0	6.886	90.7	55.1	0
4/15/2023, 4:01:05 PM	0	6.886	90.9	54.8	0
4/15/2023, 4:11:05 PM	0	6.886	90.7	54.8	0
4/15/2023, 4:21:05 PM	0	6.886	90.3	54.7	0
4/15/2023, 4:31:05 PM	0	6.886	90.1	54.7	0
4/15/2023, 4:41:05 PM	0	6.886	90.3	54.6	0
4/15/2023, 4:51:05 PM	0	6.886	89.6	54.4	0
4/15/2023, 5:01:05 PM	0	6.886	88.9	54.2	0
4/15/2023, 5:11:05 PM	0	6.886	88.3	54.3	0
4/15/2023, 5:21:05 PM	3	6.886	87.3	54.4	0.5
4/15/2023, 5:31:05 PM	5	6.886	85.8	54.4	1.333333333
4/15/2023, 5:41:05 PM	5	6.886	84.4	54.8	2.166666667
4/15/2023, 5:51:05 PM	5	6.886	83.3	55.1	3
4/15/2023, 6:01:05 PM	4	6.886	82.6	55.7	3.666666667
4/15/2023, 6:11:05 PM	3	6.877	82	56.1	4.166666667
4/15/2023, 6:21:05 PM	3	6.877	81.5	56.6	4.166666667
4/15/2023, 6:31:05 PM	0	6.877	81.1	57.3	3.333333333
4/15/2023, 6:41:05 PM	0	6.877	81	57.8	2.5
4/15/2023, 6:51:05 PM	0	6.877	80.6	58	1.666666667
4/15/2023, 7:01:05 PM	0	6.877	80.2	58.2	1
4/15/2023, 7:11:05 PM	0	6.877	79.7	58.6	0.5
4/15/2023, 7:21:05 PM	3	6.877	78.8	59.4	0.5
4/15/2023, 7:31:05 PM	4	6.877	77.7	60.8	1.166666667
4/15/2023, 7:41:05 PM	3	6.877	76.5	61.2	1.666666667
4/15/2023, 7:51:05 PM	3	6.877	75.4	61.6	2.166666667
4/15/2023, 8:01:05 PM	3	6.877	74.5	62.3	2.666666667
4/15/2023, 8:11:05 PM	3	6.877	73.4	62.9	3.166666667
4/15/2023, 8:21:05 PM	0	6.877	72.3	63.4	2.666666667
4/15/2023, 8:31:05 PM	0	6.877	71.2	63.9	2
4/15/2023, 8:41:05 PM	4	6.877	70.5	64.9	2.166666667
4/15/2023, 8:51:05 PM	0	6.869	69.6	65.6	1.666666667
4/15/2023, 9:01:05 PM	0	6.869	68.9	66.6	1.166666667
4/15/2023, 9:11:05 PM	0	6.869	68.2	66.8	0.666666667
4/15/2023, 9:21:05 PM	0	6.869	67.6	67.6	0.666666667
4/15/2023, 9:31:05 PM	0	6.869	66.9	68.2	0.666666667
4/15/2023, 9:41:05 PM	0	6.869	66.4	69	0
4/15/2023, 9:51:05 PM	0	6.869	65.7	70.2	0
4/15/2023, 10:01:05 PM	0	6.869	65.1	70.3	0
4/15/2023, 10:11:05 PM	0	6.869	64.8	71.1	0
4/15/2023, 10:21:05 PM	0	6.869	64.4	71.8	0
4/15/2023, 10:31:05 PM	0	6.86	63.9	72.7	0
4/15/2023, 10:41:05 PM	0	6.86	63.3	73.8	0
4/15/2023, 10:51:05 PM	0	6.86	62.8	74.5	0
4/15/2023, 11:01:05 PM	0	6.86	62.6	74.8	0
4/15/2023, 11:11:05 PM	0	6.86	62.2	75.3	0
4/15/2023, 11:21:05 PM	0	6.86	61.9	75.8	0
4/15/2023, 11:31:05 PM	0	6.86	61.5	76.5	0
4/15/2023, 11:41:05 PM	0	6.86	61.2	76.8	0
4/15/2023, 11:51:05 PM	0	6.86	60.8	77	0
4/16/2023, 12:01:05 AM	0	6.86	60.4	77.4	0
4/16/2023, 12:11:05 AM	0	6.86	60.1	77.9	0
4/16/2023, 12:21:05 AM	0	6.86	59.7	78.7	0
4/16/2023, 12:31:05 AM	0	6.86	59.4	79.3	0
4/16/2023, 12:41:05 AM	0	6.86	59	79.8	0
4/16/2023, 12:51:05 AM	0	6.86	58.8	79.9	0
4/16/2023, 1:01:05 AM	0	6.86	58.6	80	0
4/16/2023, 1:11:05 AM	0	6.86	58.5	80	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/16/2023, 1:21:05 AM	0	6.851	58.3	79.9	0
4/16/2023, 1:31:05 AM	0	6.851	58.1	80.1	0
4/16/2023, 1:41:05 AM	0	6.851	57.9	80.2	0
4/16/2023, 1:51:05 AM	0	6.851	57.9	80.2	0
4/16/2023, 2:01:05 AM	0	6.851	58.3	80.6	0
4/16/2023, 2:11:05 AM	0	6.851	58.3	80.7	0
4/16/2023, 2:21:05 AM	0	6.851	58.1	80.9	0
4/16/2023, 2:31:05 AM	0	6.851	57.9	81.4	0
4/16/2023, 2:41:05 AM	0	6.851	57.7	81.8	0
4/16/2023, 2:51:05 AM	0	6.851	57.6	82	0
4/16/2023, 3:01:05 AM	0	6.851	57.2	82.3	0
4/16/2023, 3:11:05 AM	0	6.851	57.2	82.4	0
4/16/2023, 3:21:05 AM	0	6.851	56.8	82.6	0
4/16/2023, 3:31:05 AM	0	6.851	56.7	82.9	0
4/16/2023, 3:41:05 AM	0	6.851	56.3	83.2	0
4/16/2023, 3:51:05 AM	0	6.851	56.1	83.6	0
4/16/2023, 4:01:05 AM	0	6.851	55.9	83.9	0
4/16/2023, 4:11:05 AM	0	6.851	55.8	84.1	0
4/16/2023, 4:21:05 AM	0	6.851	55.4	84.4	0
4/16/2023, 4:31:05 AM	0	6.851	55.4	85.1	0
4/16/2023, 4:41:05 AM	0	6.851	55.4	85.5	0
4/16/2023, 4:51:05 AM	0	6.851	55.2	85.7	0
4/16/2023, 5:01:05 AM	0	6.851	55	85.7	0
4/16/2023, 5:11:05 AM	0	6.851	54.9	85.8	0
4/16/2023, 5:21:05 AM	0	6.851	54.5	86.1	0
4/16/2023, 5:31:05 AM	0	6.851	54.3	86.2	0
4/16/2023, 5:41:05 AM	0	6.851	54.1	86.6	0
4/16/2023, 5:51:05 AM	0	6.851	54	86.9	0
4/16/2023, 6:01:05 AM	0	6.851	54	87.1	0
4/16/2023, 6:11:05 AM	0	6.851	53.8	87.1	0
4/16/2023, 6:21:05 AM	0	6.851	53.6	87.5	0
4/16/2023, 6:31:05 AM	0	6.842	53.6	87.8	0
4/16/2023, 6:41:05 AM	0	6.842	53.4	88.2	0
4/16/2023, 6:51:05 AM	0	6.842	53.6	88.6	0
4/16/2023, 7:01:05 AM	0	6.842	53.6	89	0
4/16/2023, 7:11:05 AM	0	6.842	53.8	89.3	0
4/16/2023, 7:21:05 AM	0	6.842	54.1	89.9	0
4/16/2023, 7:31:05 AM	0	6.842	54.9	90.6	0
4/16/2023, 7:41:05 AM	0	6.842	55.6	91.3	0
4/16/2023, 7:51:05 AM	0	6.851	56.7	91.6	0
4/16/2023, 8:01:05 AM	0	6.851	57.7	91.6	0
4/16/2023, 8:11:05 AM	0	6.851	59	91.2	0
4/16/2023, 8:21:05 AM	0	6.851	60.3	90.5	0
4/16/2023, 8:31:05 AM	0	6.851	61.5	89.7	0
4/16/2023, 8:41:05 AM	0	6.851	63.1	88.6	0
4/16/2023, 8:51:05 AM	0	6.851	64.6	87.3	0
4/16/2023, 9:01:05 AM	0	6.851	66.2	86	0
4/16/2023, 9:11:05 AM	0	6.86	67.8	84.2	0
4/16/2023, 9:21:05 AM	0	6.86	69.6	82.1	0
4/16/2023, 9:31:05 AM	0	6.86	71.2	80.4	0
4/16/2023, 9:41:05 AM	0	6.86	73	78.1	0
4/16/2023, 9:51:05 AM	0	6.86	75	76.1	0
4/16/2023, 10:01:05 AM	0	6.86	77	73.8	0
4/16/2023, 10:11:05 AM	0	6.869	78.8	72	0
4/16/2023, 10:21:05 AM	0	6.869	80.6	70.2	0
4/16/2023, 10:31:05 AM	0	6.869	82	68.6	0
4/16/2023, 10:41:05 AM	0	6.869	83.1	67.2	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/16/2023, 10:51:05 AM	0	6.869	84	66	0
4/16/2023, 11:01:05 AM	0	6.869	84.7	64.9	0
4/16/2023, 11:11:05 AM	0	6.869	85.3	64	0
4/16/2023, 11:21:05 AM	0	6.877	86	63	0
4/16/2023, 11:31:05 AM	0	6.877	86.7	62.3	0
4/16/2023, 11:41:05 AM	0	6.877	87.1	61.7	0
4/16/2023, 11:51:05 AM	0	6.877	87.8	61.2	0
4/16/2023, 12:01:05 PM	0	6.877	88.7	60.6	0
4/16/2023, 12:11:05 PM	0	6.877	89.2	60	0
4/16/2023, 12:21:05 PM	0	6.877	89.4	59.5	0
4/16/2023, 12:31:05 PM	0	6.877	89.4	59.2	0
4/16/2023, 12:41:05 PM	0	6.877	89.6	59.5	0
4/16/2023, 12:51:05 PM	0	6.877	89.4	59.6	0
4/16/2023, 1:01:05 PM	0	6.877	89.2	59.8	0
4/16/2023, 1:11:05 PM	0	6.877	89.1	59.6	0
4/16/2023, 1:21:05 PM	0	6.877	88.9	59.5	0
4/16/2023, 1:31:05 PM	0	6.877	88.5	59	0
4/16/2023, 1:41:05 PM	0	6.877	88.5	58.9	0
4/16/2023, 1:51:05 PM	0	6.877	88.3	58.7	0
4/16/2023, 2:01:05 PM	0	6.877	88	58.5	0
4/16/2023, 2:11:05 PM	0	6.877	87.8	58.4	0
4/16/2023, 2:21:05 PM	0	6.877	87.8	58.2	0
4/16/2023, 2:31:05 PM	0	6.877	87.8	58	0
4/16/2023, 2:41:05 PM	0	6.877	88	57.7	0
4/16/2023, 2:51:05 PM	0	6.877	88.2	57.6	0
4/16/2023, 3:01:05 PM	0	6.877	88.2	57.7	0
4/16/2023, 3:11:05 PM	0	6.877	88.3	57.4	0
4/16/2023, 3:21:05 PM	0	6.877	88.3	57.2	0
4/16/2023, 3:31:05 PM	0	6.877	88.3	57.3	0
4/16/2023, 3:41:05 PM	0	6.877	88.5	57.2	0
4/16/2023, 3:51:05 PM	0	6.877	88.3	57	0
4/16/2023, 4:01:05 PM	0	6.877	88.3	57.2	0
4/16/2023, 4:11:05 PM	0	6.877	88.2	57.4	0
4/16/2023, 4:21:05 PM	0	6.877	88	57.6	0
4/16/2023, 4:31:05 PM	0	6.877	87.8	57.7	0
4/16/2023, 4:41:05 PM	0	6.877	87.6	57.7	0
4/16/2023, 4:51:05 PM	0	6.877	87.6	57.7	0
4/16/2023, 5:01:05 PM	0	6.877	87.4	57.5	0
4/16/2023, 5:11:05 PM	0	6.877	87.1	57.6	0
4/16/2023, 5:21:05 PM	0	6.877	86.7	57.6	0
4/16/2023, 5:31:05 PM	0	6.877	86.2	57.7	0
4/16/2023, 5:41:05 PM	0	6.877	85.5	57.8	0
4/16/2023, 5:51:05 PM	0	6.877	84.7	58	0
4/16/2023, 6:01:05 PM	0	6.877	84.4	58.4	0
4/16/2023, 6:11:05 PM	0	6.877	83.7	58.7	0
4/16/2023, 6:21:05 PM	0	6.877	83.1	59.1	0
4/16/2023, 6:31:05 PM	0	6.877	82.8	59.1	0
4/16/2023, 6:41:05 PM	0	6.877	82.6	59.3	0
4/16/2023, 6:51:05 PM	0	6.877	82.2	59.4	0
4/16/2023, 7:01:05 PM	0	6.877	81.7	59.6	0
4/16/2023, 7:11:05 PM	0	6.877	81.1	59.7	0
4/16/2023, 7:21:05 PM	0	6.877	80.6	60	0
4/16/2023, 7:31:05 PM	0	6.877	80.2	60.3	0
4/16/2023, 7:41:05 PM	0	6.877	79.7	60.4	0
4/16/2023, 7:51:05 PM	0	6.877	79.3	60.6	0
4/16/2023, 8:01:05 PM	0	6.877	79	60.7	0
4/16/2023, 8:11:05 PM	0	6.877	78.4	60.8	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/16/2023, 8:21:05 PM	0	6.877	77.9	61	0
4/16/2023, 8:31:05 PM	0	6.877	77.5	61.2	0
4/16/2023, 8:41:05 PM	0	6.877	77.2	61.4	0
4/16/2023, 8:51:05 PM	0	6.877	77	61.5	0
4/16/2023, 9:01:05 PM	0	6.877	76.8	61.7	0
4/16/2023, 9:11:05 PM	0	6.877	76.8	62	0
4/16/2023, 9:21:05 PM	0	6.877	76.6	62.3	0
4/16/2023, 9:31:05 PM	0	6.869	76.5	62.7	0
4/16/2023, 9:41:05 PM	0	6.869	76.1	63.1	0
4/16/2023, 9:51:05 PM	0	6.869	75.9	63.5	0
4/16/2023, 10:01:05 PM	0	6.869	75.7	64	0
4/16/2023, 10:11:05 PM	0	6.869	75.6	64.4	0
4/16/2023, 10:21:05 PM	0	6.869	75.4	64.8	0
4/16/2023, 10:31:05 PM	0	6.869	75.2	65.2	0
4/16/2023, 10:41:05 PM	0	6.869	74.8	65.4	0
4/16/2023, 10:51:05 PM	0	6.869	73.4	65.4	0
4/16/2023, 11:01:05 PM	0	6.869	71.6	65.9	0
4/16/2023, 11:11:05 PM	5	6.869	69.8	66.5	0.833333333
4/16/2023, 11:21:05 PM	3	6.869	68.2	67.1	1.333333333
4/16/2023, 11:31:05 PM	4	6.869	66.7	68	2
4/16/2023, 11:41:05 PM	3	6.869	65.5	68.5	2.5
4/16/2023, 11:51:05 PM	3	6.869	64.4	68.6	3
4/17/2023, 12:01:05 AM	0	6.869	63.5	69	3
4/17/2023, 12:11:05 AM	0	6.86	62.6	69.5	2.166666667
4/17/2023, 12:21:05 AM	0	6.86	61.9	69.9	1.666666667
4/17/2023, 12:31:05 AM	0	6.86	61.2	70.4	1
4/17/2023, 12:41:05 AM	0	6.86	60.4	71.2	0.5
4/17/2023, 12:51:05 AM	0	6.86	59.5	72.1	0
4/17/2023, 1:01:05 AM	0	6.86	58.5	73.1	0
4/17/2023, 1:11:05 AM	0	6.86	57.2	74.1	0
4/17/2023, 1:21:05 AM	0	6.851	56.1	75.1	0
4/17/2023, 1:31:05 AM	0	6.851	55.4	76	0
4/17/2023, 1:41:05 AM	0	6.851	54.7	76.8	0
4/17/2023, 1:51:05 AM	0	6.851	54	77.5	0
4/17/2023, 2:01:05 AM	0	6.851	53.4	78.2	0
4/17/2023, 2:11:05 AM	0	6.851	52.7	78.7	0
4/17/2023, 2:21:05 AM	0	6.851	52.2	79.2	0
4/17/2023, 2:31:05 AM	0	6.842	51.8	79.8	0
4/17/2023, 2:41:05 AM	0	6.842	51.3	80.4	0
4/17/2023, 2:51:05 AM	0	6.842	50.9	80.8	0
4/17/2023, 3:01:05 AM	0	6.842	50.5	81.1	0
4/17/2023, 3:11:05 AM	0	6.842	50.2	81.6	0
4/17/2023, 3:21:05 AM	0	6.842	49.8	82.1	0
4/17/2023, 3:31:05 AM	0	6.842	49.6	82.6	0
4/17/2023, 3:41:05 AM	0	6.842	49.5	83.1	0
4/17/2023, 3:51:05 AM	0	6.842	49.3	83.6	0
4/17/2023, 4:01:05 AM	0	6.842	49.3	84	0
4/17/2023, 4:11:05 AM	0	6.842	49.1	84.4	0
4/17/2023, 4:21:05 AM	0	6.842	49.1	84.8	0
4/17/2023, 4:31:05 AM	0	6.833	48.9	85	0
4/17/2023, 4:41:05 AM	0	6.833	48.9	85.3	0
4/17/2023, 4:51:05 AM	0	6.833	48.9	85.7	0
4/17/2023, 5:01:05 AM	0	6.833	48.7	85.8	0
4/17/2023, 5:11:05 AM	0	6.833	48.7	86.1	0
4/17/2023, 5:21:05 AM	0	6.833	48.7	86.4	0
4/17/2023, 5:31:05 AM	0	6.833	48.7	86.7	0
4/17/2023, 5:41:05 AM	0	6.833	48.7	86.9	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/17/2023, 5:51:05 AM	0	6.833	48.9	87.1	0
4/17/2023, 6:01:05 AM	0	6.833	48.9	87.3	0
4/17/2023, 6:11:05 AM	0	6.833	48.9	87.5	0
4/17/2023, 6:21:05 AM	0	6.833	48.9	87.7	0
4/17/2023, 6:31:05 AM	0	6.833	48.9	87.9	0
4/17/2023, 6:41:05 AM	0	6.833	48.9	87.9	0
4/17/2023, 6:51:05 AM	0	6.833	48.9	88	0
4/17/2023, 7:01:05 AM	0	6.833	48.9	88	0
4/17/2023, 7:11:05 AM	0	6.833	48.9	87.9	0
4/17/2023, 7:21:05 AM	0	6.833	48.7	87.7	0
4/17/2023, 7:31:05 AM	0	6.833	48.7	87.9	0
4/17/2023, 7:41:05 AM	0	6.833	48.7	88	0
4/17/2023, 7:51:05 AM	0	6.833	48.6	88.1	0
4/17/2023, 8:01:05 AM	0	6.833	48.6	87.9	0
4/17/2023, 8:11:05 AM	0	6.833	48.6	88	0
4/17/2023, 8:21:05 AM	0	6.833	48.6	88.2	0
4/17/2023, 8:31:05 AM	0	6.833	48.7	88.3	0
4/17/2023, 8:41:05 AM	0	6.833	48.9	88.6	0
4/17/2023, 8:51:05 AM	0	6.833	48.9	88.7	0
4/17/2023, 9:01:05 AM	0	6.833	48.9	88.7	0
4/17/2023, 9:11:05 AM	0	6.833	48.9	88.4	0
4/17/2023, 9:21:05 AM	0	6.833	48.9	88.4	0
4/17/2023, 9:31:05 AM	0	6.833	49.1	88.4	0
4/17/2023, 9:41:05 AM	0	6.833	49.5	88.6	0
4/17/2023, 9:51:05 AM	0	6.833	50	88.7	0
4/17/2023, 10:01:05 AM	0	6.833	50.5	88.3	0
4/17/2023, 10:11:05 AM	0	6.833	51.3	87.7	0
4/17/2023, 10:21:05 AM	0	6.833	52	87.1	0
4/17/2023, 10:31:05 AM	0	6.833	52.9	86.6	0
4/17/2023, 10:41:05 AM	0	6.833	53.4	86.2	0
4/17/2023, 10:51:05 AM	0	6.842	53.6	85.3	0
4/17/2023, 11:01:05 AM	0	6.842	54.5	84.7	0
4/17/2023, 11:11:05 AM	0	6.842	56.7	83.4	0
4/17/2023, 11:21:05 AM	0	6.842	59	81	0
4/17/2023, 11:34:17 AM	0	6.939	61.5	80.8	0
4/17/2023, 11:44:17 AM	0	6.825	62.1	76.7	0
4/17/2023, 11:54:17 AM	0	6.825	61.9	74.3	0
4/17/2023, 12:04:17 PM	0	6.833	61.9	72.8	0
4/17/2023, 12:14:17 PM	0	6.833	62.4	71.5	0
4/17/2023, 12:24:17 PM	0	6.833	62.4	69.8	0
4/17/2023, 12:34:17 PM	0	6.833	62.1	68.5	0
4/17/2023, 12:44:17 PM	0	6.833	63	67.6	0
4/17/2023, 12:54:17 PM	0	6.833	63.9	66.3	0
4/17/2023, 1:04:17 PM	0	6.833	64.8	65.7	0
4/17/2023, 1:14:17 PM	0	6.833	65.3	64.4	0
4/17/2023, 1:24:17 PM	0	6.833	64.9	63.3	0
4/17/2023, 1:34:17 PM	0	6.833	64.2	62.8	0
4/17/2023, 1:44:17 PM	0	6.833	63.5	62.4	0
4/17/2023, 1:54:17 PM	0	6.833	62.8	62.1	0
4/17/2023, 2:04:17 PM	0	6.833	62.1	61.9	0
4/17/2023, 2:14:17 PM	0	6.833	61.7	62.1	0
4/17/2023, 2:24:17 PM	0	6.833	61.5	62.1	0
4/17/2023, 2:34:17 PM	0	6.833	61.2	62.3	0
4/17/2023, 2:44:17 PM	0	6.833	60.6	62.2	0
4/17/2023, 2:54:17 PM	0	6.833	59.9	61.8	0
4/17/2023, 3:04:17 PM	0	6.833	59.9	62	0
4/17/2023, 3:14:17 PM	0	6.833	60.6	62.3	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/17/2023, 3:24:17 PM	0	6.833	60.6	62	0
4/17/2023, 3:34:17 PM	0	6.833	60.6	62	0
4/17/2023, 3:44:17 PM	0	6.833	60.4	62.1	0
4/17/2023, 3:54:17 PM	0	6.833	59.9	61.9	0
4/17/2023, 4:04:17 PM	0	6.833	59.4	61.9	0
4/17/2023, 4:14:17 PM	0	6.833	58.6	62.6	0
4/17/2023, 4:24:17 PM	0	6.833	57.7	64.3	0
4/17/2023, 4:34:17 PM	0	6.833	56.5	66.1	0
4/17/2023, 4:44:17 PM	0	6.833	55.6	67.8	0
4/17/2023, 4:54:17 PM	0	6.825	54.7	69.1	0
4/17/2023, 5:04:17 PM	0	6.825	54.1	70.1	0
4/17/2023, 5:14:17 PM	0	6.825	53.6	70.9	0
4/17/2023, 5:24:17 PM	0	6.825	53.2	71.6	0
4/17/2023, 5:34:17 PM	0	6.825	53.1	72	0
4/17/2023, 5:44:17 PM	0	6.825	52.9	72.5	0
4/17/2023, 5:54:17 PM	0	6.825	52.9	72.9	0
4/17/2023, 6:04:17 PM	0	6.825	52.7	73.3	0
4/17/2023, 6:14:17 PM	0	6.825	51.8	73.2	0
4/17/2023, 6:24:17 PM	0	6.825	50.2	73.7	0
4/17/2023, 6:34:17 PM	0	6.816	49.1	74.5	0
4/17/2023, 6:44:17 PM	0	6.816	48.2	75.4	0
4/17/2023, 6:54:17 PM	0	6.816	47.5	76.3	0
4/17/2023, 7:04:17 PM	0	6.816	46.9	77	0
4/17/2023, 7:14:17 PM	0	6.816	46.4	77.9	0
4/17/2023, 7:24:17 PM	0	6.807	46	78.5	0
4/17/2023, 7:34:17 PM	0	6.807	45.9	79.2	0
4/17/2023, 7:44:17 PM	0	6.807	45.5	79.7	0
4/17/2023, 7:54:17 PM	0	6.807	45.3	80.2	0
4/17/2023, 8:04:17 PM	0	6.807	45	80.5	0
4/17/2023, 8:14:17 PM	0	6.807	44.8	80.6	0
4/17/2023, 8:24:17 PM	0	6.807	44.6	80.8	0
4/17/2023, 8:34:17 PM	0	6.807	44.2	80.8	0
4/17/2023, 8:44:17 PM	0	6.807	44.1	80.9	0
4/17/2023, 8:54:17 PM	0	6.807	43.7	81	0
4/17/2023, 9:04:17 PM	0	6.807	43.5	81.2	0
4/17/2023, 9:14:17 PM	0	6.807	43.5	81.4	0
4/17/2023, 9:24:17 PM	0	6.798	43.3	81.6	0
4/17/2023, 9:34:17 PM	0	6.798	43.3	81.7	0
4/17/2023, 9:44:17 PM	0	6.798	43.2	81.9	0
4/17/2023, 9:54:17 PM	0	6.798	43.2	82	0
4/17/2023, 10:04:17 PM	0	6.798	43.2	82.3	0
4/17/2023, 10:14:17 PM	0	6.798	43.2	82.5	0
4/17/2023, 10:24:17 PM	0	6.798	43.2	82.7	0
4/17/2023, 10:34:17 PM	0	6.798	43	82.8	0
4/17/2023, 10:44:17 PM	0	6.798	43	82.8	0
4/17/2023, 10:54:17 PM	0	6.798	42.8	82.8	0
4/17/2023, 11:04:17 PM	0	6.798	42.6	82.8	0
4/17/2023, 11:14:17 PM	0	6.798	42.4	82.8	0
4/17/2023, 11:24:17 PM	0	6.798	42.4	82.7	0
4/17/2023, 11:34:17 PM	0	6.798	42.3	82.4	0
4/17/2023, 11:44:17 PM	0	6.798	42.1	82.3	0
4/17/2023, 11:54:17 PM	0	6.798	41.7	82.2	0
4/18/2023, 12:04:17 AM	0	6.798	41.5	82.1	0
4/18/2023, 12:14:17 AM	0	6.798	41.2	82	0
4/18/2023, 12:24:17 AM	0	6.798	41.2	82	0
4/18/2023, 12:34:17 AM	0	6.798	41	81.8	0
4/18/2023, 12:44:17 AM	0	6.79	40.8	81.6	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/18/2023, 12:54:17 AM	0	6.798	40.6	81.5	0
4/18/2023, 1:04:17 AM	0	6.79	40.5	81.4	0
4/18/2023, 1:14:17 AM	0	6.79	40.5	81.4	0
4/18/2023, 1:24:17 AM	0	6.79	40.5	81.4	0
4/18/2023, 1:34:17 AM	0	6.79	40.6	81.3	0
4/18/2023, 1:44:17 AM	0	6.79	41	81.1	0
4/18/2023, 1:54:17 AM	0	6.79	41.2	80.9	0
4/18/2023, 2:04:17 AM	0	6.798	41.2	80.7	0
4/18/2023, 2:14:17 AM	0	6.79	41.4	80.4	0
4/18/2023, 2:24:17 AM	0	6.798	41.5	80.1	0
4/18/2023, 2:34:17 AM	0	6.798	41.5	80	0
4/18/2023, 2:44:17 AM	0	6.798	41.7	79.9	0
4/18/2023, 2:54:17 AM	0	6.798	41.7	79.8	0
4/18/2023, 3:04:17 AM	0	6.798	41.7	79.6	0
4/18/2023, 3:14:17 AM	0	6.798	41.9	79.5	0
4/18/2023, 3:24:17 AM	0	6.798	41.9	79.6	0
4/18/2023, 3:34:17 AM	0	6.798	41.9	79.7	0
4/18/2023, 3:44:17 AM	0	6.798	41.7	79.8	0
4/18/2023, 3:54:17 AM	0	6.798	41.7	79.9	0
4/18/2023, 4:04:17 AM	0	6.798	41.5	79.9	0
4/18/2023, 4:14:17 AM	0	6.798	41.4	79.9	0
4/18/2023, 4:24:17 AM	0	6.798	41.4	80.1	0
4/18/2023, 4:34:17 AM	0	6.798	41.2	80.3	0
4/18/2023, 4:44:17 AM	0	6.79	41.2	80.6	0
4/18/2023, 4:54:17 AM	0	6.798	41	80.7	0
4/18/2023, 5:04:17 AM	0	6.79	41	80.9	0
4/18/2023, 5:14:17 AM	0	6.79	41	80.8	0
4/18/2023, 5:24:17 AM	0	6.79	41	80.8	0
4/18/2023, 5:34:17 AM	0	6.79	41	80.7	0
4/18/2023, 5:44:17 AM	0	6.79	41.2	80.6	0
4/18/2023, 5:54:17 AM	0	6.79	41.2	80.5	0
4/18/2023, 6:04:17 AM	0	6.79	41.2	80.4	0
4/18/2023, 6:14:17 AM	0	6.79	41.2	80.3	0
4/18/2023, 6:24:17 AM	0	6.79	41.4	80.3	0
4/18/2023, 6:34:17 AM	0	6.79	41.4	80.2	0
4/18/2023, 6:44:17 AM	0	6.79	41.4	80.2	0
4/18/2023, 6:54:17 AM	0	6.79	41.4	80.2	0
4/18/2023, 7:04:17 AM	0	6.79	41.4	80.2	0
4/18/2023, 7:14:17 AM	0	6.79	41.4	80.3	0
4/18/2023, 7:24:17 AM	0	6.79	41.5	80.2	0
4/18/2023, 7:34:17 AM	0	6.79	41.5	80.2	0
4/18/2023, 7:44:17 AM	0	6.79	41.5	80.2	0
4/18/2023, 7:54:17 AM	0	6.772	41.7	81.2	0
4/18/2023, 8:04:17 AM	0	6.772	41.9	82.3	0
4/18/2023, 8:14:17 AM	0	6.772	41.9	83.2	0
4/18/2023, 8:24:17 AM	0	6.772	42.3	83.9	0
4/18/2023, 8:34:17 AM	0	6.772	42.4	84.4	0
4/18/2023, 8:44:17 AM	0	6.772	42.8	84.7	0
4/18/2023, 8:54:17 AM	0	6.781	43.2	84.7	0
4/18/2023, 9:04:17 AM	0	6.781	43	84.6	0
4/18/2023, 9:14:17 AM	0	6.781	42.8	84.3	0
4/18/2023, 9:24:17 AM	0	6.781	42.4	84.3	0
4/18/2023, 9:34:17 AM	0	6.781	42.3	84.6	0
4/18/2023, 9:44:17 AM	0	6.781	42.3	85.2	0
4/18/2023, 9:54:17 AM	0	6.772	42.8	85.9	0
4/18/2023, 10:04:17 AM	0	6.781	43.3	86.3	0
4/18/2023, 10:14:17 AM	0	6.781	43.7	86.4	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/18/2023, 10:24:17 AM	0	6.781	44.1	85.8	0
4/18/2023, 10:34:17 AM	0	6.781	44.1	85.5	0
4/18/2023, 10:44:17 AM	0	6.781	44.2	84.9	0
4/18/2023, 10:54:17 AM	0	6.781	44.2	84.6	0
4/18/2023, 11:04:17 AM	0	6.781	44.6	84.8	0
4/18/2023, 11:14:17 AM	0	6.781	45.1	84.1	0
4/18/2023, 11:24:17 AM	0	6.781	45.1	83.6	0
4/18/2023, 11:34:17 AM	0	6.781	45.3	83.3	0
4/18/2023, 11:44:17 AM	0	6.781	45.7	82.7	0
4/18/2023, 11:54:17 AM	0	6.781	46.4	82.5	0
4/18/2023, 12:04:17 PM	0	6.79	47.1	82.1	0
4/18/2023, 12:14:17 PM	0	6.79	47.7	81.9	0
4/18/2023, 12:24:17 PM	0	6.79	48.4	81	0
4/18/2023, 12:34:17 PM	0	6.79	48.4	79.7	0
4/18/2023, 12:44:17 PM	0	6.79	48.2	79	0
4/18/2023, 12:54:17 PM	0	6.79	48	78.4	0
4/18/2023, 1:04:17 PM	0	6.79	47.7	77.8	0
4/18/2023, 1:14:17 PM	0	6.79	47.7	78	0
4/18/2023, 1:24:17 PM	0	6.79	48.2	77.6	0
4/18/2023, 1:34:17 PM	0	6.79	48.9	77.9	0
4/18/2023, 1:44:17 PM	0	6.79	50.2	77.4	0
4/18/2023, 1:54:17 PM	0	6.79	51.1	75.7	0
4/18/2023, 2:04:17 PM	0	6.79	51.6	74	0
4/18/2023, 2:14:17 PM	0	6.79	51.6	72.8	0
4/18/2023, 2:24:17 PM	0	6.798	51.6	72.3	0
4/18/2023, 2:34:17 PM	0	6.798	52	71.3	0
4/18/2023, 2:44:17 PM	0	6.798	51.8	70.4	0
4/18/2023, 2:54:17 PM	0	6.798	51.1	69.7	0
4/18/2023, 3:04:17 PM	0	6.798	50.4	69.4	0
4/18/2023, 3:14:17 PM	0	6.798	49.6	69	0
4/18/2023, 3:24:17 PM	0	6.79	49.3	68.7	0
4/18/2023, 3:34:17 PM	0	6.79	48.7	68.6	0
4/18/2023, 3:44:17 PM	0	6.79	48.2	69	0
4/18/2023, 3:54:17 PM	0	6.79	48	69.1	0
4/18/2023, 4:04:17 PM	0	6.79	47.8	69.4	0
4/18/2023, 4:14:17 PM	0	6.79	48	69.1	0
4/18/2023, 4:24:17 PM	0	6.79	48	68.7	0
4/18/2023, 4:34:17 PM	0	6.79	47.8	68.4	0
4/18/2023, 4:44:17 PM	0	6.79	48	68.3	0
4/18/2023, 4:54:17 PM	0	6.79	48.2	68.2	0
4/18/2023, 5:04:17 PM	0	6.79	48.2	68.1	0
4/18/2023, 5:14:17 PM	0	6.79	48	68	0
4/18/2023, 5:24:17 PM	0	6.79	47.8	68.2	0
4/18/2023, 5:34:17 PM	0	6.79	47.8	68	0
4/18/2023, 5:44:17 PM	0	6.79	47.7	67.8	0
4/18/2023, 5:54:17 PM	0	6.79	47.5	68	0
4/18/2023, 6:04:17 PM	0	6.79	47.1	68.1	0
4/18/2023, 6:14:17 PM	0	6.79	46.6	68.3	0
4/18/2023, 6:24:17 PM	0	6.79	45.7	68.8	0
4/18/2023, 6:34:17 PM	0	6.781	44.8	69.5	0
4/18/2023, 6:44:17 PM	0	6.781	43.9	70	0
4/18/2023, 6:54:17 PM	0	6.781	43.3	70.7	0
4/18/2023, 7:04:17 PM	0	6.781	43	71.4	0
4/18/2023, 7:14:17 PM	0	6.781	42.6	71.8	0
4/18/2023, 7:24:17 PM	0	6.781	42.3	72.3	0
4/18/2023, 7:34:17 PM	0	6.781	42.1	72.4	0
4/18/2023, 7:44:17 PM	0	6.781	41.7	72.6	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/18/2023, 7:54:17 PM	0	6.772	41.5	72.8	0
4/18/2023, 8:04:17 PM	0	6.772	41	73	0
4/18/2023, 8:14:17 PM	0	6.772	40.8	73.3	0
4/18/2023, 8:24:17 PM	0	6.772	40.5	73.8	0
4/18/2023, 8:34:17 PM	0	6.772	40.3	74.2	0
4/18/2023, 8:44:17 PM	0	6.772	40.3	74.4	0
4/18/2023, 8:54:17 PM	0	6.772	40.1	74.7	0
4/18/2023, 9:04:17 PM	0	6.772	40.1	75	0
4/18/2023, 9:14:17 PM	0	6.772	39.9	75.2	0
4/18/2023, 9:24:17 PM	0	6.772	39.7	75.4	0
4/18/2023, 9:34:17 PM	0	6.772	39.6	75.7	0
4/18/2023, 9:44:17 PM	0	6.772	39.6	75.9	0
4/18/2023, 9:54:17 PM	0	6.772	39.6	76.3	0
4/18/2023, 10:04:17 PM	0	6.772	39.6	76.6	0
4/18/2023, 10:14:17 PM	0	6.772	39.6	76.8	0
4/18/2023, 10:24:17 PM	0	6.772	39.7	77.1	0
4/18/2023, 10:34:17 PM	0	6.772	39.7	77.3	0
4/18/2023, 10:44:17 PM	0	6.772	39.7	77.5	0
4/18/2023, 10:54:17 PM	0	6.772	39.7	77.7	0
4/18/2023, 11:04:17 PM	0	6.772	39.7	77.9	0
4/18/2023, 11:14:17 PM	0	6.772	39.7	78.1	0
4/18/2023, 11:24:17 PM	0	6.772	39.9	78.2	0
4/18/2023, 11:34:17 PM	0	6.772	39.9	78.4	0
4/18/2023, 11:44:17 PM	0	6.772	39.9	78.6	0
4/18/2023, 11:54:17 PM	0	6.772	39.9	78.7	0
4/19/2023, 12:04:17 AM	0	6.772	39.9	78.7	0
4/19/2023, 12:14:17 AM	0	6.772	39.9	78.6	0
4/19/2023, 12:24:17 AM	0	6.772	39.9	78.3	0
4/19/2023, 12:34:17 AM	0	6.772	39.9	77.7	0
4/19/2023, 12:44:17 AM	0	6.772	39.9	77.2	0
4/19/2023, 12:54:17 AM	0	6.772	39.9	76.8	0
4/19/2023, 1:04:17 AM	0	6.772	39.7	76.4	0
4/19/2023, 1:14:17 AM	0	6.772	39.7	76.2	0
4/19/2023, 1:24:17 AM	0	6.772	39.7	76.1	0
4/19/2023, 1:34:17 AM	0	6.772	39.6	76	0
4/19/2023, 1:44:17 AM	0	6.772	39.6	76	0
4/19/2023, 1:54:17 AM	0	6.772	39.6	76	0
4/19/2023, 2:04:17 AM	0	6.772	39.6	76.1	0
4/19/2023, 2:14:17 AM	0	6.772	39.6	76.1	0
4/19/2023, 2:24:17 AM	0	6.772	39.6	76.2	0
4/19/2023, 2:34:17 AM	0	6.772	39.6	76.2	0
4/19/2023, 2:44:17 AM	0	6.772	39.7	76.3	0
4/19/2023, 2:54:17 AM	0	6.772	39.7	76.4	0
4/19/2023, 3:04:17 AM	0	6.772	39.7	76.5	0
4/19/2023, 3:14:17 AM	0	6.772	39.7	76.6	0
4/19/2023, 3:24:17 AM	0	6.772	39.7	76.8	0
4/19/2023, 3:34:17 AM	0	6.772	39.7	76.9	0
4/19/2023, 3:44:17 AM	0	6.772	39.7	77	0
4/19/2023, 3:54:17 AM	0	6.772	39.9	77.1	0
4/19/2023, 4:04:17 AM	0	6.772	39.9	77.2	0
4/19/2023, 4:14:17 AM	0	6.763	39.7	77.2	0
4/19/2023, 4:24:17 AM	0	6.772	39.7	77.3	0
4/19/2023, 4:34:17 AM	0	6.772	39.7	77.4	0
4/19/2023, 4:44:17 AM	0	6.772	39.6	77.5	0
4/19/2023, 4:54:17 AM	0	6.772	39.6	77.6	0
4/19/2023, 5:04:17 AM	0	6.772	39.6	77.7	0
4/19/2023, 5:14:17 AM	0	6.763	39.6	77.8	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/19/2023, 5:24:17 AM	0	6.772	39.6	77.8	0
4/19/2023, 5:34:17 AM	0	6.763	39.6	77.7	0
4/19/2023, 5:44:17 AM	0	6.772	39.6	77.7	0
4/19/2023, 5:54:17 AM	0	6.772	39.6	77.8	0
4/19/2023, 6:04:17 AM	0	6.763	39.6	77.8	0
4/19/2023, 6:14:17 AM	0	6.772	39.6	77.7	0
4/19/2023, 6:24:17 AM	0	6.763	39.6	77.5	0
4/19/2023, 6:34:17 AM	0	6.763	39.6	77.5	0
4/19/2023, 6:44:17 AM	0	6.763	39.4	77.7	0
4/19/2023, 6:54:17 AM	0	6.763	39.4	77.9	0
4/19/2023, 7:04:17 AM	0	6.763	39.2	77.8	0
4/19/2023, 7:14:17 AM	0	6.763	39	77.7	0
4/19/2023, 7:24:17 AM	0	6.763	39	77.6	0
4/19/2023, 7:34:17 AM	0	6.763	39	77.4	0
4/19/2023, 7:44:17 AM	0	6.763	39.2	77.4	0
4/19/2023, 7:54:17 AM	0	6.763	39.2	77.6	0
4/19/2023, 8:04:17 AM	0	6.763	39.4	77.9	0
4/19/2023, 8:14:17 AM	0	6.763	39.6	78	0
4/19/2023, 8:24:17 AM	0	6.763	39.7	77.8	0
4/19/2023, 8:34:17 AM	0	6.763	40.1	77.5	0
4/19/2023, 8:44:17 AM	0	6.772	40.5	77.2	0
4/19/2023, 8:54:17 AM	0	6.772	40.6	76.7	0
4/19/2023, 9:04:17 AM	0	6.772	41	76.4	0
4/19/2023, 9:14:17 AM	0	6.772	41.2	75.9	0
4/19/2023, 9:24:17 AM	0	6.772	41.4	75.5	0
4/19/2023, 9:34:17 AM	0	6.772	41.4	75.3	0
4/19/2023, 9:44:17 AM	0	6.772	41.5	75.4	0
4/19/2023, 9:54:17 AM	0	6.772	41.4	75.5	0
4/19/2023, 10:04:17 AM	0	6.772	41.4	75.7	0
4/19/2023, 10:14:17 AM	0	6.772	41	76.1	0
4/19/2023, 10:24:17 AM	0	6.772	41.2	76.4	0
4/19/2023, 10:34:17 AM	0	6.772	41.4	76.5	0
4/19/2023, 10:44:17 AM	0	6.772	41.7	76.4	0
4/19/2023, 10:54:17 AM	0	6.772	41.7	76.1	0
4/19/2023, 11:04:17 AM	0	6.772	41.9	75.9	0
4/19/2023, 11:14:17 AM	0	6.772	42.1	75.6	0
4/19/2023, 11:24:17 AM	0	6.772	42.3	75.2	0
4/19/2023, 11:34:17 AM	0	6.772	42.6	75	0
4/19/2023, 11:44:17 AM	0	6.772	43.3	74.3	0
4/19/2023, 11:54:17 AM	0	6.772	43.9	73.8	0
4/19/2023, 12:04:17 PM	0	6.772	44.4	73.3	0
4/19/2023, 12:14:17 PM	0	6.781	45	72.7	0
4/19/2023, 12:24:17 PM	0	6.781	45.5	72.1	0
4/19/2023, 12:34:17 PM	0	6.781	46	71.5	0
4/19/2023, 12:44:17 PM	0	6.781	46.4	70.9	0
4/19/2023, 12:54:17 PM	0	6.781	46.9	70.4	0
4/19/2023, 1:04:17 PM	0	6.781	47.7	69.8	0
4/19/2023, 1:14:17 PM	0	6.781	48.2	69.3	0
4/19/2023, 1:24:17 PM	0	6.781	48.9	68.9	0
4/19/2023, 1:34:17 PM	0	6.79	49.5	68.3	0
4/19/2023, 1:44:17 PM	0	6.79	50.2	67.7	0
4/19/2023, 1:54:17 PM	0	6.79	50.9	67.3	0
4/19/2023, 2:04:17 PM	0	6.79	51.6	67.1	0
4/19/2023, 2:14:17 PM	0	6.79	52.7	66.5	0
4/19/2023, 2:24:17 PM	0	6.79	53.6	66	0
4/19/2023, 2:34:17 PM	0	6.798	54.1	65.3	0
4/19/2023, 2:44:17 PM	0	6.798	54.7	64.9	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/19/2023, 2:54:17 PM	0	6.798	55.2	64.3	0
4/19/2023, 3:04:17 PM	0	6.798	55.6	63.7	0
4/19/2023, 3:14:17 PM	0	6.798	55.8	63.2	0
4/19/2023, 3:24:17 PM	0	6.798	56.5	62.8	0
4/19/2023, 3:34:17 PM	0	6.798	57.7	62.3	0
4/19/2023, 3:44:17 PM	0	6.798	58.6	61.9	0
4/19/2023, 3:54:17 PM	0	6.798	59.7	61.5	0
4/19/2023, 4:04:17 PM	0	6.807	59.9	60.8	0
4/19/2023, 4:14:17 PM	0	6.807	59.9	60.3	0
4/19/2023, 4:24:17 PM	0	6.807	59.9	60	0
4/19/2023, 4:34:17 PM	0	6.807	59.7	59.7	0
4/19/2023, 4:44:17 PM	0	6.807	59.7	59.7	0
4/19/2023, 4:54:17 PM	0	6.807	59.4	59.6	0
4/19/2023, 5:04:17 PM	0	6.807	59.5	59.7	0
4/19/2023, 5:14:17 PM	0	6.807	60.1	59.6	0
4/19/2023, 5:24:17 PM	0	6.807	60.3	59.5	0
4/19/2023, 5:34:17 PM	0	6.807	60.3	59.2	0
4/19/2023, 5:44:17 PM	0	6.807	59.5	58.9	0
4/19/2023, 5:54:17 PM	0	6.807	58.1	58.6	0
4/19/2023, 6:04:17 PM	0	6.807	56.1	58.5	0
4/19/2023, 6:14:17 PM	0	6.807	54.5	58.8	0
4/19/2023, 6:24:17 PM	0	6.807	53.2	59.3	0
4/19/2023, 6:34:17 PM	0	6.798	52.2	59.7	0
4/19/2023, 6:44:17 PM	0	6.798	50.9	60.3	0
4/19/2023, 6:54:17 PM	0	6.798	49.8	60.9	0
4/19/2023, 7:04:17 PM	0	6.798	48.9	61.6	0
4/19/2023, 7:14:17 PM	0	6.798	48.2	62.3	0
4/19/2023, 7:24:17 PM	0	6.79	47.3	62.8	0
4/19/2023, 7:34:17 PM	0	6.79	46.6	63.4	0
4/19/2023, 7:44:17 PM	0	6.79	45.7	63.8	0
4/19/2023, 7:54:17 PM	0	6.79	44.8	64.2	0
4/19/2023, 8:04:17 PM	0	6.781	43.7	64.8	0
4/19/2023, 8:14:17 PM	0	6.781	42.6	65.5	0
4/19/2023, 8:24:17 PM	0	6.781	41.7	66.3	0
4/19/2023, 8:34:17 PM	0	6.781	40.8	67	0
4/19/2023, 8:44:17 PM	0	6.772	40.1	67.8	0
4/19/2023, 8:54:17 PM	0	6.772	39.6	68.7	0
4/19/2023, 9:04:17 PM	0	6.772	39	69.8	0
4/19/2023, 9:14:17 PM	0	6.772	38.7	70.7	0
4/19/2023, 9:24:17 PM	0	6.772	38.1	71.4	0
4/19/2023, 9:34:17 PM	0	6.763	37.8	72	0
4/19/2023, 9:44:17 PM	0	6.763	37.2	72.6	0
4/19/2023, 9:54:17 PM	0	6.763	36.9	73.3	0
4/19/2023, 10:04:17 PM	0	6.763	36.5	74	0
4/19/2023, 10:14:17 PM	0	6.763	36.3	74.7	0
4/19/2023, 10:24:17 PM	0	6.763	36.3	75.7	0
4/19/2023, 10:34:17 PM	0	6.763	36.5	76.8	0
4/19/2023, 10:44:17 PM	0	6.754	37	77.9	0
4/19/2023, 10:54:17 PM	0	6.763	37.4	78.8	0
4/19/2023, 11:04:17 PM	0	6.763	37.9	79.6	0
4/19/2023, 11:14:17 PM	0	6.763	38.3	80.1	0
4/19/2023, 11:24:17 PM	0	6.763	38.7	80.6	0
4/19/2023, 11:34:17 PM	0	6.763	39	80.9	0
4/19/2023, 11:44:17 PM	0	6.763	39.4	81	0
4/19/2023, 11:54:17 PM	0	6.763	39.6	81	0
4/20/2023, 12:04:17 AM	0	6.763	39.7	80.9	0
4/20/2023, 12:14:17 AM	0	6.763	39.9	80.7	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/20/2023, 12:24:17 AM	0	6.763	40.1	80.5	0
4/20/2023, 12:34:17 AM	0	6.763	40.3	80.5	0
4/20/2023, 12:44:17 AM	0	6.763	40.5	80.4	0
4/20/2023, 12:54:17 AM	0	6.772	40.6	80.3	0
4/20/2023, 1:04:17 AM	0	6.772	40.8	80.3	0
4/20/2023, 1:14:17 AM	0	6.772	40.8	80.4	0
4/20/2023, 1:24:17 AM	0	6.772	40.8	80.6	0
4/20/2023, 1:34:17 AM	0	6.772	40.8	81	0
4/20/2023, 1:44:17 AM	0	6.772	40.8	81.5	0
4/20/2023, 1:54:17 AM	0	6.772	41	81.9	0
4/20/2023, 2:04:17 AM	0	6.772	41	82.3	0
4/20/2023, 2:14:17 AM	0	6.772	41	82.6	0
4/20/2023, 2:24:17 AM	0	6.772	41.2	82.9	0
4/20/2023, 2:34:17 AM	0	6.772	41.2	83.2	0
4/20/2023, 2:44:17 AM	0	6.772	41.2	83.5	0
4/20/2023, 2:54:17 AM	0	6.772	41.4	83.7	0
4/20/2023, 3:04:17 AM	0	6.772	41.4	84	0
4/20/2023, 3:14:17 AM	0	6.772	41.4	84.1	0
4/20/2023, 3:24:17 AM	0	6.772	41.4	84.1	0
4/20/2023, 3:34:17 AM	0	6.772	41.4	84.1	0
4/20/2023, 3:44:17 AM	0	6.772	41.2	83.8	0
4/20/2023, 3:54:17 AM	0	6.772	41	83.7	0
4/20/2023, 4:04:17 AM	0	6.772	40.6	83.6	0
4/20/2023, 4:14:17 AM	0	6.772	40.6	83.7	0
4/20/2023, 4:24:17 AM	0	6.772	40.5	84	0
4/20/2023, 4:34:17 AM	0	6.772	40.6	84.4	0
4/20/2023, 4:44:17 AM	0	6.772	40.6	84.7	0
4/20/2023, 4:54:17 AM	0	6.772	40.6	84.9	0
4/20/2023, 5:04:17 AM	0	6.772	40.6	84.8	0
4/20/2023, 5:14:17 AM	0	6.772	40.5	84.6	0
4/20/2023, 5:24:17 AM	0	6.772	40.3	84.4	0
4/20/2023, 5:34:17 AM	0	6.772	39.9	84.2	0
4/20/2023, 5:44:17 AM	0	6.772	39.6	83.9	0
4/20/2023, 5:54:17 AM	0	6.763	39.4	83.9	0
4/20/2023, 6:04:17 AM	0	6.763	39.2	84.3	0
4/20/2023, 6:14:17 AM	0	6.763	39.4	84.9	0
4/20/2023, 6:24:17 AM	0	6.763	39.6	85.4	0
4/20/2023, 6:34:17 AM	0	6.763	39.7	85.8	0
4/20/2023, 6:44:17 AM	0	6.763	39.9	86.2	0
4/20/2023, 6:54:17 AM	0	6.763	40.3	86.6	0
4/20/2023, 7:04:17 AM	0	6.763	40.5	86.8	0
4/20/2023, 7:14:17 AM	0	6.763	40.5	86.8	0
4/20/2023, 7:24:17 AM	0	6.763	40.6	86.9	0
4/20/2023, 7:34:17 AM	0	6.763	40.6	87	0
4/20/2023, 7:44:17 AM	0	6.763	40.8	87.2	0
4/20/2023, 7:54:17 AM	0	6.772	41	87.4	0
4/20/2023, 8:04:17 AM	0	6.772	41.2	87.5	0
4/20/2023, 8:14:17 AM	0	6.772	41.4	87.7	0
4/20/2023, 8:24:17 AM	0	6.772	41.5	88	0
4/20/2023, 8:34:17 AM	0	6.772	41.9	88.2	0
4/20/2023, 8:44:17 AM	0	6.772	42.3	88.4	0
4/20/2023, 8:54:17 AM	0	6.772	42.4	88.7	0
4/20/2023, 9:04:17 AM	0	6.772	42.8	88.9	0
4/20/2023, 9:14:17 AM	0	6.772	43.3	89.1	0
4/20/2023, 9:24:17 AM	0	6.772	44.1	89.2	0
4/20/2023, 9:34:17 AM	0	6.772	44.8	88.9	0
4/20/2023, 9:44:17 AM	0	6.772	45.5	88.7	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/20/2023, 9:54:17 AM	0	6.781	46.2	88	0
4/20/2023, 10:04:17 AM	0	6.781	47.1	87.1	0
4/20/2023, 10:14:17 AM	0	6.781	48.6	86.5	0
4/20/2023, 10:24:17 AM	0	6.781	50.4	85.6	0
4/20/2023, 10:34:17 AM	0	6.79	52.2	84.3	0
4/20/2023, 10:44:17 AM	0	6.79	53.8	83	0
4/20/2023, 10:54:17 AM	0	6.798	55.4	80.6	0
4/20/2023, 11:04:17 AM	0	6.798	56.8	78.5	0
4/20/2023, 11:14:17 AM	0	6.798	58.3	76.4	0
4/20/2023, 11:24:17 AM	0	6.798	59.4	74.6	0
4/20/2023, 11:34:17 AM	0	6.807	60.4	73	0
4/20/2023, 11:44:17 AM	0	6.807	61.5	71.6	0
4/20/2023, 11:54:17 AM	0	6.807	62.6	70.3	0
4/20/2023, 12:04:17 PM	0	6.807	63.5	69.2	0
4/20/2023, 12:14:17 PM	0	6.807	64.4	68	0
4/20/2023, 12:24:17 PM	0	6.807	64.9	67	0
4/20/2023, 12:34:17 PM	0	6.816	65.8	66	0
4/20/2023, 12:44:17 PM	0	6.816	66.4	65.2	0
4/20/2023, 12:54:17 PM	0	6.816	67.1	64.5	0
4/20/2023, 1:04:17 PM	0	6.816	67.8	63.8	0
4/20/2023, 1:14:17 PM	0	6.816	68.5	63	0
4/20/2023, 1:24:17 PM	0	6.816	69.3	62.2	0
4/20/2023, 1:34:17 PM	0	6.816	69.4	61.5	0
4/20/2023, 1:44:17 PM	0	6.816	69.8	61	0
4/20/2023, 1:54:17 PM	0	6.816	70.3	60.6	0
4/20/2023, 2:04:17 PM	0	6.816	71.1	60.3	0
4/20/2023, 2:14:17 PM	0	6.816	71.8	60.1	0
4/20/2023, 2:24:17 PM	0	6.825	72	59.6	0
4/20/2023, 2:34:17 PM	0	6.825	72	59.3	0
4/20/2023, 2:44:17 PM	0	6.825	72.3	59.1	0
4/20/2023, 2:54:17 PM	0	6.825	72.3	58.9	0
4/20/2023, 3:04:17 PM	0	6.825	72.9	58.7	0
4/20/2023, 3:14:17 PM	0	6.825	73.8	58.6	0
4/20/2023, 3:24:17 PM	0	6.825	74.3	58.3	0
4/20/2023, 3:34:17 PM	0	6.825	73.9	57.8	0
4/20/2023, 3:44:17 PM	0	6.825	73.2	57.4	0
4/20/2023, 3:54:17 PM	0	6.825	72.3	57.2	0
4/20/2023, 4:04:17 PM	0	6.825	72	57.2	0
4/20/2023, 4:14:17 PM	0	6.825	72.1	57.2	0
4/20/2023, 4:24:17 PM	0	6.825	72	57.2	0
4/20/2023, 4:34:17 PM	0	6.825	72	57.1	0
4/20/2023, 4:44:17 PM	0	6.825	72.3	57.1	0
4/20/2023, 4:54:17 PM	0	6.825	72.7	57.1	0
4/20/2023, 5:04:17 PM	0	6.825	72.9	57	0
4/20/2023, 5:14:17 PM	0	6.825	72.9	56.8	0
4/20/2023, 5:24:17 PM	0	6.825	72.7	56.7	0
4/20/2023, 5:34:17 PM	0	6.825	72.3	56.6	0
4/20/2023, 5:44:17 PM	0	6.825	71.2	56.5	0
4/20/2023, 5:54:17 PM	0	6.825	70	56.4	0
4/20/2023, 6:04:17 PM	0	6.825	68.7	56.6	0
4/20/2023, 6:14:17 PM	0	6.825	66.9	56.7	0
4/20/2023, 6:24:17 PM	0	6.825	65.3	56.9	0
4/20/2023, 6:34:17 PM	0	6.825	63.7	57.2	0
4/20/2023, 6:44:17 PM	0	6.816	62.4	57.7	0
4/20/2023, 6:54:17 PM	0	6.816	61.3	58.1	0
4/20/2023, 7:04:17 PM	0	6.816	60.4	58.5	0
4/20/2023, 7:14:17 PM	0	6.816	59.2	58.9	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/20/2023, 7:24:17 PM	0	6.816	58.1	59.2	0
4/20/2023, 7:34:17 PM	0	6.816	57	59.6	0
4/20/2023, 7:44:17 PM	0	6.807	56.1	60	0
4/20/2023, 7:54:17 PM	0	6.807	55	60.4	0
4/20/2023, 8:04:17 PM	0	6.807	54.3	60.7	0
4/20/2023, 8:14:17 PM	0	6.807	53.6	61.1	0
4/20/2023, 8:24:17 PM	0	6.807	52.9	61.4	0
4/20/2023, 8:34:17 PM	0	6.798	52.3	61.7	0
4/20/2023, 8:44:17 PM	0	6.798	51.6	62.3	0
4/20/2023, 8:54:17 PM	0	6.798	51.3	62.8	0
4/20/2023, 9:04:17 PM	0	6.798	50.5	63.2	0
4/20/2023, 9:14:17 PM	0	6.798	49.8	63.7	0
4/20/2023, 9:24:17 PM	0	6.798	49.1	64.3	0
4/20/2023, 9:34:17 PM	0	6.798	48.4	64.8	0
4/20/2023, 9:44:17 PM	0	6.79	47.8	65.5	0
4/20/2023, 9:54:17 PM	0	6.79	47.3	66.3	0
4/20/2023, 10:04:17 PM	0	6.79	46.9	67	0
4/20/2023, 10:14:17 PM	0	6.79	46.6	67.6	0
4/20/2023, 10:24:17 PM	0	6.79	46.2	68.2	0
4/20/2023, 10:34:17 PM	0	6.79	45.9	68.8	0
4/20/2023, 10:44:17 PM	0	6.79	45.5	69.4	0
4/20/2023, 10:54:17 PM	0	6.79	45.5	70.1	0
4/20/2023, 11:04:17 PM	0	6.781	45.5	70.8	0
4/20/2023, 11:14:17 PM	0	6.781	45.5	71.2	0
4/20/2023, 11:24:17 PM	0	6.781	45.5	71.6	0
4/20/2023, 11:34:17 PM	0	6.781	45.5	72.1	0
4/20/2023, 11:44:17 PM	0	6.781	45.7	72.4	0
4/20/2023, 11:54:17 PM	0	6.781	45.9	72.6	0
4/21/2023, 12:04:17 AM	0	6.781	45.7	72.6	0
4/21/2023, 12:14:17 AM	0	6.781	45.7	72.8	0
4/21/2023, 12:24:17 AM	0	6.781	45.5	73.1	0
4/21/2023, 12:34:17 AM	0	6.781	45.3	73.4	0
4/21/2023, 12:44:17 AM	0	6.781	45.3	73.7	0
4/21/2023, 12:54:17 AM	0	6.781	45.1	74	0
4/21/2023, 1:04:17 AM	0	6.781	45.1	74.4	0
4/21/2023, 1:14:17 AM	0	6.781	45	74.7	0
4/21/2023, 1:24:17 AM	0	6.781	45	75.2	0
4/21/2023, 1:34:17 AM	0	6.781	45.1	75.7	0
4/21/2023, 1:44:17 AM	0	6.781	45.5	76.1	0
4/21/2023, 1:54:17 AM	0	6.781	45.5	76.1	0
4/21/2023, 2:04:17 AM	0	6.781	45.5	76	0
4/21/2023, 2:14:17 AM	0	6.781	45.3	76.1	0
4/21/2023, 2:24:17 AM	0	6.781	45.1	76.2	0
4/21/2023, 2:34:17 AM	0	6.781	45.1	76.4	0
4/21/2023, 2:44:17 AM	0	6.781	45	76.7	0
4/21/2023, 2:54:17 AM	0	6.781	45	77.1	0
4/21/2023, 3:04:17 AM	0	6.781	44.8	77.4	0
4/21/2023, 3:14:17 AM	0	6.781	45	78	0
4/21/2023, 3:24:17 AM	0	6.781	45.3	78.6	0
4/21/2023, 3:34:17 AM	0	6.781	45.5	78.9	0
4/21/2023, 3:44:17 AM	0	6.781	45.7	79.2	0
4/21/2023, 3:54:17 AM	0	6.781	45.9	79.5	0
4/21/2023, 4:04:17 AM	0	6.781	46	79.8	0
4/21/2023, 4:14:17 AM	0	6.781	46.2	79.7	0
4/21/2023, 4:24:17 AM	0	6.781	46.2	79.5	0
4/21/2023, 4:34:17 AM	0	6.781	46	79.3	0
4/21/2023, 4:44:17 AM	0	6.781	45.7	79	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/21/2023, 4:54:17 AM	0	6.781	45.1	78.7	0
4/21/2023, 5:04:17 AM	0	6.781	44.6	78.6	0
4/21/2023, 5:14:17 AM	0	6.781	44.1	78.6	0
4/21/2023, 5:24:17 AM	0	6.781	43.5	79	0
4/21/2023, 5:34:17 AM	0	6.781	43.3	79.3	0
4/21/2023, 5:44:17 AM	0	6.781	43	79.5	0
4/21/2023, 5:54:17 AM	0	6.772	42.6	79.7	0
4/21/2023, 6:04:17 AM	0	6.772	42.3	80	0
4/21/2023, 6:14:17 AM	0	6.772	41.9	80.2	0
4/21/2023, 6:24:17 AM	0	6.772	41.7	80.6	0
4/21/2023, 6:34:17 AM	0	6.772	41.4	81	0
4/21/2023, 6:44:17 AM	0	6.772	41.4	81.4	0
4/21/2023, 6:54:17 AM	0	6.772	41.2	81.9	0
4/21/2023, 7:04:17 AM	0	6.772	41.4	82.5	0
4/21/2023, 7:14:17 AM	0	6.772	41.7	83.3	0
4/21/2023, 7:24:17 AM	0	6.772	42.1	84.1	0
4/21/2023, 7:34:17 AM	0	6.772	42.6	84.9	0
4/21/2023, 7:44:17 AM	0	6.772	43.5	85.9	0
4/21/2023, 7:54:17 AM	0	6.772	44.8	86.9	0
4/21/2023, 8:04:17 AM	0	6.781	46.4	87.4	0
4/21/2023, 8:14:17 AM	0	6.781	48.4	87.3	0
4/21/2023, 8:24:17 AM	0	6.781	50.2	86.7	0
4/21/2023, 8:34:17 AM	0	6.79	52.2	85.6	0
4/21/2023, 8:44:17 AM	0	6.79	54.1	84.4	0
4/21/2023, 8:54:17 AM	0	6.798	56.3	82.9	0
4/21/2023, 9:04:17 AM	0	6.798	58.5	81.5	0
4/21/2023, 9:14:17 AM	0	6.798	60.6	79.9	0
4/21/2023, 9:24:17 AM	0	6.807	62.6	78	0
4/21/2023, 9:34:17 AM	0	6.807	64.8	76.2	0
4/21/2023, 9:44:17 AM	0	6.807	66.6	74.4	0
4/21/2023, 9:54:17 AM	0	6.816	68.2	72.9	0
4/21/2023, 10:04:17 AM	0	6.816	70	71.4	0
4/21/2023, 10:14:17 AM	0	6.816	71.8	70.3	0
4/21/2023, 10:24:17 AM	0	6.816	74.3	69	0
4/21/2023, 10:34:17 AM	0	6.825	76.6	67.4	0
4/21/2023, 10:44:17 AM	0	6.825	79.2	65.3	0
4/21/2023, 10:54:17 AM	0	6.825	81.5	63.3	0
4/21/2023, 11:04:17 AM	0	6.825	83.7	61.6	0
4/21/2023, 11:14:17 AM	0	6.833	85.6	60.1	0
4/21/2023, 11:24:17 AM	0	6.833	87.3	59	0
4/21/2023, 11:34:17 AM	0	6.833	88.7	58	0
4/21/2023, 11:44:17 AM	0	6.833	90.1	57.5	0
4/21/2023, 11:54:17 AM	0	6.833	91.6	56.7	0
4/21/2023, 12:04:17 PM	0	6.842	92.5	55.9	0
4/21/2023, 12:14:17 PM	0	6.842	93.6	55.5	0
4/21/2023, 12:24:17 PM	0	6.842	94.3	55	0
4/21/2023, 12:34:17 PM	0	6.842	94.6	54.5	0
4/21/2023, 12:44:17 PM	0	6.842	95	54.1	0
4/21/2023, 12:54:17 PM	0	6.842	95.4	53.8	0
4/21/2023, 1:04:17 PM	0	6.842	95.9	53.6	0
4/21/2023, 1:14:17 PM	0	6.842	96.4	53.3	0
4/21/2023, 1:24:17 PM	0	6.842	96.4	53	0
4/21/2023, 1:34:17 PM	0	6.842	96.8	52.8	0
4/21/2023, 1:44:17 PM	0	6.842	97.3	52.7	0
4/21/2023, 1:54:17 PM	0	6.842	97.5	52.5	0
4/21/2023, 2:04:17 PM	0	6.842	97.7	52.2	0
4/21/2023, 2:14:17 PM	0	6.851	97.7	52.5	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/21/2023, 2:24:17 PM	0	6.851	97.3	53.2	0
4/21/2023, 2:34:17 PM	0	6.851	96.4	53.6	0
4/21/2023, 2:44:17 PM	3	6.851	94.8	53.7	0.5
4/21/2023, 2:54:17 PM	5	6.842	92.8	53.7	1.333333333
4/21/2023, 3:04:17 PM	6	6.842	90.7	53.9	2.333333333
4/21/2023, 3:14:17 PM	6	6.842	88.7	54.1	3.333333333
4/21/2023, 3:24:17 PM	8	6.842	86.7	54.2	4.666666667
4/21/2023, 3:34:17 PM	4	6.842	84.7	54.5	5.333333333
4/21/2023, 3:44:17 PM	5	6.842	83.5	54.8	5.666666667
4/21/2023, 3:54:17 PM	0	6.833	83.8	55.3	4.833333333
4/21/2023, 4:04:17 PM	0	6.833	84.4	55.5	3.833333333
4/21/2023, 4:14:17 PM	0	6.833	84.9	55.3	2.833333333
4/21/2023, 4:24:17 PM	0	6.833	85.1	55.3	1.5
4/21/2023, 4:34:17 PM	0	6.833	85.1	55.2	0.833333333
4/21/2023, 4:44:17 PM	0	6.833	83.8	55	0
4/21/2023, 4:54:17 PM	0	6.833	82.9	55.1	0
4/21/2023, 5:04:17 PM	0	6.833	81.7	55.1	0
4/21/2023, 5:14:17 PM	0	6.833	81.1	55.3	0
4/21/2023, 5:24:17 PM	0	6.833	80.8	55.8	0
4/21/2023, 5:34:17 PM	0	6.833	79.7	55.9	0
4/21/2023, 5:44:17 PM	0	6.833	78.6	56	0
4/21/2023, 5:54:17 PM	0	6.833	77.4	56.3	0
4/21/2023, 6:04:17 PM	0	6.833	76.1	56.9	0
4/21/2023, 6:14:17 PM	0	6.825	75.2	57.2	0
4/21/2023, 6:24:17 PM	0	6.825	74.1	57.8	0
4/21/2023, 6:34:17 PM	0	6.825	73.2	58.8	0
4/21/2023, 6:44:17 PM	0	6.825	72.3	59.6	0
4/21/2023, 6:54:17 PM	0	6.825	71.4	59.9	0
4/21/2023, 7:04:17 PM	0	6.825	70.9	60.7	0
4/21/2023, 7:14:17 PM	3	6.825	70	62	0.5
4/21/2023, 7:24:17 PM	0	6.825	69.3	62.9	0.5
4/21/2023, 7:34:17 PM	0	6.825	68.4	63.5	0.5
4/21/2023, 7:44:17 PM	0	6.825	67.6	64.1	0.5
4/21/2023, 7:54:17 PM	0	6.825	66.7	65	0.5
4/21/2023, 8:04:17 PM	0	6.816	66	65.4	0.5
4/21/2023, 8:14:17 PM	0	6.816	65.1	66	0
4/21/2023, 8:24:17 PM	0	6.816	64	66.5	0
4/21/2023, 8:34:17 PM	0	6.816	63	67.1	0
4/21/2023, 8:44:17 PM	0	6.816	61.9	68	0
4/21/2023, 8:54:17 PM	0	6.816	61	69.2	0
4/21/2023, 9:04:17 PM	0	6.816	60.1	70.5	0
4/21/2023, 9:14:17 PM	0	6.816	59.4	71.8	0
4/21/2023, 9:24:17 PM	0	6.807	58.8	72.8	0
4/21/2023, 9:34:17 PM	0	6.807	58.3	74.1	0
4/21/2023, 9:44:17 PM	0	6.807	58.1	75.5	0
4/21/2023, 9:54:17 PM	0	6.807	58.1	76.6	0
4/21/2023, 10:04:17 PM	0	6.807	58.3	77	0
4/21/2023, 10:14:17 PM	0	6.807	58.3	77.5	0
4/21/2023, 10:24:17 PM	0	6.807	58.3	77.6	0
4/21/2023, 10:34:17 PM	0	6.807	58.1	77.4	0
4/21/2023, 10:44:17 PM	0	6.807	57.7	77.3	0
4/21/2023, 10:54:17 PM	0	6.807	57.6	77.8	0
4/21/2023, 11:04:17 PM	0	6.807	57.7	78.1	0
4/21/2023, 11:14:17 PM	0	6.807	58.1	77.9	0
4/21/2023, 11:24:17 PM	0	6.807	58.3	78.5	0
4/21/2023, 11:34:17 PM	0	6.807	57.9	79.2	0
4/21/2023, 11:44:17 PM	0	6.807	57.6	80.1	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/21/2023, 11:54:17 PM	0	6.807	57	81	0
4/22/2023, 12:04:17 AM	0	6.807	56.8	81.8	0
4/22/2023, 12:14:17 AM	0	6.807	56.5	82.6	0
4/22/2023, 12:24:17 AM	0	6.807	56.3	83.3	0
4/22/2023, 12:34:17 AM	0	6.807	56.3	84	0
4/22/2023, 12:44:17 AM	0	6.807	56.1	84.6	0
4/22/2023, 12:54:17 AM	0	6.798	55.9	85.1	0
4/22/2023, 1:04:17 AM	0	6.798	55.9	85.5	0
4/22/2023, 1:14:17 AM	0	6.798	55.8	85.8	0
4/22/2023, 1:24:17 AM	0	6.798	55.6	86	0
4/22/2023, 1:34:17 AM	0	6.798	55.4	86.1	0
4/22/2023, 1:44:17 AM	0	6.798	55	86.3	0
4/22/2023, 1:54:17 AM	0	6.798	54.9	86.7	0
4/22/2023, 2:04:17 AM	0	6.798	54.9	87.2	0
4/22/2023, 2:14:17 AM	0	6.798	54.9	87.7	0
4/22/2023, 2:24:17 AM	0	6.798	55	88.2	0
4/22/2023, 2:34:17 AM	0	6.798	55	88.6	0
4/22/2023, 2:44:17 AM	0	6.798	55.2	89.1	0
4/22/2023, 2:54:17 AM	0	6.798	55.2	89.4	0
4/22/2023, 3:04:17 AM	0	6.798	55.2	89.7	0
4/22/2023, 3:14:17 AM	0	6.798	55.4	89.9	0
4/22/2023, 3:24:17 AM	0	6.798	55.4	90.1	0
4/22/2023, 3:34:17 AM	0	6.798	55.4	90.3	0
4/22/2023, 3:44:17 AM	0	6.798	55.4	90.5	0
4/22/2023, 3:54:17 AM	0	6.798	55.4	90.7	0
4/22/2023, 4:04:17 AM	0	6.798	55.4	90.9	0
4/22/2023, 4:14:17 AM	0	6.798	55.4	91	0
4/22/2023, 4:24:17 AM	0	6.798	55.4	91	0
4/22/2023, 4:34:17 AM	0	6.798	55.2	90.8	0
4/22/2023, 4:44:17 AM	0	6.798	55	90.6	0
4/22/2023, 4:54:17 AM	0	6.798	54.7	90.2	0
4/22/2023, 5:04:17 AM	0	6.798	54.5	90	0
4/22/2023, 5:14:17 AM	0	6.798	54.3	90.3	0
4/22/2023, 5:24:17 AM	0	6.798	54.5	90.9	0
4/22/2023, 5:34:17 AM	0	6.798	54.5	91.4	0
4/22/2023, 5:44:17 AM	0	6.798	54.7	91.7	0
4/22/2023, 5:54:17 AM	0	6.798	54.7	91.9	0
4/22/2023, 6:04:17 AM	0	6.798	54.9	92.2	0
4/22/2023, 6:14:17 AM	0	6.798	54.9	92.3	0
4/22/2023, 6:24:17 AM	0	6.798	54.9	92.1	0
4/22/2023, 6:34:17 AM	0	6.798	54.5	91.8	0
4/22/2023, 6:44:17 AM	0	6.798	54.3	91.4	0
4/22/2023, 6:54:17 AM	0	6.798	54.1	91.2	0
4/22/2023, 7:04:17 AM	0	6.798	54	91.3	0
4/22/2023, 7:14:17 AM	0	6.798	54	91.5	0
4/22/2023, 7:24:17 AM	0	6.798	54	91.9	0
4/22/2023, 7:34:17 AM	0	6.798	54.1	92.4	0
4/22/2023, 7:44:17 AM	0	6.798	54.5	92.9	0
4/22/2023, 7:54:17 AM	0	6.798	54.9	93.5	0
4/22/2023, 8:04:17 AM	0	6.798	55.4	94	0
4/22/2023, 8:14:17 AM	0	6.798	55.8	94.6	0
4/22/2023, 8:24:17 AM	0	6.798	56.3	95.1	0
4/22/2023, 8:34:17 AM	0	6.798	56.8	95.6	0
4/22/2023, 8:44:17 AM	0	6.798	57.2	96	0
4/22/2023, 8:54:17 AM	0	6.798	57.7	96.4	0
4/22/2023, 9:04:17 AM	0	6.798	58.1	96.7	0
4/22/2023, 9:14:17 AM	0	6.798	58.8	97.1	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/22/2023, 9:24:17 AM	0	6.798	59.5	97.4	0
4/22/2023, 9:34:17 AM	0	6.798	60.1	97.5	0
4/22/2023, 9:44:17 AM	0	6.798	60.8	97.8	0
4/22/2023, 9:54:17 AM	0	6.798	61.9	97.6	0
4/22/2023, 10:04:17 AM	0	6.807	63	96.8	0
4/22/2023, 10:14:17 AM	0	6.807	63.9	95.3	0
4/22/2023, 10:24:17 AM	0	6.807	64.6	94.1	0
4/22/2023, 10:34:17 AM	0	6.807	65.3	92.4	0
4/22/2023, 10:44:17 AM	0	6.807	66.2	91.3	0
4/22/2023, 10:54:17 AM	0	6.807	67.5	90	0
4/22/2023, 11:04:17 AM	0	6.807	68.5	88.8	0
4/22/2023, 11:14:17 AM	0	6.816	69.6	87.8	0
4/22/2023, 11:24:17 AM	0	6.816	71.1	86.5	0
4/22/2023, 11:34:17 AM	0	6.816	72.5	83.9	0
4/22/2023, 11:44:17 AM	0	6.816	73.4	82.2	0
4/22/2023, 11:54:17 AM	0	6.816	74.5	80.1	0
4/22/2023, 12:04:17 PM	0	6.816	75.2	77.9	0
4/22/2023, 12:14:17 PM	0	6.816	75.6	76.3	0
4/22/2023, 12:24:17 PM	0	6.816	76.1	74.9	0
4/22/2023, 12:34:17 PM	0	6.825	76.6	73.7	0
4/22/2023, 12:44:17 PM	0	6.825	76.8	71.8	0
4/22/2023, 12:54:17 PM	0	6.825	76.1	70.8	0
4/22/2023, 1:04:17 PM	0	6.825	75.6	69.5	0
4/22/2023, 1:14:17 PM	0	6.825	74.8	68.2	0
4/22/2023, 1:24:17 PM	0	6.825	73.9	68.8	0
4/22/2023, 1:34:17 PM	0	6.825	73.6	68.7	0
4/22/2023, 1:44:17 PM	0	6.825	73.8	67.7	0
4/22/2023, 1:54:17 PM	0	6.825	74.3	67.2	0
4/22/2023, 2:04:17 PM	0	6.825	75.4	66.8	0
4/22/2023, 2:14:17 PM	0	6.825	77	66	0
4/22/2023, 2:24:17 PM	0	6.825	78.3	65.5	0
4/22/2023, 2:34:17 PM	0	6.825	79.5	64.6	0
4/22/2023, 2:44:17 PM	0	6.825	80.1	63.4	0
4/22/2023, 2:54:17 PM	0	6.825	80.1	62.8	0
4/22/2023, 3:04:17 PM	0	6.825	79.7	62.2	0
4/22/2023, 3:14:17 PM	0	6.825	79.3	62.2	0
4/22/2023, 3:24:17 PM	0	6.825	78.6	62.7	0
4/22/2023, 3:34:17 PM	0	6.825	77.2	63	0
4/22/2023, 3:44:17 PM	0	6.825	75.9	63.7	0
4/22/2023, 3:54:17 PM	0	6.825	75	64.2	0
4/22/2023, 4:04:17 PM	0	6.825	74.1	64.4	0
4/22/2023, 4:14:17 PM	0	6.825	73	64.7	0
4/22/2023, 4:24:17 PM	0	6.825	71.8	65.5	0
4/22/2023, 4:34:17 PM	0	6.825	70.2	66.5	0
4/22/2023, 4:44:17 PM	0	6.816	68.2	67.9	0
4/22/2023, 4:54:17 PM	3	6.816	66.2	69.3	0.5
4/22/2023, 5:04:17 PM	0	6.816	64.4	70.7	0.5
4/22/2023, 5:14:17 PM	0	6.816	62.8	72.1	0.5
4/22/2023, 5:24:17 PM	0	6.816	61.3	73.3	0.5
4/22/2023, 5:34:17 PM	0	6.807	60.3	74.5	0.5
4/22/2023, 5:44:17 PM	0	6.807	59	75.4	0.5
4/22/2023, 5:54:17 PM	0	6.807	57.9	76.3	0
4/22/2023, 6:04:17 PM	0	6.807	57	77.2	0
4/22/2023, 6:14:17 PM	0	6.807	56.3	78	0
4/22/2023, 6:24:17 PM	0	6.798	55.4	78.6	0
4/22/2023, 6:34:17 PM	0	6.798	54.7	79.2	0
4/22/2023, 6:44:17 PM	0	6.798	54	79.9	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/22/2023, 6:54:17 PM	0	6.798	53.2	80.6	0
4/22/2023, 7:04:17 PM	0	6.798	52.7	81.3	0
4/22/2023, 7:14:17 PM	0	6.798	52.3	82	0
4/22/2023, 7:24:17 PM	0	6.79	52	82.7	0
4/22/2023, 7:34:17 PM	0	6.79	51.6	83.3	0
4/22/2023, 7:44:17 PM	0	6.79	51.4	83.9	0
4/22/2023, 7:54:17 PM	0	6.79	51.1	84.4	0
4/22/2023, 8:04:17 PM	0	6.79	50.9	84.9	0
4/22/2023, 8:14:17 PM	0	6.79	50.7	85.3	0
4/22/2023, 8:24:17 PM	0	6.79	50.5	85.7	0
4/22/2023, 8:34:17 PM	0	6.79	50.4	86	0
4/22/2023, 8:44:17 PM	0	6.79	50.2	86.4	0
4/22/2023, 8:54:17 PM	0	6.79	50	86.6	0
4/22/2023, 9:04:17 PM	0	6.79	49.8	86.9	0
4/22/2023, 9:14:17 PM	0	6.79	49.6	87	0
4/22/2023, 9:24:17 PM	0	6.79	49.5	87	0
4/22/2023, 9:34:17 PM	0	6.79	49.1	86.8	0
4/22/2023, 9:44:17 PM	0	6.781	48.7	86.6	0
4/22/2023, 9:54:17 PM	0	6.781	48.2	86.2	0
4/22/2023, 10:04:17 PM	0	6.781	47.7	85.9	0
4/22/2023, 10:14:17 PM	0	6.781	47.1	85.8	0
4/22/2023, 10:24:17 PM	0	6.781	46.8	86.2	0
4/22/2023, 10:34:17 PM	0	6.781	46.8	86.7	0
4/22/2023, 10:44:17 PM	0	6.781	46.8	87.2	0
4/22/2023, 10:54:17 PM	0	6.781	46.8	87.6	0
4/22/2023, 11:04:17 PM	0	6.781	46.6	87.7	0
4/22/2023, 11:14:17 PM	0	6.781	46.6	87.9	0
4/22/2023, 11:24:17 PM	0	6.781	46.4	88.1	0
4/22/2023, 11:34:17 PM	0	6.781	46.4	88.3	0
4/22/2023, 11:44:17 PM	0	6.781	46.2	88.4	0
4/22/2023, 11:54:17 PM	0	6.781	46	88.4	0
4/23/2023, 12:04:17 AM	0	6.781	45.9	88.1	0
4/23/2023, 12:14:17 AM	0	6.772	45.3	87.7	0
4/23/2023, 12:24:17 AM	0	6.772	45	87.4	0
4/23/2023, 12:34:17 AM	0	6.772	44.6	87.2	0
4/23/2023, 12:44:17 AM	0	6.772	44.2	87.1	0
4/23/2023, 12:54:17 AM	0	6.772	43.9	86.9	0
4/23/2023, 1:04:17 AM	0	6.772	43.5	86.8	0
4/23/2023, 1:14:17 AM	0	6.772	43.2	86.8	0
4/23/2023, 1:24:17 AM	0	6.772	42.8	86.9	0
4/23/2023, 1:34:17 AM	0	6.772	42.6	87.2	0
4/23/2023, 1:44:17 AM	0	6.772	42.6	87.4	0
4/23/2023, 1:54:17 AM	0	6.772	42.4	87.7	0
4/23/2023, 2:04:17 AM	0	6.763	42.8	88.3	0
4/23/2023, 2:14:17 AM	0	6.763	43.2	89	0
4/23/2023, 2:24:17 AM	0	6.772	43.5	89.7	0
4/23/2023, 2:34:17 AM	0	6.772	44.1	90.4	0
4/23/2023, 2:44:17 AM	0	6.772	44.4	90.9	0
4/23/2023, 2:54:17 AM	0	6.772	44.6	91.2	0
4/23/2023, 3:04:17 AM	0	6.772	45	91.5	0
4/23/2023, 3:14:17 AM	0	6.772	45.1	91.8	0
4/23/2023, 3:24:17 AM	0	6.772	45.1	91.9	0
4/23/2023, 3:34:17 AM	0	6.772	45.3	92.1	0
4/23/2023, 3:44:17 AM	0	6.772	45.5	92.2	0
4/23/2023, 3:54:17 AM	0	6.772	45.7	92.2	0
4/23/2023, 4:04:17 AM	0	6.772	45.7	92.3	0
4/23/2023, 4:14:17 AM	0	6.772	45.9	92.4	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/23/2023, 4:24:17 AM	0	6.772	45.7	92.3	0
4/23/2023, 4:34:17 AM	0	6.772	45.7	92.3	0
4/23/2023, 4:44:17 AM	0	6.772	45.7	92.3	0
4/23/2023, 4:54:17 AM	0	6.772	45.7	92.3	0
4/23/2023, 5:04:17 AM	0	6.772	45.7	92.2	0
4/23/2023, 5:14:17 AM	0	6.772	45.7	92.1	0
4/23/2023, 5:24:17 AM	0	6.772	45.5	92	0
4/23/2023, 5:34:17 AM	0	6.772	45.3	91.8	0
4/23/2023, 5:44:17 AM	0	6.772	45.1	91.6	0
4/23/2023, 5:54:17 AM	0	6.772	45.1	91.6	0
4/23/2023, 6:04:17 AM	0	6.772	45.1	91.8	0
4/23/2023, 6:14:17 AM	0	6.772	45.1	92	0
4/23/2023, 6:24:17 AM	0	6.772	45.1	92.1	0
4/23/2023, 6:34:17 AM	0	6.772	45.1	92.3	0
4/23/2023, 6:44:17 AM	0	6.772	45.1	92.3	0
4/23/2023, 6:54:17 AM	0	6.772	45	92.2	0
4/23/2023, 7:04:17 AM	0	6.772	44.8	92	0
4/23/2023, 7:14:17 AM	0	6.772	44.6	91.7	0
4/23/2023, 7:24:17 AM	0	6.772	44.2	91.4	0
4/23/2023, 7:34:17 AM	0	6.772	44.1	91.4	0
4/23/2023, 7:44:17 AM	0	6.772	44.1	91.6	0
4/23/2023, 7:54:17 AM	0	6.772	44.4	91.9	0
4/23/2023, 8:04:17 AM	0	6.772	45	92.6	0
4/23/2023, 8:14:17 AM	0	6.772	45.9	93.5	0
4/23/2023, 8:24:17 AM	0	6.772	46.6	94.2	0
4/23/2023, 8:34:17 AM	0	6.772	47.5	94.3	0
4/23/2023, 8:44:17 AM	0	6.772	48.4	93.2	0
4/23/2023, 8:54:17 AM	0	6.772	49.5	93.1	0
4/23/2023, 9:04:17 AM	0	6.781	50.9	92.6	0
4/23/2023, 9:14:17 AM	0	6.781	52.2	91.5	0
4/23/2023, 9:24:17 AM	0	6.781	52.7	90.9	0
4/23/2023, 9:34:17 AM	0	6.781	53.2	90.3	0
4/23/2023, 9:44:17 AM	0	6.781	53.8	88.4	0
4/23/2023, 9:54:17 AM	0	6.781	54	86.1	0
4/23/2023, 10:04:17 AM	0	6.79	54.1	84.6	0
4/23/2023, 10:14:17 AM	0	6.79	54.5	83.4	0
4/23/2023, 10:24:17 AM	0	6.79	55	81.9	0
4/23/2023, 10:34:17 AM	0	6.79	55.4	81.3	0
4/23/2023, 10:44:17 AM	0	6.79	55.6	80.5	0
4/23/2023, 10:54:17 AM	0	6.79	56.1	79.7	0
4/23/2023, 11:04:17 AM	0	6.79	56.7	78.3	0
4/23/2023, 11:14:17 AM	0	6.79	57	77.6	0
4/23/2023, 11:24:17 AM	0	6.79	57.2	76.8	0
4/23/2023, 11:34:17 AM	0	6.79	57	75.5	0
4/23/2023, 11:44:17 AM	0	6.79	56.7	73.9	0
4/23/2023, 11:54:17 AM	0	6.79	56.1	73	0
4/23/2023, 12:04:17 PM	0	6.79	55.4	72.6	0
4/23/2023, 12:14:17 PM	0	6.79	54.9	72.5	0
4/23/2023, 12:24:17 PM	0	6.79	54.3	71.9	0
4/23/2023, 12:34:17 PM	0	6.79	53.8	71.6	0
4/23/2023, 12:44:17 PM	0	6.79	53.2	71.4	0
4/23/2023, 12:54:17 PM	0	6.79	53.1	71.3	0
4/23/2023, 1:04:17 PM	0	6.79	53.1	71.1	0
4/23/2023, 1:14:17 PM	0	6.79	53.1	72.2	0
4/23/2023, 1:24:17 PM	0	6.79	53.2	72.3	0
4/23/2023, 1:34:17 PM	0	6.79	53.4	71.9	0
4/23/2023, 1:44:17 PM	0	6.781	53.6	72.7	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/23/2023, 1:54:17 PM	0	6.781	54.5	73.2	0
4/23/2023, 2:04:17 PM	0	6.79	55.2	72.8	0
4/23/2023, 2:14:17 PM	0	6.79	55	72.6	0
4/23/2023, 2:24:17 PM	0	6.79	54.7	72.6	0
4/23/2023, 2:34:17 PM	0	6.79	54.1	72.1	0
4/23/2023, 2:44:17 PM	0	6.79	53.6	72.2	0
4/23/2023, 2:54:17 PM	0	6.781	53.2	72.2	0
4/23/2023, 3:04:17 PM	0	6.781	52.9	70.8	0
4/23/2023, 3:14:17 PM	0	6.781	52.5	69.8	0
4/23/2023, 3:24:17 PM	0	6.781	52.3	69.7	0
4/23/2023, 3:34:17 PM	0	6.781	52.2	68.8	0
4/23/2023, 3:44:17 PM	0	6.781	52	69.1	0
4/23/2023, 3:54:17 PM	0	6.781	51.8	69.2	0
4/23/2023, 4:04:17 PM	0	6.781	51.8	68.5	0
4/23/2023, 4:14:17 PM	0	6.781	51.6	68.2	0
4/23/2023, 4:24:17 PM	0	6.781	51.6	68	0
4/23/2023, 4:34:17 PM	0	6.781	51.6	68.1	0
4/23/2023, 4:44:17 PM	0	6.781	51.6	68.5	0
4/23/2023, 4:54:17 PM	0	6.781	51.8	67.7	0
4/23/2023, 5:04:17 PM	0	6.781	51.8	68.1	0
4/23/2023, 5:14:17 PM	0	6.781	51.8	68	0
4/23/2023, 5:24:17 PM	0	6.781	52	67.6	0
4/23/2023, 5:34:17 PM	0	6.781	52.3	66.9	0
4/23/2023, 5:44:17 PM	0	6.781	52.7	66.7	0
4/23/2023, 5:54:17 PM	0	6.781	53.2	66.3	0
4/23/2023, 6:04:17 PM	0	6.781	53.4	65.7	0
4/23/2023, 6:14:17 PM	0	6.781	53.2	65.3	0
4/23/2023, 6:24:17 PM	0	6.781	53.1	65	0
4/23/2023, 6:34:17 PM	0	6.781	52.7	64.8	0
4/23/2023, 6:44:17 PM	0	6.781	52.3	64.5	0
4/23/2023, 6:54:17 PM	0	6.781	52.2	64.5	0
4/23/2023, 7:04:17 PM	0	6.781	52	64.4	0
4/23/2023, 7:14:17 PM	0	6.781	51.8	64.2	0
4/23/2023, 7:24:17 PM	0	6.781	51.3	64.2	0
4/23/2023, 7:34:17 PM	0	6.781	50.9	64.3	0
4/23/2023, 7:44:17 PM	0	6.781	50.2	64.7	0
4/23/2023, 7:54:17 PM	0	6.781	49.6	65.2	0
4/23/2023, 8:04:17 PM	0	6.781	48.9	65.8	0
4/23/2023, 8:14:17 PM	0	6.781	48.2	66.4	0
4/23/2023, 8:24:17 PM	0	6.772	47.5	67.1	0
4/23/2023, 8:34:17 PM	0	6.772	47.1	67.8	0
4/23/2023, 8:44:17 PM	0	6.772	46.8	68.4	0
4/23/2023, 8:54:17 PM	0	6.772	46.6	69	0
4/23/2023, 9:04:17 PM	0	6.772	46.4	69.4	0
4/23/2023, 9:14:17 PM	0	6.772	46	69.8	0
4/23/2023, 9:24:17 PM	0	6.772	45.3	70.1	0
4/23/2023, 9:34:17 PM	0	6.772	44.6	70.3	0
4/23/2023, 9:44:17 PM	0	6.763	43.9	70.8	0
4/23/2023, 9:54:17 PM	0	6.763	43.3	71.4	0
4/23/2023, 10:04:17 PM	0	6.763	42.8	72	0
4/23/2023, 10:14:17 PM	0	6.763	42.4	72.6	0
4/23/2023, 10:24:17 PM	0	6.763	42.3	73.3	0
4/23/2023, 10:34:17 PM	0	6.763	42.1	73.8	0
4/23/2023, 10:44:17 PM	0	6.754	41.7	74.3	0
4/23/2023, 10:54:17 PM	0	6.754	41.5	74.6	0
4/23/2023, 11:04:17 PM	0	6.754	41.4	75.1	0
4/23/2023, 11:14:17 PM	0	6.754	41.4	75.5	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/23/2023, 11:24:17 PM	0	6.754	41	75.6	0
4/23/2023, 11:34:17 PM	0	6.754	40.6	75.9	0
4/23/2023, 11:44:17 PM	0	6.754	40.3	76.3	0
4/23/2023, 11:54:17 PM	0	6.754	40.1	76.7	0
4/24/2023, 12:04:17 AM	0	6.754	39.9	77.1	0
4/24/2023, 12:14:17 AM	0	6.754	39.7	77.5	0
4/24/2023, 12:24:17 AM	0	6.754	39.6	77.8	0
4/24/2023, 12:34:17 AM	0	6.746	39.6	78.5	0
4/24/2023, 12:44:17 AM	0	6.746	39.6	79.2	0
4/24/2023, 12:54:17 AM	0	6.746	39.7	79.5	0
4/24/2023, 1:04:17 AM	0	6.746	39.6	79.4	0
4/24/2023, 1:14:17 AM	0	6.746	39.4	79.4	0
4/24/2023, 1:24:17 AM	0	6.746	39	79.5	0
4/24/2023, 1:34:17 AM	0	6.746	38.8	79.7	0
4/24/2023, 1:44:17 AM	0	6.746	38.5	79.9	0
4/24/2023, 1:54:17 AM	0	6.746	38.3	80.2	0
4/24/2023, 2:04:17 AM	0	6.746	38.1	80.6	0
4/24/2023, 2:14:17 AM	0	6.746	38.1	81.1	0
4/24/2023, 2:24:17 AM	0	6.746	38.3	81.8	0
4/24/2023, 2:34:17 AM	0	6.746	38.7	82.5	0
4/24/2023, 2:44:17 AM	0	6.746	39	83.3	0
4/24/2023, 2:54:17 AM	0	6.746	39.4	84	0
4/24/2023, 3:04:17 AM	0	6.746	39.9	84.4	0
4/24/2023, 3:14:17 AM	0	6.746	40.3	84.7	0
4/24/2023, 3:24:17 AM	0	6.746	40.5	84.8	0
4/24/2023, 3:34:17 AM	0	6.746	40.6	84.8	0
4/24/2023, 3:44:17 AM	0	6.746	40.8	84.6	0
4/24/2023, 3:54:17 AM	0	6.754	40.8	84.5	0
4/24/2023, 4:04:17 AM	0	6.746	40.8	84.2	0
4/24/2023, 4:14:17 AM	0	6.746	40.6	84	0
4/24/2023, 4:24:17 AM	0	6.746	40.5	83.7	0
4/24/2023, 4:34:17 AM	0	6.746	40.3	83.5	0
4/24/2023, 4:44:17 AM	0	6.746	39.9	83.4	0
4/24/2023, 4:54:17 AM	0	6.746	39.7	83.5	0
4/24/2023, 5:04:17 AM	0	6.746	39.7	83.7	0
4/24/2023, 5:14:17 AM	0	6.746	39.6	83.9	0
4/24/2023, 5:24:17 AM	0	6.746	39.6	84.2	0
4/24/2023, 5:34:17 AM	0	6.746	39.6	84.4	0
4/24/2023, 5:44:17 AM	0	6.746	39.7	84.6	0
4/24/2023, 5:54:17 AM	0	6.746	39.7	84.9	0
4/24/2023, 6:04:17 AM	0	6.746	39.7	85.1	0
4/24/2023, 6:14:17 AM	0	6.746	39.9	85.3	0
4/24/2023, 6:24:17 AM	0	6.746	40.1	85.6	0
4/24/2023, 6:34:17 AM	0	6.746	40.3	85.7	0
4/24/2023, 6:44:17 AM	0	6.746	40.5	85.9	0
4/24/2023, 6:54:17 AM	0	6.746	40.5	86	0
4/24/2023, 7:04:17 AM	0	6.746	40.6	86.2	0
4/24/2023, 7:14:17 AM	0	6.746	40.8	86.4	0
4/24/2023, 7:24:17 AM	0	6.746	41.2	86.6	0
4/24/2023, 7:34:17 AM	0	6.754	41.5	86.8	0
4/24/2023, 7:44:17 AM	0	6.754	41.9	87	0
4/24/2023, 7:54:17 AM	0	6.754	42.4	87.1	0
4/24/2023, 8:04:17 AM	0	6.754	43	86.9	0
4/24/2023, 8:14:17 AM	0	6.754	43.5	86.8	0
4/24/2023, 8:24:17 AM	0	6.754	44.4	86.4	0
4/24/2023, 8:34:17 AM	0	6.754	45.1	86	0
4/24/2023, 8:44:17 AM	0	6.754	45.9	85.7	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/24/2023, 8:54:17 AM	0	6.763	46.8	85.2	0
4/24/2023, 9:04:17 AM	0	6.763	48	84.4	0
4/24/2023, 9:14:17 AM	0	6.763	49.1	83.6	0
4/24/2023, 9:24:17 AM	0	6.763	49.8	82.3	0
4/24/2023, 9:34:17 AM	0	6.772	50	81.5	0
4/24/2023, 9:44:17 AM	0	6.772	50.4	80.7	0
4/24/2023, 9:54:17 AM	0	6.772	50.9	80.4	0
4/24/2023, 10:04:17 AM	0	6.772	52.2	79.8	0
4/24/2023, 10:14:17 AM	0	6.772	53.6	78.8	0
4/24/2023, 10:24:17 AM	0	6.781	54.5	77.3	0
4/24/2023, 10:34:17 AM	0	6.781	54.5	76.1	0
4/24/2023, 10:44:17 AM	0	6.781	54.3	75.5	0
4/24/2023, 10:54:17 AM	0	6.781	55	74.8	0
4/24/2023, 11:04:17 AM	0	6.781	55.8	74.2	0
4/24/2023, 11:14:17 AM	0	6.781	55.9	73.5	0
4/24/2023, 11:24:17 AM	0	6.781	56.3	72.4	0
4/24/2023, 11:34:17 AM	0	6.781	56.5	71.8	0
4/24/2023, 11:44:17 AM	0	6.781	57	71	0
4/24/2023, 11:54:17 AM	0	6.781	57.7	70.2	0
4/24/2023, 12:04:17 PM	0	6.781	58.8	69.4	0
4/24/2023, 12:14:17 PM	0	6.79	60.1	68.4	0
4/24/2023, 12:24:17 PM	0	6.79	60.3	67.4	0
4/24/2023, 12:34:17 PM	0	6.79	60.6	66.8	0
4/24/2023, 12:44:17 PM	0	6.79	61.5	66.1	0
4/24/2023, 12:54:17 PM	0	6.79	61.3	65.9	0
4/24/2023, 1:04:17 PM	0	6.79	60.3	66	0
4/24/2023, 1:14:17 PM	0	6.79	59.2	66.2	0
4/24/2023, 1:24:17 PM	0	6.79	58.3	67.7	0
4/24/2023, 1:34:17 PM	0	6.79	58.8	68.1	0
4/24/2023, 1:44:17 PM	0	6.79	59.9	67.8	0
4/24/2023, 1:54:17 PM	0	6.79	61	67	0
4/24/2023, 2:04:17 PM	0	6.79	60.8	65.5	0
4/24/2023, 2:14:17 PM	0	6.79	59.7	64.6	0
4/24/2023, 2:24:17 PM	0	6.79	59	64.3	0
4/24/2023, 2:34:17 PM	0	6.79	58.1	64.4	0
4/24/2023, 2:44:17 PM	0	6.79	58.5	65.4	0
4/24/2023, 2:54:17 PM	0	6.79	59.9	65.6	0
4/24/2023, 3:04:17 PM	0	6.79	61	65.3	0
4/24/2023, 3:14:17 PM	0	6.79	61.2	64.7	0
4/24/2023, 3:24:17 PM	0	6.79	61	63.7	0
4/24/2023, 3:34:17 PM	0	6.79	60.4	62.8	0
4/24/2023, 3:44:17 PM	0	6.79	59.5	62.5	0
4/24/2023, 3:54:17 PM	0	6.79	58.6	62.5	0
4/24/2023, 4:04:17 PM	0	6.79	57.7	62.4	0
4/24/2023, 4:14:17 PM	0	6.79	57.4	62.7	0
4/24/2023, 4:24:17 PM	0	6.79	57.4	63.2	0
4/24/2023, 4:34:17 PM	0	6.79	57.6	63.1	0
4/24/2023, 4:44:17 PM	0	6.79	57.4	63	0
4/24/2023, 4:54:17 PM	0	6.79	57	63.1	0
4/24/2023, 5:04:17 PM	0	6.79	56.1	64	0
4/24/2023, 5:14:17 PM	0	6.781	54.5	65.8	0
4/24/2023, 5:24:17 PM	0	6.781	53.4	67.2	0
4/24/2023, 5:34:17 PM	0	6.781	52.7	68.4	0
4/24/2023, 5:44:17 PM	0	6.781	52	69.4	0
4/24/2023, 5:54:17 PM	0	6.781	51.1	70.6	0
4/24/2023, 6:04:17 PM	0	6.772	50.4	71.7	0
4/24/2023, 6:14:17 PM	0	6.772	50.2	71.9	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/24/2023, 6:24:17 PM	0	6.772	50	71.6	0
4/24/2023, 6:34:17 PM	0	6.772	49.8	71.5	0
4/24/2023, 6:44:17 PM	0	6.772	49.6	71.6	0
4/24/2023, 6:54:17 PM	0	6.772	49.5	71.8	0
4/24/2023, 7:04:17 PM	0	6.772	48.9	72	0
4/24/2023, 7:14:17 PM	0	6.772	48.6	72.5	0
4/24/2023, 7:24:17 PM	0	6.772	48.4	73	0
4/24/2023, 7:34:17 PM	0	6.772	48	73.3	0
4/24/2023, 7:44:17 PM	0	6.772	47.7	73.7	0
4/24/2023, 7:54:17 PM	0	6.763	47.3	74	0
4/24/2023, 8:04:17 PM	0	6.763	46.8	74.4	0
4/24/2023, 8:14:17 PM	0	6.763	46.2	74.9	0
4/24/2023, 8:24:17 PM	0	6.763	45.9	75.3	0
4/24/2023, 8:34:17 PM	0	6.763	45.3	75.5	0
4/24/2023, 8:44:17 PM	0	6.763	44.8	75.6	0
4/24/2023, 8:54:17 PM	0	6.763	44.1	75.9	0
4/24/2023, 9:04:17 PM	0	6.754	43.5	76.3	0
4/24/2023, 9:14:17 PM	0	6.754	43.2	76.9	0
4/24/2023, 9:24:17 PM	0	6.754	42.8	77.8	0
4/24/2023, 9:34:17 PM	0	6.754	42.6	78.4	0
4/24/2023, 9:44:17 PM	0	6.754	42.6	79	0
4/24/2023, 9:54:17 PM	0	6.754	42.4	79.4	0
4/24/2023, 10:04:17 PM	0	6.754	42.3	79.7	0
4/24/2023, 10:14:17 PM	0	6.754	41.9	79.9	0
4/24/2023, 10:24:17 PM	0	6.754	41.5	79.9	0
4/24/2023, 10:34:17 PM	0	6.746	41.2	79.8	0
4/24/2023, 10:44:17 PM	0	6.746	40.8	80	0
4/24/2023, 10:54:17 PM	0	6.746	40.3	80	0
4/24/2023, 11:04:17 PM	0	6.746	39.9	80.1	0
4/24/2023, 11:14:17 PM	0	6.746	39.6	80.4	0
4/24/2023, 11:24:17 PM	0	6.746	39.4	80.8	0
4/24/2023, 11:34:17 PM	0	6.746	39.2	81	0
4/24/2023, 11:44:17 PM	0	6.737	38.8	81.1	0
4/24/2023, 11:54:17 PM	0	6.737	38.5	81.3	0
4/25/2023, 12:04:17 AM	0	6.737	38.3	81.5	0
4/25/2023, 12:14:17 AM	0	6.737	37.9	81.6	0
4/25/2023, 12:24:17 AM	0	6.737	37.8	81.9	0
4/25/2023, 12:34:17 AM	0	6.737	37.6	82.1	0
4/25/2023, 12:44:17 AM	0	6.737	37.4	82.4	0
4/25/2023, 12:54:17 AM	0	6.737	37.4	82.6	0
4/25/2023, 1:04:17 AM	0	6.737	37.2	82.7	0
4/25/2023, 1:14:17 AM	0	6.728	37	82.9	0
4/25/2023, 1:24:17 AM	0	6.737	36.9	83	0
4/25/2023, 1:34:17 AM	0	6.728	36.7	83.1	0
4/25/2023, 1:44:17 AM	0	6.728	36.5	83.2	0
4/25/2023, 1:54:17 AM	0	6.728	36.3	83.4	0
4/25/2023, 2:04:17 AM	0	6.728	36.1	83.4	0
4/25/2023, 2:14:17 AM	0	6.728	36	83.5	0
4/25/2023, 2:24:17 AM	0	6.728	35.8	83.6	0
4/25/2023, 2:34:17 AM	0	6.728	35.8	83.7	0
4/25/2023, 2:44:17 AM	0	6.728	35.6	84	0
4/25/2023, 2:54:17 AM	0	6.728	35.4	84.1	0
4/25/2023, 3:04:17 AM	0	6.728	35.4	84.2	0
4/25/2023, 3:14:17 AM	0	6.728	35.2	84.4	0
4/25/2023, 3:24:17 AM	0	6.728	35.2	84.5	0
4/25/2023, 3:34:17 AM	0	6.728	35.1	84.6	0
4/25/2023, 3:44:17 AM	0	6.719	35.2	85.1	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/25/2023, 3:54:17 AM	0	6.728	35.4	85.5	0
4/25/2023, 4:04:17 AM	0	6.728	35.8	86.1	0
4/25/2023, 4:14:17 AM	0	6.728	36.1	86.6	0
4/25/2023, 4:24:17 AM	0	6.728	36.5	87	0
4/25/2023, 4:34:17 AM	0	6.728	36.7	87.4	0
4/25/2023, 4:44:17 AM	0	6.728	37	87.7	0
4/25/2023, 4:54:17 AM	0	6.728	37.2	87.9	0
4/25/2023, 5:04:17 AM	0	6.728	37.4	88.1	0
4/25/2023, 5:14:17 AM	0	6.728	37.6	88.2	0
4/25/2023, 5:24:17 AM	0	6.728	37.6	88.3	0
4/25/2023, 5:34:17 AM	0	6.728	37.8	88.3	0
4/25/2023, 5:44:17 AM	0	6.728	37.8	88.4	0
4/25/2023, 5:54:17 AM	0	6.728	37.9	88.5	0
4/25/2023, 6:04:17 AM	0	6.728	37.9	88.6	0
4/25/2023, 6:14:17 AM	0	6.728	38.1	88.7	0
4/25/2023, 6:24:17 AM	0	6.728	38.1	88.7	0
4/25/2023, 6:34:17 AM	0	6.737	38.1	88.7	0
4/25/2023, 6:44:17 AM	0	6.728	38.3	88.7	0
4/25/2023, 6:54:17 AM	0	6.737	38.3	88.7	0
4/25/2023, 7:04:17 AM	0	6.737	38.5	88.7	0
4/25/2023, 7:14:17 AM	0	6.737	38.7	88.8	0
4/25/2023, 7:24:17 AM	0	6.737	39	89.1	0
4/25/2023, 7:34:17 AM	0	6.737	39.7	89.3	0
4/25/2023, 7:44:17 AM	0	6.737	40.6	89.3	0
4/25/2023, 7:54:17 AM	0	6.737	41.5	89	0
4/25/2023, 8:04:17 AM	0	6.746	42.1	88.5	0
4/25/2023, 8:14:17 AM	0	6.746	42.4	88.1	0
4/25/2023, 8:24:17 AM	0	6.746	43.2	87.9	0
4/25/2023, 8:34:17 AM	0	6.746	44.4	87.6	0
4/25/2023, 8:44:17 AM	0	6.746	46	87.1	0
4/25/2023, 8:54:17 AM	0	6.754	47.5	86	0
4/25/2023, 9:04:17 AM	0	6.754	48.2	84.6	0
4/25/2023, 9:14:17 AM	0	6.754	48.4	83.3	0
4/25/2023, 9:24:17 AM	0	6.763	48.4	82	0
4/25/2023, 9:34:17 AM	0	6.754	48.6	80.8	0
4/25/2023, 9:44:17 AM	0	6.763	48.9	80	0
4/25/2023, 9:54:17 AM	0	6.763	50.2	79.2	0
4/25/2023, 10:04:17 AM	0	6.763	52	77.8	0
4/25/2023, 10:14:17 AM	0	6.763	53.8	75.9	0
4/25/2023, 10:24:17 AM	0	6.772	55.4	74.2	0
4/25/2023, 10:34:17 AM	0	6.772	56.7	72.5	0
4/25/2023, 10:44:17 AM	0	6.781	57.2	71	0
4/25/2023, 10:54:17 AM	0	6.781	57.4	69.8	0
4/25/2023, 11:04:17 AM	0	6.781	57.9	68.7	0
4/25/2023, 11:14:17 AM	0	6.781	58.5	67.7	0
4/25/2023, 11:24:17 AM	0	6.781	58.6	66.6	0
4/25/2023, 11:34:17 AM	0	6.781	58.6	65.8	0
4/25/2023, 11:44:17 AM	0	6.781	58.8	64.9	0
4/25/2023, 11:54:17 AM	0	6.781	59	64.5	0
4/25/2023, 12:04:17 PM	0	6.781	60.1	64.3	0
4/25/2023, 12:14:17 PM	0	6.781	60.4	63.7	0
4/25/2023, 12:24:17 PM	0	6.781	58.3	63.8	0
4/25/2023, 12:34:17 PM	0	6.781	55.2	64.7	0
4/25/2023, 12:44:17 PM	0	6.781	53.2	66.2	0
4/25/2023, 12:54:17 PM	0	6.772	52.7	69.2	0
4/25/2023, 1:04:17 PM	0	6.772	53.6	71.6	0
4/25/2023, 1:14:17 PM	0	6.772	54.9	71.1	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/25/2023, 1:24:17 PM	0	6.772	55	69.9	0
4/25/2023, 1:34:17 PM	0	6.772	53.6	69	0
4/25/2023, 1:44:17 PM	0	6.772	50.9	69.1	0
4/25/2023, 1:54:17 PM	0	6.772	48.9	70.1	0
4/25/2023, 2:04:17 PM	0	6.763	48	72.6	0
4/25/2023, 2:14:17 PM	0	6.763	48.7	76.2	0
4/25/2023, 2:24:17 PM	0	6.763	50	78.8	0
4/25/2023, 2:34:17 PM	0	6.763	51.8	80.8	0
4/25/2023, 2:44:17 PM	0	6.763	54	82.1	0
4/25/2023, 2:54:17 PM	0	6.763	56.1	81.8	0
4/25/2023, 3:04:17 PM	0	6.772	57.9	79.6	0
4/25/2023, 3:14:17 PM	0	6.772	58.8	76.7	0
4/25/2023, 3:24:17 PM	0	6.772	59.5	74.8	0
4/25/2023, 3:34:17 PM	0	6.781	59.9	73.5	0
4/25/2023, 3:44:17 PM	0	6.781	60.6	72.1	0
4/25/2023, 3:54:17 PM	0	6.781	60.1	70.7	0
4/25/2023, 4:04:17 PM	0	6.781	59	69.9	0
4/25/2023, 4:14:17 PM	0	6.781	57.7	68.9	0
4/25/2023, 4:24:17 PM	0	6.781	56.7	69.1	0
4/25/2023, 4:34:17 PM	0	6.781	56.3	70.1	0
4/25/2023, 4:44:17 PM	0	6.781	56.8	70.3	0
4/25/2023, 4:54:17 PM	0	6.772	56.5	70.3	0
4/25/2023, 5:04:17 PM	0	6.772	55.6	70.4	0
4/25/2023, 5:14:17 PM	0	6.772	55.2	71	0
4/25/2023, 5:24:17 PM	0	6.772	55.4	71	0
4/25/2023, 5:34:17 PM	0	6.772	54.9	71	0
4/25/2023, 5:44:17 PM	0	6.772	54.1	71	0
4/25/2023, 5:54:17 PM	0	6.772	53.4	71.2	0
4/25/2023, 6:04:17 PM	0	6.772	52.9	71.6	0
4/25/2023, 6:14:17 PM	0	6.772	52.5	71.9	0
4/25/2023, 6:24:17 PM	0	6.772	52.2	72.3	0
4/25/2023, 6:34:17 PM	0	6.763	51.6	72.3	0
4/25/2023, 6:44:17 PM	0	6.763	51.1	72.6	0
4/25/2023, 6:54:17 PM	0	6.763	50.5	72.9	0
4/25/2023, 7:04:17 PM	0	6.763	50	73.3	0
4/25/2023, 7:14:17 PM	0	6.763	49.5	73.6	0
4/25/2023, 7:24:17 PM	0	6.763	48.9	74.2	0
4/25/2023, 7:34:17 PM	0	6.763	48.4	74.6	0
4/25/2023, 7:44:17 PM	0	6.763	47.8	75.1	0
4/25/2023, 7:54:17 PM	0	6.763	47.3	75.6	0
4/25/2023, 8:04:17 PM	0	6.754	46.8	75.9	0
4/25/2023, 8:14:17 PM	0	6.754	46.2	76.2	0
4/25/2023, 8:24:17 PM	0	6.754	45.5	76.4	0
4/25/2023, 8:34:17 PM	0	6.754	45	76.8	0
4/25/2023, 8:44:17 PM	0	6.754	44.4	77.5	0
4/25/2023, 8:54:17 PM	0	6.754	44.1	78.3	0
4/25/2023, 9:04:17 PM	0	6.746	43.9	79	0
4/25/2023, 9:14:17 PM	0	6.746	43.7	79.7	0
4/25/2023, 9:24:17 PM	0	6.746	43.5	80.4	0
4/25/2023, 9:34:17 PM	0	6.746	43.5	80.9	0
4/25/2023, 9:44:17 PM	0	6.746	43.3	81.3	0
4/25/2023, 9:54:17 PM	0	6.746	43.2	81.7	0
4/25/2023, 10:04:17 PM	0	6.746	43.2	82.3	0
4/25/2023, 10:14:17 PM	0	6.746	43.2	82.8	0
4/25/2023, 10:24:17 PM	0	6.746	43.2	83.2	0
4/25/2023, 10:34:17 PM	0	6.746	43.2	83.2	0
4/25/2023, 10:44:17 PM	0	6.746	42.8	83.3	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/25/2023, 10:54:17 PM	0	6.746	42.6	83.5	0
4/25/2023, 11:04:17 PM	0	6.746	42.6	83.9	0
4/25/2023, 11:14:17 PM	0	6.746	42.6	84.3	0
4/25/2023, 11:24:17 PM	0	6.746	42.6	84.6	0
4/25/2023, 11:34:17 PM	0	6.746	42.4	84.9	0
4/25/2023, 11:44:17 PM	0	6.746	42.4	85.2	0
4/25/2023, 11:54:17 PM	0	6.746	42.6	85.4	0
4/26/2023, 12:04:17 AM	0	6.746	42.4	85.6	0
4/26/2023, 12:14:17 AM	0	6.737	42.4	85.7	0
4/26/2023, 12:24:17 AM	0	6.737	42.4	85.9	0
4/26/2023, 12:34:17 AM	0	6.737	42.4	86	0
4/26/2023, 12:44:17 AM	0	6.737	42.4	86.2	0
4/26/2023, 12:54:17 AM	0	6.737	42.3	86.4	0
4/26/2023, 1:04:17 AM	0	6.737	42.3	86.5	0
4/26/2023, 1:14:17 AM	0	6.737	42.3	86.8	0
4/26/2023, 1:24:17 AM	0	6.737	42.4	87	0
4/26/2023, 1:34:17 AM	0	6.737	42.4	87.2	0
4/26/2023, 1:44:17 AM	0	6.737	42.6	87.5	0
4/26/2023, 1:54:17 AM	0	6.737	42.6	87.6	0
4/26/2023, 2:04:17 AM	0	6.737	42.8	87.8	0
4/26/2023, 2:14:17 AM	0	6.737	42.8	88.1	0
4/26/2023, 2:24:17 AM	0	6.737	42.8	88.2	0
4/26/2023, 2:34:17 AM	0	6.737	42.8	88.4	0
4/26/2023, 2:44:17 AM	0	6.737	42.8	88.5	0
4/26/2023, 2:54:17 AM	0	6.737	42.8	88.7	0
4/26/2023, 3:04:17 AM	0	6.737	42.8	88.7	0
4/26/2023, 3:14:17 AM	0	6.737	42.6	88.8	0
4/26/2023, 3:24:17 AM	0	6.737	42.6	88.8	0
4/26/2023, 3:34:17 AM	0	6.737	42.4	88.8	0
4/26/2023, 3:44:17 AM	0	6.737	42.4	88.8	0
4/26/2023, 3:54:17 AM	0	6.737	42.3	89	0
4/26/2023, 4:04:17 AM	0	6.737	42.3	89	0
4/26/2023, 4:14:17 AM	0	6.737	42.3	89.2	0
4/26/2023, 4:24:17 AM	0	6.737	42.1	89.2	0
4/26/2023, 4:34:17 AM	0	6.737	42.1	89.3	0
4/26/2023, 4:44:17 AM	0	6.737	42.1	89.5	0
4/26/2023, 4:54:17 AM	0	6.737	42.1	89.6	0
4/26/2023, 5:04:17 AM	0	6.737	41.9	89.7	0
4/26/2023, 5:14:17 AM	0	6.737	41.9	89.9	0
4/26/2023, 5:24:17 AM	0	6.737	41.9	89.9	0
4/26/2023, 5:34:17 AM	0	6.737	41.7	89.9	0
4/26/2023, 5:44:17 AM	0	6.737	41.7	90	0
4/26/2023, 5:54:17 AM	0	6.737	41.7	90.1	0
4/26/2023, 6:04:17 AM	0	6.737	41.5	90.2	0
4/26/2023, 6:14:17 AM	0	6.737	41.5	90.3	0
4/26/2023, 6:24:17 AM	0	6.737	41.5	90.3	0
4/26/2023, 6:34:17 AM	0	6.737	41.4	90.4	0
4/26/2023, 6:44:17 AM	0	6.737	41.4	90.5	0
4/26/2023, 6:54:17 AM	0	6.737	41.4	90.6	0
4/26/2023, 7:04:17 AM	0	6.737	41.4	90.7	0
4/26/2023, 7:14:17 AM	0	6.737	41.2	90.7	0
4/26/2023, 7:24:17 AM	0	6.737	41.2	90.8	0
4/26/2023, 7:34:17 AM	0	6.737	41.2	90.9	0
4/26/2023, 7:44:17 AM	0	6.737	41.2	91	0
4/26/2023, 7:54:17 AM	0	6.737	41.2	91.1	0
4/26/2023, 8:04:17 AM	0	6.737	41.2	91.3	0
4/26/2023, 8:14:17 AM	0	6.737	41.4	91.5	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/26/2023, 8:24:17 AM	0	6.737	41.4	91.7	0
4/26/2023, 8:34:17 AM	0	6.737	41.5	92	0
4/26/2023, 8:44:17 AM	0	6.737	41.7	92.1	0
4/26/2023, 8:54:17 AM	0	6.737	42.1	92.3	0
4/26/2023, 9:04:17 AM	0	6.737	42.4	92.7	0
4/26/2023, 9:14:17 AM	0	6.737	43	93.3	0
4/26/2023, 9:24:17 AM	0	6.737	43.3	93.6	0
4/26/2023, 9:34:17 AM	0	6.737	43.5	93.8	0
4/26/2023, 9:44:17 AM	0	6.737	44.2	94.3	0
4/26/2023, 9:54:17 AM	0	6.737	45	94.7	0
4/26/2023, 10:04:17 AM	0	6.746	45.7	94.8	0
4/26/2023, 10:14:17 AM	0	6.746	46	94.8	0
4/26/2023, 10:24:17 AM	0	6.746	46.6	94.6	0
4/26/2023, 10:34:17 AM	0	6.746	47.1	94.2	0
4/26/2023, 10:44:17 AM	0	6.746	47.7	93.9	0
4/26/2023, 10:54:17 AM	0	6.746	48.4	94	0
4/26/2023, 11:04:17 AM	0	6.746	49.6	94.1	0
4/26/2023, 11:14:17 AM	0	6.754	50.9	93.4	0
4/26/2023, 11:24:17 AM	0	6.754	51.6	92	0
4/26/2023, 11:34:17 AM	0	6.754	51.8	90.1	0
4/26/2023, 11:44:17 AM	0	6.754	51.6	88.4	0
4/26/2023, 11:54:17 AM	0	6.754	51.3	87.3	0
4/26/2023, 12:04:17 PM	0	6.754	51.4	86.8	0
4/26/2023, 12:14:17 PM	0	6.754	52	86.5	0
4/26/2023, 12:24:17 PM	0	6.754	52.9	85.7	0
4/26/2023, 12:34:17 PM	0	6.763	54.1	84.3	0
4/26/2023, 12:44:17 PM	0	6.763	54.9	83.1	0
4/26/2023, 12:54:17 PM	0	6.763	55.6	81.5	0
4/26/2023, 1:04:17 PM	0	6.763	56.3	80.6	0
4/26/2023, 1:14:17 PM	0	6.763	57	79.6	0
4/26/2023, 1:24:17 PM	0	6.772	57.7	78.2	0
4/26/2023, 1:34:17 PM	0	6.772	58.3	76.8	0
4/26/2023, 1:44:17 PM	0	6.772	59.2	75.5	0
4/26/2023, 1:54:17 PM	0	6.772	60.1	74.2	0
4/26/2023, 2:04:17 PM	0	6.772	60.3	73	0
4/26/2023, 2:14:17 PM	0	6.772	60.6	71.8	0
4/26/2023, 2:24:17 PM	0	6.772	60.4	70.8	0
4/26/2023, 2:34:17 PM	0	6.781	60.6	69.9	0
4/26/2023, 2:44:17 PM	0	6.772	60.8	69	0
4/26/2023, 2:54:17 PM	0	6.781	61.7	68.1	0
4/26/2023, 3:04:17 PM	0	6.781	62.6	67.4	0
4/26/2023, 3:14:17 PM	0	6.781	62.4	66.4	0
4/26/2023, 3:24:17 PM	0	6.781	61.7	65.8	0
4/26/2023, 3:34:17 PM	0	6.781	60.8	65.2	0
4/26/2023, 3:44:17 PM	0	6.781	60.1	64.8	0
4/26/2023, 3:54:17 PM	0	6.781	59.7	64.8	0
4/26/2023, 4:04:17 PM	0	6.781	60.3	64.8	0
4/26/2023, 4:14:17 PM	0	6.781	60.4	64.7	0
4/26/2023, 4:24:17 PM	0	6.781	60.3	64.8	0
4/26/2023, 4:34:17 PM	0	6.781	60.3	65	0
4/26/2023, 4:44:17 PM	0	6.781	59.7	65.1	0
4/26/2023, 4:54:17 PM	0	6.781	60.1	65.6	0
4/26/2023, 5:04:17 PM	0	6.781	61.5	65.7	0
4/26/2023, 5:14:17 PM	0	6.781	62.6	65.2	0
4/26/2023, 5:24:17 PM	0	6.781	62.8	64.6	0
4/26/2023, 5:34:17 PM	0	6.781	62.8	64.2	0
4/26/2023, 5:44:17 PM	0	6.781	62.8	63.8	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/26/2023, 5:54:17 PM	0	6.781	61.9	63.4	0
4/26/2023, 6:04:17 PM	0	6.781	59.9	63.1	0
4/26/2023, 6:14:17 PM	0	6.781	58.1	63.1	0
4/26/2023, 6:24:17 PM	0	6.781	56.7	63.4	0
4/26/2023, 6:34:17 PM	0	6.772	55.4	63.5	0
4/26/2023, 6:44:17 PM	0	6.772	54.3	63.8	0
4/26/2023, 6:54:17 PM	0	6.772	53.2	64.2	0
4/26/2023, 7:04:17 PM	0	6.772	52.3	64.6	0
4/26/2023, 7:14:17 PM	0	6.763	51.4	65.1	0
4/26/2023, 7:24:17 PM	0	6.763	50.7	65.5	0
4/26/2023, 7:34:17 PM	0	6.763	49.8	66	0
4/26/2023, 7:44:17 PM	0	6.763	48.9	66.5	0
4/26/2023, 7:54:17 PM	0	6.754	47.8	66.9	0
4/26/2023, 8:04:17 PM	0	6.754	46.9	67.4	0
4/26/2023, 8:14:17 PM	0	6.754	45.9	68	0
4/26/2023, 8:24:17 PM	0	6.754	44.6	68.6	0
4/26/2023, 8:34:17 PM	0	6.746	43.5	69.2	0
4/26/2023, 8:44:17 PM	0	6.746	42.4	69.8	0
4/26/2023, 8:54:17 PM	0	6.746	41.5	70.5	0
4/26/2023, 9:04:17 PM	0	6.737	40.6	71.2	0
4/26/2023, 9:14:17 PM	0	6.737	39.9	71.8	0
4/26/2023, 9:24:17 PM	0	6.728	39.2	72.5	0
4/26/2023, 9:34:17 PM	0	6.728	38.7	73.1	0
4/26/2023, 9:44:17 PM	0	6.728	37.9	73.6	0
4/26/2023, 9:54:17 PM	0	6.728	37.4	74.1	0
4/26/2023, 10:04:17 PM	0	6.719	36.7	74.5	0
4/26/2023, 10:14:17 PM	0	6.719	36.3	75.1	0
4/26/2023, 10:24:17 PM	0	6.719	36	75.7	0
4/26/2023, 10:34:17 PM	0	6.719	35.6	76.2	0
4/26/2023, 10:44:17 PM	0	6.71	35.2	76.6	0
4/26/2023, 10:54:17 PM	0	6.71	35.1	77.1	0
4/26/2023, 11:04:17 PM	0	6.71	34.7	77.6	0
4/26/2023, 11:14:17 PM	0	6.71	34.5	78.1	0
4/26/2023, 11:24:17 PM	0	6.71	34.3	78.4	0
4/26/2023, 11:34:17 PM	0	6.702	34	78.7	0
4/26/2023, 11:44:17 PM	0	6.702	33.6	78.8	0
4/26/2023, 11:54:17 PM	0	6.702	33.4	79.1	0
4/27/2023, 12:04:17 AM	0	6.702	33.4	79.4	0
4/27/2023, 12:14:17 AM	0	6.702	33.1	79.5	0
4/27/2023, 12:24:17 AM	0	6.702	32.9	79.7	0
4/27/2023, 12:34:17 AM	0	6.702	32.7	80	0
4/27/2023, 12:44:17 AM	0	6.702	32.5	80.2	0
4/27/2023, 12:54:17 AM	0	6.702	32.5	80.5	0
4/27/2023, 1:04:17 AM	0	6.702	32.4	80.7	0
4/27/2023, 1:14:17 AM	0	6.693	32.4	80.9	0
4/27/2023, 1:24:17 AM	0	6.693	32.2	81	0
4/27/2023, 1:34:17 AM	0	6.693	32	81.2	0
4/27/2023, 1:44:17 AM	0	6.693	32	81.4	0
4/27/2023, 1:54:17 AM	0	6.693	31.8	81.4	0
4/27/2023, 2:04:17 AM	0	6.693	31.5	81.4	0
4/27/2023, 2:14:17 AM	0	6.693	31.5	81.6	0
4/27/2023, 2:24:17 AM	0	6.693	31.5	81.8	0
4/27/2023, 2:34:17 AM	0	6.693	31.3	82	0
4/27/2023, 2:44:17 AM	0	6.693	31.1	82.1	0
4/27/2023, 2:54:17 AM	0	6.693	31.1	82.2	0
4/27/2023, 3:04:17 AM	0	6.693	30.9	82.3	0
4/27/2023, 3:14:17 AM	0	6.693	30.7	82.3	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/27/2023, 3:24:17 AM	0	6.684	30.6	82.3	0
4/27/2023, 3:34:17 AM	0	6.684	30.4	82.2	0
4/27/2023, 3:44:17 AM	0	6.684	30.2	82.4	0
4/27/2023, 3:54:17 AM	0	6.684	30.2	82.5	0
4/27/2023, 4:04:17 AM	0	6.684	30.2	82.7	0
4/27/2023, 4:14:17 AM	0	6.684	30	82.8	0
4/27/2023, 4:24:17 AM	0	6.684	30	82.9	0
4/27/2023, 4:34:17 AM	0	6.684	29.8	82.8	0
4/27/2023, 4:44:17 AM	0	6.684	29.7	82.8	0
4/27/2023, 4:54:17 AM	0	6.684	29.7	82.9	0
4/27/2023, 5:04:17 AM	0	6.684	29.5	83	0
4/27/2023, 5:14:17 AM	0	6.684	29.5	83.1	0
4/27/2023, 5:24:17 AM	0	6.684	29.3	83.2	0
4/27/2023, 5:34:17 AM	0	6.684	29.1	83.2	0
4/27/2023, 5:44:17 AM	0	6.684	29.1	83.2	0
4/27/2023, 5:54:17 AM	0	6.684	29.1	83.3	0
4/27/2023, 6:04:17 AM	0	6.684	28.9	83.3	0
4/27/2023, 6:14:17 AM	0	6.684	28.9	83.5	0
4/27/2023, 6:24:17 AM	0	6.684	29.1	83.7	0
4/27/2023, 6:34:17 AM	0	6.684	29.1	83.9	0
4/27/2023, 6:44:17 AM	0	6.684	29.1	84	0
4/27/2023, 6:54:17 AM	0	6.675	29.3	84.2	0
4/27/2023, 7:04:17 AM	0	6.684	29.5	84.5	0
4/27/2023, 7:14:17 AM	0	6.684	29.8	84.9	0
4/27/2023, 7:24:17 AM	0	6.684	30.4	85.4	0
4/27/2023, 7:34:17 AM	0	6.684	31.1	86.1	0
4/27/2023, 7:44:17 AM	0	6.693	32	86.9	0
4/27/2023, 7:54:17 AM	0	6.693	32.9	87.6	0
4/27/2023, 8:04:17 AM	0	6.702	34.2	88.4	0
4/27/2023, 8:14:17 AM	0	6.702	35.8	89.4	0
4/27/2023, 8:24:17 AM	0	6.71	37.6	90.2	0
4/27/2023, 8:34:17 AM	0	6.719	39.6	91.1	0
4/27/2023, 8:44:17 AM	0	6.719	41.5	91.9	0
4/27/2023, 8:54:17 AM	0	6.728	43.7	92.6	0
4/27/2023, 9:04:17 AM	0	6.737	45.9	93.4	0
4/27/2023, 9:14:17 AM	0	6.746	48.2	94.2	0
4/27/2023, 9:24:17 AM	0	6.746	50.5	93	0
4/27/2023, 9:34:17 AM	0	6.754	52.7	89.1	0
4/27/2023, 9:44:17 AM	0	6.754	54.7	85	0
4/27/2023, 9:54:17 AM	0	6.763	56.5	81.7	0
4/27/2023, 10:04:17 AM	0	6.763	58.3	78.4	0
4/27/2023, 10:14:17 AM	0	6.772	59.9	76	0
4/27/2023, 10:24:17 AM	0	6.772	61.2	73.9	0
4/27/2023, 10:34:17 AM	0	6.772	62.2	71.8	0
4/27/2023, 10:44:17 AM	0	6.781	63.3	70	0
4/27/2023, 10:54:17 AM	0	6.781	64	68.4	0
4/27/2023, 11:04:17 AM	0	6.781	64.4	67.2	0
4/27/2023, 11:14:17 AM	0	6.781	65.1	66.1	0
4/27/2023, 11:24:17 AM	0	6.781	65.8	65.1	0
4/27/2023, 11:34:17 AM	0	6.781	66.6	63.9	0
4/27/2023, 11:44:17 AM	0	6.781	67.3	63.2	0
4/27/2023, 11:54:17 AM	0	6.781	67.8	62.2	0
4/27/2023, 12:04:17 PM	0	6.781	68.4	61.4	0
4/27/2023, 12:14:17 PM	0	6.79	69.1	60.7	0
4/27/2023, 12:24:17 PM	0	6.79	69.3	60.1	0
4/27/2023, 12:34:17 PM	0	6.79	69.4	59.6	0
4/27/2023, 12:44:17 PM	0	6.79	69.4	58.9	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/27/2023, 12:54:17 PM	0	6.79	69.4	58.6	0
4/27/2023, 1:04:17 PM	0	6.79	70.2	58.2	0
4/27/2023, 1:14:17 PM	0	6.79	70.7	57.7	0
4/27/2023, 1:24:17 PM	0	6.79	71.4	57.2	0
4/27/2023, 1:34:17 PM	0	6.79	72.3	56.8	0
4/27/2023, 1:44:17 PM	0	6.79	73	56.4	0
4/27/2023, 1:54:17 PM	0	6.79	73.6	56	0
4/27/2023, 2:04:17 PM	0	6.79	73.9	55.8	0
4/27/2023, 2:14:17 PM	0	6.79	74.1	55.3	0
4/27/2023, 2:24:17 PM	0	6.79	74.5	55.1	0
4/27/2023, 2:34:17 PM	0	6.79	74.8	55	0
4/27/2023, 2:44:17 PM	0	6.79	75.4	54.8	0
4/27/2023, 2:54:17 PM	0	6.79	75.7	54.4	0
4/27/2023, 3:04:17 PM	0	6.798	75.9	54.2	0
4/27/2023, 3:14:17 PM	0	6.798	76.3	54	0
4/27/2023, 3:24:17 PM	0	6.798	76.3	53.9	0
4/27/2023, 3:34:17 PM	0	6.798	76.5	53.8	0
4/27/2023, 3:44:17 PM	0	6.798	76.5	53.7	0
4/27/2023, 3:54:17 PM	0	6.798	76.8	53.5	0
4/27/2023, 4:04:17 PM	0	6.798	77	53.6	0
4/27/2023, 4:14:17 PM	0	6.798	76.8	53.8	0
4/27/2023, 4:24:17 PM	0	6.798	76.3	53.6	0
4/27/2023, 4:34:17 PM	0	6.798	75.7	53.6	0
4/27/2023, 4:44:17 PM	0	6.798	75.2	53.6	0
4/27/2023, 4:54:17 PM	0	6.798	74.7	53.6	0
4/27/2023, 5:04:17 PM	0	6.798	74.1	53.6	0
4/27/2023, 5:14:17 PM	0	6.798	73.6	53.6	0
4/27/2023, 5:24:17 PM	0	6.79	73	53.6	0
4/27/2023, 5:34:17 PM	0	6.79	72.5	53.5	0
4/27/2023, 5:44:17 PM	0	6.79	72	53.5	0
4/27/2023, 5:54:17 PM	0	6.79	70.5	53.3	0
4/27/2023, 6:04:17 PM	0	6.79	68	53	0
4/27/2023, 6:14:17 PM	0	6.79	65.7	53	0
4/27/2023, 6:24:17 PM	0	6.781	63.7	53.2	0
4/27/2023, 6:34:17 PM	0	6.781	62.2	53.6	0
4/27/2023, 6:44:17 PM	0	6.781	61	54	0
4/27/2023, 6:54:17 PM	0	6.781	59.7	54.3	0
4/27/2023, 7:04:17 PM	0	6.772	58.6	54.7	0
4/27/2023, 7:14:17 PM	0	6.772	57.6	54.9	0
4/27/2023, 7:24:17 PM	0	6.772	56.7	55.1	0
4/27/2023, 7:34:17 PM	0	6.772	55.6	55.6	0
4/27/2023, 7:44:17 PM	0	6.763	54.7	56	0
4/27/2023, 7:54:17 PM	0	6.763	53.6	56.5	0
4/27/2023, 8:04:17 PM	0	6.763	52.5	57	0
4/27/2023, 8:14:17 PM	0	6.763	51.4	57.6	0
4/27/2023, 8:24:17 PM	0	6.754	50.4	58.2	0
4/27/2023, 8:34:17 PM	0	6.754	49.5	58.7	0
4/27/2023, 8:44:17 PM	0	6.754	48.6	59.3	0
4/27/2023, 8:54:17 PM	0	6.754	47.8	59.7	0
4/27/2023, 9:04:17 PM	0	6.746	47.1	60.2	0
4/27/2023, 9:14:17 PM	0	6.746	46.6	60.6	0
4/27/2023, 9:24:17 PM	0	6.746	46	61.1	0
4/27/2023, 9:34:17 PM	0	6.746	45.5	61.6	0
4/27/2023, 9:44:17 PM	0	6.737	45	62.2	0
4/27/2023, 9:54:17 PM	0	6.737	44.4	62.8	0
4/27/2023, 10:04:17 PM	0	6.737	43.9	63.4	0
4/27/2023, 10:14:17 PM	0	6.737	43.3	64	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/27/2023, 10:24:17 PM	0	6.728	42.8	64.8	0
4/27/2023, 10:34:17 PM	0	6.728	42.3	65.7	0
4/27/2023, 10:44:17 PM	0	6.728	41.9	66.5	0
4/27/2023, 10:54:17 PM	0	6.728	41.5	67.2	0
4/27/2023, 11:04:17 PM	0	6.728	41.2	67.8	0
4/27/2023, 11:14:17 PM	0	6.728	40.8	68.6	0
4/27/2023, 11:24:17 PM	0	6.719	40.5	69.3	0
4/27/2023, 11:34:17 PM	0	6.719	40.1	70	0
4/27/2023, 11:44:17 PM	0	6.719	39.7	70.8	0
4/27/2023, 11:54:17 PM	0	6.719	39.6	71.5	0
4/28/2023, 12:04:17 AM	0	6.719	39.4	72.3	0
4/28/2023, 12:14:17 AM	0	6.719	39.2	72.9	0
4/28/2023, 12:24:17 AM	0	6.71	38.8	73.4	0
4/28/2023, 12:34:17 AM	0	6.71	38.7	74	0
4/28/2023, 12:44:17 AM	0	6.71	38.5	74.5	0
4/28/2023, 12:54:17 AM	0	6.71	38.3	74.8	0
4/28/2023, 1:04:17 AM	0	6.71	37.9	75.3	0
4/28/2023, 1:14:17 AM	0	6.71	37.9	75.8	0
4/28/2023, 1:24:17 AM	0	6.71	37.8	76.2	0
4/28/2023, 1:34:17 AM	0	6.71	37.6	76.6	0
4/28/2023, 1:44:17 AM	0	6.71	37.4	77	0
4/28/2023, 1:54:17 AM	0	6.71	37.2	77.4	0
4/28/2023, 2:04:17 AM	0	6.702	37	77.8	0
4/28/2023, 2:14:17 AM	0	6.702	37	78.2	0
4/28/2023, 2:24:17 AM	0	6.702	37	78.5	0
4/28/2023, 2:34:17 AM	0	6.702	36.9	78.8	0
4/28/2023, 2:44:17 AM	0	6.702	36.7	79.1	0
4/28/2023, 2:54:17 AM	0	6.702	36.7	79.3	0
4/28/2023, 3:04:17 AM	0	6.702	36.7	79.7	0
4/28/2023, 3:14:17 AM	0	6.702	36.5	79.9	0
4/28/2023, 3:24:17 AM	0	6.702	36.5	80	0
4/28/2023, 3:34:17 AM	0	6.702	36.3	80.2	0
4/28/2023, 3:44:17 AM	0	6.702	36.1	80.5	0
4/28/2023, 3:54:17 AM	0	6.702	36.1	80.8	0
4/28/2023, 4:04:17 AM	0	6.702	36.3	81.1	0
4/28/2023, 4:14:17 AM	0	6.702	36.3	81.4	0
4/28/2023, 4:24:17 AM	0	6.702	36.3	81.7	0
4/28/2023, 4:34:17 AM	0	6.702	36.1	81.9	0
4/28/2023, 4:44:17 AM	0	6.702	36.3	82.3	0
4/28/2023, 4:54:17 AM	0	6.702	36.5	82.8	0
4/28/2023, 5:04:17 AM	0	6.702	36.9	83.3	0
4/28/2023, 5:14:17 AM	0	6.702	37.2	83.9	0
4/28/2023, 5:24:17 AM	0	6.702	37.8	84.4	0
4/28/2023, 5:34:17 AM	0	6.702	37.9	84.7	0
4/28/2023, 5:44:17 AM	0	6.702	38.3	85.1	0
4/28/2023, 5:54:17 AM	0	6.702	38.7	85.4	0
4/28/2023, 6:04:17 AM	0	6.702	38.8	85.7	0
4/28/2023, 6:14:17 AM	0	6.702	39.4	86.1	0
4/28/2023, 6:24:17 AM	0	6.71	39.7	86.6	0
4/28/2023, 6:34:17 AM	0	6.71	40.3	87.1	0
4/28/2023, 6:44:17 AM	0	6.71	40.8	87.6	0
4/28/2023, 6:54:17 AM	0	6.71	41.4	88	0
4/28/2023, 7:04:17 AM	0	6.71	42.1	88.6	0
4/28/2023, 7:14:17 AM	0	6.719	42.6	89	0
4/28/2023, 7:24:17 AM	0	6.719	43.5	89.6	0
4/28/2023, 7:34:17 AM	0	6.719	44.4	90.2	0
4/28/2023, 7:44:17 AM	0	6.728	45.1	90.7	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/28/2023, 7:54:17 AM	0	6.728	46	91.3	0
4/28/2023, 8:04:17 AM	0	6.728	47.1	91.8	0
4/28/2023, 8:14:17 AM	0	6.737	48.2	92	0
4/28/2023, 8:24:17 AM	0	6.737	49.5	91.8	0
4/28/2023, 8:34:17 AM	0	6.737	50.9	91.2	0
4/28/2023, 8:44:17 AM	0	6.746	52.5	90.4	0
4/28/2023, 8:54:17 AM	0	6.746	54	89.3	0
4/28/2023, 9:04:17 AM	0	6.746	55.2	87.9	0
4/28/2023, 9:14:17 AM	0	6.754	56.5	86.5	0
4/28/2023, 9:24:17 AM	0	6.754	57.7	85.1	0
4/28/2023, 9:34:17 AM	0	6.754	59	83.7	0
4/28/2023, 9:44:17 AM	0	6.754	60.6	82.3	0
4/28/2023, 9:54:17 AM	0	6.763	62.1	80.4	0
4/28/2023, 10:04:17 AM	0	6.763	63.3	78.5	0
4/28/2023, 10:14:17 AM	0	6.763	64	77	0
4/28/2023, 10:24:17 AM	0	6.772	64.9	75.5	0
4/28/2023, 10:34:17 AM	0	6.772	66	74.3	0
4/28/2023, 10:44:17 AM	0	6.772	67.1	72.7	0
4/28/2023, 10:54:17 AM	0	6.772	68	71.4	0
4/28/2023, 11:04:17 AM	0	6.772	68.7	70.2	0
4/28/2023, 11:14:17 AM	0	6.772	69.4	69.2	0
4/28/2023, 11:24:17 AM	0	6.781	70.2	68.3	0
4/28/2023, 11:34:17 AM	0	6.781	70.7	67.2	0
4/28/2023, 11:44:17 AM	0	6.781	71.1	66.6	0
4/28/2023, 11:54:17 AM	0	6.781	71.4	66	0
4/28/2023, 12:04:17 PM	0	6.781	71.4	65.4	0
4/28/2023, 12:14:17 PM	0	6.781	71.6	65	0
4/28/2023, 12:24:17 PM	0	6.781	72	64.7	0
4/28/2023, 12:34:17 PM	0	6.781	72.1	64	0
4/28/2023, 12:44:17 PM	0	6.781	72.1	63.7	0
4/28/2023, 12:54:17 PM	0	6.781	72.1	63.6	0
4/28/2023, 1:04:17 PM	0	6.781	72	63.3	0
4/28/2023, 1:14:17 PM	0	6.781	71.6	63	0
4/28/2023, 1:24:17 PM	0	6.781	71.2	63	0
4/28/2023, 1:34:17 PM	0	6.781	70.7	63.2	0
4/28/2023, 1:44:17 PM	0	6.781	70.5	63.3	0
4/28/2023, 1:54:17 PM	0	6.781	70	63.2	0
4/28/2023, 2:04:17 PM	0	6.781	69.6	63.2	0
4/28/2023, 2:14:17 PM	0	6.781	69.1	63.5	0
4/28/2023, 2:24:17 PM	0	6.781	68.7	63.7	0
4/28/2023, 2:34:17 PM	0	6.781	68.4	64.1	0
4/28/2023, 2:44:17 PM	0	6.781	68	64.2	0
4/28/2023, 2:54:17 PM	0	6.781	67.6	64.4	0
4/28/2023, 3:04:17 PM	0	6.781	67.3	64.8	0
4/28/2023, 3:14:17 PM	0	6.772	67.1	65	0
4/28/2023, 3:24:17 PM	0	6.772	66.9	65.3	0
4/28/2023, 3:34:17 PM	0	6.772	66.6	65.4	0
4/28/2023, 3:44:17 PM	0	6.772	66.4	65.6	0
4/28/2023, 3:54:17 PM	0	6.772	66	65.8	0
4/28/2023, 4:04:17 PM	0	6.772	65.8	65.9	0
4/28/2023, 4:14:17 PM	0	6.772	65.3	66	0
4/28/2023, 4:24:17 PM	0	6.772	64.9	66.3	0
4/28/2023, 4:34:17 PM	0	6.772	64.8	66.7	0
4/28/2023, 4:44:17 PM	0	6.772	64.6	66.9	0
4/28/2023, 4:54:17 PM	0	6.772	64.6	66.9	0
4/28/2023, 5:04:17 PM	0	6.772	64.2	66.9	0
4/28/2023, 5:14:17 PM	0	6.772	64	66.9	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/28/2023, 5:24:17 PM	0	6.772	63.7	66.7	0
4/28/2023, 5:34:17 PM	0	6.772	63.3	66.6	0
4/28/2023, 5:44:17 PM	0	6.763	63.1	66.6	0
4/28/2023, 5:54:17 PM	0	6.763	62.8	66.7	0
4/28/2023, 6:04:17 PM	0	6.763	62.4	66.7	0
4/28/2023, 6:14:17 PM	0	6.763	62.2	66.7	0
4/28/2023, 6:24:17 PM	0	6.763	62.2	66.6	0
4/28/2023, 6:34:17 PM	0	6.763	62.2	66.4	0
4/28/2023, 6:44:17 PM	0	6.763	62.1	66.4	0
4/28/2023, 6:54:17 PM	0	6.763	61.7	66.6	0
4/28/2023, 7:04:17 PM	0	6.763	61.2	66.9	0
4/28/2023, 7:14:17 PM	0	6.763	60.6	67.3	0
4/28/2023, 7:24:17 PM	0	6.763	59.9	67.8	0
4/28/2023, 7:34:17 PM	0	6.763	59.5	68.3	0
4/28/2023, 7:44:17 PM	0	6.754	58.8	69.1	0
4/28/2023, 7:54:17 PM	0	6.754	58.1	69.9	0
4/28/2023, 8:04:17 PM	0	6.754	57.2	70.7	0
4/28/2023, 8:14:17 PM	0	6.754	56.3	71.6	0
4/28/2023, 8:24:17 PM	0	6.754	55.4	72.7	0
4/28/2023, 8:34:17 PM	0	6.746	54.7	73.6	0
4/28/2023, 8:44:17 PM	0	6.746	54	74.6	0
4/28/2023, 8:54:17 PM	0	6.746	53.4	75.4	0
4/28/2023, 9:04:17 PM	0	6.746	52.9	76.3	0
4/28/2023, 9:14:17 PM	0	6.746	52.3	77.3	0
4/28/2023, 9:24:17 PM	0	6.737	51.8	78.2	0
4/28/2023, 9:34:17 PM	0	6.737	51.3	79	0
4/28/2023, 9:44:17 PM	0	6.737	51.1	79.7	0
4/28/2023, 9:54:17 PM	0	6.737	50.7	80.4	0
4/28/2023, 10:04:17 PM	0	6.737	50.4	81.2	0
4/28/2023, 10:14:17 PM	0	6.737	50.2	81.8	0
4/28/2023, 10:24:17 PM	0	6.737	50	82.4	0
4/28/2023, 10:34:17 PM	0	6.728	49.8	82.9	0
4/28/2023, 10:44:17 PM	0	6.728	49.5	83.5	0
4/28/2023, 10:54:17 PM	0	6.728	49.5	84	0
4/28/2023, 11:04:17 PM	0	6.728	49.3	84.4	0
4/28/2023, 11:14:17 PM	0	6.728	49.3	84.9	0
4/28/2023, 11:24:17 PM	0	6.728	49.1	85.3	0
4/28/2023, 11:34:17 PM	0	6.728	48.9	85.7	0
4/28/2023, 11:44:17 PM	0	6.728	48.9	86	0
4/28/2023, 11:54:17 PM	0	6.728	48.7	86.4	0
4/29/2023, 12:04:17 AM	0	6.728	48.7	86.7	0
4/29/2023, 12:14:17 AM	0	6.728	48.6	87	0
4/29/2023, 12:24:17 AM	0	6.728	48.4	87.3	0
4/29/2023, 12:34:17 AM	0	6.728	48.4	87.5	0
4/29/2023, 12:44:17 AM	0	6.719	48.2	87.8	0
4/29/2023, 12:54:17 AM	0	6.719	48.2	88	0
4/29/2023, 1:04:17 AM	0	6.719	48	88.2	0
4/29/2023, 1:14:17 AM	0	6.719	47.8	88.5	0
4/29/2023, 1:24:17 AM	0	6.719	47.8	88.7	0
4/29/2023, 1:34:17 AM	0	6.719	47.7	88.8	0
4/29/2023, 1:44:17 AM	0	6.719	47.7	89	0
4/29/2023, 1:54:17 AM	0	6.719	47.5	89.2	0
4/29/2023, 2:04:17 AM	0	6.719	47.5	89.4	0
4/29/2023, 2:14:17 AM	0	6.719	47.3	89.5	0
4/29/2023, 2:24:17 AM	0	6.719	47.3	89.7	0
4/29/2023, 2:34:17 AM	0	6.719	47.3	89.8	0
4/29/2023, 2:44:17 AM	0	6.719	47.1	89.9	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/29/2023, 2:54:17 AM	0	6.719	47.1	90.1	0
4/29/2023, 3:04:17 AM	0	6.719	47.1	90.2	0
4/29/2023, 3:14:17 AM	0	6.719	46.9	90.4	0
4/29/2023, 3:24:17 AM	0	6.719	46.9	90.5	0
4/29/2023, 3:34:17 AM	0	6.719	46.9	90.6	0
4/29/2023, 3:44:17 AM	0	6.719	46.9	90.6	0
4/29/2023, 3:54:17 AM	0	6.71	46.9	90.6	0
4/29/2023, 4:04:17 AM	0	6.719	46.8	90.7	0
4/29/2023, 4:14:17 AM	0	6.71	46.8	90.8	0
4/29/2023, 4:24:17 AM	0	6.71	46.8	90.9	0
4/29/2023, 4:34:17 AM	0	6.71	46.6	91	0
4/29/2023, 4:44:17 AM	0	6.71	46.6	91.2	0
4/29/2023, 4:54:17 AM	0	6.71	46.6	91.3	0
4/29/2023, 5:04:17 AM	0	6.71	46.6	91.4	0
4/29/2023, 5:14:17 AM	0	6.71	46.6	91.5	0
4/29/2023, 5:24:17 AM	0	6.71	46.6	91.6	0
4/29/2023, 5:34:17 AM	0	6.71	46.6	91.8	0
4/29/2023, 5:44:17 AM	0	6.71	46.4	91.9	0
4/29/2023, 5:54:17 AM	0	6.71	46.4	92	0
4/29/2023, 6:04:17 AM	0	6.71	46.4	92.1	0
4/29/2023, 6:14:17 AM	0	6.71	46.4	92.3	0
4/29/2023, 6:24:17 AM	0	6.71	46.4	92.4	0
4/29/2023, 6:34:17 AM	0	6.71	46.4	92.5	0
4/29/2023, 6:44:17 AM	0	6.71	46.4	92.6	0
4/29/2023, 6:54:17 AM	0	6.71	46.6	92.7	0
4/29/2023, 7:04:17 AM	0	6.71	46.6	92.8	0
4/29/2023, 7:14:17 AM	0	6.71	46.6	92.9	0
4/29/2023, 7:24:17 AM	0	6.71	46.6	93	0
4/29/2023, 7:34:17 AM	0	6.71	46.6	93.2	0
4/29/2023, 7:44:17 AM	0	6.71	46.8	93.3	0
4/29/2023, 7:54:17 AM	0	6.71	46.8	93.4	0
4/29/2023, 8:04:17 AM	0	6.71	46.8	93.5	0
4/29/2023, 8:14:17 AM	0	6.71	46.9	93.7	0
4/29/2023, 8:24:17 AM	0	6.71	47.1	93.9	0
4/29/2023, 8:34:17 AM	0	6.71	47.1	94	0
4/29/2023, 8:44:17 AM	0	6.71	47.3	94.1	0
4/29/2023, 8:54:17 AM	0	6.71	47.5	94.2	0
4/29/2023, 9:04:17 AM	0	6.71	47.5	94.3	0
4/29/2023, 9:14:17 AM	0	6.71	47.7	94.4	0
4/29/2023, 9:24:17 AM	0	6.71	48	94.6	0
4/29/2023, 9:34:17 AM	0	6.71	48.2	94.9	0
4/29/2023, 9:44:17 AM	0	6.71	48.6	95.1	0
4/29/2023, 9:54:17 AM	0	6.71	48.9	95.4	0
4/29/2023, 10:04:17 AM	0	6.71	49.3	95.5	0
4/29/2023, 10:14:17 AM	0	6.71	49.5	95.6	0
4/29/2023, 10:24:17 AM	0	6.71	49.6	95.8	0
4/29/2023, 10:34:17 AM	0	6.71	50	95.9	0
4/29/2023, 10:44:17 AM	0	6.71	50.4	96	0
4/29/2023, 10:54:17 AM	0	6.71	50.7	96.2	0
4/29/2023, 11:04:17 AM	0	6.719	51.3	96.5	0
4/29/2023, 11:14:17 AM	0	6.719	52	96.8	0
4/29/2023, 11:24:17 AM	0	6.719	52.7	97.3	0
4/29/2023, 11:34:17 AM	0	6.719	53.8	97.6	0
4/29/2023, 11:44:17 AM	0	6.719	55.2	98.1	0
4/29/2023, 11:54:17 AM	0	6.728	56.3	98.1	0
4/29/2023, 12:04:17 PM	0	6.728	56.7	96.9	0
4/29/2023, 12:14:17 PM	0	6.728	56.8	95.6	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/29/2023, 12:24:17 PM	0	6.728	57	94.9	0
4/29/2023, 12:34:17 PM	0	6.728	57.6	94.8	0
4/29/2023, 12:44:17 PM	0	6.728	58.1	94.7	0
4/29/2023, 12:54:17 PM	0	6.737	59	93.8	0
4/29/2023, 1:04:17 PM	0	6.737	60.1	92.3	0
4/29/2023, 1:14:17 PM	0	6.737	61.2	91.3	0
4/29/2023, 1:24:17 PM	0	6.737	61.9	89.3	0
4/29/2023, 1:34:17 PM	0	6.737	61.7	87.8	0
4/29/2023, 1:44:17 PM	0	6.737	61.3	86.9	0
4/29/2023, 1:54:17 PM	0	6.737	61.2	86.2	0
4/29/2023, 2:04:17 PM	0	6.737	61.2	86.2	0
4/29/2023, 2:14:17 PM	0	6.737	61.5	85.9	0
4/29/2023, 2:24:17 PM	0	6.737	61.5	85.2	0
4/29/2023, 2:34:17 PM	0	6.737	61.5	84.7	0
4/29/2023, 2:44:17 PM	0	6.737	61.7	84.5	0
4/29/2023, 2:54:17 PM	0	6.737	62.4	83.7	0
4/29/2023, 3:04:17 PM	0	6.737	62.8	83.2	0
4/29/2023, 3:14:17 PM	0	6.737	63.1	82.3	0
4/29/2023, 3:24:17 PM	0	6.737	63.7	82.2	0
4/29/2023, 3:34:17 PM	0	6.737	64.2	82.3	0
4/29/2023, 3:44:17 PM	0	6.746	65.8	81.1	0
4/29/2023, 3:54:17 PM	0	6.746	66.4	80	0
4/29/2023, 4:04:17 PM	0	6.746	66.4	79.3	0
4/29/2023, 4:14:17 PM	0	6.746	66.9	79.1	0
4/29/2023, 4:24:17 PM	0	6.746	68.5	78.5	0
4/29/2023, 4:34:17 PM	0	6.746	69.8	77.1	0
4/29/2023, 4:44:17 PM	0	6.746	70.5	76.3	0
4/29/2023, 4:54:17 PM	0	6.754	71.1	75.3	0
4/29/2023, 5:04:17 PM	0	6.754	71.4	74.2	0
4/29/2023, 5:14:17 PM	0	6.754	71.4	73.6	0
4/29/2023, 5:24:17 PM	0	6.754	71.6	73	0
4/29/2023, 5:34:17 PM	0	6.754	71.8	72.7	0
4/29/2023, 5:44:17 PM	0	6.754	71.4	72.2	0
4/29/2023, 5:54:17 PM	0	6.754	70.5	71.9	0
4/29/2023, 6:04:17 PM	0	6.754	69.3	71.8	0
4/29/2023, 6:14:17 PM	0	6.754	68	72.1	0
4/29/2023, 6:24:17 PM	0	6.746	66.7	72.6	0
4/29/2023, 6:34:17 PM	0	6.746	65.8	73.1	0
4/29/2023, 6:44:17 PM	0	6.746	64.8	73.7	0
4/29/2023, 6:54:17 PM	0	6.746	64	74.5	0
4/29/2023, 7:04:17 PM	0	6.746	63.3	75.1	0
4/29/2023, 7:14:17 PM	0	6.737	62.6	75.7	0
4/29/2023, 7:24:17 PM	0	6.737	61.9	76.4	0
4/29/2023, 7:34:17 PM	0	6.737	61.3	77.1	0
4/29/2023, 7:44:17 PM	0	6.737	60.8	77.7	0
4/29/2023, 7:54:17 PM	0	6.737	60.3	78.4	0
4/29/2023, 8:04:17 PM	0	6.737	59.9	79	0
4/29/2023, 8:14:17 PM	0	6.728	59.5	79.5	0
4/29/2023, 8:24:17 PM	0	6.728	59	80.1	0
4/29/2023, 8:34:17 PM	0	6.728	58.8	80.7	0
4/29/2023, 8:44:17 PM	0	6.728	58.5	81.3	0
4/29/2023, 8:54:17 PM	0	6.728	58.3	81.8	0
4/29/2023, 9:04:17 PM	0	6.728	57.9	82.2	0
4/29/2023, 9:14:17 PM	0	6.728	57.7	82.7	0
4/29/2023, 9:24:17 PM	0	6.728	57.6	83.3	0
4/29/2023, 9:34:17 PM	0	6.719	57.2	83.9	0
4/29/2023, 9:44:17 PM	0	6.719	56.8	84.4	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/29/2023, 9:54:17 PM	0	6.719	56.7	84.9	0
4/29/2023, 10:04:17 PM	0	6.719	56.5	85.5	0
4/29/2023, 10:14:17 PM	0	6.719	56.3	86	0
4/29/2023, 10:24:17 PM	0	6.719	56.1	86.4	0
4/29/2023, 10:34:17 PM	0	6.719	55.9	86.8	0
4/29/2023, 10:44:17 PM	0	6.719	55.8	87.2	0
4/29/2023, 10:54:17 PM	0	6.719	55.6	87.6	0
4/29/2023, 11:04:17 PM	0	6.719	55.4	87.9	0
4/29/2023, 11:14:17 PM	0	6.719	55.4	88.2	0
4/29/2023, 11:24:17 PM	0	6.719	55.2	88.5	0
4/29/2023, 11:34:17 PM	0	6.71	55	88.8	0
4/29/2023, 11:44:17 PM	0	6.71	55	89	0
4/29/2023, 11:54:17 PM	0	6.71	55	89.3	0
4/30/2023, 12:04:17 AM	0	6.71	54.9	89.5	0
4/30/2023, 12:14:17 AM	0	6.71	54.9	89.8	0
4/30/2023, 12:24:17 AM	0	6.71	54.9	90	0
4/30/2023, 12:34:17 AM	0	6.71	54.9	90.2	0
4/30/2023, 12:44:17 AM	0	6.71	54.9	90.3	0
4/30/2023, 12:54:17 AM	0	6.71	54.7	90.4	0
4/30/2023, 1:04:17 AM	0	6.71	54.7	90.4	0
4/30/2023, 1:14:17 AM	0	6.71	54.7	90.5	0
4/30/2023, 1:24:17 AM	0	6.71	54.5	90.6	0
4/30/2023, 1:34:17 AM	0	6.71	54.5	90.7	0
4/30/2023, 1:44:17 AM	0	6.71	54.3	90.7	0
4/30/2023, 1:54:17 AM	0	6.71	54.3	90.8	0
4/30/2023, 2:04:17 AM	0	6.71	54.1	90.7	0
4/30/2023, 2:14:17 AM	0	6.71	54	90.3	0
4/30/2023, 2:24:17 AM	0	6.71	53.6	89.9	0
4/30/2023, 2:34:17 AM	0	6.71	53.1	89.5	0
4/30/2023, 2:44:17 AM	0	6.702	52.7	89.5	0
4/30/2023, 2:54:17 AM	0	6.702	52.3	89.5	0
4/30/2023, 3:04:17 AM	0	6.702	52.2	89.6	0
4/30/2023, 3:14:17 AM	0	6.702	52	89.7	0
4/30/2023, 3:24:17 AM	0	6.702	51.8	89.9	0
4/30/2023, 3:34:17 AM	0	6.702	51.8	90	0
4/30/2023, 3:44:17 AM	0	6.702	51.6	90.1	0
4/30/2023, 3:54:17 AM	0	6.702	51.4	90.2	0
4/30/2023, 4:04:17 AM	0	6.702	51.3	90	0
4/30/2023, 4:14:17 AM	0	6.693	50.9	89.9	0
4/30/2023, 4:24:17 AM	0	6.693	50.7	90.1	0
4/30/2023, 4:34:17 AM	0	6.693	50.7	90.4	0
4/30/2023, 4:44:17 AM	0	6.693	50.7	90.7	0
4/30/2023, 4:54:17 AM	0	6.693	50.7	90.8	0
4/30/2023, 5:04:17 AM	0	6.693	50.7	90.9	0
4/30/2023, 5:14:17 AM	0	6.693	50.5	90.9	0
4/30/2023, 5:24:17 AM	0	6.693	50.4	90.9	0
4/30/2023, 5:34:17 AM	0	6.693	50.4	91.1	0
4/30/2023, 5:44:17 AM	0	6.693	50.4	91.5	0
4/30/2023, 5:54:17 AM	0	6.693	50.5	91.9	0
4/30/2023, 6:04:17 AM	0	6.693	50.7	92.3	0
4/30/2023, 6:14:17 AM	0	6.693	50.9	92.7	0
4/30/2023, 6:24:17 AM	0	6.693	51.1	92.9	0
4/30/2023, 6:34:17 AM	0	6.693	51.3	93.1	0
4/30/2023, 6:44:17 AM	0	6.693	51.3	93.3	0
4/30/2023, 6:54:17 AM	0	6.693	51.4	93.5	0
4/30/2023, 7:04:17 AM	0	6.693	51.4	93.6	0
4/30/2023, 7:14:17 AM	0	6.693	51.8	93.9	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/30/2023, 7:24:17 AM	0	6.693	51.8	94.1	0
4/30/2023, 7:34:17 AM	0	6.693	52.2	94.3	0
4/30/2023, 7:44:17 AM	0	6.693	52.3	94.6	0
4/30/2023, 7:54:17 AM	0	6.693	52.5	94.8	0
4/30/2023, 8:04:17 AM	0	6.702	52.9	94.9	0
4/30/2023, 8:14:17 AM	0	6.693	53.1	95.1	0
4/30/2023, 8:24:17 AM	0	6.702	53.2	95.2	0
4/30/2023, 8:34:17 AM	0	6.702	53.4	95.2	0
4/30/2023, 8:44:17 AM	0	6.702	53.4	95.3	0
4/30/2023, 8:54:17 AM	0	6.702	53.6	95.5	0
4/30/2023, 9:04:17 AM	0	6.702	54	95.8	0
4/30/2023, 9:14:17 AM	0	6.702	54.1	96.1	0
4/30/2023, 9:24:17 AM	0	6.702	54.5	96.3	0
4/30/2023, 9:34:17 AM	0	6.702	54.7	96.4	0
4/30/2023, 9:44:17 AM	0	6.702	54.9	96.4	0
4/30/2023, 9:54:17 AM	0	6.702	54.9	96.3	0
4/30/2023, 10:04:17 AM	0	6.702	55	96.4	0
4/30/2023, 10:14:17 AM	0	6.702	55.4	96.6	0
4/30/2023, 10:24:17 AM	0	6.702	55.6	96.7	0
4/30/2023, 10:34:17 AM	0	6.702	55.8	96.6	0
4/30/2023, 10:44:17 AM	0	6.702	55.8	96.5	0
4/30/2023, 10:54:17 AM	0	6.702	55.9	96.5	0
4/30/2023, 11:04:17 AM	0	6.702	55.9	96.5	0
4/30/2023, 11:14:17 AM	0	6.702	56.1	96.5	0
4/30/2023, 11:24:17 AM	0	6.702	56.3	96.5	0
4/30/2023, 11:34:17 AM	0	6.702	56.3	96.5	0
4/30/2023, 11:44:17 AM	0	6.702	56.5	96.6	0
4/30/2023, 11:54:17 AM	0	6.702	56.7	96.7	0
4/30/2023, 12:04:17 PM	0	6.702	56.8	96.9	0
4/30/2023, 12:14:17 PM	0	6.702	57	96.8	0
4/30/2023, 12:24:17 PM	0	6.71	57	96.6	0
4/30/2023, 12:34:17 PM	0	6.71	57	96.5	0
4/30/2023, 12:44:17 PM	0	6.71	57	96.3	0
4/30/2023, 12:54:17 PM	0	6.71	57	96.3	0
4/30/2023, 1:04:17 PM	0	6.71	57	96.3	0
4/30/2023, 1:14:17 PM	0	6.71	57	96.4	0
4/30/2023, 1:24:17 PM	0	6.702	57.2	96.5	0
4/30/2023, 1:34:17 PM	0	6.71	57.2	96.5	0
4/30/2023, 1:44:17 PM	0	6.71	57.2	96.6	0
4/30/2023, 1:54:17 PM	0	6.71	57.2	96.6	0
4/30/2023, 2:04:17 PM	0	6.71	57.2	96.6	0
4/30/2023, 2:14:17 PM	0	6.71	57.4	96.7	0
4/30/2023, 2:24:17 PM	0	6.71	57.4	96.7	0
4/30/2023, 2:34:17 PM	0	6.71	57.4	96.8	0
4/30/2023, 2:44:17 PM	0	6.71	57.4	96.8	0
4/30/2023, 2:54:17 PM	0	6.71	57.4	96.8	0
4/30/2023, 3:04:17 PM	0	6.71	57.4	96.9	0
4/30/2023, 3:14:17 PM	0	6.71	57.6	96.9	0
4/30/2023, 3:24:17 PM	0	6.71	57.6	97	0
4/30/2023, 3:34:17 PM	0	6.71	57.6	97.1	0
4/30/2023, 3:44:17 PM	0	6.71	57.6	97.1	0
4/30/2023, 3:54:17 PM	0	6.71	57.6	97.1	0
4/30/2023, 4:04:17 PM	0	6.71	57.6	97.1	0
4/30/2023, 4:14:17 PM	0	6.702	57.4	97	0
4/30/2023, 4:24:17 PM	0	6.702	57.2	96.7	0
4/30/2023, 4:34:17 PM	0	6.702	57	96.6	0
4/30/2023, 4:44:17 PM	0	6.702	56.8	96.5	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/30/2023, 4:54:17 PM	0	6.702	56.8	96.5	0
4/30/2023, 5:04:17 PM	0	6.702	56.7	96.6	0
4/30/2023, 5:14:17 PM	0	6.702	56.7	96.6	0
4/30/2023, 5:24:17 PM	0	6.702	56.7	96.6	0
4/30/2023, 5:34:17 PM	0	6.702	56.7	96.7	0
4/30/2023, 5:44:17 PM	0	6.702	56.7	96.8	0
4/30/2023, 5:54:17 PM	0	6.702	56.7	96.8	0
4/30/2023, 6:04:17 PM	0	6.702	56.7	96.9	0
4/30/2023, 6:14:17 PM	0	6.702	56.7	97	0
4/30/2023, 6:24:17 PM	0	6.702	56.7	97.1	0
4/30/2023, 6:34:17 PM	0	6.702	56.7	97.2	0
4/30/2023, 6:44:17 PM	0	6.702	56.7	97.2	0
4/30/2023, 6:54:17 PM	0	6.702	56.7	97.1	0
4/30/2023, 7:04:17 PM	0	6.702	56.7	97.1	0
4/30/2023, 7:14:17 PM	0	6.702	56.5	97	0
4/30/2023, 7:24:17 PM	0	6.702	56.3	96.9	0
4/30/2023, 7:34:17 PM	0	6.702	56.3	96.8	0
4/30/2023, 7:44:17 PM	0	6.702	55.9	96.5	0
4/30/2023, 7:54:17 PM	0	6.693	55.6	96.2	0
4/30/2023, 8:04:17 PM	0	6.693	55	95.8	0
4/30/2023, 8:14:17 PM	0	6.693	54.5	95.1	0
4/30/2023, 8:24:17 PM	0	6.693	53.6	94.4	0
4/30/2023, 8:34:17 PM	0	6.693	52.9	93.9	0
4/30/2023, 8:44:17 PM	0	6.684	52.2	93.6	0
4/30/2023, 8:54:17 PM	0	6.684	51.6	93.5	0
4/30/2023, 9:04:17 PM	0	6.684	51.3	93.5	0
4/30/2023, 9:14:17 PM	0	6.684	50.7	93.4	0
4/30/2023, 9:24:17 PM	0	6.675	50.4	93.3	0
4/30/2023, 9:34:17 PM	0	6.675	50	93.4	0
4/30/2023, 9:44:17 PM	0	6.675	49.6	93.4	0
4/30/2023, 9:54:17 PM	0	6.675	49.5	93.4	0
4/30/2023, 10:04:17 PM	0	6.675	49.1	93.6	0
4/30/2023, 10:14:17 PM	0	6.675	48.9	93.7	0
4/30/2023, 10:24:17 PM	0	6.667	48.7	93.9	0
4/30/2023, 10:34:17 PM	0	6.667	48.7	94	0
4/30/2023, 10:44:17 PM	0	6.667	48.6	94.2	0
4/30/2023, 10:54:17 PM	0	6.667	48.4	94.4	0
4/30/2023, 11:04:17 PM	0	6.667	48.4	94.4	0
4/30/2023, 11:14:17 PM	0	6.667	48.4	94.5	0
4/30/2023, 11:24:17 PM	0	6.667	48.2	94.7	0
4/30/2023, 11:34:17 PM	0	6.667	48.2	94.8	0
4/30/2023, 11:44:17 PM	0	6.667	48.2	94.8	0
4/30/2023, 11:54:17 PM	0	6.667	48	94.9	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/1/2023, 12:04:00 AM	0	6.886	48.7	87.3	
4/1/2023, 12:14:00 AM	0	6.886	48.7	87.3	
4/1/2023, 12:24:00 AM	0	6.886	48.7	87.2	
4/1/2023, 12:34:00 AM	0	6.886	48.6	87.2	
4/1/2023, 12:44:00 AM	0	6.886	48.7	87.3	
4/1/2023, 12:54:00 AM	0	6.886	48.7	87.4	0
4/1/2023, 1:04:00 AM	0	6.886	48.9	87.4	0
4/1/2023, 1:14:00 AM	0	6.886	49.1	87.5	0
4/1/2023, 1:24:00 AM	0	6.886	49.1	87.4	0
4/1/2023, 1:34:00 AM	0	6.886	49.1	87.4	0
4/1/2023, 1:44:00 AM	0	6.886	49.3	87.3	0
4/1/2023, 1:54:00 AM	0	6.886	49.3	87.3	0
4/1/2023, 2:04:00 AM	0	6.886	49.3	87.3	0
4/1/2023, 2:14:00 AM	0	6.886	49.3	87.2	0
4/1/2023, 2:24:00 AM	0	6.886	49.1	87.3	0
4/1/2023, 2:34:00 AM	0	6.886	48.9	87.3	0
4/1/2023, 2:44:00 AM	0	6.886	48.7	87.5	0
4/1/2023, 2:54:00 AM	0	6.886	48.6	87.7	0
4/1/2023, 3:04:00 AM	0	6.886	48.6	88.1	0
4/1/2023, 3:14:00 AM	0	6.886	48.4	88.4	0
4/1/2023, 3:24:00 AM	0	6.886	48.4	88.6	0
4/1/2023, 3:34:00 AM	0	6.886	48.2	88.9	0
4/1/2023, 3:44:00 AM	0	6.877	48.2	89.1	0
4/1/2023, 3:54:00 AM	0	6.877	48.2	89.3	0
4/1/2023, 4:04:00 AM	0	6.877	48.2	89.6	0
4/1/2023, 4:14:00 AM	0	6.886	48.2	89.8	0
4/1/2023, 4:24:00 AM	0	6.877	48.2	90.1	0
4/1/2023, 4:34:00 AM	0	6.877	48.2	90.3	0
4/1/2023, 4:44:00 AM	0	6.877	48.4	90.5	0
4/1/2023, 4:54:00 AM	0	6.877	48.4	90.8	0
4/1/2023, 5:04:00 AM	0	6.886	48.4	91	0
4/1/2023, 5:14:00 AM	0	6.877	48.6	91.2	0
4/1/2023, 5:24:00 AM	0	6.877	48.6	91.3	0
4/1/2023, 5:34:00 AM	0	6.886	48.7	91.5	0
4/1/2023, 5:44:00 AM	0	6.886	48.7	91.8	0
4/1/2023, 5:54:00 AM	0	6.886	48.9	92	0
4/1/2023, 6:04:00 AM	0	6.886	49.1	92.2	0
4/1/2023, 6:14:00 AM	0	6.886	49.3	92.5	0
4/1/2023, 6:24:00 AM	0	6.886	49.5	92.7	0
4/1/2023, 6:34:00 AM	0	6.886	49.5	92.8	0
4/1/2023, 6:44:00 AM	0	6.886	49.5	92.7	0
4/1/2023, 6:54:00 AM	0	6.886	49.6	92.8	0
4/1/2023, 7:04:00 AM	0	6.886	50.2	93.1	0
4/1/2023, 7:14:00 AM	0	6.886	50.7	93.5	0
4/1/2023, 7:24:00 AM	0	6.886	51.3	93.9	0
4/1/2023, 7:34:00 AM	0	6.886	52	94.2	0
4/1/2023, 7:44:00 AM	0	6.886	52.7	94.6	0
4/1/2023, 7:54:00 AM	0	6.886	53.2	94.8	0
4/1/2023, 8:04:00 AM	0	6.886	54	95	0
4/1/2023, 8:14:00 AM	0	6.886	54.5	95.1	0
4/1/2023, 8:24:00 AM	0	6.886	55	94.8	0
4/1/2023, 8:34:00 AM	0	6.895	55.6	94.1	0
4/1/2023, 8:44:00 AM	0	6.895	56.3	92.9	0
4/1/2023, 8:54:00 AM	0	6.895	57	91.2	0
4/1/2023, 9:04:00 AM	0	6.895	58.1	89.6	0
4/1/2023, 9:14:00 AM	0	6.895	58.8	87.8	0
4/1/2023, 9:24:00 AM	0	6.895	59.5	86.1	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/1/2023, 9:34:00 AM	0	6.895	60.3	84.2	0
4/1/2023, 9:44:00 AM	0	6.895	61.2	82.3	0
4/1/2023, 9:54:00 AM	0	6.895	61.9	80.5	0
4/1/2023, 10:04:00 AM	0	6.904	62.6	78.6	0
4/1/2023, 10:14:00 AM	0	6.904	63.5	77	0
4/1/2023, 10:24:00 AM	0	6.904	64.2	75.3	0
4/1/2023, 10:34:00 AM	0	6.904	64.9	73.5	0
4/1/2023, 10:44:00 AM	0	6.904	65.7	71.7	0
4/1/2023, 10:54:00 AM	0	6.904	66.4	70	0
4/1/2023, 11:04:00 AM	0	6.904	66.9	68.7	0
4/1/2023, 11:14:00 AM	0	6.904	67.6	67.6	0
4/1/2023, 11:24:00 AM	0	6.904	68	66.6	0
4/1/2023, 11:34:00 AM	0	6.904	68.2	65.5	0
4/1/2023, 11:44:00 AM	0	6.904	68.5	64.8	0
4/1/2023, 11:54:00 AM	0	6.904	68.9	64	0
4/1/2023, 12:04:00 PM	0	6.904	69.1	63.2	0
4/1/2023, 12:14:00 PM	0	6.904	69.3	62.6	0
4/1/2023, 12:24:00 PM	0	6.904	69.6	62.2	0
4/1/2023, 12:34:00 PM	0	6.904	70	61.6	0
4/1/2023, 12:44:00 PM	0	6.904	70.5	61.1	0
4/1/2023, 12:54:00 PM	0	6.904	71.4	60.7	0
4/1/2023, 1:04:00 PM	0	6.913	71.6	60	0
4/1/2023, 1:14:00 PM	0	6.913	71.6	59.6	0
4/1/2023, 1:24:00 PM	0	6.913	71.4	59.2	0
4/1/2023, 1:34:00 PM	0	6.913	71.6	58.8	0
4/1/2023, 1:44:00 PM	0	6.913	72	58.7	0
4/1/2023, 1:54:00 PM	0	6.913	72.3	58.4	0
4/1/2023, 2:04:00 PM	0	6.913	72.9	57.9	0
4/1/2023, 2:14:00 PM	0	6.913	73.2	57.5	0
4/1/2023, 2:24:00 PM	0	6.913	73.2	57.1	0
4/1/2023, 2:34:00 PM	0	6.913	72.9	56.8	0
4/1/2023, 2:44:00 PM	0	6.913	72.7	56.6	0
4/1/2023, 2:54:00 PM	0	6.913	72.5	56.4	0
4/1/2023, 3:04:00 PM	0	6.913	72.1	56.3	0
4/1/2023, 3:14:00 PM	0	6.913	71.8	56.6	0
4/1/2023, 3:24:00 PM	0	6.913	70.9	56.7	0
4/1/2023, 3:34:00 PM	0	6.913	69.4	56.8	0
4/1/2023, 3:44:00 PM	0	6.913	67.3	57	0
4/1/2023, 3:54:00 PM	0	6.913	65.3	57.7	0
4/1/2023, 4:04:00 PM	0	6.913	62.4	59.3	0
4/1/2023, 4:14:00 PM	0	6.913	59.5	61.3	0
4/1/2023, 4:24:00 PM	0	6.904	57	63.6	0
4/1/2023, 4:34:00 PM	0	6.904	55.2	65.6	0
4/1/2023, 4:44:00 PM	0	6.904	53.6	67.6	0
4/1/2023, 4:54:00 PM	0	6.895	52.3	69.3	0
4/1/2023, 5:04:00 PM	0	6.895	51.6	71.2	0
4/1/2023, 5:14:00 PM	0	6.895	51.6	73.3	0
4/1/2023, 5:24:00 PM	0	6.895	51.8	75.1	0
4/1/2023, 5:34:00 PM	0	6.895	51.8	76.3	0
4/1/2023, 5:44:00 PM	0	6.895	51.8	77	0
4/1/2023, 5:54:00 PM	0	6.895	51.8	77.3	0
4/1/2023, 6:04:00 PM	0	6.895	51.8	77.4	0
4/1/2023, 6:14:00 PM	0	6.886	51.6	77.5	0
4/1/2023, 6:24:00 PM	0	6.886	51.6	77.6	0
4/1/2023, 6:34:00 PM	0	6.886	51.3	77.5	0
4/1/2023, 6:44:00 PM	0	6.886	51.3	77.5	0
4/1/2023, 6:54:00 PM	0	6.886	51.1	77.6	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/1/2023, 7:04:00 PM	0	6.886	50.7	77.7	0
4/1/2023, 7:14:00 PM	0	6.886	50.2	77.5	0
4/1/2023, 7:24:00 PM	0	6.886	49.3	77.2	0
4/1/2023, 7:34:00 PM	0	6.886	48.2	77.3	0
4/1/2023, 7:44:00 PM	0	6.886	47.3	77.5	0
4/1/2023, 7:54:00 PM	0	6.886	46.4	77.9	0
4/1/2023, 8:04:00 PM	0	6.886	45.5	78.1	0
4/1/2023, 8:14:00 PM	0	6.877	44.6	78.1	0
4/1/2023, 8:24:00 PM	0	6.877	43.7	78.1	0
4/1/2023, 8:34:00 PM	0	6.877	42.8	78.3	0
4/1/2023, 8:44:00 PM	0	6.877	42.3	78.7	0
4/1/2023, 8:54:00 PM	0	6.877	41.7	79	0
4/1/2023, 9:04:00 PM	0	6.877	41.4	79.3	0
4/1/2023, 9:14:00 PM	0	6.869	41	79.6	0
4/1/2023, 9:24:00 PM	0	6.869	40.6	79.9	0
4/1/2023, 9:34:00 PM	0	6.869	40.3	80.2	0
4/1/2023, 9:44:00 PM	0	6.869	40.1	80.4	0
4/1/2023, 9:54:00 PM	0	6.869	39.7	80.6	0
4/1/2023, 10:04:00 PM	0	6.869	39.4	80.8	0
4/1/2023, 10:14:00 PM	0	6.869	39	81	0
4/1/2023, 10:24:00 PM	0	6.869	38.8	81.3	0
4/1/2023, 10:34:00 PM	0	6.869	38.5	81.6	0
4/1/2023, 10:44:00 PM	0	6.86	38.1	81.8	0
4/1/2023, 10:54:00 PM	0	6.86	37.8	81.9	0
4/1/2023, 11:04:00 PM	0	6.86	37.4	82.1	0
4/1/2023, 11:14:00 PM	0	6.86	37	82.4	0
4/1/2023, 11:24:00 PM	0	6.86	36.5	82.5	0
4/1/2023, 11:34:00 PM	0	6.86	36.1	82.7	0
4/1/2023, 11:44:00 PM	0	6.86	36	83	0
4/1/2023, 11:54:00 PM	0	6.86	35.8	83.2	0
4/2/2023, 12:04:00 AM	0	6.86	35.6	83.5	0
4/2/2023, 12:14:00 AM	0	6.86	35.4	83.7	0
4/2/2023, 12:24:00 AM	0	6.851	35.2	83.8	0
4/2/2023, 12:34:00 AM	0	6.851	35.2	83.9	0
4/2/2023, 12:44:00 AM	0	6.851	35.1	83.9	0
4/2/2023, 12:54:00 AM	0	6.851	34.9	83.8	0
4/2/2023, 1:04:00 AM	0	6.851	34.9	83.6	0
4/2/2023, 1:14:00 AM	0	6.851	34.7	83.4	0
4/2/2023, 1:24:00 AM	0	6.851	34.5	83.1	0
4/2/2023, 1:34:00 AM	0	6.851	34.3	82.8	0
4/2/2023, 1:44:00 AM	0	6.851	34	82.4	0
4/2/2023, 1:54:00 AM	0	6.851	34	82.1	0
4/2/2023, 2:04:00 AM	0	6.851	33.8	81.7	0
4/2/2023, 2:14:00 AM	0	6.851	33.6	81.4	0
4/2/2023, 2:24:00 AM	0	6.851	33.4	81	0
4/2/2023, 2:34:00 AM	0	6.851	33.1	80.7	0
4/2/2023, 2:44:00 AM	0	6.851	32.9	80.2	0
4/2/2023, 2:54:00 AM	0	6.851	32.7	79.8	0
4/2/2023, 3:04:00 AM	0	6.851	32.4	79.3	0
4/2/2023, 3:14:00 AM	0	6.851	32.2	79	0
4/2/2023, 3:24:00 AM	0	6.842	32	78.5	0
4/2/2023, 3:34:00 AM	0	6.842	31.8	78	0
4/2/2023, 3:44:00 AM	0	6.842	31.3	77.4	0
4/2/2023, 3:54:00 AM	0	6.842	30.9	76.8	0
4/2/2023, 4:04:00 AM	0	6.842	30.6	76.2	0
4/2/2023, 4:14:00 AM	0	6.842	30.4	75.5	0
4/2/2023, 4:24:00 AM	0	6.842	30	74.9	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/2/2023, 4:34:00 AM	0	6.842	29.7	74.5	0
4/2/2023, 4:44:00 AM	0	6.833	29.3	74	0
4/2/2023, 4:54:00 AM	0	6.833	29.1	73.6	0
4/2/2023, 5:04:00 AM	0	6.833	28.9	73.2	0
4/2/2023, 5:14:00 AM	0	6.833	28.8	72.8	0
4/2/2023, 5:24:00 AM	0	6.833	28.4	72.5	0
4/2/2023, 5:34:00 AM	0	6.833	28.2	72	0
4/2/2023, 5:44:00 AM	0	6.833	28	71.5	0
4/2/2023, 5:54:00 AM	0	6.833	27.9	71.1	0
4/2/2023, 6:04:00 AM	0	6.833	27.5	70.6	0
4/2/2023, 6:14:00 AM	0	6.833	27.3	70.3	0
4/2/2023, 6:24:00 AM	0	6.833	27.1	70.1	0
4/2/2023, 6:34:00 AM	0	6.825	27.1	70	0
4/2/2023, 6:44:00 AM	0	6.825	27	70	0
4/2/2023, 6:54:00 AM	0	6.825	26.8	69.9	0
4/2/2023, 7:04:00 AM	0	6.825	26.6	69.8	0
4/2/2023, 7:14:00 AM	0	6.825	26.6	69.7	0
4/2/2023, 7:24:00 AM	0	6.825	26.4	69.7	0
4/2/2023, 7:34:00 AM	0	6.825	26.4	69.7	0
4/2/2023, 7:44:00 AM	0	6.825	26.6	69.6	0
4/2/2023, 7:54:00 AM	0	6.825	26.8	69.5	0
4/2/2023, 8:04:00 AM	0	6.825	26.8	69.4	0
4/2/2023, 8:14:00 AM	0	6.825	27.1	69.3	0
4/2/2023, 8:24:00 AM	0	6.825	27.5	69.2	0
4/2/2023, 8:34:00 AM	0	6.825	27.9	69.2	0
4/2/2023, 8:44:00 AM	0	6.825	28	69	0
4/2/2023, 8:54:00 AM	0	6.833	28.4	68.8	0
4/2/2023, 9:04:00 AM	0	6.833	28.9	68.6	0
4/2/2023, 9:14:00 AM	0	6.833	29.3	68.4	0
4/2/2023, 9:24:00 AM	0	6.833	29.7	68.1	0
4/2/2023, 9:34:00 AM	0	6.833	30.2	68	0
4/2/2023, 9:44:00 AM	0	6.833	30.7	67.6	0
4/2/2023, 9:54:00 AM	0	6.833	31.5	67.4	0
4/2/2023, 10:04:00 AM	0	6.833	32.2	67.2	0
4/2/2023, 10:14:00 AM	0	6.842	33.1	67	0
4/2/2023, 10:24:00 AM	0	6.842	33.6	66.8	0
4/2/2023, 10:34:00 AM	0	6.842	34.2	66.4	0
4/2/2023, 10:44:00 AM	0	6.842	34.7	66	0
4/2/2023, 10:54:00 AM	0	6.842	35.2	65.9	0
4/2/2023, 11:04:00 AM	0	6.851	36.3	65.8	0
4/2/2023, 11:14:00 AM	0	6.851	37	65.6	0
4/2/2023, 11:24:00 AM	0	6.851	37.4	65.1	0
4/2/2023, 11:34:00 AM	0	6.851	37.8	64.6	0
4/2/2023, 11:44:00 AM	0	6.851	37.9	64.2	0
4/2/2023, 11:54:00 AM	0	6.851	38.1	63.6	0
4/2/2023, 12:04:00 PM	0	6.86	38.5	62.9	0
4/2/2023, 12:14:00 PM	0	6.86	38.7	62.4	0
4/2/2023, 12:24:00 PM	0	6.86	39	62	0
4/2/2023, 12:34:00 PM	0	6.86	39.2	61.6	0
4/2/2023, 12:44:00 PM	0	6.86	39.4	61.1	0
4/2/2023, 12:54:00 PM	0	6.86	39.7	60.9	0
4/2/2023, 1:04:00 PM	0	6.86	39.7	60.6	0
4/2/2023, 1:14:00 PM	0	6.86	39.6	60.2	0
4/2/2023, 1:24:00 PM	0	6.86	39.2	59.9	0
4/2/2023, 1:34:00 PM	0	6.86	39.2	59.7	0
4/2/2023, 1:44:00 PM	0	6.86	39.2	59.5	0
4/2/2023, 1:54:00 PM	0	6.86	39.2	59.3	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/2/2023, 2:04:00 PM	0	6.86	39.7	59.3	0
4/2/2023, 2:14:00 PM	0	6.86	40.1	59.3	0
4/2/2023, 2:24:00 PM	0	6.86	40.3	59	0
4/2/2023, 2:34:00 PM	0	6.86	40.5	58.9	0
4/2/2023, 2:44:00 PM	0	6.86	40.6	58.6	0
4/2/2023, 2:54:00 PM	0	6.86	40.6	58.4	0
4/2/2023, 3:04:00 PM	0	6.86	40.6	58.1	0
4/2/2023, 3:14:00 PM	0	6.86	40.5	57.8	0
4/2/2023, 3:24:00 PM	0	6.86	40.3	57.6	0
4/2/2023, 3:34:00 PM	0	6.86	40.3	57.4	0
4/2/2023, 3:44:00 PM	0	6.86	40.3	57.2	0
4/2/2023, 3:54:00 PM	0	6.86	40.6	57.2	0
4/2/2023, 4:04:00 PM	0	6.86	40.8	57.1	0
4/2/2023, 4:14:00 PM	0	6.86	41	57	0
4/2/2023, 4:24:00 PM	0	6.869	41.2	57	0
4/2/2023, 4:34:00 PM	0	6.869	41.2	56.8	0
4/2/2023, 4:44:00 PM	0	6.869	41.2	56.6	0
4/2/2023, 4:54:00 PM	0	6.869	40.8	56.4	0
4/2/2023, 5:04:00 PM	0	6.869	40.6	56.1	0
4/2/2023, 5:14:00 PM	0	6.869	40.6	56	0
4/2/2023, 5:24:00 PM	0	6.869	40.6	55.8	0
4/2/2023, 5:34:00 PM	0	6.869	40.5	55.6	0
4/2/2023, 5:44:00 PM	0	6.869	40.3	55.4	0
4/2/2023, 5:54:00 PM	0	6.869	40.3	55.3	0
4/2/2023, 6:04:00 PM	0	6.869	40.1	55.3	0
4/2/2023, 6:14:00 PM	0	6.869	39.9	55.2	0
4/2/2023, 6:24:00 PM	0	6.869	39.6	55.1	0
4/2/2023, 6:34:00 PM	0	6.869	39.4	54.9	0
4/2/2023, 6:44:00 PM	0	6.86	39	54.9	0
4/2/2023, 6:54:00 PM	0	6.86	38.8	54.9	0
4/2/2023, 7:04:00 PM	0	6.86	38.5	54.9	0
4/2/2023, 7:14:00 PM	0	6.86	38.3	54.9	0
4/2/2023, 7:24:00 PM	0	6.86	37.9	54.9	0
4/2/2023, 7:34:00 PM	0	6.86	37.4	55	0
4/2/2023, 7:44:00 PM	0	6.86	37	55.1	0
4/2/2023, 7:54:00 PM	0	6.86	36.3	55.4	0
4/2/2023, 8:04:00 PM	0	6.86	35.8	55.7	0
4/2/2023, 8:14:00 PM	0	6.86	35.1	56.2	0
4/2/2023, 8:24:00 PM	0	6.86	34.5	56.7	0
4/2/2023, 8:34:00 PM	0	6.851	34	57	0
4/2/2023, 8:44:00 PM	0	6.851	33.6	57.3	0
4/2/2023, 8:54:00 PM	0	6.851	33.1	57.9	0
4/2/2023, 9:04:00 PM	0	6.851	32.7	58.7	0
4/2/2023, 9:14:00 PM	0	6.851	32.4	59.9	0
4/2/2023, 9:24:00 PM	0	6.851	32	61.1	0
4/2/2023, 9:34:00 PM	0	6.842	31.8	62.3	0
4/2/2023, 9:44:00 PM	0	6.842	31.6	63.3	0
4/2/2023, 9:54:00 PM	0	6.842	31.3	64.2	0
4/2/2023, 10:04:00 PM	0	6.842	31.1	64.8	0
4/2/2023, 10:14:00 PM	0	6.842	31.1	65.2	0
4/2/2023, 10:24:00 PM	0	6.842	30.9	65.5	0
4/2/2023, 10:34:00 PM	0	6.842	30.7	65.7	0
4/2/2023, 10:44:00 PM	0	6.842	30.7	65.8	0
4/2/2023, 10:54:00 PM	0	6.842	30.7	65.9	0
4/2/2023, 11:04:00 PM	0	6.842	30.7	66	0
4/2/2023, 11:14:00 PM	0	6.842	30.7	66.3	0
4/2/2023, 11:24:00 PM	0	6.842	30.4	66.5	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/2/2023, 11:34:00 PM	0	6.842	30.2	66.6	0
4/2/2023, 11:44:00 PM	0	6.842	30	66.7	0
4/2/2023, 11:54:00 PM	0	6.833	29.8	66.9	0
4/3/2023, 12:04:00 AM	0	6.833	29.8	67.2	0
4/3/2023, 12:14:00 AM	0	6.833	29.8	67.5	0
4/3/2023, 12:24:00 AM	0	6.833	30	67.8	0
4/3/2023, 12:34:00 AM	0	6.833	30.2	68	0
4/3/2023, 12:44:00 AM	0	6.833	30.4	68.1	0
4/3/2023, 12:54:00 AM	0	6.833	30.6	68.1	0
4/3/2023, 1:04:00 AM	0	6.833	30.9	68.1	0
4/3/2023, 1:14:00 AM	0	6.842	30.9	68	0
4/3/2023, 1:24:00 AM	0	6.842	31.1	67.7	0
4/3/2023, 1:34:00 AM	0	6.842	31.1	67.5	0
4/3/2023, 1:44:00 AM	0	6.842	30.9	67.3	0
4/3/2023, 1:54:00 AM	0	6.842	30.9	67.2	0
4/3/2023, 2:04:00 AM	0	6.842	30.9	67.1	0
4/3/2023, 2:14:00 AM	0	6.842	31.1	67.1	0
4/3/2023, 2:24:00 AM	0	6.842	31.3	67.2	0
4/3/2023, 2:34:00 AM	0	6.842	31.5	67.3	0
4/3/2023, 2:44:00 AM	0	6.842	31.8	67.3	0
4/3/2023, 2:54:00 AM	0	6.842	32	67.3	0
4/3/2023, 3:04:00 AM	0	6.842	32.2	67.4	0
4/3/2023, 3:14:00 AM	0	6.842	32.4	67.4	0
4/3/2023, 3:24:00 AM	0	6.842	32.7	67.5	0
4/3/2023, 3:34:00 AM	0	6.842	33.1	67.4	0
4/3/2023, 3:44:00 AM	0	6.842	33.3	67.3	0
4/3/2023, 3:54:00 AM	0	6.842	33.6	67.2	0
4/3/2023, 4:04:00 AM	0	6.851	33.8	67.1	0
4/3/2023, 4:14:00 AM	0	6.851	34	67	0
4/3/2023, 4:24:00 AM	0	6.851	34.3	66.9	0
4/3/2023, 4:34:00 AM	0	6.851	34.5	66.9	0
4/3/2023, 4:44:00 AM	0	6.851	34.7	66.8	0
4/3/2023, 4:54:00 AM	0	6.851	34.7	66.8	0
4/3/2023, 5:04:00 AM	0	6.851	34.7	66.6	0
4/3/2023, 5:14:00 AM	0	6.851	34.7	66.6	0
4/3/2023, 5:24:00 AM	0	6.851	34.9	66.5	0
4/3/2023, 5:34:00 AM	0	6.851	35.2	66.5	0
4/3/2023, 5:44:00 AM	0	6.851	35.4	66.5	0
4/3/2023, 5:54:00 AM	0	6.851	35.6	66.4	0
4/3/2023, 6:04:00 AM	0	6.851	35.8	66.4	0
4/3/2023, 6:14:00 AM	0	6.851	35.8	66.3	0
4/3/2023, 6:24:00 AM	0	6.851	35.6	66.1	0
4/3/2023, 6:34:00 AM	0	6.851	35.4	65.9	0
4/3/2023, 6:44:00 AM	0	6.851	35.1	65.8	0
4/3/2023, 6:54:00 AM	0	6.851	34.7	65.8	0
4/3/2023, 7:04:00 AM	0	6.851	34.5	65.9	0
4/3/2023, 7:14:00 AM	0	6.851	34.2	66	0
4/3/2023, 7:24:00 AM	0	6.851	34.2	66.3	0
4/3/2023, 7:34:00 AM	0	6.851	34.3	66.6	0
4/3/2023, 7:44:00 AM	0	6.851	34.5	66.7	0
4/3/2023, 7:54:00 AM	0	6.851	34.9	66.9	0
4/3/2023, 8:04:00 AM	0	6.851	35.4	67	0
4/3/2023, 8:14:00 AM	0	6.851	36.1	67.2	0
4/3/2023, 8:24:00 AM	0	6.851	37.2	67.2	0
4/3/2023, 8:34:00 AM	0	6.851	38.1	67.2	0
4/3/2023, 8:44:00 AM	0	6.86	38.8	67.1	0
4/3/2023, 8:54:00 AM	0	6.86	39.6	67	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/3/2023, 9:04:00 AM	0	6.86	40.5	66.9	0
4/3/2023, 9:14:00 AM	0	6.86	41.5	66.9	0
4/3/2023, 9:24:00 AM	0	6.869	42.4	66.8	0
4/3/2023, 9:48:58 AM	0	6.869	47.1	65.8	0
4/3/2023, 9:58:58 AM	0	6.869	48.6	65.5	0
4/3/2023, 10:08:58 AM	0	6.877	49.1	65	0
4/3/2023, 10:18:58 AM	0	6.877	49.6	64.6	0
4/3/2023, 10:28:58 AM	0	6.877	50.4	64.4	0
4/3/2023, 10:38:58 AM	0	6.877	51.4	64.2	0
4/3/2023, 10:48:58 AM	0	6.877	52.5	64	0
4/3/2023, 10:58:58 AM	0	6.877	54	63.7	0
4/3/2023, 11:08:58 AM	0	6.886	55.2	63.3	0
4/3/2023, 11:18:58 AM	0	6.886	56.3	62.9	0
4/3/2023, 11:28:58 AM	0	6.886	57.7	62.5	0
4/3/2023, 11:38:58 AM	0	6.886	59.2	62.1	0
4/3/2023, 11:48:58 AM	0	6.886	60.6	61.6	0
4/3/2023, 11:58:58 AM	0	6.886	61.7	61.1	0
4/3/2023, 12:08:58 PM	0	6.895	62.8	60.6	0
4/3/2023, 12:18:58 PM	0	6.895	63.9	60.3	0
4/3/2023, 12:28:58 PM	0	6.895	64.8	60	0
4/3/2023, 12:38:58 PM	0	6.895	65.7	59.7	0
4/3/2023, 12:48:58 PM	0	6.895	66.4	59.3	0
4/3/2023, 12:58:58 PM	0	6.904	66.9	59	0
4/3/2023, 1:08:58 PM	0	6.904	67.3	58.8	0
4/3/2023, 1:18:58 PM	0	6.904	67.5	58.7	0
4/3/2023, 1:28:58 PM	0	6.904	67.5	58.4	0
4/3/2023, 1:38:58 PM	0	6.904	67.6	58.3	0
4/3/2023, 1:48:58 PM	0	6.904	67.8	58.2	0
4/3/2023, 1:58:58 PM	0	6.904	68	58.2	0
4/3/2023, 2:08:58 PM	0	6.904	69.1	58.4	0
4/3/2023, 2:18:58 PM	0	6.904	70.2	58.6	0
4/3/2023, 2:28:58 PM	0	6.904	70.7	58.4	0
4/3/2023, 2:38:58 PM	0	6.904	71.1	58.3	0
4/3/2023, 2:48:58 PM	0	6.904	70.9	58.1	0
4/3/2023, 2:58:58 PM	0	6.904	70.5	57.8	0
4/3/2023, 3:08:58 PM	0	6.904	69.8	57.7	0
4/3/2023, 3:18:58 PM	0	6.904	69.4	57.6	0
4/3/2023, 3:28:58 PM	0	6.904	69.1	57.5	0
4/3/2023, 3:38:58 PM	0	6.904	68.7	57.5	0
4/3/2023, 3:48:58 PM	0	6.904	68.2	57.7	0
4/3/2023, 3:58:58 PM	0	6.904	67.8	57.9	0
4/3/2023, 4:08:58 PM	0	6.904	66.9	58	0
4/3/2023, 4:18:58 PM	0	6.904	66	58.2	0
4/3/2023, 4:28:58 PM	0	6.904	65.3	58.4	0
4/3/2023, 4:38:58 PM	0	6.904	64.6	58.7	0
4/3/2023, 4:48:58 PM	0	6.904	64	58.9	0
4/3/2023, 4:58:58 PM	0	6.904	63.7	59.1	0
4/3/2023, 5:08:58 PM	0	6.904	63.1	59.3	0
4/3/2023, 5:18:58 PM	0	6.904	62.8	59.4	0
4/3/2023, 5:28:58 PM	0	6.904	62.6	59.4	0
4/3/2023, 5:38:58 PM	0	6.904	62.2	59.3	0
4/3/2023, 5:48:58 PM	0	6.904	61.7	59.2	0
4/3/2023, 5:58:58 PM	0	6.904	60.8	59.3	0
4/3/2023, 6:08:58 PM	0	6.904	59.9	59.4	0
4/3/2023, 6:18:58 PM	0	6.904	58.8	59.5	0
4/3/2023, 6:28:58 PM	0	6.904	58.1	59.8	0
4/3/2023, 6:38:58 PM	0	6.895	57.6	60	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/3/2023, 6:48:58 PM	0	6.895	57	60.4	0
4/3/2023, 6:58:58 PM	0	6.895	56.7	60.8	0
4/3/2023, 7:08:58 PM	0	6.895	56.1	61.1	0
4/3/2023, 7:18:58 PM	0	6.895	55.8	61.3	0
4/3/2023, 7:28:58 PM	0	6.895	55.6	61.4	0
4/3/2023, 7:38:58 PM	0	6.895	55.2	61.5	0
4/3/2023, 7:48:58 PM	0	6.895	55	61.6	0
4/3/2023, 7:58:58 PM	0	6.895	54.7	61.6	0
4/3/2023, 8:08:58 PM	0	6.895	54.5	61.5	0
4/3/2023, 8:18:58 PM	0	6.895	54.1	61.3	0
4/3/2023, 8:28:58 PM	0	6.895	54	61.1	0
4/3/2023, 8:38:58 PM	0	6.895	54	61.1	0
4/3/2023, 8:48:58 PM	0	6.895	54	61.2	0
4/3/2023, 8:58:58 PM	0	6.895	53.6	61.7	0
4/3/2023, 9:08:58 PM	0	6.895	53.1	63.3	0
4/3/2023, 9:18:58 PM	0	6.895	52.3	65.3	0
4/3/2023, 9:28:58 PM	0	6.886	51.4	67.4	0
4/3/2023, 9:38:58 PM	0	6.886	50.7	69.2	0
4/3/2023, 9:48:58 PM	0	6.886	50.2	70.9	0
4/3/2023, 9:58:58 PM	0	6.886	49.6	72.4	0
4/3/2023, 10:08:58 PM	0	6.886	49.3	73.6	0
4/3/2023, 10:18:58 PM	0	6.886	48.7	74.8	0
4/3/2023, 10:28:58 PM	0	6.886	48.6	75.8	0
4/3/2023, 10:38:58 PM	0	6.886	48.2	76.7	0
4/3/2023, 10:48:58 PM	0	6.886	48	77.5	0
4/3/2023, 10:58:58 PM	0	6.886	47.8	78.4	0
4/3/2023, 11:08:58 PM	0	6.886	47.7	79.3	0
4/3/2023, 11:18:58 PM	0	6.877	47.5	80	0
4/3/2023, 11:28:58 PM	0	6.877	47.3	80.8	0
4/3/2023, 11:38:58 PM	0	6.877	47.1	81.4	0
4/3/2023, 11:48:58 PM	0	6.877	47.1	82	0
4/3/2023, 11:58:58 PM	0	6.877	46.9	82.5	0
4/4/2023, 12:08:58 AM	0	6.877	46.8	82.9	0
4/4/2023, 12:18:58 AM	0	6.877	46.6	83.4	0
4/4/2023, 12:28:58 AM	0	6.877	46.6	83.8	0
4/4/2023, 12:38:58 AM	0	6.877	46.4	84.1	0
4/4/2023, 12:48:58 AM	0	6.877	46.4	84.5	0
4/4/2023, 12:58:58 AM	0	6.877	46.4	84.8	0
4/4/2023, 1:08:58 AM	0	6.877	46.2	85.1	0
4/4/2023, 1:18:58 AM	0	6.877	46.2	85.4	0
4/4/2023, 1:28:58 AM	0	6.877	46.2	85.7	0
4/4/2023, 1:38:58 AM	0	6.877	46	85.9	0
4/4/2023, 1:48:58 AM	0	6.877	46	86.1	0
4/4/2023, 1:58:58 AM	0	6.877	46	86.3	0
4/4/2023, 2:08:58 AM	0	6.877	45.9	86.6	0
4/4/2023, 2:18:58 AM	0	6.877	45.9	86.7	0
4/4/2023, 2:28:58 AM	0	6.877	45.7	86.9	0
4/4/2023, 2:38:58 AM	0	6.877	45.7	87.1	0
4/4/2023, 2:48:58 AM	0	6.877	45.7	87.3	0
4/4/2023, 2:58:58 AM	0	6.877	45.7	87.5	0
4/4/2023, 3:08:58 AM	0	6.877	45.5	87.6	0
4/4/2023, 3:18:58 AM	0	6.877	45.5	87.8	0
4/4/2023, 3:28:58 AM	0	6.877	45.5	88	0
4/4/2023, 3:38:58 AM	0	6.877	45.5	88.1	0
4/4/2023, 3:48:58 AM	0	6.877	45.3	88.3	0
4/4/2023, 3:58:58 AM	0	6.877	45.3	88.5	0
4/4/2023, 4:08:58 AM	0	6.877	45.3	88.6	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/4/2023, 4:18:58 AM	0	6.877	45.3	88.8	0
4/4/2023, 4:28:58 AM	0	6.877	45.1	88.9	0
4/4/2023, 4:38:58 AM	0	6.877	45.1	89	0
4/4/2023, 4:48:58 AM	0	6.877	45.1	89.2	0
4/4/2023, 4:58:58 AM	0	6.877	45.1	89.3	0
4/4/2023, 5:08:58 AM	0	6.877	45.1	89.5	0
4/4/2023, 5:18:58 AM	0	6.877	45.1	89.6	0
4/4/2023, 5:28:58 AM	0	6.877	45.1	89.8	0
4/4/2023, 5:38:58 AM	0	6.877	45.1	89.9	0
4/4/2023, 5:48:58 AM	0	6.877	45.1	90.1	0
4/4/2023, 5:58:58 AM	0	6.877	45.1	90.2	0
4/4/2023, 6:08:58 AM	0	6.877	45.1	90.3	0
4/4/2023, 6:18:58 AM	0	6.877	45.1	90.4	0
4/4/2023, 6:28:58 AM	0	6.877	45.1	90.5	0
4/4/2023, 6:38:58 AM	0	6.877	45.1	90.7	0
4/4/2023, 6:48:58 AM	0	6.877	45.1	90.8	0
4/4/2023, 6:58:58 AM	0	6.877	45.1	90.9	0
4/4/2023, 7:08:58 AM	0	6.877	45.1	91	0
4/4/2023, 7:18:58 AM	0	6.877	45.1	91.1	0
4/4/2023, 7:28:58 AM	0	6.877	45.3	91.3	0
4/4/2023, 7:38:58 AM	0	6.877	45.3	91.4	0
4/4/2023, 7:48:58 AM	0	6.877	45.3	91.5	0
4/4/2023, 7:58:58 AM	0	6.877	45.3	91.6	0
4/4/2023, 8:08:58 AM	0	6.877	45.3	91.6	0
4/4/2023, 8:18:58 AM	0	6.877	45.3	91.7	0
4/4/2023, 8:28:58 AM	0	6.877	45.5	91.8	0
4/4/2023, 8:38:58 AM	0	6.877	45.5	91.9	0
4/4/2023, 8:48:58 AM	0	6.877	45.5	91.9	0
4/4/2023, 8:58:58 AM	0	6.877	45.7	92	0
4/4/2023, 9:08:58 AM	0	6.877	45.7	92.1	0
4/4/2023, 9:18:58 AM	0	6.877	45.9	92.2	0
4/4/2023, 9:28:58 AM	0	6.877	45.9	92.4	0
4/4/2023, 9:38:58 AM	0	6.877	46	92.4	0
4/4/2023, 9:48:58 AM	0	6.877	46.2	92.5	0
4/4/2023, 9:58:58 AM	0	6.877	46.4	92.6	0
4/4/2023, 10:08:58 AM	0	6.877	46.6	92.8	0
4/4/2023, 10:18:58 AM	0	6.877	46.8	92.9	0
4/4/2023, 10:28:58 AM	0	6.877	46.9	93	0
4/4/2023, 10:38:58 AM	0	6.877	47.1	93.1	0
4/4/2023, 10:48:58 AM	0	6.877	47.5	93.1	0
4/4/2023, 10:58:58 AM	0	6.877	47.7	93.2	0
4/4/2023, 11:08:58 AM	0	6.877	47.7	93.2	0
4/4/2023, 11:18:58 AM	0	6.877	47.7	93.1	0
4/4/2023, 11:28:58 AM	0	6.877	47.8	93.1	0
4/4/2023, 11:38:58 AM	0	6.877	48	93.1	0
4/4/2023, 11:48:58 AM	0	6.877	48.2	93.1	0
4/4/2023, 11:58:58 AM	0	6.877	48.4	93.1	0
4/4/2023, 12:08:58 PM	0	6.877	48.7	93.2	0
4/4/2023, 12:18:58 PM	0	6.877	49.3	93.3	0
4/4/2023, 12:28:58 PM	0	6.877	49.8	93.4	0
4/4/2023, 12:38:58 PM	0	6.877	50.5	93.5	0
4/4/2023, 12:48:58 PM	0	6.886	51.1	93.4	0
4/4/2023, 12:58:58 PM	0	6.877	51.4	93.1	0
4/4/2023, 1:08:58 PM	0	6.886	51.6	92.7	0
4/4/2023, 1:18:58 PM	0	6.886	51.6	92.2	0
4/4/2023, 1:28:58 PM	0	6.886	51.8	91.7	0
4/4/2023, 1:38:58 PM	0	6.886	52.2	91.4	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/4/2023, 1:48:58 PM	0	6.886	52.7	91	0
4/4/2023, 1:58:58 PM	0	6.886	53.2	90.7	0
4/4/2023, 2:08:58 PM	0	6.886	53.4	90.1	0
4/4/2023, 2:18:58 PM	0	6.886	53.4	89.6	0
4/4/2023, 2:28:58 PM	0	6.886	53.6	89	0
4/4/2023, 2:38:58 PM	0	6.886	53.8	88.5	0
4/4/2023, 2:48:58 PM	0	6.886	54	88	0
4/4/2023, 2:58:58 PM	0	6.886	54.1	87.7	0
4/4/2023, 3:08:58 PM	0	6.886	54.1	87.1	0
4/4/2023, 3:18:58 PM	0	6.886	54.1	86.5	0
4/4/2023, 3:28:58 PM	0	6.886	53.8	85.7	0
4/4/2023, 3:38:58 PM	0	6.886	53.1	84.9	0
4/4/2023, 3:48:58 PM	0	6.886	52.3	84	0
4/4/2023, 3:58:58 PM	0	6.886	51.6	83.3	0
4/4/2023, 4:08:58 PM	0	6.886	51.1	82.6	0
4/4/2023, 4:18:58 PM	0	6.886	50.5	82.1	0
4/4/2023, 4:28:58 PM	0	6.886	50.2	81.4	0
4/4/2023, 4:38:58 PM	0	6.886	49.6	80.8	0
4/4/2023, 4:48:58 PM	0	6.886	49.3	80.3	0
4/4/2023, 4:58:58 PM	0	6.886	49.1	80	0
4/4/2023, 5:08:58 PM	0	6.886	48.9	79.8	0
4/4/2023, 5:18:58 PM	0	6.877	48.7	79.7	0
4/4/2023, 5:28:58 PM	0	6.877	48.7	79.6	0
4/4/2023, 5:38:58 PM	0	6.877	48.7	79.4	0
4/4/2023, 5:48:58 PM	0	6.877	48.7	79.3	0
4/4/2023, 5:58:58 PM	0	6.877	48.7	79.1	0
4/4/2023, 6:08:58 PM	0	6.877	48.7	78.9	0
4/4/2023, 6:18:58 PM	0	6.877	48.7	78.5	0
4/4/2023, 6:28:58 PM	0	6.877	48.6	78.2	0
4/4/2023, 6:38:58 PM	0	6.877	48.6	78	0
4/4/2023, 6:48:58 PM	0	6.877	48.4	77.8	0
4/4/2023, 6:58:58 PM	0	6.877	48.4	77.5	0
4/4/2023, 7:08:58 PM	0	6.877	48.2	77.2	0
4/4/2023, 7:18:58 PM	0	6.877	48	77.1	0
4/4/2023, 7:28:58 PM	0	6.877	48	76.9	0
4/4/2023, 7:38:58 PM	0	6.877	47.8	76.8	0
4/4/2023, 7:48:58 PM	0	6.877	47.7	76.6	0
4/4/2023, 7:58:58 PM	0	6.877	47.7	76.6	0
4/4/2023, 8:08:58 PM	0	6.877	47.5	76.5	0
4/4/2023, 8:18:58 PM	0	6.877	47.3	76.6	0
4/4/2023, 8:28:58 PM	0	6.877	47.1	76.6	0
4/4/2023, 8:38:58 PM	0	6.877	47.1	76.7	0
4/4/2023, 8:48:58 PM	0	6.877	46.9	76.8	0
4/4/2023, 8:58:58 PM	0	6.877	46.8	76.9	0
4/4/2023, 9:08:58 PM	0	6.877	46.8	76.9	0
4/4/2023, 9:18:58 PM	0	6.877	46.8	77	0
4/4/2023, 9:28:58 PM	0	6.877	46.6	77.1	0
4/4/2023, 9:38:58 PM	0	6.877	46.6	77.1	0
4/4/2023, 9:48:58 PM	0	6.877	46.6	77.1	0
4/4/2023, 9:58:58 PM	0	6.877	46.6	77	0
4/4/2023, 10:08:58 PM	0	6.877	46.6	76.9	0
4/4/2023, 10:18:58 PM	0	6.877	46.6	76.7	0
4/4/2023, 10:28:58 PM	0	6.877	46.6	76.5	0
4/4/2023, 10:38:58 PM	0	6.877	46.4	76.2	0
4/4/2023, 10:48:58 PM	0	6.877	46.2	76	0
4/4/2023, 10:58:58 PM	0	6.877	45.9	75.9	0
4/4/2023, 11:08:58 PM	0	6.877	45.7	75.8	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/4/2023, 11:18:58 PM	0	6.877	45.3	75.7	0
4/4/2023, 11:28:58 PM	0	6.877	45.1	75.7	0
4/4/2023, 11:38:58 PM	0	6.877	44.8	75.8	0
4/4/2023, 11:48:58 PM	0	6.877	44.6	75.8	0
4/4/2023, 11:58:58 PM	0	6.877	44.2	76	0
4/5/2023, 12:08:58 AM	0	6.877	44.1	76.1	0
4/5/2023, 12:18:58 AM	0	6.877	43.9	76.3	0
4/5/2023, 12:28:58 AM	0	6.869	43.5	76.4	0
4/5/2023, 12:38:58 AM	0	6.869	43.2	76.6	0
4/5/2023, 12:48:58 AM	0	6.869	42.8	76.8	0
4/5/2023, 12:58:58 AM	0	6.869	42.6	77.1	0
4/5/2023, 1:08:58 AM	0	6.869	42.6	77.5	0
4/5/2023, 1:18:58 AM	0	6.869	42.6	77.8	0
4/5/2023, 1:28:58 AM	0	6.869	42.8	78	0
4/5/2023, 1:38:58 AM	0	6.869	42.8	78.2	0
4/5/2023, 1:48:58 AM	0	6.869	42.8	78.3	0
4/5/2023, 1:58:58 AM	0	6.869	42.6	78.3	0
4/5/2023, 2:08:58 AM	0	6.869	42.6	78.3	0
4/5/2023, 2:18:58 AM	0	6.869	42.4	78.4	0
4/5/2023, 2:28:58 AM	0	6.869	42.4	78.4	0
4/5/2023, 2:38:58 AM	0	6.869	42.3	78.5	0
4/5/2023, 2:48:58 AM	0	6.869	42.1	78.5	0
4/5/2023, 2:58:58 AM	0	6.869	41.9	78.6	0
4/5/2023, 3:08:58 AM	0	6.869	41.7	78.7	0
4/5/2023, 3:18:58 AM	0	6.869	41.5	78.9	0
4/5/2023, 3:28:58 AM	0	6.869	41.4	79	0
4/5/2023, 3:38:58 AM	0	6.869	41	79.3	0
4/5/2023, 3:48:58 AM	0	6.869	40.8	79.5	0
4/5/2023, 3:58:58 AM	0	6.869	40.6	79.8	0
4/5/2023, 4:08:58 AM	0	6.869	40.5	80.2	0
4/5/2023, 4:18:58 AM	0	6.869	40.5	80.6	0
4/5/2023, 4:28:58 AM	0	6.869	40.5	81	0
4/5/2023, 4:38:58 AM	0	6.869	40.5	81.3	0
4/5/2023, 4:48:58 AM	0	6.869	40.5	81.5	0
4/5/2023, 4:58:58 AM	0	6.869	40.5	81.7	0
4/5/2023, 5:08:58 AM	0	6.869	40.3	81.9	0
4/5/2023, 5:18:58 AM	0	6.86	40.3	82.1	0
4/5/2023, 5:28:58 AM	0	6.869	40.3	82.3	0
4/5/2023, 5:38:58 AM	0	6.86	40.5	82.5	0
4/5/2023, 5:48:58 AM	0	6.86	40.5	82.7	0
4/5/2023, 5:58:58 AM	0	6.86	40.6	83	0
4/5/2023, 6:08:58 AM	0	6.86	40.8	83.2	0
4/5/2023, 6:18:58 AM	0	6.869	41	83.5	0
4/5/2023, 6:28:58 AM	0	6.86	41.2	83.9	0
4/5/2023, 6:38:58 AM	0	6.869	41.5	84.2	0
4/5/2023, 6:48:58 AM	0	6.869	41.7	84.4	0
4/5/2023, 6:58:58 AM	0	6.869	41.9	84.6	0
4/5/2023, 7:08:58 AM	0	6.869	42.1	84.7	0
4/5/2023, 7:18:58 AM	0	6.869	42.3	84.9	0
4/5/2023, 7:28:58 AM	0	6.869	42.4	85.1	0
4/5/2023, 7:38:58 AM	0	6.869	42.6	85.4	0
4/5/2023, 7:48:58 AM	0	6.869	43	85.8	0
4/5/2023, 7:58:58 AM	0	6.869	43.5	86.3	0
4/5/2023, 8:08:58 AM	0	6.869	43.9	86.6	0
4/5/2023, 8:18:58 AM	0	6.869	44.2	86.8	0
4/5/2023, 8:28:58 AM	0	6.869	44.6	87	0
4/5/2023, 8:38:58 AM	0	6.869	45	87.2	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/5/2023, 8:48:58 AM	0	6.869	45.3	87.3	0
4/5/2023, 8:58:58 AM	0	6.869	45.7	87.4	0
4/5/2023, 9:08:58 AM	0	6.869	46	87.5	0
4/5/2023, 9:18:58 AM	0	6.869	46.4	87.6	0
4/5/2023, 9:28:58 AM	0	6.877	46.9	87.8	0
4/5/2023, 9:38:58 AM	0	6.877	47.5	88	0
4/5/2023, 9:48:58 AM	0	6.877	48	88.1	0
4/5/2023, 9:58:58 AM	0	6.877	48.6	88.4	0
4/5/2023, 10:08:58 AM	0	6.877	49.5	88.8	0
4/5/2023, 10:18:58 AM	0	6.877	50.4	89.2	0
4/5/2023, 10:28:58 AM	0	6.877	51.4	89.6	0
4/5/2023, 10:38:58 AM	0	6.877	52.9	90	0
4/5/2023, 10:48:58 AM	0	6.886	54.1	90.3	0
4/5/2023, 10:58:58 AM	0	6.886	55.8	90.3	0
4/5/2023, 11:08:58 AM	0	6.886	57.7	90.3	0
4/5/2023, 11:18:58 AM	0	6.886	59.4	89.7	0
4/5/2023, 11:28:58 AM	0	6.886	61.2	89.2	0
4/5/2023, 11:38:58 AM	0	6.895	63.3	88.7	0
4/5/2023, 11:48:58 AM	0	6.895	65.7	87.5	0
4/5/2023, 11:58:58 AM	0	6.895	67.5	85.7	0
4/5/2023, 12:08:58 PM	0	6.895	68.7	83.9	0
4/5/2023, 12:18:58 PM	0	6.904	69.8	82.3	0
4/5/2023, 12:28:58 PM	0	6.904	70.7	81	0
4/5/2023, 12:38:58 PM	0	6.904	71.4	79.6	0
4/5/2023, 12:48:58 PM	0	6.904	72	78.5	0
4/5/2023, 12:58:58 PM	0	6.904	72.7	77.8	0
4/5/2023, 1:08:58 PM	0	6.904	73.2	76.8	0
4/5/2023, 1:18:58 PM	0	6.904	73.6	76	0
4/5/2023, 1:28:58 PM	0	6.904	73.9	75.6	0
4/5/2023, 1:38:58 PM	0	6.904	74.7	75.3	0
4/5/2023, 1:48:58 PM	0	6.904	75.9	75	0
4/5/2023, 1:58:58 PM	0	6.904	77.5	74	0
4/5/2023, 2:08:58 PM	0	6.904	78.6	72.9	0
4/5/2023, 2:18:58 PM	0	6.913	79	71.9	0
4/5/2023, 2:28:58 PM	0	6.913	78.8	71.2	0
4/5/2023, 2:38:58 PM	0	6.913	78.6	70.7	0
4/5/2023, 2:48:58 PM	0	6.913	78.4	70.4	0
4/5/2023, 2:58:58 PM	0	6.913	77.9	70.6	0
4/5/2023, 3:08:58 PM	0	6.913	77.4	69.5	0
4/5/2023, 3:18:58 PM	0	6.913	73.8	66.9	0
4/5/2023, 3:28:58 PM	0	6.913	69.1	66	0
4/5/2023, 3:38:58 PM	0	6.913	65.1	66.2	0
4/5/2023, 3:48:58 PM	0	6.913	61.5	66.8	0
4/5/2023, 3:58:58 PM	0	6.904	59	68.1	0
4/5/2023, 4:08:58 PM	0	6.904	57.2	70	0
4/5/2023, 4:18:58 PM	0	6.904	56.1	72.1	0
4/5/2023, 4:28:58 PM	0	6.895	55.4	74	0
4/5/2023, 4:38:58 PM	0	6.895	54.5	75.5	0
4/5/2023, 4:48:58 PM	0	6.895	53.8	76.7	0
4/5/2023, 4:58:58 PM	0	6.895	53.2	78	0
4/5/2023, 5:08:58 PM	0	6.895	53.1	79.5	0
4/5/2023, 5:18:58 PM	0	6.895	53.1	81.2	0
4/5/2023, 5:28:58 PM	0	6.895	53.2	82.6	0
4/5/2023, 5:38:58 PM	0	6.895	53.4	83.9	0
4/5/2023, 5:48:58 PM	0	6.886	53.6	84.9	0
4/5/2023, 5:58:58 PM	0	6.886	53.6	85.9	0
4/5/2023, 6:08:58 PM	0	6.886	53.8	86.6	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/5/2023, 6:18:58 PM	0	6.886	54	87.3	0
4/5/2023, 6:28:58 PM	0	6.886	54	87.9	0
4/5/2023, 6:38:58 PM	0	6.886	54.1	88.3	0
4/5/2023, 6:48:58 PM	0	6.886	54.1	88.7	0
4/5/2023, 6:58:58 PM	0	6.886	54.3	89.1	0
4/5/2023, 7:08:58 PM	0	6.886	54.3	89.5	0
4/5/2023, 7:18:58 PM	0	6.886	54.5	89.8	0
4/5/2023, 7:28:58 PM	0	6.886	54.7	90.2	0
4/5/2023, 7:38:58 PM	0	6.886	54.9	90.5	0
4/5/2023, 7:48:58 PM	0	6.886	54.9	90.8	0
4/5/2023, 7:58:58 PM	0	6.886	55	91	0
4/5/2023, 8:08:58 PM	0	6.886	55	91.2	0
4/5/2023, 8:18:58 PM	0	6.886	55	91.3	0
4/5/2023, 8:28:58 PM	0	6.895	54.9	91.4	0
4/5/2023, 8:38:58 PM	0	6.895	54.9	91.5	0
4/5/2023, 8:48:58 PM	0	6.886	55	91.7	0
4/5/2023, 8:58:58 PM	0	6.886	55	91.9	0
4/5/2023, 9:08:58 PM	0	6.886	55	92	0
4/5/2023, 9:18:58 PM	0	6.886	55	92.2	0
4/5/2023, 9:28:58 PM	0	6.886	55	92.3	0
4/5/2023, 9:38:58 PM	0	6.895	55.2	92.5	0
4/5/2023, 9:48:58 PM	0	6.895	55.4	92.8	0
4/5/2023, 9:58:58 PM	0	6.895	55.6	93	0
4/5/2023, 10:08:58 PM	0	6.886	55.6	93.1	0
4/5/2023, 10:18:58 PM	0	6.895	55.8	93.2	0
4/5/2023, 10:28:58 PM	0	6.895	55.9	93.5	0
4/5/2023, 10:38:58 PM	0	6.895	56.3	93.8	0
4/5/2023, 10:48:58 PM	0	6.895	57	94.3	0
4/5/2023, 10:58:58 PM	0	6.895	57.6	94.7	0
4/5/2023, 11:08:58 PM	0	6.895	58.1	95.1	0
4/5/2023, 11:18:58 PM	0	6.895	58.5	95.3	0
4/5/2023, 11:28:58 PM	0	6.895	58.6	95.5	0
4/5/2023, 11:38:58 PM	0	6.895	58.8	95.5	0
4/5/2023, 11:48:58 PM	0	6.895	58.6	95.4	0
4/5/2023, 11:58:58 PM	0	6.895	58.6	95.3	0
4/6/2023, 12:08:58 AM	0	6.895	58.6	95.1	0
4/6/2023, 12:18:58 AM	0	6.895	58.6	95.2	0
4/6/2023, 12:28:58 AM	0	6.895	58.8	95.2	0
4/6/2023, 12:38:58 AM	0	6.895	59	95.3	0
4/6/2023, 12:48:58 AM	0	6.895	59	95.3	0
4/6/2023, 12:58:58 AM	0	6.895	59.2	95.4	0
4/6/2023, 1:08:58 AM	0	6.895	59.4	95.5	0
4/6/2023, 1:18:58 AM	0	6.895	59.5	95.5	0
4/6/2023, 1:28:58 AM	0	6.895	59.5	95.6	0
4/6/2023, 1:38:58 AM	0	6.895	59.5	95.6	0
4/6/2023, 1:48:58 AM	0	6.895	59.5	95.6	0
4/6/2023, 1:58:58 AM	0	6.895	59.5	95.5	0
4/6/2023, 2:08:58 AM	0	6.895	59.4	95.4	0
4/6/2023, 2:18:58 AM	0	6.895	59	95.2	0
4/6/2023, 2:28:58 AM	0	6.895	59	95.1	0
4/6/2023, 2:38:58 AM	0	6.895	58.8	94.9	0
4/6/2023, 2:48:58 AM	0	6.895	58.8	94.9	0
4/6/2023, 2:58:58 AM	0	6.895	58.6	94.8	0
4/6/2023, 3:08:58 AM	0	6.895	58.5	94.7	0
4/6/2023, 3:18:58 AM	0	6.895	58.5	94.7	0
4/6/2023, 3:28:58 AM	0	6.895	58.3	94.7	0
4/6/2023, 3:38:58 AM	0	6.895	58.3	94.7	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/6/2023, 3:48:58 AM	0	6.895	58.3	94.7	0
4/6/2023, 3:58:58 AM	0	6.895	58.1	94.7	0
4/6/2023, 4:08:58 AM	0	6.895	58.1	94.8	0
4/6/2023, 4:18:58 AM	0	6.895	58.3	95	0
4/6/2023, 4:28:58 AM	0	6.895	58.5	95.2	0
4/6/2023, 4:38:58 AM	0	6.895	58.6	95.4	0
4/6/2023, 4:48:58 AM	0	6.895	58.8	95.5	0
4/6/2023, 4:58:58 AM	0	6.895	59	95.6	0
4/6/2023, 5:08:58 AM	0	6.895	59	95.7	0
4/6/2023, 5:18:58 AM	0	6.895	59	95.7	0
4/6/2023, 5:28:58 AM	0	6.895	59	95.7	0
4/6/2023, 5:38:58 AM	0	6.895	59.2	95.7	0
4/6/2023, 5:48:58 AM	0	6.895	59.2	95.7	0
4/6/2023, 5:58:58 AM	0	6.895	59.2	95.7	0
4/6/2023, 6:08:58 AM	0	6.895	59.4	95.8	0
4/6/2023, 6:18:58 AM	0	6.895	59.4	95.7	0
4/6/2023, 6:28:58 AM	0	6.895	59.4	95.5	0
4/6/2023, 6:38:58 AM	0	6.895	59.2	95.2	0
4/6/2023, 6:48:58 AM	0	6.895	59.2	94.7	0
4/6/2023, 6:58:58 AM	0	6.895	59	94.2	0
4/6/2023, 7:08:58 AM	0	6.895	58.8	93.6	0
4/6/2023, 7:18:58 AM	0	6.895	58.8	92.9	0
4/6/2023, 7:28:58 AM	0	6.895	58.6	92.2	0
4/6/2023, 7:38:58 AM	0	6.895	58.5	91.5	0
4/6/2023, 7:48:58 AM	0	6.895	58.1	91.1	0
4/6/2023, 7:58:58 AM	0	6.895	57.9	90.7	0
4/6/2023, 8:08:58 AM	0	6.895	57.7	90.2	0
4/6/2023, 8:18:58 AM	0	6.895	57.4	88.9	0
4/6/2023, 8:28:58 AM	0	6.895	56.8	87.6	0
4/6/2023, 8:38:58 AM	0	6.895	56.5	86.3	0
4/6/2023, 8:48:58 AM	0	6.895	56.1	85.4	0
4/6/2023, 8:58:58 AM	0	6.895	55.9	84.7	0
4/6/2023, 9:08:58 AM	0	6.895	55.8	84	0
4/6/2023, 9:18:58 AM	0	6.895	55.6	83.4	0
4/6/2023, 9:28:58 AM	0	6.895	55.6	83	0
4/6/2023, 9:38:58 AM	0	6.886	55.4	82.7	0
4/6/2023, 9:48:58 AM	0	6.895	55.2	82.2	0
4/6/2023, 9:58:58 AM	0	6.895	55	81.3	0
4/6/2023, 10:08:58 AM	0	6.886	54.9	80.3	0
4/6/2023, 10:18:58 AM	0	6.886	54.7	79.4	0
4/6/2023, 10:28:58 AM	0	6.886	54.3	78.6	0
4/6/2023, 10:38:58 AM	0	6.886	54.3	78.1	0
4/6/2023, 10:48:58 AM	0	6.886	54.5	77.6	0
4/6/2023, 10:58:58 AM	0	6.886	54.9	77.1	0
4/6/2023, 11:08:58 AM	0	6.886	55	76.4	0
4/6/2023, 11:18:58 AM	0	6.886	55	75.3	0
4/6/2023, 11:28:58 AM	0	6.886	54.9	74.4	0
4/6/2023, 11:38:58 AM	0	6.886	55	73.5	0
4/6/2023, 11:48:58 AM	0	6.886	55.2	72.4	0
4/6/2023, 11:58:58 AM	0	6.886	55.2	71.5	0
4/6/2023, 12:08:58 PM	0	6.886	55	70.9	0
4/6/2023, 12:18:58 PM	0	6.886	55.2	70.7	0
4/6/2023, 12:28:58 PM	0	6.886	55.4	70.5	0
4/6/2023, 12:38:58 PM	0	6.886	55.4	70.4	0
4/6/2023, 12:48:58 PM	0	6.886	55.6	70.4	0
4/6/2023, 12:58:58 PM	0	6.886	55.6	70.5	0
4/6/2023, 1:08:58 PM	0	6.886	55.8	70.6	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/6/2023, 1:18:58 PM	0	6.886	55.8	70.8	0
4/6/2023, 1:28:58 PM	0	6.886	55.9	70.8	0
4/6/2023, 1:38:58 PM	0	6.886	55.9	70.8	0
4/6/2023, 1:48:58 PM	0	6.886	55.8	70.5	0
4/6/2023, 1:58:58 PM	0	6.886	55.8	70	0
4/6/2023, 2:08:58 PM	0	6.886	55.8	69.7	0
4/6/2023, 2:18:58 PM	0	6.886	56.1	69.4	0
4/6/2023, 2:28:58 PM	0	6.886	56.1	69.2	0
4/6/2023, 2:38:58 PM	0	6.886	56.3	69	0
4/6/2023, 2:48:58 PM	0	6.886	56.3	68.8	0
4/6/2023, 2:58:58 PM	0	6.886	56.3	68.5	0
4/6/2023, 3:08:58 PM	0	6.886	56.5	68.2	0
4/6/2023, 3:18:58 PM	0	6.886	56.5	67.7	0
4/6/2023, 3:28:58 PM	0	6.895	56.5	67.1	0
4/6/2023, 3:38:58 PM	0	6.886	56.3	66.6	0
4/6/2023, 3:48:58 PM	0	6.886	56.1	66.4	0
4/6/2023, 3:58:58 PM	0	6.895	55.9	66.3	0
4/6/2023, 4:08:58 PM	0	6.886	55.6	66.1	0
4/6/2023, 4:18:58 PM	0	6.886	55.4	65.7	0
4/6/2023, 4:28:58 PM	0	6.886	55.2	65.5	0
4/6/2023, 4:38:58 PM	0	6.886	55	64.9	0
4/6/2023, 4:48:58 PM	0	6.886	54.7	64.4	0
4/6/2023, 4:58:58 PM	0	6.886	54.5	63.7	0
4/6/2023, 5:08:58 PM	0	6.886	54.3	63.2	0
4/6/2023, 5:18:58 PM	0	6.886	54.1	62.7	0
4/6/2023, 5:28:58 PM	0	6.886	54	62.4	0
4/6/2023, 5:38:58 PM	0	6.886	54	62.1	0
4/6/2023, 5:48:58 PM	0	6.886	53.8	61.9	0
4/6/2023, 5:58:58 PM	0	6.886	53.6	61.8	0
4/6/2023, 6:08:58 PM	0	6.886	53.2	61.5	0
4/6/2023, 6:18:58 PM	0	6.886	52.9	61.2	0
4/6/2023, 6:28:58 PM	0	6.886	52.7	61	0
4/6/2023, 6:38:58 PM	0	6.886	52.7	60.9	0
4/6/2023, 6:48:58 PM	0	6.886	52.3	60.7	0
4/6/2023, 6:58:58 PM	0	6.886	51.8	60.5	0
4/6/2023, 7:08:58 PM	0	6.886	51.3	60.4	0
4/6/2023, 7:18:58 PM	0	6.886	50.7	60.2	0
4/6/2023, 7:28:58 PM	0	6.886	50.2	60	0
4/6/2023, 7:38:58 PM	0	6.886	49.6	60.1	0
4/6/2023, 7:48:58 PM	0	6.886	49.3	60	0
4/6/2023, 7:58:58 PM	0	6.886	48.7	60.1	0
4/6/2023, 8:08:58 PM	0	6.886	48.4	60.1	0
4/6/2023, 8:18:58 PM	0	6.877	47.8	60.2	0
4/6/2023, 8:28:58 PM	0	6.877	47.5	60.4	0
4/6/2023, 8:38:58 PM	0	6.877	47.1	60.6	0
4/6/2023, 8:48:58 PM	0	6.877	46.8	60.7	0
4/6/2023, 8:58:58 PM	0	6.877	46.6	60.9	0
4/6/2023, 9:08:58 PM	0	6.877	46.2	61	0
4/6/2023, 9:18:58 PM	0	6.877	46	61.2	0
4/6/2023, 9:28:58 PM	0	6.877	45.7	61.6	0
4/6/2023, 9:38:58 PM	0	6.877	45.5	61.9	0
4/6/2023, 9:48:58 PM	0	6.877	45.3	62.3	0
4/6/2023, 9:58:58 PM	0	6.877	45.1	62.7	0
4/6/2023, 10:08:58 PM	0	6.877	45	63.1	0
4/6/2023, 10:18:58 PM	0	6.877	44.6	63.6	0
4/6/2023, 10:28:58 PM	0	6.877	44.4	63.8	0
4/6/2023, 10:38:58 PM	0	6.877	44.2	64.2	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/6/2023, 10:48:58 PM	0	6.877	43.9	64.4	0
4/6/2023, 10:58:58 PM	0	6.869	43.7	64.8	0
4/6/2023, 11:08:58 PM	0	6.869	43.5	65.3	0
4/6/2023, 11:18:58 PM	0	6.869	43.3	65.8	0
4/6/2023, 11:28:58 PM	0	6.869	43.2	66.1	0
4/6/2023, 11:38:58 PM	0	6.869	43	66.4	0
4/6/2023, 11:48:58 PM	0	6.869	42.8	66.8	0
4/6/2023, 11:58:58 PM	0	6.869	42.6	67.1	0
4/7/2023, 12:08:58 AM	0	6.869	42.4	67.5	0
4/7/2023, 12:18:58 AM	0	6.869	42.3	67.9	0
4/7/2023, 12:28:58 AM	0	6.869	41.9	68.3	0
4/7/2023, 12:38:58 AM	0	6.869	41.7	68.6	0
4/7/2023, 12:48:58 AM	0	6.869	41.5	68.9	0
4/7/2023, 12:58:58 AM	0	6.869	41.4	69.3	0
4/7/2023, 1:08:58 AM	0	6.869	41	69.6	0
4/7/2023, 1:18:58 AM	0	6.869	40.8	69.9	0
4/7/2023, 1:28:58 AM	0	6.869	40.6	70.3	0
4/7/2023, 1:38:58 AM	0	6.869	40.3	70.7	0
4/7/2023, 1:48:58 AM	0	6.869	39.9	70.9	0
4/7/2023, 1:58:58 AM	0	6.869	39.7	71.2	0
4/7/2023, 2:08:58 AM	0	6.86	39.7	71.5	0
4/7/2023, 2:18:58 AM	0	6.869	39.9	71.8	0
4/7/2023, 2:28:58 AM	0	6.86	40.1	72.1	0
4/7/2023, 2:38:58 AM	0	6.86	40.1	72.2	0
4/7/2023, 2:48:58 AM	0	6.86	40.3	72.3	0
4/7/2023, 2:58:58 AM	0	6.869	40.5	72.3	0
4/7/2023, 3:08:58 AM	0	6.869	40.6	72.3	0
4/7/2023, 3:18:58 AM	0	6.869	40.6	72.3	0
4/7/2023, 3:28:58 AM	0	6.869	40.6	72.1	0
4/7/2023, 3:38:58 AM	0	6.869	40.6	72	0
4/7/2023, 3:48:58 AM	0	6.86	40.5	72.1	0
4/7/2023, 3:58:58 AM	0	6.869	40.5	72.1	0
4/7/2023, 4:08:58 AM	0	6.86	40.5	72.2	0
4/7/2023, 4:18:58 AM	0	6.869	40.3	72.3	0
4/7/2023, 4:28:58 AM	0	6.86	40.3	72.3	0
4/7/2023, 4:38:58 AM	0	6.86	40.3	72.3	0
4/7/2023, 4:48:58 AM	0	6.86	40.1	72.4	0
4/7/2023, 4:58:58 AM	0	6.86	39.9	72.3	0
4/7/2023, 5:08:58 AM	0	6.86	39.7	72.3	0
4/7/2023, 5:18:58 AM	0	6.86	39.6	72.3	0
4/7/2023, 5:28:58 AM	0	6.86	39.4	72.4	0
4/7/2023, 5:38:58 AM	0	6.86	39.2	72.4	0
4/7/2023, 5:48:58 AM	0	6.86	39	72.4	0
4/7/2023, 5:58:58 AM	0	6.86	38.8	72.5	0
4/7/2023, 6:08:58 AM	0	6.86	38.5	72.5	0
4/7/2023, 6:18:58 AM	0	6.86	38.5	72.6	0
4/7/2023, 6:28:58 AM	0	6.86	38.3	72.6	0
4/7/2023, 6:38:58 AM	0	6.86	38.3	72.7	0
4/7/2023, 6:48:58 AM	0	6.86	38.3	72.8	0
4/7/2023, 6:58:58 AM	0	6.86	37.9	72.9	0
4/7/2023, 7:08:58 AM	0	6.86	37.8	73	0
4/7/2023, 7:18:58 AM	0	6.86	37.6	73.1	0
4/7/2023, 7:28:58 AM	0	6.86	37.8	73.4	0
4/7/2023, 7:38:58 AM	0	6.86	37.9	73.9	0
4/7/2023, 7:48:58 AM	0	6.86	38.1	74.2	0
4/7/2023, 7:58:58 AM	0	6.86	38.1	74.4	0
4/7/2023, 8:08:58 AM	0	6.86	37.9	74.5	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/7/2023, 8:18:58 AM	0	6.86	37.9	74.4	0
4/7/2023, 8:28:58 AM	0	6.86	37.8	74.2	0
4/7/2023, 8:38:58 AM	0	6.86	37.9	74.2	0
4/7/2023, 8:48:58 AM	0	6.86	37.9	74.2	0
4/7/2023, 8:58:58 AM	0	6.86	38.3	74.3	0
4/7/2023, 9:08:58 AM	0	6.86	38.8	74.1	0
4/7/2023, 9:18:58 AM	0	6.86	39.6	73.9	0
4/7/2023, 9:28:58 AM	0	6.86	39.9	73.4	0
4/7/2023, 9:38:58 AM	0	6.86	40.3	72.8	0
4/7/2023, 9:48:58 AM	0	6.86	40.5	72.2	0
4/7/2023, 9:58:58 AM	0	6.86	41.2	71.6	0
4/7/2023, 10:08:58 AM	0	6.86	41.9	70.8	0
4/7/2023, 10:18:58 AM	0	6.86	42.3	69.9	0
4/7/2023, 10:28:58 AM	0	6.86	42.4	69.1	0
4/7/2023, 10:38:58 AM	0	6.86	43	68.7	0
4/7/2023, 10:48:58 AM	0	6.869	43.5	68.3	0
4/7/2023, 10:58:58 AM	0	6.869	44.2	67.9	0
4/7/2023, 11:08:58 AM	0	6.869	45	67.4	0
4/7/2023, 11:18:58 AM	0	6.869	45.7	66.9	0
4/7/2023, 11:28:58 AM	0	6.869	45.9	66.2	0
4/7/2023, 11:38:58 AM	0	6.869	45.9	65.7	0
4/7/2023, 11:48:58 AM	0	6.869	45.7	65	0
4/7/2023, 11:58:58 AM	0	6.869	45.7	64.5	0
4/7/2023, 12:08:58 PM	0	6.869	45.9	64.1	0
4/7/2023, 12:18:58 PM	0	6.869	45.9	63.7	0
4/7/2023, 12:28:58 PM	0	6.869	46.2	63.1	0
4/7/2023, 12:38:58 PM	0	6.869	46.9	62.9	0
4/7/2023, 12:48:58 PM	0	6.869	47.8	62.7	0
4/7/2023, 12:58:58 PM	0	6.869	48.4	62.3	0
4/7/2023, 1:08:58 PM	0	6.869	48.2	61.7	0
4/7/2023, 1:18:58 PM	0	6.877	47.7	61	0
4/7/2023, 1:28:58 PM	0	6.877	47.7	60.7	0
4/7/2023, 1:38:58 PM	0	6.877	47.5	60.3	0
4/7/2023, 1:48:58 PM	0	6.877	47.8	60.2	0
4/7/2023, 1:58:58 PM	0	6.877	48.2	60.1	0
4/7/2023, 2:08:58 PM	0	6.877	48.2	59.8	0
4/7/2023, 2:18:58 PM	0	6.877	47.8	59.5	0
4/7/2023, 2:28:58 PM	0	6.877	47.7	59.2	0
4/7/2023, 2:38:58 PM	0	6.877	47.5	59.2	0
4/7/2023, 2:48:58 PM	0	6.877	47.5	59.2	0
4/7/2023, 2:58:58 PM	0	6.877	47.7	59	0
4/7/2023, 3:08:58 PM	0	6.877	47.5	58.8	0
4/7/2023, 3:18:58 PM	0	6.877	47.1	58.6	0
4/7/2023, 3:28:58 PM	0	6.877	46.9	58.4	0
4/7/2023, 3:38:58 PM	0	6.877	46.9	58.4	0
4/7/2023, 3:48:58 PM	0	6.877	46.9	58.3	0
4/7/2023, 3:58:58 PM	0	6.877	46.8	58.1	0
4/7/2023, 4:08:58 PM	0	6.877	46.8	57.9	0
4/7/2023, 4:18:58 PM	0	6.877	46.4	57.8	0
4/7/2023, 4:28:58 PM	0	6.877	46.4	57.9	0
4/7/2023, 4:38:58 PM	0	6.869	46.2	58	0
4/7/2023, 4:48:58 PM	0	6.869	45.9	57.9	0
4/7/2023, 4:58:58 PM	0	6.869	45.5	57.8	0
4/7/2023, 5:08:58 PM	0	6.869	45.1	57.7	0
4/7/2023, 5:18:58 PM	0	6.869	45.1	57.7	0
4/7/2023, 5:28:58 PM	0	6.869	45.1	57.8	0
4/7/2023, 5:38:58 PM	0	6.869	44.8	57.8	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/7/2023, 5:48:58 PM	0	6.869	44.4	57.8	0
4/7/2023, 5:58:58 PM	0	6.869	44.1	57.8	0
4/7/2023, 6:08:58 PM	0	6.869	43.7	57.8	0
4/7/2023, 6:18:58 PM	0	6.869	43.2	57.8	0
4/7/2023, 6:28:58 PM	0	6.869	42.8	57.8	0
4/7/2023, 6:38:58 PM	0	6.869	42.3	57.9	0
4/7/2023, 6:48:58 PM	0	6.869	42.1	58	0
4/7/2023, 6:58:58 PM	0	6.869	41.5	58	0
4/7/2023, 7:08:58 PM	0	6.869	41.2	58.1	0
4/7/2023, 7:18:58 PM	0	6.869	40.8	58.3	0
4/7/2023, 7:28:58 PM	0	6.86	40.5	58.4	0
4/7/2023, 7:38:58 PM	0	6.86	40.1	58.6	0
4/7/2023, 7:48:58 PM	0	6.86	39.6	58.8	0
4/7/2023, 7:58:58 PM	0	6.86	39.2	58.9	0
4/7/2023, 8:08:58 PM	0	6.86	38.7	59.2	0
4/7/2023, 8:18:58 PM	0	6.86	38.3	59.4	0
4/7/2023, 8:28:58 PM	0	6.86	37.8	59.7	0
4/7/2023, 8:38:58 PM	0	6.86	37.4	59.8	0
4/7/2023, 8:48:58 PM	0	6.86	37	60	0
4/7/2023, 8:58:58 PM	0	6.86	36.7	60.2	0
4/7/2023, 9:08:58 PM	0	6.851	36.5	60.4	0
4/7/2023, 9:18:58 PM	0	6.851	36.1	60.6	0
4/7/2023, 9:28:58 PM	0	6.851	35.8	60.9	0
4/7/2023, 9:38:58 PM	0	6.851	35.4	61.1	0
4/7/2023, 9:48:58 PM	0	6.851	35.1	61.5	0
4/7/2023, 9:58:58 PM	0	6.851	34.7	61.8	0
4/7/2023, 10:08:58 PM	0	6.851	34.2	62.2	0
4/7/2023, 10:18:58 PM	0	6.851	33.8	62.7	0
4/7/2023, 10:28:58 PM	0	6.851	33.3	63.1	0
4/7/2023, 10:38:58 PM	0	6.842	32.9	63.6	0
4/7/2023, 10:48:58 PM	0	6.842	32.5	64.2	0
4/7/2023, 10:58:58 PM	0	6.842	32.2	64.8	0
4/7/2023, 11:08:58 PM	0	6.842	32	65.5	0
4/7/2023, 11:18:58 PM	0	6.842	31.6	66.1	0
4/7/2023, 11:28:58 PM	0	6.842	31.3	66.8	0
4/7/2023, 11:38:58 PM	0	6.842	30.9	67.4	0
4/7/2023, 11:48:58 PM	0	6.842	30.7	68.1	0
4/7/2023, 11:58:58 PM	0	6.833	30.4	68.7	0
4/8/2023, 12:08:58 AM	0	6.833	30.2	69.3	0
4/8/2023, 12:18:58 AM	0	6.833	29.8	70	0
4/8/2023, 12:28:58 AM	0	6.833	29.7	70.5	0
4/8/2023, 12:38:58 AM	0	6.833	29.5	71	0
4/8/2023, 12:48:58 AM	0	6.833	29.3	71.6	0
4/8/2023, 12:58:58 AM	0	6.833	29.1	72	0
4/8/2023, 1:08:58 AM	0	6.833	28.9	72.5	0
4/8/2023, 1:18:58 AM	0	6.833	28.8	73	0
4/8/2023, 1:28:58 AM	0	6.833	28.4	73.4	0
4/8/2023, 1:38:58 AM	0	6.833	28.2	73.8	0
4/8/2023, 1:48:58 AM	0	6.825	28	74.2	0
4/8/2023, 1:58:58 AM	0	6.825	28	74.6	0
4/8/2023, 2:08:58 AM	0	6.825	27.9	74.9	0
4/8/2023, 2:18:58 AM	0	6.825	27.7	75.3	0
4/8/2023, 2:28:58 AM	0	6.825	27.5	75.7	0
4/8/2023, 2:38:58 AM	0	6.825	27.3	76.1	0
4/8/2023, 2:48:58 AM	0	6.825	27.3	76.4	0
4/8/2023, 2:58:58 AM	0	6.825	27.3	76.8	0
4/8/2023, 3:08:58 AM	0	6.825	27.1	77.2	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/8/2023, 3:18:58 AM	0	6.825	27.1	77.5	0
4/8/2023, 3:28:58 AM	0	6.825	27	77.7	0
4/8/2023, 3:38:58 AM	0	6.825	26.8	78	0
4/8/2023, 3:48:58 AM	0	6.825	26.6	78.1	0
4/8/2023, 3:58:58 AM	0	6.825	26.6	78.4	0
4/8/2023, 4:08:58 AM	0	6.825	26.4	78.6	0
4/8/2023, 4:18:58 AM	0	6.825	26.2	78.9	0
4/8/2023, 4:28:58 AM	0	6.825	26.2	79.1	0
4/8/2023, 4:38:58 AM	0	6.816	26.1	79.3	0
4/8/2023, 4:48:58 AM	0	6.816	26.1	79.5	0
4/8/2023, 4:58:58 AM	0	6.816	25.9	79.6	0
4/8/2023, 5:08:58 AM	0	6.816	25.7	79.8	0
4/8/2023, 5:18:58 AM	0	6.816	25.7	80	0
4/8/2023, 5:28:58 AM	0	6.816	25.5	80.2	0
4/8/2023, 5:38:58 AM	0	6.816	25.5	80.4	0
4/8/2023, 5:48:58 AM	0	6.816	25.5	80.6	0
4/8/2023, 5:58:58 AM	0	6.816	25.5	80.9	0
4/8/2023, 6:08:58 AM	0	6.816	25.5	81	0
4/8/2023, 6:18:58 AM	0	6.816	25.3	81.1	0
4/8/2023, 6:28:58 AM	0	6.816	25.3	81.2	0
4/8/2023, 6:38:58 AM	0	6.816	25.2	81.3	0
4/8/2023, 6:48:58 AM	0	6.816	25.2	81.4	0
4/8/2023, 6:58:58 AM	0	6.816	25.2	81.6	0
4/8/2023, 7:08:58 AM	0	6.816	25.3	81.8	0
4/8/2023, 7:18:58 AM	0	6.816	25.3	82	0
4/8/2023, 7:28:58 AM	0	6.816	25.9	82.3	0
4/8/2023, 7:38:58 AM	0	6.816	26.4	82.7	0
4/8/2023, 7:48:58 AM	0	6.816	27.1	83.1	0
4/8/2023, 7:58:58 AM	0	6.825	28	83.5	0
4/8/2023, 8:08:58 AM	0	6.825	28.8	83.7	0
4/8/2023, 8:18:58 AM	0	6.825	29.5	83.9	0
4/8/2023, 8:28:58 AM	0	6.825	30.4	84	0
4/8/2023, 8:38:58 AM	0	6.833	31.1	84	0
4/8/2023, 8:48:58 AM	0	6.833	31.8	83.8	0
4/8/2023, 8:58:58 AM	0	6.833	32.7	83.5	0
4/8/2023, 9:08:58 AM	0	6.833	33.8	83.1	0
4/8/2023, 9:18:58 AM	0	6.842	35.1	82.5	0
4/8/2023, 9:28:58 AM	0	6.842	36.1	81.7	0
4/8/2023, 9:38:58 AM	0	6.842	37.2	80.8	0
4/8/2023, 9:48:58 AM	0	6.851	37.9	79.7	0
4/8/2023, 9:58:58 AM	0	6.851	39	78.5	0
4/8/2023, 10:08:58 AM	0	6.851	40.3	77.3	0
4/8/2023, 10:18:58 AM	0	6.851	41.5	76	0
4/8/2023, 10:28:58 AM	0	6.86	42.4	74.7	0
4/8/2023, 10:38:58 AM	0	6.86	43.3	73.5	0
4/8/2023, 10:48:58 AM	0	6.86	44.4	72.3	0
4/8/2023, 10:58:58 AM	0	6.86	45.3	71.1	0
4/8/2023, 11:08:58 AM	0	6.86	46.4	70	0
4/8/2023, 11:18:58 AM	0	6.869	47.1	69	0
4/8/2023, 11:28:58 AM	0	6.869	47.8	67.9	0
4/8/2023, 11:38:58 AM	0	6.869	48.2	66.9	0
4/8/2023, 11:48:58 AM	0	6.869	48.4	66.1	0
4/8/2023, 11:58:58 AM	0	6.869	48.6	65.5	0
4/8/2023, 12:08:58 PM	0	6.869	48.7	64.9	0
4/8/2023, 12:18:58 PM	0	6.869	48.9	64.3	0
4/8/2023, 12:28:58 PM	0	6.869	49.1	63.8	0
4/8/2023, 12:38:58 PM	0	6.869	49.5	63.3	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/8/2023, 12:48:58 PM	0	6.869	50.4	63	0
4/8/2023, 12:58:58 PM	0	6.877	50.7	62.4	0
4/8/2023, 1:08:58 PM	0	6.877	50.9	61.9	0
4/8/2023, 1:18:58 PM	0	6.877	51.1	61.4	0
4/8/2023, 1:28:58 PM	0	6.877	51.1	60.8	0
4/8/2023, 1:38:58 PM	0	6.877	51.1	60.4	0
4/8/2023, 1:48:58 PM	0	6.877	51.3	60	0
4/8/2023, 1:58:58 PM	0	6.877	51.6	59.7	0
4/8/2023, 2:08:58 PM	0	6.877	52	59.2	0
4/8/2023, 2:18:58 PM	0	6.877	52.3	58.8	0
4/8/2023, 2:28:58 PM	0	6.877	52.3	58.5	0
4/8/2023, 2:38:58 PM	0	6.877	52.3	58.1	0
4/8/2023, 2:48:58 PM	0	6.877	52.5	58.2	0
4/8/2023, 2:58:58 PM	0	6.877	52.3	58	0
4/8/2023, 3:08:58 PM	0	6.877	51.8	57.8	0
4/8/2023, 3:18:58 PM	0	6.877	51.4	57.8	0
4/8/2023, 3:28:58 PM	0	6.877	51.1	57.6	0
4/8/2023, 3:38:58 PM	0	6.877	51.1	57.6	0
4/8/2023, 3:48:58 PM	0	6.877	50.9	57.5	0
4/8/2023, 3:58:58 PM	0	6.877	51.1	57.5	0
4/8/2023, 4:08:58 PM	0	6.877	51.1	57.5	0
4/8/2023, 4:18:58 PM	0	6.877	51.1	57.4	0
4/8/2023, 4:28:58 PM	0	6.877	50.7	57.3	0
4/8/2023, 4:38:58 PM	0	6.877	50.2	57.1	0
4/8/2023, 4:48:58 PM	0	6.877	49.8	57	0
4/8/2023, 4:58:58 PM	0	6.877	49.6	57	0
4/8/2023, 5:08:58 PM	0	6.877	49.1	57	0
4/8/2023, 5:18:58 PM	0	6.877	48.9	57	0
4/8/2023, 5:28:58 PM	0	6.877	48.6	57	0
4/8/2023, 5:38:58 PM	0	6.877	48	57.1	0
4/8/2023, 5:48:58 PM	0	6.877	47.7	57.2	0
4/8/2023, 5:58:58 PM	0	6.877	47.3	57.2	0
4/8/2023, 6:08:58 PM	0	6.877	46.9	57.3	0
4/8/2023, 6:18:58 PM	0	6.877	46.4	57.3	0
4/8/2023, 6:28:58 PM	0	6.877	46	57.5	0
4/8/2023, 6:38:58 PM	0	6.869	45.5	57.6	0
4/8/2023, 6:48:58 PM	0	6.869	45.1	57.8	0
4/8/2023, 6:58:58 PM	0	6.869	44.8	58	0
4/8/2023, 7:08:58 PM	0	6.869	44.2	58.1	0
4/8/2023, 7:18:58 PM	0	6.869	43.9	58.1	0
4/8/2023, 7:28:58 PM	0	6.869	43.3	57.9	0
4/8/2023, 7:38:58 PM	0	6.869	42.8	57.7	0
4/8/2023, 7:48:58 PM	0	6.869	42.4	57.5	0
4/8/2023, 7:58:58 PM	0	6.869	41.7	57.4	0
4/8/2023, 8:08:58 PM	0	6.869	41.2	57.4	0
4/8/2023, 8:18:58 PM	0	6.869	40.3	57.6	0
4/8/2023, 8:28:58 PM	0	6.86	39.6	57.8	0
4/8/2023, 8:38:58 PM	0	6.86	38.8	58.2	0
4/8/2023, 8:48:58 PM	0	6.86	38.1	58.8	0
4/8/2023, 8:58:58 PM	0	6.86	37.4	59.3	0
4/8/2023, 9:08:58 PM	0	6.86	36.7	59.9	0
4/8/2023, 9:18:58 PM	0	6.86	36.1	60.6	0
4/8/2023, 9:28:58 PM	0	6.851	35.6	61.4	0
4/8/2023, 9:38:58 PM	0	6.851	35.1	62.4	0
4/8/2023, 9:48:58 PM	0	6.851	34.5	63.2	0
4/8/2023, 9:58:58 PM	0	6.851	34	64.1	0
4/8/2023, 10:08:58 PM	0	6.851	33.6	65	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/8/2023, 10:18:58 PM	0	6.851	33.1	65.7	0
4/8/2023, 10:28:58 PM	0	6.842	32.7	66.4	0
4/8/2023, 10:38:58 PM	0	6.842	32.4	67.1	0
4/8/2023, 10:48:58 PM	0	6.842	32	67.8	0
4/8/2023, 10:58:58 PM	0	6.842	32	68.5	0
4/8/2023, 11:08:58 PM	0	6.842	31.6	69	0
4/8/2023, 11:18:58 PM	0	6.842	31.3	69.6	0
4/8/2023, 11:28:58 PM	0	6.842	30.9	70.1	0
4/8/2023, 11:38:58 PM	0	6.833	30.6	70.6	0
4/8/2023, 11:48:58 PM	0	6.833	30.4	71.1	0
4/8/2023, 11:58:58 PM	0	6.833	30	71.6	0
4/9/2023, 12:08:58 AM	0	6.833	29.8	72.2	0
4/9/2023, 12:18:58 AM	0	6.833	29.5	72.7	0
4/9/2023, 12:28:58 AM	0	6.833	29.3	73.2	0
4/9/2023, 12:38:58 AM	0	6.833	29.1	73.7	0
4/9/2023, 12:48:58 AM	0	6.833	28.9	74.3	0
4/9/2023, 12:58:58 AM	0	6.833	28.8	74.8	0
4/9/2023, 1:08:58 AM	0	6.833	28.6	75.3	0
4/9/2023, 1:18:58 AM	0	6.825	28.4	75.8	0
4/9/2023, 1:28:58 AM	0	6.825	28.2	76.2	0
4/9/2023, 1:38:58 AM	0	6.825	28	76.7	0
4/9/2023, 1:48:58 AM	0	6.825	28	77.1	0
4/9/2023, 1:58:58 AM	0	6.825	27.9	77.6	0
4/9/2023, 2:08:58 AM	0	6.825	27.7	78	0
4/9/2023, 2:18:58 AM	0	6.825	27.5	78.3	0
4/9/2023, 2:28:58 AM	0	6.825	27.3	78.7	0
4/9/2023, 2:38:58 AM	0	6.825	27.3	79	0
4/9/2023, 2:48:58 AM	0	6.825	27.1	79.3	0
4/9/2023, 2:58:58 AM	0	6.825	27.1	79.6	0
4/9/2023, 3:08:58 AM	0	6.825	27	79.9	0
4/9/2023, 3:18:58 AM	0	6.825	26.8	80.1	0
4/9/2023, 3:28:58 AM	0	6.825	26.8	80.3	0
4/9/2023, 3:38:58 AM	0	6.825	26.6	80.6	0
4/9/2023, 3:48:58 AM	0	6.825	26.4	80.8	0
4/9/2023, 3:58:58 AM	0	6.825	26.4	81	0
4/9/2023, 4:08:58 AM	0	6.816	26.2	81.2	0
4/9/2023, 4:18:58 AM	0	6.816	26.2	81.4	0
4/9/2023, 4:28:58 AM	0	6.816	26.1	81.6	0
4/9/2023, 4:38:58 AM	0	6.816	26.1	81.8	0
4/9/2023, 4:48:58 AM	0	6.816	25.9	82.1	0
4/9/2023, 4:58:58 AM	0	6.816	25.9	82.2	0
4/9/2023, 5:08:58 AM	0	6.816	25.7	82.3	0
4/9/2023, 5:18:58 AM	0	6.816	25.7	82.5	0
4/9/2023, 5:28:58 AM	0	6.816	25.5	82.7	0
4/9/2023, 5:38:58 AM	0	6.816	25.5	82.8	0
4/9/2023, 5:48:58 AM	0	6.816	25.3	82.9	0
4/9/2023, 5:58:58 AM	0	6.816	25.3	83	0
4/9/2023, 6:08:58 AM	0	6.816	25.2	83.2	0
4/9/2023, 6:18:58 AM	0	6.816	25.2	83.3	0
4/9/2023, 6:28:58 AM	0	6.816	25	83.4	0
4/9/2023, 6:38:58 AM	0	6.816	25	83.5	0
4/9/2023, 6:48:58 AM	0	6.816	24.8	83.6	0
4/9/2023, 6:58:58 AM	0	6.816	24.8	83.7	0
4/9/2023, 7:08:58 AM	0	6.816	24.8	83.9	0
4/9/2023, 7:18:58 AM	0	6.816	25	84	0
4/9/2023, 7:28:58 AM	0	6.816	25.3	84.3	0
4/9/2023, 7:38:58 AM	0	6.816	26.1	84.7	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/9/2023, 7:48:58 AM	0	6.816	26.6	85.1	0
4/9/2023, 7:58:58 AM	0	6.816	27.3	85.5	0
4/9/2023, 8:08:58 AM	0	6.816	27.9	85.8	0
4/9/2023, 8:18:58 AM	0	6.816	28.4	86.1	0
4/9/2023, 8:28:58 AM	0	6.825	29.3	86.4	0
4/9/2023, 8:38:58 AM	0	6.825	30.2	86.6	0
4/9/2023, 8:48:58 AM	0	6.825	31.1	86.7	0
4/9/2023, 8:58:58 AM	0	6.833	32.2	86.9	0
4/9/2023, 9:08:58 AM	0	6.833	33.8	86.8	0
4/9/2023, 9:18:58 AM	0	6.833	35.4	86.4	0
4/9/2023, 9:28:58 AM	0	6.842	37	85.4	0
4/9/2023, 9:38:58 AM	0	6.842	38.5	83.9	0
4/9/2023, 9:48:58 AM	0	6.851	39.7	81.9	0
4/9/2023, 9:58:58 AM	0	6.851	41.5	79.7	0
4/9/2023, 10:08:58 AM	0	6.851	43.2	77.5	0
4/9/2023, 10:18:58 AM	0	6.86	44.8	75.5	0
4/9/2023, 10:28:58 AM	0	6.86	46	73.5	0
4/9/2023, 10:38:58 AM	0	6.86	47.1	71.8	0
4/9/2023, 10:48:58 AM	0	6.869	48.6	70.3	0
4/9/2023, 10:58:58 AM	0	6.869	49.8	69.1	0
4/9/2023, 11:08:58 AM	0	6.869	50.9	67.9	0
4/9/2023, 11:18:58 AM	0	6.869	51.8	66.9	0
4/9/2023, 11:28:58 AM	0	6.877	52.5	66	0
4/9/2023, 11:38:58 AM	0	6.877	52.9	65.1	0
4/9/2023, 11:48:58 AM	0	6.877	52.9	64.2	0
4/9/2023, 11:58:58 AM	0	6.877	53.2	63.6	0
4/9/2023, 12:08:58 PM	0	6.877	53.6	62.9	0
4/9/2023, 12:18:58 PM	0	6.877	54	62.3	0
4/9/2023, 12:28:58 PM	0	6.877	54.5	61.7	0
4/9/2023, 12:38:58 PM	0	6.877	54.9	61	0
4/9/2023, 12:48:58 PM	0	6.877	55.8	60.6	0
4/9/2023, 12:58:58 PM	0	6.877	56.3	60.1	0
4/9/2023, 1:08:58 PM	0	6.886	56.1	59.5	0
4/9/2023, 1:18:58 PM	0	6.886	56.1	59.1	0
4/9/2023, 1:28:58 PM	0	6.886	56.3	58.7	0
4/9/2023, 1:38:58 PM	0	6.886	56.5	58.3	0
4/9/2023, 1:48:58 PM	0	6.886	57	58.1	0
4/9/2023, 1:58:58 PM	0	6.886	57.6	57.9	0
4/9/2023, 2:08:58 PM	0	6.886	58.1	57.7	0
4/9/2023, 2:18:58 PM	0	6.886	58.5	57.3	0
4/9/2023, 2:28:58 PM	0	6.886	58.5	57	0
4/9/2023, 2:38:58 PM	0	6.886	58.3	56.6	0
4/9/2023, 2:48:58 PM	0	6.886	58.1	56.5	0
4/9/2023, 2:58:58 PM	0	6.886	57.9	56.3	0
4/9/2023, 3:08:58 PM	0	6.886	57.7	56.1	0
4/9/2023, 3:18:58 PM	0	6.886	57.7	56.1	0
4/9/2023, 3:28:58 PM	0	6.886	57.2	56.2	0
4/9/2023, 3:38:58 PM	0	6.886	57	56.4	0
4/9/2023, 3:48:58 PM	0	6.886	57	56.6	0
4/9/2023, 3:58:58 PM	0	6.886	57	56.8	0
4/9/2023, 4:08:58 PM	0	6.886	56.7	56.9	0
4/9/2023, 4:18:58 PM	0	6.886	56.5	57	0
4/9/2023, 4:28:58 PM	0	6.886	56.3	57.1	0
4/9/2023, 4:38:58 PM	0	6.886	55.8	57.2	0
4/9/2023, 4:48:58 PM	0	6.886	55.4	57.2	0
4/9/2023, 4:58:58 PM	0	6.886	54.9	57.2	0
4/9/2023, 5:08:58 PM	0	6.886	54.5	57.3	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/9/2023, 5:18:58 PM	0	6.886	54.3	57.4	0
4/9/2023, 5:28:58 PM	0	6.886	54.1	57.4	0
4/9/2023, 5:38:58 PM	0	6.886	54	57.5	0
4/9/2023, 5:48:58 PM	0	6.886	53.6	57.6	0
4/9/2023, 5:58:58 PM	0	6.886	53.1	57.6	0
4/9/2023, 6:08:58 PM	0	6.886	52.5	57.6	0
4/9/2023, 6:18:58 PM	0	6.886	52	57.7	0
4/9/2023, 6:28:58 PM	0	6.886	51.3	57.8	0
4/9/2023, 6:38:58 PM	0	6.886	50.7	57.9	0
4/9/2023, 6:48:58 PM	0	6.877	50.2	58.1	0
4/9/2023, 6:58:58 PM	0	6.877	49.6	58.3	0
4/9/2023, 7:08:58 PM	0	6.877	49.1	58.5	0
4/9/2023, 7:18:58 PM	0	6.877	48.6	58.6	0
4/9/2023, 7:28:58 PM	0	6.877	47.8	58.7	0
4/9/2023, 7:38:58 PM	0	6.877	47.3	58.9	0
4/9/2023, 7:48:58 PM	0	6.877	46.6	59.1	0
4/9/2023, 7:58:58 PM	0	6.877	45.7	59.4	0
4/9/2023, 8:08:58 PM	0	6.877	45	59.8	0
4/9/2023, 8:18:58 PM	0	6.869	44.1	60.2	0
4/9/2023, 8:28:58 PM	0	6.869	43.3	60.7	0
4/9/2023, 8:38:58 PM	0	6.869	42.4	61.2	0
4/9/2023, 8:48:58 PM	0	6.869	41.7	61.8	0
4/9/2023, 8:58:58 PM	0	6.869	41.2	62.4	0
4/9/2023, 9:08:58 PM	0	6.869	40.5	62.9	0
4/9/2023, 9:18:58 PM	0	6.86	39.9	63.4	0
4/9/2023, 9:28:58 PM	0	6.86	39.2	64.3	0
4/9/2023, 9:38:58 PM	0	6.86	38.7	65.1	0
4/9/2023, 9:48:58 PM	0	6.86	38.3	66	0
4/9/2023, 9:58:58 PM	0	6.86	37.8	66.8	0
4/9/2023, 10:08:58 PM	0	6.86	37.2	67.5	0
4/9/2023, 10:18:58 PM	0	6.851	36.7	68.2	0
4/9/2023, 10:28:58 PM	0	6.851	36.1	69	0
4/9/2023, 10:38:58 PM	0	6.851	35.8	69.8	0
4/9/2023, 10:48:58 PM	0	6.851	35.4	70.6	0
4/9/2023, 10:58:58 PM	0	6.851	35.1	71.3	0
4/9/2023, 11:08:58 PM	0	6.851	34.5	71.9	0
4/9/2023, 11:18:58 PM	0	6.851	34.2	72.6	0
4/9/2023, 11:28:58 PM	0	6.851	34	73.2	0
4/9/2023, 11:38:58 PM	0	6.842	33.6	73.8	0
4/9/2023, 11:48:58 PM	0	6.842	33.3	74.3	0
4/9/2023, 11:58:58 PM	0	6.842	32.9	74.8	0
4/10/2023, 12:08:58 AM	0	6.842	32.7	75.3	0
4/10/2023, 12:18:58 AM	0	6.842	32.4	75.9	0
4/10/2023, 12:28:58 AM	0	6.842	32.2	76.4	0
4/10/2023, 12:38:58 AM	0	6.842	32	76.8	0
4/10/2023, 12:48:58 AM	0	6.842	31.8	77.3	0
4/10/2023, 12:58:58 AM	0	6.842	31.6	77.7	0
4/10/2023, 1:08:58 AM	0	6.842	31.5	78.1	0
4/10/2023, 1:18:58 AM	0	6.833	31.1	78.5	0
4/10/2023, 1:28:58 AM	0	6.833	30.9	78.9	0
4/10/2023, 1:38:58 AM	0	6.833	30.7	79.3	0
4/10/2023, 1:48:58 AM	0	6.833	30.7	79.7	0
4/10/2023, 1:58:58 AM	0	6.833	30.6	80	0
4/10/2023, 2:08:58 AM	0	6.833	30.4	80.3	0
4/10/2023, 2:18:58 AM	0	6.833	30.2	80.7	0
4/10/2023, 2:28:58 AM	0	6.833	30	81	0
4/10/2023, 2:38:58 AM	0	6.833	30	81.3	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/10/2023, 2:48:58 AM	0	6.833	29.8	81.6	0
4/10/2023, 2:58:58 AM	0	6.833	29.8	81.9	0
4/10/2023, 3:08:58 AM	0	6.833	29.7	82.2	0
4/10/2023, 3:18:58 AM	0	6.833	29.7	82.4	0
4/10/2023, 3:28:58 AM	0	6.833	29.5	82.6	0
4/10/2023, 3:38:58 AM	0	6.833	29.5	82.9	0
4/10/2023, 3:48:58 AM	0	6.833	29.3	83.1	0
4/10/2023, 3:58:58 AM	0	6.825	29.3	83.3	0
4/10/2023, 4:08:58 AM	0	6.825	29.1	83.4	0
4/10/2023, 4:18:58 AM	0	6.825	29.1	83.6	0
4/10/2023, 4:28:58 AM	0	6.825	28.9	83.7	0
4/10/2023, 4:38:58 AM	0	6.825	28.9	84	0
4/10/2023, 4:48:58 AM	0	6.825	28.8	84.1	0
4/10/2023, 4:58:58 AM	0	6.825	28.8	84.3	0
4/10/2023, 5:08:58 AM	0	6.825	28.8	84.5	0
4/10/2023, 5:18:58 AM	0	6.825	28.6	84.7	0
4/10/2023, 5:28:58 AM	0	6.825	28.6	84.8	0
4/10/2023, 5:38:58 AM	0	6.825	28.4	84.9	0
4/10/2023, 5:48:58 AM	0	6.825	28.4	85	0
4/10/2023, 5:58:58 AM	0	6.825	28.2	85.1	0
4/10/2023, 6:08:58 AM	0	6.825	28.2	85.3	0
4/10/2023, 6:18:58 AM	0	6.825	28	85.4	0
4/10/2023, 6:28:58 AM	0	6.825	28	85.5	0
4/10/2023, 6:38:58 AM	0	6.825	28	85.6	0
4/10/2023, 6:48:58 AM	0	6.825	28	85.7	0
4/10/2023, 6:58:58 AM	0	6.825	27.9	85.8	0
4/10/2023, 7:08:58 AM	0	6.825	27.9	85.9	0
4/10/2023, 7:18:58 AM	0	6.825	28	86.1	0
4/10/2023, 7:28:58 AM	0	6.825	28.6	86.4	0
4/10/2023, 7:38:58 AM	0	6.825	29.1	86.8	0
4/10/2023, 7:48:58 AM	0	6.825	29.8	87.2	0
4/10/2023, 7:58:58 AM	0	6.825	30.6	87.7	0
4/10/2023, 8:08:58 AM	0	6.825	31.1	88.1	0
4/10/2023, 8:18:58 AM	0	6.833	31.8	88.5	0
4/10/2023, 8:28:58 AM	0	6.833	32.5	89	0
4/10/2023, 8:38:58 AM	0	6.833	33.4	89.4	0
4/10/2023, 8:48:58 AM	0	6.833	34.5	89.9	0
4/10/2023, 8:58:58 AM	0	6.842	36	90.3	0
4/10/2023, 9:08:58 AM	0	6.842	37.9	90.8	0
4/10/2023, 9:18:58 AM	0	6.851	39.7	91.1	0
4/10/2023, 9:28:58 AM	0	6.851	41.4	90.9	0
4/10/2023, 9:38:58 AM	0	6.851	43.2	90.2	0
4/10/2023, 9:48:58 AM	0	6.86	45	88.8	0
4/10/2023, 9:58:58 AM	0	6.86	47.1	87.2	0
4/10/2023, 10:08:58 AM	0	6.869	49.3	84.9	0
4/10/2023, 10:18:58 AM	0	6.869	51.6	82	0
4/10/2023, 10:28:58 AM	0	6.869	53.6	79	0
4/10/2023, 10:38:58 AM	0	6.877	55.4	76.3	0
4/10/2023, 10:48:58 AM	0	6.877	57.2	73.8	0
4/10/2023, 10:58:58 AM	0	6.877	59	71.7	0
4/10/2023, 11:08:58 AM	0	6.886	60.6	69.6	0
4/10/2023, 11:18:58 AM	0	6.886	62.1	67.8	0
4/10/2023, 11:28:58 AM	0	6.886	63.1	66.1	0
4/10/2023, 11:38:58 AM	0	6.886	63.9	64.7	0
4/10/2023, 11:48:58 AM	0	6.886	64.4	63.3	0
4/10/2023, 11:58:58 AM	0	6.886	64.8	62.1	0
4/10/2023, 12:08:58 PM	0	6.895	65.3	61.1	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/10/2023, 12:18:58 PM	0	6.895	65.7	60.2	0
4/10/2023, 12:28:58 PM	0	6.895	66.2	59.4	0
4/10/2023, 12:38:58 PM	0	6.895	66.7	58.7	0
4/10/2023, 12:48:58 PM	0	6.895	67.8	58	0
4/10/2023, 12:58:58 PM	0	6.895	68.2	57.3	0
4/10/2023, 1:08:58 PM	0	6.895	68.4	56.7	0
4/10/2023, 1:18:58 PM	0	6.895	68.5	56.2	0
4/10/2023, 1:28:58 PM	0	6.895	68.9	55.7	0
4/10/2023, 1:38:58 PM	0	6.895	69.1	55.4	0
4/10/2023, 1:48:58 PM	0	6.895	69.4	55.1	0
4/10/2023, 1:58:58 PM	0	6.895	70	54.8	0
4/10/2023, 2:08:58 PM	0	6.895	70.5	54.5	0
4/10/2023, 2:18:58 PM	0	6.895	70.9	54.2	0
4/10/2023, 2:28:58 PM	0	6.895	71.1	53.9	0
4/10/2023, 2:38:58 PM	0	6.904	71.2	53.7	0
4/10/2023, 2:48:58 PM	0	6.904	71.2	53.5	0
4/10/2023, 2:58:58 PM	0	6.904	71.2	53.3	0
4/10/2023, 3:08:58 PM	0	6.904	71.4	53.1	0
4/10/2023, 3:18:58 PM	0	6.904	71.2	53	0
4/10/2023, 3:28:58 PM	0	6.904	71.2	53	0
4/10/2023, 3:38:58 PM	0	6.904	71.2	52.9	0
4/10/2023, 3:48:58 PM	0	6.904	71.2	52.8	0
4/10/2023, 3:58:58 PM	0	6.904	71.4	52.9	0
4/10/2023, 4:08:58 PM	0	6.904	71.6	53	0
4/10/2023, 4:18:58 PM	0	6.904	71.4	53	0
4/10/2023, 4:28:58 PM	0	6.904	71.2	53	0
4/10/2023, 4:38:58 PM	0	6.904	71.1	53	0
4/10/2023, 4:48:58 PM	0	6.904	70.9	53	0
4/10/2023, 4:58:58 PM	0	6.904	70.5	53	0
4/10/2023, 5:08:58 PM	0	6.904	70.3	52.9	0
4/10/2023, 5:18:58 PM	0	6.904	70.3	52.9	0
4/10/2023, 5:28:58 PM	0	6.904	70.3	52.9	0
4/10/2023, 5:38:58 PM	0	6.904	70.2	52.9	0
4/10/2023, 5:48:58 PM	0	6.904	69.8	52.9	0
4/10/2023, 5:58:58 PM	0	6.904	69.4	52.8	0
4/10/2023, 6:08:58 PM	0	6.904	69.1	52.7	0
4/10/2023, 6:18:58 PM	0	6.904	68.5	52.6	0
4/10/2023, 6:28:58 PM	0	6.904	68	52.5	0
4/10/2023, 6:38:58 PM	0	6.904	67.5	52.4	0
4/10/2023, 6:48:58 PM	0	6.904	66.9	52.6	0
4/10/2023, 6:58:58 PM	0	6.904	66.2	53.1	0
4/10/2023, 7:08:58 PM	0	6.904	65.5	53.6	0
4/10/2023, 7:18:58 PM	0	6.904	64.8	54.1	0
4/10/2023, 7:28:58 PM	0	6.895	64	54.6	0
4/10/2023, 7:38:58 PM	0	6.895	63.3	55	0
4/10/2023, 7:48:58 PM	0	6.895	62.2	55.5	0
4/10/2023, 7:58:58 PM	0	6.895	61.2	55.8	0
4/10/2023, 8:08:58 PM	0	6.895	59.9	56.4	0
4/10/2023, 8:18:58 PM	0	6.895	58.8	56.9	0
4/10/2023, 8:28:58 PM	0	6.895	57.6	57.9	0
4/10/2023, 8:38:58 PM	0	6.895	56.7	59.2	0
4/10/2023, 8:48:58 PM	0	6.895	55.8	60.5	0
4/10/2023, 8:58:58 PM	0	6.886	55.2	62	0
4/10/2023, 9:08:58 PM	0	6.886	54.7	63.4	0
4/10/2023, 9:18:58 PM	0	6.886	54.1	64.2	0
4/10/2023, 9:28:58 PM	0	6.886	53.6	64.7	0
4/10/2023, 9:38:58 PM	0	6.886	52.9	65.2	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/10/2023, 9:48:58 PM	0	6.886	52.2	65.9	0
4/10/2023, 9:58:58 PM	0	6.886	51.4	66.4	0
4/10/2023, 10:08:58 PM	0	6.886	50.5	66.9	0
4/10/2023, 10:18:58 PM	0	6.886	49.8	67.5	0
4/10/2023, 10:28:58 PM	0	6.886	49.1	68.2	0
4/10/2023, 10:38:58 PM	0	6.886	48.4	68.9	0
4/10/2023, 10:48:58 PM	0	6.877	47.8	69.6	0
4/10/2023, 10:58:58 PM	0	6.877	47.1	70.2	0
4/10/2023, 11:08:58 PM	0	6.877	46.6	70.8	0
4/10/2023, 11:18:58 PM	0	6.877	46	71.4	0
4/10/2023, 11:28:58 PM	0	6.877	45.5	72	0
4/10/2023, 11:38:58 PM	0	6.877	45	72.6	0
4/10/2023, 11:48:58 PM	0	6.877	44.4	73.2	0
4/10/2023, 11:58:58 PM	0	6.877	44.1	73.9	0
4/11/2023, 12:08:58 AM	0	6.869	43.5	74.7	0
4/11/2023, 12:18:58 AM	0	6.869	43.3	75.4	0
4/11/2023, 12:28:58 AM	0	6.869	43	76.1	0
4/11/2023, 12:38:58 AM	0	6.869	42.6	76.7	0
4/11/2023, 12:48:58 AM	0	6.869	42.3	77.3	0
4/11/2023, 12:58:58 AM	0	6.869	42.1	77.9	0
4/11/2023, 1:08:58 AM	0	6.869	41.7	78.4	0
4/11/2023, 1:18:58 AM	0	6.869	41.4	78.8	0
4/11/2023, 1:28:58 AM	0	6.869	41.2	79.2	0
4/11/2023, 1:38:58 AM	0	6.869	40.8	79.5	0
4/11/2023, 1:48:58 AM	0	6.869	40.5	79.7	0
4/11/2023, 1:58:58 AM	0	6.86	40.1	79.9	0
4/11/2023, 2:08:58 AM	0	6.86	39.9	80.2	0
4/11/2023, 2:18:58 AM	0	6.86	39.6	80.6	0
4/11/2023, 2:28:58 AM	0	6.86	39.4	80.9	0
4/11/2023, 2:38:58 AM	0	6.86	39	81.2	0
4/11/2023, 2:48:58 AM	0	6.86	38.8	81.5	0
4/11/2023, 2:58:58 AM	0	6.86	38.7	81.8	0
4/11/2023, 3:08:58 AM	0	6.86	38.5	82.2	0
4/11/2023, 3:18:58 AM	0	6.86	38.3	82.5	0
4/11/2023, 3:28:58 AM	0	6.86	38.1	82.9	0
4/11/2023, 3:38:58 AM	0	6.86	38.1	83.2	0
4/11/2023, 3:48:58 AM	0	6.86	38.1	83.5	0
4/11/2023, 3:58:58 AM	0	6.86	38.1	83.8	0
4/11/2023, 4:08:58 AM	0	6.86	38.1	84.2	0
4/11/2023, 4:18:58 AM	0	6.86	38.3	84.5	0
4/11/2023, 4:28:58 AM	0	6.86	38.7	84.8	0
4/11/2023, 4:38:58 AM	0	6.86	38.8	85	0
4/11/2023, 4:48:58 AM	0	6.86	39.4	85.1	0
4/11/2023, 4:58:58 AM	0	6.86	40.1	84.9	0
4/11/2023, 5:08:58 AM	0	6.86	41.5	84.6	0
4/11/2023, 5:18:58 AM	0	6.86	42.8	83.5	0
4/11/2023, 5:28:58 AM	0	6.86	43.5	81.6	0
4/11/2023, 5:38:58 AM	0	6.869	43.9	79.8	0
4/11/2023, 5:48:58 AM	0	6.869	44.2	78.3	0
4/11/2023, 5:58:58 AM	0	6.869	44.8	76.9	0
4/11/2023, 6:08:58 AM	0	6.869	45.7	75.7	0
4/11/2023, 6:18:58 AM	0	6.869	46.6	74.4	0
4/11/2023, 6:28:58 AM	0	6.869	47.1	73.2	0
4/11/2023, 6:38:58 AM	0	6.869	47.7	72	0
4/11/2023, 6:48:58 AM	0	6.877	48	71.1	0
4/11/2023, 6:58:58 AM	0	6.877	48.6	70.3	0
4/11/2023, 7:08:58 AM	0	6.877	49.1	69.6	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/11/2023, 7:18:58 AM	0	6.877	49.8	68.9	0
4/11/2023, 7:28:58 AM	0	6.877	50.5	68.2	0
4/11/2023, 7:38:58 AM	0	6.877	51.3	67.5	0
4/11/2023, 7:48:58 AM	0	6.877	51.8	66.8	0
4/11/2023, 7:58:58 AM	0	6.877	52.3	66.2	0
4/11/2023, 8:08:58 AM	0	6.877	52.7	65.7	0
4/11/2023, 8:18:58 AM	0	6.877	53.2	65.1	0
4/11/2023, 8:28:58 AM	0	6.877	53.8	64.6	0
4/11/2023, 8:38:58 AM	0	6.877	54.5	64.3	0
4/11/2023, 8:48:58 AM	0	6.877	55.2	63.9	0
4/11/2023, 8:58:58 AM	0	6.886	56.1	63.6	0
4/11/2023, 9:08:58 AM	0	6.886	57.2	63.2	0
4/11/2023, 9:18:58 AM	0	6.886	58.3	62.7	0
4/11/2023, 9:28:58 AM	0	6.886	59.2	62.1	0
4/11/2023, 9:38:58 AM	0	6.886	59.7	61.5	0
4/11/2023, 9:48:58 AM	0	6.886	60.3	61	0
4/11/2023, 9:58:58 AM	0	6.886	60.6	60.5	0
4/11/2023, 10:08:58 AM	0	6.886	61.2	60.2	0
4/11/2023, 10:18:58 AM	0	6.886	62.1	59.9	0
4/11/2023, 10:28:58 AM	0	6.886	62.8	59.6	0
4/11/2023, 10:38:58 AM	0	6.895	63.5	59.2	0
4/11/2023, 10:48:58 AM	0	6.895	64.4	58.9	0
4/11/2023, 10:58:58 AM	0	6.895	65.1	58.5	0
4/11/2023, 11:08:58 AM	0	6.895	65.8	58.2	0
4/11/2023, 11:18:58 AM	0	6.895	66.6	57.9	0
4/11/2023, 11:28:58 AM	0	6.895	67.5	57.5	0
4/11/2023, 11:38:58 AM	0	6.895	68.2	57.1	0
4/11/2023, 11:48:58 AM	0	6.895	68.7	56.7	0
4/11/2023, 11:58:58 AM	0	6.895	68.5	56.2	0
4/11/2023, 12:08:58 PM	0	6.895	68.4	55.9	0
4/11/2023, 12:18:58 PM	0	6.895	68.9	55.7	0
4/11/2023, 12:28:58 PM	0	6.895	69.6	55.7	0
4/11/2023, 12:38:58 PM	0	6.895	70.2	55.7	0
4/11/2023, 12:48:58 PM	0	6.895	70.7	55.6	0
4/11/2023, 12:58:58 PM	0	6.895	71.6	55.6	0
4/11/2023, 1:08:58 PM	0	6.895	72.5	55.6	0
4/11/2023, 1:18:58 PM	0	6.904	72.9	55.4	0
4/11/2023, 1:28:58 PM	0	6.904	73.2	55.2	0
4/11/2023, 1:38:58 PM	0	6.904	73.2	55	0
4/11/2023, 1:48:58 PM	0	6.904	73.6	55	0
4/11/2023, 1:58:58 PM	0	6.904	74.3	55	0
4/11/2023, 2:08:58 PM	0	6.904	74.3	54.8	0
4/11/2023, 2:18:58 PM	0	6.904	74.3	54.7	0
4/11/2023, 2:28:58 PM	0	6.904	74.7	54.7	0
4/11/2023, 2:38:58 PM	0	6.904	74.7	54.6	0
4/11/2023, 2:48:58 PM	0	6.904	74.7	54.5	0
4/11/2023, 2:58:58 PM	0	6.904	74.7	54.5	0
4/11/2023, 3:08:58 PM	0	6.904	74.5	54.5	0
4/11/2023, 3:18:58 PM	0	6.904	73.9	54.3	0
4/11/2023, 3:28:58 PM	0	6.904	73.6	54.4	0
4/11/2023, 3:38:58 PM	0	6.904	73.9	54.5	0
4/11/2023, 3:48:58 PM	0	6.904	74.3	54.6	0
4/11/2023, 3:58:58 PM	0	6.904	74.3	54.6	0
4/11/2023, 4:08:58 PM	0	6.904	73.9	54.5	0
4/11/2023, 4:18:58 PM	0	6.904	73.2	54.5	0
4/11/2023, 4:28:58 PM	0	6.904	72.7	54.6	0
4/11/2023, 4:38:58 PM	0	6.904	72.1	54.7	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/11/2023, 4:48:58 PM	0	6.904	71.6	54.8	0
4/11/2023, 4:58:58 PM	0	6.904	71.2	55	0
4/11/2023, 5:08:58 PM	0	6.904	70.9	55.2	0
4/11/2023, 5:18:58 PM	0	6.904	70.7	55.5	0
4/11/2023, 5:28:58 PM	0	6.904	70.3	55.7	0
4/11/2023, 5:38:58 PM	0	6.904	70	55.9	0
4/11/2023, 5:48:58 PM	0	6.904	69.6	56.1	0
4/11/2023, 5:58:58 PM	0	6.904	69.4	56.2	0
4/11/2023, 6:08:58 PM	0	6.904	69.1	56.3	0
4/11/2023, 6:18:58 PM	0	6.904	68.9	56.5	0
4/11/2023, 6:28:58 PM	0	6.904	68.5	56.5	0
4/11/2023, 6:38:58 PM	0	6.904	68.2	56.6	0
4/11/2023, 6:48:58 PM	0	6.904	67.8	56.6	0
4/11/2023, 6:58:58 PM	0	6.904	67.5	56.8	0
4/11/2023, 7:08:58 PM	0	6.904	67.1	56.9	0
4/11/2023, 7:18:58 PM	0	6.895	66.7	57	0
4/11/2023, 7:28:58 PM	0	6.895	66.4	57.2	0
4/11/2023, 7:38:58 PM	0	6.904	66.2	57.3	0
4/11/2023, 7:48:58 PM	0	6.895	65.8	57.5	0
4/11/2023, 7:58:58 PM	0	6.895	65.7	57.7	0
4/11/2023, 8:08:58 PM	0	6.895	65.5	57.8	0
4/11/2023, 8:18:58 PM	0	6.895	65.1	58	0
4/11/2023, 8:28:58 PM	0	6.895	64.9	58	0
4/11/2023, 8:38:58 PM	0	6.895	64.8	58.1	0
4/11/2023, 8:48:58 PM	0	6.895	64.6	58.3	0
4/11/2023, 8:58:58 PM	0	6.895	64.6	58.5	0
4/11/2023, 9:08:58 PM	0	6.895	64.4	58.6	0
4/11/2023, 9:18:58 PM	0	6.895	64.4	58.7	0
4/11/2023, 9:28:58 PM	0	6.895	64.2	58.8	0
4/11/2023, 9:38:58 PM	0	6.895	64.2	59	0
4/11/2023, 9:48:58 PM	0	6.895	64.2	59.1	0
4/11/2023, 9:58:58 PM	0	6.895	64	59.3	0
4/11/2023, 10:08:58 PM	0	6.895	64	59.4	0
4/11/2023, 10:18:58 PM	0	6.895	64	59.5	0
4/11/2023, 10:28:58 PM	0	6.895	63.9	59.6	0
4/11/2023, 10:38:58 PM	0	6.895	63.9	59.8	0
4/11/2023, 10:48:58 PM	0	6.895	63.7	59.9	0
4/11/2023, 10:58:58 PM	0	6.895	63.5	60	0
4/11/2023, 11:08:58 PM	0	6.895	63.5	60.3	0
4/11/2023, 11:18:58 PM	0	6.895	63.5	60.5	0
4/11/2023, 11:28:58 PM	0	6.895	63.3	60.6	0
4/11/2023, 11:38:58 PM	0	6.895	63.3	60.8	0
4/11/2023, 11:48:58 PM	0	6.895	63.3	60.9	0
4/11/2023, 11:58:58 PM	0	6.895	63.1	61.1	0
4/12/2023, 12:08:58 AM	0	6.895	63.1	61.3	0
4/12/2023, 12:18:58 AM	0	6.895	63	61.4	0
4/12/2023, 12:28:58 AM	0	6.895	62.8	61.5	0
4/12/2023, 12:38:58 AM	0	6.895	62.8	61.7	0
4/12/2023, 12:48:58 AM	0	6.895	62.8	61.8	0
4/12/2023, 12:58:58 AM	0	6.895	62.6	61.9	0
4/12/2023, 1:08:58 AM	0	6.895	62.6	62.1	0
4/12/2023, 1:18:58 AM	0	6.895	62.4	62.2	0
4/12/2023, 1:28:58 AM	0	6.895	62.4	62.3	0
4/12/2023, 1:38:58 AM	0	6.895	62.4	62.4	0
4/12/2023, 1:48:58 AM	0	6.895	62.2	62.5	0
4/12/2023, 1:58:58 AM	0	6.895	62.2	62.7	0
4/12/2023, 2:08:58 AM	0	6.895	62.1	62.9	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/12/2023, 2:18:58 AM	0	6.895	62.1	63.1	0
4/12/2023, 2:28:58 AM	0	6.895	61.9	63.2	0
4/12/2023, 2:38:58 AM	0	6.895	61.9	63.3	0
4/12/2023, 2:48:58 AM	0	6.895	61.7	63.5	0
4/12/2023, 2:58:58 AM	0	6.895	61.7	63.6	0
4/12/2023, 3:08:58 AM	0	6.895	61.5	63.8	0
4/12/2023, 3:18:58 AM	0	6.895	61.5	64	0
4/12/2023, 3:28:58 AM	0	6.895	61.3	64.2	0
4/12/2023, 3:38:58 AM	0	6.895	61.3	64.2	0
4/12/2023, 3:48:58 AM	0	6.895	61.2	64.4	0
4/12/2023, 3:58:58 AM	0	6.895	61.2	64.4	0
4/12/2023, 4:08:58 AM	0	6.895	60.8	64.5	0
4/12/2023, 4:18:58 AM	0	6.895	60.6	64.7	0
4/12/2023, 4:28:58 AM	0	6.895	60.3	64.9	0
4/12/2023, 4:38:58 AM	0	6.895	60.1	65	0
4/12/2023, 4:48:58 AM	0	6.895	59.9	65.2	0
4/12/2023, 4:58:58 AM	0	6.895	59.5	65.5	0
4/12/2023, 5:08:58 AM	0	6.895	59.2	65.6	0
4/12/2023, 5:18:58 AM	0	6.895	58.8	65.8	0
4/12/2023, 5:28:58 AM	0	6.895	58.5	66.1	0
4/12/2023, 5:38:58 AM	0	6.895	58.1	66.4	0
4/12/2023, 5:48:58 AM	0	6.886	57.7	66.7	0
4/12/2023, 5:58:58 AM	0	6.886	57.2	67	0
4/12/2023, 6:08:58 AM	0	6.886	56.8	67.3	0
4/12/2023, 6:18:58 AM	0	6.886	56.3	67.7	0
4/12/2023, 6:28:58 AM	0	6.886	56.1	68	0
4/12/2023, 6:38:58 AM	0	6.886	55.6	68.2	0
4/12/2023, 6:48:58 AM	0	6.886	54.9	68.3	0
4/12/2023, 6:58:58 AM	0	6.886	54.1	68.6	0
4/12/2023, 7:08:58 AM	0	6.886	53.8	69.3	0
4/12/2023, 7:18:58 AM	0	6.886	53.8	70.1	0
4/12/2023, 7:28:58 AM	0	6.886	54	70.8	0
4/12/2023, 7:38:58 AM	0	6.886	54.3	71.2	0
4/12/2023, 7:48:58 AM	0	6.886	54.7	71.3	0
4/12/2023, 7:58:58 AM	0	6.886	55	71.4	0
4/12/2023, 8:08:58 AM	0	6.886	55.4	71.5	0
4/12/2023, 8:18:58 AM	0	6.886	55.9	71.5	0
4/12/2023, 8:28:58 AM	0	6.886	56.5	71.5	0
4/12/2023, 8:38:58 AM	0	6.886	57.2	71.3	0
4/12/2023, 8:48:58 AM	0	6.886	58.1	71.1	0
4/12/2023, 8:58:58 AM	0	6.886	59.2	70.8	0
4/12/2023, 9:08:58 AM	0	6.886	60.6	70.3	0
4/12/2023, 9:18:58 AM	0	6.886	61.9	69.6	0
4/12/2023, 9:28:58 AM	0	6.886	63	68.8	0
4/12/2023, 9:38:58 AM	0	6.895	63.9	68.2	0
4/12/2023, 9:48:58 AM	0	6.895	64.9	67.6	0
4/12/2023, 9:58:58 AM	0	6.895	66.2	66.9	0
4/12/2023, 10:08:58 AM	0	6.895	67.5	66.3	0
4/12/2023, 10:18:58 AM	0	6.895	68.9	65.7	0
4/12/2023, 10:28:58 AM	0	6.895	70	64.9	0
4/12/2023, 10:38:58 AM	0	6.895	71.1	64.2	0
4/12/2023, 10:48:58 AM	0	6.895	72.1	63.6	0
4/12/2023, 10:58:58 AM	0	6.895	73.4	63.1	0
4/12/2023, 11:08:58 AM	0	6.895	74.7	62.5	0
4/12/2023, 11:18:58 AM	0	6.895	75.7	62.1	0
4/12/2023, 11:28:58 AM	0	6.895	76.8	61.4	0
4/12/2023, 11:38:58 AM	0	6.904	77.2	60.8	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/12/2023, 11:48:58 AM	0	6.904	77.4	60.3	0
4/12/2023, 11:58:58 AM	0	6.904	77.4	60	0
4/12/2023, 12:08:58 PM	0	6.904	77.7	59.7	0
4/12/2023, 12:18:58 PM	0	6.904	77.9	59.5	0
4/12/2023, 12:28:58 PM	0	6.904	78.4	59.5	0
4/12/2023, 12:38:58 PM	0	6.904	79.2	59.4	0
4/12/2023, 12:48:58 PM	0	6.904	79.9	59.3	0
4/12/2023, 12:58:58 PM	0	6.904	80.2	59.1	0
4/12/2023, 1:08:58 PM	0	6.904	80.2	58.9	0
4/12/2023, 1:18:58 PM	0	6.904	80.2	58.9	0
4/12/2023, 1:28:58 PM	0	6.904	80.2	58.8	0
4/12/2023, 1:38:58 PM	0	6.904	80.4	58.8	0
4/12/2023, 1:48:58 PM	0	6.904	80.8	58.8	0
4/12/2023, 1:58:58 PM	0	6.904	81.3	58.7	0
4/12/2023, 2:08:58 PM	0	6.904	81.7	58.6	0
4/12/2023, 2:18:58 PM	0	6.904	81.7	58.4	0
4/12/2023, 2:28:58 PM	0	6.904	81.9	58.3	0
4/12/2023, 2:38:58 PM	0	6.904	81.9	58.2	0
4/12/2023, 2:48:58 PM	0	6.904	81.9	58.1	0
4/12/2023, 2:58:58 PM	0	6.904	81.9	57.9	0
4/12/2023, 3:08:58 PM	0	6.904	81.9	57.8	0
4/12/2023, 3:18:58 PM	0	6.904	81.7	57.8	0
4/12/2023, 3:28:58 PM	0	6.904	81.7	57.8	0
4/12/2023, 3:38:58 PM	0	6.904	81.7	57.7	0
4/12/2023, 3:48:58 PM	0	6.904	81.7	57.7	0
4/12/2023, 3:58:58 PM	0	6.904	81.9	57.8	0
4/12/2023, 4:08:58 PM	0	6.913	81.7	57.8	0
4/12/2023, 4:18:58 PM	0	6.913	81.3	57.9	0
4/12/2023, 4:28:58 PM	0	6.913	81.1	58.1	0
4/12/2023, 4:38:58 PM	0	6.913	80.8	58.1	0
4/12/2023, 4:48:58 PM	0	6.904	80.6	58.2	0
4/12/2023, 4:58:58 PM	0	6.904	80.2	58	0
4/12/2023, 5:08:58 PM	0	6.904	80.1	57.8	0
4/12/2023, 5:18:58 PM	0	6.904	79.9	57.6	0
4/12/2023, 5:28:58 PM	0	6.913	79.5	57.5	0
4/12/2023, 5:38:58 PM	0	6.904	79.2	57.6	0
4/12/2023, 5:48:58 PM	0	6.904	78.8	57.6	0
4/12/2023, 5:58:58 PM	0	6.904	78.3	57.6	0
4/12/2023, 6:08:58 PM	0	6.904	77.7	57.7	0
4/12/2023, 6:18:58 PM	0	6.904	77.4	57.8	0
4/12/2023, 6:28:58 PM	0	6.904	76.8	58	0
4/12/2023, 6:38:58 PM	0	6.904	76.6	58.2	0
4/12/2023, 6:48:58 PM	0	6.904	76.1	58.3	0
4/12/2023, 6:58:58 PM	0	6.904	75.7	58.5	0
4/12/2023, 7:08:58 PM	0	6.904	75.4	58.5	0
4/12/2023, 7:18:58 PM	0	6.904	74.8	58.7	0
4/12/2023, 7:28:58 PM	0	6.904	74.5	58.7	0
4/12/2023, 7:38:58 PM	0	6.904	73.9	58.8	0
4/12/2023, 7:48:58 PM	0	6.904	73.4	59	0
4/12/2023, 7:58:58 PM	0	6.904	72.9	59.2	0
4/12/2023, 8:08:58 PM	0	6.904	72.3	59.4	0
4/12/2023, 8:18:58 PM	0	6.904	72	59.6	0
4/12/2023, 8:28:58 PM	0	6.904	71.6	59.8	0
4/12/2023, 8:38:58 PM	0	6.904	71.2	60	0
4/12/2023, 8:48:58 PM	0	6.904	70.9	60.2	0
4/12/2023, 8:58:58 PM	0	6.904	70.5	60.4	0
4/12/2023, 9:08:58 PM	0	6.904	70.2	60.5	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/12/2023, 9:18:58 PM	0	6.904	70	60.7	0
4/12/2023, 9:28:58 PM	0	6.904	69.6	60.9	0
4/12/2023, 9:38:58 PM	0	6.904	69.4	61	0
4/12/2023, 9:48:58 PM	0	6.904	69.3	61.2	0
4/12/2023, 9:58:58 PM	0	6.904	68.9	61.3	0
4/12/2023, 10:08:58 PM	0	6.904	68.7	61.5	0
4/12/2023, 10:18:58 PM	0	6.904	68.5	61.6	0
4/12/2023, 10:28:58 PM	0	6.904	68.4	61.8	0
4/12/2023, 10:38:58 PM	0	6.904	68.4	61.9	0
4/12/2023, 10:48:58 PM	0	6.904	68.2	61.9	0
4/12/2023, 10:58:58 PM	0	6.904	68.2	62	0
4/12/2023, 11:08:58 PM	0	6.904	68.2	62	0
4/12/2023, 11:18:58 PM	0	6.904	68.2	62.1	0
4/12/2023, 11:28:58 PM	0	6.904	68.2	62.1	0
4/12/2023, 11:38:58 PM	0	6.904	68.2	62.1	0
4/12/2023, 11:48:58 PM	0	6.904	68.2	62.1	0
4/12/2023, 11:58:58 PM	0	6.895	68.2	62.1	0
4/13/2023, 12:08:58 AM	0	6.895	68.2	62.2	0
4/13/2023, 12:18:58 AM	0	6.895	68.2	62.2	0
4/13/2023, 12:28:58 AM	0	6.904	68.2	62.3	0
4/13/2023, 12:38:58 AM	0	6.895	68	62.3	0
4/13/2023, 12:48:58 AM	0	6.895	68	62.4	0
4/13/2023, 12:58:58 AM	0	6.895	68	62.5	0
4/13/2023, 1:08:58 AM	0	6.895	68	62.5	0
4/13/2023, 1:18:58 AM	0	6.895	67.8	62.6	0
4/13/2023, 1:28:58 AM	0	6.895	67.8	62.7	0
4/13/2023, 1:38:58 AM	0	6.895	67.6	62.9	0
4/13/2023, 1:48:58 AM	0	6.895	67.6	62.9	0
4/13/2023, 1:58:58 AM	0	6.904	67.5	63.1	0
4/13/2023, 2:08:58 AM	0	6.895	67.5	63.2	0
4/13/2023, 2:18:58 AM	0	6.895	67.3	63.3	0
4/13/2023, 2:28:58 AM	0	6.895	67.1	63.4	0
4/13/2023, 2:38:58 AM	0	6.895	67.1	63.5	0
4/13/2023, 2:48:58 AM	0	6.895	67.1	63.5	0
4/13/2023, 2:58:58 AM	0	6.895	66.9	63.6	0
4/13/2023, 3:08:58 AM	0	6.895	66.7	63.6	0
4/13/2023, 3:18:58 AM	0	6.895	66.6	63.6	0
4/13/2023, 3:28:58 AM	0	6.895	66.4	63.6	0
4/13/2023, 3:38:58 AM	0	6.895	66.2	63.7	0
4/13/2023, 3:48:58 AM	0	6.895	66	63.7	0
4/13/2023, 3:58:58 AM	0	6.895	65.8	63.8	0
4/13/2023, 4:08:58 AM	0	6.895	65.7	63.8	0
4/13/2023, 4:18:58 AM	0	6.895	65.3	63.9	0
4/13/2023, 4:28:58 AM	0	6.895	65.1	64.1	0
4/13/2023, 4:38:58 AM	0	6.895	64.9	64.2	0
4/13/2023, 4:48:58 AM	0	6.895	64.8	64.3	0
4/13/2023, 4:58:58 AM	0	6.895	64.8	64.4	0
4/13/2023, 5:08:58 AM	0	6.895	64.8	64.5	0
4/13/2023, 5:18:58 AM	0	6.895	64.8	64.6	0
4/13/2023, 5:28:58 AM	0	6.895	64.8	64.6	0
4/13/2023, 5:38:58 AM	0	6.895	64.6	64.6	0
4/13/2023, 5:48:58 AM	0	6.895	64.4	64.7	0
4/13/2023, 5:58:58 AM	0	6.895	64.2	64.8	0
4/13/2023, 6:08:58 AM	0	6.895	64	65	0
4/13/2023, 6:18:58 AM	0	6.895	63.7	65.1	0
4/13/2023, 6:28:58 AM	0	6.895	63.1	65.3	0
4/13/2023, 6:38:58 AM	0	6.895	62.6	65.5	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/13/2023, 6:48:58 AM	0	6.895	62.2	65.9	0
4/13/2023, 6:58:58 AM	0	6.895	62.1	66.4	0
4/13/2023, 7:08:58 AM	0	6.895	62.2	66.7	0
4/13/2023, 7:18:58 AM	0	6.895	62.8	66.8	0
4/13/2023, 7:28:58 AM	0	6.895	63.3	66.8	0
4/13/2023, 7:38:58 AM	0	6.895	64	66.7	0
4/13/2023, 7:48:58 AM	0	6.895	64.6	66.5	0
4/13/2023, 7:58:58 AM	0	6.895	65.1	66.2	0
4/13/2023, 8:08:58 AM	0	6.895	65.7	65.9	0
4/13/2023, 8:18:58 AM	0	6.895	66.2	65.6	0
4/13/2023, 8:28:58 AM	0	6.895	66.7	65.3	0
4/13/2023, 8:38:58 AM	0	6.895	67.3	65	0
4/13/2023, 8:48:58 AM	0	6.895	67.8	64.6	0
4/13/2023, 8:58:58 AM	0	6.895	68.9	64.3	0
4/13/2023, 9:08:58 AM	0	6.895	70	64	0
4/13/2023, 9:18:58 AM	0	6.895	70.9	63.4	0
4/13/2023, 9:28:58 AM	0	6.895	71.8	62.9	0
4/13/2023, 9:38:58 AM	0	6.895	72.5	62.5	0
4/13/2023, 9:48:58 AM	0	6.895	73.2	62.1	0
4/13/2023, 9:58:58 AM	0	6.904	74.1	61.7	0
4/13/2023, 10:08:58 AM	0	6.904	75	61.3	0
4/13/2023, 10:18:58 AM	0	6.904	75.9	60.9	0
4/13/2023, 10:28:58 AM	0	6.904	76.8	60.4	0
4/13/2023, 10:38:58 AM	0	6.904	77.7	60	0
4/13/2023, 10:48:58 AM	0	6.904	78.8	59.7	0
4/13/2023, 10:58:58 AM	0	6.904	79.7	59.3	0
4/13/2023, 11:08:58 AM	0	6.904	80.6	58.8	0
4/13/2023, 11:18:58 AM	0	6.904	81.5	58.4	0
4/13/2023, 11:28:58 AM	0	6.904	82	58.1	0
4/13/2023, 11:38:58 AM	0	6.904	82.4	57.8	0
4/13/2023, 11:48:58 AM	0	6.904	82.6	57.5	0
4/13/2023, 11:58:58 AM	0	6.904	82.8	57.3	0
4/13/2023, 12:08:58 PM	0	6.904	82.9	57.2	0
4/13/2023, 12:18:58 PM	0	6.904	83.3	57.1	0
4/13/2023, 12:28:58 PM	0	6.904	83.8	57	0
4/13/2023, 12:38:58 PM	0	6.904	84.7	56.9	0
4/13/2023, 12:48:58 PM	0	6.904	85.6	56.7	0
4/13/2023, 12:58:58 PM	0	6.904	86	56.4	0
4/13/2023, 1:08:58 PM	0	6.904	86.2	56.2	0
4/13/2023, 1:18:58 PM	0	6.913	86.2	56.1	0
4/13/2023, 1:28:58 PM	0	6.913	86.4	56	0
4/13/2023, 1:38:58 PM	0	6.913	86.7	56	0
4/13/2023, 1:48:58 PM	0	6.913	87.1	55.9	0
4/13/2023, 1:58:58 PM	0	6.913	87.4	55.8	0
4/13/2023, 2:08:58 PM	0	6.913	87.8	55.7	0
4/13/2023, 2:18:58 PM	0	6.913	88	55.5	0
4/13/2023, 2:28:58 PM	0	6.913	88	55.4	0
4/13/2023, 2:38:58 PM	0	6.913	88	55.2	0
4/13/2023, 2:48:58 PM	0	6.913	88	55.1	0
4/13/2023, 2:58:58 PM	0	6.913	88	54.9	0
4/13/2023, 3:08:58 PM	0	6.913	87.8	54.8	0
4/13/2023, 3:18:58 PM	0	6.913	87.6	54.6	0
4/13/2023, 3:28:58 PM	0	6.913	87.4	54.5	0
4/13/2023, 3:38:58 PM	0	6.913	87.4	54.4	0
4/13/2023, 3:48:58 PM	0	6.913	87.3	54.3	0
4/13/2023, 3:58:58 PM	0	6.913	87.1	54.1	0
4/13/2023, 4:08:58 PM	0	6.913	86.9	54.1	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/13/2023, 4:18:58 PM	0	6.913	86.7	54.1	0
4/13/2023, 4:28:58 PM	0	6.913	86.5	54	0
4/13/2023, 4:38:58 PM	0	6.913	86.2	53.9	0
4/13/2023, 4:48:58 PM	0	6.913	85.8	53.9	0
4/13/2023, 4:58:58 PM	0	6.913	85.3	53.8	0
4/13/2023, 5:08:58 PM	0	6.913	84.9	53.7	0
4/13/2023, 5:18:58 PM	0	6.913	84.7	53.8	0
4/13/2023, 5:28:58 PM	0	6.913	84.2	53.6	0
4/13/2023, 5:38:58 PM	0	6.913	83.7	53.5	0
4/13/2023, 5:48:58 PM	0	6.913	83.1	53.5	0
4/13/2023, 5:58:58 PM	0	6.913	82.6	53.4	0
4/13/2023, 6:08:58 PM	0	6.913	82	53.4	0
4/13/2023, 6:18:58 PM	0	6.913	81.7	53.6	0
4/13/2023, 6:28:58 PM	0	6.913	81.1	53.7	0
4/13/2023, 6:38:58 PM	0	6.913	80.6	53.9	0
4/13/2023, 6:48:58 PM	0	6.913	79.9	54.1	0
4/13/2023, 6:58:58 PM	0	6.913	79.3	54.1	0
4/13/2023, 7:08:58 PM	0	6.913	78.8	54.2	0
4/13/2023, 7:18:58 PM	0	6.904	78.3	54.4	0
4/13/2023, 7:28:58 PM	0	6.904	77.5	54.6	0
4/13/2023, 7:38:58 PM	0	6.904	76.8	54.7	0
4/13/2023, 7:48:58 PM	0	6.904	76.1	54.6	0
4/13/2023, 7:58:58 PM	0	6.904	75.6	54.6	0
4/13/2023, 8:08:58 PM	0	6.904	75	54.6	0
4/13/2023, 8:18:58 PM	0	6.904	74.3	54.7	0
4/13/2023, 8:28:58 PM	0	6.904	73.8	54.8	0
4/13/2023, 8:38:58 PM	0	6.904	73	54.9	0
4/13/2023, 8:48:58 PM	0	6.904	72.5	55.2	0
4/13/2023, 8:58:58 PM	0	6.904	71.6	55.5	0
4/13/2023, 9:08:58 PM	0	6.904	70.7	55.9	0
4/13/2023, 9:18:58 PM	0	6.904	70.2	56.2	0
4/13/2023, 9:28:58 PM	0	6.904	69.6	56.6	0
4/13/2023, 9:38:58 PM	0	6.904	69.4	56.8	0
4/13/2023, 9:48:58 PM	0	6.904	69.3	56.9	0
4/13/2023, 9:58:58 PM	0	6.904	69.3	56.8	0
4/13/2023, 10:08:58 PM	0	6.904	69.1	56.7	0
4/13/2023, 10:18:58 PM	0	6.904	68.5	56.8	0
4/13/2023, 10:28:58 PM	0	6.904	68.2	56.9	0
4/13/2023, 10:38:58 PM	0	6.904	68	56.9	0
4/13/2023, 10:48:58 PM	0	6.904	67.5	57.1	0
4/13/2023, 10:58:58 PM	0	6.904	67.1	57.2	0
4/13/2023, 11:08:58 PM	0	6.904	66.7	57.3	0
4/13/2023, 11:18:58 PM	0	6.895	66.6	57.5	0
4/13/2023, 11:28:58 PM	0	6.895	66.4	57.7	0
4/13/2023, 11:38:58 PM	0	6.895	65.8	58.1	0
4/13/2023, 11:48:58 PM	0	6.895	65.3	58.4	0
4/13/2023, 11:58:58 PM	0	6.895	64.8	58.7	0
4/14/2023, 12:08:58 AM	0	6.895	64	59.1	0
4/14/2023, 12:18:58 AM	0	6.895	63.5	59.8	0
4/14/2023, 12:28:58 AM	0	6.895	62.8	60.4	0
4/14/2023, 12:38:58 AM	0	6.895	62.2	60.9	0
4/14/2023, 12:48:58 AM	0	6.895	61.7	61.7	0
4/14/2023, 12:58:58 AM	0	6.895	61.3	62.6	0
4/14/2023, 1:08:58 AM	0	6.895	61	63.4	0
4/14/2023, 1:18:58 AM	0	6.895	60.4	64.1	0
4/14/2023, 1:28:58 AM	0	6.895	60.1	64.4	0
4/14/2023, 1:38:58 AM	0	6.895	59.9	64.9	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/14/2023, 1:48:58 AM	0	6.895	59.7	65.3	0
4/14/2023, 1:58:58 AM	0	6.895	59.4	65.7	0
4/14/2023, 2:08:58 AM	0	6.895	59.2	66.3	0
4/14/2023, 2:18:58 AM	0	6.895	59	67	0
4/14/2023, 2:28:58 AM	0	6.886	59	67.8	0
4/14/2023, 2:38:58 AM	0	6.895	58.6	68.4	0
4/14/2023, 2:48:58 AM	0	6.895	58.3	68.8	0
4/14/2023, 2:58:58 AM	0	6.886	57.7	69.1	0
4/14/2023, 3:08:58 AM	0	6.886	57.4	69.3	0
4/14/2023, 3:18:58 AM	0	6.886	57	69.7	0
4/14/2023, 3:28:58 AM	0	6.886	56.5	70.2	0
4/14/2023, 3:38:58 AM	0	6.886	56.1	70.7	0
4/14/2023, 3:48:58 AM	0	6.886	55.6	71.4	0
4/14/2023, 3:58:58 AM	0	6.886	55.2	72.2	0
4/14/2023, 4:08:58 AM	0	6.886	55	72.9	0
4/14/2023, 4:18:58 AM	0	6.886	54.9	73.7	0
4/14/2023, 4:28:58 AM	0	6.886	54.5	74.4	0
4/14/2023, 4:38:58 AM	0	6.886	54.3	74.9	0
4/14/2023, 4:48:58 AM	0	6.886	54	75.5	0
4/14/2023, 4:58:58 AM	0	6.886	53.8	76	0
4/14/2023, 5:08:58 AM	0	6.886	53.4	76.4	0
4/14/2023, 5:18:58 AM	0	6.886	53.1	76.8	0
4/14/2023, 5:28:58 AM	0	6.886	52.7	77.1	0
4/14/2023, 5:38:58 AM	0	6.886	52.5	77.5	0
4/14/2023, 5:48:58 AM	0	6.886	52.2	77.7	0
4/14/2023, 5:58:58 AM	0	6.886	52	78.1	0
4/14/2023, 6:08:58 AM	0	6.877	51.6	78.4	0
4/14/2023, 6:18:58 AM	0	6.877	51.4	78.7	0
4/14/2023, 6:28:58 AM	0	6.877	51.3	79.1	0
4/14/2023, 6:38:58 AM	0	6.877	51.1	79.5	0
4/14/2023, 6:48:58 AM	0	6.877	50.9	80	0
4/14/2023, 6:58:58 AM	0	6.877	50.7	80.4	0
4/14/2023, 7:08:58 AM	0	6.877	50.7	80.8	0
4/14/2023, 7:18:58 AM	0	6.877	50.7	81.4	0
4/14/2023, 7:28:58 AM	0	6.877	50.7	81.9	0
4/14/2023, 7:38:58 AM	0	6.877	50.9	82.4	0
4/14/2023, 7:48:58 AM	0	6.877	51.1	83	0
4/14/2023, 7:58:58 AM	0	6.877	51.4	83.6	0
4/14/2023, 8:08:58 AM	0	6.877	52.2	84.3	0
4/14/2023, 8:18:58 AM	0	6.877	52.9	85.1	0
4/14/2023, 8:28:58 AM	0	6.877	53.8	85.8	0
4/14/2023, 8:38:58 AM	0	6.877	54.9	86.3	0
4/14/2023, 8:48:58 AM	0	6.877	56.3	86.4	0
4/14/2023, 8:58:58 AM	0	6.877	58.3	85.6	0
4/14/2023, 9:08:58 AM	0	6.886	61.2	82.6	0
4/14/2023, 9:18:58 AM	0	6.886	63.7	78.8	0
4/14/2023, 9:28:58 AM	0	6.886	65.8	75.4	0
4/14/2023, 9:38:58 AM	0	6.886	67.8	72.7	0
4/14/2023, 9:48:58 AM	0	6.895	69.8	70.5	0
4/14/2023, 9:58:58 AM	0	6.895	71.6	68.8	0
4/14/2023, 10:08:58 AM	0	6.895	73	67.3	0
4/14/2023, 10:18:58 AM	0	6.895	74.7	65.8	0
4/14/2023, 10:28:58 AM	0	6.895	76.3	64.5	0
4/14/2023, 10:38:58 AM	0	6.895	77.5	63.2	0
4/14/2023, 10:48:58 AM	0	6.895	78.8	62.3	0
4/14/2023, 10:58:58 AM	0	6.904	80.2	61.3	0
4/14/2023, 11:08:58 AM	0	6.904	81.7	60.4	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/14/2023, 11:18:58 AM	0	6.904	82.9	59.5	0
4/14/2023, 11:28:58 AM	0	6.904	84	58.8	0
4/14/2023, 11:38:58 AM	0	6.904	84.9	58.1	0
4/14/2023, 11:48:58 AM	0	6.904	85.5	57.6	0
4/14/2023, 11:58:58 AM	0	6.904	85.6	57.1	0
4/14/2023, 12:08:58 PM	0	6.904	86	56.8	0
4/14/2023, 12:18:58 PM	0	6.904	86.4	56.5	0
4/14/2023, 12:28:58 PM	0	6.904	86.7	56.2	0
4/14/2023, 12:38:58 PM	0	6.904	87.6	56	0
4/14/2023, 12:48:58 PM	0	6.904	88.5	55.8	0
4/14/2023, 12:58:58 PM	0	6.904	89.1	55.4	0
4/14/2023, 1:08:58 PM	0	6.913	89.2	55.1	0
4/14/2023, 1:18:58 PM	0	6.913	89.2	54.9	0
4/14/2023, 1:28:58 PM	0	6.913	89.1	54.5	0
4/14/2023, 1:38:58 PM	0	6.913	89.1	54.3	0
4/14/2023, 1:48:58 PM	0	6.913	89.2	54.1	0
4/14/2023, 1:58:58 PM	0	6.913	89.8	54	0
4/14/2023, 2:08:58 PM	0	6.913	90	53.7	0
4/14/2023, 2:18:58 PM	0	6.913	90.1	53.5	0
4/14/2023, 2:28:58 PM	0	6.913	90.1	53.4	0
4/14/2023, 2:38:58 PM	0	6.913	90.1	53.2	0
4/14/2023, 2:48:58 PM	0	6.913	90.3	53.1	0
4/14/2023, 2:58:58 PM	0	6.913	90.1	53	0
4/14/2023, 3:08:58 PM	0	6.913	90	52.9	0
4/14/2023, 3:18:58 PM	0	6.913	89.8	53.2	0
4/14/2023, 3:28:58 PM	0	6.913	89.4	53.4	0
4/14/2023, 3:38:58 PM	0	6.913	89.1	53.5	0
4/14/2023, 3:48:58 PM	0	6.913	88.5	53.6	0
4/14/2023, 3:58:58 PM	0	6.913	88	53.6	0
4/14/2023, 4:08:58 PM	0	6.913	87.4	53.7	0
4/14/2023, 4:18:58 PM	0	6.913	86.9	53.7	0
4/14/2023, 4:28:58 PM	0	6.913	86.7	53.7	0
4/14/2023, 4:38:58 PM	0	6.913	86.4	53.7	0
4/14/2023, 4:48:58 PM	0	6.913	86	53.6	0
4/14/2023, 4:58:58 PM	0	6.913	85.6	53.6	0
4/14/2023, 5:08:58 PM	0	6.913	85.3	53.6	0
4/14/2023, 5:18:58 PM	0	6.913	85.3	53.6	0
4/14/2023, 5:28:58 PM	0	6.913	84.9	53.6	0
4/14/2023, 5:38:58 PM	0	6.913	84.6	53.4	0
4/14/2023, 5:48:58 PM	0	6.913	84	53.3	0
4/14/2023, 5:58:58 PM	0	6.913	83.5	53.3	0
4/14/2023, 6:08:58 PM	0	6.913	82.9	53.2	0
4/14/2023, 6:18:58 PM	0	6.913	82.4	53.3	0
4/14/2023, 6:28:58 PM	0	6.913	82	53.3	0
4/14/2023, 6:38:58 PM	0	6.913	81.3	53.4	0
4/14/2023, 6:48:58 PM	0	6.913	80.8	53.4	0
4/14/2023, 6:58:58 PM	0	6.913	80.2	53.5	0
4/14/2023, 7:08:58 PM	0	6.913	79.5	53.6	0
4/14/2023, 7:18:58 PM	0	6.904	79	53.9	0
4/14/2023, 7:28:58 PM	0	6.904	78.1	54.1	0
4/14/2023, 7:38:58 PM	0	6.904	77.4	54.3	0
4/14/2023, 7:48:58 PM	0	6.904	76.5	54.5	0
4/14/2023, 7:58:58 PM	0	6.904	75.6	54.8	0
4/14/2023, 8:08:58 PM	0	6.904	74.7	55	0
4/14/2023, 8:18:58 PM	0	6.904	73.8	55.3	0
4/14/2023, 8:28:58 PM	0	6.904	72.5	55.8	0
4/14/2023, 8:38:58 PM	0	6.904	71.8	56.1	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/14/2023, 8:48:58 PM	0	6.904	70.7	57	0
4/14/2023, 8:58:58 PM	0	6.904	69.8	57.7	0
4/14/2023, 9:08:58 PM	0	6.904	68.9	58.1	0
4/14/2023, 9:18:58 PM	0	6.904	68.2	58.6	0
4/14/2023, 9:28:58 PM	0	6.904	67.5	59.8	0
4/14/2023, 9:38:58 PM	0	6.904	66.7	61.1	0
4/14/2023, 9:48:58 PM	0	6.895	66	62.5	0
4/14/2023, 9:58:58 PM	0	6.895	65.3	63.5	0
4/14/2023, 10:08:58 PM	0	6.895	64.8	64.3	0
4/14/2023, 10:18:58 PM	0	6.895	64.2	65.1	0
4/14/2023, 10:28:58 PM	0	6.895	63.7	66	0
4/14/2023, 10:38:58 PM	0	6.895	63.1	66.9	0
4/14/2023, 10:48:58 PM	0	6.895	62.6	67.5	0
4/14/2023, 10:58:58 PM	0	6.895	62.1	68.1	0
4/14/2023, 11:08:58 PM	0	6.895	61.5	68.9	0
4/14/2023, 11:18:58 PM	0	6.895	61.2	69.6	0
4/14/2023, 11:28:58 PM	0	6.895	60.6	70.3	0
4/14/2023, 11:38:58 PM	0	6.895	60.3	70.9	0
4/14/2023, 11:48:58 PM	0	6.895	59.7	71.3	0
4/14/2023, 11:58:58 PM	0	6.895	59.4	71.9	0
4/15/2023, 12:08:58 AM	0	6.886	58.8	72.5	0
4/15/2023, 12:18:58 AM	0	6.886	58.5	73.3	0
4/15/2023, 12:28:58 AM	0	6.886	58.1	74	0
4/15/2023, 12:38:58 AM	0	6.886	57.7	74.7	0
4/15/2023, 12:48:58 AM	0	6.886	57.4	75.4	0
4/15/2023, 12:58:58 AM	0	6.886	57	76.1	0
4/15/2023, 1:08:58 AM	0	6.886	56.8	76.7	0
4/15/2023, 1:18:58 AM	0	6.886	56.5	77.2	0
4/15/2023, 1:28:58 AM	0	6.886	56.1	77.7	0
4/15/2023, 1:38:58 AM	0	6.886	55.8	78.2	0
4/15/2023, 1:48:58 AM	0	6.886	55.4	78.5	0
4/15/2023, 1:58:58 AM	0	6.886	55	78.9	0
4/15/2023, 2:08:58 AM	0	6.886	54.9	79.3	0
4/15/2023, 2:18:58 AM	0	6.886	54.7	79.8	0
4/15/2023, 2:28:58 AM	0	6.886	54.3	80.1	0
4/15/2023, 2:38:58 AM	0	6.886	54.1	80.3	0
4/15/2023, 2:48:58 AM	0	6.886	54	80.6	0
4/15/2023, 2:58:58 AM	0	6.886	53.8	81	0
4/15/2023, 3:08:58 AM	0	6.886	53.4	81.4	0
4/15/2023, 3:18:58 AM	0	6.886	53.4	81.8	0
4/15/2023, 3:28:58 AM	0	6.877	53.2	82.2	0
4/15/2023, 3:38:58 AM	0	6.877	53.2	82.7	0
4/15/2023, 3:48:58 AM	0	6.877	53.2	83	0
4/15/2023, 3:58:58 AM	0	6.877	53.2	83.3	0
4/15/2023, 4:08:58 AM	0	6.877	53.2	83.6	0
4/15/2023, 4:18:58 AM	0	6.877	53.2	83.8	0
4/15/2023, 4:28:58 AM	0	6.877	53.2	84	0
4/15/2023, 4:38:58 AM	0	6.877	53.4	84.2	0
4/15/2023, 4:48:58 AM	0	6.877	53.2	84.1	0
4/15/2023, 4:58:58 AM	0	6.877	53.2	84	0
4/15/2023, 5:08:58 AM	0	6.877	53.2	84.2	0
4/15/2023, 5:18:58 AM	0	6.877	53.2	84.4	0
4/15/2023, 5:28:58 AM	0	6.877	53.2	84.5	0
4/15/2023, 5:38:58 AM	0	6.877	53.2	84.6	0
4/15/2023, 5:48:58 AM	0	6.877	53.2	84.7	0
4/15/2023, 5:58:58 AM	0	6.877	53.2	84.7	0
4/15/2023, 6:08:58 AM	0	6.877	53.2	84.9	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/15/2023, 6:18:58 AM	0	6.877	53.2	85.1	0
4/15/2023, 6:28:58 AM	0	6.877	53.2	85.3	0
4/15/2023, 6:38:58 AM	0	6.877	53.2	85.4	0
4/15/2023, 6:48:58 AM	0	6.877	53.2	85.4	0
4/15/2023, 6:58:58 AM	0	6.877	53.2	85.5	0
4/15/2023, 7:08:58 AM	0	6.877	53.2	85.7	0
4/15/2023, 7:18:58 AM	0	6.877	53.2	85.8	0
4/15/2023, 7:28:58 AM	0	6.877	53.4	85.9	0
4/15/2023, 7:38:58 AM	0	6.877	53.8	86.1	0
4/15/2023, 7:48:58 AM	0	6.877	54	86.3	0
4/15/2023, 7:58:58 AM	0	6.877	54.5	86.2	0
4/15/2023, 8:08:58 AM	0	6.877	55	85.8	0
4/15/2023, 8:18:58 AM	0	6.877	55.6	85.3	0
4/15/2023, 8:28:58 AM	0	6.877	56.3	84.5	0
4/15/2023, 8:38:58 AM	0	6.877	57	83.7	0
4/15/2023, 8:48:58 AM	0	6.877	57.9	82.8	0
4/15/2023, 8:58:58 AM	0	6.886	59	81.9	0
4/15/2023, 9:08:58 AM	0	6.886	60.4	80.9	0
4/15/2023, 9:18:58 AM	0	6.886	61.7	79.7	0
4/15/2023, 9:28:58 AM	0	6.886	63	78.6	0
4/15/2023, 9:38:58 AM	0	6.886	64.4	77.3	0
4/15/2023, 9:48:58 AM	0	6.886	66	75.9	0
4/15/2023, 9:58:58 AM	0	6.886	67.6	74.4	0
4/15/2023, 10:08:58 AM	0	6.886	69.1	73	0
4/15/2023, 10:18:58 AM	0	6.895	70.5	71.8	0
4/15/2023, 10:28:58 AM	0	6.895	72	70.4	0
4/15/2023, 10:38:58 AM	0	6.895	73.2	69.1	0
4/15/2023, 10:48:58 AM	0	6.895	74.7	67.8	0
4/15/2023, 10:58:58 AM	0	6.895	75.9	66.5	0
4/15/2023, 11:08:58 AM	0	6.895	77.2	65.4	0
4/15/2023, 11:18:58 AM	0	6.895	78.1	64.4	0
4/15/2023, 11:28:58 AM	0	6.895	79	63.6	0
4/15/2023, 11:38:58 AM	0	6.895	79.9	63.1	0
4/15/2023, 11:48:58 AM	0	6.904	80.8	62.5	0
4/15/2023, 11:58:58 AM	0	6.904	81.3	61.7	0
4/15/2023, 12:08:58 PM	0	6.904	82	61.2	0
4/15/2023, 12:18:58 PM	0	6.904	82.8	60.9	0
4/15/2023, 12:28:58 PM	0	6.904	83.5	60.7	0
4/15/2023, 12:38:58 PM	0	6.904	83.8	60.5	0
4/15/2023, 12:48:58 PM	0	6.904	84	60.3	0
4/15/2023, 12:58:58 PM	0	6.904	84.6	60	0
4/15/2023, 1:08:58 PM	0	6.904	84.6	59.7	0
4/15/2023, 1:18:58 PM	0	6.904	84.4	59.4	0
4/15/2023, 1:28:58 PM	0	6.904	84.4	59.3	0
4/15/2023, 1:38:58 PM	0	6.904	84.4	59.3	0
4/15/2023, 1:48:58 PM	0	6.904	84.7	59.3	0
4/15/2023, 1:58:58 PM	0	6.904	85.5	59.1	0
4/15/2023, 2:08:58 PM	0	6.904	86	58.8	0
4/15/2023, 2:18:58 PM	0	6.904	86.4	58.4	0
4/15/2023, 2:28:58 PM	0	6.904	86.5	58	0
4/15/2023, 2:38:58 PM	0	6.904	86.5	57.8	0
4/15/2023, 2:48:58 PM	0	6.904	86.5	57.5	0
4/15/2023, 2:58:58 PM	0	6.904	86.4	57.4	0
4/15/2023, 3:08:58 PM	0	6.904	86.4	57.4	0
4/15/2023, 3:18:58 PM	0	6.904	86.2	57.3	0
4/15/2023, 3:28:58 PM	0	6.904	86.2	57.2	0
4/15/2023, 3:38:58 PM	0	6.904	86.2	57.1	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/15/2023, 3:48:58 PM	0	6.904	86	56.9	0
4/15/2023, 3:58:58 PM	0	6.904	86	56.8	0
4/15/2023, 4:08:58 PM	0	6.913	85.8	56.8	0
4/15/2023, 4:18:58 PM	0	6.904	85.6	56.7	0
4/15/2023, 4:28:58 PM	0	6.913	85.5	56.7	0
4/15/2023, 4:38:58 PM	0	6.904	85.3	56.6	0
4/15/2023, 4:48:58 PM	0	6.904	84.9	56.5	0
4/15/2023, 4:58:58 PM	0	6.913	84.4	56.4	0
4/15/2023, 5:08:58 PM	0	6.904	83.8	56.3	0
4/15/2023, 5:18:58 PM	0	6.904	83.3	56.3	0
4/15/2023, 5:28:58 PM	0	6.904	82.4	56.2	0
4/15/2023, 5:38:58 PM	0	6.904	81.7	56.4	0
4/15/2023, 5:48:58 PM	0	6.904	81.1	56.8	0
4/15/2023, 5:58:58 PM	0	6.904	80.8	56.8	0
4/15/2023, 6:08:58 PM	0	6.904	80.4	57.1	0
4/15/2023, 6:18:58 PM	0	6.904	80.2	57.5	0
4/15/2023, 6:28:58 PM	0	6.904	80.1	57.8	0
4/15/2023, 6:38:58 PM	0	6.904	79.7	58.1	0
4/15/2023, 6:48:58 PM	0	6.904	79.5	58.4	0
4/15/2023, 6:58:58 PM	0	6.904	79.2	58.6	0
4/15/2023, 7:08:58 PM	0	6.904	78.8	58.8	0
4/15/2023, 7:18:58 PM	0	6.904	78.3	58.9	0
4/15/2023, 7:28:58 PM	0	6.904	77.5	59.2	0
4/15/2023, 7:38:58 PM	0	6.904	76.8	59.8	0
4/15/2023, 7:48:58 PM	0	6.904	75.9	60.4	0
4/15/2023, 7:58:58 PM	0	6.904	75	61.3	0
4/15/2023, 8:08:58 PM	0	6.904	74.3	62.1	0
4/15/2023, 8:18:58 PM	0	6.904	73.4	62.4	0
4/15/2023, 8:28:58 PM	0	6.904	72.5	62.7	0
4/15/2023, 8:38:58 PM	0	6.904	71.6	63.3	0
4/15/2023, 8:48:58 PM	0	6.904	70.7	63.8	0
4/15/2023, 8:58:58 PM	0	6.904	69.8	64.2	0
4/15/2023, 9:08:58 PM	0	6.904	69.1	65	0
4/15/2023, 9:18:58 PM	0	6.895	68.4	65.8	0
4/15/2023, 9:28:58 PM	0	6.904	67.5	66.3	0
4/15/2023, 9:38:58 PM	0	6.895	66.7	67.1	0
4/15/2023, 9:48:58 PM	0	6.895	66.2	68.2	0
4/15/2023, 9:58:58 PM	0	6.895	65.5	69	0
4/15/2023, 10:08:58 PM	0	6.895	64.8	69.7	0
4/15/2023, 10:18:58 PM	0	6.895	64.2	70.4	0
4/15/2023, 10:28:58 PM	0	6.895	63.7	71.1	0
4/15/2023, 10:38:58 PM	0	6.895	63.1	71.6	0
4/15/2023, 10:48:58 PM	0	6.895	62.6	72.3	0
4/15/2023, 10:58:58 PM	0	6.895	62.1	73	0
4/15/2023, 11:08:58 PM	0	6.895	61.5	73.5	0
4/15/2023, 11:18:58 PM	0	6.895	61	74	0
4/15/2023, 11:28:58 PM	0	6.895	60.6	74.5	0
4/15/2023, 11:38:58 PM	0	6.886	60.1	74.9	0
4/15/2023, 11:48:58 PM	0	6.895	59.7	75.5	0
4/15/2023, 11:58:58 PM	0	6.886	59.4	76	0
4/16/2023, 12:08:58 AM	0	6.886	59	76.4	0
4/16/2023, 12:18:58 AM	0	6.886	58.6	76.9	0
4/16/2023, 12:28:58 AM	0	6.886	58.3	77.5	0
4/16/2023, 12:38:58 AM	0	6.886	58.1	78.1	0
4/16/2023, 12:48:58 AM	0	6.886	57.9	78.6	0
4/16/2023, 12:58:58 AM	0	6.886	57.9	78.9	0
4/16/2023, 1:08:58 AM	0	6.886	57.9	78.9	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/16/2023, 1:18:58 AM	0	6.886	58.1	78.8	0
4/16/2023, 1:28:58 AM	0	6.886	58.1	78.7	0
4/16/2023, 1:38:58 AM	0	6.886	58.1	78.8	0
4/16/2023, 1:48:58 AM	0	6.886	58.1	79.1	0
4/16/2023, 1:58:58 AM	0	6.886	58.1	79.6	0
4/16/2023, 2:08:58 AM	0	6.886	58.1	80	0
4/16/2023, 2:18:58 AM	0	6.886	57.9	80.1	0
4/16/2023, 2:28:58 AM	0	6.886	57.7	80.1	0
4/16/2023, 2:38:58 AM	0	6.886	57.6	80.2	0
4/16/2023, 2:48:58 AM	0	6.886	57.2	80.4	0
4/16/2023, 2:58:58 AM	0	6.886	57	80.6	0
4/16/2023, 3:08:58 AM	0	6.886	56.7	80.8	0
4/16/2023, 3:18:58 AM	0	6.886	56.5	81.2	0
4/16/2023, 3:28:58 AM	0	6.886	56.3	81.6	0
4/16/2023, 3:38:58 AM	0	6.886	55.9	81.9	0
4/16/2023, 3:48:58 AM	0	6.886	55.8	82.3	0
4/16/2023, 3:58:58 AM	0	6.886	55.6	82.6	0
4/16/2023, 4:08:58 AM	0	6.886	55.2	82.9	0
4/16/2023, 4:18:58 AM	0	6.886	55	83.2	0
4/16/2023, 4:28:58 AM	0	6.886	54.9	83.5	0
4/16/2023, 4:38:58 AM	0	6.877	54.7	83.9	0
4/16/2023, 4:48:58 AM	0	6.877	54.5	84.4	0
4/16/2023, 4:58:58 AM	0	6.877	54.1	84.6	0
4/16/2023, 5:08:58 AM	0	6.877	54	84.8	0
4/16/2023, 5:18:58 AM	0	6.877	53.8	85	0
4/16/2023, 5:28:58 AM	0	6.877	53.6	85.2	0
4/16/2023, 5:38:58 AM	0	6.877	53.2	85.4	0
4/16/2023, 5:48:58 AM	0	6.877	53.1	85.6	0
4/16/2023, 5:58:58 AM	0	6.877	52.9	85.8	0
4/16/2023, 6:08:58 AM	0	6.877	52.7	86.1	0
4/16/2023, 6:18:58 AM	0	6.877	52.5	86.3	0
4/16/2023, 6:28:58 AM	0	6.877	52.3	86.5	0
4/16/2023, 6:38:58 AM	0	6.877	52.2	86.7	0
4/16/2023, 6:48:58 AM	0	6.877	52	86.9	0
4/16/2023, 6:58:58 AM	0	6.877	52	87.2	0
4/16/2023, 7:08:58 AM	0	6.877	52	87.5	0
4/16/2023, 7:18:58 AM	0	6.877	52.3	88	0
4/16/2023, 7:28:58 AM	0	6.877	52.9	88.7	0
4/16/2023, 7:38:58 AM	0	6.877	53.6	89.3	0
4/16/2023, 7:48:58 AM	0	6.877	54.3	89.9	0
4/16/2023, 7:58:58 AM	0	6.877	55.2	90.4	0
4/16/2023, 8:08:58 AM	0	6.877	56.1	90.7	0
4/16/2023, 8:18:58 AM	0	6.877	56.8	90.8	0
4/16/2023, 8:28:58 AM	0	6.877	57.7	90.8	0
4/16/2023, 8:38:58 AM	0	6.877	58.6	90.5	0
4/16/2023, 8:48:58 AM	0	6.877	59.5	90.1	0
4/16/2023, 8:58:58 AM	0	6.877	61	89.4	0
4/16/2023, 9:08:58 AM	0	6.886	62.4	88.4	0
4/16/2023, 9:18:58 AM	0	6.886	63.9	87.1	0
4/16/2023, 9:28:58 AM	0	6.886	65.5	85.6	0
4/16/2023, 9:38:58 AM	0	6.886	67.3	83.8	0
4/16/2023, 9:48:58 AM	0	6.886	69.1	82	0
4/16/2023, 9:58:58 AM	0	6.886	70.7	80.1	0
4/16/2023, 10:08:58 AM	0	6.895	72.3	78.2	0
4/16/2023, 10:18:58 AM	0	6.895	73.9	76.4	0
4/16/2023, 10:28:58 AM	0	6.895	75.4	74.7	0
4/16/2023, 10:38:58 AM	0	6.895	76.6	73	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/16/2023, 10:48:58 AM	0	6.895	77.9	71.6	0
4/16/2023, 10:58:58 AM	0	6.895	79	70.2	0
4/16/2023, 11:08:58 AM	0	6.895	80.2	68.9	0
4/16/2023, 11:18:58 AM	0	6.895	81.5	67.5	0
4/16/2023, 11:28:58 AM	0	6.895	82.2	66.4	0
4/16/2023, 11:38:58 AM	0	6.904	82.9	65.4	0
4/16/2023, 11:48:58 AM	0	6.904	83.5	64.7	0
4/16/2023, 11:58:58 AM	0	6.904	84	63.9	0
4/16/2023, 12:08:58 PM	0	6.904	84.2	63.4	0
4/16/2023, 12:18:58 PM	0	6.904	84.6	63	0
4/16/2023, 12:28:58 PM	0	6.904	85.1	62.7	0
4/16/2023, 12:38:58 PM	0	6.904	85.6	62.4	0
4/16/2023, 12:48:58 PM	0	6.904	86.2	62.3	0
4/16/2023, 12:58:58 PM	0	6.904	86.7	62.1	0
4/16/2023, 1:08:58 PM	0	6.904	86.5	61.8	0
4/16/2023, 1:18:58 PM	0	6.904	86.4	61.5	0
4/16/2023, 1:28:58 PM	0	6.904	86.2	61.2	0
4/16/2023, 1:38:58 PM	0	6.904	86.2	61	0
4/16/2023, 1:48:58 PM	0	6.904	86.4	60.7	0
4/16/2023, 1:58:58 PM	0	6.904	86.7	60.6	0
4/16/2023, 2:08:58 PM	0	6.904	86.9	60.3	0
4/16/2023, 2:18:58 PM	0	6.904	87.1	60	0
4/16/2023, 2:28:58 PM	0	6.904	87.1	59.6	0
4/16/2023, 2:38:58 PM	0	6.904	87.1	59.4	0
4/16/2023, 2:48:58 PM	0	6.904	86.7	59.3	0
4/16/2023, 2:58:58 PM	0	6.904	86.7	59.1	0
4/16/2023, 3:08:58 PM	0	6.904	86.5	59.1	0
4/16/2023, 3:18:58 PM	0	6.904	86.5	58.9	0
4/16/2023, 3:28:58 PM	0	6.904	86.4	58.8	0
4/16/2023, 3:38:58 PM	0	6.904	86.4	58.8	0
4/16/2023, 3:48:58 PM	0	6.904	86.4	58.8	0
4/16/2023, 3:58:58 PM	0	6.904	86.2	58.8	0
4/16/2023, 4:08:58 PM	0	6.904	86	58.8	0
4/16/2023, 4:18:58 PM	0	6.904	85.8	59.1	0
4/16/2023, 4:28:58 PM	0	6.904	85.6	59.3	0
4/16/2023, 4:38:58 PM	0	6.904	85.3	59.4	0
4/16/2023, 4:48:58 PM	0	6.904	85.1	59.4	0
4/16/2023, 4:58:58 PM	0	6.904	84.7	59.3	0
4/16/2023, 5:08:58 PM	0	6.904	84.6	59.4	0
4/16/2023, 5:18:58 PM	0	6.904	84.4	59.4	0
4/16/2023, 5:28:58 PM	0	6.904	84.2	59.4	0
4/16/2023, 5:38:58 PM	0	6.904	84	59.5	0
4/16/2023, 5:48:58 PM	0	6.904	83.7	59.6	0
4/16/2023, 5:58:58 PM	0	6.904	83.3	59.7	0
4/16/2023, 6:08:58 PM	0	6.904	82.9	59.9	0
4/16/2023, 6:18:58 PM	0	6.904	82.4	60.1	0
4/16/2023, 6:28:58 PM	0	6.904	82	60.1	0
4/16/2023, 6:38:58 PM	0	6.904	81.7	60.3	0
4/16/2023, 6:48:58 PM	0	6.904	81.1	60.4	0
4/16/2023, 6:58:58 PM	0	6.904	80.8	60.5	0
4/16/2023, 7:08:58 PM	0	6.904	80.2	60.7	0
4/16/2023, 7:18:58 PM	0	6.904	79.9	60.9	0
4/16/2023, 7:28:58 PM	0	6.904	79.3	61.1	0
4/16/2023, 7:38:58 PM	0	6.904	79	61.3	0
4/16/2023, 7:48:58 PM	0	6.904	78.4	61.4	0
4/16/2023, 7:58:58 PM	0	6.904	77.9	61.6	0
4/16/2023, 8:08:58 PM	0	6.904	77.5	61.8	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/16/2023, 8:18:58 PM	0	6.904	77	62	0
4/16/2023, 8:28:58 PM	0	6.904	76.6	62.2	0
4/16/2023, 8:38:58 PM	0	6.904	76.1	62.3	0
4/16/2023, 8:48:58 PM	0	6.904	75.7	62.5	0
4/16/2023, 8:58:58 PM	0	6.904	75.6	62.7	0
4/16/2023, 9:08:58 PM	0	6.904	75.4	62.9	0
4/16/2023, 9:18:58 PM	0	6.904	75.2	63.2	0
4/16/2023, 9:28:58 PM	0	6.904	75	63.5	0
4/16/2023, 9:38:58 PM	0	6.904	74.8	63.9	0
4/16/2023, 9:48:58 PM	0	6.904	74.7	64.3	0
4/16/2023, 9:58:58 PM	0	6.904	74.5	64.7	0
4/16/2023, 10:08:58 PM	0	6.904	74.3	65.2	0
4/16/2023, 10:18:58 PM	0	6.904	74.1	65.5	0
4/16/2023, 10:28:58 PM	0	6.904	73.8	65.9	0
4/16/2023, 10:38:58 PM	0	6.904	73.4	66	0
4/16/2023, 10:48:58 PM	0	6.904	71.6	65.6	0
4/16/2023, 10:58:58 PM	0	6.904	69.4	65.8	0
4/16/2023, 11:08:58 PM	0	6.895	67.3	66.6	0
4/16/2023, 11:18:58 PM	0	6.895	65.7	67.6	0
4/16/2023, 11:28:58 PM	0	6.895	64.4	68.4	0
4/16/2023, 11:38:58 PM	0	6.895	63.1	69.1	0
4/16/2023, 11:48:58 PM	0	6.895	61.9	69.6	0
4/16/2023, 11:58:58 PM	0	6.895	61	70.1	0
4/17/2023, 12:08:58 AM	0	6.895	60.1	70.6	0
4/17/2023, 12:18:58 AM	0	6.886	59.5	71	0
4/17/2023, 12:28:58 AM	0	6.886	58.8	71.2	0
4/17/2023, 12:38:58 AM	0	6.886	58.1	71.6	0
4/17/2023, 12:48:58 AM	0	6.886	57	72	0
4/17/2023, 12:58:58 AM	0	6.886	56.1	72.6	0
4/17/2023, 1:08:58 AM	0	6.886	54.9	73.4	0
4/17/2023, 1:18:58 AM	0	6.886	54	74.2	0
4/17/2023, 1:28:58 AM	0	6.886	53.1	75.1	0
4/17/2023, 1:38:58 AM	0	6.877	52.5	76.2	0
4/17/2023, 1:48:58 AM	0	6.877	51.8	77	0
4/17/2023, 1:58:58 AM	0	6.877	51.3	77.7	0
4/17/2023, 2:08:58 AM	0	6.877	50.7	78.3	0
4/17/2023, 2:18:58 AM	0	6.877	50.2	78.8	0
4/17/2023, 2:28:58 AM	0	6.877	49.6	79.4	0
4/17/2023, 2:38:58 AM	0	6.877	49.3	79.8	0
4/17/2023, 2:48:58 AM	0	6.877	48.9	80.3	0
4/17/2023, 2:58:58 AM	0	6.877	48.6	80.7	0
4/17/2023, 3:08:58 AM	0	6.869	48.2	81.1	0
4/17/2023, 3:18:58 AM	0	6.869	47.8	81.6	0
4/17/2023, 3:28:58 AM	0	6.869	47.7	82	0
4/17/2023, 3:38:58 AM	0	6.869	47.5	82.6	0
4/17/2023, 3:48:58 AM	0	6.869	47.3	83	0
4/17/2023, 3:58:58 AM	0	6.869	47.3	83.5	0
4/17/2023, 4:08:58 AM	0	6.869	47.3	84	0
4/17/2023, 4:18:58 AM	0	6.869	47.1	84.4	0
4/17/2023, 4:28:58 AM	0	6.869	47.1	84.8	0
4/17/2023, 4:38:58 AM	0	6.869	47.1	85.2	0
4/17/2023, 4:48:58 AM	0	6.869	47.1	85.5	0
4/17/2023, 4:58:58 AM	0	6.869	47.1	85.8	0
4/17/2023, 5:08:58 AM	0	6.869	47.1	86.1	0
4/17/2023, 5:18:58 AM	0	6.869	47.1	86.3	0
4/17/2023, 5:28:58 AM	0	6.869	47.1	86.6	0
4/17/2023, 5:38:58 AM	0	6.869	47.1	86.8	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/17/2023, 5:48:58 AM	0	6.869	47.1	87	0
4/17/2023, 5:58:58 AM	0	6.869	47.1	87.2	0
4/17/2023, 6:08:58 AM	0	6.869	47.1	87.4	0
4/17/2023, 6:18:58 AM	0	6.869	47.1	87.7	0
4/17/2023, 6:28:58 AM	0	6.869	47.1	87.9	0
4/17/2023, 6:38:58 AM	0	6.869	47.1	88.1	0
4/17/2023, 6:48:58 AM	0	6.869	47.1	88.2	0
4/17/2023, 6:58:58 AM	0	6.869	47.1	88.4	0
4/17/2023, 7:08:58 AM	0	6.869	47.1	88.5	0
4/17/2023, 7:18:58 AM	0	6.869	47.1	88.5	0
4/17/2023, 7:28:58 AM	0	6.869	46.9	88.4	0
4/17/2023, 7:38:58 AM	0	6.869	46.9	88.4	0
4/17/2023, 7:48:58 AM	0	6.869	46.9	88.4	0
4/17/2023, 7:58:58 AM	0	6.869	46.8	88.5	0
4/17/2023, 8:08:58 AM	0	6.869	46.8	88.5	0
4/17/2023, 8:18:58 AM	0	6.869	46.8	88.6	0
4/17/2023, 8:28:58 AM	0	6.869	46.9	88.7	0
4/17/2023, 8:38:58 AM	0	6.869	46.9	88.8	0
4/17/2023, 8:48:58 AM	0	6.869	47.1	88.9	0
4/17/2023, 8:58:58 AM	0	6.869	47.1	89	0
4/17/2023, 9:08:58 AM	0	6.869	47.1	89	0
4/17/2023, 9:18:58 AM	0	6.869	46.9	89	0
4/17/2023, 9:28:58 AM	0	6.869	47.1	89	0
4/17/2023, 9:38:58 AM	0	6.869	47.3	89	0
4/17/2023, 9:48:58 AM	0	6.869	47.7	89.2	0
4/17/2023, 9:58:58 AM	0	6.869	48	89.3	0
4/17/2023, 10:17:17 AM	0	6.974	51.4	89.8	0
4/17/2023, 10:27:17 AM	0	6.869	52.3	89.4	0
4/17/2023, 10:37:17 AM	0	6.869	52.5	88.6	0
4/17/2023, 10:47:17 AM	0	6.869	52.3	87.6	0
4/17/2023, 10:57:17 AM	0	6.869	52.5	86.8	0
4/17/2023, 11:07:17 AM	0	6.869	53.8	86.5	0
4/17/2023, 11:17:17 AM	0	6.869	55.2	85.7	0
4/17/2023, 11:27:17 AM	0	6.869	56.1	83.6	0
4/17/2023, 11:37:17 AM	0	6.869	56.8	81.5	0
4/17/2023, 11:47:17 AM	0	6.869	57	79.4	0
4/17/2023, 11:57:17 AM	0	6.877	57	77.4	0
4/17/2023, 12:07:17 PM	0	6.877	57.4	76	0
4/17/2023, 12:17:17 PM	0	6.877	57.4	74.9	0
4/17/2023, 12:27:17 PM	0	6.877	57.4	73.6	0
4/17/2023, 12:37:17 PM	0	6.877	57.9	72.8	0
4/17/2023, 12:47:17 PM	0	6.877	59	72	0
4/17/2023, 12:57:17 PM	0	6.877	59.5	70.6	0
4/17/2023, 1:07:17 PM	0	6.877	60.1	69.5	0
4/17/2023, 1:17:17 PM	0	6.877	59.9	68.2	0
4/17/2023, 1:27:17 PM	0	6.877	59.7	67.3	0
4/17/2023, 1:37:17 PM	0	6.877	59.5	66.8	0
4/17/2023, 1:47:17 PM	0	6.877	59.4	66.4	0
4/17/2023, 1:57:17 PM	0	6.877	58.8	65.9	0
4/17/2023, 2:07:17 PM	0	6.877	58.5	65.5	0
4/17/2023, 2:17:17 PM	0	6.877	58.3	65.5	0
4/17/2023, 2:27:17 PM	0	6.877	58.1	65.4	0
4/17/2023, 2:37:17 PM	0	6.877	57.7	65.3	0
4/17/2023, 2:47:17 PM	0	6.877	57.4	65	0
4/17/2023, 2:57:17 PM	0	6.877	57	64.8	0
4/17/2023, 3:07:17 PM	0	6.877	57.2	64.9	0
4/17/2023, 3:17:17 PM	0	6.877	57.6	65	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/17/2023, 3:27:17 PM	0	6.877	57.6	65	0
4/17/2023, 3:37:17 PM	0	6.877	57.7	65	0
4/17/2023, 3:47:17 PM	0	6.877	57.7	64.7	0
4/17/2023, 3:57:17 PM	0	6.877	57.4	64.6	0
4/17/2023, 4:07:17 PM	0	6.877	57	64.5	0
4/17/2023, 4:17:17 PM	0	6.877	56.5	64.7	0
4/17/2023, 4:27:17 PM	0	6.877	55.2	65.2	0
4/17/2023, 4:37:17 PM	0	6.877	53.8	66.2	0
4/17/2023, 4:47:17 PM	0	6.877	52.7	67.5	0
4/17/2023, 4:57:17 PM	0	6.877	52	68.9	0
4/17/2023, 5:07:17 PM	0	6.869	51.4	70.1	0
4/17/2023, 5:17:17 PM	0	6.869	51.1	71.2	0
4/17/2023, 5:27:17 PM	0	6.869	50.7	72.1	0
4/17/2023, 5:37:17 PM	0	6.869	50.7	72.8	0
4/17/2023, 5:47:17 PM	0	6.869	50.5	73.5	0
4/17/2023, 5:57:17 PM	0	6.869	50.5	74	0
4/17/2023, 6:07:17 PM	0	6.869	50.4	74.3	0
4/17/2023, 6:17:17 PM	0	6.869	48.7	73.8	0
4/17/2023, 6:27:17 PM	0	6.869	47.1	73.7	0
4/17/2023, 6:37:17 PM	0	6.869	46.2	74.2	0
4/17/2023, 6:47:17 PM	0	6.86	45.3	75	0
4/17/2023, 6:57:17 PM	0	6.86	44.8	75.9	0
4/17/2023, 7:07:17 PM	0	6.86	44.4	76.8	0
4/17/2023, 7:17:17 PM	0	6.86	44.1	77.5	0
4/17/2023, 7:27:17 PM	0	6.86	43.9	78.2	0
4/17/2023, 7:37:17 PM	0	6.86	43.7	78.8	0
4/17/2023, 7:47:17 PM	0	6.86	43.5	79.4	0
4/17/2023, 7:57:17 PM	0	6.86	43.3	79.9	0
4/17/2023, 8:07:17 PM	0	6.86	43.2	80.2	0
4/17/2023, 8:17:17 PM	0	6.851	43	80.5	0
4/17/2023, 8:27:17 PM	0	6.851	42.8	80.4	0
4/17/2023, 8:37:17 PM	0	6.851	42.4	80.4	0
4/17/2023, 8:47:17 PM	0	6.851	42.3	80.4	0
4/17/2023, 8:57:17 PM	0	6.851	42.1	80.4	0
4/17/2023, 9:07:17 PM	0	6.851	41.9	80.5	0
4/17/2023, 9:17:17 PM	0	6.851	41.9	80.5	0
4/17/2023, 9:27:17 PM	0	6.851	41.7	80.6	0
4/17/2023, 9:37:17 PM	0	6.851	41.5	80.7	0
4/17/2023, 9:47:17 PM	0	6.851	41.5	80.8	0
4/17/2023, 9:57:17 PM	0	6.851	41.5	81	0
4/17/2023, 10:07:17 PM	0	6.851	41.5	81.1	0
4/17/2023, 10:17:17 PM	0	6.851	41.5	81.3	0
4/17/2023, 10:27:17 PM	0	6.851	41.4	81.4	0
4/17/2023, 10:37:17 PM	0	6.851	41.2	81.5	0
4/17/2023, 10:47:17 PM	0	6.851	41.2	81.4	0
4/17/2023, 10:57:17 PM	0	6.851	41	81.4	0
4/17/2023, 11:07:17 PM	0	6.851	40.8	81.4	0
4/17/2023, 11:17:17 PM	0	6.851	40.8	81.4	0
4/17/2023, 11:27:17 PM	0	6.851	40.6	81.4	0
4/17/2023, 11:37:17 PM	0	6.851	40.5	81.3	0
4/17/2023, 11:47:17 PM	0	6.851	40.5	81.4	0
4/17/2023, 11:57:17 PM	0	6.851	40.1	81.3	0
4/18/2023, 12:07:17 AM	0	6.851	39.9	81.2	0
4/18/2023, 12:17:17 AM	0	6.851	39.7	81.2	0
4/18/2023, 12:27:17 AM	0	6.842	39.6	81.1	0
4/18/2023, 12:37:17 AM	0	6.842	39.6	81	0
4/18/2023, 12:47:17 AM	0	6.842	39.6	80.8	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/18/2023, 12:57:17 AM	0	6.842	39.4	80.5	0
4/18/2023, 1:07:17 AM	0	6.842	39.2	80.3	0
4/18/2023, 1:17:17 AM	0	6.842	39.2	80.2	0
4/18/2023, 1:27:17 AM	0	6.842	39.4	80.1	0
4/18/2023, 1:37:17 AM	0	6.842	39.6	80	0
4/18/2023, 1:47:17 AM	0	6.842	39.6	79.8	0
4/18/2023, 1:57:17 AM	0	6.842	39.7	79.7	0
4/18/2023, 2:07:17 AM	0	6.842	39.7	79.4	0
4/18/2023, 2:17:17 AM	0	6.842	39.9	79.2	0
4/18/2023, 2:27:17 AM	0	6.842	40.1	79.1	0
4/18/2023, 2:37:17 AM	0	6.842	40.1	78.9	0
4/18/2023, 2:47:17 AM	0	6.842	40.1	78.7	0
4/18/2023, 2:57:17 AM	0	6.842	40.1	78.6	0
4/18/2023, 3:07:17 AM	0	6.842	40.3	78.5	0
4/18/2023, 3:17:17 AM	0	6.842	40.3	78.5	0
4/18/2023, 3:27:17 AM	0	6.842	40.3	78.5	0
4/18/2023, 3:37:17 AM	0	6.842	40.3	78.5	0
4/18/2023, 3:47:17 AM	0	6.842	40.1	78.5	0
4/18/2023, 3:57:17 AM	0	6.842	40.1	78.7	0
4/18/2023, 4:07:17 AM	0	6.842	39.9	78.8	0
4/18/2023, 4:17:17 AM	0	6.842	39.7	79	0
4/18/2023, 4:27:17 AM	0	6.842	39.6	79.2	0
4/18/2023, 4:37:17 AM	0	6.842	39.6	79.4	0
4/18/2023, 4:47:17 AM	0	6.842	39.4	79.7	0
4/18/2023, 4:57:17 AM	0	6.842	39.4	79.9	0
4/18/2023, 5:07:17 AM	0	6.842	39.4	80.1	0
4/18/2023, 5:17:17 AM	0	6.842	39.4	80.2	0
4/18/2023, 5:27:17 AM	0	6.842	39.4	80.3	0
4/18/2023, 5:37:17 AM	0	6.842	39.4	80.3	0
4/18/2023, 5:47:17 AM	0	6.842	39.4	80.3	0
4/18/2023, 5:57:17 AM	0	6.842	39.4	80.2	0
4/18/2023, 6:07:17 AM	0	6.842	39.6	80.1	0
4/18/2023, 6:17:17 AM	0	6.842	39.6	80	0
4/18/2023, 6:27:17 AM	0	6.842	39.6	79.9	0
4/18/2023, 6:37:17 AM	0	6.842	39.6	79.8	0
4/18/2023, 6:47:17 AM	0	6.842	39.6	79.7	0
4/18/2023, 6:57:17 AM	0	6.842	39.6	79.7	0
4/18/2023, 7:07:17 AM	0	6.842	39.6	79.7	0
4/18/2023, 7:17:17 AM	0	6.842	39.7	79.7	0
4/18/2023, 7:27:17 AM	0	6.842	39.7	79.8	0
4/18/2023, 7:37:17 AM	0	6.842	39.7	79.8	0
4/18/2023, 7:47:17 AM	0	6.842	39.9	79.9	0
4/18/2023, 7:57:17 AM	0	6.842	39.9	79.9	0
4/18/2023, 8:07:17 AM	0	6.842	40.1	80	0
4/18/2023, 8:17:17 AM	0	6.842	40.3	80.1	0
4/18/2023, 8:27:17 AM	0	6.842	40.5	80.3	0
4/18/2023, 8:37:17 AM	0	6.842	40.6	80.2	0
4/18/2023, 8:47:17 AM	0	6.842	40.6	80.2	0
4/18/2023, 8:57:17 AM	0	6.842	40.6	80	0
4/18/2023, 9:07:17 AM	0	6.842	40.3	80.1	0
4/18/2023, 9:17:17 AM	0	6.842	40.3	80.3	0
4/18/2023, 9:27:17 AM	0	6.842	39.9	80.4	0
4/18/2023, 9:37:17 AM	0	6.842	39.6	80.6	0
4/18/2023, 9:47:17 AM	0	6.842	39.6	81.1	0
4/18/2023, 9:57:17 AM	0	6.842	39.9	82	0
4/18/2023, 10:07:17 AM	0	6.842	40.3	82.7	0
4/18/2023, 10:17:17 AM	0	6.842	40.6	83.3	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/18/2023, 10:27:17 AM	0	6.842	40.8	83.6	0
4/18/2023, 10:37:17 AM	0	6.842	41	83.8	0
4/18/2023, 10:47:17 AM	0	6.842	41.2	83.9	0
4/18/2023, 10:57:17 AM	0	6.842	41.4	83.7	0
4/18/2023, 11:07:17 AM	0	6.842	41.7	83.8	0
4/18/2023, 11:17:17 AM	0	6.842	42.1	83.7	0
4/18/2023, 11:27:17 AM	0	6.851	42.3	83.3	0
4/18/2023, 11:37:17 AM	0	6.851	42.3	82.8	0
4/18/2023, 11:47:17 AM	0	6.851	42.6	82.4	0
4/18/2023, 11:57:17 AM	0	6.851	43	82	0
4/18/2023, 12:07:17 PM	0	6.851	43.2	81.6	0
4/18/2023, 12:17:17 PM	0	6.851	43.7	81.4	0
4/18/2023, 12:27:17 PM	0	6.851	43.9	80.8	0
4/18/2023, 12:37:17 PM	0	6.851	43.7	79.9	0
4/18/2023, 12:47:17 PM	0	6.851	43.7	79.3	0
4/18/2023, 12:57:17 PM	0	6.851	43.5	78.8	0
4/18/2023, 1:07:17 PM	0	6.851	43.3	78.3	0
4/18/2023, 1:17:17 PM	0	6.851	43.7	78.2	0
4/18/2023, 1:27:17 PM	0	6.851	44.2	78.2	0
4/18/2023, 1:37:17 PM	0	6.851	45.1	78.2	0
4/18/2023, 1:47:17 PM	0	6.851	46	77.8	0
4/18/2023, 1:57:17 PM	0	6.851	46.6	76.9	0
4/18/2023, 2:07:17 PM	0	6.851	46.6	75.9	0
4/18/2023, 2:17:17 PM	0	6.851	46.6	74.8	0
4/18/2023, 2:27:17 PM	0	6.851	46.8	74.1	0
4/18/2023, 2:37:17 PM	0	6.851	46.9	73.6	0
4/18/2023, 2:47:17 PM	0	6.86	46.6	72.8	0
4/18/2023, 2:57:17 PM	0	6.86	46.2	72	0
4/18/2023, 3:07:17 PM	0	6.86	45.7	71.5	0
4/18/2023, 3:17:17 PM	0	6.851	45.3	71.4	0
4/18/2023, 3:27:17 PM	0	6.851	45.1	71.2	0
4/18/2023, 3:37:17 PM	0	6.851	44.8	71	0
4/18/2023, 3:47:17 PM	0	6.851	44.6	71	0
4/18/2023, 3:57:17 PM	0	6.851	44.4	71	0
4/18/2023, 4:07:17 PM	0	6.851	44.4	71.1	0
4/18/2023, 4:17:17 PM	0	6.851	44.4	71.1	0
4/18/2023, 4:27:17 PM	0	6.851	44.2	70.9	0
4/18/2023, 4:37:17 PM	0	6.851	44.1	70.7	0
4/18/2023, 4:47:17 PM	0	6.851	44.1	70.7	0
4/18/2023, 4:57:17 PM	0	6.851	44.1	70.6	0
4/18/2023, 5:07:17 PM	0	6.851	44.1	70.6	0
4/18/2023, 5:17:17 PM	0	6.851	43.9	70.4	0
4/18/2023, 5:27:17 PM	0	6.851	43.5	70.5	0
4/18/2023, 5:37:17 PM	0	6.851	43.3	70.6	0
4/18/2023, 5:47:17 PM	0	6.851	43.2	70.5	0
4/18/2023, 5:57:17 PM	0	6.851	43	70.4	0
4/18/2023, 6:07:17 PM	0	6.851	42.6	70.5	0
4/18/2023, 6:17:17 PM	0	6.851	42.3	70.6	0
4/18/2023, 6:27:17 PM	0	6.851	41.7	70.8	0
4/18/2023, 6:37:17 PM	0	6.851	41	71.1	0
4/18/2023, 6:47:17 PM	0	6.842	40.5	71.6	0
4/18/2023, 6:57:17 PM	0	6.842	40.1	72	0
4/18/2023, 7:07:17 PM	0	6.842	39.9	72.6	0
4/18/2023, 7:17:17 PM	0	6.842	39.7	73.1	0
4/18/2023, 7:27:17 PM	0	6.842	39.6	73.4	0
4/18/2023, 7:37:17 PM	0	6.842	39.6	73.6	0
4/18/2023, 7:47:17 PM	0	6.842	39.4	73.7	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/18/2023, 7:57:17 PM	0	6.842	39.2	73.8	0
4/18/2023, 8:07:17 PM	0	6.842	39	73.9	0
4/18/2023, 8:17:17 PM	0	6.842	39	74	0
4/18/2023, 8:27:17 PM	0	6.842	38.8	74.1	0
4/18/2023, 8:37:17 PM	0	6.842	38.8	74.3	0
4/18/2023, 8:47:17 PM	0	6.842	38.8	74.6	0
4/18/2023, 8:57:17 PM	0	6.842	38.8	74.8	0
4/18/2023, 9:07:17 PM	0	6.842	38.7	74.9	0
4/18/2023, 9:17:17 PM	0	6.842	38.7	75	0
4/18/2023, 9:27:17 PM	0	6.833	38.7	75.2	0
4/18/2023, 9:37:17 PM	0	6.833	38.7	75.4	0
4/18/2023, 9:47:17 PM	0	6.833	38.7	75.6	0
4/18/2023, 9:57:17 PM	0	6.833	38.7	75.8	0
4/18/2023, 10:07:17 PM	0	6.842	38.7	76	0
4/18/2023, 10:17:17 PM	0	6.842	38.7	76.2	0
4/18/2023, 10:27:17 PM	0	6.842	38.7	76.4	0
4/18/2023, 10:37:17 PM	0	6.842	38.8	76.6	0
4/18/2023, 10:47:17 PM	0	6.833	38.8	76.8	0
4/18/2023, 10:57:17 PM	0	6.842	38.8	76.9	0
4/18/2023, 11:07:17 PM	0	6.833	38.8	77.1	0
4/18/2023, 11:17:17 PM	0	6.833	39	77.2	0
4/18/2023, 11:27:17 PM	0	6.833	39	77.3	0
4/18/2023, 11:37:17 PM	0	6.842	39	77.4	0
4/18/2023, 11:47:17 PM	0	6.842	39	77.5	0
4/18/2023, 11:57:17 PM	0	6.842	39	77.7	0
4/19/2023, 12:07:17 AM	0	6.842	39	77.9	0
4/19/2023, 12:17:17 AM	0	6.842	39	78	0
4/19/2023, 12:27:17 AM	0	6.833	39	77.9	0
4/19/2023, 12:37:17 AM	0	6.842	39	77.6	0
4/19/2023, 12:47:17 AM	0	6.842	39	77.2	0
4/19/2023, 12:57:17 AM	0	6.842	38.8	76.7	0
4/19/2023, 1:07:17 AM	0	6.842	38.8	76.3	0
4/19/2023, 1:17:17 AM	0	6.842	38.7	76	0
4/19/2023, 1:27:17 AM	0	6.833	38.7	75.8	0
4/19/2023, 1:37:17 AM	0	6.833	38.7	75.7	0
4/19/2023, 1:47:17 AM	0	6.833	38.7	75.6	0
4/19/2023, 1:57:17 AM	0	6.833	38.7	75.5	0
4/19/2023, 2:07:17 AM	0	6.833	38.7	75.5	0
4/19/2023, 2:17:17 AM	0	6.833	38.7	75.6	0
4/19/2023, 2:27:17 AM	0	6.833	38.7	75.6	0
4/19/2023, 2:37:17 AM	0	6.833	38.7	75.6	0
4/19/2023, 2:47:17 AM	0	6.833	38.7	75.7	0
4/19/2023, 2:57:17 AM	0	6.833	38.7	75.9	0
4/19/2023, 3:07:17 AM	0	6.833	38.7	75.9	0
4/19/2023, 3:17:17 AM	0	6.833	38.7	76	0
4/19/2023, 3:27:17 AM	0	6.833	38.7	76.1	0
4/19/2023, 3:37:17 AM	0	6.833	38.7	76.3	0
4/19/2023, 3:47:17 AM	0	6.833	38.7	76.5	0
4/19/2023, 3:57:17 AM	0	6.833	38.8	76.6	0
4/19/2023, 4:07:17 AM	0	6.833	38.8	76.8	0
4/19/2023, 4:17:17 AM	0	6.833	38.8	76.9	0
4/19/2023, 4:27:17 AM	0	6.833	38.7	77	0
4/19/2023, 4:37:17 AM	0	6.833	38.7	77.2	0
4/19/2023, 4:47:17 AM	0	6.833	38.7	77.3	0
4/19/2023, 4:57:17 AM	0	6.833	38.5	77.4	0
4/19/2023, 5:07:17 AM	0	6.833	38.5	77.5	0
4/19/2023, 5:17:17 AM	0	6.833	38.5	77.6	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/19/2023, 5:27:17 AM	0	6.833	38.5	77.6	0
4/19/2023, 5:37:17 AM	0	6.833	38.5	77.7	0
4/19/2023, 5:47:17 AM	0	6.833	38.3	77.7	0
4/19/2023, 5:57:17 AM	0	6.833	38.3	77.8	0
4/19/2023, 6:07:17 AM	0	6.833	38.3	77.8	0
4/19/2023, 6:17:17 AM	0	6.833	38.3	77.8	0
4/19/2023, 6:27:17 AM	0	6.833	38.3	77.7	0
4/19/2023, 6:37:17 AM	0	6.833	38.3	77.6	0
4/19/2023, 6:47:17 AM	0	6.833	38.3	77.5	0
4/19/2023, 6:57:17 AM	0	6.833	38.3	77.4	0
4/19/2023, 7:07:17 AM	0	6.833	38.1	77.3	0
4/19/2023, 7:17:17 AM	0	6.833	38.1	77.2	0
4/19/2023, 7:27:17 AM	0	6.833	38.1	77	0
4/19/2023, 7:37:17 AM	0	6.833	38.1	76.9	0
4/19/2023, 7:47:17 AM	0	6.833	38.1	76.7	0
4/19/2023, 7:57:17 AM	0	6.833	38.1	76.7	0
4/19/2023, 8:07:17 AM	0	6.833	38.1	76.8	0
4/19/2023, 8:17:17 AM	0	6.833	38.3	76.8	0
4/19/2023, 8:27:17 AM	0	6.833	38.5	76.9	0
4/19/2023, 8:37:17 AM	0	6.833	38.7	76.8	0
4/19/2023, 8:47:17 AM	0	6.833	39	76.6	0
4/19/2023, 8:57:17 AM	0	6.833	39.2	76.5	0
4/19/2023, 9:07:17 AM	0	6.833	39.2	76.2	0
4/19/2023, 9:17:17 AM	0	6.833	39.4	75.9	0
4/19/2023, 9:27:17 AM	0	6.833	39.6	75.7	0
4/19/2023, 9:37:17 AM	0	6.833	39.6	75.4	0
4/19/2023, 9:47:17 AM	0	6.833	39.6	75.4	0
4/19/2023, 9:57:17 AM	0	6.833	39.6	75.4	0
4/19/2023, 10:07:17 AM	0	6.833	39.4	75.5	0
4/19/2023, 10:17:17 AM	0	6.833	39.2	75.7	0
4/19/2023, 10:27:17 AM	0	6.833	39.4	76.1	0
4/19/2023, 10:37:17 AM	0	6.833	39.6	76.4	0
4/19/2023, 10:47:17 AM	0	6.833	39.6	76.5	0
4/19/2023, 10:57:17 AM	0	6.833	39.6	76.4	0
4/19/2023, 11:07:17 AM	0	6.833	39.7	76.4	0
4/19/2023, 11:17:17 AM	0	6.833	39.9	76.3	0
4/19/2023, 11:27:17 AM	0	6.833	39.9	76.1	0
4/19/2023, 11:37:17 AM	0	6.833	40.5	76	0
4/19/2023, 11:47:17 AM	0	6.833	40.8	75.7	0
4/19/2023, 11:57:17 AM	0	6.842	41	75.3	0
4/19/2023, 12:07:17 PM	0	6.842	41.4	74.7	0
4/19/2023, 12:17:17 PM	0	6.842	41.7	74.2	0
4/19/2023, 12:27:17 PM	0	6.842	42.1	73.8	0
4/19/2023, 12:37:17 PM	0	6.842	42.6	73.4	0
4/19/2023, 12:47:17 PM	0	6.842	43	72.9	0
4/19/2023, 12:57:17 PM	0	6.842	43.7	72.6	0
4/19/2023, 1:07:17 PM	0	6.842	44.2	72.1	0
4/19/2023, 1:17:17 PM	0	6.842	44.6	71.5	0
4/19/2023, 1:27:17 PM	0	6.842	44.8	71	0
4/19/2023, 1:37:17 PM	0	6.842	45.1	70.5	0
4/19/2023, 1:47:17 PM	0	6.851	45.5	70.1	0
4/19/2023, 1:57:17 PM	0	6.851	45.9	69.7	0
4/19/2023, 2:07:17 PM	0	6.851	46.2	69.4	0
4/19/2023, 2:17:17 PM	0	6.851	46.9	69.1	0
4/19/2023, 2:27:17 PM	0	6.851	47.5	68.8	0
4/19/2023, 2:37:17 PM	0	6.851	48	68.6	0
4/19/2023, 2:47:17 PM	0	6.851	48.6	68.2	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/19/2023, 2:57:17 PM	0	6.851	48.7	67.8	0
4/19/2023, 3:07:17 PM	0	6.851	48.9	67.4	0
4/19/2023, 3:17:17 PM	0	6.851	49.5	67.3	0
4/19/2023, 3:27:17 PM	0	6.851	50	67	0
4/19/2023, 3:37:17 PM	0	6.86	50.5	66.6	0
4/19/2023, 3:47:17 PM	0	6.86	50.7	66.2	0
4/19/2023, 3:57:17 PM	0	6.86	50.9	65.8	0
4/19/2023, 4:07:17 PM	0	6.86	50.9	65.5	0
4/19/2023, 4:17:17 PM	0	6.86	51.1	65.2	0
4/19/2023, 4:27:17 PM	0	6.86	50.9	65	0
4/19/2023, 4:37:17 PM	0	6.86	51.1	64.9	0
4/19/2023, 4:47:17 PM	0	6.86	51.3	64.6	0
4/19/2023, 4:57:17 PM	0	6.86	51.3	64.5	0
4/19/2023, 5:07:17 PM	0	6.86	51.1	64.3	0
4/19/2023, 5:17:17 PM	0	6.86	50.7	64.1	0
4/19/2023, 5:27:17 PM	0	6.86	50.2	64	0
4/19/2023, 5:37:17 PM	0	6.86	49.6	64.1	0
4/19/2023, 5:47:17 PM	0	6.86	48.9	64.1	0
4/19/2023, 5:57:17 PM	0	6.86	48.4	64.2	0
4/19/2023, 6:07:17 PM	0	6.86	47.8	64.4	0
4/19/2023, 6:17:17 PM	0	6.86	47.5	64.6	0
4/19/2023, 6:27:17 PM	0	6.86	47.1	64.8	0
4/19/2023, 6:37:17 PM	0	6.86	46.6	65.1	0
4/19/2023, 6:47:17 PM	0	6.851	46.2	65.2	0
4/19/2023, 6:57:17 PM	0	6.851	45.7	65.5	0
4/19/2023, 7:07:17 PM	0	6.851	45.5	65.8	0
4/19/2023, 7:17:17 PM	0	6.851	45.1	66.1	0
4/19/2023, 7:27:17 PM	0	6.851	44.8	66.4	0
4/19/2023, 7:37:17 PM	0	6.851	44.4	66.7	0
4/19/2023, 7:47:17 PM	0	6.851	43.9	66.9	0
4/19/2023, 7:57:17 PM	0	6.851	43.3	67.1	0
4/19/2023, 8:07:17 PM	0	6.851	42.8	67.4	0
4/19/2023, 8:17:17 PM	0	6.851	42.3	67.7	0
4/19/2023, 8:27:17 PM	0	6.842	41.9	68.1	0
4/19/2023, 8:37:17 PM	0	6.842	41.4	68.6	0
4/19/2023, 8:47:17 PM	0	6.842	40.8	69	0
4/19/2023, 8:57:17 PM	0	6.842	40.5	69.5	0
4/19/2023, 9:07:17 PM	0	6.842	40.1	70.2	0
4/19/2023, 9:17:17 PM	0	6.842	39.7	71	0
4/19/2023, 9:27:17 PM	0	6.842	39.4	71.7	0
4/19/2023, 9:37:17 PM	0	6.842	39	72.3	0
4/19/2023, 9:47:17 PM	0	6.842	38.8	72.8	0
4/19/2023, 9:57:17 PM	0	6.833	38.5	73.3	0
4/19/2023, 10:07:17 PM	0	6.833	38.1	73.8	0
4/19/2023, 10:17:17 PM	0	6.833	37.9	74.3	0
4/19/2023, 10:27:17 PM	0	6.833	37.9	75	0
4/19/2023, 10:37:17 PM	0	6.833	38.1	75.8	0
4/19/2023, 10:47:17 PM	0	6.833	38.3	76.5	0
4/19/2023, 10:57:17 PM	0	6.833	38.3	77	0
4/19/2023, 11:07:17 PM	0	6.833	38.5	77.4	0
4/19/2023, 11:17:17 PM	0	6.833	38.7	77.5	0
4/19/2023, 11:27:17 PM	0	6.833	38.8	77.6	0
4/19/2023, 11:37:17 PM	0	6.833	38.8	77.6	0
4/19/2023, 11:47:17 PM	0	6.833	39	77.7	0
4/19/2023, 11:57:17 PM	0	6.833	39.2	77.7	0
4/20/2023, 12:07:17 AM	0	6.833	39.2	77.8	0
4/20/2023, 12:17:17 AM	0	6.833	39.4	77.9	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/20/2023, 12:27:17 AM	0	6.833	39.4	78	0
4/20/2023, 12:37:17 AM	0	6.833	39.6	78	0
4/20/2023, 12:47:17 AM	0	6.833	39.7	78.1	0
4/20/2023, 12:57:17 AM	0	6.833	39.7	78.1	0
4/20/2023, 1:07:17 AM	0	6.833	39.9	78.1	0
4/20/2023, 1:17:17 AM	0	6.833	40.1	78.1	0
4/20/2023, 1:27:17 AM	0	6.833	40.1	78.2	0
4/20/2023, 1:37:17 AM	0	6.833	40.1	78.4	0
4/20/2023, 1:47:17 AM	0	6.833	40.3	78.6	0
4/20/2023, 1:57:17 AM	0	6.833	40.3	78.8	0
4/20/2023, 2:07:17 AM	0	6.833	40.3	78.9	0
4/20/2023, 2:17:17 AM	0	6.833	40.5	78.8	0
4/20/2023, 2:27:17 AM	0	6.833	40.5	78.7	0
4/20/2023, 2:37:17 AM	0	6.833	40.6	78.7	0
4/20/2023, 2:47:17 AM	0	6.833	40.6	78.7	0
4/20/2023, 2:57:17 AM	0	6.833	40.6	78.8	0
4/20/2023, 3:07:17 AM	0	6.833	40.8	78.8	0
4/20/2023, 3:17:17 AM	0	6.842	40.8	78.8	0
4/20/2023, 3:27:17 AM	0	6.842	40.8	78.8	0
4/20/2023, 3:37:17 AM	0	6.842	40.6	78.7	0
4/20/2023, 3:47:17 AM	0	6.842	40.6	78.7	0
4/20/2023, 3:57:17 AM	0	6.842	40.5	78.7	0
4/20/2023, 4:07:17 AM	0	6.842	40.5	78.7	0
4/20/2023, 4:17:17 AM	0	6.842	40.3	78.7	0
4/20/2023, 4:27:17 AM	0	6.842	40.3	78.8	0
4/20/2023, 4:37:17 AM	0	6.833	40.3	78.8	0
4/20/2023, 4:47:17 AM	0	6.833	40.3	78.9	0
4/20/2023, 4:57:17 AM	0	6.842	40.3	78.9	0
4/20/2023, 5:07:17 AM	0	6.833	40.3	78.9	0
4/20/2023, 5:17:17 AM	0	6.833	40.1	78.8	0
4/20/2023, 5:27:17 AM	0	6.833	40.1	78.9	0
4/20/2023, 5:37:17 AM	0	6.833	39.9	78.9	0
4/20/2023, 5:47:17 AM	0	6.833	39.7	78.9	0
4/20/2023, 5:57:17 AM	0	6.833	39.6	79	0
4/20/2023, 6:07:17 AM	0	6.833	39.6	79.2	0
4/20/2023, 6:17:17 AM	0	6.833	39.6	79.4	0
4/20/2023, 6:27:17 AM	0	6.833	39.7	79.6	0
4/20/2023, 6:37:17 AM	0	6.833	39.7	79.7	0
4/20/2023, 6:47:17 AM	0	6.833	39.9	79.8	0
4/20/2023, 6:57:17 AM	0	6.833	39.9	79.9	0
4/20/2023, 7:07:17 AM	0	6.833	40.1	79.9	0
4/20/2023, 7:17:17 AM	0	6.833	40.1	80	0
4/20/2023, 7:27:17 AM	0	6.833	39.9	80.1	0
4/20/2023, 7:37:17 AM	0	6.833	39.9	80.2	0
4/20/2023, 7:47:17 AM	0	6.833	40.1	80.5	0
4/20/2023, 7:57:17 AM	0	6.833	40.1	80.8	0
4/20/2023, 8:07:17 AM	0	6.833	40.1	81.1	0
4/20/2023, 8:17:17 AM	0	6.833	40.3	81.3	0
4/20/2023, 8:27:17 AM	0	6.833	40.5	81.4	0
4/20/2023, 8:37:17 AM	0	6.833	40.6	81.5	0
4/20/2023, 8:47:17 AM	0	6.833	40.8	81.6	0
4/20/2023, 8:57:17 AM	0	6.833	41	81.6	0
4/20/2023, 9:07:17 AM	0	6.833	41.2	81.5	0
4/20/2023, 9:17:17 AM	0	6.842	41.5	81.3	0
4/20/2023, 9:27:17 AM	0	6.842	41.9	81.2	0
4/20/2023, 9:37:17 AM	0	6.842	42.3	81	0
4/20/2023, 9:47:17 AM	0	6.842	42.8	80.8	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/20/2023, 9:57:17 AM	0	6.842	43.5	80.5	0
4/20/2023, 10:07:17 AM	0	6.842	44.6	80.3	0
4/20/2023, 10:17:17 AM	0	6.842	45.9	80.1	0
4/20/2023, 10:27:17 AM	0	6.842	47.1	79.6	0
4/20/2023, 10:37:17 AM	0	6.851	48	78.8	0
4/20/2023, 10:47:17 AM	0	6.851	49.1	78.1	0
4/20/2023, 10:57:17 AM	0	6.851	50.4	77.2	0
4/20/2023, 11:07:17 AM	0	6.851	51.6	76.2	0
4/20/2023, 11:17:17 AM	0	6.851	52.7	75.1	0
4/20/2023, 11:27:17 AM	0	6.86	53.4	74	0
4/20/2023, 11:37:17 AM	0	6.86	53.8	72.8	0
4/20/2023, 11:47:17 AM	0	6.86	54	71.9	0
4/20/2023, 11:57:17 AM	0	6.86	54.3	71.3	0
4/20/2023, 12:07:17 PM	0	6.86	54.9	70.8	0
4/20/2023, 12:17:17 PM	0	6.86	55.2	70.3	0
4/20/2023, 12:27:17 PM	0	6.86	55.8	69.7	0
4/20/2023, 12:37:17 PM	0	6.86	56.5	69.4	0
4/20/2023, 12:47:17 PM	0	6.869	57.4	69	0
4/20/2023, 12:57:17 PM	0	6.869	57.9	68.4	0
4/20/2023, 1:07:17 PM	0	6.869	58.1	67.9	0
4/20/2023, 1:17:17 PM	0	6.869	58.3	67.4	0
4/20/2023, 1:27:17 PM	0	6.869	58.3	66.8	0
4/20/2023, 1:37:17 PM	0	6.869	58.3	66.6	0
4/20/2023, 1:47:17 PM	0	6.869	58.8	66.3	0
4/20/2023, 1:57:17 PM	0	6.869	59.2	66	0
4/20/2023, 2:07:17 PM	0	6.869	60.1	65.9	0
4/20/2023, 2:17:17 PM	0	6.869	60.6	65.5	0
4/20/2023, 2:27:17 PM	0	6.869	60.8	64.9	0
4/20/2023, 2:37:17 PM	0	6.869	61	64.4	0
4/20/2023, 2:47:17 PM	0	6.877	61.2	64.2	0
4/20/2023, 2:57:17 PM	0	6.877	61	63.8	0
4/20/2023, 3:07:17 PM	0	6.877	61.2	63.4	0
4/20/2023, 3:17:17 PM	0	6.877	61.5	63.3	0
4/20/2023, 3:27:17 PM	0	6.877	62.1	63	0
4/20/2023, 3:37:17 PM	0	6.877	61.9	62.8	0
4/20/2023, 3:47:17 PM	0	6.877	61.5	62.6	0
4/20/2023, 3:57:17 PM	0	6.877	61	62.6	0
4/20/2023, 4:07:17 PM	0	6.877	60.6	62.6	0
4/20/2023, 4:17:17 PM	0	6.877	60.1	62.6	0
4/20/2023, 4:27:17 PM	0	6.877	59.7	62.8	0
4/20/2023, 4:37:17 PM	0	6.877	59.7	63	0
4/20/2023, 4:47:17 PM	0	6.877	60.1	63.3	0
4/20/2023, 4:57:17 PM	0	6.877	60.3	63.3	0
4/20/2023, 5:07:17 PM	0	6.877	60.3	63.3	0
4/20/2023, 5:17:17 PM	0	6.877	60.3	63.2	0
4/20/2023, 5:27:17 PM	0	6.877	59.7	63.1	0
4/20/2023, 5:37:17 PM	0	6.877	59.4	63.1	0
4/20/2023, 5:47:17 PM	0	6.877	58.8	63.1	0
4/20/2023, 5:57:17 PM	0	6.877	58.5	63.3	0
4/20/2023, 6:07:17 PM	0	6.877	58.1	63.4	0
4/20/2023, 6:17:17 PM	0	6.877	57.7	63.5	0
4/20/2023, 6:27:17 PM	0	6.869	57.2	63.6	0
4/20/2023, 6:37:17 PM	0	6.869	56.8	63.7	0
4/20/2023, 6:47:17 PM	0	6.869	56.5	63.8	0
4/20/2023, 6:57:17 PM	0	6.869	56.1	63.8	0
4/20/2023, 7:07:17 PM	0	6.869	55.6	63.8	0
4/20/2023, 7:17:17 PM	0	6.869	54.9	63.8	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/20/2023, 7:27:17 PM	0	6.869	54.1	63.8	0
4/20/2023, 7:37:17 PM	0	6.869	53.4	63.8	0
4/20/2023, 7:47:17 PM	0	6.869	52.9	63.9	0
4/20/2023, 7:57:17 PM	0	6.869	52.3	64	0
4/20/2023, 8:07:17 PM	0	6.869	51.8	64	0
4/20/2023, 8:17:17 PM	0	6.869	51.3	64.1	0
4/20/2023, 8:27:17 PM	0	6.86	50.7	64.2	0
4/20/2023, 8:37:17 PM	0	6.86	50.2	64.4	0
4/20/2023, 8:47:17 PM	0	6.86	49.8	64.6	0
4/20/2023, 8:57:17 PM	0	6.86	49.5	64.9	0
4/20/2023, 9:07:17 PM	0	6.86	49.3	65.2	0
4/20/2023, 9:17:17 PM	0	6.86	48.7	65.5	0
4/20/2023, 9:27:17 PM	0	6.86	48.4	65.8	0
4/20/2023, 9:37:17 PM	0	6.86	48	66.2	0
4/20/2023, 9:47:17 PM	0	6.86	47.7	66.5	0
4/20/2023, 9:57:17 PM	0	6.86	47.3	67	0
4/20/2023, 10:07:17 PM	0	6.86	47.1	67.7	0
4/20/2023, 10:17:17 PM	0	6.86	46.9	68.3	0
4/20/2023, 10:27:17 PM	0	6.851	46.6	69	0
4/20/2023, 10:37:17 PM	0	6.851	46.4	69.7	0
4/20/2023, 10:47:17 PM	0	6.851	46.2	70.2	0
4/20/2023, 10:57:17 PM	0	6.851	46	70.6	0
4/20/2023, 11:07:17 PM	0	6.851	46	71	0
4/20/2023, 11:17:17 PM	0	6.851	46	71.2	0
4/20/2023, 11:27:17 PM	0	6.851	46	71.5	0
4/20/2023, 11:37:17 PM	0	6.851	46	71.9	0
4/20/2023, 11:47:17 PM	0	6.851	46	72.1	0
4/20/2023, 11:57:17 PM	0	6.851	46	72.3	0
4/21/2023, 12:07:17 AM	0	6.851	46.2	72.5	0
4/21/2023, 12:17:17 AM	0	6.851	46.2	72.7	0
4/21/2023, 12:27:17 AM	0	6.851	46.4	72.9	0
4/21/2023, 12:37:17 AM	0	6.851	46.4	73	0
4/21/2023, 12:47:17 AM	0	6.851	46.4	73.1	0
4/21/2023, 12:57:17 AM	0	6.851	46.2	73.3	0
4/21/2023, 1:07:17 AM	0	6.851	46.2	73.4	0
4/21/2023, 1:17:17 AM	0	6.851	46	73.5	0
4/21/2023, 1:27:17 AM	0	6.851	46	73.7	0
4/21/2023, 1:37:17 AM	0	6.851	46.2	74.1	0
4/21/2023, 1:47:17 AM	0	6.851	46.4	74.3	0
4/21/2023, 1:57:17 AM	0	6.851	46.4	74.4	0
4/21/2023, 2:07:17 AM	0	6.851	46.4	74.4	0
4/21/2023, 2:17:17 AM	0	6.851	46.2	74.5	0
4/21/2023, 2:27:17 AM	0	6.851	46	74.6	0
4/21/2023, 2:37:17 AM	0	6.851	45.9	74.9	0
4/21/2023, 2:47:17 AM	0	6.851	45.7	75.2	0
4/21/2023, 2:57:17 AM	0	6.851	45.7	75.5	0
4/21/2023, 3:07:17 AM	0	6.851	45.5	75.9	0
4/21/2023, 3:17:17 AM	0	6.851	45.5	76.3	0
4/21/2023, 3:27:17 AM	0	6.851	45.5	76.7	0
4/21/2023, 3:37:17 AM	0	6.851	45.5	77.2	0
4/21/2023, 3:47:17 AM	0	6.851	45.5	77.5	0
4/21/2023, 3:57:17 AM	0	6.851	45.5	78.1	0
4/21/2023, 4:07:17 AM	0	6.851	45.7	78.5	0
4/21/2023, 4:17:17 AM	0	6.851	45.7	78.6	0
4/21/2023, 4:27:17 AM	0	6.851	45.9	78.8	0
4/21/2023, 4:37:17 AM	0	6.851	45.7	78.8	0
4/21/2023, 4:47:17 AM	0	6.851	45.5	78.8	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/21/2023, 4:57:17 AM	0	6.851	45.1	78.8	0
4/21/2023, 5:07:17 AM	0	6.851	44.8	78.8	0
4/21/2023, 5:17:17 AM	0	6.851	44.4	79	0
4/21/2023, 5:27:17 AM	0	6.851	44.1	79.2	0
4/21/2023, 5:37:17 AM	0	6.851	43.9	79.4	0
4/21/2023, 5:47:17 AM	0	6.842	43.5	79.7	0
4/21/2023, 5:57:17 AM	0	6.842	43.2	79.9	0
4/21/2023, 6:07:17 AM	0	6.842	42.8	80.2	0
4/21/2023, 6:17:17 AM	0	6.842	42.6	80.5	0
4/21/2023, 6:27:17 AM	0	6.842	42.3	80.8	0
4/21/2023, 6:37:17 AM	0	6.842	42.1	81.2	0
4/21/2023, 6:47:17 AM	0	6.842	41.9	81.5	0
4/21/2023, 6:57:17 AM	0	6.842	41.9	81.9	0
4/21/2023, 7:07:17 AM	0	6.842	42.1	82.4	0
4/21/2023, 7:17:17 AM	0	6.842	42.4	83.1	0
4/21/2023, 7:27:17 AM	0	6.842	43	83.8	0
4/21/2023, 7:37:17 AM	0	6.842	43.7	84.4	0
4/21/2023, 7:47:17 AM	0	6.842	44.4	85	0
4/21/2023, 7:57:17 AM	0	6.842	45.1	85.3	0
4/21/2023, 8:07:17 AM	0	6.842	46.2	85.6	0
4/21/2023, 8:17:17 AM	0	6.842	47.3	85.6	0
4/21/2023, 8:27:17 AM	0	6.851	48.2	85.3	0
4/21/2023, 8:37:17 AM	0	6.851	49.3	84.8	0
4/21/2023, 8:47:17 AM	0	6.851	50.5	84.2	0
4/21/2023, 8:57:17 AM	0	6.851	51.8	83.5	0
4/21/2023, 9:07:17 AM	0	6.86	53.4	83	0
4/21/2023, 9:17:17 AM	0	6.86	55	82.2	0
4/21/2023, 9:27:17 AM	0	6.86	56.5	81.2	0
4/21/2023, 9:37:17 AM	0	6.86	58.1	80.1	0
4/21/2023, 9:47:17 AM	0	6.869	59.5	79.1	0
4/21/2023, 9:57:17 AM	0	6.869	61.2	78	0
4/21/2023, 10:07:17 AM	0	6.869	63.1	76.9	0
4/21/2023, 10:17:17 AM	0	6.869	65.3	75.9	0
4/21/2023, 10:27:17 AM	0	6.877	67.5	74.4	0
4/21/2023, 10:37:17 AM	0	6.877	70	72.4	0
4/21/2023, 10:47:17 AM	0	6.877	72.3	70.2	0
4/21/2023, 10:57:17 AM	0	6.877	74.8	68.4	0
4/21/2023, 11:07:17 AM	0	6.886	77.4	66.4	0
4/21/2023, 11:17:17 AM	0	6.886	79.5	64.7	0
4/21/2023, 11:27:17 AM	0	6.886	81.1	63.2	0
4/21/2023, 11:37:17 AM	0	6.886	82.4	62	0
4/21/2023, 11:47:17 AM	0	6.895	83.5	61	0
4/21/2023, 11:57:17 AM	0	6.895	84.2	60.2	0
4/21/2023, 12:07:17 PM	0	6.895	84.9	59.5	0
4/21/2023, 12:17:17 PM	0	6.895	85.6	58.9	0
4/21/2023, 12:27:17 PM	0	6.895	86.2	58.2	0
4/21/2023, 12:37:17 PM	0	6.895	86.9	57.8	0
4/21/2023, 12:47:17 PM	0	6.895	87.8	57.4	0
4/21/2023, 12:57:17 PM	0	6.895	88.2	57	0
4/21/2023, 1:07:17 PM	0	6.895	88.3	56.6	0
4/21/2023, 1:17:17 PM	0	6.904	88.3	56.3	0
4/21/2023, 1:27:17 PM	0	6.904	88.5	56	0
4/21/2023, 1:37:17 PM	0	6.904	88.7	55.8	0
4/21/2023, 1:47:17 PM	0	6.904	88.9	55.6	0
4/21/2023, 1:57:17 PM	0	6.904	89.4	55.5	0
4/21/2023, 2:07:17 PM	0	6.904	89.6	55.3	0
4/21/2023, 2:17:17 PM	0	6.904	89.6	55.3	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/21/2023, 2:27:17 PM	0	6.904	88.5	55.9	0
4/21/2023, 2:37:17 PM	0	6.904	86.7	56	0
4/21/2023, 2:47:17 PM	0	6.904	84.4	56.3	0
4/21/2023, 2:57:17 PM	0	6.904	82.6	56.8	0
4/21/2023, 3:07:17 PM	0	6.904	81.3	57.3	0
4/21/2023, 3:17:17 PM	0	6.904	79.9	57.6	0
4/21/2023, 3:27:17 PM	0	6.904	78.4	57.9	0
4/21/2023, 3:37:17 PM	0	6.895	77.4	58.2	0
4/21/2023, 3:47:17 PM	0	6.895	76.8	58.5	0
4/21/2023, 3:57:17 PM	0	6.895	76.5	58.6	0
4/21/2023, 4:07:17 PM	0	6.895	76.1	58.7	0
4/21/2023, 4:17:17 PM	0	6.895	75.7	58.7	0
4/21/2023, 4:27:17 PM	0	6.895	75.6	58.7	0
4/21/2023, 4:37:17 PM	0	6.895	75.2	58.7	0
4/21/2023, 4:47:17 PM	0	6.895	74.8	58.8	0
4/21/2023, 4:57:17 PM	0	6.895	74.5	59	0
4/21/2023, 5:07:17 PM	0	6.895	74.3	59.1	0
4/21/2023, 5:17:17 PM	0	6.895	74.3	59.5	0
4/21/2023, 5:27:17 PM	0	6.895	74.1	59.6	0
4/21/2023, 5:37:17 PM	0	6.895	73.8	59.6	0
4/21/2023, 5:47:17 PM	0	6.895	73	59.7	0
4/21/2023, 5:57:17 PM	0	6.895	72.5	60	0
4/21/2023, 6:07:17 PM	0	6.895	72	60.4	0
4/21/2023, 6:17:17 PM	0	6.895	71.4	60.5	0
4/21/2023, 6:27:17 PM	0	6.895	70.7	60.7	0
4/21/2023, 6:37:17 PM	0	6.895	70.3	61	0
4/21/2023, 6:47:17 PM	0	6.886	69.8	61.4	0
4/21/2023, 6:57:17 PM	0	6.886	69.4	61.8	0
4/21/2023, 7:07:17 PM	0	6.886	68.9	62.1	0
4/21/2023, 7:17:17 PM	0	6.886	68.5	62.7	0
4/21/2023, 7:27:17 PM	0	6.886	68	63.5	0
4/21/2023, 7:37:17 PM	0	6.886	67.5	64	0
4/21/2023, 7:47:17 PM	0	6.886	66.9	64.5	0
4/21/2023, 7:57:17 PM	0	6.886	66.2	65.2	0
4/21/2023, 8:07:17 PM	0	6.886	65.5	65.9	0
4/21/2023, 8:17:17 PM	0	6.886	64.8	66.5	0
4/21/2023, 8:27:17 PM	0	6.886	63.9	67.1	0
4/21/2023, 8:37:17 PM	0	6.886	63.1	67.7	0
4/21/2023, 8:47:17 PM	0	6.886	62.4	68.5	0
4/21/2023, 8:57:17 PM	0	6.886	61.7	69.5	0
4/21/2023, 9:07:17 PM	0	6.886	61	70.2	0
4/21/2023, 9:17:17 PM	0	6.877	60.4	71	0
4/21/2023, 9:27:17 PM	0	6.877	59.9	71.9	0
4/21/2023, 9:37:17 PM	0	6.877	59.5	72.8	0
4/21/2023, 9:47:17 PM	0	6.877	59.4	73.7	0
4/21/2023, 9:57:17 PM	0	6.877	59.2	74.4	0
4/21/2023, 10:07:17 PM	0	6.877	59.2	75	0
4/21/2023, 10:17:17 PM	0	6.877	59	75.4	0
4/21/2023, 10:27:17 PM	0	6.877	59	75.5	0
4/21/2023, 10:37:17 PM	0	6.877	58.8	75.5	0
4/21/2023, 10:47:17 PM	0	6.877	58.6	75.6	0
4/21/2023, 10:57:17 PM	0	6.877	58.5	75.6	0
4/21/2023, 11:07:17 PM	0	6.877	58.6	75.6	0
4/21/2023, 11:17:17 PM	0	6.877	58.8	75.7	0
4/21/2023, 11:27:17 PM	0	6.877	58.6	75.7	0
4/21/2023, 11:37:17 PM	0	6.877	58.3	75.9	0
4/21/2023, 11:47:17 PM	0	6.877	57.7	76.5	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/21/2023, 11:57:17 PM	0	6.877	57.4	77.4	0
4/22/2023, 12:07:17 AM	0	6.877	56.8	78.4	0
4/22/2023, 12:17:17 AM	0	6.877	56.5	79.4	0
4/22/2023, 12:27:17 AM	0	6.877	56.1	80.4	0
4/22/2023, 12:37:17 AM	0	6.877	55.8	81.3	0
4/22/2023, 12:47:17 AM	0	6.877	55.6	82.2	0
4/22/2023, 12:57:17 AM	0	6.877	55.2	83	0
4/22/2023, 1:07:17 AM	0	6.869	55	83.7	0
4/22/2023, 1:17:17 AM	0	6.869	54.9	84.3	0
4/22/2023, 1:27:17 AM	0	6.869	54.7	84.9	0
4/22/2023, 1:37:17 AM	0	6.869	54.5	85.4	0
4/22/2023, 1:47:17 AM	0	6.869	54.3	85.8	0
4/22/2023, 1:57:17 AM	0	6.869	54.3	86.3	0
4/22/2023, 2:07:17 AM	0	6.869	54.1	86.8	0
4/22/2023, 2:17:17 AM	0	6.869	54.1	87.3	0
4/22/2023, 2:27:17 AM	0	6.869	54.1	87.7	0
4/22/2023, 2:37:17 AM	0	6.869	54.1	88.1	0
4/22/2023, 2:47:17 AM	0	6.869	54.1	88.5	0
4/22/2023, 2:57:17 AM	0	6.869	54.1	88.8	0
4/22/2023, 3:07:17 AM	0	6.869	54.1	89.1	0
4/22/2023, 3:17:17 AM	0	6.869	54.1	89.3	0
4/22/2023, 3:27:17 AM	0	6.869	54.1	89.6	0
4/22/2023, 3:37:17 AM	0	6.869	54.1	89.8	0
4/22/2023, 3:47:17 AM	0	6.869	54.1	90	0
4/22/2023, 3:57:17 AM	0	6.869	54.1	90.2	0
4/22/2023, 4:07:17 AM	0	6.869	54.1	90.4	0
4/22/2023, 4:17:17 AM	0	6.869	54.1	90.6	0
4/22/2023, 4:27:17 AM	0	6.869	54.1	90.7	0
4/22/2023, 4:37:17 AM	0	6.869	54	90.8	0
4/22/2023, 4:47:17 AM	0	6.869	54	90.8	0
4/22/2023, 4:57:17 AM	0	6.869	53.8	90.8	0
4/22/2023, 5:07:17 AM	0	6.869	53.6	90.8	0
4/22/2023, 5:17:17 AM	0	6.869	53.6	91	0
4/22/2023, 5:27:17 AM	0	6.869	53.6	91.1	0
4/22/2023, 5:37:17 AM	0	6.869	53.6	91.3	0
4/22/2023, 5:47:17 AM	0	6.869	53.8	91.5	0
4/22/2023, 5:57:17 AM	0	6.869	53.8	91.7	0
4/22/2023, 6:07:17 AM	0	6.869	53.8	91.8	0
4/22/2023, 6:17:17 AM	0	6.869	53.8	91.9	0
4/22/2023, 6:27:17 AM	0	6.869	53.8	92	0
4/22/2023, 6:37:17 AM	0	6.869	53.8	92.1	0
4/22/2023, 6:47:17 AM	0	6.869	53.6	92.1	0
4/22/2023, 6:57:17 AM	0	6.869	53.6	92.2	0
4/22/2023, 7:07:17 AM	0	6.869	53.6	92.2	0
4/22/2023, 7:17:17 AM	0	6.869	53.6	92.3	0
4/22/2023, 7:27:17 AM	0	6.869	53.6	92.4	0
4/22/2023, 7:37:17 AM	0	6.869	53.8	92.6	0
4/22/2023, 7:47:17 AM	0	6.869	54	92.8	0
4/22/2023, 7:57:17 AM	0	6.869	54.1	93	0
4/22/2023, 8:07:17 AM	0	6.869	54.5	93.2	0
4/22/2023, 8:17:17 AM	0	6.869	54.7	93.4	0
4/22/2023, 8:27:17 AM	0	6.869	54.9	93.5	0
4/22/2023, 8:37:17 AM	0	6.869	55.2	93.6	0
4/22/2023, 8:47:17 AM	0	6.869	55.4	93.7	0
4/22/2023, 8:57:17 AM	0	6.869	55.8	93.7	0
4/22/2023, 9:07:17 AM	0	6.869	56.1	93.8	0
4/22/2023, 9:17:17 AM	0	6.869	56.7	93.9	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/22/2023, 9:27:17 AM	0	6.869	57	93.9	0
4/22/2023, 9:37:17 AM	0	6.869	57.4	93.9	0
4/22/2023, 9:47:17 AM	0	6.869	58.3	93.9	0
4/22/2023, 9:57:17 AM	0	6.869	59	94	0
4/22/2023, 10:07:17 AM	0	6.877	59.7	93.8	0
4/22/2023, 10:17:17 AM	0	6.877	60.3	93.3	0
4/22/2023, 10:27:17 AM	0	6.877	61	92.8	0
4/22/2023, 10:37:17 AM	0	6.877	61.7	92.2	0
4/22/2023, 10:47:17 AM	0	6.877	62.6	91.6	0
4/22/2023, 10:57:17 AM	0	6.877	63.5	90.8	0
4/22/2023, 11:07:17 AM	0	6.877	64.2	89.7	0
4/22/2023, 11:17:17 AM	0	6.877	65.3	88.7	0
4/22/2023, 11:27:17 AM	0	6.877	66.6	87.5	0
4/22/2023, 11:37:17 AM	0	6.877	67.1	85.9	0
4/22/2023, 11:47:17 AM	0	6.877	67.8	84.5	0
4/22/2023, 11:57:17 AM	0	6.877	68.7	83	0
4/22/2023, 12:07:17 PM	0	6.886	69.1	81.3	0
4/22/2023, 12:17:17 PM	0	6.886	69.6	80	0
4/22/2023, 12:27:17 PM	0	6.886	70.3	78.8	0
4/22/2023, 12:37:17 PM	0	6.886	70.7	77.7	0
4/22/2023, 12:47:17 PM	0	6.886	70.5	76.5	0
4/22/2023, 12:57:17 PM	0	6.886	70.5	75.7	0
4/22/2023, 1:07:17 PM	0	6.886	70.3	74.3	0
4/22/2023, 1:17:17 PM	0	6.886	70.3	73	0
4/22/2023, 1:27:17 PM	0	6.886	70.2	72.6	0
4/22/2023, 1:37:17 PM	0	6.886	70.3	72.2	0
4/22/2023, 1:47:17 PM	0	6.886	70.7	71.2	0
4/22/2023, 1:57:17 PM	0	6.886	71.4	70.4	0
4/22/2023, 2:07:17 PM	0	6.886	72.5	69.6	0
4/22/2023, 2:17:17 PM	0	6.886	73.4	68.8	0
4/22/2023, 2:27:17 PM	0	6.886	74.3	68.3	0
4/22/2023, 2:37:17 PM	0	6.886	74.7	67.5	0
4/22/2023, 2:47:17 PM	0	6.886	74.7	66.8	0
4/22/2023, 2:57:17 PM	0	6.886	74.5	66.3	0
4/22/2023, 3:07:17 PM	0	6.886	74.1	65.8	0
4/22/2023, 3:17:17 PM	0	6.886	73.6	65.9	0
4/22/2023, 3:27:17 PM	0	6.886	72.7	66.1	0
4/22/2023, 3:37:17 PM	0	6.886	71.4	66.6	0
4/22/2023, 3:47:17 PM	0	6.886	70.5	67.2	0
4/22/2023, 3:57:17 PM	0	6.886	69.6	67.6	0
4/22/2023, 4:07:17 PM	0	6.886	68.7	67.8	0
4/22/2023, 4:17:17 PM	0	6.886	67.8	68.3	0
4/22/2023, 4:27:17 PM	0	6.886	67.1	69	0
4/22/2023, 4:37:17 PM	0	6.886	66	69.6	0
4/22/2023, 4:47:17 PM	0	6.886	64.4	70.1	0
4/22/2023, 4:57:17 PM	0	6.886	62.8	71	0
4/22/2023, 5:07:17 PM	0	6.886	61.3	72.1	0
4/22/2023, 5:17:17 PM	0	6.877	60.3	73.3	0
4/22/2023, 5:27:17 PM	0	6.877	59	74.3	0
4/22/2023, 5:37:17 PM	0	6.877	57.7	75.1	0
4/22/2023, 5:47:17 PM	0	6.877	56.8	76.1	0
4/22/2023, 5:57:17 PM	0	6.877	55.9	77	0
4/22/2023, 6:07:17 PM	0	6.877	55	77.7	0
4/22/2023, 6:17:17 PM	0	6.869	54.1	78.3	0
4/22/2023, 6:27:17 PM	0	6.869	53.2	78.9	0
4/22/2023, 6:37:17 PM	0	6.869	52.5	79.5	0
4/22/2023, 6:47:17 PM	0	6.869	51.8	80.1	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/22/2023, 6:57:17 PM	0	6.869	51.3	80.7	0
4/22/2023, 7:07:17 PM	0	6.869	50.9	81.5	0
4/22/2023, 7:17:17 PM	0	6.869	50.5	82.2	0
4/22/2023, 7:27:17 PM	0	6.869	50.2	82.8	0
4/22/2023, 7:37:17 PM	0	6.86	50	83.4	0
4/22/2023, 7:47:17 PM	0	6.86	49.8	84	0
4/22/2023, 7:57:17 PM	0	6.86	49.6	84.5	0
4/22/2023, 8:07:17 PM	0	6.86	49.5	85	0
4/22/2023, 8:17:17 PM	0	6.86	49.5	85.4	0
4/22/2023, 8:27:17 PM	0	6.86	49.3	85.8	0
4/22/2023, 8:37:17 PM	0	6.86	49.3	86.3	0
4/22/2023, 8:47:17 PM	0	6.86	49.1	86.6	0
4/22/2023, 8:57:17 PM	0	6.86	48.9	86.8	0
4/22/2023, 9:07:17 PM	0	6.86	48.9	87.1	0
4/22/2023, 9:17:17 PM	0	6.86	48.7	87.3	0
4/22/2023, 9:27:17 PM	0	6.86	48.6	87.5	0
4/22/2023, 9:37:17 PM	0	6.86	48.4	87.6	0
4/22/2023, 9:47:17 PM	0	6.86	48.2	87.6	0
4/22/2023, 9:57:17 PM	0	6.86	47.8	87.6	0
4/22/2023, 10:07:17 PM	0	6.86	47.5	87.7	0
4/22/2023, 10:17:17 PM	0	6.86	47.3	87.7	0
4/22/2023, 10:27:17 PM	0	6.86	47.1	87.9	0
4/22/2023, 10:37:17 PM	0	6.86	46.9	88.2	0
4/22/2023, 10:47:17 PM	0	6.86	46.9	88.5	0
4/22/2023, 10:57:17 PM	0	6.851	46.9	88.8	0
4/22/2023, 11:07:17 PM	0	6.851	46.8	88.9	0
4/22/2023, 11:17:17 PM	0	6.851	46.8	89.1	0
4/22/2023, 11:27:17 PM	0	6.851	46.6	89.3	0
4/22/2023, 11:37:17 PM	0	6.851	46.6	89.5	0
4/22/2023, 11:47:17 PM	0	6.851	46.6	89.7	0
4/22/2023, 11:57:17 PM	0	6.851	46.4	89.8	0
4/23/2023, 12:07:17 AM	0	6.851	46.2	89.9	0
4/23/2023, 12:17:17 AM	0	6.851	46	89.9	0
4/23/2023, 12:27:17 AM	0	6.851	45.7	89.8	0
4/23/2023, 12:37:17 AM	0	6.851	45.3	89.8	0
4/23/2023, 12:47:17 AM	0	6.851	45	89.7	0
4/23/2023, 12:57:17 AM	0	6.851	44.8	89.7	0
4/23/2023, 1:07:17 AM	0	6.851	44.6	89.7	0
4/23/2023, 1:17:17 AM	0	6.851	44.2	89.7	0
4/23/2023, 1:27:17 AM	0	6.851	44.1	89.8	0
4/23/2023, 1:37:17 AM	0	6.851	44.1	89.9	0
4/23/2023, 1:47:17 AM	0	6.851	44.1	90.1	0
4/23/2023, 1:57:17 AM	0	6.851	44.1	90.4	0
4/23/2023, 2:07:17 AM	0	6.851	44.2	90.7	0
4/23/2023, 2:17:17 AM	0	6.851	44.4	91	0
4/23/2023, 2:27:17 AM	0	6.851	44.6	91.3	0
4/23/2023, 2:37:17 AM	0	6.851	44.8	91.6	0
4/23/2023, 2:47:17 AM	0	6.851	45	91.8	0
4/23/2023, 2:57:17 AM	0	6.851	45	92	0
4/23/2023, 3:07:17 AM	0	6.851	45.1	92.2	0
4/23/2023, 3:17:17 AM	0	6.851	45.3	92.4	0
4/23/2023, 3:27:17 AM	0	6.851	45.3	92.5	0
4/23/2023, 3:37:17 AM	0	6.851	45.5	92.6	0
4/23/2023, 3:47:17 AM	0	6.851	45.5	92.6	0
4/23/2023, 3:57:17 AM	0	6.851	45.7	92.7	0
4/23/2023, 4:07:17 AM	0	6.851	45.7	92.8	0
4/23/2023, 4:17:17 AM	0	6.851	45.7	92.9	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/23/2023, 4:27:17 AM	0	6.851	45.7	92.9	0
4/23/2023, 4:37:17 AM	0	6.851	45.7	92.9	0
4/23/2023, 4:47:17 AM	0	6.851	45.7	92.9	0
4/23/2023, 4:57:17 AM	0	6.851	45.7	93	0
4/23/2023, 5:07:17 AM	0	6.851	45.7	93	0
4/23/2023, 5:17:17 AM	0	6.851	45.5	92.9	0
4/23/2023, 5:27:17 AM	0	6.851	45.5	92.9	0
4/23/2023, 5:37:17 AM	0	6.851	45.3	92.9	0
4/23/2023, 5:47:17 AM	0	6.851	45.3	92.9	0
4/23/2023, 5:57:17 AM	0	6.851	45.5	92.9	0
4/23/2023, 6:07:17 AM	0	6.851	45.5	92.9	0
4/23/2023, 6:17:17 AM	0	6.851	45.5	92.8	0
4/23/2023, 6:27:17 AM	0	6.851	45.5	92.8	0
4/23/2023, 6:37:17 AM	0	6.851	45.5	92.7	0
4/23/2023, 6:47:17 AM	0	6.851	45.3	92.6	0
4/23/2023, 6:57:17 AM	0	6.851	45.3	92.3	0
4/23/2023, 7:07:17 AM	0	6.851	45.1	91.9	0
4/23/2023, 7:17:17 AM	0	6.851	45	91.5	0
4/23/2023, 7:27:17 AM	0	6.851	45	91.1	0
4/23/2023, 7:37:17 AM	0	6.851	45	90.7	0
4/23/2023, 7:47:17 AM	0	6.851	45	90.4	0
4/23/2023, 7:57:17 AM	0	6.851	45.1	90	0
4/23/2023, 8:07:17 AM	0	6.851	45.5	89.7	0
4/23/2023, 8:17:17 AM	0	6.851	45.7	89.3	0
4/23/2023, 8:27:17 AM	0	6.851	46	88.8	0
4/23/2023, 8:37:17 AM	0	6.851	46.4	88.5	0
4/23/2023, 8:47:17 AM	0	6.851	46.9	88.1	0
4/23/2023, 8:57:17 AM	0	6.851	47.1	87.5	0
4/23/2023, 9:07:17 AM	0	6.851	47.5	86.8	0
4/23/2023, 9:17:17 AM	0	6.851	47.7	86.1	0
4/23/2023, 9:27:17 AM	0	6.851	47.8	85.4	0
4/23/2023, 9:37:17 AM	0	6.851	48.2	84.8	0
4/23/2023, 9:47:17 AM	0	6.851	48.6	84.3	0
4/23/2023, 9:57:17 AM	0	6.851	48.9	83.9	0
4/23/2023, 10:07:17 AM	0	6.851	49.5	83.3	0
4/23/2023, 10:17:17 AM	0	6.851	50	82.7	0
4/23/2023, 10:27:17 AM	0	6.86	50.4	81.9	0
4/23/2023, 10:37:17 AM	0	6.86	50.5	81.2	0
4/23/2023, 10:47:17 AM	0	6.86	50.9	80.6	0
4/23/2023, 10:57:17 AM	0	6.86	51.1	79.7	0
4/23/2023, 11:07:17 AM	0	6.86	51.3	78.7	0
4/23/2023, 11:17:17 AM	0	6.86	51.3	77.5	0
4/23/2023, 11:27:17 AM	0	6.86	51.3	76.7	0
4/23/2023, 11:37:17 AM	0	6.86	51.1	76	0
4/23/2023, 11:47:17 AM	0	6.86	50.7	75.5	0
4/23/2023, 11:57:17 AM	0	6.86	50.5	75	0
4/23/2023, 12:07:17 PM	0	6.86	50.2	74.7	0
4/23/2023, 12:17:17 PM	0	6.86	49.8	74.5	0
4/23/2023, 12:27:17 PM	0	6.86	49.6	74.3	0
4/23/2023, 12:37:17 PM	0	6.86	49.5	74.3	0
4/23/2023, 12:47:17 PM	0	6.86	49.5	74	0
4/23/2023, 12:57:17 PM	0	6.86	49.3	73.7	0
4/23/2023, 1:07:17 PM	0	6.86	49.3	73.6	0
4/23/2023, 1:17:17 PM	0	6.86	49.3	73.5	0
4/23/2023, 1:27:17 PM	0	6.851	49.5	73.3	0
4/23/2023, 1:37:17 PM	0	6.86	49.5	73.1	0
4/23/2023, 1:47:17 PM	0	6.86	49.8	73.1	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/23/2023, 1:57:17 PM	0	6.86	50.5	73.1	0
4/23/2023, 2:07:17 PM	0	6.86	50.7	72.9	0
4/23/2023, 2:17:17 PM	0	6.86	50.4	72.8	0
4/23/2023, 2:27:17 PM	0	6.86	50	72.8	0
4/23/2023, 2:37:17 PM	0	6.86	49.8	73	0
4/23/2023, 2:47:17 PM	0	6.86	49.6	73.2	0
4/23/2023, 2:57:17 PM	0	6.86	49.5	73	0
4/23/2023, 3:07:17 PM	0	6.86	49.3	72.4	0
4/23/2023, 3:17:17 PM	0	6.86	49.3	71.7	0
4/23/2023, 3:27:17 PM	0	6.851	49.3	71	0
4/23/2023, 3:37:17 PM	0	6.851	49.1	70.5	0
4/23/2023, 3:47:17 PM	0	6.851	49.1	70.2	0
4/23/2023, 3:57:17 PM	0	6.851	48.9	69.8	0
4/23/2023, 4:07:17 PM	0	6.851	48.9	69.6	0
4/23/2023, 4:17:17 PM	0	6.851	48.9	69.5	0
4/23/2023, 4:27:17 PM	0	6.851	49.1	69.5	0
4/23/2023, 4:37:17 PM	0	6.851	49.1	69.4	0
4/23/2023, 4:47:17 PM	0	6.851	49.3	69.4	0
4/23/2023, 4:57:17 PM	0	6.851	49.3	69.2	0
4/23/2023, 5:07:17 PM	0	6.851	49.3	69	0
4/23/2023, 5:17:17 PM	0	6.851	49.3	68.9	0
4/23/2023, 5:27:17 PM	0	6.851	49.5	68.7	0
4/23/2023, 5:37:17 PM	0	6.851	49.6	68.4	0
4/23/2023, 5:47:17 PM	0	6.851	50	68	0
4/23/2023, 5:57:17 PM	0	6.851	50.2	67.5	0
4/23/2023, 6:07:17 PM	0	6.851	50.2	66.8	0
4/23/2023, 6:17:17 PM	0	6.86	50	66.3	0
4/23/2023, 6:27:17 PM	0	6.851	49.8	65.9	0
4/23/2023, 6:37:17 PM	0	6.86	49.6	65.7	0
4/23/2023, 6:47:17 PM	0	6.851	49.5	65.4	0
4/23/2023, 6:57:17 PM	0	6.851	49.5	65.3	0
4/23/2023, 7:07:17 PM	0	6.851	49.5	65.3	0
4/23/2023, 7:17:17 PM	0	6.851	49.3	65.2	0
4/23/2023, 7:27:17 PM	0	6.851	48.9	65.3	0
4/23/2023, 7:37:17 PM	0	6.851	48.6	65.4	0
4/23/2023, 7:47:17 PM	0	6.851	48.2	65.6	0
4/23/2023, 7:57:17 PM	0	6.851	47.8	66	0
4/23/2023, 8:07:17 PM	0	6.851	47.5	66.5	0
4/23/2023, 8:17:17 PM	0	6.851	47.1	67	0
4/23/2023, 8:27:17 PM	0	6.851	46.8	67.5	0
4/23/2023, 8:37:17 PM	0	6.851	46.4	68	0
4/23/2023, 8:47:17 PM	0	6.851	46.2	68.4	0
4/23/2023, 8:57:17 PM	0	6.851	46	68.9	0
4/23/2023, 9:07:17 PM	0	6.851	45.9	69.2	0
4/23/2023, 9:17:17 PM	0	6.851	45.5	69.5	0
4/23/2023, 9:27:17 PM	0	6.851	45.1	69.7	0
4/23/2023, 9:37:17 PM	0	6.851	44.8	69.9	0
4/23/2023, 9:47:17 PM	0	6.842	44.4	70.1	0
4/23/2023, 9:57:17 PM	0	6.842	44.1	70.4	0
4/23/2023, 10:07:17 PM	0	6.842	43.9	70.7	0
4/23/2023, 10:17:17 PM	0	6.842	43.5	71	0
4/23/2023, 10:27:17 PM	0	6.842	43.3	71.4	0
4/23/2023, 10:37:17 PM	0	6.842	43.2	71.8	0
4/23/2023, 10:47:17 PM	0	6.842	43	72.1	0
4/23/2023, 10:57:17 PM	0	6.842	42.8	72.3	0
4/23/2023, 11:07:17 PM	0	6.842	42.4	72.6	0
4/23/2023, 11:17:17 PM	0	6.842	42.3	73	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/23/2023, 11:27:17 PM	0	6.842	42.1	73.4	0
4/23/2023, 11:37:17 PM	0	6.842	41.7	73.7	0
4/23/2023, 11:47:17 PM	0	6.842	41.4	74.1	0
4/23/2023, 11:57:17 PM	0	6.833	41.2	74.4	0
4/24/2023, 12:07:17 AM	0	6.833	41	74.8	0
4/24/2023, 12:17:17 AM	0	6.833	40.6	75.2	0
4/24/2023, 12:27:17 AM	0	6.833	40.6	75.7	0
4/24/2023, 12:37:17 AM	0	6.833	40.6	76.2	0
4/24/2023, 12:47:17 AM	0	6.833	40.8	76.6	0
4/24/2023, 12:57:17 AM	0	6.833	40.8	76.9	0
4/24/2023, 1:07:17 AM	0	6.833	40.8	77.1	0
4/24/2023, 1:17:17 AM	0	6.833	40.6	77.3	0
4/24/2023, 1:27:17 AM	0	6.833	40.6	77.6	0
4/24/2023, 1:37:17 AM	0	6.833	40.5	77.9	0
4/24/2023, 1:47:17 AM	0	6.833	40.5	78.2	0
4/24/2023, 1:57:17 AM	0	6.833	40.5	78.5	0
4/24/2023, 2:07:17 AM	0	6.833	40.5	78.8	0
4/24/2023, 2:17:17 AM	0	6.833	40.5	79.1	0
4/24/2023, 2:27:17 AM	0	6.833	40.5	79.3	0
4/24/2023, 2:37:17 AM	0	6.833	40.6	79.7	0
4/24/2023, 2:47:17 AM	0	6.833	40.8	79.9	0
4/24/2023, 2:57:17 AM	0	6.833	41	80.1	0
4/24/2023, 3:07:17 AM	0	6.833	41.2	80.2	0
4/24/2023, 3:17:17 AM	0	6.833	41.2	80.2	0
4/24/2023, 3:27:17 AM	0	6.833	41.2	80.2	0
4/24/2023, 3:37:17 AM	0	6.833	41.2	80.1	0
4/24/2023, 3:47:17 AM	0	6.833	41.2	80.1	0
4/24/2023, 3:57:17 AM	0	6.833	41.2	80	0
4/24/2023, 4:07:17 AM	0	6.833	41.2	80	0
4/24/2023, 4:17:17 AM	0	6.833	41	80	0
4/24/2023, 4:27:17 AM	0	6.833	41	80	0
4/24/2023, 4:37:17 AM	0	6.833	40.8	80	0
4/24/2023, 4:47:17 AM	0	6.833	40.6	80.1	0
4/24/2023, 4:57:17 AM	0	6.833	40.6	80.2	0
4/24/2023, 5:07:17 AM	0	6.833	40.6	80.4	0
4/24/2023, 5:17:17 AM	0	6.833	40.6	80.5	0
4/24/2023, 5:27:17 AM	0	6.833	40.6	80.7	0
4/24/2023, 5:37:17 AM	0	6.833	40.6	80.9	0
4/24/2023, 5:47:17 AM	0	6.833	40.6	81.1	0
4/24/2023, 5:57:17 AM	0	6.833	40.6	81.2	0
4/24/2023, 6:07:17 AM	0	6.833	40.6	81.3	0
4/24/2023, 6:17:17 AM	0	6.833	40.6	81.5	0
4/24/2023, 6:27:17 AM	0	6.833	40.8	81.6	0
4/24/2023, 6:37:17 AM	0	6.833	40.8	81.7	0
4/24/2023, 6:47:17 AM	0	6.833	40.8	81.9	0
4/24/2023, 6:57:17 AM	0	6.833	41	82.1	0
4/24/2023, 7:07:17 AM	0	6.833	41	82.2	0
4/24/2023, 7:17:17 AM	0	6.833	41.2	82.3	0
4/24/2023, 7:27:17 AM	0	6.833	41.4	82.5	0
4/24/2023, 7:37:17 AM	0	6.833	41.5	82.6	0
4/24/2023, 7:47:17 AM	0	6.833	41.9	82.6	0
4/24/2023, 7:57:17 AM	0	6.833	42.3	82.5	0
4/24/2023, 8:07:17 AM	0	6.833	42.6	82.6	0
4/24/2023, 8:17:17 AM	0	6.833	43	82.5	0
4/24/2023, 8:27:17 AM	0	6.833	43.5	82.4	0
4/24/2023, 8:37:17 AM	0	6.833	43.9	82.2	0
4/24/2023, 8:47:17 AM	0	6.833	44.4	82.1	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/24/2023, 8:57:17 AM	0	6.842	45.1	81.8	0
4/24/2023, 9:07:17 AM	0	6.842	45.7	81.5	0
4/24/2023, 9:17:17 AM	0	6.842	46.2	81	0
4/24/2023, 9:27:17 AM	0	6.842	46.2	80.4	0
4/24/2023, 9:37:17 AM	0	6.842	46.2	79.9	0
4/24/2023, 9:47:17 AM	0	6.842	46.6	79.5	0
4/24/2023, 9:57:17 AM	0	6.842	47.5	79.3	0
4/24/2023, 10:07:17 AM	0	6.842	48.4	78.9	0
4/24/2023, 10:17:17 AM	0	6.842	49.1	78.3	0
4/24/2023, 10:27:17 AM	0	6.842	49.1	77.3	0
4/24/2023, 10:37:17 AM	0	6.851	48.9	76.7	0
4/24/2023, 10:47:17 AM	0	6.851	49.3	76.5	0
4/24/2023, 10:57:17 AM	0	6.851	49.6	76.2	0
4/24/2023, 11:07:17 AM	0	6.851	49.8	75.7	0
4/24/2023, 11:17:17 AM	0	6.851	50	75.4	0
4/24/2023, 11:27:17 AM	0	6.851	50.4	75	0
4/24/2023, 11:37:17 AM	0	6.851	50.7	74.5	0
4/24/2023, 11:47:17 AM	0	6.851	51.3	74.2	0
4/24/2023, 11:57:17 AM	0	6.851	52.2	73.7	0
4/24/2023, 12:07:17 PM	0	6.851	52.7	72.9	0
4/24/2023, 12:17:17 PM	0	6.851	52.7	71.9	0
4/24/2023, 12:27:17 PM	0	6.851	53.1	71.4	0
4/24/2023, 12:37:17 PM	0	6.851	53.8	71	0
4/24/2023, 12:47:17 PM	0	6.86	54	70.3	0
4/24/2023, 12:57:17 PM	0	6.86	53.6	69.7	0
4/24/2023, 1:07:17 PM	0	6.86	52.7	69.6	0
4/24/2023, 1:17:17 PM	0	6.86	52.2	69.7	0
4/24/2023, 1:27:17 PM	0	6.851	52.2	70.3	0
4/24/2023, 1:37:17 PM	0	6.851	52.5	70.8	0
4/24/2023, 1:47:17 PM	0	6.851	52.9	70.9	0
4/24/2023, 1:57:17 PM	0	6.851	53.1	70.6	0
4/24/2023, 2:07:17 PM	0	6.851	52.7	70	0
4/24/2023, 2:17:17 PM	0	6.86	52.5	69.3	0
4/24/2023, 2:27:17 PM	0	6.86	52.2	69.1	0
4/24/2023, 2:37:17 PM	0	6.86	52.3	69.2	0
4/24/2023, 2:47:17 PM	0	6.851	52.9	69.6	0
4/24/2023, 2:57:17 PM	0	6.86	53.4	69.6	0
4/24/2023, 3:07:17 PM	0	6.86	53.4	69.3	0
4/24/2023, 3:17:17 PM	0	6.86	53.6	69	0
4/24/2023, 3:27:17 PM	0	6.86	53.8	68.4	0
4/24/2023, 3:37:17 PM	0	6.86	53.8	67.7	0
4/24/2023, 3:47:17 PM	0	6.86	53.6	67.1	0
4/24/2023, 3:57:17 PM	0	6.86	53.1	66.9	0
4/24/2023, 4:07:17 PM	0	6.86	52.7	66.9	0
4/24/2023, 4:17:17 PM	0	6.86	52.5	66.9	0
4/24/2023, 4:27:17 PM	0	6.86	52.3	67	0
4/24/2023, 4:37:17 PM	0	6.86	52.3	67	0
4/24/2023, 4:47:17 PM	0	6.86	52.2	66.8	0
4/24/2023, 4:57:17 PM	0	6.86	51.8	66.7	0
4/24/2023, 5:07:17 PM	0	6.86	51.1	67	0
4/24/2023, 5:17:17 PM	0	6.851	50	67.9	0
4/24/2023, 5:27:17 PM	0	6.851	49.3	69.2	0
4/24/2023, 5:37:17 PM	0	6.851	48.9	70.2	0
4/24/2023, 5:47:17 PM	0	6.851	48.4	71.1	0
4/24/2023, 5:57:17 PM	0	6.851	47.8	72	0
4/24/2023, 6:07:17 PM	0	6.851	47.5	73.1	0
4/24/2023, 6:17:17 PM	0	6.851	47.3	74.2	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/24/2023, 6:27:17 PM	0	6.851	47.1	74.6	0
4/24/2023, 6:37:17 PM	0	6.851	46.9	74.6	0
4/24/2023, 6:47:17 PM	0	6.842	46.8	74.4	0
4/24/2023, 6:57:17 PM	0	6.842	46.4	74.3	0
4/24/2023, 7:07:17 PM	0	6.842	46.2	74.2	0
4/24/2023, 7:17:17 PM	0	6.842	46	74.2	0
4/24/2023, 7:27:17 PM	0	6.842	45.9	74.2	0
4/24/2023, 7:37:17 PM	0	6.842	45.7	74.3	0
4/24/2023, 7:47:17 PM	0	6.842	45.3	74.5	0
4/24/2023, 7:57:17 PM	0	6.842	45.1	74.6	0
4/24/2023, 8:07:17 PM	0	6.842	44.8	74.7	0
4/24/2023, 8:17:17 PM	0	6.842	44.6	74.9	0
4/24/2023, 8:27:17 PM	0	6.842	44.4	75.2	0
4/24/2023, 8:37:17 PM	0	6.842	44.1	75.4	0
4/24/2023, 8:47:17 PM	0	6.842	43.9	75.6	0
4/24/2023, 8:57:17 PM	0	6.842	43.5	75.8	0
4/24/2023, 9:07:17 PM	0	6.842	43.2	76.2	0
4/24/2023, 9:17:17 PM	0	6.833	42.8	76.6	0
4/24/2023, 9:27:17 PM	0	6.833	42.6	77.1	0
4/24/2023, 9:37:17 PM	0	6.833	42.4	77.6	0
4/24/2023, 9:47:17 PM	0	6.833	42.4	78	0
4/24/2023, 9:57:17 PM	0	6.833	42.4	78.4	0
4/24/2023, 10:07:17 PM	0	6.833	42.3	78.6	0
4/24/2023, 10:17:17 PM	0	6.833	42.1	78.7	0
4/24/2023, 10:27:17 PM	0	6.833	41.9	78.8	0
4/24/2023, 10:37:17 PM	0	6.833	41.5	78.8	0
4/24/2023, 10:47:17 PM	0	6.833	41.2	79	0
4/24/2023, 10:57:17 PM	0	6.833	41	79.2	0
4/24/2023, 11:07:17 PM	0	6.833	40.8	79.4	0
4/24/2023, 11:17:17 PM	0	6.833	40.6	79.6	0
4/24/2023, 11:27:17 PM	0	6.833	40.6	79.8	0
4/24/2023, 11:37:17 PM	0	6.833	40.5	79.9	0
4/24/2023, 11:47:17 PM	0	6.833	40.1	80	0
4/24/2023, 11:57:17 PM	0	6.825	39.7	80.1	0
4/25/2023, 12:07:17 AM	0	6.825	39.4	80.2	0
4/25/2023, 12:17:17 AM	0	6.825	39.2	80.4	0
4/25/2023, 12:27:17 AM	0	6.825	39	80.7	0
4/25/2023, 12:37:17 AM	0	6.825	39	80.9	0
4/25/2023, 12:47:17 AM	0	6.825	38.8	81.1	0
4/25/2023, 12:57:17 AM	0	6.825	38.8	81.2	0
4/25/2023, 1:07:17 AM	0	6.825	38.7	81.2	0
4/25/2023, 1:17:17 AM	0	6.825	38.7	81.2	0
4/25/2023, 1:27:17 AM	0	6.825	38.5	81.2	0
4/25/2023, 1:37:17 AM	0	6.825	38.5	81.1	0
4/25/2023, 1:47:17 AM	0	6.825	38.5	81.1	0
4/25/2023, 1:57:17 AM	0	6.825	38.3	81	0
4/25/2023, 2:07:17 AM	0	6.825	38.3	80.9	0
4/25/2023, 2:17:17 AM	0	6.825	38.1	80.9	0
4/25/2023, 2:27:17 AM	0	6.825	37.9	80.8	0
4/25/2023, 2:37:17 AM	0	6.825	37.8	80.9	0
4/25/2023, 2:47:17 AM	0	6.825	37.8	80.9	0
4/25/2023, 2:57:17 AM	0	6.825	37.6	81	0
4/25/2023, 3:07:17 AM	0	6.816	37.4	81	0
4/25/2023, 3:17:17 AM	0	6.816	37.2	81.1	0
4/25/2023, 3:27:17 AM	0	6.816	37	81.3	0
4/25/2023, 3:37:17 AM	0	6.816	37	81.5	0
4/25/2023, 3:47:17 AM	0	6.816	37	81.8	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/25/2023, 3:57:17 AM	0	6.816	37.2	82	0
4/25/2023, 4:07:17 AM	0	6.816	37.2	82.3	0
4/25/2023, 4:17:17 AM	0	6.816	37.4	82.5	0
4/25/2023, 4:27:17 AM	0	6.816	37.6	82.8	0
4/25/2023, 4:37:17 AM	0	6.816	37.8	82.9	0
4/25/2023, 4:47:17 AM	0	6.816	37.9	83	0
4/25/2023, 4:57:17 AM	0	6.816	37.9	83.1	0
4/25/2023, 5:07:17 AM	0	6.816	38.1	83.1	0
4/25/2023, 5:17:17 AM	0	6.816	38.1	83.2	0
4/25/2023, 5:27:17 AM	0	6.816	38.1	83.3	0
4/25/2023, 5:37:17 AM	0	6.816	38.1	83.3	0
4/25/2023, 5:47:17 AM	0	6.816	38.1	83.4	0
4/25/2023, 5:57:17 AM	0	6.816	38.3	83.4	0
4/25/2023, 6:07:17 AM	0	6.816	38.3	83.4	0
4/25/2023, 6:17:17 AM	0	6.816	38.3	83.3	0
4/25/2023, 6:27:17 AM	0	6.825	38.5	83.4	0
4/25/2023, 6:37:17 AM	0	6.816	38.5	83.3	0
4/25/2023, 6:47:17 AM	0	6.825	38.5	83.3	0
4/25/2023, 6:57:17 AM	0	6.816	38.5	83.3	0
4/25/2023, 7:07:17 AM	0	6.816	38.7	83.2	0
4/25/2023, 7:17:17 AM	0	6.816	38.8	83.2	0
4/25/2023, 7:27:17 AM	0	6.825	39.2	83.2	0
4/25/2023, 7:37:17 AM	0	6.825	39.7	83.2	0
4/25/2023, 7:47:17 AM	0	6.825	40.5	83.2	0
4/25/2023, 7:57:17 AM	0	6.825	40.8	83.1	0
4/25/2023, 8:07:17 AM	0	6.825	41	82.7	0
4/25/2023, 8:17:17 AM	0	6.825	41.2	82.5	0
4/25/2023, 8:27:17 AM	0	6.825	41.7	82.4	0
4/25/2023, 8:37:17 AM	0	6.825	42.6	82.4	0
4/25/2023, 8:47:17 AM	0	6.825	43.5	82.2	0
4/25/2023, 8:57:17 AM	0	6.833	43.9	81.4	0
4/25/2023, 9:07:17 AM	0	6.833	43.9	80.6	0
4/25/2023, 9:17:17 AM	0	6.833	43.9	79.9	0
4/25/2023, 9:27:17 AM	0	6.833	44.1	79.3	0
4/25/2023, 9:37:17 AM	0	6.833	44.4	78.9	0
4/25/2023, 9:47:17 AM	0	6.833	45.3	78.6	0
4/25/2023, 9:57:17 AM	0	6.833	46.6	78.4	0
4/25/2023, 10:07:17 AM	0	6.833	47.7	77.6	0
4/25/2023, 10:17:17 AM	0	6.842	48.6	76.7	0
4/25/2023, 10:27:17 AM	0	6.842	49.5	75.7	0
4/25/2023, 10:37:17 AM	0	6.842	49.8	74.6	0
4/25/2023, 10:47:17 AM	0	6.842	49.8	73.6	0
4/25/2023, 10:57:17 AM	0	6.842	50.2	72.8	0
4/25/2023, 11:07:17 AM	0	6.842	50.5	72	0
4/25/2023, 11:17:17 AM	0	6.842	50.7	71.2	0
4/25/2023, 11:27:17 AM	0	6.842	50.9	70.4	0
4/25/2023, 11:37:17 AM	0	6.842	51.1	69.8	0
4/25/2023, 11:47:17 AM	0	6.851	51.4	68.8	0
4/25/2023, 11:57:17 AM	0	6.851	52.3	68.3	0
4/25/2023, 12:07:17 PM	0	6.851	52.7	67.8	0
4/25/2023, 12:17:17 PM	0	6.851	51.8	67.2	0
4/25/2023, 12:27:17 PM	0	6.851	50	67.1	0
4/25/2023, 12:37:17 PM	0	6.851	48.2	67.8	0
4/25/2023, 12:47:17 PM	0	6.842	47.7	69.2	0
4/25/2023, 12:57:17 PM	0	6.842	48.2	71.4	0
4/25/2023, 1:07:17 PM	0	6.842	48.7	72.4	0
4/25/2023, 1:17:17 PM	0	6.842	48.9	72.4	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/25/2023, 1:27:17 PM	0	6.842	48.4	72.1	0
4/25/2023, 1:37:17 PM	0	6.842	47.1	71.7	0
4/25/2023, 1:47:17 PM	0	6.842	45.5	71.6	0
4/25/2023, 1:57:17 PM	0	6.842	44.4	72.1	0
4/25/2023, 2:07:17 PM	0	6.833	43.9	73.3	0
4/25/2023, 2:17:17 PM	0	6.833	44.2	75.3	0
4/25/2023, 2:27:17 PM	0	6.833	45	77.2	0
4/25/2023, 2:37:17 PM	0	6.833	45.3	78.3	0
4/25/2023, 2:47:17 PM	0	6.833	46	79.2	0
4/25/2023, 2:57:17 PM	0	6.833	46.6	79.7	0
4/25/2023, 3:07:17 PM	0	6.833	47.1	79.5	0
4/25/2023, 3:17:17 PM	0	6.842	47.7	79.1	0
4/25/2023, 3:27:17 PM	0	6.842	48.2	78.7	0
4/25/2023, 3:37:17 PM	0	6.842	48.7	78	0
4/25/2023, 3:47:17 PM	0	6.842	48.9	77	0
4/25/2023, 3:57:17 PM	0	6.842	48.9	75.9	0
4/25/2023, 4:07:17 PM	0	6.842	48.7	74.9	0
4/25/2023, 4:17:17 PM	0	6.842	48.6	74.2	0
4/25/2023, 4:27:17 PM	0	6.842	48.4	73.8	0
4/25/2023, 4:37:17 PM	0	6.842	48.6	74.2	0
4/25/2023, 4:47:17 PM	0	6.842	48.4	74.5	0
4/25/2023, 4:57:17 PM	0	6.842	48	74.6	0
4/25/2023, 5:07:17 PM	0	6.842	47.8	74.9	0
4/25/2023, 5:17:17 PM	0	6.842	47.5	75.2	0
4/25/2023, 5:27:17 PM	0	6.842	47.3	75.4	0
4/25/2023, 5:37:17 PM	0	6.842	46.9	75.6	0
4/25/2023, 5:47:17 PM	0	6.842	46.9	76	0
4/25/2023, 5:57:17 PM	0	6.842	46.9	76.3	0
4/25/2023, 6:07:17 PM	0	6.842	46.8	76.6	0
4/25/2023, 6:17:17 PM	0	6.842	46.8	76.8	0
4/25/2023, 6:27:17 PM	0	6.842	46.8	76.9	0
4/25/2023, 6:37:17 PM	0	6.842	46.6	77	0
4/25/2023, 6:47:17 PM	0	6.842	46.6	77.2	0
4/25/2023, 6:57:17 PM	0	6.842	46.4	77.4	0
4/25/2023, 7:07:17 PM	0	6.842	46.2	77.5	0
4/25/2023, 7:17:17 PM	0	6.842	45.9	77.6	0
4/25/2023, 7:27:17 PM	0	6.842	45.7	77.7	0
4/25/2023, 7:37:17 PM	0	6.833	45.5	77.9	0
4/25/2023, 7:47:17 PM	0	6.833	45.3	78.1	0
4/25/2023, 7:57:17 PM	0	6.833	45.1	78.3	0
4/25/2023, 8:07:17 PM	0	6.833	45	78.5	0
4/25/2023, 8:17:17 PM	0	6.833	44.6	78.8	0
4/25/2023, 8:27:17 PM	0	6.833	44.4	79	0
4/25/2023, 8:37:17 PM	0	6.833	44.1	79.3	0
4/25/2023, 8:47:17 PM	0	6.833	43.7	79.6	0
4/25/2023, 8:57:17 PM	0	6.833	43.5	80	0
4/25/2023, 9:07:17 PM	0	6.833	43.3	80.4	0
4/25/2023, 9:17:17 PM	0	6.833	43.3	80.8	0
4/25/2023, 9:27:17 PM	0	6.833	43.2	81.3	0
4/25/2023, 9:37:17 PM	0	6.833	43	81.6	0
4/25/2023, 9:47:17 PM	0	6.833	42.8	82	0
4/25/2023, 9:57:17 PM	0	6.833	42.8	82.4	0
4/25/2023, 10:07:17 PM	0	6.825	42.8	82.7	0
4/25/2023, 10:17:17 PM	0	6.825	42.6	83.1	0
4/25/2023, 10:27:17 PM	0	6.833	42.6	83.4	0
4/25/2023, 10:37:17 PM	0	6.825	42.4	83.6	0
4/25/2023, 10:47:17 PM	0	6.825	42.4	83.8	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/25/2023, 10:57:17 PM	0	6.825	42.4	84.1	0
4/25/2023, 11:07:17 PM	0	6.825	42.3	84.3	0
4/25/2023, 11:17:17 PM	0	6.825	42.3	84.6	0
4/25/2023, 11:27:17 PM	0	6.825	42.3	84.8	0
4/25/2023, 11:37:17 PM	0	6.825	42.3	85.1	0
4/25/2023, 11:47:17 PM	0	6.825	42.3	85.4	0
4/25/2023, 11:57:17 PM	0	6.825	42.3	85.6	0
4/26/2023, 12:07:17 AM	0	6.825	42.3	85.8	0
4/26/2023, 12:17:17 AM	0	6.825	42.3	86	0
4/26/2023, 12:27:17 AM	0	6.825	42.3	86.1	0
4/26/2023, 12:37:17 AM	0	6.825	42.3	86.4	0
4/26/2023, 12:47:17 AM	0	6.825	42.3	86.5	0
4/26/2023, 12:57:17 AM	0	6.825	42.3	86.7	0
4/26/2023, 1:07:17 AM	0	6.825	42.3	86.9	0
4/26/2023, 1:17:17 AM	0	6.825	42.3	87	0
4/26/2023, 1:27:17 AM	0	6.825	42.3	87.2	0
4/26/2023, 1:37:17 AM	0	6.825	42.3	87.4	0
4/26/2023, 1:47:17 AM	0	6.825	42.3	87.5	0
4/26/2023, 1:57:17 AM	0	6.825	42.3	87.6	0
4/26/2023, 2:07:17 AM	0	6.825	42.3	87.6	0
4/26/2023, 2:17:17 AM	0	6.825	42.3	87.7	0
4/26/2023, 2:27:17 AM	0	6.825	42.3	87.8	0
4/26/2023, 2:37:17 AM	0	6.825	42.3	87.9	0
4/26/2023, 2:47:17 AM	0	6.825	42.3	88	0
4/26/2023, 2:57:17 AM	0	6.825	42.1	88.1	0
4/26/2023, 3:07:17 AM	0	6.825	42.1	88.1	0
4/26/2023, 3:17:17 AM	0	6.825	42.1	88.2	0
4/26/2023, 3:27:17 AM	0	6.825	41.9	88.3	0
4/26/2023, 3:37:17 AM	0	6.825	41.9	88.3	0
4/26/2023, 3:47:17 AM	0	6.825	41.7	88.3	0
4/26/2023, 3:57:17 AM	0	6.825	41.5	88.2	0
4/26/2023, 4:07:17 AM	0	6.825	41.4	88.2	0
4/26/2023, 4:17:17 AM	0	6.825	41.4	88.3	0
4/26/2023, 4:27:17 AM	0	6.825	41.2	88.3	0
4/26/2023, 4:37:17 AM	0	6.825	41.2	88.3	0
4/26/2023, 4:47:17 AM	0	6.825	41.2	88.3	0
4/26/2023, 4:57:17 AM	0	6.825	41	88.4	0
4/26/2023, 5:07:17 AM	0	6.825	41	88.5	0
4/26/2023, 5:17:17 AM	0	6.825	41	88.6	0
4/26/2023, 5:27:17 AM	0	6.825	40.8	88.6	0
4/26/2023, 5:37:17 AM	0	6.825	40.8	88.7	0
4/26/2023, 5:47:17 AM	0	6.825	40.6	88.7	0
4/26/2023, 5:57:17 AM	0	6.825	40.6	88.7	0
4/26/2023, 6:07:17 AM	0	6.825	40.5	88.7	0
4/26/2023, 6:17:17 AM	0	6.825	40.3	88.8	0
4/26/2023, 6:27:17 AM	0	6.825	40.3	88.8	0
4/26/2023, 6:37:17 AM	0	6.825	40.1	88.8	0
4/26/2023, 6:47:17 AM	0	6.816	40.1	88.9	0
4/26/2023, 6:57:17 AM	0	6.816	40.1	89	0
4/26/2023, 7:07:17 AM	0	6.816	40.1	89.1	0
4/26/2023, 7:17:17 AM	0	6.816	40.1	89.2	0
4/26/2023, 7:27:17 AM	0	6.816	39.9	89.2	0
4/26/2023, 7:37:17 AM	0	6.816	39.9	89.2	0
4/26/2023, 7:47:17 AM	0	6.816	39.7	89.3	0
4/26/2023, 7:57:17 AM	0	6.816	39.7	89.3	0
4/26/2023, 8:07:17 AM	0	6.816	39.7	89.4	0
4/26/2023, 8:17:17 AM	0	6.816	39.7	89.5	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/26/2023, 8:27:17 AM	0	6.816	39.7	89.5	0
4/26/2023, 8:37:17 AM	0	6.816	39.9	89.6	0
4/26/2023, 8:47:17 AM	0	6.816	39.9	89.6	0
4/26/2023, 8:57:17 AM	0	6.816	40.1	89.7	0
4/26/2023, 9:07:17 AM	0	6.816	40.3	89.8	0
4/26/2023, 9:17:17 AM	0	6.816	40.5	89.9	0
4/26/2023, 9:27:17 AM	0	6.816	40.6	89.9	0
4/26/2023, 9:37:17 AM	0	6.816	41	89.9	0
4/26/2023, 9:47:17 AM	0	6.816	41.2	89.8	0
4/26/2023, 9:57:17 AM	0	6.816	41.5	89.7	0
4/26/2023, 10:07:17 AM	0	6.825	41.7	89.6	0
4/26/2023, 10:17:17 AM	0	6.825	42.1	89.5	0
4/26/2023, 10:27:17 AM	0	6.825	42.3	89.4	0
4/26/2023, 10:37:17 AM	0	6.825	42.6	89.2	0
4/26/2023, 10:47:17 AM	0	6.825	43.2	89.1	0
4/26/2023, 10:57:17 AM	0	6.825	44.1	89	0
4/26/2023, 11:07:17 AM	0	6.825	44.8	89	0
4/26/2023, 11:17:17 AM	0	6.825	45.5	88.8	0
4/26/2023, 11:27:17 AM	0	6.833	46	88.4	0
4/26/2023, 11:37:17 AM	0	6.833	46	87.7	0
4/26/2023, 11:47:17 AM	0	6.833	45.9	86.9	0
4/26/2023, 11:57:17 AM	0	6.833	45.9	86.3	0
4/26/2023, 12:07:17 PM	0	6.833	46	86.1	0
4/26/2023, 12:17:17 PM	0	6.833	46.6	86	0
4/26/2023, 12:27:17 PM	0	6.833	47.3	85.9	0
4/26/2023, 12:37:17 PM	0	6.833	48	85.5	0
4/26/2023, 12:47:17 PM	0	6.833	48.4	84.9	0
4/26/2023, 12:57:17 PM	0	6.833	49.1	84.5	0
4/26/2023, 1:07:17 PM	0	6.842	49.8	84	0
4/26/2023, 1:17:17 PM	0	6.842	50.4	83.2	0
4/26/2023, 1:27:17 PM	0	6.842	50.9	82.6	0
4/26/2023, 1:37:17 PM	0	6.842	51.4	82	0
4/26/2023, 1:47:17 PM	0	6.842	52.2	81.3	0
4/26/2023, 1:57:17 PM	0	6.842	52.7	80.4	0
4/26/2023, 2:07:17 PM	0	6.842	53.2	79.4	0
4/26/2023, 2:17:17 PM	0	6.842	53.8	78.4	0
4/26/2023, 2:27:17 PM	0	6.851	54	77	0
4/26/2023, 2:37:17 PM	0	6.851	53.8	75.6	0
4/26/2023, 2:47:17 PM	0	6.851	53.6	74.4	0
4/26/2023, 2:57:17 PM	0	6.851	53.8	73.7	0
4/26/2023, 3:07:17 PM	0	6.851	54.7	73.2	0
4/26/2023, 3:17:17 PM	0	6.851	55.4	72.5	0
4/26/2023, 3:27:17 PM	0	6.851	55.6	71.6	0
4/26/2023, 3:37:17 PM	0	6.851	55.6	70.9	0
4/26/2023, 3:47:17 PM	0	6.851	55.8	70.4	0
4/26/2023, 3:57:17 PM	0	6.851	55.8	69.7	0
4/26/2023, 4:07:17 PM	0	6.851	55.4	69	0
4/26/2023, 4:17:17 PM	0	6.851	55.2	68.7	0
4/26/2023, 4:27:17 PM	0	6.851	55	68.7	0
4/26/2023, 4:37:17 PM	0	6.851	54.9	68.7	0
4/26/2023, 4:47:17 PM	0	6.851	54.3	68.6	0
4/26/2023, 4:57:17 PM	0	6.851	54.5	68.8	0
4/26/2023, 5:07:17 PM	0	6.851	54.7	69.1	0
4/26/2023, 5:17:17 PM	0	6.851	54.7	68.9	0
4/26/2023, 5:27:17 PM	0	6.851	54.5	68.5	0
4/26/2023, 5:37:17 PM	0	6.851	54	68.2	0
4/26/2023, 5:47:17 PM	0	6.851	53.2	68.1	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/26/2023, 5:57:17 PM	0	6.851	52.7	68.2	0
4/26/2023, 6:07:17 PM	0	6.851	52.2	68.2	0
4/26/2023, 6:17:17 PM	0	6.851	51.6	68.3	0
4/26/2023, 6:27:17 PM	0	6.851	51.3	68.3	0
4/26/2023, 6:37:17 PM	0	6.851	50.9	68.4	0
4/26/2023, 6:47:17 PM	0	6.842	50.5	68.2	0
4/26/2023, 6:57:17 PM	0	6.842	50.2	68.1	0
4/26/2023, 7:07:17 PM	0	6.842	49.8	68.1	0
4/26/2023, 7:17:17 PM	0	6.842	49.5	68.1	0
4/26/2023, 7:27:17 PM	0	6.842	49.1	68.2	0
4/26/2023, 7:37:17 PM	0	6.842	48.7	68.3	0
4/26/2023, 7:47:17 PM	0	6.842	48.2	68.5	0
4/26/2023, 7:57:17 PM	0	6.842	47.8	68.8	0
4/26/2023, 8:07:17 PM	0	6.842	47.1	69	0
4/26/2023, 8:17:17 PM	0	6.842	46.6	69.3	0
4/26/2023, 8:27:17 PM	0	6.842	46	69.6	0
4/26/2023, 8:37:17 PM	0	6.833	45.3	70	0
4/26/2023, 8:47:17 PM	0	6.833	44.6	70.5	0
4/26/2023, 8:57:17 PM	0	6.833	44.1	70.9	0
4/26/2023, 9:07:17 PM	0	6.833	43.3	71.4	0
4/26/2023, 9:17:17 PM	0	6.833	42.6	72	0
4/26/2023, 9:27:17 PM	0	6.825	42.1	72.7	0
4/26/2023, 9:37:17 PM	0	6.825	41.5	73.4	0
4/26/2023, 9:47:17 PM	0	6.825	41	74	0
4/26/2023, 9:57:17 PM	0	6.825	40.5	74.6	0
4/26/2023, 10:07:17 PM	0	6.825	39.9	75.2	0
4/26/2023, 10:17:17 PM	0	6.825	39.6	75.8	0
4/26/2023, 10:27:17 PM	0	6.816	39	76.4	0
4/26/2023, 10:37:17 PM	0	6.816	38.7	76.9	0
4/26/2023, 10:47:17 PM	0	6.816	38.3	77.4	0
4/26/2023, 10:57:17 PM	0	6.816	37.9	77.9	0
4/26/2023, 11:07:17 PM	0	6.816	37.6	78.4	0
4/26/2023, 11:17:17 PM	0	6.816	37.2	78.9	0
4/26/2023, 11:27:17 PM	0	6.807	36.9	79.3	0
4/26/2023, 11:37:17 PM	0	6.807	36.5	79.7	0
4/26/2023, 11:47:17 PM	0	6.807	36.1	80.1	0
4/26/2023, 11:57:17 PM	0	6.807	36	80.5	0
4/27/2023, 12:07:17 AM	0	6.807	35.6	80.9	0
4/27/2023, 12:17:17 AM	0	6.807	35.2	81.2	0
4/27/2023, 12:27:17 AM	0	6.807	35.1	81.5	0
4/27/2023, 12:37:17 AM	0	6.798	34.9	81.9	0
4/27/2023, 12:47:17 AM	0	6.798	34.7	82.2	0
4/27/2023, 12:57:17 AM	0	6.798	34.3	82.5	0
4/27/2023, 1:07:17 AM	0	6.798	34.2	82.8	0
4/27/2023, 1:17:17 AM	0	6.798	34	83.1	0
4/27/2023, 1:27:17 AM	0	6.798	33.8	83.3	0
4/27/2023, 1:37:17 AM	0	6.798	33.6	83.5	0
4/27/2023, 1:47:17 AM	0	6.798	33.4	83.7	0
4/27/2023, 1:57:17 AM	0	6.798	33.3	83.9	0
4/27/2023, 2:07:17 AM	0	6.798	33.1	84.1	0
4/27/2023, 2:17:17 AM	0	6.79	32.9	84.3	0
4/27/2023, 2:27:17 AM	0	6.79	32.7	84.5	0
4/27/2023, 2:37:17 AM	0	6.79	32.7	84.7	0
4/27/2023, 2:47:17 AM	0	6.79	32.5	84.9	0
4/27/2023, 2:57:17 AM	0	6.79	32.4	85.1	0
4/27/2023, 3:07:17 AM	0	6.79	32.2	85.3	0
4/27/2023, 3:17:17 AM	0	6.79	32.2	85.4	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/27/2023, 3:27:17 AM	0	6.79	32	85.6	0
4/27/2023, 3:37:17 AM	0	6.79	32	85.8	0
4/27/2023, 3:47:17 AM	0	6.79	32	85.9	0
4/27/2023, 3:57:17 AM	0	6.79	31.8	86.1	0
4/27/2023, 4:07:17 AM	0	6.79	31.6	86.2	0
4/27/2023, 4:17:17 AM	0	6.79	31.6	86.3	0
4/27/2023, 4:27:17 AM	0	6.781	31.5	86.4	0
4/27/2023, 4:37:17 AM	0	6.79	31.5	86.5	0
4/27/2023, 4:47:17 AM	0	6.79	31.3	86.6	0
4/27/2023, 4:57:17 AM	0	6.781	31.3	86.8	0
4/27/2023, 5:07:17 AM	0	6.781	31.1	86.9	0
4/27/2023, 5:17:17 AM	0	6.781	31.1	86.9	0
4/27/2023, 5:27:17 AM	0	6.781	30.9	87	0
4/27/2023, 5:37:17 AM	0	6.781	30.9	87.2	0
4/27/2023, 5:47:17 AM	0	6.781	30.7	87.3	0
4/27/2023, 5:57:17 AM	0	6.781	30.7	87.3	0
4/27/2023, 6:07:17 AM	0	6.781	30.7	87.4	0
4/27/2023, 6:17:17 AM	0	6.781	30.6	87.5	0
4/27/2023, 6:27:17 AM	0	6.781	30.6	87.6	0
4/27/2023, 6:37:17 AM	0	6.781	30.6	87.7	0
4/27/2023, 6:47:17 AM	0	6.781	30.6	87.8	0
4/27/2023, 6:57:17 AM	0	6.781	30.7	88	0
4/27/2023, 7:07:17 AM	0	6.781	31.1	88.2	0
4/27/2023, 7:17:17 AM	0	6.781	31.5	88.6	0
4/27/2023, 7:27:17 AM	0	6.781	32	88.9	0
4/27/2023, 7:37:17 AM	0	6.781	32.9	89.4	0
4/27/2023, 7:47:17 AM	0	6.79	34	89.8	0
4/27/2023, 7:57:17 AM	0	6.79	34.7	90.3	0
4/27/2023, 8:07:17 AM	0	6.79	35.6	90.6	0
4/27/2023, 8:17:17 AM	0	6.798	36.5	91	0
4/27/2023, 8:27:17 AM	0	6.798	37.4	91.3	0
4/27/2023, 8:37:17 AM	0	6.798	38.1	91.6	0
4/27/2023, 8:47:17 AM	0	6.807	39.2	91.9	0
4/27/2023, 8:57:17 AM	0	6.807	40.6	92.2	0
4/27/2023, 9:07:17 AM	0	6.807	42.1	92.5	0
4/27/2023, 9:17:17 AM	0	6.816	43.3	92.5	0
4/27/2023, 9:27:17 AM	0	6.816	44.4	91.8	0
4/27/2023, 9:37:17 AM	0	6.825	46	90.6	0
4/27/2023, 9:47:17 AM	0	6.825	47.8	89	0
4/27/2023, 9:57:17 AM	0	6.825	49.1	86.8	0
4/27/2023, 10:07:17 AM	0	6.833	50.4	84.4	0
4/27/2023, 10:17:17 AM	0	6.833	51.4	82.1	0
4/27/2023, 10:27:17 AM	0	6.833	52.3	80	0
4/27/2023, 10:37:17 AM	0	6.842	53.2	78.3	0
4/27/2023, 10:47:17 AM	0	6.842	54	76.8	0
4/27/2023, 10:57:17 AM	0	6.842	54.7	75.2	0
4/27/2023, 11:07:17 AM	0	6.842	55.6	73.9	0
4/27/2023, 11:17:17 AM	0	6.842	56.3	72.6	0
4/27/2023, 11:27:17 AM	0	6.851	57	71.5	0
4/27/2023, 11:37:17 AM	0	6.851	57.9	70.6	0
4/27/2023, 11:47:17 AM	0	6.851	58.6	69.6	0
4/27/2023, 11:57:17 AM	0	6.851	59	68.7	0
4/27/2023, 12:07:17 PM	0	6.851	59.4	67.7	0
4/27/2023, 12:17:17 PM	0	6.851	59.5	66.7	0
4/27/2023, 12:27:17 PM	0	6.851	59.9	65.7	0
4/27/2023, 12:37:17 PM	0	6.851	60.6	64.9	0
4/27/2023, 12:47:17 PM	0	6.86	61	64.2	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/27/2023, 12:57:17 PM	0	6.86	61.3	63.4	0
4/27/2023, 1:07:17 PM	0	6.86	61.2	62.8	0
4/27/2023, 1:17:17 PM	0	6.86	61.2	62.3	0
4/27/2023, 1:27:17 PM	0	6.86	61	61.8	0
4/27/2023, 1:37:17 PM	0	6.86	61.2	61.3	0
4/27/2023, 1:47:17 PM	0	6.86	60.8	60.9	0
4/27/2023, 1:57:17 PM	0	6.86	60.8	60.7	0
4/27/2023, 2:07:17 PM	0	6.86	61.3	60.5	0
4/27/2023, 2:17:17 PM	0	6.86	61.9	60.4	0
4/27/2023, 2:27:17 PM	0	6.86	62.2	60	0
4/27/2023, 2:37:17 PM	0	6.86	62.8	59.8	0
4/27/2023, 2:47:17 PM	0	6.86	63	59.3	0
4/27/2023, 2:57:17 PM	0	6.86	63	59	0
4/27/2023, 3:07:17 PM	0	6.86	63.1	58.8	0
4/27/2023, 3:17:17 PM	0	6.86	63.3	58.6	0
4/27/2023, 3:27:17 PM	0	6.86	63	58.4	0
4/27/2023, 3:37:17 PM	0	6.86	63	58.3	0
4/27/2023, 3:47:17 PM	0	6.86	63	58.1	0
4/27/2023, 3:57:17 PM	0	6.86	62.8	57.9	0
4/27/2023, 4:07:17 PM	0	6.86	62.6	57.7	0
4/27/2023, 4:17:17 PM	0	6.86	62.6	57.7	0
4/27/2023, 4:27:17 PM	0	6.86	62.4	58	0
4/27/2023, 4:37:17 PM	0	6.86	62.1	58.3	0
4/27/2023, 4:47:17 PM	0	6.86	61.7	58.4	0
4/27/2023, 4:57:17 PM	0	6.86	61.2	58.6	0
4/27/2023, 5:07:17 PM	0	6.86	60.6	58.7	0
4/27/2023, 5:17:17 PM	0	6.86	60.1	58.7	0
4/27/2023, 5:27:17 PM	0	6.86	59.5	58.8	0
4/27/2023, 5:37:17 PM	0	6.86	59	58.9	0
4/27/2023, 5:47:17 PM	0	6.86	58.5	59	0
4/27/2023, 5:57:17 PM	0	6.86	57.9	59	0
4/27/2023, 6:07:17 PM	0	6.86	57.6	59.1	0
4/27/2023, 6:17:17 PM	0	6.86	57	59.1	0
4/27/2023, 6:27:17 PM	0	6.86	56.7	59.2	0
4/27/2023, 6:37:17 PM	0	6.851	56.3	59.2	0
4/27/2023, 6:47:17 PM	0	6.851	55.9	59.3	0
4/27/2023, 6:57:17 PM	0	6.851	55.6	59.2	0
4/27/2023, 7:07:17 PM	0	6.851	55	59.2	0
4/27/2023, 7:17:17 PM	0	6.851	54.7	59.2	0
4/27/2023, 7:27:17 PM	0	6.851	54.1	59.2	0
4/27/2023, 7:37:17 PM	0	6.851	53.8	59.4	0
4/27/2023, 7:47:17 PM	0	6.851	53.2	59.5	0
4/27/2023, 7:57:17 PM	0	6.851	52.7	59.7	0
4/27/2023, 8:07:17 PM	0	6.851	52.3	59.7	0
4/27/2023, 8:17:17 PM	0	6.851	51.8	59.8	0
4/27/2023, 8:27:17 PM	0	6.842	51.3	60	0
4/27/2023, 8:37:17 PM	0	6.842	50.7	60.2	0
4/27/2023, 8:47:17 PM	0	6.842	50.4	60.2	0
4/27/2023, 8:57:17 PM	0	6.842	49.8	60.3	0
4/27/2023, 9:07:17 PM	0	6.842	49.5	60.4	0
4/27/2023, 9:17:17 PM	0	6.842	48.9	60.5	0
4/27/2023, 9:27:17 PM	0	6.842	48.7	60.6	0
4/27/2023, 9:37:17 PM	0	6.842	48.2	61	0
4/27/2023, 9:47:17 PM	0	6.842	47.7	61.3	0
4/27/2023, 9:57:17 PM	0	6.833	47.1	61.9	0
4/27/2023, 10:07:17 PM	0	6.833	46.6	62.5	0
4/27/2023, 10:17:17 PM	0	6.833	45.9	63.3	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/27/2023, 10:27:17 PM	0	6.833	45.3	64.1	0
4/27/2023, 10:37:17 PM	0	6.833	44.8	65	0
4/27/2023, 10:47:17 PM	0	6.833	44.2	65.8	0
4/27/2023, 10:57:17 PM	0	6.833	43.9	66.9	0
4/27/2023, 11:07:17 PM	0	6.825	43.3	67.8	0
4/27/2023, 11:17:17 PM	0	6.825	43	68.8	0
4/27/2023, 11:27:17 PM	0	6.825	42.6	69.6	0
4/27/2023, 11:37:17 PM	0	6.825	42.3	70.3	0
4/27/2023, 11:47:17 PM	0	6.825	41.9	70.9	0
4/27/2023, 11:57:17 PM	0	6.825	41.5	71.5	0
4/28/2023, 12:07:17 AM	0	6.825	41.2	72.1	0
4/28/2023, 12:17:17 AM	0	6.816	41	72.6	0
4/28/2023, 12:27:17 AM	0	6.816	40.6	73.2	0
4/28/2023, 12:37:17 AM	0	6.816	40.5	73.8	0
4/28/2023, 12:47:17 AM	0	6.816	40.1	74.4	0
4/28/2023, 12:57:17 AM	0	6.816	39.9	75	0
4/28/2023, 1:07:17 AM	0	6.816	39.6	75.6	0
4/28/2023, 1:17:17 AM	0	6.816	39.4	76.2	0
4/28/2023, 1:27:17 AM	0	6.816	39.2	76.7	0
4/28/2023, 1:37:17 AM	0	6.807	39.2	77.3	0
4/28/2023, 1:47:17 AM	0	6.807	39	77.7	0
4/28/2023, 1:57:17 AM	0	6.807	38.8	78	0
4/28/2023, 2:07:17 AM	0	6.807	38.7	78.4	0
4/28/2023, 2:17:17 AM	0	6.807	38.5	78.8	0
4/28/2023, 2:27:17 AM	0	6.807	38.3	79.2	0
4/28/2023, 2:37:17 AM	0	6.807	38.1	79.6	0
4/28/2023, 2:47:17 AM	0	6.807	38.1	80	0
4/28/2023, 2:57:17 AM	0	6.807	37.9	80.4	0
4/28/2023, 3:07:17 AM	0	6.807	37.8	80.8	0
4/28/2023, 3:17:17 AM	0	6.807	37.8	81	0
4/28/2023, 3:27:17 AM	0	6.807	37.6	81.4	0
4/28/2023, 3:37:17 AM	0	6.807	37.4	81.6	0
4/28/2023, 3:47:17 AM	0	6.807	37.2	81.9	0
4/28/2023, 3:57:17 AM	0	6.807	37.2	82.1	0
4/28/2023, 4:07:17 AM	0	6.798	37	82.4	0
4/28/2023, 4:17:17 AM	0	6.807	36.9	82.7	0
4/28/2023, 4:27:17 AM	0	6.798	36.9	83	0
4/28/2023, 4:37:17 AM	0	6.798	36.9	83.3	0
4/28/2023, 4:47:17 AM	0	6.798	36.7	83.6	0
4/28/2023, 4:57:17 AM	0	6.798	36.7	83.8	0
4/28/2023, 5:07:17 AM	0	6.798	36.5	84	0
4/28/2023, 5:17:17 AM	0	6.798	36.7	84.3	0
4/28/2023, 5:27:17 AM	0	6.798	36.7	84.7	0
4/28/2023, 5:37:17 AM	0	6.798	36.7	85	0
4/28/2023, 5:47:17 AM	0	6.798	36.9	85.3	0
4/28/2023, 5:57:17 AM	0	6.798	36.9	85.6	0
4/28/2023, 6:07:17 AM	0	6.798	37	85.9	0
4/28/2023, 6:17:17 AM	0	6.798	37.2	86.2	0
4/28/2023, 6:27:17 AM	0	6.798	37.4	86.6	0
4/28/2023, 6:37:17 AM	0	6.798	37.6	86.9	0
4/28/2023, 6:47:17 AM	0	6.807	37.9	87.2	0
4/28/2023, 6:57:17 AM	0	6.807	38.3	87.7	0
4/28/2023, 7:07:17 AM	0	6.807	39	88.3	0
4/28/2023, 7:17:17 AM	0	6.807	39.7	88.9	0
4/28/2023, 7:27:17 AM	0	6.807	40.8	89.5	0
4/28/2023, 7:37:17 AM	0	6.807	42.1	90.1	0
4/28/2023, 7:47:17 AM	0	6.816	43.3	90.7	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/28/2023, 7:57:17 AM	0	6.816	44.6	91.3	0
4/28/2023, 8:07:17 AM	0	6.825	45.9	91.8	0
4/28/2023, 8:17:17 AM	0	6.825	47.1	92.2	0
4/28/2023, 8:27:17 AM	0	6.825	48.2	92.5	0
4/28/2023, 8:37:17 AM	0	6.825	49.3	92.8	0
4/28/2023, 8:47:17 AM	0	6.833	50.4	92.7	0
4/28/2023, 8:57:17 AM	0	6.833	51.3	92	0
4/28/2023, 9:07:17 AM	0	6.833	52.2	90.8	0
4/28/2023, 9:17:17 AM	0	6.842	53.1	89.6	0
4/28/2023, 9:27:17 AM	0	6.842	54	88.1	0
4/28/2023, 9:37:17 AM	0	6.842	54.9	86.8	0
4/28/2023, 9:47:17 AM	0	6.842	56.1	85.4	0
4/28/2023, 9:57:17 AM	0	6.842	57	83.9	0
4/28/2023, 10:07:17 AM	0	6.851	57.7	82.5	0
4/28/2023, 10:17:17 AM	0	6.851	58.5	81.1	0
4/28/2023, 10:27:17 AM	0	6.851	59.4	79.9	0
4/28/2023, 10:37:17 AM	0	6.851	60.1	78.5	0
4/28/2023, 10:47:17 AM	0	6.851	60.8	77.4	0
4/28/2023, 10:57:17 AM	0	6.851	61.3	76.4	0
4/28/2023, 11:07:17 AM	0	6.851	62.2	75.4	0
4/28/2023, 11:17:17 AM	0	6.86	62.8	74.2	0
4/28/2023, 11:27:17 AM	0	6.86	63.1	73.2	0
4/28/2023, 11:37:17 AM	0	6.86	63.3	72.5	0
4/28/2023, 11:47:17 AM	0	6.86	63.3	71.8	0
4/28/2023, 11:57:17 AM	0	6.86	63.3	71.4	0
4/28/2023, 12:07:17 PM	0	6.86	63.7	71.1	0
4/28/2023, 12:17:17 PM	0	6.86	63.9	70.7	0
4/28/2023, 12:27:17 PM	0	6.86	64	70.1	0
4/28/2023, 12:37:17 PM	0	6.86	64.4	69.9	0
4/28/2023, 12:47:17 PM	0	6.86	64.6	69.5	0
4/28/2023, 12:57:17 PM	0	6.86	64.6	69	0
4/28/2023, 1:07:17 PM	0	6.86	64.4	68.7	0
4/28/2023, 1:17:17 PM	0	6.86	64.2	68.5	0
4/28/2023, 1:27:17 PM	0	6.86	64	68.3	0
4/28/2023, 1:37:17 PM	0	6.86	63.9	68.1	0
4/28/2023, 1:47:17 PM	0	6.86	63.7	68.1	0
4/28/2023, 1:57:17 PM	0	6.86	63.5	68.1	0
4/28/2023, 2:07:17 PM	0	6.86	63.5	68.1	0
4/28/2023, 2:17:17 PM	0	6.86	63.3	68.1	0
4/28/2023, 2:27:17 PM	0	6.86	63.1	68.1	0
4/28/2023, 2:37:17 PM	0	6.86	63.1	68.2	0
4/28/2023, 2:47:17 PM	0	6.86	63	68.2	0
4/28/2023, 2:57:17 PM	0	6.86	62.8	68.2	0
4/28/2023, 3:07:17 PM	0	6.86	62.6	68.3	0
4/28/2023, 3:17:17 PM	0	6.86	62.4	68.3	0
4/28/2023, 3:27:17 PM	0	6.86	62.4	68.4	0
4/28/2023, 3:37:17 PM	0	6.86	62.2	68.4	0
4/28/2023, 3:47:17 PM	0	6.86	62.1	68.5	0
4/28/2023, 3:57:17 PM	0	6.86	62.1	68.6	0
4/28/2023, 4:07:17 PM	0	6.86	61.9	68.7	0
4/28/2023, 4:17:17 PM	0	6.86	61.5	68.8	0
4/28/2023, 4:27:17 PM	0	6.86	61.5	69	0
4/28/2023, 4:37:17 PM	0	6.86	61.3	69.2	0
4/28/2023, 4:47:17 PM	0	6.86	61.3	69.2	0
4/28/2023, 4:57:17 PM	0	6.86	61.2	69.3	0
4/28/2023, 5:07:17 PM	0	6.86	61.2	69.2	0
4/28/2023, 5:17:17 PM	0	6.86	60.8	68.9	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/28/2023, 5:27:17 PM	0	6.86	60.6	68.7	0
4/28/2023, 5:37:17 PM	0	6.86	60.4	68.5	0
4/28/2023, 5:47:17 PM	0	6.86	60.3	68.3	0
4/28/2023, 5:57:17 PM	0	6.86	60.1	68.2	0
4/28/2023, 6:07:17 PM	0	6.86	59.9	68.3	0
4/28/2023, 6:17:17 PM	0	6.86	59.9	68.2	0
4/28/2023, 6:27:17 PM	0	6.86	59.7	68.1	0
4/28/2023, 6:37:17 PM	0	6.86	59.7	67.9	0
4/28/2023, 6:47:17 PM	0	6.86	59.4	67.8	0
4/28/2023, 6:57:17 PM	0	6.851	58.8	67.9	0
4/28/2023, 7:07:17 PM	0	6.86	58.3	68.2	0
4/28/2023, 7:17:17 PM	0	6.851	57.7	68.6	0
4/28/2023, 7:27:17 PM	0	6.851	57.4	69	0
4/28/2023, 7:37:17 PM	0	6.851	56.8	69.5	0
4/28/2023, 7:47:17 PM	0	6.851	56.3	69.9	0
4/28/2023, 7:57:17 PM	0	6.851	55.8	70.4	0
4/28/2023, 8:07:17 PM	0	6.851	55	70.9	0
4/28/2023, 8:17:17 PM	0	6.851	54.3	71.6	0
4/28/2023, 8:27:17 PM	0	6.851	53.6	72.4	0
4/28/2023, 8:37:17 PM	0	6.851	53.1	73.2	0
4/28/2023, 8:47:17 PM	0	6.842	52.5	74	0
4/28/2023, 8:57:17 PM	0	6.842	52	74.8	0
4/28/2023, 9:07:17 PM	0	6.842	51.4	75.6	0
4/28/2023, 9:17:17 PM	0	6.842	51.1	76.4	0
4/28/2023, 9:27:17 PM	0	6.842	50.5	77.3	0
4/28/2023, 9:37:17 PM	0	6.842	50.2	78	0
4/28/2023, 9:47:17 PM	0	6.842	49.8	78.8	0
4/28/2023, 9:57:17 PM	0	6.842	49.5	79.5	0
4/28/2023, 10:07:17 PM	0	6.833	49.3	80.2	0
4/28/2023, 10:17:17 PM	0	6.833	49.1	80.8	0
4/28/2023, 10:27:17 PM	0	6.833	48.9	81.4	0
4/28/2023, 10:37:17 PM	0	6.833	48.7	82	0
4/28/2023, 10:47:17 PM	0	6.833	48.4	82.6	0
4/28/2023, 10:57:17 PM	0	6.833	48.4	83.1	0
4/28/2023, 11:07:17 PM	0	6.833	48.2	83.6	0
4/28/2023, 11:17:17 PM	0	6.833	48	84	0
4/28/2023, 11:27:17 PM	0	6.833	48	84.3	0
4/28/2023, 11:37:17 PM	0	6.833	47.8	84.7	0
4/28/2023, 11:47:17 PM	0	6.833	47.7	85	0
4/28/2023, 11:57:17 PM	0	6.833	47.7	85.3	0
4/29/2023, 12:07:17 AM	0	6.833	47.5	85.6	0
4/29/2023, 12:17:17 AM	0	6.833	47.5	85.9	0
4/29/2023, 12:27:17 AM	0	6.833	47.3	86.2	0
4/29/2023, 12:37:17 AM	0	6.833	47.1	86.4	0
4/29/2023, 12:47:17 AM	0	6.833	47.1	86.6	0
4/29/2023, 12:57:17 AM	0	6.833	46.9	86.7	0
4/29/2023, 1:07:17 AM	0	6.825	46.9	86.9	0
4/29/2023, 1:17:17 AM	0	6.825	46.8	87	0
4/29/2023, 1:27:17 AM	0	6.825	46.8	87.2	0
4/29/2023, 1:37:17 AM	0	6.825	46.6	87.3	0
4/29/2023, 1:47:17 AM	0	6.825	46.6	87.5	0
4/29/2023, 1:57:17 AM	0	6.825	46.6	87.6	0
4/29/2023, 2:07:17 AM	0	6.825	46.4	87.6	0
4/29/2023, 2:17:17 AM	0	6.825	46.4	87.7	0
4/29/2023, 2:27:17 AM	0	6.825	46.4	87.8	0
4/29/2023, 2:37:17 AM	0	6.825	46.4	87.9	0
4/29/2023, 2:47:17 AM	0	6.825	46.4	87.9	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/29/2023, 2:57:17 AM	0	6.825	46.4	87.9	0
4/29/2023, 3:07:17 AM	0	6.825	46.4	87.9	0
4/29/2023, 3:17:17 AM	0	6.825	46.4	87.9	0
4/29/2023, 3:27:17 AM	0	6.825	46.4	87.8	0
4/29/2023, 3:37:17 AM	0	6.825	46.4	87.6	0
4/29/2023, 3:47:17 AM	0	6.825	46.2	87.4	0
4/29/2023, 3:57:17 AM	0	6.825	46.2	87.3	0
4/29/2023, 4:07:17 AM	0	6.825	46	87.3	0
4/29/2023, 4:17:17 AM	0	6.825	45.9	87.4	0
4/29/2023, 4:27:17 AM	0	6.825	45.9	87.4	0
4/29/2023, 4:37:17 AM	0	6.825	45.7	87.6	0
4/29/2023, 4:47:17 AM	0	6.825	45.7	87.7	0
4/29/2023, 4:57:17 AM	0	6.825	45.5	87.8	0
4/29/2023, 5:07:17 AM	0	6.825	45.5	88	0
4/29/2023, 5:17:17 AM	0	6.825	45.3	88.2	0
4/29/2023, 5:27:17 AM	0	6.825	45.3	88.4	0
4/29/2023, 5:37:17 AM	0	6.825	45.3	88.6	0
4/29/2023, 5:47:17 AM	0	6.825	45.3	88.8	0
4/29/2023, 5:57:17 AM	0	6.825	45.3	89	0
4/29/2023, 6:07:17 AM	0	6.825	45.1	89.1	0
4/29/2023, 6:17:17 AM	0	6.825	45.1	89.3	0
4/29/2023, 6:27:17 AM	0	6.825	45.1	89.4	0
4/29/2023, 6:37:17 AM	0	6.825	45.1	89.6	0
4/29/2023, 6:47:17 AM	0	6.825	45.1	89.7	0
4/29/2023, 6:57:17 AM	0	6.825	45.3	89.9	0
4/29/2023, 7:07:17 AM	0	6.825	45.3	90.1	0
4/29/2023, 7:17:17 AM	0	6.825	45.3	90.2	0
4/29/2023, 7:27:17 AM	0	6.825	45.5	90.3	0
4/29/2023, 7:37:17 AM	0	6.825	45.5	90.4	0
4/29/2023, 7:47:17 AM	0	6.825	45.5	90.5	0
4/29/2023, 7:57:17 AM	0	6.825	45.7	90.5	0
4/29/2023, 8:07:17 AM	0	6.825	45.7	90.5	0
4/29/2023, 8:17:17 AM	0	6.825	45.7	90.5	0
4/29/2023, 8:27:17 AM	0	6.825	45.9	90.5	0
4/29/2023, 8:37:17 AM	0	6.825	45.9	90.5	0
4/29/2023, 8:47:17 AM	0	6.825	45.9	90.6	0
4/29/2023, 8:57:17 AM	0	6.825	46	90.6	0
4/29/2023, 9:07:17 AM	0	6.825	46	90.7	0
4/29/2023, 9:17:17 AM	0	6.825	46.2	90.7	0
4/29/2023, 9:27:17 AM	0	6.825	46.2	90.8	0
4/29/2023, 9:37:17 AM	0	6.825	46.6	90.9	0
4/29/2023, 9:47:17 AM	0	6.825	46.8	91	0
4/29/2023, 9:57:17 AM	0	6.825	46.9	91.1	0
4/29/2023, 10:07:17 AM	0	6.825	47.1	91.2	0
4/29/2023, 10:17:17 AM	0	6.825	47.3	91.4	0
4/29/2023, 10:27:17 AM	0	6.825	47.5	91.5	0
4/29/2023, 10:37:17 AM	0	6.825	47.7	91.6	0
4/29/2023, 10:47:17 AM	0	6.825	48	91.7	0
4/29/2023, 10:57:17 AM	0	6.825	48.4	91.9	0
4/29/2023, 11:07:17 AM	0	6.825	48.9	92.1	0
4/29/2023, 11:17:17 AM	0	6.825	49.5	92.3	0
4/29/2023, 11:27:17 AM	0	6.833	50	92.4	0
4/29/2023, 11:37:17 AM	0	6.833	50.7	92.6	0
4/29/2023, 11:47:17 AM	0	6.833	51.4	92.7	0
4/29/2023, 11:57:17 AM	0	6.833	52	92.5	0
4/29/2023, 12:07:17 PM	0	6.833	52.3	92	0
4/29/2023, 12:17:17 PM	0	6.833	52.7	91.5	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/29/2023, 12:27:17 PM	0	6.833	53.2	91.1	0
4/29/2023, 12:37:17 PM	0	6.833	53.8	90.6	0
4/29/2023, 12:47:17 PM	0	6.842	54.5	90.1	0
4/29/2023, 12:57:17 PM	0	6.842	55.2	89.6	0
4/29/2023, 1:07:17 PM	0	6.842	56.1	89	0
4/29/2023, 1:17:17 PM	0	6.842	56.8	88.1	0
4/29/2023, 1:27:17 PM	0	6.842	56.8	86.9	0
4/29/2023, 1:37:17 PM	0	6.842	56.7	86	0
4/29/2023, 1:47:17 PM	0	6.842	56.7	85.3	0
4/29/2023, 1:57:17 PM	0	6.842	56.7	84.9	0
4/29/2023, 2:07:17 PM	0	6.842	56.8	84.7	0
4/29/2023, 2:17:17 PM	0	6.842	57	84.4	0
4/29/2023, 2:27:17 PM	0	6.842	57	84	0
4/29/2023, 2:37:17 PM	0	6.842	57	83.7	0
4/29/2023, 2:47:17 PM	0	6.851	57.6	83.6	0
4/29/2023, 2:57:17 PM	0	6.842	57.9	83.3	0
4/29/2023, 3:07:17 PM	0	6.851	58.1	83	0
4/29/2023, 3:17:17 PM	0	6.851	58.5	82.7	0
4/29/2023, 3:27:17 PM	0	6.851	59	82.5	0
4/29/2023, 3:37:17 PM	0	6.851	59.7	82.5	0
4/29/2023, 3:47:17 PM	0	6.851	60.3	82.2	0
4/29/2023, 3:57:17 PM	0	6.851	60.6	81.6	0
4/29/2023, 4:07:17 PM	0	6.851	60.8	81.1	0
4/29/2023, 4:17:17 PM	0	6.851	61	80.8	0
4/29/2023, 4:27:17 PM	0	6.851	61.2	80.5	0
4/29/2023, 4:37:17 PM	0	6.851	61.2	80.1	0
4/29/2023, 4:47:17 PM	0	6.851	61.2	79.7	0
4/29/2023, 4:57:17 PM	0	6.851	61.2	79.6	0
4/29/2023, 5:07:17 PM	0	6.851	61.2	79.6	0
4/29/2023, 5:17:17 PM	0	6.851	61.3	79.6	0
4/29/2023, 5:27:17 PM	0	6.851	61.5	79.5	0
4/29/2023, 5:37:17 PM	0	6.851	61.5	79.3	0
4/29/2023, 5:47:17 PM	0	6.851	61.3	79.1	0
4/29/2023, 5:57:17 PM	0	6.851	61.2	78.9	0
4/29/2023, 6:07:17 PM	0	6.851	60.8	78.9	0
4/29/2023, 6:17:17 PM	0	6.851	60.4	78.9	0
4/29/2023, 6:27:17 PM	0	6.851	59.9	79	0
4/29/2023, 6:37:17 PM	0	6.851	59.5	79.2	0
4/29/2023, 6:47:17 PM	0	6.851	59.2	79.5	0
4/29/2023, 6:57:17 PM	0	6.851	59	79.8	0
4/29/2023, 7:07:17 PM	0	6.851	58.6	80.1	0
4/29/2023, 7:17:17 PM	0	6.851	58.3	80.4	0
4/29/2023, 7:27:17 PM	0	6.851	58.1	80.7	0
4/29/2023, 7:37:17 PM	0	6.851	57.9	81	0
4/29/2023, 7:47:17 PM	0	6.851	57.7	81.3	0
4/29/2023, 7:57:17 PM	0	6.851	57.6	81.6	0
4/29/2023, 8:07:17 PM	0	6.851	57.2	81.8	0
4/29/2023, 8:17:17 PM	0	6.851	57	82.2	0
4/29/2023, 8:27:17 PM	0	6.851	57	82.4	0
4/29/2023, 8:37:17 PM	0	6.842	56.8	82.7	0
4/29/2023, 8:47:17 PM	0	6.842	56.7	83	0
4/29/2023, 8:57:17 PM	0	6.842	56.5	83.3	0
4/29/2023, 9:07:17 PM	0	6.842	56.5	83.5	0
4/29/2023, 9:17:17 PM	0	6.842	56.3	83.8	0
4/29/2023, 9:27:17 PM	0	6.842	56.1	84.1	0
4/29/2023, 9:37:17 PM	0	6.842	55.8	84.4	0
4/29/2023, 9:47:17 PM	0	6.842	55.6	84.8	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/29/2023, 9:57:17 PM	0	6.842	55.2	85.2	0
4/29/2023, 10:07:17 PM	0	6.842	55	85.6	0
4/29/2023, 10:17:17 PM	0	6.842	55	86	0
4/29/2023, 10:27:17 PM	0	6.842	54.9	86.4	0
4/29/2023, 10:37:17 PM	0	6.842	54.7	86.8	0
4/29/2023, 10:47:17 PM	0	6.842	54.5	87.1	0
4/29/2023, 10:57:17 PM	0	6.842	54.5	87.5	0
4/29/2023, 11:07:17 PM	0	6.842	54.3	87.8	0
4/29/2023, 11:17:17 PM	0	6.842	54.1	88	0
4/29/2023, 11:27:17 PM	0	6.842	54.1	88.3	0
4/29/2023, 11:37:17 PM	0	6.842	54	88.5	0
4/29/2023, 11:47:17 PM	0	6.842	54	88.8	0
4/29/2023, 11:57:17 PM	0	6.842	54	88.9	0
4/30/2023, 12:07:17 AM	0	6.842	54	89.2	0
4/30/2023, 12:17:17 AM	0	6.842	53.8	89.4	0
4/30/2023, 12:27:17 AM	0	6.842	53.8	89.5	0
4/30/2023, 12:37:17 AM	0	6.842	53.8	89.6	0
4/30/2023, 12:47:17 AM	0	6.842	53.8	89.8	0
4/30/2023, 12:57:17 AM	0	6.842	53.8	89.8	0
4/30/2023, 1:07:17 AM	0	6.842	53.6	89.8	0
4/30/2023, 1:17:17 AM	0	6.842	53.6	89.9	0
4/30/2023, 1:27:17 AM	0	6.842	53.4	90	0
4/30/2023, 1:37:17 AM	0	6.842	53.4	90	0
4/30/2023, 1:47:17 AM	0	6.842	53.4	90.1	0
4/30/2023, 1:57:17 AM	0	6.842	53.4	90.1	0
4/30/2023, 2:07:17 AM	0	6.833	53.2	90.1	0
4/30/2023, 2:17:17 AM	0	6.833	53.2	90	0
4/30/2023, 2:27:17 AM	0	6.833	52.9	89.9	0
4/30/2023, 2:37:17 AM	0	6.833	52.7	89.7	0
4/30/2023, 2:47:17 AM	0	6.833	52.3	89.7	0
4/30/2023, 2:57:17 AM	0	6.833	52.2	89.7	0
4/30/2023, 3:07:17 AM	0	6.833	52.2	89.9	0
4/30/2023, 3:17:17 AM	0	6.833	52	90	0
4/30/2023, 3:27:17 AM	0	6.833	51.8	90.2	0
4/30/2023, 3:37:17 AM	0	6.833	51.8	90.3	0
4/30/2023, 3:47:17 AM	0	6.833	51.6	90.4	0
4/30/2023, 3:57:17 AM	0	6.833	51.4	90.5	0
4/30/2023, 4:07:17 AM	0	6.833	51.4	90.5	0
4/30/2023, 4:17:17 AM	0	6.833	51.3	90.7	0
4/30/2023, 4:27:17 AM	0	6.833	51.1	90.7	0
4/30/2023, 4:37:17 AM	0	6.833	51.1	90.9	0
4/30/2023, 4:47:17 AM	0	6.833	51.1	91.1	0
4/30/2023, 4:57:17 AM	0	6.833	50.9	91.2	0
4/30/2023, 5:07:17 AM	0	6.833	50.7	91.2	0
4/30/2023, 5:17:17 AM	0	6.833	50.7	91.2	0
4/30/2023, 5:27:17 AM	0	6.833	50.5	91.3	0
4/30/2023, 5:37:17 AM	0	6.833	50.5	91.3	0
4/30/2023, 5:47:17 AM	0	6.833	50.5	91.4	0
4/30/2023, 5:57:17 AM	0	6.833	50.5	91.6	0
4/30/2023, 6:07:17 AM	0	6.833	50.7	91.8	0
4/30/2023, 6:17:17 AM	0	6.833	50.9	92.1	0
4/30/2023, 6:27:17 AM	0	6.833	50.9	92.2	0
4/30/2023, 6:37:17 AM	0	6.833	50.9	92.2	0
4/30/2023, 6:47:17 AM	0	6.833	51.1	92.3	0
4/30/2023, 6:57:17 AM	0	6.833	51.3	92.4	0
4/30/2023, 7:07:17 AM	0	6.833	51.3	92.4	0
4/30/2023, 7:17:17 AM	0	6.833	51.4	92.5	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/30/2023, 7:27:17 AM	0	6.833	51.6	92.5	0
4/30/2023, 7:37:17 AM	0	6.833	51.8	92.5	0
4/30/2023, 7:47:17 AM	0	6.833	52	92.5	0
4/30/2023, 7:57:17 AM	0	6.833	52.2	92.4	0
4/30/2023, 8:07:17 AM	0	6.833	52.3	92.3	0
4/30/2023, 8:17:17 AM	0	6.833	52.5	92.2	0
4/30/2023, 8:27:17 AM	0	6.833	52.5	92.1	0
4/30/2023, 8:37:17 AM	0	6.833	52.5	92	0
4/30/2023, 8:47:17 AM	0	6.833	52.3	91.9	0
4/30/2023, 8:57:17 AM	0	6.833	52.5	92	0
4/30/2023, 9:07:17 AM	0	6.833	52.7	92.1	0
4/30/2023, 9:17:17 AM	0	6.833	52.9	92.3	0
4/30/2023, 9:27:17 AM	0	6.833	53.1	92.6	0
4/30/2023, 9:37:17 AM	0	6.833	53.1	92.6	0
4/30/2023, 9:47:17 AM	0	6.833	53.2	92.7	0
4/30/2023, 9:57:17 AM	0	6.833	53.2	92.7	0
4/30/2023, 10:07:17 AM	0	6.833	53.2	92.8	0
4/30/2023, 10:17:17 AM	0	6.833	53.4	92.9	0
4/30/2023, 10:27:17 AM	0	6.833	53.6	93	0
4/30/2023, 10:37:17 AM	0	6.833	53.6	93	0
4/30/2023, 10:47:17 AM	0	6.833	53.6	93.1	0
4/30/2023, 10:57:17 AM	0	6.833	53.8	93.2	0
4/30/2023, 11:07:17 AM	0	6.833	53.8	93.2	0
4/30/2023, 11:17:17 AM	0	6.833	54	93.3	0
4/30/2023, 11:27:17 AM	0	6.833	54.1	93.5	0
4/30/2023, 11:37:17 AM	0	6.833	54.3	93.6	0
4/30/2023, 11:47:17 AM	0	6.833	54.5	93.7	0
4/30/2023, 11:57:17 AM	0	6.833	54.7	93.9	0
4/30/2023, 12:07:17 PM	0	6.833	54.9	94	0
4/30/2023, 12:17:17 PM	0	6.833	55	94.1	0
4/30/2023, 12:27:17 PM	0	6.833	55	94.1	0
4/30/2023, 12:37:17 PM	0	6.833	55	94	0
4/30/2023, 12:47:17 PM	0	6.842	55	94	0
4/30/2023, 12:57:17 PM	0	6.833	55	93.9	0
4/30/2023, 1:07:17 PM	0	6.842	55.2	94	0
4/30/2023, 1:17:17 PM	0	6.833	55.2	94	0
4/30/2023, 1:27:17 PM	0	6.833	55.4	94	0
4/30/2023, 1:37:17 PM	0	6.842	55.4	94.1	0
4/30/2023, 1:47:17 PM	0	6.842	55.4	94.1	0
4/30/2023, 1:57:17 PM	0	6.833	55.6	94.2	0
4/30/2023, 2:07:17 PM	0	6.842	55.6	94.2	0
4/30/2023, 2:17:17 PM	0	6.842	55.6	94.2	0
4/30/2023, 2:27:17 PM	0	6.842	55.8	94.2	0
4/30/2023, 2:37:17 PM	0	6.842	55.8	94.2	0
4/30/2023, 2:47:17 PM	0	6.842	55.8	94.2	0
4/30/2023, 2:57:17 PM	0	6.842	55.8	94.1	0
4/30/2023, 3:07:17 PM	0	6.842	55.8	94.2	0
4/30/2023, 3:17:17 PM	0	6.842	55.8	94.1	0
4/30/2023, 3:27:17 PM	0	6.842	55.8	94.1	0
4/30/2023, 3:37:17 PM	0	6.842	55.8	94.1	0
4/30/2023, 3:47:17 PM	0	6.842	55.8	94.1	0
4/30/2023, 3:57:17 PM	0	6.842	55.8	94	0
4/30/2023, 4:07:17 PM	0	6.842	55.6	93.8	0
4/30/2023, 4:17:17 PM	0	6.842	55.4	93.7	0
4/30/2023, 4:27:17 PM	0	6.842	55.2	93.7	0
4/30/2023, 4:37:17 PM	0	6.833	55.2	93.6	0
4/30/2023, 4:47:17 PM	0	6.833	55	93.6	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
4/30/2023, 4:57:17 PM	0	6.833	55	93.6	0
4/30/2023, 5:07:17 PM	0	6.833	55	93.7	0
4/30/2023, 5:17:17 PM	0	6.833	55	93.7	0
4/30/2023, 5:27:17 PM	0	6.833	54.9	93.8	0
4/30/2023, 5:37:17 PM	0	6.833	54.9	93.9	0
4/30/2023, 5:47:17 PM	0	6.833	54.9	93.9	0
4/30/2023, 5:57:17 PM	0	6.833	54.9	94	0
4/30/2023, 6:07:17 PM	0	6.833	54.9	94.1	0
4/30/2023, 6:17:17 PM	0	6.833	54.9	94.2	0
4/30/2023, 6:27:17 PM	0	6.833	55	94.3	0
4/30/2023, 6:37:17 PM	0	6.833	55	94.3	0
4/30/2023, 6:47:17 PM	0	6.833	55	94.4	0
4/30/2023, 6:57:17 PM	0	6.833	55	94.5	0
4/30/2023, 7:07:17 PM	0	6.833	54.9	94.4	0
4/30/2023, 7:17:17 PM	0	6.833	54.9	94.4	0
4/30/2023, 7:27:17 PM	0	6.833	54.7	94.4	0
4/30/2023, 7:37:17 PM	0	6.833	54.5	94.3	0
4/30/2023, 7:47:17 PM	0	6.833	54.1	94.2	0
4/30/2023, 7:57:17 PM	0	6.833	53.6	93.9	0
4/30/2023, 8:07:17 PM	0	6.833	53.1	93.6	0
4/30/2023, 8:17:17 PM	0	6.833	52.3	93.2	0
4/30/2023, 8:27:17 PM	0	6.833	51.6	92.7	0
4/30/2023, 8:37:17 PM	0	6.833	50.9	92.4	0
4/30/2023, 8:47:17 PM	0	6.825	50.4	92.1	0
4/30/2023, 8:57:17 PM	0	6.825	49.8	92	0
4/30/2023, 9:07:17 PM	0	6.825	49.3	91.8	0
4/30/2023, 9:17:17 PM	0	6.825	48.7	91.8	0
4/30/2023, 9:27:17 PM	0	6.825	48.4	91.8	0
4/30/2023, 9:37:17 PM	0	6.825	48	91.8	0
4/30/2023, 9:47:17 PM	0	6.816	47.8	91.8	0
4/30/2023, 9:57:17 PM	0	6.816	47.5	91.9	0
4/30/2023, 10:07:17 PM	0	6.816	47.3	92	0
4/30/2023, 10:17:17 PM	0	6.816	47.1	92.1	0
4/30/2023, 10:27:17 PM	0	6.816	47.1	92.3	0
4/30/2023, 10:37:17 PM	0	6.816	47.1	92.4	0
4/30/2023, 10:47:17 PM	0	6.816	46.9	92.6	0
4/30/2023, 10:57:17 PM	0	6.816	46.9	92.7	0
4/30/2023, 11:07:17 PM	0	6.816	46.8	92.8	0
4/30/2023, 11:17:17 PM	0	6.816	46.8	92.9	0
4/30/2023, 11:27:17 PM	0	6.816	46.8	92.9	0
4/30/2023, 11:37:17 PM	0	6.816	46.6	93	0
4/30/2023, 11:47:17 PM	0	6.816	46.6	93.1	0
4/30/2023, 11:57:17 PM	0	6.816	46.6	93.2	0