2055 Niagara Falls Boulevard,
Niagara Falls, New York 14304
USA
www.ghd.com

Our ref: 12601828

March 16, 2023

Mr. Tim Walsh
Acting Regional Director
New York State Department of Environmental Conservation
Region 8-Division of Air Resources
6274 Avon-Lima Road
Avon, NY 14414

Re: Ambient Monitoring Work Plan – Dudley/Northside Elementary School Campus North Monitoring Station, and South Monitoring Station Monthly Report (February 1, 2023, through February 28, 2023) High Acres Landfill

Dear Mr. Walsh:

On April 30, 2019, GHD submitted a Revised Surface Emission Monitoring and Ambient Monitoring Work Plan (Work Plan) to the New York State Department of Environmental Conservation (NYSDEC) for the Waste Management of New York LLC (WMNY), High Acres Landfill and Recycling Center located in Perinton, New York (Facility or Site). This submittal serves to provide NYSDEC with a discussion of work and monitoring activities that occurred during the month of February 2023 at the Dudley/Northside combined campus, North Monitoring Station (NMS), and South Monitoring Station (SMS).

Initial Equipment Installation

GHD has performed continuous hydrogen sulfide monitoring at the Dudley/Northside Elementary School Campus and the North Monitoring Station since November 2019. On October 28, 2021, GHD commenced continuous monitoring activities at the South Monitoring Station. The Acrulog hydrogen sulfide (H_2S) monitoring units are installed at the following locations:

Station Name	Unit Serial Number	Last Calibration Date[1]
School Monitoring Station (School)	180200450	October 27, 2022
North Monitoring Station (NMS)	180200447	November 29, 2022
South Monitoring Station (SMS)	180200452	October 7, 2022

The Acrulog unit, which consists of the monitoring equipment enclosed within a weather shelter, was padlocked to a mounting bracket. The Acrulog unit at the Dudley/Northside School Campus was hung from an apparatus placed on top of the roof. The units at the North Monitoring Station and South Monitoring Station were each installed into the side of a tree. In order to assess whether tampering of the unit has occurred, a camera (Wildgame Innovations Cloak Pro Lights Out Trail Camera) was mounted approximately 20 to 25 feet away from each Acrulog unit. The camera unit is motion activated and will snap a 12-megapixel picture upon detection of motion (at 15 second intervals). The camera has "night-vision" lenses that allow for pictures to be taken during night-time hours.

[1] According to manufacturer, a calibration of the instrument should occur every 6 months.

.

Acrulog Data Download

On the mornings of February 1, 2023, February 17, 2023, and March 1, 2023, Mr. Britt Gebhardt visited each of the three monitoring stations. An initial inspection of the monitoring station and the surrounding area was performed. Next, the Acrulog units were linked to a laptop via Bluetooth connection, and the monitoring data was downloaded. After downloading the monitoring data, the connection was terminated, and the Acrulog units were checked to ensure that the equipment was continuing to log samples every 10 minutes.

Summary of Collected Monitoring Data

A preliminary review of the data provides the following:

- Of the total of 4,031 readings taken at the School Monitoring Station, 4,031 were below detection
- Of the total of 4,030 readings taken at the North Monitoring Station, 4,030 were below detection
- Of the total of 4,030 readings taken at the South Monitoring Station, 4,030 were below detection

The on-site meteorological data at the Site for February 1, 2023, through February 28, 2023, is provided in Attachment 1.

NYSDEC's ambient standard for H_2S is 10 ppb for a 1-hour average (6 NYCRR Subpart 257-10). There were no 1-hour averages during the reporting period above the 10-ppb threshold.

Ambient average concentrations of H_2S typically range from 0.11 to 0.33 ppb (Agency for Toxic Substances and Disease Registry (ATSDR) Toxicological Profile for Hydrogen Sulfide and Carbonyl Sulfide).

The raw data for each monitoring station during the period of February 1, 2023, through February 28, 2023, is provided as Attachment 2 to this report.

Summary of Landfill Activities

Operational activities occurring during the month of monitoring included the following:

- Leachate extraction
- Operations and maintenance
- Transportation, filling, compaction, and cover of typical volumes of waste received by rail and truck
- Typical volumes of landfill gas extraction and combustion in flare and engine plants
- Composting
- Surface emissions monitoring

We appreciate your assistance in this process. We plan to issue reports every month going forward until the completion of work activities. Please feel free to contact us if you have any questions, if you would like any clarifications, or additional information.

Regards,

Steven D. Wilsey
Principal
716-205-1982
steven.wilsey@ghd.com

Bryan P. Szalda
Engineer
716-205-1894
bryan.szalda@ghd.com

SDW/BPS/cs/2
Encl.

0 1500' 3000'

LEGEND

AMBIENT AIR MONITORING LOCATION

GHD

WASTE MANAGEMENT OF NEW YORK - HIGH ACRES LANDFILL
FAIRPORT, NEW YORK
FEBRUARY 2023 AMBIENT AIR MONITORING

AMBIENT AIR MONITORING LOCATIONS

12601828
Mar 9, 2023

FIGURE 1

CAD File: N:\US\Niagara Falls\Projects\564\12601828\Digital_Design\ACAD\Figures\AMBIENT AIR MONITORING\2023-FEBAIR\12601828-2023FEBAIR-FIG001.dwg

Attachment 1

On-Site Meteorological Data
February 1-28, 2023

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-01 00:00:00	0	0	0	0	222	3.04	4.07	17.9	83.7	99.81	-1.2	-0.3	0	17.9	0.06	100	7822	99.81	16.1
2023-02-01 00:05:00	0	0	0	0	268	2.98	4.18	17.7	83.8	99.81	-1.1	-0.3	0	17.7	0.05	99	7795	99.82	16.1
2023-02-01 00:10:00	0	0	0	0	254	4.12	4.97	17.6	84.1	99.81	-1.2	-0.5	0	17.6	0.05	97	7783	99.82	16.2
2023-02-01 00:15:00	0	0	0	0	258	3.87	5.95	17.6	83.6	99.81	-1.3	-0.4	0	17.6	0.05	97	7781	99.83	16.2
2023-02-01 00:20:00	0	0	0	0	266	4.12	5.19	17.5	83.8	99.81	-1.3	-0.4	0	17.5	0.05	99	7798	99.82	16
2023-02-01 00:25:00	0	0	0	0	266	4.47	5.91	17.6	83.7	99.81	-1.2	-0.4	0	17.6	0.05	99	7797	99.82	15.8
2023-02-01 00:30:00	0	0	0	0	257	4.03	5.59	17.4	84.2	99.81	-1.3	-0.4	0	17.5	0.05	100	7803	99.81	15.5
2023-02-01 00:35:00	0	0	0	0	255	3.6	4.74	17.4	84.4	99.79	-1.2	-0.4	0	17.4	0.05	100	7800	99.8	15.2
2023-02-01 00:40:00	0	0	0	0	231	4.25	5.46	17.2	84.9	99.79	-1.3	-0.4	0	17.2	0.05	100	7802	99.79	14.9
2023-02-01 00:45:00	0	0	0	0	231	6.26	8.84	17	85.7	99.78	-1.3	-0.5	0	17	0.05	100	7801	99.78	14.7
2023-02-01 00:50:00	0	0	0	0	228	7.09	9.31	17.1	85.4	99.78	-1.3	-0.4	0	17.1	0.05	100	7801	99.78	14.8
2023-02-01 00:55:00	0	0	0	0	231	7.14	9.15	17.1	85.3	99.77	-1.2	-0.3	0	17.1	0.05	100	7802	99.78	14.8
2023-02-01 01:00:00	0	0	0	0	233	5.68	7.81	17.1	85.4	99.77	-1.2	-0.5	0	17.1	0.05	100	7802	99.77	14.7
2023-02-01 01:05:00	0	0	0	0	235	5.68	7.18	16.9	85.5	99.76	-1.3	-0.4	0	16.9	0.05	100	7800	99.76	14.5
2023-02-01 01:10:00	0	0	0	0	232	5.61	6.93	16.7	84.3	99.76	-1.3	-0.4	0	16.8	0.05	100	7802	99.76	14.4
2023-02-01 01:15:00	0	0	0	0	237	5.23	6.76	16.7	85.5	99.76	-1.2	-0.4	0	16.8	0.05	100	7802	99.77	14.5
2023-02-01 01:20:00	0	0	0	0	238	4.65	5.99	16.9	86.1	99.77	-1.3	-0.4	0	16.9	0.05	100	7801	99.77	14.7
2023-02-01 01:25:00	0	0	0	0	244	4.99	6.42	17.1	85.3	99.77	-1.2	-0.4	0	17.1	0.05	100	7802	99.78	15
2023-02-01 01:30:00	0	0	0	0	248	4.36	6.73	17.3	84.6	99.78	-1.2	-0.5	0	17.3	0.05	100	7802	99.79	15.2
2023-02-01 01:35:00	0	0	0	0	242	4.68	6.29	17.5	84	99.79	-1.1	-0.4	0	17.5	0.05	99	7799	99.79	15.4
2023-02-01 01:40:00	0	0	0	0	237	4.65	7.09	17.7	84.4	99.79	-1.1	-0.4	0	17.7	0.05	100	7803	99.8	15.6
2023-02-01 01:45:00	0	0	0	0	234	5.39	7.34	17.8	84	99.8	-1.3	-0.3	0	17.8	0.05	100	7802	99.81	15.8
2023-02-01 01:50:00	0	0	0	0	231	6.38	9.1	18.1	84.8	99.81	-1.2	-0.4	0	18.1	0.05	100	7802	99.82	16
2023-02-01 01:55:00	0	0	0	0	228	6.85	9.31	18.1	84	99.8	-1.2	-0.4	0	18.2	0.05	100	7803	99.8	16.1
2023-02-01 02:00:00	0	0	0	0	230	6.53	8.3	18.3	82.2	99.79	-1.1	-0.5	0	18.3	0.06	100	7802	99.8	16.3
2023-02-01 02:05:00	0	0	0	0	236	6.58	8.03	18.4	81.4	99.79	-1.1	-0.3	0	18.4	0.06	100	7802	99.8	16.4
2023-02-01 02:10:00	0	0	0	0	235	6.55	8.99	18.4	80.7	99.8	-1.1	-0.4	0	18.4	0.07	100	7801	99.81	16.5
2023-02-01 02:15:00	0	0	0	0	237	5.23	7.11	18.4	80.9	99.81	-1.1	-0.4	0	18.4	0.07	99	7798	99.82	16.6
2023-02-01 02:20:00	0	0	0	0	234	5.68	7.14	18.5	81.1	99.81	-1.2	-0.5	0	18.5	0.07	100	7801	99.82	16.6
2023-02-01 02:25:00	0	0	0	0	238	6.67	9.8	18.5	81	99.81	-1.1	-0.5	0	18.5	0.07	100	7800	99.82	16.7
2023-02-01 02:30:00	0	0	0	0	234	6.08	8.34	18.5	80.9	99.81	-1.2	-0.5	0	18.5	0.07	100	7801	99.82	16.7
2023-02-01 02:35:00	0	0	0	0	242	4.97	7.36	18.5	80.5	99.82	-1.3	-0.5	0	18.5	0.07	99	7799	99.82	16.7
2023-02-01 02:40:00	0	0	0	0	237	5.01	7.02	18.5	80.4	99.82	-1.3	-0.5	0	18.5	0.07	100	7800	99.82	16.7
2023-02-01 02:45:00	0	0	0	0	251	4.83	6.69	18.5	81.1	99.81	-1.2	-0.4	0	18.5	0.07	100	7802	99.82	16.7
2023-02-01 02:50:00	0	0	0	0	259	4.61	7.29	18.5	81.7	99.81	-1.1	-0.4	0	18.5	0.06	100	7800	99.81	16.7
2023-02-01 02:55:00	0	0	0	0	252	4.12	7.74	18.3	81	99.8	-1.2	-0.5	0	18.3	0.07	99	7797	99.81	16.6
2023-02-01 03:00:00	0	0	0	0	251	4.07	6.08	18.3	81.2	99.79	-1.2	-0.5	0	18.2	0.07	99	7798	99.79	16.5
2023-02-01 03:05:00	0	0	0	0	245	3.69	5.01	18.2	81.3	99.79	-1.2	-0.5	0	18.2	0.06	99	7795	99.79	16.4
2023-02-01 03:10:00	0	0	0	0	229	3	4.14	18.1	81.7	99.78	-1.2	-0.4	0	18.1	0.06	99	7796	99.78	16.3
2023-02-01 03:15:00	0	0	0	0	232	4.29	5.26	18	82	99.78	-1.2	-0.4	0	18	0.06	99	7798	99.78	16.1
2023-02-01 03:20:00	0	0	0	0	240	4.63	6.51	17.9	81.8	99.78	-1.3	-0.4	0	18	0.06	99	7796	99.79	16
2023-02-01 03:25:00	0	0	0	0	247	3.94	5.23	17.8	82.9	99.79	-1.3	-0.3	0	17.8	0.06	99	7798	99.79	15.9
2023-02-01 03:30:00	0	0	0	0	242	4.76	7.11	17.9	82.7	99.79	-1.2	-0.4	0	17.8	0.06	99	7796	99.79	15.7
2023-02-01 03:35:00	0	0	0	0	257	6.8	12.39	17.7	80.9	99.78	-1.2	-0.5	0	17.7	0.06	99	7797	99.78	15.7
2023-02-01 03:40:00	0	0	0	0	242	3.96	5.48	17.7	80.2	99.78	-1.1	-0.4	0	17.7	0.07	99	7796	99.78	15.4
2023-02-01 03:45:00	0	0	0	0	248	5.08	6.82	17.5	79.3	99.77	-1.2	-0.5	0	17.4	0.07	99	7798	99.77	15.1
2023-02-01 03:50:00	0	0	0	0	250	4.85	6.82	17.2	79.1	99.77	-1.2	-0.4	0	17.2	0.07	99	7795	99.77	14.7
2023-02-01 03:55:00	0	0	0	0	253	4.79	6.64	17	79.8	99.77	-1.3	-0.4	0	17	0.07	99	7796	99.78	14.4
2023-02-01 04:00:00	0	0	0	0	255	5.26	8.14	16.7	80.7	99.78	-1.3	-0.4	0	16.7	0.06	99	7794	99.78	14.1
2023-02-01 04:05:00	0	0	0	0	255	4.83	7.38	16.6	80.9	99.78	-1.2	-0.4	0	16.6	0.06	99	7796	99.79	14
2023-02-01 04:10:00	0	0	0	0	264	6.6	10.63	16.6	80.9	99.78	-1.3	-0.4	0	16.6	0.06	99	7795	99.79	14.1
2023-02-01 04:15:00	0	0	0	0	269	7.67	11.01	16.8	80.4	99.79	-1.3	-0.4	0	16.8	0.06	99	7795	99.8	14.4
2023-02-01 04:20:00	0	0	0	0	272	9.17	13.85	17	79.7	99.8	-1.2	-0.4	0	17	0.07	99	7795	99.81	14.8
2023-02-01 04:25:00	0	0	0	0	273	8.66	13.13	17.2	78.8	99.81	-1.2	-0.5	0	17.2	0.07	99	7793	99.81	15
2023-02-01 04:30:00	0	0	0	0	273	8.34	11.41	17.4	78.3	99.81	-1.3	-0.4	0	17.4	0.07	99	7794	99.82	15.1
2023-02-01 04:35:00	0	0	0	0	273	8.43	13.62	17.3	78.6	99.82	-1.4	-0.4	0	17.3	0.07	99	7792	99.82	15.1
2023-02-01 04:40:00	0	0	0	0	276	9.66	12.71	17.3	78.6	99.82	-1.2	-0.4	0	17.3	0.07	99	7794	99.82	15.1
2023-02-01 04:45:00	0	0	0	0	275	7.16	11.25	17.4	78.3	99.82	-1.2	-0.4	0	17.3	0.07	99	7792	99.82	15
2023-02-01 04:50:00	0	0	0	0	274	7.47	11.9	17.1	78.7	99.81	-1.3	-0.5	0	17.1	0.07	99	7793	99.81	14.7
2023-02-01 04:55:00	0	0	0	0	275	9.1	12.86	16.8	77.7	99.79	-1.3	-0.5	0	16.8	0.07	99	7793	99.79	14.5
2023-02-01 05:00:00	0	0	0	0	275	8.08	12.64	16.6	78	99.79	-1.4	-0.5	0	16.6	0.07	99	7793	99.79	14.3
2023-02-01 05:05:00	0	0	0	0	276	9.22	14.03	16.4	78.7	99.79	-1.2	-0.5	0	16.4	0.07	99	7792	99.81	14.1
2023-02-01 05:10:00	0	0	0	0	282	11.23	17.02	16.2	79.2	99.8	-1.2	-0.4	0	16.2	0.07	99	7792	99.81	14
2023-02-01 05:15:00	0	0	0	0	281	9.66	13.13	16.1	79.7	99.81	-1.3	-0.4	0	16.1	0.06	99	7792	99.81	14

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-01 05:20:00	0	0	0	0	272	7.74	11.01	16.1	79.6	99.8	-1.2	-0.3	0	16.1	0.06	98	7791	99.81	14
2023-02-01 05:25:00	0	0	0	0	275	8.84	12.66	16.1	79.7	99.81	-1.2	-0.5	0	16.1	0.06	98	7789	99.82	14
2023-02-01 05:30:00	0	0	0	0	271	9.26	14.81	16.1	79.8	99.81	-1.3	-0.4	0	16.1	0.06	99	7792	99.82	14.1
2023-02-01 05:35:00	0	0	0	0	270	10.16	15.64	16.2	79.4	99.81	-1.3	-0.4	0	16.2	0.06	98	7789	99.83	14.2
2023-02-01 05:40:00	0	0	0	0	267	10.11	16.15	16.2	79.2	99.83	-1.2	-0.4	0	16.2	0.07	98	7788	99.83	14.2
2023-02-01 05:45:00	0	0	0	0	267	8.52	13.2	16.2	79.3	99.82	-1.2	-0.4	0	16.2	0.07	98	7789	99.83	14.1
2023-02-01 05:50:00	0	0	0	0	258	7.56	11.77	16.2	79.4	99.83	-1.3	-0.5	0	16.2	0.06	98	7789	99.83	13.9
2023-02-01 05:55:00	0	0	0	0	257	9.22	13.96	15.8	79.4	99.82	-1.3	-0.4	0	15.8	0.06	98	7790	99.83	13.6
2023-02-01 06:00:00	0	0	0	0	260	9.17	14	15.7	79.1	99.83	-1.3	-0.5	0	15.7	0.06	98	7789	99.83	13.4
2023-02-01 06:05:00	0	0	0	0	259	9.75	18.34	15.5	78.6	99.82	-1.2	-0.4	0	15.5	0.07	98	7785	99.83	13.3
2023-02-01 06:10:00	0	0	0	0	256	7.58	10.42	15.3	79.2	99.82	-1.4	-0.3	0	15.3	0.06	98	7784	99.83	13.2
2023-02-01 06:15:00	0	0	0	0	249	7.56	12.68	15.2	79.7	99.82	-1.3	-0.4	0	15.2	0.06	98	7785	99.83	12.9
2023-02-01 06:20:00	0	0	0	0	250	7.18	10.2	15	78.8	99.81	-1.3	-0.4	0	15	0.06	97	7782	99.82	12.7
2023-02-01 06:25:00	0	0	0	0	246	8.01	12.57	14.9	78	99.81	-1.3	-0.5	0	14.9	0.07	98	7786	99.83	12.5
2023-02-01 06:30:00	0	0	0	0	249	7.81	12.19	14.6	78.2	99.81	-1.4	-0.5	0	14.6	0.06	97	7781	99.83	12.4
2023-02-01 06:35:00	0	0	0	0	253	8.12	13.31	14.6	78.1	99.82	-1.4	-0.4	0	14.6	0.06	97	7782	99.83	12.3
2023-02-01 06:40:00	0	0	0	0	243	7.63	11.72	14.5	78.6	99.82	-1.2	-0.4	0	14.5	0.06	97	7782	99.84	12.2
2023-02-01 06:45:00	0	0	0	0	240	8.93	14.14	14.5	78.7	99.83	-1.3	-0.4	0	14.5	0.06	97	7782	99.85	12.1
2023-02-01 06:50:00	0	0	0	0	241	10.78	16.78	14.4	78.8	99.84	-1.3	-0.4	0	14.4	0.06	97	7783	99.86	12.1
2023-02-01 06:55:00	0	0	0	0	248	9.17	13.51	14.4	79.1	99.85	-1.2	-0.4	0	14.4	0.06	97	7783	99.86	12
2023-02-01 07:00:00	0	0	0	0	248	8.86	14.85	14.3	78.6	99.86	-1.7	-0.4	0	14.3	0.06	97	7781	99.87	11.9
2023-02-01 07:05:00	0.6	0	0	0	249	9.48	13.04	14.2	76.9	99.86	-1.3	-0.5	0	14.3	0.07	97	7781	99.88	11.8
2023-02-01 07:10:00	2.2	0	0	0	249	9.01	15.43	14.1	76.5	99.87	-1.3	-0.6	0	14.1	0.07	97	7781	99.88	11.7
2023-02-01 07:15:00	4	0	0	0	247	9.13	16.02	14	76.8	99.87	-1.4	-0.4	0	14	0.07	97	7781	99.88	11.6
2023-02-01 07:20:00	6.2	0	0	0	247	9.84	15.03	14	76.9	99.88	-1.3	-0.3	0	14	0.07	97	7780	99.89	11.5
2023-02-01 07:25:00	10.2	0	0	0	247	7.9	12.06	14	76.9	99.88	-1.4	-0.4	0	14	0.07	97	7779	99.9	11.4
2023-02-01 07:30:00	20.8	0	0	0	248	8.16	12.8	14	76.8	99.89	-1.4	-0.5	0	14.1	0.07	98	7786	99.91	11.4
2023-02-01 07:35:00	34.8	0	0	0	245	6.53	9.86	14.4	75.6	99.9	-1.3	-0.6	0	14.4	0.07	98	7790	99.91	11.5
2023-02-01 07:40:00	42.6	0	0	0	242	6.38	9.95	14.9	74	99.9	-1.4	-0.4	0	15	0.08	99	7795	99.92	11.7
2023-02-01 07:45:00	47.2	0	0	0	232	7.49	12.03	15.3	72.7	99.91	-1.3	-0.3	0	15.4	0.08	100	7805	99.92	11.9
2023-02-01 07:50:00	27.2	0	0	0	248	7.56	12.1	15.3	72.6	99.92	-1.4	-0.3	0	15.4	0.08	99	7797	99.93	12.3
2023-02-01 07:55:00	30	0	0	0	253	7.11	10.74	15	73.6	99.93	-1.3	-0.4	0	15	0.08	99	7799	99.94	12.3
2023-02-01 08:00:00	78.2	0	0	0	248	7.7	11.41	15.2	72.8	99.91	-1.2	-0.3	0	15.4	0.08	100	7813	99.94	12.3
2023-02-01 08:05:00	89	0	0	0	246	9.28	14.52	16.1	71.3	99.92	-1.3	-0.4	0	16.4	0.09	100	7823	99.94	12.7
2023-02-01 08:10:00	105.4	0	0	0	245	9.06	13.15	16.9	70.7	99.92	-1.3	-0.6	0	17.2	0.1	100	7833	99.94	13.4
2023-02-01 08:15:00	133.6	0	0	0	249	8.68	12.06	17.7	68.4	99.92	-1.4	-0.5	0	18	0.11	100	7841	99.95	14
2023-02-01 08:20:00	114.4	0	0	0	252	7.52	12.26	18.1	67.8	99.94	-1.3	-0.5	0	18.5	0.11	100	7840	99.95	14.7
2023-02-01 08:25:00	63.2	0	0	0	243	6.8	10.04	17.5	68.9	99.95	-1.4	-0.4	0	17.8	0.1	100	7834	99.96	15
2023-02-01 08:30:00	77.8	0	0	0	241	7.05	11.14	16.9	67.6	99.94	-1.4	-0.5	0	17.1	0.11	100	7833	99.95	15
2023-02-01 08:35:00	92.6	0	0	0	243	6.29	10.25	16.6	68.6	99.94	-1.3	-0.3	0	16.8	0.1	100	7834	99.96	15
2023-02-01 08:40:00	89.6	0	0	0	236	6.2	8.84	16.6	68.7	99.95	-1.3	-0.3	0	16.9	0.1	100	7832	99.96	15.1
2023-02-01 08:45:00	86.2	0	0	0	243	7.11	12.19	16.6	69.1	99.94	-1.3	-0.3	0	16.9	0.1	100	7828	99.96	15.2
2023-02-01 08:50:00	92.6	0	0	0	238	6.4	12.15	16.6	69.8	99.94	-1.3	-0.4	0	16.9	0.1	100	7832	99.96	15.3
2023-02-01 08:55:00	99.2	0	0	0	243	7.78	10.8	16.7	70.8	99.94	-1.3	-0.3	0	17	0.09	100	7830	99.95	15.3
2023-02-01 09:00:00	100.6	0	0	0	230	9.26	11.86	17	69.3	99.92	-1.3	-0.3	0	17.2	0.1	100	7835	99.94	15.2
2023-02-01 09:05:00	103.6	0	0	0	255	7.29	12.3	17.3	68.4	99.92	-1.2	-0.4	0	17.5	0.1	100	7837	99.94	15.2
2023-02-01 09:10:00	221.8	0	0	0	235	6.2	8.77	18	68.6	99.9	-1.2	-0.4	0	18.6	0.11	100	7860	99.94	15.3
2023-02-01 09:15:00	259	0	0	0	246	6.44	11.14	19.9	66.4	99.9	-1.1	-0.4	0	20.8	0.12	100	7872	99.94	16.2
2023-02-01 09:20:00	264.6	0	0	0	228	9.22	14.14	21.6	62.8	99.91	-1	-0.6	0	22.4	0.15	100	7882	99.94	17.2
2023-02-01 09:25:00	268.6	0	0	0	240	9.69	17.85	22.6	60.3	99.92	-1	-0.4	0	23.3	0.16	100	7892	99.95	18
2023-02-01 09:30:00	271	0	0	0	248	10.74	14.67	23.3	60	99.93	-1.2	-0.5	0	24	0.17	100	7903	99.97	18.7
2023-02-01 09:35:00	266.8	0	0	0	247	12.21	21.21	23.8	57.7	99.95	-0.9	-0.4	0	24.5	0.18	100	7912	99.98	19.2
2023-02-01 09:40:00	276.4	0	0	0	251	8.3	14.52	24	58.2	99.95	-1	-0.4	0	24.7	0.18	100	7919	99.98	19.7
2023-02-01 09:45:00	302.6	0	0	0	234	8.32	13.29	24.6	57.7	99.95	-1	-0.4	0	25.5	0.19	100	7926	99.98	20.3
2023-02-01 09:50:00	326.2	0	0	0	233	8.77	13.15	25.1	56.4	99.95	-0.9	-0.4	0	26	0.2	100	7931	99.98	20.8
2023-02-01 09:55:00	348.4	0	0	0	232	11.92	15.68	25.4	55.7	99.95	-0.7	-0.5	0	26.2	0.21	100	7938	99.98	21.2
2023-02-01 10:00:00	359	0	0	0	251	9.82	13.06	25.5	55.6	99.97	-1.1	-0.4	0	26.4	0.21	100	7944	100	21.4
2023-02-01 10:05:00	370.4	0	0	0	270	13.62	19.04	25.8	54.8	99.97	-0.8	-0.6	0	26.6	0.21	100	7949	99.99	21.6
2023-02-01 10:10:00	377.6	0	0	0	273	13.73	20.15	25.6	55.3	99.97	-0.7	-0.7	0	26.3	0.21	100	7953	100	21.7
2023-02-01 10:15:00	253.4	0	0	0	267	11.65	18.88	24.9	55.6	100	-1	-0.4	0	25.5	0.2	100	7950	100.01	21.8
2023-02-01 10:20:00	331	0	0	0	280	12.62	18.68	24.5	56.5	99.99	-1.1	-0.5	0	25.2	0.2	100	7953	100.01	21.7
2023-02-01 10:25:00	236	0	0	0	252	12.84	20.74	24.1	57	100	-0.9	-0.3	0	24.6	0.19	100	7954	100.01	21.6
2023-02-01 10:30:00	315.6	0	0	0	244	13.73	19.26	23.7	58.4	99.98	-0.9	-0.3	0	24.3	0.18	100	7960	100.01	21.5
2023-02-01 10:35:00	447.8	0	0	0	243	14.63	24.47	24.6	58.1	99.96	-1.3	-0.5	0	25.4	0.19	100	7966	100.01	21.6

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-01 10:40:00	336	0	0	0	245	13.33	19.3	25	57.5	100	-0.9	-0.5	0	25.7	0.19	100	7971	100.02	21.8
2023-02-01 10:45:00	422.2	0	0	0	244	16.15	27.42	25.3	57.8	100	-1	-0.8	0	25.9	0.2	100	7975	100.02	21.9
2023-02-01 10:50:00	388.2	0	0	0	250	15.68	22.95	25.2	57.5	99.99	-1.4	-0.6	0	25.8	0.2	100	7977	100.03	22
2023-02-01 10:55:00	385.8	0	0	0	265	12.33	18.77	25.5	57.7	100	-1	-0.4	0	26.3	0.2	100	7976	100.02	22.3
2023-02-01 11:00:00	305.8	0	0	0	250	13.56	21.34	25.1	58.1	100.01	-1.2	-0.5	0	25.7	0.19	100	7980	100.03	22.4
2023-02-01 11:05:00	305.4	0	0	0	241	16.11	26.78	24.5	58.8	99.99	-1.1	-0.7	0	25	0.18	100	7978	100.02	22.3
2023-02-01 11:10:00	382.2	0	0	0	238	13.6	23.71	24.9	59.2	99.98	-1.1	-0.6	0	25.6	0.19	100	7982	100.01	22.3
2023-02-01 11:15:00	240.4	0	0	0	256	12.84	20.58	24.3	59.2	100	-1.3	-0.7	0	24.8	0.18	100	7979	100	22.2
2023-02-01 11:20:00	324.8	0	0	0	245	13.89	23.78	24.2	60.4	99.97	-0.7	-0.4	0	24.8	0.18	100	7983	99.99	22.2
2023-02-01 11:25:00	237.4	0	0	0	240	16.4	25.93	23.7	60.8	99.97	-1.4	-0.5	0	24.1	0.17	100	7982	99.98	21.9
2023-02-01 11:30:00	345.4	0	0	0	236	15.93	24.49	23.9	61.3	99.95	-0.9	-0.5	0	24.4	0.17	100	7983	99.98	21.7
2023-02-01 11:35:00	401.8	0	0	0	236	16.69	25.34	24.1	61.6	99.95	-1.1	-0.3	0	24.7	0.17	100	7985	99.98	21.7
2023-02-01 11:40:00	540.6	0	0	0	246	14.2	23.11	25.6	59.7	99.95	-0.9	-0.4	0	26.3	0.19	100	7997	99.98	22
2023-02-01 11:45:00	246.4	0	0	0	265	13.09	21.45	25.7	59.6	99.98	-1	-0.6	0	26.3	0.19	100	7988	99.98	22.4
2023-02-01 11:50:00	405.4	0	0	0	256	17.63	26.62	25.4	59.7	99.94	-1	-0.6	0	25.8	0.19	100	7992	99.96	22.4
2023-02-01 11:55:00	510.6	0	0	0	256	18.45	25.79	26	60.4	99.93	-0.9	-0.5	0	26.6	0.19	100	7998	99.96	22.6
2023-02-01 12:00:00	557.2	0	0	0	249	15.97	26.02	26.5	59.9	99.93	-0.8	-0.4	0	27.1	0.2	100	8004	99.96	23
2023-02-01 12:05:00	318.2	0	0	0	238	18.75	25.99	26.3	59.2	99.95	-0.9	-0.2	0	26.9	0.2	100	7998	99.95	23.1
2023-02-01 12:10:00	292	0	0	0	245	17.18	26.19	25.1	60.9	99.94	-1	-0.3	0	25.5	0.18	100	8000	99.95	22.9
2023-02-01 12:15:00	265.2	0	0	0	264	17.85	28.43	24.4	62.5	99.92	-0.9	-0.2	0	24.9	0.17	100	8001	99.94	22.8
2023-02-01 12:20:00	231.2	0	0	0	269	17.22	25.9	23.9	64	99.92	-1.5	-0.6	0	24.3	0.16	100	7997	99.92	22.6
2023-02-01 12:25:00	355.8	0	0	0	263	18.1	32.44	24.1	63.4	99.9	-1.3	-1	0	24.7	0.16	100	8000	99.92	22.5
2023-02-01 12:30:00	358.6	0	0	0	261	16.17	22.82	24.3	63.8	99.89	-1.5	-0.5	0	24.9	0.16	100	8001	99.91	22.7
2023-02-01 12:35:00	212.8	0	0	0	249	16.22	27.16	24.3	65.1	99.9	-0.5	-0.5	0	24.8	0.16	100	8001	99.91	22.8
2023-02-01 12:40:00	259.2	0	0	0	259	16.91	26.66	24.2	63.5	99.88	-1.2	-0.7	0	24.7	0.16	100	7998	99.9	22.8
2023-02-01 12:45:00	435	0	0	0	271	18.41	29.46	25	63.2	99.86	-1.1	-0.5	0	25.7	0.17	100	8001	99.89	23
2023-02-01 12:50:00	305	0	0	0	265	19.89	26.62	25.5	61.1	99.87	-1.4	-0.7	0	25.9	0.18	100	8000	99.89	23.1
2023-02-01 12:55:00	180.8	0	0	0	274	16.87	25.52	24.8	60.2	99.89	-0.8	0	0	25.2	0.18	100	7999	99.89	22.8
2023-02-01 13:00:00	115.6	0	0	0	272	19.37	29.48	24	60.5	99.89	-1.1	-0.5	0	24.2	0.17	100	7998	99.88	22.5
2023-02-01 13:05:00	396	0	0	0	267	17.54	28.03	24.1	60.2	99.86	-1.1	0	0	24.5	0.18	100	7998	99.88	22.2
2023-02-01 13:10:00	499	0	0	0	263	19.46	30.18	25.7	59.2	99.84	-0.4	-0.4	0	26.5	0.19	100	7998	99.87	22.4
2023-02-01 13:15:00	524.4	0	0	0	264	19.95	32.39	27	57	99.85	-0.8	-0.1	0	27.6	0.21	100	7998	99.87	22.7
2023-02-01 13:20:00	503.8	0	0	0	265	19.04	26.98	27.7	55.7	99.86	-0.8	-0.3	0	28.4	0.23	100	7997	99.88	23.1
2023-02-01 13:25:00	484	0	0	0	264	17.56	24.23	27.8	54.8	99.87	-0.1	-0.1	0	28.4	0.23	100	7999	99.88	23.3
2023-02-01 13:30:00	454	0	0	0	283	13.33	22.53	28.3	54.8	99.87	-0.7	-0.6	0	29	0.24	100	7997	99.88	23.6
2023-02-01 13:35:00	438.4	0	0	0	275	14.34	22.82	28.3	53.7	99.87	-1	-0.3	0	28.9	0.24	100	7994	99.87	23.7
2023-02-01 13:40:00	464.4	0	0	0	291	19.75	25.48	28.4	53.4	99.85	-1.3	-0.1	0	29.1	0.25	100	7994	99.85	23.7
2023-02-01 13:45:00	402	0	0	0	277	20.18	30.87	28.3	53.4	99.85	-0.9	-0.8	0	28.8	0.24	100	7993	99.86	23.7
2023-02-01 13:50:00	397.8	0	0	0	267	17.67	28.01	27.6	54.5	99.87	-0.9	0.1	0	28.1	0.23	100	7993	99.88	23.7
2023-02-01 13:55:00	349.6	0	0	0	257	17.18	28.16	27.6	54.3	99.85	-0.6	-0.3	0	28.2	0.23	100	7994	99.85	23.7
2023-02-01 14:00:00	281.8	0	0	0	261	20.15	27.31	26.7	54.8	99.85	-1.3	-0.7	0	27.1	0.22	100	7995	99.84	23.5
2023-02-01 14:05:00	377.2	0	0	0	266	14.58	23.55	26.6	55.9	99.84	-0.7	-0.6	0	27.2	0.22	100	7992	99.85	23.4
2023-02-01 14:10:00	355.4	0	0	0	266	13.78	18.81	27.3	55.5	99.84	-1	-0.6	0	27.9	0.22	100	7995	99.84	23.8
2023-02-01 14:15:00	405.8	0	0	0	254	16.4	26.78	27.5	55.4	99.83	-0.5	-0.4	0	28.2	0.23	100	7993	99.83	23.9
2023-02-01 14:20:00	353.6	0	0	0	279	13.4	20.4	27.6	53.9	99.84	-0.9	-0.6	0	28.3	0.24	100	7992	99.84	23.9
2023-02-01 14:25:00	410.6	0	0	0	272	16.87	22.41	27.9	53.8	99.83	-0.9	-0.5	0	28.6	0.24	100	7993	99.84	24.1
2023-02-01 14:30:00	348.6	0	0	0	277	13.2	20.96	28	53.6	99.85	-1	-0.5	0	28.6	0.24	100	7996	99.85	24.2
2023-02-01 14:35:00	364.6	0	0	0	286	15.48	21.56	28.4	53.1	99.86	-1	-0.7	0	29.2	0.25	100	7993	99.86	24.4
2023-02-01 14:40:00	289.2	0	0	0	281	17.72	26.33	28.3	52.5	99.86	-1	-0.5	0	28.8	0.25	100	7992	99.85	24.2
2023-02-01 14:45:00	319.2	0	0	0	289	19.46	26.4	27.8	52.4	99.84	-0.7	0	0	28.4	0.25	100	7991	99.83	24
2023-02-01 14:50:00	291.4	0	0	0	294	14.85	18.92	27.5	53.2	99.84	-1	-0.6	0	28	0.24	100	7990	99.84	23.9
2023-02-01 14:55:00	254.4	0	0	0	271	13.38	20.42	27.3	54	99.84	-0.8	-0.7	0	27.8	0.23	100	7991	99.84	24
2023-02-01 15:00:00	298.6	0	0	0	283	13.91	20.76	27.2	55.3	99.86	-0.9	-0.5	0	27.8	0.22	100	7991	99.86	24.1
2023-02-01 15:05:00	344.4	0	0	0	282	15.55	20.42	27.5	55.1	99.86	-0.7	-0.5	0	28.2	0.23	100	7989	99.86	24.3
2023-02-01 15:10:00	305.4	0	0	0	278	14.14	21.83	27.8	54.4	99.87	-0.7	-0.4	0	28.4	0.23	100	7991	99.86	24.5
2023-02-01 15:15:00	297	0	0	0	280	11.39	18.14	27.9	54.2	99.87	-0.9	-0.7	0	28.6	0.24	100	7991	99.86	24.7
2023-02-01 15:20:00	266.6	0	0	0	282	15.75	30.13	27.8	53.2	99.87	-0.9	-0.2	0	28.4	0.24	100	7989	99.86	24.7
2023-02-01 15:25:00	262.4	0	0	0	270	18.88	30.18	27.7	52.7	99.87	-0.9	-0.3	0	28.2	0.24	100	7989	99.86	24.6
2023-02-01 15:30:00	246.4	0	0	0	269	15.19	24.72	27.4	53.3	99.88	-0.8	-0.8	0	27.9	0.24	100	7990	99.87	24.5
2023-02-01 15:35:00	225.8	0	0	0	263	14.2	21.21	27.3	53.9	99.88	-1.4	-0.4	0	27.7	0.23	100	7987	99.87	24.5
2023-02-01 15:40:00	213.6	0	0	0	270	13.44	19.57	27.2	53.7	99.88	-1.2	-0.5	0	27.8	0.23	100	7987	99.87	24.5
2023-02-01 15:45:00	216	0	0	0	273	15.48	20.65	27	54.2	99.88	-0.6	-0.3	0	27.4	0.23	100	7985	99.86	24.4
2023-02-01 15:50:00	196.6	0	0	0	273	14.85	24.49	26.9	54.4	99.88	-1	-0.1	0	27.3	0.23	100	7985	99.86	24.4
2023-02-01 15:55:00	173.6	0	0	0	276	11.68	17.11	26.8	54.7	99.88	-0.8	-0.4	0	27.2	0.22	100	7985	99.87	24.3

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-01 16:00:00	157	0	0	0	279	14.79	22.48	26.6	54.2	99.88	-0.7	-0.3	0	27	0.22	100	7985	99.87	24.2
2023-02-01 16:05:00	143.2	0	0	0	292	17.67	24.58	26.3	53.7	99.87	-0.8	-0.8	0	26.6	0.22	100	7984	99.86	24.1
2023-02-01 16:10:00	128.4	0	0	0	282	14.34	23.91	26.1	54.2	99.88	-1	-0.4	0	26.3	0.22	100	7982	99.86	24
2023-02-01 16:15:00	115	0	0	0	282	13.62	19.28	25.8	54.7	99.88	-0.9	-0.4	0	26.1	0.21	100	7982	99.87	23.9
2023-02-01 16:20:00	102	0	0	0	267	13.73	20.83	25.6	55.2	99.88	-1.1	-0.5	0	25.8	0.21	100	7980	99.87	23.8
2023-02-01 16:25:00	86.8	0	0	0	264	12.21	19.6	25.4	55.7	99.9	-0.9	-0.6	0	25.6	0.21	100	7981	99.89	23.8
2023-02-01 16:30:00	41.8	0	0	0	275	10.71	15.64	25.2	56.3	99.9	-0.8	-0.7	0	25.3	0.2	100	7980	99.89	23.5
2023-02-01 16:35:00	47.4	0	0	0	280	13.71	20.09	24.6	55.8	99.9	-1.2	-0.4	0	24.7	0.2	100	7978	99.88	23
2023-02-01 16:40:00	29.8	0	0	0	275	11.65	19.73	24.1	56.6	99.9	-0.7	-0.7	0	24.2	0.19	100	7979	99.88	22.6
2023-02-01 16:45:00	20.8	0	0	0	279	13.67	23.11	23.6	57.8	99.89	-0.7	-0.6	0	23.6	0.18	100	7977	99.87	22.2
2023-02-01 16:50:00	19.4	0	0	0	273	10.74	18.66	23.3	58.6	99.88	-1.1	-0.6	0	23.3	0.18	100	7975	99.87	21.8
2023-02-01 16:55:00	17.8	0	0	0	275	11.56	18.77	22.9	59.9	99.88	-0.8	-0.5	0	22.9	0.17	100	7975	99.87	21.6
2023-02-01 17:00:00	14.8	0	0	0	273	11.07	18.34	22.7	62.3	99.88	-1.1	-0.5	0	22.8	0.16	100	7976	99.86	21.4
2023-02-01 17:05:00	10.2	0	0	0	266	14.52	21.03	22.6	62.6	99.87	-1.2	-0.4	0	22.6	0.16	100	7973	99.86	21.3
2023-02-01 17:10:00	7.2	0	0	0	262	10.69	15.46	22.5	62.9	99.87	-1.2	-0.5	0	22.5	0.15	100	7972	99.85	21
2023-02-01 17:15:00	4.8	0	0	0	260	9.51	15.79	22.3	63.6	99.87	-1.2	-0.4	0	22.3	0.15	100	7972	99.86	20.8
2023-02-01 17:20:00	3	0	0	0	267	10.25	15.23	22.1	63.9	99.87	-1.1	-0.5	0	22.2	0.15	100	7968	99.85	20.6
2023-02-01 17:25:00	1.4	0	0	0	265	10.65	18.32	22	65.9	99.86	-0.9	-0.6	0	22	0.14	100	7971	99.85	20.3
2023-02-01 17:30:00	0.4	0	0	0	263	12.08	18.14	21.9	67	99.86	-0.8	-0.6	0	21.9	0.13	100	7970	99.85	20.3
2023-02-01 17:35:00	0	0	0	0	263	9.35	15.14	21.9	67	99.86	-1.1	-0.5	0	21.9	0.13	100	7971	99.85	20.1
2023-02-01 17:40:00	0	0	0	0	265	10.6	15.1	21.8	67.4	99.86	-1	-0.4	0	21.8	0.13	100	7969	99.85	20
2023-02-01 17:45:00	0	0	0	0	264	9.26	15.73	21.7	67.5	99.86	-1.1	-0.4	0	21.7	0.13	100	7969	99.85	19.9
2023-02-01 17:50:00	0	0	0	0	262	7.09	11.52	21.6	67.8	99.86	-1.1	-0.5	0	21.6	0.13	100	7968	99.85	19.7
2023-02-01 17:55:00	0	0	0	0	259	5.73	8.52	21.5	68.4	99.86	-1.2	-0.5	0	21.4	0.12	100	7967	99.85	19.4
2023-02-01 18:00:00	0	0	0	0	259	7.29	11.61	21.2	69.6	99.86	-1.1	-0.5	0	21.2	0.12	100	7969	99.85	19.2
2023-02-01 18:05:00	0	0	0	0	262	7.4	11.95	21.2	69.1	99.87	-1.1	-0.6	0	21.2	0.12	100	7966	99.85	19.1
2023-02-01 18:10:00	0	0	0	0	256	7.38	10.4	21.1	70.8	99.86	-0.9	-0.4	0	21.1	0.11	100	7965	99.85	19.1
2023-02-01 18:15:00	0	0	0	0	252	5.73	8.41	21.1	72	99.86	-1.1	-0.5	0	21.1	0.11	100	7965	99.85	18.9
2023-02-01 18:20:00	0	0	0	0	253	5.68	9.93	21	72.2	99.86	-1.1	-0.3	0	21	0.11	100	7963	99.85	18.8
2023-02-01 18:25:00	0	0	0	0	251	5.39	7.61	20.9	72.6	99.86	-1.2	-0.5	0	20.9	0.11	100	7963	99.85	18.6
2023-02-01 18:30:00	0	0	0	0	250	5.66	10.83	20.8	72.9	99.86	-1.2	-0.4	0	20.8	0.1	100	7961	99.85	18.5
2023-02-01 18:35:00	0	0	0	0	239	5.53	7.11	20.8	73	99.86	-1	-0.4	0	20.8	0.1	100	7962	99.84	18.4
2023-02-01 18:40:00	0	0	0	0	235	5.77	8.7	20.7	73.3	99.85	-1.1	-0.4	0	20.7	0.1	100	7962	99.84	18.3
2023-02-01 18:45:00	0	0	0	0	239	6.15	8.12	20.7	73.2	99.84	-1.2	-0.5	0	20.7	0.1	100	7961	99.83	18.2
2023-02-01 18:50:00	0	0	0	0	232	6.26	9.19	20.6	73.4	99.84	-1.2	-0.4	0	20.6	0.1	100	7961	99.83	18.2
2023-02-01 18:55:00	0	0	0	0	239	7.18	9.89	20.8	73.5	99.85	-1.1	-0.4	0	20.8	0.1	100	7961	99.83	18.3
2023-02-01 19:00:00	0	0	0	0	231	6.76	11.14	20.7	73.1	99.85	-1.2	-0.5	0	20.7	0.1	100	7960	99.83	18.3
2023-02-01 19:05:00	0	0	0	0	229	8.19	11.72	20.7	73.6	99.84	-1.1	-0.5	0	20.8	0.1	100	7959	99.83	18.4
2023-02-01 19:10:00	0	0	0	0	229	6.82	12.21	20.8	74.3	99.85	-1.1	-0.4	0	20.8	0.1	100	7959	99.83	18.4
2023-02-01 19:15:00	0	0	0	0	209	5.39	7.07	20.8	74.9	99.85	-1.2	-0.4	0	20.8	0.1	100	7958	99.83	18.4
2023-02-01 19:20:00	0	0	0	0	205	4.59	7.07	20.7	75.8	99.85	-1.2	-0.5	0	20.7	0.09	100	7960	99.83	18.2
2023-02-01 19:25:00	0	0	0	0	194	5.21	7.83	20.4	74.6	99.84	-1.1	-0.5	0	20.4	0.1	100	7959	99.82	18
2023-02-01 19:30:00	0	0	0	0	181	5.21	7.43	20.3	75.9	99.83	-1.1	-0.4	0	20.3	0.09	100	7960	99.81	17.9
2023-02-01 19:35:00	0	0	0	0	180	6.38	10.04	20.4	76.3	99.82	-1.1	-0.4	0	20.4	0.09	100	7957	99.81	17.9
2023-02-01 19:40:00	0	0	0	0	176	6.17	9.95	20.3	75	99.82	-1.1	-0.4	0	20.3	0.09	100	7957	99.8	18
2023-02-01 19:45:00	0	0	0	0	180	7.05	9.95	20.4	76.3	99.81	-1.2	-0.6	0	20.4	0.09	100	7957	99.8	18
2023-02-01 19:50:00	0	0	0	0	183	6.55	8.68	20.6	76.3	99.81	-1.2	-0.5	0	20.6	0.09	100	7956	99.8	18.1
2023-02-01 19:55:00	0	0	0	0	191	6.62	10.63	20.5	76.4	99.8	-1.2	-0.4	0	20.5	0.09	100	7956	99.79	18.2
2023-02-01 20:00:00	0	0	0	0	195	6.55	9.69	20.5	76.5	99.8	-1.1	-0.4	0	20.5	0.09	100	7956	99.78	18.1
2023-02-01 20:05:00	0	0	0	0	192	6.69	8.95	20.5	76.5	99.79	-1.2	-0.6	0	20.5	0.09	100	7955	99.78	18.1
2023-02-01 20:10:00	0	0	0	0	187	6.33	8.48	20.4	76.6	99.8	-1.2	-0.5	0	20.5	0.09	100	7953	99.79	18.1
2023-02-01 20:15:00	0	0	0	0	189	6.53	9.33	20.4	76.9	99.8	-1.2	-0.6	0	20.4	0.09	100	7955	99.79	18
2023-02-01 20:20:00	0	0	0	0	199	5.77	8.55	20.3	77.2	99.8	-1.2	-0.5	0	20.3	0.09	100	7952	99.79	18
2023-02-01 20:25:00	0	0	0	0	210	5.59	10.94	20.2	77.3	99.8	-1.2	-0.5	0	20.3	0.08	100	7954	99.79	17.9
2023-02-01 20:30:00	0	0	0	0	216	6.76	12.26	20.3	77.2	99.8	-1.2	-0.6	0	20.3	0.09	100	7954	99.79	18
2023-02-01 20:35:00	0	0	0	0	214	8.01	11.81	20.3	77.1	99.8	-1.2	-0.5	0	20.3	0.09	100	7952	99.79	18.1
2023-02-01 20:40:00	0	0	0	0	211	7.23	13.53	20.4	76.6	99.81	-1.1	-0.6	0	20.4	0.09	100	7953	99.8	18.2
2023-02-01 20:45:00	0	0	0	0	220	7.31	12.33	20.6	77.2	99.82	-1.1	-0.4	0	20.6	0.09	100	7956	99.82	18.2
2023-02-01 20:50:00	0	0	0	0	215	8.81	16.46	20.8	77.7	99.82	-1.1	-0.4	0	20.8	0.09	100	7952	99.81	18.5
2023-02-01 20:55:00	0	0	0	0	216	8.77	11.74	20.9	77.8	99.81	-1.2	-0.5	0	20.9	0.09	100	7953	99.8	18.7
2023-02-01 21:00:00	0	0	0	0	226	9.8	15.9	21.1	77	99.81	-1.1	-0.4	0	21.1	0.09	100	7953	99.8	18.9
2023-02-01 21:05:00	0	0	0	0	210	9.57	14.79	21.3	76.5	99.81	-1.2	-0.3	0	21.3	0.09	100	7950	99.79	19
2023-02-01 21:10:00	0	0	0	0	209	9.19	14.65	21.3	76.3	99.8	-1.3	-0.6	0	21.4	0.09	100	7951	99.78	19.1
2023-02-01 21:15:00	0	0	0	0	206	10.18	14.9	21.5	76	99.8	-1.2	-0.4	0	21.5	0.09	100	7952	99.78	19.2

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-01 21:20:00	0	0	0	0	211	8.55	14.32	21.4	75.6	99.79	-1.1	-0.4	0	21.5	0.1	100	7951	99.78	19.2
2023-02-01 21:25:00	0	0	0	0	207	10	14.9	21.4	76.1	99.78	-1	-0.4	0	21.4	0.09	100	7951	99.77	19.3
2023-02-01 21:30:00	0	0	0	0	199	9.42	13.31	21.4	75.1	99.78	-1.1	-0.4	0	21.4	0.1	100	7949	99.77	19.3
2023-02-01 21:35:00	0	0	0	0	201	9.71	15.57	21.4	74.5	99.77	-1.2	-0.3	0	21.5	0.1	100	7947	99.76	19.4
2023-02-01 21:40:00	0	0	0	0	198	8.63	12.55	21.5	74.8	99.76	-1.1	-0.3	0	21.5	0.1	100	7950	99.76	19.5
2023-02-01 21:45:00	0	0	0	0	205	8.9	12.17	21.6	75	99.77	-1.2	-0.6	0	21.6	0.1	100	7950	99.76	19.5
2023-02-01 21:50:00	0	0	0	0	216	8.01	13.96	21.7	75.1	99.78	-1.2	-0.5	0	21.8	0.1	100	7949	99.77	19.7
2023-02-01 21:55:00	0	0	0	0	216	8.16	12.46	21.8	74.9	99.78	-1.1	-0.5	0	21.8	0.1	100	7950	99.78	19.8
2023-02-01 22:00:00	0	0	0	0	218	7.7	12.46	21.8	74.8	99.79	-1.1	-0.5	0	21.8	0.1	100	7950	99.78	20
2023-02-01 22:05:00	0	0	0	0	235	8.7	12.86	22	74.1	99.79	-1	-0.6	0	22.1	0.1	100	7949	99.78	20.1
2023-02-01 22:10:00	0	0	0	0	225	7.09	9.73	22	74.1	99.79	-0.9	-0.4	0	22	0.1	100	7949	99.78	20.3
2023-02-01 22:15:00	0	0	0	0	228	8.39	14.67	22.2	73.6	99.78	-1.1	-0.5	0	22.2	0.11	100	7949	99.77	20.3
2023-02-01 22:20:00	0	0	0	0	232	8.12	12.59	22.3	73.3	99.79	-1.1	-0.5	0	22.2	0.11	100	7947	99.78	20.4
2023-02-01 22:25:00	0	0	0	0	232	10.04	14.83	22.3	73.3	99.8	-1	-0.5	0	22.2	0.11	100	7946	99.79	20.5
2023-02-01 22:30:00	0	0	0	0	234	8.48	12.95	22.4	72.9	99.8	-1.2	-0.4	0	22.4	0.11	100	7948	99.79	20.6
2023-02-01 22:35:00	0	0	0	0	228	9.75	13.22	22.4	73	99.8	-1	-0.4	0	22.4	0.11	100	7946	99.79	20.6
2023-02-01 22:40:00	0	0	0	0	226	9.19	13.73	22.4	72.9	99.8	-0.9	-0.5	0	22.5	0.11	100	7948	99.79	20.7
2023-02-01 22:45:00	0	0	0	0	219	7.61	11.36	22.5	72.7	99.79	-1.2	-0.4	0	22.5	0.11	100	7947	99.78	20.7
2023-02-01 22:50:00	0	0	0	0	219	8.46	13.09	22.4	72.9	99.78	-1	-0.4	0	22.4	0.11	100	7944	99.77	20.7
2023-02-01 22:55:00	0	0	0	0	224	9.31	14.9	22.5	72.7	99.77	-1	-0.5	0	22.5	0.11	100	7947	99.76	20.7
2023-02-01 23:00:00	0	0	0	0	225	9.91	19.57	22.4	73.1	99.76	-1.1	-0.3	0	22.4	0.11	100	7947	99.75	20.6
2023-02-01 23:05:00	0	0	0	0	230	10.09	13.91	22.3	73.3	99.76	-1.2	-0.5	0	22.2	0.11	100	7941	99.75	20.6
2023-02-01 23:10:00	0	0	0	0	222	10.96	15.14	22.2	73	99.76	-1.1	-0.3	0	22.3	0.11	100	7944	99.75	20.5
2023-02-01 23:15:00	0	0	0	0	228	10.2	15.19	22.2	72.2	99.76	-1.2	-0.4	0	22.1	0.11	100	7944	99.75	20.4
2023-02-01 23:20:00	0	0	0	0	232	11.59	17.85	22.1	71.3	99.76	-1.1	-0.5	0	22.2	0.12	100	7942	99.75	20.4
2023-02-01 23:25:00	0	0	0	0	235	10.31	15.1	22.1	71.4	99.75	-1	-0.5	0	22.1	0.12	100	7945	99.74	20.3
2023-02-01 23:30:00	0	0	0	0	229	9.93	18.41	21.9	72	99.75	-1.3	-0.5	0	21.9	0.11	100	7942	99.74	20.2
2023-02-01 23:35:00	0	0	0	0	222	9.46	14.25	21.9	72	99.76	-1	-0.4	0	21.9	0.11	100	7943	99.76	20.2
2023-02-01 23:40:00	0	0	0	0	217	10.94	14.72	21.9	72	99.78	-0.9	-0.3	0	21.9	0.11	100	7943	99.77	20.3
2023-02-01 23:45:00	0	0	0	0	211	10.89	16.2	22	71.8	99.78	-1.1	-0.4	0	22	0.11	100	7944	99.78	20.4
2023-02-01 23:50:00	0	0	0	0	214	9.15	15.28	22.1	71.5	99.78	-1.1	-0.5	0	22	0.12	100	7943	99.77	20.5
2023-02-01 23:55:00	0	0	0	0	204	8.84	13.42	22.1	71.4	99.77	-1.3	-0.5	0	22.1	0.12	100	7942	99.76	20.4
2023-02-02 00:00:00	0	0	0	0	200	10.02	17.47	22	71.9	99.77	-0.9	-0.5	0	22	0.11	100	7941	99.77	20.4
2023-02-02 00:05:00	0	0	0	0	199	9.6	15.95	21.9	71.5	99.76	-1	-0.2	0	21.9	0.11	100	7916	99.75	20.5
2023-02-02 00:10:00	0	0	0	0	204	8.88	12.66	21.8	71.3	99.76	-1.1	-0.6	0	21.8	0.12	100	7906	99.76	20.6
2023-02-02 00:15:00	0	0	0	0	208	9.01	12.55	21.7	70.2	99.74	-1.1	-0.5	0	21.7	0.12	100	7896	99.74	20.7
2023-02-02 00:20:00	0	0	0	0	209	7.87	10.92	21.6	71	99.73	-1.2	-0.4	0	21.6	0.12	100	7915	99.73	20.5
2023-02-02 00:25:00	0	0	0	0	215	7.9	13.04	21.5	70.9	99.71	-1	-0.3	0	21.5	0.11	100	7919	99.7	20.2
2023-02-02 00:30:00	0	0	0	0	207	8.12	12.03	21.3	71.4	99.7	-1.1	-0.5	0	21.3	0.11	100	7919	99.69	20
2023-02-02 00:35:00	0	0	0	0	217	8.57	17.94	21.2	71.6	99.7	-1.2	-0.5	0	21.2	0.11	100	7917	99.69	19.9
2023-02-02 00:40:00	0	0	0	0	215	8.3	13.82	21.1	71.9	99.69	-1.1	-0.4	0	21.1	0.11	100	7920	99.68	19.8
2023-02-02 00:45:00	0	0	0	0	205	10.11	15.35	21	72.2	99.68	-1.1	-0.5	0	21	0.11	100	7923	99.68	19.7
2023-02-02 00:50:00	0	0	0	0	211	9.22	14.18	21.1	72.1	99.69	-1.1	-0.4	0	21.1	0.11	100	7924	99.69	19.7
2023-02-02 00:55:00	0	0	0	0	214	8.37	15.08	21.1	72	99.69	-1.1	-0.4	0	21.1	0.11	100	7923	99.69	19.6
2023-02-02 01:00:00	0	0	0	0	221	7.25	12.88	20.9	72.4	99.7	-1.1	-0.6	0	20.9	0.11	100	7922	99.69	19.6
2023-02-02 01:05:00	0	0	0	0	204	7.45	12.06	21	72.3	99.68	-1.2	-0.5	0	21	0.11	100	7923	99.67	19.5
2023-02-02 01:10:00	0	0	0	0	202	8.01	13.2	20.9	72.1	99.67	-1.2	-0.6	0	20.9	0.11	100	7922	99.66	19.4
2023-02-02 01:15:00	0	0	0	0	209	7.96	12.77	20.8	72.8	99.65	-1.2	-0.4	0	20.8	0.1	100	7922	99.65	19.3
2023-02-02 01:20:00	0	0	0	0	195	6.82	11.9	20.8	72.5	99.64	-1.3	-0.5	0	20.8	0.11	100	7920	99.63	19.2
2023-02-02 01:25:00	0	0	0	0	199	6.55	11.86	20.6	72.6	99.63	-1.2	-0.6	0	20.6	0.1	100	7923	99.62	19
2023-02-02 01:30:00	0	0	0	0	191	7.54	12.66	20.4	71.6	99.62	-1.1	-0.5	0	20.4	0.11	100	7922	99.61	18.9
2023-02-02 01:35:00	0	0	0	0	200	6.82	10.87	20.4	71.6	99.61	-1.1	-0.4	0	20.4	0.11	100	7922	99.61	18.8
2023-02-02 01:40:00	0	0	0	0	202	7.2	14.43	20.3	71.8	99.61	-1	-0.3	0	20.3	0.11	100	7920	99.6	18.7
2023-02-02 01:45:00	0	0	0	0	201	5.93	8.86	20.1	72.5	99.61	-1.1	-0.7	0	20.1	0.1	100	7921	99.6	18.6
2023-02-02 01:50:00	0	0	0	0	194	6.85	13.56	20.2	72.2	99.6	-1.2	-0.6	0	20.2	0.1	100	7921	99.59	18.5
2023-02-02 01:55:00	0	0	0	0	194	7.9	13.71	20.2	72.1	99.59	-1.3	-0.5	0	20.2	0.1	100	7921	99.58	18.5
2023-02-02 02:00:00	0	0	0	0	198	7.18	11.27	20.3	71.9	99.59	-1.2	-0.4	0	20.3	0.11	100	7920	99.59	18.6
2023-02-02 02:05:00	0	0	0	0	212	5.97	10.74	20.3	71.7	99.61	-1.1	-0.5	0	20.4	0.11	100	7919	99.6	18.7
2023-02-02 02:10:00	0	0	0	0	216	5.32	9.6	20.4	72.6	99.6	-1.1	-0.4	0	20.4	0.1	100	7920	99.6	18.8
2023-02-02 02:15:00	0	0	0	0	206	7.27	11.9	20.6	72.1	99.61	-1.3	-0.3	0	20.6	0.11	100	7921	99.61	18.9
2023-02-02 02:20:00	0	0	0	0	212	7.31	10.49	20.7	73.3	99.61	-1.1	-0.4	0	20.7	0.1	100	7919	99.61	19
2023-02-02 02:25:00	0	0	0	0	202	9.19	12.5	20.7	73.1	99.61	-1	-0.4	0	20.7	0.1	100	7921	99.61	19.1
2023-02-02 02:30:00	0	0	0	0	206	8.1	12.82	21	72.2	99.61	-1.1	-0.4	0	21	0.11	100	7920	99.6	19.3
2023-02-02 02:35:00	0	0	0	0	210	7	14.27	21.1	72.1	99.61	-1.2	-0.4	0	21.1	0.11	100	7919	99.6	19.4

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-02 02:40:00	0	0	0	0	210	9.42	14.23	21.2	71.6	99.59	-1.1	-0.3	0	21.2	0.11	100	7919	99.58	19.5
2023-02-02 02:45:00	0	0	0	0	208	9.46	13.73	21.4	71	99.59	-1.1	-0.3	0	21.4	0.11	100	7919	99.58	19.7
2023-02-02 02:50:00	0	0	0	0	222	7.18	13.51	21.4	71	99.59	-1.2	-0.5	0	21.4	0.11	100	7920	99.59	19.8
2023-02-02 02:55:00	0	0	0	0	219	9.08	14.88	21.5	70.7	99.59	-1	-0.4	0	21.5	0.12	100	7918	99.58	19.8
2023-02-02 03:00:00	0	0	0	0	209	9.08	15.55	21.6	70.6	99.58	-1.2	-0.5	0	21.6	0.12	100	7919	99.57	19.9
2023-02-02 03:05:00	0	0	0	0	207	9.55	16.42	21.7	70	99.57	-1.1	-0.4	0	21.7	0.12	100	7916	99.57	20
2023-02-02 03:10:00	0	0	0	0	232	6.2	9.24	21.7	71	99.57	-1.1	-0.3	0	21.8	0.12	100	7919	99.57	20.1
2023-02-02 03:15:00	0	0	0	0	232	7.27	16.67	21.7	70.2	99.57	-1	-0.4	0	21.7	0.12	100	7915	99.56	20.1
2023-02-02 03:20:00	0	0	0	0	232	8.12	13.44	21.7	70	99.57	-1	-0.5	0	21.7	0.12	100	7916	99.57	20.2
2023-02-02 03:25:00	0	0	0	0	222	8.39	12.8	21.7	70.1	99.56	-1	-0.4	0	21.7	0.12	100	7917	99.55	20.2
2023-02-02 03:30:00	0	0	0	0	227	9.84	18.21	21.8	70.3	99.54	-1.2	-0.4	0	21.8	0.12	100	7919	99.54	20.3
2023-02-02 03:35:00	0	0	0	0	238	9.04	16.8	21.9	70.5	99.55	-1.1	-0.5	0	22	0.12	100	7917	99.54	20.3
2023-02-02 03:40:00	0	0	0	0	227	9.04	14.81	21.8	72.2	99.54	-1.1	-0.4	0	21.8	0.11	100	7918	99.53	20.3
2023-02-02 03:45:00	0	0	0	0	221	8.7	16.71	22	71.8	99.54	-1	-0.5	0	22	0.11	100	7916	99.53	20.4
2023-02-02 03:50:00	0	0	0	0	206	9.62	14.29	22.1	71.5	99.53	-1.2	-0.6	0	22.1	0.12	100	7916	99.53	20.4
2023-02-02 03:55:00	0	0	0	0	201	8.81	13.73	22.1	71.5	99.54	-1.1	-0.6	0	22.1	0.12	100	7918	99.53	20.5
2023-02-02 04:00:00	0	0	0	0	201	9.64	17.87	22.1	71.5	99.52	-1	-0.5	0	22	0.12	100	7915	99.52	20.5
2023-02-02 04:05:00	0	0	0	0	200	10.65	16.87	22	71.7	99.52	-1.1	-0.6	0	22	0.11	100	7915	99.52	20.5
2023-02-02 04:10:00	0	0	0	0	198	11.56	16.42	22.1	71.4	99.52	-1	-0.1	0	22.1	0.12	100	7915	99.51	20.5
2023-02-02 04:15:00	0	0	0	0	203	8.48	12.77	22	71.7	99.52	-0.9	-0.4	0	22	0.11	100	7915	99.52	20.6
2023-02-02 04:20:00	0	0	0	0	215	8.61	15.03	22.2	71.2	99.52	-1.1	-0.6	0	22.2	0.12	100	7915	99.51	20.6
2023-02-02 04:25:00	0	0	0	0	198	8.57	13.56	22.1	71.5	99.52	-1.2	-0.4	0	22.1	0.12	100	7915	99.51	20.6
2023-02-02 04:30:00	0	0	0	0	206	8.14	13.89	22.1	71.3	99.52	-1.1	-0.5	0	22.1	0.12	100	7915	99.51	20.6
2023-02-02 04:35:00	0	0	0	0	194	7.18	10.25	22.1	71.5	99.51	-1	-0.4	0	22.1	0.12	100	7914	99.5	20.6
2023-02-02 04:40:00	0	0	0	0	199	10	19.66	22.1	71.9	99.51	-1.1	-0.5	0	22.1	0.11	100	7915	99.51	20.6
2023-02-02 04:45:00	0	0	0	0	201	10.09	15.64	22.1	72.3	99.51	-1.2	-0.4	0	22.2	0.11	100	7914	99.51	20.7
2023-02-02 04:50:00	0	0	0	0	197	9.15	13	22.3	72.8	99.51	-1	-0.6	0	22.3	0.11	100	7913	99.5	20.8
2023-02-02 04:55:00	0	0	0	0	193	11.23	16.2	22.3	73.3	99.5	-1.1	-0.4	0	22.2	0.11	100	7915	99.5	20.8
2023-02-02 05:00:00	0	0	0	0	200	10.29	17.34	22.3	73.2	99.5	-1	-0.6	0	22.3	0.11	100	7912	99.48	20.8
2023-02-02 05:05:00	0	0	0	0	209	8.77	17.11	22.3	73.2	99.48	-1.1	-0.3	0	22.3	0.11	100	7913	99.47	20.8
2023-02-02 05:10:00	0	0	0	0	204	10.25	16.89	22.4	73	99.47	-1.1	-0.4	0	22.4	0.11	100	7913	99.46	20.8
2023-02-02 05:15:00	0	0	0	0	205	9.31	14.88	22.3	73.3	99.46	-0.9	-0.4	0	22.3	0.11	100	7912	99.46	20.9
2023-02-02 05:20:00	0	0	0	0	207	10.69	16.55	22.4	73.1	99.45	-1.1	-0.5	0	22.4	0.11	100	7912	99.44	20.9
2023-02-02 05:25:00	0	0	0	0	198	12.86	19.51	22.5	72.7	99.44	-1	-0.5	0	22.5	0.11	100	7914	99.44	20.9
2023-02-02 05:30:00	0	0	0	0	201	11.01	16.22	22.5	72.8	99.44	-1	-0.4	0	22.5	0.11	100	7912	99.44	20.9
2023-02-02 05:35:00	0	0	0	0	201	11.21	18.28	22.5	72.7	99.44	-0.7	-0.8	0	22.5	0.11	100	7911	99.43	21
2023-02-02 05:40:00	0	0	0	0	197	10.29	14.74	22.5	73.2	99.44	-0.9	-0.3	0	22.5	0.11	100	7912	99.43	21
2023-02-02 05:45:00	0	0	0	0	200	11.81	16.84	22.5	72.7	99.43	-0.9	-0.6	0	22.5	0.11	100	7912	99.42	21.1
2023-02-02 05:50:00	0	0	0	0	198	11.54	16.71	22.6	72.3	99.43	-1	-0.5	0	22.6	0.11	100	7911	99.43	21.2
2023-02-02 05:55:00	0	0	0	0	204	14.83	24.47	22.6	72.3	99.42	-1	-0.5	0	22.6	0.11	100	7912	99.42	21.2
2023-02-02 06:00:00	0	0	0	0	194	13.24	19.91	22.8	73.1	99.42	-1.1	-0.7	0	22.8	0.11	100	7911	99.42	21.3
2023-02-02 06:05:00	0	0	0	0	197	10.71	17.34	22.8	72.8	99.42	-1	-0.3	0	22.8	0.11	100	7909	99.42	21.3
2023-02-02 06:10:00	0	0	0	0	198	13.51	20.71	22.8	71.7	99.42	-0.7	-0.2	0	22.8	0.12	100	7910	99.42	21.4
2023-02-02 06:15:00	0	0	0	0	195	12.33	17.69	22.9	72.4	99.43	-1.1	-0.3	0	22.9	0.12	100	7914	99.42	21.4
2023-02-02 06:20:00	0	0	0	0	195	11.72	20.04	22.9	71.6	99.43	-1	-0.5	0	22.9	0.12	100	7910	99.42	21.4
2023-02-02 06:25:00	0	0	0	0	191	12.41	21.16	22.8	71.7	99.43	-1	-0.7	0	22.8	0.12	100	7912	99.42	21.4
2023-02-02 06:30:00	0	0	0	0	196	13.27	19.84	22.8	71.7	99.43	-1	-0.3	0	22.9	0.12	100	7912	99.42	21.4
2023-02-02 06:35:00	0	0	0	0	197	12.44	17.2	22.8	71.7	99.44	-1	-0.2	0	22.8	0.12	100	7909	99.43	21.5
2023-02-02 06:40:00	0	0	0	0	202	11.1	14.56	22.8	71.7	99.43	-1.1	-0.2	0	22.8	0.12	100	7909	99.43	21.5
2023-02-02 06:45:00	0	0	0	0	195	11.12	16.78	23	71.3	99.44	-1.1	-0.4	0	23	0.12	100	7909	99.43	21.5
2023-02-02 06:50:00	0	0	0	0	196	10.87	16.58	22.9	71.4	99.44	-1.1	-0.5	0	22.9	0.12	100	7907	99.43	21.6
2023-02-02 06:55:00	0	0	0	0	198	12.08	18.52	23	71.3	99.43	-0.9	-0.4	0	23	0.12	100	7907	99.42	21.6
2023-02-02 07:00:00	0	0	0	0	201	9.24	13.15	23	71.6	99.43	-1	-0.3	0	23	0.12	100	7909	99.43	21.6
2023-02-02 07:05:00	0	0	0	0	200	11.95	18.28	23	71.6	99.43	-1.1	-0.3	0	23	0.12	100	7908	99.42	21.6
2023-02-02 07:10:00	0	0	0	0	193	11.52	16.89	23	71.3	99.43	-1	-0.7	0	23	0.12	100	7906	99.42	21.6
2023-02-02 07:15:00	1.2	0	0	0	191	12.1	18.32	23	71.3	99.42	-1.2	-0.5	0	23	0.12	100	7907	99.41	21.6
2023-02-02 07:20:00	2.6	0	0	0	190	11.56	17.22	23	72.7	99.41	-1	-0.5	0	23	0.12	100	7907	99.41	21.6
2023-02-02 07:25:00	3.4	0	0	0	190	12.8	21.52	23	72.2	99.41	-1.1	-0.5	0	23	0.12	100	7907	99.41	21.7
2023-02-02 07:30:00	5	0	0	0	198	11.59	15.32	23.1	72.7	99.43	-1	-0.4	0	23.1	0.12	100	7906	99.42	21.7
2023-02-02 07:35:00	7.2	0	0	0	192	11.32	15.84	23.1	72.8	99.43	-1.2	-0.4	0	23.1	0.11	100	7909	99.43	21.8
2023-02-02 07:40:00	9.8	0	0	0	190	8.66	12.46	23.2	73	99.42	-1	-0.4	0	23.1	0.11	100	7906	99.42	21.9
2023-02-02 07:45:00	12.2	0	0	0	189	11.86	16.13	23.3	72.7	99.41	-1	-0.3	0	23.3	0.12	100	7908	99.41	21.9
2023-02-02 07:50:00	14.2	0	0	0	187	9.95	15.97	23.2	72.9	99.4	-1	-0.6	0	23.3	0.12	100	7906	99.4	22
2023-02-02 07:55:00	18.6	0	0	0	185	9.08	13.85	23.4	72.3	99.39	-1.1	-0.6	0	23.4	0.12	100	7906	99.39	22

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-02 08:00:00	20.8	0	0	0	185	11.12	15.95	23.4	72.3	99.39	-1.1	-0.5	0	23.4	0.12	100	7906	99.38	22.1
2023-02-02 08:05:00	24	0	0	0	183	10.49	15.05	23.5	72	99.38	-1	-0.8	0	23.5	0.12	100	7905	99.37	22.2
2023-02-02 08:10:00	28.8	0	0	0	182	9.93	15.88	23.5	72	99.37	-1	-0.4	0	23.5	0.12	100	7904	99.36	22.2
2023-02-02 08:15:00	31.8	0	0	0	187	9.75	13.22	23.5	72.4	99.37	-0.9	-0.4	0	23.6	0.12	100	7906	99.36	22.3
2023-02-02 08:20:00	34.2	0	0	0	187	10.47	16.17	23.6	73.5	99.36	-1	-0.4	0	23.7	0.11	100	7906	99.36	22.4
2023-02-02 08:25:00	40.8	0	0	0	184	10.47	17.27	23.7	72.4	99.35	-1.1	-0.4	0	23.8	0.12	100	7906	99.35	22.5
2023-02-02 08:30:00	46.8	0	0	0	187	10.29	13.6	23.8	73.4	99.35	-0.9	-0.4	0	23.9	0.12	100	7906	99.34	22.5
2023-02-02 08:35:00	52.4	0	0	0	185	9.51	12.46	23.9	73.1	99.34	-0.9	-0.4	0	24	0.12	100	7907	99.34	22.7
2023-02-02 08:40:00	56.8	0	0	0	187	9.84	14	24	72.6	99.34	-1	-0.6	0	24.2	0.12	100	7906	99.33	22.8
2023-02-02 08:45:00	63	0	0	0	189	11.52	17.81	24.2	72.2	99.33	-1.3	-0.9	0	24.4	0.12	100	7909	99.33	22.9
2023-02-02 08:50:00	68.4	0	0	0	185	11.3	17.87	24.4	71.7	99.32	-1.1	-0.4	0	24.5	0.13	100	7906	99.32	23.1
2023-02-02 08:55:00	74.4	0	0	0	183	10.02	16.13	24.4	71.9	99.32	-1	-0.5	0	24.7	0.13	100	7910	99.31	23.2
2023-02-02 09:00:00	81.4	0	0	0	187	11.81	17.98	24.6	71.8	99.3	-1	-0.7	0	24.8	0.13	100	7910	99.29	23.3
2023-02-02 09:05:00	90.4	0	0	0	180	11.21	16.26	24.8	72.7	99.29	-1	-0.4	0	25	0.12	100	7909	99.28	23.5
2023-02-02 09:10:00	99.4	0	0	0	184	11.54	16.58	24.9	72.4	99.28	-1.2	-0.5	0	25.2	0.13	100	7911	99.27	23.6
2023-02-02 09:15:00	114	0	0	0	184	11.01	14.45	25.1	71.8	99.27	-0.9	-0.5	0	25.3	0.13	100	7912	99.27	23.8
2023-02-02 09:20:00	120.8	0	0	0	186	10.63	16.82	25.3	71.2	99.27	-0.7	-0.5	0	25.6	0.13	100	7915	99.26	24
2023-02-02 09:25:00	126.4	0	0	0	194	12.91	17.92	25.5	70.5	99.25	-0.7	-0.3	0	25.7	0.14	100	7916	99.25	24.1
2023-02-02 09:30:00	129.8	0	0	0	188	13.87	21.77	25.7	70.8	99.25	-0.8	-0.7	0	26	0.14	100	7918	99.24	24.3
2023-02-02 09:35:00	133.2	0	0	0	197	12.95	18.79	25.8	71.8	99.25	-0.9	-0.6	0	26.1	0.13	100	7916	99.24	24.5
2023-02-02 09:40:00	140	0	0	0	194	14.56	24.85	26	70.7	99.24	-0.9	-0.5	0	26.3	0.14	100	7919	99.23	24.7
2023-02-02 09:45:00	143.6	0	0	0	190	12.1	19.69	26.2	70.6	99.24	-0.8	-0.2	0	26.5	0.14	100	7920	99.24	24.9
2023-02-02 09:50:00	151	0	0	0	196	12.1	16.24	26.3	70.3	99.24	-0.9	-0.6	0	26.7	0.14	100	7919	99.24	25.1
2023-02-02 09:55:00	160	0	0	0	200	11.07	15.57	26.5	69.8	99.24	-0.9	-0.5	0	26.9	0.15	100	7924	99.24	25.2
2023-02-02 10:00:00	173.4	0	0	0	197	13	19.57	26.7	69.5	99.24	-1.2	-0.4	0	27.1	0.15	100	7925	99.23	25.4
2023-02-02 10:05:00	186.6	0	0	0	201	13.06	20.78	26.9	69.1	99.24	-1	-0.4	0	27.2	0.15	100	7928	99.23	25.6
2023-02-02 10:10:00	198.4	0	0	0	208	13.24	19.06	27.1	69.6	99.23	-0.9	-0.5	0	27.5	0.15	100	7931	99.23	25.8
2023-02-02 10:15:00	209	0	0	0	203	15.28	23.13	27.3	69	99.23	-0.9	-0.4	0	27.8	0.16	100	7930	99.23	26
2023-02-02 10:20:00	217.2	0	0	0	203	15.17	26.51	27.4	67.9	99.23	-0.9	-0.5	0	27.8	0.16	100	7933	99.22	26.2
2023-02-02 10:25:00	218.6	0	0	0	214	16.17	24.14	27.7	67.5	99.22	-0.8	-0.2	0	28.1	0.17	100	7938	99.22	26.3
2023-02-02 10:30:00	220.2	0	0	0	220	14.65	26.96	27.7	67	99.22	-1	-0.5	0	28.2	0.17	100	7941	99.22	26.5
2023-02-02 10:35:00	218.8	0	0	0	219	13.02	21.7	27.8	66.2	99.21	-0.7	-0.3	0	28.3	0.17	100	7941	99.21	26.7
2023-02-02 10:40:00	222.4	0	0	0	204	14.09	20.96	27.9	66.2	99.19	-0.9	-0.6	0	28.4	0.17	100	7943	99.19	26.9
2023-02-02 10:45:00	221	0	0	0	201	17.13	23.98	28.1	65.6	99.17	-0.8	-0.4	0	28.6	0.18	100	7943	99.16	26.9
2023-02-02 10:50:00	234.6	0	0	0	211	14.92	24.43	28.1	65.2	99.16	-0.8	-0.4	0	28.6	0.18	100	7946	99.16	27.1
2023-02-02 10:55:00	240	0	0	0	201	16.55	25.3	28.4	64.5	99.16	-0.8	-1.4	0	28.8	0.19	100	7947	99.15	27.2
2023-02-02 11:00:00	242	0	0	0	200	16.35	25.23	28.5	64.2	99.14	-0.9	-0.3	0	28.9	0.19	100	7949	99.15	27.3
2023-02-02 11:05:00	245.2	0	0	0	202	14.56	25.14	28.5	63.7	99.15	-0.8	-0.4	0	29	0.19	100	7951	99.15	27.5
2023-02-02 11:10:00	253.4	0	0	0	201	16.31	21.34	28.7	62.6	99.13	-0.9	-0.9	0	29.2	0.2	100	7953	99.13	27.6
2023-02-02 11:15:00	268.2	0	0	0	213	15.68	22.01	28.9	61.5	99.12	-0.8	-0.5	0	29.5	0.21	100	7957	99.11	27.8
2023-02-02 11:20:00	267	0	0	0	211	17.65	28.23	29.1	60.8	99.11	-1	-1.1	0	29.6	0.21	100	7958	99.1	28
2023-02-02 11:25:00	270	0	0	0	214	15.48	22.26	29.2	60.3	99.09	-1.1	-0.6	0	29.7	0.22	100	7958	99.09	28.1
2023-02-02 11:30:00	283.8	0	0	0	216	14.83	25.19	29.5	59.8	99.08	-0.7	-0.5	0	30.1	0.22	100	7963	99.08	28.4
2023-02-02 11:35:00	296.6	0	0	0	215	18.3	30.4	29.8	58.1	99.06	-0.8	-0.1	0	30.3	0.23	100	7965	99.06	28.6
2023-02-02 11:40:00	296.2	0	0	0	214	15.48	24.99	30.1	57	99.05	-0.4	-0.3	0	30.6	0.24	100	7966	99.05	28.8
2023-02-02 11:45:00	304.8	0	0	0	211	13.89	25.17	30.2	56.6	99.03	-0.5	-0.4	0	30.9	0.25	100	7970	99.03	29.1
2023-02-02 11:50:00	349.4	0	0	0	210	14	20.09	30.8	55.3	99	-0.9	-0.4	0	31.6	0.26	100	7973	99	29.3
2023-02-02 11:55:00	316.2	0	0	0	212	16.42	32.12	31.1	53.9	98.99	-0.7	-0.6	0	31.9	0.27	100	7977	98.98	29.6
2023-02-02 12:00:00	316.8	0	0	0	212	18.59	25.75	31.4	51.7	98.97	-0.6	0	0	32	0.29	100	7977	98.97	29.7
2023-02-02 12:05:00	315.4	0	0	0	210	16.31	29.04	31.5	50.9	98.96	-0.8	-0.5	0	32.1	0.29	100	7980	98.95	29.9
2023-02-02 12:10:00	331.2	0	0	0	212	19.37	29.06	31.7	49.6	98.93	-0.7	-0.5	0	32.3	0.3	100	7985	98.94	30
2023-02-02 12:15:00	388.2	0	0	0	206	20.02	31.07	32.1	48.2	98.91	-1	0.4	0	32.8	0.32	100	7985	98.92	30.2
2023-02-02 12:20:00	428.4	0	0	0	202	19.37	30.85	32.8	47.2	98.88	-0.5	-0.7	0	33.5	0.33	100	7990	98.89	30.5
2023-02-02 12:25:00	484.2	0	0	0	208	16.53	26.4	33.7	45.6	98.87	-0.8	-0.3	0	34.3	0.36	100	7994	98.87	31
2023-02-02 12:30:00	382.8	0	0	0	206	17.05	28.12	33.9	44.9	98.87	-0.7	-0.6	0	34.5	0.36	100	7998	98.85	31.4
2023-02-02 12:35:00	343.8	0	0	0	198	19.35	31.41	33.6	44.5	98.84	-1	-0.8	0	34.2	0.36	100	7997	98.83	31.6
2023-02-02 12:40:00	347.4	0	0	0	207	14.92	21.56	33.4	45.1	98.83	-0.7	-0.5	0	34.2	0.36	100	7999	98.82	31.8
2023-02-02 12:45:00	359.4	0	0	0	206	18.23	25.28	33.9	44.3	98.8	-0.2	-0.3	0	34.6	0.37	100	8000	98.79	32.1
2023-02-02 12:50:00	338.2	0	0	0	220	18.92	26.4	34	43.2	98.79	-0.7	-0.1	0	34.6	0.38	100	7999	98.78	32.3
2023-02-02 12:55:00	389.8	0	0	0	216	17.07	28.95	34.3	42.7	98.77	-1	-0.5	0	35	0.38	100	8001	98.77	32.5
2023-02-02 13:00:00	565.4	0	0	0	220	14.52	21.54	35.6	42	98.75	-0.6	-0.5	0	36.4	0.41	100	8002	98.77	32.9
2023-02-02 13:05:00	637	0	0	0	214	16.44	24.49	37.5	39.9	98.75	-0.3	-0.6	0	38.3	0.46	100	8002	98.76	33.6
2023-02-02 13:10:00	618.6	0	0	0	217	19.89	31.05	38.9	36.8	98.75	-0.5	-0.7	0	39.6	0.51	100	8002	98.76	34.1
2023-02-02 13:15:00	540.8	0	0	0	206	17.72	28.54	39.2	37.3	98.74	-0.5	-0.9	0	39.9	0.51	100	8002	98.74	34.3

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-02 13:20:00	513.4	0	0	0	209	19.86	28.16	39.4	36.6	98.72	-0.6	-0.7	0	40	0.52	100	8000	98.71	34.5
2023-02-02 13:25:00	496.8	0	0	0	200	17.78	26.73	39.5	36.7	98.7	-0.6	-0.3	0	40.2	0.52	100	7998	98.69	34.6
2023-02-02 13:30:00	395	0	0	0	199	18.88	28.61	39.2	36.5	98.69	-0.1	-1.1	0	39.7	0.52	100	8000	98.67	34.7
2023-02-02 13:35:00	315.2	0	0	0	224	14.7	23	38.4	36.8	98.69	-0.7	-0.4	0	39	0.5	100	7998	98.67	34.6
2023-02-02 13:40:00	298.2	0	0	0	203	14.72	21.74	37.8	38.2	98.67	-0.7	-0.7	0	38.3	0.48	100	7994	98.64	34.5
2023-02-02 13:45:00	428.2	0	0	0	206	16.4	28.19	38	37.1	98.63	-0.1	-0.6	0	38.7	0.49	100	7998	98.62	34.5
2023-02-02 13:50:00	425.6	0	0	0	218	17.67	26.6	38.8	36	98.61	-0.4	-0.9	0	39.5	0.51	100	7996	98.62	34.8
2023-02-02 13:55:00	418.4	0	0	0	222	22.46	32.57	39.2	34.9	98.62	-0.8	-1.2	0	39.8	0.53	100	7994	98.61	35
2023-02-02 14:00:00	406.2	0	0	0	217	24.05	35.12	39.4	33.9	98.6	-0.7	-1.1	0	39.9	0.54	100	7995	98.59	35.1
2023-02-02 14:05:00	393	0	0	0	219	23.6	35.34	39.4	34.2	98.59	0.3	-1	0	40	0.54	100	7995	98.58	35.3
2023-02-02 14:10:00	376.2	0	0	0	231	20.27	32.26	39.5	34	98.6	-0.1	-0.5	0	40.1	0.54	100	7992	98.58	35.3
2023-02-02 14:15:00	360	0	0	0	233	20.24	30.47	39.6	34.2	98.58	0.2	-0.5	0	40.2	0.54	100	7995	98.58	35.4
2023-02-02 14:20:00	345	0	0	0	234	16.73	25.7	39.6	34.4	98.58	0.3	-0.7	0	40.2	0.54	100	7991	98.57	35.6
2023-02-02 14:25:00	329.6	0	0	0	239	16.28	29.59	39.9	34.5	98.58	-0.7	-0.2	0	40.6	0.55	100	7991	98.57	35.7
2023-02-02 14:30:00	317.2	0	0	0	236	17.27	28.57	40.1	34.2	98.59	-0.6	-0.6	0	40.7	0.55	100	7991	98.58	35.9
2023-02-02 14:35:00	308.2	0	0	0	233	15.64	24.29	40.1	34.4	98.6	0	-0.7	0	40.7	0.55	100	7990	98.58	36
2023-02-02 14:40:00	301.6	0	0	0	232	17.16	26.93	40.4	34.8	98.59	-0.3	-0.5	0	41	0.56	100	7991	98.57	36.3
2023-02-02 14:45:00	307.8	0	0	0	245	15.23	22.84	40.5	34	98.58	-0.3	-0.9	0	41	0.56	100	7990	98.56	36.4
2023-02-02 14:50:00	330.2	0	0	0	236	13.47	24.23	40.6	34.5	98.58	-0.5	-0.9	0	41.3	0.56	100	7991	98.56	36.7
2023-02-02 14:55:00	261	0	0	0	223	17.05	23.44	40.7	34.3	98.59	-0.5	-0.4	0	41.3	0.57	100	7987	98.56	37
2023-02-02 15:00:00	279.2	0	0	0	238	16.22	27.54	40.6	33.7	98.59	-0.2	-1	0	41.2	0.57	100	7991	98.57	36.9
2023-02-02 15:05:00	271.8	0	0	0	235	18.5	29.48	40.5	33	98.59	-0.4	-0.3	0	41	0.57	100	7989	98.56	36.9
2023-02-02 15:10:00	227.8	0	0	0	236	19.64	28.36	40.4	33.3	98.6	-0.3	-0.1	0	40.8	0.57	100	7989	98.57	36.9
2023-02-02 15:15:00	234.2	0	0	0	239	16.8	26.28	39.8	33.6	98.59	0.5	-0.4	0	40.2	0.55	100	7988	98.57	36.8
2023-02-02 15:20:00	265.2	0	0	0	238	18.7	32.57	39.7	33.5	98.58	0.1	-0.6	0	40.2	0.55	100	7989	98.56	36.8
2023-02-02 15:25:00	258	0	0	0	223	20	35.84	39.7	33.5	98.58	-0.7	-0.8	0	40.2	0.55	100	7988	98.55	36.9
2023-02-02 15:30:00	211.6	0	0	0	225	26.22	45.19	39.5	32.8	98.58	1	-0.5	0	39.9	0.55	100	7988	98.54	36.8
2023-02-02 15:35:00	163.6	0	0	0	227	23.96	39.82	38.8	32.7	98.57	-1	-1	0	39	0.54	100	7985	98.53	36.6
2023-02-02 15:40:00	113.4	0	0	0	230	24.47	39.64	38	33.5	98.57	-0.1	-0.9	0	38.2	0.52	100	7988	98.54	36.3
2023-02-02 15:45:00	103.4	0	0	0	232	23.04	33.91	37.4	34.3	98.58	-1.2	-0.3	0	37.5	0.5	100	7988	98.54	36.1
2023-02-02 15:50:00	92	0	0	0	234	20.24	29.91	36.9	35	98.58	-0.9	-0.3	0	37	0.48	100	7988	98.55	35.9
2023-02-02 15:55:00	130.6	0	0	0	231	20.22	27.2	36.7	35.3	98.56	-0.3	-1.1	0	36.9	0.48	100	7985	98.54	35.8
2023-02-02 16:00:00	122.2	0	0	0	230	21.07	31.34	36.7	36.1	98.55	0.4	-0.5	0	36.9	0.47	100	7985	98.52	35.9
2023-02-02 16:05:00	112	0	0	0	223	18.63	36.37	36.8	36	98.54	-0.8	-0.9	0	37	0.47	100	7985	98.51	35.9
2023-02-02 16:10:00	86.6	0	0	0	221	16.82	25.84	36.8	36.5	98.53	-0.5	-0.5	0	37	0.47	100	7984	98.5	35.9
2023-02-02 16:15:00	71.6	0	0	0	224	16.31	22.08	36.6	36.8	98.52	-0.5	-0.4	0	36.7	0.46	100	7985	98.48	35.7
2023-02-02 16:20:00	61.2	0	0	0	215	18.66	26.46	36.5	36.7	98.5	-0.4	-0.7	0	36.5	0.46	100	7985	98.46	35.6
2023-02-02 16:25:00	58.6	0	0	0	217	14.14	21.56	36.2	37.1	98.49	-0.3	-0.9	0	36.3	0.46	100	7983	98.46	35.5
2023-02-02 16:30:00	50.4	0	0	0	221	14	23.67	36.1	37.2	98.49	-0.7	-0.8	0	36.2	0.45	100	7982	98.46	35.4
2023-02-02 16:35:00	36.4	0	0	0	217	16.53	26.64	36	37.7	98.48	-1	-0.7	0	36.1	0.45	100	7982	98.45	35.3
2023-02-02 16:40:00	29.4	0	0	0	219	15.97	25.3	35.9	37.9	98.48	-0.6	-0.3	0	36	0.44	100	7983	98.45	35.2
2023-02-02 16:45:00	24	0	0	0	219	14.7	20	35.8	37.4	98.48	-0.9	-0.4	0	35.9	0.44	100	7979	98.45	35.1
2023-02-02 16:50:00	19.4	0	0	0	222	17.2	27.58	35.8	38	98.47	-0.6	-0.4	0	35.8	0.44	100	7982	98.44	35
2023-02-02 16:55:00	15.2	0	0	0	222	17.98	26.69	35.8	37.7	98.46	-0.1	-0.3	0	35.8	0.44	100	7981	98.43	35
2023-02-02 17:00:00	11.6	0	0	0	215	15.3	22.06	35.7	37.3	98.46	-0.4	-0.6	0	35.7	0.44	100	7980	98.43	34.9
2023-02-02 17:05:00	8.2	0	0	0	217	13.87	20.15	35.7	38.9	98.46	-0.5	-0.6	0	35.7	0.43	100	7979	98.43	34.9
2023-02-02 17:10:00	5.2	0	0	0	209	15.05	28.81	35.7	38.4	98.45	-0.7	-0.7	0	35.7	0.44	100	7979	98.41	34.8
2023-02-02 17:15:00	3	0	0	0	216	15.84	20.51	35.6	38.3	98.45	-0.5	-0.4	0	35.6	0.44	100	7979	98.42	34.8
2023-02-02 17:20:00	1.8	0	0	0	222	13.82	23.09	35.6	38.8	98.45	-0.7	-0.5	0	35.6	0.43	100	7977	98.42	34.7
2023-02-02 17:25:00	0.8	0	0	0	218	12.91	20.89	35.5	39.3	98.45	-0.6	-0.7	0	35.5	0.43	100	7977	98.42	34.6
2023-02-02 17:30:00	0	0	0	0	224	13.82	27.18	35.4	39.1	98.45	-0.5	-0.5	0	35.4	0.43	100	7978	98.41	34.5
2023-02-02 17:35:00	0	0	0	0	224	17.07	25.99	35.3	38.8	98.44	-0.6	-0.7	0	35.3	0.43	100	7976	98.4	34.4
2023-02-02 17:40:00	0	0	0	0	224	13.69	20.11	35.2	39.4	98.44	-0.5	-0.5	0	35.2	0.42	100	7976	98.41	34.4
2023-02-02 17:45:00	0	0	0	0	222	16.37	24.52	35.2	38.9	98.44	-0.8	-0.6	0	35.2	0.42	100	7975	98.41	34.4
2023-02-02 17:50:00	0	0	0	0	229	19.08	28.25	35.2	38.8	98.43	-0.3	-0.1	0	35.2	0.43	100	7974	98.4	34.4
2023-02-02 17:55:00	0	0	0	0	238	16.8	26.82	35.3	39.3	98.44	-0.8	-0.8	0	35.3	0.42	100	7976	98.4	34.4
2023-02-02 18:00:00	0	0	0	0	237	16.11	26.4	35.3	39	98.43	-0.7	-0.2	0	35.3	0.43	100	7975	98.4	34.4
2023-02-02 18:05:00	0	0	0	0	240	13.96	20.07	35.3	39.3	98.43	-0.5	-0.5	0	35.3	0.42	100	7972	98.4	34.4
2023-02-02 18:10:00	0	0	0	0	229	15.59	24.72	35.3	40.2	98.42	-0.5	-0.2	0	35.3	0.42	100	7974	98.38	34.3
2023-02-02 18:15:00	0	0	0	0	237	12.82	20.29	35.2	40.3	98.4	-0.7	-0.5	0	35.2	0.41	100	7974	98.36	34.3
2023-02-02 18:20:00	0	0	0	0	235	13.38	23.78	35.2	40	98.4	-0.5	-0.4	0	35.2	0.42	100	7972	98.36	34.2
2023-02-02 18:25:00	0	0	0	0	243	17.69	31.05	35.3	39.3	98.39	-0.1	-0.9	0	35.3	0.42	100	7972	98.36	34.3
2023-02-02 18:30:00	0	0	0	0	242	17.2	24.76	35.3	39.9	98.39	-1	-0.6	0	35.3	0.42	100	7972	98.36	34.3
2023-02-02 18:35:00	0	0	0	0	258	14.5	26.33	35.4	40	98.4	-0.4	-0.8	0	35.4	0.42	100	7971	98.37	34.3

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-02 18:40:00	0	0	0	0	260	17.22	27.34	35.3	40.1	98.4	-0.4	-1	0	35.3	0.42	100	7972	98.36	34.4
2023-02-02 18:45:00	0	0	0	0	264	22.26	31.21	35.5	39.8	98.39	-2.1	-0.8	0	35.5	0.42	100	7972	98.35	34.4
2023-02-02 18:50:00	0	0	0	0	261	21.83	34	35.6	39.6	98.38	-0.3	-0.7	0	35.7	0.43	100	7971	98.35	34.6
2023-02-02 18:55:00	0	0	0	0	258	25.37	37.65	35.7	39.8	98.38	0.2	0	0	35.7	0.43	100	7971	98.35	34.7
2023-02-02 19:00:00	0	0	0	0	264	24.07	38.07	35.8	39.7	98.39	-0.5	-0.7	0	35.8	0.43	100	7971	98.34	34.7
2023-02-02 19:05:00	0	0	0	0	260	21.65	32.21	35.8	41.3	98.38	-1.4	-0.1	0	35.9	0.42	100	7969	98.34	34.8
2023-02-02 19:10:00	0	0	0	0	255	26.13	38.83	35.8	42.8	98.37	-1.1	-0.7	0	35.8	0.41	100	7970	98.35	34.8
2023-02-02 19:15:00	0	0	0	0	256	23.13	39.19	35.6	44.7	98.37	-0.2	-0.4	0	35.6	0.39	100	7970	98.33	34.7
2023-02-02 19:20:00	0	0	0	0	266	24.63	34.76	35.6	45.9	98.38	-0.1	-0.6	0	35.6	0.38	100	7969	98.34	34.7
2023-02-02 19:25:00	0	0	0	0	270	25.39	38.63	35.5	48.5	98.37	-0.7	-0.7	0	35.5	0.36	100	7969	98.34	34.6
2023-02-02 19:30:00	0	0	0	0	262	24.54	37.02	35.4	50.9	98.39	0.4	0.5	0	35.4	0.34	100	7966	98.36	34.5
2023-02-02 19:35:00	0	0	0	0	269	18.92	28.3	35.2	51.9	98.39	-0.1	-1.1	0	35.2	0.33	100	7966	98.36	34.4
2023-02-02 19:40:00	0	0	0	0	276	17	28.72	35	53.8	98.4	-0.8	-0.8	0	35	0.32	100	7966	98.35	34.2
2023-02-02 19:45:00	0	0	0	0	269	23.42	30.98	34.7	56.3	98.39	-1.1	-1.1	0	34.7	0.3	100	7968	98.35	34
2023-02-02 19:50:00	0	0	0	0	264	27.29	39.46	34.4	58.2	98.4	-1.2	-1.3	0	34.4	0.28	100	7967	98.36	33.8
2023-02-02 19:55:00	0	0	0	0	260	23.35	36.6	34.1	60.1	98.38	-1.1	-0.6	0	34.1	0.27	100	7966	98.34	33.6
2023-02-02 20:00:00	0	0	0	0	266	24.23	31.07	33.9	61.8	98.39	-1.2	0	0	33.9	0.25	100	7967	98.36	33.4
2023-02-02 20:05:00	0	0	0	0	274	28.03	38.74	33.7	63.5	98.38	0.6	-1.4	0	33.7	0.24	100	7966	98.34	33.2
2023-02-02 20:10:00	0	0	0	0	271	25.01	40.42	33.4	66.8	98.37	-0.4	-1.6	0	33.4	0.21	100	7963	98.34	32.9
2023-02-02 20:15:00	0	0	0	0	274	24.63	37	33	69.5	98.39	-1.8	-0.9	0	33	0.19	100	7962	98.36	32.4
2023-02-02 20:20:00	0	0	0	0	267	22.91	37.42	32.6	72	98.39	-0.8	-1.5	0	32.6	0.18	100	7963	98.37	32
2023-02-02 20:25:00	0	0	0	0	262	19.84	27.47	32.3	74.5	98.4	-1	-0.3	0	32.2	0.16	100	7963	98.36	31.6
2023-02-02 20:30:00	0	0	0	0	266	26.06	33.93	31.8	76.6	98.39	-1.2	1.3	0	31.8	0.14	100	7964	98.35	31.1
2023-02-02 20:35:00	0	0	0	0	261	21.3	32.23	31.2	79.6	98.39	-0.5	-0.9	0	31.2	0.12	100	7963	98.37	30.7
2023-02-02 20:40:00	0	0	0	0	262	20.98	30.8	30.7	82	98.39	-1.2	-0.5	0	30.7	0.1	100	7963	98.36	30.4
2023-02-02 20:45:00	0	0	0	0	267	16.78	26.31	30.5	84	98.39	-1.2	-0.2	0	30.5	0.09	100	7961	98.37	30.1
2023-02-02 20:50:00	0	0	0	0	266	17.31	25.57	30.2	86.1	98.38	-0.8	0.1	0	30.2	0.08	100	7959	98.36	29.9
2023-02-02 20:55:00	0	0	0	0	264	15.61	23.89	30	87	98.39	-0.9	-0.5	0	29.9	0.07	100	7961	98.37	29.8
2023-02-02 21:00:00	0	0	0	0	273	15.19	20.4	29.8	87.9	98.4	-0.6	-0.3	0	29.8	0.07	100	7963	98.38	29.6
2023-02-02 21:05:00	0	0	0	0	275	17.02	23.22	29.8	89	98.4	-0.8	-0.7	0	29.8	0.06	100	7960	98.39	29.5
2023-02-02 21:10:00	0	0	28	1	316	30.29	47.11	29.5	88.7	98.39	-1.9	0.1	0	29.5	0.06	100	7959	98.38	29.2
2023-02-02 21:15:00	0	0	5	1	324	34	45.07	28.1	84.2	98.4	-1.5	-1.1	0	28.1	0.08	100	7960	98.37	27.8
2023-02-02 21:20:00	0	0	0	0	323	34.43	47.29	26.6	84.9	98.39	-2.7	1.6	0	26.6	0.07	100	7957	98.39	26.8
2023-02-02 21:25:00	0	0	0	0	319	28.34	39.03	25.6	86.9	98.42	-2.3	-1	0	25.5	0.06	100	7957	98.41	26.1
2023-02-02 21:30:00	0	0	0	0	323	28.92	40.35	25.1	87.4	98.42	-2	-0.1	0	25.1	0.06	100	7957	98.42	25.6
2023-02-02 21:35:00	0	0	0	0	313	23.91	31.29	24.7	88.2	98.45	-0.7	-1.1	0	24.7	0.05	100	7953	98.45	25.2
2023-02-02 21:40:00	0	0	0	0	315	21.52	32.61	24.6	88.6	98.47	-0.8	0.1	0	24.6	0.05	100	7957	98.46	24.9
2023-02-02 21:45:00	0	0	0	0	296	27.58	41.56	24.5	88.3	98.48	-0.6	-1.2	0	24.5	0.05	100	7955	98.47	24.7
2023-02-02 21:50:00	0	0	0	0	307	24.02	38.83	24.3	87	98.49	-0.8	-1	0	24.3	0.06	100	7951	98.49	24.4
2023-02-02 21:55:00	0	0	0	0	309	24.4	39.59	24	86.3	98.5	-1.2	-1.5	0	24.1	0.06	100	7954	98.49	24.1
2023-02-02 22:00:00	0	0	0	0	304	24.76	37.6	24	84.6	98.5	-1.9	-0.5	0	24	0.07	100	7953	98.49	23.9
2023-02-02 22:05:00	0	0	0	0	316	21.5	30.74	23.8	84.7	98.52	-0.7	-0.4	0	23.8	0.07	100	7953	98.51	23.6
2023-02-02 22:10:00	0	0	0	0	320	23.06	33.02	23.7	85.7	98.52	-1.2	-0.3	0	23.6	0.06	100	7952	98.51	23.4
2023-02-02 22:15:00	0	0	0	0	314	23.6	37.54	23.3	84.7	98.53	-0.4	-0.1	0	23.3	0.07	100	7952	98.52	23
2023-02-02 22:20:00	0	0	0	0	307	24.65	36.8	23	85.4	98.53	-0.5	-0.4	0	23	0.06	100	7953	98.53	22.7
2023-02-02 22:25:00	0	0	0	0	310	23.06	33.38	22.8	85.2	98.55	-1.2	-0.5	0	22.7	0.06	100	7949	98.53	22.4
2023-02-02 22:30:00	0	0	0	0	307	18.34	24.79	22.6	84.5	98.56	-1.3	-0.1	0	22.6	0.06	100	7951	98.55	22.2
2023-02-02 22:35:00	0	0	0	0	309	23.96	40.2	22.4	83.2	98.54	-1.4	-0.8	0	22.4	0.07	100	7950	98.54	22
2023-02-02 22:40:00	0	0	0	0	309	27.76	42.14	22.4	81.8	98.54	-0.9	-1.4	0	22.4	0.07	100	7950	98.53	21.9
2023-02-02 22:45:00	0	0	0	0	313	26.57	36.46	22.2	80.3	98.55	-2.7	-0.5	0	22.2	0.08	100	7949	98.55	21.6
2023-02-02 22:50:00	0	0	0	0	314	25.59	33.35	22	79.3	98.55	-1.4	-1.3	0	22	0.08	100	7949	98.56	21.3
2023-02-02 22:55:00	0	0	0	0	308	22.55	30.71	21.8	79.9	98.58	-1.8	-0.4	0	21.8	0.08	100	7949	98.57	21.1
2023-02-02 23:00:00	0	0	0	0	313	25.28	36.89	21.6	77.1	98.58	-1	-0.3	0	21.6	0.09	100	7951	98.57	20.9
2023-02-02 23:05:00	0	0	0	0	302	26.19	38.14	21.6	73.6	98.57	-0.9	-1.1	0	21.6	0.1	100	7945	98.57	20.8
2023-02-02 23:10:00	0	0	0	0	316	27	44.67	21.7	70.7	98.59	-1.8	-0.6	0	21.7	0.12	100	7948	98.59	20.7
2023-02-02 23:15:00	0	0	0	0	311	23.47	31.38	21.6	70.6	98.6	-0.7	-0.9	0	21.5	0.12	100	7948	98.59	20.6
2023-02-02 23:20:00	0	0	0	0	301	24.9	35.79	21.6	68.4	98.61	-1.6	-0.3	0	21.6	0.13	100	7948	98.6	20.5
2023-02-02 23:25:00	0	0	0	0	303	27.16	43.89	21.6	66.5	98.61	-0.7	-1.3	0	21.6	0.13	100	7944	98.59	20.4
2023-02-02 23:30:00	0	0	0	0	306	29.53	47.83	21.3	62.8	98.62	-0.8	-1.8	0	21.2	0.15	100	7946	98.6	20.2
2023-02-02 23:35:00	0	0	0	0	304	27.67	34.34	21.3	61.2	98.62	0.2	-1.3	0	21.2	0.15	100	7944	98.63	20.1
2023-02-02 23:40:00	0	0	0	0	296	27.81	39.19	21.2	61.5	98.64	-0.8	-0.6	0	21.1	0.15	100	7946	98.63	19.9
2023-02-02 23:45:00	0	0	0	0	306	28.88	39.46	20.8	59.9	98.64	-1.7	-0.7	0	20.8	0.15	100	7945	98.63	19.6
2023-02-02 23:50:00	0	0	0	0	301	21.65	32.48	20.7	60.2	98.67	-1.1	-1.1	0	20.7	0.15	100	7944	98.67	19.4
2023-02-02 23:55:00	0	0	0	0	295	24.02	39.93	20.5	60.6	98.68	-0.5	-0.2	0	20.5	0.15	100	7944	98.66	19.2

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-03 00:00:00	0	0	0	0	293	29.01	40.94	20.3	59.6	98.67	-0.7	-0.7	0	20.3	0.15	100	7947	98.67	19
2023-02-03 00:05:00	0	0	0	0	293	23.02	33.96	20.2	58.8	98.69	-1.4	-0.7	0	20.2	0.15	100	7912	98.69	18.9
2023-02-03 00:10:00	0	0	0	0	294	25.64	38.03	19.9	59.4	98.68	-1.6	-0.6	0	19.9	0.15	100	7906	98.68	18.9
2023-02-03 00:15:00	0	0	0	0	294	22.82	35.79	19.7	60.1	98.7	-1	-0.3	0	19.6	0.15	100	7900	98.69	18.8
2023-02-03 00:20:00	0	0	0	0	302	25.5	39.41	19.5	60.6	98.7	-2.1	-0.3	0	19.5	0.14	100	7918	98.7	18.6
2023-02-03 00:25:00	0	0	0	0	298	18.16	27.98	19.4	62.4	98.72	-1.3	-0.9	0	19.4	0.14	100	7920	98.71	18.4
2023-02-03 00:30:00	0	0	0	0	292	23.98	34.52	19.4	63.1	98.71	-1.4	-0.1	0	19.4	0.13	100	7920	98.71	18.1
2023-02-03 00:35:00	0	0	0	0	290	25.86	35.86	19.2	61.8	98.71	-1.4	-0.3	0	19.3	0.14	100	7920	98.71	18
2023-02-03 00:40:00	0	0	0	0	286	23.4	31.36	19.1	61.5	98.7	0.4	-1.8	0	19.1	0.14	100	7922	98.7	17.8
2023-02-03 00:45:00	0	0	0	0	294	24.45	36.82	19.1	62.2	98.71	-1.1	-0.1	0	19.1	0.13	100	7924	98.7	17.8
2023-02-03 00:50:00	0	0	0	0	295	20.65	32.46	19	65.1	98.73	-0.9	0.7	0	19	0.12	100	7922	98.73	17.7
2023-02-03 00:55:00	0	0	0	0	299	22.44	31.27	18.8	68	98.74	-0.6	-0.5	0	18.8	0.11	100	7924	98.72	17.6
2023-02-03 01:00:00	0	0	0	0	307	22.93	34.09	18.8	68.6	98.74	-1.4	-0.2	0	18.8	0.11	100	7922	98.73	17.5
2023-02-03 01:05:00	0	0	0	0	304	21.43	30.24	18.8	70.8	98.76	-0.9	-0.5	0	18.8	0.1	100	7923	98.74	17.5
2023-02-03 01:10:00	0	0	0	0	312	20.58	27.58	18.5	75.8	98.77	-1	-0.9	0	18.5	0.08	100	7925	98.76	17.3
2023-02-03 01:15:00	0	0	0	0	314	18.75	27.27	18.1	78.9	98.78	-1.1	-0.4	0	18.1	0.07	100	7924	98.78	16.9
2023-02-03 01:20:00	0	0	0	0	306	24.56	39.93	17.7	80.2	98.77	-1.9	0.7	0	17.7	0.07	100	7922	98.79	16.6
2023-02-03 01:25:00	0	0	0	0	304	19.35	28.59	17.2	81.4	98.8	-0.9	-0.9	0	17.2	0.06	100	7923	98.8	16.2
2023-02-03 01:30:00	0	0	0	0	307	24.47	40.11	16.8	81.7	98.78	0.2	-1.8	0	16.8	0.06	100	7924	98.79	16
2023-02-03 01:35:00	0	0	0	0	307	20.56	28.52	16.6	81.2	98.81	-1.1	-0.3	0	16.5	0.06	100	7922	98.81	15.7
2023-02-03 01:40:00	0	0	0	0	306	21.12	31.81	16.3	79.6	98.81	-1.1	-0.6	0	16.3	0.06	100	7923	98.81	15.5
2023-02-03 01:45:00	0	0	0	0	308	21.97	32.46	16.3	76.4	98.81	-1.9	0.1	0	16.3	0.07	100	7922	98.82	15.3
2023-02-03 01:50:00	0	0	0	0	308	23.13	32.57	16.3	73.8	98.82	-1	-0.3	0	16.3	0.08	100	7922	98.82	15.2
2023-02-03 01:55:00	0	0	0	0	314	20.85	30.49	16.2	72.9	98.84	-1	-0.4	0	16.2	0.09	100	7921	98.85	15
2023-02-03 02:00:00	0	0	0	0	314	21.92	30.71	16.2	69.9	98.84	-1	-1.1	0	16.2	0.09	100	7921	98.85	14.8
2023-02-03 02:05:00	0	0	0	0	308	18.99	27.56	16.2	69.9	98.86	-1.1	-0.6	0	16.2	0.09	100	7920	98.86	14.7
2023-02-03 02:10:00	0	0	0	0	305	25.57	38.43	15.9	68.1	98.85	-2.1	-0.9	0	15.9	0.1	100	7921	98.85	14.5
2023-02-03 02:15:00	0	0	0	0	309	21.27	31.79	15.8	67.8	98.86	-1.2	-0.9	0	15.8	0.1	100	7920	98.86	14.4
2023-02-03 02:20:00	0	0	0	0	317	20.36	29.26	15.7	68.1	98.87	-1.9	-0.1	0	15.7	0.1	100	7918	98.87	14.1
2023-02-03 02:25:00	0	0	0	0	305	25.84	40.67	15.5	66	98.86	-1.6	0.3	0	15.5	0.1	100	7919	98.86	13.9
2023-02-03 02:30:00	0	0	0	0	312	19.48	29.97	15.4	65.8	98.89	-1.5	-0.2	0	15.4	0.1	100	7918	98.89	13.8
2023-02-03 02:35:00	0	0	0	0	322	21.65	33.38	15.2	66.2	98.89	-1.4	-1.5	0	15.2	0.1	100	7920	98.9	13.7
2023-02-03 02:40:00	0	0	0	0	317	23.35	36.53	15	70.2	98.89	-1.9	-0.7	0	15	0.09	100	7917	98.89	13.6
2023-02-03 02:45:00	0	0	0	0	315	17.67	29.93	14.9	70.6	98.91	-1.3	-0.3	0	14.9	0.09	100	7918	98.92	13.4
2023-02-03 02:50:00	0	0	0	0	311	21.52	30.85	14.6	71.3	98.92	-1.4	-0.5	0	14.6	0.08	100	7917	98.91	13.2
2023-02-03 02:55:00	0	0	0	0	308	21.63	32.32	14.6	71.4	98.9	-2.2	0.9	0	14.6	0.08	100	7919	98.91	13.1
2023-02-03 03:00:00	0	0	0	0	305	24.43	40.49	14.3	68.9	98.91	-0.5	-1.3	0	14.3	0.09	100	7916	98.91	12.9
2023-02-03 03:05:00	0	0	0	0	312	22.21	31.99	14.2	68.5	98.93	-1.6	1.3	0	14.2	0.09	100	7917	98.93	12.6
2023-02-03 03:10:00	0	0	0	0	316	23.38	32.26	14	66.3	98.93	-0.7	-0.9	0	14	0.1	100	7915	98.92	12.4
2023-02-03 03:15:00	0	0	0	0	312	25.59	32.61	13.8	64.8	98.94	-0.4	-1.2	0	13.8	0.1	100	7916	98.92	12.1
2023-02-03 03:20:00	0	0	0	0	310	18.01	29.17	13.6	64	98.95	-1.3	-0.1	0	13.6	0.1	100	7915	98.95	11.9
2023-02-03 03:25:00	0	0	0	0	311	17.54	26.08	13.4	65.4	98.95	-1.5	-1.1	0	13.4	0.1	100	7914	98.96	11.6
2023-02-03 03:30:00	0	0	0	0	317	21.7	33.93	13.2	68	98.94	-1.7	-0.6	0	13.1	0.09	100	7915	98.95	11.5
2023-02-03 03:35:00	0	0	0	0	311	21.83	39.03	13.2	68.8	98.95	-1.4	-1.3	0	13.2	0.09	100	7903	98.94	11.5
2023-02-03 03:40:00	0	0	0	0	311	22.82	30.98	13	65.6	98.95	-1.1	-0.1	0	13	0.09	100	7906	98.96	11.4
2023-02-03 03:45:00	0	0	0	0	309	17.96	28.32	12.9	65.9	98.97	-1.9	-0.2	0	12.9	0.09	100	7904	98.97	11.2
2023-02-03 03:50:00	0	0	0	0	317	17.49	26.87	12.9	66.8	98.96	-1.3	-0.6	0	12.9	0.09	100	7907	98.97	11.1
2023-02-03 03:55:00	0	0	0	0	325	21.47	28.77	12.9	69.7	98.95	-1.2	-1.4	0	12.9	0.08	100	7908	98.95	11.1
2023-02-03 04:00:00	0	0	0	0	319	19.35	25.21	12.7	70.1	98.97	-1.8	0.5	0	12.8	0.08	100	7908	98.98	11.1
2023-02-03 04:05:00	0	0	0	0	315	20.92	30.82	12.7	70.1	98.98	-1.2	-0.6	0	12.7	0.08	100	7907	98.98	11
2023-02-03 04:10:00	0	0	0	0	315	21.07	27.87	12.6	70.6	98.99	-1.7	-0.6	0	12.6	0.08	100	7908	98.99	11
2023-02-03 04:15:00	0	0	0	0	316	22.95	33.98	12.5	70.8	98.98	-1.1	-1.2	0	12.5	0.08	100	7906	98.98	10.9
2023-02-03 04:20:00	0	0	0	0	327	25.97	31.97	12.5	69.4	98.97	-1.8	0.3	0	12.5	0.08	100	7905	98.98	10.8
2023-02-03 04:25:00	0	0	0	0	322	23.17	33.82	12.3	67.7	99	-2.4	-0.5	0	12.3	0.09	100	7906	99.01	10.7
2023-02-03 04:30:00	0	0	0	0	312	23	36.1	12.2	70.3	99	-1.9	-1	0	12.2	0.08	100	7906	99.02	10.7
2023-02-03 04:35:00	0	0	0	0	326	21.83	33.84	12.2	71.9	99.01	-0.3	-1.7	0	12.2	0.07	100	7905	99.03	10.6
2023-02-03 04:40:00	0	0	0	0	316	23.85	36.31	12	72.4	99.02	-1.6	-0.4	0	12.1	0.07	100	7906	99.04	10.5
2023-02-03 04:45:00	0	0	0	0	319	21.54	27.92	11.8	73.2	99.04	-1.3	-1	0	11.8	0.07	100	7903	99.06	10.3
2023-02-03 04:50:00	0	0	0	0	330	20.76	31.74	11.7	73.3	99.06	-1	-0.3	0	11.7	0.07	100	7906	99.07	10.2
2023-02-03 04:55:00	0	0	0	0	318	16.17	23.38	11.5	74	99.07	-1.8	-0.8	0	11.5	0.07	100	7905	99.09	10
2023-02-03 05:00:00	0	0	0	0	321	16.98	26.02	11.3	74.6	99.08	-1.6	-0.8	0	11.3	0.06	100	7905	99.09	9.8
2023-02-03 05:05:00	0	0	0	0	316	21.18	29.64	11	74.8	99.08	-0.9	-1.1	0	11	0.06	100	7902	99.09	9.7
2023-02-03 05:10:00	0	0	0	0	319	19.13	27.87	10.9	72.9	99.09	-1.5	-0.7	0	10.9	0.07	100	7904	99.11	9.5
2023-02-03 05:15:00	0	0	0	0	319	20.92	27.65	10.8	72.5	99.08	-0.6	-1.1	0	10.7	0.07	100	7904	99.1	9.3

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-03 05:20:00	0	0	0	0	329	20.6	38.43	10.6	73.1	99.09	-1.9	0	0	10.6	0.07	100	7904	99.11	9
2023-02-03 05:25:00	0	0	0	0	322	15.64	23.55	10.3	74	99.11	-1.3	-0.7	0	10.3	0.06	100	7903	99.13	8.9
2023-02-03 05:30:00	0	0	0	0	320	14.85	20.29	10.2	74.3	99.13	-1.7	-0.6	0	10.2	0.06	100	7901	99.14	8.8
2023-02-03 05:35:00	0	0	0	0	318	17.76	29.1	10	75	99.13	-1.5	-0.5	0	10	0.06	100	7900	99.15	8.6
2023-02-03 05:40:00	0	0	0	0	325	17.81	24.47	9.9	75.3	99.14	-1.3	-0.6	0	9.9	0.06	100	7902	99.16	8.5
2023-02-03 05:45:00	0	0	0	0	328	16.58	30.18	9.8	75.9	99.14	-1.4	-0.7	0	9.7	0.06	100	7903	99.16	8.3
2023-02-03 05:50:00	0	0	0	0	314	17.78	24.94	9.6	76.3	99.15	-1.8	-0.5	0	9.6	0.06	100	7900	99.17	8.2
2023-02-03 05:55:00	0	0	0	0	325	16.67	22.1	9.4	77	99.15	-1.6	-0.7	0	9.4	0.05	100	7903	99.16	8.1
2023-02-03 06:00:00	0	0	0	0	325	17.02	27.63	9.3	77.4	99.15	-1.5	-0.7	0	9.2	0.05	100	7902	99.17	7.9
2023-02-03 06:05:00	0	0	0	0	327	16.15	21.61	9.2	77.6	99.16	-1.8	-0.4	0	9.2	0.05	100	7898	99.18	7.7
2023-02-03 06:10:00	0	0	0	0	321	19.8	29.59	9	77.8	99.16	-2	-0.7	0	9	0.05	100	7900	99.18	7.4
2023-02-03 06:15:00	0	0	0	0	320	21.39	28.77	8.8	74.9	99.16	-1.6	0.8	0	8.8	0.06	100	7900	99.17	7.2
2023-02-03 06:20:00	0	0	0	0	310	20.45	27.16	8.6	75.4	99.17	-0.4	-1	0	8.6	0.06	100	7899	99.19	7.1
2023-02-03 06:25:00	0	0	0	0	309	17.47	24.54	8.5	76	99.18	-0.9	-0.8	0	8.5	0.05	100	7898	99.2	6.8
2023-02-03 06:30:00	0	0	0	0	305	18.99	26.98	8.2	76.7	99.19	-1.8	-0.4	0	8.2	0.05	100	7897	99.2	6.7
2023-02-03 06:35:00	0	0	0	0	302	19.1	28.43	8.1	77.3	99.2	-1.4	-0.4	0	8.1	0.05	100	7896	99.21	6.6
2023-02-03 06:40:00	0	0	0	0	307	16.2	22.26	8	77.6	99.22	-1.7	-0.3	0	8	0.05	100	7896	99.24	6.5
2023-02-03 06:45:00	0	0	0	0	308	18.9	26.22	7.9	77.9	99.22	-1.9	-0.4	0	8	0.05	100	7897	99.23	6.4
2023-02-03 06:50:00	0	0	0	0	310	14	18.88	7.7	78.6	99.24	-1.8	-0.5	0	7.7	0.05	100	7897	99.26	6.3
2023-02-03 06:55:00	0	0	0	0	310	16.96	24.27	7.6	79	99.25	-1.6	-0.5	0	7.6	0.05	100	7896	99.27	6.2
2023-02-03 07:00:00	0	0	0	0	306	19.24	34.36	7.5	79.3	99.24	-2.6	0.8	0	7.5	0.04	100	7897	99.27	6
2023-02-03 07:05:00	0.4	0	0	0	305	18.05	25.64	7.3	79.9	99.26	-1.6	-0.8	0	7.3	0.04	100	7894	99.28	5.9
2023-02-03 07:10:00	1.2	0	0	0	308	15.1	22.64	7.2	80.6	99.28	-1.6	-0.6	0	7.2	0.04	100	7895	99.3	5.7
2023-02-03 07:15:00	2.2	0	0	0	310	15.35	26.4	7.1	81	99.29	-1.7	-0.4	0	7	0.04	100	7897	99.32	5.6
2023-02-03 07:20:00	3.8	0	0	0	311	15.77	25.75	7	81.1	99.3	-1.5	-0.3	0	7	0.04	100	7892	99.33	5.5
2023-02-03 07:25:00	8	0	0	0	306	16.67	27.65	6.8	81.9	99.31	-1.3	-0.2	0	6.8	0.04	100	7894	99.33	5.4
2023-02-03 07:30:00	15.8	0	0	0	311	21.41	38.81	6.7	82.2	99.3	-1	-1.4	0	6.8	0.04	100	7893	99.33	5.3
2023-02-03 07:35:00	22.8	0	0	0	314	18.5	27.67	6.6	82.7	99.32	-2.1	-0.2	0	6.6	0.04	100	7893	99.35	5.1
2023-02-03 07:40:00	35.2	0	0	0	304	16.96	23.44	6.5	82.8	99.33	-1.6	-0.6	0	6.6	0.04	100	7895	99.36	5
2023-02-03 07:45:00	35.4	0	0	0	306	18.12	24.02	6.4	78.5	99.34	-2.1	-0.4	0	6.5	0.04	100	7894	99.38	4.9
2023-02-03 07:50:00	30.2	0	0	0	313	17.11	28.86	6.4	78.5	99.35	-1.4	-0.9	0	6.4	0.04	100	7893	99.39	4.8
2023-02-03 07:55:00	45.6	0	0	0	305	15.88	24.52	6.2	80.1	99.37	-1.8	-0.4	0	6.3	0.04	100	7897	99.39	4.7
2023-02-03 08:00:00	57	0	0	0	305	15.57	22.17	6.2	80.4	99.37	-2	-0.8	0	6.3	0.04	100	7897	99.4	4.6
2023-02-03 08:05:00	48.6	0	0	0	315	18.05	24.81	6.1	79.5	99.38	-1.4	-0.4	0	6.2	0.04	100	7900	99.41	4.5
2023-02-03 08:10:00	65.6	0	0	0	303	15.28	29.24	6	79.9	99.39	-2	-0.3	0	6.2	0.04	100	7899	99.42	4.5
2023-02-03 08:15:00	65.6	0	0	0	299	19.48	25.23	6	80.8	99.39	-2.5	-0.9	0	6.2	0.04	100	7900	99.42	4.5
2023-02-03 08:20:00	65.4	0	0	0	309	14.09	19.93	5.9	80.2	99.41	-1	-0.4	0	6	0.04	100	7903	99.43	4.3
2023-02-03 08:25:00	92	0	0	0	307	16.44	23.78	6	79.8	99.4	-2.1	0	0	6.2	0.04	100	7907	99.44	4.2
2023-02-03 08:30:00	103.6	0	0	0	301	16.6	24.02	6.2	79.1	99.41	-1.4	-0.8	0	6.4	0.04	100	7909	99.45	4.2
2023-02-03 08:35:00	92.8	0	0	0	305	17.49	27.83	6.1	79.5	99.43	-2	-0.4	0	6.3	0.04	100	7909	99.46	4.3
2023-02-03 08:40:00	192.2	0	0	0	302	17	26.35	6.5	78.2	99.42	-1.7	-0.5	0	6.8	0.04	100	7930	99.46	4.3
2023-02-03 08:45:00	144	0	0	0	315	17.09	30.31	7.1	76.2	99.44	-1.5	-0.1	0	7.3	0.05	100	7928	99.47	4.6
2023-02-03 08:50:00	114	0	0	0	297	18.41	31.56	6.6	77.7	99.45	-3.4	0.2	0	6.8	0.05	100	7925	99.48	4.7
2023-02-03 08:55:00	168.2	0	0	0	304	19.73	32.86	6.4	78.4	99.45	-1	-0.1	0	6.7	0.04	100	7934	99.48	4.6
2023-02-03 09:00:00	132.2	0	0	0	304	16.13	21.81	6.7	77.5	99.47	-1.8	-0.2	0	7	0.05	100	7931	99.49	4.7
2023-02-03 09:05:00	107.6	0	0	0	303	18.86	28.14	6.3	78.9	99.48	-1	-0.8	0	6.5	0.04	100	7931	99.5	4.6
2023-02-03 09:10:00	136.4	0	0	0	298	18.92	30.69	5.9	80.2	99.48	-2.2	0.2	0	6.2	0.04	100	7933	99.52	4.5
2023-02-03 09:15:00	148.8	0	0	0	295	21.43	32.41	5.9	79.3	99.48	-1.7	0.3	0	6.2	0.04	100	7938	99.51	4.4
2023-02-03 09:20:00	181.2	0	0	0	305	18.79	26.62	5.9	79.3	99.48	-2.9	0.3	0	6.2	0.04	100	7942	99.52	4.3
2023-02-03 09:25:00	224	0	0	0	295	17.87	29.95	6.3	78.9	99.5	-2.4	-0.1	0	6.7	0.04	100	7948	99.54	4.4
2023-02-03 09:30:00	148.4	0	0	0	297	17.78	25.9	6.4	77.6	99.52	-1.6	-0.8	0	6.6	0.05	100	7948	99.55	4.5
2023-02-03 09:35:00	177.2	0	0	0	306	17.63	24.34	6	78.9	99.52	-1.6	-0.3	0	6.3	0.04	100	7950	99.55	4.5
2023-02-03 09:40:00	180.8	0	0	0	307	16.08	23.51	5.8	80.6	99.53	-1.1	-0.6	0	6.2	0.04	100	7950	99.56	4.4
2023-02-03 09:45:00	167.2	0	0	0	299	18.61	29.44	5.8	80.6	99.53	-1.9	-1	0	6.2	0.04	100	7953	99.56	4.5
2023-02-03 09:50:00	144.4	0	0	0	302	16.93	23.98	5.6	81.2	99.55	-1.9	0	0	6	0.04	100	7953	99.58	4.3
2023-02-03 09:55:00	181	0	0	0	314	16.62	25.86	5.7	81	99.54	-1.8	-1.1	0	6	0.04	100	7958	99.57	4.3
2023-02-03 10:00:00	205.2	0	0	0	325	18.77	26.89	5.8	80.7	99.54	-1.7	-0.5	0	6.2	0.04	100	7963	99.58	4.3
2023-02-03 10:05:00	215.6	0	0	0	313	20.92	33.96	5.9	77.4	99.53	-1.8	-0.6	0	6.3	0.04	100	7966	99.57	4.2
2023-02-03 10:10:00	219.8	0	0	0	310	16.33	22.53	5.6	76.2	99.56	-1	-1	0	6	0.05	100	7969	99.59	4.2
2023-02-03 10:15:00	244.6	0	0	0	309	19.15	30.18	5.9	75.4	99.55	-2	-0.5	0	6.3	0.05	100	7977	99.58	4.3
2023-02-03 10:20:00	262	0	0	0	315	20.92	32.44	6.1	74.5	99.55	-1.5	-0.7	0	6.6	0.05	100	7981	99.59	4.2
2023-02-03 10:25:00	220.6	0	0	0	321	21.36	29.33	6.1	71.6	99.56	-0.3	-0.2	0	6.5	0.06	100	7987	99.59	4.1
2023-02-03 10:30:00	349	0	0	0	309	20.69	30.29	6.4	69.7	99.55	-2.6	-0.4	0	7	0.06	100	8001	99.61	3.9
2023-02-03 10:35:00	329.6	0	0	0	308	24.32	31.36	7.2	69.2	99.55	-1.6	0.5	0	7.6	0.07	100	8008	99.61	4.2

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-03 10:40:00	342.4	0	0	0	318	22.68	28.92	7.1	66.5	99.53	-1.1	-1.4	0	7.7	0.07	100	8017	99.61	4.1
2023-02-03 10:45:00	372	0	0	0	317	18.41	26.4	7.5	66.2	99.56	-1.8	0.3	0	8.1	0.07	100	8028	99.63	4.2
2023-02-03 10:50:00	361.8	0	0	0	315	22.21	33.46	8.2	63.2	99.58	-1.7	-0.3	0	8.8	0.08	100	8042	99.62	4.5
2023-02-03 10:55:00	355.8	0	0	0	310	24.43	37.47	8.1	63.7	99.55	-2.2	-0.3	0	8.6	0.08	100	8045	99.62	4.5
2023-02-03 11:00:00	279.6	0	0	0	314	21.41	34.07	7.4	61.8	99.59	-1.7	-0.8	0	7.9	0.08	100	8047	99.63	4.5
2023-02-03 11:05:00	339.8	0	0	0	315	17.65	30.69	6.9	64.2	99.6	-1.9	-0.2	0	7.4	0.07	100	8052	99.66	4.4
2023-02-03 11:10:00	294.8	0	0	0	316	18.7	28.01	6.9	67.2	99.61	-1.8	-0.8	0	7.4	0.07	100	8054	99.66	4.6
2023-02-03 11:15:00	379.6	0	0	0	319	20.56	27.16	6.7	67.8	99.6	-2.8	-0.9	0	7.3	0.07	100	8058	99.65	4.6
2023-02-03 11:20:00	260.2	0	0	0	307	19.71	29.93	6.3	69	99.63	-2.1	0.6	0	6.7	0.06	100	8055	99.66	4.5
2023-02-03 11:25:00	262.2	0	0	0	309	17.63	24.29	5.6	71.3	99.62	-1	-1.3	0	6.1	0.06	100	8055	99.67	4.3
2023-02-03 11:30:00	364.4	0	0	0	310	20.33	31	5.5	71.6	99.63	-1.9	0	0	6.1	0.06	100	8063	99.67	4.2
2023-02-03 11:35:00	317.8	0	0	0	310	19.82	27.31	5.8	70.6	99.62	-1.8	-0.5	0	6.3	0.06	100	8064	99.68	4.2
2023-02-03 11:40:00	415.6	0	0	0	301	18.99	29.35	6.2	69.5	99.63	-1.5	-0.8	0	6.8	0.06	100	8073	99.68	4.2
2023-02-03 11:45:00	274.4	0	0	0	315	18.12	25.08	6.2	69.2	99.64	-1.1	-1.4	0	6.8	0.06	100	8073	99.68	4.4
2023-02-03 11:50:00	316.4	0	0	0	313	21.12	32.84	5.8	69.6	99.63	-2.9	0	0	6.3	0.06	100	8076	99.67	4.2
2023-02-03 11:55:00	267.2	0	0	0	321	17.18	24.29	5.3	68.2	99.64	-2.3	0.3	0	5.8	0.06	100	8077	99.7	4
2023-02-03 12:00:00	300.8	0	0	0	305	20.8	28.03	5	67.9	99.64	-1.3	-1.1	0	5.5	0.06	100	8077	99.68	3.8
2023-02-03 12:05:00	323.8	0	0	0	314	23.96	32.1	5	67.9	99.62	-1.4	0.8	0	5.6	0.06	100	8082	99.67	3.6
2023-02-03 12:10:00	314.4	0	0	0	311	21.45	31	4.8	68.7	99.64	-1.2	-0.2	0	5.3	0.06	100	8083	99.68	3.5
2023-02-03 12:15:00	414	0	0	0	312	19.73	27.25	5	69.2	99.64	-1.5	0	0	5.6	0.06	100	8094	99.69	3.4
2023-02-03 12:20:00	371	0	0	0	310	20.74	39.03	5.6	71.1	99.64	-1.5	-0.1	0	6.3	0.06	100	8095	99.69	3.7
2023-02-03 12:25:00	265.6	0	0	0	309	24.94	35.84	5	68	99.64	-1.7	-0.9	0	5.4	0.06	100	8096	99.67	3.4
2023-02-03 12:30:00	404.6	0	0	0	311	23.33	31.76	4.8	67.6	99.62	-1.6	0	0	5.4	0.06	100	8102	99.68	3.1
2023-02-03 12:35:00	422.8	0	0	0	314	19.75	31.36	5.6	66	99.64	-1.8	0.2	0	6.3	0.07	100	8107	99.7	3.3
2023-02-03 12:40:00	243.6	0	0	0	309	20.92	32.84	5.2	67.4	99.66	0	-2.6	0	5.6	0.06	100	8103	99.69	3.3
2023-02-03 12:45:00	337.6	0	0	0	308	21.39	29.97	5.3	64.1	99.65	-1.9	0.4	0	5.7	0.07	100	8106	99.69	3
2023-02-03 12:50:00	493.4	0	0	0	302	17.29	25.46	5.9	65.4	99.65	-2	0	0	6.5	0.07	100	8112	99.7	3.1
2023-02-03 12:55:00	449.8	0	0	0	292	19.75	29.77	7	62.1	99.66	-1.4	-1.1	0	7.6	0.08	100	8115	99.7	3.6
2023-02-03 13:00:00	218.2	0	0	0	299	18.28	25.46	5.9	65.1	99.69	-2.2	0.1	0	6.3	0.07	100	8112	99.71	3.6
2023-02-03 13:05:00	226.2	0	0	0	306	18.52	27.45	5	67.9	99.68	-0.3	-0.9	0	5.4	0.06	100	8112	99.71	3.3
2023-02-03 13:10:00	214.2	0	0	0	303	18.03	29.91	4.5	64.3	99.68	-1.6	-0.8	0	4.9	0.07	100	8111	99.72	3.1
2023-02-03 13:15:00	260.4	0	0	0	300	18.59	29.15	4.4	64.7	99.67	-2.4	-0.5	0	4.8	0.07	100	8113	99.72	2.8
2023-02-03 13:20:00	284.2	0	0	0	297	15.84	24.34	4.1	66.6	99.68	-1.4	-0.4	0	4.6	0.06	100	8114	99.72	2.8
2023-02-03 13:25:00	344.4	0	0	0	305	16.15	24.9	4.4	69.9	99.68	-1.5	-0.6	0	5.1	0.06	100	8118	99.72	2.9
2023-02-03 13:30:00	290.6	0	0	0	291	18.21	27.74	5	67.9	99.68	-1.6	0.1	0	5.7	0.06	100	8120	99.72	3.1
2023-02-03 13:35:00	283.4	0	0	0	286	19.98	34.58	4.7	63.5	99.68	-1.6	-1.4	0	5.2	0.07	100	8122	99.72	3
2023-02-03 13:40:00	354.8	0	0	0	291	16.2	23.67	4.8	65.5	99.69	-1.9	-0.2	0	5.4	0.07	100	8127	99.73	3.1
2023-02-03 13:45:00	347.6	0	0	0	300	17.13	25.01	5.2	67.4	99.68	-2	0.3	0	5.8	0.06	100	8131	99.73	3.2
2023-02-03 13:50:00	383.6	0	0	0	298	14.9	28.3	5.5	68.5	99.69	-1.4	-0.1	0	6.2	0.06	100	8131	99.73	3.5
2023-02-03 13:55:00	414.4	0	0	0	293	16.33	26.8	6.1	66.7	99.68	-2.2	-0.3	0	6.8	0.07	100	8137	99.74	3.7
2023-02-03 14:00:00	440	0	0	0	292	17.27	27.36	6.4	65.7	99.69	-1.1	-0.9	0	7.1	0.07	100	8140	99.73	3.9
2023-02-03 14:05:00	431	0	0	0	308	18.23	26.11	7.1	66.6	99.68	-1.4	-0.9	0	7.8	0.07	100	8142	99.73	4.2
2023-02-03 14:10:00	355.8	0	0	0	291	19.77	30.65	6.8	66.6	99.7	-2.6	0.7	0	7.4	0.07	100	8146	99.75	4.3
2023-02-03 14:15:00	294.4	0	0	0	285	22.08	39.8	6.3	63	99.7	-1.3	-1	0	6.8	0.08	100	8148	99.73	4.2
2023-02-03 14:20:00	263	0	0	0	295	23.04	31.85	5.6	60.9	99.69	-2.2	0.1	0	6.2	0.08	100	8146	99.72	3.9
2023-02-03 14:25:00	199	0	0	0	291	17.83	25.32	5	62.7	99.72	-2.3	0.1	0	5.4	0.07	100	8146	99.75	3.6
2023-02-03 14:30:00	201.8	0	0	0	291	18.61	25.5	4.7	64.8	99.72	-2.4	0	0	5	0.07	100	8145	99.76	3.4
2023-02-03 14:35:00	286.4	0	0	0	306	17.72	27.16	4.5	70.5	99.72	-1.9	-0.3	0	5	0.06	100	8137	99.75	3.4
2023-02-03 14:40:00	239.8	0	0	0	307	15.73	23.53	4.6	74.4	99.72	-1.1	0.1	0	5.1	0.05	100	8138	99.76	3.5
2023-02-03 14:45:00	160.8	0	0	0	303	15.01	23.94	4.5	75.1	99.74	-2.1	-0.3	0	4.8	0.05	100	8135	99.77	3.4
2023-02-03 14:50:00	209.2	0	0	0	301	15.61	23.24	4.2	75.9	99.72	-1.4	0	0	4.6	0.04	100	8138	99.76	3.2
2023-02-03 14:55:00	217.6	0	0	0	299	18.25	27.78	4.2	76.1	99.73	-1.6	-0.8	0	4.6	0.04	100	8140	99.77	3.1
2023-02-03 15:00:00	168.2	0	0	0	305	18.61	27.45	4.2	75.9	99.74	-1.4	-1	0	4.5	0.04	100	8139	99.79	3.1
2023-02-03 15:05:00	106.2	0	0	0	308	17.98	25.48	4	76.7	99.75	-1.5	-0.6	0	4.2	0.04	100	8136	99.78	2.9
2023-02-03 15:10:00	89.8	0	0	0	304	16.73	27.31	3.6	78.1	99.76	-1.9	0.4	0	3.8	0.04	100	8133	99.78	2.6
2023-02-03 15:15:00	106.4	0	0	0	310	19.1	26.51	3.4	78.8	99.76	-2.3	0.2	0	3.6	0.04	100	8134	99.79	2.4
2023-02-03 15:20:00	97	0	0	0	300	18.92	28.74	3.3	79.3	99.76	-2.9	0.3	0	3.3	0.04	100	8130	99.8	2.2
2023-02-03 15:25:00	86	0	0	0	303	19.8	29.15	3.1	79.8	99.77	-1.8	-1.9	0	3.3	0.04	100	8128	99.8	2.1
2023-02-03 15:30:00	79.8	0	0	0	298	19.35	33.62	2.9	80.5	99.78	-1.4	-0.7	0	3.1	0.03	100	8125	99.81	1.9
2023-02-03 15:35:00	64.6	0	0	0	298	19.44	27.94	2.9	80.5	99.77	-2.4	0.3	0	3	0.03	100	8125	99.8	1.8
2023-02-03 15:40:00	116.4	0	0	0	298	21.85	30.85	3	80.4	99.78	-1.1	-0.2	0	3.1	0.03	100	8124	99.82	1.8
2023-02-03 15:45:00	153.6	0	0	0	301	19.91	34.87	3.3	79.2	99.78	-1.2	-0.4	0	3.5	0.04	100	8126	99.81	1.8
2023-02-03 15:50:00	96.8	0	0	0	299	21.74	32.75	3.3	77.9	99.78	-1.1	1	0	3.6	0.04	100	8122	99.81	1.9
2023-02-03 15:55:00	111.2	0	0	0	301	22.19	33.58	3.4	74.4	99.8	-1.7	-0.6	0	3.6	0.05	100	8124	99.83	1.9

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-03 16:00:00	129	0	0	0	299	24.4	32.32	3.5	73	99.8	-2.4	-1.7	0	3.7	0.05	100	8124	99.84	1.9
2023-02-03 16:05:00	85.8	0	0	0	297	22.93	33.67	3.6	72.7	99.82	-2.5	-0.5	0	3.7	0.05	100	8124	99.85	1.8
2023-02-03 16:10:00	72.4	0	0	0	294	21.81	40.35	3.4	73.3	99.83	-2	0.2	0	3.5	0.05	100	8119	99.85	1.7
2023-02-03 16:15:00	82	0	0	0	295	23	31.7	3.2	73.8	99.83	-1	-0.8	0	3.3	0.05	100	8120	99.87	1.6
2023-02-03 16:20:00	74	0	0	0	301	22.55	35.12	3.2	73.9	99.84	-1.2	0	0	3.3	0.05	100	8117	99.88	1.6
2023-02-03 16:25:00	54.2	0	0	0	294	20.15	30.85	3.2	73.9	99.85	-2.3	0	0	3.3	0.05	100	8118	99.88	1.5
2023-02-03 16:30:00	40.6	0	0	0	303	18.63	25.3	3	74.5	99.86	-2.1	-0.7	0	3.1	0.04	100	8118	99.89	1.5
2023-02-03 16:35:00	36	0	0	0	309	19.3	27.04	2.9	80.5	99.86	-1.7	0	0	2.9	0.03	100	8112	99.89	1.4
2023-02-03 16:40:00	36.2	0	0	0	295	18.84	28.39	3	80.4	99.87	-2	-0.4	0	3.1	0.03	100	8110	99.9	1.3
2023-02-03 16:45:00	36.4	0	0	0	298	17.2	27.94	2.9	79.3	99.89	-2.2	-0.4	0	3.1	0.04	100	8110	99.91	1.3
2023-02-03 16:50:00	27.4	0	0	0	287	19.15	32.53	3	76.8	99.89	-2.9	0.8	0	3.1	0.04	100	8107	99.92	1.3
2023-02-03 16:55:00	16.6	0	0	0	295	21.41	32.19	3.1	74.1	99.89	-0.9	-0.1	0	3.1	0.05	100	8106	99.93	1.3
2023-02-03 17:00:00	17.6	0	0	0	298	22.91	34.31	3.1	74.2	99.89	-1	0.7	0	3.1	0.05	100	8103	99.92	1.2
2023-02-03 17:05:00	11.2	0	0	0	304	23.53	37.22	3.1	74.4	99.88	-1.5	-2	0	3.1	0.04	100	8104	99.93	1.2
2023-02-03 17:10:00	6.4	0	0	0	302	17.22	26.15	3.1	74.2	99.92	-1.5	-1.7	0	3.1	0.05	100	8100	99.95	1.2
2023-02-03 17:15:00	4.2	0	0	0	302	21.25	28.07	3.2	74	99.91	-1.4	-0.2	0	3.2	0.05	100	8099	99.93	1.3
2023-02-03 17:20:00	1.8	0	0	0	297	20.29	29.04	3.2	73.9	99.93	-3.4	0.2	0	3.2	0.05	100	8095	99.97	1.3
2023-02-03 17:25:00	0.6	0	0	0	307	18.61	32.99	3.2	74	99.95	-1.7	-0.5	0	3.1	0.05	100	8096	99.97	1.3
2023-02-03 17:30:00	0	0	0	0	296	18.75	29.39	3.1	79.8	99.95	-2	-0.8	0	3.1	0.04	100	8096	99.98	1.3
2023-02-03 17:35:00	0	0	0	0	301	17.43	24.79	3	80.2	99.96	-2.9	-0.2	0	3	0.03	100	8090	99.98	1.3
2023-02-03 17:40:00	0	0	0	0	301	15.08	24.79	3	80.2	99.97	-1.3	-0.5	0	3	0.03	100	8091	99.99	1.3
2023-02-03 17:45:00	0	0	0	0	292	15.84	23.15	3.1	79.8	99.98	-2.2	-0.7	0	3.1	0.04	100	8090	100	1.3
2023-02-03 17:50:00	0	0	0	0	296	15.05	21.74	3.2	82	99.98	-1.8	-0.4	0	3.2	0.03	100	8089	100.01	1.4
2023-02-03 17:55:00	0	0	0	0	298	15.66	26.11	3.2	85.1	99.98	-1.6	-0.6	0	3.3	0.03	100	8089	100	1.4
2023-02-03 18:00:00	0	0	0	0	313	17.98	35.16	3.4	82.3	99.98	-2.2	-0.5	0	3.4	0.03	100	8086	100.01	1.5
2023-02-03 18:05:00	0	0	0	0	300	16.28	23.42	3.6	80.5	100	-1.8	-0.1	0	3.6	0.03	100	8089	100.02	1.6
2023-02-03 18:10:00	0	0	0	0	304	17.34	31.14	3.6	78.1	100.01	-1.6	-0.3	0	3.6	0.04	100	8086	100.03	1.6
2023-02-03 18:15:00	0	0	0	0	307	21.07	35.37	3.7	77.9	100	-1.5	-0.5	0	3.7	0.04	100	8083	100.02	1.6
2023-02-03 18:20:00	0	0	0	0	305	20.62	34.61	3.7	73.3	99.99	-1.1	-0.3	0	3.7	0.05	100	8083	100.03	1.6
2023-02-03 18:25:00	0	0	0	0	306	27.22	38.25	3.6	72.4	99.98	-1.4	-0.4	0	3.6	0.05	100	8080	100.02	1.5
2023-02-03 18:30:00	0	0	0	0	307	23.17	35.72	3.6	72.4	100.02	-1.7	0.1	0	3.6	0.05	100	8080	100.04	1.4
2023-02-03 18:35:00	0	0	0	0	314	21.12	37.85	3.6	72.7	100.01	-0.6	-1.4	0	3.6	0.05	100	8078	100.05	1.4
2023-02-03 18:40:00	0	0	0	0	318	24.76	35.66	3.5	75.1	100.02	0.1	1.6	0	3.5	0.04	100	8078	100.05	1.3
2023-02-03 18:45:00	0	0	0	0	314	23.2	32.23	3.3	79.2	100.04	-3.1	-1.5	0	3.3	0.04	100	8080	100.07	1.3
2023-02-03 18:50:00	0	0	0	0	319	26.46	43.4	3.2	79.6	100.02	-1.7	-0.4	0	3.2	0.04	100	8075	100.04	1.2
2023-02-03 18:55:00	0	0	0	0	313	27.6	36.55	3.2	79.6	100.04	-1.5	-2.3	0	3.2	0.04	100	8075	100.06	1.2
2023-02-03 19:00:00	0	0	0	0	313	28.45	46.8	3.2	75.1	100.02	-2.9	0.6	0	3.2	0.04	100	8076	100.05	1.2
2023-02-03 19:05:00	0	0	0	0	316	27.09	38.63	3.1	74.1	100.05	-3	-1.7	0	3.1	0.05	100	8074	100.09	1.1
2023-02-03 19:10:00	0	0	0	0	309	23.44	38.32	3	74.5	100.09	-1.2	-0.2	0	3	0.04	100	8074	100.12	1
2023-02-03 19:15:00	0	0	0	0	311	25.01	41.56	2.9	74.9	100.09	-0.8	0.1	0	2.9	0.04	100	8074	100.12	0.9
2023-02-03 19:20:00	0	0	0	0	316	24.9	34.34	2.8	75.1	100.1	-0.7	-0.5	0	2.8	0.04	100	8072	100.11	0.8
2023-02-03 19:25:00	0	0	0	0	309	26.66	37.89	2.8	75.1	100.11	-2.8	-0.4	0	2.8	0.04	100	8070	100.15	0.9
2023-02-03 19:30:00	0	0	0	0	306	26.69	36.46	2.7	75.5	100.12	-1.7	0.7	0	2.7	0.04	100	8068	100.16	0.8
2023-02-03 19:35:00	0	0	0	0	312	22.62	34.47	2.6	77.2	100.13	-2	0.4	0	2.6	0.04	100	8070	100.17	0.8
2023-02-03 19:40:00	0	0	0	0	305	26.42	34.14	2.6	79.5	100.14	-4.5	-1.1	0	2.6	0.04	100	8067	100.16	0.7
2023-02-03 19:45:00	0	0	0	0	310	22.59	29.82	2.5	81.1	100.17	-2.3	-0.3	0	2.4	0.03	100	8067	100.2	0.6
2023-02-03 19:50:00	0	0	0	0	308	22.01	31.41	2.4	77.7	100.17	-0.6	-1	0	2.4	0.04	100	8066	100.2	0.6
2023-02-03 19:55:00	0	0	0	0	314	21.07	27.13	2.3	79.3	100.2	-1.7	-0.1	0	2.3	0.04	100	8064	100.22	0.6
2023-02-03 20:00:00	0	0	0	0	307	21.61	33.46	2.2	83.2	100.21	-1.1	-0.5	0	2.2	0.03	100	8064	100.24	0.5
2023-02-03 20:05:00	0	0	0	0	312	21.85	32.19	2.2	83.5	100.22	-2	-0.6	0	2.2	0.03	100	8063	100.25	0.5
2023-02-03 20:10:00	0	0	0	0	319	18.75	24.45	2.2	83.4	100.24	-2.6	-0.3	0	2.2	0.03	100	8061	100.28	0.5
2023-02-03 20:15:00	0	0	0	0	330	20.51	30.6	2	84.1	100.26	-1.3	-0.1	0	2	0.03	100	8064	100.3	0.4
2023-02-03 20:20:00	0	0	0	0	325	22.41	31.34	1.9	82.2	100.27	-2	-0.5	0	1.9	0.03	100	8061	100.3	0.2
2023-02-03 20:25:00	0	0	0	0	331	25.93	36.98	1.4	80.3	100.27	-2	-2.2	0	1.4	0.03	100	8061	100.31	-0.1
2023-02-03 20:30:00	0	0	0	0	327	21	32.99	1.2	81	100.3	-1.3	0.4	0	1.2	0.03	100	8061	100.33	-0.3
2023-02-03 20:35:00	0	0	0	0	325	22.75	29.3	1	82	100.3	-1.4	0.4	0	1	0.03	100	8058	100.35	-0.4
2023-02-03 20:40:00	0	0	0	0	323	22.75	32.79	0.8	82.5	100.32	-2.5	0.4	0	0.8	0.03	100	8062	100.36	-0.6
2023-02-03 20:45:00	0	0	0	0	330	23.78	31.29	0.8	82.7	100.32	-1.7	-1.3	0	0.8	0.03	100	8058	100.36	-0.7
2023-02-03 20:50:00	0	0	0	0	317	24.92	34.36	0.6	83.2	100.32	-1.4	-1.9	0	0.7	0.03	100	8056	100.37	-0.9
2023-02-03 20:55:00	0	0	0	0	327	21.41	30.47	0.5	81.3	100.35	-2.3	-0.4	0	0.4	0.03	100	8058	100.37	-1
2023-02-03 21:00:00	0	0	0	0	326	17.83	25.17	0.3	81.9	100.35	-2.1	-0.1	0	0.4	0.03	100	8055	100.4	-1.1
2023-02-03 21:05:00	0	0	0	0	324	18.41	25.28	0.2	83.8	100.36	-2.2	-0.4	0	0.2	0.02	100	8054	100.39	-1.2
2023-02-03 21:10:00	0	0	0	0	330	19.15	25.66	0.2	79.8	100.37	-3.2	1.1	0	0.2	0.03	100	8055	100.43	-1.3
2023-02-03 21:15:00	0	0	0	0	325	20.8	33.4	0	79.3	100.38	-2	0.5	0	0	0.03	100	8054	100.42	-1.5

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-03 21:20:00	0	0	0	0	333	20.07	28.99	-0.1	79.7	100.4	-2	-0.8	0	-0.1	0.03	100	8051	100.44	-1.6
2023-02-03 21:25:00	0	0	0	0	328	20.42	32.12	-0.2	79.9	100.41	-1.7	-0.3	0	-0.2	0.03	100	8051	100.45	-1.7
2023-02-03 21:30:00	0	0	0	0	320	19.13	25.64	-0.4	80.5	100.42	-1	-1.2	0	-0.4	0.03	100	8051	100.47	-1.8
2023-02-03 21:35:00	0	0	0	0	336	19.77	26.42	-0.4	80.8	100.43	-0.7	-1.1	0	-0.4	0.03	100	8047	100.48	-1.9
2023-02-03 21:40:00	0	0	0	0	336	18.68	24.7	-0.6	81.4	100.44	-2.3	-0.4	0	-0.6	0.03	100	8051	100.48	-2.1
2023-02-03 21:45:00	0	0	0	0	331	19.01	28.19	-0.8	82.2	100.43	-2.1	-1.3	0	-0.8	0.03	100	8050	100.48	-2.3
2023-02-03 21:50:00	0	0	0	0	337	14.2	18.63	-1	83	100.45	-1.8	-0.6	0	-1	0.02	100	8049	100.5	-2.4
2023-02-03 21:55:00	0	0	0	0	339	19.13	29.48	-1.1	83.5	100.45	-0.9	-1.5	0	-1.1	0.02	100	8048	100.49	-2.6
2023-02-03 22:00:00	0	0	0	0	332	16.13	23.06	-1.4	84.5	100.47	-2.3	-0.9	0	-1.4	0.02	100	8045	100.51	-2.8
2023-02-03 22:05:00	0	0	0	0	330	12.44	19.77	-1.4	84.6	100.47	-1.5	-0.2	0	-1.4	0.02	100	8046	100.52	-2.8
2023-02-03 22:10:00	0	0	0	0	330	12.15	16.44	-1.5	84.9	100.48	-2.5	-0.3	0	-1.5	0.02	100	8046	100.53	-3
2023-02-03 22:15:00	0	0	0	0	338	17.27	26.02	-1.6	85.5	100.48	-2.6	0.2	0	-1.6	0.02	100	8046	100.52	-3.1
2023-02-03 22:20:00	0	0	0	0	330	15.99	22.77	-1.7	84.3	100.48	-1.5	0	0	-1.7	0.02	100	8032	100.53	-3.2
2023-02-03 22:25:00	0	0	0	0	337	16.82	24.43	-1.9	85.1	100.49	-1.5	-0.9	0	-1.9	0.02	100	8036	100.54	-3.2
2023-02-03 22:30:00	0	0	0	0	334	15.95	25.75	-1.8	86.4	100.5	-2	0.1	0	-1.8	0.02	100	8036	100.54	-3.3
2023-02-03 22:35:00	0	0	0	0	329	15.46	21.07	-1.9	81	100.49	-2.3	0.2	0	-2	0.03	100	8035	100.54	-3.4
2023-02-03 22:40:00	0	0	0	0	321	15.39	25.64	-2.1	80	100.51	-2	0	0	-2.1	0.03	100	8034	100.55	-3.5
2023-02-03 22:45:00	0	0	0	0	328	15.26	20.8	-2.1	81.6	100.52	-2.5	0.1	0	-2.1	0.03	100	8036	100.57	-3.6
2023-02-03 22:50:00	0	0	0	0	331	13.98	20.8	-2.1	80	100.54	-2.1	-0.5	0	-2.1	0.03	100	8034	100.58	-3.6
2023-02-03 22:55:00	0	0	0	0	333	13.89	18.92	-2.2	80.5	100.55	-1.8	-0.4	0	-2.2	0.03	100	8033	100.59	-3.7
2023-02-03 23:00:00	0	0	0	0	333	11.07	17.2	-2.1	82.9	100.56	-2.4	-0.3	0	-2.1	0.02	100	8029	100.61	-3.7
2023-02-03 23:05:00	0	0	0	0	331	9.6	14.38	-2.1	86.1	100.57	-2.3	-0.5	0	-2.1	0.02	100	8033	100.62	-3.7
2023-02-03 23:10:00	0	0	0	0	322	14.07	24.49	-2.1	85.9	100.57	-1.7	-0.5	0	-2.1	0.02	100	8033	100.62	-3.7
2023-02-03 23:15:00	0	0	0	0	325	13.09	19.71	-2	87.1	100.58	-1.8	-0.5	0	-2	0.02	100	8034	100.62	-3.7
2023-02-03 23:20:00	0	0	0	0	321	12.17	19.26	-2	84.2	100.59	-1.6	-0.5	0	-2	0.02	100	8033	100.64	-3.7
2023-02-03 23:25:00	0	0	0	0	330	12.48	18.52	-2.1	85.8	100.6	-2.1	-0.2	0	-2.1	0.02	100	8031	100.65	-3.8
2023-02-03 23:30:00	0	0	0	0	323	16.04	22.12	-2.1	83	100.6	-2.1	-0.2	0	-2.1	0.02	100	8032	100.64	-3.8
2023-02-03 23:35:00	0	0	0	0	329	13.89	20.89	-2.2	80.4	100.59	-2.1	-0.4	0	-2.2	0.03	100	8029	100.64	-3.9
2023-02-03 23:40:00	0	0	0	0	326	12.41	17.45	-2.2	80.7	100.6	-2.5	-0.1	0	-2.2	0.03	100	8031	100.65	-3.9
2023-02-03 23:45:00	0	0	0	0	330	13.04	19.17	-2.2	80.7	100.61	-2.2	0	0	-2.2	0.03	100	8032	100.66	-4
2023-02-03 23:50:00	0	0	0	0	335	11.83	16.82	-2.3	80.9	100.62	-2.3	-0.6	0	-2.3	0.03	100	8029	100.66	-4
2023-02-03 23:55:00	0	0	0	0	327	10.71	18.45	-2.2	80.5	100.62	-2	-0.4	0	-2.2	0.03	100	8029	100.67	-4
2023-02-04 00:00:00	0	0	0	0	323	10.29	15.46	-2.2	80.5	100.63	-2.2	-0.3	0	-2.2	0.03	100	8027	100.67	-4
2023-02-04 00:05:00	0	0	0	0	340	10.6	14.88	-2.2	82.1	100.62	-2	-0.3	0	-2.2	0.02	100	7972	100.67	-3.8
2023-02-04 00:10:00	0	0	0	0	333	9.37	12.82	-2.2	83.5	100.63	-2.1	-0.2	0	-2.2	0.02	100	7965	100.67	-3.5
2023-02-04 00:15:00	0	0	0	0	329	9.24	14.5	-2.2	85.1	100.64	-2	-0.5	0	-2.2	0.02	100	7953	100.7	-3.4
2023-02-04 00:20:00	0	0	0	0	328	8.14	10.96	-2.2	83.5	100.65	-2.1	-0.4	0	-2.2	0.02	100	7974	100.7	-3.5
2023-02-04 00:25:00	0	0	0	0	321	9.91	13.42	-2.1	87.6	100.64	-2.1	-0.2	0	-2.1	0.02	100	7978	100.69	-3.6
2023-02-04 00:30:00	0	0	0	0	321	10.31	15.21	-2.1	84.5	100.64	-2.2	-0.2	0	-2.1	0.02	100	7979	100.68	-3.7
2023-02-04 00:35:00	0	0	0	0	328	9.53	13.98	-2	87	100.64	-2	-0.3	0	-2	0.02	100	7984	100.69	-3.7
2023-02-04 00:40:00	0	0	0	0	322	11.3	16.35	-2	87	100.64	-1.5	-0.5	0	-2	0.02	100	7985	100.69	-3.7
2023-02-04 00:45:00	0	0	0	0	336	12.82	18.16	-1.9	86.8	100.64	-2.1	-0.5	0	-1.9	0.02	100	7987	100.69	-3.7
2023-02-04 00:50:00	0	0	0	0	337	9.55	16.42	-1.8	86.4	100.65	-2.1	-0.3	0	-1.8	0.02	100	7989	100.7	-3.6
2023-02-04 00:55:00	0	0	0	0	326	9.55	13.78	-1.7	85.9	100.66	-2	-0.1	0	-1.7	0.02	100	7988	100.7	-3.6
2023-02-04 01:00:00	0	0	0	0	325	8.37	11.86	-1.7	85.6	100.66	-2.1	-0.4	0	-1.7	0.02	100	7992	100.7	-3.6
2023-02-04 01:05:00	0	0	0	0	334	8.77	12.66	-1.6	85.5	100.66	-2.2	-0.4	0	-1.7	0.02	100	7988	100.7	-3.6
2023-02-04 01:10:00	0	0	0	0	321	7.52	11.05	-1.6	85.3	100.67	-2	-0.4	0	-1.6	0.02	100	7988	100.7	-3.6
2023-02-04 01:15:00	0	0	0	0	316	9.24	12.35	-1.6	85.5	100.66	-1.9	-0.3	0	-1.7	0.02	100	7991	100.71	-3.6
2023-02-04 01:20:00	0	0	0	0	323	8.79	11.5	-1.6	85.2	100.67	-2	-0.3	0	-1.6	0.02	100	7989	100.71	-3.6
2023-02-04 01:25:00	0	0	0	0	311	6.8	9.8	-1.6	85.3	100.68	-2.1	-0.4	0	-1.6	0.02	100	7992	100.73	-3.5
2023-02-04 01:30:00	0	0	0	0	304	6.53	12.26	-1.6	85.3	100.69	-2.1	-0.3	0	-1.6	0.02	100	7994	100.73	-3.5
2023-02-04 01:35:00	0	0	0	0	311	6.31	9.82	-1.4	84.8	100.69	-2.1	-0.3	0	-1.4	0.02	100	7992	100.73	-3.5
2023-02-04 01:40:00	0	0	0	0	307	6.26	8.57	-1.4	84.5	100.69	-2.1	-0.4	0	-1.4	0.02	100	7993	100.73	-3.4
2023-02-04 01:45:00	0	0	0	0	315	5.57	7.74	-1.4	84.6	100.69	-2.1	-0.3	0	-1.4	0.02	100	7992	100.73	-3.4
2023-02-04 01:50:00	0	0	0	0	312	5.1	6.55	-1.3	84.3	100.69	-2	-0.3	0	-1.3	0.02	100	7992	100.73	-3.4
2023-02-04 01:55:00	0	0	0	0	309	5.66	9.46	-1.3	84.3	100.69	-2	-0.3	0	-1.3	0.02	100	7990	100.73	-3.4
2023-02-04 02:00:00	0	0	0	0	315	6.4	9.22	-1.4	84.5	100.69	-2	-0.3	0	-1.4	0.02	100	7993	100.73	-3.4
2023-02-04 02:05:00	0	0	0	0	328	5.86	9.4	-1.3	84.3	100.69	-1.9	-0.3	0	-1.3	0.02	100	7991	100.74	-3.4
2023-02-04 02:10:00	0	0	0	0	311	7.74	12.53	-1.3	84.2	100.7	-2	-0.4	0	-1.3	0.02	100	7995	100.75	-3.4
2023-02-04 02:15:00	0	0	0	0	313	6.98	9.86	-1.3	84.3	100.71	-2	-0.3	0	-1.3	0.02	100	7992	100.75	-3.4
2023-02-04 02:20:00	0	0	0	0	319	5.39	7.94	-1.3	84.3	100.7	-2.1	-0.3	0	-1.3	0.02	100	7991	100.75	-3.5
2023-02-04 02:25:00	0	0	0	0	335	6.67	9.22	-1.4	84.8	100.7	-2.1	-0.2	0	-1.5	0.02	100	7993	100.74	-3.7
2023-02-04 02:30:00	0	0	0	0	328	5.53	8.77	-1.6	85.2	100.71	-2	-0.3	0	-1.6	0.02	100	7995	100.75	-3.8
2023-02-04 02:35:00	0	0	0	0	319	4.88	6.44	-1.7	85.8	100.72	-2	-0.3	0	-1.7	0.02	100	7955	100.76	-3.7

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-04 02:40:00	0	0	0	0	305	3.76	5.23	-1.7	85.6	100.72	-1.9	-0.4	0	-1.7	0.02	100	7961	100.76	-3.6
2023-02-04 02:45:00	0	0	0	0	304	3.69	5.12	-1.7	85.9	100.72	-2.1	-0.4	0	-1.7	0.02	100	7967	100.76	-3.7
2023-02-04 02:50:00	0	0	0	0	297	2.75	3.4	-1.7	85.9	100.72	-2	-0.4	0	-1.7	0.02	100	7930	100.76	-3.7
2023-02-04 02:55:00	0	0	0	0	299	3.06	4.23	-1.8	86.2	100.7	-2	-0.3	0	-1.8	0.02	100	7943	100.74	-3.6
2023-02-04 03:00:00	0	0	0	0	294	2.55	3.83	-1.8	86.4	100.69	-1.9	-0.4	0	-1.8	0.02	100	7950	100.74	-3.8
2023-02-04 03:05:00	0	0	0	0	287	2.64	3.47	-1.9	86.5	100.69	-2	-0.3	0	-1.9	0.02	100	7911	100.74	-4.1
2023-02-04 03:10:00	0	0	0	0	275	2.55	3.04	-2.2	88	100.69	-2.1	-0.3	0	-2.2	0.02	100	7921	100.73	-4.1
2023-02-04 03:15:00	0	0	0	0	268	2.62	3.29	-2.4	88.6	100.68	-2.1	-0.3	0	-2.4	0.02	100	7931	100.72	-4.5
2023-02-04 03:20:00	0	0	0	0	270	2.68	3	-2.7	89.8	100.67	-2	-0.3	0	-2.7	0.01	100	7889	100.72	-4.8
2023-02-04 03:25:00	0	0	0	0	266	2.62	3.38	-2.8	88.8	100.67	-2	-0.3	0	-2.8	0.01	100	7903	100.71	-4.9
2023-02-04 03:30:00	0	0	0	0	272	1.3	2.55	-3	83.8	100.66	-2	-0.3	0	-3	0.02	100	7911	100.7	-5.3
2023-02-04 03:35:00	0	0	0	0	122	0.36	0.65	-3.5	85.5	100.64	-2	-0.3	0	-3.5	0.02	100	7877	100.69	-5.8
2023-02-04 03:40:00	0	0	0	0	259	0.6	1.72	-3.7	86.7	100.64	-2.2	-0.3	0	-3.7	0.02	100	7888	100.68	-6.2
2023-02-04 03:45:00	0	0	0	0	283	1.74	2.73	-4	87.6	100.63	-2.1	-0.2	0	-4	0.02	100	7893	100.67	-6.5
2023-02-04 03:50:00	0	0	0	0	284	1.48	2.19	-4.2	88.7	100.62	-2.1	-0.3	0	-4.2	0.01	100	7862	100.66	-6.7
2023-02-04 03:55:00	0	0	0	0	242	0.98	1.36	-4.5	88.3	100.61	-2.1	-0.3	0	-4.5	0.01	100	7873	100.66	-6.9
2023-02-04 04:00:00	0	0	0	0	222	1.72	2.19	-4.7	85.9	100.61	-2.1	-0.3	0	-4.7	0.02	100	7880	100.66	-7.3
2023-02-04 04:05:00	0	0	0	0	246	2.17	3.06	-4.7	90.9	100.62	-2.1	-0.3	0	-4.7	0.01	100	7845	100.66	-7.4
2023-02-04 04:10:00	0	0	0	0	236	1.83	2.51	-4.9	89.8	100.61	-2.1	-0.2	0	-4.8	0.01	100	7859	100.66	-7.4
2023-02-04 04:15:00	0	0	0	0	209	2.35	2.8	-4.9	83.5	100.61	-2	-0.3	0	-4.9	0.02	100	7865	100.65	-7.6
2023-02-04 04:20:00	0	0	0	0	203	2.55	3.09	-4.9	90.1	100.61	-2.2	-0.2	0	-4.9	0.01	100	7833	100.66	-7.7
2023-02-04 04:25:00	0	0	0	0	184	2.13	2.68	-4.9	91.8	100.62	-2.1	-0.4	0	-4.9	0.01	100	7848	100.66	-7.7
2023-02-04 04:30:00	0	0	0	0	182	3.51	4.09	-4.9	91.8	100.62	-2	-0.3	0	-4.9	0.01	100	7854	100.67	-7.7
2023-02-04 04:35:00	0	0	0	0	195	4.94	6.04	-4.8	91.2	100.62	-2.2	-0.3	0	-4.8	0.01	100	7817	100.67	-7.7
2023-02-04 04:40:00	0	0	0	0	195	5.41	6.69	-4.8	89.7	100.63	-2.2	-0.2	0	-4.8	0.01	100	7833	100.68	-7.4
2023-02-04 04:45:00	0	0	0	0	198	5.77	7.09	-4.7	90.9	100.64	-2.1	-0.4	0	-4.7	0.01	100	7840	100.69	-7.3
2023-02-04 04:50:00	0	0	0	0	193	5.48	7.23	-4.7	89.2	100.64	-2.2	-0.4	0	-4.7	0.01	100	7836	100.69	-7.1
2023-02-04 04:55:00	0	0	0	0	198	4.05	5.41	-4.4	89.5	100.65	-2.1	-0.4	0	-4.4	0.01	100	7843	100.7	-6.8
2023-02-04 05:00:00	0	0	0	0	214	3.47	4.7	-4.2	88.5	100.65	-2.1	-0.3	0	-4.2	0.01	100	7849	100.7	-6.6
2023-02-04 05:05:00	0	0	0	0	226	3.53	4.83	-4	87.6	100.65	-2.1	-0.3	0	-4	0.02	100	7812	100.7	-6.2
2023-02-04 05:10:00	0	0	0	0	231	3.74	4.7	-3.7	86.6	100.65	-2.1	-0.3	0	-3.7	0.02	100	7825	100.7	-5.8
2023-02-04 05:15:00	0	0	0	0	214	3.96	5.01	-3.6	86	100.66	-2.1	-0.3	0	-3.6	0.02	100	7833	100.71	-5.7
2023-02-04 05:20:00	0	0	0	0	205	3.38	4.36	-3.4	85.1	100.66	-2.1	-0.3	0	-3.4	0.02	100	7802	100.71	-5.6
2023-02-04 05:25:00	0	0	0	0	215	3.44	4.56	-3.2	84.6	100.65	-2.1	-0.3	0	-3.2	0.02	100	7814	100.7	-5.3
2023-02-04 05:30:00	0	0	0	0	218	4.05	5.32	-3.2	84.5	100.65	-2.1	-0.3	0	-3.2	0.02	100	7824	100.7	-5.2
2023-02-04 05:35:00	0	0	0	0	210	4.99	7.2	-3.1	84.1	100.64	-2.1	-0.3	0	-3.1	0.02	98	7787	100.69	-5.1
2023-02-04 05:40:00	0	0	0	0	199	4.56	6.33	-3	83.5	100.64	-2.1	-0.3	0	-3	0.02	100	7805	100.69	-4.9
2023-02-04 05:45:00	0	0	0	0	185	4.25	5.5	-3	83.5	100.63	-2.1	-0.3	0	-3	0.02	100	7814	100.68	-4.9
2023-02-04 05:50:00	0	0	0	0	174	3.85	4.79	-3.1	83.9	100.64	-2.1	-0.3	0	-3.1	0.02	97	7783	100.69	-5
2023-02-04 05:55:00	0	0	0	0	170	3.49	4.56	-3.3	84.9	100.63	-2.1	-0.3	0	-3.3	0.02	99	7795	100.68	-4.9
2023-02-04 06:00:00	0	0	0	0	190	4.9	7.27	-3.4	85.4	100.64	-2.1	-0.3	0	-3.4	0.02	100	7806	100.69	-5.1
2023-02-04 06:05:00	0	0	0	0	188	6.42	7.81	-3.4	85.2	100.63	-2	-0.4	0	-3.4	0.02	97	7776	100.68	-5
2023-02-04 06:10:00	0	0	0	0	183	6.11	7.7	-3.4	85.2	100.62	-2.2	-0.4	0	-3.4	0.02	98	7786	100.67	-4.9
2023-02-04 06:15:00	0	0	0	0	176	6.42	8.5	-3.6	86	100.63	-2	-0.3	0	-3.6	0.02	100	7800	100.68	-5.1
2023-02-04 06:20:00	0	0	0	0	173	7.09	9.13	-3.6	86.1	100.64	-2	-0.4	0	-3.6	0.02	96	7770	100.69	-5
2023-02-04 06:25:00	0	0	0	0	171	5.88	7.14	-3.4	85.4	100.64	-2	-0.4	0	-3.4	0.02	97	7780	100.69	-4.8
2023-02-04 06:30:00	0	0	0	0	174	5.32	6.98	-3.4	85.2	100.65	-2.1	-0.3	0	-3.4	0.02	98	7789	100.7	-4.9
2023-02-04 06:35:00	0	0	0	0	190	4.97	5.75	-3.2	84.6	100.65	-2	-0.3	0	-3.2	0.02	95	7761	100.7	-4.7
2023-02-04 06:40:00	0	0	0	0	194	4.88	6.22	-3.1	83.9	100.65	-1.9	-0.3	0	-3	0.02	97	7775	100.7	-4.5
2023-02-04 06:45:00	0	0	0	0	187	4.97	6.62	-3	83.6	100.65	-2	-0.3	0	-3	0.02	97	7783	100.7	-4.5
2023-02-04 06:50:00	0	0	0	0	173	5.03	6.85	-2.9	83.2	100.66	-2	-0.3	0	-2.9	0.02	94	7752	100.71	-4.5
2023-02-04 06:55:00	0	0	0	0	170	6.51	7.94	-2.8	82.8	100.67	-2	-0.3	0	-2.8	0.02	96	7767	100.72	-4.3
2023-02-04 07:00:00	0	0	0	0	171	6.11	7.99	-2.7	82.6	100.67	-2	-0.3	0	-2.7	0.02	97	7777	100.72	-4.3
2023-02-04 07:05:00	1.2	0	0	0	174	6.15	7.78	-2.7	83.8	100.67	-2	-0.3	0	-2.6	0.02	93	7743	100.72	-4.3
2023-02-04 07:10:00	3.8	0	0	0	182	5.19	7.02	-2.6	84.9	100.66	-2.1	-0.5	0	-2.6	0.02	95	7760	100.71	-4
2023-02-04 07:15:00	5.8	0	0	0	176	4.9	6.87	-2.5	84.6	100.66	-2	-0.2	0	-2.4	0.02	96	7770	100.72	-4.1
2023-02-04 07:20:00	9	0	0	0	170	4.45	6.02	-2.3	87	100.67	-2.2	-0.4	0	-2.3	0.02	92	7741	100.72	-4
2023-02-04 07:25:00	14	0	0	0	166	5.73	7.52	-2.2	87.9	100.68	-2	-0.2	0	-2.2	0.02	94	7757	100.73	-3.7
2023-02-04 07:30:00	20.6	0	0	0	161	7.02	8.61	-2.2	87.7	100.68	-2	-0.3	0	-2.1	0.02	95	7764	100.73	-3.8
2023-02-04 07:35:00	29.4	0	0	0	169	6.38	8.39	-2	87.1	100.67	-2.1	-0.3	0	-2	0.02	92	7735	100.72	-3.7
2023-02-04 07:40:00	34.8	0	0	0	172	6.64	7.92	-2	87.1	100.66	-2	-0.4	0	-1.9	0.02	94	7752	100.72	-3.5
2023-02-04 07:45:00	36.4	0	0	0	168	6.62	8.61	-1.7	85.9	100.67	-2	-0.4	0	-1.7	0.02	94	7756	100.72	-3.5
2023-02-04 07:50:00	39.8	0	0	0	173	6.24	8.16	-1.6	85.5	100.66	-2.1	-0.3	0	-1.5	0.02	91	7731	100.71	-3.4
2023-02-04 07:55:00	45.6	0	0	0	170	7.38	8.61	-1.4	84.8	100.66	-2	-0.3	0	-1.4	0.02	93	7745	100.71	-3.2

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-04 08:00:00	54	0	0	0	170	7.23	9.19	-1.4	84.6	100.66	-1.9	-0.2	0	-1.2	0.02	94	7754	100.71	-3.3
2023-02-04 08:05:00	66	0	0	0	172	6.4	8.01	-1.2	83.8	100.67	-1.9	-0.4	0	-1	0.02	91	7729	100.72	-3.1
2023-02-04 08:10:00	80.8	0	0	0	174	7.25	8.93	-1	83	100.67	-2	-0.2	0	-0.8	0.02	93	7744	100.72	-2.9
2023-02-04 08:15:00	74.4	0	0	0	172	7.7	10.29	-0.9	82.6	100.66	-2	-0.2	0	-0.6	0.03	94	7752	100.72	-2.9
2023-02-04 08:20:00	74.4	0	0	0	175	6.26	8.81	-0.8	82.1	100.66	-2.1	-0.3	0	-0.5	0.03	91	7725	100.72	-2.8
2023-02-04 08:25:00	80.2	0	0	0	176	6.71	9.08	-0.5	81.1	100.67	-1.9	-0.4	0	-0.3	0.03	93	7742	100.72	-2.5
2023-02-04 08:30:00	102	0	0	0	176	6.35	8.12	-0.3	80.3	100.67	-2	-0.3	0	0	0.03	94	7756	100.72	-2.6
2023-02-04 08:35:00	159.2	0	0	0	175	6.42	7.65	0.5	79.8	100.66	-1.9	-0.3	0	1	0.03	92	7737	100.72	-2.3
2023-02-04 08:40:00	156.4	0	0	0	177	7.52	9.22	1.6	79.5	100.66	-1.8	-0.3	0	2.2	0.03	94	7755	100.72	-1.8
2023-02-04 08:45:00	164.6	0	0	0	174	7.65	9.78	2.3	77	100.65	-1.9	-0.2	0	2.8	0.04	96	7771	100.71	-1.5
2023-02-04 08:50:00	199.4	0	0	0	172	8.34	10.33	3.1	74.4	100.65	-1.8	-0.2	0	3.6	0.04	94	7752	100.72	-1.1
2023-02-04 08:55:00	213.6	0	0	0	169	7.81	9.95	4	71.2	100.65	-1.9	-0.5	0	4.6	0.05	97	7775	100.72	-0.5
2023-02-04 09:00:00	247	0	0	0	165	6.31	7.81	4.8	74	100.65	-1.7	-0.3	0	5.5	0.05	99	7793	100.72	0
2023-02-04 09:05:00	262.2	0	0	0	163	8.46	11.05	5.9	70.3	100.66	-1.7	-0.2	0	6.7	0.06	100	7808	100.72	0.7
2023-02-04 09:10:00	254.4	0	0	0	156	10.25	12.97	6.2	69.3	100.64	-1.7	-0.4	0	6.8	0.06	100	7825	100.7	1.1
2023-02-04 09:15:00	267	0	0	0	165	9.17	11.34	6.2	69.2	100.65	-1.6	-0.1	0	6.9	0.06	100	7845	100.71	1.5
2023-02-04 09:20:00	250.8	0	0	0	171	8.68	10.98	6.3	68	100.65	-1.7	-0.2	0	7	0.06	100	7855	100.71	1.8
2023-02-04 09:25:00	275.8	0	0	0	170	9.93	14.43	6.7	67.8	100.64	-1.7	-0.5	0	7.4	0.07	100	7871	100.7	2.1
2023-02-04 09:30:00	274.8	0	0	0	168	11.16	14.34	7	65.9	100.63	-2.1	-0.3	0	7.7	0.07	100	7880	100.69	2.4
2023-02-04 09:35:00	263.8	0	0	0	164	10.42	13.82	6.9	62.4	100.62	-1.8	-0.3	0	7.5	0.08	100	7889	100.68	2.6
2023-02-04 09:40:00	265	0	0	0	165	11.34	14.43	6.6	63.1	100.62	-1.9	-0.3	0	7.2	0.08	100	7897	100.68	2.7
2023-02-04 09:45:00	295	0	0	0	163	10.63	14.36	6.5	63.3	100.62	-1.7	-0.2	0	7.2	0.08	100	7907	100.69	2.8
2023-02-04 09:50:00	303.8	0	0	0	166	11.01	14.61	6.7	65	100.63	-1.6	-0.5	0	7.4	0.07	100	7911	100.69	3.1
2023-02-04 09:55:00	264.2	0	0	0	167	11.97	14.34	6.6	66.1	100.63	-1.7	-0.5	0	7.3	0.07	100	7915	100.68	3.2
2023-02-04 10:00:00	311.8	0	0	0	158	10.49	15.66	6.4	68.6	100.61	-1.8	-0.3	0	7.2	0.06	100	7924	100.67	3.3
2023-02-04 10:05:00	282	0	0	0	160	13.04	15.05	6.5	68.4	100.61	-1.7	-0.2	0	7.1	0.06	100	7926	100.66	3.4
2023-02-04 10:10:00	241	0	0	0	161	12.35	16.06	6.1	69.7	100.59	-1.4	-0.5	0	6.6	0.06	100	7928	100.64	3.5
2023-02-04 10:15:00	263	0	0	0	160	12.57	16.11	5.9	70.4	100.58	-1.9	-0.4	0	6.4	0.06	100	7928	100.63	3.4
2023-02-04 10:20:00	252.2	0	0	0	162	10.65	14	5.6	71.2	100.58	-1.7	-0.4	0	6.3	0.06	100	7929	100.63	3.6
2023-02-04 10:25:00	239	0	0	0	155	10.4	15.86	5.8	70.7	100.57	-1.6	-0.6	0	6.4	0.06	100	7933	100.62	3.7
2023-02-04 10:30:00	252.2	0	0	0	143	11.7	15.01	5.9	70.2	100.55	-1.7	-0.4	0	6.5	0.06	100	7935	100.61	3.7
2023-02-04 10:35:00	243.4	0	0	0	147	11.56	14.65	5.9	70.4	100.54	-1.6	-0.4	0	6.4	0.06	100	7936	100.6	3.8
2023-02-04 10:40:00	237.2	0	0	0	145	11.59	16.53	5.8	70.5	100.54	-1.6	-0.4	0	6.4	0.06	100	7938	100.6	3.9
2023-02-04 10:45:00	252.4	0	0	0	157	10.96	14.27	5.9	70.4	100.53	-1.8	-0.4	0	6.5	0.06	100	7944	100.58	4
2023-02-04 10:50:00	247.6	0	0	0	159	12.12	15.32	6	69.8	100.52	-1.7	-0.4	0	6.6	0.06	100	7945	100.58	4.1
2023-02-04 10:55:00	243.8	0	0	0	162	11.23	14.38	6.1	69.7	100.53	-1.4	-0.2	0	6.6	0.06	100	7946	100.58	4.1
2023-02-04 11:00:00	245.4	0	0	0	152	9.37	11.25	6.1	69.6	100.52	-1.8	-0.4	0	6.7	0.06	100	7948	100.57	4.3
2023-02-04 11:05:00	243	0	0	0	163	9.15	12.77	6.4	68.7	100.51	-1.8	-0.2	0	7.1	0.06	100	7947	100.56	4.5
2023-02-04 11:10:00	251.6	0	0	0	150	10.16	12.93	6.7	67.8	100.5	-1.4	-0.6	0	7.3	0.07	100	7954	100.54	4.7
2023-02-04 11:15:00	239.4	0	0	0	148	10.69	13.65	6.8	67.3	100.48	-1.7	-0.5	0	7.5	0.07	100	7957	100.52	4.8
2023-02-04 11:20:00	239.2	0	0	0	150	11.21	14.54	6.9	67.1	100.45	-1.8	-0.2	0	7.5	0.07	100	7957	100.5	5
2023-02-04 11:25:00	255.6	0	0	0	136	10.8	12.97	7.1	66.7	100.44	-1.8	-0.3	0	7.7	0.07	100	7961	100.5	5.1
2023-02-04 11:30:00	245.6	0	0	0	132	11.72	14.92	7.4	68.5	100.44	-1.9	-0.3	0	8	0.07	100	7962	100.49	5.3
2023-02-04 11:35:00	224.8	0	0	0	135	13.24	16.37	7.3	70.5	100.41	-1.7	-0.4	0	7.9	0.06	100	7965	100.46	5.4
2023-02-04 11:40:00	238.8	0	0	0	125	11.68	15.03	7.5	70.1	100.39	-1.8	-0.2	0	8	0.06	100	7966	100.44	5.6
2023-02-04 11:45:00	271.2	0	0	0	136	9.91	12.97	7.8	68.9	100.38	-1.5	-0.4	0	8.5	0.07	100	7970	100.42	6
2023-02-04 11:50:00	302.2	0	0	0	136	12.1	15.55	8.5	67.9	100.35	-1.6	-0.4	0	9.1	0.07	100	7974	100.4	6.2
2023-02-04 11:55:00	317	0	0	0	128	13.98	18.88	8.8	67.7	100.34	-1.5	-0.5	0	9.5	0.07	100	7979	100.4	6.5
2023-02-04 12:00:00	335.4	0	0	0	139	13.85	16.31	9.3	68.9	100.32	-1.7	0.1	0	10	0.07	100	7983	100.38	6.8
2023-02-04 12:05:00	328.4	0	0	0	141	12.57	18.59	9.6	67.9	100.32	-1.7	-0.3	0	10.4	0.08	100	7979	100.37	7.2
2023-02-04 12:10:00	339	0	0	0	139	11.88	16.71	10	66.6	100.32	-1.6	-0.2	0	10.8	0.08	100	7985	100.37	7.6
2023-02-04 12:15:00	335.6	0	0	0	135	14.61	18.75	10.5	65.2	100.29	-1.7	-0.1	0	11.2	0.09	100	7991	100.34	7.9
2023-02-04 12:20:00	336	0	0	0	136	14.14	18.25	10.8	66.8	100.27	-2	-0.2	0	11.4	0.08	100	7993	100.33	8.1
2023-02-04 12:25:00	364.4	0	0	0	131	13.98	20.4	11.2	67.1	100.27	-1.8	-0.1	0	12	0.08	100	8000	100.32	8.4
2023-02-04 12:30:00	379.6	0	0	0	142	12.15	16.31	11.8	65.4	100.24	-1.5	-0.4	0	12.6	0.09	100	8005	100.29	8.9
2023-02-04 12:35:00	350	0	0	0	127	13.24	19.98	12.3	67.1	100.22	-1.7	-0.4	0	13	0.09	100	8007	100.27	9.3
2023-02-04 12:40:00	353	0	0	0	126	13.13	17.6	12.6	66	100.2	-1.7	-0.2	0	13.4	0.09	100	8010	100.24	9.7
2023-02-04 12:45:00	360	0	0	0	124	12.66	17.11	13	65.6	100.18	-1.4	-0.5	0	13.8	0.09	100	8013	100.22	10.1
2023-02-04 12:50:00	404.8	0	0	0	124	14.81	18.84	13.7	65.9	100.14	-1.2	-0.4	0	14.4	0.1	100	8017	100.19	10.5
2023-02-04 12:55:00	382.8	0	0	0	121	15.77	19.77	14.2	65.1	100.13	-1.4	-0.3	0	14.9	0.1	100	8021	100.17	11
2023-02-04 13:00:00	337.2	0	0	0	126	17.98	22.28	14.2	65	100.1	-1.1	-0.6	0	14.9	0.1	100	8023	100.15	11.2
2023-02-04 13:05:00	293	0	0	0	127	17.85	22.93	14.1	65.9	100.08	-1.6	0.1	0	14.8	0.1	100	8024	100.12	11.5
2023-02-04 13:10:00	280.4	0	0	0	140	16.11	24.83	14.1	65.9	100.05	-2	-0.1	0	14.7	0.1	100	8023	100.11	11.7
2023-02-04 13:15:00	269.6	0	0	0	137	17.65	21.85	14.3	65.6	100.03	-1.5	-0.1	0	14.8	0.1	100	8026	100.08	11.9

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-04 13:20:00	251.2	0	0	0	127	19.17	25.08	14.3	65.4	100.02	-1.8	0.1	0	14.7	0.1	100	8026	100.07	12.1
2023-02-04 13:25:00	252.8	0	0	0	134	17.31	22.79	14.4	65.3	100.02	-1.5	-0.2	0	14.9	0.1	100	8027	100.06	12.3
2023-02-04 13:30:00	234.6	0	0	0	133	16.67	20.74	14.5	66.3	100.01	-1.6	-0.2	0	15	0.1	100	8028	100.05	12.4
2023-02-04 13:35:00	219	0	0	0	136	17.05	24.43	14.7	67.1	100	-1.4	-0.2	0	15	0.1	100	8026	100.04	12.6
2023-02-04 13:40:00	199.4	0	0	0	136	15.73	20.29	14.6	67.4	99.99	-1.1	-0.4	0	15.1	0.1	100	8029	100.03	12.7
2023-02-04 13:45:00	192.8	0	0	0	142	15.1	20.13	14.7	67.1	99.97	-1.5	-0.2	0	15.1	0.1	100	8027	100.01	12.8
2023-02-04 13:50:00	181.6	0	0	0	140	18.97	24.63	14.8	66.8	99.96	-1.5	-0.5	0	15.1	0.1	100	8026	99.99	12.9
2023-02-04 13:55:00	167	0	0	0	131	19.66	25.64	14.8	66.9	99.93	-1.4	-0.3	0	15	0.1	100	8028	99.98	12.9
2023-02-04 14:00:00	159	0	0	0	147	16.62	22.21	14.7	65.7	99.94	-1.3	-0.4	0	14.9	0.1	100	8027	99.97	12.9
2023-02-04 14:05:00	169.8	0	0	0	138	13.87	18.01	14.7	67.1	99.93	-1.5	-0.4	0	15	0.1	100	8026	99.95	13
2023-02-04 14:10:00	176.8	0	0	0	141	14.45	21.47	14.9	67.1	99.91	-1.3	-0.7	0	15.2	0.1	100	8029	99.94	13.2
2023-02-04 14:15:00	177.4	0	0	0	146	14.76	18.32	14.9	67.1	99.9	-1.3	-0.1	0	15.3	0.1	100	8031	99.93	13.2
2023-02-04 14:20:00	175.6	0	0	0	128	16.87	20.83	15	66.2	99.88	-1.1	-0.3	0	15.4	0.1	100	8027	99.92	13.4
2023-02-04 14:25:00	198.8	0	0	0	129	16.93	24.09	15.3	66.1	99.88	-1.5	-0.4	0	15.6	0.1	100	8029	99.91	13.6
2023-02-04 14:30:00	181.4	0	0	0	127	14.61	20.54	15.4	65.7	99.88	-1.4	-0.4	0	15.8	0.1	100	8030	99.91	13.7
2023-02-04 14:35:00	182.4	0	0	0	131	13.6	18.48	15.7	64.9	99.88	-1.4	-0.6	0	16.1	0.11	100	8031	99.9	14
2023-02-04 14:40:00	179	0	0	0	140	12.95	18.95	16	64	99.87	-1.3	-0.4	0	16.5	0.11	100	8033	99.9	14.3
2023-02-04 14:45:00	142.8	0	0	0	137	12.44	16.4	16.2	63.4	99.87	-1.6	-0.2	0	16.6	0.12	100	8033	99.9	14.6
2023-02-04 14:50:00	119	0	0	0	135	15.77	22.86	16.5	62.6	99.86	-1.5	-0.3	0	16.8	0.12	100	8031	99.88	14.8
2023-02-04 14:55:00	122.2	0	0	0	144	17.67	22.12	16.7	62.1	99.84	-1.2	-0.5	0	17	0.12	100	8028	99.87	14.9
2023-02-04 15:00:00	132	0	0	0	140	16.42	21.97	16.8	61.9	99.85	-1.2	-0.2	0	17.1	0.12	100	8029	99.87	15
2023-02-04 15:05:00	115.8	0	0	0	139	14.65	23.53	17.1	62.8	99.84	-1.3	-0.6	0	17.4	0.12	100	8029	99.87	15.2
2023-02-04 15:10:00	119.6	0	0	0	142	14.03	18.54	17.2	63.8	99.84	-1.4	-0.4	0	17.4	0.12	100	8030	99.86	15.4
2023-02-04 15:15:00	129.2	0	0	0	130	17.29	22.97	17.4	63.3	99.82	-0.9	-0.4	0	17.6	0.12	100	8031	99.85	15.6
2023-02-04 15:20:00	116.4	0	0	0	142	13.35	20.42	17.5	63.1	99.82	-1.2	-0.4	0	17.7	0.12	100	8032	99.84	15.7
2023-02-04 15:25:00	114.8	0	0	0	139	13.96	20.18	17.7	62.4	99.81	-1.3	-0.6	0	17.9	0.13	100	8031	99.83	15.9
2023-02-04 15:30:00	100.2	0	0	0	135	15.43	18.14	17.8	62.2	99.8	-1.2	-0.1	0	18	0.13	100	8029	99.82	16.1
2023-02-04 15:35:00	68.6	0	0	0	150	14.05	18.84	17.9	61.8	99.8	-1.2	-0.4	0	18	0.13	100	8029	99.82	16.2
2023-02-04 15:40:00	56.4	0	0	0	145	13.06	18.86	17.9	62	99.8	-1.2	-0.4	0	18	0.13	100	8026	99.82	16.2
2023-02-04 15:45:00	57.2	0	0	0	141	13.27	16.82	17.9	61.9	99.79	-1.1	-0.6	0	18	0.13	100	8026	99.81	16.3
2023-02-04 15:50:00	59.4	0	0	0	144	13.82	17.67	18	61.7	99.78	-1.6	-0.1	0	18.1	0.13	100	8023	99.8	16.3
2023-02-04 15:55:00	52.2	0	0	0	145	12.57	18.88	18	61.7	99.78	-1.5	-0.2	0	18.1	0.13	100	8022	99.79	16.4
2023-02-04 16:00:00	46.4	0	0	0	142	12.12	14.99	18	61.5	99.76	-1	-0.7	0	18.1	0.13	100	8021	99.78	16.5
2023-02-04 16:05:00	52.4	0	0	0	142	12.77	19.44	18.2	62.2	99.75	-1.4	-0.3	0	18.3	0.13	100	8021	99.77	16.6
2023-02-04 16:10:00	54.6	0	0	0	135	12.77	16.6	18.3	62	99.74	-1.3	-0.4	0	18.4	0.13	100	8020	99.75	16.7
2023-02-04 16:15:00	60.2	0	0	0	132	12.91	15.3	18.5	62	99.72	-1.3	-0.3	0	18.7	0.13	100	8019	99.74	16.8
2023-02-04 16:20:00	59.6	0	0	0	128	12.57	17	18.5	62.7	99.73	-1.2	-0.4	0	18.6	0.13	100	8017	99.74	16.7
2023-02-04 16:25:00	56.8	0	0	0	135	13.65	17.98	18.4	62.2	99.72	-1.1	-0.5	0	18.6	0.13	100	8017	99.73	16.6
2023-02-04 16:30:00	60	0	0	0	131	10.4	14.29	18.3	63.2	99.72	-1.3	-0.4	0	18.4	0.13	100	8017	99.73	16.4
2023-02-04 16:35:00	53	0	0	0	127	11.07	13.67	18.1	63.7	99.71	-1.4	-0.3	0	18.2	0.12	100	8015	99.72	16.3
2023-02-04 16:40:00	56.8	0	0	0	126	11.21	14.05	18	62.9	99.69	-1.4	-0.4	0	18.1	0.13	100	8012	99.71	16.2
2023-02-04 16:45:00	56	0	0	0	132	10.25	11.97	18	64.6	99.69	-1.3	-0.3	0	18.2	0.12	100	8014	99.7	16.2
2023-02-04 16:50:00	45.4	0	0	0	127	10.25	12.64	18	64.6	99.68	-1.4	-0.4	0	18.1	0.12	100	8014	99.69	16.3
2023-02-04 16:55:00	40.4	0	0	0	129	11.18	13.4	18	64.7	99.66	-1.4	-0.3	0	18.1	0.12	100	8013	99.67	16.3
2023-02-04 17:00:00	32	0	0	0	132	9.8	11.79	17.9	64.8	99.65	-1.3	-0.4	0	17.9	0.12	100	8010	99.65	16.3
2023-02-04 17:05:00	22.2	0	0	0	130	9.86	11.88	17.9	64.9	99.63	-1.2	-0.5	0	17.9	0.12	100	8010	99.64	16.1
2023-02-04 17:10:00	13.6	0	0	0	133	9.37	12.66	17.7	65.3	99.62	-1.4	-0.5	0	17.8	0.12	100	8012	99.62	15.8
2023-02-04 17:15:00	8	0	0	0	136	8.41	10.33	17.7	65.5	99.61	-1.3	-0.3	0	17.7	0.12	100	8010	99.61	15.5
2023-02-04 17:20:00	3.8	0	0	0	136	8.5	9.48	17.3	66.4	99.6	-1.4	-0.3	0	17.3	0.11	100	8007	99.6	15.3
2023-02-04 17:25:00	1.4	0	0	0	136	8.25	9.66	17.2	66.9	99.59	-1.3	-0.3	0	17.2	0.11	100	8008	99.6	15.1
2023-02-04 17:30:00	0.2	0	0	0	138	8.19	9.57	17	66.2	99.59	-1.3	-0.4	0	17	0.11	100	8006	99.59	14.9
2023-02-04 17:35:00	0	0	0	0	138	7.34	8.19	16.9	64.7	99.59	-1.2	-0.3	0	16.9	0.11	100	8005	99.59	14.9
2023-02-04 17:40:00	0	0	0	0	140	7.09	7.87	16.9	64.7	99.58	-1.3	-0.4	0	16.9	0.11	100	8005	99.58	14.7
2023-02-04 17:45:00	0	0	0	0	143	7.2	9.22	16.8	64.9	99.57	-1.3	-0.5	0	16.8	0.11	100	8007	99.57	14.6
2023-02-04 17:50:00	0	0	0	0	149	7.2	8.32	16.8	64.9	99.57	-1.4	-0.4	0	16.9	0.11	100	8003	99.57	14.6
2023-02-04 17:55:00	0	0	0	0	154	7.65	9.1	16.9	65.2	99.56	-1.4	-0.4	0	17	0.11	100	8005	99.57	14.7
2023-02-04 18:00:00	0	0	0	0	155	7.94	10.02	17.2	65	99.56	-1.3	-0.3	0	17.2	0.12	100	8004	99.56	14.9
2023-02-04 18:05:00	0	0	0	0	153	7.61	9.44	17.4	65.6	99.55	-1.3	-0.3	0	17.4	0.11	100	8001	99.55	15
2023-02-04 18:10:00	0	0	0	0	154	6.8	8.23	17.5	63.7	99.55	-1.4	-0.5	0	17.5	0.12	100	8002	99.55	15
2023-02-04 18:15:00	0	0	0	0	158	6.98	9.19	17.5	62.9	99.55	-1.2	-0.5	0	17.5	0.12	100	8003	99.55	15
2023-02-04 18:20:00	0	0	0	0	159	7.65	10.02	17.6	62.6	99.55	-1.3	-0.4	0	17.6	0.13	100	8000	99.54	15
2023-02-04 18:25:00	0	0	0	0	159	8.1	10.45	17.6	62.6	99.55	-1.2	-0.4	0	17.6	0.13	100	8001	99.54	15.1
2023-02-04 18:30:00	0	0	0	0	155	8.08	10.27	17.7	62.5	99.54	-1.3	-0.4	0	17.7	0.13	100	7999	99.54	15.1
2023-02-04 18:35:00	0	0	0	0	159	8.39	9.86	17.8	62.2	99.54	-1.3	-0.4	0	17.8	0.13	100	8000	99.53	15.2

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-04 18:40:00	0	0	0	0	156	8.28	10.27	17.9	61.9	99.53	-1.2	-0.5	0	17.9	0.13	100	7999	99.53	15.3
2023-02-04 18:45:00	0	0	0	0	156	7.96	10.78	17.9	61.8	99.53	-1.2	-0.3	0	17.9	0.13	100	7998	99.52	15.3
2023-02-04 18:50:00	0	0	0	0	155	8.14	9.69	18	61.7	99.53	-1.3	-0.4	0	18	0.13	100	7998	99.53	15.4
2023-02-04 18:55:00	0	0	0	0	149	8.03	9.6	18.1	61.4	99.54	-1.2	-0.4	0	18.1	0.13	100	7999	99.53	15.5
2023-02-04 19:00:00	0	0	0	0	149	7.83	9.42	18.1	61.4	99.54	-1.2	-0.5	0	18	0.13	100	7997	99.53	15.5
2023-02-04 19:05:00	0	0	0	0	150	7.38	9.17	18.2	61.2	99.53	-1.2	-0.4	0	18.2	0.13	100	7994	99.53	15.5
2023-02-04 19:10:00	0	0	0	0	153	8.59	11.12	18.2	61.1	99.52	-1.3	-0.5	0	18.2	0.13	100	7997	99.51	15.6
2023-02-04 19:15:00	0	0	0	0	156	8.52	9.91	18.2	61	99.52	-1.4	-0.4	0	18.2	0.13	100	7996	99.51	15.6
2023-02-04 19:20:00	0	0	0	0	159	8.61	10.13	18.2	61.1	99.51	-1.3	-0.4	0	18.2	0.13	100	7995	99.51	15.6
2023-02-04 19:25:00	0	0	0	0	157	9.01	11.01	18.3	60.9	99.52	-1.3	-0.4	0	18.3	0.14	100	7995	99.51	15.7
2023-02-04 19:30:00	0	0	0	0	156	9.35	11.32	18.2	61.1	99.52	-1.2	-0.4	0	18.2	0.13	100	7997	99.51	15.8
2023-02-04 19:35:00	0	0	0	0	150	9.31	11.39	18.3	60.9	99.52	-1.3	-0.4	0	18.3	0.14	100	7995	99.51	15.9
2023-02-04 19:40:00	0	0	0	0	142	9.51	13.49	18.5	60.3	99.51	-1.3	-0.4	0	18.5	0.14	100	7997	99.51	16
2023-02-04 19:45:00	0	0	0	0	137	10.67	12.75	18.5	60.2	99.5	-1.3	-0.5	0	18.6	0.14	100	7994	99.5	16.1
2023-02-04 19:50:00	0	0	0	0	142	9.82	11.36	18.7	59.8	99.5	-1.2	-0.3	0	18.8	0.14	100	7994	99.49	16.3
2023-02-04 19:55:00	0	0	0	0	140	9.95	11.97	18.9	59.4	99.48	-1.1	-0.4	0	18.9	0.14	100	7993	99.48	16.5
2023-02-04 20:00:00	0	0	0	0	146	10.09	12.35	18.9	59.4	99.48	-1.2	-0.4	0	18.9	0.14	100	7993	99.47	16.6
2023-02-04 20:05:00	0	0	0	0	148	10.76	12.62	19.1	58.8	99.47	-1.3	-0.4	0	19.1	0.15	100	7989	99.47	16.9
2023-02-04 20:10:00	0	0	0	0	146	11.3	13.65	19.4	58.1	99.46	-1.1	-0.6	0	19.4	0.15	100	7990	99.46	17.2
2023-02-04 20:15:00	0	0	0	0	147	11.03	13.44	19.8	57.1	99.46	-1.3	-0.4	0	19.8	0.16	100	7991	99.46	17.5
2023-02-04 20:20:00	0	0	0	0	147	11.7	14.43	20.1	57.4	99.45	-1.1	-0.5	0	20	0.16	100	7989	99.45	17.9
2023-02-04 20:25:00	0	0	0	0	149	10.07	12.57	20.4	58.1	99.45	-1.2	-0.3	0	20.4	0.16	100	7989	99.45	18.1
2023-02-04 20:30:00	0	0	0	0	154	9.17	11.68	20.6	57.2	99.45	-1.2	-0.3	0	20.6	0.16	100	7989	99.45	18.3
2023-02-04 20:35:00	0	0	0	0	155	10.42	13.56	20.9	55.9	99.45	-1.2	-0.4	0	21	0.17	100	7992	99.45	18.7
2023-02-04 20:40:00	0	0	0	0	155	10.58	13.22	21.4	55.8	99.45	-1.1	-0.4	0	21.4	0.17	100	7989	99.44	19.1
2023-02-04 20:45:00	0	0	0	0	153	11.23	13.49	21.7	55	99.45	-1.2	-0.5	0	21.8	0.18	100	7991	99.44	19.5
2023-02-04 20:50:00	0	0	0	0	160	9.75	12.84	22.1	54.3	99.46	-1.2	-0.3	0	22.1	0.19	100	7989	99.45	19.9
2023-02-04 20:55:00	0	0	0	0	163	10.31	14.43	22.5	53.3	99.45	-0.9	-0.5	0	22.5	0.19	100	7989	99.44	20.3
2023-02-04 21:00:00	0	0	0	0	165	11.36	15.21	23	52.3	99.45	-1.1	-0.3	0	23	0.2	100	7990	99.43	20.8
2023-02-04 21:05:00	0	0	0	0	169	12.86	17.09	23.5	51.1	99.45	-1.2	-0.4	0	23.5	0.21	100	7988	99.43	21.4
2023-02-04 21:10:00	0	0	0	0	171	12.64	17.98	24.2	49.6	99.45	-1.4	-0.5	0	24.2	0.22	100	7989	99.43	22
2023-02-04 21:15:00	0	0	0	0	173	11.92	15.1	24.7	49.1	99.45	-1.2	-0.3	0	24.7	0.23	100	7989	99.44	22.4
2023-02-04 21:20:00	0	0	0	0	176	13.44	18.9	25	47.9	99.45	-1.3	-0.1	0	25	0.24	100	7989	99.43	22.9
2023-02-04 21:25:00	0	0	0	0	177	13.67	20.78	25.4	47.1	99.45	-0.9	-0.5	0	25.5	0.25	100	7988	99.43	23.3
2023-02-04 21:30:00	0	0	0	0	177	11.74	18.61	25.8	46.9	99.45	-1.4	-0.3	0	25.8	0.25	100	7988	99.43	23.6
2023-02-04 21:35:00	0	0	0	0	177	13.11	18.14	26	47.7	99.44	-1	-0.4	0	26	0.25	100	7989	99.42	23.9
2023-02-04 21:40:00	0	0	0	0	177	13.51	18.48	26.2	47.4	99.43	-0.9	-0.5	0	26.2	0.25	100	7989	99.42	24.2
2023-02-04 21:45:00	0	0	0	0	174	12.86	17.94	26.4	47.3	99.44	-0.9	-0.5	0	26.5	0.26	100	7991	99.42	24.4
2023-02-04 21:50:00	0	0	0	0	174	12.88	19.6	26.6	46.9	99.44	-1	-0.2	0	26.6	0.26	100	7984	99.42	24.7
2023-02-04 21:55:00	0	0	0	0	175	12.62	16.11	26.7	47.1	99.44	-0.9	-0.4	0	26.8	0.26	100	7989	99.42	24.9
2023-02-04 22:00:00	0	0	0	0	173	12.37	16.69	27	47	99.44	-1.1	-0.6	0	27	0.26	100	7985	99.42	25.1
2023-02-04 22:05:00	0	0	0	0	173	12.86	17.74	27.1	46.3	99.44	-0.8	-0.5	0	27.1	0.27	100	7986	99.42	25.3
2023-02-04 22:10:00	0	0	0	0	174	11.52	15.52	27.1	47.9	99.44	-0.9	-0.5	0	27.1	0.26	100	7987	99.42	25.5
2023-02-04 22:15:00	0	0	0	0	172	12.06	17.16	27.3	46.8	99.44	-0.7	-0.5	0	27.3	0.27	100	7987	99.42	25.6
2023-02-04 22:20:00	0	0	0	0	170	13.67	18.48	27.4	47.1	99.44	-1	-0.3	0	27.4	0.27	100	7985	99.42	25.8
2023-02-04 22:25:00	0	0	0	0	174	11.56	17.65	27.6	47.1	99.44	-1.1	-0.4	0	27.6	0.27	100	7987	99.42	25.9
2023-02-04 22:30:00	0	0	0	0	172	12.68	16.93	27.5	47.2	99.43	-0.8	-0.4	0	27.5	0.27	100	7988	99.41	26
2023-02-04 22:35:00	0	0	0	0	171	12.01	17.2	27.6	47.4	99.43	-0.9	-0.5	0	27.6	0.27	100	7988	99.41	26
2023-02-04 22:40:00	0	0	0	0	172	12.93	17.81	27.5	47.5	99.43	-0.7	-0.7	0	27.5	0.27	100	7985	99.41	26.1
2023-02-04 22:45:00	0	0	0	0	168	12.95	20.04	27.6	48.9	99.43	-0.9	-0.4	0	27.6	0.26	100	7987	99.41	26.1
2023-02-04 22:50:00	0	0	0	0	170	13.47	20.42	27.6	48.9	99.43	-1	-0.5	0	27.7	0.26	100	7986	99.41	26.2
2023-02-04 22:55:00	0	0	0	0	167	12.37	17.22	27.8	48.6	99.42	-0.9	-0.6	0	27.8	0.26	100	7986	99.4	26.3
2023-02-04 23:00:00	0	0	0	0	166	13.09	18.41	27.8	48.6	99.41	-1	-0.2	0	27.8	0.26	100	7986	99.39	26.4
2023-02-04 23:05:00	0	0	0	0	166	12.21	15.97	27.9	48.4	99.4	-0.9	-0.4	0	27.9	0.27	100	7984	99.38	26.4
2023-02-04 23:10:00	0	0	0	0	166	12.41	17.4	27.8	48.6	99.4	-1.1	-0.5	0	27.8	0.26	100	7987	99.38	26.4
2023-02-04 23:15:00	0	0	0	0	164	11.99	17.07	27.9	48.4	99.39	-0.9	-0.5	0	27.9	0.27	100	7986	99.37	26.3
2023-02-04 23:20:00	0	0	0	0	162	12.01	16.02	27.7	48.7	99.38	-1	-0.4	0	27.8	0.26	100	7984	99.36	26.2
2023-02-04 23:25:00	0	0	0	0	156	11.01	13.53	27.5	49.5	99.37	-1	-0.5	0	27.5	0.26	100	7982	99.35	26
2023-02-04 23:30:00	0	0	0	0	138	9.51	12.24	27.4	50.6	99.36	-0.9	-0.3	0	27.3	0.25	100	7985	99.34	25.8
2023-02-04 23:35:00	0	0	0	0	131	9.4	11.39	26.9	51.9	99.35	-1.1	-0.4	0	26.9	0.24	100	7979	99.33	25.3
2023-02-04 23:40:00	0	0	0	0	137	9.19	11.27	26.5	53.3	99.34	-1.1	-0.4	0	26.5	0.23	100	7982	99.33	24.9
2023-02-04 23:45:00	0	0	0	0	135	8.43	10.27	26.2	54	99.33	-1	-0.4	0	26.2	0.22	100	7982	99.32	24.6
2023-02-04 23:50:00	0	0	0	0	136	9.04	10.36	25.9	54.2	99.33	-1	-0.4	0	25.9	0.22	100	7979	99.31	24.4
2023-02-04 23:55:00	0	0	0	0	139	10.13	11.95	25.7	55	99.32	-1	-0.4	0	25.7	0.21	100	7982	99.3	24.3

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-05 00:00:00	0	0	0	0	142	9.91	12.08	25.8	54.9	99.31	-1	-0.4	0	25.7	0.21	100	7981	99.29	24.2
2023-02-05 00:05:00	0	0	0	0	141	9.73	11.61	25.6	55.8	99.3	-0.8	-0.5	0	25.6	0.21	100	7951	99.28	24.2
2023-02-05 00:10:00	0	0	0	0	141	9.78	11.99	25.4	55.7	99.28	-1	-0.4	0	25.4	0.21	100	7946	99.27	24.4
2023-02-05 00:15:00	0	0	0	0	144	10.04	11.36	25.3	56.3	99.28	-1.1	-0.3	0	25.3	0.2	100	7937	99.27	24.4
2023-02-05 00:20:00	0	0	0	0	145	10.54	12.75	25.3	55.9	99.26	-0.9	-0.5	0	25.3	0.21	100	7955	99.25	24.4
2023-02-05 00:25:00	0	0	0	0	143	10.38	11.9	25.3	55.9	99.25	-1.2	-0.5	0	25.3	0.21	100	7960	99.24	24.2
2023-02-05 00:30:00	0	0	0	0	140	10.02	11.7	25.3	56.9	99.24	-0.9	-0.5	0	25.2	0.2	100	7960	99.23	24
2023-02-05 00:35:00	0	0	0	0	145	10.31	14.65	25.3	57.8	99.24	-1.1	-0.4	0	25.2	0.2	100	7960	99.23	23.9
2023-02-05 00:40:00	0	0	0	0	145	10.04	14.56	25.3	56.5	99.23	-1.1	-0.4	0	25.3	0.2	100	7959	99.22	23.9
2023-02-05 00:45:00	0	0	0	0	151	9.4	13.44	25.4	57.8	99.23	-1	-0.4	0	25.4	0.2	100	7959	99.22	24
2023-02-05 00:50:00	0	0	0	0	149	10.22	11.77	25.5	57.7	99.23	-1.1	-0.4	0	25.5	0.2	100	7960	99.21	24
2023-02-05 00:55:00	0	0	0	0	145	10.16	14.18	25.6	57.5	99.22	-0.9	-0.6	0	25.6	0.2	100	7961	99.2	24
2023-02-05 01:00:00	0	0	0	0	147	9.82	12.57	25.6	57.5	99.21	-0.9	-0.4	0	25.6	0.2	100	7961	99.2	24
2023-02-05 01:05:00	0	0	0	0	143	10.36	12.1	25.5	57.6	99.2	-0.9	-0.4	0	25.5	0.2	100	7960	99.19	24
2023-02-05 01:10:00	0	0	0	0	150	11.32	13.27	25.6	58	99.21	-0.9	-0.4	0	25.6	0.2	100	7962	99.19	24
2023-02-05 01:15:00	0	0	0	0	149	11.74	14.23	25.6	58	99.19	-0.9	-0.5	0	25.6	0.2	100	7962	99.18	24
2023-02-05 01:20:00	0	0	0	0	152	11.48	13.42	25.6	57.4	99.19	-1.1	-0.2	0	25.6	0.2	100	7960	99.18	24.1
2023-02-05 01:25:00	0	0	0	0	159	11.88	13.73	25.7	57.6	99.19	-0.9	-0.4	0	25.7	0.2	100	7960	99.17	24.1
2023-02-05 01:30:00	0	0	0	0	158	12.44	15.03	25.7	58.8	99.18	-0.8	-0.6	0	25.7	0.19	100	7964	99.17	24.2
2023-02-05 01:35:00	0	0	0	0	162	12.91	14.74	26	58.3	99.18	-0.9	-0.4	0	26	0.2	100	7961	99.16	24.4
2023-02-05 01:40:00	0	0	0	0	161	12.97	16.02	26.2	58.2	99.18	-1	-0.6	0	26.2	0.2	100	7961	99.17	24.6
2023-02-05 01:45:00	0	0	0	0	161	11.88	14.97	26.6	57.2	99.19	-0.8	-0.4	0	26.6	0.21	100	7961	99.17	24.8
2023-02-05 01:50:00	0	0	0	0	158	11.79	14.12	26.9	58.6	99.19	-1	-0.4	0	26.9	0.21	100	7959	99.17	24.9
2023-02-05 01:55:00	0	0	0	0	156	11.59	13.49	26.8	57.1	99.18	-1.1	-0.4	0	26.8	0.21	100	7961	99.17	24.9
2023-02-05 02:00:00	0	0	0	0	151	11.56	13.8	26.6	57.5	99.17	-0.8	-0.4	0	26.6	0.21	100	7958	99.16	24.8
2023-02-05 02:05:00	0	0	0	0	151	10.98	13.73	26.6	58	99.17	-0.8	-0.6	0	26.6	0.21	100	7961	99.16	24.7
2023-02-05 02:10:00	0	0	0	0	153	10.38	12.82	26.5	57.5	99.17	-0.8	-0.4	0	26.4	0.21	100	7963	99.15	24.7
2023-02-05 02:15:00	0	0	0	0	150	11.36	13.33	26.5	58.6	99.16	-1.2	-0.2	0	26.5	0.2	100	7960	99.15	24.8
2023-02-05 02:20:00	0	0	0	0	153	9.86	12.06	26.6	59.1	99.16	-1.1	-0.3	0	26.7	0.2	100	7959	99.14	24.9
2023-02-05 02:25:00	0	0	0	0	155	10.69	12.35	26.6	59.2	99.15	-1.1	-0.5	0	26.6	0.2	100	7960	99.14	24.9
2023-02-05 02:30:00	0	0	0	0	152	10.51	12.15	26.7	59	99.15	-1	-0.3	0	26.7	0.2	100	7960	99.13	24.9
2023-02-05 02:35:00	0	0	0	0	153	10.76	12.24	26.8	58.7	99.14	-0.9	-0.5	0	26.8	0.2	100	7957	99.13	25
2023-02-05 02:40:00	0	0	0	0	152	10.87	13.18	26.8	58.7	99.13	-0.9	-0.3	0	26.8	0.2	100	7957	99.11	25.1
2023-02-05 02:45:00	0	0	0	0	155	10.65	12.77	26.9	59.6	99.13	-1	-0.3	0	26.9	0.2	100	7959	99.12	25.1
2023-02-05 02:50:00	0	0	0	0	154	11.16	13.06	27.1	60	99.13	-1	-0.5	0	27.1	0.2	100	7957	99.11	25.3
2023-02-05 02:55:00	0	0	0	0	154	9.84	11.5	27.2	59.6	99.13	-0.9	-0.4	0	27.2	0.2	100	7957	99.11	25.4
2023-02-05 03:00:00	0	0	0	0	151	9.86	12.77	27.3	59.4	99.12	-1	-0.4	0	27.3	0.2	100	7960	99.1	25.4
2023-02-05 03:05:00	0	0	0	0	153	10.6	12.21	27.4	59.3	99.12	-0.9	-0.3	0	27.4	0.21	100	7957	99.1	25.4
2023-02-05 03:10:00	0	0	0	0	149	10.2	11.52	27.4	59.3	99.12	-1	-0.4	0	27.4	0.21	100	7959	99.1	25.4
2023-02-05 03:15:00	0	0	0	0	143	10.29	12.17	27.5	58.9	99.11	-0.8	-0.4	0	27.5	0.21	100	7957	99.09	25.5
2023-02-05 03:20:00	0	0	0	0	145	9.75	11.63	27.4	59.2	99.1	-0.9	-0.4	0	27.4	0.21	100	7957	99.08	25.4
2023-02-05 03:25:00	0	0	0	0	147	10.33	12.01	27.4	59.6	99.09	-0.9	-0.4	0	27.4	0.21	100	7959	99.08	25.4
2023-02-05 03:30:00	0	0	0	0	144	10.2	12.1	27.3	59.8	99.09	-1	-0.5	0	27.3	0.2	100	7957	99.07	25.4
2023-02-05 03:35:00	0	0	0	0	142	10.29	11.95	27.4	60	99.08	-0.9	-0.5	0	27.4	0.2	100	7957	99.06	25.4
2023-02-05 03:40:00	0	0	0	0	143	10.87	12.33	27.4	61.3	99.08	-1	-0.4	0	27.4	0.2	100	7957	99.06	25.3
2023-02-05 03:45:00	0	0	0	0	145	11.07	13.24	27.4	60.8	99.07	-1.1	-0.4	0	27.4	0.2	100	7955	99.05	25.3
2023-02-05 03:50:00	0	0	0	0	146	11.7	14	27.3	61.4	99.07	-1	-0.3	0	27.3	0.19	100	7956	99.05	25.3
2023-02-05 03:55:00	0	0	0	0	149	11.68	13.62	27.4	61.3	99.06	-0.9	-0.3	0	27.4	0.2	100	7960	99.04	25.3
2023-02-05 04:00:00	0	0	0	0	148	10.85	13.18	27.3	62.2	99.06	-1	-0.4	0	27.4	0.19	100	7957	99.04	25.3
2023-02-05 04:05:00	0	0	0	0	145	11.9	14.36	27.4	62	99.05	-1	-0.3	0	27.4	0.19	100	7955	99.03	25.4
2023-02-05 04:10:00	0	0	0	0	148	12.15	14.63	27.5	62.9	99.05	-1.1	-0.3	0	27.5	0.19	100	7957	99.03	25.5
2023-02-05 04:15:00	0	0	0	0	147	11.99	14.32	27.5	62.9	99.05	-0.9	-0.4	0	27.5	0.19	100	7955	99.03	25.6
2023-02-05 04:20:00	0	0	0	0	147	12.33	14.36	27.6	62.6	99.05	-0.9	-0.5	0	27.6	0.19	100	7956	99.04	25.7
2023-02-05 04:25:00	0	0	0	0	150	12.41	14.65	27.6	62.5	99.06	-0.7	-0.6	0	27.7	0.19	100	7952	99.04	25.8
2023-02-05 04:30:00	0	0	0	0	148	11.95	15.26	27.8	62.2	99.05	-0.7	-0.5	0	27.8	0.19	100	7956	99.04	25.9
2023-02-05 04:35:00	0	0	0	0	150	12.21	14.41	27.8	62.9	99.05	-1.2	-0.4	0	27.8	0.19	100	7954	99.03	26
2023-02-05 04:40:00	0	0	0	0	149	12.21	14.54	27.9	63.5	99.05	-0.9	-0.5	0	27.9	0.19	100	7953	99.03	26.1
2023-02-05 04:45:00	0	0	0	0	153	12.64	14.88	28	63.6	99.05	-1	-0.3	0	28	0.19	100	7955	99.03	26.2
2023-02-05 04:50:00	0	0	0	0	155	12.39	13.73	28.1	63.4	99.05	-0.9	-0.3	0	28.1	0.19	100	7953	99.04	26.2
2023-02-05 04:55:00	0	0	0	0	156	12.19	13.87	28	63.6	99.06	-1.1	-0.4	0	28	0.19	100	7954	99.04	26.3
2023-02-05 05:00:00	0	0	0	0	152	12.75	15.1	28.1	63.4	99.05	-0.8	-0.5	0	28.1	0.19	100	7953	99.04	26.3
2023-02-05 05:05:00	0	0	0	0	153	12.53	14.83	28	63.6	99.05	-0.9	-0.2	0	28	0.19	100	7952	99.04	26.3
2023-02-05 05:10:00	0	0	0	0	153	13.06	15.68	28.1	63.8	99.05	-0.9	-0.7	0	28.1	0.19	100	7954	99.03	26.3
2023-02-05 05:15:00	0	0	0	0	155	12.12	14.41	28.1	64.8	99.05	-0.7	-0.4	0	28.1	0.18	100	7954	99.03	26.3

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-05 05:20:00	0	0	0	0	153	12.57	14.34	28.1	64.8	99.05	-0.9	-0.4	0	28.1	0.18	100	7952	99.03	26.4
2023-02-05 05:25:00	0	0	0	0	154	12.66	15.59	28.1	65.3	99.05	-1.1	-0.3	0	28	0.18	100	7952	99.04	26.3
2023-02-05 05:30:00	0	0	0	0	151	12.28	14.36	28	65.4	99.05	-0.8	-0.5	0	28	0.18	100	7950	99.04	26.3
2023-02-05 05:35:00	0	0	0	0	150	12.28	14.14	28.1	65.3	99.05	-0.8	-0.3	0	28.1	0.18	100	7952	99.03	26.3
2023-02-05 05:40:00	0	0	0	0	143	11.65	14.67	28	65.4	99.05	-0.9	-0.5	0	28	0.18	100	7951	99.03	26.2
2023-02-05 05:45:00	0	0	0	0	145	13.06	14.79	27.9	65.8	99.04	-0.6	-0.4	0	27.9	0.18	100	7951	99.03	26.2
2023-02-05 05:50:00	0	0	0	0	143	13.13	16.04	28	65.6	99.03	-0.9	-0.4	0	28	0.18	100	7950	99.02	26.2
2023-02-05 05:55:00	0	0	0	0	142	13.24	14.97	27.8	66	99.03	-1	-0.3	0	27.8	0.18	100	7953	99.01	26.3
2023-02-05 06:00:00	0	0	0	0	145	12.48	15.79	27.9	65.7	99.03	-0.9	-0.5	0	27.9	0.18	100	7951	99.02	26.3
2023-02-05 06:05:00	0	0	0	0	144	12.01	13.73	27.9	65.7	99.03	-1	-0.4	0	27.9	0.18	100	7949	99.01	26.2
2023-02-05 06:10:00	0	0	0	0	140	11.54	13.62	28	65.4	99.02	-0.9	-0.4	0	28	0.18	100	7947	99.01	26.3
2023-02-05 06:15:00	0	0	0	0	142	10.85	12.28	28	65.4	99.02	-0.9	-0.3	0	28	0.18	100	7949	99	26.3
2023-02-05 06:20:00	0	0	0	0	144	10.36	13.24	28	65.6	99.02	-1	-0.6	0	28	0.18	100	7948	99	26.2
2023-02-05 06:25:00	0	0	0	0	141	10.49	13.02	28	65.8	99.01	-0.8	-0.3	0	28	0.18	100	7951	99	26.2
2023-02-05 06:30:00	0	0	0	0	139	10.13	11.25	27.9	66.2	99.01	-0.9	-0.4	0	27.9	0.17	100	7949	98.99	26.2
2023-02-05 06:35:00	0	0	0	0	135	10.02	11.56	27.9	66.2	99	-0.9	-0.3	0	27.9	0.17	100	7951	98.98	26.1
2023-02-05 06:40:00	0	0	0	0	136	10.02	11.65	27.8	66.1	99	-1	-0.3	0	27.8	0.17	100	7948	98.98	26
2023-02-05 06:45:00	0	0	0	0	138	10.09	12.26	27.8	66	99	-0.9	-0.4	0	27.8	0.18	100	7950	98.98	25.9
2023-02-05 06:50:00	0	0	0	0	142	9.42	11.54	27.8	66.2	99	-1	-0.4	0	27.8	0.17	100	7948	98.98	25.8
2023-02-05 06:55:00	0	0	0	0	139	9.93	11.79	27.6	66.5	98.99	-1.1	-0.3	0	27.6	0.17	100	7947	98.97	25.7
2023-02-05 07:00:00	0	0	0	0	142	9.8	10.63	27.6	67.6	98.98	-1	-0.2	0	27.6	0.17	100	7947	98.96	25.6
2023-02-05 07:05:00	0.4	0	0	0	142	9.91	10.71	27.5	66.8	98.97	-1	-0.4	0	27.5	0.17	100	7948	98.95	25.5
2023-02-05 07:10:00	1.2	0	0	0	142	9.44	11.05	27.6	68	98.98	-0.9	-0.4	0	27.6	0.16	100	7945	98.96	25.5
2023-02-05 07:15:00	2.8	0	0	0	140	8.93	10.27	27.7	68.3	98.97	-1	-0.5	0	27.7	0.16	100	7945	98.95	25.5
2023-02-05 07:20:00	5.8	0	0	0	137	8.93	10.38	27.6	68.4	98.97	-1	-0.4	0	27.7	0.16	100	7945	98.94	25.5
2023-02-05 07:25:00	9.6	0	0	0	142	8.05	9.33	27.7	68.2	98.97	-0.9	-0.4	0	27.8	0.16	100	7946	98.95	25.6
2023-02-05 07:30:00	14.8	0	0	0	133	9.78	11.54	27.9	67.6	98.96	-0.9	-0.4	0	28	0.17	100	7944	98.95	25.7
2023-02-05 07:35:00	19.8	0	0	0	142	7.92	9.62	28.2	68.8	98.97	-1	-0.4	0	28.3	0.16	100	7947	98.96	26
2023-02-05 07:40:00	26.2	0	0	0	136	8.23	10.94	28.5	68	98.98	-0.9	-0.5	0	28.6	0.17	100	7948	98.96	26.3
2023-02-05 07:45:00	30.6	0	0	0	137	6.67	8.9	28.7	67.4	98.98	-0.9	-0.5	0	28.8	0.17	100	7946	98.96	26.4
2023-02-05 07:50:00	34.4	0	0	0	133	6.78	8.21	28.9	66.9	98.98	-0.8	-0.5	0	29	0.18	100	7943	98.96	26.6
2023-02-05 07:55:00	37.6	0	0	0	130	7.23	10.96	29	67	98.97	-0.8	-0.3	0	29.2	0.18	100	7945	98.95	26.8
2023-02-05 08:00:00	40.2	0	0	0	133	7.16	8.97	29.3	67.6	98.97	-0.8	-0.4	0	29.4	0.18	100	7947	98.95	27.1
2023-02-05 08:05:00	48.8	0	0	0	130	8.3	11.03	29.4	67.3	98.96	-0.9	-0.3	0	29.5	0.18	100	7945	98.94	27.2
2023-02-05 08:10:00	59.8	0	0	0	132	7.47	9.69	29.4	67.4	98.94	-0.9	-0.4	0	29.5	0.18	100	7946	98.93	27.4
2023-02-05 08:15:00	64.6	0	0	0	127	6.8	8.41	29.6	66.9	98.94	-0.9	-0.4	0	29.7	0.18	100	7947	98.92	27.6
2023-02-05 08:20:00	59.2	0	0	0	133	6.11	7.9	29.7	67.5	98.93	-0.9	-0.4	0	29.9	0.18	100	7947	98.92	27.8
2023-02-05 08:25:00	57.2	0	0	0	144	6.22	9.26	30.1	67.6	98.93	-0.8	-0.4	0	30.2	0.18	100	7948	98.92	28.2
2023-02-05 08:30:00	63.8	0	0	0	158	5.12	7.47	30.8	68.6	98.94	-0.8	-0.4	0	31.1	0.18	100	7950	98.92	28.9
2023-02-05 08:35:00	77.4	0	0	0	146	5.19	9.26	31.4	66.5	98.95	-0.8	-0.4	0	31.5	0.2	100	7949	98.93	29.2
2023-02-05 08:40:00	91.6	0	0	0	180	9.19	18.45	31.9	67.8	98.94	-0.8	-0.5	0	32.2	0.2	100	7952	98.92	30
2023-02-05 08:45:00	99.4	0	0	0	185	8.99	14.09	33.3	66.5	98.95	-0.7	-0.6	0	33.6	0.22	100	7953	98.93	31.2
2023-02-05 08:50:00	117.4	0	0	0	190	10.38	16.31	34.5	65.1	98.95	-0.7	-0.3	0	34.8	0.24	100	7954	98.93	32.3
2023-02-05 08:55:00	131.6	0	0	0	188	12.39	19.53	35.7	63.1	98.95	-0.8	-0.4	0	36.1	0.26	100	7957	98.92	33.4
2023-02-05 09:00:00	133.4	0	0	0	191	14.52	21.63	37	61.4	98.95	-0.3	-0.6	0	37.4	0.29	100	7959	98.93	34.5
2023-02-05 09:05:00	119.8	0	0	0	194	13.8	22.03	38.1	59.3	98.96	-0.2	-0.1	0	38.3	0.32	100	7960	98.93	35.4
2023-02-05 09:10:00	141	0	0	0	196	14.54	29.37	38.7	58.1	98.95	-0.5	-0.1	0	39.1	0.33	100	7961	98.93	36.1
2023-02-05 09:15:00	140	0	0	0	195	16.93	23.13	39.5	56.3	98.95	-0.5	-0.6	0	39.8	0.36	100	7963	98.92	36.8
2023-02-05 09:20:00	138	0	0	0	197	12.15	19.26	40.1	55.7	98.96	-0.4	-0.5	0	40.4	0.37	100	7965	98.93	37.3
2023-02-05 09:25:00	168.6	0.00201	0	0	199	14.94	22.28	40.4	55.2	98.96	-0.4	-0.6	0.08	40.7	0.38	100	7969	98.93	37.8
2023-02-05 09:30:00	219.2	0.00067	0	0	202	15.77	25.05	41	54	98.94	-0.7	-0.6	0.04	41.4	0.4	100	7972	98.93	38.3
2023-02-05 09:35:00	211.8	0	0	0	200	13.71	21.39	41.5	53.7	98.94	-0.2	-1	0	41.9	0.41	100	7974	98.92	38.8
2023-02-05 09:40:00	258	0	0	0	200	16.82	24.96	42.2	52.3	98.93	-0.9	-0.4	0	42.8	0.44	100	7980	98.92	39.3
2023-02-05 09:45:00	260.2	0	0	0	199	15.77	23.35	43.1	50.8	98.93	-0.2	-0.7	0	43.6	0.47	100	7988	98.92	39.9
2023-02-05 09:50:00	319.2	0	0	0	199	16.33	20.47	43.9	49.7	98.92	-0.4	-0.3	0	44.5	0.49	100	7997	98.92	40.4
2023-02-05 09:55:00	350	0	0	0	202	15.73	23.26	45.2	47.5	98.91	-0.4	-0.3	0	46	0.54	100	8001	98.93	41.1
2023-02-05 10:00:00	321.8	0	0	0	203	13	19.39	45.6	47	98.93	-0.3	-0.7	0	46.4	0.55	100	8005	98.93	41.7
2023-02-05 10:05:00	314.8	0	0	0	209	19.3	28.16	46	46.1	98.93	0	0	0	46.7	0.57	100	8010	98.93	42.2
2023-02-05 10:10:00	285.4	0	0	0	198	15.43	25.05	45.9	46.1	98.93	-0.4	-0.8	0	46.5	0.57	100	8012	98.92	42.4
2023-02-05 10:15:00	311.8	0	0	0	201	14.52	27.22	45.9	46.3	98.93	-0.4	-0.6	0	46.5	0.57	100	8017	98.93	42.6
2023-02-05 10:20:00	297.2	0	0	0	200	15.75	20.94	46	45.7	98.94	-0.3	-0.3	0	46.6	0.57	100	8019	98.93	42.9
2023-02-05 10:25:00	352	0	0	0	197	15.21	22.73	46	45.4	98.93	-0.3	-0.6	0	46.8	0.58	100	8024	98.93	43.1
2023-02-05 10:30:00	397.8	0	0	0	199	14.45	22.01	46.6	45.3	98.93	-0.4	-0.8	0	47.3	0.59	100	8029	98.94	43.4
2023-02-05 10:35:00	386.8	0	0	0	197	12.17	16.62	47	44.8	98.94	-0.3	-0.4	0	47.8	0.61	100	8033	98.94	43.8

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-05 10:40:00	359.2	0	0	0	205	12.15	16.42	47.4	44.4	98.94	-0.4	-0.5	0	48.2	0.62	100	8036	98.94	44.2
2023-02-05 10:45:00	364.4	0	0	0	216	13.4	22.77	47.5	44.2	98.94	-0.2	-0.7	0	48.2	0.62	100	8039	98.94	44.4
2023-02-05 10:50:00	404.8	0	0	0	214	12.95	19.19	48.1	44	98.93	0.1	-0.5	0	48.8	0.64	100	8042	98.94	44.7
2023-02-05 10:55:00	374.8	0	0	0	203	11.74	19.64	48.4	43.5	98.92	-0.2	-0.3	0	49.1	0.65	100	8048	98.92	45
2023-02-05 11:00:00	358.4	0	0	0	215	12.21	17.6	48.5	43.6	98.92	-0.3	-0.6	0	49.3	0.66	100	8051	98.92	45.3
2023-02-05 11:05:00	394.2	0	0	0	212	13.67	23.71	48.8	42.8	98.9	0	-0.5	0	49.6	0.67	100	8055	98.91	45.5
2023-02-05 11:10:00	400	0	0	0	212	13.18	19.91	49	42.6	98.9	0	-0.2	0	49.8	0.68	100	8056	98.91	45.7
2023-02-05 11:15:00	404.6	0	0	0	225	11.32	16.35	49.1	42.9	98.9	-0.4	-0.5	0	49.9	0.68	100	8060	98.9	45.8
2023-02-05 11:20:00	408	0	0	0	218	12.62	24.92	49.2	42.6	98.9	-0.3	-0.5	0	50	0.68	100	8060	98.91	46
2023-02-05 11:25:00	419.4	0	0	0	226	11.7	17.65	49.2	42.7	98.91	-0.4	-0.8	0	50	0.68	100	8061	98.9	46.1
2023-02-05 11:30:00	387.8	0	0	0	219	13.53	21.09	49.1	42.9	98.9	-0.5	-0.7	0	49.9	0.68	100	8066	98.9	46.2
2023-02-05 11:35:00	459	0	0	0	229	15.05	22.46	49.2	42.5	98.9	-0.3	-0.7	0	49.9	0.69	100	8067	98.9	46.2
2023-02-05 11:40:00	468.6	0	0	0	236	11.5	19.95	49.7	42.4	98.89	0	-0.5	0	50.5	0.7	100	8070	98.89	46.4
2023-02-05 11:45:00	442	0	0	0	229	14.5	18.72	49.8	42.2	98.9	-0.2	-1	0	50.7	0.7	100	8073	98.89	46.6
2023-02-05 11:50:00	438.8	0	0	0	225	13.33	19.84	49.7	42.8	98.89	0	-0.8	0	50.5	0.7	100	8073	98.89	46.7
2023-02-05 11:55:00	403.8	0	0	0	225	11.41	18.03	49.7	42.9	98.89	-0.2	-0.5	0	50.6	0.69	100	8075	98.88	46.7
2023-02-05 12:00:00	419.8	0	0	0	215	12.88	19.82	49.8	43	98.87	-0.1	-0.4	0	50.6	0.69	100	8076	98.87	46.8
2023-02-05 12:05:00	404.8	0	0	0	237	12.97	19.42	49.9	42.7	98.87	-0.1	-0.6	0	50.7	0.7	100	8077	98.86	46.8
2023-02-05 12:10:00	356.4	0	0	0	249	15.7	24.09	49.8	42.5	98.86	-0.2	-0.7	0	50.5	0.7	100	8077	98.85	46.8
2023-02-05 12:15:00	436.4	0	0	0	243	13.49	19.91	49.9	42.9	98.84	-0.3	-0.6	0	50.7	0.7	100	8081	98.84	46.8
2023-02-05 12:20:00	393.6	0	0	0	251	15.28	26.37	50.3	42.6	98.84	-0.5	-0.4	0	50.9	0.71	100	8079	98.83	47
2023-02-05 12:25:00	378.4	0	0	0	251	18.7	26.89	50.1	41.9	98.83	0.3	-0.9	0	50.7	0.72	100	8079	98.82	46.9
2023-02-05 12:30:00	379.4	0	0	0	248	12.53	20.87	49.5	43	98.82	-0.4	-0.5	0	50.3	0.69	100	8083	98.81	46.9
2023-02-05 12:35:00	390.2	0	0	0	238	15.82	26.15	49.5	43.5	98.81	-0.1	-0.8	0	50.3	0.68	100	8080	98.8	46.9
2023-02-05 12:40:00	396.2	0	0	0	243	17.22	27.69	49.5	43.5	98.8	-0.3	-0.5	0	50.2	0.68	100	8080	98.79	46.9
2023-02-05 12:45:00	397.8	0	0	0	244	14.5	22.39	49.3	43.7	98.8	0	-0.6	0	50	0.67	100	8084	98.79	46.9
2023-02-05 12:50:00	381.8	0	0	0	240	16.91	23.26	49.4	43.8	98.79	-0.2	-0.6	0	50.2	0.68	100	8082	98.78	46.9
2023-02-05 12:55:00	391.6	0	0	0	241	14.25	21.81	49.3	43.9	98.79	0.1	-0.6	0	50	0.67	100	8085	98.78	46.9
2023-02-05 13:00:00	385	0	0	0	240	12.66	21.39	49.2	44.4	98.78	-0.5	-0.6	0	50	0.66	100	8085	98.77	46.9
2023-02-05 13:05:00	392.6	0	0	0	230	15.32	21.27	49.4	44.5	98.78	-0.2	-0.5	0	50.1	0.67	100	8082	98.77	47
2023-02-05 13:10:00	429.4	0	0	0	229	12.39	20.13	49.6	44.4	98.77	-0.3	-0.6	0	50.4	0.67	100	8083	98.76	47.1
2023-02-05 13:15:00	341.6	0	0	0	235	14.41	22.44	49.5	44.1	98.77	-0.4	-0.8	0	50.3	0.67	100	8083	98.75	47.3
2023-02-05 13:20:00	258	0	0	0	240	13.94	24.56	48.9	44.6	98.77	-0.1	-0.7	0	49.5	0.65	100	8086	98.73	47.2
2023-02-05 13:25:00	256.2	0	0	0	237	12.64	17.58	48.2	45.8	98.75	-0.6	-0.2	0	48.8	0.62	100	8086	98.71	47.1
2023-02-05 13:30:00	279.8	0	0	0	211	15.88	22.37	47.9	46.4	98.72	-0.3	-0.5	0	48.4	0.61	100	8087	98.69	47
2023-02-05 13:35:00	238.6	0	0	0	213	13.76	19.1	47.7	46.8	98.72	-0.4	-0.6	0	48.2	0.6	100	8086	98.68	47
2023-02-05 13:40:00	154.4	0	0	0	225	9.08	14	47.4	47.5	98.71	-0.2	-0.5	0	47.8	0.58	100	8085	98.68	46.8
2023-02-05 13:45:00	109.2	0	0	0	212	11.03	18.75	46.9	48.6	98.7	-0.4	-0.4	0	47.2	0.56	100	8086	98.66	46.6
2023-02-05 13:50:00	121.4	0	0	0	228	12.28	17.58	46.7	48.6	98.69	-0.2	-0.8	0	46.9	0.56	100	8080	98.66	46.4
2023-02-05 13:55:00	119.4	0	0	0	211	8.52	15.73	46.3	49.6	98.69	-0.4	-0.5	0	46.6	0.54	100	8082	98.66	46.2
2023-02-05 14:00:00	112.2	0	0	0	228	7.27	11.48	46.1	50.6	98.7	-0.3	-0.5	0	46.4	0.52	100	8080	98.67	46.1
2023-02-05 14:05:00	93.6	0	0	0	244	7.78	12.66	46	50.2	98.7	-0.4	-0.5	0	46.3	0.52	100	8080	98.67	45.9
2023-02-05 14:10:00	73	0	0	0	244	8.88	11.43	46	49.9	98.7	-0.3	-0.4	0	46.2	0.53	100	8079	98.66	45.8
2023-02-05 14:15:00	57.2	0	0	0	247	6.69	11.1	45.8	50.3	98.71	-0.3	-0.5	0	46	0.52	100	8077	98.67	45.6
2023-02-05 14:20:00	44.2	0	0	0	268	6.73	12.59	45.6	51.3	98.72	-0.3	-0.4	0	45.8	0.51	100	8076	98.68	45.4
2023-02-05 14:25:00	33.2	0	0	0	269	5.91	8.01	45.4	51.6	98.72	-0.3	-0.6	0	45.5	0.5	100	8074	98.68	45.2
2023-02-05 14:30:00	29.4	0	0	0	264	5.82	8.61	45.2	51.9	98.72	-0.4	-0.6	0	45.3	0.49	100	8073	98.67	44.9
2023-02-05 14:35:00	33.6	0	0	0	258	5.46	7.05	45	52.3	98.71	-0.4	-0.5	0	45.1	0.48	100	8073	98.67	44.7
2023-02-05 14:40:00	38.4	0	0	0	258	4.81	7.36	44.8	52.6	98.71	-0.4	-0.6	0	44.9	0.48	100	8070	98.67	44.5
2023-02-05 14:45:00	37.8	0	0	0	261	5.03	6.67	44.7	52.7	98.71	-0.5	-0.5	0	44.8	0.48	100	8070	98.67	44.3
2023-02-05 14:50:00	47.6	0	0	0	264	5.32	7	44.6	52.9	98.71	-0.4	-0.7	0	44.8	0.47	100	8069	98.67	44.2
2023-02-05 14:55:00	48	0	0	0	270	6.49	10.25	44.7	53.4	98.71	-0.5	-0.5	0	44.9	0.47	100	8071	98.67	44.1
2023-02-05 15:00:00	42.4	0	0	0	272	5.08	6.22	44.6	53.5	98.71	-0.4	-0.5	0	44.7	0.47	100	8067	98.67	44
2023-02-05 15:05:00	36.6	0	0	0	278	4.5	5.1	44.6	52.9	98.71	-0.4	-0.5	0	44.8	0.47	100	8067	98.66	44.1
2023-02-05 15:10:00	31	0	0	0	279	3.83	5.12	44.6	52.9	98.71	-0.4	-0.4	0	44.7	0.47	100	8067	98.67	44.1
2023-02-05 15:15:00	30.6	0	0	0	283	4.21	5.17	44.6	52.8	98.71	-0.4	-0.6	0	44.6	0.47	100	8065	98.67	44
2023-02-05 15:20:00	28.4	0	0	0	284	4.07	5.35	44.5	53.1	98.71	-0.3	-0.4	0	44.6	0.47	100	8066	98.67	43.9
2023-02-05 15:25:00	35	0	0	0	272	4.03	6.33	44.5	53.2	98.71	-0.4	-0.5	0	44.6	0.47	100	8066	98.67	43.9
2023-02-05 15:30:00	34	0	0	0	265	4.23	5.82	44.4	53.7	98.72	-0.4	-0.5	0	44.5	0.46	100	8066	98.68	43.8
2023-02-05 15:35:00	40.4	0	0	0	259	5.03	6.76	44.3	53.7	98.72	-0.3	-0.6	0	44.5	0.46	100	8065	98.67	43.7
2023-02-05 15:40:00	40.8	0	0	0	240	5.44	8.25	44.3	54.2	98.72	-0.3	-0.5	0	44.5	0.45	100	8065	98.68	43.7
2023-02-05 15:45:00	36.4	0	0	0	229	6.73	11.25	44.5	53.9	98.72	-0.4	-0.6	0	44.7	0.46	100	8064	98.68	43.8
2023-02-05 15:50:00	34	0	0	0	245	7.29	11.92	44.6	53.9	98.72	-0.4	-0.5	0	44.7	0.46	100	8065	98.68	43.8
2023-02-05 15:55:00	29	0	0	0	250	7.7	11.41	44.6	54	98.72	-0.4	-0.3	0	44.7	0.46	100	8062	98.68	43.8

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-05 16:00:00	27.8	0	0	0	253	7.36	9.71	44.6	54	98.72	-0.2	-0.5	0	44.7	0.46	100	8061	98.67	43.8
2023-02-05 16:05:00	22.4	0	0	0	262	7.05	12.48	44.5	54.5	98.72	-0.4	-0.5	0	44.6	0.45	100	8061	98.68	43.7
2023-02-05 16:10:00	16.4	0	0	0	258	6.38	8.19	44.5	54.9	98.72	-0.4	-0.5	0	44.6	0.45	100	8061	98.68	43.6
2023-02-05 16:15:00	10.6	0	0	0	261	6.26	9.22	44.4	55.1	98.73	-0.5	-0.4	0	44.4	0.45	100	8058	98.69	43.5
2023-02-05 16:20:00	9.2	0	0	0	264	5.75	7.65	44.3	55.3	98.73	-0.6	-0.7	0	44.3	0.44	100	8060	98.69	43.4
2023-02-05 16:25:00	8	0	0	0	263	6.44	8.14	44.1	55.1	98.74	-0.4	-0.5	0	44.1	0.44	100	8059	98.7	43.3
2023-02-05 16:30:00	8	0	0	0	264	5.97	8.1	44	55.1	98.74	-0.5	-0.5	0	44	0.44	100	8060	98.7	43.2
2023-02-05 16:35:00	6.4	0	0	0	269	5.44	7.09	44.1	55	98.75	-0.4	-0.5	0	44.1	0.44	100	8060	98.7	43.2
2023-02-05 16:40:00	5.2	0	0	0	269	4.83	5.79	44	55.3	98.75	-0.5	-0.5	0	44	0.44	100	8056	98.7	43.1
2023-02-05 16:45:00	5	0	0	0	276	3.56	5.32	43.8	55.6	98.75	-0.4	-0.6	0	43.8	0.43	100	8058	98.71	42.9
2023-02-05 16:50:00	5	0	0	0	290	2.17	3.18	43.7	55	98.75	-0.4	-0.5	0	43.7	0.44	100	8057	98.71	42.8
2023-02-05 16:55:00	5	0	0	0	269	1.48	2.84	43.5	55.2	98.75	-0.4	-0.5	0	43.5	0.43	100	8055	98.71	42.7
2023-02-05 17:00:00	4	0	0	0	264	1.97	3.29	43.3	55.3	98.76	-0.5	-0.5	0	43.3	0.43	100	8055	98.71	42.5
2023-02-05 17:05:00	2.6	0	0	0	302	1.83	2.73	43.3	55	98.76	-0.5	-0.6	0	43.3	0.43	100	8057	98.71	42.5
2023-02-05 17:10:00	1.6	0	0	0	299	1.86	3.06	43.3	54.8	98.77	-0.4	-0.6	0	43.3	0.43	100	8055	98.72	42.4
2023-02-05 17:15:00	0.8	0	0	0	14	1.32	1.66	43.2	55.1	98.77	-0.5	-0.5	0	43.2	0.43	100	8055	98.72	42.3
2023-02-05 17:20:00	0	0	0	0	58	0.85	1.19	43	55.4	98.77	-0.5	-0.5	0	43.1	0.42	100	8051	98.73	42.2
2023-02-05 17:25:00	0	0	0	0	81	0.98	2.24	43.1	55.1	98.77	-0.6	-0.5	0	43.1	0.42	100	8052	98.73	42
2023-02-05 17:30:00	0	0	0	0	138	1.07	2.73	42.9	55.5	98.78	-0.4	-0.5	0	42.9	0.42	100	8052	98.73	41.9
2023-02-05 17:35:00	0	0	0	0	181	1.95	3.89	43	56.3	98.78	-0.6	-0.5	0	43	0.41	100	8051	98.74	41.8
2023-02-05 17:40:00	0	0	0	0	218	2.95	4.18	43	56.2	98.79	-0.4	-0.6	0	43.1	0.41	100	8053	98.74	41.9
2023-02-05 17:45:00	0	0	0	0	239	3.09	4.21	43.1	56.1	98.79	-0.4	-0.6	0	43.1	0.42	100	8052	98.75	42
2023-02-05 17:50:00	0	0	0	0	240	3.85	5.55	43.1	56.2	98.8	-0.4	-0.4	0	43.1	0.41	100	8051	98.75	42
2023-02-05 17:55:00	0	0	0	0	243	3.2	5.01	43.3	55.7	98.8	-0.5	-0.5	0	43.3	0.42	100	8049	98.76	42.1
2023-02-05 18:00:00	0	0	0	0	237	2.64	3.89	43.3	55.7	98.81	-0.3	-0.5	0	43.3	0.42	100	8050	98.76	42.1
2023-02-05 18:05:00	0	0	0	0	225	2.24	3.42	43.2	55.8	98.81	-0.4	-0.5	0	43.2	0.42	100	8049	98.77	42
2023-02-05 18:10:00	0	0	0	0	244	2.08	2.95	43.2	55.8	98.82	-0.5	-0.4	0	43.2	0.42	100	8051	98.77	42
2023-02-05 18:15:00	0	0	0	0	209	2.42	3.69	43.1	56.1	98.82	-0.5	-0.5	0	43.1	0.42	100	8049	98.78	41.9
2023-02-05 18:20:00	0	0	0	0	157	3.69	4.92	43	56.5	98.83	-0.5	-0.4	0	43	0.41	100	8048	98.79	41.8
2023-02-05 18:25:00	0	0	0	0	157	2.91	3.56	42.8	56.7	98.83	-0.5	-0.6	0	42.8	0.4	100	8051	98.79	41.5
2023-02-05 18:30:00	0	0	0	0	166	4.36	5.06	42.6	57.6	98.83	-0.3	-0.5	0	42.6	0.39	100	8048	98.79	41.4
2023-02-05 18:35:00	0	0	0	0	180	2.24	3.78	42.4	57.9	98.84	-0.6	-0.5	0	42.4	0.39	100	8046	98.8	41.2
2023-02-05 18:40:00	0	0	0	0	195	2.08	2.75	42.2	58.1	98.84	-0.6	-0.5	0	42.2	0.38	100	8046	98.8	41.1
2023-02-05 18:45:00	0	0	0	0	180	1.81	2.77	42	58.2	98.85	-0.5	-0.5	0	42	0.38	100	8047	98.81	41.1
2023-02-05 18:50:00	0	0	0	0	183	2.68	3.89	42	58.4	98.87	-0.5	-0.5	0	42.1	0.38	100	8047	98.82	41.2
2023-02-05 18:55:00	0	0	0	0	221	3.36	4.47	42.3	59	98.87	-0.4	-0.5	0	42.3	0.38	100	8045	98.82	41.3
2023-02-05 19:00:00	0	0	0	0	246	2.46	4.97	42.2	59.9	98.87	-0.5	-0.5	0	42.2	0.37	100	8048	98.83	41.2
2023-02-05 19:05:00	0	0	0	0	195	3.47	4.59	42.1	61.6	98.87	-0.6	-0.5	0	42.1	0.35	100	8045	98.83	41
2023-02-05 19:10:00	0	0	0	0	204	2.24	3.15	41.9	60.9	98.87	-0.5	-0.5	0	41.9	0.35	100	8045	98.83	41
2023-02-05 19:15:00	0	0	0	0	245	2.71	5.35	42.1	60.5	98.88	-0.5	-0.5	0	42.1	0.36	100	8045	98.83	41
2023-02-05 19:20:00	0	0	0	0	265	4.65	8.88	42.2	60.6	98.88	-0.4	-0.5	0	42.2	0.36	100	8043	98.84	41.2
2023-02-05 19:25:00	0	0	0	0	271	4.92	7.83	42.3	62.5	98.88	-0.6	-0.5	0	42.3	0.34	100	8044	98.84	41.1
2023-02-05 19:30:00	0	0	0	0	284	4.14	5.44	42.2	62.4	98.89	-0.5	-0.4	0	42.2	0.34	100	8043	98.84	40.9
2023-02-05 19:35:00	0	0	0	0	269	3.96	5.12	42	62.1	98.89	-0.7	-0.4	0	42	0.34	100	8044	98.84	40.7
2023-02-05 19:40:00	0	0	0	0	275	4.9	6.17	41.9	61.7	98.89	-0.5	-0.5	0	41.9	0.35	100	8044	98.85	40.8
2023-02-05 19:45:00	0	0	0	0	270	4.85	6.24	42.1	61.8	98.9	-0.4	-0.6	0	42	0.35	100	8043	98.86	40.8
2023-02-05 19:50:00	0	0	0	0	287	4.92	5.73	42.1	61.8	98.9	-0.5	-0.5	0	42.1	0.35	100	8045	98.85	40.7
2023-02-05 19:55:00	0	0	0	0	290	5.21	6.58	42	62.1	98.89	-0.4	-0.5	0	42	0.34	100	8044	98.85	40.6
2023-02-05 20:00:00	0	0	0	0	297	5.5	6.91	42	63	98.9	-0.5	-0.5	0	42	0.34	100	8042	98.86	40.3
2023-02-05 20:05:00	0	0	0	0	312	9.01	12.95	41.5	64.3	98.91	-0.5	-0.4	0	41.5	0.32	100	8042	98.86	39.9
2023-02-05 20:10:00	0	0	0	0	316	6.93	9.57	40.9	66.4	98.9	-0.4	-0.4	0	40.9	0.29	100	8041	98.85	39.3
2023-02-05 20:15:00	0	0	0	0	308	8.75	10.45	40.4	67.9	98.89	-0.5	-0.5	0	40.4	0.27	100	8040	98.84	38.9
2023-02-05 20:20:00	0	0	0	0	298	8.05	10.45	40.3	68.6	98.9	-0.6	-0.6	0	40.3	0.27	100	8039	98.86	38.9
2023-02-05 20:25:00	0	0	0	0	298	7.85	10.16	40.1	70	98.9	-0.5	-0.5	0	40.1	0.25	100	8040	98.86	38.9
2023-02-05 20:30:00	0	0	0	0	301	8.05	13.33	39.9	70.7	98.9	-0.5	-0.4	0	39.9	0.25	100	8037	98.86	38.9
2023-02-05 20:35:00	0	0	0	0	291	8.86	14.56	39.9	71.5	98.91	-0.5	-0.6	0	39.9	0.24	100	8039	98.87	38.9
2023-02-05 20:40:00	0	0	0	0	293	8.3	12.24	39.8	73.1	98.91	-0.5	-0.4	0	39.8	0.22	100	8039	98.87	38.9
2023-02-05 20:45:00	0	0	0	0	293	7.14	10.04	39.8	74.1	98.91	-0.6	-0.4	0	39.7	0.22	100	8037	98.87	38.7
2023-02-05 20:50:00	0	0	0	0	290	7.07	10.22	39.6	75.1	98.9	-0.5	-0.5	0	39.6	0.21	100	8037	98.86	38.4
2023-02-05 20:55:00	0	0	0	0	282	7.18	10.92	39.5	76.1	98.9	-0.5	-0.5	0	39.5	0.2	100	8039	98.86	38.2
2023-02-05 21:00:00	0	0	0	0	270	7.9	12.06	39.4	77.2	98.9	-0.6	-0.6	0	39.4	0.19	100	8036	98.86	38.1
2023-02-05 21:05:00	0	0	0	0	271	7.09	9.95	39.2	77.7	98.9	-0.5	-0.4	0	39.2	0.18	100	8035	98.86	37.9
2023-02-05 21:10:00	0	0	0	0	271	7.34	9.66	39.1	78.1	98.9	-0.5	-0.4	0	39.1	0.18	100	8035	98.86	37.8
2023-02-05 21:15:00	0	0.00067	0	0	259	5.86	8.79	39	78.6	98.9	-0.5	-0.6	0.04	38.9	0.17	100	8034	98.86	37.7

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-05 21:20:00	0	0.00067	0	0	247	4.65	5.93	38.8	78.8	98.9	-0.6	-0.5	0.04	38.8	0.17	100	8033	98.86	37.6
2023-02-05 21:25:00	0	0.00067	0	0	222	4.88	6.69	38.6	79.5	98.89	-0.5	-0.6	0.04	38.6	0.16	100	8032	98.85	37.5
2023-02-05 21:30:00	0	0.00134	0	0	213	4.72	7.72	38.6	79.5	98.89	-0.6	-0.4	0.04	38.6	0.16	100	8035	98.86	37.5
2023-02-05 21:35:00	0	0.00067	0	0	193	3.62	4.81	38.2	80.5	98.89	-0.7	-0.5	0.04	38.2	0.15	100	8032	98.86	37.4
2023-02-05 21:40:00	0	0.00201	0	0	197	3.78	5.61	38.4	80.8	98.9	-0.6	-0.4	0.04	38.4	0.15	100	8032	98.87	37.3
2023-02-05 21:45:00	0	0.00134	0	0	204	3.94	5.82	38.2	81.1	98.91	-0.5	-0.4	0.04	38.2	0.15	100	8033	98.88	37.3
2023-02-05 21:50:00	0	0.00201	0	0	195	3.89	5.17	38.1	81.2	98.92	-0.6	-0.5	0.04	38.1	0.15	100	8031	98.89	37.2
2023-02-05 21:55:00	0	0.00201	0	0	205	3.06	4.83	37.9	81.7	98.93	-0.5	-0.5	0.04	37.9	0.14	100	8033	98.89	37.1
2023-02-05 22:00:00	0	0.00268	0	0	202	4.34	6.17	37.9	82.2	98.93	-0.6	-0.5	0.04	37.9	0.14	100	8029	98.89	37.1
2023-02-05 22:05:00	0	0.00268	0	0	189	5.39	6.76	37.8	82.1	98.93	-0.6	-0.5	0.04	37.8	0.14	100	8030	98.89	37
2023-02-05 22:10:00	0	0.00201	0	0	200	5.19	7.49	37.7	83.4	98.93	-0.5	-0.5	0.04	37.7	0.13	100	8030	98.89	37
2023-02-05 22:15:00	0	0.00201	0	0	220	5.77	8.14	37.6	84	98.93	-0.6	-0.4	0.04	37.6	0.12	100	8031	98.9	36.9
2023-02-05 22:20:00	0	0.00201	0	0	231	5.55	7.16	37.7	84.8	98.92	-0.5	-0.5	0.04	37.7	0.12	100	8028	98.89	37
2023-02-05 22:25:00	0	0.00201	0	0	250	5.91	7.7	37.8	84.5	98.92	-0.6	-0.5	0.04	37.8	0.12	100	8030	98.89	37
2023-02-05 22:30:00	0	0.00268	0	0	255	6.49	9.42	37.7	85.6	98.92	-0.6	-0.5	0.04	37.7	0.11	100	8029	98.89	36.9
2023-02-05 22:35:00	0	0.00335	0	0	255	5.91	7.9	37.7	86	98.92	-0.5	-0.5	0.04	37.7	0.11	100	8029	98.89	36.8
2023-02-05 22:40:00	0	0.00201	0	0	256	6.89	9.82	37.7	86.2	98.93	-0.6	-0.4	0.04	37.7	0.11	100	8028	98.89	36.7
2023-02-05 22:45:00	0	0.00268	0	0	259	8.37	15.32	37.7	86.8	98.92	-0.6	-0.4	0.04	37.7	0.1	100	8029	98.89	36.7
2023-02-05 22:50:00	0	0.00268	0	0	262	8.16	12.77	37.7	87.4	98.92	-0.6	-0.5	0.04	37.7	0.1	100	8028	98.89	36.7
2023-02-05 22:55:00	0	0.00134	0	0	258	7.61	10.78	37.7	87.6	98.93	-0.6	-0.5	0.04	37.7	0.1	100	8028	98.9	36.7
2023-02-05 23:00:00	0	0.00201	0	0	250	5.86	8.43	37.7	88.1	98.93	-0.5	-0.5	0.04	37.7	0.09	100	8028	98.9	36.6
2023-02-05 23:05:00	0	0.00134	0	0	253	5.77	8.66	37.6	88.3	98.93	-0.6	-0.5	0.04	37.6	0.09	100	8029	98.9	36.6
2023-02-05 23:10:00	0	0.00201	0	0	254	6.29	10.09	37.4	88.4	98.93	-0.6	-0.5	0.04	37.4	0.09	100	8026	98.9	36.5
2023-02-05 23:15:00	0	0.00134	0	0	259	8.61	15.46	37.5	89.2	98.93	-0.6	-0.5	0.04	37.5	0.08	100	8029	98.9	36.5
2023-02-05 23:20:00	0	0.00134	0	0	254	7.76	11.32	37.5	89.2	98.94	-0.6	-0.6	0.04	37.5	0.08	100	8026	98.91	36.5
2023-02-05 23:25:00	0	0.00603	0	0	246	6.49	10.96	37.4	89.9	98.94	-0.6	-0.5	0.12	37.4	0.08	100	8024	98.91	36.5
2023-02-05 23:30:00	0	0.00335	0	0	248	7.29	11.77	37.4	89.9	98.94	-0.6	-0.4	0.04	37.4	0.08	100	8026	98.91	36.5
2023-02-05 23:35:00	0	0.00201	0	0	253	6.51	10.31	37.3	90	98.94	-0.5	-0.4	0.04	37.3	0.08	100	8025	98.92	36.4
2023-02-05 23:40:00	0	0.00134	0	0	250	5.41	9.78	37.3	90.7	98.95	-0.6	-0.5	0.04	37.3	0.07	100	8028	98.92	36.4
2023-02-05 23:45:00	0	0.00134	0	0	250	6.78	11.45	37.2	90.6	98.96	-0.5	-0.4	0.04	37.2	0.07	100	8024	98.93	36.3
2023-02-05 23:50:00	0	0.00268	0	0	254	8.14	12.73	37.1	90.9	98.96	-0.7	-0.5	0.04	37.1	0.07	100	8022	98.94	36.3
2023-02-05 23:55:00	0	0.00268	0	0	259	7.63	10.87	37.1	91.4	98.97	-0.5	-0.5	0.04	37.1	0.06	100	8023	98.94	36.3
2023-02-06 00:00:00	0	0.00335	0	0	258	9.08	12.84	37.1	91.4	98.97	-0.6	-0.5	0.04	37.1	0.06	100	8024	98.94	36.3
2023-02-06 00:05:00	0	0.00201	0	0	254	10.49	15.75	37.1	91.7	98.97	-0.7	-0.5	0.04	37.1	0.06	100	7996	98.94	36.4
2023-02-06 00:10:00	0	0.00067	0	0	255	8.37	12.55	37.1	92.2	98.96	-0.7	-0.5	0.04	37.1	0.06	100	7997	98.94	36.6
2023-02-06 00:15:00	0	0.00067	0	0	259	8.21	12.59	37	91.8	98.96	-0.7	-0.5	0.04	37	0.06	100	7987	98.94	36.8
2023-02-06 00:20:00	0	0	0	0	264	8.61	13.18	37	92.5	98.96	-0.5	-0.6	0	37	0.06	100	8004	98.94	36.7
2023-02-06 00:25:00	0	0.00067	0	0	264	10	13.73	37	92.5	98.97	-0.7	-0.5	0.04	37	0.06	100	8005	98.94	36.5
2023-02-06 00:30:00	0	0.00067	0	0	264	8.5	12.08	37	92.4	98.97	-0.7	-0.7	0.04	37.1	0.06	100	8007	98.94	36.4
2023-02-06 00:35:00	0	0.00067	0	0	267	6.08	9.93	37	92.4	98.97	-0.6	-0.5	0.04	37	0.06	100	8007	98.94	36.3
2023-02-06 00:40:00	0	0.00067	0	0	259	6.89	9.48	36.8	92.5	98.97	-0.5	-0.3	0.04	36.8	0.06	100	8007	98.94	36.2
2023-02-06 00:45:00	0	0.00067	0	0	252	6.29	10.02	36.8	92.6	98.96	-0.5	-0.5	0.04	36.8	0.05	100	8006	98.94	36.1
2023-02-06 00:50:00	0	0	0	0	249	5.57	8.01	36.7	92.3	98.96	-0.7	-0.5	0	36.7	0.06	100	8007	98.94	36
2023-02-06 00:55:00	0	0	0	0	245	5.77	7.92	36.6	93	98.96	-0.6	-0.5	0	36.7	0.05	100	8008	98.94	35.9
2023-02-06 01:00:00	0	0	0	0	244	5.55	7.72	36.6	93.1	98.97	-0.6	-0.4	0	36.6	0.05	100	8007	98.95	35.8
2023-02-06 01:05:00	0	0	0	0	254	6.49	9.66	36.6	92.6	98.97	-0.7	-0.4	0	36.6	0.05	100	8007	98.95	35.8
2023-02-06 01:10:00	0	0	0	0	259	6.24	7.99	36.5	93	98.98	-0.8	-0.5	0	36.5	0.05	100	8007	98.96	35.7
2023-02-06 01:15:00	0	0	0	0	260	6.24	9.13	36.6	93.1	98.98	-0.6	-0.4	0	36.6	0.05	100	8009	98.95	35.7
2023-02-06 01:20:00	0	0	0	0	251	5.66	7.47	36.4	93.5	98.98	-0.6	-0.4	0	36.4	0.05	100	8008	98.96	35.7
2023-02-06 01:25:00	0	0	0	0	246	6.29	9.73	36.5	93.1	98.98	-0.7	-0.4	0	36.4	0.05	100	8006	98.96	35.6
2023-02-06 01:30:00	0	0	0	0	244	6.64	10.04	36.5	93.1	98.99	-0.7	-0.4	0	36.5	0.05	100	8007	98.97	35.6
2023-02-06 01:35:00	0	0	0	0	237	6.44	9.4	36.4	93	98.99	-0.6	-0.5	0	36.4	0.05	100	8007	98.97	35.6
2023-02-06 01:40:00	0	0	0	0	250	7.23	10.11	36.4	93.3	99	-0.5	-0.5	0	36.4	0.05	100	8007	98.98	35.6
2023-02-06 01:45:00	0	0	0	0	247	6.11	9.19	36.5	93.1	99	-0.5	-0.4	0	36.5	0.05	100	8007	98.97	35.6
2023-02-06 01:50:00	0	0	0	0	243	6.22	9.35	36.5	93.1	99	-0.7	-0.4	0	36.5	0.05	100	8003	98.98	35.6
2023-02-06 01:55:00	0	0	0	0	251	5.7	8.05	36.4	93	99	-0.6	-0.4	0	36.4	0.05	100	8003	98.98	35.6
2023-02-06 02:00:00	0	0	0	0	263	6.67	9.66	36.5	93.1	99.01	-0.7	-0.5	0	36.5	0.05	100	8001	98.99	35.6
2023-02-06 02:05:00	0	0	0	0	268	5.57	7.29	36.4	93.3	99.02	-0.7	-0.5	0	36.4	0.05	100	8003	99	35.6
2023-02-06 02:10:00	0	0	0	0	269	6.4	8.55	36.3	93.2	99.04	-0.6	-0.5	0	36.3	0.05	100	8004	99.02	35.5
2023-02-06 02:15:00	0	0	0	0	271	6.55	8.68	36.3	92.8	99.04	-0.7	-0.5	0	36.4	0.05	100	8004	99.02	35.5
2023-02-06 02:20:00	0	0	0	0	276	6.78	9.89	36.2	92.9	99.05	-0.7	-0.5	0	36.2	0.05	100	8004	99.03	35.5
2023-02-06 02:25:00	0	0	0	0	277	7.14	9.62	36.2	92.8	99.06	-0.6	-0.6	0	36.2	0.05	100	8004	99.04	35.5
2023-02-06 02:30:00	0	0	0	0	278	7.65	10.69	36.1	93.2	99.06	-0.7	-0.5	0	36	0.05	100	8005	99.04	35.4
2023-02-06 02:35:00	0	0	0	0	277	7.61	11.81	36.1	93.1	99.06	-0.6	-0.4	0	36.1	0.05	100	8004	99.05	35.4

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-06 02:40:00	0	0	0	0	279	7.25	10.36	36.1	92.9	99.07	-0.6	-0.5	0	36.1	0.05	100	8004	99.05	35.4
2023-02-06 02:45:00	0	0	0	0	274	7.27	11.52	36.1	93.1	99.08	-0.6	-0.4	0	36.1	0.05	100	8004	99.06	35.3
2023-02-06 02:50:00	0	0	0	0	274	8.34	11.95	36	93	99.09	-0.5	-0.4	0	36	0.05	100	8003	99.07	35.4
2023-02-06 02:55:00	0	0	0	0	274	8.32	11.83	36	92.8	99.1	-0.6	-0.6	0	36.1	0.05	100	8003	99.08	35.4
2023-02-06 03:00:00	0	0	0	0	272	6.8	11.12	36.1	92.4	99.1	-0.6	-0.5	0	36	0.05	100	8003	99.08	35.3
2023-02-06 03:05:00	0	0	0	0	272	7.54	11.92	36.1	92.4	99.11	-0.7	-0.5	0	36	0.05	100	8003	99.09	35.3
2023-02-06 03:10:00	0	0	0	0	270	8.1	12.93	36	92.3	99.11	-0.8	-0.5	0	36	0.05	100	8002	99.09	35.3
2023-02-06 03:15:00	0	0	0	0	274	9.31	12.03	36.1	91.8	99.12	-0.7	-0.4	0	36.1	0.06	100	8000	99.1	35.3
2023-02-06 03:20:00	0	0	0	0	277	8.23	11.27	36.1	91.7	99.12	-0.6	-0.4	0	36	0.06	100	8000	99.1	35.3
2023-02-06 03:25:00	0	0	0	0	282	8.52	12.93	36	92.1	99.12	-0.6	-0.4	0	36	0.06	100	8000	99.1	35.3
2023-02-06 03:30:00	0	0	0	0	280	8.57	12.86	36	91.9	99.13	-0.6	-0.5	0	36	0.06	100	7998	99.11	35.3
2023-02-06 03:35:00	0	0	0	0	278	8.14	12.48	36	91.9	99.13	-0.7	-0.4	0	36	0.06	100	7999	99.11	35.3
2023-02-06 03:40:00	0	0	0	0	279	9.19	12.17	35.9	92.1	99.13	-0.5	-0.5	0	35.9	0.06	100	7999	99.12	35.2
2023-02-06 03:45:00	0	0	0	0	283	8.1	11.74	36	91.4	99.14	-0.7	-0.5	0	35.9	0.06	100	8000	99.12	35.2
2023-02-06 03:50:00	0	0	0	0	280	6.53	8.9	35.9	91.8	99.14	-0.6	-0.5	0	35.9	0.06	100	7998	99.13	35.2
2023-02-06 03:55:00	0	0	0	0	284	6.91	8.93	35.9	91.1	99.14	-0.6	-0.4	0	35.9	0.06	100	8000	99.13	35.2
2023-02-06 04:00:00	0	0	0	0	281	6.53	8.72	35.8	91.5	99.15	-0.6	-0.5	0	35.8	0.06	100	7998	99.14	35.1
2023-02-06 04:05:00	0	0	0	0	282	7.34	11.9	35.8	91.5	99.16	-0.8	-0.4	0	35.8	0.06	100	8000	99.14	35.1
2023-02-06 04:10:00	0	0	0	0	281	7.47	10.85	35.8	91.5	99.17	-0.7	-0.5	0	35.8	0.06	100	7995	99.16	35
2023-02-06 04:15:00	0	0	0	0	280	6.6	8.34	35.8	91.5	99.18	-0.7	-0.6	0	35.8	0.06	100	7999	99.17	35
2023-02-06 04:20:00	0	0	0	0	275	7.14	11.72	35.7	91	99.2	-0.6	-0.5	0	35.7	0.06	100	7998	99.18	35.1
2023-02-06 04:25:00	0	0	0	0	273	6.2	8.34	35.8	90.6	99.21	-0.7	-0.5	0	35.8	0.07	100	7998	99.19	35.1
2023-02-06 04:30:00	0	0	0	0	276	5.23	6.42	35.7	90.3	99.2	-0.6	-0.5	0	35.7	0.07	100	7998	99.19	35.1
2023-02-06 04:35:00	0	0	0	0	283	5.03	7.94	35.8	90.3	99.21	-0.7	-0.5	0	35.8	0.07	100	7995	99.19	35
2023-02-06 04:40:00	0	0	0	0	273	5.5	8.59	35.7	91	99.21	-0.7	-0.5	0	35.7	0.06	100	7997	99.2	35
2023-02-06 04:45:00	0	0	0	0	265	5.97	8.43	35.7	90.5	99.22	-0.7	-0.4	0	35.7	0.07	100	8000	99.2	34.9
2023-02-06 04:50:00	0	0	0	0	265	6.49	10.11	35.7	90.4	99.22	-0.7	-0.4	0	35.7	0.07	100	7997	99.2	34.9
2023-02-06 04:55:00	0	0	0	0	266	6.82	9.46	35.6	90.3	99.22	-0.7	-0.4	0	35.6	0.07	100	7998	99.2	34.9
2023-02-06 05:00:00	0	0	0	0	270	6.69	8.41	35.6	90.7	99.22	-0.6	-0.5	0	35.6	0.07	100	7997	99.2	34.9
2023-02-06 05:05:00	0	0	0	0	266	7.31	9.4	35.6	90.7	99.22	-0.6	-0.4	0	35.6	0.07	100	7995	99.2	34.9
2023-02-06 05:10:00	0	0	0	0	270	6.91	9.06	35.5	91	99.23	-0.8	-0.6	0	35.5	0.06	100	7995	99.21	34.9
2023-02-06 05:15:00	0	0	0	0	272	7.45	10.6	35.5	90.6	99.23	-0.7	-0.5	0	35.5	0.07	100	7995	99.22	34.9
2023-02-06 05:20:00	0	0	0	0	272	7.92	10.31	35.5	91	99.24	-0.6	-0.4	0	35.5	0.06	100	7993	99.22	34.9
2023-02-06 05:25:00	0	0	0	0	276	7.2	10.8	35.4	90.6	99.24	-0.6	-0.5	0	35.4	0.07	100	7996	99.22	34.9
2023-02-06 05:30:00	0	0	0	0	286	7.7	11.23	35.5	90.2	99.24	-0.7	-0.5	0	35.5	0.07	100	7994	99.22	34.8
2023-02-06 05:35:00	0	0	0	0	287	7.99	11.07	35.4	91.1	99.24	-0.5	-0.6	0	35.4	0.06	100	7992	99.22	34.8
2023-02-06 05:40:00	0	0	0	0	292	8.12	10	35.5	90.4	99.24	-0.7	-0.4	0	35.5	0.07	100	7991	99.22	34.7
2023-02-06 05:45:00	0	0	0	0	288	8.3	11.48	35.3	90.2	99.25	-0.6	-0.5	0	35.3	0.07	100	7993	99.23	34.6
2023-02-06 05:50:00	0	0	0	0	287	8.28	13.8	35.3	90.6	99.25	-0.7	-0.4	0	35.3	0.07	100	7991	99.24	34.7
2023-02-06 05:55:00	0	0	0	0	294	6.58	11.59	35.3	90.7	99.26	-0.7	-0.5	0	35.3	0.06	100	7991	99.25	34.6
2023-02-06 06:00:00	0	0	0	0	289	7.92	11.01	35.2	90.8	99.27	-0.6	-0.6	0	35.2	0.06	100	7991	99.26	34.6
2023-02-06 06:05:00	0	0	0	0	299	8.9	11.43	35.1	91	99.29	-0.6	-0.6	0	35.1	0.06	100	7990	99.28	34.5
2023-02-06 06:10:00	0	0	0	0	304	10.36	14.72	35.3	90.7	99.3	-0.7	-0.5	0	35.3	0.06	100	7993	99.29	34.5
2023-02-06 06:15:00	0	0	0	0	303	9.82	14.34	35.2	91.4	99.32	-0.7	-0.5	0	35.2	0.06	100	7991	99.31	34.5
2023-02-06 06:20:00	0	0	0	0	309	10.13	12.37	35.2	90.8	99.34	-0.6	-0.4	0	35.2	0.06	100	7988	99.32	34.5
2023-02-06 06:25:00	0	0	0	0	314	10.11	14.79	35.2	90.6	99.35	-0.5	-0.3	0	35.2	0.07	100	7992	99.34	34.5
2023-02-06 06:30:00	0	0	0	0	316	10.07	14.38	35.2	90.6	99.37	-0.7	-0.5	0	35.2	0.07	100	7992	99.36	34.5
2023-02-06 06:35:00	0	0	0	0	316	11.41	18.21	35.2	90.8	99.4	-0.6	-0.6	0	35.2	0.06	100	7990	99.38	34.5
2023-02-06 06:40:00	0	0	0	0	312	12.24	18.95	35.3	90.7	99.41	-0.5	-0.7	0	35.3	0.06	100	7991	99.4	34.5
2023-02-06 06:45:00	0	0	0	0	314	11.07	15.82	35.2	90.7	99.42	-0.7	-0.5	0	35.2	0.06	100	7990	99.41	34.5
2023-02-06 06:50:00	0	0	0	0	310	11.86	19.28	35.2	91.1	99.43	-0.5	-0.5	0	35.3	0.06	100	7990	99.41	34.4
2023-02-06 06:55:00	0	0	0	0	305	13.69	17.85	35.1	91	99.43	-0.6	-0.7	0	35.1	0.06	100	7989	99.42	34.3
2023-02-06 07:00:00	0	0	0	0	305	10.74	15.64	35	91.3	99.44	-0.6	-0.6	0	35.1	0.06	100	7988	99.43	34.2
2023-02-06 07:05:00	0	0	0	0	313	14.05	20.49	35	91.3	99.44	-0.3	-0.4	0	35	0.06	100	7989	99.43	34.1
2023-02-06 07:10:00	0	0	0	0	322	13	19.33	34.9	90.6	99.46	-0.6	-0.7	0	34.9	0.06	100	7988	99.45	33.9
2023-02-06 07:15:00	0	0	0	0	313	13.04	20.36	34.7	90.9	99.47	-0.9	-0.1	0	34.7	0.06	100	7988	99.45	33.9
2023-02-06 07:20:00	0	0	0	0	310	13.78	20.71	34.7	90.6	99.47	-0.6	-0.4	0	34.7	0.06	100	7988	99.46	33.8
2023-02-06 07:25:00	0	0	0	0	312	13.78	20.09	34.7	89.8	99.49	-0.8	-0.5	0	34.7	0.07	100	7990	99.48	33.8
2023-02-06 07:30:00	0.8	0	0	0	312	12.97	20.11	34.6	90	99.5	-0.9	-0.4	0	34.6	0.07	100	7988	99.48	33.7
2023-02-06 07:35:00	1.4	0	0	0	314	10.38	16.67	34.5	89.6	99.5	-0.7	-0.5	0	34.5	0.07	100	7988	99.49	33.7
2023-02-06 07:40:00	3.4	0	0	0	308	10.13	14.41	34.5	89.6	99.51	-0.6	-0.6	0	34.5	0.07	100	7988	99.49	33.7
2023-02-06 07:45:00	9.2	0	0	0	312	10.04	13.38	34.5	89.3	99.52	-0.6	-0.4	0	34.5	0.07	100	7988	99.5	33.7
2023-02-06 07:50:00	13.4	0	0	0	301	11.12	15.79	34.4	89	99.53	-0.9	-0.3	0	34.5	0.07	100	7986	99.52	33.7
2023-02-06 07:55:00	11.4	0	0	0	306	11.05	15.57	34.4	89.3	99.54	-0.8	-0.4	0	34.4	0.07	100	7988	99.53	33.7

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-06 08:00:00	9.4	0	0	0	312	10.76	15.84	34.4	89.6	99.56	-0.6	-0.7	0	34.4	0.07	100	7987	99.54	33.7
2023-02-06 08:05:00	8.2	0	0	0	310	11.05	16.17	34.3	89.5	99.56	-0.7	-0.6	0	34.3	0.07	100	7986	99.56	33.7
2023-02-06 08:10:00	8.6	0	0	0	310	10.45	16.35	34.3	89.4	99.58	-0.7	-0.6	0	34.3	0.07	100	7985	99.56	33.7
2023-02-06 08:15:00	10.6	0	0	0	311	12.33	16.71	34.3	89.7	99.58	-0.8	-0.4	0	34.3	0.07	100	7987	99.57	33.7
2023-02-06 08:20:00	8.8	0	0	0	307	11.27	14.43	34.3	89.2	99.59	-0.8	-0.3	0	34.3	0.07	100	7985	99.58	33.7
2023-02-06 08:25:00	8.6	0	0	0	312	9.57	12.62	34.2	89.5	99.6	-0.6	-0.5	0	34.3	0.07	100	7985	99.58	33.7
2023-02-06 08:30:00	9.4	0	0	0	310	10.74	14.14	34.3	89.4	99.6	-0.6	-0.5	0	34.3	0.07	100	7986	99.59	33.6
2023-02-06 08:35:00	10.8	0	0	0	316	11.7	17.05	34.2	89.3	99.6	-1	-0.7	0	34.2	0.07	100	7986	99.59	33.6
2023-02-06 08:40:00	12.8	0	0	0	307	11.45	15.82	34.2	89.5	99.61	-0.6	-0.4	0	34.3	0.07	100	7984	99.59	33.6
2023-02-06 08:45:00	17	0	0	0	317	15.17	21.65	34.2	89.5	99.61	-0.6	-0.6	0	34.3	0.07	100	7985	99.6	33.7
2023-02-06 08:50:00	16	0	0	0	325	17.74	23.51	34.3	89.7	99.62	-0.9	-0.7	0	34.3	0.07	100	7983	99.61	33.7
2023-02-06 08:55:00	13.8	0	0	0	332	17.29	22.24	34.3	89.1	99.63	-0.9	-0.6	0	34.3	0.07	100	7984	99.61	33.7
2023-02-06 09:00:00	12.4	0	0	0	326	12.41	18.23	34.3	89.4	99.65	-0.7	-0.5	0	34.3	0.07	100	7983	99.64	33.6
2023-02-06 09:05:00	16	0	0	0	339	16.22	24.52	34.2	89.8	99.65	-0.9	-0.7	0	34.2	0.07	100	7982	99.65	33.6
2023-02-06 09:10:00	15	0	0	0	339	16.42	23.31	34.1	89.2	99.66	-0.6	-1	0	34.1	0.07	100	7982	99.66	33.5
2023-02-06 09:15:00	17.4	0	0	0	340	16.78	23.85	34	89.2	99.68	-1	-0.3	0	34	0.07	100	7982	99.67	33.4
2023-02-06 09:20:00	21	0	0	0	343	14.29	21.27	33.9	88.8	99.69	-0.6	-0.8	0	33.9	0.07	100	7984	99.68	33.3
2023-02-06 09:25:00	20.8	0	0	0	346	12.21	18.03	33.6	88.6	99.7	-0.7	-0.2	0	33.7	0.07	100	7984	99.7	33.2
2023-02-06 09:30:00	20.2	0	0	0	351	16.49	24.36	33.6	86.6	99.71	-0.8	-0.8	0	33.6	0.09	100	7985	99.7	33.1
2023-02-06 09:35:00	19.6	0	0	0	352	13.98	21.16	33.4	85.3	99.72	-0.4	-0.5	0	33.4	0.1	100	7982	99.71	33
2023-02-06 09:40:00	19.8	0	0	0	347	13.49	17.87	33.2	85.7	99.73	-0.8	-0.2	0	33.3	0.09	100	7983	99.72	32.9
2023-02-06 09:45:00	19	0	0	0	341	15.26	22.59	33.2	87.2	99.74	-0.9	-0.5	0	33.2	0.08	100	7983	99.74	32.8
2023-02-06 09:50:00	21	0	0	0	341	18.68	26.71	33	87.6	99.75	-0.7	-0.2	0	33.1	0.08	100	7980	99.75	32.7
2023-02-06 09:55:00	25	0	0	0	335	18.75	25.28	32.9	87	99.76	-0.8	-0.8	0	33	0.08	100	7981	99.76	32.6
2023-02-06 10:00:00	27	0	0	0	343	17.2	23.94	32.8	86.9	99.78	-0.7	-0.9	0	32.9	0.08	100	7982	99.77	32.4
2023-02-06 10:05:00	28.8	0	0	0	338	16.64	25.99	32.8	86.4	99.79	-0.8	-0.5	0	32.8	0.09	100	7981	99.78	32.3
2023-02-06 10:10:00	36.6	0	0	0	341	19.64	27.85	32.5	85.5	99.79	-1	-0.7	0	32.6	0.09	100	7982	99.78	32.1
2023-02-06 10:15:00	52.6	0	0	0	335	17.83	25.72	32.4	85	99.79	-0.6	-0.7	0	32.5	0.09	100	7982	99.79	31.9
2023-02-06 10:20:00	60.6	0	0	0	336	18.43	26.78	32.3	84	99.8	-0.8	-0.4	0	32.5	0.1	100	7982	99.79	31.7
2023-02-06 10:25:00	66.6	0	0	0	340	18.88	27.67	32.2	84.2	99.81	-0.8	-0.9	0	32.3	0.1	100	7980	99.81	31.7
2023-02-06 10:30:00	80.6	0	0	0	344	16.33	23.2	32.1	83.3	99.82	-1.1	-0.1	0	32.3	0.1	100	7982	99.82	31.7
2023-02-06 10:35:00	92.6	0	0	0	349	15.3	20.76	32.1	83.1	99.83	-1	-0.7	0	32.3	0.1	100	7983	99.83	31.8
2023-02-06 10:40:00	93	0	0	0	348	17.05	26.44	32.1	83	99.83	-1	-0.3	0	32.3	0.1	100	7983	99.83	31.9
2023-02-06 10:45:00	111.2	0	0	0	348	15.39	20.8	32.1	82.5	99.84	-0.9	-0.4	0	32.4	0.11	100	7982	99.84	31.9
2023-02-06 10:50:00	102.4	0	0	0	356	17.47	23.04	32.2	81.8	99.85	-1	0	0	32.4	0.11	100	7984	99.85	31.9
2023-02-06 10:55:00	109	0	0	0	355	16.84	22.21	32.1	81.4	99.86	-0.7	-1	0	32.3	0.11	100	7985	99.86	31.8
2023-02-06 11:00:00	114.8	0	0	0	349	18.05	24.47	32	82	99.86	-0.6	-0.5	0	32.1	0.11	100	7985	99.86	31.7
2023-02-06 11:05:00	132.6	0	0	0	348	17.27	22.01	32	82	99.87	-1	-0.6	0	32.3	0.11	100	7986	99.87	31.7
2023-02-06 11:10:00	105.8	0	0	0	349	16.8	23.78	31.9	82.3	99.88	-0.7	-0.4	0	32.1	0.11	100	7988	99.88	31.6
2023-02-06 11:15:00	102	0	0	0	351	17.13	26.02	31.8	81.6	99.88	-0.9	-0.2	0	32	0.11	100	7988	99.88	31.5
2023-02-06 11:20:00	105.4	0	0	0	343	16.24	23.94	31.6	81.8	99.89	-0.7	-0.1	0	31.8	0.11	100	7988	99.89	31.4
2023-02-06 11:25:00	93.8	0	0	0	359	12.93	20.47	31.5	82.4	99.9	-0.9	-0.4	0	31.7	0.11	100	7989	99.9	31.4
2023-02-06 11:30:00	93.2	0	0	0	8	16.69	23.85	31.5	82.2	99.9	-0.8	-0.3	0	31.7	0.11	100	7988	99.9	31.2
2023-02-06 11:35:00	115.2	0	0	0	4	16.24	21.68	31.2	81.8	99.9	-0.8	-0.4	0	31.5	0.11	100	7991	99.9	31.1
2023-02-06 11:40:00	127.2	0	0	0	356	13.76	19.46	31.2	82.2	99.91	-0.8	-0.5	0	31.5	0.1	100	7990	99.9	31.1
2023-02-06 11:45:00	96.6	0	0	0	348	14.88	20.29	31.2	81.1	99.91	-0.7	-0.6	0	31.4	0.11	100	7988	99.91	31
2023-02-06 11:50:00	84.6	0	0	0	353	13.94	21.05	31.1	80.9	99.92	-1.1	-0.7	0	31.2	0.11	100	7988	99.91	31
2023-02-06 11:55:00	92	0	0	0	10	14.56	21.63	31	80.6	99.92	-0.7	-0.4	0	31.1	0.11	100	7990	99.91	30.9
2023-02-06 12:00:00	99.6	0	0	0	11	13.91	19.44	30.8	79.6	99.92	-0.7	-0.3	0	31	0.12	100	7991	99.91	30.7
2023-02-06 12:05:00	119	0	0	0	6	10.85	14.56	30.7	79.8	99.92	-0.8	-0.6	0	30.9	0.12	100	7994	99.92	30.6
2023-02-06 12:10:00	131.6	0	0	0	358	13.85	19.13	30.6	79.1	99.91	-0.9	-0.3	0	30.9	0.12	100	7993	99.91	30.5
2023-02-06 12:15:00	154.8	0	0	0	359	13.8	20.92	30.5	79	99.91	-1.1	-0.3	0	30.8	0.12	100	7995	99.91	30.4
2023-02-06 12:20:00	176	0	0	0	11	15.01	22.08	30.4	77.9	99.91	-1.1	-0.3	0	30.7	0.13	100	7976	99.91	30.5
2023-02-06 12:25:00	189.4	0	0	0	19	12.5	17.76	30.2	77.6	99.91	-0.9	-0.2	0	30.6	0.13	100	7985	99.91	30.6
2023-02-06 12:30:00	194.4	0	0	0	17	14.47	18.54	30.2	77.2	99.91	-0.7	-0.3	0	30.6	0.13	100	7991	99.91	30.4
2023-02-06 12:35:00	177.4	0	0	0	10	12.77	21.41	30.1	76.1	99.91	-1	-0.6	0	30.5	0.13	100	7988	99.91	30.3
2023-02-06 12:40:00	177.4	0	0	0	20	10.09	14.34	30	76.4	99.91	-0.8	-0.5	0	30.4	0.13	100	7993	99.91	30.2
2023-02-06 12:45:00	199	0	0	0	25	10.87	17.54	30.1	76.1	99.9	-0.9	-0.5	0	30.6	0.13	100	7996	99.9	30.3
2023-02-06 12:50:00	222	0	0	0	8	10.98	16.04	30.2	77.1	99.89	-0.7	-0.4	0	30.8	0.13	100	7996	99.89	30.4
2023-02-06 12:55:00	226.6	0	0	0	3	11.32	16.53	30.4	76.1	99.89	-0.7	-0.4	0	31	0.14	100	8000	99.9	30.5
2023-02-06 13:00:00	228	0	0	0	13	10.04	15.05	30.4	75	99.9	-0.7	-0.3	0	31	0.14	100	8002	99.9	30.6
2023-02-06 13:05:00	229.2	0	0	0	8	7.81	11.56	30.5	75.6	99.9	-0.8	-0.5	0	31.2	0.14	100	8004	99.9	30.7
2023-02-06 13:10:00	226.2	0	0	0	8	10.63	14.72	30.6	74.8	99.9	-0.8	-0.6	0	31.2	0.15	100	8007	99.91	30.8
2023-02-06 13:15:00	222.2	0	0	0	4	11.14	15.32	30.6	74.1	99.9	-0.8	-0.3	0	31.2	0.15	100	8007	99.91	30.8

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-06 13:20:00	224.2	0	0	0	352	10.42	16.37	30.7	74.1	99.9	-0.8	-0.4	0	31.3	0.15	100	8004	99.91	30.8
2023-02-06 13:25:00	230.6	0	0	0	351	9.13	13.04	30.6	73.7	99.9	-0.8	-0.4	0	31.2	0.15	100	8008	99.9	30.8
2023-02-06 13:30:00	213.8	0	0	0	359	8.48	14.41	30.7	73.8	99.91	-0.8	-0.6	0	31.3	0.15	100	8010	99.91	30.9
2023-02-06 13:35:00	194.4	0	0	0	351	9.06	13.56	30.7	74.1	99.91	-0.7	-0.5	0	31.3	0.15	100	8011	99.91	30.9
2023-02-06 13:40:00	161.4	0	0	0	0	8.88	12.8	30.7	74.3	99.92	-0.8	-0.4	0	31.1	0.15	100	8013	99.92	30.9
2023-02-06 13:45:00	148	0	0	0	15	6.96	11.56	30.6	74.6	99.93	-0.7	-0.4	0	31	0.15	100	8013	99.93	30.8
2023-02-06 13:50:00	131.8	0	0	0	14	8.3	11.52	30.4	73.6	99.94	-0.8	-0.5	0	30.8	0.15	100	8010	99.93	30.6
2023-02-06 13:55:00	142.4	0	0	0	10	7.92	15.23	30.1	74.2	99.93	-0.9	-0.5	0	30.6	0.15	100	8013	99.93	30.4
2023-02-06 14:00:00	154.6	0	0	0	352	10.78	16.13	30.1	73.6	99.93	-0.8	-0.6	0	30.5	0.15	100	8012	99.93	30.3
2023-02-06 14:05:00	159	0	0	0	0	9.35	14.03	29.8	74.1	99.93	-0.8	-0.5	0	30.2	0.14	100	8017	99.93	30.2
2023-02-06 14:10:00	124.8	0	0	0	355	10.6	13.6	29.9	74.2	99.93	-0.7	-0.4	0	30.1	0.14	100	8018	99.93	30.1
2023-02-06 14:15:00	131.8	0	0	0	25	8.75	11.54	29.7	75	99.94	-0.9	-0.5	0	30.1	0.14	100	8016	99.93	29.9
2023-02-06 14:20:00	140.8	0	0	0	36	7.47	12.39	29.5	74.9	99.94	-0.7	-0.5	0	29.9	0.14	100	8017	99.93	29.9
2023-02-06 14:25:00	140.4	0	0	0	27	7.34	9.37	29.5	74.9	99.94	-0.9	-0.4	0	29.9	0.14	100	8016	99.94	29.9
2023-02-06 14:30:00	127.6	0	0	0	11	6.69	10.54	29.5	74.2	99.94	-0.8	-0.4	0	29.9	0.14	100	8017	99.94	29.9
2023-02-06 14:35:00	139	0	0	0	7	6.51	8.5	29.6	75.9	99.95	-0.9	-0.5	0	30	0.13	100	8017	99.95	29.9
2023-02-06 14:40:00	127.2	0	0	0	345	7.81	11.07	29.7	75.1	99.96	-0.8	-0.5	0	30.1	0.14	100	8019	99.96	29.9
2023-02-06 14:45:00	121	0	0	0	358	8.77	13.42	29.8	74.9	99.96	-0.9	-0.5	0	30.1	0.14	100	8019	99.96	29.9
2023-02-06 14:50:00	117.8	0	0	0	6	8.77	12.5	29.7	73.8	99.97	-0.8	-0.6	0	30	0.15	100	8018	99.96	29.8
2023-02-06 14:55:00	106.8	0	0	0	2	5.93	8.46	29.6	74.1	99.97	-0.9	-0.5	0	29.9	0.14	100	8018	99.96	29.7
2023-02-06 15:00:00	101.4	0	0	0	46	6.89	10.69	29.6	75.6	99.96	-0.9	-0.4	0	29.9	0.14	100	8019	99.96	29.6
2023-02-06 15:05:00	107.8	0	0	0	47	6.73	10.27	29.4	75.9	99.96	-0.9	-0.3	0	29.8	0.13	100	8020	99.96	29.6
2023-02-06 15:10:00	115	0	0	0	49	7.02	10.96	29.4	76.4	99.95	-0.8	-0.4	0	29.8	0.13	100	8018	99.95	29.6
2023-02-06 15:15:00	106	0	0	0	54	5.39	11.65	29.3	76.5	99.95	-0.9	-0.5	0	29.7	0.13	100	8019	99.95	29.5
2023-02-06 15:20:00	100.2	0	0	0	18	6.85	10.6	29.3	76.7	99.95	-0.8	-0.5	0	29.6	0.13	100	8018	99.95	29.5
2023-02-06 15:25:00	90.2	0	0	0	37	8.61	12.8	29.3	75.6	99.95	-0.8	-0.4	0	29.6	0.13	100	8020	99.95	29.4
2023-02-06 15:30:00	83	0	0	0	27	7.78	11.5	29.1	75.4	99.96	-0.9	-0.4	0	29.4	0.13	100	8020	99.96	29.2
2023-02-06 15:35:00	76.2	0	0	0	16	7.02	13	28.9	76.1	99.97	-0.7	-0.4	0	29.1	0.13	100	8020	99.97	29
2023-02-06 15:40:00	73	0	0	0	5	5.86	8.41	28.9	76.2	99.97	-0.9	-0.5	0	29	0.13	100	8018	99.97	28.9
2023-02-06 15:45:00	70.6	0	0	0	47	5.23	8.21	28.8	76.7	99.97	-0.8	-0.5	0	29	0.13	100	8018	99.97	28.8
2023-02-06 15:50:00	63.6	0	0	0	27	5.1	9.28	28.9	76.1	99.97	-0.9	-0.4	0	29.1	0.13	100	8017	99.97	28.8
2023-02-06 15:55:00	61.8	0	0	0	32	5.66	8.66	28.7	76.7	99.97	-0.9	-0.4	0	28.9	0.12	100	8017	99.97	28.7
2023-02-06 16:00:00	54.8	0	0	0	46	3.78	6.73	28.6	76.3	99.98	-0.9	-0.4	0	28.9	0.13	100	8016	99.98	28.6
2023-02-06 16:05:00	49.8	0	0	0	11	4.54	7.49	28.7	76.1	99.99	-0.8	-0.5	0	28.8	0.13	100	8016	99.99	28.5
2023-02-06 16:10:00	46.4	0	0	0	24	4.54	6.67	28.5	75.8	100	-0.9	-0.4	0	28.7	0.13	100	8018	100	28.4
2023-02-06 16:15:00	39.8	0	0	0	11	7.11	10.87	28.5	77.3	100.01	-0.8	-0.5	0	28.7	0.12	100	8014	100	28.3
2023-02-06 16:20:00	36.8	0	0	0	350	5.93	8.79	28.6	76.4	100.02	-0.7	-0.5	0	28.7	0.13	100	8014	100.01	28.2
2023-02-06 16:25:00	31.4	0	0	0	341	5.06	7.7	28.4	76.9	100.02	-0.9	-0.3	0	28.6	0.12	100	8013	100.01	28.1
2023-02-06 16:30:00	29	0	0	0	7	5.77	6.78	28.5	77.1	100.02	-0.8	-0.4	0	28.5	0.12	100	8014	100.02	28
2023-02-06 16:35:00	26.2	0	0	0	351	4.79	6.44	28.3	77.2	100.03	-0.9	-0.4	0	28.5	0.12	100	8014	100.02	28
2023-02-06 16:40:00	24.4	0	0	0	4	3.49	5.08	28.3	76.6	100.02	-0.9	-0.4	0	28.4	0.12	100	8012	100.02	27.9
2023-02-06 16:45:00	20.4	0	0	0	10	4.07	5.88	28.2	77.1	100.02	-1	-0.5	0	28.3	0.12	100	8012	100.02	27.8
2023-02-06 16:50:00	16.4	0	0	0	356	4.63	6.22	28.2	76.7	100.03	-1	-0.4	0	28.3	0.12	100	8010	100.02	27.7
2023-02-06 16:55:00	15.6	0	0	0	317	2.71	4.94	28.2	78	100.03	-0.9	-0.4	0	28.3	0.12	100	8012	100.02	27.6
2023-02-06 17:00:00	14.4	0	0	0	61	2.06	3.18	28.1	77.8	100.02	-0.9	-0.4	0	28.2	0.12	100	8012	100.01	27.4
2023-02-06 17:05:00	12.2	0	0	0	71	2.3	3.56	28	77.8	100.02	-0.9	-0.4	0	28	0.12	100	8010	100.01	27.3
2023-02-06 17:10:00	9.4	0	0	0	68	3.11	4.03	28	78.3	100.03	-0.9	-0.5	0	28.1	0.11	100	8006	100.01	27.2
2023-02-06 17:15:00	6.2	0	0	0	51	3.09	4.7	27.8	78	100.02	-0.9	-0.4	0	27.8	0.11	100	8010	100.01	26.9
2023-02-06 17:20:00	4	0	0	0	50	2.51	3.65	27.7	78.1	100.03	-1	-0.4	0	27.6	0.11	100	8008	100.02	26.5
2023-02-06 17:25:00	2	0	0	0	52	2.33	3.22	27.5	78.7	100.04	-0.9	-0.3	0	27.5	0.11	100	8007	100.03	26.2
2023-02-06 17:30:00	0.4	0	0	0	25	2.75	3.74	27.3	79.4	100.04	-0.9	-0.4	0	27.2	0.1	100	8007	100.03	26
2023-02-06 17:35:00	0	0	0	0	13	2.95	3.56	27.1	79.8	100.04	-0.9	-0.4	0	27.1	0.1	100	8009	100.03	25.9
2023-02-06 17:40:00	0	0	0	0	8	2.46	3.47	27.1	79.8	100.04	-0.9	-0.4	0	27.1	0.1	100	8006	100.03	25.8
2023-02-06 17:45:00	0	0	0	0	49	2.04	2.91	27	80.2	100.05	-0.9	-0.4	0	27	0.1	100	8008	100.04	25.7
2023-02-06 17:50:00	0	0	0	0	56	2.21	2.77	26.9	80.1	100.05	-0.9	-0.4	0	26.9	0.1	100	8004	100.04	25.5
2023-02-06 17:55:00	0	0	0	0	13	2.42	3.96	27	80.4	100.06	-1	-0.3	0	27	0.1	100	8006	100.05	25.4
2023-02-06 18:00:00	0	0	0	0	4	3.27	3.78	26.8	80.2	100.06	-0.9	-0.4	0	26.8	0.1	100	8007	100.05	25.2
2023-02-06 18:05:00	0	0	0	0	0	3.04	3.76	26.7	80.2	100.07	-0.8	-0.5	0	26.7	0.1	100	8004	100.06	25.1
2023-02-06 18:10:00	0	0	0	0	353	2.82	4.03	26.6	81.1	100.08	-0.9	-0.4	0	26.6	0.09	100	8004	100.07	24.9
2023-02-06 18:15:00	0	0	0	0	1	3.06	3.62	26.5	80.6	100.08	-0.9	-0.4	0	26.5	0.09	100	8004	100.07	24.8
2023-02-06 18:20:00	0	0	0	0	355	2.28	3.06	26.3	80.4	100.08	-1	-0.4	0	26.3	0.09	100	8003	100.06	24.7
2023-02-06 18:25:00	0	0	0	0	357	1.66	2.21	26.3	80.5	100.08	-0.9	-0.4	0	26.2	0.09	100	8001	100.06	24.4
2023-02-06 18:30:00	0	0	0	0	350	1.66	2.17	26.1	81.4	100.08	-1	-0.5	0	26.1	0.09	100	8002	100.06	24.1
2023-02-06 18:35:00	0	0	0	0	318	2.04	2.55	25.9	82	100.08	-1	-0.4	0	25.9	0.09	100	8002	100.07	23.9

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-06 18:40:00	0	0	0	0	349	1.81	2.17	25.8	82.2	100.08	-0.9	-0.4	0	25.8	0.08	100	8002	100.07	23.6
2023-02-06 18:45:00	0	0	0	0	16	2.39	2.84	25.5	83.2	100.08	-1	-0.4	0	25.5	0.08	100	8003	100.06	23.2
2023-02-06 18:50:00	0	0	0	0	16	2.24	2.93	25.4	83.7	100.08	-0.9	-0.4	0	25.4	0.08	100	7999	100.06	23
2023-02-06 18:55:00	0	0	0	0	14	2.35	2.98	25.2	84.5	100.08	-1	-0.4	0	25.2	0.07	100	8002	100.06	22.7
2023-02-06 19:00:00	0	0	0	0	51	2.08	2.53	24.9	83.6	100.08	-1	-0.4	0	24.9	0.07	100	7998	100.06	22.4
2023-02-06 19:05:00	0	0	0	0	46	1.9	2.44	25	83.8	100.08	-1	-0.3	0	25	0.07	100	8000	100.06	22.2
2023-02-06 19:10:00	0	0	0	0	38	1.86	2.24	24.8	83.4	100.09	-0.9	-0.4	0	24.9	0.08	100	7998	100.07	22
2023-02-06 19:15:00	0	0	0	0	75	1.72	2.59	24.7	84.3	100.09	-1	-0.3	0	24.7	0.07	100	7997	100.08	21.8
2023-02-06 19:20:00	0	0	0	0	107	2.08	2.75	24.7	86.3	100.1	-1.1	-0.4	0	24.7	0.06	100	7996	100.08	21.7
2023-02-06 19:25:00	0	0	0	0	119	2.66	3.58	24.7	86	100.1	-1	-0.3	0	24.7	0.06	100	7998	100.08	21.7
2023-02-06 19:30:00	0	0	0	0	117	4.14	5.06	24.8	87.7	100.11	-0.9	-0.4	0	24.8	0.06	100	7998	100.09	21.8
2023-02-06 19:35:00	0	0	0	0	105	4.27	4.97	24.9	86.3	100.11	-1	-0.5	0	24.9	0.06	100	7997	100.1	22
2023-02-06 19:40:00	0	0	0	0	105	4.74	5.46	24.9	85.5	100.12	-1	-0.4	0	24.9	0.07	100	7995	100.1	22.2
2023-02-06 19:45:00	0	0	0	0	99	4.36	5.14	25.1	84.9	100.12	-1	-0.4	0	25.1	0.07	100	7998	100.1	22.2
2023-02-06 19:50:00	0	0	0	0	92	5.17	6.15	25.1	84.9	100.12	-1.1	-0.4	0	25.1	0.07	100	7997	100.1	22.2
2023-02-06 19:55:00	0	0	0	0	103	4.52	5.59	25.2	84.5	100.12	-1	-0.3	0	25.1	0.07	100	7995	100.1	22.2
2023-02-06 20:00:00	0	0	0	0	100	5.14	6.98	25.1	84.6	100.12	-0.9	-0.4	0	25.1	0.07	100	7995	100.1	22.3
2023-02-06 20:05:00	0	0	0	0	101	4.88	5.68	25.2	84.5	100.11	-1.1	-0.4	0	25.1	0.07	100	7996	100.1	22.2
2023-02-06 20:10:00	0	0	0	0	107	4.92	5.77	25	85.1	100.11	-1	-0.4	0	25	0.07	100	7993	100.1	22.2
2023-02-06 20:15:00	0	0	0	0	106	5.08	6.2	24.9	85.5	100.1	-1	-0.3	0	24.9	0.07	100	7995	100.09	22.2
2023-02-06 20:20:00	0	0	0	0	104	5.73	6.78	24.8	85.9	100.09	-1	-0.4	0	24.8	0.06	100	7994	100.08	22.1
2023-02-06 20:25:00	0	0	0	0	107	4.25	4.97	24.7	86.6	100.09	-1	-0.3	0	24.7	0.06	100	7995	100.07	22
2023-02-06 20:30:00	0	0	0	0	103	4.41	5.19	24.4	87.1	100.08	-1	-0.4	0	24.4	0.06	100	7993	100.06	21.9
2023-02-06 20:35:00	0	0	0	0	104	4.79	5.59	24.3	87.1	100.07	-1	-0.4	0	24.3	0.06	100	7991	100.06	21.7
2023-02-06 20:40:00	0	0	0	0	114	4.23	5.44	24.1	88.4	100.08	-1.1	-0.4	0	24.1	0.05	100	7992	100.07	21.6
2023-02-06 20:45:00	0	0	0	0	115	4.76	5.73	24.1	87.8	100.08	-1	-0.3	0	24.1	0.05	100	7995	100.06	21.6
2023-02-06 20:50:00	0	0	0	0	123	4.92	5.99	24.1	88.3	100.08	-1	-0.4	0	24.1	0.05	100	7990	100.07	21.7
2023-02-06 20:55:00	0	0	0	0	117	5.75	7.56	24.1	87.4	100.07	-1	-0.4	0	24.2	0.06	100	7989	100.06	21.8
2023-02-06 21:00:00	0	0	0	0	126	4.9	5.7	24.2	87.9	100.07	-1	-0.4	0	24.2	0.05	100	7991	100.06	21.8
2023-02-06 21:05:00	0	0	0	0	131	4.65	6.11	24.1	88.3	100.07	-1	-0.4	0	24.1	0.05	100	7990	100.06	21.8
2023-02-06 21:10:00	0	0	0	0	148	6.46	8.21	24.2	88	100.07	-1	-0.4	0	24.2	0.05	100	7991	100.06	21.9
2023-02-06 21:15:00	0	0	0	0	150	7.07	7.81	24.3	87.7	100.07	-1.1	-0.4	0	24.3	0.05	100	7991	100.06	22
2023-02-06 21:20:00	0	0	0	0	138	6.42	8.05	24.2	87.9	100.07	-1.1	-0.2	0	24.2	0.05	100	7989	100.06	22
2023-02-06 21:25:00	0	0	0	0	151	6.13	7.61	24.2	88	100.07	-1	-0.4	0	24.2	0.05	100	7991	100.07	22
2023-02-06 21:30:00	0	0	0	0	156	6.51	7.83	24.1	88.4	100.08	-1.1	-0.5	0	24.1	0.05	100	7991	100.07	22
2023-02-06 21:35:00	0	0	0	0	159	6.64	7.76	24.1	88.3	100.08	-1	-0.4	0	24.2	0.05	100	7987	100.07	22
2023-02-06 21:40:00	0	0	0	0	155	6.98	8.1	24.1	87.9	100.08	-1	-0.3	0	24.1	0.05	100	7989	100.07	22
2023-02-06 21:45:00	0	0	0	0	145	7.52	9.44	24.1	88.3	100.07	-1.1	-0.4	0	24.2	0.05	100	7988	100.06	22
2023-02-06 21:50:00	0	0	0	0	140	7.05	7.99	24.1	88.4	100.05	-1.1	-0.4	0	24	0.05	100	7987	100.04	22
2023-02-06 21:55:00	0	0	0	0	146	5.79	6.91	23.9	88.5	100.05	-1.1	-0.4	0	23.9	0.05	100	7987	100.04	21.9
2023-02-06 22:00:00	0	0	0	0	153	6.35	8.7	23.9	89.2	100.05	-1	-0.4	0	23.9	0.05	100	7990	100.05	21.8
2023-02-06 22:05:00	0	0	0	0	154	7.02	8.01	23.8	89.5	100.05	-1.1	-0.3	0	23.8	0.05	100	7986	100.04	21.8
2023-02-06 22:10:00	0	0	0	0	157	7.36	9.48	23.8	89.5	100.04	-1	-0.3	0	23.8	0.05	100	7987	100.03	21.8
2023-02-06 22:15:00	0	0	0	0	157	7.72	8.9	23.8	88.2	100.04	-1	-0.3	0	23.8	0.05	100	7988	100.03	21.8
2023-02-06 22:20:00	0	0	0	0	154	7.94	9.08	23.7	89.3	100.02	-1	-0.4	0	23.7	0.05	100	7988	100.02	21.9
2023-02-06 22:25:00	0	0	0	0	154	8.43	10.89	23.7	88	100.02	-0.9	-0.4	0	23.7	0.05	100	7987	100.01	21.9
2023-02-06 22:30:00	0	0	0	0	144	9.08	11.32	23.7	87.9	100.01	-1.1	-0.4	0	23.7	0.05	100	7988	100.01	21.9
2023-02-06 22:35:00	0	0	0	0	133	9.89	12.46	23.6	88.2	100.01	-1	-0.4	0	23.6	0.05	100	7985	100.01	21.9
2023-02-06 22:40:00	0	0	0	0	135	8.99	11.34	23.8	87.8	100.01	-1	-0.3	0	23.8	0.05	100	7985	100.01	22
2023-02-06 22:45:00	0	0	0	0	131	9.48	11.86	23.9	87.8	100	-1.1	-0.3	0	23.9	0.05	100	7986	100	22.1
2023-02-06 22:50:00	0	0	0	0	135	8.68	10.94	24	87.9	100	-1.1	-0.4	0	24	0.05	100	7985	99.99	22.1
2023-02-06 22:55:00	0	0	0	0	144	8.79	10.54	24	87.9	99.99	-1.1	-0.3	0	24	0.05	100	7985	99.99	22.1
2023-02-06 23:00:00	0	0	0	0	149	8.52	10.18	23.9	87.7	99.99	-0.9	-0.5	0	23.9	0.05	100	7988	99.98	22
2023-02-06 23:05:00	0	0	0	0	151	8.48	11.16	23.9	87.2	100	-1	-0.4	0	23.9	0.06	100	7982	99.99	22
2023-02-06 23:10:00	0	0	0	0	151	8.68	10.29	23.8	87.5	100	-1	-0.3	0	23.8	0.05	100	7985	99.99	22
2023-02-06 23:15:00	0	0	0	0	150	8.79	11.32	23.8	87	100	-1	-0.4	0	23.8	0.06	100	7985	100	22
2023-02-06 23:20:00	0	0	0	0	154	7.63	9.95	23.9	86.8	100.01	-1.1	-0.4	0	23.9	0.06	100	7985	100.01	22
2023-02-06 23:25:00	0	0	0	0	146	7.14	8.79	23.8	87	100.01	-1.1	-0.4	0	23.8	0.06	100	7986	100.01	22
2023-02-06 23:30:00	0	0	0	0	139	7.72	8.97	23.8	87.8	100	-1.1	-0.3	0	23.8	0.05	100	7984	100	21.9
2023-02-06 23:35:00	0	0	0	0	132	8.25	9.55	23.7	87.6	100	-1	-0.3	0	23.7	0.05	100	7982	100	21.9
2023-02-06 23:40:00	0	0	0	0	143	6.96	9.98	23.8	87.3	100.01	-1	-0.3	0	23.8	0.06	100	7982	100	21.9
2023-02-06 23:45:00	0	0	0	0	144	6.38	7.96	23.7	87.4	100.01	-1	-0.3	0	23.7	0.05	100	7983	100	21.8
2023-02-06 23:50:00	0	0	0	0	150	5.86	7.25	23.6	87.8	100.01	-1.1	-0.4	0	23.6	0.05	100	7981	100	21.7
2023-02-06 23:55:00	0	0	0	0	150	5.46	7.02	23.7	87.6	100.01	-1.1	-0.4	0	23.6	0.05	100	7983	100	21.6

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-07 00:00:00	0	0	0	0	140	5.59	6.67	23.6	87.8	100	-1	-0.4	0	23.6	0.05	100	7983	99.99	21.6
2023-02-07 00:05:00	0	0	0	0	143	5.86	7.27	23.5	88.1	100	-0.9	-0.3	0	23.5	0.05	100	7953	100	21.7
2023-02-07 00:10:00	0	0	0	0	143	5.77	7.36	23.5	88.4	100.01	-1	-0.4	0	23.5	0.05	100	7947	100.01	21.9
2023-02-07 00:15:00	0	0	0	0	147	5.37	6.2	23.4	88.8	100.02	-1	-0.4	0	23.4	0.05	100	7941	100.02	21.9
2023-02-07 00:20:00	0	0	0	0	158	4.85	6.17	23.3	89	100.03	-1	-0.4	0	23.3	0.05	100	7957	100.03	21.7
2023-02-07 00:25:00	0	0	0	0	163	4.32	5.88	23.2	89.3	100.04	-1.1	-0.3	0	23.2	0.05	100	7959	100.03	21.4
2023-02-07 00:30:00	0	0	0	0	159	4.14	5.14	23.2	89.4	100.03	-1	-0.4	0	23.2	0.04	100	7963	100.03	21.3
2023-02-07 00:35:00	0	0	0	0	140	5.88	6.73	23.1	89.7	100.02	-1.1	-0.4	0	23.1	0.04	100	7959	100.01	21.2
2023-02-07 00:40:00	0	0	0	0	136	5.39	6.42	23.1	89.7	100.01	-1	-0.4	0	23.1	0.04	100	7962	100	21.1
2023-02-07 00:45:00	0	0	0	0	133	5.97	7.52	22.9	90.4	99.99	-1.1	-0.4	0	22.9	0.04	100	7965	99.99	21
2023-02-07 00:50:00	0	0	0	0	146	4.99	6.44	22.9	90.5	100	-1	-0.4	0	22.9	0.04	100	7960	100	20.9
2023-02-07 00:55:00	0	0	0	0	134	4.88	5.66	22.7	90.6	100	-1	-0.4	0	22.7	0.04	100	7960	99.99	20.8
2023-02-07 01:00:00	0	0	0	0	131	4.12	5.75	22.6	91.6	100	-1.2	-0.4	0	22.6	0.03	100	7963	99.99	20.7
2023-02-07 01:05:00	0	0	0	0	112	5.86	6.87	22.6	90.7	99.97	-1.1	-0.2	0	22.6	0.04	100	7963	99.96	20.6
2023-02-07 01:10:00	0	0	0	0	109	5.66	7.31	22.6	91	99.96	-1.2	-0.4	0	22.7	0.04	100	7962	99.96	20.6
2023-02-07 01:15:00	0	0	0	0	119	5.08	6.13	22.6	89.6	99.97	-1	-0.3	0	22.7	0.04	100	7963	99.97	20.5
2023-02-07 01:20:00	0	0	0	0	113	6.6	8.37	22.5	90.5	99.96	-1.1	-0.3	0	22.6	0.04	100	7961	99.96	20.5
2023-02-07 01:25:00	0	0	0	0	113	6.02	7.65	22.6	89.7	99.97	-1.1	-0.5	0	22.6	0.04	100	7962	99.96	20.5
2023-02-07 01:30:00	0	0	0	0	123	6.13	8.66	22.5	90.1	99.97	-1.1	-0.3	0	22.5	0.04	100	7963	99.97	20.4
2023-02-07 01:35:00	0	0	0	0	117	8.39	9.71	22.5	90.2	99.95	-1	-0.4	0	22.5	0.04	100	7960	99.95	20.5
2023-02-07 01:40:00	0	0	0	0	133	6.98	8.95	22.4	91	99.94	-1	-0.4	0	22.4	0.04	100	7960	99.95	20.4
2023-02-07 01:45:00	0	0	0	0	134	6.78	8.61	22.1	91	99.95	-1.1	-0.3	0	22.1	0.04	100	7960	99.95	20.3
2023-02-07 01:50:00	0	0	0	0	145	6.35	10.09	22.2	90.7	99.96	-1	-0.4	0	22.2	0.04	100	7960	99.96	20.3
2023-02-07 01:55:00	0	0	0	0	144	6.4	8.37	22.2	90.7	99.96	-0.9	-0.4	0	22.2	0.04	100	7960	99.96	20.3
2023-02-07 02:00:00	0	0	0	0	139	7.11	8.72	22.4	90.7	99.96	-1	-0.3	0	22.4	0.04	100	7961	99.96	20.3
2023-02-07 02:05:00	0	0	0	0	138	7.49	8.97	22.2	90.9	99.94	-1	-0.3	0	22.2	0.04	100	7960	99.94	20.3
2023-02-07 02:10:00	0	0	0	0	128	7.05	8.25	22.1	91.3	99.93	-1.1	-0.4	0	22.1	0.04	100	7960	99.93	20.2
2023-02-07 02:15:00	0	0	0	0	131	6.29	7.47	22	91.7	99.93	-1.1	-0.3	0	22	0.03	100	7963	99.94	20.1
2023-02-07 02:20:00	0	0	0	0	113	5.66	6.67	21.9	91.8	99.93	-1.1	-0.4	0	21.9	0.03	100	7962	99.93	20
2023-02-07 02:25:00	0	0	0	0	113	6.58	8.32	21.9	91.8	99.93	-1	-0.4	0	21.9	0.03	100	7960	99.93	19.9
2023-02-07 02:30:00	0	0	0	0	119	7.36	8.75	21.9	91.8	99.92	-1.1	-0.5	0	21.9	0.03	100	7960	99.92	19.8
2023-02-07 02:35:00	0	0	0	0	122	6.87	8.68	21.8	92.4	99.91	-0.9	-0.3	0	21.8	0.03	100	7960	99.91	19.8
2023-02-07 02:40:00	0	0	0	0	117	6.22	7.63	21.8	92.1	99.9	-1.1	-0.3	0	21.8	0.03	100	7960	99.9	19.8
2023-02-07 02:45:00	0	0	0	0	117	3.76	6.02	21.8	92.4	99.89	-1.2	-0.4	0	21.7	0.03	100	7959	99.89	19.7
2023-02-07 02:50:00	0	0	0	0	160	1.77	2.73	21.7	92.7	99.91	-1.1	-0.4	0	21.7	0.03	100	7959	99.91	19.5
2023-02-07 02:55:00	0	0	0	0	167	3.44	4.29	21.6	92.7	99.91	-1.1	-0.5	0	21.6	0.03	100	7958	99.91	19.3
2023-02-07 03:00:00	0	0	0	0	165	4.45	5.79	21.5	93.2	99.92	-1.1	-0.4	0	21.5	0.03	100	7960	99.92	19.3
2023-02-07 03:05:00	0	0	0	0	154	4.74	5.53	21.4	93.3	99.92	-1	-0.3	0	21.4	0.03	100	7958	99.92	19.3
2023-02-07 03:10:00	0	0	0	0	118	7.07	7.96	21.5	93.7	99.9	-1.1	-0.3	0	21.5	0.02	100	7956	99.89	19.4
2023-02-07 03:15:00	0	0	0	0	115	7.18	8.3	21.5	93.5	99.88	-1.1	-0.3	0	21.5	0.03	100	7958	99.88	19.5
2023-02-07 03:20:00	0	0	0	0	105	8.37	9.37	21.5	93	99.85	-1.2	-0.3	0	21.5	0.03	100	7957	99.85	19.4
2023-02-07 03:25:00	0	0	0	0	105	9.08	9.6	21.3	93.6	99.83	-1.2	-0.4	0	21.3	0.03	100	7958	99.83	19.2
2023-02-07 03:30:00	0	0	0	0	108	7.87	8.86	21.1	92.4	99.83	-1.1	-0.4	0	21.1	0.03	100	7956	99.83	19.1
2023-02-07 03:35:00	0	0	0	0	112	8.63	10.58	21	93	99.82	-1.1	-0.4	0	21	0.03	100	7956	99.83	19.1
2023-02-07 03:40:00	0	0	0	0	116	8.68	10.11	21	92.8	99.82	-1.2	-0.3	0	21	0.03	100	7957	99.83	19.2
2023-02-07 03:45:00	0	0	0	0	116	8.77	9.89	21.2	94.2	99.83	-1.1	-0.3	0	21.2	0.02	100	7957	99.83	19.3
2023-02-07 03:50:00	0	0	0	0	114	8.55	10.76	21.3	94.2	99.83	-1.2	-0.3	0	21.3	0.02	100	7957	99.83	19.4
2023-02-07 03:55:00	0	0	0	0	131	6.55	8.63	21.2	94.7	99.83	-1.1	-0.4	0	21.2	0.02	100	7956	99.83	19.4
2023-02-07 04:00:00	0	0	0	0	138	7.99	9.69	21.3	94.2	99.82	-1	-0.4	0	21.3	0.02	100	7953	99.83	19.4
2023-02-07 04:05:00	0	0	0	0	137	8.99	11.25	21.3	94.2	99.82	-1.2	-0.3	0	21.3	0.02	100	7954	99.83	19.4
2023-02-07 04:10:00	0	0	0	0	134	9.08	11.43	21.3	94.1	99.81	-1.2	-0.3	0	21.3	0.02	100	7954	99.81	19.4
2023-02-07 04:15:00	0	0	0	0	131	10.65	14.47	21.2	94.7	99.79	-1	-0.4	0	21.2	0.02	100	7957	99.8	19.5
2023-02-07 04:20:00	0	0	0	0	135	11.97	14.09	21.4	93.8	99.77	-1.1	-0.4	0	21.4	0.02	100	7954	99.78	19.6
2023-02-07 04:25:00	0	0	0	0	135	11.68	14.99	21.6	94	99.76	-1.1	-0.6	0	21.6	0.02	100	7953	99.76	19.7
2023-02-07 04:30:00	0	0	0	0	131	11.56	14.47	21.7	94.2	99.75	-1.1	-0.5	0	21.7	0.02	100	7955	99.75	19.8
2023-02-07 04:35:00	0	0	0	0	119	12.46	14.63	21.8	94.6	99.72	-1.4	-0.4	0	21.8	0.02	100	7956	99.73	20
2023-02-07 04:40:00	0	0	0	0	117	12.97	16.73	22	94	99.71	-1	-0.4	0	22	0.02	100	7955	99.71	20.1
2023-02-07 04:45:00	0	0	0	0	121	13.2	17.16	22.2	93.2	99.68	-1.3	-0.5	0	22.2	0.03	100	7956	99.69	20.2
2023-02-07 04:50:00	0	0	0	0	126	14.16	17.74	22.6	93.7	99.67	-1	-0.5	0	22.6	0.03	100	7954	99.68	20.5
2023-02-07 04:55:00	0	0	0	0	128	13.85	17.85	22.7	93.6	99.65	-0.9	-0.6	0	22.7	0.03	100	7953	99.66	20.7
2023-02-07 05:00:00	0	0	0	0	123	14.41	17.27	22.9	92.9	99.64	-0.9	-0.5	0	22.9	0.03	100	7954	99.65	20.8
2023-02-07 05:05:00	0	0	0	0	120	15.39	18.5	23.1	92.1	99.63	-0.9	-0.6	0	23.1	0.03	100	7953	99.63	21
2023-02-07 05:10:00	0	0	0	0	118	17.02	23.26	23.3	91.4	99.61	-0.8	-0.6	0	23.3	0.04	100	7953	99.61	21.2
2023-02-07 05:15:00	0	0	0	0	119	17.81	21.79	23.6	91.8	99.58	-1.1	-0.4	0	23.6	0.04	100	7953	99.59	21.4

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-07 05:20:00	0	0	0	0	120	17.98	23.17	23.9	91.3	99.57	-1.3	-0.3	0	23.9	0.04	100	7952	99.58	21.6
2023-02-07 05:25:00	0	0	0	0	122	18.37	22.5	24	91.1	99.56	-1.1	-0.1	0	24	0.04	100	7954	99.57	21.8
2023-02-07 05:30:00	0	0	0	0	128	16.02	20.29	24.2	90.4	99.57	-1	-0.2	0	24.2	0.04	100	7955	99.57	22
2023-02-07 05:35:00	0	0	0	0	126	14.7	19.73	24.3	89.8	99.57	-1	-0.4	0	24.3	0.05	100	7953	99.58	22.1
2023-02-07 05:40:00	0	0	0	0	124	15.1	20.22	24.3	89.7	99.57	-0.9	-0.2	0	24.3	0.05	100	7954	99.57	22.2
2023-02-07 05:45:00	0	0	0	0	123	14.9	20.02	24.5	89.2	99.56	-1	-0.2	0	24.5	0.05	100	7952	99.57	22.3
2023-02-07 05:50:00	0	0	0	0	129	12.75	17.36	24.6	89.2	99.57	-1.1	-0.2	0	24.6	0.05	100	7951	99.57	22.4
2023-02-07 05:55:00	0	0	0	0	136	14.03	20.78	24.7	89.4	99.57	-1.1	-0.3	0	24.7	0.05	100	7953	99.57	22.4
2023-02-07 06:00:00	0	0	0	0	137	13.98	16.46	24.7	88.9	99.56	-0.9	-0.1	0	24.7	0.05	100	7952	99.57	22.6
2023-02-07 06:05:00	0	0	0	0	133	15.55	18.21	24.9	89.8	99.55	-1	-0.4	0	24.9	0.05	100	7951	99.56	22.7
2023-02-07 06:10:00	0	0	0	0	133	15.82	18.92	25	89.5	99.54	-1	-0.3	0	25	0.05	100	7953	99.55	22.8
2023-02-07 06:15:00	0	0	0	0	138	14.27	18.12	25.1	89.1	99.55	-1.1	-0.3	0	25.1	0.05	100	7951	99.57	22.9
2023-02-07 06:20:00	0	0	0	0	143	13.35	16.46	25	89.4	99.58	-1.2	-0.5	0	25	0.05	100	7950	99.58	22.9
2023-02-07 06:25:00	0	0	0	0	143	14.54	17.63	25.1	89.2	99.57	-0.9	-0.3	0	25	0.05	100	7952	99.57	23
2023-02-07 06:30:00	0	0	0	0	138	14.34	17.92	25.1	89.1	99.56	-1	-0.4	0	25.1	0.05	100	7954	99.57	23.1
2023-02-07 06:35:00	0	0	0	0	139	14.2	18.5	25.1	89.1	99.56	-1.1	-0.3	0	25.1	0.05	100	7952	99.56	23.1
2023-02-07 06:40:00	0	0	0	0	142	13.29	17.85	25.2	88.8	99.55	-1.2	-0.2	0	25.2	0.05	100	7951	99.55	23.1
2023-02-07 06:45:00	0	0	0	0	146	13.42	16.67	25.2	88.6	99.55	-1	-0.4	0	25.2	0.05	100	7951	99.55	23.1
2023-02-07 06:50:00	0	0	0	0	146	13.02	19.01	25.1	88.2	99.54	-1.1	-0.2	0	25.1	0.05	100	7950	99.54	23.1
2023-02-07 06:55:00	0.6	0	0	0	147	12.71	15.9	25.1	88.8	99.54	-1	-0.3	0	25.1	0.05	100	7951	99.54	23.1
2023-02-07 07:00:00	1.8	0	0	0	145	12.1	16.51	25.1	89.2	99.53	-0.9	-0.5	0	25	0.05	100	7950	99.54	23.2
2023-02-07 07:05:00	5	0	0	0	141	13.89	18.19	25.1	88.5	99.53	-0.8	-0.3	0	25.1	0.05	100	7950	99.53	23.2
2023-02-07 07:10:00	6.4	0	0	0	138	14.65	18.14	25.1	89	99.52	-1	-0.4	0	25.2	0.05	100	7950	99.52	23.3
2023-02-07 07:15:00	7.6	0	0	0	137	13.22	18.63	25.2	88.7	99.51	-0.9	-0.4	0	25.2	0.05	100	7952	99.51	23.3
2023-02-07 07:20:00	13.6	0	0	0	137	13.58	17.05	25.3	88.2	99.5	-0.8	-0.4	0	25.3	0.06	100	7952	99.51	23.4
2023-02-07 07:25:00	20.4	0	0	0	146	11.86	15.48	25.5	87.6	99.52	-0.7	-0.5	0	25.5	0.06	100	7953	99.52	23.4
2023-02-07 07:30:00	25	0	0	0	149	11.14	15.88	25.6	87.4	99.52	-1	-0.6	0	25.6	0.06	100	7952	99.53	23.5
2023-02-07 07:35:00	29	0	0	0	152	11.45	14.5	25.7	86.9	99.53	-1	-0.3	0	25.8	0.06	100	7951	99.52	23.6
2023-02-07 07:40:00	35	0	0	0	145	12.8	15.79	25.7	87	99.5	-1.1	-0.3	0	25.8	0.06	100	7953	99.5	23.7
2023-02-07 07:45:00	40.6	0	0	0	140	13.2	16.42	25.7	87	99.49	-1.2	-0.2	0	25.8	0.06	100	7953	99.49	23.8
2023-02-07 07:50:00	47.2	0	0	0	128	14.81	17.34	25.7	86.7	99.46	-1.2	0	0	25.9	0.06	100	7954	99.47	23.9
2023-02-07 07:55:00	57.2	0	0	0	126	13.73	16.55	25.9	86.5	99.45	-0.9	-0.4	0	26	0.06	100	7955	99.46	24
2023-02-07 08:00:00	67.2	0	0	0	129	13.91	18.52	26.1	87	99.45	-0.9	-0.6	0	26.3	0.06	100	7960	99.46	24.1
2023-02-07 08:05:00	75.6	0	0	0	135	12.77	16.91	26.4	86.8	99.45	-0.9	-0.4	0	26.6	0.06	100	7959	99.46	24.3
2023-02-07 08:10:00	89.2	0	0	0	145	12.53	17.81	26.7	87	99.45	-0.9	-0.3	0	26.9	0.06	100	7960	99.46	24.5
2023-02-07 08:15:00	95.4	0	0	0	140	14.36	18.1	27.1	86.1	99.43	-1	-0.5	0	27.2	0.07	100	7963	99.44	24.8
2023-02-07 08:20:00	97.2	0	0	0	136	14.63	17.98	27.2	85.6	99.41	-0.8	-0.4	0	27.4	0.07	100	7962	99.42	25.1
2023-02-07 08:25:00	107.6	0	0	0	124	13.02	17	27.5	85.3	99.4	-0.9	-0.3	0	27.8	0.07	100	7966	99.4	25.3
2023-02-07 08:30:00	105.4	0	0	0	118	14.5	18.19	27.7	85.5	99.37	-0.9	-0.5	0	27.9	0.07	100	7967	99.37	25.6
2023-02-07 08:35:00	130.8	0	0	0	112	16.2	20.4	28	84.9	99.32	-1.1	-0.4	0	28.3	0.08	100	7971	99.33	25.8
2023-02-07 08:40:00	134.4	0	0	0	121	14.03	18.52	28.4	83.8	99.31	-0.9	-0.3	0	28.7	0.09	100	7973	99.32	26.2
2023-02-07 08:45:00	139.2	0	0	0	119	16.75	20.4	28.9	83.2	99.29	-0.7	-0.3	0	29.2	0.09	100	7976	99.3	26.5
2023-02-07 08:50:00	168.6	0	0	0	119	16.73	22.26	29.6	81.7	99.26	-0.8	-0.3	0	29.9	0.1	100	7981	99.28	27
2023-02-07 08:55:00	177.2	0	0	0	123	14.52	20.92	30.2	80.9	99.25	-0.7	-0.4	0	30.6	0.11	100	7987	99.27	27.5
2023-02-07 09:00:00	149.6	0	0	0	124	15.86	20.74	30.9	79.7	99.24	-0.7	-0.4	0	31.2	0.12	100	7988	99.25	28
2023-02-07 09:05:00	127	0	0	0	118	15.52	20.13	31.2	79.1	99.23	-0.6	-0.4	0	31.5	0.12	100	7989	99.24	28.4
2023-02-07 09:10:00	110.6	0	0	0	128	16.6	20.92	31.5	77.2	99.22	-0.7	-0.5	0	31.7	0.14	100	7992	99.23	28.8
2023-02-07 09:15:00	158	0	0	0	133	13.2	17.67	31.7	77.2	99.22	-0.8	-0.3	0	32.1	0.14	100	7998	99.24	29.1
2023-02-07 09:20:00	215	0	0	0	127	12.37	17.85	32.6	76.2	99.23	-0.7	-0.2	0	33.2	0.15	100	8007	99.25	29.6
2023-02-07 09:25:00	242	0	0	0	136	10.83	15.43	33.6	75.1	99.23	-0.7	-0.4	0	34.2	0.16	100	8016	99.25	30.2
2023-02-07 09:30:00	261.6	0	0	0	134	12.95	16.64	34.4	73	99.23	-0.5	-0.5	0	35	0.18	100	8024	99.25	31
2023-02-07 09:35:00	297.4	0	0	0	146	10.94	14.34	35.5	71.1	99.24	-0.7	-0.5	0	36.3	0.2	100	8033	99.26	31.8
2023-02-07 09:40:00	328	0	0	0	142	12.1	16.2	36.7	69.5	99.22	-0.8	-0.4	0	37.4	0.22	100	8042	99.24	32.8
2023-02-07 09:45:00	314.4	0	0	0	142	12.77	17.81	37.4	67.7	99.23	-0.4	-0.6	0	38.1	0.24	100	8046	99.24	33.6
2023-02-07 09:50:00	322.4	0	0	0	144	13.35	16.71	37.7	66.7	99.22	-0.6	-0.5	0	38.4	0.26	100	8049	99.24	34.3
2023-02-07 09:55:00	291.4	0	0	0	139	13.35	17.13	37.7	66.6	99.21	-0.8	-0.5	0	38.3	0.26	100	8053	99.22	34.9
2023-02-07 10:00:00	378.8	0	0	0	130	14.36	18.14	38	66.1	99.17	-0.5	-0.4	0	38.7	0.26	100	8061	99.19	35.3
2023-02-07 10:05:00	393.6	0	0	0	126	15.1	19.1	38.5	65	99.14	-0.6	-0.4	0	39.2	0.28	100	8064	99.16	35.9
2023-02-07 10:10:00	312.6	0	0	0	126	16.62	21.23	38.5	64.4	99.12	-0.5	-0.4	0	39.2	0.28	100	8064	99.13	36.4
2023-02-07 10:15:00	288.8	0	0	0	128	16.24	22.24	38.6	64.3	99.11	-0.3	-0.6	0	39.2	0.28	100	8065	99.11	36.7
2023-02-07 10:20:00	197.8	0	0	0	128	15.39	19.66	38.2	63.9	99.11	-0.6	-0.4	0	38.7	0.28	100	8061	99.11	37
2023-02-07 10:25:00	161.6	0	0	0	137	15.97	21.88	38	64.5	99.1	-0.3	-0.8	0	38.3	0.28	100	8061	99.1	37
2023-02-07 10:30:00	148.2	0	0	0	135	16.51	22.64	37.9	64.4	99.09	-0.1	-0.6	0	38.2	0.27	100	8060	99.09	37.1
2023-02-07 10:35:00	163.8	0	0	0	138	15.48	20.47	38	64.4	99.08	-0.4	-0.3	0	38.3	0.28	100	8060	99.08	37.2

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-07 10:40:00	148.2	0	0	0	139	14.03	19.44	38.2	64.2	99.07	-0.4	-0.4	0	38.4	0.28	100	8055	99.07	37.3
2023-02-07 10:45:00	143.2	0	0	0	139	12.71	18.05	38.2	64.8	99.08	-0.7	-0.3	0	38.5	0.27	100	8058	99.07	37.5
2023-02-07 10:50:00	146.8	0	0	0	134	11.25	15.23	38.3	64.8	99.07	-0.4	-0.5	0	38.6	0.28	100	8058	99.06	37.7
2023-02-07 10:55:00	154	0	0	0	148	14.12	21.94	38.5	63.4	99.06	-0.4	-0.5	0	38.8	0.29	100	8058	99.05	37.9
2023-02-07 11:00:00	170	0	0	0	154	14.05	19.15	38.9	62.2	99.05	-0.7	-0.5	0	39.3	0.3	100	8058	99.04	38.2
2023-02-07 11:05:00	193	0	0	0	151	12.95	16.91	39.3	60.7	99.05	-0.4	-0.6	0	39.7	0.32	100	8060	99.05	38.6
2023-02-07 11:10:00	183.6	0	0	0	149	13.82	17.69	39.7	59.5	99.04	-0.4	-0.3	0	40.2	0.34	100	8061	99.03	38.9
2023-02-07 11:15:00	192.6	0	0	0	152	13.29	16.53	40	59.8	99.04	-0.6	-0.5	0	40.5	0.34	100	8061	99.03	39.1
2023-02-07 11:20:00	233.6	0	0	0	146	15.52	20.24	40.4	60.7	99.01	-0.3	-0.6	0	40.8	0.33	100	8064	99.01	39.4
2023-02-07 11:25:00	241	0	0	0	148	15.95	20.85	40.8	60	98.99	-0.4	-0.4	0	41.3	0.35	100	8065	98.98	39.7
2023-02-07 11:30:00	292	0	0	0	149	16.93	23.29	41.3	59	98.97	-0.4	-0.5	0	41.9	0.36	100	8066	98.97	40
2023-02-07 11:35:00	361.6	0	0	0	152	16.2	22.32	42.2	58.1	98.95	-0.6	-0.2	0	42.8	0.38	100	8074	98.95	40.4
2023-02-07 11:40:00	382	0	0	0	156	16.93	20.27	43.2	56.6	98.93	-0.4	-0.6	0	43.9	0.41	100	8076	98.94	40.9
2023-02-07 11:45:00	385.2	0	0	0	155	18.01	27.09	43.9	55.4	98.92	-0.2	-0.4	0	44.6	0.44	100	8080	98.92	41.5
2023-02-07 11:50:00	375.6	0	0	0	157	15.12	20.51	44.6	53.7	98.93	-0.4	-0.9	0	45.3	0.46	100	8080	98.93	42
2023-02-07 11:55:00	421.8	0	0	0	160	15.03	18.57	45.4	52.8	98.92	-0.6	-0.2	0	46.1	0.49	100	8085	98.93	42.7
2023-02-07 12:00:00	385.4	0	0	0	162	14.09	18.81	46.1	52.5	98.92	-0.2	-1	0	46.9	0.5	100	8087	98.92	43.3
2023-02-07 12:05:00	420.2	0	0	0	161	14.03	20.6	47.2	51.3	98.92	-0.1	-0.8	0	47.9	0.54	100	8090	98.92	44
2023-02-07 12:10:00	338	0	0	0	164	12.82	19.84	47.7	50.7	98.93	-0.1	-0.2	0	48.4	0.55	100	8093	98.92	44.7
2023-02-07 12:15:00	451.6	0	0	0	168	13.22	20.13	48.6	49.4	98.91	0	-0.3	0	49.5	0.59	100	8095	98.91	45.3
2023-02-07 12:20:00	433	0	0	0	173	12.46	17.94	50.1	47.3	98.9	0.1	-0.8	0	50.9	0.65	100	8094	98.91	46.3
2023-02-07 12:25:00	463.4	0	0	0	172	16.58	23.49	51.2	45.8	98.89	0	-0.8	0	51.9	0.69	100	8094	98.89	47.2
2023-02-07 12:30:00	417.2	0	0	0	169	17.69	23.17	51.7	44.4	98.89	0.1	-0.6	0	52.3	0.72	100	8098	98.88	47.9
2023-02-07 12:35:00	462.4	0	0	0	172	14.61	19.82	51.9	44.6	98.89	-0.2	-1.1	0	52.7	0.73	100	8099	98.88	48.4
2023-02-07 12:40:00	311	0	0	0	171	16.53	20.4	52.2	44.2	98.89	-0.2	-0.6	0	52.7	0.74	100	8097	98.88	48.8
2023-02-07 12:45:00	193	0	0	0	166	15.12	20.78	51.3	45.3	98.91	-0.1	-0.5	0	51.6	0.7	100	8096	98.88	48.8
2023-02-07 12:50:00	123.6	0	0	0	172	10.96	18.1	50.4	46.5	98.93	-0.2	-0.5	0	50.8	0.67	100	8095	98.9	48.6
2023-02-07 12:55:00	115.6	0	0	0	168	9.71	15.37	49.9	47.4	98.93	-0.1	-0.6	0	50.2	0.64	100	8093	98.89	48.5
2023-02-07 13:00:00	175.8	0	0	0	160	15.86	21.56	49.6	47.9	98.89	-0.3	-0.8	0	49.8	0.63	100	8097	98.86	48.4
2023-02-07 13:05:00	242.2	0	0	0	155	19.06	23.22	49.3	48.2	98.82	-0.3	-0.8	0	49.7	0.62	100	8095	98.8	48.3
2023-02-07 13:10:00	268.4	0	0	0	155	17.92	21.18	49.3	48.7	98.77	-0.3	-0.6	0	49.8	0.61	100	8098	98.76	48.4
2023-02-07 13:15:00	205.8	0	0	0	155	15.88	24.02	49.3	49.1	98.78	-0.4	-0.4	0	49.7	0.61	100	8097	98.76	48.4
2023-02-07 13:20:00	105.8	0	0	0	159	12.75	20.71	49.2	49.2	98.81	-0.1	-0.5	0	49.4	0.6	100	8093	98.79	48.4
2023-02-07 13:25:00	106.8	0	0	0	161	12.17	16.08	49.1	50.3	98.8	-0.1	-0.6	0	49.3	0.59	100	8094	98.77	48.4
2023-02-07 13:30:00	69.4	0	0	0	161	12.28	16.84	49.1	50.5	98.8	-0.2	-0.7	0	49.2	0.59	100	8093	98.77	48.4
2023-02-07 13:35:00	48.6	0	0	0	159	10.51	16.44	49.1	50	98.79	-0.2	-0.4	0	49.2	0.59	100	8094	98.76	48.4
2023-02-07 13:40:00	58.6	0	0	0	162	10.18	13.82	49.1	51.1	98.78	-0.2	-0.6	0	49.2	0.58	100	8094	98.75	48.4
2023-02-07 13:45:00	50.4	0	0	0	161	7.76	12.15	49	52.1	98.78	-0.2	-0.5	0	49.1	0.57	100	8092	98.74	48.4
2023-02-07 13:50:00	45.8	0	0	0	192	12.91	21.72	49.3	52.2	98.77	-0.1	-0.8	0	49.4	0.57	100	8089	98.74	48.7
2023-02-07 13:55:00	43.6	0	0	0	192	11.12	17.27	50.1	51.9	98.77	-0.1	-0.8	0	50.3	0.59	100	8088	98.74	49.4
2023-02-07 14:00:00	30.2	0	0	0	198	7.65	12.88	50.9	51.3	98.78	-0.1	-0.4	0	51	0.62	100	8089	98.75	49.9
2023-02-07 14:05:00	21.2	0	0	0	218	7.29	13.65	51.1	51.4	98.81	-0.1	-0.7	0	51.2	0.62	100	8087	98.78	50.1
2023-02-07 14:10:00	16.4	0	0	0	263	8.61	13.91	51.3	50.9	98.85	0	-0.7	0	51.4	0.63	100	8084	98.81	50.3
2023-02-07 14:15:00	14	0	0	0	266	8.77	12.33	51.4	50.8	98.87	-0.2	-0.6	0	51.5	0.64	100	8085	98.83	50.3
2023-02-07 14:20:00	15.8	0	0	0	236	11.59	23.11	51.4	50.4	98.87	0	-0.6	0	51.4	0.64	100	8084	98.82	50.4
2023-02-07 14:25:00	21.8	0	0	0	225	15.68	22.64	51.5	50.9	98.85	-0.4	-1	0	51.5	0.64	100	8084	98.81	50.5
2023-02-07 14:30:00	35	0	0	0	215	11.25	15.61	51.6	51.3	98.85	-0.1	-0.5	0	51.6	0.64	100	8081	98.81	50.6
2023-02-07 14:35:00	26.8	0	0	0	215	14.63	23.09	51.6	50.8	98.85	-0.1	-0.2	0	51.6	0.64	100	8081	98.81	50.7
2023-02-07 14:40:00	17.2	0	0	0	211	12.28	18.52	51.7	51.3	98.85	-0.3	-0.7	0	51.7	0.64	100	8083	98.81	50.7
2023-02-07 14:45:00	20.8	0	0	0	211	14.81	24.52	51.5	51.4	98.83	0.1	-0.9	0	51.6	0.63	100	8083	98.79	50.7
2023-02-07 14:50:00	18.6	0	0	0	215	12.82	18.48	51.3	52.3	98.85	-0.2	-0.7	0	51.3	0.61	100	8078	98.81	50.6
2023-02-07 14:55:00	19.4	0	0	0	212	15.3	27.76	51.1	52.1	98.85	-0.3	-0.3	0	51.2	0.61	100	8080	98.81	50.5
2023-02-07 15:00:00	38	0	0	0	217	15.08	22.01	51.1	53.4	98.85	-0.2	-0.6	0	51.2	0.6	100	8079	98.81	50.4
2023-02-07 15:05:00	56.2	0	0	0	200	14	25.5	50.6	55.3	98.83	-0.5	-0.3	0	50.7	0.56	100	8079	98.8	50.1
2023-02-07 15:10:00	39	0	0	0	204	16.4	24.49	50	56	98.84	-0.2	-0.7	0	50.1	0.54	100	8080	98.8	49.9
2023-02-07 15:15:00	40.8	0.00201	0	0	202	13.49	20.78	49.8	57.3	98.84	-0.4	-0.5	0.04	49.9	0.52	100	8077	98.8	49.7
2023-02-07 15:20:00	36.8	0.00134	0	0	203	14.74	23.53	49.3	61.1	98.85	-0.2	-0.4	0.04	49.3	0.46	100	8079	98.81	49.2
2023-02-07 15:25:00	55.8	0.00134	0	0	204	15.19	20.4	48.5	64.1	98.86	-0.5	-0.6	0.04	48.6	0.42	100	8076	98.83	48.7
2023-02-07 15:30:00	62	0	0	0	204	16.08	22.95	48.1	65.5	98.85	-0.5	-0.7	0	48.3	0.39	100	8075	98.82	48.5
2023-02-07 15:35:00	48.6	0	0	0	200	13.42	18.03	48.1	65.2	98.86	-0.5	-0.6	0	48.1	0.4	100	8074	98.83	48.5
2023-02-07 15:40:00	36.6	0	0	0	194	15.84	22.64	48.1	65.1	98.87	-0.4	-1	0	48.2	0.4	100	8075	98.84	48.4
2023-02-07 15:45:00	48	0	0	0	199	16.2	26.06	48.2	65.2	98.86	-0.3	-0.4	0	48.3	0.4	100	8074	98.82	48.4
2023-02-07 15:50:00	61.4	0	0	0	201	15.75	26.49	48.3	66.1	98.84	-0.3	-1	0	48.3	0.39	100	8075	98.81	48.4
2023-02-07 15:55:00	86.6	0	0	0	207	13.98	22.62	48.1	67.3	98.86	0.1	-1	0	48.3	0.37	100	8074	98.84	48.3

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-07 16:00:00	24.4	0	0	0	216	14.34	19.1	48.2	66.7	98.9	-0.4	-0.3	0	48.3	0.38	100	8072	98.87	48.2
2023-02-07 16:05:00	9.8	0	0	0	209	19.01	27.96	48.4	66.7	98.89	-0.1	-0.5	0	48.4	0.39	100	8072	98.86	48.2
2023-02-07 16:10:00	5.6	0	0	0	206	17.05	23.06	48.5	66.8	98.91	-0.1	-0.2	0	48.5	0.38	100	8075	98.87	48.2
2023-02-07 16:15:00	5.8	0.00603	0	0	203	18.39	29.39	48.1	69	98.88	-0.1	-0.9	0.12	48.1	0.35	100	8072	98.84	47.8
2023-02-07 16:20:00	9.4	0.00134	0	0	197	16.58	22.82	47.1	72.2	98.87	-0.5	-0.5	0.04	47.1	0.31	100	8070	98.84	47
2023-02-07 16:25:00	23	0	0	0	204	16.26	24.79	46.4	74.1	98.88	-0.3	-0.4	0	46.4	0.28	100	8070	98.86	46.6
2023-02-07 16:30:00	17.8	0	0	0	204	16.42	22.39	46.1	75.2	98.91	-0.7	0	0	46.2	0.26	100	8068	98.88	46.5
2023-02-07 16:35:00	14.8	0	0	0	205	20.83	35.57	46.1	75.8	98.89	-0.1	0.1	0	46.2	0.26	100	8069	98.86	46.5
2023-02-07 16:40:00	22.2	0	0	0	201	18.45	24.72	46.3	75.8	98.89	-0.5	-0.3	0	46.4	0.26	100	8070	98.85	46.5
2023-02-07 16:45:00	16.6	0	0	0	197	16.87	24.07	46.3	76.1	98.86	-0.2	-0.2	0	46.4	0.26	100	8067	98.83	46.4
2023-02-07 16:50:00	17.8	0	0	0	202	18.79	24.81	46.4	76	98.87	0	-0.1	0	46.4	0.26	100	8069	98.83	46.3
2023-02-07 16:55:00	13	0	0	0	206	17.52	26.28	46.3	76.1	98.88	-0.1	-1.2	0	46.4	0.26	100	8069	98.85	46.3
2023-02-07 17:00:00	9.2	0	0	0	205	20.58	30.47	46.4	76	98.87	-0.8	-1	0	46.4	0.26	100	8068	98.84	46.3
2023-02-07 17:05:00	11	0	0	0	212	19.37	26.75	46.7	76	98.88	-0.8	-1.1	0	46.7	0.26	100	8067	98.86	46.5
2023-02-07 17:10:00	20	0	0	0	217	16.44	27.67	46.9	75.8	98.88	-0.3	-0.7	0	47	0.26	100	8065	98.85	46.6
2023-02-07 17:15:00	26.6	0	0	0	206	17.94	27.56	47	75.7	98.86	-0.4	0.1	0	47.1	0.27	100	8065	98.84	46.6
2023-02-07 17:20:00	11.6	0	0	0	213	16.82	31.23	47.4	75.2	98.88	-0.7	-0.9	0	47.4	0.28	100	8062	98.85	46.7
2023-02-07 17:25:00	4	0	0	0	211	16.89	26.75	47.3	75.1	98.91	-0.3	-0.7	0	47.3	0.28	100	8064	98.88	46.6
2023-02-07 17:30:00	1	0	0	0	213	16.2	23.06	47.4	74.8	98.93	-0.1	-1.2	0	47.4	0.28	100	8066	98.9	46.7
2023-02-07 17:35:00	0	0	0	0	218	17.09	22.46	47.4	74.8	98.93	-0.4	-0.7	0	47.4	0.28	100	8064	98.9	46.7
2023-02-07 17:40:00	0	0	0	0	226	15.82	21.52	47.6	74.5	98.94	0.1	-0.6	0	47.6	0.29	100	8064	98.91	46.9
2023-02-07 17:45:00	0	0	0	0	219	15.43	22.86	47.7	74.4	98.95	-0.3	-0.9	0	47.7	0.29	100	8062	98.91	47
2023-02-07 17:50:00	0	0	0	0	215	16.98	26.13	47.7	74	98.95	0.2	-0.7	0	47.7	0.29	100	8062	98.91	47
2023-02-07 17:55:00	0	0	0	0	211	14.47	20.31	47.8	74	98.95	-0.2	-0.7	0	47.8	0.29	100	8064	98.92	47.1
2023-02-07 18:00:00	0	0	0	0	212	14.9	25.9	47.9	73.8	98.96	-0.9	-0.9	0	47.9	0.3	100	8063	98.92	47.2
2023-02-07 18:05:00	0	0	0	0	212	11.5	20.31	47.9	73.6	98.97	-0.2	-0.7	0	47.9	0.3	100	8061	98.94	47.2
2023-02-07 18:10:00	0	0	0	0	220	12.33	18.03	47.9	73.8	98.98	-0.4	-0.5	0	47.9	0.3	100	8061	98.95	47.1
2023-02-07 18:15:00	0	0	0	0	216	13.2	22.57	47.9	73.5	99	-0.3	-1	0	47.9	0.3	100	8062	98.97	47.2
2023-02-07 18:20:00	0	0	0	0	217	12.82	24.09	47.9	73.8	99	-0.1	-0.7	0	47.9	0.3	100	8061	98.97	47.3
2023-02-07 18:25:00	0	0	0	0	228	12.12	16.31	48	73.5	99.01	-0.4	-0.4	0	48	0.3	100	8061	98.97	47.2
2023-02-07 18:30:00	0	0	0	0	220	14.94	24.16	48	73.1	99.01	-0.3	-0.5	0	48	0.31	100	8060	98.97	47.3
2023-02-07 18:35:00	0	0	0	0	225	14.79	20.74	48.1	73.1	99.01	0.1	-0.7	0	48.1	0.31	100	8061	98.97	47.4
2023-02-07 18:40:00	0	0	0	0	223	16.11	25.17	48.3	73	99.01	0.1	-0.9	0	48.3	0.31	100	8061	98.98	47.5
2023-02-07 18:45:00	0	0	0	0	235	15.57	26.13	48.3	72.5	99.03	-0.6	-0.5	0	48.4	0.32	100	8061	99	47.6
2023-02-07 18:50:00	0	0	0	0	242	13.35	21.45	48.4	72.1	99.04	-0.1	-0.6	0	48.4	0.32	100	8058	99.01	47.6
2023-02-07 18:55:00	0	0	0	0	238	16.67	27.92	48.5	72.2	99.05	-0.5	-0.5	0	48.5	0.32	100	8061	99.02	47.5
2023-02-07 19:00:00	0	0	0	0	246	14.5	22.08	48.3	72.3	99.06	-0.2	-1	0	48.3	0.32	100	8058	99.03	47.5
2023-02-07 19:05:00	0	0	0	0	238	13.02	20.09	48.1	72.5	99.06	-0.6	-0.6	0	48.1	0.31	100	8056	99.03	47.4
2023-02-07 19:10:00	0	0	0	0	242	13.67	19.33	48	72.8	99.08	-0.3	-0.7	0	48	0.31	100	8056	99.04	47.3
2023-02-07 19:15:00	0	0	0	0	252	11.99	20.11	47.8	73.1	99.08	-0.4	-0.8	0	47.9	0.3	100	8058	99.05	47.2
2023-02-07 19:20:00	0	0	0	0	247	8.9	12.64	47.6	73.5	99.09	-0.3	-0.7	0	47.6	0.3	100	8057	99.05	47
2023-02-07 19:25:00	0	0	0	0	241	12.46	19.44	47.5	73.8	99.09	-0.4	-0.8	0	47.5	0.29	100	8055	99.06	46.9
2023-02-07 19:30:00	0	0	0	0	246	11.39	15.95	47.5	74.1	99.09	-0.5	-0.7	0	47.5	0.29	100	8058	99.06	46.8
2023-02-07 19:35:00	0	0	0	0	247	12.75	18.77	47.4	74.1	99.1	-0.2	-0.6	0	47.3	0.29	100	8057	99.06	46.7
2023-02-07 19:40:00	0	0	0	0	243	12.28	19.22	47.3	74.6	99.1	-0.4	-0.8	0	47.3	0.28	100	8055	99.07	46.7
2023-02-07 19:45:00	0	0	0	0	251	10.38	15.84	47.2	74.5	99.11	-0.2	-0.5	0	47.2	0.28	100	8054	99.08	46.6
2023-02-07 19:50:00	0	0	0	0	255	9.98	17.45	47	75.2	99.12	-0.3	-0.5	0	47	0.27	100	8053	99.08	46.4
2023-02-07 19:55:00	0	0	0	0	258	12.91	18.75	47	75.4	99.11	-0.1	-0.8	0	46.9	0.27	100	8053	99.08	46.3
2023-02-07 20:00:00	0	0	0	0	256	12.35	18.25	46.9	75.6	99.11	-0.4	-0.6	0	46.9	0.27	100	8053	99.08	46.2
2023-02-07 20:05:00	0	0	0	0	254	11.43	15.64	46.8	75.6	99.12	-0.2	-0.7	0	46.8	0.26	100	8055	99.09	46.1
2023-02-07 20:10:00	0	0	0	0	255	12.48	18.3	46.7	76	99.12	-0.4	-0.7	0	46.7	0.26	100	8052	99.09	46
2023-02-07 20:15:00	0	0	0	0	257	14.03	26.8	46.6	76	99.13	-0.3	-0.4	0	46.6	0.26	100	8052	99.09	45.8
2023-02-07 20:20:00	0	0	0	0	265	13.33	22.35	46.5	76.3	99.13	-0.4	-0.5	0	46.5	0.26	100	8052	99.09	45.6
2023-02-07 20:25:00	0	0	0	0	266	12.55	21.14	46.2	77	99.14	-0.5	-0.6	0	46.2	0.24	100	8051	99.11	45.4
2023-02-07 20:30:00	0	0	0	0	269	12.64	17.34	45.9	77.1	99.15	-0.5	-0.5	0	45.9	0.24	100	8050	99.12	45.3
2023-02-07 20:35:00	0	0	0	0	264	12.03	16.46	45.9	77.5	99.16	-0.3	-0.6	0	45.9	0.24	100	8051	99.13	45.3
2023-02-07 20:40:00	0	0	0	0	257	12.03	18.97	45.8	77.2	99.15	-0.5	-0.3	0	45.8	0.24	100	8051	99.12	45.2
2023-02-07 20:45:00	0	0	0	0	258	13.06	18.14	45.6	77.2	99.15	0.1	-0.7	0	45.6	0.24	100	8049	99.12	44.9
2023-02-07 20:50:00	0	0	0	0	257	14.38	25.12	45.4	77.4	99.15	-0.8	-0.6	0	45.4	0.23	100	8048	99.12	44.7
2023-02-07 20:55:00	0	0	0	0	264	16.08	21.56	45.3	77.4	99.15	-0.2	-0.7	0	45.2	0.23	100	8048	99.12	44.5
2023-02-07 21:00:00	0	0	0	0	269	13.33	17.96	45	77.4	99.15	-0.4	-0.3	0	45	0.23	100	8049	99.12	44.3
2023-02-07 21:05:00	0	0	0	0	271	14.94	26.08	44.7	77.9	99.17	-0.2	-0.7	0	44.7	0.22	100	8047	99.13	44.1
2023-02-07 21:10:00	0	0	0	0	272	12.95	18.3	44.6	77.9	99.17	-0.6	-0.4	0	44.6	0.22	100	8047	99.15	44.1
2023-02-07 21:15:00	0	0	0	0	268	13.11	22.15	44.6	78.2	99.18	-0.6	-0.6	0	44.6	0.22	100	8048	99.15	44.1

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-07 21:20:00	0	0	0	0	271	12.64	18.54	44.5	78.1	99.19	-0.7	-0.7	0	44.5	0.22	100	8046	99.16	44
2023-02-07 21:25:00	0	0	0	0	267	9.46	14.7	44.4	78.3	99.2	-0.4	-0.5	0	44.4	0.22	100	8048	99.17	44
2023-02-07 21:30:00	0	0	0	0	260	10.45	13.65	44.3	78.6	99.21	-0.5	-0.4	0	44.3	0.21	100	8046	99.17	43.9
2023-02-07 21:35:00	0	0	0	0	261	12.64	19.64	44.2	78.4	99.21	-0.4	-0.5	0	44.2	0.21	100	8046	99.18	43.8
2023-02-07 21:40:00	0	0	0	0	265	12.68	20	44.1	78.6	99.22	-0.6	-0.7	0	44.1	0.21	100	8045	99.19	43.7
2023-02-07 21:45:00	0	0	0	0	266	11.77	16.2	44	78.4	99.22	-0.6	-0.6	0	44.1	0.21	100	8048	99.19	43.6
2023-02-07 21:50:00	0	0	0	0	267	12.15	18.81	44	78.3	99.23	-0.6	-0.4	0	44	0.21	100	8045	99.2	43.5
2023-02-07 21:55:00	0	0	0	0	268	13.02	19.04	43.9	78.2	99.24	-0.5	-0.6	0	43.9	0.21	100	8043	99.21	43.4
2023-02-07 22:00:00	0	0	0	0	264	13.78	18.79	43.7	78	99.24	-0.6	-0.6	0	43.7	0.21	100	8045	99.21	43.3
2023-02-07 22:05:00	0	0	0	0	271	14.61	20.56	43.6	77.5	99.25	-0.4	-0.5	0	43.6	0.22	100	8045	99.22	43.2
2023-02-07 22:10:00	0	0	0	0	267	14.12	19.73	43.3	77.3	99.26	-0.7	-0.2	0	43.3	0.22	100	8044	99.23	43
2023-02-07 22:15:00	0	0	0	0	270	16.42	25.34	43.2	77.1	99.26	-0.5	-0.7	0	43.2	0.22	100	8045	99.24	42.9
2023-02-07 22:20:00	0	0	0	0	277	16.8	27.92	43.1	76.8	99.28	-0.5	-0.3	0	43.1	0.22	100	8044	99.25	42.8
2023-02-07 22:25:00	0	0	0	0	277	15.77	21.36	43	76.9	99.28	-0.7	-0.3	0	43	0.22	100	8042	99.25	42.6
2023-02-07 22:30:00	0	0	0	0	281	14.97	21.54	42.8	76.6	99.29	-0.7	-0.3	0	42.8	0.22	100	8043	99.26	42.5
2023-02-07 22:35:00	0	0	0	0	283	14.72	20.71	42.7	76.7	99.29	-0.2	-0.6	0	42.7	0.22	100	8044	99.26	42.4
2023-02-07 22:40:00	0	0	0	0	285	16.35	22.64	42.6	76.5	99.28	-0.5	-0.4	0	42.6	0.22	100	8041	99.26	42.3
2023-02-07 22:45:00	0	0	0	0	290	12.17	18.68	42.6	76.6	99.29	-0.4	-0.4	0	42.6	0.22	100	8043	99.26	42.2
2023-02-07 22:50:00	0	0	0	0	281	11.72	16.84	42.4	77	99.3	-0.6	-0.6	0	42.4	0.21	100	8043	99.27	42.1
2023-02-07 22:55:00	0	0	0	0	274	11.27	15.7	42.3	77.5	99.29	-0.6	-0.6	0	42.3	0.21	100	8042	99.26	41.9
2023-02-07 23:00:00	0	0	0	0	275	13.38	20.67	42.1	77.5	99.3	-0.4	-0.5	0	42.1	0.2	100	8041	99.26	41.8
2023-02-07 23:05:00	0	0	0	0	278	11.95	18.61	42	77.4	99.31	-0.4	-0.4	0	42	0.2	100	8041	99.28	41.7
2023-02-07 23:10:00	0	0	0	0	269	8.25	12.15	42	77.5	99.32	-0.5	-0.5	0	42	0.2	100	8041	99.29	41.6
2023-02-07 23:15:00	0	0	0	0	266	11.32	19.15	41.8	78	99.32	-0.4	-0.7	0	41.7	0.2	100	8037	99.29	41.4
2023-02-07 23:20:00	0	0	0	0	269	11.16	15.7	41.6	78.1	99.32	-0.6	-0.5	0	41.6	0.2	100	8041	99.29	41.3
2023-02-07 23:25:00	0	0	0	0	261	10.74	16.93	41.6	77.9	99.33	-0.4	-0.4	0	41.6	0.2	100	8039	99.3	41.2
2023-02-07 23:30:00	0	0	0	0	264	12.64	19.24	41.4	77.9	99.33	-0.6	-0.6	0	41.4	0.2	100	8038	99.3	41.1
2023-02-07 23:35:00	0	0	0	0	269	11.63	21.12	41.3	78.2	99.33	-0.6	-0.7	0	41.3	0.19	100	8035	99.31	41
2023-02-07 23:40:00	0	0	0	0	263	9.37	15.35	41.2	78.6	99.34	-0.4	-0.6	0	41.2	0.19	100	8037	99.31	40.8
2023-02-07 23:45:00	0	0	0	0	266	10.33	16.17	41.1	79.1	99.34	-0.5	-0.3	0	41.1	0.18	100	8038	99.31	40.7
2023-02-07 23:50:00	0	0	0	0	265	11.65	18.07	41	79.2	99.35	-0.4	-0.5	0	40.9	0.18	100	8039	99.32	40.6
2023-02-07 23:55:00	0	0	0	0	266	11.16	16.4	40.9	79.1	99.35	-0.7	-0.3	0	40.8	0.18	100	8036	99.33	40.5
2023-02-08 00:00:00	0	0	0	0	266	10.83	18.43	40.7	79.5	99.36	-0.4	-0.5	0	40.7	0.18	100	8036	99.33	40.4
2023-02-08 00:05:00	0	0	0	0	276	9.75	15.32	40.6	79.2	99.36	-0.6	-0.4	0	40.6	0.18	100	8014	99.33	40.4
2023-02-08 00:10:00	0	0	0	0	278	15.26	20.85	40.4	79.5	99.35	-0.4	-0.7	0	40.4	0.17	100	8007	99.33	40.5
2023-02-08 00:15:00	0	0	0	0	278	14.99	19.69	40.4	78.8	99.36	-0.6	-0.8	0	40.4	0.18	100	8004	99.34	40.6
2023-02-08 00:20:00	0	0	0	0	282	13.06	21.45	40.3	78.8	99.38	-0.7	-0.5	0	40.3	0.18	100	8017	99.35	40.4
2023-02-08 00:25:00	0	0	0	0	283	13.04	17.69	40.2	79.1	99.38	-0.4	-0.4	0	40.2	0.18	100	8018	99.36	40.1
2023-02-08 00:30:00	0	0	0	0	276	12.95	19.48	40	78.8	99.39	-0.2	-0.7	0	40	0.18	100	8017	99.37	39.8
2023-02-08 00:35:00	0	0	0	0	277	12.59	18.52	39.8	79.1	99.4	-0.6	-0.7	0	39.9	0.17	100	8017	99.37	39.6
2023-02-08 00:40:00	0	0	0	0	275	15.23	24.16	39.6	79.1	99.39	-0.7	-0.5	0	39.6	0.17	100	8019	99.37	39.3
2023-02-08 00:45:00	0	0	0	0	278	12.5	19.01	39.5	78.9	99.4	-0.7	-0.4	0	39.5	0.17	100	8018	99.37	39.1
2023-02-08 00:50:00	0	0	0	0	285	10.98	18.05	39.3	79.7	99.4	-0.4	-0.7	0	39.3	0.17	100	8017	99.37	38.9
2023-02-08 00:55:00	0	0	0	0	275	9.8	14.23	39.1	79.2	99.4	-0.5	-0.5	0	39.1	0.17	100	8019	99.38	38.6
2023-02-08 01:00:00	0	0	0	0	271	9.55	17.83	38.8	79.8	99.41	-0.6	-0.6	0	38.8	0.16	100	8019	99.38	38.4
2023-02-08 01:05:00	0	0	0	0	279	10.76	18.45	38.6	80.1	99.41	-0.5	-0.5	0	38.6	0.16	100	8017	99.38	38.2
2023-02-08 01:10:00	0	0	0	0	274	9.55	14.05	38.6	80.4	99.41	-0.7	-0.6	0	38.6	0.16	100	8017	99.39	38.1
2023-02-08 01:15:00	0	0	0	0	275	9.95	18.3	38.5	80.5	99.41	-0.6	-0.5	0	38.5	0.15	100	8017	99.38	38
2023-02-08 01:20:00	0	0	0	0	273	12.37	19.24	38.4	80.4	99.41	-0.5	-0.6	0	38.4	0.15	100	8016	99.39	38
2023-02-08 01:25:00	0	0	0	0	271	10.94	16.26	38.4	80.8	99.42	-0.5	-0.5	0	38.5	0.15	100	8018	99.4	37.9
2023-02-08 01:30:00	0	0	0	0	273	10.65	16.4	38.3	80.4	99.43	-0.6	-0.5	0	38.3	0.15	100	8018	99.4	37.8
2023-02-08 01:35:00	0	0	0	0	277	9.37	15.86	38.2	80.5	99.43	-0.6	-0.6	0	38.2	0.15	100	8016	99.41	37.8
2023-02-08 01:40:00	0	0	0	0	274	9.01	13.73	38.2	81	99.43	-0.7	-0.6	0	38.2	0.15	100	8017	99.41	37.6
2023-02-08 01:45:00	0	0	0	0	264	7.7	15.75	38.1	80.8	99.44	-0.6	-0.5	0	38.1	0.15	100	8018	99.42	37.5
2023-02-08 01:50:00	0	0	0	0	268	12.44	21.72	37.9	81.4	99.44	-0.8	-0.5	0	37.9	0.14	100	8014	99.42	37.5
2023-02-08 01:55:00	0	0	0	0	276	13.53	18.81	37.9	81.6	99.45	-0.7	-0.7	0	37.9	0.14	100	8016	99.42	37.4
2023-02-08 02:00:00	0	0	0	0	275	12.12	19.6	38	81.3	99.46	-0.6	-0.6	0	37.9	0.15	100	8016	99.43	37.4
2023-02-08 02:05:00	0	0	0	0	274	8.61	12.55	37.9	81.6	99.46	-0.5	-0.5	0	37.9	0.14	100	8014	99.44	37.3
2023-02-08 02:10:00	0	0	0	0	268	9.53	15.68	37.7	82.2	99.46	-0.5	-0.4	0	37.7	0.14	100	8017	99.44	37.2
2023-02-08 02:15:00	0	0	0	0	271	9.57	14.2	37.7	81.8	99.46	-0.7	-0.4	0	37.7	0.14	100	8014	99.44	37.1
2023-02-08 02:20:00	0	0	0	0	267	10.78	15.21	37.6	82.2	99.46	-0.5	-0.5	0	37.6	0.14	100	8014	99.44	37
2023-02-08 02:25:00	0	0	0	0	266	9.86	14.41	37.5	82.4	99.47	-0.6	-0.5	0	37.6	0.13	100	8015	99.44	37
2023-02-08 02:30:00	0	0	0	0	267	8.12	12.73	37.5	82.7	99.48	-0.6	-0.5	0	37.5	0.13	100	8014	99.45	36.8
2023-02-08 02:35:00	0	0	0	0	269	10.78	15.3	37.4	82.4	99.48	-0.5	-0.6	0	37.4	0.13	100	8014	99.46	36.8

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-08 02:40:00	0	0	0	0	271	8.25	13.91	37.4	82.6	99.49	-0.7	-0.5	0	37.4	0.13	100	8013	99.46	36.7
2023-02-08 02:45:00	0	0	0	0	270	9.75	13.38	37.3	82.6	99.49	-0.8	-0.8	0	37.3	0.13	100	8013	99.47	36.7
2023-02-08 02:50:00	0	0	0	0	273	9.06	14.03	37.3	82.8	99.49	-0.6	-0.3	0	37.3	0.13	100	8012	99.47	36.6
2023-02-08 02:55:00	0	0	0	0	267	8.86	13.69	37.1	83.4	99.5	-0.6	-0.5	0	37.1	0.12	100	8014	99.47	36.5
2023-02-08 03:00:00	0	0	0	0	263	8.39	13.53	37.1	83.1	99.49	-0.8	-0.5	0	37.1	0.13	100	8014	99.47	36.5
2023-02-08 03:05:00	0	0	0	0	268	7.78	13.11	37.1	83.1	99.49	-0.5	-0.5	0	37.1	0.13	100	8013	99.47	36.4
2023-02-08 03:10:00	0	0	0	0	271	8.5	12.64	37	83	99.5	-0.7	-0.6	0	37	0.13	100	8012	99.48	36.3
2023-02-08 03:15:00	0	0	0	0	267	9.33	16.71	37	83.1	99.5	-0.5	-0.7	0	37	0.13	100	8011	99.48	36.3
2023-02-08 03:20:00	0	0	0	0	273	8.3	11.79	37	83.2	99.51	-0.5	-0.5	0	36.9	0.12	100	8012	99.48	36.3
2023-02-08 03:25:00	0	0	0	0	272	9.06	13.58	36.9	83.3	99.5	-0.7	-0.4	0	37	0.12	100	8012	99.48	36.3
2023-02-08 03:30:00	0	0	0	0	269	9.04	15.12	36.9	83.5	99.51	-0.6	-0.5	0	36.9	0.12	100	8013	99.49	36.3
2023-02-08 03:35:00	0	0	0	0	270	9.69	12.86	37	83	99.51	-0.5	-0.5	0	37	0.13	100	8009	99.49	36.3
2023-02-08 03:40:00	0	0	0	0	271	9.4	12.8	37	83.1	99.52	-0.6	-0.4	0	37	0.13	100	8012	99.5	36.3
2023-02-08 03:45:00	0	0	0	0	271	8.68	15.84	36.9	83.1	99.53	-0.6	-0.5	0	36.9	0.13	100	8010	99.51	36.3
2023-02-08 03:50:00	0	0	0	0	269	10.54	14.36	37	82.7	99.54	-0.6	-0.5	0	37	0.13	100	8010	99.52	36.3
2023-02-08 03:55:00	0	0	0	0	272	9.1	15.05	36.9	82.5	99.55	-0.7	-0.5	0	36.9	0.13	100	8010	99.53	36.3
2023-02-08 04:00:00	0	0	0	0	269	11.36	16.4	37	81.9	99.55	-0.7	-0.8	0	37	0.13	100	8009	99.53	36.3
2023-02-08 04:05:00	0	0	0	0	277	10.74	15.79	36.9	82	99.55	-0.6	-0.6	0	37	0.13	100	8007	99.53	36.3
2023-02-08 04:10:00	0	0	0	0	272	9.95	16.64	37	81.8	99.56	-0.6	-0.6	0	37	0.14	100	8008	99.54	36.3
2023-02-08 04:15:00	0	0	0	0	279	11.05	18.9	37	81.9	99.56	-0.6	-0.6	0	37	0.13	100	8010	99.55	36.3
2023-02-08 04:20:00	0	0	0	0	272	10.83	16.2	36.9	82.1	99.58	-0.5	-0.7	0	36.9	0.13	100	8008	99.56	36.2
2023-02-08 04:25:00	0	0	0	0	272	11.18	15.35	36.9	81.9	99.58	-0.8	-0.7	0	36.9	0.13	100	8008	99.56	36.2
2023-02-08 04:30:00	0	0	0	0	274	10.8	16.55	36.8	81.5	99.58	-0.6	-0.3	0	36.8	0.14	100	8009	99.56	36.2
2023-02-08 04:35:00	0	0	0	0	271	11.88	17.13	36.9	81.2	99.58	-0.6	-0.5	0	36.9	0.14	100	8009	99.56	36.2
2023-02-08 04:40:00	0	0	0	0	273	9.73	19.24	36.9	80.9	99.59	-0.6	-0.5	0	36.9	0.14	100	8007	99.56	36.1
2023-02-08 04:45:00	0	0	0	0	279	10.85	17.36	36.7	81.3	99.6	-0.5	-0.3	0	36.7	0.14	100	8005	99.58	36.1
2023-02-08 04:50:00	0	0	0	0	271	10.27	13.89	36.7	81.3	99.6	-0.7	-0.4	0	36.7	0.14	100	8006	99.58	36
2023-02-08 04:55:00	0	0	0	0	268	10.71	16.78	36.6	81.6	99.6	-0.5	-0.4	0	36.6	0.14	100	8005	99.58	36
2023-02-08 05:00:00	0	0	0	0	274	11.36	16.58	36.6	81.7	99.61	-0.6	-0.3	0	36.6	0.13	100	8007	99.59	35.9
2023-02-08 05:05:00	0	0	0	0	279	10.96	15.21	36.6	81.3	99.61	-0.6	-0.4	0	36.6	0.14	100	8005	99.6	35.9
2023-02-08 05:10:00	0	0	0	0	279	8.9	14.14	36.5	81	99.62	-0.8	-0.5	0	36.5	0.14	100	8007	99.6	35.9
2023-02-08 05:15:00	0	0	0	0	277	9.73	16.6	36.5	81.5	99.62	-0.8	-0.5	0	36.5	0.14	100	8004	99.6	35.8
2023-02-08 05:20:00	0	0	0	0	276	10.89	16.28	36.5	80.8	99.63	-0.6	-0.5	0	36.4	0.14	100	8006	99.6	35.7
2023-02-08 05:25:00	0	0	0	0	284	9.64	14.74	36.4	81.1	99.64	-0.6	-0.6	0	36.4	0.14	100	8005	99.62	35.7
2023-02-08 05:30:00	0	0	0	0	282	10.11	14.72	36.3	81.3	99.64	-0.6	-0.5	0	36.3	0.14	100	8005	99.62	35.7
2023-02-08 05:35:00	0	0	0	0	281	12.8	18.21	36.4	80.9	99.64	-0.6	-0.6	0	36.4	0.14	100	8005	99.62	35.7
2023-02-08 05:40:00	0	0	0	0	273	12.46	18.61	36.4	80.9	99.64	-0.7	-0.5	0	36.4	0.14	100	8004	99.62	35.7
2023-02-08 05:45:00	0	0	0	0	278	10.25	13.69	36.4	80.9	99.66	-0.9	-0.5	0	36.4	0.14	100	8004	99.64	35.7
2023-02-08 05:50:00	0	0	0	0	274	13.73	19.37	36.4	80.9	99.67	-0.4	-0.5	0	36.4	0.14	100	8004	99.65	35.6
2023-02-08 05:55:00	0	0	0	0	280	11.12	16.49	36.4	80.4	99.68	-0.5	-0.6	0	36.5	0.14	100	8004	99.66	35.7
2023-02-08 06:00:00	0	0	0	0	276	11.36	16.64	36.4	80.2	99.69	-0.5	-0.6	0	36.4	0.14	100	8004	99.67	35.6
2023-02-08 06:05:00	0	0	0	0	276	11.12	16.62	36.3	80.2	99.69	-0.7	-0.5	0	36.3	0.14	100	8004	99.67	35.6
2023-02-08 06:10:00	0	0	0	0	276	9.64	13.8	36.3	80.5	99.7	-0.8	-0.5	0	36.3	0.14	100	8004	99.68	35.5
2023-02-08 06:15:00	0	0	0	0	280	11.23	16.87	36.4	80.3	99.71	-0.7	-0.2	0	36.4	0.14	100	8004	99.69	35.5
2023-02-08 06:20:00	0	0	0	0	278	12.08	20.67	36.3	79.7	99.71	-0.7	-0.5	0	36.2	0.15	100	8002	99.69	35.5
2023-02-08 06:25:00	0	0	0	0	273	11.83	17.22	36.2	80.2	99.73	-0.7	-0.5	0	36.2	0.14	100	8006	99.71	35.5
2023-02-08 06:30:00	0	0	0	0	277	11.59	16.67	36.2	80.2	99.74	-0.5	-0.6	0	36.2	0.14	100	8006	99.71	35.5
2023-02-08 06:35:00	0	0	0	0	272	10.27	14.5	36.2	80.1	99.74	-0.9	-0.7	0	36.2	0.14	100	8001	99.72	35.4
2023-02-08 06:40:00	0	0	0	0	271	10.83	19.82	36.1	79.6	99.75	-0.6	-0.5	0	36.1	0.15	100	8000	99.74	35.4
2023-02-08 06:45:00	0	0	0	0	271	11.61	15.82	36.1	79.6	99.76	-0.7	-0.5	0	36.1	0.15	100	8001	99.74	35.4
2023-02-08 06:50:00	0	0	0	0	271	11.41	15.57	36.2	79.2	99.77	-0.7	-0.6	0	36.2	0.15	100	8001	99.76	35.4
2023-02-08 06:55:00	0	0	0	0	272	10.31	14.23	36.1	79.1	99.79	-0.6	-0.4	0	36.1	0.15	100	8001	99.77	35.4
2023-02-08 07:00:00	0	0	0	0	270	9.8	15.1	36.1	79.1	99.8	-0.6	-0.4	0	36.1	0.15	100	8001	99.78	35.3
2023-02-08 07:05:00	0	0	0	0	269	10.07	15.93	36.1	78.7	99.81	-0.7	-0.5	0	36.1	0.15	100	8001	99.79	35.3
2023-02-08 07:10:00	1	0	0	0	269	9.31	16.31	36.1	79.3	99.81	-0.6	-0.5	0	36.1	0.15	100	8001	99.8	35.3
2023-02-08 07:15:00	1.4	0	0	0	271	8.9	15.84	36	79.1	99.83	-0.7	-0.6	0	36	0.15	100	8001	99.81	35.3
2023-02-08 07:20:00	3	0	0	0	268	9.26	12.91	36	79.5	99.84	-0.8	-0.3	0	36	0.15	100	7999	99.82	35.2
2023-02-08 07:25:00	5	0	0	0	263	10.78	14.32	36	79.1	99.85	-0.7	-0.6	0	36	0.15	100	8000	99.82	35.2
2023-02-08 07:30:00	7.4	0	0	0	263	10.33	14.47	36	78.7	99.85	-0.7	-0.6	0	36	0.15	100	8000	99.83	35.3
2023-02-08 07:35:00	10	0	0	0	262	10.83	16.46	36	78.4	99.85	-0.8	-0.5	0	36	0.15	100	7997	99.83	35.3
2023-02-08 07:40:00	14	0	0	0	265	10.78	16.93	36	78.6	99.86	-0.6	-0.4	0	36.1	0.15	100	7999	99.84	35.3
2023-02-08 07:45:00	17.6	0	0	0	264	9.91	13.69	36.2	78.4	99.87	-0.8	-0.5	0	36.2	0.16	100	7999	99.85	35.3
2023-02-08 07:50:00	20.2	0	0	0	262	9.91	15.43	36.1	78.2	99.87	-0.5	-0.5	0	36.1	0.16	100	8000	99.85	35.3
2023-02-08 07:55:00	24	0	0	0	262	9.6	13.62	36.2	78.7	99.87	-0.6	-0.4	0	36.2	0.15	100	8004	99.85	35.4

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-08 08:00:00	29.6	0	0	0	265	10.07	15.39	36.2	77.8	99.87	-0.7	-0.6	0	36.2	0.16	100	7999	99.85	35.4
2023-02-08 08:05:00	32.2	0	0	0	262	9.73	15.55	36.3	78.1	99.88	-0.8	-0.6	0	36.4	0.16	100	7998	99.86	35.5
2023-02-08 08:10:00	38	0	0	0	263	10.56	16.62	36.2	77.6	99.88	-0.7	-0.5	0	36.4	0.16	100	8000	99.86	35.6
2023-02-08 08:15:00	45.6	0	0	0	264	11.63	18.05	36.4	77	99.88	-0.7	-0.6	0	36.5	0.17	100	7999	99.87	35.6
2023-02-08 08:20:00	54	0	0	0	268	10.69	15.21	36.5	77.1	99.89	-0.7	-0.6	0	36.7	0.17	100	7999	99.87	35.8
2023-02-08 08:25:00	64.8	0	0	0	266	12.24	19.24	36.6	76.5	99.88	-1.1	-0.7	0	36.8	0.17	100	8001	99.86	35.9
2023-02-08 08:30:00	63.8	0	0	0	262	13.22	18.9	36.7	76	99.9	-0.8	-0.6	0	36.8	0.18	100	8000	99.88	36
2023-02-08 08:35:00	78.6	0	0	0	260	9.69	16.64	36.9	76	99.89	-0.7	-0.3	0	37	0.18	100	8000	99.88	36.1
2023-02-08 08:40:00	99.4	0	0	0	264	12.93	19.73	36.9	75.4	99.89	-0.7	-0.5	0	37.1	0.18	100	8002	99.88	36.2
2023-02-08 08:45:00	95.8	0	0	0	266	10.76	17.07	37.1	75.8	99.9	-0.7	-0.7	0	37.4	0.18	100	8001	99.88	36.4
2023-02-08 08:50:00	105.6	0	0	0	262	11.95	15.52	37.3	74.1	99.89	-0.7	-0.4	0	37.5	0.2	100	8003	99.87	36.6
2023-02-08 08:55:00	116.2	0	0	0	266	9.86	13.91	37.4	74.3	99.9	-0.5	-0.6	0	37.7	0.19	100	8006	99.89	36.7
2023-02-08 09:00:00	121.2	0	0	0	269	10.04	17.81	37.6	73.5	99.91	-0.8	-0.6	0	37.9	0.2	100	8007	99.9	36.9
2023-02-08 09:05:00	128.2	0	0	0	261	11.3	17	37.8	72.8	99.91	-0.6	-0.6	0	38.1	0.21	100	8007	99.89	37
2023-02-08 09:10:00	182	0	0	0	256	10.63	15.41	38.2	71.5	99.89	-0.4	-0.5	0	38.6	0.22	100	8018	99.89	37
2023-02-08 09:15:00	277.6	0	0	0	265	11.12	18.34	39.7	69.6	99.87	-0.7	-0.5	0	40.4	0.25	100	8032	99.88	37.4
2023-02-08 09:20:00	292.2	0	0	0	257	11.61	16.71	41	66.6	99.87	-0.6	-0.5	0	41.8	0.29	100	8041	99.89	38.1
2023-02-08 09:25:00	296.2	0	0	0	262	12.55	21.16	42	64.5	99.88	-0.4	-0.4	0	42.7	0.32	100	8053	99.9	38.8
2023-02-08 09:30:00	303	0	0	0	266	11.83	22.28	42.7	63	99.89	-0.3	-0.5	0	43.4	0.34	100	8061	99.9	39.4
2023-02-08 09:35:00	297.2	0	0	0	264	9.75	17.74	43.2	61.7	99.9	-0.5	-0.8	0	43.9	0.36	100	8067	99.91	40
2023-02-08 09:40:00	285	0	0	0	263	12.1	18.03	43.8	60.6	99.92	-0.2	-0.5	0	44.5	0.38	100	8072	99.93	40.5
2023-02-08 09:45:00	297.8	0	0	0	263	12.86	18.63	43.8	59.8	99.92	-0.5	-0.4	0	44.5	0.39	100	8082	99.93	40.9
2023-02-08 09:50:00	296	0	0	0	258	11.18	14.72	44.1	59.4	99.94	-0.3	-0.4	0	44.9	0.4	100	8080	99.94	41.3
2023-02-08 09:55:00	271.6	0	0	0	252	12.12	21.41	43.7	58.6	99.95	-0.2	-0.8	0	44.3	0.4	100	8085	99.95	41.5
2023-02-08 10:00:00	356.6	0	0	0	266	10.74	23.4	43.4	59.4	99.94	-0.6	-0.8	0	44	0.39	100	8095	99.95	41.5
2023-02-08 10:05:00	384.2	0	0	0	269	11.59	18.34	44.2	58.5	99.93	-0.4	-0.4	0	45	0.41	100	8099	99.95	41.9
2023-02-08 10:10:00	427.6	0	0	0	276	11.9	19.77	44.9	58	99.94	-0.3	-0.6	0	45.8	0.43	100	8107	99.96	42.2
2023-02-08 10:15:00	456.6	0	0	0	269	13.33	22.03	45.4	57.2	99.95	-0.3	-0.4	0	46.1	0.44	100	8115	99.96	42.6
2023-02-08 10:20:00	470	0	0	0	282	11.36	15.97	45.9	56.8	99.95	-0.3	-0.6	0	46.8	0.46	100	8121	99.97	43.1
2023-02-08 10:25:00	518.8	0	0	0	257	16.11	27.6	46.4	55.6	99.96	-0.2	-0.4	0	47.2	0.48	100	8129	99.97	43.5
2023-02-08 10:30:00	535.8	0	0	0	247	15.3	26.08	46.4	55.5	99.95	-0.2	-0.9	0	47.1	0.48	100	8134	99.98	43.7
2023-02-08 10:35:00	469.2	0	0	0	279	15.21	20.83	46.3	55.5	99.98	-0.2	-0.3	0	47	0.47	100	8135	99.98	43.9
2023-02-08 10:40:00	502.6	0	0	0	272	13.73	19.51	46.1	54.9	99.99	-0.2	-0.5	0	46.7	0.48	100	8141	99.99	44
2023-02-08 10:45:00	281.6	0	0	0	274	12.66	23	45.3	56.5	100.02	-0.4	-0.5	0	45.9	0.45	100	8136	100.01	44
2023-02-08 10:50:00	276	0	0	0	271	15.32	21.45	44.6	57.3	100.01	-0.6	-0.4	0	45.1	0.43	100	8136	99.99	43.8
2023-02-08 10:55:00	192.4	0	0	0	284	17.22	25.66	43.6	57.2	100.01	-0.9	-0.7	0	43.9	0.41	100	8133	100	43.2
2023-02-08 11:00:00	197.4	0	0	0	272	15.68	25.57	42.7	58.6	100.03	-0.1	-0.4	0	43	0.39	100	8137	100.01	42.5
2023-02-08 11:05:00	253.2	0	0	0	270	16.46	23.06	42.4	59.2	100.02	-0.5	-1	0	42.8	0.38	100	8137	100.02	42.1
2023-02-08 11:10:00	470.8	0	0	0	263	16.71	23.29	43.1	59.7	100.01	-0.4	-0.7	0	43.7	0.38	100	8143	100.03	42.3
2023-02-08 11:15:00	584	0	0	0	269	13.82	19.17	44.2	59.1	100.02	-0.3	-0.4	0	44.9	0.4	100	8152	100.04	42.7
2023-02-08 11:20:00	344.6	0	0	0	265	15.05	19.93	45	57.4	100.06	-0.4	-0.4	0	45.6	0.43	100	8150	100.05	43.2
2023-02-08 11:25:00	355.2	0	0	0	268	16.04	21.77	44.5	57.8	100.05	-0.6	-0.5	0	44.9	0.42	100	8153	100.05	43
2023-02-08 11:30:00	653.6	0	0	0	263	14.52	19.55	45.1	58.5	100.03	-0.2	-0.5	0	45.8	0.42	100	8161	100.05	43.2
2023-02-08 11:35:00	622.4	0	0	0	266	19.19	25.77	46.3	56.3	100.05	-0.2	-0.6	0	47.1	0.47	100	8163	100.05	43.8
2023-02-08 11:40:00	267.6	0	0	0	266	16.22	26.28	46	55.9	100.07	-0.8	-0.6	0	46.4	0.47	100	8159	100.05	43.8
2023-02-08 11:45:00	225	0	0	0	274	15.35	22.53	44.5	57	100.05	-0.5	-0.9	0	44.8	0.43	100	8159	100.04	43.2
2023-02-08 11:50:00	353.6	0	0	0	273	13.4	19.6	43.7	58.2	100.05	-0.5	-0.7	0	44.3	0.4	100	8159	100.04	42.9
2023-02-08 11:55:00	281.2	0	0	0	267	14.97	22.15	44	58.7	100.04	-0.5	-0.3	0	44.5	0.4	100	8158	100.03	42.9
2023-02-08 12:00:00	325.6	0	0	0	271	15.14	23.22	44.1	57.9	100.02	-0.3	-0.8	0	44.6	0.41	100	8159	100.02	42.7
2023-02-08 12:05:00	232.6	0	0	0	271	16.64	24.32	43.7	58.3	100.03	-0.6	-0.2	0	44.1	0.4	100	8161	100.01	42.4
2023-02-08 12:10:00	427.8	0	0	0	263	15.66	24.96	43.8	59.4	100	-0.6	-0.6	0	44.4	0.39	100	8161	100.01	42.3
2023-02-08 12:15:00	368.4	0	0	0	269	13.73	21.59	44.8	58	100	-0.5	-0.6	0	45.5	0.42	100	8163	100	42.6
2023-02-08 12:20:00	439.2	0	0	0	272	14.92	21.25	45.3	56.8	99.99	0	-0.3	0	46	0.44	100	8167	99.98	42.7
2023-02-08 12:25:00	466.8	0	0	0	265	14.43	24	46	55.9	99.98	-0.5	-0.8	0	46.7	0.46	100	8168	99.98	42.9
2023-02-08 12:30:00	482.8	0	0	0	265	15.9	21.34	46.5	55.5	99.98	-0.2	-0.2	0	47.2	0.48	100	8170	99.98	43.3
2023-02-08 12:35:00	495.6	0	0	0	266	13.27	20.47	46.9	54.5	99.98	-0.2	-0.6	0	47.7	0.5	100	8168	99.99	43.5
2023-02-08 12:40:00	509.2	0	0	0	275	15.43	22.44	47.1	54.1	99.98	-0.3	-0.7	0	47.8	0.51	100	8167	99.98	43.6
2023-02-08 12:45:00	521.4	0	0	0	284	13.78	19.35	47.2	53.3	99.98	-0.4	-0.4	0	47.9	0.52	100	8169	99.98	43.6
2023-02-08 12:50:00	519.2	0	0	0	279	15.19	27.83	47.4	53	99.98	0.2	-0.6	0	48.1	0.52	100	8168	99.98	43.8
2023-02-08 12:55:00	513.6	0	0	0	275	13.62	20.31	47.4	53.1	99.98	-0.4	-0.4	0	48.2	0.52	100	8167	99.98	43.9
2023-02-08 13:00:00	508.8	0	0	0	277	16.4	24.23	47.6	52.4	99.99	-0.1	-0.6	0	48.3	0.53	100	8166	99.99	44
2023-02-08 13:05:00	508.2	0	0	0	261	12.64	18.61	47.5	53.3	100	-0.2	-0.8	0	48.3	0.52	100	8163	99.99	44.1
2023-02-08 13:10:00	504	0	0	0	247	16.22	24.23	47.8	53.1	99.99	-0.6	-0.8	0	48.5	0.53	100	8165	99.98	44.3
2023-02-08 13:15:00	501	0	0	0	245	16.62	24.45	47.7	53.4	99.98	-0.3	-0.6	0	48.5	0.53	100	8163	99.97	44.3

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-08 13:20:00	493.2	0	0	0	269	11.99	19.6	47.7	53.9	99.97	0	-0.6	0	48.5	0.52	100	8161	99.97	44.3
2023-02-08 13:25:00	487.4	0	0	0	253	14.43	20.54	47.9	53.1	99.97	0	-0.6	0	48.6	0.53	100	8159	99.96	44.4
2023-02-08 13:30:00	478.6	0	0	0	256	14.38	22.12	47.8	53	99.96	-0.1	-0.8	0	48.6	0.53	100	8158	99.96	44.4
2023-02-08 13:35:00	465.4	0	0	0	257	12.15	20.13	47.9	53	99.97	-1.3	0.1	0	48.7	0.53	100	8162	99.96	44.5
2023-02-08 13:40:00	456.8	0	0	0	277	11.45	17.13	48.1	53.2	99.98	0	-0.7	0	49	0.53	100	8156	99.96	44.7
2023-02-08 13:45:00	441.2	0	0	0	296	17.18	23.78	48.2	51.2	99.97	-0.1	-1	0	49	0.56	100	8156	99.96	44.6
2023-02-08 13:50:00	435.6	0	0	0	276	15.01	22.12	47.9	51.6	99.98	-0.1	-0.3	0	48.7	0.55	100	8153	99.97	44.5
2023-02-08 13:55:00	424.8	0	0	0	267	11.01	15.95	47.8	52.4	99.99	-0.2	-0.9	0	48.6	0.54	100	8153	99.98	44.6
2023-02-08 14:00:00	413	0	0	0	260	13.15	17.38	48.1	52.4	99.99	-0.3	-0.7	0	48.9	0.54	100	8153	99.97	44.8
2023-02-08 14:05:00	402	0	0	0	256	13.49	24.09	48.2	52.7	99.98	-0.2	-1	0	49	0.54	100	8153	99.98	44.8
2023-02-08 14:10:00	389	0	0	0	254	15.88	22.84	48.1	51.3	99.99	-0.3	-0.6	0	48.8	0.56	100	8153	99.97	44.7
2023-02-08 14:15:00	374.6	0	0	0	271	13.47	20.45	47.8	51.7	99.98	-0.1	-0.3	0	48.6	0.55	100	8150	99.96	44.7
2023-02-08 14:20:00	359.4	0	0	0	267	12.8	20.22	47.8	51.9	99.98	-0.1	-0.5	0	48.6	0.54	100	8152	99.96	44.6
2023-02-08 14:25:00	344	0	0	0	253	14.83	21.25	47.8	52.6	99.97	-0.3	-0.7	0	48.5	0.53	100	8148	99.95	44.7
2023-02-08 14:30:00	333.4	0	0	0	270	15.32	22.48	47.8	51.7	99.97	-0.4	-0.2	0	48.4	0.54	100	8149	99.95	44.6
2023-02-08 14:35:00	325.4	0	0	0	279	14.81	20.45	47.5	51.9	99.97	-0.4	-0.3	0	48.2	0.54	100	8148	99.95	44.5
2023-02-08 14:40:00	320.4	0	0	0	270	13.51	19.89	47.4	51.9	99.98	-0.4	-0.6	0	48.1	0.54	100	8149	99.96	44.5
2023-02-08 14:45:00	315.2	0	0	0	274	12.01	22.21	47.3	52.4	99.98	-0.4	-0.7	0	48.1	0.53	100	8148	99.95	44.5
2023-02-08 14:50:00	308.4	0	0	0	267	12.35	19.64	47.4	52.3	99.97	-0.3	-0.9	0	48.1	0.53	100	8147	99.95	44.6
2023-02-08 14:55:00	304.2	0	0	0	274	13.94	19.15	47.5	52.2	99.97	-0.3	-0.5	0	48.2	0.53	100	8145	99.94	44.7
2023-02-08 15:00:00	297.8	0	0	0	278	13.24	17.69	47.4	51.4	99.97	-0.3	-0.4	0	47.9	0.54	100	8145	99.94	44.5
2023-02-08 15:05:00	292.8	0	0	0	276	13	20.51	47.2	51.4	99.96	-0.4	-0.7	0	47.9	0.54	100	8143	99.94	44.5
2023-02-08 15:10:00	286	0	0	0	277	12.59	17.69	47	52.1	99.97	-0.2	-0.8	0	47.7	0.53	100	8144	99.94	44.4
2023-02-08 15:15:00	278	0	0	0	272	11.3	17.27	46.9	51.9	99.96	-0.3	-0.7	0	47.6	0.53	100	8143	99.93	44.4
2023-02-08 15:20:00	269.6	0	0	0	273	12.37	16.98	46.9	51.4	99.96	-0.6	-0.4	0	47.6	0.53	100	8143	99.94	44.5
2023-02-08 15:25:00	259.2	0	0	0	273	10.47	15.12	46.9	51.1	99.97	-0.3	-0.5	0	47.5	0.53	100	8143	99.94	44.5
2023-02-08 15:30:00	248.2	0	0	0	266	10.63	15.26	46.8	51.6	99.98	-0.3	-0.7	0	47.4	0.53	100	8143	99.95	44.6
2023-02-08 15:35:00	237.2	0	0	0	263	10.85	17.18	46.9	52.6	100	-0.2	-0.6	0	47.4	0.52	100	8140	99.97	44.7
2023-02-08 15:40:00	228.4	0	0	0	265	10.36	15.32	46.8	53	100	-0.4	-0.7	0	47.3	0.51	100	8140	99.97	44.8
2023-02-08 15:45:00	220.6	0	0	0	256	8.81	13.58	46.8	53.5	100	-0.2	-0.7	0	47.3	0.5	100	8141	99.97	44.9
2023-02-08 15:50:00	210.8	0	0	0	269	10.27	15.95	46.8	53	100.01	-0.2	-0.7	0	47.4	0.51	100	8137	99.98	45
2023-02-08 15:55:00	195.2	0	0	0	271	11.48	16.8	46.7	52.4	100.01	0	-0.8	0	47.2	0.52	100	8140	99.98	44.9
2023-02-08 16:00:00	179	0	0	0	266	12.86	19.75	46.5	51.9	100.03	-0.5	-0.6	0	46.9	0.52	100	8139	100	44.8
2023-02-08 16:05:00	160.2	0	0	0	265	12.55	17.96	46.2	51.7	100.04	-0.5	-0.5	0	46.6	0.51	100	8140	100.01	44.7
2023-02-08 16:10:00	128.8	0	0	0	268	12.66	17.58	45.9	51	100.05	-0.2	-0.6	0	46.2	0.52	100	8138	100.01	44.6
2023-02-08 16:15:00	93.8	0	0	0	267	10.63	16.37	45.5	52.1	100.05	-0.4	-0.6	0	45.7	0.5	100	8139	100.01	44.2
2023-02-08 16:20:00	60.6	0	0	0	267	10.49	16.42	45	53.2	100.06	-0.5	-0.3	0	45.1	0.48	100	8138	100.02	43.8
2023-02-08 16:25:00	75.2	0	0	0	270	9.82	14	44.5	54.3	100.06	-0.4	-0.5	0	44.7	0.46	100	8136	100.02	43.5
2023-02-08 16:30:00	69.6	0	0	0	272	9.69	13.22	44.1	54.9	100.05	-0.5	-0.6	0	44.3	0.44	100	8134	100.01	43.3
2023-02-08 16:35:00	53.2	0	0	0	270	8.08	11.72	43.6	56	100.05	-0.4	-0.6	0	43.8	0.42	100	8135	100.01	43
2023-02-08 16:40:00	46	0	0	0	267	8.86	13.09	43.4	56.6	100.04	-0.5	-0.4	0	43.6	0.41	100	8134	100.01	42.7
2023-02-08 16:45:00	35.2	0	0	0	264	7.96	11.97	43.2	57.6	100.06	-0.5	-0.6	0	43.3	0.4	100	8134	100.02	42.4
2023-02-08 16:50:00	31.4	0	0	0	268	7.05	9.06	42.9	57.6	100.06	-0.5	-0.5	0	42.9	0.4	100	8131	100.02	42.1
2023-02-08 16:55:00	32.8	0	0	0	268	6.82	9.98	42.6	58	100.06	-0.4	-0.5	0	42.7	0.39	100	8131	100.02	41.9
2023-02-08 17:00:00	32.4	0	0	0	263	7.18	10.76	42.6	58.5	100.06	-0.5	-0.5	0	42.6	0.39	100	8133	100.03	41.8
2023-02-08 17:05:00	21.4	0	0	0	267	7.09	9.37	42.4	59	100.07	-0.4	-0.5	0	42.4	0.38	100	8131	100.03	41.4
2023-02-08 17:10:00	15	0	0	0	267	6.33	8.86	42	59.5	100.07	-0.4	-0.5	0	42.1	0.37	100	8129	100.03	41
2023-02-08 17:15:00	10	0	0	0	269	5.59	7.23	41.7	59.6	100.06	-0.5	-0.5	0	41.7	0.36	100	8128	100.02	40.5
2023-02-08 17:20:00	5.6	0	0	0	266	6.62	8.14	41.5	60.1	100.06	-0.6	-0.5	0	41.5	0.36	100	8129	100.02	40.2
2023-02-08 17:25:00	2.8	0	0	0	264	5.95	7.05	41.1	60.7	100.05	-0.4	-0.6	0	41.1	0.34	100	8126	100.01	39.7
2023-02-08 17:30:00	1.2	0	0	0	263	6.04	8.41	40.8	61.7	100.05	-0.7	-0.5	0	40.9	0.33	100	8126	100.01	39.3
2023-02-08 17:35:00	0.2	0	0	0	265	6.58	9.73	40.5	62.2	100.05	-0.4	-0.4	0	40.5	0.32	100	8125	100.01	39
2023-02-08 17:40:00	0	0	0	0	263	7.58	10.85	40.3	63.2	100.05	-0.6	-0.5	0	40.2	0.31	100	8126	100	38.8
2023-02-08 17:45:00	0	0	0	0	263	8.52	12.41	40	64.5	100.05	-0.6	-0.6	0	40	0.3	100	8125	100.01	38.6
2023-02-08 17:50:00	0	0	0	0	265	8.95	11.77	39.8	64.9	100.06	-0.6	-0.6	0	39.8	0.29	100	8124	100.02	38.4
2023-02-08 17:55:00	0	0	0	0	267	8.08	11.05	39.5	65.8	100.07	-0.5	-0.6	0	39.5	0.28	100	8123	100.03	38.2
2023-02-08 18:00:00	0	0	0	0	265	8.34	11.59	39.3	66.2	100.08	-0.8	-0.5	0	39.3	0.28	100	8124	100.05	38
2023-02-08 18:05:00	0	0	0	0	266	8.61	11.39	39.2	66.8	100.09	-0.7	-0.5	0	39.2	0.27	100	8123	100.05	37.8
2023-02-08 18:10:00	0	0	0	0	264	8.16	10.11	38.9	67.6	100.1	-0.7	-0.5	0	38.9	0.26	100	8123	100.06	37.6
2023-02-08 18:15:00	0	0	0	0	264	7.74	10.56	38.9	67.5	100.1	-0.6	-0.6	0	38.9	0.26	100	8124	100.06	37.4
2023-02-08 18:20:00	0	0	0	0	265	7.61	9.46	38.6	67.9	100.1	-0.6	-0.6	0	38.6	0.26	100	8120	100.06	37.2
2023-02-08 18:25:00	0	0	0	0	265	8.03	10.69	38.4	68.4	100.11	-0.6	-0.5	0	38.4	0.25	100	8124	100.08	37
2023-02-08 18:30:00	0	0	0	0	268	7.76	11.1	38.3	68.7	100.13	-0.7	-0.5	0	38.3	0.25	100	8121	100.09	36.9
2023-02-08 18:35:00	0	0	0	0	264	8.7	12.19	38.3	68.9	100.13	-0.7	-0.6	0	38.2	0.24	100	8119	100.09	36.8

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-08 18:40:00	0	0	0	0	258	8.66	12.84	38.2	69.2	100.13	-0.7	-0.4	0	38.2	0.24	100	8116	100.08	36.7
2023-02-08 18:45:00	0	0	0	0	253	8.16	11.12	38.1	69.5	100.12	-0.5	-0.6	0	38.1	0.24	100	8121	100.07	36.5
2023-02-08 18:50:00	0	0	0	0	254	9.04	12.15	38	69.7	100.11	-0.6	-0.5	0	38	0.24	100	8120	100.07	36.5
2023-02-08 18:55:00	0	0	0	0	253	7.49	11.83	37.9	69.8	100.11	-0.5	-0.5	0	37.9	0.23	100	8120	100.07	36.3
2023-02-08 19:00:00	0	0	0	0	247	7	10.22	37.8	70.3	100.11	-0.5	-0.4	0	37.8	0.23	100	8118	100.07	36.2
2023-02-08 19:05:00	0	0	0	0	231	6.29	7.92	37.5	70.4	100.11	-0.6	-0.4	0	37.5	0.22	100	8117	100.07	35.9
2023-02-08 19:10:00	0	0	0	0	232	6.29	7.99	37.4	70.6	100.11	-0.6	-0.6	0	37.3	0.22	100	8116	100.07	35.7
2023-02-08 19:15:00	0	0	0	0	242	6.29	8.57	37.3	71.3	100.1	-0.6	-0.4	0	37.3	0.22	100	8118	100.06	35.6
2023-02-08 19:20:00	0	0	0	0	255	7.34	12.77	37.2	71.9	100.1	-0.6	-0.6	0	37.1	0.21	100	8117	100.06	35.4
2023-02-08 19:25:00	0	0	0	0	260	6.67	10.47	37	71.7	100.1	-0.6	-0.5	0	37	0.21	100	8116	100.06	35.3
2023-02-08 19:30:00	0	0	0	0	265	6.29	8.3	36.8	71.7	100.1	-0.7	-0.6	0	36.8	0.21	100	8118	100.06	35.2
2023-02-08 19:35:00	0	0	0	0	262	6.89	11.25	36.8	71.8	100.1	-0.6	-0.5	0	36.8	0.21	100	8114	100.06	35.1
2023-02-08 19:40:00	0	0	0	0	265	5.84	7.65	36.6	72.1	100.09	-0.7	-0.6	0	36.6	0.21	100	8115	100.05	34.9
2023-02-08 19:45:00	0	0	0	0	272	5.32	6.58	36.4	72.7	100.1	-0.7	-0.6	0	36.4	0.2	100	8113	100.06	34.8
2023-02-08 19:50:00	0	0	0	0	272	4.29	5.32	36.4	72.7	100.1	-0.6	-0.5	0	36.4	0.2	100	8116	100.06	34.6
2023-02-08 19:55:00	0	0	0	0	261	5.19	6.73	36.2	72.9	100.1	-0.6	-0.5	0	36.2	0.2	100	8113	100.06	34.4
2023-02-08 20:00:00	0	0	0	0	253	5.14	7.09	36	73.8	100.11	-0.7	-0.5	0	36	0.19	100	8112	100.07	34.1
2023-02-08 20:05:00	0	0	0	0	242	4.81	6.33	35.9	73.7	100.1	-0.7	-0.4	0	35.9	0.19	100	8112	100.06	33.9
2023-02-08 20:10:00	0	0	0	0	232	5.26	7.07	35.9	74.1	100.1	-0.7	-0.5	0	35.9	0.18	100	8113	100.06	33.9
2023-02-08 20:15:00	0	0	0	0	235	5.19	6.17	35.8	74.6	100.11	-0.6	-0.5	0	35.8	0.18	100	8112	100.07	33.8
2023-02-08 20:20:00	0	0	0	0	222	6.15	11.45	35.8	74.6	100.11	-0.7	-0.5	0	35.8	0.18	100	8110	100.08	33.7
2023-02-08 20:25:00	0	0	0	0	220	7.38	11.23	35.9	74.6	100.11	-0.6	-0.5	0	35.9	0.18	100	8110	100.08	33.9
2023-02-08 20:30:00	0	0	0	0	221	6.55	9.82	36	74.9	100.12	-0.7	-0.5	0	36	0.18	100	8111	100.08	34.1
2023-02-08 20:35:00	0	0	0	0	223	6.2	8.75	36	74.2	100.11	-0.7	-0.5	0	36	0.18	100	8109	100.07	34
2023-02-08 20:40:00	0	0	0	0	221	7.07	9.53	36	74.8	100.1	-0.7	-0.5	0	36	0.18	100	8110	100.06	34
2023-02-08 20:45:00	0	0	0	0	222	6.76	9.17	36.1	75	100.09	-0.7	-0.5	0	36.1	0.18	100	8111	100.05	34.1
2023-02-08 20:50:00	0	0	0	0	211	5.68	8.48	36	74.9	100.09	-0.7	-0.4	0	36	0.18	100	8108	100.05	34.1
2023-02-08 20:55:00	0	0	0	0	207	5.37	7.05	36	74.6	100.09	-0.8	-0.4	0	36	0.18	100	8110	100.04	34
2023-02-08 21:00:00	0	0	0	0	208	5.68	8.48	36	75.1	100.07	-0.8	-0.5	0	36	0.18	100	8108	100.03	33.9
2023-02-08 21:05:00	0	0	0	0	202	6.26	8.52	36	75.2	100.06	-0.7	-0.5	0	36	0.18	100	8110	100.02	34
2023-02-08 21:10:00	0	0	0	0	202	6.2	7.61	36.1	74.6	100.05	-0.7	-0.6	0	36.1	0.18	100	8109	100.02	34.1
2023-02-08 21:15:00	0	0	0	0	205	6.64	9.48	36	75.2	100.05	-0.6	-0.6	0	36	0.18	100	8105	100.01	34
2023-02-08 21:20:00	0	0	0	0	209	7.36	9.48	36.1	74.9	100.04	-0.7	-0.6	0	36.2	0.18	100	8107	100	34.1
2023-02-08 21:25:00	0	0	0	0	224	8.12	12.21	36.2	74.7	100.04	-0.7	-0.5	0	36.2	0.18	100	8104	100.01	34.2
2023-02-08 21:30:00	0	0	0	0	235	8.05	14.81	36.3	74.4	100.04	-0.6	-0.5	0	36.3	0.19	100	8107	100.01	34.3
2023-02-08 21:35:00	0	0	0	0	230	6.8	9.86	36.4	74.1	100.05	-0.6	-0.5	0	36.4	0.19	100	8105	100.01	34.3
2023-02-08 21:40:00	0	0	0	0	214	5.37	7.23	36.2	74.6	100.04	-0.7	-0.5	0	36.2	0.18	100	8106	100	34.2
2023-02-08 21:45:00	0	0	0	0	200	4.29	5.08	36	74.4	100.03	-0.6	-0.5	0	36	0.18	100	8107	99.99	33.8
2023-02-08 21:50:00	0	0	0	0	209	4.79	6.24	35.9	74.3	100.03	-0.7	-0.5	0	35.9	0.18	100	8106	99.99	33.6
2023-02-08 21:55:00	0	0	0	0	209	4.23	7.58	35.8	74.5	100.02	-0.7	-0.4	0	35.8	0.18	100	8104	99.98	33.5
2023-02-08 22:00:00	0	0	0	0	210	3.42	5.26	35.8	74	100.02	-0.7	-0.4	0	35.8	0.18	100	8106	99.99	33.3
2023-02-08 22:05:00	0	0	0	0	228	3.29	4.81	35.7	73.7	100.02	-0.7	-0.5	0	35.8	0.19	100	8104	99.98	33.2
2023-02-08 22:10:00	0	0	0	0	242	2.91	3.83	35.7	74.6	100.02	-0.7	-0.4	0	35.7	0.18	100	8104	99.98	33.1
2023-02-08 22:15:00	0	0	0	0	276	2.86	3.6	35.5	74.1	100.02	-0.6	-0.5	0	35.5	0.18	100	8104	99.98	33
2023-02-08 22:20:00	0	0	0	0	323	2.33	3.74	35.3	74.6	100.02	-0.7	-0.6	0	35.3	0.18	100	8103	99.98	32.8
2023-02-08 22:25:00	0	0	0	0	311	1.43	2.91	34.9	75.4	100.01	-0.6	-0.5	0	34.9	0.17	100	8102	99.97	32.4
2023-02-08 22:30:00	0	0	0	0	292	2.73	5.06	34.7	75.6	100.01	-0.8	-0.5	0	34.7	0.17	100	8102	99.97	32.1
2023-02-08 22:35:00	0	0	0	0	300	1.99	2.46	34.4	76.3	100.01	-0.7	-0.5	0	34.4	0.16	100	8102	99.97	32
2023-02-08 22:40:00	0	0	0	0	318	1.25	1.77	34.2	76.3	100.01	-0.7	-0.5	0	34.2	0.16	100	8102	99.98	31.6
2023-02-08 22:45:00	0	0	0	0	37	1.14	1.97	33.7	77.9	100.01	-0.7	-0.5	0	33.7	0.14	100	8102	99.97	31.1
2023-02-08 22:50:00	0	0	0	0	31	1.36	2.08	33.4	77.5	100.01	-0.8	-0.5	0	33.4	0.15	100	8102	99.97	30.7
2023-02-08 22:55:00	0	0	0	0	76	1.74	2.46	33.4	77.3	100.01	-0.9	-0.5	0	33.4	0.15	100	8099	99.97	30.5
2023-02-08 23:00:00	0	0	0	0	110	1.92	3	33.4	77.2	100.01	-0.8	-0.4	0	33.4	0.15	100	8102	99.97	30.4
2023-02-08 23:05:00	0	0	0	0	124	2.84	7.16	33.6	77	100.01	-0.7	-0.4	0	33.6	0.15	100	8099	99.96	30.4
2023-02-08 23:10:00	0	0	0	0	109	6.85	7.65	33.5	77.6	100	-0.6	-0.5	0	33.5	0.15	100	8099	99.96	30.5
2023-02-08 23:15:00	0	0	0	0	108	6.42	7.34	33.3	77.6	100	-0.8	-0.5	0	33.3	0.14	100	8099	99.96	30.5
2023-02-08 23:20:00	0	0	0	0	108	5.91	7.36	33.2	77.9	100	-0.7	-0.4	0	33.3	0.14	100	8097	99.96	30.5
2023-02-08 23:25:00	0	0	0	0	105	6.17	7.61	33.3	77.7	100	-0.9	-0.4	0	33.3	0.14	100	8098	99.96	30.6
2023-02-08 23:30:00	0	0	0	0	107	8.14	8.77	33.2	78	99.99	-0.8	-0.3	0	33.2	0.14	100	8099	99.96	30.5
2023-02-08 23:35:00	0	0	0	0	110	7.49	8.28	33.2	77.9	99.99	-0.8	-0.5	0	33.2	0.14	100	8097	99.96	30.6
2023-02-08 23:40:00	0	0	0	0	111	6.93	8.16	33.3	77.9	99.99	-0.8	-0.6	0	33.3	0.14	100	8094	99.95	30.7
2023-02-08 23:45:00	0	0	0	0	112	7.16	8.39	33.3	77.7	99.98	-0.8	-0.4	0	33.3	0.14	100	8096	99.94	30.6
2023-02-08 23:50:00	0	0	0	0	108	7.81	8.9	33.3	77.7	99.98	-0.8	-0.6	0	33.3	0.14	100	8099	99.94	30.6
2023-02-08 23:55:00	0	0	0	0	119	7.76	8.84	33.1	78.4	99.98	-0.8	-0.5	0	33.1	0.14	100	8096	99.95	30.5

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-09 00:00:00	0	0	0	0	123	7.87	9.1	33	78.1	99.97	-0.8	-0.5	0	33	0.14	100	8095	99.93	30.5
2023-02-09 00:05:00	0	0	0	0	117	8.1	9.73	32.9	78.7	99.96	-0.9	-0.5	0	32.9	0.13	100	8065	99.93	30.7
2023-02-09 00:10:00	0	0	0	0	126	7.61	8.52	32.8	78.8	99.95	-0.7	-0.4	0	32.8	0.13	100	8063	99.93	30.9
2023-02-09 00:15:00	0	0	0	0	131	8.03	9.24	32.5	78.5	99.95	-0.8	-0.4	0	32.5	0.13	100	8057	99.93	31
2023-02-09 00:20:00	0	0	0	0	118	8.7	9.78	32.6	78.4	99.95	-0.8	-0.4	0	32.6	0.14	100	8072	99.92	31
2023-02-09 00:25:00	0	0	0	0	130	8.68	10.04	32.7	79	99.93	-0.8	-0.4	0	32.6	0.13	100	8074	99.91	31
2023-02-09 00:30:00	0	0	0	0	132	7.96	10.09	32.7	79	99.92	-0.7	-0.5	0	32.7	0.13	100	8077	99.9	30.9
2023-02-09 00:35:00	0	0	0	0	122	8.66	10.29	32.7	78	99.92	-0.8	-0.3	0	32.7	0.14	100	8077	99.89	30.9
2023-02-09 00:40:00	0	0	0	0	120	8.03	9.78	32.7	78.5	99.92	-0.9	-0.5	0	32.7	0.13	100	8076	99.89	30.9
2023-02-09 00:45:00	0	0	0	0	117	7.65	9.69	32.7	78.2	99.92	-0.9	-0.5	0	32.7	0.14	100	8079	99.89	30.9
2023-02-09 00:50:00	0	0	0	0	108	7.99	10.07	32.8	77.7	99.9	-0.8	-0.5	0	32.8	0.14	100	8078	99.87	30.9
2023-02-09 00:55:00	0	0	0	0	109	7.76	8.95	32.8	78.1	99.89	-0.9	-0.4	0	32.8	0.14	100	8080	99.86	30.8
2023-02-09 01:00:00	0	0	0	0	108	8.97	11.21	32.6	78.2	99.87	-0.7	-0.4	0	32.6	0.14	100	8080	99.84	30.7
2023-02-09 01:05:00	0	0	0	0	110	9.71	10.96	32.5	78.7	99.85	-0.8	-0.4	0	32.5	0.13	100	8079	99.83	30.6
2023-02-09 01:10:00	0	0	0	0	115	9.4	11.3	32.3	78.5	99.85	-0.9	-0.5	0	32.4	0.13	100	8078	99.82	30.6
2023-02-09 01:15:00	0	0	0	0	120	8.61	9.8	32.2	78.5	99.84	-0.8	-0.4	0	32.2	0.13	100	8077	99.82	30.5
2023-02-09 01:20:00	0	0	0	0	130	9.01	10.83	32.1	79.1	99.83	-0.8	-0.5	0	32.1	0.13	100	8077	99.81	30.5
2023-02-09 01:25:00	0	0	0	0	128	9.69	11.52	32.1	79.8	99.83	-0.8	-0.3	0	32.1	0.12	100	8078	99.81	30.5
2023-02-09 01:30:00	0	0	0	0	128	11.54	13.76	32.1	79.7	99.82	-0.8	-0.4	0	32.1	0.12	100	8079	99.8	30.5
2023-02-09 01:35:00	0	0	0	0	125	12.08	14.05	32.2	79.6	99.81	-0.8	-0.3	0	32.1	0.13	100	8076	99.79	30.5
2023-02-09 01:40:00	0	0	0	0	122	10.78	12.88	32	80.7	99.8	-0.9	-0.4	0	32	0.12	100	8076	99.79	30.5
2023-02-09 01:45:00	0	0	0	0	127	8.14	9.84	31.9	81	99.82	-0.8	-0.5	0	31.9	0.12	100	8077	99.79	30.3
2023-02-09 01:50:00	0	0	0	0	127	7.63	9.22	31.5	81.7	99.81	-0.9	-0.4	0	31.5	0.11	100	8076	99.78	30.1
2023-02-09 01:55:00	0	0	0	0	122	7.07	8.66	31.3	82.6	99.81	-0.8	-0.4	0	31.3	0.1	100	8077	99.78	29.9
2023-02-09 02:00:00	0	0	0	0	117	7.05	8.16	31.2	83.7	99.8	-0.7	-0.4	0	31.3	0.1	100	8074	99.78	29.8
2023-02-09 02:05:00	0	0	0	0	108	8.28	8.99	31.1	84.2	99.8	-0.9	-0.5	0	31.1	0.09	100	8078	99.78	29.7
2023-02-09 02:10:00	0	0	0	0	112	8.77	10.74	31.1	84.5	99.8	-0.9	-0.5	0	31.1	0.09	100	8075	99.77	29.7
2023-02-09 02:15:00	0	0	0	0	106	8.05	9.42	31.2	85.4	99.79	-0.8	-0.4	0	31.3	0.09	100	8075	99.77	29.8
2023-02-09 02:20:00	0	0	0	0	105	8.97	10.49	31.2	85.3	99.79	-0.8	-0.5	0	31.2	0.09	100	8076	99.76	29.8
2023-02-09 02:25:00	0	0	0	0	106	8.81	10.02	31.4	85.7	99.79	-0.8	-0.4	0	31.4	0.09	100	8076	99.77	29.8
2023-02-09 02:30:00	0	0	0	0	106	8.25	9.8	31.4	85.7	99.8	-0.8	-0.4	0	31.4	0.09	100	8075	99.78	29.8
2023-02-09 02:35:00	0	0	0	0	109	8.08	9.1	31.4	85.6	99.79	-0.9	-0.4	0	31.4	0.09	100	8074	99.77	29.8
2023-02-09 02:40:00	0	0	0	0	111	9.15	10.54	31.4	85.6	99.79	-0.9	-0.5	0	31.4	0.09	100	8073	99.76	29.8
2023-02-09 02:45:00	0	0	0	0	115	8.75	11.32	31.4	85.4	99.78	-0.8	-0.5	0	31.4	0.09	100	8074	99.75	29.8
2023-02-09 02:50:00	0	0	0	0	112	8.37	9.08	31.5	85.1	99.76	-0.8	-0.5	0	31.5	0.09	100	8073	99.74	29.8
2023-02-09 02:55:00	0	0	0	0	109	8.25	9.66	31.5	85.2	99.75	-0.9	-0.5	0	31.5	0.09	100	8075	99.73	29.8
2023-02-09 03:00:00	0	0	0	0	110	8.16	9.13	31.5	84.9	99.75	-0.9	-0.5	0	31.5	0.09	100	8074	99.72	29.7
2023-02-09 03:05:00	0	0	0	0	110	8.88	11.65	31.5	84.2	99.73	-0.8	-0.5	0	31.5	0.09	100	8072	99.7	29.8
2023-02-09 03:10:00	0	0	0	0	110	9.55	11.03	31.5	84.2	99.71	-0.9	-0.4	0	31.5	0.09	100	8072	99.69	29.7
2023-02-09 03:15:00	0	0	0	0	111	9.15	11.07	31.5	83.6	99.71	-0.9	-0.4	0	31.5	0.1	100	8072	99.69	29.7
2023-02-09 03:20:00	0	0	0	0	111	9.1	10	31.5	83.6	99.7	-0.8	-0.4	0	31.4	0.1	100	8074	99.67	29.7
2023-02-09 03:25:00	0	0	0	0	119	8.08	9.69	31.4	83.9	99.69	-0.8	-0.4	0	31.4	0.1	100	8073	99.66	29.7
2023-02-09 03:30:00	0	0	0	0	125	11.01	15.46	31.4	83.8	99.67	-0.9	-0.4	0	31.4	0.1	100	8074	99.66	29.9
2023-02-09 03:35:00	0	0	0	0	131	11.99	14.81	31.7	84.4	99.67	-1	-0.6	0	31.7	0.09	100	8070	99.65	30.3
2023-02-09 03:40:00	0	0	0	0	134	11.23	14.74	32	83.6	99.66	-0.8	-0.6	0	31.9	0.1	100	8072	99.65	30.5
2023-02-09 03:45:00	0	0	0	0	145	9.01	12.48	32	83.6	99.66	-0.8	-0.5	0	32	0.1	100	8076	99.64	30.4
2023-02-09 03:50:00	0	0	0	0	139	8.01	9.22	31.8	84.2	99.65	-0.8	-0.5	0	31.8	0.1	100	8070	99.63	30.3
2023-02-09 03:55:00	0	0	0	0	139	7.74	8.97	31.6	84.8	99.64	-0.8	-0.4	0	31.6	0.09	100	8071	99.62	30.2
2023-02-09 04:00:00	0	0	0	0	120	7.7	8.79	31.4	84.6	99.63	-0.9	-0.5	0	31.4	0.09	100	8072	99.61	30.1
2023-02-09 04:05:00	0	0	0	0	116	9.06	10.63	31.3	84.1	99.62	-0.7	-0.5	0	31.3	0.09	100	8070	99.61	30
2023-02-09 04:10:00	0	0	0	0	112	10.56	11.83	31.4	84	99.62	-0.7	-0.5	0	31.4	0.1	100	8070	99.6	30
2023-02-09 04:15:00	0	0	0	0	117	10.69	13	31.3	84.2	99.61	-0.9	-0.4	0	31.3	0.09	100	8070	99.59	30.1
2023-02-09 04:20:00	0	0	0	0	120	11.48	14.05	31.4	84.1	99.6	-0.7	-0.4	0	31.4	0.09	100	8070	99.59	30.2
2023-02-09 04:25:00	0	0	0	0	118	11.23	13.96	31.6	84.2	99.6	-0.8	-0.4	0	31.6	0.1	100	8070	99.59	30.4
2023-02-09 04:30:00	0	0	0	0	115	10.04	13	31.8	84.2	99.59	-0.9	-0.4	0	31.8	0.1	100	8069	99.58	30.6
2023-02-09 04:35:00	0	0	0	0	111	8.25	11.32	31.9	83.7	99.59	-0.8	-0.4	0	31.9	0.1	100	8067	99.58	30.7
2023-02-09 04:40:00	0	0	0	0	110	7.76	10.18	32	83	99.6	-1	-0.4	0	32	0.1	100	8069	99.58	30.8
2023-02-09 04:45:00	0	0	0	0	102	7.2	9.55	32	82.9	99.59	-0.7	-0.5	0	32	0.1	100	8070	99.57	30.9
2023-02-09 04:50:00	0	0	0	0	129	8.08	10.83	32.1	82.9	99.6	-0.8	-0.4	0	32.1	0.1	100	8070	99.59	30.9
2023-02-09 04:55:00	0	0	0	0	125	9.17	11.39	32.1	83	99.61	-0.7	-0.6	0	32.1	0.1	100	8069	99.59	31
2023-02-09 05:00:00	0	0	0	0	122	8.9	10.98	32.3	82.4	99.61	-0.8	-0.4	0	32.3	0.11	100	8071	99.59	31.2
2023-02-09 05:05:00	0	0	0	0	114	9.13	11.3	32.3	82.4	99.61	-0.6	-0.4	0	32.3	0.11	100	8069	99.59	31.3
2023-02-09 05:10:00	0	0	0	0	110	11.36	12.64	32.4	82.4	99.6	-0.9	-0.6	0	32.4	0.11	100	8068	99.57	31.3
2023-02-09 05:15:00	0	0	0	0	112	10.65	12.77	32.5	81.9	99.58	-0.8	-0.4	0	32.5	0.11	100	8068	99.56	31.4

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-09 05:20:00	0	0	0	0	109	11.05	12.95	32.6	81.6	99.57	-0.9	-0.4	0	32.6	0.12	100	8068	99.55	31.5
2023-02-09 05:25:00	0	0	0	0	123	9.93	12.39	32.6	81.4	99.57	-0.7	-0.4	0	32.6	0.12	100	8067	99.55	31.6
2023-02-09 05:30:00	0	0	0	0	123	10.63	13.04	32.7	81.8	99.55	-0.7	-0.6	0	32.7	0.11	100	8068	99.53	31.7
2023-02-09 05:35:00	0	0	0	0	124	12.03	14.74	32.8	81.8	99.54	-0.8	-0.4	0	32.8	0.11	100	8067	99.52	31.7
2023-02-09 05:40:00	0	0	0	0	120	10.36	12.3	32.8	82	99.52	-0.8	-0.3	0	32.8	0.11	100	8068	99.51	31.7
2023-02-09 05:45:00	0	0	0	0	111	12.33	14.43	32.8	81	99.51	-0.6	-0.8	0	32.8	0.12	100	8068	99.49	31.8
2023-02-09 05:50:00	0	0	0	0	113	11.88	14	32.9	80.5	99.5	-0.8	-0.3	0	32.9	0.12	100	8066	99.49	31.9
2023-02-09 05:55:00	0	0	0	0	115	11.79	14.83	33.1	79.9	99.49	-0.8	-0.5	0	33.1	0.13	100	8064	99.48	32
2023-02-09 06:00:00	0	0	0	0	113	11.05	14.25	33.3	80.3	99.48	-0.8	-0.5	0	33.3	0.13	100	8068	99.46	32.2
2023-02-09 06:05:00	0	0	0	0	111	10.4	12.95	33.4	80.2	99.46	-0.7	-0.4	0	33.4	0.13	100	8064	99.44	32.3
2023-02-09 06:10:00	0	0	0	0	110	11.74	14.16	33.5	79.9	99.45	-0.5	-0.6	0	33.5	0.13	100	8066	99.44	32.5
2023-02-09 06:15:00	0	0	0	0	109	12.73	14.85	33.7	79.5	99.46	-0.8	-0.6	0	33.7	0.13	100	8065	99.44	32.6
2023-02-09 06:20:00	0	0	0	0	111	13.58	16.69	33.8	79.1	99.45	-0.7	-0.6	0	33.8	0.14	100	8064	99.43	32.8
2023-02-09 06:25:00	0	0	0	0	110	13.53	16.67	33.9	78.7	99.44	-0.6	-0.3	0	33.9	0.14	100	8065	99.43	32.9
2023-02-09 06:30:00	0	0	0	0	108	13.24	16.26	34.1	78.4	99.44	-0.6	-0.6	0	34.1	0.14	100	8068	99.42	33
2023-02-09 06:35:00	0	0	0	0	110	11.52	13.69	34.1	78.1	99.44	-0.7	-0.4	0	34.1	0.15	100	8063	99.42	33.1
2023-02-09 06:40:00	0	0	0	0	107	10.71	12.57	34.2	78.1	99.43	-0.7	-0.5	0	34.2	0.15	100	8065	99.41	33.2
2023-02-09 06:45:00	0	0	0	0	105	11.16	13	34.4	78	99.41	-0.7	-0.4	0	34.4	0.15	100	8065	99.4	33.3
2023-02-09 06:50:00	0	0	0	0	106	11.97	14.36	34.5	76.9	99.4	-0.7	-0.6	0	34.5	0.16	100	8064	99.38	33.5
2023-02-09 06:55:00	0	0	0	0	106	11.27	15.32	34.8	76.2	99.4	-0.7	-0.4	0	34.8	0.16	100	8064	99.37	33.7
2023-02-09 07:00:00	0	0	0	0	106	11.48	17.76	35.1	75.6	99.38	-0.6	-0.7	0	35.1	0.17	100	8061	99.36	34
2023-02-09 07:05:00	0	0	0	0	106	10.65	15.12	35.4	75.2	99.39	-0.8	-0.5	0	35.4	0.17	100	8063	99.37	34.2
2023-02-09 07:10:00	0	0	0	0	101	8.77	12.57	35.6	74.7	99.39	-0.6	-0.5	0	35.6	0.18	100	8062	99.37	34.5
2023-02-09 07:15:00	0.6	0	0	0	96	7.65	10.29	35.9	74.1	99.4	-0.6	-0.4	0	35.9	0.18	100	8064	99.38	34.6
2023-02-09 07:20:00	1	0	0	0	99	7.72	11.12	36	74	99.41	-0.6	-0.4	0	35.9	0.19	100	8062	99.39	34.8
2023-02-09 07:25:00	1.8	0	0	0	99	9.69	12.84	36.1	73.7	99.41	-0.7	-0.5	0	36	0.19	100	8062	99.38	34.9
2023-02-09 07:30:00	2.6	0.00201	0	0	99	9.66	12.44	36.1	75.2	99.41	-0.7	-0.5	0.08	36.1	0.18	100	8064	99.39	35
2023-02-09 07:35:00	3.4	0.00536	0	0	96	7.83	11.45	35.8	77.3	99.41	-0.8	-0.5	0.08	35.8	0.16	100	8064	99.39	35
2023-02-09 07:40:00	4.8	0.00469	0	0	92	7.54	10.45	35.5	79.7	99.4	-0.7	-0.4	0.08	35.5	0.14	100	8063	99.38	34.8
2023-02-09 07:45:00	7.2	0.00268	0	0	95	9.35	13.35	35.1	81.4	99.39	-0.6	-0.4	0.04	35.2	0.13	100	8062	99.37	34.6
2023-02-09 07:50:00	11.2	0.00201	0	0	101	10.51	14	35	82.2	99.38	-0.8	-0.5	0.04	35	0.12	100	8063	99.36	34.5
2023-02-09 07:55:00	12.6	0.00067	0	0	97	8.93	11.9	34.8	83.1	99.37	-0.7	-0.5	0.04	34.8	0.12	100	8061	99.35	34.4
2023-02-09 08:00:00	17	0.00067	0	0	98	10.38	13.11	34.7	83.7	99.35	-0.8	-0.5	0.04	34.8	0.11	100	8063	99.33	34.3
2023-02-09 08:05:00	22.2	0.00067	0	0	101	10.27	11.61	34.7	84.2	99.34	-0.7	-0.6	0.04	34.8	0.11	100	8062	99.32	34.3
2023-02-09 08:10:00	26	0.00067	0	0	103	11.07	15.26	34.7	85.2	99.33	-0.8	-0.5	0.04	34.7	0.1	100	8061	99.3	34.3
2023-02-09 08:15:00	12	0.00134	0	0	104	10.47	12.95	34.7	85.6	99.32	-0.6	-0.5	0.04	34.8	0.1	100	8062	99.3	34.4
2023-02-09 08:20:00	7.8	0.00402	0	0	104	9.17	10.78	34.8	86.3	99.32	-0.7	-0.5	0.08	34.8	0.09	100	8061	99.3	34.4
2023-02-09 08:25:00	10	0.00335	0	0	107	8.55	9.95	34.8	87.3	99.31	-0.7	-0.4	0.08	34.9	0.09	100	8061	99.29	34.4
2023-02-09 08:30:00	14.4	0.00402	0	0	108	9.62	14.54	35	89	99.3	-0.7	-0.4	0.08	35	0.08	100	8061	99.28	34.5
2023-02-09 08:35:00	22	0.00536	0	0	106	9.31	11.45	35.2	90.1	99.3	-0.8	-0.7	0.08	35.3	0.07	100	8060	99.28	34.7
2023-02-09 08:40:00	21.2	0.00804	0	0	105	10.58	14.07	35.5	91.4	99.29	-0.7	-0.6	0.12	35.6	0.06	100	8061	99.27	34.9
2023-02-09 08:45:00	18	0.00804	0	0	105	10.18	12.41	35.7	91.9	99.28	-0.6	-0.5	0.12	35.8	0.06	100	8061	99.25	35.1
2023-02-09 08:50:00	14.2	0.01407	0	0	106	13.09	16.69	35.9	93.2	99.26	-0.9	-0.4	0.241	35.9	0.05	100	8060	99.24	35.2
2023-02-09 08:55:00	12.6	0.01474	0	0	107	14.72	17.96	36	93.7	99.23	-0.8	-0.7	0.201	36	0.04	100	8057	99.21	35.3
2023-02-09 09:00:00	15.6	0.01139	0	0	112	17.27	23.62	36.3	94.8	99.19	-0.5	-0.2	0.161	36.3	0.04	100	8058	99.18	35.6
2023-02-09 09:05:00	24	0.00938	0	0	115	16.53	21.77	36.5	95.3	99.16	-0.8	-0.6	0.12	36.6	0.03	100	8058	99.15	35.8
2023-02-09 09:10:00	27.6	0.00871	0	0	114	14.67	20.58	36.9	95.7	99.16	-0.7	-0.4	0.161	37	0.03	100	8061	99.16	36.1
2023-02-09 09:15:00	31.2	0.00536	0	0	109	13.4	16.17	37	96.1	99.16	-0.6	-0.5	0.08	37.1	0.03	100	8058	99.14	36.2
2023-02-09 09:20:00	21.6	0.00469	0	0	109	12.88	17.05	37.1	96	99.15	-0.6	-0.4	0.08	37.2	0.03	100	8059	99.14	36.4
2023-02-09 09:25:00	24.8	0.00737	0	0	107	13.51	19.08	37.2	95.6	99.15	-0.9	-0.3	0.12	37.2	0.03	100	8056	99.14	36.4
2023-02-09 09:30:00	26.6	0.00871	0	0	105	15.1	20.31	37	95.3	99.14	-0.7	-0.6	0.12	37	0.03	100	8057	99.12	36.3
2023-02-09 09:35:00	26.2	0.01474	0	0	108	14.23	17.67	36.8	95.4	99.12	-0.8	-0.5	0.201	36.8	0.03	100	8059	99.12	36.2
2023-02-09 09:40:00	21.6	0.02479	0	0	111	13.29	17.85	36.6	95.4	99.13	-0.7	-0.2	0.442	36.6	0.03	100	8058	99.12	36.1
2023-02-09 09:45:00	21	0.03686	0	0	115	13	16.4	36.5	95.9	99.13	-0.5	-0.5	0.683	36.5	0.03	100	8059	99.12	36.1
2023-02-09 09:50:00	29.8	0.01541	0	0	113	12.77	17.36	36.5	95.7	99.09	-0.4	-0.3	0.241	36.6	0.03	100	8056	99.08	36.1
2023-02-09 09:55:00	26.2	0.01541	0	0	121	15.01	19.08	36.5	96	99.07	-0.7	-0.4	0.201	36.5	0.03	100	8056	99.08	36.1
2023-02-09 10:00:00	17.4	0.0201	0	0	130	8.37	15.14	36.5	97	99.13	-0.8	-0.2	0.361	36.5	0.02	100	8056	99.12	36.1
2023-02-09 10:05:00	19.4	0.02815	0	0	119	12.57	16.15	36.6	96.8	99.06	-0.4	-0.6	0.642	36.6	0.02	100	8053	99.04	36.2
2023-02-09 10:10:00	31.8	0.01273	0	0	116	15.12	20.92	36.6	96.8	99.01	-0.7	-0.2	0.161	36.6	0.02	100	8055	99.01	36.2
2023-02-09 10:15:00	43.2	0.01072	0	0	110	18.97	19.1	36.7	96.8	98.97	-0.6	-0.5	0.161	36.7	0.02	100	8057	98.98	36.2
2023-02-09 10:20:00	45.4	0.00737	0	0	#N/A	#N/A	#N/A	36.9	96.9	98.98	-0.6	-0.5	0.12	36.9	#N/A	100	8057	98.97	36.4
2023-02-09 10:25:00	49.8	0.00469	0	0	#N/A	#N/A	#N/A	37	97.2	98.98	-0.9	-0.4	0.08	37	#N/A	100	8054	98.97	36.5
2023-02-09 10:30:00	46	0.01139	0	0	#N/A	#N/A	#N/A	37.1	96.8	98.95	-0.8	-0.5	0.161	37.1	#N/A	100	8056	98.93	36.6
2023-02-09 10:35:00	49.2	0.00871	0	0	#N/A	#N/A	#N/A	37.2	97	98.9	-0.6	-1	0.161	37.2	#N/A	100	8054	98.91	36.6

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-09 10:40:00	48.6	0.01407	0	0	#N/A	#N/A	#N/A	37.2	97.3	98.9	-0.4	-0.7	0.201	37.3	#N/A	100	8055	98.91	36.7
2023-02-09 10:45:00	55.8	0.01206	0	0	#N/A	#N/A	#N/A	37.4	97	98.9	0.2	-0.6	0.201	37.3	#N/A	100	8057	98.9	36.8
2023-02-09 10:50:00	56.2	0.00938	0	0	#N/A	#N/A	#N/A	37.4	97.3	98.86	-0.1	-0.6	0.161	37.4	#N/A	100	8055	98.87	36.9
2023-02-09 10:55:00	40.4	0.00938	0	0	#N/A	#N/A	#N/A	37.4	97.5	98.87	-0.6	-0.6	0.161	37.5	#N/A	100	8057	98.87	37
2023-02-09 11:00:00	52.6	0.01072	0	0	#N/A	#N/A	#N/A	37.6	97.1	98.85	-0.7	-0.6	0.201	37.6	#N/A	100	8055	98.86	37.1
2023-02-09 11:05:00	47.6	0.00938	0	0	#N/A	#N/A	#N/A	37.7	96.9	98.86	-0.5	-0.7	0.161	37.7	#N/A	100	8058	98.86	37.2
2023-02-09 11:10:00	43.4	0.01742	0	0	#N/A	#N/A	#N/A	37.7	97.3	98.86	-0.6	-0.5	0.321	37.7	#N/A	100	8057	98.86	37.2
2023-02-09 11:15:00	28.2	0.01608	0	0	#N/A	#N/A	#N/A	37.8	97.5	98.88	-0.6	-0.3	0.241	37.8	#N/A	100	8056	98.86	37.3
2023-02-09 11:20:00	34.2	0.01407	0	0	#N/A	#N/A	#N/A	37.8	97.6	98.86	-0.5	-0.6	0.201	37.9	#N/A	100	8055	98.85	37.4
2023-02-09 11:25:00	33.2	0.01876	0	0	#N/A	#N/A	#N/A	38	97.3	98.86	-0.6	-0.4	0.321	38	#N/A	100	8055	98.84	37.4
2023-02-09 11:30:00	48	0.00603	0	0	#N/A	#N/A	#N/A	37.9	97.7	98.81	-0.4	-0.4	0.12	37.9	#N/A	100	8056	98.81	37.5
2023-02-09 11:35:00	35.4	0.00938	0	0	#N/A	#N/A	#N/A	38	97.7	98.82	-0.6	-0.5	0.201	38	#N/A	100	8055	98.82	37.6
2023-02-09 11:40:00	55.8	0.01541	0	0	#N/A	#N/A	#N/A	38.1	97.9	98.82	-0.5	-0.6	0.241	38.1	#N/A	100	8057	98.81	37.7
2023-02-09 11:45:00	60.4	0.01273	0	0	#N/A	#N/A	#N/A	38.2	97.6	98.8	-0.7	-0.5	0.241	38.2	#N/A	100	8055	98.78	37.8
2023-02-09 11:50:00	51.4	0.01474	0	0	#N/A	#N/A	#N/A	38.3	98.1	98.76	-0.6	-0.4	0.281	38.3	#N/A	100	8055	98.75	37.9
2023-02-09 11:55:00	42.4	0.04356	0	0	#N/A	#N/A	#N/A	38.3	98.1	98.73	-0.6	-0.6	2.289	38.3	#N/A	100	8052	98.71	38
2023-02-09 12:00:00	46.2	0.0382	0	0	#N/A	#N/A	#N/A	38.4	98.3	98.71	-0.6	-0.3	1.767	38.4	#N/A	100	8056	98.71	38
2023-02-09 12:05:00	26.6	0.01541	0	0	#N/A	#N/A	#N/A	38.5	97.8	98.72	-0.5	-0.5	0.241	38.5	#N/A	100	8056	98.7	38.1
2023-02-09 12:10:00	20.6	0.0134	0	0	#N/A	#N/A	#N/A	38.4	98	98.69	-0.5	-0.5	0.241	38.4	#N/A	100	8054	98.67	38.1
2023-02-09 12:15:00	22	0.01072	0	0	#N/A	#N/A	#N/A	38.5	98	98.67	-0.6	-0.5	0.201	38.5	#N/A	100	8056	98.66	38.1
2023-02-09 12:20:00	34	0.01072	0	0	#N/A	#N/A	#N/A	38.6	98.4	98.65	-0.6	-0.5	0.402	38.6	#N/A	100	8055	98.64	38.2
2023-02-09 12:25:00	53.4	0.00335	0	0	#N/A	#N/A	#N/A	38.7	97.9	98.65	-0.4	-0.4	0.08	38.7	#N/A	100	8055	98.64	38.3
2023-02-09 12:30:00	35.6	0.00268	0	0	#N/A	#N/A	#N/A	38.8	98.2	98.62	-0.5	-0.6	0.08	38.8	#N/A	100	8055	98.62	38.4
2023-02-09 12:35:00	36	0.00268	0	0	#N/A	#N/A	#N/A	38.9	98.1	98.62	-0.5	-0.5	0.04	38.9	#N/A	100	8054	98.62	38.5
2023-02-09 12:40:00	42.6	0.00335	0	0	#N/A	#N/A	#N/A	38.9	98.3	98.6	-0.5	-0.4	0.08	38.9	#N/A	100	8053	98.59	38.5
2023-02-09 12:45:00	28.6	0.00335	0	0	#N/A	#N/A	#N/A	39	97.8	98.59	-0.6	-0.3	0.08	39	#N/A	100	8053	98.58	38.6
2023-02-09 12:50:00	40	0.00201	0	0	#N/A	#N/A	#N/A	39	97.8	98.59	-0.6	-0.5	0.08	39	#N/A	100	8053	98.58	38.7
2023-02-09 12:55:00	24.8	0.00938	0	0	#N/A	#N/A	#N/A	39.1	98.3	98.56	-0.5	-0.5	0.201	39.1	#N/A	100	8055	98.54	38.7
2023-02-09 13:00:00	24.8	0.00402	0	0	#N/A	#N/A	#N/A	39.2	98.4	98.53	-0.4	-0.4	0.12	39.2	#N/A	100	8051	98.52	38.8
2023-02-09 13:05:00	45	0.00268	0	0	#N/A	#N/A	#N/A	39.2	98.2	98.52	-0.7	-0.5	0.08	39.2	#N/A	100	8055	98.51	38.8
2023-02-09 13:10:00	49	0.00469	0	0	#N/A	#N/A	#N/A	39.3	98.2	98.51	-0.6	-0.6	0.08	39.3	#N/A	100	8056	98.5	38.9
2023-02-09 13:15:00	41.6	0.0067	0	0	#N/A	#N/A	#N/A	39.3	98.3	98.5	-0.5	-0.5	0.161	39.3	#N/A	100	8051	98.5	39
2023-02-09 13:20:00	51.6	0.00335	0	0	#N/A	#N/A	#N/A	39.5	98.6	98.49	-0.5	-0.5	0.08	39.5	#N/A	100	8052	98.47	39.2
2023-02-09 13:25:00	68.8	0.00402	0	0	#N/A	#N/A	#N/A	39.6	98.3	98.46	-0.4	-0.5	0.08	39.6	#N/A	100	8055	98.45	39.3
2023-02-09 13:30:00	58.4	0.00536	0	0	#N/A	#N/A	#N/A	39.8	98.6	98.44	-0.5	-0.4	0.08	39.8	#N/A	100	8055	98.43	39.4
2023-02-09 13:35:00	41.6	0.00536	0	0	#N/A	#N/A	#N/A	40	98.7	98.41	-0.4	-0.6	0.08	40	#N/A	100	8051	98.4	39.6
2023-02-09 13:40:00	37.8	0.00402	0	0	#N/A	#N/A	#N/A	40.2	98.5	98.39	-0.4	-0.4	0.08	40.2	#N/A	100	8052	98.38	39.8
2023-02-09 13:45:00	32.2	0.00402	0	0	#N/A	#N/A	#N/A	40.4	98.9	98.38	-0.5	-0.4	0.08	40.4	#N/A	100	8051	98.37	40
2023-02-09 13:50:00	33.4	0.00536	0	0	#N/A	#N/A	#N/A	40.8	98.6	98.37	-0.4	-0.5	0.08	40.8	#N/A	100	8052	98.36	40.3
2023-02-09 13:55:00	35.8	0.00335	0	0	#N/A	#N/A	#N/A	41.1	99.2	98.35	-0.6	-0.4	0.04	41.2	#N/A	100	8054	98.34	40.7
2023-02-09 14:00:00	42.8	0.00402	0	0	#N/A	#N/A	#N/A	41.6	99	98.33	-0.4	-0.9	0.08	41.6	#N/A	100	8050	98.33	41.1
2023-02-09 14:05:00	48.6	0.00603	0	0	#N/A	#N/A	#N/A	42	99	98.31	-0.5	-0.6	0.08	42	#N/A	100	8050	98.31	41.4
2023-02-09 14:10:00	40.4	0.00603	0	0	#N/A	#N/A	#N/A	42.2	99	98.33	-0.7	-0.5	0.08	42.2	#N/A	100	8051	98.32	41.7
2023-02-09 14:15:00	35	0.00737	0	0	#N/A	#N/A	#N/A	42.4	98.5	98.33	-0.5	-0.4	0.161	42.5	#N/A	100	8051	98.31	41.9
2023-02-09 14:20:00	27.2	0.01273	0	0	#N/A	#N/A	#N/A	42.6	98.6	98.3	-0.5	-0.6	0.241	42.6	#N/A	100	8051	98.29	42.2
2023-02-09 14:25:00	33.6	0.00402	0	0	#N/A	#N/A	#N/A	42.7	98.7	98.28	-0.4	0.2	0.12	42.7	#N/A	100	8053	98.27	42.3
2023-02-09 14:30:00	44.4	0.0067	0	0	#N/A	#N/A	#N/A	42.8	98.4	98.26	-0.6	-0.3	0.12	42.8	#N/A	100	8050	98.25	42.3
2023-02-09 14:35:00	41.2	0.00335	0	0	#N/A	#N/A	#N/A	42.9	98.6	98.26	-0.5	-0.8	0.08	42.9	#N/A	100	8051	98.26	42.4
2023-02-09 14:40:00	31	0.00067	0	0	#N/A	#N/A	#N/A	42.8	98.4	98.24	-0.6	-0.2	0.04	42.8	#N/A	100	8051	98.23	42.5
2023-02-09 14:45:00	52.4	0	0	0	#N/A	#N/A	#N/A	43.1	98.3	98.22	-0.4	-0.5	0	43.1	#N/A	100	8051	98.22	42.6
2023-02-09 14:50:00	54.4	0.00067	0	0	#N/A	#N/A	#N/A	43.2	98.3	98.21	-0.3	-0.5	0.04	43.2	#N/A	100	8051	98.2	42.9
2023-02-09 14:55:00	46.4	0	0	0	#N/A	#N/A	#N/A	43.4	97.9	98.2	0	-0.7	0	43.4	#N/A	100	8050	98.19	43.1
2023-02-09 15:00:00	37.4	0	0	0	#N/A	#N/A	#N/A	43.7	97.8	98.2	-0.5	-0.7	0	43.8	#N/A	100	8051	98.2	43.5
2023-02-09 15:05:00	33.6	0	0	0	#N/A	#N/A	#N/A	44.1	97.6	98.21	-0.2	-0.7	0	44.1	#N/A	100	8052	98.2	43.8
2023-02-09 15:10:00	35.8	0	0	0	#N/A	#N/A	#N/A	44.2	97	98.2	-0.6	-0.6	0	44.2	#N/A	100	8051	98.19	44
2023-02-09 15:15:00	33.4	0	0	0	#N/A	#N/A	#N/A	44.4	96.7	98.22	-0.5	-0.5	0	44.4	#N/A	100	8052	98.22	44.3
2023-02-09 15:20:00	20.4	0	0	0	#N/A	#N/A	#N/A	44.6	96.1	98.23	-0.4	-0.5	0	44.6	#N/A	100	8050	98.21	44.4
2023-02-09 15:25:00	21.6	0	0	0	#N/A	#N/A	#N/A	44.6	96	98.22	-0.3	-0.5	0	44.6	#N/A	100	8051	98.21	44.5
2023-02-09 15:30:00	22	0	0	0	#N/A	#N/A	#N/A	44.7	95.7	98.21	-0.4	-0.5	0	44.7	#N/A	100	8051	98.2	44.6
2023-02-09 15:35:00	16.2	0	0	0	#N/A	#N/A	#N/A	44.8	95.3	98.2	-0.4	-0.5	0	44.8	#N/A	100	8050	98.19	44.7
2023-02-09 15:40:00	17	0	0	0	#N/A	#N/A	#N/A	44.9	94.9	98.2	-0.3	-0.4	0	44.9	#N/A	100	8050	98.19	44.8
2023-02-09 15:45:00	23.2	0.00134	0	0	#N/A	#N/A	#N/A	44.9	94.8	98.21	-0.4	-0.6	0.04	44.9	#N/A	100	8050	98.2	44.8
2023-02-09 15:50:00	36.4	0.00067	0	0	#N/A	#N/A	#N/A	44.9	94.9	98.19	-0.4	-0.4	0.04	44.9	#N/A	100	8053	98.17	44.8
2023-02-09 15:55:00	49.6	0.00201	0	0	#N/A	#N/A	#N/A	44.9	95.1	98.16	-0.6	-0.6	0.04	44.9	#N/A	100	8050	98.14	44.9

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-09 16:00:00	42.4	0	0	0	#N/A	#N/A	#N/A	45	94.9	98.14	-0.4	-0.6	0	45.1	#N/A	100	8049	98.13	45
2023-02-09 16:05:00	25.2	0.00067	0	0	#N/A	#N/A	#N/A	45.1	94.5	98.13	-0.5	-0.4	0.04	45.1	#N/A	100	8050	98.12	45
2023-02-09 16:10:00	15.2	0	0	0	#N/A	#N/A	#N/A	45.2	94.3	98.14	-0.3	-0.4	0	45.2	#N/A	100	8048	98.13	45.2
2023-02-09 16:15:00	15.6	0	0	0	#N/A	#N/A	#N/A	45.4	94.3	98.14	-0.3	-0.7	0	45.4	#N/A	100	8050	98.13	45.3
2023-02-09 16:20:00	19.8	0	0	0	#N/A	#N/A	#N/A	45.5	94.2	98.14	-0.3	-0.6	0	45.5	#N/A	100	8049	98.12	45.4
2023-02-09 16:25:00	13.8	0.00134	0	0	#N/A	#N/A	#N/A	45.7	94.1	98.12	-0.3	-0.6	0.04	45.7	#N/A	100	8048	98.1	45.6
2023-02-09 16:30:00	24.2	0.00268	0	0	#N/A	#N/A	#N/A	46	93.7	98.09	-0.4	-0.7	0.08	46	#N/A	100	8048	98.08	45.8
2023-02-09 16:35:00	13.4	0.00067	0	0	#N/A	#N/A	#N/A	46.3	93.1	98.07	-0.2	-0.8	0.04	46.3	#N/A	100	8048	98.06	46.1
2023-02-09 16:40:00	16.6	0	0	0	#N/A	#N/A	#N/A	46.8	92.4	98.05	-0.4	-0.8	0	46.8	#N/A	100	8049	98.04	46.6
2023-02-09 16:45:00	23.8	0	0	0	#N/A	#N/A	#N/A	47.3	91.1	98.04	-0.3	-0.4	0	47.3	#N/A	100	8049	98.04	47
2023-02-09 16:50:00	46.8	0	0	0	#N/A	#N/A	#N/A	48	89.5	98.03	-0.3	-0.9	0	48	#N/A	100	8049	98.03	47.6
2023-02-09 16:55:00	38.2	0	0	0	#N/A	#N/A	#N/A	48.7	88.4	98.04	-0.6	-0.2	0	48.7	#N/A	100	8048	98.04	48.2
2023-02-09 17:00:00	38	0	0	0	#N/A	#N/A	#N/A	49.1	87.4	98.03	-0.4	-0.7	0	49.1	#N/A	100	8049	98.03	48.6
2023-02-09 17:05:00	35.8	0	0	0	#N/A	#N/A	#N/A	49.5	86.6	98.01	0	-1	0	49.5	#N/A	100	8050	98.01	48.8
2023-02-09 17:10:00	31	0	0	0	#N/A	#N/A	#N/A	49.8	85.6	97.99	-0.9	0.4	0	49.8	#N/A	100	8049	97.99	49
2023-02-09 17:15:00	15	0	0	0	#N/A	#N/A	#N/A	50	84.7	97.97	-1	-1	0	50	#N/A	100	8049	97.97	49.2
2023-02-09 17:20:00	8	0	0	0	#N/A	#N/A	#N/A	50	83.8	97.98	-0.4	0.1	0	50	#N/A	100	8047	97.96	49.4
2023-02-09 17:25:00	3.8	0	0	0	#N/A	#N/A	#N/A	50.2	83	97.97	0.5	-1.9	0	50.2	#N/A	100	8049	97.97	49.4
2023-02-09 17:30:00	2.2	0	0	0	#N/A	#N/A	#N/A	50.2	82.4	97.98	0.3	-0.3	0	50.2	#N/A	100	8048	97.99	49.6
2023-02-09 17:35:00	1	0	0	0	#N/A	#N/A	#N/A	50.3	81.9	98	-0.3	-1	0	50.3	#N/A	100	8049	97.98	49.6
2023-02-09 17:40:00	0	0	0	0	160	18.81	28.12	50.3	81.3	98.01	-0.8	0.4	0	50.3	0.23	100	8048	98	49.6
2023-02-09 17:45:00	0	0	0	0	161	19.73	27.89	50.2	81.3	98.01	-0.5	-0.1	0	50.2	0.23	100	8049	98	49.6
2023-02-09 17:50:00	0	0	0	0	162	18.59	24.65	50.2	80.8	98.01	-0.4	-0.2	0	50.2	0.24	100	8048	98	49.6
2023-02-09 17:55:00	0	0	0	0	161	19.73	26.33	50.2	80.5	98.02	-0.6	-0.6	0	50.2	0.24	100	8046	98	49.6
2023-02-09 18:00:00	0	0	0	0	161	18.66	24.79	50.3	80.1	98.01	-0.3	-0.7	0	50.2	0.25	100	8047	98	49.7
2023-02-09 18:05:00	0	0	0	0	162	17.29	20.98	50.3	80.1	98.02	-0.5	0.1	0	50.3	0.25	100	8048	98	49.7
2023-02-09 18:10:00	0	0	0	0	163	17.45	24.09	50.4	79.8	98.02	-0.4	-0.2	0	50.4	0.25	100	8048	98	49.8
2023-02-09 18:15:00	0	0	0	0	162	18.63	26.06	50.5	79.4	98.03	-0.7	-0.4	0	50.5	0.26	100	8048	98	50
2023-02-09 18:20:00	0	0	0	0	159	17.9	23.96	50.6	78.9	98.01	-0.4	-0.4	0	50.6	0.27	100	8046	97.99	50.1
2023-02-09 18:25:00	0	0	0	0	162	16.87	23.85	50.7	78.7	98.02	-0.2	-0.9	0	50.8	0.27	100	8046	97.99	50.2
2023-02-09 18:30:00	0	0	0	0	162	17.02	22.44	50.9	78.6	98.01	0	-1	0	50.9	0.27	100	8047	97.99	50.3
2023-02-09 18:35:00	0	0	0	0	161	18.01	22.53	51.1	78.3	98.01	0	-0.8	0	51.1	0.28	100	8044	97.99	50.3
2023-02-09 18:40:00	0	0	0	0	160	17.07	22.46	51.2	77.8	98	-0.5	-0.8	0	51.2	0.28	100	8047	97.99	50.4
2023-02-09 18:45:00	0	0	0	0	159	15.46	20.18	51.3	77.5	98.02	0.1	-0.8	0	51.3	0.29	100	8046	98	50.5
2023-02-09 18:50:00	0	0	0	0	160	15.59	21.92	51.3	77.8	98.03	-0.4	-0.1	0	51.3	0.29	100	8044	98	50.6
2023-02-09 18:55:00	0	0	0	0	156	15.19	20.67	51.4	77.7	98.01	0.1	-0.6	0	51.4	0.29	100	8047	97.98	50.7
2023-02-09 19:00:00	0	0	0	0	155	13.89	17.11	51.5	77.5	97.99	-0.2	-0.4	0	51.5	0.29	100	8045	97.97	50.7
2023-02-09 19:05:00	0	0	0	0	156	15.99	20.24	51.4	77.3	97.99	0.1	-0.8	0	51.4	0.29	100	8045	97.97	50.6
2023-02-09 19:10:00	0	0	0	0	161	19.82	26.53	51.4	77.5	97.98	-0.3	-0.4	0	51.4	0.29	100	8042	97.96	50.8
2023-02-09 19:15:00	0	0	0	0	158	17.72	22.17	51.8	77.1	97.97	0.3	-1.1	0	51.7	0.3	100	8046	97.96	50.9
2023-02-09 19:20:00	0	0	0	0	160	15.75	21.7	51.7	77.4	97.98	-0.1	-0.5	0	51.7	0.3	100	8045	97.96	50.8
2023-02-09 19:25:00	0	0	0	0	157	18.07	23.64	51.6	77.9	97.98	-0.2	-0.3	0	51.5	0.29	100	8043	97.96	50.8
2023-02-09 19:30:00	0	0	0	0	158	20.8	27.07	51.4	78.1	97.97	-1.1	-0.7	0	51.3	0.28	100	8045	97.95	50.8
2023-02-09 19:35:00	0	0	0	0	158	22.41	28.27	51.3	77.9	97.96	-0.1	0	0	51.3	0.28	100	8042	97.95	50.9
2023-02-09 19:40:00	0	0	0	0	159	22.01	28.19	51.5	77.8	97.96	-0.4	-0.3	0	51.5	0.29	100	8042	97.94	50.9
2023-02-09 19:45:00	0	0	0	0	160	19.84	24.96	51.5	77.6	97.96	0.3	-0.3	0	51.5	0.29	100	8043	97.93	51
2023-02-09 19:50:00	0	0	0	0	160	21.45	28.59	51.7	77.4	97.91	0.3	-0.7	0	51.7	0.29	100	8043	97.9	51.1
2023-02-09 19:55:00	0	0	0	0	158	20.27	23.98	51.9	76.9	97.92	0.1	-1.1	0	51.9	0.3	100	8039	97.89	51.1
2023-02-09 20:00:00	0	0	0	0	156	20.56	27.02	51.9	76.6	97.89	-0.5	-0.9	0	51.9	0.31	100	8042	97.88	51.2
2023-02-09 20:05:00	0	0	0	0	156	22.06	27.89	52	76.7	97.9	-0.4	-0.5	0	52	0.31	100	8040	97.88	51.3
2023-02-09 20:10:00	0	0	0	0	158	24.16	33.24	51.9	76.9	97.86	0	0	0	51.9	0.3	100	8042	97.86	51.4
2023-02-09 20:15:00	0	0	0	0	160	23.49	28.05	52	77	97.85	-1.2	-1	0	52	0.3	100	8040	97.85	51.4
2023-02-09 20:20:00	0	0	0	0	157	23.85	29.42	52.2	77	97.83	-0.4	-0.2	0	52.2	0.31	100	8040	97.83	51.5
2023-02-09 20:25:00	0	0	0	0	158	24.72	30.11	52.5	76.9	97.82	-0.6	1.1	0	52.5	0.31	100	8040	97.81	51.8
2023-02-09 20:30:00	0	0	0	0	161	23.35	29.21	52.8	76.3	97.82	0.6	-0.9	0	52.8	0.32	100	8039	97.8	52
2023-02-09 20:35:00	0	0	0	0	157	21.34	27.04	53	76.1	97.81	-1	-0.7	0	53	0.33	100	8040	97.78	52.1
2023-02-09 20:40:00	0	0	0	0	158	22.57	30.85	53.1	75.9	97.79	-0.4	-0.9	0	53.1	0.33	100	8042	97.78	52.2
2023-02-09 20:45:00	0	0	0	0	158	21.65	28.41	53.1	75.7	97.81	0.1	-1.6	0	53.1	0.33	100	8040	97.79	52.3
2023-02-09 20:50:00	0	0	0	0	167	17.05	23.6	53.2	75.5	97.85	-0.2	0	0	53.2	0.34	100	8040	97.83	52.4
2023-02-09 20:55:00	0	0	0	0	171	11.9	19.53	53.1	75.6	97.86	0	-0.6	0	53.1	0.34	100	8040	97.83	52.3
2023-02-09 21:00:00	0	0	0	0	241	6.35	10.38	53	75.9	97.91	-0.2	-0.5	0	53.1	0.33	100	8040	97.88	52.3
2023-02-09 21:05:00	0	0	0	0	252	3.09	6.98	52.9	76.1	97.93	-0.2	-0.5	0	52.9	0.33	100	8040	97.91	52.2
2023-02-09 21:10:00	0	0	0	0	193	5.08	8.34	52.7	76.4	97.96	-0.2	-0.7	0	52.7	0.32	100	8039	97.94	52.1
2023-02-09 21:15:00	0	0	0	0	254	5.19	7.9	52.7	76.5	97.99	-0.2	-0.6	0	52.7	0.32	100	8038	97.96	52

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-09 21:20:00	0	0	0	0	267	8.37	14.34	52.6	77	98.01	-0.1	-0.6	0	52.6	0.31	100	8039	97.98	52
2023-02-09 21:25:00	0	0	0	0	232	11.56	18.72	52.9	77.7	98.01	-0.2	-0.3	0	52.9	0.31	100	8037	97.99	52.3
2023-02-09 21:30:00	0	0	0	0	225	10.09	14.27	53.2	77.9	98.05	0	-0.6	0	53.2	0.31	100	8037	98.02	52.6
2023-02-09 21:35:00	0	0	0	0	221	8.75	14.18	53.3	77.8	98.07	-0.2	-0.7	0	53.4	0.31	100	8038	98.04	52.7
2023-02-09 21:40:00	0	0	0	0	241	9.69	13.24	53.5	77.3	98.06	0	-0.6	0	53.6	0.32	100	8036	98.03	52.8
2023-02-09 21:45:00	0	0	0	0	232	16.28	29.06	53.6	77.6	98.06	-0.2	-0.2	0	53.6	0.31	100	8039	98.03	52.9
2023-02-09 21:50:00	0	0	0	0	233	15.39	23.31	53.9	78.5	98.06	-0.4	-0.5	0	53.9	0.3	100	8036	98.03	53.1
2023-02-09 21:55:00	0	0	0	0	231	15.7	24.07	53.8	79.2	98.08	-0.1	-0.4	0	53.8	0.29	100	8037	98.05	53
2023-02-09 22:00:00	0	0.0067	0	0	243	17.07	27.94	53.5	80.8	98.11	0.4	-0.6	0.161	53.5	0.27	100	8038	98.07	52.6
2023-02-09 22:05:00	0	0.0067	0	0	255	22.84	36.24	52.7	83.9	98.12	-1.1	0	0.12	52.7	0.22	100	8038	98.09	51.8
2023-02-09 22:10:00	0	0.0067	0	0	259	25.75	37.45	51.5	84.9	98.11	0	-1.9	0.12	51.5	0.2	100	8036	98.09	51
2023-02-09 22:15:00	0	0.00134	0	0	264	16.46	25.14	50.4	86.8	98.14	-0.4	-0.6	0.04	50.3	0.16	100	8036	98.12	50.3
2023-02-09 22:20:00	0	0.00067	0	0	260	16.71	26.96	49.6	87.4	98.13	-0.7	-0.6	0.04	49.6	0.15	100	8036	98.1	49.8
2023-02-09 22:25:00	0	0	0	0	264	19.28	29.53	49.2	86.7	98.09	-0.6	-0.5	0	49.2	0.16	100	8035	98.06	49.3
2023-02-09 22:30:00	0	0	0	0	262	15.3	22.32	48.7	86.2	98.12	-0.4	-0.5	0	48.7	0.16	100	8035	98.09	49
2023-02-09 22:35:00	0	0	0	0	264	22.1	32.88	48.3	85.1	98.11	1.2	-2.4	0	48.3	0.17	100	8033	98.07	48.7
2023-02-09 22:40:00	0	0.00536	0	0	260	18.52	28.95	47.9	84.8	98.14	-1.2	-0.2	0.161	47.9	0.17	100	8032	98.12	48.1
2023-02-09 22:45:00	0	0.02949	0	0	255	18.41	26.82	47.2	87.8	98.13	-0.4	0.1	0.562	47.1	0.13	100	8031	98.11	47.4
2023-02-09 22:50:00	0	0.00201	0	0	255	15.9	28.86	46.5	88.7	98.14	-0.5	-0.6	0.04	46.5	0.12	100	8032	98.13	46.9
2023-02-09 22:55:00	0	0	0	0	256	14.61	25.28	46.1	88.8	98.14	-0.4	-0.9	0	46.1	0.12	100	8029	98.12	46.6
2023-02-09 23:00:00	0	0	0	0	251	16.51	27.34	45.9	88.2	98.15	-0.5	-1.1	0	45.9	0.12	100	8032	98.13	46.3
2023-02-09 23:05:00	0	0	0	0	250	15.19	28.39	45.8	87.1	98.16	-0.3	-0.6	0	45.8	0.14	100	8029	98.14	46.1
2023-02-09 23:10:00	0	0	0	0	255	13.2	19.35	45.7	86.9	98.14	0	-0.8	0	45.8	0.14	100	8029	98.12	46
2023-02-09 23:15:00	0	0	0	0	247	15.55	24.92	45.8	85.4	98.14	-0.6	-0.8	0	45.8	0.15	100	8029	98.12	46
2023-02-09 23:20:00	0	0	0	0	252	14.07	23.87	45.9	84.9	98.14	-0.4	-0.1	0	45.9	0.16	100	8027	98.12	46.1
2023-02-09 23:25:00	0	0	0	0	260	16.51	24.23	45.8	83.9	98.13	-0.2	-0.1	0	45.8	0.17	100	8026	98.11	46.1
2023-02-09 23:30:00	0	0	0	0	262	12.41	25.81	45.9	83.2	98.13	-0.5	-0.6	0	45.9	0.18	100	8029	98.11	46.1
2023-02-09 23:35:00	0	0	0	0	258	14.12	20.13	45.9	82.7	98.14	-0.4	-0.9	0	45.9	0.18	100	8026	98.12	46
2023-02-09 23:40:00	0	0	0	0	255	15.86	26.31	46	81.9	98.14	-0.4	-0.7	0	46	0.19	100	8027	98.12	46.1
2023-02-09 23:45:00	0	0	0	0	260	14.94	21.41	46	81.5	98.15	0	-0.6	0	46	0.2	100	8029	98.13	46
2023-02-09 23:50:00	0	0	0	0	252	16.46	24.47	46.1	80.9	98.14	0.1	-0.9	0	46.1	0.2	100	8028	98.11	46
2023-02-09 23:55:00	0	0	0	0	252	15.41	24.49	46.1	80.9	98.13	-0.3	-0.7	0	46.1	0.2	100	8028	98.11	46
2023-02-10 00:00:00	0	0	0	0	257	17.31	25.08	46.1	80.6	98.14	-0.8	-0.6	0	46.1	0.21	100	8029	98.12	46
2023-02-10 00:05:00	0	0	0	0	259	18.57	29.66	46.2	80.4	98.15	-0.2	0.2	0	46.2	0.21	100	8003	98.14	46.1
2023-02-10 00:10:00	0	0	0	0	262	17.05	24.09	46.1	80.4	98.16	-0.5	-0.3	0	46.1	0.21	100	8000	98.15	46.4
2023-02-10 00:15:00	0	0	0	0	261	22.28	35.84	46	80.7	98.16	-0.7	-1.3	0	46	0.2	100	7995	98.13	46.4
2023-02-10 00:20:00	0	0	0	0	259	21.85	35.34	45.9	80.3	98.17	-1.2	-1.8	0	45.9	0.21	100	8009	98.15	46.1
2023-02-10 00:25:00	0	0	0	0	258	22.93	32.26	45.5	80.7	98.18	0	-0.3	0	45.5	0.2	100	8010	98.16	45.6
2023-02-10 00:30:00	0	0	0	0	263	21.34	37.09	45.2	80	98.18	0	-1.7	0	45.2	0.21	100	8011	98.16	45.3
2023-02-10 00:35:00	0	0	0	0	255	19.86	31.79	44.8	79.8	98.18	-0.6	-0.8	0	44.8	0.2	100	8008	98.15	45
2023-02-10 00:40:00	0	0	0	0	260	16.93	23.69	44.6	80	98.19	-0.1	-0.3	0	44.6	0.2	100	8010	98.16	44.8
2023-02-10 00:45:00	0	0	0	0	254	20.4	32.53	44.4	79.7	98.17	0.2	-0.4	0	44.4	0.2	100	8010	98.16	44.5
2023-02-10 00:50:00	0	0	0	0	262	22.19	34.2	44.1	79.9	98.17	-1.1	-1.4	0	44.1	0.2	100	8010	98.15	44.1
2023-02-10 00:55:00	0	0	0	0	261	22.97	36.48	43.8	80.1	98.17	0.4	-0.5	0	43.8	0.19	100	8010	98.15	43.6
2023-02-10 01:00:00	0	0	0	0	264	22.95	34.31	43.4	80.8	98.17	0.2	-0.5	0	43.3	0.18	100	8011	98.14	43.1
2023-02-10 01:05:00	0	0	0	0	258	20.13	34.31	43.1	81.1	98.17	-0.7	-1.2	0	43.1	0.18	100	8008	98.15	42.7
2023-02-10 01:10:00	0	0	0	0	257	21.27	31.63	42.8	81.3	98.16	-1.5	-1.2	0	42.7	0.17	100	8008	98.15	42.6
2023-02-10 01:15:00	0	0	0	0	254	18.9	31.23	42.5	81.7	98.16	-0.4	-0.5	0	42.5	0.17	100	8008	98.13	42.7
2023-02-10 01:20:00	0	0	0	0	255	19.44	31.23	42.4	81.6	98.16	-1.3	0.5	0	42.5	0.17	100	8007	98.13	42.6
2023-02-10 01:25:00	0	0	0	0	259	22.26	35.75	42.4	81.7	98.16	-0.5	0.3	0	42.4	0.17	100	8007	98.14	42.5
2023-02-10 01:30:00	0	0	0	0	259	17.58	26.89	42.4	81.7	98.16	0.1	-0.5	0	42.4	0.17	100	8008	98.15	42.5
2023-02-10 01:35:00	0	0	0	0	253	20.87	35.39	42.4	81.4	98.15	-0.5	-0.9	0	42.3	0.17	100	8007	98.14	42.4
2023-02-10 01:40:00	0	0	0	0	261	20.8	34.56	42.3	81.3	98.16	-1.4	-0.2	0	42.3	0.17	100	8007	98.14	42.3
2023-02-10 01:45:00	0	0	0	0	255	23.4	35.88	42.3	80.5	98.16	-1.1	-1.3	0	42.3	0.18	100	8008	98.15	42.2
2023-02-10 01:50:00	0	0	0	0	253	22.37	34	42.3	80.3	98.18	-0.4	-0.2	0	42.3	0.18	100	8007	98.15	42.2
2023-02-10 01:55:00	0	0	0	0	258	27.22	40.04	42.2	79.8	98.18	0	-1.6	0	42.2	0.18	100	8007	98.16	42.1
2023-02-10 02:00:00	0	0	0	0	253	20.67	33.33	42.3	79.9	98.18	-2.6	0.5	0	42.3	0.18	100	8010	98.18	42.1
2023-02-10 02:05:00	0	0	0	0	255	21.94	33.87	42.2	80.1	98.18	-1.1	-0.1	0	42.2	0.18	100	8002	98.16	42
2023-02-10 02:10:00	0	0	0	0	259	22.48	32.3	42.1	80.2	98.19	0.2	-0.7	0	42.1	0.18	100	8007	98.17	41.9
2023-02-10 02:15:00	0	0	0	0	256	21.07	30.22	42.1	79.8	98.18	-0.8	-0.2	0	42.1	0.18	100	8007	98.15	41.8
2023-02-10 02:20:00	0	0	0	0	259	21.94	40.33	42	80	98.17	0.7	-1.5	0	42	0.18	100	8004	98.16	41.7
2023-02-10 02:25:00	0	0	0	0	254	21.54	29.66	42	79.7	98.19	-0.1	-0.6	0	42	0.18	100	8005	98.18	41.6
2023-02-10 02:30:00	0	0	0	0	261	21.39	32.53	42	79.4	98.2	-0.8	-0.8	0	42	0.19	100	8005	98.16	41.7
2023-02-10 02:35:00	0	0	0	0	256	22.91	37.45	42	79.3	98.21	0.4	0	0	42	0.19	100	8005	98.19	41.6

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-10 02:40:00	0	0	0	0	261	19.17	31.88	42	79.5	98.23	-0.5	0.5	0	41.9	0.19	100	8005	98.21	41.6
2023-02-10 02:45:00	0	0	0	0	259	21.12	30.13	41.9	79.7	98.22	-1.5	0.1	0	41.9	0.18	100	8007	98.19	41.3
2023-02-10 02:50:00	0	0	0	0	261	18.77	34.96	41.8	80.1	98.2	-0.9	0.4	0	41.8	0.18	100	8004	98.18	41.2
2023-02-10 02:55:00	0	0	0	0	257	21.43	29.04	41.7	80.4	98.2	-1.2	-0.8	0	41.7	0.18	100	8004	98.17	41
2023-02-10 03:00:00	0	0	0	0	262	22.39	34.72	41.6	80.5	98.21	-1	-1.1	0	41.6	0.17	100	8004	98.18	40.8
2023-02-10 03:05:00	0	0	0	0	257	17.25	30.76	41.5	81.1	98.22	-0.3	-0.4	0	41.5	0.17	100	8003	98.19	40.7
2023-02-10 03:10:00	0	0	0	0	259	19.86	24.63	41.3	81.5	98.23	-1.4	-1	0	41.3	0.16	100	8004	98.2	40.8
2023-02-10 03:15:00	0	0	0	0	263	19.69	31.52	41.2	81.2	98.22	-0.3	-0.6	0	41.2	0.17	100	8005	98.2	40.8
2023-02-10 03:20:00	0	0	0	0	260	18.39	25.1	41.2	81.2	98.23	-0.2	-0.1	0	41.2	0.17	100	8002	98.2	40.8
2023-02-10 03:25:00	0	0	0	0	259	24.74	37.22	41.1	80.7	98.22	-0.7	-0.6	0	41.1	0.17	100	8004	98.19	40.7
2023-02-10 03:30:00	0	0	0	0	265	24.16	39.46	41.2	80.2	98.22	-0.8	-0.5	0	41.2	0.17	100	8001	98.19	40.6
2023-02-10 03:35:00	0	0	0	0	255	22.53	37.07	41.1	79.8	98.21	-0.2	-0.3	0	41.1	0.18	100	8000	98.2	40.5
2023-02-10 03:40:00	0	0	0	0	261	17.83	28.21	41.1	80	98.22	-0.6	-0.2	0	41	0.17	100	8002	98.2	40.6
2023-02-10 03:45:00	0	0	0	0	264	21.72	37.38	41	79.5	98.22	-0.5	-0.3	0	41	0.18	100	8002	98.2	40.6
2023-02-10 03:50:00	0	0	0	0	260	23.06	37.29	41.1	79.5	98.22	-1.4	0.2	0	41.1	0.18	100	8001	98.2	40.6
2023-02-10 03:55:00	0	0	0	0	262	20.85	29.53	41.1	79.8	98.23	-0.7	-2.3	0	41.1	0.18	100	8001	98.2	40.6
2023-02-10 04:00:00	0	0	0	0	254	21.12	37.02	41.1	79.8	98.22	-0.8	0.7	0	41.1	0.18	100	8001	98.21	40.6
2023-02-10 04:05:00	0	0	0	0	255	25.59	39.73	41.1	78.9	98.21	-0.8	-0.5	0	41.1	0.18	100	8003	98.2	40.7
2023-02-10 04:10:00	0	0	0	0	262	25.86	38.52	41.2	78.6	98.2	1.6	-0.1	0	41.2	0.19	100	7998	98.19	40.7
2023-02-10 04:15:00	0	0	0	0	255	26.82	39.26	41	77.9	98.22	0.8	0	0	41	0.19	100	8001	98.19	40.6
2023-02-10 04:20:00	0	0	0	0	252	22.97	30.6	40.9	78.2	98.22	-1	-1	0	40.9	0.19	100	7999	98.21	40.5
2023-02-10 04:25:00	0	0	0	0	261	21.52	30.76	40.9	78.1	98.23	-0.2	-0.6	0	40.9	0.19	100	8001	98.2	40.3
2023-02-10 04:30:00	0	0	0	0	262	23.15	39.95	40.6	77.9	98.24	0.5	-0.4	0	40.6	0.19	100	7998	98.21	40.1
2023-02-10 04:35:00	0	0	0	0	255	23.8	44.56	40.5	77.8	98.24	-0.3	1	0	40.5	0.19	100	7999	98.23	40.1
2023-02-10 04:40:00	0	0	0	0	252	21.94	33.42	40.6	77.9	98.26	-0.1	-1.5	0	40.7	0.19	100	7999	98.25	40.1
2023-02-10 04:45:00	0	0	0	0	257	18.52	32.39	40.5	78	98.28	-0.5	-0.7	0	40.5	0.19	100	7998	98.26	40.1
2023-02-10 04:50:00	0	0	0	0	252	18.77	25.97	40.5	77.6	98.28	-0.5	-2	0	40.5	0.19	100	7997	98.27	40.1
2023-02-10 04:55:00	0	0	0	0	252	22.44	36.06	40.7	77.1	98.28	0.2	-0.1	0	40.7	0.2	100	7998	98.26	40.1
2023-02-10 05:00:00	0	0	0	0	253	22.32	38.95	40.6	77.1	98.29	-0.4	0	0	40.6	0.2	100	8001	98.28	40.1
2023-02-10 05:05:00	0	0	0	0	251	27.02	44.47	40.8	76.3	98.3	-0.1	-0.9	0	40.7	0.2	100	7998	98.29	40.2
2023-02-10 05:10:00	0	0	0	0	259	23.98	37.85	40.7	76.5	98.32	-0.1	-1.5	0	40.7	0.2	100	8000	98.29	40.2
2023-02-10 05:15:00	0	0	0	0	251	24.38	40.71	40.8	76.2	98.31	-1.5	-0.2	0	40.8	0.21	100	7997	98.29	40.2
2023-02-10 05:20:00	0	0	0	0	248	26.71	41.23	40.7	75.8	98.32	0.6	-0.2	0	40.7	0.21	100	7998	98.3	40.1
2023-02-10 05:25:00	0	0	0	0	254	25.01	37.69	40.6	75.7	98.32	-0.7	1.1	0	40.6	0.21	100	7998	98.3	40
2023-02-10 05:30:00	0	0	0	0	255	23.47	37.85	40.6	75.7	98.34	-0.6	-1.5	0	40.6	0.21	100	7998	98.32	40
2023-02-10 05:35:00	0	0	0	0	250	21.77	37.27	40.5	76.1	98.36	-0.2	0.1	0	40.5	0.2	100	7995	98.33	40
2023-02-10 05:40:00	0	0	0	0	245	25.12	46.33	40.5	76.1	98.35	0	-1.7	0	40.5	0.2	100	7995	98.34	39.9
2023-02-10 05:45:00	0	0	0	0	252	24.92	36.93	40.5	76.3	98.36	-0.9	-0.7	0	40.5	0.2	100	7998	98.33	39.8
2023-02-10 05:50:00	0	0	0	0	247	25.97	37.83	40.3	76.6	98.37	-1.6	1.1	0	40.3	0.2	100	7997	98.34	39.8
2023-02-10 05:55:00	0	0	0	0	250	19.75	33.73	40.3	76.6	98.38	-0.5	-1.2	0	40.3	0.2	100	7996	98.36	39.8
2023-02-10 06:00:00	0	0	0	0	241	24.29	38.63	40.1	77.1	98.38	-2.2	-0.9	0	40.2	0.19	100	7994	98.35	39.7
2023-02-10 06:05:00	0	0	0	0	248	19.77	32.57	40.1	77.1	98.4	0	-0.4	0	40.2	0.19	100	7996	98.38	39.6
2023-02-10 06:10:00	0	0	0	0	246	22.44	31.72	40.2	77.2	98.4	0.6	-0.2	0	40.2	0.19	100	7994	98.38	39.6
2023-02-10 06:15:00	0	0	0	0	237	23.8	36.64	40.1	77.6	98.42	0.6	-1.2	0	40.2	0.19	100	7995	98.39	39.6
2023-02-10 06:20:00	0	0	0	0	240	20.6	31.54	40.2	78.2	98.44	-0.3	0.9	0	40.2	0.18	100	7995	98.42	39.6
2023-02-10 06:25:00	0	0	0	0	248	19.06	29.95	40.1	78.4	98.45	-0.6	-0.1	0	40.1	0.18	100	7995	98.44	39.5
2023-02-10 06:30:00	0	0	0	0	258	17.2	28.07	40	79.2	98.46	-1.1	-0.4	0	40	0.17	100	7994	98.44	39.4
2023-02-10 06:35:00	0	0	0	0	250	20.94	29.53	39.9	79.6	98.48	-1	-0.1	0	39.9	0.17	100	7992	98.46	39.4
2023-02-10 06:40:00	0	0	0	0	252	19.71	35.43	39.9	80.1	98.5	-1.3	-1	0	39.9	0.17	100	7993	98.48	39.3
2023-02-10 06:45:00	0	0	0	0	250	17.36	25.68	39.7	80.7	98.5	-1.2	-0.9	0	39.7	0.16	100	7995	98.48	39.3
2023-02-10 06:50:00	0	0	0	0	255	20.07	29.3	39.6	81.2	98.51	-1.6	0.2	0	39.6	0.15	100	7993	98.5	39.2
2023-02-10 06:55:00	0	0	0	0	252	21.5	36.42	39.5	81.1	98.53	0.2	-0.5	0	39.5	0.16	100	7993	98.51	39.2
2023-02-10 07:00:00	0	0	0	0	250	23.04	35.16	39.6	81.2	98.54	-0.9	-0.7	0	39.5	0.15	100	7995	98.52	39.1
2023-02-10 07:05:00	0	0	0	0	251	17.83	25.48	39.4	81.7	98.56	-0.4	-0.5	0	39.4	0.15	100	7992	98.53	39.1
2023-02-10 07:10:00	0	0	0	0	262	21.65	29.68	39.4	81.7	98.57	-0.3	0.1	0	39.4	0.15	100	7993	98.54	39
2023-02-10 07:15:00	0	0	0	0	268	18.16	28.27	39.3	82.1	98.59	-0.4	-1	0	39.3	0.15	100	7991	98.57	39
2023-02-10 07:20:00	0.8	0	0	0	273	19.01	27.98	39.2	82.3	98.6	-0.5	-0.6	0	39.2	0.14	100	7992	98.58	38.9
2023-02-10 07:25:00	2	0	0	0	272	26.24	32.39	39.2	81.5	98.61	-0.1	-0.1	0	39.2	0.15	100	7990	98.58	38.8
2023-02-10 07:30:00	2.8	0	0	0	264	27.94	47.98	39	80.8	98.6	-2.8	-1.9	0	39	0.16	100	7991	98.57	38.7
2023-02-10 07:35:00	3.2	0	0	0	264	23.53	38.5	38.9	80.8	98.62	1	-0.6	0	38.9	0.15	100	7991	98.6	38.6
2023-02-10 07:40:00	7.6	0	0	0	261	19.22	26.82	38.8	81.3	98.63	-0.3	-0.2	0	38.8	0.15	100	7993	98.62	38.4
2023-02-10 07:45:00	13.6	0	0	0	257	21.05	33.38	38.6	81.1	98.63	-0.4	-0.6	0	38.6	0.15	100	7991	98.62	38.4
2023-02-10 07:50:00	21.4	0	0	0	257	22.1	36.42	38.5	81.1	98.65	-1.5	-0.1	0	38.6	0.15	100	7989	98.63	38.3
2023-02-10 07:55:00	21.6	0	0	0	260	17.02	27.27	38.5	81.3	98.66	-0.6	-0.6	0	38.5	0.15	100	7988	98.65	38.2

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-10 08:00:00	23.8	0	0	0	250	18.72	29.53	38.6	81.2	98.67	-1	-0.1	0	38.6	0.15	100	7991	98.66	38.2
2023-02-10 08:05:00	24	0	0	0	256	17.16	24.96	38.4	80.8	98.69	-0.1	-0.4	0	38.5	0.15	100	7989	98.67	38.2
2023-02-10 08:10:00	21.8	0	0	0	258	18.07	27.36	38.4	80.6	98.71	-0.1	0.1	0	38.5	0.15	100	7988	98.7	38.1
2023-02-10 08:15:00	22.6	0	0	0	255	18.77	31.5	38.4	80.2	98.71	-0.4	-0.8	0	38.4	0.16	100	7990	98.69	38.1
2023-02-10 08:20:00	27	0	0	0	260	16.2	27.18	38.4	79.8	98.73	-1.2	-0.9	0	38.4	0.16	100	7988	98.71	38
2023-02-10 08:25:00	24.8	0	0	0	262	19.17	30.36	38.3	80.3	98.73	-0.1	-1	0	38.3	0.15	100	7988	98.72	38
2023-02-10 08:30:00	24.8	0	0	0	260	18.72	32.37	38.3	79.9	98.75	-0.4	-0.5	0	38.3	0.16	100	7988	98.73	37.9
2023-02-10 08:35:00	23.6	0	0	0	257	22.68	41.11	38.2	79.5	98.74	-0.8	-1.1	0	38.2	0.16	100	7988	98.73	37.9
2023-02-10 08:40:00	29.2	0	0	0	251	24.09	35.88	38.2	79.8	98.75	-0.5	-1	0	38.2	0.16	100	7989	98.72	37.8
2023-02-10 08:45:00	28	0	0	0	252	23.13	43.51	38.2	79.3	98.75	0.3	-1.3	0	38.2	0.16	100	7988	98.74	37.8
2023-02-10 08:50:00	25	0	0	0	260	19.73	26.15	38.1	79.5	98.77	-1.6	-0.2	0	38.1	0.16	100	7987	98.76	37.8
2023-02-10 08:55:00	24.8	0	0	0	256	21.54	34.09	38.1	79.9	98.77	-1.3	0.2	0	38.1	0.16	100	7988	98.76	37.7
2023-02-10 09:00:00	24.8	0	0	0	250	21.88	30.22	38.1	79.7	98.78	-0.9	0	0	38.1	0.16	100	7986	98.77	37.7
2023-02-10 09:05:00	32	0	0	0	253	24.43	39.21	38	79.9	98.79	-1.4	-0.6	0	38	0.16	100	7987	98.77	37.7
2023-02-10 09:10:00	40.2	0	0	0	251	23.98	37.96	38	79.8	98.8	-0.3	0.3	0	38.1	0.16	100	7986	98.78	37.7
2023-02-10 09:15:00	43	0	0	0	261	19.3	30.89	38	79.7	98.82	-0.4	-0.3	0	38	0.16	100	7985	98.8	37.7
2023-02-10 09:20:00	52.6	0	0	0	259	22.88	47.51	38.1	79.7	98.82	-1.6	0.9	0	38.2	0.16	100	7986	98.8	37.7
2023-02-10 09:25:00	48.2	0	0	0	264	20.89	35.1	38.2	79.3	98.82	-1.5	-0.3	0	38.2	0.16	100	7985	98.81	37.7
2023-02-10 09:30:00	50.4	0	0	0	252	22.3	36.82	38.2	79.4	98.84	-0.2	-1.4	0	38.3	0.16	100	7986	98.82	37.8
2023-02-10 09:35:00	48.8	0	0	0	257	19.8	31.43	38.2	79.3	98.85	-0.7	-0.9	0	38.3	0.16	100	7986	98.83	37.8
2023-02-10 09:40:00	42.4	0	0	0	252	18.25	27.76	38.2	79.3	98.86	-0.5	-0.1	0	38.3	0.16	100	7986	98.85	37.8
2023-02-10 09:45:00	40.6	0	0	0	258	16.6	25.72	38.3	79	98.87	-1.3	-0.1	0	38.3	0.16	100	7986	98.86	37.8
2023-02-10 09:50:00	46.6	0	0	0	255	20.49	27.22	38.3	79	98.87	-0.7	-0.4	0	38.3	0.16	100	7985	98.86	37.9
2023-02-10 09:55:00	44	0	0	0	266	23.42	37.42	38.4	78.8	98.89	0	-0.9	0	38.4	0.17	100	7987	98.86	37.8
2023-02-10 10:00:00	38.6	0	0	0	269	20.47	28.63	38.3	78.3	98.89	-0.1	-0.7	0	38.4	0.17	100	7985	98.87	37.8
2023-02-10 10:05:00	38.6	0	0	0	266	20.92	33.04	38.3	78.8	98.92	-0.6	-1.9	0	38.4	0.17	100	7985	98.89	37.8
2023-02-10 10:10:00	37.6	0	0	0	253	22.62	40.2	38.3	79	98.92	-0.8	0	0	38.4	0.16	100	7985	98.89	37.8
2023-02-10 10:15:00	38.8	0	0	0	250	20.69	37.83	38.3	79.2	98.91	0.3	-1.6	0	38.3	0.16	100	7985	98.91	37.8
2023-02-10 10:20:00	45.4	0	0	0	259	19.42	34.63	38.2	79.4	98.93	-0.6	-0.2	0	38.2	0.16	100	7984	98.91	37.8
2023-02-10 10:25:00	36.8	0	0	0	254	21.97	34.16	38.1	79.8	98.93	-0.6	-1.4	0	38.2	0.16	100	7987	98.91	37.8
2023-02-10 10:30:00	38.4	0	0	0	267	22.5	34.31	38	79.8	98.94	-0.8	-0.8	0	38.1	0.16	100	7985	98.92	37.7
2023-02-10 10:35:00	34.2	0	0	0	258	21.43	34.18	38.1	80.4	98.94	-0.3	-0.4	0	38.1	0.15	100	7982	98.91	37.7
2023-02-10 10:40:00	33.8	0	0	0	259	26.24	41.79	38	80.3	98.93	0	0.3	0	38.2	0.15	100	7985	98.93	37.7
2023-02-10 10:45:00	33	0	0	0	259	18.14	29.82	38	80.7	98.95	-1	-0.7	0	38.1	0.15	100	7985	98.94	37.7
2023-02-10 10:50:00	35.4	0	0	0	250	18.86	28.77	38	80.7	98.96	-1.2	-0.2	0	38.1	0.15	100	7982	98.95	37.7
2023-02-10 10:55:00	34.8	0	0	0	257	21.16	30.04	38	80.4	98.97	-1	-0.2	0	38.1	0.15	100	7982	98.95	37.7
2023-02-10 11:00:00	36.8	0	0	0	265	19.28	25.46	38	80.5	98.98	-0.8	-0.4	0	38.1	0.15	100	7986	98.96	37.7
2023-02-10 11:05:00	37.4	0	0	0	262	20.04	29.48	38	80.4	98.99	-0.5	-1.3	0	38.1	0.15	100	7983	98.98	37.7
2023-02-10 11:10:00	38.2	0	0	0	266	22.1	32.35	38.1	80.4	98.99	0.3	-2.2	0	38.1	0.15	100	7983	98.97	37.7
2023-02-10 11:15:00	36.8	0	0	0	267	18.34	24.2	38	79.8	99.01	0.3	-0.6	0	38.1	0.16	100	7982	98.99	37.7
2023-02-10 11:20:00	44.2	0	0	0	264	18.68	26.69	38	80.1	99.02	-0.6	-0.6	0	38.1	0.15	100	7985	98.99	37.7
2023-02-10 11:25:00	49.6	0	0	0	259	21.74	31.76	38	80.1	99.02	-0.1	-1.3	0	38.1	0.15	100	7983	99	37.7
2023-02-10 11:30:00	46	0	0	0	260	19.08	30.36	38	80.4	99.02	-1.4	-0.6	0	38.2	0.15	100	7983	99.01	37.6
2023-02-10 11:35:00	40.2	0	0	0	269	22.66	36.08	37.9	80.1	99.03	-0.7	-0.3	0	38	0.15	100	7982	99.01	37.6
2023-02-10 11:40:00	39.4	0	0	0	255	23.04	37.47	37.9	80.1	99.03	-0.5	-0.9	0	38	0.15	100	7980	99.02	37.6
2023-02-10 11:45:00	41.6	0	0	0	265	23.38	37.29	37.9	80.2	99.04	-0.9	-1.5	0	37.9	0.15	100	7983	99.02	37.5
2023-02-10 11:50:00	44.2	0	0	0	270	19.17	28.23	37.8	80.2	99.03	-0.2	-0.1	0	37.9	0.15	100	7982	99.02	37.5
2023-02-10 11:55:00	40	0	0	0	268	18.86	27.47	37.9	80.3	99.04	-0.2	-0.1	0	37.9	0.15	100	7982	99.02	37.5
2023-02-10 12:00:00	37.8	0	0	0	261	19.89	30.8	37.8	80.6	99.04	0.1	-0.5	0	37.9	0.15	100	7982	99.03	37.5
2023-02-10 12:05:00	34.8	0	0	0	260	18.66	30.87	37.8	80.2	99.05	-1.4	-0.7	0	37.9	0.15	100	7981	99.03	37.5
2023-02-10 12:10:00	40.2	0	0	0	263	17.07	25.14	37.9	80.5	99.05	-0.7	-0.2	0	38	0.15	100	7982	99.02	37.5
2023-02-10 12:15:00	49.2	0	0	0	263	20	29.73	37.9	80.2	99.05	-0.6	-0.6	0	38	0.15	100	7984	99.03	37.5
2023-02-10 12:20:00	51.8	0	0	0	267	17.31	26.82	37.9	80.2	99.05	-0.2	-0.8	0	37.9	0.15	100	7983	99.04	37.6
2023-02-10 12:25:00	44.6	0	0	0	267	15.9	21.03	37.9	80.4	99.06	-0.4	-0.4	0	38.1	0.15	100	7982	99.04	37.6
2023-02-10 12:30:00	35.8	0	0	0	270	19.8	32.79	38	80	99.06	-0.8	-0.7	0	38.1	0.16	100	7982	99.03	37.6
2023-02-10 12:35:00	38.4	0	0	0	265	18.7	27.16	37.9	80.1	99.07	-1.2	-0.8	0	38	0.15	100	7981	99.05	37.5
2023-02-10 12:40:00	35.8	0	0	0	266	18.63	28.92	37.9	80.1	99.06	-0.8	-0.5	0	38	0.15	100	7982	99.05	37.5
2023-02-10 12:45:00	38.4	0	0	0	273	18.72	29.04	37.9	80.2	99.06	-0.7	-0.6	0	37.9	0.15	100	7979	99.04	37.4
2023-02-10 12:50:00	46.2	0	0	0	270	19.15	31.79	37.7	80.5	99.05	-1.1	-0.1	0	37.8	0.15	100	7983	99.04	37.4
2023-02-10 12:55:00	51.4	0	0	0	265	16.04	24.58	37.8	80.7	99.05	-0.3	-0.6	0	37.8	0.15	100	7979	99.04	37.4
2023-02-10 13:00:00	62.2	0	0	0	268	17.43	28.66	37.8	80.4	99.05	-1.1	-0.5	0	37.9	0.15	100	7982	99.03	37.5
2023-02-10 13:05:00	66.4	0	0	0	271	14.88	19.57	37.9	80.4	99.05	-0.9	-0.3	0	38	0.15	100	7982	99.04	37.6
2023-02-10 13:10:00	64.2	0	0	0	268	16.17	22.59	38.1	80.4	99.05	-0.3	-0.5	0	38.2	0.15	100	7981	99.03	37.7
2023-02-10 13:15:00	71.6	0	0	0	264	16.93	26.08	38.3	80.4	99.05	-0.7	-1.1	0	38.4	0.15	100	7983	99.03	37.8

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-10 13:20:00	89.8	0	0	0	264	22.24	31.92	38.3	80.3	99.03	-0.6	-1.4	0	38.5	0.15	100	7984	99.02	37.9
2023-02-10 13:25:00	82.2	0	0	0	268	19.28	31.74	38.5	79.6	99.03	-0.7	-1.3	0	38.6	0.16	100	7985	99.01	38
2023-02-10 13:30:00	82	0	0	0	268	18.63	25.32	38.6	79.6	99.03	-0.8	-0.4	0	38.7	0.16	100	7984	99.01	38.1
2023-02-10 13:35:00	57.6	0	0	0	267	19.75	26.8	38.6	79.2	99.03	0.3	-0.1	0	38.7	0.17	100	7982	99.01	38.1
2023-02-10 13:40:00	61.2	0	0	0	263	16.89	28.7	38.6	80.1	99.04	-1	-0.2	0	38.7	0.16	100	7982	99.02	38.1
2023-02-10 13:45:00	65.6	0	0	0	263	21.5	29.8	38.4	80.1	99.04	-0.2	0.2	0	38.6	0.16	100	7982	99.01	38.1
2023-02-10 13:50:00	72	0	0	0	268	22.46	33.78	38.4	80	99.02	-1.3	-1.6	0	38.6	0.16	100	7983	99.01	38
2023-02-10 13:55:00	73	0	0	0	268	24.67	36.84	38.4	80	99.02	-1	0.4	0	38.5	0.16	100	7984	99	38
2023-02-10 14:00:00	79.6	0	0	0	267	19.84	35.52	38.3	80.1	99.03	-0.7	-1.3	0	38.5	0.16	100	7985	99.01	38
2023-02-10 14:05:00	71	0	0	0	257	19.95	31.45	38.3	80.1	99.04	-0.7	0.5	0	38.4	0.16	100	7982	99.02	38
2023-02-10 14:10:00	59.8	0	0	0	259	20.29	33.08	38.3	79.9	99.05	-1.3	-1.5	0	38.4	0.16	100	7981	99.03	38.1
2023-02-10 14:15:00	61.4	0	0	0	267	14.38	22.57	38.3	80.4	99.05	-0.5	-0.7	0	38.4	0.15	100	7981	99.04	38
2023-02-10 14:20:00	61.6	0	0	0	263	18.43	27.78	38.2	80.2	99.06	-0.8	-1	0	38.4	0.15	100	7982	99.04	38
2023-02-10 14:25:00	62.8	0	0	0	270	18.05	27.07	38.2	79.7	99.06	-0.8	0.1	0	38.4	0.16	100	7983	99.04	38
2023-02-10 14:30:00	59.8	0	0	0	259	16.53	29.19	38.3	79.6	99.07	-0.8	-0.2	0	38.3	0.16	100	7979	99.06	38
2023-02-10 14:35:00	46.6	0	0	0	267	16.49	24.27	38.2	79.3	99.07	-0.6	-0.1	0	38.3	0.16	100	7984	99.06	38
2023-02-10 14:40:00	45	0	0	0	266	20.85	29.95	38.2	79.3	99.08	-0.9	-1.2	0	38.3	0.16	100	7983	99.05	37.9
2023-02-10 14:45:00	49.2	0	0	0	256	20.18	30.33	38.1	79.7	99.08	-0.4	0.2	0	38.2	0.16	100	7983	99.07	37.8
2023-02-10 14:50:00	36	0	0	0	266	18.86	26.02	37.9	79.8	99.09	-0.9	-0.9	0	38	0.16	100	7981	99.08	37.7
2023-02-10 14:55:00	32.6	0	0	0	268	18.45	27.2	37.9	80.1	99.1	-0.8	-0.6	0	38	0.15	100	7980	99.08	37.6
2023-02-10 15:00:00	33.8	0	0	0	262	21.72	34.76	37.8	79.5	99.1	-1	-0.9	0	37.9	0.16	100	7980	99.09	37.5
2023-02-10 15:05:00	31.8	0	0	0	261	17.4	31.41	37.6	79.7	99.11	-0.7	-0.8	0	37.7	0.16	100	7979	99.1	37.4
2023-02-10 15:10:00	24.6	0	0	0	269	18.45	25.99	37.6	79.6	99.12	-0.6	-0.3	0	37.7	0.16	100	7980	99.1	37.3
2023-02-10 15:15:00	23.6	0	0	0	271	16.33	26.53	37.5	80	99.11	-0.7	-0.4	0	37.6	0.15	100	7980	99.1	37.2
2023-02-10 15:20:00	26	0	0	0	268	18.39	29.17	37.3	80.2	99.12	-0.3	0	0	37.4	0.15	100	7979	99.1	37.2
2023-02-10 15:25:00	24.2	0	0	0	274	18.99	29.1	37.4	80.2	99.11	-0.5	-0.7	0	37.4	0.15	100	7979	99.09	37.1
2023-02-10 15:30:00	18.8	0	0	0	266	16.35	25.17	37.3	80.3	99.12	-0.7	-0.3	0	37.3	0.15	100	7979	99.1	37
2023-02-10 15:35:00	18.2	0	0	0	261	17.49	30.58	37.3	80.3	99.12	-0.4	-0.5	0	37.4	0.15	100	7978	99.11	37
2023-02-10 15:40:00	15.4	0	0	0	267	18.14	24.76	37.3	80.2	99.13	-0.7	-0.4	0	37.3	0.15	100	7979	99.1	37
2023-02-10 15:45:00	14.6	0	0	0	271	16.75	21.88	37.3	79.9	99.13	-0.5	-0.5	0	37.3	0.15	100	7979	99.11	36.9
2023-02-10 15:50:00	12.8	0	0	0	267	13.85	22.77	37.2	80	99.13	-0.3	-0.8	0	37.3	0.15	100	7979	99.12	36.8
2023-02-10 15:55:00	12.2	0	0	0	268	12.33	21.3	37.2	80.4	99.14	-0.7	-0.5	0	37.2	0.15	100	7978	99.12	36.7
2023-02-10 16:00:00	11.6	0	0	0	266	14.14	22.26	37.1	80.8	99.13	-0.3	-0.4	0	37.1	0.14	100	7978	99.11	36.6
2023-02-10 16:05:00	9.4	0	0	0	265	14.36	25.01	37.1	81.5	99.14	-0.8	-0.6	0	37.1	0.14	100	7977	99.12	36.3
2023-02-10 16:10:00	10.4	0	0	0	261	12.17	16.62	36.9	82.4	99.15	-1	-0.4	0	36.9	0.13	100	7976	99.12	36
2023-02-10 16:15:00	13	0	0	0	259	11.21	20.76	36.6	83.2	99.15	-0.6	-0.5	0	36.6	0.12	100	7976	99.13	35.8
2023-02-10 16:20:00	10.8	0	0	0	260	11.14	18.1	36.5	84.1	99.14	-0.9	-1	0	36.5	0.12	100	7976	99.12	35.6
2023-02-10 16:25:00	11	0	0	0	258	11.74	18.32	36.5	83.5	99.14	-0.5	-0.7	0	36.5	0.12	100	7976	99.12	35.6
2023-02-10 16:30:00	10.6	0	0	0	250	13.58	18.19	36.5	83.5	99.14	-0.6	-0.5	0	36.5	0.12	100	7976	99.12	35.6
2023-02-10 16:35:00	26.6	0	0	0	249	12.73	18.12	36.5	83.5	99.13	-0.7	-0.7	0	36.5	0.12	100	7974	99.11	35.6
2023-02-10 16:40:00	16.4	0	0	0	251	13.31	19.1	36.6	82.9	99.14	-0.9	-0.6	0	36.6	0.13	100	7976	99.12	35.7
2023-02-10 16:45:00	7.2	0	0	0	251	12.97	20.58	36.5	83	99.14	-0.6	-0.2	0	36.6	0.12	100	7976	99.12	35.8
2023-02-10 16:50:00	4.2	0	0	0	252	13.24	21.83	36.8	82.3	99.14	-0.2	-0.7	0	36.8	0.13	100	7973	99.12	35.9
2023-02-10 16:55:00	3.6	0	0	0	256	14.85	19.95	36.8	82.2	99.14	-0.5	-0.8	0	36.8	0.13	100	7976	99.12	36
2023-02-10 17:00:00	3	0	0	0	248	10	18.45	36.9	82	99.15	-0.6	-0.6	0	36.9	0.13	100	7977	99.13	36
2023-02-10 17:05:00	2.8	0	0	0	237	11.81	19.82	36.9	82	99.15	-0.6	-0.6	0	37	0.13	100	7974	99.13	36.1
2023-02-10 17:10:00	2.8	0	0	0	251	13.09	20.87	36.9	82	99.15	-0.6	-0.5	0	36.9	0.13	100	7975	99.14	36
2023-02-10 17:15:00	2.4	0	0	0	244	14.9	18.92	36.8	82.5	99.16	-0.4	-0.8	0	36.8	0.13	100	7976	99.14	35.9
2023-02-10 17:20:00	1.2	0	0	0	245	14.9	25.72	36.7	83.4	99.17	-1.5	-0.8	0	36.7	0.12	100	7975	99.16	35.8
2023-02-10 17:25:00	0	0.00067	0	0	259	16.13	25.03	36.5	84.8	99.19	-0.5	-0.5	0.04	36.5	0.11	100	7974	99.17	35.6
2023-02-10 17:30:00	0	0.00201	0	0	288	14.72	23.35	36.1	86.1	99.2	-1	-0.6	0.04	36.1	0.1	100	7975	99.18	35.1
2023-02-10 17:35:00	0	0.00201	0	0	281	14.58	26.31	35.7	86.5	99.21	-0.8	-0.3	0.04	35.7	0.1	100	7972	99.19	34.7
2023-02-10 17:40:00	0	0	0	0	273	15.86	20.85	35.3	85.3	99.21	-0.7	-0.6	0	35.3	0.1	100	7972	99.19	34.5
2023-02-10 17:45:00	0	0	0	0	275	14.94	22.48	35	85.5	99.21	-0.8	0.1	0	35	0.1	100	7971	99.2	34.3
2023-02-10 17:50:00	0	0	0	0	275	13.65	22.93	35	85.8	99.22	-0.5	-0.6	0	35	0.1	100	7968	99.19	34.1
2023-02-10 17:55:00	0	0	0	0	284	17	25.17	34.7	85.3	99.2	-1	-0.6	0	34.7	0.1	100	7971	99.19	34
2023-02-10 18:00:00	0	0	0	0	291	17.25	24.2	34.7	85.3	99.2	-1	-0.1	0	34.7	0.1	100	7969	99.18	33.9
2023-02-10 18:05:00	0	0	0	0	286	19.77	27.04	34.6	85.4	99.21	-0.4	-0.5	0	34.7	0.1	100	7968	99.19	33.8
2023-02-10 18:10:00	0	0	0	0	284	19.73	28.3	34.5	84.6	99.22	-0.8	-0.5	0	34.5	0.1	100	7969	99.2	33.8
2023-02-10 18:15:00	0	0	0	0	285	18.61	26.78	34.6	84.2	99.23	-0.7	-0.9	0	34.6	0.11	100	7969	99.2	33.8
2023-02-10 18:20:00	0	0	0	0	278	20.42	30.31	34.6	84.1	99.23	-0.9	-0.5	0	34.6	0.11	100	7967	99.22	33.7
2023-02-10 18:25:00	0	0	0	0	275	19.24	29.8	34.5	83.8	99.25	-1	-0.6	0	34.5	0.11	100	7969	99.23	33.6
2023-02-10 18:30:00	0	0	0	0	277	20.94	38.12	34.4	84	99.26	-0.5	-0.5	0	34.4	0.11	100	7968	99.25	33.5
2023-02-10 18:35:00	0	0	0	0	284	24.47	41.92	34.4	83.6	99.27	-0.8	-0.4	0	34.3	0.11	100	7969	99.25	33.2

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-10 18:40:00	0	0	0	0	292	21.56	30.67	34.1	84.3	99.28	-1.1	-0.1	0	34.1	0.1	100	7966	99.26	32.9
2023-02-10 18:45:00	0	0	0	0	293	21.21	31.85	33.9	83.9	99.28	-0.7	-0.5	0	33.9	0.11	100	7969	99.26	32.7
2023-02-10 18:50:00	0	0	0	0	286	25.99	43.06	33.8	79.8	99.28	-0.4	-1.1	0	33.8	0.13	100	7969	99.26	32.5
2023-02-10 18:55:00	0	0	0	0	291	24.56	35.48	33.7	73.7	99.28	-2	-0.3	0	33.7	0.17	100	7964	99.25	32.1
2023-02-10 19:00:00	0	0	0	0	285	23.87	39.26	33.6	70.8	99.28	-0.4	0.1	0	33.6	0.19	100	7966	99.26	31.7
2023-02-10 19:05:00	0	0	0	0	282	21.5	30.42	33.5	68.6	99.31	-0.8	-0.3	0	33.5	0.2	100	7966	99.28	31.5
2023-02-10 19:10:00	0	0	0	0	287	22.86	35.21	33.5	66.9	99.29	-0.8	-0.7	0	33.4	0.21	100	7967	99.27	31.4
2023-02-10 19:15:00	0	0	0	0	283	18.97	24.65	33.4	66.7	99.29	-0.9	-0.6	0	33.4	0.22	100	7967	99.26	31.3
2023-02-10 19:20:00	0	0	0	0	278	18.72	32.03	33.4	66	99.3	-0.9	-0.2	0	33.4	0.22	100	7964	99.27	31.2
2023-02-10 19:25:00	0	0	0	0	280	18.9	32.59	33.3	65.7	99.3	-0.9	-0.5	0	33.3	0.22	100	7963	99.26	31.2
2023-02-10 19:30:00	0	0	0	0	280	19.66	25.3	33.3	65.3	99.29	-0.4	-0.6	0	33.3	0.22	100	7963	99.26	31.2
2023-02-10 19:35:00	0	0	0	0	283	17.34	23.69	33.3	64.9	99.29	-0.7	-0.3	0	33.3	0.23	100	7961	99.26	31.2
2023-02-10 19:40:00	0	0	0	0	282	16.33	24.38	33.2	64.5	99.3	-0.4	-0.5	0	33.3	0.23	100	7964	99.28	31.2
2023-02-10 19:45:00	0	0	0	0	283	16.96	24.87	33.2	64.8	99.3	-0.8	-0.4	0	33.3	0.23	100	7964	99.27	31.3
2023-02-10 19:50:00	0	0	0	0	280	17.13	31.47	33.3	64.1	99.3	-0.8	-1.1	0	33.3	0.23	100	7963	99.28	31.3
2023-02-10 19:55:00	0	0	0	0	278	16.71	23.96	33.2	64.9	99.31	-1	-0.6	0	33.2	0.22	100	7963	99.28	31.3
2023-02-10 20:00:00	0	0	0	0	278	16.26	27.81	33.2	64.9	99.32	-0.5	-0.6	0	33.2	0.22	100	7963	99.3	31.4
2023-02-10 20:05:00	0	0	0	0	274	18.1	26.15	33.2	64.4	99.33	-0.7	-0.7	0	33.2	0.23	100	7963	99.31	31.5
2023-02-10 20:10:00	0	0	0	0	274	17.83	26.4	33.3	65.3	99.34	-0.5	-1	0	33.3	0.22	100	7961	99.32	31.5
2023-02-10 20:15:00	0	0	0	0	270	12.3	19.6	33.2	65.6	99.36	-0.9	-0.5	0	33.2	0.22	100	7965	99.34	31.5
2023-02-10 20:20:00	0	0	0	0	271	17.22	28.48	33	66.1	99.37	-0.7	-0.6	0	33	0.22	100	7963	99.34	31.4
2023-02-10 20:25:00	0	0	0	0	267	18.03	27.87	33.1	65.8	99.37	-0.8	-0.5	0	33.1	0.22	100	7960	99.34	31.5
2023-02-10 20:30:00	0	0	0	0	273	18.72	25.1	33.1	66.7	99.36	-1.3	-0.3	0	33.1	0.21	100	7962	99.34	31.6
2023-02-10 20:35:00	0	0	0	0	274	19.28	30.27	33.1	66.1	99.36	-1.3	-0.5	0	33.1	0.22	100	7961	99.34	31.7
2023-02-10 20:40:00	0	0	0	0	272	18.37	31.21	33.1	67.3	99.37	-0.5	-0.9	0	33.1	0.21	100	7963	99.33	31.8
2023-02-10 20:45:00	0	0	0	0	268	18.07	25.99	33.2	66.7	99.36	-0.7	-0.6	0	33.2	0.21	100	7963	99.34	31.8
2023-02-10 20:50:00	0	0	0	0	269	14.23	20.49	33.1	67.4	99.37	-0.5	-0.6	0	33.1	0.21	100	7960	99.35	31.8
2023-02-10 20:55:00	0	0	0	0	266	14.88	27.4	33.1	67.9	99.38	-0.9	-0.6	0	33.1	0.21	100	7960	99.35	31.7
2023-02-10 21:00:00	0	0	0	0	267	20.51	31.5	33.1	67.3	99.37	-0.2	0.4	0	33.1	0.21	100	7961	99.35	31.8
2023-02-10 21:05:00	0	0	0	0	266	18.79	30.53	33.2	67.1	99.38	-0.6	-0.7	0	33.2	0.21	100	7959	99.36	31.9
2023-02-10 21:10:00	0	0	0	0	269	18.99	31.27	33.2	67.1	99.39	-0.5	-0.3	0	33.2	0.21	100	7961	99.35	32
2023-02-10 21:15:00	0	0	0	0	265	18.79	28.81	33.2	67.2	99.39	-0.9	-0.1	0	33.2	0.21	100	7959	99.37	32
2023-02-10 21:20:00	0	0	0	0	266	18.59	29.1	33.2	67.1	99.39	-1	-0.7	0	33.2	0.21	100	7960	99.36	32
2023-02-10 21:25:00	0	0	0	0	262	15.61	22.06	33.1	67.3	99.38	-0.3	-0.8	0	33.1	0.21	100	7960	99.36	32
2023-02-10 21:30:00	0	0	0	0	266	14.34	20.09	33.1	68.5	99.39	-0.8	-0.4	0	33.1	0.2	100	7959	99.37	31.9
2023-02-10 21:35:00	0	0	0	0	263	13.98	20.38	32.9	69.3	99.39	-0.5	-0.8	0	32.9	0.19	100	7958	99.37	31.9
2023-02-10 21:40:00	0	0	0	0	265	15.17	24.56	32.9	69.9	99.4	-0.6	-0.4	0	32.9	0.19	100	7960	99.38	31.7
2023-02-10 21:45:00	0	0	0	0	266	17.6	31.29	32.7	69.4	99.41	-0.5	-0.5	0	32.7	0.19	100	7960	99.39	31.7
2023-02-10 21:50:00	0	0	0	0	274	18.81	31.12	32.6	68.9	99.41	-0.7	-1	0	32.7	0.2	100	7957	99.39	31.7
2023-02-10 21:55:00	0	0	0	0	273	19.01	29.55	32.6	68.7	99.42	-0.1	-0.5	0	32.6	0.2	100	7957	99.4	31.6
2023-02-10 22:00:00	0	0	0	0	274	17.4	24.45	32.5	69	99.43	-1	-0.3	0	32.5	0.19	100	7960	99.42	31.5
2023-02-10 22:05:00	0	0	0	0	278	16.08	26.22	32.3	68.5	99.45	-0.5	-0.2	0	32.3	0.2	100	7956	99.43	31.4
2023-02-10 22:10:00	0	0	0	0	273	17.27	25.34	32.2	68.8	99.44	-0.8	-0.7	0	32.2	0.19	100	7957	99.43	31.2
2023-02-10 22:15:00	0	0	0	0	272	17.4	25.97	32.1	68.4	99.45	-0.9	-0.7	0	32.1	0.19	100	7956	99.43	31
2023-02-10 22:20:00	0	0	0	0	271	17.43	26.75	31.9	68.9	99.46	-0.5	-0.6	0	31.9	0.19	100	7957	99.44	30.9
2023-02-10 22:25:00	0	0	0	0	273	18.39	26.66	31.8	69.3	99.46	-1	-0.5	0	31.8	0.19	100	7957	99.43	30.8
2023-02-10 22:30:00	0	0	0	0	267	19.06	31.25	31.7	68.6	99.44	-0.4	-0.2	0	31.7	0.19	100	7956	99.42	30.6
2023-02-10 22:35:00	0	0	0	0	272	17.09	23.96	31.5	68.8	99.44	-0.9	-0.9	0	31.5	0.19	100	7953	99.42	30.5
2023-02-10 22:40:00	0	0	0	0	268	14.61	18.5	31.5	69.9	99.46	-0.7	-0.5	0	31.4	0.18	100	7954	99.43	30.5
2023-02-10 22:45:00	0	0	0	0	269	16.31	26.35	31.4	70.1	99.46	-1.2	-0.9	0	31.4	0.18	100	7953	99.44	30.5
2023-02-10 22:50:00	0	0	0	0	267	16.49	33.69	31.5	70.1	99.46	-0.4	-0.7	0	31.5	0.18	100	7954	99.44	30.5
2023-02-10 22:55:00	0	0	0	0	272	20.69	27.42	31.5	69.5	99.46	-1.4	0	0	31.5	0.18	100	7953	99.43	30.5
2023-02-10 23:00:00	0	0	0	0	270	18.63	28.79	31.5	69.8	99.45	0.1	-0.9	0	31.5	0.18	100	7955	99.43	30.5
2023-02-10 23:05:00	0	0	0	0	274	17.45	25.39	31.5	69.5	99.46	-1	-0.6	0	31.5	0.18	100	7954	99.43	30.4
2023-02-10 23:10:00	0	0	0	0	280	18.01	32.61	31.5	68.8	99.46	-0.4	-0.4	0	31.5	0.19	100	7953	99.44	30.3
2023-02-10 23:15:00	0	0	0	0	275	16.26	20.69	31.4	68.9	99.46	-0.9	-0.7	0	31.4	0.19	100	7953	99.44	30.3
2023-02-10 23:20:00	0	0	0	0	275	19.04	31	31.3	68.1	99.47	-0.7	-0.3	0	31.3	0.19	100	7953	99.44	30.3
2023-02-10 23:25:00	0	0	0	0	278	16.98	23	31.2	67.5	99.47	-1.2	-0.1	0	31.2	0.19	100	7953	99.45	30.3
2023-02-10 23:30:00	0	0	0	0	280	19.82	30.62	31.3	67.3	99.47	-1.7	-0.6	0	31.3	0.19	100	7953	99.45	30.2
2023-02-10 23:35:00	0	0	0	0	277	16.73	28.45	31.3	67.3	99.48	-1.1	-0.9	0	31.3	0.19	100	7951	99.46	30.3
2023-02-10 23:40:00	0	0	0	0	276	17.13	26.62	31.3	67.3	99.48	-0.7	-0.4	0	31.3	0.19	100	7953	99.46	30.2
2023-02-10 23:45:00	0	0	0	0	274	18.9	30.49	31.3	67.4	99.48	-0.7	0.2	0	31.3	0.19	100	7951	99.45	30.2
2023-02-10 23:50:00	0	0	0	0	274	17.96	25.7	31.2	68	99.48	-0.4	-1.1	0	31.2	0.19	100	7951	99.47	30.2
2023-02-10 23:55:00	0	0	0	0	273	23.69	34.45	31.1	67.8	99.49	-0.7	-0.5	0	31.1	0.19	100	7951	99.46	30.1

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-11 00:00:00	0	0	0	0	270	23.55	39.82	31.1	67.5	99.5	-0.6	0	0	31.1	0.19	100	7953	99.46	30.1
2023-02-11 00:05:00	0	0	0	0	280	21.5	32.84	31.2	67.4	99.5	-0.6	-1.2	0	31.2	0.19	100	7931	99.48	30.2
2023-02-11 00:10:00	0	0	0	0	279	20.6	31.16	31	66.5	99.5	0.1	-0.3	0	31	0.2	100	7921	99.49	30.3
2023-02-11 00:15:00	0	0	0	0	273	19.04	29.57	30.8	67.1	99.51	-0.9	0	0	30.8	0.19	100	7912	99.5	30.2
2023-02-11 00:20:00	0	0	0	0	283	23.94	35.08	30.7	67.2	99.51	-1.3	-0.7	0	30.7	0.19	100	7931	99.49	30.1
2023-02-11 00:25:00	0	0	0	0	282	21.23	30.53	30.6	67.6	99.51	0	0.7	0	30.6	0.19	100	7936	99.49	29.8
2023-02-11 00:30:00	0	0	0	0	284	24.32	35.01	30.6	67	99.51	-1.7	-0.2	0	30.6	0.19	100	7934	99.49	29.6
2023-02-11 00:35:00	0	0	0	0	283	21.03	33.51	30.4	66.3	99.52	-0.7	-0.9	0	30.4	0.19	100	7934	99.51	29.5
2023-02-11 00:40:00	0	0	0	0	282	17.98	27.27	30.5	67.6	99.52	-0.9	-0.7	0	30.5	0.19	100	7936	99.5	29.5
2023-02-11 00:45:00	0	0	0	0	273	21.45	34.52	30.4	68.1	99.52	-1.3	-0.3	0	30.4	0.18	100	7934	99.51	29.5
2023-02-11 00:50:00	0	0	0	0	274	23.11	31.23	30.5	67.9	99.52	-1.2	0.3	0	30.5	0.18	100	7933	99.5	29.6
2023-02-11 00:55:00	0	0	0	0	274	19.48	31.68	30.6	67.7	99.53	-0.3	-1.1	0	30.6	0.19	100	7934	99.52	29.6
2023-02-11 01:00:00	0	0	0	0	282	20.96	32.53	30.6	67.5	99.54	-0.7	-0.4	0	30.6	0.19	100	7937	99.52	29.7
2023-02-11 01:05:00	0	0	0	0	276	22.97	34.87	30.7	67.3	99.54	-1	-0.5	0	30.7	0.19	100	7934	99.53	29.8
2023-02-11 01:10:00	0	0	0	0	279	19.46	30.33	30.8	67	99.55	-1	-0.7	0	30.8	0.19	100	7934	99.53	29.8
2023-02-11 01:15:00	0	0	0	0	278	15.77	22.48	30.8	67.1	99.56	-0.9	-0.7	0	30.8	0.19	100	7934	99.54	29.8
2023-02-11 01:20:00	0	0	0	0	279	15.23	25.32	30.6	67.8	99.56	-0.6	-0.6	0	30.6	0.19	100	7933	99.54	29.7
2023-02-11 01:25:00	0	0	0	0	279	16.37	23.73	30.6	67.8	99.57	-0.8	-0.3	0	30.6	0.19	100	7933	99.55	29.7
2023-02-11 01:30:00	0	0	0	0	276	22.3	35.08	30.6	69.2	99.58	-1.5	0.2	0	30.6	0.18	100	7934	99.56	29.7
2023-02-11 01:35:00	0	0	0	0	278	21.88	30.31	30.5	69.3	99.58	-1.1	-1.1	0	30.6	0.18	100	7932	99.56	29.7
2023-02-11 01:40:00	0	0	0	0	281	20.54	28.81	30.5	69.5	99.6	-0.2	-0.3	0	30.5	0.18	100	7934	99.57	29.7
2023-02-11 01:45:00	0	0	0	0	275	20.04	34.27	30.5	69.7	99.61	-0.5	-0.4	0	30.5	0.17	100	7934	99.59	29.6
2023-02-11 01:50:00	0	0	0	0	275	19.46	27.85	30.4	69.9	99.61	-1	-0.6	0	30.4	0.17	100	7933	99.59	29.6
2023-02-11 01:55:00	0	0	0	0	283	17.34	24.47	30.4	70.6	99.61	-0.8	-0.8	0	30.4	0.17	100	7936	99.6	29.5
2023-02-11 02:00:00	0	0	0	0	274	16.46	23.85	30.3	70.8	99.63	-0.7	-0.6	0	30.3	0.17	100	7934	99.6	29.5
2023-02-11 02:05:00	0	0	0	0	279	16.96	27.29	30.3	71.9	99.63	-0.9	-0.4	0	30.3	0.16	100	7933	99.61	29.4
2023-02-11 02:10:00	0	0	0	0	276	16.93	25.03	30.2	72.1	99.64	-0.4	-0.5	0	30.3	0.16	100	7935	99.62	29.4
2023-02-11 02:15:00	0	0	0	0	272	19.22	27.04	30.2	72.9	99.65	-0.6	-0.9	0	30.2	0.15	100	7931	99.63	29.3
2023-02-11 02:20:00	0	0	0	0	280	20.62	25.84	30	74.1	99.66	-0.4	-0.7	0	30	0.15	100	7934	99.64	29.2
2023-02-11 02:25:00	0	0	0	0	281	16.35	24	29.9	74.9	99.67	-1	-0.1	0	29.9	0.14	100	7933	99.65	29.1
2023-02-11 02:30:00	0	0	0	0	284	17.22	26.69	29.7	77.4	99.68	-0.9	-0.4	0	29.7	0.13	100	7933	99.66	29
2023-02-11 02:35:00	0	0	0	0	305	17.92	28.12	29.5	78.9	99.68	-1	0	0	29.5	0.12	100	7932	99.67	28.8
2023-02-11 02:40:00	0	0	0	0	296	20.11	28.07	29.2	82.1	99.69	-0.6	-0.7	0	29.2	0.1	100	7934	99.68	28.5
2023-02-11 02:45:00	0	0	0	0	290	21.25	34.27	29	82.2	99.71	-0.8	-0.8	0	29	0.1	100	7934	99.68	28.3
2023-02-11 02:50:00	0	0	0	0	295	23.8	32.48	28.8	80.5	99.7	-1.1	0	0	28.8	0.1	100	7932	99.69	28.3
2023-02-11 02:55:00	0	0	0	0	297	25.84	37.24	28.8	79.2	99.71	-1.5	-0.5	0	28.8	0.11	100	7931	99.69	28.2
2023-02-11 03:00:00	0	0	0	0	296	21.52	30.74	28.7	78.5	99.71	-0.9	-0.5	0	28.7	0.11	100	7931	99.7	28.1
2023-02-11 03:05:00	0	0	0	0	291	25.75	36.28	28.8	76	99.71	-1.6	-0.4	0	28.9	0.13	100	7930	99.69	28.1
2023-02-11 03:10:00	0	0	0	0	293	23.09	31.63	28.8	74.7	99.73	-1.2	-0.3	0	28.8	0.14	100	7933	99.71	28.1
2023-02-11 03:15:00	0	0	0	0	296	17.83	25.19	28.8	75.1	99.74	-1.1	-0.5	0	28.8	0.13	100	7931	99.73	28
2023-02-11 03:20:00	0	0	0	0	300	18.61	26.35	28.7	76.3	99.75	-1.3	0.4	0	28.7	0.13	100	7931	99.74	27.9
2023-02-11 03:25:00	0	0	0	0	307	21.9	35.21	28.5	75	99.75	-0.3	-0.6	0	28.6	0.13	100	7931	99.74	27.8
2023-02-11 03:30:00	0	0	0	0	299	25.84	36.06	28.5	72.7	99.74	-0.9	-1	0	28.6	0.14	100	7931	99.72	27.7
2023-02-11 03:35:00	0	0	0	0	306	29.71	39.15	28.5	71.4	99.73	-1.4	0.5	0	28.5	0.15	100	7930	99.73	27.6
2023-02-11 03:40:00	0	0	0	0	303	22.46	34.61	28.3	70.3	99.76	-0.8	-0.4	0	28.4	0.16	100	7928	99.75	27.5
2023-02-11 03:45:00	0	0	0	0	296	21.32	33.89	28.2	70.6	99.76	-0.9	-0.3	0	28.2	0.15	100	7928	99.76	27.4
2023-02-11 03:50:00	0	0	0	0	305	20.09	34.43	28.1	70.8	99.77	-0.9	-1.1	0	28.1	0.15	100	7931	99.76	27.3
2023-02-11 03:55:00	0	0	0	0	293	18.68	27.63	28	71.3	99.78	-0.9	-1	0	28	0.15	100	7930	99.77	27.2
2023-02-11 04:00:00	0	0	0	0	303	18.16	28.36	28	71.3	99.79	-0.8	-0.2	0	28	0.15	100	7930	99.78	27.2
2023-02-11 04:05:00	0	0	0	0	308	19.17	29.55	27.9	70.3	99.79	-0.7	-0.5	0	27.9	0.15	100	7928	99.78	27.1
2023-02-11 04:10:00	0	0	0	0	302	18.61	23.35	27.9	69.5	99.8	-1.2	-0.2	0	27.9	0.16	100	7927	99.79	27.1
2023-02-11 04:15:00	0	0	0	0	300	21.54	32.32	27.9	69.9	99.8	-0.7	-0.3	0	27.9	0.16	100	7929	99.79	27
2023-02-11 04:20:00	0	0	0	0	292	20.24	29.37	27.8	70.2	99.81	-0.8	-0.6	0	27.8	0.15	100	7929	99.79	27
2023-02-11 04:25:00	0	0	0	0	290	21.94	35.34	27.7	70.3	99.82	-1.1	-0.4	0	27.7	0.15	100	7928	99.81	26.9
2023-02-11 04:30:00	0	0	0	0	285	16.69	28.52	27.7	70.5	99.83	-0.9	-0.4	0	27.7	0.15	100	7931	99.82	26.9
2023-02-11 04:35:00	0	0	0	0	296	19.57	26.31	27.6	70.4	99.84	-0.9	-0.5	0	27.6	0.15	100	7927	99.82	26.8
2023-02-11 04:40:00	0	0	0	0	299	23.02	35.93	27.6	70.6	99.84	-0.4	0.1	0	27.5	0.15	100	7928	99.82	26.7
2023-02-11 04:45:00	0	0	0	0	304	24.07	37.16	27.5	70.9	99.84	-2	-1.4	0	27.5	0.15	100	7928	99.84	26.6
2023-02-11 04:50:00	0	0	0	0	295	20.11	28.21	27.4	71.4	99.88	-0.9	-0.5	0	27.4	0.15	100	7924	99.86	26.6
2023-02-11 04:55:00	0	0	0	0	289	18.05	27.31	27.4	71.9	99.89	-0.7	-0.6	0	27.4	0.14	100	7927	99.88	26.5
2023-02-11 05:00:00	0	0	0	0	299	19.17	26.28	27.4	72.4	99.9	-0.9	-0.2	0	27.4	0.14	100	7928	99.88	26.5
2023-02-11 05:05:00	0	0	0	0	293	22.01	30.69	27.2	72	99.9	-1	-0.7	0	27.2	0.14	100	7925	99.89	26.4
2023-02-11 05:10:00	0	0	0	0	297	19.33	27.51	27.2	72.1	99.92	-0.9	-0.8	0	27.2	0.14	100	7928	99.91	26.4
2023-02-11 05:15:00	0	0	0	0	293	16.6	23.94	27.1	73.2	99.94	-0.8	-0.5	0	27.1	0.13	100	7925	99.92	26.3

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-11 05:20:00	0	0	0	0	297	20.22	30.85	27.2	73.6	99.93	-1.5	0.6	0	27.2	0.13	100	7925	99.92	26.3
2023-02-11 05:25:00	0	0	0	0	298	20.36	29.35	27	73	99.94	-0.9	-0.1	0	27	0.13	100	7925	99.93	26.2
2023-02-11 05:30:00	0	0	0	0	298	17.85	28.1	27	73.8	99.95	-0.9	-0.8	0	27	0.13	100	7925	99.94	26.2
2023-02-11 05:35:00	0	0	0	0	295	16.42	24.49	27	73.1	99.96	-0.6	-0.7	0	27	0.13	100	7925	99.95	26.2
2023-02-11 05:40:00	0	0	0	0	301	15.9	24.65	27	73.8	99.97	-0.9	-0.4	0	27	0.13	100	7924	99.96	26.1
2023-02-11 05:45:00	0	0	0	0	291	17.85	29.08	27	74.3	99.98	-1	-0.4	0	27	0.13	100	7925	99.96	26.1
2023-02-11 05:50:00	0	0	0	0	300	18.19	25.08	27.1	74.1	99.98	-0.5	0	0	27	0.13	100	7924	99.97	26.1
2023-02-11 05:55:00	0	0	0	0	293	16.93	21.27	27.1	74.1	99.98	-0.8	-0.5	0	27.1	0.13	100	7923	99.97	26.1
2023-02-11 06:00:00	0	0	0	0	300	13.11	18.14	27.1	74	99.99	-1	-0.6	0	27.1	0.13	100	7924	99.98	26.1
2023-02-11 06:05:00	0	0	0	0	301	14.5	20.62	27.1	74.1	100.01	-1	-0.4	0	27.1	0.13	100	7923	100	26.1
2023-02-11 06:10:00	0	0	0	0	292	19.15	25.79	27.1	73.8	100.01	-0.5	-0.1	0	27.1	0.13	100	7922	100	26.1
2023-02-11 06:15:00	0	0	0	0	306	14.79	21.12	27.1	74	100.03	-1.1	-0.1	0	27.1	0.13	100	7925	100.02	26.1
2023-02-11 06:20:00	0	0	0	0	293	13.49	17.65	27.1	73.8	100.04	-0.8	-0.7	0	27.1	0.13	100	7922	100.03	26.1
2023-02-11 06:25:00	0	0	0	0	289	12.84	20.13	27.1	73.8	100.05	-0.8	-0.5	0	27.1	0.13	100	7922	100.04	26.1
2023-02-11 06:30:00	0	0	0	0	303	15.28	23.22	27.1	74	100.05	-0.8	-1	0	27.1	0.13	100	7925	100.04	26.1
2023-02-11 06:35:00	0	0	0	0	300	12.57	21.18	27.1	73.8	100.07	-1	-0.5	0	27.1	0.13	100	7924	100.05	26.1
2023-02-11 06:40:00	0	0	0	0	298	13.49	21.97	27.2	73.7	100.07	-1.1	-0.3	0	27.2	0.13	100	7925	100.06	26.1
2023-02-11 06:45:00	0	0	0	0	301	12.59	17.49	27.1	74.7	100.08	-0.9	-0.5	0	27.1	0.13	100	7924	100.06	26.1
2023-02-11 06:50:00	0	0	0	0	286	10.92	16.02	27.1	75	100.08	-0.9	-0.5	0	27.1	0.13	100	7919	100.07	26.1
2023-02-11 06:55:00	0	0	0	0	293	10.22	17.16	27.2	75.6	100.09	-1	-0.5	0	27.2	0.12	100	7922	100.08	26.1
2023-02-11 07:00:00	0	0	0	0	284	13.76	20.69	27.1	75.8	100.09	-0.9	-0.4	0	27.1	0.12	100	7920	100.08	26.1
2023-02-11 07:05:00	0.6	0	0	0	285	12.37	18.66	27.1	75.8	100.09	-1.1	-0.4	0	27.1	0.12	100	7922	100.08	26.1
2023-02-11 07:10:00	1	0	0	0	285	11.52	19.51	27.1	75.8	100.11	-1	-0.4	0	27.1	0.12	100	7921	100.1	26.1
2023-02-11 07:15:00	2	0	0	0	280	12.12	16.96	27.1	75.9	100.11	-1	-0.3	0	27.1	0.12	100	7920	100.1	26.1
2023-02-11 07:20:00	3.4	0	0	0	287	10.42	14.99	27.1	75.8	100.12	-0.9	-0.4	0	27.1	0.12	100	7921	100.11	26.1
2023-02-11 07:25:00	5.4	0	0	0	285	11.97	15.7	27.1	76.1	100.13	-1	-0.5	0	27.1	0.12	100	7920	100.12	26.1
2023-02-11 07:30:00	7.2	0	0	0	278	13.22	19.48	27.1	75.9	100.13	-0.9	-0.1	0	27.1	0.12	100	7920	100.12	26.1
2023-02-11 07:35:00	8.8	0	0	0	278	12.48	19.13	27.1	76.1	100.14	-0.9	-0.3	0	27.1	0.12	100	7918	100.14	26.1
2023-02-11 07:40:00	11.4	0	0	0	274	12.5	17.96	27.1	75.9	100.16	-1	-0.7	0	27.2	0.12	100	7920	100.14	26.2
2023-02-11 07:45:00	13.6	0	0	0	280	12.01	17.72	27	76.3	100.16	-1	-0.8	0	27.1	0.12	100	7921	100.15	26.2
2023-02-11 07:50:00	17.6	0	0	0	280	11.97	16.46	27.1	75.8	100.18	-0.9	-0.4	0	27.2	0.12	100	7919	100.17	26.2
2023-02-11 07:55:00	20.6	0	0	0	277	11.12	16.33	27.2	75.6	100.19	-0.9	-0.5	0	27.2	0.12	100	7921	100.18	26.2
2023-02-11 08:00:00	23.4	0	0	0	279	12.71	18.05	27.2	75.7	100.2	-1	-0.3	0	27.2	0.12	100	7921	100.19	26.2
2023-02-11 08:05:00	28.8	0	0	0	276	11.34	18.34	27.1	75.8	100.21	-1	-0.5	0	27.2	0.12	100	7921	100.2	26.2
2023-02-11 08:10:00	39.8	0	0	0	274	14.2	18.28	27.1	76.1	100.21	-1.1	-0.6	0	27.2	0.12	100	7921	100.2	26.3
2023-02-11 08:15:00	49.8	0	0	0	279	13.58	18.77	27.1	75.8	100.22	-1.1	-0.4	0	27.3	0.12	100	7921	100.21	26.3
2023-02-11 08:20:00	49.4	0	0	0	277	12.59	18.92	27.3	75.4	100.23	-0.6	-0.7	0	27.4	0.12	100	7922	100.22	26.3
2023-02-11 08:25:00	51	0	0	0	269	11.54	19.39	27.2	75.6	100.24	-1	-0.3	0	27.4	0.12	100	7921	100.23	26.4
2023-02-11 08:30:00	58.2	0	0	0	277	12.64	18.45	27.4	75.2	100.24	-1	-0.5	0	27.5	0.13	100	7919	100.23	26.5
2023-02-11 08:35:00	64.6	0	0	0	265	11.68	15.61	27.3	75.3	100.24	-0.9	-0.5	0	27.4	0.12	100	7919	100.23	26.5
2023-02-11 08:40:00	63.2	0	0	0	276	11.9	16.89	27.4	75.2	100.25	-0.8	-0.6	0	27.5	0.13	100	7921	100.24	26.6
2023-02-11 08:45:00	65.8	0	0	0	275	12.48	18.05	27.6	74.5	100.27	-1	-0.4	0	27.8	0.13	100	7923	100.26	26.7
2023-02-11 08:50:00	81.4	0	0	0	274	12.06	17.47	27.5	74.8	100.27	-0.9	-0.3	0	27.6	0.13	100	7923	100.26	26.8
2023-02-11 08:55:00	90.8	0	0	0	279	12.82	17.81	27.8	73.9	100.27	-0.7	-0.7	0	27.9	0.13	100	7923	100.26	26.9
2023-02-11 09:00:00	82.8	0	0	0	273	14.65	20.98	27.8	73.9	100.27	-0.8	-0.4	0	27.9	0.13	100	7925	100.26	27
2023-02-11 09:05:00	88.6	0	0	0	282	13.94	21.72	27.9	73.6	100.27	-0.9	-0.5	0	28	0.14	100	7924	100.27	27.1
2023-02-11 09:10:00	107	0	0	0	279	9.44	14.79	27.9	73.5	100.28	-0.9	-0.4	0	28.2	0.14	100	7924	100.27	27.2
2023-02-11 09:15:00	118.2	0	0	0	275	11.63	16.2	28	73.1	100.28	-1	-0.4	0	28.4	0.14	100	7925	100.27	27.4
2023-02-11 09:20:00	108.4	0	0	0	270	10.16	16.71	28.1	72.9	100.28	-0.9	-0.4	0	28.5	0.14	100	7928	100.27	27.5
2023-02-11 09:25:00	103	0	0	0	265	12.35	17.47	28.2	72.5	100.29	-1	-0.3	0	28.5	0.14	100	7928	100.28	27.6
2023-02-11 09:30:00	107.2	0	0	0	260	10.27	17.34	28.3	72.3	100.29	-0.8	-0.3	0	28.5	0.15	100	7930	100.28	27.7
2023-02-11 09:35:00	114.4	0	0	0	265	11.72	18.68	28.3	72.3	100.29	-1	-0.7	0	28.5	0.15	100	7931	100.28	27.8
2023-02-11 09:40:00	113.4	0	0	0	269	11.07	17.13	28.3	72.2	100.28	-0.8	-0.3	0	28.7	0.15	100	7931	100.27	27.8
2023-02-11 09:45:00	120.2	0	0	0	266	12.1	18.1	28.4	72.1	100.29	-0.9	-0.5	0	28.7	0.15	100	7930	100.28	27.9
2023-02-11 09:50:00	140.8	0	0	0	271	13.35	17.05	28.4	71.7	100.3	-0.8	-0.2	0	28.7	0.15	100	7932	100.29	27.9
2023-02-11 09:55:00	160.4	0	0	0	275	12.37	17.27	28.5	71.4	100.3	-0.7	-0.3	0	28.9	0.15	100	7934	100.29	28
2023-02-11 10:00:00	172.8	0	0	0	273	14.65	21.09	28.7	70.4	100.29	-1.1	-0.4	0	29.1	0.16	100	7938	100.28	28.2
2023-02-11 10:05:00	191	0	0	0	271	10.38	17.05	28.9	70.3	100.29	-1.1	-0.4	0	29.3	0.16	100	7939	100.28	28.4
2023-02-11 10:10:00	197.6	0	0	0	266	13.53	20.62	29.1	69.3	100.29	-1	-0.4	0	29.5	0.17	100	7941	100.28	28.6
2023-02-11 10:15:00	195.6	0	0	0	278	12.86	18.99	29.2	69.1	100.29	-0.7	-0.4	0	29.6	0.17	100	7943	100.28	28.7
2023-02-11 10:20:00	205	0	0	0	286	12.08	17.56	29.3	68	100.29	-0.7	-0.4	0	29.7	0.17	100	7944	100.29	28.8
2023-02-11 10:25:00	167.2	0	0	0	297	14.63	21.34	29.2	67.4	100.29	-0.9	-0.5	0	29.6	0.18	100	7945	100.28	28.9
2023-02-11 10:30:00	148.4	0	0	0	285	11.9	17.74	29.2	68	100.3	-1.1	-0.5	0	29.5	0.17	100	7947	100.29	28.8
2023-02-11 10:35:00	170.4	0	0	0	282	13.65	21.03	29.1	68.2	100.29	-0.7	-0.6	0	29.4	0.17	100	7947	100.29	28.9

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-11 10:40:00	173.6	0	0	0	285	13.76	20.54	29.1	68.1	100.29	-0.9	-0.7	0	29.5	0.17	100	7948	100.29	28.9
2023-02-11 10:45:00	169.6	0	0	0	285	13.91	23.98	29.1	68.2	100.3	-1.2	-0.6	0	29.4	0.17	100	7949	100.29	28.9
2023-02-11 10:50:00	167.8	0	0	0	269	11.07	15.9	29.1	68.9	100.31	-0.7	-0.6	0	29.4	0.17	100	7950	100.3	29
2023-02-11 10:55:00	159.2	0	0	0	272	10	16.49	29.2	69.6	100.31	-0.9	-0.4	0	29.6	0.17	100	7950	100.31	29.1
2023-02-11 11:00:00	166.4	0	0	0	269	8.39	13.4	29.3	69.4	100.32	-0.8	-0.5	0	29.8	0.17	100	7952	100.32	29.2
2023-02-11 11:05:00	191.6	0	0	0	281	11.77	21.32	29.4	69.2	100.32	-0.8	-0.5	0	29.8	0.17	100	7955	100.31	29.3
2023-02-11 11:10:00	202.6	0	0	0	271	14.47	22.21	29.4	69	100.31	-1.1	-0.5	0	29.9	0.17	100	7955	100.31	29.3
2023-02-11 11:15:00	186.6	0	0	0	287	12.68	19.8	29.4	68.6	100.32	-0.8	-0.7	0	29.8	0.17	100	7958	100.32	29.3
2023-02-11 11:20:00	167.6	0	0	0	286	12.55	20	29.4	69	100.32	-0.9	-0.3	0	29.8	0.17	100	7959	100.32	29.4
2023-02-11 11:25:00	162	0	0	0	286	12.68	18.19	29.4	69.1	100.33	-1	-0.2	0	29.7	0.17	100	7957	100.31	29.4
2023-02-11 11:30:00	169	0	0	0	277	10.94	17.07	29.4	69.5	100.31	-0.8	-0.4	0	29.8	0.17	100	7960	100.31	29.4
2023-02-11 11:35:00	168.2	0	0	0	269	9.15	15.88	29.5	70	100.32	-1.1	-0.5	0	29.9	0.17	100	7960	100.31	29.6
2023-02-11 11:40:00	165	0	0	0	266	8.39	14.99	29.7	70.2	100.31	-0.7	-0.5	0	30.1	0.17	100	7961	100.3	29.7
2023-02-11 11:45:00	171.4	0	0	0	277	9.98	16.71	29.8	69.7	100.3	-1	-0.4	0	30.3	0.17	100	7968	100.29	29.8
2023-02-11 11:50:00	171.6	0	0	0	287	11.12	17.34	30	69.2	100.29	-0.8	-0.4	0	30.4	0.17	100	7963	100.28	29.9
2023-02-11 11:55:00	172.2	0	0	0	273	10.47	14.43	29.8	69.7	100.29	-0.8	-0.5	0	30.3	0.17	100	7965	100.29	29.9
2023-02-11 12:00:00	169.6	0	0	0	290	9.73	15.12	30	69.2	100.29	-0.9	-0.5	0	30.5	0.17	100	7970	100.28	30
2023-02-11 12:05:00	169.4	0	0	0	284	10.27	16.91	30.1	69.4	100.28	-0.7	-0.4	0	30.5	0.17	100	7967	100.27	30.1
2023-02-11 12:10:00	163.4	0	0	0	290	9.93	13.44	30.2	69	100.28	-1	-0.4	0	30.7	0.18	100	7969	100.27	30.2
2023-02-11 12:15:00	180.4	0	0	0	273	7.58	14.29	30.2	69.7	100.27	-0.9	-0.5	0	30.7	0.17	100	7967	100.26	30.3
2023-02-11 12:20:00	185.4	0	0	0	270	8.21	13.2	30.3	69.9	100.25	-0.8	-0.4	0	30.8	0.17	100	7972	100.25	30.4
2023-02-11 12:25:00	189.8	0	0	0	263	8.5	15.32	30.5	69.7	100.25	-0.9	-0.6	0	31	0.17	100	7973	100.23	30.6
2023-02-11 12:30:00	188.2	0	0	0	258	8.43	13.82	30.6	69.5	100.23	-0.9	-0.5	0	31.1	0.18	100	7972	100.22	30.7
2023-02-11 12:35:00	190	0	0	0	280	7.45	11.18	30.7	69.3	100.22	-0.8	-0.5	0	31.2	0.18	100	7973	100.22	30.9
2023-02-11 12:40:00	192.4	0	0	0	285	10.78	14.97	30.9	68.7	100.22	-0.8	-0.5	0	31.5	0.18	100	7977	100.21	31
2023-02-11 12:45:00	178.8	0	0	0	284	8.34	15.68	30.9	68.5	100.22	-0.9	-0.5	0	31.4	0.18	100	7978	100.21	31
2023-02-11 12:50:00	171.4	0	0	0	287	9.73	16.37	31	68.8	100.21	-0.8	-0.4	0	31.5	0.18	100	7976	100.2	31.1
2023-02-11 12:55:00	163.4	0	0	0	284	8.57	12.53	31	68.3	100.21	-0.7	-0.6	0	31.4	0.19	100	7979	100.2	31.1
2023-02-11 13:00:00	143.8	0	0	0	274	7.16	13.51	31	68.2	100.21	-0.8	-0.4	0	31.4	0.19	100	7978	100.2	31.2
2023-02-11 13:05:00	140.2	0	0	0	262	10.22	18.1	31.2	69.4	100.2	-0.9	-0.5	0	31.5	0.18	100	7979	100.19	31.2
2023-02-11 13:10:00	137.6	0	0	0	267	8.52	12.44	31.1	69.5	100.19	-0.8	-0.5	0	31.5	0.18	100	7979	100.18	31.2
2023-02-11 13:15:00	125.4	0	0	0	271	8.9	13.82	31.2	69.3	100.19	-0.8	-0.5	0	31.5	0.18	100	7979	100.18	31.2
2023-02-11 13:20:00	130.4	0	0	0	276	8.84	12.91	31.2	69.4	100.18	-0.8	-0.4	0	31.5	0.18	100	7979	100.17	31.2
2023-02-11 13:25:00	133	0	0	0	259	6.38	9.57	31.2	70.2	100.17	-0.8	-0.5	0	31.7	0.18	100	7981	100.16	31.3
2023-02-11 13:30:00	126.2	0	0	0	272	8.52	15.55	31.2	69.5	100.16	-0.6	-0.4	0	31.6	0.18	100	7982	100.15	31.3
2023-02-11 13:35:00	121.8	0	0	0	266	9.19	15.23	31.4	69.8	100.17	-0.9	-0.4	0	31.7	0.18	100	7982	100.15	31.4
2023-02-11 13:40:00	130.6	0	0	0	261	10.78	15.64	31.5	69.5	100.16	-1	-0.4	0	31.8	0.18	100	7979	100.15	31.4
2023-02-11 13:45:00	131.8	0	0	0	262	10.02	14.14	31.6	68.3	100.15	-0.9	-0.5	0	31.8	0.19	100	7983	100.14	31.4
2023-02-11 13:50:00	137.2	0	0	0	256	8.59	13.06	31.5	69.1	100.14	-0.8	-0.6	0	31.9	0.19	100	7983	100.13	31.5
2023-02-11 13:55:00	154.4	0	0	0	249	9.62	13.67	31.5	68.7	100.13	-0.8	-0.5	0	31.9	0.19	100	7985	100.11	31.6
2023-02-11 14:00:00	162.8	0	0	0	254	7.74	11.21	31.6	69.4	100.11	-0.6	-0.4	0	32	0.18	100	7985	100.1	31.6
2023-02-11 14:05:00	160.4	0	0	0	259	7.85	13	31.7	69.1	100.11	-0.8	-0.4	0	32.2	0.19	100	7986	100.1	31.8
2023-02-11 14:10:00	162.2	0	0	0	246	8.93	12.53	31.9	69	100.11	-0.9	-0.6	0	32.4	0.19	100	7987	100.1	31.9
2023-02-11 14:15:00	172.8	0	0	0	235	8.46	16.33	32	68.7	100.1	-0.7	-0.5	0	32.5	0.19	100	7989	100.09	32
2023-02-11 14:20:00	187.4	0	0	0	231	11.1	15.79	32.1	68.5	100.09	-0.8	-0.4	0	32.5	0.19	100	7988	100.08	32.1
2023-02-11 14:25:00	197	0	0	0	245	9.37	13.69	32.2	68.2	100.08	-0.8	-0.6	0	32.7	0.2	100	7991	100.06	32.1
2023-02-11 14:30:00	221.6	0	0	0	201	11.52	17.81	32.3	68.3	100.05	-0.8	-0.5	0	32.9	0.2	100	7991	100.03	32.2
2023-02-11 14:35:00	228.2	0	0	0	191	14.05	18.43	32.6	67.4	100	-0.7	-0.2	0	33.1	0.2	100	7991	99.99	32.2
2023-02-11 14:40:00	348	0	0	0	192	12.86	19.77	33.2	67.5	99.97	-0.5	-0.9	0	33.8	0.21	100	7990	99.97	32.2
2023-02-11 14:45:00	351.8	0	0	0	218	11.05	19.08	34.4	66.2	100.01	-0.7	-0.5	0	35.3	0.23	100	7994	100.01	32.8
2023-02-11 14:50:00	192.6	0	0	0	225	13.6	20.65	34.6	64	100.05	-0.7	-0.5	0	35	0.24	100	7992	100.03	32.9
2023-02-11 14:55:00	178.6	0	0	0	227	11.61	18.9	34.2	64.4	100.06	-0.8	-0.4	0	34.6	0.24	100	7993	100.04	32.9
2023-02-11 15:00:00	172	0	0	0	245	10.29	16.17	33.8	65.8	100.06	-0.8	-0.6	0	34.2	0.22	100	7993	100.05	32.9
2023-02-11 15:05:00	177.4	0	0	0	199	14.65	21.32	33.5	66.2	100.06	-0.6	-1	0	33.9	0.22	100	7996	100.05	32.9
2023-02-11 15:10:00	190.6	0	0	0	199	14.47	19.22	33.4	66.5	100.06	-0.9	-0.3	0	33.8	0.22	100	7996	100.04	32.8
2023-02-11 15:15:00	387.8	0	0	0	222	13.2	21.9	33.8	66.9	100.03	-0.5	-0.2	0	34.5	0.22	100	7996	100.03	32.9
2023-02-11 15:20:00	327.4	0	0	0	233	9.51	14.47	35	66.2	100.05	-0.6	-0.5	0	35.9	0.23	100	7995	100.05	33.7
2023-02-11 15:25:00	350.4	0	0	0	229	13.29	19.17	35.8	63.3	100.05	-0.2	-0.8	0	36.5	0.26	100	7995	100.05	34
2023-02-11 15:30:00	282.2	0	0	0	233	8.19	17.34	36.1	63.4	100.06	-0.6	-0.5	0	36.9	0.26	100	7997	100.05	34.3
2023-02-11 15:35:00	187	0	0	0	215	13.73	23.94	36.2	62.2	100.06	-0.7	-0.3	0	36.7	0.27	100	7995	100.04	34.4
2023-02-11 15:40:00	157.2	0	0	0	219	8.86	13.42	35.5	62.5	100.06	-0.5	-0.5	0	35.9	0.26	100	7995	100.04	34.1
2023-02-11 15:45:00	212.6	0	0	0	199	8.84	12.21	35.2	64	100.05	-0.7	-0.4	0	35.7	0.25	100	7998	100.04	34
2023-02-11 15:50:00	247.2	0	0	0	208	8.59	15.88	35.4	64.9	100.05	-0.8	-0.6	0	36	0.25	100	7997	100.03	34.2
2023-02-11 15:55:00	216.8	0	0	0	237	10.63	15.3	35.9	62.7	100.05	-0.9	-0.6	0	36.5	0.27	100	7995	100.03	34.5

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-11 16:00:00	196.2	0	0	0	224	12.68	19.39	36.2	61.5	100.05	-0.4	-0.6	0	36.6	0.28	100	7995	100.02	34.6
2023-02-11 16:05:00	157.8	0	0	0	212	13.02	18.32	36.2	61	100.05	-0.8	-0.7	0	36.6	0.28	100	7994	100.02	34.6
2023-02-11 16:10:00	134.8	0	0	0	228	11.5	21.27	36.1	61.1	100.04	-0.6	-0.5	0	36.5	0.28	100	7994	100.02	34.6
2023-02-11 16:15:00	65.4	0	0	0	220	12.01	21.36	36.1	60.4	100.04	-0.6	-0.5	0	36.2	0.28	100	7993	100.02	34.5
2023-02-11 16:20:00	44.8	0	0	0	221	10.89	18.23	36	61.3	100.04	-0.6	-0.5	0	36.1	0.28	100	7991	100.02	34.4
2023-02-11 16:25:00	121.2	0	0	0	219	8.75	16.24	35.5	62.2	100.04	-0.6	-0.6	0	35.8	0.27	100	7992	100.01	34.3
2023-02-11 16:30:00	109.2	0	0	0	222	8.32	11.41	35.2	62.7	100.03	-0.6	-0.5	0	35.6	0.26	100	7991	100.01	34.3
2023-02-11 16:35:00	95.4	0	0	0	237	8.48	12.3	35.3	62.3	100.03	-0.4	-0.6	0	35.6	0.26	100	7992	100	34.4
2023-02-11 16:40:00	82.8	0	0	0	229	10.92	15.17	35.3	61.9	100.02	-0.7	-0.5	0	35.5	0.27	100	7994	99.99	34.4
2023-02-11 16:45:00	70.4	0	0	0	244	10.18	15.82	35.4	62	100.01	-0.6	-0.5	0	35.6	0.27	100	7991	99.99	34.3
2023-02-11 16:50:00	58.6	0	0	0	225	8.84	14.16	35.2	62	100.01	-0.5	-0.5	0	35.3	0.26	100	7988	99.99	34.1
2023-02-11 16:55:00	47.8	0	0	0	202	9.4	12.66	35	62.1	100.01	-0.7	-0.7	0	35.1	0.26	100	7988	99.98	34
2023-02-11 17:00:00	37.8	0	0	0	202	8.63	12.15	34.9	62.4	100	-0.6	-0.4	0	35	0.26	100	7990	99.98	33.9
2023-02-11 17:05:00	29	0	0	0	214	6.93	14.79	34.7	63.4	99.99	-0.7	-0.5	0	34.8	0.25	100	7988	99.96	33.4
2023-02-11 17:10:00	21.4	0	0	0	213	7.76	14.18	34.4	62.9	99.99	-0.6	-0.4	0	34.5	0.25	100	7993	99.96	32.8
2023-02-11 17:15:00	15	0	0	0	204	7.43	9.8	34.2	63.2	99.97	-0.6	-0.5	0	34.2	0.25	100	7988	99.94	32.3
2023-02-11 17:20:00	10	0	0	0	199	8.08	10.98	33.8	63.9	99.97	-0.7	-0.4	0	33.9	0.24	100	7988	99.94	31.9
2023-02-11 17:25:00	6.2	0	0	0	192	7.54	10.27	33.4	64.3	99.96	-0.6	-0.5	0	33.4	0.23	100	7988	99.93	31.6
2023-02-11 17:30:00	4	0	0	0	184	6.17	8.37	33	65.6	99.95	-0.8	-0.4	0	33.1	0.22	100	7986	99.92	31.3
2023-02-11 17:35:00	2.4	0	0	0	179	6.42	8.72	32.6	65.5	99.94	-0.8	-0.4	0	32.6	0.22	100	7985	99.91	31
2023-02-11 17:40:00	0.8	0	0	0	174	6.78	9.13	32.2	66.8	99.93	-0.8	-0.4	0	32.2	0.2	100	7985	99.9	30.7
2023-02-11 17:45:00	0	0	0	0	174	6.69	7.76	32	67.9	99.92	-0.9	-0.4	0	32	0.2	100	7984	99.9	30.4
2023-02-11 17:50:00	0	0	0	0	175	5.73	7.25	31.7	68.1	99.92	-0.9	-0.5	0	31.7	0.19	100	7983	99.89	30.2
2023-02-11 17:55:00	0	0	0	0	181	5.66	7.09	31.5	68.8	99.92	-0.8	-0.5	0	31.5	0.19	100	7984	99.9	29.9
2023-02-11 18:00:00	0	0	0	0	177	5.88	7.54	31.3	70	99.92	-0.9	-0.4	0	31.3	0.18	100	7982	99.9	29.8
2023-02-11 18:05:00	0	0	0	0	173	5.57	6.55	31.2	69.7	99.93	-0.7	-0.5	0	31.2	0.18	100	7982	99.9	29.6
2023-02-11 18:10:00	0	0	0	0	172	5.73	7.31	31.1	70	99.93	-0.9	-0.6	0	31.1	0.18	100	7980	99.9	29.4
2023-02-11 18:15:00	0	0	0	0	174	6.73	7.85	31.1	70.4	99.92	-0.8	-0.5	0	31.1	0.17	100	7984	99.9	29.3
2023-02-11 18:20:00	0	0	0	0	174	6.26	7.96	31	71.3	99.92	-0.9	-0.4	0	31	0.17	100	7981	99.89	29.2
2023-02-11 18:25:00	0	0	0	0	173	6.62	8.28	30.9	71.2	99.92	-0.8	-0.5	0	30.9	0.17	100	7981	99.89	29.1
2023-02-11 18:30:00	0	0	0	0	175	6.46	8.23	30.8	70.9	99.91	-0.8	-0.4	0	30.8	0.17	100	7980	99.88	29.1
2023-02-11 18:35:00	0	0	0	0	179	7.2	9.1	30.7	72.3	99.91	-0.8	-0.5	0	30.7	0.16	100	7980	99.88	29
2023-02-11 18:40:00	0	0	0	0	174	7.29	10.02	30.7	72.2	99.9	-0.7	-0.5	0	30.7	0.16	100	7980	99.88	29
2023-02-11 18:45:00	0	0	0	0	173	7.85	10.49	30.7	72.2	99.91	-0.9	-0.4	0	30.6	0.16	100	7979	99.88	28.9
2023-02-11 18:50:00	0	0	0	0	171	7.38	9.08	30.6	72.4	99.9	-0.8	-0.5	0	30.6	0.16	100	7979	99.87	28.9
2023-02-11 18:55:00	0	0	0	0	169	8.37	10.04	30.5	72.3	99.89	-0.8	-0.5	0	30.6	0.16	100	7979	99.87	28.8
2023-02-11 19:00:00	0	0	0	0	169	8.5	11.12	30.6	72.9	99.89	-0.9	-0.5	0	30.5	0.16	100	7979	99.86	28.8
2023-02-11 19:05:00	0	0	0	0	169	8.84	10.76	30.5	73.2	99.89	-0.7	-0.4	0	30.5	0.15	100	7976	99.86	28.8
2023-02-11 19:10:00	0	0	0	0	171	7.92	10.33	30.5	73	99.88	-0.9	-0.4	0	30.5	0.16	100	7978	99.86	28.8
2023-02-11 19:15:00	0	0	0	0	171	7.74	9.71	30.5	72.8	99.88	-0.9	-0.5	0	30.5	0.16	100	7978	99.85	28.8
2023-02-11 19:20:00	0	0	0	0	171	7.34	9.95	30.5	73	99.87	-0.8	-0.4	0	30.5	0.16	100	7976	99.84	28.7
2023-02-11 19:25:00	0	0	0	0	167	7.02	8.41	30.4	72.9	99.86	-0.8	-0.4	0	30.4	0.16	100	7976	99.83	28.7
2023-02-11 19:30:00	0	0	0	0	168	7.18	9.13	30.4	73.4	99.85	-0.7	-0.3	0	30.3	0.15	100	7976	99.82	28.6
2023-02-11 19:35:00	0	0	0	0	173	6.44	7.67	30.3	73.3	99.83	-0.7	-0.5	0	30.3	0.15	100	7976	99.81	28.5
2023-02-11 19:40:00	0	0	0	0	175	6.82	8.95	30.3	73.5	99.82	-0.8	-0.4	0	30.4	0.15	100	7976	99.8	28.5
2023-02-11 19:45:00	0	0	0	0	178	7.11	9.31	30.4	73.1	99.82	-0.8	-0.4	0	30.4	0.15	100	7976	99.8	28.6
2023-02-11 19:50:00	0	0	0	0	172	7.27	10.51	30.6	72.9	99.81	-0.7	-0.4	0	30.6	0.16	100	7974	99.78	28.7
2023-02-11 19:55:00	0	0	0	0	171	7.05	9.84	30.6	72.9	99.8	-0.9	-0.5	0	30.6	0.16	100	7974	99.77	28.7
2023-02-11 20:00:00	0	0	0	0	170	6.42	9.89	30.6	72.5	99.79	-0.8	-0.5	0	30.6	0.16	100	7976	99.76	28.6
2023-02-11 20:05:00	0	0	0	0	174	6.89	10.54	30.5	72.4	99.77	-0.7	-0.6	0	30.5	0.16	100	7975	99.74	28.5
2023-02-11 20:10:00	0	0	0	0	177	7.07	9.6	30.5	71.7	99.76	-0.9	-0.3	0	30.5	0.16	100	7976	99.74	28.6
2023-02-11 20:15:00	0	0	0	0	173	7.34	9.42	30.6	71.5	99.75	-0.7	-0.5	0	30.6	0.16	100	7974	99.73	28.7
2023-02-11 20:20:00	0	0	0	0	171	8.25	11.48	30.6	71.6	99.75	-0.9	-0.4	0	30.6	0.16	100	7972	99.72	28.7
2023-02-11 20:25:00	0	0	0	0	167	8.63	10.38	30.7	72.1	99.74	-0.9	-0.4	0	30.7	0.16	100	7972	99.72	28.8
2023-02-11 20:30:00	0	0	0	0	168	8.16	9.22	30.7	72.5	99.74	-1	-0.6	0	30.7	0.16	100	7976	99.71	28.6
2023-02-11 20:35:00	0	0	0	0	174	7.56	11.05	30.4	72.6	99.73	-0.8	-0.5	0	30.5	0.16	100	7972	99.7	28.5
2023-02-11 20:40:00	0	0	0	0	173	10.13	16.17	30.5	71.8	99.73	-0.9	-0.6	0	30.5	0.16	100	7971	99.7	28.6
2023-02-11 20:45:00	0	0	0	0	175	9.22	11.77	30.6	71.1	99.73	-0.9	-0.3	0	30.6	0.17	100	7973	99.7	28.8
2023-02-11 20:50:00	0	0	0	0	179	8.25	11.07	30.8	70.3	99.73	-1	-0.3	0	30.8	0.17	100	7971	99.7	28.9
2023-02-11 20:55:00	0	0	0	0	180	7.38	10.25	30.9	70.2	99.72	-0.9	-0.5	0	30.8	0.17	100	7972	99.7	29
2023-02-11 21:00:00	0	0	0	0	187	6.93	15.37	31.1	69.6	99.72	-0.8	-0.4	0	31.1	0.18	100	7973	99.69	29.1
2023-02-11 21:05:00	0	0	0	0	191	6.2	10.18	31.2	69.2	99.72	-0.8	-0.4	0	31.3	0.18	100	7970	99.69	29.3
2023-02-11 21:10:00	0	0	0	0	195	3.85	7.18	31.4	68.9	99.71	-0.7	-0.4	0	31.4	0.19	100	7971	99.68	29.1
2023-02-11 21:15:00	0	0	0	0	187	7.4	10.69	31.4	68.9	99.7	-0.9	-0.5	0	31.4	0.19	100	7971	99.67	29.1

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-11 21:20:00	0	0	0	0	187	9.04	14.45	31.6	67.5	99.69	-0.8	-0.5	0	31.6	0.2	100	7970	99.66	29.4
2023-02-11 21:25:00	0	0	0	0	183	7.61	10.71	31.9	67.3	99.68	-0.8	-0.4	0	31.9	0.2	100	7971	99.65	29.8
2023-02-11 21:30:00	0	0	0	0	182	7.58	10.07	32	67	99.68	-0.7	-0.4	0	32	0.2	100	7970	99.65	29.9
2023-02-11 21:35:00	0	0	0	0	185	8.66	13.02	32.1	66.9	99.68	-0.8	-0.4	0	32.1	0.2	100	7972	99.65	29.9
2023-02-11 21:40:00	0	0	0	0	189	10.02	22.19	32.3	66.4	99.68	-0.9	-0.6	0	32.3	0.21	100	7969	99.65	30.1
2023-02-11 21:45:00	0	0	0	0	187	9.37	16.13	32.3	66.3	99.67	-0.8	-0.5	0	32.3	0.21	100	7969	99.64	30.2
2023-02-11 21:50:00	0	0	0	0	192	9.33	12.41	32.4	66.1	99.68	-0.7	-0.5	0	32.4	0.21	100	7969	99.64	30.3
2023-02-11 21:55:00	0	0	0	0	190	9.98	14.9	32.6	65.9	99.66	-0.8	-0.5	0	32.6	0.21	100	7969	99.63	30.4
2023-02-11 22:00:00	0	0	0	0	194	11.34	14.9	32.6	65.4	99.65	-0.7	-0.8	0	32.7	0.22	100	7969	99.62	30.7
2023-02-11 22:05:00	0	0	0	0	190	9.04	15.66	33	64.5	99.64	-0.8	-0.3	0	33	0.23	100	7966	99.61	30.9
2023-02-11 22:10:00	0	0	0	0	200	8.86	17.09	32.9	64.6	99.63	-0.7	-0.5	0	32.9	0.22	100	7967	99.61	30.9
2023-02-11 22:15:00	0	0	0	0	199	7.2	10.65	33.1	64.2	99.63	-0.8	-0.5	0	33.2	0.23	100	7969	99.6	31
2023-02-11 22:20:00	0	0	0	0	196	11.3	15.28	33.2	63	99.63	-0.6	-0.4	0	33.2	0.24	100	7967	99.6	31.1
2023-02-11 22:25:00	0	0	0	0	191	9.95	13.4	33.3	62.1	99.63	-0.7	-0.5	0	33.3	0.24	100	7967	99.6	31.3
2023-02-11 22:30:00	0	0	0	0	203	10.33	18.07	33.5	61.7	99.62	-0.7	-0.6	0	33.5	0.25	100	7969	99.58	31.5
2023-02-11 22:35:00	0	0	0	0	203	8.08	12.91	33.6	61.3	99.61	-0.8	-0.5	0	33.6	0.25	100	7968	99.58	31.6
2023-02-11 22:40:00	0	0	0	0	210	9.66	19.73	33.8	60	99.62	-0.7	-0.5	0	33.8	0.26	100	7968	99.59	31.7
2023-02-11 22:45:00	0	0	0	0	202	8.25	10.49	33.9	59.4	99.63	-0.7	-0.4	0	33.8	0.27	100	7969	99.6	31.8
2023-02-11 22:50:00	0	0	0	0	195	12.39	19.3	34.1	58.8	99.64	-0.9	-0.7	0	34	0.27	100	7968	99.61	32
2023-02-11 22:55:00	0	0	0	0	201	11.21	17.25	34.2	58.4	99.66	-0.6	-0.3	0	34.2	0.28	100	7966	99.63	32.2
2023-02-11 23:00:00	0	0	0	0	201	10.27	15.21	34.3	58.1	99.65	-0.6	-0.5	0	34.4	0.28	100	7966	99.62	32.3
2023-02-11 23:05:00	0	0	0	0	209	10.8	18.52	34.4	57.9	99.65	-0.6	-0.5	0	34.5	0.28	100	7969	99.61	32.5
2023-02-11 23:10:00	0	0	0	0	233	9.57	16.33	34.8	56.5	99.63	-0.7	-0.5	0	34.8	0.3	100	7964	99.6	32.7
2023-02-11 23:15:00	0	0	0	0	237	9.22	13.24	34.8	55.6	99.63	-0.5	-0.7	0	34.8	0.3	100	7966	99.6	32.7
2023-02-11 23:20:00	0	0	0	0	233	9.4	14.23	35	56.7	99.64	-0.6	-0.4	0	35	0.3	100	7965	99.6	32.8
2023-02-11 23:25:00	0	0	0	0	231	8.81	12.71	35	55.8	99.63	-0.7	-0.6	0	35	0.3	100	7965	99.6	32.9
2023-02-11 23:30:00	0	0	0	0	228	8.97	14.05	35	55.2	99.64	-0.8	-0.5	0	35	0.31	100	7966	99.6	32.9
2023-02-11 23:35:00	0	0	0	0	225	8.01	11.59	35.1	54.9	99.63	-0.7	-0.4	0	35.1	0.31	100	7963	99.59	33
2023-02-11 23:40:00	0	0	0	0	224	6.96	11.18	35	55.1	99.62	-0.6	-0.6	0	35	0.31	100	7964	99.59	32.9
2023-02-11 23:45:00	0	0	0	0	234	6.62	11.21	34.9	55.6	99.62	-0.6	-0.3	0	34.9	0.3	100	7966	99.59	32.8
2023-02-11 23:50:00	0	0	0	0	234	6.69	10.76	34.8	55.1	99.62	-0.8	-0.5	0	34.8	0.31	100	7966	99.59	32.8
2023-02-11 23:55:00	0	0	0	0	243	5.66	9.84	34.8	55.4	99.63	-0.7	-0.5	0	34.8	0.3	100	7963	99.59	32.6
2023-02-12 00:00:00	0	0	0	0	241	6.11	9.6	34.6	55.1	99.63	-0.6	-0.4	0	34.6	0.3	100	7965	99.59	32.5
2023-02-12 00:05:00	0	0	0	0	240	7.11	11.36	34.6	55.8	99.63	-0.7	-0.6	0	34.6	0.3	100	7940	99.6	32.6
2023-02-12 00:10:00	0	0	0	0	235	6.73	9.6	34.6	55.8	99.63	-0.7	-0.4	0	34.6	0.3	100	7936	99.6	32.8
2023-02-12 00:15:00	0	0	0	0	237	6.33	8.16	34.5	56.3	99.62	-0.6	-0.5	0	34.5	0.3	100	7926	99.59	32.9
2023-02-12 00:20:00	0	0	0	0	234	6.96	12.5	34.4	56.5	99.62	-0.7	-0.5	0	34.4	0.29	100	7944	99.59	32.7
2023-02-12 00:25:00	0	0	0	0	230	7.65	11.21	34.3	57.2	99.62	-0.8	-0.5	0	34.3	0.29	100	7945	99.59	32.5
2023-02-12 00:30:00	0	0	0	0	222	8.08	10.8	34.4	56.8	99.62	-0.7	-0.4	0	34.4	0.29	100	7947	99.59	32.5
2023-02-12 00:35:00	0	0	0	0	222	5.73	10	34.4	58	99.62	-0.7	-0.6	0	34.4	0.28	100	7946	99.59	32.4
2023-02-12 00:40:00	0	0	0	0	215	7.65	11.61	34.2	58.4	99.61	-0.7	-0.5	0	34.2	0.28	100	7947	99.58	32.3
2023-02-12 00:45:00	0	0	0	0	214	6.29	12.15	34.1	58.4	99.61	-0.8	-0.5	0	34.1	0.28	100	7947	99.58	32.2
2023-02-12 00:50:00	0	0	0	0	224	6.26	10.33	33.9	58.2	99.6	-0.7	-0.5	0	33.9	0.28	100	7947	99.56	32
2023-02-12 00:55:00	0	0	0	0	239	5.61	9.62	33.8	58.8	99.58	-0.7	-0.4	0	33.8	0.27	100	7947	99.55	31.9
2023-02-12 01:00:00	0	0	0	0	230	6.33	9.19	33.8	58.5	99.58	-0.7	-0.5	0	33.7	0.27	100	7947	99.55	31.8
2023-02-12 01:05:00	0	0	0	0	216	5.39	8.95	33.7	58.7	99.58	-0.8	-0.5	0	33.7	0.27	100	7946	99.55	31.7
2023-02-12 01:10:00	0	0	0	0	200	5.61	7.27	33.6	58.4	99.58	-0.8	-0.5	0	33.5	0.27	100	7947	99.55	31.5
2023-02-12 01:15:00	0	0	0	0	207	6.73	11.25	33.5	58.9	99.58	-0.8	-0.4	0	33.5	0.27	100	7944	99.55	31.4
2023-02-12 01:20:00	0	0	0	0	207	6.98	10.38	33.4	58.9	99.57	-0.8	-0.4	0	33.4	0.27	100	7944	99.54	31.4
2023-02-12 01:25:00	0	0	0	0	215	5.88	8.34	33.4	58.8	99.57	-0.8	-0.6	0	33.4	0.27	100	7947	99.54	31.4
2023-02-12 01:30:00	0	0	0	0	214	7.81	12.26	33.5	58.9	99.58	-0.8	-0.4	0	33.5	0.27	100	7947	99.55	31.4
2023-02-12 01:35:00	0	0	0	0	195	8.25	12.62	33.4	58.7	99.6	-0.8	-0.5	0	33.4	0.27	100	7944	99.57	31.5
2023-02-12 01:40:00	0	0	0	0	202	8.01	12.44	33.6	58.7	99.6	-0.7	-0.4	0	33.5	0.27	100	7947	99.56	31.5
2023-02-12 01:45:00	0	0	0	0	209	6.93	10.83	33.4	58.7	99.58	-0.8	-0.6	0	33.4	0.27	100	7945	99.54	31.5
2023-02-12 01:50:00	0	0	0	0	204	8.34	11.3	33.5	59.2	99.57	-0.8	-0.6	0	33.5	0.26	100	7946	99.54	31.5
2023-02-12 01:55:00	0	0	0	0	205	8.08	13.65	33.4	59.3	99.57	-0.6	-0.3	0	33.4	0.26	100	7944	99.54	31.5
2023-02-12 02:00:00	0	0	0	0	209	8.16	13.29	33.4	59.9	99.57	-0.8	-0.3	0	33.4	0.26	100	7945	99.54	31.5
2023-02-12 02:05:00	0	0	0	0	206	8.61	13.96	33.5	59.8	99.57	-0.6	-0.6	0	33.5	0.26	100	7943	99.53	31.5
2023-02-12 02:10:00	0	0	0	0	202	10.89	17.85	33.4	59.9	99.57	-0.6	-0.4	0	33.4	0.26	100	7945	99.54	31.5
2023-02-12 02:15:00	0	0	0	0	206	10.27	14.56	33.4	60.2	99.58	-0.7	-0.5	0	33.5	0.26	100	7944	99.55	31.6
2023-02-12 02:20:00	0	0	0	0	209	10.71	15.3	33.5	60	99.59	-0.9	-0.5	0	33.5	0.26	100	7946	99.55	31.7
2023-02-12 02:25:00	0	0	0	0	213	10.38	15.84	33.5	60.3	99.59	-0.6	-0.5	0	33.5	0.26	100	7945	99.55	31.7
2023-02-12 02:30:00	0	0	0	0	215	11.5	18.5	33.7	59.6	99.58	-0.8	-0.5	0	33.7	0.26	100	7945	99.55	31.9
2023-02-12 02:35:00	0	0	0	0	225	12.01	19.86	33.8	60.2	99.58	-0.7	-0.6	0	33.8	0.26	100	7943	99.55	32

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-12 02:40:00	0	0	0	0	224	11.21	15.26	33.9	59.3	99.58	-0.7	-0.4	0	33.9	0.27	100	7947	99.55	32.1
2023-02-12 02:45:00	0	0	0	0	225	14.2	19.98	34.1	59.6	99.58	-0.8	-0.5	0	34.1	0.27	100	7945	99.55	32.3
2023-02-12 02:50:00	0	0	0	0	230	13.09	18.84	34.2	58.4	99.59	-0.9	-0.7	0	34.2	0.28	100	7943	99.56	32.4
2023-02-12 02:55:00	0	0	0	0	235	11.79	15.7	34.3	58.8	99.59	-0.4	-0.5	0	34.3	0.28	100	7944	99.55	32.4
2023-02-12 03:00:00	0	0	0	0	241	11.32	18.5	34.3	58.6	99.57	-0.7	-0.3	0	34.2	0.28	100	7942	99.54	32.4
2023-02-12 03:05:00	0	0	0	0	245	9.82	15.66	34.2	58.4	99.56	-0.8	-0.6	0	34.2	0.28	100	7943	99.53	32.4
2023-02-12 03:10:00	0	0	0	0	250	9.84	14.85	34.2	58.5	99.57	-0.7	-0.4	0	34.2	0.28	100	7941	99.53	32.3
2023-02-12 03:15:00	0	0	0	0	243	9.46	13.31	34.1	58.7	99.56	-0.8	-0.7	0	34	0.27	100	7944	99.52	32.3
2023-02-12 03:20:00	0	0	0	0	241	10.51	15.86	33.9	59.1	99.55	-0.7	-0.6	0	33.9	0.27	100	7941	99.51	32.2
2023-02-12 03:25:00	0	0	0	0	251	7.58	10.36	33.9	59.3	99.54	-0.6	-0.5	0	33.9	0.27	100	7942	99.51	32.1
2023-02-12 03:30:00	0	0	0	0	239	9.44	13.6	33.7	59.5	99.53	-0.8	-0.6	0	33.7	0.26	100	7944	99.5	32
2023-02-12 03:35:00	0	0	0	0	240	9.86	14.92	33.7	59.5	99.52	-0.8	-0.4	0	33.7	0.26	100	7943	99.49	32
2023-02-12 03:40:00	0	0	0	0	236	10.74	17.07	33.7	59.6	99.52	-0.8	-0.4	0	33.7	0.26	100	7941	99.49	32
2023-02-12 03:45:00	0	0	0	0	231	11.25	18.63	33.7	59.7	99.51	-0.8	-0.4	0	33.7	0.26	100	7943	99.48	32.1
2023-02-12 03:50:00	0	0	0	0	231	12.35	16.44	33.7	59.5	99.5	-0.9	-0.4	0	33.7	0.26	100	7940	99.47	32.1
2023-02-12 03:55:00	0	0	0	0	233	10.8	16.04	33.9	59.4	99.5	-0.6	-0.5	0	33.9	0.27	100	7941	99.47	32.2
2023-02-12 04:00:00	0	0	0	0	235	11.14	15.32	33.9	59.2	99.49	-0.6	-0.6	0	33.8	0.27	100	7942	99.46	32.2
2023-02-12 04:05:00	0	0	0	0	239	12.01	17.74	33.8	59.4	99.49	-0.8	-0.5	0	33.8	0.27	100	7937	99.46	32.2
2023-02-12 04:10:00	0	0	0	0	233	13.49	19.1	33.9	59.1	99.49	-0.7	-0.5	0	33.9	0.27	100	7941	99.46	32.3
2023-02-12 04:15:00	0	0	0	0	233	11.68	19.71	34	58.9	99.49	-0.5	-0.4	0	34	0.27	100	7940	99.46	32.3
2023-02-12 04:20:00	0	0	0	0	231	11.61	18.43	34.1	58.7	99.48	-0.8	-0.4	0	34.1	0.27	100	7941	99.45	32.3
2023-02-12 04:25:00	0	0	0	0	234	11.32	17.74	33.9	59	99.48	-0.8	-0.3	0	33.9	0.27	100	7939	99.45	32.3
2023-02-12 04:30:00	0	0	0	0	232	11.95	17.81	34	58.9	99.47	-0.7	-0.3	0	33.9	0.27	100	7941	99.44	32.3
2023-02-12 04:35:00	0	0	0	0	235	10.71	15.5	34	58.9	99.47	-1.1	-0.5	0	33.9	0.27	100	7941	99.44	32.3
2023-02-12 04:40:00	0	0	0	0	241	9.89	15.3	34	58.9	99.47	-0.8	-0.5	0	34	0.27	100	7939	99.44	32.3
2023-02-12 04:45:00	0	0	0	0	243	9.33	15.05	33.9	58.5	99.47	-0.7	-0.4	0	33.9	0.27	100	7939	99.43	32.1
2023-02-12 04:50:00	0	0	0	0	244	7.83	12.21	33.8	59.2	99.46	-0.7	-0.5	0	33.7	0.27	100	7938	99.43	32
2023-02-12 04:55:00	0	0	0	0	247	7.76	12.21	33.8	59.5	99.47	-0.6	-0.5	0	33.8	0.27	100	7938	99.44	31.9
2023-02-12 05:00:00	0	0	0	0	248	6.69	10.09	33.5	60	99.47	-0.9	-0.5	0	33.5	0.26	100	7938	99.44	31.8
2023-02-12 05:05:00	0	0	0	0	251	7.4	11.99	33.4	59.6	99.47	-0.6	-0.4	0	33.4	0.26	100	7937	99.44	31.7
2023-02-12 05:10:00	0	0	0	0	253	6.89	13.91	33.3	59.9	99.47	-0.9	-0.5	0	33.3	0.26	100	7940	99.44	31.6
2023-02-12 05:15:00	0	0	0	0	252	7.31	11.81	33.3	59.7	99.48	-0.7	-0.5	0	33.3	0.26	100	7937	99.44	31.5
2023-02-12 05:20:00	0	0	0	0	248	6.64	9.1	33.2	60.8	99.48	-0.8	-0.5	0	33.2	0.25	100	7940	99.45	31.3
2023-02-12 05:25:00	0	0	0	0	243	6.31	9.75	33	60.1	99.48	-0.6	-0.5	0	33	0.25	100	7938	99.45	31.2
2023-02-12 05:30:00	0	0	0	0	241	8.7	13.18	33	59.9	99.48	-0.9	-0.4	0	33	0.26	100	7938	99.45	31.2
2023-02-12 05:35:00	0	0	0	0	245	9.04	12.64	33.2	60.2	99.48	-0.8	-0.6	0	33.2	0.25	100	7936	99.45	31.3
2023-02-12 05:40:00	0	0	0	0	251	6.98	11.99	33.2	60.8	99.49	-0.7	-0.6	0	33.2	0.25	100	7935	99.45	31.3
2023-02-12 05:45:00	0	0	0	0	259	5.57	9.04	33.1	60.1	99.49	-0.8	-0.5	0	33.1	0.26	100	7937	99.45	31.1
2023-02-12 05:50:00	0	0	0	0	258	6.17	11.72	32.9	60.5	99.49	-0.8	-0.5	0	32.9	0.25	100	7936	99.46	31
2023-02-12 05:55:00	0	0	0	0	256	6.33	8.57	32.8	61.4	99.49	-0.9	-0.3	0	32.9	0.24	100	7936	99.45	30.8
2023-02-12 06:00:00	0	0	0	0	254	6.06	10.45	32.6	61.2	99.49	-0.8	-0.5	0	32.6	0.24	100	7937	99.45	30.7
2023-02-12 06:05:00	0	0	0	0	249	6.29	10.65	32.5	60.9	99.49	-0.8	-0.4	0	32.5	0.24	100	7934	99.45	30.6
2023-02-12 06:10:00	0	0	0	0	244	6.76	10.56	32.6	61.7	99.49	-0.8	-0.5	0	32.6	0.24	100	7934	99.46	30.5
2023-02-12 06:15:00	0	0	0	0	244	6.44	9.17	32.5	61.6	99.51	-0.8	-0.5	0	32.5	0.24	100	7934	99.48	30.5
2023-02-12 06:20:00	0	0	0	0	229	8.05	11.65	32.5	61.2	99.51	-0.8	-0.6	0	32.5	0.24	100	7935	99.48	30.5
2023-02-12 06:25:00	0	0	0	0	224	6.17	10.36	32.5	61.8	99.51	-0.6	-0.5	0	32.5	0.24	100	7934	99.48	30.6
2023-02-12 06:30:00	0	0	0	0	208	4.03	9.46	32.6	62.3	99.52	-0.8	-0.5	0	32.6	0.24	100	7934	99.49	30.5
2023-02-12 06:35:00	0	0	0	0	204	4.52	7.81	32.4	62.5	99.52	-0.8	-0.4	0	32.4	0.23	100	7932	99.49	30.3
2023-02-12 06:40:00	0	0	0	0	199	5.91	9.17	32.3	62.8	99.52	-0.8	-0.5	0	32.3	0.23	100	7934	99.49	30.2
2023-02-12 06:45:00	0	0	0	0	198	5.64	8.79	32.3	62.9	99.53	-0.7	-0.5	0	32.2	0.23	100	7932	99.5	30.1
2023-02-12 06:50:00	0	0	0	0	198	5.41	7.38	32.2	62.4	99.53	-0.8	-0.4	0	32.2	0.23	100	7933	99.5	30.1
2023-02-12 06:55:00	0.6	0	0	0	195	6.49	8.34	32.2	62.7	99.53	-0.8	-0.5	0	32.2	0.23	100	7934	99.5	30.1
2023-02-12 07:00:00	2.2	0	0	0	199	6.98	10.69	32.1	62.9	99.54	-0.8	-0.5	0	32.1	0.23	100	7932	99.51	30.1
2023-02-12 07:05:00	4.2	0	0	0	202	7.94	11.54	32.1	63.1	99.54	-0.7	-0.4	0	32.1	0.23	100	7931	99.52	30.1
2023-02-12 07:10:00	7.4	0	0	0	206	8.1	11.86	32.2	63.3	99.55	-0.8	-0.4	0	32.2	0.23	100	7934	99.52	30.1
2023-02-12 07:15:00	15.8	0	0	0	219	9.22	13.69	32.4	62.9	99.55	-0.7	-0.5	0	32.4	0.23	100	7935	99.52	30.3
2023-02-12 07:20:00	28.2	0	0	0	214	8.32	13.09	32.8	63.5	99.54	-0.9	-0.5	0	32.9	0.23	100	7938	99.51	30.6
2023-02-12 07:25:00	45.8	0	0	0	211	8.88	13.11	33.3	62.2	99.54	-0.8	-0.4	0	33.4	0.24	100	7945	99.51	31
2023-02-12 07:30:00	53.6	0	0	0	205	8.34	12.15	33.8	61	99.54	-0.8	-0.4	0	33.9	0.26	100	7949	99.51	31.3
2023-02-12 07:35:00	62.8	0	0	0	195	7.99	14.16	34.2	60.8	99.53	-0.7	-0.4	0	34.4	0.26	100	7951	99.5	31.7
2023-02-12 07:40:00	64.6	0	0	0	196	7.02	9.82	34.5	59.8	99.53	-0.7	-0.4	0	34.7	0.27	100	7955	99.51	32
2023-02-12 07:45:00	95.4	0	0	0	206	8.28	13.76	35	59.6	99.51	-0.7	-0.5	0	35.2	0.28	100	7965	99.5	32.4
2023-02-12 07:50:00	85.6	0	0	0	216	7.56	13.11	35.5	58.6	99.52	-0.7	-0.5	0	35.8	0.29	100	7968	99.5	33
2023-02-12 07:55:00	98.6	0	0	0	224	9.6	13.27	35.9	57.8	99.52	-0.7	-0.4	0	36.2	0.3	100	7973	99.51	33.4

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-12 08:00:00	97.8	0	0	0	229	7.36	10.78	36.3	56.8	99.53	-0.6	-0.5	0	36.6	0.31	100	7976	99.51	33.9
2023-02-12 08:05:00	105.8	0	0	0	223	5.82	8.41	36.4	56.6	99.52	-0.7	-0.5	0	36.8	0.32	100	7982	99.5	34.2
2023-02-12 08:10:00	110.2	0	0	0	237	6.8	10.78	36.9	56.1	99.52	-0.6	-0.5	0	37.3	0.33	100	7985	99.5	34.7
2023-02-12 08:15:00	110.4	0	0	0	248	5.95	8.3	36.9	55.4	99.53	-0.6	-0.6	0	37.3	0.33	100	7990	99.5	35
2023-02-12 08:20:00	137.4	0	0	0	247	6.89	11.61	37.2	55	99.51	-0.4	-0.5	0	37.6	0.34	100	7995	99.5	35.3
2023-02-12 08:25:00	152.4	0	0	0	245	7.11	9.69	37.7	54.2	99.51	-0.6	-0.5	0	38.2	0.35	100	8003	99.5	35.7
2023-02-12 08:30:00	172.8	0	0	0	246	5.41	8.77	38.1	53.9	99.5	-0.6	-0.4	0	38.7	0.36	100	8009	99.49	36.1
2023-02-12 08:35:00	187.8	0	0	0	232	7	9.84	38.7	52.8	99.51	-0.5	-0.4	0	39.2	0.38	100	8014	99.5	36.7
2023-02-12 08:40:00	192	0	0	0	233	7.92	11.05	38.9	52.2	99.51	-0.6	-0.4	0	39.5	0.39	100	8018	99.5	37.2
2023-02-12 08:45:00	233.4	0	0	0	232	8.03	13.31	39.3	51.5	99.5	-0.5	-0.5	0	40	0.4	100	8027	99.49	37.5
2023-02-12 08:50:00	217.4	0	0	0	232	9.1	12.28	39.6	50.9	99.49	-0.5	-0.6	0	40.2	0.41	100	8029	99.48	37.9
2023-02-12 08:55:00	235	0	0	0	240	9.4	13.53	39.8	50.4	99.49	-0.6	-0.7	0	40.5	0.41	100	8036	99.49	38.2
2023-02-12 09:00:00	258.8	0	0	0	231	9.69	12.86	40.2	50.7	99.49	-0.6	-0.5	0	40.9	0.42	100	8042	99.49	38.5
2023-02-12 09:05:00	250	0	0	0	232	7.67	10.45	40.4	50.5	99.49	-0.5	-0.6	0	41.1	0.42	100	8048	99.48	38.8
2023-02-12 09:10:00	262.8	0	0	0	237	6.42	9.98	40.8	49.5	99.49	-0.5	-0.5	0	41.6	0.44	100	8052	99.48	39.2
2023-02-12 09:15:00	294.4	0	0	0	222	6.93	12.59	41.1	49.3	99.49	-0.5	-0.5	0	42	0.44	100	8061	99.49	39.6
2023-02-12 09:20:00	283.4	0	0	0	228	7.09	10.22	41.6	48.7	99.5	-0.6	-0.4	0	42.4	0.46	100	8064	99.49	40
2023-02-12 09:25:00	279.8	0	0	0	234	7.74	13	41.9	48.1	99.49	-0.4	-0.5	0	42.7	0.47	100	8070	99.49	40.3
2023-02-12 09:30:00	295.4	0	0	0	237	8.21	13.67	41.9	48.2	99.48	-0.6	-0.5	0	42.7	0.47	100	8077	99.47	40.5
2023-02-12 09:35:00	310.8	0	0	0	253	7.58	11.56	42.3	47.8	99.46	-0.5	-0.5	0	43.2	0.48	100	8080	99.46	40.7
2023-02-12 09:40:00	321.4	0	0	0	267	8.48	13.13	42.8	47.9	99.44	-0.3	-0.5	0	43.7	0.49	100	8088	99.45	41
2023-02-12 09:45:00	282.8	0	0	0	250	7.2	11.01	43.2	47.6	99.44	-0.6	-0.6	0	44	0.5	100	8093	99.44	41.4
2023-02-12 09:50:00	301.2	0	0	0	252	6.98	11.3	43.4	47.4	99.44	-0.4	-0.5	0	44.4	0.5	100	8098	99.44	41.7
2023-02-12 09:55:00	342	0	0	0	256	8.55	12.46	43.8	47.2	99.43	-0.5	-0.4	0	44.7	0.51	100	8103	99.44	42
2023-02-12 10:00:00	373.4	0	0	0	253	8.43	12.8	44.1	46.8	99.43	-0.4	-0.5	0	45.1	0.52	100	8111	99.43	42.2
2023-02-12 10:05:00	406.6	0	0	0	234	9.51	13.15	44.5	46.2	99.42	-0.4	-0.4	0	45.4	0.54	100	8120	99.43	42.5
2023-02-12 10:10:00	425.8	0	0	0	250	8.25	12.75	44.8	45.8	99.42	-0.6	-0.6	0	45.7	0.55	100	8121	99.43	42.7
2023-02-12 10:15:00	435.8	0	0	0	244	7.96	14.41	45.1	45.7	99.42	-0.5	-0.5	0	46.1	0.55	100	8129	99.42	43.1
2023-02-12 10:20:00	446.8	0	0	0	277	8.7	13.35	45.6	44.7	99.42	-0.3	-0.4	0	46.5	0.58	100	8137	99.43	43.3
2023-02-12 10:25:00	455.4	0	0	0	255	8.1	13.2	45.8	44	99.41	-0.4	-0.6	0	46.8	0.59	100	8138	99.42	43.6
2023-02-12 10:30:00	464.2	0	0	0	265	5.41	10	46	43.6	99.42	-0.4	-0.5	0	47.1	0.59	100	8143	99.43	43.8
2023-02-12 10:35:00	462.8	0	0	0	267	6.13	8.57	46.5	44	99.42	-0.3	-0.5	0	47.8	0.6	100	8145	99.43	44.2
2023-02-12 10:40:00	450.6	0	0	0	270	7.45	11.32	47	42.7	99.43	-0.4	-0.7	0	48.1	0.63	100	8153	99.43	44.5
2023-02-12 10:45:00	426.4	0	0	0	280	7.81	12.28	47	41.9	99.43	-0.4	-0.4	0	47.9	0.64	100	8155	99.43	44.7
2023-02-12 10:50:00	430	0	0	0	287	7.34	12.37	46.9	42	99.43	-0.4	-0.4	0	47.9	0.63	100	8157	99.42	44.7
2023-02-12 10:55:00	398.4	0	0	0	282	7.36	9.75	46.9	41.6	99.41	-0.3	-0.4	0	47.9	0.64	100	8159	99.41	44.8
2023-02-12 11:00:00	402.8	0	0	0	265	4.88	9.31	46.8	43.1	99.4	-0.4	-0.5	0	48	0.62	100	8165	99.41	44.9
2023-02-12 11:05:00	425.4	0	0	0	297	7.02	10.94	47.3	41.8	99.39	-0.4	-0.5	0	48.5	0.65	100	8167	99.39	45.2
2023-02-12 11:10:00	452.4	0	0	0	282	4.99	8.9	47.6	40.9	99.39	-0.3	-0.4	0	48.7	0.66	100	8170	99.39	45.3
2023-02-12 11:15:00	481.2	0	0	0	283	4.76	9.66	47.8	40.8	99.38	-0.3	-0.5	0	49.1	0.67	100	8175	99.38	45.5
2023-02-12 11:20:00	496.4	0	0	0	285	5.28	8.66	48.4	40.7	99.37	-0.3	-0.5	0	49.7	0.69	100	8175	99.37	45.8
2023-02-12 11:25:00	469.8	0	0	0	307	5.7	9.01	48.6	39.3	99.36	-0.2	-0.5	0	49.7	0.71	100	8176	99.35	46
2023-02-12 11:30:00	509.6	0	0	0	337	4.83	8.9	48.3	39.5	99.34	-0.3	-0.5	0	49.5	0.7	100	8181	99.34	46
2023-02-12 11:35:00	527.4	0	0	0	336	4.61	8.05	48.6	39.9	99.35	-0.2	-0.6	0	49.9	0.7	100	8184	99.35	46.2
2023-02-12 11:40:00	530.6	0	0	0	325	3.18	5.84	49	39.6	99.34	-0.1	-0.5	0	50.5	0.71	100	8185	99.34	46.5
2023-02-12 11:45:00	525.6	0	0	0	263	4.14	7.25	49.7	38.5	99.33	-0.2	-0.7	0	51.2	0.75	100	8189	99.32	46.9
2023-02-12 11:50:00	523	0	0	0	240	5.82	9.62	50.1	38.3	99.31	-0.3	-0.7	0	51.4	0.76	100	8187	99.3	47.2
2023-02-12 11:55:00	520	0	0	0	144	3.2	4.54	49.7	38	99.3	-0.3	-0.6	0	51.2	0.75	100	8190	99.29	47.2
2023-02-12 12:00:00	509.8	0	0	0	110	2.46	4.54	49.7	38.4	99.29	-0.2	-0.6	0	51.3	0.75	100	8192	99.28	47.3
2023-02-12 12:05:00	510.2	0	0	0	347	1.77	4.23	49.7	38.9	99.28	-0.1	-0.5	0	51.8	0.74	100	8192	99.27	47.5
2023-02-12 12:10:00	479.2	0	0	0	339	2.62	7.58	50.8	37.6	99.27	-0.2	-0.6	0	52.7	0.79	100	8197	99.26	47.8
2023-02-12 12:15:00	455.4	0	0	0	317	2.3	3.67	51.4	37.3	99.26	-0.2	-0.6	0	53.1	0.81	100	8194	99.25	48.1
2023-02-12 12:20:00	484.4	0	0	0	74	1.39	3.29	51.6	37	99.25	-0.1	-0.7	0	53.9	0.82	100	8195	99.25	48.7
2023-02-12 12:25:00	498.4	0	0	0	10	2.64	5.7	52.3	35.6	99.25	-0.1	-0.6	0	54.3	0.86	100	8194	99.24	49.2
2023-02-12 12:30:00	511	0	0	0	209	3.67	6.78	52.7	34.8	99.24	-0.1	-0.6	0	54.2	0.88	100	8197	99.23	49.4
2023-02-12 12:35:00	518.2	0	0	0	186	4.25	7.2	52.4	34.5	99.24	-0.2	-0.7	0	53.7	0.88	100	8197	99.23	49.3
2023-02-12 12:40:00	528.4	0	0	0	135	3.09	5.5	51.9	35.4	99.22	-0.1	-0.5	0	53.5	0.85	100	8195	99.21	49
2023-02-12 12:45:00	528.8	0	0	0	142	3.91	8.57	51.8	36.1	99.22	-0.2	-0.5	0	53.4	0.84	100	8194	99.2	49
2023-02-12 12:50:00	517.2	0	0	0	114	3.83	7.09	51.6	35.5	99.21	-0.2	-0.7	0	52.9	0.84	100	8195	99.19	48.8
2023-02-12 12:55:00	525	0	0	0	70	2.48	4.43	51.1	36.3	99.2	-0.2	-0.7	0	52.8	0.82	100	8196	99.18	48.7
2023-02-12 13:00:00	544.6	0	0	0	52	2.82	4.56	51.4	36.2	99.18	-0.1	-0.5	0	53.1	0.83	100	8193	99.17	48.9
2023-02-12 13:05:00	543.8	0	0	0	114	4.41	10.85	51.9	36	99.17	-0.1	-0.7	0	53.5	0.84	100	8194	99.15	49.2
2023-02-12 13:10:00	547	0	0	0	139	7.49	12.28	52.3	34.9	99.15	-0.1	-0.7	0	53.3	0.87	100	8191	99.14	49.2
2023-02-12 13:15:00	528.2	0	0	0	141	5.5	9.95	51.6	35	99.14	-0.1	-0.7	0	52.8	0.85	100	8191	99.13	48.8

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-12 13:20:00	476.2	0	0	0	114	4.61	7.9	51.2	34.9	99.14	-0.1	-0.8	0	52.4	0.83	100	8188	99.12	48.6
2023-02-12 13:25:00	512.4	0	0	0	94	3.56	7.45	50.8	35.7	99.12	-0.1	-0.6	0	52.3	0.81	100	8188	99.1	48.5
2023-02-12 13:30:00	500.6	0	0	0	83	4.72	7.81	51.1	35.7	99.11	-0.2	-0.7	0	52.4	0.82	100	8187	99.09	48.7
2023-02-12 13:35:00	490.4	0	0	0	69	3.18	5.53	51.1	36.1	99.11	-0.2	-0.6	0	52.6	0.82	100	8183	99.09	49
2023-02-12 13:40:00	436.8	0	0	0	250	1.95	4.14	51.2	36.1	99.11	-0.1	-0.6	0	53.1	0.82	100	8184	99.08	49.4
2023-02-12 13:45:00	469	0	0	0	260	3.65	5.39	52.1	33.7	99.09	-0.1	-0.6	0	53.8	0.88	100	8186	99.07	49.6
2023-02-12 13:50:00	443.2	0	0	0	235	2.15	4.32	52.4	34	99.09	-0.1	-0.6	0	54.2	0.89	100	8182	99.06	49.7
2023-02-12 13:55:00	438	0	0	0	246	4.34	7.52	53.1	31.9	99.08	0	-0.7	0	54.5	0.94	100	8181	99.05	49.9
2023-02-12 14:00:00	440	0	0	0	315	3.89	7.52	53.2	30	99.07	-0.1	-0.6	0	54.6	0.97	100	8182	99.04	49.9
2023-02-12 14:05:00	434	0	0	0	302	5.5	7.99	53.3	29.7	99.05	-0.1	-0.6	0	54.6	0.98	100	8183	99.03	49.8
2023-02-12 14:10:00	404.8	0	0	0	304	3.62	7.72	53.2	30.1	99.04	-0.1	-0.7	0	54.5	0.97	100	8181	99.02	49.9
2023-02-12 14:15:00	375.6	0	0	0	91	3.06	5.39	53	31.8	99.04	-0.1	-0.7	0	54.8	0.93	100	8180	99.02	50.3
2023-02-12 14:20:00	372.4	0	0	0	303	3.36	5.84	53.2	30.8	99.04	-0.1	-0.7	0	54.6	0.96	100	8178	99.02	50.6
2023-02-12 14:25:00	368.8	0	0	0	134	4.23	7.36	53.4	31	99.05	0	-0.6	0	55	0.96	100	8175	99.02	50.8
2023-02-12 14:30:00	342.2	0	0	0	104	4.65	8.14	53.2	30.7	99.04	-0.1	-0.6	0	54.5	0.96	100	8178	99.01	50.9
2023-02-12 14:35:00	337.4	0	0	0	125	5.35	7.7	52.7	32.2	99.04	-0.2	-0.7	0	53.9	0.92	100	8177	99.01	50.8
2023-02-12 14:40:00	361.2	0	0	0	126	1.92	5.82	52	31.8	99.03	-0.1	-0.7	0	53.6	0.9	100	8174	99.01	50.6
2023-02-12 14:45:00	305.8	0	0	0	75	2.84	5.88	52.2	32.4	99.05	-0.1	-0.7	0	53.8	0.9	100	8174	99.01	50.7
2023-02-12 14:50:00	282.8	0	0	0	11	1.34	2.77	51.9	31.8	99.05	0	-0.7	0	53.7	0.9	100	8175	99.01	50.9
2023-02-12 14:55:00	326.8	0	0	0	312	2.26	7.11	52.3	30.8	99.05	-0.1	-0.7	0	54.2	0.93	100	8178	99.02	51
2023-02-12 15:00:00	285	0	0	0	303	4.14	8.61	53.1	27.5	99.05	-0.2	-0.6	0	54.3	1	100	8173	99.01	51
2023-02-12 15:05:00	272.8	0	0	0	258	3.2	5.55	52.9	27.5	99.05	-0.1	-0.7	0	54.1	0.99	100	8172	99.01	51
2023-02-12 15:10:00	252.6	0	0	0	236	4.14	7.83	53.1	29.5	99.05	-0.2	-0.7	0	54	0.97	100	8172	99.01	51.2
2023-02-12 15:15:00	254.2	0	0	0	241	3.6	6.53	52.4	29.6	99.04	-0.3	-0.6	0	53.5	0.94	100	8172	99	51.1
2023-02-12 15:20:00	292.2	0	0	0	299	2.3	4.97	52.1	27.9	99.04	-0.2	-0.7	0	53.4	0.95	100	8171	99	50.9
2023-02-12 15:25:00	241.8	0	0	0	296	5.57	9.89	52.4	28.2	99.03	-0.2	-0.7	0	53.5	0.96	100	8171	98.99	50.8
2023-02-12 15:30:00	219	0	0	0	267	4.09	6.38	52.2	28.1	99.03	-0.1	-0.7	0	53	0.96	100	8172	98.98	50.6
2023-02-12 15:35:00	245.8	0	0	0	286	2.98	5.06	51.7	28	99.01	-0.1	-0.6	0	52.7	0.94	100	8168	98.97	50.6
2023-02-12 15:40:00	262	0	0	0	299	3.91	5.39	51.7	27.7	99	-0.1	-0.6	0	52.8	0.94	100	8168	98.96	50.6
2023-02-12 15:45:00	267.6	0	0	0	296	4.14	5.86	51.9	27.8	99	-0.1	-0.7	0	53	0.95	100	8169	98.95	50.8
2023-02-12 15:50:00	251.2	0	0	0	277	3.89	6.22	52.2	27.1	98.99	-0.2	-0.6	0	53.2	0.97	100	8167	98.94	51
2023-02-12 15:55:00	223.2	0	0	0	292	2.84	6.13	52.2	26.9	98.98	-0.1	-0.7	0	53.2	0.97	100	8168	98.93	51.3
2023-02-12 16:00:00	203.6	0	0	0	297	4.76	6.64	52.4	26.6	98.97	-0.2	-0.7	0	53.2	0.98	100	8170	98.93	51.5
2023-02-12 16:05:00	161.2	0	0	0	291	4.88	6.44	52.3	25.9	98.97	-0.2	-0.7	0	53	0.99	100	8165	98.92	51.3
2023-02-12 16:10:00	170.2	0	0	0	328	9.91	14.92	52	31.9	98.96	-0.2	-0.7	0	52.5	0.9	100	8165	98.92	51.1
2023-02-12 16:15:00	52.8	0	0	0	334	9.35	12.46	51.1	39.9	98.95	-0.3	-0.4	0	51.3	0.77	100	8165	98.9	50.5
2023-02-12 16:20:00	56.8	0	0	0	359	9.13	14.27	49.9	42.4	98.94	-0.2	-0.8	0	50	0.7	100	8165	98.88	49.6
2023-02-12 16:25:00	75.2	0	0	0	2	10.18	14.29	48.3	45.1	98.93	-0.4	-0.5	0	48.5	0.63	100	8161	98.88	48.4
2023-02-12 16:30:00	66.2	0	0	0	349	9.28	12.06	47.2	47.1	98.93	-0.3	-0.6	0	47.3	0.58	100	8162	98.88	47.4
2023-02-12 16:35:00	46.4	0	0	0	350	8.68	11.95	46.1	49	98.92	-0.5	-0.5	0	46.2	0.54	100	8160	98.87	46.5
2023-02-12 16:40:00	58.2	0	0	0	358	8.48	12.33	45.2	50.8	98.92	-0.3	-0.5	0	45.3	0.5	100	8160	98.87	45.6
2023-02-12 16:45:00	44.2	0	0	0	3	6.24	10.04	44.3	52.4	98.91	-0.6	-0.5	0	44.5	0.47	100	8159	98.87	44.9
2023-02-12 16:50:00	38	0	0	0	10	6.04	8.81	43.6	53.8	98.91	-0.5	-0.5	0	43.7	0.45	100	8158	98.86	44.1
2023-02-12 16:55:00	35.2	0	0	0	16	6.15	8.3	43.1	55	98.91	-0.5	-0.5	0	43.1	0.43	100	8156	98.87	43.4
2023-02-12 17:00:00	31	0	0	0	11	5.77	7.85	42.7	55.9	98.91	-0.6	-0.5	0	42.7	0.41	100	8158	98.86	42.7
2023-02-12 17:05:00	25.6	0	0	0	8	4.63	7.65	42.2	57	98.9	-0.5	-0.5	0	42.3	0.39	100	8155	98.86	42.2
2023-02-12 17:10:00	21	0	0	0	9	5.46	7.2	41.8	58.5	98.9	-0.6	-0.6	0	41.9	0.37	100	8154	98.85	41.6
2023-02-12 17:15:00	18.2	0	0	0	13	5.5	7.61	41.4	59.1	98.89	-0.5	-0.5	0	41.5	0.36	100	8152	98.84	41.1
2023-02-12 17:20:00	16.2	0	0	0	14	5.14	7.07	41.2	60.4	98.89	-0.5	-0.4	0	41.2	0.35	100	8153	98.84	40.7
2023-02-12 17:25:00	9.6	0	0	0	9	5.01	6.8	41	60.9	98.88	-0.5	-0.6	0	41	0.34	100	8152	98.83	40.2
2023-02-12 17:30:00	7	0	0	0	13	4.09	5.99	40.6	61.8	98.88	-0.6	-0.6	0	40.6	0.33	100	8151	98.83	39.6
2023-02-12 17:35:00	6.2	0	0	0	11	3.83	4.88	40.1	62.8	98.87	-0.6	-0.5	0	40.2	0.31	100	8149	98.82	39.1
2023-02-12 17:40:00	3.8	0	0	0	22	3.78	5.41	39.8	63.6	98.87	-0.7	-0.5	0	39.8	0.3	100	8153	98.82	38.7
2023-02-12 17:45:00	1.2	0	0	0	19	3.58	5.12	39.5	64.1	98.86	-0.6	-0.5	0	39.4	0.3	100	8149	98.81	38.3
2023-02-12 17:50:00	0	0	0	0	17	3.4	4.54	39.2	64.9	98.86	-0.7	-0.5	0	39.2	0.29	100	8146	98.81	37.9
2023-02-12 17:55:00	0	0	0	0	22	2.93	4.68	38.9	65.7	98.85	-0.6	-0.5	0	38.9	0.28	100	8147	98.8	37.6
2023-02-12 18:00:00	0	0	0	0	46	2.86	3.65	38.7	66.3	98.84	-0.6	-0.5	0	38.7	0.27	100	8146	98.79	37.2
2023-02-12 18:05:00	0	0	0	0	50	2.73	4.12	38.3	66.2	98.84	-0.7	-0.5	0	38.3	0.26	100	8147	98.79	36.8
2023-02-12 18:10:00	0	0	0	0	53	2.46	3.11	38.2	66.7	98.84	-0.7	-0.5	0	38.2	0.26	100	8147	98.79	36.5
2023-02-12 18:15:00	0	0	0	0	72	1.61	2.62	37.9	67.4	98.84	-0.7	-0.5	0	37.9	0.25	100	8146	98.78	36.1
2023-02-12 18:20:00	0	0	0	0	68	1.74	3.15	37.6	68.1	98.83	-0.7	-0.5	0	37.6	0.24	100	8146	98.78	35.6
2023-02-12 18:25:00	0	0	0	0	7	3.09	3.69	37.4	68.7	98.84	-0.8	-0.4	0	37.4	0.24	100	8144	98.79	35.3
2023-02-12 18:30:00	0	0	0	0	355	2.98	4.5	37.1	69.3	98.84	-0.7	-0.5	0	37.1	0.23	100	8143	98.79	35.1
2023-02-12 18:35:00	0	0	0	0	19	2.17	2.89	36.9	69.8	98.83	-0.7	-0.5	0	36.8	0.22	100	8141	98.78	34.8

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-12 18:40:00	0	0	0	0	59	2.46	3.91	36.7	70.5	98.82	-0.6	-0.5	0	36.7	0.22	100	8141	98.77	34.6
2023-02-12 18:45:00	0	0	0	0	73	2.37	3.36	36.6	70.8	98.81	-0.7	-0.4	0	36.6	0.21	100	8143	98.76	34.4
2023-02-12 18:50:00	0	0	0	0	86	3.18	4.05	36.6	70.7	98.8	-0.7	-0.6	0	36.6	0.22	100	8141	98.75	34.2
2023-02-12 18:55:00	0	0	0	0	86	3.58	4.74	36.6	70.8	98.8	-0.7	-0.4	0	36.6	0.21	100	8143	98.75	34.1
2023-02-12 19:00:00	0	0	0	0	86	3.11	4.05	36.5	71	98.8	-0.7	-0.5	0	36.6	0.21	100	8140	98.75	34
2023-02-12 19:05:00	0	0	0	0	73	3.2	4.59	36.5	71.1	98.8	-0.7	-0.6	0	36.5	0.21	100	8139	98.75	33.8
2023-02-12 19:10:00	0	0	0	0	58	3.18	3.76	36.3	71.6	98.79	-0.7	-0.4	0	36.3	0.21	100	8140	98.75	33.6
2023-02-12 19:15:00	0	0	0	0	54	2.64	3.69	36.1	72.1	98.8	-0.8	-0.5	0	36.1	0.2	100	8140	98.75	33.5
2023-02-12 19:20:00	0	0	0	0	74	3	4.43	36	72.4	98.79	-0.8	-0.4	0	36	0.2	100	8138	98.74	33.4
2023-02-12 19:25:00	0	0	0	0	80	3.44	4.61	36	72.6	98.78	-0.6	-0.5	0	36	0.2	100	8140	98.73	33.2
2023-02-12 19:30:00	0	0	0	0	80	3.69	4.79	35.8	72.8	98.78	-0.6	-0.5	0	35.8	0.19	100	8137	98.73	33
2023-02-12 19:35:00	0	0	0	0	79	3.74	4.76	35.8	73.2	98.78	-0.7	-0.4	0	35.8	0.19	100	8138	98.73	32.9
2023-02-12 19:40:00	0	0	0	0	79	4.18	4.94	35.7	73.5	98.78	-0.9	-0.4	0	35.7	0.19	100	8137	98.73	32.7
2023-02-12 19:45:00	0	0	0	0	91	4	4.74	35.6	73.8	98.77	-0.7	-0.5	0	35.5	0.18	100	8140	98.72	32.6
2023-02-12 19:50:00	0	0	0	0	101	4.45	5.82	35.5	73.7	98.77	-0.7	-0.5	0	35.5	0.18	100	8137	98.71	32.5
2023-02-12 19:55:00	0	0	0	0	100	3.96	4.74	35.4	73.9	98.77	-0.7	-0.4	0	35.4	0.18	100	8134	98.71	32.5
2023-02-12 20:00:00	0	0	0	0	102	4.23	5.75	35.4	74	98.76	-0.8	-0.4	0	35.4	0.18	100	8135	98.7	32.4
2023-02-12 20:05:00	0	0	0	0	102	4.14	4.72	35.2	73.5	98.74	-0.7	-0.4	0	35.2	0.18	100	8136	98.7	32.4
2023-02-12 20:10:00	0	0	0	0	96	3.71	4.63	35.1	74.2	98.74	-0.8	-0.4	0	35.2	0.18	100	8135	98.69	32.3
2023-02-12 20:15:00	0	0	0	0	100	4.34	5.23	35	74.2	98.73	-0.9	-0.5	0	35	0.18	100	8133	98.68	32.1
2023-02-12 20:20:00	0	0	0	0	107	5.37	6.15	34.7	74.8	98.72	-0.7	-0.5	0	34.7	0.17	100	8134	98.66	32
2023-02-12 20:25:00	0	0	0	0	119	5.61	6.87	34.6	75.3	98.71	-0.9	-0.4	0	34.6	0.17	100	8134	98.66	32
2023-02-12 20:30:00	0	0	0	0	126	5.7	6.51	34.5	75.6	98.7	-0.7	-0.5	0	34.4	0.17	100	8132	98.65	31.9
2023-02-12 20:35:00	0	0	0	0	131	5.35	5.91	34.3	76.1	98.69	-0.8	-0.5	0	34.3	0.16	100	8134	98.65	31.7
2023-02-12 20:40:00	0	0	0	0	129	5.32	6.2	34.2	76.4	98.69	-0.8	-0.4	0	34.2	0.16	100	8131	98.64	31.6
2023-02-12 20:45:00	0	0	0	0	123	5.19	6.22	34.1	76.6	98.67	-0.8	-0.5	0	34.1	0.16	100	8134	98.63	31.5
2023-02-12 20:50:00	0	0	0	0	117	4.72	5.75	34	76.8	98.67	-0.8	-0.5	0	33.9	0.15	100	8131	98.62	31.4
2023-02-12 20:55:00	0	0	0	0	113	4.97	6.13	33.9	76.8	98.66	-0.9	-0.5	0	33.9	0.15	100	8131	98.62	31.2
2023-02-12 21:00:00	0	0	0	0	118	5.21	6.04	33.7	76.6	98.65	-0.7	-0.5	0	33.7	0.15	100	8133	98.61	31.1
2023-02-12 21:05:00	0	0	0	0	111	4.36	4.81	33.5	76.9	98.65	-0.9	-0.4	0	33.5	0.15	100	8128	98.61	31
2023-02-12 21:10:00	0	0	0	0	106	4.41	5.06	33.5	77.1	98.64	-0.7	-0.4	0	33.4	0.15	100	8131	98.6	30.7
2023-02-12 21:15:00	0	0	0	0	108	4.25	4.76	33.3	77.4	98.64	-0.8	-0.4	0	33.3	0.15	100	8129	98.59	30.5
2023-02-12 21:20:00	0	0	0	0	106	4.14	4.79	33.1	77.1	98.63	-0.8	-0.4	0	33.1	0.15	100	8128	98.59	30.3
2023-02-12 21:25:00	0	0	0	0	110	3.78	4.81	32.9	77.5	98.63	-0.9	-0.4	0	33	0.14	100	8130	98.58	30.2
2023-02-12 21:30:00	0	0	0	0	102	4.56	5.01	32.9	77.3	98.63	-0.8	-0.5	0	32.9	0.14	100	8126	98.58	30.1
2023-02-12 21:35:00	0	0	0	0	107	3.83	4.59	32.8	77.8	98.62	-0.8	-0.4	0	32.8	0.14	100	8127	98.57	29.9
2023-02-12 21:40:00	0	0	0	0	126	4.05	4.79	32.7	77.9	98.62	-0.8	-0.4	0	32.7	0.14	100	8129	98.57	29.7
2023-02-12 21:45:00	0	0	0	0	145	4.7	5.19	32.6	78.1	98.62	-0.9	-0.5	0	32.6	0.14	100	8130	98.57	29.7
2023-02-12 21:50:00	0	0	0	0	149	5.21	5.73	32.6	78.1	98.61	-0.8	-0.5	0	32.6	0.14	100	8127	98.57	29.8
2023-02-12 21:55:00	0	0	0	0	148	5.59	6.06	32.7	78	98.61	-0.8	-0.4	0	32.7	0.14	100	8126	98.57	29.8
2023-02-12 22:00:00	0	0	0	0	149	6.06	6.53	32.8	77.9	98.61	-0.8	-0.5	0	32.8	0.14	100	8127	98.56	29.8
2023-02-12 22:05:00	0	0	0	0	157	5.77	6.17	32.8	77.7	98.6	-0.8	-0.5	0	32.8	0.14	100	8125	98.56	29.8
2023-02-12 22:10:00	0	0	0	0	156	5.41	6.06	32.7	78.3	98.6	-0.8	-0.5	0	32.7	0.14	100	8125	98.56	29.8
2023-02-12 22:15:00	0	0	0	0	157	6.11	7.07	32.8	78.5	98.59	-0.8	-0.5	0	32.8	0.14	100	8124	98.55	29.9
2023-02-12 22:20:00	0	0	0	0	159	7.29	8.08	33	78.7	98.59	-0.8	-0.5	0	33	0.14	100	8124	98.54	30
2023-02-12 22:25:00	0	0	0	0	157	7	8.12	33	78.6	98.58	-0.9	-0.5	0	33	0.14	100	8125	98.54	30.1
2023-02-12 22:30:00	0	0	0	0	160	6.04	6.64	33	78.7	98.57	-0.8	-0.5	0	33	0.14	100	8127	98.53	30
2023-02-12 22:35:00	0	0	0	0	159	5.73	6.89	32.9	78.2	98.57	-0.9	-0.6	0	32.9	0.14	100	8123	98.53	30
2023-02-12 22:40:00	0	0	0	0	159	5.1	5.57	32.8	78.3	98.56	-0.9	-0.5	0	32.8	0.14	100	8124	98.51	29.9
2023-02-12 22:45:00	0	0	0	0	153	5.19	6.11	32.8	78.1	98.55	-0.8	-0.4	0	32.8	0.14	100	8126	98.51	29.8
2023-02-12 22:50:00	0	0	0	0	145	5.03	5.66	32.9	78.9	98.54	-0.8	-0.5	0	32.9	0.13	100	8123	98.49	29.7
2023-02-12 22:55:00	0	0	0	0	151	5.95	6.8	32.9	77.5	98.53	-0.7	-0.6	0	32.9	0.14	100	8122	98.48	29.7
2023-02-12 23:00:00	0	0	0	0	157	6.53	7.34	33.2	77	98.52	-0.8	-0.5	0	33.2	0.15	100	8124	98.48	29.9
2023-02-12 23:05:00	0	0	0	0	159	6.02	6.82	33.5	77.1	98.52	-0.9	-0.5	0	33.5	0.15	100	8121	98.47	30
2023-02-12 23:10:00	0	0	0	0	158	5.55	6.53	33.7	76.6	98.51	-0.9	-0.4	0	33.6	0.15	100	8122	98.47	30
2023-02-12 23:15:00	0	0	0	0	161	5.95	6.53	33.6	76.7	98.51	-0.9	-0.4	0	33.6	0.15	100	8121	98.46	30
2023-02-12 23:20:00	0	0	0	0	162	4.94	5.75	33.2	77.9	98.5	-0.8	-0.5	0	33.2	0.14	100	8119	98.46	29.8
2023-02-12 23:25:00	0	0	0	0	161	3.91	4.38	32.9	77.7	98.5	-0.7	-0.4	0	32.9	0.14	100	8122	98.46	29.5
2023-02-12 23:30:00	0	0	0	0	161	4.29	4.94	32.6	78.1	98.49	-0.8	-0.5	0	32.6	0.14	100	8123	98.45	29.2
2023-02-12 23:35:00	0	0	0	0	160	4.54	4.81	32.5	78.7	98.49	-0.7	-0.4	0	32.5	0.13	100	8120	98.44	29.1
2023-02-12 23:40:00	0	0	0	0	157	3.11	4.09	32.3	79.1	98.49	-0.9	-0.3	0	32.2	0.13	100	8121	98.44	28.8
2023-02-12 23:45:00	0	0	0	0	150	3.91	4.47	31.9	78.9	98.48	-0.9	-0.6	0	31.9	0.13	100	8119	98.43	28.6
2023-02-12 23:50:00	0	0	0	0	151	4.83	5.41	31.7	79.6	98.47	-0.7	-0.4	0	31.6	0.12	100	8119	98.43	28.5
2023-02-12 23:55:00	0	0	0	0	156	5.1	5.57	31.7	79.6	98.47	-0.9	-0.4	0	31.7	0.12	100	8119	98.42	28.5

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-13 00:00:00	0	0	0	0	160	5.37	5.7	31.8	79.2	98.46	-0.9	-0.5	0	31.8	0.13	100	8121	98.42	28.5
2023-02-13 00:05:00	0	0	0	0	162	4.43	5.1	32	78.7	98.46	-0.9	-0.5	0	32	0.13	100	8090	98.42	28.7
2023-02-13 00:10:00	0	0	0	0	162	5.39	6.13	31.9	79	98.45	-0.8	-0.4	0	31.9	0.13	100	8083	98.41	28.8
2023-02-13 00:15:00	0	0	0	0	160	5.97	6.62	31.7	79.5	98.43	-0.8	-0.4	0	31.7	0.12	100	8075	98.4	29
2023-02-13 00:20:00	0	0	0	0	164	6.76	7.23	31.6	79.7	98.43	-0.9	-0.6	0	31.6	0.12	100	8093	98.39	28.9
2023-02-13 00:25:00	0	0	0	0	168	6.69	7.29	31.5	78.4	98.43	-0.9	-0.5	0	31.5	0.13	100	8096	98.38	28.7
2023-02-13 00:30:00	0	0	0	0	167	6.58	7.65	31.6	78.2	98.41	-0.8	-0.4	0	31.6	0.13	100	8099	98.38	28.7
2023-02-13 00:35:00	0	0	0	0	171	4.7	5.95	31.6	77.9	98.41	-0.8	-0.5	0	31.6	0.13	100	8095	98.37	28.7
2023-02-13 00:40:00	0	0	0	0	171	4.61	5.75	31.5	76.7	98.4	-0.9	-0.5	0	31.5	0.14	100	8099	98.37	28.5
2023-02-13 00:45:00	0	0	0	0	168	5.5	5.93	31.6	76.5	98.4	-0.8	-0.5	0	31.6	0.14	100	8099	98.36	28.6
2023-02-13 00:50:00	0	0	0	0	167	5.01	5.64	31.6	78.2	98.39	-0.9	-0.5	0	31.6	0.13	100	8099	98.35	28.5
2023-02-13 00:55:00	0	0	0	0	176	2.73	4.36	31.3	78.7	98.38	-0.8	-0.5	0	31.3	0.13	100	8099	98.34	28.2
2023-02-13 01:00:00	0	0	0	0	306	1.95	2.57	30.7	79.3	98.38	-0.9	-0.5	0	30.7	0.12	100	8100	98.34	27.6
2023-02-13 01:05:00	0	0	0	0	280	1.12	1.86	29.9	80.2	98.37	-0.9	-0.4	0	29.9	0.11	100	8099	98.33	27
2023-02-13 01:10:00	0	0	0	0	202	2.24	3.06	29.2	81.7	98.37	-0.9	-0.5	0	29.2	0.1	100	8099	98.33	26.4
2023-02-13 01:15:00	0	0	0	0	200	1.54	2.73	28.9	82.8	98.36	-1	-0.5	0	28.9	0.09	100	8099	98.33	26
2023-02-13 01:20:00	0	0	0	0	294	1.97	3	28.5	82.9	98.35	-1	-0.4	0	28.5	0.09	100	8097	98.32	25.7
2023-02-13 01:25:00	0	0	0	0	279	3	3.76	28.2	84.4	98.35	-1.1	-0.5	0	28.2	0.08	100	8098	98.32	25.6
2023-02-13 01:30:00	0	0	0	0	275	4.7	5.84	28.1	82.7	98.34	-1.1	-0.5	0	28.1	0.09	100	8095	98.31	25.6
2023-02-13 01:35:00	0	0	0	0	278	5.91	6.55	28.4	81.5	98.34	-0.9	-0.4	0	28.4	0.1	100	8097	98.31	26
2023-02-13 01:40:00	0	0	0	0	271	5.95	7.38	28.7	82.1	98.34	-0.9	-0.4	0	28.7	0.1	100	8097	98.3	26
2023-02-13 01:45:00	0	0	0	0	269	7.16	8.08	28.8	79.7	98.33	-0.9	-0.4	0	28.9	0.11	100	8098	98.3	26.3
2023-02-13 01:50:00	0	0	0	0	268	6.24	7.78	29.5	77.6	98.32	-0.9	-0.4	0	29.5	0.12	100	8096	98.29	26.8
2023-02-13 01:55:00	0	0	0	0	269	5.91	6.46	29.9	75.2	98.32	-0.9	-0.5	0	29.9	0.14	100	8098	98.29	27
2023-02-13 02:00:00	0	0	0	0	263	5.93	6.73	30.4	73.4	98.32	-0.9	-0.5	0	30.4	0.15	100	8099	98.29	27.3
2023-02-13 02:05:00	0	0	0	0	257	4.41	5.99	30.7	72.3	98.32	-0.8	-0.5	0	30.7	0.16	100	8099	98.28	27.4
2023-02-13 02:10:00	0	0	0	0	268	4.54	5.5	30.7	72.7	98.32	-0.9	-0.5	0	30.8	0.16	100	8097	98.28	27.3
2023-02-13 02:15:00	0	0	0	0	270	4.41	5.1	30.7	73.9	98.32	-0.9	-0.4	0	30.7	0.15	100	8098	98.28	27.1
2023-02-13 02:20:00	0	0	0	0	264	5.03	5.66	30.4	72.6	98.32	-1	-0.4	0	30.4	0.16	100	8096	98.28	27
2023-02-13 02:25:00	0	0	0	0	275	5.44	5.95	30.3	74.3	98.32	-0.9	-0.5	0	30.3	0.15	100	8094	98.29	27
2023-02-13 02:30:00	0	0	0	0	267	6.53	8.14	30	74.1	98.32	-1	-0.5	0	30	0.15	100	8096	98.28	26.8
2023-02-13 02:35:00	0	0	0	0	272	6.93	7.83	29.9	73.6	98.32	-0.9	-0.5	0	29.9	0.15	100	8095	98.28	27
2023-02-13 02:40:00	0	0	0	0	274	6.26	7.02	29.9	73.6	98.31	-1	-0.4	0	29.9	0.15	100	8096	98.27	27
2023-02-13 02:45:00	0	0	0	0	274	5.84	7	29.7	75.2	98.3	-0.9	-0.4	0	29.7	0.14	100	8097	98.27	26.8
2023-02-13 02:50:00	0	0	0	0	277	5.97	6.62	29.4	74.7	98.29	-1	-0.4	0	29.4	0.14	100	8093	98.26	26.6
2023-02-13 02:55:00	0	0	0	0	281	6.08	7.11	29.1	75.5	98.29	-1.1	-0.4	0	29.1	0.13	100	8096	98.26	26.4
2023-02-13 03:00:00	0	0	0	0	267	7.2	9.82	28.7	76.8	98.28	-1.1	-0.5	0	28.7	0.12	100	8094	98.25	26.1
2023-02-13 03:05:00	0	0	0	0	258	8.93	10.94	28.6	77	98.27	-0.8	-0.4	0	28.6	0.12	100	8094	98.24	26.2
2023-02-13 03:10:00	0	0	0	0	260	8.19	9.95	29	75.7	98.27	-0.9	-0.4	0	29.1	0.13	100	8095	98.24	26.7
2023-02-13 03:15:00	0	0	0	0	272	6.44	7.38	29.4	74.9	98.27	-0.9	-0.4	0	29.4	0.14	100	8092	98.24	26.9
2023-02-13 03:20:00	0	0	0	0	275	6.67	7.7	29.3	74.9	98.27	-0.9	-0.4	0	29.3	0.14	100	8093	98.23	26.8
2023-02-13 03:25:00	0	0	0	0	281	6.2	7.18	29.2	75.2	98.26	-1	-0.5	0	29.2	0.14	100	8096	98.22	26.7
2023-02-13 03:30:00	0	0	0	0	280	5.73	6.55	29.1	75.4	98.25	-0.9	-0.5	0	29.1	0.13	100	8092	98.22	26.5
2023-02-13 03:35:00	0	0	0	0	280	5.93	6.71	29	75.8	98.25	-0.9	-0.5	0	29	0.13	100	8092	98.21	26.3
2023-02-13 03:40:00	0	0	0	0	282	6.17	7.02	28.8	75.2	98.24	-0.9	-0.4	0	28.8	0.13	100	8093	98.21	26.3
2023-02-13 03:45:00	0	0	0	0	283	5.99	6.93	28.7	76.3	98.24	-1	-0.4	0	28.8	0.13	100	8093	98.21	26.2
2023-02-13 03:50:00	0	0	0	0	281	5.68	6.55	28.7	76.3	98.23	-1	-0.4	0	28.7	0.13	100	8092	98.2	26.1
2023-02-13 03:55:00	0	0	0	0	275	5.12	5.82	28.6	75.5	98.23	-1	-0.5	0	28.6	0.13	100	8089	98.2	26
2023-02-13 04:00:00	0	0	0	0	277	5.08	5.44	28.7	75	98.22	-0.9	-0.5	0	28.7	0.13	100	8090	98.19	26.1
2023-02-13 04:05:00	0	0	0	0	279	4.68	5.14	28.7	74.9	98.21	-0.9	-0.4	0	28.7	0.13	100	8091	98.18	26.1
2023-02-13 04:10:00	0	0	0	0	280	4.38	4.92	28.7	75.8	98.21	-1	-0.5	0	28.7	0.13	100	8093	98.17	26
2023-02-13 04:15:00	0	0	0	0	268	4.94	6.98	28.6	75.2	98.2	-0.9	-0.4	0	28.6	0.13	100	8092	98.17	26
2023-02-13 04:20:00	0	0	0	0	255	5.3	6.6	28.7	75.7	98.19	-0.9	-0.4	0	28.8	0.13	100	8090	98.16	26.1
2023-02-13 04:25:00	0	0	0	0	248	5.93	8.19	29	75.7	98.2	-0.9	-0.4	0	29	0.13	100	8089	98.17	26.3
2023-02-13 04:30:00	0	0	0	0	250	5.88	7.31	29.3	74.9	98.2	-0.9	-0.4	0	29.3	0.14	100	8090	98.17	26.5
2023-02-13 04:35:00	0	0	0	0	257	6.17	8.39	29.5	74.2	98.2	-0.9	-0.4	0	29.5	0.14	100	8090	98.17	26.7
2023-02-13 04:40:00	0	0	0	0	261	5.97	7.52	29.8	72.2	98.19	-0.8	-0.4	0	29.8	0.16	100	8088	98.16	27
2023-02-13 04:45:00	0	0	0	0	258	5.26	7.02	30.2	71.9	98.19	-0.9	-0.4	0	30.2	0.16	100	8089	98.16	27.1
2023-02-13 04:50:00	0	0	0	0	261	5.48	6.89	30.2	70.8	98.19	-0.8	-0.5	0	30.2	0.17	100	8089	98.15	27.2
2023-02-13 04:55:00	0	0	0	0	261	5.19	6.49	30.4	69.8	98.18	-0.9	-0.4	0	30.5	0.17	100	8089	98.14	27.3
2023-02-13 05:00:00	0	0	0	0	260	5.28	7	30.5	69.7	98.18	-0.9	-0.5	0	30.5	0.17	100	8089	98.14	27.4
2023-02-13 05:05:00	0	0	0	0	246	4.03	5.26	30.5	70.1	98.17	-0.9	-0.5	0	30.5	0.17	100	8089	98.13	27.4
2023-02-13 05:10:00	0	0	0	0	245	4.23	5.41	30.3	70.1	98.16	-0.9	-0.6	0	30.3	0.17	100	8088	98.12	27.4
2023-02-13 05:15:00	0	0	0	0	229	4.05	5.12	30.4	69.2	98.16	-0.9	-0.5	0	30.3	0.18	100	8089	98.12	27.3

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-13 05:20:00	0	0	0	0	225	4.99	6.53	30.3	69.4	98.16	-0.9	-0.4	0	30.3	0.17	100	8088	98.13	27.3
2023-02-13 05:25:00	0	0	0	0	224	4.65	7.09	30.4	69.9	98.16	-0.8	-0.5	0	30.3	0.17	100	8088	98.12	27.4
2023-02-13 05:30:00	0	0	0	0	204	4.29	5.21	30.3	70.1	98.15	-0.9	-0.5	0	30.3	0.17	100	8087	98.11	27.3
2023-02-13 05:35:00	0	0	0	0	206	4.81	6.04	30.3	69.9	98.14	-0.9	-0.5	0	30.3	0.17	100	8089	98.11	27.2
2023-02-13 05:40:00	0	0	0	0	204	3.62	4.94	30.2	70.3	98.14	-0.8	-0.3	0	30.2	0.17	100	8088	98.11	27.1
2023-02-13 05:45:00	0	0	0	0	190	3.22	4.05	30.2	69.8	98.14	-1	-0.5	0	30.1	0.17	100	8087	98.1	26.9
2023-02-13 05:50:00	0	0	0	0	164	4.74	6.49	30	70.6	98.13	-1	-0.4	0	30	0.17	100	8086	98.1	26.9
2023-02-13 05:55:00	0	0	0	0	164	5.55	6.76	29.8	71.9	98.13	-0.9	-0.6	0	29.8	0.16	100	8086	98.09	26.8
2023-02-13 06:00:00	0	0	0	0	168	5.88	6.55	29.3	73.1	98.12	-0.9	-0.4	0	29.3	0.15	100	8086	98.09	26.6
2023-02-13 06:05:00	0	0	0	0	165	6.38	7.45	28.9	74.1	98.11	-0.9	-0.4	0	28.9	0.14	100	8084	98.08	26.4
2023-02-13 06:10:00	0	0	0	0	159	6.49	7.7	28.6	75.2	98.11	-0.9	-0.5	0	28.6	0.13	100	8089	98.07	26.3
2023-02-13 06:15:00	0	0	0	0	156	6.69	8.08	28.4	75.1	98.09	-0.9	-0.4	0	28.4	0.13	100	8088	98.07	26.2
2023-02-13 06:20:00	0	0	0	0	163	6.78	8.28	28.1	76.7	98.1	-1	-0.3	0	28.1	0.12	100	8084	98.07	26.1
2023-02-13 06:25:00	0	0	0	0	164	7.31	8.93	28	76.9	98.09	-1	-0.5	0	28	0.12	100	8085	98.07	26
2023-02-13 06:30:00	0	0	0	0	163	7.25	8.86	28	76.2	98.09	-1	-0.5	0	28	0.12	100	8083	98.07	26.1
2023-02-13 06:35:00	0	0	0	0	165	6.35	7.81	28.1	76.8	98.08	-1.1	-0.3	0	28.1	0.12	100	8084	98.06	26
2023-02-13 06:40:00	0	0	0	0	164	6.22	7.11	27.9	77.4	98.08	-1	-0.5	0	27.9	0.12	100	8083	98.05	25.9
2023-02-13 06:45:00	0	0	0	0	166	6.69	7.83	27.7	76.8	98.07	-0.8	-0.4	0	27.7	0.12	100	8083	98.05	25.8
2023-02-13 06:50:00	0	0	0	0	170	7.18	8.32	27.6	78	98.07	-1.1	-0.4	0	27.5	0.11	100	8083	98.05	25.7
2023-02-13 06:55:00	1.4	0	0	0	176	6.76	8.01	27.4	77.1	98.07	-1.1	-0.4	0	27.4	0.12	100	8083	98.05	25.6
2023-02-13 07:00:00	3.2	0	0	0	171	6.69	7.49	27.3	77.4	98.07	-1	-0.4	0	27.3	0.11	100	8081	98.05	25.5
2023-02-13 07:05:00	5.6	0	0	0	169	6.55	7.83	27.1	77.8	98.05	-0.9	-0.5	0	27.1	0.11	100	8083	98.03	25.4
2023-02-13 07:10:00	10.8	0	0	0	174	5.86	7.07	27.2	77.6	98.05	-1.1	-0.4	0	27.2	0.11	100	8086	98.03	25.4
2023-02-13 07:15:00	24.8	0	0	0	182	5.97	6.96	27.6	78	98.05	-0.9	-0.5	0	27.6	0.11	100	8088	98.03	25.4
2023-02-13 07:20:00	34.6	0	0	0	179	5.37	6.2	28	77	98.05	-0.9	-0.5	0	28.1	0.12	100	8096	98.04	25.7
2023-02-13 07:25:00	44	0	0	0	164	5.66	7.25	28.5	76.1	98.05	-1	-0.5	0	28.7	0.13	100	8101	98.03	26
2023-02-13 07:30:00	54.6	0	0	0	160	4.85	5.99	29.1	75.5	98.04	-1	-0.5	0	29.3	0.13	100	8107	98.03	26.4
2023-02-13 07:35:00	66	0	0	0	164	4.63	5.95	29.7	73.7	98.04	-0.9	-0.6	0	30	0.15	100	8113	98.03	26.9
2023-02-13 07:40:00	78	0	0	0	172	4.5	5.37	30.2	72.4	98.05	-0.9	-0.5	0	30.6	0.16	100	8122	98.04	27.5
2023-02-13 07:45:00	89.6	0	0	0	172	4.72	5.77	31.2	70	98.05	-0.8	-0.5	0	31.6	0.18	100	8131	98.04	28.2
2023-02-13 07:50:00	100	0	0	0	174	4.07	5.7	32	68.5	98.05	-0.9	-0.5	0	32.4	0.19	100	8137	98.05	29
2023-02-13 07:55:00	110.4	0	0	0	184	3.15	4.38	32.8	67.2	98.05	-0.9	-0.5	0	33.3	0.21	100	8143	98.04	29.7
2023-02-13 08:00:00	122.8	0	0	0	199	3.04	5.97	33.8	64	98.06	-0.8	-0.5	0	34.3	0.24	100	8153	98.05	30.6
2023-02-13 08:05:00	131.8	0	0	0	203	4.07	6.26	34.9	61.8	98.06	-0.8	-0.5	0	35.5	0.26	100	8161	98.05	31.8
2023-02-13 08:10:00	135.6	0	0	0	204	4.38	6.29	35.9	59.3	98.07	-0.8	-0.5	0	36.5	0.29	100	8168	98.06	32.9
2023-02-13 08:15:00	144.4	0	0	0	199	4.65	6.17	36.8	57.1	98.06	-0.7	-0.4	0	37.3	0.32	100	8175	98.05	33.8
2023-02-13 08:20:00	149	0	0	0	200	5.57	7.43	37.5	55.5	98.05	-0.7	-0.5	0	38	0.34	100	8181	98.05	34.7
2023-02-13 08:25:00	162.2	0	0	0	201	5.91	14.27	38.2	55.8	98.05	-0.7	-0.5	0	38.7	0.35	100	8187	98.04	35.5
2023-02-13 08:30:00	181.8	0	0	0	215	5.79	10.63	38.8	55	98.05	-0.6	-0.4	0	39.4	0.36	100	8194	98.05	36.2
2023-02-13 08:35:00	198	0	0	0	216	5.21	7.23	39.4	54.2	98.05	-0.6	-0.4	0	40.1	0.37	100	8202	98.05	36.9
2023-02-13 08:40:00	219.6	0	0	0	219	7.07	10.74	40.1	53.3	98.05	-0.6	-0.4	0	40.8	0.39	100	8208	98.05	37.6
2023-02-13 08:45:00	234.6	0	0	0	214	7.29	11.01	40.6	52.4	98.05	-0.5	-0.5	0	41.4	0.41	100	8216	98.04	38.3
2023-02-13 08:50:00	247.8	0	0	0	215	7.65	12.66	41.2	51.7	98.04	-0.5	-0.4	0	41.9	0.42	100	8222	98.04	39
2023-02-13 08:55:00	260.6	0	0	0	210	8.16	13.09	41.7	50.4	98.04	-0.6	-0.5	0	42.5	0.44	100	8227	98.04	39.6
2023-02-13 09:00:00	273.2	0	0	0	220	7.54	11.88	42.3	50.2	98.04	-0.6	-0.5	0	43.1	0.46	100	8233	98.04	40.2
2023-02-13 09:05:00	284.8	0	0	0	212	7.7	12.15	42.8	48.9	98.03	-0.4	-0.6	0	43.6	0.48	100	8239	98.03	40.7
2023-02-13 09:10:00	297.4	0	0	0	211	6.96	10.25	43.4	48.9	98.03	-0.5	-0.6	0	44.3	0.49	100	8244	98.03	41.3
2023-02-13 09:15:00	309.8	0	0	0	213	7.67	12.08	44.1	46.9	98.03	-0.4	-0.6	0	45	0.52	100	8250	98.03	42
2023-02-13 09:20:00	323.4	0	0	0	215	11.07	17.76	44.7	44.3	98.02	-0.3	-0.4	0	45.6	0.56	100	8253	98.02	42.6
2023-02-13 09:25:00	336	0	0	0	210	8.32	12.82	45.2	43	98.02	-0.4	-0.5	0	46	0.58	100	8258	98.02	43.1
2023-02-13 09:30:00	337.2	0	0	0	217	9.26	17	45.9	42.3	98.02	-0.4	-0.6	0	46.8	0.61	100	8264	98.02	43.6
2023-02-13 09:35:00	335.4	0	0	0	217	13	19.69	46.4	40.3	98	-0.2	-0.5	0	47.2	0.64	100	8267	98.01	44.1
2023-02-13 09:40:00	333.4	0	0	0	211	10.25	15.19	46.8	41	97.99	-0.3	-0.4	0	47.6	0.64	100	8272	98	44.5
2023-02-13 09:45:00	326.4	0	0	0	220	11.21	16.64	47.2	40.5	97.99	-0.5	-0.5	0	48.1	0.66	100	8279	97.99	44.9
2023-02-13 09:50:00	337.8	0	0	0	223	12.75	17.49	47.7	39.4	97.97	-0.3	-0.3	0	48.5	0.68	100	8281	97.97	45.2
2023-02-13 09:55:00	369.6	0	0	0	227	11.81	16.04	47.9	39.3	97.97	-0.4	-0.3	0	48.6	0.69	100	8283	97.97	45.5
2023-02-13 10:00:00	394.4	0	0	0	235	10.74	14.5	48.1	39.7	97.96	-0.3	-0.4	0	49	0.69	100	8287	97.97	45.7
2023-02-13 10:05:00	420.8	0	0	0	232	11.54	15.79	48.5	38.8	97.96	-0.3	-0.5	0	49.3	0.71	100	8288	97.96	46.1
2023-02-13 10:10:00	442.4	0	0	0	225	10.09	13.58	48.8	39.2	97.95	-0.2	-0.5	0	49.7	0.71	100	8293	97.96	46.4
2023-02-13 10:15:00	482	0	0	0	230	10.8	16.64	49.4	39.1	97.95	-0.4	-0.5	0	50.3	0.73	100	8295	97.95	46.9
2023-02-13 10:20:00	360.2	0	0	0	204	9.44	13.87	49.2	38.7	97.96	-0.3	-0.6	0	50	0.73	100	8290	97.94	47.2
2023-02-13 10:25:00	359.4	0	0	0	201	9.15	13.69	48.5	40.3	97.95	-0.3	-0.6	0	49.4	0.69	100	8295	97.94	47.1
2023-02-13 10:30:00	473.6	0	0	0	202	9.4	11.97	49	39.2	97.92	-0.2	-0.6	0	49.9	0.72	100	8298	97.93	47.2
2023-02-13 10:35:00	478.8	0	0	0	213	8.12	13.11	49.9	38.6	97.91	-0.2	-0.5	0	50.9	0.75	100	8300	97.92	47.7

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-13 10:40:00	505.6	0	0	0	196	10.38	14.9	50.6	37.8	97.9	-0.2	-0.5	0	51.5	0.78	100	8304	97.9	48.2
2023-02-13 10:45:00	474.4	0	0	0	197	10.18	14.34	50.8	37	97.89	-0.3	-0.7	0	51.7	0.8	100	8301	97.89	48.6
2023-02-13 10:50:00	473.4	0	0	0	191	10.31	15.73	51	37.6	97.89	-0.2	-0.6	0	51.9	0.79	100	8304	97.88	48.9
2023-02-13 10:55:00	390.6	0	0	0	195	11.32	14.2	50.7	36.1	97.9	-0.2	-0.5	0	51.5	0.8	100	8302	97.88	49
2023-02-13 11:00:00	322.6	0	0	0	206	9.01	14.56	49.9	37.4	97.91	-0.5	-0.6	0	50.8	0.77	100	8301	97.88	48.9
2023-02-13 11:05:00	287.4	0	0	0	213	7.7	12.57	49.5	38.7	97.91	-0.3	-0.6	0	50.3	0.74	100	8298	97.88	48.9
2023-02-13 11:10:00	318.8	0	0	0	222	9.69	14.72	49.5	37.6	97.9	-0.4	-0.7	0	50.3	0.75	100	8297	97.88	48.8
2023-02-13 11:15:00	316.2	0	0	0	238	8.55	15.52	49.3	37.5	97.9	-0.3	-0.4	0	50.2	0.75	100	8298	97.88	48.9
2023-02-13 11:20:00	363.4	0	0	0	243	10.94	14.85	49.3	37.1	97.89	-0.6	-0.6	0	50.2	0.75	100	8297	97.87	48.8
2023-02-13 11:25:00	340.4	0	0	0	249	9.01	12.35	49.4	37.2	97.9	-0.3	-0.6	0	50.3	0.75	100	8297	97.87	48.9
2023-02-13 11:30:00	413.6	0	0	0	230	11.34	16.6	49.8	37	97.88	-0.2	-0.5	0	50.6	0.77	100	8299	97.87	49
2023-02-13 11:35:00	449.2	0	0	0	234	11.1	16.67	50.2	36.4	97.88	-0.3	-0.5	0	51	0.79	100	8298	97.86	49.1
2023-02-13 11:40:00	433.8	0	0	0	227	11.72	19.01	50.4	36.9	97.88	-0.2	-0.4	0	51.3	0.79	100	8301	97.86	49.3
2023-02-13 11:45:00	348.4	0	0	0	232	12.15	17.74	50.1	36.2	97.88	-0.2	-0.7	0	50.9	0.79	100	8301	97.85	49.3
2023-02-13 11:50:00	341.4	0	0	0	206	13.24	20.49	49.6	36.9	97.86	-0.3	-0.6	0	50.4	0.76	100	8299	97.83	49.2
2023-02-13 11:55:00	353	0	0	0	232	9.86	14.72	49.4	36.7	97.86	-0.4	-0.6	0	50.2	0.76	100	8300	97.83	49.2
2023-02-13 12:00:00	315.4	0	0	0	226	13.71	21.43	49.3	36.9	97.85	-0.1	-0.5	0	50.1	0.75	100	8298	97.81	49.2
2023-02-13 12:05:00	298.8	0	0	0	235	12.01	20.33	49	37	97.83	-0.2	-0.7	0	49.7	0.75	100	8296	97.8	49
2023-02-13 12:10:00	278.4	0	0	0	219	13.98	21.36	48.8	37.8	97.82	-0.3	-0.6	0	49.5	0.73	100	8297	97.78	48.9
2023-02-13 12:15:00	292.4	0	0	0	233	12.8	20.38	48.6	37.3	97.8	-0.3	-0.6	0	49.2	0.73	100	8297	97.77	48.7
2023-02-13 12:20:00	282.8	0	0	0	240	10.11	16.89	48.4	37.9	97.8	-0.3	-0.5	0	49.1	0.72	100	8296	97.76	48.5
2023-02-13 12:25:00	255.8	0	0	0	231	10.71	18.16	48.2	38.1	97.79	-0.5	-0.4	0	48.9	0.71	100	8297	97.76	48.6
2023-02-13 12:30:00	303.4	0	0	0	231	11.81	19.93	48.3	38.7	97.78	-0.5	-0.5	0	49	0.71	100	8297	97.75	48.5
2023-02-13 12:35:00	259	0	0	0	235	11.5	20.96	48.2	39.5	97.77	-0.3	-0.6	0	48.9	0.69	100	8296	97.74	48.5
2023-02-13 12:40:00	340.6	0	0	0	240	13.13	21.88	48.2	39.3	97.76	-0.1	-0.6	0	48.9	0.7	100	8295	97.73	48.4
2023-02-13 12:45:00	364	0	0	0	223	11.65	17.45	48.7	39.2	97.75	-0.3	-0.6	0	49.4	0.71	100	8297	97.73	48.5
2023-02-13 12:50:00	258.2	0	0	0	226	14.16	19.06	48.9	39.2	97.76	-0.5	-0.6	0	49.5	0.72	100	8297	97.72	48.6
2023-02-13 12:55:00	330.4	0	0	0	246	11.88	14.76	48.7	39.8	97.74	-0.3	-0.5	0	49.4	0.7	100	8298	97.71	48.5
2023-02-13 13:00:00	280.2	0	0	0	219	9.64	15.05	48.8	41.2	97.74	-0.4	-0.4	0	49.5	0.69	100	8297	97.71	48.6
2023-02-13 13:05:00	305.2	0	0	0	226	13.2	18.39	48.9	41.5	97.73	-0.3	-0.4	0	49.6	0.69	100	8296	97.7	48.7
2023-02-13 13:10:00	557.8	0	0	0	211	14.65	19.86	49.7	40.3	97.68	0	-0.8	0	50.5	0.73	100	8296	97.68	48.7
2023-02-13 13:15:00	527.4	0	0	0	231	11.03	16.67	51.3	40	97.68	-0.1	-0.6	0	52.2	0.77	100	8297	97.68	49.1
2023-02-13 13:20:00	468.2	0	0	0	252	13.06	18.68	52.3	38.3	97.68	-0.3	-0.6	0	53.1	0.83	100	8296	97.66	49.4
2023-02-13 13:25:00	538.2	0	0	0	229	14.34	20	52.8	38	97.66	0.1	-0.7	0	53.6	0.84	100	8292	97.65	49.6
2023-02-13 13:30:00	506.6	0	0	0	228	16.4	22.26	53.2	37.8	97.65	-0.1	-1	0	53.9	0.86	100	8293	97.64	49.8
2023-02-13 13:35:00	492.4	0	0	0	236	13.71	22.12	53.3	38	97.64	-0.3	-0.6	0	54	0.86	100	8290	97.62	49.9
2023-02-13 13:40:00	482	0	0	0	240	13.53	20.58	53.4	38.4	97.64	-0.3	-0.5	0	54.2	0.86	100	8287	97.62	50.1
2023-02-13 13:45:00	472	0	0	0	244	11.88	19.1	53.7	39.1	97.63	-0.2	-0.5	0	54.5	0.86	100	8287	97.62	50.3
2023-02-13 13:50:00	470.4	0	0	0	245	13.18	22.46	54	38.3	97.63	0.2	-0.6	0	54.8	0.88	100	8287	97.62	50.7
2023-02-13 13:55:00	481.6	0	0	0	235	17.02	24.94	54.3	37.9	97.62	-0.3	-0.1	0	55	0.89	100	8283	97.61	50.8
2023-02-13 14:00:00	384.8	0	0	0	247	17.11	24.94	53.6	38.5	97.64	-0.1	-0.6	0	54.3	0.86	100	8286	97.61	50.8
2023-02-13 14:05:00	357	0	0	0	252	15.84	21.09	53	39.2	97.64	0.1	-0.6	0	53.6	0.83	100	8282	97.6	50.8
2023-02-13 14:10:00	248.4	0	0	0	269	13.6	20.13	52.2	40.2	97.64	-0.1	-0.6	0	52.7	0.8	100	8285	97.6	50.6
2023-02-13 14:15:00	269.4	0	0	0	266	14.5	20.69	51.7	40.9	97.64	-0.1	0.1	0	52.2	0.77	100	8286	97.6	50.5
2023-02-13 14:20:00	306	0	0	0	262	12.3	20.13	51.4	41.7	97.64	-0.2	-0.7	0	52	0.75	100	8283	97.6	50.4
2023-02-13 14:25:00	433.6	0	0	0	270	15.82	24.81	52	41.2	97.61	-0.3	-0.4	0	52.8	0.78	100	8280	97.59	50.6
2023-02-13 14:30:00	393.4	0	0	0	269	14.63	23.26	53	39.8	97.61	-0.2	-0.7	0	53.7	0.82	100	8284	97.59	50.8
2023-02-13 14:35:00	364.6	0	0	0	269	16.46	26.42	53.5	39.1	97.62	-0.1	-0.6	0	54.2	0.85	100	8282	97.59	51
2023-02-13 14:40:00	292.6	0	0	0	280	19.71	31.05	53.3	38.2	97.63	-0.5	-0.3	0	53.9	0.86	100	8281	97.59	51
2023-02-13 14:45:00	411.2	0	0	0	273	16.22	23	53	38.4	97.62	0.1	-0.8	0	53.6	0.84	100	8283	97.6	50.9
2023-02-13 14:50:00	299.6	0	0	0	259	18.68	26.17	52.8	38.6	97.63	-0.3	-0.3	0	53.4	0.84	100	8281	97.59	50.9
2023-02-13 14:55:00	364.2	0	0	0	265	17.29	24.23	52.6	38.9	97.63	-0.1	-0.7	0	53.2	0.82	100	8281	97.61	50.7
2023-02-13 15:00:00	330.2	0	0	0	278	17.29	29.82	52.6	38.4	97.64	0.4	-0.2	0	53.2	0.83	100	8279	97.6	50.6
2023-02-13 15:05:00	280.6	0	0	0	273	17.56	27.72	52.3	38.4	97.64	0.2	-0.3	0	52.8	0.82	100	8277	97.61	50.5
2023-02-13 15:10:00	193.2	0	0	0	274	15.9	23.89	51.6	39	97.66	-0.3	-1	0	52	0.8	100	8276	97.61	50.3
2023-02-13 15:15:00	263	0	0	0	262	16.89	25.95	50.9	40.1	97.66	-0.9	-0.5	0	51.5	0.76	100	8273	97.63	49.9
2023-02-13 15:20:00	202.8	0	0	0	255	20.69	33.24	50.8	39.7	97.66	-0.5	0.1	0	51.2	0.76	100	8273	97.62	49.7
2023-02-13 15:25:00	196.4	0	0	0	257	20.94	31.27	50.4	40.1	97.67	0.2	-1.1	0	50.7	0.75	100	8272	97.62	49.4
2023-02-13 15:30:00	200	0	0	0	242	18.28	28.14	49.9	40.6	97.67	-0.3	-0.5	0	50.3	0.73	100	8274	97.63	49.2
2023-02-13 15:35:00	183.2	0	0	0	259	16.96	27	49.7	41.2	97.67	-0.1	-0.6	0	50	0.71	100	8268	97.63	49.1
2023-02-13 15:40:00	182.8	0	0	0	262	14.36	25.55	49.6	42.1	97.67	0.2	-0.5	0	49.9	0.7	100	8269	97.62	49
2023-02-13 15:45:00	173.8	0	0	0	263	19.33	28.27	49.5	42.1	97.68	-0.2	-0.7	0	49.8	0.7	100	8270	97.63	48.9
2023-02-13 15:50:00	127.4	0	0	0	264	22.7	34.56	49.1	43.6	97.67	-1.4	-0.3	0	49.3	0.67	100	8269	97.62	48.6
2023-02-13 15:55:00	120.8	0	0	0	262	21.77	32.46	48.5	44.9	97.67	0	-1.1	0	48.6	0.64	100	8270	97.64	48.1

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-13 16:00:00	105.2	0	0	0	259	17.49	25.03	47.9	45.8	97.69	-0.8	-0.1	0	48.1	0.62	100	8270	97.65	47.8
2023-02-13 16:05:00	97.8	0	0	0	262	20.2	31.56	47.6	46.8	97.69	-0.2	-0.8	0	47.7	0.6	100	8268	97.65	47.5
2023-02-13 16:10:00	97.4	0	0	0	265	21.83	31.41	47.3	46.9	97.71	-0.4	-0.7	0	47.4	0.59	100	8268	97.67	47.3
2023-02-13 16:15:00	94.8	0	0	0	261	21.9	34.16	47	47.3	97.71	-0.6	-0.6	0	47.2	0.58	100	8266	97.68	47
2023-02-13 16:20:00	80.4	0	0	0	275	24.25	38.5	46.8	47.8	97.73	-0.5	-0.8	0	47	0.57	100	8265	97.68	46.8
2023-02-13 16:25:00	112.8	0	0	0	270	22.3	36.66	46.6	48.3	97.75	-0.8	-0.3	0	46.8	0.56	100	8264	97.71	46.6
2023-02-13 16:30:00	151.6	0	0	0	274	20.45	28.32	46.7	49.5	97.76	-0.6	-0.6	0	46.9	0.55	100	8266	97.72	46.8
2023-02-13 16:35:00	148.8	0	0	0	262	22.26	36.19	47	49.4	97.76	0.1	-1.5	0	47.3	0.56	100	8263	97.71	47
2023-02-13 16:40:00	122.8	0	0	0	275	23.22	35.25	47.1	48.5	97.78	0.2	-1.7	0	47.3	0.57	100	8264	97.73	46.9
2023-02-13 16:45:00	83.8	0	0	0	265	25.88	37.09	47	48.3	97.8	0.8	-0.8	0	47.2	0.57	100	8263	97.74	46.5
2023-02-13 16:50:00	62.4	0	0	0	270	25.14	37.69	46.3	49.5	97.8	0.3	0.1	0	46.4	0.54	100	8260	97.76	45.9
2023-02-13 16:55:00	50	0	0	0	266	24.79	35.3	45.6	50.6	97.8	-0.5	-0.1	0	45.6	0.51	100	8262	97.76	45.2
2023-02-13 17:00:00	39.6	0	0	0	270	18.16	27.78	44.9	52.3	97.83	-0.6	-0.4	0	45	0.48	100	8260	97.79	44.8
2023-02-13 17:05:00	27.2	0	0	0	267	18.86	28.52	44.3	53.6	97.84	-0.5	-0.3	0	44.3	0.46	100	8260	97.79	44.1
2023-02-13 17:10:00	22.6	0	0	0	268	18.92	27.76	43.7	54.8	97.84	-1	-0.5	0	43.7	0.44	100	8257	97.8	43.4
2023-02-13 17:15:00	16.2	0	0	0	263	17.65	28.12	43.2	55.8	97.84	-1.2	0.2	0	43.2	0.42	100	8257	97.8	43
2023-02-13 17:20:00	9.2	0	0	0	258	16.11	23.13	42.9	56.5	97.85	-0.6	-0.3	0	42.9	0.41	100	8253	97.81	42.5
2023-02-13 17:25:00	6.2	0	0	0	262	12.59	19.57	42.4	57.6	97.87	-1	-0.5	0	42.4	0.39	100	8256	97.82	42.1
2023-02-13 17:30:00	4.4	0	0	0	266	14.03	21.25	41.9	58.7	97.88	-0.8	-0.6	0	41.9	0.37	100	8252	97.83	41.7
2023-02-13 17:35:00	2.6	0	0	0	258	17.43	34.31	41.6	59.5	97.88	-0.8	-1	0	41.6	0.36	100	8253	97.84	41.4
2023-02-13 17:40:00	1.2	0	0	0	259	16.67	25.81	41.4	60.7	97.88	-0.8	-0.6	0	41.4	0.35	100	8252	97.84	41.1
2023-02-13 17:45:00	0	0	0	0	261	16.58	25.17	41.2	61.3	97.89	-0.6	-0.7	0	41.1	0.34	100	8252	97.85	40.9
2023-02-13 17:50:00	0	0	0	0	262	15.28	22.79	41	62	97.91	-0.6	-0.3	0	40.9	0.33	100	8250	97.87	40.7
2023-02-13 17:55:00	0	0	0	0	264	18.57	30.33	40.9	62.5	97.91	-0.8	-0.6	0	40.9	0.33	100	8251	97.87	40.5
2023-02-13 18:00:00	0	0	0	0	262	18.84	30.04	40.7	63.7	97.93	-0.1	-0.6	0	40.7	0.31	100	8250	97.88	40.4
2023-02-13 18:05:00	0	0	0	0	268	14.92	20.54	40.7	63.9	97.94	-1	-0.9	0	40.7	0.31	100	8248	97.9	40.3
2023-02-13 18:10:00	0	0	0	0	266	15.08	24.4	40.6	64.2	97.95	-0.4	-0.2	0	40.6	0.31	100	8247	97.91	40
2023-02-13 18:15:00	0	0	0	0	269	15.46	21.45	40.4	65.5	97.96	-0.6	-0.3	0	40.4	0.29	100	8248	97.92	39.8
2023-02-13 18:20:00	0	0	0	0	269	16.17	21.3	40.2	65.9	97.97	-0.4	-0.5	0	40.2	0.29	100	8247	97.93	39.6
2023-02-13 18:25:00	0	0	0	0	266	15.26	24.02	40.1	66.5	97.98	-0.5	-0.8	0	40.1	0.28	100	8247	97.94	39.4
2023-02-13 18:30:00	0	0	0	0	268	13.76	24.16	39.9	67.1	98	-0.7	-0.6	0	39.9	0.28	100	8245	97.96	39.2
2023-02-13 18:35:00	0	0	0	0	268	14.18	20.83	39.8	68.3	98	-0.8	-0.5	0	39.7	0.26	100	8244	97.96	39
2023-02-13 18:40:00	0	0	0	0	270	14.67	20.87	39.5	69.1	98.01	-1	-0.5	0	39.5	0.25	100	8244	97.96	38.8
2023-02-13 18:45:00	0	0	0	0	263	16.87	27.54	39.3	69.5	98.02	-0.5	-0.4	0	39.3	0.25	100	8244	97.97	38.6
2023-02-13 18:50:00	0	0	0	0	266	14.34	20.71	39.3	69.9	98.03	-0.8	-0.3	0	39.2	0.25	100	8243	97.99	38.5
2023-02-13 18:55:00	0	0	0	0	272	16.06	20.47	39.1	70.3	98.05	-0.4	-0.6	0	39.1	0.24	100	8241	98.01	38.4
2023-02-13 19:00:00	0	0	0	0	271	17.09	25.34	39.1	70.9	98.06	-0.3	-0.4	0	39.1	0.24	100	8241	98.02	38.3
2023-02-13 19:05:00	0	0	0	0	267	15.57	22.5	39	71.6	98.07	-0.5	-0.3	0	39	0.23	100	8241	98.03	38.4
2023-02-13 19:10:00	0	0	0	0	268	14.79	20.56	39.1	71.6	98.08	-0.7	-0.4	0	39.1	0.23	100	8239	98.04	38.4
2023-02-13 19:15:00	0	0	0	0	272	18.12	24.05	39.2	71.4	98.09	-0.9	-0.7	0	39.2	0.23	100	8238	98.05	38.4
2023-02-13 19:20:00	0	0	0	0	273	14.85	24.29	39.3	71.6	98.11	-0.5	-0.1	0	39.3	0.23	100	8238	98.07	38.4
2023-02-13 19:25:00	0	0	0	0	267	13.87	17.96	39	71.8	98.12	-0.9	-0.6	0	39	0.23	100	8238	98.08	38.3
2023-02-13 19:30:00	0	0	0	0	277	15.32	23.38	38.9	72	98.13	-0.3	-0.6	0	38.9	0.23	100	8238	98.1	38.2
2023-02-13 19:35:00	0	0	0	0	274	16.15	23.96	38.9	72.1	98.14	-0.5	-0.1	0	38.9	0.22	100	8238	98.1	38.3
2023-02-13 19:40:00	0	0	0	0	271	17.09	24.4	38.9	72.8	98.15	-0.6	-1	0	38.9	0.22	100	8241	98.11	38.2
2023-02-13 19:45:00	0	0	0	0	273	16.08	26.98	38.9	72.4	98.16	-0.4	-0.3	0	38.9	0.22	100	8237	98.13	38
2023-02-13 19:50:00	0	0	0	0	270	15.48	22.59	38.7	72.9	98.18	-0.9	-0.3	0	38.7	0.22	100	8236	98.14	38
2023-02-13 19:55:00	0	0	0	0	270	14.47	22.03	38.6	73.2	98.18	-0.6	-0.6	0	38.5	0.21	100	8237	98.14	37.9
2023-02-13 20:00:00	0	0	0	0	270	14.05	19.22	38.4	73.5	98.19	-0.6	-0.6	0	38.5	0.21	100	8236	98.15	37.7
2023-02-13 20:05:00	0	0	0	0	267	14.83	20.74	38.2	74.2	98.19	-0.6	-0.7	0	38.2	0.2	100	8234	98.16	37.5
2023-02-13 20:10:00	0	0	0	0	271	14.38	20.78	38	74.5	98.21	-0.9	-0.7	0	38	0.2	100	8235	98.16	37.3
2023-02-13 20:15:00	0	0	0	0	271	13.42	21.5	37.9	74.4	98.21	-0.9	-0.7	0	37.9	0.2	100	8234	98.18	37
2023-02-13 20:20:00	0	0	0	0	271	13.33	18.32	37.5	74.8	98.23	-0.5	-0.8	0	37.5	0.19	100	8235	98.19	36.8
2023-02-13 20:25:00	0	0	0	0	271	13.8	18.84	37.4	75.3	98.24	-0.9	-0.4	0	37.4	0.19	100	8232	98.2	36.5
2023-02-13 20:30:00	0	0	0	0	272	15.03	25.01	37.1	76	98.25	-1	-0.5	0	37.1	0.18	100	8233	98.21	36.4
2023-02-13 20:35:00	0	0	0	0	275	17.11	23.62	37.1	75.7	98.26	-0.5	-0.6	0	37.1	0.18	100	8232	98.22	36.4
2023-02-13 20:40:00	0	0	0	0	279	13.62	18.95	37.1	76	98.27	-0.7	-0.6	0	37.1	0.18	100	8230	98.23	36.4
2023-02-13 20:45:00	0	0	0	0	279	15.77	21.88	37.1	75.7	98.28	-0.9	-0.6	0	37.1	0.18	100	8232	98.24	36.4
2023-02-13 20:50:00	0	0	0	0	277	15.3	20.31	37.3	75.7	98.29	-0.8	-0.3	0	37.3	0.18	100	8231	98.25	36.6
2023-02-13 20:55:00	0	0	0	0	277	18.1	26.87	37.5	75	98.3	0	-0.5	0	37.5	0.19	100	8230	98.26	36.8
2023-02-13 21:00:00	0	0	0	0	276	18.66	31.09	37.7	75	98.3	-1	-0.5	0	37.7	0.19	100	8233	98.26	36.9
2023-02-13 21:05:00	0	0	0	0	280	17.52	26.15	37.8	74.8	98.31	-0.5	-1	0	37.8	0.19	100	8230	98.27	37
2023-02-13 21:10:00	0	0	0	0	282	16.42	25.48	37.8	75.1	98.32	-0.7	-0.4	0	37.8	0.19	100	8229	98.28	37
2023-02-13 21:15:00	0	0	0	0	287	16.13	22.84	37.8	74.8	98.32	-0.6	-0.8	0	37.8	0.19	100	8231	98.28	37

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-13 21:20:00	0	0	0	0	279	13.87	22.64	37.8	75.1	98.32	-0.8	0.1	0	37.8	0.19	100	8228	98.29	36.9
2023-02-13 21:25:00	0	0	0	0	286	15.26	23.53	37.6	75.2	98.33	-0.8	-0.4	0	37.6	0.19	100	8230	98.29	36.6
2023-02-13 21:30:00	0	0	0	0	275	15.82	25.19	37.3	75.5	98.33	-0.8	-0.4	0	37.3	0.18	100	8228	98.3	36.4
2023-02-13 21:35:00	0	0	0	0	273	16.17	21.45	37.1	75.7	98.34	-0.8	-1	0	37	0.18	100	8227	98.3	36.2
2023-02-13 21:40:00	0	0	0	0	272	13.89	21.81	36.9	76.3	98.34	-0.6	-0.7	0	36.9	0.18	100	8225	98.3	36.1
2023-02-13 21:45:00	0	0	0	0	274	14.58	20.83	36.6	76.1	98.34	-0.6	-0.5	0	36.6	0.18	100	8229	98.31	35.8
2023-02-13 21:50:00	0	0	0	0	274	14.29	23.13	36.5	76.5	98.35	-0.3	-0.9	0	36.5	0.17	100	8228	98.32	35.8
2023-02-13 21:55:00	0	0	0	0	275	13.8	19.44	36.5	76.6	98.36	-0.8	-0.5	0	36.5	0.17	100	8225	98.33	35.7
2023-02-13 22:00:00	0	0	0	0	273	13.51	22.03	36.4	76.9	98.37	-1	-0.4	0	36.4	0.17	100	8225	98.33	35.4
2023-02-13 22:05:00	0	0	0	0	278	14.09	22.15	36.1	77.7	98.38	-0.8	-0.6	0	36.1	0.16	100	8228	98.34	35.3
2023-02-13 22:10:00	0	0	0	0	277	11.27	18.99	36.1	77.6	98.38	-0.7	-0.4	0	36.1	0.16	100	8224	98.36	35.2
2023-02-13 22:15:00	0	0	0	0	274	11.68	15.77	36	78.2	98.4	-0.9	-0.5	0	36	0.16	100	8221	98.37	35.3
2023-02-13 22:20:00	0	0	0	0	270	10.13	14.32	36	78.1	98.41	-0.8	-0.4	0	36	0.16	100	8222	98.38	35.3
2023-02-13 22:25:00	0	0	0	0	277	9.93	16.26	36	78.2	98.42	-0.8	-0.6	0	35.9	0.16	100	8221	98.39	35.4
2023-02-13 22:30:00	0	0	0	0	279	11.5	17.87	36.1	77.8	98.44	-0.7	-0.4	0	36.1	0.16	100	8222	98.41	35.4
2023-02-13 22:35:00	0	0	0	0	277	12.28	20	36.1	77.9	98.45	-0.6	-0.4	0	36.1	0.16	100	8221	98.42	35.4
2023-02-13 22:40:00	0	0	0	0	277	13	18.32	36.2	77.8	98.46	-0.5	-0.6	0	36.1	0.16	100	8221	98.42	35.5
2023-02-13 22:45:00	0	0	0	0	277	13.51	21.12	36.2	77.7	98.46	-0.7	-0.5	0	36.2	0.16	100	8224	98.43	35.5
2023-02-13 22:50:00	0	0	0	0	275	12.21	19.91	36.2	77.6	98.47	-0.9	-0.4	0	36.2	0.16	100	8220	98.44	35.5
2023-02-13 22:55:00	0	0	0	0	276	11.86	18.95	36.1	77.7	98.48	-0.8	-0.4	0	36.1	0.16	100	8220	98.44	35.4
2023-02-13 23:00:00	0	0	0	0	276	11.86	17.27	36.1	77.9	98.48	-0.7	-0.5	0	36	0.16	100	8219	98.45	35.2
2023-02-13 23:05:00	0	0	0	0	276	13.04	21.09	35.9	78.5	98.49	-0.7	-0.4	0	35.9	0.15	100	8220	98.45	35
2023-02-13 23:10:00	0	0	0	0	277	14.27	20.15	35.6	78.4	98.5	-0.8	-0.3	0	35.7	0.15	100	8219	98.46	34.9
2023-02-13 23:15:00	0	0	0	0	276	12.55	18.86	35.6	78.8	98.5	-0.9	-0.5	0	35.6	0.15	100	8216	98.47	34.8
2023-02-13 23:20:00	0	0	0	0	277	12.5	17.45	35.6	79.2	98.51	-0.6	-0.5	0	35.6	0.15	100	8218	98.48	34.9
2023-02-13 23:25:00	0	0	0	0	278	12.1	17.58	35.7	79	98.53	-0.2	-0.5	0	35.7	0.15	100	8218	98.49	35
2023-02-13 23:30:00	0	0	0	0	278	13.24	20.96	35.9	78.3	98.53	-0.9	0	0	35.9	0.15	100	8216	98.51	35.1
2023-02-13 23:35:00	0	0	0	0	275	12.19	17.31	36.1	78.6	98.55	-0.5	-0.4	0	36.1	0.15	100	8217	98.52	35.2
2023-02-13 23:40:00	0	0	0	0	278	11.88	19.73	36.1	78.5	98.57	-0.7	-0.4	0	36.1	0.15	100	8218	98.54	35.2
2023-02-13 23:45:00	0	0	0	0	277	12.91	18.92	36.1	77.7	98.57	-0.6	-0.5	0	36.1	0.16	100	8218	98.54	35.1
2023-02-13 23:50:00	0	0	0	0	276	12.08	18.57	36.1	78.3	98.58	-0.7	-0.4	0	36.1	0.16	100	8217	98.55	34.9
2023-02-13 23:55:00	0	0	0	0	277	11.97	18.81	35.9	78.5	98.59	-0.7	-0.5	0	35.8	0.15	100	8217	98.56	34.6
2023-02-14 00:00:00	0	0	0	0	272	11.54	16.06	35.6	78.3	98.6	-0.7	-0.6	0	35.6	0.15	100	8215	98.57	34.3
2023-02-14 00:05:00	0	0	0	0	274	10.67	15.17	35.3	78.8	98.6	-0.8	-0.5	0	35.3	0.15	100	8187	98.58	34.3
2023-02-14 00:10:00	0	0	0	0	277	12.28	18.25	35.1	79.6	98.61	-0.7	-0.5	0	35.1	0.14	100	8178	98.57	34.3
2023-02-14 00:15:00	0	0	0	0	279	11.63	17.4	35	79.3	98.61	-0.8	-0.7	0	35	0.14	100	8178	98.58	34.3
2023-02-14 00:20:00	0	0	0	0	279	11.34	16.62	34.9	79.2	98.61	-0.8	-0.3	0	34.9	0.14	100	8191	98.58	34.1
2023-02-14 00:25:00	0	0	0	0	281	12.8	19.82	34.7	79.2	98.62	-1	-0.5	0	34.7	0.14	100	8193	98.6	33.8
2023-02-14 00:30:00	0	0	0	0	283	13	19.3	34.7	79.4	98.63	-0.5	-0.2	0	34.7	0.14	100	8194	98.6	33.6
2023-02-14 00:35:00	0	0	0	0	284	12.73	21.68	34.6	79.5	98.64	-0.7	-0.3	0	34.7	0.14	100	8193	98.61	33.4
2023-02-14 00:40:00	0	0	0	0	283	12.55	17.74	34.6	79.5	98.65	-0.9	-0.6	0	34.6	0.14	100	8194	98.62	33.3
2023-02-14 00:45:00	0	0	0	0	281	12.82	18.19	34.5	80	98.66	-0.8	-0.6	0	34.5	0.14	100	8195	98.63	33.2
2023-02-14 00:50:00	0	0	0	0	281	13.2	18.45	34.3	80.5	98.68	-0.5	-0.5	0	34.3	0.13	100	8194	98.64	33
2023-02-14 00:55:00	0	0	0	0	281	12.95	18.5	34.3	80.7	98.68	-1	-0.6	0	34.2	0.13	100	8197	98.65	32.9
2023-02-14 01:00:00	0	0	0	0	279	12.53	19.06	34.2	80.9	98.68	-0.8	-0.5	0	34.2	0.13	100	8196	98.65	32.8
2023-02-14 01:05:00	0	0	0	0	284	13.44	17.85	34	81.5	98.69	-0.7	-0.5	0	34	0.12	100	8192	98.66	32.7
2023-02-14 01:10:00	0	0	0	0	277	12.77	18.99	33.9	81.7	98.7	-0.8	-0.6	0	33.9	0.12	100	8194	98.66	32.6
2023-02-14 01:15:00	0	0	0	0	280	12.8	17.34	33.9	81.9	98.7	-0.8	-0.5	0	33.9	0.12	100	8196	98.67	32.5
2023-02-14 01:20:00	0	0	0	0	276	14.03	21.21	33.7	81.8	98.7	-0.9	-0.5	0	33.7	0.12	100	8195	98.68	32.4
2023-02-14 01:25:00	0	0	0	0	275	11.54	16.91	33.7	82.3	98.71	-0.9	-0.5	0	33.7	0.12	100	8193	98.68	32.3
2023-02-14 01:30:00	0	0	0	0	277	11.72	17.78	33.6	82.8	98.72	-0.9	-0.7	0	33.6	0.11	100	8194	98.69	32.2
2023-02-14 01:35:00	0	0	0	0	275	11.34	16.46	33.4	82.9	98.72	-0.6	-0.5	0	33.4	0.11	100	8193	98.69	32
2023-02-14 01:40:00	0	0	0	0	274	11.3	17.94	33.3	83	98.73	-1	-0.5	0	33.3	0.11	100	8193	98.7	31.9
2023-02-14 01:45:00	0	0	0	0	275	10.04	13.53	33.2	83.3	98.74	-0.7	-0.4	0	33.2	0.11	100	8194	98.71	31.7
2023-02-14 01:50:00	0	0	0	0	273	9.75	13.82	33	83.4	98.75	-0.9	-0.5	0	33	0.11	100	8192	98.72	31.6
2023-02-14 01:55:00	0	0	0	0	270	8.77	11.83	32.9	83.7	98.76	-0.9	-0.5	0	32.9	0.1	100	8192	98.73	31.4
2023-02-14 02:00:00	0	0	0	0	273	9.73	13.65	32.7	84.3	98.76	-0.9	-0.4	0	32.7	0.1	100	8193	98.73	31.3
2023-02-14 02:05:00	0	0	0	0	271	10.33	13.13	32.5	84.6	98.76	-0.8	-0.4	0	32.6	0.1	100	8191	98.74	31.2
2023-02-14 02:10:00	0	0	0	0	270	10.29	14.41	32.6	84.8	98.77	-0.7	-0.4	0	32.6	0.1	100	8192	98.74	31.1
2023-02-14 02:15:00	0	0	0	0	274	9.98	13.38	32.5	85.1	98.78	-0.9	-0.4	0	32.5	0.09	100	8193	98.75	31
2023-02-14 02:20:00	0	0	0	0	276	10.07	15.35	32.5	85.1	98.79	-0.7	-0.7	0	32.4	0.09	100	8190	98.77	30.9
2023-02-14 02:25:00	0	0	0	0	276	10.04	15.26	32.4	85.5	98.8	-1	-0.4	0	32.3	0.09	100	8189	98.78	30.8
2023-02-14 02:30:00	0	0	0	0	272	11.65	17.25	32.1	86.2	98.81	-0.9	-0.2	0	32.1	0.08	100	8188	98.78	30.7
2023-02-14 02:35:00	0	0	0	0	277	9.44	14.18	32.2	86.3	98.82	-0.8	-0.5	0	32.3	0.08	100	8188	98.79	30.7

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-14 02:40:00	0	0	0	0	274	9.69	12.95	32.1	85.9	98.83	-0.8	-0.5	0	32.2	0.09	100	8189	98.8	30.6
2023-02-14 02:45:00	0	0	0	0	267	9.15	11.86	32.1	86.5	98.83	-1	-0.3	0	32.1	0.08	100	8192	98.81	30.5
2023-02-14 02:50:00	0	0	0	0	263	10.31	14.43	32	86.9	98.84	-0.9	-0.5	0	32	0.08	100	8186	98.82	30.4
2023-02-14 02:55:00	0	0	0	0	265	11.3	17.25	31.9	87	98.85	-0.8	-0.4	0	31.9	0.08	100	8188	98.83	30.4
2023-02-14 03:00:00	0	0	0	0	264	11.68	18.39	32	86.9	98.86	-0.8	-0.6	0	32	0.08	100	8186	98.84	30.4
2023-02-14 03:05:00	0	0	0	0	266	9.22	13.33	32.1	86.8	98.87	-1	-0.5	0	32.1	0.08	100	8187	98.84	30.4
2023-02-14 03:10:00	0	0	0	0	269	9.31	14.41	32	86.7	98.87	-0.7	-0.6	0	32	0.08	100	8186	98.84	30.3
2023-02-14 03:15:00	0	0	0	0	270	9.31	14.7	31.7	87.3	98.88	-1	-0.5	0	31.7	0.08	100	8187	98.85	30.2
2023-02-14 03:20:00	0	0	0	0	264	11.39	15.84	31.7	87.8	98.88	-0.9	-0.6	0	31.7	0.07	100	8184	98.86	30.1
2023-02-14 03:25:00	0	0	0	0	265	10.94	16.51	31.8	87.4	98.89	-0.8	-0.4	0	31.8	0.08	100	8186	98.87	30.1
2023-02-14 03:30:00	0	0	0	0	263	9.35	12.91	31.6	87.7	98.9	-0.9	-0.6	0	31.6	0.07	100	8187	98.87	30.1
2023-02-14 03:35:00	0	0	0	0	269	8.16	11.34	31.7	87.8	98.89	-0.8	-0.5	0	31.7	0.07	100	8185	98.87	30
2023-02-14 03:40:00	0	0	0	0	269	9.71	14.74	31.6	87.6	98.9	-0.9	-0.5	0	31.5	0.07	100	8187	98.87	29.9
2023-02-14 03:45:00	0	0	0	0	267	8.84	12.91	31.5	87.5	98.9	-0.8	-0.4	0	31.5	0.07	100	8186	98.88	29.8
2023-02-14 03:50:00	0	0	0	0	265	9.22	12.46	31.4	87.8	98.91	-0.8	-0.5	0	31.4	0.07	100	8183	98.88	29.7
2023-02-14 03:55:00	0	0	0	0	263	8.9	12.03	31.3	87.6	98.91	-0.9	-0.4	0	31.4	0.07	100	8184	98.89	29.6
2023-02-14 04:00:00	0	0	0	0	262	9.19	13.44	31.2	88	98.92	-0.9	-0.5	0	31.2	0.07	100	8185	98.9	29.5
2023-02-14 04:05:00	0	0	0	0	261	8.23	12.8	31.1	88.1	98.93	-0.8	-0.4	0	31.2	0.07	100	8181	98.91	29.4
2023-02-14 04:10:00	0	0	0	0	264	9.71	13.76	31.1	88.3	98.93	-1	-0.5	0	31.1	0.07	100	8181	98.92	29.4
2023-02-14 04:15:00	0	0	0	0	262	8.84	12.71	31.1	88.4	98.95	-0.8	-0.4	0	31.1	0.07	100	8181	98.92	29.3
2023-02-14 04:20:00	0	0	0	0	262	8.75	12.08	31.1	88.4	98.95	-0.8	-0.4	0	31.1	0.07	100	8181	98.93	29.3
2023-02-14 04:25:00	0	0	0	0	263	8.61	11.52	31	88.5	98.95	-0.9	-0.6	0	31.1	0.07	100	8183	98.93	29.2
2023-02-14 04:30:00	0	0	0	0	259	8.34	12.66	30.9	89	98.96	-0.9	-0.4	0	30.9	0.06	100	8181	98.94	29.1
2023-02-14 04:35:00	0	0	0	0	263	8.21	11.23	30.8	88.6	98.97	-0.9	-0.4	0	30.8	0.07	100	8181	98.94	29
2023-02-14 04:40:00	0	0	0	0	264	9.17	12.37	30.8	88.5	98.97	-1	-0.4	0	30.9	0.07	100	8182	98.95	29
2023-02-14 04:45:00	0	0	0	0	263	8.34	11.56	30.8	88.6	98.98	-0.9	-0.5	0	30.8	0.07	100	8184	98.96	29
2023-02-14 04:50:00	0	0	0	0	260	8.1	11.56	30.9	89	98.99	-0.8	-0.5	0	30.9	0.06	100	8179	98.96	29
2023-02-14 04:55:00	0	0	0	0	262	8.16	12.08	30.9	88.7	98.99	-0.8	-0.6	0	30.9	0.07	100	8180	98.97	29
2023-02-14 05:00:00	0	0	0	0	261	9.19	12.97	30.9	89	99.01	-0.8	-0.4	0	30.9	0.06	100	8180	98.98	29
2023-02-14 05:05:00	0	0	0	0	261	9.24	13.4	31	87.8	99.01	-0.7	-0.5	0	31	0.07	100	8181	98.99	29.1
2023-02-14 05:10:00	0	0	0	0	263	8.32	14.5	31.2	87.3	99.01	-0.9	-0.5	0	31.2	0.07	100	8180	98.99	29.2
2023-02-14 05:15:00	0	0	0	0	261	7.78	12.68	31.1	87.8	99.02	-0.7	-0.6	0	31.2	0.07	100	8181	98.99	29.2
2023-02-14 05:20:00	0	0	0	0	264	8.03	12.53	31.1	87.1	99.02	-0.9	-0.6	0	31.2	0.08	100	8179	98.99	29.1
2023-02-14 05:25:00	0	0	0	0	262	7.7	12.66	31.2	87.3	99.02	-0.9	-0.5	0	31.2	0.07	100	8179	99	29.2
2023-02-14 05:30:00	0	0	0	0	244	7.14	11.48	31.2	87.1	99.02	-0.8	-0.4	0	31.2	0.08	100	8181	99	29.2
2023-02-14 05:35:00	0	0	0	0	235	7.56	11.07	31.3	87.2	99.03	-0.8	-0.5	0	31.4	0.08	100	8177	99.01	29.2
2023-02-14 05:40:00	0	0	0	0	238	7.05	9.51	31.4	86.4	99.04	-0.8	-0.6	0	31.4	0.08	100	8180	99.01	29.3
2023-02-14 05:45:00	0	0	0	0	231	7.23	10.6	31.4	86.4	99.04	-0.9	-0.5	0	31.4	0.08	100	8179	99.02	29.3
2023-02-14 05:50:00	0	0	0	0	237	6.2	8.41	31.4	86	99.04	-0.8	-0.5	0	31.4	0.08	100	8178	99.01	29.3
2023-02-14 05:55:00	0	0	0	0	237	6.78	9.69	31.3	85.9	99.04	-0.7	-0.5	0	31.3	0.08	100	8178	99.02	29.3
2023-02-14 06:00:00	0	0	0	0	232	7	9.84	31.3	86.1	99.04	-0.9	-0.5	0	31.4	0.08	100	8177	99.02	29.3
2023-02-14 06:05:00	0	0	0	0	236	7.36	12.21	31.3	85.8	99.05	-0.7	-0.4	0	31.3	0.08	100	8178	99.03	29.3
2023-02-14 06:10:00	0	0	0	0	232	6.93	9.1	31.4	85.7	99.05	-0.9	-0.5	0	31.4	0.09	100	8176	99.03	29.3
2023-02-14 06:15:00	0	0	0	0	242	7.07	9.71	31.3	85.8	99.05	-0.8	-0.4	0	31.3	0.08	100	8177	99.03	29.2
2023-02-14 06:20:00	0	0	0	0	239	8.32	11.7	31.3	85.9	99.06	-0.7	-0.5	0	31.3	0.08	100	8175	99.04	29.2
2023-02-14 06:25:00	0	0	0	0	249	7.47	11.25	31.3	85.9	99.05	-0.8	-0.4	0	31.3	0.08	100	8175	99.03	29.3
2023-02-14 06:30:00	0	0	0	0	247	6.76	8.63	31.3	85.9	99.05	-0.8	-0.5	0	31.3	0.08	100	8175	99.03	29.2
2023-02-14 06:35:00	0	0	0	0	239	8.16	11.34	31.2	86.2	99.06	-0.9	-0.5	0	31.2	0.08	100	8175	99.04	29.2
2023-02-14 06:40:00	0	0	0	0	237	8.97	13.11	31.2	86.1	99.07	-0.9	-0.5	0	31.2	0.08	100	8175	99.04	29.2
2023-02-14 06:45:00	0	0	0	0	229	9.33	12.82	31.4	85.6	99.06	-0.9	-0.5	0	31.4	0.09	100	8175	99.04	29.4
2023-02-14 06:50:00	0.8	0	0	0	228	9.19	11.01	31.6	84.7	99.07	-0.8	-0.5	0	31.7	0.09	100	8174	99.05	29.6
2023-02-14 06:55:00	2	0	0	0	220	10.38	15.66	31.7	84.4	99.07	-0.9	-0.5	0	31.7	0.09	100	8174	99.04	29.7
2023-02-14 07:00:00	3.8	0	0	0	221	11.12	15.41	31.8	84.1	99.08	-0.9	-0.6	0	31.8	0.1	100	8173	99.06	29.9
2023-02-14 07:05:00	6.4	0	0	0	235	8.21	12.15	32	83.6	99.09	-0.7	-0.5	0	32	0.1	100	8175	99.08	29.9
2023-02-14 07:10:00	14.6	0	0	0	253	6.06	8.28	32.2	82.7	99.11	-0.8	-0.5	0	32.2	0.11	100	8178	99.09	29.9
2023-02-14 07:15:00	28	0	0	0	244	5.66	11.25	32.4	82.7	99.11	-0.7	-0.4	0	32.5	0.11	100	8185	99.09	29.9
2023-02-14 07:20:00	38	0	0	0	235	6.89	10.31	32.8	81.8	99.11	-0.8	-0.5	0	32.9	0.11	100	8189	99.09	30.2
2023-02-14 07:25:00	48.8	0	0	0	232	8.93	11.92	33.3	81	99.11	-0.6	-0.5	0	33.5	0.12	100	8193	99.1	30.7
2023-02-14 07:30:00	59.8	0	0	0	229	9.35	12.3	33.9	79.6	99.12	-0.8	-0.5	0	34.1	0.13	100	8202	99.11	31.2
2023-02-14 07:35:00	71.2	0	0	0	226	9.13	12.3	34.4	78.7	99.13	-0.6	-0.6	0	34.6	0.14	100	8210	99.12	31.7
2023-02-14 07:40:00	82.4	0	0	0	225	8.95	13.96	34.9	77.2	99.14	-0.7	-0.5	0	35.1	0.16	100	8216	99.14	32.2
2023-02-14 07:45:00	93.6	0	0	0	215	7.02	9.31	35.4	76	99.15	-0.8	-0.6	0	35.7	0.17	100	8225	99.15	32.7
2023-02-14 07:50:00	105.6	0	0	0	215	7.11	9.6	35.8	75.6	99.16	-0.7	-0.4	0	36.1	0.17	100	8232	99.16	33.2
2023-02-14 07:55:00	117.6	0	0	0	210	7.47	10.13	36.2	74.6	99.16	-0.8	-0.4	0	36.6	0.18	100	8240	99.16	33.7

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-14 08:00:00	129.4	0	0	0	212	8.46	12.93	36.7	73.2	99.18	-0.7	-0.5	0	37.1	0.2	100	8249	99.17	34.3
2023-02-14 08:05:00	139	0	0	0	214	8.81	14.05	37.1	72	99.18	-0.7	-0.4	0	37.6	0.21	100	8256	99.18	34.9
2023-02-14 08:10:00	146.6	0	0	0	225	9.26	12.12	37.7	70.5	99.2	-0.5	-0.6	0	38	0.23	100	8264	99.2	35.4
2023-02-14 08:15:00	152.8	0	0	0	236	8.16	11.34	38	69.7	99.2	-0.7	-0.5	0	38.4	0.24	100	8272	99.21	35.9
2023-02-14 08:20:00	156.2	0	0	0	232	7.81	11.52	38.6	68.1	99.22	-0.7	-0.5	0	39	0.25	100	8279	99.22	36.4
2023-02-14 08:25:00	166.6	0	0	0	238	7.27	11.05	39.1	67.8	99.23	-0.7	-0.5	0	39.6	0.26	100	8286	99.24	37
2023-02-14 08:30:00	186.4	0	0	0	249	7.23	12.62	39.7	66.3	99.24	-0.6	-0.5	0	40.2	0.28	100	8294	99.25	37.5
2023-02-14 08:35:00	203.6	0	0	0	254	8.3	14.09	40.2	65.7	99.25	-0.6	-0.5	0	40.8	0.29	100	8301	99.26	38.2
2023-02-14 08:40:00	225	0	0	0	251	7.94	11.54	40.7	64.5	99.26	-0.5	-0.5	0	41.4	0.31	100	8308	99.26	38.7
2023-02-14 08:45:00	242.4	0	0	0	250	7.25	10.85	41.1	63.7	99.25	-0.7	-0.4	0	41.8	0.32	100	8315	99.26	39.2
2023-02-14 08:50:00	255.2	0	0	0	245	7.56	12.26	41.6	62.4	99.26	-0.5	-0.6	0	42.3	0.34	100	8321	99.27	39.7
2023-02-14 08:55:00	267.8	0	0	0	251	6.85	9.93	42	62	99.26	-0.6	-0.5	0	42.8	0.34	100	8328	99.27	40.2
2023-02-14 09:00:00	280.6	0	0	0	257	5.77	7.56	42.4	61.4	99.27	-0.6	-0.4	0	43.3	0.36	100	8333	99.28	40.7
2023-02-14 09:05:00	292.8	0	0	0	256	6.82	10.92	43	60.1	99.27	-0.5	-0.6	0	43.9	0.38	100	8339	99.28	41.1
2023-02-14 09:10:00	305	0	0	0	245	6.71	12.71	43.4	59.4	99.28	-0.4	-0.4	0	44.4	0.39	100	8342	99.29	41.6
2023-02-14 09:15:00	317.2	0	0	0	249	8.81	12.53	43.7	58.6	99.29	-0.6	-0.6	0	44.5	0.4	100	8350	99.3	42
2023-02-14 09:20:00	329.8	0	0	0	244	8.75	12.93	43.8	57.6	99.29	-0.6	-0.5	0	44.6	0.41	100	8355	99.29	42.2
2023-02-14 09:25:00	341.4	0	0	0	240	8.63	11.68	43.9	57.8	99.29	-0.5	-0.5	0	44.9	0.41	100	8361	99.31	42.4
2023-02-14 09:30:00	344	0	0	0	245	6.73	9.75	44.1	58.5	99.3	-0.5	-0.3	0	45.1	0.41	100	8368	99.32	42.7
2023-02-14 09:35:00	343	0	0	0	264	6.58	10.09	44.6	59.6	99.31	-0.5	-0.5	0	45.8	0.4	100	8368	99.32	43.2
2023-02-14 09:40:00	339.8	0	0	0	287	6.96	9.26	45.3	58	99.31	-0.3	-0.5	0	46.3	0.43	100	8376	99.32	43.6
2023-02-14 09:45:00	331.6	0	0	0	273	7.58	9.93	45.6	57.2	99.32	-0.4	-0.4	0	46.5	0.45	100	8379	99.34	43.9
2023-02-14 09:50:00	338.8	0	0	0	276	9.24	13.35	46	56.3	99.34	-0.4	-0.5	0	46.9	0.46	100	8381	99.35	44.2
2023-02-14 09:55:00	371.4	0	0	0	252	9.06	12.77	46	56.3	99.34	-0.4	-0.4	0	47	0.46	100	8388	99.36	44.4
2023-02-14 10:00:00	396.8	0	0	0	271	7.7	12.62	46.1	55.9	99.35	-0.4	-0.5	0	47	0.47	100	8389	99.36	44.6
2023-02-14 10:05:00	422.4	0	0	0	276	7.47	11.41	46.5	55.6	99.36	-0.4	-0.5	0	47.5	0.48	100	8394	99.37	44.8
2023-02-14 10:10:00	435.6	0	0	0	271	8.3	12.24	46.9	54.6	99.36	-0.4	-0.5	0	47.9	0.5	100	8397	99.38	45.1
2023-02-14 10:15:00	446.6	0	0	0	260	6.71	9.44	47.2	54.1	99.36	-0.2	-0.6	0	48.3	0.51	100	8399	99.37	45.4
2023-02-14 10:20:00	454.6	0	0	0	260	5.97	8.75	47.6	53.9	99.36	-0.2	-0.5	0	48.7	0.52	100	8403	99.37	45.8
2023-02-14 10:25:00	462	0	0	0	262	4.74	9.04	47.9	53	99.35	-0.3	-0.5	0	49.2	0.53	100	8403	99.36	46.2
2023-02-14 10:30:00	470.6	0	0	0	277	4.74	8.39	48.6	50.3	99.35	-0.4	-0.5	0	49.9	0.58	100	8406	99.37	46.7
2023-02-14 10:35:00	479.8	0	0	0	270	5.23	8.23	49.1	48.6	99.36	-0.2	-0.5	0	50.4	0.61	100	8408	99.37	47
2023-02-14 10:40:00	485	0	0	0	275	5.59	12.62	49.5	47.9	99.37	-0.3	-0.5	0	50.6	0.63	100	8408	99.38	47.3
2023-02-14 10:45:00	476.2	0	0	0	276	5.26	9.84	49.7	48	99.37	-0.2	-0.6	0	51.1	0.63	100	8411	99.38	47.6
2023-02-14 10:50:00	465.2	0	0	0	257	5.68	11.18	50.2	46.7	99.39	-0.2	-0.4	0	51.4	0.66	100	8411	99.4	48
2023-02-14 10:55:00	453.8	0	0	0	285	7.9	12.24	50.4	45.4	99.39	-0.2	-0.5	0	51.5	0.68	100	8411	99.4	48.3
2023-02-14 11:00:00	435.6	0	0	0	290	7.45	11.83	50.5	45.2	99.4	-0.4	-0.7	0	51.5	0.68	100	8415	99.41	48.3
2023-02-14 11:05:00	449.2	0	0	0	244	7.16	13.38	50.6	45	99.4	-0.2	-0.6	0	51.6	0.69	100	8414	99.41	48.5
2023-02-14 11:10:00	480.2	0	0	0	244	3.53	6.58	50.4	45.3	99.4	-0.2	-0.5	0	51.7	0.68	100	8414	99.4	48.6
2023-02-14 11:15:00	505.8	0	0	0	276	8.12	12.41	51.2	43.6	99.4	-0.2	-0.5	0	52.3	0.72	100	8418	99.41	48.8
2023-02-14 11:20:00	529.6	0	0	0	274	7.58	12.28	51.4	42	99.41	-0.4	-0.4	0	52.4	0.75	100	8418	99.42	48.9
2023-02-14 11:25:00	539.2	0	0	0	281	7.25	9.91	51.4	42.2	99.42	-0.2	-0.4	0	52.4	0.75	100	8417	99.42	49
2023-02-14 11:30:00	545.4	0	0	0	292	8.08	14.81	51.5	40.8	99.41	-0.2	-0.5	0	52.5	0.77	100	8418	99.42	49.1
2023-02-14 11:35:00	547.2	0	0	0	278	5.3	8.7	51.5	41.1	99.41	-0.3	-0.5	0	52.7	0.76	100	8417	99.41	49.2
2023-02-14 11:40:00	548.4	0	0	0	252	7.63	11.97	52	41.3	99.4	-0.3	-0.5	0	53.2	0.78	100	8420	99.41	49.4
2023-02-14 11:45:00	550.2	0	0	0	284	6.02	12.03	52.1	39.6	99.39	-0.2	-0.6	0	53.3	0.8	100	8419	99.39	49.6
2023-02-14 11:50:00	548.6	0	0	0	291	7.94	14.81	52.4	37.3	99.39	-0.1	-0.6	0	53.3	0.84	100	8418	99.39	49.6
2023-02-14 11:55:00	538	0	0	0	272	8.52	14.7	52.3	37.7	99.38	-0.2	-0.4	0	53.4	0.83	100	8418	99.38	49.6
2023-02-14 12:00:00	527.8	0	0	0	235	9.89	14.32	52.5	38.2	99.37	-0.2	-0.6	0	53.4	0.83	100	8415	99.37	49.7
2023-02-14 12:05:00	515.6	0	0	0	240	8.63	12.19	52.3	38.5	99.37	-0.2	-0.6	0	53.1	0.82	100	8419	99.37	49.7
2023-02-14 12:10:00	484.2	0	0	0	232	10.29	14.99	52.3	38.5	99.36	-0.2	-0.4	0	53.2	0.82	100	8418	99.36	49.7
2023-02-14 12:15:00	486	0	0	0	288	9.35	13.29	52.3	37.5	99.36	-0.3	-0.4	0	53.2	0.84	100	8417	99.36	49.7
2023-02-14 12:20:00	488.4	0	0	0	260	8.32	14.27	52.3	37	99.37	0	-0.6	0	53.3	0.84	100	8417	99.37	49.7
2023-02-14 12:25:00	507	0	0	0	277	11.56	15.01	52.5	35.6	99.38	-0.1	-0.6	0	53.5	0.87	100	8415	99.37	49.7
2023-02-14 12:30:00	526.4	0	0	0	288	9.4	16.93	52.3	36.6	99.39	-0.2	-0.5	0	53.2	0.85	100	8415	99.39	49.6
2023-02-14 12:35:00	526.6	0	0	0	292	8.57	15.1	52.4	36.6	99.38	-0.1	-0.5	0	53.3	0.85	100	8413	99.38	49.7
2023-02-14 12:40:00	548.2	0	0	0	276	10.42	15.32	52.6	37.1	99.38	-0.1	-0.5	0	53.4	0.85	100	8412	99.38	49.8
2023-02-14 12:45:00	556.2	0	0	0	300	10.49	14.61	52.6	36.1	99.39	-0.1	-0.6	0	53.5	0.86	100	8411	99.38	49.7
2023-02-14 12:50:00	553.4	0	0	0	298	8.9	16.53	52.4	36.2	99.39	-0.1	-0.6	0	53.4	0.86	100	8406	99.38	49.6
2023-02-14 12:55:00	552	0	0	0	255	6.96	10.87	52.4	37.2	99.37	-0.3	-0.8	0	53.5	0.84	100	8405	99.36	49.8
2023-02-14 13:00:00	548.4	0	0	0	252	6.85	14.14	52.7	37.7	99.37	-0.1	-0.6	0	53.8	0.85	100	8405	99.36	49.9
2023-02-14 13:05:00	546.4	0	0	0	227	8.39	14.25	53	37.2	99.37	0	-0.5	0	54	0.86	100	8403	99.36	50.1
2023-02-14 13:10:00	541.8	0	0	0	209	10.33	15.05	53.1	36.7	99.37	-0.3	-0.8	0	53.9	0.87	100	8403	99.36	50.1
2023-02-14 13:15:00	536	0	0	0	259	7.56	12.01	52.8	36.1	99.37	-0.1	-0.6	0	53.8	0.87	100	8398	99.36	50

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-14 13:20:00	530.4	0	0	0	270	4.54	7.87	52.8	35.8	99.36	-0.2	-0.6	0	54	0.88	100	8393	99.35	49.9
2023-02-14 13:25:00	519.6	0	0	0	272	4.14	10.56	53.2	36.4	99.38	0	-0.7	0	54.8	0.88	100	8394	99.37	50.2
2023-02-14 13:30:00	509	0	0	0	273	8.28	15.19	54	35.1	99.39	0	-0.7	0	55.1	0.92	100	8391	99.38	50.4
2023-02-14 13:35:00	497.6	0	0	0	272	9.48	14.88	54	35	99.4	-0.1	-0.7	0	54.9	0.92	100	8387	99.38	50.4
2023-02-14 13:40:00	487.2	0	0	0	261	9.26	16.64	53.6	36.2	99.41	-0.2	-0.8	0	54.5	0.9	100	8387	99.39	50.5
2023-02-14 13:45:00	476.4	0	0	0	262	9.17	14.07	53.7	36.4	99.4	0.1	-0.6	0	54.6	0.89	100	8384	99.38	50.5
2023-02-14 13:50:00	466	0	0	0	268	8.16	13.18	53.5	36.2	99.39	-0.2	-0.7	0	54.5	0.89	100	8380	99.36	50.5
2023-02-14 13:55:00	454.6	0	0	0	231	9.1	15.19	53.5	35.8	99.38	-0.1	-0.5	0	54.6	0.9	100	8380	99.35	50.5
2023-02-14 14:00:00	440.6	0	0	0	210	5.82	16.15	53.3	34.9	99.37	-0.3	-0.7	0	54.4	0.9	100	8379	99.35	50.6
2023-02-14 14:05:00	426.6	0	0	0	208	6.8	11.7	53.4	35.5	99.37	-0.2	-0.8	0	54.6	0.9	100	8378	99.35	50.6
2023-02-14 14:10:00	412.6	0	0	0	284	5.7	10.25	53.5	36	99.37	-0.2	-0.5	0	54.6	0.89	100	8374	99.35	50.6
2023-02-14 14:15:00	395.4	0	0	0	241	7.07	13.22	53.9	34.3	99.37	-0.3	-0.7	0	55.1	0.93	100	8373	99.35	50.7
2023-02-14 14:20:00	380.2	0	0	0	239	8.19	13.82	54	34.2	99.37	-0.1	-0.6	0	55	0.94	100	8373	99.35	51
2023-02-14 14:25:00	369.4	0	0	0	232	8.5	14.05	54	34.3	99.38	-0.2	-0.7	0	55	0.93	100	8371	99.35	51
2023-02-14 14:30:00	361.4	0	0	0	203	5.93	10.42	53.9	33.9	99.38	-0.1	-0.7	0	54.9	0.93	100	8369	99.35	51.1
2023-02-14 14:35:00	356	0	0	0	227	10.4	16.91	53.9	33.8	99.38	-0.1	-0.7	0	54.9	0.94	100	8370	99.35	51.2
2023-02-14 14:40:00	352.2	0	0	0	236	8.41	16.78	53.9	33.4	99.38	-0.1	-0.6	0	54.8	0.94	100	8365	99.35	51.1
2023-02-14 14:45:00	348.8	0	0	0	189	9.15	14.2	53.8	34.5	99.38	-0.2	-0.7	0	54.6	0.92	100	8367	99.35	51.1
2023-02-14 14:50:00	344.8	0	0	0	176	8.32	10.65	53.5	35.1	99.38	-0.1	-0.8	0	54.5	0.91	100	8365	99.35	51.1
2023-02-14 14:55:00	340	0	0	0	199	6.85	11.32	53.3	35.1	99.39	-0.2	-0.6	0	54.2	0.9	100	8362	99.35	51
2023-02-14 15:00:00	334	0	0	0	234	5.44	9.78	53.2	35.9	99.4	-0.1	-0.7	0	54.4	0.89	100	8362	99.37	51.1
2023-02-14 15:05:00	326.6	0	0	0	227	7.99	12.26	53.8	35.6	99.41	-0.2	-0.7	0	54.8	0.91	100	8361	99.37	51.3
2023-02-14 15:10:00	318.8	0	0	0	231	6.96	13.94	53.9	35.9	99.41	-0.2	-0.7	0	54.8	0.91	100	8358	99.37	51.4
2023-02-14 15:15:00	309	0	0	0	203	7.27	11.68	53.8	35.1	99.41	-0.1	-0.7	0	54.8	0.92	100	8358	99.38	51.6
2023-02-14 15:20:00	299.4	0	0	0	213	5.28	9.71	53.6	34.4	99.42	-0.3	-0.8	0	54.6	0.92	100	8355	99.38	51.6
2023-02-14 15:25:00	290.4	0	0	0	222	5.17	7.76	53.7	35.5	99.42	-0.1	-0.7	0	54.8	0.91	100	8355	99.38	51.8
2023-02-14 15:30:00	281.2	0	0	0	179	6.93	12.24	54	34.9	99.43	0	-0.7	0	54.8	0.92	100	8355	99.39	51.9
2023-02-14 15:35:00	270.6	0	0	0	175	9.31	14.52	53.8	35.5	99.43	-0.2	-0.7	0	54.6	0.91	100	8356	99.39	51.9
2023-02-14 15:40:00	258.6	0	0	0	231	6.89	10	53.5	34.9	99.45	-0.1	-0.6	0	54.2	0.91	100	8351	99.42	51.8
2023-02-14 15:45:00	245	0	0	0	178	7.29	10.09	53.4	35.5	99.46	-0.2	-0.8	0	54.1	0.9	100	8350	99.41	51.9
2023-02-14 15:50:00	232.2	0	0	0	197	9.44	14.7	53.3	34.7	99.45	-0.2	-0.6	0	54	0.91	100	8348	99.41	51.9
2023-02-14 15:55:00	218	0	0	0	197	7.81	11.5	53.1	34.5	99.45	-0.2	-0.6	0	53.7	0.9	100	8349	99.41	51.9
2023-02-14 16:00:00	179.4	0	0	0	177	5.17	8.03	53	34.7	99.46	-0.2	-0.8	0	53.6	0.9	100	8349	99.42	51.9
2023-02-14 16:05:00	159	0	0	0	167	4.21	7.49	53.1	34.1	99.47	-0.2	-0.8	0	53.6	0.91	100	8348	99.43	52.1
2023-02-14 16:10:00	146.6	0	0	0	209	3.04	4.9	52.9	35	99.47	-0.2	-0.7	0	53.7	0.89	100	8346	99.43	52.3
2023-02-14 16:15:00	34	0	0	0	186	4.94	8.08	53.3	35.6	99.47	-0.1	-0.6	0	53.5	0.89	100	8344	99.43	52.4
2023-02-14 16:20:00	117.2	0	0	0	235	3.11	6.11	52.6	34.8	99.47	-0.2	-0.7	0	53	0.88	100	8342	99.43	52.2
2023-02-14 16:25:00	133.2	0	0	0	205	4.94	8.28	52.3	34.6	99.47	-0.2	-0.7	0	52.8	0.87	100	8341	99.42	52.3
2023-02-14 16:30:00	119.6	0	0	0	239	3.24	6.93	52.2	35.3	99.47	-0.2	-0.6	0	52.8	0.86	100	8341	99.42	52.3
2023-02-14 16:35:00	106	0	0	0	194	5.99	8.75	52.4	33.5	99.46	-0.3	-0.6	0	52.8	0.89	100	8338	99.42	52.3
2023-02-14 16:40:00	93.2	0	0	0	207	2.1	4.18	52.2	35.4	99.46	-0.2	-0.6	0	52.6	0.86	100	8338	99.42	52.3
2023-02-14 16:45:00	79.4	0	0	0	196	2.15	3.24	52.2	33.7	99.47	-0.2	-0.6	0	52.6	0.88	100	8339	99.42	52.4
2023-02-14 16:50:00	62.8	0	0	0	178	4.5	8.43	52.1	33.4	99.46	-0.2	-0.6	0	52.4	0.88	100	8337	99.42	52.2
2023-02-14 16:55:00	41.6	0	0	0	185	4.7	7.29	51.8	33.1	99.46	-0.3	-0.7	0	51.9	0.88	100	8336	99.41	51.4
2023-02-14 17:00:00	21.6	0	0	0	158	6.04	8.68	51.2	36.5	99.46	-0.4	-0.7	0	51.3	0.81	100	8334	99.41	50.4
2023-02-14 17:05:00	16.2	0	0	0	159	8.57	10.87	50.4	36.8	99.46	-0.4	-0.6	0	50.4	0.79	100	8332	99.41	49.4
2023-02-14 17:10:00	12.2	0	0	0	153	6.64	8.05	49.5	38.1	99.46	-0.4	-0.6	0	49.6	0.75	100	8331	99.4	48.5
2023-02-14 17:15:00	8.4	0	0	0	146	5.35	6.31	48.8	38.3	99.46	-0.4	-0.5	0	48.8	0.73	100	8331	99.4	47.8
2023-02-14 17:20:00	6	0	0	0	145	5.01	5.75	48.4	38.3	99.46	-0.4	-0.5	0	48.4	0.71	100	8327	99.4	47.1
2023-02-14 17:25:00	4.4	0	0	0	133	6.51	11.41	47.9	39.4	99.45	-0.3	-0.6	0	47.9	0.69	100	8329	99.39	46.6
2023-02-14 17:30:00	2.6	0	0	0	131	10.83	13.71	47.5	40.1	99.44	-0.3	-0.7	0	47.4	0.67	100	8325	99.39	46.2
2023-02-14 17:35:00	1.4	0	0	0	136	9.33	12.06	47	42.8	99.45	-0.4	-0.6	0	47	0.63	100	8323	99.4	46
2023-02-14 17:40:00	0.4	0	0	0	138	7.09	8.86	46.6	44.8	99.46	-0.5	-0.5	0	46.6	0.6	100	8326	99.41	45.5
2023-02-14 17:45:00	0	0	0	0	137	6.22	8.41	46.1	45.3	99.46	-0.6	-0.5	0	46	0.58	100	8323	99.41	44.9
2023-02-14 17:50:00	0	0	0	0	131	6.46	8.3	45.7	45.8	99.46	-0.5	-0.5	0	45.7	0.57	100	8321	99.4	44.4
2023-02-14 17:55:00	0	0	0	0	141	6.24	8.05	45.2	47.2	99.46	-0.5	-0.6	0	45.2	0.54	100	8321	99.41	44
2023-02-14 18:00:00	0	0	0	0	151	6.53	8.72	45	47.7	99.47	-0.6	-0.5	0	45	0.53	100	8319	99.41	43.6
2023-02-14 18:05:00	0	0	0	0	150	6.96	8.34	44.7	47.9	99.46	-0.4	-0.5	0	44.7	0.52	100	8315	99.41	43.3
2023-02-14 18:10:00	0	0	0	0	150	6.49	7.76	44.5	48.8	99.47	-0.6	-0.6	0	44.5	0.51	100	8318	99.41	43
2023-02-14 18:15:00	0	0	0	0	147	6.58	7.87	44.3	48.9	99.47	-0.6	-0.6	0	44.3	0.51	100	8313	99.41	42.6
2023-02-14 18:20:00	0	0	0	0	144	6.15	7.67	44	49.7	99.46	-0.5	-0.6	0	44	0.49	100	8317	99.41	42.4
2023-02-14 18:25:00	0	0	0	0	135	5.84	6.78	43.8	49.7	99.45	-0.5	-0.5	0	43.8	0.49	100	8316	99.4	42
2023-02-14 18:30:00	0	0	0	0	132	5.84	6.87	43.5	49.1	99.45	-0.6	-0.4	0	43.5	0.49	100	8314	99.39	41.7
2023-02-14 18:35:00	0	0	0	0	126	6.78	8.37	43.4	49.1	99.44	-0.7	-0.5	0	43.4	0.49	100	8312	99.38	41.5

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-14 18:40:00	0	0	0	0	123	7.34	10.22	43.4	48.5	99.43	-0.5	-0.6	0	43.4	0.49	100	8313	99.38	41.4
2023-02-14 18:45:00	0	0	0	0	125	8.43	10.76	43.5	47.7	99.43	-0.5	-0.5	0	43.5	0.5	100	8313	99.38	41.5
2023-02-14 18:50:00	0	0	0	0	131	7.92	10.83	43.6	48.2	99.43	-0.6	-0.5	0	43.7	0.5	100	8312	99.37	41.6
2023-02-14 18:55:00	0	0	0	0	135	7.16	9.89	43.5	48.6	99.43	-0.6	-0.5	0	43.5	0.49	100	8312	99.38	41.5
2023-02-14 19:00:00	0	0	0	0	126	7.07	8.03	43.3	48.3	99.43	-0.5	-0.5	0	43.3	0.49	100	8313	99.37	41.3
2023-02-14 19:05:00	0	0	0	0	126	6.76	7.47	43.2	48.5	99.43	-0.6	-0.5	0	43.2	0.49	100	8309	99.37	41.1
2023-02-14 19:10:00	0	0	0	0	123	6.82	8.39	43	48.8	99.43	-0.5	-0.4	0	43	0.48	100	8308	99.37	41
2023-02-14 19:15:00	0	0	0	0	124	7	8.19	42.9	48.9	99.42	-0.5	-0.7	0	42.8	0.48	100	8308	99.37	40.8
2023-02-14 19:20:00	0	0	0	0	134	6.38	8.05	42.8	49.7	99.42	-0.6	-0.6	0	42.7	0.47	100	8307	99.37	40.6
2023-02-14 19:25:00	0	0	0	0	136	5.79	6.46	42.5	50.9	99.41	-0.6	-0.6	0	42.5	0.45	100	8308	99.36	40.4
2023-02-14 19:30:00	0	0	0	0	139	5.64	7	42.2	51.8	99.42	-0.6	-0.6	0	42.2	0.44	100	8308	99.35	40.1
2023-02-14 19:35:00	0	0	0	0	141	5.23	5.97	42	53	99.41	-0.6	-0.5	0	42	0.43	100	8304	99.36	39.7
2023-02-14 19:40:00	0	0	0	0	138	5.39	6.38	41.7	52.6	99.41	-0.5	-0.5	0	41.7	0.42	100	8304	99.35	39.4
2023-02-14 19:45:00	0	0	0	0	126	5.77	7.49	41.5	53.1	99.39	-0.6	-0.4	0	41.5	0.42	100	8303	99.33	39.1
2023-02-14 19:50:00	0	0	0	0	116	6.76	7.49	41.3	51.9	99.37	-0.6	-0.6	0	41.3	0.43	100	8303	99.31	39
2023-02-14 19:55:00	0	0	0	0	124	6.69	7.9	41.2	52.4	99.36	-0.6	-0.5	0	41.1	0.42	100	8304	99.3	38.9
2023-02-14 20:00:00	0	0	0	0	126	7.29	8.63	41	53.7	99.34	-0.6	-0.6	0	41	0.4	100	8304	99.28	38.9
2023-02-14 20:05:00	0	0	0	0	125	7.07	8.01	40.9	53.5	99.33	-0.7	-0.5	0	40.9	0.4	100	8302	99.27	38.9
2023-02-14 20:10:00	0	0	0	0	122	7.18	8.41	40.8	53.4	99.31	-0.6	-0.4	0	40.7	0.4	100	8304	99.26	38.8
2023-02-14 20:15:00	0	0	0	0	124	7	8.7	40.7	54.1	99.31	-0.5	-0.6	0	40.7	0.4	100	8301	99.26	38.8
2023-02-14 20:20:00	0	0	0	0	136	6.67	8.32	40.6	55	99.31	-0.7	-0.5	0	40.6	0.39	100	8301	99.25	38.8
2023-02-14 20:25:00	0	0	0	0	146	6.49	7.65	40.4	55.3	99.31	-0.6	-0.5	0	40.4	0.38	100	8300	99.25	38.6
2023-02-14 20:30:00	0	0	0	0	151	7	8.25	40.2	56.8	99.3	-0.6	-0.6	0	40.2	0.37	100	8300	99.24	38.3
2023-02-14 20:35:00	0	0	0	0	155	6.85	7.65	39.8	58	99.29	-0.6	-0.5	0	39.8	0.35	100	8298	99.24	38.1
2023-02-14 20:40:00	0	0	0	0	151	6.76	7.74	39.6	58.7	99.28	-0.6	-0.5	0	39.5	0.34	100	8299	99.23	37.8
2023-02-14 20:45:00	0	0	0	0	156	6.82	7.96	39.5	58.9	99.28	-0.6	-0.6	0	39.5	0.34	100	8299	99.23	37.7
2023-02-14 20:50:00	0	0	0	0	150	7.85	9.44	39.3	59.3	99.28	-0.7	-0.6	0	39.3	0.33	100	8295	99.23	37.6
2023-02-14 20:55:00	0	0	0	0	150	7.65	8.99	39.4	58.6	99.28	-0.6	-0.5	0	39.4	0.34	100	8298	99.23	37.7
2023-02-14 21:00:00	0	0	0	0	149	7.7	8.93	39.2	59	99.27	-0.6	-0.6	0	39.2	0.33	100	8298	99.22	37.6
2023-02-14 21:05:00	0	0	0	0	151	7.54	8.9	39.2	59	99.27	-0.7	-0.7	0	39.2	0.33	100	8297	99.22	37.6
2023-02-14 21:10:00	0	0	0	0	153	7.52	8.52	39.2	59.5	99.27	-0.6	-0.6	0	39.2	0.33	100	8292	99.22	37.5
2023-02-14 21:15:00	0	0	0	0	157	7.67	8.79	39.2	60	99.27	-0.7	-0.6	0	39.2	0.33	100	8295	99.21	37.5
2023-02-14 21:20:00	0	0	0	0	158	7.78	9.08	39.2	60.3	99.26	-0.9	-0.4	0	39.2	0.32	100	8293	99.21	37.5
2023-02-14 21:25:00	0	0	0	0	144	8.5	9.95	39.2	59.9	99.25	-0.6	-0.5	0	39.2	0.33	100	8294	99.19	37.5
2023-02-14 21:30:00	0	0	0	0	130	8.12	8.93	39.2	58.8	99.23	-0.6	-0.6	0	39.2	0.34	100	8293	99.18	37.6
2023-02-14 21:35:00	0	0	0	0	134	8.34	9.55	39.2	58.2	99.22	-0.5	-0.6	0	39.3	0.34	100	8294	99.17	37.7
2023-02-14 21:40:00	0	0	0	0	137	8.21	9.66	39.3	58.8	99.21	-0.6	-0.5	0	39.3	0.34	100	8295	99.16	37.8
2023-02-14 21:45:00	0	0	0	0	144	7.47	8.3	39.2	58.9	99.2	-0.7	-0.5	0	39.3	0.33	100	8294	99.15	37.7
2023-02-14 21:50:00	0	0	0	0	145	8.1	9.4	39.2	59	99.18	-0.6	-0.6	0	39.2	0.33	100	8291	99.13	37.6
2023-02-14 21:55:00	0	0	0	0	145	7.81	9.08	39.1	58.6	99.18	-0.6	-0.5	0	39.1	0.33	100	8292	99.13	37.6
2023-02-14 22:00:00	0	0	0	0	129	8.86	10.92	39.2	57.7	99.16	-0.7	-0.4	0	39.2	0.34	100	8292	99.11	37.7
2023-02-14 22:05:00	0	0	0	0	121	9.26	11.25	39.4	56.1	99.16	-0.7	-0.4	0	39.4	0.36	100	8291	99.11	37.9
2023-02-14 22:10:00	0	0	0	0	120	10.18	12.08	39.8	54.7	99.14	-0.6	-0.4	0	39.8	0.38	100	8290	99.09	38.2
2023-02-14 22:15:00	0	0	0	0	130	10.89	14.2	40.1	54.2	99.13	-0.5	-0.5	0	40.1	0.38	100	8292	99.09	38.5
2023-02-14 22:20:00	0	0	0	0	134	9.48	12.84	40.3	54.9	99.14	-0.6	-0.5	0	40.3	0.38	100	8290	99.09	38.7
2023-02-14 22:25:00	0	0	0	0	134	9.08	11.99	40.2	55.8	99.13	-0.7	-0.5	0	40.2	0.37	100	8289	99.08	38.7
2023-02-14 22:30:00	0	0	0	0	135	9.37	11.65	40.2	55.5	99.12	-0.6	-0.5	0	40.3	0.38	100	8290	99.07	38.7
2023-02-14 22:35:00	0	0	0	0	136	9.46	11.36	40.3	54.7	99.1	-0.7	-0.6	0	40.3	0.38	100	8289	99.06	38.9
2023-02-14 22:40:00	0	0	0	0	138	9.95	12.64	40.4	55.2	99.09	-0.5	-0.6	0	40.4	0.38	100	8288	99.05	39
2023-02-14 22:45:00	0	0	0	0	132	10.58	13.02	40.5	53.9	99.09	-0.6	-0.5	0	40.5	0.39	100	8286	99.04	39.1
2023-02-14 22:50:00	0	0	0	0	127	11.32	14.27	41	51.8	99.09	-0.7	-0.4	0	41	0.42	100	8287	99.05	39.5
2023-02-14 22:55:00	0	0	0	0	127	10.4	12.57	41.3	51.6	99.07	-0.6	-0.6	0	41.4	0.43	100	8287	99.03	39.9
2023-02-14 23:00:00	0	0	0	0	130	8.97	11.43	41.5	51.7	99.07	-0.5	-0.5	0	41.5	0.43	100	8288	99.02	39.9
2023-02-14 23:05:00	0	0	0	0	137	8.81	11.72	41.5	51.9	99.07	-0.4	-0.8	0	41.5	0.43	100	8287	99.02	40
2023-02-14 23:10:00	0	0	0	0	133	9.06	11.5	41.4	51.9	99.07	-0.6	-0.5	0	41.4	0.43	100	8289	99.02	40
2023-02-14 23:15:00	0	0	0	0	127	9.84	13.89	41.5	51.2	99.05	-0.6	-0.5	0	41.6	0.43	100	8286	99.01	40.1
2023-02-14 23:20:00	0	0	0	0	137	9.53	11.43	41.6	51	99.05	-0.7	-0.5	0	41.6	0.44	100	8285	99.01	40.3
2023-02-14 23:25:00	0	0	0	0	133	8.79	11.41	41.7	52	99.05	-0.6	-0.6	0	41.7	0.43	100	8283	99	40.4
2023-02-14 23:30:00	0	0	0	0	134	8.95	13.04	41.8	51.8	99.04	-0.4	-0.6	0	41.8	0.43	100	8285	99	40.5
2023-02-14 23:35:00	0	0	0	0	133	7.94	10.6	42	51.8	99.04	-0.5	-0.6	0	42	0.44	100	8285	98.99	40.6
2023-02-14 23:40:00	0	0	0	0	126	9.53	12.82	41.9	52	99.03	-0.5	-0.5	0	41.9	0.43	100	8285	98.98	40.7
2023-02-14 23:45:00	0	0	0	0	126	9.95	12.3	42.2	52.2	99.02	-0.4	-0.6	0	42.2	0.44	100	8282	98.98	40.8
2023-02-14 23:50:00	0	0	0	0	127	11.14	13.49	42.4	52	99.01	-0.7	-0.3	0	42.4	0.44	100	8285	98.97	41
2023-02-14 23:55:00	0	0	0	0	133	10.09	13.51	42.5	52.2	99.02	-0.6	-0.6	0	42.5	0.44	100	8281	98.98	41.2

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-15 00:00:00	0	0	0	0	140	9.1	11.56	42.5	52.9	99.02	-0.6	-0.4	0	42.5	0.44	100	8282	98.97	41.2
2023-02-15 00:05:00	0	0	0	0	133	8.59	13.65	42.4	52.9	99	-0.6	-0.4	0	42.4	0.43	100	8256	98.95	41.4
2023-02-15 00:10:00	0	0	0	0	122	10.49	12.62	42.4	52.5	98.99	-0.5	-0.5	0	42.5	0.44	100	8248	98.95	41.7
2023-02-15 00:15:00	0	0	0	0	127	11.23	15.05	42.6	52.6	98.98	-0.4	-0.7	0	42.6	0.44	100	8248	98.93	41.9
2023-02-15 00:20:00	0	0	0	0	135	10.45	13.65	42.7	53.1	98.97	-0.5	-0.4	0	42.7	0.44	100	8261	98.93	42
2023-02-15 00:25:00	0	0	0	0	143	8.63	12.12	42.8	52.8	98.97	-0.5	-0.6	0	42.8	0.44	100	8261	98.93	42
2023-02-15 00:30:00	0	0	0	0	153	8.37	11.74	43.1	53	98.98	-0.5	-0.6	0	43.1	0.44	100	8263	98.94	42
2023-02-15 00:35:00	0	0	0	0	142	7.02	8.68	43.1	53.2	98.98	-0.5	-0.6	0	43.1	0.44	100	8263	98.92	42
2023-02-15 00:40:00	0	0	0	0	134	8.5	10.56	43	53	98.95	-0.4	-0.6	0	43	0.44	100	8264	98.91	42
2023-02-15 00:45:00	0	0	0	0	130	8.99	11.07	43.1	52.9	98.94	-0.5	-0.5	0	43.1	0.45	100	8264	98.89	42
2023-02-15 00:50:00	0	0	0	0	149	7.65	9.91	43.2	53.3	98.95	-0.5	-0.5	0	43.2	0.44	100	8263	98.9	42.1
2023-02-15 00:55:00	0	0	0	0	155	8.25	10.69	43.3	53.2	98.96	-0.6	-0.5	0	43.2	0.45	100	8263	98.91	42.1
2023-02-15 01:00:00	0	0	0	0	154	7.74	9.78	43.2	53.7	98.96	-0.5	-0.5	0	43.2	0.44	100	8266	98.91	42.1
2023-02-15 01:05:00	0	0	0	0	147	6.02	7.2	43.3	53.2	98.96	-0.5	-0.5	0	43.3	0.45	100	8264	98.91	42
2023-02-15 01:10:00	0	0	0	0	139	5.86	7	43.3	52.4	98.96	-0.5	-0.6	0	43.4	0.45	100	8263	98.91	42
2023-02-15 01:15:00	0	0	0	0	119	7.72	9.78	43.4	51.4	98.93	-0.6	-0.6	0	43.4	0.46	100	8265	98.88	42.1
2023-02-15 01:20:00	0	0	0	0	129	8.48	10	43.7	51.2	98.92	-0.5	-0.4	0	43.8	0.47	100	8263	98.87	42.3
2023-02-15 01:25:00	0	0	0	0	115	9.37	11.21	44	50.4	98.9	-0.5	-0.6	0	44	0.48	100	8263	98.85	42.6
2023-02-15 01:30:00	0	0	0	0	133	7.83	10.25	44.2	50.8	98.9	-0.4	-0.4	0	44.2	0.49	100	8263	98.85	42.8
2023-02-15 01:35:00	0	0	0	0	124	7.61	9.26	44.3	51	98.89	-0.4	-0.6	0	44.3	0.49	100	8262	98.84	42.9
2023-02-15 01:40:00	0	0	0	0	120	9.24	12.97	44.5	49.4	98.87	-0.4	-0.4	0	44.5	0.5	100	8263	98.82	43.1
2023-02-15 01:45:00	0	0	0	0	127	11.97	15.37	44.9	48.5	98.85	-0.6	-0.7	0	45	0.52	100	8263	98.81	43.6
2023-02-15 01:50:00	0	0	0	0	118	14.16	18.16	45.6	46.7	98.83	-0.4	-0.4	0	45.6	0.55	100	8262	98.79	44.2
2023-02-15 01:55:00	0	0	0	0	130	13.42	17.47	46.4	46.1	98.82	-0.2	-0.6	0	46.4	0.58	100	8263	98.78	44.7
2023-02-15 02:00:00	0	0	0	0	132	10.67	13.2	46.9	44.8	98.83	-0.1	-0.5	0	46.9	0.6	100	8261	98.78	45.2
2023-02-15 02:05:00	0	0	0	0	153	12.55	20.74	47.3	45.1	98.83	0.1	-0.7	0	47.3	0.61	100	8261	98.79	45.6
2023-02-15 02:10:00	0	0	0	0	162	16.8	23.13	47.7	45.3	98.86	0	-0.8	0	47.7	0.62	100	8263	98.81	46
2023-02-15 02:15:00	0	0	0	0	170	16.37	23.96	48.1	44.6	98.89	-0.5	0	0	48.1	0.63	100	8262	98.85	46.4
2023-02-15 02:20:00	0	0	0	0	170	18.23	25.48	48.3	44.4	98.91	-0.5	-0.6	0	48.3	0.64	100	8259	98.85	46.8
2023-02-15 02:25:00	0	0	0	0	165	15.75	23.09	48.6	44.8	98.89	-0.5	0.1	0	48.6	0.64	100	8263	98.84	47.1
2023-02-15 02:30:00	0	0	0	0	164	16.91	21.43	48.5	45.7	98.88	-0.2	-0.3	0	48.5	0.63	100	8261	98.82	47.1
2023-02-15 02:35:00	0	0	0	0	167	14.94	22.32	48.4	45.5	98.87	-0.3	-1.1	0	48.4	0.63	100	8260	98.82	47.2
2023-02-15 02:40:00	0	0	0	0	163	14.05	18.86	48.4	47.1	98.86	-0.5	-0.9	0	48.4	0.61	100	8261	98.81	47.2
2023-02-15 02:45:00	0	0.00067	0	0	159	15.93	20.6	47.6	50.6	98.84	-0.4	-1.2	0.04	47.6	0.55	100	8263	98.79	46.9
2023-02-15 02:50:00	0	0	0	0	160	13.96	16.91	46.8	53.4	98.83	-0.3	-0.6	0	46.8	0.51	100	8263	98.78	46.4
2023-02-15 02:55:00	0	0	0	0	156	15.73	19.15	46.6	52.8	98.81	-0.5	-0.7	0	46.6	0.51	100	8260	98.76	46.2
2023-02-15 03:00:00	0	0	0	0	141	11.77	19.13	46.5	53.1	98.78	-0.1	-0.9	0	46.5	0.5	100	8258	98.73	46.2
2023-02-15 03:05:00	0	0	0	0	120	11.3	13.8	46.5	53.9	98.75	-0.3	-0.6	0	46.4	0.5	100	8261	98.7	46
2023-02-15 03:10:00	0	0	0	0	116	12.44	14.76	46.6	53	98.7	-0.6	-0.6	0	46.7	0.51	100	8260	98.65	45.9
2023-02-15 03:15:00	0	0	0	0	148	11.59	15.28	46.7	53	98.74	-0.4	-0.5	0	46.7	0.51	100	8257	98.7	45.9
2023-02-15 03:20:00	0	0	0	0	142	12.48	15.84	46.8	52.4	98.77	-0.2	-0.7	0	46.8	0.52	100	8257	98.72	45.8
2023-02-15 03:25:00	0	0	0	0	132	11.07	12.68	46.8	52.9	98.73	-0.6	-0.6	0	46.8	0.51	100	8255	98.68	45.8
2023-02-15 03:30:00	0	0	0	0	122	12.53	15.73	47	52.7	98.67	-0.3	-0.6	0	47	0.52	100	8257	98.62	45.9
2023-02-15 03:35:00	0	0	0	0	128	14.83	20.13	47.2	52.2	98.64	-0.4	-0.5	0	47.2	0.53	100	8258	98.59	46.1
2023-02-15 03:40:00	0	0	0	0	126	16.49	20.6	47.4	52.7	98.62	-0.2	-0.3	0	47.4	0.53	100	8256	98.58	46.3
2023-02-15 03:45:00	0	0	0	0	140	16.46	20.69	47.6	53.4	98.61	-0.5	-0.4	0	47.6	0.52	100	8256	98.58	46.4
2023-02-15 03:50:00	0	0	0	0	152	16.84	21.74	47.7	54.4	98.61	-0.5	-0.9	0	47.7	0.51	100	8254	98.57	46.5
2023-02-15 03:55:00	0	0	0	0	152	21.59	29.44	48	52.8	98.61	-0.3	0.2	0	48	0.54	100	8254	98.58	46.8
2023-02-15 04:00:00	0	0	0	0	159	21.97	30.38	48.5	51.6	98.62	0	-1.5	0	48.5	0.56	100	8254	98.58	47.3
2023-02-15 04:05:00	0	0	0	0	163	15.95	19.15	48.9	51.4	98.64	-0.1	-0.6	0	48.9	0.57	100	8253	98.59	47.5
2023-02-15 04:10:00	0	0	0	0	156	21	26.31	49	51	98.62	-0.2	-0.5	0	49.1	0.58	100	8254	98.57	47.8
2023-02-15 04:15:00	0	0	0	0	157	21.81	30.31	49.1	51	98.59	-0.6	-0.1	0	49.1	0.58	100	8254	98.56	47.9
2023-02-15 04:20:00	0	0	0	0	161	21.47	30.22	49.3	50.5	98.62	0.4	-1.3	0	49.4	0.59	100	8253	98.58	48.1
2023-02-15 04:25:00	0	0	0	0	158	22.3	30.33	49.5	49.4	98.6	-0.1	-0.1	0	49.5	0.61	100	8254	98.55	48.4
2023-02-15 04:30:00	0	0	0	0	156	22.32	30.11	49.6	48.3	98.57	0.2	1	0	49.6	0.63	100	8252	98.53	48.6
2023-02-15 04:35:00	0	0	0	0	156	23.47	28.52	49.9	47.6	98.55	-0.7	-0.4	0	49.9	0.64	100	8253	98.52	48.7
2023-02-15 04:40:00	0	0	0	0	156	23.67	36.13	50	47.1	98.55	-0.6	-0.2	0	50	0.65	100	8253	98.51	48.9
2023-02-15 04:45:00	0	0	0	0	165	21.83	28.97	50.1	47.6	98.6	-0.2	-1	0	50.1	0.65	100	8251	98.58	48.9
2023-02-15 04:50:00	0	0	0	0	163	23.4	29.39	50	47.4	98.63	-0.5	-0.5	0	50.1	0.65	100	8252	98.58	49
2023-02-15 04:55:00	0	0	0	0	160	21.21	26.51	50.1	47.6	98.63	-0.5	0	0	50.1	0.65	100	8250	98.58	49.1
2023-02-15 05:00:00	0	0	0	0	164	19.35	25.66	50	48.2	98.64	-0.2	-0.3	0	50	0.64	100	8250	98.6	49.1
2023-02-15 05:05:00	0	0	0	0	174	15.61	21.97	50.1	47.6	98.65	-0.5	-0.5	0	50.1	0.65	100	8251	98.61	49.2
2023-02-15 05:10:00	0	0	0	0	176	14.67	18.16	50.3	46.8	98.67	-0.4	-0.6	0	50.3	0.66	100	8247	98.62	49.4
2023-02-15 05:15:00	0	0	0	0	178	14.36	19.13	50.4	46.8	98.69	-0.2	-0.4	0	50.4	0.66	100	8251	98.64	49.6

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-15 05:20:00	0	0	0	0	171	17.56	22.19	50.5	46.2	98.68	-0.4	-0.7	0	50.5	0.67	100	8249	98.62	49.7
2023-02-15 05:25:00	0	0	0	0	166	16.33	22.19	50.7	46.6	98.66	-0.2	-0.6	0	50.6	0.67	100	8250	98.61	49.8
2023-02-15 05:30:00	0	0	0	0	162	16.55	21.63	50.6	47.9	98.65	-0.6	-0.6	0	50.6	0.65	100	8250	98.6	49.7
2023-02-15 05:35:00	0	0	0	0	158	15.19	21.05	50	50.3	98.65	-0.6	-0.5	0	50	0.61	100	8249	98.59	49.4
2023-02-15 05:40:00	0	0	0	0	154	15.43	18.81	49.5	51.2	98.6	-0.2	-0.5	0	49.4	0.59	100	8248	98.57	49
2023-02-15 05:45:00	0	0	0	0	155	15.12	20.07	49.1	52	98.61	-0.4	-1.1	0	49.1	0.57	100	8247	98.57	48.7
2023-02-15 05:50:00	0	0	0	0	157	17.02	21.45	49.1	51.8	98.6	-0.5	-0.5	0	49.1	0.57	100	8248	98.56	48.6
2023-02-15 05:55:00	0	0	0	0	155	16.53	23	49.2	51.6	98.58	-0.3	-0.1	0	49.2	0.58	100	8244	98.53	48.6
2023-02-15 06:00:00	0	0	0	0	153	15.84	20.94	49.2	51.4	98.55	-0.4	-0.1	0	49.1	0.58	100	8246	98.5	48.6
2023-02-15 06:05:00	0	0	0	0	154	16.8	21.83	49.2	51.1	98.54	0	-0.3	0	49.2	0.58	100	8245	98.5	48.6
2023-02-15 06:10:00	0	0	0	0	154	18.54	23.69	49.2	51.1	98.55	-0.4	-0.7	0	49.2	0.58	100	8246	98.51	48.7
2023-02-15 06:15:00	0	0	0	0	159	17.4	21.92	49.4	50.5	98.55	-0.4	-0.5	0	49.4	0.59	100	8245	98.51	48.7
2023-02-15 06:20:00	0	0	0	0	160	18.81	23.89	49.3	50.5	98.53	-0.2	0	0	49.3	0.59	100	8246	98.49	48.7
2023-02-15 06:25:00	0	0	0	0	155	19.71	25.66	49.5	49.9	98.51	-0.8	-0.3	0	49.5	0.6	100	8245	98.48	48.8
2023-02-15 06:30:00	0	0	0	0	160	20.02	25.43	49.5	49.8	98.52	-0.3	-0.3	0	49.6	0.61	100	8242	98.47	48.9
2023-02-15 06:35:00	0	0	0	0	157	19.91	29.1	49.6	49.9	98.51	-0.7	-0.3	0	49.6	0.61	100	8243	98.46	49
2023-02-15 06:40:00	0	0	0	0	158	20.51	26.02	49.8	49.4	98.49	0.3	-1.3	0	49.8	0.62	100	8241	98.45	49
2023-02-15 06:45:00	0	0	0	0	157	21.83	26.82	49.8	49.5	98.48	-0.1	-0.7	0	49.8	0.62	100	8241	98.44	49.1
2023-02-15 06:50:00	0	0	0	0	160	22.35	31	49.9	48.9	98.48	0.1	-0.4	0	49.9	0.62	100	8240	98.43	49.1
2023-02-15 06:55:00	0.4	0	0	0	157	20.56	27.11	49.8	49.4	98.47	-0.5	0.1	0	49.8	0.62	100	8242	98.43	49.1
2023-02-15 07:00:00	1.4	0	0	0	158	20.47	26.51	49.7	49.4	98.45	-0.4	-0.6	0	49.7	0.62	100	8241	98.42	49.1
2023-02-15 07:05:00	2.8	0	0	0	156	19.46	26.28	49.8	49.9	98.46	-0.3	-0.3	0	49.8	0.61	100	8238	98.42	49.1
2023-02-15 07:10:00	5.6	0	0	0	158	18.54	24.99	49.8	50	98.46	0	-0.8	0	49.8	0.61	100	8238	98.42	49
2023-02-15 07:15:00	9.2	0	0	0	156	17.07	21.79	49.7	50.1	98.46	-0.5	-0.4	0	49.7	0.6	100	8239	98.42	48.9
2023-02-15 07:20:00	14.8	0	0	0	156	19.01	23.73	49.6	50.2	98.45	-0.3	-1.4	0	49.6	0.6	100	8239	98.41	48.7
2023-02-15 07:25:00	23	0	0	0	157	17.47	21.21	49.6	50.9	98.45	-0.5	-0.3	0	49.6	0.59	100	8238	98.41	48.7
2023-02-15 07:30:00	36.2	0	0	0	155	17.16	22.19	49.5	51.2	98.44	-0.2	-0.6	0	49.6	0.59	100	8243	98.41	48.6
2023-02-15 07:35:00	44.2	0	0	0	156	17.02	22.28	49.9	51.4	98.43	-0.2	-0.3	0	50	0.59	100	8243	98.4	48.7
2023-02-15 07:40:00	60.2	0	0	0	157	16.13	24.94	50.3	51.2	98.42	-0.1	-0.8	0	50.4	0.6	100	8248	98.4	48.9
2023-02-15 07:45:00	89.8	0	0	0	158	18.43	24.2	50.8	50.6	98.43	-0.1	-0.6	0	51	0.63	100	8254	98.4	49.2
2023-02-15 07:50:00	108	0	0	0	149	20.83	27.29	51.5	50	98.42	0.3	-0.8	0	51.6	0.65	100	8257	98.4	49.7
2023-02-15 07:55:00	106.4	0	0	0	154	18.84	23.67	52	49.8	98.43	0.1	-0.2	0	52.2	0.66	100	8260	98.4	50.3
2023-02-15 08:00:00	94.6	0	0	0	158	18.57	22.44	52.2	50.1	98.42	-0.2	-0.4	0	52.4	0.66	100	8263	98.39	50.5
2023-02-15 08:05:00	105.4	0	0	0	157	20.02	24.16	52.6	49.9	98.4	-0.3	-1.3	0	52.8	0.68	100	8265	98.38	50.8
2023-02-15 08:10:00	126.4	0	0	0	156	18.97	24.56	53.2	49.3	98.39	-0.3	-0.2	0	53.3	0.7	100	8273	98.37	51.1
2023-02-15 08:15:00	143.6	0	0	0	154	19.01	24.4	53.5	48.9	98.38	-0.2	-0.5	0	53.9	0.71	100	8282	98.36	51.4
2023-02-15 08:20:00	149	0	0	0	154	19.73	26.4	54.2	48.2	98.36	0.4	-0.9	0	54.4	0.74	100	8287	98.36	51.9
2023-02-15 08:25:00	157.6	0	0	0	154	19.75	24.67	54.6	47.3	98.36	-0.2	-0.3	0	55	0.77	100	8295	98.36	52.3
2023-02-15 08:30:00	176	0	0	0	157	17.76	21.25	55.1	46.5	98.36	0.3	-1	0	55.4	0.79	100	8299	98.35	52.7
2023-02-15 08:35:00	192.6	0	0	0	162	16.26	23.73	55.5	46.1	98.37	-0.4	-0.4	0	55.9	0.81	100	8307	98.35	53.1
2023-02-15 08:40:00	211.4	0	0	0	159	16.11	21.05	55.9	46.8	98.36	0	-0.9	0	56.3	0.81	100	8311	98.34	53.5
2023-02-15 08:45:00	229.6	0	0	0	158	16.24	21.61	56.4	45.6	98.34	-0.2	-0.3	0	56.8	0.84	100	8321	98.34	53.9
2023-02-15 08:50:00	243	0	0	0	160	13.76	18.52	56.8	46.4	98.34	-0.4	-0.5	0	57.3	0.84	100	8324	98.34	54.4
2023-02-15 08:55:00	255.2	0	0	0	164	14.58	20.51	57.3	45.5	98.34	-0.3	-0.4	0	57.9	0.88	100	8332	98.34	54.8
2023-02-15 09:00:00	267.6	0	0	0	168	17.18	24.99	58	44.6	98.33	0	-0.7	0	58.5	0.91	100	8338	98.32	55.5
2023-02-15 09:05:00	279.6	0	0	0	176	17.38	24.07	58.8	43.4	98.32	0	-0.4	0	59.4	0.96	100	8346	98.31	56.2
2023-02-15 09:10:00	291	0	0	0	175	19.89	26.4	59.5	42.1	98.31	-0.7	-0.7	0	60	1	100	8349	98.3	56.9
2023-02-15 09:15:00	301.2	0	0	0	178	18.57	28.52	60.1	41.7	98.3	1.4	-0.3	0	60.7	1.03	100	8352	98.3	57.4
2023-02-15 09:20:00	313.8	0	0	0	183	12.95	21.14	60.6	41.5	98.31	0	-0.8	0	61.3	1.06	100	8357	98.31	58
2023-02-15 09:25:00	325.2	0	0	0	183	11.41	17.45	61.4	40.8	98.3	-0.1	-0.5	0	62.1	1.1	100	8362	98.31	58.6
2023-02-15 09:30:00	330.6	0	0	0	183	16.53	36.35	62	40.5	98.29	-0.1	-0.3	0	62.7	1.13	100	8365	98.28	59.2
2023-02-15 09:35:00	331.6	0	0	0	189	17	22.48	62.5	39.7	98.26	-0.1	-0.6	0	63.2	1.17	100	8369	98.27	59.7
2023-02-15 09:40:00	330.8	0	0	0	184	16.42	23.02	63	39.6	98.26	-0.1	-0.3	0	63.6	1.19	100	8376	98.26	60.2
2023-02-15 09:45:00	324.6	0	0	0	196	21.18	32.82	63.4	38.9	98.25	0.7	0.2	0	64	1.21	100	8377	98.25	60.6
2023-02-15 09:50:00	328	0	0	0	196	21.25	34.07	63.8	38.5	98.25	0.2	-1.5	0	64.4	1.24	100	8379	98.24	61.1
2023-02-15 09:55:00	355.6	0	0	0	195	16.26	26.69	64.1	38.8	98.24	-0.1	-1.1	0	64.8	1.25	100	8383	98.24	61.5
2023-02-15 10:00:00	379	0	0	0	195	16.2	26.22	64.5	38.5	98.23	0.2	-0.6	0	65.2	1.27	100	8388	98.24	61.9
2023-02-15 10:05:00	402	0	0	0	196	18.28	29.73	65	38.6	98.23	0.2	-0.9	0	65.7	1.29	100	8393	98.23	62.3
2023-02-15 10:10:00	416.4	0	0	0	205	21.79	31.88	65.4	38.6	98.21	0.3	0	0	66	1.31	100	8396	98.22	62.6
2023-02-15 10:15:00	424.6	0	0	0	202	19.08	32.01	65.5	38.5	98.23	0.2	-0.2	0	66.1	1.32	100	8396	98.23	62.9
2023-02-15 10:20:00	432.4	0	0	0	202	21.68	35.1	65.7	38.9	98.22	-0.1	-0.9	0	66.4	1.32	100	8399	98.22	63.2
2023-02-15 10:25:00	441	0	0	0	210	21.18	37.2	65.9	38.6	98.22	0.5	-0.5	0	66.5	1.33	100	8403	98.22	63.4
2023-02-15 10:30:00	447.2	0	0	0	204	24.07	38.97	66.2	38.7	98.2	0.9	0.2	0	66.8	1.35	100	8406	98.2	63.7
2023-02-15 10:35:00	454	0	0	0	202	24.87	34.29	66.3	39.2	98.19	-0.4	-0.8	0	66.9	1.34	100	8403	98.19	63.9

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-15 10:40:00	460.4	0	0	0	210	24.16	34.78	66.4	38.8	98.19	0.4	-0.5	0	66.9	1.35	100	8409	98.2	64
2023-02-15 10:45:00	457.2	0	0	0	214	21.14	31.05	66.5	39.5	98.18	0.4	-0.6	0	67.1	1.34	100	8409	98.19	64.1
2023-02-15 10:50:00	448.8	0	0	0	204	26.37	34.07	66.7	38.8	98.17	-0.2	-0.8	0	67.3	1.37	100	8409	98.18	64.3
2023-02-15 10:55:00	439.8	0	0	0	207	23.6	34.16	66.7	39.1	98.16	1.1	-1.4	0	67.3	1.36	100	8412	98.17	64.4
2023-02-15 11:00:00	426.2	0	0	0	212	30.51	53.49	67	39.1	98.12	2.3	-2.5	0	67.5	1.37	100	8416	98.12	64.5
2023-02-15 11:05:00	439.8	0	0	0	212	26.6	37.29	66.8	39.2	98.1	0.6	-2.1	0	67.3	1.36	100	8413	98.12	64.5
2023-02-15 11:10:00	468.4	0	0	0	208	21.43	35.86	66.9	39.4	98.11	-0.2	-0.3	0	67.5	1.37	100	8418	98.12	64.6
2023-02-15 11:15:00	494.6	0	0	0	199	25.97	41.09	67.1	39.2	98.09	0.6	-1.1	0	67.7	1.38	100	8418	98.1	64.8
2023-02-15 11:20:00	548	0	0	0	204	26.96	44.09	67.3	39	98.09	0.6	0.2	0	67.8	1.39	100	8415	98.1	64.8
2023-02-15 11:25:00	524.8	0	0	0	201	28.01	41.5	67.4	38.8	98.09	0.8	-1.4	0	68	1.4	100	8416	98.09	65
2023-02-15 11:30:00	531	0	0	0	201	28.79	40.44	67.4	39.1	98.1	0.9	-0.4	0	67.9	1.39	100	8418	98.1	65
2023-02-15 11:35:00	538	0	0	0	207	23.85	41.79	67.5	39.7	98.1	-0.1	-0.5	0	68.1	1.38	100	8418	98.12	65.2
2023-02-15 11:40:00	498.2	0	0	0	210	29.64	41.9	67.7	38.9	98.08	-0.7	-1	0	68.3	1.42	100	8418	98.09	65.2
2023-02-15 11:45:00	537.8	0	0	0	206	27.76	43.33	67.8	39.2	98.07	0.3	-1.6	0	68.3	1.41	100	8420	98.07	65.2
2023-02-15 11:50:00	467.4	0	0	0	206	27.31	39.26	67.9	39.2	98.08	0.6	0.3	0	68.3	1.41	100	8415	98.07	65.3
2023-02-15 11:55:00	488.2	0	0	0	204	23.78	40.06	67.5	39.9	98.09	-0.8	2.1	0	68	1.38	100	8412	98.1	65.4
2023-02-15 12:00:00	325.2	0	0	0	211	22.44	41.03	66.7	40.7	98.11	-1.3	-0.7	0	67.1	1.32	100	8414	98.1	65.3
2023-02-15 12:05:00	249.4	0	0	0	221	23.64	40.18	66	41.2	98.14	0.6	-1.1	0	66.3	1.28	100	8408	98.1	65.2
2023-02-15 12:10:00	214.2	0	0	0	220	14.83	22.84	65.3	42.8	98.16	-0.1	-0.7	0	65.8	1.22	100	8405	98.11	65
2023-02-15 12:15:00	185.2	0	0	0	224	22.44	36.57	64.7	43.1	98.15	0.1	-1.2	0	65	1.18	100	8402	98.1	64.8
2023-02-15 12:20:00	193.2	0	0	0	236	18.01	31.09	64.2	43.6	98.15	0.3	-0.9	0	64.5	1.16	100	8399	98.1	64.7
2023-02-15 12:25:00	182	0	0	0	224	22.01	45.54	64.1	44	98.14	-0.7	-0.7	0	64.4	1.14	100	8399	98.09	64.5
2023-02-15 12:30:00	143.6	0	0	0	227	27.36	41.7	64	43.8	98.13	1.7	-0.2	0	64.2	1.14	100	8396	98.08	64.3
2023-02-15 12:35:00	148.6	0	0	0	227	24.61	36.78	63.8	44.3	98.13	-0.4	1.2	0	64	1.12	100	8394	98.08	64.1
2023-02-15 12:40:00	173.2	0	0	0	226	18.77	35.41	63.6	44.7	98.14	-0.3	-0.2	0	63.9	1.11	100	8391	98.08	64
2023-02-15 12:45:00	158.2	0	0	0	225	25.84	37.83	63.7	44.4	98.13	0.6	-1	0	63.9	1.12	100	8389	98.09	64
2023-02-15 12:50:00	133	0	0	0	230	20.38	30.11	63.6	44.7	98.14	0.1	-0.8	0	63.9	1.11	100	8384	98.1	63.9
2023-02-15 12:55:00	145.6	0	0	0	236	21.34	32.61	63.6	44.5	98.14	0.1	-0.6	0	63.8	1.11	100	8387	98.09	63.8
2023-02-15 13:00:00	158.2	0	0	0	230	18.72	33.17	63.5	45.4	98.14	-0.5	-0.6	0	63.8	1.09	100	8386	98.09	63.8
2023-02-15 13:05:00	165	0	0	0	226	19.01	30.51	63.7	44.9	98.14	0	-0.6	0	63.9	1.11	100	8382	98.08	63.8
2023-02-15 13:10:00	187	0	0	0	223	19.19	32.37	63.7	45	98.14	0.4	-1.1	0	64	1.11	100	8382	98.09	63.9
2023-02-15 13:15:00	140.4	0	0	0	218	20.56	29.66	63.8	44.7	98.13	0.7	-0.6	0	64.1	1.12	100	8381	98.08	63.9
2023-02-15 13:20:00	127.2	0	0	0	225	21.74	32.84	63.8	44.9	98.12	-0.6	0.6	0	64.1	1.11	100	8377	98.08	63.9
2023-02-15 13:25:00	212.4	0	0	0	225	18.75	26.49	63.9	45.4	98.12	-0.4	-1	0	64.3	1.11	100	8377	98.07	63.9
2023-02-15 13:30:00	205.4	0	0	0	228	17.58	29.04	64	45.2	98.11	-0.3	-0.4	0	64.4	1.12	100	8377	98.07	64
2023-02-15 13:35:00	181	0	0	0	227	12.97	17.45	64.3	45.1	98.12	-0.2	-0.9	0	64.7	1.13	100	8375	98.07	64.1
2023-02-15 13:40:00	253.4	0	0	0	226	14.88	22.86	64.4	44.9	98.1	-0.1	-0.8	0	65	1.14	100	8374	98.07	64.3
2023-02-15 13:45:00	306.6	0	0	0	214	21.7	32.79	64.9	44.4	98.1	-0.1	-0.6	0	65.4	1.17	100	8377	98.05	64.5
2023-02-15 13:50:00	229.2	0	0	0	232	15.73	25.66	65.4	44.4	98.11	0.3	0	0	65.8	1.19	100	8374	98.07	64.8
2023-02-15 13:55:00	181	0	0	0	243	14.25	20.09	65.3	44.4	98.11	0	-0.5	0	65.7	1.18	100	8371	98.06	64.8
2023-02-15 14:00:00	204.2	0	0	0	240	14.63	24.2	65.3	44.5	98.11	-0.1	-0.3	0	65.7	1.18	100	8369	98.06	64.8
2023-02-15 14:05:00	148.8	0	0	0	248	16.4	22.06	65.3	44.3	98.11	-0.4	-0.6	0	65.6	1.19	100	8370	98.07	64.8
2023-02-15 14:10:00	172.6	0	0	0	222	15.7	23.55	65.1	44.4	98.12	-0.2	-1.2	0	65.4	1.17	100	8369	98.07	64.8
2023-02-15 14:15:00	197.2	0	0	0	240	16.11	25.64	65.2	44.3	98.1	0.2	-0.6	0	65.6	1.18	100	8367	98.07	64.9
2023-02-15 14:20:00	208.4	0	0	0	229	14.61	20.45	65.2	44.1	98.11	-0.4	-0.7	0	65.6	1.18	100	8367	98.06	65
2023-02-15 14:25:00	223.4	0	0	0	228	20.67	32.1	65.4	44	98.08	-0.9	-1	0	65.8	1.2	100	8364	98.05	65.1
2023-02-15 14:30:00	180.8	0	0	0	228	21.12	29.75	65.6	43.7	98.1	-0.4	-1.1	0	65.9	1.21	100	8365	98.05	65.2
2023-02-15 14:35:00	256.4	0	0	0	231	16.28	29.28	65.8	43.6	98.09	0.3	-0.2	0	66.2	1.22	100	8361	98.06	65.2
2023-02-15 14:40:00	334	0	0	0	237	12.68	24.23	66.1	43.7	98.1	-0.4	-0.5	0	66.7	1.23	100	8363	98.06	65.5
2023-02-15 14:45:00	310.4	0	0	0	220	16.31	27.11	66.9	43.1	98.09	0.2	-0.7	0	67.6	1.28	100	8358	98.06	66
2023-02-15 14:50:00	331.6	0	0	0	217	19.19	36.1	67.9	41.6	98.07	0.6	-1	0	68.4	1.36	100	8357	98.05	66.3
2023-02-15 14:55:00	260	0	0	0	248	16.64	26.89	68	41.5	98.1	-0.2	-0.6	0	68.6	1.37	100	8358	98.07	66.5
2023-02-15 15:00:00	174.2	0	0	0	235	14.85	35.75	67.7	41.7	98.11	0.5	-1.3	0	68.1	1.35	100	8355	98.07	66.5
2023-02-15 15:05:00	381	0	0	0	235	17.4	27.02	67.7	41.3	98.1	-0.1	-0.7	0	68.4	1.36	100	8352	98.07	66.6
2023-02-15 15:10:00	343.4	0	0	0	215	25.34	35.43	68.5	40.2	98.07	-0.2	-0.9	0	69.2	1.42	100	8355	98.04	66.9
2023-02-15 15:15:00	290.6	0	0	0	226	21.45	36.53	68.8	39.7	98.08	0	-0.3	0	69.2	1.45	100	8351	98.05	67
2023-02-15 15:20:00	313.4	0	0	0	227	13.29	20.51	68.9	40	98.1	0	-0.7	0	69.5	1.45	100	8351	98.08	67.3
2023-02-15 15:25:00	270.4	0	0	0	220	22.3	40.29	69.3	39.1	98.09	1.1	-1.3	0	69.8	1.49	100	8348	98.05	67.5
2023-02-15 15:30:00	305.4	0	0	0	215	23.51	38.01	69.2	38.8	98.09	-0.5	-0.2	0	69.8	1.49	100	8347	98.05	67.4
2023-02-15 15:35:00	272.8	0	0	0	233	20.42	36.93	69.2	38.7	98.1	-0.3	-1.1	0	69.6	1.49	100	8346	98.08	67.5
2023-02-15 15:40:00	234.8	0	0	0	231	15.7	22.01	69.1	39.3	98.12	-0.3	-0.5	0	69.6	1.47	100	8343	98.08	67.5
2023-02-15 15:45:00	127.2	0	0	0	243	14.67	23.4	68.8	39.6	98.14	-0.1	-0.9	0	69.1	1.45	100	8342	98.1	67.3
2023-02-15 15:50:00	153.4	0	0	0	234	12.66	22.73	68.3	40	98.15	0.2	-0.8	0	68.7	1.42	100	8338	98.11	67.1
2023-02-15 15:55:00	152.8	0	0	0	241	20.6	30.44	68	39.7	98.14	0.2	-1.4	0	68.3	1.41	100	8339	98.11	67

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-15 16:00:00	142.4	0	0	0	248	16.42	27.04	67.9	40.3	98.16	-0.1	-0.7	0	68.2	1.39	100	8339	98.11	67
2023-02-15 16:05:00	154.4	0	0	0	238	20.76	27.6	67.9	40.2	98.15	-0.1	-0.2	0	68.1	1.39	100	8334	98.11	66.9
2023-02-15 16:10:00	141	0	0	0	281	18.43	24.9	67.9	41	98.17	0.1	-1.1	0	68.1	1.37	100	8331	98.13	66.9
2023-02-15 16:15:00	72.6	0	0	0	287	16.51	26.91	67.1	43.5	98.2	-0.3	-0.6	0	67.3	1.28	100	8332	98.14	66.4
2023-02-15 16:20:00	137.8	0	0	0	281	18.1	25.97	66.2	45.2	98.21	0	-0.8	0	66.3	1.2	100	8330	98.16	65.8
2023-02-15 16:25:00	126.6	0	0	0	282	22.48	33.22	65.4	46.4	98.23	0.1	-0.7	0	65.6	1.14	100	8327	98.16	65.3
2023-02-15 16:30:00	113.8	0	0	0	280	18.54	27.07	64.5	47.3	98.24	0	-1.2	0	64.7	1.09	100	8327	98.19	64.6
2023-02-15 16:35:00	100.4	0	0	0	278	18.9	25.95	63.9	48.3	98.25	-0.5	-1	0	64	1.05	100	8326	98.2	64.1
2023-02-15 16:40:00	88	0	0	0	274	14.52	23.22	63.2	49.1	98.26	-0.6	-0.4	0	63.4	1.01	100	8322	98.2	63.6
2023-02-15 16:45:00	76.8	0	0	0	275	12.55	18.25	62.6	49.9	98.27	-0.1	-0.7	0	62.8	0.97	100	8322	98.23	63.1
2023-02-15 16:50:00	65.2	0	0	0	269	15.21	21.97	62.2	50.5	98.29	0.2	-0.5	0	62.4	0.95	100	8320	98.24	62.7
2023-02-15 16:55:00	54.4	0	0	0	275	14.81	22.41	61.8	50.9	98.29	-0.2	-0.4	0	62	0.92	100	8316	98.24	62.3
2023-02-15 17:00:00	45	0	0	0	277	14.18	19.44	61.4	51.6	98.31	-0.2	-0.5	0	61.5	0.9	100	8317	98.25	61.8
2023-02-15 17:05:00	35.6	0	0	0	272	17.72	27.47	60.9	51.9	98.31	0	-0.9	0	61.1	0.88	100	8315	98.25	61.1
2023-02-15 17:10:00	28	0	0	0	269	15.41	23.76	60.4	52.6	98.31	-0.2	-0.4	0	60.4	0.85	100	8311	98.26	60.4
2023-02-15 17:15:00	21.4	0	0	0	273	16.6	28.92	59.8	53.4	98.32	-0.2	-0.5	0	59.9	0.82	100	8311	98.26	59.8
2023-02-15 17:20:00	16	0	0	0	269	18.48	27.07	59.3	53.9	98.33	-0.5	-1	0	59.3	0.79	100	8314	98.28	59.4
2023-02-15 17:25:00	11	0	0	0	266	14.34	21.74	59	54.6	98.35	-0.2	-0.4	0	59	0.77	100	8308	98.3	59
2023-02-15 17:30:00	7	0	0	0	264	14.85	22.17	58.6	55.3	98.35	0	-0.6	0	58.6	0.75	100	8310	98.3	58.6
2023-02-15 17:35:00	3.8	0	0	0	262	14.9	20.76	58.2	55.7	98.35	-0.1	-0.7	0	58.2	0.73	100	8306	98.29	58.2
2023-02-15 17:40:00	2	0	0	0	266	14.23	23.58	57.9	56.4	98.35	-0.5	-0.8	0	57.9	0.72	100	8309	98.3	57.9
2023-02-15 17:45:00	0.6	0	0	0	268	13.78	22.86	57.5	57	98.37	0.3	-1.3	0	57.5	0.69	100	8306	98.31	57.5
2023-02-15 17:50:00	0	0	0	0	264	14.72	20.45	57.1	57.4	98.37	-0.3	-0.5	0	57.1	0.68	100	8303	98.31	57.1
2023-02-15 17:55:00	0	0	0	0	262	13.4	23.4	56.8	58	98.36	-0.3	-0.5	0	56.8	0.66	100	8304	98.31	56.8
2023-02-15 18:00:00	0	0	0	0	265	14.36	18.81	56.6	58.2	98.39	-0.4	-0.5	0	56.6	0.65	100	8303	98.34	56.5
2023-02-15 18:05:00	0	0	0	0	261	11.81	17.31	56.3	58.8	98.39	0	-0.7	0	56.3	0.64	100	8299	98.34	56.1
2023-02-15 18:10:00	0	0	0	0	261	12.71	22.28	56	59.5	98.41	-0.5	-0.7	0	56	0.62	100	8298	98.35	55.8
2023-02-15 18:15:00	0	0	0	0	261	13.47	19.86	55.9	59.6	98.41	-0.2	-0.6	0	55.9	0.62	100	8299	98.35	55.7
2023-02-15 18:20:00	0	0	0	0	256	15.26	25.12	55.9	59.4	98.41	-0.2	-0.3	0	55.9	0.62	100	8296	98.36	55.6
2023-02-15 18:25:00	0	0	0	0	254	19.28	29.26	56	58.9	98.43	-0.5	-0.4	0	56	0.63	100	8296	98.37	55.7
2023-02-15 18:30:00	0	0	0	0	256	17.94	24.85	56.2	58.4	98.44	-0.2	-0.8	0	56.2	0.64	100	8295	98.39	55.7
2023-02-15 18:35:00	0	0	0	0	261	17.92	27.47	56.3	57.9	98.44	-0.7	-0.9	0	56.3	0.65	100	8294	98.38	55.7
2023-02-15 18:40:00	0	0	0	0	254	17.85	25.12	56.3	57.5	98.44	0	-1	0	56.3	0.66	100	8295	98.39	55.7
2023-02-15 18:45:00	0	0	0	0	254	15.52	28.88	56.4	57.4	98.45	-0.1	-0.9	0	56.4	0.66	100	8295	98.4	55.6
2023-02-15 18:50:00	0	0	0	0	251	18.97	31.12	56.3	57.5	98.46	-0.9	-0.4	0	56.3	0.66	100	8295	98.41	55.5
2023-02-15 18:55:00	0	0	0	0	251	20.6	29.84	56.2	57.3	98.47	-0.7	0.1	0	56.2	0.66	100	8293	98.42	55.5
2023-02-15 19:00:00	0	0	0	0	255	20.4	28.19	56.2	57.3	98.48	0.2	-0.6	0	56.2	0.66	100	8291	98.42	55.4
2023-02-15 19:05:00	0	0	0	0	249	19.55	30.27	56.1	57.5	98.49	0	-1	0	56.1	0.65	100	8292	98.43	55.3
2023-02-15 19:10:00	0	0	0	0	249	19.8	29.26	55.9	57.7	98.49	0.7	-0.1	0	56	0.65	100	8289	98.43	55.2
2023-02-15 19:15:00	0	0	0	0	257	19.69	33.55	55.9	58.1	98.51	-0.3	-0.4	0	55.9	0.64	100	8288	98.45	55.1
2023-02-15 19:20:00	0	0	0	0	250	20	28.57	55.7	58.3	98.52	-0.2	-0.4	0	55.7	0.63	100	8288	98.47	55
2023-02-15 19:25:00	0	0	0	0	255	21.41	32.35	55.7	58.1	98.52	0	-0.4	0	55.7	0.63	100	8286	98.47	54.9
2023-02-15 19:30:00	0	0	0	0	258	17.81	27.13	55.5	58.4	98.55	-0.1	-0.2	0	55.5	0.63	100	8286	98.5	54.8
2023-02-15 19:35:00	0	0	0	0	257	17.22	26.57	55.4	58.6	98.56	-0.6	-1.1	0	55.4	0.62	100	8286	98.51	54.6
2023-02-15 19:40:00	0	0	0	0	261	17.43	25.99	55.1	58.9	98.58	-0.5	-0.8	0	55.1	0.61	100	8283	98.53	54.4
2023-02-15 19:45:00	0	0	0	0	262	16.31	24.14	55	59.2	98.59	-0.7	-0.5	0	55	0.6	100	8284	98.54	54.2
2023-02-15 19:50:00	0	0	0	0	256	18.95	34.14	54.9	59.3	98.61	-0.3	-0.6	0	54.8	0.6	100	8282	98.55	54.2
2023-02-15 19:55:00	0	0	0	0	261	19.15	27.38	54.7	59.5	98.61	-0.7	-0.6	0	54.7	0.59	100	8283	98.55	54.1
2023-02-15 20:00:00	0	0	0	0	254	21.23	32.82	54.8	59.2	98.62	-0.6	0.5	0	54.8	0.6	100	8282	98.57	54.1
2023-02-15 20:05:00	0	0	0	0	262	17.54	28.9	54.8	59.4	98.63	-0.5	-0.8	0	54.7	0.59	100	8282	98.58	54
2023-02-15 20:10:00	0	0	0	0	257	16.46	23.22	54.7	59.6	98.64	-0.2	-0.6	0	54.7	0.59	100	8279	98.58	53.9
2023-02-15 20:15:00	0	0	0	0	258	16.28	27.22	54.5	59.7	98.64	-0.2	-0.7	0	54.5	0.58	100	8280	98.6	53.8
2023-02-15 20:20:00	0	0	0	0	254	17.36	28.19	54.4	59.9	98.65	0	-0.6	0	54.4	0.58	100	8282	98.6	53.7
2023-02-15 20:25:00	0	0	0	0	260	16.67	22.79	54.3	59.8	98.67	-0.6	-0.4	0	54.3	0.58	100	8278	98.6	53.6
2023-02-15 20:30:00	0	0	0	0	265	17.69	27.69	54.4	59.7	98.68	-0.8	-0.3	0	54.4	0.58	100	8279	98.63	53.5
2023-02-15 20:35:00	0	0	0	0	264	17.9	29.17	54.2	59.4	98.69	-0.3	-0.6	0	54.2	0.58	100	8276	98.63	53.5
2023-02-15 20:40:00	0	0	0	0	261	15.37	26.62	54.3	59.4	98.7	-0.2	-1.2	0	54.3	0.58	100	8277	98.65	53.5
2023-02-15 20:45:00	0	0	0	0	253	19.24	30.31	54.3	59.3	98.72	0	-0.3	0	54.2	0.59	100	8276	98.66	53.4
2023-02-15 20:50:00	0	0	0	0	256	22.73	33.8	54.4	58.9	98.72	-0.4	-0.4	0	54.4	0.59	100	8273	98.67	53.5
2023-02-15 20:55:00	0	0	0	0	261	22.91	32.46	54.5	58.3	98.73	-0.9	-0.4	0	54.5	0.6	100	8277	98.67	53.7
2023-02-15 21:00:00	0	0	0	0	258	22.24	34	54.5	57.9	98.74	-0.2	-0.5	0	54.6	0.61	100	8274	98.69	53.7
2023-02-15 21:05:00	0	0	0	0	261	18.92	30.09	54.6	57.7	98.75	-1.2	-1.6	0	54.6	0.62	100	8270	98.71	53.7
2023-02-15 21:10:00	0	0	0	0	263	17.49	28.63	54.5	57.8	98.76	-0.2	-0.7	0	54.5	0.61	100	8271	98.7	53.6
2023-02-15 21:15:00	0	0	0	0	252	17.72	26.6	54.3	58.2	98.76	-0.1	-0.2	0	54.3	0.6	100	8274	98.7	53.4

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-15 21:20:00	0	0	0	0	261	19.64	27.45	54.2	58.5	98.76	-0.8	-0.5	0	54.1	0.6	100	8271	98.71	53.3
2023-02-15 21:25:00	0	0	0	0	252	19.33	33.26	54	58.7	98.77	-0.3	-1.1	0	54	0.59	100	8270	98.72	53.2
2023-02-15 21:30:00	0	0	0	0	259	18.68	28.63	53.9	58.8	98.77	0.2	-0.5	0	53.9	0.58	100	8270	98.73	53
2023-02-15 21:35:00	0	0	0	0	256	16.49	25.12	53.7	58.9	98.78	-0.3	-0.8	0	53.7	0.58	100	8267	98.72	52.9
2023-02-15 21:40:00	0	0	0	0	255	19.06	28.12	53.6	59.3	98.79	-0.5	-0.6	0	53.6	0.57	100	8268	98.74	52.8
2023-02-15 21:45:00	0	0	0	0	263	20.4	27.22	53.5	59.7	98.79	0.3	-0.5	0	53.5	0.56	100	8268	98.74	52.6
2023-02-15 21:50:00	0	0	0	0	264	17.02	24.29	53.2	60	98.81	-0.9	-0.5	0	53.2	0.55	100	8267	98.76	52.5
2023-02-15 21:55:00	0	0	0	0	273	21.77	33.49	53	60.2	98.81	-0.3	-0.1	0	53	0.55	100	8266	98.76	52.3
2023-02-15 22:00:00	0	0	0	0	272	18.03	27.18	52.9	60.7	98.82	-0.4	-0.5	0	52.9	0.54	100	8267	98.77	52.1
2023-02-15 22:05:00	0	0	0	0	268	18.23	28.72	52.5	61.3	98.83	0.4	0.6	0	52.5	0.52	100	8265	98.78	51.8
2023-02-15 22:10:00	0	0	0	0	275	16.04	23.33	52.1	61.8	98.83	-0.4	-0.9	0	52.1	0.51	100	8266	98.78	51.5
2023-02-15 22:15:00	0	0	0	0	277	17.11	28.77	51.8	62.4	98.84	-0.6	-0.3	0	51.8	0.49	100	8263	98.78	51.2
2023-02-15 22:20:00	0	0	0	0	281	17.78	25.52	51.6	63.2	98.84	-0.7	-0.2	0	51.6	0.48	100	8263	98.79	51
2023-02-15 22:25:00	0	0	0	0	283	19.57	27.16	51.3	63.6	98.86	0.1	-0.8	0	51.3	0.47	100	8264	98.81	50.7
2023-02-15 22:30:00	0	0	0	0	302	15.08	20.62	51.1	64.2	98.87	-0.2	-0.9	0	51.1	0.46	100	8263	98.82	50.4
2023-02-15 22:35:00	0	0	0	0	304	15.12	20.02	50.5	64.9	98.88	-0.6	-0.4	0	50.5	0.44	100	8260	98.82	49.8
2023-02-15 22:40:00	0	0	0	0	309	13.89	17.67	49.7	65.8	98.88	-0.7	-0.6	0	49.7	0.42	100	8260	98.83	49.2
2023-02-15 22:45:00	0	0	0	0	310	13.98	16.96	49.1	66.8	98.89	-0.5	-0.6	0	49.1	0.39	100	8260	98.84	48.5
2023-02-15 22:50:00	0	0	0	0	307	15.3	20.07	48.4	68	98.89	-0.2	-0.9	0	48.3	0.37	100	8261	98.84	47.9
2023-02-15 22:55:00	0	0	0	0	301	17.05	22.62	47.8	68.7	98.89	-0.1	-0.6	0	47.8	0.35	100	8260	98.84	47.5
2023-02-15 23:00:00	0	0	0	0	305	14.34	18.97	47.5	69.5	98.9	-0.7	-0.4	0	47.4	0.34	100	8260	98.85	47.1
2023-02-15 23:05:00	0	0	0	0	304	14.63	20.22	47	70.1	98.9	-0.6	-0.5	0	47	0.33	100	8257	98.86	46.7
2023-02-15 23:10:00	0	0	0	0	297	14.47	20.04	46.8	70.8	98.91	-0.6	-0.4	0	46.8	0.32	100	8258	98.86	46.4
2023-02-15 23:15:00	0	0	0	0	296	13.85	20.65	46.5	71.6	98.91	-0.6	-0.8	0	46.5	0.31	100	8257	98.86	46.1
2023-02-15 23:20:00	0	0	0	0	291	14.05	23.98	46.3	72.2	98.93	-0.6	-0.7	0	46.3	0.3	100	8257	98.87	45.8
2023-02-15 23:25:00	0	0	0	0	287	15.35	25.95	46.1	72.8	98.93	-0.6	-0.6	0	46.1	0.29	100	8257	98.87	45.7
2023-02-15 23:30:00	0	0	0	0	288	15.86	22.28	46	72.8	98.93	-0.5	-0.5	0	46	0.29	100	8256	98.88	45.6
2023-02-15 23:35:00	0	0	0	0	285	14.5	19.82	46	72.9	98.94	-0.4	-0.7	0	46	0.29	100	8254	98.89	45.4
2023-02-15 23:40:00	0	0	0	0	287	15.01	22.28	45.9	73.2	98.94	-0.6	-0.7	0	45.9	0.28	100	8255	98.9	45.3
2023-02-15 23:45:00	0	0	0	0	287	13.27	21.83	45.8	73.2	98.95	-0.4	-0.5	0	45.8	0.28	100	8254	98.9	45.1
2023-02-15 23:50:00	0	0	0	0	285	14.94	20.49	45.6	73.6	98.95	-0.4	-1	0	45.6	0.27	100	8252	98.9	44.9
2023-02-15 23:55:00	0	0	0	0	285	15.48	23.02	45.6	73.9	98.96	-0.8	-0.5	0	45.5	0.27	100	8253	98.91	44.8
2023-02-16 00:00:00	0	0	0	0	288	15.26	23.53	45.4	73.8	98.96	-0.9	-0.8	0	45.4	0.27	100	8250	98.91	44.6
2023-02-16 00:05:00	0	0	0	0	285	14.43	23.02	45.4	74.2	98.96	-0.5	-0.6	0	45.4	0.27	100	8222	98.91	44.7
2023-02-16 00:10:00	0	0	0	0	284	14.63	22.66	45.3	72.8	98.97	-0.7	-0.5	0	45.3	0.28	100	8214	98.93	44.8
2023-02-16 00:15:00	0	0	0	0	290	13.47	18.59	45.1	74.3	98.98	-0.2	-0.6	0	45.1	0.26	100	8215	98.94	44.8
2023-02-16 00:20:00	0	0	0	0	285	13.6	21.25	45.1	74.7	98.99	-0.6	-0.5	0	45.1	0.26	100	8230	98.95	44.5
2023-02-16 00:25:00	0	0	0	0	288	12.66	19.3	45	74.9	98.99	-0.6	-0.6	0	44.9	0.26	100	8232	98.94	44.3
2023-02-16 00:30:00	0	0	0	0	285	13.27	20.8	44.9	75	98.99	-0.6	-0.3	0	44.9	0.25	100	8231	98.95	44
2023-02-16 00:35:00	0	0	0	0	286	11.05	14.88	44.7	75.4	99	-0.7	-0.5	0	44.7	0.25	100	8232	98.95	43.8
2023-02-16 00:40:00	0	0	0	0	284	12.08	19.3	44.5	75.5	99.01	-0.8	-0.9	0	44.4	0.24	100	8232	98.96	43.6
2023-02-16 00:45:00	0	0	0	0	281	12.62	19.48	44.3	75.6	99.01	-0.6	-0.5	0	44.3	0.24	100	8234	98.96	43.4
2023-02-16 00:50:00	0	0	0	0	278	10.02	14.61	44.2	76.1	99.02	-0.7	-0.6	0	44.2	0.24	100	8230	98.97	43.2
2023-02-16 00:55:00	0	0	0	0	271	10.76	16.04	44.1	76.5	99.02	-0.6	-0.5	0	44.1	0.23	100	8231	98.98	43.1
2023-02-16 01:00:00	0	0	0	0	269	10.42	15.19	43.8	76.5	99.03	-0.4	-0.6	0	43.8	0.23	100	8231	98.98	42.9
2023-02-16 01:05:00	0	0	0	0	267	10.18	13.29	43.6	76.7	99.03	-0.6	-0.5	0	43.6	0.22	100	8230	98.99	42.7
2023-02-16 01:10:00	0	0	0	0	268	11.25	18.05	43.5	77.1	99.03	-0.7	-0.6	0	43.5	0.22	100	8232	98.99	42.5
2023-02-16 01:15:00	0	0	0	0	269	11.36	15.05	43.4	77.2	99.03	-1.1	-0.5	0	43.4	0.22	100	8230	98.99	42.5
2023-02-16 01:20:00	0	0	0	0	271	12.01	16.46	43.3	77.3	99.04	-0.7	-0.5	0	43.4	0.22	100	8228	99	42.4
2023-02-16 01:25:00	0	0	0	0	274	11.97	15.32	43.3	77.4	99.05	-0.7	-0.7	0	43.3	0.22	100	8231	99	42.4
2023-02-16 01:30:00	0	0	0	0	268	10.36	15.32	43.3	77.2	99.06	-0.5	-0.6	0	43.3	0.22	100	8228	99.01	42.2
2023-02-16 01:35:00	0	0	0	0	271	12.06	18.07	43.2	77	99.06	-0.6	-0.3	0	43.1	0.22	100	8229	99.01	42.1
2023-02-16 01:40:00	0	0	0	0	267	11.48	17.69	43.1	77.3	99.07	-0.5	-0.7	0	43.1	0.21	100	8229	99.02	42
2023-02-16 01:45:00	0	0	0	0	268	12.66	19.84	42.9	77.5	99.07	-0.6	-0.6	0	42.9	0.21	100	8228	99.02	42
2023-02-16 01:50:00	0	0	0	0	272	12.71	20.4	42.9	77.2	99.07	-0.8	-0.4	0	43	0.21	100	8225	99.03	42
2023-02-16 01:55:00	0	0	0	0	269	12.1	16.15	42.9	77	99.08	-0.6	-0.6	0	42.9	0.22	100	8225	99.03	41.9
2023-02-16 02:00:00	0	0	0	0	268	12.06	17.69	42.9	77.2	99.08	-0.3	-0.7	0	42.8	0.21	100	8226	99.03	41.7
2023-02-16 02:05:00	0	0	0	0	270	11.5	16.75	42.7	77.2	99.09	-0.6	-0.4	0	42.7	0.21	100	8222	99.04	41.6
2023-02-16 02:10:00	0	0	0	0	271	12.21	17.36	42.6	77.2	99.09	-0.7	-0.5	0	42.6	0.21	100	8224	99.04	41.6
2023-02-16 02:15:00	0	0	0	0	271	13.06	19.28	42.6	77.5	99.1	-0.6	-0.3	0	42.6	0.21	100	8227	99.06	41.6
2023-02-16 02:20:00	0	0	0	0	272	12.3	18.52	42.6	77.5	99.11	-0.7	-0.6	0	42.6	0.21	100	8225	99.07	41.8
2023-02-16 02:25:00	0	0	0	0	274	13.15	17.36	42.7	77.5	99.12	-0.6	-0.5	0	42.7	0.21	100	8229	99.07	41.8
2023-02-16 02:30:00	0	0	0	0	270	13.67	18.7	42.6	77.3	99.12	-0.7	-0.5	0	42.6	0.21	100	8223	99.08	41.9
2023-02-16 02:35:00	0	0	0	0	271	13.47	17.56	42.7	77.2	99.13	-0.3	-0.6	0	42.7	0.21	100	8222	99.08	41.9

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-16 02:40:00	0	0	0	0	273	14.85	22.1	42.7	77.1	99.12	-0.6	-0.6	0	42.7	0.21	100	8224	99.07	41.9
2023-02-16 02:45:00	0	0	0	0	278	13.67	17.96	42.6	76.9	99.12	-0.6	-0.6	0	42.6	0.21	100	8225	99.08	41.7
2023-02-16 02:50:00	0	0	0	0	279	15.14	20.45	42.5	76.8	99.11	-0.9	-0.7	0	42.5	0.21	100	8223	99.07	41.6
2023-02-16 02:55:00	0	0	0	0	281	15.57	20.6	42.4	77	99.12	-0.7	-0.3	0	42.3	0.21	100	8224	99.08	41.5
2023-02-16 03:00:00	0	0	0	0	281	14.5	21.77	42.3	77.2	99.12	-0.7	-0.9	0	42.3	0.21	100	8221	99.07	41.5
2023-02-16 03:05:00	0	0	0	0	280	14.07	17.63	42.2	77.2	99.12	-1	-0.3	0	42.2	0.21	100	8219	99.08	41.4
2023-02-16 03:10:00	0	0	0	0	280	14.36	21.99	42.1	77	99.13	-0.6	-0.3	0	42.2	0.21	100	8223	99.08	41.3
2023-02-16 03:15:00	0	0	0	0	276	15.64	20.71	42	77.1	99.13	-0.9	-0.5	0	42.1	0.21	100	8223	99.08	41.3
2023-02-16 03:20:00	0	0	0	0	276	14.72	20.92	42.2	77.2	99.12	-0.6	-0.4	0	42.2	0.21	100	8219	99.08	41.3
2023-02-16 03:25:00	0	0	0	0	280	13.53	20.78	42	77.2	99.13	-0.5	-0.6	0	42	0.21	100	8221	99.08	41.2
2023-02-16 03:30:00	0	0	0	0	283	14.56	22.03	41.9	77.4	99.13	-0.6	-0.7	0	41.9	0.2	100	8222	99.08	41
2023-02-16 03:35:00	0	0	0	0	283	13.24	19.75	41.9	77.5	99.13	-0.5	-0.6	0	41.9	0.2	100	8219	99.09	41
2023-02-16 03:40:00	0	0	0	0	288	14.52	23.71	41.9	77.6	99.14	-0.7	-0.6	0	41.9	0.2	100	8221	99.1	41.1
2023-02-16 03:45:00	0	0	0	0	287	15.08	19.26	42	77.1	99.14	-0.7	-0.5	0	42.1	0.21	100	8219	99.1	41.2
2023-02-16 03:50:00	0	0	0	0	285	18.14	23.78	42.2	77	99.14	-0.6	-0.4	0	42.2	0.21	100	8221	99.1	41.3
2023-02-16 03:55:00	0	0	0	0	285	18.5	29.53	42.3	76.9	99.15	-0.5	-0.9	0	42.3	0.21	100	8221	99.11	41.4
2023-02-16 04:00:00	0	0	0	0	277	17.6	22.68	42.3	76.4	99.16	-0.7	-0.7	0	42.3	0.22	100	8218	99.11	41.5
2023-02-16 04:05:00	0	0	0	0	286	14.36	27.76	42.4	76.6	99.16	-0.8	-0.3	0	42.4	0.22	100	8217	99.12	41.6
2023-02-16 04:10:00	0	0	0	0	294	14.43	23.24	42.5	76.7	99.17	-0.5	-0.4	0	42.5	0.22	100	8219	99.13	41.6
2023-02-16 04:15:00	0	0	0	0	291	14.47	24.49	42.5	76.6	99.19	-0.7	-0.6	0	42.5	0.22	100	8217	99.15	41.7
2023-02-16 04:20:00	0	0	0	0	286	16.58	26.53	42.5	76.8	99.2	-0.3	-1	0	42.5	0.21	100	8218	99.15	41.8
2023-02-16 04:25:00	0	0	0	0	287	15.37	22.39	42.6	76.4	99.22	-0.6	-0.6	0	42.6	0.22	100	8217	99.19	41.8
2023-02-16 04:30:00	0	0	0	0	284	17	22.97	42.5	76.3	99.24	-0.7	-0.8	0	42.5	0.22	100	8219	99.2	41.8
2023-02-16 04:35:00	0	0	0	0	284	15.61	22.26	42.6	76.1	99.25	-0.9	-0.3	0	42.6	0.22	100	8216	99.2	41.9
2023-02-16 04:40:00	0	0	0	0	277	15.23	27.18	42.5	76.4	99.25	-0.5	-0.6	0	42.5	0.22	100	8216	99.21	41.9
2023-02-16 04:45:00	0	0	0	0	284	15.32	21.74	42.5	75.8	99.24	-0.5	-0.4	0	42.5	0.22	100	8217	99.19	41.9
2023-02-16 04:50:00	0	0	0	0	284	12.24	17.45	42.4	75.9	99.23	-0.6	-0.7	0	42.4	0.22	100	8216	99.2	41.9
2023-02-16 04:55:00	0	0	0	0	287	11.7	17.74	42.4	76	99.24	-0.7	-0.5	0	42.4	0.22	100	8216	99.2	41.8
2023-02-16 05:00:00	0	0	0	0	289	12.26	18.21	42.3	76.1	99.25	-0.4	-0.5	0	42.3	0.22	100	8217	99.21	41.8
2023-02-16 05:05:00	0	0	0	0	277	11.83	16.35	42.3	75.6	99.25	-0.7	-0.5	0	42.2	0.22	100	8215	99.21	41.8
2023-02-16 05:10:00	0	0	0	0	280	13.27	20.85	42.2	76	99.25	-0.6	-0.5	0	42.2	0.22	100	8214	99.21	41.7
2023-02-16 05:15:00	0	0	0	0	279	14.5	20.94	42.2	76.1	99.25	-0.5	-0.5	0	42.1	0.22	100	8213	99.21	41.7
2023-02-16 05:20:00	0	0	0	0	274	12.8	18.16	42	76	99.26	-0.5	-0.6	0	42	0.22	100	8215	99.22	41.6
2023-02-16 05:25:00	0	0	0	0	274	13.18	19.04	41.9	76.1	99.26	-0.7	-0.4	0	42	0.22	100	8215	99.23	41.6
2023-02-16 05:30:00	0	0	0	0	278	14	19.3	42	76.2	99.27	-0.5	-0.7	0	41.9	0.22	100	8213	99.23	41.5
2023-02-16 05:35:00	0	0	0	0	279	13.62	18.79	41.8	76	99.28	-0.7	-0.8	0	41.8	0.22	100	8213	99.24	41.5
2023-02-16 05:40:00	0	0	0	0	283	14.09	19.3	41.9	76.3	99.28	-0.7	-0.5	0	41.9	0.21	100	8213	99.25	41.5
2023-02-16 05:45:00	0	0	0	0	279	12.03	16.31	41.8	76.2	99.29	-0.9	-0.4	0	41.8	0.21	100	8210	99.25	41.4
2023-02-16 05:50:00	0	0	0	0	277	11.99	16.49	41.6	76	99.28	-0.6	-0.7	0	41.7	0.21	100	8213	99.24	41.3
2023-02-16 05:55:00	0	0	0	0	300	13.11	21.85	41.6	76	99.28	-0.8	-0.7	0	41.6	0.21	100	8211	99.25	41.3
2023-02-16 06:00:00	0	0	0	0	284	15.66	23	41.6	76.3	99.29	-0.4	-1.1	0	41.6	0.21	100	8212	99.25	41.3
2023-02-16 06:05:00	0	0	0	0	285	9.75	15.05	41.7	75.9	99.31	-0.7	-0.6	0	41.6	0.22	100	8211	99.27	41.3
2023-02-16 06:10:00	0	0	0	0	275	7.61	11.27	41.5	76.1	99.31	-0.8	-0.5	0	41.5	0.21	100	8212	99.27	41.2
2023-02-16 06:15:00	0	0	0	0	277	9.46	19.53	41.6	76.3	99.31	-0.6	-0.7	0	41.6	0.21	100	8210	99.27	41.1
2023-02-16 06:20:00	0	0	0	0	276	10.4	16.93	41.5	76.1	99.3	-0.5	-0.7	0	41.5	0.21	100	8210	99.26	41.1
2023-02-16 06:25:00	0	0	0	0	276	8.84	16.06	41.4	76.3	99.3	-0.7	-0.7	0	41.5	0.21	100	8210	99.26	41.1
2023-02-16 06:30:00	0	0	0	0	270	9.91	16.8	41.3	76.6	99.3	-0.6	-0.7	0	41.3	0.21	100	8210	99.26	41
2023-02-16 06:35:00	0	0	0	0	275	8.86	12.68	41.2	76.2	99.3	-0.8	-0.5	0	41.2	0.21	100	8210	99.26	40.9
2023-02-16 06:40:00	0	0	0	0	272	10.18	13.33	41.3	76.1	99.31	-0.6	-0.4	0	41.3	0.21	100	8210	99.28	40.8
2023-02-16 06:45:00	0	0	0	0	270	9.93	13.62	41.2	76.3	99.33	-0.6	-0.5	0	41.2	0.21	100	8210	99.3	40.8
2023-02-16 06:50:00	0	0	0	0	262	8.66	13.94	41	76.3	99.34	-0.6	-0.6	0	41	0.21	100	8208	99.3	40.7
2023-02-16 06:55:00	0	0	0	0	267	8.01	14.41	41.1	75.9	99.33	-0.7	-0.5	0	41.1	0.21	100	8207	99.3	40.7
2023-02-16 07:00:00	0	0	0	0	265	10.33	14.2	41.1	76.2	99.34	-0.6	-0.4	0	41.1	0.21	100	8210	99.3	40.7
2023-02-16 07:05:00	0.6	0	0	0	276	12.21	18.86	40.9	76	99.34	-0.6	-0.6	0	40.9	0.21	100	8206	99.3	40.6
2023-02-16 07:10:00	1.6	0	0	0	291	10.2	16.22	41	75.5	99.34	-0.7	-0.5	0	41	0.21	100	8205	99.31	40.6
2023-02-16 07:15:00	3	0	0	0	284	11.03	15.73	41	75.7	99.36	-0.8	-0.6	0	41	0.21	100	8206	99.33	40.6
2023-02-16 07:20:00	5.2	0	0	0	282	11.05	19.01	41	75.7	99.38	-0.7	-0.7	0	41	0.21	100	8206	99.35	40.6
2023-02-16 07:25:00	8	0	0	0	287	9.42	13.2	41	75.6	99.38	-0.6	-0.5	0	41	0.21	100	8206	99.35	40.6
2023-02-16 07:30:00	9.4	0	0	0	297	10.74	15.19	40.9	75.9	99.39	-0.7	-0.5	0	41	0.21	100	8206	99.36	40.6
2023-02-16 07:35:00	14	0	0	0	293	8.77	11.48	40.9	75.7	99.39	-0.7	-0.6	0	41	0.21	100	8203	99.35	40.6
2023-02-16 07:40:00	16	0	0	0	297	9.33	14.67	41	75.3	99.39	-0.6	-0.4	0	41	0.21	100	8204	99.35	40.6
2023-02-16 07:45:00	18.2	0	0	0	287	10.85	15.5	41	75.6	99.4	-0.7	-0.5	0	41.1	0.21	100	8205	99.36	40.6
2023-02-16 07:50:00	24.2	0	0	0	296	9.6	14.23	40.9	75.2	99.41	-0.7	-0.5	0	41	0.22	100	8206	99.37	40.6
2023-02-16 07:55:00	29.6	0	0	0	291	9.13	12.41	40.9	74.8	99.41	-0.4	-0.6	0	41	0.22	100	8204	99.37	40.6

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-16 08:00:00	33.8	0	0	0	294	8.23	14.67	41	75.5	99.41	-0.7	-0.4	0	41.1	0.21	100	8204	99.38	40.6
2023-02-16 08:05:00	32.6	0	0	0	277	8.08	13.02	41	75.3	99.42	-0.6	-0.5	0	41.2	0.22	100	8201	99.38	40.7
2023-02-16 08:10:00	27.8	0	0	0	285	9.44	14.23	41	74.2	99.42	-0.7	-0.5	0	41.1	0.23	100	8206	99.39	40.7
2023-02-16 08:15:00	27.4	0	0	0	278	8.01	13.24	41	74.4	99.42	-0.6	-0.6	0	41.1	0.22	100	8203	99.39	40.7
2023-02-16 08:20:00	29	0	0	0	272	7.92	11.77	41	74.4	99.42	-0.6	-0.5	0	41	0.22	100	8203	99.38	40.7
2023-02-16 08:25:00	29.8	0	0	0	287	7.7	12.21	40.9	73.6	99.43	-0.7	-0.5	0	41	0.23	100	8203	99.39	40.7
2023-02-16 08:30:00	30	0	0	0	286	6.76	10.36	41	73.7	99.41	-0.5	-0.6	0	41	0.23	100	8201	99.38	40.7
2023-02-16 08:35:00	31	0	0	0	275	5.95	9.31	40.9	73.6	99.43	-0.6	-0.5	0	41	0.23	100	8200	99.4	40.7
2023-02-16 08:40:00	31.4	0	0	0	272	5.06	7.45	40.9	73.7	99.45	-0.6	-0.7	0	41	0.23	100	8201	99.42	40.7
2023-02-16 08:45:00	31.8	0	0	0	253	4.52	7.4	40.9	74.8	99.46	-0.6	-0.6	0	41	0.22	100	8203	99.42	40.7
2023-02-16 08:50:00	35.4	0	0	0	269	2.73	4.7	40.8	75.1	99.45	-0.8	-0.5	0	41	0.22	100	8198	99.41	40.7
2023-02-16 08:55:00	44.8	0	0	0	288	3.62	4.9	40.8	74.8	99.44	-0.7	-0.5	0	41	0.22	100	8202	99.4	40.7
2023-02-16 09:00:00	54.2	0	0	0	282	4.18	5.44	41	74.5	99.43	-0.6	-0.5	0	41.2	0.22	100	8200	99.4	40.8
2023-02-16 09:05:00	59.2	0	0	0	263	4.63	7.63	41.1	75.2	99.43	-0.7	-0.5	0	41.3	0.22	100	8201	99.39	40.9
2023-02-16 09:10:00	67.2	0	0	0	258	4.52	7.23	41.1	75.4	99.42	-0.7	-0.5	0	41.4	0.22	100	8202	99.38	41
2023-02-16 09:15:00	66.4	0	0	0	245	5.48	7.49	41.3	75.1	99.41	-0.7	-0.5	0	41.5	0.22	100	8202	99.38	41.1
2023-02-16 09:20:00	68.4	0	0	0	260	5.06	8.75	41.3	75.2	99.41	-0.4	-0.4	0	41.5	0.22	100	8203	99.38	41.2
2023-02-16 09:25:00	73.4	0	0	0	282	5.48	7.87	41.3	74.7	99.4	-0.8	-0.5	0	41.6	0.22	100	8203	99.37	41.3
2023-02-16 09:30:00	65	0	0	0	256	6.08	8.5	41.5	74.5	99.42	-0.7	-0.6	0	41.6	0.23	100	8202	99.39	41.4
2023-02-16 09:35:00	63.2	0	0	0	236	7.65	9.51	41.5	74.2	99.43	-0.6	-0.5	0	41.7	0.23	100	8200	99.4	41.4
2023-02-16 09:40:00	69.6	0	0	0	254	6.91	10.94	41.5	74.4	99.43	-0.6	-0.6	0	41.7	0.23	100	8203	99.4	41.4
2023-02-16 09:45:00	75.4	0	0	0	261	7.14	12.84	41.6	74.5	99.43	-0.6	-0.6	0	41.8	0.23	100	8203	99.4	41.5
2023-02-16 09:50:00	93.6	0	0	0	257	7.27	10.69	41.6	74.8	99.42	-0.7	-0.6	0	41.9	0.22	100	8203	99.38	41.6
2023-02-16 09:55:00	126.6	0	0	0	251	6.51	9.53	41.6	75.2	99.41	-0.5	-0.5	0	42	0.22	100	8203	99.38	41.7
2023-02-16 10:00:00	120	0	0	0	282	6.87	9.89	41.8	74.9	99.41	-0.6	-0.6	0	42.2	0.23	100	8206	99.38	41.9
2023-02-16 10:05:00	104.8	0	0	0	287	6.2	8.12	41.9	74.3	99.42	-0.7	-0.6	0	42.2	0.23	100	8205	99.39	42
2023-02-16 10:10:00	103.2	0	0	0	278	6.35	10.25	42.1	74.6	99.42	-0.7	-0.5	0	42.4	0.23	100	8206	99.39	42.2
2023-02-16 10:15:00	130.4	0	0	0	278	7.38	12.41	42.1	74.7	99.42	-0.7	-0.5	0	42.5	0.23	100	8209	99.39	42.3
2023-02-16 10:20:00	128	0	0	0	280	8.19	12.55	42.3	74.2	99.42	-0.7	-0.6	0	42.7	0.24	100	8207	99.39	42.4
2023-02-16 10:25:00	116.6	0	0	0	279	8.5	12.46	42.4	74	99.42	-0.7	-0.6	0	42.7	0.24	100	8206	99.39	42.5
2023-02-16 10:30:00	106.8	0	0	0	275	7.61	12.15	42.4	74.1	99.42	-0.5	-0.5	0	42.7	0.24	100	8210	99.39	42.6
2023-02-16 10:35:00	107.4	0	0	0	264	6.82	9.33	42.4	74.6	99.42	-0.6	-0.7	0	42.8	0.23	100	8209	99.38	42.6
2023-02-16 10:40:00	104.8	0	0	0	267	6.22	11.25	42.5	74.3	99.42	-0.7	-0.6	0	42.8	0.24	100	8209	99.39	42.7
2023-02-16 10:45:00	110.6	0	0	0	272	6.22	10.78	42.5	74.1	99.41	-0.7	-0.5	0	42.8	0.24	100	8210	99.38	42.7
2023-02-16 10:50:00	116.6	0	0	0	261	6.15	9.31	42.7	74.4	99.41	-0.7	-0.5	0	43.1	0.24	100	8210	99.38	42.8
2023-02-16 10:55:00	126.4	0	0	0	270	6.17	12.57	42.6	74.4	99.4	-0.6	-0.6	0	43	0.24	100	8210	99.37	42.9
2023-02-16 11:00:00	125	0	0	0	329	10.16	13.62	42.6	73.6	99.38	-0.7	-0.5	0	42.9	0.25	100	8212	99.35	42.8
2023-02-16 11:05:00	144	0	0	0	340	10	13.65	42.1	74.1	99.37	-0.7	-0.6	0	42.4	0.24	100	8213	99.34	42.4
2023-02-16 11:10:00	141.6	0	0	0	350	8.14	10.92	41.5	75.1	99.36	-0.7	-0.6	0	41.9	0.22	100	8213	99.33	42.1
2023-02-16 11:15:00	134.2	0	0	0	353	8.41	12.12	41.2	75.5	99.36	-0.6	-0.6	0	41.6	0.22	100	8214	99.34	41.9
2023-02-16 11:20:00	142.4	0	0	0	341	9.51	12.33	40.9	75.9	99.36	-0.5	-0.4	0	41.2	0.21	100	8213	99.33	41.6
2023-02-16 11:25:00	128	0	0	0	339	9.1	12.46	40.5	76.1	99.35	-0.7	-0.5	0	40.9	0.2	100	8215	99.33	41.4
2023-02-16 11:30:00	135.6	0	0	0	345	8.39	10.58	40.4	76.4	99.34	-0.7	-0.4	0	40.7	0.2	100	8214	99.32	41.3
2023-02-16 11:35:00	144	0	0	0	345	8.75	11.23	40.2	76.8	99.33	-0.7	-0.6	0	40.6	0.2	100	8216	99.31	41.2
2023-02-16 11:40:00	158.8	0	0	0	353	10.71	15.39	40.2	77.2	99.34	-0.6	-0.4	0	40.6	0.19	100	8220	99.32	41.1
2023-02-16 11:45:00	190.4	0	0	0	350	11.12	14.32	40	77.6	99.34	-0.7	-0.3	0	40.5	0.19	100	8221	99.32	41
2023-02-16 11:50:00	190.6	0	0	0	337	9.62	12.41	40	77.9	99.35	-0.6	-0.7	0	40.5	0.19	100	8220	99.34	41.1
2023-02-16 11:55:00	180.4	0	0	0	357	9.19	12.75	40	77.7	99.36	-0.7	-0.5	0	40.5	0.19	100	8224	99.34	41.1
2023-02-16 12:00:00	208	0	0	0	357	10	13.65	40.1	78	99.35	-0.6	-0.7	0	40.6	0.18	100	8223	99.33	41
2023-02-16 12:05:00	243.6	0	0	0	348	9.01	13.58	40.1	78.1	99.35	-0.7	-0.6	0	40.7	0.18	100	8226	99.33	41.1
2023-02-16 12:10:00	270.2	0	0	0	343	7.96	12.5	40.1	78.4	99.33	-0.7	-0.5	0	40.8	0.18	100	8232	99.31	41.3
2023-02-16 12:15:00	247.6	0	0	0	342	8.59	11.41	40.4	77.6	99.32	-0.5	-0.5	0	41.1	0.19	100	8229	99.3	41.4
2023-02-16 12:20:00	199.4	0	0	0	339	9.1	13.6	40.4	76.9	99.32	-0.7	-0.6	0	41	0.2	100	8232	99.3	41.3
2023-02-16 12:25:00	217.4	0	0	0	344	6.87	12.5	40.2	77.2	99.3	-0.7	-0.5	0	40.8	0.19	100	8234	99.28	41.2
2023-02-16 12:30:00	230.4	0	0	0	336	8.86	12.8	40.2	76.9	99.29	-0.8	-0.6	0	40.9	0.2	100	8235	99.27	41.3
2023-02-16 12:35:00	231.6	0	0	0	346	9.24	12.44	40.2	76.6	99.27	-0.6	-0.8	0	40.9	0.2	100	8235	99.25	41.3
2023-02-16 12:40:00	238.4	0	0	0	345	10.31	13.71	40.3	76.4	99.25	-0.6	-0.7	0	40.8	0.2	100	8238	99.23	41.2
2023-02-16 12:45:00	252.8	0	0	0	350	9.4	13.65	40.2	76.4	99.24	-0.7	-0.5	0	40.9	0.2	100	8242	99.22	41.2
2023-02-16 12:50:00	249.2	0	0	0	0	9.08	13.04	40.3	76.6	99.22	-0.6	-0.5	0	41	0.2	100	8242	99.2	41.2
2023-02-16 12:55:00	250.8	0	0	0	355	8.03	11.41	40.1	76.2	99.2	-0.6	-0.6	0	40.8	0.2	100	8244	99.18	41.2
2023-02-16 13:00:00	253.2	0	0	0	352	7.31	10.13	40.2	76.5	99.2	-0.6	-0.6	0	41	0.2	100	8245	99.18	41.3
2023-02-16 13:05:00	234.2	0	0	0	3	8.86	12.35	40.4	76.3	99.19	-0.7	-0.5	0	41.1	0.2	100	8247	99.16	41.4
2023-02-16 13:10:00	246.8	0	0	0	351	7.67	11.7	40.5	76.1	99.16	-0.8	-0.6	0	41.1	0.2	100	8249	99.13	41.4
2023-02-16 13:15:00	308	0	0	0	354	6.98	10.22	40.4	76.5	99.12	-0.6	-0.5	0	41.3	0.2	100	8250	99.1	41.5

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-16 13:20:00	297.8	0	0	0	8	6.87	13.96	40.8	76	99.09	-0.7	-0.5	0	41.8	0.21	100	8254	99.07	41.8
2023-02-16 13:25:00	263.6	0	0	0	8	10.4	15.82	41.2	74.7	99.08	-0.9	-0.5	0	41.9	0.22	100	8254	99.05	41.8
2023-02-16 13:30:00	246.2	0	0	0	8	11.3	17.2	41.1	74.6	99.05	-0.6	-0.6	0	41.7	0.22	100	8256	99.03	41.7
2023-02-16 13:35:00	200	0	0	0	4	11.79	16.02	40.9	74	99.04	-0.8	-0.4	0	41.4	0.23	100	8254	99.02	41.5
2023-02-16 13:40:00	194.6	0	0	0	359	10.98	14.65	40.6	74.5	99.05	-0.6	-0.6	0	41.1	0.22	100	8258	99.03	41.3
2023-02-16 13:45:00	263.2	0	0	0	3	11.45	15.61	40.4	75.3	99.05	-0.7	-0.7	0	40.9	0.21	100	8257	99.02	41.2
2023-02-16 13:50:00	309	0	0	0	351	10.69	16.62	40.6	74.6	99.01	-0.5	-0.7	0	41.3	0.22	100	8257	98.99	41.1
2023-02-16 13:55:00	316.2	0	0	0	4	9.78	14.56	40.7	75	99	-0.8	-0.5	0	41.6	0.22	100	8260	98.98	41.4
2023-02-16 14:00:00	306.8	0	0	0	18	10.47	16.78	41.2	73.8	99.01	-0.6	-0.6	0	41.9	0.23	100	8262	98.99	41.5
2023-02-16 14:05:00	258.8	0	0	0	7	9.13	14.56	41.1	73.9	99.02	-0.6	-0.5	0	41.8	0.23	100	8262	99	41.5
2023-02-16 14:10:00	281.6	0	0	0	5	11.21	16.93	41	74.2	99.02	-0.3	-0.7	0	41.7	0.23	100	8263	99.01	41.5
2023-02-16 14:15:00	259.6	0	0	0	15	8.05	15.66	40.9	74.4	99.02	-0.6	-0.5	0	41.6	0.22	100	8264	99	41.4
2023-02-16 14:20:00	231.2	0	0	0	15	9.37	11.9	40.9	74.7	99.04	-0.6	-0.5	0	41.5	0.22	100	8264	99.02	41.5
2023-02-16 14:25:00	191.4	0	0	0	14	6.2	10.11	40.7	74.6	99.04	-0.7	-0.6	0	41.3	0.22	100	8265	99.01	41.4
2023-02-16 14:30:00	147.2	0	0	0	21	8.43	12.15	40.6	75.7	99.04	-0.6	-0.5	0	41.1	0.21	100	8263	99.02	41.3
2023-02-16 14:35:00	134.2	0	0	0	3	9.46	12.26	40.4	74.8	99.03	-0.8	-0.4	0	40.7	0.21	100	8263	99	41.1
2023-02-16 14:40:00	148.4	0	0	0	17	7.31	11.21	40	75.7	99.03	-0.6	-0.6	0	40.4	0.2	100	8266	99.01	40.8
2023-02-16 14:45:00	131.6	0	0	0	9	8.03	13.06	39.9	76.2	99.02	-0.7	-0.6	0	40.3	0.2	100	8263	99	40.7
2023-02-16 14:50:00	123	0	0	0	13	8.01	11.88	39.6	76.2	99.02	-0.8	-0.6	0	40	0.2	100	8263	98.99	40.6
2023-02-16 14:55:00	98	0	0	0	4	9.91	13.09	39.5	76.3	99.02	-0.7	-0.5	0	39.8	0.2	100	8263	99	40.4
2023-02-16 15:00:00	89.4	0	0	0	13	9.42	13.91	39.5	76.5	98.99	-0.8	-0.3	0	39.8	0.19	100	8263	98.96	40.3
2023-02-16 15:05:00	131.2	0	0	0	20	10.36	14.52	39.3	77.3	98.97	-0.7	-0.4	0	39.6	0.19	100	8262	98.93	40.1
2023-02-16 15:10:00	150.6	0	0	0	4	10.09	14.34	39.3	77.4	98.94	-0.6	-0.5	0	39.7	0.18	100	8263	98.92	40
2023-02-16 15:15:00	107.2	0	0	0	21	10.04	14.41	39.3	77.2	98.95	-0.7	-0.6	0	39.6	0.19	100	8264	98.92	40
2023-02-16 15:20:00	89.4	0	0	0	19	10.67	15.01	39.3	77	98.92	-0.6	-0.5	0	39.5	0.19	100	8263	98.9	39.9
2023-02-16 15:25:00	88.2	0	0	0	16	10.31	14.65	39.1	76.5	98.93	-0.5	-0.6	0	39.3	0.19	100	8263	98.91	39.7
2023-02-16 15:30:00	65	0	0	0	13	9.42	12.46	38.9	76.5	98.94	-0.6	-0.6	0	39.1	0.19	100	8263	98.92	39.5
2023-02-16 15:35:00	83.2	0	0	0	46	6.38	11.18	38.8	76.6	98.97	-0.5	-0.6	0	39	0.19	100	8259	98.95	39.4
2023-02-16 15:40:00	108.8	0	0	0	51	8.57	12.03	38.7	76.7	98.97	-0.8	-0.5	0	39	0.19	100	8262	98.94	39.4
2023-02-16 15:45:00	123	0	0	0	10	8.72	12.17	38.8	76.9	98.94	-0.6	-0.5	0	39.1	0.18	100	8260	98.91	39.4
2023-02-16 15:50:00	136	0	0	0	14	8.34	12.08	38.9	76.7	98.94	-0.7	-0.6	0	39.3	0.19	100	8263	98.92	39.4
2023-02-16 15:55:00	125.2	0	0	0	19	8.7	12.01	38.9	77.1	98.93	-0.7	-0.5	0	39.3	0.18	100	8262	98.9	39.5
2023-02-16 16:00:00	119	0	0	0	20	8.46	12.73	39	76.3	98.91	-0.9	-0.5	0	39.3	0.19	100	8262	98.88	39.4
2023-02-16 16:05:00	108	0	0	0	21	8.81	12.62	38.8	76.1	98.91	-0.7	-0.6	0	39.2	0.19	100	8261	98.88	39.3
2023-02-16 16:10:00	90	0	0	0	4	9.95	13.98	38.8	76.3	98.91	-0.8	-0.3	0	39	0.19	100	8262	98.88	39.1
2023-02-16 16:15:00	89.8	0	0	0	12	8.84	13.29	38.6	76.2	98.91	-0.7	-0.5	0	38.8	0.19	100	8260	98.88	38.8
2023-02-16 16:20:00	85.6	0	0	0	8	6.93	10.63	38.5	76.9	98.9	-0.7	-0.5	0	38.7	0.18	100	8258	98.88	38.7
2023-02-16 16:25:00	91.4	0	0	0	16	7.7	11.25	38.3	76.4	98.9	-0.7	-0.5	0	38.6	0.18	100	8260	98.87	38.6
2023-02-16 16:30:00	97.8	0	0	0	18	10.31	14.99	38.3	77.5	98.89	-0.5	-0.4	0	38.6	0.18	100	8260	98.87	38.5
2023-02-16 16:35:00	82.2	0	0	0	16	9.57	12.73	38.2	77	98.88	-0.6	-0.7	0	38.4	0.18	100	8258	98.86	38.3
2023-02-16 16:40:00	68.2	0	0	0	16	9.44	13.49	38.1	77	98.87	-0.8	-0.7	0	38.3	0.18	100	8257	98.84	38.1
2023-02-16 16:45:00	57.8	0	0	0	12	10	12.53	37.9	77.7	98.84	-0.8	-0.4	0	38	0.17	100	8256	98.82	37.9
2023-02-16 16:50:00	47	0	0	0	10	9.35	13.56	37.7	78.3	98.86	-0.7	-0.4	0	37.8	0.17	100	8255	98.83	37.7
2023-02-16 16:55:00	35.2	0	0	0	16	9.08	12.77	37.6	78.5	98.86	-0.7	-0.6	0	37.7	0.16	100	8255	98.83	37.5
2023-02-16 17:00:00	27	0	0	0	15	8.25	12.17	37.4	78.2	98.86	-0.8	-0.6	0	37.4	0.16	100	8255	98.83	37.3
2023-02-16 17:05:00	23	0	0	0	17	9.31	12.41	37.3	78.6	98.85	-0.7	-0.5	0	37.3	0.16	100	8254	98.82	37.1
2023-02-16 17:10:00	15.8	0	0	0	13	9.86	14.67	37.1	78.6	98.84	-0.9	-0.3	0	37.1	0.16	100	8252	98.81	37
2023-02-16 17:15:00	7	0	0	0	18	8.61	13.6	37	78.7	98.83	-0.8	-0.5	0	37.1	0.16	100	8253	98.8	37
2023-02-16 17:20:00	3.8	0	0	0	26	7.92	10.76	37	78.7	98.83	-0.7	-0.6	0	37	0.16	100	8249	98.8	36.9
2023-02-16 17:25:00	2.8	0	0	0	19	8.28	12.48	36.9	79	98.82	-0.8	-0.5	0	36.9	0.16	100	8251	98.8	36.8
2023-02-16 17:30:00	1	0	0	0	11	7.76	11.05	36.9	79.3	98.82	-0.8	-0.5	0	36.9	0.15	100	8251	98.8	36.7
2023-02-16 17:35:00	0	0	0	0	20	5.84	8.81	36.8	79.1	98.82	-0.7	-0.5	0	36.8	0.15	100	8250	98.79	36.6
2023-02-16 17:40:00	0	0	0	0	29	6.64	10.07	36.7	79.3	98.82	-0.8	-0.5	0	36.7	0.15	100	8250	98.79	36.6
2023-02-16 17:45:00	0	0	0	0	22	8.16	11.88	36.6	79.7	98.81	-0.7	-0.5	0	36.6	0.15	100	8248	98.78	36.5
2023-02-16 17:50:00	0	0	0	0	22	8.5	11.72	36.7	80	98.8	-0.8	-0.7	0	36.7	0.15	100	8248	98.78	36.4
2023-02-16 17:55:00	0	0	0	0	19	7.81	11.34	36.5	80.4	98.8	-0.8	-0.4	0	36.5	0.14	100	8247	98.77	36.4
2023-02-16 18:00:00	0	0	0	0	37	7.67	12.48	36.5	80.7	98.79	-0.7	-0.5	0	36.5	0.14	100	8248	98.76	36.3
2023-02-16 18:05:00	0	0	0	0	55	7.05	10.33	36.5	80.6	98.78	-0.9	-0.6	0	36.5	0.14	100	8247	98.75	36.3
2023-02-16 18:10:00	0	0	0	0	47	6.73	9.01	36.5	80.7	98.77	-0.9	-0.6	0	36.5	0.14	100	8245	98.74	36.2
2023-02-16 18:15:00	0	0	0	0	51	7.45	10.89	36.4	81	98.75	-0.7	-0.5	0	36.4	0.14	100	8247	98.72	36.2
2023-02-16 18:20:00	0	0	0	0	50	7.76	11.56	36.4	80.9	98.74	-0.7	-0.4	0	36.5	0.14	100	8242	98.71	36.1
2023-02-16 18:25:00	0	0	0	0	60	7.11	9.75	36.4	81.1	98.72	-0.9	-0.4	0	36.4	0.14	100	8245	98.69	36.1
2023-02-16 18:30:00	0	0	0	0	44	5.99	8.52	36.4	81.1	98.72	-0.7	-0.5	0	36.4	0.14	100	8244	98.69	36
2023-02-16 18:35:00	0	0	0	0	41	7.09	10.33	36.2	81.5	98.71	-0.9	-0.5	0	36.2	0.13	100	8242	98.68	36

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-16 18:40:00	0	0	0	0	36	7	11.21	36.2	81.6	98.71	-0.7	-0.6	0	36.2	0.13	100	8239	98.68	36
2023-02-16 18:45:00	0	0	0	0	27	7.87	11.18	36.2	81.7	98.72	-0.9	-0.5	0	36.2	0.13	100	8241	98.69	35.9
2023-02-16 18:50:00	0	0	0	0	29	6.38	10.29	36.3	81.4	98.7	-0.7	-0.5	0	36.3	0.14	100	8242	98.67	35.9
2023-02-16 18:55:00	0	0	0	0	37	7.78	13.56	36.2	81.4	98.68	-0.9	-0.4	0	36.1	0.13	100	8239	98.65	35.9
2023-02-16 19:00:00	0	0	0	0	42	6.98	12.62	36.2	80.8	98.66	-0.9	-0.5	0	36.2	0.14	100	8244	98.63	35.9
2023-02-16 19:05:00	0	0	0	0	41	7.11	10.76	36.1	81	98.65	-0.9	-0.6	0	36	0.14	100	8239	98.61	35.9
2023-02-16 19:10:00	0	0	0	0	37	6.13	10.8	36.2	81.2	98.64	-0.8	-0.5	0	36.2	0.14	100	8241	98.61	35.9
2023-02-16 19:15:00	0	0	0	0	50	6.89	8.84	36.2	81.5	98.63	-0.8	-0.7	0	36.2	0.13	100	8241	98.61	35.9
2023-02-16 19:20:00	0	0	0	0	37	5.53	8.5	36.3	81	98.65	-0.9	-0.4	0	36.3	0.14	100	8238	98.62	35.9
2023-02-16 19:25:00	0	0	0	0	38	5.5	8.72	36.3	81.3	98.64	-0.8	-0.5	0	36.3	0.14	100	8240	98.62	36
2023-02-16 19:30:00	0	0	0	0	42	4.74	7.2	36.3	81.3	98.66	-0.9	-0.6	0	36.3	0.14	100	8237	98.64	36
2023-02-16 19:35:00	0	0	0	0	37	4.83	6.69	36.4	81.1	98.66	-0.7	-0.6	0	36.4	0.14	100	8239	98.64	36
2023-02-16 19:40:00	0	0	0	0	33	4.9	8.16	36.4	81.6	98.67	-0.8	-0.5	0	36.4	0.13	100	8238	98.64	36.1
2023-02-16 19:45:00	0	0	0	0	9	5.28	7.52	36.4	80.9	98.66	-0.9	-0.6	0	36.5	0.14	100	8237	98.63	36.1
2023-02-16 19:50:00	0	0	0	0	24	4.32	5.86	36.4	80.9	98.65	-0.8	-0.5	0	36.4	0.14	100	8238	98.61	36.1
2023-02-16 19:55:00	0	0	0	0	21	5.12	6.6	36.5	81.4	98.62	-0.7	-0.7	0	36.5	0.14	100	8235	98.59	36.2
2023-02-16 20:00:00	0	0	0	0	33	3.8	5.86	36.5	82	98.6	-0.7	-0.5	0	36.5	0.13	100	8235	98.57	36.2
2023-02-16 20:05:00	0	0	0	0	50	5.28	8.03	36.6	81.7	98.58	-0.9	-0.4	0	36.6	0.13	100	8237	98.56	36.3
2023-02-16 20:10:00	0	0	0	0	44	5.61	9.15	36.6	81.6	98.58	-0.8	-0.5	0	36.6	0.14	100	8235	98.55	36.3
2023-02-16 20:15:00	0	0	0	0	62	7.23	12.01	36.7	81.5	98.57	-0.8	-0.5	0	36.6	0.14	100	8234	98.54	36.4
2023-02-16 20:20:00	0	0	0	0	70	6.76	9.62	36.7	81.5	98.54	-0.7	-0.6	0	36.7	0.14	100	8234	98.52	36.4
2023-02-16 20:25:00	0	0	0	0	76	6.55	10.27	36.7	81.6	98.53	-0.8	-0.6	0	36.7	0.14	100	8233	98.5	36.4
2023-02-16 20:30:00	0	0	0	0	69	6.73	10.85	36.7	81.6	98.52	-0.8	-0.5	0	36.7	0.14	100	8235	98.49	36.4
2023-02-16 20:35:00	0	0	0	0	44	5.01	6.91	36.8	82.2	98.53	-0.8	-0.5	0	36.8	0.13	100	8233	98.51	36.5
2023-02-16 20:40:00	0	0	0	0	50	5.44	7.76	36.7	82.3	98.53	-0.7	-0.5	0	36.7	0.13	100	8233	98.5	36.5
2023-02-16 20:45:00	0	0	0	0	41	6.22	10.25	36.8	82.5	98.52	-0.8	-0.5	0	36.8	0.13	100	8232	98.49	36.6
2023-02-16 20:50:00	0	0	0	0	74	5.77	10.58	36.9	82.2	98.51	-0.7	-0.5	0	36.9	0.13	100	8232	98.48	36.6
2023-02-16 20:55:00	0	0	0	0	76	5.7	8.75	36.9	82.1	98.5	-0.8	-0.5	0	36.9	0.13	100	8232	98.47	36.6
2023-02-16 21:00:00	0	0	0	0	78	5.19	7.07	37	83	98.48	-0.8	-0.5	0	37	0.13	100	8231	98.45	36.6
2023-02-16 21:05:00	0	0	0	0	77	5.53	8.99	36.8	83.8	98.46	-0.7	-0.5	0	36.8	0.12	100	8230	98.43	36.6
2023-02-16 21:10:00	0	0	0	0	69	5.5	7.7	36.7	84.5	98.45	-0.7	-0.6	0	36.7	0.11	100	8232	98.42	36.5
2023-02-16 21:15:00	0	0	0	0	41	3.69	6.08	36.6	85.6	98.43	-0.7	-0.5	0	36.6	0.11	100	8232	98.41	36.5
2023-02-16 21:20:00	0	0	0	0	54	3.74	5.44	36.6	85.7	98.43	-0.8	-0.5	0	36.6	0.11	100	8227	98.4	36.4
2023-02-16 21:25:00	0	0	0	0	70	4.47	6.15	36.6	85.8	98.4	-0.9	-0.5	0	36.6	0.1	100	8228	98.37	36.4
2023-02-16 21:30:00	0	0	0	0	65	4.07	5.75	36.7	85.5	98.39	-0.8	-0.4	0	36.6	0.11	100	8229	98.36	36.4
2023-02-16 21:35:00	0	0	0	0	68	4.03	6.31	36.8	85.6	98.37	-0.8	-0.4	0	36.7	0.11	100	8228	98.34	36.4
2023-02-16 21:40:00	0	0	0	0	78	5.1	7.14	36.7	85.5	98.35	-0.7	-0.6	0	36.7	0.11	100	8229	98.31	36.4
2023-02-16 21:45:00	0	0	0	0	66	5.3	7.65	36.7	86	98.32	-0.7	-0.5	0	36.7	0.1	100	8227	98.29	36.4
2023-02-16 21:50:00	0	0	0	0	65	5.59	8.23	36.7	86.1	98.3	-0.8	-0.6	0	36.7	0.1	100	8224	98.27	36.4
2023-02-16 21:55:00	0	0	0	0	75	6.02	8.03	36.7	85.8	98.26	-0.7	-0.5	0	36.7	0.1	100	8229	98.23	36.4
2023-02-16 22:00:00	0	0	0	0	76	5.91	8.12	36.8	85.7	98.25	-0.8	-0.5	0	36.8	0.11	100	8227	98.23	36.4
2023-02-16 22:05:00	0	0	0	0	78	5.26	6.67	36.8	85.6	98.25	-0.7	-0.5	0	36.8	0.11	100	8226	98.22	36.4
2023-02-16 22:10:00	0	0	0	0	80	5.61	7.96	36.8	85.2	98.23	-0.9	-0.4	0	36.8	0.11	100	8225	98.2	36.5
2023-02-16 22:15:00	0	0	0	0	92	5.7	9.17	37	85.6	98.2	-0.8	-0.6	0	37	0.11	100	8224	98.17	36.6
2023-02-16 22:20:00	0	0	0	0	100	7.29	8.99	37.1	84.7	98.18	-0.7	-0.6	0	37	0.11	100	8227	98.15	36.7
2023-02-16 22:25:00	0	0	0	0	102	7.09	8.81	37.1	85.2	98.17	-0.7	-0.4	0	37.1	0.11	100	8225	98.15	36.7
2023-02-16 22:30:00	0	0	0	0	100	7.29	10.33	37.1	84.7	98.17	-0.9	-0.4	0	37.1	0.11	100	8225	98.13	36.8
2023-02-16 22:35:00	0	0	0	0	91	7.11	9.53	37.3	85.1	98.13	-0.8	-0.5	0	37.3	0.11	100	8224	98.1	36.9
2023-02-16 22:40:00	0	0	0	0	82	5.95	8.3	37.1	85.3	98.12	-0.7	-0.5	0	37.1	0.11	100	8223	98.09	36.9
2023-02-16 22:45:00	0	0	0	0	94	7.16	9.75	37.1	85.5	98.1	-0.8	-0.6	0	37.1	0.11	100	8223	98.07	36.9
2023-02-16 22:50:00	0	0	0	0	103	8.61	11.88	37.1	85.3	98.08	-0.9	-0.7	0	37.1	0.11	100	8222	98.06	36.9
2023-02-16 22:55:00	0	0	0	0	113	9.33	11.56	37.1	85	98.07	-0.9	-0.4	0	37.1	0.11	100	8222	98.05	36.9
2023-02-16 23:00:00	0	0	0	0	107	8.41	10.42	37.1	85.4	98.06	-0.7	-0.5	0	37.1	0.11	100	8221	98.03	36.9
2023-02-16 23:05:00	0	0	0	0	101	6.8	9.55	37.1	85.3	98.06	-0.8	-0.6	0	37.1	0.11	100	8221	98.03	36.9
2023-02-16 23:10:00	0	0	0	0	102	5.14	6.62	37.1	84.9	98.05	-0.8	-0.5	0	37.1	0.11	100	8219	98.03	36.9
2023-02-16 23:15:00	0	0	0	0	100	3.91	5.66	37.2	84.9	98.04	-0.9	-0.5	0	37.2	0.11	100	8220	98.02	37
2023-02-16 23:20:00	0	0	0	0	112	3.56	5.84	37.3	84.8	98.03	-0.8	-0.4	0	37.3	0.11	100	8222	98	37
2023-02-16 23:25:00	0	0	0	0	115	3.76	5.21	37.3	84.9	98	-0.8	-0.6	0	37.3	0.11	100	8220	97.97	37.1
2023-02-16 23:30:00	0	0	0	0	82	2.37	3.83	37.3	84.7	97.99	-0.8	-0.5	0	37.3	0.12	100	8220	97.97	37.1
2023-02-16 23:35:00	0	0	0	0	87	2.71	4.45	37.4	84.6	97.99	-0.6	-0.5	0	37.4	0.12	100	8219	97.96	37.2
2023-02-16 23:40:00	0	0	0	0	38	3	4.65	37.4	84.5	97.98	-0.8	-0.4	0	37.4	0.12	100	8219	97.95	37.3
2023-02-16 23:45:00	0	0	0	0	356	2.98	4.54	37.4	84.3	97.98	-0.7	-0.5	0	37.5	0.12	100	8219	97.96	37.3
2023-02-16 23:50:00	0	0	0	0	12	2.37	2.98	37.4	84.3	97.97	-0.7	-0.6	0	37.4	0.12	100	8219	97.94	37.3
2023-02-16 23:55:00	0	0	0	0	61	1.9	2.71	37.4	84.5	97.95	-0.8	-0.5	0	37.4	0.12	100	8219	97.93	37.3

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-17 00:00:00	0	0	0	0	351	3.2	5.14	37.4	84.5	97.95	-0.7	-0.5	0	37.4	0.12	100	8220	97.93	37.4
2023-02-17 00:05:00	0	0	0	0	339	3.94	6.46	37.5	84.1	97.94	-0.7	-0.5	0	37.5	0.12	100	8195	97.91	37.6
2023-02-17 00:10:00	0	0	0	0	333	5.95	7.63	37.5	84.1	97.95	-0.8	-0.5	0	37.6	0.12	100	8184	97.93	37.9
2023-02-17 00:15:00	0	0	0	0	338	5.95	8.28	37.6	84.1	97.94	-0.7	-0.6	0	37.6	0.12	100	8180	97.92	38
2023-02-17 00:20:00	0	0	0	0	336	6.64	8.57	37.5	84.1	97.94	-0.7	-0.5	0	37.5	0.12	100	8194	97.92	38
2023-02-17 00:25:00	0	0	0	0	334	6.22	7.27	37.5	84.1	97.93	-0.8	-0.4	0	37.5	0.12	100	8195	97.9	37.8
2023-02-17 00:30:00	0	0	0	0	334	6.04	7.45	37.5	84	97.91	-0.7	-0.4	0	37.5	0.12	100	8199	97.89	37.7
2023-02-17 00:35:00	0	0	0	0	334	5.59	7.9	37.6	84.5	97.91	-0.8	-0.6	0	37.6	0.12	100	8197	97.89	37.7
2023-02-17 00:40:00	0	0	0	0	329	7.58	9.98	37.6	85.2	97.91	-0.7	-0.5	0	37.6	0.11	100	8198	97.88	37.7
2023-02-17 00:45:00	0	0	0	0	342	8.81	11.92	37.6	85.7	97.9	-0.7	-0.5	0	37.6	0.11	100	8199	97.88	37.7
2023-02-17 00:50:00	0	0	0	0	346	8.93	12.57	37.7	86.2	97.88	-0.8	-0.5	0	37.7	0.11	100	8199	97.85	37.7
2023-02-17 00:55:00	0	0	0	0	339	9.15	11.68	37.5	86.6	97.86	-0.7	-0.3	0	37.5	0.1	100	8199	97.84	37.5
2023-02-17 01:00:00	0	0	0	0	340	7.85	11.12	37.4	87.2	97.86	-0.8	-0.5	0	37.5	0.1	100	8198	97.83	37.3
2023-02-17 01:05:00	0	0	0	0	344	7.9	9.69	37.3	87.6	97.85	-0.7	-0.7	0	37.3	0.09	100	8200	97.82	37.3
2023-02-17 01:10:00	0	0	0	0	349	6.89	8.63	37.2	87.8	97.83	-0.7	-0.4	0	37.2	0.09	100	8199	97.81	37.3
2023-02-17 01:15:00	0	0	0	0	338	8.01	11.79	37.1	88.6	97.83	-0.8	-0.4	0	37.1	0.09	100	8197	97.8	37.2
2023-02-17 01:20:00	0	0	0	0	341	9.44	12.82	37.1	89.3	97.82	-0.7	-0.4	0	37.1	0.08	100	8197	97.79	37.1
2023-02-17 01:25:00	0	0	0	0	340	11.05	15.55	36.9	89	97.8	-0.9	-0.6	0	36.9	0.08	100	8198	97.78	36.9
2023-02-17 01:30:00	0	0	0	0	352	9.84	15.41	36.8	89.4	97.78	-0.8	-0.5	0	36.8	0.08	100	8198	97.76	36.7
2023-02-17 01:35:00	0	0	0	0	353	10.45	15.99	36.4	89.1	97.78	-0.8	-0.6	0	36.4	0.08	100	8196	97.76	36.5
2023-02-17 01:40:00	0	0	0	0	349	9.8	13.27	36.2	89.8	97.77	-0.8	-0.5	0	36.2	0.07	100	8198	97.75	36.3
2023-02-17 01:45:00	0	0	0	0	7	7.25	11.45	36.1	90	97.76	-0.8	-0.5	0	36.1	0.07	100	8197	97.74	36.1
2023-02-17 01:50:00	0	0	0	0	20	8.52	11.45	36	90.7	97.74	-0.8	-0.6	0	36	0.07	100	8195	97.72	36
2023-02-17 01:55:00	0	0	0	0	12	7.43	11.92	35.8	91.3	97.72	-0.8	-0.3	0	35.8	0.06	100	8197	97.7	35.9
2023-02-17 02:00:00	0	0	0	0	21	7.52	12.03	35.8	91.5	97.7	-0.7	-0.5	0	35.8	0.06	100	8196	97.68	35.8
2023-02-17 02:05:00	0	0	0	0	44	6.29	9.82	35.7	91.4	97.69	-0.7	-0.4	0	35.7	0.06	100	8194	97.68	35.7
2023-02-17 02:10:00	0	0	0	0	27	6.06	8.61	35.6	92.1	97.69	-0.9	-0.5	0	35.6	0.06	100	8194	97.68	35.7
2023-02-17 02:15:00	0	0	0	0	60	6.96	10.11	35.7	92	97.69	-0.7	-0.5	0	35.7	0.06	100	8194	97.67	35.6
2023-02-17 02:20:00	0	0	0	0	61	6.58	10.58	35.6	92	97.69	-0.8	-0.5	0	35.6	0.06	100	8194	97.67	35.6
2023-02-17 02:25:00	0	0	0	0	32	7.34	11.21	35.6	92	97.69	-0.9	-0.5	0	35.7	0.06	100	8195	97.67	35.6
2023-02-17 02:30:00	0	0	0	0	22	5.5	8.61	35.6	92.1	97.69	-0.7	-0.4	0	35.6	0.06	100	8194	97.67	35.6
2023-02-17 02:35:00	0	0	0	0	9	7.29	10.16	35.6	92.1	97.68	-0.8	-0.5	0	35.6	0.06	100	8192	97.66	35.6
2023-02-17 02:40:00	0	0	0	0	18	6.76	10.16	35.7	91.8	97.67	-0.7	-0.5	0	35.7	0.06	100	8193	97.64	35.6
2023-02-17 02:45:00	0	0	0	0	14	6.87	9.55	35.7	92.4	97.64	-0.8	-0.5	0	35.7	0.05	100	8191	97.61	35.5
2023-02-17 02:50:00	0	0	0	0	13	7.9	11.3	35.7	92.4	97.62	-0.6	-0.6	0	35.7	0.05	100	8191	97.6	35.5
2023-02-17 02:55:00	0	0	0	0	14	7.23	9.08	35.6	92.4	97.62	-0.8	-0.4	0	35.6	0.05	100	8191	97.6	35.5
2023-02-17 03:00:00	0	0	0	0	357	6.51	9.22	35.7	92.4	97.62	-0.7	-0.5	0	35.7	0.05	100	8195	97.6	35.4
2023-02-17 03:05:00	0	0	0	0	8	7.34	10.56	35.6	92.1	97.61	-0.8	-0.4	0	35.6	0.06	100	8190	97.58	35.4
2023-02-17 03:10:00	0	0	0	0	18	9.33	13.29	35.7	92.4	97.58	-0.8	-0.5	0	35.7	0.05	100	8190	97.56	35.3
2023-02-17 03:15:00	0	0	0	0	21	9.48	13.82	35.5	92.4	97.57	-0.7	-0.5	0	35.5	0.05	100	8191	97.55	35.2
2023-02-17 03:20:00	0	0	0	0	6	7.63	10.56	35.5	92.5	97.57	-0.8	-0.3	0	35.5	0.05	100	8187	97.55	35.1
2023-02-17 03:25:00	0	0	0	0	11	7.83	11.23	35.2	93.1	97.56	-0.7	-0.5	0	35.2	0.05	100	8187	97.54	35
2023-02-17 03:30:00	0	0	0	0	354	7.99	12.15	35.1	93	97.57	-0.7	-0.5	0	35.1	0.05	100	8187	97.56	34.9
2023-02-17 03:35:00	0	0	0	0	353	9.44	13.69	35	92.8	97.58	-0.8	-0.5	0	35	0.05	100	8188	97.56	34.8
2023-02-17 03:40:00	0	0	0	0	14	8.14	11.72	34.8	93.1	97.57	-0.9	-0.5	0	34.8	0.05	100	8184	97.56	34.6
2023-02-17 03:45:00	0	0	0	0	11	7.76	10.67	34.7	93.6	97.57	-0.8	-0.5	0	34.7	0.04	100	8188	97.56	34.5
2023-02-17 03:50:00	0	0	0	0	4	6.93	10.16	34.6	93.7	97.57	-0.8	-0.6	0	34.6	0.04	100	8189	97.55	34.4
2023-02-17 03:55:00	0	0	0	0	345	8.01	10.83	34.5	93.2	97.56	-0.7	-0.6	0	34.5	0.05	100	8189	97.55	34.3
2023-02-17 04:00:00	0	0	0	0	351	8.97	12.68	34.5	93.8	97.56	-0.8	-0.6	0	34.5	0.04	100	8187	97.54	34.2
2023-02-17 04:05:00	0	0	0	0	344	8.9	14.81	34.4	93.9	97.56	-0.7	-0.5	0	34.3	0.04	100	8184	97.55	34.2
2023-02-17 04:10:00	0	0	0	0	354	6.87	11.43	34.3	94	97.56	-0.9	-0.5	0	34.3	0.04	100	8188	97.54	34.1
2023-02-17 04:15:00	0	0	0	0	356	8.34	12.15	34.3	94.3	97.54	-0.9	-0.5	0	34.3	0.04	100	8187	97.53	34
2023-02-17 04:20:00	0	0	0	0	349	8.03	13.44	34.2	94.7	97.55	-0.9	-0.4	0	34.2	0.04	100	8185	97.53	33.9
2023-02-17 04:25:00	0	0	0	0	343	6.82	9.35	34.2	94.8	97.56	-0.9	-0.5	0	34.1	0.03	100	8186	97.55	33.9
2023-02-17 04:30:00	0	0	0	0	345	9.4	16.67	34.2	94.7	97.57	-0.7	-0.5	0	34.2	0.04	100	8186	97.56	33.9
2023-02-17 04:35:00	0	0	0	0	352	10.38	14.61	34.2	95.4	97.57	-0.9	-0.6	0	34.1	0.03	100	8185	97.56	33.8
2023-02-17 04:40:00	0	0	0	0	354	10.92	15.86	34.1	95.1	97.56	-0.7	-0.5	0	34.1	0.03	100	8183	97.55	33.8
2023-02-17 04:45:00	0	0	0	0	4	8.75	12.26	34.2	96	97.55	-0.9	-0.4	0	34.1	0.03	100	8186	97.54	33.7
2023-02-17 04:50:00	0	0	0	0	18	11.34	17.29	34	96.1	97.54	-0.9	-0.5	0	34	0.03	100	8183	97.51	33.7
2023-02-17 04:55:00	0	0.00067	0	0	6	14.56	20.76	33.9	95.8	97.51	-0.9	-0.7	0.04	33.9	0.03	100	8184	97.5	33.5
2023-02-17 05:00:00	0	0	0	0	333	13.62	33.93	33.8	95.9	97.58	-0.8	-0.4	0	33.8	0.03	100	8184	97.63	33.4
2023-02-17 05:05:00	0	0.0134	0	0	296	23.47	36.39	33.8	96.1	97.84	-0.6	-0.5	0.281	33.8	0.03	100	8183	97.8	33.4
2023-02-17 05:10:00	0	0.00737	0	0	310	18.7	25.88	33.7	96.9	97.82	-0.9	-0.8	0.161	33.7	0.02	100	8183	97.8	33.4
2023-02-17 05:15:00	0	0.00603	0	0	321	17.65	24.87	33.8	96.1	97.78	-1.2	-0.6	0.161	33.7	0.03	100	8183	97.77	33.3

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-17 05:20:00	0	0	0	0	327	16.53	22.95	33.5	96.2	97.78	-1	-0.3	0	33.5	0.02	100	8181	97.77	33.1
2023-02-17 05:25:00	0	0.00067	0	0	336	15.95	19.19	33.3	96.3	97.81	-1.1	-0.4	0.04	33.3	0.02	100	8182	97.79	32.9
2023-02-17 05:30:00	0	0	0	0	357	17	23.87	33	97	97.74	-1.1	-0.6	0	33.1	0.02	100	8181	97.72	32.7
2023-02-17 05:35:00	0	0	0	0	347	15.21	18.97	32.9	96.4	97.75	-1.1	-0.9	0	32.9	0.02	100	8181	97.76	32.6
2023-02-17 05:40:00	0	0.00067	0	0	343	15.26	20.74	32.7	96.5	97.83	-0.9	-0.1	0.04	32.7	0.02	100	8181	97.81	32.4
2023-02-17 05:45:00	0	0	0	0	346	12.26	19.19	32.5	96.2	97.8	-1.1	0.1	0	32.5	0.02	100	8181	97.8	32.2
2023-02-17 05:50:00	0	0	0	0	1	14.34	20.8	32.4	96.1	97.79	-0.9	-0.5	0	32.3	0.02	100	8178	97.78	32.1
2023-02-17 05:55:00	0	0.00067	0	0	344	12.71	19.55	32.2	96.2	97.75	-0.9	-0.1	0.04	32.1	0.02	100	8179	97.75	31.9
2023-02-17 06:00:00	0	0	0	0	347	14.03	21.14	31.8	95.8	97.75	-1	-0.5	0	31.8	0.03	100	8178	97.75	31.6
2023-02-17 06:05:00	0	0	0	0	340	9.33	13.6	31.6	96.3	97.8	-1	-0.6	0	31.6	0.02	100	8176	97.79	31.4
2023-02-17 06:10:00	0	0	0	0	339	11.59	16.89	31.5	96.1	97.77	-0.9	-0.4	0	31.5	0.02	100	8176	97.77	31.3
2023-02-17 06:15:00	0	0.00268	0	0	334	7.2	13.42	31.4	96.2	97.82	-1	-0.4	0.04	31.4	0.02	100	8179	97.82	31.2
2023-02-17 06:20:00	0	0	0	0	341	5.1	8.5	31.3	96	97.82	-1	-0.5	0	31.3	0.02	100	8178	97.81	31.2
2023-02-17 06:25:00	0	0.00067	0	0	326	7.07	11.16	31.2	96.2	97.83	-0.9	-0.4	0.04	31.2	0.02	100	8178	97.82	31.1
2023-02-17 06:30:00	0	0.00134	0	0	320	10.4	14.38	31.1	96.6	97.85	-0.9	-0.5	0.04	31.1	0.02	100	8175	97.85	31
2023-02-17 06:35:00	0	0	0	0	322	10.8	21.56	31.1	96.6	97.84	-0.9	-0.5	0	31.2	0.02	100	8175	97.84	31.1
2023-02-17 06:40:00	0	0	0	0	314	12.88	18.66	31.1	96.6	97.91	-1	-0.5	0	31.2	0.02	100	8177	97.91	31
2023-02-17 06:45:00	0	0	0	0	322	11.18	15.1	31.1	96.9	97.93	-0.9	-0.4	0	31.1	0.02	100	8175	97.92	30.8
2023-02-17 06:50:00	0	0	0	0	315	11.77	15.9	31	96.7	97.9	-1	-0.4	0	31	0.02	100	8178	97.88	30.7
2023-02-17 06:55:00	0	0	0	0	314	11.79	16.44	31	96.1	97.92	-0.9	-0.5	0	31	0.02	100	8174	97.92	30.6
2023-02-17 07:00:00	0	0	0	0	321	12.64	16.35	31.2	96.5	97.92	-0.7	-0.6	0	31.2	0.02	100	8176	97.91	30.6
2023-02-17 07:05:00	0	0	0	0	313	12.95	16.89	31.1	96.7	97.93	-0.9	-0.4	0	31.1	0.02	100	8174	97.93	30.5
2023-02-17 07:10:00	0.6	0	0	0	319	12.1	17.45	31	96.7	97.93	-1.1	-0.4	0	31	0.02	100	8172	97.93	30.4
2023-02-17 07:15:00	1.2	0	0	0	314	12.82	17.9	30.9	96.2	97.93	-0.9	-0.3	0	30.8	0.02	100	8174	97.92	30.3
2023-02-17 07:20:00	1.8	0	0	0	309	14	20.71	30.8	96.5	97.97	-1.3	-0.3	0	30.8	0.02	100	8173	97.97	30.3
2023-02-17 07:25:00	1.8	0	0	0	300	10.38	16.71	30.8	96.2	98	-0.9	-0.3	0	30.8	0.02	100	8173	97.99	30.2
2023-02-17 07:30:00	3.6	0	0	0	301	16.08	23.15	30.6	96.2	98.01	-0.8	-0.6	0	30.7	0.02	100	8172	98	30.1
2023-02-17 07:35:00	5	0	0	0	305	12.82	20.51	30.5	95.8	98.02	-1.2	-0.4	0	30.5	0.02	100	8171	98.03	29.9
2023-02-17 07:40:00	4.8	0	0	0	313	11.48	16.35	30.3	96.4	98.06	-1	-0.4	0	30.3	0.02	100	8172	98.06	29.8
2023-02-17 07:45:00	5.2	0	0	0	310	13.91	20.04	30.2	96	98.1	-1.3	-0.5	0	30.2	0.02	100	8173	98.09	29.7
2023-02-17 07:50:00	8.4	0	0	0	317	15.26	21.54	30.2	95.6	98.09	-1.1	-0.4	0	30.2	0.03	100	8171	98.08	29.6
2023-02-17 07:55:00	10.6	0	0	0	314	14.85	21.39	30	95.8	98.09	-1.3	-0.7	0	30	0.02	100	8172	98.08	29.4
2023-02-17 08:00:00	9.4	0	0	0	312	14.12	21.34	29.8	96.5	98.11	-0.8	-0.4	0	29.8	0.02	100	8171	98.11	29.3
2023-02-17 08:05:00	10.4	0	0	0	318	14.18	19.64	29.8	95.3	98.13	-1	-0.6	0	29.8	0.03	100	8168	98.13	29.2
2023-02-17 08:10:00	14.2	0	0	0	314	12.88	19.64	29.7	95.1	98.13	-0.9	-0.3	0	29.8	0.03	100	8171	98.13	29.2
2023-02-17 08:15:00	22.2	0	0	0	312	14.23	19.37	29.6	95.7	98.14	-1.2	-0.3	0	29.6	0.02	100	8169	98.13	29.1
2023-02-17 08:20:00	18.6	0	0	0	306	12.97	17.31	29.7	95.7	98.17	-1	-0.3	0	29.7	0.02	100	8168	98.16	29.1
2023-02-17 08:25:00	24.2	0	0	0	317	12.15	16.53	29.6	95.8	98.16	-0.8	-0.5	0	29.6	0.02	100	8172	98.16	29.1
2023-02-17 08:30:00	19.6	0	0	0	308	12.44	15.14	29.6	95.7	98.19	-1	-0.9	0	29.6	0.02	100	8171	98.18	29
2023-02-17 08:35:00	11.4	0	0	0	320	9.91	14.81	29.7	95.7	98.19	-0.8	-0.6	0	29.7	0.02	100	8168	98.19	29.1
2023-02-17 08:40:00	11	0	0	0	332	15.23	22.1	29.6	95.9	98.19	-1	-0.3	0	29.6	0.02	100	8168	98.19	29
2023-02-17 08:45:00	29.6	0	0	0	325	18.57	24.65	29.5	95.9	98.22	-1.4	-0.5	0	29.6	0.02	100	8168	98.22	28.9
2023-02-17 08:50:00	30.8	0	0	0	326	21.63	29.35	29.3	94.5	98.24	-1.3	-0.7	0	29.4	0.03	100	8163	98.24	28.7
2023-02-17 08:55:00	38.2	0	0	0	325	20.87	31.36	29	94	98.25	-1.4	-0.6	0	29	0.03	100	8168	98.24	28.4
2023-02-17 09:00:00	32.6	0	0	0	325	21.25	33.24	28.8	94.2	98.25	-1.2	0.1	0	28.9	0.03	100	8168	98.25	28.3
2023-02-17 09:05:00	34.4	0	0	0	337	26.82	35.37	28.4	93.2	98.25	0	0	0	28.4	0.04	100	8166	98.25	28
2023-02-17 09:10:00	46.8	0	0	0	330	18.57	29.8	28.1	92.7	98.28	-1.7	-0.5	0	28.2	0.04	100	8165	98.29	27.8
2023-02-17 09:15:00	51.4	0	0	0	321	15.03	20.8	27.9	94.6	98.31	-1	-0.3	0	28.1	0.03	100	8168	98.31	27.8
2023-02-17 09:20:00	44.4	0	0	0	321	15.95	23.98	27.8	94.4	98.32	-1.8	-0.3	0	28	0.03	100	8166	98.32	27.8
2023-02-17 09:25:00	47.4	0	0	0	330	16.22	24.45	27.8	93.3	98.32	-1.2	-0.4	0	27.9	0.03	100	8166	98.33	27.7
2023-02-17 09:30:00	59.8	0	0	0	334	19.44	27.27	27.6	93.6	98.33	-0.1	-0.9	0	27.7	0.03	100	8166	98.34	27.5
2023-02-17 09:35:00	73.8	0	0	0	328	18.05	25.55	27.4	93.8	98.33	-0.9	-1	0	27.5	0.03	100	8166	98.34	27.4
2023-02-17 09:40:00	87	0	0	0	325	18.25	24.47	27.3	93.2	98.34	-1	0.1	0	27.4	0.03	100	8166	98.35	27.3
2023-02-17 09:45:00	73.6	0	0	0	311	16.58	21.74	27.2	93.5	98.36	-1.1	-0.7	0	27.4	0.03	100	8169	98.36	27.3
2023-02-17 09:50:00	69.6	0	0	0	314	18.16	27.6	27	93.4	98.37	-1	0.1	0	27.1	0.03	100	8171	98.39	27.5
2023-02-17 09:55:00	69.4	0	0	0	321	17	22.57	26.9	93	98.39	-1.2	-0.6	0	27.1	0.03	100	8167	98.41	27.2
2023-02-17 10:00:00	68.6	0	0	0	317	17.63	23.11	26.8	93.2	98.41	-1.4	-0.5	0	27	0.03	100	8169	98.41	26.8
2023-02-17 10:05:00	72	0	0	0	331	14.61	22.59	26.7	93.3	98.43	-0.9	-0.6	0	26.9	0.03	100	8168	98.44	26.6
2023-02-17 10:10:00	73.4	0	0	0	325	17.92	29.37	26.6	93.5	98.43	-0.7	-0.9	0	26.7	0.03	100	8169	98.43	26.6
2023-02-17 10:15:00	81	0	0	0	330	21.54	33.91	26.6	92.4	98.42	-0.8	-1.8	0	26.7	0.04	100	8172	98.43	26.5
2023-02-17 10:20:00	85	0	0	0	332	15.17	20.98	26.3	92.8	98.43	-0.9	-0.3	0	26.6	0.03	100	8172	98.43	26.3
2023-02-17 10:25:00	99	0	0	0	317	18.16	25.14	26.3	92.4	98.43	-1.1	0	0	26.6	0.04	100	8171	98.44	26.1
2023-02-17 10:30:00	94.2	0	0	0	315	16.06	28.9	26.2	91.8	98.44	-0.9	-0.4	0	26.4	0.04	100	8173	98.44	25.9
2023-02-17 10:35:00	115.8	0	0	0	310	17.63	25.03	26.2	91.4	98.44	-1	0.3	0	26.3	0.04	100	8173	98.45	25.9

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-17 10:40:00	115.2	0	0	0	319	15.95	21.74	26.1	91.8	98.45	-0.8	0.2	0	26.3	0.04	100	8175	98.46	25.8
2023-02-17 10:45:00	145.6	0	0	0	326	15.46	22.28	26	93.1	98.45	-0.6	-0.4	0	26.2	0.03	100	8178	98.46	26
2023-02-17 10:50:00	151	0	0	0	322	16.73	27.36	26	92	98.46	-1.4	-0.7	0	26.3	0.04	100	8178	98.47	25.9
2023-02-17 10:55:00	117.6	0	0	0	322	16.42	24.34	26	92.2	98.47	-0.7	-0.4	0	26.2	0.04	100	8181	98.48	25.8
2023-02-17 11:00:00	97.6	0	0	0	318	16.58	19.93	25.8	92.1	98.49	-1	-0.4	0	26	0.04	100	8178	98.5	25.7
2023-02-17 11:05:00	99.6	0	0	0	330	17.94	25.14	25.6	91.5	98.49	-1.1	-0.7	0	25.8	0.04	100	8178	98.5	25.5
2023-02-17 11:10:00	115	0	0	0	332	18.1	27.81	25.4	91.9	98.5	-1.6	-1.4	0	25.6	0.04	100	8181	98.51	25.3
2023-02-17 11:15:00	110	0	0	0	330	15.68	24.49	25.1	91.3	98.51	-1.3	-0.7	0	25.3	0.04	100	8182	98.52	25.1
2023-02-17 11:20:00	116.4	0	0	0	325	16.75	25.3	24.9	91.8	98.52	-1.2	0.3	0	25.2	0.04	100	8181	98.53	24.9
2023-02-17 11:25:00	129	0	0	0	328	15.05	21.74	24.8	91.6	98.52	-1.3	-0.4	0	25	0.04	100	8181	98.53	24.7
2023-02-17 11:30:00	134.2	0	0	0	339	14.9	19.39	24.7	91.8	98.53	-1.4	-0.6	0	25	0.04	100	8184	98.54	24.6
2023-02-17 11:35:00	128.6	0	0	0	328	15.05	20.36	24.7	91.5	98.54	-1.4	-0.6	0	25	0.04	100	8183	98.55	24.6
2023-02-17 11:40:00	118.2	0	0	0	311	15.1	22.41	24.7	91	98.55	-1.4	-0.7	0	24.9	0.04	100	8184	98.56	24.5
2023-02-17 11:45:00	108.4	0	0	0	301	13.69	19.55	24.7	90.7	98.56	-1.1	-0.6	0	24.8	0.04	100	8187	98.56	24.4
2023-02-17 11:50:00	109.8	0	0	0	305	14.83	22.53	24.7	91.5	98.56	-1.5	-0.5	0	24.9	0.04	100	8186	98.56	24.3
2023-02-17 11:55:00	122.2	0	0	0	328	16.4	20.92	24.5	91.1	98.56	-1.4	-0.2	0	24.8	0.04	100	8187	98.57	24.2
2023-02-17 12:00:00	106.6	0	0	0	324	15.77	20.47	24.5	90.9	98.57	-1.5	-0.3	0	24.7	0.04	100	8190	98.58	24.2
2023-02-17 12:05:00	96.2	0	0	0	312	16.04	23.47	24.4	91.5	98.57	-1.3	-0.2	0	24.6	0.04	100	8187	98.59	24.1
2023-02-17 12:10:00	96	0	0	0	322	16.15	21.43	24.3	90.3	98.58	-1.4	-0.1	0	24.5	0.04	100	8187	98.59	24
2023-02-17 12:15:00	101.6	0	0	0	324	17.49	21.99	24.2	90.7	98.58	-1.3	-0.5	0	24.4	0.04	100	8188	98.59	23.9
2023-02-17 12:20:00	112.4	0	0	0	317	14.9	20.49	24.1	90.5	98.59	-0.8	-0.6	0	24.4	0.04	100	8190	98.6	23.9
2023-02-17 12:25:00	107	0	0	0	318	16.33	24.14	24.2	91.5	98.58	-1.6	-0.8	0	24.4	0.04	100	8191	98.59	24
2023-02-17 12:30:00	106.8	0	0	0	311	14.38	20.15	24.3	92.2	98.59	-1	-0.3	0	24.5	0.03	100	8191	98.59	23.9
2023-02-17 12:35:00	99	0	0	0	316	18.39	25.52	24.3	91	98.58	-1.4	-0.4	0	24.5	0.04	100	8191	98.59	23.9
2023-02-17 12:40:00	96.8	0	0	0	319	16.22	27.04	24.3	90.4	98.59	-1.6	-0.5	0	24.4	0.04	100	8193	98.6	23.7
2023-02-17 12:45:00	96.6	0	0	0	319	14.43	21.77	24.1	91	98.61	-1	-0.2	0	24.4	0.04	100	8197	98.62	23.7
2023-02-17 12:50:00	98.2	0	0	0	316	13.98	18.77	24.2	90.2	98.62	-1.2	-0.5	0	24.4	0.04	100	8191	98.63	23.7
2023-02-17 12:55:00	101.4	0	0	0	321	13.13	22.39	24.2	91.6	98.64	-1.3	-0.5	0	24.4	0.04	100	8193	98.64	23.7
2023-02-17 13:00:00	92.6	0	0	0	326	17.02	24.81	24.3	90.4	98.64	-1.7	0.4	0	24.4	0.04	100	8195	98.65	23.7
2023-02-17 13:05:00	86.2	0	0	0	327	17.9	23.44	24.3	90	98.64	-1.4	-0.8	0	24.4	0.04	100	8193	98.64	23.5
2023-02-17 13:10:00	87.2	0	0	0	321	15.39	20.42	24.2	90.4	98.64	-1.6	-1.2	0	24.3	0.04	100	8193	98.65	23.5
2023-02-17 13:15:00	87.8	0	0	0	325	15.75	20.6	24.1	90.5	98.65	-0.5	-0.2	0	24.3	0.04	100	8194	98.65	23.5
2023-02-17 13:20:00	81.8	0	0	0	316	15.59	21.7	24.1	90.5	98.65	-1.5	-0.2	0	24.3	0.04	100	8194	98.66	23.4
2023-02-17 13:25:00	89.8	0	0	0	316	17.65	25.34	24.2	90.4	98.66	-1	-1	0	24.3	0.04	100	8191	98.66	23.4
2023-02-17 13:30:00	102.2	0	0	0	314	16.87	22.53	24.1	90.5	98.66	-1.5	-0.7	0	24.3	0.04	100	8197	98.68	23.4
2023-02-17 13:35:00	91.4	0	0	0	311	16.08	21.16	24.2	89.3	98.67	-1.3	0.1	0	24.4	0.05	100	8197	98.68	23.3
2023-02-17 13:40:00	78.4	0	0	0	309	13.31	21.12	24.2	89.5	98.68	-1.2	-0.2	0	24.3	0.05	100	8194	98.68	23.3
2023-02-17 13:45:00	81.2	0	0	0	305	16.78	22.48	24.1	89.2	98.68	-1.4	-0.4	0	24.3	0.05	100	8197	98.68	23.3
2023-02-17 13:50:00	100.2	0	0	0	300	19.3	30.62	24.2	88	98.69	-1.7	-0.7	0	24.4	0.05	100	8196	98.69	23.3
2023-02-17 13:55:00	99	0	0	0	305	15.95	21.92	24.2	88.1	98.7	-1.1	-0.4	0	24.4	0.05	100	8199	98.7	23.2
2023-02-17 14:00:00	94.6	0	0	0	301	16.24	22.73	24.2	87.9	98.7	-1.2	-0.5	0	24.4	0.05	100	8198	98.71	23.2
2023-02-17 14:05:00	83.8	0	0	0	300	18.1	26.42	24.1	86.4	98.71	-0.9	-0.6	0	24.3	0.06	100	8197	98.71	23.1
2023-02-17 14:10:00	77.4	0	0	0	304	17.92	24.79	24	86.3	98.72	-1.7	-0.5	0	24.2	0.06	100	8199	98.72	23.1
2023-02-17 14:15:00	75.4	0	0	0	303	16.4	23.51	24	86.5	98.73	-1.5	-0.9	0	24.1	0.06	100	8197	98.73	23
2023-02-17 14:20:00	70	0	0	0	295	18.1	31.68	23.9	87.1	98.75	-1.3	-0.6	0	24.1	0.06	100	8197	98.75	23
2023-02-17 14:25:00	67.2	0	0	0	297	18.1	29.64	23.9	86.9	98.75	-1.3	0.3	0	24	0.06	100	8197	98.75	22.9
2023-02-17 14:30:00	71.2	0	0	0	297	19.91	27.25	23.8	86.8	98.76	-1	0.3	0	23.9	0.06	100	8197	98.76	22.7
2023-02-17 14:35:00	73.6	0	0	0	299	18.97	28.03	23.6	87.2	98.76	-1.8	-0.6	0	23.8	0.06	100	8197	98.76	22.7
2023-02-17 14:40:00	86.4	0	0	0	296	18.32	23.58	23.5	85.8	98.77	-1	-0.8	0	23.7	0.06	100	8198	98.78	22.7
2023-02-17 14:45:00	81	0	0	0	298	15.9	21.77	23.6	86.8	98.8	-1.3	-0.4	0	23.9	0.06	100	8196	98.81	22.7
2023-02-17 14:50:00	57.8	0	0	0	310	17.4	31.79	23.6	85.4	98.82	-1.4	-1.2	0	23.7	0.06	100	8200	98.82	22.6
2023-02-17 14:55:00	52.2	0	0	0	296	16.08	23.91	23.7	87	98.83	-0.4	-0.6	0	23.8	0.06	100	8200	98.83	22.6
2023-02-17 15:00:00	46	0	0	0	296	18.05	25.17	23.6	85.6	98.84	-1.6	-0.3	0	23.7	0.06	100	8197	98.84	22.5
2023-02-17 15:05:00	42	0	0	0	297	16.31	23.29	23.6	86.4	98.85	-1.6	-0.6	0	23.6	0.06	100	8195	98.86	22.5
2023-02-17 15:10:00	36.4	0	0	0	286	14.58	22.21	23.6	87.7	98.87	-1.2	-0.4	0	23.8	0.05	100	8197	98.87	22.5
2023-02-17 15:15:00	31.2	0	0	0	292	18.66	28.16	23.6	88	98.87	-1.8	-0.8	0	23.6	0.05	100	8197	98.86	22.5
2023-02-17 15:20:00	30.2	0	0	0	296	17.05	27.67	23.5	88.1	98.88	-1.8	-0.5	0	23.6	0.05	100	8194	98.88	22.4
2023-02-17 15:25:00	31	0	0	0	301	19.3	29.17	23.5	87.2	98.89	-1.3	-0.7	0	23.6	0.06	100	8194	98.88	22.4
2023-02-17 15:30:00	29.4	0	0	0	303	17.58	23.85	23.4	86.8	98.89	-1.5	-0.8	0	23.4	0.06	100	8192	98.89	22.3
2023-02-17 15:35:00	30.6	0	0	0	292	15.23	25.5	23.4	87.4	98.91	-0.9	-0.5	0	23.5	0.05	100	8194	98.91	22.3
2023-02-17 15:40:00	32.4	0	0	0	301	15.61	23.98	23.5	87.9	98.92	-1.4	-0.3	0	23.5	0.05	100	8191	98.92	22.3
2023-02-17 15:45:00	32.2	0	0	0	299	17.74	25.14	23.4	87.6	98.93	-1.4	-0.7	0	23.5	0.05	100	8190	98.93	22.3
2023-02-17 15:50:00	31.2	0	0	0	294	17.27	26.31	23.5	87.2	98.94	-1.5	0.1	0	23.6	0.06	100	8189	98.94	22.3
2023-02-17 15:55:00	35.4	0	0	0	295	18.79	29.64	23.6	86.1	98.95	-0.5	0.1	0	23.6	0.06	100	8190	98.95	22.2

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-17 16:00:00	32	0	0	0	290	17.47	23.22	23.6	86.1	98.96	-1.6	-1.1	0	23.6	0.06	100	8191	98.96	22.2
2023-02-17 16:05:00	25.2	0	0	0	294	17.96	24.18	23.5	86.4	98.97	-1	-0.7	0	23.6	0.06	100	8189	98.97	22.2
2023-02-17 16:10:00	19.2	0	0	0	287	16.91	23.6	23.5	86.7	98.98	-1.6	-0.1	0	23.6	0.06	100	8188	98.98	22.2
2023-02-17 16:15:00	15.2	0	0	0	282	16.02	24.34	23.5	86.5	98.99	-2.2	-0.2	0	23.5	0.06	100	8190	98.99	22.2
2023-02-17 16:20:00	17	0	0	0	295	20.58	32.03	23.4	86.3	98.98	-1.3	-0.7	0	23.4	0.06	100	8186	98.98	22.1
2023-02-17 16:25:00	17	0	0	0	285	18.12	25.95	23.3	84.8	99	-1.2	-0.8	0	23.3	0.06	100	8189	99	22
2023-02-17 16:30:00	17	0	0	0	283	17.92	24.67	23.3	84.8	99.01	-1.3	-0.2	0	23.3	0.06	100	8184	99.01	21.9
2023-02-17 16:35:00	14.8	0	0	0	286	18.48	26.35	23.3	84.5	99.01	-1.2	-0.2	0	23.3	0.07	100	8184	99.01	21.9
2023-02-17 16:40:00	16.8	0	0	0	285	17.07	24.18	23.3	84.8	99.02	-1.1	-0.3	0	23.3	0.06	100	8186	99.01	21.8
2023-02-17 16:45:00	17.2	0	0	0	283	17.78	26.84	23.3	84.3	99.03	-1.4	-0.3	0	23.3	0.07	100	8185	99.03	21.8
2023-02-17 16:50:00	13.4	0	0	0	285	19.8	27.85	23.2	84.6	99.03	-2.4	0.4	0	23.3	0.07	100	8183	99.03	21.8
2023-02-17 16:55:00	11.4	0	0	0	287	19.19	26.06	23.2	84.6	99.04	-1.8	-0.6	0	23.3	0.07	100	8183	99.05	21.7
2023-02-17 17:00:00	9.8	0	0	0	290	18.86	28.83	23.2	84.6	99.06	-1.4	-0.5	0	23.2	0.07	100	8184	99.05	21.7
2023-02-17 17:05:00	6.8	0	0	0	283	18.07	26.19	23.2	84.7	99.06	-0.9	0	0	23.1	0.06	100	8180	99.05	21.7
2023-02-17 17:10:00	5.6	0	0	0	286	19.48	29.01	23.2	84.7	99.07	-1.7	-0.3	0	23.2	0.06	100	8183	99.06	21.7
2023-02-17 17:15:00	4.4	0	0	0	284	18.59	27.02	23.1	85	99.08	-0.9	-1.3	0	23.1	0.06	100	8184	99.07	21.7
2023-02-17 17:20:00	3.8	0	0	0	286	18.81	25.1	23.1	84.9	99.08	-1.1	-0.5	0	23.1	0.06	100	8182	99.08	21.6
2023-02-17 17:25:00	3	0	0	0	288	18.68	28.41	23	85.2	99.09	-1.5	-0.9	0	23	0.06	100	8182	99.08	21.6
2023-02-17 17:30:00	2.2	0	0	0	287	19.42	26.69	23.1	85	99.09	-1.6	-0.8	0	23.1	0.06	100	8183	99.09	21.5
2023-02-17 17:35:00	1.4	0	0	0	288	17.25	26.71	23	85.5	99.11	-0.8	-1.3	0	23	0.06	100	8179	99.11	21.5
2023-02-17 17:40:00	1	0	0	0	281	21.41	30.49	23	85.4	99.11	-1.8	-0.3	0	23	0.06	100	8181	99.11	21.5
2023-02-17 17:45:00	0.2	0	0	0	280	19.75	29.35	22.9	85.6	99.12	-1.7	-0.5	0	22.9	0.06	100	8180	99.12	21.5
2023-02-17 17:50:00	0	0	0	0	284	19.53	24.81	22.9	85.6	99.13	-1.7	-0.2	0	23	0.06	100	8178	99.13	21.5
2023-02-17 17:55:00	0	0	0	0	284	17.38	28.14	22.9	85.8	99.15	-1	-0.2	0	22.9	0.06	100	8179	99.14	21.5
2023-02-17 18:00:00	0	0	0	0	282	15.75	21.05	22.9	85.8	99.16	-1.9	-0.7	0	22.9	0.06	100	8178	99.16	21.5
2023-02-17 18:05:00	0	0	0	0	282	14.47	23.26	22.9	87.1	99.17	-1.1	-0.3	0	22.9	0.05	100	8178	99.17	21.5
2023-02-17 18:10:00	0	0	0	0	284	15.73	22.24	22.8	87.5	99.18	-1.7	-0.4	0	22.9	0.05	100	8177	99.18	21.5
2023-02-17 18:15:00	0	0	0	0	281	17.27	22.1	22.8	86	99.19	-1	-0.5	0	22.9	0.06	100	8177	99.19	21.4
2023-02-17 18:20:00	0	0	0	0	285	13.96	20.47	22.7	86.4	99.2	-1.4	-0.8	0	22.7	0.06	100	8178	99.2	21.4
2023-02-17 18:25:00	0	0	0	0	290	17	23.6	22.7	86.3	99.22	-1.5	-0.2	0	22.8	0.06	100	8176	99.21	21.3
2023-02-17 18:30:00	0	0	0	0	282	18.57	26.62	22.8	85.7	99.21	-1.7	-0.7	0	22.8	0.06	100	8176	99.21	21.2
2023-02-17 18:35:00	0	0	0	0	287	17.67	25.08	22.6	84.4	99.22	-1.2	-0.5	0	22.6	0.06	100	8175	99.21	21.1
2023-02-17 18:40:00	0	0	0	0	293	13	18.84	22.6	85.2	99.23	-1.2	-0.5	0	22.7	0.06	100	8173	99.23	21.1
2023-02-17 18:45:00	0	0	0	0	287	12.82	18.28	22.6	84.9	99.24	-1.5	-0.4	0	22.6	0.06	100	8176	99.23	21
2023-02-17 18:50:00	0	0	0	0	287	14.45	19.62	22.4	85	99.24	-1.4	-0.5	0	22.4	0.06	100	8174	99.24	21
2023-02-17 18:55:00	0	0	0	0	285	14.67	21.39	22.5	84.8	99.26	-1.1	-0.5	0	22.5	0.06	100	8173	99.25	20.9
2023-02-17 19:00:00	0	0	0	0	290	13.06	19.01	22.5	84.9	99.27	-1.3	-0.5	0	22.5	0.06	100	8175	99.27	20.9
2023-02-17 19:05:00	0	0	0	0	290	11.95	22.82	22.5	84.9	99.29	-1.4	-0.6	0	22.4	0.06	100	8175	99.28	20.9
2023-02-17 19:10:00	0	0	0	0	297	15.46	22.68	22.4	84.8	99.28	-2	-0.5	0	22.4	0.06	100	8172	99.29	20.8
2023-02-17 19:15:00	0	0	0	0	289	18.19	27	22.3	84	99.29	-1.6	-0.6	0	22.3	0.07	100	8177	99.28	20.8
2023-02-17 19:20:00	0	0	0	0	294	15.1	20.71	22.5	84.4	99.29	-1.4	-0.4	0	22.5	0.06	100	8171	99.3	20.8
2023-02-17 19:25:00	0	0	0	0	297	13.6	20.67	22.5	84.8	99.31	-1.5	-0.6	0	22.5	0.06	100	8171	99.3	20.8
2023-02-17 19:30:00	0	0	0	0	290	13.22	20.96	22.5	84.8	99.32	-1	-0.8	0	22.6	0.06	100	8175	99.31	20.9
2023-02-17 19:35:00	0	0	0	0	285	14.85	19.22	22.5	84.7	99.33	-0.7	-0.4	0	22.6	0.06	100	8170	99.32	20.9
2023-02-17 19:40:00	0	0	0	0	285	17.34	27.74	22.4	83.3	99.33	-0.9	-0.4	0	22.4	0.07	100	8172	99.33	20.8
2023-02-17 19:45:00	0	0	0	0	282	16.98	24.99	22.4	83.2	99.34	-1.4	-0.5	0	22.4	0.07	100	8168	99.34	20.8
2023-02-17 19:50:00	0	0	0	0	283	17.69	25.41	22.3	84.1	99.34	-1.1	-0.1	0	22.3	0.07	100	8170	99.34	20.7
2023-02-17 19:55:00	0	0	0	0	291	14.56	19.66	22.2	84	99.36	-1.6	-0.2	0	22.2	0.07	100	8171	99.36	20.7
2023-02-17 20:00:00	0	0	0	0	290	15.23	20.07	22.1	84.1	99.37	-1.7	-0.2	0	22.1	0.06	100	8168	99.37	20.6
2023-02-17 20:05:00	0	0	0	0	292	15.68	25.9	22	84	99.37	-0.8	-0.5	0	22	0.06	100	8168	99.37	20.6
2023-02-17 20:10:00	0	0	0	0	281	16.37	24.05	22	84.1	99.37	-0.8	-0.7	0	22	0.06	100	8168	99.37	20.6
2023-02-17 20:15:00	0	0	0	0	285	16.44	21.59	22	84.3	99.38	-0.9	-0.8	0	22	0.06	100	8169	99.37	20.5
2023-02-17 20:20:00	0	0	0	0	283	16.42	27.31	21.8	84.8	99.39	-1.5	-0.6	0	21.8	0.06	100	8168	99.39	20.4
2023-02-17 20:25:00	0	0	0	0	291	15.95	23.26	21.8	84.6	99.39	-1.5	-0.1	0	21.8	0.06	100	8167	99.39	20.4
2023-02-17 20:30:00	0	0	0	0	287	16.98	27.18	21.9	84.5	99.4	-1.6	-0.3	0	21.9	0.06	100	8166	99.39	20.4
2023-02-17 20:35:00	0	0	0	0	294	15.46	23.09	21.8	84.6	99.41	-0.9	-0.9	0	21.8	0.06	100	8166	99.4	20.3
2023-02-17 20:40:00	0	0	0	0	290	16.98	28.25	21.8	84.8	99.41	-0.9	0.1	0	21.7	0.06	100	8166	99.4	20.3
2023-02-17 20:45:00	0	0	0	0	288	17.87	25.77	21.7	85	99.41	-1.2	-0.4	0	21.7	0.06	100	8167	99.4	20.2
2023-02-17 20:50:00	0	0	0	0	290	16.02	21.97	21.7	85.3	99.42	-1	-0.8	0	21.7	0.06	100	8165	99.41	20.1
2023-02-17 20:55:00	0	0	0	0	291	17.74	29.1	21.6	85.7	99.43	-1.7	-0.5	0	21.6	0.06	100	8165	99.42	20
2023-02-17 21:00:00	0	0	0	0	287	16.35	22.88	21.5	85.9	99.44	-0.9	-0.1	0	21.5	0.06	100	8166	99.44	20
2023-02-17 21:05:00	0	0	0	0	287	14.47	20.87	21.4	85.8	99.45	-1.5	-0.3	0	21.4	0.06	100	8164	99.45	19.9
2023-02-17 21:10:00	0	0	0	0	282	14.5	22.01	21.3	86.6	99.46	-1.5	-0.8	0	21.3	0.05	100	8164	99.46	19.8
2023-02-17 21:15:00	0	0	0	0	290	16.37	21.97	21.3	85.2	99.47	-1.7	-0.4	0	21.3	0.06	100	8163	99.47	19.7

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-17 21:20:00	0	0	0	0	293	14.85	20.69	21.1	84.7	99.48	-1	-0.5	0	21.1	0.06	100	8162	99.47	19.6
2023-02-17 21:25:00	0	0	0	0	283	15.86	23.47	21.1	84.8	99.49	-1.2	-0.7	0	21.1	0.06	100	8163	99.49	19.5
2023-02-17 21:30:00	0	0	0	0	284	14.23	18.99	21	85.2	99.49	-1.4	-0.8	0	20.9	0.06	100	8162	99.49	19.4
2023-02-17 21:35:00	0	0	0	0	282	15.84	21.12	20.9	85.1	99.49	-1.4	-0.1	0	20.9	0.06	100	8160	99.48	19.3
2023-02-17 21:40:00	0	0	0	0	283	14.76	21.41	20.8	85.2	99.49	-1	-0.7	0	20.9	0.06	100	8159	99.49	19.1
2023-02-17 21:45:00	0	0	0	0	292	18.63	25.52	20.8	83.9	99.49	-1.3	-0.7	0	20.8	0.06	100	8163	99.48	19.1
2023-02-17 21:50:00	0	0	0	0	287	14.72	19.48	20.8	85	99.5	-0.8	-1	0	20.8	0.06	100	8163	99.5	19
2023-02-17 21:55:00	0	0	0	0	282	15.59	22.21	20.7	85.1	99.5	-0.9	-0.7	0	20.7	0.06	100	8160	99.51	18.9
2023-02-17 22:00:00	0	0	0	0	291	12.59	20.04	20.6	84.4	99.51	-1.1	-0.6	0	20.7	0.06	100	8161	99.52	18.9
2023-02-17 22:05:00	0	0	0	0	289	14.63	21.03	20.6	85.5	99.52	-1.3	-0.2	0	20.7	0.06	100	8159	99.51	18.8
2023-02-17 22:10:00	0	0	0	0	284	13.04	22.08	20.5	84.8	99.53	-1.3	-0.3	0	20.6	0.06	100	8159	99.53	18.8
2023-02-17 22:15:00	0	0	0	0	285	14.65	21.18	20.5	85.5	99.54	-1.3	-0.7	0	20.5	0.06	100	8161	99.54	18.8
2023-02-17 22:20:00	0	0	0	0	292	14.65	20.69	20.5	86.9	99.55	-1.2	-0.9	0	20.6	0.05	100	8158	99.55	18.9
2023-02-17 22:25:00	0	0	0	0	293	12.84	20.76	20.6	86.7	99.56	-1.6	-0.3	0	20.6	0.05	100	8158	99.56	19
2023-02-17 22:30:00	0	0	0	0	289	13.11	19.71	20.7	86.3	99.57	-1.4	-0.5	0	20.7	0.05	100	8156	99.57	19
2023-02-17 22:35:00	0	0	0	0	291	15.21	23	20.8	85.2	99.56	-0.9	-0.9	0	20.8	0.06	100	8159	99.57	19
2023-02-17 22:40:00	0	0	0	0	286	16.06	23.78	20.8	83.8	99.58	-0.7	-0.8	0	20.8	0.06	100	8159	99.57	19
2023-02-17 22:45:00	0	0	0	0	278	15.73	23.51	20.9	83	99.58	-1	-0.1	0	20.9	0.07	100	8158	99.58	19
2023-02-17 22:50:00	0	0	0	0	284	16.6	24.29	20.9	83	99.59	-1.2	-0.6	0	20.9	0.07	100	8156	99.58	19
2023-02-17 22:55:00	0	0	0	0	286	14.92	20.24	20.8	83.4	99.59	-1.4	0	0	20.8	0.06	100	8156	99.59	19
2023-02-17 23:00:00	0	0	0	0	281	13.53	21.81	20.8	83.1	99.61	-1.2	-0.5	0	20.8	0.06	100	8156	99.6	19
2023-02-17 23:05:00	0	0	0	0	277	14.27	20.13	20.7	83.5	99.62	-1	-0.8	0	20.7	0.06	100	8157	99.62	19
2023-02-17 23:10:00	0	0	0	0	279	12.17	19.51	20.7	83.8	99.62	-1.6	-0.3	0	20.7	0.06	100	8156	99.63	19
2023-02-17 23:15:00	0	0	0	0	281	12.44	17.67	20.6	83.9	99.63	-1.2	-0.1	0	20.6	0.06	100	8158	99.63	19
2023-02-17 23:20:00	0	0	0	0	277	11.32	17.83	20.6	83.9	99.64	-1.1	-0.7	0	20.6	0.06	100	8153	99.64	19
2023-02-17 23:25:00	0	0	0	0	285	11.45	17.22	20.7	83.8	99.64	-1.5	-0.3	0	20.7	0.06	100	8153	99.64	19
2023-02-17 23:30:00	0	0	0	0	284	12.66	21.07	20.6	83.4	99.64	-1.4	-0.8	0	20.6	0.06	100	8155	99.65	18.9
2023-02-17 23:35:00	0	0	0	0	281	12.64	18.25	20.7	81.2	99.65	-1.1	0	0	20.6	0.07	100	8153	99.65	18.8
2023-02-17 23:40:00	0	0	0	0	282	14.56	20.85	20.6	80.9	99.65	-1.5	-0.7	0	20.6	0.07	100	8155	99.65	18.8
2023-02-17 23:45:00	0	0	0	0	276	16.51	22.62	20.6	80	99.66	-1.7	-0.6	0	20.6	0.08	100	8152	99.65	18.7
2023-02-17 23:50:00	0	0	0	0	278	16.82	22.64	20.5	79.2	99.67	-1.2	-0.5	0	20.5	0.08	100	8145	99.67	18.7
2023-02-17 23:55:00	0	0	0	0	271	13.78	22.95	20.5	79	99.68	-0.8	-0.1	0	20.5	0.08	100	8146	99.68	18.7
2023-02-18 00:00:00	0	0	0	0	273	14.92	24.2	20.4	79.5	99.68	-2	-0.2	0	20.4	0.08	100	8148	99.68	18.6
2023-02-18 00:05:00	0	0	0	0	273	17.11	24.09	20.3	77.8	99.68	-2.2	-0.2	0	20.3	0.08	100	8113	99.68	18.6
2023-02-18 00:10:00	0	0	0	0	275	14.65	20.4	20.2	77.3	99.69	-1.6	-1.3	0	20.2	0.08	100	8108	99.69	18.8
2023-02-18 00:15:00	0	0	0	0	273	15.1	19.93	20.1	76.6	99.7	-1.1	-0.5	0	20.1	0.09	100	8095	99.71	18.7
2023-02-18 00:20:00	0	0	0	0	274	12.5	20.87	20.1	75.1	99.71	-2	-0.5	0	20.1	0.09	100	8118	99.71	18.6
2023-02-18 00:25:00	0	0	0	0	277	13.6	20.67	20	75.4	99.72	-0.8	-0.5	0	20	0.09	100	8118	99.71	18.4
2023-02-18 00:30:00	0	0	0	0	276	12.82	21.63	20	75.5	99.72	-1.3	-0.6	0	20	0.09	100	8121	99.71	18.2
2023-02-18 00:35:00	0	0	0	0	269	15.08	22.7	20	75.5	99.72	-1.4	-0.4	0	20	0.09	100	8124	99.72	18.1
2023-02-18 00:40:00	0	0	0	0	265	14.32	19.98	19.9	75.7	99.73	-1.4	-0.1	0	19.9	0.09	100	8123	99.73	18.1
2023-02-18 00:45:00	0	0	0	0	275	15.64	23.64	19.8	75.9	99.75	-1.2	-0.2	0	19.8	0.09	100	8123	99.75	18
2023-02-18 00:50:00	0	0	0	0	272	14.41	24.43	19.9	75.7	99.75	-1.2	-0.3	0	19.9	0.09	100	8124	99.75	18
2023-02-18 00:55:00	0	0	0	0	270	13.96	23.71	19.9	75.8	99.75	-1.6	-0.2	0	19.8	0.09	100	8126	99.75	17.9
2023-02-18 01:00:00	0	0	0	0	267	13.53	22.17	19.8	76.1	99.75	-1.5	-0.8	0	19.8	0.09	100	8124	99.75	17.9
2023-02-18 01:05:00	0	0	0	0	270	13.13	20.78	19.7	77	99.75	-1.4	-0.2	0	19.7	0.08	100	8124	99.75	17.8
2023-02-18 01:10:00	0	0	0	0	270	10.29	20.24	19.5	78	99.76	-1.1	-0.6	0	19.5	0.08	100	8124	99.76	17.8
2023-02-18 01:15:00	0	0	0	0	284	11.27	15.7	19.5	77	99.77	-1.1	-0.6	0	19.5	0.08	100	8127	99.77	17.7
2023-02-18 01:20:00	0	0	0	0	283	10.25	13.6	19.6	76.8	99.78	-1.3	-0.4	0	19.6	0.08	100	8124	99.78	17.7
2023-02-18 01:25:00	0	0	0	0	283	9.62	16.78	19.5	77	99.78	-1.4	-0.4	0	19.5	0.08	100	8124	99.78	17.6
2023-02-18 01:30:00	0	0	0	0	284	11.36	18.39	19.5	77	99.78	-1.3	-0.1	0	19.5	0.08	100	8125	99.78	17.6
2023-02-18 01:35:00	0	0	0	0	281	8.1	11.88	19.4	77.4	99.79	-1.2	-0.7	0	19.4	0.08	100	8123	99.78	17.6
2023-02-18 01:40:00	0	0	0	0	255	8.55	13.53	19.5	78.8	99.8	-1.5	-0.5	0	19.4	0.08	100	8125	99.79	17.7
2023-02-18 01:45:00	0	0	0	0	273	9.95	14.85	19.4	80.1	99.81	-1.3	-0.8	0	19.4	0.07	100	8125	99.81	17.7
2023-02-18 01:50:00	0	0	0	0	270	11.43	16.64	19.3	80.5	99.82	-1.2	-0.2	0	19.3	0.07	100	8122	99.81	17.6
2023-02-18 01:55:00	0	0	0	0	264	9.24	14.09	19.3	80.6	99.82	-1.2	-0.6	0	19.3	0.07	100	8124	99.82	17.6
2023-02-18 02:00:00	0	0	0	0	262	7.83	10.76	19.3	80.6	99.82	-1.4	-0.6	0	19.3	0.07	100	8125	99.82	17.5
2023-02-18 02:05:00	0	0	0	0	257	10.38	18.21	19.2	79.2	99.83	-1.3	-0.8	0	19.1	0.07	100	8123	99.83	17.4
2023-02-18 02:10:00	0	0	0	0	262	10.54	17.31	19	78.1	99.82	-1.3	-0.7	0	19	0.08	100	8123	99.82	17.2
2023-02-18 02:15:00	0	0	0	0	264	11.27	21.16	18.9	76.7	99.83	-1.3	-0.6	0	18.9	0.08	100	8124	99.83	16.9
2023-02-18 02:20:00	0	0	0	0	260	9.6	14.38	18.6	77.2	99.83	-1.7	-0.6	0	18.6	0.08	100	8124	99.83	16.6
2023-02-18 02:25:00	0	0	0	0	255	9.33	13.82	18.4	76.7	99.83	-1.3	-0.8	0	18.4	0.08	100	8121	99.84	16.4
2023-02-18 02:30:00	0	0	0	0	257	9.46	14.32	18.1	76.4	99.84	-1.5	-0.5	0	18.1	0.08	100	8126	99.84	16.1
2023-02-18 02:35:00	0	0	0	0	255	8.05	13.51	17.9	76.8	99.84	-1.5	-0.4	0	17.8	0.08	100	8124	99.84	15.9

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-18 02:40:00	0	0	0	0	259	9.78	17.45	17.7	77.3	99.84	-1.5	0	0	17.7	0.08	100	8127	99.84	15.8
2023-02-18 02:45:00	0	0	0	0	270	9.86	13.29	17.7	77.1	99.84	-1.8	-0.5	0	17.7	0.08	100	8122	99.84	15.8
2023-02-18 02:50:00	0	0	0	0	263	8.46	12.97	17.8	76.9	99.84	-1.4	-0.4	0	17.8	0.08	100	8122	99.84	15.8
2023-02-18 02:55:00	0	0	0	0	268	7.54	10.56	17.9	76.7	99.83	-1.2	-0.3	0	17.9	0.08	100	8121	99.84	15.7
2023-02-18 03:00:00	0	0	0	0	274	10.22	13.96	17.9	76.2	99.84	-1.5	0	0	17.9	0.08	100	8121	99.83	15.7
2023-02-18 03:05:00	0	0	0	0	276	9.08	13.33	17.9	75	99.84	-1.6	-0.5	0	17.9	0.08	100	8121	99.83	15.7
2023-02-18 03:10:00	0	0	0	0	272	8.86	12.24	17.9	74.4	99.83	-1.7	-0.4	0	17.9	0.09	100	8121	99.82	15.6
2023-02-18 03:15:00	0	0	0	0	279	8.39	12.17	17.9	73.6	99.82	-1.5	-0.5	0	17.9	0.09	100	8124	99.82	15.4
2023-02-18 03:20:00	0	0	0	0	269	6.67	10.85	17.7	74.4	99.83	-1.4	-0.5	0	17.7	0.09	100	8120	99.83	15.3
2023-02-18 03:25:00	0	0	0	0	274	6.93	10.98	17.5	75	99.83	-1.4	-0.3	0	17.5	0.08	100	8120	99.83	15.2
2023-02-18 03:30:00	0	0	0	0	269	6.11	9.31	17.4	75.8	99.83	-1.7	-0.4	0	17.4	0.08	100	8122	99.82	15.2
2023-02-18 03:35:00	0	0	0	0	268	6.02	8.05	17.5	74.9	99.82	-1.4	-0.5	0	17.5	0.08	100	8118	99.82	15.2
2023-02-18 03:40:00	0	0	0	0	262	5.64	8.68	17.5	75.5	99.82	-1.4	-0.5	0	17.5	0.08	100	8121	99.82	15.3
2023-02-18 03:45:00	0	0	0	0	257	4.59	7.02	17.6	77.1	99.83	-1.4	-0.4	0	17.6	0.08	100	8119	99.83	15.4
2023-02-18 03:50:00	0	0	0	0	242	4.41	6.87	17.7	77.3	99.83	-1.3	-0.4	0	17.7	0.08	100	8118	99.83	15.6
2023-02-18 03:55:00	0	0	0	0	243	5.19	8.48	17.9	77.2	99.83	-1.4	-0.5	0	17.9	0.08	100	8120	99.83	15.7
2023-02-18 04:00:00	0	0	0	0	239	4.36	6.46	18.1	77.1	99.83	-1.3	-0.5	0	18.1	0.08	100	8119	99.83	15.9
2023-02-18 04:05:00	0	0	0	0	234	5.57	7.4	18.1	77.6	99.83	-1.5	-0.6	0	18.1	0.08	100	8119	99.83	16
2023-02-18 04:10:00	0	0	0	0	229	6.85	9.44	18.3	77	99.84	-1.5	-0.5	0	18.4	0.08	100	8118	99.84	16.2
2023-02-18 04:15:00	0	0	0	0	235	5.97	8.57	18.6	77.3	99.84	-1.5	-0.6	0	18.5	0.08	100	8118	99.84	16.2
2023-02-18 04:20:00	0	0	0	0	233	5.99	10.78	18.5	77.5	99.85	-1.5	-0.3	0	18.5	0.08	100	8118	99.85	16.3
2023-02-18 04:25:00	0	0	0	0	224	4.43	5.93	18.5	77.4	99.85	-1.3	-0.4	0	18.5	0.08	100	8118	99.84	16.3
2023-02-18 04:30:00	0	0	0	0	211	6.08	9.73	18.4	77.9	99.85	-1.4	-0.5	0	18.4	0.08	100	8120	99.85	16.2
2023-02-18 04:35:00	0	0	0	0	209	4.34	6.55	18.3	78.3	99.85	-1.4	-0.5	0	18.3	0.08	100	8117	99.85	16.1
2023-02-18 04:40:00	0	0	0	0	211	5.08	7.61	18.1	79	99.84	-1.4	-0.5	0	18.1	0.07	100	8118	99.84	15.9
2023-02-18 04:45:00	0	0	0	0	216	4.03	5.19	17.9	78.9	99.84	-1.3	-0.5	0	17.9	0.07	100	8118	99.83	15.7
2023-02-18 04:50:00	0	0	0	0	217	3.44	5.93	17.7	79.6	99.83	-1.5	-0.4	0	17.7	0.07	100	8116	99.83	15.4
2023-02-18 04:55:00	0	0	0	0	210	2.93	4.29	17.5	80.4	99.83	-1.4	-0.4	0	17.5	0.07	100	8116	99.83	15.1
2023-02-18 05:00:00	0	0	0	0	199	3.42	4.52	17.2	79	99.83	-1.4	-0.4	0	17.2	0.07	100	8115	99.83	14.8
2023-02-18 05:05:00	0	0	0	0	184	4.05	4.88	17.1	79.4	99.82	-1.6	-0.4	0	17	0.07	100	8115	99.82	14.7
2023-02-18 05:10:00	0	0	0	0	180	3.96	5.39	16.9	79.9	99.82	-1.5	-0.4	0	17	0.07	100	8115	99.83	14.7
2023-02-18 05:15:00	0	0	0	0	184	4.07	5.37	16.9	80.6	99.82	-1.5	-0.3	0	16.9	0.06	100	8115	99.83	14.6
2023-02-18 05:20:00	0	0	0	0	184	3.42	4.38	16.9	81.3	99.83	-1.4	-0.4	0	16.9	0.06	100	8114	99.83	14.6
2023-02-18 05:25:00	0	0	0	0	186	3.2	4.79	17	82.9	99.83	-1.4	-0.4	0	17	0.06	100	8115	99.83	14.5
2023-02-18 05:30:00	0	0	0	0	184	4	5.19	16.8	83.4	99.83	-1.5	-0.4	0	16.8	0.05	100	8113	99.83	14.4
2023-02-18 05:35:00	0	0	0	0	186	3.74	5.57	16.8	83.5	99.84	-1.4	-0.5	0	16.8	0.05	100	8113	99.84	14.4
2023-02-18 05:40:00	0	0	0	0	185	3.67	4.94	16.8	83.4	99.83	-1.4	-0.3	0	16.8	0.05	100	8116	99.83	14.4
2023-02-18 05:45:00	0	0	0	0	178	4.07	5.19	16.9	83.1	99.83	-1.4	-0.5	0	16.9	0.05	100	8114	99.83	14.4
2023-02-18 05:50:00	0	0	0	0	171	4.5	5.64	16.9	83.1	99.82	-1.3	-0.4	0	16.9	0.05	100	8112	99.82	14.5
2023-02-18 05:55:00	0	0	0	0	170	4.21	5.03	16.9	83	99.82	-1.4	-0.2	0	17	0.06	100	8113	99.82	14.6
2023-02-18 06:00:00	0	0	0	0	174	3.98	6.51	17	82.6	99.82	-1.5	-0.5	0	17	0.06	100	8113	99.82	14.7
2023-02-18 06:05:00	0	0	0	0	173	3.58	4.38	17.2	83.1	99.81	-1.6	-0.5	0	17.2	0.06	100	8115	99.81	15
2023-02-18 06:10:00	0	0	0	0	170	3.27	4.97	17.5	84	99.81	-1.5	-0.4	0	17.5	0.05	100	8110	99.82	15.2
2023-02-18 06:15:00	0	0	0	0	168	4.16	5.14	17.7	83.3	99.82	-1.5	-0.5	0	17.7	0.06	100	8113	99.82	15.5
2023-02-18 06:20:00	0	0	0	0	174	3.67	4.74	18	82.9	99.82	-1.5	-0.4	0	18	0.06	100	8112	99.82	15.8
2023-02-18 06:25:00	0	0	0	0	173	3.53	4.7	18.2	84.4	99.82	-1.4	-0.4	0	18.2	0.05	100	8112	99.82	16
2023-02-18 06:30:00	0	0	0	0	169	4.12	5.26	18.4	83.8	99.83	-1.4	-0.4	0	18.4	0.06	100	8112	99.83	16.3
2023-02-18 06:35:00	0	0	0	0	162	3.94	5.55	18.6	83	99.83	-1.4	-0.4	0	18.6	0.06	100	8112	99.83	16.5
2023-02-18 06:40:00	0	0	0	0	166	3.33	4.16	18.8	82.4	99.84	-1.4	-0.4	0	18.8	0.06	100	8112	99.84	16.7
2023-02-18 06:45:00	0.2	0	0	0	174	3.27	5.17	18.9	81.7	99.85	-1.4	-0.5	0	19	0.06	100	8112	99.85	16.9
2023-02-18 06:50:00	1.2	0	0	0	168	3.29	4.14	19	81.4	99.85	-1.4	-0.4	0	19.1	0.07	100	8112	99.85	17
2023-02-18 06:55:00	2	0	0	0	165	3.89	5.5	19.2	83.1	99.85	-1.4	-0.4	0	19.1	0.06	100	8113	99.85	17.2
2023-02-18 07:00:00	3.4	0	0	0	156	4.16	5.32	19.4	82.8	99.84	-1.4	-0.4	0	19.4	0.06	100	8112	99.84	17.4
2023-02-18 07:05:00	4.2	0	0	0	151	4.76	5.84	19.5	82.4	99.84	-1.4	-0.5	0	19.5	0.06	100	8110	99.84	17.6
2023-02-18 07:10:00	5.6	0	0	0	154	4.72	5.75	19.7	82	99.84	-1.4	-0.3	0	19.7	0.07	100	8112	99.84	17.7
2023-02-18 07:15:00	9.4	0	0	0	145	5.01	6.17	19.8	81.5	99.84	-1.4	-0.4	0	19.8	0.07	100	8112	99.84	17.9
2023-02-18 07:20:00	12.8	0	0	0	152	4.45	5.99	19.9	82.6	99.84	-1.3	-0.5	0	20	0.06	100	8111	99.84	18.1
2023-02-18 07:25:00	15.8	0	0	0	148	4.79	6.38	20.1	83.1	99.83	-1.3	-0.5	0	20.2	0.06	100	8113	99.83	18.3
2023-02-18 07:30:00	20.6	0	0	0	146	4.14	5.17	20.2	82.7	99.83	-1.2	-0.3	0	20.3	0.06	100	8112	99.83	18.5
2023-02-18 07:35:00	22	0	0	0	153	4.12	5.5	20.4	84	99.83	-1.3	-0.5	0	20.6	0.06	100	8111	99.83	18.7
2023-02-18 07:40:00	27.8	0	0	0	167	3.83	5.64	20.7	83.8	99.84	-1.3	-0.4	0	20.8	0.06	100	8111	99.84	18.9
2023-02-18 07:45:00	36.8	0	0	0	172	4.99	7.81	21	82.6	99.84	-1.2	-0.4	0	21.1	0.07	100	8112	99.84	19.2
2023-02-18 07:50:00	39	0	0	0	179	5.84	8.08	21.4	81.3	99.84	-1.3	-0.5	0	21.6	0.07	100	8112	99.84	19.6
2023-02-18 07:55:00	50.4	0	0	0	184	6.58	10.16	21.8	81.9	99.84	-1.3	-0.4	0	21.9	0.07	100	8112	99.84	20

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-18 08:00:00	59	0	0	0	193	5.84	9.82	22.2	81	99.85	-1.2	-0.3	0	22.4	0.08	100	8113	99.84	20.3
2023-02-18 08:05:00	60.8	0	0	0	187	5.79	8.93	22.7	80.5	99.85	-1.4	-0.5	0	22.9	0.08	100	8116	99.85	20.7
2023-02-18 08:10:00	103.4	0	0	0	200	7.45	11.61	23.3	80.2	99.85	-1.2	-0.7	0	23.5	0.08	100	8125	99.85	21.1
2023-02-18 08:15:00	145.6	0	0	0	200	7.9	12.93	24.3	78.3	99.85	-1.2	-0.4	0	24.8	0.1	100	8134	99.85	21.6
2023-02-18 08:20:00	136.2	0	0	0	204	10.18	15.39	25.1	76.2	99.85	-1.3	-0.8	0	25.5	0.11	100	8135	99.85	22.3
2023-02-18 08:25:00	114.2	0	0	0	210	8.39	15.86	25.4	75.9	99.85	-1.2	-0.5	0	25.8	0.11	100	8143	99.85	22.8
2023-02-18 08:30:00	135.6	0	0	0	210	9.17	14.85	26	75.2	99.85	-1.1	-0.6	0	26.4	0.12	100	8148	99.85	23.1
2023-02-18 08:35:00	180	0	0	0	210	9.26	13.78	26.7	73.8	99.84	-1.2	-0.5	0	27.2	0.13	100	8168	99.85	23.6
2023-02-18 08:40:00	218.4	0	0	0	215	7.96	12.28	28	72	99.84	-1	-0.4	0	28.7	0.15	100	8181	99.86	24.4
2023-02-18 08:45:00	223.8	0	0	0	206	10.76	19.62	29	70.1	99.84	-1.3	-0.5	0	29.6	0.16	100	8193	99.86	25.2
2023-02-18 08:50:00	247.8	0	0	0	216	9.08	13.44	29.6	68.6	99.85	-0.8	-0.9	0	30.2	0.17	100	8208	99.86	25.9
2023-02-18 08:55:00	285.2	0	0	0	210	10.04	16.04	30.3	67.4	99.84	-1.4	-0.4	0	31	0.19	100	8222	99.85	26.5
2023-02-18 09:00:00	286	0	0	0	217	10.67	14.56	30.7	66.5	99.86	-1.1	-0.5	0	31.5	0.19	100	8231	99.86	27.1
2023-02-18 09:05:00	248	0	0	0	225	12.5	17.29	30.7	65.4	99.84	-1	-0.9	0	31.3	0.2	100	8236	99.85	27.5
2023-02-18 09:10:00	302.4	0	0	0	226	10.85	18.72	30.8	65.5	99.83	-0.8	-0.6	0	31.5	0.2	100	8251	99.86	27.8
2023-02-18 09:15:00	302.8	0	0	0	224	9.46	18.01	31.2	65	99.87	-0.8	-0.8	0	31.9	0.21	100	8260	99.87	28.1
2023-02-18 09:20:00	350.6	0	0	0	228	8.1	11.36	31.6	64.9	99.87	-1	-0.3	0	32.5	0.21	100	8269	99.88	28.6
2023-02-18 09:25:00	345.6	0	0	0	223	8.52	14.07	32.1	63.3	99.87	-1.1	-0.5	0	33	0.22	100	8279	99.89	29
2023-02-18 09:30:00	342.6	0	0	0	229	7.25	10.69	32.2	63	99.88	-1.1	-0.3	0	33.1	0.23	100	8286	99.9	29.3
2023-02-18 09:35:00	347.6	0	0	0	240	4.5	9.42	32	62.6	99.88	-0.9	-0.4	0	33.1	0.23	100	8297	99.89	29.6
2023-02-18 09:40:00	372.2	0	0	0	217	3.44	7.85	32.1	62.2	99.88	-0.6	-1.1	0	33.5	0.23	100	8307	99.9	29.8
2023-02-18 09:45:00	364.6	0	0	0	115	2.19	7.02	32	63.1	99.89	-1	-0.6	0	33.8	0.23	100	8316	99.91	30
2023-02-18 09:50:00	359.8	0	0	0	56	3.56	8.46	33.3	60.4	99.89	-0.9	-0.5	0	34.3	0.25	100	8326	99.91	30.5
2023-02-18 09:55:00	380.8	0	0	0	101	6.55	11.54	34	57.4	99.89	-1	0.2	0	34.4	0.28	100	8333	99.91	30.7
2023-02-18 10:00:00	408.2	0	0	0	268	56.51	67.11	34.2	56.9	99.9	-0.8	-0.9	0	34.5	0.29	100	8344	99.92	30.8
2023-02-18 10:05:00	432.2	0	0	0	265	56.42	67.11	34.2	58.1	99.88	-0.6	0.5	0	34.6	0.28	100	8350	99.91	30.9
2023-02-18 10:10:00	453	0	0	0	256	32.17	66.3	34.7	57.2	99.9	-0.8	-0.4	0	34.8	0.29	100	8357	99.92	31.2
2023-02-18 10:15:00	455.8	0	0	0	242	17.72	66.03	34.8	57	99.91	-0.8	-0.7	0	35.1	0.29	100	8367	99.92	31.4
2023-02-18 10:20:00	474.8	0	0	0	224	16.8	44.87	34.7	57	99.89	-0.6	-0.6	0	35.3	0.29	100	8374	99.91	31.6
2023-02-18 10:25:00	483.4	0	0	0	238	17.43	36.71	34.8	57	99.89	-1.2	-0.3	0	35.5	0.29	100	8380	99.9	31.8
2023-02-18 10:30:00	488.4	0	0	0	242	16.96	55.5	35.1	56.3	99.89	-0.7	-0.8	0	35.7	0.3	100	8387	99.91	32.1
2023-02-18 10:35:00	496	0	0	0	256	35.81	55.97	35.9	54	99.89	-1	-0.4	0	36.1	0.33	100	8393	99.91	32.3
2023-02-18 10:40:00	506.4	0	0	0	252	34.63	58.67	36.1	52.2	99.88	-1.3	-0.2	0	36.2	0.34	100	8400	99.9	32.4
2023-02-18 10:45:00	503	0	0	0	209	17.07	38.18	36	53.8	99.89	-0.9	-0.6	0	36.4	0.33	100	8406	99.9	32.6
2023-02-18 10:50:00	492.4	0	0	0	225	32.86	45.12	36.5	52	99.88	-0.7	-0.6	0	36.7	0.35	100	8412	99.89	32.8
2023-02-18 10:55:00	484.4	0	0	0	223	22.01	46.68	36.3	52.6	99.87	-0.9	-0.1	0	36.9	0.34	100	8418	99.88	33.1
2023-02-18 11:00:00	467.6	0	0	0	214	18.68	29.62	36.6	51.4	99.87	-0.6	-0.5	0	37.4	0.36	100	8421	99.88	33.4
2023-02-18 11:05:00	469.8	0	0	0	215	13.8	22.44	36.8	49.8	99.87	-0.9	-0.4	0	37.5	0.37	100	8425	99.88	33.5
2023-02-18 11:10:00	502.2	0	0	0	203	20.04	29.57	37.1	48.9	99.86	-1.2	-0.3	0	37.8	0.38	100	8430	99.87	33.8
2023-02-18 11:15:00	527.8	0	0	0	212	20.04	28.52	37.1	47.1	99.85	-0.6	-1	0	37.6	0.4	100	8434	99.86	33.7
2023-02-18 11:20:00	553.6	0	0	0	229	17.76	26.98	37.1	47.3	99.85	-0.5	-0.7	0	37.7	0.39	100	8439	99.87	33.8
2023-02-18 11:25:00	567.2	0	0	0	214	18.79	31.65	37.3	47.3	99.85	-1	-0.8	0	37.9	0.4	100	8443	99.85	34
2023-02-18 11:30:00	570.8	0	0	0	228	18.54	32.95	37.4	45.7	99.85	-0.8	-0.6	0	38.1	0.41	100	8446	99.86	34.1
2023-02-18 11:35:00	575.4	0	0	0	206	16.42	22.77	37.7	46.3	99.84	-0.8	-0.5	0	38.3	0.41	100	8449	99.85	34.4
2023-02-18 11:40:00	567.4	0	0	0	221	17.09	27.38	37.8	45.9	99.83	-0.5	-0.5	0	38.5	0.42	100	8452	99.84	34.5
2023-02-18 11:45:00	570.8	0	0	0	220	13.56	26.46	38.1	47	99.84	-0.6	-0.8	0	38.9	0.41	100	8452	99.84	34.8
2023-02-18 11:50:00	554.6	0	0	0	224	17.98	26.96	38.6	43.8	99.83	-0.6	-0.6	0	39.3	0.45	100	8454	99.84	35.1
2023-02-18 11:55:00	551.4	0	0	0	221	13.22	22.03	38.7	45.1	99.83	-0.8	-0.3	0	39.5	0.44	100	8457	99.83	35.3
2023-02-18 12:00:00	542.4	0	0	0	219	19.19	29.86	39.3	43.4	99.82	-0.8	-0.5	0	39.9	0.46	100	8459	99.82	35.6
2023-02-18 12:05:00	529.8	0	0	0	228	16.82	25.23	39.5	42.9	99.81	-0.7	0	0	40.2	0.47	100	8459	99.81	35.8
2023-02-18 12:10:00	509.6	0	0	0	230	19.8	25.84	39.5	41.5	99.81	-0.4	-0.2	0	40.2	0.48	100	8458	99.81	35.9
2023-02-18 12:15:00	492.6	0	0	0	233	15.1	23.62	39.6	41.7	99.81	-0.7	-0.8	0	40.3	0.48	100	8460	99.81	36
2023-02-18 12:20:00	502.6	0	0	0	219	20.45	31.63	40	41.1	99.8	-0.5	-0.7	0	40.6	0.49	100	8459	99.8	36.3
2023-02-18 12:25:00	527	0	0	0	237	17.9	26.53	40.1	40.7	99.8	-0.8	-1	0	40.7	0.5	100	8459	99.8	36.4
2023-02-18 12:30:00	534.4	0	0	0	229	17.22	26.64	40.2	40.7	99.8	-0.6	-1.2	0	40.9	0.5	100	8459	99.79	36.6
2023-02-18 12:35:00	538.6	0	0	0	231	21.16	32.41	40.4	40.3	99.78	-1	-0.1	0	41.1	0.51	100	8459	99.78	36.8
2023-02-18 12:40:00	556	0	0	0	219	17.85	27.94	40.5	40.7	99.78	-0.8	-0.4	0	41.1	0.51	100	8458	99.78	37
2023-02-18 12:45:00	569.6	0	0	0	231	17.11	26.6	40.6	40.5	99.78	-0.6	-0.6	0	41.3	0.51	100	8456	99.77	37.2
2023-02-18 12:50:00	573.2	0	0	0	238	16.96	27.25	40.8	39.7	99.78	-0.9	-0.6	0	41.5	0.52	100	8456	99.77	37.3
2023-02-18 12:55:00	570	0	0	0	235	14.14	20.4	41.1	40.8	99.77	-0.4	-0.9	0	41.9	0.52	100	8453	99.76	37.6
2023-02-18 13:00:00	566.6	0	0	0	233	16.58	22.64	41.6	40.6	99.76	-0.6	-1.1	0	42.3	0.53	100	8451	99.75	37.9
2023-02-18 13:05:00	564.8	0	0	0	225	20.31	27.49	41.7	39.5	99.73	-0.4	-1.2	0	42.4	0.54	100	8448	99.72	38
2023-02-18 13:10:00	547.6	0	0	0	228	14.97	25.19	41.6	40.5	99.74	-1	-0.8	0	42.4	0.53	100	8445	99.73	38.2
2023-02-18 13:15:00	541.8	0	0	0	232	19.13	31.59	41.9	39.9	99.73	-0.6	-0.7	0	42.6	0.54	100	8444	99.72	38.4

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-18 13:20:00	544	0	0	0	240	17.43	25.28	42	39.1	99.73	-0.7	-0.2	0	42.6	0.55	100	8440	99.72	38.5
2023-02-18 13:25:00	531	0	0	0	254	15.46	23.15	42.1	40.5	99.73	-0.9	-0.3	0	42.8	0.54	100	8439	99.72	38.6
2023-02-18 13:30:00	525	0	0	0	234	16.53	26.04	42.3	40.1	99.73	-0.5	-0.9	0	43	0.55	100	8437	99.72	38.9
2023-02-18 13:35:00	513.4	0	0	0	242	14.56	24.32	42.8	40.3	99.74	-0.6	-0.4	0	43.5	0.56	100	8433	99.72	39.2
2023-02-18 13:40:00	502.8	0	0	0	237	18.48	28.05	42.9	39.2	99.73	-0.8	-0.9	0	43.6	0.57	100	8432	99.71	39.3
2023-02-18 13:45:00	491.2	0	0	0	240	21.88	29.39	42.9	39.4	99.72	-0.6	-0.9	0	43.5	0.57	100	8428	99.7	39.3
2023-02-18 13:50:00	480.6	0	0	0	252	15.35	24.7	42.8	39.6	99.73	-0.7	-0.6	0	43.5	0.56	100	8431	99.71	39.4
2023-02-18 13:55:00	467.4	0	0	0	249	14.43	21.63	42.9	40	99.73	-0.4	-0.7	0	43.7	0.56	100	8428	99.71	39.6
2023-02-18 14:00:00	454.2	0	0	0	248	16.02	24.56	43.3	40	99.72	-0.6	-0.1	0	44.1	0.57	100	8423	99.71	39.8
2023-02-18 14:05:00	439	0	0	0	257	14.07	20.15	43.5	40.6	99.73	-0.5	-0.6	0	44.2	0.57	100	8422	99.71	40
2023-02-18 14:10:00	422.2	0	0	0	241	14.56	28.03	43.9	40.2	99.73	-0.4	-0.8	0	44.6	0.58	100	8420	99.71	40.3
2023-02-18 14:15:00	405.6	0	0	0	259	17.92	25.28	44	39.2	99.72	-0.5	-0.9	0	44.7	0.6	100	8418	99.69	40.4
2023-02-18 14:20:00	393.2	0	0	0	255	15.64	24.23	43.7	39.4	99.72	-0.4	-0.6	0	44.4	0.59	100	8416	99.69	40.4
2023-02-18 14:25:00	383.4	0	0	0	236	19.51	31.34	44	39.1	99.71	-0.5	-0.3	0	44.6	0.59	100	8415	99.69	40.6
2023-02-18 14:30:00	377.2	0	0	0	233	13.29	20.62	43.8	39.3	99.71	-0.8	-0.3	0	44.6	0.59	100	8415	99.69	40.7
2023-02-18 14:35:00	374.2	0	0	0	260	17.4	24.96	44	40	99.71	-1	-0.5	0	44.7	0.59	100	8413	99.68	40.9
2023-02-18 14:40:00	372.4	0	0	0	259	16.15	22.64	44.2	40.1	99.71	-0.7	-0.6	0	44.9	0.59	100	8412	99.68	41
2023-02-18 14:45:00	369.2	0	0	0	239	20.89	32.06	44.2	39.8	99.7	-0.1	-0.5	0	44.9	0.59	100	8410	99.67	41.1
2023-02-18 14:50:00	365	0	0	0	256	18.14	23.44	44.1	39.4	99.71	-0.4	-0.7	0	44.8	0.6	100	8408	99.68	41.2
2023-02-18 14:55:00	359.2	0	0	0	256	14.63	25.19	44.1	40	99.71	-0.7	-0.6	0	44.8	0.59	100	8407	99.69	41.3
2023-02-18 15:00:00	352	0	0	0	256	14.63	27.16	44.3	41	99.72	-0.7	-0.5	0	45	0.58	100	8409	99.69	41.6
2023-02-18 15:05:00	344.8	0	0	0	252	16.71	28.86	44.5	40.5	99.72	-0.9	-1.4	0	45.2	0.59	100	8406	99.69	41.7
2023-02-18 15:10:00	336.2	0	0	0	246	19.84	32.84	44.5	39.9	99.72	0.1	-0.5	0	45.2	0.6	100	8403	99.69	41.8
2023-02-18 15:15:00	327.2	0	0	0	241	16.2	26.42	44.5	40.4	99.72	-0.3	-0.8	0	45.1	0.59	100	8405	99.7	42
2023-02-18 15:20:00	318	0	0	0	246	17.98	26.24	44.6	40	99.72	-0.6	-1.1	0	45.1	0.6	100	8401	99.69	42.1
2023-02-18 15:25:00	309	0	0	0	251	14.85	23	44.7	40.4	99.72	-0.3	-0.6	0	45.2	0.6	100	8400	99.69	42.2
2023-02-18 15:30:00	298.8	0	0	0	235	19.17	28.99	44.6	40.3	99.72	-0.3	-0.6	0	45.1	0.6	100	8401	99.69	42.3
2023-02-18 15:35:00	286.4	0	0	0	247	14.72	22.66	44.5	40.5	99.73	-0.7	-1.2	0	45.1	0.59	100	8396	99.69	42.4
2023-02-18 15:40:00	272.2	0	0	0	259	12.55	19.28	44.6	41.9	99.74	-0.3	-0.6	0	45.3	0.58	100	8400	99.7	42.5
2023-02-18 15:45:00	256.2	0	0	0	266	12.84	19.69	44.7	41.6	99.74	-0.5	-0.4	0	45.3	0.59	100	8396	99.7	42.6
2023-02-18 15:50:00	241.6	0	0	0	277	13.96	19.08	44.7	41.8	99.75	-0.5	-0.7	0	45.2	0.58	100	8395	99.71	42.6
2023-02-18 15:55:00	211.8	0	0	0	283	16.31	23.06	44.4	41.7	99.75	-0.2	-0.9	0	44.8	0.58	100	8393	99.72	42.5
2023-02-18 16:00:00	195.8	0	0	0	290	12.5	21.72	43.9	42.1	99.76	-0.5	-0.8	0	44.3	0.56	100	8393	99.72	42.4
2023-02-18 16:05:00	177.6	0	0	0	286	12.62	17.63	43.7	42.4	99.75	-0.6	-0.3	0	44.1	0.56	100	8391	99.72	42.5
2023-02-18 16:10:00	125.8	0	0	0	281	13.98	23.47	43.3	43.1	99.76	-0.5	-0.4	0	43.5	0.54	100	8392	99.72	42.3
2023-02-18 16:15:00	171.4	0	0	0	279	14.29	23.69	42.4	44	99.77	-1	-0.6	0	42.8	0.52	100	8390	99.73	42
2023-02-18 16:20:00	157.8	0	0	0	280	15.52	21.07	42.1	44.6	99.77	-0.4	-0.6	0	42.4	0.5	100	8389	99.74	41.9
2023-02-18 16:25:00	144	0	0	0	272	19.42	31.25	42	45.1	99.78	-0.5	-0.5	0	42.3	0.5	100	8387	99.74	41.6
2023-02-18 16:30:00	129.8	0	0	0	280	20.49	31.36	41.8	44.5	99.77	-0.6	-1	0	42	0.5	100	8388	99.74	41.5
2023-02-18 16:35:00	116.2	0	0	0	276	14.72	24.9	41.6	45.2	99.79	-0.6	-0.6	0	41.9	0.49	100	8386	99.75	41.4
2023-02-18 16:40:00	102.6	0	0	0	278	16.44	26.19	41.5	45.6	99.79	-0.4	-0.3	0	41.7	0.48	100	8384	99.76	41.2
2023-02-18 16:45:00	89.2	0	0	0	271	15.48	22.48	41.3	46.1	99.81	-0.7	0.1	0	41.5	0.47	100	8383	99.77	41
2023-02-18 16:50:00	77.2	0	0	0	267	15.41	27.49	41.1	46.1	99.81	-1.1	-0.3	0	41.3	0.47	100	8380	99.78	40.8
2023-02-18 16:55:00	67	0	0	0	278	14.58	23.55	40.9	46.5	99.83	-0.5	-1	0	41.1	0.46	100	8381	99.79	40.6
2023-02-18 17:00:00	57	0	0	0	278	13.22	19.84	40.7	47.5	99.84	-0.9	-0.5	0	40.9	0.45	100	8380	99.8	40.2
2023-02-18 17:05:00	46	0	0	0	274	14.7	23.42	40.4	47.1	99.85	-0.7	-0.5	0	40.6	0.45	100	8378	99.81	39.8
2023-02-18 17:10:00	33.2	0	0	0	269	12.82	20.42	40.1	48.1	99.85	-1	-0.5	0	40.2	0.44	100	8377	99.81	39.5
2023-02-18 17:15:00	26.4	0	0	0	276	15.26	23.64	39.7	47.9	99.86	-0.5	-0.7	0	39.8	0.43	100	8377	99.81	38.9
2023-02-18 17:20:00	15.4	0	0	0	275	11.79	18.32	39.4	48.8	99.86	-0.5	-1	0	39.5	0.42	100	8373	99.82	38.5
2023-02-18 17:25:00	11.4	0	0	0	274	15.39	23.82	39	49	99.86	-0.8	-0.3	0	39	0.41	100	8374	99.82	38
2023-02-18 17:30:00	7.2	0	0	0	278	16.91	26.42	38.6	49.6	99.88	-0.8	-0.5	0	38.6	0.4	100	8371	99.84	37.8
2023-02-18 17:35:00	3.8	0	0	0	269	17.52	23.49	38.4	50.3	99.9	-0.5	-0.5	0	38.4	0.39	100	8370	99.85	37.6
2023-02-18 17:40:00	2	0	0	0	267	16.87	24.47	38.2	50.5	99.9	-0.2	-0.2	0	38.1	0.39	100	8371	99.85	37.3
2023-02-18 17:45:00	0.8	0	0	0	271	18.54	24.81	38	50.8	99.9	-1.2	-1.1	0	38	0.38	100	8368	99.86	37.2
2023-02-18 17:50:00	0	0	0	0	271	15.26	23.87	37.9	51.4	99.92	-0.7	-0.5	0	37.9	0.38	100	8368	99.88	37
2023-02-18 17:55:00	0	0	0	0	278	13.89	25.23	37.7	51.3	99.94	-1.1	-0.4	0	37.8	0.37	100	8369	99.9	36.8
2023-02-18 18:00:00	0	0	0	0	273	15.57	23.8	37.5	52.6	99.94	-0.8	-0.7	0	37.5	0.36	100	8367	99.89	36.5
2023-02-18 18:05:00	0	0	0	0	267	14.34	21.56	37.3	53	99.94	-0.6	-0.7	0	37.3	0.35	100	8367	99.9	36.4
2023-02-18 18:10:00	0	0	0	0	267	15.97	26.71	37.1	53.3	99.95	-0.6	-0.6	0	37.1	0.35	100	8366	99.91	36.2
2023-02-18 18:15:00	0	0	0	0	262	17.58	29.53	37.1	54	99.96	-1	-0.7	0	37.1	0.34	100	8367	99.91	36.1
2023-02-18 18:20:00	0	0	0	0	258	18.21	27.63	37.1	54.5	99.97	-0.8	-0.7	0	37.1	0.34	100	8366	99.93	36.1
2023-02-18 18:25:00	0	0	0	0	262	16.67	26.13	36.9	55.1	99.98	-0.8	-0.3	0	36.9	0.33	100	8362	99.93	35.9
2023-02-18 18:30:00	0	0	0	0	265	14.92	22.03	36.9	55.2	99.99	-1	-0.4	0	36.9	0.33	100	8361	99.93	35.8
2023-02-18 18:35:00	0	0	0	0	266	13.06	19.82	36.7	55.7	99.99	-0.9	-0.6	0	36.7	0.33	100	8360	99.94	35.6

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-18 18:40:00	0	0	0	0	264	11.97	17.45	36.4	56.2	100	-0.7	-0.5	0	36.4	0.32	100	8361	99.95	35.4
2023-02-18 18:45:00	0	0	0	0	263	11.59	15.88	36.3	56.5	100	-0.7	-0.6	0	36.3	0.32	100	8361	99.96	35.2
2023-02-18 18:50:00	0	0	0	0	266	12.33	18.05	36	57.1	100	-0.9	-0.5	0	36	0.31	100	8359	99.96	35
2023-02-18 18:55:00	0	0	0	0	262	11.01	13.98	35.9	57.6	100.01	-0.9	-0.6	0	35.9	0.3	100	8359	99.97	34.8
2023-02-18 19:00:00	0	0	0	0	266	11.41	15.7	35.7	58.9	100.01	-0.8	-0.7	0	35.8	0.29	100	8359	99.97	34.6
2023-02-18 19:05:00	0	0	0	0	261	10.74	13.8	35.6	58.6	100.01	-1	-0.5	0	35.7	0.29	100	8355	99.97	34.5
2023-02-18 19:10:00	0	0	0	0	263	10.67	16.35	35.6	59.5	100.01	-0.8	-0.4	0	35.6	0.29	100	8357	99.97	34.3
2023-02-18 19:15:00	0	0	0	0	266	11.23	16.28	35.4	60	100.01	-0.8	-0.5	0	35.4	0.28	100	8356	99.96	34.2
2023-02-18 19:20:00	0	0	0	0	265	10.4	14.67	35.3	60.1	100	-0.8	-0.6	0	35.3	0.28	100	8353	99.96	34.1
2023-02-18 19:25:00	0	0	0	0	264	9.78	14.97	35.2	60.5	100.01	-0.9	-0.4	0	35.2	0.27	100	8353	99.97	33.9
2023-02-18 19:30:00	0	0	0	0	268	10.49	16.28	35.1	60.6	100.01	-0.8	-0.5	0	35.1	0.27	100	8352	99.98	33.8
2023-02-18 19:35:00	0	0	0	0	268	9.46	12.44	34.9	61.2	100.02	-0.9	-0.5	0	35	0.27	100	8351	99.98	33.7
2023-02-18 19:40:00	0	0	0	0	265	8.9	13.53	34.8	61.4	100.02	-1	-0.6	0	34.8	0.26	100	8352	99.98	33.5
2023-02-18 19:45:00	0	0	0	0	266	9.37	11.92	34.7	61.6	100.03	-1	-0.6	0	34.7	0.26	100	8352	99.99	33.3
2023-02-18 19:50:00	0	0	0	0	267	9.8	12.82	34.6	61.9	100.03	-0.9	-0.4	0	34.6	0.26	100	8352	99.99	33.3
2023-02-18 19:55:00	0	0	0	0	263	8.59	13.38	34.6	62.5	100.04	-0.8	-0.6	0	34.6	0.25	100	8349	99.99	33.2
2023-02-18 20:00:00	0	0	0	0	266	8.72	12.73	34.5	63.4	100.04	-0.9	-0.5	0	34.5	0.25	100	8349	100	33
2023-02-18 20:05:00	0	0	0	0	269	8.32	12.15	34.4	63.9	100.04	-0.7	-0.6	0	34.4	0.24	100	8349	100	32.9
2023-02-18 20:10:00	0	0	0	0	269	7.81	9.62	34.2	64	100.05	-0.9	-0.4	0	34.2	0.24	100	8351	100.01	32.8
2023-02-18 20:15:00	0	0	0	0	267	7.34	10.33	34.1	64.1	100.05	-0.9	-0.6	0	34.1	0.24	100	8348	100.01	32.5
2023-02-18 20:20:00	0	0	0	0	265	7.43	9.35	34	65	100.06	-0.9	-0.5	0	34	0.23	100	8345	100.02	32.4
2023-02-18 20:25:00	0	0	0	0	266	7.54	10.85	33.8	65.1	100.07	-1	-0.4	0	33.8	0.23	100	8346	100.03	32.3
2023-02-18 20:30:00	0	0	0	0	259	6.29	9.62	33.6	65.4	100.06	-0.9	-0.6	0	33.6	0.23	100	8344	100.02	32.1
2023-02-18 20:35:00	0	0	0	0	251	4.68	6.76	33.6	66	100.06	-0.9	-0.5	0	33.5	0.22	100	8346	100.02	31.9
2023-02-18 20:40:00	0	0	0	0	254	4.63	6.55	33.4	66.6	100.06	-1	-0.5	0	33.4	0.22	100	8345	100.01	31.6
2023-02-18 20:45:00	0	0	0	0	257	5.66	7.31	33.4	66.9	100.05	-0.9	-0.5	0	33.4	0.21	100	8346	100.01	31.5
2023-02-18 20:50:00	0	0	0	0	251	4.99	7.65	33.3	68.1	100.06	-0.8	-0.5	0	33.3	0.2	100	8342	100.02	31.5
2023-02-18 20:55:00	0	0	0	0	248	5.7	9.75	33.3	68.4	100.07	-0.8	-0.4	0	33.3	0.2	100	8342	100.03	31.4
2023-02-18 21:00:00	0	0	0	0	256	5.12	6.8	33.2	68.2	100.07	-0.9	-0.6	0	33.2	0.2	100	8341	100.03	31.4
2023-02-18 21:05:00	0	0	0	0	258	5.46	7.85	33.2	68.2	100.07	-1	-0.6	0	33.2	0.2	100	8342	100.03	31.3
2023-02-18 21:10:00	0	0	0	0	244	5.88	8.63	33.2	68.7	100.06	-0.8	-0.6	0	33.2	0.2	100	8341	100.02	31.3
2023-02-18 21:15:00	0	0	0	0	242	5.93	8.3	33.2	68.6	100.06	-0.8	-0.4	0	33.2	0.2	100	8343	100.02	31.3
2023-02-18 21:20:00	0	0	0	0	242	6.08	7.47	33.3	68.8	100.06	-0.9	-0.6	0	33.3	0.2	100	8339	100.02	31.3
2023-02-18 21:25:00	0	0	0	0	234	7.2	9.78	33.3	69.6	100.05	-0.8	-0.4	0	33.3	0.2	100	8339	100.01	31.4
2023-02-18 21:30:00	0	0	0	0	226	7.7	12.3	33.6	69	100.06	-0.8	-0.5	0	33.6	0.2	100	8338	100.01	31.6
2023-02-18 21:35:00	0	0	0	0	213	6.49	9.69	33.7	68.7	100.06	-0.9	-0.5	0	33.7	0.2	100	8338	100.02	31.7
2023-02-18 21:40:00	0	0	0	0	210	5.77	7.94	33.8	68.6	100.07	-0.8	-0.4	0	33.7	0.21	100	8339	100.03	31.6
2023-02-18 21:45:00	0	0	0	0	220	7.45	12.44	33.7	69.5	100.07	-0.9	-0.4	0	33.7	0.2	100	8338	100.03	31.6
2023-02-18 21:50:00	0	0	0	0	221	8.43	11.34	33.8	70.1	100.06	-0.9	-0.5	0	33.8	0.2	100	8339	100.02	31.8
2023-02-18 21:55:00	0	0	0	0	226	7.92	11.36	33.9	70	100.06	-0.9	-0.6	0	33.9	0.2	100	8334	100.02	31.9
2023-02-18 22:00:00	0	0	0	0	242	6.71	8.99	34	69.8	100.06	-0.9	-0.5	0	34	0.2	100	8336	100.01	31.9
2023-02-18 22:05:00	0	0	0	0	252	5.88	8.61	33.8	70.6	100.05	-0.8	-0.4	0	33.8	0.19	100	8334	100.01	31.8
2023-02-18 22:10:00	0	0	0	0	252	5.93	8.46	33.7	71.3	100.05	-0.9	-0.6	0	33.7	0.19	100	8336	100.01	31.7
2023-02-18 22:15:00	0	0	0	0	250	5.32	7.54	33.5	71.8	100.05	-0.9	-0.5	0	33.5	0.18	100	8336	100.01	31.5
2023-02-18 22:20:00	0	0	0	0	248	5.86	7.18	33.4	72.6	100.05	-0.8	-0.4	0	33.4	0.18	100	8334	100.02	31.4
2023-02-18 22:25:00	0	0	0	0	249	5.66	8.21	33.3	72.6	100.06	-0.9	-0.5	0	33.3	0.18	100	8335	100.02	31.4
2023-02-18 22:30:00	0	0	0	0	248	6.8	9.8	33.3	73.1	100.05	-0.8	-0.5	0	33.3	0.17	100	8334	100.02	31.4
2023-02-18 22:35:00	0	0	0	0	257	7.54	9.73	33.4	72.7	100.05	-0.9	-0.5	0	33.4	0.18	100	8331	100.01	31.5
2023-02-18 22:40:00	0	0	0	0	258	5.68	7.65	33.5	73.2	100.05	-1	-0.4	0	33.5	0.17	100	8333	100.01	31.6
2023-02-18 22:45:00	0	0	0	0	249	5.12	6.53	33.5	72.5	100.05	-0.9	-0.6	0	33.5	0.18	100	8336	100.01	31.4
2023-02-18 22:50:00	0	0	0	0	230	5.21	6.91	33.3	72.9	100.04	-0.9	-0.5	0	33.3	0.17	100	8330	100	31.2
2023-02-18 22:55:00	0	0	0	0	176	4.7	6.22	33.3	73.1	100.04	-1	-0.5	0	33.3	0.17	100	8330	99.99	31
2023-02-18 23:00:00	0	0	0	0	153	4.79	5.55	33.2	73.4	100.03	-0.9	-0.4	0	33.2	0.17	100	8331	99.99	30.9
2023-02-18 23:05:00	0	0	0	0	150	6.67	9.46	32.8	74	100.03	-0.9	-0.6	0	32.7	0.16	100	8330	99.99	30.6
2023-02-18 23:10:00	0	0	0	0	152	7.81	9.08	32.5	74.1	100.02	-0.9	-0.5	0	32.6	0.16	100	8328	99.99	30.4
2023-02-18 23:15:00	0	0	0	0	161	7.61	9.19	32.3	74.3	100.03	-1	-0.3	0	32.3	0.16	100	8329	99.99	30.3
2023-02-18 23:20:00	0	0	0	0	166	6.76	8.01	32.3	74.3	100.03	-0.9	-0.4	0	32.4	0.16	100	8330	100	30.2
2023-02-18 23:25:00	0	0	0	0	166	8.3	9.33	32.3	74	100.04	-0.9	-0.4	0	32.3	0.16	100	8328	100	30.1
2023-02-18 23:30:00	0	0	0	0	165	8.39	9.78	32.3	74.4	100.03	-0.9	-0.4	0	32.3	0.16	100	8327	99.99	30.1
2023-02-18 23:35:00	0	0	0	0	166	8.52	9.4	32.2	73.7	100.03	-0.8	-0.5	0	32.2	0.16	100	8324	99.99	30.1
2023-02-18 23:40:00	0	0	0	0	164	7.83	8.81	32.1	73.7	100.02	-0.8	-0.5	0	32.1	0.16	100	8325	99.99	30
2023-02-18 23:45:00	0	0	0	0	160	8.93	10.45	32	73.6	100.01	-1	-0.5	0	32	0.16	100	8324	99.98	29.9
2023-02-18 23:50:00	0	0	0	0	161	8.79	10.33	31.7	74.4	100	-1	-0.4	0	31.7	0.15	100	8323	99.97	29.8
2023-02-18 23:55:00	0	0	0	0	160	8.14	9.95	31.7	74.5	100	-1	-0.6	0	31.7	0.15	100	8324	99.97	29.8

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-19 00:00:00	0	0	0	0	161	8.61	10.22	31.4	73.8	100	-1	-0.5	0	31.4	0.16	100	8325	99.97	29.6
2023-02-19 00:05:00	0	0	0	0	164	7.67	9.48	31.3	74	100	-1	-0.4	0	31.3	0.15	100	8295	99.97	29.7
2023-02-19 00:10:00	0	0	0	0	166	7.49	8.66	31.1	74.6	100	-0.9	-0.4	0	31.2	0.15	100	8288	99.97	29.7
2023-02-19 00:15:00	0	0	0	0	165	8.03	9.82	30.9	74.9	100	-0.9	-0.5	0	31	0.15	100	8278	99.97	29.7
2023-02-19 00:20:00	0	0	0	0	166	7.78	8.88	30.9	75.3	99.99	-0.9	-0.5	0	30.9	0.14	100	8294	99.96	29.5
2023-02-19 00:25:00	0	0	0	0	163	8.25	8.99	30.9	75.2	99.99	-1	-0.5	0	30.9	0.14	100	8297	99.97	29.2
2023-02-19 00:30:00	0	0	0	0	163	7.94	8.84	30.8	75.4	100	-1	-0.4	0	30.8	0.14	100	8298	99.97	29
2023-02-19 00:35:00	0	0	0	0	163	8.63	9.82	30.6	76	99.98	-1	-0.5	0	30.6	0.14	100	8298	99.95	28.8
2023-02-19 00:40:00	0	0	0	0	157	8.21	9.33	30.5	76.1	99.97	-1.1	-0.6	0	30.5	0.14	100	8299	99.95	28.8
2023-02-19 00:45:00	0	0	0	0	156	9.08	11.21	30.5	76.3	99.97	-1.1	-0.5	0	30.5	0.14	100	8301	99.94	28.7
2023-02-19 00:50:00	0	0	0	0	162	9.19	10.6	30.3	76.1	99.97	-0.9	-0.5	0	30.3	0.14	100	8300	99.93	28.6
2023-02-19 00:55:00	0	0	0	0	160	9.26	10.78	30.1	76.6	99.95	-1	-0.4	0	30.1	0.13	100	8300	99.92	28.5
2023-02-19 01:00:00	0	0	0	0	155	9.98	11.86	30.1	76.1	99.94	-1	-0.5	0	30.1	0.13	100	8301	99.92	28.4
2023-02-19 01:05:00	0	0	0	0	166	8.55	9.82	29.9	76.6	99.95	-1	-0.5	0	29.9	0.13	100	8298	99.92	28.4
2023-02-19 01:10:00	0	0	0	0	164	8.43	9.95	29.8	76.8	99.95	-1	-0.5	0	29.8	0.13	100	8299	99.92	28.2
2023-02-19 01:15:00	0	0	0	0	167	7.99	10.31	29.8	77	99.95	-0.9	-0.4	0	29.7	0.13	100	8300	99.93	28.1
2023-02-19 01:20:00	0	0	0	0	167	8.28	10.33	29.6	77.5	99.95	-1	-0.4	0	29.6	0.12	100	8298	99.93	28.1
2023-02-19 01:25:00	0	0	0	0	165	8.84	10.2	29.8	77	99.96	-1	-0.4	0	29.8	0.13	100	8299	99.93	28.1
2023-02-19 01:30:00	0	0	0	0	164	8.93	10.65	29.8	76.9	99.96	-0.9	-0.4	0	29.8	0.13	100	8298	99.93	28.1
2023-02-19 01:35:00	0	0	0	0	160	9.15	11.45	29.8	77.2	99.95	-1	-0.5	0	29.8	0.13	100	8297	99.93	28.2
2023-02-19 01:40:00	0	0	0	0	158	8.32	10.02	29.7	77.5	99.95	-1	-0.4	0	29.7	0.13	100	8298	99.93	28.2
2023-02-19 01:45:00	0	0	0	0	156	8.46	10.09	29.8	77.5	99.96	-1.1	-0.4	0	29.8	0.13	100	8301	99.93	28.2
2023-02-19 01:50:00	0	0	0	0	158	7.78	9.57	29.7	77.5	99.96	-1.1	-0.4	0	29.7	0.13	100	8298	99.94	28.2
2023-02-19 01:55:00	0	0	0	0	158	9.08	10.51	29.7	77.4	99.97	-1.1	-0.6	0	29.7	0.13	100	8298	99.95	28.2
2023-02-19 02:00:00	0	0	0	0	152	8.41	9.91	29.7	77.4	99.97	-1	-0.6	0	29.7	0.13	100	8296	99.94	28.1
2023-02-19 02:05:00	0	0	0	0	148	7.92	10.02	29.6	77.6	99.96	-1	-0.5	0	29.6	0.12	100	8297	99.93	28.1
2023-02-19 02:10:00	0	0	0	0	150	7.34	8.63	29.5	77.8	99.96	-1	-0.5	0	29.5	0.12	100	8299	99.94	28
2023-02-19 02:15:00	0	0	0	0	151	6.67	7.31	29.4	78.1	99.96	-1.2	-0.4	0	29.4	0.12	100	8296	99.94	28
2023-02-19 02:20:00	0	0	0	0	142	6.89	9.55	29.3	78.5	99.96	-1.1	-0.5	0	29.3	0.12	100	8298	99.93	27.9
2023-02-19 02:25:00	0	0	0	0	141	6.71	7.92	29.4	78.2	99.95	-1	-0.4	0	29.4	0.12	100	8295	99.93	27.9
2023-02-19 02:30:00	0	0	0	0	147	8.28	10.58	29.3	78.5	99.96	-1.1	-0.5	0	29.3	0.12	100	8296	99.93	27.9
2023-02-19 02:35:00	0	0	0	0	147	8.84	10.71	29.5	77.8	99.95	-1.1	-0.3	0	29.5	0.12	100	8295	99.93	28
2023-02-19 02:40:00	0	0	0	0	144	7.63	8.55	29.6	77.5	99.95	-1.1	-0.4	0	29.6	0.12	100	8293	99.93	28.1
2023-02-19 02:45:00	0	0	0	0	155	8.25	9.89	29.5	77.8	99.95	-1.1	-0.4	0	29.5	0.12	100	8294	99.93	28
2023-02-19 02:50:00	0	0	0	0	151	8.34	9.93	29.6	77.5	99.94	-1.2	-0.4	0	29.6	0.12	100	8292	99.91	28.1
2023-02-19 02:55:00	0	0	0	0	151	8.05	9.44	29.8	76.9	99.94	-0.9	-0.5	0	29.8	0.13	100	8296	99.91	28.1
2023-02-19 03:00:00	0	0	0	0	158	6.85	8.28	29.8	76.9	99.93	-1	-0.4	0	29.8	0.13	100	8295	99.91	28.1
2023-02-19 03:05:00	0	0	0	0	160	7.56	9.6	29.8	76.9	99.92	-1.1	-0.6	0	29.8	0.13	100	8293	99.9	28.2
2023-02-19 03:10:00	0	0	0	0	165	7.43	9.31	29.9	76.7	99.92	-0.9	-0.4	0	29.9	0.13	100	8294	99.89	28.3
2023-02-19 03:15:00	0	0	0	0	167	8.5	10.22	30.2	75.8	99.91	-1	-0.5	0	30.2	0.14	100	8293	99.89	28.5
2023-02-19 03:20:00	0	0	0	0	166	9.78	12.46	30.5	74.4	99.9	-0.9	-0.5	0	30.5	0.15	100	8292	99.87	28.8
2023-02-19 03:25:00	0	0	0	0	166	9.51	12.48	30.9	73.5	99.88	-1	-0.6	0	31	0.15	100	8294	99.85	29.2
2023-02-19 03:30:00	0	0	0	0	170	9.91	12.64	31.4	72.1	99.88	-0.9	-0.3	0	31.4	0.17	100	8293	99.86	29.6
2023-02-19 03:35:00	0	0	0	0	175	9.53	11.99	31.7	70.4	99.9	-0.9	-0.6	0	31.7	0.18	100	8293	99.87	30
2023-02-19 03:40:00	0	0	0	0	173	9.4	13.44	32.1	69.2	99.89	-0.9	-0.3	0	32	0.19	100	8289	99.85	30.3
2023-02-19 03:45:00	0	0	0	0	173	10.56	13.2	32.4	68.1	99.87	-0.9	-0.5	0	32.4	0.2	100	8292	99.84	30.5
2023-02-19 03:50:00	0	0	0	0	180	9.75	12.82	32.5	67.6	99.87	-0.9	-0.4	0	32.5	0.2	100	8292	99.84	30.8
2023-02-19 03:55:00	0	0	0	0	178	10.69	13.31	32.6	67.2	99.87	-0.9	-0.7	0	32.6	0.21	100	8291	99.84	30.9
2023-02-19 04:00:00	0	0	0	0	178	10.45	12.73	32.7	66.8	99.87	-0.9	-0.6	0	32.7	0.21	100	8292	99.84	31.1
2023-02-19 04:05:00	0	0	0	0	182	10.69	13.94	32.8	66.5	99.87	-0.9	-0.7	0	32.9	0.21	100	8291	99.83	31.2
2023-02-19 04:10:00	0	0	0	0	176	9.62	12.73	33	65.9	99.85	-1	-0.3	0	33	0.22	100	8291	99.82	31.4
2023-02-19 04:15:00	0	0	0	0	178	9.28	11.86	33.2	65.6	99.85	-0.9	-0.4	0	33.2	0.22	100	8290	99.82	31.6
2023-02-19 04:20:00	0	0	0	0	176	9.1	11.39	33.3	65.2	99.84	-0.9	-0.5	0	33.3	0.22	100	8290	99.8	31.7
2023-02-19 04:25:00	0	0	0	0	183	10.33	12.64	33.5	64.6	99.85	-0.9	-0.4	0	33.5	0.23	100	8291	99.82	31.9
2023-02-19 04:30:00	0	0	0	0	180	9.42	13.06	33.5	64.6	99.85	-0.8	-0.5	0	33.5	0.23	100	8291	99.81	32
2023-02-19 04:35:00	0	0	0	0	179	9.66	14.2	33.7	64.2	99.85	-0.8	-0.5	0	33.7	0.23	100	8289	99.82	32.1
2023-02-19 04:40:00	0	0	0	0	177	9.84	12.97	33.8	63.9	99.85	-0.7	-0.4	0	33.8	0.24	100	8289	99.82	32.3
2023-02-19 04:45:00	0	0	0	0	177	9.93	12.86	33.9	63.7	99.86	-0.9	-0.6	0	33.9	0.24	100	8292	99.82	32.4
2023-02-19 04:50:00	0	0	0	0	177	9.37	11.74	33.8	63.9	99.86	-0.9	-0.3	0	33.8	0.24	100	8290	99.83	32.4
2023-02-19 04:55:00	0	0	0	0	173	9.13	12.44	33.9	63.5	99.85	-0.9	-0.5	0	33.8	0.24	100	8290	99.81	32.4
2023-02-19 05:00:00	0	0	0	0	169	9.86	12.93	33.9	63.7	99.83	-1	-0.5	0	33.9	0.24	100	8290	99.8	32.4
2023-02-19 05:05:00	0	0	0	0	173	10.07	13.13	34.1	63.3	99.82	-0.9	-0.7	0	34.1	0.24	100	8287	99.79	32.6
2023-02-19 05:10:00	0	0	0	0	176	9.04	12.86	34.2	63	99.82	-0.9	-0.4	0	34.2	0.25	100	8290	99.79	32.8
2023-02-19 05:15:00	0	0	0	0	180	8.61	10.2	34.3	62.6	99.84	-0.8	-0.4	0	34.3	0.25	100	8292	99.81	32.9

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-19 05:20:00	0	0	0	0	180	10.02	13.33	34.4	62.5	99.85	-0.9	-0.5	0	34.4	0.25	100	8289	99.82	33
2023-02-19 05:25:00	0	0	0	0	176	9.93	13.8	34.4	62.3	99.84	-1	-0.5	0	34.4	0.25	100	8288	99.81	33.1
2023-02-19 05:30:00	0	0	0	0	175	9.93	13.89	34.4	62.3	99.84	-0.8	-0.6	0	34.5	0.25	100	8288	99.81	33.2
2023-02-19 05:35:00	0	0	0	0	173	10.18	14.43	34.6	62	99.81	-0.8	-0.6	0	34.6	0.26	100	8286	99.78	33.2
2023-02-19 05:40:00	0	0	0	0	175	10.22	13.47	34.6	61.9	99.8	-0.8	-0.5	0	34.6	0.26	100	8286	99.78	33.3
2023-02-19 05:45:00	0	0	0	0	181	9.84	13.31	34.6	61.9	99.83	-0.8	-0.4	0	34.6	0.26	100	8286	99.8	33.4
2023-02-19 05:50:00	0	0	0	0	178	9.86	13.31	34.7	61.7	99.82	-0.6	-0.4	0	34.8	0.26	100	8286	99.78	33.4
2023-02-19 05:55:00	0	0	0	0	175	11.7	15.68	34.7	61.7	99.8	-0.8	-0.5	0	34.7	0.26	100	8285	99.77	33.4
2023-02-19 06:00:00	0	0	0	0	179	9.66	11.95	34.7	61.7	99.8	-0.8	-0.5	0	34.7	0.26	100	8284	99.77	33.5
2023-02-19 06:05:00	0	0	0	0	169	11.14	13.78	34.8	61.5	99.78	-0.9	-0.3	0	34.7	0.26	100	8284	99.74	33.5
2023-02-19 06:10:00	0	0	0	0	155	10	13.04	34.7	62.2	99.75	-0.8	-0.6	0	34.7	0.26	100	8284	99.72	33.5
2023-02-19 06:15:00	0	0	0	0	147	8.12	9.78	34.3	64.2	99.75	-0.9	-0.4	0	34.3	0.24	100	8285	99.71	33.1
2023-02-19 06:20:00	0	0	0	0	164	10.18	12.06	33.8	64.6	99.75	-0.8	-0.5	0	33.8	0.23	100	8283	99.73	32.8
2023-02-19 06:25:00	0	0	0	0	169	8.93	11.43	33.7	65	99.77	-0.9	-0.4	0	33.7	0.23	100	8284	99.74	32.7
2023-02-19 06:30:00	0	0	0	0	171	8.84	11.34	33.7	65.2	99.77	-0.8	-0.4	0	33.6	0.23	100	8283	99.73	32.7
2023-02-19 06:35:00	0	0	0	0	168	10.47	13.29	33.7	64.6	99.75	-0.7	-0.5	0	33.7	0.23	100	8282	99.71	32.8
2023-02-19 06:40:00	0	0	0	0	160	11.79	14.63	33.7	65.3	99.71	-0.8	-0.4	0	33.7	0.23	100	8280	99.68	32.8
2023-02-19 06:45:00	0	0	0	0	158	11.03	13.31	33.7	65.8	99.71	-0.8	-0.4	0	33.7	0.22	100	8281	99.68	32.6
2023-02-19 06:50:00	0	0	0	0	158	10.92	13.2	33.4	65.8	99.7	-1	-0.3	0	33.4	0.22	100	8282	99.67	32.5
2023-02-19 06:55:00	0.6	0	0	0	149	10.85	13.44	33.4	66.4	99.68	-0.9	-0.4	0	33.4	0.22	100	8281	99.66	32.5
2023-02-19 07:00:00	1.6	0	0	0	156	9.46	11.54	33.3	66.7	99.69	-0.8	-0.4	0	33.4	0.21	100	8279	99.66	32.4
2023-02-19 07:05:00	3.8	0	0	0	149	8.93	10.29	33.3	66.8	99.67	-0.8	-0.5	0	33.3	0.21	100	8281	99.65	32.4
2023-02-19 07:10:00	6.2	0	0	0	158	10.16	11.88	33.2	67	99.68	-1	-0.5	0	33.2	0.21	100	8279	99.66	32.3
2023-02-19 07:15:00	8.8	0	0	0	166	9.06	11.68	33.3	66.9	99.7	-0.9	-0.5	0	33.3	0.21	100	8279	99.67	32.3
2023-02-19 07:20:00	12.2	0	0	0	163	9.6	11.63	33.3	67.5	99.67	-0.7	-0.6	0	33.3	0.21	100	8278	99.64	32.3
2023-02-19 07:25:00	15.4	0	0	0	161	10.76	13.33	33.3	67.8	99.66	-0.9	-0.6	0	33.4	0.21	100	8279	99.64	32.4
2023-02-19 07:30:00	19.2	0	0	0	167	10.89	13.27	33.3	67.6	99.68	-0.9	-0.8	0	33.4	0.21	100	8281	99.65	32.4
2023-02-19 07:35:00	24.8	0	0	0	169	10.36	14.47	33.4	68	99.68	-0.9	-0.5	0	33.4	0.21	100	8278	99.65	32.5
2023-02-19 07:40:00	30.2	0	0	0	169	10.4	14.56	33.5	67.8	99.68	-0.9	-0.4	0	33.6	0.21	100	8278	99.65	32.6
2023-02-19 07:45:00	38.6	0	0	0	163	9.82	12.26	33.6	67.3	99.66	-0.8	-0.5	0	33.7	0.21	100	8278	99.63	32.7
2023-02-19 07:50:00	41	0	0	0	161	9.57	14.29	33.8	67	99.65	-0.8	-0.6	0	33.9	0.22	100	8278	99.63	32.8
2023-02-19 07:55:00	45.2	0	0	0	164	10.49	12.33	33.8	66.9	99.66	-0.9	-0.6	0	33.9	0.22	100	8280	99.63	32.8
2023-02-19 08:00:00	54.6	0	0	0	159	10.58	12.77	33.9	66.8	99.65	-0.8	-0.5	0	34.1	0.22	100	8279	99.62	32.9
2023-02-19 08:05:00	66.2	0	0	0	150	9.89	11.16	33.9	67.2	99.63	-1	-0.5	0	34.1	0.22	100	8282	99.61	33
2023-02-19 08:10:00	67.2	0	0	0	161	8.55	11.01	34	67.7	99.63	-0.9	-0.4	0	34.2	0.21	100	8282	99.6	33.1
2023-02-19 08:15:00	62.6	0	0	0	160	9.37	11.81	34.1	66.4	99.62	-0.9	-0.5	0	34.3	0.22	100	8280	99.6	33.2
2023-02-19 08:20:00	65.6	0	0	0	163	10	12.59	34.2	67.1	99.63	-0.8	-0.5	0	34.3	0.22	100	8279	99.6	33.3
2023-02-19 08:25:00	75.4	0	0	0	161	11.05	14.45	34.3	67.1	99.62	-0.8	-0.6	0	34.4	0.22	100	8281	99.6	33.4
2023-02-19 08:30:00	82.2	0	0	0	156	11.7	15.59	34.4	66.8	99.61	-0.8	-0.5	0	34.7	0.22	100	8283	99.59	33.5
2023-02-19 08:35:00	88.4	0	0	0	161	11.86	15.79	34.7	67.1	99.61	-0.9	-0.7	0	34.9	0.22	100	8281	99.59	33.7
2023-02-19 08:40:00	86.2	0	0	0	161	11.83	15.28	34.8	66.4	99.61	-0.9	-0.5	0	35.1	0.23	100	8282	99.58	33.9
2023-02-19 08:45:00	83.4	0	0	0	160	13.22	16.89	34.9	66.8	99.61	-0.8	-0.6	0	35.1	0.23	100	8282	99.58	34
2023-02-19 08:50:00	88.2	0	0	0	160	11.39	14.52	35.1	67.2	99.6	-0.8	-0.5	0	35.3	0.23	100	8284	99.58	34.1
2023-02-19 08:55:00	99	0	0	0	158	10.83	13.87	35.1	67.1	99.59	-0.7	-0.5	0	35.4	0.23	100	8282	99.57	34.2
2023-02-19 09:00:00	101.8	0	0	0	156	10.8	12.77	35.2	67.3	99.58	-0.9	-0.4	0	35.5	0.23	100	8286	99.55	34.4
2023-02-19 09:05:00	102.4	0	0	0	155	11.23	14.83	35.3	66.2	99.55	-0.8	-0.4	0	35.6	0.24	100	8284	99.53	34.6
2023-02-19 09:10:00	100.6	0	0	0	149	12.12	17.56	35.6	65.2	99.54	-0.8	-0.3	0	35.8	0.25	100	8287	99.51	34.7
2023-02-19 09:15:00	91.6	0	0	0	142	12.55	16.11	35.7	64.9	99.51	-0.9	-0.4	0	35.9	0.25	100	8286	99.48	34.9
2023-02-19 09:20:00	84.8	0	0	0	130	14.63	20.38	35.9	64.3	99.48	-0.6	-0.5	0	36	0.25	100	8286	99.46	35
2023-02-19 09:25:00	77.4	0	0	0	131	15.19	20.09	35.9	63	99.45	-0.6	-0.5	0	36.1	0.26	100	8286	99.43	35.1
2023-02-19 09:30:00	88.6	0	0	0	140	16.55	22.46	36.1	62.6	99.43	-0.7	-0.2	0	36.2	0.27	100	8288	99.42	35.2
2023-02-19 09:35:00	97.2	0	0	0	140	16.69	23.51	36.2	61.5	99.43	-0.6	-0.6	0	36.4	0.28	100	8285	99.42	35.3
2023-02-19 09:40:00	112	0	0	0	142	14.63	20.24	36.2	61.6	99.43	-0.8	-0.3	0	36.5	0.28	100	8287	99.41	35.4
2023-02-19 09:45:00	128.4	0	0	0	141	13.73	17.29	36.3	60.7	99.43	-0.7	-0.5	0	36.6	0.29	100	8291	99.41	35.5
2023-02-19 09:50:00	144.6	0	0	0	149	13.6	18.63	36.5	60.4	99.42	-0.7	-0.6	0	36.8	0.29	100	8289	99.4	35.7
2023-02-19 09:55:00	144.8	0	0	0	148	11.12	17.81	36.6	61.1	99.42	-0.6	-0.5	0	36.9	0.29	100	8293	99.4	35.9
2023-02-19 10:00:00	141.2	0	0	0	154	12.39	18.25	36.8	60	99.42	-1	-0.3	0	37.1	0.3	100	8293	99.39	36.1
2023-02-19 10:05:00	134	0	0	0	145	12.84	16.91	37	59.4	99.39	-0.8	-0.4	0	37.3	0.3	100	8293	99.37	36.3
2023-02-19 10:10:00	135.6	0	0	0	137	13.98	17.98	37.1	58.6	99.36	-0.7	-0.6	0	37.5	0.31	100	8293	99.33	36.5
2023-02-19 10:15:00	132.8	0	0	0	128	15.79	20.51	37.4	58.2	99.33	-1	-0.5	0	37.7	0.32	100	8296	99.31	36.6
2023-02-19 10:20:00	130	0	0	0	131	14	17.87	37.6	57.7	99.3	-0.9	-0.4	0	37.9	0.32	100	8296	99.29	36.8
2023-02-19 10:25:00	152	0	0	0	131	14.47	22.77	37.7	57.9	99.27	-0.7	-0.5	0	38	0.32	100	8297	99.25	37
2023-02-19 10:30:00	165.6	0	0	0	131	14.76	20.07	37.9	57.1	99.24	-0.9	-0.4	0	38.3	0.33	100	8299	99.22	37.2
2023-02-19 10:35:00	178	0	0	0	116	14.76	21.23	38.3	56.1	99.2	-0.8	-0.7	0	38.6	0.34	100	8300	99.19	37.5

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-19 10:40:00	168.8	0	0	0	126	13.82	18.03	38.6	55.4	99.2	-0.8	-0.4	0	39.1	0.35	100	8302	99.18	37.9
2023-02-19 10:45:00	161.6	0	0	0	128	13.35	19.15	39	55.1	99.18	-0.9	-0.4	0	39.3	0.36	100	8303	99.17	38.2
2023-02-19 10:50:00	187.8	0	0	0	133	8.14	11.63	39.2	55.6	99.2	-0.7	-0.6	0	39.7	0.36	100	8304	99.18	38.5
2023-02-19 10:55:00	220.6	0	0	0	146	8.99	12.26	39.4	54.6	99.2	-0.6	-0.5	0	40	0.37	100	8306	99.18	38.8
2023-02-19 11:00:00	220.2	0	0	0	160	7.56	14.03	39.8	53.6	99.22	-0.6	-0.6	0	40.5	0.39	100	8308	99.19	39.3
2023-02-19 11:05:00	181	0	0	0	162	8.7	11.99	40.4	52	99.21	-0.7	-0.6	0	40.9	0.41	100	8311	99.18	39.8
2023-02-19 11:10:00	185.2	0	0	0	170	9.1	12.46	40.9	49.4	99.22	-0.7	-0.6	0	41.4	0.44	100	8312	99.19	40.2
2023-02-19 11:15:00	194.2	0	0	0	161	10.38	13.24	41.3	49.4	99.2	-0.7	-0.6	0	41.8	0.45	100	8312	99.17	40.6
2023-02-19 11:20:00	192.2	0	0	0	154	15.1	19.06	41.7	47.5	99.15	-0.5	-0.5	0	42.2	0.47	100	8312	99.12	40.9
2023-02-19 11:25:00	199.8	0	0	0	150	13.15	20.18	41.9	47.1	99.13	-0.4	-0.7	0	42.4	0.48	100	8313	99.11	41.1
2023-02-19 11:30:00	206.2	0	0	0	147	12.77	18.07	42.2	45.8	99.12	-0.6	-0.7	0	42.7	0.5	100	8315	99.09	41.3
2023-02-19 11:35:00	209.8	0	0	0	149	11.34	13.4	42.4	44.8	99.1	-0.6	-0.5	0	42.9	0.51	100	8319	99.08	41.6
2023-02-19 11:40:00	168.2	0	0	0	145	10.83	14.41	42.7	44.1	99.09	-0.5	-0.6	0	43.1	0.52	100	8317	99.07	41.9
2023-02-19 11:45:00	137.2	0	0	0	152	9.82	12.82	42.8	44.7	99.09	-0.4	-0.6	0	43.2	0.52	100	8317	99.06	42
2023-02-19 11:50:00	131.6	0	0	0	147	8.86	10.87	42.8	44.9	99.09	-0.7	-0.5	0	43.2	0.51	100	8316	99.05	42.1
2023-02-19 11:55:00	129.6	0	0	0	146	9.46	13.71	42.8	44.4	99.06	-0.6	-0.6	0	43.2	0.52	100	8317	99.02	42.2
2023-02-19 12:00:00	129.6	0	0	0	141	9.89	14.18	42.9	44.3	99.02	-0.6	-0.4	0	43.2	0.52	100	8319	98.98	42.3
2023-02-19 12:05:00	163.8	0	0	0	136	9.86	13.31	43.1	44.1	98.99	-0.7	-0.5	0	43.4	0.53	100	8319	98.97	42.4
2023-02-19 12:10:00	185	0	0	0	140	6.87	10.74	43.3	43.5	99	-0.6	-0.7	0	43.8	0.54	100	8318	98.97	42.7
2023-02-19 12:15:00	175.8	0	0	0	157	5.3	8.37	43.6	43.6	99.02	-0.4	-0.7	0	44.1	0.54	100	8320	98.99	43.1
2023-02-19 12:20:00	198.4	0	0	0	156	8.37	14.58	44	41.6	99.01	-0.4	-0.5	0	44.6	0.57	100	8320	98.98	43.6
2023-02-19 12:25:00	225.2	0	0	0	153	7.45	10.8	44.6	41.2	98.99	-0.6	-0.6	0	45.2	0.59	100	8321	98.95	44
2023-02-19 12:30:00	225.2	0	0	0	160	9.78	14.25	45.1	39.8	98.95	-0.5	-0.6	0	45.7	0.61	100	8326	98.92	44.5
2023-02-19 12:35:00	225	0	0	0	162	8.1	13.73	45.6	37	98.95	-0.4	-0.6	0	46.3	0.66	100	8325	98.91	45
2023-02-19 12:40:00	219.8	0	0	0	177	9.95	13.65	46.4	35.9	98.94	-0.3	-0.7	0	47	0.69	100	8327	98.9	45.7
2023-02-19 12:45:00	209	0	0	0	183	10.25	15.59	47	33.7	98.94	-0.4	-0.6	0	47.6	0.73	100	8328	98.91	46.3
2023-02-19 12:50:00	156.2	0	0	0	183	10.74	19.15	47.7	32.9	98.93	-0.5	-0.3	0	48.1	0.75	100	8327	98.89	46.7
2023-02-19 12:55:00	187.4	0	0	0	176	10.83	14.79	47.9	32.1	98.91	-0.4	-0.7	0	48.4	0.77	100	8326	98.86	47
2023-02-19 13:00:00	226	0	0	0	171	10.54	17.07	48.3	31.3	98.88	-0.6	-0.6	0	48.8	0.79	100	8332	98.84	47.4
2023-02-19 13:05:00	234.6	0	0	0	166	10.71	17.13	48.6	31.2	98.85	-0.4	-0.8	0	49.2	0.8	100	8330	98.82	47.8
2023-02-19 13:10:00	214.4	0	0	0	174	12.66	17.92	49.2	29.2	98.85	-0.4	-0.8	0	49.7	0.84	100	8331	98.81	48.2
2023-02-19 13:15:00	234	0	0	0	176	12.35	19.6	49.5	29.7	98.84	-0.7	-0.2	0	50	0.85	100	8333	98.8	48.6
2023-02-19 13:20:00	259.6	0	0	0	181	15.35	22.82	50	27.7	98.84	-0.3	-0.6	0	50.5	0.89	100	8333	98.79	49.1
2023-02-19 13:25:00	301.4	0	0	0	182	15.43	22.82	50.6	26.7	98.81	-0.2	-0.5	0	51.2	0.92	100	8336	98.78	49.6
2023-02-19 13:30:00	358.2	0	0	0	186	16.91	26.17	51.3	26.1	98.82	0	-0.4	0	51.9	0.95	100	8338	98.78	50.1
2023-02-19 13:35:00	323.2	0	0	0	183	18.25	27.25	52	25.3	98.8	-0.3	-0.7	0	52.7	0.99	100	8337	98.76	50.6
2023-02-19 13:40:00	323.6	0	0	0	179	16.33	25.59	52.4	24.9	98.76	-0.3	-0.5	0	53	1.01	100	8340	98.73	51
2023-02-19 13:45:00	325.6	0	0	0	174	12.86	19.93	52.7	25.7	98.76	-0.2	-0.7	0	53.4	1.01	100	8342	98.73	51.4
2023-02-19 13:50:00	325.8	0	0	0	172	11.63	18.43	53.1	26.1	98.77	-0.5	-0.7	0	53.8	1.02	100	8343	98.74	51.7
2023-02-19 13:55:00	302.8	0	0	0	174	13.4	22.73	53.3	26.1	98.76	-0.6	-0.5	0	54	1.02	100	8342	98.72	52
2023-02-19 14:00:00	274.4	0	0	0	172	16.08	23.87	53.4	24.9	98.74	-0.1	-0.4	0	53.9	1.04	100	8342	98.69	52.1
2023-02-19 14:05:00	273	0	0	0	168	15.17	20.62	53.2	26.5	98.71	-0.3	-0.3	0	53.9	1.02	100	8342	98.67	52.2
2023-02-19 14:10:00	247.8	0	0	0	166	13.38	19.26	53.1	27.2	98.7	0.1	-0.6	0	53.6	1	100	8345	98.66	52.3
2023-02-19 14:15:00	244.2	0	0	0	161	15.3	18.95	53.1	27.9	98.68	-0.4	-0.4	0	53.5	0.99	100	8345	98.64	52.2
2023-02-19 14:20:00	223	0	0	0	155	14.67	21.5	52.7	29.6	98.67	-0.3	-0.7	0	53.2	0.96	100	8345	98.63	52.1
2023-02-19 14:25:00	245.4	0	0	0	155	16.22	22.62	52.4	29	98.64	0	-0.4	0	52.9	0.95	100	8344	98.61	52
2023-02-19 14:30:00	297.2	0	0	0	158	16.73	21.12	52.4	29.8	98.62	-0.6	-0.3	0	53	0.94	100	8344	98.59	51.9
2023-02-19 14:35:00	284.4	0	0	0	158	16.55	20.36	52.6	28.9	98.62	0	-0.4	0	53.2	0.96	100	8348	98.59	52
2023-02-19 14:40:00	276	0	0	0	155	17.85	28.74	52.7	29.1	98.62	-0.2	-0.7	0	53.2	0.96	100	8344	98.59	52.1
2023-02-19 14:45:00	321.8	0	0	0	149	13.98	18.97	52.8	29.5	98.61	-0.2	-0.8	0	53.5	0.96	100	8346	98.58	52.2
2023-02-19 14:50:00	350.2	0	0	0	155	15.39	19.84	53.1	29.6	98.61	-0.1	-0.3	0	53.8	0.97	100	8346	98.59	52.5
2023-02-19 14:55:00	383.4	0	0	0	164	15.59	22.79	53.8	29.6	98.61	-0.1	-0.4	0	54.5	0.99	100	8344	98.58	52.9
2023-02-19 15:00:00	275.2	0	0	0	160	16.35	21.7	54.1	28	98.61	-0.2	-1.1	0	54.7	1.03	100	8345	98.57	53.2
2023-02-19 15:05:00	320.2	0	0	0	168	16.55	23.02	54.4	27.1	98.6	-0.5	-0.3	0	54.9	1.05	100	8343	98.57	53.3
2023-02-19 15:10:00	322.8	0	0	0	169	17.78	25.28	54.8	26.5	98.6	-0.5	-0.1	0	55.4	1.08	100	8343	98.57	53.5
2023-02-19 15:15:00	241	0	0	0	168	15.05	22.01	55	26.8	98.61	-0.6	-0.4	0	55.6	1.08	100	8345	98.57	53.7
2023-02-19 15:20:00	186.4	0	0	0	172	12.8	17.47	54.8	26.2	98.61	-0.3	-1.1	0	55.3	1.08	100	8345	98.57	53.6
2023-02-19 15:25:00	126.2	0	0	0	170	13.89	19.13	54.5	26.1	98.61	-0.4	-0.5	0	54.9	1.07	100	8342	98.56	53.4
2023-02-19 15:30:00	137.4	0	0	0	170	13.62	19.62	54.1	26.5	98.6	-0.3	-1	0	54.4	1.05	100	8343	98.55	53.2
2023-02-19 15:35:00	175.8	0	0	0	169	9.57	15.7	53.8	28.3	98.6	-0.4	-0.3	0	54.2	1.01	100	8342	98.55	53.2
2023-02-19 15:40:00	155.2	0	0	0	168	11.74	15.95	53.6	28.2	98.6	-0.4	-0.7	0	54.1	1.01	100	8342	98.55	53.2
2023-02-19 15:45:00	91.6	0	0	0	172	9.69	14.52	53.7	28.2	98.6	-0.4	-0.6	0	53.9	1.01	100	8342	98.55	53.2
2023-02-19 15:50:00	81.8	0	0	0	173	7.09	12.75	53.4	28.6	98.6	-0.2	-0.6	0	53.6	0.99	100	8339	98.55	53.1
2023-02-19 15:55:00	97.8	0	0	0	173	6.04	8.37	53.2	29.5	98.59	-0.4	-0.7	0	53.5	0.97	100	8339	98.54	53

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-19 16:00:00	102	0	0	0	170	7.76	11.16	53.2	29.1	98.59	-0.3	-0.7	0	53.5	0.98	100	8339	98.54	52.9
2023-02-19 16:05:00	101.2	0	0	0	166	8.3	12.41	53.2	29.5	98.57	-0.3	-0.6	0	53.5	0.98	100	8337	98.52	52.9
2023-02-19 16:10:00	69.8	0	0	0	166	8.7	10.29	53	29.9	98.57	-0.3	-0.6	0	53.2	0.96	100	8337	98.52	52.8
2023-02-19 16:15:00	52.6	0	0	0	166	7.52	11.01	52.9	29.9	98.56	-0.3	-0.5	0	53.1	0.96	100	8335	98.52	52.6
2023-02-19 16:20:00	42	0	0	0	171	5.41	6.64	52.6	32	98.57	-0.3	-0.5	0	52.8	0.92	100	8333	98.52	52.3
2023-02-19 16:25:00	36.6	0	0	0	178	4.81	7.47	52.3	31.5	98.58	-0.3	-0.6	0	52.4	0.92	100	8333	98.52	52
2023-02-19 16:30:00	31.4	0	0	0	187	3.62	4.68	52.1	30.9	98.58	-0.2	-0.6	0	52.3	0.92	100	8332	98.53	51.8
2023-02-19 16:35:00	29	0	0	0	203	2.66	5.99	51.9	32.2	98.58	-0.2	-0.7	0	52	0.89	100	8328	98.53	51.5
2023-02-19 16:40:00	30.4	0	0	0	221	6.11	10.27	51.9	30.5	98.58	-0.3	-0.6	0	52	0.92	100	8328	98.53	51.5
2023-02-19 16:45:00	28.4	0	0	0	212	6.38	9.51	52.2	29.4	98.58	-0.4	-0.7	0	52.4	0.94	100	8328	98.53	51.9
2023-02-19 16:50:00	22.8	0	0	0	214	9.93	16.75	52.7	28.4	98.57	-0.2	-0.6	0	52.8	0.97	100	8326	98.52	52.3
2023-02-19 16:55:00	24.2	0	0	0	222	9.69	15.21	53.2	28.2	98.58	-0.4	-0.7	0	53.4	0.99	100	8326	98.52	52.6
2023-02-19 17:00:00	20.4	0	0	0	234	13.35	21.81	53.6	28.1	98.58	-0.3	-0.6	0	53.6	1.01	100	8328	98.53	52.8
2023-02-19 17:05:00	13.8	0	0	0	237	12.03	19.95	53.8	28	98.59	-0.3	-1.1	0	53.9	1.02	100	8326	98.53	52.9
2023-02-19 17:10:00	12.2	0	0	0	243	13.42	23.17	54	28.2	98.6	-0.1	-0.7	0	54	1.02	100	8322	98.54	53
2023-02-19 17:15:00	13	0	0	0	243	17.76	26.49	54.1	28.2	98.59	-0.4	-1.1	0	54.1	1.02	100	8323	98.54	53.1
2023-02-19 17:20:00	11.2	0	0	0	239	15.26	24.61	54.1	28.5	98.59	-0.1	-0.6	0	54.1	1.02	100	8321	98.53	53.1
2023-02-19 17:25:00	8.8	0	0	0	237	17.07	27.92	54	28.7	98.59	-0.4	-0.5	0	54	1.02	100	8320	98.54	53.1
2023-02-19 17:30:00	6.4	0	0	0	244	15.12	19.71	54.1	29.3	98.59	-0.6	-0.6	0	54.1	1.01	100	8321	98.54	53.1
2023-02-19 17:35:00	3.8	0	0	0	255	15.59	24.52	54	29.1	98.6	-0.2	-0.4	0	54	1.01	100	8317	98.55	53
2023-02-19 17:40:00	2	0	0	0	255	13.09	19.71	54	29.4	98.6	-0.3	-0.8	0	54	1	100	8319	98.54	53
2023-02-19 17:45:00	0.8	0	0	0	246	12.84	19.84	53.9	29.8	98.6	-0.2	-0.7	0	53.9	0.99	100	8317	98.55	52.9
2023-02-19 17:50:00	0	0	0	0	251	8.72	13.87	53.6	30.8	98.61	-0.4	-0.6	0	53.6	0.97	100	8315	98.55	52.6
2023-02-19 17:55:00	0	0	0	0	250	11.56	16.67	53.3	31	98.61	-0.4	-0.7	0	53.3	0.96	100	8316	98.56	52.4
2023-02-19 18:00:00	0	0	0	0	244	10.54	15.77	53.2	31.4	98.62	-0.3	-0.7	0	53.2	0.95	100	8314	98.56	52.3
2023-02-19 18:05:00	0	0	0	0	237	10.42	15.97	53	31.7	98.62	-0.4	-0.6	0	53	0.94	100	8314	98.56	52.2
2023-02-19 18:10:00	0	0	0	0	239	12.26	18.14	52.9	31.5	98.62	-0.5	-0.7	0	52.9	0.94	100	8311	98.57	52.1
2023-02-19 18:15:00	0	0	0	0	244	12.77	19.89	52.9	31.9	98.63	-0.2	-0.4	0	52.8	0.93	100	8311	98.57	52.1
2023-02-19 18:20:00	0	0	0	0	238	13.18	19.19	52.8	31.8	98.65	-0.3	-0.5	0	52.8	0.93	100	8310	98.59	52.1
2023-02-19 18:25:00	0	0	0	0	251	16.46	22.48	52.8	31.2	98.65	-0.5	-0.6	0	52.8	0.94	100	8314	98.6	52.1
2023-02-19 18:30:00	0	0	0	0	248	14.18	21.77	52.8	31.1	98.66	-0.4	-0.3	0	52.8	0.94	100	8311	98.61	52.1
2023-02-19 18:35:00	0	0	0	0	244	14.97	24.87	52.7	30.4	98.67	-0.8	-0.5	0	52.7	0.94	100	8308	98.62	51.9
2023-02-19 18:40:00	0	0	0	0	249	13.47	21.79	52.6	30.2	98.69	-0.2	-0.6	0	52.6	0.94	100	8308	98.63	51.9
2023-02-19 18:45:00	0	0	0	0	247	14.32	24.7	52.4	29.9	98.7	-0.4	-0.9	0	52.4	0.94	100	8307	98.64	51.7
2023-02-19 18:50:00	0	0	0	0	249	16.73	27.2	52.3	29.7	98.7	0.2	-0.4	0	52.3	0.94	100	8304	98.64	51.6
2023-02-19 18:55:00	0	0	0	0	244	13.89	26.55	52.1	30	98.7	-0.6	-0.7	0	52.1	0.93	100	8305	98.64	51.4
2023-02-19 19:00:00	0	0	0	0	242	15.7	22.41	51.9	29.6	98.7	-0.2	-0.7	0	51.9	0.93	100	8304	98.64	51.4
2023-02-19 19:05:00	0	0	0	0	243	10.31	16.8	51.8	30.1	98.7	-0.4	-0.5	0	51.8	0.92	100	8302	98.64	51.2
2023-02-19 19:10:00	0	0	0	0	248	12.57	18.3	51.6	30.1	98.69	-0.3	-0.9	0	51.6	0.91	100	8304	98.63	51
2023-02-19 19:15:00	0	0	0	0	249	12.53	16.42	51.6	29.7	98.69	-0.4	-0.6	0	51.6	0.92	100	8302	98.63	51
2023-02-19 19:20:00	0	0	0	0	255	11.45	18.03	51.6	29.8	98.68	-0.4	-0.5	0	51.6	0.92	100	8300	98.62	50.9
2023-02-19 19:25:00	0	0	0	0	260	10.07	14.5	51.4	29.7	98.66	-0.2	-0.5	0	51.4	0.91	100	8300	98.6	50.8
2023-02-19 19:30:00	0	0	0	0	265	10.2	14.29	51.3	29.7	98.66	-0.5	-0.7	0	51.3	0.91	100	8299	98.61	50.7
2023-02-19 19:35:00	0	0	0	0	267	8.81	14.41	51.2	29.6	98.66	-0.3	-0.5	0	51.2	0.9	100	8298	98.6	50.6
2023-02-19 19:40:00	0	0	0	0	264	6.82	10.13	50.9	29.9	98.65	-0.5	-0.8	0	50.9	0.89	100	8295	98.59	50.3
2023-02-19 19:45:00	0	0	0	0	263	7.14	9.93	50.6	30.2	98.64	-0.5	-0.6	0	50.6	0.88	100	8298	98.58	50.1
2023-02-19 19:50:00	0	0	0	0	260	6.46	9.08	50.5	30.5	98.64	-0.4	-0.6	0	50.6	0.87	100	8296	98.58	49.9
2023-02-19 19:55:00	0	0	0	0	246	5.77	8.81	50.4	31.3	98.65	-0.5	-0.4	0	50.4	0.86	100	8295	98.59	49.7
2023-02-19 20:00:00	0	0	0	0	240	6.2	8.32	50.1	31.5	98.65	-0.3	-0.6	0	50.1	0.84	100	8296	98.59	49.5
2023-02-19 20:05:00	0	0	0	0	236	6.33	8.16	50	32.1	98.66	-0.3	-0.6	0	50	0.83	100	8295	98.6	49.3
2023-02-19 20:10:00	0	0	0	0	218	5.1	8.28	50	32.6	98.66	-0.4	-0.7	0	50	0.83	100	8293	98.6	49.2
2023-02-19 20:15:00	0	0	0	0	182	4.83	6.64	49.7	33.7	98.67	-0.4	-0.7	0	49.7	0.81	100	8292	98.61	49
2023-02-19 20:20:00	0	0	0	0	165	6.6	7.92	49.5	33.3	98.67	-0.5	-0.5	0	49.5	0.8	100	8292	98.61	48.7
2023-02-19 20:25:00	0	0	0	0	163	6.26	8.14	49.5	33.6	98.67	-0.4	-0.5	0	49.4	0.8	100	8292	98.61	48.3
2023-02-19 20:30:00	0	0	0	0	168	6.02	7.23	49.2	34.4	98.67	-0.4	-0.6	0	49.2	0.78	100	8289	98.61	48
2023-02-19 20:35:00	0	0	0	0	166	7.34	10.16	49.1	34.3	98.67	-0.4	-0.6	0	49.1	0.78	100	8290	98.61	47.9
2023-02-19 20:40:00	0	0	0	0	164	6.71	7.76	49	36.3	98.67	-0.5	-0.6	0	49	0.75	100	8289	98.61	47.8
2023-02-19 20:45:00	0	0	0	0	161	7.49	9.71	48.7	38.1	98.66	-0.5	-0.6	0	48.7	0.72	100	8288	98.6	47.5
2023-02-19 20:50:00	0	0	0	0	162	7.31	8.61	48.3	39.9	98.66	-0.4	-0.5	0	48.3	0.69	100	8287	98.6	47.2
2023-02-19 20:55:00	0	0	0	0	165	7.43	9.26	48.1	40.6	98.66	-0.6	-0.6	0	48.1	0.68	100	8287	98.6	47
2023-02-19 21:00:00	0	0	0	0	161	6.76	8.37	47.9	40.5	98.65	-0.5	-0.5	0	47.9	0.68	100	8285	98.6	46.7
2023-02-19 21:05:00	0	0	0	0	165	4.85	6.33	47.7	41.8	98.66	-0.5	-0.5	0	47.6	0.65	100	8284	98.6	46.5
2023-02-19 21:10:00	0	0	0	0	159	6.11	6.98	47.4	40.9	98.65	-0.4	-0.7	0	47.4	0.66	100	8286	98.59	46.2
2023-02-19 21:15:00	0	0	0	0	156	7.63	9.57	47.3	41.5	98.65	-0.5	-0.5	0	47.3	0.65	100	8283	98.59	46

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-19 21:20:00	0	0	0	0	151	8.61	10.16	47.2	43.1	98.64	-0.4	-0.6	0	47.2	0.63	100	8282	98.58	45.8
2023-02-19 21:25:00	0	0	0	0	150	9.31	12.17	46.8	43.9	98.64	-0.5	-0.6	0	46.8	0.61	100	8284	98.58	45.5
2023-02-19 21:30:00	0	0	0	0	159	8.37	10.29	46.5	45.2	98.64	-0.5	-0.6	0	46.5	0.59	100	8283	98.58	45
2023-02-19 21:35:00	0	0	0	0	165	7.94	10.45	46	45.6	98.63	-0.6	-0.6	0	46	0.57	100	8279	98.57	44.7
2023-02-19 21:40:00	0	0	0	0	165	8.81	10.78	45.6	46.3	98.62	-0.6	-0.6	0	45.6	0.56	100	8280	98.56	44.3
2023-02-19 21:45:00	0	0	0	0	165	8.55	10.2	45.2	46.6	98.61	-0.5	-0.5	0	45.2	0.55	100	8282	98.55	44
2023-02-19 21:50:00	0	0	0	0	163	9.75	13.47	45.1	46.7	98.61	-0.5	-0.5	0	45.1	0.54	100	8280	98.55	43.8
2023-02-19 21:55:00	0	0	0	0	165	9.1	11.25	44.9	46.8	98.61	-0.4	-0.6	0	44.9	0.54	100	8279	98.55	43.6
2023-02-19 22:00:00	0	0	0	0	168	7.83	10.83	44.7	47.6	98.6	-0.5	-0.4	0	44.7	0.53	100	8276	98.55	43.4
2023-02-19 22:05:00	0	0	0	0	175	6.02	7.81	44.5	47.3	98.6	-0.6	-0.5	0	44.5	0.53	100	8274	98.54	43.3
2023-02-19 22:10:00	0	0	0	0	194	5.32	6.22	44.2	47.2	98.61	-0.6	-0.5	0	44.2	0.52	100	8279	98.54	43.1
2023-02-19 22:15:00	0	0	0	0	191	5.97	7.78	44.1	46.8	98.6	-0.6	-0.5	0	44.1	0.52	100	8278	98.54	42.8
2023-02-19 22:20:00	0	0	0	0	197	6.24	7.96	44.1	47.2	98.6	-0.5	-0.7	0	44.1	0.52	100	8276	98.54	42.6
2023-02-19 22:25:00	0	0	0	0	202	6.62	8.1	44	46.9	98.59	-0.7	-0.5	0	44	0.52	100	8273	98.54	42.5
2023-02-19 22:30:00	0	0	0	0	268	6.64	12.15	43.9	47.8	98.59	-0.7	-0.5	0	43.9	0.51	100	8274	98.54	42.4
2023-02-19 22:35:00	0	0	0	0	286	6.42	10.85	43.5	48.1	98.6	-0.6	-0.6	0	43.5	0.5	100	8273	98.54	42
2023-02-19 22:40:00	0	0	0	0	283	5.41	7.36	43.3	48.3	98.59	-0.7	-0.5	0	43.3	0.49	100	8272	98.53	41.8
2023-02-19 22:45:00	0	0	0	0	276	5.44	6.67	43	49.1	98.59	-0.6	-0.4	0	43	0.48	100	8273	98.53	41.6
2023-02-19 22:50:00	0	0	0	0	273	5.21	6.53	42.7	50.5	98.58	-0.7	-0.5	0	42.7	0.46	100	8270	98.52	41.4
2023-02-19 22:55:00	0	0	0	0	269	5.55	7.09	42.5	50.7	98.57	-0.7	-0.6	0	42.5	0.46	100	8271	98.52	41.2
2023-02-19 23:00:00	0	0	0	0	265	4.97	7.11	42.3	51.3	98.56	-0.7	-0.6	0	42.3	0.45	100	8270	98.51	41
2023-02-19 23:05:00	0	0	0	0	272	4.9	5.93	42.1	50.8	98.55	-0.7	-0.6	0	42.1	0.45	100	8267	98.5	40.8
2023-02-19 23:10:00	0	0	0	0	277	3.87	5.03	42	51	98.55	-0.7	-0.5	0	42.1	0.44	100	8269	98.49	40.6
2023-02-19 23:15:00	0	0	0	0	253	1.57	2.37	41.9	51.4	98.55	-0.5	-0.6	0	41.9	0.44	100	8268	98.49	40.2
2023-02-19 23:20:00	0	0	0	0	153	2.66	4.05	41.5	52.3	98.54	-0.6	-0.5	0	41.4	0.42	100	8267	98.48	39.6
2023-02-19 23:25:00	0	0	0	0	147	2.46	3.33	41.3	52.8	98.54	-0.6	-0.5	0	41.3	0.42	100	8267	98.48	39.4
2023-02-19 23:30:00	0	0	0	0	118	4.03	6.08	41.2	53.1	98.52	-0.7	-0.5	0	41.1	0.41	100	8267	98.46	39.1
2023-02-19 23:35:00	0	0	0	0	126	5.03	6.06	41.1	53	98.51	-0.7	-0.5	0	41.1	0.41	100	8266	98.45	39.1
2023-02-19 23:40:00	0	0	0	0	128	5.1	6.24	41.3	53.1	98.5	-0.7	-0.5	0	41.3	0.41	100	8264	98.44	39.1
2023-02-19 23:45:00	0	0	0	0	130	3.78	4.23	41.3	52.6	98.51	-0.8	-0.5	0	41.3	0.42	100	8265	98.45	39.2
2023-02-19 23:50:00	0	0	0	0	120	4.29	4.83	41.3	52.3	98.5	-0.7	-0.6	0	41.3	0.42	100	8264	98.44	39.2
2023-02-19 23:55:00	0	0	0	0	140	5.84	7.2	41.3	52.8	98.49	-0.7	-0.6	0	41.3	0.42	100	8266	98.43	39.2
2023-02-20 00:00:00	0	0	0	0	137	5.5	6.22	41.4	51.9	98.48	-0.7	-0.5	0	41.4	0.43	100	8264	98.42	39
2023-02-20 00:05:00	0	0	0	0	157	6.22	7.36	41.3	53.7	98.47	-0.6	-0.5	0	41.3	0.41	100	8238	98.41	38.9
2023-02-20 00:10:00	0	0	0	0	148	6.22	7.67	40.7	54.7	98.45	-0.7	-0.5	0	40.7	0.39	100	8230	98.39	38.5
2023-02-20 00:15:00	0	0	0	0	147	6.76	8.23	40.3	54.6	98.44	-0.7	-0.4	0	40.3	0.39	100	8224	98.38	38.4
2023-02-20 00:20:00	0	0	0	0	154	5.99	8.37	40.1	55.9	98.43	-0.7	-0.4	0	40	0.37	100	8240	98.38	38
2023-02-20 00:25:00	0	0	0	0	157	6.44	7.94	39.8	55.6	98.42	-0.7	-0.5	0	39.7	0.37	100	8241	98.37	37.7
2023-02-20 00:30:00	0	0	0	0	154	6.46	7.92	39.7	55.5	98.41	-0.7	-0.5	0	39.7	0.37	100	8243	98.35	37.4
2023-02-20 00:35:00	0	0	0	0	146	6.42	7.43	39.6	55.7	98.4	-0.7	-0.6	0	39.6	0.37	100	8241	98.34	37.2
2023-02-20 00:40:00	0	0	0	0	138	6.67	7.29	39.4	55.4	98.39	-0.7	-0.5	0	39.4	0.36	100	8244	98.33	37.1
2023-02-20 00:45:00	0	0	0	0	141	6.46	8.19	39.5	55.9	98.38	-0.8	-0.5	0	39.5	0.36	100	8244	98.32	37.1
2023-02-20 00:50:00	0	0	0	0	143	7	8.88	39.4	56.4	98.37	-0.7	-0.6	0	39.4	0.36	100	8241	98.31	37
2023-02-20 00:55:00	0	0	0	0	130	7.34	8.39	39.4	55.4	98.36	-0.9	-0.5	0	39.4	0.36	100	8242	98.3	37.1
2023-02-20 01:00:00	0	0	0	0	129	6.91	7.94	39.2	55.5	98.35	-0.8	-0.5	0	39.2	0.36	100	8242	98.29	37.1
2023-02-20 01:05:00	0	0	0	0	128	6.71	7.78	39.1	56.1	98.34	-0.9	-0.6	0	39.1	0.35	100	8242	98.28	37.1
2023-02-20 01:10:00	0	0	0	0	131	6.64	7.58	39	56	98.33	-0.7	-0.5	0	39.1	0.36	100	8243	98.27	37.1
2023-02-20 01:15:00	0	0	0	0	134	6.08	8.01	39.1	56.6	98.32	-0.9	-0.5	0	39.1	0.35	100	8242	98.27	37.1
2023-02-20 01:20:00	0	0	0	0	141	4.65	6.89	39	57.5	98.32	-0.6	-0.5	0	39	0.34	100	8242	98.26	37
2023-02-20 01:25:00	0	0	0	0	135	6.62	7.38	38.8	57.4	98.3	-0.8	-0.5	0	38.8	0.34	100	8241	98.25	36.9
2023-02-20 01:30:00	0	0	0	0	142	6.04	7.02	38.8	57.4	98.29	-0.6	-0.5	0	38.8	0.34	100	8241	98.24	36.9
2023-02-20 01:35:00	0	0	0	0	153	6.49	7.67	38.9	57.8	98.29	-0.7	-0.6	0	38.8	0.34	100	8243	98.23	36.9
2023-02-20 01:40:00	0	0	0	0	155	6.46	7.47	39	58	98.28	-0.9	-0.4	0	39	0.34	100	8241	98.22	36.9
2023-02-20 01:45:00	0	0	0	0	159	5.95	7.18	39	58	98.27	-0.8	-0.5	0	39	0.34	100	8238	98.22	36.8
2023-02-20 01:50:00	0	0	0	0	170	6.13	7.81	38.8	59.4	98.27	-0.7	-0.6	0	38.9	0.33	100	8239	98.21	36.8
2023-02-20 01:55:00	0	0	0	0	169	7.23	9.37	39.1	58.5	98.26	-0.8	-0.5	0	39.1	0.34	100	8239	98.2	37
2023-02-20 02:00:00	0	0	0	0	171	7.36	9.53	39.2	59.1	98.26	-0.6	-0.5	0	39.2	0.33	100	8241	98.21	37.3
2023-02-20 02:05:00	0	0	0	0	171	7.74	10.11	39.2	59	98.26	-0.7	-0.5	0	39.2	0.33	100	8238	98.21	37.5
2023-02-20 02:10:00	0	0	0	0	172	7.47	8.9	39.5	59.4	98.26	-0.7	-0.6	0	39.4	0.33	100	8239	98.2	37.7
2023-02-20 02:15:00	0	0	0	0	173	8.01	10.27	39.5	59.7	98.25	-0.8	-0.6	0	39.5	0.33	100	8241	98.2	37.9
2023-02-20 02:20:00	0	0	0	0	171	7.72	11.41	40	59.1	98.25	-0.7	-0.6	0	40	0.34	100	8240	98.19	38.4
2023-02-20 02:25:00	0	0	0	0	174	8.34	10.8	40.4	58.6	98.24	-0.7	-0.6	0	40.4	0.35	100	8238	98.19	38.8
2023-02-20 02:30:00	0	0	0	0	177	8.01	9.42	40.9	58	98.23	-0.6	-0.5	0	40.9	0.36	100	8239	98.18	39.2
2023-02-20 02:35:00	0	0	0	0	175	7.99	9.69	41.2	57.6	98.23	-0.8	-0.6	0	41.2	0.37	100	8239	98.18	39.6

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-20 02:40:00	0	0	0	0	183	8.43	10.56	41.8	56.8	98.23	-0.8	-0.4	0	41.8	0.39	100	8238	98.17	40.1
2023-02-20 02:45:00	0	0	0	0	183	7.92	10.18	42.3	56.4	98.22	-0.6	-0.4	0	42.3	0.4	100	8239	98.16	40.5
2023-02-20 02:50:00	0	0	0	0	180	7.72	9.33	42.3	55.8	98.2	-0.6	-0.7	0	42.3	0.41	100	8236	98.15	40.6
2023-02-20 02:55:00	0	0	0	0	186	7.67	10.71	42.7	55.5	98.2	-0.7	-0.6	0	42.7	0.41	100	8241	98.14	40.9
2023-02-20 03:00:00	0	0	0	0	184	7.07	8.77	42.8	55.8	98.19	-0.5	-0.5	0	42.8	0.41	100	8240	98.14	41
2023-02-20 03:05:00	0	0	0	0	184	7.27	8.72	43	55.2	98.19	-0.6	-0.5	0	42.9	0.42	100	8237	98.13	41.2
2023-02-20 03:10:00	0	0	0	0	184	7.78	9.89	43	55.2	98.19	-0.6	-0.6	0	43	0.42	100	8238	98.13	41.3
2023-02-20 03:15:00	0	0	0	0	183	7.67	9.95	43.2	55	98.18	-0.6	-0.6	0	43.2	0.43	100	8238	98.12	41.5
2023-02-20 03:20:00	0	0	0	0	186	7.61	10.16	43.3	55.4	98.18	-0.7	-0.6	0	43.3	0.43	100	8238	98.13	41.6
2023-02-20 03:25:00	0	0	0	0	188	8.23	11.9	43.3	55.1	98.18	-0.7	-0.5	0	43.3	0.43	100	8237	98.12	41.8
2023-02-20 03:30:00	0	0	0	0	187	8.23	10.4	43.5	55.2	98.16	-0.6	-0.5	0	43.5	0.43	100	8238	98.11	42
2023-02-20 03:35:00	0	0	0	0	189	9.06	16.15	43.8	54.6	98.16	-0.5	-0.7	0	43.8	0.44	100	8235	98.11	42.2
2023-02-20 03:40:00	0	0	0	0	187	8.3	10.8	43.8	54.5	98.15	-0.4	-0.6	0	43.8	0.44	100	8237	98.1	42.3
2023-02-20 03:45:00	0	0	0	0	192	8.68	15.23	43.9	54.4	98.15	-0.7	-0.5	0	43.9	0.44	100	8237	98.09	42.4
2023-02-20 03:50:00	0	0	0	0	191	8.41	13.51	44	54.7	98.14	-0.6	-0.5	0	44	0.44	100	8236	98.08	42.5
2023-02-20 03:55:00	0	0	0	0	191	8.52	11.7	44.1	54.4	98.13	-0.5	-0.5	0	44.1	0.45	100	8235	98.08	42.7
2023-02-20 04:00:00	0	0	0	0	193	7.76	11.61	44.3	54.6	98.13	-0.6	-0.4	0	44.3	0.45	100	8236	98.08	42.8
2023-02-20 04:05:00	0	0	0	0	192	8.93	13	44.4	54.4	98.13	-0.6	-0.5	0	44.4	0.45	100	8233	98.08	43
2023-02-20 04:10:00	0	0	0	0	191	9.08	11.61	44.6	53.9	98.14	-0.7	-0.5	0	44.6	0.46	100	8235	98.08	43.1
2023-02-20 04:15:00	0	0	0	0	194	8.43	12.15	44.7	53.7	98.13	-0.5	-0.6	0	44.7	0.47	100	8237	98.08	43.3
2023-02-20 04:20:00	0	0	0	0	197	8.99	13.22	44.7	53.7	98.13	-0.7	-0.7	0	44.7	0.47	100	8235	98.08	43.4
2023-02-20 04:25:00	0	0	0	0	199	10.13	17.63	45	54	98.13	-0.5	-0.6	0	44.9	0.47	100	8235	98.08	43.7
2023-02-20 04:30:00	0	0	0	0	202	9.04	14.9	45.1	53.6	98.13	-0.6	-0.5	0	45.1	0.47	100	8235	98.08	43.9
2023-02-20 04:35:00	0	0	0	0	200	9.06	13.96	45.4	53.4	98.13	-0.3	-0.5	0	45.4	0.48	100	8233	98.08	44.1
2023-02-20 04:40:00	0	0	0	0	215	8.68	13.82	45.6	53.5	98.14	-0.4	-0.5	0	45.5	0.48	100	8234	98.09	44.4
2023-02-20 04:45:00	0	0	0	0	214	8.23	12.82	45.8	53.5	98.14	-0.5	-0.6	0	45.8	0.49	100	8234	98.08	44.6
2023-02-20 04:50:00	0	0	0	0	215	8.19	14.79	46	53.1	98.13	-0.5	-0.7	0	46	0.49	100	8235	98.08	44.7
2023-02-20 04:55:00	0	0	0	0	214	6.58	8.86	45.9	53	98.12	-0.5	-0.5	0	45.9	0.5	100	8235	98.07	44.7
2023-02-20 05:00:00	0	0	0	0	214	6.15	8.99	45.9	53	98.12	-0.6	-0.6	0	45.9	0.49	100	8234	98.07	44.5
2023-02-20 05:05:00	0	0	0	0	210	7.2	14.23	45.7	53	98.13	-0.5	-0.6	0	45.7	0.49	100	8235	98.07	44.2
2023-02-20 05:10:00	0	0	0	0	208	6.02	9.4	45.5	53.1	98.12	-0.6	-0.5	0	45.5	0.48	100	8234	98.06	44
2023-02-20 05:15:00	0	0	0	0	206	6.6	11.23	45.2	53.8	98.11	-0.5	-0.7	0	45.2	0.47	100	8232	98.05	43.8
2023-02-20 05:20:00	0	0	0	0	214	7.85	11.16	45.1	54	98.1	-0.5	-0.5	0	45	0.47	100	8231	98.05	43.7
2023-02-20 05:25:00	0	0	0	0	225	8.05	11.95	45	54.5	98.11	-0.5	-0.7	0	45	0.46	100	8231	98.05	43.7
2023-02-20 05:30:00	0	0	0	0	231	10.04	16.93	45.1	54.5	98.1	-0.5	-0.5	0	45.1	0.46	100	8231	98.05	43.8
2023-02-20 05:35:00	0	0	0	0	233	10.09	14.16	45.2	54.3	98.1	-0.7	-0.5	0	45.2	0.47	100	8233	98.05	43.9
2023-02-20 05:40:00	0	0	0	0	222	10.18	13.58	45.3	54.4	98.1	-0.5	-0.5	0	45.3	0.47	100	8231	98.05	44
2023-02-20 05:45:00	0	0	0	0	231	8.5	13.38	45.4	54.5	98.1	-0.6	-0.6	0	45.3	0.47	100	8231	98.05	43.9
2023-02-20 05:50:00	0	0	0	0	224	10.67	14.47	45.3	54.5	98.1	-0.7	-0.6	0	45.3	0.47	100	8228	98.04	44
2023-02-20 05:55:00	0	0	0	0	231	10.6	14.12	45.2	54.7	98.09	-0.5	-0.6	0	45.2	0.46	100	8229	98.03	44
2023-02-20 06:00:00	0	0	0	0	226	9.35	12.84	45.4	54.5	98.08	-0.7	-0.5	0	45.4	0.47	100	8229	98.03	44.1
2023-02-20 06:05:00	0	0	0	0	223	9.53	13.42	45.3	55.2	98.09	-0.4	-0.8	0	45.4	0.46	100	8227	98.04	44
2023-02-20 06:10:00	0	0	0	0	229	10.22	14.63	45.4	54.6	98.08	-0.5	-0.6	0	45.4	0.47	100	8228	98.03	44.1
2023-02-20 06:15:00	0	0	0	0	229	7.87	11.16	45.3	55.2	98.08	-0.5	-0.7	0	45.3	0.46	100	8228	98.03	44
2023-02-20 06:20:00	0	0	0	0	220	7.56	10.76	45.1	55.8	98.09	-0.6	-0.5	0	45.1	0.45	100	8228	98.03	43.9
2023-02-20 06:25:00	0	0	0	0	211	7.96	12.24	45.1	55.8	98.09	-0.5	-0.6	0	45.1	0.45	100	8226	98.03	43.8
2023-02-20 06:30:00	0	0	0	0	216	7.83	11.05	44.9	55.9	98.08	-0.6	-0.7	0	44.9	0.45	100	8227	98.03	43.7
2023-02-20 06:35:00	0	0	0	0	232	7.14	10.13	44.8	56.3	98.09	-0.6	-0.6	0	44.8	0.44	100	8226	98.04	43.7
2023-02-20 06:40:00	0	0	0	0	239	7.07	10.29	44.7	55.8	98.1	-0.5	-0.5	0	44.7	0.44	100	8226	98.05	43.6
2023-02-20 06:45:00	0	0	0	0	244	6.8	10.71	44.6	56.2	98.1	-0.6	-0.6	0	44.7	0.44	100	8225	98.06	43.4
2023-02-20 06:50:00	1	0	0	0	252	6.31	8.93	44.4	56.6	98.11	-0.5	-0.6	0	44.4	0.43	100	8225	98.06	43.1
2023-02-20 06:55:00	1.6	0	0	0	256	5.93	8.75	44.1	57.1	98.12	-0.7	-0.6	0	44.1	0.42	100	8224	98.07	42.9
2023-02-20 07:00:00	2.8	0	0	0	264	6.87	8.32	43.8	57.7	98.13	-0.6	-0.5	0	43.8	0.41	100	8226	98.09	42.7
2023-02-20 07:05:00	4.8	0	0	0	284	6.96	8.59	43.8	57.6	98.15	-0.6	-0.4	0	43.8	0.41	100	8223	98.1	42.7
2023-02-20 07:10:00	6	0	0	0	300	6.96	9.91	43.4	58.2	98.15	-0.5	-0.5	0	43.4	0.4	100	8224	98.11	42.4
2023-02-20 07:15:00	4.2	0	0	0	297	9.13	12.33	43.1	58.7	98.16	-0.6	-0.6	0	43.2	0.39	100	8223	98.12	42.3
2023-02-20 07:20:00	4	0	0	0	294	10.36	14.81	42.9	59.4	98.17	-0.7	-0.5	0	42.9	0.38	100	8223	98.13	42.2
2023-02-20 07:25:00	5.4	0	0	0	287	12.86	19.19	42.9	60.1	98.18	-0.7	-0.2	0	42.9	0.37	100	8224	98.13	42.3
2023-02-20 07:30:00	7.6	0	0	0	280	12.77	18.28	42.9	61.4	98.18	-0.7	-0.6	0	42.9	0.36	100	8223	98.14	42.2
2023-02-20 07:35:00	14.4	0	0	0	278	13.69	21.97	42.8	62.6	98.2	-0.6	-0.7	0	42.8	0.35	100	8222	98.15	42.2
2023-02-20 07:40:00	23.8	0	0	0	278	15.39	22.28	42.8	63.1	98.2	-0.4	-0.7	0	42.8	0.34	100	8220	98.15	42.3
2023-02-20 07:45:00	27.2	0	0	0	279	15.17	21.21	42.9	63.8	98.21	-0.3	-0.4	0	42.9	0.34	100	8219	98.16	42.4
2023-02-20 07:50:00	62.2	0	0	0	273	13.73	18.68	43	64.7	98.22	-0.7	-0.7	0	43.2	0.33	100	8220	98.18	42.5
2023-02-20 07:55:00	76	0	0	0	275	15.64	25.81	43.1	64.7	98.23	-0.6	-0.6	0	43.3	0.33	100	8222	98.18	42.7

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-20 08:00:00	84.6	0	0	0	275	12.66	18.68	43.3	64.8	98.23	-0.6	-0.3	0	43.5	0.34	100	8222	98.18	42.8
2023-02-20 08:05:00	160	0	0	0	278	13.38	17.16	43.3	64.8	98.23	-0.6	-0.6	0	43.7	0.34	100	8228	98.19	42.9
2023-02-20 08:10:00	221.6	0	0	0	284	14.83	23.6	43.8	64.7	98.22	-0.7	-0.7	0	44.3	0.34	100	8232	98.19	43.2
2023-02-20 08:15:00	224.6	0	0	0	282	13.29	18.84	44.7	62.9	98.21	-0.8	-0.5	0	45.2	0.37	100	8244	98.19	43.6
2023-02-20 08:20:00	149.6	0	0	0	276	15.21	23.13	45.3	61.7	98.23	-0.5	-0.5	0	45.7	0.39	100	8244	98.19	44.1
2023-02-20 08:25:00	111	0	0	0	283	16.33	24.87	45.1	61.2	98.23	-0.6	-0.5	0	45.3	0.4	100	8244	98.19	44.1
2023-02-20 08:30:00	101.8	0	0	0	277	13.87	18.86	44.6	62.2	98.24	-0.6	-0.8	0	44.8	0.38	100	8241	98.2	44
2023-02-20 08:35:00	104	0	0	0	279	15.73	22.1	44.2	62.8	98.23	-0.9	-0.6	0	44.5	0.37	100	8244	98.19	43.9
2023-02-20 08:40:00	109.6	0	0	0	277	16.28	23.78	43.9	63.6	98.24	-0.7	-0.8	0	44.1	0.35	100	8241	98.2	43.7
2023-02-20 08:45:00	119.8	0	0	0	280	17.4	21.47	43.7	64.1	98.24	-0.4	-0.8	0	44	0.35	100	8242	98.21	43.6
2023-02-20 08:50:00	149	0	0	0	280	16.42	26.08	43.6	64.4	98.25	-0.4	-0.4	0	43.8	0.34	100	8244	98.21	43.5
2023-02-20 08:55:00	158	0	0	0	287	17.47	25.48	43.5	63.7	98.24	-0.8	-0.5	0	43.8	0.35	100	8244	98.21	43.5
2023-02-20 09:00:00	180.8	0	0	0	278	15.01	22.39	43.6	64.4	98.24	-0.6	-0.7	0	43.9	0.34	100	8252	98.21	43.4
2023-02-20 09:05:00	262.4	0	0	0	286	14.72	21.81	43.8	63.9	98.23	-0.6	-0.3	0	44.4	0.35	100	8256	98.2	43.5
2023-02-20 09:10:00	291.8	0	0	0	280	14.85	22.59	44.6	62.7	98.22	-0.7	-0.3	0	45.2	0.37	100	8262	98.2	43.8
2023-02-20 09:15:00	256.8	0	0	0	279	16.82	23.96	44.8	62.3	98.23	0.1	-0.5	0	45.4	0.38	100	8266	98.21	44.1
2023-02-20 09:20:00	227.8	0	0	0	288	15.52	20.71	44.7	62.3	98.25	-0.5	-0.6	0	45.2	0.38	100	8263	98.22	44.2
2023-02-20 09:25:00	173.6	0	0	0	283	14.54	21.18	44.5	62	98.25	-0.7	-0.3	0	44.9	0.38	100	8262	98.22	44.2
2023-02-20 09:30:00	144	0	0	0	278	12.88	20.27	44.2	62.7	98.26	-0.6	-0.6	0	44.5	0.37	100	8263	98.22	44
2023-02-20 09:35:00	131.2	0	0	0	281	13.22	20.04	43.8	63.2	98.26	-0.7	-0.4	0	44.1	0.36	100	8262	98.22	43.7
2023-02-20 09:40:00	169.2	0	0	0	283	11.61	18.05	43.4	63.9	98.25	-0.7	-0.7	0	43.8	0.35	100	8268	98.22	43.4
2023-02-20 09:45:00	182.2	0	0	0	281	11.68	15.93	43.7	64.1	98.25	-0.6	-0.8	0	44.1	0.35	100	8271	98.22	43.4
2023-02-20 09:50:00	173.6	0	0	0	273	12.24	17.27	43.7	63.9	98.26	-0.6	-0.7	0	44.1	0.35	100	8272	98.22	43.4
2023-02-20 09:55:00	284.6	0	0	0	274	13.29	18.43	43.8	63.8	98.26	-0.5	-0.4	0	44.4	0.35	100	8282	98.24	43.4
2023-02-20 10:00:00	506.4	0	0	0	285	12.77	19.53	45.4	61.9	98.22	-0.6	-0.6	0	46.2	0.39	100	8298	98.23	44
2023-02-20 10:05:00	371.6	0	0	0	279	13.15	19.73	46.6	59.7	98.24	-0.6	-0.6	0	47.3	0.44	100	8300	98.23	44.8
2023-02-20 10:10:00	257.4	0	0	0	271	11.74	17.18	46.1	59.7	98.26	-0.2	-0.6	0	46.7	0.43	100	8298	98.23	45.1
2023-02-20 10:15:00	243	0	0	0	293	12.19	19.42	45.8	60.6	98.26	-0.6	-0.5	0	46.3	0.41	100	8298	98.23	45.1
2023-02-20 10:20:00	239	0	0	0	284	8.93	13.47	45.3	60.7	98.27	-0.6	-0.5	0	45.9	0.4	100	8297	98.24	45
2023-02-20 10:25:00	270.8	0	0	0	271	11.25	15.82	45.2	61.4	98.28	-0.4	-0.7	0	45.9	0.4	100	8304	98.25	45
2023-02-20 10:30:00	323	0	0	0	278	9.26	12.53	45.5	61.8	98.28	-0.5	-0.5	0	46.3	0.39	100	8308	98.26	45.3
2023-02-20 10:35:00	246.2	0	0	0	283	14.18	24.76	45.8	60.4	98.28	-0.6	-0.8	0	46.3	0.41	100	8309	98.26	45.5
2023-02-20 10:40:00	285	0	0	0	275	14.52	20.85	45.8	60.1	98.29	-0.6	-0.4	0	46.4	0.42	100	8313	98.27	45.4
2023-02-20 10:45:00	364.4	0	0	0	275	11.72	18.79	45.9	60.8	98.29	-0.5	-0.4	0	46.7	0.41	100	8317	98.27	45.7
2023-02-20 10:50:00	296.4	0	0	0	275	14.05	25.37	46.3	60.3	98.3	-0.7	-0.7	0	46.9	0.42	100	8317	98.27	46.1
2023-02-20 10:55:00	380.4	0	0	0	284	16.69	25.77	46.5	59.2	98.29	-0.3	-0.5	0	47.1	0.44	100	8323	98.27	46.2
2023-02-20 11:00:00	317.4	0	0	0	281	18.86	27.58	46.8	57.5	98.3	-0.2	-0.9	0	47.3	0.46	100	8323	98.27	46.3
2023-02-20 11:05:00	152	0	0	0	285	17.54	23.29	46.3	58.1	98.32	-0.5	-0.7	0	46.5	0.45	100	8318	98.28	46.2
2023-02-20 11:10:00	103.2	0	0	0	277	14.25	21.52	45.5	59	98.33	-0.6	-0.3	0	45.7	0.43	100	8317	98.29	45.8
2023-02-20 11:15:00	140.4	0	0	0	301	17.58	25.88	44.9	60.3	98.32	-0.8	-0.5	0	45.1	0.4	100	8317	98.28	45.4
2023-02-20 11:20:00	534.4	0	0	0	306	14.67	27.02	45.4	60.9	98.28	-0.7	-0.4	0	46	0.4	100	8329	98.29	45.4
2023-02-20 11:25:00	349.6	0	0	0	302	19.22	27.56	46.6	58.9	98.29	-0.3	-1.1	0	47.1	0.44	100	8330	98.28	45.7
2023-02-20 11:30:00	289.6	0	0	0	314	16.49	22.21	46.4	59.3	98.31	-0.4	-0.6	0	46.9	0.44	100	8331	98.28	45.7
2023-02-20 11:35:00	207.2	0	0	0	300	13.78	18.37	45.7	60.3	98.32	-0.6	-0.7	0	46.1	0.41	100	8330	98.28	45.7
2023-02-20 11:40:00	266.2	0	0	0	293	15.64	22.37	45.5	60.7	98.32	-0.3	-0.8	0	46	0.41	100	8330	98.28	45.6
2023-02-20 11:45:00	218.6	0	0	0	281	14.16	18.48	45.2	61.4	98.31	-0.5	-0.6	0	45.6	0.4	100	8332	98.29	45.5
2023-02-20 11:50:00	264.4	0	0	0	288	14.7	20.09	45	61.9	98.31	-0.5	-0.8	0	45.6	0.39	100	8332	98.28	45.5
2023-02-20 11:55:00	155.2	0	0	0	294	15.66	23.35	44.9	61.9	98.32	-0.7	-0.5	0	45.2	0.39	100	8333	98.28	45.3
2023-02-20 12:00:00	163.6	0	0	0	307	14.56	20.09	44.4	61.7	98.31	-0.4	-0.4	0	44.7	0.38	100	8327	98.28	45
2023-02-20 12:05:00	193.8	0	0	0	328	18.66	24.34	43.9	63.1	98.3	-1	-0.9	0	44.2	0.36	100	8330	98.27	44.6
2023-02-20 12:10:00	98	0	0	0	330	17.69	22.37	43.1	64.6	98.3	-0.2	-0.8	0	43.2	0.33	100	8330	98.27	43.8
2023-02-20 12:15:00	80.6	0	0	0	321	15.86	24.36	42.1	66.2	98.3	-0.8	-0.4	0	42.2	0.31	100	8327	98.27	43
2023-02-20 12:20:00	143.6	0	0	0	334	14.99	23.73	41.4	68	98.3	-0.4	-0.9	0	41.6	0.28	100	8327	98.27	42.6
2023-02-20 12:25:00	127.6	0	0	0	320	15.95	21.88	41	68.7	98.29	-0.7	-0.5	0	41.3	0.27	100	8328	98.27	42.3
2023-02-20 12:30:00	157.6	0	0	0	327	13.87	20.85	40.9	69.2	98.3	-0.7	-0.5	0	41.1	0.27	100	8328	98.27	42
2023-02-20 12:35:00	265.8	0	0	0	313	12.57	20.51	40.9	69.3	98.29	-0.6	-0.6	0	41.4	0.27	100	8330	98.27	42.1
2023-02-20 12:40:00	247	0	0	0	321	13.8	18.45	41.2	68.3	98.3	-0.7	-0.5	0	41.7	0.28	100	8332	98.28	42.2
2023-02-20 12:45:00	411.8	0	0	0	313	13.22	21.39	42.2	67.3	98.28	-0.4	-0.8	0	42.8	0.3	100	8336	98.27	42.5
2023-02-20 12:50:00	221.8	0	0	0	316	14.94	20.15	42.5	65.6	98.31	-0.6	-0.7	0	42.9	0.32	100	8335	98.27	42.9
2023-02-20 12:55:00	210.4	0	0	0	309	15.68	25.68	42.5	64.8	98.31	-0.6	-0.6	0	42.9	0.33	100	8339	98.28	43
2023-02-20 13:00:00	223.8	0	0	0	317	18.63	26.64	42.2	64.5	98.3	-0.8	-0.5	0	42.6	0.32	100	8335	98.28	42.8
2023-02-20 13:05:00	255.4	0	0	0	309	14.61	21.59	41.9	65	98.31	-0.5	-0.7	0	42.4	0.32	100	8339	98.28	42.7
2023-02-20 13:10:00	352.2	0	0	0	305	14.74	21.39	42.3	64.8	98.29	-0.5	-0.9	0	42.9	0.32	100	8340	98.27	42.8
2023-02-20 13:15:00	278.6	0	0	0	319	14	20.74	42.6	64.2	98.29	-0.5	-0.6	0	43.2	0.33	100	8342	98.27	43

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-20 13:20:00	211.2	0	0	0	318	14.74	21.23	42.6	63.4	98.29	-0.5	-0.7	0	43	0.34	100	8341	98.27	42.9
2023-02-20 13:25:00	332.4	0	0	0	339	12.84	17.94	42.4	63.3	98.29	-0.5	-0.7	0	43.1	0.34	100	8339	98.27	42.8
2023-02-20 13:30:00	152.8	0	0	0	334	14.16	20.83	42.3	63.4	98.3	-0.5	-0.4	0	42.7	0.34	100	8341	98.28	42.6
2023-02-20 13:35:00	107	0	0	0	338	14.67	24.29	41.8	63.9	98.31	-0.6	-0.6	0	42	0.32	100	8339	98.28	42.2
2023-02-20 13:40:00	117.4	0	0	0	325	14.38	20.33	41.3	64.7	98.3	-0.3	-0.7	0	41.5	0.31	100	8337	98.27	41.8
2023-02-20 13:45:00	341.6	0	0	0	328	13.31	20.89	41.2	65.3	98.28	-0.6	-0.6	0	41.7	0.31	100	8340	98.26	41.7
2023-02-20 13:50:00	297	0	0	0	327	16.13	23.02	41.6	64.6	98.29	-0.3	-0.7	0	42.3	0.32	100	8340	98.26	42
2023-02-20 13:55:00	185.2	0	0	0	332	16.87	21.5	41.6	63.5	98.29	-0.4	-0.8	0	42	0.33	100	8339	98.27	41.9
2023-02-20 14:00:00	153.6	0	0	0	334	15.05	20.96	41.2	63.5	98.29	-0.2	-0.6	0	41.4	0.32	100	8341	98.26	41.6
2023-02-20 14:05:00	196.8	0	0	0	318	12.57	18.14	40.8	64.5	98.29	-0.6	-0.5	0	41.2	0.31	100	8343	98.27	41.5
2023-02-20 14:10:00	342.2	0	0	0	335	14.03	16.6	41	64.1	98.29	-0.6	-0.6	0	41.6	0.31	100	8343	98.27	41.6
2023-02-20 14:15:00	264.4	0	0	0	347	16.93	21.43	41.4	63.2	98.29	-0.8	-0.5	0	42	0.33	100	8342	98.27	41.7
2023-02-20 14:20:00	449	0	0	0	339	15.88	22.26	41.8	62.4	98.27	-0.9	-0.6	0	42.5	0.34	100	8346	98.26	41.7
2023-02-20 14:25:00	314.6	0	0	0	342	17.43	23.33	42.3	59.9	98.28	-0.6	-0.7	0	42.8	0.37	100	8344	98.26	41.8
2023-02-20 14:30:00	270.6	0	0	0	336	13.94	21.68	42.1	60.2	98.28	-0.7	-0.3	0	42.5	0.36	100	8343	98.25	41.7
2023-02-20 14:35:00	276.4	0	0	0	340	16.15	21.74	42.2	59.7	98.27	-0.7	-0.6	0	42.8	0.37	100	8345	98.25	41.6
2023-02-20 14:40:00	235	0	0	0	324	13.29	24.45	42.2	59.7	98.28	-1	-0.2	0	42.7	0.37	100	8342	98.26	41.6
2023-02-20 14:45:00	208.8	0	0	0	322	13.53	17.76	42	59.9	98.28	-0.6	-0.6	0	42.4	0.36	100	8341	98.25	41.5
2023-02-20 14:50:00	287.2	0	0	0	325	13.42	21	41.9	60	98.28	-0.4	-0.7	0	42.4	0.36	100	8342	98.25	41.3
2023-02-20 14:55:00	405.6	0	0	0	337	13.89	20.94	42.2	59.2	98.27	-0.5	-0.6	0	42.9	0.37	100	8342	98.24	41.5
2023-02-20 15:00:00	423.8	0	0	0	340	16.8	23.13	42.9	58	98.25	-0.5	-0.5	0	43.6	0.39	100	8343	98.23	41.7
2023-02-20 15:05:00	442.6	0	0	0	350	18.12	24.14	43.4	56.8	98.25	0	-0.7	0	44.1	0.41	100	8341	98.23	42
2023-02-20 15:10:00	252	0	0	0	342	15.5	21.03	43.2	56.3	98.26	-0.4	-0.5	0	43.6	0.41	100	8344	98.24	42
2023-02-20 15:15:00	303	0	0	0	341	14.36	22.39	42.8	56.9	98.26	-0.4	-0.6	0	43.4	0.4	100	8343	98.24	41.9
2023-02-20 15:20:00	145.8	0	0	0	324	15.35	21.45	42.4	56.6	98.27	-0.6	-0.5	0	42.7	0.4	100	8342	98.24	41.6
2023-02-20 15:25:00	312	0	0	0	338	15.66	21.3	42	57.4	98.25	-0.5	-0.5	0	42.5	0.39	100	8342	98.22	41.3
2023-02-20 15:30:00	313.2	0	0	0	344	18.97	24.63	41.9	56.4	98.25	-0.7	-0.4	0	42.4	0.39	100	8340	98.23	41.3
2023-02-20 15:35:00	279.8	0	0	0	343	18.07	25.66	41.8	56.6	98.24	-0.4	-1	0	42.4	0.39	100	8339	98.22	41.3
2023-02-20 15:40:00	210.8	0	0	0	334	17.22	26.37	41.5	56.7	98.25	-0.8	-0.5	0	41.9	0.39	100	8339	98.22	41.1
2023-02-20 15:45:00	276.8	0	0	0	336	15.03	20.58	41.2	57.8	98.25	-0.8	-0.6	0	41.8	0.37	100	8339	98.22	41
2023-02-20 15:50:00	317.4	0	0	0	343	18.68	25.05	41.3	57.1	98.25	-0.9	-0.1	0	42	0.38	100	8339	98.23	41.1
2023-02-20 15:55:00	253.4	0	0	0	348	15.95	22.24	41.4	57.1	98.26	-0.3	-0.6	0	42	0.38	100	8339	98.24	41.2
2023-02-20 16:00:00	237	0	0	0	339	16.49	22.59	41.2	57.3	98.26	-0.6	-0.9	0	41.6	0.38	100	8336	98.23	41.2
2023-02-20 16:05:00	184.2	0	0	0	339	14.07	21.36	41.1	57.9	98.26	-0.6	-0.7	0	41.6	0.37	100	8336	98.24	41.2
2023-02-20 16:10:00	122.8	0	0	0	338	16.42	23.33	40.7	57.7	98.26	-0.4	-0.8	0	41	0.36	100	8336	98.23	40.7
2023-02-20 16:15:00	104.4	0	0	0	325	16.26	21.81	40.1	58.3	98.26	-0.7	-0.5	0	40.2	0.35	100	8335	98.23	40.1
2023-02-20 16:20:00	81.8	0	0	0	332	17.11	24.52	39.6	59.1	98.27	-0.9	-0.7	0	39.8	0.34	100	8331	98.23	39.7
2023-02-20 16:25:00	110.4	0	0	0	336	14.83	22.59	39.2	59.1	98.28	-0.5	-0.6	0	39.4	0.33	100	8332	98.25	39.3
2023-02-20 16:30:00	78	0	0	0	339	16.44	21.77	38.9	59.7	98.29	-0.7	-0.4	0	39.1	0.32	100	8330	98.25	39.1
2023-02-20 16:35:00	104.8	0	0	0	333	15.43	21.3	38.7	59.7	98.29	-0.6	-0.4	0	38.8	0.32	100	8330	98.26	38.9
2023-02-20 16:40:00	77.6	0	0	0	335	14.03	18.95	38.6	59.8	98.3	-0.7	-0.6	0	38.8	0.32	100	8330	98.26	38.8
2023-02-20 16:45:00	60.2	0	0	0	341	15.48	21.32	38.4	59.6	98.29	-0.9	-0.5	0	38.6	0.32	100	8330	98.26	38.4
2023-02-20 16:50:00	68.6	0	0	0	330	15.43	25.08	38	60.5	98.29	-0.6	-0.6	0	38.2	0.31	100	8328	98.27	38.1
2023-02-20 16:55:00	70.4	0	0	0	327	14.72	19.3	38	61.7	98.3	-0.8	-0.5	0	38.1	0.3	100	8327	98.27	38.2
2023-02-20 17:00:00	58.4	0	0	0	339	13.69	20.27	37.8	62.4	98.3	-0.7	-0.4	0	37.9	0.29	100	8326	98.27	38
2023-02-20 17:05:00	50.4	0	0	0	344	12.17	17.05	37.7	62.5	98.31	-0.5	-0.5	0	37.8	0.29	100	8325	98.28	37.7
2023-02-20 17:10:00	33.8	0	0	0	339	12.26	17.34	37.5	62.8	98.3	-0.9	-0.8	0	37.6	0.28	100	8324	98.27	37.4
2023-02-20 17:15:00	19.4	0	0	0	330	12.84	15.68	37.1	62.4	98.3	-1	-0.4	0	37.2	0.28	100	8323	98.27	36.7
2023-02-20 17:20:00	14.8	0	0	0	333	12.68	18.03	36.8	62.2	98.31	-1	-0.3	0	36.9	0.28	100	8320	98.27	36
2023-02-20 17:25:00	10.4	0	0	0	339	11.54	15.41	36.4	62.9	98.31	-0.8	-0.6	0	36.4	0.27	100	8321	98.27	35.5
2023-02-20 17:30:00	7.6	0	0	0	335	11.1	15.05	36	63.9	98.31	-0.8	-0.7	0	36	0.26	100	8321	98.28	35.1
2023-02-20 17:35:00	4.8	0	0	0	335	10.69	14.65	35.7	63.9	98.31	-0.8	-0.8	0	35.7	0.26	100	8317	98.28	34.7
2023-02-20 17:40:00	2.8	0	0	0	335	11.9	18.75	35.3	64.7	98.31	-0.9	-0.6	0	35.3	0.25	100	8317	98.27	34.3
2023-02-20 17:45:00	1.4	0	0	0	333	12.08	17.07	35.1	65.4	98.31	-0.8	-0.6	0	35.1	0.24	100	8320	98.27	34
2023-02-20 17:50:00	0.4	0	0	0	335	10	13.73	34.9	65.6	98.31	-0.9	-0.2	0	34.9	0.24	100	8318	98.27	33.8
2023-02-20 17:55:00	0	0	0	0	336	10.92	14.7	34.7	66.6	98.32	-0.8	-0.5	0	34.7	0.23	100	8320	98.28	33.5
2023-02-20 18:00:00	0	0	0	0	335	8.23	11.7	34.4	66.9	98.33	-0.7	-0.7	0	34.4	0.22	100	8319	98.29	33.2
2023-02-20 18:05:00	0	0	0	0	337	7.16	9.57	34.2	67.3	98.34	-0.8	-0.6	0	34.2	0.22	100	8315	98.3	32.9
2023-02-20 18:10:00	0	0	0	0	337	7.11	9.66	34.1	68.3	98.34	-0.9	-0.5	0	34.1	0.21	100	8315	98.29	32.5
2023-02-20 18:15:00	0	0	0	0	341	6.51	8.68	33.8	68.5	98.34	-0.8	-0.5	0	33.8	0.21	100	8315	98.3	32.2
2023-02-20 18:20:00	0	0	0	0	343	6.76	8.52	33.5	69.2	98.34	-0.9	-0.4	0	33.5	0.2	100	8314	98.3	31.9
2023-02-20 18:25:00	0	0	0	0	347	6.26	8.32	33.5	69.4	98.34	-0.9	-0.4	0	33.5	0.2	100	8309	98.29	31.7
2023-02-20 18:30:00	0	0	0	0	342	5.7	8.03	33.3	69.9	98.34	-0.8	-0.5	0	33.3	0.19	100	8311	98.3	31.5
2023-02-20 18:35:00	0	0	0	0	341	5.23	7.49	33.2	70.2	98.35	-1	-0.5	0	33.2	0.19	100	8308	98.31	31.3

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-20 18:40:00	0	0	0	0	343	4.85	6.64	33	70.6	98.35	-0.9	-0.5	0	33.1	0.19	100	8307	98.3	31.1
2023-02-20 18:45:00	0	0	0	0	332	5.06	6.71	32.9	71.1	98.35	-0.9	-0.7	0	32.8	0.18	100	8310	98.3	30.9
2023-02-20 18:50:00	0	0	0	0	334	5.1	6.31	32.8	71.3	98.35	-0.9	-0.5	0	32.8	0.18	100	8308	98.31	30.8
2023-02-20 18:55:00	0	0	0	0	333	4.52	5.68	32.7	71.9	98.36	-0.9	-0.5	0	32.8	0.18	100	8310	98.31	30.6
2023-02-20 19:00:00	0	0	0	0	339	4.52	5.79	32.6	72	98.36	-1	-0.6	0	32.6	0.18	100	8309	98.31	30.3
2023-02-20 19:05:00	0	0	0	0	335	3.76	4.92	32.5	72.4	98.36	-0.9	-0.5	0	32.5	0.17	100	8307	98.31	30.2
2023-02-20 19:10:00	0	0	0	0	321	3.87	4.94	32.4	73	98.35	-1	-0.5	0	32.4	0.17	100	8306	98.31	30
2023-02-20 19:15:00	0	0	0	0	325	3.85	5.03	32.3	72.7	98.35	-0.8	-0.5	0	32.3	0.17	100	8307	98.31	29.9
2023-02-20 19:20:00	0	0	0	0	330	2.57	3.44	32.3	73.1	98.35	-0.8	-0.4	0	32.3	0.17	100	8306	98.31	29.8
2023-02-20 19:25:00	0	0	0	0	332	2.26	3.13	32.2	73.7	98.34	-0.9	-0.4	0	32.2	0.16	100	8306	98.3	29.7
2023-02-20 19:30:00	0	0	0	0	328	2.17	2.77	32	73.9	98.34	-0.8	-0.4	0	32	0.16	100	8303	98.29	29.4
2023-02-20 19:35:00	0	0	0	0	339	2.8	3.76	31.9	74.3	98.33	-0.9	-0.5	0	31.9	0.16	100	8304	98.28	29.2
2023-02-20 19:40:00	0	0	0	0	329	2.53	3.56	31.8	75	98.32	-0.9	-0.5	0	31.7	0.15	100	8301	98.28	29.1
2023-02-20 19:45:00	0	0	0	0	335	1.86	2.21	31.7	74.5	98.31	-0.9	-0.5	0	31.7	0.15	100	8301	98.26	29
2023-02-20 19:50:00	0	0	0	0	15	1.88	2.86	31.6	75.3	98.3	-1.1	-0.6	0	31.5	0.15	100	8303	98.25	28.7
2023-02-20 19:55:00	0	0	0	0	78	1.21	1.39	31.4	75.4	98.29	-1	-0.5	0	31.4	0.15	100	8300	98.24	28.5
2023-02-20 20:00:00	0	0	0	0	74	1.41	2.42	31.3	75.8	98.28	-1	-0.5	0	31.3	0.14	100	8301	98.23	28.3
2023-02-20 20:05:00	0	0	0	0	45	2.24	3	31.3	76.8	98.27	-0.9	-0.4	0	31.3	0.14	100	8301	98.22	28.3
2023-02-20 20:10:00	0	0	0	0	44	1.95	2.64	31.3	77.5	98.26	-0.9	-0.4	0	31.3	0.13	100	8300	98.22	28.3
2023-02-20 20:15:00	0	0	0	0	45	1.99	3.24	31.4	77.3	98.26	-0.9	-0.4	0	31.4	0.14	100	8298	98.22	28.3
2023-02-20 20:20:00	0	0	0	0	95	1.39	2.55	31.3	77.5	98.26	-1	-0.4	0	31.3	0.13	100	8298	98.21	28.3
2023-02-20 20:25:00	0	0	0	0	133	1.88	2.93	31.3	77.4	98.26	-0.9	-0.4	0	31.3	0.13	100	8297	98.22	28.3
2023-02-20 20:30:00	0	0	0	0	178	2.42	3.85	31.4	76.9	98.26	-1	-0.5	0	31.4	0.14	100	8298	98.22	28.5
2023-02-20 20:35:00	0	0	0	0	185	4.09	4.74	31.4	77.1	98.26	-0.9	-0.5	0	31.4	0.14	100	8298	98.22	28.5
2023-02-20 20:40:00	0	0	0	0	183	5.41	7.25	31.2	76.6	98.26	-1	-0.5	0	31.2	0.14	100	8297	98.21	28.5
2023-02-20 20:45:00	0	0	0	0	186	6.67	8.01	30.9	76.9	98.25	-0.9	-0.3	0	30.9	0.13	100	8298	98.21	28.4
2023-02-20 20:50:00	0	0	0	0	188	5.79	6.78	30.6	77.8	98.24	-1	-0.5	0	30.6	0.13	100	8295	98.2	28.3
2023-02-20 20:55:00	0	0	0	0	179	6.4	7.43	30.6	78.1	98.24	-1	-0.4	0	30.6	0.13	100	8298	98.21	28.2
2023-02-20 21:00:00	0	0	0	0	173	6.93	7.94	30.5	77.7	98.24	-1	-0.6	0	30.4	0.13	100	8293	98.2	28.2
2023-02-20 21:05:00	0	0	0	0	176	5.84	6.98	30.3	77.9	98.22	-0.9	-0.6	0	30.3	0.13	100	8295	98.19	28.2
2023-02-20 21:10:00	0	0	0	0	178	5.06	6.38	30.2	77.8	98.22	-1	-0.4	0	30.2	0.13	100	8293	98.19	28.1
2023-02-20 21:15:00	0	0	0	0	175	5.48	6.35	30.3	78.3	98.22	-0.9	-0.4	0	30.3	0.12	100	8294	98.18	28.1
2023-02-20 21:20:00	0	0	0	0	175	5.28	6.24	30.4	78.3	98.22	-0.9	-0.6	0	30.3	0.12	100	8294	98.18	28.1
2023-02-20 21:25:00	0	0	0	0	174	5.66	6.64	30.4	77.9	98.22	-1	-0.4	0	30.4	0.13	100	8294	98.18	28
2023-02-20 21:30:00	0	0	0	0	165	4.25	4.72	30.3	77.5	98.21	-1	-0.4	0	30.3	0.13	100	8295	98.18	28
2023-02-20 21:35:00	0	0	0	0	168	4.59	5.77	30.3	78.2	98.21	-1.1	-0.5	0	30.3	0.12	100	8292	98.17	28
2023-02-20 21:40:00	0	0	0	0	168	4.07	4.79	30.2	77.5	98.2	-0.9	-0.5	0	30.2	0.13	100	8289	98.17	27.9
2023-02-20 21:45:00	0	0	0	0	148	3.27	4.38	30.1	78.2	98.2	-0.9	-0.5	0	30.1	0.12	100	8290	98.16	27.7
2023-02-20 21:50:00	0	0	0	0	141	3.42	5.14	30.1	77.9	98.2	-1	-0.5	0	30.1	0.12	100	8287	98.16	27.6
2023-02-20 21:55:00	0	0	0	0	111	2.46	3.58	29.8	78.4	98.19	-1	-0.5	0	29.8	0.12	100	8289	98.16	27.4
2023-02-20 22:00:00	0	0	0	0	128	2.71	5.06	29.9	78.5	98.19	-0.9	-0.5	0	29.9	0.12	100	8289	98.16	27.3
2023-02-20 22:05:00	0	0	0	0	120	3.29	4.38	29.9	78.3	98.19	-1	-0.4	0	29.9	0.12	100	8289	98.15	27.3
2023-02-20 22:10:00	0	0	0	0	91	2.59	4.12	30.1	77.8	98.19	-1	-0.5	0	30.1	0.13	100	8287	98.15	27.3
2023-02-20 22:15:00	0	0	0	0	79	2.46	4.18	30.2	77.6	98.18	-1	-0.4	0	30.2	0.13	100	8289	98.15	27.2
2023-02-20 22:20:00	0	0	0	0	81	1.61	2.35	30	78.1	98.18	-1	-0.5	0	30	0.12	100	8287	98.14	27
2023-02-20 22:25:00	0	0	0	0	120	1.21	2.15	29.8	78.7	98.18	-1	-0.4	0	29.8	0.12	100	8286	98.14	26.9
2023-02-20 22:30:00	0	0	0	0	115	2.01	2.64	29.7	79	98.18	-0.9	-0.4	0	29.7	0.12	100	8287	98.14	26.9
2023-02-20 22:35:00	0	0	0	0	93	2.71	3.44	29.8	78.4	98.17	-1	-0.4	0	29.8	0.12	100	8288	98.13	27
2023-02-20 22:40:00	0	0	0	0	116	3.58	4.23	29.9	78.3	98.17	-1.1	-0.6	0	30	0.12	100	8286	98.14	27.2
2023-02-20 22:45:00	0	0	0	0	109	3.91	5.23	30.1	78.2	98.18	-1	-0.5	0	30.1	0.12	100	8286	98.15	27.5
2023-02-20 22:50:00	0	0	0	0	94	4.5	5.66	30.5	76.6	98.18	-0.9	-0.5	0	30.5	0.13	100	8285	98.14	27.8
2023-02-20 22:55:00	0	0	0	0	87	3.38	4.27	30.7	77.7	98.18	-1	-0.5	0	30.7	0.13	100	8286	98.14	28
2023-02-20 23:00:00	0	0	0	0	95	3.53	4.38	30.7	77.5	98.18	-1	-0.4	0	30.7	0.13	100	8287	98.14	28.1
2023-02-20 23:05:00	0	0	0	0	105	4.16	5.19	30.6	77.5	98.17	-0.9	-0.5	0	30.6	0.13	100	8285	98.13	28
2023-02-20 23:10:00	0	0	0	0	120	5.19	6.89	30.6	76.5	98.17	-1	-0.5	0	30.7	0.14	100	8283	98.13	28.3
2023-02-20 23:15:00	0	0	0	0	117	5.88	7.54	30.7	76.8	98.15	-0.8	-0.4	0	30.8	0.13	100	8286	98.12	28.5
2023-02-20 23:20:00	0	0	0	0	117	6.04	8.05	30.9	77.1	98.15	-1	-0.5	0	30.9	0.13	100	8284	98.12	28.8
2023-02-20 23:25:00	0	0	0	0	129	4.41	5.82	30.9	76.4	98.15	-1	-0.5	0	30.9	0.14	100	8282	98.11	28.9
2023-02-20 23:30:00	0	0	0	0	131	5.39	7.02	31	76.5	98.14	-0.9	-0.4	0	31	0.14	100	8282	98.11	28.9
2023-02-20 23:35:00	0	0	0	0	138	3.18	6.06	30.9	76.7	98.14	-1	-0.5	0	30.9	0.14	100	8282	98.11	28.9
2023-02-20 23:40:00	0	0	0	0	172	2.64	3.89	30.7	77.7	98.14	-1	-0.5	0	30.7	0.13	100	8282	98.11	28.8
2023-02-20 23:45:00	0	0	0	0	172	3.29	4.14	30.6	78	98.13	-1	-0.5	0	30.6	0.13	100	8283	98.11	28.7
2023-02-20 23:50:00	0	0	0	0	151	5.14	6.4	30.4	77.2	98.14	-1	-0.4	0	30.4	0.13	100	8280	98.11	28.7
2023-02-20 23:55:00	0	0	0	0	142	4.54	6.58	30.5	76.9	98.13	-1	-0.4	0	30.6	0.13	100	8279	98.1	28.9

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-21 00:00:00	0	0	0	0	158	4.16	6.26	30.7	76.7	98.12	-1.1	-0.5	0	30.7	0.13	100	8280	98.1	29
2023-02-21 00:05:00	0	0	0	0	164	4.63	6.06	30.7	76.8	98.12	-1	-0.4	0	30.8	0.13	100	8254	98.09	29.3
2023-02-21 00:10:00	0	0	0	0	161	4.81	6.55	30.9	76.7	98.12	-0.9	-0.5	0	30.9	0.14	100	8242	98.09	29.7
2023-02-21 00:15:00	0	0	0	0	165	2.89	6.04	30.8	76.1	98.11	-1	-0.5	0	30.9	0.14	100	8235	98.09	29.9
2023-02-21 00:20:00	0	0	0	0	183	1.61	2.55	30.9	76.9	98.1	-0.9	-0.4	0	30.9	0.13	100	8251	98.08	29.8
2023-02-21 00:25:00	0	0	0	0	207	1.63	2.8	30.8	77.2	98.1	-1	-0.5	0	30.8	0.13	100	8254	98.08	29.6
2023-02-21 00:30:00	0	0	0	0	188	2.26	4.36	30.6	78	98.1	-1	-0.5	0	30.6	0.13	100	8255	98.07	29.3
2023-02-21 00:35:00	0	0	0	0	189	2.53	4.32	30.4	78.5	98.1	-0.8	-0.4	0	30.4	0.12	100	8257	98.07	29.1
2023-02-21 00:40:00	0	0	0	0	189	3.69	5.64	30.1	78.7	98.1	-1	-0.6	0	30.1	0.12	100	8256	98.07	28.9
2023-02-21 00:45:00	0	0	0	0	182	4.41	5.7	30.2	78.2	98.09	-1	-0.5	0	30.2	0.12	100	8260	98.06	28.9
2023-02-21 00:50:00	0	0	0	0	172	3.47	4.99	30.2	78.3	98.07	-0.9	-0.6	0	30.2	0.12	100	8257	98.05	28.8
2023-02-21 00:55:00	0	0	0	0	177	4.9	6.15	30.1	78.4	98.07	-1	-0.6	0	30.1	0.12	100	8260	98.04	28.8
2023-02-21 01:00:00	0	0	0	0	173	3.91	5.68	30.2	78.3	98.06	-1	-0.4	0	30.1	0.12	100	8259	98.03	28.8
2023-02-21 01:05:00	0	0	0	0	166	2.42	4.36	30.1	79.1	98.06	-1	-0.5	0	30.1	0.12	100	8257	98.03	28.7
2023-02-21 01:10:00	0	0	0	0	180	5.53	6.78	30.1	78.5	98.04	-0.9	-0.5	0	30.1	0.12	100	8257	98.01	28.7
2023-02-21 01:15:00	0	0	0	0	171	4.47	5.97	30	78.5	98.03	-1.1	-0.4	0	29.9	0.12	100	8258	98.01	28.7
2023-02-21 01:20:00	0	0	0	0	167	2.59	3.85	29.9	78.3	98.04	-1.1	-0.5	0	29.9	0.12	100	8258	98.01	28.6
2023-02-21 01:25:00	0	0	0	0	169	3.65	4.27	29.9	78.5	98.02	-1	-0.4	0	29.9	0.12	100	8257	98	28.4
2023-02-21 01:30:00	0	0	0	0	161	4.05	4.63	29.8	78.7	98.02	-1.1	-0.5	0	29.8	0.12	100	8260	97.99	28.4
2023-02-21 01:35:00	0	0	0	0	138	2.57	3.71	29.8	78.7	98.02	-0.9	-0.5	0	29.8	0.12	100	8256	97.99	28.3
2023-02-21 01:40:00	0	0	0	0	147	3.13	4.45	29.8	78.6	98.01	-0.9	-0.4	0	29.8	0.12	100	8256	97.99	28.2
2023-02-21 01:45:00	0	0	0	0	171	4.54	5.57	29.8	78.8	98.01	-1	-0.4	0	29.8	0.12	100	8257	97.99	28.2
2023-02-21 01:50:00	0	0	0	0	173	3.78	4.34	29.7	79	98.01	-1	-0.5	0	29.7	0.12	100	8257	97.99	28.2
2023-02-21 01:55:00	0	0	0	0	181	2.46	3.2	29.8	78.7	98.02	-0.9	-0.4	0	29.8	0.12	100	8257	97.99	28.1
2023-02-21 02:00:00	0	0	0	0	154	2.77	3.24	29.7	79.2	98.01	-1	-0.4	0	29.7	0.12	100	8258	97.98	27.9
2023-02-21 02:05:00	0	0	0	0	154	3.4	4.43	29.7	79.2	98	-1	-0.5	0	29.7	0.12	100	8257	97.97	27.9
2023-02-21 02:10:00	0	0	0	0	98	3.44	4.14	29.7	79.2	97.98	-1.1	-0.4	0	29.7	0.12	100	8254	97.95	27.8
2023-02-21 02:15:00	0	0	0	0	78	3.91	4.45	29.5	79.4	97.97	-1	-0.5	0	29.5	0.11	100	8255	97.94	27.5
2023-02-21 02:20:00	0	0	0	0	90	4.07	4.79	29.3	79.6	97.95	-0.9	-0.4	0	29.3	0.11	100	8254	97.92	27.3
2023-02-21 02:25:00	0	0	0	0	117	3.76	4.65	29.2	78.9	97.95	-0.9	-0.4	0	29.2	0.12	100	8255	97.92	27.2
2023-02-21 02:30:00	0	0	0	0	122	3.13	3.83	29.1	79.8	97.94	-1	-0.4	0	29.1	0.11	100	8254	97.92	27.1
2023-02-21 02:35:00	0	0	0	0	95	1.88	2.86	29	80.2	97.94	-0.9	-0.4	0	29	0.11	100	8254	97.91	27
2023-02-21 02:40:00	0	0	0	0	56	2.06	3.13	28.8	80.3	97.93	-1.1	-0.4	0	28.8	0.11	100	8253	97.9	26.6
2023-02-21 02:45:00	0	0	0	0	65	2.68	3.71	28.5	81.1	97.92	-1	-0.4	0	28.5	0.1	100	8254	97.89	26.3
2023-02-21 02:50:00	0	0	0	0	88	2.59	3.44	28.4	80.8	97.91	-1.1	-0.5	0	28.4	0.1	100	8255	97.88	26
2023-02-21 02:55:00	0	0	0	0	120	3.24	4.23	28.2	81.3	97.91	-0.9	-0.4	0	28.2	0.1	100	8252	97.88	25.9
2023-02-21 03:00:00	0	0	0	0	186	3.87	6.22	28.1	82.3	97.91	-1	-0.5	0	28.1	0.09	100	8254	97.89	25.8
2023-02-21 03:05:00	0	0	0	0	203	4.43	5.77	27.8	83.6	97.91	-1	-0.5	0	27.8	0.08	100	8251	97.88	25.6
2023-02-21 03:10:00	0	0	0	0	138	1.86	2.8	27.3	84.8	97.89	-1.1	-0.4	0	27.3	0.08	100	8250	97.86	25.1
2023-02-21 03:15:00	0	0	0	0	127	1.99	3.09	27.2	85.7	97.88	-1.1	-0.5	0	27.2	0.07	100	8248	97.86	24.7
2023-02-21 03:20:00	0	0	0	0	128	4.05	5.01	27	84.6	97.86	-1.1	-0.4	0	27	0.08	100	8253	97.83	24.7
2023-02-21 03:25:00	0	0	0	0	143	3.83	4.68	27.1	85.9	97.85	-1.1	-0.5	0	27.1	0.07	100	8250	97.82	24.8
2023-02-21 03:30:00	0	0	0	0	125	4	5.08	27.1	85.9	97.85	-1.1	-0.4	0	27.1	0.07	100	8248	97.82	24.8
2023-02-21 03:35:00	0	0	0	0	86	4.03	5.97	27	86.2	97.83	-1.1	-0.4	0	27	0.07	100	8248	97.8	24.7
2023-02-21 03:40:00	0	0	0	0	100	6.24	7.49	26.9	86.3	97.81	-1.1	-0.4	0	26.9	0.07	100	8250	97.78	24.6
2023-02-21 03:45:00	0	0	0	0	111	6.67	8.81	27	86.3	97.8	-1.1	-0.4	0	27	0.07	100	8249	97.77	24.6
2023-02-21 03:50:00	0	0	0	0	116	5.41	7.31	27.1	86.1	97.79	-1.2	-0.4	0	27	0.07	100	8246	97.77	24.7
2023-02-21 03:55:00	0	0	0	0	96	5.35	6.71	26.9	86.6	97.77	-1.1	-0.5	0	26.9	0.07	100	8247	97.75	24.7
2023-02-21 04:00:00	0	0	0	0	87	5.12	7.31	26.7	86.4	97.76	-1.1	-0.4	0	26.7	0.07	100	8248	97.74	24.5
2023-02-21 04:05:00	0	0	0	0	112	5.28	8.28	26.5	86.1	97.75	-1.1	-0.4	0	26.5	0.07	100	8247	97.72	24.2
2023-02-21 04:10:00	0	0	0	0	93	5.55	8.48	26.3	86.7	97.73	-1.1	-0.4	0	26.3	0.06	100	8244	97.7	24.1
2023-02-21 04:15:00	0	0	0	0	83	4.52	6.42	26.1	87.4	97.71	-1.2	-0.4	0	26.1	0.06	100	8248	97.68	23.9
2023-02-21 04:20:00	0	0	0	0	80	6.42	7.76	25.9	88.2	97.68	-1.2	-0.5	0	25.9	0.06	100	8246	97.66	23.7
2023-02-21 04:25:00	0	0	0	0	89	6.38	7.56	25.8	88	97.67	-1.1	-0.4	0	25.8	0.06	100	8246	97.65	23.6
2023-02-21 04:30:00	0	0	0	0	95	6.13	7.29	25.8	86.5	97.67	-1.2	-0.4	0	25.8	0.06	100	8244	97.65	23.6
2023-02-21 04:35:00	0	0	0	0	97	6.29	10.07	25.8	86.5	97.67	-1.2	-0.5	0	25.8	0.06	100	8242	97.65	23.6
2023-02-21 04:40:00	0	0	0	0	93	7.67	10.47	25.8	86.3	97.66	-1.1	-0.4	0	25.8	0.06	100	8244	97.64	23.7
2023-02-21 04:45:00	0	0	0	0	96	6.73	8.95	26.2	85.8	97.66	-1.1	-0.4	0	26.3	0.07	100	8244	97.64	23.8
2023-02-21 04:50:00	0	0	0	0	120	6.15	8.93	26.3	85.8	97.67	-1	-0.5	0	26.3	0.07	100	8241	97.66	23.8
2023-02-21 04:55:00	0	0	0	0	141	7.36	8.86	26.2	86.2	97.7	-1.2	-0.4	0	26.2	0.07	100	8241	97.68	23.9
2023-02-21 05:00:00	0	0	0	0	123	7.45	9.15	26.2	86.8	97.69	-1.1	-0.4	0	26.1	0.06	100	8244	97.66	24
2023-02-21 05:05:00	0	0	0	0	117	7.52	9.15	26.1	86.1	97.68	-1.2	-0.4	0	26.1	0.07	100	8241	97.66	24
2023-02-21 05:10:00	0	0	0	0	121	6.6	7.52	26	86.9	97.67	-1.2	-0.4	0	26	0.06	100	8244	97.65	24
2023-02-21 05:15:00	0	0	0	0	116	6.87	8.37	25.9	86.1	97.66	-1.2	-0.4	0	25.9	0.07	100	8243	97.65	23.9

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-21 05:20:00	0	0	0	0	110	6.22	7.11	25.8	86.3	97.66	-1.2	-0.4	0	25.8	0.06	100	8242	97.65	23.9
2023-02-21 05:25:00	0	0	0	0	101	7.27	9.04	25.9	86.2	97.67	-1.1	-0.4	0	25.9	0.07	100	8240	97.65	23.8
2023-02-21 05:30:00	0	0	0	0	106	8.37	9.75	25.9	86.5	97.66	-1.2	-0.4	0	25.9	0.06	100	8241	97.64	23.8
2023-02-21 05:35:00	0	0	0	0	112	7.76	8.77	25.9	86.2	97.65	-1.3	-0.4	0	25.9	0.07	100	8241	97.64	23.8
2023-02-21 05:40:00	0	0	0	0	118	7.18	8.52	25.8	86.9	97.65	-1.1	-0.5	0	25.8	0.06	100	8241	97.64	23.8
2023-02-21 05:45:00	0	0	0	0	113	7.36	9.51	25.6	87.2	97.64	-1.2	-0.4	0	25.6	0.06	100	8240	97.63	23.8
2023-02-21 05:50:00	0	0	0	0	117	7.76	9.1	25.6	87.2	97.63	-1.2	-0.5	0	25.6	0.06	100	8236	97.62	23.7
2023-02-21 05:55:00	0	0	0	0	112	7.87	9.66	25.7	88.8	97.62	-1.2	-0.4	0	25.7	0.05	100	8241	97.6	23.8
2023-02-21 06:00:00	0	0	0	0	109	7.9	9.64	25.8	88.7	97.61	-1.2	-0.5	0	25.8	0.05	100	8238	97.58	23.9
2023-02-21 06:05:00	0	0	0	0	106	8.84	11.12	25.8	88.3	97.58	-1	-0.5	0	25.7	0.06	100	8238	97.57	23.9
2023-02-21 06:10:00	0	0	0	0	107	9.6	11.9	25.8	88.6	97.57	-1	-0.4	0	25.8	0.05	100	8236	97.55	23.9
2023-02-21 06:15:00	0	0	0	0	109	9.55	10.96	25.8	88.4	97.56	-1.2	-0.4	0	25.8	0.05	100	8238	97.55	24
2023-02-21 06:20:00	0	0	0	0	109	9.35	11.36	25.8	88.7	97.55	-1.2	-0.5	0	25.8	0.05	100	8235	97.54	24
2023-02-21 06:25:00	0	0	0	0	108	10.18	12.46	25.8	89	97.54	-1.1	-0.4	0	25.8	0.05	100	8235	97.52	24.1
2023-02-21 06:30:00	0	0	0	0	108	10.02	12.39	25.9	89.6	97.53	-1.1	-0.4	0	25.9	0.05	100	8237	97.51	24.2
2023-02-21 06:35:00	0	0	0	0	108	10.02	15.08	26	90.1	97.52	-1	-0.4	0	26	0.05	100	8235	97.51	24.3
2023-02-21 06:40:00	0.2	0	0	0	105	10	11.68	26.1	89.7	97.51	-1	-0.4	0	26.1	0.05	100	8237	97.49	24.3
2023-02-21 06:45:00	1.4	0	0	0	106	9.73	11.68	26.1	89.7	97.49	-1.1	-0.4	0	26.1	0.05	100	8237	97.48	24.3
2023-02-21 06:50:00	3.8	0	0	0	111	9.53	11.81	26.1	89.6	97.47	-1.2	-0.4	0	26.1	0.05	100	8235	97.46	24.4
2023-02-21 06:55:00	6.6	0	0	0	119	10.63	14.27	26.2	90	97.47	-1.1	-0.4	0	26.3	0.05	100	8235	97.46	24.6
2023-02-21 07:00:00	12.8	0	0	0	117	12.35	16.28	26.6	89.8	97.46	-1.2	-0.4	0	26.6	0.05	100	8237	97.46	24.8
2023-02-21 07:05:00	16.2	0	0	0	116	12.93	18.95	27	88.7	97.47	-1.1	-0.4	0	27	0.06	100	8238	97.46	25
2023-02-21 07:10:00	20.8	0	0	0	118	12.3	14.67	27.1	87.9	97.47	-1.1	-0.4	0	27.1	0.06	100	8238	97.47	25.2
2023-02-21 07:15:00	29	0	0	0	115	11.41	13.24	27.1	87.8	97.46	-1.1	-0.4	0	27.2	0.06	100	8238	97.45	25.3
2023-02-21 07:20:00	33.6	0	0	0	117	9.66	11.34	27.1	87.8	97.47	-1.1	-0.4	0	27.2	0.06	100	8238	97.46	25.4
2023-02-21 07:25:00	41.4	0	0	0	111	8.34	10.69	27.1	88.3	97.47	-1.1	-0.5	0	27.2	0.06	100	8239	97.46	25.5
2023-02-21 07:30:00	44.8	0	0	0	115	6.62	7.81	27.2	88.9	97.48	-1	-0.5	0	27.3	0.06	100	8241	97.47	25.6
2023-02-21 07:35:00	43.8	0	0	0	134	5.12	7.07	27.3	89.1	97.49	-1.1	-0.5	0	27.4	0.05	100	8238	97.48	25.7
2023-02-21 07:40:00	49	0	0	0	139	5.53	7.23	27.4	88.7	97.49	-1.1	-0.4	0	27.6	0.06	100	8240	97.47	25.8
2023-02-21 07:45:00	55.4	0	0	0	131	7.36	9.08	27.5	88.5	97.47	-0.9	-0.4	0	27.7	0.06	100	8243	97.46	26
2023-02-21 07:50:00	68.4	0	0	0	122	7.92	10.29	27.6	88.2	97.46	-1.1	-0.4	0	27.8	0.06	100	8243	97.45	26.1
2023-02-21 07:55:00	77.8	0	0	0	117	7.23	8.5	27.9	88	97.45	-1	-0.3	0	28.1	0.06	100	8245	97.44	26.3
2023-02-21 08:00:00	141.2	0	0	0	114	7.18	8.68	28.3	87.9	97.43	-1.1	-0.3	0	28.7	0.06	100	8258	97.44	26.5
2023-02-21 08:05:00	204.2	0	0	0	116	7.72	9.04	29.3	86.9	97.42	-0.9	-0.5	0	29.9	0.07	100	8275	97.43	27.1
2023-02-21 08:10:00	188.2	0	0	0	129	7.14	9.55	30.6	84.7	97.43	-1.1	-0.4	0	31.2	0.09	100	8280	97.44	28.1
2023-02-21 08:15:00	174	0	0	0	140	6.22	7.85	31.1	84.1	97.46	-0.9	-0.5	0	31.7	0.09	100	8292	97.46	28.9
2023-02-21 08:20:00	189.8	0	0	0	151	6.29	8.28	31.7	83.2	97.48	-1	-0.4	0	32.3	0.1	100	8298	97.48	29.6
2023-02-21 08:25:00	194.8	0	0	0	156	6.62	8.34	32.3	82.1	97.48	-0.9	-0.5	0	32.9	0.11	100	8304	97.49	30.2
2023-02-21 08:30:00	146.6	0	0	0	155	7.34	9.44	32.6	81.2	97.5	-0.9	-0.4	0	33.1	0.12	100	8304	97.49	30.7
2023-02-21 08:35:00	167	0	0	0	154	8.43	10.04	32.6	80.9	97.5	-0.9	-0.5	0	33	0.12	100	8311	97.49	31
2023-02-21 08:40:00	204.2	0	0	0	155	7.07	8.61	32.8	81	97.49	-0.9	-0.4	0	33.4	0.12	100	8317	97.49	31.3
2023-02-21 08:45:00	220.6	0	0	0	154	7.2	9.66	32.9	81	97.48	-0.9	-0.4	0	33.6	0.12	100	8322	97.48	31.6
2023-02-21 08:50:00	261.6	0	0	0	146	7.96	10.25	33.4	80.3	97.47	-0.8	-0.4	0	34.1	0.13	100	8330	97.47	32.1
2023-02-21 08:55:00	243.8	0	0	0	130	9.04	10.76	34	80	97.46	-0.8	-0.4	0	34.7	0.13	100	8336	97.45	32.6
2023-02-21 09:00:00	201.2	0	0	0	132	8.28	10.25	34.2	79.3	97.46	-0.8	-0.5	0	34.8	0.14	100	8332	97.45	33
2023-02-21 09:05:00	227.6	0	0	0	141	9.28	12.01	34.3	80.5	97.44	-0.9	-0.5	0	35	0.13	100	8336	97.44	33.4
2023-02-21 09:10:00	215	0	0	0	148	8.81	10.25	34.7	80.7	97.45	-0.8	-0.5	0	35.3	0.13	100	8336	97.44	33.9
2023-02-21 09:15:00	178.2	0	0	0	145	8.3	11.36	35.2	81	97.44	-1	-0.4	0	35.7	0.13	100	8337	97.43	34.3
2023-02-21 09:20:00	265	0	0	0	140	8.81	11.25	35.7	81.1	97.42	-0.6	-0.6	0	36.4	0.13	100	8344	97.43	34.7
2023-02-21 09:25:00	164.2	0	0	0	132	8.01	11.16	36.3	79.9	97.43	-0.8	-0.4	0	36.9	0.15	100	8342	97.41	35.2
2023-02-21 09:30:00	194.4	0	0	0	134	8.23	9.62	36.4	79.8	97.43	-0.6	-0.4	0	36.9	0.15	100	8340	97.41	35.5
2023-02-21 09:35:00	222	0	0	0	131	7.87	9.82	36.6	79.9	97.41	-0.9	-0.4	0	37.3	0.15	100	8342	97.41	35.9
2023-02-21 09:40:00	239	0	0	0	136	6.87	9.64	37	80	97.42	-0.7	-0.5	0	37.8	0.15	100	8348	97.41	36.3
2023-02-21 09:45:00	278.8	0	0	0	137	5.55	8.16	37.7	79.7	97.41	-0.7	-0.5	0	38.7	0.16	100	8352	97.41	36.8
2023-02-21 09:50:00	295	0	0	0	143	4.9	6.64	38.4	78.8	97.41	-0.7	-0.4	0	39.5	0.17	100	8356	97.4	37.5
2023-02-21 09:55:00	279.8	0	0	0	156	4.54	6.6	39.2	78.7	97.42	-0.6	-0.6	0	40.3	0.17	100	8361	97.41	38.2
2023-02-21 10:00:00	303.4	0	0	0	149	5.59	10.87	39.9	77.7	97.42	-0.6	-0.5	0	41	0.19	100	8361	97.4	39.1
2023-02-21 10:05:00	238.2	0	0	0	168	6.26	11.41	40.6	76.7	97.43	-0.5	-0.4	0	41.4	0.2	100	8360	97.41	39.9
2023-02-21 10:10:00	286.8	0	0	0	160	6.46	9.64	40.9	76.1	97.42	-0.7	-0.7	0	41.8	0.21	100	8362	97.41	40.5
2023-02-21 10:15:00	329.2	0	0	0	157	6.87	9.62	41.4	75.6	97.4	-0.5	-0.7	0	42.4	0.22	100	8367	97.39	41.1
2023-02-21 10:20:00	255.4	0	0	0	156	7.36	10.76	42.2	73.5	97.4	-0.6	-0.5	0	43.1	0.24	100	8366	97.38	41.6
2023-02-21 10:25:00	236.4	0	0	0	172	7.74	12.06	42.5	72.4	97.4	-0.7	-0.4	0	43.3	0.26	100	8365	97.38	42.1
2023-02-21 10:30:00	189	0	0	0	179	10.63	15.14	43	70	97.4	-0.7	-0.5	0	43.5	0.28	100	8368	97.37	42.4
2023-02-21 10:35:00	152	0	0	0	181	9.04	13.53	43.2	69.3	97.38	-0.8	-0.8	0	43.6	0.29	100	8363	97.36	42.6

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-21 10:40:00	133.4	0	0	0	178	9.28	12.08	43.3	68.6	97.38	-0.5	-0.6	0	43.7	0.3	100	8361	97.35	42.7
2023-02-21 10:45:00	206.6	0	0	0	186	8.63	12.15	43.3	68.9	97.38	-0.6	-0.5	0	43.8	0.3	100	8362	97.36	42.9
2023-02-21 10:50:00	209.8	0	0	0	193	12.66	24	43.6	68	97.37	-0.6	-0.8	0	44.2	0.31	100	8361	97.35	43.2
2023-02-21 10:55:00	138.8	0	0	0	196	10.92	14.34	44.2	67	97.38	-0.7	-0.6	0	44.6	0.33	100	8361	97.35	43.5
2023-02-21 11:00:00	155	0	0	0	202	13.94	30.02	44.4	66.3	97.37	-0.4	-0.6	0	44.7	0.34	100	8360	97.34	43.7
2023-02-21 11:05:00	208.8	0	0	0	206	16.46	23.4	44.5	66	97.35	-0.4	-0.3	0	44.9	0.34	100	8361	97.33	44
2023-02-21 11:10:00	184.6	0	0	0	200	12.68	17.13	44.7	65.1	97.36	-0.6	-0.4	0	45.1	0.35	100	8361	97.33	44.2
2023-02-21 11:15:00	172.2	0	0	0	211	18.07	29.55	45	64.9	97.35	-0.5	-0.3	0	45.4	0.36	100	8360	97.33	44.4
2023-02-21 11:20:00	163.4	0	0	0	210	15.84	23.09	45.1	64.7	97.36	-0.3	-0.6	0	45.5	0.36	100	8358	97.33	44.6
2023-02-21 11:25:00	146	0	0	0	201	19.91	27.89	45.2	64.2	97.35	-0.5	-0.7	0	45.5	0.37	100	8358	97.32	44.7
2023-02-21 11:30:00	155.2	0	0	0	206	18.52	26.82	45.3	64.1	97.33	-0.6	-1.7	0	45.5	0.37	100	8361	97.3	44.7
2023-02-21 11:35:00	122.6	0	0	0	221	19.62	29.42	45.2	64.1	97.35	-0.8	-0.9	0	45.5	0.37	100	8358	97.33	44.8
2023-02-21 11:40:00	240.8	0	0	0	232	17.69	26.57	45.3	64.3	97.36	-0.6	-1.1	0	45.6	0.37	100	8360	97.33	44.8
2023-02-21 11:45:00	406.8	0	0	0	218	14.85	20.67	45.8	65.3	97.34	-0.5	-0.9	0	46.5	0.36	100	8370	97.33	45.2
2023-02-21 11:50:00	332.2	0	0	0	203	18.86	28.23	46.4	65.1	97.33	-1.1	-0.5	0	47	0.37	100	8372	97.31	45.6
2023-02-21 11:55:00	315.6	0	0	0	204	17.78	29.28	46.3	65.3	97.33	-1	0	0	47	0.37	100	8374	97.32	45.7
2023-02-21 12:00:00	156	0	0	0	201	18.95	28.95	46.1	65	97.33	-0.6	-1	0	46.4	0.37	100	8370	97.3	45.6
2023-02-21 12:05:00	148.4	0	0	0	207	19.6	26.22	45.4	67.8	97.34	0	0	0	45.7	0.33	100	8368	97.31	45.2
2023-02-21 12:10:00	152	0	0	0	216	20.13	29.33	44.6	69	97.35	0.1	-0.8	0	44.9	0.31	100	8369	97.32	44.7
2023-02-21 12:15:00	265.2	0	0	0	221	17.83	23.82	44.3	70.7	97.34	-0.5	-1.1	0	44.7	0.29	100	8369	97.33	44.7
2023-02-21 12:20:00	242.8	0	0	0	236	17.02	28.59	44.5	70.7	97.35	-0.1	-0.5	0	45	0.29	100	8367	97.33	44.9
2023-02-21 12:25:00	97	0	0	0	237	18.43	30.42	44.5	70.5	97.36	0	-0.3	0	44.7	0.29	100	8366	97.34	44.7
2023-02-21 12:30:00	107	0	0	0	242	15.57	25.84	44.2	70.2	97.37	-0.5	-0.4	0	44.4	0.29	100	8365	97.34	44.5
2023-02-21 12:35:00	247.6	0	0	0	251	18.92	35.32	44.1	70.5	97.36	-0.4	0.2	0	44.5	0.29	100	8370	97.33	44.6
2023-02-21 12:40:00	198.6	0	0	0	267	14.67	20.02	44.3	70.3	97.36	-0.3	-0.8	0	44.7	0.29	100	8368	97.34	44.8
2023-02-21 12:45:00	273.4	0	0	0	253	17.52	27.81	44.6	69.3	97.36	-0.6	-0.6	0	45.1	0.31	100	8370	97.34	45
2023-02-21 12:50:00	522	0	0	0	260	16.73	29.19	45.5	68.8	97.35	-1	-0.4	0	46.1	0.32	100	8374	97.35	45.4
2023-02-21 12:55:00	350	0	0	0	262	14.76	24.27	47.2	66.3	97.37	-0.6	-0.8	0	47.8	0.37	100	8378	97.36	46.2
2023-02-21 13:00:00	571	0	0	0	255	17.67	28.05	48	62.7	97.33	-0.4	-0.8	0	48.7	0.42	100	8378	97.33	46.5
2023-02-21 13:05:00	598.2	0	0	0	255	21.45	31.47	49.3	58.8	97.31	-0.7	-0.7	0	50	0.49	100	8377	97.31	46.8
2023-02-21 13:10:00	556.8	0	0	0	260	19.77	28.19	50	56.2	97.31	-0.2	-1.3	0	50.7	0.54	100	8378	97.33	47
2023-02-21 13:15:00	520.4	0	0	0	263	20.89	32.97	50	55.5	97.32	-0.8	-0.8	0	50.6	0.55	100	8377	97.31	47.1
2023-02-21 13:20:00	574.8	0	0	0	259	21.23	31.18	50.3	53.5	97.31	0.4	-1.4	0	50.9	0.58	100	8374	97.31	47.2
2023-02-21 13:25:00	585.8	0	0	0	253	22.66	35.61	50.6	50.3	97.32	0.2	-0.9	0	51.2	0.62	100	8375	97.33	47.5
2023-02-21 13:30:00	597.6	0	0	0	268	21.21	36.89	50.9	48.8	97.36	-1	-0.7	0	51.5	0.65	100	8378	97.36	47.9
2023-02-21 13:35:00	581.4	0	0	0	262	27.04	53.55	51.3	44	97.37	0.6	-1.1	0	51.8	0.72	100	8375	97.39	48.2
2023-02-21 13:40:00	562.6	0	0	0	278	30.42	44.92	51.2	41.1	97.38	1.2	0.6	0	51.6	0.75	100	8374	97.37	48
2023-02-21 13:45:00	438	0	0	0	268	24.34	37.87	50.4	41.4	97.43	-0.6	-0.6	0	50.9	0.73	100	8374	97.4	47.6
2023-02-21 13:50:00	440.2	0	0	0	259	24.7	40.18	49.9	43.1	97.41	0	-1.1	0	50.4	0.69	100	8374	97.41	47.5
2023-02-21 13:55:00	332	0	0	0	260	24.2	41.56	49.3	44	97.43	0	-0.7	0	49.7	0.67	100	8372	97.41	47.2
2023-02-21 14:00:00	439.8	0	0	0	259	24.09	31.74	48.6	43.9	97.42	-0.3	-1.5	0	49.1	0.65	100	8372	97.41	46.9
2023-02-21 14:05:00	505.8	0	0	0	262	25.28	35.57	49.1	44.2	97.42	-0.8	-1.8	0	49.6	0.66	100	8369	97.42	47
2023-02-21 14:10:00	498.2	0	0	0	253	22.01	35.48	49.3	44.5	97.43	-0.1	-0.2	0	49.9	0.66	100	8372	97.41	47.3
2023-02-21 14:15:00	583.8	0	0	0	257	20.71	35.5	49.9	45.4	97.44	-0.2	-0.6	0	50.5	0.67	100	8374	97.44	47.6
2023-02-21 14:20:00	488	0	0	0	255	21.99	36.39	50.3	45.9	97.47	0.4	-2.5	0	50.9	0.67	100	8372	97.45	48
2023-02-21 14:25:00	355.8	0	0	0	266	25.08	38.92	50.1	46.3	97.49	1	0.4	0	50.5	0.66	100	8373	97.48	47.8
2023-02-21 14:30:00	70.8	0	0	0	288	23.04	33.69	48.6	49.5	97.53	-0.2	-0.9	0	48.7	0.59	100	8371	97.5	47
2023-02-21 14:35:00	26.4	0	0	0	295	23.42	35.7	46.7	51.6	97.55	0.1	0.4	0	46.7	0.53	100	8369	97.52	45.8
2023-02-21 14:40:00	15.8	0	0	0	285	24.74	40	44.9	56	97.58	0.7	-1.6	0	44.9	0.45	100	8366	97.55	43.5
2023-02-21 14:45:00	20.2	0.00134	1	5	285	30.18	48.21	42.9	60.8	97.58	-1.3	-2.2	0.04	42.8	0.37	100	8362	97.54	41
2023-02-21 14:50:00	38	0.00402	0	0	280	26.4	37.78	40.3	71.2	97.62	1.2	-2.7	0.161	40.3	0.24	100	8360	97.59	39.3
2023-02-21 14:55:00	56	0.00067	0	0	288	26.35	41.45	38.6	74.3	97.6	0.4	-2.1	0.04	38.6	0.2	100	8361	97.58	38.9
2023-02-21 15:00:00	95.8	0	0	0	278	27.02	44	38.1	75.5	97.63	0.1	0.2	0	38.2	0.19	100	8362	97.61	38.6
2023-02-21 15:05:00	138.8	0	0	0	278	23.26	36.57	37.8	76.7	97.66	-0.5	-1.1	0	38	0.18	100	8361	97.64	38.4
2023-02-21 15:10:00	236	0	0	0	278	16.75	25.32	37.9	76.9	97.66	-1	-0.3	0	38.3	0.18	100	8363	97.64	38.6
2023-02-21 15:15:00	71	0	0	0	282	17.11	24.02	38.3	75.4	97.68	-0.9	-0.4	0	38.5	0.19	100	8363	97.66	38.8
2023-02-21 15:20:00	33.2	0	0	0	290	15.55	21.83	38.7	74.1	97.71	-0.7	-0.6	0	38.8	0.21	100	8361	97.68	38.9
2023-02-21 15:25:00	31	0	0	0	293	20.07	39.3	38.7	75	97.73	-0.8	-0.8	0	38.8	0.2	100	8359	97.69	38.8
2023-02-21 15:30:00	48.6	0.00067	0	0	292	25.55	45.97	38.2	77.5	97.73	-0.8	-0.2	0.04	38.2	0.18	100	8355	97.7	37.7
2023-02-21 15:35:00	58.6	0.00201	0	0	275	16.8	27.47	37.3	79.4	97.76	-1	-0.4	0.04	37.4	0.16	100	8358	97.73	37.1
2023-02-21 15:40:00	71.4	0.00067	0	0	276	21.39	31.54	36.8	81.5	97.76	-0.5	-0.9	0.04	36.8	0.14	100	8355	97.74	36.7
2023-02-21 15:45:00	83.8	0	0	0	289	15.75	21.16	36.4	83.8	97.79	-0.9	-0.8	0	36.5	0.12	100	8355	97.76	36.5
2023-02-21 15:50:00	67.2	0	0	0	288	15.9	22.79	36.3	83.5	97.8	-0.7	-0.6	0	36.4	0.12	100	8355	97.78	36.3
2023-02-21 15:55:00	94.6	0.00067	0	0	280	13.49	17.56	36.3	81.8	97.82	-0.9	-0.5	0.04	36.5	0.13	100	8356	97.8	36.4

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-21 16:00:00	98.8	0	0	0	279	12.71	18.61	36.4	79.5	97.83	-1	-0.8	0	36.6	0.15	100	8355	97.81	36.6
2023-02-21 16:05:00	158.6	0	0	0	274	12.28	19.3	36.7	77.7	97.85	-1	-0.4	0	37	0.16	100	8355	97.83	36.7
2023-02-21 16:10:00	212	0	0	0	273	16.33	25.97	37	74.2	97.86	-0.6	-0.3	0	37.6	0.19	100	8354	97.84	37.1
2023-02-21 16:15:00	107.4	0	0	0	281	15.43	26.28	37.8	70.4	97.88	-0.5	-0.5	0	38.1	0.23	100	8355	97.85	37.6
2023-02-21 16:20:00	98.4	0	0	0	287	14.94	23	38.1	67.3	97.89	-0.6	-0.5	0	38.2	0.25	100	8352	97.87	37.5
2023-02-21 16:25:00	188.6	0	0	0	283	18.88	31.47	38.5	65.5	97.9	-0.7	-0.7	0	38.8	0.27	100	8353	97.88	38.1
2023-02-21 16:30:00	103.4	0	0	0	286	19.13	26.44	39	61.8	97.91	-1.2	-0.7	0	39.2	0.31	100	8353	97.88	38.4
2023-02-21 16:35:00	57.2	0	0	0	289	18.61	25.81	38.9	60.2	97.93	-0.9	-0.4	0	39.1	0.32	100	8350	97.89	38.1
2023-02-21 16:40:00	86.8	0	0	0	293	21.3	42.43	38.8	59	97.92	-0.1	0.3	0	38.9	0.33	100	8351	97.9	38
2023-02-21 16:45:00	99.8	0	0	0	297	27.04	37.69	38.9	56.4	97.95	-0.8	0.1	0	39.1	0.35	100	8352	97.93	38.4
2023-02-21 16:50:00	96	0	0	0	295	20.6	31.61	39	55.7	97.97	-0.1	-1.2	0	39.2	0.36	100	8351	97.95	38.6
2023-02-21 16:55:00	88	0	0	0	289	14.92	21.12	39	55.8	98	-0.7	-0.3	0	39.2	0.36	100	8349	97.97	38.7
2023-02-21 17:00:00	70.2	0	0	0	280	18.68	30.82	38.9	56.1	98.01	-0.4	-0.3	0	39.1	0.35	100	8351	97.98	38.6
2023-02-21 17:05:00	49.6	0	0	0	286	23.17	34.27	38.8	55.4	98.01	-0.1	-0.6	0	38.9	0.36	100	8347	97.97	38.2
2023-02-21 17:10:00	44.4	0	0	0	288	22.53	33.06	38.7	56.3	98.01	-1	1	0	38.7	0.35	100	8348	97.99	38
2023-02-21 17:15:00	36.4	0	0	0	283	19.73	29.75	38.5	56.3	98.05	-0.3	-0.6	0	38.6	0.35	100	8346	98.02	37.8
2023-02-21 17:20:00	22	0	0	0	284	20.18	28.39	38.1	56	98.06	-0.8	-0.2	0	38.1	0.34	100	8346	98.03	37.2
2023-02-21 17:25:00	12	0	0	0	291	19.86	31.27	37.7	55.8	98.07	-0.5	-0.7	0	37.7	0.34	100	8345	98.03	36.7
2023-02-21 17:30:00	7.8	0	0	0	296	21.9	36.37	37.4	55.9	98.08	0.3	-1.1	0	37.4	0.33	100	8344	98.04	36.4
2023-02-21 17:35:00	5.2	0	0	0	282	20	30.02	37	56.3	98.11	-0.7	-0.4	0	37	0.33	100	8342	98.07	36
2023-02-21 17:40:00	3.4	0	0	0	286	20.42	33.53	36.5	56.1	98.13	-0.9	-0.6	0	36.5	0.32	100	8342	98.08	35.7
2023-02-21 17:45:00	1.6	0	0	0	290	24.67	42.64	36.3	55.4	98.13	-0.5	0.5	0	36.2	0.32	100	8343	98.1	35.5
2023-02-21 17:50:00	0.6	0	0	0	285	21.39	30.2	36.1	55.6	98.16	-0.6	-0.4	0	36	0.32	100	8338	98.13	35.3
2023-02-21 17:55:00	0	0	0	0	283	21.27	35.72	36	55.9	98.18	-0.5	-0.9	0	35.9	0.32	100	8339	98.16	35.2
2023-02-21 18:00:00	0	0	0	0	289	16.96	24.34	35.9	56.1	98.21	-0.4	-0.6	0	35.9	0.31	100	8339	98.17	35
2023-02-21 18:05:00	0	0	0	0	287	14.7	23.6	35.6	57.2	98.22	-0.9	-0.2	0	35.6	0.3	100	8337	98.19	34.8
2023-02-21 18:10:00	0	0	0	0	293	17.31	25.52	35.5	56.8	98.23	-0.3	-1.4	0	35.5	0.3	100	8336	98.19	34.6
2023-02-21 18:15:00	0	0	0	0	286	15.28	23.96	35.2	57.8	98.24	-0.9	-0.7	0	35.3	0.29	100	8338	98.21	34.4
2023-02-21 18:20:00	0	0	0	0	284	16.75	26.28	35.2	57.8	98.26	-0.7	-0.5	0	35.2	0.29	100	8336	98.23	34.3
2023-02-21 18:25:00	0	0	0	0	282	15.39	21.03	35.1	58.9	98.28	-1.1	-0.4	0	35.2	0.28	100	8333	98.25	34.2
2023-02-21 18:30:00	0	0	0	0	282	17.13	25.26	35.1	59.4	98.29	-1.1	-0.7	0	35.1	0.28	100	8336	98.25	34.1
2023-02-21 18:35:00	0	0	0	0	281	15.35	21.09	35	59.4	98.29	-0.8	-0.4	0	35	0.28	100	8335	98.26	33.9
2023-02-21 18:40:00	0	0	0	0	286	16.33	23.58	34.9	60.9	98.29	-0.9	-0.5	0	35	0.27	100	8333	98.26	33.7
2023-02-21 18:45:00	0	0	0	0	289	15.9	24.38	34.8	60.7	98.29	-0.7	-1.1	0	34.8	0.27	100	8336	98.26	33.6
2023-02-21 18:50:00	0	0	0	0	283	15.73	23.26	34.8	61.5	98.31	-0.8	-0.7	0	34.8	0.26	100	8332	98.28	33.5
2023-02-21 18:55:00	0	0	0	0	283	15.68	26.44	34.7	61.7	98.33	-1.1	-0.4	0	34.7	0.26	100	8333	98.29	33.4
2023-02-21 19:00:00	0	0	0	0	287	14.23	23.87	34.7	63.2	98.34	-0.8	-0.7	0	34.7	0.25	100	8329	98.31	33.3
2023-02-21 19:05:00	0	0	0	0	288	13.62	24.54	34.5	63.6	98.37	-1	-0.3	0	34.5	0.25	100	8330	98.33	33.1
2023-02-21 19:10:00	0	0	0	0	282	13.94	19.75	34.5	63.9	98.37	-1.2	-0.5	0	34.5	0.24	100	8330	98.34	33.2
2023-02-21 19:15:00	0	0	0	0	289	16.13	22.7	34.5	64.2	98.39	-0.9	-0.6	0	34.5	0.24	100	8329	98.36	33.2
2023-02-21 19:20:00	0	0	0	0	284	15.05	21.14	34.4	65	98.41	-1	-0.5	0	34.4	0.24	100	8327	98.38	33.3
2023-02-21 19:25:00	0	0	0	0	284	13.85	24.92	34.5	65.1	98.44	-0.6	-0.6	0	34.5	0.24	100	8327	98.41	33.4
2023-02-21 19:30:00	0	0	0	0	280	18.92	25.19	34.6	64.9	98.45	-0.3	-0.6	0	34.6	0.24	100	8330	98.41	33.5
2023-02-21 19:35:00	0	0	0	0	288	17.69	27.07	34.7	65.1	98.47	-1.1	0.1	0	34.7	0.24	100	8324	98.44	33.7
2023-02-21 19:40:00	0	0	0	0	295	17.81	26.84	34.7	64.5	98.48	-0.6	-0.5	0	34.7	0.24	100	8324	98.44	33.7
2023-02-21 19:45:00	0	0	0	0	284	22.12	38.32	34.7	64.6	98.48	0.1	-0.5	0	34.7	0.24	100	8325	98.45	33.7
2023-02-21 19:50:00	0	0	0	0	284	18.88	29.73	34.6	64.9	98.49	-0.7	-1.7	0	34.6	0.24	100	8327	98.47	33.6
2023-02-21 19:55:00	0	0	0	0	276	22.84	33.11	34.5	64	98.52	-0.4	-0.4	0	34.4	0.24	100	8323	98.48	33.5
2023-02-21 20:00:00	0	0	0	0	273	19.3	28.14	34.3	62.9	98.53	-0.7	-0.2	0	34.3	0.25	100	8325	98.5	33.4
2023-02-21 20:05:00	0	0	0	0	272	20.15	30.56	34.2	62.2	98.54	-1.1	-0.1	0	34.2	0.25	100	8323	98.5	33.4
2023-02-21 20:10:00	0	0	0	0	278	18.68	29.68	34.2	61.5	98.56	-0.9	-0.1	0	34.2	0.26	100	8324	98.52	33.3
2023-02-21 20:15:00	0	0	0	0	273	18.61	28.92	34.2	61.8	98.57	-1.2	-0.1	0	34.1	0.25	100	8323	98.54	33.2
2023-02-21 20:20:00	0	0	0	0	271	16.93	25.23	33.9	62.1	98.59	-0.9	-0.5	0	33.9	0.25	100	8322	98.56	33.2
2023-02-21 20:25:00	0	0	0	0	267	19.26	28.61	33.9	62.2	98.6	-0.9	-0.8	0	33.9	0.25	100	8321	98.56	33.1
2023-02-21 20:30:00	0	0	0	0	274	18.05	31.7	33.8	61.4	98.6	-0.6	-0.8	0	33.8	0.25	100	8323	98.57	33.1
2023-02-21 20:35:00	0	0	0	0	270	16.35	22.39	33.8	61.4	98.62	-0.9	-0.4	0	33.8	0.25	100	8322	98.59	33.1
2023-02-21 20:40:00	0	0	0	0	276	14.65	25.68	33.8	62.3	98.63	-0.9	-0.5	0	33.8	0.25	100	8322	98.6	33.1
2023-02-21 20:45:00	0	0	0	0	272	14.81	19.1	33.8	61.8	98.64	-0.9	-0.3	0	33.8	0.25	100	8318	98.61	33
2023-02-21 20:50:00	0	0	0	0	264	15.64	26.37	33.8	61.6	98.64	-1.2	0.1	0	33.8	0.25	100	8318	98.61	32.9
2023-02-21 20:55:00	0	0	0	0	259	14.12	20.47	33.6	61.3	98.65	-0.9	-0.6	0	33.6	0.25	100	8318	98.62	32.7
2023-02-21 21:00:00	0	0	0	0	259	14.72	25.26	33.5	61.7	98.66	-1.1	-0.8	0	33.4	0.25	100	8320	98.63	32.4
2023-02-21 21:05:00	0	0	0	0	261	13.29	20.2	33.2	61.6	98.67	-1.1	-0.5	0	33.2	0.25	100	8319	98.64	32.1
2023-02-21 21:10:00	0	0	0	0	261	11.77	18.43	32.9	61.8	98.67	-0.8	-0.5	0	32.9	0.24	100	8315	98.63	31.8
2023-02-21 21:15:00	0	0	0	0	263	13.06	18.88	32.7	62	98.68	-0.9	-0.5	0	32.7	0.24	100	8316	98.65	31.6

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-21 21:20:00	0	0	0	0	257	14	22.12	32.4	62.7	98.69	-0.8	-0.9	0	32.4	0.23	100	8315	98.66	31.4
2023-02-21 21:25:00	0	0	0	0	258	12.62	16.73	32.3	63.1	98.71	-0.8	-0.6	0	32.3	0.23	100	8316	98.68	31.3
2023-02-21 21:30:00	0	0	0	0	269	13.22	20.49	32.3	63.1	98.71	-0.9	-0.6	0	32.3	0.23	100	8317	98.68	31.3
2023-02-21 21:35:00	0	0	0	0	268	13.2	16.87	32.2	62.3	98.71	-0.8	-0.7	0	32.2	0.23	100	8314	98.68	31.3
2023-02-21 21:40:00	0	0	0	0	271	13.8	18.81	32.3	61.4	98.72	-1.2	-0.3	0	32.3	0.24	100	8315	98.69	31.3
2023-02-21 21:45:00	0	0	0	0	268	12.57	18.84	32.3	61.4	98.73	-0.6	-0.6	0	32.3	0.24	100	8314	98.7	31.2
2023-02-21 21:50:00	0	0	0	0	267	12.93	17.92	32.1	61.8	98.74	-0.9	-0.4	0	32.1	0.23	100	8312	98.71	31.2
2023-02-21 21:55:00	0	0	0	0	260	11.97	17.54	32.3	61.5	98.76	-1	-0.3	0	32.3	0.24	100	8312	98.73	31.3
2023-02-21 22:00:00	0	0	0	0	260	12.75	20.22	32.4	61.2	98.77	-0.1	-0.4	0	32.4	0.24	100	8314	98.74	31.4
2023-02-21 22:05:00	0	0	0	0	269	11.99	20.04	32.5	61	98.79	-1	-0.5	0	32.5	0.24	100	8311	98.75	31.5
2023-02-21 22:10:00	0	0	0	0	263	13.89	22.86	32.5	60.9	98.8	-0.9	-0.2	0	32.5	0.24	100	8312	98.77	31.6
2023-02-21 22:15:00	0	0	0	0	264	13.02	19.57	32.7	60.4	98.81	-1	-0.6	0	32.8	0.25	100	8311	98.78	31.6
2023-02-21 22:20:00	0	0	0	0	264	14	24.7	32.8	60.3	98.82	-1.1	-0.2	0	32.8	0.25	100	8310	98.79	31.7
2023-02-21 22:25:00	0	0	0	0	265	14.18	20.49	32.7	60.4	98.83	-1	-0.6	0	32.8	0.25	100	8311	98.8	31.7
2023-02-21 22:30:00	0	0	0	0	267	13.47	19.33	32.8	60.2	98.84	-0.8	-0.8	0	32.8	0.25	100	8311	98.8	31.8
2023-02-21 22:35:00	0	0	0	0	265	15.43	21.39	32.8	59.5	98.84	-0.7	-0.8	0	32.8	0.26	100	8308	98.82	31.8
2023-02-21 22:40:00	0	0	0	0	264	14.58	19.84	32.9	60	98.86	-1.1	-0.5	0	32.9	0.25	100	8308	98.83	31.9
2023-02-21 22:45:00	0	0	0	0	267	14.16	21.63	32.9	59.7	98.86	-1.3	-0.4	0	32.9	0.26	100	8311	98.83	31.9
2023-02-21 22:50:00	0	0	0	0	267	16.22	23.29	32.9	60	98.87	-1	-1.3	0	32.9	0.25	100	8304	98.85	31.9
2023-02-21 22:55:00	0	0	0	0	273	17.85	31.34	33.1	59.5	98.87	-1	-0.8	0	33.1	0.26	100	8307	98.83	32
2023-02-21 23:00:00	0	0	0	0	269	16.17	21.94	33.1	59.5	98.89	-1.5	-0.7	0	33.1	0.26	100	8305	98.85	32.1
2023-02-21 23:05:00	0	0	0	0	269	16.17	27.98	33	59.6	98.88	-1.2	-0.6	0	33.1	0.26	100	8308	98.86	32.1
2023-02-21 23:10:00	0	0	0	0	267	13.78	26.22	33	59.6	98.89	-0.7	-0.6	0	33	0.26	100	8307	98.85	32.1
2023-02-21 23:15:00	0	0	0	0	267	15.5	23.53	33	59.6	98.9	-0.7	-0.4	0	33	0.26	100	8305	98.86	32.1
2023-02-21 23:20:00	0	0	0	0	269	15.66	23.33	33	59.9	98.9	-1.2	-0.4	0	33.1	0.26	100	8302	98.87	32.1
2023-02-21 23:25:00	0	0	0	0	271	13.58	20.65	32.9	60.5	98.9	-1.3	-0.9	0	32.9	0.25	100	8306	98.87	32
2023-02-21 23:30:00	0	0	0	0	276	11.68	16.42	32.9	60.5	98.91	-0.9	-0.6	0	32.9	0.25	100	8304	98.88	32
2023-02-21 23:35:00	0	0	0	0	265	12.08	18.86	32.8	61.3	98.92	-1	-0.5	0	32.8	0.24	100	8301	98.89	31.9
2023-02-21 23:40:00	0	0	0	0	268	13.87	19.86	32.8	61.3	98.92	-0.5	-0.6	0	32.7	0.24	100	8302	98.9	31.9
2023-02-21 23:45:00	0	0	0	0	272	13.96	22.1	32.7	61.7	98.93	-0.8	-0.4	0	32.7	0.24	100	8301	98.9	31.9
2023-02-21 23:50:00	0	0	0	0	273	13.96	20.6	32.7	62	98.94	-0.6	-0.5	0	32.7	0.24	100	8302	98.92	31.9
2023-02-21 23:55:00	0	0	0	0	275	13.18	18.59	32.8	61.9	98.96	-0.9	-0.6	0	32.8	0.24	100	8302	98.93	31.9
2023-02-22 00:00:00	0	0	0	0	268	14.45	20.54	32.7	62	98.97	-0.8	-0.4	0	32.7	0.24	100	8301	98.94	31.8
2023-02-22 00:05:00	0	0	0	0	270	11.54	16.84	32.7	62.6	98.97	-1.2	-0.4	0	32.8	0.23	100	8273	98.95	32
2023-02-22 00:10:00	0	0	0	0	267	14.47	21.9	32.7	62.3	98.98	-1	-0.4	0	32.8	0.24	100	8262	98.95	32.2
2023-02-22 00:15:00	0	0	0	0	273	12.06	16.91	32.6	63.5	99	-0.9	-0.6	0	32.6	0.23	100	8260	98.97	32.3
2023-02-22 00:20:00	0	0	0	0	269	11.72	18.25	32.6	63.8	99	-0.8	-0.5	0	32.6	0.23	100	8272	98.97	32.3
2023-02-22 00:25:00	0	0	0	0	270	12.1	18.72	32.6	63.8	99	-1.2	-0.4	0	32.6	0.23	100	8276	98.97	32
2023-02-22 00:30:00	0	0	0	0	271	12.3	18.19	32.6	64	99.01	-1	-0.5	0	32.5	0.23	100	8276	98.98	31.9
2023-02-22 00:35:00	0	0	0	0	272	12.95	18.03	32.6	63.9	99.02	-0.9	-0.7	0	32.6	0.23	100	8276	99	31.9
2023-02-22 00:40:00	0	0	0	0	276	11.5	18.39	32.6	64	99.03	-1.1	-0.5	0	32.5	0.23	100	8277	99	31.9
2023-02-22 00:45:00	0	0	0	0	269	11.36	17.6	32.5	64.1	99.04	-1	-0.5	0	32.5	0.22	100	8279	99.01	31.8
2023-02-22 00:50:00	0	0	0	0	274	11.9	15.28	32.5	64.2	99.04	-0.7	-0.4	0	32.5	0.22	100	8278	99.01	31.8
2023-02-22 00:55:00	0	0	0	0	267	10.29	15.79	32.6	63.9	99.04	-0.7	-0.6	0	32.6	0.23	100	8280	99.01	31.8
2023-02-22 01:00:00	0	0	0	0	269	10.42	18.48	32.5	64.2	99.04	-0.8	-0.5	0	32.5	0.22	100	8276	99.01	31.7
2023-02-22 01:05:00	0	0	0	0	277	11.54	17.05	32.5	64.2	99.05	-0.9	-0.3	0	32.5	0.22	100	8280	99.02	31.7
2023-02-22 01:10:00	0	0	0	0	272	10.33	14.52	32.4	64.7	99.05	-0.9	-0.5	0	32.4	0.22	100	8278	99.02	31.6
2023-02-22 01:15:00	0	0	0	0	270	9.86	15.35	32.4	64.5	99.05	-0.6	-0.6	0	32.4	0.22	100	8278	99.02	31.6
2023-02-22 01:20:00	0	0	0	0	271	8.84	14.23	32.3	64.9	99.07	-0.8	-0.4	0	32.3	0.22	100	8277	99.04	31.5
2023-02-22 01:25:00	0	0	0	0	268	9.66	14.97	32.3	64.8	99.08	-1.1	-0.5	0	32.2	0.22	100	8280	99.06	31.5
2023-02-22 01:30:00	0	0	0	0	272	11.07	17.6	32.2	64.9	99.11	-1	-0.5	0	32.3	0.22	100	8279	99.08	31.4
2023-02-22 01:35:00	0	0	0	0	274	9.31	13.67	32.2	64.9	99.11	-0.8	-0.6	0	32.2	0.22	100	8279	99.07	31.4
2023-02-22 01:40:00	0	0	0	0	282	9.82	16.11	32.3	64.8	99.1	-0.8	-0.5	0	32.3	0.22	100	8280	99.07	31.4
2023-02-22 01:45:00	0	0	0	0	284	9.24	13.06	32.2	65	99.11	-1	-0.4	0	32.2	0.22	100	8278	99.09	31.4
2023-02-22 01:50:00	0	0	0	0	276	7.38	9.71	32.2	65	99.12	-0.9	-0.5	0	32.2	0.22	100	8274	99.1	31.3
2023-02-22 01:55:00	0	0	0	0	268	7.81	12.84	32.1	65.2	99.13	-0.9	-0.4	0	32.1	0.21	100	8277	99.1	31.2
2023-02-22 02:00:00	0	0	0	0	275	7.94	12.53	32.1	65.3	99.13	-1	-0.6	0	32.1	0.21	100	8277	99.1	31.2
2023-02-22 02:05:00	0	0	0	0	274	7.96	10.85	32	65.5	99.14	-0.8	-0.4	0	32	0.21	100	8276	99.1	31.2
2023-02-22 02:10:00	0	0	0	0	270	7.96	11.99	32	65.4	99.13	-0.9	-0.4	0	32	0.21	100	8276	99.11	31.2
2023-02-22 02:15:00	0	0	0	0	277	7.05	10	32	65.5	99.14	-1	-0.5	0	32	0.21	100	8274	99.11	31.1
2023-02-22 02:20:00	0	0	0	0	278	7.02	10.04	32	65.5	99.13	-1	-0.4	0	32	0.21	100	8274	99.1	31
2023-02-22 02:25:00	0	0	0	0	277	5.77	8.63	31.9	65.7	99.13	-1	-0.3	0	31.9	0.21	100	8275	99.1	31
2023-02-22 02:30:00	0	0	0	0	279	5.3	9.78	31.9	65.8	99.14	-1	-0.4	0	31.9	0.21	100	8276	99.11	30.9
2023-02-22 02:35:00	0	0	0	0	274	5.14	7.07	31.8	65.9	99.15	-1	-0.5	0	31.8	0.21	100	8274	99.12	30.9

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-22 02:40:00	0	0	0	0	273	5.64	9.01	31.8	66	99.15	-0.9	-0.6	0	31.7	0.21	100	8276	99.12	30.8
2023-02-22 02:45:00	0	0	0	0	268	5.35	7.25	31.7	66.2	99.15	-0.8	-0.6	0	31.7	0.2	100	8273	99.12	30.8
2023-02-22 02:50:00	0	0	0	0	273	5.99	8.55	31.6	66.4	99.15	-1	-0.4	0	31.6	0.2	100	8272	99.12	30.8
2023-02-22 02:55:00	0	0	0	0	276	6.53	9.1	31.6	66.4	99.16	-0.9	-0.4	0	31.6	0.2	100	8273	99.13	30.7
2023-02-22 03:00:00	0	0	0	0	273	6.98	9.42	31.7	66.1	99.16	-1	-0.5	0	31.7	0.2	100	8274	99.13	30.8
2023-02-22 03:05:00	0	0	0	0	273	7.27	10.36	31.7	66.2	99.17	-0.9	-0.5	0	31.7	0.2	100	8273	99.14	30.8
2023-02-22 03:10:00	0	0	0	0	273	6.91	9.31	31.7	66.3	99.18	-0.9	-0.6	0	31.7	0.2	100	8271	99.15	30.8
2023-02-22 03:15:00	0	0	0	0	267	5.48	7.83	31.7	67.1	99.19	-1	-0.6	0	31.7	0.2	100	8271	99.16	30.7
2023-02-22 03:20:00	0	0	0	0	264	6.29	8.21	31.6	67	99.19	-1	-0.5	0	31.5	0.2	100	8271	99.17	30.7
2023-02-22 03:25:00	0	0	0	0	266	5.86	8.7	31.6	67.2	99.19	-1.1	-0.4	0	31.6	0.2	100	8273	99.16	30.7
2023-02-22 03:30:00	0	0	0	0	277	5.48	8.05	31.6	67.2	99.18	-0.9	-0.4	0	31.6	0.2	100	8270	99.15	30.6
2023-02-22 03:35:00	0	0	0	0	272	5.21	8.28	31.5	67.4	99.18	-1	-0.5	0	31.5	0.2	100	8269	99.16	30.6
2023-02-22 03:40:00	0	0	0	0	269	6.38	8.88	31.5	68.1	99.19	-1	-0.4	0	31.5	0.19	100	8270	99.16	30.6
2023-02-22 03:45:00	0	0	0	0	273	5.08	6.6	31.4	68.3	99.2	-0.9	-0.4	0	31.4	0.19	100	8269	99.17	30.5
2023-02-22 03:50:00	0	0	0	0	269	5.12	6.98	31.4	68.8	99.21	-0.9	-0.4	0	31.4	0.19	100	8269	99.18	30.5
2023-02-22 03:55:00	0	0	0	0	278	4.79	6.87	31.3	69	99.2	-0.9	-0.5	0	31.3	0.18	100	8270	99.17	30.5
2023-02-22 04:00:00	0	0	0	0	304	4.83	6.8	31.3	69.1	99.19	-1	-0.4	0	31.3	0.18	100	8267	99.16	30.4
2023-02-22 04:05:00	0	0	0	0	347	5.79	7.99	31.2	69.2	99.2	-1	-0.5	0	31.3	0.18	100	8268	99.18	30.3
2023-02-22 04:10:00	0	0	0	0	335	7.09	10.29	31.3	69.1	99.21	-1	-0.5	0	31.3	0.18	100	8267	99.19	30.3
2023-02-22 04:15:00	0	0	0	0	336	8.39	12.15	31.4	68.9	99.22	-0.9	-0.4	0	31.4	0.19	100	8267	99.19	30.3
2023-02-22 04:20:00	0	0	0	0	337	7.81	10.58	31.3	69.3	99.23	-0.9	-0.5	0	31.4	0.18	100	8266	99.2	30.3
2023-02-22 04:25:00	0	0	0	0	346	8.01	11.14	31.4	68.7	99.22	-0.9	-0.5	0	31.4	0.19	100	8268	99.19	30.3
2023-02-22 04:30:00	0	0	0	0	353	7.99	13.85	31.2	69.2	99.22	-0.9	-0.4	0	31.2	0.18	100	8267	99.19	30.3
2023-02-22 04:35:00	0	0	0	0	5	9.33	13.22	31.3	69	99.21	-0.9	-0.5	0	31.3	0.18	100	8266	99.18	30.3
2023-02-22 04:40:00	0	0	0	0	349	8.95	10.96	31.2	69.2	99.21	-0.9	-0.4	0	31.2	0.18	100	8267	99.19	30.3
2023-02-22 04:45:00	0	0	0	0	356	8.59	14.72	31.2	68.4	99.21	-1	-0.5	0	31.2	0.19	100	8267	99.18	30.3
2023-02-22 04:50:00	0	0	0	0	355	6.73	9.64	31.1	68.5	99.22	-1	-0.5	0	31.1	0.19	100	8264	99.19	30.2
2023-02-22 04:55:00	0	0	0	0	349	7.11	11.83	31.1	68	99.22	-0.9	-0.6	0	31.1	0.19	100	8266	99.2	30.2
2023-02-22 05:00:00	0	0	0	0	348	6.51	8.37	31.1	67.9	99.24	-1.1	-0.5	0	31.1	0.19	100	8263	99.22	30.1
2023-02-22 05:05:00	0	0	0	0	347	6.33	8.37	31	68.2	99.24	-0.8	-0.7	0	31	0.19	100	8263	99.22	30.1
2023-02-22 05:10:00	0	0	0	0	344	7.02	12.08	31	68.1	99.26	-1	-0.4	0	31	0.19	100	8263	99.24	30.1
2023-02-22 05:15:00	0	0	0	0	354	7.27	8.61	31	68.2	99.28	-0.9	-0.3	0	31	0.19	100	8265	99.26	30
2023-02-22 05:20:00	0	0	0	0	350	9.48	13.47	30.9	68	99.29	-1	-0.5	0	30.9	0.19	100	8263	99.26	30
2023-02-22 05:25:00	0	0	0	0	351	7.76	10.4	30.8	67.3	99.29	-0.9	-0.4	0	30.8	0.19	100	8264	99.27	30
2023-02-22 05:30:00	0	0	0	0	350	8.93	12.41	30.9	67.8	99.3	-1.1	-0.5	0	30.9	0.19	100	8263	99.27	29.9
2023-02-22 05:35:00	0	0	0	0	354	8.95	12.57	30.7	67.2	99.31	-0.8	-0.4	0	30.7	0.19	100	8263	99.29	29.9
2023-02-22 05:40:00	0	0	0	0	355	7.27	11.27	30.8	67.7	99.32	-0.9	-0.5	0	30.8	0.19	100	8263	99.3	29.9
2023-02-22 05:45:00	0	0	0	0	356	7.31	9.71	30.7	67.4	99.33	-1	-0.4	0	30.7	0.19	100	8263	99.3	29.8
2023-02-22 05:50:00	0	0	0	0	348	8.7	11.36	30.7	67.4	99.33	-1.1	-0.3	0	30.7	0.19	100	8262	99.3	29.8
2023-02-22 05:55:00	0	0	0	0	348	8.41	12.35	30.5	67.8	99.34	-1	-0.6	0	30.5	0.19	100	8262	99.31	29.7
2023-02-22 06:00:00	0	0	0	0	343	8.79	11.56	30.6	67.7	99.33	-1	-0.3	0	30.6	0.19	100	8260	99.31	29.7
2023-02-22 06:05:00	0	0	0	0	345	5.88	8.16	30.5	67.8	99.35	-1	-0.5	0	30.5	0.19	100	8260	99.32	29.7
2023-02-22 06:10:00	0	0	0	0	357	4.7	7.05	30.5	68.1	99.35	-0.9	-0.5	0	30.5	0.18	100	8260	99.32	29.6
2023-02-22 06:15:00	0	0	0	0	17	4.14	6.87	30.4	68.4	99.34	-0.9	-0.5	0	30.4	0.18	100	8261	99.32	29.5
2023-02-22 06:20:00	0	0	0	0	8	4.88	6.91	30.3	68.4	99.36	-0.9	-0.5	0	30.3	0.18	100	8260	99.34	29.5
2023-02-22 06:25:00	0	0	0	0	351	3.91	5.28	30.4	68.2	99.38	-1	-0.5	0	30.4	0.18	100	8259	99.35	29.4
2023-02-22 06:30:00	0	0	0	0	0	3.8	5.61	30.3	68.4	99.38	-1	-0.4	0	30.3	0.18	100	8259	99.36	29.4
2023-02-22 06:35:00	0	0	0	0	355	3.18	5.06	30.2	68.7	99.4	-0.9	-0.4	0	30.2	0.18	100	8257	99.38	29.3
2023-02-22 06:40:00	0	0	0	0	343	2.13	3.02	30.3	68.4	99.41	-1.1	-0.4	0	30.3	0.18	100	8259	99.38	29.2
2023-02-22 06:45:00	1	0	0	0	337	1.03	1.41	30.3	69.2	99.41	-0.9	-0.4	0	30.3	0.18	100	8259	99.39	29.1
2023-02-22 06:50:00	1	0	0	0	348	1.74	2.91	30.1	70	99.42	-0.9	-0.5	0	30.1	0.17	100	8254	99.39	29
2023-02-22 06:55:00	1.8	0	0	0	7	3.24	4.43	30.1	69.4	99.42	-1	-0.4	0	30.1	0.17	100	8258	99.39	29
2023-02-22 07:00:00	3.6	0	0	0	7	4.65	6.04	30	69.2	99.41	-1	-0.4	0	30	0.17	100	8257	99.39	29
2023-02-22 07:05:00	7	0	0	0	3	4.97	7.09	30	69.2	99.41	-1	-0.6	0	30	0.17	100	8257	99.39	29
2023-02-22 07:10:00	11.4	0	0	0	12	5.44	7.54	30.1	69.1	99.39	-0.9	-0.5	0	30.1	0.17	100	8257	99.36	29.1
2023-02-22 07:15:00	14.4	0	0	0	19	6.04	7.11	30	69.2	99.36	-1.1	-0.4	0	30.2	0.17	100	8257	99.33	29.1
2023-02-22 07:20:00	22.2	0	0	0	19	5.44	8.25	30.2	69.1	99.35	-1	-0.5	0	30.2	0.18	100	8255	99.33	29.2
2023-02-22 07:25:00	30.8	0	0	0	26	6.51	9.13	30.1	69.7	99.34	-1	-0.5	0	30.2	0.17	100	8255	99.31	29.2
2023-02-22 07:30:00	38.6	0	0	0	27	6.82	8.59	30.2	69.5	99.32	-1	-0.4	0	30.3	0.17	100	8255	99.3	29.2
2023-02-22 07:35:00	49.6	0	0	0	19	6.8	9.53	30.2	69	99.32	-1.1	-0.4	0	30.3	0.18	100	8255	99.3	29.2
2023-02-22 07:40:00	60.4	0	0	0	22	7.72	10.18	30.3	69.2	99.32	-1	-0.5	0	30.5	0.18	100	8259	99.3	29.3
2023-02-22 07:45:00	64	0	0	0	15	5.93	12.06	30.3	68.6	99.35	-0.9	-0.4	0	30.6	0.18	100	8257	99.33	29.3
2023-02-22 07:50:00	62.8	0	0	0	20	4.85	7.94	30.3	68.3	99.4	-1	-0.5	0	30.5	0.18	100	8256	99.38	29.4
2023-02-22 07:55:00	55.2	0	0	0	59	3.96	7.4	30.4	68.2	99.42	-1	-0.5	0	30.6	0.18	100	8259	99.39	29.5

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-22 08:00:00	56	0	0	0	32	4.76	7.7	30.5	68.5	99.44	-1.1	-0.5	0	30.8	0.18	100	8260	99.43	29.7
2023-02-22 08:05:00	65.8	0	0	0	14	7.56	9.86	30.6	69	99.46	-0.9	-0.5	0	30.7	0.18	100	8259	99.43	29.8
2023-02-22 08:10:00	65.6	0	0	0	26	8.25	13.91	30.7	69.1	99.47	-0.9	-0.4	0	30.8	0.18	100	8260	99.45	29.9
2023-02-22 08:15:00	84.8	0	0	0	26	8.55	11.79	30.6	70.2	99.46	-1	-0.6	0	30.9	0.17	100	8260	99.43	29.9
2023-02-22 08:20:00	104.2	0	0	0	42	11.39	16.71	30.7	69.7	99.44	-1.1	-0.5	0	31	0.18	100	8262	99.42	30
2023-02-22 08:25:00	102.6	0	0	0	47	9.8	12.66	30.7	70	99.43	-1.1	-0.5	0	31	0.17	100	8263	99.42	30.1
2023-02-22 08:30:00	92.4	0	0	0	54	10.87	15.97	30.8	69.4	99.44	-1.1	-0.3	0	31.1	0.18	100	8263	99.42	30.2
2023-02-22 08:35:00	85.6	0	0	0	61	9.01	13.35	30.7	68.9	99.44	-0.8	-0.4	0	31	0.18	100	8263	99.42	30.3
2023-02-22 08:40:00	79.6	0	0	0	55	9.91	16.58	30.7	69	99.44	-0.9	-0.3	0	30.9	0.18	100	8263	99.42	30.3
2023-02-22 08:45:00	86	0	0	0	54	8.41	14.5	30.6	69.3	99.46	-0.9	-0.4	0	30.8	0.18	100	8264	99.45	30.3
2023-02-22 08:50:00	85.4	0	0	0	60	9.64	14.07	30.7	69	99.46	-0.9	-0.6	0	31	0.18	100	8264	99.43	30.3
2023-02-22 08:55:00	114.8	0	0	0	61	9.37	14.41	30.7	68.7	99.44	-1	-0.4	0	30.9	0.18	100	8267	99.42	30.4
2023-02-22 09:00:00	141.6	0	0	0	61	8.7	14.36	30.7	68.6	99.43	-0.8	-0.6	0	31.1	0.18	100	8269	99.4	30.6
2023-02-22 09:05:00	116	0	0	0	43	9.71	14.79	30.9	68.5	99.41	-0.8	-0.4	0	31.2	0.18	100	8268	99.39	30.7
2023-02-22 09:10:00	106	0	0	0	70	8.59	16.33	30.9	67.8	99.43	-1.1	-0.5	0	31.2	0.19	100	8270	99.42	30.8
2023-02-22 09:15:00	83.8	0	0	0	70	8.52	12.62	31	66.9	99.45	-1.1	-0.3	0	31.3	0.19	100	8268	99.43	30.8
2023-02-22 09:20:00	88	0	0	0	71	9.08	12.59	31	66.5	99.45	-1	-0.3	0	31.2	0.2	100	8268	99.43	30.8
2023-02-22 09:25:00	93.4	0	0	0	70	8.28	13.76	30.9	66.8	99.45	-1	-0.5	0	31.2	0.19	100	8268	99.44	30.8
2023-02-22 09:30:00	94.6	0	0	0	77	8.43	11.3	31	66.4	99.47	-1	-0.5	0	31.3	0.2	100	8271	99.45	30.8
2023-02-22 09:35:00	92.6	0	0	0	72	8.99	12.68	31	66.5	99.46	-1.1	-0.5	0	31.3	0.2	100	8268	99.44	30.9
2023-02-22 09:40:00	75.6	0	0	0	69	7.94	11.83	31.1	66.8	99.47	-1.1	-0.4	0	31.3	0.2	100	8270	99.46	30.9
2023-02-22 09:45:00	99.6	0	0	0	83	8.19	10.87	31	67.4	99.48	-0.9	-0.4	0	31.3	0.19	100	8270	99.46	30.9
2023-02-22 09:50:00	101.8	0	0	0	58	8.55	13.27	31.1	67.9	99.49	-0.9	-0.6	0	31.4	0.19	100	8271	99.47	31
2023-02-22 09:55:00	96.6	0	0	0	47	6.71	10.07	31.1	67.9	99.5	-0.9	-0.5	0	31.4	0.19	100	8271	99.49	31
2023-02-22 10:00:00	110.8	0	0	0	65	5.95	8.52	31.2	68.3	99.51	-1	-0.4	0	31.6	0.19	100	8270	99.5	31.2
2023-02-22 10:05:00	103	0	0	0	83	6.64	10.69	31.4	68.9	99.53	-0.9	-0.4	0	31.7	0.19	100	8271	99.51	31.3
2023-02-22 10:10:00	126.4	0	0	0	109	9.42	11.34	31.5	66.8	99.53	-0.9	-0.4	0	31.8	0.2	100	8273	99.52	31.4
2023-02-22 10:15:00	137.8	0	0	0	107	9.82	11.72	31.5	66.8	99.55	-1	-0.5	0	31.9	0.2	100	8273	99.53	31.4
2023-02-22 10:20:00	112.4	0	0	0	93	8.25	13.42	31.6	67.2	99.55	-0.9	-0.4	0	31.9	0.2	100	8274	99.53	31.4
2023-02-22 10:25:00	93.2	0	0	0	106	9.89	13.13	31.7	66.7	99.57	-1	-0.4	0	32	0.2	100	8276	99.55	31.5
2023-02-22 10:30:00	84.8	0	0	0	111	10.02	13.69	31.8	66	99.57	-0.8	-0.5	0	32	0.21	100	8276	99.56	31.4
2023-02-22 10:35:00	94	0	0	0	101	10.8	14.2	31.7	65.9	99.57	-0.9	-0.4	0	31.9	0.21	100	8274	99.55	31.4
2023-02-22 10:40:00	103.2	0	0	0	115	10.11	14.34	31.7	66.2	99.58	-0.9	-0.4	0	32	0.2	100	8276	99.57	31.5
2023-02-22 10:45:00	107.8	0	0	0	98	9.71	14.58	31.6	66.2	99.59	-0.9	-0.4	0	31.9	0.2	100	8277	99.57	31.5
2023-02-22 10:50:00	106	0	0	0	106	9.01	12.5	31.7	66.2	99.59	-1	-0.4	0	32	0.2	100	8275	99.57	31.6
2023-02-22 10:55:00	92.4	0	0	0	111	8.16	10.78	31.7	66.6	99.6	-0.9	-0.6	0	32	0.2	100	8276	99.58	31.6
2023-02-22 11:00:00	90	0	0	0	113	9.89	13.18	31.9	65.8	99.61	-0.9	-0.4	0	32.1	0.21	100	8276	99.58	31.6
2023-02-22 11:05:00	86.6	0	0	0	133	11.45	16.6	31.9	66.2	99.59	-1.1	-0.4	0	32.1	0.21	100	8276	99.57	31.6
2023-02-22 11:10:00	92.2	0	0	0	113	12.8	17.65	31.9	66.2	99.57	-0.8	-0.5	0	32.1	0.21	100	8278	99.55	31.5
2023-02-22 11:15:00	119	0	0	0	108	13.65	17.81	31.8	67.7	99.55	-0.8	-0.6	0	32	0.2	100	8280	99.54	31.5
2023-02-22 11:20:00	145.8	0	0	0	108	13.22	16.08	31.6	68.1	99.54	-1	-0.3	0	31.9	0.19	100	8276	99.52	31.5
2023-02-22 11:25:00	138	0	0	0	119	12.41	16.2	31.6	68.5	99.52	-0.9	-0.5	0	31.9	0.19	100	8278	99.52	31.5
2023-02-22 11:30:00	122.2	0	0	0	104	8.59	10.76	31.6	69.4	99.53	-0.9	-0.4	0	31.9	0.18	100	8279	99.51	31.5
2023-02-22 11:35:00	113	0	0	0	82	7.25	11.1	31.7	69.6	99.52	-1.1	-0.4	0	32	0.18	100	8280	99.5	31.6
2023-02-22 11:40:00	124	0	0	0	92	9.93	13.2	31.7	69.4	99.51	-1	-0.4	0	32.1	0.18	100	8280	99.49	31.7
2023-02-22 11:45:00	149.6	0	0	0	85	10.92	14.41	31.7	69.5	99.49	-0.9	-0.5	0	32.1	0.18	100	8282	99.46	31.7
2023-02-22 11:50:00	150.4	0	0	0	73	9.89	14.67	31.8	70.2	99.46	-1.1	-0.5	0	32.2	0.18	100	8282	99.44	31.9
2023-02-22 11:55:00	160	0	0	0	42	11.52	16.28	31.7	72	99.44	-1	-0.6	0	32.1	0.17	100	8286	99.43	31.7
2023-02-22 12:00:00	156.6	0	0	0	41	10.36	16.02	31.3	72.7	99.44	-1	-0.2	0	31.7	0.16	100	8287	99.43	31.5
2023-02-22 12:05:00	142.2	0	0	0	48	10.16	18.14	31.1	73.3	99.46	-0.9	-0.4	0	31.5	0.16	100	8288	99.44	31.4
2023-02-22 12:10:00	137.4	0	0	0	38	10.96	16.69	31.1	73.3	99.45	-0.9	-0.5	0	31.4	0.16	100	8288	99.44	31.4
2023-02-22 12:15:00	130.4	0	0	0	37	10.51	13.96	30.9	73.5	99.44	-0.9	-0.6	0	31.3	0.15	100	8291	99.42	31.2
2023-02-22 12:20:00	120.6	0	0	0	43	11.9	16.2	30.8	73.7	99.43	-1.1	-0.6	0	31.1	0.15	100	8288	99.41	31.1
2023-02-22 12:25:00	112.4	0	0	0	29	11.68	19.57	30.7	74.3	99.41	-0.9	-0.5	0	30.9	0.15	100	8288	99.39	31
2023-02-22 12:30:00	108.4	0	0	0	43	12.21	21.16	30.5	74.8	99.38	-1.2	-0.3	0	30.7	0.14	100	8289	99.37	30.8
2023-02-22 12:35:00	100	0	0	0	30	12.82	17.43	30.3	75.3	99.38	-1.2	-0.3	0	30.5	0.14	100	8288	99.37	30.6
2023-02-22 12:40:00	96.4	0	0	0	37	11.92	19.01	30.2	75.1	99.39	-1	-0.5	0	30.4	0.14	100	8288	99.38	30.5
2023-02-22 12:45:00	90.4	0	0	0	33	8.97	14.7	30.1	76.1	99.41	-0.9	-0.6	0	30.3	0.13	100	8289	99.39	30.3
2023-02-22 12:50:00	88	0	0	0	27	11.9	19.06	30.1	76.1	99.4	-1	-0.7	0	30.3	0.13	100	8287	99.38	30.3
2023-02-22 12:55:00	87.4	0	0	0	47	10.47	15.35	30.1	76.1	99.4	-1	-0.4	0	30.2	0.13	100	8286	99.39	30.3
2023-02-22 13:00:00	87.8	0	0	0	39	9.91	15.41	30.1	75.9	99.4	-0.8	-0.4	0	30.3	0.14	100	8288	99.39	30.2
2023-02-22 13:05:00	91	0	0	0	40	11.27	16.33	30	76.3	99.4	-0.9	-0.4	0	30.3	0.13	100	8287	99.38	30.2
2023-02-22 13:10:00	88.2	0	0	0	47	11.99	17.49	30	76.4	99.4	-1.1	-0.5	0	30.2	0.13	100	8287	99.38	30.1
2023-02-22 13:15:00	93	0	0	0	47	11.56	15.21	30	76.4	99.38	-0.9	-0.5	0	30.2	0.13	100	8288	99.37	30

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-22 13:20:00	100.4	0	0	0	28	12.55	17.9	29.9	76.6	99.37	-0.8	-0.7	0	30.1	0.13	100	8289	99.36	30
2023-02-22 13:25:00	93.6	0	0	0	19	13.71	18.59	29.8	76.9	99.37	-0.9	-0.5	0	30	0.13	100	8290	99.35	29.8
2023-02-22 13:30:00	96.8	0	0	0	31	13.09	20.4	29.6	77.7	99.37	-1.1	-0.5	0	29.7	0.12	100	8290	99.36	29.6
2023-02-22 13:35:00	95.2	0	0	0	35	11.99	16.51	29.3	78.5	99.37	-0.9	-0.7	0	29.5	0.12	100	8287	99.36	29.4
2023-02-22 13:40:00	86.6	0	0	0	31	10.69	17.45	29.2	79	99.37	-0.9	-0.5	0	29.3	0.11	100	8289	99.36	29.3
2023-02-22 13:45:00	83.6	0	0	0	18	12.15	17.76	29	79.5	99.36	-1	-0.5	0	29.2	0.11	100	8289	99.35	29
2023-02-22 13:50:00	78.6	0	0	0	22	11.39	17.69	28.7	80.4	99.36	-1	-0.4	0	28.9	0.1	100	8288	99.34	28.7
2023-02-22 13:55:00	77.4	0	0	0	39	11.48	19.04	28.4	81.7	99.35	-1	-0.6	0	28.6	0.1	100	8288	99.34	28.4
2023-02-22 14:00:00	78.2	0	0	0	22	12.91	16.96	28	82.7	99.34	-1.3	-0.4	0	28.2	0.09	100	8289	99.33	28.1
2023-02-22 14:05:00	85.8	0	0	0	27	11.54	16.31	27.8	83.7	99.32	-1	-0.4	0	27.9	0.08	100	8288	99.31	27.9
2023-02-22 14:10:00	84.8	0	0	0	49	12.26	19.04	27.6	84.6	99.3	-1	-0.4	0	27.8	0.08	100	8289	99.29	27.8
2023-02-22 14:15:00	85.8	0	0	0	56	14.27	24.56	27.5	84.5	99.29	-1	-0.4	0	27.7	0.08	100	8292	99.29	27.7
2023-02-22 14:20:00	95.8	0	0	0	53	16.53	24.81	27.5	85.1	99.29	-1.6	-0.6	0	27.6	0.08	100	8289	99.28	27.5
2023-02-22 14:25:00	101.6	0	0	0	35	11.63	16.28	27.3	85.7	99.28	-0.8	0.2	0	27.5	0.07	100	8292	99.28	27.4
2023-02-22 14:30:00	90.2	0	0	0	42	14.79	20.6	27.2	86.1	99.3	-0.9	-0.3	0	27.4	0.07	100	8292	99.29	27.3
2023-02-22 14:35:00	88.4	0	0	0	44	14.74	25.99	27.2	86.5	99.28	-0.9	-0.2	0	27.4	0.07	100	8291	99.28	27.2
2023-02-22 14:40:00	81	0	0	0	48	16.44	24.72	27.1	86.3	99.27	-0.8	-0.3	0	27.3	0.07	100	8291	99.25	27.1
2023-02-22 14:45:00	82.6	0	0	0	48	16.58	27.13	27	86.3	99.26	-1.1	-0.2	0	27.2	0.07	100	8292	99.25	26.9
2023-02-22 14:50:00	86.2	0	0	0	58	13.94	20.29	27	86.5	99.24	-1	-0.6	0	27.1	0.07	100	8291	99.23	26.9
2023-02-22 14:55:00	87.2	0	0	0	45	12.8	19.98	27	87.5	99.22	-0.9	-0.4	0	27.2	0.06	100	8293	99.21	26.9
2023-02-22 15:00:00	88.8	0	0	0	55	12.8	18.28	27.1	88.1	99.21	-1.1	-0.6	0	27.2	0.06	100	8291	99.2	26.9
2023-02-22 15:05:00	94.6	0	0	0	69	15.12	22.91	27	88.5	99.19	-1.1	-0.5	0	27.1	0.06	100	8292	99.18	26.9
2023-02-22 15:10:00	93.8	0	0	0	59	15.73	23.53	27	87.8	99.2	-1.7	-0.2	0	27.2	0.06	100	8293	99.2	26.9
2023-02-22 15:15:00	86.2	0	0	0	60	16.31	22.28	26.9	86.6	99.22	-1	-0.6	0	27.1	0.07	100	8294	99.2	26.8
2023-02-22 15:20:00	79.4	0	0	0	55	13.89	19.37	26.9	88.2	99.22	-1	-0.7	0	27.1	0.06	100	8293	99.2	26.7
2023-02-22 15:25:00	77	0	0	0	49	13.8	20.33	27	88.3	99.19	-1.1	-0.1	0	27.2	0.06	100	8293	99.18	26.7
2023-02-22 15:30:00	70.8	0	0	0	53	15.19	30.11	27	88.5	99.17	-1.1	-0.7	0	27	0.06	100	8292	99.16	26.6
2023-02-22 15:35:00	64.6	0	0	0	61	14.97	21.3	26.9	88.3	99.17	-0.9	-0.4	0	27	0.06	100	8293	99.16	26.6
2023-02-22 15:40:00	61.6	0	0	0	57	14.05	23.29	26.9	88.7	99.17	-0.8	-0.3	0	27	0.06	100	8291	99.17	26.5
2023-02-22 15:45:00	56.4	0	0	0	63	12.41	17.49	26.8	89	99.18	-1	-0.5	0	27	0.05	100	8291	99.18	26.5
2023-02-22 15:50:00	51.6	0	0	0	47	11.03	16.26	26.9	88.6	99.2	-1.2	-0.5	0	27.1	0.06	100	8288	99.19	26.5
2023-02-22 15:55:00	46.8	0	0	0	59	11.61	20.22	26.9	88.7	99.18	-0.9	-0.4	0	27	0.06	100	8290	99.17	26.5
2023-02-22 16:00:00	38.4	0	0	0	57	11.68	17.49	27	88.3	99.18	-0.9	-0.5	0	27	0.06	100	8288	99.17	26.5
2023-02-22 16:05:00	32.2	0	0	0	60	12.39	16.24	26.9	88.6	99.18	-1.2	-0.3	0	27	0.06	100	8287	99.16	26.4
2023-02-22 16:10:00	29.4	0	0	0	64	11.72	17.83	26.9	88.6	99.16	-1	-0.4	0	27	0.06	100	8287	99.15	26.4
2023-02-22 16:15:00	28.4	0	0	0	55	13.58	20.67	26.9	88.6	99.17	-1.2	-0.6	0	27	0.06	100	8286	99.16	26.3
2023-02-22 16:20:00	26.6	0	0	0	60	13.65	20.62	26.8	88.6	99.17	-0.9	-0.4	0	26.9	0.06	100	8284	99.16	26.3
2023-02-22 16:25:00	21.2	0	0	0	40	10.92	18.52	26.8	88.7	99.18	-1.3	-0.4	0	26.8	0.06	100	8285	99.17	26.3
2023-02-22 16:30:00	21.2	0	0	0	38	12.17	17.63	26.8	89	99.17	-0.9	-0.6	0	26.9	0.05	100	8285	99.16	26.2
2023-02-22 16:35:00	21	0	0	0	46	14.61	21.16	26.8	89	99.17	-1.1	-0.4	0	26.9	0.05	100	8282	99.16	26.2
2023-02-22 16:40:00	19.4	0	0	0	55	13.98	19.06	26.7	88.4	99.17	-1.1	-0.6	0	26.8	0.06	100	8282	99.16	26.1
2023-02-22 16:45:00	15.4	0	0	0	47	12.39	21.09	26.6	89	99.16	-1.1	-0.3	0	26.7	0.05	100	8284	99.15	26
2023-02-22 16:50:00	13.4	0	0	0	44	13.18	18.66	26.6	87.8	99.13	-1.1	-0.5	0	26.6	0.06	100	8280	99.12	26
2023-02-22 16:55:00	10.2	0	0	0	43	14.34	20.45	26.6	87.9	99.14	-1.1	-0.6	0	26.6	0.06	100	8280	99.13	25.9
2023-02-22 17:00:00	8	0	0	0	39	15.66	22.93	26.5	88	99.16	-1.2	-0.2	0	26.6	0.06	100	8281	99.15	25.9
2023-02-22 17:05:00	7.8	0	0	0	30	12.75	21.03	26.5	88.7	99.16	-1.1	-0.4	0	26.5	0.06	100	8279	99.16	25.8
2023-02-22 17:10:00	6.4	0	0	0	52	11.97	18.32	26.5	89.1	99.16	-1.2	-0.7	0	26.5	0.05	100	8278	99.15	25.8
2023-02-22 17:15:00	4.8	0	0	0	50	11.63	17.92	26.4	90.1	99.15	-1.3	-0.5	0	26.4	0.05	100	8279	99.14	25.7
2023-02-22 17:20:00	3.6	0	0	0	49	14.05	18.57	26.4	90.1	99.15	-1.2	-0.8	0	26.4	0.05	100	8276	99.13	25.7
2023-02-22 17:25:00	2.4	0	0	0	46	15.55	23.69	26.4	90.6	99.13	-1	-0.4	0	26.4	0.05	100	8277	99.12	25.7
2023-02-22 17:30:00	1.6	0	0	0	40	12.84	22.03	26.4	90.5	99.12	-1.3	-0.5	0	26.4	0.05	100	8277	99.11	25.6
2023-02-22 17:35:00	0.6	0	0	0	47	13.04	18.97	26.3	90.9	99.1	-1	-0.4	0	26.4	0.04	100	8276	99.09	25.6
2023-02-22 17:40:00	0	0	0	0	44	14.18	22.55	26.5	90.3	99.1	-1.2	-0.6	0	26.4	0.05	100	8276	99.09	25.6
2023-02-22 17:45:00	0	0	0	0	38	13.76	21	26.4	90.6	99.09	-1.1	-0.2	0	26.3	0.05	100	8277	99.09	25.6
2023-02-22 17:50:00	0	0	0	0	44	11.68	19.82	26.3	91.7	99.09	-1	-0.2	0	26.3	0.04	100	8274	99.08	25.6
2023-02-22 17:55:00	0	0	0	0	51	13.89	19.73	26.3	91.7	99.09	-1.2	-0.4	0	26.3	0.04	100	8276	99.08	25.6
2023-02-22 18:00:00	0	0	0	0	41	14.16	21.7	26.3	91.4	99.08	-1.4	-0.4	0	26.3	0.04	100	8276	99.06	25.6
2023-02-22 18:05:00	0	0	0	0	41	13.35	19.44	26.4	92.1	99.07	-1.1	-0.6	0	26.5	0.04	100	8273	99.06	25.6
2023-02-22 18:10:00	0	0	0	0	39	13.04	19.26	26.5	92.2	99.07	-1.2	-0.3	0	26.5	0.04	100	8273	99.06	25.6
2023-02-22 18:15:00	0	0	0	0	48	12.41	23.64	26.5	92.2	99.05	-1.1	-0.3	0	26.5	0.04	100	8272	99.04	25.6
2023-02-22 18:20:00	0	0	0	0	50	13.18	21.21	26.6	92	99.01	-1.1	-0.7	0	26.5	0.04	100	8272	98.99	25.6
2023-02-22 18:25:00	0	0	0	0	55	17.9	27.47	26.5	92.2	98.96	-1.1	-0.8	0	26.5	0.04	100	8272	98.94	25.6
2023-02-22 18:30:00	0	0	0	0	53	15.95	24.4	26.5	92.1	98.91	-0.9	-0.4	0	26.5	0.04	100	8270	98.9	25.6
2023-02-22 18:35:00	0	0	0	0	55	14.14	21.47	26.5	92.2	98.91	-0.9	-0.5	0	26.5	0.04	100	8269	98.9	25.7

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-22 18:40:00	0	0	0	0	49	15.99	23.49	26.6	92.2	98.92	-1	-0.4	0	26.6	0.04	100	8271	98.91	25.7
2023-02-22 18:45:00	0	0	0	0	41	15.61	28.52	26.6	92	98.91	-1.4	-0.5	0	26.6	0.04	100	8271	98.9	25.7
2023-02-22 18:50:00	0	0	0	0	40	14.54	21.47	26.7	93.3	98.94	-1.1	-0.4	0	26.7	0.03	100	8271	98.94	25.8
2023-02-22 18:55:00	0	0	0	0	39	15.26	24.02	26.7	92.9	98.94	-1	-0.7	0	26.8	0.03	100	8267	98.94	25.8
2023-02-22 19:00:00	0	0	0	0	48	13.49	23.78	26.9	92.9	98.94	-0.9	-0.3	0	26.9	0.04	100	8271	98.92	25.9
2023-02-22 19:05:00	0	0	0	0	55	13.49	19.04	27	92.5	98.93	-1	-0.6	0	27	0.04	100	8267	98.92	25.9
2023-02-22 19:10:00	0	0	0	0	53	12.3	17.27	27	92.5	98.93	-1.1	-0.5	0	27	0.04	100	8267	98.92	26
2023-02-22 19:15:00	0	0	0	0	62	12.84	21.12	27	92.5	98.91	-1.1	-0.5	0	26.9	0.04	100	8267	98.89	26
2023-02-22 19:20:00	0	0	0	0	70	13.71	21.21	27	92.2	98.89	-1.1	-0.4	0	27	0.04	100	8269	98.86	26
2023-02-22 19:25:00	0	0	0	0	68	14.58	23.89	27.1	92.3	98.84	-1.2	-0.1	0	27.1	0.04	100	8268	98.81	26.1
2023-02-22 19:30:00	0	0	0	0	63	15.86	25.75	27	92.2	98.78	-0.6	-0.4	0	27	0.04	100	8268	98.77	26.1
2023-02-22 19:35:00	0	0	0	0	66	13.76	21.5	27.1	92.2	98.81	-0.8	-0.3	0	27.1	0.04	100	8266	98.8	26.2
2023-02-22 19:40:00	0	0	0	0	65	13.2	22.53	27.2	93.5	98.86	-1.5	-0.7	0	27.2	0.03	100	8265	98.85	26.3
2023-02-22 19:45:00	0	0	0	0	64	13.27	22.15	27.3	93.1	98.84	-0.6	-0.5	0	27.4	0.03	100	8265	98.82	26.4
2023-02-22 19:50:00	0	0	0	0	46	15.32	20.31	27.4	93.6	98.78	-0.9	-0.1	0	27.4	0.03	100	8265	98.76	26.5
2023-02-22 19:55:00	0	0	0	0	59	13.04	18.7	27.5	93.8	98.82	-1	-0.4	0	27.6	0.03	100	8266	98.82	26.7
2023-02-22 20:00:00	0	0	0	0	41	12.08	19.1	27.8	93.9	98.82	-1.1	-0.6	0	27.8	0.03	100	8265	98.8	27
2023-02-22 20:05:00	0	0	0	0	29	15.43	23.31	28.1	94.1	98.81	-0.8	-0.1	0	28.1	0.03	100	8262	98.79	27.4
2023-02-22 20:10:00	0	0	0	0	22	16.11	22.73	28.3	93.3	98.79	-0.8	-0.4	0	28.3	0.04	100	8265	98.77	27.7
2023-02-22 20:15:00	0	0	0	0	23	13.44	20.87	28.5	93.9	98.76	-0.9	-0.6	0	28.5	0.03	100	8264	98.76	28
2023-02-22 20:20:00	0	0	0	0	41	11.7	18.34	28.7	93.6	98.83	-1	-0.5	0	28.7	0.03	100	8265	98.81	28.3
2023-02-22 20:25:00	0	0	0	0	25	13.33	19.82	28.9	93.9	98.8	-1.1	-0.8	0	28.9	0.03	100	8266	98.78	28.4
2023-02-22 20:30:00	0	0	0	0	33	11.83	17.4	29	94.2	98.77	-0.9	-0.5	0	29	0.03	100	8263	98.77	28.6
2023-02-22 20:35:00	0	0	0	0	41	10.78	19.48	29.2	93.3	98.81	-1	-0.3	0	29.2	0.04	100	8265	98.79	28.7
2023-02-22 20:40:00	0	0	0	0	55	11.36	21.05	29.4	93.6	98.77	-0.8	-0.7	0	29.3	0.04	100	8263	98.75	28.8
2023-02-22 20:45:00	0	0	0	0	57	13.29	18.88	29.6	93.3	98.74	-0.9	-0.2	0	29.5	0.04	100	8263	98.72	28.9
2023-02-22 20:50:00	0	0	0	0	41	11.83	16.17	29.5	93.2	98.73	-0.7	-0.3	0	29.5	0.04	100	8263	98.72	28.9
2023-02-22 20:55:00	0	0	0	0	42	10.87	17.2	29.5	92.8	98.73	-0.9	-0.4	0	29.5	0.04	100	8263	98.72	29
2023-02-22 21:00:00	0	0	0	0	57	11.27	23.02	29.4	92.7	98.74	-1.2	-0.9	0	29.4	0.04	100	8263	98.74	29
2023-02-22 21:05:00	0	0	0	0	65	10.11	15.7	29.4	92.9	98.75	-1	-0.3	0	29.3	0.04	100	8263	98.74	29.1
2023-02-22 21:10:00	0	0	0	0	70	12.06	20.56	29.4	92.7	98.71	-1.2	-0.7	0	29.4	0.04	100	8260	98.69	29.1
2023-02-22 21:15:00	0	0	0	0	68	11.77	19.08	29.5	93	98.69	-1	-0.2	0	29.6	0.04	100	8260	98.68	29.2
2023-02-22 21:20:00	0	0	0	0	67	11.83	18.3	29.6	93.4	98.69	-0.6	-0.4	0	29.6	0.04	100	8260	98.68	29.2
2023-02-22 21:25:00	0	0	0	0	74	11.97	20.56	29.7	93.6	98.69	-0.8	-0.4	0	29.7	0.04	100	8260	98.68	29.3
2023-02-22 21:30:00	0	0	0	0	71	10.18	15.99	29.7	92.9	98.69	-1.1	-0.7	0	29.6	0.04	100	8259	98.68	29.3
2023-02-22 21:35:00	0	0	0	0	64	8.12	16.75	29.7	93.6	98.66	-0.4	-0.3	0	29.7	0.04	100	8261	98.65	29.3
2023-02-22 21:40:00	0	0	0	0	63	7.96	17.63	29.7	94	98.64	-0.7	-0.1	0	29.7	0.03	100	8260	98.62	29.4
2023-02-22 21:45:00	0	0	0	0	50	5.93	11.92	29.7	93.3	98.62	-0.7	-0.3	0	29.7	0.04	100	8259	98.61	29.4
2023-02-22 21:50:00	0	0	0	0	54	7.11	20.2	29.8	93.4	98.63	-1	-0.4	0	29.8	0.04	100	8258	98.62	29.5
2023-02-22 21:55:00	0	0	0	0	51	6.06	16.33	29.8	93.5	98.59	-1.2	-0.1	0	29.8	0.04	100	8257	98.57	29.5
2023-02-22 22:00:00	0	0	0	0	65	6.31	14.32	29.8	94.2	98.58	-1.1	-0.3	0	29.8	0.03	100	8258	98.57	29.6
2023-02-22 22:05:00	0	0	0	0	58	5.93	17.31	29.9	94.1	98.6	-0.5	-0.6	0	29.9	0.03	100	8257	98.59	29.6
2023-02-22 22:10:00	0	0	0	0	47	4.03	12.95	30	94	98.6	-1	-0.2	0	30	0.03	100	8258	98.59	29.7
2023-02-22 22:15:00	0	0	0	0	74	5.37	13.18	30	94.1	98.56	-0.9	-0.3	0	30	0.03	100	8257	98.56	29.7
2023-02-22 22:20:00	0	0	0	0	62	5.06	18.23	29.9	93.6	98.58	-1.2	-0.5	0	29.9	0.04	100	8257	98.58	29.7
2023-02-22 22:25:00	0	0	0	0	66	6.13	11.81	30.2	94.2	98.55	-0.9	-0.4	0	30.2	0.03	100	8260	98.54	29.8
2023-02-22 22:30:00	0	0.00402	0	0	66	7.45	13.4	30.3	94.2	98.55	-1	-0.7	0.08	30.3	0.03	100	8258	98.55	29.9
2023-02-22 22:35:00	0	0.00603	0	0	65	6.76	10.94	30.3	94.5	98.55	-1.1	-0.4	0.08	30.3	0.03	100	8255	98.55	29.9
2023-02-22 22:40:00	0	0.01675	0	0	71	6.93	11.61	30.5	94.1	98.54	-1.1	-0.5	0.281	30.5	0.03	100	8255	98.52	30
2023-02-22 22:45:00	0	0.00737	0	0	35	4.56	7.16	30.5	94.1	98.54	-1	-0.4	0.12	30.5	0.03	100	8257	98.54	30.1
2023-02-22 22:50:00	0	0.00134	0	0	52	4.99	9.57	30.6	94.4	98.55	-0.7	0	0.04	30.6	0.03	100	8255	98.54	30.1
2023-02-22 22:55:00	0	0	0	0	45	5.21	9.33	30.5	95.2	98.54	-1.1	-0.6	0	30.5	0.03	100	8255	98.53	30.2
2023-02-22 23:00:00	0	0	0	0	27	5.59	8.75	30.6	94.7	98.49	-1.5	-0.2	0	30.6	0.03	100	8255	98.49	30.2
2023-02-22 23:05:00	0	0	0	0	25	5.12	8.61	30.6	94	98.49	-1.3	-0.5	0	30.6	0.03	100	8254	98.49	30.2
2023-02-22 23:10:00	0	0	0	0	38	4.85	8.48	30.5	94.4	98.49	-0.8	-0.4	0	30.5	0.03	100	8254	98.49	30.2
2023-02-22 23:15:00	0	0	0	0	18	5.06	17.74	30.5	94.9	98.5	-0.9	-0.2	0	30.6	0.03	100	8254	98.49	30.2
2023-02-22 23:20:00	0	0	0	0	25	3.85	6.82	30.6	94.7	98.49	-0.9	-0.5	0	30.5	0.03	100	8251	98.5	30.3
2023-02-22 23:25:00	0	0.00067	0	0	23	5.17	11.03	30.6	94.4	98.52	-1.1	-0.6	0.04	30.6	0.03	100	8251	98.51	30.3
2023-02-22 23:30:00	0	0	0	0	29	4.92	7.99	30.5	95	98.5	-0.7	-0.5	0	30.6	0.03	100	8252	98.5	30.2
2023-02-22 23:35:00	0	0	0	0	37	4.7	9.71	30.5	94.1	98.52	-0.8	-0.1	0	30.4	0.03	100	8252	98.51	30.2
2023-02-22 23:40:00	0	0	0	0	45	3.71	5.97	30.3	94.5	98.52	-1.1	-1.1	0	30.3	0.03	100	8252	98.52	30.1
2023-02-22 23:45:00	0	0	0	0	34	3.15	10.4	30.2	94.7	98.53	-0.9	-0.6	0	30.2	0.03	100	8251	98.53	30.1
2023-02-22 23:50:00	0	0	0	0	43	3.53	8.52	30.1	94.6	98.51	-0.8	-0.6	0	30.1	0.03	100	8251	98.51	30.1
2023-02-22 23:55:00	0	0	0	0	37	4.23	8.86	30.1	94.6	98.5	-1	-0.8	0	30.1	0.03	100	8252	98.5	30

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-23 00:00:00	0	0	0	0	38	3.42	6.42	30.2	95.1	98.49	-0.8	-0.4	0	30.2	0.03	100	8252	98.49	30
2023-02-23 00:05:00	0	0	0	0	34	3.94	7.09	30.2	95.2	98.51	-1	-0.5	0	30.2	0.03	100	8223	98.51	30.1
2023-02-23 00:10:00	0	0	0	0	23	3.49	7.02	30.1	94.4	98.51	-1	-0.6	0	30.1	0.03	100	8213	98.52	30.3
2023-02-23 00:15:00	0	0	0	0	19	3.22	6.8	30.2	95.2	98.53	-1	-0.4	0	30.2	0.03	100	8205	98.53	30.4
2023-02-23 00:20:00	0	0	0	0	18	2.86	5.75	30	94.3	98.53	-0.8	-0.3	0	30	0.03	100	8221	98.53	30.3
2023-02-23 00:25:00	0	0	0	0	19	4.12	8.81	30.1	94.2	98.51	-0.8	-0.3	0	30.1	0.03	100	8225	98.5	30.1
2023-02-23 00:30:00	0	0	0	0	34	3.02	9.04	30	94.1	98.47	-0.9	-0.6	0	30	0.03	100	8227	98.46	30
2023-02-23 00:35:00	0	0	0	0	31	3.02	8.21	29.9	94.3	98.43	-1.3	-0.6	0	29.9	0.03	100	8224	98.43	29.9
2023-02-23 00:40:00	0	0	0	0	42	2.17	5.59	29.8	94.7	98.4	-1.2	-0.8	0	29.8	0.03	100	8227	98.4	29.8
2023-02-23 00:45:00	0	0	0	0	63	2.26	6.6	29.8	95	98.37	-1.1	-0.3	0	29.8	0.03	100	8229	98.36	29.7
2023-02-23 00:50:00	0	0	0	0	63	2.75	8.9	29.6	95.2	98.33	-0.6	-0.4	0	29.6	0.03	100	8225	98.34	29.6
2023-02-23 00:55:00	0	0	0	0	66	2.26	4.59	29.5	94.3	98.34	-1	-0.6	0	29.5	0.03	100	8228	98.33	29.4
2023-02-23 01:00:00	0	0	0	0	70	2.04	5.39	29.4	94.5	98.31	-1.3	-1	0	29.4	0.03	100	8228	98.3	29.3
2023-02-23 01:05:00	0	0	0	0	52	2.46	6.46	29.4	94.7	98.29	-0.6	-0.3	0	29.3	0.03	100	8225	98.29	29.2
2023-02-23 01:10:00	0	0	0	0	135	2.04	4.41	29.2	95	98.28	-1	-1	0	29.2	0.03	100	8228	98.28	29.1
2023-02-23 01:15:00	0	0	0	0	108	1.95	3.78	29.2	94.8	98.27	-1.2	-0.9	0	29.2	0.03	100	8228	98.27	29
2023-02-23 01:20:00	0	0	0	0	25	1.92	5.46	29.1	95.3	98.28	-0.9	-0.6	0	29.1	0.03	100	8227	98.28	28.8
2023-02-23 01:25:00	0	0	0	0	79	1.61	2.8	29	94.8	98.28	-1	-0.7	0	29	0.03	100	8228	98.28	28.8
2023-02-23 01:30:00	0	0	0	0	79	2.04	5.01	29	95.5	98.27	-0.6	-0.5	0	29	0.02	100	8227	98.26	28.7
2023-02-23 01:35:00	0	0	0	0	136	1.77	5.39	29	95.5	98.24	-1.4	-0.7	0	29	0.02	100	8225	98.23	28.7
2023-02-23 01:40:00	0	0	0	0	74	1.45	3.74	29.2	95.9	98.23	-0.9	-0.6	0	29.2	0.02	100	8227	98.23	28.8
2023-02-23 01:45:00	0	0	0	0	123	1.5	2.71	29.3	96.7	98.23	-1	-0.2	0	29.3	0.02	100	8226	98.23	29
2023-02-23 01:50:00	0	0	0	0	3	1.61	4.27	29.4	95.9	98.23	-0.9	-0.5	0	29.4	0.02	100	8229	98.22	29
2023-02-23 01:55:00	0	0	0	0	62	1.16	3.47	29.4	96.4	98.23	-0.9	-0.4	0	29.4	0.02	100	8225	98.23	29
2023-02-23 02:00:00	0	0	0	0	144	1.5	3.91	29.5	96.1	98.22	-0.9	-0.6	0	29.5	0.02	100	8224	98.21	29.1
2023-02-23 02:05:00	0	0	0	0	88	1.52	3.58	29.6	96.4	98.22	-1	-0.3	0	29.6	0.02	100	8226	98.22	29.2
2023-02-23 02:10:00	0	0	0	0	83	1.32	2.75	29.7	96.2	98.23	-1.1	-0.7	0	29.7	0.02	100	8225	98.23	29.3
2023-02-23 02:15:00	0	0	0	0	157	1.52	3.56	29.9	97	98.21	-1.1	-0.4	0	29.9	0.02	100	8225	98.21	29.4
2023-02-23 02:20:00	0	0	0	0	346	2.19	4.83	30.3	96.2	98.23	-0.8	-0.3	0	30.3	0.02	100	8225	98.23	29.7
2023-02-23 02:25:00	0	0	0	0	327	1.99	5.46	30.5	97.4	98.24	-0.9	-0.5	0	30.5	0.01	100	8225	98.22	29.9
2023-02-23 02:30:00	0	0	0	0	321	2.06	6.29	30.6	96.9	98.22	-1	-0.4	0	30.7	0.02	100	8226	98.21	30
2023-02-23 02:35:00	0	0	0	0	333	2.06	5.08	30.7	96.7	98.21	-0.9	-0.6	0	30.7	0.02	100	8223	98.2	30.1
2023-02-23 02:40:00	0	0	0	0	338	1.97	5.17	30.8	96.7	98.21	-0.9	-0.4	0	30.8	0.02	100	8220	98.21	30.1
2023-02-23 02:45:00	0	0	0	0	333	2.3	5.08	30.8	96.7	98.22	-1	-0.6	0	30.8	0.02	100	8223	98.22	30.2
2023-02-23 02:50:00	0	0	0	0	328	1.86	4.5	30.8	96.7	98.21	-1	-0.6	0	30.8	0.02	100	8222	98.2	30.3
2023-02-23 02:55:00	0	0	0	0	317	1.88	4.29	30.9	97.5	98.18	-0.9	-0.5	0	31	0.01	100	8223	98.17	30.3
2023-02-23 03:00:00	0	0	0	0	308	1.59	4.63	30.9	97.3	98.18	-0.9	-0.6	0	30.9	0.02	100	8223	98.17	30.4
2023-02-23 03:05:00	0	0	0	0	305	1.61	4.12	31.1	96.9	98.16	-1	-0.5	0	31.1	0.02	100	8224	98.15	30.4
2023-02-23 03:10:00	0	0	0	0	313	1.81	6.17	31	97	98.16	-1	-0.6	0	31	0.02	100	8224	98.15	30.5
2023-02-23 03:15:00	0	0	0	0	330	2.3	5.64	31.1	96.6	98.17	-0.9	-0.4	0	31.1	0.02	100	8224	98.16	30.5
2023-02-23 03:20:00	0	0	0	0	342	4.14	7.29	31.1	96.6	98.18	-1	-0.6	0	31.2	0.02	100	8221	98.18	30.5
2023-02-23 03:25:00	0	0	0	0	336	3.89	6.98	31.1	96.9	98.19	-1	-0.5	0	31.1	0.02	100	8225	98.18	30.6
2023-02-23 03:30:00	0	0	0	0	338	3.38	7.81	31.1	96.9	98.18	-1	-0.6	0	31.1	0.02	100	8222	98.18	30.6
2023-02-23 03:35:00	0	0	0	0	343	4.09	6.29	31.1	96.6	98.19	-1	-0.6	0	31.1	0.02	100	8221	98.19	30.6
2023-02-23 03:40:00	0	0	0	0	339	3.78	6.6	31.2	97.1	98.19	-0.9	-0.5	0	31.2	0.02	100	8220	98.19	30.7
2023-02-23 03:45:00	0	0	0	0	341	4.76	6.73	31.4	97.4	98.19	-0.7	-0.4	0	31.4	0.02	100	8221	98.18	30.7
2023-02-23 03:50:00	0	0	0	0	339	4.63	6.87	31.3	97.6	98.2	-0.8	-0.4	0	31.3	0.01	100	8219	98.2	30.8
2023-02-23 03:55:00	0	0	0	0	337	3.31	5.88	31.3	97.3	98.22	-0.9	-0.5	0	31.3	0.02	100	8221	98.21	30.8
2023-02-23 04:00:00	0	0	0	0	338	3.67	6.33	31.4	97.3	98.21	-0.9	-0.5	0	31.4	0.02	100	8221	98.2	30.8
2023-02-23 04:05:00	0	0	0	0	342	3.98	6.35	31.4	97.4	98.21	-0.9	-0.5	0	31.4	0.02	100	8220	98.21	30.8
2023-02-23 04:10:00	0	0	0	0	344	4.36	7.14	31.4	97.4	98.22	-0.9	-0.8	0	31.4	0.02	100	8220	98.22	30.8
2023-02-23 04:15:00	0	0	0	0	346	5.17	8.08	31.4	97	98.24	-0.6	-0.2	0	31.4	0.02	100	8219	98.23	30.8
2023-02-23 04:20:00	0	0	0	0	347	5.95	10.16	31.2	97	98.24	-0.9	0	0	31.2	0.02	100	8221	98.24	30.7
2023-02-23 04:25:00	0	0	0	0	352	5.99	9.01	31	96.5	98.25	-0.9	-0.8	0	31	0.02	100	8219	98.26	30.5
2023-02-23 04:30:00	0	0	0	0	352	5.75	8.39	30.8	96.3	98.28	-0.8	-0.9	0	30.8	0.02	100	8219	98.28	30.3
2023-02-23 04:35:00	0	0	0	0	345	5.61	8.66	30.5	95.6	98.31	-0.9	-0.4	0	30.5	0.03	100	8218	98.31	30.1
2023-02-23 04:40:00	0	0	0	0	345	5.7	10.18	30.3	96.1	98.31	-1	-0.7	0	30.3	0.02	100	8217	98.31	30
2023-02-23 04:45:00	0	0	0	0	348	5.61	10.22	30.2	96.1	98.31	-1.3	-0.6	0	30.2	0.02	100	8218	98.32	29.8
2023-02-23 04:50:00	0	0	0	0	344	6.33	10.22	30	95.8	98.33	-0.9	-0.1	0	30	0.02	100	8216	98.33	29.7
2023-02-23 04:55:00	0	0	0	0	347	4.25	7.45	29.9	96	98.34	-0.9	-0.4	0	30	0.02	100	8217	98.34	29.6
2023-02-23 05:00:00	0	0	0	0	348	5.08	7.76	29.9	96.2	98.34	-1.3	-1.3	0	29.9	0.02	100	8218	98.35	29.7
2023-02-23 05:05:00	0	0	0	0	346	5.08	8.55	30.1	96	98.36	-1	-0.2	0	30.1	0.02	100	8216	98.37	29.7
2023-02-23 05:10:00	0	0	0	0	345	4.16	7.83	30	95.9	98.37	-1.1	-0.9	0	30	0.02	100	8215	98.37	29.7
2023-02-23 05:15:00	0	0	0	0	347	3.8	8.79	30	96.1	98.37	-0.8	-0.6	0	30.1	0.02	100	8216	98.37	29.6

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-23 05:20:00	0	0	0	0	348	4.25	6.89	29.9	96.2	98.38	-1	-0.6	0	29.9	0.02	100	8215	98.39	29.5
2023-02-23 05:25:00	0	0	0	0	342	3.53	8.12	29.8	95.9	98.38	-0.9	-0.7	0	29.8	0.02	100	8216	98.39	29.3
2023-02-23 05:30:00	0	0	0	0	344	3.69	8.39	29.6	95.7	98.38	-1.1	-0.5	0	29.6	0.02	100	8216	98.38	29.1
2023-02-23 05:35:00	0	0	0	0	337	2.89	7.09	29.5	95.7	98.36	-1.2	-0.4	0	29.5	0.02	100	8212	98.36	29
2023-02-23 05:40:00	0	0	0	0	347	3.69	7.87	29.3	95.1	98.35	-1	-0.8	0	29.3	0.03	100	8215	98.35	28.8
2023-02-23 05:45:00	0	0	0	0	345	2.59	5.79	29.2	95.2	98.39	-0.9	-0.5	0	29.1	0.03	100	8217	98.39	28.7
2023-02-23 05:50:00	0	0	0	0	344	2.01	4.09	29	95.5	98.39	-0.9	-0.3	0	29	0.02	100	8213	98.4	28.5
2023-02-23 05:55:00	0	0	0	0	343	2.3	6.42	28.9	94.7	98.4	-1	-0.6	0	28.9	0.03	100	8210	98.39	28.4
2023-02-23 06:00:00	0	0	0	0	351	1.99	4.36	28.8	95.2	98.4	-0.9	-0.7	0	28.8	0.03	100	8213	98.41	28.3
2023-02-23 06:05:00	0	0	0	0	353	1.43	3.47	28.6	95.9	98.43	-1.1	-0.5	0	28.5	0.02	100	8213	98.43	28.1
2023-02-23 06:10:00	0	0	0	0	355	2.37	5.93	28.4	95.4	98.43	-0.6	-0.4	0	28.4	0.02	100	8211	98.43	27.9
2023-02-23 06:15:00	0	0	0	0	357	1.34	3.98	28.3	95.3	98.45	-1.3	-0.5	0	28.3	0.02	100	8213	98.45	27.7
2023-02-23 06:20:00	0	0	0	0	355	2.21	8.93	27.9	95	98.46	-0.9	-0.6	0	27.9	0.03	100	8212	98.47	27.5
2023-02-23 06:25:00	0	0	0	0	339	2.57	5.19	27.8	95.4	98.47	-0.9	-0.1	0	27.8	0.02	100	8210	98.48	27.3
2023-02-23 06:30:00	0	0	0	0	343	2.8	5.97	27.6	95.8	98.48	-1.3	-0.7	0	27.6	0.02	100	8209	98.49	27.1
2023-02-23 06:35:00	0	0	0	0	341	2.26	5.68	27.4	95.8	98.49	-0.8	-0.5	0	27.4	0.02	100	8210	98.49	26.9
2023-02-23 06:40:00	0	0	0	0	356	2.08	5.03	27.2	95.5	98.5	-1.1	-0.4	0	27.2	0.02	100	8209	98.5	26.8
2023-02-23 06:45:00	0	0	0	0	347	2.59	5.26	27.1	96.1	98.5	-0.8	-0.3	0	27.1	0.02	100	8209	98.51	26.6
2023-02-23 06:50:00	0	0	0	0	3	2.17	6.33	26.9	96.1	98.51	-0.6	-0.8	0	26.9	0.02	100	8208	98.52	26.4
2023-02-23 06:55:00	0.6	0	0	0	336	3.53	7.47	26.7	95.6	98.51	-1.1	-0.5	0	26.7	0.02	100	8208	98.52	26.2
2023-02-23 07:00:00	1.2	0	0	0	337	3.51	7.34	26.5	96.3	98.51	-0.6	-0.7	0	26.5	0.02	100	8208	98.52	26
2023-02-23 07:05:00	2	0	0	0	327	3.02	6.2	26.3	96.9	98.53	-1.1	-0.1	0	26.3	0.01	100	8208	98.54	25.9
2023-02-23 07:10:00	3.4	0	0	0	330	2.19	4.25	26.2	96.7	98.57	-1.3	-1	0	26.2	0.02	100	8207	98.58	25.8
2023-02-23 07:15:00	6	0	0	0	348	2.68	8.37	26.1	96	98.59	-1	-0.3	0	26.1	0.02	100	8206	98.6	25.7
2023-02-23 07:20:00	4.2	0	0	0	342	2.04	5.46	25.9	96.6	98.62	-0.7	-0.6	0	26	0.02	100	8203	98.63	25.5
2023-02-23 07:25:00	5.4	0	0	0	342	3.4	8.34	25.9	96.7	98.64	-0.6	-0.7	0	25.9	0.02	100	8203	98.65	25.4
2023-02-23 07:30:00	8.2	0	0	0	348	2.64	7.38	25.7	95.9	98.66	-1.5	-0.6	0	25.7	0.02	100	8206	98.68	25.2
2023-02-23 07:35:00	8.4	0	0	0	343	3.71	7.99	25.6	96.2	98.69	-0.6	-1.3	0	25.6	0.02	100	8204	98.7	25.1
2023-02-23 07:40:00	10.6	0	0	0	355	2.37	6.26	25.4	96.6	98.69	-1.2	-1.2	0	25.4	0.02	100	8203	98.7	25
2023-02-23 07:45:00	12.6	0	0	0	339	3.49	5.03	25.3	96.8	98.69	-1.2	-0.5	0	25.4	0.02	100	8203	98.7	24.9
2023-02-23 07:50:00	14.6	0	0	0	330	2.51	5.08	25.2	96.3	98.69	-1.3	-0.4	0	25.3	0.02	100	8204	98.71	24.8
2023-02-23 07:55:00	17.8	0	0	0	317	1.57	4.54	25.3	96.8	98.71	-1.1	-0.5	0	25.4	0.02	100	8203	98.72	24.8
2023-02-23 08:00:00	19	0	0	0	348	2.3	5.17	25.3	97.1	98.71	-1	-0.3	0	25.3	0.01	100	8203	98.72	24.8
2023-02-23 08:05:00	22.8	0	0	0	340	2.06	4.5	25.2	96.5	98.7	-0.7	-0.3	0	25.3	0.02	100	8202	98.71	24.7
2023-02-23 08:10:00	30.8	0	0	0	11	2.01	5.06	25.1	96.2	98.7	-0.9	-0.7	0	25.2	0.02	100	8203	98.71	24.6
2023-02-23 08:15:00	28.8	0	0	0	349	3.02	6.49	25	96	98.71	-1.2	-0.3	0	25.1	0.02	100	8203	98.71	24.5
2023-02-23 08:20:00	38.6	0	0	0	334	2.77	5.88	24.9	96.3	98.69	-1.5	-0.5	0	25.1	0.02	100	8201	98.7	24.3
2023-02-23 08:25:00	41.6	0	0	0	344	3.24	6.67	24.7	95.3	98.69	-1.2	-0.6	0	24.9	0.02	100	8199	98.71	24.2
2023-02-23 08:30:00	47.4	0	0	0	344	3.31	6.2	24.6	95.3	98.69	-1.4	-0.8	0	24.8	0.02	100	8202	98.7	24
2023-02-23 08:35:00	53.6	0	0	0	347	2.48	5.64	24.5	95.7	98.69	-1.1	-0.7	0	24.7	0.02	100	8201	98.71	23.9
2023-02-23 08:40:00	52.8	0	0	0	346	2.82	5.35	24.3	95.4	98.71	-1.2	-0.6	0	24.5	0.02	100	8203	98.72	23.8
2023-02-23 08:45:00	50	0	0	0	344	2.57	4.45	24.2	95.2	98.72	-1.2	-0.3	0	24.5	0.02	100	8201	98.73	23.7
2023-02-23 08:50:00	54	0	0	0	344	1.74	4.32	24.1	95.9	98.73	-1	-0.5	0	24.4	0.02	100	8203	98.74	23.6
2023-02-23 08:55:00	57.2	0	0	0	340	2.21	4.88	24	95.3	98.75	-1.3	-0.6	0	24.4	0.02	100	8202	98.76	23.6
2023-02-23 09:00:00	52.8	0	0	0	3	1.74	4.27	24	95.6	98.77	-0.9	-0.7	0	24.3	0.02	100	8202	98.79	23.5
2023-02-23 09:05:00	58.4	0	0	0	0	2.13	6.17	23.9	95.8	98.78	-0.9	-0.6	0	24.3	0.02	100	8201	98.79	23.6
2023-02-23 09:10:00	57.2	0	0	0	11	1.7	4.34	23.9	95.9	98.79	-1.2	-0.7	0	24.3	0.02	100	8203	98.79	23.5
2023-02-23 09:15:00	61.8	0	0	0	65	1.72	4.76	23.9	96.2	98.78	-1.1	-0.6	0	24.3	0.02	100	8203	98.8	23.5
2023-02-23 09:20:00	65	0	0	0	20	1.9	4.92	23.9	95.9	98.79	-1.3	-0.1	0	24.4	0.02	100	8204	98.81	23.5
2023-02-23 09:25:00	59.2	0	0	0	27	1.48	3.56	23.9	95.9	98.8	-1.1	-0.6	0	24.3	0.02	100	8202	98.82	23.5
2023-02-23 09:30:00	63.8	0	0	0	344	1.81	4.56	23.9	96.2	98.8	-1	-0.6	0	24.3	0.02	100	8203	98.81	23.5
2023-02-23 09:35:00	70.4	0	0	0	351	2.57	5.41	24	96.1	98.81	-1	-0.5	0	24.4	0.02	100	8203	98.82	23.5
2023-02-23 09:40:00	67.8	0	0	0	350	2.77	5.77	24	95.5	98.8	-1.1	-0.7	0	24.3	0.02	100	8205	98.8	23.4
2023-02-23 09:45:00	79.4	0	0	0	343	1.83	3.98	23.9	95.9	98.77	-1.1	-0.6	0	24.3	0.02	100	8208	98.78	23.4
2023-02-23 09:50:00	81.4	0	0	0	353	1.57	4.03	23.8	96.9	98.78	-1.1	-0.6	0	24.3	0.01	100	8204	98.8	23.4
2023-02-23 09:55:00	71.2	0	0	0	350	1.01	2.75	23.8	96.5	98.81	-1.2	-0.6	0	24.3	0.02	100	8208	98.83	23.4
2023-02-23 10:00:00	74.2	0	0	0	341	1.21	3.62	23.9	96.5	98.84	-1.1	-0.5	0	24.4	0.02	100	8206	98.85	23.5
2023-02-23 10:05:00	80.6	0	0	0	321	1.39	2.93	23.9	96.4	98.83	-1.1	-0.3	0	24.4	0.02	100	8206	98.84	23.5
2023-02-23 10:10:00	91.4	0	0	0	291	1.14	2.1	23.8	96.2	98.8	-1	-0.6	0	24.5	0.02	100	8206	98.81	23.5
2023-02-23 10:15:00	93.8	0	0	0	332	1.05	3.2	23.8	96.5	98.8	-1.2	-0.5	0	24.5	0.02	100	8208	98.81	23.5
2023-02-23 10:20:00	80.6	0	0	0	353	0.98	2.86	23.8	96.5	98.82	-1.2	-0.5	0	24.4	0.02	100	8208	98.83	23.5
2023-02-23 10:25:00	90.2	0	0	0	331	0.89	2.04	23.8	96.8	98.81	-1.1	-0.6	0	24.5	0.01	100	8206	98.82	23.6
2023-02-23 10:30:00	110.2	0	0	0	309	1.01	2.04	23.8	97.1	98.77	-1	-0.5	0	24.5	0.01	100	8213	98.78	23.6
2023-02-23 10:35:00	118.6	0	0	0	248	0.94	1.99	23.8	98.2	98.76	-1.2	-0.4	0	24.7	0.01	100	8213	98.76	23.8

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-23 10:40:00	131.8	0	0	0	329	0.96	2.84	23.9	98.2	98.77	-1.1	-0.5	0	24.9	0.01	100	8213	98.79	23.9
2023-02-23 10:45:00	104.4	0	0	0	303	0.63	2.51	24.1	97.5	98.8	-1.1	-0.5	0	25	0.01	100	8214	98.8	24.1
2023-02-23 10:50:00	130.6	0	0	0	331	0.94	1.97	24.2	96.9	98.78	-1.1	-0.5	0	25.1	0.01	100	8216	98.79	24.2
2023-02-23 10:55:00	111.2	0	0	0	342	1.25	2.62	24.3	96.9	98.8	-1.2	-0.7	0	25.2	0.01	100	8216	98.81	24.3
2023-02-23 11:00:00	116.6	0	0	0	334	1.21	2.19	24.4	96.1	98.81	-1.1	-0.4	0	25.2	0.02	100	8216	98.83	24.3
2023-02-23 11:05:00	93	0	0	0	334	1.79	4.47	24.5	95.7	98.86	-1.1	-0.5	0	25.1	0.02	100	8216	98.87	24.3
2023-02-23 11:10:00	111.4	0	0	0	326	1.54	3.78	24.5	96.2	98.85	-1.1	-0.5	0	25.2	0.02	100	8216	98.86	24.4
2023-02-23 11:15:00	112.8	0	0	0	323	1.36	3.58	24.5	96.7	98.86	-1	-0.5	0	25.2	0.01	100	8218	98.87	24.5
2023-02-23 11:20:00	113.2	0	0	0	319	1.59	2.89	24.6	96.6	98.86	-1.1	-0.4	0	25.3	0.02	100	8217	98.88	24.5
2023-02-23 11:25:00	119.8	0	0	0	317	0.81	2.84	24.5	97.3	98.86	-1	-0.5	0	25.4	0.01	100	8220	98.87	24.6
2023-02-23 11:30:00	104.6	0	0	0	313	1.05	3.47	24.6	97.2	98.87	-1.1	-0.4	0	25.4	0.01	100	8218	98.88	24.6
2023-02-23 11:35:00	105.8	0	0	0	317	2.28	4.72	24.8	96.3	98.87	-1.1	-0.5	0	25.4	0.02	100	8220	98.88	24.7
2023-02-23 11:40:00	99	0	0	0	335	1.39	2.89	24.7	96.5	98.88	-1	-0.5	0	25.4	0.02	100	8221	98.88	24.7
2023-02-23 11:45:00	87.6	0	0	0	326	1.34	3.62	24.7	95.4	98.86	-1.2	-0.5	0	25.3	0.02	100	8221	98.87	24.7
2023-02-23 11:50:00	93.8	0	0	0	303	0.98	2.66	24.7	96	98.83	-1.1	-0.6	0	25.3	0.02	100	8219	98.84	24.7
2023-02-23 11:55:00	121.6	0	0	0	297	1.21	3.09	24.4	96.4	98.79	-1.2	-0.5	0	25.3	0.02	100	8221	98.79	24.7
2023-02-23 12:00:00	158	0	0	0	288	1.25	2.59	24.5	97.8	98.73	-1	-0.4	0	25.6	0.01	100	8224	98.73	24.8
2023-02-23 12:05:00	151.6	0	0	0	298	1.23	2.53	24.6	97.5	98.76	-1.1	-0.5	0	25.7	0.01	100	8225	98.78	24.9
2023-02-23 12:10:00	159.8	0	0	0	310	1.72	4.23	24.8	96.8	98.82	-1.2	-0.4	0	25.8	0.01	100	8228	98.84	25
2023-02-23 12:15:00	152	0	0	0	313	1.81	4.7	25	96.5	98.84	-1.1	-0.4	0	26	0.02	100	8231	98.86	25.2
2023-02-23 12:20:00	128.4	0	0	0	315	1.59	3.71	25.1	95.8	98.84	-1.1	-0.5	0	25.9	0.02	100	8230	98.84	25.2
2023-02-23 12:25:00	154	0	0	0	316	1.9	4.05	25	95.9	98.82	-1.1	-0.6	0	25.9	0.02	100	8233	98.83	25.2
2023-02-23 12:30:00	99.4	0	0	0	315	1.72	4.52	25.2	94.9	98.82	-1.1	-0.5	0	25.8	0.02	100	8230	98.83	25.1
2023-02-23 12:35:00	119	0	0	0	302	0.96	2.44	25	95.9	98.78	-1.1	-0.5	0	25.8	0.02	100	8233	98.79	25
2023-02-23 12:40:00	154.4	0	0	0	276	0.58	1.36	24.7	97.3	98.78	-1	-0.4	0	25.9	0.01	100	8235	98.8	25.1
2023-02-23 12:45:00	156	0	0	0	288	0.6	1.28	24.6	98.1	98.78	-1.1	-0.5	0	26	0.01	100	8235	98.78	25.3
2023-02-23 12:50:00	165.8	0	0	0	288	0.78	1.74	24.9	98.7	98.76	-1	-0.5	0	26.3	0.01	100	8235	98.77	25.5
2023-02-23 12:55:00	120.4	0	0	0	323	0.89	2.59	25.3	97.1	98.77	-1	-0.4	0	26.4	0.01	100	8237	98.78	25.6
2023-02-23 13:00:00	138.2	0	0	0	315	0.92	2.44	25.3	96.3	98.75	-1.1	-0.5	0	26.3	0.02	100	8238	98.77	25.6
2023-02-23 13:05:00	127.8	0	0	0	308	0.65	2.53	25.3	96.9	98.76	-1.1	-0.5	0	26.4	0.01	100	8236	98.77	25.6
2023-02-23 13:10:00	73.8	0	0	0	325	0.96	2.1	25.6	94.2	98.77	-1	-0.5	0	26.2	0.03	100	8235	98.78	25.6
2023-02-23 13:15:00	84.2	0	0	0	324	1.19	2.44	25.6	95.2	98.77	-1.1	-0.6	0	26.2	0.02	100	8238	98.78	25.5
2023-02-23 13:20:00	79	0	0	0	308	0.87	2.62	25.4	94.3	98.76	-1.1	-0.5	0	26	0.03	100	8234	98.77	25.4
2023-02-23 13:25:00	119.8	0	0	0	325	1.25	3.22	25.2	95	98.76	-1.1	-0.6	0	26	0.02	100	8237	98.77	25.3
2023-02-23 13:30:00	135	0	0	0	308	0.67	1.5	24.9	97.6	98.76	-1	-0.5	0	26.1	0.01	100	8238	98.78	25.4
2023-02-23 13:35:00	85	0	0	0	314	1.19	2.08	25.4	96.6	98.78	-1	-0.5	0	26.2	0.02	100	8235	98.79	25.5
2023-02-23 13:40:00	91.6	0	0	0	344	1.12	3.22	25.4	96.3	98.78	-1.1	-0.4	0	26.1	0.02	100	8235	98.78	25.4
2023-02-23 13:45:00	84	0	0	0	326	1.25	2.95	25.4	95.3	98.77	-1.1	-0.6	0	26	0.02	100	8238	98.78	25.4
2023-02-23 13:50:00	58.4	0	0	0	304	0.96	2.95	25.5	96.2	98.75	-1.2	-0.5	0	26	0.02	100	8235	98.75	25.3
2023-02-23 13:55:00	38.6	0	0	0	325	1.01	2.57	25.6	95	98.76	-1	-0.5	0	25.8	0.02	100	8235	98.77	25.3
2023-02-23 14:00:00	59.6	0	0	0	315	1.07	2.21	25.4	94.3	98.75	-0.9	-0.5	0	25.7	0.03	100	8237	98.75	25.2
2023-02-23 14:05:00	88	0	0	0	303	0.89	2.37	25.1	96.3	98.72	-1	-0.4	0	25.9	0.02	100	8235	98.74	25.2
2023-02-23 14:10:00	47.2	0	0	0	302	0.85	1.68	25.4	95.8	98.73	-1.1	-0.5	0	25.8	0.02	100	8235	98.74	25.2
2023-02-23 14:15:00	66.8	0	0	0	325	1.68	3.24	25.4	95.9	98.72	-1	-0.5	0	25.8	0.02	100	8235	98.72	25.1
2023-02-23 14:20:00	59.4	0	0	0	320	1.77	3.62	25.4	96	98.7	-0.9	-0.5	0	25.8	0.02	100	8233	98.71	25.1
2023-02-23 14:25:00	49.2	0	0	0	312	1.52	2.82	25.3	94.6	98.71	-1.1	-0.5	0	25.7	0.03	100	8233	98.72	24.9
2023-02-23 14:30:00	58.6	0	0	0	302	1.48	2.98	25.2	95.3	98.7	-1.1	-0.4	0	25.5	0.02	100	8232	98.7	24.9
2023-02-23 14:35:00	66.4	0	0	0	273	0.92	1.95	25.1	95.8	98.68	-1.1	-0.5	0	25.5	0.02	100	8232	98.68	24.8
2023-02-23 14:40:00	63.6	0	0	0	267	0.92	2.17	25	95.9	98.68	-1.1	-0.4	0	25.5	0.02	100	8235	98.68	24.9
2023-02-23 14:45:00	53.6	0	0	0	266	0.92	2.33	25	96	98.66	-1	-0.5	0	25.4	0.02	100	8232	98.67	24.9
2023-02-23 14:50:00	49	0	0	0	284	1.05	2.01	25.1	95.8	98.67	-1.1	-0.4	0	25.5	0.02	100	8231	98.68	24.8
2023-02-23 14:55:00	47.6	0	0	0	291	1.3	2.13	25.1	95.5	98.66	-1.1	-0.5	0	25.4	0.02	100	8231	98.67	24.8
2023-02-23 15:00:00	43.8	0	0	0	292	1.34	2.55	25.1	95.5	98.65	-1.2	-0.5	0	25.4	0.02	100	8233	98.65	24.7
2023-02-23 15:05:00	47.2	0	0	0	312	1.5	2.66	25.1	95.8	98.65	-1	-0.5	0	25.3	0.02	100	8232	98.65	24.7
2023-02-23 15:10:00	42	0	0	0	325	2.01	3.78	25	95.9	98.62	-1.1	-0.5	0	25.3	0.02	100	8230	98.62	24.6
2023-02-23 15:15:00	43.2	0	0	0	304	1.48	2.82	24.9	96.2	98.61	-0.9	-0.3	0	25.2	0.02	100	8229	98.62	24.5
2023-02-23 15:20:00	49	0	0	0	273	0.81	1.95	24.8	96.5	98.6	-1	-0.4	0	25.1	0.02	100	8231	98.61	24.5
2023-02-23 15:25:00	52.8	0	0	0	271	1.32	2.71	24.8	96.3	98.59	-1.1	-0.6	0	25.1	0.02	100	8229	98.6	24.4
2023-02-23 15:30:00	49	0	0	0	305	1.5	3.67	24.8	96.9	98.59	-1.2	-0.5	0	25.1	0.01	100	8229	98.6	24.4
2023-02-23 15:35:00	26.8	0	0	0	281	1.01	2.04	24.8	96.3	98.6	-1.2	-0.4	0	25	0.02	100	8225	98.61	24.4
2023-02-23 15:40:00	18.6	0	0	0	297	1.05	2.3	24.8	96.6	98.6	-1.1	-0.5	0	25.1	0.02	100	8228	98.6	24.4
2023-02-23 15:45:00	15.6	0	0	0	334	1.57	3.53	24.7	95.3	98.6	-1.1	-0.5	0	24.8	0.02	100	8228	98.61	24.3
2023-02-23 15:50:00	24	0	0	0	305	0.94	2.82	24.7	96	98.6	-1	-0.4	0	24.9	0.02	100	8226	98.6	24.2
2023-02-23 15:55:00	24.2	0	0	0	282	1.1	2.42	24.8	96.9	98.57	-1.3	-0.5	0	25	0.01	100	8226	98.58	24.4

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-23 16:00:00	33.8	0	0	0	309	1.03	2.19	24.9	97.4	98.55	-1.1	-0.5	0	25.1	0.01	100	8227	98.56	24.6
2023-02-23 16:05:00	21.8	0	0	0	261	0.89	1.72	25.1	97.8	98.56	-1.1	-0.5	0	25.3	0.01	100	8225	98.58	24.8
2023-02-23 16:10:00	24.4	0	0	0	274	1.1	2.51	25.2	97.2	98.57	-1.1	-0.5	0	25.4	0.01	100	8224	98.57	24.9
2023-02-23 16:15:00	21	0	0	0	273	1.19	2.42	25.3	96.8	98.55	-1.1	-0.5	0	25.5	0.02	100	8222	98.55	25
2023-02-23 16:20:00	18.4	0	0	0	239	0.76	2.39	25.5	96	98.54	-1	-0.5	0	25.6	0.02	100	8222	98.55	25
2023-02-23 16:25:00	18.8	0	0	0	291	1.28	2.68	25.4	96.6	98.55	-1.1	-0.4	0	25.5	0.02	100	8222	98.56	25.1
2023-02-23 16:30:00	25.4	0	0	0	197	1.12	2.59	25.4	96.6	98.54	-1	-0.4	0	25.6	0.02	100	8223	98.55	25.1
2023-02-23 16:35:00	33	0	0	0	26	1.1	1.9	25.3	96	98.53	-1.2	-0.5	0	25.5	0.02	100	8222	98.54	25.1
2023-02-23 16:40:00	25.2	0	0	0	311	0.89	1.9	25.3	96.8	98.54	-1.1	-0.5	0	25.6	0.02	100	8222	98.55	25.1
2023-02-23 16:45:00	21.6	0	0	0	262	0.87	2.13	25.4	96	98.52	-1.1	-0.5	0	25.6	0.02	100	8221	98.53	25.1
2023-02-23 16:50:00	12.8	0	0	0	299	1.03	2.26	25.4	95.8	98.51	-1	-0.5	0	25.5	0.02	100	8217	98.51	25.1
2023-02-23 16:55:00	8.4	0	0	0	204	1.01	2.01	25.4	95.3	98.5	-1.1	-0.6	0	25.5	0.02	100	8221	98.5	25.1
2023-02-23 17:00:00	5.6	0	0	0	251	1.07	2.19	25.2	95.2	98.48	-1.2	-0.4	0	25.3	0.02	100	8222	98.49	25
2023-02-23 17:05:00	4.4	0	0	0	346	1.05	2.04	25.2	95.3	98.46	-0.9	-0.4	0	25.2	0.02	100	8221	98.47	24.9
2023-02-23 17:10:00	3.2	0	0	0	358	0.96	2.48	25.1	95.6	98.46	-1.1	-0.5	0	25.1	0.02	100	8221	98.47	24.8
2023-02-23 17:15:00	4.8	0	0	0	52	0.83	2.26	25.1	95.5	98.45	-1	-0.4	0	25.2	0.02	100	8219	98.46	24.8
2023-02-23 17:20:00	4	0	0	0	332	1.07	2.55	25.2	95.3	98.45	-1	-0.6	0	25.2	0.02	100	8220	98.46	24.7
2023-02-23 17:25:00	1.6	0	0	0	355	0.94	1.7	25.1	95.6	98.46	-1.1	-0.5	0	25.1	0.02	100	8219	98.47	24.7
2023-02-23 17:30:00	0.2	0	0	0	89	0.65	1.81	25.1	95.6	98.47	-1.2	-0.6	0	25.1	0.02	100	8216	98.49	24.7
2023-02-23 17:35:00	0	0	0	0	357	0.76	1.7	25.1	95.5	98.48	-1.1	-0.4	0	25.1	0.02	100	8216	98.48	24.7
2023-02-23 17:40:00	0	0	0	0	273	0.67	1.54	25.2	96	98.49	-1	-0.6	0	25.2	0.02	100	8217	98.51	24.7
2023-02-23 17:45:00	0	0	0	0	292	0.78	2.04	25.2	95.8	98.51	-1.1	-0.5	0	25.2	0.02	100	8215	98.52	24.6
2023-02-23 17:50:00	0	0	0	0	318	1.1	2.66	25.2	95.8	98.52	-1.1	-0.6	0	25.2	0.02	100	8216	98.53	24.6
2023-02-23 17:55:00	0	0	0	0	318	2.35	4.85	25.2	95.3	98.57	-1.1	-0.5	0	25.1	0.02	100	8216	98.58	24.5
2023-02-23 18:00:00	0	0	0	0	316	2.55	4.72	25.2	96.6	98.59	-1.1	-0.4	0	25.2	0.02	100	8218	98.61	24.5
2023-02-23 18:05:00	0	0	0	0	313	1.54	3.98	25.2	96.3	98.58	-1.2	-0.5	0	25.2	0.02	100	8210	98.58	24.5
2023-02-23 18:10:00	0	0	0	0	313	1.05	2.3	25.2	95.3	98.56	-1	-0.6	0	25.1	0.02	100	8213	98.57	24.5
2023-02-23 18:15:00	0	0	0	0	306	0.78	1.81	25.2	96.2	98.56	-1.1	-0.5	0	25.2	0.02	100	8214	98.57	24.5
2023-02-23 18:20:00	0	0	0	0	312	0.78	1.57	25.2	96.3	98.58	-1.2	-0.6	0	25.2	0.02	100	8210	98.58	24.5
2023-02-23 18:25:00	0	0	0	0	302	1.07	2.71	25.2	96	98.59	-1	-0.5	0	25.2	0.02	100	8213	98.6	24.5
2023-02-23 18:30:00	0	0	0	0	313	1.05	2.26	25.2	97.1	98.59	-0.9	-0.4	0	25.2	0.01	100	8213	98.59	24.5
2023-02-23 18:35:00	0	0	0	0	305	1.97	3.47	25.2	97.2	98.62	-1	-0.5	0	25.2	0.01	100	8213	98.63	24.5
2023-02-23 18:40:00	0	0	0	0	317	2.13	3.87	25.2	96.6	98.62	-1.1	-0.6	0	25.2	0.02	100	8212	98.63	24.5
2023-02-23 18:45:00	0	0	0	0	310	0.87	2.08	25.2	96.2	98.63	-1.1	-0.6	0	25.2	0.02	100	8213	98.63	24.5
2023-02-23 18:50:00	0	0	0	0	312	0.96	2.24	25.2	97.3	98.61	-1	-0.5	0	25.2	0.01	100	8212	98.62	24.5
2023-02-23 18:55:00	0	0	0	0	293	1.43	2.55	25.2	96.8	98.62	-1.1	-0.5	0	25.2	0.01	100	8211	98.62	24.6
2023-02-23 19:00:00	0	0	0	0	286	1.14	1.72	25.3	96.9	98.61	-1.1	-0.5	0	25.3	0.01	100	8211	98.62	24.6
2023-02-23 19:05:00	0	0	0	0	303	1.34	2.71	25.4	96.5	98.6	-1.1	-0.6	0	25.4	0.02	100	8212	98.61	24.6
2023-02-23 19:10:00	0	0	0	0	304	1.39	3	25.4	96.6	98.61	-1.1	-0.5	0	25.4	0.02	100	8209	98.61	24.7
2023-02-23 19:15:00	0	0	0	0	293	2.01	3.29	25.4	96.3	98.64	-1.2	-0.4	0	25.4	0.02	100	8209	98.65	24.7
2023-02-23 19:20:00	0	0	0	0	307	2.51	4.25	25.4	96.3	98.66	-1.1	-0.4	0	25.4	0.02	100	8210	98.67	24.7
2023-02-23 19:25:00	0	0	0	0	301	2.01	3.67	25.4	96.5	98.68	-1.2	-0.5	0	25.4	0.02	100	8209	98.68	24.7
2023-02-23 19:30:00	0	0	0	0	317	1.74	3.51	25.5	96.2	98.65	-1.1	-0.5	0	25.4	0.02	100	8207	98.66	24.7
2023-02-23 19:35:00	0	0	0	0	308	2.53	4.5	25.5	96	98.67	-1	-0.5	0	25.5	0.02	100	8208	98.69	24.8
2023-02-23 19:40:00	0	0	0	0	295	2.44	3.69	25.5	96.2	98.7	-1	-0.5	0	25.5	0.02	100	8208	98.71	24.7
2023-02-23 19:45:00	0	0	0	0	304	1.99	3.15	25.5	96	98.71	-1.1	-0.6	0	25.5	0.02	100	8209	98.72	24.7
2023-02-23 19:50:00	0	0	0	0	291	1.79	2.73	25.6	96.6	98.72	-1.1	-0.6	0	25.6	0.02	100	8207	98.72	24.7
2023-02-23 19:55:00	0	0	0	0	285	1.72	2.59	25.6	96.9	98.72	-1.1	-0.5	0	25.6	0.01	100	8206	98.73	24.7
2023-02-23 20:00:00	0	0	0	0	289	1.54	2.17	25.5	96.9	98.71	-1	-0.5	0	25.6	0.01	100	8207	98.71	24.8
2023-02-23 20:05:00	0	0	0	0	268	1.1	1.83	25.6	97.2	98.71	-1.1	-0.5	0	25.6	0.01	100	8204	98.71	24.8
2023-02-23 20:10:00	0	0	0	0	265	1.23	2.06	25.6	97.6	98.72	-1.1	-0.4	0	25.6	0.01	100	8206	98.72	24.8
2023-02-23 20:15:00	0	0	0	0	279	1.83	2.98	25.7	97.6	98.74	-1.1	-0.6	0	25.7	0.01	100	8204	98.74	24.8
2023-02-23 20:20:00	0	0	0	0	282	1.97	2.51	25.7	97.6	98.75	-1.3	-0.6	0	25.7	0.01	100	8203	98.75	24.9
2023-02-23 20:25:00	0	0	0	0	283	1.95	2.77	25.7	97.3	98.75	-1.1	-0.6	0	25.7	0.01	100	8204	98.76	24.9
2023-02-23 20:30:00	0	0	0	0	279	1.86	2.53	25.8	97	98.76	-1.1	-0.4	0	25.8	0.01	100	8205	98.76	24.9
2023-02-23 20:35:00	0	0	0	0	277	1.39	2.57	25.8	97.8	98.77	-1	-0.5	0	25.8	0.01	100	8202	98.78	25
2023-02-23 20:40:00	0	0	0	0	279	1.72	2.62	26	98.1	98.77	-1	-0.6	0	26	0.01	100	8205	98.78	25.1
2023-02-23 20:45:00	0	0	0	0	276	1.48	1.99	26.1	98.1	98.77	-1.1	-0.5	0	26.1	0.01	100	8204	98.77	25.1
2023-02-23 20:50:00	0	0	0	0	279	1.59	2.75	26.1	98.1	98.77	-1.1	-0.5	0	26.1	0.01	100	8203	98.77	25.2
2023-02-23 20:55:00	0	0	0	0	275	1.34	1.83	26.1	97.9	98.76	-1	-0.5	0	26.1	0.01	100	8203	98.76	25.2
2023-02-23 21:00:00	0	0	0	0	255	0.85	1.66	26.2	97.6	98.75	-1	-0.4	0	26.2	0.01	100	8203	98.75	25.3
2023-02-23 21:05:00	0	0	0	0	273	1.1	1.41	26.3	98.4	98.74	-1	-0.5	0	26.3	0.01	100	8202	98.74	25.4
2023-02-23 21:10:00	0	0	0	0	275	1.05	1.36	26.3	98.6	98.73	-0.9	-0.4	0	26.3	0.01	100	8203	98.74	25.4
2023-02-23 21:15:00	0	0	0	0	259	0.96	1.48	26.3	98.6	98.74	-1	-0.5	0	26.3	0.01	100	8201	98.74	25.5

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-23 21:20:00	0	0	0	0	246	0.6	0.94	26.4	98.7	98.75	-1.1	-0.4	0	26.4	0.01	100	8203	98.75	25.6
2023-02-23 21:25:00	0	0	0	0	256	0.96	1.72	26.6	98.1	98.76	-1.1	-0.4	0	26.6	0.01	100	8201	98.77	25.6
2023-02-23 21:30:00	0	0	0	0	208	0.87	1.41	26.6	97.8	98.78	-1.1	-0.5	0	26.6	0.01	100	8202	98.79	25.7
2023-02-23 21:35:00	0	0	0	0	247	0.92	1.77	26.7	99	98.8	-1.1	-0.5	0	26.8	0	100	8200	98.8	25.8
2023-02-23 21:40:00	0	0	0	0	284	1.45	2.55	26.8	98.7	98.8	-1.1	-0.5	0	26.8	0.01	100	8200	98.81	25.9
2023-02-23 21:45:00	0	0	0	0	276	1.34	2.57	26.8	99.1	98.8	-1.1	-0.5	0	26.9	0	100	8200	98.81	26
2023-02-23 21:50:00	0	0	0	0	291	2.19	3.85	27.1	98.1	98.82	-1	-0.6	0	27	0.01	100	8199	98.82	26.2
2023-02-23 21:55:00	0	0	0	0	320	1.88	3.74	27.2	98.8	98.84	-0.8	-0.5	0	27.1	0.01	100	8199	98.84	26.3
2023-02-23 22:00:00	0	0	0	0	327	1.63	4.21	27.2	98.9	98.84	-1.1	-0.5	0	27.2	0.01	100	8200	98.85	26.3
2023-02-23 22:05:00	0	0	0	0	321	1.66	5.1	27.2	98	98.85	-1	-0.5	0	27.2	0.01	100	8200	98.86	26.3
2023-02-23 22:10:00	0	0	0	0	308	2.51	4.41	27.2	98	98.86	-1.1	-0.4	0	27.1	0.01	100	8199	98.86	26.3
2023-02-23 22:15:00	0	0	0	0	326	1.86	3.58	27.3	98.8	98.85	-1	-0.4	0	27.3	0.01	100	8200	98.86	26.4
2023-02-23 22:20:00	0	0	0	0	318	1.36	3.31	27.4	98.9	98.87	-1	-0.4	0	27.3	0.01	100	8199	98.87	26.5
2023-02-23 22:25:00	0	0	0	0	327	2.1	4	27.4	98.8	98.88	-1	-0.4	0	27.4	0.01	100	8198	98.89	26.6
2023-02-23 22:30:00	0	0	0	0	327	1.79	4.52	27.5	98.3	98.89	-1	-0.5	0	27.5	0.01	100	8198	98.9	26.6
2023-02-23 22:35:00	0	0	0	0	317	0.98	2.93	27.5	98.3	98.9	-0.9	-0.5	0	27.4	0.01	100	8194	98.91	26.6
2023-02-23 22:40:00	0	0	0	0	323	1.54	3.76	27.5	98.3	98.91	-1	-0.5	0	27.5	0.01	100	8198	98.92	26.6
2023-02-23 22:45:00	0	0	0	0	310	0.72	2.3	27.4	98.8	98.91	-0.8	-0.6	0	27.4	0.01	100	8197	98.92	26.5
2023-02-23 22:50:00	0	0	0	0	308	1.14	2.48	27.3	98.6	98.91	-1	-0.5	0	27.3	0.01	100	8196	98.91	26.5
2023-02-23 22:55:00	0	0	0	0	298	1.01	2.1	27.3	98.3	98.9	-1.2	-0.5	0	27.3	0.01	100	8197	98.91	26.5
2023-02-23 23:00:00	0	0	0	0	295	0.74	1.43	27.4	98.5	98.91	-1	-0.5	0	27.4	0.01	100	8196	98.91	26.5
2023-02-23 23:05:00	0	0	0	0	296	0.78	1.81	27.3	97.5	98.92	-1	-0.5	0	27.3	0.01	100	8196	98.93	26.5
2023-02-23 23:10:00	0	0	0	0	297	0.69	2.26	27.3	98.4	98.93	-1	-0.5	0	27.3	0.01	100	8197	98.94	26.5
2023-02-23 23:15:00	0	0	0	0	285	0.89	1.57	27.3	98.4	98.94	-1.1	-0.4	0	27.3	0.01	100	8194	98.94	26.5
2023-02-23 23:20:00	0	0	0	0	263	0.94	3.33	27.3	98.3	98.96	-1.1	-0.4	0	27.3	0.01	100	8195	98.97	26.6
2023-02-23 23:25:00	0	0	0	0	284	2.04	3.18	27.4	98.8	98.97	-1	-0.5	0	27.4	0.01	100	8197	98.97	26.6
2023-02-23 23:30:00	0	0	0	0	294	2.55	4.5	27.5	98.2	98.98	-1	-0.4	0	27.5	0.01	100	8194	98.98	26.7
2023-02-23 23:35:00	0	0	0	0	294	2.51	3.8	27.5	98.3	98.98	-0.9	-0.5	0	27.5	0.01	100	8193	98.98	26.8
2023-02-23 23:40:00	0	0	0	0	299	2.95	4.94	27.6	97.9	98.98	-1	-0.4	0	27.6	0.01	100	8195	98.99	26.8
2023-02-23 23:45:00	0	0	0	0	304	2.66	3.47	27.8	98.7	98.98	-1	-0.5	0	27.8	0.01	100	8194	98.99	26.9
2023-02-23 23:50:00	0	0	0	0	299	3.22	4.34	27.8	98.6	99	-1	-0.5	0	27.8	0.01	100	8193	99	27
2023-02-23 23:55:00	0	0	0	0	300	2.95	4.45	28	98.4	99	-0.9	-0.4	0	28	0.01	100	8193	99	27
2023-02-24 00:00:00	0	0	0	0	297	3.2	4.97	28	98.1	99.01	-1	-0.6	0	28	0.01	100	8194	99.01	27.1
2023-02-24 00:05:00	0	0	0	0	289	3.4	4.81	28.1	98.4	99.02	-1.1	-0.4	0	28.1	0.01	100	8168	99.02	27.4
2023-02-24 00:10:00	0	0	0	0	297	3.58	5.01	28.3	98.7	99.03	-1	-0.6	0	28.3	0.01	100	8155	99.04	27.7
2023-02-24 00:15:00	0	0	0	0	312	3.13	4	28.3	99	99.04	-1	-0.4	0	28.3	0.01	100	8150	99.05	27.9
2023-02-24 00:20:00	0	0	0	0	299	3	5.44	28.4	98.5	99.04	-0.9	-0.6	0	28.4	0.01	100	8166	99.04	27.8
2023-02-24 00:25:00	0	0	0	0	298	3.18	5.01	28.4	98.5	99.04	-0.9	-0.5	0	28.4	0.01	100	8169	99.05	27.7
2023-02-24 00:30:00	0	0	0	0	291	3.44	5.91	28.4	98.7	99.04	-0.9	-0.5	0	28.4	0.01	100	8168	99.04	27.6
2023-02-24 00:35:00	0	0	0	0	290	3.44	5.32	28.5	98.5	99.05	-0.9	-0.4	0	28.5	0.01	100	8169	99.05	27.6
2023-02-24 00:40:00	0	0	0	0	297	3.56	5.26	28.4	98.4	99.05	-0.9	-0.6	0	28.4	0.01	100	8172	99.05	27.6
2023-02-24 00:45:00	0	0	0	0	308	3.53	4.61	28.4	98.4	99.06	-1	-0.5	0	28.5	0.01	100	8172	99.06	27.5
2023-02-24 00:50:00	0	0	0	0	301	3.62	4.85	28.4	98.5	99.06	-1	-0.5	0	28.4	0.01	100	8171	99.06	27.6
2023-02-24 00:55:00	0	0	0	0	302	3.65	4.74	28.4	98.4	99.06	-1	-0.5	0	28.4	0.01	100	8172	99.06	27.6
2023-02-24 01:00:00	0	0	0	0	305	3.38	4.74	28.5	98.1	99.07	-0.9	-0.6	0	28.5	0.01	100	8173	99.07	27.6
2023-02-24 01:05:00	0	0	0	0	316	3.38	4.41	28.6	98	99.08	-1	-0.4	0	28.6	0.01	100	8172	99.09	27.7
2023-02-24 01:10:00	0	0	0	0	342	3.18	6.08	28.6	98.4	99.1	-0.8	-0.4	0	28.7	0.01	100	8171	99.11	27.7
2023-02-24 01:15:00	0	0	0	0	337	3.8	6.49	28.7	98.6	99.11	-0.9	-0.6	0	28.7	0.01	100	8172	99.11	27.8
2023-02-24 01:20:00	0	0	0	0	329	3.2	5.28	28.7	98.5	99.11	-0.9	-0.7	0	28.7	0.01	100	8171	99.11	27.8
2023-02-24 01:25:00	0	0	0	0	330	3	4.63	28.7	97.6	99.12	-0.9	-0.6	0	28.8	0.01	100	8172	99.12	27.8
2023-02-24 01:30:00	0	0	0	0	322	3.69	5.41	28.8	98.2	99.13	-1.1	-0.5	0	28.8	0.01	100	8173	99.13	27.8
2023-02-24 01:35:00	0	0	0	0	322	3.13	5.06	28.8	97.1	99.13	-0.8	-0.6	0	28.8	0.02	100	8171	99.14	27.9
2023-02-24 01:40:00	0	0	0	0	317	3.4	4.5	28.8	98.1	99.15	-1	-0.5	0	28.8	0.01	100	8172	99.15	27.9
2023-02-24 01:45:00	0	0	0	0	312	3.29	4.18	28.8	97.3	99.15	-0.9	-0.6	0	28.8	0.01	100	8172	99.16	27.9
2023-02-24 01:50:00	0	0	0	0	304	2.95	4.14	28.7	97.6	99.17	-0.9	-0.5	0	28.8	0.01	100	8152	99.17	28
2023-02-24 01:55:00	0	0	0	0	297	3.24	4.97	28.7	98	99.18	-0.9	-0.5	0	28.7	0.01	100	8158	99.19	28.1
2023-02-24 02:00:00	0	0	0	0	308	3.04	4.88	28.8	98.2	99.19	-1	-0.5	0	28.8	0.01	100	8160	99.2	28.1
2023-02-24 02:05:00	0	0	0	0	314	4	6.17	28.8	97.8	99.21	-1	-0.4	0	28.8	0.01	100	8159	99.21	28.2
2023-02-24 02:10:00	0	0	0	0	319	4.14	5.99	28.8	98.1	99.22	-1	-0.4	0	28.8	0.01	100	8162	99.23	28.6
2023-02-24 02:15:00	0	0	0	0	326	3.76	6.78	28.8	98.3	99.23	-1.2	-0.3	0	28.8	0.01	100	8161	99.25	28.7
2023-02-24 02:20:00	0	0	0	0	340	3.06	6.08	28.8	98.7	99.24	-0.9	-0.2	0	28.8	0.01	100	8162	99.25	28.4
2023-02-24 02:25:00	0	0	0	0	331	3.89	5.86	28.9	98	99.25	-1	-0.6	0	28.9	0.01	100	8160	99.26	28.2
2023-02-24 02:30:00	0	0	0	0	321	4.65	6.11	28.7	97.5	99.28	-0.8	-0.5	0	28.7	0.01	100	8163	99.29	28
2023-02-24 02:35:00	0	0	0	0	319	4.61	7.43	28.4	97.2	99.29	-1	-0.5	0	28.4	0.01	100	8161	99.3	27.8

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-24 02:40:00	0	0	0	0	321	5.39	10.92	28.1	97.3	99.3	-0.6	-0.9	0	28.1	0.01	100	8161	99.3	27.5
2023-02-24 02:45:00	0	0	0	0	316	4.74	7.96	28	96.4	99.31	-0.8	-0.5	0	28	0.02	100	8162	99.32	27.3
2023-02-24 02:50:00	0	0	0	0	319	4.03	6.98	27.6	96.6	99.31	-1	-0.5	0	27.6	0.02	100	8160	99.31	27.1
2023-02-24 02:55:00	0	0	0	0	348	1.81	4.88	27.6	96.1	99.3	-0.8	-0.6	0	27.5	0.02	100	8161	99.31	26.9
2023-02-24 03:00:00	0	0	0	0	88	1.54	3.87	27.2	96.2	99.3	-1.4	-0.9	0	27.2	0.02	100	8163	99.31	26.7
2023-02-24 03:05:00	0	0	0	0	341	2.91	8.1	26.9	95.3	99.32	-1.3	0.2	0	26.8	0.02	100	8159	99.34	26.2
2023-02-24 03:10:00	0	0	0	0	352	2.73	5.5	26.3	94.9	99.35	-1.1	-0.3	0	26.3	0.02	100	8162	99.36	25.9
2023-02-24 03:15:00	0	0	0	0	10	3.36	7.4	25.9	94.6	99.36	-1.2	-0.2	0	25.8	0.03	100	8158	99.39	25.5
2023-02-24 03:20:00	0	0	0	0	348	3.31	8.05	25.4	95.5	99.38	-1.1	-0.3	0	25.4	0.02	100	8158	99.4	25.1
2023-02-24 03:25:00	0	0	0	0	350	2.48	6.69	25.1	95.6	99.38	-0.8	-1.2	0	25.1	0.02	100	8158	99.4	24.9
2023-02-24 03:30:00	0	0	0	0	1	2.91	6.17	24.9	95.5	99.39	-1.1	-0.7	0	24.9	0.02	100	8159	99.41	24.6
2023-02-24 03:35:00	0	0	0	0	342	1.7	4.07	24.6	95.3	99.38	-1	-0.4	0	24.6	0.02	100	8156	99.4	24.3
2023-02-24 03:40:00	0	0	0	0	326	3.22	6.82	24.4	96	99.4	-1.1	-0.6	0	24.4	0.02	100	8158	99.42	24.1
2023-02-24 03:45:00	0	0	0	0	322	2.62	6.04	24.3	96.6	99.42	-1.1	-0.5	0	24.3	0.02	100	8159	99.44	24
2023-02-24 03:50:00	0	0	0	0	312	2.53	3.85	24.2	95.7	99.44	-1.1	-0.5	0	24.2	0.02	100	8158	99.45	23.8
2023-02-24 03:55:00	0	0	0	0	326	2.89	4.7	24.2	96.4	99.45	-1.2	-0.5	0	24.2	0.02	100	8158	99.46	23.8
2023-02-24 04:00:00	0	0	0	0	328	3.53	6.46	24.3	96.7	99.44	-1.1	-0.5	0	24.2	0.01	100	8156	99.46	23.7
2023-02-24 04:05:00	0	0	0	0	326	4.21	6.58	24.2	97	99.45	-1	-0.7	0	24.2	0.01	100	8156	99.47	23.7
2023-02-24 04:10:00	0	0	0	0	330	4.07	6.6	24.3	96.7	99.46	-1.2	-0.5	0	24.2	0.01	100	8156	99.48	23.6
2023-02-24 04:15:00	0	0	0	0	328	4.72	7.02	24.3	96.6	99.49	-1	-0.5	0	24.3	0.02	100	8157	99.5	23.6
2023-02-24 04:20:00	0	0	0	0	326	4.41	7.43	24.4	96.3	99.51	-0.9	-0.8	0	24.4	0.02	100	8154	99.52	23.6
2023-02-24 04:25:00	0	0	0	0	328	3.83	5.64	24.3	96.4	99.52	-1.3	-0.5	0	24.3	0.02	100	8156	99.54	23.5
2023-02-24 04:30:00	0	0	0	0	330	2.68	4.38	24.2	96.9	99.54	-1.1	-0.6	0	24.3	0.01	100	8156	99.55	23.5
2023-02-24 04:35:00	0	0	0	0	324	2.89	4.27	24.3	96.7	99.55	-1.1	-0.4	0	24.3	0.01	100	8153	99.56	23.5
2023-02-24 04:40:00	0	0	0	0	322	3.4	5.35	24.3	96.6	99.55	-1	-0.6	0	24.3	0.02	100	8152	99.56	23.6
2023-02-24 04:45:00	0	0	0	0	329	3.69	6.64	24.4	96.3	99.56	-1.1	-0.3	0	24.4	0.02	100	8153	99.57	23.6
2023-02-24 04:50:00	0	0	0	0	324	4.23	6.35	24.4	96.1	99.58	-1.2	-0.4	0	24.4	0.02	100	8153	99.59	23.6
2023-02-24 04:55:00	0	0	0	0	325	5.19	7.94	24.6	96.3	99.59	-1	-0.5	0	24.6	0.02	100	8152	99.6	23.6
2023-02-24 05:00:00	0	0	0	0	323	5.3	7.61	24.7	96.8	99.6	-1	-0.5	0	24.7	0.01	100	8155	99.61	23.7
2023-02-24 05:05:00	0	0	0	0	323	6.51	9.53	24.8	96.5	99.61	-1.2	-0.3	0	24.8	0.02	100	8154	99.61	23.7
2023-02-24 05:10:00	0	0	0	0	319	7.11	9.73	24.9	95.7	99.63	-1.1	-0.5	0	24.9	0.02	100	8152	99.64	23.9
2023-02-24 05:15:00	0	0	0	0	318	7.83	10.04	25	94.7	99.64	-1.4	-0.3	0	25	0.02	100	8153	99.65	24
2023-02-24 05:20:00	0	0	0	0	323	7.58	10.09	24.9	95	99.65	-1.3	-0.5	0	24.9	0.02	100	8151	99.66	23.9
2023-02-24 05:25:00	0	0	0	0	321	7.52	11.01	25	93.9	99.66	-1.2	-0.6	0	25	0.03	100	8153	99.67	23.8
2023-02-24 05:30:00	0	0	0	0	321	7.16	12.62	25	93.7	99.68	-1.5	-0.3	0	25	0.03	100	8153	99.68	23.8
2023-02-24 05:35:00	0	0	0	0	322	7.16	10.78	25	93.9	99.69	-0.8	-0.3	0	25	0.03	100	8152	99.7	23.8
2023-02-24 05:40:00	0	0	0	0	326	7.23	10.71	25	93.7	99.7	-1.3	-0.5	0	25	0.03	100	8150	99.71	23.7
2023-02-24 05:45:00	0	0	0	0	329	7.45	10.83	25	93	99.71	-1	-0.9	0	25	0.03	100	8152	99.72	23.7
2023-02-24 05:50:00	0	0	0	0	326	8.79	13.56	24.9	91.8	99.73	-1.2	-0.2	0	24.9	0.04	100	8149	99.75	23.6
2023-02-24 05:55:00	0	0	0	0	334	8.63	15.37	24.9	91.2	99.73	-1.3	-1	0	24.8	0.04	100	8152	99.74	23.4
2023-02-24 06:00:00	0	0	0	0	329	7.94	14.36	24.7	90.7	99.77	-0.5	-1	0	24.6	0.04	100	8151	99.78	23.3
2023-02-24 06:05:00	0	0	0	0	330	8.77	15.05	24.4	90.2	99.77	-1.9	-0.2	0	24.4	0.04	100	8149	99.78	23.1
2023-02-24 06:10:00	0	0	0	0	332	7.58	12.73	24.3	89.8	99.78	-1.6	0.1	0	24.3	0.05	100	8149	99.8	23
2023-02-24 06:15:00	0	0	0	0	323	8.34	13.58	24.2	90.4	99.8	0	-1.7	0	24.2	0.04	100	8148	99.81	22.9
2023-02-24 06:20:00	0	0	0	0	325	7.52	10.58	24	90.8	99.81	-1.9	-0.2	0	24	0.04	100	8150	99.83	22.7
2023-02-24 06:25:00	0	0	0	0	328	7.27	11.16	23.8	90.2	99.82	-1.4	-0.6	0	23.8	0.04	100	8146	99.83	22.6
2023-02-24 06:30:00	0	0	0	0	329	7.99	12.26	23.7	89.7	99.82	-1.1	-0.6	0	23.7	0.04	100	8148	99.84	22.5
2023-02-24 06:35:00	0	0	0	0	331	9.17	14.27	23.6	89.7	99.83	-2.1	0.2	0	23.6	0.04	100	8148	99.85	22.3
2023-02-24 06:40:00	0	0	0	0	324	10.22	14.27	23.4	88.5	99.87	-2.5	0.1	0	23.4	0.05	100	8146	99.87	22.2
2023-02-24 06:45:00	0.8	0	0	0	329	9.1	13.98	23.2	87.9	99.87	-0.2	0	0	23.2	0.05	100	8149	99.88	22
2023-02-24 06:50:00	1.4	0	0	0	333	8.05	11.7	23.1	87.5	99.88	-1.3	-0.8	0	23.1	0.05	100	8150	99.9	21.8
2023-02-24 06:55:00	2.6	0	0	0	333	8.01	12.24	22.9	88	99.88	-2.2	-0.3	0	22.9	0.05	100	8147	99.91	21.7
2023-02-24 07:00:00	5.8	0	0	0	335	8.63	15.05	22.7	87.4	99.89	-2.2	-1.3	0	22.7	0.05	100	8146	99.91	21.5
2023-02-24 07:05:00	12.6	0	0	0	356	11.65	67.11	22.4	85.7	99.9	-0.7	-0.1	0	22.4	0.06	100	8145	99.92	21.1
2023-02-24 07:10:00	19	0	0	0	0	11.03	67.11	22	84	99.92	-1	-1.3	0	22.1	0.06	100	8145	99.95	20.7
2023-02-24 07:15:00	23.2	0	0	0	304	11.52	66.86	21.6	83.4	99.93	-1.5	0.2	0	21.7	0.07	100	8145	99.96	20.3
2023-02-24 07:20:00	28.8	0	0	0	334	8.46	11.88	21.3	84.1	99.97	-0.5	-0.6	0	21.4	0.06	100	8143	99.99	20.1
2023-02-24 07:25:00	47	0	0	0	335	8.7	13.47	21.1	84.7	99.98	-2.6	0.3	0	21.2	0.06	100	8146	100.01	20
2023-02-24 07:30:00	65.4	0	0	0	327	14	67.11	21	85.6	99.99	-0.8	-0.1	0	21.2	0.06	100	8148	100.01	19.8
2023-02-24 07:35:00	65.8	0	0	0	304	11.41	67.11	20.9	85.4	100	-1.7	1.5	0	21.1	0.06	100	8146	100.04	19.7
2023-02-24 07:40:00	78.6	0	0	0	336	8.61	13.29	20.9	85.6	100.03	-1.5	0.7	0	21.1	0.06	100	8151	100.04	19.6
2023-02-24 07:45:00	52.8	0	0	0	336	8.7	13.6	20.7	86.4	100.04	-1.1	-0.5	0	20.8	0.05	100	8151	100.07	19.4
2023-02-24 07:50:00	67.6	0	0	0	334	6.67	11.9	20.5	86.9	100.07	-1.5	0.3	0	20.7	0.05	100	8152	100.09	19.3
2023-02-24 07:55:00	104.6	0	0	0	324	7.92	13.67	20.5	87.1	100.1	-1.6	-0.9	0	20.7	0.05	100	8158	100.11	19.2

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-24 08:00:00	175.2	0	0	0	333	5.97	10.49	20.6	86.7	100.09	-1.3	-0.3	0	21.1	0.05	100	8165	100.12	19.2
2023-02-24 08:05:00	171.8	0	0	0	335	7.52	16.71	20.8	86.9	100.09	-1.7	-0.2	0	21.4	0.05	100	8172	100.12	19.3
2023-02-24 08:10:00	102.2	0	0	0	332	7.07	11.95	20.8	85.7	100.12	-0.5	-0.6	0	21.2	0.05	100	8172	100.15	19.3
2023-02-24 08:15:00	111.4	0	0	0	328	7.99	15.1	20.4	86.3	100.14	-1.7	0.2	0	20.8	0.05	100	8173	100.16	19.3
2023-02-24 08:20:00	142.6	0	0	0	324	9.28	15.66	20.3	85.1	100.13	-1.5	-1.2	0	20.7	0.06	100	8179	100.16	19.1
2023-02-24 08:25:00	177.8	0	0	0	332	7.4	12.86	20.4	84.8	100.13	-1.4	-0.3	0	20.9	0.06	100	8185	100.17	19
2023-02-24 08:30:00	155.4	0	0	0	330	8.88	13.35	20.4	84.6	100.16	0	-0.2	0	20.9	0.06	100	8186	100.18	19
2023-02-24 08:35:00	161.2	0	0	0	326	8.46	14.94	20.3	84	100.16	0	-1.5	0	20.8	0.06	100	8191	100.2	19
2023-02-24 08:40:00	198.4	0	0	0	323	8.48	14.99	20.3	85.2	100.18	-0.1	-0.5	0	20.8	0.06	100	8199	100.21	19
2023-02-24 08:45:00	253	0	0	0	323	7.49	12.64	20.4	84.6	100.19	-1.2	0.4	0	21.2	0.06	100	8206	100.22	19.1
2023-02-24 08:50:00	234.8	0	0	0	325	6.17	11.45	20.5	87.1	100.2	-0.8	-0.6	0	21.3	0.05	100	8212	100.23	19.3
2023-02-24 08:55:00	318	0	0	0	320	6.42	9.82	20.7	86.1	100.21	-0.9	-0.6	0	21.6	0.05	100	8221	100.25	19.5
2023-02-24 09:00:00	343.4	0	0	0	322	6.71	10.47	21.2	86.5	100.22	-1.4	-0.5	0	22.2	0.05	100	8234	100.25	19.8
2023-02-24 09:05:00	357.4	0	0	0	326	7.54	13.24	21.6	85.7	100.21	-1.3	-0.1	0	22.6	0.06	100	8241	100.24	20.1
2023-02-24 09:10:00	288.2	0	0	0	330	6.11	9.17	21.6	84.9	100.21	-1.1	-0.3	0	22.6	0.06	100	8245	100.24	20.4
2023-02-24 09:15:00	314.2	0	0	0	320	5.66	9.01	21.6	86.1	100.22	-1	-0.8	0	22.6	0.06	100	8248	100.24	20.7
2023-02-24 09:20:00	251.6	0	0	0	324	6.35	11.18	21.7	85.3	100.23	-0.7	-1.3	0	22.5	0.06	100	8246	100.27	20.9
2023-02-24 09:25:00	199.6	0	0	0	329	6.06	9.82	21.5	86.1	100.25	-1.1	-0.4	0	22.3	0.05	100	8244	100.28	21
2023-02-24 09:30:00	149.2	0	0	0	333	7.43	13.33	21.3	86.2	100.26	-1.7	-0.3	0	21.8	0.05	100	8244	100.28	20.8
2023-02-24 09:35:00	206.2	0	0	0	324	8.97	13.91	21.1	83.4	100.27	-1.8	0.4	0	21.6	0.06	100	8244	100.3	20.5
2023-02-24 09:40:00	262.4	0	0	0	326	9.28	15.46	20.8	84.3	100.26	-1.6	-0.2	0	21.5	0.06	100	8250	100.3	20.2
2023-02-24 09:45:00	232.8	0	0	0	323	8.41	13.91	20.7	84.1	100.28	-1.7	0.6	0	21.3	0.06	100	8252	100.32	20
2023-02-24 09:50:00	242	0	0	0	323	10.16	15.68	20.8	81.7	100.3	-1.4	-0.7	0	21.5	0.07	100	8257	100.32	19.9
2023-02-24 09:55:00	294.2	0	0	0	321	9.53	13.87	20.8	80.7	100.31	-0.5	-0.7	0	21.5	0.07	100	8265	100.33	19.7
2023-02-24 10:00:00	370.8	0	0	0	325	10.09	18.34	21.4	79.7	100.28	-0.4	-0.8	0	22.2	0.08	100	8282	100.33	19.7
2023-02-24 10:05:00	421.6	0	0	0	322	10.18	15.19	22	77.2	100.32	-0.2	-2.4	0	22.8	0.09	100	8289	100.34	19.8
2023-02-24 10:10:00	442.4	0	0	0	321	9.89	17.07	22.4	75.8	100.31	-0.7	-0.6	0	23.3	0.1	100	8298	100.36	20.1
2023-02-24 10:15:00	234.8	0	0	0	326	10.69	19.48	21.7	78.1	100.37	-1.2	-1.6	0	22.4	0.09	100	8292	100.38	20.3
2023-02-24 10:20:00	180.2	0	0	0	335	9.28	14.32	20.7	78.5	100.34	-1.5	-0.3	0	21.1	0.08	100	8282	100.37	19.9
2023-02-24 10:25:00	189.6	0	0	0	326	10.83	16.42	19.9	79.1	100.34	-1.2	0.9	0	20.3	0.08	100	8286	100.38	19.4
2023-02-24 10:30:00	295.2	0	0	0	329	9.71	16.51	19.6	78.4	100.34	-1.4	-0.2	0	20.2	0.08	100	8293	100.39	18.9
2023-02-24 10:35:00	473.6	0	0	0	320	6.62	12.46	20.2	79.6	100.37	-1	-0.8	0	21.2	0.08	100	8307	100.41	18.9
2023-02-24 10:40:00	507.8	0	0	0	327	8.41	13.2	21.6	77.5	100.36	-1.2	-0.3	0	22.6	0.09	100	8317	100.41	19.3
2023-02-24 10:45:00	389.6	0	0	0	324	8.57	13.02	22	77.2	100.37	-0.6	-0.4	0	22.9	0.09	100	8327	100.41	19.6
2023-02-24 10:50:00	333	0	0	0	324	8.57	13.98	21.9	75.9	100.39	-1.9	0.8	0	22.7	0.1	100	8330	100.43	19.7
2023-02-24 10:55:00	307.8	0	0	0	326	8.72	13.87	22	76.1	100.43	-1	-0.8	0	22.8	0.1	100	8331	100.46	19.9
2023-02-24 11:00:00	326.2	0	0	0	331	10.27	15.17	21.7	75.5	100.42	-2.2	-0.4	0	22.5	0.1	100	8336	100.45	19.8
2023-02-24 11:05:00	426.8	0	0	0	324	8.81	13.71	21.7	74.5	100.42	-1	-0.7	0	22.6	0.1	100	8350	100.47	19.8
2023-02-24 11:10:00	457.6	0	0	0	320	9.6	14.47	22.3	74.7	100.42	-1	-0.6	0	23.3	0.1	100	8355	100.46	20.1
2023-02-24 11:15:00	352.6	0	0	0	322	6.98	11.5	22	74.3	100.47	-1.5	-0.8	0	22.9	0.1	100	8360	100.49	20.2
2023-02-24 11:20:00	427.2	0	0	0	324	7.56	12.75	22.1	76.7	100.47	-1.2	0.2	0	23.1	0.09	100	8361	100.52	20.5
2023-02-24 11:25:00	354.8	0	0	0	316	8.93	14.72	21.8	74.8	100.51	-0.9	-0.6	0	22.6	0.1	100	8365	100.54	20.5
2023-02-24 11:30:00	247	0	0	0	319	9.13	14.88	21.3	73.4	100.53	-1.4	-0.9	0	21.9	0.1	100	8364	100.54	20.2
2023-02-24 11:35:00	267.8	0	0	0	326	9.55	14.12	20.4	74.1	100.52	-0.6	0.2	0	21.1	0.1	100	8362	100.54	19.9
2023-02-24 11:40:00	262.6	0	0	0	319	10.09	17.6	20.1	75.1	100.52	-1.2	-0.6	0	20.7	0.09	100	8362	100.53	19.7
2023-02-24 11:45:00	250.8	0	0	0	321	10.96	16.06	19.8	75	100.53	-0.6	-1	0	20.4	0.09	100	8364	100.54	19.3
2023-02-24 11:50:00	380.2	0	0	0	321	8.75	13.82	20	75.2	100.51	-1.3	-0.4	0	20.9	0.09	100	8368	100.55	19.2
2023-02-24 11:55:00	322.8	0	0	0	321	10.04	13.31	20.3	75.4	100.52	-1.1	-0.2	0	21.1	0.09	100	8372	100.55	19.3
2023-02-24 12:00:00	399.4	0	0	0	316	7.7	11.48	20.4	75.3	100.53	-1.6	0.1	0	21.2	0.09	100	8384	100.56	19.3
2023-02-24 12:05:00	517.6	0	0	0	304	7.99	11.23	22.2	73.9	100.53	-1.3	-0.3	0	23.4	0.11	100	8394	100.58	19.7
2023-02-24 12:10:00	524.4	0	0	0	317	8.19	11.65	23.6	70.7	100.53	-1.1	-0.7	0	24.6	0.13	100	8398	100.57	20.4
2023-02-24 12:15:00	262.6	0	0	0	315	8.59	12.44	22.5	73	100.59	-1.3	-0.7	0	23.3	0.11	100	8396	100.57	20.6
2023-02-24 12:20:00	393.6	0	0	0	320	10.87	17.2	22.5	70.4	100.53	-1	0.9	0	23.3	0.12	100	8399	100.56	20.4
2023-02-24 12:25:00	377.6	0	0	0	323	8.77	14.5	21.5	69.7	100.55	-1.4	-1.4	0	22.3	0.12	100	8403	100.58	20.2
2023-02-24 12:30:00	346.4	0	0	0	307	7.92	13.02	21.2	72.2	100.57	-1.1	-0.2	0	22.1	0.11	100	8403	100.59	20.1
2023-02-24 12:35:00	209.4	0	0	0	327	8.77	12.26	20.6	73.4	100.57	-1.5	-0.7	0	21.2	0.1	100	8399	100.58	19.9
2023-02-24 12:40:00	209.8	0	0	0	330	9.91	13.02	19.9	74.1	100.55	-0.8	-0.5	0	20.4	0.1	100	8399	100.58	19.6
2023-02-24 12:45:00	282.2	0	0	0	333	8.72	12.77	19.3	75.5	100.54	-1.2	-0.6	0	20	0.09	100	8401	100.58	19.3
2023-02-24 12:50:00	320	0	0	0	317	7.76	10.76	19.4	77.9	100.56	-1.3	-0.6	0	20.3	0.08	100	8402	100.58	19.3
2023-02-24 12:55:00	388.2	0	0	0	324	8.61	13.18	19.7	78.1	100.55	-1.3	-0.5	0	20.5	0.08	100	8405	100.58	19.4
2023-02-24 13:00:00	298.8	0	0	0	327	7.36	11.01	19.9	78.5	100.57	-1.3	-0.4	0	20.8	0.08	100	8410	100.59	19.5
2023-02-24 13:05:00	249	0	0	0	326	8.48	12.97	19.8	76.2	100.57	-0.9	-1	0	20.5	0.09	100	8409	100.59	19.4
2023-02-24 13:10:00	267.6	0	0	0	329	9.35	13.58	19.5	77.1	100.56	-1.1	0	0	20.2	0.08	100	8407	100.59	19.3
2023-02-24 13:15:00	286.8	0	0	0	323	8.86	10.85	19.4	77.5	100.58	-1.5	-0.4	0	20.1	0.08	100	8408	100.6	19.2

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-24 13:20:00	212.6	0	0	0	331	6.2	8.81	19.2	79.2	100.58	-1.6	-0.3	0	19.9	0.07	100	8407	100.61	19.1
2023-02-24 13:25:00	212	0	0	0	330	7.67	12.97	19.3	80.6	100.59	-1.2	-0.6	0	19.9	0.07	100	8407	100.6	19.1
2023-02-24 13:30:00	220.8	0	0	0	331	9.24	11.61	19.3	79.3	100.58	-1.1	-0.4	0	19.9	0.07	100	8408	100.61	19
2023-02-24 13:35:00	181.6	0	0	0	321	7.92	13.42	19.1	78.2	100.6	-1.1	-1.3	0	19.6	0.08	100	8408	100.62	18.8
2023-02-24 13:40:00	200.6	0	0	0	318	8.72	14.38	18.9	80.1	100.61	-1.9	-0.1	0	19.5	0.07	100	8409	100.63	18.7
2023-02-24 13:45:00	245.4	0	0	0	328	7.85	12.82	18.8	80.4	100.61	-1.5	0.3	0	19.4	0.07	100	8410	100.63	18.6
2023-02-24 13:50:00	267.2	0	0	0	330	8.52	12.44	19	79.9	100.59	-1.3	0.1	0	19.7	0.07	100	8409	100.62	18.5
2023-02-24 13:55:00	223.4	0	0	0	333	6.69	10	19.3	80.1	100.6	-1.3	-0.6	0	20	0.07	100	8412	100.63	18.5
2023-02-24 14:00:00	216.4	0	0	0	317	6.58	11.14	19.2	80.7	100.62	-1.6	-0.2	0	19.8	0.07	100	8409	100.64	18.6
2023-02-24 14:05:00	189.6	0	0	0	322	5.73	9.22	19.2	80.7	100.63	-1.1	-0.6	0	19.8	0.07	100	8408	100.65	18.6
2023-02-24 14:10:00	193.4	0	0	0	331	7.63	11.81	19.4	80.2	100.64	-1.1	-1.2	0	19.9	0.07	100	8407	100.65	18.6
2023-02-24 14:15:00	172.4	0	0	0	323	6.24	7.83	19.3	80.5	100.64	-0.9	-0.9	0	19.9	0.07	100	8408	100.66	18.6
2023-02-24 14:20:00	205.4	0	0	0	329	6.64	9.78	19.1	79.9	100.64	-1	-0.4	0	19.7	0.07	100	8408	100.67	18.5
2023-02-24 14:25:00	237.2	0	0	0	331	5.82	8.3	19.2	81.3	100.66	-1.2	-0.7	0	20	0.07	100	8412	100.69	18.6
2023-02-24 14:30:00	194.2	0	0	0	323	8.32	12.5	19.4	80.2	100.68	-1.3	-0.3	0	20	0.07	100	8411	100.69	18.6
2023-02-24 14:35:00	241.8	0	0	0	323	8.25	11.05	19.3	80.6	100.67	-1.6	-0.5	0	19.9	0.07	100	8415	100.68	18.6
2023-02-24 14:40:00	373.6	0	0	0	321	8.55	14.97	19.3	79.8	100.67	-1.1	-0.4	0	20.2	0.07	100	8415	100.69	18.7
2023-02-24 14:45:00	350.8	0	0	0	333	8.79	15.66	20.1	78.2	100.65	-1.4	-0.7	0	21	0.08	100	8415	100.69	18.8
2023-02-24 14:50:00	227.8	0	0	0	326	9.22	13.87	20.1	77.8	100.68	-1.6	-0.5	0	20.7	0.08	100	8413	100.7	18.9
2023-02-24 14:55:00	224.8	0	0	0	332	7.34	12.95	19.8	80.3	100.68	-1.1	-0.6	0	20.6	0.07	100	8416	100.7	18.9
2023-02-24 15:00:00	185.6	0	0	0	335	7.9	12.19	19.7	79.3	100.68	-1.4	-0.6	0	20.2	0.08	100	8414	100.71	18.7
2023-02-24 15:05:00	197	0	0	0	331	7.31	11.41	19.3	80.4	100.69	-1.8	-0.2	0	19.9	0.07	100	8414	100.71	18.6
2023-02-24 15:10:00	155.2	0	0	0	326	6.91	10.63	19.1	81	100.69	-1.8	-0.4	0	19.6	0.07	100	8416	100.71	18.6
2023-02-24 15:15:00	148.6	0	0	0	322	6.69	10.87	19	81.4	100.69	-1	-0.5	0	19.5	0.07	100	8414	100.71	18.4
2023-02-24 15:20:00	186.8	0	0	0	326	7.23	12.86	19	81.5	100.69	-0.8	-1	0	19.5	0.07	100	8415	100.71	18.4
2023-02-24 15:25:00	221.8	0	0	0	323	8.68	14.43	19.1	80.6	100.7	-1.6	-0.6	0	19.7	0.07	100	8415	100.72	18.4
2023-02-24 15:30:00	322.4	0	0	0	322	7.09	10.31	19.1	79.9	100.7	-1.4	-0.4	0	20	0.07	100	8416	100.73	18.5
2023-02-24 15:35:00	361.6	0	0	0	321	5.93	9.91	19.5	79.6	100.71	-1.2	-0.1	0	20.5	0.07	100	8415	100.73	18.8
2023-02-24 15:40:00	367	0	0	0	327	7.52	11.9	20.3	78.8	100.71	-1.3	-0.2	0	21.2	0.08	100	8417	100.73	19.1
2023-02-24 15:45:00	356	0	0	0	325	6.04	8.75	20.6	78.8	100.72	-1.8	-0.5	0	21.6	0.08	100	8415	100.74	19.3
2023-02-24 15:50:00	210.2	0	0	0	333	5.57	8.7	20.7	78.5	100.73	-1.3	-0.3	0	21.4	0.08	100	8415	100.75	19.5
2023-02-24 15:55:00	196.6	0	0	0	322	6.02	10.29	20.5	77.6	100.74	-1.5	-0.7	0	21.2	0.09	100	8412	100.75	19.4
2023-02-24 16:00:00	312.4	0	0	0	330	6.6	10.8	20.3	77.8	100.74	-1.3	-0.6	0	21.1	0.08	100	8413	100.76	19.3
2023-02-24 16:05:00	412.4	0	0	0	333	6.69	10.85	20.5	79	100.74	-1.4	-0.6	0	21.6	0.08	100	8414	100.76	19.6
2023-02-24 16:10:00	242.4	0	0	0	337	5.64	10.27	20.6	78.7	100.75	-1.2	-1	0	21.5	0.08	100	8418	100.77	19.8
2023-02-24 16:15:00	236.4	0	0	0	336	6.51	13.29	20.6	77.7	100.75	-1.6	-0.2	0	21.3	0.08	100	8414	100.78	19.7
2023-02-24 16:20:00	180	0	0	0	342	5.97	11.36	20.4	76.9	100.75	-1.5	-0.2	0	21	0.09	100	8412	100.77	19.5
2023-02-24 16:25:00	102.8	0	0	0	329	6.53	10.47	20.2	78	100.76	-1.4	-0.1	0	20.7	0.08	100	8409	100.78	19.3
2023-02-24 16:30:00	55	0	0	0	332	7.18	11.7	19.9	77.5	100.76	-1.9	-0.4	0	20	0.08	100	8409	100.78	18.9
2023-02-24 16:35:00	52.8	0	0	0	330	6.4	9.42	19.3	78.3	100.77	-1.3	-0.4	0	19.5	0.08	100	8406	100.78	18.5
2023-02-24 16:40:00	65.4	0	0	0	325	6.17	9.15	18.9	78.9	100.78	-1.5	-0.1	0	19.1	0.07	100	8405	100.79	18.2
2023-02-24 16:45:00	64.6	0	0	0	329	5.97	8.41	18.7	81.5	100.77	-1.4	-0.6	0	18.9	0.06	100	8405	100.79	18
2023-02-24 16:50:00	63.8	0	0	0	330	6.71	10.94	18.5	80.4	100.77	-1.4	-0.1	0	18.7	0.07	100	8402	100.78	17.9
2023-02-24 16:55:00	55.8	0	0	0	318	5.75	8.03	18.4	82.1	100.77	-1.3	-0.6	0	18.5	0.06	100	8399	100.79	17.7
2023-02-24 17:00:00	39.4	0	0	0	324	5.41	10.42	18.3	83.3	100.78	-1.3	-0.6	0	18.5	0.06	100	8399	100.79	17.7
2023-02-24 17:05:00	34.4	0	0	0	324	5.66	8.86	18.4	83.8	100.78	-1.2	-0.6	0	18.5	0.06	100	8394	100.79	17.6
2023-02-24 17:10:00	26.4	0	0	0	326	5.86	9.62	18.3	83.9	100.78	-1.1	-0.8	0	18.4	0.06	100	8393	100.79	17.5
2023-02-24 17:15:00	23.8	0	0	0	319	5.57	8.25	18.2	83.6	100.79	-1.5	-0.4	0	18.3	0.06	100	8393	100.8	17.4
2023-02-24 17:20:00	20.2	0	0	0	326	7.43	11.95	18.2	81.3	100.78	-1.1	-0.6	0	18.4	0.06	100	8390	100.8	17.3
2023-02-24 17:25:00	14	0	0	0	322	5.37	7.18	18.3	81	100.8	-1.3	-0.7	0	18.4	0.07	100	8388	100.81	17.2
2023-02-24 17:30:00	7.2	0	0	0	328	5.79	8.79	18.2	82.1	100.8	-1.3	-0.5	0	18.2	0.06	100	8388	100.82	17.1
2023-02-24 17:35:00	4.8	0	0	0	327	5.66	9.35	18.2	82.6	100.81	-1.4	-0.5	0	18.2	0.06	100	8385	100.82	17
2023-02-24 17:40:00	3.2	0	0	0	326	5.26	8.77	18.1	81.8	100.82	-1.5	-0.4	0	18.1	0.06	100	8387	100.83	16.9
2023-02-24 17:45:00	1.4	0	0	0	324	4.92	6.98	18.1	81.9	100.83	-1.3	-0.6	0	18.1	0.06	100	8384	100.84	16.9
2023-02-24 17:50:00	1	0	0	0	327	4.97	7.92	18	82	100.84	-1.3	-0.4	0	18	0.06	100	8381	100.85	16.8
2023-02-24 17:55:00	0	0	0	0	326	5.57	8.88	18.1	82.5	100.84	-1.6	-0.1	0	18.1	0.06	100	8382	100.86	16.8
2023-02-24 18:00:00	0	0	0	0	326	6.46	10.38	18.1	81.9	100.85	-1.1	-0.7	0	18.1	0.06	100	8381	100.86	16.7
2023-02-24 18:05:00	0	0	0	0	318	5.75	8.75	18	82.2	100.86	-1.4	-0.3	0	18	0.06	100	8379	100.87	16.7
2023-02-24 18:10:00	0	0	0	0	317	5.7	7.94	18.1	81.9	100.88	-1.2	-0.5	0	18.1	0.06	100	8379	100.88	16.6
2023-02-24 18:15:00	0	0	0	0	316	5.01	7.65	18.1	81.8	100.89	-1.2	-0.6	0	18.1	0.06	100	8378	100.9	16.6
2023-02-24 18:20:00	0	0	0	0	322	4.72	7.11	18.1	81.9	100.9	-1.2	-0.7	0	18.1	0.06	100	8377	100.91	16.6
2023-02-24 18:25:00	0	0	0	0	321	5.03	7.99	18	82.3	100.91	-1.3	-0.7	0	18	0.06	100	8374	100.92	16.5
2023-02-24 18:30:00	0	0	0	0	323	5.39	8.57	18	82.2	100.91	-1.5	-0.4	0	18	0.06	100	8374	100.92	16.4
2023-02-24 18:35:00	0	0	0	0	326	5.17	7.34	18	84.1	100.92	-1.3	-0.6	0	18	0.05	100	8372	100.92	16.4

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-24 18:40:00	0	0	0	0	324	5.66	8.63	18	83.5	100.92	-1.2	-0.6	0	18	0.06	100	8373	100.93	16.4
2023-02-24 18:45:00	0	0	0	0	320	5.66	8.7	18	82.3	100.93	-1.4	-0.5	0	17.9	0.06	100	8371	100.94	16.4
2023-02-24 18:50:00	0	0	0	0	318	5.01	6.15	18	83.9	100.93	-1.5	-0.5	0	18	0.05	100	8372	100.94	16.4
2023-02-24 18:55:00	0	0	0	0	325	5.41	7.65	18	85.2	100.93	-1.2	-0.6	0	17.9	0.05	100	8371	100.94	16.4
2023-02-24 19:00:00	0	0	0	0	321	4.18	5.99	17.9	85.4	100.93	-1.4	-0.5	0	17.9	0.05	100	8371	100.94	16.4
2023-02-24 19:05:00	0	0	0	0	316	4.74	6.38	17.9	85.5	100.93	-1.2	-0.4	0	17.9	0.05	100	8369	100.94	16.4
2023-02-24 19:10:00	0	0	0	0	323	4.72	7.67	18	85.2	100.94	-1.4	-0.4	0	18	0.05	100	8368	100.94	16.4
2023-02-24 19:15:00	0	0	0	0	324	4.59	7.05	17.9	85.4	100.94	-1.5	-0.5	0	17.9	0.05	100	8366	100.95	16.4
2023-02-24 19:20:00	0	0	0	0	326	4.36	6.17	18.1	85.4	100.95	-1.3	-0.6	0	18.1	0.05	100	8365	100.95	16.4
2023-02-24 19:25:00	0	0	0	0	324	4.25	5.86	17.9	87.1	100.95	-1.3	-0.4	0	17.9	0.04	100	8366	100.96	16.4
2023-02-24 19:30:00	0	0	0	0	321	5.12	7.61	18	88.2	100.95	-1.2	-0.6	0	18	0.04	100	8365	100.96	16.4
2023-02-24 19:35:00	0	0	0	0	322	4.9	7.4	18	88	100.95	-1.4	-0.3	0	18	0.04	100	8363	100.96	16.5
2023-02-24 19:40:00	0	0	0	0	322	5.12	7.36	18	87.9	100.95	-1.4	-0.5	0	18	0.04	100	8362	100.96	16.5
2023-02-24 19:45:00	0	0	0	0	323	5.14	7.07	18	87.9	100.95	-1.4	-0.6	0	18	0.04	100	8360	100.95	16.5
2023-02-24 19:50:00	0	0	0	0	311	4.94	7.27	18.1	87.5	100.95	-1.4	-0.5	0	18.1	0.04	100	8359	100.96	16.5
2023-02-24 19:55:00	0	0	0	0	315	5.01	7.14	18	87.9	100.97	-1.2	-0.5	0	18	0.04	100	8361	100.97	16.6
2023-02-24 20:00:00	0	0	0	0	324	5.06	8.1	18.1	87.6	100.97	-1.3	-0.7	0	18.1	0.04	100	8360	100.98	16.6
2023-02-24 20:05:00	0	0	0	0	322	5.41	7.99	18.1	88.2	100.97	-1.5	-0.3	0	18.1	0.04	100	8358	100.98	16.7
2023-02-24 20:10:00	0	0	0	0	324	4.45	5.88	18.1	90	100.97	-1.4	-0.5	0	18.1	0.03	100	8359	100.98	16.7
2023-02-24 20:15:00	0	0	0	0	317	4.54	6.33	18.1	90.4	100.98	-1.2	-0.6	0	18.1	0.03	100	8361	100.99	16.7
2023-02-24 20:20:00	0	0	0	0	318	4.65	7.23	18.1	90.6	100.99	-1.3	-0.5	0	18.1	0.03	100	8355	100.99	16.7
2023-02-24 20:25:00	0	0	0	0	322	4.85	7.02	18.2	90.3	100.99	-1.4	-0.5	0	18.2	0.03	100	8357	100.99	16.7
2023-02-24 20:30:00	0	0	0	0	299	4.63	7.99	18.1	90.6	100.99	-1.4	-0.5	0	18.1	0.03	100	8355	101	16.7
2023-02-24 20:35:00	0	0	0	0	300	4.29	6.53	18.2	90.3	100.99	-1.2	-0.6	0	18.2	0.03	100	8352	100.99	16.7
2023-02-24 20:40:00	0	0	0	0	304	5.06	7.14	18.2	90.3	100.99	-1.5	-0.5	0	18.2	0.03	100	8354	101	16.7
2023-02-24 20:45:00	0	0	0	0	301	5.46	7.92	18	90.8	101	-1.3	-0.5	0	18	0.03	100	8354	101	16.7
2023-02-24 20:50:00	0	0	0	0	300	4.41	5.99	18.1	90.7	101	-1.4	-0.5	0	18.1	0.03	100	8352	101.01	16.7
2023-02-24 20:55:00	0	0	0	0	308	4.5	7.99	18.1	90.6	101	-1.4	-0.5	0	18.1	0.03	100	8351	101.01	16.7
2023-02-24 21:00:00	0	0	0	0	308	4.74	7.94	18	90.8	101	-1.3	-0.6	0	18	0.03	100	8353	101.01	16.6
2023-02-24 21:05:00	0	0	0	0	308	5.46	8.19	18	91	101.01	-1.3	-0.6	0	18	0.03	100	8351	101.02	16.6
2023-02-24 21:10:00	0	0	0	0	312	4.79	10.87	18	90.8	101.01	-1.3	-0.5	0	18	0.03	100	8350	101.02	16.6
2023-02-24 21:15:00	0	0	0	0	305	4.54	7.02	18.1	90.7	101.01	-1.3	-0.5	0	18.1	0.03	100	8351	101.01	16.6
2023-02-24 21:20:00	0	0	0	0	304	4.47	6.55	18	91.1	101	-1.3	-0.5	0	17.9	0.03	100	8348	101.01	16.5
2023-02-24 21:25:00	0	0	0	0	298	3.91	5.68	17.9	89.6	101	-1.2	-0.6	0	17.9	0.04	100	8349	101.01	16.5
2023-02-24 21:30:00	0	0	0	0	295	3.96	5.57	17.8	89.9	101	-1.4	-0.6	0	17.9	0.03	100	8349	101.01	16.4
2023-02-24 21:35:00	0	0	0	0	299	3.09	4.59	17.8	91.7	101	-1.2	-0.5	0	17.8	0.03	100	8346	101.01	16.4
2023-02-24 21:40:00	0	0	0	0	298	3.78	6.82	17.9	91.5	101.01	-1.4	-0.4	0	17.9	0.03	100	8346	101.01	16.4
2023-02-24 21:45:00	0	0	0	0	306	3.49	5.12	17.8	91.7	101	-1.4	-0.4	0	17.8	0.03	100	8349	101.01	16.4
2023-02-24 21:50:00	0	0	0	0	299	3.11	5.44	17.9	91.3	101	-1.4	-0.5	0	17.9	0.03	100	8346	101.01	16.4
2023-02-24 21:55:00	0	0	0	0	298	3.13	4.61	17.8	91.7	101	-1.3	-0.5	0	17.8	0.03	100	8346	101.01	16.4
2023-02-24 22:00:00	0	0	0	0	298	2.91	4.9	17.9	91.5	100.99	-1.4	-0.6	0	17.9	0.03	100	8344	101	16.4
2023-02-24 22:05:00	0	0	0	0	304	3.78	5.28	17.8	91.7	100.99	-1.3	-0.6	0	17.8	0.03	100	8342	100.99	16.4
2023-02-24 22:10:00	0	0	0	0	295	3.2	5.3	17.8	91.7	100.98	-1.3	-0.5	0	17.8	0.03	100	8342	100.99	16.4
2023-02-24 22:15:00	0	0	0	0	291	2.93	4.7	17.9	91.5	100.97	-1.3	-0.5	0	17.9	0.03	100	8344	100.98	16.4
2023-02-24 22:20:00	0	0	0	0	289	3.31	5.14	17.8	91.7	100.97	-1.3	-0.5	0	17.8	0.03	100	8340	100.98	16.4
2023-02-24 22:25:00	0	0	0	0	293	3.31	5.17	17.9	91.4	100.97	-1.2	-0.5	0	17.9	0.03	100	8340	100.97	16.4
2023-02-24 22:30:00	0	0	0	0	290	3.15	4.88	17.9	91.4	100.96	-1.5	-0.5	0	17.9	0.03	100	8342	100.97	16.4
2023-02-24 22:35:00	0	0	0	0	296	3.02	4.14	17.8	91.8	100.95	-1.2	-0.5	0	17.8	0.03	100	8342	100.96	16.4
2023-02-24 22:40:00	0	0	0	0	307	2.77	3.58	17.8	91.8	100.95	-1.4	-0.6	0	17.8	0.03	100	8342	100.96	16.4
2023-02-24 22:45:00	0	0	0	0	304	4.03	5.23	17.8	91.8	100.95	-1.3	-0.4	0	17.7	0.03	100	8339	100.96	16.4
2023-02-24 22:50:00	0	0	0	0	310	2.91	4.5	17.8	91.7	100.95	-1.4	-0.5	0	17.9	0.03	100	8339	100.96	16.4
2023-02-24 22:55:00	0	0	0	0	322	3.13	5.1	17.8	91.8	100.94	-1.4	-0.4	0	17.8	0.03	100	8339	100.96	16.4
2023-02-24 23:00:00	0	0	0	0	303	4.07	6.22	17.9	91.5	100.95	-1.4	-0.5	0	17.8	0.03	100	8339	100.96	16.4
2023-02-24 23:05:00	0	0	0	0	303	3.6	6.11	17.7	92.3	100.94	-1.4	-0.5	0	17.7	0.03	100	8336	100.95	16.4
2023-02-24 23:10:00	0	0	0	0	327	3.56	4.88	17.6	92.5	100.95	-1.4	-0.6	0	17.6	0.02	100	8336	100.96	16.3
2023-02-24 23:15:00	0	0	0	0	316	3.44	5.79	17.5	93.1	100.94	-1.4	-0.5	0	17.5	0.02	100	8337	100.96	16.2
2023-02-24 23:20:00	0	0	0	0	314	3.38	5.39	17.5	93.1	100.95	-1.2	-0.6	0	17.5	0.02	100	8334	100.96	16.2
2023-02-24 23:25:00	0	0	0	0	313	3.53	5.46	17.5	93.1	100.95	-1.4	-0.4	0	17.5	0.02	100	8336	100.96	16.1
2023-02-24 23:30:00	0	0	0	0	315	3.69	5.26	17.3	91.9	100.96	-1.3	-0.5	0	17.3	0.03	100	8335	100.97	16
2023-02-24 23:35:00	0	0	0	0	299	3.04	4.79	17.3	93	100.96	-1.4	-0.5	0	17.3	0.02	100	8333	100.97	15.9
2023-02-24 23:40:00	0	0	0	0	297	2.95	4.21	17.2	91.6	100.95	-1.3	-0.5	0	17.2	0.03	100	8333	100.97	15.8
2023-02-24 23:45:00	0	0	0	0	304	4.79	7.29	17.1	91.7	100.95	-1.4	-0.5	0	17.1	0.03	100	8334	100.96	15.7
2023-02-24 23:50:00	0	0	0	0	314	4.34	6.55	17	90.9	100.95	-1.3	-0.6	0	17	0.03	100	8330	100.96	15.6
2023-02-24 23:55:00	0	0	0	0	304	3.98	5.64	16.9	90.5	100.95	-1.3	-0.6	0	16.8	0.03	100	8333	100.96	15.5

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-25 00:00:00	0	0	0	0	293	3.13	6.4	16.9	91.2	100.96	-1.5	-0.5	0	16.9	0.03	100	8330	100.97	15.4
2023-02-25 00:05:00	0	0	0	0	279	2.06	3.2	16.7	91.2	100.97	-1.3	-0.5	0	16.7	0.03	100	8298	100.98	15.5
2023-02-25 00:10:00	0	0	0	0	286	2.44	4.27	16.7	93	100.96	-1.6	-0.4	0	16.8	0.02	100	8289	100.98	15.7
2023-02-25 00:15:00	0	0	0	0	288	2.46	3.62	16.6	91.7	100.96	-1.6	-0.4	0	16.6	0.03	100	8276	100.98	15.8
2023-02-25 00:20:00	0	0	0	0	290	2.39	3.67	16.6	90.9	100.95	-1.4	-0.5	0	16.6	0.03	100	8292	100.97	15.7
2023-02-25 00:25:00	0	0	0	0	291	2.51	4.14	16.6	90.6	100.95	-1.3	-0.6	0	16.6	0.03	100	8295	100.96	15.5
2023-02-25 00:30:00	0	0	0	0	291	2.17	3.09	16.6	91.7	100.95	-1.4	-0.5	0	16.6	0.03	100	8295	100.96	15.4
2023-02-25 00:35:00	0	0	0	0	292	2.77	4.16	16.6	91.8	100.94	-1.4	-0.6	0	16.6	0.03	100	8297	100.96	15.3
2023-02-25 00:40:00	0	0	0	0	295	2.86	3.96	16.5	91.3	100.94	-1.5	-0.6	0	16.6	0.03	100	8299	100.96	15.2
2023-02-25 00:45:00	0	0	0	0	288	2.1	3.44	16.5	90.9	100.94	-1.4	-0.5	0	16.4	0.03	100	8301	100.95	15.1
2023-02-25 00:50:00	0	0	0	0	287	2.24	3.94	16.4	91.1	100.94	-1.2	-0.4	0	16.4	0.03	100	8299	100.95	15.1
2023-02-25 00:55:00	0	0	0	0	269	1.86	3.15	16.4	91.1	100.92	-1.5	-0.5	0	16.4	0.03	100	8301	100.93	15
2023-02-25 01:00:00	0	0	0	0	272	2.06	3.58	16.4	91.1	100.91	-1.5	-0.5	0	16.4	0.03	100	8301	100.92	15
2023-02-25 01:05:00	0	0	0	0	286	2.48	4.27	16.3	91.4	100.9	-1.4	-0.4	0	16.3	0.03	100	8300	100.91	14.8
2023-02-25 01:10:00	0	0	0	0	292	2.84	3.67	16.1	92.3	100.89	-1.3	-0.5	0	16.2	0.02	100	8299	100.9	14.7
2023-02-25 01:15:00	0	0	0	0	292	2.51	3.18	15.9	91.7	100.87	-1.5	-0.5	0	15.9	0.03	100	8301	100.89	14.5
2023-02-25 01:20:00	0	0	0	0	293	2.68	3.6	15.7	90.8	100.86	-1.5	-0.5	0	15.7	0.03	100	8298	100.87	14.3
2023-02-25 01:25:00	0	0	0	0	293	2.57	3.6	15.6	91.2	100.85	-1.5	-0.6	0	15.6	0.03	100	8304	100.87	14.2
2023-02-25 01:30:00	0	0	0	0	302	2.98	4.45	15.5	91.4	100.84	-1.5	-0.5	0	15.5	0.03	100	8299	100.86	14
2023-02-25 01:35:00	0	0	0	0	297	2.64	3.8	15.4	92.1	100.83	-1.4	-0.5	0	15.4	0.02	100	8301	100.84	13.8
2023-02-25 01:40:00	0	0	0	0	310	2.91	3.78	15.3	92.5	100.81	-1.5	-0.4	0	15.3	0.02	100	8298	100.82	13.7
2023-02-25 01:45:00	0	0	0	0	302	3.44	4.41	15.2	93	100.8	-1.5	-0.6	0	15.2	0.02	100	8298	100.81	13.5
2023-02-25 01:50:00	0	0	0	0	297	3.56	5.84	15.1	93.3	100.78	-1.4	-0.5	0	15.1	0.02	100	8298	100.8	13.3
2023-02-25 01:55:00	0	0	0	0	291	2.55	3.74	15	93.4	100.77	-1.5	-0.6	0	15	0.02	100	8298	100.78	13.2
2023-02-25 02:00:00	0	0	0	0	288	2.17	3.27	15	92.2	100.76	-1.5	-0.4	0	15	0.02	100	8299	100.77	13.2
2023-02-25 02:05:00	0	0	0	0	288	2.39	4.21	15.1	91.9	100.75	-1.5	-0.4	0	15.1	0.02	100	8298	100.76	13.2
2023-02-25 02:10:00	0	0	0	0	283	2.39	4.12	15.2	89.5	100.75	-1.4	-0.5	0	15.2	0.03	100	8298	100.76	13.2
2023-02-25 02:15:00	0	0	0	0	278	1.74	2.59	15.3	90.3	100.75	-1.5	-0.5	0	15.3	0.03	100	8299	100.76	13.3
2023-02-25 02:20:00	0	0	0	0	269	1.5	2.57	15.4	91.1	100.74	-1.4	-0.5	0	15.5	0.03	100	8298	100.76	13.4
2023-02-25 02:25:00	0	0	0	0	274	1.59	2.26	15.5	91.5	100.74	-1.5	-0.5	0	15.5	0.03	100	8296	100.75	13.5
2023-02-25 02:30:00	0	0	0	0	268	1.03	2.04	15.6	91.2	100.73	-1.4	-0.5	0	15.6	0.03	100	8298	100.75	13.6
2023-02-25 02:35:00	0	0	0	0	264	1.5	3.02	15.7	90.9	100.73	-1.3	-0.4	0	15.7	0.03	100	8295	100.74	13.7
2023-02-25 02:40:00	0	0	0	0	269	1.48	2.59	15.8	89.2	100.72	-1.5	-0.5	0	15.8	0.03	100	8295	100.74	13.7
2023-02-25 02:45:00	0	0	0	0	266	1.45	2.13	15.8	87.3	100.72	-1.5	-0.5	0	15.8	0.04	100	8298	100.73	13.8
2023-02-25 02:50:00	0	0	0	0	270	1.14	1.99	15.8	87.1	100.7	-1.4	-0.4	0	15.8	0.04	100	8295	100.72	13.9
2023-02-25 02:55:00	0	0	0	0	274	1.05	1.57	15.8	87.1	100.69	-1.4	-0.5	0	15.8	0.04	100	8295	100.7	13.9
2023-02-25 03:00:00	0	0	0	0	271	1.23	1.83	15.8	87.3	100.68	-1.5	-0.5	0	15.8	0.04	100	8298	100.69	13.9
2023-02-25 03:05:00	0	0	0	0	285	1.16	2.13	15.7	87.4	100.66	-1.4	-0.4	0	15.7	0.04	100	8295	100.67	13.9
2023-02-25 03:10:00	0	0	0	0	293	1.48	1.99	15.7	86.3	100.66	-1.5	-0.6	0	15.7	0.04	100	8292	100.67	13.9
2023-02-25 03:15:00	0	0	0	0	285	1.07	2.35	15.7	85.6	100.66	-1.5	-0.5	0	15.7	0.04	100	8295	100.67	13.8
2023-02-25 03:20:00	0	0	0	0	273	0.78	1.36	15.5	85.5	100.66	-1.4	-0.5	0	15.5	0.04	100	8295	100.67	13.8
2023-02-25 03:25:00	0	0	0	0	293	1.3	1.83	15.5	85.1	100.65	-1.5	-0.5	0	15.5	0.05	100	8295	100.67	13.7
2023-02-25 03:30:00	0	0	0	0	286	0.89	1.32	15.5	86.3	100.65	-1.4	-0.4	0	15.5	0.04	100	8294	100.66	13.7
2023-02-25 03:35:00	0	0	0	0	288	0.78	1.88	15.4	85.5	100.64	-1.4	-0.5	0	15.4	0.04	100	8294	100.65	13.7
2023-02-25 03:40:00	0	0	0	0	239	0.51	1.12	15.4	85.4	100.63	-1.5	-0.5	0	15.4	0.04	100	8295	100.65	13.7
2023-02-25 03:45:00	0	0	0	0	176	0.29	0.56	15.4	86.7	100.62	-1.4	-0.4	0	15.4	0.04	100	8293	100.64	13.6
2023-02-25 03:50:00	0	0	0	0	213	0.27	0.83	15.3	85.6	100.62	-1.5	-0.6	0	15.3	0.04	100	8291	100.63	13.6
2023-02-25 03:55:00	0	0	0	0	97	0.4	1.01	15.3	88.6	100.61	-1.5	-0.4	0	15.2	0.03	100	8292	100.62	13.6
2023-02-25 04:00:00	0	0	0	0	107	0.54	1.14	15.3	89.1	100.6	-1.4	-0.4	0	15.3	0.03	100	8292	100.61	13.6
2023-02-25 04:05:00	0	0	0	0	13	0.34	0.81	15.4	88.8	100.59	-1.4	-0.5	0	15.4	0.03	100	8291	100.61	13.6
2023-02-25 04:10:00	0	0	0	0	343	0.29	0.81	15.3	89.2	100.59	-1.5	-0.5	0	15.3	0.03	100	8292	100.6	13.6
2023-02-25 04:15:00	0	0	0	0	43	0.31	0.54	15.3	89.2	100.56	-1.4	-0.4	0	15.3	0.03	100	8291	100.58	13.6
2023-02-25 04:20:00	0	0	0	0	70	0.29	0.51	15.3	89.1	100.56	-1.5	-0.5	0	15.3	0.03	100	8290	100.58	13.6
2023-02-25 04:25:00	0	0	0	0	349	0.38	0.67	15.3	89.1	100.55	-1.4	-0.5	0	15.3	0.03	100	8289	100.56	13.6
2023-02-25 04:30:00	0	0	0	0	1	0.51	0.87	15.3	89.9	100.54	-1.5	-0.6	0	15.3	0.03	100	8291	100.55	13.6
2023-02-25 04:35:00	0	0	0	0	22	0.49	1.05	15.4	91.4	100.53	-1.5	-0.4	0	15.4	0.03	100	8288	100.54	13.7
2023-02-25 04:40:00	0	0	0	0	67	0.49	0.78	15.3	90.9	100.52	-1.5	-0.5	0	15.3	0.03	100	8289	100.54	13.7
2023-02-25 04:45:00	0	0	0	0	85	0.65	0.92	15.4	90.6	100.52	-1.5	-0.5	0	15.4	0.03	100	8288	100.53	13.7
2023-02-25 04:50:00	0	0	0	0	59	0.63	1.1	15.4	92.1	100.51	-1.5	-0.5	0	15.4	0.02	100	8287	100.52	13.8
2023-02-25 04:55:00	0	0	0	0	67	0.51	0.85	15.4	92.1	100.51	-1.5	-0.4	0	15.4	0.02	100	8288	100.53	13.8
2023-02-25 05:00:00	0	0	0	0	88	0.6	0.87	15.4	92.1	100.51	-1.5	-0.4	0	15.4	0.02	100	8289	100.53	13.8
2023-02-25 05:05:00	0	0	0	0	98	0.72	1.19	15.5	91.7	100.51	-1.5	-0.4	0	15.5	0.03	100	8287	100.53	13.8
2023-02-25 05:10:00	0	0	0	0	106	0.94	1.81	15.5	91.7	100.5	-1.4	-0.5	0	15.5	0.03	100	8287	100.52	13.9
2023-02-25 05:15:00	0	0	0	0	89	0.6	0.92	15.5	91.7	100.5	-1.4	-0.5	0	15.5	0.03	100	8286	100.51	13.9

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-25 05:20:00	0	0	0	0	121	1.23	1.63	15.4	91.9	100.49	-1.4	-0.5	0	15.4	0.02	100	8284	100.51	13.9
2023-02-25 05:25:00	0	0	0	0	131	1.68	2.24	15.4	91.8	100.49	-1.5	-0.5	0	15.5	0.03	100	8284	100.51	13.9
2023-02-25 05:30:00	0	0	0	0	129	1.97	2.48	15.5	91.7	100.49	-1.6	-0.5	0	15.5	0.03	100	8285	100.51	13.9
2023-02-25 05:35:00	0	0	0	0	123	1.45	2.1	15.4	91.3	100.49	-1.4	-0.4	0	15.4	0.03	100	8282	100.51	13.9
2023-02-25 05:40:00	0	0	0	0	117	1.05	1.68	15.3	90.9	100.49	-1.4	-0.5	0	15.3	0.03	100	8281	100.51	13.9
2023-02-25 05:45:00	0	0	0	0	122	1.32	1.9	15.4	91.8	100.48	-1.5	-0.5	0	15.4	0.03	100	8282	100.5	13.8
2023-02-25 05:50:00	0	0	0	0	95	0.78	1.57	15.3	92.4	100.46	-1.3	-0.5	0	15.3	0.02	100	8282	100.47	13.8
2023-02-25 05:55:00	0	0	0	0	87	0.72	1.23	15.3	92.2	100.45	-1.4	-0.4	0	15.3	0.02	100	8279	100.47	13.8
2023-02-25 06:00:00	0	0	0	0	38	0.47	0.85	15.4	92.1	100.45	-1.4	-0.5	0	15.4	0.02	100	8282	100.47	13.8
2023-02-25 06:05:00	0	0	0	0	39	0.43	0.78	15.3	92.2	100.45	-1.4	-0.4	0	15.3	0.02	100	8280	100.47	13.8
2023-02-25 06:10:00	0	0	0	0	324	0.49	1.1	15.2	92	100.44	-1.5	-0.4	0	15.2	0.02	100	8280	100.45	13.8
2023-02-25 06:15:00	0	0	0	0	343	0.89	1.54	15.2	92.8	100.43	-1.5	-0.5	0	15.2	0.02	100	8281	100.45	13.7
2023-02-25 06:20:00	0	0	0	0	339	0.72	1.28	15.2	92.8	100.45	-1.4	-0.5	0	15.2	0.02	100	8279	100.46	13.7
2023-02-25 06:25:00	0	0	0	0	328	0.47	0.78	15.1	93.1	100.44	-1.5	-0.3	0	15.1	0.02	100	8281	100.47	13.7
2023-02-25 06:30:00	0	0	0	0	347	0.69	1.28	15.2	93	100.47	-1.4	-0.5	0	15.1	0.02	100	8279	100.49	13.6
2023-02-25 06:35:00	0	0	0	0	346	0.65	1.07	15.1	93.3	100.47	-1.5	-0.5	0	15.1	0.02	100	8279	100.49	13.6
2023-02-25 06:40:00	0	0	0	0	342	0.58	0.87	15.2	92.8	100.48	-1.4	-0.4	0	15.2	0.02	100	8279	100.5	13.6
2023-02-25 06:45:00	1	0	0	0	328	0.45	0.74	15.1	93.1	100.49	-1.5	-0.5	0	15.1	0.02	100	8279	100.51	13.6
2023-02-25 06:50:00	1.8	0	0	0	313	0.22	0.49	15.1	93.3	100.5	-1.5	-0.5	0	15.2	0.02	100	8279	100.52	13.6
2023-02-25 06:55:00	3.4	0	0	0	165	0.4	0.6	15.1	93.1	100.49	-1.5	-0.5	0	15.1	0.02	100	8278	100.51	13.6
2023-02-25 07:00:00	5.8	0	0	0	154	0.78	1.28	15.2	93	100.49	-1.5	-0.4	0	15.2	0.02	100	8278	100.51	13.6
2023-02-25 07:05:00	5.4	0	0	0	147	1.25	1.81	15.3	92.5	100.5	-1.4	-0.5	0	15.3	0.02	100	8277	100.51	13.6
2023-02-25 07:10:00	7.2	0	0	0	140	1.39	2.1	15.3	92.4	100.49	-1.4	-0.5	0	15.3	0.02	100	8278	100.5	13.7
2023-02-25 07:15:00	13.2	0	0	0	125	1.83	2.53	15.4	91.8	100.47	-1.4	-0.5	0	15.5	0.03	100	8276	100.49	13.8
2023-02-25 07:20:00	15.6	0	0	0	124	1.59	2.19	15.5	91.7	100.47	-1.5	-0.5	0	15.6	0.03	100	8273	100.49	13.9
2023-02-25 07:25:00	19.6	0	0	0	127	1.9	2.48	15.5	91.4	100.47	-1.4	-0.4	0	15.7	0.03	100	8274	100.49	14
2023-02-25 07:30:00	24.6	0	0	0	123	1.92	2.75	15.7	92.2	100.45	-1.5	-0.4	0	15.8	0.02	100	8278	100.47	14.1
2023-02-25 07:35:00	30.6	0	0	0	112	1.34	2.46	15.7	91.6	100.45	-1.4	-0.5	0	15.9	0.03	100	8275	100.47	14.2
2023-02-25 07:40:00	35.8	0	0	0	69	0.72	1.14	15.8	93.1	100.45	-1.5	-0.5	0	16	0.02	100	8278	100.47	14.3
2023-02-25 07:45:00	42	0	0	0	18	0.69	1.28	15.6	91.1	100.43	-1.5	-0.4	0	16	0.03	100	8276	100.45	14.4
2023-02-25 07:50:00	43	0	0	0	20	0.87	1.95	15.7	91.9	100.4	-1.4	-0.5	0	16.1	0.02	100	8275	100.42	14.5
2023-02-25 07:55:00	43.8	0	0	0	46	0.87	1.5	15.8	91.8	100.39	-1.3	-0.5	0	16.1	0.03	100	8273	100.41	14.5
2023-02-25 08:00:00	56.2	0	0	0	57	0.87	2.28	15.7	92.7	100.39	-1.5	-0.5	0	16.1	0.02	100	8273	100.41	14.6
2023-02-25 08:05:00	63	0	0	0	82	0.98	1.68	15.8	93.6	100.39	-1.4	-0.5	0	16.3	0.02	100	8273	100.4	14.7
2023-02-25 08:10:00	79.6	0	0	0	117	2.19	4.03	16	92.9	100.37	-1.4	-0.5	0	16.5	0.02	100	8276	100.4	14.9
2023-02-25 08:15:00	82.6	0	0	0	118	2.3	3.4	16.2	92.1	100.36	-1.4	-0.5	0	16.6	0.02	100	8276	100.38	14.9
2023-02-25 08:20:00	92.8	0	0	0	120	2.86	4.7	16.2	92	100.35	-1.2	-0.6	0	16.7	0.03	100	8277	100.37	15
2023-02-25 08:25:00	100.2	0	0	0	123	2.57	4.5	16.3	91.7	100.34	-1.5	-0.5	0	16.8	0.03	100	8277	100.36	15.1
2023-02-25 08:30:00	96	0	0	0	114	1.99	5.03	16.2	92	100.33	-1.3	-0.6	0	16.8	0.03	100	8279	100.36	15.2
2023-02-25 08:35:00	90.4	0	0	0	110	2.15	3.94	16.3	91.6	100.32	-1	-0.5	0	16.8	0.03	100	8278	100.35	15.3
2023-02-25 08:40:00	96	0	0	0	110	2.06	3.69	16.3	91.4	100.31	-1.6	-0.4	0	16.9	0.03	100	8276	100.33	15.3
2023-02-25 08:45:00	103.6	0	0	0	98	1.7	3.85	16.3	91.7	100.29	-1.4	-0.4	0	16.9	0.03	100	8281	100.32	15.3
2023-02-25 08:50:00	132.6	0	0	0	112	2.17	4.83	16.2	91.9	100.28	-1.2	-0.6	0	17	0.03	100	8278	100.31	15.4
2023-02-25 08:55:00	149.2	0	0	0	121	3.15	6.35	16.5	90.9	100.27	-1.3	-0.5	0	17.1	0.03	100	8279	100.3	15.5
2023-02-25 09:00:00	140	0	0	0	127	3.67	6.58	16.7	90.1	100.25	-1.4	-0.5	0	17.3	0.03	100	8281	100.28	15.7
2023-02-25 09:05:00	142.6	0	0	0	127	3.47	5.64	16.8	89.6	100.24	-1	-0.7	0	17.4	0.03	100	8281	100.27	15.8
2023-02-25 09:10:00	158.8	0	0	0	126	3.27	5.41	16.9	90.4	100.23	-1.4	-0.5	0	17.6	0.03	100	8282	100.26	15.9
2023-02-25 09:15:00	186	0	0	0	126	3.83	6.91	17	91.2	100.2	-1.3	-0.3	0	17.8	0.03	100	8287	100.23	16.2
2023-02-25 09:20:00	265	0	0	0	119	3	7.14	17.2	91.1	100.17	-1.4	-0.6	0	18.3	0.03	100	8293	100.21	16.4
2023-02-25 09:25:00	344.4	0	0	0	119	3.58	6.46	17.7	91.7	100.15	-1.4	-0.6	0	19.1	0.03	100	8299	100.19	16.8
2023-02-25 09:30:00	457.6	0	0	0	113	3.18	7.43	18.6	90.2	100.12	-1.2	-0.6	0	20.2	0.03	100	8312	100.17	17.2
2023-02-25 09:35:00	404.4	0	0	0	115	3.51	6.49	19.5	88	100.09	-1.5	-0.5	0	21	0.04	100	8320	100.13	17.8
2023-02-25 09:40:00	464.4	0	0	0	107	2.44	6.31	20	89.2	100.09	-1.3	-0.5	0	21.8	0.04	100	8327	100.14	18.4
2023-02-25 09:45:00	380.2	0	0	0	98	2.17	4.79	20.3	88.1	100.09	-1.3	-0.4	0	22.2	0.04	100	8333	100.12	19.1
2023-02-25 09:50:00	378.8	0	0	0	110	3.53	6.55	20.7	86.1	100.06	-1.1	-0.7	0	22.3	0.05	100	8338	100.1	19.5
2023-02-25 09:55:00	453.8	0	0	0	78	2.3	5.75	21.3	84.6	100.03	-1.2	-0.2	0	23.1	0.06	100	8346	100.07	19.7
2023-02-25 10:00:00	431.6	0	0	0	108	4.14	8.88	21.4	83.7	100.01	-1.4	-0.5	0	23	0.06	100	8352	100.06	19.9
2023-02-25 10:05:00	447	0	0	0	117	5.66	8.66	21.8	80.9	99.99	-1.2	-1	0	23	0.08	100	8358	100.04	20.2
2023-02-25 10:10:00	368.2	0	0	0	116	5.7	9.17	21.3	81.5	99.97	-1	-0.7	0	22.4	0.07	100	8355	100.02	20.2
2023-02-25 10:15:00	299.2	0	0	0	125	6.51	11.99	20.7	81.7	99.97	-1.2	-0.6	0	21.7	0.07	100	8358	100.01	20.1
2023-02-25 10:20:00	271.2	0	0	0	117	5.1	8.95	20.1	81.4	99.99	-1.5	-0.6	0	21.1	0.07	100	8356	100.03	19.9
2023-02-25 10:25:00	248.4	0	0	0	119	4.97	7.63	19.8	82.2	99.99	-1.2	-0.9	0	20.7	0.07	100	8355	100.02	19.7
2023-02-25 10:30:00	256.2	0	0	0	113	4.79	10.36	19.5	84.7	99.96	-1.7	-0.6	0	20.5	0.06	100	8355	100	19.5
2023-02-25 10:35:00	249	0	0	0	119	6.44	9.04	19.5	84.3	99.95	-1.4	-0.8	0	20.3	0.06	100	8356	99.98	19.3

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-25 10:40:00	261	0	0	0	112	4.34	8.3	19.3	85.4	99.92	-1.2	-0.6	0	20.3	0.05	100	8359	99.95	19.2
2023-02-25 10:45:00	284	0	0	0	118	4.52	9.26	19.4	85.8	99.91	-1.5	-0.4	0	20.4	0.05	100	8358	99.95	19.2
2023-02-25 10:50:00	307	0	0	0	117	4.16	8.86	19.4	86.2	99.92	-1.5	-0.2	0	20.6	0.05	100	8361	99.96	19.4
2023-02-25 10:55:00	344	0	0	0	114	4.63	7.83	19.6	87.6	99.9	-1	-0.2	0	21	0.05	100	8367	99.94	19.5
2023-02-25 11:00:00	372.2	0	0	0	112	5.17	10.83	20.2	85.5	99.88	-1.1	-0.6	0	21.5	0.05	100	8371	99.92	19.7
2023-02-25 11:05:00	357.2	0	0	0	122	6.44	9.91	20.6	85.1	99.86	-1.5	-0.7	0	21.8	0.06	100	8372	99.9	19.8
2023-02-25 11:10:00	320.4	0	0	0	128	8.59	12.64	20.8	83.7	99.84	-1.2	-0.4	0	21.7	0.06	100	8375	99.87	19.8
2023-02-25 11:15:00	300.2	0	0	0	126	6.31	9.69	20.7	83.8	99.81	-1.5	-0.2	0	21.7	0.06	100	8375	99.85	19.8
2023-02-25 11:20:00	287.6	0	0	0	124	6.29	9.46	20.9	85	99.81	-0.6	-0.9	0	21.8	0.06	100	8377	99.84	20
2023-02-25 11:25:00	262	0	0	0	117	5.37	9.98	20.9	85.6	99.8	-1.3	-0.7	0	21.7	0.06	100	8379	99.84	20
2023-02-25 11:30:00	318	0	0	0	126	8.75	13.18	21.1	84.7	99.77	-1.2	-0.7	0	22	0.06	100	8382	99.8	20.1
2023-02-25 11:35:00	388.4	0	0	0	124	7.36	10.31	21.3	84.1	99.74	-1.2	-0.5	0	22.3	0.06	100	8387	99.79	20.2
2023-02-25 11:40:00	422.6	0	0	0	124	6.8	9.84	21.9	84.4	99.76	-1.3	-0.9	0	23	0.06	100	8395	99.8	20.5
2023-02-25 11:45:00	367	0	0	0	124	6.13	10.2	22	84.1	99.76	-1	-0.5	0	23.1	0.06	100	8399	99.79	20.8
2023-02-25 11:50:00	334.4	0	0	0	115	4.23	6.82	22	86	99.76	-1.4	-0.4	0	23.3	0.06	100	8402	99.79	21.1
2023-02-25 11:55:00	306.4	0	0	0	131	6.26	8.48	22.3	85.4	99.76	-1	-0.2	0	23.4	0.06	100	8404	99.78	21.3
2023-02-25 12:00:00	346.6	0	0	0	131	5.35	7.34	22.4	85.2	99.75	-1.2	-0.6	0	23.5	0.06	100	8412	99.77	21.6
2023-02-25 12:05:00	359	0	0	0	116	4.7	10.11	22.5	85.6	99.72	-1.2	-0.5	0	23.8	0.06	100	8412	99.74	21.8
2023-02-25 12:10:00	388	0	0	0	99	3.76	5.68	22.7	85.9	99.69	-1.4	-0.5	0	24.2	0.06	100	8416	99.73	22
2023-02-25 12:15:00	355.6	0	0	0	102	2.77	6.55	22.6	86.7	99.7	-1.1	-0.5	0	24.2	0.06	100	8421	99.73	22.2
2023-02-25 12:20:00	417.2	0	0	0	125	4.34	7.05	23.2	86.1	99.68	-1.3	-0.5	0	24.8	0.06	100	8425	99.71	22.5
2023-02-25 12:25:00	426.8	0	0	0	131	4.63	6.69	23.8	85	99.65	-1	-0.3	0	25.1	0.07	100	8434	99.68	22.8
2023-02-25 12:30:00	557.8	0	0	0	99	3	5.95	24.5	85.2	99.61	-0.9	-0.6	0	26	0.07	100	8440	99.64	23.3
2023-02-25 12:35:00	569.8	0	0	0	114	4.05	7.4	25.7	82.6	99.59	-1	-0.6	0	27.2	0.08	100	8447	99.64	23.7
2023-02-25 12:40:00	648.8	0	0	0	114	3.4	8.5	26.7	81.1	99.58	-1.1	-0.3	0	28.3	0.09	100	8453	99.63	24.1
2023-02-25 12:45:00	381.8	0	0	0	109	2.44	4.56	26.3	82.2	99.62	-0.9	-0.4	0	28	0.09	100	8454	99.63	24.6
2023-02-25 12:50:00	294.6	0	0	0	120	3	5.08	25.8	81.4	99.62	-0.8	-0.5	0	27.2	0.09	100	8453	99.63	24.7
2023-02-25 12:55:00	220.4	0	0	0	54	1.66	3.98	25.2	81.8	99.62	-0.9	-0.5	0	26.4	0.08	100	8449	99.63	24.7
2023-02-25 13:00:00	195.6	0	0	0	116	2.98	9.33	24.7	82.9	99.6	-1.2	-0.5	0	25.9	0.08	100	8448	99.61	24.5
2023-02-25 13:05:00	214.8	0	0	0	16	0.81	1.61	24	85.9	99.58	-1.1	-0.5	0	25.4	0.06	100	8447	99.59	24.4
2023-02-25 13:10:00	160.2	0	0	0	329	0.58	2.84	23.7	87.6	99.59	-1.1	-0.5	0	25.3	0.05	100	8444	99.61	24.5
2023-02-25 13:15:00	130.8	0	0	0	332	1.36	2.86	24.2	85.9	99.59	-1	-0.3	0	25.2	0.06	100	8443	99.61	24.5
2023-02-25 13:20:00	99.4	0	0	0	345	1.83	3.2	24.3	84.9	99.61	-1	-0.4	0	24.9	0.07	100	8440	99.62	24.3
2023-02-25 13:25:00	80.6	0	0	0	355	2.55	5.06	24.2	84.4	99.61	-1.1	-0.5	0	24.7	0.07	100	8437	99.62	24
2023-02-25 13:30:00	70.2	0	0	0	25	1.99	5.73	23.9	84.6	99.62	-0.9	-0.4	0	24.2	0.07	100	8433	99.63	23.6
2023-02-25 13:35:00	74.4	0	0	0	25	2.24	5.61	23.4	84.4	99.61	-1.1	-0.3	0	23.8	0.07	100	8431	99.63	23.3
2023-02-25 13:40:00	82	0	0	0	0	2.06	4.16	23.1	86.3	99.61	-1.1	-0.3	0	23.5	0.06	100	8429	99.62	23.1
2023-02-25 13:45:00	92	0	0	0	4	2.17	4.25	22.9	85.8	99.6	-1.1	-0.4	0	23.4	0.06	100	8428	99.61	22.9
2023-02-25 13:50:00	96.4	0	0	0	357	2.44	4.32	23	87.9	99.59	-1.2	-0.7	0	23.5	0.05	100	8429	99.61	22.8
2023-02-25 13:55:00	109.4	0	0	0	353	2.48	4.85	22.8	88.1	99.6	-1.1	-0.5	0	23.3	0.05	100	8428	99.61	22.7
2023-02-25 14:00:00	130.4	0	0	0	350	2.06	4.16	22.8	88.4	99.59	-1.2	-0.6	0	23.5	0.05	100	8425	99.61	22.7
2023-02-25 14:05:00	142.4	0	0	0	343	2.75	4.36	23	87.9	99.59	-1.2	-0.5	0	23.6	0.05	100	8424	99.6	22.8
2023-02-25 14:10:00	153.2	0	0	0	48	1.23	3.2	22.9	89.9	99.59	-1.2	-0.5	0	23.9	0.04	100	8428	99.61	22.9
2023-02-25 14:15:00	170.8	0	0	0	49	1.25	4.18	22.9	90.7	99.58	-1.1	-0.4	0	24	0.04	100	8429	99.6	23
2023-02-25 14:20:00	165.2	0	0	0	353	1.92	4.54	23.2	89.3	99.59	-1.2	-0.4	0	24.2	0.05	100	8428	99.6	23.1
2023-02-25 14:25:00	179.6	0	0	0	350	1.32	3.02	23.3	90.9	99.58	-1.1	-0.6	0	24.4	0.04	100	8432	99.6	23.3
2023-02-25 14:30:00	179.6	0	0	0	344	1.25	2.82	23.5	90.9	99.58	-1	-0.5	0	24.8	0.04	100	8434	99.59	23.5
2023-02-25 14:35:00	164	0	0	0	320	0.76	1.41	23.6	91.5	99.56	-1.1	-0.5	0	25	0.04	100	8434	99.58	23.8
2023-02-25 14:40:00	158.4	0	0	0	348	0.69	1.28	23.8	91.6	99.54	-1.1	-0.5	0	25.3	0.04	100	8431	99.55	24
2023-02-25 14:45:00	169.8	0	0	0	110	1.23	2.51	24	90.2	99.53	-1	-0.5	0	25.2	0.04	100	8431	99.55	24.2
2023-02-25 14:50:00	198.8	0	0	0	108	0.63	1.12	23.6	92	99.55	-1.1	-0.5	0	25.2	0.03	100	8432	99.57	24.3
2023-02-25 14:55:00	169.6	0	0	0	68	0.54	1.34	23.7	91.7	99.56	-1	-0.5	0	25.4	0.04	100	8432	99.58	24.6
2023-02-25 15:00:00	145.2	0	0	0	346	1.03	2.17	24.2	91	99.58	-1.1	-0.5	0	25.5	0.04	100	8431	99.59	24.8
2023-02-25 15:05:00	170	0	0	0	344	0.92	2.3	24.5	89.3	99.58	-1.2	-0.5	0	25.8	0.05	100	8431	99.6	24.9
2023-02-25 15:10:00	136.2	0	0	0	1	0.83	1.86	24.7	88.2	99.6	-1	-0.4	0	26	0.05	100	8428	99.62	24.9
2023-02-25 15:15:00	87.2	0	0	0	344	2.17	4	25.2	86.5	99.62	-1.1	-0.5	0	25.8	0.06	100	8428	99.63	24.8
2023-02-25 15:20:00	87.2	0	0	0	345	1.54	2.91	24.9	87.1	99.62	-1	-0.5	0	25.4	0.06	100	8426	99.62	24.7
2023-02-25 15:25:00	87.2	0	0	0	328	1.9	3.02	24.7	87.8	99.62	-1.1	-0.5	0	25.2	0.06	100	8422	99.63	24.6
2023-02-25 15:30:00	94.8	0	0	0	312	2.42	3.2	24.6	87.9	99.62	-1	-0.5	0	25.1	0.05	100	8423	99.64	24.5
2023-02-25 15:35:00	109.8	0	0	0	325	2.73	3.98	24.4	88.4	99.62	-1.1	-0.5	0	25	0.05	100	8421	99.63	24.4
2023-02-25 15:40:00	111.8	0	0	0	334	3.62	4.88	24.5	86.9	99.62	-1.1	-0.4	0	24.9	0.06	100	8423	99.64	24.4
2023-02-25 15:45:00	108	0	0	0	328	3.67	4.72	24.4	87.2	99.62	-1.2	-0.4	0	24.8	0.06	100	8420	99.63	24.3
2023-02-25 15:50:00	101.2	0	0	0	333	3.18	4.68	24.2	87.9	99.62	-1.2	-0.4	0	24.7	0.05	100	8418	99.63	24.2
2023-02-25 15:55:00	83.4	0	0	0	334	3	4.34	24.3	88.6	99.63	-1	-0.5	0	24.7	0.05	100	8420	99.64	24.2

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-25 16:00:00	92.8	0	0	0	336	3.09	4.23	24.2	89	99.62	-1.1	-0.5	0	24.5	0.05	100	8417	99.64	24.1
2023-02-25 16:05:00	92.4	0	0	0	323	2.82	4.18	24.1	88.4	99.62	-1	-0.5	0	24.5	0.05	100	8417	99.63	24.1
2023-02-25 16:10:00	82.6	0	0	0	333	2.3	3.98	24.1	88.8	99.62	-1.1	-0.4	0	24.5	0.05	100	8415	99.64	24.1
2023-02-25 16:15:00	75.8	0	0	0	351	2.37	4.63	24	89.1	99.62	-1.1	-0.6	0	24.5	0.05	100	8415	99.63	24
2023-02-25 16:20:00	70.4	0	0	0	341	2.71	4.54	23.9	89.4	99.62	-1.1	-0.5	0	24.3	0.05	100	8411	99.64	23.9
2023-02-25 16:25:00	69.4	0	0	0	337	3.89	5.79	24	88.8	99.63	-1.1	-0.5	0	24.3	0.05	100	8412	99.64	23.8
2023-02-25 16:30:00	66.8	0	0	0	329	4.79	6.24	23.8	87	99.62	-1.1	-0.5	0	24	0.06	100	8409	99.63	23.7
2023-02-25 16:35:00	60.2	0	0	0	330	4.61	6.46	23.7	87.1	99.62	-1.1	-0.6	0	23.9	0.06	100	8409	99.63	23.4
2023-02-25 16:40:00	60.4	0	0	0	323	4.52	5.82	23.4	86.6	99.62	-1.2	-0.5	0	23.6	0.06	100	8409	99.63	23.3
2023-02-25 16:45:00	50	0	0	0	329	4.63	7.16	23.3	86.8	99.62	-1.2	-0.5	0	23.5	0.06	100	8406	99.63	23.1
2023-02-25 16:50:00	48.2	0	0	0	327	4.74	6.42	23.2	87	99.61	-1.1	-0.7	0	23.4	0.06	100	8404	99.63	22.9
2023-02-25 16:55:00	39.8	0	0	0	328	4.34	7	23	87.6	99.61	-1.2	-0.4	0	23.2	0.05	100	8402	99.63	22.7
2023-02-25 17:00:00	35.8	0	0	0	321	3.15	5.17	22.9	88	99.61	-1.3	-0.5	0	23.1	0.05	100	8403	99.62	22.5
2023-02-25 17:05:00	32.4	0	0	0	309	3.04	4	22.6	87.6	99.6	-1.1	-0.6	0	22.8	0.05	100	8399	99.61	22.4
2023-02-25 17:10:00	29.2	0	0	0	310	2.89	3.8	22.5	87.6	99.6	-1.1	-0.4	0	22.7	0.05	100	8399	99.61	22.2
2023-02-25 17:15:00	26.8	0	0	0	312	2.35	3.27	22.5	87.2	99.59	-1	-0.4	0	22.6	0.05	100	8398	99.6	22.1
2023-02-25 17:20:00	21.6	0	0	0	318	2.75	4	22.4	87.5	99.58	-1.3	-0.6	0	22.5	0.05	100	8398	99.59	21.9
2023-02-25 17:25:00	16	0	0	0	316	2.26	3.33	22.3	88	99.58	-1.2	-0.4	0	22.3	0.05	100	8397	99.59	21.8
2023-02-25 17:30:00	12.4	0	0	0	322	1.92	3.04	22.2	88.3	99.58	-1.2	-0.4	0	22.3	0.05	100	8398	99.59	21.6
2023-02-25 17:35:00	9.2	0	0	0	328	1.99	2.93	22	89.1	99.57	-1.2	-0.6	0	22	0.04	100	8394	99.58	21.4
2023-02-25 17:40:00	7.2	0	0	0	311	1.23	1.72	21.9	89.4	99.55	-1.3	-0.4	0	22	0.04	100	8394	99.56	21.1
2023-02-25 17:45:00	4.6	0	0	0	314	1.16	1.57	21.7	87.8	99.54	-1.1	-0.5	0	21.7	0.05	100	8395	99.55	20.7
2023-02-25 17:50:00	2.6	0	0	0	308	0.98	1.54	21.4	88.9	99.54	-1.2	-0.5	0	21.4	0.04	100	8394	99.55	20.4
2023-02-25 17:55:00	1.2	0	0	0	317	1.1	1.36	21	90.2	99.55	-1.2	-0.4	0	21	0.04	100	8392	99.56	20
2023-02-25 18:00:00	0.2	0	0	0	317	1.03	1.32	20.8	90.2	99.55	-1.2	-0.5	0	20.8	0.04	100	8390	99.55	19.6
2023-02-25 18:05:00	0	0	0	0	326	0.98	1.81	20.5	90.2	99.55	-1.2	-0.5	0	20.5	0.04	100	8389	99.55	19.2
2023-02-25 18:10:00	0	0	0	0	301	0.83	1.1	20.2	90.7	99.55	-1.2	-0.5	0	20.2	0.03	100	8389	99.56	18.8
2023-02-25 18:15:00	0	0	0	0	322	0.67	0.96	19.9	91.8	99.55	-1.2	-0.4	0	20	0.03	100	8387	99.56	18.4
2023-02-25 18:20:00	0	0	0	0	306	0.38	0.74	19.6	93.1	99.54	-1.2	-0.5	0	19.6	0.03	100	8387	99.55	18
2023-02-25 18:25:00	0	0	0	0	283	0.49	0.65	19.4	93	99.54	-1.3	-0.4	0	19.4	0.03	100	8385	99.55	17.6
2023-02-25 18:30:00	0	0	0	0	332	0.83	1.14	19.1	92.7	99.54	-1.3	-0.5	0	19.1	0.03	100	8387	99.55	17.3
2023-02-25 18:35:00	0	0	0	0	285	0.65	0.98	18.9	93	99.53	-1.2	-0.6	0	19	0.02	100	8384	99.54	17
2023-02-25 18:40:00	0	0	0	0	304	0.83	1.03	18.8	93.5	99.53	-1.4	-0.5	0	18.8	0.02	100	8381	99.54	16.7
2023-02-25 18:45:00	0	0	0	0	308	0.56	0.76	18.7	93.9	99.52	-1.4	-0.4	0	18.7	0.02	100	8383	99.53	16.5
2023-02-25 18:50:00	0	0	0	0	269	0.38	0.51	18.4	95.1	99.51	-1.3	-0.5	0	18.4	0.02	100	8380	99.52	16.1
2023-02-25 18:55:00	0	0	0	0	246	0.38	0.6	18.2	95.8	99.51	-1.4	-0.5	0	18.2	0.01	100	8381	99.52	15.7
2023-02-25 19:00:00	0	0	0	0	160	1.03	1.28	18	95.2	99.51	-1.3	-0.5	0	18	0.02	100	8381	99.52	15.4
2023-02-25 19:05:00	0	0	0	0	189	0.54	0.96	18	96.7	99.51	-1.3	-0.5	0	18	0.01	100	8377	99.52	15.3
2023-02-25 19:10:00	0	0	0	0	281	0.38	0.54	18	96.7	99.5	-1.3	-0.5	0	18.1	0.01	100	8377	99.51	15.2
2023-02-25 19:15:00	0	0	0	0	216	0.54	0.78	17.9	95.5	99.5	-1.4	-0.5	0	17.9	0.02	100	8378	99.51	15
2023-02-25 19:20:00	0	0	0	0	245	0.38	0.85	17.8	96	99.5	-1.2	-0.4	0	17.8	0.01	100	8375	99.51	14.9
2023-02-25 19:25:00	0	0	0	0	177	0.4	0.63	17.8	97.6	99.5	-1.3	-0.5	0	17.8	0.01	100	8374	99.5	14.8
2023-02-25 19:30:00	0	0	0	0	206	0.29	0.36	17.8	97.6	99.49	-1.3	-0.5	0	17.9	0.01	100	8376	99.5	14.7
2023-02-25 19:35:00	0	0	0	0	184	0.6	0.98	17.8	97.2	99.5	-1.4	-0.5	0	17.8	0.01	100	8372	99.5	14.6
2023-02-25 19:40:00	0	0	0	0	196	0.72	1.05	17.9	97.1	99.5	-1.3	-0.5	0	17.9	0.01	100	8373	99.5	14.6
2023-02-25 19:45:00	0	0	0	0	186	0.58	1.19	18	96.8	99.49	-1.5	-0.6	0	18	0.01	100	8374	99.49	14.6
2023-02-25 19:50:00	0	0	0	0	319	0.56	1.5	18	97	99.48	-1.4	-0.4	0	18	0.01	100	8371	99.48	14.5
2023-02-25 19:55:00	0	0	0	0	130	0.27	0.83	17.8	95.4	99.47	-1.3	-0.6	0	17.8	0.02	100	8371	99.47	14.3
2023-02-25 20:00:00	0	0	0	0	165	0.56	0.94	17.5	95.8	99.47	-1.4	-0.5	0	17.5	0.01	100	8369	99.47	14.1
2023-02-25 20:05:00	0	0	0	0	298	0.38	1.03	17.5	95.8	99.47	-1.3	-0.5	0	17.6	0.01	100	8371	99.47	14
2023-02-25 20:10:00	0	0	0	0	146	1.01	1.59	17.3	96.7	99.46	-1.4	-0.5	0	17.3	0.01	100	8371	99.46	13.9
2023-02-25 20:15:00	0	0	0	0	88	0.78	1.43	17.5	96.1	99.45	-1.4	-0.4	0	17.5	0.01	100	8370	99.45	14
2023-02-25 20:20:00	0	0	0	0	300	0.58	0.78	17.4	96.4	99.44	-1.3	-0.5	0	17.4	0.01	100	8368	99.44	14
2023-02-25 20:25:00	0	0	0	0	298	0.58	0.78	17.2	97.3	99.43	-1.3	-0.4	0	17.2	0.01	100	8370	99.43	13.9
2023-02-25 20:30:00	0	0	0	0	302	0.69	0.89	17.1	96.6	99.42	-1.4	-0.5	0	17	0.01	100	8363	99.43	13.9
2023-02-25 20:35:00	0	0	0	0	311	0.6	0.78	17	97.5	99.42	-1.3	-0.4	0	17	0.01	100	8366	99.43	13.8
2023-02-25 20:40:00	0	0	0	0	108	0.72	1.23	17.1	97.5	99.42	-1.4	-0.5	0	17.1	0.01	100	8365	99.42	13.7
2023-02-25 20:45:00	0	0	0	0	149	1.07	1.77	17.2	97	99.43	-1.3	-0.4	0	17.2	0.01	100	8363	99.43	13.7
2023-02-25 20:50:00	0	0	0	0	104	0.36	0.58	17.3	96.6	99.43	-1.3	-0.6	0	17.3	0.01	100	8364	99.43	13.7
2023-02-25 20:55:00	0	0	0	0	344	0.58	0.96	17.3	96.6	99.43	-1.3	-0.4	0	17.3	0.01	100	8365	99.43	13.8
2023-02-25 21:00:00	0	0	0	0	14	0.63	0.89	17.4	96.4	99.42	-1.4	-0.5	0	17.3	0.01	100	8363	99.43	14
2023-02-25 21:05:00	0	0	0	0	125	1.28	1.95	17.6	96.1	99.42	-1.3	-0.5	0	17.6	0.01	100	8362	99.43	14.3
2023-02-25 21:10:00	0	0	0	0	66	0.72	1.63	17.9	97.4	99.41	-1.4	-0.4	0	17.9	0.01	100	8362	99.42	14.7
2023-02-25 21:15:00	0	0	0	0	66	0.67	0.96	18.2	96.5	99.4	-1.5	-0.5	0	18.2	0.01	100	8362	99.41	15.1

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-25 21:20:00	0	0	0	0	116	1.5	2.24	18.5	97.1	99.4	-1.3	-0.4	0	18.5	0.01	100	8361	99.41	15.6
2023-02-25 21:25:00	0	0	0	0	115	1.34	2.01	18.7	96.9	99.4	-1.3	-0.4	0	18.7	0.01	100	8363	99.41	15.9
2023-02-25 21:30:00	0	0	0	0	114	0.98	1.9	18.9	96.1	99.4	-1.3	-0.5	0	18.9	0.01	100	8363	99.41	16.2
2023-02-25 21:35:00	0	0	0	0	121	1.36	2.33	19	96.1	99.4	-1.3	-0.4	0	19	0.01	100	8360	99.4	16.4
2023-02-25 21:40:00	0	0	0	0	134	2.15	2.75	19	95.7	99.39	-1.4	-0.5	0	19	0.02	100	8361	99.4	16.7
2023-02-25 21:45:00	0	0	0	0	137	2.57	3.47	18.9	96.1	99.38	-1.3	-0.6	0	18.9	0.01	100	8361	99.39	16.8
2023-02-25 21:50:00	0	0	0	0	132	2.8	3.36	18.9	96.1	99.36	-1.3	-0.5	0	18.9	0.01	100	8362	99.38	16.9
2023-02-25 21:55:00	0	0	0	0	137	2.73	3.4	18.9	96	99.35	-1.4	-0.4	0	18.9	0.01	100	8359	99.36	17
2023-02-25 22:00:00	0	0	0	0	144	2.95	3.6	18.8	96.4	99.34	-1.2	-0.5	0	18.8	0.01	100	8361	99.35	17
2023-02-25 22:05:00	0	0	0	0	142	2.37	3.15	18.9	96.1	99.32	-1.2	-0.5	0	18.9	0.01	100	8358	99.34	17.1
2023-02-25 22:10:00	0	0	0	0	121	1.66	2.48	18.8	95.7	99.33	-1.3	-0.4	0	18.8	0.02	100	8358	99.34	17.2
2023-02-25 22:15:00	0	0	0	0	117	1.61	2.59	18.9	96.1	99.32	-1.4	-0.4	0	18.9	0.01	100	8360	99.34	17.3
2023-02-25 22:20:00	0	0	0	0	130	2.39	3.27	19	95.7	99.32	-1.4	-0.5	0	19	0.02	100	8359	99.33	17.4
2023-02-25 22:25:00	0	0	0	0	121	2.17	3	19	95.5	99.31	-1.3	-0.5	0	19	0.02	100	8357	99.32	17.5
2023-02-25 22:30:00	0	0	0	0	133	2.64	3.8	18.9	95.8	99.3	-1.3	-0.5	0	18.9	0.01	100	8358	99.31	17.5
2023-02-25 22:35:00	0	0	0	0	126	2.17	2.8	19	95.7	99.29	-1.3	-0.5	0	19	0.02	100	8355	99.3	17.5
2023-02-25 22:40:00	0	0	0	0	127	2.48	3.51	18.9	96.1	99.28	-1.3	-0.5	0	18.9	0.01	100	8356	99.29	17.5
2023-02-25 22:45:00	0	0	0	0	120	2.04	3.42	18.9	96	99.26	-1.3	-0.5	0	18.9	0.01	100	8355	99.27	17.6
2023-02-25 22:50:00	0	0	0	0	113	2.13	3.49	18.9	96.1	99.23	-1.4	-0.4	0	18.9	0.01	100	8355	99.25	17.6
2023-02-25 22:55:00	0	0	0	0	136	3.09	3.78	18.9	95.3	99.23	-1.2	-0.6	0	18.9	0.02	100	8355	99.24	17.6
2023-02-25 23:00:00	0	0	0	0	130	2.66	3.98	18.9	95.4	99.22	-1.3	-0.4	0	18.9	0.02	100	8355	99.23	17.6
2023-02-25 23:05:00	0	0	0	0	115	1.54	2.71	18.9	95.6	99.22	-1.3	-0.6	0	18.9	0.02	100	8352	99.24	17.7
2023-02-25 23:10:00	0	0	0	0	48	0.87	1.52	18.9	95.8	99.22	-1.2	-0.4	0	19	0.01	100	8353	99.23	17.7
2023-02-25 23:15:00	0	0	0	0	73	1.21	2.19	19	95.4	99.2	-1.4	-0.4	0	19	0.02	100	8352	99.21	17.8
2023-02-25 23:20:00	0	0	0	0	104	2.33	3.67	19	95.4	99.19	-1.2	-0.4	0	19	0.02	100	8352	99.2	17.9
2023-02-25 23:25:00	0	0	0	0	105	2.48	3.6	19.2	94.7	99.17	-1.2	-0.5	0	19.2	0.02	100	8354	99.19	17.9
2023-02-25 23:30:00	0	0	0	0	105	2.26	3.36	19.4	94.1	99.17	-1.3	-0.4	0	19.4	0.02	100	8352	99.18	18
2023-02-25 23:35:00	0	0	0	0	118	2.95	4.38	19.4	94.1	99.16	-1.2	-0.4	0	19.4	0.02	100	8350	99.18	18.1
2023-02-25 23:40:00	0	0	0	0	118	3.02	4.34	19.5	95	99.16	-1.4	-0.4	0	19.5	0.02	100	8352	99.17	18.2
2023-02-25 23:45:00	0	0	0	0	99	2.21	3.67	19.6	96	99.14	-1.3	-0.6	0	19.6	0.01	100	8351	99.16	18.3
2023-02-25 23:50:00	0	0	0	0	94	1.95	3.11	19.8	95.2	99.13	-1.4	-0.5	0	19.8	0.02	100	8352	99.15	18.4
2023-02-25 23:55:00	0	0	0	0	92	1.81	3.24	19.8	94.9	99.13	-1.3	-0.5	0	19.8	0.02	100	8350	99.14	18.5
2023-02-26 00:00:00	0	0	0	0	80	1.28	2.48	19.9	94.5	99.13	-1.2	-0.5	0	19.9	0.02	100	8351	99.14	18.6
2023-02-26 00:05:00	0	0	0	0	63	1.07	2.04	19.9	94.5	99.1	-1.3	-0.4	0	19.9	0.02	100	8317	99.12	18.8
2023-02-26 00:10:00	0	0	0	0	99	1.95	3	20	94.2	99.09	-1.2	-0.5	0	20	0.02	100	8308	99.11	19
2023-02-26 00:15:00	0	0	0	0	80	1.39	2.71	20	94.4	99.07	-1.2	-0.5	0	20	0.02	100	8295	99.09	19.1
2023-02-26 00:20:00	0	0	0	0	57	1.14	1.9	19.9	94.5	99.06	-1.3	-0.6	0	19.9	0.02	100	8311	99.08	18.9
2023-02-26 00:25:00	0	0	0	0	80	1.54	2.33	19.7	95	99.06	-1.4	-0.5	0	19.7	0.02	100	8316	99.07	18.5
2023-02-26 00:30:00	0	0	0	0	90	1.9	2.93	19.6	93.8	99.04	-1.4	-0.5	0	19.6	0.02	100	8321	99.05	18.1
2023-02-26 00:35:00	0	0	0	0	69	1.36	2.08	19.3	94.2	99.03	-1.3	-0.5	0	19.3	0.02	100	8319	99.04	17.7
2023-02-26 00:40:00	0	0	0	0	97	1.95	2.64	19.2	94.8	99.02	-1.3	-0.5	0	19.2	0.02	100	8319	99.03	17.3
2023-02-26 00:45:00	0	0	0	0	98	2.19	2.68	19.1	95.3	99	-1.4	-0.4	0	19.1	0.02	100	8320	99.01	17
2023-02-26 00:50:00	0	0	0	0	107	2.46	3.4	19	95.5	98.99	-1.3	-0.5	0	19	0.02	100	8319	99	16.6
2023-02-26 00:55:00	0	0	0	0	115	2.93	3.83	18.9	96	98.97	-1.3	-0.6	0	18.9	0.01	100	8320	98.98	16.3
2023-02-26 01:00:00	0	0	0	0	131	4.18	4.68	18.7	95	98.97	-1.3	-0.4	0	18.7	0.02	100	8322	98.97	16.1
2023-02-26 01:05:00	0	0	0	0	125	3.83	4.72	18.7	95.7	98.95	-1.3	-0.4	0	18.6	0.01	100	8319	98.96	15.9
2023-02-26 01:10:00	0	0	0	0	126	3.6	4.12	18.5	96.5	98.94	-1.3	-0.5	0	18.5	0.01	100	8321	98.95	15.7
2023-02-26 01:15:00	0	0	0	0	117	2.77	3.58	18.5	96.5	98.94	-1.2	-0.5	0	18.5	0.01	100	8319	98.95	15.7
2023-02-26 01:20:00	0	0	0	0	104	1.9	2.84	18.6	97.3	98.94	-1.3	-0.4	0	18.6	0.01	100	8320	98.95	15.6
2023-02-26 01:25:00	0	0	0	0	4	0.81	1.21	18.5	96.5	98.93	-1.3	-0.5	0	18.5	0.01	100	8319	98.94	15.5
2023-02-26 01:30:00	0	0	0	0	315	0.81	1.3	18.5	95.5	98.93	-1.2	-0.4	0	18.5	0.02	100	8321	98.94	15.3
2023-02-26 01:35:00	0	0	0	0	33	0.63	0.87	18.2	95.8	98.93	-1.3	-0.5	0	18.2	0.01	100	8317	98.93	15
2023-02-26 01:40:00	0	0	0	0	335	0.78	1.12	18.1	95.7	98.91	-1.4	-0.4	0	18.1	0.01	100	8318	98.91	14.8
2023-02-26 01:45:00	0	0	0	0	44	0.83	1.1	18.1	96.2	98.89	-1.3	-0.5	0	18.1	0.01	100	8320	98.89	14.8
2023-02-26 01:50:00	0	0	0	0	50	0.87	1.36	18.3	95.6	98.88	-1.3	-0.4	0	18.3	0.02	100	8316	98.89	14.9
2023-02-26 01:55:00	0	0	0	0	15	0.78	1.12	18.3	95.5	98.87	-1.3	-0.5	0	18.4	0.02	100	8320	98.88	15
2023-02-26 02:00:00	0	0	0	0	339	0.85	1.25	18.3	95.5	98.87	-1.3	-0.6	0	18.3	0.02	100	8320	98.88	15.1
2023-02-26 02:05:00	0	0	0	0	25	0.69	1.01	18.5	97.2	98.87	-1.3	-0.5	0	18.5	0.01	100	8317	98.88	15.2
2023-02-26 02:10:00	0	0	0	0	4	0.54	0.89	18.5	97.6	98.86	-1.4	-0.5	0	18.5	0.01	100	8320	98.87	15.4
2023-02-26 02:15:00	0	0	0	0	310	0.63	0.92	18.6	95.6	98.86	-1.3	-0.4	0	18.6	0.02	100	8318	98.86	15.5
2023-02-26 02:20:00	0	0	0	0	354	0.51	0.78	18.4	95.1	98.85	-1.4	-0.3	0	18.4	0.02	100	8317	98.86	15.5
2023-02-26 02:25:00	0	0	0	0	107	1.25	1.61	18.5	95.5	98.85	-1.3	-0.4	0	18.5	0.02	100	8317	98.85	15.5
2023-02-26 02:30:00	0	0	0	0	104	1.32	1.9	18.5	97.1	98.83	-1.3	-0.5	0	18.5	0.01	100	8316	98.84	15.7
2023-02-26 02:35:00	0	0	0	0	125	1.03	1.61	18.5	96.9	98.83	-1.3	-0.5	0	18.5	0.01	100	8314	98.84	15.7

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-26 02:40:00	0	0	0	0	138	1.36	1.66	18.6	97.2	98.82	-1.4	-0.5	0	18.6	0.01	100	8318	98.83	15.8
2023-02-26 02:45:00	0	0	0	0	156	0.51	0.85	18.6	97	98.81	-1.2	-0.5	0	18.6	0.01	100	8317	98.82	15.9
2023-02-26 02:50:00	0	0	0	0	275	0.65	1.34	18.8	96.4	98.8	-1.3	-0.5	0	18.8	0.01	100	8316	98.81	16.1
2023-02-26 02:55:00	0	0	0	0	312	0.6	1.1	18.9	96.1	98.79	-1.3	-0.5	0	18.9	0.01	100	8314	98.8	16.2
2023-02-26 03:00:00	0	0	0	0	300	0.31	0.47	18.8	96.3	98.78	-1.3	-0.4	0	18.8	0.01	100	8316	98.79	16.4
2023-02-26 03:05:00	0	0	0	0	3	0.27	0.65	19	95.5	98.78	-1.2	-0.5	0	19	0.02	100	8316	98.78	16.5
2023-02-26 03:10:00	0	0	0	0	15	0.47	1.05	19.1	96.6	98.76	-1.3	-0.5	0	19.1	0.01	100	8317	98.76	16.8
2023-02-26 03:15:00	0	0	0	0	95	0.76	1.23	19.4	96.7	98.74	-1.2	-0.4	0	19.4	0.01	100	8316	98.76	17.2
2023-02-26 03:20:00	0	0	0	0	66	0.81	1.43	19.6	96	98.73	-1.2	-0.5	0	19.6	0.01	100	8316	98.73	17.5
2023-02-26 03:25:00	0	0	0	0	347	0.78	1.43	19.6	95.8	98.71	-1.3	-0.5	0	19.6	0.02	100	8317	98.71	17.7
2023-02-26 03:30:00	0	0	0	0	3	0.72	1.1	19.7	95.7	98.69	-1.3	-0.5	0	19.7	0.02	100	8314	98.7	17.8
2023-02-26 03:35:00	0	0	0	0	70	1.25	2.48	19.6	96	98.67	-1.3	-0.5	0	19.6	0.01	100	8317	98.68	17.8
2023-02-26 03:40:00	0	0	0	0	108	2.15	3.29	19.5	96.3	98.64	-1.3	-0.5	0	19.5	0.01	100	8315	98.66	17.9
2023-02-26 03:45:00	0	0	0	0	107	1.79	2.86	19.6	95.8	98.65	-1.2	-0.5	0	19.7	0.02	100	8314	98.67	18
2023-02-26 03:50:00	0	0	0	0	52	0.69	1.77	19.7	95.7	98.67	-1.4	-0.5	0	19.7	0.02	100	8315	98.68	18.2
2023-02-26 03:55:00	0	0	0	0	10	0.63	1.07	19.7	95.5	98.67	-1.3	-0.3	0	19.7	0.02	100	8313	98.68	18.3
2023-02-26 04:00:00	0	0	0	0	124	2.37	3.98	19.7	95.5	98.66	-1.3	-0.5	0	19.7	0.02	100	8316	98.66	18.3
2023-02-26 04:05:00	0	0	0	0	126	2.19	3.15	19.8	95.5	98.64	-1.4	-0.4	0	19.8	0.02	100	8312	98.66	18.4
2023-02-26 04:10:00	0	0	0	0	122	1.03	2.62	19.9	95.3	98.66	-1.3	-0.4	0	19.9	0.02	100	8315	98.68	18.5
2023-02-26 04:15:00	0	0	0	0	286	0.27	0.51	19.9	95.3	98.68	-1.3	-0.5	0	19.8	0.02	100	8314	98.69	18.6
2023-02-26 04:20:00	0	0	0	0	142	1.03	1.9	19.9	96.1	98.66	-1.2	-0.5	0	19.9	0.01	100	8313	98.68	18.6
2023-02-26 04:25:00	0	0	0	0	149	3.27	4.21	20	96.5	98.65	-1.3	-0.5	0	20	0.01	100	8313	98.66	18.8
2023-02-26 04:30:00	0	0	0	0	150	4.27	5.41	20.1	96.5	98.65	-1.3	-0.4	0	20.2	0.01	100	8314	98.66	18.8
2023-02-26 04:35:00	0	0	0	0	152	4.14	4.99	20.2	96.2	98.64	-1.2	-0.6	0	20.2	0.01	100	8312	98.65	18.9
2023-02-26 04:40:00	0	0	0	0	149	3.98	5.21	20.2	96.3	98.63	-1.2	-0.3	0	20.2	0.01	100	8315	98.64	18.9
2023-02-26 04:45:00	0	0	0	0	146	3.89	5.57	20.1	96.5	98.61	-1.3	-0.4	0	20.1	0.01	100	8314	98.62	19
2023-02-26 04:50:00	0	0	0	0	147	3.87	5.46	20.2	96.2	98.59	-1.3	-0.5	0	20.2	0.01	100	8312	98.6	19
2023-02-26 04:55:00	0	0	0	0	144	4.29	6.51	20.2	96.2	98.56	-1.1	-0.4	0	20.2	0.01	100	8311	98.57	19
2023-02-26 05:00:00	0	0	0	0	144	4.18	5.84	20.2	96.3	98.55	-1.3	-0.4	0	20.2	0.01	100	8311	98.56	19
2023-02-26 05:05:00	0	0	0	0	142	4.12	5.61	20.2	96.3	98.54	-1.3	-0.5	0	20.1	0.01	100	8312	98.55	19.1
2023-02-26 05:10:00	0	0	0	0	145	3.96	5.26	20.2	96.3	98.54	-1.2	-0.4	0	20.2	0.01	100	8311	98.56	19.1
2023-02-26 05:15:00	0	0	0	0	146	4.12	5.66	20.3	95.7	98.54	-1.3	-0.6	0	20.3	0.02	100	8308	98.56	19.2
2023-02-26 05:20:00	0	0	0	0	151	3.8	5.86	20.4	95.3	98.54	-1.3	-0.4	0	20.4	0.02	100	8312	98.56	19.3
2023-02-26 05:25:00	0	0	0	0	141	3.58	4.41	20.6	96.3	98.55	-1.3	-0.4	0	20.6	0.01	100	8311	98.56	19.4
2023-02-26 05:30:00	0	0	0	0	133	3.15	4.12	20.7	96.7	98.56	-1.3	-0.5	0	20.7	0.01	100	8312	98.58	19.5
2023-02-26 05:35:00	0	0	0	0	137	2.77	3.87	20.8	96.3	98.56	-1.2	-0.4	0	20.8	0.01	100	8310	98.58	19.6
2023-02-26 05:40:00	0	0	0	0	144	3.44	5.14	20.9	95.8	98.56	-1.2	-0.5	0	20.9	0.02	100	8308	98.57	19.7
2023-02-26 05:45:00	0	0	0	0	143	3.76	4.88	21	95.6	98.55	-1.2	-0.4	0	21	0.02	100	8311	98.57	19.8
2023-02-26 05:50:00	0	0	0	0	148	3.22	4.16	21.1	96.5	98.55	-1.3	-0.4	0	21.1	0.01	100	8308	98.56	19.9
2023-02-26 05:55:00	0	0	0	0	147	3.18	4.54	21.3	96.6	98.54	-1.2	-0.5	0	21.3	0.01	100	8309	98.56	20
2023-02-26 06:00:00	0	0	0	0	147	3.11	4.32	21.4	96.5	98.54	-1.1	-0.5	0	21.4	0.01	100	8311	98.55	20.1
2023-02-26 06:05:00	0	0	0	0	147	2.8	3.56	21.6	95.8	98.53	-1.1	-0.5	0	21.6	0.02	100	8307	98.54	20.3
2023-02-26 06:10:00	0	0	0	0	144	2.77	3.47	21.7	95.2	98.53	-1.2	-0.5	0	21.7	0.02	100	8308	98.54	20.4
2023-02-26 06:15:00	0	0	0	0	137	2.73	3.56	21.8	96.2	98.52	-1.1	-0.4	0	21.8	0.02	100	8309	98.54	20.5
2023-02-26 06:20:00	0	0	0	0	130	2.55	3.33	21.8	96.1	98.52	-1.1	-0.5	0	21.8	0.02	100	8308	98.54	20.6
2023-02-26 06:25:00	0	0	0	0	138	2.98	3.6	22	96.7	98.52	-1.1	-0.4	0	22	0.01	100	8308	98.54	20.7
2023-02-26 06:30:00	0	0	0	0	145	2.93	3.71	22.1	96.1	98.51	-1.1	-0.5	0	22.1	0.02	100	8307	98.53	20.8
2023-02-26 06:35:00	0	0	0	0	152	2.89	3.83	22.1	96.1	98.51	-1.1	-0.4	0	22.1	0.02	100	8304	98.52	20.9
2023-02-26 06:40:00	0	0	0	0	153	2.95	3.85	22.3	95.2	98.5	-1.2	-0.5	0	22.3	0.02	100	8308	98.52	21
2023-02-26 06:45:00	0.6	0	0	0	152	3.06	4.29	22.3	95.2	98.5	-1.2	-0.7	0	22.3	0.02	100	8307	98.51	21.1
2023-02-26 06:50:00	1.4	0	0	0	155	3.06	4.25	22.4	95.5	98.49	-1.1	-0.4	0	22.4	0.02	100	8305	98.5	21.2
2023-02-26 06:55:00	3	0	0	0	152	2.84	4.25	22.5	96.6	98.48	-1.2	-0.5	0	22.5	0.01	100	8307	98.49	21.3
2023-02-26 07:00:00	4.8	0	0	0	150	3.31	4.79	22.6	96.3	98.46	-1.1	-0.5	0	22.7	0.02	100	8305	98.47	21.4
2023-02-26 07:05:00	6.2	0	0	0	158	2.37	3.56	22.8	96.2	98.46	-1.3	-0.5	0	22.8	0.02	100	8301	98.48	21.6
2023-02-26 07:10:00	8.4	0	0	0	218	0.81	2.04	23.3	97.3	98.48	-1.1	-0.6	0	23.4	0.01	100	8305	98.49	22
2023-02-26 07:15:00	9	0	0	0	262	0.96	2.39	24.2	98.1	98.49	-1.1	-0.4	0	24.3	0.01	100	8306	98.49	22.7
2023-02-26 07:20:00	9.8	0	0	0	275	1.66	2.91	24.9	97.9	98.49	-0.9	-0.5	0	25	0.01	100	8304	98.5	23.3
2023-02-26 07:25:00	11.8	0	0	0	275	2.08	4.38	25.7	97.9	98.5	-1	-0.5	0	25.8	0.01	100	8305	98.51	24
2023-02-26 07:30:00	14.6	0	0	0	284	2.24	3.96	26.4	97.9	98.51	-1	-0.4	0	26.5	0.01	100	8305	98.51	24.5
2023-02-26 07:35:00	15.8	0	0	0	282	2.64	4.68	27	97.6	98.52	-1	-0.5	0	27.1	0.01	100	8302	98.52	25
2023-02-26 07:40:00	25.4	0	0	0	280	2.73	4.99	27.8	96.9	98.52	-1	-0.3	0	27.8	0.02	100	8307	98.52	25.6
2023-02-26 07:45:00	34	0	0	0	276	2.42	3.89	28.1	97.4	98.52	-0.9	-0.5	0	28.3	0.01	100	8306	98.52	26.1
2023-02-26 07:50:00	35.8	0	0	0	282	2.73	5.28	28.7	96.4	98.53	-0.9	-0.4	0	28.8	0.02	100	8304	98.52	26.5
2023-02-26 07:55:00	39.6	0	0	0	272	2.51	4.52	29	96.2	98.53	-0.9	-0.5	0	29.2	0.02	100	8304	98.52	26.9

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-26 08:00:00	38	0	0	0	274	2.48	4.23	29.3	95.6	98.52	-0.9	-0.3	0	29.6	0.02	100	8304	98.51	27.3
2023-02-26 08:05:00	48	0	0	0	273	2.8	4.61	29.8	94.8	98.51	-0.8	-0.6	0	30	0.03	100	8306	98.5	27.7
2023-02-26 08:10:00	46.8	0	0	0	275	2.62	5.46	30	94.7	98.51	-1	-0.7	0	30.2	0.03	100	8306	98.5	28
2023-02-26 08:15:00	54.8	0	0	0	275	2.71	5.86	30.3	94.4	98.5	-0.9	-0.5	0	30.6	0.03	100	8305	98.49	28.3
2023-02-26 08:20:00	74.6	0	0	0	277	3.04	5.53	30.6	93.5	98.5	-0.9	-0.9	0	30.9	0.04	100	8308	98.49	28.7
2023-02-26 08:25:00	91	0	0	0	276	2.68	4.83	30.9	93.8	98.49	-0.9	-0.4	0	31.3	0.04	100	8308	98.48	29
2023-02-26 08:30:00	84.4	0	0	0	273	2.75	4.63	31.2	92.9	98.49	-0.8	-0.6	0	31.7	0.04	100	8308	98.48	29.3
2023-02-26 08:35:00	72.4	0	0	0	273	2.86	4.45	31.5	92.1	98.49	-0.9	-0.5	0	31.9	0.05	100	8307	98.49	29.7
2023-02-26 08:40:00	81.6	0	0	0	281	3.27	5.39	31.8	92.5	98.49	-0.9	-0.5	0	32.1	0.05	100	8307	98.49	29.9
2023-02-26 08:45:00	89.6	0	0	0	276	3.2	5.17	31.9	91.9	98.5	-0.7	-0.5	0	32.3	0.05	100	8308	98.49	30.2
2023-02-26 08:50:00	143.2	0	0	0	277	2.82	4.52	32.1	91.9	98.48	-0.9	-0.5	0	32.8	0.05	100	8309	98.48	30.5
2023-02-26 08:55:00	136.6	0	0	0	267	3.29	5.44	32.5	91.1	98.48	-0.9	-0.3	0	33.2	0.06	100	8310	98.48	30.8
2023-02-26 09:00:00	196.8	0	0	0	285	3.91	6.76	32.8	90.5	98.48	-0.6	-0.5	0	33.4	0.06	100	8317	98.48	31
2023-02-26 09:05:00	222	0	0	0	290	4.56	7.67	33.2	90.2	98.49	-0.6	-0.5	0	34.1	0.06	100	8317	98.49	31.4
2023-02-26 09:10:00	204.8	0	0	0	290	5.53	10.96	33.4	89.3	98.51	-0.9	-0.3	0	34.1	0.07	100	8320	98.5	31.6
2023-02-26 09:15:00	143	0	0	0	286	4.59	7.87	33.5	89.3	98.51	-0.9	-0.4	0	34.1	0.07	100	8318	98.5	31.8
2023-02-26 09:20:00	254.2	0	0	0	287	4.88	8.75	33.6	89.4	98.5	-0.6	-0.6	0	34.3	0.07	100	8326	98.5	31.9
2023-02-26 09:25:00	287.6	0	0	0	291	5.46	8.32	34.1	88.4	98.48	-0.6	-0.6	0	35.1	0.08	100	8323	98.49	32.2
2023-02-26 09:30:00	201	0	0	0	288	5.26	8.12	34.1	87.5	98.51	-0.9	-0.4	0	34.8	0.08	100	8326	98.5	32.3
2023-02-26 09:35:00	180	0	0	0	290	5.57	10.47	34.1	87.4	98.51	-0.8	-0.4	0	34.6	0.08	100	8329	98.5	32.3
2023-02-26 09:40:00	192.4	0	0	0	291	4.9	8.05	34.1	87.3	98.5	-0.8	-0.5	0	34.8	0.08	100	8329	98.5	32.4
2023-02-26 09:45:00	240	0	0	0	291	5.17	9.13	34.2	88.1	98.51	-0.8	-0.5	0	35	0.08	100	8333	98.5	32.6
2023-02-26 09:50:00	234.2	0	0	0	296	5.79	9.26	34.5	86.7	98.5	-1.1	-0.5	0	35.3	0.09	100	8333	98.5	32.7
2023-02-26 09:55:00	249.6	0	0	0	293	6.08	9.89	34.8	86.4	98.5	-0.8	-0.5	0	35.6	0.09	100	8342	98.5	32.9
2023-02-26 10:00:00	241.8	0	0	0	292	6.35	10.38	34.9	85.5	98.52	-0.5	-0.6	0	35.6	0.1	100	8345	98.51	33
2023-02-26 10:05:00	273.8	0.00067	0	0	290	6.17	9.71	35.2	85.1	98.5	-0.7	-0.6	0.04	36.1	0.1	100	8348	98.51	33.1
2023-02-26 10:10:00	192.8	0.00201	0	0	295	4.99	9.06	35.1	84.6	98.51	-0.7	-0.5	0.04	35.9	0.11	100	8350	98.5	33.2
2023-02-26 10:15:00	165.8	0.00201	0	0	298	5.5	8.01	34.7	85.2	98.51	-0.8	-0.6	0.04	35.3	0.1	100	8346	98.5	33.2
2023-02-26 10:20:00	217.2	0	0	0	293	7.72	14.18	34.8	83.8	98.51	-0.9	-0.8	0	35.5	0.11	100	8349	98.5	33.2
2023-02-26 10:25:00	310.6	0	0	0	289	5.97	10.54	35	82.6	98.5	-1	-0.7	0	35.7	0.12	100	8355	98.51	33.3
2023-02-26 10:30:00	296.4	0.00134	0	0	286	6.76	11.36	35.6	80.2	98.51	-1.1	-0.6	0.08	36.6	0.14	100	8357	98.5	33.4
2023-02-26 10:35:00	384.2	0.00804	0	0	289	7.25	11.18	36.3	78.6	98.49	-0.9	-0.4	0.12	37.3	0.16	100	8363	98.5	33.7
2023-02-26 10:40:00	195.2	0.00469	0	0	286	5.48	8.12	36	78.1	98.52	-0.9	-0.8	0.08	36.7	0.16	100	8361	98.5	33.7
2023-02-26 10:45:00	274.8	0.00402	0	0	286	5.1	9.89	35.8	79.2	98.51	-0.9	-0.5	0.08	36.7	0.15	100	8365	98.51	33.8
2023-02-26 10:50:00	201.6	0.00402	0	0	282	5.32	10.33	35.7	78.9	98.52	-0.7	-0.6	0.08	36.5	0.15	100	8365	98.51	33.8
2023-02-26 10:55:00	259.6	0.00335	0	0	287	6.76	12.73	35.8	77.6	98.51	-0.7	-0.6	0.04	36.6	0.16	100	8369	98.51	33.8
2023-02-26 11:00:00	289.6	0.00335	0	0	288	5.61	9.4	36	78.3	98.5	-0.8	-0.5	0.04	37	0.16	100	8374	98.51	33.9
2023-02-26 11:05:00	325.2	0.00469	0	0	289	5.5	10.36	36.7	76.6	98.5	-0.8	-0.5	0.08	37.8	0.17	100	8379	98.51	34.2
2023-02-26 11:10:00	323.2	0.00402	0	0	287	5.59	8.46	36.7	76.8	98.5	-0.6	-0.7	0.08	37.7	0.17	100	8385	98.5	34.3
2023-02-26 11:15:00	355.8	0.00268	0	0	282	6.46	10.25	36.7	74.3	98.5	-0.8	-1.2	0.08	37.8	0.19	100	8388	98.5	34.4
2023-02-26 11:20:00	363	0.00268	0	0	285	6.6	11.39	36.9	73.5	98.5	-1.1	-0.3	0.04	37.9	0.2	100	8392	98.49	34.5
2023-02-26 11:25:00	412	0.00268	0	0	281	5.46	9.15	37.1	73.8	98.49	-0.8	-0.5	0.08	38.2	0.2	100	8397	98.5	34.6
2023-02-26 11:30:00	561.6	0.00402	0	0	288	7.29	11.77	38.1	71.7	98.47	-0.8	-0.6	0.08	39.2	0.22	100	8407	98.5	34.9
2023-02-26 11:35:00	533.4	0.00268	0	0	289	7.43	14.92	39	69	98.49	-0.6	-0.8	0.08	40	0.25	100	8411	98.5	35.2
2023-02-26 11:40:00	327	0.00402	0	0	288	6.04	9.89	38.1	70.9	98.51	-0.7	-0.4	0.12	39.1	0.23	100	8411	98.5	35.2
2023-02-26 11:45:00	471.2	0.00268	0	0	285	5.91	8.88	38.1	70.7	98.49	-0.3	-0.3	0.12	39.2	0.23	100	8416	98.5	35.3
2023-02-26 11:50:00	387.8	0	0	0	287	7.52	12.82	38.3	70	98.49	-0.6	-0.7	0	39.4	0.24	100	8418	98.49	35.4
2023-02-26 11:55:00	365.8	0.00402	0	0	282	5.68	10.11	37.9	70.1	98.5	-0.7	-0.8	0.201	38.9	0.23	100	8420	98.5	35.4
2023-02-26 12:00:00	347.6	0.00335	0	0	273	6.46	12.35	37.7	70.1	98.51	-0.9	-0.6	0.08	38.8	0.23	100	8422	98.5	35.5
2023-02-26 12:05:00	303.4	0	0	0	278	7.02	10.33	37.5	69.3	98.51	0.3	-0.9	0	38.5	0.23	100	8422	98.49	35.4
2023-02-26 12:10:00	279.4	0	0	0	283	6.13	10.74	37	70.4	98.51	-0.7	-0.6	0	37.9	0.22	100	8419	98.5	35.2
2023-02-26 12:15:00	241.2	0	0	0	285	7.34	11.92	36.7	71	98.51	-1	-0.5	0	37.5	0.21	100	8419	98.49	35.1
2023-02-26 12:20:00	249.8	0.00335	0	0	281	7.16	10.56	36.3	71.6	98.51	-0.7	-0.5	0.201	37	0.21	100	8418	98.49	34.9
2023-02-26 12:25:00	279.4	0	0	0	284	7.52	11.81	36.1	71.8	98.51	-0.8	-0.4	0	36.9	0.2	100	8422	98.49	34.9
2023-02-26 12:30:00	334.2	0	0	0	287	7.05	13.11	36.1	72.1	98.5	-1.2	-0.6	0	37	0.2	100	8422	98.48	34.9
2023-02-26 12:35:00	297	0	0	0	289	7.38	12.73	36.1	72.7	98.49	-0.3	-0.7	0	37.1	0.2	100	8425	98.48	34.9
2023-02-26 12:40:00	304.2	0	0	0	287	7	12.86	36.2	72.2	98.48	-0.8	-0.1	0	37	0.2	100	8425	98.47	34.9
2023-02-26 12:45:00	308.8	0.00335	0	0	287	7.7	12.35	36.2	73	98.48	-0.9	0.2	0.201	37.1	0.2	100	8425	98.46	35
2023-02-26 12:50:00	333.4	0	0	0	281	6.08	11.72	36.1	72.2	98.46	-0.8	-0.7	0	37.1	0.2	100	8428	98.46	35.2
2023-02-26 12:55:00	497.4	0	0	0	278	5.39	11.48	36.8	73.2	98.45	-0.6	-0.6	0	38	0.2	100	8434	98.46	35.4
2023-02-26 13:00:00	638.8	0.00402	0	0	283	8.01	14.9	38	69.7	98.45	-0.8	-0.8	0.201	39.1	0.24	100	8440	98.45	35.8
2023-02-26 13:05:00	545	0.00469	0	0	278	6.62	9.66	38.9	67.8	98.44	-0.2	-0.6	0.12	39.9	0.26	100	8440	98.45	36.1
2023-02-26 13:10:00	493.4	0.00201	0	0	283	7.94	15.26	38.9	67	98.46	-0.7	-0.8	0.04	39.9	0.26	100	8441	98.45	36.4
2023-02-26 13:15:00	393	0.00201	0	0	283	8.55	16.58	38.7	66.3	98.47	-0.6	-1.1	0.04	39.6	0.27	100	8440	98.45	36.5

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-26 13:20:00	461.8	0.00067	0	0	288	10.51	19.6	38.1	66.5	98.47	-0.3	-0.2	0.04	38.9	0.26	100	8440	98.44	36.5
2023-02-26 13:25:00	217.4	0.00067	0	0	285	10.11	17.78	38	65	98.48	-0.9	-1.2	0.04	38.5	0.27	100	8437	98.46	36.4
2023-02-26 13:30:00	395.2	0.00134	0	0	287	9.13	13.49	37.6	67	98.46	-0.7	-0.6	0.04	38.3	0.25	100	8437	98.46	36.2
2023-02-26 13:35:00	458.2	0.00201	0	0	284	8.61	12.17	37.9	66.5	98.46	-0.8	-1.7	0.04	38.8	0.26	100	8440	98.45	36.3
2023-02-26 13:40:00	305.2	0.00134	0	0	294	10.87	21.56	38.2	65	98.47	-0.8	-0.4	0.04	38.9	0.27	100	8441	98.45	36.5
2023-02-26 13:45:00	344.8	0	0	0	294	9.89	19.51	37.9	65.7	98.46	-0.2	-1.2	0	38.7	0.26	100	8441	98.45	36.5
2023-02-26 13:50:00	314.6	0.00134	0	0	290	11.03	19.01	38.1	64.4	98.46	-1.6	-0.2	0.08	38.8	0.28	100	8440	98.44	36.6
2023-02-26 13:55:00	229	0	0	0	287	10.4	17.43	37.5	64.7	98.47	-0.6	0	0	38.1	0.27	100	8440	98.45	36.4
2023-02-26 14:00:00	239.8	0.00201	0	0	289	8.57	12.68	37.1	65.3	98.47	-0.2	-0.5	0.12	37.7	0.26	100	8440	98.45	36.3
2023-02-26 14:05:00	245.2	0	0	0	285	6.91	12.1	36.9	67.4	98.45	-0.7	-1.1	0	37.5	0.24	100	8440	98.44	36.3
2023-02-26 14:10:00	243.4	0	0	0	287	8.79	15.55	36.8	67.2	98.46	-0.4	-0.7	0	37.4	0.24	100	8440	98.43	36.3
2023-02-26 14:15:00	268.4	0.00134	0	0	287	8.95	16.8	36.9	66.4	98.45	-0.9	-0.7	0.08	37.7	0.25	100	8442	98.43	36.3
2023-02-26 14:20:00	420.6	0	0	0	287	10.65	20.29	37.4	65.8	98.45	-0.5	-0.9	0	38.1	0.26	100	8441	98.43	36.4
2023-02-26 14:25:00	244	0.00067	0	0	289	11.25	21.85	37.8	64.3	98.46	-2.1	1.2	0.04	38.3	0.27	100	8441	98.44	36.4
2023-02-26 14:30:00	176.6	0	0	0	289	9.46	15.41	37.3	66	98.46	-1.4	-0.7	0	37.7	0.26	100	8442	98.43	36.2
2023-02-26 14:35:00	122.4	0	0	0	292	9.53	14.9	36.6	66.6	98.46	-1.1	-0.4	0	37	0.25	100	8440	98.43	36
2023-02-26 14:40:00	151.6	0	0	0	283	9.1	16.2	36.1	68	98.46	-0.1	-0.4	0	36.5	0.23	100	8440	98.42	35.8
2023-02-26 14:45:00	141.6	0	0	0	288	9.04	16.58	35.9	68.1	98.46	-0.3	-0.9	0	36.2	0.23	100	8437	98.43	35.7
2023-02-26 14:50:00	137.4	0	0	0	287	9.04	13.53	35.7	69.2	98.45	-0.4	-0.7	0	36	0.22	100	8437	98.43	35.5
2023-02-26 14:55:00	157.8	0.00134	0	0	289	8.57	14.38	35.6	69.7	98.45	-0.7	-0.3	0.08	36	0.21	100	8436	98.43	35.5
2023-02-26 15:00:00	188.4	0	0	0	288	9.89	15.86	35.8	69.5	98.45	-0.9	-0.5	0	36.2	0.22	100	8437	98.42	35.5
2023-02-26 15:05:00	140.8	0	0	0	287	9.91	15.19	36	68.7	98.46	-0.8	-0.5	0	36.4	0.22	100	8434	98.43	35.6
2023-02-26 15:10:00	151.6	0	0	0	280	6.91	11.27	36	68.5	98.46	-0.8	-0.8	0	36.3	0.23	100	8437	98.44	35.5
2023-02-26 15:15:00	132.6	0	0	0	286	7.99	16.31	35.8	70.1	98.47	-0.8	-0.6	0	36.2	0.21	100	8435	98.45	35.5
2023-02-26 15:20:00	150.6	0	0	0	288	9.57	17.05	35.8	69.7	98.47	-0.9	-0.7	0	36.2	0.22	100	8434	98.45	35.5
2023-02-26 15:25:00	168.6	0	0	0	289	10.25	14.43	35.7	69.9	98.47	-0.9	-0.6	0	36.2	0.21	100	8436	98.45	35.5
2023-02-26 15:30:00	114.2	0	0	0	287	9.55	15.21	35.7	69.4	98.48	-0.6	-0.5	0	36	0.22	100	8437	98.45	35.4
2023-02-26 15:35:00	76.8	0	0	0	292	8.32	13.11	35.6	70.3	98.47	-0.9	-0.4	0	35.9	0.21	100	8431	98.45	35.2
2023-02-26 15:40:00	94.6	0	0	0	287	8.03	12.19	35.5	71.3	98.47	-0.6	-0.6	0	35.7	0.2	100	8432	98.45	35.1
2023-02-26 15:45:00	87	0	0	0	290	10.36	15.97	35.3	70.4	98.48	-1.3	-0.9	0	35.6	0.21	100	8432	98.45	35
2023-02-26 15:50:00	77.8	0	0	0	292	12.17	18.3	35.3	69.8	98.48	-1	0.4	0	35.5	0.21	100	8430	98.44	35
2023-02-26 15:55:00	142.6	0	0	0	282	9.37	16.46	35.2	70.4	98.48	-0.9	-0.5	0	35.6	0.21	100	8431	98.44	35
2023-02-26 16:00:00	70.8	0	0	0	285	10.16	17	35.4	70.6	98.48	-0.1	-1	0	35.6	0.21	100	8430	98.45	34.9
2023-02-26 16:05:00	41.8	0	0	0	284	10.42	15.68	35.3	70.2	98.49	-1.3	-0.5	0	35.4	0.21	100	8426	98.47	34.8
2023-02-26 16:10:00	44.2	0	0	0	286	8.3	14.16	35.1	71	98.49	-1.6	-0.9	0	35.2	0.2	100	8426	98.47	34.7
2023-02-26 16:15:00	37.2	0	0	0	291	9.98	13.2	35	72	98.5	-1.2	-0.4	0	35.1	0.19	100	8426	98.48	34.5
2023-02-26 16:20:00	32.8	0	0	0	289	9.53	16.13	34.8	72.3	98.5	-0.7	-0.8	0	34.9	0.19	100	8424	98.48	34.4
2023-02-26 16:25:00	31.2	0	0	0	293	8.63	12.33	34.8	71.8	98.5	-0.9	-0.5	0	34.9	0.19	100	8422	98.48	34.4
2023-02-26 16:30:00	36.6	0	0	0	291	10.09	17.18	34.8	71.8	98.5	-1	-0.9	0	35	0.19	100	8418	98.48	34.3
2023-02-26 16:35:00	42	0	0	0	293	9.6	14.38	34.8	72.2	98.51	-0.8	-0.6	0	34.9	0.19	100	8422	98.48	34.3
2023-02-26 16:40:00	35	0	0	0	293	10.18	14.92	34.8	72	98.51	-0.7	-0.3	0	34.9	0.19	100	8418	98.48	34.3
2023-02-26 16:45:00	39.2	0	0	0	290	9.4	15.26	34.7	71.9	98.51	-0.8	-0.6	0	34.8	0.19	100	8421	98.49	34.2
2023-02-26 16:50:00	31.8	0	0	0	285	8.34	14.07	34.6	72.3	98.52	-0.8	-0.4	0	34.7	0.19	100	8415	98.49	34
2023-02-26 16:55:00	29.8	0	0	0	289	10.92	17.4	34.7	72.1	98.53	-1	-0.6	0	34.7	0.19	100	8415	98.5	34
2023-02-26 17:00:00	31	0	0	0	290	10.96	19.04	34.7	72	98.53	-0.6	-0.2	0	34.8	0.19	100	8414	98.5	34
2023-02-26 17:05:00	28.6	0	0	0	284	9.62	14.41	34.7	72.1	98.54	-0.7	-0.7	0	34.7	0.19	100	8412	98.51	34
2023-02-26 17:10:00	25.4	0	0	0	283	10.27	14.43	34.7	72	98.54	-1	-0.6	0	34.7	0.19	100	8415	98.51	34
2023-02-26 17:15:00	17.4	0	0	0	285	10.49	17.72	34.6	72.2	98.55	-0.6	0	0	34.6	0.19	100	8412	98.52	33.9
2023-02-26 17:20:00	12.4	0	0	0	287	7.92	16.13	34.7	72.1	98.55	-0.3	-0.7	0	34.7	0.19	100	8409	98.53	33.9
2023-02-26 17:25:00	9.2	0	0	0	287	7.58	15.39	34.6	72.3	98.56	-0.8	-0.5	0	34.6	0.19	100	8411	98.54	33.8
2023-02-26 17:30:00	6.6	0	0	0	284	7.81	12.5	34.5	72.9	98.57	-0.5	-0.5	0	34.5	0.18	100	8408	98.54	33.7
2023-02-26 17:35:00	5.4	0	0	0	286	7.83	14.74	34.4	72.7	98.57	-1	-0.4	0	34.5	0.18	100	8409	98.55	33.6
2023-02-26 17:40:00	4	0	0	0	285	9.33	14.79	34.4	73.4	98.58	-1	-0.6	0	34.4	0.18	100	8407	98.55	33.6
2023-02-26 17:45:00	2	0	0	0	287	8.19	12.93	34.3	73.9	98.58	-0.8	-0.7	0	34.3	0.18	100	8403	98.56	33.5
2023-02-26 17:50:00	1	0	0	0	288	7.67	10.56	34.3	74.7	98.6	-0.8	-0.5	0	34.3	0.17	100	8403	98.57	33.4
2023-02-26 17:55:00	0.2	0	0	0	288	8.66	15.19	34.2	74.9	98.6	-0.7	-0.6	0	34.2	0.17	100	8403	98.57	33.3
2023-02-26 18:00:00	0	0	0	0	293	9.84	14.47	34.1	75.3	98.6	-0.4	-0.5	0	34.1	0.16	100	8403	98.58	33.3
2023-02-26 18:05:00	0	0	0	0	291	8.84	14.88	34.1	75.1	98.62	-1	-0.5	0	34.1	0.17	100	8399	98.6	33.3
2023-02-26 18:10:00	0	0	0	0	298	8.59	12.41	34.1	75.9	98.63	-1.1	-0.4	0	34.1	0.16	100	8400	98.6	33.2
2023-02-26 18:15:00	0	0	0	0	304	10.85	15.5	34.1	75.3	98.63	-0.7	-0.4	0	34.1	0.16	100	8401	98.61	33.2
2023-02-26 18:20:00	0	0	0	0	302	8.48	14.43	34	74.3	98.65	-0.7	-0.5	0	34	0.17	100	8399	98.63	33.2
2023-02-26 18:25:00	0	0	0	0	310	9.1	14.14	34	72.3	98.66	-0.8	-0.4	0	34	0.18	100	8400	98.64	33.1
2023-02-26 18:30:00	0	0	0	0	312	13.94	18.9	33.9	69.1	98.66	-0.8	-1	0	33.9	0.2	100	8396	98.64	33
2023-02-26 18:35:00	0	0	0	0	312	13.33	20.76	33.8	67.7	98.67	-1.2	-0.5	0	33.8	0.21	100	8397	98.64	32.9

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-26 18:40:00	0	0	0	0	304	11.63	16.84	33.7	66.8	98.68	-1	-0.7	0	33.7	0.22	100	8393	98.65	32.7
2023-02-26 18:45:00	0	0	0	0	303	12.44	17.9	33.5	66.6	98.68	-1.1	-0.4	0	33.5	0.22	100	8396	98.65	32.5
2023-02-26 18:50:00	0	0	0	0	308	13.22	18.37	33.4	66.3	98.68	-0.9	-0.5	0	33.3	0.22	100	8393	98.66	32.3
2023-02-26 18:55:00	0	0	0	0	302	12.8	19.04	33.2	66.9	98.68	-0.9	-0.6	0	33.2	0.21	100	8394	98.66	32.2
2023-02-26 19:00:00	0	0	0	0	311	10.89	16.87	33	67.4	98.7	-0.7	-0.3	0	33	0.21	100	8395	98.68	32
2023-02-26 19:05:00	0	0	0	0	310	10.85	16.35	32.9	68	98.7	-0.8	-0.4	0	32.9	0.2	100	8389	98.68	31.8
2023-02-26 19:10:00	0	0	0	0	313	15.7	25.95	32.6	68.6	98.7	-1.2	-0.3	0	32.6	0.2	100	8390	98.67	31.7
2023-02-26 19:15:00	0	0	0	0	308	14.23	22.06	32.4	68.7	98.7	-1.3	-0.6	0	32.4	0.19	100	8391	98.68	31.6
2023-02-26 19:20:00	0	0	0	0	312	12.86	17.36	32.4	69.2	98.71	-0.8	-0.5	0	32.4	0.19	100	8387	98.69	31.5
2023-02-26 19:25:00	0	0	0	0	301	13.58	20.94	32.2	69.9	98.72	-1.4	-0.7	0	32.2	0.19	100	8387	98.7	31.3
2023-02-26 19:30:00	0	0	0	0	305	14.25	21.25	32.1	69	98.72	-0.9	-0.6	0	32.1	0.19	100	8388	98.7	31.2
2023-02-26 19:35:00	0	0	0	0	307	13	19.17	32	69.3	98.72	-1.5	0	0	32	0.19	100	8383	98.69	31
2023-02-26 19:40:00	0	0	0	0	303	13.02	20.07	31.9	69.1	98.73	-1.3	-0.3	0	31.9	0.19	100	8384	98.71	30.9
2023-02-26 19:45:00	0	0	0	0	305	12.5	20.2	31.7	69.6	98.73	-1.2	-1	0	31.7	0.18	100	8385	98.71	30.7
2023-02-26 19:50:00	0	0	0	0	305	12.01	17.78	31.6	69.8	98.74	-0.5	-0.9	0	31.6	0.18	100	8383	98.72	30.6
2023-02-26 19:55:00	0	0	0	0	311	11.52	18.54	31.5	70.3	98.75	-0.9	-0.6	0	31.5	0.18	100	8381	98.73	30.6
2023-02-26 20:00:00	0	0	0	0	317	17.81	24.58	31.5	70.3	98.74	-0.1	-1	0	31.5	0.18	100	8383	98.72	30.7
2023-02-26 20:05:00	0	0	0	0	313	17.25	23.29	31.5	69.7	98.76	-0.8	-0.3	0	31.5	0.18	100	8380	98.74	30.8
2023-02-26 20:10:00	0	0	0	0	319	17.49	28.1	31.7	69.2	98.76	-1.7	-1	0	31.7	0.19	100	8381	98.75	30.9
2023-02-26 20:15:00	0	0	0	0	315	17.11	26.04	31.7	68.1	98.78	-1.1	-0.5	0	31.7	0.19	100	8380	98.76	30.9
2023-02-26 20:20:00	0	0	0	0	320	14	21.7	31.7	68.2	98.78	-1.3	-0.7	0	31.7	0.19	100	8379	98.77	30.8
2023-02-26 20:25:00	0	0	0	0	313	16.6	26.53	31.6	68.1	98.8	-0.4	-0.1	0	31.6	0.19	100	8380	98.78	30.8
2023-02-26 20:30:00	0	0	0	0	315	18.99	26.33	31.5	67.5	98.8	-0.2	-0.6	0	31.5	0.19	100	8379	98.8	30.8
2023-02-26 20:35:00	0	0	0	0	319	16.91	26.26	31.5	66.8	98.83	-0.8	-0.2	0	31.5	0.2	100	8377	98.8	30.7
2023-02-26 20:40:00	0	0	0	0	324	21.88	31.09	31.4	67.2	98.81	-1.2	-0.2	0	31.4	0.2	100	8379	98.8	30.6
2023-02-26 20:45:00	0	0	0	0	319	16.53	24.61	31.2	67.6	98.82	-0.8	0.4	0	31.2	0.19	100	8379	98.81	30.5
2023-02-26 20:50:00	0	0	0	0	320	17.74	26.66	31	68.1	98.83	-0.8	-0.6	0	31	0.19	100	8375	98.82	30.3
2023-02-26 20:55:00	0	0	0	0	320	18.34	27.54	30.8	66.9	98.83	-2.1	-1.7	0	30.8	0.19	100	8376	98.82	30.1
2023-02-26 21:00:00	0	0	0	0	321	18.25	26.44	30.6	67.5	98.84	-0.3	-0.7	0	30.6	0.19	100	8372	98.82	29.8
2023-02-26 21:05:00	0	0	0	0	319	13.53	18.61	30.4	67.8	98.86	-0.8	-0.6	0	30.4	0.18	100	8376	98.84	29.6
2023-02-26 21:10:00	0	0	0	0	317	15.68	21.23	30.2	67.6	98.87	-1.6	-0.3	0	30.2	0.18	100	8374	98.85	29.3
2023-02-26 21:15:00	0	0	0	0	312	15.01	20.58	29.9	67.4	98.86	-0.6	-0.5	0	29.9	0.18	100	8374	98.85	29.1
2023-02-26 21:20:00	0	0	0	0	318	14.45	22.59	29.8	67.9	98.86	-1.6	-0.3	0	29.8	0.18	100	8375	98.84	28.9
2023-02-26 21:25:00	0	0	0	0	319	17.11	22.3	29.6	66.7	98.86	-0.9	-0.4	0	29.6	0.18	100	8373	98.85	28.7
2023-02-26 21:30:00	0	0	0	0	317	14.65	24.45	29.4	67.2	98.87	-0.7	-0.7	0	29.4	0.18	100	8375	98.86	28.6
2023-02-26 21:35:00	0	0	0	0	318	12.24	17.13	29.3	66.7	98.87	-1.1	-0.7	0	29.3	0.18	100	8371	98.86	28.4
2023-02-26 21:40:00	0	0	0	0	319	13.06	16.87	29.2	66.4	98.87	-0.8	-0.4	0	29.2	0.18	100	8368	98.86	28.2
2023-02-26 21:45:00	0	0	0	0	319	13.4	22.32	29	66.5	98.87	-0.6	-0.7	0	29	0.18	100	8373	98.86	28
2023-02-26 21:50:00	0	0	0	0	314	13.2	23.33	28.9	66.8	98.87	-1.2	-0.5	0	28.9	0.18	100	8368	98.87	28
2023-02-26 21:55:00	0	0	0	0	312	12.62	16.96	28.8	66.8	98.88	-0.8	-0.6	0	28.8	0.18	100	8369	98.87	27.9
2023-02-26 22:00:00	0	0	0	0	308	15.64	23.62	28.8	66.5	98.88	-0.9	-0.5	0	28.8	0.18	100	8369	98.87	27.8
2023-02-26 22:05:00	0	0	0	0	313	14.67	19.77	28.8	66.7	98.89	-0.8	-0.5	0	28.8	0.18	100	8368	98.88	27.8
2023-02-26 22:10:00	0	0	0	0	316	13.58	22.21	28.8	67.1	98.9	-1	-0.7	0	28.8	0.18	100	8366	98.89	27.7
2023-02-26 22:15:00	0	0	0	0	312	13.22	19.28	28.7	66	98.9	-0.9	-0.7	0	28.7	0.18	100	8367	98.89	27.7
2023-02-26 22:20:00	0	0	0	0	315	14.09	21.27	28.8	66.1	98.91	-1.3	-0.6	0	28.8	0.18	100	8365	98.89	27.7
2023-02-26 22:25:00	0	0	0	0	315	13.56	19.3	28.7	65.8	98.91	-1.2	-0.4	0	28.8	0.18	100	8365	98.89	27.7
2023-02-26 22:30:00	0	0	0	0	316	14.65	19.53	28.7	66.2	98.9	-0.6	-0.8	0	28.7	0.18	100	8365	98.88	27.6
2023-02-26 22:35:00	0	0	0	0	314	13.44	21.54	28.7	66.3	98.9	-1.1	-0.4	0	28.7	0.18	100	8364	98.89	27.6
2023-02-26 22:40:00	0	0	0	0	308	13.6	17.96	28.7	66.2	98.9	-1.4	-0.5	0	28.7	0.18	100	8367	98.88	27.6
2023-02-26 22:45:00	0	0	0	0	309	13.22	18.14	28.7	66.4	98.89	-1.1	-0.1	0	28.7	0.18	100	8365	98.88	27.6
2023-02-26 22:50:00	0	0	0	0	309	12.66	17.6	28.6	66.1	98.89	-1	-0.6	0	28.7	0.18	100	8361	98.88	27.5
2023-02-26 22:55:00	0	0	0	0	312	11.48	20.31	28.5	66.8	98.9	-1.4	-0.3	0	28.5	0.18	100	8362	98.88	27.5
2023-02-26 23:00:00	0	0	0	0	311	10.92	15.84	28.5	67.6	98.9	-1.1	-0.6	0	28.4	0.17	100	8363	98.88	27.4
2023-02-26 23:05:00	0	0	0	0	307	10.2	13.89	28.5	67.6	98.89	-1.1	-0.4	0	28.5	0.17	100	8361	98.88	27.3
2023-02-26 23:10:00	0	0	0	0	308	10.16	13.78	28.4	67.6	98.89	-1.1	-0.5	0	28.4	0.17	100	8361	98.88	27.3
2023-02-26 23:15:00	0	0	0	0	307	14.05	18.28	28.4	68.2	98.88	-0.9	-0.7	0	28.4	0.17	100	8360	98.87	27.3
2023-02-26 23:20:00	0	0	0	0	305	10.96	16.93	28.4	67.9	98.9	-1	-0.2	0	28.4	0.17	100	8359	98.88	27.4
2023-02-26 23:25:00	0	0	0	0	310	10.02	14.16	28.4	68.3	98.91	-1	-0.6	0	28.4	0.17	100	8358	98.9	27.5
2023-02-26 23:30:00	0	0	0	0	310	9.71	14.12	28.4	68.1	98.93	-1	-0.4	0	28.5	0.17	100	8359	98.92	27.5
2023-02-26 23:35:00	0	0	0	0	303	9.64	13.35	28.5	67.8	98.94	-0.8	-0.3	0	28.5	0.17	100	8357	98.93	27.6
2023-02-26 23:40:00	0	0	0	0	306	8.88	12.19	28.6	68.1	98.95	-0.8	-0.7	0	28.6	0.17	100	8357	98.94	27.6
2023-02-26 23:45:00	0	0	0	0	302	7.65	10.71	28.4	68.5	98.96	-1	-0.6	0	28.5	0.17	100	8357	98.95	27.6
2023-02-26 23:50:00	0	0	0	0	304	7.94	10.6	28.4	70	98.97	-0.9	-0.4	0	28.5	0.16	100	8357	98.95	27.6
2023-02-26 23:55:00	0	0	0	0	307	9.44	13.82	28.5	69.9	98.96	-1	-0.5	0	28.5	0.16	100	8355	98.95	27.6

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-27 00:00:00	0	0	0	0	310	9.84	15.39	28.5	69.9	98.96	-0.9	-0.5	0	28.5	0.16	100	8355	98.95	27.6
2023-02-27 00:05:00	0	0	0	0	310	8.25	11.79	28.5	69.7	98.96	-1	-0.5	0	28.5	0.16	100	8328	98.95	27.8
2023-02-27 00:10:00	0	0	0	0	313	9.31	14.32	28.5	69.9	98.97	-1.3	-0.3	0	28.5	0.16	100	8320	98.96	28
2023-02-27 00:15:00	0	0	0	0	316	7.87	14.25	28.6	69.6	98.96	-0.9	-0.6	0	28.6	0.16	100	8308	98.96	28.2
2023-02-27 00:20:00	0	0	0	0	308	7.34	9.66	28.5	69.9	98.97	-1.2	-0.4	0	28.5	0.16	100	8322	98.97	28.1
2023-02-27 00:25:00	0	0	0	0	313	7.47	12.71	28.5	69.9	98.99	-0.9	-0.3	0	28.5	0.16	100	8327	98.98	28
2023-02-27 00:30:00	0	0	0	0	316	8.88	11.99	28.5	69.9	98.98	-0.9	-0.5	0	28.5	0.16	100	8329	98.98	27.9
2023-02-27 00:35:00	0	0	0	0	317	9.46	14.81	28.6	71.1	98.99	-1	-0.5	0	28.6	0.15	100	8328	98.97	27.8
2023-02-27 00:40:00	0	0	0	0	325	12.71	19.28	28.6	71.1	98.97	-1.1	-0.6	0	28.5	0.15	100	8331	98.97	27.8
2023-02-27 00:45:00	0	0	0	0	319	10.58	16.24	28.6	71	98.99	-0.8	-0.5	0	28.6	0.15	100	8333	98.98	27.8
2023-02-27 00:50:00	0	0	0	0	318	10.92	15.64	28.5	71.3	98.98	-1	-0.4	0	28.5	0.15	100	8330	98.97	27.7
2023-02-27 00:55:00	0	0	0	0	317	9.1	14.07	28.6	70.7	98.99	-0.9	-0.5	0	28.6	0.16	100	8329	98.98	27.7
2023-02-27 01:00:00	0	0	0	0	318	11.34	18.99	28.5	70.4	98.99	-0.9	-0.4	0	28.5	0.16	100	8333	98.98	27.6
2023-02-27 01:05:00	0	0	0	0	316	11.01	16.69	28.4	70.1	98.99	-0.7	-0.6	0	28.4	0.16	100	8328	98.98	27.5
2023-02-27 01:10:00	0	0	0	0	316	12.5	17.6	28.4	68.7	98.99	-1	-0.4	0	28.4	0.16	100	8327	98.98	27.5
2023-02-27 01:15:00	0	0	0	0	318	10.56	17.27	28.4	69.4	99	-0.9	-0.6	0	28.4	0.16	100	8331	98.99	27.5
2023-02-27 01:20:00	0	0	0	0	318	10.47	14.16	28.3	69	99	-1.1	-0.5	0	28.3	0.16	100	8330	99	27.4
2023-02-27 01:25:00	0	0	0	0	319	10.4	15.08	28.3	68.6	99.01	-1.1	-0.4	0	28.3	0.16	100	8329	99.01	27.3
2023-02-27 01:30:00	0	0	0	0	324	10.6	17.96	28.1	68.9	99.02	-1.1	-0.6	0	28.1	0.16	100	8329	99.01	27.3
2023-02-27 01:35:00	0	0	0	0	321	10.63	15.12	28.2	69.2	99.03	-1	-0.5	0	28.2	0.16	100	8329	99.02	27.2
2023-02-27 01:40:00	0	0	0	0	320	11.12	14.72	28	69.2	99.03	-1	-0.3	0	28	0.16	100	8331	99.03	27.2
2023-02-27 01:45:00	0	0	0	0	321	10.11	16.53	28.1	69	99.05	-1	-0.7	0	28.1	0.16	100	8330	99.04	27.2
2023-02-27 01:50:00	0	0	0	0	325	12.19	18.61	28	69.2	99.06	-1	-0.4	0	28.1	0.16	100	8330	99.05	27.2
2023-02-27 01:55:00	0	0	0	0	323	8.43	11.36	28.1	70.1	99.07	-1.1	-0.6	0	28.1	0.16	100	8327	99.07	27.2
2023-02-27 02:00:00	0	0	0	0	317	11.56	18.72	28	69.7	99.08	-0.9	-0.6	0	28	0.16	100	8328	99.07	27.2
2023-02-27 02:05:00	0	0	0	0	322	12.1	19.26	28	70.4	99.06	-0.9	-0.4	0	28	0.15	100	8329	99.05	27.2
2023-02-27 02:10:00	0	0	0	0	324	8.75	11.12	28	71.3	99.07	-1	-0.6	0	28	0.15	100	8327	99.06	27.1
2023-02-27 02:15:00	0	0	0	0	326	8.9	13.06	27.9	71.7	99.08	-1.2	-0.4	0	27.9	0.15	100	8329	99.07	27
2023-02-27 02:20:00	0	0	0	0	333	10.38	13.94	27.8	71.9	99.07	-0.9	-0.6	0	27.8	0.14	100	8329	99.07	26.9
2023-02-27 02:25:00	0	0	0	0	324	9.93	14.9	27.6	71.9	99.08	-1.2	-0.5	0	27.7	0.14	100	8327	99.07	26.9
2023-02-27 02:30:00	0	0	0	0	333	9.69	13.91	27.6	71.5	99.07	-0.9	-0.3	0	27.6	0.15	100	8327	99.06	26.8
2023-02-27 02:35:00	0	0	0	0	326	9.42	13.4	27.6	71.8	99.07	-1.2	-0.5	0	27.6	0.14	100	8324	99.06	26.7
2023-02-27 02:40:00	0	0	0	0	324	9.6	14.85	27.5	72.8	99.07	-0.9	-0.4	0	27.5	0.14	100	8323	99.06	26.7
2023-02-27 02:45:00	0	0	0	0	329	11.52	16.64	27.4	71.1	99.06	-1.1	-0.5	0	27.4	0.15	100	8324	99.05	26.6
2023-02-27 02:50:00	0	0	0	0	332	10.2	15.57	27.3	71.8	99.06	-1	-0.7	0	27.3	0.14	100	8324	99.06	26.5
2023-02-27 02:55:00	0	0	0	0	334	7.23	10.85	27.1	72.6	99.06	-1	-0.6	0	27.1	0.14	100	8326	99.06	26.3
2023-02-27 03:00:00	0	0	0	0	336	9.82	14.43	27.1	73.7	99.06	-1.1	-0.5	0	27	0.13	100	8326	99.05	26
2023-02-27 03:05:00	0	0	0	0	335	9.1	13.89	26.8	72.9	99.05	-1.1	-0.5	0	26.8	0.13	100	8321	99.05	25.8
2023-02-27 03:10:00	0	0	0	0	332	7.72	11.83	26.5	73.7	99.05	-1	-0.4	0	26.5	0.13	100	8324	99.05	25.4
2023-02-27 03:15:00	0	0	0	0	336	6.13	8.25	26.3	74.3	99.05	-1.1	-0.6	0	26.3	0.12	100	8323	99.05	25.1
2023-02-27 03:20:00	0	0	0	0	330	5.64	7.11	26.1	74.9	99.06	-1.1	-0.4	0	26.1	0.12	100	8320	99.06	24.8
2023-02-27 03:25:00	0	0	0	0	325	5.57	8.9	25.8	75.9	99.07	-1.1	-0.3	0	25.8	0.11	100	8322	99.07	24.6
2023-02-27 03:30:00	0	0	0	0	317	4.88	6.44	25.7	76.4	99.07	-1.2	-0.4	0	25.7	0.11	100	8321	99.07	24.5
2023-02-27 03:35:00	0	0	0	0	320	5.7	7.85	25.6	76.6	99.07	-1	-0.6	0	25.6	0.11	100	8320	99.06	24.4
2023-02-27 03:40:00	0	0	0	0	321	6.06	7.9	25.4	77.1	99.06	-1.2	-0.4	0	25.4	0.11	100	8321	99.05	24.4
2023-02-27 03:45:00	0	0	0	0	323	5.84	9.13	25.5	76.9	99.06	-1.1	-0.4	0	25.5	0.11	100	8320	99.05	24.4
2023-02-27 03:50:00	0	0	0	0	330	5.59	7.34	25.6	76.6	99.06	-1	-0.4	0	25.6	0.11	100	8317	99.05	24.5
2023-02-27 03:55:00	0	0	0	0	323	5.39	7.23	25.6	76.7	99.05	-1.1	-0.5	0	25.5	0.11	100	8317	99.05	24.4
2023-02-27 04:00:00	0	0	0	0	331	5.88	7.23	25.5	76.8	99.05	-1.1	-0.4	0	25.5	0.11	100	8320	99.05	24.3
2023-02-27 04:05:00	0	0	0	0	344	4.72	7.54	25.4	77.2	99.06	-1.1	-0.4	0	25.5	0.11	100	8320	99.05	24.3
2023-02-27 04:10:00	0	0	0	0	346	3.78	6.78	25.5	77.8	99.06	-1.2	-0.4	0	25.4	0.1	100	8318	99.05	24.2
2023-02-27 04:15:00	0	0	0	0	351	2.86	6.62	25.3	78.4	99.05	-1.1	-0.5	0	25.3	0.1	100	8319	99.05	24.2
2023-02-27 04:20:00	0	0	0	0	355	2.75	5.99	25.2	78.3	99.06	-1.1	-0.5	0	25.2	0.1	100	8317	99.05	24.1
2023-02-27 04:25:00	0	0	0	0	4	1.63	4.94	25.1	78.3	99.07	-1.1	-0.6	0	25.1	0.1	100	8317	99.06	23.9
2023-02-27 04:30:00	0	0	0	0	354	2.98	7.02	25	78.6	99.07	-1	-0.5	0	25	0.1	100	8317	99.06	23.7
2023-02-27 04:35:00	0	0	0	0	355	2.48	6.24	24.8	79.3	99.07	-1.2	-0.5	0	24.8	0.09	100	8314	99.06	23.5
2023-02-27 04:40:00	0	0	0	0	34	0.85	3.24	24.6	79.9	99.06	-1.1	-0.5	0	24.6	0.09	100	8315	99.05	23.4
2023-02-27 04:45:00	0	0	0	0	63	1.01	4	24.5	80.1	99.05	-1.2	-0.5	0	24.5	0.09	100	8315	99.05	23.3
2023-02-27 04:50:00	0	0	0	0	46	1.01	4.54	24.3	80.7	99.04	-1.1	-0.5	0	24.3	0.09	100	8314	99.04	23.3
2023-02-27 04:55:00	0	0	0	0	74	0.83	6.87	24.3	80.9	99.04	-1.1	-0.3	0	24.3	0.09	100	8316	99.04	23.3
2023-02-27 05:00:00	0	0	0	0	190	0.65	1.5	24.4	80.6	99.04	-1.1	-0.4	0	24.4	0.09	100	8317	99.04	23.3
2023-02-27 05:05:00	0	0	0	0	215	0.49	1.1	24.3	81	99.04	-1.3	-0.4	0	24.3	0.08	100	8311	99.04	23.3
2023-02-27 05:10:00	0	0	0	0	247	0.47	0.85	24.2	81.2	99.04	-1.1	-0.4	0	24.2	0.08	100	8313	99.04	23.2
2023-02-27 05:15:00	0	0	0	0	229	0.51	0.78	24.1	81.5	99.05	-1.1	-0.4	0	24.1	0.08	100	8314	99.05	23.1

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-27 05:20:00	0	0	0	0	202	0.49	1.05	24.1	81.6	99.05	-1.1	-0.5	0	24.1	0.08	100	8312	99.04	23.1
2023-02-27 05:25:00	0	0	0	0	223	0.63	1.1	24.1	81.5	99.03	-1.2	-0.4	0	24.1	0.08	100	8313	99.03	23.1
2023-02-27 05:30:00	0	0	0	0	213	0.6	1.07	24	82	99.02	-1.2	-0.5	0	23.9	0.08	100	8313	99.02	23.1
2023-02-27 05:35:00	0	0	0	0	236	0.87	1.43	24.1	81.6	99	-1.2	-0.4	0	24.1	0.08	100	8312	99	23.1
2023-02-27 05:40:00	0	0	0	0	221	0.78	1.34	24	82	98.99	-1.2	-0.4	0	24	0.08	100	8313	98.99	23
2023-02-27 05:45:00	0	0	0	0	230	0.81	1.36	24	82	98.98	-1.2	-0.6	0	24	0.08	100	8314	98.98	22.8
2023-02-27 05:50:00	0	0	0	0	236	0.85	1.97	23.8	82	98.98	-1.1	-0.4	0	23.8	0.08	100	8309	98.98	22.6
2023-02-27 05:55:00	0	0	0	0	235	0.74	1.28	23.8	81.8	98.98	-1.2	-0.4	0	23.7	0.08	100	8311	98.98	22.5
2023-02-27 06:00:00	0	0	0	0	214	0.49	0.87	23.5	81.8	98.98	-1.2	-0.5	0	23.5	0.08	100	8311	98.98	22.2
2023-02-27 06:05:00	0	0	0	0	203	0.47	1.14	23.5	81.3	98.99	-1.2	-0.4	0	23.5	0.08	100	8307	98.99	22.1
2023-02-27 06:10:00	0	0	0	0	257	0.31	1.68	23.1	82.5	99.01	-1.3	-0.4	0	23.1	0.07	100	8308	99.01	21.9
2023-02-27 06:15:00	0	0	0	0	219	0.34	0.69	23	82.9	99	-1.2	-0.4	0	23	0.07	100	8310	98.99	21.7
2023-02-27 06:20:00	0	0	0	0	248	0.27	0.65	22.9	83.5	98.98	-1.3	-0.5	0	22.9	0.07	100	8306	98.98	21.5
2023-02-27 06:25:00	0	0	0	0	182	0.27	0.51	22.7	83.9	98.98	-1.3	-0.4	0	22.7	0.07	100	8306	98.97	21.3
2023-02-27 06:30:00	0.8	0	0	0	229	0.38	0.67	22.6	84.3	98.97	-1.2	-0.4	0	22.7	0.07	100	8305	98.97	21.3
2023-02-27 06:35:00	2	0	0	0	232	0.49	0.98	22.6	84.4	98.97	-1.2	-0.5	0	22.6	0.06	100	8306	98.97	21.3
2023-02-27 06:40:00	3.2	0	0	0	248	0.76	1.1	22.6	84.3	98.97	-1.3	-0.5	0	22.7	0.07	100	8306	98.98	21.4
2023-02-27 06:45:00	5.6	0	0	0	250	0.85	1.88	22.7	83.9	98.98	-1.2	-0.4	0	22.9	0.07	100	8308	98.99	21.3
2023-02-27 06:50:00	9.8	0	0	0	255	0.89	1.32	22.8	83.6	98.99	-1.3	-0.5	0	22.9	0.07	100	8308	98.99	21.3
2023-02-27 06:55:00	13.6	0	0	0	265	0.92	1.59	23	83.6	98.98	-1.1	-0.5	0	23	0.07	100	8305	98.98	21.4
2023-02-27 07:00:00	18.4	0	0	0	276	0.85	1.63	23	84.6	98.99	-1.1	-0.4	0	23.1	0.07	100	8308	98.98	21.4
2023-02-27 07:05:00	24.2	0	0	0	275	1.01	1.86	22.9	84.3	98.98	-1.2	-0.3	0	23.1	0.07	100	8308	98.98	21.4
2023-02-27 07:10:00	34.6	0	0	0	338	1.05	3	23.1	85.1	98.97	-1.2	-0.4	0	23.3	0.06	100	8309	98.98	21.6
2023-02-27 07:15:00	42	0	0	0	30	1.16	2.93	23.3	84.5	98.99	-1.2	-0.4	0	23.6	0.07	100	8314	98.99	21.7
2023-02-27 07:20:00	50.2	0	0	0	18	1.3	2.82	23.6	83.2	98.99	-1.2	-0.4	0	24	0.07	100	8317	99	21.9
2023-02-27 07:25:00	52.2	0	0	0	18	1.23	3.27	24	81.5	98.99	-1.2	-0.4	0	24.4	0.08	100	8320	99	22.2
2023-02-27 07:30:00	64.6	0	0	0	325	0.94	1.59	24	81.3	98.99	-1.2	-0.4	0	24.5	0.08	100	8329	98.99	22.4
2023-02-27 07:35:00	87	0	0	0	296	1.01	1.77	24.5	80.2	98.98	-1.2	-0.4	0	25.1	0.09	100	8336	98.99	22.7
2023-02-27 07:40:00	72.4	0	0	0	68	1.41	3.24	24.8	79.1	98.99	-1.1	-0.5	0	25.4	0.1	100	8339	98.99	23
2023-02-27 07:45:00	89.4	0	0	0	80	2.01	5.53	25.1	78.1	98.98	-1.1	-0.4	0	25.7	0.1	100	8349	98.99	23.4
2023-02-27 07:50:00	101	0	0	0	103	3.85	9.6	25.6	76.5	98.99	-1.3	-0.4	0	26.1	0.11	100	8356	99.01	23.7
2023-02-27 07:55:00	97	0	0	0	104	4.41	6.89	26.3	74.3	99.03	-1.1	-0.4	0	26.7	0.12	100	8365	99.04	24.1
2023-02-27 08:00:00	102.2	0	0	0	104	3.56	4.94	26.5	73.9	99.02	-1.1	-0.5	0	26.9	0.13	100	8376	99.03	24.5
2023-02-27 08:05:00	147	0	0	0	115	5.17	10.65	27.2	73.3	99.01	-1	-0.6	0	27.8	0.13	100	8386	99.02	24.9
2023-02-27 08:10:00	138.4	0	0	0	110	6.2	9.98	27.6	72.5	99.01	-1.1	-0.6	0	28.1	0.14	100	8396	99.03	25.3
2023-02-27 08:15:00	170.6	0	0	0	116	8.34	13.73	27.9	71.5	99.01	-1	-0.4	0	28.5	0.15	100	8409	99.02	25.7
2023-02-27 08:20:00	158.4	0	0	0	121	9.55	14.07	28.1	70.8	99.01	-1	-0.7	0	28.6	0.15	100	8414	99.03	26
2023-02-27 08:25:00	150.2	0	0	0	113	6.44	10.22	28.2	70.7	99.02	-0.8	-0.4	0	28.7	0.15	100	8422	99.03	26.2
2023-02-27 08:30:00	157	0	0	0	105	5.95	8.66	28.2	70.6	99.02	-1	-0.4	0	28.8	0.15	100	8429	99.03	26.4
2023-02-27 08:35:00	180.6	0	0	0	104	5.79	10.54	28.5	69.7	99	-1	-0.5	0	29.1	0.16	100	8436	99.02	26.7
2023-02-27 08:40:00	200	0	0	0	115	7.83	13.78	29	68.8	98.99	-1	-0.5	0	29.6	0.17	100	8449	99.02	26.9
2023-02-27 08:45:00	192	0	0	0	124	8.5	12.3	29.2	68.1	99	-0.8	-0.5	0	29.8	0.17	100	8456	99.01	27.2
2023-02-27 08:50:00	204	0	0	0	114	6.64	16.46	29.5	68.5	98.99	-0.9	-0.4	0	30.1	0.17	100	8463	99	27.4
2023-02-27 08:55:00	210.2	0	0	0	112	6.89	11.45	29.6	66.9	98.98	-1.1	-0.6	0	30.2	0.18	100	8471	99	27.7
2023-02-27 09:00:00	241	0	0	0	108	6.22	11.68	29.7	67.1	98.97	-1.1	-0.3	0	30.5	0.18	100	8482	98.99	27.9
2023-02-27 09:05:00	249.4	0	0	0	118	8.5	16.96	30.2	65.9	98.97	-0.9	-0.6	0	30.9	0.19	100	8489	99.01	28.2
2023-02-27 09:10:00	276.2	0	0	0	120	9.95	16.37	30.5	64.6	98.98	-0.9	-0.5	0	31.2	0.2	100	8498	99.01	28.3
2023-02-27 09:15:00	226.6	0	0	0	117	9.31	16.55	30.4	64.7	98.98	-1.1	-0.6	0	31	0.2	100	8501	99	28.5
2023-02-27 09:20:00	289.6	0	0	0	132	9.06	14.43	30.5	65.3	98.99	-1	-0.5	0	31.2	0.2	100	8514	99.02	28.6
2023-02-27 09:25:00	336.8	0	0	0	123	8.3	15.95	31.4	64	99.01	-0.9	-0.5	0	32.4	0.21	100	8527	99.04	29
2023-02-27 09:30:00	336.6	0	0	0	109	6.22	10.42	32	62.3	99.01	-1	-0.5	0	33	0.23	100	8537	99.04	29.4
2023-02-27 09:35:00	344.2	0	0	0	119	9.98	16.33	32.3	61.6	99.01	-0.9	-0.2	0	33.2	0.24	100	8545	99.05	29.7
2023-02-27 09:40:00	331.2	0	0	0	118	7.29	14.76	32.1	60.7	99.02	-0.9	-0.6	0	33	0.24	100	8551	99.05	29.9
2023-02-27 09:45:00	347.8	0	0	0	140	8.68	15.01	32.3	61.2	99.03	-0.7	-0.6	0	33.2	0.24	100	8560	99.06	30
2023-02-27 09:50:00	366.2	0	0	0	132	9.19	16.22	32.9	60.6	99.03	-0.9	-0.7	0	33.8	0.25	100	8567	99.07	30.3
2023-02-27 09:55:00	363.6	0	0	0	134	11.56	16.31	33.7	59.7	99.03	-0.9	-0.5	0	34.5	0.26	100	8575	99.07	30.7
2023-02-27 10:00:00	386.8	0	0	0	125	11.12	20.27	34	58.3	99.04	-0.9	-0.4	0	34.8	0.28	100	8586	99.07	30.9
2023-02-27 10:05:00	431.4	0	0	0	133	12.62	18.77	34.3	59.1	99.01	-0.8	-0.6	0	35.1	0.27	100	8590	99.05	31.1
2023-02-27 10:10:00	422.6	0	0	0	121	7.94	13.87	34.2	59.9	99.01	-0.7	-0.4	0	35.2	0.27	100	8595	99.04	31.3
2023-02-27 10:15:00	476.4	0	0	0	119	9.64	17.81	34.4	59.4	98.99	-0.8	-0.5	0	35.4	0.27	100	8601	99.03	31.6
2023-02-27 10:20:00	479.2	0	0	0	123	8.7	15.43	34.6	59.6	99.01	-0.7	-0.3	0	35.6	0.27	100	8602	99.04	31.9
2023-02-27 10:25:00	452.4	0	0	0	121	9.08	13.44	34.4	59.7	99.01	-0.9	-0.3	0	35.3	0.27	100	8600	99.03	32
2023-02-27 10:30:00	406.4	0	0	0	101	7.45	10.87	33.7	60.6	98.98	-0.7	-0.3	0	34.6	0.26	100	8602	98.99	32.1
2023-02-27 10:35:00	360.4	0	0	0	107	8.05	12.71	32.6	62.9	98.93	-0.9	-0.2	0	33.6	0.23	100	8594	98.94	32.1

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-27 10:40:00	375.4	0	0	0	108	8.03	13.29	32	63.3	98.93	-1	-0.5	0	32.9	0.22	100	8598	98.95	31.8
2023-02-27 10:45:00	394.2	0	0	0	109	9.19	15.05	31.9	64.1	98.92	-0.9	-0.4	0	32.9	0.22	100	8598	98.95	31.7
2023-02-27 10:50:00	460.6	0	0	0	127	12.75	22.37	32.5	62.3	98.92	-0.8	-0.6	0	33.3	0.23	100	8601	98.95	31.6
2023-02-27 10:55:00	460.8	0	0	0	117	10.65	17.9	32.9	62.2	98.9	-0.9	-0.6	0	33.8	0.24	100	8607	98.93	31.7
2023-02-27 11:00:00	486.6	0	0	0	112	10.67	14.47	33.5	61.3	98.9	-1	-0.3	0	34.4	0.25	100	8611	98.93	31.8
2023-02-27 11:05:00	465.8	0	0	0	104	8.01	13.49	33.9	60.9	98.89	-0.8	-0.6	0	34.9	0.26	100	8615	98.92	32.1
2023-02-27 11:10:00	470	0	0	0	101	9.08	13.78	34.1	60.1	98.88	-0.9	-0.4	0	35	0.27	100	8616	98.9	32.3
2023-02-27 11:15:00	494	0	0	0	114	10.74	18.07	34	59.8	98.85	-0.8	-0.5	0	35	0.27	100	8619	98.87	32.4
2023-02-27 11:20:00	487.4	0	0	0	112	12.19	25.12	34.2	59	98.83	-0.9	-0.8	0	35.1	0.27	100	8618	98.86	32.5
2023-02-27 11:25:00	421.4	0	0	0	122	13.35	20.31	34	60.2	98.83	-0.9	-0.4	0	34.8	0.26	100	8614	98.85	32.5
2023-02-27 11:30:00	408.4	0	0	0	117	17.67	27.58	33.5	59.7	98.81	-0.7	-0.3	0	34.2	0.26	100	8613	98.83	32.5
2023-02-27 11:35:00	416.8	0	0	0	126	18.03	23.87	33.3	60.4	98.81	-0.8	-0.4	0	34	0.25	100	8612	98.83	32.3
2023-02-27 11:40:00	413.4	0	0	0	116	14.81	21.18	33.3	60.7	98.82	-1	-0.8	0	33.9	0.25	100	8616	98.84	32.3
2023-02-27 11:45:00	357.4	0	0	0	124	17.92	27.72	33	61.3	98.82	-1	-0.5	0	33.7	0.25	100	8613	98.84	32.3
2023-02-27 11:50:00	330.8	0	0	0	122	15.01	23.13	32.6	62.4	98.83	-0.7	-0.6	0	33.3	0.24	100	8608	98.84	32.2
2023-02-27 11:55:00	327.4	0	0	0	117	12.33	18.01	32.4	63.8	98.81	-0.9	-0.4	0	33.1	0.22	100	8606	98.82	32.2
2023-02-27 12:00:00	331	0	0	0	126	19.48	25.59	32.4	63.9	98.79	-1	-0.4	0	33	0.22	100	8607	98.8	32.2
2023-02-27 12:05:00	322.4	0	0	0	119	13.94	21.45	32.4	64.2	98.76	-0.6	-0.5	0	33	0.22	100	8602	98.76	32.2
2023-02-27 12:10:00	310.8	0	0	0	124	18.05	22.7	32.4	63.6	98.74	-0.7	-0.5	0	32.9	0.23	100	8603	98.75	32.2
2023-02-27 12:15:00	297.6	0	0	0	116	14.32	20.83	32.4	64.2	98.74	-0.9	-0.3	0	32.9	0.22	100	8601	98.74	32.3
2023-02-27 12:20:00	311.6	0	0	0	115	13.78	22.44	32.4	64.7	98.72	-0.8	-0.7	0	33.1	0.22	100	8596	98.72	32.4
2023-02-27 12:25:00	337.6	0	0	0	122	16.02	19.93	32.7	63.7	98.71	-0.7	-0.7	0	33.3	0.23	100	8601	98.73	32.6
2023-02-27 12:30:00	357	0	0	0	120	15.14	23.4	33	64.7	98.7	-1	-0.6	0	33.8	0.23	100	8599	98.72	32.7
2023-02-27 12:35:00	365.2	0	0	0	114	13.51	20.38	33.3	64.1	98.68	-0.8	-0.3	0	34	0.23	100	8599	98.69	32.9
2023-02-27 12:40:00	357.8	0	0	0	106	13.82	21.03	33.5	62.9	98.65	-1	-0.5	0	34.2	0.24	100	8600	98.65	33.1
2023-02-27 12:45:00	383.4	0	0	0	112	14.74	21.97	33.6	63	98.63	-0.9	-0.5	0	34.3	0.24	100	8601	98.63	33.2
2023-02-27 12:50:00	395.6	0	0	0	118	18.57	26.26	33.8	62.4	98.6	-0.6	-0.5	0	34.5	0.25	100	8600	98.62	33.3
2023-02-27 12:55:00	411.8	0	0	0	112	14.41	23.11	34	63.2	98.6	-0.8	-0.5	0	34.6	0.24	100	8602	98.62	33.4
2023-02-27 13:00:00	405	0	0	0	117	20.83	29.46	34.2	62	98.6	-1.3	-0.5	0	34.9	0.25	100	8602	98.61	33.6
2023-02-27 13:05:00	354.6	0	0	0	120	19.19	26.57	34.2	61.7	98.57	-0.6	-0.5	0	34.8	0.26	100	8599	98.59	33.6
2023-02-27 13:10:00	326.2	0	0	0	101	14.12	19.51	34.2	62	98.56	-0.8	-0.2	0	34.8	0.25	100	8598	98.55	33.7
2023-02-27 13:15:00	286.2	0	0	0	104	13.47	23.85	34.1	62.9	98.56	-0.9	-0.4	0	34.8	0.25	100	8599	98.56	33.9
2023-02-27 13:20:00	266.6	0	0	0	118	19.89	25.64	34.1	62.1	98.52	-0.4	-0.4	0	34.5	0.25	100	8596	98.53	33.8
2023-02-27 13:25:00	268.4	0	0	0	107	15.32	22.79	33.9	62.2	98.51	-0.8	-0.5	0	34.4	0.25	100	8593	98.5	33.8
2023-02-27 13:30:00	254.2	0	0	0	109	18.68	26.13	33.8	61.2	98.48	-0.9	-1	0	34.2	0.25	100	8592	98.48	33.8
2023-02-27 13:35:00	234.4	0	0	0	109	17.45	22.82	33.8	61.3	98.48	-0.6	-0.8	0	34.3	0.25	100	8591	98.48	33.8
2023-02-27 13:40:00	242.8	0	0	0	112	16.6	23.13	33.7	61.3	98.46	-1	-0.4	0	34.1	0.25	100	8589	98.46	33.8
2023-02-27 13:45:00	280.6	0	0	0	111	17.58	22.08	33.9	61.6	98.44	-0.8	-0.4	0	34.4	0.25	100	8586	98.44	33.9
2023-02-27 13:50:00	289.6	0	0	0	106	15.99	21.25	34	60.8	98.43	-0.7	-0.2	0	34.6	0.26	100	8587	98.43	34.1
2023-02-27 13:55:00	294.4	0	0	0	114	16.84	24.45	34.3	61.4	98.42	-0.7	-0.6	0	35	0.26	100	8586	98.42	34.3
2023-02-27 14:00:00	345.2	0	0	0	105	11.9	15.39	34.6	60.7	98.41	-0.8	-0.3	0	35.3	0.27	100	8585	98.41	34.5
2023-02-27 14:05:00	486.2	0	0	0	109	15.64	21.68	35.5	59.7	98.39	-1	-0.5	0	36.3	0.28	100	8586	98.41	34.9
2023-02-27 14:10:00	440	0	0	0	121	18.97	29.01	36.3	58.7	98.38	-0.9	-0.4	0	37	0.3	100	8586	98.39	35.2
2023-02-27 14:15:00	429	0	0	0	120	19.3	27.42	36.5	57.7	98.36	-0.5	-0.6	0	37.1	0.31	100	8587	98.37	35.3
2023-02-27 14:20:00	380.2	0	0	0	110	18.32	27.07	36.8	56.5	98.35	-0.6	-0.6	0	37.4	0.32	100	8586	98.35	35.5
2023-02-27 14:25:00	307.4	0	0	0	104	18.07	27.92	36.6	57	98.33	-0.8	-0.3	0	37.1	0.32	100	8585	98.32	35.6
2023-02-27 14:30:00	277.2	0	0	0	106	17.65	22.88	36.2	57	98.32	-0.4	-0.5	0	36.8	0.31	100	8583	98.32	35.7
2023-02-27 14:35:00	225.4	0	0	0	104	18.25	22.91	35.9	56.9	98.32	-0.8	-0.4	0	36.4	0.31	100	8580	98.31	35.7
2023-02-27 14:40:00	279.2	0	0	0	109	20.74	25.05	35.8	57.3	98.3	-0.6	-0.6	0	36.2	0.3	100	8580	98.29	35.7
2023-02-27 14:45:00	263.4	0	0	0	120	18.7	24.92	35.9	58.4	98.3	-0.6	-0.4	0	36.4	0.3	100	8579	98.3	35.7
2023-02-27 14:50:00	213	0	0	0	119	18.63	26.08	35.9	58.5	98.28	-0.2	-0.8	0	36.4	0.3	100	8576	98.29	35.7
2023-02-27 14:55:00	198	0	0	0	114	19.24	26.69	35.9	58.5	98.27	-0.8	-0.5	0	36.3	0.3	100	8575	98.27	35.7
2023-02-27 15:00:00	189.6	0	0	0	116	20.36	25.43	36	58.1	98.27	-0.9	-0.3	0	36.3	0.3	100	8573	98.27	35.7
2023-02-27 15:05:00	162	0	0	0	111	19.06	23.96	35.9	57.4	98.26	-0.7	-0.2	0	36.2	0.3	100	8570	98.26	35.7
2023-02-27 15:10:00	150.6	0	0	0	106	16.4	22.59	35.9	57.7	98.26	-0.7	-0.4	0	36.2	0.3	100	8567	98.25	35.7
2023-02-27 15:15:00	142.4	0	0	0	109	17.9	24.54	35.9	57.8	98.25	-0.8	-0.4	0	36.1	0.3	100	8566	98.24	35.8
2023-02-27 15:20:00	119.2	0	0	0	106	16.35	24.54	36	58.1	98.22	-0.8	-0.7	0	36.2	0.3	100	8564	98.21	35.8
2023-02-27 15:25:00	110.4	0	0	0	101	18.19	24.47	35.9	58.2	98.21	-0.1	-0.9	0	36.1	0.3	100	8561	98.19	35.8
2023-02-27 15:30:00	104.4	0	0	0	96	14.18	18.01	35.9	58.1	98.21	-0.6	-0.6	0	36	0.3	100	8560	98.19	35.8
2023-02-27 15:35:00	77.4	0	0	0	96	14.16	22.75	35.9	58.5	98.19	-0.6	-0.6	0	36.1	0.3	100	8558	98.17	35.8
2023-02-27 15:40:00	69.8	0	0	0	88	13.04	21.7	35.9	57.7	98.18	-0.8	-0.3	0	36	0.3	100	8554	98.16	35.8
2023-02-27 15:45:00	84	0	0	0	91	12.06	19.98	35.7	58.4	98.17	-0.9	-0.4	0	35.9	0.29	100	8551	98.15	35.7
2023-02-27 15:50:00	97	0	0	0	94	15.77	22.95	35.7	59.5	98.15	-1	-0.1	0	35.9	0.29	100	8550	98.13	35.7
2023-02-27 15:55:00	76.4	0	0	0	98	16.35	22.82	35.7	59.5	98.11	-0.8	-1	0	35.9	0.29	100	8548	98.09	35.7

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-27 16:00:00	52.8	0	0	0	83	13.27	18.45	35.7	59.3	98.08	-0.8	-0.4	0	35.8	0.29	100	8546	98.06	35.7
2023-02-27 16:05:00	44.2	0	0	0	81	10.27	20.4	35.6	60.5	98.06	-0.8	-0.4	0	35.7	0.28	100	8542	98.04	35.5
2023-02-27 16:10:00	42	0	0	0	67	6.33	12.97	34.8	62.9	98.03	-0.6	-0.6	0	34.9	0.25	100	8541	98.01	34.9
2023-02-27 16:15:00	40.2	0	0	0	70	8.16	14.81	33.8	63.9	98.01	-1.1	-0.4	0	33.9	0.24	100	8539	98	34.3
2023-02-27 16:20:00	32.8	0	0	0	72	8.19	17.45	33.3	65.3	98	-0.9	-0.5	0	33.4	0.22	100	8535	97.99	33.9
2023-02-27 16:25:00	27.4	0	0	0	70	7.34	12.68	32.9	66.3	97.99	-0.7	-0.7	0	33	0.21	100	8535	97.98	33.5
2023-02-27 16:30:00	21.2	0	0	0	70	8.41	13.87	32.6	66.5	97.97	-0.8	-0.5	0	32.6	0.21	100	8530	97.95	33.2
2023-02-27 16:35:00	16.8	0	0	0	68	7.99	15.57	32.2	66.8	97.95	-0.7	-1	0	32.2	0.2	100	8530	97.93	32.9
2023-02-27 16:40:00	11.2	0	0	0	76	8.93	17.4	32	67.9	97.93	-0.9	-0.6	0	32	0.2	100	8530	97.93	32.6
2023-02-27 16:45:00	8.8	0	0	0	82	13.47	20.69	31.9	67.2	97.92	-1.3	-0.5	0	31.9	0.2	100	8525	97.91	32.4
2023-02-27 16:50:00	7.2	0	0	0	84	14.61	20.65	31.7	65.9	97.92	-1.1	-0.6	0	31.7	0.21	100	8522	97.91	32.2
2023-02-27 16:55:00	6	0	0	0	85	14.94	23.82	31.6	65.9	97.93	-0.9	-0.5	0	31.6	0.21	100	8519	97.92	32
2023-02-27 17:00:00	5.8	0	0	0	89	13.11	18.92	31.5	65.7	97.93	-0.9	-0.3	0	31.5	0.21	100	8520	97.92	31.9
2023-02-27 17:05:00	3.4	0	0	0	94	16.84	28.16	31.5	65.1	97.92	-0.8	-1	0	31.5	0.21	100	8517	97.9	31.7
2023-02-27 17:10:00	2	0	0	0	88	14.05	18.32	31.5	65	97.9	-0.9	-0.4	0	31.5	0.21	100	8515	97.88	31.6
2023-02-27 17:15:00	2	0	0	0	92	14.9	19.77	31.4	64.7	97.89	-0.7	-0.3	0	31.4	0.21	100	8514	97.87	31.5
2023-02-27 17:20:00	2	0	0	0	90	13.2	18.19	31.4	64.9	97.89	-0.9	-0.4	0	31.4	0.21	100	8513	97.88	31.4
2023-02-27 17:25:00	0.8	0	0	0	94	12.35	17.78	31.4	65.5	97.9	-0.8	-0.6	0	31.4	0.21	100	8512	97.89	31.3
2023-02-27 17:30:00	0	0	0	0	98	11.61	19.44	31.4	64.8	97.92	-0.9	-0.5	0	31.4	0.21	100	8513	97.91	31.3
2023-02-27 17:35:00	0	0	0	0	104	9.73	13.91	31.4	64.7	97.94	-0.9	-0.5	0	31.4	0.21	100	8507	97.93	31.3
2023-02-27 17:40:00	0	0	0	0	104	10.4	14.9	31.5	64.7	97.96	-1	-0.3	0	31.5	0.21	100	8509	97.95	31.3
2023-02-27 17:45:00	0	0	0	0	102	10.69	14.5	31.5	66.1	97.97	-1	-0.5	0	31.5	0.2	100	8507	97.95	31.2
2023-02-27 17:50:00	0	0	0	0	113	14.7	20.29	31.3	70.8	97.98	-0.8	-0.5	0	31.3	0.17	100	8506	97.97	31
2023-02-27 17:55:00	0	0	0	0	117	14.56	18.84	31	75.8	97.98	-1.1	-0.5	0	31	0.14	100	8504	97.97	30.8
2023-02-27 18:00:00	0	0	0	0	116	12.39	16.08	30.7	78.8	97.97	-0.9	-0.4	0	30.6	0.12	100	8504	97.97	30.4
2023-02-27 18:05:00	0	0	0	0	112	12.55	15.3	30.1	82.6	97.96	-1	-0.4	0	30.1	0.1	100	8501	97.94	30
2023-02-27 18:10:00	0	0	0	0	104	12.48	16.49	29.5	85.1	97.91	-1	-0.5	0	29.5	0.08	100	8501	97.9	29.6
2023-02-27 18:15:00	0	0	4	1	102	13.91	17.65	29.3	87.7	97.88	-1.1	-0.5	0	29.3	0.07	100	8501	97.87	29.3
2023-02-27 18:20:00	0	0	0	0	94	12.17	15.73	29.1	89.2	97.86	-1.1	-0.5	0	29.1	0.06	100	8499	97.84	29.2
2023-02-27 18:25:00	0	0	0	0	99	13.69	16.84	28.9	90.6	97.84	-1.1	-0.5	0	28.9	0.05	100	8497	97.83	29
2023-02-27 18:30:00	0	0	0	0	101	14.76	18.48	28.8	91.4	97.84	-1.2	-0.5	0	28.8	0.05	100	8497	97.82	28.9
2023-02-27 18:35:00	0	0	1	4	102	16.24	21.36	28.9	92.4	97.83	-1	-0.4	0	28.9	0.04	100	8491	97.82	28.8
2023-02-27 18:40:00	0	0	13	1	103	15.99	19.66	29	92.5	97.82	-1.1	-0.6	0	29	0.04	100	8492	97.81	28.8
2023-02-27 18:45:00	0	0	21	1	97	12.77	17.11	29	92.8	97.81	-1	-0.5	0	29	0.04	100	8491	97.8	28.8
2023-02-27 18:50:00	0	0	5	1	104	15.08	19.24	29.3	93.3	97.82	-1	-0.4	0	29.3	0.04	100	8491	97.81	28.9
2023-02-27 18:55:00	0	0	0	0	103	16.49	19.53	29.3	93.4	97.79	-0.7	-0.4	0	29.3	0.04	100	8491	97.78	28.9
2023-02-27 19:00:00	0	0	0	0	104	15.9	20.45	29.5	94.3	97.76	-1	-0.5	0	29.5	0.03	100	8489	97.75	29
2023-02-27 19:05:00	0	0.0201	1	1	106	16.96	26.73	29.5	95	97.74	-0.9	-0.4	0.924	29.5	0.03	100	8489	97.72	29
2023-02-27 19:10:00	0	0	11	2	109	18.48	22.12	29.8	95.4	97.71	-0.5	-0.8	0	29.8	0.03	100	8487	97.7	29.2
2023-02-27 19:15:00	0	0	4	1	112	22.39	30.58	30.2	95.9	97.67	-1	-0.3	0	30.2	0.02	100	8488	97.67	29.5
2023-02-27 19:20:00	0	0	0	0	113	23.29	31.85	30.6	95.8	97.65	-1.4	-0.5	0	30.6	0.02	100	8485	97.64	29.8
2023-02-27 19:25:00	0	0	0	0	113	24.05	32.7	30.8	96	97.63	-0.9	-0.4	0	30.9	0.02	100	8484	97.63	30
2023-02-27 19:30:00	0	0	0	0	112	27.4	33.62	31.1	96.6	97.6	-0.9	-0.4	0	31.1	0.02	100	8484	97.59	30.2
2023-02-27 19:35:00	0	0	0	0	113	27.6	36.22	31.4	96.2	97.57	-0.7	0.2	0	31.4	0.02	100	8485	97.58	30.4
2023-02-27 19:40:00	0	0	0	0	111	25.75	31.47	31.5	96.2	97.58	-0.7	-0.5	0	31.5	0.02	100	8482	97.58	30.5
2023-02-27 19:45:00	0	0.01005	0	0	110	27.81	39.17	31.6	96.3	97.57	0	-0.7	0.602	31.6	0.02	100	8484	97.56	30.6
2023-02-27 19:50:00	0	0	0	0	112	23.42	34.9	31.7	95.6	97.56	-0.9	-0.6	0	31.7	0.03	100	8481	97.56	30.7
2023-02-27 19:55:00	0	0	0	0	110	23.78	27.47	31.8	95.8	97.55	-1.3	-0.2	0	31.8	0.03	100	8481	97.54	30.8
2023-02-27 20:00:00	0	0	0	0	113	24.67	32.08	31.8	95.6	97.54	-1.2	0	0	31.8	0.03	100	8482	97.54	30.9
2023-02-27 20:05:00	0	0	0	0	110	25.52	32.79	31.8	95.6	97.53	-0.8	-0.3	0	31.8	0.03	100	8475	97.53	31
2023-02-27 20:10:00	0	0	0	0	110	23.98	32.53	31.9	95.2	97.53	-0.7	0.1	0	31.9	0.03	100	8476	97.52	31
2023-02-27 20:15:00	0	0	0	0	109	24.25	29.55	32	94.9	97.52	-1.2	0.1	0	32	0.03	100	8476	97.52	31.1
2023-02-27 20:20:00	0	0	0	0	107	23.26	35.01	32	95.1	97.52	-0.9	0.1	0	32	0.03	100	8472	97.51	31.2
2023-02-27 20:25:00	0	0	0	0	109	24	33.22	32	95.1	97.53	-0.4	-0.4	0	32	0.03	100	8476	97.52	31.2
2023-02-27 20:30:00	0	0	0	0	110	24.79	34.4	32	94.8	97.49	-1.4	-0.2	0	32	0.03	100	8474	97.5	31.2
2023-02-27 20:35:00	0	0	0	0	111	23.89	30.53	32.1	94.7	97.5	-0.7	-0.5	0	32.1	0.03	100	8472	97.49	31.3
2023-02-27 20:40:00	0	0	0	0	114	25.3	37.27	32.1	94.7	97.48	-1.1	-0.5	0	32.1	0.03	100	8474	97.49	31.3
2023-02-27 20:45:00	0	0	0	0	113	23.64	31.07	32.2	94.2	97.48	-1.1	-0.6	0	32.2	0.04	100	8473	97.48	31.4
2023-02-27 20:50:00	0	0	0	0	114	23.58	28.32	32.1	94.4	97.45	-0.7	-0.7	0	32.2	0.03	100	8471	97.45	31.4
2023-02-27 20:55:00	0	0	0	0	116	23.09	28.27	32.2	94.2	97.44	-1.3	-0.8	0	32.1	0.04	100	8470	97.45	31.4
2023-02-27 21:00:00	0	0	0	0	112	21.18	29.46	32.1	94.4	97.44	-0.9	-0.3	0	32.1	0.03	100	8469	97.45	31.4
2023-02-27 21:05:00	0	0	0	0	112	21.92	28.43	32.2	94.2	97.43	-1	-0.8	0	32.2	0.04	100	8469	97.43	31.5
2023-02-27 21:10:00	0	0	0	0	116	24.38	32.93	32.2	93.9	97.43	-0.4	-0.8	0	32.2	0.04	100	8469	97.42	31.5
2023-02-27 21:15:00	0	0	0	0	114	25.05	33.15	32.3	93.4	97.4	-0.1	-1.2	0	32.3	0.04	100	8469	97.42	31.5

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-27 21:20:00	0	0	0	0	117	23.44	30.42	32.3	92.9	97.41	-1	-0.4	0	32.3	0.04	100	8467	97.42	31.6
2023-02-27 21:25:00	0	0	0	0	115	23.58	31.65	32.2	92.6	97.39	-0.4	-0.8	0	32.2	0.05	100	8467	97.39	31.6
2023-02-27 21:30:00	0	0	0	0	111	24.49	34.47	32.3	92.2	97.39	-0.4	-1.2	0	32.3	0.05	100	8466	97.38	31.6
2023-02-27 21:35:00	0	0	0	0	117	26.53	34.38	32.3	92.2	97.37	-1	-0.6	0	32.3	0.05	100	8466	97.38	31.6
2023-02-27 21:40:00	0	0	0	0	116	23.55	31.79	32.3	92.1	97.38	-0.7	-0.6	0	32.3	0.05	100	8465	97.38	31.6
2023-02-27 21:45:00	0	0	0	0	117	23.49	34.49	32.3	92.1	97.36	-0.7	-0.8	0	32.3	0.05	100	8463	97.37	31.6
2023-02-27 21:50:00	0	0	0	0	117	23.33	28.74	32.3	92.2	97.36	-0.5	-0.4	0	32.3	0.05	100	8463	97.37	31.6
2023-02-27 21:55:00	0	0	0	0	120	23.89	30.94	32.1	92.4	97.33	-0.5	-0.1	0	32.1	0.05	100	8463	97.35	31.6
2023-02-27 22:00:00	0	0	0	0	118	24.43	30.4	32.2	92.6	97.33	-1.3	-0.6	0	32.2	0.05	100	8462	97.34	31.6
2023-02-27 22:05:00	0	0	0	0	117	24.32	29.97	32.2	92.6	97.33	-0.8	-1.2	0	32.2	0.05	100	8461	97.35	31.6
2023-02-27 22:10:00	0	0	0	0	118	25.39	31.36	32.2	92.5	97.32	-0.8	0	0	32.3	0.05	100	8459	97.34	31.6
2023-02-27 22:15:00	0	0	0	0	120	23.58	32.21	32.3	91.8	97.32	-1	0.1	0	32.4	0.05	100	8461	97.34	31.7
2023-02-27 22:20:00	0	0	0	0	121	23.17	31.43	32.4	91.9	97.31	-0.8	0	0	32.4	0.05	100	8457	97.33	31.7
2023-02-27 22:25:00	0	0	0	0	122	20.56	28.03	32.4	91.9	97.31	-0.5	-0.5	0	32.4	0.05	100	8459	97.34	31.8
2023-02-27 22:30:00	0	0	0	0	121	22.73	36.84	32.5	91	97.29	-1.6	0.5	0	32.5	0.06	100	8459	97.33	31.8
2023-02-27 22:35:00	0	0	0	0	114	21.85	28.36	32.6	90.8	97.32	-1.3	-0.4	0	32.6	0.06	100	8456	97.33	31.9
2023-02-27 22:40:00	0	0	0	0	121	23.94	32.44	32.6	90.2	97.3	-1.2	-0.3	0	32.6	0.06	100	8455	97.32	32
2023-02-27 22:45:00	0	0	0	0	122	25.46	33.78	32.6	89.4	97.28	-0.6	-0.8	0	32.6	0.07	100	8454	97.3	32.1
2023-02-27 22:50:00	0	0	0	0	118	21.61	30.6	32.7	89.5	97.3	-0.9	-0.7	0	32.7	0.07	100	8459	97.31	32.1
2023-02-27 22:55:00	0	0	0	0	117	23.98	32.19	32.8	89.2	97.29	-0.2	-0.6	0	32.8	0.07	100	8453	97.29	32.1
2023-02-27 23:00:00	0	0	0	0	118	24.43	30	32.7	89.4	97.29	-0.9	-0.6	0	32.7	0.07	100	8453	97.3	32.1
2023-02-27 23:05:00	0	0	0	0	120	24.7	30.53	32.7	89	97.27	-0.5	-0.2	0	32.7	0.07	100	8455	97.3	32.1
2023-02-27 23:10:00	0	0	0	0	116	20.87	25.84	32.8	89.5	97.28	-0.8	-0.5	0	32.8	0.07	100	8452	97.3	32.1
2023-02-27 23:15:00	0	0	0	0	119	22.15	27.76	32.8	89.2	97.28	-1.1	-0.2	0	32.7	0.07	100	8452	97.3	32.1
2023-02-27 23:20:00	0	0	0	0	113	22.79	31.09	32.7	89	97.27	-1	-0.8	0	32.7	0.07	100	8450	97.28	32.1
2023-02-27 23:25:00	0	0	0	0	117	22.93	30.33	32.7	89	97.25	-1.3	-0.6	0	32.7	0.07	100	8450	97.27	32.1
2023-02-27 23:30:00	0	0	0	0	112	24.56	30.58	32.8	88.9	97.25	-0.7	-0.4	0	32.7	0.07	100	8448	97.25	32.1
2023-02-27 23:35:00	0	0	0	0	113	25.81	31.63	32.8	88.9	97.24	-0.6	-0.5	0	32.7	0.07	100	8447	97.25	32.1
2023-02-27 23:40:00	0	0	0	0	122	24.16	33.78	32.7	89.7	97.24	-0.3	-1.3	0	32.7	0.06	100	8448	97.25	32.1
2023-02-27 23:45:00	0	0	0	0	116	25.46	32.28	32.7	89.2	97.23	-0.9	0.2	0	32.6	0.07	100	8447	97.24	32.1
2023-02-27 23:50:00	0	0	0	0	116	25.19	37.45	32.8	89.3	97.23	-0.4	-1.9	0	32.8	0.07	100	8448	97.24	32.1
2023-02-27 23:55:00	0	0	0	0	118	27.69	34.56	32.8	88.9	97.22	-0.8	-0.9	0	32.8	0.07	100	8445	97.23	32.1
2023-02-28 00:00:00	0	0	0	0	119	24.87	37.49	32.9	88.4	97.22	-0.7	-1.1	0	32.9	0.07	100	8445	97.26	32.2
2023-02-28 00:05:00	0	0	0	0	122	23.33	32.12	32.9	88.7	97.24	0	-0.9	0	32.9	0.07	100	8418	97.26	32.3
2023-02-28 00:10:00	0	0	0	0	120	26.26	36.89	32.9	88.5	97.23	-0.9	-0.4	0	32.9	0.07	100	8404	97.24	32.6
2023-02-28 00:15:00	0	0	0	0	120	26.82	32.32	32.9	88.4	97.21	-0.8	-0.1	0	32.9	0.07	100	8399	97.25	32.7
2023-02-28 00:20:00	0	0	0	0	124	27.58	37.78	32.9	88.4	97.21	-1.4	-0.3	0	32.9	0.07	100	8417	97.24	32.6
2023-02-28 00:25:00	0	0	0	0	118	27.47	38.72	32.9	88.4	97.2	-0.8	-0.8	0	32.9	0.07	100	8418	97.23	32.5
2023-02-28 00:30:00	0	0	0	0	121	25.68	33.4	32.9	88.5	97.21	-0.6	-0.6	0	32.8	0.07	100	8421	97.22	32.4
2023-02-28 00:35:00	0	0	0	0	123	26.02	37.38	32.9	88.8	97.2	-1.2	-0.8	0	32.9	0.07	100	8421	97.24	32.3
2023-02-28 00:40:00	0	0	0	0	119	25.14	32.97	32.7	89	97.2	-0.9	-0.5	0	32.7	0.07	100	8419	97.21	32.2
2023-02-28 00:45:00	0	0	0	0	121	28.79	36.28	32.7	89	97.15	-0.4	-1.3	0	32.7	0.07	100	8422	97.19	32.1
2023-02-28 00:50:00	0	0	0	0	117	29.71	36.6	32.6	89.6	97.17	-2	-0.1	0	32.6	0.07	100	8420	97.2	32.1
2023-02-28 00:55:00	0	0	0	0	122	25.75	34.36	32.5	89.7	97.18	-0.7	-1	0	32.5	0.06	100	8422	97.2	32
2023-02-28 01:00:00	0	0	0	0	118	29.57	43.37	32.5	89.8	97.17	-0.7	0.3	0	32.5	0.06	100	8424	97.19	32
2023-02-28 01:05:00	0	0	0	0	116	27.16	35.59	32.6	89.6	97.18	-0.6	-0.8	0	32.6	0.07	100	8418	97.2	32
2023-02-28 01:10:00	0	0	0	0	119	29.51	38.39	32.5	89.9	97.15	-1.5	-0.3	0	32.5	0.06	100	8420	97.19	31.9
2023-02-28 01:15:00	0	0	0	0	117	25.5	37.07	32.4	90.2	97.16	-0.6	-1.1	0	32.4	0.06	100	8421	97.18	31.9
2023-02-28 01:20:00	0	0	0	0	116	26.73	43.04	32.5	89.9	97.17	-1.4	0.3	0	32.4	0.06	100	8418	97.17	31.9
2023-02-28 01:25:00	0	0	0	0	116	23.73	34.9	32.4	90.3	97.17	0	-0.2	0	32.4	0.06	100	8418	97.18	31.9
2023-02-28 01:30:00	0	0	0	0	116	25.39	33.31	32.4	90.1	97.16	-0.4	-0.4	0	32.4	0.06	100	8420	97.18	31.8
2023-02-28 01:35:00	0	0	0	0	117	24.34	30.85	32.4	90	97.18	-0.5	-0.5	0	32.4	0.06	100	8418	97.19	31.9
2023-02-28 01:40:00	0	0	0	0	120	21.77	29.01	32.3	89.6	97.18	-0.6	-0.6	0	32.3	0.06	100	8419	97.18	31.8
2023-02-28 01:45:00	0	0	0	0	116	21.99	29.62	32.4	89.6	97.17	-0.7	-0.2	0	32.4	0.06	100	8419	97.19	31.8
2023-02-28 01:50:00	0	0	0	0	116	23.29	29.55	32.3	89.2	97.18	-1.6	0.3	0	32.3	0.07	100	8421	97.19	31.8
2023-02-28 01:55:00	0	0	0	0	118	24.14	31.5	32.4	88.9	97.17	-0.2	-0.7	0	32.5	0.07	100	8418	97.17	31.8
2023-02-28 02:00:00	0	0	0	0	119	24.72	32.46	32.4	88.7	97.16	-0.9	-0.1	0	32.4	0.07	100	8416	97.18	31.9
2023-02-28 02:05:00	0	0	0	0	116	23	33.6	32.4	88.8	97.16	-0.8	-0.3	0	32.4	0.07	100	8415	97.17	31.9
2023-02-28 02:10:00	0	0	0	0	117	24.02	32.3	32.5	88.8	97.14	-1.3	0.2	0	32.5	0.07	100	8417	97.15	31.9
2023-02-28 02:15:00	0	0	0	0	112	20.67	28.01	32.4	89.7	97.15	-0.6	-0.5	0	32.4	0.06	100	8415	97.15	31.8
2023-02-28 02:20:00	0	0	0	0	111	20.56	29.42	32.4	90.2	97.16	-0.9	-0.4	0	32.4	0.06	100	8413	97.16	31.8
2023-02-28 02:25:00	0	0	0	0	113	20.31	28.03	32.5	89.9	97.16	-0.9	-0.6	0	32.5	0.06	100	8417	97.16	31.8
2023-02-28 02:30:00	0	0	0	0	119	24.49	31.21	32.3	90.1	97.15	-0.8	-0.3	0	32.3	0.06	100	8415	97.17	31.8
2023-02-28 02:35:00	0	0	0	0	118	24.34	29.95	32.3	90.1	97.14	-0.4	-0.6	0	32.3	0.06	100	8414	97.16	31.8

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-28 02:40:00	0	0	0	0	119	23.15	30.38	32.4	90.2	97.15	-0.7	-0.4	0	32.4	0.06	100	8412	97.17	31.8
2023-02-28 02:45:00	0	0	0	0	116	21.99	29.3	32.3	90.5	97.14	-0.5	-0.6	0	32.3	0.06	100	8415	97.16	31.8
2023-02-28 02:50:00	0	0	0	0	119	20.2	31.36	32.3	90.8	97.15	-1.5	0.2	0	32.3	0.06	100	8412	97.17	31.8
2023-02-28 02:55:00	0	0	0	0	116	18.88	26.93	32.4	90.8	97.16	-1	-0.6	0	32.4	0.06	100	8414	97.17	31.8
2023-02-28 03:00:00	0	0	0	0	121	20.54	25.41	32.3	91.6	97.15	-0.5	-0.6	0	32.3	0.05	100	8413	97.18	31.8
2023-02-28 03:05:00	0	0	0	0	118	19.39	27.07	32.4	91.8	97.15	-0.7	-0.5	0	32.4	0.05	100	8412	97.17	31.7
2023-02-28 03:10:00	0	0	0	0	120	18.95	27.63	32.3	92.2	97.14	-1.1	-0.6	0	32.3	0.05	100	8411	97.15	31.7
2023-02-28 03:15:00	0	0	0	0	119	18.92	25.08	32.3	92.3	97.14	-1.1	-0.6	0	32.3	0.05	100	8411	97.15	31.7
2023-02-28 03:20:00	0	0	0	0	121	18.52	27.96	32.3	92.3	97.14	-0.7	-0.3	0	32.3	0.05	100	8411	97.15	31.7
2023-02-28 03:25:00	0	0	0	0	123	18.21	26.04	32.3	92.5	97.14	-1.2	0.1	0	32.3	0.05	100	8409	97.16	31.7
2023-02-28 03:30:00	0	0	0	0	119	20.04	26.37	32.2	92.8	97.13	-1	-0.1	0	32.2	0.04	100	8410	97.15	31.7
2023-02-28 03:35:00	0	0	0	0	118	19.66	24.67	32.3	92.3	97.13	-0.4	-0.8	0	32.3	0.05	100	8409	97.14	31.8
2023-02-28 03:40:00	0	0	0	0	120	18.41	24.32	32.3	93	97.13	-0.6	-1	0	32.3	0.04	100	8410	97.15	31.8
2023-02-28 03:45:00	0	0	0	0	123	19.1	29.77	32.3	93.2	97.13	-0.8	-0.1	0	32.3	0.04	100	8409	97.15	31.8
2023-02-28 03:50:00	0	0	0	0	120	19.15	28.23	32.4	93.4	97.12	-1.5	0.1	0	32.4	0.04	100	8409	97.14	31.8
2023-02-28 03:55:00	0	0	0	0	125	17.85	23.76	32.3	93.7	97.12	-0.3	-1	0	32.3	0.04	100	8406	97.15	31.8
2023-02-28 04:00:00	0	0	0	0	127	18.77	24.4	32.3	93.7	97.13	-1.1	0	0	32.3	0.04	100	8405	97.15	31.8
2023-02-28 04:05:00	0	0	0	0	126	18.28	26.19	32.4	93.6	97.13	-0.7	-0.3	0	32.4	0.04	100	8405	97.15	31.8
2023-02-28 04:10:00	0	0	0	0	130	17.54	22.79	32.4	93.6	97.14	-0.8	0.3	0	32.4	0.04	100	8406	97.16	31.8
2023-02-28 04:15:00	0	0	0	0	134	18.79	28.05	32.3	93.7	97.12	-1.3	-0.1	0	32.3	0.04	100	8404	97.15	31.8
2023-02-28 04:20:00	0	0	0	0	132	18.14	25.37	32.4	93.7	97.14	-0.6	0	0	32.4	0.04	100	8404	97.16	31.9
2023-02-28 04:25:00	0	0	0	0	134	17.36	23.91	32.3	93.8	97.14	-0.9	-0.6	0	32.3	0.04	100	8403	97.16	31.9
2023-02-28 04:30:00	0	0	0	0	135	18.52	24.4	32.3	94.3	97.14	-1	-0.4	0	32.3	0.04	100	8403	97.16	31.9
2023-02-28 04:35:00	0	0	0	0	134	20.07	25.88	32.4	94.8	97.13	-0.7	-0.4	0	32.4	0.03	100	8404	97.15	31.9
2023-02-28 04:40:00	0	0	0	0	133	17.07	22.73	32.4	95.2	97.12	-1	-0.5	0	32.4	0.03	100	8406	97.15	31.9
2023-02-28 04:45:00	0	0	0	0	135	18.07	23.31	32.3	94.8	97.13	-1.2	0	0	32.3	0.03	100	8403	97.14	31.8
2023-02-28 04:50:00	0	0	0	0	135	16.98	21.79	32.4	95	97.13	-1	-0.2	0	32.4	0.03	100	8402	97.14	31.8
2023-02-28 04:55:00	0	0	0	0	138	18.23	26.11	32.3	95.3	97.1	-1.7	-0.2	0	32.3	0.03	100	8400	97.14	31.9
2023-02-28 05:00:00	0	0	0	0	137	15.68	20.65	32.3	95.1	97.11	0	-1.3	0	32.3	0.03	100	8403	97.14	31.8
2023-02-28 05:05:00	0	0	0	0	137	17.85	26.84	32.3	95.3	97.11	-1.1	-0.5	0	32.3	0.03	100	8399	97.14	31.9
2023-02-28 05:10:00	0	0	0	0	138	16.31	20.24	32.3	95.4	97.11	-0.8	-1	0	32.3	0.03	100	8400	97.14	31.9
2023-02-28 05:15:00	0	0	0	0	142	17.52	22.48	32.3	95.4	97.12	-0.8	0	0	32.3	0.03	100	8399	97.14	31.9
2023-02-28 05:20:00	0	0	0	0	142	15.05	23.02	32.4	95.5	97.12	-1.1	-0.2	0	32.4	0.03	100	8399	97.14	31.9
2023-02-28 05:25:00	0	0	0	0	138	17.49	26.89	32.3	95.3	97.11	-1.2	-0.1	0	32.3	0.03	100	8400	97.14	31.9
2023-02-28 05:30:00	0	0.00067	0	0	137	17.18	22.24	32.4	95.5	97.12	-0.9	0.1	0.04	32.4	0.03	100	8400	97.15	31.9
2023-02-28 05:35:00	0	0.00134	0	0	139	15.05	20.49	32.4	96.1	97.12	-0.4	-0.6	0.04	32.3	0.02	100	8397	97.15	31.9
2023-02-28 05:40:00	0	0.00268	0	0	139	16.15	21.72	32.4	96.8	97.13	-0.8	-0.2	0.04	32.4	0.02	100	8398	97.15	31.9
2023-02-28 05:45:00	0	0.00268	0	0	141	15.52	20.74	32.4	96.8	97.15	-1	-0.2	0.04	32.4	0.02	100	8396	97.17	31.9
2023-02-28 05:50:00	0	0.00335	0	0	146	14.5	19.35	32.3	96.9	97.17	-0.7	-0.6	0.08	32.4	0.02	100	8396	97.18	32
2023-02-28 05:55:00	0	0.00335	0	0	151	14.18	24.54	32.4	96.8	97.18	-0.8	-0.6	0.08	32.4	0.02	100	8396	97.2	32
2023-02-28 06:00:00	0	0.00335	0	0	143	15.95	22.15	32.4	96.8	97.18	-0.6	-0.1	0.08	32.4	0.02	100	8397	97.2	32
2023-02-28 06:05:00	0	0.00469	0	0	148	17.2	22.3	32.5	96.7	97.19	-1.5	-0.6	0.08	32.6	0.02	100	8397	97.21	32.1
2023-02-28 06:10:00	0	0.00469	0	0	151	15.59	20.4	32.5	97	97.21	-0.9	-0.4	0.08	32.5	0.02	100	8394	97.22	32.1
2023-02-28 06:15:00	0	0.00469	0	0	150	17.67	22.73	32.6	96.8	97.2	-0.6	-0.6	0.08	32.6	0.02	100	8395	97.22	32.2
2023-02-28 06:20:00	0	0.00335	0	0	150	15.97	21.43	32.6	97.1	97.21	-0.9	-0.7	0.04	32.6	0.02	100	8393	97.22	32.2
2023-02-28 06:25:00	0	0.00402	0	0	148	17.38	23.33	32.8	96.7	97.21	-1	-0.2	0.08	32.8	0.02	100	8395	97.23	32.3
2023-02-28 06:30:00	0	0.00469	0	0	145	17.07	21.14	32.8	96.7	97.22	-1.4	-0.2	0.08	32.9	0.02	100	8393	97.24	32.3
2023-02-28 06:35:00	0	0.00469	0	0	150	16.24	20.8	32.9	96.4	97.23	-0.6	-0.3	0.08	32.9	0.02	100	8393	97.25	32.4
2023-02-28 06:40:00	0	0.00402	0	0	148	16.73	21.79	33	96.6	97.23	-0.7	-0.6	0.08	33	0.02	100	8392	97.24	32.4
2023-02-28 06:45:00	0	0.00469	0	0	144	16.96	21.3	33	96.6	97.23	-0.7	-0.5	0.08	33	0.02	100	8393	97.25	32.5
2023-02-28 06:50:00	0	0.00402	0	0	148	16.49	20.36	33.2	96.7	97.24	-0.7	-0.7	0.08	33.2	0.02	100	8389	97.26	32.6
2023-02-28 06:55:00	1	0.00469	0	0	146	16.06	20.96	33.3	96.3	97.26	-0.6	-0.8	0.08	33.3	0.02	100	8389	97.28	32.6
2023-02-28 07:00:00	1.4	0.00335	0	0	144	14.74	18.37	33.3	96.3	97.27	-0.6	-0.5	0.08	33.3	0.02	100	8390	97.29	32.7
2023-02-28 07:05:00	1	0.00335	0	0	152	15.35	21.23	33.4	95.8	97.29	-0.8	-0.8	0.12	33.4	0.03	100	8390	97.3	32.7
2023-02-28 07:10:00	1.4	0.00402	0	0	158	14.58	20.27	33.5	96.4	97.3	-0.9	-0.5	0.08	33.5	0.02	100	8390	97.31	32.8
2023-02-28 07:15:00	5.2	0.00268	0	0	155	13.18	17.72	33.5	96.7	97.3	-0.8	-0.6	0.04	33.5	0.02	100	8389	97.31	32.8
2023-02-28 07:20:00	6	0.00268	0	0	154	13.51	18.25	33.6	96.6	97.32	-0.7	-0.4	0.04	33.6	0.02	100	8389	97.32	32.8
2023-02-28 07:25:00	6.8	0.00268	0	0	156	11.56	15.19	33.7	96.3	97.34	-0.6	-0.5	0.04	33.7	0.02	100	8390	97.34	32.9
2023-02-28 07:30:00	8.6	0.00268	0	0	155	11.83	14.54	33.7	96.6	97.35	-0.6	-0.5	0.04	33.7	0.02	100	8387	97.35	33
2023-02-28 07:35:00	12	0.00469	0	0	159	9.64	11.81	33.8	97.1	97.37	-0.9	-0.4	0.08	33.8	0.02	100	8386	97.37	33
2023-02-28 07:40:00	16	0.00469	0	0	156	10.65	14.12	33.8	97.3	97.38	-0.7	-0.5	0.08	33.8	0.02	100	8386	97.38	33.1
2023-02-28 07:45:00	19.2	0.00536	0	0	162	9.57	12.3	33.8	97.3	97.4	-0.9	-0.4	0.12	33.9	0.02	100	8387	97.4	33.2
2023-02-28 07:50:00	23.4	0.00469	0	0	164	9.64	13.8	34	97.2	97.41	-0.8	-0.4	0.08	34.1	0.02	100	8387	97.41	33.3
2023-02-28 07:55:00	21	0.00402	0	0	162	10.94	13.62	34.1	97.2	97.41	-0.7	-0.4	0.08	34.1	0.02	100	8385	97.43	33.4

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-28 08:00:00	22.2	0.00268	0	0	158	9.13	12.06	34.2	97.4	97.43	-0.7	-0.5	0.04	34.3	0.02	100	8384	97.44	33.4
2023-02-28 08:05:00	30.2	0.00268	0	0	170	8.01	10.38	34.2	97.4	97.45	-0.7	-0.4	0.04	34.3	0.02	100	8387	97.45	33.5
2023-02-28 08:10:00	27	0.00335	0	0	175	7.7	10.09	34.5	97.6	97.47	-0.8	-0.4	0.04	34.6	0.02	100	8385	97.46	33.7
2023-02-28 08:15:00	29.6	0.00335	0	0	168	6.91	8.79	34.6	98.1	97.48	-0.8	-0.5	0.04	34.7	0.01	100	8383	97.48	33.9
2023-02-28 08:20:00	37.4	0.00737	0	0	170	6.76	9.51	34.8	97.7	97.49	-0.7	-0.4	0.12	34.9	0.02	100	8382	97.49	34
2023-02-28 08:25:00	45.2	0.00603	0	0	190	6.62	9.4	35	98.2	97.51	-0.7	-0.4	0.12	35.1	0.01	100	8384	97.51	34.2
2023-02-28 08:30:00	63.6	0.00938	0	0	237	8.84	14.56	35.3	98.5	97.52	-0.6	-0.4	0.161	35.5	0.01	100	8385	97.52	34.5
2023-02-28 08:35:00	69.6	0.01005	0	0	235	11.34	22.48	35.8	98.5	97.53	-0.3	-0.4	0.161	36	0.01	100	8385	97.53	34.9
2023-02-28 08:40:00	77.4	0.00871	0	0	237	12.68	18.92	36.2	98.9	97.54	-0.5	-0.5	0.161	36.4	0.01	100	8386	97.53	35.2
2023-02-28 08:45:00	85.6	0.00804	0	0	237	13.15	24.23	36.5	98.2	97.54	-0.6	-0.6	0.12	36.7	0.01	100	8388	97.55	35.4
2023-02-28 08:50:00	80	0.00804	0	0	245	14.32	20.58	36.8	97.5	97.55	-0.8	-0.7	0.161	37	0.02	100	8387	97.55	35.6
2023-02-28 08:55:00	91.6	0.00603	0	0	247	15.57	23.98	36.8	97.1	97.57	-0.5	-0.2	0.08	37	0.02	100	8388	97.56	35.7
2023-02-28 09:00:00	95.4	0.00536	0	0	250	13.73	23.51	36.9	96.4	97.58	-1.1	-0.4	0.08	37.1	0.03	100	8387	97.58	35.8
2023-02-28 09:05:00	97.4	0.00469	0	0	246	12.66	17.34	36.9	96.5	97.59	-0.6	-0.6	0.08	37.1	0.03	100	8388	97.59	35.8
2023-02-28 09:10:00	104.4	0.00402	0	0	246	14.99	25.14	36.9	95.6	97.6	-0.7	-0.8	0.08	37.1	0.03	100	8389	97.6	35.9
2023-02-28 09:15:00	113	0.00469	0	0	248	13.69	19.64	36.9	95.7	97.61	-0.8	-0.6	0.08	37.1	0.03	100	8389	97.61	35.9
2023-02-28 09:20:00	116	0.00402	0	0	252	16.06	21.32	36.8	95.3	97.62	-0.8	-0.7	0.08	37	0.03	100	8390	97.63	35.9
2023-02-28 09:25:00	104.4	0.00536	0	0	255	16.69	25.95	36.8	94.5	97.64	-0.6	-0.2	0.08	37	0.04	100	8391	97.64	35.9
2023-02-28 09:30:00	85.2	0.00603	0	0	252	17.87	27.2	36.6	94.5	97.65	-0.9	0	0.08	36.8	0.04	100	8393	97.66	35.8
2023-02-28 09:35:00	83.2	0.00268	0	0	252	15.66	21.03	36.5	94.5	97.67	-0.9	0.3	0.08	36.6	0.04	100	8387	97.67	35.8
2023-02-28 09:40:00	83.4	0.00536	0	0	256	19.51	28.5	36.2	94.5	97.69	-0.6	0.2	0.12	36.4	0.04	100	8388	97.69	35.6
2023-02-28 09:45:00	93.8	0.00402	0	0	257	19.06	31.59	36.1	94.6	97.7	-0.6	-0.5	0.08	36.2	0.04	100	8390	97.7	35.5
2023-02-28 09:50:00	93.4	0.00402	0	0	254	17.18	28.27	35.8	94.4	97.72	-1.1	-0.7	0.08	36	0.04	100	8392	97.72	35.3
2023-02-28 09:55:00	87.4	0.00268	0	0	253	18.32	28.3	35.7	94	97.72	-0.3	-0.9	0.04	35.9	0.04	100	8390	97.72	35.2
2023-02-28 10:00:00	62	0	0	0	259	17.29	27.27	35.6	93.5	97.73	-0.4	-0.2	0	35.7	0.05	100	8390	97.74	35.1
2023-02-28 10:05:00	61.4	0.00134	0	0	254	17.67	26.91	35.6	93.4	97.74	-0.4	0	0.04	35.6	0.05	100	8389	97.75	35
2023-02-28 10:10:00	66.4	0.00134	0	0	262	19.39	27.34	35.5	92.9	97.76	-0.8	-0.6	0.04	35.6	0.05	100	8389	97.76	35
2023-02-28 10:15:00	60.8	0.00067	0	0	261	17.92	25.68	35.5	92.5	97.77	-0.1	-0.8	0.04	35.6	0.05	100	8387	97.77	35
2023-02-28 10:20:00	66.2	0.00134	0	0	260	16.44	29.39	35.4	92.8	97.78	-0.9	-0.1	0.04	35.6	0.05	100	8388	97.78	34.9
2023-02-28 10:25:00	66.4	0	0	0	268	19.35	31.85	35.4	92.2	97.79	0	0.3	0	35.6	0.05	100	8389	97.79	34.8
2023-02-28 10:30:00	58.6	0.00067	0	0	265	16.51	27.56	35.4	92	97.8	-1.4	-0.3	0.04	35.5	0.06	100	8387	97.8	34.8
2023-02-28 10:35:00	61.8	0.00067	0	0	260	16.78	21.99	35.3	91.7	97.81	-0.4	-0.7	0.04	35.4	0.06	100	8387	97.81	34.7
2023-02-28 10:40:00	71.6	0.00067	0	0	260	14.83	26.02	35.3	91.9	97.82	-0.6	-0.6	0.04	35.5	0.06	100	8388	97.81	34.7
2023-02-28 10:45:00	54.2	0	0	0	263	17.05	24.45	35.3	90.7	97.83	-0.2	-0.5	0	35.3	0.06	100	8386	97.83	34.7
2023-02-28 10:50:00	66.2	0.00067	0	0	253	18.23	27.85	35.3	90.4	97.85	-1	-0.4	0.04	35.4	0.07	100	8384	97.85	34.6
2023-02-28 10:55:00	83.2	0	0	0	263	19.86	29.35	35.2	90.5	97.85	-0.2	-0.4	0	35.3	0.07	100	8390	97.84	34.5
2023-02-28 11:00:00	107.2	0.00067	0	0	264	19.98	32.88	35.2	90.6	97.85	-0.7	0	0.04	35.4	0.07	100	8387	97.86	34.5
2023-02-28 11:05:00	89.8	0	0	0	263	14.97	24.83	35.3	90.3	97.87	-0.5	-0.3	0	35.5	0.07	100	8388	97.87	34.5
2023-02-28 11:10:00	102.2	0	0	0	257	16.02	23.53	35.2	90	97.88	-1.1	-0.8	0	35.5	0.07	100	8387	97.87	34.5
2023-02-28 11:15:00	95.8	0	0	0	258	13.78	22.15	35.2	90.1	97.89	-1	-0.5	0	35.4	0.07	100	8388	97.89	34.4
2023-02-28 11:20:00	83	0	0	0	256	14.65	22.97	35.2	89.5	97.9	-0.8	-0.8	0	35.4	0.07	100	8387	97.9	34.4
2023-02-28 11:25:00	90	0	0	0	255	14.56	22.97	35.3	89.6	97.9	-0.2	-0.7	0	35.5	0.07	100	8390	97.9	34.4
2023-02-28 11:30:00	76.6	0	0	0	256	19.75	25.52	35.2	88.8	97.92	-0.3	-0.9	0	35.3	0.08	100	8388	97.91	34.4
2023-02-28 11:35:00	68.8	0	0	0	257	20.27	34.52	35.2	87.8	97.94	-0.5	-0.8	0	35.3	0.08	100	8388	97.94	34.4
2023-02-28 11:40:00	67.6	0	0	0	264	18.63	28.32	35.1	87.7	97.95	-0.6	-0.8	0	35.2	0.08	100	8387	97.96	34.4
2023-02-28 11:45:00	64.2	0	0	0	272	20.04	31.97	35	87.9	97.96	-1.1	-0.4	0	35.1	0.08	100	8387	97.96	34.3
2023-02-28 11:50:00	62.8	0	0	0	271	16.84	24.29	34.8	87.6	97.99	-1	-0.2	0	35	0.08	100	8385	97.99	34.3
2023-02-28 11:55:00	66.6	0	0	0	266	17.72	26.57	34.8	87.7	98	-1	-1	0	35	0.08	100	8387	98	34.3
2023-02-28 12:00:00	94	0	0	0	263	22.64	30.8	34.7	86.5	98	-0.2	-1.6	0	34.9	0.09	100	8387	97.99	34.3
2023-02-28 12:05:00	154	0	0	0	262	23.33	36.17	35	85.4	97.99	-1.4	0.2	0	35.2	0.1	100	8390	98	34.4
2023-02-28 12:10:00	126.2	0	0	0	263	21.45	29.75	35.1	84.4	98.01	-1.8	-0.4	0	35.4	0.11	100	8393	98.01	34.5
2023-02-28 12:15:00	112.4	0	0	0	264	25.1	36.13	35.1	83.7	98.01	-1.6	1.2	0	35.3	0.11	100	8389	97.99	34.5
2023-02-28 12:20:00	95	0	0	0	265	20.85	31.76	35.1	83.9	98.01	-0.7	-1	0	35.2	0.11	100	8390	98.03	34.5
2023-02-28 12:25:00	87.8	0	0	0	269	18.99	31.07	34.9	84.5	98.03	-1.6	1.1	0	35.1	0.11	100	8389	98.03	34.4
2023-02-28 12:30:00	78.2	0	0	0	262	17.18	24.23	34.8	84.4	98.05	-0.5	-1	0	35	0.11	100	8390	98.05	34.4
2023-02-28 12:35:00	81.2	0	0	0	260	19.86	29.59	34.8	84.4	98.05	-0.3	0.1	0	35	0.11	100	8387	98.04	34.4
2023-02-28 12:40:00	89	0	0	0	272	20.45	32.59	34.8	84.1	98.06	-0.3	-0.7	0	35	0.11	100	8390	98.07	34.4
2023-02-28 12:45:00	111.4	0	0	0	264	15.35	25.41	34.8	83.8	98.07	-0.5	-0.3	0	35.1	0.11	100	8392	98.08	34.4
2023-02-28 12:50:00	167.2	0	0	0	268	14.23	19.19	34.9	84.3	98.09	-0.7	-0.3	0	35.2	0.11	100	8393	98.1	34.5
2023-02-28 12:55:00	147.4	0	0	0	262	17.58	31.79	35.1	82.6	98.11	-1.4	-0.6	0	35.5	0.12	100	8396	98.11	34.6
2023-02-28 13:00:00	125.6	0	0	0	263	17.56	36.19	35.2	81	98.11	-1.2	-1.3	0	35.5	0.13	100	8396	98.12	34.7
2023-02-28 13:05:00	106.4	0	0	0	262	19.53	30.82	35.2	79.9	98.14	-0.3	-1.1	0	35.4	0.14	100	8394	98.14	34.7
2023-02-28 13:10:00	95.8	0	0	0	257	16.64	29.91	35.2	79.6	98.16	0	0	0	35.3	0.14	100	8391	98.16	34.7
2023-02-28 13:15:00	89.2	0	0	0	264	15.21	19.8	35.1	79.5	98.17	-0.6	-0.5	0	35.3	0.14	100	8394	98.17	34.7

z6-17454
Records: 8064

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-28 13:20:00	91.4	0	0	0	261	19.3	32.66	35.2	79.3	98.18	-0.8	-0.5	0	35.3	0.14	100	8394	98.18	34.7
2023-02-28 13:25:00	106.8	0	0	0	277	21.92	33.11	35.2	79.1	98.17	-1.8	-0.6	0	35.4	0.15	100	8395	98.15	34.7
2023-02-28 13:30:00	99.2	0	0	0	267	22.21	37.58	35.3	78.7	98.18	-1.2	-0.7	0	35.5	0.15	100	8393	98.19	34.7
2023-02-28 13:35:00	95.2	0	0	0	262	20.07	29.51	35.2	78.5	98.21	-0.6	-0.1	0	35.4	0.15	100	8393	98.19	34.7
2023-02-28 13:40:00	90.6	0	0	0	263	14.43	24.56	35.2	79.1	98.22	-0.6	-0.2	0	35.5	0.15	100	8396	98.22	34.7
2023-02-28 13:45:00	89.8	0	0	0	262	16.2	22.66	35.2	79.1	98.23	-0.5	-0.7	0	35.4	0.15	100	8394	98.23	34.7
2023-02-28 13:50:00	106.2	0	0	0	267	19.75	31.94	35.3	78.8	98.22	-0.5	-1.1	0	35.6	0.15	100	8395	98.22	34.7
2023-02-28 13:55:00	100	0	0	0	269	14.99	21.07	35.3	78.8	98.25	-0.4	-0.6	0	35.5	0.15	100	8395	98.25	34.8
2023-02-28 14:00:00	99.8	0	0	0	265	15.9	25.43	35.3	78.8	98.26	-1.1	-0.1	0	35.5	0.15	100	8396	98.26	34.8
2023-02-28 14:05:00	99.4	0	0	0	264	17.58	21.83	35.3	78.4	98.27	-0.4	-0.7	0	35.6	0.15	100	8396	98.27	34.8
2023-02-28 14:10:00	94.6	0	0	0	268	17.05	23.17	35.4	78.5	98.28	-0.9	-0.1	0	35.6	0.15	100	8393	98.28	34.8
2023-02-28 14:15:00	86.8	0	0	0	265	16.89	25.59	35.3	78.4	98.29	-0.8	-0.4	0	35.5	0.15	100	8396	98.29	34.8
2023-02-28 14:20:00	91.8	0	0	0	270	16.55	22.84	35.3	78.7	98.31	-0.5	-0.4	0	35.5	0.15	100	8396	98.31	34.8
2023-02-28 14:25:00	98	0	0	0	272	16.31	23.15	35.3	78.8	98.31	-0.9	-0.9	0	35.6	0.15	100	8394	98.3	34.8
2023-02-28 14:30:00	96	0	0	0	273	14.43	25.43	35.4	78.6	98.32	-0.7	-0.6	0	35.6	0.15	100	8396	98.32	34.8
2023-02-28 14:35:00	96.6	0	0	0	269	17.54	26.6	35.4	78.6	98.33	-0.7	-0.7	0	35.6	0.15	100	8396	98.32	34.8
2023-02-28 14:40:00	96.8	0	0	0	268	17.05	26.57	35.4	77.9	98.34	-0.8	-0.2	0	35.6	0.15	100	8394	98.34	34.9
2023-02-28 14:45:00	103.8	0	0	0	265	17.78	27.69	35.5	77.8	98.35	-0.6	-0.5	0	35.6	0.16	100	8395	98.36	34.9
2023-02-28 14:50:00	87.6	0	0	0	270	13	18.52	35.4	78.5	98.38	-0.4	-0.5	0	35.6	0.15	100	8396	98.38	34.9
2023-02-28 14:55:00	90	0	0	0	261	14.76	23.42	35.5	78.2	98.4	-0.7	-0.6	0	35.7	0.15	100	8399	98.39	34.9
2023-02-28 15:00:00	78.4	0	0	0	269	17.49	27.09	35.5	78	98.38	-0.9	-0.7	0	35.7	0.15	100	8395	98.38	34.9
2023-02-28 15:05:00	61.6	0	0	0	256	16.55	21.52	35.5	78	98.4	-0.9	0	0	35.6	0.15	100	8396	98.4	34.9
2023-02-28 15:10:00	55	0	0	0	253	19.37	34.47	35.5	77.6	98.41	-0.7	-0.4	0	35.6	0.16	100	8394	98.41	34.9
2023-02-28 15:15:00	63.2	0	0	0	269	15.68	21.79	35.4	78.3	98.43	-1.2	-1.2	0	35.4	0.15	100	8394	98.43	34.8
2023-02-28 15:20:00	75.2	0	0	0	268	16.73	24.54	35.3	78.4	98.44	-0.7	-1.1	0	35.5	0.15	100	8393	98.43	34.8
2023-02-28 15:25:00	73.4	0	0	0	274	15.52	25.57	35.3	78.4	98.47	-1	-0.2	0	35.5	0.15	100	8393	98.46	34.8
2023-02-28 15:30:00	71	0	0	0	268	14.67	20.62	35.2	78.6	98.48	-0.3	-0.9	0	35.4	0.15	100	8395	98.48	34.8
2023-02-28 15:35:00	74	0	0	0	260	13.85	20.54	35.3	78.4	98.5	-1	-0.3	0	35.5	0.15	100	8392	98.49	34.8
2023-02-28 15:40:00	74.2	0	0	0	267	13.82	23.33	35.3	78.5	98.52	-1.1	-0.5	0	35.5	0.15	100	8391	98.52	34.8
2023-02-28 15:45:00	67.6	0	0	0	258	15.55	26.11	35.4	78.5	98.54	-0.5	-0.3	0	35.6	0.15	100	8392	98.54	34.8
2023-02-28 15:50:00	63.6	0	0	0	263	16.15	24.23	35.5	78.1	98.54	-0.8	-0.4	0	35.5	0.15	100	8392	98.53	34.8
2023-02-28 15:55:00	59	0	0	0	254	17.29	29.04	35.4	78.2	98.53	-0.7	-0.8	0	35.5	0.15	100	8390	98.53	34.8
2023-02-28 16:00:00	60.6	0	0	0	266	17.96	32.41	35.3	77.9	98.55	-0.9	-0.3	0	35.5	0.15	100	8390	98.54	34.8
2023-02-28 16:05:00	67.8	0	0	0	270	18.3	27.09	35.4	78.3	98.55	-0.8	-0.8	0	35.6	0.15	100	8390	98.55	34.8
2023-02-28 16:10:00	59.4	0	0	0	270	19.04	26.66	35.3	77.6	98.58	-0.7	-0.6	0	35.5	0.16	100	8389	98.56	34.8
2023-02-28 16:15:00	47.4	0	0	0	269	20.76	29.44	35.4	77.8	98.59	-1.3	-0.2	0	35.5	0.16	100	8389	98.58	34.8
2023-02-28 16:20:00	36.4	0	0	0	262	17.58	24.99	35.3	78.4	98.61	-0.7	-0.6	0	35.5	0.15	100	8386	98.61	34.8
2023-02-28 16:25:00	34.8	0	0	0	267	19.3	28.83	35.3	78.2	98.63	-0.9	-0.6	0	35.4	0.15	100	8386	98.62	34.8
2023-02-28 16:30:00	34.2	0	0	0	267	23.69	36.24	35.3	78.4	98.64	-1	-1.5	0	35.3	0.15	100	8386	98.64	34.7
2023-02-28 16:35:00	30.4	0	0	0	272	21.09	29.93	35.2	78.2	98.65	-1.3	-0.6	0	35.3	0.15	100	8384	98.65	34.7
2023-02-28 16:40:00	34	0	0	0	274	17.6	30.98	35.2	77.6	98.67	-0.4	-0.9	0	35.2	0.16	100	8384	98.67	34.6
2023-02-28 16:45:00	28.4	0	0	0	265	17.05	24.63	35.1	79.2	98.69	-0.3	-0.2	0	35.2	0.14	100	8384	98.68	34.6
2023-02-28 16:50:00	30.6	0	0	0	262	15.14	22.32	35.1	78.5	98.7	-1.2	0.1	0	35.1	0.15	100	8382	98.7	34.5
2023-02-28 16:55:00	33.2	0	0	0	267	17.81	33.15	35	79.5	98.7	-0.7	-0.4	0	35.2	0.14	100	8380	98.69	34.5
2023-02-28 17:00:00	38	0	0	0	265	19.93	28.1	35.1	79.3	98.71	-1.5	-0.4	0	35.1	0.14	100	8383	98.69	34.5
2023-02-28 17:05:00	36	0	0	0	259	17.11	27.98	35.1	79.2	98.72	-0.3	-1	0	35.2	0.14	100	8378	98.71	34.5
2023-02-28 17:10:00	32.4	0	0	0	258	19.35	29.28	35	79.5	98.73	-0.3	-1.4	0	35.1	0.14	100	8384	98.73	34.5
2023-02-28 17:15:00	29.8	0	0	0	263	19.28	26.44	35	79.3	98.75	-1	-0.3	0	35	0.14	100	8379	98.74	34.4
2023-02-28 17:20:00	30	0	0	0	250	14.54	20.6	35.1	79.6	98.75	-0.8	-0.6	0	35.1	0.14	100	8377	98.75	34.4
2023-02-28 17:25:00	23.2	0	0	0	263	18.79	29.64	35	79.3	98.76	-0.6	-0.8	0	35.1	0.14	100	8377	98.75	34.4
2023-02-28 17:30:00	19.2	0	0	0	265	16.89	28.61	34.9	79.8	98.77	-0.9	-0.3	0	35	0.14	100	8378	98.76	34.2
2023-02-28 17:35:00	15.2	0	0	0	259	17.58	25.64	34.9	78.9	98.78	-0.6	-0.5	0	34.9	0.14	100	8377	98.77	34.2
2023-02-28 17:40:00	10.6	0	0	0	263	14.7	20	34.8	79.7	98.79	-0.6	-0.6	0	34.8	0.14	100	8377	98.78	34.1
2023-02-28 17:45:00	5.8	0	0	0	262	16.26	25.7	34.6	79.8	98.81	-1	-0.3	0	34.6	0.14	100	8377	98.81	34
2023-02-28 17:50:00	2.4	0	0	0	264	17.25	22.24	34.6	79.5	98.83	-0.9	-0.5	0	34.6	0.14	100	8376	98.81	33.9
2023-02-28 17:55:00	0.8	0	0	0	270	14.16	22.37	34.5	79.6	98.84	-0.7	-0.9	0	34.5	0.14	100	8374	98.83	33.9
2023-02-28 18:00:00	0	0	0	0	268	16.51	21.7	34.5	79.6	98.85	-0.1	-0.5	0	34.5	0.14	100	8373	98.85	33.9
2023-02-28 18:05:00	0	0	0	0	267	12.46	18.72	34.5	80	98.87	-0.9	-0.6	0	34.5	0.14	100	8374	98.86	33.8
2023-02-28 18:10:00	0	0	0	0	268	15.77	24.94	34.5	79.7	98.88	-0.8	-0.7	0	34.5	0.14	100	8372	98.87	33.8
2023-02-28 18:15:00	0	0	0	0	268	14.65	23.49	34.4	79.4	98.89	-0.9	-0.4	0	34.4	0.14	100	8371	98.88	33.8
2023-02-28 18:20:00	0	0	0	0	282	16.02	25.46	34.4	78.6	98.91	-0.6	-0.6	0	34.4	0.14	100	8371	98.89	33.8
2023-02-28 18:25:00	0	0	0	0	278	15.97	25.52	34.4	78.7	98.92	-0.9	-0.8	0	34.4	0.14	100	8371	98.91	33.8
2023-02-28 18:30:00	0	0	0	0	277	15.35	25.59	34.4	78.3	98.94	-1	0.1	0	34.4	0.15	100	8370	98.93	33.7
2023-02-28 18:35:00	0	0	0	0	281	18.66	30.13	34.4	77.4	98.95	-0.5	-0.7	0	34.4	0.15	100	8371	98.93	33.7

z6-17454	Port1															Port7		Port8	
# Records: 8064	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
Timestamps	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-02-28 18:40:00	0	0	0	0	275	16.31	24.49	34.5	77	98.96	-0.8	-0.5	0	34.4	0.16	100	8368	98.95	33.7
2023-02-28 18:45:00	0	0	0	0	275	14.29	22.28	34.5	77.6	98.98	-0.9	-0.6	0	34.4	0.15	100	8370	98.97	33.7
2023-02-28 18:50:00	0	0	0	0	276	15.66	25.12	34.3	77.2	98.99	-0.5	-0.6	0	34.3	0.15	100	8368	98.97	33.6
2023-02-28 18:55:00	0	0	0	0	275	18.54	26.35	34.4	76.5	98.99	-0.9	-0.5	0	34.4	0.16	100	8368	98.98	33.6
2023-02-28 19:00:00	0	0	0	0	272	16.28	26.06	34.2	76.4	99	-1	-0.9	0	34.2	0.16	100	8367	98.99	33.6
2023-02-28 19:05:00	0	0	0	0	273	17.85	26.11	34.3	75.8	99.02	-0.8	-0.4	0	34.3	0.16	100	8366	99	33.5
2023-02-28 19:10:00	0	0	0	0	270	14.88	20.8	34.2	75.7	99.03	-1	0	0	34.2	0.16	100	8364	99.02	33.5
2023-02-28 19:15:00	0	0	0	0	270	14.07	19.15	34.3	75.9	99.05	-0.7	-0.8	0	34.3	0.16	100	8365	99.04	33.5
2023-02-28 19:20:00	0	0	0	0	272	14.74	22.19	34.1	75.7	99.05	-1	-0.6	0	34.1	0.16	100	8367	99.05	33.4
2023-02-28 19:25:00	0	0	0	0	272	13.91	19.44	34.1	75.7	99.07	-0.8	-0.6	0	34.1	0.16	100	8365	99.06	33.4
2023-02-28 19:30:00	0	0	0	0	273	14.52	21.61	34.1	75.6	99.08	-0.7	-0.8	0	34.1	0.16	100	8363	99.07	33.4
2023-02-28 19:35:00	0	0	0	0	276	12.77	19.73	34.1	75.7	99.09	-0.8	-0.6	0	34.1	0.16	100	8362	99.08	33.4
2023-02-28 19:40:00	0	0	0	0	277	17.27	23.33	34.1	75	99.09	-0.9	-0.7	0	34.1	0.17	100	8365	99.08	33.3
2023-02-28 19:45:00	0	0	0	0	274	14.38	18.12	34.1	74.5	99.11	-0.9	-0.5	0	34.1	0.17	100	8364	99.1	33.3
2023-02-28 19:50:00	0	0	0	0	282	12.1	16.75	34.1	74.8	99.11	-0.8	-0.5	0	34.1	0.17	100	8361	99.1	33.3
2023-02-28 19:55:00	0	0	0	0	274	12.39	18.52	34	74.7	99.12	-0.9	-0.6	0	33.9	0.17	100	8362	99.11	33.2
2023-02-28 20:00:00	0	0	0	0	272	16.42	22.08	33.9	74.4	99.12	-0.8	-0.6	0	33.9	0.17	100	8361	99.1	33.2
2023-02-28 20:05:00	0	0	0	0	277	16.13	20.2	33.9	73.6	99.12	-1	-0.6	0	33.9	0.17	100	8358	99.11	33.2
2023-02-28 20:10:00	0	0	0	0	286	17.16	24.61	34	72.9	99.12	-0.8	-0.5	0	33.9	0.18	100	8358	99.1	33.2
2023-02-28 20:15:00	0	0	0	0	287	16.08	21.59	34	72.6	99.13	-0.7	-0.7	0	34	0.18	100	8363	99.11	33.2
2023-02-28 20:20:00	0	0	0	0	274	16.37	24.56	33.9	72.4	99.13	-0.5	-0.5	0	33.9	0.18	100	8359	99.12	33.2
2023-02-28 20:25:00	0	0	0	0	271	15.61	21.27	33.9	72.9	99.14	-0.8	-0.2	0	33.9	0.18	100	8360	99.14	33.1
2023-02-28 20:30:00	0	0	0	0	271	13.29	18.23	33.8	73.1	99.17	-0.8	-0.7	0	33.8	0.18	100	8359	99.16	33.1
2023-02-28 20:35:00	0	0	0	0	268	13.33	19.53	33.8	72.7	99.17	-0.7	-0.5	0	33.8	0.18	100	8354	99.16	33
2023-02-28 20:40:00	0	0	0	0	273	14.05	20.42	33.8	72.6	99.17	-0.9	-0.4	0	33.7	0.18	100	8358	99.16	33
2023-02-28 20:45:00	0	0	0	0	277	14.32	21.85	33.6	72.4	99.18	-0.9	-0.5	0	33.6	0.18	100	8358	99.16	32.9
2023-02-28 20:50:00	0	0	0	0	272	11.92	19.55	33.7	72.1	99.19	-0.9	-0.8	0	33.7	0.18	100	8358	99.18	32.9
2023-02-28 20:55:00	0	0	0	0	278	11.45	16.15	33.6	72.1	99.2	-0.8	-0.5	0	33.6	0.18	100	8356	99.19	32.9
2023-02-28 21:00:00	0	0	0	0	276	14.99	22.06	33.6	72.1	99.21	-1	-0.6	0	33.6	0.18	100	8355	99.19	32.8
2023-02-28 21:05:00	0	0	0	0	281	17.25	22.53	33.6	70.8	99.21	-0.7	-0.9	0	33.6	0.19	100	8356	99.21	32.9
2023-02-28 21:10:00	0	0	0	0	281	11.25	17.2	33.7	71.8	99.22	-0.9	-0.4	0	33.7	0.18	100	8355	99.21	32.8
2023-02-28 21:15:00	0	0	0	0	271	10.76	16.13	33.5	72.3	99.22	-0.7	-0.6	0	33.5	0.18	100	8354	99.21	32.8
2023-02-28 21:20:00	0	0	0	0	271	8.99	13.78	33.6	72.2	99.22	-0.6	-0.5	0	33.5	0.18	100	8351	99.22	32.7
2023-02-28 21:25:00	0	0	0	0	270	11.43	19.19	33.4	72	99.23	-0.8	-0.4	0	33.4	0.18	100	8352	99.22	32.7
2023-02-28 21:30:00	0	0	0	0	264	10.27	16.04	33.5	72.5	99.23	-1	-0.4	0	33.4	0.18	100	8352	99.22	32.6
2023-02-28 21:35:00	0	0	0	0	265	9.98	17.43	33.3	72.1	99.24	-1	-0.4	0	33.3	0.18	100	8351	99.23	32.6
2023-02-28 21:40:00	0	0	0	0	270	9.46	13.58	33.4	71.8	99.25	-0.9	-0.4	0	33.4	0.18	100	8351	99.24	32.6
2023-02-28 21:45:00	0	0	0	0	269	8.41	10.33	33.3	72.5	99.26	-0.9	-0.4	0	33.3	0.18	100	8351	99.24	32.5
2023-02-28 21:50:00	0	0	0	0	269	6.98	10.56	33.2	73.2	99.25	-0.7	-0.4	0	33.2	0.17	100	8350	99.24	32.4
2023-02-28 21:55:00	0	0	0	0	267	7.2	9.24	33.2	72.7	99.25	-0.9	-0.5	0	33.2	0.17	100	8351	99.24	32.4
2023-02-28 22:00:00	0	0	0	0	262	7.52	11.25	33.2	72.8	99.25	-0.8	-0.4	0	33.2	0.17	100	8349	99.24	32.3
2023-02-28 22:05:00	0	0	0	0	258	6.67	9.26	33	73.1	99.25	-0.8	-0.5	0	33	0.17	100	8349	99.24	32.1
2023-02-28 22:10:00	0	0	0	0	262	5.97	8.81	33	73.3	99.25	-0.8	-0.6	0	33	0.17	100	8349	99.24	32
2023-02-28 22:15:00	0	0	0	0	257	6.38	9.19	32.8	73.5	99.25	-0.8	-0.5	0	32.8	0.17	100	8349	99.24	31.9
2023-02-28 22:20:00	0	0	0	0	260	6.38	9.73	32.8	73.3	99.24	-0.8	-0.4	0	32.7	0.17	100	8348	99.23	31.7
2023-02-28 22:25:00	0	0	0	0	253	6.15	9.62	32.5	73.9	99.24	-0.8	-0.5	0	32.5	0.16	100	8347	99.23	31.6
2023-02-28 22:30:00	0	0	0	0	252	4.7	6.98	32.5	73.8	99.24	-0.8	-0.5	0	32.4	0.16	100	8348	99.23	31.4
2023-02-28 22:35:00	0	0	0	0	252	5.73	12.21	32.3	74.3	99.24	-0.8	-0.5	0	32.3	0.16	100	8346	99.23	31.2
2023-02-28 22:40:00	0	0	0	0	256	6.62	10.2	32.2	74.6	99.24	-1	-0.5	0	32.2	0.16	100	8347	99.23	31.2
2023-02-28 22:45:00	0	0	0	0	255	5.84	8.1	32.2	74.6	99.24	-0.9	-0.5	0	32.2	0.16	100	8346	99.23	31
2023-02-28 22:50:00	0	0	0	0	260	5.59	8.99	32.1	73.9	99.24	-1	-0.4	0	32.1	0.16	100	8345	99.23	31
2023-02-28 22:55:00	0	0	0	0	259	6.08	9.37	32	73.5	99.24	-0.8	-0.6	0	32.1	0.16	100	8342	99.23	30.9
2023-02-28 23:00:00	0	0	0	0	260	5.86	9.22	32	73.6	99.25	-0.9	-0.4	0	31.9	0.16	100	8343	99.24	30.7
2023-02-28 23:05:00	0	0	0	0	261	6.89	9.04	32	73.8	99.25	-0.8	-0.4	0	31.9	0.16	100	8342	99.24	30.6
2023-02-28 23:10:00	0	0	0	0	263	6.62	11.23	31.8	74.2	99.26	-0.7	-0.4	0	31.8	0.16	100	8342	99.24	30.6
2023-02-28 23:15:00	0	0	0	0	263	7.14	11.25	31.9	74.1	99.26	-0.8	-0.4	0	31.9	0.16	100	8344	99.25	30.5
2023-02-28 23:20:00	0	0	0	0	253	4.7	6.08	31.7	74.4	99.26	-0.9	-0.5	0	31.7	0.15	100	8341	99.25	30.4
2023-02-28 23:25:00	0	0	0	0	245	4.76	6.24	31.6	74.8	99.26	-0.8	-0.5	0	31.6	0.15	100	8340	99.25	30.2
2023-02-28 23:30:00	0	0	0	0	233	6.67	8.41	31.5	75.1	99.27	-0.9	-0.4	0	31.5	0.15	100	8341	99.26	30.1
2023-02-28 23:35:00	0	0	0	0	222	7.02	9.62	31.6	74.9	99.28	-0.8	-0.4	0	31.6	0.15	100	8339	99.27	30.1
2023-02-28 23:40:00	0	0	0	0	213	5.91	8.37	31.5	75.2	99.3	-0.9	-0.4	0	31.5	0.15	100	8342	99.29	30.1
2023-02-28 23:45:00	0	0	0	0	219	7.31	10.18	31.5	75.2	99.3	-0.7	-0.4	0	31.5	0.15	100	8342	99.29	30.1
2023-02-28 23:50:00	0	0	0	0	227	7.27	8.84	31.6	74.9	99.31	-0.8	-0.5	0	31.6	0.15	100	8337	99.29	30.1
2023-02-28 23:55:00	0	0	0	0	218	6.11	10	31.5	75.2	99.3	-0.9	-0.4	0	31.5	0.15	100	8339	99.29	30

Attachment 2

Raw Data for Each Monitoring Station
February 1-28, 2023

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/1/2023, 12:02:32 AM	0	6.667	18.7	79	
2/1/2023, 12:12:32 AM	0	6.667	18.5	79.2	
2/1/2023, 12:22:32 AM	0	6.667	18.3	79.4	
2/1/2023, 12:32:32 AM	0	6.667	18.1	79.5	
2/1/2023, 12:42:32 AM	0	6.667	17.8	79.5	
2/1/2023, 12:52:32 AM	0	6.667	17.2	79.5	0
2/1/2023, 1:02:32 AM	0	6.658	16.5	79.5	0
2/1/2023, 1:12:32 AM	0	6.658	15.8	79.5	0
2/1/2023, 1:22:32 AM	0	6.658	15.1	79.5	0
2/1/2023, 1:32:32 AM	0	6.649	15.1	79.9	0
2/1/2023, 1:42:32 AM	0	6.649	15.3	80.6	0
2/1/2023, 1:52:32 AM	0	6.649	15.6	81.4	0
2/1/2023, 2:02:32 AM	0	6.649	16.2	82.1	0
2/1/2023, 2:12:32 AM	0	6.658	16.5	82.7	0
2/1/2023, 2:22:32 AM	0	6.658	16.9	83.2	0
2/1/2023, 2:32:32 AM	0	6.658	17.2	83.5	0
2/1/2023, 2:42:32 AM	0	6.658	17.4	83.7	0
2/1/2023, 2:52:32 AM	0	6.658	17.6	83.8	0
2/1/2023, 3:02:32 AM	0	6.658	17.8	83.7	0
2/1/2023, 3:12:32 AM	0	6.658	17.8	83.6	0
2/1/2023, 3:22:32 AM	0	6.658	17.6	83.4	0
2/1/2023, 3:32:32 AM	0	6.658	17.6	83	0
2/1/2023, 3:42:32 AM	0	6.658	17.4	82.6	0
2/1/2023, 3:52:32 AM	0	6.658	17.2	82.1	0
2/1/2023, 4:02:32 AM	0	6.658	16.9	81.5	0
2/1/2023, 4:12:32 AM	0	6.658	16.5	81	0
2/1/2023, 4:22:32 AM	0	6.658	16.3	80.8	0
2/1/2023, 4:32:32 AM	0	6.658	16.7	80.7	0
2/1/2023, 4:42:32 AM	0	6.658	17.1	80.5	0
2/1/2023, 4:52:32 AM	0	6.658	17.1	80.3	0
2/1/2023, 5:02:32 AM	0	6.658	17.1	80.1	0
2/1/2023, 5:12:32 AM	0	6.658	16.7	79.8	0
2/1/2023, 5:22:32 AM	0	6.658	16.7	79.6	0
2/1/2023, 5:32:32 AM	0	6.658	16.7	79.5	0
2/1/2023, 5:42:32 AM	0	6.658	16.9	79.4	0
2/1/2023, 5:52:32 AM	0	6.658	16.9	79.2	0
2/1/2023, 6:02:32 AM	0	6.658	16.7	79	0
2/1/2023, 6:12:32 AM	0	6.649	16.2	78.8	0
2/1/2023, 6:22:32 AM	0	6.649	16	78.6	0
2/1/2023, 6:32:32 AM	0	6.649	15.8	78.4	0
2/1/2023, 6:42:32 AM	0	6.649	15.6	78.2	0
2/1/2023, 6:52:32 AM	0	6.649	15.4	78	0
2/1/2023, 7:02:32 AM	0	6.649	15.1	77.8	0
2/1/2023, 7:12:32 AM	0	6.649	14.9	77.8	0
2/1/2023, 7:22:32 AM	0	6.64	14.7	77.7	0
2/1/2023, 7:32:32 AM	0	6.64	14.7	77.5	0
2/1/2023, 7:42:32 AM	0	6.64	14.9	77.3	0
2/1/2023, 7:52:32 AM	0	6.64	15.3	77.1	0
2/1/2023, 8:02:32 AM	0	6.64	15.4	76.8	0
2/1/2023, 8:12:32 AM	0	6.64	16.3	76.5	0
2/1/2023, 8:22:32 AM	0	6.649	17.4	76.3	0
2/1/2023, 8:32:32 AM	0	6.649	18	75.8	0
2/1/2023, 8:42:32 AM	0	6.649	18.1	75.2	0
2/1/2023, 8:52:32 AM	0	6.649	18.3	74.7	0
2/1/2023, 9:02:32 AM	0	6.649	18.7	74.3	0
2/1/2023, 9:12:32 AM	0	6.658	19.6	74	0
2/1/2023, 9:22:32 AM	0	6.658	21.7	73.6	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/1/2023, 9:32:32 AM	0	6.667	23.9	72.9	0
2/1/2023, 9:42:32 AM	0	6.667	25.7	71.9	0
2/1/2023, 9:52:32 AM	0	6.675	27.1	70.7	0
2/1/2023, 10:02:32 AM	0	6.675	28.4	69.7	0
2/1/2023, 10:12:32 AM	0	6.684	29.5	68.6	0
2/1/2023, 10:22:32 AM	0	6.684	30.4	67.6	0
2/1/2023, 10:32:32 AM	0	6.684	31.8	66.9	0
2/1/2023, 10:42:32 AM	0	6.693	32.2	66.2	0
2/1/2023, 10:52:32 AM	0	6.693	32	65.5	0
2/1/2023, 11:02:32 AM	0	6.693	32.2	64.8	0
2/1/2023, 11:12:32 AM	0	6.693	32	64.3	0
2/1/2023, 11:22:32 AM	0	6.693	31.6	63.9	0
2/1/2023, 11:32:32 AM	0	6.693	32	63.6	0
2/1/2023, 11:55:26 AM	0	7.009	42.8	63.2	0
2/1/2023, 12:05:26 PM	0	6.86	44.4	62.9	0
2/1/2023, 12:15:26 PM	0	6.86	39.4	61	0
2/1/2023, 12:25:26 PM	0	6.851	36.1	60.1	0
2/1/2023, 12:35:26 PM	0	6.851	34.5	60	0
2/1/2023, 12:45:26 PM	0	6.851	32.5	60	0
2/1/2023, 12:55:26 PM	0	6.86	31.6	60.3	0
2/1/2023, 1:05:26 PM	0	6.86	33.4	60.8	0
2/1/2023, 1:15:26 PM	0	6.86	35.4	60.7	0
2/1/2023, 1:25:26 PM	0	6.86	36.5	60.3	0
2/1/2023, 1:35:26 PM	0	6.86	35.6	59.6	0
2/1/2023, 1:45:26 PM	0	6.869	35.1	59.2	0
2/1/2023, 1:55:26 PM	0	6.869	35.8	59.2	0
2/1/2023, 2:05:26 PM	0	6.869	35.8	59	0
2/1/2023, 2:15:26 PM	0	6.869	34.3	58.6	0
2/1/2023, 2:25:26 PM	0	6.869	32.4	58.2	0
2/1/2023, 2:35:26 PM	0	6.869	30.6	58.2	0
2/1/2023, 2:45:26 PM	0	6.869	30.7	58.6	0
2/1/2023, 2:55:26 PM	0	6.869	31.1	59	0
2/1/2023, 3:05:26 PM	0	6.869	30.9	59.1	0
2/1/2023, 3:15:26 PM	0	6.869	31.1	59.2	0
2/1/2023, 3:25:26 PM	0	6.869	31.8	59.4	0
2/1/2023, 3:35:26 PM	0	6.869	31.8	59.3	0
2/1/2023, 3:45:26 PM	0	6.869	31.5	59.1	0
2/1/2023, 3:55:26 PM	0	6.869	31.3	59	0
2/1/2023, 4:05:26 PM	0	6.869	30.7	58.9	0
2/1/2023, 4:15:26 PM	0	6.869	30.4	58.9	0
2/1/2023, 4:25:26 PM	0	6.869	30.2	58.9	0
2/1/2023, 4:35:26 PM	0	6.869	29.7	58.9	0
2/1/2023, 4:45:26 PM	0	6.869	28.4	58.8	0
2/1/2023, 4:55:26 PM	0	6.869	27.3	59	0
2/1/2023, 5:05:26 PM	0	6.869	26.2	59.3	0
2/1/2023, 5:15:26 PM	0	6.869	25.5	59.8	0
2/1/2023, 5:25:26 PM	0	6.869	25	60.5	0
2/1/2023, 5:35:26 PM	0	6.86	24.4	61.1	0
2/1/2023, 5:45:26 PM	0	6.86	23.9	61.8	0
2/1/2023, 5:55:26 PM	0	6.86	23.5	62.6	0
2/1/2023, 6:05:26 PM	0	6.86	23.4	63.4	0
2/1/2023, 6:15:26 PM	0	6.86	23.2	64.1	0
2/1/2023, 6:25:26 PM	0	6.86	22.8	64.8	0
2/1/2023, 6:35:26 PM	0	6.86	22.5	65.4	0
2/1/2023, 6:45:26 PM	0	6.86	22.1	66	0
2/1/2023, 6:55:26 PM	0	6.86	21.6	66.6	0
2/1/2023, 7:05:26 PM	0	6.851	21.2	67.2	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/1/2023, 7:15:26 PM	0	6.851	20.8	67.8	0
2/1/2023, 7:25:26 PM	0	6.851	20.5	68.4	0
2/1/2023, 7:35:26 PM	0	6.851	20.1	69.1	0
2/1/2023, 7:45:26 PM	0	6.851	19.9	69.7	0
2/1/2023, 7:55:26 PM	0	6.851	19.8	70.2	0
2/1/2023, 8:05:26 PM	0	6.851	19.8	70.8	0
2/1/2023, 8:15:26 PM	0	6.851	19.9	71.3	0
2/1/2023, 8:25:26 PM	0	6.851	20.1	71.7	0
2/1/2023, 8:35:26 PM	0	6.842	20.3	72.1	0
2/1/2023, 8:45:26 PM	0	6.851	20.3	72.5	0
2/1/2023, 8:55:26 PM	0	6.842	20.5	72.8	0
2/1/2023, 9:05:26 PM	0	6.842	20.7	73.1	0
2/1/2023, 9:15:26 PM	0	6.842	20.8	73.3	0
2/1/2023, 9:25:26 PM	0	6.842	21	73.4	0
2/1/2023, 9:35:26 PM	0	6.842	21.2	73.4	0
2/1/2023, 9:45:26 PM	0	6.842	21.4	73.4	0
2/1/2023, 9:55:26 PM	0	6.842	21.4	73.4	0
2/1/2023, 10:05:26 PM	0	6.842	21.6	73.4	0
2/1/2023, 10:15:26 PM	0	6.842	21.9	73.4	0
2/1/2023, 10:25:26 PM	0	6.842	22.1	73.3	0
2/1/2023, 10:35:26 PM	0	6.842	22.3	73.2	0
2/1/2023, 10:45:26 PM	0	6.842	22.5	73.1	0
2/1/2023, 10:55:26 PM	0	6.842	22.5	73	0
2/1/2023, 11:05:26 PM	0	6.842	22.6	73	0
2/1/2023, 11:15:26 PM	0	6.842	22.6	72.8	0
2/1/2023, 11:25:26 PM	0	6.842	22.6	72.7	0
2/1/2023, 11:35:26 PM	0	6.842	22.5	72.6	0
2/1/2023, 11:45:26 PM	0	6.842	22.5	72.5	0
2/1/2023, 11:55:26 PM	0	6.842	22.6	72.4	0
2/2/2023, 12:05:26 AM	0	6.842	22.6	72.2	0
2/2/2023, 12:15:26 AM	0	6.842	22.6	72	0
2/2/2023, 12:25:26 AM	0	6.842	22.6	71.8	0
2/2/2023, 12:35:26 AM	0	6.833	22.5	71.6	0
2/2/2023, 12:45:26 AM	0	6.833	22.3	71.5	0
2/2/2023, 12:55:26 AM	0	6.833	22.3	71.4	0
2/2/2023, 1:05:26 AM	0	6.833	22.1	71.4	0
2/2/2023, 1:15:26 AM	0	6.833	21.9	71.4	0
2/2/2023, 1:25:26 AM	0	6.833	21.9	71.4	0
2/2/2023, 1:35:26 AM	0	6.833	21.7	71.3	0
2/2/2023, 1:45:26 AM	0	6.833	21.4	71.3	0
2/2/2023, 1:55:26 AM	0	6.833	21.2	71.3	0
2/2/2023, 2:05:26 AM	0	6.833	21	71.3	0
2/2/2023, 2:15:26 AM	0	6.825	21	71.4	0
2/2/2023, 2:25:26 AM	0	6.825	21.2	71.5	0
2/2/2023, 2:35:26 AM	0	6.825	21.2	71.6	0
2/2/2023, 2:45:26 AM	0	6.825	21.4	71.7	0
2/2/2023, 2:55:26 AM	0	6.825	21.6	71.7	0
2/2/2023, 3:05:26 AM	0	6.825	21.7	71.7	0
2/2/2023, 3:15:26 AM	0	6.825	21.7	71.7	0
2/2/2023, 3:25:26 AM	0	6.825	21.9	71.7	0
2/2/2023, 3:35:26 AM	0	6.825	21.9	71.7	0
2/2/2023, 3:45:26 AM	0	6.825	22.1	71.6	0
2/2/2023, 3:55:26 AM	0	6.825	22.1	71.6	0
2/2/2023, 4:05:26 AM	0	6.825	22.3	71.7	0
2/2/2023, 4:15:26 AM	0	6.825	22.3	71.7	0
2/2/2023, 4:25:26 AM	0	6.825	22.5	71.8	0
2/2/2023, 4:35:26 AM	0	6.825	22.5	71.8	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/2/2023, 4:45:26 AM	0	6.825	22.5	71.8	0
2/2/2023, 4:55:26 AM	0	6.825	22.6	71.9	0
2/2/2023, 5:05:26 AM	0	6.825	22.6	72.1	0
2/2/2023, 5:15:26 AM	0	6.825	22.6	72.2	0
2/2/2023, 5:25:26 AM	0	6.825	22.8	72.2	0
2/2/2023, 5:35:26 AM	0	6.825	22.8	72.3	0
2/2/2023, 5:45:26 AM	0	6.825	23	72.3	0
2/2/2023, 5:55:26 AM	0	6.825	23	72.4	0
2/2/2023, 6:05:26 AM	0	6.825	23.2	72.4	0
2/2/2023, 6:15:26 AM	0	6.825	23.2	72.4	0
2/2/2023, 6:25:26 AM	0	6.825	23.4	72.4	0
2/2/2023, 6:35:26 AM	0	6.825	23.5	72.4	0
2/2/2023, 6:45:26 AM	0	6.825	23.5	72.3	0
2/2/2023, 6:55:26 AM	0	6.825	23.7	72.2	0
2/2/2023, 7:05:26 AM	0	6.825	23.7	72.1	0
2/2/2023, 7:15:26 AM	0	6.825	23.7	72.1	0
2/2/2023, 7:25:26 AM	0	6.825	23.9	72.1	0
2/2/2023, 7:35:26 AM	0	6.825	23.9	72.1	0
2/2/2023, 7:45:26 AM	0	6.825	24.1	72.1	0
2/2/2023, 7:55:26 AM	0	6.825	24.3	72.2	0
2/2/2023, 8:05:26 AM	0	6.825	24.4	72.2	0
2/2/2023, 8:15:26 AM	0	6.825	24.6	72.1	0
2/2/2023, 8:25:26 AM	0	6.825	24.8	72.1	0
2/2/2023, 8:35:26 AM	0	6.825	25	72.1	0
2/2/2023, 8:45:26 AM	0	6.825	25.3	72	0
2/2/2023, 8:55:26 AM	0	6.833	25.7	72	0
2/2/2023, 9:05:26 AM	0	6.825	26.1	71.8	0
2/2/2023, 9:15:26 AM	0	6.833	26.4	71.7	0
2/2/2023, 9:25:26 AM	0	6.833	27.1	71.6	0
2/2/2023, 9:35:26 AM	0	6.833	27.7	71.4	0
2/2/2023, 9:45:26 AM	0	6.833	28.2	71.1	0
2/2/2023, 9:55:26 AM	0	6.833	28.6	70.9	0
2/2/2023, 10:05:26 AM	0	6.833	29.1	70.6	0
2/2/2023, 10:15:26 AM	0	6.833	29.8	70.3	0
2/2/2023, 10:25:26 AM	0	6.833	30.4	70	0
2/2/2023, 10:35:26 AM	0	6.833	30.9	69.6	0
2/2/2023, 10:45:26 AM	0	6.833	31.5	69.1	0
2/2/2023, 10:55:26 AM	0	6.833	32	68.7	0
2/2/2023, 11:05:26 AM	0	6.833	32.4	68.2	0
2/2/2023, 11:15:26 AM	0	6.842	32.9	67.7	0
2/2/2023, 11:25:26 AM	0	6.842	33.3	67	0
2/2/2023, 11:35:26 AM	0	6.842	33.6	66.4	0
2/2/2023, 11:45:26 AM	0	6.842	34.2	65.8	0
2/2/2023, 11:55:26 AM	0	6.842	34.5	65.2	0
2/2/2023, 12:05:26 PM	0	6.842	35.4	64.6	0
2/2/2023, 12:15:26 PM	0	6.842	36.5	63.9	0
2/2/2023, 12:25:26 PM	0	6.842	37.9	63.1	0
2/2/2023, 12:35:26 PM	0	6.842	38.8	62.3	0
2/2/2023, 12:45:26 PM	0	6.851	38.8	61.4	0
2/2/2023, 12:55:26 PM	0	6.851	38.7	60.5	0
2/2/2023, 1:05:26 PM	0	6.851	38.8	59.8	0
2/2/2023, 1:15:26 PM	0	6.851	39.4	59.4	0
2/2/2023, 1:25:26 PM	0	6.851	40.1	59	0
2/2/2023, 1:35:26 PM	0	6.851	41.2	58.4	0
2/2/2023, 1:45:26 PM	0	6.851	42.6	57.9	0
2/2/2023, 1:55:26 PM	0	6.851	43.5	57.3	0
2/2/2023, 2:05:26 PM	0	6.86	44.1	56.7	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/2/2023, 2:15:26 PM	0	6.86	44.6	56.2	0
2/2/2023, 2:25:26 PM	0	6.86	45	55.6	0
2/2/2023, 2:35:26 PM	0	6.86	45.1	55.2	0
2/2/2023, 2:45:26 PM	0	6.86	44.8	54.7	0
2/2/2023, 2:55:26 PM	0	6.86	44.2	54.2	0
2/2/2023, 3:05:26 PM	0	6.86	43.9	53.8	0
2/2/2023, 3:15:26 PM	0	6.86	43.7	53.5	0
2/2/2023, 3:25:26 PM	0	6.86	43.5	53.3	0
2/2/2023, 3:35:26 PM	0	6.86	43.7	53	0
2/2/2023, 3:45:26 PM	0	6.86	43.5	52.9	0
2/2/2023, 3:55:26 PM	0	6.86	41.9	52.5	0
2/2/2023, 4:05:26 PM	0	6.86	41	52.3	0
2/2/2023, 4:15:26 PM	0	6.86	40.5	52.3	0
2/2/2023, 4:25:26 PM	0	6.86	39.7	52.4	0
2/2/2023, 4:35:26 PM	0	6.86	39.2	52.4	0
2/2/2023, 4:45:26 PM	0	6.86	38.7	52.5	0
2/2/2023, 4:55:26 PM	0	6.86	38.3	52.6	0
2/2/2023, 5:05:26 PM	0	6.86	37.9	52.7	0
2/2/2023, 5:15:26 PM	0	6.86	37.6	52.8	0
2/2/2023, 5:25:26 PM	0	6.851	37.4	52.9	0
2/2/2023, 5:35:26 PM	0	6.851	37.2	53	0
2/2/2023, 5:45:26 PM	0	6.851	36.9	53.1	0
2/2/2023, 5:55:26 PM	0	6.851	36.9	53.3	0
2/2/2023, 6:05:26 PM	0	6.851	36.7	53.4	0
2/2/2023, 6:15:26 PM	0	6.851	36.7	53.6	0
2/2/2023, 6:25:26 PM	0	6.851	36.5	53.8	0
2/2/2023, 6:35:26 PM	0	6.851	36.5	54	0
2/2/2023, 6:45:26 PM	0	6.851	36.5	54.1	0
2/2/2023, 6:55:26 PM	0	6.851	36.7	54.1	0
2/2/2023, 7:05:26 PM	0	6.851	36.9	54.2	0
2/2/2023, 7:15:26 PM	0	6.851	36.9	54.4	0
2/2/2023, 7:25:26 PM	0	6.851	36.9	54.8	0
2/2/2023, 7:35:26 PM	0	6.851	36.7	55.6	0
2/2/2023, 7:45:26 PM	0	6.851	36.3	56.8	0
2/2/2023, 7:55:26 PM	0	6.851	36.1	58	0
2/2/2023, 8:05:26 PM	0	6.851	35.8	59.2	0
2/2/2023, 8:15:26 PM	0	6.851	35.4	60.7	0
2/2/2023, 8:25:26 PM	0	6.851	35.1	62.4	0
2/2/2023, 8:35:26 PM	0	6.851	34.3	64.6	0
2/2/2023, 8:45:26 PM	0	6.851	33.6	67.1	0
2/2/2023, 8:55:26 PM	0	6.842	33.1	69.4	0
2/2/2023, 9:05:26 PM	0	6.842	32.5	71.3	0
2/2/2023, 9:15:26 PM	0	6.842	32.2	73.1	0
2/2/2023, 9:25:26 PM	0	6.842	30.7	73.9	0
2/2/2023, 9:35:26 PM	0	6.842	29.3	74.4	0
2/2/2023, 9:45:26 PM	0	6.833	28.4	75.3	0
2/2/2023, 9:55:26 PM	0	6.833	27.7	76.3	0
2/2/2023, 10:05:26 PM	0	6.833	27.1	77.1	0
2/2/2023, 10:15:26 PM	0	6.825	26.6	77.9	0
2/2/2023, 10:25:26 PM	0	6.825	25.9	78.4	0
2/2/2023, 10:35:26 PM	0	6.825	25.3	78.9	0
2/2/2023, 10:45:26 PM	0	6.825	25	79.4	0
2/2/2023, 10:55:26 PM	0	6.825	24.4	79.7	0
2/2/2023, 11:05:26 PM	0	6.825	24.1	79.9	0
2/2/2023, 11:15:26 PM	0	6.816	23.7	79.4	0
2/2/2023, 11:25:26 PM	0	6.816	23.5	78.1	0
2/2/2023, 11:35:26 PM	0	6.816	23.2	76.9	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/2/2023, 11:45:26 PM	0	6.816	23	76	0
2/2/2023, 11:55:26 PM	0	6.816	22.5	75	0
2/3/2023, 12:05:26 AM	0	6.816	22.1	73.7	0
2/3/2023, 12:15:26 AM	0	6.816	21.9	72.5	0
2/3/2023, 12:25:26 AM	0	6.816	21.6	71.9	0
2/3/2023, 12:35:26 AM	0	6.816	21.2	71.6	0
2/3/2023, 12:45:26 AM	0	6.816	21	70.9	0
2/3/2023, 12:55:26 AM	0	6.816	20.8	70.3	0
2/3/2023, 1:05:26 AM	0	6.816	20.7	70.3	0
2/3/2023, 1:15:26 AM	0	6.816	20.3	71.1	0
2/3/2023, 1:25:26 AM	0	6.816	19.8	72.5	0
2/3/2023, 1:35:26 AM	0	6.807	19.2	73.8	0
2/3/2023, 1:45:26 AM	0	6.807	18.7	74.8	0
2/3/2023, 1:55:26 AM	0	6.807	18.3	75.6	0
2/3/2023, 2:05:26 AM	0	6.807	18.1	75.2	0
2/3/2023, 2:15:26 AM	0	6.807	18	74.3	0
2/3/2023, 2:25:26 AM	0	6.807	17.6	73.4	0
2/3/2023, 2:35:26 AM	0	6.807	17.2	72.5	0
2/3/2023, 2:45:26 AM	0	6.807	17.1	71.8	0
2/3/2023, 2:55:26 AM	0	6.807	16.7	71.6	0
2/3/2023, 3:05:26 AM	0	6.807	16.3	71.5	0
2/3/2023, 3:15:26 AM	0	6.807	16	71.1	0
2/3/2023, 3:25:26 AM	0	6.798	15.4	70.6	0
2/3/2023, 3:35:26 AM	0	6.798	15.1	70.3	0
2/3/2023, 3:45:26 AM	0	6.798	14.9	70.1	0
2/3/2023, 3:55:26 AM	0	6.798	14.5	70	0
2/3/2023, 4:05:26 AM	0	6.798	14.4	70	0
2/3/2023, 4:15:26 AM	0	6.798	14.2	70.4	0
2/3/2023, 4:25:26 AM	0	6.798	14	70.9	0
2/3/2023, 4:35:26 AM	0	6.798	14	70.9	0
2/3/2023, 4:45:26 AM	0	6.798	13.8	71	0
2/3/2023, 4:55:26 AM	0	6.798	13.5	70.9	0
2/3/2023, 5:05:26 AM	0	6.798	13.3	71.1	0
2/3/2023, 5:15:26 AM	0	6.798	12.9	71.2	0
2/3/2023, 5:25:26 AM	0	6.798	12.7	71.3	0
2/3/2023, 5:35:26 AM	0	6.798	12.4	71.3	0
2/3/2023, 5:45:26 AM	0	6.79	12	71.4	0
2/3/2023, 5:55:26 AM	0	6.798	11.7	71.5	0
2/3/2023, 6:05:26 AM	0	6.79	11.5	71.6	0
2/3/2023, 6:15:26 AM	0	6.79	11.1	71.8	0
2/3/2023, 6:25:26 AM	0	6.79	10.8	71.8	0
2/3/2023, 6:35:26 AM	0	6.79	10.4	71.9	0
2/3/2023, 6:45:26 AM	0	6.79	10	71.8	0
2/3/2023, 6:55:26 AM	0	6.79	9.9	72	0
2/3/2023, 7:05:26 AM	0	6.79	9.5	72.4	0
2/3/2023, 7:15:26 AM	0	6.79	9.3	72.8	0
2/3/2023, 7:25:26 AM	0	6.79	9.1	73.3	0
2/3/2023, 7:35:26 AM	0	6.79	8.8	73.8	0
2/3/2023, 7:45:26 AM	0	6.781	8.6	74.3	0
2/3/2023, 7:55:26 AM	0	6.781	8.6	74.6	0
2/3/2023, 8:05:26 AM	0	6.781	8.4	74.9	0
2/3/2023, 8:15:26 AM	0	6.781	8.2	75.1	0
2/3/2023, 8:25:26 AM	0	6.781	8.2	75.3	0
2/3/2023, 8:35:26 AM	0	6.781	8.4	75.2	0
2/3/2023, 8:45:26 AM	0	6.781	8.8	75.1	0
2/3/2023, 8:55:26 AM	0	6.781	9.1	75.1	0
2/3/2023, 9:05:26 AM	0	6.781	9.3	74.9	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/3/2023, 9:15:26 AM	0	6.781	9.1	74.7	0
2/3/2023, 9:25:26 AM	0	6.781	9.1	74.6	0
2/3/2023, 9:35:26 AM	0	6.781	9.7	74.6	0
2/3/2023, 9:45:26 AM	0	6.781	9.7	74.4	0
2/3/2023, 9:55:26 AM	0	6.781	9.5	74.4	0
2/3/2023, 10:05:26 AM	0	6.781	9.5	74.4	0
2/3/2023, 10:15:26 AM	0	6.781	9.7	74.2	0
2/3/2023, 10:25:26 AM	0	6.781	9.9	74	0
2/3/2023, 10:35:26 AM	0	6.781	10.4	73.7	0
2/3/2023, 10:45:26 AM	0	6.781	11.3	73.2	0
2/3/2023, 10:55:26 AM	0	6.781	12.2	72.5	0
2/3/2023, 11:05:26 AM	0	6.781	12	71.6	0
2/3/2023, 11:15:26 AM	0	6.79	12	70.8	0
2/3/2023, 11:25:26 AM	0	6.79	11.5	70.3	0
2/3/2023, 11:35:26 AM	0	6.781	11.3	70.1	0
2/3/2023, 11:45:26 AM	0	6.781	11.7	70	0
2/3/2023, 11:55:26 AM	0	6.781	11.3	69.6	0
2/3/2023, 12:05:26 PM	0	6.781	10.6	69.3	0
2/3/2023, 12:15:26 PM	0	6.781	10.4	69.3	0
2/3/2023, 12:25:26 PM	0	6.781	10.9	69.2	0
2/3/2023, 12:35:26 PM	0	6.781	10.9	69.1	0
2/3/2023, 12:45:26 PM	0	6.781	11.1	68.8	0
2/3/2023, 12:55:26 PM	0	6.781	11.8	68.5	0
2/3/2023, 1:05:26 PM	0	6.781	11.8	68	0
2/3/2023, 1:15:26 PM	0	6.79	10.4	67.5	0
2/3/2023, 1:25:26 PM	0	6.781	9.9	67.2	0
2/3/2023, 1:35:26 PM	0	6.781	9.9	67.1	0
2/3/2023, 1:45:26 PM	0	6.781	10.4	66.9	0
2/3/2023, 1:55:26 PM	0	6.781	10.9	66.8	0
2/3/2023, 2:05:26 PM	0	6.781	10.8	66.8	0
2/3/2023, 2:15:26 PM	0	6.781	10.9	67.1	0
2/3/2023, 2:25:26 PM	0	6.79	11.1	67	0
2/3/2023, 2:35:26 PM	0	6.79	10.2	66.6	0
2/3/2023, 2:45:26 PM	0	6.79	9.5	66.8	0
2/3/2023, 2:55:26 PM	0	6.79	9	67.4	0
2/3/2023, 3:05:26 PM	0	6.781	8.6	67.9	0
2/3/2023, 3:15:26 PM	0	6.781	8.1	68.3	0
2/3/2023, 3:25:26 PM	0	6.781	7.3	68.6	0
2/3/2023, 3:35:26 PM	0	6.781	7	69	0
2/3/2023, 3:45:26 PM	0	6.781	6.6	69.5	0
2/3/2023, 3:55:26 PM	0	6.781	6.6	70.1	0
2/3/2023, 4:05:26 PM	0	6.781	6.4	70.6	0
2/3/2023, 4:15:26 PM	0	6.781	6.4	70.9	0
2/3/2023, 4:25:26 PM	0	6.781	6.3	70.9	0
2/3/2023, 4:35:26 PM	0	6.781	5.9	70.9	0
2/3/2023, 4:45:26 PM	0	6.781	5.5	71.1	0
2/3/2023, 4:55:26 PM	0	6.781	5.4	71.3	0
2/3/2023, 5:05:26 PM	0	6.781	5.2	71.3	0
2/3/2023, 5:15:26 PM	0	6.781	5	71.1	0
2/3/2023, 5:25:26 PM	0	6.781	5	70.9	0
2/3/2023, 5:35:26 PM	0	6.781	4.8	71	0
2/3/2023, 5:45:26 PM	0	6.781	4.6	71.6	0
2/3/2023, 5:55:26 PM	0	6.781	4.6	72.2	0
2/3/2023, 6:05:26 PM	0	6.781	4.6	72.9	0
2/3/2023, 6:15:26 PM	0	6.781	4.8	73.4	0
2/3/2023, 6:25:26 PM	0	6.781	4.8	73.7	0
2/3/2023, 6:35:26 PM	0	6.781	4.8	73.5	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/3/2023, 6:45:26 PM	0	6.781	4.6	73.4	0
2/3/2023, 6:55:26 PM	0	6.781	4.6	73.5	0
2/3/2023, 7:05:26 PM	0	6.781	4.5	73.8	0
2/3/2023, 7:15:26 PM	0	6.781	4.3	74	0
2/3/2023, 7:25:26 PM	0	6.781	4.3	74.1	0
2/3/2023, 7:35:26 PM	0	6.781	4.1	74.1	0
2/3/2023, 7:45:26 PM	0	6.781	3.9	74.3	0
2/3/2023, 7:55:26 PM	0	6.781	3.9	74.6	0
2/3/2023, 8:05:26 PM	0	6.781	3.7	74.9	0
2/3/2023, 8:15:26 PM	0	6.781	3.6	75.2	0
2/3/2023, 8:25:26 PM	0	6.781	3.6	75.5	0
2/3/2023, 8:35:26 PM	0	6.781	3.2	75.7	0
2/3/2023, 8:45:26 PM	0	6.781	2.8	75.9	0
2/3/2023, 8:55:26 PM	0	6.772	2.5	76	0
2/3/2023, 9:05:26 PM	0	6.772	2.3	76.1	0
2/3/2023, 9:15:26 PM	0	6.772	1.9	76.3	0
2/3/2023, 9:25:26 PM	0	6.772	1.8	76.4	0
2/3/2023, 9:35:26 PM	0	6.772	1.6	76.5	0
2/3/2023, 9:45:26 PM	0	6.772	1.4	76.6	0
2/3/2023, 9:55:26 PM	0	6.772	1	76.8	0
2/3/2023, 10:05:26 PM	0	6.772	0.9	76.8	0
2/3/2023, 10:15:26 PM	0	6.772	0.5	76.9	0
2/3/2023, 10:25:26 PM	0	6.763	0.1	76.9	0
2/3/2023, 10:35:26 PM	0	6.763	0	77	0
2/3/2023, 10:45:26 PM	0	6.763	0	77.1	0
2/3/2023, 10:55:26 PM	0	6.763	-0.2	77.2	0
2/3/2023, 11:05:26 PM	0	6.763	-0.2	77.3	0
2/3/2023, 11:15:26 PM	0	6.763	-0.4	77.4	0
2/3/2023, 11:25:26 PM	0	6.763	-0.4	77.4	0
2/3/2023, 11:35:26 PM	0	6.763	-0.6	77.5	0
2/3/2023, 11:45:26 PM	0	6.763	-0.6	77.6	0
2/3/2023, 11:55:26 PM	0	6.763	-0.8	77.7	0
2/4/2023, 12:05:26 AM	0	6.763	-0.8	77.8	0
2/4/2023, 12:15:26 AM	0	6.763	-0.8	77.9	0
2/4/2023, 12:25:26 AM	0	6.763	-0.6	78	0
2/4/2023, 12:35:26 AM	0	6.763	-0.6	78.1	0
2/4/2023, 12:45:26 AM	0	6.763	-0.6	78.2	0
2/4/2023, 12:55:26 AM	0	6.763	-0.4	78.3	0
2/4/2023, 1:05:26 AM	0	6.763	-0.4	78.4	0
2/4/2023, 1:15:26 AM	0	6.763	-0.2	78.5	0
2/4/2023, 1:25:26 AM	0	6.763	-0.2	78.6	0
2/4/2023, 1:35:26 AM	0	6.763	-0.2	78.7	0
2/4/2023, 1:45:26 AM	0	6.763	0	78.8	0
2/4/2023, 1:55:26 AM	0	6.763	0	78.9	0
2/4/2023, 2:05:26 AM	0	6.763	0.1	78.9	0
2/4/2023, 2:15:26 AM	0	6.763	0.1	79	0
2/4/2023, 2:25:26 AM	0	6.772	0.1	79.1	0
2/4/2023, 2:35:26 AM	0	6.772	0.1	79.1	0
2/4/2023, 2:45:26 AM	0	6.763	0	79.1	0
2/4/2023, 2:55:26 AM	0	6.772	-0.2	79	0
2/4/2023, 3:05:26 AM	0	6.763	-0.2	79	0
2/4/2023, 3:15:26 AM	0	6.763	-0.6	78.9	0
2/4/2023, 3:25:26 AM	0	6.763	-0.9	78.8	0
2/4/2023, 3:35:26 AM	0	6.763	-1.3	78.7	0
2/4/2023, 3:45:26 AM	0	6.763	-1.7	78.5	0
2/4/2023, 3:55:26 AM	0	6.763	-2.4	78.2	0
2/4/2023, 4:05:26 AM	0	6.763	-2.7	78	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/4/2023, 4:15:26 AM	0	6.763	-3.1	77.7	0
2/4/2023, 4:25:26 AM	0	6.754	-3.5	77.6	0
2/4/2023, 4:35:26 AM	0	6.754	-3.8	77.4	0
2/4/2023, 4:45:26 AM	0	6.754	-4.2	77.2	0
2/4/2023, 4:55:26 AM	0	6.754	-4.2	77.2	0
2/4/2023, 5:05:26 AM	0	6.754	-4	77.3	0
2/4/2023, 5:15:26 AM	0	6.754	-3.8	77.4	0
2/4/2023, 5:25:26 AM	0	6.754	-3.6	77.5	0
2/4/2023, 5:35:26 AM	0	6.754	-3.5	77.7	0
2/4/2023, 5:45:26 AM	0	6.754	-3.1	77.9	0
2/4/2023, 5:55:26 AM	0	6.754	-2.9	78	0
2/4/2023, 6:05:26 AM	0	6.754	-2.7	78.2	0
2/4/2023, 6:15:26 AM	0	6.754	-2.6	78.4	0
2/4/2023, 6:25:26 AM	0	6.754	-2.4	78.5	0
2/4/2023, 6:35:26 AM	0	6.754	-2.2	78.7	0
2/4/2023, 6:45:26 AM	0	6.763	-2	78.8	0
2/4/2023, 6:55:26 AM	0	6.763	-1.8	78.9	0
2/4/2023, 7:05:26 AM	0	6.763	-1.7	79	0
2/4/2023, 7:15:26 AM	0	6.763	-1.5	79.1	0
2/4/2023, 7:25:26 AM	0	6.763	-1.3	79.2	0
2/4/2023, 7:35:26 AM	0	6.763	-1.1	79.3	0
2/4/2023, 7:45:26 AM	0	6.763	-0.8	79.4	0
2/4/2023, 7:55:26 AM	0	6.763	-0.4	79.5	0
2/4/2023, 8:05:26 AM	0	6.772	0	79.6	0
2/4/2023, 8:15:26 AM	0	6.772	0.5	79.7	0
2/4/2023, 8:25:26 AM	0	6.772	1	79.8	0
2/4/2023, 8:35:26 AM	0	6.772	1.8	79.9	0
2/4/2023, 8:45:26 AM	0	6.772	2.8	80	0
2/4/2023, 8:55:26 AM	0	6.772	4.3	80.2	0
2/4/2023, 9:05:26 AM	0	6.781	6.1	80.5	0
2/4/2023, 9:15:26 AM	0	6.781	8.1	80.6	0
2/4/2023, 9:25:26 AM	0	6.79	9.3	80.5	0
2/4/2023, 9:35:26 AM	0	6.79	10.2	79.9	0
2/4/2023, 9:45:26 AM	0	6.79	10.8	78.9	0
2/4/2023, 9:55:26 AM	0	6.798	11.3	77.6	0
2/4/2023, 10:05:26 AM	0	6.798	11.8	76.3	0
2/4/2023, 10:15:26 AM	0	6.798	12.2	75.1	0
2/4/2023, 10:25:26 AM	0	6.798	12.2	74.1	0
2/4/2023, 10:35:26 AM	0	6.798	12.2	73.3	0
2/4/2023, 10:45:26 AM	0	6.798	12.2	72.6	0
2/4/2023, 10:55:26 AM	0	6.798	12.4	72	0
2/4/2023, 11:05:26 AM	0	6.807	12.4	71.5	0
2/4/2023, 11:15:26 AM	0	6.807	12.6	70.9	0
2/4/2023, 11:25:26 AM	0	6.807	12.9	70.4	0
2/4/2023, 11:35:26 AM	0	6.807	13.3	69.9	0
2/4/2023, 11:45:26 AM	0	6.807	13.6	69.6	0
2/4/2023, 11:55:26 AM	0	6.807	14	69.2	0
2/4/2023, 12:05:26 PM	0	6.807	14.9	68.9	0
2/4/2023, 12:15:26 PM	0	6.807	16	68.6	0
2/4/2023, 12:25:26 PM	0	6.816	17.1	68.3	0
2/4/2023, 12:35:26 PM	0	6.816	18.1	67.9	0
2/4/2023, 12:45:26 PM	0	6.816	18.9	67.5	0
2/4/2023, 12:55:26 PM	0	6.816	19.8	67	0
2/4/2023, 1:05:26 PM	0	6.825	20.8	66.6	0
2/4/2023, 1:15:26 PM	0	6.825	20.8	66.2	0
2/4/2023, 1:25:26 PM	0	6.825	20.8	65.8	0
2/4/2023, 1:35:26 PM	0	6.825	20.8	65.7	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/4/2023, 1:45:26 PM	0	6.825	20.7	65.5	0
2/4/2023, 1:55:26 PM	0	6.833	20.5	65.4	0
2/4/2023, 2:05:26 PM	0	6.833	20.1	65.2	0
2/4/2023, 2:15:26 PM	0	6.833	19.8	65.2	0
2/4/2023, 2:25:26 PM	0	6.833	19.8	65.1	0
2/4/2023, 2:35:26 PM	0	6.833	19.9	65.2	0
2/4/2023, 2:45:26 PM	0	6.833	20.3	65.2	0
2/4/2023, 2:55:26 PM	0	6.833	20.3	65.1	0
2/4/2023, 3:05:26 PM	0	6.833	20.3	65.1	0
2/4/2023, 3:15:26 PM	0	6.833	20.3	65	0
2/4/2023, 3:25:26 PM	0	6.833	20.7	65	0
2/4/2023, 3:35:26 PM	0	6.833	20.8	64.9	0
2/4/2023, 3:45:26 PM	0	6.842	20.8	64.8	0
2/4/2023, 3:55:26 PM	0	6.842	20.7	64.7	0
2/4/2023, 4:05:26 PM	0	6.842	20.5	64.7	0
2/4/2023, 4:15:26 PM	0	6.842	20.7	64.8	0
2/4/2023, 4:25:26 PM	0	6.842	20.7	64.8	0
2/4/2023, 4:35:26 PM	0	6.842	20.8	64.8	0
2/4/2023, 4:45:26 PM	0	6.842	20.8	64.8	0
2/4/2023, 4:55:26 PM	0	6.842	20.5	64.9	0
2/4/2023, 5:05:26 PM	0	6.842	20.1	64.9	0
2/4/2023, 5:15:26 PM	0	6.842	19.8	65	0
2/4/2023, 5:25:26 PM	0	6.842	19.2	65.2	0
2/4/2023, 5:35:26 PM	0	6.842	18.9	65.4	0
2/4/2023, 5:45:26 PM	0	6.842	18.5	65.5	0
2/4/2023, 5:55:26 PM	0	6.842	18.1	65.7	0
2/4/2023, 6:05:26 PM	0	6.833	18	66	0
2/4/2023, 6:15:26 PM	0	6.833	17.8	66.2	0
2/4/2023, 6:25:26 PM	0	6.833	17.6	66.4	0
2/4/2023, 6:35:26 PM	0	6.833	17.6	66.5	0
2/4/2023, 6:45:26 PM	0	6.833	17.6	66.6	0
2/4/2023, 6:55:26 PM	0	6.833	17.6	66.7	0
2/4/2023, 7:05:26 PM	0	6.833	17.6	66.8	0
2/4/2023, 7:15:26 PM	0	6.833	17.8	66.7	0
2/4/2023, 7:25:26 PM	0	6.833	18	66.7	0
2/4/2023, 7:35:26 PM	0	6.833	18.1	66.7	0
2/4/2023, 7:45:26 PM	0	6.833	18.1	66.6	0
2/4/2023, 7:55:26 PM	0	6.833	18.1	66.5	0
2/4/2023, 8:05:26 PM	0	6.833	18.3	66.4	0
2/4/2023, 8:15:26 PM	0	6.833	18.5	66.4	0
2/4/2023, 8:25:26 PM	0	6.833	18.7	66.3	0
2/4/2023, 8:35:26 PM	0	6.833	18.9	66.2	0
2/4/2023, 8:45:26 PM	0	6.833	19	66.1	0
2/4/2023, 8:55:26 PM	0	6.833	19.6	66	0
2/4/2023, 9:05:26 PM	0	6.842	20.1	65.8	0
2/4/2023, 9:15:26 PM	0	6.842	20.5	65.7	0
2/4/2023, 9:25:26 PM	0	6.842	21	65.5	0
2/4/2023, 9:35:26 PM	0	6.842	21.6	65.3	0
2/4/2023, 9:45:26 PM	0	6.842	22.3	65.1	0
2/4/2023, 9:55:26 PM	0	6.842	23.2	64.8	0
2/4/2023, 10:05:26 PM	0	6.851	24.1	64.5	0
2/4/2023, 10:15:26 PM	0	6.851	24.8	64.3	0
2/4/2023, 10:25:26 PM	0	6.851	25.5	63.9	0
2/4/2023, 10:35:26 PM	0	6.851	26.1	63.6	0
2/4/2023, 10:45:26 PM	0	6.86	26.2	63.3	0
2/4/2023, 10:55:26 PM	0	6.851	26.6	63.1	0
2/4/2023, 11:05:26 PM	0	6.86	26.8	62.9	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/4/2023, 11:15:26 PM	0	6.86	27	62.7	0
2/4/2023, 11:25:26 PM	0	6.86	27	62.6	0
2/4/2023, 11:35:26 PM	0	6.86	27	62.4	0
2/4/2023, 11:45:26 PM	0	6.86	27	62.3	0
2/4/2023, 11:55:26 PM	0	6.86	27	62.2	0
2/5/2023, 12:05:26 AM	0	6.86	27.1	62.2	0
2/5/2023, 12:15:26 AM	0	6.86	27.1	62.3	0
2/5/2023, 12:25:26 AM	0	6.86	27.1	62.3	0
2/5/2023, 12:35:26 AM	0	6.86	27.1	62.4	0
2/5/2023, 12:45:26 AM	0	6.86	27	62.5	0
2/5/2023, 12:55:26 AM	0	6.86	27	62.7	0
2/5/2023, 1:05:26 AM	0	6.86	27	62.8	0
2/5/2023, 1:15:26 AM	0	6.86	27	62.9	0
2/5/2023, 1:25:26 AM	0	6.86	27	63.1	0
2/5/2023, 1:35:26 AM	0	6.86	27.1	63.2	0
2/5/2023, 1:45:26 AM	0	6.86	27.1	63.4	0
2/5/2023, 1:55:26 AM	0	6.86	27.3	63.5	0
2/5/2023, 2:05:26 AM	0	6.86	27.3	63.6	0
2/5/2023, 2:15:26 AM	0	6.86	27.5	63.7	0
2/5/2023, 2:25:26 AM	0	6.86	27.5	63.8	0
2/5/2023, 2:35:26 AM	0	6.86	27.7	63.9	0
2/5/2023, 2:45:26 AM	0	6.86	27.7	64	0
2/5/2023, 2:55:26 AM	0	6.86	27.7	64.2	0
2/5/2023, 3:05:26 AM	0	6.86	27.7	64.4	0
2/5/2023, 3:15:26 AM	0	6.86	27.9	64.5	0
2/5/2023, 3:25:26 AM	0	6.86	27.9	64.8	0
2/5/2023, 3:35:26 AM	0	6.86	27.9	65	0
2/5/2023, 3:45:26 AM	0	6.86	28	65.1	0
2/5/2023, 3:55:26 AM	0	6.86	28.2	65.3	0
2/5/2023, 4:05:26 AM	0	6.86	28.2	65.5	0
2/5/2023, 4:15:26 AM	0	6.86	28.4	65.7	0
2/5/2023, 4:25:26 AM	0	6.86	28.4	65.9	0
2/5/2023, 4:35:26 AM	0	6.86	28.4	66.1	0
2/5/2023, 4:45:26 AM	0	6.86	28.6	66.2	0
2/5/2023, 4:55:26 AM	0	6.86	28.6	66.4	0
2/5/2023, 5:05:26 AM	0	6.86	28.6	66.6	0
2/5/2023, 5:15:26 AM	0	6.86	28.6	66.8	0
2/5/2023, 5:25:26 AM	0	6.86	28.6	67	0
2/5/2023, 5:35:26 AM	0	6.86	28.6	67.2	0
2/5/2023, 5:45:26 AM	0	6.86	28.4	67.4	0
2/5/2023, 5:55:26 AM	0	6.86	28.2	67.6	0
2/5/2023, 6:05:26 AM	0	6.86	28.2	67.9	0
2/5/2023, 6:15:26 AM	0	6.86	28.2	68.2	0
2/5/2023, 6:25:26 AM	0	6.86	28	68.4	0
2/5/2023, 6:35:26 AM	0	6.86	28.2	68.7	0
2/5/2023, 6:45:26 AM	0	6.86	28.2	69	0
2/5/2023, 6:55:26 AM	0	6.86	28	69.3	0
2/5/2023, 7:05:26 AM	0	6.86	27.9	69.5	0
2/5/2023, 7:15:26 AM	0	6.86	27.7	69.8	0
2/5/2023, 7:25:26 AM	0	6.86	27.5	70	0
2/5/2023, 7:35:26 AM	0	6.86	27.5	70.2	0
2/5/2023, 7:45:26 AM	0	6.86	27.5	70.5	0
2/5/2023, 7:55:26 AM	0	6.86	27.9	70.9	0
2/5/2023, 8:05:26 AM	0	6.86	28.4	71.2	0
2/5/2023, 8:15:26 AM	0	6.86	29.1	71.5	0
2/5/2023, 8:25:26 AM	0	6.86	29.8	71.6	0
2/5/2023, 8:35:26 AM	0	6.86	30.7	71.8	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/5/2023, 8:45:26 AM	0	6.86	32.2	72.1	0
2/5/2023, 8:55:26 AM	0	6.86	34.2	71.9	0
2/5/2023, 9:05:26 AM	0	6.869	36	71.5	0
2/5/2023, 9:15:26 AM	0	6.869	37.6	70.7	0
2/5/2023, 9:25:26 AM	0	6.869	39	69.8	0
2/5/2023, 9:35:26 AM	0	6.869	40.5	68.8	0
2/5/2023, 9:45:26 AM	0	6.877	42.1	67.8	0
2/5/2023, 9:55:26 AM	0	6.877	44.1	67.1	0
2/5/2023, 10:05:26 AM	0	6.877	46.4	65.9	0
2/5/2023, 10:15:26 AM	0	6.877	48	64.7	0
2/5/2023, 10:25:26 AM	0	6.886	48.9	63.6	0
2/5/2023, 10:35:26 AM	0	6.886	49.6	62.7	0
2/5/2023, 10:45:26 AM	0	6.886	50.9	61.8	0
2/5/2023, 10:55:26 AM	0	6.886	51.6	61.1	0
2/5/2023, 11:05:26 AM	0	6.886	52.5	60.5	0
2/5/2023, 11:15:26 AM	0	6.886	53.2	59.8	0
2/5/2023, 11:25:26 AM	0	6.886	54.1	59.3	0
2/5/2023, 11:35:26 AM	0	6.886	54.9	58.8	0
2/5/2023, 11:45:26 AM	0	6.886	55.6	58.3	0
2/5/2023, 11:55:26 AM	0	6.895	55.9	57.8	0
2/5/2023, 12:05:26 PM	0	6.895	55.4	57.3	0
2/5/2023, 12:15:26 PM	0	6.895	55.4	57.1	0
2/5/2023, 12:25:26 PM	0	6.895	55.2	56.9	0
2/5/2023, 12:35:26 PM	0	6.895	55	56.7	0
2/5/2023, 12:45:26 PM	0	6.895	54.5	56.5	0
2/5/2023, 12:55:26 PM	0	6.895	54	56.4	0
2/5/2023, 1:05:26 PM	0	6.895	53.6	56.4	0
2/5/2023, 1:15:26 PM	0	6.895	53.2	56.5	0
2/5/2023, 1:25:26 PM	0	6.895	52.7	56.5	0
2/5/2023, 1:35:26 PM	0	6.895	51.6	56.5	0
2/5/2023, 1:45:26 PM	0	6.895	50.9	56.7	0
2/5/2023, 1:55:26 PM	0	6.895	50	57	0
2/5/2023, 2:05:26 PM	0	6.895	49.5	57.4	0
2/5/2023, 2:15:26 PM	0	6.895	48.9	57.7	0
2/5/2023, 2:25:26 PM	0	6.895	48.4	58	0
2/5/2023, 2:35:26 PM	0	6.895	47.8	58.5	0
2/5/2023, 2:45:26 PM	0	6.895	47.5	58.9	0
2/5/2023, 2:55:26 PM	0	6.895	46.9	59.3	0
2/5/2023, 3:05:26 PM	0	6.886	46.6	59.8	0
2/5/2023, 3:15:26 PM	0	6.886	46.2	60.4	0
2/5/2023, 3:25:26 PM	0	6.886	45.9	60.8	0
2/5/2023, 3:35:26 PM	0	6.886	45.5	61.4	0
2/5/2023, 3:45:26 PM	0	6.886	45.3	61.9	0
2/5/2023, 3:55:26 PM	0	6.886	45.3	62.2	0
2/5/2023, 4:05:26 PM	0	6.886	45.1	62.5	0
2/5/2023, 4:15:26 PM	0	6.886	45	62.8	0
2/5/2023, 4:25:26 PM	0	6.886	44.8	63.2	0
2/5/2023, 4:35:26 PM	0	6.886	44.4	63.5	0
2/5/2023, 4:45:26 PM	0	6.886	44.1	64.1	0
2/5/2023, 4:55:26 PM	0	6.886	43.9	64.7	0
2/5/2023, 5:05:26 PM	0	6.886	43.5	65	0
2/5/2023, 5:15:26 PM	0	6.886	43.2	65.6	0
2/5/2023, 5:25:26 PM	0	6.886	42.8	66.2	0
2/5/2023, 5:35:26 PM	0	6.886	42.4	66.5	0
2/5/2023, 5:45:26 PM	0	6.886	42.1	67	0
2/5/2023, 5:55:26 PM	0	6.886	41.7	67.6	0
2/5/2023, 6:05:26 PM	0	6.877	41.4	68	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/5/2023, 6:15:26 PM	0	6.877	41.2	68.5	0
2/5/2023, 6:25:26 PM	0	6.877	40.8	68.8	0
2/5/2023, 6:35:26 PM	0	6.877	40.6	69.2	0
2/5/2023, 6:45:26 PM	0	6.877	40.3	69.8	0
2/5/2023, 6:55:26 PM	0	6.877	40.1	70.2	0
2/5/2023, 7:05:26 PM	0	6.877	39.9	70.7	0
2/5/2023, 7:15:26 PM	0	6.877	39.7	71.3	0
2/5/2023, 7:25:26 PM	0	6.877	39.7	71.6	0
2/5/2023, 7:35:26 PM	0	6.877	39.6	72.2	0
2/5/2023, 7:45:26 PM	0	6.877	39.4	72.8	0
2/5/2023, 7:55:26 PM	0	6.877	39	73.3	0
2/5/2023, 8:05:26 PM	0	6.877	39	73.6	0
2/5/2023, 8:15:26 PM	0	6.877	39.4	73.8	0
2/5/2023, 8:25:26 PM	0	6.877	39.7	74	0
2/5/2023, 8:35:26 PM	0	6.877	39.9	74.3	0
2/5/2023, 8:45:26 PM	0	6.877	40.1	74.6	0
2/5/2023, 8:55:26 PM	0	6.877	40.3	75.1	0
2/5/2023, 9:05:26 PM	0	6.877	40.3	75.7	0
2/5/2023, 9:15:26 PM	0	6.877	40.3	76.3	0
2/5/2023, 9:25:26 PM	0	6.877	40.1	77.1	0
2/5/2023, 9:35:26 PM	0	6.877	40.1	77.8	0
2/5/2023, 9:45:26 PM	0	6.877	39.9	78.5	0
2/5/2023, 9:55:26 PM	0	6.877	39.6	79.2	0
2/5/2023, 10:05:26 PM	0	6.877	39.4	79.9	0
2/5/2023, 10:15:26 PM	0	6.877	39	80.5	0
2/5/2023, 10:25:26 PM	0	6.877	38.8	81.3	0
2/5/2023, 10:35:26 PM	0	6.877	38.7	82	0
2/5/2023, 10:45:26 PM	0	6.877	38.7	82.6	0
2/5/2023, 10:55:26 PM	0	6.877	38.7	83.2	0
2/5/2023, 11:05:26 PM	0	6.877	38.7	83.6	0
2/5/2023, 11:15:26 PM	0	6.877	38.7	84	0
2/5/2023, 11:25:26 PM	0	6.877	38.7	84.3	0
2/5/2023, 11:35:26 PM	0	6.877	38.7	84.6	0
2/5/2023, 11:45:26 PM	0	6.877	38.7	84.9	0
2/5/2023, 11:55:26 PM	0	6.877	38.5	85.2	0
2/6/2023, 12:05:26 AM	0	6.869	38.5	85.5	0
2/6/2023, 12:15:26 AM	0	6.869	38.5	85.9	0
2/6/2023, 12:25:26 AM	0	6.877	38.5	86.1	0
2/6/2023, 12:35:26 AM	0	6.877	38.3	86.3	0
2/6/2023, 12:45:26 AM	0	6.869	38.3	86.5	0
2/6/2023, 12:55:26 AM	0	6.869	38.1	86.7	0
2/6/2023, 1:05:26 AM	0	6.869	38.1	86.9	0
2/6/2023, 1:15:26 AM	0	6.869	37.9	87	0
2/6/2023, 1:25:26 AM	0	6.869	37.9	87.2	0
2/6/2023, 1:35:26 AM	0	6.869	37.8	87.4	0
2/6/2023, 1:45:26 AM	0	6.869	37.8	87.6	0
2/6/2023, 1:55:26 AM	0	6.869	37.6	87.8	0
2/6/2023, 2:05:26 AM	0	6.869	37.6	87.9	0
2/6/2023, 2:15:26 AM	0	6.869	37.4	88.1	0
2/6/2023, 2:25:26 AM	0	6.869	37.4	88.3	0
2/6/2023, 2:35:26 AM	0	6.869	37.4	88.4	0
2/6/2023, 2:45:26 AM	0	6.869	37.4	88.5	0
2/6/2023, 2:55:26 AM	0	6.869	37.4	88.6	0
2/6/2023, 3:05:26 AM	0	6.869	37.4	88.6	0
2/6/2023, 3:15:26 AM	0	6.869	37.4	88.6	0
2/6/2023, 3:25:26 AM	0	6.869	37.4	88.5	0
2/6/2023, 3:35:26 AM	0	6.869	37.4	88.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/6/2023, 3:45:26 AM	0	6.869	37.4	88.3	0
2/6/2023, 3:55:26 AM	0	6.869	37.4	88.2	0
2/6/2023, 4:05:26 AM	0	6.869	37.4	88.1	0
2/6/2023, 4:15:26 AM	0	6.869	37.4	88	0
2/6/2023, 4:25:26 AM	0	6.869	37.4	87.9	0
2/6/2023, 4:35:26 AM	0	6.869	37.4	87.7	0
2/6/2023, 4:45:26 AM	0	6.869	37.4	87.6	0
2/6/2023, 4:55:26 AM	0	6.869	37.4	87.5	0
2/6/2023, 5:05:26 AM	0	6.869	37.4	87.4	0
2/6/2023, 5:15:26 AM	0	6.869	37.2	87.2	0
2/6/2023, 5:25:26 AM	0	6.869	37.2	87.2	0
2/6/2023, 5:35:26 AM	0	6.869	37.2	87.2	0
2/6/2023, 5:45:26 AM	0	6.869	37.2	87.1	0
2/6/2023, 5:55:26 AM	0	6.869	37	87.1	0
2/6/2023, 6:05:26 AM	0	6.869	37	87.1	0
2/6/2023, 6:15:26 AM	0	6.869	37	87.1	0
2/6/2023, 6:25:26 AM	0	6.869	37	87.1	0
2/6/2023, 6:35:26 AM	0	6.869	37	87.1	0
2/6/2023, 6:45:26 AM	0	6.869	37	87.1	0
2/6/2023, 6:55:26 AM	0	6.869	36.9	87.1	0
2/6/2023, 7:05:26 AM	0	6.869	36.9	87	0
2/6/2023, 7:15:26 AM	0	6.869	36.7	87	0
2/6/2023, 7:25:26 AM	0	6.869	36.7	86.9	0
2/6/2023, 7:35:26 AM	0	6.869	36.5	86.7	0
2/6/2023, 7:45:26 AM	0	6.869	36.5	86.5	0
2/6/2023, 7:55:26 AM	0	6.869	36.3	86.4	0
2/6/2023, 8:05:26 AM	0	6.869	36.3	86.3	0
2/6/2023, 8:15:26 AM	0	6.869	36.3	86.2	0
2/6/2023, 8:25:26 AM	0	6.869	36.1	86.1	0
2/6/2023, 8:35:26 AM	0	6.869	36.1	86.1	0
2/6/2023, 8:45:26 AM	0	6.869	36.1	86	0
2/6/2023, 8:55:26 AM	0	6.869	36.1	86	0
2/6/2023, 9:05:26 AM	0	6.869	36.1	86.1	0
2/6/2023, 9:15:26 AM	0	6.869	36	86	0
2/6/2023, 9:25:26 AM	0	6.869	35.8	86	0
2/6/2023, 9:35:26 AM	0	6.869	35.6	85.8	0
2/6/2023, 9:45:26 AM	0	6.869	35.4	85.7	0
2/6/2023, 9:55:26 AM	0	6.869	35.2	85.4	0
2/6/2023, 10:05:26 AM	0	6.869	35.1	85.1	0
2/6/2023, 10:15:26 AM	0	6.869	34.7	84.7	0
2/6/2023, 10:25:26 AM	0	6.86	34.5	84.2	0
2/6/2023, 10:35:26 AM	0	6.86	34.5	83.7	0
2/6/2023, 10:45:26 AM	0	6.86	34.3	83.3	0
2/6/2023, 10:55:26 AM	0	6.86	34.3	82.9	0
2/6/2023, 11:05:26 AM	0	6.86	34.2	82.7	0
2/6/2023, 11:15:26 AM	0	6.86	34	82.4	0
2/6/2023, 11:25:26 AM	0	6.86	33.8	82.2	0
2/6/2023, 11:35:26 AM	0	6.86	33.8	82.1	0
2/6/2023, 11:45:26 AM	0	6.86	33.6	82	0
2/6/2023, 11:55:26 AM	0	6.86	33.6	81.8	0
2/6/2023, 12:05:26 PM	0	6.86	33.6	81.5	0
2/6/2023, 12:15:26 PM	0	6.86	33.4	81.2	0
2/6/2023, 12:25:26 PM	0	6.86	33.3	80.8	0
2/6/2023, 12:35:26 PM	0	6.86	32.9	80.3	0
2/6/2023, 12:45:26 PM	0	6.86	32.9	79.9	0
2/6/2023, 12:55:26 PM	0	6.86	32.9	79.6	0
2/6/2023, 1:05:26 PM	0	6.86	32.9	79.1	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/6/2023, 1:15:26 PM	0	6.86	32.7	78.7	0
2/6/2023, 1:25:26 PM	0	6.86	32.7	78.6	0
2/6/2023, 1:35:26 PM	0	6.86	32.7	78.4	0
2/6/2023, 1:45:26 PM	0	6.86	32.7	78.2	0
2/6/2023, 1:55:26 PM	0	6.86	32.7	78	0
2/6/2023, 2:05:26 PM	0	6.86	32.7	77.7	0
2/6/2023, 2:15:26 PM	0	6.86	32.7	77.6	0
2/6/2023, 2:25:26 PM	0	6.86	32.7	77.4	0
2/6/2023, 2:35:26 PM	0	6.86	32.7	77.1	0
2/6/2023, 2:45:26 PM	0	6.86	32.5	76.8	0
2/6/2023, 2:55:26 PM	0	6.86	32.5	76.6	0
2/6/2023, 3:05:26 PM	0	6.86	32.5	76.5	0
2/6/2023, 3:15:26 PM	0	6.851	32.4	76.4	0
2/6/2023, 3:25:26 PM	0	6.86	32.4	76.4	0
2/6/2023, 3:35:26 PM	0	6.851	32.2	76.3	0
2/6/2023, 3:45:26 PM	0	6.851	32	76.3	0
2/6/2023, 3:55:26 PM	0	6.851	32	76.3	0
2/6/2023, 4:05:26 PM	0	6.851	31.8	76.2	0
2/6/2023, 4:15:26 PM	0	6.851	31.8	76.2	0
2/6/2023, 4:25:26 PM	0	6.851	31.8	76.2	0
2/6/2023, 4:35:26 PM	0	6.851	31.6	76.2	0
2/6/2023, 4:45:26 PM	0	6.851	31.5	76.2	0
2/6/2023, 4:55:26 PM	0	6.851	31.5	76.2	0
2/6/2023, 5:05:26 PM	0	6.851	31.5	76.3	0
2/6/2023, 5:15:26 PM	0	6.851	31.3	76.3	0
2/6/2023, 5:25:26 PM	0	6.851	31.1	76.3	0
2/6/2023, 5:35:26 PM	0	6.851	30.9	76.3	0
2/6/2023, 5:45:26 PM	0	6.851	30.7	76.5	0
2/6/2023, 5:55:26 PM	0	6.851	30.6	76.6	0
2/6/2023, 6:05:26 PM	0	6.851	30.4	76.8	0
2/6/2023, 6:15:26 PM	0	6.851	30.2	77	0
2/6/2023, 6:25:26 PM	0	6.851	30	77.2	0
2/6/2023, 6:35:26 PM	0	6.851	29.8	77.4	0
2/6/2023, 6:45:26 PM	0	6.851	29.5	77.6	0
2/6/2023, 6:55:26 PM	0	6.851	29.1	77.9	0
2/6/2023, 7:05:26 PM	0	6.851	28.8	78.3	0
2/6/2023, 7:15:26 PM	0	6.851	28.2	78.6	0
2/6/2023, 7:25:26 PM	0	6.842	27.7	78.9	0
2/6/2023, 7:35:26 PM	0	6.842	27.1	79.2	0
2/6/2023, 7:45:26 PM	0	6.842	26.4	79.6	0
2/6/2023, 7:55:26 PM	0	6.842	26.1	80.2	0
2/6/2023, 8:05:26 PM	0	6.842	25.5	80.6	0
2/6/2023, 8:15:26 PM	0	6.842	25.2	81	0
2/6/2023, 8:25:26 PM	0	6.833	24.6	81.2	0
2/6/2023, 8:35:26 PM	0	6.833	24.1	81.5	0
2/6/2023, 8:45:26 PM	0	6.833	23.7	81.7	0
2/6/2023, 8:55:26 PM	0	6.833	23.4	82.1	0
2/6/2023, 9:05:26 PM	0	6.833	23.2	82.4	0
2/6/2023, 9:15:26 PM	0	6.833	23	82.7	0
2/6/2023, 9:25:26 PM	0	6.833	22.6	83	0
2/6/2023, 9:35:26 PM	0	6.833	22.5	83.3	0
2/6/2023, 9:45:26 PM	0	6.825	22.3	83.5	0
2/6/2023, 9:55:26 PM	0	6.825	22.1	83.9	0
2/6/2023, 10:05:26 PM	0	6.825	22.1	84.2	0
2/6/2023, 10:15:26 PM	0	6.825	21.9	84.4	0
2/6/2023, 10:25:26 PM	0	6.825	21.9	84.7	0
2/6/2023, 10:35:26 PM	0	6.825	21.9	84.9	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/6/2023, 10:45:26 PM	0	6.825	21.9	85.2	0
2/6/2023, 10:55:26 PM	0	6.825	21.9	85.4	0
2/6/2023, 11:05:26 PM	0	6.825	22.1	85.6	0
2/6/2023, 11:15:26 PM	0	6.825	22.1	85.8	0
2/6/2023, 11:25:26 PM	0	6.825	21.9	85.9	0
2/6/2023, 11:35:26 PM	0	6.825	21.7	85.9	0
2/6/2023, 11:45:26 PM	0	6.825	21.6	85.9	0
2/6/2023, 11:55:26 PM	0	6.825	21.4	86	0
2/7/2023, 12:05:26 AM	0	6.825	21.2	86.1	0
2/7/2023, 12:15:26 AM	0	6.825	21	86.1	0
2/7/2023, 12:25:26 AM	0	6.825	20.7	86.1	0
2/7/2023, 12:35:26 AM	0	6.825	20.3	86	0
2/7/2023, 12:45:26 AM	0	6.825	20.1	86	0
2/7/2023, 12:55:26 AM	0	6.825	19.9	86	0
2/7/2023, 1:05:26 AM	0	6.825	19.9	86.1	0
2/7/2023, 1:15:26 AM	0	6.816	19.8	86.2	0
2/7/2023, 1:25:26 AM	0	6.816	19.6	86.3	0
2/7/2023, 1:35:26 AM	0	6.816	19.4	86.3	0
2/7/2023, 1:45:26 AM	0	6.816	19.4	86.3	0
2/7/2023, 1:55:26 AM	0	6.816	19.4	86.4	0
2/7/2023, 2:05:26 AM	0	6.816	19.6	86.7	0
2/7/2023, 2:15:26 AM	0	6.816	19.6	86.8	0
2/7/2023, 2:25:26 AM	0	6.816	19.6	86.9	0
2/7/2023, 2:35:26 AM	0	6.816	19.4	86.9	0
2/7/2023, 2:45:26 AM	0	6.816	19.4	87	0
2/7/2023, 2:55:26 AM	0	6.816	19.4	87.1	0
2/7/2023, 3:05:26 AM	0	6.816	19.6	87.2	0
2/7/2023, 3:15:26 AM	0	6.816	19.4	87.2	0
2/7/2023, 3:25:26 AM	0	6.816	19.2	87.2	0
2/7/2023, 3:35:26 AM	0	6.816	19.2	87.2	0
2/7/2023, 3:45:26 AM	0	6.816	19.4	87.3	0
2/7/2023, 3:55:26 AM	0	6.816	19.8	87.6	0
2/7/2023, 4:05:26 AM	0	6.816	19.8	87.7	0
2/7/2023, 4:15:26 AM	0	6.816	19.8	87.7	0
2/7/2023, 4:25:26 AM	0	6.816	19.8	87.7	0
2/7/2023, 4:35:26 AM	0	6.816	19.8	87.7	0
2/7/2023, 4:45:26 AM	0	6.816	19.9	87.9	0
2/7/2023, 4:55:26 AM	0	6.816	20.3	88.1	0
2/7/2023, 5:05:26 AM	0	6.825	20.8	88.4	0
2/7/2023, 5:15:26 AM	0	6.825	21.2	88.6	0
2/7/2023, 5:25:26 AM	0	6.825	21.6	88.9	0
2/7/2023, 5:35:26 AM	0	6.825	22.1	89.1	0
2/7/2023, 5:45:26 AM	0	6.825	22.5	89.3	0
2/7/2023, 5:55:26 AM	0	6.825	22.8	89.4	0
2/7/2023, 6:05:26 AM	0	6.825	23.2	89.6	0
2/7/2023, 6:15:26 AM	0	6.833	23.4	89.7	0
2/7/2023, 6:25:26 AM	0	6.833	23.7	89.7	0
2/7/2023, 6:35:26 AM	0	6.833	24.1	89.8	0
2/7/2023, 6:45:26 AM	0	6.833	24.3	89.9	0
2/7/2023, 6:55:26 AM	0	6.833	24.4	89.9	0
2/7/2023, 7:05:26 AM	0	6.833	24.6	89.9	0
2/7/2023, 7:15:26 AM	0	6.833	24.8	89.9	0
2/7/2023, 7:25:26 AM	0	6.833	24.8	89.9	0
2/7/2023, 7:35:26 AM	0	6.833	24.8	89.8	0
2/7/2023, 7:45:26 AM	0	6.833	25	89.7	0
2/7/2023, 7:55:26 AM	0	6.833	25.2	89.7	0
2/7/2023, 8:05:26 AM	0	6.833	25.5	89.7	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/7/2023, 8:15:26 AM	0	6.842	25.9	89.7	0
2/7/2023, 8:25:26 AM	0	6.842	26.2	89.7	0
2/7/2023, 8:35:26 AM	0	6.842	26.8	89.8	0
2/7/2023, 8:45:26 AM	0	6.842	27.3	89.8	0
2/7/2023, 8:55:26 AM	0	6.842	27.9	89.7	0
2/7/2023, 9:05:26 AM	0	6.842	28.6	89.6	0
2/7/2023, 9:15:26 AM	0	6.842	29.1	89.4	0
2/7/2023, 9:25:26 AM	0	6.851	30	89	0
2/7/2023, 9:35:26 AM	0	6.851	31.1	88.5	0
2/7/2023, 9:45:26 AM	0	6.851	32.2	87.8	0
2/7/2023, 9:55:26 AM	0	6.851	33.3	87	0
2/7/2023, 10:05:26 AM	0	6.86	34.3	86.1	0
2/7/2023, 10:15:26 AM	0	6.86	35.4	85	0
2/7/2023, 10:25:26 AM	0	6.86	36.1	84	0
2/7/2023, 10:35:26 AM	0	6.86	36.7	83	0
2/7/2023, 10:45:26 AM	0	6.869	37.2	81.9	0
2/7/2023, 10:55:26 AM	0	6.869	37.8	81	0
2/7/2023, 11:05:26 AM	0	6.869	38.3	80.2	0
2/7/2023, 11:15:26 AM	0	6.869	38.8	79.3	0
2/7/2023, 11:25:26 AM	0	6.869	39.6	78.4	0
2/7/2023, 11:35:26 AM	0	6.869	40.5	77.5	0
2/7/2023, 11:45:26 AM	0	6.869	41.7	76.6	0
2/7/2023, 11:55:26 AM	0	6.877	43.2	75.6	0
2/7/2023, 12:05:26 PM	0	6.877	44.6	74.3	0
2/7/2023, 12:15:26 PM	0	6.877	46	73.1	0
2/7/2023, 12:25:26 PM	0	6.877	47.7	71.8	0
2/7/2023, 12:35:26 PM	0	6.886	49.3	70.6	0
2/7/2023, 12:45:26 PM	0	6.886	50.4	69.5	0
2/7/2023, 12:55:26 PM	0	6.886	50.9	68.4	0
2/7/2023, 1:05:26 PM	0	6.886	51.1	67.6	0
2/7/2023, 1:15:26 PM	0	6.886	51.8	67	0
2/7/2023, 1:25:26 PM	0	6.886	52.2	66.3	0
2/7/2023, 1:35:26 PM	0	6.886	52.2	65.8	0
2/7/2023, 1:45:26 PM	0	6.895	52.3	65.5	0
2/7/2023, 1:55:26 PM	0	6.895	52.5	65.4	0
2/7/2023, 2:05:26 PM	0	6.895	52.9	65.2	0
2/7/2023, 2:15:26 PM	0	6.895	53.1	65	0
2/7/2023, 2:25:26 PM	0	6.895	53.2	64.8	0
2/7/2023, 2:35:26 PM	0	6.895	53.2	64.6	0
2/7/2023, 2:45:26 PM	0	6.895	53.2	64.4	0
2/7/2023, 2:55:26 PM	0	6.895	53.1	64.4	0
2/7/2023, 3:05:26 PM	0	6.895	52.5	64.5	0
2/7/2023, 3:15:26 PM	0	6.895	52.3	64.6	0
2/7/2023, 3:25:26 PM	0	6.895	52.3	64.9	0
2/7/2023, 3:35:26 PM	0	6.895	51.8	65.6	0
2/7/2023, 3:45:26 PM	0	6.895	51.3	66.5	0
2/7/2023, 3:55:26 PM	0	6.895	51.1	67.2	0
2/7/2023, 4:05:26 PM	0	6.895	51.1	67.8	0
2/7/2023, 4:15:26 PM	0	6.895	50.9	68.3	0
2/7/2023, 4:25:26 PM	0	6.895	50.5	69.1	0
2/7/2023, 4:35:26 PM	0	6.895	49.8	70.2	0
2/7/2023, 4:45:26 PM	0	6.895	49.5	71.3	0
2/7/2023, 4:55:26 PM	0	6.895	49.3	72.1	0
2/7/2023, 5:05:26 PM	0	6.886	48.9	72.7	0
2/7/2023, 5:15:26 PM	0	6.886	48.7	73.4	0
2/7/2023, 5:25:26 PM	0	6.886	48.7	74	0
2/7/2023, 5:35:26 PM	0	6.886	48.6	74.3	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/7/2023, 5:45:26 PM	0	6.886	48.6	74.6	0
2/7/2023, 5:55:26 PM	0	6.886	48.7	74.8	0
2/7/2023, 6:05:26 PM	0	6.886	48.7	74.9	0
2/7/2023, 6:15:26 PM	0	6.886	48.9	74.9	0
2/7/2023, 6:25:26 PM	0	6.886	48.9	74.9	0
2/7/2023, 6:35:26 PM	0	6.886	49.1	74.9	0
2/7/2023, 6:45:26 PM	0	6.886	49.1	74.9	0
2/7/2023, 6:55:26 PM	0	6.886	49.1	74.9	0
2/7/2023, 7:05:26 PM	0	6.886	49.3	74.9	0
2/7/2023, 7:15:26 PM	0	6.886	49.3	74.9	0
2/7/2023, 7:25:26 PM	0	6.886	49.3	74.9	0
2/7/2023, 7:35:26 PM	0	6.886	49.1	75.1	0
2/7/2023, 7:45:26 PM	0	6.886	48.9	75.2	0
2/7/2023, 7:55:26 PM	0	6.886	48.7	75.4	0
2/7/2023, 8:05:26 PM	0	6.886	48.6	75.7	0
2/7/2023, 8:15:26 PM	0	6.886	48.4	75.9	0
2/7/2023, 8:25:26 PM	0	6.886	48	76.1	0
2/7/2023, 8:35:26 PM	0	6.886	47.8	76.5	0
2/7/2023, 8:45:26 PM	0	6.886	47.5	76.8	0
2/7/2023, 8:55:26 PM	0	6.886	47.3	77.1	0
2/7/2023, 9:05:26 PM	0	6.886	46.9	77.3	0
2/7/2023, 9:15:26 PM	0	6.886	46.6	77.4	0
2/7/2023, 9:25:26 PM	0	6.886	46.4	77.5	0
2/7/2023, 9:35:26 PM	0	6.886	46.2	77.7	0
2/7/2023, 9:45:26 PM	0	6.886	46	77.9	0
2/7/2023, 9:55:26 PM	0	6.886	46	78	0
2/7/2023, 10:05:26 PM	0	6.886	45.9	78	0
2/7/2023, 10:15:26 PM	0	6.886	45.5	77.9	0
2/7/2023, 10:25:26 PM	0	6.886	45.3	77.7	0
2/7/2023, 10:35:26 PM	0	6.886	45.1	77.4	0
2/7/2023, 10:45:26 PM	0	6.886	44.8	77.1	0
2/7/2023, 10:55:26 PM	0	6.886	44.6	77	0
2/7/2023, 11:05:26 PM	0	6.886	44.4	77	0
2/7/2023, 11:15:26 PM	0	6.886	44.1	77.1	0
2/7/2023, 11:25:26 PM	0	6.877	43.9	77.2	0
2/7/2023, 11:35:26 PM	0	6.877	43.7	77.3	0
2/7/2023, 11:45:26 PM	0	6.877	43.5	77.3	0
2/7/2023, 11:55:26 PM	0	6.877	43.3	77.5	0
2/8/2023, 12:05:26 AM	0	6.877	43.2	77.7	0
2/8/2023, 12:15:26 AM	0	6.877	42.8	77.9	0
2/8/2023, 12:25:26 AM	0	6.877	42.6	77.9	0
2/8/2023, 12:35:26 AM	0	6.877	42.4	77.9	0
2/8/2023, 12:45:26 AM	0	6.877	42.1	78	0
2/8/2023, 12:55:26 AM	0	6.877	41.7	78.1	0
2/8/2023, 1:05:26 AM	0	6.877	41.4	78.2	0
2/8/2023, 1:15:26 AM	0	6.877	41	78.4	0
2/8/2023, 1:25:26 AM	0	6.877	40.8	78.6	0
2/8/2023, 1:35:26 AM	0	6.877	40.6	78.8	0
2/8/2023, 1:45:26 AM	0	6.877	40.3	79	0
2/8/2023, 1:55:26 AM	0	6.877	40.1	79.3	0
2/8/2023, 2:05:26 AM	0	6.877	39.9	79.4	0
2/8/2023, 2:15:26 AM	0	6.869	39.7	79.7	0
2/8/2023, 2:25:26 AM	0	6.869	39.6	79.8	0
2/8/2023, 2:35:26 AM	0	6.869	39.6	80.1	0
2/8/2023, 2:45:26 AM	0	6.869	39.4	80.3	0
2/8/2023, 2:55:26 AM	0	6.869	39.2	80.5	0
2/8/2023, 3:05:26 AM	0	6.869	39	80.7	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/8/2023, 3:15:26 AM	0	6.869	39	80.9	0
2/8/2023, 3:25:26 AM	0	6.869	38.8	81	0
2/8/2023, 3:35:26 AM	0	6.869	38.7	81.2	0
2/8/2023, 3:45:26 AM	0	6.869	38.7	81.4	0
2/8/2023, 3:55:26 AM	0	6.869	38.7	81.4	0
2/8/2023, 4:05:26 AM	0	6.869	38.5	81.5	0
2/8/2023, 4:15:26 AM	0	6.869	38.5	81.5	0
2/8/2023, 4:25:26 AM	0	6.869	38.5	81.4	0
2/8/2023, 4:35:26 AM	0	6.869	38.5	81.3	0
2/8/2023, 4:45:26 AM	0	6.869	38.5	81.3	0
2/8/2023, 4:55:26 AM	0	6.869	38.3	81.2	0
2/8/2023, 5:05:26 AM	0	6.869	38.3	81.1	0
2/8/2023, 5:15:26 AM	0	6.869	38.3	81.1	0
2/8/2023, 5:25:26 AM	0	6.869	38.1	81	0
2/8/2023, 5:35:26 AM	0	6.869	38.1	80.9	0
2/8/2023, 5:45:26 AM	0	6.869	37.9	80.9	0
2/8/2023, 5:55:26 AM	0	6.869	37.9	80.9	0
2/8/2023, 6:05:26 AM	0	6.869	37.9	80.8	0
2/8/2023, 6:15:26 AM	0	6.869	37.9	80.8	0
2/8/2023, 6:25:26 AM	0	6.869	37.9	80.8	0
2/8/2023, 6:35:26 AM	0	6.869	37.8	80.7	0
2/8/2023, 6:45:26 AM	0	6.869	37.8	80.6	0
2/8/2023, 6:55:26 AM	0	6.869	37.8	80.5	0
2/8/2023, 7:05:26 AM	0	6.869	37.8	80.4	0
2/8/2023, 7:15:26 AM	0	6.869	37.6	80.3	0
2/8/2023, 7:25:26 AM	0	6.869	37.6	80.2	0
2/8/2023, 7:35:26 AM	0	6.869	37.6	80.1	0
2/8/2023, 7:45:26 AM	0	6.869	37.6	80	0
2/8/2023, 7:55:26 AM	0	6.869	37.6	79.9	0
2/8/2023, 8:05:26 AM	0	6.869	37.6	79.8	0
2/8/2023, 8:15:26 AM	0	6.869	37.8	79.7	0
2/8/2023, 8:25:26 AM	0	6.869	37.8	79.5	0
2/8/2023, 8:35:26 AM	0	6.869	37.9	79.3	0
2/8/2023, 8:45:26 AM	0	6.869	38.1	79.1	0
2/8/2023, 8:55:26 AM	0	6.869	38.5	78.9	0
2/8/2023, 9:05:26 AM	0	6.869	38.8	78.5	0
2/8/2023, 9:15:26 AM	0	6.869	39	78	0
2/8/2023, 9:25:26 AM	0	6.869	39.7	77.6	0
2/8/2023, 9:35:26 AM	0	6.869	40.8	76.8	0
2/8/2023, 9:45:26 AM	0	6.869	41.9	75.9	0
2/8/2023, 9:55:26 AM	0	6.869	42.8	75	0
2/8/2023, 10:05:26 AM	0	6.869	43.3	74	0
2/8/2023, 10:15:26 AM	0	6.877	44.1	73.2	0
2/8/2023, 10:25:26 AM	0	6.877	44.6	72.5	0
2/8/2023, 10:35:26 AM	0	6.877	44.8	71.9	0
2/8/2023, 10:45:26 AM	0	6.877	45.1	71.4	0
2/8/2023, 10:55:26 AM	0	6.877	45	70.7	0
2/8/2023, 11:05:26 AM	0	6.877	45.3	70	0
2/8/2023, 11:15:26 AM	0	6.877	46.4	69.7	0
2/8/2023, 11:25:26 AM	0	6.877	46.9	69.1	0
2/8/2023, 11:35:26 AM	0	6.877	47.8	68.7	0
2/8/2023, 11:45:26 AM	0	6.877	48.2	68.3	0
2/8/2023, 11:55:26 AM	0	6.877	48.7	67.7	0
2/8/2023, 12:05:26 PM	0	6.886	48.9	66.9	0
2/8/2023, 12:15:26 PM	0	6.877	49.3	66.6	0
2/8/2023, 12:25:26 PM	0	6.886	49.8	66.3	0
2/8/2023, 12:35:26 PM	0	6.886	50.4	65.8	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/8/2023, 12:45:26 PM	0	6.886	50.4	65.1	0
2/8/2023, 12:55:26 PM	0	6.886	50.4	64.8	0
2/8/2023, 1:05:26 PM	0	6.886	50.7	64.7	0
2/8/2023, 1:15:26 PM	0	6.886	50.9	64.3	0
2/8/2023, 1:25:26 PM	0	6.886	50.9	63.9	0
2/8/2023, 1:35:26 PM	0	6.886	50.9	63.6	0
2/8/2023, 1:45:26 PM	0	6.886	51.1	63.3	0
2/8/2023, 1:55:26 PM	0	6.886	51.1	63.1	0
2/8/2023, 2:05:26 PM	0	6.886	51.1	62.8	0
2/8/2023, 2:15:26 PM	0	6.886	50.9	62.7	0
2/8/2023, 2:25:26 PM	0	6.886	50.9	62.5	0
2/8/2023, 2:35:26 PM	0	6.886	51.1	62.4	0
2/8/2023, 2:45:26 PM	0	6.886	51.3	62.2	0
2/8/2023, 2:55:26 PM	0	6.886	51.6	62.1	0
2/8/2023, 3:05:26 PM	0	6.886	52	62	0
2/8/2023, 3:15:26 PM	0	6.886	51.6	61.8	0
2/8/2023, 3:25:26 PM	0	6.886	51.6	61.5	0
2/8/2023, 3:35:26 PM	0	6.886	51.4	61.3	0
2/8/2023, 3:45:26 PM	0	6.886	51.3	61.1	0
2/8/2023, 3:55:26 PM	0	6.886	51.3	61	0
2/8/2023, 4:05:26 PM	0	6.886	50.9	60.9	0
2/8/2023, 4:15:26 PM	0	6.886	50.7	60.7	0
2/8/2023, 4:25:26 PM	0	6.886	50	60.7	0
2/8/2023, 4:35:26 PM	0	6.886	49.3	60.8	0
2/8/2023, 4:45:26 PM	0	6.886	48.6	60.9	0
2/8/2023, 4:55:26 PM	0	6.886	47.8	61.1	0
2/8/2023, 5:05:26 PM	0	6.886	46.8	61.4	0
2/8/2023, 5:15:26 PM	0	6.886	46	61.9	0
2/8/2023, 5:25:26 PM	0	6.886	45.3	62.4	0
2/8/2023, 5:35:26 PM	0	6.886	44.6	62.9	0
2/8/2023, 5:45:26 PM	0	6.886	43.9	63.4	0
2/8/2023, 5:55:26 PM	0	6.877	43.2	64	0
2/8/2023, 6:05:26 PM	0	6.877	42.4	64.6	0
2/8/2023, 6:15:26 PM	0	6.877	41.7	65.2	0
2/8/2023, 6:25:26 PM	0	6.877	41.2	66	0
2/8/2023, 6:35:26 PM	0	6.877	40.6	66.7	0
2/8/2023, 6:45:26 PM	0	6.877	40.1	67.4	0
2/8/2023, 6:55:26 PM	0	6.877	39.6	67.9	0
2/8/2023, 7:05:26 PM	0	6.869	39.2	68.4	0
2/8/2023, 7:15:26 PM	0	6.869	38.8	68.9	0
2/8/2023, 7:25:26 PM	0	6.869	38.3	69.3	0
2/8/2023, 7:35:26 PM	0	6.869	37.6	69.8	0
2/8/2023, 7:45:26 PM	0	6.869	37.2	70.4	0
2/8/2023, 7:55:26 PM	0	6.869	36.9	70.9	0
2/8/2023, 8:05:26 PM	0	6.869	36.7	71.5	0
2/8/2023, 8:15:26 PM	0	6.869	36.3	71.9	0
2/8/2023, 8:25:26 PM	0	6.869	36	72.4	0
2/8/2023, 8:35:26 PM	0	6.86	35.6	72.8	0
2/8/2023, 8:45:26 PM	0	6.86	35.2	73.4	0
2/8/2023, 8:55:26 PM	0	6.86	35.1	73.8	0
2/8/2023, 9:05:26 PM	0	6.86	34.9	74.3	0
2/8/2023, 9:15:26 PM	0	6.86	34.9	74.8	0
2/8/2023, 9:25:26 PM	0	6.86	34.9	75.2	0
2/8/2023, 9:35:26 PM	0	6.86	34.7	75.5	0
2/8/2023, 9:45:26 PM	0	6.86	34.3	75.7	0
2/8/2023, 9:55:26 PM	0	6.86	33.8	76	0
2/8/2023, 10:05:26 PM	0	6.86	33.4	76.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/8/2023, 10:15:26 PM	0	6.86	32.9	76.8	0
2/8/2023, 10:25:26 PM	0	6.86	32.4	77.2	0
2/8/2023, 10:35:26 PM	0	6.851	32	77.5	0
2/8/2023, 10:45:26 PM	0	6.851	31.5	78	0
2/8/2023, 10:55:26 PM	0	6.851	31.1	78.5	0
2/8/2023, 11:05:26 PM	0	6.851	30.7	79	0
2/8/2023, 11:15:26 PM	0	6.851	30.4	79.4	0
2/8/2023, 11:25:26 PM	0	6.851	29.8	79.8	0
2/8/2023, 11:35:26 PM	0	6.851	29.5	80.1	0
2/8/2023, 11:45:26 PM	0	6.842	29.1	80.6	0
2/8/2023, 11:55:26 PM	0	6.842	28.8	81	0
2/9/2023, 12:05:26 AM	0	6.842	28.4	81.4	0
2/9/2023, 12:15:26 AM	0	6.842	28.2	81.7	0
2/9/2023, 12:25:26 AM	0	6.842	28	82.2	0
2/9/2023, 12:35:26 AM	0	6.842	28.2	82.7	0
2/9/2023, 12:45:26 AM	0	6.842	28.2	83.3	0
2/9/2023, 12:55:26 AM	0	6.842	28.2	83.7	0
2/9/2023, 1:05:26 AM	0	6.842	28.2	84.1	0
2/9/2023, 1:15:26 AM	0	6.842	28.2	84.4	0
2/9/2023, 1:25:26 AM	0	6.842	28.2	84.7	0
2/9/2023, 1:35:26 AM	0	6.842	28.4	85.1	0
2/9/2023, 1:45:26 AM	0	6.842	28.9	85.3	0
2/9/2023, 1:55:26 AM	0	6.842	29.3	85.4	0
2/9/2023, 2:05:26 AM	0	6.842	29.5	85.4	0
2/9/2023, 2:15:26 AM	0	6.842	29.7	85.5	0
2/9/2023, 2:25:26 AM	0	6.842	29.8	85.6	0
2/9/2023, 2:35:26 AM	0	6.842	30	85.8	0
2/9/2023, 2:45:26 AM	0	6.842	30.4	86	0
2/9/2023, 2:55:26 AM	0	6.842	30.4	86.1	0
2/9/2023, 3:05:26 AM	0	6.842	30.6	86.2	0
2/9/2023, 3:15:26 AM	0	6.842	30.6	86.2	0
2/9/2023, 3:25:26 AM	0	6.842	30.4	86.2	0
2/9/2023, 3:35:26 AM	0	6.842	30.4	86.2	0
2/9/2023, 3:45:26 AM	0	6.851	30.7	86.3	0
2/9/2023, 3:55:26 AM	0	6.851	31.1	86.3	0
2/9/2023, 4:05:26 AM	0	6.851	31.3	86.2	0
2/9/2023, 4:15:26 AM	0	6.851	31.3	86	0
2/9/2023, 4:25:26 AM	0	6.851	31.3	85.8	0
2/9/2023, 4:35:26 AM	0	6.851	31.5	85.8	0
2/9/2023, 4:45:26 AM	0	6.851	31.6	85.7	0
2/9/2023, 4:55:26 AM	0	6.851	32	85.6	0
2/9/2023, 5:05:26 AM	0	6.851	32.2	85.5	0
2/9/2023, 5:15:26 AM	0	6.851	32.4	85.3	0
2/9/2023, 5:25:26 AM	0	6.851	32.7	85.1	0
2/9/2023, 5:35:26 AM	0	6.851	32.9	84.9	0
2/9/2023, 5:45:26 AM	0	6.851	32.9	84.7	0
2/9/2023, 5:55:26 AM	0	6.851	33.1	84.5	0
2/9/2023, 6:05:26 AM	0	6.851	33.3	84.3	0
2/9/2023, 6:15:26 AM	0	6.851	33.4	84.1	0
2/9/2023, 6:25:26 AM	0	6.851	33.6	84	0
2/9/2023, 6:35:26 AM	0	6.851	34	83.8	0
2/9/2023, 6:45:26 AM	0	6.86	34.3	83.5	0
2/9/2023, 6:55:26 AM	0	6.86	34.5	83.3	0
2/9/2023, 7:05:26 AM	0	6.86	34.9	83	0
2/9/2023, 7:15:26 AM	0	6.86	35.2	82.6	0
2/9/2023, 7:25:26 AM	0	6.86	35.6	82.2	0
2/9/2023, 7:35:26 AM	0	6.86	36.1	81.9	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/9/2023, 7:45:26 AM	0	6.86	36.3	81.7	0
2/9/2023, 7:55:26 AM	0	6.86	36.5	82	0
2/9/2023, 8:05:26 AM	0	6.86	36.5	82.3	0
2/9/2023, 8:15:26 AM	0	6.86	36.5	82.8	0
2/9/2023, 8:25:26 AM	0	6.86	36.7	83.3	0
2/9/2023, 8:35:26 AM	0	6.86	36.7	83.8	0
2/9/2023, 8:45:26 AM	0	6.86	36.9	84.3	0
2/9/2023, 8:55:26 AM	0	6.86	37	84.9	0
2/9/2023, 9:05:26 AM	0	6.86	37.2	85.7	0
2/9/2023, 9:15:26 AM	0	6.86	37.4	86.6	0
2/9/2023, 9:25:26 AM	0	6.86	37.8	87.4	0
2/9/2023, 9:35:26 AM	0	6.869	38.1	88.1	0
2/9/2023, 9:45:26 AM	0	6.869	38.3	88.6	0
2/9/2023, 9:55:26 AM	0	6.869	38.3	88.8	0
2/9/2023, 10:05:26 AM	0	6.869	38.3	89	0
2/9/2023, 10:15:26 AM	0	6.869	38.3	89.2	0
2/9/2023, 10:25:26 AM	0	6.869	38.3	89.5	0
2/9/2023, 10:35:26 AM	0	6.869	38.5	89.8	0
2/9/2023, 10:45:26 AM	0	6.869	38.7	90.1	0
2/9/2023, 10:55:26 AM	0	6.869	38.8	90.3	0
2/9/2023, 11:05:26 AM	0	6.869	39	90.5	0
2/9/2023, 11:15:26 AM	0	6.869	39	90.8	0
2/9/2023, 11:25:26 AM	0	6.869	39.2	91	0
2/9/2023, 11:35:26 AM	0	6.869	39.4	91.2	0
2/9/2023, 11:45:26 AM	0	6.869	39.6	91.4	0
2/9/2023, 11:55:26 AM	0	6.869	39.7	91.6	0
2/9/2023, 12:05:26 PM	0	6.869	39.9	91.8	0
2/9/2023, 12:15:26 PM	0	6.869	40.1	91.9	0
2/9/2023, 12:25:26 PM	0	6.869	40.1	92.1	0
2/9/2023, 12:35:26 PM	0	6.869	40.3	92.2	0
2/9/2023, 12:45:26 PM	0	6.869	40.5	92.4	0
2/9/2023, 12:55:26 PM	0	6.869	40.6	92.5	0
2/9/2023, 1:05:26 PM	0	6.869	40.8	92.6	0
2/9/2023, 1:15:26 PM	0	6.869	40.8	92.7	0
2/9/2023, 1:25:26 PM	0	6.869	41	92.8	0
2/9/2023, 1:35:26 PM	0	6.869	41.2	92.9	0
2/9/2023, 1:45:26 PM	0	6.869	41.4	93.1	0
2/9/2023, 1:55:26 PM	0	6.869	41.5	93.2	0
2/9/2023, 2:05:26 PM	0	6.869	41.9	93.4	0
2/9/2023, 2:15:26 PM	0	6.869	42.3	93.6	0
2/9/2023, 2:25:26 PM	0	6.877	42.8	93.9	0
2/9/2023, 2:35:26 PM	0	6.877	43.3	94.1	0
2/9/2023, 2:45:26 PM	0	6.877	43.7	94.4	0
2/9/2023, 2:55:26 PM	0	6.877	44.1	94.4	0
2/9/2023, 3:05:26 PM	0	6.877	44.4	94.5	0
2/9/2023, 3:15:26 PM	0	6.877	44.8	94.5	0
2/9/2023, 3:25:26 PM	0	6.877	45.1	94.5	0
2/9/2023, 3:35:26 PM	0	6.877	45.5	94.4	0
2/9/2023, 3:45:26 PM	0	6.877	45.9	94.2	0
2/9/2023, 3:55:26 PM	0	6.877	46	94	0
2/9/2023, 4:05:26 PM	0	6.877	46.2	93.7	0
2/9/2023, 4:15:26 PM	0	6.877	46.4	93.5	0
2/9/2023, 4:25:26 PM	0	6.877	46.6	93.3	0
2/9/2023, 4:35:26 PM	0	6.877	46.8	93	0
2/9/2023, 4:45:26 PM	0	6.886	47.1	92.9	0
2/9/2023, 4:55:26 PM	0	6.886	47.3	92.8	0
2/9/2023, 5:05:26 PM	0	6.886	47.8	92.7	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/9/2023, 5:15:26 PM	0	6.886	48.4	92.6	0
2/9/2023, 5:25:26 PM	0	6.886	49.1	92.4	0
2/9/2023, 5:35:26 PM	0	6.886	49.6	91.9	0
2/9/2023, 5:45:26 PM	0	6.886	50	91.1	0
2/9/2023, 5:55:26 PM	0	6.886	50.2	90.3	0
2/9/2023, 6:05:26 PM	0	6.886	50.5	89.5	0
2/9/2023, 6:15:26 PM	0	6.886	50.5	88.7	0
2/9/2023, 6:25:26 PM	0	6.886	50.7	88.1	0
2/9/2023, 6:35:26 PM	0	6.886	50.9	87.5	0
2/9/2023, 6:45:26 PM	0	6.886	51.1	87	0
2/9/2023, 6:55:26 PM	0	6.886	51.1	86.5	0
2/9/2023, 7:05:26 PM	0	6.886	51.3	86.2	0
2/9/2023, 7:15:26 PM	0	6.886	51.3	85.9	0
2/9/2023, 7:25:26 PM	0	6.886	51.4	85.6	0
2/9/2023, 7:35:26 PM	0	6.886	52	85.5	0
2/9/2023, 7:45:26 PM	0	6.886	52.5	85.2	0
2/9/2023, 7:55:26 PM	0	6.895	52.7	84.8	0
2/9/2023, 8:05:26 PM	0	6.895	53.1	84.3	0
2/9/2023, 8:15:26 PM	0	6.895	53.1	83.8	0
2/9/2023, 8:25:26 PM	0	6.895	53.1	83.5	0
2/9/2023, 8:35:26 PM	0	6.895	53.1	83.3	0
2/9/2023, 8:45:26 PM	0	6.895	53.2	83.2	0
2/9/2023, 8:55:26 PM	0	6.895	53.4	83.1	0
2/9/2023, 9:05:26 PM	0	6.895	53.6	82.9	0
2/9/2023, 9:15:26 PM	0	6.895	53.4	82.9	0
2/9/2023, 9:25:26 PM	0	6.895	53.2	83	0
2/9/2023, 9:35:26 PM	0	6.895	53.2	83.2	0
2/9/2023, 9:45:26 PM	0	6.895	53.2	83.7	0
2/9/2023, 9:55:26 PM	0	6.895	53.4	84.1	0
2/9/2023, 10:05:26 PM	0	6.895	53.6	84.5	0
2/9/2023, 10:15:26 PM	0	6.895	53.6	84.9	0
2/9/2023, 10:25:26 PM	0	6.895	53.1	84.6	0
2/9/2023, 10:35:26 PM	0	6.895	52.3	83.8	0
2/9/2023, 10:45:26 PM	0	6.895	51.8	83	0
2/9/2023, 10:55:26 PM	0	6.895	51.3	82.3	0
2/9/2023, 11:05:26 PM	0	6.895	50.4	82	0
2/9/2023, 11:15:26 PM	0	6.895	49.6	81.9	0
2/9/2023, 11:25:26 PM	0	6.886	49.3	81.7	0
2/9/2023, 11:35:26 PM	0	6.886	49.1	81.5	0
2/9/2023, 11:45:26 PM	0	6.886	48.9	81.3	0
2/9/2023, 11:55:26 PM	0	6.886	48.7	81.2	0
2/10/2023, 12:05:26 AM	0	6.886	48.6	81	0
2/10/2023, 12:15:26 AM	0	6.886	48.6	80.9	0
2/10/2023, 12:25:26 AM	0	6.886	48.4	80.8	0
2/10/2023, 12:35:26 AM	0	6.886	48	80.6	0
2/10/2023, 12:45:26 AM	0	6.886	47.5	80.2	0
2/10/2023, 12:55:26 AM	0	6.886	46.9	79.9	0
2/10/2023, 1:05:26 AM	0	6.886	46.4	79.9	0
2/10/2023, 1:15:26 AM	0	6.886	45.7	79.9	0
2/10/2023, 1:25:26 AM	0	6.886	45.3	80	0
2/10/2023, 1:35:26 AM	0	6.877	45	80.1	0
2/10/2023, 1:45:26 AM	0	6.877	44.6	80.2	0
2/10/2023, 1:55:26 AM	0	6.877	44.4	80.2	0
2/10/2023, 2:05:26 AM	0	6.877	44.2	80.2	0
2/10/2023, 2:15:26 AM	0	6.877	44.1	80.1	0
2/10/2023, 2:25:26 AM	0	6.877	43.9	80.2	0
2/10/2023, 2:35:26 AM	0	6.877	43.7	80.1	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/10/2023, 2:45:26 AM	0	6.877	43.7	80.1	0
2/10/2023, 2:55:26 AM	0	6.877	43.5	80.1	0
2/10/2023, 3:05:26 AM	0	6.877	43.3	80.2	0
2/10/2023, 3:15:26 AM	0	6.877	43.2	80.2	0
2/10/2023, 3:25:26 AM	0	6.877	43	80.3	0
2/10/2023, 3:35:26 AM	0	6.877	42.8	80.3	0
2/10/2023, 3:45:26 AM	0	6.877	42.8	80.1	0
2/10/2023, 3:55:26 AM	0	6.877	42.8	80.1	0
2/10/2023, 4:05:26 AM	0	6.877	42.6	80.1	0
2/10/2023, 4:15:26 AM	0	6.877	42.6	80.2	0
2/10/2023, 4:25:26 AM	0	6.877	42.4	80.1	0
2/10/2023, 4:35:26 AM	0	6.877	42.3	79.9	0
2/10/2023, 4:45:26 AM	0	6.877	42.3	79.7	0
2/10/2023, 4:55:26 AM	0	6.877	42.1	79.6	0
2/10/2023, 5:05:26 AM	0	6.877	42.1	79.5	0
2/10/2023, 5:15:26 AM	0	6.877	42.1	79.3	0
2/10/2023, 5:25:26 AM	0	6.877	42.1	79.1	0
2/10/2023, 5:35:26 AM	0	6.877	41.9	79	0
2/10/2023, 5:45:26 AM	0	6.877	41.9	78.9	0
2/10/2023, 5:55:26 AM	0	6.877	41.9	78.9	0
2/10/2023, 6:05:26 AM	0	6.877	41.7	79	0
2/10/2023, 6:15:26 AM	0	6.869	41.5	79.1	0
2/10/2023, 6:25:26 AM	0	6.869	41.5	79.4	0
2/10/2023, 6:35:26 AM	0	6.869	41.4	79.7	0
2/10/2023, 6:45:26 AM	0	6.869	41.2	80	0
2/10/2023, 6:55:26 AM	0	6.869	41.2	80.3	0
2/10/2023, 7:05:26 AM	0	6.869	41	80.6	0
2/10/2023, 7:15:26 AM	0	6.869	41	80.8	0
2/10/2023, 7:25:26 AM	0	6.869	40.8	81	0
2/10/2023, 7:35:26 AM	0	6.869	40.8	81	0
2/10/2023, 7:45:26 AM	0	6.869	40.6	80.9	0
2/10/2023, 7:55:26 AM	0	6.869	40.5	80.9	0
2/10/2023, 8:05:26 AM	0	6.869	40.3	81	0
2/10/2023, 8:15:26 AM	0	6.869	40.1	80.9	0
2/10/2023, 8:25:26 AM	0	6.869	40.1	80.7	0
2/10/2023, 8:35:26 AM	0	6.869	39.9	80.6	0
2/10/2023, 8:45:26 AM	0	6.869	39.9	80.5	0
2/10/2023, 8:55:26 AM	0	6.869	39.7	80.5	0
2/10/2023, 9:05:26 AM	0	6.869	39.7	80.4	0
2/10/2023, 9:15:26 AM	0	6.869	39.6	80.4	0
2/10/2023, 9:25:26 AM	0	6.869	39.6	80.3	0
2/10/2023, 9:35:26 AM	0	6.869	39.6	80.2	0
2/10/2023, 9:45:26 AM	0	6.869	39.7	80.2	0
2/10/2023, 9:55:26 AM	0	6.869	39.7	80.2	0
2/10/2023, 10:05:26 AM	0	6.869	39.7	80.1	0
2/10/2023, 10:15:26 AM	0	6.869	39.7	80.1	0
2/10/2023, 10:25:26 AM	0	6.869	39.7	80	0
2/10/2023, 10:35:26 AM	0	6.869	39.7	80.1	0
2/10/2023, 10:45:26 AM	0	6.869	39.6	80.2	0
2/10/2023, 10:55:26 AM	0	6.869	39.6	80.3	0
2/10/2023, 11:05:26 AM	0	6.869	39.6	80.4	0
2/10/2023, 11:15:26 AM	0	6.869	39.6	80.5	0
2/10/2023, 11:25:26 AM	0	6.869	39.6	80.6	0
2/10/2023, 11:35:26 AM	0	6.869	39.6	80.6	0
2/10/2023, 11:45:26 AM	0	6.869	39.6	80.6	0
2/10/2023, 11:55:26 AM	0	6.869	39.4	80.5	0
2/10/2023, 12:05:26 PM	0	6.869	39.4	80.5	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/10/2023, 12:15:26 PM	0	6.869	39.4	80.5	0
2/10/2023, 12:25:26 PM	0	6.869	39.4	80.6	0
2/10/2023, 12:35:26 PM	0	6.869	39.4	80.6	0
2/10/2023, 12:45:26 PM	0	6.869	39.4	80.5	0
2/10/2023, 12:55:26 PM	0	6.869	39.4	80.5	0
2/10/2023, 1:05:26 PM	0	6.869	39.4	80.6	0
2/10/2023, 1:15:26 PM	0	6.869	39.4	80.7	0
2/10/2023, 1:25:26 PM	0	6.869	39.6	80.7	0
2/10/2023, 1:35:26 PM	0	6.869	39.6	80.7	0
2/10/2023, 1:45:26 PM	0	6.869	39.7	80.7	0
2/10/2023, 1:55:26 PM	0	6.869	39.7	80.6	0
2/10/2023, 2:05:26 PM	0	6.869	39.7	80.6	0
2/10/2023, 2:15:26 PM	0	6.869	39.7	80.6	0
2/10/2023, 2:25:26 PM	0	6.869	39.9	80.6	0
2/10/2023, 2:35:26 PM	0	6.869	39.9	80.5	0
2/10/2023, 2:45:26 PM	0	6.869	39.7	80.4	0
2/10/2023, 2:55:26 PM	0	6.869	39.7	80.3	0
2/10/2023, 3:05:26 PM	0	6.869	39.6	80.2	0
2/10/2023, 3:15:26 PM	0	6.869	39.6	80.2	0
2/10/2023, 3:25:26 PM	0	6.869	39.4	80.1	0
2/10/2023, 3:35:26 PM	0	6.869	39.2	80.2	0
2/10/2023, 3:45:26 PM	0	6.869	39.2	80.2	0
2/10/2023, 3:55:26 PM	0	6.869	39	80.3	0
2/10/2023, 4:05:26 PM	0	6.869	39	80.3	0
2/10/2023, 4:15:26 PM	0	6.869	38.8	80.4	0
2/10/2023, 4:25:26 PM	0	6.869	38.7	80.7	0
2/10/2023, 4:35:26 PM	0	6.869	38.5	81	0
2/10/2023, 4:45:26 PM	0	6.869	38.3	81.2	0
2/10/2023, 4:55:26 PM	0	6.869	38.5	81.3	0
2/10/2023, 5:05:26 PM	0	6.86	38.5	81.3	0
2/10/2023, 5:15:26 PM	0	6.869	38.5	81.2	0
2/10/2023, 5:25:26 PM	0	6.869	38.5	81.3	0
2/10/2023, 5:35:26 PM	0	6.869	38.3	81.5	0
2/10/2023, 5:45:26 PM	0	6.869	37.6	81.9	0
2/10/2023, 5:55:26 PM	0	6.86	37.2	82.1	0
2/10/2023, 6:05:26 PM	0	6.86	36.9	82.2	0
2/10/2023, 6:15:26 PM	0	6.86	36.7	82.3	0
2/10/2023, 6:25:26 PM	0	6.86	36.5	82.4	0
2/10/2023, 6:35:26 PM	0	6.86	36.3	82.4	0
2/10/2023, 6:45:26 PM	0	6.86	36.1	82.2	0
2/10/2023, 6:55:26 PM	0	6.86	36	81.2	0
2/10/2023, 7:05:26 PM	0	6.86	35.8	79.7	0
2/10/2023, 7:15:26 PM	0	6.86	35.6	78	0
2/10/2023, 7:25:26 PM	0	6.86	35.4	76.6	0
2/10/2023, 7:35:26 PM	0	6.86	35.2	75.4	0
2/10/2023, 7:45:26 PM	0	6.86	35.2	74.6	0
2/10/2023, 7:55:26 PM	0	6.86	35.1	73.9	0
2/10/2023, 8:05:26 PM	0	6.86	35.1	73.3	0
2/10/2023, 8:15:26 PM	0	6.86	34.9	72.9	0
2/10/2023, 8:25:26 PM	0	6.86	34.9	72.6	0
2/10/2023, 8:35:26 PM	0	6.86	34.7	72.5	0
2/10/2023, 8:45:26 PM	0	6.851	34.7	72.5	0
2/10/2023, 8:55:26 PM	0	6.851	34.5	72.6	0
2/10/2023, 9:05:26 PM	0	6.851	34.5	72.6	0
2/10/2023, 9:15:26 PM	0	6.851	34.5	72.6	0
2/10/2023, 9:25:26 PM	0	6.851	34.5	72.6	0
2/10/2023, 9:35:26 PM	0	6.851	34.5	72.6	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/10/2023, 9:45:26 PM	0	6.851	34.3	72.6	0
2/10/2023, 9:55:26 PM	0	6.851	34.3	72.7	0
2/10/2023, 10:05:26 PM	0	6.851	34.2	72.7	0
2/10/2023, 10:15:26 PM	0	6.851	34	72.7	0
2/10/2023, 10:25:26 PM	0	6.851	33.6	72.7	0
2/10/2023, 10:35:26 PM	0	6.851	33.4	72.7	0
2/10/2023, 10:45:26 PM	0	6.851	33.3	72.7	0
2/10/2023, 10:55:26 PM	0	6.851	33.1	72.7	0
2/10/2023, 11:05:26 PM	0	6.851	32.9	72.8	0
2/10/2023, 11:15:26 PM	0	6.851	32.9	72.7	0
2/10/2023, 11:25:26 PM	0	6.851	32.9	72.5	0
2/10/2023, 11:35:26 PM	0	6.851	32.7	72.3	0
2/10/2023, 11:45:26 PM	0	6.851	32.7	72.1	0
2/10/2023, 11:55:26 PM	0	6.851	32.5	72	0
2/11/2023, 12:05:26 AM	0	6.851	32.5	72	0
2/11/2023, 12:15:26 AM	0	6.851	32.4	72	0
2/11/2023, 12:25:26 AM	0	6.851	32.2	71.9	0
2/11/2023, 12:35:26 AM	0	6.851	32	71.7	0
2/11/2023, 12:45:26 AM	0	6.851	32	71.7	0
2/11/2023, 12:55:26 AM	0	6.851	32	71.7	0
2/11/2023, 1:05:26 AM	0	6.851	32	71.7	0
2/11/2023, 1:15:26 AM	0	6.842	32	71.7	0
2/11/2023, 1:25:26 AM	0	6.842	32	71.8	0
2/11/2023, 1:35:26 AM	0	6.842	32	71.9	0
2/11/2023, 1:45:26 AM	0	6.842	32	72.1	0
2/11/2023, 1:55:26 AM	0	6.842	32	72.4	0
2/11/2023, 2:05:26 AM	0	6.842	31.8	72.7	0
2/11/2023, 2:15:26 AM	0	6.842	31.8	73	0
2/11/2023, 2:25:26 AM	0	6.842	31.6	73.5	0
2/11/2023, 2:35:26 AM	0	6.842	31.5	74.3	0
2/11/2023, 2:45:26 AM	0	6.842	31.1	75.5	0
2/11/2023, 2:55:26 AM	0	6.842	30.7	76.5	0
2/11/2023, 3:05:26 AM	0	6.842	30.6	76.9	0
2/11/2023, 3:15:26 AM	0	6.842	30.6	77	0
2/11/2023, 3:25:26 AM	0	6.842	30.4	76.9	0
2/11/2023, 3:35:26 AM	0	6.842	30.2	76.5	0
2/11/2023, 3:45:26 AM	0	6.842	30	75.8	0
2/11/2023, 3:55:26 AM	0	6.842	29.8	75.2	0
2/11/2023, 4:05:26 AM	0	6.842	29.7	74.8	0
2/11/2023, 4:15:26 AM	0	6.842	29.5	74.5	0
2/11/2023, 4:25:26 AM	0	6.842	29.5	74.2	0
2/11/2023, 4:35:26 AM	0	6.842	29.3	74	0
2/11/2023, 4:45:26 AM	0	6.842	29.1	74	0
2/11/2023, 4:55:26 AM	0	6.833	28.9	74	0
2/11/2023, 5:05:26 AM	0	6.833	28.9	74.1	0
2/11/2023, 5:15:26 AM	0	6.833	28.8	74.2	0
2/11/2023, 5:25:26 AM	0	6.833	28.8	74.3	0
2/11/2023, 5:35:26 AM	0	6.833	28.6	74.5	0
2/11/2023, 5:45:26 AM	0	6.833	28.6	74.6	0
2/11/2023, 5:55:26 AM	0	6.833	28.4	74.8	0
2/11/2023, 6:05:26 AM	0	6.833	28.4	74.9	0
2/11/2023, 6:15:26 AM	0	6.833	28.4	75	0
2/11/2023, 6:25:26 AM	0	6.833	28.4	75.1	0
2/11/2023, 6:35:26 AM	0	6.833	28.4	75.3	0
2/11/2023, 6:45:26 AM	0	6.833	28.4	75.4	0
2/11/2023, 6:55:26 AM	0	6.833	28.4	75.6	0
2/11/2023, 7:05:26 AM	0	6.833	28.4	75.7	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/11/2023, 7:15:26 AM	0	6.833	28.4	75.9	0
2/11/2023, 7:25:26 AM	0	6.833	28.4	76	0
2/11/2023, 7:35:26 AM	0	6.833	28.4	76.1	0
2/11/2023, 7:45:26 AM	0	6.833	28.4	76.1	0
2/11/2023, 7:55:26 AM	0	6.833	28.4	76.1	0
2/11/2023, 8:05:26 AM	0	6.833	28.6	76.2	0
2/11/2023, 8:15:26 AM	0	6.833	28.6	76.2	0
2/11/2023, 8:25:26 AM	0	6.833	28.6	76.2	0
2/11/2023, 8:35:26 AM	0	6.833	28.8	76.2	0
2/11/2023, 8:45:26 AM	0	6.833	28.9	76.2	0
2/11/2023, 8:55:26 AM	0	6.833	29.1	76.1	0
2/11/2023, 9:05:26 AM	0	6.833	29.3	76	0
2/11/2023, 9:15:26 AM	0	6.833	29.5	75.8	0
2/11/2023, 9:25:26 AM	0	6.833	29.7	75.5	0
2/11/2023, 9:35:26 AM	0	6.833	29.8	75.3	0
2/11/2023, 9:45:26 AM	0	6.833	30	75	0
2/11/2023, 9:55:26 AM	0	6.833	30.2	74.7	0
2/11/2023, 10:05:26 AM	0	6.833	30.4	74.4	0
2/11/2023, 10:15:26 AM	0	6.842	30.7	74	0
2/11/2023, 10:25:26 AM	0	6.842	30.9	73.7	0
2/11/2023, 10:35:26 AM	0	6.842	31.3	73.3	0
2/11/2023, 10:45:26 AM	0	6.842	31.3	73	0
2/11/2023, 10:55:26 AM	0	6.842	31.3	72.7	0
2/11/2023, 11:05:26 AM	0	6.842	31.5	72.7	0
2/11/2023, 11:15:26 AM	0	6.842	31.6	72.7	0
2/11/2023, 11:25:26 AM	0	6.842	31.6	72.5	0
2/11/2023, 11:35:26 AM	0	6.842	31.8	72.5	0
2/11/2023, 11:45:26 AM	0	6.842	32	72.5	0
2/11/2023, 11:55:26 AM	0	6.842	32	72.5	0
2/11/2023, 12:05:26 PM	0	6.842	32.2	72.4	0
2/11/2023, 12:15:26 PM	0	6.842	32.4	72.3	0
2/11/2023, 12:25:26 PM	0	6.842	32.4	72.2	0
2/11/2023, 12:35:26 PM	0	6.842	32.7	72.2	0
2/11/2023, 12:45:26 PM	0	6.842	32.9	72.1	0
2/11/2023, 12:55:26 PM	0	6.842	33.1	72.1	0
2/11/2023, 1:05:26 PM	0	6.842	33.3	72.1	0
2/11/2023, 1:15:26 PM	0	6.842	33.4	72	0
2/11/2023, 1:25:26 PM	0	6.851	33.4	71.9	0
2/11/2023, 1:35:26 PM	0	6.851	33.4	71.8	0
2/11/2023, 1:45:26 PM	0	6.851	33.6	71.8	0
2/11/2023, 1:55:26 PM	0	6.851	33.8	71.9	0
2/11/2023, 2:05:26 PM	0	6.851	34	71.7	0
2/11/2023, 2:15:26 PM	0	6.851	34.2	71.5	0
2/11/2023, 2:25:26 PM	0	6.851	34.5	71.4	0
2/11/2023, 2:35:26 PM	0	6.851	34.7	71.3	0
2/11/2023, 2:45:26 PM	0	6.851	35.4	71.2	0
2/11/2023, 2:55:26 PM	0	6.851	36.1	71.1	0
2/11/2023, 3:05:26 PM	0	6.851	36.1	70.7	0
2/11/2023, 3:15:26 PM	0	6.851	36.1	70.3	0
2/11/2023, 3:25:26 PM	0	6.851	36.1	70.2	0
2/11/2023, 3:35:26 PM	0	6.851	36.1	70.1	0
2/11/2023, 3:45:26 PM	0	6.851	36.1	70.1	0
2/11/2023, 3:55:26 PM	0	6.851	36.1	70	0
2/11/2023, 4:05:26 PM	0	6.851	36.5	69.9	0
2/11/2023, 4:15:26 PM	0	6.851	37	69.7	0
2/11/2023, 4:25:26 PM	0	6.86	37.6	69.5	0
2/11/2023, 4:35:26 PM	0	6.86	37.9	69.1	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/11/2023, 4:45:26 PM	0	6.86	37.9	68.8	0
2/11/2023, 4:55:26 PM	0	6.86	37.8	68.5	0
2/11/2023, 5:05:26 PM	0	6.86	37	68.2	0
2/11/2023, 5:15:26 PM	0	6.86	36.1	68.1	0
2/11/2023, 5:25:26 PM	0	6.86	35.4	68.2	0
2/11/2023, 5:35:26 PM	0	6.86	34.7	68.4	0
2/11/2023, 5:45:26 PM	0	6.851	34	68.7	0
2/11/2023, 5:55:26 PM	0	6.851	33.4	69.1	0
2/11/2023, 6:05:26 PM	0	6.851	32.7	69.6	0
2/11/2023, 6:15:26 PM	0	6.851	32.2	70.1	0
2/11/2023, 6:25:26 PM	0	6.851	31.6	70.5	0
2/11/2023, 6:35:26 PM	0	6.851	31.1	71.1	0
2/11/2023, 6:45:26 PM	0	6.842	30.4	71.6	0
2/11/2023, 6:55:26 PM	0	6.842	29.8	72.2	0
2/11/2023, 7:05:26 PM	0	6.842	29.5	72.8	0
2/11/2023, 7:15:26 PM	0	6.842	29.1	73.4	0
2/11/2023, 7:25:26 PM	0	6.842	29.1	73.9	0
2/11/2023, 7:35:26 PM	0	6.842	29.1	74.4	0
2/11/2023, 7:45:26 PM	0	6.842	28.9	74.7	0
2/11/2023, 7:55:26 PM	0	6.833	28.6	75	0
2/11/2023, 8:05:26 PM	0	6.833	28.4	75.3	0
2/11/2023, 8:15:26 PM	0	6.833	28.2	75.6	0
2/11/2023, 8:25:26 PM	0	6.833	28.2	76	0
2/11/2023, 8:35:26 PM	0	6.833	28.6	76.4	0
2/11/2023, 8:45:26 PM	0	6.833	28.9	76.5	0
2/11/2023, 8:55:26 PM	0	6.833	29.1	76.5	0
2/11/2023, 9:05:26 PM	0	6.842	29.1	76.5	0
2/11/2023, 9:15:26 PM	0	6.842	29.1	76.4	0
2/11/2023, 9:25:26 PM	0	6.842	28.9	76.3	0
2/11/2023, 9:35:26 PM	0	6.833	28.9	76.3	0
2/11/2023, 9:45:26 PM	0	6.833	28.8	76.3	0
2/11/2023, 9:55:26 PM	0	6.833	28.9	76.3	0
2/11/2023, 10:05:26 PM	0	6.842	29.5	76.3	0
2/11/2023, 10:15:26 PM	0	6.842	30	76.1	0
2/11/2023, 10:25:26 PM	0	6.842	30.6	75.7	0
2/11/2023, 10:35:26 PM	0	6.842	31.1	75.3	0
2/11/2023, 10:45:26 PM	0	6.842	31.5	74.8	0
2/11/2023, 10:55:26 PM	0	6.842	32	74.1	0
2/11/2023, 11:05:26 PM	0	6.842	32.4	73.4	0
2/11/2023, 11:15:26 PM	0	6.851	32.9	72.7	0
2/11/2023, 11:25:26 PM	0	6.851	33.1	71.9	0
2/11/2023, 11:35:26 PM	0	6.851	33.3	71.1	0
2/11/2023, 11:45:26 PM	0	6.851	33.6	70.4	0
2/11/2023, 11:55:26 PM	0	6.851	33.6	69.7	0
2/12/2023, 12:05:26 AM	0	6.851	33.8	69.2	0
2/12/2023, 12:15:26 AM	0	6.851	33.8	68.8	0
2/12/2023, 12:25:26 AM	0	6.851	33.6	68.4	0
2/12/2023, 12:35:26 AM	0	6.851	33.6	68.3	0
2/12/2023, 12:45:26 AM	0	6.851	33.4	68.1	0
2/12/2023, 12:55:26 AM	0	6.851	33.3	68.1	0
2/12/2023, 1:05:26 AM	0	6.851	33.1	68	0
2/12/2023, 1:15:26 AM	0	6.851	32.9	68	0
2/12/2023, 1:25:26 AM	0	6.851	32.7	68.1	0
2/12/2023, 1:35:26 AM	0	6.851	32.7	68.1	0
2/12/2023, 1:45:26 AM	0	6.851	32.9	68.1	0
2/12/2023, 1:55:26 AM	0	6.851	32.9	68.1	0
2/12/2023, 2:05:26 AM	0	6.851	33.1	67.9	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/12/2023, 2:15:26 AM	0	6.851	33.3	67.8	0
2/12/2023, 2:25:26 AM	0	6.851	33.3	67.7	0
2/12/2023, 2:35:26 AM	0	6.851	33.3	67.6	0
2/12/2023, 2:45:26 AM	0	6.851	33.1	67.5	0
2/12/2023, 2:55:26 AM	0	6.851	33.1	67.5	0
2/12/2023, 3:05:26 AM	0	6.851	33.1	67.6	0
2/12/2023, 3:15:26 AM	0	6.851	33.1	67.6	0
2/12/2023, 3:25:26 AM	0	6.851	32.9	67.6	0
2/12/2023, 3:35:26 AM	0	6.851	32.7	67.7	0
2/12/2023, 3:45:26 AM	0	6.851	32.7	67.7	0
2/12/2023, 3:55:26 AM	0	6.851	32.7	67.8	0
2/12/2023, 4:05:26 AM	0	6.851	32.9	67.8	0
2/12/2023, 4:15:26 AM	0	6.851	32.9	67.8	0
2/12/2023, 4:25:26 AM	0	6.851	32.9	67.8	0
2/12/2023, 4:35:26 AM	0	6.851	33.1	67.8	0
2/12/2023, 4:45:26 AM	0	6.851	33.1	67.8	0
2/12/2023, 4:55:26 AM	0	6.851	32.9	67.7	0
2/12/2023, 5:05:26 AM	0	6.851	32.9	67.8	0
2/12/2023, 5:15:26 AM	0	6.851	32.7	67.8	0
2/12/2023, 5:25:26 AM	0	6.851	32.5	67.8	0
2/12/2023, 5:35:26 AM	0	6.851	32.4	67.8	0
2/12/2023, 5:45:26 AM	0	6.851	32.2	67.9	0
2/12/2023, 5:55:26 AM	0	6.851	32	68	0
2/12/2023, 6:05:26 AM	0	6.851	31.6	68.2	0
2/12/2023, 6:15:26 AM	0	6.842	31.3	68.4	0
2/12/2023, 6:25:26 AM	0	6.842	31.1	68.6	0
2/12/2023, 6:35:26 AM	0	6.842	31.1	68.8	0
2/12/2023, 6:45:26 AM	0	6.842	31.1	69	0
2/12/2023, 6:55:26 AM	0	6.842	30.9	69.1	0
2/12/2023, 7:05:26 AM	0	6.842	30.9	69.3	0
2/12/2023, 7:15:26 AM	0	6.842	30.7	69.4	0
2/12/2023, 7:25:26 AM	0	6.842	30.4	69.5	0
2/12/2023, 7:35:26 AM	0	6.842	30.4	69.9	0
2/12/2023, 7:45:26 AM	0	6.842	30.9	70.1	0
2/12/2023, 7:55:26 AM	0	6.842	31.6	70.3	0
2/12/2023, 8:05:26 AM	0	6.842	32.4	70.2	0
2/12/2023, 8:15:26 AM	0	6.842	33.3	70	0
2/12/2023, 8:25:26 AM	0	6.851	34	69.6	0
2/12/2023, 8:35:26 AM	0	6.851	34.9	69.2	0
2/12/2023, 8:45:26 AM	0	6.851	35.8	68.8	0
2/12/2023, 8:55:26 AM	0	6.851	36.7	68.2	0
2/12/2023, 9:05:26 AM	0	6.851	37.6	67.6	0
2/12/2023, 9:15:26 AM	0	6.86	38.5	67.1	0
2/12/2023, 9:25:26 AM	0	6.86	39.4	66.6	0
2/12/2023, 9:35:26 AM	0	6.86	40.1	66.2	0
2/12/2023, 9:45:26 AM	0	6.86	41	65.8	0
2/12/2023, 9:55:26 AM	0	6.86	41.7	65.3	0
2/12/2023, 10:05:26 AM	0	6.869	42.4	64.8	0
2/12/2023, 10:15:26 AM	0	6.869	43.3	64.3	0
2/12/2023, 10:25:26 AM	0	6.869	44.2	63.8	0
2/12/2023, 10:35:26 AM	0	6.869	45	63.3	0
2/12/2023, 10:45:26 AM	0	6.869	46	62.9	0
2/12/2023, 10:55:26 AM	0	6.869	46.9	62.4	0
2/12/2023, 11:05:26 AM	0	6.877	47.7	61.9	0
2/12/2023, 11:15:26 AM	0	6.877	48.2	61.4	0
2/12/2023, 11:25:26 AM	0	6.877	49.1	60.9	0
2/12/2023, 11:35:26 AM	0	6.877	49.8	60.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/12/2023, 11:45:26 AM	0	6.877	50.7	60	0
2/12/2023, 11:55:26 AM	0	6.877	51.8	59.5	0
2/12/2023, 12:05:26 PM	0	6.877	52.3	58.9	0
2/12/2023, 12:15:26 PM	0	6.877	52.9	58.4	0
2/12/2023, 12:25:26 PM	0	6.886	53.8	58	0
2/12/2023, 12:35:26 PM	0	6.886	54.3	57.5	0
2/12/2023, 12:45:26 PM	0	6.886	55	57.1	0
2/12/2023, 12:55:26 PM	0	6.886	55.8	56.6	0
2/12/2023, 1:05:26 PM	0	6.886	56.3	56.1	0
2/12/2023, 1:15:26 PM	0	6.886	57	55.7	0
2/12/2023, 1:25:26 PM	0	6.886	57.2	55.2	0
2/12/2023, 1:35:26 PM	0	6.886	57.6	54.9	0
2/12/2023, 1:45:26 PM	0	6.886	58.1	54.6	0
2/12/2023, 1:55:26 PM	0	6.886	58.3	54.2	0
2/12/2023, 2:05:26 PM	0	6.895	58.1	53.8	0
2/12/2023, 2:15:26 PM	0	6.886	58.3	53.4	0
2/12/2023, 2:25:26 PM	0	6.895	58.6	53.2	0
2/12/2023, 2:35:26 PM	0	6.895	58.8	52.9	0
2/12/2023, 2:45:26 PM	0	6.895	59	52.6	0
2/12/2023, 2:55:26 PM	0	6.895	59.4	52.3	0
2/12/2023, 3:05:26 PM	0	6.895	59	51.9	0
2/12/2023, 3:15:26 PM	0	6.895	58.6	51.7	0
2/12/2023, 3:25:26 PM	0	6.895	58.3	51.4	0
2/12/2023, 3:35:26 PM	0	6.895	58.5	51.2	0
2/12/2023, 3:45:26 PM	0	6.895	57.9	50.9	0
2/12/2023, 3:55:26 PM	0	6.895	57.9	50.8	0
2/12/2023, 4:05:26 PM	0	6.895	57.9	50.7	0
2/12/2023, 4:15:26 PM	0	6.895	57	51.2	0
2/12/2023, 4:25:26 PM	0	6.895	55.4	51.8	0
2/12/2023, 4:35:26 PM	0	6.895	53.8	52.5	0
2/12/2023, 4:45:26 PM	0	6.895	52.2	53.3	0
2/12/2023, 4:55:26 PM	0	6.886	50.5	54.1	0
2/12/2023, 5:05:26 PM	0	6.886	49.1	55	0
2/12/2023, 5:15:26 PM	0	6.886	47.8	56	0
2/12/2023, 5:25:26 PM	0	6.886	46.8	56.9	0
2/12/2023, 5:35:26 PM	0	6.886	45.9	58	0
2/12/2023, 5:45:26 PM	0	6.877	44.8	58.9	0
2/12/2023, 5:55:26 PM	0	6.877	43.9	59.8	0
2/12/2023, 6:05:26 PM	0	6.877	43	60.8	0
2/12/2023, 6:15:26 PM	0	6.877	42.1	61.7	0
2/12/2023, 6:25:26 PM	0	6.877	41.2	62.7	0
2/12/2023, 6:35:26 PM	0	6.869	40.6	63.6	0
2/12/2023, 6:45:26 PM	0	6.869	39.7	64.5	0
2/12/2023, 6:55:26 PM	0	6.869	38.8	65.3	0
2/12/2023, 7:05:26 PM	0	6.869	38.1	66.2	0
2/12/2023, 7:15:26 PM	0	6.869	37.2	67	0
2/12/2023, 7:25:26 PM	0	6.86	36.3	67.7	0
2/12/2023, 7:35:26 PM	0	6.86	35.4	68.5	0
2/12/2023, 7:45:26 PM	0	6.86	34.7	69.3	0
2/12/2023, 7:55:26 PM	0	6.86	34	70.1	0
2/12/2023, 8:05:26 PM	0	6.851	33.3	70.8	0
2/12/2023, 8:15:26 PM	0	6.851	32.5	71.5	0
2/12/2023, 8:25:26 PM	0	6.851	32	72.2	0
2/12/2023, 8:35:26 PM	0	6.851	31.5	72.9	0
2/12/2023, 8:45:26 PM	0	6.851	30.9	73.7	0
2/12/2023, 8:55:26 PM	0	6.842	30.6	74.7	0
2/12/2023, 9:05:26 PM	0	6.842	30	75.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/12/2023, 9:15:26 PM	0	6.842	29.5	76.1	0
2/12/2023, 9:25:26 PM	0	6.842	29.1	76.7	0
2/12/2023, 9:35:26 PM	0	6.842	28.6	77.4	0
2/12/2023, 9:45:26 PM	0	6.833	28.2	77.9	0
2/12/2023, 9:55:26 PM	0	6.833	27.7	78.4	0
2/12/2023, 10:05:26 PM	0	6.833	27.3	79	0
2/12/2023, 10:15:26 PM	0	6.833	27.1	79.5	0
2/12/2023, 10:25:26 PM	0	6.833	26.8	80.1	0
2/12/2023, 10:35:26 PM	0	6.833	26.6	80.7	0
2/12/2023, 10:45:26 PM	0	6.833	26.4	81.2	0
2/12/2023, 10:55:26 PM	0	6.825	26.2	81.7	0
2/12/2023, 11:05:26 PM	0	6.825	26.1	82	0
2/12/2023, 11:15:26 PM	0	6.825	25.9	82.4	0
2/12/2023, 11:25:26 PM	0	6.825	25.5	82.6	0
2/12/2023, 11:35:26 PM	0	6.825	25.2	82.8	0
2/12/2023, 11:45:26 PM	0	6.825	24.8	83	0
2/12/2023, 11:55:26 PM	0	6.825	24.6	83.2	0
2/13/2023, 12:05:26 AM	0	6.825	24.6	83.5	0
2/13/2023, 12:15:26 AM	0	6.825	24.6	83.8	0
2/13/2023, 12:25:26 AM	0	6.825	24.4	84.1	0
2/13/2023, 12:35:26 AM	0	6.825	24.4	84.4	0
2/13/2023, 12:45:26 AM	0	6.825	24.6	84.8	0
2/13/2023, 12:55:26 AM	0	6.825	24.4	85	0
2/13/2023, 1:05:26 AM	0	6.825	24.3	85.1	0
2/13/2023, 1:15:26 AM	0	6.816	23.7	85.1	0
2/13/2023, 1:25:26 AM	0	6.816	23.4	85.1	0
2/13/2023, 1:35:26 AM	0	6.816	23.2	85.1	0
2/13/2023, 1:45:26 AM	0	6.816	22.8	85.1	0
2/13/2023, 1:55:26 AM	0	6.816	22.5	85.1	0
2/13/2023, 2:05:26 AM	0	6.816	22.3	85.2	0
2/13/2023, 2:15:26 AM	0	6.816	22.1	85.3	0
2/13/2023, 2:25:26 AM	0	6.816	21.9	85.5	0
2/13/2023, 2:35:26 AM	0	6.816	21.9	85.7	0
2/13/2023, 2:45:26 AM	0	6.816	21.9	85.9	0
2/13/2023, 2:55:26 AM	0	6.807	21.9	86.1	0
2/13/2023, 3:05:26 AM	0	6.807	21.9	86.4	0
2/13/2023, 3:15:26 AM	0	6.816	22.3	86.7	0
2/13/2023, 3:25:26 AM	0	6.816	22.6	87.1	0
2/13/2023, 3:35:26 AM	0	6.816	22.6	87.4	0
2/13/2023, 3:45:26 AM	0	6.816	22.6	87.6	0
2/13/2023, 3:55:26 AM	0	6.816	22.6	87.7	0
2/13/2023, 4:05:26 AM	0	6.816	22.6	87.8	0
2/13/2023, 4:15:26 AM	0	6.816	22.5	87.8	0
2/13/2023, 4:25:26 AM	0	6.816	22.3	87.8	0
2/13/2023, 4:35:26 AM	0	6.816	22.1	87.7	0
2/13/2023, 4:45:26 AM	0	6.816	22.1	87.7	0
2/13/2023, 4:55:26 AM	0	6.807	22.1	87.7	0
2/13/2023, 5:05:26 AM	0	6.816	22.1	87.8	0
2/13/2023, 5:15:26 AM	0	6.816	22.1	87.9	0
2/13/2023, 5:25:26 AM	0	6.816	21.9	87.9	0
2/13/2023, 5:35:26 AM	0	6.816	21.7	87.8	0
2/13/2023, 5:45:26 AM	0	6.816	21.6	87.6	0
2/13/2023, 5:55:26 AM	0	6.807	21.2	87.4	0
2/13/2023, 6:05:26 AM	0	6.807	21	87.2	0
2/13/2023, 6:15:26 AM	0	6.807	20.8	87.1	0
2/13/2023, 6:25:26 AM	0	6.807	20.7	87	0
2/13/2023, 6:35:26 AM	0	6.807	20.5	86.9	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/13/2023, 6:45:26 AM	0	6.807	20.3	86.9	0
2/13/2023, 6:55:26 AM	0	6.807	20.3	86.8	0
2/13/2023, 7:05:26 AM	0	6.807	20.1	86.8	0
2/13/2023, 7:15:26 AM	0	6.807	20.1	86.7	0
2/13/2023, 7:25:26 AM	0	6.807	19.9	86.7	0
2/13/2023, 7:35:26 AM	0	6.807	20.5	86.8	0
2/13/2023, 7:45:26 AM	0	6.807	21.4	87.3	0
2/13/2023, 7:55:26 AM	0	6.807	22.3	87.8	0
2/13/2023, 8:05:26 AM	0	6.816	23.2	88.3	0
2/13/2023, 8:15:26 AM	0	6.816	24.6	88.8	0
2/13/2023, 8:25:26 AM	0	6.816	25.9	89.3	0
2/13/2023, 8:35:26 AM	0	6.825	27.1	89.8	0
2/13/2023, 8:45:26 AM	0	6.825	28.6	90.2	0
2/13/2023, 8:55:26 AM	0	6.833	30.2	90.7	0
2/13/2023, 9:05:26 AM	0	6.833	31.8	91.1	0
2/13/2023, 9:15:26 AM	0	6.842	33.4	90.8	0
2/13/2023, 9:25:26 AM	0	6.842	35.1	89.4	0
2/13/2023, 9:35:26 AM	0	6.851	37	86.9	0
2/13/2023, 9:45:26 AM	0	6.851	39.2	83.7	0
2/13/2023, 9:55:26 AM	0	6.86	41	80.5	0
2/13/2023, 10:05:26 AM	0	6.86	42.8	77.4	0
2/13/2023, 10:15:26 AM	0	6.869	44.4	74.8	0
2/13/2023, 10:25:26 AM	0	6.869	46	72.6	0
2/13/2023, 10:35:26 AM	0	6.869	46.8	70.6	0
2/13/2023, 10:45:26 AM	0	6.877	47.7	69	0
2/13/2023, 10:55:26 AM	0	6.877	48.9	67.5	0
2/13/2023, 11:05:26 AM	0	6.877	49.8	66.2	0
2/13/2023, 11:15:26 AM	0	6.877	50.4	65	0
2/13/2023, 11:25:26 AM	0	6.877	50.7	63.9	0
2/13/2023, 11:35:26 AM	0	6.877	51.3	63.1	0
2/13/2023, 11:45:26 AM	0	6.886	52.2	62.4	0
2/13/2023, 11:55:26 AM	0	6.886	52.5	61.4	0
2/13/2023, 12:05:26 PM	0	6.886	52.5	60.5	0
2/13/2023, 12:15:26 PM	0	6.886	52.7	59.9	0
2/13/2023, 12:25:26 PM	0	6.886	52.7	59.3	0
2/13/2023, 12:35:26 PM	0	6.886	52.5	58.8	0
2/13/2023, 12:45:26 PM	0	6.886	52.7	58.5	0
2/13/2023, 12:55:26 PM	0	6.886	53.1	58.2	0
2/13/2023, 1:05:26 PM	0	6.886	53.1	57.8	0
2/13/2023, 1:15:26 PM	0	6.886	53.1	57.6	0
2/13/2023, 1:25:26 PM	0	6.886	54.3	57.5	0
2/13/2023, 1:35:26 PM	0	6.886	55.2	57.3	0
2/13/2023, 1:45:26 PM	0	6.886	55.9	57.1	0
2/13/2023, 1:55:26 PM	0	6.886	56.3	56.8	0
2/13/2023, 2:05:26 PM	0	6.886	56.5	56.7	0
2/13/2023, 2:15:26 PM	0	6.886	55.9	56.4	0
2/13/2023, 2:25:26 PM	0	6.886	55.8	56.2	0
2/13/2023, 2:35:26 PM	0	6.886	56.1	56.2	0
2/13/2023, 2:45:26 PM	0	6.895	56.8	56.1	0
2/13/2023, 2:55:26 PM	0	6.895	57	55.7	0
2/13/2023, 3:05:26 PM	0	6.895	56.8	55.5	0
2/13/2023, 3:15:26 PM	0	6.895	56.3	55.2	0
2/13/2023, 3:25:26 PM	0	6.895	55.4	54.9	0
2/13/2023, 3:35:26 PM	0	6.895	54.9	54.8	0
2/13/2023, 3:45:26 PM	0	6.886	54.1	54.7	0
2/13/2023, 3:55:26 PM	0	6.886	53.6	54.7	0
2/13/2023, 4:05:26 PM	0	6.886	52.5	54.9	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/13/2023, 4:15:26 PM	0	6.886	51.8	55.3	0
2/13/2023, 4:25:26 PM	0	6.886	51.1	55.7	0
2/13/2023, 4:35:26 PM	0	6.886	50.9	56.2	0
2/13/2023, 4:45:26 PM	0	6.886	50.9	56.7	0
2/13/2023, 4:55:26 PM	0	6.886	50.2	56.9	0
2/13/2023, 5:05:26 PM	0	6.886	48.9	57.3	0
2/13/2023, 5:15:26 PM	0	6.886	47.8	57.8	0
2/13/2023, 5:25:26 PM	0	6.886	46.9	58.4	0
2/13/2023, 5:35:26 PM	0	6.886	46.2	59.1	0
2/13/2023, 5:45:26 PM	0	6.877	45.3	59.9	0
2/13/2023, 5:55:26 PM	0	6.877	44.8	60.7	0
2/13/2023, 6:05:26 PM	0	6.877	44.1	61.6	0
2/13/2023, 6:15:26 PM	0	6.877	43.7	62.5	0
2/13/2023, 6:25:26 PM	0	6.877	43.3	63.3	0
2/13/2023, 6:35:26 PM	0	6.877	42.8	64.2	0
2/13/2023, 6:45:26 PM	0	6.877	42.3	65	0
2/13/2023, 6:55:26 PM	0	6.869	41.9	65.9	0
2/13/2023, 7:05:26 PM	0	6.869	41.5	66.7	0
2/13/2023, 7:15:26 PM	0	6.869	41.2	67.5	0
2/13/2023, 7:25:26 PM	0	6.869	41.2	68.3	0
2/13/2023, 7:35:26 PM	0	6.869	41	69	0
2/13/2023, 7:45:26 PM	0	6.869	40.8	69.6	0
2/13/2023, 7:55:26 PM	0	6.869	40.6	70	0
2/13/2023, 8:05:26 PM	0	6.869	40.5	70.5	0
2/13/2023, 8:15:26 PM	0	6.869	40.1	70.9	0
2/13/2023, 8:25:26 PM	0	6.869	39.7	71.3	0
2/13/2023, 8:35:26 PM	0	6.869	39.4	71.6	0
2/13/2023, 8:45:26 PM	0	6.869	39.2	71.9	0
2/13/2023, 8:55:26 PM	0	6.869	39	72.2	0
2/13/2023, 9:05:26 PM	0	6.869	39	72.6	0
2/13/2023, 9:15:26 PM	0	6.869	39.2	72.9	0
2/13/2023, 9:25:26 PM	0	6.86	39.2	73.1	0
2/13/2023, 9:35:26 PM	0	6.869	39	73.3	0
2/13/2023, 9:45:26 PM	0	6.86	38.8	73.5	0
2/13/2023, 9:55:26 PM	0	6.86	38.7	73.7	0
2/13/2023, 10:05:26 PM	0	6.869	38.3	74	0
2/13/2023, 10:15:26 PM	0	6.86	38.1	74.2	0
2/13/2023, 10:25:26 PM	0	6.86	37.9	74.5	0
2/13/2023, 10:35:26 PM	0	6.86	37.9	74.9	0
2/13/2023, 10:45:26 PM	0	6.86	37.9	75.2	0
2/13/2023, 10:55:26 PM	0	6.86	37.9	75.5	0
2/13/2023, 11:05:26 PM	0	6.86	37.8	75.8	0
2/13/2023, 11:15:26 PM	0	6.86	37.6	76	0
2/13/2023, 11:25:26 PM	0	6.86	37.4	76.3	0
2/13/2023, 11:35:26 PM	0	6.86	37.4	76.5	0
2/13/2023, 11:45:26 PM	0	6.86	37.6	76.8	0
2/13/2023, 11:55:26 PM	0	6.86	37.6	76.9	0
2/14/2023, 12:05:26 AM	0	6.86	37.2	77	0
2/14/2023, 12:15:26 AM	0	6.86	37	77.2	0
2/14/2023, 12:25:26 AM	0	6.86	36.7	77.3	0
2/14/2023, 12:35:26 AM	0	6.86	36.3	77.5	0
2/14/2023, 12:45:26 AM	0	6.86	36.1	77.8	0
2/14/2023, 12:55:26 AM	0	6.86	35.8	78.1	0
2/14/2023, 1:05:26 AM	0	6.86	35.6	78.4	0
2/14/2023, 1:15:26 AM	0	6.86	35.4	78.7	0
2/14/2023, 1:25:26 AM	0	6.851	35.1	79	0
2/14/2023, 1:35:26 AM	0	6.851	34.9	79.3	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/14/2023, 1:45:26 AM	0	6.851	34.7	79.6	0
2/14/2023, 1:55:26 AM	0	6.851	34.3	79.9	0
2/14/2023, 2:05:26 AM	0	6.851	34.2	80.3	0
2/14/2023, 2:15:26 AM	0	6.851	33.8	80.6	0
2/14/2023, 2:25:26 AM	0	6.851	33.6	81	0
2/14/2023, 2:35:26 AM	0	6.851	33.4	81.3	0
2/14/2023, 2:45:26 AM	0	6.851	33.3	81.6	0
2/14/2023, 2:55:26 AM	0	6.851	33.1	82	0
2/14/2023, 3:05:26 AM	0	6.851	32.9	82.2	0
2/14/2023, 3:15:26 AM	0	6.851	32.7	82.5	0
2/14/2023, 3:25:26 AM	0	6.851	32.5	82.8	0
2/14/2023, 3:35:26 AM	0	6.851	32.4	83.1	0
2/14/2023, 3:45:26 AM	0	6.851	32.2	83.3	0
2/14/2023, 3:55:26 AM	0	6.842	32	83.5	0
2/14/2023, 4:05:26 AM	0	6.842	31.8	83.8	0
2/14/2023, 4:15:26 AM	0	6.842	31.5	84.1	0
2/14/2023, 4:25:26 AM	0	6.842	31.3	84.3	0
2/14/2023, 4:35:26 AM	0	6.842	31.1	84.5	0
2/14/2023, 4:45:26 AM	0	6.842	30.9	84.8	0
2/14/2023, 4:55:26 AM	0	6.842	30.7	85	0
2/14/2023, 5:05:26 AM	0	6.842	30.6	85.2	0
2/14/2023, 5:15:26 AM	0	6.842	30.4	85.4	0
2/14/2023, 5:25:26 AM	0	6.842	30.2	85.6	0
2/14/2023, 5:35:26 AM	0	6.842	30.2	85.9	0
2/14/2023, 5:45:26 AM	0	6.842	30	86.1	0
2/14/2023, 5:55:26 AM	0	6.842	30	86.2	0
2/14/2023, 6:05:26 AM	0	6.842	29.8	86.3	0
2/14/2023, 6:15:26 AM	0	6.833	29.7	86.3	0
2/14/2023, 6:25:26 AM	0	6.833	29.3	86.2	0
2/14/2023, 6:35:26 AM	0	6.833	28.9	86.2	0
2/14/2023, 6:45:26 AM	0	6.833	28.8	86.3	0
2/14/2023, 6:55:26 AM	0	6.833	28.4	86.4	0
2/14/2023, 7:05:26 AM	0	6.833	28.2	86.4	0
2/14/2023, 7:15:26 AM	0	6.833	28	86.5	0
2/14/2023, 7:25:26 AM	0	6.833	28	86.8	0
2/14/2023, 7:35:26 AM	0	6.833	28.2	87	0
2/14/2023, 7:45:26 AM	0	6.833	28.6	87.4	0
2/14/2023, 7:55:26 AM	0	6.833	29.3	87.9	0
2/14/2023, 8:05:26 AM	0	6.833	30.4	88.5	0
2/14/2023, 8:15:26 AM	0	6.833	31.5	88.8	0
2/14/2023, 8:25:26 AM	0	6.842	32.7	88.7	0
2/14/2023, 8:35:26 AM	0	6.842	34.2	88.3	0
2/14/2023, 8:45:26 AM	0	6.851	35.4	87.4	0
2/14/2023, 8:55:26 AM	0	6.851	36.7	86.2	0
2/14/2023, 9:05:26 AM	0	6.851	37.8	85	0
2/14/2023, 9:15:26 AM	0	6.851	39	83.6	0
2/14/2023, 9:25:26 AM	0	6.86	40.3	82.1	0
2/14/2023, 9:35:26 AM	0	6.86	41.4	80.6	0
2/14/2023, 9:45:26 AM	0	6.86	42.6	79.1	0
2/14/2023, 9:55:26 AM	0	6.86	43.7	77.6	0
2/14/2023, 10:05:26 AM	0	6.869	44.6	76.3	0
2/14/2023, 10:15:26 AM	0	6.869	45.5	75	0
2/14/2023, 10:25:26 AM	0	6.869	46.6	73.7	0
2/14/2023, 10:35:26 AM	0	6.869	47.7	72.3	0
2/14/2023, 10:45:26 AM	0	6.877	48.7	70.9	0
2/14/2023, 10:55:26 AM	0	6.877	49.6	69.6	0
2/14/2023, 11:05:26 AM	0	6.877	50.9	68.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/14/2023, 11:15:26 AM	0	6.877	52	67.2	0
2/14/2023, 11:25:26 AM	0	6.877	52.7	66	0
2/14/2023, 11:35:26 AM	0	6.877	53.6	64.7	0
2/14/2023, 11:45:26 AM	0	6.886	54.1	63.6	0
2/14/2023, 11:55:26 AM	0	6.886	54.7	62.5	0
2/14/2023, 12:05:26 PM	0	6.886	55	61.5	0
2/14/2023, 12:15:26 PM	0	6.886	55.2	60.6	0
2/14/2023, 12:25:26 PM	0	6.886	55.6	60	0
2/14/2023, 12:35:26 PM	0	6.886	56.1	59.4	0
2/14/2023, 12:45:26 PM	0	6.886	56.3	58.9	0
2/14/2023, 12:55:26 PM	0	6.886	56.8	58.6	0
2/14/2023, 1:05:26 PM	0	6.886	57.2	58.1	0
2/14/2023, 1:15:26 PM	0	6.886	57.7	57.6	0
2/14/2023, 1:25:26 PM	0	6.886	58.5	57.3	0
2/14/2023, 1:35:26 PM	0	6.886	58.8	56.8	0
2/14/2023, 1:45:26 PM	0	6.886	59	56.3	0
2/14/2023, 1:55:26 PM	0	6.886	59	55.7	0
2/14/2023, 2:05:26 PM	0	6.895	59.2	55.3	0
2/14/2023, 2:15:26 PM	0	6.895	59.4	55	0
2/14/2023, 2:25:26 PM	0	6.895	59.5	54.7	0
2/14/2023, 2:35:26 PM	0	6.895	59.7	54.4	0
2/14/2023, 2:45:26 PM	0	6.895	59.7	54.1	0
2/14/2023, 2:55:26 PM	0	6.895	59.7	53.9	0
2/14/2023, 3:05:26 PM	0	6.895	59.7	53.6	0
2/14/2023, 3:15:26 PM	0	6.895	59.7	53.4	0
2/14/2023, 3:25:26 PM	0	6.895	59.7	53.2	0
2/14/2023, 3:35:26 PM	0	6.895	59.5	53	0
2/14/2023, 3:45:26 PM	0	6.895	59.7	52.9	0
2/14/2023, 3:55:26 PM	0	6.895	59.7	52.7	0
2/14/2023, 4:05:26 PM	0	6.895	59.2	52.4	0
2/14/2023, 4:15:26 PM	0	6.895	58.8	52.2	0
2/14/2023, 4:25:26 PM	0	6.895	58.6	52	0
2/14/2023, 4:35:26 PM	0	6.895	58.3	51.8	0
2/14/2023, 4:45:26 PM	0	6.895	57.7	51.7	0
2/14/2023, 4:55:26 PM	0	6.895	57.2	51.5	0
2/14/2023, 5:05:26 PM	0	6.895	56.1	51.4	0
2/14/2023, 5:15:26 PM	0	6.895	54.9	51.3	0
2/14/2023, 5:25:26 PM	0	6.895	53.6	51.3	0
2/14/2023, 5:35:26 PM	0	6.886	52.5	51.3	0
2/14/2023, 5:45:26 PM	0	6.886	51.4	51.3	0
2/14/2023, 5:55:26 PM	0	6.886	50.5	51.6	0
2/14/2023, 6:05:26 PM	0	6.886	49.5	51.9	0
2/14/2023, 6:15:26 PM	0	6.886	48.6	52.4	0
2/14/2023, 6:25:26 PM	0	6.886	47.8	52.9	0
2/14/2023, 6:35:26 PM	0	6.886	46.9	53.5	0
2/14/2023, 6:45:26 PM	0	6.886	46.2	54.1	0
2/14/2023, 6:55:26 PM	0	6.877	45.7	54.7	0
2/14/2023, 7:05:26 PM	0	6.877	45	55.3	0
2/14/2023, 7:15:26 PM	0	6.877	44.2	55.9	0
2/14/2023, 7:25:26 PM	0	6.877	43.7	56.5	0
2/14/2023, 7:35:26 PM	0	6.877	43.2	57	0
2/14/2023, 7:45:26 PM	0	6.877	42.8	57.6	0
2/14/2023, 7:55:26 PM	0	6.877	42.3	58.1	0
2/14/2023, 8:05:26 PM	0	6.869	41.9	58.8	0
2/14/2023, 8:15:26 PM	0	6.869	41.5	59.4	0
2/14/2023, 8:25:26 PM	0	6.869	41.2	59.9	0
2/14/2023, 8:35:26 PM	0	6.869	41.2	60.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/14/2023, 8:45:26 PM	0	6.869	40.8	60.9	0
2/14/2023, 8:55:26 PM	0	6.869	40.6	61.4	0
2/14/2023, 9:05:26 PM	0	6.869	40.5	61.8	0
2/14/2023, 9:15:26 PM	0	6.869	40.1	62.2	0
2/14/2023, 9:25:26 PM	0	6.869	39.9	62.6	0
2/14/2023, 9:35:26 PM	0	6.869	39.7	63	0
2/14/2023, 9:45:26 PM	0	6.869	39.6	63.3	0
2/14/2023, 9:55:26 PM	0	6.869	39.4	63.6	0
2/14/2023, 10:05:26 PM	0	6.869	39.2	63.9	0
2/14/2023, 10:15:26 PM	0	6.86	39	64.1	0
2/14/2023, 10:25:26 PM	0	6.86	39	64.4	0
2/14/2023, 10:35:26 PM	0	6.86	39	64.5	0
2/14/2023, 10:45:26 PM	0	6.86	39	64.5	0
2/14/2023, 10:55:26 PM	0	6.86	39	64.5	0
2/14/2023, 11:05:26 PM	0	6.86	39.2	64.5	0
2/14/2023, 11:15:26 PM	0	6.86	39.4	64.4	0
2/14/2023, 11:25:26 PM	0	6.86	39.4	64.3	0
2/14/2023, 11:35:26 PM	0	6.86	39.6	64.3	0
2/14/2023, 11:45:26 PM	0	6.86	39.9	64.2	0
2/14/2023, 11:55:26 PM	0	6.86	40.3	64.2	0
2/15/2023, 12:05:26 AM	0	6.869	40.5	64.2	0
2/15/2023, 12:15:26 AM	0	6.869	40.8	64.1	0
2/15/2023, 12:25:26 AM	0	6.869	41.2	64.1	0
2/15/2023, 12:35:26 AM	0	6.869	41.5	64	0
2/15/2023, 12:45:26 AM	0	6.869	41.7	63.9	0
2/15/2023, 12:55:26 AM	0	6.869	41.9	63.8	0
2/15/2023, 1:05:26 AM	0	6.869	42.1	63.8	0
2/15/2023, 1:15:26 AM	0	6.869	42.1	63.7	0
2/15/2023, 1:25:26 AM	0	6.869	42.1	63.7	0
2/15/2023, 1:35:26 AM	0	6.869	42.1	63.7	0
2/15/2023, 1:45:26 AM	0	6.869	42.4	63.7	0
2/15/2023, 1:55:26 AM	0	6.869	42.8	63.6	0
2/15/2023, 2:05:26 AM	0	6.869	43.3	63.3	0
2/15/2023, 2:15:26 AM	0	6.869	44.1	63	0
2/15/2023, 2:25:26 AM	0	6.869	44.8	62.8	0
2/15/2023, 2:35:26 AM	0	6.869	45.7	62.4	0
2/15/2023, 2:45:26 AM	0	6.877	46.2	62.1	0
2/15/2023, 2:55:26 AM	0	6.877	46.8	62.2	0
2/15/2023, 3:05:26 AM	0	6.877	47.1	62.5	0
2/15/2023, 3:15:26 AM	0	6.877	47.3	62.9	0
2/15/2023, 3:25:26 AM	0	6.877	47.5	63	0
2/15/2023, 3:35:26 AM	0	6.877	47.5	63.2	0
2/15/2023, 3:45:26 AM	0	6.877	47.7	63.1	0
2/15/2023, 3:55:26 AM	0	6.877	47.8	63	0
2/15/2023, 4:05:26 AM	0	6.877	48	63.1	0
2/15/2023, 4:15:26 AM	0	6.877	48.4	63.2	0
2/15/2023, 4:25:26 AM	0	6.877	48.7	63.2	0
2/15/2023, 4:35:26 AM	0	6.877	49.1	63.1	0
2/15/2023, 4:45:26 AM	0	6.886	49.5	62.9	0
2/15/2023, 4:55:26 AM	0	6.886	49.6	62.5	0
2/15/2023, 5:05:26 AM	0	6.886	50	62.2	0
2/15/2023, 5:15:26 AM	0	6.886	50.2	61.8	0
2/15/2023, 5:25:26 AM	0	6.886	50.4	61.7	0
2/15/2023, 5:35:26 AM	0	6.886	50.5	61.5	0
2/15/2023, 5:45:26 AM	0	6.886	50.7	61.5	0
2/15/2023, 5:55:26 AM	0	6.886	50.7	61.4	0
2/15/2023, 6:05:26 AM	0	6.886	50.9	61.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/15/2023, 6:15:26 AM	0	6.886	50.9	61.4	0
2/15/2023, 6:25:26 AM	0	6.886	50.9	61.3	0
2/15/2023, 6:35:26 AM	0	6.886	50.9	61.2	0
2/15/2023, 6:45:26 AM	0	6.886	51.1	61.1	0
2/15/2023, 6:55:26 AM	0	6.886	51.1	60.9	0
2/15/2023, 7:05:26 AM	0	6.886	51.1	60.8	0
2/15/2023, 7:15:26 AM	0	6.886	51.1	60.7	0
2/15/2023, 7:25:26 AM	0	6.886	51.1	60.6	0
2/15/2023, 7:35:26 AM	0	6.886	51.1	60.7	0
2/15/2023, 7:45:26 AM	0	6.886	51.1	60.7	0
2/15/2023, 7:55:26 AM	0	6.886	51.3	60.9	0
2/15/2023, 8:05:26 AM	0	6.886	51.8	61.1	0
2/15/2023, 8:15:26 AM	0	6.886	52.2	61.3	0
2/15/2023, 8:25:26 AM	0	6.886	52.9	61.4	0
2/15/2023, 8:35:26 AM	0	6.886	53.8	61.5	0
2/15/2023, 8:45:26 AM	0	6.886	54.7	61.3	0
2/15/2023, 8:55:26 AM	0	6.886	55.6	61.2	0
2/15/2023, 9:05:26 AM	0	6.886	56.8	60.9	0
2/15/2023, 9:15:26 AM	0	6.886	58.1	60.6	0
2/15/2023, 9:25:26 AM	0	6.895	59.2	60.1	0
2/15/2023, 9:35:26 AM	0	6.895	60.3	59.7	0
2/15/2023, 9:45:26 AM	0	6.895	61.2	59.3	0
2/15/2023, 9:55:26 AM	0	6.895	62.1	59	0
2/15/2023, 10:05:26 AM	0	6.895	63	58.7	0
2/15/2023, 10:15:26 AM	0	6.895	63.9	58.4	0
2/15/2023, 10:25:26 AM	0	6.895	64.6	58.2	0
2/15/2023, 10:35:26 AM	0	6.895	65.5	58	0
2/15/2023, 10:45:26 AM	0	6.895	66	57.9	0
2/15/2023, 10:55:26 AM	0	6.904	66.6	57.8	0
2/15/2023, 11:05:26 AM	0	6.904	67.1	57.7	0
2/15/2023, 11:15:26 AM	0	6.904	67.5	57.5	0
2/15/2023, 11:25:26 AM	0	6.904	68	57.4	0
2/15/2023, 11:35:26 AM	0	6.904	68.4	57.2	0
2/15/2023, 11:45:26 AM	0	6.904	68.7	57.1	0
2/15/2023, 11:55:26 AM	0	6.904	69.1	57	0
2/15/2023, 12:05:26 PM	0	6.904	69.1	56.9	0
2/15/2023, 12:15:26 PM	0	6.904	68.7	56.9	0
2/15/2023, 12:25:26 PM	0	6.904	68	56.9	0
2/15/2023, 12:35:26 PM	0	6.904	67.6	57	0
2/15/2023, 12:45:26 PM	0	6.904	67.1	57.1	0
2/15/2023, 12:55:26 PM	0	6.904	66.7	57.3	0
2/15/2023, 1:05:26 PM	0	6.904	66.6	57.5	0
2/15/2023, 1:15:26 PM	0	6.904	66.7	57.7	0
2/15/2023, 1:25:26 PM	0	6.904	66.7	57.8	0
2/15/2023, 1:35:26 PM	0	6.904	66.7	57.9	0
2/15/2023, 1:45:26 PM	0	6.904	67.1	58	0
2/15/2023, 1:55:26 PM	0	6.904	67.3	58.1	0
2/15/2023, 2:05:26 PM	0	6.904	67.5	58.1	0
2/15/2023, 2:15:26 PM	0	6.904	67.5	58	0
2/15/2023, 2:25:26 PM	0	6.904	67.6	58	0
2/15/2023, 2:35:26 PM	0	6.904	67.8	58.1	0
2/15/2023, 2:45:26 PM	0	6.904	68.4	58	0
2/15/2023, 2:55:26 PM	0	6.904	69.1	58	0
2/15/2023, 3:05:26 PM	0	6.904	69.6	57.8	0
2/15/2023, 3:15:26 PM	0	6.904	70	57.6	0
2/15/2023, 3:25:26 PM	0	6.904	70.5	57.4	0
2/15/2023, 3:35:26 PM	0	6.904	70.7	57.2	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/15/2023, 3:45:26 PM	0	6.904	70.9	57	0
2/15/2023, 3:55:26 PM	0	6.904	71.1	56.8	0
2/15/2023, 4:05:26 PM	0	6.904	71.1	56.6	0
2/15/2023, 4:15:26 PM	0	6.904	71.2	56.7	0
2/15/2023, 4:25:26 PM	0	6.904	70.7	57	0
2/15/2023, 4:35:26 PM	0	6.904	70	57.4	0
2/15/2023, 4:45:26 PM	0	6.904	68.9	57.6	0
2/15/2023, 4:55:26 PM	0	6.904	67.8	57.9	0
2/15/2023, 5:05:26 PM	0	6.904	66.4	58.3	0
2/15/2023, 5:15:26 PM	0	6.904	65.1	58.7	0
2/15/2023, 5:25:26 PM	0	6.904	64	59.2	0
2/15/2023, 5:35:26 PM	0	6.904	63	59.8	0
2/15/2023, 5:45:26 PM	0	6.904	62.1	60.5	0
2/15/2023, 5:55:26 PM	0	6.904	61.3	61.1	0
2/15/2023, 6:05:26 PM	0	6.904	60.6	61.7	0
2/15/2023, 6:15:26 PM	0	6.904	60.1	62.3	0
2/15/2023, 6:25:26 PM	0	6.904	59.4	62.8	0
2/15/2023, 6:35:26 PM	0	6.895	59	63.3	0
2/15/2023, 6:45:26 PM	0	6.895	58.8	63.5	0
2/15/2023, 6:55:26 PM	0	6.895	58.6	63.7	0
2/15/2023, 7:05:26 PM	0	6.895	58.5	63.9	0
2/15/2023, 7:15:26 PM	0	6.895	58.1	64	0
2/15/2023, 7:25:26 PM	0	6.895	57.9	64.2	0
2/15/2023, 7:35:26 PM	0	6.895	57.6	64.5	0
2/15/2023, 7:45:26 PM	0	6.895	57.4	64.7	0
2/15/2023, 7:55:26 PM	0	6.895	57	64.9	0
2/15/2023, 8:05:26 PM	0	6.895	56.7	65.2	0
2/15/2023, 8:15:26 PM	0	6.895	56.5	65.4	0
2/15/2023, 8:25:26 PM	0	6.895	56.3	65.6	0
2/15/2023, 8:35:26 PM	0	6.895	56.1	65.7	0
2/15/2023, 8:45:26 PM	0	6.895	56.1	65.7	0
2/15/2023, 8:55:26 PM	0	6.895	56.1	65.6	0
2/15/2023, 9:05:26 PM	0	6.895	56.1	65.5	0
2/15/2023, 9:15:26 PM	0	6.895	56.1	65.4	0
2/15/2023, 9:25:26 PM	0	6.895	55.9	65.5	0
2/15/2023, 9:35:26 PM	0	6.895	55.6	65.6	0
2/15/2023, 9:45:26 PM	0	6.895	55.4	65.7	0
2/15/2023, 9:55:26 PM	0	6.895	55	65.9	0
2/15/2023, 10:05:26 PM	0	6.895	54.7	66.1	0
2/15/2023, 10:15:26 PM	0	6.895	54.1	66.4	0
2/15/2023, 10:25:26 PM	0	6.895	53.8	66.8	0
2/15/2023, 10:35:26 PM	0	6.895	53.1	67.2	0
2/15/2023, 10:45:26 PM	0	6.886	52.2	67.5	0
2/15/2023, 10:55:26 PM	0	6.886	51.1	68	0
2/15/2023, 11:05:26 PM	0	6.886	50.2	68.5	0
2/15/2023, 11:15:26 PM	0	6.886	49.5	69.2	0
2/15/2023, 11:25:26 PM	0	6.886	48.7	69.9	0
2/15/2023, 11:35:26 PM	0	6.886	48.2	70.5	0
2/15/2023, 11:45:26 PM	0	6.886	47.8	71.1	0
2/15/2023, 11:55:26 PM	0	6.886	47.7	71.6	0
2/16/2023, 12:05:26 AM	0	6.886	47.3	72.1	0
2/16/2023, 12:15:26 AM	0	6.877	47.1	72.5	0
2/16/2023, 12:25:26 AM	0	6.877	46.8	72.9	0
2/16/2023, 12:35:26 AM	0	6.877	46.6	73.3	0
2/16/2023, 12:45:26 AM	0	6.877	46.2	73.7	0
2/16/2023, 12:55:26 AM	0	6.877	46	74.1	0
2/16/2023, 1:05:26 AM	0	6.877	45.7	74.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/16/2023, 1:15:26 AM	0	6.877	45.5	74.7	0
2/16/2023, 1:25:26 AM	0	6.877	45.1	75	0
2/16/2023, 1:35:26 AM	0	6.877	44.8	75.4	0
2/16/2023, 1:45:26 AM	0	6.877	44.8	75.6	0
2/16/2023, 1:55:26 AM	0	6.877	44.4	75.9	0
2/16/2023, 2:05:26 AM	0	6.877	44.1	76.1	0
2/16/2023, 2:15:26 AM	0	6.877	43.9	76.3	0
2/16/2023, 2:25:26 AM	0	6.877	43.9	76.5	0
2/16/2023, 2:35:26 AM	0	6.877	43.9	76.7	0
2/16/2023, 2:45:26 AM	0	6.877	43.9	76.8	0
2/16/2023, 2:55:26 AM	0	6.877	43.9	76.8	0
2/16/2023, 3:05:26 AM	0	6.877	43.9	76.8	0
2/16/2023, 3:15:26 AM	0	6.869	43.9	76.8	0
2/16/2023, 3:25:26 AM	0	6.877	43.9	76.7	0
2/16/2023, 3:35:26 AM	0	6.869	43.9	76.7	0
2/16/2023, 3:45:26 AM	0	6.877	43.9	76.7	0
2/16/2023, 3:55:26 AM	0	6.869	43.9	76.7	0
2/16/2023, 4:05:26 AM	0	6.869	44.1	76.7	0
2/16/2023, 4:15:26 AM	0	6.877	44.1	76.7	0
2/16/2023, 4:25:26 AM	0	6.869	44.1	76.6	0
2/16/2023, 4:35:26 AM	0	6.869	44.1	76.6	0
2/16/2023, 4:45:26 AM	0	6.869	44.1	76.5	0
2/16/2023, 4:55:26 AM	0	6.869	43.9	76.4	0
2/16/2023, 5:05:26 AM	0	6.869	43.9	76.4	0
2/16/2023, 5:15:26 AM	0	6.869	43.9	76.4	0
2/16/2023, 5:25:26 AM	0	6.869	43.7	76.3	0
2/16/2023, 5:35:26 AM	0	6.869	43.7	76.3	0
2/16/2023, 5:45:26 AM	0	6.869	43.5	76.2	0
2/16/2023, 5:55:26 AM	0	6.869	43.5	76.2	0
2/16/2023, 6:05:26 AM	0	6.869	43.5	76.1	0
2/16/2023, 6:15:26 AM	0	6.869	43.3	76.1	0
2/16/2023, 6:25:26 AM	0	6.869	43.3	76.1	0
2/16/2023, 6:35:26 AM	0	6.869	43.2	76.2	0
2/16/2023, 6:45:26 AM	0	6.869	43.2	76.2	0
2/16/2023, 6:55:26 AM	0	6.869	43	76.2	0
2/16/2023, 7:05:26 AM	0	6.869	43	76.2	0
2/16/2023, 7:15:26 AM	0	6.869	42.8	76.1	0
2/16/2023, 7:25:26 AM	0	6.869	42.8	76	0
2/16/2023, 7:35:26 AM	0	6.869	42.8	75.9	0
2/16/2023, 7:45:26 AM	0	6.869	42.8	75.9	0
2/16/2023, 7:55:26 AM	0	6.869	42.8	75.8	0
2/16/2023, 8:05:26 AM	0	6.869	42.8	75.6	0
2/16/2023, 8:15:26 AM	0	6.869	42.8	75.4	0
2/16/2023, 8:25:26 AM	0	6.869	42.8	75.1	0
2/16/2023, 8:35:26 AM	0	6.869	42.8	74.8	0
2/16/2023, 8:45:26 AM	0	6.869	42.8	74.5	0
2/16/2023, 8:55:26 AM	0	6.869	43	74.3	0
2/16/2023, 9:05:26 AM	0	6.869	43	74.2	0
2/16/2023, 9:15:26 AM	0	6.869	43	74.2	0
2/16/2023, 9:25:26 AM	0	6.869	43.2	74.2	0
2/16/2023, 9:35:26 AM	0	6.869	43.5	74.3	0
2/16/2023, 9:45:26 AM	0	6.869	43.7	74.3	0
2/16/2023, 9:55:26 AM	0	6.869	43.9	74.2	0
2/16/2023, 10:05:26 AM	0	6.869	43.9	74	0
2/16/2023, 10:15:26 AM	0	6.869	44.1	74	0
2/16/2023, 10:25:26 AM	0	6.869	44.2	74	0
2/16/2023, 10:35:26 AM	0	6.869	44.6	74	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/16/2023, 10:45:26 AM	0	6.869	44.8	73.9	0
2/16/2023, 10:55:26 AM	0	6.869	45	73.8	0
2/16/2023, 11:05:26 AM	0	6.869	44.6	73.9	0
2/16/2023, 11:15:26 AM	0	6.869	44.1	73.9	0
2/16/2023, 11:25:26 AM	0	6.869	43.9	73.9	0
2/16/2023, 11:35:26 AM	0	6.869	43.7	74	0
2/16/2023, 11:45:26 AM	0	6.869	43.5	74.2	0
2/16/2023, 11:55:26 AM	0	6.869	43.3	74.5	0
2/16/2023, 12:05:26 PM	0	6.869	43.3	74.6	0
2/16/2023, 12:15:26 PM	0	6.869	43.3	74.6	0
2/16/2023, 12:25:26 PM	0	6.869	43.5	74.4	0
2/16/2023, 12:35:26 PM	0	6.869	43.5	74.2	0
2/16/2023, 12:45:26 PM	0	6.869	43.7	74	0
2/16/2023, 12:55:26 PM	0	6.869	43.7	73.9	0
2/16/2023, 1:05:26 PM	0	6.869	43.7	73.7	0
2/16/2023, 1:15:26 PM	0	6.869	43.7	73.5	0
2/16/2023, 1:25:26 PM	0	6.869	43.7	73.4	0
2/16/2023, 1:35:26 PM	0	6.869	44.1	73.4	0
2/16/2023, 1:45:26 PM	0	6.869	43.9	73.2	0
2/16/2023, 1:55:26 PM	0	6.869	43.7	73	0
2/16/2023, 2:05:26 PM	0	6.869	44.1	72.8	0
2/16/2023, 2:15:26 PM	0	6.869	44.2	72.8	0
2/16/2023, 2:25:26 PM	0	6.869	44.4	72.7	0
2/16/2023, 2:35:26 PM	0	6.869	44.2	72.6	0
2/16/2023, 2:45:26 PM	0	6.869	44.1	72.6	0
2/16/2023, 2:55:26 PM	0	6.869	43.7	72.6	0
2/16/2023, 3:05:26 PM	0	6.869	43.3	72.8	0
2/16/2023, 3:15:26 PM	0	6.869	43	73	0
2/16/2023, 3:25:26 PM	0	6.869	42.8	73.2	0
2/16/2023, 3:35:26 PM	0	6.869	42.4	73.2	0
2/16/2023, 3:45:26 PM	0	6.869	42.1	73.3	0
2/16/2023, 3:55:26 PM	0	6.869	41.9	73.5	0
2/16/2023, 4:05:26 PM	0	6.869	41.9	73.6	0
2/16/2023, 4:15:26 PM	0	6.869	41.9	73.7	0
2/16/2023, 4:25:26 PM	0	6.869	41.9	73.7	0
2/16/2023, 4:35:26 PM	0	6.869	41.5	73.6	0
2/16/2023, 4:45:26 PM	0	6.869	41.4	73.7	0
2/16/2023, 4:55:26 PM	0	6.869	40.8	73.9	0
2/16/2023, 5:05:26 PM	0	6.86	40.5	74.3	0
2/16/2023, 5:15:26 PM	0	6.86	40.1	74.7	0
2/16/2023, 5:25:26 PM	0	6.86	39.7	75	0
2/16/2023, 5:35:26 PM	0	6.86	39.4	75.4	0
2/16/2023, 5:45:26 PM	0	6.86	39.2	75.8	0
2/16/2023, 5:55:26 PM	0	6.86	39	76.2	0
2/16/2023, 6:05:26 PM	0	6.86	38.8	76.5	0
2/16/2023, 6:15:26 PM	0	6.86	38.7	76.9	0
2/16/2023, 6:25:26 PM	0	6.86	38.7	77.3	0
2/16/2023, 6:35:26 PM	0	6.86	38.5	77.7	0
2/16/2023, 6:45:26 PM	0	6.86	38.5	78	0
2/16/2023, 6:55:26 PM	0	6.86	38.3	78.3	0
2/16/2023, 7:05:26 PM	0	6.86	38.3	78.5	0
2/16/2023, 7:15:26 PM	0	6.86	38.1	78.7	0
2/16/2023, 7:25:26 PM	0	6.86	38.1	78.9	0
2/16/2023, 7:35:26 PM	0	6.86	38.1	79.1	0
2/16/2023, 7:45:26 PM	0	6.86	38.3	79.2	0
2/16/2023, 7:55:26 PM	0	6.86	38.3	79.3	0
2/16/2023, 8:05:26 PM	0	6.86	38.3	79.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/16/2023, 8:15:26 PM	0	6.86	38.3	79.5	0
2/16/2023, 8:25:26 PM	0	6.86	38.3	79.7	0
2/16/2023, 8:35:26 PM	0	6.86	38.3	79.8	0
2/16/2023, 8:45:26 PM	0	6.86	38.3	80	0
2/16/2023, 8:55:26 PM	0	6.86	38.5	80.2	0
2/16/2023, 9:05:26 PM	0	6.86	38.5	80.3	0
2/16/2023, 9:15:26 PM	0	6.86	38.5	80.5	0
2/16/2023, 9:25:26 PM	0	6.86	38.5	80.9	0
2/16/2023, 9:35:26 PM	0	6.86	38.5	81.3	0
2/16/2023, 9:45:26 PM	0	6.86	38.5	81.6	0
2/16/2023, 9:55:26 PM	0	6.86	38.5	81.8	0
2/16/2023, 10:05:26 PM	0	6.86	38.5	82.1	0
2/16/2023, 10:15:26 PM	0	6.86	38.5	82.3	0
2/16/2023, 10:25:26 PM	0	6.86	38.5	82.5	0
2/16/2023, 10:35:26 PM	0	6.86	38.7	82.6	0
2/16/2023, 10:45:26 PM	0	6.86	38.7	82.7	0
2/16/2023, 10:55:26 PM	0	6.86	38.7	82.8	0
2/16/2023, 11:05:26 PM	0	6.86	38.8	82.9	0
2/16/2023, 11:15:26 PM	0	6.86	38.8	83	0
2/16/2023, 11:25:26 PM	0	6.86	38.8	83.1	0
2/16/2023, 11:35:26 PM	0	6.86	39	83.1	0
2/16/2023, 11:45:26 PM	0	6.86	39	83	0
2/16/2023, 11:55:26 PM	0	6.86	39.2	82.9	0
2/17/2023, 12:05:26 AM	0	6.86	39.2	82.9	0
2/17/2023, 12:15:26 AM	0	6.86	39.2	82.9	0
2/17/2023, 12:25:26 AM	0	6.86	39.4	82.9	0
2/17/2023, 12:35:26 AM	0	6.86	39.4	83	0
2/17/2023, 12:45:26 AM	0	6.86	39.4	83.1	0
2/17/2023, 12:55:26 AM	0	6.86	39.4	83.4	0
2/17/2023, 1:05:26 AM	0	6.86	39.2	83.6	0
2/17/2023, 1:15:26 AM	0	6.86	39.2	83.9	0
2/17/2023, 1:25:26 AM	0	6.86	38.8	84.2	0
2/17/2023, 1:35:26 AM	0	6.86	38.7	84.4	0
2/17/2023, 1:45:26 AM	0	6.86	38.3	84.6	0
2/17/2023, 1:55:26 AM	0	6.86	38.1	84.8	0
2/17/2023, 2:05:26 AM	0	6.86	37.9	85	0
2/17/2023, 2:15:26 AM	0	6.86	37.8	85.3	0
2/17/2023, 2:25:26 AM	0	6.86	37.6	85.6	0
2/17/2023, 2:35:26 AM	0	6.86	37.6	85.9	0
2/17/2023, 2:45:26 AM	0	6.851	37.4	86.2	0
2/17/2023, 2:55:26 AM	0	6.851	37.4	86.4	0
2/17/2023, 3:05:26 AM	0	6.851	37.4	86.6	0
2/17/2023, 3:15:26 AM	0	6.851	37.2	86.7	0
2/17/2023, 3:25:26 AM	0	6.851	37.2	86.8	0
2/17/2023, 3:35:26 AM	0	6.851	36.9	86.8	0
2/17/2023, 3:45:26 AM	0	6.851	36.7	86.9	0
2/17/2023, 3:55:26 AM	0	6.851	36.5	87	0
2/17/2023, 4:05:26 AM	0	6.851	36.5	87.2	0
2/17/2023, 4:15:26 AM	0	6.851	36.3	87.4	0
2/17/2023, 4:25:26 AM	0	6.851	36.3	87.5	0
2/17/2023, 4:35:26 AM	0	6.851	36.3	87.7	0
2/17/2023, 4:45:26 AM	0	6.851	36.1	87.9	0
2/17/2023, 4:55:26 AM	0	6.851	36.1	88.1	0
2/17/2023, 5:05:26 AM	0	6.851	36	88.2	0
2/17/2023, 5:15:26 AM	0	6.851	35.8	88.3	0
2/17/2023, 5:25:26 AM	0	6.851	35.6	88.5	0
2/17/2023, 5:35:26 AM	0	6.851	35.2	88.5	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/17/2023, 5:45:26 AM	0	6.851	34.9	88.5	0
2/17/2023, 5:55:26 AM	0	6.851	34.7	88.4	0
2/17/2023, 6:05:26 AM	0	6.851	34.3	88.4	0
2/17/2023, 6:15:26 AM	0	6.851	34	88.2	0
2/17/2023, 6:25:26 AM	0	6.842	33.6	88.2	0
2/17/2023, 6:35:26 AM	0	6.842	33.4	88.1	0
2/17/2023, 6:45:26 AM	0	6.842	33.3	88.1	0
2/17/2023, 6:55:26 AM	0	6.842	33.1	88.2	0
2/17/2023, 7:05:26 AM	0	6.842	32.9	88.3	0
2/17/2023, 7:15:26 AM	0	6.842	32.9	88.3	0
2/17/2023, 7:25:26 AM	0	6.842	32.7	88.4	0
2/17/2023, 7:35:26 AM	0	6.842	32.5	88.5	0
2/17/2023, 7:45:26 AM	0	6.842	32.4	88.5	0
2/17/2023, 7:55:26 AM	0	6.842	32	88.5	0
2/17/2023, 8:05:26 AM	0	6.842	32	88.5	0
2/17/2023, 8:15:26 AM	0	6.842	32	88.5	0
2/17/2023, 8:25:26 AM	0	6.842	32	88.6	0
2/17/2023, 8:35:26 AM	0	6.842	32	88.6	0
2/17/2023, 8:45:26 AM	0	6.842	31.8	88.7	0
2/17/2023, 8:55:26 AM	0	6.833	31.8	88.7	0
2/17/2023, 9:05:26 AM	0	6.842	31.6	88.5	0
2/17/2023, 9:15:26 AM	0	6.833	31.3	88.2	0
2/17/2023, 9:25:26 AM	0	6.833	31.1	87.7	0
2/17/2023, 9:35:26 AM	0	6.833	30.9	87.3	0
2/17/2023, 9:45:26 AM	0	6.833	30.7	87	0
2/17/2023, 9:55:26 AM	0	6.833	30.6	86.6	0
2/17/2023, 10:05:26 AM	0	6.833	30.4	86.3	0
2/17/2023, 10:15:26 AM	0	6.833	30.2	86.1	0
2/17/2023, 10:25:26 AM	0	6.833	30	85.9	0
2/17/2023, 10:35:26 AM	0	6.833	29.8	85.5	0
2/17/2023, 10:44:52 AM	0	6.965	31.1	85.5	0
2/17/2023, 10:54:52 AM	0	6.833	33.8	85.4	0
2/17/2023, 11:04:52 AM	0	6.833	32.5	84.1	0
2/17/2023, 11:14:52 AM	0	6.833	31.5	83.2	0
2/17/2023, 11:24:52 AM	0	6.833	30.7	82.6	0
2/17/2023, 11:34:52 AM	0	6.833	30.4	82.3	0
2/17/2023, 11:44:52 AM	0	6.825	30	82.1	0
2/17/2023, 11:54:52 AM	0	6.825	29.7	81.9	0
2/17/2023, 12:04:52 PM	0	6.825	29.3	81.9	0
2/17/2023, 12:14:52 PM	0	6.825	28.9	82	0
2/17/2023, 12:24:52 PM	0	6.825	28.8	82	0
2/17/2023, 12:34:52 PM	0	6.825	28.6	82.1	0
2/17/2023, 12:44:52 PM	0	6.825	28.4	82.2	0
2/17/2023, 12:54:52 PM	0	6.825	28.4	82.4	0
2/17/2023, 1:04:52 PM	0	6.825	28.4	82.5	0
2/17/2023, 1:14:52 PM	0	6.825	28.4	82.4	0
2/17/2023, 1:24:52 PM	0	6.825	28.2	82.4	0
2/17/2023, 1:34:52 PM	0	6.816	28.2	82.3	0
2/17/2023, 1:44:52 PM	0	6.825	28.2	82.2	0
2/17/2023, 1:54:52 PM	0	6.816	28.2	82	0
2/17/2023, 2:04:52 PM	0	6.816	28.2	81.7	0
2/17/2023, 2:14:52 PM	0	6.816	28	81.4	0
2/17/2023, 2:24:52 PM	0	6.816	27.7	81.2	0
2/17/2023, 2:34:52 PM	0	6.816	27.5	81.1	0
2/17/2023, 2:44:52 PM	0	6.816	27.3	80.9	0
2/17/2023, 2:54:52 PM	0	6.816	27.1	80.8	0
2/17/2023, 3:04:52 PM	0	6.816	27	80.8	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/17/2023, 3:14:52 PM	0	6.816	26.8	80.8	0
2/17/2023, 3:24:52 PM	0	6.816	26.4	80.9	0
2/17/2023, 3:34:52 PM	0	6.816	26.2	81	0
2/17/2023, 3:44:52 PM	0	6.816	26.2	81.1	0
2/17/2023, 3:54:52 PM	0	6.816	26.1	81.2	0
2/17/2023, 4:04:52 PM	0	6.816	26.1	81.2	0
2/17/2023, 4:14:52 PM	0	6.816	26.1	81.2	0
2/17/2023, 4:24:52 PM	0	6.816	25.9	81.3	0
2/17/2023, 4:34:52 PM	0	6.816	25.7	81.3	0
2/17/2023, 4:44:52 PM	0	6.816	25.5	81.3	0
2/17/2023, 4:54:52 PM	0	6.816	25.5	81.2	0
2/17/2023, 5:04:52 PM	0	6.816	25.3	81.1	0
2/17/2023, 5:14:52 PM	0	6.816	25.3	81.1	0
2/17/2023, 5:24:52 PM	0	6.816	25.2	81.1	0
2/17/2023, 5:34:52 PM	0	6.816	25	81.2	0
2/17/2023, 5:44:52 PM	0	6.816	25	81.1	0
2/17/2023, 5:54:52 PM	0	6.816	24.8	81.1	0
2/17/2023, 6:04:52 PM	0	6.816	24.8	81.2	0
2/17/2023, 6:14:52 PM	0	6.816	24.6	81.3	0
2/17/2023, 6:24:52 PM	0	6.816	24.6	81.5	0
2/17/2023, 6:34:52 PM	0	6.816	24.6	81.6	0
2/17/2023, 6:44:52 PM	0	6.816	24.4	81.6	0
2/17/2023, 6:54:52 PM	0	6.807	24.3	81.5	0
2/17/2023, 7:04:52 PM	0	6.807	24.3	81.4	0
2/17/2023, 7:14:52 PM	0	6.807	24.1	81.4	0
2/17/2023, 7:24:52 PM	0	6.807	24.1	81.3	0
2/17/2023, 7:34:52 PM	0	6.807	24.1	81.2	0
2/17/2023, 7:44:52 PM	0	6.807	24.1	81.2	0
2/17/2023, 7:54:52 PM	0	6.807	24.1	81.2	0
2/17/2023, 8:04:52 PM	0	6.807	23.9	81.2	0
2/17/2023, 8:14:52 PM	0	6.807	23.7	81.2	0
2/17/2023, 8:24:52 PM	0	6.807	23.7	81.2	0
2/17/2023, 8:34:52 PM	0	6.807	23.5	81.3	0
2/17/2023, 8:44:52 PM	0	6.807	23.5	81.3	0
2/17/2023, 8:54:52 PM	0	6.807	23.4	81.3	0
2/17/2023, 9:04:52 PM	0	6.807	23.2	81.4	0
2/17/2023, 9:14:52 PM	0	6.807	23	81.4	0
2/17/2023, 9:24:52 PM	0	6.807	23	81.5	0
2/17/2023, 9:34:52 PM	0	6.807	22.8	81.5	0
2/17/2023, 9:44:52 PM	0	6.807	22.6	81.5	0
2/17/2023, 9:54:52 PM	0	6.807	22.5	81.4	0
2/17/2023, 10:04:52 PM	0	6.807	22.3	81.5	0
2/17/2023, 10:14:52 PM	0	6.807	22.1	81.5	0
2/17/2023, 10:24:52 PM	0	6.798	22.1	81.5	0
2/17/2023, 10:34:52 PM	0	6.798	22.1	81.7	0
2/17/2023, 10:44:52 PM	0	6.798	22.1	81.9	0
2/17/2023, 10:54:52 PM	0	6.798	22.1	81.8	0
2/17/2023, 11:04:52 PM	0	6.798	22.1	81.7	0
2/17/2023, 11:14:52 PM	0	6.798	22.1	81.5	0
2/17/2023, 11:24:52 PM	0	6.798	22.1	81.4	0
2/17/2023, 11:34:52 PM	0	6.798	22.1	81.3	0
2/17/2023, 11:44:52 PM	0	6.798	22.1	81.2	0
2/17/2023, 11:54:52 PM	0	6.807	22.1	80.9	0
2/18/2023, 12:04:52 AM	0	6.798	22.1	80.4	0
2/18/2023, 12:14:52 AM	0	6.798	21.9	80	0
2/18/2023, 12:24:52 AM	0	6.798	21.7	79.3	0
2/18/2023, 12:34:52 AM	0	6.798	21.7	78.8	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/18/2023, 12:44:52 AM	0	6.798	21.7	78.3	0
2/18/2023, 12:54:52 AM	0	6.798	21.6	77.8	0
2/18/2023, 1:04:52 AM	0	6.798	21.6	77.4	0
2/18/2023, 1:14:52 AM	0	6.798	21.4	77.2	0
2/18/2023, 1:24:52 AM	0	6.798	21.4	76.8	0
2/18/2023, 1:34:52 AM	0	6.798	21.2	76.5	0
2/18/2023, 1:44:52 AM	0	6.798	21.2	76.4	0
2/18/2023, 1:54:52 AM	0	6.798	21	76.6	0
2/18/2023, 2:04:52 AM	0	6.798	21	76.9	0
2/18/2023, 2:14:52 AM	0	6.798	20.8	76.9	0
2/18/2023, 2:24:52 AM	0	6.798	20.5	76.7	0
2/18/2023, 2:34:52 AM	0	6.798	20.1	76.5	0
2/18/2023, 2:44:52 AM	0	6.798	19.8	76.3	0
2/18/2023, 2:54:52 AM	0	6.798	19.6	76.2	0
2/18/2023, 3:04:52 AM	0	6.79	19.4	76.1	0
2/18/2023, 3:14:52 AM	0	6.79	19.2	75.9	0
2/18/2023, 3:24:52 AM	0	6.79	19.2	75.8	0
2/18/2023, 3:34:52 AM	0	6.79	18.9	75.6	0
2/18/2023, 3:44:52 AM	0	6.79	19	75.6	0
2/18/2023, 3:54:52 AM	0	6.79	19	75.6	0
2/18/2023, 4:04:52 AM	0	6.79	19.2	75.7	0
2/18/2023, 4:14:52 AM	0	6.79	19.2	75.8	0
2/18/2023, 4:24:52 AM	0	6.79	19.4	75.9	0
2/18/2023, 4:34:52 AM	0	6.79	19.4	76	0
2/18/2023, 4:44:52 AM	0	6.79	19.4	76.1	0
2/18/2023, 4:54:52 AM	0	6.79	19.2	76.2	0
2/18/2023, 5:04:52 AM	0	6.79	18.9	76.3	0
2/18/2023, 5:14:52 AM	0	6.79	18.5	76.4	0
2/18/2023, 5:24:52 AM	0	6.79	18	76.5	0
2/18/2023, 5:34:52 AM	0	6.79	17.4	76.7	0
2/18/2023, 5:44:52 AM	0	6.79	16.9	76.9	0
2/18/2023, 5:54:52 AM	0	6.781	16.5	77.3	0
2/18/2023, 6:04:52 AM	0	6.781	16.3	77.8	0
2/18/2023, 6:14:52 AM	0	6.781	16.2	78.3	0
2/18/2023, 6:24:52 AM	0	6.781	16.3	78.8	0
2/18/2023, 6:34:52 AM	0	6.781	16.5	79.4	0
2/18/2023, 6:44:52 AM	0	6.781	16.7	80	0
2/18/2023, 6:54:52 AM	0	6.781	17.1	80.5	0
2/18/2023, 7:04:52 AM	0	6.781	17.4	80.9	0
2/18/2023, 7:14:52 AM	0	6.781	17.8	81.2	0
2/18/2023, 7:24:52 AM	0	6.781	18.1	81.5	0
2/18/2023, 7:34:52 AM	0	6.79	18.7	81.8	0
2/18/2023, 7:44:52 AM	0	6.79	19.2	81.9	0
2/18/2023, 7:54:52 AM	0	6.79	19.8	82.1	0
2/18/2023, 8:04:52 AM	0	6.79	20.5	82.2	0
2/18/2023, 8:14:52 AM	0	6.798	21.4	82.3	0
2/18/2023, 8:24:52 AM	0	6.798	22.8	82.2	0
2/18/2023, 8:34:52 AM	0	6.807	24.1	81.9	0
2/18/2023, 8:44:52 AM	0	6.807	26.1	81.4	0
2/18/2023, 8:54:52 AM	0	6.807	28.4	80.6	0
2/18/2023, 9:04:52 AM	0	6.816	30.4	79.5	0
2/18/2023, 9:14:52 AM	0	6.825	31.8	78.2	0
2/18/2023, 9:24:52 AM	0	6.825	33.1	76.8	0
2/18/2023, 9:34:52 AM	0	6.825	34.5	75.4	0
2/18/2023, 9:44:52 AM	0	6.833	35.4	74	0
2/18/2023, 9:54:52 AM	0	6.833	36.3	72.7	0
2/18/2023, 10:04:52 AM	0	6.833	37.4	71.3	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/18/2023, 10:14:52 AM	0	6.842	38.5	70.2	0
2/18/2023, 10:24:52 AM	0	6.842	39.2	69	0
2/18/2023, 10:34:52 AM	0	6.842	39.7	67.9	0
2/18/2023, 10:44:52 AM	0	6.842	40.3	67	0
2/18/2023, 10:54:52 AM	0	6.842	40.8	66.1	0
2/18/2023, 11:04:52 AM	0	6.851	40.6	65.1	0
2/18/2023, 11:14:52 AM	0	6.851	40.6	64.4	0
2/18/2023, 11:24:52 AM	0	6.851	39.9	63.7	0
2/18/2023, 11:34:52 AM	0	6.851	39.6	63.3	0
2/18/2023, 11:44:52 AM	0	6.851	39.2	62.9	0
2/18/2023, 11:54:52 AM	0	6.851	39	62.5	0
2/18/2023, 12:04:52 PM	0	6.851	39.2	62.3	0
2/18/2023, 12:14:52 PM	0	6.851	39.6	61.9	0
2/18/2023, 12:24:52 PM	0	6.851	39.7	61.6	0
2/18/2023, 12:34:52 PM	0	6.851	40.1	61.3	0
2/18/2023, 12:44:52 PM	0	6.851	40.5	60.9	0
2/18/2023, 12:54:52 PM	0	6.86	40.8	60.8	0
2/18/2023, 1:04:52 PM	0	6.86	41.5	60.7	0
2/18/2023, 1:14:52 PM	0	6.86	41.9	60.6	0
2/18/2023, 1:24:52 PM	0	6.86	42.4	60.3	0
2/18/2023, 1:34:52 PM	0	6.86	43	60.1	0
2/18/2023, 1:44:52 PM	0	6.86	43.3	59.9	0
2/18/2023, 1:54:52 PM	0	6.86	43.9	59.7	0
2/18/2023, 2:04:52 PM	0	6.86	44.2	59.4	0
2/18/2023, 2:14:52 PM	0	6.869	44.8	59.2	0
2/18/2023, 2:24:52 PM	0	6.869	45.3	59.2	0
2/18/2023, 2:34:52 PM	0	6.869	45.3	58.8	0
2/18/2023, 2:44:52 PM	0	6.869	45.7	58.5	0
2/18/2023, 2:54:52 PM	0	6.869	45.7	58.3	0
2/18/2023, 3:04:52 PM	0	6.869	46	58.2	0
2/18/2023, 3:14:52 PM	0	6.869	46.6	58.1	0
2/18/2023, 3:24:52 PM	0	6.869	46.8	57.9	0
2/18/2023, 3:34:52 PM	0	6.869	46.8	57.7	0
2/18/2023, 3:44:52 PM	0	6.869	46.8	57.5	0
2/18/2023, 3:54:52 PM	0	6.869	46.9	57.7	0
2/18/2023, 4:04:52 PM	0	6.869	46.6	57.8	0
2/18/2023, 4:14:52 PM	0	6.869	46.2	57.7	0
2/18/2023, 4:24:52 PM	0	6.869	45.7	57.6	0
2/18/2023, 4:34:52 PM	0	6.869	45.3	57.7	0
2/18/2023, 4:44:52 PM	0	6.869	45.1	57.7	0
2/18/2023, 4:54:52 PM	0	6.869	44.6	57.7	0
2/18/2023, 5:04:52 PM	0	6.869	43.7	57.8	0
2/18/2023, 5:14:52 PM	0	6.869	42.8	57.8	0
2/18/2023, 5:24:52 PM	0	6.869	42.1	57.9	0
2/18/2023, 5:34:52 PM	0	6.869	41.5	58.1	0
2/18/2023, 5:44:52 PM	0	6.869	41	58.3	0
2/18/2023, 5:54:52 PM	0	6.86	40.5	58.5	0
2/18/2023, 6:04:52 PM	0	6.86	39.9	58.9	0
2/18/2023, 6:14:52 PM	0	6.86	39.6	59.3	0
2/18/2023, 6:24:52 PM	0	6.86	39.2	59.8	0
2/18/2023, 6:34:52 PM	0	6.86	38.8	60.2	0
2/18/2023, 6:44:52 PM	0	6.86	38.5	60.6	0
2/18/2023, 6:54:52 PM	0	6.86	38.1	61.1	0
2/18/2023, 7:04:52 PM	0	6.86	37.8	61.6	0
2/18/2023, 7:14:52 PM	0	6.86	37.4	62.1	0
2/18/2023, 7:24:52 PM	0	6.86	36.9	62.5	0
2/18/2023, 7:34:52 PM	0	6.851	36.5	63	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/18/2023, 7:44:52 PM	0	6.851	36.1	63.5	0
2/18/2023, 7:54:52 PM	0	6.851	35.6	64	0
2/18/2023, 8:04:52 PM	0	6.851	35.2	64.5	0
2/18/2023, 8:14:52 PM	0	6.851	34.7	65	0
2/18/2023, 8:24:52 PM	0	6.851	34.2	65.5	0
2/18/2023, 8:34:52 PM	0	6.851	33.6	66.1	0
2/18/2023, 8:44:52 PM	0	6.851	32.9	66.7	0
2/18/2023, 8:54:52 PM	0	6.842	32.4	67.3	0
2/18/2023, 9:04:52 PM	0	6.842	31.8	68	0
2/18/2023, 9:14:52 PM	0	6.842	31.3	68.6	0
2/18/2023, 9:24:52 PM	0	6.842	30.6	69.2	0
2/18/2023, 9:34:52 PM	0	6.842	30	69.8	0
2/18/2023, 9:44:52 PM	0	6.833	29.5	70.5	0
2/18/2023, 9:54:52 PM	0	6.833	28.9	71	0
2/18/2023, 10:04:52 PM	0	6.833	28.6	71.6	0
2/18/2023, 10:14:52 PM	0	6.833	28.2	72.2	0
2/18/2023, 10:24:52 PM	0	6.833	28	72.8	0
2/18/2023, 10:34:52 PM	0	6.833	27.7	73.6	0
2/18/2023, 10:44:52 PM	0	6.825	27.5	74.4	0
2/18/2023, 10:54:52 PM	0	6.825	27.3	75.1	0
2/18/2023, 11:04:52 PM	0	6.825	27.3	76.1	0
2/18/2023, 11:14:52 PM	0	6.825	27.3	76.8	0
2/18/2023, 11:24:52 PM	0	6.825	27.1	77.3	0
2/18/2023, 11:34:52 PM	0	6.825	27.1	77.9	0
2/18/2023, 11:44:52 PM	0	6.825	27.1	78.4	0
2/18/2023, 11:54:52 PM	0	6.825	27	78.8	0
2/19/2023, 12:04:52 AM	0	6.825	26.8	79.2	0
2/19/2023, 12:14:52 AM	0	6.825	26.8	79.7	0
2/19/2023, 12:24:52 AM	0	6.825	27	80.2	0
2/19/2023, 12:34:52 AM	0	6.825	27	80.4	0
2/19/2023, 12:44:52 AM	0	6.825	27	80.6	0
2/19/2023, 12:54:52 AM	0	6.825	27	80.8	0
2/19/2023, 1:04:52 AM	0	6.825	27	80.9	0
2/19/2023, 1:14:52 AM	0	6.825	27	81.1	0
2/19/2023, 1:24:52 AM	0	6.825	27.1	81.1	0
2/19/2023, 1:34:52 AM	0	6.825	27.3	81.2	0
2/19/2023, 1:44:52 AM	0	6.825	27.5	81.2	0
2/19/2023, 1:54:52 AM	0	6.825	27.9	81.1	0
2/19/2023, 2:04:52 AM	0	6.825	28.2	81	0
2/19/2023, 2:14:52 AM	0	6.825	28.4	80.9	0
2/19/2023, 2:24:52 AM	0	6.825	28.6	80.6	0
2/19/2023, 2:34:52 AM	0	6.825	28.8	80.5	0
2/19/2023, 2:44:52 AM	0	6.825	28.8	80.3	0
2/19/2023, 2:54:52 AM	0	6.833	28.8	80.1	0
2/19/2023, 3:04:52 AM	0	6.833	28.8	80	0
2/19/2023, 3:14:52 AM	0	6.833	28.6	79.9	0
2/19/2023, 3:24:52 AM	0	6.833	28.6	79.8	0
2/19/2023, 3:34:52 AM	0	6.833	28.2	79.8	0
2/19/2023, 3:44:52 AM	0	6.825	28.2	79.8	0
2/19/2023, 3:54:52 AM	0	6.825	28.2	79.9	0
2/19/2023, 4:04:52 AM	0	6.825	28.2	79.8	0
2/19/2023, 4:14:52 AM	0	6.825	28.4	79.6	0
2/19/2023, 4:24:52 AM	0	6.825	28.8	79.3	0
2/19/2023, 4:34:52 AM	0	6.833	28.9	79	0
2/19/2023, 4:44:52 AM	0	6.833	29.1	78.7	0
2/19/2023, 4:54:52 AM	0	6.833	29.3	78.4	0
2/19/2023, 5:04:52 AM	0	6.833	29.7	78	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/19/2023, 5:14:52 AM	0	6.833	30.4	77.5	0
2/19/2023, 5:24:52 AM	0	6.833	30.9	77	0
2/19/2023, 5:34:52 AM	0	6.833	31.3	76.4	0
2/19/2023, 5:44:52 AM	0	6.833	31.6	76	0
2/19/2023, 5:54:52 AM	0	6.833	31.6	75.5	0
2/19/2023, 6:04:52 AM	0	6.842	31.8	75.1	0
2/19/2023, 6:14:52 AM	0	6.842	32	74.8	0
2/19/2023, 6:24:52 AM	0	6.842	32	74.6	0
2/19/2023, 6:34:52 AM	0	6.842	32.2	74.3	0
2/19/2023, 6:44:52 AM	0	6.842	32.5	74	0
2/19/2023, 6:54:52 AM	0	6.842	32.9	73.7	0
2/19/2023, 7:04:52 AM	0	6.842	33.1	73.5	0
2/19/2023, 7:14:52 AM	0	6.842	33.1	73.2	0
2/19/2023, 7:24:52 AM	0	6.842	33.3	73.1	0
2/19/2023, 7:34:52 AM	0	6.842	33.3	73	0
2/19/2023, 7:44:52 AM	0	6.842	33.4	72.9	0
2/19/2023, 7:54:52 AM	0	6.842	33.4	72.8	0
2/19/2023, 8:04:52 AM	0	6.842	33.6	72.8	0
2/19/2023, 8:14:52 AM	0	6.842	33.8	72.8	0
2/19/2023, 8:24:52 AM	0	6.842	34	72.7	0
2/19/2023, 8:34:52 AM	0	6.842	34.3	72.6	0
2/19/2023, 8:44:52 AM	0	6.842	34.5	72.4	0
2/19/2023, 8:54:52 AM	0	6.842	34.9	72.3	0
2/19/2023, 9:04:52 AM	0	6.851	35.2	72.1	0
2/19/2023, 9:14:52 AM	0	6.851	35.6	71.9	0
2/19/2023, 9:24:52 AM	0	6.851	36	71.8	0
2/19/2023, 9:34:52 AM	0	6.851	36.1	71.6	0
2/19/2023, 9:44:52 AM	0	6.851	36.5	71.3	0
2/19/2023, 9:54:52 AM	0	6.851	37	70.9	0
2/19/2023, 10:04:52 AM	0	6.851	37.4	70.4	0
2/19/2023, 10:14:52 AM	0	6.851	37.8	69.9	0
2/19/2023, 10:24:52 AM	0	6.851	38.1	69.3	0
2/19/2023, 10:34:52 AM	0	6.851	38.7	68.9	0
2/19/2023, 10:44:52 AM	0	6.851	39	68.3	0
2/19/2023, 10:54:52 AM	0	6.851	39.6	67.9	0
2/19/2023, 11:04:52 AM	0	6.86	40.3	67.5	0
2/19/2023, 11:14:52 AM	0	6.86	41	67	0
2/19/2023, 11:24:52 AM	0	6.86	41.9	66.1	0
2/19/2023, 11:34:52 AM	0	6.86	42.6	65.3	0
2/19/2023, 11:44:52 AM	0	6.86	43.3	64.4	0
2/19/2023, 11:54:52 AM	0	6.86	43.7	63.7	0
2/19/2023, 12:04:52 PM	0	6.869	44.2	63	0
2/19/2023, 12:14:52 PM	0	6.869	44.6	62.4	0
2/19/2023, 12:24:52 PM	0	6.869	45.1	61.6	0
2/19/2023, 12:34:52 PM	0	6.869	45.9	60.8	0
2/19/2023, 12:44:52 PM	0	6.869	46.8	59.9	0
2/19/2023, 12:54:52 PM	0	6.869	47.7	59.2	0
2/19/2023, 1:04:52 PM	0	6.869	48.4	58.5	0
2/19/2023, 1:14:52 PM	0	6.869	49.3	57.7	0
2/19/2023, 1:24:52 PM	0	6.877	50.4	56.8	0
2/19/2023, 1:34:52 PM	0	6.877	51.4	56	0
2/19/2023, 1:44:52 PM	0	6.877	52.7	55.3	0
2/19/2023, 1:54:52 PM	0	6.877	53.8	54.7	0
2/19/2023, 2:04:52 PM	0	6.877	54.5	54.1	0
2/19/2023, 2:14:52 PM	0	6.877	54.9	53.5	0
2/19/2023, 2:24:52 PM	0	6.877	55.2	53	0
2/19/2023, 2:34:52 PM	0	6.886	55.6	52.6	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/19/2023, 2:44:52 PM	0	6.886	56.1	52.3	0
2/19/2023, 2:54:52 PM	0	6.886	56.3	52.1	0
2/19/2023, 3:04:52 PM	0	6.886	56.8	51.9	0
2/19/2023, 3:14:52 PM	0	6.886	57.4	51.7	0
2/19/2023, 3:24:52 PM	0	6.886	57.7	51.6	0
2/19/2023, 3:34:52 PM	0	6.886	57.6	51.2	0
2/19/2023, 3:44:52 PM	0	6.886	57	51	0
2/19/2023, 3:54:52 PM	0	6.886	56.8	50.8	0
2/19/2023, 4:04:52 PM	0	6.886	56.8	50.7	0
2/19/2023, 4:14:52 PM	0	6.886	57	50.4	0
2/19/2023, 4:24:52 PM	0	6.886	57	50.2	0
2/19/2023, 4:34:52 PM	0	6.886	57	50	0
2/19/2023, 4:44:52 PM	0	6.886	57	49.9	0
2/19/2023, 4:54:52 PM	0	6.886	56.8	49.8	0
2/19/2023, 5:04:52 PM	0	6.886	56.7	49.8	0
2/19/2023, 5:14:52 PM	0	6.886	56.5	49.7	0
2/19/2023, 5:24:52 PM	0	6.886	56.3	49.8	0
2/19/2023, 5:34:52 PM	0	6.886	56.1	49.8	0
2/19/2023, 5:44:52 PM	0	6.886	55.9	49.9	0
2/19/2023, 5:54:52 PM	0	6.886	55.8	50	0
2/19/2023, 6:04:52 PM	0	6.886	55.4	50	0
2/19/2023, 6:14:52 PM	0	6.886	55.2	50.2	0
2/19/2023, 6:24:52 PM	0	6.886	55	50.3	0
2/19/2023, 6:34:52 PM	0	6.886	54.9	50.4	0
2/19/2023, 6:44:52 PM	0	6.886	54.9	50.4	0
2/19/2023, 6:54:52 PM	0	6.886	54.7	50.3	0
2/19/2023, 7:04:52 PM	0	6.886	54.3	50.1	0
2/19/2023, 7:14:52 PM	0	6.886	54.1	50	0
2/19/2023, 7:24:52 PM	0	6.886	53.8	50	0
2/19/2023, 7:34:52 PM	0	6.886	53.6	50	0
2/19/2023, 7:44:52 PM	0	6.886	53.2	50	0
2/19/2023, 7:54:52 PM	0	6.886	52.9	50	0
2/19/2023, 8:04:52 PM	0	6.886	52.5	50.1	0
2/19/2023, 8:14:52 PM	0	6.886	52.2	50.2	0
2/19/2023, 8:24:52 PM	0	6.886	51.6	50.4	0
2/19/2023, 8:34:52 PM	0	6.886	51.3	50.5	0
2/19/2023, 8:44:52 PM	0	6.886	50.9	50.7	0
2/19/2023, 8:54:52 PM	0	6.877	50.4	50.9	0
2/19/2023, 9:04:52 PM	0	6.877	50	51.1	0
2/19/2023, 9:14:52 PM	0	6.877	49.6	51.4	0
2/19/2023, 9:24:52 PM	0	6.877	49.3	51.7	0
2/19/2023, 9:34:52 PM	0	6.877	48.9	52.1	0
2/19/2023, 9:44:52 PM	0	6.877	48.4	52.4	0
2/19/2023, 9:54:52 PM	0	6.877	47.8	52.7	0
2/19/2023, 10:04:52 PM	0	6.877	47.3	53.3	0
2/19/2023, 10:14:52 PM	0	6.877	46.8	53.9	0
2/19/2023, 10:24:52 PM	0	6.877	46	54.4	0
2/19/2023, 10:34:52 PM	0	6.877	45.5	55.1	0
2/19/2023, 10:44:52 PM	0	6.877	45	55.9	0
2/19/2023, 10:54:52 PM	0	6.869	44.4	56.6	0
2/19/2023, 11:04:52 PM	0	6.869	43.7	57.3	0
2/19/2023, 11:14:52 PM	0	6.869	43.2	57.9	0
2/19/2023, 11:24:52 PM	0	6.869	42.4	58.6	0
2/19/2023, 11:34:52 PM	0	6.869	41.7	59.3	0
2/19/2023, 11:44:52 PM	0	6.869	41	59.9	0
2/19/2023, 11:54:52 PM	0	6.869	40.3	60.6	0
2/20/2023, 12:04:52 AM	0	6.869	39.6	61.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/20/2023, 12:14:52 AM	0	6.86	38.8	62.2	0
2/20/2023, 12:24:52 AM	0	6.86	38.1	62.9	0
2/20/2023, 12:34:52 AM	0	6.86	37.8	63.5	0
2/20/2023, 12:44:52 AM	0	6.86	37.2	64.1	0
2/20/2023, 12:54:52 AM	0	6.86	36.7	64.7	0
2/20/2023, 1:04:52 AM	0	6.851	36.5	65.2	0
2/20/2023, 1:14:52 AM	0	6.851	36.3	65.7	0
2/20/2023, 1:24:52 AM	0	6.851	36.1	66.2	0
2/20/2023, 1:34:52 AM	0	6.851	36.1	66.6	0
2/20/2023, 1:44:52 AM	0	6.851	36	66.9	0
2/20/2023, 1:54:52 AM	0	6.851	36	67.3	0
2/20/2023, 2:04:52 AM	0	6.851	36	67.7	0
2/20/2023, 2:14:52 AM	0	6.851	36	68.1	0
2/20/2023, 2:24:52 AM	0	6.851	36	68.4	0
2/20/2023, 2:34:52 AM	0	6.851	36.1	68.6	0
2/20/2023, 2:44:52 AM	0	6.851	36.1	68.9	0
2/20/2023, 2:54:52 AM	0	6.851	36.3	69.3	0
2/20/2023, 3:04:52 AM	0	6.851	36.7	69.7	0
2/20/2023, 3:14:52 AM	0	6.851	37	70.1	0
2/20/2023, 3:24:52 AM	0	6.851	37.8	70.3	0
2/20/2023, 3:34:52 AM	0	6.851	38.8	70.4	0
2/20/2023, 3:44:52 AM	0	6.86	39.9	70.2	0
2/20/2023, 3:54:52 AM	0	6.86	40.8	69.7	0
2/20/2023, 4:04:52 AM	0	6.86	41.4	69.2	0
2/20/2023, 4:14:52 AM	0	6.86	42.1	68.7	0
2/20/2023, 4:24:52 AM	0	6.86	42.6	68.3	0
2/20/2023, 4:34:52 AM	0	6.86	43.3	67.8	0
2/20/2023, 4:44:52 AM	0	6.869	43.9	67.4	0
2/20/2023, 4:54:52 AM	0	6.869	44.4	67	0
2/20/2023, 5:04:52 AM	0	6.869	45	66.6	0
2/20/2023, 5:14:52 AM	0	6.869	45.3	66.2	0
2/20/2023, 5:24:52 AM	0	6.869	45.3	65.9	0
2/20/2023, 5:34:52 AM	0	6.869	45.3	65.6	0
2/20/2023, 5:44:52 AM	0	6.869	45.3	65.4	0
2/20/2023, 5:54:52 AM	0	6.869	45.1	65.3	0
2/20/2023, 6:04:52 AM	0	6.869	45	65.3	0
2/20/2023, 6:14:52 AM	0	6.869	44.8	65.4	0
2/20/2023, 6:24:52 AM	0	6.869	44.6	65.4	0
2/20/2023, 6:34:52 AM	0	6.869	44.2	65.5	0
2/20/2023, 6:44:52 AM	0	6.869	44.1	65.6	0
2/20/2023, 6:54:52 AM	0	6.869	43.9	65.9	0
2/20/2023, 7:04:52 AM	0	6.869	43.5	66.1	0
2/20/2023, 7:14:52 AM	0	6.869	43.3	66.3	0
2/20/2023, 7:24:52 AM	0	6.869	43.2	66.6	0
2/20/2023, 7:34:52 AM	0	6.869	43.2	67.1	0
2/20/2023, 7:44:52 AM	0	6.869	43.2	67.7	0
2/20/2023, 7:54:52 AM	0	6.869	43.5	68.2	0
2/20/2023, 8:04:52 AM	0	6.869	43.9	68.6	0
2/20/2023, 8:14:52 AM	0	6.869	44.2	68.8	0
2/20/2023, 8:24:52 AM	0	6.869	45	69	0
2/20/2023, 8:34:52 AM	0	6.869	45.5	68.9	0
2/20/2023, 8:44:52 AM	0	6.869	45.5	68.7	0
2/20/2023, 8:54:52 AM	0	6.869	45.3	68.7	0
2/20/2023, 9:04:52 AM	0	6.869	45.3	68.6	0
2/20/2023, 9:14:52 AM	0	6.869	45.7	68.6	0
2/20/2023, 9:24:52 AM	0	6.869	46.2	68.6	0
2/20/2023, 9:34:52 AM	0	6.869	46.6	68.3	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/20/2023, 9:44:52 AM	0	6.869	46.6	68	0
2/20/2023, 9:54:52 AM	0	6.869	46.8	67.9	0
2/20/2023, 10:04:52 AM	0	6.869	47.7	67.8	0
2/20/2023, 10:14:52 AM	0	6.869	48.6	67.5	0
2/20/2023, 10:24:52 AM	0	6.869	48.7	67.1	0
2/20/2023, 10:34:52 AM	0	6.869	48.7	66.7	0
2/20/2023, 10:44:52 AM	0	6.877	48.9	66.5	0
2/20/2023, 10:54:52 AM	0	6.869	49.3	66.3	0
2/20/2023, 11:04:52 AM	0	6.877	49.1	65.9	0
2/20/2023, 11:14:52 AM	0	6.877	48.6	65.7	0
2/20/2023, 11:24:52 AM	0	6.877	48.4	65.7	0
2/20/2023, 11:34:52 AM	0	6.877	48.7	65.9	0
2/20/2023, 11:44:52 AM	0	6.877	48.7	66	0
2/20/2023, 11:54:52 AM	0	6.877	48.2	65.8	0
2/20/2023, 12:04:52 PM	0	6.877	47.8	65.7	0
2/20/2023, 12:14:52 PM	0	6.877	46.9	65.9	0
2/20/2023, 12:24:52 PM	0	6.869	45.9	66.3	0
2/20/2023, 12:34:52 PM	0	6.869	45.3	66.8	0
2/20/2023, 12:44:52 PM	0	6.869	45.5	67.3	0
2/20/2023, 12:54:52 PM	0	6.869	46.2	67.3	0
2/20/2023, 1:04:52 PM	0	6.869	46.2	67	0
2/20/2023, 1:14:52 PM	0	6.869	46.2	66.8	0
2/20/2023, 1:24:52 PM	0	6.869	46.4	66.8	0
2/20/2023, 1:34:52 PM	0	6.869	46.6	66.6	0
2/20/2023, 1:44:52 PM	0	6.869	45.9	66.3	0
2/20/2023, 1:54:52 PM	0	6.869	45.3	66.2	0
2/20/2023, 2:04:52 PM	0	6.869	45	66.1	0
2/20/2023, 2:14:52 PM	0	6.869	44.6	66.1	0
2/20/2023, 2:24:52 PM	0	6.869	44.2	66	0
2/20/2023, 2:34:52 PM	0	6.869	44.6	66	0
2/20/2023, 2:44:52 PM	0	6.869	45.3	65.9	0
2/20/2023, 2:54:52 PM	0	6.869	45.5	65.6	0
2/20/2023, 3:04:52 PM	0	6.869	45.7	65.3	0
2/20/2023, 3:14:52 PM	0	6.869	45.5	65	0
2/20/2023, 3:24:52 PM	0	6.869	45	64.6	0
2/20/2023, 3:34:52 PM	0	6.869	44.6	64.5	0
2/20/2023, 3:44:52 PM	0	6.869	44.1	64.3	0
2/20/2023, 3:54:52 PM	0	6.869	43.9	64.2	0
2/20/2023, 4:04:52 PM	0	6.869	44.6	64.4	0
2/20/2023, 4:14:52 PM	0	6.869	44.4	64.1	0
2/20/2023, 4:24:52 PM	0	6.869	43.7	63.8	0
2/20/2023, 4:34:52 PM	0	6.869	43.2	63.7	0
2/20/2023, 4:44:52 PM	0	6.86	42.6	63.6	0
2/20/2023, 4:54:52 PM	0	6.86	41.9	63.6	0
2/20/2023, 5:04:52 PM	0	6.86	41.2	63.8	0
2/20/2023, 5:14:52 PM	0	6.86	40.5	64.1	0
2/20/2023, 5:24:52 PM	0	6.86	39.7	64.3	0
2/20/2023, 5:34:52 PM	0	6.86	39	64.6	0
2/20/2023, 5:44:52 PM	0	6.86	38.5	65	0
2/20/2023, 5:54:52 PM	0	6.86	37.9	65.5	0
2/20/2023, 6:04:52 PM	0	6.86	37.4	66.1	0
2/20/2023, 6:14:52 PM	0	6.851	36.7	66.7	0
2/20/2023, 6:24:52 PM	0	6.851	36.3	67.3	0
2/20/2023, 6:34:52 PM	0	6.851	36	67.9	0
2/20/2023, 6:44:52 PM	0	6.851	35.4	68.3	0
2/20/2023, 6:54:52 PM	0	6.851	34.9	68.9	0
2/20/2023, 7:04:52 PM	0	6.851	34.5	69.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/20/2023, 7:14:52 PM	0	6.851	34.2	70	0
2/20/2023, 7:24:52 PM	0	6.842	33.6	70.4	0
2/20/2023, 7:34:52 PM	0	6.842	32.9	70.9	0
2/20/2023, 7:44:52 PM	0	6.842	32.4	71.3	0
2/20/2023, 7:54:52 PM	0	6.842	32	72	0
2/20/2023, 8:04:52 PM	0	6.842	31.5	72.5	0
2/20/2023, 8:14:52 PM	0	6.842	30.9	73.1	0
2/20/2023, 8:24:52 PM	0	6.833	30.4	73.6	0
2/20/2023, 8:34:52 PM	0	6.833	30	74.3	0
2/20/2023, 8:44:52 PM	0	6.833	29.7	75	0
2/20/2023, 8:54:52 PM	0	6.833	29.3	75.6	0
2/20/2023, 9:04:52 PM	0	6.833	28.9	76.3	0
2/20/2023, 9:14:52 PM	0	6.833	28.6	76.9	0
2/20/2023, 9:24:52 PM	0	6.833	28.2	77.4	0
2/20/2023, 9:34:52 PM	0	6.825	27.9	78	0
2/20/2023, 9:44:52 PM	0	6.825	27.5	78.5	0
2/20/2023, 9:54:52 PM	0	6.825	27.1	78.9	0
2/20/2023, 10:04:52 PM	0	6.825	26.8	79.4	0
2/20/2023, 10:14:52 PM	0	6.825	26.2	79.8	0
2/20/2023, 10:24:52 PM	0	6.825	25.9	80.2	0
2/20/2023, 10:34:52 PM	0	6.825	25.7	80.7	0
2/20/2023, 10:44:52 PM	0	6.816	25.5	81.1	0
2/20/2023, 10:54:52 PM	0	6.816	25.3	81.5	0
2/20/2023, 11:04:52 PM	0	6.816	25.3	81.9	0
2/20/2023, 11:14:52 PM	0	6.816	25.2	82.3	0
2/20/2023, 11:24:52 PM	0	6.816	25	82.6	0
2/20/2023, 11:34:52 PM	0	6.816	25	83	0
2/20/2023, 11:44:52 PM	0	6.816	25.2	83.4	0
2/20/2023, 11:54:52 PM	0	6.816	25.3	83.9	0
2/21/2023, 12:04:52 AM	0	6.816	25.3	84.3	0
2/21/2023, 12:14:52 AM	0	6.816	25.5	84.6	0
2/21/2023, 12:24:52 AM	0	6.816	25.5	84.9	0
2/21/2023, 12:34:52 AM	0	6.816	25.5	85.1	0
2/21/2023, 12:44:52 AM	0	6.816	25.7	85.5	0
2/21/2023, 12:54:52 AM	0	6.816	25.9	85.7	0
2/21/2023, 1:04:52 AM	0	6.816	25.9	86	0
2/21/2023, 1:14:52 AM	0	6.816	25.9	86.2	0
2/21/2023, 1:24:52 AM	0	6.816	25.9	86.4	0
2/21/2023, 1:34:52 AM	0	6.816	26.1	86.6	0
2/21/2023, 1:44:52 AM	0	6.816	26.1	86.8	0
2/21/2023, 1:54:52 AM	0	6.816	26.1	86.9	0
2/21/2023, 2:04:52 AM	0	6.816	26.1	87	0
2/21/2023, 2:14:52 AM	0	6.816	26.1	87.2	0
2/21/2023, 2:24:52 AM	0	6.816	26.1	87.3	0
2/21/2023, 2:34:52 AM	0	6.816	25.9	87.3	0
2/21/2023, 2:44:52 AM	0	6.816	25.7	87.4	0
2/21/2023, 2:54:52 AM	0	6.816	25.5	87.3	0
2/21/2023, 3:04:52 AM	0	6.816	25.2	87.2	0
2/21/2023, 3:14:52 AM	0	6.816	24.8	87	0
2/21/2023, 3:24:52 AM	0	6.816	24.4	86.9	0
2/21/2023, 3:34:52 AM	0	6.816	24.3	86.8	0
2/21/2023, 3:44:52 AM	0	6.816	23.9	86.7	0
2/21/2023, 3:54:52 AM	0	6.816	23.7	86.7	0
2/21/2023, 4:04:52 AM	0	6.807	23.4	86.7	0
2/21/2023, 4:14:52 AM	0	6.807	23.4	86.8	0
2/21/2023, 4:24:52 AM	0	6.807	23.4	86.9	0
2/21/2023, 4:34:52 AM	0	6.807	23.7	87.2	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/21/2023, 4:44:52 AM	0	6.807	24.1	87.5	0
2/21/2023, 4:54:52 AM	0	6.807	24.1	87.7	0
2/21/2023, 5:04:52 AM	0	6.816	23.9	87.7	0
2/21/2023, 5:14:52 AM	0	6.816	23.9	87.7	0
2/21/2023, 5:24:52 AM	0	6.807	23.7	87.6	0
2/21/2023, 5:34:52 AM	0	6.816	23.5	87.5	0
2/21/2023, 5:44:52 AM	0	6.807	23.4	87.4	0
2/21/2023, 5:54:52 AM	0	6.807	23.2	87.4	0
2/21/2023, 6:04:52 AM	0	6.807	23.2	87.4	0
2/21/2023, 6:14:52 AM	0	6.807	23.2	87.4	0
2/21/2023, 6:24:52 AM	0	6.807	23.4	87.6	0
2/21/2023, 6:34:52 AM	0	6.807	23.7	87.9	0
2/21/2023, 6:44:52 AM	0	6.816	24.1	88.2	0
2/21/2023, 6:54:52 AM	0	6.816	24.3	88.4	0
2/21/2023, 7:04:52 AM	0	6.816	24.8	88.7	0
2/21/2023, 7:14:52 AM	0	6.816	25.2	89	0
2/21/2023, 7:24:52 AM	0	6.816	25.3	89.2	0
2/21/2023, 7:34:52 AM	0	6.816	25.7	89.3	0
2/21/2023, 7:44:52 AM	0	6.816	25.9	89.4	0
2/21/2023, 7:54:52 AM	0	6.816	26.2	89.6	0
2/21/2023, 8:04:52 AM	0	6.816	26.4	89.6	0
2/21/2023, 8:14:52 AM	0	6.816	27.5	89.8	0
2/21/2023, 8:24:52 AM	0	6.825	28.4	90.2	0
2/21/2023, 8:34:52 AM	0	6.825	29.5	90.5	0
2/21/2023, 8:44:52 AM	0	6.825	30.4	90.6	0
2/21/2023, 8:54:52 AM	0	6.825	31.3	90.5	0
2/21/2023, 9:04:52 AM	0	6.833	32	90.3	0
2/21/2023, 9:14:52 AM	0	6.833	32.9	90	0
2/21/2023, 9:24:52 AM	0	6.833	33.8	89.5	0
2/21/2023, 9:34:52 AM	0	6.842	34.7	89	0
2/21/2023, 9:44:52 AM	0	6.842	35.6	88.5	0
2/21/2023, 9:54:52 AM	0	6.842	36.7	87.9	0
2/21/2023, 10:04:52 AM	0	6.842	37.9	87.4	0
2/21/2023, 10:14:52 AM	0	6.851	39	86.8	0
2/21/2023, 10:24:52 AM	0	6.851	40.3	86	0
2/21/2023, 10:34:52 AM	0	6.851	41.5	85.1	0
2/21/2023, 10:44:52 AM	0	6.86	42.4	83.9	0
2/21/2023, 10:54:52 AM	0	6.86	43.2	82.8	0
2/21/2023, 11:04:52 AM	0	6.86	43.9	81.6	0
2/21/2023, 11:14:52 AM	0	6.86	44.6	80.5	0
2/21/2023, 11:24:52 AM	0	6.86	45.1	79.5	0
2/21/2023, 11:34:52 AM	0	6.869	45.7	78.5	0
2/21/2023, 11:44:52 AM	0	6.869	45.9	77.7	0
2/21/2023, 11:54:52 AM	0	6.869	46.6	77	0
2/21/2023, 12:04:52 PM	0	6.869	47.1	76.5	0
2/21/2023, 12:14:52 PM	0	6.869	46.9	76.2	0
2/21/2023, 12:24:52 PM	0	6.869	46.8	75.9	0
2/21/2023, 12:34:52 PM	0	6.869	46.4	75.9	0
2/21/2023, 12:44:52 PM	0	6.869	46.4	75.9	0
2/21/2023, 12:54:52 PM	0	6.869	46.8	75.8	0
2/21/2023, 1:04:52 PM	0	6.869	47.8	75.3	0
2/21/2023, 1:14:52 PM	0	6.869	49.5	74.2	0
2/21/2023, 1:24:52 PM	0	6.869	50.9	72.7	0
2/21/2023, 1:34:52 PM	0	6.869	51.8	70.5	0
2/21/2023, 1:44:52 PM	0	6.877	52	67.8	0
2/21/2023, 1:54:52 PM	0	6.877	52.3	66.2	0
2/21/2023, 2:04:52 PM	0	6.877	52.7	65.3	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/21/2023, 2:14:52 PM	0	6.877	53.4	64.5	0
2/21/2023, 2:24:52 PM	0	6.877	52.9	63.8	0
2/21/2023, 2:34:52 PM	0	6.877	50.9	63.8	0
2/21/2023, 2:44:52 PM	0	6.877	48.9	64.2	0
2/21/2023, 2:54:52 PM	0	6.877	46.6	65	0
2/21/2023, 3:04:52 PM	0	6.877	44.2	66.6	0
2/21/2023, 3:14:52 PM	0	6.869	42.8	68.4	0
2/21/2023, 3:24:52 PM	0	6.869	42.3	70	0
2/21/2023, 3:34:52 PM	0	6.869	41.7	71.4	0
2/21/2023, 3:44:52 PM	0	6.869	40.6	72.6	0
2/21/2023, 3:54:52 PM	0	6.86	39.9	73.8	0
2/21/2023, 4:04:52 PM	0	6.86	39.6	74.8	0
2/21/2023, 4:14:52 PM	0	6.86	39.9	74.9	0
2/21/2023, 4:24:52 PM	0	6.86	40.6	74.1	0
2/21/2023, 4:34:52 PM	0	6.86	41.2	72.7	0
2/21/2023, 4:44:52 PM	0	6.86	41.2	71.1	0
2/21/2023, 4:54:52 PM	0	6.86	41.2	69.8	0
2/21/2023, 5:04:52 PM	0	6.86	40.8	68.8	0
2/21/2023, 5:14:52 PM	0	6.86	40.3	67.8	0
2/21/2023, 5:24:52 PM	0	6.86	39.9	67.2	0
2/21/2023, 5:34:52 PM	0	6.86	39.4	66.7	0
2/21/2023, 5:44:52 PM	0	6.86	38.8	66.2	0
2/21/2023, 5:54:52 PM	0	6.86	38.3	65.8	0
2/21/2023, 6:04:52 PM	0	6.86	37.9	65.4	0
2/21/2023, 6:14:52 PM	0	6.851	37.6	65.3	0
2/21/2023, 6:24:52 PM	0	6.851	37.4	65.4	0
2/21/2023, 6:34:52 PM	0	6.851	37	65.6	0
2/21/2023, 6:44:52 PM	0	6.851	36.9	65.9	0
2/21/2023, 6:54:52 PM	0	6.851	36.5	66.2	0
2/21/2023, 7:04:52 PM	0	6.851	36.3	66.5	0
2/21/2023, 7:14:52 PM	0	6.851	36.1	66.9	0
2/21/2023, 7:24:52 PM	0	6.851	36	67.4	0
2/21/2023, 7:34:52 PM	0	6.851	36	67.8	0
2/21/2023, 7:44:52 PM	0	6.851	36	68.1	0
2/21/2023, 7:54:52 PM	0	6.851	35.8	68.1	0
2/21/2023, 8:04:52 PM	0	6.851	35.8	68.1	0
2/21/2023, 8:14:52 PM	0	6.851	35.6	67.8	0
2/21/2023, 8:24:52 PM	0	6.851	35.4	67.6	0
2/21/2023, 8:34:52 PM	0	6.851	35.2	67.5	0
2/21/2023, 8:44:52 PM	0	6.851	35.1	67.4	0
2/21/2023, 8:54:52 PM	0	6.851	35.1	67.2	0
2/21/2023, 9:04:52 PM	0	6.851	34.9	67.1	0
2/21/2023, 9:14:52 PM	0	6.842	34.5	67.1	0
2/21/2023, 9:24:52 PM	0	6.842	34.2	67	0
2/21/2023, 9:34:52 PM	0	6.842	34	67	0
2/21/2023, 9:44:52 PM	0	6.842	33.8	67.1	0
2/21/2023, 9:54:52 PM	0	6.842	33.6	67.1	0
2/21/2023, 10:04:52 PM	0	6.842	33.6	67	0
2/21/2023, 10:14:52 PM	0	6.842	33.6	66.9	0
2/21/2023, 10:24:52 PM	0	6.842	33.6	66.8	0
2/21/2023, 10:34:52 PM	0	6.842	33.6	66.6	0
2/21/2023, 10:44:52 PM	0	6.842	33.8	66.5	0
2/21/2023, 10:54:52 PM	0	6.842	33.8	66.4	0
2/21/2023, 11:04:52 PM	0	6.842	33.8	66.4	0
2/21/2023, 11:14:52 PM	0	6.842	34	66.3	0
2/21/2023, 11:24:52 PM	0	6.842	34	66.3	0
2/21/2023, 11:34:52 PM	0	6.842	34	66.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/21/2023, 11:44:52 PM	0	6.842	34	66.5	0
2/21/2023, 11:54:52 PM	0	6.842	34	66.6	0
2/22/2023, 12:04:52 AM	0	6.842	33.8	66.8	0
2/22/2023, 12:14:52 AM	0	6.842	33.8	67	0
2/22/2023, 12:24:52 AM	0	6.842	33.8	67.2	0
2/22/2023, 12:34:52 AM	0	6.842	33.8	67.4	0
2/22/2023, 12:44:52 AM	0	6.842	33.8	67.5	0
2/22/2023, 12:54:52 AM	0	6.842	33.6	67.7	0
2/22/2023, 1:04:52 AM	0	6.842	33.6	67.8	0
2/22/2023, 1:14:52 AM	0	6.842	33.6	68	0
2/22/2023, 1:24:52 AM	0	6.842	33.6	68.1	0
2/22/2023, 1:34:52 AM	0	6.842	33.4	68.2	0
2/22/2023, 1:44:52 AM	0	6.842	33.4	68.3	0
2/22/2023, 1:54:52 AM	0	6.842	33.4	68.4	0
2/22/2023, 2:04:52 AM	0	6.842	33.4	68.5	0
2/22/2023, 2:14:52 AM	0	6.842	33.3	68.5	0
2/22/2023, 2:24:52 AM	0	6.842	33.3	68.6	0
2/22/2023, 2:34:52 AM	0	6.842	33.3	68.6	0
2/22/2023, 2:44:52 AM	0	6.842	33.1	68.7	0
2/22/2023, 2:54:52 AM	0	6.842	33.1	68.8	0
2/22/2023, 3:04:52 AM	0	6.842	32.9	68.9	0
2/22/2023, 3:14:52 AM	0	6.842	32.9	69	0
2/22/2023, 3:24:52 AM	0	6.842	32.9	69.2	0
2/22/2023, 3:34:52 AM	0	6.842	32.9	69.3	0
2/22/2023, 3:44:52 AM	0	6.842	32.9	69.4	0
2/22/2023, 3:54:52 AM	0	6.842	32.7	69.5	0
2/22/2023, 4:04:52 AM	0	6.842	32.7	69.6	0
2/22/2023, 4:14:52 AM	0	6.842	32.7	69.9	0
2/22/2023, 4:24:52 AM	0	6.842	32.9	70.2	0
2/22/2023, 4:34:52 AM	0	6.842	32.9	70.5	0
2/22/2023, 4:44:52 AM	0	6.842	32.9	70.6	0
2/22/2023, 4:54:52 AM	0	6.842	32.7	70.7	0
2/22/2023, 5:04:52 AM	0	6.842	32.7	70.5	0
2/22/2023, 5:14:52 AM	0	6.842	32.7	70.4	0
2/22/2023, 5:24:52 AM	0	6.842	32.7	70.3	0
2/22/2023, 5:34:52 AM	0	6.842	32.5	70.2	0
2/22/2023, 5:44:52 AM	0	6.842	32.5	70.2	0
2/22/2023, 5:54:52 AM	0	6.842	32.5	70.2	0
2/22/2023, 6:04:52 AM	0	6.842	32.5	70.2	0
2/22/2023, 6:14:52 AM	0	6.842	32.4	70.2	0
2/22/2023, 6:24:52 AM	0	6.842	32.4	70.2	0
2/22/2023, 6:34:52 AM	0	6.842	32.4	70.2	0
2/22/2023, 6:44:52 AM	0	6.842	32.2	70.2	0
2/22/2023, 6:54:52 AM	0	6.842	32.2	70.3	0
2/22/2023, 7:04:52 AM	0	6.842	32.2	70.4	0
2/22/2023, 7:14:52 AM	0	6.842	32.2	70.5	0
2/22/2023, 7:24:52 AM	0	6.842	32	70.5	0
2/22/2023, 7:34:52 AM	0	6.833	32	70.6	0
2/22/2023, 7:44:52 AM	0	6.842	32	70.6	0
2/22/2023, 7:54:52 AM	0	6.833	32	70.6	0
2/22/2023, 8:04:52 AM	0	6.833	32.2	70.6	0
2/22/2023, 8:14:52 AM	0	6.833	32.4	70.5	0
2/22/2023, 8:24:52 AM	0	6.833	32.4	70.6	0
2/22/2023, 8:34:52 AM	0	6.833	32.5	70.7	0
2/22/2023, 8:44:52 AM	0	6.833	32.5	70.8	0
2/22/2023, 8:54:52 AM	0	6.842	32.5	70.8	0
2/22/2023, 9:04:52 AM	0	6.842	32.7	70.7	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/22/2023, 9:14:52 AM	0	6.833	32.9	70.5	0
2/22/2023, 9:24:52 AM	0	6.842	32.9	70.4	0
2/22/2023, 9:34:52 AM	0	6.842	33.1	70.3	0
2/22/2023, 9:44:52 AM	0	6.842	33.1	70.1	0
2/22/2023, 9:54:52 AM	0	6.842	33.1	70.1	0
2/22/2023, 10:04:52 AM	0	6.842	33.3	70.1	0
2/22/2023, 10:14:52 AM	0	6.842	33.4	70.2	0
2/22/2023, 10:24:52 AM	0	6.842	33.6	70.3	0
2/22/2023, 10:34:52 AM	0	6.842	33.6	70.4	0
2/22/2023, 10:44:52 AM	0	6.842	33.6	70.5	0
2/22/2023, 10:54:52 AM	0	6.842	33.6	70.5	0
2/22/2023, 11:04:52 AM	0	6.842	33.8	70.6	0
2/22/2023, 11:14:52 AM	0	6.842	33.8	70.3	0
2/22/2023, 11:24:52 AM	0	6.842	33.8	70.3	0
2/22/2023, 11:34:52 AM	0	6.842	34	70.5	0
2/22/2023, 11:44:52 AM	0	6.842	34	70.6	0
2/22/2023, 11:54:52 AM	0	6.842	34	70.8	0
2/22/2023, 12:04:52 PM	0	6.842	33.4	71.3	0
2/22/2023, 12:14:52 PM	0	6.842	33.3	71.9	0
2/22/2023, 12:24:52 PM	0	6.842	33.1	72.3	0
2/22/2023, 12:34:52 PM	0	6.842	32.9	72.4	0
2/22/2023, 12:44:52 PM	0	6.842	32.5	72.6	0
2/22/2023, 12:54:52 PM	0	6.842	32.4	72.8	0
2/22/2023, 1:04:52 PM	0	6.833	32.2	73	0
2/22/2023, 1:14:52 PM	0	6.833	32	73.1	0
2/22/2023, 1:24:52 PM	0	6.833	32	73.3	0
2/22/2023, 1:34:52 PM	0	6.833	32	73.6	0
2/22/2023, 1:44:52 PM	0	6.833	31.8	73.9	0
2/22/2023, 1:54:52 PM	0	6.833	31.5	74.3	0
2/22/2023, 2:04:52 PM	0	6.833	31.1	75	0
2/22/2023, 2:14:52 PM	0	6.833	30.7	75.8	0
2/22/2023, 2:24:52 PM	0	6.833	30.6	76.6	0
2/22/2023, 2:34:52 PM	0	6.833	30.6	77.3	0
2/22/2023, 2:44:52 PM	0	6.833	30.4	77.8	0
2/22/2023, 2:54:52 PM	0	6.833	30.4	78.2	0
2/22/2023, 3:04:52 PM	0	6.833	30.2	78.6	0
2/22/2023, 3:14:52 PM	0	6.825	30.2	79	0
2/22/2023, 3:24:52 PM	0	6.825	30.2	79.3	0
2/22/2023, 3:34:52 PM	0	6.825	30	79.5	0
2/22/2023, 3:44:52 PM	0	6.825	30	79.8	0
2/22/2023, 3:54:52 PM	0	6.825	29.8	80.1	0
2/22/2023, 4:04:52 PM	0	6.825	29.8	80.4	0
2/22/2023, 4:14:52 PM	0	6.825	29.7	80.5	0
2/22/2023, 4:24:52 PM	0	6.825	29.5	80.7	0
2/22/2023, 4:34:52 PM	0	6.825	29.3	80.9	0
2/22/2023, 4:44:52 PM	0	6.825	29.1	81.1	0
2/22/2023, 4:54:52 PM	0	6.825	29.1	81.4	0
2/22/2023, 5:04:52 PM	0	6.825	28.9	81.6	0
2/22/2023, 5:14:52 PM	0	6.825	28.8	81.7	0
2/22/2023, 5:24:52 PM	0	6.825	28.8	82.1	0
2/22/2023, 5:34:52 PM	0	6.825	28.6	82.4	0
2/22/2023, 5:44:52 PM	0	6.825	28.4	82.7	0
2/22/2023, 5:54:52 PM	0	6.825	28.2	83.1	0
2/22/2023, 6:04:52 PM	0	6.825	28.2	83.4	0
2/22/2023, 6:14:52 PM	0	6.825	28.2	83.7	0
2/22/2023, 6:24:52 PM	0	6.825	28.2	84.1	0
2/22/2023, 6:34:52 PM	0	6.825	28.2	84.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/22/2023, 6:44:52 PM	0	6.825	28.2	84.7	0
2/22/2023, 6:54:52 PM	0	6.825	28.2	85	0
2/22/2023, 7:04:52 PM	0	6.825	28.2	85.2	0
2/22/2023, 7:14:52 PM	0	6.825	28.2	85.4	0
2/22/2023, 7:24:52 PM	0	6.825	28.2	85.7	0
2/22/2023, 7:34:52 PM	0	6.825	28.4	85.8	0
2/22/2023, 7:44:52 PM	0	6.825	28.4	86	0
2/22/2023, 7:54:52 PM	0	6.825	28.6	86.1	0
2/22/2023, 8:04:52 PM	0	6.825	28.8	86.3	0
2/22/2023, 8:14:52 PM	0	6.825	29.1	86.5	0
2/22/2023, 8:24:52 PM	0	6.825	29.3	86.9	0
2/22/2023, 8:34:52 PM	0	6.825	29.7	87.1	0
2/22/2023, 8:44:52 PM	0	6.825	29.8	87.3	0
2/22/2023, 8:54:52 PM	0	6.825	30	87.5	0
2/22/2023, 9:04:52 PM	0	6.833	30.2	87.6	0
2/22/2023, 9:14:52 PM	0	6.833	30.4	87.7	0
2/22/2023, 9:24:52 PM	0	6.833	30.6	87.9	0
2/22/2023, 9:34:52 PM	0	6.833	30.6	88	0
2/22/2023, 9:44:52 PM	0	6.833	30.7	88.1	0
2/22/2023, 9:54:52 PM	0	6.833	30.9	88.2	0
2/22/2023, 10:04:52 PM	0	6.833	30.9	88.3	0
2/22/2023, 10:14:52 PM	0	6.833	31.1	88.4	0
2/22/2023, 10:24:52 PM	0	6.833	31.1	88.5	0
2/22/2023, 10:34:52 PM	0	6.833	31.1	88.6	0
2/22/2023, 10:44:52 PM	0	6.833	31.3	88.7	0
2/22/2023, 10:54:52 PM	0	6.833	31.5	88.8	0
2/22/2023, 11:04:52 PM	0	6.833	31.5	88.9	0
2/22/2023, 11:14:52 PM	0	6.833	31.5	89	0
2/22/2023, 11:24:52 PM	0	6.833	31.5	89	0
2/22/2023, 11:34:52 PM	0	6.833	31.5	89	0
2/22/2023, 11:44:52 PM	0	6.833	31.5	89	0
2/22/2023, 11:54:52 PM	0	6.833	31.3	89	0
2/23/2023, 12:04:52 AM	0	6.833	31.3	88.9	0
2/23/2023, 12:14:52 AM	0	6.833	31.1	88.9	0
2/23/2023, 12:24:52 AM	0	6.833	31.3	88.9	0
2/23/2023, 12:34:52 AM	0	6.833	31.3	88.9	0
2/23/2023, 12:44:52 AM	0	6.833	31.3	88.9	0
2/23/2023, 12:54:52 AM	0	6.833	31.1	88.9	0
2/23/2023, 1:04:52 AM	0	6.833	31.1	88.9	0
2/23/2023, 1:14:52 AM	0	6.833	30.9	88.8	0
2/23/2023, 1:24:52 AM	0	6.833	30.7	88.8	0
2/23/2023, 1:34:52 AM	0	6.833	30.6	88.8	0
2/23/2023, 1:44:52 AM	0	6.833	30.6	88.9	0
2/23/2023, 1:54:52 AM	0	6.833	30.6	89	0
2/23/2023, 2:04:52 AM	0	6.833	30.7	89.2	0
2/23/2023, 2:14:52 AM	0	6.833	30.7	89.4	0
2/23/2023, 2:24:52 AM	0	6.833	30.9	89.7	0
2/23/2023, 2:34:52 AM	0	6.833	31.3	89.9	0
2/23/2023, 2:44:52 AM	0	6.833	31.5	90.2	0
2/23/2023, 2:54:52 AM	0	6.833	31.6	90.4	0
2/23/2023, 3:04:52 AM	0	6.833	31.8	90.5	0
2/23/2023, 3:14:52 AM	0	6.833	32	90.7	0
2/23/2023, 3:24:52 AM	0	6.833	32	90.8	0
2/23/2023, 3:34:52 AM	0	6.833	32	91	0
2/23/2023, 3:44:52 AM	0	6.833	32.2	91.1	0
2/23/2023, 3:54:52 AM	0	6.833	32.2	91.1	0
2/23/2023, 4:04:52 AM	0	6.833	32.4	91.2	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/23/2023, 4:14:52 AM	0	6.833	32.4	91.3	0
2/23/2023, 4:24:52 AM	0	6.842	32.2	91.2	0
2/23/2023, 4:34:52 AM	0	6.833	32	91.1	0
2/23/2023, 4:44:52 AM	0	6.842	31.8	91	0
2/23/2023, 4:54:52 AM	0	6.833	31.6	90.9	0
2/23/2023, 5:04:52 AM	0	6.833	31.6	90.8	0
2/23/2023, 5:14:52 AM	0	6.833	31.6	90.8	0
2/23/2023, 5:24:52 AM	0	6.833	31.5	90.7	0
2/23/2023, 5:34:52 AM	0	6.833	31.5	90.7	0
2/23/2023, 5:44:52 AM	0	6.833	31.3	90.6	0
2/23/2023, 5:54:52 AM	0	6.833	30.9	90.4	0
2/23/2023, 6:04:52 AM	0	6.833	30.7	90.3	0
2/23/2023, 6:14:52 AM	0	6.833	30.4	90.1	0
2/23/2023, 6:24:52 AM	0	6.833	30.2	89.9	0
2/23/2023, 6:34:52 AM	0	6.833	30	89.8	0
2/23/2023, 6:44:52 AM	0	6.833	29.7	89.8	0
2/23/2023, 6:54:52 AM	0	6.833	29.5	89.7	0
2/23/2023, 7:04:52 AM	0	6.833	29.1	89.7	0
2/23/2023, 7:14:52 AM	0	6.825	28.9	89.6	0
2/23/2023, 7:24:52 AM	0	6.825	28.6	89.6	0
2/23/2023, 7:34:52 AM	0	6.825	28.4	89.5	0
2/23/2023, 7:44:52 AM	0	6.825	28.2	89.5	0
2/23/2023, 7:54:52 AM	0	6.825	28	89.5	0
2/23/2023, 8:04:52 AM	0	6.825	27.9	89.4	0
2/23/2023, 8:14:52 AM	0	6.825	27.7	89.4	0
2/23/2023, 8:24:52 AM	0	6.825	27.5	89.3	0
2/23/2023, 8:34:52 AM	0	6.825	27.3	89.2	0
2/23/2023, 8:44:52 AM	0	6.825	27.1	89.1	0
2/23/2023, 8:54:52 AM	0	6.816	27.1	89	0
2/23/2023, 9:04:52 AM	0	6.816	27.1	88.9	0
2/23/2023, 9:14:52 AM	0	6.816	27.1	88.8	0
2/23/2023, 9:24:52 AM	0	6.816	27.1	88.7	0
2/23/2023, 9:34:52 AM	0	6.816	27.1	88.7	0
2/23/2023, 9:44:52 AM	0	6.816	27.1	88.7	0
2/23/2023, 9:54:52 AM	0	6.816	27.3	88.6	0
2/23/2023, 10:04:52 AM	0	6.816	27.3	88.5	0
2/23/2023, 10:14:52 AM	0	6.816	27.3	88.4	0
2/23/2023, 10:24:52 AM	0	6.816	27.5	88.2	0
2/23/2023, 10:34:52 AM	0	6.816	27.5	88.1	0
2/23/2023, 10:44:52 AM	0	6.816	27.9	88.1	0
2/23/2023, 10:54:52 AM	0	6.816	28	88	0
2/23/2023, 11:04:52 AM	0	6.816	28.2	87.8	0
2/23/2023, 11:14:52 AM	0	6.816	28.2	87.6	0
2/23/2023, 11:24:52 AM	0	6.825	28.4	87.5	0
2/23/2023, 11:34:52 AM	0	6.825	28.6	87.3	0
2/23/2023, 11:44:52 AM	0	6.816	28.8	87.1	0
2/23/2023, 11:54:52 AM	0	6.825	28.8	87	0
2/23/2023, 12:04:52 PM	0	6.825	28.8	86.8	0
2/23/2023, 12:14:52 PM	0	6.825	28.9	86.6	0
2/23/2023, 12:24:52 PM	0	6.825	29.3	86.5	0
2/23/2023, 12:34:52 PM	0	6.825	29.7	86.4	0
2/23/2023, 12:44:52 PM	0	6.825	29.7	86.2	0
2/23/2023, 12:54:52 PM	0	6.825	29.7	86	0
2/23/2023, 1:04:52 PM	0	6.825	30	85.8	0
2/23/2023, 1:14:52 PM	0	6.825	30	85.7	0
2/23/2023, 1:24:52 PM	0	6.825	29.8	85.4	0
2/23/2023, 1:34:52 PM	0	6.825	29.5	85.3	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/23/2023, 1:44:52 PM	0	6.825	29.5	85.3	0
2/23/2023, 1:54:52 PM	0	6.825	29.3	85.4	0
2/23/2023, 2:04:52 PM	0	6.825	29.1	85.5	0
2/23/2023, 2:14:52 PM	0	6.825	28.9	85.5	0
2/23/2023, 2:24:52 PM	0	6.825	28.9	85.6	0
2/23/2023, 2:34:52 PM	0	6.825	28.8	85.7	0
2/23/2023, 2:44:52 PM	0	6.825	28.6	85.8	0
2/23/2023, 2:54:52 PM	0	6.825	28.6	85.9	0
2/23/2023, 3:04:52 PM	0	6.825	28.4	85.9	0
2/23/2023, 3:14:52 PM	0	6.825	28.2	86	0
2/23/2023, 3:24:52 PM	0	6.825	28	86	0
2/23/2023, 3:34:52 PM	0	6.825	27.9	86.1	0
2/23/2023, 3:44:52 PM	0	6.825	27.7	86.3	0
2/23/2023, 3:54:52 PM	0	6.825	27.5	86.5	0
2/23/2023, 4:04:52 PM	0	6.825	27.5	86.7	0
2/23/2023, 4:14:52 PM	0	6.825	27.5	86.9	0
2/23/2023, 4:24:52 PM	0	6.825	27.7	87.1	0
2/23/2023, 4:34:52 PM	0	6.825	27.7	87.2	0
2/23/2023, 4:44:52 PM	0	6.825	27.7	87.3	0
2/23/2023, 4:54:52 PM	0	6.816	27.7	87.3	0
2/23/2023, 5:04:52 PM	0	6.825	27.7	87.3	0
2/23/2023, 5:14:52 PM	0	6.825	27.5	87.3	0
2/23/2023, 5:24:52 PM	0	6.825	27.3	87.3	0
2/23/2023, 5:34:52 PM	0	6.825	27.3	87.4	0
2/23/2023, 5:44:52 PM	0	6.825	27.1	87.5	0
2/23/2023, 5:54:52 PM	0	6.825	27.3	87.7	0
2/23/2023, 6:04:52 PM	0	6.825	27.3	87.8	0
2/23/2023, 6:14:52 PM	0	6.825	27.3	88	0
2/23/2023, 6:24:52 PM	0	6.825	27.3	88.1	0
2/23/2023, 6:34:52 PM	0	6.825	27.5	88.2	0
2/23/2023, 6:44:52 PM	0	6.825	27.5	88.4	0
2/23/2023, 6:54:52 PM	0	6.825	27.5	88.5	0
2/23/2023, 7:04:52 PM	0	6.825	27.7	88.6	0
2/23/2023, 7:14:52 PM	0	6.825	27.9	88.7	0
2/23/2023, 7:24:52 PM	0	6.825	27.9	88.7	0
2/23/2023, 7:34:52 PM	0	6.825	27.9	88.8	0
2/23/2023, 7:44:52 PM	0	6.825	27.9	88.8	0
2/23/2023, 7:54:52 PM	0	6.825	27.9	88.9	0
2/23/2023, 8:04:52 PM	0	6.825	27.9	89	0
2/23/2023, 8:14:52 PM	0	6.825	27.9	89.1	0
2/23/2023, 8:24:52 PM	0	6.825	27.9	89.2	0
2/23/2023, 8:34:52 PM	0	6.825	27.9	89.2	0
2/23/2023, 8:44:52 PM	0	6.825	27.9	89.4	0
2/23/2023, 8:54:52 PM	0	6.825	27.9	89.5	0
2/23/2023, 9:04:52 PM	0	6.825	27.9	89.6	0
2/23/2023, 9:14:52 PM	0	6.825	28	89.7	0
2/23/2023, 9:24:52 PM	0	6.825	28	89.9	0
2/23/2023, 9:34:52 PM	0	6.825	28.2	90	0
2/23/2023, 9:44:52 PM	0	6.825	28.2	90.1	0
2/23/2023, 9:54:52 PM	0	6.825	28.4	90.3	0
2/23/2023, 10:04:52 PM	0	6.825	28.6	90.5	0
2/23/2023, 10:14:52 PM	0	6.825	28.6	90.6	0
2/23/2023, 10:24:52 PM	0	6.825	28.6	90.7	0
2/23/2023, 10:34:52 PM	0	6.825	28.8	90.8	0
2/23/2023, 10:44:52 PM	0	6.825	28.8	90.9	0
2/23/2023, 10:54:52 PM	0	6.825	28.8	90.9	0
2/23/2023, 11:04:52 PM	0	6.825	28.8	91	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/23/2023, 11:14:52 PM	0	6.825	28.8	91.1	0
2/23/2023, 11:24:52 PM	0	6.825	28.9	91.2	0
2/23/2023, 11:34:52 PM	0	6.825	29.1	91.2	0
2/23/2023, 11:44:52 PM	0	6.825	29.1	91.4	0
2/23/2023, 11:54:52 PM	0	6.825	29.3	91.4	0
2/24/2023, 12:04:52 AM	0	6.825	29.5	91.6	0
2/24/2023, 12:14:52 AM	0	6.825	29.5	91.7	0
2/24/2023, 12:24:52 AM	0	6.833	29.7	91.7	0
2/24/2023, 12:34:52 AM	0	6.833	29.7	91.8	0
2/24/2023, 12:44:52 AM	0	6.833	29.7	91.8	0
2/24/2023, 12:54:52 AM	0	6.833	29.7	91.9	0
2/24/2023, 1:04:52 AM	0	6.833	29.8	91.9	0
2/24/2023, 1:14:52 AM	0	6.833	29.8	91.9	0
2/24/2023, 1:24:52 AM	0	6.833	29.8	91.9	0
2/24/2023, 1:34:52 AM	0	6.833	29.8	92	0
2/24/2023, 1:44:52 AM	0	6.833	29.8	92	0
2/24/2023, 1:54:52 AM	0	6.833	30	92	0
2/24/2023, 2:04:52 AM	0	6.833	30	92.1	0
2/24/2023, 2:14:52 AM	0	6.833	30	92.1	0
2/24/2023, 2:24:52 AM	0	6.833	30.2	92.1	0
2/24/2023, 2:34:52 AM	0	6.833	30	92.1	0
2/24/2023, 2:44:52 AM	0	6.833	29.8	92	0
2/24/2023, 2:54:52 AM	0	6.833	29.7	91.8	0
2/24/2023, 3:04:52 AM	0	6.833	29.3	91.5	0
2/24/2023, 3:14:52 AM	0	6.833	28.9	91.2	0
2/24/2023, 3:24:52 AM	0	6.825	28.2	90.9	0
2/24/2023, 3:34:52 AM	0	6.825	27.7	90.5	0
2/24/2023, 3:44:52 AM	0	6.825	27.1	90.2	0
2/24/2023, 3:54:52 AM	0	6.825	26.8	90	0
2/24/2023, 4:04:52 AM	0	6.825	26.6	89.9	0
2/24/2023, 4:14:52 AM	0	6.825	26.6	89.8	0
2/24/2023, 4:24:52 AM	0	6.825	26.4	89.8	0
2/24/2023, 4:34:52 AM	0	6.816	26.4	89.8	0
2/24/2023, 4:44:52 AM	0	6.816	26.4	89.8	0
2/24/2023, 4:54:52 AM	0	6.816	26.4	89.8	0
2/24/2023, 5:04:52 AM	0	6.816	26.4	89.9	0
2/24/2023, 5:14:52 AM	0	6.816	26.6	90	0
2/24/2023, 5:24:52 AM	0	6.816	26.6	89.9	0
2/24/2023, 5:34:52 AM	0	6.816	26.8	89.8	0
2/24/2023, 5:44:52 AM	0	6.816	26.8	89.6	0
2/24/2023, 5:54:52 AM	0	6.816	26.8	89.4	0
2/24/2023, 6:04:52 AM	0	6.825	26.6	89.1	0
2/24/2023, 6:14:52 AM	0	6.816	26.4	88.7	0
2/24/2023, 6:24:52 AM	0	6.816	26.2	88.3	0
2/24/2023, 6:34:52 AM	0	6.816	26.1	87.9	0
2/24/2023, 6:44:52 AM	0	6.816	25.7	87.6	0
2/24/2023, 6:54:52 AM	0	6.816	25.5	87.1	0
2/24/2023, 7:04:52 AM	0	6.816	25.3	86.7	0
2/24/2023, 7:14:52 AM	0	6.816	25	86.1	0
2/24/2023, 7:24:52 AM	0	6.816	24.4	85.5	0
2/24/2023, 7:34:52 AM	0	6.816	24.3	85	0
2/24/2023, 7:44:52 AM	0	6.807	24.1	84.6	0
2/24/2023, 7:54:52 AM	0	6.807	23.9	84.3	0
2/24/2023, 8:04:52 AM	0	6.807	23.9	84.1	0
2/24/2023, 8:14:52 AM	0	6.807	23.9	83.8	0
2/24/2023, 8:24:52 AM	0	6.807	23.9	83.5	0
2/24/2023, 8:34:52 AM	0	6.807	24.3	83	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/24/2023, 8:44:52 AM	0	6.807	24.3	82.6	0
2/24/2023, 8:54:52 AM	0	6.807	24.6	82.3	0
2/24/2023, 9:04:52 AM	0	6.807	25.2	82.1	0
2/24/2023, 9:14:52 AM	0	6.807	26.1	81.8	0
2/24/2023, 9:24:52 AM	0	6.807	26.6	81.5	0
2/24/2023, 9:34:52 AM	0	6.807	26.2	81.1	0
2/24/2023, 9:44:52 AM	0	6.807	26.1	80.7	0
2/24/2023, 9:54:52 AM	0	6.807	26.2	80.2	0
2/24/2023, 10:04:52 AM	0	6.807	27	79.5	0
2/24/2023, 10:14:52 AM	0	6.807	28	78.7	0
2/24/2023, 10:24:52 AM	0	6.807	27.3	78	0
2/24/2023, 10:34:52 AM	0	6.807	27.1	77.3	0
2/24/2023, 10:44:52 AM	0	6.807	28.8	76.7	0
2/24/2023, 10:54:52 AM	0	6.807	29.5	75.9	0
2/24/2023, 11:04:52 AM	0	6.807	30	75.2	0
2/24/2023, 11:14:52 AM	0	6.807	30.7	74.5	0
2/24/2023, 11:24:52 AM	0	6.807	30.6	73.6	0
2/24/2023, 11:34:52 AM	0	6.816	30.6	72.8	0
2/24/2023, 11:44:52 AM	0	6.816	29.8	72.1	0
2/24/2023, 11:54:52 AM	0	6.816	30.4	71.7	0
2/24/2023, 12:04:52 PM	0	6.816	31.3	71.4	0
2/24/2023, 12:14:52 PM	0	6.816	32.7	71	0
2/24/2023, 12:24:52 PM	0	6.816	32.9	70.4	0
2/24/2023, 12:34:52 PM	0	6.816	32	69.6	0
2/24/2023, 12:44:52 PM	0	6.816	29.7	68.9	0
2/24/2023, 12:54:52 PM	0	6.816	28.4	68.8	0
2/24/2023, 1:04:52 PM	0	6.816	28	69.1	0
2/24/2023, 1:14:52 PM	0	6.807	27.5	69.3	0
2/24/2023, 1:24:52 PM	0	6.807	26.8	69.5	0
2/24/2023, 1:34:52 PM	0	6.807	26.4	70	0
2/24/2023, 1:44:52 PM	0	6.807	26.2	70.6	0
2/24/2023, 1:54:52 PM	0	6.807	25.7	70.9	0
2/24/2023, 2:04:52 PM	0	6.807	25.3	71	0
2/24/2023, 2:14:52 PM	0	6.807	24.8	71.2	0
2/24/2023, 2:24:52 PM	0	6.807	24.4	71.6	0
2/24/2023, 2:34:52 PM	0	6.807	24.4	71.9	0
2/24/2023, 2:44:52 PM	0	6.807	24.8	72.2	0
2/24/2023, 2:54:52 PM	0	6.807	25.7	72.6	0
2/24/2023, 3:04:52 PM	0	6.807	25.9	72.7	0
2/24/2023, 3:14:52 PM	0	6.807	25.5	72.6	0
2/24/2023, 3:24:52 PM	0	6.807	25.2	72.6	0
2/24/2023, 3:34:52 PM	0	6.807	25.2	72.5	0
2/24/2023, 3:44:52 PM	0	6.807	25.2	72.3	0
2/24/2023, 3:54:52 PM	0	6.807	25.3	72.2	0
2/24/2023, 4:04:52 PM	0	6.807	25.2	72	0
2/24/2023, 4:14:52 PM	0	6.807	25.9	72	0
2/24/2023, 4:24:52 PM	0	6.807	25.3	71.9	0
2/24/2023, 4:34:52 PM	0	6.807	24.4	71.9	0
2/24/2023, 4:44:52 PM	0	6.807	23.7	72	0
2/24/2023, 4:54:52 PM	0	6.807	23.2	72.4	0
2/24/2023, 5:04:52 PM	0	6.807	22.8	72.9	0
2/24/2023, 5:14:52 PM	0	6.798	22.5	73.4	0
2/24/2023, 5:24:52 PM	0	6.798	22.1	73.8	0
2/24/2023, 5:34:52 PM	0	6.798	21.7	74	0
2/24/2023, 5:44:52 PM	0	6.798	21.4	74.4	0
2/24/2023, 5:54:52 PM	0	6.798	21.2	74.7	0
2/24/2023, 6:04:52 PM	0	6.798	21	75	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/24/2023, 6:14:52 PM	0	6.798	20.8	75.2	0
2/24/2023, 6:24:52 PM	0	6.798	20.7	75.5	0
2/24/2023, 6:34:52 PM	0	6.798	20.5	75.8	0
2/24/2023, 6:44:52 PM	0	6.798	20.5	76.1	0
2/24/2023, 6:54:52 PM	0	6.798	20.3	76.4	0
2/24/2023, 7:04:52 PM	0	6.798	20.3	76.8	0
2/24/2023, 7:14:52 PM	0	6.798	20.3	77.1	0
2/24/2023, 7:24:52 PM	0	6.798	20.3	77.5	0
2/24/2023, 7:34:52 PM	0	6.798	20.3	78	0
2/24/2023, 7:44:52 PM	0	6.798	20.3	78.4	0
2/24/2023, 7:54:52 PM	0	6.798	20.1	78.7	0
2/24/2023, 8:04:52 PM	0	6.798	20.1	79.1	0
2/24/2023, 8:14:52 PM	0	6.798	20.1	79.5	0
2/24/2023, 8:24:52 PM	0	6.798	20.1	79.8	0
2/24/2023, 8:34:52 PM	0	6.798	19.9	80.1	0
2/24/2023, 8:44:52 PM	0	6.798	19.9	80.5	0
2/24/2023, 8:54:52 PM	0	6.798	19.8	80.8	0
2/24/2023, 9:04:52 PM	0	6.798	19.8	81	0
2/24/2023, 9:14:52 PM	0	6.798	19.8	81.3	0
2/24/2023, 9:24:52 PM	0	6.798	19.6	81.6	0
2/24/2023, 9:34:52 PM	0	6.798	19.6	81.7	0
2/24/2023, 9:44:52 PM	0	6.79	19.4	81.9	0
2/24/2023, 9:54:52 PM	0	6.79	19.4	82	0
2/24/2023, 10:04:52 PM	0	6.79	19.4	82.2	0
2/24/2023, 10:14:52 PM	0	6.79	19.4	82.3	0
2/24/2023, 10:24:52 PM	0	6.79	19.4	82.5	0
2/24/2023, 10:34:52 PM	0	6.79	19.4	82.7	0
2/24/2023, 10:44:52 PM	0	6.79	19.4	82.9	0
2/24/2023, 10:54:52 PM	0	6.79	19.2	82.9	0
2/24/2023, 11:04:52 PM	0	6.79	19.2	83	0
2/24/2023, 11:14:52 PM	0	6.79	19.2	83.1	0
2/24/2023, 11:24:52 PM	0	6.79	19	83.2	0
2/24/2023, 11:34:52 PM	0	6.79	18.9	83.2	0
2/24/2023, 11:44:52 PM	0	6.79	18.7	83.2	0
2/24/2023, 11:54:52 PM	0	6.79	18.7	83.3	0
2/25/2023, 12:04:52 AM	0	6.79	18.5	83.3	0
2/25/2023, 12:14:52 AM	0	6.79	18.3	83.3	0
2/25/2023, 12:24:52 AM	0	6.79	18.3	83.4	0
2/25/2023, 12:34:52 AM	0	6.79	18.1	83.4	0
2/25/2023, 12:44:52 AM	0	6.79	18.1	83.5	0
2/25/2023, 12:54:52 AM	0	6.79	18.1	83.6	0
2/25/2023, 1:04:52 AM	0	6.79	18.1	83.6	0
2/25/2023, 1:14:52 AM	0	6.79	18	83.7	0
2/25/2023, 1:24:52 AM	0	6.79	17.6	83.6	0
2/25/2023, 1:34:52 AM	0	6.79	17.4	83.6	0
2/25/2023, 1:44:52 AM	0	6.79	17.2	83.7	0
2/25/2023, 1:54:52 AM	0	6.79	17.1	83.8	0
2/25/2023, 2:04:52 AM	0	6.781	16.9	83.8	0
2/25/2023, 2:14:52 AM	0	6.781	16.9	83.9	0
2/25/2023, 2:24:52 AM	0	6.781	16.9	83.9	0
2/25/2023, 2:34:52 AM	0	6.781	17.1	84	0
2/25/2023, 2:44:52 AM	0	6.781	17.1	84	0
2/25/2023, 2:54:52 AM	0	6.781	17.1	84	0
2/25/2023, 3:04:52 AM	0	6.781	17.1	83.9	0
2/25/2023, 3:14:52 AM	0	6.781	17.2	83.8	0
2/25/2023, 3:24:52 AM	0	6.781	17.1	83.7	0
2/25/2023, 3:34:52 AM	0	6.781	17.1	83.5	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/25/2023, 3:44:52 AM	0	6.781	17.1	83.3	0
2/25/2023, 3:54:52 AM	0	6.781	17.1	83.2	0
2/25/2023, 4:04:52 AM	0	6.781	17.1	83.1	0
2/25/2023, 4:14:52 AM	0	6.781	17.1	83.1	0
2/25/2023, 4:24:52 AM	0	6.781	17.1	83	0
2/25/2023, 4:34:52 AM	0	6.781	17.1	83.1	0
2/25/2023, 4:44:52 AM	0	6.781	17.1	83.2	0
2/25/2023, 4:54:52 AM	0	6.781	17.1	83.3	0
2/25/2023, 5:04:52 AM	0	6.781	17.1	83.4	0
2/25/2023, 5:14:52 AM	0	6.781	17.1	83.5	0
2/25/2023, 5:24:52 AM	0	6.781	16.9	83.5	0
2/25/2023, 5:34:52 AM	0	6.781	16.9	83.6	0
2/25/2023, 5:44:52 AM	0	6.781	16.9	83.8	0
2/25/2023, 5:54:52 AM	0	6.781	16.9	83.8	0
2/25/2023, 6:04:52 AM	0	6.781	16.9	83.9	0
2/25/2023, 6:14:52 AM	0	6.781	16.9	84	0
2/25/2023, 6:24:52 AM	0	6.781	16.9	84.1	0
2/25/2023, 6:34:52 AM	0	6.781	16.9	84.1	0
2/25/2023, 6:44:52 AM	0	6.781	16.9	84.3	0
2/25/2023, 6:54:52 AM	0	6.781	17.1	84.4	0
2/25/2023, 7:04:52 AM	0	6.781	17.1	84.4	0
2/25/2023, 7:14:52 AM	0	6.781	17.1	84.5	0
2/25/2023, 7:24:52 AM	0	6.781	17.1	84.5	0
2/25/2023, 7:34:52 AM	0	6.781	17.2	84.6	0
2/25/2023, 7:44:52 AM	0	6.781	17.6	84.7	0
2/25/2023, 7:54:52 AM	0	6.79	17.8	84.7	0
2/25/2023, 8:04:52 AM	0	6.79	18.1	84.7	0
2/25/2023, 8:14:52 AM	0	6.79	18.5	84.7	0
2/25/2023, 8:24:52 AM	0	6.79	19	84.6	0
2/25/2023, 8:34:52 AM	0	6.79	19.4	84.4	0
2/25/2023, 8:44:52 AM	0	6.79	19.8	84.1	0
2/25/2023, 8:54:52 AM	0	6.79	20.1	83.9	0
2/25/2023, 9:04:52 AM	0	6.79	20.5	83.6	0
2/25/2023, 9:14:52 AM	0	6.79	21	83.2	0
2/25/2023, 9:24:52 AM	0	6.79	21.6	82.8	0
2/25/2023, 9:34:52 AM	0	6.79	23.2	82.5	0
2/25/2023, 9:44:52 AM	0	6.798	25.3	82	0
2/25/2023, 9:54:52 AM	0	6.798	27.3	81.1	0
2/25/2023, 10:04:52 AM	0	6.798	28.4	79.9	0
2/25/2023, 10:14:52 AM	0	6.807	29.3	78.8	0
2/25/2023, 10:24:52 AM	0	6.807	28.8	77.5	0
2/25/2023, 10:34:52 AM	0	6.807	28.2	76.6	0
2/25/2023, 10:44:52 AM	0	6.807	27.7	76	0
2/25/2023, 10:54:52 AM	0	6.807	27.7	75.5	0
2/25/2023, 11:04:52 AM	0	6.807	28.2	75.2	0
2/25/2023, 11:14:52 AM	0	6.807	29.1	75.1	0
2/25/2023, 11:24:52 AM	0	6.807	29.1	74.6	0
2/25/2023, 11:34:52 AM	0	6.807	28.9	74.3	0
2/25/2023, 11:44:52 AM	0	6.816	29.7	74.2	0
2/25/2023, 11:54:52 AM	0	6.816	30.6	74	0
2/25/2023, 12:04:52 PM	0	6.816	30.6	73.8	0
2/25/2023, 12:14:52 PM	0	6.816	31.3	73.8	0
2/25/2023, 12:24:52 PM	0	6.816	32	73.7	0
2/25/2023, 12:34:52 PM	0	6.816	32.5	73.5	0
2/25/2023, 12:44:52 PM	0	6.825	34.9	73.5	0
2/25/2023, 12:54:52 PM	0	6.825	36.3	72.8	0
2/25/2023, 1:04:52 PM	0	6.825	35.2	71.9	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/25/2023, 1:14:52 PM	0	6.825	33.4	71.2	0
2/25/2023, 1:24:52 PM	0	6.825	32	71.2	0
2/25/2023, 1:34:52 PM	0	6.825	30.7	71.6	0
2/25/2023, 1:44:52 PM	0	6.825	29.5	72	0
2/25/2023, 1:54:52 PM	0	6.825	28.8	72.6	0
2/25/2023, 2:04:52 PM	0	6.825	28.4	73.4	0
2/25/2023, 2:14:52 PM	0	6.825	28.6	74.1	0
2/25/2023, 2:24:52 PM	0	6.825	28.9	74.7	0
2/25/2023, 2:34:52 PM	0	6.825	29.3	75.1	0
2/25/2023, 2:44:52 PM	0	6.825	29.8	75.5	0
2/25/2023, 2:54:52 PM	0	6.825	30.6	75.7	0
2/25/2023, 3:04:52 PM	0	6.825	31.5	75.6	0
2/25/2023, 3:14:52 PM	0	6.825	31.6	75.3	0
2/25/2023, 3:24:52 PM	0	6.825	30.9	74.9	0
2/25/2023, 3:34:52 PM	0	6.825	30.4	74.9	0
2/25/2023, 3:44:52 PM	0	6.825	30.2	75.1	0
2/25/2023, 3:54:52 PM	0	6.825	30	75.4	0
2/25/2023, 4:04:52 PM	0	6.825	29.8	75.5	0
2/25/2023, 4:14:52 PM	0	6.825	29.8	75.9	0
2/25/2023, 4:24:52 PM	0	6.825	29.5	76	0
2/25/2023, 4:34:52 PM	0	6.825	28.9	76	0
2/25/2023, 4:44:52 PM	0	6.825	28.6	76	0
2/25/2023, 4:54:52 PM	0	6.825	28	76	0
2/25/2023, 5:04:52 PM	0	6.825	27.5	76.1	0
2/25/2023, 5:14:52 PM	0	6.825	27	76.4	0
2/25/2023, 5:24:52 PM	0	6.825	26.6	76.7	0
2/25/2023, 5:34:52 PM	0	6.816	26.2	77.1	0
2/25/2023, 5:44:52 PM	0	6.816	25.9	77.3	0
2/25/2023, 5:54:52 PM	0	6.816	25.2	77.4	0
2/25/2023, 6:04:52 PM	0	6.816	24.3	77.5	0
2/25/2023, 6:14:52 PM	0	6.816	23.5	77.8	0
2/25/2023, 6:24:52 PM	0	6.816	22.8	78.1	0
2/25/2023, 6:34:52 PM	0	6.807	22.1	78.4	0
2/25/2023, 6:44:52 PM	0	6.807	21.4	78.7	0
2/25/2023, 6:54:52 PM	0	6.807	20.7	78.8	0
2/25/2023, 7:04:52 PM	0	6.807	19.9	78.9	0
2/25/2023, 7:14:52 PM	0	6.798	19.2	79	0
2/25/2023, 7:24:52 PM	0	6.798	18.5	79.1	0
2/25/2023, 7:34:52 PM	0	6.798	17.8	79.3	0
2/25/2023, 7:44:52 PM	0	6.79	17.2	79.5	0
2/25/2023, 7:54:52 PM	0	6.79	17.1	79.8	0
2/25/2023, 8:04:52 PM	0	6.79	16.9	80.2	0
2/25/2023, 8:14:52 PM	0	6.79	16.3	80.5	0
2/25/2023, 8:24:52 PM	0	6.781	16	80.7	0
2/25/2023, 8:34:52 PM	0	6.781	15.4	80.8	0
2/25/2023, 8:44:52 PM	0	6.781	15.1	81	0
2/25/2023, 8:54:52 PM	0	6.781	14.7	81.1	0
2/25/2023, 9:04:52 PM	0	6.772	14.4	81.1	0
2/25/2023, 9:14:52 PM	0	6.772	14.2	81.3	0
2/25/2023, 9:24:52 PM	0	6.772	14.4	81.7	0
2/25/2023, 9:34:52 PM	0	6.772	14.9	82.3	0
2/25/2023, 9:44:52 PM	0	6.772	15.3	82.8	0
2/25/2023, 9:54:52 PM	0	6.772	15.8	83.4	0
2/25/2023, 10:04:52 PM	0	6.781	16.3	83.9	0
2/25/2023, 10:14:52 PM	0	6.781	16.7	84.4	0
2/25/2023, 10:24:52 PM	0	6.781	17.2	84.8	0
2/25/2023, 10:34:52 PM	0	6.781	17.6	85.2	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/25/2023, 10:44:52 PM	0	6.79	18	85.6	0
2/25/2023, 10:54:52 PM	0	6.79	18.3	85.9	0
2/25/2023, 11:04:52 PM	0	6.79	18.7	86.2	0
2/25/2023, 11:14:52 PM	0	6.79	18.9	86.5	0
2/25/2023, 11:24:52 PM	0	6.79	19.2	86.7	0
2/25/2023, 11:34:52 PM	0	6.79	19.4	86.9	0
2/25/2023, 11:44:52 PM	0	6.79	19.8	87.1	0
2/25/2023, 11:54:52 PM	0	6.798	19.9	87.3	0
2/26/2023, 12:04:52 AM	0	6.798	20.1	87.4	0
2/26/2023, 12:14:52 AM	0	6.798	20.3	87.5	0
2/26/2023, 12:24:52 AM	0	6.798	20.5	87.6	0
2/26/2023, 12:34:52 AM	0	6.798	20.5	87.7	0
2/26/2023, 12:44:52 AM	0	6.798	20.3	87.6	0
2/26/2023, 12:54:52 AM	0	6.798	19.9	87.4	0
2/26/2023, 1:04:52 AM	0	6.798	19.6	87.2	0
2/26/2023, 1:14:52 AM	0	6.798	19.4	87	0
2/26/2023, 1:24:52 AM	0	6.798	19.2	86.8	0
2/26/2023, 1:34:52 AM	0	6.798	18.7	86.6	0
2/26/2023, 1:44:52 AM	0	6.798	18.3	86.5	0
2/26/2023, 1:54:52 AM	0	6.798	18	86.3	0
2/26/2023, 2:04:52 AM	0	6.79	17.6	86.1	0
2/26/2023, 2:14:52 AM	0	6.79	17.4	86	0
2/26/2023, 2:24:52 AM	0	6.79	17.4	85.9	0
2/26/2023, 2:34:52 AM	0	6.79	17.4	86	0
2/26/2023, 2:44:52 AM	0	6.79	17.4	86.1	0
2/26/2023, 2:54:52 AM	0	6.79	17.6	86.2	0
2/26/2023, 3:04:52 AM	0	6.79	17.8	86.4	0
2/26/2023, 3:14:52 AM	0	6.79	18.1	86.7	0
2/26/2023, 3:24:52 AM	0	6.79	18.3	86.9	0
2/26/2023, 3:34:52 AM	0	6.79	18.5	87.1	0
2/26/2023, 3:44:52 AM	0	6.79	18.9	87.4	0
2/26/2023, 3:54:52 AM	0	6.79	19	87.6	0
2/26/2023, 4:04:52 AM	0	6.79	19.4	87.8	0
2/26/2023, 4:14:52 AM	0	6.798	19.8	88.1	0
2/26/2023, 4:24:52 AM	0	6.798	20.1	88.3	0
2/26/2023, 4:34:52 AM	0	6.798	20.3	88.5	0
2/26/2023, 4:44:52 AM	0	6.798	20.5	88.7	0
2/26/2023, 4:54:52 AM	0	6.798	20.7	88.8	0
2/26/2023, 5:04:52 AM	0	6.798	20.8	88.9	0
2/26/2023, 5:14:52 AM	0	6.798	20.8	89	0
2/26/2023, 5:24:52 AM	0	6.798	21	89	0
2/26/2023, 5:34:52 AM	0	6.798	21.2	89.1	0
2/26/2023, 5:44:52 AM	0	6.807	21.4	89.2	0
2/26/2023, 5:54:52 AM	0	6.798	21.6	89.3	0
2/26/2023, 6:04:52 AM	0	6.807	21.7	89.4	0
2/26/2023, 6:14:52 AM	0	6.807	21.9	89.5	0
2/26/2023, 6:24:52 AM	0	6.807	22.1	89.6	0
2/26/2023, 6:34:52 AM	0	6.807	22.3	89.7	0
2/26/2023, 6:44:52 AM	0	6.807	22.5	89.8	0
2/26/2023, 6:54:52 AM	0	6.807	22.8	89.9	0
2/26/2023, 7:04:52 AM	0	6.807	23	90	0
2/26/2023, 7:14:52 AM	0	6.807	23.4	90.1	0
2/26/2023, 7:24:52 AM	0	6.807	23.7	90.3	0
2/26/2023, 7:34:52 AM	0	6.816	23.9	90.4	0
2/26/2023, 7:44:52 AM	0	6.816	24.4	90.6	0
2/26/2023, 7:54:52 AM	0	6.816	25.2	90.8	0
2/26/2023, 8:04:52 AM	0	6.816	26.2	91.1	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/26/2023, 8:14:52 AM	0	6.816	27.3	91.5	0
2/26/2023, 8:24:52 AM	0	6.825	28.2	91.8	0
2/26/2023, 8:34:52 AM	0	6.825	29.5	92.1	0
2/26/2023, 8:44:52 AM	0	6.825	30.4	92.4	0
2/26/2023, 8:54:52 AM	0	6.833	31.5	92.7	0
2/26/2023, 9:04:52 AM	0	6.833	32.7	93	0
2/26/2023, 9:14:52 AM	0	6.833	34.2	93.1	0
2/26/2023, 9:24:52 AM	0	6.833	35.8	92.9	0
2/26/2023, 9:34:52 AM	0	6.842	37.4	92.4	0
2/26/2023, 9:44:52 AM	0	6.842	38.7	91.4	0
2/26/2023, 9:54:52 AM	0	6.842	40.5	89.8	0
2/26/2023, 10:04:52 AM	0	6.842	40.6	87.8	0
2/26/2023, 10:14:52 AM	0	6.851	40.8	86	0
2/26/2023, 10:24:52 AM	0	6.851	41	84.4	0
2/26/2023, 10:34:52 AM	0	6.851	41.2	83	0
2/26/2023, 10:44:52 AM	0	6.851	41.9	81.9	0
2/26/2023, 10:54:52 AM	0	6.851	42.8	80.8	0
2/26/2023, 11:04:52 AM	0	6.851	43.5	79.4	0
2/26/2023, 11:14:52 AM	0	6.851	44.4	77.7	0
2/26/2023, 11:24:52 AM	0	6.851	45	76.1	0
2/26/2023, 11:34:52 AM	0	6.851	45.1	74.7	0
2/26/2023, 11:44:52 AM	0	6.851	45.3	73.7	0
2/26/2023, 11:54:52 AM	0	6.851	45.3	72.8	0
2/26/2023, 12:04:52 PM	0	6.851	46	71.9	0
2/26/2023, 12:14:52 PM	0	6.86	46.2	71.2	0
2/26/2023, 12:24:52 PM	0	6.86	45.9	70.6	0
2/26/2023, 12:34:52 PM	0	6.86	45.3	70.1	0
2/26/2023, 12:44:52 PM	0	6.86	45.7	69.6	0
2/26/2023, 12:54:52 PM	0	6.86	46	69.1	0
2/26/2023, 1:04:52 PM	0	6.86	46.2	68.7	0
2/26/2023, 1:14:52 PM	0	6.86	47.7	68.3	0
2/26/2023, 1:24:52 PM	0	6.86	47.3	67.6	0
2/26/2023, 1:34:52 PM	0	6.86	47.5	67	0
2/26/2023, 1:44:52 PM	0	6.86	46	66.4	0
2/26/2023, 1:54:52 PM	0	6.86	45.1	66.2	0
2/26/2023, 2:04:52 PM	0	6.86	44.8	66	0
2/26/2023, 2:14:52 PM	0	6.86	43.9	65.8	0
2/26/2023, 2:24:52 PM	0	6.86	43.7	65.9	0
2/26/2023, 2:34:52 PM	0	6.86	45	66	0
2/26/2023, 2:44:52 PM	0	6.86	44.8	65.8	0
2/26/2023, 2:54:52 PM	0	6.86	43.2	65.7	0
2/26/2023, 3:04:52 PM	0	6.86	42.4	66	0
2/26/2023, 3:14:52 PM	0	6.86	42.1	66.3	0
2/26/2023, 3:24:52 PM	0	6.86	42.1	66.6	0
2/26/2023, 3:34:52 PM	0	6.86	42.1	66.9	0
2/26/2023, 3:44:52 PM	0	6.86	41.4	67	0
2/26/2023, 3:54:52 PM	0	6.86	40.6	67.2	0
2/26/2023, 4:04:52 PM	0	6.851	40.3	67.5	0
2/26/2023, 4:14:52 PM	0	6.851	39.6	67.8	0
2/26/2023, 4:24:52 PM	0	6.851	39	68.3	0
2/26/2023, 4:34:52 PM	0	6.851	38.7	68.9	0
2/26/2023, 4:44:52 PM	0	6.851	38.3	69.3	0
2/26/2023, 4:54:52 PM	0	6.851	38.1	69.7	0
2/26/2023, 5:04:52 PM	0	6.851	37.9	70.1	0
2/26/2023, 5:14:52 PM	0	6.851	37.6	70.4	0
2/26/2023, 5:24:52 PM	0	6.851	37.4	70.7	0
2/26/2023, 5:34:52 PM	0	6.851	37.2	71	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/26/2023, 5:44:52 PM	0	6.851	36.9	71.3	0
2/26/2023, 5:54:52 PM	0	6.851	36.7	71.7	0
2/26/2023, 6:04:52 PM	0	6.851	36.5	72.1	0
2/26/2023, 6:14:52 PM	0	6.851	36.1	72.4	0
2/26/2023, 6:24:52 PM	0	6.851	36	72.1	0
2/26/2023, 6:34:52 PM	0	6.851	35.8	71.5	0
2/26/2023, 6:44:52 PM	0	6.851	35.6	70.9	0
2/26/2023, 6:54:52 PM	0	6.851	35.2	70.6	0
2/26/2023, 7:04:52 PM	0	6.851	34.9	70.4	0
2/26/2023, 7:14:52 PM	0	6.851	34.5	70.5	0
2/26/2023, 7:24:52 PM	0	6.842	34.3	70.7	0
2/26/2023, 7:34:52 PM	0	6.842	34	70.8	0
2/26/2023, 7:44:52 PM	0	6.842	33.8	71	0
2/26/2023, 7:54:52 PM	0	6.842	33.4	71.1	0
2/26/2023, 8:04:52 PM	0	6.842	33.3	71.2	0
2/26/2023, 8:14:52 PM	0	6.842	33.3	71.4	0
2/26/2023, 8:24:52 PM	0	6.842	33.3	71.4	0
2/26/2023, 8:34:52 PM	0	6.842	33.3	71.4	0
2/26/2023, 8:44:52 PM	0	6.842	33.1	71.2	0
2/26/2023, 8:54:52 PM	0	6.842	32.9	71	0
2/26/2023, 9:04:52 PM	0	6.842	32.7	70.8	0
2/26/2023, 9:14:52 PM	0	6.842	32.4	70.7	0
2/26/2023, 9:24:52 PM	0	6.842	32	70.6	0
2/26/2023, 9:34:52 PM	0	6.842	31.6	70.5	0
2/26/2023, 9:44:52 PM	0	6.842	31.3	70.4	0
2/26/2023, 9:54:52 PM	0	6.833	31.1	70.2	0
2/26/2023, 10:04:52 PM	0	6.833	30.9	70.2	0
2/26/2023, 10:14:52 PM	0	6.833	30.6	70.1	0
2/26/2023, 10:24:52 PM	0	6.833	30.6	70.1	0
2/26/2023, 10:34:52 PM	0	6.833	30.4	70.1	0
2/26/2023, 10:44:52 PM	0	6.833	30.4	70.1	0
2/26/2023, 10:54:52 PM	0	6.833	30.2	70.2	0
2/26/2023, 11:04:52 PM	0	6.833	30.2	70.3	0
2/26/2023, 11:14:52 PM	0	6.833	30	70.5	0
2/26/2023, 11:24:52 PM	0	6.833	29.8	70.6	0
2/26/2023, 11:34:52 PM	0	6.833	29.8	70.8	0
2/26/2023, 11:44:52 PM	0	6.833	30	71	0
2/26/2023, 11:54:52 PM	0	6.833	30	71.2	0
2/27/2023, 12:04:52 AM	0	6.833	30	71.4	0
2/27/2023, 12:14:52 AM	0	6.833	30.2	71.6	0
2/27/2023, 12:24:52 AM	0	6.833	30.2	71.8	0
2/27/2023, 12:34:52 AM	0	6.833	30.2	71.9	0
2/27/2023, 12:44:52 AM	0	6.833	30.2	72.1	0
2/27/2023, 12:54:52 AM	0	6.833	30.2	72.2	0
2/27/2023, 1:04:52 AM	0	6.833	30.2	72.3	0
2/27/2023, 1:14:52 AM	0	6.833	30	72.2	0
2/27/2023, 1:24:52 AM	0	6.833	30	72.1	0
2/27/2023, 1:34:52 AM	0	6.833	29.8	72.2	0
2/27/2023, 1:44:52 AM	0	6.833	29.8	72.2	0
2/27/2023, 1:54:52 AM	0	6.833	29.7	72.1	0
2/27/2023, 2:04:52 AM	0	6.833	29.7	72.1	0
2/27/2023, 2:14:52 AM	0	6.833	29.7	72.1	0
2/27/2023, 2:24:52 AM	0	6.833	29.7	72.1	0
2/27/2023, 2:34:52 AM	0	6.833	29.5	72.1	0
2/27/2023, 2:44:52 AM	0	6.833	29.5	72.2	0
2/27/2023, 2:54:52 AM	0	6.833	29.3	72.3	0
2/27/2023, 3:04:52 AM	0	6.833	29.1	72.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/27/2023, 3:14:52 AM	0	6.833	28.9	72.6	0
2/27/2023, 3:24:52 AM	0	6.825	28.4	72.7	0
2/27/2023, 3:34:52 AM	0	6.825	27.9	72.9	0
2/27/2023, 3:44:52 AM	0	6.825	27.5	73.2	0
2/27/2023, 3:54:52 AM	0	6.825	27.3	73.6	0
2/27/2023, 4:04:52 AM	0	6.825	27.1	73.9	0
2/27/2023, 4:14:52 AM	0	6.825	27.1	74.4	0
2/27/2023, 4:24:52 AM	0	6.825	27.1	74.8	0
2/27/2023, 4:34:52 AM	0	6.825	27.1	75.2	0
2/27/2023, 4:44:52 AM	0	6.825	27	75.4	0
2/27/2023, 4:54:52 AM	0	6.825	26.6	75.5	0
2/27/2023, 5:04:52 AM	0	6.825	26.4	75.9	0
2/27/2023, 5:14:52 AM	0	6.825	26.2	76.1	0
2/27/2023, 5:24:52 AM	0	6.825	26.1	76.3	0
2/27/2023, 5:34:52 AM	0	6.825	26.1	76.5	0
2/27/2023, 5:44:52 AM	0	6.816	25.9	76.7	0
2/27/2023, 5:54:52 AM	0	6.816	25.7	77	0
2/27/2023, 6:04:52 AM	0	6.816	25.5	77.2	0
2/27/2023, 6:14:52 AM	0	6.816	25.3	77.3	0
2/27/2023, 6:24:52 AM	0	6.816	25	77.4	0
2/27/2023, 6:34:52 AM	0	6.816	24.6	77.6	0
2/27/2023, 6:44:52 AM	0	6.816	24.1	77.8	0
2/27/2023, 6:54:52 AM	0	6.816	23.9	78.1	0
2/27/2023, 7:04:52 AM	0	6.816	23.7	78.6	0
2/27/2023, 7:14:52 AM	0	6.816	23.9	79	0
2/27/2023, 7:24:52 AM	0	6.816	24.3	79.3	0
2/27/2023, 7:34:52 AM	0	6.816	25	79.4	0
2/27/2023, 7:44:52 AM	0	6.816	25.7	79.2	0
2/27/2023, 7:54:52 AM	0	6.816	26.4	78.8	0
2/27/2023, 8:04:52 AM	0	6.816	27.3	78.2	0
2/27/2023, 8:14:52 AM	0	6.816	28.6	77.4	0
2/27/2023, 8:24:52 AM	0	6.816	29.7	76.6	0
2/27/2023, 8:34:52 AM	0	6.825	30.7	75.8	0
2/27/2023, 8:44:52 AM	0	6.825	31.6	75	0
2/27/2023, 8:54:52 AM	0	6.825	32.5	74.2	0
2/27/2023, 9:04:52 AM	0	6.825	33.3	73.2	0
2/27/2023, 9:14:52 AM	0	6.825	34.2	72.4	0
2/27/2023, 9:24:52 AM	0	6.833	35.1	71.5	0
2/27/2023, 9:34:52 AM	0	6.833	36.3	70.5	0
2/27/2023, 9:44:52 AM	0	6.833	37.8	69.6	0
2/27/2023, 9:54:52 AM	0	6.833	38.7	68.6	0
2/27/2023, 10:04:52 AM	0	6.833	39.6	67.8	0
2/27/2023, 10:14:52 AM	0	6.833	41	67.1	0
2/27/2023, 10:24:52 AM	0	6.842	42.1	66.1	0
2/27/2023, 10:34:52 AM	0	6.842	42.4	65.3	0
2/27/2023, 10:44:52 AM	0	6.842	42.1	64.5	0
2/27/2023, 10:54:52 AM	0	6.842	41	63.8	0
2/27/2023, 11:04:52 AM	0	6.842	41.5	63.6	0
2/27/2023, 11:14:52 AM	0	6.842	42.8	63.4	0
2/27/2023, 11:24:52 AM	0	6.842	43.5	63	0
2/27/2023, 11:34:52 AM	0	6.842	43.7	62.5	0
2/27/2023, 11:44:52 AM	0	6.842	43.2	61.9	0
2/27/2023, 11:54:52 AM	0	6.851	42.3	61.6	0
2/27/2023, 12:04:52 PM	0	6.842	41.2	61.3	0
2/27/2023, 12:14:52 PM	0	6.842	40.6	61.4	0
2/27/2023, 12:24:52 PM	0	6.842	40.3	61.6	0
2/27/2023, 12:34:52 PM	0	6.842	40.1	61.8	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/27/2023, 12:44:52 PM	0	6.842	40.5	61.9	0
2/27/2023, 12:54:52 PM	0	6.842	40.8	62	0
2/27/2023, 1:04:52 PM	0	6.842	41.2	62.1	0
2/27/2023, 1:14:52 PM	0	6.851	41.4	62.2	0
2/27/2023, 1:24:52 PM	0	6.851	41	62.2	0
2/27/2023, 1:34:52 PM	0	6.851	40.5	62.1	0
2/27/2023, 1:44:52 PM	0	6.851	40.1	62.2	0
2/27/2023, 1:54:52 PM	0	6.851	40.1	62.2	0
2/27/2023, 2:04:52 PM	0	6.851	40.3	62.3	0
2/27/2023, 2:14:52 PM	0	6.851	41.2	62.2	0
2/27/2023, 2:24:52 PM	0	6.851	42.6	62	0
2/27/2023, 2:34:52 PM	0	6.851	42.6	61.5	0
2/27/2023, 2:44:52 PM	0	6.851	41.7	61.1	0
2/27/2023, 2:54:52 PM	0	6.851	41.4	60.9	0
2/27/2023, 3:04:52 PM	0	6.851	41	61	0
2/27/2023, 3:14:52 PM	0	6.851	40.8	61.4	0
2/27/2023, 3:24:52 PM	0	6.851	40.3	61.5	0
2/27/2023, 3:34:52 PM	0	6.851	39.7	61.6	0
2/27/2023, 3:44:52 PM	0	6.851	39.4	61.7	0
2/27/2023, 3:54:52 PM	0	6.851	38.8	62	0
2/27/2023, 4:04:52 PM	0	6.851	38.7	62.4	0
2/27/2023, 4:14:52 PM	0	6.851	38.3	62.6	0
2/27/2023, 4:24:52 PM	0	6.851	37.8	62.9	0
2/27/2023, 4:34:52 PM	0	6.851	36.9	63	0
2/27/2023, 4:44:52 PM	0	6.851	36.1	63.4	0
2/27/2023, 4:54:52 PM	0	6.851	35.6	63.7	0
2/27/2023, 5:04:52 PM	0	6.851	35.1	64.1	0
2/27/2023, 5:14:52 PM	0	6.842	34.5	64.4	0
2/27/2023, 5:24:52 PM	0	6.842	34.2	64.7	0
2/27/2023, 5:34:52 PM	0	6.842	34	65	0
2/27/2023, 5:44:52 PM	0	6.842	33.6	65.3	0
2/27/2023, 5:54:52 PM	0	6.842	33.6	65.8	0
2/27/2023, 6:04:52 PM	0	6.842	33.3	66.9	0
2/27/2023, 6:14:52 PM	0	6.842	32.9	68.8	0
2/27/2023, 6:24:52 PM	0	6.842	32.2	70.8	0
2/27/2023, 6:34:52 PM	0	6.842	31.8	72.7	0
2/27/2023, 6:44:52 PM	0	6.833	31.5	74.6	0
2/27/2023, 6:54:52 PM	0	6.833	31.3	76.4	0
2/27/2023, 7:04:52 PM	0	6.833	31.3	77.8	0
2/27/2023, 7:14:52 PM	0	6.833	31.3	79.2	0
2/27/2023, 7:24:52 PM	0	6.833	31.3	80.4	0
2/27/2023, 7:34:52 PM	0	6.833	31.5	81.6	0
2/27/2023, 7:44:52 PM	0	6.833	32	82.7	0
2/27/2023, 7:54:52 PM	0	6.833	32.2	83.7	0
2/27/2023, 8:04:52 PM	0	6.833	32.4	84.4	0
2/27/2023, 8:14:52 PM	0	6.833	32.5	85	0
2/27/2023, 8:24:52 PM	0	6.842	32.7	85.5	0
2/27/2023, 8:34:52 PM	0	6.842	32.9	85.8	0
2/27/2023, 8:44:52 PM	0	6.842	32.9	86.1	0
2/27/2023, 8:54:52 PM	0	6.842	33.1	86.4	0
2/27/2023, 9:04:52 PM	0	6.842	33.1	86.5	0
2/27/2023, 9:14:52 PM	0	6.842	33.3	86.7	0
2/27/2023, 9:24:52 PM	0	6.842	33.3	86.8	0
2/27/2023, 9:34:52 PM	0	6.842	33.4	86.8	0
2/27/2023, 9:44:52 PM	0	6.842	33.4	86.8	0
2/27/2023, 9:54:52 PM	0	6.842	33.4	86.8	0
2/27/2023, 10:04:52 PM	0	6.842	33.4	86.7	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/27/2023, 10:14:52 PM	0	6.842	33.4	86.7	0
2/27/2023, 10:24:52 PM	0	6.842	33.6	86.6	0
2/27/2023, 10:34:52 PM	0	6.842	33.6	86.7	0
2/27/2023, 10:44:52 PM	0	6.842	33.6	86.6	0
2/27/2023, 10:54:52 PM	0	6.842	33.8	86.6	0
2/27/2023, 11:04:52 PM	0	6.842	33.8	86.4	0
2/27/2023, 11:14:52 PM	0	6.842	34	86.3	0
2/27/2023, 11:24:52 PM	0	6.842	34	86.2	0
2/27/2023, 11:34:52 PM	0	6.842	34	86.1	0
2/27/2023, 11:44:52 PM	0	6.842	34.2	86	0
2/27/2023, 11:54:52 PM	0	6.842	34.2	85.9	0
2/28/2023, 12:04:52 AM	0	6.842	34.2	85.8	0
2/28/2023, 12:14:52 AM	0	6.842	34.3	85.8	0
2/28/2023, 12:24:52 AM	0	6.842	34.3	85.7	0
2/28/2023, 12:34:52 AM	0	6.842	34.3	85.7	0
2/28/2023, 12:44:52 AM	0	6.842	34.3	85.6	0
2/28/2023, 12:54:52 AM	0	6.842	34.3	85.6	0
2/28/2023, 1:04:52 AM	0	6.842	34.3	85.6	0
2/28/2023, 1:14:52 AM	0	6.842	34.2	85.6	0
2/28/2023, 1:24:52 AM	0	6.842	34.2	85.7	0
2/28/2023, 1:34:52 AM	0	6.842	34	85.8	0
2/28/2023, 1:44:52 AM	0	6.842	34	85.9	0
2/28/2023, 1:54:52 AM	0	6.842	33.8	85.9	0
2/28/2023, 2:04:52 AM	0	6.842	33.8	85.9	0
2/28/2023, 2:14:52 AM	0	6.842	33.8	86	0
2/28/2023, 2:24:52 AM	0	6.842	34	85.9	0
2/28/2023, 2:34:52 AM	0	6.842	34	86	0
2/28/2023, 2:44:52 AM	0	6.842	34	86	0
2/28/2023, 2:54:52 AM	0	6.842	33.8	86.1	0
2/28/2023, 3:04:52 AM	0	6.842	33.8	86.2	0
2/28/2023, 3:14:52 AM	0	6.842	33.8	86.3	0
2/28/2023, 3:24:52 AM	0	6.842	33.6	86.6	0
2/28/2023, 3:34:52 AM	0	6.842	33.6	86.8	0
2/28/2023, 3:44:52 AM	0	6.842	33.6	87	0
2/28/2023, 3:54:52 AM	0	6.842	33.6	87.3	0
2/28/2023, 4:04:52 AM	0	6.842	33.6	87.5	0
2/28/2023, 4:14:52 AM	0	6.842	33.6	87.7	0
2/28/2023, 4:24:52 AM	0	6.842	33.6	87.9	0
2/28/2023, 4:34:52 AM	0	6.842	33.6	88.2	0
2/28/2023, 4:44:52 AM	0	6.842	33.6	88.4	0
2/28/2023, 4:54:52 AM	0	6.842	33.6	88.6	0
2/28/2023, 5:04:52 AM	0	6.842	33.6	88.7	0
2/28/2023, 5:14:52 AM	0	6.842	33.6	88.9	0
2/28/2023, 5:24:52 AM	0	6.842	33.6	89.1	0
2/28/2023, 5:34:52 AM	0	6.842	33.8	89.2	0
2/28/2023, 5:44:52 AM	0	6.842	33.8	89.4	0
2/28/2023, 5:54:52 AM	0	6.842	33.8	89.6	0
2/28/2023, 6:04:52 AM	0	6.842	34	89.7	0
2/28/2023, 6:14:52 AM	0	6.842	34	89.8	0
2/28/2023, 6:24:52 AM	0	6.842	34.2	89.9	0
2/28/2023, 6:34:52 AM	0	6.842	34.2	90.1	0
2/28/2023, 6:44:52 AM	0	6.842	34.3	90.2	0
2/28/2023, 6:54:52 AM	0	6.842	34.3	90.3	0
2/28/2023, 7:04:52 AM	0	6.842	34.5	90.5	0
2/28/2023, 7:14:52 AM	0	6.842	34.5	90.6	0
2/28/2023, 7:24:52 AM	0	6.842	34.7	90.7	0
2/28/2023, 7:34:52 AM	0	6.842	34.9	90.8	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/28/2023, 7:44:52 AM	0	6.842	35.1	90.9	0
2/28/2023, 7:54:52 AM	0	6.842	35.2	91	0
2/28/2023, 8:04:52 AM	0	6.842	35.4	91.1	0
2/28/2023, 8:14:52 AM	0	6.842	35.6	91.2	0
2/28/2023, 8:24:52 AM	0	6.842	35.8	91.3	0
2/28/2023, 8:34:52 AM	0	6.842	36.3	91.6	0
2/28/2023, 8:44:52 AM	0	6.842	37.2	91.9	0
2/28/2023, 8:54:52 AM	0	6.851	37.9	92.1	0
2/28/2023, 9:04:52 AM	0	6.851	38.3	92.2	0
2/28/2023, 9:14:52 AM	0	6.851	38.7	92.1	0
2/28/2023, 9:24:52 AM	0	6.851	39	91.9	0
2/28/2023, 9:34:52 AM	0	6.851	39	91.4	0
2/28/2023, 9:44:52 AM	0	6.851	39	91	0
2/28/2023, 9:54:52 AM	0	6.851	38.8	90.5	0
2/28/2023, 10:04:52 AM	0	6.851	38.7	90	0
2/28/2023, 10:14:52 AM	0	6.851	38.3	89.7	0
2/28/2023, 10:24:52 AM	0	6.851	38.1	89.4	0
2/28/2023, 10:34:52 AM	0	6.851	37.9	89.1	0
2/28/2023, 10:44:52 AM	0	6.851	37.9	88.8	0
2/28/2023, 10:54:52 AM	0	6.851	38.1	88.4	0
2/28/2023, 11:04:52 AM	0	6.851	38.3	87.9	0
2/28/2023, 11:14:52 AM	0	6.851	38.5	87.4	0
2/28/2023, 11:24:52 AM	0	6.851	38.3	87	0
2/28/2023, 11:34:52 AM	0	6.851	38.1	86.6	0
2/28/2023, 11:44:52 AM	0	6.851	37.9	86.2	0
2/28/2023, 11:54:52 AM	0	6.851	37.9	85.8	0
2/28/2023, 12:04:52 PM	0	6.851	37.8	85.2	0
2/28/2023, 12:14:52 PM	0	6.851	38.1	84.6	0
2/28/2023, 12:24:52 PM	0	6.851	38.1	84	0
2/28/2023, 12:34:52 PM	0	6.851	37.9	83.6	0
2/28/2023, 12:44:52 PM	0	6.851	37.9	83.1	0
2/28/2023, 12:54:52 PM	0	6.851	38.3	82.6	0
2/28/2023, 1:04:52 PM	0	6.851	38.7	81.9	0
2/28/2023, 1:14:52 PM	0	6.851	38.7	81.1	0
2/28/2023, 1:24:52 PM	0	6.851	38.5	80.5	0
2/28/2023, 1:34:52 PM	0	6.851	38.3	80.1	0
2/28/2023, 1:44:52 PM	0	6.851	38.3	79.8	0
2/28/2023, 1:54:52 PM	0	6.851	38.3	79.6	0
2/28/2023, 2:04:52 PM	0	6.851	38.3	79.3	0
2/28/2023, 2:14:52 PM	0	6.851	38.3	79.1	0
2/28/2023, 2:24:52 PM	0	6.851	38.3	79	0
2/28/2023, 2:34:52 PM	0	6.851	38.3	78.8	0
2/28/2023, 2:44:52 PM	0	6.851	38.3	78.7	0
2/28/2023, 2:54:52 PM	0	6.851	38.5	78.6	0
2/28/2023, 3:04:52 PM	0	6.851	38.3	78.4	0
2/28/2023, 3:14:52 PM	0	6.851	38.3	78.3	0
2/28/2023, 3:24:52 PM	0	6.851	38.1	78.2	0
2/28/2023, 3:34:52 PM	0	6.851	38.1	78.2	0
2/28/2023, 3:44:52 PM	0	6.851	38.1	78.1	0
2/28/2023, 3:54:52 PM	0	6.851	38.1	78	0
2/28/2023, 4:04:52 PM	0	6.851	37.9	77.9	0
2/28/2023, 4:14:52 PM	0	6.851	37.9	77.8	0
2/28/2023, 4:24:52 PM	0	6.851	37.8	77.9	0
2/28/2023, 4:34:52 PM	0	6.851	37.6	77.9	0
2/28/2023, 4:44:52 PM	0	6.851	37.4	78	0
2/28/2023, 4:54:52 PM	0	6.851	37.2	78	0
2/28/2023, 5:04:52 PM	0	6.851	37.2	78.1	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/28/2023, 5:14:52 PM	0	6.851	37	78.3	0
2/28/2023, 5:24:52 PM	0	6.851	37	78.4	0
2/28/2023, 5:34:52 PM	0	6.851	36.9	78.5	0
2/28/2023, 5:44:52 PM	0	6.851	36.7	78.6	0
2/28/2023, 5:54:52 PM	0	6.851	36.5	78.6	0
2/28/2023, 6:04:52 PM	0	6.851	36.3	78.7	0
2/28/2023, 6:14:52 PM	0	6.842	36.1	78.9	0
2/28/2023, 6:24:52 PM	0	6.842	36	78.9	0
2/28/2023, 6:34:52 PM	0	6.842	36	79	0
2/28/2023, 6:44:52 PM	0	6.851	36	79	0
2/28/2023, 6:54:52 PM	0	6.842	35.8	78.8	0
2/28/2023, 7:04:52 PM	0	6.842	35.8	78.5	0
2/28/2023, 7:14:52 PM	0	6.842	35.8	78.1	0
2/28/2023, 7:24:52 PM	0	6.842	35.6	77.8	0
2/28/2023, 7:34:52 PM	0	6.842	35.6	77.6	0
2/28/2023, 7:44:52 PM	0	6.842	35.6	77.4	0
2/28/2023, 7:54:52 PM	0	6.842	35.6	77.2	0
2/28/2023, 8:04:52 PM	0	6.842	35.4	77.1	0
2/28/2023, 8:14:52 PM	0	6.842	35.4	76.9	0
2/28/2023, 8:24:52 PM	0	6.842	35.4	76.6	0
2/28/2023, 8:34:52 PM	0	6.842	35.2	76.3	0
2/28/2023, 8:44:52 PM	0	6.842	35.2	76.1	0
2/28/2023, 8:54:52 PM	0	6.842	35.1	75.8	0
2/28/2023, 9:04:52 PM	0	6.842	35.1	75.6	0
2/28/2023, 9:14:52 PM	0	6.842	35.1	75.4	0
2/28/2023, 9:24:52 PM	0	6.842	35.1	75.3	0
2/28/2023, 9:34:52 PM	0	6.842	34.9	75.3	0
2/28/2023, 9:44:52 PM	0	6.842	34.9	75.3	0
2/28/2023, 9:54:52 PM	0	6.842	34.7	75.2	0
2/28/2023, 10:04:52 PM	0	6.842	34.7	75.2	0
2/28/2023, 10:14:52 PM	0	6.842	34.5	75.2	0
2/28/2023, 10:24:52 PM	0	6.842	34.3	75.3	0
2/28/2023, 10:34:52 PM	0	6.842	34.2	75.3	0
2/28/2023, 10:44:52 PM	0	6.842	34	75.4	0
2/28/2023, 10:54:52 PM	0	6.842	33.6	75.4	0
2/28/2023, 11:04:52 PM	0	6.842	33.4	75.5	0
2/28/2023, 11:14:52 PM	0	6.842	33.1	75.6	0
2/28/2023, 11:24:52 PM	0	6.842	32.9	75.8	0
2/28/2023, 11:34:52 PM	0	6.842	32.5	75.9	0
2/28/2023, 11:44:52 PM	0	6.842	32.2	76.3	0
2/28/2023, 11:54:52 PM	0	6.833	32	76.7	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/1/2023, 12:04:07 AM	0	6.57	22.1	77.7	
2/1/2023, 12:14:07 AM	0	6.57	21.9	77.8	
2/1/2023, 12:24:07 AM	0	6.57	21.7	77.8	
2/1/2023, 12:34:07 AM	0	6.57	21.4	77.9	
2/1/2023, 12:44:07 AM	0	6.57	21.2	77.9	
2/1/2023, 12:54:07 AM	0	6.561	20.7	77.9	0
2/1/2023, 1:04:07 AM	0	6.561	20.3	77.8	0
2/1/2023, 1:14:07 AM	0	6.561	19.8	77.8	0
2/1/2023, 1:24:07 AM	0	6.561	19.2	77.9	0
2/1/2023, 1:34:07 AM	0	6.552	19.2	78.2	0
2/1/2023, 1:44:07 AM	0	6.552	19.2	78.6	0
2/1/2023, 1:54:07 AM	0	6.552	19.6	79.1	0
2/1/2023, 2:04:07 AM	0	6.552	19.8	79.5	0
2/1/2023, 2:14:07 AM	0	6.552	20.1	80	0
2/1/2023, 2:24:07 AM	0	6.552	20.5	80.3	0
2/1/2023, 2:34:07 AM	0	6.552	20.7	80.6	0
2/1/2023, 2:44:07 AM	0	6.561	21	80.7	0
2/1/2023, 2:54:07 AM	0	6.561	21.2	80.9	0
2/1/2023, 3:04:07 AM	0	6.561	21.4	81	0
2/1/2023, 3:14:07 AM	0	6.561	21.4	81	0
2/1/2023, 3:24:07 AM	0	6.561	21.4	81	0
2/1/2023, 3:34:07 AM	0	6.561	21.2	80.8	0
2/1/2023, 3:44:07 AM	0	6.561	21.2	80.7	0
2/1/2023, 3:54:07 AM	0	6.561	20.8	80.6	0
2/1/2023, 4:04:07 AM	0	6.561	20.3	80.3	0
2/1/2023, 4:14:07 AM	0	6.552	19.8	80	0
2/1/2023, 4:24:07 AM	0	6.552	19.2	79.9	0
2/1/2023, 4:34:07 AM	0	6.552	19.2	80.1	0
2/1/2023, 4:44:07 AM	0	6.552	19.2	80.2	0
2/1/2023, 4:54:07 AM	0	6.544	19.4	80.4	0
2/1/2023, 5:04:07 AM	0	6.544	19.2	80.4	0
2/1/2023, 5:14:07 AM	0	6.544	19	80.2	0
2/1/2023, 5:24:07 AM	0	6.544	18.9	80.2	0
2/1/2023, 5:34:07 AM	0	6.544	18.9	80.2	0
2/1/2023, 5:44:07 AM	0	6.544	18.9	80.3	0
2/1/2023, 5:54:07 AM	0	6.544	19	80.4	0
2/1/2023, 6:04:07 AM	0	6.544	19	80.4	0
2/1/2023, 6:14:07 AM	0	6.544	18.9	80.2	0
2/1/2023, 6:24:07 AM	0	6.544	18.5	80.1	0
2/1/2023, 6:34:07 AM	0	6.544	18.1	79.8	0
2/1/2023, 6:44:07 AM	0	6.535	18	79.7	0
2/1/2023, 6:54:07 AM	0	6.535	17.6	79.6	0
2/1/2023, 7:04:07 AM	0	6.535	17.4	79.6	0
2/1/2023, 7:14:07 AM	0	6.535	17.2	79.5	0
2/1/2023, 7:24:07 AM	0	6.535	17.1	79.5	0
2/1/2023, 7:34:07 AM	0	6.526	16.9	79.4	0
2/1/2023, 7:44:07 AM	0	6.526	16.9	79.4	0
2/1/2023, 7:54:07 AM	0	6.526	16.7	79.3	0
2/1/2023, 8:04:07 AM	0	6.526	16.9	79.3	0
2/1/2023, 8:14:07 AM	0	6.526	17.1	79.4	0
2/1/2023, 8:24:07 AM	0	6.526	18.3	79.7	0
2/1/2023, 8:34:07 AM	0	6.535	19.6	79.9	0
2/1/2023, 8:44:07 AM	0	6.535	19.9	79.7	0
2/1/2023, 8:54:07 AM	0	6.544	20.1	79.4	0
2/1/2023, 9:04:07 AM	0	6.544	20.5	79.2	0
2/1/2023, 9:14:07 AM	0	6.544	20.8	79	0
2/1/2023, 9:24:07 AM	0	6.544	22.3	78.9	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/1/2023, 9:34:07 AM	0	6.552	24.3	78.9	0
2/1/2023, 9:44:07 AM	0	6.561	26.2	78.6	0
2/1/2023, 9:54:07 AM	0	6.57	27.5	77.9	0
2/1/2023, 10:04:07 AM	0	6.579	28.4	77.1	0
2/1/2023, 10:14:07 AM	0	6.579	29.7	76.3	0
2/1/2023, 10:24:07 AM	0	6.588	30.7	75.5	0
2/1/2023, 10:34:07 AM	0	6.588	31.6	74.7	0
2/1/2023, 10:44:07 AM	0	6.596	32.4	73.8	0
2/1/2023, 10:54:07 AM	0	6.605	33.3	73	0
2/1/2023, 11:23:31 AM	0	6.816	32.7	69.3	0
2/1/2023, 11:33:31 AM	0	6.816	33.6	69.4	0
2/1/2023, 11:43:31 AM	0	6.816	34.5	69.3	0
2/1/2023, 11:53:31 AM	0	6.825	33.8	68.6	0
2/1/2023, 12:03:31 PM	0	6.833	33.3	68.2	0
2/1/2023, 12:13:31 PM	0	6.833	32.9	67.9	0
2/1/2023, 12:23:31 PM	0	6.842	32.4	67.7	0
2/1/2023, 12:33:31 PM	0	6.842	32	67.5	0
2/1/2023, 12:43:31 PM	0	6.842	31.8	67.5	0
2/1/2023, 12:53:31 PM	0	6.842	31.6	67.5	0
2/1/2023, 1:03:31 PM	0	6.842	31.3	67.4	0
2/1/2023, 1:13:31 PM	0	6.842	31.5	67.3	0
2/1/2023, 1:23:31 PM	0	6.842	31.6	67.3	0
2/1/2023, 1:33:31 PM	0	6.842	32	67.3	0
2/1/2023, 1:43:31 PM	0	6.842	32	67.1	0
2/1/2023, 1:53:31 PM	0	6.842	32	66.8	0
2/1/2023, 2:03:31 PM	0	6.842	32.2	66.7	0
2/1/2023, 2:13:31 PM	0	6.842	32.2	66.5	0
2/1/2023, 2:23:31 PM	0	6.842	32.2	66.2	0
2/1/2023, 2:33:31 PM	0	6.842	32.2	66	0
2/1/2023, 2:43:31 PM	0	6.842	32.4	65.7	0
2/1/2023, 2:53:31 PM	0	6.842	32	65.4	0
2/1/2023, 3:03:31 PM	0	6.842	31.5	65	0
2/1/2023, 3:13:31 PM	0	6.842	31.3	64.9	0
2/1/2023, 3:23:31 PM	0	6.842	31.1	64.9	0
2/1/2023, 3:33:31 PM	0	6.842	30.9	64.9	0
2/1/2023, 3:43:31 PM	0	6.842	30.7	64.9	0
2/1/2023, 3:53:31 PM	0	6.842	30.6	64.8	0
2/1/2023, 4:03:31 PM	0	6.842	30.4	64.7	0
2/1/2023, 4:13:31 PM	0	6.842	30	64.5	0
2/1/2023, 4:23:31 PM	0	6.842	29.5	64.4	0
2/1/2023, 4:33:31 PM	0	6.842	29.1	64.3	0
2/1/2023, 4:43:31 PM	0	6.833	28.6	64.3	0
2/1/2023, 4:53:31 PM	0	6.833	28	64.4	0
2/1/2023, 5:03:31 PM	0	6.833	27.7	64.4	0
2/1/2023, 5:13:31 PM	0	6.833	27.1	64.5	0
2/1/2023, 5:23:31 PM	0	6.833	26.8	64.7	0
2/1/2023, 5:33:31 PM	0	6.833	26.4	64.9	0
2/1/2023, 5:43:31 PM	0	6.825	25.9	65.2	0
2/1/2023, 5:53:31 PM	0	6.825	25.5	65.5	0
2/1/2023, 6:03:31 PM	0	6.825	25.2	65.8	0
2/1/2023, 6:13:31 PM	0	6.825	24.8	66.1	0
2/1/2023, 6:23:31 PM	0	6.825	24.4	66.4	0
2/1/2023, 6:33:31 PM	0	6.816	24.1	66.8	0
2/1/2023, 6:43:31 PM	0	6.816	23.7	67.1	0
2/1/2023, 6:53:31 PM	0	6.816	23.2	67.4	0
2/1/2023, 7:03:31 PM	0	6.816	22.8	67.7	0
2/1/2023, 7:13:31 PM	0	6.816	22.3	68	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/1/2023, 7:23:31 PM	0	6.807	21.9	68.4	0
2/1/2023, 7:33:31 PM	0	6.807	21.6	68.8	0
2/1/2023, 7:43:31 PM	0	6.807	21.2	69.1	0
2/1/2023, 7:53:31 PM	0	6.807	21	69.6	0
2/1/2023, 8:03:31 PM	0	6.798	20.8	70	0
2/1/2023, 8:13:31 PM	0	6.798	20.8	70.6	0
2/1/2023, 8:23:31 PM	0	6.798	20.8	71.1	0
2/1/2023, 8:33:31 PM	0	6.798	20.8	71.5	0
2/1/2023, 8:43:31 PM	0	6.798	20.8	71.9	0
2/1/2023, 8:53:31 PM	0	6.798	21	72.3	0
2/1/2023, 9:03:31 PM	0	6.798	21.2	72.8	0
2/1/2023, 9:13:31 PM	0	6.798	21.6	73.4	0
2/1/2023, 9:23:31 PM	0	6.798	21.9	73.8	0
2/1/2023, 9:33:31 PM	0	6.798	22.3	74.1	0
2/1/2023, 9:43:31 PM	0	6.798	22.6	74.3	0
2/1/2023, 9:53:31 PM	0	6.798	22.8	74.5	0
2/1/2023, 10:03:31 PM	0	6.798	23.2	74.5	0
2/1/2023, 10:13:31 PM	0	6.798	23.4	74.7	0
2/1/2023, 10:23:31 PM	0	6.798	23.7	74.8	0
2/1/2023, 10:33:31 PM	0	6.798	23.9	74.8	0
2/1/2023, 10:43:31 PM	0	6.798	24.1	74.9	0
2/1/2023, 10:53:31 PM	0	6.798	24.3	74.8	0
2/1/2023, 11:03:31 PM	0	6.798	24.4	74.8	0
2/1/2023, 11:13:31 PM	0	6.798	24.4	74.7	0
2/1/2023, 11:23:31 PM	0	6.798	24.4	74.6	0
2/1/2023, 11:33:31 PM	0	6.798	24.3	74.5	0
2/1/2023, 11:43:31 PM	0	6.798	24.3	74.3	0
2/1/2023, 11:53:31 PM	0	6.798	24.3	74.3	0
2/2/2023, 12:03:31 AM	0	6.798	24.4	74.2	0
2/2/2023, 12:13:31 AM	0	6.798	24.6	74.2	0
2/2/2023, 12:23:31 AM	0	6.798	24.6	74.1	0
2/2/2023, 12:33:31 AM	0	6.798	24.6	73.9	0
2/2/2023, 12:43:31 AM	0	6.798	24.4	73.7	0
2/2/2023, 12:53:31 AM	0	6.798	24.4	73.5	0
2/2/2023, 1:03:31 AM	0	6.798	24.3	73.4	0
2/2/2023, 1:13:31 AM	0	6.798	24.3	73.3	0
2/2/2023, 1:23:31 AM	0	6.798	24.3	73.2	0
2/2/2023, 1:33:31 AM	0	6.798	24.1	73.1	0
2/2/2023, 1:43:31 AM	0	6.798	23.9	72.9	0
2/2/2023, 1:53:31 AM	0	6.79	23.7	72.8	0
2/2/2023, 2:03:31 AM	0	6.79	23.4	72.7	0
2/2/2023, 2:13:31 AM	0	6.79	23.2	72.7	0
2/2/2023, 2:23:31 AM	0	6.79	23.2	72.8	0
2/2/2023, 2:33:31 AM	0	6.79	23.4	72.9	0
2/2/2023, 2:43:31 AM	0	6.79	23.5	73	0
2/2/2023, 2:53:31 AM	0	6.79	23.7	73.1	0
2/2/2023, 3:03:31 AM	0	6.79	24.1	73.2	0
2/2/2023, 3:13:31 AM	0	6.798	24.3	73.2	0
2/2/2023, 3:23:31 AM	0	6.798	24.3	73.2	0
2/2/2023, 3:33:31 AM	0	6.798	24.4	73.2	0
2/2/2023, 3:43:31 AM	0	6.798	24.4	73.1	0
2/2/2023, 3:53:31 AM	0	6.798	24.6	73.1	0
2/2/2023, 4:03:31 AM	0	6.798	24.6	73.1	0
2/2/2023, 4:13:31 AM	0	6.798	24.8	73.1	0
2/2/2023, 4:23:31 AM	0	6.798	24.8	73	0
2/2/2023, 4:33:31 AM	0	6.798	25	73	0
2/2/2023, 4:43:31 AM	0	6.798	25	72.9	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/2/2023, 4:53:31 AM	0	6.798	25	72.9	0
2/2/2023, 5:03:31 AM	0	6.798	25.2	72.9	0
2/2/2023, 5:13:31 AM	0	6.798	25.2	72.9	0
2/2/2023, 5:23:31 AM	0	6.798	25.2	72.9	0
2/2/2023, 5:33:31 AM	0	6.798	25.2	73	0
2/2/2023, 5:43:31 AM	0	6.798	25.3	73	0
2/2/2023, 5:53:31 AM	0	6.798	25.3	73.1	0
2/2/2023, 6:03:31 AM	0	6.798	25.5	73.1	0
2/2/2023, 6:13:31 AM	0	6.798	25.5	73.2	0
2/2/2023, 6:23:31 AM	0	6.798	25.7	73.2	0
2/2/2023, 6:33:31 AM	0	6.798	25.7	73.2	0
2/2/2023, 6:43:31 AM	0	6.798	25.9	73.1	0
2/2/2023, 6:53:31 AM	0	6.798	25.9	73.1	0
2/2/2023, 7:03:31 AM	0	6.798	26.1	73	0
2/2/2023, 7:13:31 AM	0	6.798	26.1	73	0
2/2/2023, 7:23:31 AM	0	6.798	26.1	72.9	0
2/2/2023, 7:33:31 AM	0	6.798	26.1	72.9	0
2/2/2023, 7:43:31 AM	0	6.798	26.2	72.9	0
2/2/2023, 7:53:31 AM	0	6.798	26.2	72.8	0
2/2/2023, 8:03:31 AM	0	6.798	26.4	72.8	0
2/2/2023, 8:13:31 AM	0	6.807	26.6	72.8	0
2/2/2023, 8:23:31 AM	0	6.807	26.8	72.8	0
2/2/2023, 8:33:31 AM	0	6.807	27	72.8	0
2/2/2023, 8:43:31 AM	0	6.807	27.1	72.8	0
2/2/2023, 8:53:31 AM	0	6.807	27.5	72.8	0
2/2/2023, 9:03:31 AM	0	6.807	27.7	72.9	0
2/2/2023, 9:13:31 AM	0	6.807	28	72.8	0
2/2/2023, 9:23:31 AM	0	6.807	28.4	72.8	0
2/2/2023, 9:33:31 AM	0	6.807	28.8	72.8	0
2/2/2023, 9:43:31 AM	0	6.807	29.1	72.7	0
2/2/2023, 9:53:31 AM	0	6.807	29.5	72.7	0
2/2/2023, 10:03:31 AM	0	6.807	29.8	72.6	0
2/2/2023, 10:13:31 AM	0	6.807	30.2	72.5	0
2/2/2023, 10:23:31 AM	0	6.816	30.7	72.4	0
2/2/2023, 10:33:31 AM	0	6.816	31.3	72.3	0
2/2/2023, 10:43:31 AM	0	6.816	31.8	72.1	0
2/2/2023, 10:53:31 AM	0	6.816	32	71.8	0
2/2/2023, 11:03:31 AM	0	6.816	32.4	71.6	0
2/2/2023, 11:13:31 AM	0	6.816	32.7	71.2	0
2/2/2023, 11:23:31 AM	0	6.816	33.3	70.9	0
2/2/2023, 11:33:31 AM	0	6.816	33.4	70.4	0
2/2/2023, 11:43:31 AM	0	6.825	33.8	70	0
2/2/2023, 11:53:31 AM	0	6.825	34.2	69.5	0
2/2/2023, 12:03:31 PM	0	6.825	34.7	68.9	0
2/2/2023, 12:13:31 PM	0	6.825	35.1	68.4	0
2/2/2023, 12:23:31 PM	0	6.825	35.6	67.8	0
2/2/2023, 12:33:31 PM	0	6.825	36.3	67.3	0
2/2/2023, 12:43:31 PM	0	6.825	36.7	66.6	0
2/2/2023, 12:53:31 PM	0	6.825	37	65.9	0
2/2/2023, 1:03:31 PM	0	6.825	37.6	65.3	0
2/2/2023, 1:13:31 PM	0	6.833	38.5	64.8	0
2/2/2023, 1:23:31 PM	0	6.833	39	64.3	0
2/2/2023, 1:33:31 PM	0	6.833	39.4	63.6	0
2/2/2023, 1:43:31 PM	0	6.833	39.2	62.9	0
2/2/2023, 1:53:31 PM	0	6.833	39.2	62.2	0
2/2/2023, 2:03:31 PM	0	6.833	39.4	61.6	0
2/2/2023, 2:13:31 PM	0	6.833	39.7	61.2	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/2/2023, 2:23:31 PM	0	6.833	40.1	60.8	0
2/2/2023, 2:33:31 PM	0	6.842	40.6	60.4	0
2/2/2023, 2:43:31 PM	0	6.842	41.2	60	0
2/2/2023, 2:53:31 PM	0	6.842	41.4	59.7	0
2/2/2023, 3:03:31 PM	0	6.842	41.2	59.2	0
2/2/2023, 3:13:31 PM	0	6.842	41	58.8	0
2/2/2023, 3:23:31 PM	0	6.842	40.8	58.4	0
2/2/2023, 3:33:31 PM	0	6.842	40.6	58.2	0
2/2/2023, 3:43:31 PM	0	6.842	40.6	57.9	0
2/2/2023, 3:53:31 PM	0	6.842	40.5	57.5	0
2/2/2023, 4:03:31 PM	0	6.842	40.3	57.3	0
2/2/2023, 4:13:31 PM	0	6.842	40.1	57	0
2/2/2023, 4:23:31 PM	0	6.842	39.9	56.9	0
2/2/2023, 4:33:31 PM	0	6.842	39.7	56.7	0
2/2/2023, 4:43:31 PM	0	6.842	39.6	56.5	0
2/2/2023, 4:53:31 PM	0	6.842	39.4	56.5	0
2/2/2023, 5:03:31 PM	0	6.842	39	56.4	0
2/2/2023, 5:13:31 PM	0	6.842	38.8	56.3	0
2/2/2023, 5:23:31 PM	0	6.842	38.7	56.3	0
2/2/2023, 5:33:31 PM	0	6.833	38.5	56.2	0
2/2/2023, 5:43:31 PM	0	6.833	38.3	56.3	0
2/2/2023, 5:53:31 PM	0	6.833	38.1	56.4	0
2/2/2023, 6:03:31 PM	0	6.833	37.9	56.5	0
2/2/2023, 6:13:31 PM	0	6.833	37.9	56.6	0
2/2/2023, 6:23:31 PM	0	6.833	37.8	56.7	0
2/2/2023, 6:33:31 PM	0	6.833	37.8	56.8	0
2/2/2023, 6:43:31 PM	0	6.833	37.6	57	0
2/2/2023, 6:53:31 PM	0	6.833	37.6	57.1	0
2/2/2023, 7:03:31 PM	0	6.833	37.8	57.2	0
2/2/2023, 7:13:31 PM	0	6.833	37.8	57.3	0
2/2/2023, 7:23:31 PM	0	6.833	37.9	57.6	0
2/2/2023, 7:33:31 PM	0	6.833	37.9	57.9	0
2/2/2023, 7:43:31 PM	0	6.833	37.8	58.5	0
2/2/2023, 7:53:31 PM	0	6.833	37.8	59.1	0
2/2/2023, 8:03:31 PM	0	6.833	37.6	59.8	0
2/2/2023, 8:13:31 PM	0	6.833	37.4	60.6	0
2/2/2023, 8:23:31 PM	0	6.833	37	61.6	0
2/2/2023, 8:33:31 PM	0	6.833	36.7	62.6	0
2/2/2023, 8:43:31 PM	0	6.833	36.1	63.7	0
2/2/2023, 8:53:31 PM	0	6.833	35.8	64.9	0
2/2/2023, 9:03:31 PM	0	6.833	35.2	66.1	0
2/2/2023, 9:13:31 PM	0	6.833	34.9	67.4	0
2/2/2023, 9:23:31 PM	0	6.825	34.2	68.1	0
2/2/2023, 9:33:31 PM	0	6.825	32.9	68.4	0
2/2/2023, 9:43:31 PM	0	6.825	32	68.8	0
2/2/2023, 9:53:31 PM	0	6.825	31.3	69.4	0
2/2/2023, 10:03:31 PM	0	6.816	30.6	70	0
2/2/2023, 10:13:31 PM	0	6.816	30	70.6	0
2/2/2023, 10:23:31 PM	0	6.816	28.9	71.1	0
2/2/2023, 10:33:31 PM	0	6.816	28.2	71.6	0
2/2/2023, 10:43:31 PM	0	6.816	27.7	72.1	0
2/2/2023, 10:53:31 PM	0	6.807	27.1	72.5	0
2/2/2023, 11:03:31 PM	0	6.807	26.6	72.8	0
2/2/2023, 11:13:31 PM	0	6.807	26.1	73	0
2/2/2023, 11:23:31 PM	0	6.807	25.7	73	0
2/2/2023, 11:33:31 PM	0	6.807	25.3	73	0
2/2/2023, 11:43:31 PM	0	6.807	25	72.9	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/2/2023, 11:53:31 PM	0	6.807	24.6	72.7	0
2/3/2023, 12:03:31 AM	0	6.798	24.3	72.5	0
2/3/2023, 12:13:31 AM	0	6.798	23.7	72.2	0
2/3/2023, 12:23:31 AM	0	6.798	23.4	71.9	0
2/3/2023, 12:33:31 AM	0	6.798	23.4	71.6	0
2/3/2023, 12:43:31 AM	0	6.798	23.2	71.3	0
2/3/2023, 12:53:31 AM	0	6.798	23	71.1	0
2/3/2023, 1:03:31 AM	0	6.79	22.8	71	0
2/3/2023, 1:13:31 AM	0	6.79	22.6	71	0
2/3/2023, 1:23:31 AM	0	6.79	22.6	71.2	0
2/3/2023, 1:33:31 AM	0	6.79	22.3	71.4	0
2/3/2023, 1:43:31 AM	0	6.79	21.9	71.6	0
2/3/2023, 1:53:31 AM	0	6.79	21.4	71.7	0
2/3/2023, 2:03:31 AM	0	6.79	21	71.6	0
2/3/2023, 2:13:31 AM	0	6.79	20.7	71.5	0
2/3/2023, 2:23:31 AM	0	6.79	20.3	71.4	0
2/3/2023, 2:33:31 AM	0	6.79	19.9	71.3	0
2/3/2023, 2:43:31 AM	0	6.781	19.6	71.1	0
2/3/2023, 2:53:31 AM	0	6.781	19.2	71	0
2/3/2023, 3:03:31 AM	0	6.781	19	70.9	0
2/3/2023, 3:13:31 AM	0	6.781	18.7	70.8	0
2/3/2023, 3:23:31 AM	0	6.781	18.3	70.6	0
2/3/2023, 3:33:31 AM	0	6.781	17.8	70.4	0
2/3/2023, 3:43:31 AM	0	6.781	17.4	70.2	0
2/3/2023, 3:53:31 AM	0	6.772	17.1	70.1	0
2/3/2023, 4:03:31 AM	0	6.772	16.9	70.1	0
2/3/2023, 4:13:31 AM	0	6.772	16.7	70.1	0
2/3/2023, 4:23:31 AM	0	6.772	16.7	70.2	0
2/3/2023, 4:33:31 AM	0	6.772	16.5	70.2	0
2/3/2023, 4:43:31 AM	0	6.772	16.3	70.2	0
2/3/2023, 4:53:31 AM	0	6.772	16.2	70.3	0
2/3/2023, 5:03:31 AM	0	6.772	16	70.3	0
2/3/2023, 5:13:31 AM	0	6.772	15.8	70.4	0
2/3/2023, 5:23:31 AM	0	6.772	15.4	70.3	0
2/3/2023, 5:33:31 AM	0	6.772	15.1	70.3	0
2/3/2023, 5:43:31 AM	0	6.772	14.7	70.3	0
2/3/2023, 5:53:31 AM	0	6.772	14.5	70.4	0
2/3/2023, 6:03:31 AM	0	6.763	14.2	70.4	0
2/3/2023, 6:13:31 AM	0	6.763	14	70.5	0
2/3/2023, 6:23:31 AM	0	6.763	13.6	70.5	0
2/3/2023, 6:33:31 AM	0	6.763	13.3	70.5	0
2/3/2023, 6:43:31 AM	0	6.763	13.1	70.6	0
2/3/2023, 6:53:31 AM	0	6.763	12.9	70.6	0
2/3/2023, 7:03:31 AM	0	6.763	12.6	70.8	0
2/3/2023, 7:13:31 AM	0	6.763	12.4	70.9	0
2/3/2023, 7:23:31 AM	0	6.763	12.2	71	0
2/3/2023, 7:33:31 AM	0	6.763	12	71.2	0
2/3/2023, 7:43:31 AM	0	6.763	11.7	71.3	0
2/3/2023, 7:53:31 AM	0	6.763	11.7	71.4	0
2/3/2023, 8:03:31 AM	0	6.754	11.5	71.5	0
2/3/2023, 8:13:31 AM	0	6.754	11.3	71.6	0
2/3/2023, 8:23:31 AM	0	6.754	11.3	71.8	0
2/3/2023, 8:33:31 AM	0	6.754	11.3	71.8	0
2/3/2023, 8:43:31 AM	0	6.754	11.3	71.9	0
2/3/2023, 8:53:31 AM	0	6.754	12	71.9	0
2/3/2023, 9:03:31 AM	0	6.754	12	71.9	0
2/3/2023, 9:13:31 AM	0	6.754	12	71.8	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/3/2023, 9:23:31 AM	0	6.754	12	71.8	0
2/3/2023, 9:33:31 AM	0	6.763	12	71.8	0
2/3/2023, 9:43:31 AM	0	6.754	12.2	71.8	0
2/3/2023, 9:53:31 AM	0	6.763	12.4	71.8	0
2/3/2023, 10:03:31 AM	0	6.763	12.6	71.8	0
2/3/2023, 10:13:31 AM	0	6.763	12.7	71.8	0
2/3/2023, 10:23:31 AM	0	6.763	13.1	71.8	0
2/3/2023, 10:33:31 AM	0	6.763	13.6	71.7	0
2/3/2023, 10:43:31 AM	0	6.763	14.2	71.4	0
2/3/2023, 10:53:31 AM	0	6.763	15.4	71.2	0
2/3/2023, 11:03:31 AM	0	6.763	16.5	70.8	0
2/3/2023, 11:13:31 AM	0	6.763	16.3	70.2	0
2/3/2023, 11:23:31 AM	0	6.772	15.6	69.6	0
2/3/2023, 11:33:31 AM	0	6.772	14.7	69.1	0
2/3/2023, 11:43:31 AM	0	6.763	14.5	68.8	0
2/3/2023, 11:53:31 AM	0	6.763	14.5	68.5	0
2/3/2023, 12:03:31 PM	0	6.763	14.2	68.1	0
2/3/2023, 12:13:31 PM	0	6.763	13.6	67.8	0
2/3/2023, 12:23:31 PM	0	6.763	13.6	67.6	0
2/3/2023, 12:33:31 PM	0	6.763	13.3	67.4	0
2/3/2023, 12:43:31 PM	0	6.763	13.6	67.4	0
2/3/2023, 12:53:31 PM	0	6.763	13.5	67.2	0
2/3/2023, 1:03:31 PM	0	6.763	14.2	67.1	0
2/3/2023, 1:13:31 PM	0	6.763	13.5	66.9	0
2/3/2023, 1:23:31 PM	0	6.763	12.6	66.5	0
2/3/2023, 1:33:31 PM	0	6.763	12.6	66.2	0
2/3/2023, 1:43:31 PM	0	6.763	12.9	66.3	0
2/3/2023, 1:53:31 PM	0	6.763	13.6	66.3	0
2/3/2023, 2:03:31 PM	0	6.763	13.8	66.2	0
2/3/2023, 2:13:31 PM	0	6.763	13.6	66.1	0
2/3/2023, 2:23:31 PM	0	6.763	14	66.1	0
2/3/2023, 2:33:31 PM	0	6.763	13.8	66	0
2/3/2023, 2:43:31 PM	0	6.763	13.3	65.8	0
2/3/2023, 2:53:31 PM	0	6.763	12	65.8	0
2/3/2023, 3:03:31 PM	0	6.763	12.2	65.8	0
2/3/2023, 3:13:31 PM	0	6.763	11.8	65.9	0
2/3/2023, 3:23:31 PM	0	6.763	11.3	66.1	0
2/3/2023, 3:33:31 PM	0	6.763	10.8	66.1	0
2/3/2023, 3:43:31 PM	0	6.763	10.2	66.3	0
2/3/2023, 3:53:31 PM	0	6.763	9.9	66.5	0
2/3/2023, 4:03:31 PM	0	6.763	9.7	66.8	0
2/3/2023, 4:13:31 PM	0	6.754	9.5	66.9	0
2/3/2023, 4:23:31 PM	0	6.754	9.3	67	0
2/3/2023, 4:33:31 PM	0	6.754	9.1	67.1	0
2/3/2023, 4:43:31 PM	0	6.754	8.8	67.3	0
2/3/2023, 4:53:31 PM	0	6.754	8.6	67.5	0
2/3/2023, 5:03:31 PM	0	6.754	8.2	67.6	0
2/3/2023, 5:13:31 PM	0	6.754	8.1	67.7	0
2/3/2023, 5:23:31 PM	0	6.754	7.9	67.8	0
2/3/2023, 5:33:31 PM	0	6.754	7.7	67.9	0
2/3/2023, 5:43:31 PM	0	6.754	7.5	68.2	0
2/3/2023, 5:53:31 PM	0	6.754	7.5	68.5	0
2/3/2023, 6:03:31 PM	0	6.754	7.5	68.8	0
2/3/2023, 6:13:31 PM	0	6.754	7.5	69.1	0
2/3/2023, 6:23:31 PM	0	6.754	7.5	69.3	0
2/3/2023, 6:33:31 PM	0	6.754	7.3	69.4	0
2/3/2023, 6:43:31 PM	0	6.754	7.2	69.5	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/3/2023, 6:53:31 PM	0	6.754	7.2	69.5	0
2/3/2023, 7:03:31 PM	0	6.754	7	69.7	0
2/3/2023, 7:13:31 PM	0	6.754	7	69.8	0
2/3/2023, 7:23:31 PM	0	6.754	6.8	69.8	0
2/3/2023, 7:33:31 PM	0	6.754	6.6	69.9	0
2/3/2023, 7:43:31 PM	0	6.754	6.6	70	0
2/3/2023, 7:53:31 PM	0	6.754	6.4	70.1	0
2/3/2023, 8:03:31 PM	0	6.754	6.4	70.2	0
2/3/2023, 8:13:31 PM	0	6.754	6.4	70.4	0
2/3/2023, 8:23:31 PM	0	6.754	6.3	70.6	0
2/3/2023, 8:33:31 PM	0	6.754	6.1	70.7	0
2/3/2023, 8:43:31 PM	0	6.754	5.7	70.7	0
2/3/2023, 8:53:31 PM	0	6.754	5.5	70.8	0
2/3/2023, 9:03:31 PM	0	6.746	5.4	70.9	0
2/3/2023, 9:13:31 PM	0	6.746	5.2	70.9	0
2/3/2023, 9:23:31 PM	0	6.746	5	71	0
2/3/2023, 9:33:31 PM	0	6.746	4.6	71.1	0
2/3/2023, 9:43:31 PM	0	6.746	4.5	71.1	0
2/3/2023, 9:53:31 PM	0	6.746	4.3	71.2	0
2/3/2023, 10:03:31 PM	0	6.746	3.9	71.3	0
2/3/2023, 10:13:31 PM	0	6.746	3.7	71.3	0
2/3/2023, 10:23:31 PM	0	6.746	3.6	71.4	0
2/3/2023, 10:33:31 PM	0	6.746	3.4	71.5	0
2/3/2023, 10:43:31 PM	0	6.737	3.2	71.6	0
2/3/2023, 10:53:31 PM	0	6.737	3	71.6	0
2/3/2023, 11:03:31 PM	0	6.737	2.8	71.7	0
2/3/2023, 11:13:31 PM	0	6.737	2.8	71.9	0
2/3/2023, 11:23:31 PM	0	6.737	2.7	72	0
2/3/2023, 11:33:31 PM	0	6.737	2.7	72.1	0
2/3/2023, 11:43:31 PM	0	6.737	2.7	72.2	0
2/3/2023, 11:53:31 PM	0	6.737	2.5	72.3	0
2/4/2023, 12:03:31 AM	0	6.737	2.5	72.4	0
2/4/2023, 12:13:31 AM	0	6.737	2.5	72.5	0
2/4/2023, 12:23:31 AM	0	6.737	2.5	72.7	0
2/4/2023, 12:33:31 AM	0	6.737	2.5	72.8	0
2/4/2023, 12:43:31 AM	0	6.737	2.5	72.9	0
2/4/2023, 12:53:31 AM	0	6.737	2.5	73	0
2/4/2023, 1:03:31 AM	0	6.737	2.5	73.1	0
2/4/2023, 1:13:31 AM	0	6.737	2.7	73.3	0
2/4/2023, 1:23:31 AM	0	6.737	2.7	73.4	0
2/4/2023, 1:33:31 AM	0	6.746	2.7	73.5	0
2/4/2023, 1:43:31 AM	0	6.737	2.8	73.6	0
2/4/2023, 1:53:31 AM	0	6.746	2.8	73.8	0
2/4/2023, 2:03:31 AM	0	6.746	3	73.9	0
2/4/2023, 2:13:31 AM	0	6.746	3	74	0
2/4/2023, 2:23:31 AM	0	6.746	3	74	0
2/4/2023, 2:33:31 AM	0	6.746	3	74.1	0
2/4/2023, 2:43:31 AM	0	6.746	2.8	74.1	0
2/4/2023, 2:53:31 AM	0	6.746	2.8	74.1	0
2/4/2023, 3:03:31 AM	0	6.746	2.8	74.2	0
2/4/2023, 3:13:31 AM	0	6.746	2.7	74.2	0
2/4/2023, 3:23:31 AM	0	6.746	2.5	74.1	0
2/4/2023, 3:33:31 AM	0	6.746	2.1	74.1	0
2/4/2023, 3:43:31 AM	0	6.746	1.8	73.9	0
2/4/2023, 3:53:31 AM	0	6.746	1.2	73.7	0
2/4/2023, 4:03:31 AM	0	6.737	0.5	73.5	0
2/4/2023, 4:13:31 AM	0	6.737	0	73.3	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/4/2023, 4:23:31 AM	0	6.737	-0.8	73.1	0
2/4/2023, 4:33:31 AM	0	6.737	-1.3	72.9	0
2/4/2023, 4:43:31 AM	0	6.728	-1.8	72.8	0
2/4/2023, 4:53:31 AM	0	6.728	-2	72.8	0
2/4/2023, 5:03:31 AM	0	6.728	-1.8	72.9	0
2/4/2023, 5:13:31 AM	0	6.728	-1.5	73.2	0
2/4/2023, 5:23:31 AM	0	6.728	-1.1	73.6	0
2/4/2023, 5:33:31 AM	0	6.728	-0.8	74	0
2/4/2023, 5:43:31 AM	0	6.728	-0.4	74.3	0
2/4/2023, 5:53:31 AM	0	6.728	0	74.6	0
2/4/2023, 6:03:31 AM	0	6.728	0.3	74.8	0
2/4/2023, 6:13:31 AM	0	6.737	0.5	75	0
2/4/2023, 6:23:31 AM	0	6.737	0.7	75.2	0
2/4/2023, 6:33:31 AM	0	6.737	0.9	75.3	0
2/4/2023, 6:43:31 AM	0	6.737	1	75.3	0
2/4/2023, 6:53:31 AM	0	6.737	1	75.4	0
2/4/2023, 7:03:31 AM	0	6.737	1.2	75.5	0
2/4/2023, 7:13:31 AM	0	6.737	1.4	75.6	0
2/4/2023, 7:23:31 AM	0	6.737	1.4	75.7	0
2/4/2023, 7:33:31 AM	0	6.737	1.8	75.7	0
2/4/2023, 7:43:31 AM	0	6.746	1.9	75.9	0
2/4/2023, 7:53:31 AM	0	6.746	2.3	76	0
2/4/2023, 8:03:31 AM	0	6.746	2.7	76	0
2/4/2023, 8:13:31 AM	0	6.746	3	76.1	0
2/4/2023, 8:23:31 AM	0	6.746	3.6	76.1	0
2/4/2023, 8:33:31 AM	0	6.746	3.9	76.1	0
2/4/2023, 8:43:31 AM	0	6.754	4.6	76.2	0
2/4/2023, 8:53:31 AM	0	6.754	6.1	76.4	0
2/4/2023, 9:03:31 AM	0	6.754	7.7	76.5	0
2/4/2023, 9:13:31 AM	0	6.763	9.7	76.6	0
2/4/2023, 9:23:31 AM	0	6.763	10.9	76.5	0
2/4/2023, 9:33:31 AM	0	6.772	11.7	76	0
2/4/2023, 9:43:31 AM	0	6.772	12.2	75.5	0
2/4/2023, 9:53:31 AM	0	6.781	12.4	75	0
2/4/2023, 10:03:31 AM	0	6.781	12.7	74.5	0
2/4/2023, 10:13:31 AM	0	6.781	13.3	74.1	0
2/4/2023, 10:23:31 AM	0	6.781	13.3	73.7	0
2/4/2023, 10:33:31 AM	0	6.79	13.3	73.3	0
2/4/2023, 10:43:31 AM	0	6.79	13.5	73	0
2/4/2023, 10:53:31 AM	0	6.79	13.5	72.7	0
2/4/2023, 11:03:31 AM	0	6.79	13.5	72.3	0
2/4/2023, 11:13:31 AM	0	6.79	13.6	72	0
2/4/2023, 11:23:31 AM	0	6.79	14	71.8	0
2/4/2023, 11:33:31 AM	0	6.79	14.2	71.5	0
2/4/2023, 11:43:31 AM	0	6.79	14.5	71.3	0
2/4/2023, 11:53:31 AM	0	6.79	14.7	71	0
2/4/2023, 12:03:31 PM	0	6.798	15.3	70.8	0
2/4/2023, 12:13:31 PM	0	6.798	16	70.7	0
2/4/2023, 12:23:31 PM	0	6.798	16.9	70.7	0
2/4/2023, 12:33:31 PM	0	6.798	17.6	70.5	0
2/4/2023, 12:43:31 PM	0	6.798	18.3	70.4	0
2/4/2023, 12:53:31 PM	0	6.807	19	70.2	0
2/4/2023, 1:03:31 PM	0	6.807	19.9	70.1	0
2/4/2023, 1:13:31 PM	0	6.807	20.3	69.8	0
2/4/2023, 1:23:31 PM	0	6.807	20.5	69.6	0
2/4/2023, 1:33:31 PM	0	6.807	20.7	69.3	0
2/4/2023, 1:43:31 PM	0	6.816	20.8	69	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/4/2023, 1:53:31 PM	0	6.816	20.7	68.8	0
2/4/2023, 2:03:31 PM	0	6.816	20.5	68.5	0
2/4/2023, 2:13:31 PM	0	6.816	20.5	68.4	0
2/4/2023, 2:23:31 PM	0	6.816	20.7	68.3	0
2/4/2023, 2:33:31 PM	0	6.816	20.8	68.2	0
2/4/2023, 2:43:31 PM	0	6.816	21.2	68.1	0
2/4/2023, 2:53:31 PM	0	6.816	21.4	68.1	0
2/4/2023, 3:03:31 PM	0	6.816	21.6	68	0
2/4/2023, 3:13:31 PM	0	6.816	21.7	67.9	0
2/4/2023, 3:23:31 PM	0	6.825	21.9	67.7	0
2/4/2023, 3:33:31 PM	0	6.825	22.1	67.6	0
2/4/2023, 3:43:31 PM	0	6.825	22.1	67.4	0
2/4/2023, 3:53:31 PM	0	6.825	22.1	67.2	0
2/4/2023, 4:03:31 PM	0	6.825	22.1	67.1	0
2/4/2023, 4:13:31 PM	0	6.825	22.1	66.9	0
2/4/2023, 4:23:31 PM	0	6.825	22.1	66.9	0
2/4/2023, 4:33:31 PM	0	6.825	22.1	66.8	0
2/4/2023, 4:43:31 PM	0	6.825	21.9	66.7	0
2/4/2023, 4:53:31 PM	0	6.825	21.6	66.6	0
2/4/2023, 5:03:31 PM	0	6.825	21.4	66.5	0
2/4/2023, 5:13:31 PM	0	6.825	21	66.4	0
2/4/2023, 5:23:31 PM	0	6.825	20.8	66.4	0
2/4/2023, 5:33:31 PM	0	6.825	20.3	66.4	0
2/4/2023, 5:43:31 PM	0	6.825	19.9	66.3	0
2/4/2023, 5:53:31 PM	0	6.816	19.4	66.3	0
2/4/2023, 6:03:31 PM	0	6.816	19	66.3	0
2/4/2023, 6:13:31 PM	0	6.816	18.7	66.4	0
2/4/2023, 6:23:31 PM	0	6.816	18.3	66.5	0
2/4/2023, 6:33:31 PM	0	6.816	17.8	66.6	0
2/4/2023, 6:43:31 PM	0	6.816	17.4	66.7	0
2/4/2023, 6:53:31 PM	0	6.816	17.2	67	0
2/4/2023, 7:03:31 PM	0	6.807	17.1	67.2	0
2/4/2023, 7:13:31 PM	0	6.807	17.1	67.5	0
2/4/2023, 7:23:31 PM	0	6.807	17.1	67.8	0
2/4/2023, 7:33:31 PM	0	6.807	17.1	68	0
2/4/2023, 7:43:31 PM	0	6.807	17.1	68.3	0
2/4/2023, 7:53:31 PM	0	6.807	17.2	68.5	0
2/4/2023, 8:03:31 PM	0	6.807	17.2	68.7	0
2/4/2023, 8:13:31 PM	0	6.807	17.4	68.9	0
2/4/2023, 8:23:31 PM	0	6.807	17.8	69.2	0
2/4/2023, 8:33:31 PM	0	6.807	18.5	69.6	0
2/4/2023, 8:43:31 PM	0	6.816	19.2	69.9	0
2/4/2023, 8:53:31 PM	0	6.816	19.9	70.1	0
2/4/2023, 9:03:31 PM	0	6.816	20.8	70.2	0
2/4/2023, 9:13:31 PM	0	6.816	21.6	70.2	0
2/4/2023, 9:23:31 PM	0	6.825	22.6	70.2	0
2/4/2023, 9:33:31 PM	0	6.825	23.5	70	0
2/4/2023, 9:43:31 PM	0	6.825	24.4	69.7	0
2/4/2023, 9:53:31 PM	0	6.825	25.2	69.3	0
2/4/2023, 10:03:31 PM	0	6.833	25.9	69	0
2/4/2023, 10:13:31 PM	0	6.833	26.6	68.6	0
2/4/2023, 10:23:31 PM	0	6.833	27.1	68.2	0
2/4/2023, 10:33:31 PM	0	6.833	27.7	67.7	0
2/4/2023, 10:43:31 PM	0	6.842	28	67.3	0
2/4/2023, 10:53:31 PM	0	6.842	28.4	66.9	0
2/4/2023, 11:03:31 PM	0	6.842	28.8	66.5	0
2/4/2023, 11:13:31 PM	0	6.842	28.9	66.2	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/4/2023, 11:23:31 PM	0	6.842	29.1	65.9	0
2/4/2023, 11:33:31 PM	0	6.842	29.1	65.6	0
2/4/2023, 11:43:31 PM	0	6.842	29.1	65.3	0
2/4/2023, 11:53:31 PM	0	6.842	28.9	65	0
2/5/2023, 12:03:31 AM	0	6.842	28.8	64.8	0
2/5/2023, 12:13:31 AM	0	6.842	28.6	64.6	0
2/5/2023, 12:23:31 AM	0	6.842	28.6	64.6	0
2/5/2023, 12:33:31 AM	0	6.842	28.4	64.6	0
2/5/2023, 12:43:31 AM	0	6.842	28.4	64.6	0
2/5/2023, 12:53:31 AM	0	6.842	28.2	64.6	0
2/5/2023, 1:03:31 AM	0	6.842	28.2	64.6	0
2/5/2023, 1:13:31 AM	0	6.842	28	64.7	0
2/5/2023, 1:23:31 AM	0	6.842	28	64.7	0
2/5/2023, 1:33:31 AM	0	6.842	28	64.9	0
2/5/2023, 1:43:31 AM	0	6.842	28	65	0
2/5/2023, 1:53:31 AM	0	6.842	28	65.1	0
2/5/2023, 2:03:31 AM	0	6.842	28.2	65.3	0
2/5/2023, 2:13:31 AM	0	6.842	28.4	65.4	0
2/5/2023, 2:23:31 AM	0	6.842	28.6	65.4	0
2/5/2023, 2:33:31 AM	0	6.842	28.4	65.5	0
2/5/2023, 2:43:31 AM	0	6.842	28.4	65.5	0
2/5/2023, 2:53:31 AM	0	6.842	28.4	65.6	0
2/5/2023, 3:03:31 AM	0	6.842	28.4	65.7	0
2/5/2023, 3:13:31 AM	0	6.842	28.4	65.8	0
2/5/2023, 3:23:31 AM	0	6.842	28.4	65.9	0
2/5/2023, 3:33:31 AM	0	6.842	28.2	66	0
2/5/2023, 3:43:31 AM	0	6.842	28.2	66.2	0
2/5/2023, 3:53:31 AM	0	6.842	28.2	66.4	0
2/5/2023, 4:03:31 AM	0	6.842	28	66.5	0
2/5/2023, 4:13:31 AM	0	6.842	28	66.7	0
2/5/2023, 4:23:31 AM	0	6.842	28.2	67	0
2/5/2023, 4:33:31 AM	0	6.842	28.4	67.3	0
2/5/2023, 4:43:31 AM	0	6.842	28.8	67.5	0
2/5/2023, 4:53:31 AM	0	6.842	28.9	67.8	0
2/5/2023, 5:03:31 AM	0	6.842	29.1	68	0
2/5/2023, 5:13:31 AM	0	6.842	29.3	68.2	0
2/5/2023, 5:23:31 AM	0	6.842	29.5	68.4	0
2/5/2023, 5:33:31 AM	0	6.842	29.5	68.5	0
2/5/2023, 5:43:31 AM	0	6.842	29.7	68.5	0
2/5/2023, 5:53:31 AM	0	6.842	29.7	68.6	0
2/5/2023, 6:03:31 AM	0	6.842	29.7	68.7	0
2/5/2023, 6:13:31 AM	0	6.842	29.5	68.8	0
2/5/2023, 6:23:31 AM	0	6.842	29.5	68.9	0
2/5/2023, 6:33:31 AM	0	6.842	29.5	69	0
2/5/2023, 6:43:31 AM	0	6.842	29.3	69	0
2/5/2023, 6:53:31 AM	0	6.842	29.3	69.2	0
2/5/2023, 7:03:31 AM	0	6.842	29.3	69.3	0
2/5/2023, 7:13:31 AM	0	6.842	28.9	69.3	0
2/5/2023, 7:23:31 AM	0	6.842	28.8	69.3	0
2/5/2023, 7:33:31 AM	0	6.842	28.2	69.3	0
2/5/2023, 7:43:31 AM	0	6.842	27.9	69.3	0
2/5/2023, 7:53:31 AM	0	6.842	27.7	69.5	0
2/5/2023, 8:03:31 AM	0	6.842	27.7	69.8	0
2/5/2023, 8:13:31 AM	0	6.842	27.9	70.2	0
2/5/2023, 8:23:31 AM	0	6.833	28	70.7	0
2/5/2023, 8:33:31 AM	0	6.842	28.6	71.3	0
2/5/2023, 8:43:31 AM	0	6.842	29.1	71.7	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/5/2023, 8:53:31 AM	0	6.842	29.8	72.1	0
2/5/2023, 9:03:31 AM	0	6.842	30.6	72.5	0
2/5/2023, 9:13:31 AM	0	6.842	32	73.7	0
2/5/2023, 9:23:31 AM	0	6.842	34.2	74.8	0
2/5/2023, 9:33:31 AM	0	6.851	36.3	75	0
2/5/2023, 9:43:31 AM	0	6.851	38.5	74.7	0
2/5/2023, 9:53:31 AM	0	6.851	40.6	74	0
2/5/2023, 10:03:31 AM	0	6.86	43	73.1	0
2/5/2023, 10:13:31 AM	0	6.86	45	71.8	0
2/5/2023, 10:23:31 AM	0	6.869	46.4	70.4	0
2/5/2023, 10:33:31 AM	0	6.869	47.7	69.1	0
2/5/2023, 10:43:31 AM	0	6.869	48.9	67.9	0
2/5/2023, 10:53:31 AM	0	6.869	50	66.8	0
2/5/2023, 11:03:31 AM	0	6.877	51.1	65.8	0
2/5/2023, 11:13:31 AM	0	6.877	52	65	0
2/5/2023, 11:23:31 AM	0	6.877	52.9	64.2	0
2/5/2023, 11:33:31 AM	0	6.877	53.6	63.5	0
2/5/2023, 11:43:31 AM	0	6.877	54	62.7	0
2/5/2023, 11:53:31 AM	0	6.877	54.1	62	0
2/5/2023, 12:03:31 PM	0	6.877	54	61.5	0
2/5/2023, 12:13:31 PM	0	6.877	54	61.1	0
2/5/2023, 12:23:31 PM	0	6.877	54.1	60.8	0
2/5/2023, 12:33:31 PM	0	6.886	54.5	60.5	0
2/5/2023, 12:43:31 PM	0	6.886	54.3	60.2	0
2/5/2023, 12:53:31 PM	0	6.886	54.3	59.9	0
2/5/2023, 1:03:31 PM	0	6.886	54.3	59.7	0
2/5/2023, 1:13:31 PM	0	6.886	54.1	59.6	0
2/5/2023, 1:23:31 PM	0	6.886	54.1	59.5	0
2/5/2023, 1:33:31 PM	0	6.886	53.8	59.4	0
2/5/2023, 1:43:31 PM	0	6.886	53.4	59.2	0
2/5/2023, 1:53:31 PM	0	6.886	52.9	59.1	0
2/5/2023, 2:03:31 PM	0	6.886	52.2	59	0
2/5/2023, 2:13:31 PM	0	6.886	51.4	59.1	0
2/5/2023, 2:23:31 PM	0	6.886	50.9	59.2	0
2/5/2023, 2:33:31 PM	0	6.886	50.2	59.4	0
2/5/2023, 2:43:31 PM	0	6.877	49.5	59.6	0
2/5/2023, 2:53:31 PM	0	6.877	48.6	59.9	0
2/5/2023, 3:03:31 PM	0	6.877	48	60.3	0
2/5/2023, 3:13:31 PM	0	6.877	47.5	61.1	0
2/5/2023, 3:23:31 PM	0	6.877	47.1	61.7	0
2/5/2023, 3:33:31 PM	0	6.877	46.6	62.3	0
2/5/2023, 3:43:31 PM	0	6.877	46	62.9	0
2/5/2023, 3:53:31 PM	0	6.877	45.7	63.5	0
2/5/2023, 4:03:31 PM	0	6.877	45.5	64	0
2/5/2023, 4:13:31 PM	0	6.877	45.5	64.3	0
2/5/2023, 4:23:31 PM	0	6.877	45.1	64.6	0
2/5/2023, 4:33:31 PM	0	6.877	45	64.9	0
2/5/2023, 4:43:31 PM	0	6.877	44.6	65.1	0
2/5/2023, 4:53:31 PM	0	6.877	44.2	65.4	0
2/5/2023, 5:03:31 PM	0	6.869	43.7	65.8	0
2/5/2023, 5:13:31 PM	0	6.869	43.3	66.1	0
2/5/2023, 5:23:31 PM	0	6.869	43	66.6	0
2/5/2023, 5:33:31 PM	0	6.869	42.4	67	0
2/5/2023, 5:43:31 PM	0	6.869	42.1	67.4	0
2/5/2023, 5:53:31 PM	0	6.869	41.7	67.9	0
2/5/2023, 6:03:31 PM	0	6.869	41.4	68.4	0
2/5/2023, 6:13:31 PM	0	6.869	41	68.8	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/5/2023, 6:23:31 PM	0	6.869	40.6	69.3	0
2/5/2023, 6:33:31 PM	0	6.869	40.3	69.6	0
2/5/2023, 6:43:31 PM	0	6.869	39.9	70.1	0
2/5/2023, 6:53:31 PM	0	6.869	39.9	70.7	0
2/5/2023, 7:03:31 PM	0	6.869	39.7	71.3	0
2/5/2023, 7:13:31 PM	0	6.86	39.6	71.8	0
2/5/2023, 7:23:31 PM	0	6.86	39.4	72.3	0
2/5/2023, 7:33:31 PM	0	6.86	39.2	72.8	0
2/5/2023, 7:43:31 PM	0	6.86	39	73.3	0
2/5/2023, 7:53:31 PM	0	6.86	38.8	73.7	0
2/5/2023, 8:03:31 PM	0	6.86	38.7	74.2	0
2/5/2023, 8:13:31 PM	0	6.86	38.5	74.7	0
2/5/2023, 8:23:31 PM	0	6.86	38.5	75.3	0
2/5/2023, 8:33:31 PM	0	6.86	38.7	75.9	0
2/5/2023, 8:43:31 PM	0	6.86	39	76.5	0
2/5/2023, 8:53:31 PM	0	6.86	39.2	77	0
2/5/2023, 9:03:31 PM	0	6.86	39.4	77.4	0
2/5/2023, 9:13:31 PM	0	6.86	39.4	77.8	0
2/5/2023, 9:23:31 PM	0	6.86	39.4	78.1	0
2/5/2023, 9:33:31 PM	0	6.86	39.4	78.5	0
2/5/2023, 9:43:31 PM	0	6.86	39.4	78.9	0
2/5/2023, 9:53:31 PM	0	6.86	39.2	79.3	0
2/5/2023, 10:03:31 PM	0	6.86	39	79.6	0
2/5/2023, 10:13:31 PM	0	6.86	38.8	79.9	0
2/5/2023, 10:23:31 PM	0	6.86	38.7	80.3	0
2/5/2023, 10:33:31 PM	0	6.86	38.5	80.7	0
2/5/2023, 10:43:31 PM	0	6.86	38.5	81.2	0
2/5/2023, 10:53:31 PM	0	6.86	38.3	81.5	0
2/5/2023, 11:03:31 PM	0	6.86	38.3	81.8	0
2/5/2023, 11:13:31 PM	0	6.86	38.1	82.2	0
2/5/2023, 11:23:31 PM	0	6.86	38.1	82.5	0
2/5/2023, 11:33:31 PM	0	6.86	38.1	83	0
2/5/2023, 11:43:31 PM	0	6.86	38.1	83.4	0
2/5/2023, 11:53:31 PM	0	6.86	38.1	83.8	0
2/6/2023, 12:03:31 AM	0	6.86	38.1	84.1	0
2/6/2023, 12:13:31 AM	0	6.86	38.1	84.5	0
2/6/2023, 12:23:31 AM	0	6.86	38.3	84.9	0
2/6/2023, 12:33:31 AM	0	6.86	38.3	85.1	0
2/6/2023, 12:43:31 AM	0	6.86	38.3	85.4	0
2/6/2023, 12:53:31 AM	0	6.86	38.3	85.6	0
2/6/2023, 1:03:31 AM	0	6.86	38.3	85.8	0
2/6/2023, 1:13:31 AM	0	6.86	38.1	86	0
2/6/2023, 1:23:31 AM	0	6.86	38.1	86.1	0
2/6/2023, 1:33:31 AM	0	6.86	37.9	86.2	0
2/6/2023, 1:43:31 AM	0	6.86	37.8	86.3	0
2/6/2023, 1:53:31 AM	0	6.86	37.8	86.5	0
2/6/2023, 2:03:31 AM	0	6.86	37.8	86.7	0
2/6/2023, 2:13:31 AM	0	6.86	37.6	86.8	0
2/6/2023, 2:23:31 AM	0	6.86	37.6	87	0
2/6/2023, 2:33:31 AM	0	6.86	37.4	87.1	0
2/6/2023, 2:43:31 AM	0	6.86	37.4	87.2	0
2/6/2023, 2:53:31 AM	0	6.86	37.4	87.3	0
2/6/2023, 3:03:31 AM	0	6.86	37.2	87.5	0
2/6/2023, 3:13:31 AM	0	6.86	37.2	87.6	0
2/6/2023, 3:23:31 AM	0	6.86	37.2	87.8	0
2/6/2023, 3:33:31 AM	0	6.86	37.2	88	0
2/6/2023, 3:43:31 AM	0	6.851	37.2	88.2	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/6/2023, 3:53:31 AM	0	6.86	37.2	88.3	0
2/6/2023, 4:03:31 AM	0	6.86	37.2	88.5	0
2/6/2023, 4:13:31 AM	0	6.86	37.2	88.6	0
2/6/2023, 4:23:31 AM	0	6.86	37.2	88.7	0
2/6/2023, 4:33:31 AM	0	6.851	37.2	88.9	0
2/6/2023, 4:43:31 AM	0	6.86	37.2	89	0
2/6/2023, 4:53:31 AM	0	6.851	37.2	89.1	0
2/6/2023, 5:03:31 AM	0	6.851	37	89.1	0
2/6/2023, 5:13:31 AM	0	6.86	37	89.1	0
2/6/2023, 5:23:31 AM	0	6.86	36.9	89.1	0
2/6/2023, 5:33:31 AM	0	6.851	36.7	89.1	0
2/6/2023, 5:43:31 AM	0	6.851	36.7	89.2	0
2/6/2023, 5:53:31 AM	0	6.851	36.7	89.4	0
2/6/2023, 6:03:31 AM	0	6.851	36.7	89.5	0
2/6/2023, 6:13:31 AM	0	6.851	36.7	89.7	0
2/6/2023, 6:23:31 AM	0	6.851	36.7	89.9	0
2/6/2023, 6:33:31 AM	0	6.851	36.7	90	0
2/6/2023, 6:43:31 AM	0	6.851	36.9	90.2	0
2/6/2023, 6:53:31 AM	0	6.851	36.9	90.4	0
2/6/2023, 7:03:31 AM	0	6.851	37	90.5	0
2/6/2023, 7:13:31 AM	0	6.851	37	90.6	0
2/6/2023, 7:23:31 AM	0	6.86	37	90.7	0
2/6/2023, 7:33:31 AM	0	6.86	37	90.7	0
2/6/2023, 7:43:31 AM	0	6.86	37	90.7	0
2/6/2023, 7:53:31 AM	0	6.86	37	90.7	0
2/6/2023, 8:03:31 AM	0	6.86	36.9	90.6	0
2/6/2023, 8:13:31 AM	0	6.851	36.9	90.6	0
2/6/2023, 8:23:31 AM	0	6.851	36.9	90.6	0
2/6/2023, 8:33:31 AM	0	6.851	36.9	90.6	0
2/6/2023, 8:43:31 AM	0	6.851	36.9	90.6	0
2/6/2023, 8:53:31 AM	0	6.851	36.9	90.6	0
2/6/2023, 9:03:31 AM	0	6.851	36.9	90.6	0
2/6/2023, 9:13:31 AM	0	6.851	36.9	90.6	0
2/6/2023, 9:23:31 AM	0	6.851	36.9	90.6	0
2/6/2023, 9:33:31 AM	0	6.86	36.9	90.5	0
2/6/2023, 9:43:31 AM	0	6.851	36.9	90.3	0
2/6/2023, 9:53:31 AM	0	6.851	36.7	90.1	0
2/6/2023, 10:03:31 AM	0	6.851	36.5	89.9	0
2/6/2023, 10:13:31 AM	0	6.851	36.3	89.6	0
2/6/2023, 10:23:31 AM	0	6.851	36.3	89.4	0
2/6/2023, 10:33:31 AM	0	6.851	36.1	89.1	0
2/6/2023, 10:43:31 AM	0	6.851	36.1	88.9	0
2/6/2023, 10:53:31 AM	0	6.851	36.1	88.7	0
2/6/2023, 11:03:31 AM	0	6.851	36.1	88.4	0
2/6/2023, 11:13:31 AM	0	6.851	36.1	88.1	0
2/6/2023, 11:23:31 AM	0	6.851	36.1	87.8	0
2/6/2023, 11:33:31 AM	0	6.851	36	87.5	0
2/6/2023, 11:43:31 AM	0	6.851	36	87.2	0
2/6/2023, 11:53:31 AM	0	6.851	35.8	86.9	0
2/6/2023, 12:03:31 PM	0	6.851	35.8	86.5	0
2/6/2023, 12:13:31 PM	0	6.851	35.4	86	0
2/6/2023, 12:23:31 PM	0	6.851	35.2	85.7	0
2/6/2023, 12:33:31 PM	0	6.851	35.1	85.2	0
2/6/2023, 12:43:31 PM	0	6.851	34.9	84.8	0
2/6/2023, 12:53:31 PM	0	6.851	34.9	84.4	0
2/6/2023, 1:03:31 PM	0	6.851	35.1	84.1	0
2/6/2023, 1:13:31 PM	0	6.851	35.1	83.7	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/6/2023, 1:23:31 PM	0	6.851	35.1	83.2	0
2/6/2023, 1:33:31 PM	0	6.851	35.1	82.8	0
2/6/2023, 1:43:31 PM	0	6.851	34.9	82.4	0
2/6/2023, 1:53:31 PM	0	6.851	34.9	82	0
2/6/2023, 2:03:31 PM	0	6.851	34.9	81.6	0
2/6/2023, 2:13:31 PM	0	6.851	34.7	81.3	0
2/6/2023, 2:23:31 PM	0	6.851	34.7	81	0
2/6/2023, 2:33:31 PM	0	6.851	34.5	80.7	0
2/6/2023, 2:43:31 PM	0	6.851	34.3	80.4	0
2/6/2023, 2:53:31 PM	0	6.851	34.3	80.2	0
2/6/2023, 3:03:31 PM	0	6.851	34.2	79.9	0
2/6/2023, 3:13:31 PM	0	6.851	34.2	79.8	0
2/6/2023, 3:23:31 PM	0	6.851	34.2	79.6	0
2/6/2023, 3:33:31 PM	0	6.851	34	79.4	0
2/6/2023, 3:43:31 PM	0	6.851	33.8	79.2	0
2/6/2023, 3:53:31 PM	0	6.851	33.6	79	0
2/6/2023, 4:03:31 PM	0	6.842	33.4	78.8	0
2/6/2023, 4:13:31 PM	0	6.842	33.4	78.7	0
2/6/2023, 4:23:31 PM	0	6.842	33.3	78.6	0
2/6/2023, 4:33:31 PM	0	6.842	33.1	78.5	0
2/6/2023, 4:43:31 PM	0	6.842	33.1	78.4	0
2/6/2023, 4:53:31 PM	0	6.842	32.9	78.4	0
2/6/2023, 5:03:31 PM	0	6.842	32.7	78.3	0
2/6/2023, 5:13:31 PM	0	6.842	32.5	78.3	0
2/6/2023, 5:23:31 PM	0	6.842	32.4	78.2	0
2/6/2023, 5:33:31 PM	0	6.842	32.2	78.1	0
2/6/2023, 5:43:31 PM	0	6.842	32	78	0
2/6/2023, 5:53:31 PM	0	6.842	31.8	78	0
2/6/2023, 6:03:31 PM	0	6.842	31.6	78	0
2/6/2023, 6:13:31 PM	0	6.842	31.3	78.1	0
2/6/2023, 6:23:31 PM	0	6.842	31.1	78.1	0
2/6/2023, 6:33:31 PM	0	6.842	30.7	78.2	0
2/6/2023, 6:43:31 PM	0	6.842	30.4	78.2	0
2/6/2023, 6:53:31 PM	0	6.842	29.8	78.3	0
2/6/2023, 7:03:31 PM	0	6.842	29.5	78.4	0
2/6/2023, 7:13:31 PM	0	6.833	29.1	78.5	0
2/6/2023, 7:23:31 PM	0	6.833	28.6	78.5	0
2/6/2023, 7:33:31 PM	0	6.833	28	78.5	0
2/6/2023, 7:43:31 PM	0	6.833	27.5	78.7	0
2/6/2023, 7:53:31 PM	0	6.833	27.1	78.9	0
2/6/2023, 8:03:31 PM	0	6.833	27	79.2	0
2/6/2023, 8:13:31 PM	0	6.833	26.6	79.5	0
2/6/2023, 8:23:31 PM	0	6.825	26.2	79.6	0
2/6/2023, 8:33:31 PM	0	6.825	25.9	79.7	0
2/6/2023, 8:43:31 PM	0	6.825	25.7	80	0
2/6/2023, 8:53:31 PM	0	6.825	25.5	80.3	0
2/6/2023, 9:03:31 PM	0	6.825	25.3	80.5	0
2/6/2023, 9:13:31 PM	0	6.825	25	80.7	0
2/6/2023, 9:23:31 PM	0	6.825	24.6	80.8	0
2/6/2023, 9:33:31 PM	0	6.825	24.3	80.9	0
2/6/2023, 9:43:31 PM	0	6.825	24.1	81.2	0
2/6/2023, 9:53:31 PM	0	6.816	23.9	81.4	0
2/6/2023, 10:03:31 PM	0	6.816	23.9	81.8	0
2/6/2023, 10:13:31 PM	0	6.816	24.1	82.2	0
2/6/2023, 10:23:31 PM	0	6.816	24.1	82.6	0
2/6/2023, 10:33:31 PM	0	6.816	24.1	82.8	0
2/6/2023, 10:43:31 PM	0	6.816	23.9	82.9	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/6/2023, 10:53:31 PM	0	6.816	24.1	83.3	0
2/6/2023, 11:03:31 PM	0	6.816	24.3	83.7	0
2/6/2023, 11:13:31 PM	0	6.816	24.6	83.9	0
2/6/2023, 11:23:31 PM	0	6.816	24.6	84.2	0
2/6/2023, 11:33:31 PM	0	6.816	24.6	84.3	0
2/6/2023, 11:43:31 PM	0	6.816	24.6	84.2	0
2/6/2023, 11:53:31 PM	0	6.816	24.4	84.3	0
2/7/2023, 12:03:31 AM	0	6.816	24.3	84.2	0
2/7/2023, 12:13:31 AM	0	6.816	23.9	84.2	0
2/7/2023, 12:23:31 AM	0	6.816	23.7	84.2	0
2/7/2023, 12:33:31 AM	0	6.816	23.5	84.2	0
2/7/2023, 12:43:31 AM	0	6.816	23.4	84.3	0
2/7/2023, 12:53:31 AM	0	6.816	23.2	84.3	0
2/7/2023, 1:03:31 AM	0	6.816	23	84.4	0
2/7/2023, 1:13:31 AM	0	6.816	22.8	84.4	0
2/7/2023, 1:23:31 AM	0	6.816	22.8	84.6	0
2/7/2023, 1:33:31 AM	0	6.816	22.6	84.7	0
2/7/2023, 1:43:31 AM	0	6.816	22.5	84.8	0
2/7/2023, 1:53:31 AM	0	6.816	22.5	84.9	0
2/7/2023, 2:03:31 AM	0	6.816	22.5	85	0
2/7/2023, 2:13:31 AM	0	6.816	22.3	85.2	0
2/7/2023, 2:23:31 AM	0	6.816	22.5	85.5	0
2/7/2023, 2:33:31 AM	0	6.816	22.6	85.7	0
2/7/2023, 2:43:31 AM	0	6.816	22.6	85.8	0
2/7/2023, 2:53:31 AM	0	6.816	22.5	85.8	0
2/7/2023, 3:03:31 AM	0	6.816	22.5	85.9	0
2/7/2023, 3:13:31 AM	0	6.816	22.3	85.8	0
2/7/2023, 3:23:31 AM	0	6.816	22.1	85.8	0
2/7/2023, 3:33:31 AM	0	6.816	22.1	85.9	0
2/7/2023, 3:43:31 AM	0	6.807	22.3	86.2	0
2/7/2023, 3:53:31 AM	0	6.816	22.6	86.6	0
2/7/2023, 4:03:31 AM	0	6.816	22.8	86.8	0
2/7/2023, 4:13:31 AM	0	6.816	23	86.9	0
2/7/2023, 4:23:31 AM	0	6.816	23.2	87.1	0
2/7/2023, 4:33:31 AM	0	6.816	23.2	87.2	0
2/7/2023, 4:43:31 AM	0	6.816	23.4	87.4	0
2/7/2023, 4:53:31 AM	0	6.816	23.7	87.6	0
2/7/2023, 5:03:31 AM	0	6.816	23.9	87.8	0
2/7/2023, 5:13:31 AM	0	6.816	24.3	88	0
2/7/2023, 5:23:31 AM	0	6.816	24.6	88.3	0
2/7/2023, 5:33:31 AM	0	6.816	25.2	88.5	0
2/7/2023, 5:43:31 AM	0	6.816	25.3	88.6	0
2/7/2023, 5:53:31 AM	0	6.825	25.7	88.7	0
2/7/2023, 6:03:31 AM	0	6.825	25.9	88.7	0
2/7/2023, 6:13:31 AM	0	6.825	26.1	88.7	0
2/7/2023, 6:23:31 AM	0	6.825	26.2	88.7	0
2/7/2023, 6:33:31 AM	0	6.825	26.4	88.7	0
2/7/2023, 6:43:31 AM	0	6.825	26.4	88.7	0
2/7/2023, 6:53:31 AM	0	6.825	26.6	88.7	0
2/7/2023, 7:03:31 AM	0	6.825	26.8	88.7	0
2/7/2023, 7:13:31 AM	0	6.825	27	88.6	0
2/7/2023, 7:23:31 AM	0	6.825	27	88.5	0
2/7/2023, 7:33:31 AM	0	6.825	27.1	88.5	0
2/7/2023, 7:43:31 AM	0	6.825	27.1	88.4	0
2/7/2023, 7:53:31 AM	0	6.825	27.3	88.3	0
2/7/2023, 8:03:31 AM	0	6.833	27.7	88.4	0
2/7/2023, 8:13:31 AM	0	6.833	28	88.4	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/7/2023, 8:23:31 AM	0	6.833	28.6	88.5	0
2/7/2023, 8:33:31 AM	0	6.833	29.1	88.6	0
2/7/2023, 8:43:31 AM	0	6.833	29.7	88.6	0
2/7/2023, 8:53:31 AM	0	6.833	30.4	88.6	0
2/7/2023, 9:03:31 AM	0	6.833	31.3	88.7	0
2/7/2023, 9:13:31 AM	0	6.842	32	88.6	0
2/7/2023, 9:23:31 AM	0	6.842	32.7	88.4	0
2/7/2023, 9:33:31 AM	0	6.842	33.8	88.3	0
2/7/2023, 9:43:31 AM	0	6.842	35.4	88.3	0
2/7/2023, 9:53:31 AM	0	6.851	37	88	0
2/7/2023, 10:03:31 AM	0	6.851	38.1	87.4	0
2/7/2023, 10:13:31 AM	0	6.851	39	86.7	0
2/7/2023, 10:23:31 AM	0	6.851	39.7	85.8	0
2/7/2023, 10:33:31 AM	0	6.86	39.9	84.9	0
2/7/2023, 10:43:31 AM	0	6.86	40.1	83.9	0
2/7/2023, 10:53:31 AM	0	6.86	40.3	83.1	0
2/7/2023, 11:03:31 AM	0	6.86	40.6	82.3	0
2/7/2023, 11:13:31 AM	0	6.86	41.2	81.6	0
2/7/2023, 11:23:31 AM	0	6.86	41.7	80.9	0
2/7/2023, 11:33:31 AM	0	6.86	42.4	80.1	0
2/7/2023, 11:43:31 AM	0	6.869	43.3	79.3	0
2/7/2023, 11:53:31 AM	0	6.869	44.4	78.5	0
2/7/2023, 12:03:31 PM	0	6.869	45.7	77.6	0
2/7/2023, 12:13:31 PM	0	6.869	46.8	76.6	0
2/7/2023, 12:23:31 PM	0	6.869	48.2	75.7	0
2/7/2023, 12:33:31 PM	0	6.869	49.6	74.6	0
2/7/2023, 12:43:31 PM	0	6.869	51.1	73.3	0
2/7/2023, 12:53:31 PM	0	6.877	52	71.9	0
2/7/2023, 1:03:31 PM	0	6.877	52	70.5	0
2/7/2023, 1:13:31 PM	0	6.877	52.2	69.6	0
2/7/2023, 1:23:31 PM	0	6.877	52.3	69	0
2/7/2023, 1:33:31 PM	0	6.877	52.3	68.3	0
2/7/2023, 1:43:31 PM	0	6.877	52.2	67.8	0
2/7/2023, 1:53:31 PM	0	6.877	52.2	67.5	0
2/7/2023, 2:03:31 PM	0	6.877	52.2	67.4	0
2/7/2023, 2:13:31 PM	0	6.877	52.5	67.4	0
2/7/2023, 2:23:31 PM	0	6.877	52.5	67.1	0
2/7/2023, 2:33:31 PM	0	6.877	52.3	67	0
2/7/2023, 2:43:31 PM	0	6.877	52.5	67	0
2/7/2023, 2:53:31 PM	0	6.877	52.7	67	0
2/7/2023, 3:03:31 PM	0	6.877	52.7	66.8	0
2/7/2023, 3:13:31 PM	0	6.886	52.7	66.9	0
2/7/2023, 3:23:31 PM	0	6.877	52.5	67.2	0
2/7/2023, 3:33:31 PM	0	6.877	52.3	67.8	0
2/7/2023, 3:43:31 PM	0	6.877	52	68.3	0
2/7/2023, 3:53:31 PM	0	6.877	51.6	68.8	0
2/7/2023, 4:03:31 PM	0	6.877	51.6	69.3	0
2/7/2023, 4:13:31 PM	0	6.877	51.6	69.6	0
2/7/2023, 4:23:31 PM	0	6.877	51.4	70	0
2/7/2023, 4:33:31 PM	0	6.877	50.9	70.5	0
2/7/2023, 4:43:31 PM	0	6.877	50.4	71.2	0
2/7/2023, 4:53:31 PM	0	6.877	50.2	72.1	0
2/7/2023, 5:03:31 PM	0	6.877	50	72.7	0
2/7/2023, 5:13:31 PM	0	6.877	49.8	73.3	0
2/7/2023, 5:23:31 PM	0	6.877	49.8	74	0
2/7/2023, 5:33:31 PM	0	6.877	49.8	74.4	0
2/7/2023, 5:43:31 PM	0	6.877	49.5	74.6	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/7/2023, 5:53:31 PM	0	6.877	49.5	75	0
2/7/2023, 6:03:31 PM	0	6.877	49.5	75.3	0
2/7/2023, 6:13:31 PM	0	6.877	49.5	75.7	0
2/7/2023, 6:23:31 PM	0	6.877	49.6	76	0
2/7/2023, 6:33:31 PM	0	6.877	49.6	76.1	0
2/7/2023, 6:43:31 PM	0	6.877	49.8	76.2	0
2/7/2023, 6:53:31 PM	0	6.877	49.8	76.2	0
2/7/2023, 7:03:31 PM	0	6.877	49.8	76.1	0
2/7/2023, 7:13:31 PM	0	6.877	49.6	76	0
2/7/2023, 7:23:31 PM	0	6.877	49.5	76	0
2/7/2023, 7:33:31 PM	0	6.877	49.3	76.1	0
2/7/2023, 7:43:31 PM	0	6.877	49.1	76.3	0
2/7/2023, 7:53:31 PM	0	6.877	48.9	76.5	0
2/7/2023, 8:03:31 PM	0	6.877	48.6	76.6	0
2/7/2023, 8:13:31 PM	0	6.877	48.4	76.9	0
2/7/2023, 8:23:31 PM	0	6.877	48	77	0
2/7/2023, 8:33:31 PM	0	6.877	47.7	77.1	0
2/7/2023, 8:43:31 PM	0	6.877	47.1	77.2	0
2/7/2023, 8:53:31 PM	0	6.877	46.8	77.5	0
2/7/2023, 9:03:31 PM	0	6.877	46.4	77.9	0
2/7/2023, 9:13:31 PM	0	6.877	46	78.2	0
2/7/2023, 9:23:31 PM	0	6.877	45.9	78.7	0
2/7/2023, 9:33:31 PM	0	6.869	45.9	79.2	0
2/7/2023, 9:43:31 PM	0	6.869	45.9	79.5	0
2/7/2023, 9:53:31 PM	0	6.869	45.9	79.7	0
2/7/2023, 10:03:31 PM	0	6.869	45.9	80	0
2/7/2023, 10:13:31 PM	0	6.869	45.7	80.1	0
2/7/2023, 10:23:31 PM	0	6.869	45.7	80	0
2/7/2023, 10:33:31 PM	0	6.869	45.5	80	0
2/7/2023, 10:43:31 PM	0	6.869	45.3	79.8	0
2/7/2023, 10:53:31 PM	0	6.869	45.1	79.7	0
2/7/2023, 11:03:31 PM	0	6.869	45	79.6	0
2/7/2023, 11:13:31 PM	0	6.869	44.8	79.5	0
2/7/2023, 11:23:31 PM	0	6.869	44.6	79.4	0
2/7/2023, 11:33:31 PM	0	6.869	44.4	79.4	0
2/7/2023, 11:43:31 PM	0	6.869	44.2	79.4	0
2/7/2023, 11:53:31 PM	0	6.869	44.1	79.5	0
2/8/2023, 12:03:31 AM	0	6.869	43.9	79.5	0
2/8/2023, 12:13:31 AM	0	6.869	43.7	79.6	0
2/8/2023, 12:23:31 AM	0	6.869	43.5	79.7	0
2/8/2023, 12:33:31 AM	0	6.869	43.3	79.8	0
2/8/2023, 12:43:31 AM	0	6.869	43.2	79.8	0
2/8/2023, 12:53:31 AM	0	6.869	42.8	79.7	0
2/8/2023, 1:03:31 AM	0	6.869	42.4	79.6	0
2/8/2023, 1:13:31 AM	0	6.869	42.1	79.6	0
2/8/2023, 1:23:31 AM	0	6.869	41.7	79.7	0
2/8/2023, 1:33:31 AM	0	6.869	41.5	79.8	0
2/8/2023, 1:43:31 AM	0	6.869	41.4	80.1	0
2/8/2023, 1:53:31 AM	0	6.869	41.2	80.2	0
2/8/2023, 2:03:31 AM	0	6.86	41	80.4	0
2/8/2023, 2:13:31 AM	0	6.86	40.8	80.5	0
2/8/2023, 2:23:31 AM	0	6.86	40.6	80.7	0
2/8/2023, 2:33:31 AM	0	6.86	40.5	80.8	0
2/8/2023, 2:43:31 AM	0	6.86	40.3	80.9	0
2/8/2023, 2:53:31 AM	0	6.86	40.1	81	0
2/8/2023, 3:03:31 AM	0	6.86	40.1	81.2	0
2/8/2023, 3:13:31 AM	0	6.86	39.9	81.3	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/8/2023, 3:23:31 AM	0	6.86	39.7	81.5	0
2/8/2023, 3:33:31 AM	0	6.86	39.6	81.7	0
2/8/2023, 3:43:31 AM	0	6.86	39.6	81.8	0
2/8/2023, 3:53:31 AM	0	6.86	39.6	82	0
2/8/2023, 4:03:31 AM	0	6.86	39.6	82.2	0
2/8/2023, 4:13:31 AM	0	6.86	39.6	82.4	0
2/8/2023, 4:23:31 AM	0	6.86	39.6	82.4	0
2/8/2023, 4:33:31 AM	0	6.86	39.4	82.5	0
2/8/2023, 4:43:31 AM	0	6.86	39.4	82.6	0
2/8/2023, 4:53:31 AM	0	6.86	39.4	82.6	0
2/8/2023, 5:03:31 AM	0	6.86	39.4	82.6	0
2/8/2023, 5:13:31 AM	0	6.86	39.4	82.6	0
2/8/2023, 5:23:31 AM	0	6.86	39.2	82.5	0
2/8/2023, 5:33:31 AM	0	6.86	39.2	82.5	0
2/8/2023, 5:43:31 AM	0	6.86	39.2	82.5	0
2/8/2023, 5:53:31 AM	0	6.86	39	82.5	0
2/8/2023, 6:03:31 AM	0	6.86	39	82.4	0
2/8/2023, 6:13:31 AM	0	6.86	39	82.4	0
2/8/2023, 6:23:31 AM	0	6.86	38.8	82.4	0
2/8/2023, 6:33:31 AM	0	6.86	38.8	82.4	0
2/8/2023, 6:43:31 AM	0	6.86	38.8	82.4	0
2/8/2023, 6:53:31 AM	0	6.86	38.8	82.4	0
2/8/2023, 7:03:31 AM	0	6.86	38.7	82.3	0
2/8/2023, 7:13:31 AM	0	6.86	38.7	82.3	0
2/8/2023, 7:23:31 AM	0	6.86	38.7	82.2	0
2/8/2023, 7:33:31 AM	0	6.86	38.5	82.2	0
2/8/2023, 7:43:31 AM	0	6.86	38.5	82.2	0
2/8/2023, 7:53:31 AM	0	6.86	38.5	82.1	0
2/8/2023, 8:03:31 AM	0	6.86	38.7	82.1	0
2/8/2023, 8:13:31 AM	0	6.86	38.7	82.1	0
2/8/2023, 8:23:31 AM	0	6.86	38.8	82.2	0
2/8/2023, 8:33:31 AM	0	6.86	39	82.2	0
2/8/2023, 8:43:31 AM	0	6.86	39.4	82.2	0
2/8/2023, 8:53:31 AM	0	6.86	39.6	82.1	0
2/8/2023, 9:03:31 AM	0	6.86	39.9	82.1	0
2/8/2023, 9:13:31 AM	0	6.86	40.5	81.9	0
2/8/2023, 9:23:31 AM	0	6.86	41.4	81.8	0
2/8/2023, 9:33:31 AM	0	6.86	43.2	81.8	0
2/8/2023, 9:43:31 AM	0	6.86	45.1	81.3	0
2/8/2023, 9:53:31 AM	0	6.869	46.6	80.1	0
2/8/2023, 10:03:31 AM	0	6.869	47.5	78.8	0
2/8/2023, 10:13:31 AM	0	6.869	48.2	77.5	0
2/8/2023, 10:23:31 AM	0	6.869	48.7	76.3	0
2/8/2023, 10:33:31 AM	0	6.869	49.5	75.3	0
2/8/2023, 10:43:31 AM	0	6.869	50.2	74.1	0
2/8/2023, 10:53:31 AM	0	6.869	49.8	72.8	0
2/8/2023, 11:03:31 AM	0	6.877	49.5	71.7	0
2/8/2023, 11:13:31 AM	0	6.877	49.5	71.1	0
2/8/2023, 11:23:31 AM	0	6.877	50.7	70.9	0
2/8/2023, 11:33:31 AM	0	6.877	52	70.5	0
2/8/2023, 11:43:31 AM	0	6.877	53.1	70	0
2/8/2023, 11:53:31 AM	0	6.877	53.6	69.2	0
2/8/2023, 12:03:31 PM	0	6.877	53.6	68.4	0
2/8/2023, 12:13:31 PM	0	6.877	53.4	67.6	0
2/8/2023, 12:23:31 PM	0	6.877	53.4	67.1	0
2/8/2023, 12:33:31 PM	0	6.877	53.4	66.6	0
2/8/2023, 12:43:31 PM	0	6.877	53.8	66.1	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/8/2023, 12:53:31 PM	0	6.877	54.1	65.7	0
2/8/2023, 1:03:31 PM	0	6.877	54.3	65.3	0
2/8/2023, 1:13:31 PM	0	6.877	54.1	64.9	0
2/8/2023, 1:23:31 PM	0	6.877	53.8	64.5	0
2/8/2023, 1:33:31 PM	0	6.877	53.2	64.2	0
2/8/2023, 1:43:31 PM	0	6.877	52.9	64.1	0
2/8/2023, 1:53:31 PM	0	6.877	52.7	64	0
2/8/2023, 2:03:31 PM	0	6.877	52.5	63.8	0
2/8/2023, 2:13:31 PM	0	6.877	52.3	63.8	0
2/8/2023, 2:23:31 PM	0	6.877	52.3	63.7	0
2/8/2023, 2:33:31 PM	0	6.877	52.5	63.7	0
2/8/2023, 2:43:31 PM	0	6.877	52.7	63.6	0
2/8/2023, 2:53:31 PM	0	6.877	52.3	63.4	0
2/8/2023, 3:03:31 PM	0	6.877	51.8	63.2	0
2/8/2023, 3:13:31 PM	0	6.877	51.3	63	0
2/8/2023, 3:23:31 PM	0	6.877	50.9	63	0
2/8/2023, 3:33:31 PM	0	6.877	50.5	63	0
2/8/2023, 3:43:31 PM	0	6.877	50.4	63	0
2/8/2023, 3:53:31 PM	0	6.877	50.2	63.1	0
2/8/2023, 4:03:31 PM	0	6.877	50	63.2	0
2/8/2023, 4:13:31 PM	0	6.877	49.6	63.1	0
2/8/2023, 4:23:31 PM	0	6.877	49.1	63	0
2/8/2023, 4:33:31 PM	0	6.877	48.4	62.9	0
2/8/2023, 4:43:31 PM	0	6.877	47.7	63.1	0
2/8/2023, 4:53:31 PM	0	6.877	46.8	63.2	0
2/8/2023, 5:03:31 PM	0	6.877	45.9	63.4	0
2/8/2023, 5:13:31 PM	0	6.877	45	63.6	0
2/8/2023, 5:23:31 PM	0	6.877	44.1	64	0
2/8/2023, 5:33:31 PM	0	6.869	43.2	64.3	0
2/8/2023, 5:43:31 PM	0	6.869	42.3	64.7	0
2/8/2023, 5:53:31 PM	0	6.869	41.2	65	0
2/8/2023, 6:03:31 PM	0	6.869	40.3	65.5	0
2/8/2023, 6:13:31 PM	0	6.869	39.6	66.1	0
2/8/2023, 6:23:31 PM	0	6.86	38.7	66.6	0
2/8/2023, 6:33:31 PM	0	6.86	37.9	67.1	0
2/8/2023, 6:43:31 PM	0	6.86	37.2	67.7	0
2/8/2023, 6:53:31 PM	0	6.86	36.5	68.3	0
2/8/2023, 7:03:31 PM	0	6.86	36.1	69.1	0
2/8/2023, 7:13:31 PM	0	6.86	35.8	69.9	0
2/8/2023, 7:23:31 PM	0	6.851	35.4	70.5	0
2/8/2023, 7:33:31 PM	0	6.851	35.1	71	0
2/8/2023, 7:43:31 PM	0	6.851	34.7	71.5	0
2/8/2023, 7:53:31 PM	0	6.851	34.3	72	0
2/8/2023, 8:03:31 PM	0	6.851	33.8	72.3	0
2/8/2023, 8:13:31 PM	0	6.851	33.4	72.8	0
2/8/2023, 8:23:31 PM	0	6.851	32.9	73.2	0
2/8/2023, 8:33:31 PM	0	6.842	32.5	73.7	0
2/8/2023, 8:43:31 PM	0	6.842	32.4	74.1	0
2/8/2023, 8:53:31 PM	0	6.842	32	74.6	0
2/8/2023, 9:03:31 PM	0	6.842	31.8	75.1	0
2/8/2023, 9:13:31 PM	0	6.842	31.6	75.6	0
2/8/2023, 9:23:31 PM	0	6.842	31.5	76.1	0
2/8/2023, 9:33:31 PM	0	6.842	31.3	76.4	0
2/8/2023, 9:43:31 PM	0	6.842	30.9	76.8	0
2/8/2023, 9:53:31 PM	0	6.842	30.7	77.1	0
2/8/2023, 10:03:31 PM	0	6.842	30.6	77.4	0
2/8/2023, 10:13:31 PM	0	6.842	30.4	77.9	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/8/2023, 10:23:31 PM	0	6.833	30.2	78.2	0
2/8/2023, 10:33:31 PM	0	6.833	30	78.4	0
2/8/2023, 10:43:31 PM	0	6.833	29.7	78.5	0
2/8/2023, 10:53:31 PM	0	6.833	29.3	78.7	0
2/8/2023, 11:03:31 PM	0	6.833	29.1	79	0
2/8/2023, 11:13:31 PM	0	6.833	28.9	79.3	0
2/8/2023, 11:23:31 PM	0	6.833	28.9	79.7	0
2/8/2023, 11:33:31 PM	0	6.833	29.1	80.3	0
2/8/2023, 11:43:31 PM	0	6.833	29.3	80.8	0
2/8/2023, 11:53:31 PM	0	6.833	29.3	81.1	0
2/9/2023, 12:03:31 AM	0	6.833	29.1	81.3	0
2/9/2023, 12:13:31 AM	0	6.833	29.1	81.5	0
2/9/2023, 12:23:31 AM	0	6.833	28.9	81.6	0
2/9/2023, 12:33:31 AM	0	6.833	28.8	81.7	0
2/9/2023, 12:43:31 AM	0	6.833	28.6	81.8	0
2/9/2023, 12:53:31 AM	0	6.833	28.4	82	0
2/9/2023, 1:03:31 AM	0	6.833	28.4	82.1	0
2/9/2023, 1:13:31 AM	0	6.833	28.2	82.3	0
2/9/2023, 1:23:31 AM	0	6.833	28	82.5	0
2/9/2023, 1:33:31 AM	0	6.833	28	82.7	0
2/9/2023, 1:43:31 AM	0	6.833	28	83	0
2/9/2023, 1:53:31 AM	0	6.833	28.2	83.4	0
2/9/2023, 2:03:31 AM	0	6.833	28.8	84.1	0
2/9/2023, 2:13:31 AM	0	6.833	29.3	84.6	0
2/9/2023, 2:23:31 AM	0	6.833	29.8	85.2	0
2/9/2023, 2:33:31 AM	0	6.833	30.4	85.8	0
2/9/2023, 2:43:31 AM	0	6.833	30.9	86.1	0
2/9/2023, 2:53:31 AM	0	6.833	31.3	86.3	0
2/9/2023, 3:03:31 AM	0	6.833	31.5	86.4	0
2/9/2023, 3:13:31 AM	0	6.833	31.8	86.5	0
2/9/2023, 3:23:31 AM	0	6.833	31.6	86.2	0
2/9/2023, 3:33:31 AM	0	6.833	31.5	85.9	0
2/9/2023, 3:43:31 AM	0	6.833	31.5	86.1	0
2/9/2023, 3:53:31 AM	0	6.833	31.8	86.3	0
2/9/2023, 4:03:31 AM	0	6.842	32	86.6	0
2/9/2023, 4:13:31 AM	0	6.842	32.4	86.8	0
2/9/2023, 4:23:31 AM	0	6.842	32.7	86.8	0
2/9/2023, 4:33:31 AM	0	6.842	32.9	86.8	0
2/9/2023, 4:43:31 AM	0	6.842	33.3	86.8	0
2/9/2023, 4:53:31 AM	0	6.842	33.4	86.8	0
2/9/2023, 5:03:31 AM	0	6.842	33.8	86.7	0
2/9/2023, 5:13:31 AM	0	6.842	34	86.7	0
2/9/2023, 5:23:31 AM	0	6.842	34.2	86.5	0
2/9/2023, 5:33:31 AM	0	6.842	34.5	86.4	0
2/9/2023, 5:43:31 AM	0	6.842	34.7	86.3	0
2/9/2023, 5:53:31 AM	0	6.851	34.9	86.1	0
2/9/2023, 6:03:31 AM	0	6.851	35.1	85.9	0
2/9/2023, 6:13:31 AM	0	6.851	35.2	85.8	0
2/9/2023, 6:23:31 AM	0	6.851	35.4	85.7	0
2/9/2023, 6:33:31 AM	0	6.851	35.8	85.6	0
2/9/2023, 6:43:31 AM	0	6.851	36.1	85.4	0
2/9/2023, 6:53:31 AM	0	6.851	36.3	85.2	0
2/9/2023, 7:03:31 AM	0	6.851	36.7	85	0
2/9/2023, 7:13:31 AM	0	6.851	36.9	84.8	0
2/9/2023, 7:23:31 AM	0	6.851	37.2	84.6	0
2/9/2023, 7:33:31 AM	0	6.851	37.6	84.3	0
2/9/2023, 7:43:31 AM	0	6.851	37.8	84.1	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/9/2023, 7:53:31 AM	0	6.851	37.9	83.8	0
2/9/2023, 8:03:31 AM	0	6.851	37.9	83.7	0
2/9/2023, 8:13:31 AM	0	6.86	37.9	83.7	0
2/9/2023, 8:23:31 AM	0	6.851	37.9	83.9	0
2/9/2023, 8:33:31 AM	0	6.851	37.9	84.1	0
2/9/2023, 8:43:31 AM	0	6.86	38.1	84.4	0
2/9/2023, 8:53:31 AM	0	6.851	38.3	84.7	0
2/9/2023, 9:03:31 AM	0	6.86	38.5	85.2	0
2/9/2023, 9:13:31 AM	0	6.86	38.8	85.7	0
2/9/2023, 9:23:31 AM	0	6.86	39.2	86.3	0
2/9/2023, 9:33:31 AM	0	6.86	39.6	86.7	0
2/9/2023, 9:43:31 AM	0	6.86	39.6	86.8	0
2/9/2023, 9:53:31 AM	0	6.86	39.6	87	0
2/9/2023, 10:03:31 AM	0	6.86	39.6	87.2	0
2/9/2023, 10:13:31 AM	0	6.86	39.7	87.4	0
2/9/2023, 10:23:31 AM	0	6.86	39.7	87.7	0
2/9/2023, 10:33:31 AM	0	6.86	39.9	87.9	0
2/9/2023, 10:43:31 AM	0	6.86	40.1	88.2	0
2/9/2023, 10:53:31 AM	0	6.86	40.3	88.4	0
2/9/2023, 11:03:31 AM	0	6.86	40.5	88.7	0
2/9/2023, 11:13:31 AM	0	6.86	40.6	88.9	0
2/9/2023, 11:23:31 AM	0	6.86	40.8	89.1	0
2/9/2023, 11:33:31 AM	0	6.86	40.8	89.3	0
2/9/2023, 11:43:31 AM	0	6.86	41	89.5	0
2/9/2023, 11:53:31 AM	0	6.86	41.2	89.7	0
2/9/2023, 12:03:31 PM	0	6.86	41.4	89.9	0
2/9/2023, 12:13:31 PM	0	6.86	41.5	90.1	0
2/9/2023, 12:23:31 PM	0	6.86	41.5	90.2	0
2/9/2023, 12:33:31 PM	0	6.86	41.7	90.3	0
2/9/2023, 12:43:31 PM	0	6.86	41.9	90.5	0
2/9/2023, 12:53:31 PM	0	6.86	41.9	90.7	0
2/9/2023, 1:03:31 PM	0	6.86	42.1	90.8	0
2/9/2023, 1:13:31 PM	0	6.86	42.3	90.9	0
2/9/2023, 1:23:31 PM	0	6.86	42.3	91	0
2/9/2023, 1:33:31 PM	0	6.86	42.4	91.2	0
2/9/2023, 1:43:31 PM	0	6.86	42.6	91.4	0
2/9/2023, 1:53:31 PM	0	6.86	42.8	91.6	0
2/9/2023, 2:03:31 PM	0	6.86	43.2	91.9	0
2/9/2023, 2:13:31 PM	0	6.869	43.5	92.3	0
2/9/2023, 2:23:31 PM	0	6.869	43.9	92.7	0
2/9/2023, 2:33:31 PM	0	6.869	44.4	93.1	0
2/9/2023, 2:43:31 PM	0	6.869	44.8	93.2	0
2/9/2023, 2:53:31 PM	0	6.869	45	93.3	0
2/9/2023, 3:03:31 PM	0	6.869	45.3	93.4	0
2/9/2023, 3:13:31 PM	0	6.869	45.5	93.5	0
2/9/2023, 3:23:31 PM	0	6.869	45.9	93.7	0
2/9/2023, 3:33:31 PM	0	6.869	46	93.7	0
2/9/2023, 3:43:31 PM	0	6.869	46.2	93.7	0
2/9/2023, 3:53:31 PM	0	6.869	46.4	93.7	0
2/9/2023, 4:03:31 PM	0	6.869	46.6	93.7	0
2/9/2023, 4:13:31 PM	0	6.869	46.8	93.7	0
2/9/2023, 4:23:31 PM	0	6.869	46.9	93.8	0
2/9/2023, 4:33:31 PM	0	6.869	47.1	93.8	0
2/9/2023, 4:43:31 PM	0	6.869	47.3	93.8	0
2/9/2023, 4:53:31 PM	0	6.869	47.7	94	0
2/9/2023, 5:03:31 PM	0	6.869	48.2	94.4	0
2/9/2023, 5:13:31 PM	0	6.869	48.9	94.8	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/9/2023, 5:23:31 PM	0	6.877	49.5	95.2	0
2/9/2023, 5:33:31 PM	0	6.877	50.2	95	0
2/9/2023, 5:43:31 PM	0	6.877	50.5	94.6	0
2/9/2023, 5:53:31 PM	0	6.877	50.9	94.1	0
2/9/2023, 6:03:31 PM	0	6.877	51.1	93.4	0
2/9/2023, 6:13:31 PM	0	6.877	51.3	92.8	0
2/9/2023, 6:23:31 PM	0	6.877	51.3	92.2	0
2/9/2023, 6:33:31 PM	0	6.877	51.4	91.7	0
2/9/2023, 6:43:31 PM	0	6.877	51.8	91.3	0
2/9/2023, 6:53:31 PM	0	6.877	52	90.8	0
2/9/2023, 7:03:31 PM	0	6.877	52.2	90.3	0
2/9/2023, 7:13:31 PM	0	6.877	52.3	89.8	0
2/9/2023, 7:23:31 PM	0	6.877	52.5	89.5	0
2/9/2023, 7:33:31 PM	0	6.877	52.7	89.2	0
2/9/2023, 7:43:31 PM	0	6.877	52.9	88.8	0
2/9/2023, 7:53:31 PM	0	6.877	53.1	88.5	0
2/9/2023, 8:03:31 PM	0	6.877	53.4	88.1	0
2/9/2023, 8:13:31 PM	0	6.877	53.4	87.7	0
2/9/2023, 8:23:31 PM	0	6.877	53.8	87.4	0
2/9/2023, 8:33:31 PM	0	6.877	54	87.2	0
2/9/2023, 8:43:31 PM	0	6.877	54.1	86.9	0
2/9/2023, 8:53:31 PM	0	6.877	54.5	86.6	0
2/9/2023, 9:03:31 PM	0	6.877	54.7	86.2	0
2/9/2023, 9:13:31 PM	0	6.886	54.7	85.6	0
2/9/2023, 9:23:31 PM	0	6.886	54.5	85.1	0
2/9/2023, 9:33:31 PM	0	6.886	54	84.7	0
2/9/2023, 9:43:31 PM	0	6.886	53.6	84.7	0
2/9/2023, 9:53:31 PM	0	6.877	53.6	85.2	0
2/9/2023, 10:03:31 PM	0	6.877	53.6	85.7	0
2/9/2023, 10:13:31 PM	0	6.877	53.8	86.1	0
2/9/2023, 10:23:31 PM	0	6.877	53.6	86	0
2/9/2023, 10:33:31 PM	0	6.877	53.1	85.7	0
2/9/2023, 10:43:31 PM	0	6.877	52.3	85.5	0
2/9/2023, 10:53:31 PM	0	6.877	51.6	85.4	0
2/9/2023, 11:03:31 PM	0	6.877	51.1	85.2	0
2/9/2023, 11:13:31 PM	0	6.877	50.4	85.2	0
2/9/2023, 11:23:31 PM	0	6.877	49.6	85.3	0
2/9/2023, 11:33:31 PM	0	6.877	49.3	85.5	0
2/9/2023, 11:43:31 PM	0	6.877	48.9	85.7	0
2/9/2023, 11:53:31 PM	0	6.877	48.7	85.8	0
2/10/2023, 12:03:31 AM	0	6.877	48.4	85.9	0
2/10/2023, 12:13:31 AM	0	6.877	48.2	86	0
2/10/2023, 12:23:31 AM	0	6.877	48.2	86.2	0
2/10/2023, 12:33:31 AM	0	6.877	48.2	86.2	0
2/10/2023, 12:43:31 AM	0	6.877	47.8	85.9	0
2/10/2023, 12:53:31 AM	0	6.877	47.7	85.6	0
2/10/2023, 1:03:31 AM	0	6.877	47.3	85.3	0
2/10/2023, 1:13:31 AM	0	6.877	46.9	85	0
2/10/2023, 1:23:31 AM	0	6.877	46.6	84.8	0
2/10/2023, 1:33:31 AM	0	6.877	46.2	84.7	0
2/10/2023, 1:43:31 AM	0	6.869	45.9	84.6	0
2/10/2023, 1:53:31 AM	0	6.869	45.7	84.6	0
2/10/2023, 2:03:31 AM	0	6.869	45.5	84.4	0
2/10/2023, 2:13:31 AM	0	6.869	45.3	84.4	0
2/10/2023, 2:23:31 AM	0	6.869	45.1	84.3	0
2/10/2023, 2:33:31 AM	0	6.869	45	84.1	0
2/10/2023, 2:43:31 AM	0	6.869	44.8	84.1	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/10/2023, 2:53:31 AM	0	6.869	44.8	84	0
2/10/2023, 3:03:31 AM	0	6.869	44.6	84	0
2/10/2023, 3:13:31 AM	0	6.869	44.4	84	0
2/10/2023, 3:23:31 AM	0	6.869	44.4	83.9	0
2/10/2023, 3:33:31 AM	0	6.869	44.2	83.9	0
2/10/2023, 3:43:31 AM	0	6.869	44.1	83.9	0
2/10/2023, 3:53:31 AM	0	6.869	44.1	83.8	0
2/10/2023, 4:03:31 AM	0	6.869	43.9	83.7	0
2/10/2023, 4:13:31 AM	0	6.869	43.9	83.7	0
2/10/2023, 4:23:31 AM	0	6.869	43.9	83.6	0
2/10/2023, 4:33:31 AM	0	6.869	43.7	83.3	0
2/10/2023, 4:43:31 AM	0	6.869	43.3	83.1	0
2/10/2023, 4:53:31 AM	0	6.869	43.2	83.1	0
2/10/2023, 5:03:31 AM	0	6.869	43.2	83	0
2/10/2023, 5:13:31 AM	0	6.869	43.2	83	0
2/10/2023, 5:23:31 AM	0	6.869	43.2	82.9	0
2/10/2023, 5:33:31 AM	0	6.869	43.2	82.6	0
2/10/2023, 5:43:31 AM	0	6.869	43	82.5	0
2/10/2023, 5:53:31 AM	0	6.869	43	82.4	0
2/10/2023, 6:03:31 AM	0	6.869	42.8	82.3	0
2/10/2023, 6:13:31 AM	0	6.869	42.8	82.3	0
2/10/2023, 6:23:31 AM	0	6.869	42.8	82.2	0
2/10/2023, 6:33:31 AM	0	6.869	42.8	82.2	0
2/10/2023, 6:43:31 AM	0	6.869	42.6	82.3	0
2/10/2023, 6:53:31 AM	0	6.869	42.6	82.4	0
2/10/2023, 7:03:31 AM	0	6.869	42.6	82.5	0
2/10/2023, 7:13:31 AM	0	6.869	42.4	82.6	0
2/10/2023, 7:23:31 AM	0	6.869	42.4	82.7	0
2/10/2023, 7:33:31 AM	0	6.869	42.3	82.7	0
2/10/2023, 7:43:31 AM	0	6.869	42.3	82.7	0
2/10/2023, 7:53:31 AM	0	6.86	42.1	82.7	0
2/10/2023, 8:03:31 AM	0	6.86	41.9	82.7	0
2/10/2023, 8:13:31 AM	0	6.86	41.9	82.7	0
2/10/2023, 8:23:31 AM	0	6.86	41.9	82.7	0
2/10/2023, 8:33:31 AM	0	6.86	41.7	82.6	0
2/10/2023, 8:43:31 AM	0	6.86	41.7	82.5	0
2/10/2023, 8:53:31 AM	0	6.86	41.5	82.4	0
2/10/2023, 9:03:31 AM	0	6.86	41.5	82.4	0
2/10/2023, 9:13:31 AM	0	6.86	41.5	82.3	0
2/10/2023, 9:23:31 AM	0	6.86	41.5	82.3	0
2/10/2023, 9:33:31 AM	0	6.86	41.5	82.3	0
2/10/2023, 9:43:31 AM	0	6.86	41.5	82.3	0
2/10/2023, 9:53:31 AM	0	6.86	41.5	82.3	0
2/10/2023, 10:03:31 AM	0	6.86	41.5	82.2	0
2/10/2023, 10:13:31 AM	0	6.86	41.5	82.1	0
2/10/2023, 10:23:31 AM	0	6.86	41.5	82.1	0
2/10/2023, 10:33:31 AM	0	6.86	41.5	82	0
2/10/2023, 10:43:31 AM	0	6.86	41.5	82	0
2/10/2023, 10:53:31 AM	0	6.86	41.5	82	0
2/10/2023, 11:03:31 AM	0	6.86	41.5	81.9	0
2/10/2023, 11:13:31 AM	0	6.86	41.5	81.9	0
2/10/2023, 11:23:31 AM	0	6.86	41.5	81.9	0
2/10/2023, 11:33:31 AM	0	6.86	41.5	81.9	0
2/10/2023, 11:43:31 AM	0	6.86	41.5	81.9	0
2/10/2023, 11:53:31 AM	0	6.86	41.4	81.9	0
2/10/2023, 12:03:31 PM	0	6.86	41.4	81.9	0
2/10/2023, 12:13:31 PM	0	6.86	41.4	81.8	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/10/2023, 12:23:31 PM	0	6.86	41.4	81.9	0
2/10/2023, 12:33:31 PM	0	6.86	41.4	81.9	0
2/10/2023, 12:43:31 PM	0	6.86	41.4	81.8	0
2/10/2023, 12:53:31 PM	0	6.86	41.4	81.7	0
2/10/2023, 1:03:31 PM	0	6.86	41.4	81.7	0
2/10/2023, 1:13:31 PM	0	6.86	41.4	81.8	0
2/10/2023, 1:23:31 PM	0	6.86	41.5	81.9	0
2/10/2023, 1:33:31 PM	0	6.86	41.7	82	0
2/10/2023, 1:43:31 PM	0	6.86	41.9	81.9	0
2/10/2023, 1:53:31 PM	0	6.86	41.9	81.9	0
2/10/2023, 2:03:31 PM	0	6.86	41.9	81.8	0
2/10/2023, 2:13:31 PM	0	6.86	41.9	81.7	0
2/10/2023, 2:23:31 PM	0	6.86	41.9	81.6	0
2/10/2023, 2:33:31 PM	0	6.86	41.9	81.6	0
2/10/2023, 2:43:31 PM	0	6.86	41.9	81.5	0
2/10/2023, 2:53:31 PM	0	6.86	41.9	81.3	0
2/10/2023, 3:03:31 PM	0	6.86	41.7	81.2	0
2/10/2023, 3:13:31 PM	0	6.86	41.7	81.1	0
2/10/2023, 3:23:31 PM	0	6.86	41.5	81	0
2/10/2023, 3:33:31 PM	0	6.86	41.4	80.9	0
2/10/2023, 3:43:31 PM	0	6.86	41.2	80.9	0
2/10/2023, 3:53:31 PM	0	6.86	41	80.9	0
2/10/2023, 4:03:31 PM	0	6.86	41	80.9	0
2/10/2023, 4:13:31 PM	0	6.86	40.8	81	0
2/10/2023, 4:23:31 PM	0	6.86	40.6	81.1	0
2/10/2023, 4:33:31 PM	0	6.86	40.6	81.2	0
2/10/2023, 4:43:31 PM	0	6.86	40.5	81.3	0
2/10/2023, 4:53:31 PM	0	6.86	40.5	81.5	0
2/10/2023, 5:03:31 PM	0	6.86	40.3	81.6	0
2/10/2023, 5:13:31 PM	0	6.86	40.3	81.7	0
2/10/2023, 5:23:31 PM	0	6.86	40.3	81.8	0
2/10/2023, 5:33:31 PM	0	6.86	40.1	82	0
2/10/2023, 5:43:31 PM	0	6.86	39.9	81.9	0
2/10/2023, 5:53:31 PM	0	6.86	39.4	81.9	0
2/10/2023, 6:03:31 PM	0	6.86	39	82	0
2/10/2023, 6:13:31 PM	0	6.86	38.8	82	0
2/10/2023, 6:23:31 PM	0	6.86	38.5	82.2	0
2/10/2023, 6:33:31 PM	0	6.86	38.3	82.2	0
2/10/2023, 6:43:31 PM	0	6.86	38.3	82.3	0
2/10/2023, 6:53:31 PM	0	6.86	37.9	82.2	0
2/10/2023, 7:03:31 PM	0	6.86	37.8	81.8	0
2/10/2023, 7:13:31 PM	0	6.851	37.4	81.3	0
2/10/2023, 7:23:31 PM	0	6.851	37.2	80.8	0
2/10/2023, 7:33:31 PM	0	6.851	37	80.2	0
2/10/2023, 7:43:31 PM	0	6.851	36.7	79.6	0
2/10/2023, 7:53:31 PM	0	6.851	36.7	79.1	0
2/10/2023, 8:03:31 PM	0	6.851	36.5	78.5	0
2/10/2023, 8:13:31 PM	0	6.851	36.3	78.1	0
2/10/2023, 8:23:31 PM	0	6.851	36.1	77.7	0
2/10/2023, 8:33:31 PM	0	6.851	36.1	77.4	0
2/10/2023, 8:43:31 PM	0	6.851	36	77.1	0
2/10/2023, 8:53:31 PM	0	6.851	36	77	0
2/10/2023, 9:03:31 PM	0	6.851	36	76.9	0
2/10/2023, 9:13:31 PM	0	6.851	35.8	76.7	0
2/10/2023, 9:23:31 PM	0	6.851	36	76.7	0
2/10/2023, 9:33:31 PM	0	6.851	36	76.6	0
2/10/2023, 9:43:31 PM	0	6.851	36	76.5	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/10/2023, 9:53:31 PM	0	6.851	35.8	76.4	0
2/10/2023, 10:03:31 PM	0	6.851	35.8	76.2	0
2/10/2023, 10:13:31 PM	0	6.851	35.6	76	0
2/10/2023, 10:23:31 PM	0	6.851	35.4	75.8	0
2/10/2023, 10:33:31 PM	0	6.851	35.2	75.7	0
2/10/2023, 10:43:31 PM	0	6.851	34.9	75.6	0
2/10/2023, 10:53:31 PM	0	6.851	34.7	75.6	0
2/10/2023, 11:03:31 PM	0	6.851	34.7	75.7	0
2/10/2023, 11:13:31 PM	0	6.851	34.5	75.6	0
2/10/2023, 11:23:31 PM	0	6.851	34.3	75.6	0
2/10/2023, 11:33:31 PM	0	6.842	34.3	75.5	0
2/10/2023, 11:43:31 PM	0	6.842	34.2	75.3	0
2/10/2023, 11:53:31 PM	0	6.842	34.2	75.3	0
2/11/2023, 12:03:31 AM	0	6.842	34.2	75.2	0
2/11/2023, 12:13:31 AM	0	6.842	34.2	75.1	0
2/11/2023, 12:23:31 AM	0	6.842	34	74.9	0
2/11/2023, 12:33:31 AM	0	6.842	33.8	74.7	0
2/11/2023, 12:43:31 AM	0	6.842	33.6	74.5	0
2/11/2023, 12:53:31 AM	0	6.842	33.4	74.5	0
2/11/2023, 1:03:31 AM	0	6.842	33.4	74.5	0
2/11/2023, 1:13:31 AM	0	6.842	33.6	74.5	0
2/11/2023, 1:23:31 AM	0	6.842	33.6	74.5	0
2/11/2023, 1:33:31 AM	0	6.842	33.6	74.4	0
2/11/2023, 1:43:31 AM	0	6.842	33.6	74.4	0
2/11/2023, 1:53:31 AM	0	6.842	33.6	74.5	0
2/11/2023, 2:03:31 AM	0	6.842	33.6	74.6	0
2/11/2023, 2:13:31 AM	0	6.842	33.6	74.6	0
2/11/2023, 2:23:31 AM	0	6.842	33.6	74.7	0
2/11/2023, 2:33:31 AM	0	6.842	33.4	74.9	0
2/11/2023, 2:43:31 AM	0	6.842	33.4	75.2	0
2/11/2023, 2:53:31 AM	0	6.842	33.1	75.5	0
2/11/2023, 3:03:31 AM	0	6.842	32.9	75.8	0
2/11/2023, 3:13:31 AM	0	6.842	32.7	76	0
2/11/2023, 3:23:31 AM	0	6.842	32.5	76.1	0
2/11/2023, 3:33:31 AM	0	6.842	32.5	76.2	0
2/11/2023, 3:43:31 AM	0	6.842	32.4	76	0
2/11/2023, 3:53:31 AM	0	6.842	32.2	75.9	0
2/11/2023, 4:03:31 AM	0	6.842	32	75.7	0
2/11/2023, 4:13:31 AM	0	6.842	32	75.5	0
2/11/2023, 4:23:31 AM	0	6.842	31.8	75.3	0
2/11/2023, 4:33:31 AM	0	6.842	31.8	75.2	0
2/11/2023, 4:43:31 AM	0	6.842	31.6	75	0
2/11/2023, 4:53:31 AM	0	6.842	31.5	74.9	0
2/11/2023, 5:03:31 AM	0	6.833	31.5	74.9	0
2/11/2023, 5:13:31 AM	0	6.833	31.3	74.9	0
2/11/2023, 5:23:31 AM	0	6.833	31.3	74.9	0
2/11/2023, 5:33:31 AM	0	6.833	31.1	75	0
2/11/2023, 5:43:31 AM	0	6.833	31.1	75	0
2/11/2023, 5:53:31 AM	0	6.833	30.9	75.1	0
2/11/2023, 6:03:31 AM	0	6.833	30.9	75.1	0
2/11/2023, 6:13:31 AM	0	6.833	30.9	75.2	0
2/11/2023, 6:23:31 AM	0	6.833	30.9	75.2	0
2/11/2023, 6:33:31 AM	0	6.833	30.9	75.3	0
2/11/2023, 6:43:31 AM	0	6.833	30.9	75.3	0
2/11/2023, 6:53:31 AM	0	6.833	30.9	75.5	0
2/11/2023, 7:03:31 AM	0	6.833	30.9	75.6	0
2/11/2023, 7:13:31 AM	0	6.833	30.9	75.7	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/11/2023, 7:23:31 AM	0	6.833	30.9	75.8	0
2/11/2023, 7:33:31 AM	0	6.833	30.9	75.9	0
2/11/2023, 7:43:31 AM	0	6.833	30.9	76	0
2/11/2023, 7:53:31 AM	0	6.833	30.9	76.1	0
2/11/2023, 8:03:31 AM	0	6.833	31.1	76.2	0
2/11/2023, 8:13:31 AM	0	6.833	31.1	76.3	0
2/11/2023, 8:23:31 AM	0	6.833	31.3	76.4	0
2/11/2023, 8:33:31 AM	0	6.833	31.3	76.5	0
2/11/2023, 8:43:31 AM	0	6.833	31.5	76.5	0
2/11/2023, 8:53:31 AM	0	6.833	31.6	76.6	0
2/11/2023, 9:03:31 AM	0	6.833	31.8	76.5	0
2/11/2023, 9:13:31 AM	0	6.833	32	76.5	0
2/11/2023, 9:23:31 AM	0	6.833	32.2	76.5	0
2/11/2023, 9:33:31 AM	0	6.842	32.4	76.4	0
2/11/2023, 9:43:31 AM	0	6.842	32.7	76.3	0
2/11/2023, 9:53:31 AM	0	6.842	32.9	76.1	0
2/11/2023, 10:03:31 AM	0	6.842	33.1	75.9	0
2/11/2023, 10:13:31 AM	0	6.842	33.4	75.8	0
2/11/2023, 10:23:31 AM	0	6.842	33.8	75.6	0
2/11/2023, 10:33:31 AM	0	6.842	34	75.2	0
2/11/2023, 10:43:31 AM	0	6.842	34.2	74.9	0
2/11/2023, 10:53:31 AM	0	6.842	34.3	74.6	0
2/11/2023, 11:03:31 AM	0	6.842	34.5	74.3	0
2/11/2023, 11:13:31 AM	0	6.842	34.5	74	0
2/11/2023, 11:23:31 AM	0	6.842	34.7	73.9	0
2/11/2023, 11:33:31 AM	0	6.842	34.9	73.8	0
2/11/2023, 11:43:31 AM	0	6.842	35.1	73.7	0
2/11/2023, 11:53:31 AM	0	6.842	35.2	73.6	0
2/11/2023, 12:03:31 PM	0	6.842	35.2	73.4	0
2/11/2023, 12:13:31 PM	0	6.842	35.4	73.2	0
2/11/2023, 12:23:31 PM	0	6.842	35.4	73.1	0
2/11/2023, 12:33:31 PM	0	6.842	35.6	73	0
2/11/2023, 12:43:31 PM	0	6.851	36	73	0
2/11/2023, 12:53:31 PM	0	6.851	36.1	72.9	0
2/11/2023, 1:03:31 PM	0	6.851	36.1	72.7	0
2/11/2023, 1:13:31 PM	0	6.851	36.3	72.6	0
2/11/2023, 1:23:31 PM	0	6.851	36.3	72.5	0
2/11/2023, 1:33:31 PM	0	6.851	36.5	72.4	0
2/11/2023, 1:43:31 PM	0	6.851	36.5	72.4	0
2/11/2023, 1:53:31 PM	0	6.851	36.5	72.3	0
2/11/2023, 2:03:31 PM	0	6.851	36.7	72.3	0
2/11/2023, 2:13:31 PM	0	6.851	36.9	72.3	0
2/11/2023, 2:23:31 PM	0	6.851	37.2	72.3	0
2/11/2023, 2:33:31 PM	0	6.851	37.4	72.3	0
2/11/2023, 2:43:31 PM	0	6.851	37.8	72.1	0
2/11/2023, 2:53:31 PM	0	6.851	37.8	71.9	0
2/11/2023, 3:03:31 PM	0	6.851	38.1	71.9	0
2/11/2023, 3:13:31 PM	0	6.851	38.3	71.7	0
2/11/2023, 3:23:31 PM	0	6.851	38.5	71.5	0
2/11/2023, 3:33:31 PM	0	6.851	38.5	71.3	0
2/11/2023, 3:43:31 PM	0	6.851	38.5	71.1	0
2/11/2023, 3:53:31 PM	0	6.851	38.5	71	0
2/11/2023, 4:03:31 PM	0	6.851	38.7	70.8	0
2/11/2023, 4:13:31 PM	0	6.851	38.3	70.5	0
2/11/2023, 4:23:31 PM	0	6.851	37.9	70.2	0
2/11/2023, 4:33:31 PM	0	6.851	37.6	70.1	0
2/11/2023, 4:43:31 PM	0	6.851	37.2	70	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/11/2023, 4:53:31 PM	0	6.851	36.9	70.1	0
2/11/2023, 5:03:31 PM	0	6.851	36.7	70.1	0
2/11/2023, 5:13:31 PM	0	6.851	36.3	70.1	0
2/11/2023, 5:23:31 PM	0	6.851	36.1	70.1	0
2/11/2023, 5:33:31 PM	0	6.851	35.8	70.2	0
2/11/2023, 5:43:31 PM	0	6.851	35.4	70.2	0
2/11/2023, 5:53:31 PM	0	6.851	34.9	70.2	0
2/11/2023, 6:03:31 PM	0	6.851	34.5	70.4	0
2/11/2023, 6:13:31 PM	0	6.851	34.2	70.6	0
2/11/2023, 6:23:31 PM	0	6.851	33.4	70.7	0
2/11/2023, 6:33:31 PM	0	6.842	32.7	70.9	0
2/11/2023, 6:43:31 PM	0	6.842	32.4	71.4	0
2/11/2023, 6:53:31 PM	0	6.842	32	71.8	0
2/11/2023, 7:03:31 PM	0	6.842	32	72.3	0
2/11/2023, 7:13:31 PM	0	6.842	31.8	72.8	0
2/11/2023, 7:23:31 PM	0	6.842	31.8	73.3	0
2/11/2023, 7:33:31 PM	0	6.842	31.8	73.7	0
2/11/2023, 7:43:31 PM	0	6.842	31.8	73.9	0
2/11/2023, 7:53:31 PM	0	6.842	31.8	74.1	0
2/11/2023, 8:03:31 PM	0	6.842	31.5	74.2	0
2/11/2023, 8:13:31 PM	0	6.842	31.1	74.3	0
2/11/2023, 8:23:31 PM	0	6.833	30.7	74.3	0
2/11/2023, 8:33:31 PM	0	6.833	30.2	74.4	0
2/11/2023, 8:43:31 PM	0	6.833	29.8	74.7	0
2/11/2023, 8:53:31 PM	0	6.833	29.8	75.3	0
2/11/2023, 9:03:31 PM	0	6.833	30.2	75.8	0
2/11/2023, 9:13:31 PM	0	6.833	30.4	76.2	0
2/11/2023, 9:23:31 PM	0	6.833	30.4	76.3	0
2/11/2023, 9:33:31 PM	0	6.833	30.2	76.3	0
2/11/2023, 9:43:31 PM	0	6.833	30.2	76.5	0
2/11/2023, 9:53:31 PM	0	6.833	30.4	76.9	0
2/11/2023, 10:03:31 PM	0	6.833	30.9	77.2	0
2/11/2023, 10:13:31 PM	0	6.833	31.3	77.2	0
2/11/2023, 10:23:31 PM	0	6.833	31.5	77.1	0
2/11/2023, 10:33:31 PM	0	6.833	31.6	77	0
2/11/2023, 10:43:31 PM	0	6.842	31.8	76.9	0
2/11/2023, 10:53:31 PM	0	6.842	32	76.7	0
2/11/2023, 11:03:31 PM	0	6.842	32.2	76.5	0
2/11/2023, 11:13:31 PM	0	6.842	32.5	76.3	0
2/11/2023, 11:23:31 PM	0	6.842	32.9	76	0
2/11/2023, 11:33:31 PM	0	6.842	32.9	75.5	0
2/11/2023, 11:43:31 PM	0	6.842	32.9	75	0
2/11/2023, 11:53:31 PM	0	6.842	33.1	74.7	0
2/12/2023, 12:03:31 AM	0	6.842	33.1	74.2	0
2/12/2023, 12:13:31 AM	0	6.842	33.1	73.8	0
2/12/2023, 12:23:31 AM	0	6.842	32.9	73.4	0
2/12/2023, 12:33:31 AM	0	6.842	32.7	73.1	0
2/12/2023, 12:43:31 AM	0	6.842	32.5	72.9	0
2/12/2023, 12:53:31 AM	0	6.842	32.4	72.8	0
2/12/2023, 1:03:31 AM	0	6.842	32	72.7	0
2/12/2023, 1:13:31 AM	0	6.842	32	72.7	0
2/12/2023, 1:23:31 AM	0	6.842	31.6	72.7	0
2/12/2023, 1:33:31 AM	0	6.842	31.5	72.8	0
2/12/2023, 1:43:31 AM	0	6.842	31.3	73	0
2/12/2023, 1:53:31 AM	0	6.842	31.5	73.2	0
2/12/2023, 2:03:31 AM	0	6.842	31.5	73.4	0
2/12/2023, 2:13:31 AM	0	6.842	31.6	73.5	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/12/2023, 2:23:31 AM	0	6.842	31.8	73.6	0
2/12/2023, 2:33:31 AM	0	6.842	31.8	73.5	0
2/12/2023, 2:43:31 AM	0	6.842	32	73.5	0
2/12/2023, 2:53:31 AM	0	6.842	32	73.5	0
2/12/2023, 3:03:31 AM	0	6.842	32	73.5	0
2/12/2023, 3:13:31 AM	0	6.842	32	73.5	0
2/12/2023, 3:23:31 AM	0	6.842	32	73.5	0
2/12/2023, 3:33:31 AM	0	6.842	32	73.4	0
2/12/2023, 3:43:31 AM	0	6.842	32	73.3	0
2/12/2023, 3:53:31 AM	0	6.842	32	73.3	0
2/12/2023, 4:03:31 AM	0	6.842	31.8	73.3	0
2/12/2023, 4:13:31 AM	0	6.842	31.8	73.4	0
2/12/2023, 4:23:31 AM	0	6.842	31.8	73.4	0
2/12/2023, 4:33:31 AM	0	6.842	31.6	73.4	0
2/12/2023, 4:43:31 AM	0	6.842	31.6	73.5	0
2/12/2023, 4:53:31 AM	0	6.842	31.6	73.5	0
2/12/2023, 5:03:31 AM	0	6.842	31.6	73.5	0
2/12/2023, 5:13:31 AM	0	6.842	31.6	73.4	0
2/12/2023, 5:23:31 AM	0	6.842	31.5	73.4	0
2/12/2023, 5:33:31 AM	0	6.842	31.5	73.4	0
2/12/2023, 5:43:31 AM	0	6.842	31.3	73.3	0
2/12/2023, 5:53:31 AM	0	6.842	31.1	73.4	0
2/12/2023, 6:03:31 AM	0	6.833	30.9	73.4	0
2/12/2023, 6:13:31 AM	0	6.833	30.9	73.4	0
2/12/2023, 6:23:31 AM	0	6.833	30.6	73.4	0
2/12/2023, 6:33:31 AM	0	6.833	30.4	73.5	0
2/12/2023, 6:43:31 AM	0	6.833	30.2	73.6	0
2/12/2023, 6:53:31 AM	0	6.833	30	73.8	0
2/12/2023, 7:03:31 AM	0	6.833	29.8	73.9	0
2/12/2023, 7:13:31 AM	0	6.833	29.5	74	0
2/12/2023, 7:23:31 AM	0	6.833	29.3	74.1	0
2/12/2023, 7:33:31 AM	0	6.833	29.1	74.4	0
2/12/2023, 7:43:31 AM	0	6.833	29.1	74.9	0
2/12/2023, 7:53:31 AM	0	6.833	29.7	75.6	0
2/12/2023, 8:03:31 AM	0	6.833	30.9	76.4	0
2/12/2023, 8:13:31 AM	0	6.833	32	76.9	0
2/12/2023, 8:23:31 AM	0	6.833	33.3	77.3	0
2/12/2023, 8:33:31 AM	0	6.842	34.7	77.3	0
2/12/2023, 8:43:31 AM	0	6.842	36.5	77.2	0
2/12/2023, 8:53:31 AM	0	6.842	38.1	76.7	0
2/12/2023, 9:03:31 AM	0	6.851	39.6	75.8	0
2/12/2023, 9:13:31 AM	0	6.851	41	74.8	0
2/12/2023, 9:23:31 AM	0	6.851	42.4	73.8	0
2/12/2023, 9:33:31 AM	0	6.86	43.5	72.6	0
2/12/2023, 9:43:31 AM	0	6.86	44.4	71.5	0
2/12/2023, 9:53:31 AM	0	6.86	45.5	70.5	0
2/12/2023, 10:03:31 AM	0	6.86	46.2	69.5	0
2/12/2023, 10:13:31 AM	0	6.869	46.9	68.8	0
2/12/2023, 10:23:31 AM	0	6.869	47.8	68.1	0
2/12/2023, 10:33:31 AM	0	6.869	48.9	67.4	0
2/12/2023, 10:43:31 AM	0	6.869	50.4	66.8	0
2/12/2023, 10:53:31 AM	0	6.869	51.4	65.8	0
2/12/2023, 11:03:31 AM	0	6.869	52.3	64.9	0
2/12/2023, 11:13:31 AM	0	6.877	52.9	64	0
2/12/2023, 11:23:31 AM	0	6.877	53.2	63.2	0
2/12/2023, 11:33:31 AM	0	6.877	53.8	62.5	0
2/12/2023, 11:43:31 AM	0	6.877	53.8	61.7	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/12/2023, 11:53:31 AM	0	6.877	53.4	61.1	0
2/12/2023, 12:03:31 PM	0	6.877	52.9	60.6	0
2/12/2023, 12:13:31 PM	0	6.877	52.5	60.2	0
2/12/2023, 12:23:31 PM	0	6.877	52.7	60	0
2/12/2023, 12:33:31 PM	0	6.877	53.2	59.7	0
2/12/2023, 12:43:31 PM	0	6.877	53.4	59.4	0
2/12/2023, 12:53:31 PM	0	6.877	54.1	59.3	0
2/12/2023, 1:03:31 PM	0	6.877	54.5	59	0
2/12/2023, 1:13:31 PM	0	6.877	54.3	58.5	0
2/12/2023, 1:23:31 PM	0	6.877	54	58.1	0
2/12/2023, 1:33:31 PM	0	6.877	53.4	57.7	0
2/12/2023, 1:43:31 PM	0	6.877	53.1	57.5	0
2/12/2023, 1:53:31 PM	0	6.877	52.9	57.4	0
2/12/2023, 2:03:31 PM	0	6.877	52.9	57.3	0
2/12/2023, 2:13:31 PM	0	6.877	52.9	57.2	0
2/12/2023, 2:23:31 PM	0	6.877	53.1	57	0
2/12/2023, 2:33:31 PM	0	6.877	53.2	56.7	0
2/12/2023, 2:43:31 PM	0	6.877	53.6	56.3	0
2/12/2023, 2:53:31 PM	0	6.877	53.6	56	0
2/12/2023, 3:03:31 PM	0	6.877	53.4	55.7	0
2/12/2023, 3:13:31 PM	0	6.877	53.2	55.4	0
2/12/2023, 3:23:31 PM	0	6.877	52.9	55.1	0
2/12/2023, 3:33:31 PM	0	6.877	52.7	54.7	0
2/12/2023, 3:43:31 PM	0	6.877	52.7	54.6	0
2/12/2023, 3:53:31 PM	0	6.877	52.9	54.4	0
2/12/2023, 4:03:31 PM	0	6.877	52.9	54.2	0
2/12/2023, 4:13:31 PM	0	6.877	52.5	54	0
2/12/2023, 4:23:31 PM	0	6.877	51.6	54.3	0
2/12/2023, 4:33:31 PM	0	6.877	50.7	55	0
2/12/2023, 4:43:31 PM	0	6.877	49.6	55.8	0
2/12/2023, 4:53:31 PM	0	6.877	48.7	56.5	0
2/12/2023, 5:03:31 PM	0	6.877	48	57.3	0
2/12/2023, 5:13:31 PM	0	6.877	47.1	58.1	0
2/12/2023, 5:23:31 PM	0	6.877	46.4	58.8	0
2/12/2023, 5:33:31 PM	0	6.877	45.7	59.6	0
2/12/2023, 5:43:31 PM	0	6.877	44.8	60.3	0
2/12/2023, 5:53:31 PM	0	6.869	43.9	60.8	0
2/12/2023, 6:03:31 PM	0	6.869	42.6	61.2	0
2/12/2023, 6:13:31 PM	0	6.869	41.2	61.6	0
2/12/2023, 6:23:31 PM	0	6.869	40.1	62.2	0
2/12/2023, 6:33:31 PM	0	6.869	39.2	63	0
2/12/2023, 6:43:31 PM	0	6.86	38.5	63.8	0
2/12/2023, 6:53:31 PM	0	6.86	37.6	64.5	0
2/12/2023, 7:03:31 PM	0	6.86	36.7	65.3	0
2/12/2023, 7:13:31 PM	0	6.86	36.1	66	0
2/12/2023, 7:23:31 PM	0	6.86	35.2	66.6	0
2/12/2023, 7:33:31 PM	0	6.851	34.5	67.2	0
2/12/2023, 7:43:31 PM	0	6.851	34	67.8	0
2/12/2023, 7:53:31 PM	0	6.851	33.3	68.5	0
2/12/2023, 8:03:31 PM	0	6.851	32.7	69.1	0
2/12/2023, 8:13:31 PM	0	6.851	32.4	69.8	0
2/12/2023, 8:23:31 PM	0	6.842	32	70.5	0
2/12/2023, 8:33:31 PM	0	6.842	31.5	71	0
2/12/2023, 8:43:31 PM	0	6.842	31.1	71.6	0
2/12/2023, 8:53:31 PM	0	6.842	30.7	72.1	0
2/12/2023, 9:03:31 PM	0	6.842	30.6	72.7	0
2/12/2023, 9:13:31 PM	0	6.842	30.2	73.2	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/12/2023, 9:23:31 PM	0	6.833	29.8	73.7	0
2/12/2023, 9:33:31 PM	0	6.833	29.7	74.2	0
2/12/2023, 9:43:31 PM	0	6.833	29.3	74.6	0
2/12/2023, 9:53:31 PM	0	6.833	29.1	75.1	0
2/12/2023, 10:03:31 PM	0	6.833	28.8	75.5	0
2/12/2023, 10:13:31 PM	0	6.833	28.6	75.8	0
2/12/2023, 10:23:31 PM	0	6.833	28.2	76.3	0
2/12/2023, 10:33:31 PM	0	6.833	28	76.6	0
2/12/2023, 10:43:31 PM	0	6.833	27.9	77	0
2/12/2023, 10:53:31 PM	0	6.825	27.7	77.4	0
2/12/2023, 11:03:31 PM	0	6.825	27.5	77.7	0
2/12/2023, 11:13:31 PM	0	6.825	27.3	77.9	0
2/12/2023, 11:23:31 PM	0	6.825	27	78.2	0
2/12/2023, 11:33:31 PM	0	6.825	26.8	78.5	0
2/12/2023, 11:43:31 PM	0	6.825	26.6	78.8	0
2/12/2023, 11:53:31 PM	0	6.825	26.4	79	0
2/13/2023, 12:03:31 AM	0	6.825	26.2	79.3	0
2/13/2023, 12:13:31 AM	0	6.825	26.1	79.6	0
2/13/2023, 12:23:31 AM	0	6.825	25.9	79.9	0
2/13/2023, 12:33:31 AM	0	6.825	25.7	80.1	0
2/13/2023, 12:43:31 AM	0	6.825	25.7	80.4	0
2/13/2023, 12:53:31 AM	0	6.825	25.5	80.8	0
2/13/2023, 1:03:31 AM	0	6.825	25.5	80.9	0
2/13/2023, 1:13:31 AM	0	6.816	25.3	81.2	0
2/13/2023, 1:23:31 AM	0	6.816	25.3	81.3	0
2/13/2023, 1:33:31 AM	0	6.816	25.2	81.5	0
2/13/2023, 1:43:31 AM	0	6.816	25	81.7	0
2/13/2023, 1:53:31 AM	0	6.816	24.8	81.8	0
2/13/2023, 2:03:31 AM	0	6.816	24.6	82	0
2/13/2023, 2:13:31 AM	0	6.816	24.4	82.1	0
2/13/2023, 2:23:31 AM	0	6.816	24.4	82.3	0
2/13/2023, 2:33:31 AM	0	6.816	24.3	82.4	0
2/13/2023, 2:43:31 AM	0	6.816	24.3	82.6	0
2/13/2023, 2:53:31 AM	0	6.816	24.1	82.7	0
2/13/2023, 3:03:31 AM	0	6.816	23.9	82.9	0
2/13/2023, 3:13:31 AM	0	6.816	23.9	83	0
2/13/2023, 3:23:31 AM	0	6.816	23.7	83.1	0
2/13/2023, 3:33:31 AM	0	6.816	23.7	83.3	0
2/13/2023, 3:43:31 AM	0	6.816	23.5	83.4	0
2/13/2023, 3:53:31 AM	0	6.816	23.4	83.5	0
2/13/2023, 4:03:31 AM	0	6.816	23.4	83.7	0
2/13/2023, 4:13:31 AM	0	6.816	23.4	83.8	0
2/13/2023, 4:23:31 AM	0	6.816	23.2	83.9	0
2/13/2023, 4:33:31 AM	0	6.816	23.2	84.1	0
2/13/2023, 4:43:31 AM	0	6.816	23.2	84.2	0
2/13/2023, 4:53:31 AM	0	6.816	23	84.3	0
2/13/2023, 5:03:31 AM	0	6.816	23	84.4	0
2/13/2023, 5:13:31 AM	0	6.807	23	84.5	0
2/13/2023, 5:23:31 AM	0	6.807	22.8	84.6	0
2/13/2023, 5:33:31 AM	0	6.807	23	84.8	0
2/13/2023, 5:43:31 AM	0	6.807	23	85	0
2/13/2023, 5:53:31 AM	0	6.816	23	85.1	0
2/13/2023, 6:03:31 AM	0	6.807	23	85.2	0
2/13/2023, 6:13:31 AM	0	6.807	22.8	85.3	0
2/13/2023, 6:23:31 AM	0	6.807	23	85.4	0
2/13/2023, 6:33:31 AM	0	6.816	23	85.5	0
2/13/2023, 6:43:31 AM	0	6.807	23	85.6	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/13/2023, 6:53:31 AM	0	6.816	23	85.7	0
2/13/2023, 7:03:31 AM	0	6.807	22.8	85.7	0
2/13/2023, 7:13:31 AM	0	6.807	22.8	85.8	0
2/13/2023, 7:23:31 AM	0	6.807	22.8	85.9	0
2/13/2023, 7:33:31 AM	0	6.816	23	86	0
2/13/2023, 7:43:31 AM	0	6.807	23.4	86.3	0
2/13/2023, 7:53:31 AM	0	6.816	24.3	86.8	0
2/13/2023, 8:03:31 AM	0	6.816	25.7	87.4	0
2/13/2023, 8:13:31 AM	0	6.816	27.1	88	0
2/13/2023, 8:23:31 AM	0	6.825	28.4	88.5	0
2/13/2023, 8:33:31 AM	0	6.825	29.8	89	0
2/13/2023, 8:43:31 AM	0	6.825	31.8	89.5	0
2/13/2023, 8:53:31 AM	0	6.833	33.8	89.9	0
2/13/2023, 9:03:31 AM	0	6.833	35.8	90.2	0
2/13/2023, 9:13:31 AM	0	6.842	37.9	90.4	0
2/13/2023, 9:23:31 AM	0	6.842	40.1	90.2	0
2/13/2023, 9:33:31 AM	0	6.851	42.1	89.1	0
2/13/2023, 9:43:31 AM	0	6.86	44.1	87.5	0
2/13/2023, 9:53:31 AM	0	6.86	46	85.1	0
2/13/2023, 10:03:31 AM	0	6.86	47.5	82.2	0
2/13/2023, 10:13:31 AM	0	6.869	48.7	79.4	0
2/13/2023, 10:23:31 AM	0	6.869	50	77.1	0
2/13/2023, 10:33:31 AM	0	6.869	50.9	74.4	0
2/13/2023, 10:43:31 AM	0	6.869	51.8	72.5	0
2/13/2023, 10:53:31 AM	0	6.877	53.4	70.7	0
2/13/2023, 11:03:31 AM	0	6.877	54.3	68.8	0
2/13/2023, 11:13:31 AM	0	6.877	54.1	67.3	0
2/13/2023, 11:23:31 AM	0	6.877	54.3	66	0
2/13/2023, 11:33:31 AM	0	6.877	54.5	64.9	0
2/13/2023, 11:43:31 AM	0	6.877	54.9	64	0
2/13/2023, 11:53:31 AM	0	6.877	55.2	63.1	0
2/13/2023, 12:03:31 PM	0	6.877	55	62.1	0
2/13/2023, 12:13:31 PM	0	6.877	55	61.3	0
2/13/2023, 12:23:31 PM	0	6.877	54.9	60.5	0
2/13/2023, 12:33:31 PM	0	6.877	54.7	59.9	0
2/13/2023, 12:43:31 PM	0	6.877	54.5	59.4	0
2/13/2023, 12:53:31 PM	0	6.877	54.7	59	0
2/13/2023, 1:03:31 PM	0	6.877	54.9	58.8	0
2/13/2023, 1:13:31 PM	0	6.877	54.7	58.5	0
2/13/2023, 1:23:31 PM	0	6.877	54.9	58.3	0
2/13/2023, 1:33:31 PM	0	6.877	55.2	58.2	0
2/13/2023, 1:43:31 PM	0	6.877	55.2	58.1	0
2/13/2023, 1:53:31 PM	0	6.877	55.6	58	0
2/13/2023, 2:03:31 PM	0	6.877	55.9	58.1	0
2/13/2023, 2:13:31 PM	0	6.877	56.5	58.2	0
2/13/2023, 2:23:31 PM	0	6.886	56.7	58.1	0
2/13/2023, 2:33:31 PM	0	6.886	56.7	58	0
2/13/2023, 2:43:31 PM	0	6.886	57.2	58	0
2/13/2023, 2:53:31 PM	0	6.886	57.2	57.9	0
2/13/2023, 3:03:31 PM	0	6.886	56.8	57.6	0
2/13/2023, 3:13:31 PM	0	6.886	56.7	57.4	0
2/13/2023, 3:23:31 PM	0	6.886	56.1	57.2	0
2/13/2023, 3:33:31 PM	0	6.886	55.6	57	0
2/13/2023, 3:43:31 PM	0	6.886	55	56.9	0
2/13/2023, 3:53:31 PM	0	6.886	54.7	56.9	0
2/13/2023, 4:03:31 PM	0	6.886	54.1	57	0
2/13/2023, 4:13:31 PM	0	6.886	53.4	57.1	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/13/2023, 4:23:31 PM	0	6.886	52.9	57.4	0
2/13/2023, 4:33:31 PM	0	6.877	52.2	57.7	0
2/13/2023, 4:43:31 PM	0	6.877	51.8	58	0
2/13/2023, 4:53:31 PM	0	6.877	51.3	58.3	0
2/13/2023, 5:03:31 PM	0	6.877	50.5	58.5	0
2/13/2023, 5:13:31 PM	0	6.877	49.5	58.8	0
2/13/2023, 5:23:31 PM	0	6.877	48.6	59.1	0
2/13/2023, 5:33:31 PM	0	6.877	47.5	59.5	0
2/13/2023, 5:43:31 PM	0	6.877	46.8	60.1	0
2/13/2023, 5:53:31 PM	0	6.877	46	60.7	0
2/13/2023, 6:03:31 PM	0	6.877	45.3	61.3	0
2/13/2023, 6:13:31 PM	0	6.869	44.6	62	0
2/13/2023, 6:23:31 PM	0	6.869	44.2	62.9	0
2/13/2023, 6:33:31 PM	0	6.869	43.9	63.5	0
2/13/2023, 6:43:31 PM	0	6.869	43.3	64.1	0
2/13/2023, 6:53:31 PM	0	6.869	42.8	64.7	0
2/13/2023, 7:03:31 PM	0	6.869	42.4	65.4	0
2/13/2023, 7:13:31 PM	0	6.869	42.1	66.2	0
2/13/2023, 7:23:31 PM	0	6.869	41.9	67.1	0
2/13/2023, 7:33:31 PM	0	6.869	41.9	67.8	0
2/13/2023, 7:43:31 PM	0	6.869	41.9	68.5	0
2/13/2023, 7:53:31 PM	0	6.869	41.7	69.1	0
2/13/2023, 8:03:31 PM	0	6.86	41.7	69.5	0
2/13/2023, 8:13:31 PM	0	6.86	41.5	69.9	0
2/13/2023, 8:23:31 PM	0	6.86	41.2	70.1	0
2/13/2023, 8:33:31 PM	0	6.86	40.6	70.3	0
2/13/2023, 8:43:31 PM	0	6.86	40.3	70.6	0
2/13/2023, 8:53:31 PM	0	6.86	39.9	71.1	0
2/13/2023, 9:03:31 PM	0	6.86	39.9	71.8	0
2/13/2023, 9:13:31 PM	0	6.86	40.1	72.4	0
2/13/2023, 9:23:31 PM	0	6.86	40.3	72.9	0
2/13/2023, 9:33:31 PM	0	6.86	40.3	73.1	0
2/13/2023, 9:43:31 PM	0	6.86	40.1	73.1	0
2/13/2023, 9:53:31 PM	0	6.86	39.9	73.2	0
2/13/2023, 10:03:31 PM	0	6.86	39.6	73.4	0
2/13/2023, 10:13:31 PM	0	6.86	39.4	73.6	0
2/13/2023, 10:23:31 PM	0	6.86	39	73.9	0
2/13/2023, 10:33:31 PM	0	6.86	39	74.3	0
2/13/2023, 10:43:31 PM	0	6.86	39	74.8	0
2/13/2023, 10:53:31 PM	0	6.86	39.2	75.2	0
2/13/2023, 11:03:31 PM	0	6.86	39.2	75.5	0
2/13/2023, 11:13:31 PM	0	6.86	39.2	75.5	0
2/13/2023, 11:23:31 PM	0	6.86	38.8	75.5	0
2/13/2023, 11:33:31 PM	0	6.86	38.7	75.8	0
2/13/2023, 11:43:31 PM	0	6.86	38.7	76.2	0
2/13/2023, 11:53:31 PM	0	6.86	38.8	76.4	0
2/14/2023, 12:03:31 AM	0	6.86	38.7	76.4	0
2/14/2023, 12:13:31 AM	0	6.86	38.3	76.3	0
2/14/2023, 12:23:31 AM	0	6.86	37.8	76.3	0
2/14/2023, 12:33:31 AM	0	6.86	37.2	76.3	0
2/14/2023, 12:43:31 AM	0	6.851	36.9	76.5	0
2/14/2023, 12:53:31 AM	0	6.851	36.5	76.8	0
2/14/2023, 1:03:31 AM	0	6.851	36.1	77	0
2/14/2023, 1:13:31 AM	0	6.851	36	77.2	0
2/14/2023, 1:23:31 AM	0	6.851	35.6	77.5	0
2/14/2023, 1:33:31 AM	0	6.851	35.2	77.8	0
2/14/2023, 1:43:31 AM	0	6.851	35.1	78.1	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/14/2023, 1:53:31 AM	0	6.851	34.9	78.5	0
2/14/2023, 2:03:31 AM	0	6.851	34.7	78.7	0
2/14/2023, 2:13:31 AM	0	6.851	34.3	78.8	0
2/14/2023, 2:23:31 AM	0	6.851	34	79	0
2/14/2023, 2:33:31 AM	0	6.851	33.6	79.2	0
2/14/2023, 2:43:31 AM	0	6.851	33.4	79.4	0
2/14/2023, 2:53:31 AM	0	6.842	33.1	79.6	0
2/14/2023, 3:03:31 AM	0	6.842	32.7	79.8	0
2/14/2023, 3:13:31 AM	0	6.842	32.5	80.1	0
2/14/2023, 3:23:31 AM	0	6.842	32.2	80.4	0
2/14/2023, 3:33:31 AM	0	6.842	32	80.6	0
2/14/2023, 3:43:31 AM	0	6.842	31.8	80.9	0
2/14/2023, 3:53:31 AM	0	6.842	31.6	81.1	0
2/14/2023, 4:03:31 AM	0	6.842	31.5	81.3	0
2/14/2023, 4:13:31 AM	0	6.842	31.1	81.5	0
2/14/2023, 4:23:31 AM	0	6.842	30.9	81.6	0
2/14/2023, 4:33:31 AM	0	6.842	30.6	81.8	0
2/14/2023, 4:43:31 AM	0	6.842	30.4	82	0
2/14/2023, 4:53:31 AM	0	6.833	30	82.1	0
2/14/2023, 5:03:31 AM	0	6.833	30	82.3	0
2/14/2023, 5:13:31 AM	0	6.833	29.8	82.5	0
2/14/2023, 5:23:31 AM	0	6.833	29.7	82.7	0
2/14/2023, 5:33:31 AM	0	6.833	29.3	83	0
2/14/2023, 5:43:31 AM	0	6.833	28.9	83.2	0
2/14/2023, 5:53:31 AM	0	6.833	28.9	83.5	0
2/14/2023, 6:03:31 AM	0	6.833	28.8	83.7	0
2/14/2023, 6:13:31 AM	0	6.833	28.6	83.9	0
2/14/2023, 6:23:31 AM	0	6.833	28.4	84	0
2/14/2023, 6:33:31 AM	0	6.833	28.2	84.3	0
2/14/2023, 6:43:31 AM	0	6.833	28.2	84.6	0
2/14/2023, 6:53:31 AM	0	6.833	28	84.7	0
2/14/2023, 7:03:31 AM	0	6.833	28	84.9	0
2/14/2023, 7:13:31 AM	0	6.833	28	85.1	0
2/14/2023, 7:23:31 AM	0	6.833	28	85.4	0
2/14/2023, 7:33:31 AM	0	6.833	28	85.5	0
2/14/2023, 7:43:31 AM	0	6.825	28.2	85.6	0
2/14/2023, 7:53:31 AM	0	6.825	29.1	86.1	0
2/14/2023, 8:03:31 AM	0	6.833	30.6	86.8	0
2/14/2023, 8:13:31 AM	0	6.833	32	87.6	0
2/14/2023, 8:23:31 AM	0	6.833	33.8	88.3	0
2/14/2023, 8:33:31 AM	0	6.842	35.4	88.8	0
2/14/2023, 8:43:31 AM	0	6.842	37.6	89.3	0
2/14/2023, 8:53:31 AM	0	6.851	39.7	89.7	0
2/14/2023, 9:03:31 AM	0	6.851	41.7	89.5	0
2/14/2023, 9:13:31 AM	0	6.86	43.5	88.6	0
2/14/2023, 9:23:31 AM	0	6.86	45.1	87.2	0
2/14/2023, 9:33:31 AM	0	6.86	46.4	85.6	0
2/14/2023, 9:43:31 AM	0	6.869	47.7	83.7	0
2/14/2023, 9:53:31 AM	0	6.869	48.9	81.8	0
2/14/2023, 10:03:31 AM	0	6.869	49.8	80	0
2/14/2023, 10:13:31 AM	0	6.869	50.4	78.1	0
2/14/2023, 10:23:31 AM	0	6.869	51.1	76.5	0
2/14/2023, 10:33:31 AM	0	6.869	52	75.1	0
2/14/2023, 10:43:31 AM	0	6.877	53.2	73.7	0
2/14/2023, 10:53:31 AM	0	6.877	54.5	72	0
2/14/2023, 11:03:31 AM	0	6.877	55.4	70.5	0
2/14/2023, 11:13:31 AM	0	6.877	56.1	69	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/14/2023, 11:23:31 AM	0	6.877	57	67.8	0
2/14/2023, 11:33:31 AM	0	6.877	57.7	66.5	0
2/14/2023, 11:43:31 AM	0	6.877	57.7	65.2	0
2/14/2023, 11:53:31 AM	0	6.877	57.4	63.9	0
2/14/2023, 12:03:31 PM	0	6.877	57.2	62.8	0
2/14/2023, 12:13:31 PM	0	6.877	57	62	0
2/14/2023, 12:23:31 PM	0	6.886	57	61.3	0
2/14/2023, 12:33:31 PM	0	6.886	57.6	60.6	0
2/14/2023, 12:43:31 PM	0	6.886	57.9	60	0
2/14/2023, 12:53:31 PM	0	6.886	58.3	59.5	0
2/14/2023, 1:03:31 PM	0	6.886	58.6	58.9	0
2/14/2023, 1:13:31 PM	0	6.886	58.3	58.4	0
2/14/2023, 1:23:31 PM	0	6.886	58.1	57.9	0
2/14/2023, 1:33:31 PM	0	6.886	57.9	57.5	0
2/14/2023, 1:43:31 PM	0	6.886	57.4	57.1	0
2/14/2023, 1:53:31 PM	0	6.886	57	56.8	0
2/14/2023, 2:03:31 PM	0	6.886	57	56.7	0
2/14/2023, 2:13:31 PM	0	6.886	57	56.6	0
2/14/2023, 2:23:31 PM	0	6.886	57.2	56.4	0
2/14/2023, 2:33:31 PM	0	6.886	57.2	56.2	0
2/14/2023, 2:43:31 PM	0	6.886	57.2	55.8	0
2/14/2023, 2:53:31 PM	0	6.886	56.8	55.6	0
2/14/2023, 3:03:31 PM	0	6.886	56.7	55.4	0
2/14/2023, 3:13:31 PM	0	6.886	56.3	55.3	0
2/14/2023, 3:23:31 PM	0	6.886	55.9	55.2	0
2/14/2023, 3:33:31 PM	0	6.886	55.6	55.2	0
2/14/2023, 3:43:31 PM	0	6.886	55.6	55.2	0
2/14/2023, 3:53:31 PM	0	6.886	55.6	55.2	0
2/14/2023, 4:03:31 PM	0	6.886	55.4	55	0
2/14/2023, 4:13:31 PM	0	6.886	54.9	54.9	0
2/14/2023, 4:23:31 PM	0	6.886	54.3	54.7	0
2/14/2023, 4:33:31 PM	0	6.886	53.8	54.6	0
2/14/2023, 4:43:31 PM	0	6.886	53.2	54.6	0
2/14/2023, 4:53:31 PM	0	6.877	52.7	54.5	0
2/14/2023, 5:03:31 PM	0	6.877	52	54.4	0
2/14/2023, 5:13:31 PM	0	6.877	51.3	54.5	0
2/14/2023, 5:23:31 PM	0	6.877	50.4	54.5	0
2/14/2023, 5:33:31 PM	0	6.877	49.5	54.7	0
2/14/2023, 5:43:31 PM	0	6.877	48.6	55	0
2/14/2023, 5:53:31 PM	0	6.877	47.8	55.5	0
2/14/2023, 6:03:31 PM	0	6.877	47.1	55.8	0
2/14/2023, 6:13:31 PM	0	6.877	46.2	56.1	0
2/14/2023, 6:23:31 PM	0	6.877	45.1	56.5	0
2/14/2023, 6:33:31 PM	0	6.869	44.2	57	0
2/14/2023, 6:43:31 PM	0	6.869	43.2	57.6	0
2/14/2023, 6:53:31 PM	0	6.869	41.9	58.4	0
2/14/2023, 7:03:31 PM	0	6.869	41	59.3	0
2/14/2023, 7:13:31 PM	0	6.869	40.1	60.4	0
2/14/2023, 7:23:31 PM	0	6.869	39.4	61.4	0
2/14/2023, 7:33:31 PM	0	6.86	38.7	62.3	0
2/14/2023, 7:43:31 PM	0	6.86	37.9	63	0
2/14/2023, 7:53:31 PM	0	6.86	37.4	63.8	0
2/14/2023, 8:03:31 PM	0	6.86	36.9	64.7	0
2/14/2023, 8:13:31 PM	0	6.86	36.5	65.5	0
2/14/2023, 8:23:31 PM	0	6.86	36.1	66.3	0
2/14/2023, 8:33:31 PM	0	6.851	35.8	67	0
2/14/2023, 8:43:31 PM	0	6.851	35.6	67.7	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/14/2023, 8:53:31 PM	0	6.851	35.2	68.5	0
2/14/2023, 9:03:31 PM	0	6.851	35.2	69.1	0
2/14/2023, 9:13:31 PM	0	6.851	35.1	69.9	0
2/14/2023, 9:23:31 PM	0	6.851	35.1	70.5	0
2/14/2023, 9:33:31 PM	0	6.851	35.1	71	0
2/14/2023, 9:43:31 PM	0	6.851	35.4	71.7	0
2/14/2023, 9:53:31 PM	0	6.851	35.6	72.1	0
2/14/2023, 10:03:31 PM	0	6.851	35.6	72.4	0
2/14/2023, 10:13:31 PM	0	6.851	35.6	72.7	0
2/14/2023, 10:23:31 PM	0	6.851	35.8	73.3	0
2/14/2023, 10:33:31 PM	0	6.851	36.3	73.7	0
2/14/2023, 10:43:31 PM	0	6.851	37	73.9	0
2/14/2023, 10:53:31 PM	0	6.851	37.8	73.8	0
2/14/2023, 11:03:31 PM	0	6.851	38.5	73.6	0
2/14/2023, 11:13:31 PM	0	6.851	39.2	73.1	0
2/14/2023, 11:23:31 PM	0	6.851	39.7	72.4	0
2/14/2023, 11:33:31 PM	0	6.86	40.3	71.7	0
2/14/2023, 11:43:31 PM	0	6.86	40.6	71	0
2/14/2023, 11:53:31 PM	0	6.86	41	70.5	0
2/15/2023, 12:03:31 AM	0	6.86	41.5	70.1	0
2/15/2023, 12:13:31 AM	0	6.86	42.1	69.7	0
2/15/2023, 12:23:31 AM	0	6.86	42.4	69.2	0
2/15/2023, 12:33:31 AM	0	6.86	42.8	68.8	0
2/15/2023, 12:43:31 AM	0	6.86	43.2	68.4	0
2/15/2023, 12:53:31 AM	0	6.86	43.5	68.1	0
2/15/2023, 1:03:31 AM	0	6.869	43.7	67.7	0
2/15/2023, 1:13:31 AM	0	6.869	43.9	67.4	0
2/15/2023, 1:23:31 AM	0	6.869	43.9	67.1	0
2/15/2023, 1:33:31 AM	0	6.869	43.9	66.9	0
2/15/2023, 1:43:31 AM	0	6.869	44.1	66.8	0
2/15/2023, 1:53:31 AM	0	6.869	44.6	66.7	0
2/15/2023, 2:03:31 AM	0	6.869	45.1	66.5	0
2/15/2023, 2:13:31 AM	0	6.869	45.7	66.3	0
2/15/2023, 2:23:31 AM	0	6.869	46.6	65.9	0
2/15/2023, 2:33:31 AM	0	6.869	47.5	65.5	0
2/15/2023, 2:43:31 AM	0	6.869	48.2	65.1	0
2/15/2023, 2:53:31 AM	0	6.869	48.7	64.7	0
2/15/2023, 3:03:31 AM	0	6.869	48.9	64.7	0
2/15/2023, 3:13:31 AM	0	6.869	48.9	64.8	0
2/15/2023, 3:23:31 AM	0	6.869	49.1	64.7	0
2/15/2023, 3:33:31 AM	0	6.877	49.1	64.6	0
2/15/2023, 3:43:31 AM	0	6.877	49.5	64.5	0
2/15/2023, 3:53:31 AM	0	6.877	49.5	64.4	0
2/15/2023, 4:03:31 AM	0	6.877	49.8	64.4	0
2/15/2023, 4:13:31 AM	0	6.877	50.2	64.5	0
2/15/2023, 4:23:31 AM	0	6.877	50.5	64.4	0
2/15/2023, 4:33:31 AM	0	6.877	50.9	64.2	0
2/15/2023, 4:43:31 AM	0	6.877	51.3	63.9	0
2/15/2023, 4:53:31 AM	0	6.877	51.6	63.6	0
2/15/2023, 5:03:31 AM	0	6.877	52	63.2	0
2/15/2023, 5:13:31 AM	0	6.877	52.2	62.9	0
2/15/2023, 5:23:31 AM	0	6.877	52.2	62.6	0
2/15/2023, 5:33:31 AM	0	6.877	52.3	62.3	0
2/15/2023, 5:43:31 AM	0	6.877	52.5	62.3	0
2/15/2023, 5:53:31 AM	0	6.877	52.3	62.4	0
2/15/2023, 6:03:31 AM	0	6.877	52.2	62.4	0
2/15/2023, 6:13:31 AM	0	6.877	52.2	62.5	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/15/2023, 6:23:31 AM	0	6.877	52.2	62.5	0
2/15/2023, 6:33:31 AM	0	6.877	52.2	62.4	0
2/15/2023, 6:43:31 AM	0	6.877	52.2	62.4	0
2/15/2023, 6:53:31 AM	0	6.877	52.3	62.3	0
2/15/2023, 7:03:31 AM	0	6.877	52.3	62.2	0
2/15/2023, 7:13:31 AM	0	6.877	52.5	62	0
2/15/2023, 7:23:31 AM	0	6.877	52.5	62	0
2/15/2023, 7:33:31 AM	0	6.877	52.3	61.9	0
2/15/2023, 7:43:31 AM	0	6.877	52.3	61.9	0
2/15/2023, 7:53:31 AM	0	6.877	52.7	62.1	0
2/15/2023, 8:03:31 AM	0	6.877	53.4	62.4	0
2/15/2023, 8:13:31 AM	0	6.877	54.1	62.6	0
2/15/2023, 8:23:31 AM	0	6.877	55	62.7	0
2/15/2023, 8:33:31 AM	0	6.877	55.9	62.6	0
2/15/2023, 8:43:31 AM	0	6.877	57	62.5	0
2/15/2023, 8:53:31 AM	0	6.877	58.5	62.3	0
2/15/2023, 9:03:31 AM	0	6.886	59.5	62	0
2/15/2023, 9:13:31 AM	0	6.886	61	61.6	0
2/15/2023, 9:23:31 AM	0	6.886	61.9	61.1	0
2/15/2023, 9:33:31 AM	0	6.886	63	60.5	0
2/15/2023, 9:43:31 AM	0	6.886	63.9	60.1	0
2/15/2023, 9:53:31 AM	0	6.886	64.8	59.7	0
2/15/2023, 10:03:31 AM	0	6.886	65.5	59.3	0
2/15/2023, 10:13:31 AM	0	6.886	66	59	0
2/15/2023, 10:23:31 AM	0	6.886	66.6	58.8	0
2/15/2023, 10:33:31 AM	0	6.886	67.8	58.8	0
2/15/2023, 10:43:31 AM	0	6.895	68.9	58.6	0
2/15/2023, 10:53:31 AM	0	6.895	69.4	58.3	0
2/15/2023, 11:03:31 AM	0	6.895	70	58.1	0
2/15/2023, 11:13:31 AM	0	6.895	70.3	57.9	0
2/15/2023, 11:23:31 AM	0	6.895	70.7	57.8	0
2/15/2023, 11:33:31 AM	0	6.895	71.2	57.6	0
2/15/2023, 11:43:31 AM	0	6.895	71.1	57.4	0
2/15/2023, 11:53:31 AM	0	6.895	71.1	57.4	0
2/15/2023, 12:03:31 PM	0	6.895	70.9	57.3	0
2/15/2023, 12:13:31 PM	0	6.895	70.3	57.2	0
2/15/2023, 12:23:31 PM	0	6.895	69.8	57.3	0
2/15/2023, 12:33:31 PM	0	6.895	69.3	57.4	0
2/15/2023, 12:43:31 PM	0	6.895	68.7	57.6	0
2/15/2023, 12:53:31 PM	0	6.895	68.4	57.8	0
2/15/2023, 1:03:31 PM	0	6.895	68	58	0
2/15/2023, 1:13:31 PM	0	6.895	68	58.2	0
2/15/2023, 1:23:31 PM	0	6.895	68	58.5	0
2/15/2023, 1:33:31 PM	0	6.895	67.8	58.7	0
2/15/2023, 1:43:31 PM	0	6.895	68	58.9	0
2/15/2023, 1:53:31 PM	0	6.895	68.4	59.2	0
2/15/2023, 2:03:31 PM	0	6.895	68.5	59.2	0
2/15/2023, 2:13:31 PM	0	6.895	68.7	59.1	0
2/15/2023, 2:23:31 PM	0	6.895	68.7	59.2	0
2/15/2023, 2:33:31 PM	0	6.895	68.9	59.2	0
2/15/2023, 2:43:31 PM	0	6.895	69.1	59.3	0
2/15/2023, 2:53:31 PM	0	6.895	69.4	59.4	0
2/15/2023, 3:03:31 PM	0	6.895	69.8	59.3	0
2/15/2023, 3:13:31 PM	0	6.895	70	59.1	0
2/15/2023, 3:23:31 PM	0	6.895	70.3	58.9	0
2/15/2023, 3:33:31 PM	0	6.895	70.5	58.8	0
2/15/2023, 3:43:31 PM	0	6.895	70.7	58.6	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/15/2023, 3:53:31 PM	0	6.895	70.9	58.4	0
2/15/2023, 4:03:31 PM	0	6.895	70.7	58.2	0
2/15/2023, 4:13:31 PM	0	6.895	70.3	58.1	0
2/15/2023, 4:23:31 PM	0	6.895	70	58.1	0
2/15/2023, 4:33:31 PM	0	6.895	69.1	58.6	0
2/15/2023, 4:43:31 PM	0	6.895	68.2	58.9	0
2/15/2023, 4:53:31 PM	0	6.895	67.1	59.3	0
2/15/2023, 5:03:31 PM	0	6.895	66.2	59.8	0
2/15/2023, 5:13:31 PM	0	6.895	65.3	60.2	0
2/15/2023, 5:23:31 PM	0	6.895	64.4	60.6	0
2/15/2023, 5:33:31 PM	0	6.895	63.5	61.1	0
2/15/2023, 5:43:31 PM	0	6.895	62.6	61.5	0
2/15/2023, 5:53:31 PM	0	6.895	61.7	62	0
2/15/2023, 6:03:31 PM	0	6.895	61	62.6	0
2/15/2023, 6:13:31 PM	0	6.895	60.1	63.1	0
2/15/2023, 6:23:31 PM	0	6.895	59.4	63.6	0
2/15/2023, 6:33:31 PM	0	6.895	58.5	64.2	0
2/15/2023, 6:43:31 PM	0	6.886	58.1	64.9	0
2/15/2023, 6:53:31 PM	0	6.886	57.7	65.5	0
2/15/2023, 7:03:31 PM	0	6.886	57.7	66	0
2/15/2023, 7:13:31 PM	0	6.886	57.6	66.2	0
2/15/2023, 7:23:31 PM	0	6.886	57.6	66.4	0
2/15/2023, 7:33:31 PM	0	6.886	57.2	66.5	0
2/15/2023, 7:43:31 PM	0	6.886	57	66.7	0
2/15/2023, 7:53:31 PM	0	6.886	56.7	66.8	0
2/15/2023, 8:03:31 PM	0	6.886	56.3	67	0
2/15/2023, 8:13:31 PM	0	6.886	56.1	67.4	0
2/15/2023, 8:23:31 PM	0	6.886	55.8	67.6	0
2/15/2023, 8:33:31 PM	0	6.886	55.6	67.8	0
2/15/2023, 8:43:31 PM	0	6.886	55.4	68	0
2/15/2023, 8:53:31 PM	0	6.886	55.2	68.2	0
2/15/2023, 9:03:31 PM	0	6.886	55.2	68.3	0
2/15/2023, 9:13:31 PM	0	6.886	55.4	68.4	0
2/15/2023, 9:23:31 PM	0	6.886	55.4	68.4	0
2/15/2023, 9:33:31 PM	0	6.886	55.2	68.2	0
2/15/2023, 9:43:31 PM	0	6.886	55	68.1	0
2/15/2023, 9:53:31 PM	0	6.886	54.7	68.1	0
2/15/2023, 10:03:31 PM	0	6.886	54.5	68.3	0
2/15/2023, 10:13:31 PM	0	6.886	54.1	68.5	0
2/15/2023, 10:23:31 PM	0	6.886	53.8	68.6	0
2/15/2023, 10:33:31 PM	0	6.886	53.4	68.9	0
2/15/2023, 10:43:31 PM	0	6.886	53.1	69	0
2/15/2023, 10:53:31 PM	0	6.877	52.3	69	0
2/15/2023, 11:03:31 PM	0	6.877	51.6	69.1	0
2/15/2023, 11:13:31 PM	0	6.877	51.1	69.3	0
2/15/2023, 11:23:31 PM	0	6.877	50.4	69.6	0
2/15/2023, 11:33:31 PM	0	6.877	49.8	70.1	0
2/15/2023, 11:43:31 PM	0	6.877	49.3	70.5	0
2/15/2023, 11:53:31 PM	0	6.877	48.7	71	0
2/16/2023, 12:03:31 AM	0	6.877	48.4	71.4	0
2/16/2023, 12:13:31 AM	0	6.877	48	71.9	0
2/16/2023, 12:23:31 AM	0	6.877	47.7	72.4	0
2/16/2023, 12:33:31 AM	0	6.877	47.5	72.8	0
2/16/2023, 12:43:31 AM	0	6.877	46.9	73	0
2/16/2023, 12:53:31 AM	0	6.877	46.6	73.4	0
2/16/2023, 1:03:31 AM	0	6.877	46.2	73.8	0
2/16/2023, 1:13:31 AM	0	6.869	45.9	74.1	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/16/2023, 1:23:31 AM	0	6.869	45.3	74.3	0
2/16/2023, 1:33:31 AM	0	6.869	45	74.6	0
2/16/2023, 1:43:31 AM	0	6.869	44.6	75.1	0
2/16/2023, 1:53:31 AM	0	6.869	44.2	75.4	0
2/16/2023, 2:03:31 AM	0	6.869	43.9	75.8	0
2/16/2023, 2:13:31 AM	0	6.869	43.7	76.3	0
2/16/2023, 2:23:31 AM	0	6.869	43.7	76.9	0
2/16/2023, 2:33:31 AM	0	6.869	43.7	77.4	0
2/16/2023, 2:43:31 AM	0	6.869	43.9	77.9	0
2/16/2023, 2:53:31 AM	0	6.869	43.9	78.1	0
2/16/2023, 3:03:31 AM	0	6.869	43.9	78.3	0
2/16/2023, 3:13:31 AM	0	6.869	43.9	78.3	0
2/16/2023, 3:23:31 AM	0	6.869	43.9	78.4	0
2/16/2023, 3:33:31 AM	0	6.869	43.9	78.5	0
2/16/2023, 3:43:31 AM	0	6.869	43.9	78.5	0
2/16/2023, 3:53:31 AM	0	6.869	43.9	78.7	0
2/16/2023, 4:03:31 AM	0	6.869	43.9	78.9	0
2/16/2023, 4:13:31 AM	0	6.869	44.1	78.9	0
2/16/2023, 4:23:31 AM	0	6.869	44.2	79.1	0
2/16/2023, 4:33:31 AM	0	6.869	44.4	79.1	0
2/16/2023, 4:43:31 AM	0	6.869	44.6	79	0
2/16/2023, 4:53:31 AM	0	6.869	44.8	78.9	0
2/16/2023, 5:03:31 AM	0	6.869	44.8	78.8	0
2/16/2023, 5:13:31 AM	0	6.869	44.8	78.6	0
2/16/2023, 5:23:31 AM	0	6.869	44.8	78.4	0
2/16/2023, 5:33:31 AM	0	6.869	44.8	78.3	0
2/16/2023, 5:43:31 AM	0	6.869	44.8	78.1	0
2/16/2023, 5:53:31 AM	0	6.869	44.8	78	0
2/16/2023, 6:03:31 AM	0	6.869	44.8	77.9	0
2/16/2023, 6:13:31 AM	0	6.869	44.8	77.7	0
2/16/2023, 6:23:31 AM	0	6.869	44.6	77.7	0
2/16/2023, 6:33:31 AM	0	6.869	44.6	77.6	0
2/16/2023, 6:43:31 AM	0	6.869	44.6	77.5	0
2/16/2023, 6:53:31 AM	0	6.869	44.4	77.5	0
2/16/2023, 7:03:31 AM	0	6.869	44.4	77.5	0
2/16/2023, 7:13:31 AM	0	6.869	44.4	77.4	0
2/16/2023, 7:23:31 AM	0	6.869	44.2	77.4	0
2/16/2023, 7:33:31 AM	0	6.869	44.2	77.3	0
2/16/2023, 7:43:31 AM	0	6.869	44.2	77.3	0
2/16/2023, 7:53:31 AM	0	6.869	44.2	77.2	0
2/16/2023, 8:03:31 AM	0	6.869	44.4	77.1	0
2/16/2023, 8:13:31 AM	0	6.869	44.4	77.1	0
2/16/2023, 8:23:31 AM	0	6.869	44.6	77.1	0
2/16/2023, 8:33:31 AM	0	6.869	44.6	76.9	0
2/16/2023, 8:43:31 AM	0	6.869	44.8	76.7	0
2/16/2023, 8:53:31 AM	0	6.869	44.8	76.5	0
2/16/2023, 9:03:31 AM	0	6.869	44.8	76.3	0
2/16/2023, 9:13:31 AM	0	6.869	45	76.2	0
2/16/2023, 9:23:31 AM	0	6.869	45.1	76.2	0
2/16/2023, 9:33:31 AM	0	6.869	45.3	76.1	0
2/16/2023, 9:43:31 AM	0	6.869	45.5	76	0
2/16/2023, 9:53:31 AM	0	6.869	45.7	75.9	0
2/16/2023, 10:03:31 AM	0	6.869	45.9	75.8	0
2/16/2023, 10:13:31 AM	0	6.869	46	75.7	0
2/16/2023, 10:23:31 AM	0	6.869	46.4	75.6	0
2/16/2023, 10:33:31 AM	0	6.869	46.8	75.5	0
2/16/2023, 10:43:31 AM	0	6.869	46.9	75.4	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/16/2023, 10:53:31 AM	0	6.869	47.1	75	0
2/16/2023, 11:03:31 AM	0	6.869	47.1	74.7	0
2/16/2023, 11:13:31 AM	0	6.869	46.9	74.2	0
2/16/2023, 11:23:31 AM	0	6.869	46.6	73.9	0
2/16/2023, 11:33:31 AM	0	6.869	46.2	73.9	0
2/16/2023, 11:43:31 AM	0	6.869	46	74	0
2/16/2023, 11:53:31 AM	0	6.869	46	74.1	0
2/16/2023, 12:03:31 PM	0	6.869	45.9	74.2	0
2/16/2023, 12:13:31 PM	0	6.869	45.9	74.5	0
2/16/2023, 12:23:31 PM	0	6.869	46.2	74.6	0
2/16/2023, 12:33:31 PM	0	6.869	46.2	74.5	0
2/16/2023, 12:43:31 PM	0	6.869	46.2	74.4	0
2/16/2023, 12:53:31 PM	0	6.869	46.2	74.1	0
2/16/2023, 1:03:31 PM	0	6.869	46.2	73.9	0
2/16/2023, 1:13:31 PM	0	6.869	46	73.7	0
2/16/2023, 1:23:31 PM	0	6.869	46	73.7	0
2/16/2023, 1:33:31 PM	0	6.869	46	73.7	0
2/16/2023, 1:43:31 PM	0	6.869	46	73.6	0
2/16/2023, 1:53:31 PM	0	6.869	45.9	73.4	0
2/16/2023, 2:03:31 PM	0	6.869	45.9	73.3	0
2/16/2023, 2:13:31 PM	0	6.869	45.9	73.3	0
2/16/2023, 2:23:31 PM	0	6.869	45.9	73.3	0
2/16/2023, 2:33:31 PM	0	6.869	45.9	73.2	0
2/16/2023, 2:43:31 PM	0	6.869	45.5	73.1	0
2/16/2023, 2:53:31 PM	0	6.869	45.1	73.1	0
2/16/2023, 3:03:31 PM	0	6.869	45	73.1	0
2/16/2023, 3:13:31 PM	0	6.869	44.6	73.2	0
2/16/2023, 3:23:31 PM	0	6.869	44.2	73.3	0
2/16/2023, 3:33:31 PM	0	6.869	44.1	73.4	0
2/16/2023, 3:43:31 PM	0	6.869	43.7	73.4	0
2/16/2023, 3:53:31 PM	0	6.869	43.5	73.6	0
2/16/2023, 4:03:31 PM	0	6.869	43.3	73.7	0
2/16/2023, 4:13:31 PM	0	6.86	43.2	73.8	0
2/16/2023, 4:23:31 PM	0	6.86	43	73.8	0
2/16/2023, 4:33:31 PM	0	6.86	42.8	73.8	0
2/16/2023, 4:43:31 PM	0	6.86	42.6	74	0
2/16/2023, 4:53:31 PM	0	6.86	42.3	74.1	0
2/16/2023, 5:03:31 PM	0	6.86	42.1	74.3	0
2/16/2023, 5:13:31 PM	0	6.86	41.7	74.5	0
2/16/2023, 5:23:31 PM	0	6.86	41.4	74.7	0
2/16/2023, 5:33:31 PM	0	6.86	41.2	75	0
2/16/2023, 5:43:31 PM	0	6.86	41	75.3	0
2/16/2023, 5:53:31 PM	0	6.86	40.8	75.5	0
2/16/2023, 6:03:31 PM	0	6.86	40.6	75.8	0
2/16/2023, 6:13:31 PM	0	6.86	40.5	76	0
2/16/2023, 6:23:31 PM	0	6.86	40.5	76.4	0
2/16/2023, 6:33:31 PM	0	6.86	40.3	76.6	0
2/16/2023, 6:43:31 PM	0	6.86	40.3	76.9	0
2/16/2023, 6:53:31 PM	0	6.86	40.1	77.2	0
2/16/2023, 7:03:31 PM	0	6.86	40.1	77.4	0
2/16/2023, 7:13:31 PM	0	6.86	39.9	77.5	0
2/16/2023, 7:23:31 PM	0	6.86	39.9	77.8	0
2/16/2023, 7:33:31 PM	0	6.86	39.9	78	0
2/16/2023, 7:43:31 PM	0	6.86	39.9	78.2	0
2/16/2023, 7:53:31 PM	0	6.86	39.9	78.4	0
2/16/2023, 8:03:31 PM	0	6.86	40.1	78.5	0
2/16/2023, 8:13:31 PM	0	6.86	40.1	78.7	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/16/2023, 8:23:31 PM	0	6.86	40.1	78.8	0
2/16/2023, 8:33:31 PM	0	6.86	40.1	79	0
2/16/2023, 8:43:31 PM	0	6.86	40.3	79.1	0
2/16/2023, 8:53:31 PM	0	6.86	40.3	79.3	0
2/16/2023, 9:03:31 PM	0	6.86	40.3	79.4	0
2/16/2023, 9:13:31 PM	0	6.86	40.5	79.6	0
2/16/2023, 9:23:31 PM	0	6.86	40.5	79.7	0
2/16/2023, 9:33:31 PM	0	6.86	40.5	79.9	0
2/16/2023, 9:43:31 PM	0	6.86	40.5	80.1	0
2/16/2023, 9:53:31 PM	0	6.86	40.5	80.3	0
2/16/2023, 10:03:31 PM	0	6.86	40.5	80.5	0
2/16/2023, 10:13:31 PM	0	6.86	40.6	80.7	0
2/16/2023, 10:23:31 PM	0	6.86	40.6	80.8	0
2/16/2023, 10:33:31 PM	0	6.86	40.6	81	0
2/16/2023, 10:43:31 PM	0	6.86	40.6	81.1	0
2/16/2023, 10:53:31 PM	0	6.86	40.6	81.2	0
2/16/2023, 11:03:31 PM	0	6.86	40.8	81.3	0
2/16/2023, 11:13:31 PM	0	6.86	40.8	81.4	0
2/16/2023, 11:23:31 PM	0	6.86	40.8	81.5	0
2/16/2023, 11:33:31 PM	0	6.86	40.8	81.6	0
2/16/2023, 11:43:31 PM	0	6.86	41	81.7	0
2/16/2023, 11:53:31 PM	0	6.86	41	81.7	0
2/17/2023, 12:03:31 AM	0	6.86	41.2	81.7	0
2/17/2023, 12:13:31 AM	0	6.86	41.2	81.7	0
2/17/2023, 12:23:31 AM	0	6.86	41.2	81.9	0
2/17/2023, 12:33:31 AM	0	6.86	41.2	82	0
2/17/2023, 12:43:31 AM	0	6.86	41.4	82	0
2/17/2023, 12:53:31 AM	0	6.86	41.4	82.1	0
2/17/2023, 1:03:31 AM	0	6.86	41.4	82.2	0
2/17/2023, 1:13:31 AM	0	6.86	41.4	82.2	0
2/17/2023, 1:23:31 AM	0	6.86	41.2	82.3	0
2/17/2023, 1:33:31 AM	0	6.86	41.2	82.3	0
2/17/2023, 1:43:31 AM	0	6.86	40.8	82.3	0
2/17/2023, 1:53:31 AM	0	6.86	40.5	82.3	0
2/17/2023, 2:03:31 AM	0	6.86	40.3	82.5	0
2/17/2023, 2:13:31 AM	0	6.86	40.1	82.7	0
2/17/2023, 2:23:31 AM	0	6.86	39.9	82.9	0
2/17/2023, 2:33:31 AM	0	6.86	39.7	83.1	0
2/17/2023, 2:43:31 AM	0	6.86	39.7	83.4	0
2/17/2023, 2:53:31 AM	0	6.86	39.7	83.7	0
2/17/2023, 3:03:31 AM	0	6.86	39.6	83.9	0
2/17/2023, 3:13:31 AM	0	6.851	39.6	84	0
2/17/2023, 3:23:31 AM	0	6.86	39.4	84.2	0
2/17/2023, 3:33:31 AM	0	6.851	39.4	84.3	0
2/17/2023, 3:43:31 AM	0	6.851	39.2	84.3	0
2/17/2023, 3:53:31 AM	0	6.851	39	84.4	0
2/17/2023, 4:03:31 AM	0	6.851	38.8	84.5	0
2/17/2023, 4:13:31 AM	0	6.851	38.7	84.6	0
2/17/2023, 4:23:31 AM	0	6.851	38.5	84.7	0
2/17/2023, 4:33:31 AM	0	6.851	38.5	84.9	0
2/17/2023, 4:43:31 AM	0	6.851	38.3	85	0
2/17/2023, 4:53:31 AM	0	6.851	38.3	85.2	0
2/17/2023, 5:03:31 AM	0	6.851	38.1	85.4	0
2/17/2023, 5:13:31 AM	0	6.851	37.9	85.5	0
2/17/2023, 5:23:31 AM	0	6.851	37.8	85.7	0
2/17/2023, 5:33:31 AM	0	6.851	37.6	85.7	0
2/17/2023, 5:43:31 AM	0	6.851	37.4	85.8	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/17/2023, 5:53:31 AM	0	6.851	37	85.7	0
2/17/2023, 6:03:31 AM	0	6.851	36.7	85.7	0
2/17/2023, 6:13:31 AM	0	6.851	36.3	85.7	0
2/17/2023, 6:23:31 AM	0	6.851	36.1	85.7	0
2/17/2023, 6:33:31 AM	0	6.851	36	85.9	0
2/17/2023, 6:43:31 AM	0	6.851	35.8	86	0
2/17/2023, 6:53:31 AM	0	6.851	35.6	86.1	0
2/17/2023, 7:03:31 AM	0	6.851	35.4	86.2	0
2/17/2023, 7:13:31 AM	0	6.851	35.2	86.4	0
2/17/2023, 7:23:31 AM	0	6.842	35.1	86.5	0
2/17/2023, 7:33:31 AM	0	6.842	35.1	86.6	0
2/17/2023, 7:43:31 AM	0	6.842	34.9	86.6	0
2/17/2023, 7:53:31 AM	0	6.842	34.7	86.7	0
2/17/2023, 8:03:31 AM	0	6.842	34.5	86.7	0
2/17/2023, 8:13:31 AM	0	6.842	34.3	86.8	0
2/17/2023, 8:23:31 AM	0	6.842	34.2	86.9	0
2/17/2023, 8:33:31 AM	0	6.842	34.2	87	0
2/17/2023, 8:43:31 AM	0	6.842	34	87.1	0
2/17/2023, 8:53:31 AM	0	6.842	34	87.2	0
2/17/2023, 9:03:31 AM	0	6.842	33.8	87.1	0
2/17/2023, 9:13:31 AM	0	6.842	33.4	86.9	0
2/17/2023, 9:23:31 AM	0	6.842	33.3	86.8	0
2/17/2023, 9:33:31 AM	0	6.842	33.1	86.7	0
2/17/2023, 9:43:31 AM	0	6.842	32.9	86.7	0
2/17/2023, 9:53:31 AM	0	6.842	32.5	86.7	0
2/17/2023, 10:03:31 AM	0	6.842	32.4	86.7	0
2/17/2023, 10:13:31 AM	0	6.833	32.2	86.6	0
2/17/2023, 10:23:31 AM	0	6.833	32	86.5	0
2/17/2023, 10:33:31 AM	0	6.833	32	86.5	0
2/17/2023, 10:43:31 AM	0	6.833	31.8	86.4	0
2/17/2023, 10:53:31 AM	0	6.833	31.8	86.5	0
2/17/2023, 11:03:20 AM	0	6.833	32.9	86.6	0
2/17/2023, 11:13:20 AM	0	6.833	34.9	86.4	0
2/17/2023, 11:23:20 AM	0	6.842	33.8	85.6	0
2/17/2023, 11:33:20 AM	0	6.833	33.1	85.1	0
2/17/2023, 11:43:20 AM	0	6.833	32.5	84.8	0
2/17/2023, 11:53:20 AM	0	6.833	32.2	84.7	0
2/17/2023, 12:03:20 PM	0	6.833	32	84.7	0
2/17/2023, 12:13:20 PM	0	6.833	31.8	84.5	0
2/17/2023, 12:23:20 PM	0	6.833	31.5	84.4	0
2/17/2023, 12:33:20 PM	0	6.833	31.1	84.3	0
2/17/2023, 12:43:20 PM	0	6.833	30.9	84.4	0
2/17/2023, 12:53:20 PM	0	6.833	30.7	84.3	0
2/17/2023, 1:03:20 PM	0	6.833	30.6	84.2	0
2/17/2023, 1:13:20 PM	0	6.825	30.4	84.2	0
2/17/2023, 1:23:20 PM	0	6.825	30.2	84.1	0
2/17/2023, 1:33:20 PM	0	6.825	30	84.1	0
2/17/2023, 1:43:20 PM	0	6.825	30	84.2	0
2/17/2023, 1:53:20 PM	0	6.825	29.8	84.2	0
2/17/2023, 2:03:20 PM	0	6.825	29.8	84.1	0
2/17/2023, 2:13:20 PM	0	6.825	29.7	84.1	0
2/17/2023, 2:23:20 PM	0	6.825	29.7	83.9	0
2/17/2023, 2:33:20 PM	0	6.825	29.5	83.8	0
2/17/2023, 2:43:20 PM	0	6.825	29.3	83.7	0
2/17/2023, 2:53:20 PM	0	6.825	29.3	83.7	0
2/17/2023, 3:03:20 PM	0	6.825	29.3	83.6	0
2/17/2023, 3:13:20 PM	0	6.825	29.1	83.5	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/17/2023, 3:23:20 PM	0	6.825	28.9	83.4	0
2/17/2023, 3:33:20 PM	0	6.825	28.9	83.4	0
2/17/2023, 3:43:20 PM	0	6.825	28.8	83.2	0
2/17/2023, 3:53:20 PM	0	6.825	28.6	83.2	0
2/17/2023, 4:03:20 PM	0	6.825	28.4	83.1	0
2/17/2023, 4:13:20 PM	0	6.825	28.4	83.1	0
2/17/2023, 4:23:20 PM	0	6.825	28.4	83.1	0
2/17/2023, 4:33:20 PM	0	6.825	28.2	83.1	0
2/17/2023, 4:43:20 PM	0	6.825	28.2	83	0
2/17/2023, 4:53:20 PM	0	6.825	28	82.9	0
2/17/2023, 5:03:20 PM	0	6.825	28	82.8	0
2/17/2023, 5:13:20 PM	0	6.825	27.9	82.8	0
2/17/2023, 5:23:20 PM	0	6.825	27.9	82.8	0
2/17/2023, 5:33:20 PM	0	6.825	27.7	82.7	0
2/17/2023, 5:43:20 PM	0	6.825	27.7	82.6	0
2/17/2023, 5:53:20 PM	0	6.816	27.5	82.6	0
2/17/2023, 6:03:20 PM	0	6.816	27.5	82.5	0
2/17/2023, 6:13:20 PM	0	6.816	27.3	82.5	0
2/17/2023, 6:23:20 PM	0	6.816	27.3	82.5	0
2/17/2023, 6:33:20 PM	0	6.816	27.3	82.5	0
2/17/2023, 6:43:20 PM	0	6.816	27.1	82.5	0
2/17/2023, 6:53:20 PM	0	6.816	27.1	82.4	0
2/17/2023, 7:03:20 PM	0	6.816	27	82.3	0
2/17/2023, 7:13:20 PM	0	6.816	27	82.2	0
2/17/2023, 7:23:20 PM	0	6.816	27	82.2	0
2/17/2023, 7:33:20 PM	0	6.816	27	82.1	0
2/17/2023, 7:43:20 PM	0	6.816	26.8	82.1	0
2/17/2023, 7:53:20 PM	0	6.816	26.8	82	0
2/17/2023, 8:03:20 PM	0	6.816	26.8	82	0
2/17/2023, 8:13:20 PM	0	6.816	26.8	81.9	0
2/17/2023, 8:23:20 PM	0	6.816	26.6	81.9	0
2/17/2023, 8:33:20 PM	0	6.816	26.4	81.9	0
2/17/2023, 8:43:20 PM	0	6.816	26.4	81.8	0
2/17/2023, 8:53:20 PM	0	6.816	26.4	81.8	0
2/17/2023, 9:03:20 PM	0	6.816	26.2	81.8	0
2/17/2023, 9:13:20 PM	0	6.816	26.1	81.7	0
2/17/2023, 9:23:20 PM	0	6.816	25.9	81.6	0
2/17/2023, 9:33:20 PM	0	6.816	25.7	81.6	0
2/17/2023, 9:43:20 PM	0	6.816	25.5	81.5	0
2/17/2023, 9:53:20 PM	0	6.816	25.3	81.4	0
2/17/2023, 10:03:20 PM	0	6.816	25.2	81.3	0
2/17/2023, 10:13:20 PM	0	6.816	25	81.3	0
2/17/2023, 10:23:20 PM	0	6.807	24.8	81.3	0
2/17/2023, 10:33:20 PM	0	6.807	24.6	81.4	0
2/17/2023, 10:43:20 PM	0	6.807	24.8	81.6	0
2/17/2023, 10:53:20 PM	0	6.807	24.8	81.6	0
2/17/2023, 11:03:20 PM	0	6.807	24.8	81.7	0
2/17/2023, 11:13:20 PM	0	6.807	24.8	81.7	0
2/17/2023, 11:23:20 PM	0	6.807	24.8	81.7	0
2/17/2023, 11:33:20 PM	0	6.807	25	81.6	0
2/17/2023, 11:43:20 PM	0	6.807	25	81.6	0
2/17/2023, 11:53:20 PM	0	6.807	25	81.5	0
2/18/2023, 12:03:20 AM	0	6.807	24.8	81.4	0
2/18/2023, 12:13:20 AM	0	6.807	24.8	81.2	0
2/18/2023, 12:23:20 AM	0	6.807	24.8	81	0
2/18/2023, 12:33:20 AM	0	6.807	24.6	80.7	0
2/18/2023, 12:43:20 AM	0	6.807	24.6	80.5	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/18/2023, 12:53:20 AM	0	6.807	24.4	80.3	0
2/18/2023, 1:03:20 AM	0	6.807	24.4	80	0
2/18/2023, 1:13:20 AM	0	6.807	24.3	79.8	0
2/18/2023, 1:23:20 AM	0	6.807	24.3	79.6	0
2/18/2023, 1:33:20 AM	0	6.807	24.3	79.4	0
2/18/2023, 1:43:20 AM	0	6.807	24.1	79.2	0
2/18/2023, 1:53:20 AM	0	6.807	24.1	79.1	0
2/18/2023, 2:03:20 AM	0	6.807	24.1	79	0
2/18/2023, 2:13:20 AM	0	6.807	23.9	78.9	0
2/18/2023, 2:23:20 AM	0	6.807	23.9	78.8	0
2/18/2023, 2:33:20 AM	0	6.807	23.5	78.4	0
2/18/2023, 2:43:20 AM	0	6.807	23	78.1	0
2/18/2023, 2:53:20 AM	0	6.807	22.6	78	0
2/18/2023, 3:03:20 AM	0	6.807	22.5	77.9	0
2/18/2023, 3:13:20 AM	0	6.807	22.3	77.8	0
2/18/2023, 3:23:20 AM	0	6.798	22.1	77.8	0
2/18/2023, 3:33:20 AM	0	6.798	21.9	77.6	0
2/18/2023, 3:43:20 AM	0	6.798	21.7	77.5	0
2/18/2023, 3:53:20 AM	0	6.798	21.7	77.5	0
2/18/2023, 4:03:20 AM	0	6.798	21.7	77.6	0
2/18/2023, 4:13:20 AM	0	6.798	21.9	77.8	0
2/18/2023, 4:23:20 AM	0	6.798	22.1	77.9	0
2/18/2023, 4:33:20 AM	0	6.798	22.3	78	0
2/18/2023, 4:43:20 AM	0	6.798	22.3	77.9	0
2/18/2023, 4:53:20 AM	0	6.798	22.1	77.8	0
2/18/2023, 5:03:20 AM	0	6.798	21.9	77.7	0
2/18/2023, 5:13:20 AM	0	6.798	21.6	77.5	0
2/18/2023, 5:23:20 AM	0	6.798	21	77.3	0
2/18/2023, 5:33:20 AM	0	6.798	20.7	77.2	0
2/18/2023, 5:43:20 AM	0	6.798	20.3	77.2	0
2/18/2023, 5:53:20 AM	0	6.798	20.1	77.3	0
2/18/2023, 6:03:20 AM	0	6.798	19.8	77.4	0
2/18/2023, 6:13:20 AM	0	6.798	19.8	77.5	0
2/18/2023, 6:23:20 AM	0	6.79	19.8	77.9	0
2/18/2023, 6:33:20 AM	0	6.79	20.1	78.3	0
2/18/2023, 6:43:20 AM	0	6.79	20.3	78.8	0
2/18/2023, 6:53:20 AM	0	6.798	20.7	79.3	0
2/18/2023, 7:03:20 AM	0	6.798	21.2	79.7	0
2/18/2023, 7:13:20 AM	0	6.798	21.6	80	0
2/18/2023, 7:23:20 AM	0	6.798	21.9	80.3	0
2/18/2023, 7:33:20 AM	0	6.798	22.3	80.5	0
2/18/2023, 7:43:20 AM	0	6.798	22.8	80.7	0
2/18/2023, 7:53:20 AM	0	6.798	23.2	80.9	0
2/18/2023, 8:03:20 AM	0	6.798	23.7	81.1	0
2/18/2023, 8:13:20 AM	0	6.807	24.3	81.4	0
2/18/2023, 8:23:20 AM	0	6.807	25.2	81.6	0
2/18/2023, 8:33:20 AM	0	6.807	26.2	81.8	0
2/18/2023, 8:43:20 AM	0	6.807	27.3	81.8	0
2/18/2023, 8:53:20 AM	0	6.816	29.1	81.9	0
2/18/2023, 9:03:20 AM	0	6.816	30.9	81.8	0
2/18/2023, 9:13:20 AM	0	6.825	32	81.3	0
2/18/2023, 9:23:20 AM	0	6.825	33.1	80.6	0
2/18/2023, 9:33:20 AM	0	6.825	34.2	79.9	0
2/18/2023, 9:43:20 AM	0	6.833	35.2	79.3	0
2/18/2023, 9:53:20 AM	0	6.833	36.3	78.5	0
2/18/2023, 10:03:20 AM	0	6.833	37.2	77.7	0
2/18/2023, 10:13:20 AM	0	6.842	37.6	76.7	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/18/2023, 10:23:20 AM	0	6.842	37.8	75.7	0
2/18/2023, 10:33:20 AM	0	6.842	38.5	75	0
2/18/2023, 10:43:20 AM	0	6.842	39	74.2	0
2/18/2023, 10:53:20 AM	0	6.842	39.6	73.3	0
2/18/2023, 11:03:20 AM	0	6.842	40.3	72.5	0
2/18/2023, 11:13:20 AM	0	6.851	40.6	71.5	0
2/18/2023, 11:23:20 AM	0	6.851	41.4	70.8	0
2/18/2023, 11:33:20 AM	0	6.851	41.7	69.9	0
2/18/2023, 11:43:20 AM	0	6.851	41.5	68.8	0
2/18/2023, 11:53:20 AM	0	6.851	41.4	68	0
2/18/2023, 12:03:20 PM	0	6.851	41.5	67.4	0
2/18/2023, 12:13:20 PM	0	6.851	42.1	67	0
2/18/2023, 12:23:20 PM	0	6.851	42.8	66.6	0
2/18/2023, 12:33:20 PM	0	6.851	43.3	65.9	0
2/18/2023, 12:43:20 PM	0	6.851	43.9	65.4	0
2/18/2023, 12:53:20 PM	0	6.86	44.4	65	0
2/18/2023, 1:03:20 PM	0	6.86	45	64.4	0
2/18/2023, 1:13:20 PM	0	6.86	45.1	63.9	0
2/18/2023, 1:23:20 PM	0	6.86	45.3	63.4	0
2/18/2023, 1:33:20 PM	0	6.86	45.3	62.9	0
2/18/2023, 1:43:20 PM	0	6.86	45.5	62.6	0
2/18/2023, 1:53:20 PM	0	6.86	45.7	62.3	0
2/18/2023, 2:03:20 PM	0	6.86	46	62	0
2/18/2023, 2:13:20 PM	0	6.86	46.4	61.7	0
2/18/2023, 2:23:20 PM	0	6.86	46.8	61.3	0
2/18/2023, 2:33:20 PM	0	6.86	46.9	60.9	0
2/18/2023, 2:43:20 PM	0	6.86	47.3	60.6	0
2/18/2023, 2:53:20 PM	0	6.869	47.5	60.2	0
2/18/2023, 3:03:20 PM	0	6.869	47.3	59.9	0
2/18/2023, 3:13:20 PM	0	6.869	47.3	59.7	0
2/18/2023, 3:23:20 PM	0	6.869	47.1	59.6	0
2/18/2023, 3:33:20 PM	0	6.86	47.3	59.6	0
2/18/2023, 3:43:20 PM	0	6.869	47.5	59.5	0
2/18/2023, 3:53:20 PM	0	6.869	47.7	59.4	0
2/18/2023, 4:03:20 PM	0	6.869	47.7	59.3	0
2/18/2023, 4:13:20 PM	0	6.869	47.1	59	0
2/18/2023, 4:23:20 PM	0	6.869	46.6	58.9	0
2/18/2023, 4:33:20 PM	0	6.869	46	58.9	0
2/18/2023, 4:43:20 PM	0	6.869	45.3	59	0
2/18/2023, 4:53:20 PM	0	6.86	44.8	59.1	0
2/18/2023, 5:03:20 PM	0	6.86	44.2	59.3	0
2/18/2023, 5:13:20 PM	0	6.86	43.7	59.4	0
2/18/2023, 5:23:20 PM	0	6.86	43.2	59.6	0
2/18/2023, 5:33:20 PM	0	6.86	42.6	59.8	0
2/18/2023, 5:43:20 PM	0	6.86	42.1	60	0
2/18/2023, 5:53:20 PM	0	6.86	41.5	60.2	0
2/18/2023, 6:03:20 PM	0	6.86	41	60.4	0
2/18/2023, 6:13:20 PM	0	6.86	40.6	60.7	0
2/18/2023, 6:23:20 PM	0	6.86	40.1	61.1	0
2/18/2023, 6:33:20 PM	0	6.851	39.7	61.5	0
2/18/2023, 6:43:20 PM	0	6.851	39.6	61.9	0
2/18/2023, 6:53:20 PM	0	6.851	39.2	62.3	0
2/18/2023, 7:03:20 PM	0	6.851	38.8	62.5	0
2/18/2023, 7:13:20 PM	0	6.851	38.3	62.8	0
2/18/2023, 7:23:20 PM	0	6.851	37.8	63.1	0
2/18/2023, 7:33:20 PM	0	6.851	37.4	63.4	0
2/18/2023, 7:43:20 PM	0	6.851	36.7	63.7	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/18/2023, 7:53:20 PM	0	6.851	36.3	64.1	0
2/18/2023, 8:03:20 PM	0	6.842	35.8	64.4	0
2/18/2023, 8:13:20 PM	0	6.842	35.1	64.7	0
2/18/2023, 8:23:20 PM	0	6.842	34.5	65.1	0
2/18/2023, 8:33:20 PM	0	6.842	34	65.6	0
2/18/2023, 8:43:20 PM	0	6.842	33.6	66	0
2/18/2023, 8:53:20 PM	0	6.842	33.1	66.5	0
2/18/2023, 9:03:20 PM	0	6.842	32.5	67	0
2/18/2023, 9:13:20 PM	0	6.842	32.2	67.5	0
2/18/2023, 9:23:20 PM	0	6.833	31.8	68	0
2/18/2023, 9:33:20 PM	0	6.833	31.5	68.5	0
2/18/2023, 9:43:20 PM	0	6.833	31.1	69	0
2/18/2023, 9:53:20 PM	0	6.833	30.9	69.5	0
2/18/2023, 10:03:20 PM	0	6.833	30.6	70	0
2/18/2023, 10:13:20 PM	0	6.833	30.4	70.6	0
2/18/2023, 10:23:20 PM	0	6.833	30.2	71.1	0
2/18/2023, 10:33:20 PM	0	6.825	29.8	71.5	0
2/18/2023, 10:43:20 PM	0	6.825	29.7	71.8	0
2/18/2023, 10:53:20 PM	0	6.825	29.5	72.4	0
2/18/2023, 11:03:20 PM	0	6.825	29.3	72.7	0
2/18/2023, 11:13:20 PM	0	6.825	29.1	73	0
2/18/2023, 11:23:20 PM	0	6.825	28.8	73.3	0
2/18/2023, 11:33:20 PM	0	6.825	28.6	73.7	0
2/18/2023, 11:43:20 PM	0	6.825	28.4	74.1	0
2/18/2023, 11:53:20 PM	0	6.825	28.2	74.6	0
2/19/2023, 12:03:20 AM	0	6.825	28	75.1	0
2/19/2023, 12:13:20 AM	0	6.825	28	75.5	0
2/19/2023, 12:23:20 AM	0	6.825	28	76	0
2/19/2023, 12:33:20 AM	0	6.825	28	76.5	0
2/19/2023, 12:43:20 AM	0	6.825	28.2	77	0
2/19/2023, 12:53:20 AM	0	6.825	28.4	77.4	0
2/19/2023, 1:03:20 AM	0	6.825	28.4	77.7	0
2/19/2023, 1:13:20 AM	0	6.825	28.6	78	0
2/19/2023, 1:23:20 AM	0	6.825	28.6	78.3	0
2/19/2023, 1:33:20 AM	0	6.825	28.6	78.4	0
2/19/2023, 1:43:20 AM	0	6.825	28.6	78.6	0
2/19/2023, 1:53:20 AM	0	6.825	28.6	78.8	0
2/19/2023, 2:03:20 AM	0	6.825	28.6	79	0
2/19/2023, 2:13:20 AM	0	6.825	28.8	79.3	0
2/19/2023, 2:23:20 AM	0	6.825	28.9	79.6	0
2/19/2023, 2:33:20 AM	0	6.825	28.9	79.8	0
2/19/2023, 2:43:20 AM	0	6.825	29.1	80	0
2/19/2023, 2:53:20 AM	0	6.825	29.3	80.2	0
2/19/2023, 3:03:20 AM	0	6.825	29.3	80.2	0
2/19/2023, 3:13:20 AM	0	6.825	29.3	80.2	0
2/19/2023, 3:23:20 AM	0	6.825	29.1	80.2	0
2/19/2023, 3:33:20 AM	0	6.825	29.1	80.4	0
2/19/2023, 3:43:20 AM	0	6.825	29.3	80.6	0
2/19/2023, 3:53:20 AM	0	6.825	29.5	80.8	0
2/19/2023, 4:03:20 AM	0	6.825	29.7	81	0
2/19/2023, 4:13:20 AM	0	6.825	30	81.3	0
2/19/2023, 4:23:20 AM	0	6.825	30.6	81.4	0
2/19/2023, 4:33:20 AM	0	6.825	30.7	81.3	0
2/19/2023, 4:43:20 AM	0	6.825	31.1	81.3	0
2/19/2023, 4:53:20 AM	0	6.825	31.5	81.1	0
2/19/2023, 5:03:20 AM	0	6.833	31.6	80.8	0
2/19/2023, 5:13:20 AM	0	6.833	32	80.6	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/19/2023, 5:23:20 AM	0	6.833	32.4	80.4	0
2/19/2023, 5:33:20 AM	0	6.833	32.9	80.3	0
2/19/2023, 5:43:20 AM	0	6.833	33.4	79.9	0
2/19/2023, 5:53:20 AM	0	6.833	33.8	79.5	0
2/19/2023, 6:03:20 AM	0	6.833	34.2	79.1	0
2/19/2023, 6:13:20 AM	0	6.833	34.7	78.6	0
2/19/2023, 6:23:20 AM	0	6.842	35.1	78	0
2/19/2023, 6:33:20 AM	0	6.842	35.2	77.4	0
2/19/2023, 6:43:20 AM	0	6.842	35.2	76.8	0
2/19/2023, 6:53:20 AM	0	6.842	35.2	76.3	0
2/19/2023, 7:03:20 AM	0	6.842	35.2	75.9	0
2/19/2023, 7:13:20 AM	0	6.842	35.2	75.6	0
2/19/2023, 7:23:20 AM	0	6.842	35.2	75.4	0
2/19/2023, 7:33:20 AM	0	6.842	35.2	75.2	0
2/19/2023, 7:43:20 AM	0	6.842	35.4	75.1	0
2/19/2023, 7:53:20 AM	0	6.842	35.6	75	0
2/19/2023, 8:03:20 AM	0	6.842	36	74.9	0
2/19/2023, 8:13:20 AM	0	6.842	36.1	74.7	0
2/19/2023, 8:23:20 AM	0	6.842	36.3	74.5	0
2/19/2023, 8:33:20 AM	0	6.842	36.7	74.4	0
2/19/2023, 8:43:20 AM	0	6.842	36.9	74.2	0
2/19/2023, 8:53:20 AM	0	6.842	37.2	74	0
2/19/2023, 9:03:20 AM	0	6.842	37.6	73.9	0
2/19/2023, 9:13:20 AM	0	6.842	37.9	73.7	0
2/19/2023, 9:23:20 AM	0	6.842	38.1	73.6	0
2/19/2023, 9:33:20 AM	0	6.842	38.5	73.3	0
2/19/2023, 9:43:20 AM	0	6.842	38.7	72.8	0
2/19/2023, 9:53:20 AM	0	6.851	39	72.4	0
2/19/2023, 10:03:20 AM	0	6.851	39.4	72.1	0
2/19/2023, 10:13:20 AM	0	6.851	39.7	71.7	0
2/19/2023, 10:23:20 AM	0	6.851	40.1	71.2	0
2/19/2023, 10:33:20 AM	0	6.851	40.5	70.8	0
2/19/2023, 10:43:20 AM	0	6.851	40.8	70.4	0
2/19/2023, 10:53:20 AM	0	6.851	41.4	70	0
2/19/2023, 11:03:20 AM	0	6.851	41.9	69.6	0
2/19/2023, 11:13:20 AM	0	6.851	42.6	69.3	0
2/19/2023, 11:23:20 AM	0	6.851	43.3	68.7	0
2/19/2023, 11:33:20 AM	0	6.851	44.1	67.9	0
2/19/2023, 11:43:20 AM	0	6.86	44.6	67.1	0
2/19/2023, 11:53:20 AM	0	6.86	45.1	66.2	0
2/19/2023, 12:03:20 PM	0	6.86	45.5	65.4	0
2/19/2023, 12:13:20 PM	0	6.86	45.9	64.6	0
2/19/2023, 12:23:20 PM	0	6.86	46.4	64.1	0
2/19/2023, 12:33:20 PM	0	6.86	46.9	63.5	0
2/19/2023, 12:43:20 PM	0	6.86	47.7	63	0
2/19/2023, 12:53:20 PM	0	6.86	48.6	62.3	0
2/19/2023, 1:03:20 PM	0	6.86	49.3	61.2	0
2/19/2023, 1:13:20 PM	0	6.869	50	60.2	0
2/19/2023, 1:23:20 PM	0	6.869	50.9	59.3	0
2/19/2023, 1:33:20 PM	0	6.869	51.8	58.4	0
2/19/2023, 1:43:20 PM	0	6.869	52.7	57.5	0
2/19/2023, 1:53:20 PM	0	6.869	53.8	56.8	0
2/19/2023, 2:03:20 PM	0	6.869	54.5	56.1	0
2/19/2023, 2:13:20 PM	0	6.869	55.2	55.5	0
2/19/2023, 2:23:20 PM	0	6.869	55.6	54.9	0
2/19/2023, 2:33:20 PM	0	6.869	55.9	54.4	0
2/19/2023, 2:43:20 PM	0	6.877	56.1	54.1	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/19/2023, 2:53:20 PM	0	6.877	56.5	53.9	0
2/19/2023, 3:03:20 PM	0	6.877	56.8	53.7	0
2/19/2023, 3:13:20 PM	0	6.877	57.2	53.5	0
2/19/2023, 3:23:20 PM	0	6.877	57.6	53.2	0
2/19/2023, 3:33:20 PM	0	6.877	57.6	52.9	0
2/19/2023, 3:43:20 PM	0	6.877	57.4	52.5	0
2/19/2023, 3:53:20 PM	0	6.877	57.4	52.3	0
2/19/2023, 4:03:20 PM	0	6.877	57.2	52	0
2/19/2023, 4:13:20 PM	0	6.877	57.2	51.9	0
2/19/2023, 4:23:20 PM	0	6.877	57	51.8	0
2/19/2023, 4:33:20 PM	0	6.877	56.8	51.8	0
2/19/2023, 4:43:20 PM	0	6.877	56.5	51.7	0
2/19/2023, 4:53:20 PM	0	6.877	55.9	51.6	0
2/19/2023, 5:03:20 PM	0	6.877	55.8	51.7	0
2/19/2023, 5:13:20 PM	0	6.877	55.6	51.7	0
2/19/2023, 5:23:20 PM	0	6.877	55.2	51.8	0
2/19/2023, 5:33:20 PM	0	6.877	55.2	51.9	0
2/19/2023, 5:43:20 PM	0	6.877	55.2	52	0
2/19/2023, 5:53:20 PM	0	6.877	55	52.1	0
2/19/2023, 6:03:20 PM	0	6.877	54.7	52.2	0
2/19/2023, 6:13:20 PM	0	6.877	54.3	52.4	0
2/19/2023, 6:23:20 PM	0	6.877	54	52.5	0
2/19/2023, 6:33:20 PM	0	6.877	53.6	52.8	0
2/19/2023, 6:43:20 PM	0	6.877	53.4	53	0
2/19/2023, 6:53:20 PM	0	6.877	53.4	53.1	0
2/19/2023, 7:03:20 PM	0	6.877	53.4	53.1	0
2/19/2023, 7:13:20 PM	0	6.877	53.2	53.1	0
2/19/2023, 7:23:20 PM	0	6.877	53.1	53	0
2/19/2023, 7:33:20 PM	0	6.877	52.9	53	0
2/19/2023, 7:43:20 PM	0	6.877	52.5	52.9	0
2/19/2023, 7:53:20 PM	0	6.877	52	52.8	0
2/19/2023, 8:03:20 PM	0	6.877	51.6	52.7	0
2/19/2023, 8:13:20 PM	0	6.869	51.1	52.7	0
2/19/2023, 8:23:20 PM	0	6.869	50.4	52.9	0
2/19/2023, 8:33:20 PM	0	6.869	49.8	53.3	0
2/19/2023, 8:43:20 PM	0	6.869	49.5	53.5	0
2/19/2023, 8:53:20 PM	0	6.869	49.1	53.9	0
2/19/2023, 9:03:20 PM	0	6.869	48.9	54.3	0
2/19/2023, 9:13:20 PM	0	6.869	48.7	54.7	0
2/19/2023, 9:23:20 PM	0	6.869	48.6	55.3	0
2/19/2023, 9:33:20 PM	0	6.869	48.2	55.7	0
2/19/2023, 9:43:20 PM	0	6.869	47.7	56.1	0
2/19/2023, 9:53:20 PM	0	6.869	47.1	56.5	0
2/19/2023, 10:03:20 PM	0	6.869	46.8	56.9	0
2/19/2023, 10:13:20 PM	0	6.869	46.4	57.3	0
2/19/2023, 10:23:20 PM	0	6.869	46	57.7	0
2/19/2023, 10:33:20 PM	0	6.869	45.5	58	0
2/19/2023, 10:43:20 PM	0	6.86	44.8	58.4	0
2/19/2023, 10:53:20 PM	0	6.86	43.9	58.8	0
2/19/2023, 11:03:20 PM	0	6.86	43	59.2	0
2/19/2023, 11:13:20 PM	0	6.86	42.3	59.6	0
2/19/2023, 11:23:20 PM	0	6.86	41.4	60.1	0
2/19/2023, 11:33:20 PM	0	6.86	40.6	60.8	0
2/19/2023, 11:43:20 PM	0	6.86	39.9	61.3	0
2/19/2023, 11:53:20 PM	0	6.86	39.4	62.1	0
2/20/2023, 12:03:20 AM	0	6.851	38.7	62.7	0
2/20/2023, 12:13:20 AM	0	6.851	37.8	63.2	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/20/2023, 12:23:20 AM	0	6.851	37	63.8	0
2/20/2023, 12:33:20 AM	0	6.851	36.5	64.3	0
2/20/2023, 12:43:20 AM	0	6.851	36	65	0
2/20/2023, 12:53:20 AM	0	6.851	35.4	65.7	0
2/20/2023, 1:03:20 AM	0	6.842	34.9	66.3	0
2/20/2023, 1:13:20 AM	0	6.842	34.7	67	0
2/20/2023, 1:23:20 AM	0	6.842	34.3	67.7	0
2/20/2023, 1:33:20 AM	0	6.842	34.2	68.3	0
2/20/2023, 1:43:20 AM	0	6.842	34	68.9	0
2/20/2023, 1:53:20 AM	0	6.842	34	69.7	0
2/20/2023, 2:03:20 AM	0	6.842	33.8	70.3	0
2/20/2023, 2:13:20 AM	0	6.842	34	71	0
2/20/2023, 2:23:20 AM	0	6.842	34	71.6	0
2/20/2023, 2:33:20 AM	0	6.842	34.2	72.3	0
2/20/2023, 2:43:20 AM	0	6.842	34.5	72.8	0
2/20/2023, 2:53:20 AM	0	6.842	34.7	73.2	0
2/20/2023, 3:03:20 AM	0	6.842	34.9	73.6	0
2/20/2023, 3:13:20 AM	0	6.842	35.1	73.8	0
2/20/2023, 3:23:20 AM	0	6.842	35.1	74	0
2/20/2023, 3:33:20 AM	0	6.842	35.1	74.2	0
2/20/2023, 3:43:20 AM	0	6.842	35.2	74.5	0
2/20/2023, 3:53:20 AM	0	6.842	35.2	74.8	0
2/20/2023, 4:03:20 AM	0	6.842	35.4	75.1	0
2/20/2023, 4:13:20 AM	0	6.842	35.8	75.5	0
2/20/2023, 4:23:20 AM	0	6.842	36.1	75.7	0
2/20/2023, 4:33:20 AM	0	6.842	36.3	76	0
2/20/2023, 4:43:20 AM	0	6.842	36.7	76.4	0
2/20/2023, 4:53:20 AM	0	6.842	37.6	77	0
2/20/2023, 5:03:20 AM	0	6.842	38.5	77.3	0
2/20/2023, 5:13:20 AM	0	6.842	39.4	77.2	0
2/20/2023, 5:23:20 AM	0	6.851	39.7	76.7	0
2/20/2023, 5:33:20 AM	0	6.851	39.7	76	0
2/20/2023, 5:43:20 AM	0	6.851	39.7	75.4	0
2/20/2023, 5:53:20 AM	0	6.851	39.7	75.1	0
2/20/2023, 6:03:20 AM	0	6.851	39.7	75.2	0
2/20/2023, 6:13:20 AM	0	6.851	40.1	75.2	0
2/20/2023, 6:23:20 AM	0	6.851	40.5	75.1	0
2/20/2023, 6:33:20 AM	0	6.851	40.6	74.9	0
2/20/2023, 6:43:20 AM	0	6.851	40.6	74.8	0
2/20/2023, 6:53:20 AM	0	6.851	40.8	74.7	0
2/20/2023, 7:03:20 AM	0	6.851	40.8	74.4	0
2/20/2023, 7:13:20 AM	0	6.851	40.8	74.3	0
2/20/2023, 7:23:20 AM	0	6.851	40.8	74.3	0
2/20/2023, 7:33:20 AM	0	6.851	41	74.6	0
2/20/2023, 7:43:20 AM	0	6.851	41.4	74.9	0
2/20/2023, 7:53:20 AM	0	6.851	41.9	75.2	0
2/20/2023, 8:03:20 AM	0	6.851	42.4	75.4	0
2/20/2023, 8:13:20 AM	0	6.851	43.2	75.6	0
2/20/2023, 8:23:20 AM	0	6.86	44.4	76	0
2/20/2023, 8:33:20 AM	0	6.86	45.9	75.8	0
2/20/2023, 8:43:20 AM	0	6.86	46.4	74.9	0
2/20/2023, 8:53:20 AM	0	6.86	46.6	74.1	0
2/20/2023, 9:03:20 AM	0	6.86	46.8	73.6	0
2/20/2023, 9:13:20 AM	0	6.86	47.1	73.1	0
2/20/2023, 9:23:20 AM	0	6.86	48	72.8	0
2/20/2023, 9:33:20 AM	0	6.86	48.7	72.4	0
2/20/2023, 9:43:20 AM	0	6.86	48.9	71.6	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/20/2023, 9:53:20 AM	0	6.86	48.7	71	0
2/20/2023, 10:03:20 AM	0	6.86	48.9	70.6	0
2/20/2023, 10:13:20 AM	0	6.86	50	70.9	0
2/20/2023, 10:23:20 AM	0	6.869	50.9	70.5	0
2/20/2023, 10:33:20 AM	0	6.869	51.1	69.6	0
2/20/2023, 10:43:20 AM	0	6.869	51.3	69.1	0
2/20/2023, 10:53:20 AM	0	6.869	52	68.9	0
2/20/2023, 11:03:20 AM	0	6.869	52.3	68.3	0
2/20/2023, 11:13:20 AM	0	6.869	52.3	67.7	0
2/20/2023, 11:23:20 AM	0	6.869	51.6	66.9	0
2/20/2023, 11:33:20 AM	0	6.869	51.8	66.9	0
2/20/2023, 11:43:20 AM	0	6.869	51.6	66.7	0
2/20/2023, 11:53:20 AM	0	6.869	51.6	66.5	0
2/20/2023, 12:03:20 PM	0	6.869	51.3	66.2	0
2/20/2023, 12:13:20 PM	0	6.869	50.7	66	0
2/20/2023, 12:23:20 PM	0	6.869	49.8	65.8	0
2/20/2023, 12:33:20 PM	0	6.869	48.9	65.9	0
2/20/2023, 12:43:20 PM	0	6.869	48.4	66.2	0
2/20/2023, 12:53:20 PM	0	6.869	48.4	66.8	0
2/20/2023, 1:03:20 PM	0	6.869	48.7	67.2	0
2/20/2023, 1:13:20 PM	0	6.869	48.9	67.1	0
2/20/2023, 1:23:20 PM	0	6.869	48.9	66.9	0
2/20/2023, 1:33:20 PM	0	6.86	48.7	66.6	0
2/20/2023, 1:43:20 PM	0	6.869	48.4	66.4	0
2/20/2023, 1:53:20 PM	0	6.869	47.8	66.3	0
2/20/2023, 2:03:20 PM	0	6.86	47.7	66.4	0
2/20/2023, 2:13:20 PM	0	6.86	47.5	66.4	0
2/20/2023, 2:23:20 PM	0	6.86	47.3	66.4	0
2/20/2023, 2:33:20 PM	0	6.86	47.5	66.5	0
2/20/2023, 2:43:20 PM	0	6.86	47.8	66.5	0
2/20/2023, 2:53:20 PM	0	6.86	48	66.1	0
2/20/2023, 3:03:20 PM	0	6.86	47.8	65.7	0
2/20/2023, 3:13:20 PM	0	6.86	47.8	65.7	0
2/20/2023, 3:23:20 PM	0	6.86	47.8	65.4	0
2/20/2023, 3:33:20 PM	0	6.86	47.7	65.1	0
2/20/2023, 3:43:20 PM	0	6.86	47.5	64.8	0
2/20/2023, 3:53:20 PM	0	6.86	47.1	64.6	0
2/20/2023, 4:03:20 PM	0	6.86	46.8	64.4	0
2/20/2023, 4:13:20 PM	0	6.86	46.2	64.3	0
2/20/2023, 4:23:20 PM	0	6.86	45.7	64.1	0
2/20/2023, 4:33:20 PM	0	6.86	45	64	0
2/20/2023, 4:43:20 PM	0	6.86	44.1	64	0
2/20/2023, 4:53:20 PM	0	6.86	43.3	64	0
2/20/2023, 5:03:20 PM	0	6.86	42.6	64.2	0
2/20/2023, 5:13:20 PM	0	6.86	42.1	64.4	0
2/20/2023, 5:23:20 PM	0	6.86	41.4	64.6	0
2/20/2023, 5:33:20 PM	0	6.86	40.6	64.8	0
2/20/2023, 5:43:20 PM	0	6.851	40.1	65	0
2/20/2023, 5:53:20 PM	0	6.851	39.4	65.2	0
2/20/2023, 6:03:20 PM	0	6.851	38.7	65.5	0
2/20/2023, 6:13:20 PM	0	6.851	37.9	65.7	0
2/20/2023, 6:23:20 PM	0	6.851	37.2	66.1	0
2/20/2023, 6:33:20 PM	0	6.851	36.5	66.4	0
2/20/2023, 6:43:20 PM	0	6.842	35.8	66.7	0
2/20/2023, 6:53:20 PM	0	6.842	35.1	67.1	0
2/20/2023, 7:03:20 PM	0	6.842	34.3	67.5	0
2/20/2023, 7:13:20 PM	0	6.842	33.8	67.9	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/20/2023, 7:23:20 PM	0	6.842	33.3	68.4	0
2/20/2023, 7:33:20 PM	0	6.842	32.9	69.1	0
2/20/2023, 7:43:20 PM	0	6.833	32.5	69.8	0
2/20/2023, 7:53:20 PM	0	6.833	32.2	70.4	0
2/20/2023, 8:03:20 PM	0	6.833	32	70.9	0
2/20/2023, 8:13:20 PM	0	6.833	31.6	71.4	0
2/20/2023, 8:23:20 PM	0	6.833	31.5	72	0
2/20/2023, 8:33:20 PM	0	6.833	31.3	72.5	0
2/20/2023, 8:43:20 PM	0	6.833	31.1	73	0
2/20/2023, 8:53:20 PM	0	6.833	30.9	73.4	0
2/20/2023, 9:03:20 PM	0	6.825	30.7	73.9	0
2/20/2023, 9:13:20 PM	0	6.825	30.4	74.3	0
2/20/2023, 9:23:20 PM	0	6.825	30.4	74.8	0
2/20/2023, 9:33:20 PM	0	6.825	30.2	75.3	0
2/20/2023, 9:43:20 PM	0	6.825	30	75.6	0
2/20/2023, 9:53:20 PM	0	6.825	29.8	76	0
2/20/2023, 10:03:20 PM	0	6.825	29.5	76.3	0
2/20/2023, 10:13:20 PM	0	6.825	29.3	76.5	0
2/20/2023, 10:23:20 PM	0	6.825	29.1	76.7	0
2/20/2023, 10:33:20 PM	0	6.825	28.9	76.9	0
2/20/2023, 10:43:20 PM	0	6.825	28.8	77.2	0
2/20/2023, 10:53:20 PM	0	6.825	28.6	77.6	0
2/20/2023, 11:03:20 PM	0	6.825	28.6	78	0
2/20/2023, 11:13:20 PM	0	6.816	28.6	78.4	0
2/20/2023, 11:23:20 PM	0	6.816	28.6	78.6	0
2/20/2023, 11:33:20 PM	0	6.816	28.6	78.9	0
2/20/2023, 11:43:20 PM	0	6.816	28.8	79.3	0
2/20/2023, 11:53:20 PM	0	6.816	28.8	79.6	0
2/21/2023, 12:03:20 AM	0	6.816	28.8	79.9	0
2/21/2023, 12:13:20 AM	0	6.816	28.9	80.2	0
2/21/2023, 12:23:20 AM	0	6.816	28.9	80.4	0
2/21/2023, 12:33:20 AM	0	6.816	29.1	80.7	0
2/21/2023, 12:43:20 AM	0	6.816	29.1	81	0
2/21/2023, 12:53:20 AM	0	6.816	29.3	81.2	0
2/21/2023, 1:03:20 AM	0	6.825	29.5	81.5	0
2/21/2023, 1:13:20 AM	0	6.825	29.5	81.7	0
2/21/2023, 1:23:20 AM	0	6.825	29.5	81.9	0
2/21/2023, 1:33:20 AM	0	6.825	29.5	82	0
2/21/2023, 1:43:20 AM	0	6.825	29.5	82.1	0
2/21/2023, 1:53:20 AM	0	6.825	29.7	82.2	0
2/21/2023, 2:03:20 AM	0	6.825	29.7	82.3	0
2/21/2023, 2:13:20 AM	0	6.825	29.5	82.3	0
2/21/2023, 2:23:20 AM	0	6.825	29.5	82.3	0
2/21/2023, 2:33:20 AM	0	6.825	29.3	82.3	0
2/21/2023, 2:43:20 AM	0	6.825	29.1	82.3	0
2/21/2023, 2:53:20 AM	0	6.825	28.9	82.1	0
2/21/2023, 3:03:20 AM	0	6.825	28.4	82	0
2/21/2023, 3:13:20 AM	0	6.816	28	82	0
2/21/2023, 3:23:20 AM	0	6.816	27.9	81.9	0
2/21/2023, 3:33:20 AM	0	6.816	27.3	82	0
2/21/2023, 3:43:20 AM	0	6.816	27.3	82.2	0
2/21/2023, 3:53:20 AM	0	6.816	27.1	82.3	0
2/21/2023, 4:03:20 AM	0	6.816	27	82.3	0
2/21/2023, 4:13:20 AM	0	6.816	26.8	82.4	0
2/21/2023, 4:23:20 AM	0	6.816	26.4	82.6	0
2/21/2023, 4:33:20 AM	0	6.816	26.2	82.8	0
2/21/2023, 4:43:20 AM	0	6.816	26.1	82.9	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/21/2023, 4:53:20 AM	0	6.816	25.7	83	0
2/21/2023, 5:03:20 AM	0	6.816	25.7	83.2	0
2/21/2023, 5:13:20 AM	0	6.816	25.5	83.4	0
2/21/2023, 5:23:20 AM	0	6.807	25.7	83.7	0
2/21/2023, 5:33:20 AM	0	6.807	25.9	84.2	0
2/21/2023, 5:43:20 AM	0	6.816	26.1	84.4	0
2/21/2023, 5:53:20 AM	0	6.816	26.1	84.6	0
2/21/2023, 6:03:20 AM	0	6.807	26.2	84.7	0
2/21/2023, 6:13:20 AM	0	6.807	26.2	84.9	0
2/21/2023, 6:23:20 AM	0	6.816	26.6	85.2	0
2/21/2023, 6:33:20 AM	0	6.816	26.8	85.4	0
2/21/2023, 6:43:20 AM	0	6.816	27	85.7	0
2/21/2023, 6:53:20 AM	0	6.816	27.3	85.9	0
2/21/2023, 7:03:20 AM	0	6.816	27.5	86	0
2/21/2023, 7:13:20 AM	0	6.816	27.7	86.2	0
2/21/2023, 7:23:20 AM	0	6.816	28	86.4	0
2/21/2023, 7:33:20 AM	0	6.816	28.2	86.5	0
2/21/2023, 7:43:20 AM	0	6.816	28.6	86.7	0
2/21/2023, 7:53:20 AM	0	6.816	28.9	86.8	0
2/21/2023, 8:03:20 AM	0	6.816	29.3	86.9	0
2/21/2023, 8:13:20 AM	0	6.816	30.2	87.3	0
2/21/2023, 8:23:20 AM	0	6.825	31.6	87.9	0
2/21/2023, 8:33:20 AM	0	6.825	33.1	88.3	0
2/21/2023, 8:43:20 AM	0	6.825	34	88.3	0
2/21/2023, 8:53:20 AM	0	6.833	34.9	88.2	0
2/21/2023, 9:03:20 AM	0	6.833	36	88.1	0
2/21/2023, 9:13:20 AM	0	6.833	36.9	87.8	0
2/21/2023, 9:23:20 AM	0	6.833	37.4	87.4	0
2/21/2023, 9:33:20 AM	0	6.842	38.1	87.2	0
2/21/2023, 9:43:20 AM	0	6.842	38.8	87	0
2/21/2023, 9:53:20 AM	0	6.842	39.6	86.9	0
2/21/2023, 10:03:20 AM	0	6.842	40.8	86.9	0
2/21/2023, 10:13:20 AM	0	6.842	41.9	86.7	0
2/21/2023, 10:23:20 AM	0	6.851	43	86.3	0
2/21/2023, 10:33:20 AM	0	6.851	43.9	85.8	0
2/21/2023, 10:43:20 AM	0	6.851	44.6	84.9	0
2/21/2023, 10:53:20 AM	0	6.851	45.1	83.8	0
2/21/2023, 11:03:20 AM	0	6.86	45.5	83	0
2/21/2023, 11:13:20 AM	0	6.86	46	82.1	0
2/21/2023, 11:23:20 AM	0	6.86	46.6	81.2	0
2/21/2023, 11:33:20 AM	0	6.86	46.9	80.3	0
2/21/2023, 11:43:20 AM	0	6.86	47.3	79.5	0
2/21/2023, 11:53:20 AM	0	6.86	47.8	79	0
2/21/2023, 12:03:20 PM	0	6.86	48.6	78.6	0
2/21/2023, 12:13:20 PM	0	6.86	49.1	78	0
2/21/2023, 12:23:20 PM	0	6.86	48.9	77.3	0
2/21/2023, 12:33:20 PM	0	6.86	48.9	77	0
2/21/2023, 12:43:20 PM	0	6.86	48.7	76.8	0
2/21/2023, 12:53:20 PM	0	6.86	49.1	76.8	0
2/21/2023, 1:03:20 PM	0	6.86	49.6	76.7	0
2/21/2023, 1:13:20 PM	0	6.86	50.5	76.4	0
2/21/2023, 1:23:20 PM	0	6.869	51.4	75.4	0
2/21/2023, 1:33:20 PM	0	6.869	52.2	74	0
2/21/2023, 1:43:20 PM	0	6.869	52.9	72.5	0
2/21/2023, 1:53:20 PM	0	6.869	53.2	70.3	0
2/21/2023, 2:03:20 PM	0	6.869	53.2	68.8	0
2/21/2023, 2:13:20 PM	0	6.869	53.6	67.6	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/21/2023, 2:23:20 PM	0	6.869	54	66.8	0
2/21/2023, 2:33:20 PM	0	6.869	54	66	0
2/21/2023, 2:43:20 PM	0	6.869	53.1	65.3	0
2/21/2023, 2:53:20 PM	0	6.869	50.9	64.8	0
2/21/2023, 3:03:20 PM	0	6.869	48.6	65	0
2/21/2023, 3:13:20 PM	0	6.869	46.9	65.7	0
2/21/2023, 3:23:20 PM	0	6.869	46	67.1	0
2/21/2023, 3:33:20 PM	0	6.86	45.3	68.1	0
2/21/2023, 3:43:20 PM	0	6.86	44.4	68.9	0
2/21/2023, 3:53:20 PM	0	6.86	43.5	69.8	0
2/21/2023, 4:03:20 PM	0	6.86	42.8	70.8	0
2/21/2023, 4:13:20 PM	0	6.86	42.4	71.8	0
2/21/2023, 4:23:20 PM	0	6.86	42.3	72.5	0
2/21/2023, 4:33:20 PM	0	6.851	42.1	72.9	0
2/21/2023, 4:43:20 PM	0	6.851	42.1	72.9	0
2/21/2023, 4:53:20 PM	0	6.851	41.9	72.4	0
2/21/2023, 5:03:20 PM	0	6.851	41.7	71.8	0
2/21/2023, 5:13:20 PM	0	6.851	41.4	71.2	0
2/21/2023, 5:23:20 PM	0	6.851	40.8	70.7	0
2/21/2023, 5:33:20 PM	0	6.851	40.5	70.2	0
2/21/2023, 5:43:20 PM	0	6.851	40.1	69.7	0
2/21/2023, 5:53:20 PM	0	6.851	39.6	69.2	0
2/21/2023, 6:03:20 PM	0	6.851	39.2	68.9	0
2/21/2023, 6:13:20 PM	0	6.851	38.8	68.6	0
2/21/2023, 6:23:20 PM	0	6.851	38.5	68.4	0
2/21/2023, 6:33:20 PM	0	6.851	38.1	68.2	0
2/21/2023, 6:43:20 PM	0	6.842	37.8	68.2	0
2/21/2023, 6:53:20 PM	0	6.842	37.6	68.3	0
2/21/2023, 7:03:20 PM	0	6.842	37.2	68.4	0
2/21/2023, 7:13:20 PM	0	6.842	36.9	68.7	0
2/21/2023, 7:23:20 PM	0	6.842	36.9	68.9	0
2/21/2023, 7:33:20 PM	0	6.842	36.7	69.2	0
2/21/2023, 7:43:20 PM	0	6.842	36.9	69.6	0
2/21/2023, 7:53:20 PM	0	6.842	37	69.9	0
2/21/2023, 8:03:20 PM	0	6.842	37	70	0
2/21/2023, 8:13:20 PM	0	6.842	37	69.9	0
2/21/2023, 8:23:20 PM	0	6.842	36.9	69.8	0
2/21/2023, 8:33:20 PM	0	6.842	36.9	69.6	0
2/21/2023, 8:43:20 PM	0	6.842	36.7	69.5	0
2/21/2023, 8:53:20 PM	0	6.842	36.7	69.5	0
2/21/2023, 9:03:20 PM	0	6.842	36.7	69.4	0
2/21/2023, 9:13:20 PM	0	6.842	36.3	69.2	0
2/21/2023, 9:23:20 PM	0	6.842	36	69	0
2/21/2023, 9:33:20 PM	0	6.842	35.6	68.8	0
2/21/2023, 9:43:20 PM	0	6.842	35.2	68.8	0
2/21/2023, 9:53:20 PM	0	6.842	35.1	68.9	0
2/21/2023, 10:03:20 PM	0	6.833	34.9	69	0
2/21/2023, 10:13:20 PM	0	6.833	34.9	69.1	0
2/21/2023, 10:23:20 PM	0	6.833	34.9	69.3	0
2/21/2023, 10:33:20 PM	0	6.842	35.1	69.3	0
2/21/2023, 10:43:20 PM	0	6.833	35.2	69.2	0
2/21/2023, 10:53:20 PM	0	6.833	35.2	69.2	0
2/21/2023, 11:03:20 PM	0	6.842	35.2	69.1	0
2/21/2023, 11:13:20 PM	0	6.833	35.4	69.1	0
2/21/2023, 11:23:20 PM	0	6.833	35.4	69	0
2/21/2023, 11:33:20 PM	0	6.842	35.4	68.9	0
2/21/2023, 11:43:20 PM	0	6.842	35.6	68.8	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/21/2023, 11:53:20 PM	0	6.833	35.4	68.8	0
2/22/2023, 12:03:20 AM	0	6.842	35.4	68.8	0
2/22/2023, 12:13:20 AM	0	6.842	35.4	68.9	0
2/22/2023, 12:23:20 AM	0	6.842	35.4	69	0
2/22/2023, 12:33:20 AM	0	6.842	35.4	69.1	0
2/22/2023, 12:43:20 AM	0	6.842	35.4	69.2	0
2/22/2023, 12:53:20 AM	0	6.833	35.4	69.3	0
2/22/2023, 1:03:20 AM	0	6.842	35.4	69.4	0
2/22/2023, 1:13:20 AM	0	6.842	35.4	69.4	0
2/22/2023, 1:23:20 AM	0	6.833	35.4	69.6	0
2/22/2023, 1:33:20 AM	0	6.842	35.4	69.7	0
2/22/2023, 1:43:20 AM	0	6.842	35.2	69.7	0
2/22/2023, 1:53:20 AM	0	6.833	35.2	69.8	0
2/22/2023, 2:03:20 AM	0	6.833	35.2	69.8	0
2/22/2023, 2:13:20 AM	0	6.833	35.1	69.8	0
2/22/2023, 2:23:20 AM	0	6.833	35.1	69.9	0
2/22/2023, 2:33:20 AM	0	6.833	35.1	69.9	0
2/22/2023, 2:43:20 AM	0	6.833	34.9	69.9	0
2/22/2023, 2:53:20 AM	0	6.833	34.9	70	0
2/22/2023, 3:03:20 AM	0	6.833	34.7	70.1	0
2/22/2023, 3:13:20 AM	0	6.833	34.7	70.2	0
2/22/2023, 3:23:20 AM	0	6.833	34.7	70.3	0
2/22/2023, 3:33:20 AM	0	6.833	34.7	70.5	0
2/22/2023, 3:43:20 AM	0	6.833	34.7	70.5	0
2/22/2023, 3:53:20 AM	0	6.833	34.5	70.6	0
2/22/2023, 4:03:20 AM	0	6.833	34.5	70.7	0
2/22/2023, 4:13:20 AM	0	6.833	34.5	70.8	0
2/22/2023, 4:23:20 AM	0	6.833	34.5	71	0
2/22/2023, 4:33:20 AM	0	6.833	34.5	71.1	0
2/22/2023, 4:43:20 AM	0	6.833	34.3	71.3	0
2/22/2023, 4:53:20 AM	0	6.833	34.3	71.3	0
2/22/2023, 5:03:20 AM	0	6.833	34.3	71.4	0
2/22/2023, 5:13:20 AM	0	6.833	34.3	71.4	0
2/22/2023, 5:23:20 AM	0	6.833	34.3	71.3	0
2/22/2023, 5:33:20 AM	0	6.833	34.2	71.3	0
2/22/2023, 5:43:20 AM	0	6.833	34.2	71.2	0
2/22/2023, 5:53:20 AM	0	6.833	34.2	71.1	0
2/22/2023, 6:03:20 AM	0	6.833	34	71.1	0
2/22/2023, 6:13:20 AM	0	6.833	34	71.1	0
2/22/2023, 6:23:20 AM	0	6.833	34	71	0
2/22/2023, 6:33:20 AM	0	6.833	33.8	71	0
2/22/2023, 6:43:20 AM	0	6.833	33.8	71.1	0
2/22/2023, 6:53:20 AM	0	6.833	33.8	71.2	0
2/22/2023, 7:03:20 AM	0	6.833	33.6	71.2	0
2/22/2023, 7:13:20 AM	0	6.833	33.6	71.2	0
2/22/2023, 7:23:20 AM	0	6.833	33.6	71.2	0
2/22/2023, 7:33:20 AM	0	6.833	33.6	71.2	0
2/22/2023, 7:43:20 AM	0	6.833	33.8	71.2	0
2/22/2023, 7:53:20 AM	0	6.833	33.8	71.2	0
2/22/2023, 8:03:20 AM	0	6.833	33.8	71.2	0
2/22/2023, 8:13:20 AM	0	6.833	34	71.2	0
2/22/2023, 8:23:20 AM	0	6.833	34.2	71.2	0
2/22/2023, 8:33:20 AM	0	6.833	34.2	71.2	0
2/22/2023, 8:43:20 AM	0	6.833	34.3	71.3	0
2/22/2023, 8:53:20 AM	0	6.833	34.3	71.2	0
2/22/2023, 9:03:20 AM	0	6.833	34.3	71.1	0
2/22/2023, 9:13:20 AM	0	6.833	34.5	71.1	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/22/2023, 9:23:20 AM	0	6.833	34.5	71	0
2/22/2023, 9:33:20 AM	0	6.833	34.7	70.9	0
2/22/2023, 9:43:20 AM	0	6.833	34.7	70.8	0
2/22/2023, 9:53:20 AM	0	6.833	34.7	70.7	0
2/22/2023, 10:03:20 AM	0	6.833	34.9	70.6	0
2/22/2023, 10:13:20 AM	0	6.833	35.1	70.6	0
2/22/2023, 10:23:20 AM	0	6.833	35.1	70.6	0
2/22/2023, 10:33:20 AM	0	6.833	35.2	70.6	0
2/22/2023, 10:43:20 AM	0	6.833	35.4	70.6	0
2/22/2023, 10:53:20 AM	0	6.833	35.4	70.6	0
2/22/2023, 11:03:20 AM	0	6.833	35.6	70.5	0
2/22/2023, 11:13:20 AM	0	6.833	35.6	70.3	0
2/22/2023, 11:23:20 AM	0	6.833	35.6	70.2	0
2/22/2023, 11:33:20 AM	0	6.833	35.6	70.2	0
2/22/2023, 11:43:20 AM	0	6.833	35.8	70.2	0
2/22/2023, 11:53:20 AM	0	6.833	35.8	70.2	0
2/22/2023, 12:03:20 PM	0	6.833	35.6	70.2	0
2/22/2023, 12:13:20 PM	0	6.833	35.4	70.3	0
2/22/2023, 12:23:20 PM	0	6.833	35.2	70.5	0
2/22/2023, 12:33:20 PM	0	6.833	35.1	70.7	0
2/22/2023, 12:43:20 PM	0	6.833	34.9	71	0
2/22/2023, 12:53:20 PM	0	6.833	34.7	71.2	0
2/22/2023, 1:03:20 PM	0	6.833	34.5	71.3	0
2/22/2023, 1:13:20 PM	0	6.833	34.2	71.5	0
2/22/2023, 1:23:20 PM	0	6.833	34.2	71.8	0
2/22/2023, 1:33:20 PM	0	6.833	34	72	0
2/22/2023, 1:43:20 PM	0	6.833	33.8	72.1	0
2/22/2023, 1:53:20 PM	0	6.833	33.4	72.3	0
2/22/2023, 2:03:20 PM	0	6.833	32.9	72.6	0
2/22/2023, 2:13:20 PM	0	6.833	32.5	73	0
2/22/2023, 2:23:20 PM	0	6.833	32.2	73.4	0
2/22/2023, 2:33:20 PM	0	6.825	32	73.9	0
2/22/2023, 2:43:20 PM	0	6.825	32	74.4	0
2/22/2023, 2:53:20 PM	0	6.825	31.6	74.9	0
2/22/2023, 3:03:20 PM	0	6.825	31.6	75.3	0
2/22/2023, 3:13:20 PM	0	6.825	31.5	75.8	0
2/22/2023, 3:23:20 PM	0	6.825	31.5	76.2	0
2/22/2023, 3:33:20 PM	0	6.825	31.3	76.6	0
2/22/2023, 3:43:20 PM	0	6.825	31.3	77	0
2/22/2023, 3:53:20 PM	0	6.825	31.1	77.3	0
2/22/2023, 4:03:20 PM	0	6.825	31.1	77.6	0
2/22/2023, 4:13:20 PM	0	6.825	30.9	78	0
2/22/2023, 4:23:20 PM	0	6.825	30.9	78.2	0
2/22/2023, 4:33:20 PM	0	6.825	30.7	78.5	0
2/22/2023, 4:43:20 PM	0	6.825	30.7	78.8	0
2/22/2023, 4:53:20 PM	0	6.825	30.7	79	0
2/22/2023, 5:03:20 PM	0	6.825	30.6	79.2	0
2/22/2023, 5:13:20 PM	0	6.825	30.6	79.4	0
2/22/2023, 5:23:20 PM	0	6.825	30.4	79.7	0
2/22/2023, 5:33:20 PM	0	6.825	30.4	79.9	0
2/22/2023, 5:43:20 PM	0	6.825	30.2	80.1	0
2/22/2023, 5:53:20 PM	0	6.825	30.2	80.4	0
2/22/2023, 6:03:20 PM	0	6.825	30	80.7	0
2/22/2023, 6:13:20 PM	0	6.825	30	80.9	0
2/22/2023, 6:23:20 PM	0	6.825	30	81.2	0
2/22/2023, 6:33:20 PM	0	6.825	30	81.5	0
2/22/2023, 6:43:20 PM	0	6.825	30	81.7	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/22/2023, 6:53:20 PM	0	6.825	30	82	0
2/22/2023, 7:03:20 PM	0	6.825	30	82.2	0
2/22/2023, 7:13:20 PM	0	6.825	30.2	82.5	0
2/22/2023, 7:23:20 PM	0	6.825	30.2	82.7	0
2/22/2023, 7:33:20 PM	0	6.825	30.4	82.9	0
2/22/2023, 7:43:20 PM	0	6.825	30.4	83.1	0
2/22/2023, 7:53:20 PM	0	6.825	30.4	83.3	0
2/22/2023, 8:03:20 PM	0	6.825	30.6	83.6	0
2/22/2023, 8:13:20 PM	0	6.825	30.7	84	0
2/22/2023, 8:23:20 PM	0	6.825	31.1	84.3	0
2/22/2023, 8:33:20 PM	0	6.825	31.3	84.6	0
2/22/2023, 8:43:20 PM	0	6.825	31.6	84.8	0
2/22/2023, 8:53:20 PM	0	6.825	31.8	85	0
2/22/2023, 9:03:20 PM	0	6.825	32	85.2	0
2/22/2023, 9:13:20 PM	0	6.825	32	85.4	0
2/22/2023, 9:23:20 PM	0	6.825	32	85.5	0
2/22/2023, 9:33:20 PM	0	6.825	32.2	85.7	0
2/22/2023, 9:43:20 PM	0	6.825	32.2	85.7	0
2/22/2023, 9:53:20 PM	0	6.825	32.4	85.9	0
2/22/2023, 10:03:20 PM	0	6.825	32.4	86.1	0
2/22/2023, 10:13:20 PM	0	6.825	32.5	86.2	0
2/22/2023, 10:23:20 PM	0	6.825	32.5	86.3	0
2/22/2023, 10:33:20 PM	0	6.825	32.5	86.4	0
2/22/2023, 10:43:20 PM	0	6.825	32.7	86.6	0
2/22/2023, 10:53:20 PM	0	6.833	32.9	86.8	0
2/22/2023, 11:03:20 PM	0	6.833	33.1	86.9	0
2/22/2023, 11:13:20 PM	0	6.833	33.1	87	0
2/22/2023, 11:23:20 PM	0	6.833	33.3	87.1	0
2/22/2023, 11:33:20 PM	0	6.833	33.3	87.1	0
2/22/2023, 11:43:20 PM	0	6.833	33.3	87.1	0
2/22/2023, 11:53:20 PM	0	6.833	33.3	87.1	0
2/23/2023, 12:03:20 AM	0	6.833	33.1	87.1	0
2/23/2023, 12:13:20 AM	0	6.833	33.1	87.1	0
2/23/2023, 12:23:20 AM	0	6.833	33.1	87.1	0
2/23/2023, 12:33:20 AM	0	6.833	33.1	87.2	0
2/23/2023, 12:43:20 AM	0	6.833	32.9	87.3	0
2/23/2023, 12:53:20 AM	0	6.833	32.9	87.3	0
2/23/2023, 1:03:20 AM	0	6.833	32.7	87.3	0
2/23/2023, 1:13:20 AM	0	6.833	32.5	87.3	0
2/23/2023, 1:23:20 AM	0	6.825	32.5	87.3	0
2/23/2023, 1:33:20 AM	0	6.825	32.4	87.4	0
2/23/2023, 1:43:20 AM	0	6.825	32.4	87.5	0
2/23/2023, 1:53:20 AM	0	6.825	32.4	87.6	0
2/23/2023, 2:03:20 AM	0	6.825	32.5	87.8	0
2/23/2023, 2:13:20 AM	0	6.825	32.5	87.9	0
2/23/2023, 2:23:20 AM	0	6.825	32.5	88.1	0
2/23/2023, 2:33:20 AM	0	6.825	32.9	88.4	0
2/23/2023, 2:43:20 AM	0	6.825	33.1	88.7	0
2/23/2023, 2:53:20 AM	0	6.825	33.3	88.8	0
2/23/2023, 3:03:20 AM	0	6.833	33.4	89	0
2/23/2023, 3:13:20 AM	0	6.833	33.4	89.1	0
2/23/2023, 3:23:20 AM	0	6.833	33.6	89.3	0
2/23/2023, 3:33:20 AM	0	6.833	33.8	89.4	0
2/23/2023, 3:43:20 AM	0	6.833	33.8	89.5	0
2/23/2023, 3:53:20 AM	0	6.833	34	89.5	0
2/23/2023, 4:03:20 AM	0	6.833	34	89.6	0
2/23/2023, 4:13:20 AM	0	6.833	34.2	89.7	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/23/2023, 4:23:20 AM	0	6.833	34.2	89.7	0
2/23/2023, 4:33:20 AM	0	6.833	34	89.6	0
2/23/2023, 4:43:20 AM	0	6.833	33.8	89.4	0
2/23/2023, 4:53:20 AM	0	6.833	33.6	89.3	0
2/23/2023, 5:03:20 AM	0	6.833	33.4	89.2	0
2/23/2023, 5:13:20 AM	0	6.833	33.4	89.2	0
2/23/2023, 5:23:20 AM	0	6.833	33.3	89.3	0
2/23/2023, 5:33:20 AM	0	6.833	33.3	89.2	0
2/23/2023, 5:43:20 AM	0	6.833	33.1	89.1	0
2/23/2023, 5:53:20 AM	0	6.833	32.7	89	0
2/23/2023, 6:03:20 AM	0	6.825	32.5	88.9	0
2/23/2023, 6:13:20 AM	0	6.825	32.4	88.7	0
2/23/2023, 6:23:20 AM	0	6.825	32	88.6	0
2/23/2023, 6:33:20 AM	0	6.825	31.8	88.5	0
2/23/2023, 6:43:20 AM	0	6.825	31.6	88.5	0
2/23/2023, 6:53:20 AM	0	6.825	31.3	88.4	0
2/23/2023, 7:03:20 AM	0	6.825	30.9	88.3	0
2/23/2023, 7:13:20 AM	0	6.825	30.7	88.3	0
2/23/2023, 7:23:20 AM	0	6.825	30.6	88.3	0
2/23/2023, 7:33:20 AM	0	6.825	30.4	88.2	0
2/23/2023, 7:43:20 AM	0	6.825	30.2	88.2	0
2/23/2023, 7:53:20 AM	0	6.825	29.8	88.2	0
2/23/2023, 8:03:20 AM	0	6.825	29.7	88.1	0
2/23/2023, 8:13:20 AM	0	6.816	29.5	88.1	0
2/23/2023, 8:23:20 AM	0	6.816	29.3	88.1	0
2/23/2023, 8:33:20 AM	0	6.816	29.1	88	0
2/23/2023, 8:43:20 AM	0	6.816	28.9	88	0
2/23/2023, 8:53:20 AM	0	6.816	28.8	87.9	0
2/23/2023, 9:03:20 AM	0	6.816	28.6	87.8	0
2/23/2023, 9:13:20 AM	0	6.816	28.6	87.9	0
2/23/2023, 9:23:20 AM	0	6.816	28.6	87.9	0
2/23/2023, 9:33:20 AM	0	6.816	28.4	87.9	0
2/23/2023, 9:43:20 AM	0	6.816	28.4	87.9	0
2/23/2023, 9:53:20 AM	0	6.816	28.4	87.9	0
2/23/2023, 10:03:20 AM	0	6.816	28.2	87.9	0
2/23/2023, 10:13:20 AM	0	6.816	28.2	88	0
2/23/2023, 10:23:20 AM	0	6.816	28.4	88	0
2/23/2023, 10:33:20 AM	0	6.816	28.4	88	0
2/23/2023, 10:43:20 AM	0	6.816	28.6	88.1	0
2/23/2023, 10:53:20 AM	0	6.816	28.6	88.1	0
2/23/2023, 11:03:20 AM	0	6.816	28.8	88.1	0
2/23/2023, 11:13:20 AM	0	6.816	28.9	88.3	0
2/23/2023, 11:23:20 AM	0	6.816	29.3	88.4	0
2/23/2023, 11:33:20 AM	0	6.816	29.3	88.4	0
2/23/2023, 11:43:20 AM	0	6.816	29.5	88.5	0
2/23/2023, 11:53:20 AM	0	6.816	29.7	88.5	0
2/23/2023, 12:03:20 PM	0	6.816	29.8	88.4	0
2/23/2023, 12:13:20 PM	0	6.816	29.8	88.3	0
2/23/2023, 12:23:20 PM	0	6.816	29.8	88.1	0
2/23/2023, 12:33:20 PM	0	6.816	29.8	88.1	0
2/23/2023, 12:43:20 PM	0	6.816	29.8	88	0
2/23/2023, 12:53:20 PM	0	6.816	30	88	0
2/23/2023, 1:03:20 PM	0	6.816	30.2	88	0
2/23/2023, 1:13:20 PM	0	6.816	30.4	88	0
2/23/2023, 1:23:20 PM	0	6.816	30.2	87.9	0
2/23/2023, 1:33:20 PM	0	6.816	30	87.8	0
2/23/2023, 1:43:20 PM	0	6.816	30	87.7	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/23/2023, 1:53:20 PM	0	6.816	30	87.7	0
2/23/2023, 2:03:20 PM	0	6.816	30	87.6	0
2/23/2023, 2:13:20 PM	0	6.816	29.8	87.6	0
2/23/2023, 2:23:20 PM	0	6.816	29.7	87.6	0
2/23/2023, 2:33:20 PM	0	6.816	29.7	87.5	0
2/23/2023, 2:43:20 PM	0	6.816	29.5	87.5	0
2/23/2023, 2:53:20 PM	0	6.816	29.5	87.5	0
2/23/2023, 3:03:20 PM	0	6.816	29.3	87.4	0
2/23/2023, 3:13:20 PM	0	6.816	29.3	87.4	0
2/23/2023, 3:23:20 PM	0	6.816	29.3	87.4	0
2/23/2023, 3:33:20 PM	0	6.816	29.1	87.5	0
2/23/2023, 3:43:20 PM	0	6.816	29.1	87.5	0
2/23/2023, 3:53:20 PM	0	6.816	28.9	87.5	0
2/23/2023, 4:03:20 PM	0	6.816	28.8	87.6	0
2/23/2023, 4:13:20 PM	0	6.816	28.9	87.7	0
2/23/2023, 4:23:20 PM	0	6.816	28.9	87.8	0
2/23/2023, 4:33:20 PM	0	6.816	28.9	87.9	0
2/23/2023, 4:43:20 PM	0	6.816	28.9	88	0
2/23/2023, 4:53:20 PM	0	6.816	28.9	88.1	0
2/23/2023, 5:03:20 PM	0	6.816	28.9	88.1	0
2/23/2023, 5:13:20 PM	0	6.816	28.9	88.1	0
2/23/2023, 5:23:20 PM	0	6.816	28.9	88.1	0
2/23/2023, 5:33:20 PM	0	6.816	28.8	88.1	0
2/23/2023, 5:43:20 PM	0	6.816	28.8	88.1	0
2/23/2023, 5:53:20 PM	0	6.816	28.9	88.2	0
2/23/2023, 6:03:20 PM	0	6.816	28.9	88.3	0
2/23/2023, 6:13:20 PM	0	6.816	28.9	88.4	0
2/23/2023, 6:23:20 PM	0	6.816	28.9	88.5	0
2/23/2023, 6:33:20 PM	0	6.816	29.1	88.5	0
2/23/2023, 6:43:20 PM	0	6.816	29.1	88.6	0
2/23/2023, 6:53:20 PM	0	6.816	29.1	88.7	0
2/23/2023, 7:03:20 PM	0	6.816	29.1	88.8	0
2/23/2023, 7:13:20 PM	0	6.816	29.3	88.8	0
2/23/2023, 7:23:20 PM	0	6.816	29.3	88.9	0
2/23/2023, 7:33:20 PM	0	6.816	29.3	89	0
2/23/2023, 7:43:20 PM	0	6.816	29.5	89.1	0
2/23/2023, 7:53:20 PM	0	6.816	29.5	89.1	0
2/23/2023, 8:03:20 PM	0	6.816	29.5	89.2	0
2/23/2023, 8:13:20 PM	0	6.816	29.5	89.2	0
2/23/2023, 8:23:20 PM	0	6.816	29.5	89.2	0
2/23/2023, 8:33:20 PM	0	6.816	29.7	89.3	0
2/23/2023, 8:43:20 PM	0	6.816	29.7	89.3	0
2/23/2023, 8:53:20 PM	0	6.816	29.7	89.4	0
2/23/2023, 9:03:20 PM	0	6.816	29.8	89.5	0
2/23/2023, 9:13:20 PM	0	6.816	29.8	89.6	0
2/23/2023, 9:23:20 PM	0	6.816	30	89.6	0
2/23/2023, 9:33:20 PM	0	6.816	30	89.7	0
2/23/2023, 9:43:20 PM	0	6.816	30	89.8	0
2/23/2023, 9:53:20 PM	0	6.816	30.2	89.9	0
2/23/2023, 10:03:20 PM	0	6.816	30.4	89.9	0
2/23/2023, 10:13:20 PM	0	6.816	30.4	90.1	0
2/23/2023, 10:23:20 PM	0	6.816	30.4	90.2	0
2/23/2023, 10:33:20 PM	0	6.816	30.6	90.2	0
2/23/2023, 10:43:20 PM	0	6.825	30.7	90.4	0
2/23/2023, 10:53:20 PM	0	6.825	30.7	90.4	0
2/23/2023, 11:03:20 PM	0	6.825	30.7	90.4	0
2/23/2023, 11:13:20 PM	0	6.825	30.7	90.4	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/23/2023, 11:23:20 PM	0	6.825	30.7	90.4	0
2/23/2023, 11:33:20 PM	0	6.825	30.9	90.5	0
2/23/2023, 11:43:20 PM	0	6.825	30.9	90.5	0
2/23/2023, 11:53:20 PM	0	6.825	31.1	90.7	0
2/24/2023, 12:03:20 AM	0	6.825	31.1	90.7	0
2/24/2023, 12:13:20 AM	0	6.825	31.3	90.8	0
2/24/2023, 12:23:20 AM	0	6.825	31.3	90.9	0
2/24/2023, 12:33:20 AM	0	6.825	31.5	91	0
2/24/2023, 12:43:20 AM	0	6.825	31.5	91	0
2/24/2023, 12:53:20 AM	0	6.825	31.6	91	0
2/24/2023, 1:03:20 AM	0	6.825	31.6	91	0
2/24/2023, 1:13:20 AM	0	6.825	31.6	91	0
2/24/2023, 1:23:20 AM	0	6.825	31.6	91	0
2/24/2023, 1:33:20 AM	0	6.825	31.8	91.1	0
2/24/2023, 1:43:20 AM	0	6.825	31.8	91.1	0
2/24/2023, 1:53:20 AM	0	6.825	32	91.2	0
2/24/2023, 2:03:20 AM	0	6.825	32	91.2	0
2/24/2023, 2:13:20 AM	0	6.825	32	91.3	0
2/24/2023, 2:23:20 AM	0	6.825	32	91.4	0
2/24/2023, 2:33:20 AM	0	6.825	32	91.4	0
2/24/2023, 2:43:20 AM	0	6.825	32	91.3	0
2/24/2023, 2:53:20 AM	0	6.825	32	91.2	0
2/24/2023, 3:03:20 AM	0	6.825	31.8	91	0
2/24/2023, 3:13:20 AM	0	6.825	31.5	90.7	0
2/24/2023, 3:23:20 AM	0	6.825	30.9	90.3	0
2/24/2023, 3:33:20 AM	0	6.825	30.6	89.9	0
2/24/2023, 3:43:20 AM	0	6.825	30	89.7	0
2/24/2023, 3:53:20 AM	0	6.825	29.7	89.4	0
2/24/2023, 4:03:20 AM	0	6.816	29.5	89.3	0
2/24/2023, 4:13:20 AM	0	6.816	29.3	89.3	0
2/24/2023, 4:23:20 AM	0	6.816	29.1	89.4	0
2/24/2023, 4:33:20 AM	0	6.816	28.9	89.4	0
2/24/2023, 4:43:20 AM	0	6.816	28.9	89.4	0
2/24/2023, 4:53:20 AM	0	6.816	28.9	89.4	0
2/24/2023, 5:03:20 AM	0	6.816	28.9	89.4	0
2/24/2023, 5:13:20 AM	0	6.816	28.9	89.5	0
2/24/2023, 5:23:20 AM	0	6.816	28.9	89.6	0
2/24/2023, 5:33:20 AM	0	6.816	28.9	89.6	0
2/24/2023, 5:43:20 AM	0	6.816	28.8	89.6	0
2/24/2023, 5:53:20 AM	0	6.816	28.8	89.6	0
2/24/2023, 6:03:20 AM	0	6.816	28.6	89.5	0
2/24/2023, 6:13:20 AM	0	6.816	28.6	89.4	0
2/24/2023, 6:23:20 AM	0	6.816	28.2	89.2	0
2/24/2023, 6:33:20 AM	0	6.816	28	89.1	0
2/24/2023, 6:43:20 AM	0	6.816	27.9	89	0
2/24/2023, 6:53:20 AM	0	6.816	27.7	88.8	0
2/24/2023, 7:03:20 AM	0	6.816	27.3	88.6	0
2/24/2023, 7:13:20 AM	0	6.807	27.1	88.3	0
2/24/2023, 7:23:20 AM	0	6.807	26.6	87.9	0
2/24/2023, 7:33:20 AM	0	6.807	26.2	87.7	0
2/24/2023, 7:43:20 AM	0	6.807	26.1	87.5	0
2/24/2023, 7:53:20 AM	0	6.807	25.9	87.3	0
2/24/2023, 8:03:20 AM	0	6.807	25.7	87	0
2/24/2023, 8:13:20 AM	0	6.807	25.9	86.9	0
2/24/2023, 8:23:20 AM	0	6.807	26.1	86.8	0
2/24/2023, 8:33:20 AM	0	6.807	26.1	86.7	0
2/24/2023, 8:43:20 AM	0	6.807	25.9	86.5	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/24/2023, 8:53:20 AM	0	6.798	26.2	86.3	0
2/24/2023, 9:03:20 AM	0	6.807	26.8	86.4	0
2/24/2023, 9:13:20 AM	0	6.798	27.3	86.3	0
2/24/2023, 9:23:20 AM	0	6.807	27.9	86.3	0
2/24/2023, 9:33:20 AM	0	6.807	27.9	86	0
2/24/2023, 9:43:20 AM	0	6.807	27.7	85.7	0
2/24/2023, 9:53:20 AM	0	6.807	27.5	85.4	0
2/24/2023, 10:03:20 AM	0	6.807	27.9	85.1	0
2/24/2023, 10:13:20 AM	0	6.807	28.4	84.9	0
2/24/2023, 10:23:20 AM	0	6.807	28.9	84.7	0
2/24/2023, 10:33:20 AM	0	6.807	28.2	84.1	0
2/24/2023, 10:43:20 AM	0	6.807	28.6	83.7	0
2/24/2023, 10:53:20 AM	0	6.807	29.7	83.5	0
2/24/2023, 11:03:20 AM	0	6.807	30.2	83.2	0
2/24/2023, 11:13:20 AM	0	6.807	30.7	83	0
2/24/2023, 11:23:20 AM	0	6.807	30.7	82.6	0
2/24/2023, 11:33:20 AM	0	6.807	31.5	82.3	0
2/24/2023, 11:43:20 AM	0	6.816	31.3	81.8	0
2/24/2023, 11:53:20 AM	0	6.816	30.6	81.1	0
2/24/2023, 12:03:20 PM	0	6.807	30.9	80.9	0
2/24/2023, 12:13:20 PM	0	6.816	31.8	81	0
2/24/2023, 12:23:20 PM	0	6.816	32	80.9	0
2/24/2023, 12:33:20 PM	0	6.816	32.4	80.5	0
2/24/2023, 12:43:20 PM	0	6.816	31.6	79.7	0
2/24/2023, 12:53:20 PM	0	6.816	30.6	78.9	0
2/24/2023, 1:03:20 PM	0	6.816	30	78.5	0
2/24/2023, 1:13:20 PM	0	6.816	29.7	78.3	0
2/24/2023, 1:23:20 PM	0	6.816	29.3	78.1	0
2/24/2023, 1:33:20 PM	0	6.816	28.6	77.9	0
2/24/2023, 1:43:20 PM	0	6.807	28	77.8	0
2/24/2023, 1:53:20 PM	0	6.807	27.7	77.8	0
2/24/2023, 2:03:20 PM	0	6.807	27.3	77.7	0
2/24/2023, 2:13:20 PM	0	6.807	26.8	77.7	0
2/24/2023, 2:23:20 PM	0	6.807	26.6	77.8	0
2/24/2023, 2:33:20 PM	0	6.807	26.4	77.9	0
2/24/2023, 2:43:20 PM	0	6.807	26.4	78	0
2/24/2023, 2:53:20 PM	0	6.807	26.4	78.2	0
2/24/2023, 3:03:20 PM	0	6.807	26.8	78.4	0
2/24/2023, 3:13:20 PM	0	6.807	26.8	78.5	0
2/24/2023, 3:23:20 PM	0	6.807	26.6	78.5	0
2/24/2023, 3:33:20 PM	0	6.807	26.2	78.4	0
2/24/2023, 3:43:20 PM	0	6.798	26.2	78.5	0
2/24/2023, 3:53:20 PM	0	6.798	26.4	78.5	0
2/24/2023, 4:03:20 PM	0	6.807	26.2	78.5	0
2/24/2023, 4:13:20 PM	0	6.807	26.1	78.5	0
2/24/2023, 4:23:20 PM	0	6.798	26.1	78.5	0
2/24/2023, 4:33:20 PM	0	6.798	25.7	78.5	0
2/24/2023, 4:43:20 PM	0	6.798	25.3	78.4	0
2/24/2023, 4:53:20 PM	0	6.798	25	78.3	0
2/24/2023, 5:03:20 PM	0	6.798	24.6	78.3	0
2/24/2023, 5:13:20 PM	0	6.798	24.3	78.4	0
2/24/2023, 5:23:20 PM	0	6.798	24.1	78.6	0
2/24/2023, 5:33:20 PM	0	6.798	23.7	78.7	0
2/24/2023, 5:43:20 PM	0	6.798	23.5	78.8	0
2/24/2023, 5:53:20 PM	0	6.798	23.2	78.9	0
2/24/2023, 6:03:20 PM	0	6.798	23	79	0
2/24/2023, 6:13:20 PM	0	6.798	22.8	79.1	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/24/2023, 6:23:20 PM	0	6.79	22.6	79.3	0
2/24/2023, 6:33:20 PM	0	6.79	22.5	79.5	0
2/24/2023, 6:43:20 PM	0	6.79	22.5	79.6	0
2/24/2023, 6:53:20 PM	0	6.79	22.3	79.7	0
2/24/2023, 7:03:20 PM	0	6.79	22.3	79.9	0
2/24/2023, 7:13:20 PM	0	6.79	22.1	80.1	0
2/24/2023, 7:23:20 PM	0	6.79	22.1	80.3	0
2/24/2023, 7:33:20 PM	0	6.79	22.1	80.5	0
2/24/2023, 7:43:20 PM	0	6.79	22.1	80.7	0
2/24/2023, 7:53:20 PM	0	6.79	22.1	80.9	0
2/24/2023, 8:03:20 PM	0	6.79	22.3	81.1	0
2/24/2023, 8:13:20 PM	0	6.79	22.3	81.3	0
2/24/2023, 8:23:20 PM	0	6.79	22.3	81.4	0
2/24/2023, 8:33:20 PM	0	6.79	22.3	81.6	0
2/24/2023, 8:43:20 PM	0	6.79	22.3	81.8	0
2/24/2023, 8:53:20 PM	0	6.79	22.3	81.9	0
2/24/2023, 9:03:20 PM	0	6.79	22.3	82.1	0
2/24/2023, 9:13:20 PM	0	6.79	22.3	82.2	0
2/24/2023, 9:23:20 PM	0	6.79	22.3	82.3	0
2/24/2023, 9:33:20 PM	0	6.79	22.3	82.4	0
2/24/2023, 9:43:20 PM	0	6.79	22.3	82.5	0
2/24/2023, 9:53:20 PM	0	6.79	22.3	82.6	0
2/24/2023, 10:03:20 PM	0	6.79	22.1	82.7	0
2/24/2023, 10:13:20 PM	0	6.79	22.1	82.8	0
2/24/2023, 10:23:20 PM	0	6.79	22.1	82.8	0
2/24/2023, 10:33:20 PM	0	6.79	22.1	83	0
2/24/2023, 10:43:20 PM	0	6.79	22.1	83.1	0
2/24/2023, 10:53:20 PM	0	6.79	22.1	83.2	0
2/24/2023, 11:03:20 PM	0	6.79	22.1	83.2	0
2/24/2023, 11:13:20 PM	0	6.79	22.1	83.3	0
2/24/2023, 11:23:20 PM	0	6.79	21.9	83.3	0
2/24/2023, 11:33:20 PM	0	6.79	21.9	83.3	0
2/24/2023, 11:43:20 PM	0	6.79	21.7	83.3	0
2/24/2023, 11:53:20 PM	0	6.79	21.6	83.3	0
2/25/2023, 12:03:20 AM	0	6.79	21.4	83.2	0
2/25/2023, 12:13:20 AM	0	6.79	21.2	83.3	0
2/25/2023, 12:23:20 AM	0	6.79	21	83.2	0
2/25/2023, 12:33:20 AM	0	6.79	21	83.3	0
2/25/2023, 12:43:20 AM	0	6.79	20.8	83.4	0
2/25/2023, 12:53:20 AM	0	6.79	20.8	83.5	0
2/25/2023, 1:03:20 AM	0	6.79	20.8	83.6	0
2/25/2023, 1:13:20 AM	0	6.79	20.8	83.6	0
2/25/2023, 1:23:20 AM	0	6.781	20.7	83.6	0
2/25/2023, 1:33:20 AM	0	6.79	20.3	83.4	0
2/25/2023, 1:43:20 AM	0	6.79	19.9	83.3	0
2/25/2023, 1:53:20 AM	0	6.781	19.8	83.2	0
2/25/2023, 2:03:20 AM	0	6.781	19.2	83	0
2/25/2023, 2:13:20 AM	0	6.781	19	83	0
2/25/2023, 2:23:20 AM	0	6.781	18.9	83.1	0
2/25/2023, 2:33:20 AM	0	6.781	19	83.3	0
2/25/2023, 2:43:20 AM	0	6.781	19	83.4	0
2/25/2023, 2:53:20 AM	0	6.781	19.2	83.7	0
2/25/2023, 3:03:20 AM	0	6.781	19.4	83.9	0
2/25/2023, 3:13:20 AM	0	6.781	19.6	84.1	0
2/25/2023, 3:23:20 AM	0	6.781	19.6	84.2	0
2/25/2023, 3:33:20 AM	0	6.781	19.8	84.2	0
2/25/2023, 3:43:20 AM	0	6.781	19.8	84.3	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/25/2023, 3:53:20 AM	0	6.781	19.8	84.3	0
2/25/2023, 4:03:20 AM	0	6.781	19.8	84.4	0
2/25/2023, 4:13:20 AM	0	6.781	19.8	84.4	0
2/25/2023, 4:23:20 AM	0	6.781	19.9	84.5	0
2/25/2023, 4:33:20 AM	0	6.781	19.9	84.5	0
2/25/2023, 4:43:20 AM	0	6.781	19.9	84.5	0
2/25/2023, 4:53:20 AM	0	6.781	19.9	84.5	0
2/25/2023, 5:03:20 AM	0	6.781	19.9	84.5	0
2/25/2023, 5:13:20 AM	0	6.781	19.9	84.5	0
2/25/2023, 5:23:20 AM	0	6.781	19.9	84.5	0
2/25/2023, 5:33:20 AM	0	6.781	19.8	84.4	0
2/25/2023, 5:43:20 AM	0	6.781	19.8	84.4	0
2/25/2023, 5:53:20 AM	0	6.781	19.9	84.5	0
2/25/2023, 6:03:20 AM	0	6.781	19.9	84.4	0
2/25/2023, 6:13:20 AM	0	6.781	19.8	84.4	0
2/25/2023, 6:23:20 AM	0	6.781	19.8	84.4	0
2/25/2023, 6:33:20 AM	0	6.781	19.8	84.4	0
2/25/2023, 6:43:20 AM	0	6.781	19.8	84.4	0
2/25/2023, 6:53:20 AM	0	6.781	19.8	84.4	0
2/25/2023, 7:03:20 AM	0	6.781	19.8	84.5	0
2/25/2023, 7:13:20 AM	0	6.781	19.9	84.5	0
2/25/2023, 7:23:20 AM	0	6.781	19.9	84.6	0
2/25/2023, 7:33:20 AM	0	6.781	20.1	84.6	0
2/25/2023, 7:43:20 AM	0	6.781	20.1	84.7	0
2/25/2023, 7:53:20 AM	0	6.781	20.3	84.7	0
2/25/2023, 8:03:20 AM	0	6.781	20.5	84.6	0
2/25/2023, 8:13:20 AM	0	6.781	20.5	84.6	0
2/25/2023, 8:23:20 AM	0	6.781	20.7	84.6	0
2/25/2023, 8:33:20 AM	0	6.781	20.8	84.6	0
2/25/2023, 8:43:20 AM	0	6.79	21.2	84.7	0
2/25/2023, 8:53:20 AM	0	6.79	21.6	84.7	0
2/25/2023, 9:03:20 AM	0	6.79	21.7	84.6	0
2/25/2023, 9:13:20 AM	0	6.79	22.1	84.6	0
2/25/2023, 9:23:20 AM	0	6.79	22.5	84.6	0
2/25/2023, 9:33:20 AM	0	6.79	23.2	84.6	0
2/25/2023, 9:43:20 AM	0	6.79	24.3	84.7	0
2/25/2023, 9:53:20 AM	0	6.79	25.3	84.5	0
2/25/2023, 10:03:20 AM	0	6.798	26.1	84.3	0
2/25/2023, 10:13:20 AM	0	6.798	27.1	84.2	0
2/25/2023, 10:23:20 AM	0	6.798	27.3	83.7	0
2/25/2023, 10:33:20 AM	0	6.798	27	83.2	0
2/25/2023, 10:43:20 AM	0	6.798	27	82.8	0
2/25/2023, 10:53:20 AM	0	6.798	26.8	82.4	0
2/25/2023, 11:03:20 AM	0	6.798	27	82.2	0
2/25/2023, 11:13:20 AM	0	6.807	27.5	82.1	0
2/25/2023, 11:23:20 AM	0	6.807	28	82.1	0
2/25/2023, 11:33:20 AM	0	6.807	28	82	0
2/25/2023, 11:43:20 AM	0	6.807	28.6	81.9	0
2/25/2023, 11:53:20 AM	0	6.807	29.3	81.9	0
2/25/2023, 12:03:20 PM	0	6.807	29.7	81.8	0
2/25/2023, 12:13:20 PM	0	6.807	30	81.7	0
2/25/2023, 12:23:20 PM	0	6.807	30.4	81.5	0
2/25/2023, 12:33:20 PM	0	6.816	30.7	81.4	0
2/25/2023, 12:43:20 PM	0	6.816	31.8	81.5	0
2/25/2023, 12:53:20 PM	0	6.816	32.7	81.6	0
2/25/2023, 1:03:20 PM	0	6.816	32.9	81.2	0
2/25/2023, 1:13:20 PM	0	6.816	32.2	80.6	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/25/2023, 1:23:20 PM	0	6.816	31.5	80.1	0
2/25/2023, 1:33:20 PM	0	6.816	30.7	79.9	0
2/25/2023, 1:43:20 PM	0	6.816	30.2	79.6	0
2/25/2023, 1:53:20 PM	0	6.816	29.7	79.5	0
2/25/2023, 2:03:20 PM	0	6.816	29.3	79.6	0
2/25/2023, 2:13:20 PM	0	6.816	29.3	79.7	0
2/25/2023, 2:23:20 PM	0	6.816	29.3	79.8	0
2/25/2023, 2:33:20 PM	0	6.816	29.5	80	0
2/25/2023, 2:43:20 PM	0	6.816	29.7	80.2	0
2/25/2023, 2:53:20 PM	0	6.816	29.8	80.4	0
2/25/2023, 3:03:20 PM	0	6.816	30.4	80.6	0
2/25/2023, 3:13:20 PM	0	6.816	30.4	80.7	0
2/25/2023, 3:23:20 PM	0	6.816	30.6	80.7	0
2/25/2023, 3:33:20 PM	0	6.816	30.4	80.7	0
2/25/2023, 3:43:20 PM	0	6.816	30.4	80.9	0
2/25/2023, 3:53:20 PM	0	6.816	30.6	81.1	0
2/25/2023, 4:03:20 PM	0	6.816	30.6	81.2	0
2/25/2023, 4:13:20 PM	0	6.816	30.6	81.2	0
2/25/2023, 4:23:20 PM	0	6.816	30.4	81.2	0
2/25/2023, 4:33:20 PM	0	6.816	30.2	81.2	0
2/25/2023, 4:43:20 PM	0	6.816	30	81.2	0
2/25/2023, 4:53:20 PM	0	6.816	29.8	81.2	0
2/25/2023, 5:03:20 PM	0	6.816	29.7	81.3	0
2/25/2023, 5:13:20 PM	0	6.816	29.5	81.3	0
2/25/2023, 5:23:20 PM	0	6.816	29.1	81.3	0
2/25/2023, 5:33:20 PM	0	6.816	28.9	81.3	0
2/25/2023, 5:43:20 PM	0	6.816	28.6	81.3	0
2/25/2023, 5:53:20 PM	0	6.816	28	81.2	0
2/25/2023, 6:03:20 PM	0	6.816	27.5	80.9	0
2/25/2023, 6:13:20 PM	0	6.816	26.8	80.7	0
2/25/2023, 6:23:20 PM	0	6.807	26.1	80.6	0
2/25/2023, 6:33:20 PM	0	6.807	25.5	80.4	0
2/25/2023, 6:43:20 PM	0	6.807	24.8	80.3	0
2/25/2023, 6:53:20 PM	0	6.807	23.9	80	0
2/25/2023, 7:03:20 PM	0	6.807	23.2	79.8	0
2/25/2023, 7:13:20 PM	0	6.798	22.5	79.7	0
2/25/2023, 7:23:20 PM	0	6.798	21.7	79.7	0
2/25/2023, 7:33:20 PM	0	6.798	21	79.6	0
2/25/2023, 7:43:20 PM	0	6.79	20.5	79.6	0
2/25/2023, 7:53:20 PM	0	6.79	19.9	79.7	0
2/25/2023, 8:03:20 PM	0	6.79	19.8	79.8	0
2/25/2023, 8:13:20 PM	0	6.79	19.2	79.9	0
2/25/2023, 8:23:20 PM	0	6.781	18.7	79.8	0
2/25/2023, 8:33:20 PM	0	6.781	18.1	79.8	0
2/25/2023, 8:43:20 PM	0	6.781	17.8	79.9	0
2/25/2023, 8:53:20 PM	0	6.781	17.2	79.8	0
2/25/2023, 9:03:20 PM	0	6.772	16.9	79.9	0
2/25/2023, 9:13:20 PM	0	6.772	16.5	80	0
2/25/2023, 9:23:20 PM	0	6.772	16.3	80.2	0
2/25/2023, 9:33:20 PM	0	6.772	16.5	80.6	0
2/25/2023, 9:43:20 PM	0	6.772	16.9	81.2	0
2/25/2023, 9:53:20 PM	0	6.772	17.4	81.8	0
2/25/2023, 10:03:20 PM	0	6.772	17.8	82.3	0
2/25/2023, 10:13:20 PM	0	6.772	18.1	82.7	0
2/25/2023, 10:23:20 PM	0	6.772	18.5	83.1	0
2/25/2023, 10:33:20 PM	0	6.772	18.9	83.5	0
2/25/2023, 10:43:20 PM	0	6.781	19.2	83.9	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/25/2023, 10:53:20 PM	0	6.781	19.6	84.2	0
2/25/2023, 11:03:20 PM	0	6.781	19.9	84.5	0
2/25/2023, 11:13:20 PM	0	6.781	20.3	84.7	0
2/25/2023, 11:23:20 PM	0	6.781	20.7	85	0
2/25/2023, 11:33:20 PM	0	6.781	21	85.2	0
2/25/2023, 11:43:20 PM	0	6.781	21.4	85.4	0
2/25/2023, 11:53:20 PM	0	6.79	21.6	85.6	0
2/26/2023, 12:03:20 AM	0	6.79	21.9	85.8	0
2/26/2023, 12:13:20 AM	0	6.79	22.1	85.9	0
2/26/2023, 12:23:20 AM	0	6.79	22.3	86	0
2/26/2023, 12:33:20 AM	0	6.79	22.5	86	0
2/26/2023, 12:43:20 AM	0	6.79	22.5	85.9	0
2/26/2023, 12:53:20 AM	0	6.79	22.1	85.7	0
2/26/2023, 1:03:20 AM	0	6.79	21.9	85.4	0
2/26/2023, 1:13:20 AM	0	6.79	21.4	85	0
2/26/2023, 1:23:20 AM	0	6.79	20.8	84.7	0
2/26/2023, 1:33:20 AM	0	6.79	20.7	84.6	0
2/26/2023, 1:43:20 AM	0	6.79	20.3	84.5	0
2/26/2023, 1:53:20 AM	0	6.79	19.9	84.3	0
2/26/2023, 2:03:20 AM	0	6.79	19.6	84.1	0
2/26/2023, 2:13:20 AM	0	6.781	19.2	84	0
2/26/2023, 2:23:20 AM	0	6.781	19	84	0
2/26/2023, 2:33:20 AM	0	6.781	18.9	84	0
2/26/2023, 2:43:20 AM	0	6.781	18.9	84.1	0
2/26/2023, 2:53:20 AM	0	6.781	18.9	84.2	0
2/26/2023, 3:03:20 AM	0	6.781	18.9	84.4	0
2/26/2023, 3:13:20 AM	0	6.781	19.2	84.7	0
2/26/2023, 3:23:20 AM	0	6.781	19.4	85	0
2/26/2023, 3:33:20 AM	0	6.781	19.8	85.4	0
2/26/2023, 3:43:20 AM	0	6.781	20.1	85.7	0
2/26/2023, 3:53:20 AM	0	6.781	20.5	86	0
2/26/2023, 4:03:20 AM	0	6.781	20.8	86.3	0
2/26/2023, 4:13:20 AM	0	6.79	21.2	86.6	0
2/26/2023, 4:23:20 AM	0	6.79	21.4	86.8	0
2/26/2023, 4:33:20 AM	0	6.79	21.7	87	0
2/26/2023, 4:43:20 AM	0	6.79	22.1	87.2	0
2/26/2023, 4:53:20 AM	0	6.79	22.3	87.4	0
2/26/2023, 5:03:20 AM	0	6.79	22.6	87.5	0
2/26/2023, 5:13:20 AM	0	6.79	22.8	87.7	0
2/26/2023, 5:23:20 AM	0	6.79	23.2	87.8	0
2/26/2023, 5:33:20 AM	0	6.798	23.4	87.8	0
2/26/2023, 5:43:20 AM	0	6.798	23.5	87.9	0
2/26/2023, 5:53:20 AM	0	6.798	23.7	88	0
2/26/2023, 6:03:20 AM	0	6.798	23.9	88.1	0
2/26/2023, 6:13:20 AM	0	6.798	24.3	88.2	0
2/26/2023, 6:23:20 AM	0	6.798	24.4	88.3	0
2/26/2023, 6:33:20 AM	0	6.798	24.6	88.4	0
2/26/2023, 6:43:20 AM	0	6.798	24.8	88.5	0
2/26/2023, 6:53:20 AM	0	6.798	25	88.6	0
2/26/2023, 7:03:20 AM	0	6.798	25.3	88.6	0
2/26/2023, 7:13:20 AM	0	6.807	25.5	88.7	0
2/26/2023, 7:23:20 AM	0	6.807	25.7	88.8	0
2/26/2023, 7:33:20 AM	0	6.807	26.1	88.9	0
2/26/2023, 7:43:20 AM	0	6.807	26.2	89	0
2/26/2023, 7:53:20 AM	0	6.807	26.6	89.1	0
2/26/2023, 8:03:20 AM	0	6.807	27	89.2	0
2/26/2023, 8:13:20 AM	0	6.807	27.5	89.5	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/26/2023, 8:23:20 AM	0	6.807	28	89.8	0
2/26/2023, 8:33:20 AM	0	6.807	28.9	90.3	0
2/26/2023, 8:43:20 AM	0	6.816	29.8	90.9	0
2/26/2023, 8:53:20 AM	0	6.816	30.7	91.4	0
2/26/2023, 9:03:20 AM	0	6.816	32	92	0
2/26/2023, 9:13:20 AM	0	6.825	33.3	92.5	0
2/26/2023, 9:23:20 AM	0	6.825	34.2	92.7	0
2/26/2023, 9:33:20 AM	0	6.825	35.4	92.7	0
2/26/2023, 9:43:20 AM	0	6.825	36.1	92.6	0
2/26/2023, 9:53:20 AM	0	6.833	37	92.3	0
2/26/2023, 10:03:20 AM	0	6.833	37.9	92	0
2/26/2023, 10:13:20 AM	0	6.833	38.5	91.5	0
2/26/2023, 10:23:20 AM	0	6.833	38.5	90.8	0
2/26/2023, 10:33:20 AM	0	6.833	38.5	90.3	0
2/26/2023, 10:43:20 AM	0	6.833	39.4	90	0
2/26/2023, 10:53:20 AM	0	6.842	39.4	89.5	0
2/26/2023, 11:03:20 AM	0	6.842	39.6	89.1	0
2/26/2023, 11:13:20 AM	0	6.842	40.3	88.7	0
2/26/2023, 11:23:20 AM	0	6.842	40.6	88.2	0
2/26/2023, 11:33:20 AM	0	6.842	41	87.8	0
2/26/2023, 11:43:20 AM	0	6.842	41.7	87.6	0
2/26/2023, 11:53:20 AM	0	6.842	41.9	87.1	0
2/26/2023, 12:03:20 PM	0	6.842	41.9	86.5	0
2/26/2023, 12:13:20 PM	0	6.842	41.9	86	0
2/26/2023, 12:23:20 PM	0	6.842	41.7	85.6	0
2/26/2023, 12:33:20 PM	0	6.842	41.5	85.1	0
2/26/2023, 12:43:20 PM	0	6.842	41.4	84.6	0
2/26/2023, 12:53:20 PM	0	6.842	41.5	84.3	0
2/26/2023, 1:03:20 PM	0	6.842	41.7	84	0
2/26/2023, 1:13:20 PM	0	6.842	42.6	84.1	0
2/26/2023, 1:23:20 PM	0	6.842	43.9	84	0
2/26/2023, 1:33:20 PM	0	6.851	44.4	83.3	0
2/26/2023, 1:43:20 PM	0	6.851	44.1	82	0
2/26/2023, 1:53:20 PM	0	6.851	43.5	80.9	0
2/26/2023, 2:03:20 PM	0	6.851	43.2	80.1	0
2/26/2023, 2:13:20 PM	0	6.851	42.6	79.2	0
2/26/2023, 2:23:20 PM	0	6.851	42.4	78.7	0
2/26/2023, 2:33:20 PM	0	6.851	42.6	78.4	0
2/26/2023, 2:43:20 PM	0	6.851	42.6	77.9	0
2/26/2023, 2:53:20 PM	0	6.851	42.3	77.3	0
2/26/2023, 3:03:20 PM	0	6.851	41.9	76.8	0
2/26/2023, 3:13:20 PM	0	6.842	41.5	76.5	0
2/26/2023, 3:23:20 PM	0	6.842	41.4	76.2	0
2/26/2023, 3:33:20 PM	0	6.842	41.4	76.1	0
2/26/2023, 3:43:20 PM	0	6.842	41.2	76	0
2/26/2023, 3:53:20 PM	0	6.842	40.8	75.8	0
2/26/2023, 4:03:20 PM	0	6.842	40.6	75.7	0
2/26/2023, 4:13:20 PM	0	6.842	40.5	75.6	0
2/26/2023, 4:23:20 PM	0	6.842	39.9	75.5	0
2/26/2023, 4:33:20 PM	0	6.842	39.6	75.4	0
2/26/2023, 4:43:20 PM	0	6.842	39.4	75.5	0
2/26/2023, 4:53:20 PM	0	6.842	39	75.6	0
2/26/2023, 5:03:20 PM	0	6.842	38.8	75.7	0
2/26/2023, 5:13:20 PM	0	6.842	38.7	75.7	0
2/26/2023, 5:23:20 PM	0	6.842	38.5	75.8	0
2/26/2023, 5:33:20 PM	0	6.842	38.3	75.9	0
2/26/2023, 5:43:20 PM	0	6.842	38.1	76	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/26/2023, 5:53:20 PM	0	6.842	37.9	76	0
2/26/2023, 6:03:20 PM	0	6.842	37.8	76.2	0
2/26/2023, 6:13:20 PM	0	6.842	37.6	76.3	0
2/26/2023, 6:23:20 PM	0	6.842	37.4	76.5	0
2/26/2023, 6:33:20 PM	0	6.842	37.2	76.5	0
2/26/2023, 6:43:20 PM	0	6.842	37	76.3	0
2/26/2023, 6:53:20 PM	0	6.842	36.9	76.1	0
2/26/2023, 7:03:20 PM	0	6.842	36.7	75.7	0
2/26/2023, 7:13:20 PM	0	6.833	36.3	75.5	0
2/26/2023, 7:23:20 PM	0	6.833	36.1	75.3	0
2/26/2023, 7:33:20 PM	0	6.833	35.8	75.2	0
2/26/2023, 7:43:20 PM	0	6.833	35.4	75.1	0
2/26/2023, 7:53:20 PM	0	6.833	35.2	75	0
2/26/2023, 8:03:20 PM	0	6.833	34.9	75	0
2/26/2023, 8:13:20 PM	0	6.833	34.9	75.1	0
2/26/2023, 8:23:20 PM	0	6.833	34.9	75.1	0
2/26/2023, 8:33:20 PM	0	6.833	34.9	75	0
2/26/2023, 8:43:20 PM	0	6.833	34.9	74.9	0
2/26/2023, 8:53:20 PM	0	6.833	34.9	74.7	0
2/26/2023, 9:03:20 PM	0	6.833	34.7	74.5	0
2/26/2023, 9:13:20 PM	0	6.833	34.3	74.2	0
2/26/2023, 9:23:20 PM	0	6.833	34	73.9	0
2/26/2023, 9:33:20 PM	0	6.833	33.6	73.7	0
2/26/2023, 9:43:20 PM	0	6.825	33.3	73.5	0
2/26/2023, 9:53:20 PM	0	6.833	32.9	73.3	0
2/26/2023, 10:03:20 PM	0	6.825	32.5	73.2	0
2/26/2023, 10:13:20 PM	0	6.825	32.4	73.1	0
2/26/2023, 10:23:20 PM	0	6.825	32.4	73	0
2/26/2023, 10:33:20 PM	0	6.825	32.2	72.9	0
2/26/2023, 10:43:20 PM	0	6.825	32	72.9	0
2/26/2023, 10:53:20 PM	0	6.825	32	72.9	0
2/26/2023, 11:03:20 PM	0	6.825	32	72.9	0
2/26/2023, 11:13:20 PM	0	6.825	31.8	72.8	0
2/26/2023, 11:23:20 PM	0	6.825	31.6	72.9	0
2/26/2023, 11:33:20 PM	0	6.825	31.6	73	0
2/26/2023, 11:43:20 PM	0	6.825	31.6	73.2	0
2/26/2023, 11:53:20 PM	0	6.825	31.6	73.4	0
2/27/2023, 12:03:20 AM	0	6.825	31.6	73.6	0
2/27/2023, 12:13:20 AM	0	6.825	31.8	73.7	0
2/27/2023, 12:23:20 AM	0	6.825	31.8	73.8	0
2/27/2023, 12:33:20 AM	0	6.825	32	73.9	0
2/27/2023, 12:43:20 AM	0	6.825	32	74	0
2/27/2023, 12:53:20 AM	0	6.825	32	74.1	0
2/27/2023, 1:03:20 AM	0	6.825	32	74.1	0
2/27/2023, 1:13:20 AM	0	6.825	32	74.1	0
2/27/2023, 1:23:20 AM	0	6.825	31.8	74	0
2/27/2023, 1:33:20 AM	0	6.825	31.8	74	0
2/27/2023, 1:43:20 AM	0	6.825	31.6	73.9	0
2/27/2023, 1:53:20 AM	0	6.825	31.5	73.9	0
2/27/2023, 2:03:20 AM	0	6.825	31.5	73.9	0
2/27/2023, 2:13:20 AM	0	6.825	31.5	73.9	0
2/27/2023, 2:23:20 AM	0	6.825	31.5	74	0
2/27/2023, 2:33:20 AM	0	6.825	31.5	74	0
2/27/2023, 2:43:20 AM	0	6.825	31.5	74.1	0
2/27/2023, 2:53:20 AM	0	6.825	31.3	74.1	0
2/27/2023, 3:03:20 AM	0	6.825	31.1	74	0
2/27/2023, 3:13:20 AM	0	6.825	30.9	74	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/27/2023, 3:23:20 AM	0	6.825	30.6	73.9	0
2/27/2023, 3:33:20 AM	0	6.816	30	73.8	0
2/27/2023, 3:43:20 AM	0	6.816	29.5	73.9	0
2/27/2023, 3:53:20 AM	0	6.816	29.3	74.1	0
2/27/2023, 4:03:20 AM	0	6.816	28.9	74.4	0
2/27/2023, 4:13:20 AM	0	6.816	28.8	74.7	0
2/27/2023, 4:23:20 AM	0	6.816	28.8	75	0
2/27/2023, 4:33:20 AM	0	6.816	28.6	75.2	0
2/27/2023, 4:43:20 AM	0	6.816	28.2	75.4	0
2/27/2023, 4:53:20 AM	0	6.816	28	75.5	0
2/27/2023, 5:03:20 AM	0	6.807	27.9	75.8	0
2/27/2023, 5:13:20 AM	0	6.807	27.7	76	0
2/27/2023, 5:23:20 AM	0	6.807	27.7	76.2	0
2/27/2023, 5:33:20 AM	0	6.807	27.5	76.4	0
2/27/2023, 5:43:20 AM	0	6.807	27.5	76.6	0
2/27/2023, 5:53:20 AM	0	6.807	27.5	76.8	0
2/27/2023, 6:03:20 AM	0	6.807	27.5	76.9	0
2/27/2023, 6:13:20 AM	0	6.807	27.3	76.9	0
2/27/2023, 6:23:20 AM	0	6.807	27	76.9	0
2/27/2023, 6:33:20 AM	0	6.807	26.6	76.8	0
2/27/2023, 6:43:20 AM	0	6.807	26.1	76.8	0
2/27/2023, 6:53:20 AM	0	6.807	25.9	77	0
2/27/2023, 7:03:20 AM	0	6.807	25.7	77.2	0
2/27/2023, 7:13:20 AM	0	6.807	25.7	77.5	0
2/27/2023, 7:23:20 AM	0	6.807	25.9	77.9	0
2/27/2023, 7:33:20 AM	0	6.807	26.2	78.3	0
2/27/2023, 7:43:20 AM	0	6.807	26.6	78.6	0
2/27/2023, 7:53:20 AM	0	6.807	27.3	78.8	0
2/27/2023, 8:03:20 AM	0	6.807	28	78.8	0
2/27/2023, 8:13:20 AM	0	6.807	28.9	78.9	0
2/27/2023, 8:23:20 AM	0	6.807	29.8	78.8	0
2/27/2023, 8:33:20 AM	0	6.807	30.7	78.7	0
2/27/2023, 8:43:20 AM	0	6.816	31.5	78.3	0
2/27/2023, 8:53:20 AM	0	6.816	32	77.9	0
2/27/2023, 9:03:20 AM	0	6.816	32.5	77.4	0
2/27/2023, 9:13:20 AM	0	6.816	33.3	76.9	0
2/27/2023, 9:23:20 AM	0	6.825	34	76.4	0
2/27/2023, 9:33:20 AM	0	6.825	34.5	75.7	0
2/27/2023, 9:43:20 AM	0	6.825	35.4	75.2	0
2/27/2023, 9:53:20 AM	0	6.825	36	74.6	0
2/27/2023, 10:03:20 AM	0	6.825	36.5	73.9	0
2/27/2023, 10:13:20 AM	0	6.825	37	73.4	0
2/27/2023, 10:23:20 AM	0	6.833	37.8	72.9	0
2/27/2023, 10:33:20 AM	0	6.833	38.1	72.2	0
2/27/2023, 10:43:20 AM	0	6.833	37.9	71.5	0
2/27/2023, 10:53:20 AM	0	6.833	37.6	70.9	0
2/27/2023, 11:03:20 AM	0	6.833	37.8	70.6	0
2/27/2023, 11:13:20 AM	0	6.833	38.3	70.3	0
2/27/2023, 11:23:20 AM	0	6.833	38.7	70	0
2/27/2023, 11:33:20 AM	0	6.833	38.8	69.6	0
2/27/2023, 11:43:20 AM	0	6.833	38.5	69.1	0
2/27/2023, 11:53:20 AM	0	6.833	38.3	68.8	0
2/27/2023, 12:03:20 PM	0	6.833	38.1	68.6	0
2/27/2023, 12:13:20 PM	0	6.833	37.9	68.4	0
2/27/2023, 12:23:20 PM	0	6.833	37.9	68.3	0
2/27/2023, 12:33:20 PM	0	6.833	37.8	68.3	0
2/27/2023, 12:43:20 PM	0	6.833	37.9	68.3	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/27/2023, 12:53:20 PM	0	6.833	38.1	68.3	0
2/27/2023, 1:03:20 PM	0	6.833	38.3	68.3	0
2/27/2023, 1:13:20 PM	0	6.833	38.5	68.4	0
2/27/2023, 1:23:20 PM	0	6.833	38.7	68.4	0
2/27/2023, 1:33:20 PM	0	6.833	38.5	68.2	0
2/27/2023, 1:43:20 PM	0	6.833	38.3	68	0
2/27/2023, 1:53:20 PM	0	6.833	38.3	67.9	0
2/27/2023, 2:03:20 PM	0	6.833	38.5	67.9	0
2/27/2023, 2:13:20 PM	0	6.833	38.7	67.8	0
2/27/2023, 2:23:20 PM	0	6.842	39.4	67.8	0
2/27/2023, 2:33:20 PM	0	6.842	39.7	67.6	0
2/27/2023, 2:43:20 PM	0	6.842	39.7	67.2	0
2/27/2023, 2:53:20 PM	0	6.842	39.6	67	0
2/27/2023, 3:03:20 PM	0	6.842	39.7	66.8	0
2/27/2023, 3:13:20 PM	0	6.842	39.6	66.7	0
2/27/2023, 3:23:20 PM	0	6.842	39.6	66.5	0
2/27/2023, 3:33:20 PM	0	6.842	39.4	66.5	0
2/27/2023, 3:43:20 PM	0	6.842	39.4	66.4	0
2/27/2023, 3:53:20 PM	0	6.842	39.4	66.4	0
2/27/2023, 4:03:20 PM	0	6.842	39.4	66.4	0
2/27/2023, 4:13:20 PM	0	6.842	39.2	66.3	0
2/27/2023, 4:23:20 PM	0	6.842	38.8	66.2	0
2/27/2023, 4:33:20 PM	0	6.842	38.1	66.1	0
2/27/2023, 4:43:20 PM	0	6.842	37.4	66.1	0
2/27/2023, 4:53:20 PM	0	6.833	36.9	66.2	0
2/27/2023, 5:03:20 PM	0	6.833	36.5	66.3	0
2/27/2023, 5:13:20 PM	0	6.833	36.1	66.4	0
2/27/2023, 5:23:20 PM	0	6.833	35.8	66.6	0
2/27/2023, 5:33:20 PM	0	6.833	35.6	66.7	0
2/27/2023, 5:43:20 PM	0	6.833	35.4	66.8	0
2/27/2023, 5:53:20 PM	0	6.833	35.2	66.9	0
2/27/2023, 6:03:20 PM	0	6.833	35.1	67.2	0
2/27/2023, 6:13:20 PM	0	6.833	34.7	67.9	0
2/27/2023, 6:23:20 PM	0	6.833	34.2	68.8	0
2/27/2023, 6:33:20 PM	0	6.833	33.6	69.9	0
2/27/2023, 6:43:20 PM	0	6.825	33.4	71	0
2/27/2023, 6:53:20 PM	0	6.825	33.3	72	0
2/27/2023, 7:03:20 PM	0	6.825	33.1	73.1	0
2/27/2023, 7:13:20 PM	0	6.825	33.1	74.2	0
2/27/2023, 7:23:20 PM	0	6.825	33.1	75.2	0
2/27/2023, 7:33:20 PM	0	6.825	33.4	76.4	0
2/27/2023, 7:43:20 PM	0	6.825	33.6	77.5	0
2/27/2023, 7:53:20 PM	0	6.825	34	78.4	0
2/27/2023, 8:03:20 PM	0	6.825	34.2	79.2	0
2/27/2023, 8:13:20 PM	0	6.825	34.3	79.9	0
2/27/2023, 8:23:20 PM	0	6.825	34.5	80.5	0
2/27/2023, 8:33:20 PM	0	6.825	34.5	81	0
2/27/2023, 8:43:20 PM	0	6.825	34.7	81.5	0
2/27/2023, 8:53:20 PM	0	6.825	34.7	81.9	0
2/27/2023, 9:03:20 PM	0	6.833	34.9	82.3	0
2/27/2023, 9:13:20 PM	0	6.833	34.9	82.7	0
2/27/2023, 9:23:20 PM	0	6.833	35.1	83	0
2/27/2023, 9:33:20 PM	0	6.833	35.1	83.3	0
2/27/2023, 9:43:20 PM	0	6.833	35.1	83.5	0
2/27/2023, 9:53:20 PM	0	6.833	35.2	83.7	0
2/27/2023, 10:03:20 PM	0	6.833	35.2	83.9	0
2/27/2023, 10:13:20 PM	0	6.833	35.2	84.1	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/27/2023, 10:23:20 PM	0	6.833	35.2	84.3	0
2/27/2023, 10:33:20 PM	0	6.833	35.2	84.5	0
2/27/2023, 10:43:20 PM	0	6.833	35.2	84.7	0
2/27/2023, 10:53:20 PM	0	6.833	35.4	84.9	0
2/27/2023, 11:03:20 PM	0	6.833	35.4	85.1	0
2/27/2023, 11:13:20 PM	0	6.833	35.4	85.2	0
2/27/2023, 11:23:20 PM	0	6.833	35.6	85.3	0
2/27/2023, 11:33:20 PM	0	6.833	35.6	85.4	0
2/27/2023, 11:43:20 PM	0	6.833	35.6	85.4	0
2/27/2023, 11:53:20 PM	0	6.833	35.6	85.5	0
2/28/2023, 12:03:20 AM	0	6.833	35.8	85.5	0
2/28/2023, 12:13:20 AM	0	6.833	35.8	85.6	0
2/28/2023, 12:23:20 AM	0	6.833	36	85.6	0
2/28/2023, 12:33:20 AM	0	6.833	36	85.6	0
2/28/2023, 12:43:20 AM	0	6.833	36	85.6	0
2/28/2023, 12:53:20 AM	0	6.833	36	85.6	0
2/28/2023, 1:03:20 AM	0	6.833	36	85.6	0
2/28/2023, 1:13:20 AM	0	6.833	36	85.6	0
2/28/2023, 1:23:20 AM	0	6.833	35.8	85.5	0
2/28/2023, 1:33:20 AM	0	6.833	35.8	85.5	0
2/28/2023, 1:43:20 AM	0	6.833	35.8	85.6	0
2/28/2023, 1:53:20 AM	0	6.833	35.6	85.6	0
2/28/2023, 2:03:20 AM	0	6.833	35.6	85.6	0
2/28/2023, 2:13:20 AM	0	6.833	35.8	85.7	0
2/28/2023, 2:23:20 AM	0	6.833	35.8	85.7	0
2/28/2023, 2:33:20 AM	0	6.833	35.6	85.7	0
2/28/2023, 2:43:20 AM	0	6.833	35.6	85.7	0
2/28/2023, 2:53:20 AM	0	6.833	35.6	85.8	0
2/28/2023, 3:03:20 AM	0	6.833	35.6	85.8	0
2/28/2023, 3:13:20 AM	0	6.833	35.4	85.9	0
2/28/2023, 3:23:20 AM	0	6.833	35.4	85.9	0
2/28/2023, 3:33:20 AM	0	6.833	35.4	86.1	0
2/28/2023, 3:43:20 AM	0	6.833	35.2	86.3	0
2/28/2023, 3:53:20 AM	0	6.833	35.2	86.4	0
2/28/2023, 4:03:20 AM	0	6.833	35.2	86.6	0
2/28/2023, 4:13:20 AM	0	6.833	35.2	86.8	0
2/28/2023, 4:23:20 AM	0	6.833	35.2	86.9	0
2/28/2023, 4:33:20 AM	0	6.833	35.4	87.1	0
2/28/2023, 4:43:20 AM	0	6.833	35.4	87.2	0
2/28/2023, 4:53:20 AM	0	6.833	35.4	87.4	0
2/28/2023, 5:03:20 AM	0	6.833	35.4	87.5	0
2/28/2023, 5:13:20 AM	0	6.833	35.4	87.6	0
2/28/2023, 5:23:20 AM	0	6.833	35.4	87.7	0
2/28/2023, 5:33:20 AM	0	6.833	35.4	87.9	0
2/28/2023, 5:43:20 AM	0	6.833	35.4	88	0
2/28/2023, 5:53:20 AM	0	6.833	35.6	88.2	0
2/28/2023, 6:03:20 AM	0	6.833	35.6	88.3	0
2/28/2023, 6:13:20 AM	0	6.833	35.6	88.5	0
2/28/2023, 6:23:20 AM	0	6.833	35.8	88.6	0
2/28/2023, 6:33:20 AM	0	6.833	35.8	88.8	0
2/28/2023, 6:43:20 AM	0	6.833	35.8	88.9	0
2/28/2023, 6:53:20 AM	0	6.833	36	89.1	0
2/28/2023, 7:03:20 AM	0	6.833	36	89.2	0
2/28/2023, 7:13:20 AM	0	6.833	36.1	89.3	0
2/28/2023, 7:23:20 AM	0	6.833	36.3	89.5	0
2/28/2023, 7:33:20 AM	0	6.833	36.3	89.6	0
2/28/2023, 7:43:20 AM	0	6.833	36.5	89.7	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/28/2023, 7:53:20 AM	0	6.833	36.7	89.9	0
2/28/2023, 8:03:20 AM	0	6.833	36.7	90	0
2/28/2023, 8:13:20 AM	0	6.833	36.9	90.1	0
2/28/2023, 8:23:20 AM	0	6.833	37	90.2	0
2/28/2023, 8:33:20 AM	0	6.833	37.4	90.4	0
2/28/2023, 8:43:20 AM	0	6.833	37.8	90.7	0
2/28/2023, 8:53:20 AM	0	6.833	38.3	91	0
2/28/2023, 9:03:20 AM	0	6.833	38.8	91.3	0
2/28/2023, 9:13:20 AM	0	6.833	39.2	91.4	0
2/28/2023, 9:23:20 AM	0	6.833	39.6	91.4	0
2/28/2023, 9:33:20 AM	0	6.842	39.7	91.4	0
2/28/2023, 9:43:20 AM	0	6.842	39.9	91.2	0
2/28/2023, 9:53:20 AM	0	6.842	39.7	91	0
2/28/2023, 10:03:20 AM	0	6.842	39.7	90.7	0
2/28/2023, 10:13:20 AM	0	6.842	39.6	90.5	0
2/28/2023, 10:23:20 AM	0	6.842	39.4	90.3	0
2/28/2023, 10:33:20 AM	0	6.842	39.2	90.2	0
2/28/2023, 10:43:20 AM	0	6.842	39	90	0
2/28/2023, 10:53:20 AM	0	6.833	39	90	0
2/28/2023, 11:03:20 AM	0	6.842	38.8	89.9	0
2/28/2023, 11:13:20 AM	0	6.842	39	89.9	0
2/28/2023, 11:23:20 AM	0	6.833	39	89.9	0
2/28/2023, 11:33:20 AM	0	6.833	39	89.8	0
2/28/2023, 11:43:20 AM	0	6.833	39	89.6	0
2/28/2023, 11:53:20 AM	0	6.833	38.8	89.5	0
2/28/2023, 12:03:20 PM	0	6.833	38.7	89.2	0
2/28/2023, 12:13:20 PM	0	6.833	38.8	89.1	0
2/28/2023, 12:23:20 PM	0	6.833	39	88.9	0
2/28/2023, 12:33:20 PM	0	6.833	39	88.6	0
2/28/2023, 12:43:20 PM	0	6.842	38.8	88.3	0
2/28/2023, 12:53:20 PM	0	6.833	38.8	88.1	0
2/28/2023, 1:03:20 PM	0	6.833	39.2	87.9	0
2/28/2023, 1:13:20 PM	0	6.833	39.4	87.7	0
2/28/2023, 1:23:20 PM	0	6.833	39.4	87.3	0
2/28/2023, 1:33:20 PM	0	6.833	39.4	86.9	0
2/28/2023, 1:43:20 PM	0	6.842	39.2	86.4	0
2/28/2023, 1:53:20 PM	0	6.833	39.2	86.1	0
2/28/2023, 2:03:20 PM	0	6.833	39.4	85.8	0
2/28/2023, 2:13:20 PM	0	6.833	39.4	85.5	0
2/28/2023, 2:23:20 PM	0	6.833	39.4	85.2	0
2/28/2023, 2:33:20 PM	0	6.842	39.4	84.9	0
2/28/2023, 2:43:20 PM	0	6.833	39.4	84.6	0
2/28/2023, 2:53:20 PM	0	6.833	39.6	84.3	0
2/28/2023, 3:03:20 PM	0	6.842	39.4	84.1	0
2/28/2023, 3:13:20 PM	0	6.833	39.6	83.8	0
2/28/2023, 3:23:20 PM	0	6.833	39.4	83.5	0
2/28/2023, 3:33:20 PM	0	6.842	39.4	83.3	0
2/28/2023, 3:43:20 PM	0	6.842	39.4	83.1	0
2/28/2023, 3:53:20 PM	0	6.833	39.4	83	0
2/28/2023, 4:03:20 PM	0	6.833	39.2	82.7	0
2/28/2023, 4:13:20 PM	0	6.833	39.2	82.5	0
2/28/2023, 4:23:20 PM	0	6.833	39.2	82.4	0
2/28/2023, 4:33:20 PM	0	6.833	39	82.2	0
2/28/2023, 4:43:20 PM	0	6.833	38.8	82.1	0
2/28/2023, 4:53:20 PM	0	6.833	38.7	82	0
2/28/2023, 5:03:20 PM	0	6.833	38.7	81.9	0
2/28/2023, 5:13:20 PM	0	6.833	38.5	81.8	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/28/2023, 5:23:20 PM	0	6.833	38.5	81.8	0
2/28/2023, 5:33:20 PM	0	6.833	38.5	81.7	0
2/28/2023, 5:43:20 PM	0	6.833	38.3	81.6	0
2/28/2023, 5:53:20 PM	0	6.833	38.1	81.6	0
2/28/2023, 6:03:20 PM	0	6.833	37.8	81.6	0
2/28/2023, 6:13:20 PM	0	6.833	37.8	81.5	0
2/28/2023, 6:23:20 PM	0	6.833	37.6	81.5	0
2/28/2023, 6:33:20 PM	0	6.833	37.4	81.5	0
2/28/2023, 6:43:20 PM	0	6.833	37.2	81.6	0
2/28/2023, 6:53:20 PM	0	6.833	37.2	81.6	0
2/28/2023, 7:03:20 PM	0	6.833	37.2	81.5	0
2/28/2023, 7:13:20 PM	0	6.833	37	81.4	0
2/28/2023, 7:23:20 PM	0	6.833	37	81.3	0
2/28/2023, 7:33:20 PM	0	6.833	37	81.1	0
2/28/2023, 7:43:20 PM	0	6.833	36.9	81	0
2/28/2023, 7:53:20 PM	0	6.833	36.9	80.9	0
2/28/2023, 8:03:20 PM	0	6.833	36.9	80.7	0
2/28/2023, 8:13:20 PM	0	6.833	36.7	80.6	0
2/28/2023, 8:23:20 PM	0	6.833	36.7	80.4	0
2/28/2023, 8:33:20 PM	0	6.833	36.7	80.3	0
2/28/2023, 8:43:20 PM	0	6.833	36.5	80.1	0
2/28/2023, 8:53:20 PM	0	6.833	36.5	80	0
2/28/2023, 9:03:20 PM	0	6.833	36.5	79.8	0
2/28/2023, 9:13:20 PM	0	6.833	36.5	79.5	0
2/28/2023, 9:23:20 PM	0	6.833	36.3	79.4	0
2/28/2023, 9:33:20 PM	0	6.833	36.3	79.3	0
2/28/2023, 9:43:20 PM	0	6.833	36.1	79.2	0
2/28/2023, 9:53:20 PM	0	6.833	36.1	79	0
2/28/2023, 10:03:20 PM	0	6.833	36	79	0
2/28/2023, 10:13:20 PM	0	6.833	36	78.9	0
2/28/2023, 10:23:20 PM	0	6.833	35.8	78.9	0
2/28/2023, 10:33:20 PM	0	6.833	35.4	78.8	0
2/28/2023, 10:43:20 PM	0	6.833	35.1	78.7	0
2/28/2023, 10:53:20 PM	0	6.833	34.9	78.7	0
2/28/2023, 11:03:20 PM	0	6.833	34.5	78.8	0
2/28/2023, 11:13:20 PM	0	6.825	34.3	78.9	0
2/28/2023, 11:23:20 PM	0	6.825	34	79	0
2/28/2023, 11:33:20 PM	0	6.825	33.6	79	0
2/28/2023, 11:43:20 PM	0	6.825	33.4	79.2	0
2/28/2023, 11:53:20 PM	0	6.825	33.1	79.3	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/1/2023, 12:06:52 AM	0	6.719	20.3	78.4	
2/1/2023, 12:16:52 AM	0	6.719	19.9	78.5	
2/1/2023, 12:26:52 AM	0	6.719	19.8	78.6	
2/1/2023, 12:36:52 AM	0	6.719	19.6	78.6	
2/1/2023, 12:46:52 AM	0	6.719	19.4	78.7	
2/1/2023, 12:56:52 AM	0	6.719	19	78.6	0
2/1/2023, 1:06:52 AM	0	6.719	18.5	78.5	0
2/1/2023, 1:16:52 AM	0	6.719	18	78.5	0
2/1/2023, 1:26:52 AM	0	6.71	17.6	78.5	0
2/1/2023, 1:36:52 AM	0	6.71	17.2	78.7	0
2/1/2023, 1:46:52 AM	0	6.71	17.4	79.1	0
2/1/2023, 1:56:52 AM	0	6.71	17.6	79.6	0
2/1/2023, 2:06:52 AM	0	6.71	17.8	80.1	0
2/1/2023, 2:16:52 AM	0	6.71	18.1	80.5	0
2/1/2023, 2:26:52 AM	0	6.71	18.3	80.9	0
2/1/2023, 2:36:52 AM	0	6.71	18.7	81.2	0
2/1/2023, 2:46:52 AM	0	6.71	19	81.5	0
2/1/2023, 2:56:52 AM	0	6.71	19.2	81.6	0
2/1/2023, 3:06:52 AM	0	6.71	19.4	81.7	0
2/1/2023, 3:16:52 AM	0	6.719	19.6	81.7	0
2/1/2023, 3:26:52 AM	0	6.719	19.6	81.7	0
2/1/2023, 3:36:52 AM	0	6.719	19.6	81.6	0
2/1/2023, 3:46:52 AM	0	6.719	19.4	81.6	0
2/1/2023, 3:56:52 AM	0	6.719	19	81.3	0
2/1/2023, 4:06:52 AM	0	6.719	18.7	81	0
2/1/2023, 4:16:52 AM	0	6.71	18	80.7	0
2/1/2023, 4:26:52 AM	0	6.71	17.6	80.7	0
2/1/2023, 4:36:52 AM	0	6.71	17.6	80.9	0
2/1/2023, 4:46:52 AM	0	6.71	17.8	81.2	0
2/1/2023, 4:56:52 AM	0	6.71	18.1	81.3	0
2/1/2023, 5:06:52 AM	0	6.71	18.1	81.2	0
2/1/2023, 5:16:52 AM	0	6.71	18.1	81	0
2/1/2023, 5:26:52 AM	0	6.71	18.1	80.8	0
2/1/2023, 5:36:52 AM	0	6.71	18	80.7	0
2/1/2023, 5:46:52 AM	0	6.71	18	80.6	0
2/1/2023, 5:56:52 AM	0	6.71	18.1	80.5	0
2/1/2023, 6:06:52 AM	0	6.71	18.1	80.2	0
2/1/2023, 6:16:52 AM	0	6.71	18	80	0
2/1/2023, 6:26:52 AM	0	6.71	17.6	79.8	0
2/1/2023, 6:36:52 AM	0	6.71	17.4	79.6	0
2/1/2023, 6:46:52 AM	0	6.71	17.2	79.4	0
2/1/2023, 6:56:52 AM	0	6.71	17.1	79.2	0
2/1/2023, 7:06:52 AM	0	6.702	16.9	79	0
2/1/2023, 7:16:52 AM	0	6.702	16.7	78.8	0
2/1/2023, 7:26:52 AM	0	6.702	16.5	78.5	0
2/1/2023, 7:36:52 AM	0	6.702	16.3	78.3	0
2/1/2023, 7:46:52 AM	0	6.702	16.3	78.2	0
2/1/2023, 7:56:52 AM	0	6.702	16.2	78	0
2/1/2023, 8:06:52 AM	0	6.702	16	77.9	0
2/1/2023, 8:16:52 AM	0	6.702	16	77.8	0
2/1/2023, 8:26:52 AM	0	6.702	16.5	77.7	0
2/1/2023, 8:36:52 AM	0	6.702	16.9	77.7	0
2/1/2023, 8:46:52 AM	0	6.702	17.4	77.5	0
2/1/2023, 8:56:52 AM	0	6.702	17.8	77.4	0
2/1/2023, 9:06:52 AM	0	6.702	18.1	77.2	0
2/1/2023, 9:16:52 AM	0	6.71	18.7	77	0
2/1/2023, 9:26:52 AM	0	6.71	19.4	76.8	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/1/2023, 9:36:52 AM	0	6.71	20.3	76.5	0
2/1/2023, 10:04:19 AM	0	6.974	29.1	74.9	0
2/1/2023, 10:14:19 AM	0	6.772	29.5	73.7	0
2/1/2023, 10:24:19 AM	0	6.763	29.1	72.5	0
2/1/2023, 10:34:19 AM	0	6.763	28.9	71.5	0
2/1/2023, 10:44:19 AM	0	6.763	28.9	70.7	0
2/1/2023, 10:54:19 AM	0	6.772	29.1	70.1	0
2/1/2023, 11:04:19 AM	0	6.772	29.1	69.7	0
2/1/2023, 11:14:19 AM	0	6.781	28.9	69.1	0
2/1/2023, 11:24:19 AM	0	6.781	28.6	68.7	0
2/1/2023, 11:34:19 AM	0	6.781	28.2	68.4	0
2/1/2023, 11:44:19 AM	0	6.781	28.6	68.3	0
2/1/2023, 11:54:19 AM	0	6.781	28.9	68.2	0
2/1/2023, 12:04:19 PM	0	6.781	29.5	68.1	0
2/1/2023, 12:14:19 PM	0	6.781	29.8	68	0
2/1/2023, 12:24:19 PM	0	6.781	29.5	67.7	0
2/1/2023, 12:34:19 PM	0	6.781	29.1	67.4	0
2/1/2023, 12:44:19 PM	0	6.781	28.8	67.2	0
2/1/2023, 12:54:19 PM	0	6.772	28.6	67.1	0
2/1/2023, 1:04:19 PM	0	6.772	28.6	67.1	0
2/1/2023, 1:14:19 PM	0	6.772	28	66.9	0
2/1/2023, 1:24:19 PM	0	6.772	28.2	66.7	0
2/1/2023, 1:34:19 PM	0	6.772	28.4	66.5	0
2/1/2023, 1:44:19 PM	0	6.772	28.8	66.4	0
2/1/2023, 1:54:19 PM	0	6.772	28.9	66.3	0
2/1/2023, 2:04:19 PM	0	6.772	28.9	66	0
2/1/2023, 2:14:19 PM	0	6.772	28.9	65.9	0
2/1/2023, 2:24:19 PM	0	6.772	29.1	65.8	0
2/1/2023, 2:34:19 PM	0	6.772	29.3	65.7	0
2/1/2023, 2:44:19 PM	0	6.772	29.5	65.5	0
2/1/2023, 2:54:19 PM	0	6.772	29.5	65.4	0
2/1/2023, 3:04:19 PM	0	6.772	29.5	65.2	0
2/1/2023, 3:14:19 PM	0	6.772	29.3	65	0
2/1/2023, 3:24:19 PM	0	6.772	29.3	65	0
2/1/2023, 3:34:19 PM	0	6.772	29.3	64.9	0
2/1/2023, 3:44:19 PM	0	6.772	29.5	64.8	0
2/1/2023, 3:54:19 PM	0	6.772	29.3	64.6	0
2/1/2023, 4:04:19 PM	0	6.772	28.9	64.4	0
2/1/2023, 4:14:19 PM	0	6.772	28.6	64.2	0
2/1/2023, 4:24:19 PM	0	6.772	28.2	64.1	0
2/1/2023, 4:34:19 PM	0	6.772	27.9	64	0
2/1/2023, 4:44:19 PM	0	6.772	27.3	64	0
2/1/2023, 4:54:19 PM	0	6.772	27	63.9	0
2/1/2023, 5:04:19 PM	0	6.763	26.4	64	0
2/1/2023, 5:14:19 PM	0	6.763	26.1	64.1	0
2/1/2023, 5:24:19 PM	0	6.763	25.7	64.3	0
2/1/2023, 5:34:19 PM	0	6.763	25.3	64.5	0
2/1/2023, 5:44:19 PM	0	6.763	25	64.8	0
2/1/2023, 5:54:19 PM	0	6.763	24.6	65.1	0
2/1/2023, 6:04:19 PM	0	6.763	24.3	65.4	0
2/1/2023, 6:14:19 PM	0	6.763	23.9	65.7	0
2/1/2023, 6:24:19 PM	0	6.763	23.5	66	0
2/1/2023, 6:34:19 PM	0	6.754	23	66.2	0
2/1/2023, 6:44:19 PM	0	6.754	22.5	66.4	0
2/1/2023, 6:54:19 PM	0	6.754	21.9	66.7	0
2/1/2023, 7:04:19 PM	0	6.754	21.4	67	0
2/1/2023, 7:14:19 PM	0	6.754	20.8	67.4	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/1/2023, 7:24:19 PM	0	6.754	20.3	67.7	0
2/1/2023, 7:34:19 PM	0	6.754	19.8	68	0
2/1/2023, 7:44:19 PM	0	6.746	19.4	68.4	0
2/1/2023, 7:54:19 PM	0	6.746	19	68.8	0
2/1/2023, 8:04:19 PM	0	6.746	18.7	69.3	0
2/1/2023, 8:14:19 PM	0	6.746	18.5	69.8	0
2/1/2023, 8:24:19 PM	0	6.746	18.1	70.2	0
2/1/2023, 8:34:19 PM	0	6.746	18	70.7	0
2/1/2023, 8:44:19 PM	0	6.746	17.8	71.1	0
2/1/2023, 8:54:19 PM	0	6.746	17.8	71.7	0
2/1/2023, 9:04:19 PM	0	6.746	18	72.3	0
2/1/2023, 9:14:19 PM	0	6.746	18.1	73	0
2/1/2023, 9:24:19 PM	0	6.746	18.9	73.6	0
2/1/2023, 9:34:19 PM	0	6.746	19.2	74.1	0
2/1/2023, 9:44:19 PM	0	6.746	19.6	74.4	0
2/1/2023, 9:54:19 PM	0	6.746	19.9	74.6	0
2/1/2023, 10:04:19 PM	0	6.754	20.5	74.9	0
2/1/2023, 10:14:19 PM	0	6.754	20.8	75	0
2/1/2023, 10:24:19 PM	0	6.754	21.4	75.1	0
2/1/2023, 10:34:19 PM	0	6.754	21.7	75.1	0
2/1/2023, 10:44:19 PM	0	6.754	22.1	75	0
2/1/2023, 10:54:19 PM	0	6.754	22.3	74.8	0
2/1/2023, 11:04:19 PM	0	6.763	22.5	74.7	0
2/1/2023, 11:14:19 PM	0	6.763	22.6	74.5	0
2/1/2023, 11:24:19 PM	0	6.763	22.8	74.3	0
2/1/2023, 11:34:19 PM	0	6.763	22.8	74	0
2/1/2023, 11:44:19 PM	0	6.763	22.8	73.8	0
2/1/2023, 11:54:19 PM	0	6.763	22.8	73.6	0
2/2/2023, 12:04:19 AM	0	6.763	23	73.4	0
2/2/2023, 12:14:19 AM	0	6.763	23	73.2	0
2/2/2023, 12:24:19 AM	0	6.763	23	73	0
2/2/2023, 12:34:19 AM	0	6.763	23	72.8	0
2/2/2023, 12:44:19 AM	0	6.763	23	72.6	0
2/2/2023, 12:54:19 AM	0	6.763	22.8	72.5	0
2/2/2023, 1:04:19 AM	0	6.763	22.8	72.3	0
2/2/2023, 1:14:19 AM	0	6.763	22.6	72.2	0
2/2/2023, 1:24:19 AM	0	6.763	22.6	72.1	0
2/2/2023, 1:34:19 AM	0	6.763	22.5	72	0
2/2/2023, 1:44:19 AM	0	6.763	22.3	71.9	0
2/2/2023, 1:54:19 AM	0	6.763	22.1	71.8	0
2/2/2023, 2:04:19 AM	0	6.763	21.7	71.8	0
2/2/2023, 2:14:19 AM	0	6.763	21.6	71.8	0
2/2/2023, 2:24:19 AM	0	6.763	21.4	72	0
2/2/2023, 2:34:19 AM	0	6.763	21.6	72.2	0
2/2/2023, 2:44:19 AM	0	6.763	21.7	72.3	0
2/2/2023, 2:54:19 AM	0	6.763	21.9	72.4	0
2/2/2023, 3:04:19 AM	0	6.763	22.3	72.4	0
2/2/2023, 3:14:19 AM	0	6.763	22.5	72.4	0
2/2/2023, 3:24:19 AM	0	6.763	22.6	72.4	0
2/2/2023, 3:34:19 AM	0	6.763	22.6	72.4	0
2/2/2023, 3:44:19 AM	0	6.763	22.8	72.3	0
2/2/2023, 3:54:19 AM	0	6.763	23	72.3	0
2/2/2023, 4:04:19 AM	0	6.763	23	72.3	0
2/2/2023, 4:14:19 AM	0	6.763	23.2	72.2	0
2/2/2023, 4:24:19 AM	0	6.763	23.2	72.2	0
2/2/2023, 4:34:19 AM	0	6.763	23.2	72.1	0
2/2/2023, 4:44:19 AM	0	6.763	23.4	72.1	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/2/2023, 4:54:19 AM	0	6.763	23.4	72.1	0
2/2/2023, 5:04:19 AM	0	6.763	23.5	72.1	0
2/2/2023, 5:14:19 AM	0	6.763	23.5	72.2	0
2/2/2023, 5:24:19 AM	0	6.772	23.5	72.2	0
2/2/2023, 5:34:19 AM	0	6.772	23.7	72.2	0
2/2/2023, 5:44:19 AM	0	6.772	23.7	72.2	0
2/2/2023, 5:54:19 AM	0	6.772	23.7	72.3	0
2/2/2023, 6:04:19 AM	0	6.772	23.9	72.3	0
2/2/2023, 6:14:19 AM	0	6.772	23.9	72.3	0
2/2/2023, 6:24:19 AM	0	6.772	24.1	72.4	0
2/2/2023, 6:34:19 AM	0	6.772	24.1	72.3	0
2/2/2023, 6:44:19 AM	0	6.772	24.3	72.3	0
2/2/2023, 6:54:19 AM	0	6.772	24.3	72.2	0
2/2/2023, 7:04:19 AM	0	6.772	24.3	72.1	0
2/2/2023, 7:14:19 AM	0	6.772	24.4	72	0
2/2/2023, 7:24:19 AM	0	6.772	24.4	72	0
2/2/2023, 7:34:19 AM	0	6.772	24.4	71.9	0
2/2/2023, 7:44:19 AM	0	6.772	24.6	71.9	0
2/2/2023, 7:54:19 AM	0	6.772	24.6	71.9	0
2/2/2023, 8:04:19 AM	0	6.772	24.8	71.9	0
2/2/2023, 8:14:19 AM	0	6.772	25	71.9	0
2/2/2023, 8:24:19 AM	0	6.772	25.2	71.9	0
2/2/2023, 8:34:19 AM	0	6.772	25.3	72	0
2/2/2023, 8:44:19 AM	0	6.772	25.5	72	0
2/2/2023, 8:54:19 AM	0	6.772	25.7	72	0
2/2/2023, 9:04:19 AM	0	6.772	25.9	72	0
2/2/2023, 9:14:19 AM	0	6.781	26.2	72	0
2/2/2023, 9:24:19 AM	0	6.781	26.6	71.9	0
2/2/2023, 9:34:19 AM	0	6.781	27	71.8	0
2/2/2023, 9:44:19 AM	0	6.781	27.3	71.8	0
2/2/2023, 9:54:19 AM	0	6.781	27.7	71.7	0
2/2/2023, 10:04:19 AM	0	6.781	28	71.5	0
2/2/2023, 10:14:19 AM	0	6.781	28.4	71.4	0
2/2/2023, 10:24:19 AM	0	6.781	28.8	71.3	0
2/2/2023, 10:34:19 AM	0	6.781	29.1	71.2	0
2/2/2023, 10:44:19 AM	0	6.79	29.5	71	0
2/2/2023, 10:54:19 AM	0	6.79	29.8	70.7	0
2/2/2023, 11:04:19 AM	0	6.79	30.2	70.4	0
2/2/2023, 11:14:19 AM	0	6.79	30.6	70.1	0
2/2/2023, 11:24:19 AM	0	6.79	30.9	69.7	0
2/2/2023, 11:34:19 AM	0	6.79	31.3	69.2	0
2/2/2023, 11:44:19 AM	0	6.79	31.6	68.8	0
2/2/2023, 11:54:19 AM	0	6.79	32	68.3	0
2/2/2023, 12:04:19 PM	0	6.798	32.4	67.7	0
2/2/2023, 12:14:19 PM	0	6.798	32.7	67	0
2/2/2023, 12:24:19 PM	0	6.798	33.1	66.3	0
2/2/2023, 12:34:19 PM	0	6.798	33.8	65.7	0
2/2/2023, 12:44:19 PM	0	6.798	34.3	65.1	0
2/2/2023, 12:54:19 PM	0	6.798	34.9	64.5	0
2/2/2023, 1:04:19 PM	0	6.798	35.2	63.8	0
2/2/2023, 1:14:19 PM	0	6.807	36	63.2	0
2/2/2023, 1:24:19 PM	0	6.807	36.9	62.7	0
2/2/2023, 1:34:19 PM	0	6.807	37.4	62.1	0
2/2/2023, 1:44:19 PM	0	6.807	37.8	61.4	0
2/2/2023, 1:54:19 PM	0	6.807	37.9	60.6	0
2/2/2023, 2:04:19 PM	0	6.816	38.1	60.2	0
2/2/2023, 2:14:19 PM	0	6.816	38.5	59.7	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/2/2023, 2:24:19 PM	0	6.816	38.8	59.1	0
2/2/2023, 2:34:19 PM	0	6.816	39.2	58.6	0
2/2/2023, 2:44:19 PM	0	6.816	39.9	58.3	0
2/2/2023, 2:54:19 PM	0	6.816	40.3	57.9	0
2/2/2023, 3:04:19 PM	0	6.816	40.5	57.5	0
2/2/2023, 3:14:19 PM	0	6.816	40.5	57	0
2/2/2023, 3:24:19 PM	0	6.816	40.5	56.6	0
2/2/2023, 3:34:19 PM	0	6.816	40.5	56.3	0
2/2/2023, 3:44:19 PM	0	6.816	40.3	55.9	0
2/2/2023, 3:54:19 PM	0	6.825	39.9	55.5	0
2/2/2023, 4:04:19 PM	0	6.816	39.4	55.2	0
2/2/2023, 4:14:19 PM	0	6.816	39	54.9	0
2/2/2023, 4:24:19 PM	0	6.816	38.8	54.9	0
2/2/2023, 4:34:19 PM	0	6.816	38.5	54.7	0
2/2/2023, 4:44:19 PM	0	6.816	38.3	54.6	0
2/2/2023, 4:54:19 PM	0	6.816	37.9	54.5	0
2/2/2023, 5:04:19 PM	0	6.816	37.8	54.5	0
2/2/2023, 5:14:19 PM	0	6.816	37.6	54.5	0
2/2/2023, 5:24:19 PM	0	6.816	37.4	54.5	0
2/2/2023, 5:34:19 PM	0	6.816	37.2	54.5	0
2/2/2023, 5:44:19 PM	0	6.816	36.9	54.5	0
2/2/2023, 5:54:19 PM	0	6.816	36.9	54.5	0
2/2/2023, 6:04:19 PM	0	6.807	36.7	54.6	0
2/2/2023, 6:14:19 PM	0	6.816	36.7	54.6	0
2/2/2023, 6:24:19 PM	0	6.807	36.7	54.7	0
2/2/2023, 6:34:19 PM	0	6.816	36.7	54.7	0
2/2/2023, 6:44:19 PM	0	6.807	36.5	54.9	0
2/2/2023, 6:54:19 PM	0	6.807	36.5	54.9	0
2/2/2023, 7:04:19 PM	0	6.807	36.7	55	0
2/2/2023, 7:14:19 PM	0	6.807	36.9	55.1	0
2/2/2023, 7:24:19 PM	0	6.807	36.9	55.3	0
2/2/2023, 7:34:19 PM	0	6.807	36.9	55.8	0
2/2/2023, 7:44:19 PM	0	6.807	36.7	56.4	0
2/2/2023, 7:54:19 PM	0	6.807	36.5	57.2	0
2/2/2023, 8:04:19 PM	0	6.807	36.3	58.1	0
2/2/2023, 8:14:19 PM	0	6.807	36	59.1	0
2/2/2023, 8:24:19 PM	0	6.807	35.8	60.2	0
2/2/2023, 8:34:19 PM	0	6.807	35.2	61.4	0
2/2/2023, 8:44:19 PM	0	6.807	34.7	62.8	0
2/2/2023, 8:54:19 PM	0	6.807	34.2	64.2	0
2/2/2023, 9:04:19 PM	0	6.807	33.6	65.7	0
2/2/2023, 9:14:19 PM	0	6.798	33.3	67.2	0
2/2/2023, 9:24:19 PM	0	6.798	32.5	68.1	0
2/2/2023, 9:34:19 PM	0	6.798	31.3	68.5	0
2/2/2023, 9:44:19 PM	0	6.798	30.2	69	0
2/2/2023, 9:54:19 PM	0	6.79	29.3	69.7	0
2/2/2023, 10:04:19 PM	0	6.79	28.6	70.3	0
2/2/2023, 10:14:19 PM	0	6.79	28	70.8	0
2/2/2023, 10:24:19 PM	0	6.781	27.5	71.2	0
2/2/2023, 10:34:19 PM	0	6.781	27	71.7	0
2/2/2023, 10:44:19 PM	0	6.781	26.4	72	0
2/2/2023, 10:54:19 PM	0	6.781	25.9	72.3	0
2/2/2023, 11:04:19 PM	0	6.781	25.5	72.4	0
2/2/2023, 11:14:19 PM	0	6.772	25.2	72.4	0
2/2/2023, 11:24:19 PM	0	6.772	24.8	72.4	0
2/2/2023, 11:34:19 PM	0	6.772	24.4	72.2	0
2/2/2023, 11:44:19 PM	0	6.772	24.1	71.8	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/2/2023, 11:54:19 PM	0	6.772	23.7	71.4	0
2/3/2023, 12:04:19 AM	0	6.772	23.2	71	0
2/3/2023, 12:14:19 AM	0	6.763	22.8	70.5	0
2/3/2023, 12:24:19 AM	0	6.763	22.3	70	0
2/3/2023, 12:34:19 AM	0	6.763	21.9	69.6	0
2/3/2023, 12:44:19 AM	0	6.763	21.7	69.4	0
2/3/2023, 12:54:19 AM	0	6.763	21.4	69.2	0
2/3/2023, 1:04:19 AM	0	6.763	21.2	69	0
2/3/2023, 1:14:19 AM	0	6.763	21.2	69.1	0
2/3/2023, 1:24:19 AM	0	6.763	20.8	69.4	0
2/3/2023, 1:34:19 AM	0	6.763	20.5	69.8	0
2/3/2023, 1:44:19 AM	0	6.754	19.9	70.1	0
2/3/2023, 1:54:19 AM	0	6.754	19.6	70.4	0
2/3/2023, 2:04:19 AM	0	6.754	19.2	70.6	0
2/3/2023, 2:14:19 AM	0	6.754	18.9	70.6	0
2/3/2023, 2:24:19 AM	0	6.754	18.7	70.5	0
2/3/2023, 2:34:19 AM	0	6.754	18.1	70.3	0
2/3/2023, 2:44:19 AM	0	6.754	18	70.1	0
2/3/2023, 2:54:19 AM	0	6.754	17.6	70	0
2/3/2023, 3:04:19 AM	0	6.746	17.2	70	0
2/3/2023, 3:14:19 AM	0	6.746	17.1	69.9	0
2/3/2023, 3:24:19 AM	0	6.746	16.7	69.7	0
2/3/2023, 3:34:19 AM	0	6.746	16.3	69.4	0
2/3/2023, 3:44:19 AM	0	6.746	16	69.3	0
2/3/2023, 3:54:19 AM	0	6.746	15.6	69.1	0
2/3/2023, 4:04:19 AM	0	6.746	15.3	69.1	0
2/3/2023, 4:14:19 AM	0	6.737	15.3	69.1	0
2/3/2023, 4:24:19 AM	0	6.737	15.1	69.2	0
2/3/2023, 4:34:19 AM	0	6.737	14.9	69.2	0
2/3/2023, 4:44:19 AM	0	6.737	14.7	69.3	0
2/3/2023, 4:54:19 AM	0	6.737	14.5	69.3	0
2/3/2023, 5:04:19 AM	0	6.737	14.4	69.3	0
2/3/2023, 5:14:19 AM	0	6.737	14.2	69.4	0
2/3/2023, 5:24:19 AM	0	6.737	13.8	69.4	0
2/3/2023, 5:34:19 AM	0	6.737	13.6	69.5	0
2/3/2023, 5:44:19 AM	0	6.737	13.3	69.5	0
2/3/2023, 5:54:19 AM	0	6.737	12.9	69.6	0
2/3/2023, 6:04:19 AM	0	6.737	12.7	69.7	0
2/3/2023, 6:14:19 AM	0	6.728	12.6	69.8	0
2/3/2023, 6:24:19 AM	0	6.728	12.2	69.8	0
2/3/2023, 6:34:19 AM	0	6.728	11.8	69.7	0
2/3/2023, 6:44:19 AM	0	6.728	11.5	69.7	0
2/3/2023, 6:54:19 AM	0	6.728	11.1	69.7	0
2/3/2023, 7:04:19 AM	0	6.728	10.8	69.8	0
2/3/2023, 7:14:19 AM	0	6.728	10.6	70	0
2/3/2023, 7:24:19 AM	0	6.728	10.4	70.2	0
2/3/2023, 7:34:19 AM	0	6.728	10	70.4	0
2/3/2023, 7:44:19 AM	0	6.728	9.9	70.6	0
2/3/2023, 7:54:19 AM	0	6.728	9.7	70.9	0
2/3/2023, 8:04:19 AM	0	6.719	9.5	71.1	0
2/3/2023, 8:14:19 AM	0	6.719	9.5	71.2	0
2/3/2023, 8:24:19 AM	0	6.719	9.5	71.4	0
2/3/2023, 8:34:19 AM	0	6.719	9.5	71.6	0
2/3/2023, 8:44:19 AM	0	6.719	9.5	71.6	0
2/3/2023, 8:54:19 AM	0	6.719	9.9	71.7	0
2/3/2023, 9:04:19 AM	0	6.719	10	71.7	0
2/3/2023, 9:14:19 AM	0	6.719	10	71.7	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/3/2023, 9:24:19 AM	0	6.719	10	71.6	0
2/3/2023, 9:34:19 AM	0	6.719	10	71.6	0
2/3/2023, 9:44:19 AM	0	6.719	10	71.5	0
2/3/2023, 9:54:19 AM	0	6.719	10	71.5	0
2/3/2023, 10:04:19 AM	0	6.719	9.7	71.5	0
2/3/2023, 10:14:19 AM	0	6.719	9.7	71.5	0
2/3/2023, 10:24:19 AM	0	6.719	9.5	71.4	0
2/3/2023, 10:34:19 AM	0	6.719	9.5	71.3	0
2/3/2023, 10:44:19 AM	0	6.719	9.9	71.2	0
2/3/2023, 10:54:19 AM	0	6.719	10.4	71.1	0
2/3/2023, 11:04:19 AM	0	6.719	10.6	70.9	0
2/3/2023, 11:14:19 AM	0	6.728	10.8	70.6	0
2/3/2023, 11:24:19 AM	0	6.728	10.8	70.4	0
2/3/2023, 11:34:19 AM	0	6.728	10.8	70.2	0
2/3/2023, 11:44:19 AM	0	6.728	10.8	70	0
2/3/2023, 11:54:19 AM	0	6.728	10.9	69.7	0
2/3/2023, 12:04:19 PM	0	6.728	10.6	69.4	0
2/3/2023, 12:14:19 PM	0	6.728	10.2	69.2	0
2/3/2023, 12:24:19 PM	0	6.728	10.2	69	0
2/3/2023, 12:34:19 PM	0	6.728	10.2	68.9	0
2/3/2023, 12:44:19 PM	0	6.728	10.4	68.7	0
2/3/2023, 12:54:19 PM	0	6.728	10	68.5	0
2/3/2023, 1:04:19 PM	0	6.728	10.2	68.3	0
2/3/2023, 1:14:19 PM	0	6.728	10.2	68.1	0
2/3/2023, 1:24:19 PM	0	6.728	9.9	67.9	0
2/3/2023, 1:34:19 PM	0	6.728	9.9	67.8	0
2/3/2023, 1:44:19 PM	0	6.719	9.7	67.7	0
2/3/2023, 1:54:19 PM	0	6.728	9.5	67.5	0
2/3/2023, 2:04:19 PM	0	6.719	9.7	67.5	0
2/3/2023, 2:14:19 PM	0	6.719	10.2	67.4	0
2/3/2023, 2:24:19 PM	0	6.728	9.9	67.2	0
2/3/2023, 2:34:19 PM	0	6.719	9.1	66.9	0
2/3/2023, 2:44:19 PM	0	6.719	9	66.7	0
2/3/2023, 2:54:19 PM	0	6.719	8.8	66.8	0
2/3/2023, 3:04:19 PM	0	6.719	8.6	66.8	0
2/3/2023, 3:14:19 PM	0	6.719	8.4	66.9	0
2/3/2023, 3:24:19 PM	0	6.719	8.1	67	0
2/3/2023, 3:34:19 PM	0	6.719	7.7	67.1	0
2/3/2023, 3:44:19 PM	0	6.719	7.3	67.4	0
2/3/2023, 3:54:19 PM	0	6.719	7.2	67.6	0
2/3/2023, 4:04:19 PM	0	6.719	7.2	67.9	0
2/3/2023, 4:14:19 PM	0	6.719	7.2	68.1	0
2/3/2023, 4:24:19 PM	0	6.719	6.8	68.2	0
2/3/2023, 4:34:19 PM	0	6.719	6.6	68.3	0
2/3/2023, 4:44:19 PM	0	6.719	6.4	68.4	0
2/3/2023, 4:54:19 PM	0	6.719	6.3	68.6	0
2/3/2023, 5:04:19 PM	0	6.719	6.1	68.7	0
2/3/2023, 5:14:19 PM	0	6.719	5.9	68.8	0
2/3/2023, 5:24:19 PM	0	6.719	5.7	68.8	0
2/3/2023, 5:34:19 PM	0	6.719	5.7	68.9	0
2/3/2023, 5:44:19 PM	0	6.719	5.7	69	0
2/3/2023, 5:54:19 PM	0	6.719	5.7	69.3	0
2/3/2023, 6:04:19 PM	0	6.719	5.7	69.6	0
2/3/2023, 6:14:19 PM	0	6.719	5.7	70	0
2/3/2023, 6:24:19 PM	0	6.719	5.9	70.3	0
2/3/2023, 6:34:19 PM	0	6.719	5.9	70.4	0
2/3/2023, 6:44:19 PM	0	6.719	5.7	70.5	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/3/2023, 6:54:19 PM	0	6.719	5.5	70.4	0
2/3/2023, 7:04:19 PM	0	6.719	5.5	70.5	0
2/3/2023, 7:14:19 PM	0	6.719	5.4	70.6	0
2/3/2023, 7:24:19 PM	0	6.719	5.4	70.7	0
2/3/2023, 7:34:19 PM	0	6.719	5.2	70.7	0
2/3/2023, 7:44:19 PM	0	6.719	5	70.7	0
2/3/2023, 7:54:19 PM	0	6.719	5	70.8	0
2/3/2023, 8:04:19 PM	0	6.719	4.8	70.9	0
2/3/2023, 8:14:19 PM	0	6.719	4.6	71.1	0
2/3/2023, 8:24:19 PM	0	6.719	4.6	71.3	0
2/3/2023, 8:34:19 PM	0	6.719	4.5	71.5	0
2/3/2023, 8:44:19 PM	0	6.71	4.3	71.6	0
2/3/2023, 8:54:19 PM	0	6.71	3.9	71.6	0
2/3/2023, 9:04:19 PM	0	6.71	3.7	71.7	0
2/3/2023, 9:14:19 PM	0	6.71	3.4	71.8	0
2/3/2023, 9:24:19 PM	0	6.71	3.2	71.9	0
2/3/2023, 9:34:19 PM	0	6.71	2.8	72	0
2/3/2023, 9:44:19 PM	0	6.71	2.7	72.1	0
2/3/2023, 9:54:19 PM	0	6.71	2.5	72.2	0
2/3/2023, 10:04:19 PM	0	6.702	2.3	72.3	0
2/3/2023, 10:14:19 PM	0	6.702	1.9	72.3	0
2/3/2023, 10:24:19 PM	0	6.702	1.8	72.4	0
2/3/2023, 10:34:19 PM	0	6.702	1.6	72.5	0
2/3/2023, 10:44:19 PM	0	6.702	1.4	72.6	0
2/3/2023, 10:54:19 PM	0	6.702	1.2	72.7	0
2/3/2023, 11:04:19 PM	0	6.702	1	72.8	0
2/3/2023, 11:14:19 PM	0	6.702	1	72.9	0
2/3/2023, 11:24:19 PM	0	6.702	0.9	73	0
2/3/2023, 11:34:19 PM	0	6.702	0.9	73.1	0
2/3/2023, 11:44:19 PM	0	6.702	0.9	73.2	0
2/3/2023, 11:54:19 PM	0	6.702	0.9	73.4	0
2/4/2023, 12:04:19 AM	0	6.702	0.9	73.5	0
2/4/2023, 12:14:19 AM	0	6.702	0.7	73.6	0
2/4/2023, 12:24:19 AM	0	6.702	0.7	73.7	0
2/4/2023, 12:34:19 AM	0	6.702	0.7	73.8	0
2/4/2023, 12:44:19 AM	0	6.702	0.9	73.9	0
2/4/2023, 12:54:19 AM	0	6.702	0.9	74	0
2/4/2023, 1:04:19 AM	0	6.702	0.9	74.2	0
2/4/2023, 1:14:19 AM	0	6.702	1	74.3	0
2/4/2023, 1:24:19 AM	0	6.702	1	74.4	0
2/4/2023, 1:34:19 AM	0	6.702	1.2	74.5	0
2/4/2023, 1:44:19 AM	0	6.702	1.2	74.6	0
2/4/2023, 1:54:19 AM	0	6.702	1.4	74.7	0
2/4/2023, 2:04:19 AM	0	6.702	1.4	74.8	0
2/4/2023, 2:14:19 AM	0	6.702	1.4	74.9	0
2/4/2023, 2:24:19 AM	0	6.702	1.6	75	0
2/4/2023, 2:34:19 AM	0	6.702	1.6	75	0
2/4/2023, 2:44:19 AM	0	6.702	1.4	75	0
2/4/2023, 2:54:19 AM	0	6.702	1.4	75.1	0
2/4/2023, 3:04:19 AM	0	6.71	1.4	75.1	0
2/4/2023, 3:14:19 AM	0	6.71	1.4	75.1	0
2/4/2023, 3:24:19 AM	0	6.702	1.2	75.1	0
2/4/2023, 3:34:19 AM	0	6.702	0.9	75	0
2/4/2023, 3:44:19 AM	0	6.702	0.3	74.8	0
2/4/2023, 3:54:19 AM	0	6.702	-0.2	74.6	0
2/4/2023, 4:04:19 AM	0	6.702	-0.9	74.3	0
2/4/2023, 4:14:19 AM	0	6.702	-1.5	74.1	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/4/2023, 4:24:19 AM	0	6.693	-2	73.9	0
2/4/2023, 4:34:19 AM	0	6.693	-2.7	73.7	0
2/4/2023, 4:44:19 AM	0	6.693	-3.1	73.6	0
2/4/2023, 4:54:19 AM	0	6.693	-3.5	73.5	0
2/4/2023, 5:04:19 AM	0	6.684	-3.5	73.6	0
2/4/2023, 5:14:19 AM	0	6.684	-3.3	73.8	0
2/4/2023, 5:24:19 AM	0	6.684	-3.1	74.1	0
2/4/2023, 5:34:19 AM	0	6.684	-2.9	74.3	0
2/4/2023, 5:44:19 AM	0	6.684	-2.6	74.5	0
2/4/2023, 5:54:19 AM	0	6.684	-2.4	74.7	0
2/4/2023, 6:04:19 AM	0	6.684	-2.2	74.8	0
2/4/2023, 6:14:19 AM	0	6.693	-2.2	74.9	0
2/4/2023, 6:24:19 AM	0	6.693	-2	75	0
2/4/2023, 6:34:19 AM	0	6.693	-1.8	75.1	0
2/4/2023, 6:44:19 AM	0	6.693	-1.7	75.3	0
2/4/2023, 6:54:19 AM	0	6.693	-1.5	75.4	0
2/4/2023, 7:04:19 AM	0	6.693	-1.1	75.6	0
2/4/2023, 7:14:19 AM	0	6.693	-0.9	75.7	0
2/4/2023, 7:24:19 AM	0	6.693	-0.8	75.9	0
2/4/2023, 7:34:19 AM	0	6.702	-0.4	76	0
2/4/2023, 7:44:19 AM	0	6.702	-0.2	76.1	0
2/4/2023, 7:54:19 AM	0	6.702	0.1	76.1	0
2/4/2023, 8:04:19 AM	0	6.702	0.5	76.2	0
2/4/2023, 8:14:19 AM	0	6.702	0.9	76.3	0
2/4/2023, 8:24:19 AM	0	6.71	1.2	76.3	0
2/4/2023, 8:34:19 AM	0	6.71	1.6	76.3	0
2/4/2023, 8:44:19 AM	0	6.71	2.1	76.3	0
2/4/2023, 8:54:19 AM	0	6.71	3	76.4	0
2/4/2023, 9:04:19 AM	0	6.719	3.9	76.4	0
2/4/2023, 9:14:19 AM	0	6.719	4.8	76.4	0
2/4/2023, 9:24:19 AM	0	6.719	5.7	76.2	0
2/4/2023, 9:34:19 AM	0	6.728	6.3	76	0
2/4/2023, 9:44:19 AM	0	6.728	6.6	75.6	0
2/4/2023, 9:54:19 AM	0	6.728	7.2	75.3	0
2/4/2023, 10:04:19 AM	0	6.737	7.9	75.1	0
2/4/2023, 10:14:19 AM	0	6.737	8.6	74.8	0
2/4/2023, 10:24:19 AM	0	6.737	9	74.5	0
2/4/2023, 10:34:19 AM	0	6.737	9.1	74.2	0
2/4/2023, 10:44:19 AM	0	6.746	9.3	73.9	0
2/4/2023, 10:54:19 AM	0	6.746	9.5	73.6	0
2/4/2023, 11:04:19 AM	0	6.746	9.9	73.3	0
2/4/2023, 11:14:19 AM	0	6.746	10.2	73	0
2/4/2023, 11:24:19 AM	0	6.746	10.6	72.8	0
2/4/2023, 11:34:19 AM	0	6.746	10.9	72.6	0
2/4/2023, 11:44:19 AM	0	6.754	11.1	72.3	0
2/4/2023, 11:54:19 AM	0	6.754	11.5	72.1	0
2/4/2023, 12:04:19 PM	0	6.754	12	71.8	0
2/4/2023, 12:14:19 PM	0	6.754	12.7	71.7	0
2/4/2023, 12:24:19 PM	0	6.763	13.5	71.5	0
2/4/2023, 12:34:19 PM	0	6.763	14.2	71.4	0
2/4/2023, 12:44:19 PM	0	6.763	14.9	71.2	0
2/4/2023, 12:54:19 PM	0	6.763	15.6	70.9	0
2/4/2023, 1:04:19 PM	0	6.772	16.5	70.8	0
2/4/2023, 1:14:19 PM	0	6.772	17.1	70.6	0
2/4/2023, 1:24:19 PM	0	6.772	17.4	70.3	0
2/4/2023, 1:34:19 PM	0	6.781	17.8	70	0
2/4/2023, 1:44:19 PM	0	6.781	18	69.9	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/4/2023, 1:54:19 PM	0	6.781	18	69.6	0
2/4/2023, 2:04:19 PM	0	6.781	18	69.4	0
2/4/2023, 2:14:19 PM	0	6.781	18	69.2	0
2/4/2023, 2:24:19 PM	0	6.781	18	69	0
2/4/2023, 2:34:19 PM	0	6.781	18.1	68.9	0
2/4/2023, 2:44:19 PM	0	6.781	18.5	68.8	0
2/4/2023, 2:54:19 PM	0	6.79	18.9	68.7	0
2/4/2023, 3:04:19 PM	0	6.79	19	68.6	0
2/4/2023, 3:14:19 PM	0	6.79	19.2	68.4	0
2/4/2023, 3:24:19 PM	0	6.79	19.4	68.3	0
2/4/2023, 3:34:19 PM	0	6.79	19.8	68.1	0
2/4/2023, 3:44:19 PM	0	6.79	19.9	67.9	0
2/4/2023, 3:54:19 PM	0	6.79	19.9	67.7	0
2/4/2023, 4:04:19 PM	0	6.79	20.1	67.6	0
2/4/2023, 4:14:19 PM	0	6.79	20.1	67.5	0
2/4/2023, 4:24:19 PM	0	6.798	20.3	67.4	0
2/4/2023, 4:34:19 PM	0	6.798	20.3	67.4	0
2/4/2023, 4:44:19 PM	0	6.798	20.3	67.2	0
2/4/2023, 4:54:19 PM	0	6.798	20.3	67.1	0
2/4/2023, 5:04:19 PM	0	6.798	20.1	67	0
2/4/2023, 5:14:19 PM	0	6.798	19.8	66.9	0
2/4/2023, 5:24:19 PM	0	6.798	19.4	66.8	0
2/4/2023, 5:34:19 PM	0	6.79	19	66.8	0
2/4/2023, 5:44:19 PM	0	6.79	18.7	66.8	0
2/4/2023, 5:54:19 PM	0	6.79	18.1	66.8	0
2/4/2023, 6:04:19 PM	0	6.79	17.6	66.9	0
2/4/2023, 6:14:19 PM	0	6.79	17.1	67.1	0
2/4/2023, 6:24:19 PM	0	6.79	16.5	67.3	0
2/4/2023, 6:34:19 PM	0	6.781	15.8	67.4	0
2/4/2023, 6:44:19 PM	0	6.781	15.3	67.7	0
2/4/2023, 6:54:19 PM	0	6.781	14.7	68	0
2/4/2023, 7:04:19 PM	0	6.781	14.4	68.3	0
2/4/2023, 7:14:19 PM	0	6.781	14.2	68.6	0
2/4/2023, 7:24:19 PM	0	6.772	13.8	69	0
2/4/2023, 7:34:19 PM	0	6.772	13.6	69.4	0
2/4/2023, 7:44:19 PM	0	6.772	13.5	69.7	0
2/4/2023, 7:54:19 PM	0	6.772	13.3	70	0
2/4/2023, 8:04:19 PM	0	6.772	13.3	70.4	0
2/4/2023, 8:14:19 PM	0	6.772	13.1	70.8	0
2/4/2023, 8:24:19 PM	0	6.772	13.3	71.3	0
2/4/2023, 8:34:19 PM	0	6.763	13.5	71.8	0
2/4/2023, 8:44:19 PM	0	6.763	13.6	72.4	0
2/4/2023, 8:54:19 PM	0	6.772	14	72.9	0
2/4/2023, 9:04:19 PM	0	6.772	14.4	73.4	0
2/4/2023, 9:14:19 PM	0	6.772	14.9	74	0
2/4/2023, 9:24:19 PM	0	6.772	15.6	74.6	0
2/4/2023, 9:34:19 PM	0	6.772	16.5	75.1	0
2/4/2023, 9:44:19 PM	0	6.781	17.4	75.5	0
2/4/2023, 9:54:19 PM	0	6.781	18.7	75.6	0
2/4/2023, 10:04:19 PM	0	6.79	20.1	75.5	0
2/4/2023, 10:14:19 PM	0	6.79	21.4	75	0
2/4/2023, 10:24:19 PM	0	6.798	22.5	74.2	0
2/4/2023, 10:34:19 PM	0	6.798	23.5	73.3	0
2/4/2023, 10:44:19 PM	0	6.807	24.3	72.3	0
2/4/2023, 10:54:19 PM	0	6.807	25	71.4	0
2/4/2023, 11:04:19 PM	0	6.807	25.3	70.5	0
2/4/2023, 11:14:19 PM	0	6.807	25.9	69.8	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/4/2023, 11:24:19 PM	0	6.807	26.1	69.2	0
2/4/2023, 11:34:19 PM	0	6.816	26.2	68.6	0
2/4/2023, 11:44:19 PM	0	6.816	26.1	68.1	0
2/4/2023, 11:54:19 PM	0	6.816	25.9	67.8	0
2/5/2023, 12:04:19 AM	0	6.816	25.7	67.6	0
2/5/2023, 12:14:19 AM	0	6.816	25.3	67.6	0
2/5/2023, 12:24:19 AM	0	6.816	25.2	67.6	0
2/5/2023, 12:34:19 AM	0	6.816	25.2	67.7	0
2/5/2023, 12:44:19 AM	0	6.816	25	67.7	0
2/5/2023, 12:54:19 AM	0	6.807	25	67.8	0
2/5/2023, 1:04:19 AM	0	6.807	24.8	67.9	0
2/5/2023, 1:14:19 AM	0	6.807	24.8	68	0
2/5/2023, 1:24:19 AM	0	6.807	24.8	68.2	0
2/5/2023, 1:34:19 AM	0	6.807	25.2	68.2	0
2/5/2023, 1:44:19 AM	0	6.807	25.2	68.2	0
2/5/2023, 1:54:19 AM	0	6.807	25.2	68.1	0
2/5/2023, 2:04:19 AM	0	6.807	25.3	68.1	0
2/5/2023, 2:14:19 AM	0	6.807	25.2	68.1	0
2/5/2023, 2:24:19 AM	0	6.807	25.2	68.2	0
2/5/2023, 2:34:19 AM	0	6.807	25.2	68.3	0
2/5/2023, 2:44:19 AM	0	6.807	25.2	68.4	0
2/5/2023, 2:54:19 AM	0	6.807	25	68.6	0
2/5/2023, 3:04:19 AM	0	6.807	25.2	68.8	0
2/5/2023, 3:14:19 AM	0	6.807	25.2	69	0
2/5/2023, 3:24:19 AM	0	6.807	25.2	69.2	0
2/5/2023, 3:34:19 AM	0	6.807	25.2	69.3	0
2/5/2023, 3:44:19 AM	0	6.807	25	69.5	0
2/5/2023, 3:54:19 AM	0	6.807	24.8	69.6	0
2/5/2023, 4:04:19 AM	0	6.807	24.8	69.7	0
2/5/2023, 4:14:19 AM	0	6.807	25	70	0
2/5/2023, 4:24:19 AM	0	6.807	25.2	70.2	0
2/5/2023, 4:34:19 AM	0	6.807	25.5	70.4	0
2/5/2023, 4:44:19 AM	0	6.807	25.7	70.6	0
2/5/2023, 4:54:19 AM	0	6.807	26.1	70.6	0
2/5/2023, 5:04:19 AM	0	6.816	26.2	70.7	0
2/5/2023, 5:14:19 AM	0	6.816	26.2	70.7	0
2/5/2023, 5:24:19 AM	0	6.816	26.2	70.7	0
2/5/2023, 5:34:19 AM	0	6.816	26.1	70.8	0
2/5/2023, 5:44:19 AM	0	6.816	25.9	70.8	0
2/5/2023, 5:54:19 AM	0	6.816	25.7	70.9	0
2/5/2023, 6:04:19 AM	0	6.807	25.5	71.1	0
2/5/2023, 6:14:19 AM	0	6.807	25.5	71.3	0
2/5/2023, 6:24:19 AM	0	6.807	25.5	71.5	0
2/5/2023, 6:34:19 AM	0	6.807	25.5	71.7	0
2/5/2023, 6:44:19 AM	0	6.807	25.3	71.8	0
2/5/2023, 6:54:19 AM	0	6.807	25.3	72	0
2/5/2023, 7:04:19 AM	0	6.807	25.2	72.1	0
2/5/2023, 7:14:19 AM	0	6.807	25	72.2	0
2/5/2023, 7:24:19 AM	0	6.807	24.6	72.3	0
2/5/2023, 7:34:19 AM	0	6.807	24.4	72.5	0
2/5/2023, 7:44:19 AM	0	6.807	24.3	72.7	0
2/5/2023, 7:54:19 AM	0	6.807	24.3	73.1	0
2/5/2023, 8:04:19 AM	0	6.807	24.4	73.4	0
2/5/2023, 8:14:19 AM	0	6.807	24.6	73.9	0
2/5/2023, 8:24:19 AM	0	6.807	25.2	74.3	0
2/5/2023, 8:34:19 AM	0	6.807	25.5	74.9	0
2/5/2023, 8:44:19 AM	0	6.807	26.2	75.4	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/5/2023, 8:54:19 AM	0	6.807	27	75.9	0
2/5/2023, 9:04:19 AM	0	6.807	28	76.6	0
2/5/2023, 9:14:19 AM	0	6.816	29.8	77.4	0
2/5/2023, 9:24:19 AM	0	6.816	32	77.7	0
2/5/2023, 9:34:19 AM	0	6.825	34	77.3	0
2/5/2023, 9:44:19 AM	0	6.825	36	76.4	0
2/5/2023, 9:54:19 AM	0	6.833	37.6	75.3	0
2/5/2023, 10:04:19 AM	0	6.833	39.4	74.1	0
2/5/2023, 10:14:19 AM	0	6.842	41	72.8	0
2/5/2023, 10:24:19 AM	0	6.842	42.4	71.5	0
2/5/2023, 10:34:19 AM	0	6.851	43.7	70.2	0
2/5/2023, 10:44:19 AM	0	6.851	45.1	69	0
2/5/2023, 10:54:19 AM	0	6.851	46.2	67.8	0
2/5/2023, 11:04:19 AM	0	6.851	47.3	66.8	0
2/5/2023, 11:14:19 AM	0	6.86	48.2	65.9	0
2/5/2023, 11:24:19 AM	0	6.86	48.7	65	0
2/5/2023, 11:34:19 AM	0	6.86	49.3	64.2	0
2/5/2023, 11:44:19 AM	0	6.86	49.6	63.6	0
2/5/2023, 11:54:19 AM	0	6.86	49.8	63	0
2/5/2023, 12:04:19 PM	0	6.86	50.2	62.5	0
2/5/2023, 12:14:19 PM	0	6.86	50.4	62	0
2/5/2023, 12:24:19 PM	0	6.86	50.4	61.5	0
2/5/2023, 12:34:19 PM	0	6.86	50.2	61.1	0
2/5/2023, 12:44:19 PM	0	6.86	49.8	60.9	0
2/5/2023, 12:54:19 PM	0	6.86	49.6	60.7	0
2/5/2023, 1:04:19 PM	0	6.86	49.6	60.5	0
2/5/2023, 1:14:19 PM	0	6.86	49.6	60.4	0
2/5/2023, 1:24:19 PM	0	6.86	49.6	60.3	0
2/5/2023, 1:34:19 PM	0	6.86	49.6	60.1	0
2/5/2023, 1:44:19 PM	0	6.86	49.5	60	0
2/5/2023, 1:54:19 PM	0	6.86	49.3	59.9	0
2/5/2023, 2:04:19 PM	0	6.86	48.9	59.9	0
2/5/2023, 2:14:19 PM	0	6.86	48.4	59.9	0
2/5/2023, 2:24:19 PM	0	6.86	48	60.1	0
2/5/2023, 2:34:19 PM	0	6.86	47.7	60.2	0
2/5/2023, 2:44:19 PM	0	6.86	47.1	60.4	0
2/5/2023, 2:54:19 PM	0	6.86	46.6	60.6	0
2/5/2023, 3:04:19 PM	0	6.86	46	61	0
2/5/2023, 3:14:19 PM	0	6.86	45.5	61.7	0
2/5/2023, 3:24:19 PM	0	6.86	45	62.6	0
2/5/2023, 3:34:19 PM	0	6.86	44.4	63.3	0
2/5/2023, 3:44:19 PM	0	6.86	43.9	64.1	0
2/5/2023, 3:54:19 PM	0	6.86	43.5	64.8	0
2/5/2023, 4:04:19 PM	0	6.851	43.2	65.4	0
2/5/2023, 4:14:19 PM	0	6.851	43.2	65.7	0
2/5/2023, 4:24:19 PM	0	6.851	43	66	0
2/5/2023, 4:34:19 PM	0	6.851	42.8	66.1	0
2/5/2023, 4:44:19 PM	0	6.851	42.4	66.3	0
2/5/2023, 4:54:19 PM	0	6.851	42.1	66.6	0
2/5/2023, 5:04:19 PM	0	6.851	41.7	66.9	0
2/5/2023, 5:14:19 PM	0	6.851	41.2	67.3	0
2/5/2023, 5:24:19 PM	0	6.851	40.8	67.9	0
2/5/2023, 5:34:19 PM	0	6.851	40.5	68.5	0
2/5/2023, 5:44:19 PM	0	6.851	40.1	69.2	0
2/5/2023, 5:54:19 PM	0	6.851	39.6	69.7	0
2/5/2023, 6:04:19 PM	0	6.842	39.2	70.2	0
2/5/2023, 6:14:19 PM	0	6.842	39	70.7	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/5/2023, 6:24:19 PM	0	6.842	38.7	71.2	0
2/5/2023, 6:34:19 PM	0	6.842	38.3	71.6	0
2/5/2023, 6:44:19 PM	0	6.842	38.1	72	0
2/5/2023, 6:54:19 PM	0	6.842	37.9	72.4	0
2/5/2023, 7:04:19 PM	0	6.842	37.8	72.8	0
2/5/2023, 7:14:19 PM	0	6.842	37.4	73.3	0
2/5/2023, 7:24:19 PM	0	6.842	37.2	73.8	0
2/5/2023, 7:34:19 PM	0	6.842	37	74.4	0
2/5/2023, 7:44:19 PM	0	6.842	36.9	74.8	0
2/5/2023, 7:54:19 PM	0	6.833	36.7	75.4	0
2/5/2023, 8:04:19 PM	0	6.833	36.5	75.9	0
2/5/2023, 8:14:19 PM	0	6.833	36.5	76.4	0
2/5/2023, 8:24:19 PM	0	6.833	36.3	76.9	0
2/5/2023, 8:34:19 PM	0	6.833	36.3	77.4	0
2/5/2023, 8:44:19 PM	0	6.833	36.1	77.9	0
2/5/2023, 8:54:19 PM	0	6.833	36.3	78.4	0
2/5/2023, 9:04:19 PM	0	6.833	36.7	79	0
2/5/2023, 9:14:19 PM	0	6.833	36.9	79.4	0
2/5/2023, 9:24:19 PM	0	6.833	36.9	79.7	0
2/5/2023, 9:34:19 PM	0	6.833	36.9	80.1	0
2/5/2023, 9:44:19 PM	0	6.833	36.9	80.4	0
2/5/2023, 9:54:19 PM	0	6.833	36.9	80.7	0
2/5/2023, 10:04:19 PM	0	6.833	36.7	81	0
2/5/2023, 10:14:19 PM	0	6.833	36.7	81.3	0
2/5/2023, 10:24:19 PM	0	6.833	36.5	81.6	0
2/5/2023, 10:34:19 PM	0	6.833	36.3	82	0
2/5/2023, 10:44:19 PM	0	6.833	36.1	82.3	0
2/5/2023, 10:54:19 PM	0	6.833	36.1	82.6	0
2/5/2023, 11:04:19 PM	0	6.833	36.1	83	0
2/5/2023, 11:14:19 PM	0	6.833	36.1	83.4	0
2/5/2023, 11:24:19 PM	0	6.833	36.1	83.8	0
2/5/2023, 11:34:19 PM	0	6.833	36.1	84.3	0
2/5/2023, 11:44:19 PM	0	6.833	36.3	84.8	0
2/5/2023, 11:54:19 PM	0	6.833	36.5	85.1	0
2/6/2023, 12:04:19 AM	0	6.833	36.5	85.5	0
2/6/2023, 12:14:19 AM	0	6.833	36.7	86	0
2/6/2023, 12:24:19 AM	0	6.833	36.9	86.4	0
2/6/2023, 12:34:19 AM	0	6.833	37	86.7	0
2/6/2023, 12:44:19 AM	0	6.833	37.2	86.9	0
2/6/2023, 12:54:19 AM	0	6.833	37.2	87.1	0
2/6/2023, 1:04:19 AM	0	6.833	37.2	87.1	0
2/6/2023, 1:14:19 AM	0	6.833	37	87.1	0
2/6/2023, 1:24:19 AM	0	6.833	36.9	87.1	0
2/6/2023, 1:34:19 AM	0	6.833	36.7	87.2	0
2/6/2023, 1:44:19 AM	0	6.833	36.7	87.3	0
2/6/2023, 1:54:19 AM	0	6.833	36.5	87.3	0
2/6/2023, 2:04:19 AM	0	6.833	36.5	87.4	0
2/6/2023, 2:14:19 AM	0	6.833	36.3	87.5	0
2/6/2023, 2:24:19 AM	0	6.833	36.3	87.6	0
2/6/2023, 2:34:19 AM	0	6.833	36.1	87.8	0
2/6/2023, 2:44:19 AM	0	6.833	36.1	87.9	0
2/6/2023, 2:54:19 AM	0	6.833	36.1	88.1	0
2/6/2023, 3:04:19 AM	0	6.833	36.1	88.3	0
2/6/2023, 3:14:19 AM	0	6.833	36.1	88.4	0
2/6/2023, 3:24:19 AM	0	6.833	36.1	88.6	0
2/6/2023, 3:34:19 AM	0	6.833	36.1	88.8	0
2/6/2023, 3:44:19 AM	0	6.833	36.1	88.9	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/6/2023, 3:54:19 AM	0	6.833	36	89	0
2/6/2023, 4:04:19 AM	0	6.833	36	89.1	0
2/6/2023, 4:14:19 AM	0	6.833	36	89.1	0
2/6/2023, 4:24:19 AM	0	6.833	36	89.3	0
2/6/2023, 4:34:19 AM	0	6.833	36	89.3	0
2/6/2023, 4:44:19 AM	0	6.833	36	89.4	0
2/6/2023, 4:54:19 AM	0	6.833	35.8	89.4	0
2/6/2023, 5:04:19 AM	0	6.833	35.8	89.4	0
2/6/2023, 5:14:19 AM	0	6.833	35.6	89.4	0
2/6/2023, 5:24:19 AM	0	6.833	35.6	89.6	0
2/6/2023, 5:34:19 AM	0	6.833	35.4	89.6	0
2/6/2023, 5:44:19 AM	0	6.833	35.4	89.7	0
2/6/2023, 5:54:19 AM	0	6.833	35.4	89.8	0
2/6/2023, 6:04:19 AM	0	6.833	35.4	90	0
2/6/2023, 6:14:19 AM	0	6.833	35.4	90.1	0
2/6/2023, 6:24:19 AM	0	6.833	35.4	90.2	0
2/6/2023, 6:34:19 AM	0	6.833	35.4	90.3	0
2/6/2023, 6:44:19 AM	0	6.833	35.4	90.3	0
2/6/2023, 6:54:19 AM	0	6.833	35.4	90.4	0
2/6/2023, 7:04:19 AM	0	6.833	35.6	90.5	0
2/6/2023, 7:14:19 AM	0	6.833	35.6	90.6	0
2/6/2023, 7:24:19 AM	0	6.833	35.6	90.7	0
2/6/2023, 7:34:19 AM	0	6.833	35.6	90.6	0
2/6/2023, 7:44:19 AM	0	6.833	35.6	90.6	0
2/6/2023, 7:54:19 AM	0	6.833	35.6	90.5	0
2/6/2023, 8:04:19 AM	0	6.833	35.6	90.4	0
2/6/2023, 8:14:19 AM	0	6.833	35.4	90.4	0
2/6/2023, 8:24:19 AM	0	6.833	35.4	90.3	0
2/6/2023, 8:34:19 AM	0	6.833	35.4	90.3	0
2/6/2023, 8:44:19 AM	0	6.833	35.4	90.2	0
2/6/2023, 8:54:19 AM	0	6.833	35.4	90.1	0
2/6/2023, 9:04:19 AM	0	6.833	35.4	90.1	0
2/6/2023, 9:14:19 AM	0	6.833	35.4	90	0
2/6/2023, 9:24:19 AM	0	6.833	35.4	89.9	0
2/6/2023, 9:34:19 AM	0	6.833	35.4	89.7	0
2/6/2023, 9:44:19 AM	0	6.833	35.2	89.5	0
2/6/2023, 9:54:19 AM	0	6.833	35.1	89.3	0
2/6/2023, 10:04:19 AM	0	6.833	35.1	89	0
2/6/2023, 10:14:19 AM	0	6.833	34.9	88.7	0
2/6/2023, 10:24:19 AM	0	6.833	34.7	88.4	0
2/6/2023, 10:34:19 AM	0	6.825	34.5	88.1	0
2/6/2023, 10:44:19 AM	0	6.825	34.5	87.8	0
2/6/2023, 10:54:19 AM	0	6.825	34.3	87.5	0
2/6/2023, 11:04:19 AM	0	6.825	34.3	87.1	0
2/6/2023, 11:14:19 AM	0	6.825	34.2	86.8	0
2/6/2023, 11:24:19 AM	0	6.825	34.2	86.4	0
2/6/2023, 11:34:19 AM	0	6.825	34	86.1	0
2/6/2023, 11:44:19 AM	0	6.825	34	85.8	0
2/6/2023, 11:54:19 AM	0	6.825	33.8	85.5	0
2/6/2023, 12:04:19 PM	0	6.825	33.6	85.2	0
2/6/2023, 12:14:19 PM	0	6.825	33.6	84.8	0
2/6/2023, 12:24:19 PM	0	6.825	33.3	84.2	0
2/6/2023, 12:34:19 PM	0	6.825	33.1	83.8	0
2/6/2023, 12:44:19 PM	0	6.825	33.1	83.4	0
2/6/2023, 12:54:19 PM	0	6.825	32.9	82.9	0
2/6/2023, 1:04:19 PM	0	6.825	32.9	82.6	0
2/6/2023, 1:14:19 PM	0	6.825	32.9	82.2	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/6/2023, 1:24:19 PM	0	6.825	32.9	81.7	0
2/6/2023, 1:34:19 PM	0	6.825	32.9	81.4	0
2/6/2023, 1:44:19 PM	0	6.825	33.1	81.1	0
2/6/2023, 1:54:19 PM	0	6.825	33.1	80.6	0
2/6/2023, 2:04:19 PM	0	6.825	32.9	80.3	0
2/6/2023, 2:14:19 PM	0	6.825	32.7	79.9	0
2/6/2023, 2:24:19 PM	0	6.825	32.5	79.6	0
2/6/2023, 2:34:19 PM	0	6.825	32.5	79.5	0
2/6/2023, 2:44:19 PM	0	6.825	32.4	79.2	0
2/6/2023, 2:54:19 PM	0	6.825	32.4	79.1	0
2/6/2023, 3:04:19 PM	0	6.816	32.4	78.9	0
2/6/2023, 3:14:19 PM	0	6.825	32.2	78.7	0
2/6/2023, 3:24:19 PM	0	6.825	32.2	78.6	0
2/6/2023, 3:34:19 PM	0	6.816	32	78.5	0
2/6/2023, 3:44:19 PM	0	6.816	32	78.3	0
2/6/2023, 3:54:19 PM	0	6.816	31.8	78.2	0
2/6/2023, 4:04:19 PM	0	6.816	31.6	78.1	0
2/6/2023, 4:14:19 PM	0	6.816	31.5	78	0
2/6/2023, 4:24:19 PM	0	6.816	31.5	77.9	0
2/6/2023, 4:34:19 PM	0	6.816	31.3	77.9	0
2/6/2023, 4:44:19 PM	0	6.816	31.3	77.9	0
2/6/2023, 4:54:19 PM	0	6.816	31.3	77.8	0
2/6/2023, 5:04:19 PM	0	6.816	31.1	77.8	0
2/6/2023, 5:14:19 PM	0	6.816	31.1	77.8	0
2/6/2023, 5:24:19 PM	0	6.816	30.9	77.7	0
2/6/2023, 5:34:19 PM	0	6.816	30.7	77.7	0
2/6/2023, 5:44:19 PM	0	6.816	30.4	77.7	0
2/6/2023, 5:54:19 PM	0	6.816	30.4	77.9	0
2/6/2023, 6:04:19 PM	0	6.816	30.2	78.1	0
2/6/2023, 6:14:19 PM	0	6.816	30	78.3	0
2/6/2023, 6:24:19 PM	0	6.816	29.8	78.5	0
2/6/2023, 6:34:19 PM	0	6.816	29.7	78.7	0
2/6/2023, 6:44:19 PM	0	6.816	29.5	78.9	0
2/6/2023, 6:54:19 PM	0	6.816	29.1	79	0
2/6/2023, 7:04:19 PM	0	6.807	28.8	79.1	0
2/6/2023, 7:14:19 PM	0	6.807	28.4	79.1	0
2/6/2023, 7:24:19 PM	0	6.807	28	79.2	0
2/6/2023, 7:34:19 PM	0	6.807	27.5	79.4	0
2/6/2023, 7:44:19 PM	0	6.807	27.1	79.5	0
2/6/2023, 7:54:19 PM	0	6.807	26.8	79.7	0
2/6/2023, 8:04:19 PM	0	6.798	26.4	80	0
2/6/2023, 8:14:19 PM	0	6.798	26.2	80.3	0
2/6/2023, 8:24:19 PM	0	6.798	25.9	80.5	0
2/6/2023, 8:34:19 PM	0	6.798	25.7	80.7	0
2/6/2023, 8:44:19 PM	0	6.798	25.3	81	0
2/6/2023, 8:54:19 PM	0	6.798	25.2	81.3	0
2/6/2023, 9:04:19 PM	0	6.798	25	81.5	0
2/6/2023, 9:14:19 PM	0	6.798	24.6	81.7	0
2/6/2023, 9:24:19 PM	0	6.798	24.4	81.9	0
2/6/2023, 9:34:19 PM	0	6.798	24.1	82	0
2/6/2023, 9:44:19 PM	0	6.79	23.9	82.2	0
2/6/2023, 9:54:19 PM	0	6.79	23.7	82.4	0
2/6/2023, 10:04:19 PM	0	6.79	23.5	82.6	0
2/6/2023, 10:14:19 PM	0	6.79	23.4	82.8	0
2/6/2023, 10:24:19 PM	0	6.79	23	82.9	0
2/6/2023, 10:34:19 PM	0	6.79	22.8	83	0
2/6/2023, 10:44:19 PM	0	6.79	22.6	83.2	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/6/2023, 10:54:19 PM	0	6.79	22.5	83.4	0
2/6/2023, 11:04:19 PM	0	6.79	22.5	83.6	0
2/6/2023, 11:14:19 PM	0	6.79	22.3	83.8	0
2/6/2023, 11:24:19 PM	0	6.781	22.3	83.9	0
2/6/2023, 11:34:19 PM	0	6.781	22.1	84.1	0
2/6/2023, 11:44:19 PM	0	6.781	21.9	84.2	0
2/6/2023, 11:54:19 PM	0	6.781	21.9	84.3	0
2/7/2023, 12:04:19 AM	0	6.781	21.7	84.5	0
2/7/2023, 12:14:19 AM	0	6.781	21.6	84.5	0
2/7/2023, 12:24:19 AM	0	6.781	21.4	84.6	0
2/7/2023, 12:34:19 AM	0	6.781	21.2	84.7	0
2/7/2023, 12:44:19 AM	0	6.781	21	84.7	0
2/7/2023, 12:54:19 AM	0	6.781	21	84.8	0
2/7/2023, 1:04:19 AM	0	6.781	20.8	84.9	0
2/7/2023, 1:14:19 AM	0	6.781	20.7	85	0
2/7/2023, 1:24:19 AM	0	6.781	20.7	85.1	0
2/7/2023, 1:34:19 AM	0	6.781	20.5	85.1	0
2/7/2023, 1:44:19 AM	0	6.781	20.3	85.2	0
2/7/2023, 1:54:19 AM	0	6.781	20.3	85.3	0
2/7/2023, 2:04:19 AM	0	6.781	20.3	85.5	0
2/7/2023, 2:14:19 AM	0	6.781	20.3	85.6	0
2/7/2023, 2:24:19 AM	0	6.781	20.3	85.6	0
2/7/2023, 2:34:19 AM	0	6.772	20.1	85.7	0
2/7/2023, 2:44:19 AM	0	6.772	20.1	85.7	0
2/7/2023, 2:54:19 AM	0	6.772	19.9	85.7	0
2/7/2023, 3:04:19 AM	0	6.772	19.8	85.7	0
2/7/2023, 3:14:19 AM	0	6.772	19.6	85.7	0
2/7/2023, 3:24:19 AM	0	6.772	19.4	85.7	0
2/7/2023, 3:34:19 AM	0	6.772	19.4	85.8	0
2/7/2023, 3:44:19 AM	0	6.772	19.4	86	0
2/7/2023, 3:54:19 AM	0	6.772	19.6	86.2	0
2/7/2023, 4:04:19 AM	0	6.772	19.8	86.4	0
2/7/2023, 4:14:19 AM	0	6.772	19.6	86.4	0
2/7/2023, 4:24:19 AM	0	6.772	19.6	86.4	0
2/7/2023, 4:34:19 AM	0	6.772	19.4	86.4	0
2/7/2023, 4:44:19 AM	0	6.772	19.4	86.5	0
2/7/2023, 4:54:19 AM	0	6.772	19.6	86.6	0
2/7/2023, 5:04:19 AM	0	6.772	19.8	86.9	0
2/7/2023, 5:14:19 AM	0	6.772	19.8	87.1	0
2/7/2023, 5:24:19 AM	0	6.772	19.9	87.3	0
2/7/2023, 5:34:19 AM	0	6.781	20.5	87.7	0
2/7/2023, 5:44:19 AM	0	6.781	21	88.2	0
2/7/2023, 5:54:19 AM	0	6.781	21.6	88.6	0
2/7/2023, 6:04:19 AM	0	6.781	22.1	89	0
2/7/2023, 6:14:19 AM	0	6.781	22.5	89.2	0
2/7/2023, 6:24:19 AM	0	6.79	22.8	89.4	0
2/7/2023, 6:34:19 AM	0	6.79	23.2	89.6	0
2/7/2023, 6:44:19 AM	0	6.79	23.4	89.7	0
2/7/2023, 6:54:19 AM	0	6.79	23.7	89.7	0
2/7/2023, 7:04:19 AM	0	6.79	23.9	89.8	0
2/7/2023, 7:14:19 AM	0	6.79	23.9	89.7	0
2/7/2023, 7:24:19 AM	0	6.79	24.1	89.5	0
2/7/2023, 7:34:19 AM	0	6.79	24.1	89.4	0
2/7/2023, 7:44:19 AM	0	6.79	24.3	89.4	0
2/7/2023, 7:54:19 AM	0	6.798	24.3	89.4	0
2/7/2023, 8:04:19 AM	0	6.798	24.4	89.4	0
2/7/2023, 8:14:19 AM	0	6.798	24.8	89.5	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/7/2023, 8:24:19 AM	0	6.798	25.3	89.7	0
2/7/2023, 8:34:19 AM	0	6.798	25.7	89.8	0
2/7/2023, 8:44:19 AM	0	6.798	26.4	90	0
2/7/2023, 8:54:19 AM	0	6.798	27	90.2	0
2/7/2023, 9:04:19 AM	0	6.798	27.9	90.3	0
2/7/2023, 9:14:19 AM	0	6.807	28.6	90.4	0
2/7/2023, 9:24:19 AM	0	6.807	29.3	90.3	0
2/7/2023, 9:34:19 AM	0	6.807	30	90.2	0
2/7/2023, 9:44:19 AM	0	6.807	31.1	90.1	0
2/7/2023, 9:54:19 AM	0	6.816	32	89.8	0
2/7/2023, 10:04:19 AM	0	6.816	33.3	89.5	0
2/7/2023, 10:14:19 AM	0	6.825	34.3	88.9	0
2/7/2023, 10:24:19 AM	0	6.825	35.6	88.1	0
2/7/2023, 10:34:19 AM	0	6.825	36.5	87.1	0
2/7/2023, 10:44:19 AM	0	6.833	36.9	86	0
2/7/2023, 10:54:19 AM	0	6.833	37.4	85	0
2/7/2023, 11:04:19 AM	0	6.833	37.9	84.1	0
2/7/2023, 11:14:19 AM	0	6.833	38.5	83.2	0
2/7/2023, 11:24:19 AM	0	6.833	39.2	82.2	0
2/7/2023, 11:34:19 AM	0	6.833	39.9	81.2	0
2/7/2023, 11:44:19 AM	0	6.842	40.8	80.3	0
2/7/2023, 11:54:19 AM	0	6.842	41.9	79.5	0
2/7/2023, 12:04:19 PM	0	6.842	43.3	78.4	0
2/7/2023, 12:14:19 PM	0	6.842	44.8	77.1	0
2/7/2023, 12:24:19 PM	0	6.851	46.2	75.9	0
2/7/2023, 12:34:19 PM	0	6.851	47.5	74.5	0
2/7/2023, 12:44:19 PM	0	6.851	48.7	73.1	0
2/7/2023, 12:54:19 PM	0	6.851	49.5	71.7	0
2/7/2023, 1:04:19 PM	0	6.86	49.8	70.5	0
2/7/2023, 1:14:19 PM	0	6.86	50	69.7	0
2/7/2023, 1:24:19 PM	0	6.86	50.4	69.1	0
2/7/2023, 1:34:19 PM	0	6.86	50.4	68.4	0
2/7/2023, 1:44:19 PM	0	6.86	50.5	67.9	0
2/7/2023, 1:54:19 PM	0	6.86	50.4	67.5	0
2/7/2023, 2:04:19 PM	0	6.86	50.4	67.5	0
2/7/2023, 2:14:19 PM	0	6.86	50.7	67.5	0
2/7/2023, 2:24:19 PM	0	6.86	50.7	67.2	0
2/7/2023, 2:34:19 PM	0	6.86	50.9	67.1	0
2/7/2023, 2:44:19 PM	0	6.86	51.1	67	0
2/7/2023, 2:54:19 PM	0	6.86	51.3	66.7	0
2/7/2023, 3:04:19 PM	0	6.86	51.3	66.3	0
2/7/2023, 3:14:19 PM	0	6.86	51.3	66.3	0
2/7/2023, 3:24:19 PM	0	6.86	51.3	66.6	0
2/7/2023, 3:34:19 PM	0	6.86	50.9	67	0
2/7/2023, 3:44:19 PM	0	6.86	50.5	67.6	0
2/7/2023, 3:54:19 PM	0	6.86	50.4	67.9	0
2/7/2023, 4:04:19 PM	0	6.86	50.2	68.4	0
2/7/2023, 4:14:19 PM	0	6.86	50.2	68.7	0
2/7/2023, 4:24:19 PM	0	6.86	50	69.3	0
2/7/2023, 4:34:19 PM	0	6.86	49.5	70	0
2/7/2023, 4:44:19 PM	0	6.86	48.9	70.8	0
2/7/2023, 4:54:19 PM	0	6.86	48.7	71.6	0
2/7/2023, 5:04:19 PM	0	6.86	48.4	72.2	0
2/7/2023, 5:14:19 PM	0	6.86	48.2	72.9	0
2/7/2023, 5:24:19 PM	0	6.86	48.2	73.4	0
2/7/2023, 5:34:19 PM	0	6.86	48.2	73.8	0
2/7/2023, 5:44:19 PM	0	6.86	48	74	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/7/2023, 5:54:19 PM	0	6.86	48	74.4	0
2/7/2023, 6:04:19 PM	0	6.86	48.2	74.6	0
2/7/2023, 6:14:19 PM	0	6.86	48.4	74.8	0
2/7/2023, 6:24:19 PM	0	6.86	48.4	74.8	0
2/7/2023, 6:34:19 PM	0	6.86	48.4	74.9	0
2/7/2023, 6:44:19 PM	0	6.86	48.4	75	0
2/7/2023, 6:54:19 PM	0	6.86	48.6	75	0
2/7/2023, 7:04:19 PM	0	6.86	48.6	75	0
2/7/2023, 7:14:19 PM	0	6.86	48.6	75	0
2/7/2023, 7:24:19 PM	0	6.86	48.6	75.1	0
2/7/2023, 7:34:19 PM	0	6.86	48.6	75	0
2/7/2023, 7:44:19 PM	0	6.86	48.4	75	0
2/7/2023, 7:54:19 PM	0	6.86	48.2	75.1	0
2/7/2023, 8:04:19 PM	0	6.86	48.2	75.3	0
2/7/2023, 8:14:19 PM	0	6.86	48	75.5	0
2/7/2023, 8:24:19 PM	0	6.86	47.8	75.6	0
2/7/2023, 8:34:19 PM	0	6.86	47.5	75.8	0
2/7/2023, 8:44:19 PM	0	6.86	47.1	76	0
2/7/2023, 8:54:19 PM	0	6.851	46.9	76.3	0
2/7/2023, 9:04:19 PM	0	6.851	46.8	76.5	0
2/7/2023, 9:14:19 PM	0	6.851	46.4	76.6	0
2/7/2023, 9:24:19 PM	0	6.851	46.2	76.9	0
2/7/2023, 9:34:19 PM	0	6.851	46	77.1	0
2/7/2023, 9:44:19 PM	0	6.851	45.9	77.3	0
2/7/2023, 9:54:19 PM	0	6.851	45.7	77.4	0
2/7/2023, 10:04:19 PM	0	6.851	45.5	77.5	0
2/7/2023, 10:14:19 PM	0	6.851	45.3	77.5	0
2/7/2023, 10:24:19 PM	0	6.851	45	77.4	0
2/7/2023, 10:34:19 PM	0	6.851	44.8	77.3	0
2/7/2023, 10:44:19 PM	0	6.851	44.6	77.1	0
2/7/2023, 10:54:19 PM	0	6.851	44.2	77	0
2/7/2023, 11:04:19 PM	0	6.851	44.1	77	0
2/7/2023, 11:14:19 PM	0	6.851	43.9	77.1	0
2/7/2023, 11:24:19 PM	0	6.851	43.7	77.1	0
2/7/2023, 11:34:19 PM	0	6.851	43.5	77.2	0
2/7/2023, 11:44:19 PM	0	6.851	43.2	77.3	0
2/7/2023, 11:54:19 PM	0	6.851	43	77.4	0
2/8/2023, 12:04:19 AM	0	6.851	42.8	77.6	0
2/8/2023, 12:14:19 AM	0	6.842	42.6	77.7	0
2/8/2023, 12:24:19 AM	0	6.842	42.4	77.8	0
2/8/2023, 12:34:19 AM	0	6.842	42.1	77.8	0
2/8/2023, 12:44:19 AM	0	6.842	41.9	77.8	0
2/8/2023, 12:54:19 AM	0	6.842	41.7	77.8	0
2/8/2023, 1:04:19 AM	0	6.842	41.4	77.8	0
2/8/2023, 1:14:19 AM	0	6.842	41	77.7	0
2/8/2023, 1:24:19 AM	0	6.842	40.6	77.9	0
2/8/2023, 1:34:19 AM	0	6.842	40.5	78.1	0
2/8/2023, 1:44:19 AM	0	6.842	40.3	78.3	0
2/8/2023, 1:54:19 AM	0	6.842	40.1	78.4	0
2/8/2023, 2:04:19 AM	0	6.842	39.9	78.6	0
2/8/2023, 2:14:19 AM	0	6.842	39.7	78.7	0
2/8/2023, 2:24:19 AM	0	6.842	39.6	78.9	0
2/8/2023, 2:34:19 AM	0	6.842	39.4	79.1	0
2/8/2023, 2:44:19 AM	0	6.842	39.4	79.2	0
2/8/2023, 2:54:19 AM	0	6.842	39.2	79.4	0
2/8/2023, 3:04:19 AM	0	6.842	39	79.5	0
2/8/2023, 3:14:19 AM	0	6.833	38.8	79.7	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/8/2023, 3:24:19 AM	0	6.833	38.7	79.9	0
2/8/2023, 3:34:19 AM	0	6.833	38.7	80	0
2/8/2023, 3:44:19 AM	0	6.833	38.5	80.2	0
2/8/2023, 3:54:19 AM	0	6.833	38.5	80.3	0
2/8/2023, 4:04:19 AM	0	6.833	38.5	80.4	0
2/8/2023, 4:14:19 AM	0	6.833	38.3	80.5	0
2/8/2023, 4:24:19 AM	0	6.833	38.3	80.5	0
2/8/2023, 4:34:19 AM	0	6.833	38.3	80.5	0
2/8/2023, 4:44:19 AM	0	6.833	38.3	80.6	0
2/8/2023, 4:54:19 AM	0	6.833	38.1	80.6	0
2/8/2023, 5:04:19 AM	0	6.833	38.1	80.6	0
2/8/2023, 5:14:19 AM	0	6.833	38.1	80.5	0
2/8/2023, 5:24:19 AM	0	6.833	38.1	80.5	0
2/8/2023, 5:34:19 AM	0	6.833	37.9	80.4	0
2/8/2023, 5:44:19 AM	0	6.833	37.9	80.4	0
2/8/2023, 5:54:19 AM	0	6.833	37.8	80.4	0
2/8/2023, 6:04:19 AM	0	6.833	37.8	80.4	0
2/8/2023, 6:14:19 AM	0	6.833	37.8	80.4	0
2/8/2023, 6:24:19 AM	0	6.833	37.8	80.3	0
2/8/2023, 6:34:19 AM	0	6.833	37.8	80.3	0
2/8/2023, 6:44:19 AM	0	6.833	37.6	80.3	0
2/8/2023, 6:54:19 AM	0	6.833	37.6	80.2	0
2/8/2023, 7:04:19 AM	0	6.833	37.6	80.2	0
2/8/2023, 7:14:19 AM	0	6.833	37.6	80	0
2/8/2023, 7:24:19 AM	0	6.833	37.4	80	0
2/8/2023, 7:34:19 AM	0	6.833	37.4	80	0
2/8/2023, 7:44:19 AM	0	6.833	37.4	79.9	0
2/8/2023, 7:54:19 AM	0	6.833	37.4	79.9	0
2/8/2023, 8:04:19 AM	0	6.833	37.4	79.8	0
2/8/2023, 8:14:19 AM	0	6.833	37.6	79.8	0
2/8/2023, 8:24:19 AM	0	6.833	37.6	79.7	0
2/8/2023, 8:34:19 AM	0	6.833	37.8	79.6	0
2/8/2023, 8:44:19 AM	0	6.833	37.9	79.5	0
2/8/2023, 8:54:19 AM	0	6.833	38.1	79.4	0
2/8/2023, 9:04:19 AM	0	6.833	38.5	79.2	0
2/8/2023, 9:14:19 AM	0	6.833	38.7	78.9	0
2/8/2023, 9:24:19 AM	0	6.833	39	78.6	0
2/8/2023, 9:34:19 AM	0	6.833	39.6	78.3	0
2/8/2023, 9:44:19 AM	0	6.833	40.3	77.9	0
2/8/2023, 9:54:19 AM	0	6.842	40.8	77.3	0
2/8/2023, 10:04:19 AM	0	6.842	41.4	76.7	0
2/8/2023, 10:14:19 AM	0	6.842	41.9	76.1	0
2/8/2023, 10:24:19 AM	0	6.842	42.8	75.5	0
2/8/2023, 10:34:19 AM	0	6.842	43.5	74.8	0
2/8/2023, 10:44:19 AM	0	6.842	44.6	74.2	0
2/8/2023, 10:54:19 AM	0	6.842	45.3	73.3	0
2/8/2023, 11:04:19 AM	0	6.851	45.3	72.1	0
2/8/2023, 11:14:19 AM	0	6.851	45.1	71.4	0
2/8/2023, 11:24:19 AM	0	6.851	45.3	71	0
2/8/2023, 11:34:19 AM	0	6.851	45.5	70.5	0
2/8/2023, 11:44:19 AM	0	6.851	45.7	70.3	0
2/8/2023, 11:54:19 AM	0	6.851	45.9	69.7	0
2/8/2023, 12:04:19 PM	0	6.851	45.9	69.4	0
2/8/2023, 12:14:19 PM	0	6.851	45.9	68.9	0
2/8/2023, 12:24:19 PM	0	6.851	46	68.6	0
2/8/2023, 12:34:19 PM	0	6.851	46	68.3	0
2/8/2023, 12:44:19 PM	0	6.851	46	68.1	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/8/2023, 12:54:19 PM	0	6.851	46	68	0
2/8/2023, 1:04:19 PM	0	6.851	46.4	67.9	0
2/8/2023, 1:14:19 PM	0	6.851	46.9	67.5	0
2/8/2023, 1:24:19 PM	0	6.851	47.5	67.2	0
2/8/2023, 1:34:19 PM	0	6.851	47.8	66.8	0
2/8/2023, 1:44:19 PM	0	6.851	48	66.4	0
2/8/2023, 1:54:19 PM	0	6.851	48.4	66.1	0
2/8/2023, 2:04:19 PM	0	6.851	48.4	65.7	0
2/8/2023, 2:14:19 PM	0	6.851	48.4	65.4	0
2/8/2023, 2:24:19 PM	0	6.851	48.6	65.2	0
2/8/2023, 2:34:19 PM	0	6.851	48.7	65	0
2/8/2023, 2:44:19 PM	0	6.851	48.9	64.9	0
2/8/2023, 2:54:19 PM	0	6.851	49.3	64.5	0
2/8/2023, 3:04:19 PM	0	6.851	49.1	64.1	0
2/8/2023, 3:14:19 PM	0	6.851	48.9	63.9	0
2/8/2023, 3:24:19 PM	0	6.851	48.9	63.7	0
2/8/2023, 3:34:19 PM	0	6.851	48.7	63.5	0
2/8/2023, 3:44:19 PM	0	6.851	48.6	63.3	0
2/8/2023, 3:54:19 PM	0	6.851	48.4	63.3	0
2/8/2023, 4:04:19 PM	0	6.851	48.2	63.3	0
2/8/2023, 4:14:19 PM	0	6.851	48	63.1	0
2/8/2023, 4:24:19 PM	0	6.851	47.7	62.8	0
2/8/2023, 4:34:19 PM	0	6.851	47.1	62.7	0
2/8/2023, 4:44:19 PM	0	6.851	46.6	62.8	0
2/8/2023, 4:54:19 PM	0	6.851	45.9	62.9	0
2/8/2023, 5:04:19 PM	0	6.851	45.3	63.1	0
2/8/2023, 5:14:19 PM	0	6.851	44.6	63.4	0
2/8/2023, 5:24:19 PM	0	6.851	43.7	63.5	0
2/8/2023, 5:34:19 PM	0	6.851	42.6	63.7	0
2/8/2023, 5:44:19 PM	0	6.851	41.5	63.9	0
2/8/2023, 5:54:19 PM	0	6.842	40.3	64.3	0
2/8/2023, 6:04:19 PM	0	6.842	39.4	64.9	0
2/8/2023, 6:14:19 PM	0	6.842	38.5	65.5	0
2/8/2023, 6:24:19 PM	0	6.842	37.6	66.1	0
2/8/2023, 6:34:19 PM	0	6.842	36.7	66.7	0
2/8/2023, 6:44:19 PM	0	6.833	36.1	67.4	0
2/8/2023, 6:54:19 PM	0	6.833	35.4	68.1	0
2/8/2023, 7:04:19 PM	0	6.833	34.9	68.9	0
2/8/2023, 7:14:19 PM	0	6.833	34.3	69.5	0
2/8/2023, 7:24:19 PM	0	6.825	34	70.2	0
2/8/2023, 7:34:19 PM	0	6.825	33.6	70.8	0
2/8/2023, 7:44:19 PM	0	6.825	33.3	71.4	0
2/8/2023, 7:54:19 PM	0	6.825	32.9	72	0
2/8/2023, 8:04:19 PM	0	6.825	32.5	72.4	0
2/8/2023, 8:14:19 PM	0	6.825	32.2	72.9	0
2/8/2023, 8:24:19 PM	0	6.816	32	73.2	0
2/8/2023, 8:34:19 PM	0	6.816	31.6	73.7	0
2/8/2023, 8:44:19 PM	0	6.816	31.3	74.2	0
2/8/2023, 8:54:19 PM	0	6.816	31.1	74.6	0
2/8/2023, 9:04:19 PM	0	6.816	30.7	75.1	0
2/8/2023, 9:14:19 PM	0	6.816	30.6	75.6	0
2/8/2023, 9:24:19 PM	0	6.816	30.4	76	0
2/8/2023, 9:34:19 PM	0	6.807	30	76.4	0
2/8/2023, 9:44:19 PM	0	6.807	29.8	76.8	0
2/8/2023, 9:54:19 PM	0	6.807	29.7	77.2	0
2/8/2023, 10:04:19 PM	0	6.807	29.5	77.6	0
2/8/2023, 10:14:19 PM	0	6.807	29.3	78	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/8/2023, 10:24:19 PM	0	6.807	29.1	78.4	0
2/8/2023, 10:34:19 PM	0	6.807	28.9	78.7	0
2/8/2023, 10:44:19 PM	0	6.807	28.8	79	0
2/8/2023, 10:54:19 PM	0	6.807	28.4	79.2	0
2/8/2023, 11:04:19 PM	0	6.807	28.2	79.5	0
2/8/2023, 11:14:19 PM	0	6.807	28	79.8	0
2/8/2023, 11:24:19 PM	0	6.798	27.9	80	0
2/8/2023, 11:34:19 PM	0	6.798	27.7	80.3	0
2/8/2023, 11:44:19 PM	0	6.798	27.7	80.6	0
2/8/2023, 11:54:19 PM	0	6.798	27.5	80.9	0
2/9/2023, 12:04:19 AM	0	6.798	27.3	81.2	0
2/9/2023, 12:14:19 AM	0	6.798	27.3	81.4	0
2/9/2023, 12:24:19 AM	0	6.798	27.1	81.7	0
2/9/2023, 12:34:19 AM	0	6.798	27.1	82	0
2/9/2023, 12:44:19 AM	0	6.798	27	82.2	0
2/9/2023, 12:54:19 AM	0	6.798	27	82.4	0
2/9/2023, 1:04:19 AM	0	6.798	26.8	82.6	0
2/9/2023, 1:14:19 AM	0	6.798	26.8	82.8	0
2/9/2023, 1:24:19 AM	0	6.798	26.6	83	0
2/9/2023, 1:34:19 AM	0	6.798	26.6	83.2	0
2/9/2023, 1:44:19 AM	0	6.798	26.4	83.4	0
2/9/2023, 1:54:19 AM	0	6.798	26.4	83.5	0
2/9/2023, 2:04:19 AM	0	6.798	26.2	83.7	0
2/9/2023, 2:14:19 AM	0	6.798	26.2	83.9	0
2/9/2023, 2:24:19 AM	0	6.798	26.2	84.1	0
2/9/2023, 2:34:19 AM	0	6.79	26.2	84.4	0
2/9/2023, 2:44:19 AM	0	6.798	26.4	84.7	0
2/9/2023, 2:54:19 AM	0	6.798	26.4	84.9	0
2/9/2023, 3:04:19 AM	0	6.798	26.4	85.1	0
2/9/2023, 3:14:19 AM	0	6.798	26.4	85.2	0
2/9/2023, 3:24:19 AM	0	6.798	26.4	85.2	0
2/9/2023, 3:34:19 AM	0	6.798	26.2	85.3	0
2/9/2023, 3:44:19 AM	0	6.798	26.4	85.6	0
2/9/2023, 3:54:19 AM	0	6.798	26.6	85.9	0
2/9/2023, 4:04:19 AM	0	6.798	26.6	86.1	0
2/9/2023, 4:14:19 AM	0	6.798	26.8	86.3	0
2/9/2023, 4:24:19 AM	0	6.798	27	86.5	0
2/9/2023, 4:34:19 AM	0	6.798	27.1	86.7	0
2/9/2023, 4:44:19 AM	0	6.798	27.3	86.9	0
2/9/2023, 4:54:19 AM	0	6.798	27.5	87.2	0
2/9/2023, 5:04:19 AM	0	6.798	27.9	87.5	0
2/9/2023, 5:14:19 AM	0	6.798	28.2	87.8	0
2/9/2023, 5:24:19 AM	0	6.798	28.6	88.1	0
2/9/2023, 5:34:19 AM	0	6.798	28.8	88.3	0
2/9/2023, 5:44:19 AM	0	6.798	29.1	88.5	0
2/9/2023, 5:54:19 AM	0	6.807	29.3	88.6	0
2/9/2023, 6:04:19 AM	0	6.807	29.7	88.8	0
2/9/2023, 6:14:19 AM	0	6.807	30	89	0
2/9/2023, 6:24:19 AM	0	6.807	30.6	89.3	0
2/9/2023, 6:34:19 AM	0	6.807	30.9	89.4	0
2/9/2023, 6:44:19 AM	0	6.807	31.5	89.5	0
2/9/2023, 6:54:19 AM	0	6.816	31.8	89.5	0
2/9/2023, 7:04:19 AM	0	6.816	32	89.4	0
2/9/2023, 7:14:19 AM	0	6.816	32.5	89.3	0
2/9/2023, 7:24:19 AM	0	6.816	32.9	89.1	0
2/9/2023, 7:34:19 AM	0	6.816	33.4	88.8	0
2/9/2023, 7:44:19 AM	0	6.816	33.8	88.6	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/9/2023, 7:54:19 AM	0	6.825	34.2	88.3	0
2/9/2023, 8:04:19 AM	0	6.825	34.3	88.1	0
2/9/2023, 8:14:19 AM	0	6.825	34.5	88	0
2/9/2023, 8:24:19 AM	0	6.825	34.7	88.1	0
2/9/2023, 8:34:19 AM	0	6.825	35.1	88.1	0
2/9/2023, 8:44:19 AM	0	6.825	35.2	88.1	0
2/9/2023, 8:54:19 AM	0	6.825	35.4	88.3	0
2/9/2023, 9:04:19 AM	0	6.825	35.6	88.4	0
2/9/2023, 9:14:19 AM	0	6.825	36	88.9	0
2/9/2023, 9:24:19 AM	0	6.825	36.5	89.4	0
2/9/2023, 9:34:19 AM	0	6.825	36.9	89.9	0
2/9/2023, 9:44:19 AM	0	6.833	37.2	90.2	0
2/9/2023, 9:54:19 AM	0	6.833	37.4	90.2	0
2/9/2023, 10:04:19 AM	0	6.833	37.4	90.2	0
2/9/2023, 10:14:19 AM	0	6.833	37.6	90.2	0
2/9/2023, 10:24:19 AM	0	6.833	37.6	90.3	0
2/9/2023, 10:34:19 AM	0	6.833	37.8	90.4	0
2/9/2023, 10:44:19 AM	0	6.833	37.9	90.6	0
2/9/2023, 10:54:19 AM	0	6.833	38.1	90.7	0
2/9/2023, 11:04:19 AM	0	6.833	38.3	90.9	0
2/9/2023, 11:14:19 AM	0	6.833	38.5	91.1	0
2/9/2023, 11:24:19 AM	0	6.833	38.7	91.2	0
2/9/2023, 11:34:19 AM	0	6.833	38.8	91.3	0
2/9/2023, 11:44:19 AM	0	6.833	39	91.4	0
2/9/2023, 11:54:19 AM	0	6.833	39	91.5	0
2/9/2023, 12:04:19 PM	0	6.833	39.2	91.6	0
2/9/2023, 12:14:19 PM	0	6.833	39.4	91.7	0
2/9/2023, 12:24:19 PM	0	6.833	39.6	91.8	0
2/9/2023, 12:34:19 PM	0	6.833	39.6	91.9	0
2/9/2023, 12:44:19 PM	0	6.833	39.7	91.9	0
2/9/2023, 12:54:19 PM	0	6.833	39.7	92	0
2/9/2023, 1:04:19 PM	0	6.833	39.9	92.1	0
2/9/2023, 1:14:19 PM	0	6.833	40.1	92.1	0
2/9/2023, 1:24:19 PM	0	6.833	40.1	92.3	0
2/9/2023, 1:34:19 PM	0	6.842	40.3	92.4	0
2/9/2023, 1:44:19 PM	0	6.842	40.6	92.6	0
2/9/2023, 1:54:19 PM	0	6.842	40.8	92.8	0
2/9/2023, 2:04:19 PM	0	6.842	41	92.9	0
2/9/2023, 2:14:19 PM	0	6.842	41.4	93.2	0
2/9/2023, 2:24:19 PM	0	6.842	41.7	93.5	0
2/9/2023, 2:34:19 PM	0	6.842	42.3	93.8	0
2/9/2023, 2:44:19 PM	0	6.842	42.6	94.1	0
2/9/2023, 2:54:19 PM	0	6.842	43	94.3	0
2/9/2023, 3:04:19 PM	0	6.842	43.3	94.4	0
2/9/2023, 3:14:19 PM	0	6.842	43.5	94.4	0
2/9/2023, 3:24:19 PM	0	6.842	43.7	94.5	0
2/9/2023, 3:34:19 PM	0	6.842	43.9	94.5	0
2/9/2023, 3:44:19 PM	0	6.842	44.1	94.4	0
2/9/2023, 3:54:19 PM	0	6.842	44.2	94.4	0
2/9/2023, 4:04:19 PM	0	6.851	44.4	94.4	0
2/9/2023, 4:14:19 PM	0	6.851	44.6	94.5	0
2/9/2023, 4:24:19 PM	0	6.851	44.8	94.5	0
2/9/2023, 4:34:19 PM	0	6.851	45	94.5	0
2/9/2023, 4:44:19 PM	0	6.851	45.1	94.5	0
2/9/2023, 4:54:19 PM	0	6.851	45.5	94.7	0
2/9/2023, 5:04:19 PM	0	6.851	45.9	95	0
2/9/2023, 5:14:19 PM	0	6.851	46.4	95.3	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/9/2023, 5:24:19 PM	0	6.851	47.1	95.6	0
2/9/2023, 5:34:19 PM	0	6.851	47.7	95.9	0
2/9/2023, 5:44:19 PM	0	6.851	48.2	96	0
2/9/2023, 5:54:19 PM	0	6.851	48.6	95.8	0
2/9/2023, 6:04:19 PM	0	6.851	48.7	95.3	0
2/9/2023, 6:14:19 PM	0	6.851	48.9	94.7	0
2/9/2023, 6:24:19 PM	0	6.851	49.1	94	0
2/9/2023, 6:34:19 PM	0	6.851	49.5	93.4	0
2/9/2023, 6:44:19 PM	0	6.86	49.6	92.7	0
2/9/2023, 6:54:19 PM	0	6.86	49.8	92	0
2/9/2023, 7:04:19 PM	0	6.86	50	91.3	0
2/9/2023, 7:14:19 PM	0	6.86	50.2	90.9	0
2/9/2023, 7:24:19 PM	0	6.86	50.5	90.5	0
2/9/2023, 7:34:19 PM	0	6.86	50.9	90	0
2/9/2023, 7:44:19 PM	0	6.86	50.9	89.3	0
2/9/2023, 7:54:19 PM	0	6.86	51.1	88.9	0
2/9/2023, 8:04:19 PM	0	6.86	51.1	88.5	0
2/9/2023, 8:14:19 PM	0	6.86	51.3	88.1	0
2/9/2023, 8:24:19 PM	0	6.86	51.4	87.7	0
2/9/2023, 8:34:19 PM	0	6.86	51.6	87.5	0
2/9/2023, 8:44:19 PM	0	6.86	51.8	87.3	0
2/9/2023, 8:54:19 PM	0	6.86	52	86.9	0
2/9/2023, 9:04:19 PM	0	6.86	52.3	86.6	0
2/9/2023, 9:14:19 PM	0	6.86	52.3	86.1	0
2/9/2023, 9:24:19 PM	0	6.86	51.8	85.6	0
2/9/2023, 9:34:19 PM	0	6.86	51.3	85.6	0
2/9/2023, 9:44:19 PM	0	6.86	51.3	86.1	0
2/9/2023, 9:54:19 PM	0	6.86	51.4	86.5	0
2/9/2023, 10:04:19 PM	0	6.86	52	86.9	0
2/9/2023, 10:14:19 PM	0	6.86	52.3	87	0
2/9/2023, 10:24:19 PM	0	6.86	52.2	86.7	0
2/9/2023, 10:34:19 PM	0	6.86	51.6	86.2	0
2/9/2023, 10:44:19 PM	0	6.86	51.1	85.8	0
2/9/2023, 10:54:19 PM	0	6.86	50.5	85.3	0
2/9/2023, 11:04:19 PM	0	6.86	49.8	85	0
2/9/2023, 11:14:19 PM	0	6.86	49.1	84.8	0
2/9/2023, 11:24:19 PM	0	6.86	48.6	84.9	0
2/9/2023, 11:34:19 PM	0	6.86	48.2	84.8	0
2/9/2023, 11:44:19 PM	0	6.86	47.8	84.7	0
2/9/2023, 11:54:19 PM	0	6.851	47.7	84.7	0
2/10/2023, 12:04:19 AM	0	6.851	47.7	84.5	0
2/10/2023, 12:14:19 AM	0	6.851	47.5	84.4	0
2/10/2023, 12:24:19 AM	0	6.851	47.3	84.3	0
2/10/2023, 12:34:19 AM	0	6.851	47.1	84.1	0
2/10/2023, 12:44:19 AM	0	6.851	46.8	83.7	0
2/10/2023, 12:54:19 AM	0	6.851	46.4	83.4	0
2/10/2023, 1:04:19 AM	0	6.851	46	83.1	0
2/10/2023, 1:14:19 AM	0	6.851	45.7	82.8	0
2/10/2023, 1:24:19 AM	0	6.851	45.1	82.7	0
2/10/2023, 1:34:19 AM	0	6.851	44.8	82.6	0
2/10/2023, 1:44:19 AM	0	6.851	44.6	82.6	0
2/10/2023, 1:54:19 AM	0	6.851	44.2	82.5	0
2/10/2023, 2:04:19 AM	0	6.851	44.1	82.4	0
2/10/2023, 2:14:19 AM	0	6.851	43.9	82.4	0
2/10/2023, 2:24:19 AM	0	6.851	43.7	82.3	0
2/10/2023, 2:34:19 AM	0	6.842	43.7	82.2	0
2/10/2023, 2:44:19 AM	0	6.842	43.5	82.1	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/10/2023, 2:54:19 AM	0	6.842	43.3	82.1	0
2/10/2023, 3:04:19 AM	0	6.842	43.3	82.1	0
2/10/2023, 3:14:19 AM	0	6.842	43.2	82.1	0
2/10/2023, 3:24:19 AM	0	6.842	43	82.1	0
2/10/2023, 3:34:19 AM	0	6.842	42.8	82	0
2/10/2023, 3:44:19 AM	0	6.842	42.8	82	0
2/10/2023, 3:54:19 AM	0	6.842	42.6	81.9	0
2/10/2023, 4:04:19 AM	0	6.842	42.6	81.8	0
2/10/2023, 4:14:19 AM	0	6.842	42.4	81.8	0
2/10/2023, 4:24:19 AM	0	6.842	42.4	81.6	0
2/10/2023, 4:34:19 AM	0	6.842	42.3	81.4	0
2/10/2023, 4:44:19 AM	0	6.842	42.1	81.2	0
2/10/2023, 4:54:19 AM	0	6.842	42.1	81.1	0
2/10/2023, 5:04:19 AM	0	6.842	41.9	81	0
2/10/2023, 5:14:19 AM	0	6.842	41.9	80.8	0
2/10/2023, 5:24:19 AM	0	6.842	42.1	80.6	0
2/10/2023, 5:34:19 AM	0	6.842	41.9	80.4	0
2/10/2023, 5:44:19 AM	0	6.842	41.9	80.2	0
2/10/2023, 5:54:19 AM	0	6.842	41.9	80.1	0
2/10/2023, 6:04:19 AM	0	6.842	41.7	80	0
2/10/2023, 6:14:19 AM	0	6.842	41.7	79.9	0
2/10/2023, 6:24:19 AM	0	6.842	41.5	79.9	0
2/10/2023, 6:34:19 AM	0	6.842	41.5	80	0
2/10/2023, 6:44:19 AM	0	6.842	41.5	80.1	0
2/10/2023, 6:54:19 AM	0	6.842	41.4	80.3	0
2/10/2023, 7:04:19 AM	0	6.842	41.2	80.4	0
2/10/2023, 7:14:19 AM	0	6.842	41.2	80.5	0
2/10/2023, 7:24:19 AM	0	6.842	41	80.7	0
2/10/2023, 7:34:19 AM	0	6.842	41	80.8	0
2/10/2023, 7:44:19 AM	0	6.842	40.8	80.8	0
2/10/2023, 7:54:19 AM	0	6.842	40.6	80.7	0
2/10/2023, 8:04:19 AM	0	6.842	40.5	80.8	0
2/10/2023, 8:14:19 AM	0	6.842	40.3	80.7	0
2/10/2023, 8:24:19 AM	0	6.842	40.3	80.7	0
2/10/2023, 8:34:19 AM	0	6.842	40.1	80.6	0
2/10/2023, 8:44:19 AM	0	6.833	40.1	80.5	0
2/10/2023, 8:54:19 AM	0	6.833	39.9	80.5	0
2/10/2023, 9:04:19 AM	0	6.833	39.9	80.5	0
2/10/2023, 9:14:19 AM	0	6.833	39.7	80.5	0
2/10/2023, 9:24:19 AM	0	6.833	39.7	80.4	0
2/10/2023, 9:34:19 AM	0	6.833	39.7	80.4	0
2/10/2023, 9:44:19 AM	0	6.833	39.7	80.4	0
2/10/2023, 9:54:19 AM	0	6.833	39.7	80.5	0
2/10/2023, 10:04:19 AM	0	6.833	39.7	80.4	0
2/10/2023, 10:14:19 AM	0	6.833	39.7	80.4	0
2/10/2023, 10:24:19 AM	0	6.833	39.7	80.3	0
2/10/2023, 10:34:19 AM	0	6.833	39.7	80.3	0
2/10/2023, 10:44:19 AM	0	6.833	39.7	80.3	0
2/10/2023, 10:54:19 AM	0	6.833	39.7	80.4	0
2/10/2023, 11:04:19 AM	0	6.833	39.6	80.4	0
2/10/2023, 11:14:19 AM	0	6.833	39.6	80.5	0
2/10/2023, 11:24:19 AM	0	6.833	39.6	80.5	0
2/10/2023, 11:34:19 AM	0	6.833	39.6	80.5	0
2/10/2023, 11:44:19 AM	0	6.833	39.6	80.5	0
2/10/2023, 11:54:19 AM	0	6.833	39.6	80.5	0
2/10/2023, 12:04:19 PM	0	6.833	39.6	80.4	0
2/10/2023, 12:14:19 PM	0	6.833	39.6	80.4	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/10/2023, 12:24:19 PM	0	6.833	39.6	80.4	0
2/10/2023, 12:34:19 PM	0	6.833	39.6	80.5	0
2/10/2023, 12:44:19 PM	0	6.833	39.6	80.4	0
2/10/2023, 12:54:19 PM	0	6.833	39.6	80.4	0
2/10/2023, 1:04:19 PM	0	6.833	39.6	80.4	0
2/10/2023, 1:14:19 PM	0	6.833	39.6	80.5	0
2/10/2023, 1:24:19 PM	0	6.833	39.6	80.5	0
2/10/2023, 1:34:19 PM	0	6.833	39.7	80.6	0
2/10/2023, 1:44:19 PM	0	6.833	39.9	80.6	0
2/10/2023, 1:54:19 PM	0	6.833	39.9	80.5	0
2/10/2023, 2:04:19 PM	0	6.833	39.9	80.5	0
2/10/2023, 2:14:19 PM	0	6.833	39.9	80.4	0
2/10/2023, 2:24:19 PM	0	6.833	39.9	80.4	0
2/10/2023, 2:34:19 PM	0	6.833	39.9	80.3	0
2/10/2023, 2:44:19 PM	0	6.833	39.9	80.2	0
2/10/2023, 2:54:19 PM	0	6.833	39.9	80.1	0
2/10/2023, 3:04:19 PM	0	6.833	39.7	80.1	0
2/10/2023, 3:14:19 PM	0	6.833	39.7	79.9	0
2/10/2023, 3:24:19 PM	0	6.833	39.6	79.9	0
2/10/2023, 3:34:19 PM	0	6.833	39.4	79.8	0
2/10/2023, 3:44:19 PM	0	6.833	39.4	79.8	0
2/10/2023, 3:54:19 PM	0	6.833	39.2	79.8	0
2/10/2023, 4:04:19 PM	0	6.833	39.2	79.8	0
2/10/2023, 4:14:19 PM	0	6.833	39	79.9	0
2/10/2023, 4:24:19 PM	0	6.833	38.8	80	0
2/10/2023, 4:34:19 PM	0	6.833	38.7	80.2	0
2/10/2023, 4:44:19 PM	0	6.833	38.7	80.4	0
2/10/2023, 4:54:19 PM	0	6.833	38.5	80.5	0
2/10/2023, 5:04:19 PM	0	6.833	38.5	80.6	0
2/10/2023, 5:14:19 PM	0	6.833	38.5	80.6	0
2/10/2023, 5:24:19 PM	0	6.833	38.5	80.7	0
2/10/2023, 5:34:19 PM	0	6.833	38.5	80.9	0
2/10/2023, 5:44:19 PM	0	6.833	38.1	80.9	0
2/10/2023, 5:54:19 PM	0	6.833	37.8	80.9	0
2/10/2023, 6:04:19 PM	0	6.833	37.4	81	0
2/10/2023, 6:14:19 PM	0	6.833	37	81.1	0
2/10/2023, 6:24:19 PM	0	6.833	36.9	81.1	0
2/10/2023, 6:34:19 PM	0	6.833	36.9	81.2	0
2/10/2023, 6:44:19 PM	0	6.825	36.7	81.2	0
2/10/2023, 6:54:19 PM	0	6.825	36.3	81.1	0
2/10/2023, 7:04:19 PM	0	6.825	36.1	80.5	0
2/10/2023, 7:14:19 PM	0	6.825	36	79.7	0
2/10/2023, 7:24:19 PM	0	6.825	35.8	78.8	0
2/10/2023, 7:34:19 PM	0	6.825	35.4	77.9	0
2/10/2023, 7:44:19 PM	0	6.825	35.2	77.1	0
2/10/2023, 7:54:19 PM	0	6.825	35.2	76.4	0
2/10/2023, 8:04:19 PM	0	6.825	35.1	75.9	0
2/10/2023, 8:14:19 PM	0	6.825	35.1	75.4	0
2/10/2023, 8:24:19 PM	0	6.825	34.9	75.1	0
2/10/2023, 8:34:19 PM	0	6.825	34.9	74.8	0
2/10/2023, 8:44:19 PM	0	6.825	34.7	74.7	0
2/10/2023, 8:54:19 PM	0	6.825	34.7	74.6	0
2/10/2023, 9:04:19 PM	0	6.825	34.7	74.5	0
2/10/2023, 9:14:19 PM	0	6.825	34.7	74.4	0
2/10/2023, 9:24:19 PM	0	6.825	34.7	74.3	0
2/10/2023, 9:34:19 PM	0	6.825	34.7	74.3	0
2/10/2023, 9:44:19 PM	0	6.825	34.5	74.3	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/10/2023, 9:54:19 PM	0	6.825	34.5	74.2	0
2/10/2023, 10:04:19 PM	0	6.825	34.3	74.2	0
2/10/2023, 10:14:19 PM	0	6.825	34.2	74.2	0
2/10/2023, 10:24:19 PM	0	6.825	34	74.1	0
2/10/2023, 10:34:19 PM	0	6.825	33.8	74	0
2/10/2023, 10:44:19 PM	0	6.825	33.6	73.9	0
2/10/2023, 10:54:19 PM	0	6.825	33.4	73.8	0
2/10/2023, 11:04:19 PM	0	6.816	33.4	73.8	0
2/10/2023, 11:14:19 PM	0	6.816	33.3	73.7	0
2/10/2023, 11:24:19 PM	0	6.816	33.3	73.6	0
2/10/2023, 11:34:19 PM	0	6.816	33.1	73.5	0
2/10/2023, 11:44:19 PM	0	6.816	33.1	73.3	0
2/10/2023, 11:54:19 PM	0	6.816	32.9	73.2	0
2/11/2023, 12:04:19 AM	0	6.816	32.9	73.1	0
2/11/2023, 12:14:19 AM	0	6.816	32.9	72.9	0
2/11/2023, 12:24:19 AM	0	6.816	32.7	72.8	0
2/11/2023, 12:34:19 AM	0	6.816	32.5	72.6	0
2/11/2023, 12:44:19 AM	0	6.816	32.4	72.5	0
2/11/2023, 12:54:19 AM	0	6.816	32.2	72.5	0
2/11/2023, 1:04:19 AM	0	6.816	32.2	72.5	0
2/11/2023, 1:14:19 AM	0	6.816	32.2	72.5	0
2/11/2023, 1:24:19 AM	0	6.816	32.4	72.4	0
2/11/2023, 1:34:19 AM	0	6.816	32.4	72.5	0
2/11/2023, 1:44:19 AM	0	6.816	32.2	72.5	0
2/11/2023, 1:54:19 AM	0	6.816	32.2	72.6	0
2/11/2023, 2:04:19 AM	0	6.816	32.2	72.7	0
2/11/2023, 2:14:19 AM	0	6.816	32.2	72.9	0
2/11/2023, 2:24:19 AM	0	6.816	32	73.1	0
2/11/2023, 2:34:19 AM	0	6.816	32	73.4	0
2/11/2023, 2:44:19 AM	0	6.816	32	73.7	0
2/11/2023, 2:54:19 AM	0	6.816	31.8	74.1	0
2/11/2023, 3:04:19 AM	0	6.816	31.5	74.5	0
2/11/2023, 3:14:19 AM	0	6.816	31.3	74.7	0
2/11/2023, 3:24:19 AM	0	6.807	31.1	74.8	0
2/11/2023, 3:34:19 AM	0	6.807	30.9	74.8	0
2/11/2023, 3:44:19 AM	0	6.807	30.9	74.8	0
2/11/2023, 3:54:19 AM	0	6.807	30.7	74.6	0
2/11/2023, 4:04:19 AM	0	6.807	30.6	74.4	0
2/11/2023, 4:14:19 AM	0	6.807	30.4	74.2	0
2/11/2023, 4:24:19 AM	0	6.807	30.2	74	0
2/11/2023, 4:34:19 AM	0	6.807	30	73.9	0
2/11/2023, 4:44:19 AM	0	6.807	30	73.8	0
2/11/2023, 4:54:19 AM	0	6.807	29.8	73.7	0
2/11/2023, 5:04:19 AM	0	6.807	29.7	73.7	0
2/11/2023, 5:14:19 AM	0	6.807	29.7	73.8	0
2/11/2023, 5:24:19 AM	0	6.807	29.5	73.8	0
2/11/2023, 5:34:19 AM	0	6.807	29.5	73.8	0
2/11/2023, 5:44:19 AM	0	6.807	29.3	73.9	0
2/11/2023, 5:54:19 AM	0	6.807	29.3	74.1	0
2/11/2023, 6:04:19 AM	0	6.807	29.3	74.2	0
2/11/2023, 6:14:19 AM	0	6.807	29.3	74.3	0
2/11/2023, 6:24:19 AM	0	6.807	29.3	74.5	0
2/11/2023, 6:34:19 AM	0	6.807	29.1	74.6	0
2/11/2023, 6:44:19 AM	0	6.807	29.1	74.6	0
2/11/2023, 6:54:19 AM	0	6.807	29.3	74.7	0
2/11/2023, 7:04:19 AM	0	6.807	29.3	74.7	0
2/11/2023, 7:14:19 AM	0	6.807	29.1	74.8	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/11/2023, 7:24:19 AM	0	6.807	29.1	74.9	0
2/11/2023, 7:34:19 AM	0	6.807	29.1	75	0
2/11/2023, 7:44:19 AM	0	6.807	29.1	75.1	0
2/11/2023, 7:54:19 AM	0	6.807	29.1	75.2	0
2/11/2023, 8:04:19 AM	0	6.807	29.3	75.2	0
2/11/2023, 8:14:19 AM	0	6.807	29.3	75.3	0
2/11/2023, 8:24:19 AM	0	6.807	29.3	75.3	0
2/11/2023, 8:34:19 AM	0	6.807	29.3	75.4	0
2/11/2023, 8:44:19 AM	0	6.807	29.5	75.4	0
2/11/2023, 8:54:19 AM	0	6.807	29.7	75.4	0
2/11/2023, 9:04:19 AM	0	6.807	29.7	75.4	0
2/11/2023, 9:14:19 AM	0	6.807	29.8	75.4	0
2/11/2023, 9:24:19 AM	0	6.807	30	75.3	0
2/11/2023, 9:34:19 AM	0	6.807	30.4	75.2	0
2/11/2023, 9:44:19 AM	0	6.807	30.4	75	0
2/11/2023, 9:54:19 AM	0	6.807	30.6	74.8	0
2/11/2023, 10:04:19 AM	0	6.807	30.6	74.6	0
2/11/2023, 10:14:19 AM	0	6.807	30.9	74.5	0
2/11/2023, 10:24:19 AM	0	6.807	31.1	74.3	0
2/11/2023, 10:34:19 AM	0	6.807	31.3	73.9	0
2/11/2023, 10:44:19 AM	0	6.807	31.5	73.7	0
2/11/2023, 10:54:19 AM	0	6.807	31.5	73.5	0
2/11/2023, 11:04:19 AM	0	6.807	31.6	73.3	0
2/11/2023, 11:14:19 AM	0	6.807	31.8	73.2	0
2/11/2023, 11:24:19 AM	0	6.816	32	73.1	0
2/11/2023, 11:34:19 AM	0	6.807	32	73	0
2/11/2023, 11:44:19 AM	0	6.816	32	72.9	0
2/11/2023, 11:54:19 AM	0	6.816	32	72.9	0
2/11/2023, 12:04:19 PM	0	6.816	32.2	72.8	0
2/11/2023, 12:14:19 PM	0	6.816	32.2	72.8	0
2/11/2023, 12:24:19 PM	0	6.816	32.4	72.6	0
2/11/2023, 12:34:19 PM	0	6.816	32.5	72.6	0
2/11/2023, 12:44:19 PM	0	6.816	32.7	72.6	0
2/11/2023, 12:54:19 PM	0	6.816	32.9	72.6	0
2/11/2023, 1:04:19 PM	0	6.816	33.3	72.5	0
2/11/2023, 1:14:19 PM	0	6.816	33.3	72.4	0
2/11/2023, 1:24:19 PM	0	6.816	33.3	72.3	0
2/11/2023, 1:34:19 PM	0	6.816	33.4	72.3	0
2/11/2023, 1:44:19 PM	0	6.816	33.4	72.3	0
2/11/2023, 1:54:19 PM	0	6.816	33.6	72.3	0
2/11/2023, 2:04:19 PM	0	6.816	33.6	72.2	0
2/11/2023, 2:14:19 PM	0	6.816	33.8	72.1	0
2/11/2023, 2:24:19 PM	0	6.816	34	72.1	0
2/11/2023, 2:34:19 PM	0	6.816	34.2	71.9	0
2/11/2023, 2:44:19 PM	0	6.816	34.5	71.8	0
2/11/2023, 2:54:19 PM	0	6.825	35.1	71.8	0
2/11/2023, 3:04:19 PM	0	6.825	35.2	71.5	0
2/11/2023, 3:14:19 PM	0	6.825	35.4	71.3	0
2/11/2023, 3:24:19 PM	0	6.825	35.6	71.1	0
2/11/2023, 3:34:19 PM	0	6.825	36	71.1	0
2/11/2023, 3:44:19 PM	0	6.825	36.3	70.9	0
2/11/2023, 3:54:19 PM	0	6.825	36.1	70.6	0
2/11/2023, 4:04:19 PM	0	6.825	36.3	70.5	0
2/11/2023, 4:14:19 PM	0	6.825	36.5	70.3	0
2/11/2023, 4:24:19 PM	0	6.825	36.5	70	0
2/11/2023, 4:34:19 PM	0	6.825	36.5	69.7	0
2/11/2023, 4:44:19 PM	0	6.825	36.3	69.5	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/11/2023, 4:54:19 PM	0	6.825	36	69.4	0
2/11/2023, 5:04:19 PM	0	6.825	35.8	69.3	0
2/11/2023, 5:14:19 PM	0	6.825	35.4	69.2	0
2/11/2023, 5:24:19 PM	0	6.825	35.1	69.2	0
2/11/2023, 5:34:19 PM	0	6.825	34.7	69.2	0
2/11/2023, 5:44:19 PM	0	6.825	34	69.4	0
2/11/2023, 5:54:19 PM	0	6.825	33.4	69.6	0
2/11/2023, 6:04:19 PM	0	6.825	32.5	69.9	0
2/11/2023, 6:14:19 PM	0	6.816	32	70.3	0
2/11/2023, 6:24:19 PM	0	6.816	31.3	70.9	0
2/11/2023, 6:34:19 PM	0	6.816	30.7	71.4	0
2/11/2023, 6:44:19 PM	0	6.816	30.2	71.9	0
2/11/2023, 6:54:19 PM	0	6.816	29.7	72.5	0
2/11/2023, 7:04:19 PM	0	6.807	29.3	73	0
2/11/2023, 7:14:19 PM	0	6.807	28.9	73.6	0
2/11/2023, 7:24:19 PM	0	6.807	28.6	74.1	0
2/11/2023, 7:34:19 PM	0	6.807	28	74.6	0
2/11/2023, 7:44:19 PM	0	6.807	27.9	75	0
2/11/2023, 7:54:19 PM	0	6.798	27.5	75.5	0
2/11/2023, 8:04:19 PM	0	6.798	27.3	76	0
2/11/2023, 8:14:19 PM	0	6.798	27	76.4	0
2/11/2023, 8:24:19 PM	0	6.798	26.8	76.8	0
2/11/2023, 8:34:19 PM	0	6.798	26.6	77.2	0
2/11/2023, 8:44:19 PM	0	6.798	26.4	77.6	0
2/11/2023, 8:54:19 PM	0	6.798	26.2	78	0
2/11/2023, 9:04:19 PM	0	6.798	26.1	78.4	0
2/11/2023, 9:14:19 PM	0	6.798	25.9	78.8	0
2/11/2023, 9:24:19 PM	0	6.798	25.9	79.2	0
2/11/2023, 9:34:19 PM	0	6.79	25.9	79.6	0
2/11/2023, 9:44:19 PM	0	6.79	25.9	80	0
2/11/2023, 9:54:19 PM	0	6.79	25.9	80.3	0
2/11/2023, 10:04:19 PM	0	6.79	26.1	80.6	0
2/11/2023, 10:14:19 PM	0	6.79	26.4	81	0
2/11/2023, 10:24:19 PM	0	6.79	27	81.4	0
2/11/2023, 10:34:19 PM	0	6.798	27.5	81.6	0
2/11/2023, 10:44:19 PM	0	6.798	28	81.5	0
2/11/2023, 10:54:19 PM	0	6.798	28.6	81.3	0
2/11/2023, 11:04:19 PM	0	6.798	29.1	81	0
2/11/2023, 11:14:19 PM	0	6.807	29.8	80.5	0
2/11/2023, 11:24:19 PM	0	6.807	30.2	79.8	0
2/11/2023, 11:34:19 PM	0	6.807	30.7	79.2	0
2/11/2023, 11:44:19 PM	0	6.807	30.9	78.5	0
2/11/2023, 11:54:19 PM	0	6.807	30.9	77.7	0
2/12/2023, 12:04:19 AM	0	6.807	30.9	77.1	0
2/12/2023, 12:14:19 AM	0	6.807	30.7	76.5	0
2/12/2023, 12:24:19 AM	0	6.816	30.4	76.2	0
2/12/2023, 12:34:19 AM	0	6.807	30	75.8	0
2/12/2023, 12:44:19 AM	0	6.807	29.8	75.6	0
2/12/2023, 12:54:19 AM	0	6.807	29.5	75.5	0
2/12/2023, 1:04:19 AM	0	6.807	29.3	75.6	0
2/12/2023, 1:14:19 AM	0	6.807	29.1	75.6	0
2/12/2023, 1:24:19 AM	0	6.807	28.8	75.6	0
2/12/2023, 1:34:19 AM	0	6.807	28.6	75.8	0
2/12/2023, 1:44:19 AM	0	6.807	28.6	76.1	0
2/12/2023, 1:54:19 AM	0	6.807	28.4	76.2	0
2/12/2023, 2:04:19 AM	0	6.807	28.4	76.4	0
2/12/2023, 2:14:19 AM	0	6.807	28.2	76.4	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/12/2023, 2:24:19 AM	0	6.807	28.2	76.6	0
2/12/2023, 2:34:19 AM	0	6.798	28.2	76.9	0
2/12/2023, 2:44:19 AM	0	6.807	28.8	77	0
2/12/2023, 2:54:19 AM	0	6.807	29.1	77.1	0
2/12/2023, 3:04:19 AM	0	6.807	29.7	77	0
2/12/2023, 3:14:19 AM	0	6.807	30.4	76.8	0
2/12/2023, 3:24:19 AM	0	6.807	30.9	76.5	0
2/12/2023, 3:34:19 AM	0	6.807	31.3	76	0
2/12/2023, 3:44:19 AM	0	6.816	31.5	75.6	0
2/12/2023, 3:54:19 AM	0	6.816	31.6	75.1	0
2/12/2023, 4:04:19 AM	0	6.816	32	74.8	0
2/12/2023, 4:14:19 AM	0	6.816	32	74.4	0
2/12/2023, 4:24:19 AM	0	6.816	32.2	74	0
2/12/2023, 4:34:19 AM	0	6.816	32.4	73.7	0
2/12/2023, 4:44:19 AM	0	6.816	32.4	73.3	0
2/12/2023, 4:54:19 AM	0	6.816	32.5	73	0
2/12/2023, 5:04:19 AM	0	6.816	32.7	72.7	0
2/12/2023, 5:14:19 AM	0	6.816	32.5	72.3	0
2/12/2023, 5:24:19 AM	0	6.816	32.4	72	0
2/12/2023, 5:34:19 AM	0	6.816	32	71.8	0
2/12/2023, 5:44:19 AM	0	6.816	31.5	71.7	0
2/12/2023, 5:54:19 AM	0	6.816	31.1	71.7	0
2/12/2023, 6:04:19 AM	0	6.816	30.6	71.8	0
2/12/2023, 6:14:19 AM	0	6.816	30.2	72	0
2/12/2023, 6:24:19 AM	0	6.816	29.8	72.2	0
2/12/2023, 6:34:19 AM	0	6.807	29.5	72.4	0
2/12/2023, 6:44:19 AM	0	6.807	29.1	72.7	0
2/12/2023, 6:54:19 AM	0	6.807	28.8	72.9	0
2/12/2023, 7:04:19 AM	0	6.807	28.6	73.2	0
2/12/2023, 7:14:19 AM	0	6.807	28.2	73.4	0
2/12/2023, 7:24:19 AM	0	6.807	27.9	73.7	0
2/12/2023, 7:34:19 AM	0	6.807	27.7	74.1	0
2/12/2023, 7:44:19 AM	0	6.798	27.9	74.5	0
2/12/2023, 7:54:19 AM	0	6.798	28	75	0
2/12/2023, 8:04:19 AM	0	6.798	28.6	75.5	0
2/12/2023, 8:14:19 AM	0	6.807	29.1	75.8	0
2/12/2023, 8:24:19 AM	0	6.807	29.8	76	0
2/12/2023, 8:34:19 AM	0	6.807	30.6	76.3	0
2/12/2023, 8:44:19 AM	0	6.807	31.6	76.3	0
2/12/2023, 8:54:19 AM	0	6.807	32.9	76.1	0
2/12/2023, 9:04:19 AM	0	6.816	34.2	75.5	0
2/12/2023, 9:14:19 AM	0	6.816	35.6	74.7	0
2/12/2023, 9:24:19 AM	0	6.825	36.7	73.8	0
2/12/2023, 9:34:19 AM	0	6.825	37.4	72.8	0
2/12/2023, 9:44:19 AM	0	6.825	38.1	72	0
2/12/2023, 9:54:19 AM	0	6.825	39	71.3	0
2/12/2023, 10:04:19 AM	0	6.833	39.7	70.6	0
2/12/2023, 10:14:19 AM	0	6.833	40.6	69.9	0
2/12/2023, 10:24:19 AM	0	6.833	41.5	69.4	0
2/12/2023, 10:34:19 AM	0	6.833	42.8	68.8	0
2/12/2023, 10:44:19 AM	0	6.842	44.1	68	0
2/12/2023, 10:54:19 AM	0	6.842	45.3	67.2	0
2/12/2023, 11:04:19 AM	0	6.842	46.2	66.3	0
2/12/2023, 11:14:19 AM	0	6.842	46.9	65.4	0
2/12/2023, 11:24:19 AM	0	6.851	47.7	64.6	0
2/12/2023, 11:34:19 AM	0	6.851	48.2	63.8	0
2/12/2023, 11:44:19 AM	0	6.851	48.4	63.2	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/12/2023, 11:54:19 AM	0	6.851	48.7	62.6	0
2/12/2023, 12:04:19 PM	0	6.851	49.6	62.2	0
2/12/2023, 12:14:19 PM	0	6.851	50.5	61.5	0
2/12/2023, 12:24:19 PM	0	6.851	50.7	60.8	0
2/12/2023, 12:34:19 PM	0	6.851	50.7	60.1	0
2/12/2023, 12:44:19 PM	0	6.86	50.4	59.6	0
2/12/2023, 12:54:19 PM	0	6.86	50	59.2	0
2/12/2023, 1:04:19 PM	0	6.86	50	59	0
2/12/2023, 1:14:19 PM	0	6.86	50.5	58.8	0
2/12/2023, 1:24:19 PM	0	6.86	51.1	58.5	0
2/12/2023, 1:34:19 PM	0	6.86	51.4	58	0
2/12/2023, 1:44:19 PM	0	6.86	51.6	57.6	0
2/12/2023, 1:54:19 PM	0	6.86	51.8	57	0
2/12/2023, 2:04:19 PM	0	6.86	51.8	56.5	0
2/12/2023, 2:14:19 PM	0	6.86	51.8	56	0
2/12/2023, 2:24:19 PM	0	6.86	51.8	55.7	0
2/12/2023, 2:34:19 PM	0	6.86	52.2	55.4	0
2/12/2023, 2:44:19 PM	0	6.86	52.7	55.1	0
2/12/2023, 2:54:19 PM	0	6.86	53.1	54.6	0
2/12/2023, 3:04:19 PM	0	6.86	53.2	54.1	0
2/12/2023, 3:14:19 PM	0	6.86	53.2	53.6	0
2/12/2023, 3:24:19 PM	0	6.86	53.1	53.2	0
2/12/2023, 3:34:19 PM	0	6.86	52.7	52.9	0
2/12/2023, 3:44:19 PM	0	6.86	52.5	52.8	0
2/12/2023, 3:54:19 PM	0	6.86	52.3	52.5	0
2/12/2023, 4:04:19 PM	0	6.86	52.2	52.4	0
2/12/2023, 4:14:19 PM	0	6.86	52.2	52.2	0
2/12/2023, 4:24:19 PM	0	6.86	51.8	52.1	0
2/12/2023, 4:34:19 PM	0	6.86	51.3	52.7	0
2/12/2023, 4:44:19 PM	0	6.86	50.2	53.6	0
2/12/2023, 4:54:19 PM	0	6.86	49.1	54.5	0
2/12/2023, 5:04:19 PM	0	6.86	47.8	55.3	0
2/12/2023, 5:14:19 PM	0	6.86	46.8	56.1	0
2/12/2023, 5:24:19 PM	0	6.86	45.5	56.8	0
2/12/2023, 5:34:19 PM	0	6.851	44.2	57.4	0
2/12/2023, 5:44:19 PM	0	6.851	43.2	58.2	0
2/12/2023, 5:54:19 PM	0	6.851	41.9	59	0
2/12/2023, 6:04:19 PM	0	6.851	40.8	59.8	0
2/12/2023, 6:14:19 PM	0	6.842	39.7	60.5	0
2/12/2023, 6:24:19 PM	0	6.842	38.8	61.3	0
2/12/2023, 6:34:19 PM	0	6.842	37.9	62.2	0
2/12/2023, 6:44:19 PM	0	6.842	37	63	0
2/12/2023, 6:54:19 PM	0	6.833	36.3	63.9	0
2/12/2023, 7:04:19 PM	0	6.833	35.6	64.6	0
2/12/2023, 7:14:19 PM	0	6.833	34.9	65.3	0
2/12/2023, 7:24:19 PM	0	6.833	34.2	66.1	0
2/12/2023, 7:34:19 PM	0	6.833	33.6	66.8	0
2/12/2023, 7:44:19 PM	0	6.825	32.9	67.4	0
2/12/2023, 7:54:19 PM	0	6.825	32.4	68	0
2/12/2023, 8:04:19 PM	0	6.825	32	68.6	0
2/12/2023, 8:14:19 PM	0	6.825	31.6	69.3	0
2/12/2023, 8:24:19 PM	0	6.816	31.1	69.9	0
2/12/2023, 8:34:19 PM	0	6.816	30.7	70.4	0
2/12/2023, 8:44:19 PM	0	6.816	30.2	71	0
2/12/2023, 8:54:19 PM	0	6.816	29.8	71.6	0
2/12/2023, 9:04:19 PM	0	6.816	29.5	72.2	0
2/12/2023, 9:14:19 PM	0	6.807	29.1	72.7	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/12/2023, 9:24:19 PM	0	6.807	28.8	73.2	0
2/12/2023, 9:34:19 PM	0	6.807	28.4	73.7	0
2/12/2023, 9:44:19 PM	0	6.807	28.2	74.2	0
2/12/2023, 9:54:19 PM	0	6.807	27.9	74.7	0
2/12/2023, 10:04:19 PM	0	6.807	27.7	75.2	0
2/12/2023, 10:14:19 PM	0	6.798	27.3	75.6	0
2/12/2023, 10:24:19 PM	0	6.798	27.1	76	0
2/12/2023, 10:34:19 PM	0	6.798	27	76.3	0
2/12/2023, 10:44:19 PM	0	6.798	26.6	76.7	0
2/12/2023, 10:54:19 PM	0	6.798	26.4	77.1	0
2/12/2023, 11:04:19 PM	0	6.798	26.2	77.5	0
2/12/2023, 11:14:19 PM	0	6.798	26.1	77.9	0
2/12/2023, 11:24:19 PM	0	6.798	25.9	78.2	0
2/12/2023, 11:34:19 PM	0	6.798	25.7	78.6	0
2/12/2023, 11:44:19 PM	0	6.79	25.5	78.9	0
2/12/2023, 11:54:19 PM	0	6.79	25.3	79.2	0
2/13/2023, 12:04:19 AM	0	6.79	25.2	79.5	0
2/13/2023, 12:14:19 AM	0	6.79	25	79.7	0
2/13/2023, 12:24:19 AM	0	6.79	24.8	79.9	0
2/13/2023, 12:34:19 AM	0	6.79	24.6	80.2	0
2/13/2023, 12:44:19 AM	0	6.79	24.4	80.4	0
2/13/2023, 12:54:19 AM	0	6.79	24.3	80.7	0
2/13/2023, 1:04:19 AM	0	6.79	24.3	80.9	0
2/13/2023, 1:14:19 AM	0	6.79	24.1	81.1	0
2/13/2023, 1:24:19 AM	0	6.79	23.9	81.3	0
2/13/2023, 1:34:19 AM	0	6.79	23.7	81.5	0
2/13/2023, 1:44:19 AM	0	6.79	23.7	81.7	0
2/13/2023, 1:54:19 AM	0	6.79	23.5	81.9	0
2/13/2023, 2:04:19 AM	0	6.781	23.4	82	0
2/13/2023, 2:14:19 AM	0	6.781	23.2	82.2	0
2/13/2023, 2:24:19 AM	0	6.781	23.2	82.3	0
2/13/2023, 2:34:19 AM	0	6.781	23	82.5	0
2/13/2023, 2:44:19 AM	0	6.781	22.8	82.6	0
2/13/2023, 2:54:19 AM	0	6.781	22.8	82.8	0
2/13/2023, 3:04:19 AM	0	6.781	22.6	82.9	0
2/13/2023, 3:14:19 AM	0	6.781	22.5	83	0
2/13/2023, 3:24:19 AM	0	6.781	22.5	83.2	0
2/13/2023, 3:34:19 AM	0	6.781	22.3	83.3	0
2/13/2023, 3:44:19 AM	0	6.781	22.3	83.5	0
2/13/2023, 3:54:19 AM	0	6.781	22.1	83.6	0
2/13/2023, 4:04:19 AM	0	6.781	21.9	83.7	0
2/13/2023, 4:14:19 AM	0	6.781	21.9	83.7	0
2/13/2023, 4:24:19 AM	0	6.781	21.7	83.8	0
2/13/2023, 4:34:19 AM	0	6.781	21.7	83.9	0
2/13/2023, 4:44:19 AM	0	6.781	21.6	84	0
2/13/2023, 4:54:19 AM	0	6.781	21.4	84.1	0
2/13/2023, 5:04:19 AM	0	6.772	21.4	84.2	0
2/13/2023, 5:14:19 AM	0	6.772	21.4	84.3	0
2/13/2023, 5:24:19 AM	0	6.772	21.2	84.3	0
2/13/2023, 5:34:19 AM	0	6.772	21.2	84.4	0
2/13/2023, 5:44:19 AM	0	6.772	21	84.5	0
2/13/2023, 5:54:19 AM	0	6.772	21	84.6	0
2/13/2023, 6:04:19 AM	0	6.772	20.8	84.7	0
2/13/2023, 6:14:19 AM	0	6.772	20.8	84.7	0
2/13/2023, 6:24:19 AM	0	6.772	20.8	84.8	0
2/13/2023, 6:34:19 AM	0	6.772	20.8	84.9	0
2/13/2023, 6:44:19 AM	0	6.772	20.7	85	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/13/2023, 6:54:19 AM	0	6.772	20.7	85.1	0
2/13/2023, 7:04:19 AM	0	6.772	20.7	85.1	0
2/13/2023, 7:14:19 AM	0	6.772	20.7	85.2	0
2/13/2023, 7:24:19 AM	0	6.772	20.7	85.3	0
2/13/2023, 7:34:19 AM	0	6.772	20.7	85.4	0
2/13/2023, 7:44:19 AM	0	6.772	20.8	85.6	0
2/13/2023, 7:54:19 AM	0	6.772	21	85.9	0
2/13/2023, 8:04:19 AM	0	6.772	21.6	86.3	0
2/13/2023, 8:14:19 AM	0	6.781	22.3	86.7	0
2/13/2023, 8:24:19 AM	0	6.781	22.8	87.1	0
2/13/2023, 8:34:19 AM	0	6.781	23.7	87.6	0
2/13/2023, 8:44:19 AM	0	6.781	24.8	88.2	0
2/13/2023, 8:54:19 AM	0	6.79	26.2	88.8	0
2/13/2023, 9:04:19 AM	0	6.79	27.7	89.3	0
2/13/2023, 9:14:19 AM	0	6.798	29.7	89.8	0
2/13/2023, 9:24:19 AM	0	6.798	31.5	90.3	0
2/13/2023, 9:34:19 AM	0	6.807	33.1	90.7	0
2/13/2023, 9:44:19 AM	0	6.816	34.9	90.6	0
2/13/2023, 9:54:19 AM	0	6.816	36.7	88.5	0
2/13/2023, 10:04:19 AM	0	6.825	38.5	86.1	0
2/13/2023, 10:14:19 AM	0	6.833	40.3	83.6	0
2/13/2023, 10:24:19 AM	0	6.833	42.1	81.3	0
2/13/2023, 10:34:19 AM	0	6.833	43.7	78.8	0
2/13/2023, 10:44:19 AM	0	6.842	45.3	76.6	0
2/13/2023, 10:54:19 AM	0	6.842	47.1	74.4	0
2/13/2023, 11:04:19 AM	0	6.851	48.6	72	0
2/13/2023, 11:14:19 AM	0	6.851	49.3	70	0
2/13/2023, 11:24:19 AM	0	6.851	49.8	68.3	0
2/13/2023, 11:34:19 AM	0	6.851	50.2	67	0
2/13/2023, 11:44:19 AM	0	6.851	50.5	65.9	0
2/13/2023, 11:54:19 AM	0	6.851	50.9	64.7	0
2/13/2023, 12:04:19 PM	0	6.86	51.3	63.8	0
2/13/2023, 12:14:19 PM	0	6.86	51.3	62.9	0
2/13/2023, 12:24:19 PM	0	6.86	51.3	62	0
2/13/2023, 12:34:19 PM	0	6.86	51.1	61.2	0
2/13/2023, 12:44:19 PM	0	6.86	50.9	60.6	0
2/13/2023, 12:54:19 PM	0	6.86	50.9	60.2	0
2/13/2023, 1:04:19 PM	0	6.86	51.1	59.8	0
2/13/2023, 1:14:19 PM	0	6.86	51.3	59.4	0
2/13/2023, 1:24:19 PM	0	6.86	51.6	59.2	0
2/13/2023, 1:34:19 PM	0	6.86	52.2	59	0
2/13/2023, 1:44:19 PM	0	6.86	52.7	58.7	0
2/13/2023, 1:54:19 PM	0	6.86	53.1	58.5	0
2/13/2023, 2:04:19 PM	0	6.86	53.4	58.3	0
2/13/2023, 2:14:19 PM	0	6.86	53.4	58	0
2/13/2023, 2:24:19 PM	0	6.86	53.4	57.8	0
2/13/2023, 2:34:19 PM	0	6.86	53.4	57.7	0
2/13/2023, 2:44:19 PM	0	6.86	54.1	57.8	0
2/13/2023, 2:54:19 PM	0	6.86	54.3	57.5	0
2/13/2023, 3:04:19 PM	0	6.86	54.3	57.1	0
2/13/2023, 3:14:19 PM	0	6.86	54.3	56.9	0
2/13/2023, 3:24:19 PM	0	6.86	54	56.5	0
2/13/2023, 3:34:19 PM	0	6.86	53.2	56.3	0
2/13/2023, 3:44:19 PM	0	6.86	52.7	56.1	0
2/13/2023, 3:54:19 PM	0	6.86	52.2	56.1	0
2/13/2023, 4:04:19 PM	0	6.86	51.6	56.2	0
2/13/2023, 4:14:19 PM	0	6.86	51.1	56.4	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/13/2023, 4:24:19 PM	0	6.86	50.5	56.6	0
2/13/2023, 4:34:19 PM	0	6.86	49.8	57	0
2/13/2023, 4:44:19 PM	0	6.86	49.5	57.5	0
2/13/2023, 4:54:19 PM	0	6.86	49.1	57.8	0
2/13/2023, 5:04:19 PM	0	6.86	48.4	58	0
2/13/2023, 5:14:19 PM	0	6.86	47.5	58.3	0
2/13/2023, 5:24:19 PM	0	6.86	46.8	58.8	0
2/13/2023, 5:34:19 PM	0	6.851	46	59.3	0
2/13/2023, 5:44:19 PM	0	6.851	45.3	59.8	0
2/13/2023, 5:54:19 PM	0	6.851	44.6	60.5	0
2/13/2023, 6:04:19 PM	0	6.851	44.1	61.1	0
2/13/2023, 6:14:19 PM	0	6.851	43.7	61.8	0
2/13/2023, 6:24:19 PM	0	6.851	43.3	62.6	0
2/13/2023, 6:34:19 PM	0	6.851	43	63.2	0
2/13/2023, 6:44:19 PM	0	6.842	42.4	63.8	0
2/13/2023, 6:54:19 PM	0	6.842	42.1	64.5	0
2/13/2023, 7:04:19 PM	0	6.842	41.7	65.1	0
2/13/2023, 7:14:19 PM	0	6.842	41.4	65.8	0
2/13/2023, 7:24:19 PM	0	6.842	41.2	66.5	0
2/13/2023, 7:34:19 PM	0	6.842	41.2	67.1	0
2/13/2023, 7:44:19 PM	0	6.842	41	67.7	0
2/13/2023, 7:54:19 PM	0	6.842	40.8	68.2	0
2/13/2023, 8:04:19 PM	0	6.842	40.6	68.6	0
2/13/2023, 8:14:19 PM	0	6.842	40.5	69	0
2/13/2023, 8:24:19 PM	0	6.842	40.1	69.3	0
2/13/2023, 8:34:19 PM	0	6.842	39.7	69.6	0
2/13/2023, 8:44:19 PM	0	6.842	39.4	70	0
2/13/2023, 8:54:19 PM	0	6.842	39.2	70.3	0
2/13/2023, 9:04:19 PM	0	6.833	39	70.8	0
2/13/2023, 9:14:19 PM	0	6.833	39.2	71.2	0
2/13/2023, 9:24:19 PM	0	6.833	39.2	71.5	0
2/13/2023, 9:34:19 PM	0	6.833	39.2	71.8	0
2/13/2023, 9:44:19 PM	0	6.833	39	71.9	0
2/13/2023, 9:54:19 PM	0	6.833	38.7	72	0
2/13/2023, 10:04:19 PM	0	6.833	38.5	72.3	0
2/13/2023, 10:14:19 PM	0	6.833	38.3	72.5	0
2/13/2023, 10:24:19 PM	0	6.833	37.9	72.8	0
2/13/2023, 10:34:19 PM	0	6.833	37.9	73.2	0
2/13/2023, 10:44:19 PM	0	6.833	37.9	73.6	0
2/13/2023, 10:54:19 PM	0	6.833	37.9	73.8	0
2/13/2023, 11:04:19 PM	0	6.833	37.8	74.1	0
2/13/2023, 11:14:19 PM	0	6.833	37.8	74.3	0
2/13/2023, 11:24:19 PM	0	6.833	37.6	74.5	0
2/13/2023, 11:34:19 PM	0	6.833	37.4	74.7	0
2/13/2023, 11:44:19 PM	0	6.833	37.6	75	0
2/13/2023, 11:54:19 PM	0	6.833	37.6	75.2	0
2/14/2023, 12:04:19 AM	0	6.833	37.4	75.3	0
2/14/2023, 12:14:19 AM	0	6.833	37.2	75.3	0
2/14/2023, 12:24:19 AM	0	6.833	36.9	75.4	0
2/14/2023, 12:34:19 AM	0	6.833	36.7	75.6	0
2/14/2023, 12:44:19 AM	0	6.833	36.3	75.7	0
2/14/2023, 12:54:19 AM	0	6.833	36.1	75.9	0
2/14/2023, 1:04:19 AM	0	6.833	36	76.1	0
2/14/2023, 1:14:19 AM	0	6.833	35.8	76.4	0
2/14/2023, 1:24:19 AM	0	6.825	35.6	76.6	0
2/14/2023, 1:34:19 AM	0	6.825	35.4	77	0
2/14/2023, 1:44:19 AM	0	6.825	35.2	77.1	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/14/2023, 1:54:19 AM	0	6.825	35.1	77.2	0
2/14/2023, 2:04:19 AM	0	6.825	34.7	77.4	0
2/14/2023, 2:14:19 AM	0	6.825	34.3	77.6	0
2/14/2023, 2:24:19 AM	0	6.825	34	77.7	0
2/14/2023, 2:34:19 AM	0	6.825	33.8	78	0
2/14/2023, 2:44:19 AM	0	6.825	33.6	78.4	0
2/14/2023, 2:54:19 AM	0	6.825	33.4	78.6	0
2/14/2023, 3:04:19 AM	0	6.825	33.3	78.9	0
2/14/2023, 3:14:19 AM	0	6.825	32.9	79	0
2/14/2023, 3:24:19 AM	0	6.825	32.5	79.2	0
2/14/2023, 3:34:19 AM	0	6.825	32.2	79.4	0
2/14/2023, 3:44:19 AM	0	6.816	32	79.5	0
2/14/2023, 3:54:19 AM	0	6.816	31.6	79.5	0
2/14/2023, 4:04:19 AM	0	6.816	31.3	79.7	0
2/14/2023, 4:14:19 AM	0	6.816	30.9	79.8	0
2/14/2023, 4:24:19 AM	0	6.816	30.4	80	0
2/14/2023, 4:34:19 AM	0	6.816	30.2	80.2	0
2/14/2023, 4:44:19 AM	0	6.816	29.8	80.4	0
2/14/2023, 4:54:19 AM	0	6.807	29.7	80.7	0
2/14/2023, 5:04:19 AM	0	6.807	29.3	80.9	0
2/14/2023, 5:14:19 AM	0	6.807	29.1	81.2	0
2/14/2023, 5:24:19 AM	0	6.807	28.9	81.5	0
2/14/2023, 5:34:19 AM	0	6.807	28.8	81.8	0
2/14/2023, 5:44:19 AM	0	6.807	28.8	82.1	0
2/14/2023, 5:54:19 AM	0	6.807	28.6	82.3	0
2/14/2023, 6:04:19 AM	0	6.807	28.4	82.5	0
2/14/2023, 6:14:19 AM	0	6.807	28.2	82.6	0
2/14/2023, 6:24:19 AM	0	6.807	27.9	82.7	0
2/14/2023, 6:34:19 AM	0	6.807	27.7	82.8	0
2/14/2023, 6:44:19 AM	0	6.798	27.3	83	0
2/14/2023, 6:54:19 AM	0	6.798	27.1	83.1	0
2/14/2023, 7:04:19 AM	0	6.798	27	83.3	0
2/14/2023, 7:14:19 AM	0	6.798	26.8	83.5	0
2/14/2023, 7:24:19 AM	0	6.798	26.8	83.8	0
2/14/2023, 7:34:19 AM	0	6.798	26.8	84.1	0
2/14/2023, 7:44:19 AM	0	6.798	27	84.4	0
2/14/2023, 7:54:19 AM	0	6.798	27	84.8	0
2/14/2023, 8:04:19 AM	0	6.798	27.5	85.3	0
2/14/2023, 8:14:19 AM	0	6.798	28.2	86	0
2/14/2023, 8:24:19 AM	0	6.798	28.9	86.7	0
2/14/2023, 8:34:19 AM	0	6.807	30	87.4	0
2/14/2023, 8:44:19 AM	0	6.807	31.6	88.2	0
2/14/2023, 8:54:19 AM	0	6.807	33.1	88.9	0
2/14/2023, 9:04:19 AM	0	6.816	34.7	89.1	0
2/14/2023, 9:14:19 AM	0	6.816	36.3	88.7	0
2/14/2023, 9:24:19 AM	0	6.825	37.6	87.7	0
2/14/2023, 9:34:19 AM	0	6.825	38.5	86.5	0
2/14/2023, 9:44:19 AM	0	6.833	39.4	85.1	0
2/14/2023, 9:54:19 AM	0	6.833	40.3	83.8	0
2/14/2023, 10:04:19 AM	0	6.833	41.2	82.5	0
2/14/2023, 10:14:19 AM	0	6.833	42.1	81.3	0
2/14/2023, 10:24:19 AM	0	6.842	43.2	80.1	0
2/14/2023, 10:34:19 AM	0	6.842	44.4	78.8	0
2/14/2023, 10:44:19 AM	0	6.842	45.9	77.4	0
2/14/2023, 10:54:19 AM	0	6.842	47.3	75.8	0
2/14/2023, 11:04:19 AM	0	6.851	48.7	74.3	0
2/14/2023, 11:14:19 AM	0	6.851	50	72.5	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/14/2023, 11:24:19 AM	0	6.851	50.7	70.7	0
2/14/2023, 11:34:19 AM	0	6.851	51.4	69.1	0
2/14/2023, 11:44:19 AM	0	6.851	51.6	67.6	0
2/14/2023, 11:54:19 AM	0	6.851	52	66.3	0
2/14/2023, 12:04:19 PM	0	6.86	52.9	65.2	0
2/14/2023, 12:14:19 PM	0	6.86	53.6	64	0
2/14/2023, 12:24:19 PM	0	6.86	53.8	63	0
2/14/2023, 12:34:19 PM	0	6.86	53.4	62.1	0
2/14/2023, 12:44:19 PM	0	6.86	53.1	61.4	0
2/14/2023, 12:54:19 PM	0	6.86	52.7	60.7	0
2/14/2023, 1:04:19 PM	0	6.86	52.7	60.3	0
2/14/2023, 1:14:19 PM	0	6.86	53.2	59.9	0
2/14/2023, 1:24:19 PM	0	6.86	53.4	59.3	0
2/14/2023, 1:34:19 PM	0	6.86	53.8	58.8	0
2/14/2023, 1:44:19 PM	0	6.86	54	58.3	0
2/14/2023, 1:54:19 PM	0	6.86	54	57.8	0
2/14/2023, 2:04:19 PM	0	6.86	53.8	57.4	0
2/14/2023, 2:14:19 PM	0	6.86	53.6	57.1	0
2/14/2023, 2:24:19 PM	0	6.86	53.8	56.8	0
2/14/2023, 2:34:19 PM	0	6.86	54	56.4	0
2/14/2023, 2:44:19 PM	0	6.86	54.5	56	0
2/14/2023, 2:54:19 PM	0	6.86	54.9	55.7	0
2/14/2023, 3:04:19 PM	0	6.86	55	55.4	0
2/14/2023, 3:14:19 PM	0	6.86	55.2	55.2	0
2/14/2023, 3:24:19 PM	0	6.86	55.2	54.9	0
2/14/2023, 3:34:19 PM	0	6.86	55	54.7	0
2/14/2023, 3:44:19 PM	0	6.86	54.9	54.5	0
2/14/2023, 3:54:19 PM	0	6.86	54.7	54.4	0
2/14/2023, 4:04:19 PM	0	6.86	54.7	54.2	0
2/14/2023, 4:14:19 PM	0	6.86	54.5	54	0
2/14/2023, 4:24:19 PM	0	6.86	54.3	53.8	0
2/14/2023, 4:34:19 PM	0	6.86	54	53.6	0
2/14/2023, 4:44:19 PM	0	6.86	53.6	53.4	0
2/14/2023, 4:54:19 PM	0	6.86	53.1	53.2	0
2/14/2023, 5:04:19 PM	0	6.86	52.3	53.2	0
2/14/2023, 5:14:19 PM	0	6.86	51.3	53.5	0
2/14/2023, 5:24:19 PM	0	6.86	50.4	53.4	0
2/14/2023, 5:34:19 PM	0	6.86	49.1	53.6	0
2/14/2023, 5:44:19 PM	0	6.86	47.7	54	0
2/14/2023, 5:54:19 PM	0	6.86	46.6	54.4	0
2/14/2023, 6:04:19 PM	0	6.851	45.1	54.7	0
2/14/2023, 6:14:19 PM	0	6.851	43.9	55.1	0
2/14/2023, 6:24:19 PM	0	6.851	42.4	55.6	0
2/14/2023, 6:34:19 PM	0	6.851	41.4	56.3	0
2/14/2023, 6:44:19 PM	0	6.851	40.3	57.1	0
2/14/2023, 6:54:19 PM	0	6.842	39.2	57.9	0
2/14/2023, 7:04:19 PM	0	6.842	38.3	58.8	0
2/14/2023, 7:14:19 PM	0	6.842	37.4	59.7	0
2/14/2023, 7:24:19 PM	0	6.842	36.5	60.5	0
2/14/2023, 7:34:19 PM	0	6.833	36	61.4	0
2/14/2023, 7:44:19 PM	0	6.833	35.2	62.3	0
2/14/2023, 7:54:19 PM	0	6.833	34.7	63.2	0
2/14/2023, 8:04:19 PM	0	6.833	34.2	64	0
2/14/2023, 8:14:19 PM	0	6.825	33.6	64.7	0
2/14/2023, 8:24:19 PM	0	6.825	33.3	65.7	0
2/14/2023, 8:34:19 PM	0	6.825	32.9	66.5	0
2/14/2023, 8:44:19 PM	0	6.825	32.7	67.3	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/14/2023, 8:54:19 PM	0	6.825	32.5	68	0
2/14/2023, 9:04:19 PM	0	6.825	32.4	68.7	0
2/14/2023, 9:14:19 PM	0	6.816	32.2	69.4	0
2/14/2023, 9:24:19 PM	0	6.816	32	70.1	0
2/14/2023, 9:34:19 PM	0	6.816	32	70.7	0
2/14/2023, 9:44:19 PM	0	6.816	32	71.3	0
2/14/2023, 9:54:19 PM	0	6.816	31.8	71.9	0
2/14/2023, 10:04:19 PM	0	6.816	31.8	72.5	0
2/14/2023, 10:14:19 PM	0	6.816	31.8	73	0
2/14/2023, 10:24:19 PM	0	6.816	31.8	73.6	0
2/14/2023, 10:34:19 PM	0	6.816	31.8	74.1	0
2/14/2023, 10:44:19 PM	0	6.816	32	74.6	0
2/14/2023, 10:54:19 PM	0	6.816	32	75	0
2/14/2023, 11:04:19 PM	0	6.816	32	75.5	0
2/14/2023, 11:14:19 PM	0	6.816	32	75.8	0
2/14/2023, 11:24:19 PM	0	6.816	32.2	76.2	0
2/14/2023, 11:34:19 PM	0	6.816	32.4	76.4	0
2/14/2023, 11:44:19 PM	0	6.816	32.5	76.7	0
2/14/2023, 11:54:19 PM	0	6.816	32.7	77	0
2/15/2023, 12:04:19 AM	0	6.816	32.9	77.3	0
2/15/2023, 12:14:19 AM	0	6.816	33.3	77.6	0
2/15/2023, 12:24:19 AM	0	6.816	33.4	77.8	0
2/15/2023, 12:34:19 AM	0	6.816	33.6	77.9	0
2/15/2023, 12:44:19 AM	0	6.816	34	78.1	0
2/15/2023, 12:54:19 AM	0	6.816	34.2	78.2	0
2/15/2023, 1:04:19 AM	0	6.825	34.5	78.3	0
2/15/2023, 1:14:19 AM	0	6.825	34.7	78.2	0
2/15/2023, 1:24:19 AM	0	6.825	34.9	78.2	0
2/15/2023, 1:34:19 AM	0	6.825	35.1	78.2	0
2/15/2023, 1:44:19 AM	0	6.825	35.1	78.2	0
2/15/2023, 1:54:19 AM	0	6.825	35.2	78.2	0
2/15/2023, 2:04:19 AM	0	6.825	35.4	78.2	0
2/15/2023, 2:14:19 AM	0	6.825	35.8	78.4	0
2/15/2023, 2:24:19 AM	0	6.825	36.3	78.4	0
2/15/2023, 2:34:19 AM	0	6.825	37.4	78.4	0
2/15/2023, 2:44:19 AM	0	6.833	39.4	77.9	0
2/15/2023, 2:54:19 AM	0	6.833	40.8	77.1	0
2/15/2023, 3:04:19 AM	0	6.833	41.7	76.5	0
2/15/2023, 3:14:19 AM	0	6.842	42.3	76.1	0
2/15/2023, 3:24:19 AM	0	6.842	42.6	75.5	0
2/15/2023, 3:34:19 AM	0	6.842	43	75.1	0
2/15/2023, 3:44:19 AM	0	6.842	43.2	74.5	0
2/15/2023, 3:54:19 AM	0	6.842	43.7	73.9	0
2/15/2023, 4:04:19 AM	0	6.842	44.4	73.3	0
2/15/2023, 4:14:19 AM	0	6.842	45.3	72.6	0
2/15/2023, 4:24:19 AM	0	6.851	46.2	71.8	0
2/15/2023, 4:34:19 AM	0	6.851	46.9	70.9	0
2/15/2023, 4:44:19 AM	0	6.851	47.7	69.9	0
2/15/2023, 4:54:19 AM	0	6.851	48.2	68.8	0
2/15/2023, 5:04:19 AM	0	6.851	48.9	67.9	0
2/15/2023, 5:14:19 AM	0	6.851	49.3	67.1	0
2/15/2023, 5:24:19 AM	0	6.851	49.5	66.4	0
2/15/2023, 5:34:19 AM	0	6.851	49.6	65.8	0
2/15/2023, 5:44:19 AM	0	6.86	50	65.3	0
2/15/2023, 5:54:19 AM	0	6.86	50	65	0
2/15/2023, 6:04:19 AM	0	6.86	50	64.8	0
2/15/2023, 6:14:19 AM	0	6.86	49.8	64.5	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/15/2023, 6:24:19 AM	0	6.86	50	64.2	0
2/15/2023, 6:34:19 AM	0	6.86	50	64	0
2/15/2023, 6:44:19 AM	0	6.86	50.2	63.7	0
2/15/2023, 6:54:19 AM	0	6.86	50.4	63.4	0
2/15/2023, 7:04:19 AM	0	6.86	50.5	63.1	0
2/15/2023, 7:14:19 AM	0	6.86	50.5	62.8	0
2/15/2023, 7:24:19 AM	0	6.86	50.5	62.6	0
2/15/2023, 7:34:19 AM	0	6.86	50.5	62.4	0
2/15/2023, 7:44:19 AM	0	6.86	50.4	62.3	0
2/15/2023, 7:54:19 AM	0	6.86	50.4	62.5	0
2/15/2023, 8:04:19 AM	0	6.86	50.5	62.8	0
2/15/2023, 8:14:19 AM	0	6.86	51.1	62.9	0
2/15/2023, 8:24:19 AM	0	6.86	51.4	63	0
2/15/2023, 8:34:19 AM	0	6.86	52	63	0
2/15/2023, 8:44:19 AM	0	6.86	52.7	63	0
2/15/2023, 8:54:19 AM	0	6.86	53.6	62.8	0
2/15/2023, 9:04:19 AM	0	6.86	54.7	62.6	0
2/15/2023, 9:14:19 AM	0	6.86	55.9	62.4	0
2/15/2023, 9:24:19 AM	0	6.86	57	61.9	0
2/15/2023, 9:34:19 AM	0	6.86	57.9	61.5	0
2/15/2023, 9:44:19 AM	0	6.86	58.8	61.1	0
2/15/2023, 9:54:19 AM	0	6.869	59.9	60.7	0
2/15/2023, 10:04:19 AM	0	6.869	60.8	60.3	0
2/15/2023, 10:14:19 AM	0	6.869	61.7	60	0
2/15/2023, 10:24:19 AM	0	6.869	62.6	59.7	0
2/15/2023, 10:34:19 AM	0	6.869	63.9	59.5	0
2/15/2023, 10:44:19 AM	0	6.869	64.9	59.3	0
2/15/2023, 10:54:19 AM	0	6.869	66	58.9	0
2/15/2023, 11:04:19 AM	0	6.869	66.7	58.5	0
2/15/2023, 11:14:19 AM	0	6.877	67.3	58.1	0
2/15/2023, 11:24:19 AM	0	6.877	67.6	57.8	0
2/15/2023, 11:34:19 AM	0	6.877	68.2	57.5	0
2/15/2023, 11:44:19 AM	0	6.877	68.2	57.2	0
2/15/2023, 11:54:19 AM	0	6.877	68.7	57.2	0
2/15/2023, 12:04:19 PM	0	6.877	69.1	57.1	0
2/15/2023, 12:14:19 PM	0	6.877	68.9	56.8	0
2/15/2023, 12:24:19 PM	0	6.877	68.4	56.7	0
2/15/2023, 12:34:19 PM	0	6.877	67.8	56.7	0
2/15/2023, 12:44:19 PM	0	6.877	67.1	56.7	0
2/15/2023, 12:54:19 PM	0	6.877	66.7	56.9	0
2/15/2023, 1:04:19 PM	0	6.877	66.4	57.1	0
2/15/2023, 1:14:19 PM	0	6.877	66.2	57.3	0
2/15/2023, 1:24:19 PM	0	6.877	66.2	57.4	0
2/15/2023, 1:34:19 PM	0	6.877	66.2	57.6	0
2/15/2023, 1:44:19 PM	0	6.877	66.2	57.7	0
2/15/2023, 1:54:19 PM	0	6.877	66.4	57.9	0
2/15/2023, 2:04:19 PM	0	6.877	66.7	58	0
2/15/2023, 2:14:19 PM	0	6.877	66.7	58	0
2/15/2023, 2:24:19 PM	0	6.877	66.9	58	0
2/15/2023, 2:34:19 PM	0	6.877	67.1	57.9	0
2/15/2023, 2:44:19 PM	0	6.877	67.3	57.9	0
2/15/2023, 2:54:19 PM	0	6.877	67.8	57.9	0
2/15/2023, 3:04:19 PM	0	6.877	68.4	57.8	0
2/15/2023, 3:14:19 PM	0	6.877	68.7	57.6	0
2/15/2023, 3:24:19 PM	0	6.877	68.9	57.4	0
2/15/2023, 3:34:19 PM	0	6.877	69.3	57.1	0
2/15/2023, 3:44:19 PM	0	6.877	69.4	56.9	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/15/2023, 3:54:19 PM	0	6.877	69.4	56.7	0
2/15/2023, 4:04:19 PM	0	6.877	69.4	56.5	0
2/15/2023, 4:14:19 PM	0	6.877	69.3	56.4	0
2/15/2023, 4:24:19 PM	0	6.877	69.1	56.6	0
2/15/2023, 4:34:19 PM	0	6.877	68.4	57.1	0
2/15/2023, 4:44:19 PM	0	6.877	67.3	57.5	0
2/15/2023, 4:54:19 PM	0	6.877	66.2	57.9	0
2/15/2023, 5:04:19 PM	0	6.877	65.3	58.4	0
2/15/2023, 5:14:19 PM	0	6.877	64.4	58.8	0
2/15/2023, 5:24:19 PM	0	6.877	63.5	59.3	0
2/15/2023, 5:34:19 PM	0	6.877	62.6	59.7	0
2/15/2023, 5:44:19 PM	0	6.877	61.9	60.2	0
2/15/2023, 5:54:19 PM	0	6.877	61	60.8	0
2/15/2023, 6:04:19 PM	0	6.877	60.4	61.3	0
2/15/2023, 6:14:19 PM	0	6.877	59.7	61.7	0
2/15/2023, 6:24:19 PM	0	6.869	59	62.2	0
2/15/2023, 6:34:19 PM	0	6.869	58.5	62.8	0
2/15/2023, 6:44:19 PM	0	6.869	58.1	63.2	0
2/15/2023, 6:54:19 PM	0	6.869	57.9	63.5	0
2/15/2023, 7:04:19 PM	0	6.869	57.7	63.7	0
2/15/2023, 7:14:19 PM	0	6.869	57.7	63.9	0
2/15/2023, 7:24:19 PM	0	6.869	57.7	63.9	0
2/15/2023, 7:34:19 PM	0	6.869	57.6	64	0
2/15/2023, 7:44:19 PM	0	6.869	57.2	64.1	0
2/15/2023, 7:54:19 PM	0	6.869	57	64.3	0
2/15/2023, 8:04:19 PM	0	6.869	56.7	64.5	0
2/15/2023, 8:14:19 PM	0	6.869	56.5	64.6	0
2/15/2023, 8:24:19 PM	0	6.869	56.3	64.8	0
2/15/2023, 8:34:19 PM	0	6.869	55.9	65	0
2/15/2023, 8:44:19 PM	0	6.869	55.8	65.2	0
2/15/2023, 8:54:19 PM	0	6.869	55.4	65.3	0
2/15/2023, 9:04:19 PM	0	6.869	55.4	65.4	0
2/15/2023, 9:14:19 PM	0	6.869	55.4	65.5	0
2/15/2023, 9:24:19 PM	0	6.869	55.4	65.4	0
2/15/2023, 9:34:19 PM	0	6.869	55.4	65.4	0
2/15/2023, 9:44:19 PM	0	6.869	55.2	65.4	0
2/15/2023, 9:54:19 PM	0	6.869	55	65.4	0
2/15/2023, 10:04:19 PM	0	6.869	54.7	65.5	0
2/15/2023, 10:14:19 PM	0	6.869	54.3	65.6	0
2/15/2023, 10:24:19 PM	0	6.869	54	65.9	0
2/15/2023, 10:34:19 PM	0	6.86	53.6	66.1	0
2/15/2023, 10:44:19 PM	0	6.86	52.9	66.3	0
2/15/2023, 10:54:19 PM	0	6.86	52.2	66.5	0
2/15/2023, 11:04:19 PM	0	6.86	51.3	66.8	0
2/15/2023, 11:14:19 PM	0	6.86	50.5	67.1	0
2/15/2023, 11:24:19 PM	0	6.86	49.6	67.5	0
2/15/2023, 11:34:19 PM	0	6.86	49.1	68.1	0
2/15/2023, 11:44:19 PM	0	6.86	48.6	68.7	0
2/15/2023, 11:54:19 PM	0	6.86	48	69.3	0
2/16/2023, 12:04:19 AM	0	6.86	47.7	69.8	0
2/16/2023, 12:14:19 AM	0	6.851	47.5	70.3	0
2/16/2023, 12:24:19 AM	0	6.851	47.1	70.7	0
2/16/2023, 12:34:19 AM	0	6.851	46.9	71.1	0
2/16/2023, 12:44:19 AM	0	6.851	46.6	71.4	0
2/16/2023, 12:54:19 AM	0	6.851	46.2	71.7	0
2/16/2023, 1:04:19 AM	0	6.851	45.7	72	0
2/16/2023, 1:14:19 AM	0	6.851	45.5	72.5	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/16/2023, 1:24:19 AM	0	6.851	45.1	72.8	0
2/16/2023, 1:34:19 AM	0	6.851	44.8	73.2	0
2/16/2023, 1:44:19 AM	0	6.851	44.6	73.6	0
2/16/2023, 1:54:19 AM	0	6.851	44.4	73.9	0
2/16/2023, 2:04:19 AM	0	6.851	44.2	74.2	0
2/16/2023, 2:14:19 AM	0	6.851	44.1	74.5	0
2/16/2023, 2:24:19 AM	0	6.842	43.9	74.7	0
2/16/2023, 2:34:19 AM	0	6.842	43.9	75	0
2/16/2023, 2:44:19 AM	0	6.842	43.9	75.2	0
2/16/2023, 2:54:19 AM	0	6.842	43.9	75.4	0
2/16/2023, 3:04:19 AM	0	6.842	43.9	75.4	0
2/16/2023, 3:14:19 AM	0	6.842	43.7	75.4	0
2/16/2023, 3:24:19 AM	0	6.842	43.7	75.5	0
2/16/2023, 3:34:19 AM	0	6.842	43.5	75.6	0
2/16/2023, 3:44:19 AM	0	6.842	43.5	75.6	0
2/16/2023, 3:54:19 AM	0	6.842	43.3	75.8	0
2/16/2023, 4:04:19 AM	0	6.842	43.3	76	0
2/16/2023, 4:14:19 AM	0	6.842	43.3	76.1	0
2/16/2023, 4:24:19 AM	0	6.842	43.5	76.1	0
2/16/2023, 4:34:19 AM	0	6.842	43.5	76.2	0
2/16/2023, 4:44:19 AM	0	6.842	43.7	76.2	0
2/16/2023, 4:54:19 AM	0	6.842	43.7	76.1	0
2/16/2023, 5:04:19 AM	0	6.842	43.7	76	0
2/16/2023, 5:14:19 AM	0	6.842	43.7	75.9	0
2/16/2023, 5:24:19 AM	0	6.842	43.7	75.8	0
2/16/2023, 5:34:19 AM	0	6.842	43.5	75.8	0
2/16/2023, 5:44:19 AM	0	6.842	43.5	75.7	0
2/16/2023, 5:54:19 AM	0	6.842	43.5	75.6	0
2/16/2023, 6:04:19 AM	0	6.842	43.5	75.6	0
2/16/2023, 6:14:19 AM	0	6.842	43.3	75.5	0
2/16/2023, 6:24:19 AM	0	6.842	43.3	75.5	0
2/16/2023, 6:34:19 AM	0	6.842	43.2	75.4	0
2/16/2023, 6:44:19 AM	0	6.842	43.2	75.4	0
2/16/2023, 6:54:19 AM	0	6.842	43	75.4	0
2/16/2023, 7:04:19 AM	0	6.842	43	75.4	0
2/16/2023, 7:14:19 AM	0	6.842	42.8	75.3	0
2/16/2023, 7:24:19 AM	0	6.842	42.8	75.3	0
2/16/2023, 7:34:19 AM	0	6.842	42.8	75.3	0
2/16/2023, 7:44:19 AM	0	6.842	42.6	75.3	0
2/16/2023, 7:54:19 AM	0	6.842	42.6	75.2	0
2/16/2023, 8:04:19 AM	0	6.842	42.6	75.2	0
2/16/2023, 8:14:19 AM	0	6.842	42.8	75.2	0
2/16/2023, 8:24:19 AM	0	6.842	42.8	75.1	0
2/16/2023, 8:34:19 AM	0	6.842	42.8	75	0
2/16/2023, 8:44:19 AM	0	6.842	42.8	74.9	0
2/16/2023, 8:54:19 AM	0	6.842	42.8	74.8	0
2/16/2023, 9:04:19 AM	0	6.842	42.8	74.7	0
2/16/2023, 9:14:19 AM	0	6.842	43	74.8	0
2/16/2023, 9:24:19 AM	0	6.842	43	74.7	0
2/16/2023, 9:34:19 AM	0	6.842	43.2	74.7	0
2/16/2023, 9:44:19 AM	0	6.842	43.3	74.7	0
2/16/2023, 9:54:19 AM	0	6.842	43.5	74.6	0
2/16/2023, 10:04:19 AM	0	6.842	43.7	74.6	0
2/16/2023, 10:14:19 AM	0	6.842	43.9	74.5	0
2/16/2023, 10:24:19 AM	0	6.842	44.1	74.5	0
2/16/2023, 10:34:19 AM	0	6.842	44.2	74.4	0
2/16/2023, 10:44:19 AM	0	6.842	44.4	74.3	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/16/2023, 10:54:19 AM	0	6.842	44.4	74.2	0
2/16/2023, 11:04:19 AM	0	6.842	44.6	74.1	0
2/16/2023, 11:14:19 AM	0	6.842	44.6	73.8	0
2/16/2023, 11:24:19 AM	0	6.842	44.4	73.6	0
2/16/2023, 11:34:19 AM	0	6.842	44.2	73.6	0
2/16/2023, 11:44:19 AM	0	6.842	43.9	73.6	0
2/16/2023, 11:54:19 AM	0	6.842	43.9	73.7	0
2/16/2023, 12:04:19 PM	0	6.842	43.9	73.8	0
2/16/2023, 12:14:19 PM	0	6.842	43.7	73.9	0
2/16/2023, 12:24:19 PM	0	6.842	43.7	73.9	0
2/16/2023, 12:34:19 PM	0	6.842	43.7	73.8	0
2/16/2023, 12:44:19 PM	0	6.842	43.7	73.7	0
2/16/2023, 12:54:19 PM	0	6.842	43.7	73.7	0
2/16/2023, 1:04:19 PM	0	6.842	43.7	73.6	0
2/16/2023, 1:14:19 PM	0	6.842	43.7	73.5	0
2/16/2023, 1:24:19 PM	0	6.842	43.7	73.4	0
2/16/2023, 1:34:19 PM	0	6.842	43.7	73.4	0
2/16/2023, 1:44:19 PM	0	6.842	43.7	73.2	0
2/16/2023, 1:54:19 PM	0	6.842	43.7	73.1	0
2/16/2023, 2:04:19 PM	0	6.842	43.7	73.1	0
2/16/2023, 2:14:19 PM	0	6.842	43.7	72.9	0
2/16/2023, 2:24:19 PM	0	6.842	43.7	72.8	0
2/16/2023, 2:34:19 PM	0	6.842	43.7	72.8	0
2/16/2023, 2:44:19 PM	0	6.842	43.5	72.7	0
2/16/2023, 2:54:19 PM	0	6.842	43.2	72.7	0
2/16/2023, 3:04:19 PM	0	6.842	43	72.8	0
2/16/2023, 3:14:19 PM	0	6.842	42.8	72.8	0
2/16/2023, 3:24:19 PM	0	6.842	42.6	73	0
2/16/2023, 3:34:19 PM	0	6.842	42.4	73	0
2/16/2023, 3:44:19 PM	0	6.842	42.1	73	0
2/16/2023, 3:54:19 PM	0	6.842	41.9	73.1	0
2/16/2023, 4:04:19 PM	0	6.842	41.9	73.2	0
2/16/2023, 4:14:19 PM	0	6.842	41.9	73.3	0
2/16/2023, 4:24:19 PM	0	6.842	41.7	73.3	0
2/16/2023, 4:34:19 PM	0	6.842	41.5	73.2	0
2/16/2023, 4:44:19 PM	0	6.842	41.2	73.3	0
2/16/2023, 4:54:19 PM	0	6.842	41	73.3	0
2/16/2023, 5:04:19 PM	0	6.842	40.6	73.5	0
2/16/2023, 5:14:19 PM	0	6.842	40.3	73.7	0
2/16/2023, 5:24:19 PM	0	6.833	40.1	74	0
2/16/2023, 5:34:19 PM	0	6.833	39.7	74.2	0
2/16/2023, 5:44:19 PM	0	6.833	39.6	74.5	0
2/16/2023, 5:54:19 PM	0	6.833	39.4	74.7	0
2/16/2023, 6:04:19 PM	0	6.833	39.2	75	0
2/16/2023, 6:14:19 PM	0	6.833	39	75.3	0
2/16/2023, 6:24:19 PM	0	6.833	39	75.6	0
2/16/2023, 6:34:19 PM	0	6.833	38.8	75.9	0
2/16/2023, 6:44:19 PM	0	6.833	38.7	76.2	0
2/16/2023, 6:54:19 PM	0	6.833	38.7	76.5	0
2/16/2023, 7:04:19 PM	0	6.833	38.5	76.7	0
2/16/2023, 7:14:19 PM	0	6.833	38.5	76.8	0
2/16/2023, 7:24:19 PM	0	6.833	38.5	77.1	0
2/16/2023, 7:34:19 PM	0	6.833	38.5	77.3	0
2/16/2023, 7:44:19 PM	0	6.833	38.5	77.4	0
2/16/2023, 7:54:19 PM	0	6.833	38.5	77.6	0
2/16/2023, 8:04:19 PM	0	6.833	38.5	77.8	0
2/16/2023, 8:14:19 PM	0	6.833	38.5	78	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/16/2023, 8:24:19 PM	0	6.833	38.5	78.1	0
2/16/2023, 8:34:19 PM	0	6.833	38.5	78.3	0
2/16/2023, 8:44:19 PM	0	6.833	38.7	78.4	0
2/16/2023, 8:54:19 PM	0	6.833	38.7	78.6	0
2/16/2023, 9:04:19 PM	0	6.833	38.7	78.7	0
2/16/2023, 9:14:19 PM	0	6.833	38.7	78.9	0
2/16/2023, 9:24:19 PM	0	6.833	38.8	79.1	0
2/16/2023, 9:34:19 PM	0	6.833	38.8	79.3	0
2/16/2023, 9:44:19 PM	0	6.833	38.8	79.5	0
2/16/2023, 9:54:19 PM	0	6.833	38.8	79.7	0
2/16/2023, 10:04:19 PM	0	6.833	38.8	79.9	0
2/16/2023, 10:14:19 PM	0	6.833	38.8	80.1	0
2/16/2023, 10:24:19 PM	0	6.833	38.8	80.2	0
2/16/2023, 10:34:19 PM	0	6.833	38.8	80.3	0
2/16/2023, 10:44:19 PM	0	6.833	39	80.4	0
2/16/2023, 10:54:19 PM	0	6.833	39	80.6	0
2/16/2023, 11:04:19 PM	0	6.833	39	80.7	0
2/16/2023, 11:14:19 PM	0	6.833	39	80.8	0
2/16/2023, 11:24:19 PM	0	6.833	39	80.8	0
2/16/2023, 11:34:19 PM	0	6.833	39	80.9	0
2/16/2023, 11:44:19 PM	0	6.833	39	80.9	0
2/16/2023, 11:54:19 PM	0	6.833	39.2	81	0
2/17/2023, 12:04:19 AM	0	6.833	39.2	81.1	0
2/17/2023, 12:14:19 AM	0	6.833	39.2	81.1	0
2/17/2023, 12:24:19 AM	0	6.833	39.4	81.1	0
2/17/2023, 12:34:19 AM	0	6.833	39.4	81.2	0
2/17/2023, 12:44:19 AM	0	6.833	39.4	81.2	0
2/17/2023, 12:54:19 AM	0	6.833	39.6	81.3	0
2/17/2023, 1:04:19 AM	0	6.833	39.6	81.4	0
2/17/2023, 1:14:19 AM	0	6.833	39.4	81.6	0
2/17/2023, 1:24:19 AM	0	6.833	39.4	81.7	0
2/17/2023, 1:34:19 AM	0	6.833	39.4	81.9	0
2/17/2023, 1:44:19 AM	0	6.833	39.2	81.9	0
2/17/2023, 1:54:19 AM	0	6.833	39	82	0
2/17/2023, 2:04:19 AM	0	6.833	38.8	82.1	0
2/17/2023, 2:14:19 AM	0	6.833	38.7	82.2	0
2/17/2023, 2:24:19 AM	0	6.833	38.5	82.4	0
2/17/2023, 2:34:19 AM	0	6.833	38.3	82.7	0
2/17/2023, 2:44:19 AM	0	6.833	38.1	83	0
2/17/2023, 2:54:19 AM	0	6.833	38.1	83.2	0
2/17/2023, 3:04:19 AM	0	6.833	38.1	83.4	0
2/17/2023, 3:14:19 AM	0	6.833	38.1	83.6	0
2/17/2023, 3:24:19 AM	0	6.833	37.9	83.7	0
2/17/2023, 3:34:19 AM	0	6.833	37.9	83.8	0
2/17/2023, 3:44:19 AM	0	6.833	37.8	83.9	0
2/17/2023, 3:54:19 AM	0	6.833	37.6	84	0
2/17/2023, 4:04:19 AM	0	6.833	37.4	84	0
2/17/2023, 4:14:19 AM	0	6.833	37.2	84.1	0
2/17/2023, 4:24:19 AM	0	6.833	37	84.2	0
2/17/2023, 4:34:19 AM	0	6.833	36.9	84.4	0
2/17/2023, 4:44:19 AM	0	6.825	36.9	84.5	0
2/17/2023, 4:54:19 AM	0	6.825	36.7	84.7	0
2/17/2023, 5:04:19 AM	0	6.825	36.7	84.8	0
2/17/2023, 5:14:19 AM	0	6.825	36.5	84.9	0
2/17/2023, 5:24:19 AM	0	6.825	36.3	85.1	0
2/17/2023, 5:34:19 AM	0	6.825	36.1	85.2	0
2/17/2023, 5:44:19 AM	0	6.825	35.8	85.2	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/17/2023, 5:54:19 AM	0	6.825	35.4	85.3	0
2/17/2023, 6:04:19 AM	0	6.825	35.2	85.3	0
2/17/2023, 6:14:19 AM	0	6.825	34.9	85.3	0
2/17/2023, 6:24:19 AM	0	6.825	34.5	85.4	0
2/17/2023, 6:34:19 AM	0	6.825	34.3	85.4	0
2/17/2023, 6:44:19 AM	0	6.825	34.2	85.5	0
2/17/2023, 6:54:19 AM	0	6.825	34	85.7	0
2/17/2023, 7:04:19 AM	0	6.816	33.6	85.8	0
2/17/2023, 7:14:19 AM	0	6.825	33.6	85.9	0
2/17/2023, 7:24:19 AM	0	6.816	33.4	86	0
2/17/2023, 7:34:19 AM	0	6.816	33.3	86.2	0
2/17/2023, 7:44:19 AM	0	6.816	33.1	86.2	0
2/17/2023, 7:54:19 AM	0	6.816	32.9	86.3	0
2/17/2023, 8:04:19 AM	0	6.816	32.7	86.4	0
2/17/2023, 8:14:19 AM	0	6.816	32.5	86.5	0
2/17/2023, 8:24:19 AM	0	6.816	32.4	86.5	0
2/17/2023, 8:34:19 AM	0	6.816	32.4	86.6	0
2/17/2023, 8:44:19 AM	0	6.816	32.2	86.7	0
2/17/2023, 8:54:19 AM	0	6.816	32.2	86.8	0
2/17/2023, 9:04:19 AM	0	6.816	32	86.8	0
2/17/2023, 9:14:19 AM	0	6.816	31.8	86.7	0
2/17/2023, 9:24:19 AM	0	6.816	31.6	86.5	0
2/17/2023, 9:34:19 AM	0	6.816	31.3	86.4	0
2/17/2023, 9:44:19 AM	0	6.807	31.1	86.3	0
2/17/2023, 9:54:19 AM	0	6.807	30.9	86.3	0
2/17/2023, 10:04:19 AM	0	6.807	30.7	86.2	0
2/17/2023, 10:14:19 AM	0	6.807	30.6	86.1	0
2/17/2023, 10:24:19 AM	0	6.807	30.2	86	0
2/17/2023, 10:34:19 AM	0	6.807	30	85.8	0
2/17/2023, 10:44:19 AM	0	6.807	29.8	85.8	0
2/17/2023, 10:54:19 AM	0	6.807	29.7	85.7	0
2/17/2023, 11:04:19 AM	0	6.807	29.7	85.7	0
2/17/2023, 11:14:19 AM	0	6.807	29.3	85.5	0
2/17/2023, 11:24:19 AM	0	6.807	29.3	85.5	0
2/17/2023, 11:34:19 AM	0	6.798	29.1	85.4	0
2/17/2023, 11:42:45 AM	0	6.948	30.2	85.5	0
2/17/2023, 11:52:45 AM	0	6.807	32.7	85.3	0
2/17/2023, 12:02:45 PM	0	6.816	31.8	84.3	0
2/17/2023, 12:12:45 PM	0	6.816	30.9	83.8	0
2/17/2023, 12:22:45 PM	0	6.807	30.2	83.4	0
2/17/2023, 12:32:45 PM	0	6.807	29.7	83.3	0
2/17/2023, 12:42:45 PM	0	6.807	29.1	83.2	0
2/17/2023, 12:52:45 PM	0	6.807	28.9	83.2	0
2/17/2023, 1:02:45 PM	0	6.807	28.6	83.2	0
2/17/2023, 1:12:45 PM	0	6.807	28.4	83.3	0
2/17/2023, 1:22:45 PM	0	6.798	28.2	83.3	0
2/17/2023, 1:32:45 PM	0	6.798	28.2	83.4	0
2/17/2023, 1:42:45 PM	0	6.798	28	83.4	0
2/17/2023, 1:52:45 PM	0	6.798	28	83.4	0
2/17/2023, 2:02:45 PM	0	6.798	27.9	83.4	0
2/17/2023, 2:12:45 PM	0	6.798	27.9	83.3	0
2/17/2023, 2:22:45 PM	0	6.798	27.7	83.2	0
2/17/2023, 2:32:45 PM	0	6.798	27.3	83.1	0
2/17/2023, 2:42:45 PM	0	6.798	27.1	83	0
2/17/2023, 2:52:45 PM	0	6.798	27.1	82.9	0
2/17/2023, 3:02:45 PM	0	6.798	27	82.8	0
2/17/2023, 3:12:45 PM	0	6.798	27	82.8	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/17/2023, 3:22:45 PM	0	6.798	26.8	82.8	0
2/17/2023, 3:32:45 PM	0	6.798	26.6	82.7	0
2/17/2023, 3:42:45 PM	0	6.798	26.4	82.7	0
2/17/2023, 3:52:45 PM	0	6.798	26.4	82.7	0
2/17/2023, 4:02:45 PM	0	6.798	26.4	82.7	0
2/17/2023, 4:12:45 PM	0	6.798	26.4	82.7	0
2/17/2023, 4:22:45 PM	0	6.798	26.4	82.7	0
2/17/2023, 4:32:45 PM	0	6.798	26.2	82.6	0
2/17/2023, 4:42:45 PM	0	6.798	26.1	82.5	0
2/17/2023, 4:52:45 PM	0	6.798	26.1	82.3	0
2/17/2023, 5:02:45 PM	0	6.798	26.1	82.3	0
2/17/2023, 5:12:45 PM	0	6.798	25.9	82.2	0
2/17/2023, 5:22:45 PM	0	6.79	25.9	82.2	0
2/17/2023, 5:32:45 PM	0	6.798	25.9	82.1	0
2/17/2023, 5:42:45 PM	0	6.79	25.7	82.1	0
2/17/2023, 5:52:45 PM	0	6.798	25.7	82	0
2/17/2023, 6:02:45 PM	0	6.798	25.5	82	0
2/17/2023, 6:12:45 PM	0	6.79	25.5	82.1	0
2/17/2023, 6:22:45 PM	0	6.79	25.5	82.1	0
2/17/2023, 6:32:45 PM	0	6.79	25.3	82.1	0
2/17/2023, 6:42:45 PM	0	6.79	25.3	82	0
2/17/2023, 6:52:45 PM	0	6.79	25.3	81.9	0
2/17/2023, 7:02:45 PM	0	6.79	25.2	81.9	0
2/17/2023, 7:12:45 PM	0	6.79	25.2	81.8	0
2/17/2023, 7:22:45 PM	0	6.79	25	81.7	0
2/17/2023, 7:32:45 PM	0	6.79	25	81.7	0
2/17/2023, 7:42:45 PM	0	6.79	25	81.6	0
2/17/2023, 7:52:45 PM	0	6.79	25	81.5	0
2/17/2023, 8:02:45 PM	0	6.79	24.8	81.4	0
2/17/2023, 8:12:45 PM	0	6.79	24.8	81.3	0
2/17/2023, 8:22:45 PM	0	6.79	24.6	81.3	0
2/17/2023, 8:32:45 PM	0	6.79	24.6	81.2	0
2/17/2023, 8:42:45 PM	0	6.79	24.4	81.2	0
2/17/2023, 8:52:45 PM	0	6.79	24.4	81.2	0
2/17/2023, 9:02:45 PM	0	6.79	24.4	81.2	0
2/17/2023, 9:12:45 PM	0	6.79	24.3	81.2	0
2/17/2023, 9:22:45 PM	0	6.79	24.1	81.1	0
2/17/2023, 9:32:45 PM	0	6.79	23.9	81.1	0
2/17/2023, 9:42:45 PM	0	6.79	23.7	81	0
2/17/2023, 9:52:45 PM	0	6.79	23.5	80.9	0
2/17/2023, 10:02:45 PM	0	6.79	23.5	80.9	0
2/17/2023, 10:12:45 PM	0	6.79	23.4	80.9	0
2/17/2023, 10:22:45 PM	0	6.781	23.2	80.9	0
2/17/2023, 10:32:45 PM	0	6.781	23.2	81	0
2/17/2023, 10:42:45 PM	0	6.781	23.2	81	0
2/17/2023, 10:52:45 PM	0	6.781	23.2	80.9	0
2/17/2023, 11:02:45 PM	0	6.781	23.2	80.9	0
2/17/2023, 11:12:45 PM	0	6.781	23.2	80.8	0
2/17/2023, 11:22:45 PM	0	6.781	23.2	80.8	0
2/17/2023, 11:32:45 PM	0	6.781	23.2	80.7	0
2/17/2023, 11:42:45 PM	0	6.781	23.2	80.6	0
2/17/2023, 11:52:45 PM	0	6.781	23.2	80.4	0
2/18/2023, 12:02:45 AM	0	6.781	23.2	80.3	0
2/18/2023, 12:12:45 AM	0	6.781	23	80	0
2/18/2023, 12:22:45 AM	0	6.781	23	79.7	0
2/18/2023, 12:32:45 AM	0	6.781	22.8	79.4	0
2/18/2023, 12:42:45 AM	0	6.781	22.8	79.1	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/18/2023, 12:52:45 AM	0	6.781	22.6	78.8	0
2/18/2023, 1:02:45 AM	0	6.781	22.6	78.6	0
2/18/2023, 1:12:45 AM	0	6.781	22.5	78.3	0
2/18/2023, 1:22:45 AM	0	6.781	22.5	78.2	0
2/18/2023, 1:32:45 AM	0	6.781	22.3	78.1	0
2/18/2023, 1:42:45 AM	0	6.781	22.3	78	0
2/18/2023, 1:52:45 AM	0	6.781	22.3	78	0
2/18/2023, 2:02:45 AM	0	6.781	22.3	78.1	0
2/18/2023, 2:12:45 AM	0	6.781	22.1	77.9	0
2/18/2023, 2:22:45 AM	0	6.781	21.9	77.7	0
2/18/2023, 2:32:45 AM	0	6.781	21.7	77.5	0
2/18/2023, 2:42:45 AM	0	6.781	21.4	77.2	0
2/18/2023, 2:52:45 AM	0	6.781	21	77.1	0
2/18/2023, 3:02:45 AM	0	6.772	20.8	76.9	0
2/18/2023, 3:12:45 AM	0	6.772	20.8	76.8	0
2/18/2023, 3:22:45 AM	0	6.772	20.8	76.7	0
2/18/2023, 3:32:45 AM	0	6.772	20.7	76.5	0
2/18/2023, 3:42:45 AM	0	6.772	20.5	76.4	0
2/18/2023, 3:52:45 AM	0	6.772	20.5	76.4	0
2/18/2023, 4:02:45 AM	0	6.772	20.5	76.4	0
2/18/2023, 4:12:45 AM	0	6.772	20.7	76.4	0
2/18/2023, 4:22:45 AM	0	6.772	20.7	76.5	0
2/18/2023, 4:32:45 AM	0	6.772	20.8	76.5	0
2/18/2023, 4:42:45 AM	0	6.772	20.8	76.4	0
2/18/2023, 4:52:45 AM	0	6.772	20.7	76.3	0
2/18/2023, 5:02:45 AM	0	6.772	20.5	76.3	0
2/18/2023, 5:12:45 AM	0	6.772	20.1	76.2	0
2/18/2023, 5:22:45 AM	0	6.772	19.6	76.2	0
2/18/2023, 5:32:45 AM	0	6.772	19.2	76.2	0
2/18/2023, 5:42:45 AM	0	6.772	18.9	76.3	0
2/18/2023, 5:52:45 AM	0	6.772	18.3	76.4	0
2/18/2023, 6:02:45 AM	0	6.763	18.1	76.6	0
2/18/2023, 6:12:45 AM	0	6.763	18	77	0
2/18/2023, 6:22:45 AM	0	6.763	18	77.4	0
2/18/2023, 6:32:45 AM	0	6.763	18.1	77.9	0
2/18/2023, 6:42:45 AM	0	6.763	18.5	78.3	0
2/18/2023, 6:52:45 AM	0	6.763	18.9	78.7	0
2/18/2023, 7:02:45 AM	0	6.763	19.2	79	0
2/18/2023, 7:12:45 AM	0	6.763	19.6	79.3	0
2/18/2023, 7:22:45 AM	0	6.772	19.9	79.5	0
2/18/2023, 7:32:45 AM	0	6.772	20.3	79.7	0
2/18/2023, 7:42:45 AM	0	6.772	20.7	79.8	0
2/18/2023, 7:52:45 AM	0	6.772	21	80	0
2/18/2023, 8:02:45 AM	0	6.772	21.4	80.2	0
2/18/2023, 8:12:45 AM	0	6.772	21.9	80.4	0
2/18/2023, 8:22:45 AM	0	6.781	22.8	80.6	0
2/18/2023, 8:32:45 AM	0	6.781	23.7	80.8	0
2/18/2023, 8:42:45 AM	0	6.781	24.8	80.8	0
2/18/2023, 8:52:45 AM	0	6.79	25.9	80.7	0
2/18/2023, 9:02:45 AM	0	6.79	27	80.5	0
2/18/2023, 9:12:45 AM	0	6.798	28.4	80.1	0
2/18/2023, 9:22:45 AM	0	6.798	29.3	79.6	0
2/18/2023, 9:32:45 AM	0	6.798	30	78.9	0
2/18/2023, 9:42:45 AM	0	6.807	30.4	78.2	0
2/18/2023, 9:52:45 AM	0	6.807	31.1	77.6	0
2/18/2023, 10:02:45 AM	0	6.807	31.8	77	0
2/18/2023, 10:12:45 AM	0	6.807	32.2	76.2	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/18/2023, 10:22:45 AM	0	6.816	32.9	75.5	0
2/18/2023, 10:32:45 AM	0	6.816	33.8	74.9	0
2/18/2023, 10:42:45 AM	0	6.816	34.7	74	0
2/18/2023, 10:52:45 AM	0	6.816	35.6	73.2	0
2/18/2023, 11:02:45 AM	0	6.825	36.5	72.3	0
2/18/2023, 11:12:45 AM	0	6.825	37.2	71.4	0
2/18/2023, 11:22:45 AM	0	6.825	37.8	70.3	0
2/18/2023, 11:32:45 AM	0	6.825	38.1	69.2	0
2/18/2023, 11:42:45 AM	0	6.825	38.3	68.4	0
2/18/2023, 11:52:45 AM	0	6.825	38.8	67.8	0
2/18/2023, 12:02:45 PM	0	6.833	39.7	67.1	0
2/18/2023, 12:12:45 PM	0	6.833	40.5	66.2	0
2/18/2023, 12:22:45 PM	0	6.833	40.8	65.2	0
2/18/2023, 12:32:45 PM	0	6.833	40.8	64.4	0
2/18/2023, 12:42:45 PM	0	6.833	40.6	63.8	0
2/18/2023, 12:52:45 PM	0	6.833	40.5	63.3	0
2/18/2023, 1:02:45 PM	0	6.833	40.6	63	0
2/18/2023, 1:12:45 PM	0	6.833	41.4	62.7	0
2/18/2023, 1:22:45 PM	0	6.833	41.9	62.2	0
2/18/2023, 1:32:45 PM	0	6.842	42.3	61.8	0
2/18/2023, 1:42:45 PM	0	6.842	42.6	61.5	0
2/18/2023, 1:52:45 PM	0	6.842	42.8	61	0
2/18/2023, 2:02:45 PM	0	6.842	42.8	60.6	0
2/18/2023, 2:12:45 PM	0	6.842	43	60.5	0
2/18/2023, 2:22:45 PM	0	6.842	43.5	60.3	0
2/18/2023, 2:32:45 PM	0	6.842	44.1	59.9	0
2/18/2023, 2:42:45 PM	0	6.842	44.6	59.6	0
2/18/2023, 2:52:45 PM	0	6.842	45	59.3	0
2/18/2023, 3:02:45 PM	0	6.842	45.1	59.1	0
2/18/2023, 3:12:45 PM	0	6.842	45.5	58.8	0
2/18/2023, 3:22:45 PM	0	6.842	45.7	58.6	0
2/18/2023, 3:32:45 PM	0	6.851	45.5	58.3	0
2/18/2023, 3:42:45 PM	0	6.851	45.5	58.1	0
2/18/2023, 3:52:45 PM	0	6.851	45.5	58	0
2/18/2023, 4:02:45 PM	0	6.851	45.5	58	0
2/18/2023, 4:12:45 PM	0	6.851	45.5	58	0
2/18/2023, 4:22:45 PM	0	6.851	45.1	57.9	0
2/18/2023, 4:32:45 PM	0	6.851	44.6	58	0
2/18/2023, 4:42:45 PM	0	6.851	44.2	58	0
2/18/2023, 4:52:45 PM	0	6.842	43.7	58.1	0
2/18/2023, 5:02:45 PM	0	6.842	43.2	58.2	0
2/18/2023, 5:12:45 PM	0	6.842	42.8	58.3	0
2/18/2023, 5:22:45 PM	0	6.842	42.3	58.4	0
2/18/2023, 5:32:45 PM	0	6.842	41.7	58.5	0
2/18/2023, 5:42:45 PM	0	6.842	41.2	58.7	0
2/18/2023, 5:52:45 PM	0	6.842	40.8	58.9	0
2/18/2023, 6:02:45 PM	0	6.842	40.5	59	0
2/18/2023, 6:12:45 PM	0	6.842	40.1	59.3	0
2/18/2023, 6:22:45 PM	0	6.842	39.7	59.5	0
2/18/2023, 6:32:45 PM	0	6.842	39.4	59.9	0
2/18/2023, 6:42:45 PM	0	6.833	39.2	60.2	0
2/18/2023, 6:52:45 PM	0	6.833	38.8	60.6	0
2/18/2023, 7:02:45 PM	0	6.833	38.5	60.9	0
2/18/2023, 7:12:45 PM	0	6.833	38.1	61.3	0
2/18/2023, 7:22:45 PM	0	6.833	37.8	61.7	0
2/18/2023, 7:32:45 PM	0	6.833	37.4	62.1	0
2/18/2023, 7:42:45 PM	0	6.833	36.9	62.5	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/18/2023, 7:52:45 PM	0	6.833	36.7	62.8	0
2/18/2023, 8:02:45 PM	0	6.833	36.1	63.2	0
2/18/2023, 8:12:45 PM	0	6.833	35.6	63.5	0
2/18/2023, 8:22:45 PM	0	6.825	35.1	63.9	0
2/18/2023, 8:32:45 PM	0	6.825	34.3	64.3	0
2/18/2023, 8:42:45 PM	0	6.825	33.8	64.6	0
2/18/2023, 8:52:45 PM	0	6.825	33.1	65	0
2/18/2023, 9:02:45 PM	0	6.825	32.5	65.5	0
2/18/2023, 9:12:45 PM	0	6.825	32	66	0
2/18/2023, 9:22:45 PM	0	6.816	31.5	66.6	0
2/18/2023, 9:32:45 PM	0	6.816	31.1	67.2	0
2/18/2023, 9:42:45 PM	0	6.816	30.7	67.7	0
2/18/2023, 9:52:45 PM	0	6.816	30.4	68.3	0
2/18/2023, 10:02:45 PM	0	6.816	30	68.8	0
2/18/2023, 10:12:45 PM	0	6.816	29.7	69.4	0
2/18/2023, 10:22:45 PM	0	6.807	29.5	70	0
2/18/2023, 10:32:45 PM	0	6.807	29.1	70.4	0
2/18/2023, 10:42:45 PM	0	6.807	28.9	70.9	0
2/18/2023, 10:52:45 PM	0	6.807	28.6	71.4	0
2/18/2023, 11:02:45 PM	0	6.807	28.4	71.8	0
2/18/2023, 11:12:45 PM	0	6.807	28	72.3	0
2/18/2023, 11:22:45 PM	0	6.807	27.9	72.8	0
2/18/2023, 11:32:45 PM	0	6.807	27.5	73.3	0
2/18/2023, 11:42:45 PM	0	6.798	27.3	73.7	0
2/18/2023, 11:52:45 PM	0	6.798	27.1	74.2	0
2/19/2023, 12:02:45 AM	0	6.798	27	74.6	0
2/19/2023, 12:12:45 AM	0	6.798	26.8	75.1	0
2/19/2023, 12:22:45 AM	0	6.798	26.6	75.6	0
2/19/2023, 12:32:45 AM	0	6.798	26.4	76	0
2/19/2023, 12:42:45 AM	0	6.798	26.2	76.4	0
2/19/2023, 12:52:45 AM	0	6.798	26.1	76.8	0
2/19/2023, 1:02:45 AM	0	6.798	26.1	77.2	0
2/19/2023, 1:12:45 AM	0	6.798	25.9	77.7	0
2/19/2023, 1:22:45 AM	0	6.798	25.9	78.1	0
2/19/2023, 1:32:45 AM	0	6.798	25.9	78.5	0
2/19/2023, 1:42:45 AM	0	6.798	25.9	79	0
2/19/2023, 1:52:45 AM	0	6.798	25.9	79.4	0
2/19/2023, 2:02:45 AM	0	6.798	26.1	79.8	0
2/19/2023, 2:12:45 AM	0	6.798	26.1	80.3	0
2/19/2023, 2:22:45 AM	0	6.798	26.2	80.6	0
2/19/2023, 2:32:45 AM	0	6.798	26.2	80.9	0
2/19/2023, 2:42:45 AM	0	6.798	26.4	81.4	0
2/19/2023, 2:52:45 AM	0	6.798	26.4	81.7	0
2/19/2023, 3:02:45 AM	0	6.798	26.6	81.9	0
2/19/2023, 3:12:45 AM	0	6.798	26.6	82.1	0
2/19/2023, 3:22:45 AM	0	6.798	26.6	82.3	0
2/19/2023, 3:32:45 AM	0	6.798	26.6	82.4	0
2/19/2023, 3:42:45 AM	0	6.798	26.6	82.7	0
2/19/2023, 3:52:45 AM	0	6.798	26.8	83	0
2/19/2023, 4:02:45 AM	0	6.798	27	83.3	0
2/19/2023, 4:12:45 AM	0	6.798	27.1	83.5	0
2/19/2023, 4:22:45 AM	0	6.798	27.5	83.7	0
2/19/2023, 4:32:45 AM	0	6.798	27.7	83.7	0
2/19/2023, 4:42:45 AM	0	6.798	28	83.7	0
2/19/2023, 4:52:45 AM	0	6.798	28.2	83.6	0
2/19/2023, 5:02:45 AM	0	6.798	28.4	83.5	0
2/19/2023, 5:12:45 AM	0	6.798	28.6	83.3	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/19/2023, 5:22:45 AM	0	6.807	28.8	83	0
2/19/2023, 5:32:45 AM	0	6.807	28.9	82.9	0
2/19/2023, 5:42:45 AM	0	6.807	29.1	82.6	0
2/19/2023, 5:52:45 AM	0	6.807	29.5	82.6	0
2/19/2023, 6:02:45 AM	0	6.807	29.8	82.4	0
2/19/2023, 6:12:45 AM	0	6.807	30.2	82	0
2/19/2023, 6:22:45 AM	0	6.807	30.6	81.7	0
2/19/2023, 6:32:45 AM	0	6.807	30.9	81.4	0
2/19/2023, 6:42:45 AM	0	6.807	30.9	81.1	0
2/19/2023, 6:52:45 AM	0	6.807	31.1	80.8	0
2/19/2023, 7:02:45 AM	0	6.816	31.1	80.6	0
2/19/2023, 7:12:45 AM	0	6.816	31.5	80.3	0
2/19/2023, 7:22:45 AM	0	6.816	31.6	80.1	0
2/19/2023, 7:32:45 AM	0	6.816	31.8	79.8	0
2/19/2023, 7:42:45 AM	0	6.816	32	79.7	0
2/19/2023, 7:52:45 AM	0	6.816	32	79.5	0
2/19/2023, 8:02:45 AM	0	6.816	32.2	79.3	0
2/19/2023, 8:12:45 AM	0	6.816	32.5	79.2	0
2/19/2023, 8:22:45 AM	0	6.816	32.7	79.1	0
2/19/2023, 8:32:45 AM	0	6.816	33.1	78.9	0
2/19/2023, 8:42:45 AM	0	6.816	33.4	78.7	0
2/19/2023, 8:52:45 AM	0	6.816	33.8	78.5	0
2/19/2023, 9:02:45 AM	0	6.816	34.3	78.2	0
2/19/2023, 9:12:45 AM	0	6.825	34.7	78	0
2/19/2023, 9:22:45 AM	0	6.825	35.2	77.6	0
2/19/2023, 9:32:45 AM	0	6.825	35.6	77.1	0
2/19/2023, 9:42:45 AM	0	6.825	36	76.5	0
2/19/2023, 9:52:45 AM	0	6.825	36.3	75.8	0
2/19/2023, 10:02:45 AM	0	6.825	36.9	75.1	0
2/19/2023, 10:12:45 AM	0	6.825	37.2	74.5	0
2/19/2023, 10:22:45 AM	0	6.825	37.8	73.9	0
2/19/2023, 10:32:45 AM	0	6.833	38.1	73.2	0
2/19/2023, 10:42:45 AM	0	6.833	38.5	72.5	0
2/19/2023, 10:52:45 AM	0	6.833	39	71.8	0
2/19/2023, 11:02:45 AM	0	6.833	39.6	71.1	0
2/19/2023, 11:12:45 AM	0	6.833	40.3	70.3	0
2/19/2023, 11:22:45 AM	0	6.833	41	69.4	0
2/19/2023, 11:32:45 AM	0	6.833	41.7	68.4	0
2/19/2023, 11:42:45 AM	0	6.842	42.4	67.6	0
2/19/2023, 11:52:45 AM	0	6.842	43	66.8	0
2/19/2023, 12:02:45 PM	0	6.842	43.3	65.9	0
2/19/2023, 12:12:45 PM	0	6.842	43.7	65.1	0
2/19/2023, 12:22:45 PM	0	6.842	44.1	64.4	0
2/19/2023, 12:32:45 PM	0	6.842	44.8	63.4	0
2/19/2023, 12:42:45 PM	0	6.842	45.7	62.5	0
2/19/2023, 12:52:45 PM	0	6.842	46.4	61.6	0
2/19/2023, 1:02:45 PM	0	6.842	47.1	60.5	0
2/19/2023, 1:12:45 PM	0	6.851	48	59.6	0
2/19/2023, 1:22:45 PM	0	6.851	48.7	58.7	0
2/19/2023, 1:32:45 PM	0	6.851	49.5	57.8	0
2/19/2023, 1:42:45 PM	0	6.851	50.5	56.9	0
2/19/2023, 1:52:45 PM	0	6.851	51.6	56.1	0
2/19/2023, 2:02:45 PM	0	6.851	52.5	55.3	0
2/19/2023, 2:12:45 PM	0	6.851	53.1	54.7	0
2/19/2023, 2:22:45 PM	0	6.86	53.6	54	0
2/19/2023, 2:32:45 PM	0	6.86	54	53.5	0
2/19/2023, 2:42:45 PM	0	6.86	54.1	53.2	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/19/2023, 2:52:45 PM	0	6.86	54.5	52.9	0
2/19/2023, 3:02:45 PM	0	6.86	54.9	52.7	0
2/19/2023, 3:12:45 PM	0	6.86	55.4	52.3	0
2/19/2023, 3:22:45 PM	0	6.86	55.9	51.9	0
2/19/2023, 3:32:45 PM	0	6.86	55.9	51.6	0
2/19/2023, 3:42:45 PM	0	6.86	55.9	51.2	0
2/19/2023, 3:52:45 PM	0	6.86	55.8	50.9	0
2/19/2023, 4:02:45 PM	0	6.86	55.8	50.7	0
2/19/2023, 4:12:45 PM	0	6.86	55.6	50.5	0
2/19/2023, 4:22:45 PM	0	6.86	55.6	50.4	0
2/19/2023, 4:32:45 PM	0	6.86	55.2	50.4	0
2/19/2023, 4:42:45 PM	0	6.86	54.9	50.4	0
2/19/2023, 4:52:45 PM	0	6.86	54.3	50.5	0
2/19/2023, 5:02:45 PM	0	6.86	54	50.6	0
2/19/2023, 5:12:45 PM	0	6.86	54	50.6	0
2/19/2023, 5:22:45 PM	0	6.86	54.1	50.6	0
2/19/2023, 5:32:45 PM	0	6.86	54.1	50.6	0
2/19/2023, 5:42:45 PM	0	6.86	54.3	50.6	0
2/19/2023, 5:52:45 PM	0	6.86	54.1	50.7	0
2/19/2023, 6:02:45 PM	0	6.86	54.1	50.7	0
2/19/2023, 6:12:45 PM	0	6.86	54	50.7	0
2/19/2023, 6:22:45 PM	0	6.86	54	50.8	0
2/19/2023, 6:32:45 PM	0	6.86	53.8	50.8	0
2/19/2023, 6:42:45 PM	0	6.86	53.8	50.9	0
2/19/2023, 6:52:45 PM	0	6.86	53.8	50.8	0
2/19/2023, 7:02:45 PM	0	6.86	53.6	50.7	0
2/19/2023, 7:12:45 PM	0	6.86	53.4	50.6	0
2/19/2023, 7:22:45 PM	0	6.86	53.2	50.5	0
2/19/2023, 7:32:45 PM	0	6.86	53.1	50.4	0
2/19/2023, 7:42:45 PM	0	6.86	52.7	50.3	0
2/19/2023, 7:52:45 PM	0	6.86	52.3	50.3	0
2/19/2023, 8:02:45 PM	0	6.86	51.8	50.4	0
2/19/2023, 8:12:45 PM	0	6.86	50.9	50.8	0
2/19/2023, 8:22:45 PM	0	6.86	50.2	51	0
2/19/2023, 8:32:45 PM	0	6.86	49.3	51.6	0
2/19/2023, 8:42:45 PM	0	6.86	48.6	52.3	0
2/19/2023, 8:52:45 PM	0	6.851	48	53.1	0
2/19/2023, 9:02:45 PM	0	6.851	47.5	53.7	0
2/19/2023, 9:12:45 PM	0	6.851	46.9	54.4	0
2/19/2023, 9:22:45 PM	0	6.851	46.4	54.9	0
2/19/2023, 9:32:45 PM	0	6.851	46	55.4	0
2/19/2023, 9:42:45 PM	0	6.851	45.5	55.9	0
2/19/2023, 9:52:45 PM	0	6.851	44.8	56.5	0
2/19/2023, 10:02:45 PM	0	6.851	43.9	57.1	0
2/19/2023, 10:12:45 PM	0	6.851	43.2	57.6	0
2/19/2023, 10:22:45 PM	0	6.851	42.4	58.2	0
2/19/2023, 10:32:45 PM	0	6.842	41.7	58.8	0
2/19/2023, 10:42:45 PM	0	6.842	41.2	59.4	0
2/19/2023, 10:52:45 PM	0	6.842	40.6	60	0
2/19/2023, 11:02:45 PM	0	6.842	40.1	60.7	0
2/19/2023, 11:12:45 PM	0	6.842	39.6	61.2	0
2/19/2023, 11:22:45 PM	0	6.842	39	61.5	0
2/19/2023, 11:32:45 PM	0	6.833	38.3	62	0
2/19/2023, 11:42:45 PM	0	6.833	37.6	62.6	0
2/19/2023, 11:52:45 PM	0	6.833	36.9	63.2	0
2/20/2023, 12:02:45 AM	0	6.833	36.3	63.7	0
2/20/2023, 12:12:45 AM	0	6.833	35.6	64.4	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/20/2023, 12:22:45 AM	0	6.833	34.9	65	0
2/20/2023, 12:32:45 AM	0	6.825	34.3	65.7	0
2/20/2023, 12:42:45 AM	0	6.825	34	66.3	0
2/20/2023, 12:52:45 AM	0	6.825	33.4	67	0
2/20/2023, 1:02:45 AM	0	6.825	33.1	67.6	0
2/20/2023, 1:12:45 AM	0	6.825	32.7	68.3	0
2/20/2023, 1:22:45 AM	0	6.825	32.4	68.9	0
2/20/2023, 1:32:45 AM	0	6.816	32.2	69.6	0
2/20/2023, 1:42:45 AM	0	6.816	32.2	70.2	0
2/20/2023, 1:52:45 AM	0	6.816	32	70.8	0
2/20/2023, 2:02:45 AM	0	6.816	32	71.5	0
2/20/2023, 2:12:45 AM	0	6.816	32	72	0
2/20/2023, 2:22:45 AM	0	6.816	32	72.6	0
2/20/2023, 2:32:45 AM	0	6.816	32	73.1	0
2/20/2023, 2:42:45 AM	0	6.816	32	73.7	0
2/20/2023, 2:52:45 AM	0	6.816	32.2	74.2	0
2/20/2023, 3:02:45 AM	0	6.816	32.4	74.7	0
2/20/2023, 3:12:45 AM	0	6.816	32.4	75.1	0
2/20/2023, 3:22:45 AM	0	6.816	32.5	75.5	0
2/20/2023, 3:32:45 AM	0	6.816	32.5	75.9	0
2/20/2023, 3:42:45 AM	0	6.816	32.5	76.2	0
2/20/2023, 3:52:45 AM	0	6.816	32.7	76.5	0
2/20/2023, 4:02:45 AM	0	6.816	32.7	76.8	0
2/20/2023, 4:12:45 AM	0	6.816	32.9	77.1	0
2/20/2023, 4:22:45 AM	0	6.816	33.1	77.4	0
2/20/2023, 4:32:45 AM	0	6.816	33.3	77.7	0
2/20/2023, 4:42:45 AM	0	6.816	33.4	78.2	0
2/20/2023, 4:52:45 AM	0	6.816	34	78.5	0
2/20/2023, 5:02:45 AM	0	6.816	34.5	78.9	0
2/20/2023, 5:12:45 AM	0	6.825	35.1	79	0
2/20/2023, 5:22:45 AM	0	6.825	35.2	78.9	0
2/20/2023, 5:32:45 AM	0	6.825	35.2	78.5	0
2/20/2023, 5:42:45 AM	0	6.825	35.2	78.2	0
2/20/2023, 5:52:45 AM	0	6.825	35.2	77.9	0
2/20/2023, 6:02:45 AM	0	6.825	35.1	77.8	0
2/20/2023, 6:12:45 AM	0	6.825	35.2	77.8	0
2/20/2023, 6:22:45 AM	0	6.825	35.2	77.8	0
2/20/2023, 6:32:45 AM	0	6.825	35.4	77.8	0
2/20/2023, 6:42:45 AM	0	6.825	35.6	77.9	0
2/20/2023, 6:52:45 AM	0	6.825	35.8	77.9	0
2/20/2023, 7:02:45 AM	0	6.825	36	77.9	0
2/20/2023, 7:12:45 AM	0	6.825	36.1	77.9	0
2/20/2023, 7:22:45 AM	0	6.825	36.3	77.9	0
2/20/2023, 7:32:45 AM	0	6.825	36.5	78	0
2/20/2023, 7:42:45 AM	0	6.825	37	78.4	0
2/20/2023, 7:52:45 AM	0	6.825	38.1	78.7	0
2/20/2023, 8:02:45 AM	0	6.833	39.4	78.8	0
2/20/2023, 8:12:45 AM	0	6.833	40.3	78.5	0
2/20/2023, 8:22:45 AM	0	6.833	41.5	78.3	0
2/20/2023, 8:32:45 AM	0	6.833	42.6	77.6	0
2/20/2023, 8:42:45 AM	0	6.842	43.3	76.7	0
2/20/2023, 8:52:45 AM	0	6.842	43.7	75.8	0
2/20/2023, 9:02:45 AM	0	6.842	43.9	75.2	0
2/20/2023, 9:12:45 AM	0	6.842	44.2	74.6	0
2/20/2023, 9:22:45 AM	0	6.842	45	74.2	0
2/20/2023, 9:32:45 AM	0	6.842	45.3	73.5	0
2/20/2023, 9:42:45 AM	0	6.842	45.5	72.8	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/20/2023, 9:52:45 AM	0	6.842	45.3	72.2	0
2/20/2023, 10:02:45 AM	0	6.842	45.5	71.9	0
2/20/2023, 10:12:45 AM	0	6.842	46	71.9	0
2/20/2023, 10:22:45 AM	0	6.842	46.8	71.4	0
2/20/2023, 10:32:45 AM	0	6.842	46.9	70.9	0
2/20/2023, 10:42:45 AM	0	6.851	47.1	70.4	0
2/20/2023, 10:52:45 AM	0	6.851	47.7	70.1	0
2/20/2023, 11:02:45 AM	0	6.851	48	69.7	0
2/20/2023, 11:12:45 AM	0	6.851	48.7	69.3	0
2/20/2023, 11:22:45 AM	0	6.851	48.6	68.6	0
2/20/2023, 11:32:45 AM	0	6.851	48.6	68.2	0
2/20/2023, 11:42:45 AM	0	6.851	48.6	68	0
2/20/2023, 11:52:45 AM	0	6.851	48.4	67.8	0
2/20/2023, 12:02:45 PM	0	6.851	48.4	67.6	0
2/20/2023, 12:12:45 PM	0	6.851	48	67.3	0
2/20/2023, 12:22:45 PM	0	6.851	47.5	67	0
2/20/2023, 12:32:45 PM	0	6.851	46.6	67	0
2/20/2023, 12:42:45 PM	0	6.851	45.9	67.3	0
2/20/2023, 12:52:45 PM	0	6.851	45.9	67.8	0
2/20/2023, 1:02:45 PM	0	6.851	45.9	67.9	0
2/20/2023, 1:12:45 PM	0	6.842	45.9	67.7	0
2/20/2023, 1:22:45 PM	0	6.842	45.9	67.6	0
2/20/2023, 1:32:45 PM	0	6.842	45.9	67.5	0
2/20/2023, 1:42:45 PM	0	6.842	45.9	67.4	0
2/20/2023, 1:52:45 PM	0	6.842	45.7	67.2	0
2/20/2023, 2:02:45 PM	0	6.842	45.7	67.1	0
2/20/2023, 2:12:45 PM	0	6.842	45.5	66.9	0
2/20/2023, 2:22:45 PM	0	6.842	45.5	66.8	0
2/20/2023, 2:32:45 PM	0	6.842	45.7	66.5	0
2/20/2023, 2:42:45 PM	0	6.842	45.5	66.2	0
2/20/2023, 2:52:45 PM	0	6.842	45.3	65.9	0
2/20/2023, 3:02:45 PM	0	6.842	45.1	65.8	0
2/20/2023, 3:12:45 PM	0	6.842	45.1	65.7	0
2/20/2023, 3:22:45 PM	0	6.842	45.1	65.5	0
2/20/2023, 3:32:45 PM	0	6.842	45	65.1	0
2/20/2023, 3:42:45 PM	0	6.842	44.8	65.1	0
2/20/2023, 3:52:45 PM	0	6.842	44.4	64.7	0
2/20/2023, 4:02:45 PM	0	6.842	44.1	64.6	0
2/20/2023, 4:12:45 PM	0	6.842	43.9	64.5	0
2/20/2023, 4:22:45 PM	0	6.842	43.5	64.4	0
2/20/2023, 4:32:45 PM	0	6.842	43	64.2	0
2/20/2023, 4:42:45 PM	0	6.842	42.3	64.1	0
2/20/2023, 4:52:45 PM	0	6.842	41.7	64.2	0
2/20/2023, 5:02:45 PM	0	6.842	41.2	64.2	0
2/20/2023, 5:12:45 PM	0	6.842	40.6	64.4	0
2/20/2023, 5:22:45 PM	0	6.842	40.3	64.6	0
2/20/2023, 5:32:45 PM	0	6.833	39.7	64.8	0
2/20/2023, 5:42:45 PM	0	6.833	39.2	64.9	0
2/20/2023, 5:52:45 PM	0	6.833	38.5	65.1	0
2/20/2023, 6:02:45 PM	0	6.833	37.9	65.3	0
2/20/2023, 6:12:45 PM	0	6.833	37.4	65.4	0
2/20/2023, 6:22:45 PM	0	6.833	36.7	65.5	0
2/20/2023, 6:32:45 PM	0	6.833	35.8	65.8	0
2/20/2023, 6:42:45 PM	0	6.825	35.1	66.1	0
2/20/2023, 6:52:45 PM	0	6.825	34.2	66.5	0
2/20/2023, 7:02:45 PM	0	6.825	33.4	66.9	0
2/20/2023, 7:12:45 PM	0	6.825	32.7	67.4	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/20/2023, 7:22:45 PM	0	6.825	32.2	67.9	0
2/20/2023, 7:32:45 PM	0	6.816	31.8	68.5	0
2/20/2023, 7:42:45 PM	0	6.816	31.5	69.1	0
2/20/2023, 7:52:45 PM	0	6.816	31.1	69.6	0
2/20/2023, 8:02:45 PM	0	6.816	30.7	70.1	0
2/20/2023, 8:12:45 PM	0	6.816	30.4	70.7	0
2/20/2023, 8:22:45 PM	0	6.816	29.8	71.1	0
2/20/2023, 8:32:45 PM	0	6.807	29.5	71.6	0
2/20/2023, 8:42:45 PM	0	6.807	29.3	72.2	0
2/20/2023, 8:52:45 PM	0	6.807	29.3	72.9	0
2/20/2023, 9:02:45 PM	0	6.807	29.1	73.4	0
2/20/2023, 9:12:45 PM	0	6.807	28.9	73.9	0
2/20/2023, 9:22:45 PM	0	6.807	28.8	74.2	0
2/20/2023, 9:32:45 PM	0	6.807	28.6	74.6	0
2/20/2023, 9:42:45 PM	0	6.807	28.2	74.9	0
2/20/2023, 9:52:45 PM	0	6.807	28	75.3	0
2/20/2023, 10:02:45 PM	0	6.798	27.9	75.6	0
2/20/2023, 10:12:45 PM	0	6.798	27.5	75.9	0
2/20/2023, 10:22:45 PM	0	6.798	27.3	76.1	0
2/20/2023, 10:32:45 PM	0	6.798	27	76.5	0
2/20/2023, 10:42:45 PM	0	6.798	27	76.9	0
2/20/2023, 10:52:45 PM	0	6.798	27	77.3	0
2/20/2023, 11:02:45 PM	0	6.798	26.8	77.7	0
2/20/2023, 11:12:45 PM	0	6.798	26.8	78.1	0
2/20/2023, 11:22:45 PM	0	6.798	26.8	78.5	0
2/20/2023, 11:32:45 PM	0	6.798	26.8	78.9	0
2/20/2023, 11:42:45 PM	0	6.798	27	79.4	0
2/20/2023, 11:52:45 PM	0	6.798	27	79.8	0
2/21/2023, 12:02:45 AM	0	6.798	27	80.2	0
2/21/2023, 12:12:45 AM	0	6.798	27.1	80.5	0
2/21/2023, 12:22:45 AM	0	6.798	27.3	80.9	0
2/21/2023, 12:32:45 AM	0	6.798	27.3	81.2	0
2/21/2023, 12:42:45 AM	0	6.798	27.5	81.5	0
2/21/2023, 12:52:45 AM	0	6.798	27.7	81.8	0
2/21/2023, 1:02:45 AM	0	6.798	27.9	82	0
2/21/2023, 1:12:45 AM	0	6.798	27.9	82.2	0
2/21/2023, 1:22:45 AM	0	6.798	28	82.4	0
2/21/2023, 1:32:45 AM	0	6.798	28	82.5	0
2/21/2023, 1:42:45 AM	0	6.798	28	82.6	0
2/21/2023, 1:52:45 AM	0	6.798	28	82.7	0
2/21/2023, 2:02:45 AM	0	6.798	28	82.8	0
2/21/2023, 2:12:45 AM	0	6.798	28	82.8	0
2/21/2023, 2:22:45 AM	0	6.798	27.9	82.8	0
2/21/2023, 2:32:45 AM	0	6.798	27.7	82.8	0
2/21/2023, 2:42:45 AM	0	6.798	27.5	82.8	0
2/21/2023, 2:52:45 AM	0	6.798	27.1	82.7	0
2/21/2023, 3:02:45 AM	0	6.798	27	82.7	0
2/21/2023, 3:12:45 AM	0	6.798	26.6	82.6	0
2/21/2023, 3:22:45 AM	0	6.798	26.2	82.6	0
2/21/2023, 3:32:45 AM	0	6.798	26.1	82.7	0
2/21/2023, 3:42:45 AM	0	6.798	25.7	82.7	0
2/21/2023, 3:52:45 AM	0	6.798	25.3	82.7	0
2/21/2023, 4:02:45 AM	0	6.79	25.2	82.8	0
2/21/2023, 4:12:45 AM	0	6.79	24.8	82.8	0
2/21/2023, 4:22:45 AM	0	6.79	24.6	82.9	0
2/21/2023, 4:32:45 AM	0	6.79	24.3	83	0
2/21/2023, 4:42:45 AM	0	6.79	24.1	83.1	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/21/2023, 4:52:45 AM	0	6.79	23.9	83.3	0
2/21/2023, 5:02:45 AM	0	6.79	23.9	83.5	0
2/21/2023, 5:12:45 AM	0	6.79	23.7	83.6	0
2/21/2023, 5:22:45 AM	0	6.79	23.5	83.8	0
2/21/2023, 5:32:45 AM	0	6.79	23.5	84	0
2/21/2023, 5:42:45 AM	0	6.79	23.4	84.1	0
2/21/2023, 5:52:45 AM	0	6.781	23.4	84.3	0
2/21/2023, 6:02:45 AM	0	6.781	23.2	84.4	0
2/21/2023, 6:12:45 AM	0	6.781	23.2	84.5	0
2/21/2023, 6:22:45 AM	0	6.781	23	84.7	0
2/21/2023, 6:32:45 AM	0	6.781	23.2	84.9	0
2/21/2023, 6:42:45 AM	0	6.781	23.2	85.2	0
2/21/2023, 6:52:45 AM	0	6.781	23.5	85.5	0
2/21/2023, 7:02:45 AM	0	6.781	23.7	85.8	0
2/21/2023, 7:12:45 AM	0	6.781	23.9	86	0
2/21/2023, 7:22:45 AM	0	6.781	23.9	86.1	0
2/21/2023, 7:32:45 AM	0	6.781	23.9	86.2	0
2/21/2023, 7:42:45 AM	0	6.781	24.1	86.3	0
2/21/2023, 7:52:45 AM	0	6.79	24.3	86.6	0
2/21/2023, 8:02:45 AM	0	6.79	24.8	86.8	0
2/21/2023, 8:12:45 AM	0	6.79	25.3	87.3	0
2/21/2023, 8:22:45 AM	0	6.79	26.4	87.9	0
2/21/2023, 8:32:45 AM	0	6.79	27.5	88.5	0
2/21/2023, 8:42:45 AM	0	6.798	28.6	89.1	0
2/21/2023, 8:52:45 AM	0	6.798	29.7	89.5	0
2/21/2023, 9:02:45 AM	0	6.798	30.7	89.9	0
2/21/2023, 9:12:45 AM	0	6.807	31.8	90.1	0
2/21/2023, 9:22:45 AM	0	6.807	32.5	90.1	0
2/21/2023, 9:32:45 AM	0	6.807	33.4	90.1	0
2/21/2023, 9:42:45 AM	0	6.816	34.3	90	0
2/21/2023, 9:52:45 AM	0	6.816	35.4	89.8	0
2/21/2023, 10:02:45 AM	0	6.816	36.7	89.7	0
2/21/2023, 10:12:45 AM	0	6.825	37.9	89.4	0
2/21/2023, 10:22:45 AM	0	6.825	39.2	88.8	0
2/21/2023, 10:32:45 AM	0	6.825	40.3	88.1	0
2/21/2023, 10:42:45 AM	0	6.833	41.4	87.1	0
2/21/2023, 10:52:45 AM	0	6.833	42.1	85.9	0
2/21/2023, 11:02:45 AM	0	6.833	42.8	84.8	0
2/21/2023, 11:12:45 AM	0	6.833	43.5	83.7	0
2/21/2023, 11:22:45 AM	0	6.842	44.1	82.7	0
2/21/2023, 11:32:45 AM	0	6.842	44.6	81.7	0
2/21/2023, 11:42:45 AM	0	6.842	45.1	80.7	0
2/21/2023, 11:52:45 AM	0	6.842	45.5	80	0
2/21/2023, 12:02:45 PM	0	6.842	46.4	79.4	0
2/21/2023, 12:12:45 PM	0	6.842	46.8	78.7	0
2/21/2023, 12:22:45 PM	0	6.842	46.8	78.1	0
2/21/2023, 12:32:45 PM	0	6.842	46.8	77.7	0
2/21/2023, 12:42:45 PM	0	6.842	46.6	77.3	0
2/21/2023, 12:52:45 PM	0	6.842	46.6	77.1	0
2/21/2023, 1:02:45 PM	0	6.842	46.9	76.8	0
2/21/2023, 1:12:45 PM	0	6.842	47.7	76.1	0
2/21/2023, 1:22:45 PM	0	6.851	48.4	75.2	0
2/21/2023, 1:32:45 PM	0	6.851	49.1	73.9	0
2/21/2023, 1:42:45 PM	0	6.851	49.8	72	0
2/21/2023, 1:52:45 PM	0	6.851	50	69.8	0
2/21/2023, 2:02:45 PM	0	6.851	49.8	68.2	0
2/21/2023, 2:12:45 PM	0	6.851	49.6	67.2	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/21/2023, 2:22:45 PM	0	6.851	50	66.6	0
2/21/2023, 2:32:45 PM	0	6.851	50.7	66	0
2/21/2023, 2:42:45 PM	0	6.851	50.5	65.2	0
2/21/2023, 2:52:45 PM	0	6.851	49.3	64.9	0
2/21/2023, 3:02:45 PM	0	6.851	47.1	65.2	0
2/21/2023, 3:12:45 PM	0	6.851	45.3	66.1	0
2/21/2023, 3:22:45 PM	0	6.842	44.2	67.1	0
2/21/2023, 3:32:45 PM	0	6.842	43.7	67.8	0
2/21/2023, 3:42:45 PM	0	6.842	43.2	68.4	0
2/21/2023, 3:52:45 PM	0	6.842	42.1	69.3	0
2/21/2023, 4:02:45 PM	0	6.842	41.2	70.2	0
2/21/2023, 4:12:45 PM	0	6.842	40.8	71	0
2/21/2023, 4:22:45 PM	0	6.833	40.6	71.5	0
2/21/2023, 4:32:45 PM	0	6.833	40.6	71.5	0
2/21/2023, 4:42:45 PM	0	6.833	40.8	71	0
2/21/2023, 4:52:45 PM	0	6.833	40.8	70.1	0
2/21/2023, 5:02:45 PM	0	6.833	40.6	69.4	0
2/21/2023, 5:12:45 PM	0	6.833	40.6	68.6	0
2/21/2023, 5:22:45 PM	0	6.833	40.3	67.9	0
2/21/2023, 5:32:45 PM	0	6.833	39.9	67.3	0
2/21/2023, 5:42:45 PM	0	6.833	39.6	66.8	0
2/21/2023, 5:52:45 PM	0	6.833	39.2	66.4	0
2/21/2023, 6:02:45 PM	0	6.833	38.7	66	0
2/21/2023, 6:12:45 PM	0	6.833	38.3	65.8	0
2/21/2023, 6:22:45 PM	0	6.833	37.9	65.6	0
2/21/2023, 6:32:45 PM	0	6.833	37.6	65.6	0
2/21/2023, 6:42:45 PM	0	6.833	37.4	65.6	0
2/21/2023, 6:52:45 PM	0	6.833	37	65.8	0
2/21/2023, 7:02:45 PM	0	6.825	36.9	66	0
2/21/2023, 7:12:45 PM	0	6.825	36.7	66.2	0
2/21/2023, 7:22:45 PM	0	6.825	36.5	66.4	0
2/21/2023, 7:32:45 PM	0	6.825	36.3	66.8	0
2/21/2023, 7:42:45 PM	0	6.825	36.3	67.2	0
2/21/2023, 7:52:45 PM	0	6.825	36.3	67.4	0
2/21/2023, 8:02:45 PM	0	6.825	36.3	67.5	0
2/21/2023, 8:12:45 PM	0	6.825	36.1	67.5	0
2/21/2023, 8:22:45 PM	0	6.825	36.1	67.4	0
2/21/2023, 8:32:45 PM	0	6.825	36	67.2	0
2/21/2023, 8:42:45 PM	0	6.825	36	67.1	0
2/21/2023, 8:52:45 PM	0	6.825	35.8	67	0
2/21/2023, 9:02:45 PM	0	6.825	35.8	67	0
2/21/2023, 9:12:45 PM	0	6.825	35.6	66.7	0
2/21/2023, 9:22:45 PM	0	6.825	35.2	66.6	0
2/21/2023, 9:32:45 PM	0	6.825	34.9	66.4	0
2/21/2023, 9:42:45 PM	0	6.825	34.5	66.4	0
2/21/2023, 9:52:45 PM	0	6.825	34.3	66.4	0
2/21/2023, 10:02:45 PM	0	6.825	34.2	66.4	0
2/21/2023, 10:12:45 PM	0	6.825	34.2	66.5	0
2/21/2023, 10:22:45 PM	0	6.816	34.2	66.5	0
2/21/2023, 10:32:45 PM	0	6.816	34.2	66.5	0
2/21/2023, 10:42:45 PM	0	6.816	34.2	66.4	0
2/21/2023, 10:52:45 PM	0	6.825	34.3	66.3	0
2/21/2023, 11:02:45 PM	0	6.816	34.3	66.3	0
2/21/2023, 11:12:45 PM	0	6.825	34.3	66.2	0
2/21/2023, 11:22:45 PM	0	6.816	34.5	66.2	0
2/21/2023, 11:32:45 PM	0	6.825	34.5	66.2	0
2/21/2023, 11:42:45 PM	0	6.825	34.5	66.2	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/21/2023, 11:52:45 PM	0	6.825	34.5	66.3	0
2/22/2023, 12:02:45 AM	0	6.825	34.5	66.3	0
2/22/2023, 12:12:45 AM	0	6.816	34.3	66.4	0
2/22/2023, 12:22:45 AM	0	6.816	34.3	66.5	0
2/22/2023, 12:32:45 AM	0	6.816	34.3	66.6	0
2/22/2023, 12:42:45 AM	0	6.816	34.3	66.7	0
2/22/2023, 12:52:45 AM	0	6.816	34.3	66.8	0
2/22/2023, 1:02:45 AM	0	6.825	34.3	66.9	0
2/22/2023, 1:12:45 AM	0	6.825	34.3	67.1	0
2/22/2023, 1:22:45 AM	0	6.816	34.2	67.2	0
2/22/2023, 1:32:45 AM	0	6.816	34.2	67.3	0
2/22/2023, 1:42:45 AM	0	6.816	34.2	67.4	0
2/22/2023, 1:52:45 AM	0	6.816	34	67.4	0
2/22/2023, 2:02:45 AM	0	6.816	34	67.6	0
2/22/2023, 2:12:45 AM	0	6.816	34	67.6	0
2/22/2023, 2:22:45 AM	0	6.816	33.8	67.7	0
2/22/2023, 2:32:45 AM	0	6.816	33.8	67.8	0
2/22/2023, 2:42:45 AM	0	6.816	33.6	67.9	0
2/22/2023, 2:52:45 AM	0	6.816	33.6	68	0
2/22/2023, 3:02:45 AM	0	6.816	33.4	68.2	0
2/22/2023, 3:12:45 AM	0	6.816	33.4	68.3	0
2/22/2023, 3:22:45 AM	0	6.816	33.4	68.4	0
2/22/2023, 3:32:45 AM	0	6.816	33.4	68.6	0
2/22/2023, 3:42:45 AM	0	6.816	33.4	68.7	0
2/22/2023, 3:52:45 AM	0	6.816	33.3	68.9	0
2/22/2023, 4:02:45 AM	0	6.816	33.3	69.1	0
2/22/2023, 4:12:45 AM	0	6.816	33.3	69.3	0
2/22/2023, 4:22:45 AM	0	6.816	33.1	69.4	0
2/22/2023, 4:32:45 AM	0	6.816	33.1	69.5	0
2/22/2023, 4:42:45 AM	0	6.816	33.1	69.6	0
2/22/2023, 4:52:45 AM	0	6.816	33.1	69.7	0
2/22/2023, 5:02:45 AM	0	6.816	32.9	69.7	0
2/22/2023, 5:12:45 AM	0	6.816	32.9	69.7	0
2/22/2023, 5:22:45 AM	0	6.816	32.9	69.7	0
2/22/2023, 5:32:45 AM	0	6.816	32.9	69.7	0
2/22/2023, 5:42:45 AM	0	6.816	32.7	69.6	0
2/22/2023, 5:52:45 AM	0	6.816	32.7	69.6	0
2/22/2023, 6:02:45 AM	0	6.816	32.7	69.6	0
2/22/2023, 6:12:45 AM	0	6.816	32.5	69.5	0
2/22/2023, 6:22:45 AM	0	6.816	32.5	69.5	0
2/22/2023, 6:32:45 AM	0	6.816	32.4	69.5	0
2/22/2023, 6:42:45 AM	0	6.816	32.4	69.6	0
2/22/2023, 6:52:45 AM	0	6.816	32.4	69.6	0
2/22/2023, 7:02:45 AM	0	6.816	32.4	69.7	0
2/22/2023, 7:12:45 AM	0	6.816	32.2	69.7	0
2/22/2023, 7:22:45 AM	0	6.816	32.2	69.7	0
2/22/2023, 7:32:45 AM	0	6.816	32.2	69.8	0
2/22/2023, 7:42:45 AM	0	6.816	32.2	69.8	0
2/22/2023, 7:52:45 AM	0	6.816	32.2	69.9	0
2/22/2023, 8:02:45 AM	0	6.816	32.4	69.8	0
2/22/2023, 8:12:45 AM	0	6.816	32.4	69.8	0
2/22/2023, 8:22:45 AM	0	6.816	32.5	69.8	0
2/22/2023, 8:32:45 AM	0	6.816	32.5	70	0
2/22/2023, 8:42:45 AM	0	6.816	32.7	70	0
2/22/2023, 8:52:45 AM	0	6.816	32.7	70	0
2/22/2023, 9:02:45 AM	0	6.816	32.7	69.9	0
2/22/2023, 9:12:45 AM	0	6.816	32.9	70	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/22/2023, 9:22:45 AM	0	6.816	33.1	70	0
2/22/2023, 9:32:45 AM	0	6.816	33.3	69.9	0
2/22/2023, 9:42:45 AM	0	6.816	33.3	69.7	0
2/22/2023, 9:52:45 AM	0	6.816	33.3	69.6	0
2/22/2023, 10:02:45 AM	0	6.816	33.3	69.5	0
2/22/2023, 10:12:45 AM	0	6.816	33.4	69.5	0
2/22/2023, 10:22:45 AM	0	6.816	33.6	69.5	0
2/22/2023, 10:32:45 AM	0	6.816	33.8	69.4	0
2/22/2023, 10:42:45 AM	0	6.816	34	69.2	0
2/22/2023, 10:52:45 AM	0	6.816	34	69	0
2/22/2023, 11:02:45 AM	0	6.816	34.2	68.9	0
2/22/2023, 11:12:45 AM	0	6.816	34.2	68.8	0
2/22/2023, 11:22:45 AM	0	6.816	34.2	68.7	0
2/22/2023, 11:32:45 AM	0	6.816	34.2	68.8	0
2/22/2023, 11:42:45 AM	0	6.816	34.3	68.8	0
2/22/2023, 11:52:45 AM	0	6.816	34.3	68.9	0
2/22/2023, 12:02:45 PM	0	6.816	34.5	69.1	0
2/22/2023, 12:12:45 PM	0	6.816	34.5	69.2	0
2/22/2023, 12:22:45 PM	0	6.816	34.2	69.4	0
2/22/2023, 12:32:45 PM	0	6.816	33.8	69.6	0
2/22/2023, 12:42:45 PM	0	6.816	33.4	69.8	0
2/22/2023, 12:52:45 PM	0	6.816	33.3	70	0
2/22/2023, 1:02:45 PM	0	6.816	33.1	70.3	0
2/22/2023, 1:12:45 PM	0	6.816	32.9	70.6	0
2/22/2023, 1:22:45 PM	0	6.816	32.7	70.8	0
2/22/2023, 1:32:45 PM	0	6.816	32.5	71.1	0
2/22/2023, 1:42:45 PM	0	6.816	32.4	71.3	0
2/22/2023, 1:52:45 PM	0	6.816	32.2	71.6	0
2/22/2023, 2:02:45 PM	0	6.816	32	72	0
2/22/2023, 2:12:45 PM	0	6.816	31.6	72.4	0
2/22/2023, 2:22:45 PM	0	6.807	31.1	72.9	0
2/22/2023, 2:32:45 PM	0	6.807	30.9	73.4	0
2/22/2023, 2:42:45 PM	0	6.807	30.6	73.9	0
2/22/2023, 2:52:45 PM	0	6.807	30.4	74.3	0
2/22/2023, 3:02:45 PM	0	6.807	30.2	74.8	0
2/22/2023, 3:12:45 PM	0	6.807	30	75.3	0
2/22/2023, 3:22:45 PM	0	6.807	30	75.7	0
2/22/2023, 3:32:45 PM	0	6.807	29.8	76.1	0
2/22/2023, 3:42:45 PM	0	6.807	29.7	76.5	0
2/22/2023, 3:52:45 PM	0	6.807	29.7	76.8	0
2/22/2023, 4:02:45 PM	0	6.807	29.5	77.2	0
2/22/2023, 4:12:45 PM	0	6.807	29.5	77.5	0
2/22/2023, 4:22:45 PM	0	6.807	29.5	77.8	0
2/22/2023, 4:32:45 PM	0	6.807	29.3	78.1	0
2/22/2023, 4:42:45 PM	0	6.807	29.3	78.4	0
2/22/2023, 4:52:45 PM	0	6.807	29.1	78.6	0
2/22/2023, 5:02:45 PM	0	6.807	29.1	78.8	0
2/22/2023, 5:12:45 PM	0	6.798	28.9	79	0
2/22/2023, 5:22:45 PM	0	6.798	28.9	79.2	0
2/22/2023, 5:32:45 PM	0	6.798	28.8	79.5	0
2/22/2023, 5:42:45 PM	0	6.798	28.8	79.7	0
2/22/2023, 5:52:45 PM	0	6.798	28.6	80	0
2/22/2023, 6:02:45 PM	0	6.798	28.6	80.3	0
2/22/2023, 6:12:45 PM	0	6.798	28.6	80.5	0
2/22/2023, 6:22:45 PM	0	6.798	28.6	80.8	0
2/22/2023, 6:32:45 PM	0	6.798	28.6	81.1	0
2/22/2023, 6:42:45 PM	0	6.798	28.6	81.4	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/22/2023, 6:52:45 PM	0	6.798	28.6	81.7	0
2/22/2023, 7:02:45 PM	0	6.798	28.6	81.9	0
2/22/2023, 7:12:45 PM	0	6.798	28.8	82.2	0
2/22/2023, 7:22:45 PM	0	6.798	28.8	82.5	0
2/22/2023, 7:32:45 PM	0	6.798	28.9	82.7	0
2/22/2023, 7:42:45 PM	0	6.798	29.1	83	0
2/22/2023, 7:52:45 PM	0	6.798	29.1	83.2	0
2/22/2023, 8:02:45 PM	0	6.798	29.3	83.4	0
2/22/2023, 8:12:45 PM	0	6.807	29.5	83.7	0
2/22/2023, 8:22:45 PM	0	6.807	29.7	84	0
2/22/2023, 8:32:45 PM	0	6.807	29.8	84.3	0
2/22/2023, 8:42:45 PM	0	6.807	30.2	84.6	0
2/22/2023, 8:52:45 PM	0	6.807	30.4	84.9	0
2/22/2023, 9:02:45 PM	0	6.807	30.6	85.1	0
2/22/2023, 9:12:45 PM	0	6.807	30.7	85.2	0
2/22/2023, 9:22:45 PM	0	6.807	30.7	85.4	0
2/22/2023, 9:32:45 PM	0	6.807	30.9	85.6	0
2/22/2023, 9:42:45 PM	0	6.807	31.1	85.8	0
2/22/2023, 9:52:45 PM	0	6.807	31.3	85.9	0
2/22/2023, 10:02:45 PM	0	6.807	31.3	86	0
2/22/2023, 10:12:45 PM	0	6.807	31.3	86.2	0
2/22/2023, 10:22:45 PM	0	6.807	31.5	86.2	0
2/22/2023, 10:32:45 PM	0	6.807	31.5	86.4	0
2/22/2023, 10:42:45 PM	0	6.807	31.6	86.5	0
2/22/2023, 10:52:45 PM	0	6.807	31.8	86.7	0
2/22/2023, 11:02:45 PM	0	6.807	31.8	86.8	0
2/22/2023, 11:12:45 PM	0	6.807	32	86.9	0
2/22/2023, 11:22:45 PM	0	6.807	32	86.9	0
2/22/2023, 11:32:45 PM	0	6.807	32	87	0
2/22/2023, 11:42:45 PM	0	6.816	32	87	0
2/22/2023, 11:52:45 PM	0	6.807	32	87.1	0
2/23/2023, 12:02:45 AM	0	6.816	31.8	87.1	0
2/23/2023, 12:12:45 AM	0	6.816	31.8	87.1	0
2/23/2023, 12:22:45 AM	0	6.816	31.6	87.2	0
2/23/2023, 12:32:45 AM	0	6.807	31.6	87.2	0
2/23/2023, 12:42:45 AM	0	6.807	31.6	87.3	0
2/23/2023, 12:52:45 AM	0	6.807	31.6	87.4	0
2/23/2023, 1:02:45 AM	0	6.807	31.5	87.4	0
2/23/2023, 1:12:45 AM	0	6.807	31.5	87.5	0
2/23/2023, 1:22:45 AM	0	6.807	31.5	87.5	0
2/23/2023, 1:32:45 AM	0	6.807	31.3	87.6	0
2/23/2023, 1:42:45 AM	0	6.807	31.3	87.6	0
2/23/2023, 1:52:45 AM	0	6.807	31.3	87.7	0
2/23/2023, 2:02:45 AM	0	6.807	31.3	87.9	0
2/23/2023, 2:12:45 AM	0	6.807	31.3	88	0
2/23/2023, 2:22:45 AM	0	6.807	31.5	88.2	0
2/23/2023, 2:32:45 AM	0	6.807	31.5	88.5	0
2/23/2023, 2:42:45 AM	0	6.807	31.6	88.7	0
2/23/2023, 2:52:45 AM	0	6.807	31.8	88.9	0
2/23/2023, 3:02:45 AM	0	6.807	32	89	0
2/23/2023, 3:12:45 AM	0	6.807	32	89.2	0
2/23/2023, 3:22:45 AM	0	6.816	32	89.3	0
2/23/2023, 3:32:45 AM	0	6.816	32.2	89.4	0
2/23/2023, 3:42:45 AM	0	6.816	32.2	89.6	0
2/23/2023, 3:52:45 AM	0	6.816	32.4	89.7	0
2/23/2023, 4:02:45 AM	0	6.816	32.4	89.7	0
2/23/2023, 4:12:45 AM	0	6.816	32.5	89.8	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/23/2023, 4:22:45 AM	0	6.816	32.5	89.9	0
2/23/2023, 4:32:45 AM	0	6.816	32.5	89.9	0
2/23/2023, 4:42:45 AM	0	6.816	32.4	89.7	0
2/23/2023, 4:52:45 AM	0	6.816	32.2	89.6	0
2/23/2023, 5:02:45 AM	0	6.816	32	89.5	0
2/23/2023, 5:12:45 AM	0	6.816	32	89.5	0
2/23/2023, 5:22:45 AM	0	6.807	32	89.4	0
2/23/2023, 5:32:45 AM	0	6.807	32	89.4	0
2/23/2023, 5:42:45 AM	0	6.816	31.8	89.4	0
2/23/2023, 5:52:45 AM	0	6.807	31.6	89.3	0
2/23/2023, 6:02:45 AM	0	6.807	31.3	89.1	0
2/23/2023, 6:12:45 AM	0	6.807	31.1	89.1	0
2/23/2023, 6:22:45 AM	0	6.807	30.9	88.9	0
2/23/2023, 6:32:45 AM	0	6.807	30.6	88.8	0
2/23/2023, 6:42:45 AM	0	6.807	30.4	88.7	0
2/23/2023, 6:52:45 AM	0	6.807	30	88.6	0
2/23/2023, 7:02:45 AM	0	6.807	29.8	88.5	0
2/23/2023, 7:12:45 AM	0	6.807	29.5	88.4	0
2/23/2023, 7:22:45 AM	0	6.807	29.1	88.3	0
2/23/2023, 7:32:45 AM	0	6.807	28.9	88.3	0
2/23/2023, 7:42:45 AM	0	6.807	28.8	88.3	0
2/23/2023, 7:52:45 AM	0	6.798	28.6	88.3	0
2/23/2023, 8:02:45 AM	0	6.798	28.4	88.2	0
2/23/2023, 8:12:45 AM	0	6.798	28.2	88.1	0
2/23/2023, 8:22:45 AM	0	6.798	28	88.1	0
2/23/2023, 8:32:45 AM	0	6.798	27.7	88	0
2/23/2023, 8:42:45 AM	0	6.798	27.5	87.9	0
2/23/2023, 8:52:45 AM	0	6.798	27.3	87.8	0
2/23/2023, 9:02:45 AM	0	6.798	27.1	87.8	0
2/23/2023, 9:12:45 AM	0	6.798	27.1	87.8	0
2/23/2023, 9:22:45 AM	0	6.798	27	87.9	0
2/23/2023, 9:32:45 AM	0	6.798	27	87.8	0
2/23/2023, 9:42:45 AM	0	6.798	26.8	87.8	0
2/23/2023, 9:52:45 AM	0	6.79	26.8	87.8	0
2/23/2023, 10:02:45 AM	0	6.79	26.8	87.8	0
2/23/2023, 10:12:45 AM	0	6.79	26.8	87.9	0
2/23/2023, 10:22:45 AM	0	6.79	26.8	87.9	0
2/23/2023, 10:32:45 AM	0	6.79	26.6	87.9	0
2/23/2023, 10:42:45 AM	0	6.79	26.6	87.9	0
2/23/2023, 10:52:45 AM	0	6.79	26.8	88	0
2/23/2023, 11:02:45 AM	0	6.79	27	88.1	0
2/23/2023, 11:12:45 AM	0	6.79	27.1	88.1	0
2/23/2023, 11:22:45 AM	0	6.79	27.3	88.2	0
2/23/2023, 11:32:45 AM	0	6.79	27.5	88.2	0
2/23/2023, 11:42:45 AM	0	6.79	27.5	88.2	0
2/23/2023, 11:52:45 AM	0	6.798	27.5	88.2	0
2/23/2023, 12:02:45 PM	0	6.798	27.5	88.1	0
2/23/2023, 12:12:45 PM	0	6.798	27.7	88	0
2/23/2023, 12:22:45 PM	0	6.798	27.7	88	0
2/23/2023, 12:32:45 PM	0	6.798	27.9	88	0
2/23/2023, 12:42:45 PM	0	6.798	27.9	87.9	0
2/23/2023, 12:52:45 PM	0	6.798	27.9	87.9	0
2/23/2023, 1:02:45 PM	0	6.798	27.9	87.8	0
2/23/2023, 1:12:45 PM	0	6.798	28	87.8	0
2/23/2023, 1:22:45 PM	0	6.798	27.9	87.7	0
2/23/2023, 1:32:45 PM	0	6.798	27.9	87.7	0
2/23/2023, 1:42:45 PM	0	6.798	27.9	87.7	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/23/2023, 1:52:45 PM	0	6.798	28	87.7	0
2/23/2023, 2:02:45 PM	0	6.798	28	87.7	0
2/23/2023, 2:12:45 PM	0	6.798	27.9	87.7	0
2/23/2023, 2:22:45 PM	0	6.798	27.9	87.7	0
2/23/2023, 2:32:45 PM	0	6.798	27.9	87.7	0
2/23/2023, 2:42:45 PM	0	6.798	27.9	87.7	0
2/23/2023, 2:52:45 PM	0	6.798	27.7	87.7	0
2/23/2023, 3:02:45 PM	0	6.798	27.7	87.7	0
2/23/2023, 3:12:45 PM	0	6.798	27.7	87.6	0
2/23/2023, 3:22:45 PM	0	6.798	27.5	87.6	0
2/23/2023, 3:32:45 PM	0	6.798	27.3	87.6	0
2/23/2023, 3:42:45 PM	0	6.798	27.3	87.7	0
2/23/2023, 3:52:45 PM	0	6.798	27.3	87.7	0
2/23/2023, 4:02:45 PM	0	6.798	27.1	87.7	0
2/23/2023, 4:12:45 PM	0	6.798	27.1	87.8	0
2/23/2023, 4:22:45 PM	0	6.798	27.3	88	0
2/23/2023, 4:32:45 PM	0	6.798	27.5	88.2	0
2/23/2023, 4:42:45 PM	0	6.798	27.5	88.3	0
2/23/2023, 4:52:45 PM	0	6.798	27.5	88.3	0
2/23/2023, 5:02:45 PM	0	6.798	27.5	88.3	0
2/23/2023, 5:12:45 PM	0	6.798	27.5	88.3	0
2/23/2023, 5:22:45 PM	0	6.798	27.5	88.3	0
2/23/2023, 5:32:45 PM	0	6.798	27.3	88.3	0
2/23/2023, 5:42:45 PM	0	6.798	27.3	88.3	0
2/23/2023, 5:52:45 PM	0	6.798	27.5	88.4	0
2/23/2023, 6:02:45 PM	0	6.798	27.5	88.4	0
2/23/2023, 6:12:45 PM	0	6.798	27.5	88.5	0
2/23/2023, 6:22:45 PM	0	6.798	27.5	88.6	0
2/23/2023, 6:32:45 PM	0	6.798	27.5	88.6	0
2/23/2023, 6:42:45 PM	0	6.798	27.5	88.7	0
2/23/2023, 6:52:45 PM	0	6.798	27.5	88.7	0
2/23/2023, 7:02:45 PM	0	6.798	27.7	88.7	0
2/23/2023, 7:12:45 PM	0	6.798	27.7	88.8	0
2/23/2023, 7:22:45 PM	0	6.798	27.7	88.9	0
2/23/2023, 7:32:45 PM	0	6.798	27.7	88.9	0
2/23/2023, 7:42:45 PM	0	6.798	27.9	89	0
2/23/2023, 7:52:45 PM	0	6.798	27.9	89	0
2/23/2023, 8:02:45 PM	0	6.798	27.9	89	0
2/23/2023, 8:12:45 PM	0	6.798	27.9	89.1	0
2/23/2023, 8:22:45 PM	0	6.798	27.9	89.1	0
2/23/2023, 8:32:45 PM	0	6.798	28	89.2	0
2/23/2023, 8:42:45 PM	0	6.798	28	89.3	0
2/23/2023, 8:52:45 PM	0	6.798	28	89.3	0
2/23/2023, 9:02:45 PM	0	6.798	28.2	89.4	0
2/23/2023, 9:12:45 PM	0	6.798	28.2	89.5	0
2/23/2023, 9:22:45 PM	0	6.798	28.4	89.6	0
2/23/2023, 9:32:45 PM	0	6.798	28.4	89.6	0
2/23/2023, 9:42:45 PM	0	6.798	28.4	89.7	0
2/23/2023, 9:52:45 PM	0	6.798	28.6	89.8	0
2/23/2023, 10:02:45 PM	0	6.798	28.6	89.9	0
2/23/2023, 10:12:45 PM	0	6.798	28.8	89.9	0
2/23/2023, 10:22:45 PM	0	6.798	28.9	90	0
2/23/2023, 10:32:45 PM	0	6.798	28.9	90.2	0
2/23/2023, 10:42:45 PM	0	6.798	29.1	90.2	0
2/23/2023, 10:52:45 PM	0	6.798	29.1	90.4	0
2/23/2023, 11:02:45 PM	0	6.798	29.3	90.4	0
2/23/2023, 11:12:45 PM	0	6.798	29.3	90.5	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/23/2023, 11:22:45 PM	0	6.798	29.3	90.5	0
2/23/2023, 11:32:45 PM	0	6.807	29.5	90.5	0
2/23/2023, 11:42:45 PM	0	6.798	29.5	90.5	0
2/23/2023, 11:52:45 PM	0	6.807	29.5	90.6	0
2/24/2023, 12:02:45 AM	0	6.807	29.7	90.6	0
2/24/2023, 12:12:45 AM	0	6.807	29.7	90.7	0
2/24/2023, 12:22:45 AM	0	6.807	29.8	90.8	0
2/24/2023, 12:32:45 AM	0	6.807	29.8	90.9	0
2/24/2023, 12:42:45 AM	0	6.807	29.8	90.9	0
2/24/2023, 12:52:45 AM	0	6.807	30	90.9	0
2/24/2023, 1:02:45 AM	0	6.807	30	91	0
2/24/2023, 1:12:45 AM	0	6.807	30	91	0
2/24/2023, 1:22:45 AM	0	6.807	30.2	91.1	0
2/24/2023, 1:32:45 AM	0	6.807	30.2	91.1	0
2/24/2023, 1:42:45 AM	0	6.807	30.4	91.2	0
2/24/2023, 1:52:45 AM	0	6.807	30.4	91.2	0
2/24/2023, 2:02:45 AM	0	6.807	30.4	91.2	0
2/24/2023, 2:12:45 AM	0	6.807	30.6	91.3	0
2/24/2023, 2:22:45 AM	0	6.807	30.6	91.3	0
2/24/2023, 2:32:45 AM	0	6.807	30.6	91.3	0
2/24/2023, 2:42:45 AM	0	6.807	30.6	91.3	0
2/24/2023, 2:52:45 AM	0	6.807	30.4	91.1	0
2/24/2023, 3:02:45 AM	0	6.807	30.4	91	0
2/24/2023, 3:12:45 AM	0	6.807	30	90.7	0
2/24/2023, 3:22:45 AM	0	6.807	29.7	90.4	0
2/24/2023, 3:32:45 AM	0	6.807	29.1	90	0
2/24/2023, 3:42:45 AM	0	6.807	28.6	89.7	0
2/24/2023, 3:52:45 AM	0	6.798	28.2	89.5	0
2/24/2023, 4:02:45 AM	0	6.798	28	89.3	0
2/24/2023, 4:12:45 AM	0	6.798	27.9	89.3	0
2/24/2023, 4:22:45 AM	0	6.798	27.7	89.2	0
2/24/2023, 4:32:45 AM	0	6.798	27.5	89.2	0
2/24/2023, 4:42:45 AM	0	6.798	27.5	89.2	0
2/24/2023, 4:52:45 AM	0	6.798	27.3	89.2	0
2/24/2023, 5:02:45 AM	0	6.798	27.3	89.2	0
2/24/2023, 5:12:45 AM	0	6.798	27.1	89.3	0
2/24/2023, 5:22:45 AM	0	6.798	27.1	89.3	0
2/24/2023, 5:32:45 AM	0	6.798	27.1	89.4	0
2/24/2023, 5:42:45 AM	0	6.798	27.1	89.4	0
2/24/2023, 5:52:45 AM	0	6.798	27.1	89.3	0
2/24/2023, 6:02:45 AM	0	6.798	27.1	89.2	0
2/24/2023, 6:12:45 AM	0	6.798	27	89.1	0
2/24/2023, 6:22:45 AM	0	6.798	27	88.9	0
2/24/2023, 6:32:45 AM	0	6.798	26.6	88.7	0
2/24/2023, 6:42:45 AM	0	6.79	26.4	88.5	0
2/24/2023, 6:52:45 AM	0	6.79	26.2	88.2	0
2/24/2023, 7:02:45 AM	0	6.79	25.9	87.9	0
2/24/2023, 7:12:45 AM	0	6.79	25.7	87.7	0
2/24/2023, 7:22:45 AM	0	6.79	25.3	87.3	0
2/24/2023, 7:32:45 AM	0	6.79	25	86.9	0
2/24/2023, 7:42:45 AM	0	6.79	24.8	86.7	0
2/24/2023, 7:52:45 AM	0	6.79	24.6	86.4	0
2/24/2023, 8:02:45 AM	0	6.79	24.3	86.2	0
2/24/2023, 8:12:45 AM	0	6.781	24.1	85.9	0
2/24/2023, 8:22:45 AM	0	6.781	23.9	85.7	0
2/24/2023, 8:32:45 AM	0	6.781	24.1	85.5	0
2/24/2023, 8:42:45 AM	0	6.781	24.1	85.4	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/24/2023, 8:52:45 AM	0	6.781	24.1	85.2	0
2/24/2023, 9:02:45 AM	0	6.781	24.3	85.1	0
2/24/2023, 9:12:45 AM	0	6.781	24.6	85.1	0
2/24/2023, 9:22:45 AM	0	6.781	25.2	85	0
2/24/2023, 9:32:45 AM	0	6.781	25.3	84.9	0
2/24/2023, 9:42:45 AM	0	6.781	25.2	84.6	0
2/24/2023, 9:52:45 AM	0	6.781	25	84.3	0
2/24/2023, 10:02:45 AM	0	6.781	24.8	83.9	0
2/24/2023, 10:12:45 AM	0	6.781	24.8	83.6	0
2/24/2023, 10:22:45 AM	0	6.781	25	83.4	0
2/24/2023, 10:32:45 AM	0	6.781	24.8	83.1	0
2/24/2023, 10:42:45 AM	0	6.781	24.4	82.8	0
2/24/2023, 10:52:45 AM	0	6.781	25	82.5	0
2/24/2023, 11:02:45 AM	0	6.781	25.7	82.5	0
2/24/2023, 11:12:45 AM	0	6.781	26.4	82.3	0
2/24/2023, 11:22:45 AM	0	6.781	27.5	82.1	0
2/24/2023, 11:32:45 AM	0	6.79	28.2	81.7	0
2/24/2023, 11:42:45 AM	0	6.79	27.5	80.7	0
2/24/2023, 11:52:45 AM	0	6.79	26.6	80.2	0
2/24/2023, 12:02:45 PM	0	6.79	26.1	79.8	0
2/24/2023, 12:12:45 PM	0	6.79	25.5	79.5	0
2/24/2023, 12:22:45 PM	0	6.781	25.5	79.4	0
2/24/2023, 12:32:45 PM	0	6.781	25.2	79.1	0
2/24/2023, 12:42:45 PM	0	6.781	25	79	0
2/24/2023, 12:52:45 PM	0	6.781	24.8	78.9	0
2/24/2023, 1:02:45 PM	0	6.781	24.6	78.8	0
2/24/2023, 1:12:45 PM	0	6.781	24.8	78.7	0
2/24/2023, 1:22:45 PM	0	6.781	24.6	78.6	0
2/24/2023, 1:32:45 PM	0	6.781	24.4	78.6	0
2/24/2023, 1:42:45 PM	0	6.781	24.3	78.6	0
2/24/2023, 1:52:45 PM	0	6.781	24.1	78.6	0
2/24/2023, 2:02:45 PM	0	6.781	24.4	78.8	0
2/24/2023, 2:12:45 PM	0	6.781	24.8	79	0
2/24/2023, 2:22:45 PM	0	6.781	25	78.8	0
2/24/2023, 2:32:45 PM	0	6.781	24.6	78.6	0
2/24/2023, 2:42:45 PM	0	6.781	24.6	78.5	0
2/24/2023, 2:52:45 PM	0	6.781	24.8	78.6	0
2/24/2023, 3:02:45 PM	0	6.781	25	78.6	0
2/24/2023, 3:12:45 PM	0	6.781	25	78.5	0
2/24/2023, 3:22:45 PM	0	6.781	24.6	78.4	0
2/24/2023, 3:32:45 PM	0	6.781	24.4	78.3	0
2/24/2023, 3:42:45 PM	0	6.781	24.3	78.2	0
2/24/2023, 3:52:45 PM	0	6.781	24.6	78.4	0
2/24/2023, 4:02:45 PM	0	6.781	24.8	78.4	0
2/24/2023, 4:12:45 PM	0	6.781	24.8	78.2	0
2/24/2023, 4:22:45 PM	0	6.781	24.6	78	0
2/24/2023, 4:32:45 PM	0	6.781	24.4	77.9	0
2/24/2023, 4:42:45 PM	0	6.781	24.1	77.8	0
2/24/2023, 4:52:45 PM	0	6.781	23.7	77.8	0
2/24/2023, 5:02:45 PM	0	6.781	23.2	77.7	0
2/24/2023, 5:12:45 PM	0	6.781	22.8	77.8	0
2/24/2023, 5:22:45 PM	0	6.781	22.6	77.9	0
2/24/2023, 5:32:45 PM	0	6.781	22.3	78	0
2/24/2023, 5:42:45 PM	0	6.781	22.1	78.1	0
2/24/2023, 5:52:45 PM	0	6.781	21.7	78.2	0
2/24/2023, 6:02:45 PM	0	6.772	21.6	78.3	0
2/24/2023, 6:12:45 PM	0	6.772	21.4	78.5	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/24/2023, 6:22:45 PM	0	6.772	21.2	78.6	0
2/24/2023, 6:32:45 PM	0	6.772	21.2	78.8	0
2/24/2023, 6:42:45 PM	0	6.772	21	79	0
2/24/2023, 6:52:45 PM	0	6.772	21	79.1	0
2/24/2023, 7:02:45 PM	0	6.772	20.8	79.3	0
2/24/2023, 7:12:45 PM	0	6.772	20.8	79.4	0
2/24/2023, 7:22:45 PM	0	6.772	20.8	79.6	0
2/24/2023, 7:32:45 PM	0	6.772	20.8	79.8	0
2/24/2023, 7:42:45 PM	0	6.772	20.8	80	0
2/24/2023, 7:52:45 PM	0	6.772	20.8	80.2	0
2/24/2023, 8:02:45 PM	0	6.772	20.8	80.3	0
2/24/2023, 8:12:45 PM	0	6.772	20.8	80.6	0
2/24/2023, 8:22:45 PM	0	6.772	20.8	80.8	0
2/24/2023, 8:32:45 PM	0	6.772	21	81	0
2/24/2023, 8:42:45 PM	0	6.772	21	81.3	0
2/24/2023, 8:52:45 PM	0	6.772	21	81.4	0
2/24/2023, 9:02:45 PM	0	6.772	21	81.6	0
2/24/2023, 9:12:45 PM	0	6.772	21	81.7	0
2/24/2023, 9:22:45 PM	0	6.772	20.8	81.8	0
2/24/2023, 9:32:45 PM	0	6.772	20.8	81.9	0
2/24/2023, 9:42:45 PM	0	6.772	20.8	82.1	0
2/24/2023, 9:52:45 PM	0	6.772	20.7	82.2	0
2/24/2023, 10:02:45 PM	0	6.772	20.7	82.3	0
2/24/2023, 10:12:45 PM	0	6.772	20.7	82.5	0
2/24/2023, 10:22:45 PM	0	6.772	20.7	82.6	0
2/24/2023, 10:32:45 PM	0	6.772	20.7	82.7	0
2/24/2023, 10:42:45 PM	0	6.772	20.7	82.8	0
2/24/2023, 10:52:45 PM	0	6.772	20.7	82.9	0
2/24/2023, 11:02:45 PM	0	6.772	20.7	83	0
2/24/2023, 11:12:45 PM	0	6.772	20.7	83.2	0
2/24/2023, 11:22:45 PM	0	6.772	20.7	83.3	0
2/24/2023, 11:32:45 PM	0	6.772	20.7	83.3	0
2/24/2023, 11:42:45 PM	0	6.772	20.5	83.3	0
2/24/2023, 11:52:45 PM	0	6.772	20.3	83.3	0
2/25/2023, 12:02:45 AM	0	6.772	20.3	83.3	0
2/25/2023, 12:12:45 AM	0	6.772	20.1	83.3	0
2/25/2023, 12:22:45 AM	0	6.772	20.1	83.4	0
2/25/2023, 12:32:45 AM	0	6.772	19.9	83.4	0
2/25/2023, 12:42:45 AM	0	6.763	19.9	83.5	0
2/25/2023, 12:52:45 AM	0	6.763	19.9	83.5	0
2/25/2023, 1:02:45 AM	0	6.763	19.8	83.6	0
2/25/2023, 1:12:45 AM	0	6.763	19.8	83.6	0
2/25/2023, 1:22:45 AM	0	6.763	19.6	83.5	0
2/25/2023, 1:32:45 AM	0	6.763	19.2	83.4	0
2/25/2023, 1:42:45 AM	0	6.763	19	83.3	0
2/25/2023, 1:52:45 AM	0	6.763	18.7	83.2	0
2/25/2023, 2:02:45 AM	0	6.763	18.5	83.1	0
2/25/2023, 2:12:45 AM	0	6.763	18.1	83	0
2/25/2023, 2:22:45 AM	0	6.763	18	83	0
2/25/2023, 2:32:45 AM	0	6.763	18	83.1	0
2/25/2023, 2:42:45 AM	0	6.763	18	83.3	0
2/25/2023, 2:52:45 AM	0	6.763	18.1	83.5	0
2/25/2023, 3:02:45 AM	0	6.763	18.1	83.7	0
2/25/2023, 3:12:45 AM	0	6.763	18.3	83.8	0
2/25/2023, 3:22:45 AM	0	6.763	18.3	83.9	0
2/25/2023, 3:32:45 AM	0	6.763	18.3	84	0
2/25/2023, 3:42:45 AM	0	6.763	18.3	84	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/25/2023, 3:52:45 AM	0	6.763	18.3	84	0
2/25/2023, 4:02:45 AM	0	6.763	18.3	84.1	0
2/25/2023, 4:12:45 AM	0	6.763	18.3	84.1	0
2/25/2023, 4:22:45 AM	0	6.763	18.3	84.1	0
2/25/2023, 4:32:45 AM	0	6.763	18.3	84.1	0
2/25/2023, 4:42:45 AM	0	6.763	18.3	84.1	0
2/25/2023, 4:52:45 AM	0	6.763	18.3	84.1	0
2/25/2023, 5:02:45 AM	0	6.763	18.3	84.1	0
2/25/2023, 5:12:45 AM	0	6.763	18.3	84.1	0
2/25/2023, 5:22:45 AM	0	6.763	18.3	84.1	0
2/25/2023, 5:32:45 AM	0	6.763	18.3	84.1	0
2/25/2023, 5:42:45 AM	0	6.763	18.3	84.1	0
2/25/2023, 5:52:45 AM	0	6.763	18.3	84.1	0
2/25/2023, 6:02:45 AM	0	6.763	18.3	84.1	0
2/25/2023, 6:12:45 AM	0	6.763	18.3	84.1	0
2/25/2023, 6:22:45 AM	0	6.763	18.3	84.1	0
2/25/2023, 6:32:45 AM	0	6.763	18.3	84.1	0
2/25/2023, 6:42:45 AM	0	6.763	18.3	84.1	0
2/25/2023, 6:52:45 AM	0	6.763	18.3	84.1	0
2/25/2023, 7:02:45 AM	0	6.763	18.3	84.2	0
2/25/2023, 7:12:45 AM	0	6.763	18.5	84.2	0
2/25/2023, 7:22:45 AM	0	6.763	18.5	84.2	0
2/25/2023, 7:32:45 AM	0	6.763	18.5	84.2	0
2/25/2023, 7:42:45 AM	0	6.763	18.7	84.2	0
2/25/2023, 7:52:45 AM	0	6.763	18.7	84.2	0
2/25/2023, 8:02:45 AM	0	6.763	18.9	84.3	0
2/25/2023, 8:12:45 AM	0	6.763	18.9	84.2	0
2/25/2023, 8:22:45 AM	0	6.763	19	84.2	0
2/25/2023, 8:32:45 AM	0	6.763	19.2	84.2	0
2/25/2023, 8:42:45 AM	0	6.763	19.4	84.2	0
2/25/2023, 8:52:45 AM	0	6.763	19.6	84.2	0
2/25/2023, 9:02:45 AM	0	6.763	19.8	84.2	0
2/25/2023, 9:12:45 AM	0	6.763	20.1	84.2	0
2/25/2023, 9:22:45 AM	0	6.763	20.3	84.2	0
2/25/2023, 9:32:45 AM	0	6.763	20.8	84.1	0
2/25/2023, 9:42:45 AM	0	6.763	21.9	84.2	0
2/25/2023, 9:52:45 AM	0	6.772	23	84.3	0
2/25/2023, 10:02:45 AM	0	6.772	23.9	84.2	0
2/25/2023, 10:12:45 AM	0	6.772	24.6	84	0
2/25/2023, 10:22:45 AM	0	6.772	24.8	83.5	0
2/25/2023, 10:32:45 AM	0	6.781	24.6	83.1	0
2/25/2023, 10:42:45 AM	0	6.781	24.4	82.6	0
2/25/2023, 10:52:45 AM	0	6.781	24.4	82.3	0
2/25/2023, 11:02:45 AM	0	6.781	24.6	82.2	0
2/25/2023, 11:12:45 AM	0	6.781	25.2	82.2	0
2/25/2023, 11:22:45 AM	0	6.781	25.3	82	0
2/25/2023, 11:32:45 AM	0	6.781	25.3	81.7	0
2/25/2023, 11:42:45 AM	0	6.781	25.5	81.5	0
2/25/2023, 11:52:45 AM	0	6.781	26.1	81.6	0
2/25/2023, 12:02:45 PM	0	6.781	26.4	81.5	0
2/25/2023, 12:12:45 PM	0	6.79	26.8	81.5	0
2/25/2023, 12:22:45 PM	0	6.79	27.3	81.5	0
2/25/2023, 12:32:45 PM	0	6.79	27.9	81.4	0
2/25/2023, 12:42:45 PM	0	6.79	28.6	81.4	0
2/25/2023, 12:52:45 PM	0	6.79	29.3	81.3	0
2/25/2023, 1:02:45 PM	0	6.798	29.3	81	0
2/25/2023, 1:12:45 PM	0	6.798	29.1	80.7	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/25/2023, 1:22:45 PM	0	6.798	28.8	80.5	0
2/25/2023, 1:32:45 PM	0	6.798	28.4	80.2	0
2/25/2023, 1:42:45 PM	0	6.798	27.9	80.1	0
2/25/2023, 1:52:45 PM	0	6.798	27.3	80.1	0
2/25/2023, 2:02:45 PM	0	6.798	27.1	80.2	0
2/25/2023, 2:12:45 PM	0	6.798	27	80.3	0
2/25/2023, 2:22:45 PM	0	6.798	27	80.5	0
2/25/2023, 2:32:45 PM	0	6.798	27.1	80.6	0
2/25/2023, 2:42:45 PM	0	6.798	27.5	80.8	0
2/25/2023, 2:52:45 PM	0	6.798	27.5	80.9	0
2/25/2023, 3:02:45 PM	0	6.798	27.9	81	0
2/25/2023, 3:12:45 PM	0	6.798	28	81.1	0
2/25/2023, 3:22:45 PM	0	6.798	28.2	81.2	0
2/25/2023, 3:32:45 PM	0	6.798	28	81.1	0
2/25/2023, 3:42:45 PM	0	6.798	28	81.2	0
2/25/2023, 3:52:45 PM	0	6.798	28	81.3	0
2/25/2023, 4:02:45 PM	0	6.798	28	81.3	0
2/25/2023, 4:12:45 PM	0	6.798	28	81.4	0
2/25/2023, 4:22:45 PM	0	6.798	27.9	81.4	0
2/25/2023, 4:32:45 PM	0	6.798	27.9	81.4	0
2/25/2023, 4:42:45 PM	0	6.798	27.7	81.5	0
2/25/2023, 4:52:45 PM	0	6.798	27.5	81.5	0
2/25/2023, 5:02:45 PM	0	6.798	27.3	81.3	0
2/25/2023, 5:12:45 PM	0	6.798	27	81.2	0
2/25/2023, 5:22:45 PM	0	6.798	26.6	81.2	0
2/25/2023, 5:32:45 PM	0	6.79	26.4	81.2	0
2/25/2023, 5:42:45 PM	0	6.79	26.1	81.2	0
2/25/2023, 5:52:45 PM	0	6.79	25.9	81.2	0
2/25/2023, 6:02:45 PM	0	6.79	25.5	81.2	0
2/25/2023, 6:12:45 PM	0	6.79	25	81.1	0
2/25/2023, 6:22:45 PM	0	6.79	24.4	81	0
2/25/2023, 6:32:45 PM	0	6.79	24.1	81	0
2/25/2023, 6:42:45 PM	0	6.79	23.5	81	0
2/25/2023, 6:52:45 PM	0	6.79	23	80.9	0
2/25/2023, 7:02:45 PM	0	6.781	22.3	80.7	0
2/25/2023, 7:12:45 PM	0	6.781	21.7	80.6	0
2/25/2023, 7:22:45 PM	0	6.781	21	80.4	0
2/25/2023, 7:32:45 PM	0	6.781	20.3	80.3	0
2/25/2023, 7:42:45 PM	0	6.772	19.8	80.2	0
2/25/2023, 7:52:45 PM	0	6.772	19.2	80.3	0
2/25/2023, 8:02:45 PM	0	6.772	18.9	80.4	0
2/25/2023, 8:12:45 PM	0	6.772	18.5	80.5	0
2/25/2023, 8:22:45 PM	0	6.763	18.1	80.5	0
2/25/2023, 8:32:45 PM	0	6.763	17.6	80.5	0
2/25/2023, 8:42:45 PM	0	6.763	17.2	80.4	0
2/25/2023, 8:52:45 PM	0	6.763	16.7	80.4	0
2/25/2023, 9:02:45 PM	0	6.754	16.3	80.4	0
2/25/2023, 9:12:45 PM	0	6.754	16	80.5	0
2/25/2023, 9:22:45 PM	0	6.754	16	80.7	0
2/25/2023, 9:32:45 PM	0	6.754	16.2	81.1	0
2/25/2023, 9:42:45 PM	0	6.754	16.3	81.6	0
2/25/2023, 9:52:45 PM	0	6.754	16.7	82	0
2/25/2023, 10:02:45 PM	0	6.754	17.1	82.4	0
2/25/2023, 10:12:45 PM	0	6.754	17.4	82.8	0
2/25/2023, 10:22:45 PM	0	6.754	17.8	83.3	0
2/25/2023, 10:32:45 PM	0	6.754	18.1	83.6	0
2/25/2023, 10:42:45 PM	0	6.754	18.3	84	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/25/2023, 10:52:45 PM	0	6.754	18.7	84.3	0
2/25/2023, 11:02:45 PM	0	6.763	19	84.6	0
2/25/2023, 11:12:45 PM	0	6.763	19.2	84.8	0
2/25/2023, 11:22:45 PM	0	6.763	19.6	85.1	0
2/25/2023, 11:32:45 PM	0	6.763	19.8	85.3	0
2/25/2023, 11:42:45 PM	0	6.763	20.1	85.5	0
2/25/2023, 11:52:45 PM	0	6.763	20.3	85.7	0
2/26/2023, 12:02:45 AM	0	6.763	20.5	85.8	0
2/26/2023, 12:12:45 AM	0	6.772	20.7	85.9	0
2/26/2023, 12:22:45 AM	0	6.772	20.8	86	0
2/26/2023, 12:32:45 AM	0	6.772	21	86.1	0
2/26/2023, 12:42:45 AM	0	6.772	21	86	0
2/26/2023, 12:52:45 AM	0	6.772	20.7	85.7	0
2/26/2023, 1:02:45 AM	0	6.772	20.3	85.3	0
2/26/2023, 1:12:45 AM	0	6.772	19.8	85	0
2/26/2023, 1:22:45 AM	0	6.772	19.2	84.6	0
2/26/2023, 1:32:45 AM	0	6.763	18.7	84.3	0
2/26/2023, 1:42:45 AM	0	6.763	18.3	84.1	0
2/26/2023, 1:52:45 AM	0	6.763	18	84	0
2/26/2023, 2:02:45 AM	0	6.763	17.6	83.9	0
2/26/2023, 2:12:45 AM	0	6.763	17.2	83.9	0
2/26/2023, 2:22:45 AM	0	6.763	17.2	83.9	0
2/26/2023, 2:32:45 AM	0	6.754	17.1	83.9	0
2/26/2023, 2:42:45 AM	0	6.754	17.1	84	0
2/26/2023, 2:52:45 AM	0	6.754	16.9	84	0
2/26/2023, 3:02:45 AM	0	6.754	17.1	84.2	0
2/26/2023, 3:12:45 AM	0	6.754	17.2	84.5	0
2/26/2023, 3:22:45 AM	0	6.754	17.4	84.8	0
2/26/2023, 3:32:45 AM	0	6.754	17.8	85.1	0
2/26/2023, 3:42:45 AM	0	6.754	18.1	85.3	0
2/26/2023, 3:52:45 AM	0	6.754	18.5	85.6	0
2/26/2023, 4:02:45 AM	0	6.763	18.9	85.9	0
2/26/2023, 4:12:45 AM	0	6.763	19	86.2	0
2/26/2023, 4:22:45 AM	0	6.763	19.4	86.4	0
2/26/2023, 4:32:45 AM	0	6.763	19.8	86.6	0
2/26/2023, 4:42:45 AM	0	6.763	19.9	86.8	0
2/26/2023, 4:52:45 AM	0	6.763	20.1	86.9	0
2/26/2023, 5:02:45 AM	0	6.763	20.3	87	0
2/26/2023, 5:12:45 AM	0	6.772	20.5	87.1	0
2/26/2023, 5:22:45 AM	0	6.772	20.8	87.2	0
2/26/2023, 5:32:45 AM	0	6.772	21	87.4	0
2/26/2023, 5:42:45 AM	0	6.772	21.2	87.5	0
2/26/2023, 5:52:45 AM	0	6.772	21.4	87.7	0
2/26/2023, 6:02:45 AM	0	6.772	21.7	87.8	0
2/26/2023, 6:12:45 AM	0	6.772	21.9	87.9	0
2/26/2023, 6:22:45 AM	0	6.772	22.1	88	0
2/26/2023, 6:32:45 AM	0	6.772	22.5	88.2	0
2/26/2023, 6:42:45 AM	0	6.781	22.6	88.3	0
2/26/2023, 6:52:45 AM	0	6.781	23	88.4	0
2/26/2023, 7:02:45 AM	0	6.781	23.2	88.5	0
2/26/2023, 7:12:45 AM	0	6.781	23.4	88.6	0
2/26/2023, 7:22:45 AM	0	6.781	23.5	88.7	0
2/26/2023, 7:32:45 AM	0	6.781	23.9	88.8	0
2/26/2023, 7:42:45 AM	0	6.781	24.3	88.9	0
2/26/2023, 7:52:45 AM	0	6.781	24.6	89.1	0
2/26/2023, 8:02:45 AM	0	6.781	25	89.3	0
2/26/2023, 8:12:45 AM	0	6.79	25.5	89.6	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/26/2023, 8:22:45 AM	0	6.79	26.4	90.1	0
2/26/2023, 8:32:45 AM	0	6.79	27.5	90.6	0
2/26/2023, 8:42:45 AM	0	6.79	28.6	91.1	0
2/26/2023, 8:52:45 AM	0	6.798	29.7	91.5	0
2/26/2023, 9:02:45 AM	0	6.798	30.7	91.8	0
2/26/2023, 9:12:45 AM	0	6.807	31.6	92.1	0
2/26/2023, 9:22:45 AM	0	6.807	32.4	92.4	0
2/26/2023, 9:32:45 AM	0	6.807	33.3	92.6	0
2/26/2023, 9:42:45 AM	0	6.807	33.8	92.5	0
2/26/2023, 9:52:45 AM	0	6.816	34.3	92.1	0
2/26/2023, 10:02:45 AM	0	6.816	34.9	91.8	0
2/26/2023, 10:12:45 AM	0	6.816	35.4	91.3	0
2/26/2023, 10:22:45 AM	0	6.816	35.6	90.8	0
2/26/2023, 10:32:45 AM	0	6.816	36	90.2	0
2/26/2023, 10:42:45 AM	0	6.816	36.7	89.7	0
2/26/2023, 10:52:45 AM	0	6.816	36.9	89.1	0
2/26/2023, 11:02:45 AM	0	6.825	37	88.5	0
2/26/2023, 11:12:45 AM	0	6.825	37.6	88	0
2/26/2023, 11:22:45 AM	0	6.825	38.1	87.5	0
2/26/2023, 11:32:45 AM	0	6.825	38.3	86.7	0
2/26/2023, 11:42:45 AM	0	6.825	38.7	85.9	0
2/26/2023, 11:52:45 AM	0	6.825	39.2	85.5	0
2/26/2023, 12:02:45 PM	0	6.825	39.7	84.9	0
2/26/2023, 12:12:45 PM	0	6.825	40.1	84	0
2/26/2023, 12:22:45 PM	0	6.825	39.7	83.2	0
2/26/2023, 12:32:45 PM	0	6.825	39.4	82.5	0
2/26/2023, 12:42:45 PM	0	6.825	39	81.9	0
2/26/2023, 12:52:45 PM	0	6.825	39	81.5	0
2/26/2023, 1:02:45 PM	0	6.825	39.2	81.3	0
2/26/2023, 1:12:45 PM	0	6.825	39.6	80.9	0
2/26/2023, 1:22:45 PM	0	6.825	39.9	80.5	0
2/26/2023, 1:32:45 PM	0	6.825	39.9	80	0
2/26/2023, 1:42:45 PM	0	6.825	39.7	79.4	0
2/26/2023, 1:52:45 PM	0	6.825	39.9	78.9	0
2/26/2023, 2:02:45 PM	0	6.825	39.9	78.4	0
2/26/2023, 2:12:45 PM	0	6.825	39.9	77.8	0
2/26/2023, 2:22:45 PM	0	6.825	39.7	77.3	0
2/26/2023, 2:32:45 PM	0	6.825	39.9	76.9	0
2/26/2023, 2:42:45 PM	0	6.825	39.7	76.4	0
2/26/2023, 2:52:45 PM	0	6.825	39.4	76.1	0
2/26/2023, 3:02:45 PM	0	6.825	39	75.9	0
2/26/2023, 3:12:45 PM	0	6.825	39	75.9	0
2/26/2023, 3:22:45 PM	0	6.825	38.8	75.7	0
2/26/2023, 3:32:45 PM	0	6.825	38.7	75.5	0
2/26/2023, 3:42:45 PM	0	6.825	38.5	75.3	0
2/26/2023, 3:52:45 PM	0	6.825	38.3	75.2	0
2/26/2023, 4:02:45 PM	0	6.825	38.1	75.1	0
2/26/2023, 4:12:45 PM	0	6.825	37.9	75.1	0
2/26/2023, 4:22:45 PM	0	6.825	37.6	75.1	0
2/26/2023, 4:32:45 PM	0	6.825	37.4	75.1	0
2/26/2023, 4:42:45 PM	0	6.825	37.2	75.1	0
2/26/2023, 4:52:45 PM	0	6.825	37	75.1	0
2/26/2023, 5:02:45 PM	0	6.825	36.9	75.1	0
2/26/2023, 5:12:45 PM	0	6.825	36.9	75.2	0
2/26/2023, 5:22:45 PM	0	6.825	36.7	75.2	0
2/26/2023, 5:32:45 PM	0	6.825	36.7	75.2	0
2/26/2023, 5:42:45 PM	0	6.825	36.5	75.3	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/26/2023, 5:52:45 PM	0	6.825	36.5	75.3	0
2/26/2023, 6:02:45 PM	0	6.825	36.3	75.5	0
2/26/2023, 6:12:45 PM	0	6.825	36.1	75.6	0
2/26/2023, 6:22:45 PM	0	6.825	36.1	75.8	0
2/26/2023, 6:32:45 PM	0	6.825	36	75.9	0
2/26/2023, 6:42:45 PM	0	6.816	35.8	75.7	0
2/26/2023, 6:52:45 PM	0	6.825	35.8	75.3	0
2/26/2023, 7:02:45 PM	0	6.825	35.4	74.8	0
2/26/2023, 7:12:45 PM	0	6.825	35.2	74.4	0
2/26/2023, 7:22:45 PM	0	6.816	35.1	74.3	0
2/26/2023, 7:32:45 PM	0	6.816	34.9	74.2	0
2/26/2023, 7:42:45 PM	0	6.816	34.5	74	0
2/26/2023, 7:52:45 PM	0	6.816	34.3	73.9	0
2/26/2023, 8:02:45 PM	0	6.816	34	73.9	0
2/26/2023, 8:12:45 PM	0	6.816	33.8	73.9	0
2/26/2023, 8:22:45 PM	0	6.816	33.8	73.9	0
2/26/2023, 8:32:45 PM	0	6.816	33.6	73.9	0
2/26/2023, 8:42:45 PM	0	6.816	33.6	73.8	0
2/26/2023, 8:52:45 PM	0	6.816	33.6	73.6	0
2/26/2023, 9:02:45 PM	0	6.816	33.4	73.4	0
2/26/2023, 9:12:45 PM	0	6.816	33.3	73.1	0
2/26/2023, 9:22:45 PM	0	6.816	32.9	72.9	0
2/26/2023, 9:32:45 PM	0	6.816	32.4	72.7	0
2/26/2023, 9:42:45 PM	0	6.807	32.2	72.5	0
2/26/2023, 9:52:45 PM	0	6.807	32	72.3	0
2/26/2023, 10:02:45 PM	0	6.807	31.6	72.1	0
2/26/2023, 10:12:45 PM	0	6.807	31.3	72.1	0
2/26/2023, 10:22:45 PM	0	6.807	31.1	72.1	0
2/26/2023, 10:32:45 PM	0	6.807	31.1	72	0
2/26/2023, 10:42:45 PM	0	6.807	30.9	71.9	0
2/26/2023, 10:52:45 PM	0	6.807	30.7	71.9	0
2/26/2023, 11:02:45 PM	0	6.807	30.7	71.8	0
2/26/2023, 11:12:45 PM	0	6.807	30.6	71.8	0
2/26/2023, 11:22:45 PM	0	6.807	30.6	71.9	0
2/26/2023, 11:32:45 PM	0	6.807	30.4	72	0
2/26/2023, 11:42:45 PM	0	6.807	30.4	72.1	0
2/26/2023, 11:52:45 PM	0	6.807	30.4	72.3	0
2/27/2023, 12:02:45 AM	0	6.807	30.4	72.5	0
2/27/2023, 12:12:45 AM	0	6.807	30.4	72.6	0
2/27/2023, 12:22:45 AM	0	6.807	30.6	72.7	0
2/27/2023, 12:32:45 AM	0	6.807	30.6	72.8	0
2/27/2023, 12:42:45 AM	0	6.807	30.6	72.9	0
2/27/2023, 12:52:45 AM	0	6.807	30.6	73	0
2/27/2023, 1:02:45 AM	0	6.807	30.6	73.1	0
2/27/2023, 1:12:45 AM	0	6.807	30.6	73.1	0
2/27/2023, 1:22:45 AM	0	6.807	30.6	73.1	0
2/27/2023, 1:32:45 AM	0	6.807	30.4	73	0
2/27/2023, 1:42:45 AM	0	6.807	30.4	72.9	0
2/27/2023, 1:52:45 AM	0	6.807	30.4	73	0
2/27/2023, 2:02:45 AM	0	6.807	30.2	73	0
2/27/2023, 2:12:45 AM	0	6.807	30.2	73	0
2/27/2023, 2:22:45 AM	0	6.807	30.2	73.1	0
2/27/2023, 2:32:45 AM	0	6.807	30.2	73.1	0
2/27/2023, 2:42:45 AM	0	6.798	30	73	0
2/27/2023, 2:52:45 AM	0	6.807	30	73	0
2/27/2023, 3:02:45 AM	0	6.807	29.8	73.1	0
2/27/2023, 3:12:45 AM	0	6.807	29.8	73	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/27/2023, 3:22:45 AM	0	6.807	29.5	73	0
2/27/2023, 3:32:45 AM	0	6.798	29.1	73	0
2/27/2023, 3:42:45 AM	0	6.798	28.8	73.1	0
2/27/2023, 3:52:45 AM	0	6.798	28.4	73.3	0
2/27/2023, 4:02:45 AM	0	6.798	28	73.6	0
2/27/2023, 4:12:45 AM	0	6.798	27.7	74	0
2/27/2023, 4:22:45 AM	0	6.798	27.5	74.3	0
2/27/2023, 4:32:45 AM	0	6.798	27.5	74.6	0
2/27/2023, 4:42:45 AM	0	6.798	27.3	74.8	0
2/27/2023, 4:52:45 AM	0	6.798	27.1	74.9	0
2/27/2023, 5:02:45 AM	0	6.79	27	75	0
2/27/2023, 5:12:45 AM	0	6.79	26.8	75.2	0
2/27/2023, 5:22:45 AM	0	6.79	26.6	75.4	0
2/27/2023, 5:32:45 AM	0	6.79	26.6	75.5	0
2/27/2023, 5:42:45 AM	0	6.79	26.4	75.7	0
2/27/2023, 5:52:45 AM	0	6.79	26.4	75.9	0
2/27/2023, 6:02:45 AM	0	6.79	26.4	76	0
2/27/2023, 6:12:45 AM	0	6.79	26.2	76	0
2/27/2023, 6:22:45 AM	0	6.79	26.1	76	0
2/27/2023, 6:32:45 AM	0	6.79	25.7	76	0
2/27/2023, 6:42:45 AM	0	6.79	25.3	76.1	0
2/27/2023, 6:52:45 AM	0	6.79	25	76.2	0
2/27/2023, 7:02:45 AM	0	6.79	25	76.5	0
2/27/2023, 7:12:45 AM	0	6.79	25	76.8	0
2/27/2023, 7:22:45 AM	0	6.781	25	77.1	0
2/27/2023, 7:32:45 AM	0	6.781	25.2	77.3	0
2/27/2023, 7:42:45 AM	0	6.79	25.3	77.5	0
2/27/2023, 7:52:45 AM	0	6.79	25.5	77.6	0
2/27/2023, 8:02:45 AM	0	6.79	26.1	77.7	0
2/27/2023, 8:12:45 AM	0	6.79	26.8	77.8	0
2/27/2023, 8:22:45 AM	0	6.79	27.5	77.8	0
2/27/2023, 8:32:45 AM	0	6.79	28.4	77.6	0
2/27/2023, 8:42:45 AM	0	6.79	29.1	77.3	0
2/27/2023, 8:52:45 AM	0	6.798	29.8	77	0
2/27/2023, 9:02:45 AM	0	6.798	30.6	76.6	0
2/27/2023, 9:12:45 AM	0	6.798	31.3	76	0
2/27/2023, 9:22:45 AM	0	6.798	32	75.5	0
2/27/2023, 9:32:45 AM	0	6.798	32.5	74.9	0
2/27/2023, 9:42:45 AM	0	6.807	33.3	74.3	0
2/27/2023, 9:52:45 AM	0	6.807	33.8	73.6	0
2/27/2023, 10:02:45 AM	0	6.807	34.5	73	0
2/27/2023, 10:12:45 AM	0	6.807	35.2	72.5	0
2/27/2023, 10:22:45 AM	0	6.807	36	72	0
2/27/2023, 10:32:45 AM	0	6.816	36.5	71.4	0
2/27/2023, 10:42:45 AM	0	6.816	36.7	70.8	0
2/27/2023, 10:52:45 AM	0	6.816	36.5	70.1	0
2/27/2023, 11:02:45 AM	0	6.816	36.7	69.7	0
2/27/2023, 11:12:45 AM	0	6.816	37	69.4	0
2/27/2023, 11:22:45 AM	0	6.816	37.4	69	0
2/27/2023, 11:32:45 AM	0	6.816	37.4	68.7	0
2/27/2023, 11:42:45 AM	0	6.816	37.2	68.3	0
2/27/2023, 11:52:45 AM	0	6.816	37.2	68	0
2/27/2023, 12:02:45 PM	0	6.816	36.9	67.7	0
2/27/2023, 12:12:45 PM	0	6.816	36.7	67.5	0
2/27/2023, 12:22:45 PM	0	6.816	36.3	67.3	0
2/27/2023, 12:32:45 PM	0	6.816	36.1	67.2	0
2/27/2023, 12:42:45 PM	0	6.816	36.1	67.2	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/27/2023, 12:52:45 PM	0	6.816	36.3	67.2	0
2/27/2023, 1:02:45 PM	0	6.816	36.5	67.2	0
2/27/2023, 1:12:45 PM	0	6.816	36.7	67.2	0
2/27/2023, 1:22:45 PM	0	6.816	36.9	67.2	0
2/27/2023, 1:32:45 PM	0	6.816	36.9	67	0
2/27/2023, 1:42:45 PM	0	6.816	36.9	66.9	0
2/27/2023, 1:52:45 PM	0	6.816	36.7	66.8	0
2/27/2023, 2:02:45 PM	0	6.816	36.9	66.7	0
2/27/2023, 2:12:45 PM	0	6.825	37	66.6	0
2/27/2023, 2:22:45 PM	0	6.825	37.6	66.6	0
2/27/2023, 2:32:45 PM	0	6.825	37.9	66.4	0
2/27/2023, 2:42:45 PM	0	6.825	37.9	66.2	0
2/27/2023, 2:52:45 PM	0	6.825	38.1	65.9	0
2/27/2023, 3:02:45 PM	0	6.825	38.1	65.8	0
2/27/2023, 3:12:45 PM	0	6.825	38.1	65.8	0
2/27/2023, 3:22:45 PM	0	6.825	38.1	65.6	0
2/27/2023, 3:32:45 PM	0	6.825	37.9	65.5	0
2/27/2023, 3:42:45 PM	0	6.825	37.9	65.4	0
2/27/2023, 3:52:45 PM	0	6.825	37.9	65.4	0
2/27/2023, 4:02:45 PM	0	6.825	37.9	65.4	0
2/27/2023, 4:12:45 PM	0	6.825	37.8	65.4	0
2/27/2023, 4:22:45 PM	0	6.825	37.6	65.5	0
2/27/2023, 4:32:45 PM	0	6.825	37	65.5	0
2/27/2023, 4:42:45 PM	0	6.825	36.5	65.7	0
2/27/2023, 4:52:45 PM	0	6.825	36.1	65.9	0
2/27/2023, 5:02:45 PM	0	6.825	35.8	66	0
2/27/2023, 5:12:45 PM	0	6.816	35.2	66.1	0
2/27/2023, 5:22:45 PM	0	6.816	35.1	66.2	0
2/27/2023, 5:32:45 PM	0	6.816	34.7	66.2	0
2/27/2023, 5:42:45 PM	0	6.816	34.3	66.3	0
2/27/2023, 5:52:45 PM	0	6.816	34.2	66.5	0
2/27/2023, 6:02:45 PM	0	6.816	34	66.9	0
2/27/2023, 6:12:45 PM	0	6.816	33.6	67.8	0
2/27/2023, 6:22:45 PM	0	6.816	33.1	68.9	0
2/27/2023, 6:32:45 PM	0	6.816	32.7	70.1	0
2/27/2023, 6:42:45 PM	0	6.816	32.4	71.3	0
2/27/2023, 6:52:45 PM	0	6.807	32.2	72.4	0
2/27/2023, 7:02:45 PM	0	6.807	32	73.5	0
2/27/2023, 7:12:45 PM	0	6.807	32	74.5	0
2/27/2023, 7:22:45 PM	0	6.807	32	75.5	0
2/27/2023, 7:32:45 PM	0	6.807	32	76.7	0
2/27/2023, 7:42:45 PM	0	6.807	32.2	77.8	0
2/27/2023, 7:52:45 PM	0	6.807	32.4	78.7	0
2/27/2023, 8:02:45 PM	0	6.807	32.5	79.6	0
2/27/2023, 8:12:45 PM	0	6.807	32.7	80.3	0
2/27/2023, 8:22:45 PM	0	6.807	32.9	81	0
2/27/2023, 8:32:45 PM	0	6.807	32.9	81.5	0
2/27/2023, 8:42:45 PM	0	6.807	33.1	82	0
2/27/2023, 8:52:45 PM	0	6.807	33.1	82.4	0
2/27/2023, 9:02:45 PM	0	6.807	33.3	82.9	0
2/27/2023, 9:12:45 PM	0	6.807	33.3	83.2	0
2/27/2023, 9:22:45 PM	0	6.807	33.3	83.6	0
2/27/2023, 9:32:45 PM	0	6.807	33.3	83.9	0
2/27/2023, 9:42:45 PM	0	6.807	33.4	84.1	0
2/27/2023, 9:52:45 PM	0	6.816	33.4	84.4	0
2/27/2023, 10:02:45 PM	0	6.816	33.4	84.6	0
2/27/2023, 10:12:45 PM	0	6.816	33.4	84.8	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/27/2023, 10:22:45 PM	0	6.816	33.4	85	0
2/27/2023, 10:32:45 PM	0	6.816	33.6	85.2	0
2/27/2023, 10:42:45 PM	0	6.816	33.6	85.3	0
2/27/2023, 10:52:45 PM	0	6.816	33.6	85.4	0
2/27/2023, 11:02:45 PM	0	6.816	33.8	85.6	0
2/27/2023, 11:12:45 PM	0	6.816	33.8	85.7	0
2/27/2023, 11:22:45 PM	0	6.816	33.8	85.8	0
2/27/2023, 11:32:45 PM	0	6.816	34	85.8	0
2/27/2023, 11:42:45 PM	0	6.816	34	85.8	0
2/27/2023, 11:52:45 PM	0	6.816	34	85.8	0
2/28/2023, 12:02:45 AM	0	6.816	34	85.8	0
2/28/2023, 12:12:45 AM	0	6.816	34	85.9	0
2/28/2023, 12:22:45 AM	0	6.816	34.2	85.9	0
2/28/2023, 12:32:45 AM	0	6.816	34.2	85.9	0
2/28/2023, 12:42:45 AM	0	6.816	34.2	85.9	0
2/28/2023, 12:52:45 AM	0	6.816	34.2	85.9	0
2/28/2023, 1:02:45 AM	0	6.816	34.2	85.9	0
2/28/2023, 1:12:45 AM	0	6.816	34.2	85.9	0
2/28/2023, 1:22:45 AM	0	6.816	34	85.9	0
2/28/2023, 1:32:45 AM	0	6.816	34	85.9	0
2/28/2023, 1:42:45 AM	0	6.816	34	85.9	0
2/28/2023, 1:52:45 AM	0	6.816	34	85.9	0
2/28/2023, 2:02:45 AM	0	6.816	34	86	0
2/28/2023, 2:12:45 AM	0	6.816	34	86	0
2/28/2023, 2:22:45 AM	0	6.816	34	86.1	0
2/28/2023, 2:32:45 AM	0	6.816	34	86.1	0
2/28/2023, 2:42:45 AM	0	6.816	34	86.1	0
2/28/2023, 2:52:45 AM	0	6.816	34	86.1	0
2/28/2023, 3:02:45 AM	0	6.816	34	86.2	0
2/28/2023, 3:12:45 AM	0	6.816	33.8	86.3	0
2/28/2023, 3:22:45 AM	0	6.816	33.8	86.4	0
2/28/2023, 3:32:45 AM	0	6.816	33.8	86.5	0
2/28/2023, 3:42:45 AM	0	6.816	33.8	86.6	0
2/28/2023, 3:52:45 AM	0	6.816	33.6	86.7	0
2/28/2023, 4:02:45 AM	0	6.816	33.6	86.9	0
2/28/2023, 4:12:45 AM	0	6.816	33.6	87	0
2/28/2023, 4:22:45 AM	0	6.816	33.6	87.2	0
2/28/2023, 4:32:45 AM	0	6.816	33.6	87.3	0
2/28/2023, 4:42:45 AM	0	6.816	33.8	87.5	0
2/28/2023, 4:52:45 AM	0	6.816	33.8	87.6	0
2/28/2023, 5:02:45 AM	0	6.816	33.8	87.7	0
2/28/2023, 5:12:45 AM	0	6.816	33.8	87.8	0
2/28/2023, 5:22:45 AM	0	6.816	33.8	88	0
2/28/2023, 5:32:45 AM	0	6.816	33.8	88.2	0
2/28/2023, 5:42:45 AM	0	6.816	33.8	88.3	0
2/28/2023, 5:52:45 AM	0	6.816	33.8	88.5	0
2/28/2023, 6:02:45 AM	0	6.816	34	88.6	0
2/28/2023, 6:12:45 AM	0	6.816	34	88.7	0
2/28/2023, 6:22:45 AM	0	6.816	34	88.8	0
2/28/2023, 6:32:45 AM	0	6.816	34.2	89	0
2/28/2023, 6:42:45 AM	0	6.816	34.2	89.2	0
2/28/2023, 6:52:45 AM	0	6.816	34.3	89.3	0
2/28/2023, 7:02:45 AM	0	6.816	34.3	89.4	0
2/28/2023, 7:12:45 AM	0	6.816	34.3	89.6	0
2/28/2023, 7:22:45 AM	0	6.816	34.5	89.7	0
2/28/2023, 7:32:45 AM	0	6.816	34.7	89.8	0
2/28/2023, 7:42:45 AM	0	6.816	34.7	89.9	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/28/2023, 7:52:45 AM	0	6.816	34.9	90	0
2/28/2023, 8:02:45 AM	0	6.816	35.1	90.1	0
2/28/2023, 8:12:45 AM	0	6.816	35.1	90.2	0
2/28/2023, 8:22:45 AM	0	6.816	35.2	90.3	0
2/28/2023, 8:32:45 AM	0	6.816	35.4	90.5	0
2/28/2023, 8:42:45 AM	0	6.816	35.8	90.7	0
2/28/2023, 8:52:45 AM	0	6.816	36.3	91.1	0
2/28/2023, 9:02:45 AM	0	6.816	36.9	91.4	0
2/28/2023, 9:12:45 AM	0	6.816	37.2	91.6	0
2/28/2023, 9:22:45 AM	0	6.816	37.6	91.6	0
2/28/2023, 9:32:45 AM	0	6.816	37.8	91.6	0
2/28/2023, 9:42:45 AM	0	6.816	37.8	91.4	0
2/28/2023, 9:52:45 AM	0	6.825	37.8	91.2	0
2/28/2023, 10:02:45 AM	0	6.825	37.8	91	0
2/28/2023, 10:12:45 AM	0	6.825	37.6	90.7	0
2/28/2023, 10:22:45 AM	0	6.825	37.4	90.5	0
2/28/2023, 10:32:45 AM	0	6.825	37.4	90.4	0
2/28/2023, 10:42:45 AM	0	6.825	37.2	90.2	0
2/28/2023, 10:52:45 AM	0	6.825	37	90	0
2/28/2023, 11:02:45 AM	0	6.825	37	89.9	0
2/28/2023, 11:12:45 AM	0	6.825	37	89.8	0
2/28/2023, 11:22:45 AM	0	6.816	37	89.6	0
2/28/2023, 11:32:45 AM	0	6.816	37.2	89.4	0
2/28/2023, 11:42:45 AM	0	6.825	37	89.2	0
2/28/2023, 11:52:45 AM	0	6.816	36.9	88.9	0
2/28/2023, 12:02:45 PM	0	6.825	36.9	88.6	0
2/28/2023, 12:12:45 PM	0	6.816	36.7	88.3	0
2/28/2023, 12:22:45 PM	0	6.816	36.9	88.1	0
2/28/2023, 12:32:45 PM	0	6.816	36.9	87.7	0
2/28/2023, 12:42:45 PM	0	6.816	36.7	87.5	0
2/28/2023, 12:52:45 PM	0	6.816	36.7	87.2	0
2/28/2023, 1:02:45 PM	0	6.816	36.9	86.9	0
2/28/2023, 1:12:45 PM	0	6.816	36.9	86.5	0
2/28/2023, 1:22:45 PM	0	6.816	36.9	86.1	0
2/28/2023, 1:32:45 PM	0	6.816	36.9	85.7	0
2/28/2023, 1:42:45 PM	0	6.816	36.9	85.3	0
2/28/2023, 1:52:45 PM	0	6.816	36.9	85	0
2/28/2023, 2:02:45 PM	0	6.816	36.9	84.7	0
2/28/2023, 2:12:45 PM	0	6.816	36.9	84.4	0
2/28/2023, 2:22:45 PM	0	6.816	36.9	84.1	0
2/28/2023, 2:32:45 PM	0	6.816	36.9	83.9	0
2/28/2023, 2:42:45 PM	0	6.816	36.9	83.6	0
2/28/2023, 2:52:45 PM	0	6.816	36.9	83.4	0
2/28/2023, 3:02:45 PM	0	6.816	37	83.3	0
2/28/2023, 3:12:45 PM	0	6.816	37	83.1	0
2/28/2023, 3:22:45 PM	0	6.816	36.9	82.8	0
2/28/2023, 3:32:45 PM	0	6.816	36.9	82.6	0
2/28/2023, 3:42:45 PM	0	6.816	36.9	82.5	0
2/28/2023, 3:52:45 PM	0	6.816	36.9	82.3	0
2/28/2023, 4:02:45 PM	0	6.816	36.9	82.2	0
2/28/2023, 4:12:45 PM	0	6.816	36.9	82	0
2/28/2023, 4:22:45 PM	0	6.816	36.9	81.9	0
2/28/2023, 4:32:45 PM	0	6.816	36.9	81.8	0
2/28/2023, 4:42:45 PM	0	6.816	36.9	81.7	0
2/28/2023, 4:52:45 PM	0	6.816	36.7	81.5	0
2/28/2023, 5:02:45 PM	0	6.816	36.7	81.5	0
2/28/2023, 5:12:45 PM	0	6.816	36.7	81.4	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
2/28/2023, 5:22:45 PM	0	6.816	36.7	81.3	0
2/28/2023, 5:32:45 PM	0	6.816	36.5	81.3	0
2/28/2023, 5:42:45 PM	0	6.816	36.5	81.2	0
2/28/2023, 5:52:45 PM	0	6.816	36.3	81.2	0
2/28/2023, 6:02:45 PM	0	6.816	36.1	81.1	0
2/28/2023, 6:12:45 PM	0	6.816	36.1	81.1	0
2/28/2023, 6:22:45 PM	0	6.816	36	81.1	0
2/28/2023, 6:32:45 PM	0	6.816	36	81	0
2/28/2023, 6:42:45 PM	0	6.816	36	81	0
2/28/2023, 6:52:45 PM	0	6.816	35.8	80.9	0
2/28/2023, 7:02:45 PM	0	6.816	35.8	80.7	0
2/28/2023, 7:12:45 PM	0	6.816	35.8	80.5	0
2/28/2023, 7:22:45 PM	0	6.816	35.6	80.4	0
2/28/2023, 7:32:45 PM	0	6.816	35.6	80.1	0
2/28/2023, 7:42:45 PM	0	6.816	35.6	79.9	0
2/28/2023, 7:52:45 PM	0	6.816	35.4	79.8	0
2/28/2023, 8:02:45 PM	0	6.816	35.4	79.6	0
2/28/2023, 8:12:45 PM	0	6.816	35.4	79.4	0
2/28/2023, 8:22:45 PM	0	6.816	35.4	79.1	0
2/28/2023, 8:32:45 PM	0	6.816	35.4	78.9	0
2/28/2023, 8:42:45 PM	0	6.816	35.2	78.6	0
2/28/2023, 8:52:45 PM	0	6.816	35.2	78.4	0
2/28/2023, 9:02:45 PM	0	6.816	35.2	78.2	0
2/28/2023, 9:12:45 PM	0	6.816	35.1	78.1	0
2/28/2023, 9:22:45 PM	0	6.816	35.1	77.9	0
2/28/2023, 9:32:45 PM	0	6.816	35.1	77.8	0
2/28/2023, 9:42:45 PM	0	6.816	34.9	77.6	0
2/28/2023, 9:52:45 PM	0	6.816	34.9	77.6	0
2/28/2023, 10:02:45 PM	0	6.816	34.9	77.5	0
2/28/2023, 10:12:45 PM	0	6.816	34.7	77.4	0
2/28/2023, 10:22:45 PM	0	6.816	34.7	77.3	0
2/28/2023, 10:32:45 PM	0	6.816	34.5	77.3	0
2/28/2023, 10:42:45 PM	0	6.816	34.2	77.4	0
2/28/2023, 10:52:45 PM	0	6.816	34	77.5	0
2/28/2023, 11:02:45 PM	0	6.816	33.6	77.7	0
2/28/2023, 11:12:45 PM	0	6.807	33.3	77.9	0
2/28/2023, 11:22:45 PM	0	6.807	32.9	78.2	0
2/28/2023, 11:32:45 PM	0	6.807	32.5	78.4	0
2/28/2023, 11:42:45 PM	0	6.807	32.4	78.7	0
2/28/2023, 11:52:45 PM	0	6.807	32	78.9	0