



2055 Niagara Falls Boulevard,
Niagara Falls, New York 14304
United States
www.ghd.com

Our ref: 12601828

December 21, 2023

Mr. Tim Walsh
Acting Regional Director
NYSDEC Region 8 - Division of Air Resources
6274 Avon Lima Road
Avon, NY 14414

Fourth Quarter Surface Monitoring at High Acres Landfill
NYSDEC Permit ID No.: 8-9908-00162/00043

Dear Mr. Walsh:

On the dates of November 7 and November 8, 2023, GHD conducted the Fourth Quarter Surface Scan Program for the Waste Management of New York, LLC (WMNY) - High Acres Landfill and Recycling Center (High Acres) Facility located in Perinton, New York. The monitoring was conducted in accordance with the Revised Surface Emission Monitoring and Ambient Monitoring Work Plan (Work Plan), which was submitted to New York State Department of Environmental Conservation (NYSDEC) on April 30, 2019, and approved on July 9, 2019. As per Section 1.2 of the Work Plan, GHD used 200 parts per million (ppm) of methane as an enhanced monitoring level instead of the 500-ppm level noted in 40 CFR 60.763(d).

1. Quarterly Landfill Surface Monitoring

Procedure/Methodology

GHD performed the calibration, evaluation, and monitoring in accordance with USEPA Reference Method 21 using a Landtec SEM 5000 to determine surface methane levels. Attachment 1 contains the monitoring instrument performance evaluation and calibration documentation. The monitoring followed a serpentine pattern at 30-meter intervals, as required in 40 CFR Part 60 Subpart 60.763, and followed the pattern described in the Work Plan for the Facility. Areas where visual observations indicated elevated concentrations of landfill gas, such as distressed vegetation and cracks or seeps in the cover, were monitored. While following the serpentine route, GHD monitored any penetrations they encountered along the serpentine path. Furthermore, the technicians avoided locations where waste-in-place is less than five years old.

Surface Emission Monitoring Results

The following areas exhibited FID readings greater than 200 ppm above background during the fourth quarter of 2023:

Date	Location	Description	Reading (ppm)
11/07/2023	HIGOT362	Ground Penetration	294
11/07/2023	WESTGW16	Ground Penetration	281
11/07/2023	WESTGW19	Ground Penetration	2,505
11/07/2023	WESTGW21	Ground Penetration	857

Date	Location	Description	Reading (ppm)
11/07/2023	HIGOT081	Ground Penetration	249
11/07/2023	HIGOT294	Ground Penetration	1,305
11/07/2023	WESTGW50	Ground Penetration	1,055
11/07/2023	WEST_56R	Ground Penetration	608
11/07/2023	HIGOT416	Ground Penetration	1,105
11/07/2023	EASTGW40	Ground Penetration	312
11/07/2023	HIGOT449	Ground Penetration	463
11/07/2023	CELL10AN	Ground Penetration	5,550
11/08/2023	HIGOT442	Ground Penetration	1,170
11/08/2023	HIGOT428	Ground Penetration	2,395
11/08/2023	HIGOT427	Ground Penetration	29,000
11/08/2023	HAHC1230	Ground Penetration	1,400
11/08/2023	HAGW1230	Ground Penetration	4,090
11/08/2023	HAGW1231	Ground Penetration	2,565
11/08/2023	HIGOT425	Ground Penetration	7,270
11/08/2023	HIGOT426	Ground Penetration	30,000
11/08/2023	HAHC1126	Ground Penetration	2,465
11/08/2023	HIGOT404	Ground Penetration	8,320
11/08/2023	HAGW1226	Ground Penetration	1,285
11/08/2023	HIGOT424	Ground Penetration	40,000
11/08/2023	HIGOT420	Ground Penetration	829
11/08/2023	HAGW1223	Ground Penetration	25,000
11/08/2023	HIGOT383	Ground Penetration	4,780
11/08/2023	HAGW1009	Ground Penetration	3,125
11/08/2023	WEST_44R	Ground Penetration	872
11/08/2023	WSTGW150	Ground Penetration	3,140
11/08/2023	WEST43RR	Ground Penetration	431
11/08/2023	HIGOT357	Ground Penetration	825
11/08/2023	HAGW1204	Ground Penetration	952
11/08/2023	HAGW1221	Ground Penetration	1,380
11/08/2023	HAHC1240	Ground Penetration	333
11/08/2023	HAGW1229	Ground Penetration	9,050
11/08/2023	HAGW1215	Ground Penetration	342
11/08/2023	HAHC1233	Ground Penetration	326
11/08/2023	HIGOT398	Ground Penetration	615

Date	Location	Description	Reading (ppm)
11/08/2023	HAHC1216	Ground Penetration	1,266
11/08/2023	HAGW1201	Ground Penetration	1,030
11/08/2023	WSTGW164	Ground Penetration	1,360
11/08/2023	HIGOT339	Ground Penetration	754
11/08/2023	HAHC1103	Ground Penetration	653
11/08/2023	WEST102R	Ground Penetration	1,235
11/08/2023	HIGOT359	Ground Penetration	256
11/08/2023	HIGOT346	Ground Penetration	960
11/08/2023	Grid X34	Non-Penetration	324

Table 1 outlines the location of exceedances and the respective corrective actions taken. Pictures of the exceedance locations can be referenced in Attachment 2.

All the readings of 200 ppm or more above background (but less than 500 ppm above background) were recorded as a monitored exceedance only and the actions specified in the Work Plan were performed. After the corrective actions were completed, each of these locations (greater than 200 ppm and less than 500 ppm) were then re-monitored within 30 days and follow-up readings were recorded.

All the readings of 500 ppm or more above background remains the applicable threshold for Title V and NSPS reporting purposes. The procedures for handling an exceedance of the 500 ppm above background or greater limit followed the requirements outlined in the Title V Permit and the NESHAP rule for MSW Landfills under 40 CFR 63, Subpart AAAA. After initiating corrective action, each of the locations (greater than 500 ppm) were re-monitored within 10 days¹ and within 1 month of the initial exceedance. The locations HIGOT383, HIGOT404, HIGOT424, HIGOT425, HIGOT426, HAHC1126, HAGW1223, and HAGW1226 exhibited three exceedances of the 500 ppm above background limit during the 2023 Q4 period. These eight locations are now in the 120-day period per 40 CFR 63.1960(c)(4)(v).² The Facility is currently investigating measures to increase collection at each of these locations. Further details on the corrective actions will be provided in the Semiannual Monitoring Report that will be submitted to the New York State Department of Environmental Conservation (NYSDEC) and the United States Environmental Protection Agency (USEPA) no later than January 30, 2024 (unless an alternative remedy is proposed in which case the request and corresponding timeline will be provided for NYSDEC approval prior to 120 days of the initial exceedance). All other locations shown in Table 1 were corrected successfully in accordance with the approved Work Plan dated July 9, 2019.

2. Quarterly Ambient Air Monitoring Hydrogen Sulfide (H₂S)

On April 30, 2019, GHD submitted a Work Plan to the NYSDEC for WMNY, High Acres located in Perinton, New York (Facility or Site). The Work Plan was approved by NYSDEC on July 9, 2019. This submittal serves to provide NYSDEC with a discussion of work and monitoring activities that occurred during the fourth quarter of

¹ Six locations could not be accessed during the initial 10-day follow-up due to unsafe conditions / construction activities (Penetration HIGOT404, Penetration HIGOT424, Penetration HIGOT425, Penetration HIGOT426, Penetration HAHC1126, and Penetration HAGW1226). An extension of the 10-day follow-up was granted by NYSDEC in an email dated 11/29/23. The 10-day follow-up for these 6 locations was conducted on 12/1/23 when they were once again safe to access.

² For any location where monitored methane concentration equals or exceeds 500 ppm above background three times within a quarterly period, a new well or other collection device must be installed within 120 days of the initial exceedance. An alternative remedy to the exceedance, such as upgrading the blower, header pipes or control device, and a corresponding timeline for installation may be submitted to the Administrator for approval.

2023. It should be noted that according to the Work Plan, WMNY was only obligated to conduct H₂S monitoring activities through the second quarter of 2020.

Initial Equipment Installation

On November 7, 2023, GHD commenced work activities at the Site. There were four Acrulog H₂S monitoring units installed at the following locations:

Station Name	Unit Serial Number	Date of Last Service
West Monitoring Station (WMS)	180200447	June 2, 2023
North Monitoring Station (NMS)	180200452	October 4, 2023
East Monitoring Station (EMS)	180200449	November 1, 2023
South Monitoring Station (SMS)	180400520	August 10, 2023

Figure 2 presents a map showing the location of each monitoring station. For the WMS, NMS, EMS, and SMS, each Acrulog unit, which consists of the monitoring equipment enclosed within a weather shelter, was padlocked to a mounting bracket. Each mounting bracket was installed into the side of a tree using lag bolts. In order to assess whether tampering of the unit has occurred, a camera (Wildgame Innovations Cloak Pro Lights Out Trail Camera) was mounted on a tree approximately 20 to 25 feet away from the Acrulog unit. The camera units are motion activated and will snap a 12-megapixel picture upon detection of motion (at 15-second intervals). The cameras have "night-vision" lenses, which allow pictures to be taken during nighttime hours.

Acrulog Data Download

Each of the four Acrulog units was placed into logging mode (began taking samples) on the morning of November 7, 2023, prior to commencement of the fourth quarter surface emission monitoring event. On the morning of November 16, 2023, Mr. Britt Gebhardt (GHD) visited each of the four monitoring stations and retrieved the monitoring data. An initial inspection of the monitoring stations and the surrounding area was performed. Next, each Acrulog unit was linked to a laptop via Bluetooth connection, and the monitoring data was downloaded into a separate folder for each station. After downloading the monitoring data, the connection was terminated, and the Acrulog unit was checked to ensure that the equipment was continuing to log samples every 10 minutes.

Next, the pictures from the camera unit, which are stored on an SD card, were downloaded onto a laptop, and the SD card was placed back into the camera.

Summary of Collected Monitoring Data

A preliminary review of the data provides the following:

- Between 6:30 a.m. on November 7, 2023, and 6:30 a.m. on November 14, 2023, a total of 4,032 measurements of H₂S were taken.
- Of the total of 4,032 readings taken, 4,025 were below detection.
- There were seven detections at the East Monitoring Station ranging from 3 ppb to 9 ppb. A review of the meteorological data indicated that 3 of the detections occurred when the prevailing wind direction was not from the direction of the landfill. In addition, all 7 detections occurred during a time period outside of the landfill's operating schedule of 7:00 a.m. to 3:30 p.m. Monday through Saturday. A review of the Weekly NYSDEC Hotline Summary Reports during the month of November (compiled by Barton & Loguidice) indicates that there were no hotline calls made within 1 hour of any detection.
- There were no detections at the North Monitoring Station.
- There were no detections at the West Monitoring Station.
- There were no detections at the South Monitoring Station.

- NYSDEC's ambient standard for H₂S is 10 ppb for a 1-hour average (6NYCRR Subpart 257-10).

The on-Site meteorological data at the Site for November 7, 2023, through November 14, 2023, is provided in Attachment 3.

Ambient average concentrations of H₂S typically range from 0.11 to 0.33 ppb (Agency for Toxic Substances and Disease Registry (ATSDR) Toxicological Profile for Hydrogen Sulfide and Carbonyl Sulfide).

The raw data for each monitoring station during the period of 6:30 a.m. on November 7, 2023, through 6:30 a.m. on November 14, 2023, are provided as Attachment 4 to this report.



Summary of Landfill Activities

Operational activities occurring during the week of monitoring included the following:

- Leachate extraction
- Operations and maintenance
- Transportation, filling, compaction, and cover of typical volumes of waste received by rail and truck
- Typical volumes of landfill gas extraction and combustion in flare and engine plants
- Composting
- Fourth quarter surface emissions monitoring
- Installation of an additional 800 LF of 8" gas jumper header in the cell 11 mid area
- Installation of 7.6-Acre temporary cap area
- Start-up and utilization of the new 3,500 cfm open flare

If you have any questions, please feel free to contact us at (716) 297-6150.

Regards,



Steven Wilsey
Principal
716-205-1982
steven.wilsey@ghd.com

Bryan P. Szalda
Engineer
716-205-1894
bryan.szalda@ghd.com

SDW/BPS/cs/14
Encl.




FIGURE 1





Table 1

Description of Surface Monitoring Exceedances
High Acres Landfill
Fairport, New York

Year: 2023Quarter: 4

Initial Monitoring Event							10-day Follow-up Event		Additional Corrective Actions		Additional 10-day Follow-up Event		1-Month Follow-up Event		Additional Corrective Actions		Additional 10-day Follow-up Event	
Monitoring Date	Landfill Name	Longitude (W)	Latitude (N)	Location ID	Concentration (ppm)	Initial Corrective Action	Monitoring Date	Concentration (ppm)	Additional Corrective Actions Implemented (if Applicable)	Monitoring Date	Concentration (ppm)	Monitoring Date	Concentration (ppm)	Additional Corrective Actions Implemented (if Applicable)	Monitoring Date	Concentration (ppm)		
11/07/2023	Western Expansion Landfill	77.37820	43.08648	HIGOT362	294	Resealed well base	---	---	---	---	---	11/17/2023	157	---	---	---		
11/07/2023	Western Expansion Landfill	77.38557	43.08485	WESTGW16	281	Resealed liner	---	---	---	---	---	11/17/2023	2.9	---	---	---		
11/07/2023	Western Expansion Landfill	77.38431	43.08392	WESTGW19	2,505	New hose installed	11/17/2023	2.7	---	---	---	12/7/2023	8.8	---	---	---		
11/07/2023	Western Expansion Landfill	77.38342	43.08465	WESTGW21	857	Resealed hole	11/17/2023	1.9	---	---	---	12/7/2023	5.8	---	---	---		
11/07/2023	Western Expansion Landfill	77.38323	43.08489	HIGOT081	249	Restored liner vacuum	---	---	---	---	---	11/17/2023	3.1	---	---	---		
11/07/2023	Western Expansion Landfill	77.38269	43.08563	HIGOT294	1,305	Resealed, restored liner vacuum	11/17/2023	7.2	---	---	---	12/7/2023	4,420	Increased vacuum	12/15/2023	2.3		
11/07/2023	Western Expansion Landfill	77.38158	43.08567	WESTGW50	1,055	Liner repaired	11/17/2023	6,810	New liner vac hose valve installed	11/27/2023	4.6	12/7/2023	5.5	---	---	---		
11/07/2023	Western Expansion Landfill	77.38102	43.08406	WEST_56R	608	Restored vacuum	11/17/2023	5.9	---	---	---	12/7/2023	4.6	---	---	---		
11/07/2023	Closed Landfill	77.37399	43.08006	HIGOT416	1,105	Caulked liner sleeve	11/17/2023	2.8	---	---	---	12/7/2023	6.2	---	---	---		
11/07/2023	Closed Landfill	77.37629	43.08081	EASTGW40	312	Increased vacuum, now static negative	---	---	---	---	---	11/17/2023	2.8	---	---	---		
11/07/2023	Closed Landfill	77.37670	43.08109	HIGOT449	463	Well nearby now static negative	---	---	---	---	---	11/17/2023	37.1	---	---	---		
11/07/2023	Western Expansion Landfill	77.37666	43.08718	CELL10AN	5,550	Liner repaired	11/17/2023	55.1	---	---	---	12/7/2023	18.2	---	---	---		
11/08/2023	Western Expansion Landfill	77.36989	43.08598	HIGOT442	1,170	Increased vacuum	11/17/2023	228	---	---	---	12/7/2023	3.2	---	---	---		
11/08/2023	Western Expansion Landfill	77.37003	43.08369	HIGOT428	2,395	Liner repaired	11/17/2023	31.3	---	---	---	12/7/2023	24.8	---	---	---		
11/08/2023	Western Expansion Landfill	77.37009	43.08313	HIGOT427	29,000	Liner repaired	11/17/2023	1,510	Increased liner vacuum	11/27/2023	42.0	12/7/2023	42.6	---	---	---		
11/08/2023	Western Expansion Landfill	77.37009	43.08278	HAHC1230	1,400	Liner repaired	11/17/2023	1,310	Increased vacuum	11/27/2023	90.0	12/7/2023	53.0	---	---	---		
11/08/2023	Western Expansion Landfill	77.37013	43.08269	HAGW1230	4,090	Increased vacuum	11/17/2023	2,795	Increased vacuum	11/27/2023	56.0	12/7/2023	53.3	---	---	---		
11/08/2023	Western Expansion Landfill	77.37095	43.08264	HAGW1231	2,565	Increased vacuum	11/17/2023	25.5	---	---	---	12/7/2023	46.6	---	---	---		
11/08/2023	Western Expansion Landfill	77.37135	43.08234	HIGOT425	7,270	Increased vacuum	11/17/2023	7,770	Increased vacuum	12/1/2023	6,530	---	---	---	---	---		
11/08/2023	Western Expansion Landfill	77.37135	43.08232	HIGOT426	30,000	Increased vacuum	11/17/2023	18,000	Increased vacuum	12/1/2023	4,155	---	---	---	---	---		
11/08/2023	Western Expansion Landfill	77.37209	43.08272	HAHC1126	2,465	Increased vacuum	11/17/2023	2,355	Increased vacuum	12/1/2023	13,000	---	---	---	---	---		
11/08/2023	Western Expansion Landfill	77.37208	43.08272	HIGOT404	8,320	Increased vacuum	11/17/2023	6,450	Increased vacuum	12/1/2023	5,110	---	---	---	---	---		
11/08/2023	Western Expansion Landfill	77.37209	43.08271	HAGW1226	1,285	Increased vacuum	11/17/2023	8,200	Increased vacuum	12/1/2023	6,060	---	---	---	---	---		
11/08/2023	Western Expansion Landfill	77.37275	43.08183	HIGOT424	40,000	Increased vacuum	11/17/2023	8,910	Increased vacuum	12/1/2023	29,000	---	---	---	---	---		
11/08/2023	Western Expansion Landfill	77.37313	43.08092	HIGOT420	829	Additional cover added	11/17/2023	589	Added cover added	11/27/2023	40.0	12/7/2023	198	---	---	---		

Table 1

Description of Surface Monitoring Exceedances
High Acres Landfill
Fairport, New York

Year: 2023Quarter: 4

Initial Monitoring Event							10-day Follow-up Event		Additional Corrective Actions		Additional 10-day Follow-up Event		1-Month Follow-up Event		Additional Corrective Actions		Additional 10-day Follow-up Event	
Monitoring Date	Landfill Name	Longitude (W)	Latitude (N)	Location ID	Concentration (ppm)	Initial Corrective Action	Monitoring Date	Concentration (ppm)	Additional Corrective Actions Implemented (if Applicable)	Monitoring Date	Concentration (ppm)	Monitoring Date	Concentration (ppm)	Additional Corrective Actions Implemented (if Applicable)	Monitoring Date	Concentration (ppm)		
11/08/2023	Western Expansion Landfill	77.37286	43.08324	HAGW1223	25,000	Increased vacuum	11/17/2023	17,000	Increased vacuum	11/27/2023	1,863	---	---	---	---	---		
11/08/2023	Western Expansion Landfill	77.37283	43.08323	HIGOT383	4,780	Increased vacuum	11/17/2023	9,010	Increased vacuum	11/27/2023	490	12/7/2023	8,270	---	---	---		
11/08/2023	Western Expansion Landfill	77.37672	43.08502	HAGW1009	3,125	Increased vacuum	11/17/2023	1,185	Increased vacuum	11/27/2023	4.0	12/7/2023	3.6	---	---	---		
11/08/2023	Western Expansion Landfill	77.37851	43.08539	WEST_44R	872	Increased vacuum	11/17/2023	4.4	---	---	---	12/7/2023	9.9	---	---	---		
11/08/2023	Western Expansion Landfill	77.37766	43.08543	WSTGW150	3,140	Liner repaired	11/17/2023	5.6	---	---	---	12/7/2023	528	Installed liner vacuum hose/valve	12/15/2023	1.9		
11/08/2023	Western Expansion Landfill	77.37712	43.08575	WEST43RR	431	Increased vacuum	---	---	---	---	---	11/27/2023	87.0	---	---	---		
11/08/2023	Western Expansion Landfill	77.37302	43.08593	HIGOT357	825	New/increased vacuum source	11/17/2023	9.7	---	---	---	12/7/2023	46.7	---	---	---		
11/08/2023	Western Expansion Landfill	77.37180	43.08575	HAGW1204	952	Increased vacuum/ran new vacuum source	11/17/2023	9.0	---	---	---	12/7/2023	25.3	---	---	---		
11/08/2023	Western Expansion Landfill	77.37147	43.08363	HAGW1221	1,380	Increased vacuum	11/17/2023	54.7	---	---	---	12/7/2023	44.5	---	---	---		
11/08/2023	Western Expansion Landfill	77.37147	43.08364	HAHC1240	333	Increased vacuum	---	---	---	---	---	11/17/2023	52.8	---	---	---		
11/08/2023	Western Expansion Landfill	77.37094	43.08325	HAGW1229	9,050	Increased vacuum	11/17/2023	50.5	---	---	---	12/7/2023	1,220	Increased vacuum, added cover material	12/15/2023	68.8		
11/08/2023	Western Expansion Landfill	77.37063	43.08425	HAGW1215	342	Increased vacuum	---	---	---	---	---	11/27/2023	4.0	---	---	---		
11/08/2023	Western Expansion Landfill	77.37063	43.08427	HAHC1233	326	Increased vacuum	---	---	---	---	---	11/27/2023	4.0	---	---	---		
11/08/2023	Western Expansion Landfill	77.37074	43.08428	HIGOT398	615	Additional cover added	11/17/2023	28.1	---	---	---	12/7/2023	91.4	---	---	---		
11/08/2023	Western Expansion Landfill	77.37056	43.08594	HAHC1216	1,266	Additional cover added	11/17/2023	54.1	---	---	---	12/7/2023	1,030	Installed boot/liner, added cover material	12/15/2023	62		
11/08/2023	Western Expansion Landfill	77.37237	43.08612	HAGW1201	1,030	Increased vacuum/resealed liner base	11/17/2023	11.5	---	---	---	12/7/2023	8.3	---	---	---		
11/08/2023	Western Expansion Landfill	77.37399	43.08645	WSTGW164	1,360	Resealed well base	11/17/2023	2.7	---	---	---	12/7/2023	61.9	---	---	---		
11/08/2023	Western Expansion Landfill	77.37400	43.08645	HIGOT339	754	Resealed well base	11/17/2023	2.7	---	---	---	12/7/2023	41.1	---	---	---		
11/08/2023	Western Expansion Landfill	77.37458	43.08656	HAHC1103	653	Resealed well base	11/17/2023	7.2	---	---	---	12/7/2023	63.7	---	---	---		
11/08/2023	Western Expansion Landfill	77.37606	43.08662	WEST102R	1,235	Increased vacuum	11/17/2023	17.0	---	---	---	12/7/2023	61.8	---	---	---		
11/08/2023	Western Expansion Landfill	77.37602	43.08629	HIGOT359	256	New boot system installed	---	---	---	---	---	11/17/2023	9.1	---	---	---		
11/08/2023	Western Expansion Landfill	77.37532	43.08672	HIGOT346	960	New boot system installed	11/17/2023	6.5	---	---	---	12/7/2023	55.6	---	---	---		
11/08/2023	Western Expansion Landfill	77.37966	43.08244	Grid X34	324	Additional cover added	---	---	---	---	---	11/27/2023	28.0	---	---	---		

Notes:

- Six locations could not be accessed during the initial 10 day follow up due to unsafe conditions / construction activities (Penetration HIGOT404, Penetration HIGOT424, Penetration HIGOT425, Penetration HIGOT426, Penetration HAHC1126, and Penetration HAGW1226). An extension of the 10 day follow up was granted by NYSDEC in an email dated 11/29/23. The 10 day follow up for these 6 locations was conducted on 12/1/23 when they were once again safe to access.

Attachment 1

SEM CALIBRATION PROCEDURE AND BACKGROUND REPORT

LANDFILL NAME: High Acres

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41057

Calibration Procedure

1. Allow instrument to zero itself while introducing zero

2. Introduce calibration gas into the probe.

Stabilized reading = 517 ppm

3. Adjust meter settings to read 500 ppm.

Background Determination Procedure

1. Upwind Background Reading (highest in 30 seconds): 3 ppm (1)

2. Downwind Reading (highest in 30 seconds): 4 ppm (2)

Calculate Background Value: $\frac{(1) + (2)}{2}$

Background = 3.8 ppm

PERFORMED BY: Britt Gebhardt TIME: 06.43.48

DATE: 2023/11/07

SEM CALIBRATION PRECISION REPORT

LANDFILL NAME: High Acres

MONITORING DATE: 2023/11/07 PERFORMED BY: Britt Gebhardt

EXPIRATION DATE: 2024/02/06 (3-mos.) TIME: 06.43.48

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41057

CALIBRATION GAS STANDARD: 500 ppm CH₄ (STD)

MEASUREMENT #1:

Meter Reading for Zero Air: 2 ppm (1)

Meter Reading for Calibration Gas: 517 ppm (2)

MEASUREMENT #2:

Meter Reading for Zero Air: 2 ppm (3)

Meter Reading for Calibration Gas: 515 ppm (4)

MEASUREMENT #3:

Meter Reading for Zero Air: 0 ppm (5)

Meter Reading for Calibration Gas: 513 ppm (6)

CALCULATE PRECISION:

$$\frac{[\text{STD} - (2)] + [\text{STD} - (4)] + [\text{STD} - (6)]}{3} \times \frac{1}{500} \times \frac{100}{1}$$
$$= \underline{\quad 3.0 \quad} \% \text{ (result must be less than 10\%)}$$

SEM INSTRUMENT RESPONSE TIME RECORD

LANDFILL NAME: High Acres

MONITORING DATE: 2023/11/07 TIME: 06.43.48

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41057

MEASUREMENT #1:

Stabilized Reading Using Calibration Gas: 517 ppm

90% of the Stabilized Reading: = 466 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 4.0 seconds (1)

MEASUREMENT #2:

Stabilized Reading Using Calibration Gas: 515 ppm

90% of the Stabilized Reading: = 463 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 4.0 seconds (2)

MEASUREMENT #3:

Stabilized Reading Using Calibration Gas: 513 ppm

90% of the Stabilized Reading: = 462 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 5.0 seconds (3)

CALCULATE RESPONSE TIME:

$\frac{(1) + (2) + (3)}{3} = \underline{\quad 4 \quad}$ SECONDS (MUST BE LESS THAN 30 SECONDS)

PERFORMED BY: Britt Gebhardt

SEM CALIBRATION PROCEDURE AND BACKGROUND REPORT

LANDFILL NAME: High Acres

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41248

Calibration Procedure

1. Allow instrument to zero itself while introducing zero

2. Introduce calibration gas into the probe.

Stabilized reading = 486 ppm

3. Adjust meter settings to read 500 ppm.

Background Determination Procedure

1. Upwind Background Reading (highest in 30 seconds): 2 ppm (1)

2. Downwind Reading (highest in 30 seconds): 3 ppm (2)

Calculate Background Value: $\frac{(1) + (2)}{2}$

Background = 2.7 ppm

PERFORMED BY: Shannon White TIME: 06.36.28

DATE: 2023/11/07

SEM CALIBRATION PRECISION REPORT

LANDFILL NAME: High Acres

MONITORING DATE: 2023/11/07 PERFORMED BY: Shannon White

EXPIRATION DATE: 2024/02/06 (3-mos.) TIME: 06.36.28

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41248

CALIBRATION GAS STANDARD: 500 ppm CH₄ (STD)

MEASUREMENT #1:

Meter Reading for Zero Air: 1 ppm (1)

Meter Reading for Calibration Gas: 486 ppm (2)

MEASUREMENT #2:

Meter Reading for Zero Air: 1 ppm (3)

Meter Reading for Calibration Gas: 487 ppm (4)

MEASUREMENT #3:

Meter Reading for Zero Air: 1 ppm (5)

Meter Reading for Calibration Gas: 487 ppm (6)

CALCULATE PRECISION:

$$\frac{[\text{STD} - (2)] + [\text{STD} - (4)] + [\text{STD} - (6)]}{3} \times \frac{1}{500} \times \frac{100}{1}$$
$$= \underline{\quad 2.6 \quad} \% \text{ (result must be less than 10\%)}$$

SEM INSTRUMENT RESPONSE TIME RECORD

LANDFILL NAME: High Acres

MONITORING DATE: 2023/11/07 TIME: 06.36.28

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41248

MEASUREMENT #1:

Stabilized Reading Using Calibration Gas: 486 ppm

90% of the Stabilized Reading: = 438 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 5.0 seconds (1)

MEASUREMENT #2:

Stabilized Reading Using Calibration Gas: 487 ppm

90% of the Stabilized Reading: = 438 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 5.0 seconds (2)

MEASUREMENT #3:

Stabilized Reading Using Calibration Gas: 487 ppm

90% of the Stabilized Reading: = 439 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 5.0 seconds (3)

CALCULATE RESPONSE TIME:

$\frac{(1) + (2) + (3)}{3} = \underline{\quad 5 \quad}$ SECONDS (MUST BE LESS THAN 30 SECONDS)

PERFORMED BY: Shannon White

SEM CALIBRATION PROCEDURE AND BACKGROUND REPORT

LANDFILL NAME: High Acres

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41057

Calibration Procedure

1. Allow instrument to zero itself while introducing zero

2. Introduce calibration gas into the probe.

Stabilized reading = 511 ppm

3. Adjust meter settings to read 500 ppm.

Background Determination Procedure

1. Upwind Background Reading (highest in 30 seconds): 2 ppm (1)

2. Downwind Reading (highest in 30 seconds): 12 ppm (2)

Calculate Background Value: $\frac{(1) + (2)}{2}$

Background = 7.4 ppm

PERFORMED BY: Kevin Miller TIME: 06.29.53

DATE: 2023/11/08

SEM CALIBRATION PRECISION REPORT

LANDFILL NAME: High Acres

MONITORING DATE: 2023/11/08 PERFORMED BY: Kevin Miller

EXPIRATION DATE: 2024/02/07 (3-mos.) TIME: 06.29.53

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41057

CALIBRATION GAS STANDARD: 500 ppm CH₄ (STD)

MEASUREMENT #1:

Meter Reading for Zero Air: 2 ppm (1)

Meter Reading for Calibration Gas: 511 ppm (2)

MEASUREMENT #2:

Meter Reading for Zero Air: 1 ppm (3)

Meter Reading for Calibration Gas: 514 ppm (4)

MEASUREMENT #3:

Meter Reading for Zero Air: 2 ppm (5)

Meter Reading for Calibration Gas: 509 ppm (6)

CALCULATE PRECISION:

$$\frac{[\text{STD} - (2)] + [\text{STD} - (4)] + [\text{STD} - (6)]}{3} \times \frac{1}{500} \times \frac{100}{1}$$
$$= \underline{\quad 2.3 \quad} \% \text{ (result must be less than 10\%)}$$

SEM INSTRUMENT RESPONSE TIME RECORD

LANDFILL NAME: High Acres

MONITORING DATE: 2023/11/08 TIME: 06.29.53

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41057

MEASUREMENT #1:

Stabilized Reading Using Calibration Gas: 511 ppm

90% of the Stabilized Reading: = 460 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 4.0 seconds (1)

MEASUREMENT #2:

Stabilized Reading Using Calibration Gas: 514 ppm

90% of the Stabilized Reading: = 463 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 5.0 seconds (2)

MEASUREMENT #3:

Stabilized Reading Using Calibration Gas: 509 ppm

90% of the Stabilized Reading: = 458 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 5.0 seconds (3)

CALCULATE RESPONSE TIME:

$\frac{(1) + (2) + (3)}{3} = \underline{\quad 5 \quad}$ SECONDS (MUST BE LESS THAN 30 SECONDS)

PERFORMED BY: Kevin Miller

SEM CALIBRATION PROCEDURE AND BACKGROUND REPORT

LANDFILL NAME: High Acres

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41248

Calibration Procedure

1. Allow instrument to zero itself while introducing zero

2. Introduce calibration gas into the probe.

Stabilized reading = 489 ppm

3. Adjust meter settings to read 500 ppm.

Background Determination Procedure

1. Upwind Background Reading (highest in 30 seconds): 2 ppm (1)

2. Downwind Reading (highest in 30 seconds): 12 ppm (2)

Calculate Background Value: $\frac{(1) + (2)}{2}$

Background = 7.0 ppm

PERFORMED BY: Britt Gebhardt

TIME: 06.35.23

DATE: 2023/11/08

SEM CALIBRATION PRECISION REPORT

LANDFILL NAME: High Acres

MONITORING DATE: 2023/11/08 PERFORMED BY: Britt Gebhardt

EXPIRATION DATE: 2024/02/07 (3-mos.) TIME: 06.35.23

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41248

CALIBRATION GAS STANDARD: 500 ppm CH₄ (STD)

MEASUREMENT #1:

Meter Reading for Zero Air: 1 ppm (1)

Meter Reading for Calibration Gas: 489 ppm (2)

MEASUREMENT #2:

Meter Reading for Zero Air: 1 ppm (3)

Meter Reading for Calibration Gas: 488 ppm (4)

MEASUREMENT #3:

Meter Reading for Zero Air: 0 ppm (5)

Meter Reading for Calibration Gas: 487 ppm (6)

CALCULATE PRECISION:

$$\frac{[\text{STD} - (2)] + [\text{STD} - (4)] + [\text{STD} - (6)]}{3} \times \frac{1}{500} \times \frac{100}{1}$$
$$= \underline{\quad 2.4 \quad} \% \text{ (result must be less than 10\%)}$$

SEM INSTRUMENT RESPONSE TIME RECORD

LANDFILL NAME: High Acres

MONITORING DATE: 2023/11/08 TIME: 06.35.23

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41248

MEASUREMENT #1:

Stabilized Reading Using Calibration Gas: 489 ppm

90% of the Stabilized Reading: = 440 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 5.0 seconds (1)

MEASUREMENT #2:

Stabilized Reading Using Calibration Gas: 488 ppm

90% of the Stabilized Reading: = 439 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 5.0 seconds (2)

MEASUREMENT #3:

Stabilized Reading Using Calibration Gas: 487 ppm

90% of the Stabilized Reading: = 438 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 4.0 seconds (3)

CALCULATE RESPONSE TIME:

$\frac{(1) + (2) + (3)}{3} = \underline{\quad 5 \quad}$ SECONDS (MUST BE LESS THAN 30 SECONDS)

PERFORMED BY: Britt Gebhardt

SEM CALIBRATION PROCEDURE AND BACKGROUND REPORT

LANDFILL NAME: High Acres

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41057

Calibration Procedure

1. Allow instrument to zero itself while introducing zero

2. Introduce calibration gas into the probe.

Stabilized reading = 512 ppm

3. Adjust meter settings to read 500 ppm.

Background Determination Procedure

1. Upwind Background Reading (highest in 30 seconds): 3 ppm (1)

2. Downwind Reading (highest in 30 seconds): 4 ppm (2)

Calculate Background Value: $\frac{(1) + (2)}{2}$

Background = 3.3 ppm

PERFORMED BY: Britt Gebhardt TIME: 12.41.47

DATE: 2023/11/17

SEM CALIBRATION PRECISION REPORT

LANDFILL NAME: High Acres

MONITORING DATE: 2023/11/17 PERFORMED BY: Britt Gebhardt

EXPIRATION DATE: 2024/02/16 (3-mos.) TIME: 12.41.47

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41057

CALIBRATION GAS STANDARD: 500 ppm CH₄ (STD)

MEASUREMENT #1:

Meter Reading for Zero Air: 1 ppm (1)

Meter Reading for Calibration Gas: 512 ppm (2)

MEASUREMENT #2:

Meter Reading for Zero Air: 2 ppm (3)

Meter Reading for Calibration Gas: 512 ppm (4)

MEASUREMENT #3:

Meter Reading for Zero Air: 2 ppm (5)

Meter Reading for Calibration Gas: 511 ppm (6)

CALCULATE PRECISION:

$$\frac{[\text{STD} - (2)] + [\text{STD} - (4)] + [\text{STD} - (6)]}{3} \times \frac{1}{500} \times \frac{100}{1}$$
$$= \underline{\quad 2.3 \quad} \% \text{ (result must be less than 10\%)}$$

SEM INSTRUMENT RESPONSE TIME RECORD

LANDFILL NAME: High Acres

MONITORING DATE: 2023/11/17 TIME: 12.41.47

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41057

MEASUREMENT #1:

Stabilized Reading Using Calibration Gas: 512 ppm

90% of the Stabilized Reading: = 460 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 5.0 seconds (1)

MEASUREMENT #2:

Stabilized Reading Using Calibration Gas: 512 ppm

90% of the Stabilized Reading: = 461 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 5.0 seconds (2)

MEASUREMENT #3:

Stabilized Reading Using Calibration Gas: 511 ppm

90% of the Stabilized Reading: = 460 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 4.0 seconds (3)

CALCULATE RESPONSE TIME:

$\frac{(1) + (2) + (3)}{3} = \underline{\quad 5 \quad}$ SECONDS (MUST BE LESS THAN 30 SECONDS)

PERFORMED BY: Britt Gebhardt

SEM CALIBRATION PROCEDURE AND BACKGROUND REPORT

LANDFILL NAME: High Acres

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41057

Calibration Procedure

1. Allow instrument to zero itself while introducing zero

2. Introduce calibration gas into the probe.

Stabilized reading = 511 ppm

3. Adjust meter settings to read 500 ppm.

Background Determination Procedure

1. Upwind Background Reading (highest in 30 seconds): 3 ppm (1)

2. Downwind Reading (highest in 30 seconds): 4 ppm (2)

Calculate Background Value: $\frac{(1) + (2)}{2}$

Background = 3.6 ppm

PERFORMED BY: Chuck Boller TIME: 09.33.26

DATE: 2023/11/27

SEM CALIBRATION PRECISION REPORT

LANDFILL NAME: High Acres

MONITORING DATE: 2023/11/27 PERFORMED BY: Chuck Boller

EXPIRATION DATE: 2024/02/26 (3-mos.) TIME: 09.33.26

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41057

CALIBRATION GAS STANDARD: 500 ppm CH₄ (STD)

MEASUREMENT #1:

Meter Reading for Zero Air: 2 ppm (1)

Meter Reading for Calibration Gas: 511 ppm (2)

MEASUREMENT #2:

Meter Reading for Zero Air: 1 ppm (3)

Meter Reading for Calibration Gas: 511 ppm (4)

MEASUREMENT #3:

Meter Reading for Zero Air: 0 ppm (5)

Meter Reading for Calibration Gas: 509 ppm (6)

CALCULATE PRECISION:

$$\frac{[\text{STD} - (2)] + [\text{STD} - (4)] + [\text{STD} - (6)]}{3} \times \frac{1}{500} \times \frac{100}{1}$$
$$= \underline{\quad 2.1 \quad} \% \text{ (result must be less than 10\%)}$$

SEM INSTRUMENT RESPONSE TIME RECORD

LANDFILL NAME: High Acres

MONITORING DATE: 2023/11/27 TIME: 09.33.26

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41057

MEASUREMENT #1:

Stabilized Reading Using Calibration Gas: 511 ppm

90% of the Stabilized Reading: = 460 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 4.0 seconds (1)

MEASUREMENT #2:

Stabilized Reading Using Calibration Gas: 511 ppm

90% of the Stabilized Reading: = 460 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 2.0 seconds (2)

MEASUREMENT #3:

Stabilized Reading Using Calibration Gas: 509 ppm

90% of the Stabilized Reading: = 458 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 5.0 seconds (3)

CALCULATE RESPONSE TIME:

$\frac{(1) + (2) + (3)}{3} = \underline{\quad 4 \quad}$ SECONDS (MUST BE LESS THAN 30 SECONDS)

PERFORMED BY: Chuck Boller

SEM CALIBRATION PROCEDURE AND BACKGROUND REPORT

LANDFILL NAME: High Acres

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41057

Calibration Procedure

1. Allow instrument to zero itself while introducing zero

2. Introduce calibration gas into the probe.

Stabilized reading = 513 ppm

3. Adjust meter settings to read 500 ppm.

Background Determination Procedure

1. Upwind Background Reading (highest in 30 seconds): 3 ppm (1)

2. Downwind Reading (highest in 30 seconds): 18 ppm (2)

Calculate Background Value: $\frac{(1) + (2)}{2}$

Background = 10.6 ppm

PERFORMED BY: Britt Gebhardt

TIME: 07.07.16

DATE: 2023/12/01

SEM CALIBRATION PRECISION REPORT

LANDFILL NAME: High Acres

MONITORING DATE: 2023/12/01 PERFORMED BY: Britt Gebhardt

EXPIRATION DATE: 2024/03/01 (3-mos.) TIME: 07.07.16

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41057

CALIBRATION GAS STANDARD: 500 ppm CH₄ (STD)

MEASUREMENT #1:

Meter Reading for Zero Air: 2 ppm (1)

Meter Reading for Calibration Gas: 513 ppm (2)

MEASUREMENT #2:

Meter Reading for Zero Air: 2 ppm (3)

Meter Reading for Calibration Gas: 512 ppm (4)

MEASUREMENT #3:

Meter Reading for Zero Air: 2 ppm (5)

Meter Reading for Calibration Gas: 512 ppm (6)

CALCULATE PRECISION:

$$\frac{[\text{STD} - (2)] + [\text{STD} - (4)] + [\text{STD} - (6)]}{3} \times \frac{1}{500} \times \frac{100}{1}$$
$$= \underline{\quad 2.4 \quad} \% \text{ (result must be less than 10\%)}$$

SEM INSTRUMENT RESPONSE TIME RECORD

LANDFILL NAME: High Acres

MONITORING DATE: 2023/12/01 TIME: 07.07.16

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41057

MEASUREMENT #1:

Stabilized Reading Using Calibration Gas: 513 ppm

90% of the Stabilized Reading: = 461 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 4.0 seconds (1)

MEASUREMENT #2:

Stabilized Reading Using Calibration Gas: 512 ppm

90% of the Stabilized Reading: = 461 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 5.0 seconds (2)

MEASUREMENT #3:

Stabilized Reading Using Calibration Gas: 512 ppm

90% of the Stabilized Reading: = 461 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 4.0 seconds (3)

CALCULATE RESPONSE TIME:

$\frac{(1) + (2) + (3)}{3} = \underline{\quad 4 \quad}$ SECONDS (MUST BE LESS THAN 30 SECONDS)

PERFORMED BY: Britt Gebhardt

SEM CALIBRATION PROCEDURE AND BACKGROUND REPORT

LANDFILL NAME: High Acres

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41057

Calibration Procedure

1. Allow instrument to zero itself while introducing zero

2. Introduce calibration gas into the probe.

Stabilized reading = 514 ppm

3. Adjust meter settings to read 500 ppm.

Background Determination Procedure

1. Upwind Background Reading (highest in 30 seconds): 6 ppm (1)

2. Downwind Reading (highest in 30 seconds): 4 ppm (2)

Calculate Background Value: $\frac{(1) + (2)}{2}$

Background = 4.8 ppm

PERFORMED BY: Britt Gebhardt TIME: 09.09.31

DATE: 2023/12/07

SEM CALIBRATION PRECISION REPORT

LANDFILL NAME: High Acres

MONITORING DATE: 2023/12/07 PERFORMED BY: Britt Gebhardt

EXPIRATION DATE: 2024/03/07 (3-mos.) TIME: 09.09.31

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41057

CALIBRATION GAS STANDARD: 500 ppm CH₄ (STD)

MEASUREMENT #1:

Meter Reading for Zero Air: 0 ppm (1)

Meter Reading for Calibration Gas: 514 ppm (2)

MEASUREMENT #2:

Meter Reading for Zero Air: 1 ppm (3)

Meter Reading for Calibration Gas: 512 ppm (4)

MEASUREMENT #3:

Meter Reading for Zero Air: 1 ppm (5)

Meter Reading for Calibration Gas: 508 ppm (6)

CALCULATE PRECISION:

$$\frac{[\text{STD} - (2)] + [\text{STD} - (4)] + [\text{STD} - (6)]}{3} \times \frac{1}{500} \times \frac{100}{1}$$
$$= \underline{\quad 2.2 \quad} \% \text{ (result must be less than 10\%)}$$

SEM INSTRUMENT RESPONSE TIME RECORD

LANDFILL NAME: High Acres

MONITORING DATE: 2023/12/07 TIME: 09.09.31

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41057

MEASUREMENT #1:

Stabilized Reading Using Calibration Gas: 514 ppm

90% of the Stabilized Reading: = 462 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 5.0 seconds (1)

MEASUREMENT #2:

Stabilized Reading Using Calibration Gas: 512 ppm

90% of the Stabilized Reading: = 460 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 4.0 seconds (2)

MEASUREMENT #3:

Stabilized Reading Using Calibration Gas: 508 ppm

90% of the Stabilized Reading: = 458 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 4.0 seconds (3)

CALCULATE RESPONSE TIME:

$\frac{(1) + (2) + (3)}{3} = \underline{\quad 4 \quad}$ SECONDS (MUST BE LESS THAN 30 SECONDS)

PERFORMED BY: Britt Gebhardt

SEM CALIBRATION PROCEDURE AND BACKGROUND REPORT

LANDFILL NAME: High Acres

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41057

Calibration Procedure

1. Allow instrument to zero itself while introducing zero

2. Introduce calibration gas into the probe.

Stabilized reading = 513 ppm

3. Adjust meter settings to read 500 ppm.

Background Determination Procedure

1. Upwind Background Reading (highest in 30 seconds): 3 ppm (1)

2. Downwind Reading (highest in 30 seconds): 3 ppm (2)

Calculate Background Value: $\frac{(1) + (2)}{2}$

Background = 3.0 ppm

PERFORMED BY: Britt Gebhardt

TIME: 10.08.30

DATE: 2023/12/15

SEM CALIBRATION PRECISION REPORT

LANDFILL NAME: High Acres

MONITORING DATE: 2023/12/15 PERFORMED BY: Britt Gebhardt

EXPIRATION DATE: 2024/03/15 (3-mos.) TIME: 10.08.30

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41057

CALIBRATION GAS STANDARD: 500 ppm CH₄ (STD)

MEASUREMENT #1:

Meter Reading for Zero Air: 0 ppm (1)

Meter Reading for Calibration Gas: 513 ppm (2)

MEASUREMENT #2:

Meter Reading for Zero Air: 2 ppm (3)

Meter Reading for Calibration Gas: 512 ppm (4)

MEASUREMENT #3:

Meter Reading for Zero Air: 2 ppm (5)

Meter Reading for Calibration Gas: 515 ppm (6)

CALCULATE PRECISION:

$$\frac{[\text{STD} - (2)] + [\text{STD} - (4)] + [\text{STD} - (6)]}{3} \times \frac{1}{500} \times \frac{100}{1}$$
$$= \underline{\quad 2.7 \quad} \% \text{ (result must be less than 10\%)}$$

SEM INSTRUMENT RESPONSE TIME RECORD

LANDFILL NAME: High Acres

MONITORING DATE: 2023/12/15 TIME: 10.08.30

INSTRUMENT MAKE: LANDTEC MODEL: SEM 5000 S/N: 41057

MEASUREMENT #1:

Stabilized Reading Using Calibration Gas: 513 ppm

90% of the Stabilized Reading: = 462 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 5.0 seconds (1)

MEASUREMENT #2:

Stabilized Reading Using Calibration Gas: 512 ppm

90% of the Stabilized Reading: = 461 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 5.0 seconds (2)

MEASUREMENT #3:

Stabilized Reading Using Calibration Gas: 515 ppm

90% of the Stabilized Reading: = 463 ppm

Time to Reach 90% of Stabilized reading
After switching from Zero Air to
Calibration Gas 4.0 seconds (3)

CALCULATE RESPONSE TIME:

$\frac{(1) + (2) + (3)}{3} = \underline{\quad 5 \quad}$ SECONDS (MUST BE LESS THAN 30 SECONDS)

PERFORMED BY: Britt Gebhardt



GASCO AFFILIATES, LLC.

320 Scarlet Blvd.
Oldsmar, FL 34677
(800) 910-0051
fax: (866) 755-8920
www.gascogas.com

CERTIFICATE OF ANALYSIS

Date: August 23, 2022

Customer: White Oak Environmental

Order Number: 917

Use Before: 08/23/2026

Component

Requested Concentration

Analytical Result (+/- 2%)

Methane

500 PPM

474 PPM

Air

Balance

Balance

Cylinder Size: 3.708 Cu. Ft.

Valve: 5/8" -18UNF (C-10)

Contents: 105 Liter (EcoSmart)

Pressure: 1200 psig

Product composition verified by direct comparison to calibration standards traceable to N.I.S.T. weights and/ or N.I.S.T. Gas Mixture reference materials.

Analyst:


Glenn Velez



CERTIFICATE OF ANALYSIS

ISO 9001:2015 CERTIFIED
ISO 17034:2016 ACCREDITED
ISO/IEC 17025:2017 ACCREDITED

1202 E Sam Houston Parkway S,
Pasadena, TX 77503
Phone:(800) 548 2268 Fax:(713) 928 9961

PO Number: 1128

Certification Date: 21-Feb-2023

Manufactured For:

White Oak Environmental & Safety
4026 N. Hampton Drive
Powell OH 43065
United States Of America

Customer Part No:

Cylinder Size: 100GAL

Cylinder Content: 100 L (3.5 CU.FT.) @ 70 F (21 C) & 1000 PSIG (6890Kpag)

Cylinder Lot No: 276718

Unit Of Measure: Mole

Expiration Date: Mar 2026

Component	Nominal	Uncertainty	Analytical Method
AIR ZERO			Teledyne 3000M Series Percent Oxygen Analyzer

The mixture was manufactured or transfilled from a standard which has been gravimetrically blended with traceability through NIST to the International System of Units (SI) balance. Balances are calibrated by a certified third party with certified NIST weights and NIST test numbers. Report Number: BU70910-051123. The uncertainty is expressed as an expanded uncertainty $U=kuc$ with uc determined by experiment and a coverage factor $k=2$. The certified value $+/-U$ is presented with a level of confidence of approximately 95%.

Quality Assurance Manager

Attachment 2

**High Acres Landfill
Surface Emission Monitoring
Fourth Quarter - 2023**

1. HIGOT362

- 11/07/2023
- Initial Reading – 294 ppm



HIGOT362

- Corrective Action: Resealed well base
- 11/17/2023
- Follow Up Reading – 157 ppm



2. WESTGW16

- 11/07/2023
- Initial Reading – 281 ppm



WESTGW16

- Corrective Action: Resealed liner
- 11/17/2023
- Follow Up Reading – 2.9 ppm



3. WESTGW19

- 11/07/2023
- Initial Reading – 2,505 ppm



WESTGW19

- Corrective Action: New hose installed
- 11/17/2023
- 10-Day Follow Up Reading – 2.7 ppm



4. WESTGW21

- 11/07/2023
- Initial Reading – 857 ppm



WESTGW21

- Corrective Action: Resealed hole
- 11/17/2023
- 10-Day Follow Up Reading – 1.9 ppm



5. HIGOT081

- 11/07/2023
- Initial Reading – 249 ppm



HIGOT081

- Corrective Action: Restored liner vacuum
- 11/17/2023
- Follow Up Reading – 3.1 ppm



6. HIGOT294

- 11/07/2023
- Initial Reading – 1,305 ppm



HIGOT294

- Corrective Action: Resealed, restored and increased liner vacuum
- 11/17/2023
- 10-Day Follow Up Reading – 7.2 ppm
 - 1-Month Follow Up 12/07/2023 Reading 4,420 ppm
 - Additional 1-Month Follow Up 12/15/2023 Reading 2.3 ppm



7. WESTGW50

- 11/07/2023
- Initial Reading – 1,055 ppm



WESTGW50

- Corrective Action: Repaired liner & liner vac hose valve installed
- 11/17/2023
- 10-Day Follow Up Reading – 6,810 ppm
 - Additional 10-Day Follow Up 11/27/2023 Reading 4.6 ppm



8. WEST_56R

- 11/07/2023
- Initial Reading – 608 ppm



WEST_56R

- Corrective Action: Restored vacuum
- 11/17/2023
- 10-Day Follow Up Reading – 5.9 ppm



9. HIGOT416

- 11/07/2023
- Initial Reading – 1,105 ppm



HIGOT416

- Corrective Action: Caulked liner sleeve
- 11/17/2023
- 10-Day Follow Up Reading – 2.8 ppm



10.EASTGW40

- 11/07/2023
- Initial Reading – 312 ppm



EASTGW40

- Corrective Action: Increased vacuum, now static negative
- 11/17/2023
- Follow Up Reading – 2.8 ppm



11. HIGOT449

- 11/07/2023
- Initial Reading – 463 ppm



HIGOT449

- Corrective Action: Well nearby now static negative
- 11/17/2023
- Follow Up Reading – 37.1 ppm



12.CELL10AN

- 11/07/2023
- Initial Reading – 5,550 ppm



CELL10AN

- Corrective Action: Liner repaired
- 11/17/2023
- 10-Day Follow Up Reading – 55.1 ppm



13.HIGOT442

- 11/08/2023
- Initial Reading – 5,550 ppm



HIGOT442

- Corrective Action: Increased vacuum
- 11/17/2023
- 10-Day Follow Up Reading – 228 ppm
 - 1-Month Follow Up 12/07/2023 Reading 3.2 ppm



14. HIGOT428

- 11/08/2023
- Initial Reading – 2,395 ppm



HIGOT428

- Corrective Action: Repaired liner
- 11/17/2023
- 10-Day Follow Up Reading – 31.3 ppm



15. HIGOT427

- 11/08/2023
- Initial Reading – 29,000 ppm



HIGOT427

- Corrective Action: Repair liner and increased liner vacuum
- 11/17/2023
- 10-Day Follow Up Reading – 1,510 ppm
 - Additional 10-Day Follow Up 11/17/2023 Reading 42.0 ppm




16. HAHC1230

- 11/08/2023
- Initial Reading – 1,400 ppm



HAHC1230

- Corrective Action: Repair liner and increased liner vacuum
- 11/17/2023
- 10-Day Follow Up Reading – 1,310 ppm
 - Additional 10-Day Follow Up 11/17/2023 Reading 90.0 ppm



17. HAGW1230

- 11/08/2023
- Initial Reading – 4,090 ppm



HAGW1230

- Corrective Action: Repair liner and increased liner vacuum
- 11/17/2023
- 10-Day Follow Up Reading – 2,795 ppm
 - Additional 10-Day Follow Up 11/17/2023 Reading 56.0 ppm



18. HAGW1231

- 11/08/2023
- Initial Reading – 2,565 ppm



HAGW1231

- Corrective Action: Increased vacuum
- 11/17/2023
- 10-Day Follow Up Reading – 25.5 ppm



19. HIGOT425

- 11/08/2023
- Initial Reading – 7,270 ppm



HIGOT425

- Corrective Action: Increased vacuum
- 11/17/2023
- 10-Day Follow Up Reading –7,770 ppm
 - Additional 10-Day Follow Up Reading on 12/01/2023 – 6,530 ppm



20. HIGOT426

- 11/08/2023
- Initial Reading – 30,000 ppm



HIGOT426

- Corrective Action: Increased vacuum
- 11/17/2023
- 10-Day Follow Up Reading – 18,000 ppm
 - Additional 10-Day Follow Up Reading on 12/01/2023 – 4,155 ppm



21.HAHC1126

- 11/08/2023
- Initial Reading – 2,465 ppm



HAHC1126

- Corrective Action: Increased vacuum
- 11/17/2023
- 10-Day Follow Up Reading – 2,355 ppm
 - Additional 10-Day Follow Up Reading on 12/01/2023 – 13,000 ppm



22. HIGOT404

- 11/08/2023
- Initial Reading – 8,320 ppm



HIGOT404

- Corrective Action: Increased vacuum
- 11/17/2023
- 10-Day Follow Up Reading – 6,450 ppm
 - Additional 10-Day Follow Up Reading on 12/01/2023 – 5,110 ppm



23.HAGW1226

- 11/08/2023
- Initial Reading – 1,285 ppm



HAGW1226

- Corrective Action: Increased vacuum
- 11/17/2023
- 10-Day Follow Up Reading –8,200 ppm
 - Additional 10-Day Follow Up Reading on 12/01/2023 – 6,060 ppm




24. HIGOT424

- 11/08/2023
- Initial Reading – 40,000 ppm



HIGOT424

- Corrective Action: Increased vacuum
- 11/17/2023
- 10-Day Follow Up Reading – 8,910 ppm
 - Additional 10-Day Follow Up Reading on 12/01/2023 – 29,000 ppm



25. HIGOT420

- 11/08/2022
- Initial Reading – 829 ppm



HIGOT420

- Corrective Action: Added cover dirt
- 11/17/2023
- 10-Day Follow Up Reading – 589 ppm
 - Additional 10-Day Follow Up Reading on 11/27/2023 – 40.0 ppm



26. HAGW1223

- 11/08/2023
- Initial Reading – 25,000 ppm



HAGW1223

- Corrective Action: Increased vacuum
- 11/17/2023
- 10-Day Follow Up Reading – 17,000 ppm
 - Additional 10-Day Follow Up Reading on 11/27/2023 – 1,863 ppm



27.HIGOT383

- 11/08/2023
- Initial Reading – 4,780 ppm



HIGOT383

- Corrective Action: Increased vacuum
- 11/17/2023
- 10-Day Follow Up Reading – 9,010 ppm
 - Additional 10-Day Follow Up Reading on 11/27/2023 – 490 ppm
 - 1-Month Follow Up Reading on 12/07/2023 – 8,270 ppm



28. HAGW1009

- 11/08/2023
- Initial Reading – 10,000 ppm



HAGW1009

- Corrective Action: Increased vacuum
- 11/17/2023
- 10-Day Follow Up Reading – 1,185 ppm
 - Additional 10-Day Follow Up Reading on 11/27/2023 – 4.0 ppm



29.WEST_44R

- 11/08/2023
- Initial Reading – 872 ppm



WEST_44R

- Corrective Action: Increased vacuum
- 11/17/2023
 - 10-Day Follow Up Reading – 4.4 ppm



30. WSTGW150

- 11/08/2023
- Initial Reading – 3,140 ppm



WSTGW150

- Corrective Action: Repaired liner & installed liner vacuum hose/valve
- 11/17/2023
- 10-Day Follow Up Reading – 5.6 ppm



31. WEST43RR

- 11/08/2023
- Initial Reading – 431 ppm



WEST43RR

- Corrective Action: Increased vacuum
- 11/27/2023
- Follow Up Reading – 87.0 ppm



32. HIGOT357

- 11/08/2023
- Initial Reading – 825 ppm



HIGOT357

- Corrective Action: New/increased vacuum source
- 11/17/2023
- 10-Day Follow Up Reading – 9.7 ppm



33.HAGW1204

- 11/08/2023
- Initial Reading – 952 ppm



HAGW1204

- Corrective Action: Increased vacuum/run new vacuum source
- 11/17/2023
- 10-Day Follow Up Reading – 9.0 ppm



34.HAGW1221

- 11/08/2023
- Initial Reading – 1,380 ppm



HAGW1221

- Corrective Action: Increased vacuum
- 11/17/2023
- 10-Day Follow Up Reading – 54.7 ppm



35.HAHC1240

- 11/08/2023
- Initial Reading – 333 ppm



HAHC1240

- Corrective Action: Increased vacuum
- 11/17/2023
- Follow Up Reading – 52.8 ppm



36.HAGW1229

- 11/08/2023
- Initial Reading – 9,050 ppm



HAGW1229

- Corrective Action: Increased vacuum
- 11/17/2023
- 10-Day Follow Up Reading – 50.5 ppm
 - 1-Month Follow Up Reading on 12/07/2023 – 1,220 ppm
 - Additional 1-Month Follow Up Reading on 12/15/2023 – 68.8 ppm



37.HAGW1215

- 11/08/2023
- Initial Reading – 342 ppm



HAGW1215

- Corrective Action: Increased vacuum
- 11/27/2023
- Follow Up Reading – 4.0 ppm



38.HAHC1233

- 11/08/2023
- Initial Reading – 326 ppm



HAHC1233

- Corrective Action: Increased vacuum
- 11/27/2023
- Follow Up Reading – 4.0 ppm



39. HIGOT398

- 11/08/2023
- Initial Reading – 615 ppm




HIGOT398

- Corrective Action: Added cover dirt
- 11/17/2023
- 10-Day Follow Up Reading – 28.1 ppm



40.HAHC1216

- 11/08/2023
- Initial Reading – 1,266 ppm



HAHC1216

- Corrective Action: Additional cover added and installed boot/liner
- 11/17/2023
- 10-Day Follow Up Reading – 54.1 ppm
 - 1-Month Follow Up Reading on 12/07/2023 – 1,030 ppm
 - Additional 1-Month Follow Up Reading on 12/15/2023 – 62.0



41.HAGW1201

- 11/08/2023
- Initial Reading – 1,030 ppm



HAGW1201

- Corrective Action: Increased vacuum/ resealed liner base
- 11/17/2023
- 10-Day Follow Up Reading – 11.5 ppm



42.WSTGW164

- 11/08/2023
- Initial Reading – 1,360 ppm




WSTGW164

- Corrective Action: Resealed well base
- 11/17/2023
- 10-Day Follow Up Reading – 2.7 ppm



43. HIGOT339

- 11/08/2023
- Initial Reading – 754 ppm



HIGOT339

- Corrective Action: Resealed well base
- 11/17/2023
- 10-Day Follow Up Reading – 2.7 ppm



44. HAHC1103

- 11/08/2023
- Initial Reading – 653 ppm



HAHC1103

- Corrective Action: Resealed well base
- 11/17/2023
- 10-Day Follow Up Reading – 7.2 ppm



45. WEST102R

- 11/08/2023
- Initial Reading – 1,235 ppm



WEST102R

- Corrective Action: Increased vacuum
- 11/17/2023
- 10-Day Follow Up Reading – 17.0 ppm



46. HIGOT359

- 11/08/2023
- Initial Reading – 256 ppm



HIGOT359

- Corrective Action: New boot system installed
- 11/17/2023
- Follow Up Reading – 9.1 ppm




47. HIGOT346

- 11/08/2023
- Initial Reading – 960 ppm



HIGOT346

- Corrective Action: New boot system installed
- 11/17/2023
- 10-Day Follow Up Reading – 6.5 ppm



48. Grid X34

- 11/08/2023
- Initial Reading – 324 ppm



Grid X34

- Corrective Action: Additional cover added
- 11/27/2023
- Follow Up Reading – 28.0 ppm



Attachment 3

z6-17454
Records: 2016

Timestamps

W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	Port1		Port8	
															Barometer			
															kPa Reference Pressure	°F Logger Temp.		
2023-11-07 06:30:00	1	0	0	0	264	8	11.67	14	1.328	98.08	-0.4	-0.7	0	13.9	0.27	98.06	13.5	
2023-11-07 06:35:00	2	0	0	0	266	7.33	10.92	14	1.33	98.09	-0.6	-0.8	0	14	0.26	98.07	13.6	
2023-11-07 06:40:00	3	0	0	0	268	6.74	10.87	14	1.332	98.09	-0.3	-0.5	0	14	0.27	98.07	13.6	
2023-11-07 06:45:00	5	0	0	0	268	5.19	9.23	14	1.332	98.1	-0.2	-0.7	0	14	0.27	98.08	13.7	
2023-11-07 06:50:00	8.6	0	0	0	264	6.27	10.26	14	1.332	98.11	-0.1	-0.7	0	14	0.27	98.09	13.7	
2023-11-07 06:55:00	8.2	0	0	0	273	6.56	10.41	14	1.334	98.11	-0.1	-0.8	0	14	0.27	98.09	13.7	
2023-11-07 07:00:00	10	0	0	0	264	5.91	10.35	14.1	1.334	98.13	-0.2	-0.8	0	14.1	0.27	98.1	13.8	
2023-11-07 07:05:00	13.8	0	0	0	272	6.7	11.63	14	1.332	98.13	0	-1.3	0	14.1	0.27	98.11	13.8	
2023-11-07 07:10:00	15.6	0	0	0	268	7	10.18	14.1	1.33	98.14	0.1	-0.9	0	14.1	0.28	98.11	13.8	
2023-11-07 07:15:00	19.4	0	0	0	270	5.62	8.53	14.1	1.33	98.15	-0.2	-0.6	0	14.1	0.27	98.13	13.9	
2023-11-07 07:20:00	18.6	0	0	0	269	5.92	9.93	14.1	1.33	98.16	-0.1	-0.8	0	14.1	0.27	98.13	13.8	
2023-11-07 07:25:00	19	0	0	0	266	5.8	11.13	14	1.328	98.17	-0.2	-0.7	0	14.1	0.27	98.14	13.9	
2023-11-07 07:30:00	22	0	0	0	267	5.48	9.54	14	1.328	98.18	-0.5	-0.6	0	14.1	0.27	98.16	13.9	
2023-11-07 07:35:00	23.2	0	0	0	268	7.4	11.46	14	1.316	98.18	-0.1	-0.8	0	14	0.28	98.16	13.9	
2023-11-07 07:40:00	26.4	0	0	0	268	5.79	8.75	14	1.316	98.19	0	-0.6	0	14	0.28	98.17	13.9	
2023-11-07 07:45:00	29.8	0	0	0	272	6.75	10.39	14	1.312	98.2	-0.2	-0.9	0	14	0.28	98.18	13.9	
2023-11-07 07:50:00	38.8	0	0	0	273	6.79	13.66	14	1.31	98.2	-0.3	-0.8	0	14	0.29	98.18	13.9	
2023-11-07 07:55:00	47.6	0	0	0	267	5.66	8.61	14	1.314	98.22	-0.2	-0.7	0	14.1	0.28	98.19	13.9	
2023-11-07 08:00:00	64.8	0	0	0	268	6.49	11.11	14	1.312	98.21	0	-0.5	0	14	0.29	98.2	13.9	
2023-11-07 08:05:00	59.4	0	0	0	275	6.85	11.95	14	1.312	98.23	-0.5	-0.7	0	14.1	0.29	98.2	14	
2023-11-07 08:10:00	43	0	0	0	273	6.44	9.12	14	1.306	98.23	-0.3	-0.7	0	14.1	0.29	98.21	14	
2023-11-07 08:15:00	71.4	0	0	0	262	7.19	11.02	14	1.304	98.22	-0.2	-0.8	0	14	0.29	98.21	14	
2023-11-07 08:20:00	76	0	0	0	271	5.43	8.34	13.9	1.304	98.24	0.2	-0.7	0	14	0.29	98.22	14	
2023-11-07 08:25:00	61.4	0	0	0	269	5.48	9.89	14	1.306	98.25	-0.1	-0.8	0	14.1	0.29	98.23	14	
2023-11-07 08:30:00	69.6	0	0	0	267	5.51	10.77	13.9	1.302	98.26	-0.2	-0.7	0	14	0.29	98.23	14	
2023-11-07 08:35:00	62.6	0	0	0	269	5.76	7.9	13.9	1.294	98.26	-0.2	-0.6	0	14	0.3	98.24	14	
2023-11-07 08:40:00	81	0	0	0	271	5.73	11.59	13.9	1.296	98.27	-0.3	-0.6	0	14	0.29	98.25	14	
2023-11-07 08:45:00	86	0	0	0	268	6.29	9.26	13.9	1.292	98.28	-0.5	-0.8	0	14	0.3	98.25	14	
2023-11-07 08:50:00	86.2	0	0	0	272	6.9	12.17	13.9	1.284	98.28	-0.4	-0.5	0	14	0.3	98.26	14	
2023-11-07 08:55:00	78.6	0	0	0	278	7.74	12.12	13.9	1.282	98.28	-0.4	-0.8	0	14	0.31	98.26	14	
2023-11-07 09:00:00	81.8	0	0	0	275	6.57	10.43	14	1.284	98.29	-0.3	-0.8	0	14	0.31	98.27	14	
2023-11-07 09:05:00	91.2	0	0	0	280	7.35	13.96	13.8	1.274	98.28	-0.7	-0.5	0	14	0.31	98.27	14	
2023-11-07 09:10:00	83.4	0	0	0	278	6.39	9.21	13.9	1.272	98.29	-0.2	-0.9	0	13.9	0.31	98.27	14	
2023-11-07 09:15:00	77.2	0	0	0	276	6.24	10.23	13.8	1.27	98.29	-0.1	-0.8	0	13.9	0.31	98.27	14	
2023-11-07 09:20:00	86.8	0	0	0	274	6.91	10.03	13.8	1.264	98.29	-0.3	-0.5	0	13.9	0.32	98.27	14	
2023-11-07 09:25:00	68.8	0	0	0	277	6.42	9.94	13.8	1.26	98.3	0	-0.7	0	13.9	0.32	98.28	14	
2023-11-07 09:30:00	51.6	0	0	0	276	6.42	9.9	13.8	1.256	98.3	-0.2	-0.7	0	13.8	0.32	98.28	13.9	
2023-11-07 09:35:00	59.6	0	0	0	279	6.78	9.97	13.7	1.246	98.3	-0.4	-0.5	0	13.8	0.32	98.28	13.9	
2023-11-07 09:40:00	76	0	0	0	285	7.11	11.57	13.7	1.242	98.3	0.1	-0.8	0	13.8	0.32	98.28	13.9	
2023-11-07 09:45:00	35.6	0	0	0	307	8.56	13.31	13.6	1.234	98.31	-0.4	0	0	13.6	0.32	98.28	13.7	
2023-11-07 09:50:00	20.4	0	0	0	310	10.18	14.73	13.1	1.218	98.31	-0.8	-0.7	0	13.1	0.29	98.29	13.3	
2023-11-07 09:55:00	37	0	0	0	302	10.31	15.11	12.6	1.192	98.32	-0.4	0.3	0	12.7	0.27	98.3	12.9	
2023-11-07 10:00:00	26.4	0	0	0	306	9.07	13.4	12.3	1.172	98.33	-0.6	-0.6	0	12.3	0.26	98.32	12.4	
2023-11-07 10:05:00	39.6	0	0	0	307	9.2	16.04	11.9	1.144	98.35	-0.5	-1	0	12	0.25	98.33	12.2	
2023-11-07 10:10:00	84.2	0	0	0	307	9.26	13.16	11.7	1.11	98.35	-0.1	-0.7	0	11.8	0.26	98.33	12.1	
2023-11-07 10:15:00	149.8	0	0	0	307	9.2	13.47	11.6	1.096	98.35	-0.3	-1.9	0	11.8	0.27	98.34	12.1	
2023-11-07 10:20:00	127.8	0	0	0	306	7.87	12.47	11.6	1.09	98.37	-0.1	-0.4	0	11.8	0.28	98.35	12.2	
2023-11-07 10:25:00	104	0	0	0	304	6.3	9.58	11.6	1.082	98.38	-0.3	-1.1	0	11.7	0.28	98.37	12.2	
2023-11-07 10:30:00	180.2	0	0	0	303	8.35	13.61	11.6	1.074	98.38	-0.1	-0.8	0	11.8	0.29	98.37	12.2	
2023-11-07 10:35:00	106.8	0	0	0	302	9.16	13.16	11.7	1.062	98.39	-0.5	0.1	0	11.8	0.31	98.38	12.1	
2023-11-07 10:40:00	142	0	0	0	295	8.84	14.28	11.6	1.054	98.4	-0.5	-0.8	0	11.7	0.31	98.39	12.1	
2023-11-07 10:45:00	199.2	0	0	0	301	7.9	11.89	11.6	1.056	98.41	0	-0.6	0	11.8	0.31	98.41	12.1	
2023-11-07 10:50:00	201	0	0	0	289	9.01	15.14	11.7	1.054	98.42	-0.1	-1.2	0	11.9	0.32	98.41	12.1	
2023-11-07 10:55:00	187	0	0	0	286	8.67	13.23	11.7	1.038	98.43	0.3	-0.7	0	11.9	0.34	98.42	12.1	
2023-11-07 11:00:00	210.6	0	0	0	286	7.11	12.05	11.8	1.036	98.45	0.3	-0.7	0	12	0.34	98.44	12.1	
2023-11-07 11:05:00	331.4	0	0	0	296	9.05	14.25	12	1.036	98.43	-1.3	0.5	0	12.3	0.37	98.44	12.1	
2023-11-07 11:10:00	223.6	0	0	0	286	9.72	12.55	12.3	1.038	98.44	-0.1	-0.1	0	12.5	0.39	98.44	12.2	
2023-11-07 11:15:00	244.6	0	0	0	293	9.8	13.41	12.1	1.014	98.44	-0.9	-0.1	0	12.3	0.4	98.44	12.2	
2023-11-07 11:20:00	286.4	0	0	0	286	9.98	15.05	12	1.012	98.45	-0.3	-1	0	12.3	0.39	98.45	12.2	
2023-11-07 11:25:00	238.4	0	0	0	282	7.7	12.92	12.1	1.018	98.46	-0.2	-0.5	0	12.3	0.39	98.46	12.4	

z6-17454
Records: 2016

Timestamps	Port1														Port8		
	ATMOS 41 All-in-one Weather Station															Barometer	
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-07 11:30:00	319.2	0	0	0	284	9.1	12.33	12.3	1.022	98.45	-0.6	-0.3	0	12.6	0.41	98.46	12.4
2023-11-07 11:35:00	184	0	0	0	296	7.4	11.26	12.3	1.026	98.47	-0.4	-0.8	0	12.5	0.41	98.46	12.4
2023-11-07 11:40:00	213	0	0	0	291	9.09	13.5	12.2	1.016	98.46	-0.2	-0.8	0	12.4	0.4	98.46	12.4
2023-11-07 11:45:00	284	0	0	0	296	7.41	10.33	12.1	1.014	98.47	-0.3	-0.4	0	12.4	0.4	98.46	12.4
2023-11-07 11:50:00	173.6	0	0	0	285	8.45	14.76	12.2	1.008	98.47	-0.9	-0.6	0	12.4	0.41	98.46	12.4
2023-11-07 11:55:00	146	0	0	0	291	7.1	10.61	12	1.002	98.49	-0.1	-0.7	0	12.2	0.4	98.48	12.3
2023-11-07 12:00:00	176	0	0	0	288	7.8	11.72	11.8	0.986	98.49	-0.7	-0.3	0	12	0.4	98.47	12.3
2023-11-07 12:05:00	136.4	0	0	0	283	7.57	10.97	11.9	0.976	98.49	-0.2	-0.9	0	12	0.41	98.48	12.3
2023-11-07 12:10:00	135.8	0	0	0	290	7.34	13.08	11.8	0.976	98.5	-0.3	-1	0	12	0.41	98.49	12.3
2023-11-07 12:15:00	168.2	0	0	0	298	9.39	13.8	11.8	0.958	98.49	-0.1	-0.8	0	12	0.43	98.47	12.3
2023-11-07 12:20:00	177.8	0	0	0	294	10.63	14.65	11.8	0.946	98.49	-0.3	-1.7	0	12	0.44	98.49	12.3
2023-11-07 12:25:00	121.4	0	0	0	286	8.55	12.49	11.7	0.946	98.52	0	-0.6	0	11.9	0.43	98.51	12.2
2023-11-07 12:30:00	122.8	0	0	0	277	7.91	14.11	11.6	0.942	98.54	0	-1.1	0	11.7	0.42	98.52	12.1
2023-11-07 12:35:00	108.4	0	0	0	279	6.23	10.24	11.6	0.944	98.55	0	-0.9	0	11.7	0.42	98.53	12
2023-11-07 12:40:00	128	0	0	0	278	6.44	10.32	11.5	0.944	98.56	-0.2	-0.8	0	11.6	0.41	98.54	12
2023-11-07 12:45:00	154.6	0	0	0	284	6.52	10.93	11.5	0.94	98.56	-0.3	-0.8	0	11.6	0.41	98.54	12
2023-11-07 12:50:00	146	0	0	0	284	8.09	12.54	11.5	0.928	98.55	0	-0.5	0	11.7	0.43	98.53	12
2023-11-07 12:55:00	115.6	0	0	0	295	10.14	14.54	11.5	0.926	98.56	0	-0.4	0	11.6	0.43	98.54	11.9
2023-11-07 13:00:00	109.4	0	0	0	296	8.14	11.72	11.3	0.916	98.58	-0.5	-1.2	0	11.4	0.42	98.56	11.8
2023-11-07 13:05:00	133.6	0	0	0	300	8.23	12.51	11.2	0.922	98.59	-0.2	-0.5	0	11.4	0.41	98.57	11.7
2023-11-07 13:10:00	160.6	0	0	0	292	7.95	11.92	11.1	0.914	98.59	-0.3	-0.4	0	11.3	0.41	98.58	11.7
2023-11-07 13:15:00	172.2	0	0	0	298	7.59	10.73	11.1	0.904	98.6	-0.1	-0.7	0	11.2	0.41	98.59	11.7
2023-11-07 13:20:00	182.8	0	0	0	286	7.57	11.89	11.1	0.912	98.61	0.1	-1	0	11.3	0.41	98.6	11.7
2023-11-07 13:25:00	204	0	0	0	281	7.8	12.32	11.1	0.91	98.62	-0.2	-0.6	0	11.3	0.41	98.6	11.7
2023-11-07 13:30:00	154.2	0	0	0	276	7.09	11.03	11.2	0.912	98.63	-0.1	-1.2	0	11.3	0.41	98.62	11.7
2023-11-07 13:35:00	96.8	0	0	0	281	8.44	13.2	11.2	0.896	98.63	-0.3	-1	0	11.3	0.43	98.61	11.6
2023-11-07 13:40:00	117	0	0	0	283	9.1	12.76	11	0.876	98.64	0.2	-0.7	0	11.1	0.44	98.62	11.4
2023-11-07 13:45:00	119.8	0	0	0	291	9.53	14	10.9	0.862	98.64	-0.3	-1.2	0	11	0.44	98.63	11.4
2023-11-07 13:50:00	156	0	0	0	295	9.33	13.49	10.8	0.86	98.65	-0.7	-0.8	0	11	0.43	98.64	11.3
2023-11-07 13:55:00	201.4	0	0	0	297	8.14	11.12	10.8	0.868	98.66	-0.1	-0.6	0	11	0.43	98.64	11.3
2023-11-07 14:00:00	108.6	0	0	0	308	8.77	13.68	10.9	0.88	98.67	0	-0.6	0	11.1	0.43	98.64	11.3
2023-11-07 14:05:00	73	0	0	0	312	8.34	11.2	10.7	0.884	98.67	-0.1	-0.3	0	10.8	0.4	98.66	11
2023-11-07 14:10:00	53	0	0	0	302	7.61	11.33	10.3	0.882	98.69	-0.5	-0.8	0	10.4	0.37	98.67	10.8
2023-11-07 14:15:00	49	0	0	0	307	7.26	9.49	10.1	0.884	98.7	-0.8	-0.7	0	10.1	0.35	98.68	10.5
2023-11-07 14:20:00	40.8	0	0	0	315	8.2	14.54	9.8	0.88	98.71	-0.7	-0.7	0	9.9	0.33	98.69	10.3
2023-11-07 14:25:00	42.6	0	0	0	312	7.4	12.23	9.6	0.886	98.72	-0.5	-0.3	0	9.6	0.31	98.7	10.1
2023-11-07 14:30:00	48.4	0	0	0	311	9.08	12.76	9.5	0.892	98.73	-0.6	-1.2	0	9.5	0.29	98.71	10
2023-11-07 14:35:00	46.8	0	0	0	310	7.08	11.25	9.3	0.896	98.74	0	-0.7	0	9.4	0.27	98.73	9.8
2023-11-07 14:40:00	40.2	0	0	0	313	7.59	13.7	9.2	0.9	98.75	-0.2	-1.1	0	9.2	0.26	98.73	9.7
2023-11-07 14:45:00	38.8	0	0	0	302	9.07	12.15	9.1	0.896	98.75	-0.8	-0.1	0	9.1	0.26	98.74	9.5
2023-11-07 14:50:00	28	0	0	0	305	8.47	13.53	9	0.892	98.76	-0.7	-0.3	0	9	0.25	98.75	9.4
2023-11-07 14:55:00	26.8	0	0	0	311	7.88	10.59	8.9	0.89	98.77	-0.1	-0.9	0	8.9	0.25	98.75	9.3
2023-11-07 15:00:00	41.6	0	0	0	309	7.48	10.79	8.8	0.888	98.78	-0.5	-0.9	0	8.8	0.24	98.77	9.1
2023-11-07 15:05:00	39.6	0	0	0	302	6.33	9.58	8.7	0.892	98.79	-0.9	-0.7	0	8.7	0.23	98.78	9.1
2023-11-07 15:10:00	31	0	0	0	304	5.9	9.02	8.6	0.888	98.82	-0.4	-0.7	0	8.6	0.23	98.8	9
2023-11-07 15:15:00	28.4	0	0	0	303	6.93	10.63	8.5	0.882	98.83	-0.3	-0.7	0	8.6	0.23	98.81	8.9
2023-11-07 15:20:00	31.4	0	0	0	293	7.6	12.54	8.5	0.88	98.84	-0.7	-0.7	0	8.5	0.23	98.82	8.8
2023-11-07 15:25:00	23	0	0	0	302	5.36	7.94	8.5	0.884	98.85	-0.4	-0.8	0	8.5	0.22	98.83	8.7
2023-11-07 15:30:00	26.6	0	0	0	299	8.11	10.52	8.4	0.89	98.84	-0.3	-1	0	8.4	0.21	98.83	8.7
2023-11-07 15:35:00	25.4	0	0	0	298	6.28	10.93	8.3	0.89	98.85	-0.6	-0.6	0	8.3	0.2	98.84	8.5
2023-11-07 15:40:00	22.4	0	0	0	301	7.02	10.25	8.2	0.89	98.86	-0.5	-0.7	0	8.2	0.2	98.84	8.4
2023-11-07 15:45:00	14.2	0	0	0	303	6.79	10.05	8.2	0.89	98.87	-0.5	-0.9	0	8.2	0.19	98.85	8.4
2023-11-07 15:50:00	10.6	0	0	0	305	5.37	7.63	8.1	0.888	98.88	-0.5	-0.6	0	8.1	0.19	98.86	8.3
2023-11-07 15:55:00	8.2	0	0	0	316	6.88	9.59	8	0.894	98.89	-0.4	-0.8	0	8	0.18	98.87	8.1
2023-11-07 16:00:00	5.6	0	0	0	320	7.68	10.93	7.7	0.894	98.89	-0.6	-1	0	7.7	0.16	98.87	7.6
2023-11-07 16:05:00	5.4	0	0	0	300	7.29	10.09	7.4	0.888	98.9	-0.3	-0.6	0	7.4	0.14	98.87	7.2
2023-11-07 16:10:00	5	0	0	0	314	6.51	8.9	7.1	0.882	98.91	-0.9	-0.7	0	7.1	0.13	98.89	7
2023-11-07 16:15:00	4.6	0	0	0	311	5.52	7.86	7	0.88	98.92	-0.5	-0.6	0	7	0.12	98.9	6.8
2023-11-07 16:20:00	4	0	0	0	303	5.03	7.58	6.9	0.874	98.92	-0.6	-0.8	0	6.9	0.12	98.9	6.7
2023-11-07 16:25:00	2.8	0	0	0	305	5.02	7.4	6.8	0.872	98.93	-0.6	-0.7	0	6.8	0.12	98.91	6.7

z6-17454
Records: 2016

Timestamps	Port1														Port8		
	ATMOS 41 All-in-one Weather Station														Barometer		
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-07 16:30:00	1.4	0	0	0	302	4.31	7.91	6.8	0.87	98.94	-0.4	-0.8	0	6.8	0.12	98.92	6.7
2023-11-07 16:35:00	0	0	0	0	305	5.53	8.91	6.8	0.86	98.94	-0.4	-0.6	0	6.9	0.13	98.93	6.8
2023-11-07 16:40:00	0	0	0	0	298	5.33	7.4	6.9	0.856	98.96	-0.6	-0.7	0	6.9	0.14	98.94	6.8
2023-11-07 16:45:00	0	0	0	0	303	5.84	9.43	6.9	0.85	98.97	-0.3	-0.5	0	6.9	0.14	98.95	6.8
2023-11-07 16:50:00	0	0	0	0	316	6.4	12.26	6.9	0.838	98.97	-0.4	-0.7	0	6.9	0.16	98.96	6.8
2023-11-07 16:55:00	0	0	0	0	310	5.94	9.75	6.9	0.834	98.98	-0.5	-0.5	0	6.9	0.16	98.97	6.8
2023-11-07 17:00:00	0	0	0	0	301	7.16	10.11	6.9	0.828	98.98	-0.4	-0.7	0	6.9	0.17	98.97	6.8
2023-11-07 17:05:00	0	0	0	0	309	6.12	9.68	6.9	0.824	98.99	-0.7	-0.6	0	6.9	0.17	98.97	6.8
2023-11-07 17:10:00	0	0	0	0	308	7.16	11.41	6.9	0.824	99.01	-0.6	-0.8	0	6.9	0.17	98.98	6.8
2023-11-07 17:15:00	0	0	0	0	313	9.25	11.89	6.8	0.812	99	-0.8	-1	0	6.8	0.18	98.98	6.7
2023-11-07 17:20:00	0	0	0	0	307	7.37	11.61	6.8	0.81	99.01	-0.1	-0.3	0	6.8	0.18	99	6.7
2023-11-07 17:25:00	0	0	0	0	310	6.82	9.65	6.8	0.81	99.03	-0.4	-0.6	0	6.8	0.18	99.01	6.7
2023-11-07 17:30:00	0	0	0	0	308	5.85	10.53	6.7	0.804	99.04	-0.5	-0.8	0	6.7	0.18	99.03	6.6
2023-11-07 17:35:00	0	0	0	0	306	8.29	12.39	6.7	0.806	99.05	-0.2	-0.9	0	6.7	0.17	99.03	6.6
2023-11-07 17:40:00	0	0	0	0	307	7.66	9.49	6.7	0.8	99.06	-0.4	-0.9	0	6.7	0.18	99.05	6.6
2023-11-07 17:45:00	0	0	0	0	315	7.05	10.85	6.6	0.8	99.08	-0.5	-0.6	0	6.6	0.18	99.06	6.6
2023-11-07 17:50:00	0	0	0	0	315	7.78	10.76	6.6	0.792	99.08	-0.6	-0.7	0	6.6	0.18	99.06	6.5
2023-11-07 17:55:00	0	0	0	0	313	7.8	10.75	6.6	0.788	99.08	-0.7	-0.7	0	6.6	0.19	99.07	6.5
2023-11-07 18:00:00	0	0	0	0	308	7.91	13.58	6.5	0.78	99.09	-0.8	-1.1	0	6.5	0.19	99.08	6.4
2023-11-07 18:05:00	0	0	0	0	313	6.74	8.78	6.5	0.78	99.1	-0.7	-0.8	0	6.5	0.19	99.09	6.4
2023-11-07 18:10:00	0	0	0	0	312	5.48	7.96	6.4	0.78	99.12	-0.4	-0.7	0	6.4	0.18	99.1	6.4
2023-11-07 18:15:00	0	0	0	0	318	6.37	8.08	6.4	0.776	99.12	-0.6	-0.7	0	6.4	0.19	99.11	6.3
2023-11-07 18:20:00	0	0	0	0	315	7.09	10.83	6.4	0.77	99.12	-0.4	-0.6	0	6.4	0.19	99.11	6.3
2023-11-07 18:25:00	0	0	0	0	304	5.34	8.96	6.3	0.772	99.14	-0.7	-0.5	0	6.3	0.18	99.13	6.3
2023-11-07 18:30:00	0	0	0	0	314	7.95	11.23	6.3	0.768	99.14	-0.7	-0.4	0	6.3	0.19	99.13	6.2
2023-11-07 18:35:00	0	0	0	0	313	8.24	12.19	6.3	0.758	99.15	-0.6	-1.1	0	6.3	0.2	99.14	6.2
2023-11-07 18:40:00	0	0	0	0	305	8.55	13.82	6.2	0.75	99.16	-0.4	-1	0	6.2	0.2	99.15	6.2
2023-11-07 18:45:00	0	0	0	0	305	7.92	12.91	6.2	0.748	99.17	-0.7	-1	0	6.2	0.2	99.15	6.1
2023-11-07 18:50:00	0	0	0	0	312	8.96	14.13	6.1	0.742	99.17	-0.5	-1.4	0	6.1	0.2	99.17	6.1
2023-11-07 18:55:00	0	0	0	0	313	7.65	11.46	6	0.736	99.19	-0.6	-0.7	0	6	0.2	99.18	6
2023-11-07 19:00:00	0	0	0	0	303	6.5	9.71	6.1	0.738	99.21	-0.5	-0.7	0	6	0.2	99.2	6
2023-11-07 19:05:00	0	0	0	0	306	7.3	12.15	6	0.734	99.21	-0.1	-1.2	0	5.9	0.2	99.2	5.9
2023-11-07 19:10:00	0	0	0	0	306	7.82	11.98	5.9	0.73	99.22	-0.6	-0.6	0	5.9	0.2	99.2	5.9
2023-11-07 19:15:00	0	0	0	0	309	8.23	11.49	5.9	0.726	99.22	-0.8	-0.5	0	5.9	0.2	99.21	5.8
2023-11-07 19:20:00	0	0	0	0	317	7.56	11.15	5.8	0.726	99.23	-0.4	-1	0	5.8	0.2	99.22	5.8
2023-11-07 19:25:00	0	0	0	0	308	6.09	9.27	5.7	0.718	99.25	-0.5	-0.6	0	5.7	0.2	99.23	5.7
2023-11-07 19:30:00	0	0	0	0	313	7.34	11.1	5.6	0.714	99.25	-0.8	-0.7	0	5.6	0.2	99.23	5.6
2023-11-07 19:35:00	0	0	0	0	309	10.49	16.96	5.6	0.706	99.25	-0.4	-0.6	0	5.6	0.2	99.24	5.5
2023-11-07 19:40:00	0	0	0	0	307	8.27	10.77	5.5	0.7	99.26	-0.3	-0.2	0	5.5	0.2	99.25	5.4
2023-11-07 19:45:00	0	0	0	0	313	8.79	11.79	5.4	0.696	99.26	-0.4	-0.7	0	5.4	0.2	99.25	5.3
2023-11-07 19:50:00	0	0	0	0	308	9.78	15.14	5.3	0.684	99.26	0	-0.4	0	5.2	0.2	99.24	5.2
2023-11-07 19:55:00	0	0	0	0	302	8.6	13.17	5.1	0.678	99.26	-0.3	-1.6	0	5.1	0.2	99.25	5.2
2023-11-07 20:00:00	0	0	0	0	307	7.26	10.77	5.1	0.68	99.26	-0.5	-0.5	0	5.1	0.2	99.25	5.1
2023-11-07 20:05:00	0	0	0	0	305	6.17	9.22	5.1	0.684	99.28	-0.5	-0.6	0	5.1	0.19	99.26	5.1
2023-11-07 20:10:00	0	0	0	0	308	7.75	11.12	5	0.68	99.27	-0.4	-0.8	0	5	0.19	99.26	5
2023-11-07 20:15:00	0	0	0	0	319	6.75	8.75	5	0.68	99.29	-0.4	-0.6	0	5	0.19	99.27	5
2023-11-07 20:20:00	0	0	0	0	317	7.45	11.19	5	0.686	99.29	-0.6	-1	0	5	0.18	99.27	4.9
2023-11-07 20:25:00	0	0	0	0	318	7.3	11.82	4.9	0.68	99.3	-0.7	-1	0	4.9	0.19	99.29	4.9
2023-11-07 20:30:00	0	0	0	0	305	9.12	11.92	4.9	0.68	99.29	-0.5	-0.1	0	4.8	0.18	99.28	4.8
2023-11-07 20:35:00	0	0	0	0	311	6.95	10.46	4.8	0.68	99.3	-0.6	-0.8	0	4.8	0.18	99.29	4.8
2023-11-07 20:40:00	0	0	0	0	314	9.07	12.3	4.8	0.682	99.31	-0.4	-0.6	0	4.8	0.18	99.3	4.7
2023-11-07 20:45:00	0	0	0	0	311	7.85	12.35	4.7	0.682	99.32	-0.6	-1	0	4.7	0.17	99.32	4.6
2023-11-07 20:50:00	0	0	0	0	310	9.16	13.43	4.6	0.68	99.32	-0.8	-0.6	0	4.6	0.17	99.31	4.6
2023-11-07 20:55:00	0	0	0	0	302	8.48	11.73	4.5	0.676	99.33	-0.4	-0.6	0	4.5	0.17	99.32	4.5
2023-11-07 21:00:00	0	0	0	0	300	7.89	10.41	4.4	0.674	99.35	-0.7	-0.8	0	4.4	0.16	99.34	4.4
2023-11-07 21:05:00	0	0	0	0	303	6.83	11.29	4.4	0.672	99.36	-0.5	-0.8	0	4.4	0.16	99.35	4.4
2023-11-07 21:10:00	0	0	0	0	316	6.99	9.46	4.3	0.67	99.36	-0.7	-0.7	0	4.3	0.16	99.36	4.3
2023-11-07 21:15:00	0	0	0	0	318	7.51	9.44	4.2	0.666	99.38	-0.4	-0.8	0	4.2	0.16	99.36	4.2
2023-11-07 21:20:00	0	0	0	0	311	7.47	11.33	4.1	0.662	99.38	-0.5	-0.8	0	4.1	0.16	99.37	4.1
2023-11-07 21:25:00	0	0	0	0	307	7.13	9.97	4	0.66	99.39	-0.8	-0.6	0	4.1	0.16	99.37	4

z6-17454
Records: 2016

Timestamps	Port1														Port8		
	ATMOS 41 All-in-one Weather Station															Barometer	
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-07 21:30:00	0	0	0	0	300	7.17	10.92	4	0.656	99.39	-0.2	-0.5	0	4	0.15	99.37	4
2023-11-07 21:35:00	0	0	0	0	307	6.98	10.81	3.9	0.65	99.4	-0.4	-1.1	0	3.9	0.16	99.39	3.9
2023-11-07 21:40:00	0	0	0	0	305	6.93	9.78	3.8	0.65	99.4	-0.6	-0.6	0	3.8	0.15	99.39	3.8
2023-11-07 21:45:00	0	0	0	0	317	6.08	8.65	3.8	0.646	99.4	-0.3	-0.9	0	3.8	0.15	99.39	3.7
2023-11-07 21:50:00	0	0	0	0	311	5.69	8.41	3.7	0.65	99.4	-0.5	-0.7	0	3.7	0.15	99.4	3.7
2023-11-07 21:55:00	0	0	0	0	305	5.8	7.97	3.6	0.64	99.41	-0.4	-0.9	0	3.6	0.15	99.39	3.6
2023-11-07 22:00:00	0	0	0	0	314	5.64	8.29	3.6	0.64	99.41	-0.6	-0.7	0	3.6	0.15	99.4	3.5
2023-11-07 22:05:00	0	0	0	0	319	5.46	7.6	3.5	0.64	99.41	-0.5	-0.7	0	3.5	0.15	99.4	3.5
2023-11-07 22:10:00	0	0	0	0	321	5.86	9.92	3.5	0.636	99.4	-0.5	-0.8	0	3.5	0.15	99.39	3.4
2023-11-07 22:15:00	0	0	0	0	323	7.01	11.01	3.4	0.64	99.4	-0.6	-0.7	0	3.4	0.14	99.39	3.4
2023-11-07 22:20:00	0	0	0	0	322	7.91	11.23	3.4	0.632	99.4	-0.6	-0.9	0	3.4	0.15	99.39	3.3
2023-11-07 22:25:00	0	0	0	0	311	6.46	10	3.3	0.628	99.41	-0.5	-0.7	0	3.3	0.14	99.4	3.2
2023-11-07 22:30:00	0	0	0	0	323	7.26	11.07	3.2	0.62	99.42	-0.7	-0.8	0	3.2	0.15	99.41	3.2
2023-11-07 22:35:00	0	0	0	0	318	7.14	10.26	3.2	0.62	99.43	-0.9	-0.5	0	3.2	0.15	99.42	3.1
2023-11-07 22:40:00	0	0	0	0	323	7.3	9.22	3.1	0.618	99.42	-0.6	-0.8	0	3.1	0.14	99.41	3
2023-11-07 22:45:00	0	0	0	0	323	6.47	9.29	3	0.61	99.42	-0.6	-0.8	0	3	0.15	99.41	2.9
2023-11-07 22:50:00	0	0	0	0	325	6.57	9.4	2.9	0.61	99.42	-0.6	-0.7	0	2.9	0.14	99.4	2.8
2023-11-07 22:55:00	0	0	0	0	314	7.11	11.14	2.9	0.61	99.41	-0.4	-1.2	0	2.9	0.14	99.4	2.8
2023-11-07 23:00:00	0	0	0	0	318	8.19	11.24	2.8	0.604	99.41	-0.9	-0.5	0	2.8	0.14	99.41	2.7
2023-11-07 23:05:00	0	0	0	0	301	7.02	10.64	2.7	0.596	99.43	-0.7	-0.6	0	2.7	0.14	99.42	2.7
2023-11-07 23:10:00	0	0	0	0	314	6.71	10.06	2.7	0.596	99.43	-0.7	-0.6	0	2.7	0.14	99.42	2.6
2023-11-07 23:15:00	0	0	0	0	309	6.13	9.46	2.6	0.59	99.43	-0.7	-0.6	0	2.6	0.15	99.43	2.5
2023-11-07 23:20:00	0	0	0	0	308	6.67	10.36	2.6	0.586	99.44	-0.5	-0.9	0	2.6	0.15	99.43	2.5
2023-11-07 23:25:00	0	0	0	0	300	4.43	6.3	2.5	0.588	99.45	-0.6	-0.7	0	2.5	0.14	99.43	2.4
2023-11-07 23:30:00	0	0	0	0	300	4.97	8.03	2.4	0.582	99.45	-0.7	-0.6	0	2.4	0.15	99.43	2.3
2023-11-07 23:35:00	0	0	0	0	299	4.97	8.68	2.4	0.58	99.45	-0.7	-0.7	0	2.4	0.15	99.44	2.3
2023-11-07 23:40:00	0	0	0	0	289	4.58	7.03	2.4	0.58	99.45	-0.5	-0.7	0	2.4	0.15	99.45	2.3
2023-11-07 23:45:00	0	0	0	0	293	5.11	8.14	2.4	0.58	99.46	-0.5	-0.6	0	2.4	0.15	99.45	2.2
2023-11-07 23:50:00	0	0	0	0	296	5.86	8.84	2.3	0.578	99.47	-0.9	-0.4	0	2.3	0.15	99.46	2.2
2023-11-07 23:55:00	0	0	0	0	295	5.34	8.18	2.3	0.574	99.47	-0.8	-0.5	0	2.3	0.15	99.47	2.2
2023-11-08 00:00:00	0	0	0	0	302	6	9.03	2.4	0.574	99.48	-0.9	-0.5	0	2.3	0.15	99.48	2.1
2023-11-08 00:05:00	0	0	0	0	305	4.45	8.23	2.3	0.57	99.49	-0.6	-0.8	0	2.3	0.15	99.48	2.2
2023-11-08 00:10:00	0	0	0	0	299	4.73	8.75	2.2	0.57	99.49	-0.7	-0.5	0	2.2	0.15	99.48	2.3
2023-11-08 00:15:00	0	0	0	0	295	4.63	7	2.2	0.57	99.5	-0.8	-0.6	0	2.2	0.15	99.49	2.3
2023-11-08 00:20:00	0	0	0	0	308	3.56	6.22	2.2	0.57	99.51	-0.5	-0.7	0	2.2	0.15	99.5	2.3
2023-11-08 00:25:00	0	0	0	0	298	5.12	7.27	2.2	0.57	99.5	-0.8	-0.8	0	2.2	0.15	99.49	2.1
2023-11-08 00:30:00	0	0	0	0	300	4.61	7.91	2.1	0.566	99.51	-0.7	-0.6	0	2.1	0.14	99.5	2
2023-11-08 00:35:00	0	0	0	0	295	4.67	8.05	2.1	0.57	99.51	-0.8	-0.7	0	2.1	0.14	99.5	2
2023-11-08 00:40:00	0	0	0	0	298	5.14	7.41	2.1	0.57	99.51	-0.7	-0.7	0	2.1	0.14	99.5	1.9
2023-11-08 00:45:00	0	0	0	0	294	5.29	7.99	2.1	0.57	99.52	-0.7	-0.8	0	2.1	0.14	99.51	1.9
2023-11-08 00:50:00	0	0	0	0	298	6.16	8.28	2	0.568	99.52	-0.7	-0.7	0	2	0.14	99.51	1.9
2023-11-08 00:55:00	0	0	0	0	293	5.81	7.65	2	0.57	99.53	-0.6	-0.7	0	2	0.14	99.51	1.8
2023-11-08 01:00:00	0	0	0	0	299	5.51	8.05	2	0.568	99.52	-0.7	-0.6	0	2	0.14	99.52	1.8
2023-11-08 01:05:00	0	0	0	0	310	5.06	7.96	2	0.568	99.54	-0.7	-0.6	0	2	0.14	99.53	1.8
2023-11-08 01:10:00	0	0	0	0	320	4.89	7.03	2	0.57	99.55	-1	-0.6	0	2	0.14	99.54	1.8
2023-11-08 01:15:00	0	0	0	0	326	4.47	6.52	2	0.57	99.56	-0.7	-0.5	0	2	0.14	99.55	1.8
2023-11-08 01:20:00	0	0	0	0	316	5.61	7.99	2	0.57	99.56	-0.7	-0.8	0	2	0.13	99.55	1.7
2023-11-08 01:25:00	0	0	0	0	317	5.31	8.42	2	0.57	99.57	-0.7	-0.7	0	2	0.13	99.56	1.7
2023-11-08 01:30:00	0	0	0	0	330	6.17	8.81	2	0.568	99.57	-0.5	-0.6	0	2	0.14	99.56	1.7
2023-11-08 01:35:00	0	0	0	0	330	6.44	9.96	1.9	0.564	99.57	-0.7	-0.7	0	1.9	0.14	99.57	1.7
2023-11-08 01:40:00	0	0	0	0	322	6.4	8.23	1.9	0.562	99.59	-0.7	-0.7	0	1.9	0.14	99.58	1.6
2023-11-08 01:45:00	0	0	0	0	329	5.95	8.04	1.8	0.56	99.59	-0.9	-0.5	0	1.8	0.14	99.58	1.6
2023-11-08 01:50:00	0	0	0	0	326	6.14	8.19	1.8	0.552	99.6	-0.6	-0.7	0	1.8	0.14	99.59	1.5
2023-11-08 01:55:00	0	0	0	0	323	5.61	7.94	1.7	0.548	99.6	-0.7	-0.6	0	1.7	0.14	99.6	1.5
2023-11-08 02:00:00	0	0	0	0	328	5.31	6.44	1.7	0.55	99.61	-0.8	-0.8	0	1.7	0.14	99.6	1.4
2023-11-08 02:05:00	0	0	0	0	333	5.64	8.93	1.6	0.55	99.61	-0.9	-0.7	0	1.6	0.14	99.6	1.4
2023-11-08 02:10:00	0	0	0	0	327	6.72	10.58	1.6	0.542	99.61	-0.8	-0.9	0	1.6	0.14	99.61	1.4
2023-11-08 02:15:00	0	0	0	0	328	6.11	9.47	1.6	0.54	99.62	-0.8	-0.6	0	1.6	0.14	99.61	1.3
2023-11-08 02:20:00	0	0	0	0	319	5.7	7.35	1.6	0.54	99.62	-0.6	-0.7	0	1.6	0.15	99.61	1.3
2023-11-08 02:25:00	0	0	0	0	327	6.33	10.42	1.5	0.536	99.62	-0.8	-0.6	0	1.5	0.15	99.61	1.3

z6-17454
Records: 2016

Timestamps	Port1														Port8		
	ATMOS 41 All-in-one Weather Station														Barometer		
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-08 02:30:00	0	0	0	0	330	6.16	9.11	1.5	0.53	99.62	-0.6	-0.7	0	1.5	0.15	99.62	1.2
2023-11-08 02:35:00	0	0	0	0	325	6.55	8.84	1.4	0.522	99.63	-0.9	-0.3	0	1.4	0.15	99.62	1.2
2023-11-08 02:40:00	0	0	0	0	321	5.35	8.32	1.4	0.52	99.64	-0.7	-0.6	0	1.4	0.16	99.62	1.1
2023-11-08 02:45:00	0	0	0	0	322	5.88	8.14	1.4	0.522	99.63	-0.9	-0.7	0	1.4	0.15	99.62	1.1
2023-11-08 02:50:00	0	0	0	0	333	4.79	6.25	1.4	0.52	99.64	-0.7	-0.5	0	1.4	0.16	99.63	1.1
2023-11-08 02:55:00	0	0	0	0	320	4.92	6.57	1.3	0.512	99.64	-0.8	-0.7	0	1.3	0.16	99.63	1
2023-11-08 03:00:00	0	0	0	0	323	5.29	7.08	1.3	0.51	99.65	-0.7	-0.6	0	1.3	0.16	99.63	1
2023-11-08 03:05:00	0	0	0	0	336	5.48	7.72	1.3	0.51	99.65	-0.9	-0.8	0	1.3	0.16	99.63	1
2023-11-08 03:10:00	0	0	0	0	331	5.25	7.92	1.3	0.51	99.65	-0.6	-0.8	0	1.3	0.16	99.64	1
2023-11-08 03:15:00	0	0	0	0	322	5.32	7.35	1.2	0.51	99.65	-0.7	-0.8	0	1.2	0.16	99.65	0.9
2023-11-08 03:20:00	0	0	0	0	334	6.41	9.31	1.3	0.508	99.66	-0.7	-0.6	0	1.3	0.16	99.65	0.9
2023-11-08 03:25:00	0	0	0	0	335	6.09	8.3	1.1	0.5	99.66	-0.8	-0.5	0	1.1	0.16	99.66	0.9
2023-11-08 03:30:00	0	0	0	0	332	5.28	7.24	1.2	0.498	99.67	-0.8	-0.7	0	1.2	0.17	99.66	0.8
2023-11-08 03:35:00	0	0	0	0	326	5.88	9.44	1.2	0.492	99.68	-0.5	-0.6	0	1.2	0.17	99.67	0.8
2023-11-08 03:40:00	0	0	0	0	336	5.73	7.96	1.1	0.49	99.68	-0.9	-0.7	0	1.1	0.17	99.67	0.8
2023-11-08 03:45:00	0	0	0	0	336	4.48	6.32	1.1	0.492	99.69	-0.8	-0.6	0	1.1	0.17	99.68	0.8
2023-11-08 03:50:00	0	0	0	0	325	4.98	7.92	1.1	0.49	99.7	-0.8	-0.6	0	1.1	0.17	99.69	0.7
2023-11-08 03:55:00	0	0	0	0	323	5.98	8.96	1.1	0.494	99.7	-0.8	-0.8	0	1.1	0.17	99.69	0.7
2023-11-08 04:00:00	0	0	0	0	336	5.3	8.31	1	0.492	99.7	-0.7	-0.7	0	1	0.17	99.69	0.7
2023-11-08 04:05:00	0	0	0	0	340	4.87	7.04	1	0.49	99.7	-0.8	-0.7	0	1	0.17	99.69	0.7
2023-11-08 04:10:00	0	0	0	0	346	4.56	7.05	1	0.49	99.71	-0.8	-0.5	0	1	0.17	99.7	0.6
2023-11-08 04:15:00	0	0	0	0	351	4.17	5.36	1	0.49	99.72	-0.8	-0.7	0	1	0.17	99.71	0.6
2023-11-08 04:20:00	0	0	0	0	343	5.48	8.56	0.9	0.488	99.73	-0.8	-0.7	0	0.9	0.16	99.71	0.6
2023-11-08 04:25:00	0	0	0	0	348	6.16	9.33	0.9	0.482	99.73	-0.7	-0.8	0	0.9	0.17	99.72	0.5
2023-11-08 04:30:00	0	0	0	0	343	5.61	7.91	0.8	0.482	99.73	-0.9	-0.4	0	0.8	0.17	99.72	0.5
2023-11-08 04:35:00	0	0	0	0	347	4.01	5.55	0.7	0.48	99.73	-0.8	-0.6	0	0.7	0.16	99.73	0.4
2023-11-08 04:40:00	0	0	0	0	347	4.05	6.1	0.7	0.48	99.74	-0.8	-0.6	0	0.7	0.16	99.73	0.4
2023-11-08 04:45:00	0	0	0	0	337	3.93	5.71	0.7	0.482	99.75	-0.7	-0.6	0	0.7	0.16	99.74	0.4
2023-11-08 04:50:00	0	0	0	0	344	4.27	6.91	0.7	0.48	99.75	-0.7	-0.7	0	0.7	0.16	99.74	0.3
2023-11-08 04:55:00	0	0	0	0	355	4.38	6.17	0.7	0.478	99.76	-0.8	-0.8	0	0.7	0.16	99.75	0.3
2023-11-08 05:00:00	0	0	0	0	347	4.53	6.61	0.6	0.472	99.77	-0.8	-0.8	0	0.6	0.17	99.76	0.3
2023-11-08 05:05:00	0	0	0	0	351	3.79	5.28	0.6	0.474	99.77	-0.7	-0.7	0	0.7	0.17	99.76	0.2
2023-11-08 05:10:00	0	0	0	0	347	3.69	4.86	0.6	0.472	99.78	-0.8	-0.6	0	0.6	0.17	99.77	0.2
2023-11-08 05:15:00	0	0	0	0	325	3.58	6.49	0.6	0.47	99.79	-0.8	-0.7	0	0.6	0.17	99.77	0.2
2023-11-08 05:20:00	0	0	0	0	335	3.75	5.04	0.6	0.476	99.78	-0.8	-0.6	0	0.6	0.16	99.77	0.2
2023-11-08 05:25:00	0	0	0	0	338	3.17	4.59	0.6	0.47	99.78	-0.8	-0.7	0	0.6	0.17	99.77	0.2
2023-11-08 05:30:00	0	0	0	0	334	3.24	4.73	0.6	0.472	99.77	-0.8	-0.6	0	0.6	0.17	99.76	0.2
2023-11-08 05:35:00	0	0	0	0	336	3.35	5.23	0.6	0.47	99.76	-0.9	-0.6	0	0.6	0.17	99.74	0.2
2023-11-08 05:40:00	0	0	0	0	343	2.87	3.97	0.6	0.47	99.76	-0.9	-0.6	0	0.6	0.17	99.75	0.1
2023-11-08 05:45:00	0	0	0	0	347	3.13	5.01	0.6	0.47	99.76	-0.8	-0.6	0	0.6	0.17	99.75	0.1
2023-11-08 05:50:00	0	0	0	0	346	3.82	5.21	0.6	0.47	99.75	-0.7	-0.5	0	0.6	0.17	99.74	0.1
2023-11-08 05:55:00	0	0	0	0	344	3.7	5.31	0.6	0.47	99.76	-0.8	-0.7	0	0.6	0.17	99.75	0.1
2023-11-08 06:00:00	0	0	0	0	341	4.08	6.45	0.6	0.476	99.76	-0.9	-0.7	0	0.6	0.16	99.75	0.1
2023-11-08 06:05:00	0	0	0	0	346	3.96	4.94	0.6	0.476	99.76	-0.8	-0.5	0	0.6	0.16	99.75	0.1
2023-11-08 06:10:00	0	0	0	0	334	3.91	5.63	0.6	0.47	99.76	-0.7	-0.7	0	0.6	0.17	99.75	0.1
2023-11-08 06:15:00	0	0	0	0	325	5.48	8.12	0.6	0.464	99.75	-0.9	-0.6	0	0.6	0.17	99.74	0.1
2023-11-08 06:20:00	0	0	0	0	338	4.57	6.63	0.5	0.466	99.75	-0.8	-0.6	0	0.5	0.17	99.74	0.1
2023-11-08 06:25:00	0	0	0	0	348	3.2	4.33	0.5	0.472	99.76	-0.7	-0.6	0	0.5	0.16	99.74	0
2023-11-08 06:30:00	0.4	0	0	0	353	3.92	6.69	0.5	0.48	99.76	-0.9	-0.9	0	0.5	0.15	99.75	0
2023-11-08 06:35:00	1	0	0	0	338	3.24	4.7	0.5	0.48	99.77	-0.7	-0.6	0	0.5	0.15	99.76	0
2023-11-08 06:40:00	2.4	0	0	0	350	4.58	6.59	0.5	0.48	99.77	-0.8	-0.7	0	0.5	0.15	99.76	0
2023-11-08 06:45:00	4.8	0	0	0	357	5.35	8.21	0.4	0.472	99.77	-0.8	-0.4	0	0.4	0.16	99.76	0
2023-11-08 06:50:00	6.6	0	0	0	351	6.35	9.72	0.4	0.466	99.78	-0.8	-0.7	0	0.4	0.16	99.77	0
2023-11-08 06:55:00	9.8	0	0	0	348	5.46	8.17	0.3	0.462	99.79	-0.7	-0.7	0	0.3	0.16	99.78	-0.1
2023-11-08 07:00:00	13.2	0	0	0	341	4.31	6.27	0.3	0.464	99.81	-0.9	-0.6	0	0.3	0.16	99.81	-0.1
2023-11-08 07:05:00	18.4	0	0	0	341	3.76	6.09	0.3	0.468	99.82	-0.6	-0.6	0	0.3	0.15	99.81	-0.1
2023-11-08 07:10:00	23.8	0	0	0	351	5.01	7.15	0.2	0.46	99.81	-0.7	-0.6	0	0.2	0.16	99.8	-0.2
2023-11-08 07:15:00	29.2	0	0	0	352	5.81	9.54	0.2	0.46	99.8	-0.8	-0.8	0	0.2	0.16	99.8	-0.2
2023-11-08 07:20:00	34.2	0	0	0	353	6.37	8.66	0.1	0.46	99.8	-0.8	-0.8	0	0.2	0.15	99.79	-0.2
2023-11-08 07:25:00	39.8	0	0	0	355	5.47	8.23	0.1	0.46	99.8	-1	-0.7	0	0.1	0.15	99.8	-0.2

z6-17454
Records: 2016

Timestamps	Port1													Port8			
	ATMOS 41 All-in-one Weather Station													Barometer			
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-08 07:30:00	48	0	0	0	4	4.61	8.16	0	0.46	99.8	-0.9	-0.4	0	0.1	0.15	99.79	-0.3
2023-11-08 07:35:00	57.6	0	0	0	9	3.89	5.97	0	0.458	99.79	-0.9	-0.6	0	0.1	0.15	99.79	-0.3
2023-11-08 07:40:00	67	0	0	0	355	5.76	7.76	0	0.452	99.79	-0.9	-0.6	0	0.1	0.16	99.78	-0.3
2023-11-08 07:45:00	80.6	0	0	0	3	4.88	6.78	-0.1	0.45	99.79	-0.8	-0.5	0	0	0.16	99.78	-0.3
2023-11-08 07:50:00	97.2	0	0	0	1	3.99	5.71	-0.1	0.45	99.8	-0.8	-0.6	0	0.1	0.16	99.8	-0.3
2023-11-08 07:55:00	100.6	0	0	0	9	3	4.67	0	0.458	99.81	-0.8	-0.7	0	0.2	0.15	99.81	-0.2
2023-11-08 08:00:00	88.6	0	0	0	3	4.39	6.68	0.1	0.458	99.82	-0.8	-0.7	0	0.3	0.16	99.82	-0.1
2023-11-08 08:05:00	79.2	0	0	0	2	3.93	5.78	0.1	0.45	99.83	-0.7	-0.8	0	0.2	0.16	99.82	-0.1
2023-11-08 08:10:00	95.4	0	0	0	0	3.76	6.11	0.1	0.45	99.83	-0.7	-0.7	0	0.2	0.16	99.83	-0.1
2023-11-08 08:15:00	129	0	0	0	328	3.28	5.78	0.1	0.456	99.85	-0.9	-0.5	0	0.3	0.16	99.85	0
2023-11-08 08:20:00	118.4	0	0	0	311	3.66	5.2	0.1	0.46	99.88	-0.7	-0.6	0	0.3	0.16	99.88	0.1
2023-11-08 08:25:00	105.8	0	0	0	306	3.12	5.15	0.2	0.458	99.89	-0.7	-0.6	0	0.4	0.16	99.89	0.2
2023-11-08 08:30:00	103.6	0	0	0	319	2.95	5.68	0.3	0.46	99.9	-0.7	-0.6	0	0.5	0.16	99.9	0.3
2023-11-08 08:35:00	103	0	0	0	311	3.82	5.84	0.3	0.46	99.91	-0.9	-0.5	0	0.5	0.17	99.91	0.4
2023-11-08 08:40:00	104.6	0	0	0	311	3.81	5.71	0.3	0.452	99.92	-0.8	-0.7	0	0.5	0.17	99.91	0.4
2023-11-08 08:45:00	118.4	0	0	0	326	3.39	4.86	0.3	0.454	99.92	-0.8	-0.7	0	0.5	0.17	99.92	0.4
2023-11-08 08:50:00	144.2	0	0	0	331	3.23	5.1	0.4	0.46	99.93	-0.8	-0.6	0	0.6	0.17	99.93	0.6
2023-11-08 08:55:00	161.4	0	0	0	337	2.5	4.1	0.4	0.46	99.93	-0.8	-0.7	0	0.7	0.17	99.93	0.7
2023-11-08 09:00:00	184.8	0	0	0	346	3.03	4.63	0.6	0.46	99.93	-0.7	-0.7	0	0.9	0.18	99.93	0.8
2023-11-08 09:05:00	195.2	0	0	0	353	2.94	5.14	0.7	0.466	99.93	-0.7	-0.7	0	1.1	0.18	99.93	1
2023-11-08 09:10:00	180.2	0	0	0	314	3.98	5.85	0.9	0.47	99.93	-0.6	-0.8	0	1.2	0.18	99.93	1.2
2023-11-08 09:15:00	176.6	0	0	0	313	3.02	4.01	0.9	0.466	99.93	-0.8	-0.7	0	1.2	0.19	99.93	1.2
2023-11-08 09:20:00	186.6	0	0	0	301	2.57	5.09	1	0.47	99.93	-0.8	-0.7	0	1.3	0.19	99.92	1.3
2023-11-08 09:25:00	197.6	0	0	0	327	3.48	6.66	1.1	0.474	99.93	-0.7	-0.7	0	1.5	0.19	99.93	1.5
2023-11-08 09:30:00	202	0	0	0	323	4.61	6.7	1.2	0.466	99.93	-0.7	-0.7	0	1.5	0.2	99.93	1.6
2023-11-08 09:35:00	211.4	0	0	0	352	3.01	4.41	1.1	0.468	99.92	-0.7	-0.7	0	1.5	0.2	99.92	1.6
2023-11-08 09:40:00	219	0	0	0	342	2.72	5.48	1.1	0.468	99.92	-0.7	-0.7	0	1.6	0.2	99.91	1.7
2023-11-08 09:45:00	217.6	0	0	0	355	4.15	6.03	1.3	0.47	99.91	-0.7	-0.6	0	1.6	0.2	99.92	1.8
2023-11-08 09:50:00	239.4	0	0	0	5	3.16	5.73	1.3	0.472	99.91	-0.7	-0.7	0	1.7	0.2	99.91	1.8
2023-11-08 09:55:00	250.2	0	0	0	17	2.72	5.07	1.4	0.476	99.9	-0.7	-0.6	0	1.9	0.2	99.9	1.9
2023-11-08 10:00:00	266.4	0	0	0	342	2.89	3.8	1.5	0.48	99.9	-0.6	-0.7	0	2	0.2	99.9	2
2023-11-08 10:05:00	280.6	0	0	0	343	3.06	5.52	1.7	0.48	99.89	-0.7	-0.5	0	2.2	0.21	99.89	2.2
2023-11-08 10:10:00	302	0	0	0	321	1.96	4.63	1.8	0.48	99.89	-0.8	-0.7	0	2.4	0.22	99.89	2.4
2023-11-08 10:15:00	302	0	0	0	351	3.77	5.34	2.1	0.482	99.87	-0.7	-0.6	0	2.6	0.23	99.88	2.6
2023-11-08 10:20:00	309.6	0	0	0	6	2.15	4.29	2.1	0.482	99.87	-0.7	-0.7	0	2.7	0.23	99.88	2.8
2023-11-08 10:25:00	281.2	0	0	0	2	2.97	4.64	2.2	0.48	99.88	-0.6	-0.7	0	2.7	0.23	99.88	2.8
2023-11-08 10:30:00	288.2	0	0	0	28	1.41	2.97	2	0.48	99.87	-0.6	-0.6	0	2.7	0.23	99.88	2.9
2023-11-08 10:35:00	290.8	0	0	0	11	1.01	2.28	2.1	0.492	99.87	-0.7	-0.8	0	2.9	0.22	99.87	3.1
2023-11-08 10:40:00	266.2	0	0	0	341	2.06	3.46	2.4	0.49	99.86	-0.7	-0.7	0	3	0.24	99.86	3.3
2023-11-08 10:45:00	259.6	0	0	0	68	1.08	2.04	2.4	0.484	99.84	-0.6	-0.7	0	3	0.24	99.84	3.4
2023-11-08 10:50:00	263.6	0	0	0	109	0.83	1.36	2.2	0.492	99.82	-0.7	-0.7	0	3	0.22	99.82	3.5
2023-11-08 10:55:00	269	0	0	0	51	1.89	3.17	2.4	0.492	99.81	-0.7	-0.7	0	3.1	0.24	99.81	3.6
2023-11-08 11:00:00	264.4	0	0	0	36	1.62	3.31	2.5	0.502	99.8	-0.7	-0.8	0	3.1	0.23	99.8	3.7
2023-11-08 11:05:00	251.8	0	0	0	30	2.12	3.32	2.6	0.5	99.77	-0.9	-0.6	0	3.1	0.24	99.77	3.7
2023-11-08 11:10:00	251.4	0	0	0	49	2.37	6.1	2.6	0.5	99.76	-0.6	-0.8	0	3.1	0.24	99.76	3.6
2023-11-08 11:15:00	242.6	0	0	0	30	2.1	3.21	2.5	0.498	99.75	-0.6	-0.7	0	3	0.23	99.75	3.6
2023-11-08 11:20:00	243.2	0	0	0	68	1.85	3.09	2.5	0.5	99.74	-0.7	-0.8	0	3	0.23	99.74	3.5
2023-11-08 11:25:00	238.4	0	0	0	81	2.58	3.95	2.5	0.5	99.74	-0.6	-0.8	0	2.9	0.23	99.74	3.6
2023-11-08 11:30:00	233.8	0	0	0	66	2.2	3.64	2.4	0.496	99.74	-0.7	-0.7	0	2.9	0.23	99.74	3.5
2023-11-08 11:35:00	226.6	0	0	0	73	2.1	4.64	2.4	0.498	99.73	-0.7	-0.7	0	2.8	0.23	99.74	3.5
2023-11-08 11:40:00	225.6	0	0	0	56	1.76	3.75	2.3	0.502	99.73	-0.7	-0.7	0	2.8	0.22	99.73	3.5
2023-11-08 11:45:00	220	0	0	0	107	2.15	4.54	2.3	0.5	99.73	-0.7	-0.7	0	2.8	0.22	99.73	3.4
2023-11-08 11:50:00	209.2	0	0	0	64	1.91	2.95	2.3	0.504	99.71	-0.6	-0.6	0	2.8	0.22	99.7	3.4
2023-11-08 11:55:00	204	0	0	0	28	1.59	3.09	2.3	0.5	99.7	-0.7	-0.7	0	2.7	0.22	99.69	3.4
2023-11-08 12:00:00	202.8	0	0	0	116	2.95	5.23	2.3	0.498	99.7	-0.7	-0.7	0	2.8	0.23	99.69	3.4
2023-11-08 12:05:00	199.6	0	0	0	137	4.27	5.67	2.4	0.498	99.68	-0.6	-0.7	0	2.7	0.23	99.68	3.3
2023-11-08 12:10:00	196.6	0	0	0	113	4.8	6.42	2.3	0.496	99.65	-0.6	-0.7	0	2.6	0.23	99.65	3.2
2023-11-08 12:15:00	191	0	0	0	100	4	6.15	2.2	0.492	99.64	-0.7	-0.7	0	2.5	0.23	99.63	3.1
2023-11-08 12:20:00	185.2	0	0	0	109	4.01	6.12	2.2	0.49	99.63	-0.6	-0.8	0	2.5	0.23	99.62	3
2023-11-08 12:25:00	189	0	0	0	123	4.01	5.62	2.2	0.492	99.61	-0.7	-0.6	0	2.5	0.22	99.61	3

z6-17454
Records: 2016

Timestamps	Port1														Port8		
	ATMOS 41 All-in-one Weather Station														Barometer		
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-08 12:30:00	195.8	0	0	0	78	3.54	5.49	2.2	0.502	99.62	-0.7	-0.7	0	2.6	0.21	99.62	3
2023-11-08 12:35:00	197.8	0	0	0	63	3.07	5.52	2.3	0.496	99.63	-0.6	-0.7	0	2.6	0.22	99.63	3
2023-11-08 12:40:00	191.4	0	0	0	75	3.14	5.38	2.3	0.498	99.64	-0.7	-0.6	0	2.6	0.23	99.64	3.1
2023-11-08 12:45:00	175.8	0	0	0	82	3.77	6.65	2.4	0.496	99.63	-0.6	-0.6	0	2.7	0.23	99.62	3.1
2023-11-08 12:50:00	172.4	0	0	0	109	4.1	7.44	2.5	0.49	99.6	-0.8	-0.6	0	2.7	0.24	99.6	3
2023-11-08 12:55:00	173.6	0	0	0	105	4.17	5.78	2.4	0.496	99.6	-0.6	-0.8	0	2.7	0.23	99.59	3
2023-11-08 13:00:00	158.2	0	0	0	88	3.99	5.21	2.4	0.486	99.59	-0.7	-0.7	0	2.7	0.24	99.59	3
2023-11-08 13:05:00	147	0	0	0	90	3.87	5.78	2.4	0.488	99.59	-0.7	-0.7	0	2.6	0.24	99.59	3
2023-11-08 13:10:00	153.6	0	0	0	101	3.92	5.79	2.4	0.488	99.59	-0.7	-0.7	0	2.6	0.24	99.59	3
2023-11-08 13:15:00	162	0	0	0	123	4.16	6.48	2.4	0.49	99.6	-0.8	-0.7	0	2.6	0.24	99.59	3
2023-11-08 13:20:00	165.6	0	0	0	151	4.35	6.28	2.4	0.49	99.6	-0.7	-0.8	0	2.7	0.24	99.6	3
2023-11-08 13:25:00	157.4	0	0	0	134	3.56	5.01	2.4	0.49	99.61	-0.6	-0.7	0	2.7	0.24	99.6	3
2023-11-08 13:30:00	155.2	0	0	0	115	4.18	5.76	2.4	0.488	99.6	-0.7	-0.6	0	2.7	0.24	99.59	3
2023-11-08 13:35:00	147	0	0	0	115	2.98	4.57	2.4	0.484	99.6	-0.7	-0.7	0	2.7	0.24	99.59	2.9
2023-11-08 13:40:00	136.6	0	0	0	124	3.76	5.06	2.5	0.49	99.6	-0.7	-0.7	0	2.7	0.24	99.59	2.9
2023-11-08 13:45:00	119.4	0	0	0	132	2.3	3.68	2.4	0.49	99.62	-0.6	-0.7	0	2.6	0.24	99.62	2.9
2023-11-08 13:50:00	107.4	0	0	0	108	1.59	2.81	2.3	0.492	99.64	-0.7	-0.6	0	2.6	0.23	99.63	2.9
2023-11-08 13:55:00	103.8	0	0	0	150	1.91	3.11	2.4	0.494	99.63	-0.7	-0.7	0	2.6	0.23	99.62	2.9
2023-11-08 14:00:00	102.4	0	0	0	154	1.29	2.13	2.4	0.5	99.62	-0.6	-0.7	0	2.7	0.23	99.62	2.9
2023-11-08 14:05:00	99.8	0	0	0	102	3.28	5.42	2.5	0.498	99.64	-0.7	-0.7	0	2.7	0.23	99.63	2.9
2023-11-08 14:10:00	86.8	0	0	0	106	2.98	4.01	2.5	0.49	99.66	-0.7	-0.7	0	2.6	0.24	99.66	2.8
2023-11-08 14:15:00	77.4	0	0	0	114	1.51	2.94	2.4	0.492	99.66	-0.6	-0.5	0	2.6	0.24	99.66	2.7
2023-11-08 14:20:00	72.6	0	0	0	103	2.53	3.45	2.4	0.49	99.67	-0.7	-0.8	0	2.5	0.24	99.66	2.7
2023-11-08 14:25:00	67.4	0	0	0	117	1.67	3.78	2.3	0.486	99.67	-0.6	-0.7	0	2.5	0.24	99.66	2.6
2023-11-08 14:30:00	61.4	0	0	0	102	1.93	3.09	2.3	0.486	99.68	-0.7	-0.6	0	2.4	0.24	99.67	2.6
2023-11-08 14:35:00	54	0	0	0	104	1.96	3.56	2.3	0.49	99.68	-0.7	-0.7	0	2.4	0.23	99.67	2.6
2023-11-08 14:40:00	50.4	0	0	0	105	2.63	4.18	2.3	0.488	99.67	-0.6	-0.7	0	2.4	0.24	99.65	2.5
2023-11-08 14:45:00	45.4	0	0	0	103	1.97	3.09	2.3	0.49	99.66	-0.9	-0.8	0	2.4	0.23	99.64	2.5
2023-11-08 14:50:00	42.2	0	0	0	52	2.12	3.2	2.3	0.492	99.64	-0.8	-0.7	0	2.4	0.23	99.63	2.4
2023-11-08 14:55:00	45.2	0	0	0	56	2.33	3.79	2.3	0.492	99.62	-0.6	-0.6	0	2.4	0.23	99.61	2.4
2023-11-08 15:00:00	47.8	0	0	0	71	2.5	3.62	2.2	0.49	99.61	-0.7	-0.6	0	2.3	0.23	99.59	2.4
2023-11-08 15:05:00	46.2	0	0	0	67	2.73	4.27	2.3	0.49	99.61	-0.6	-0.7	0	2.4	0.23	99.59	2.4
2023-11-08 15:10:00	42.8	0	0	0	53	2.64	4.32	2.3	0.496	99.62	-0.7	-0.7	0	2.4	0.22	99.61	2.3
2023-11-08 15:15:00	36.8	0	0	0	39	2.27	3.21	2.3	0.5	99.65	-0.6	-0.7	0	2.4	0.22	99.65	2.3
2023-11-08 15:20:00	36.6	0	0	0	63	2.59	4.85	2.2	0.496	99.66	-0.5	-0.7	0	2.3	0.22	99.64	2.3
2023-11-08 15:25:00	35	0	0	0	58	2.11	3.54	2.2	0.496	99.66	-0.6	-0.7	0	2.3	0.22	99.65	2.3
2023-11-08 15:30:00	28.6	0	0	0	49	2.09	3.18	2.3	0.5	99.66	-0.7	-0.8	0	2.3	0.22	99.65	2.2
2023-11-08 15:35:00	22	0	0	0	45	2.15	3.28	2.3	0.502	99.65	-0.7	-0.7	0	2.3	0.22	99.64	2.2
2023-11-08 15:40:00	18	0	0	0	66	2.93	4.74	2.3	0.5	99.63	-0.8	-0.7	0	2.3	0.22	99.61	2.2
2023-11-08 15:45:00	14	0	0	0	77	2.85	3.89	2.3	0.498	99.63	-0.6	-0.8	0	2.3	0.22	99.61	2.2
2023-11-08 15:50:00	12	0	0	0	74	3	3.84	2.2	0.5	99.62	-0.7	-0.7	0	2.2	0.22	99.6	2.2
2023-11-08 15:55:00	11.2	0	0	0	76	3.06	4.97	2.2	0.504	99.59	-0.7	-0.7	0	2.3	0.21	99.57	2.2
2023-11-08 16:00:00	8.6	0	0	0	85	3.95	5.9	2.3	0.5	99.58	-0.7	-0.6	0	2.3	0.22	99.57	2.1
2023-11-08 16:05:00	6.4	0	0	0	78	3.11	4.44	2.2	0.5	99.59	-0.7	-0.5	0	2.2	0.22	99.58	2.1
2023-11-08 16:10:00	4.4	0	0	0	86	2.49	3.5	2.2	0.5	99.61	-0.7	-0.6	0	2.2	0.21	99.59	2.1
2023-11-08 16:15:00	3.6	0	0	0	83	3.09	4.59	2.2	0.5	99.59	-0.6	-0.6	0	2.2	0.22	99.57	2.1
2023-11-08 16:20:00	1.6	0	0	0	84	3.15	4.85	2.2	0.5	99.57	-0.7	-0.5	0	2.2	0.22	99.55	2.1
2023-11-08 16:25:00	1	0	0	0	78	3.4	5.77	2.2	0.508	99.54	-0.7	-0.6	0	2.2	0.21	99.51	2
2023-11-08 16:30:00	0.2	0	0	0	80	4.01	5.26	2.2	0.504	99.5	-0.9	-0.7	0	2.2	0.21	99.47	2
2023-11-08 16:35:00	0	0	0	0	74	3.76	6.59	2.2	0.5	99.47	-0.8	-0.5	0	2.2	0.21	99.45	2
2023-11-08 16:40:00	0	0	0	0	85	3.89	5.33	2.1	0.502	99.47	-0.6	-0.7	0	2.1	0.21	99.46	2
2023-11-08 16:45:00	0	0	0	0	79	2.67	4.47	2.1	0.508	99.49	-0.6	-0.7	0	2.1	0.2	99.48	1.9
2023-11-08 16:50:00	0	0	0	0	79	2.38	3.56	2.1	0.51	99.51	-0.7	-0.7	0	2.1	0.2	99.5	1.9
2023-11-08 16:55:00	0	0	0	0	87	2.91	4.19	2.2	0.508	99.51	-0.7	-0.7	0	2.1	0.21	99.49	1.9
2023-11-08 17:00:00	0	0	0	0	89	3.43	5.71	2.1	0.508	99.49	-0.7	-0.7	0	2.1	0.2	99.47	1.9
2023-11-08 17:05:00	0	0	0	0	89	3.32	4.3	2.1	0.51	99.48	-0.7	-0.7	0	2.1	0.2	99.46	1.9
2023-11-08 17:10:00	0	0	0	0	89	3.56	5.22	2.1	0.51	99.48	-0.7	-0.6	0	2.1	0.2	99.45	1.9
2023-11-08 17:15:00	0	0	0	0	93	4.71	6.5	2.2	0.51	99.45	-0.9	-0.5	0	2.1	0.2	99.43	1.9
2023-11-08 17:20:00	0	0	0	0	107	4.73	6.93	2.1	0.51	99.43	-0.6	-0.8	0	2.1	0.2	99.42	1.9
2023-11-08 17:25:00	0	0	0	0	104	5.52	7.5	2.2	0.51	99.4	-0.8	-0.6	0	2.1	0.2	99.37	1.9

z6-17454
Records: 2016

Timestamps	Port1														Port8		
	ATMOS 41 All-in-one Weather Station														Barometer		
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-08 17:30:00	0	0	0	0	111	6.21	7.67	2.1	0.512	99.35	-0.6	-0.7	0	2.1	0.2	99.34	1.9
2023-11-08 17:35:00	0	0	0	0	108	7.06	9.06	2	0.516	99.34	-0.8	-0.7	0	2	0.19	99.33	1.8
2023-11-08 17:40:00	0	0	0	0	104	5.63	7.56	1.8	0.52	99.35	-0.6	-0.7	0	1.8	0.17	99.34	1.7
2023-11-08 17:45:00	0	0	0	0	112	5.1	7.08	1.6	0.52	99.37	-0.7	-0.7	0	1.6	0.17	99.36	1.5
2023-11-08 17:50:00	0	0	0	0	107	6.15	8.13	1.5	0.512	99.34	-0.7	-0.6	0	1.5	0.17	99.33	1.5
2023-11-08 17:55:00	0	0	0	0	111	4.86	5.97	1.5	0.52	99.35	-0.7	-0.8	0	1.5	0.16	99.34	1.4
2023-11-08 18:00:00	0	0	0	0	109	5.71	7.97	1.6	0.52	99.33	-0.8	-0.5	0	1.6	0.17	99.32	1.4
2023-11-08 18:05:00	0	0	0	0	116	5.3	7.33	1.7	0.52	99.34	-0.5	-0.6	0	1.7	0.17	99.34	1.4
2023-11-08 18:10:00	0	0	0	0	140	4.23	5.76	1.7	0.526	99.37	-0.8	-0.7	0	1.7	0.17	99.37	1.4
2023-11-08 18:15:00	0	0	0	0	120	4.51	5.59	1.7	0.53	99.36	-0.7	-0.7	0	1.7	0.16	99.35	1.5
2023-11-08 18:20:00	0	0.017	0	0	112	4.83	6.34	1.8	0.538	99.34	-0.7	-0.6	1	1.8	0.16	99.33	1.5
2023-11-08 18:25:00	0	0.119	0	0	121	4.9	6.1	1.5	0.54	99.33	-0.6	-0.8	2	1.5	0.14	99.32	1.3
2023-11-08 18:30:00	0	0.068	0	0	109	5.56	6.78	1.3	0.54	99.31	-0.7	-0.5	1	1.3	0.13	99.29	1.2
2023-11-08 18:35:00	0	0.085	0	0	102	5.29	6.56	1.1	0.546	99.28	-0.9	-0.6	2	1.1	0.12	99.27	1.1
2023-11-08 18:40:00	0	0.051	0	0	102	5.56	6.61	1	0.546	99.27	-0.7	-0.7	2	1	0.11	99.24	1
2023-11-08 18:45:00	0	0.085	0	0	101	6.1	8.18	0.8	0.556	99.22	-0.7	-0.8	2	0.8	0.09	99.2	0.9
2023-11-08 18:50:00	0	0.068	0	0	105	6.47	7.94	0.7	0.554	99.2	-0.9	-0.5	1	0.7	0.09	99.19	0.9
2023-11-08 18:55:00	0	0.051	0	0	107	5.32	7.48	0.7	0.566	99.2	-0.8	-0.6	1	0.7	0.08	99.19	0.8
2023-11-08 19:00:00	0	0.034	0	0	110	5.26	6.97	0.7	0.57	99.18	-0.9	-0.6	1	0.7	0.07	99.17	0.8
2023-11-08 19:05:00	0	0	0	0	111	5.5	7.17	0.7	0.568	99.18	-0.8	-0.5	0	0.7	0.07	99.18	0.7
2023-11-08 19:10:00	0	0	0	0	102	5.71	8.18	0.7	0.568	99.19	-0.7	-0.7	0	0.7	0.07	99.18	0.7
2023-11-08 19:15:00	0	0	0	0	105	5.56	7.55	0.7	0.564	99.19	-0.9	-0.7	0	0.7	0.08	99.18	0.7
2023-11-08 19:20:00	0	0.051	0	0	106	4.6	5.94	0.8	0.57	99.22	-0.8	-0.6	1	0.8	0.08	99.2	0.7
2023-11-08 19:25:00	0	0.068	0	0	104	4.44	7.26	0.7	0.576	99.22	-0.7	-0.6	1	0.7	0.07	99.21	0.7
2023-11-08 19:30:00	0	0	0	0	99	4.41	5.77	0.7	0.578	99.21	-0.8	-0.7	0	0.7	0.06	99.2	0.6
2023-11-08 19:35:00	0	0	0	0	87	2.94	4.25	0.6	0.58	99.25	-0.7	-0.8	0	0.6	0.06	99.24	0.6
2023-11-08 19:40:00	0	0.017	0	0	82	4.53	6.06	0.6	0.578	99.22	-0.8	-0.7	1	0.6	0.06	99.2	0.6
2023-11-08 19:45:00	0	0	0	0	66	2.76	4.94	0.6	0.58	99.23	-0.8	-0.7	0	0.6	0.06	99.22	0.6
2023-11-08 19:50:00	0	0.051	0	0	69	3.27	4.96	0.6	0.58	99.22	-0.8	-0.7	1	0.6	0.06	99.2	0.5
2023-11-08 19:55:00	0	0.051	0	0	73	4.17	6.94	0.6	0.58	99.18	-0.8	-0.6	2	0.6	0.06	99.17	0.5
2023-11-08 20:00:00	0	0.034	0	0	38	3.2	5.31	0.6	0.588	99.22	-0.8	-0.7	1	0.6	0.05	99.22	0.4
2023-11-08 20:05:00	0	0	0	0	48	3.51	7.77	0.5	0.58	99.22	-0.8	-0.6	0	0.5	0.05	99.2	0.4
2023-11-08 20:10:00	0	0.017	0	0	83	4.58	7.35	0.5	0.58	99.18	-0.9	-0.5	1	0.4	0.05	99.15	0.4
2023-11-08 20:15:00	0	0.051	0	0	87	5.01	7.23	0.5	0.58	99.16	-0.8	-0.7	2	0.5	0.05	99.14	0.4
2023-11-08 20:20:00	0	0.17	0	0	101	6.88	11.77	0.4	0.582	99.13	-1	-0.4	3.1	0.4	0.05	99.11	0.3
2023-11-08 20:25:00	0	0.102	0	0	109	6.96	9.25	0.3	0.586	99.1	-0.8	-0.7	2	0.3	0.04	99.09	0.3
2023-11-08 20:30:00	0	0.034	0	0	110	6.87	9.44	0.2	0.586	99.1	-0.8	-0.8	1	0.2	0.03	99.1	0.3
2023-11-08 20:35:00	0	0.017	0	0	109	6.59	7.86	0.2	0.586	99.11	-0.8	-0.6	1	0.2	0.03	99.11	0.3
2023-11-08 20:40:00	0	0.051	0	0	110	5.89	8.46	0.2	0.588	99.12	-0.9	-0.7	1	0.2	0.03	99.12	0.3
2023-11-08 20:45:00	0	0.017	0	0	106	6.46	7.65	0.2	0.59	99.11	-0.6	-0.7	1	0.2	0.03	99.11	0.3
2023-11-08 20:50:00	0	0	0	0	104	6.29	8.45	0.2	0.588	99.12	-0.8	-0.6	0	0.2	0.03	99.11	0.3
2023-11-08 20:55:00	0	0	0	0	110	6.88	8.99	0.2	0.586	99.09	-0.9	-0.7	0	0.2	0.03	99.08	0.3
2023-11-08 21:00:00	0	0	0	0	104	6.5	8.13	0.3	0.59	99.08	-0.6	-0.7	0	0.3	0.03	99.07	0.3
2023-11-08 21:05:00	0	0.17	0	0	103	7.15	8.28	0.3	0.59	99.03	-0.7	-0.6	3.1	0.3	0.03	99.02	0.3
2023-11-08 21:10:00	0	0.153	0	0	107	6.79	8.65	0.2	0.598	99.01	-0.6	-0.8	3.1	0.2	0.02	99.01	0.3
2023-11-08 21:15:00	0	0.051	0	0	109	7.18	9.22	0.2	0.6	99.01	-0.9	-0.3	1	0.2	0.02	99.02	0.3
2023-11-08 21:20:00	0	0.051	0	0	104	6.66	8.98	0.1	0.6	99.02	-1	-0.8	1	0.1	0.02	99.02	0.3
2023-11-08 21:25:00	0	0.034	0	0	93	4.31	6.04	0.1	0.602	99.03	-0.9	-0.6	1	0.1	0.01	99.03	0.3
2023-11-08 21:30:00	0	0.051	0	0	93	3.48	5.66	0.2	0.608	99.07	-0.8	-0.7	1	0.2	0.01	99.07	0.3
2023-11-08 21:35:00	0	0.17	0	0	96	5.31	8.45	0.2	0.61	99.03	-0.8	-0.7	3.1	0.2	0.01	99	0.3
2023-11-08 21:40:00	0	0.255	0	0	106	7.1	8.86	0.2	0.608	98.93	-0.6	-0.6	4.1	0.2	0.01	98.94	0.3
2023-11-08 21:45:00	0	0.204	0	0	107	6.39	8.06	0.2	0.61	98.93	-0.8	-0.6	3.1	0.2	0.01	98.93	0.2
2023-11-08 21:50:00	0	0.102	0	0	103	7.14	9.44	0.1	0.612	98.9	-0.9	-0.8	4.1	0.1	0	98.89	0.3
2023-11-08 21:55:00	0	0.46	0	0	103	7.01	8.85	0.2	0.618	98.87	-0.9	-0.7	20.4	0.2	0	98.86	0.3
2023-11-08 22:00:00	0	0.306	0	0	100	7.06	10.48	0.2	0.62	98.83	-0.7	-0.7	11.2	0.2	0	98.84	0.3
2023-11-08 22:05:00	0	0.017	0	0	96	5.22	7.37	0.2	0.62	98.89	-0.6	-0.8	1	0.2	0	98.91	0.3
2023-11-08 22:10:00	0	0.017	0	0	67	3.01	5.77	0.2	0.62	98.93	-0.9	-0.5	1	0.2	0	98.93	0.3
2023-11-08 22:15:00	0	0.102	0	0	81	4.62	6.98	0.3	0.624	98.89	-0.7	-0.7	2	0.3	0	98.87	0.3
2023-11-08 22:20:00	0	0.034	0	0	73	5.36	7.67	0.4	0.628	98.86	-0.9	-0.5	1	0.4	0	98.87	0.3
2023-11-08 22:25:00	0	0.17	0	0	78	4.47	7.71	0.4	0.63	98.87	-0.7	-0.8	4.1	0.4	0	98.87	0.3

z6-17454
Records: 2016

Timestamps	Port1														Port8		
	ATMOS 41 All-in-one Weather Station														Barometer		
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-08 22:30:00	0	0.102	0	0	82	5.29	7.88	0.4	0.63	98.84	-0.7	-0.8	2	0.4	0	98.83	0.3
2023-11-08 22:35:00	0	0.187	0	0	98	6.92	9.02	0.4	0.63	98.77	-0.9	-0.8	3.1	0.4	0	98.76	0.4
2023-11-08 22:40:00	0	0.068	0	0	106	8.09	9.64	0.4	0.63	98.73	-0.7	-0.5	1	0.4	0	98.75	0.4
2023-11-08 22:45:00	0	0.017	0	0	107	7.16	8.59	0.5	0.63	98.75	-0.7	-0.5	1	0.5	0	98.76	0.4
2023-11-08 22:50:00	0	0.017	0	0	106	7.03	8.97	0.5	0.636	98.73	-0.7	-0.5	1	0.6	0	98.73	0.5
2023-11-08 22:55:00	0	0	0	0	108	7.84	10.11	0.6	0.638	98.69	-0.4	-0.5	0	0.7	0	98.69	0.6
2023-11-08 23:00:00	0	0.017	0	0	105	7.32	10.58	0.7	0.644	98.67	-1	-0.5	1	0.7	0	98.68	0.7
2023-11-08 23:05:00	0	0	0	0	102	7.1	9.37	0.8	0.648	98.67	-0.6	-0.6	0	0.8	0	98.67	0.7
2023-11-08 23:10:00	0	0.017	0	0	104	8.82	10.55	0.8	0.65	98.64	-0.9	-0.2	1	0.8	0	98.63	0.8
2023-11-08 23:15:00	0	0.238	0	0	102	7.37	9.68	0.9	0.65	98.6	-1.3	-0.3	9.2	0.8	0	98.6	0.8
2023-11-08 23:20:00	0	0	0	0	102	7.21	10.18	0.8	0.65	98.58	-0.6	-0.5	0	0.8	0	98.58	0.9
2023-11-08 23:25:00	0	0	0	0	103	8.15	10.8	0.9	0.65	98.57	-0.7	-0.4	0	0.8	0	98.56	0.9
2023-11-08 23:30:00	0	0	0	0	100	8.09	10.29	0.9	0.65	98.55	-0.8	-0.7	0	0.9	0	98.55	0.9
2023-11-08 23:35:00	0	0	0	0	95	5.76	8.94	0.9	0.652	98.57	-0.7	-0.5	0	0.9	0	98.58	0.9
2023-11-08 23:40:00	0	0.017	0	0	77	4.65	7.19	1	0.656	98.59	-0.8	-0.8	1	1	0	98.6	1
2023-11-08 23:45:00	0	0	0	0	72	4.7	6.97	1	0.66	98.6	-0.7	-0.8	0	1	0	98.59	1
2023-11-08 23:50:00	0	0	0	0	80	5.44	8.62	1.1	0.66	98.56	-0.8	-0.6	0	1.1	0	98.55	1
2023-11-08 23:55:00	0	0	0	0	95	6.82	9.28	1.1	0.66	98.49	-0.9	-0.7	0	1.1	0	98.48	1
2023-11-09 00:00:00	0	0	0	0	104	8.98	11.68	1.2	0.66	98.42	-0.6	-0.7	0	1.2	0	98.42	1.1
2023-11-09 00:05:00	0	0	1	31	109	9.27	12.98	1.1	0.66	98.38	-0.7	0.3	0	1.1	0	98.39	1.2
2023-11-09 00:10:00	0	0	0	0	104	8.57	10.99	1.2	0.66	98.38	-1	-0.5	0	1.2	0.01	98.4	1.4
2023-11-09 00:15:00	0	0.017	0	0	104	8.1	12.72	1.2	0.66	98.38	-0.3	-0.8	1	1.2	0.01	98.41	1.5
2023-11-09 00:20:00	0	1.549	1	24	103	6.79	7.96	1.3	0.662	98.39	-0.9	-0.6	64.3	1.2	0.01	98.4	1.5
2023-11-09 00:25:00	0	0.17	1	24	#N/A	#N/A	#N/A	1.2	0.664	98.37	-0.9	-0.7	3.1	1.2	0	98.36	1.4
2023-11-09 00:30:00	0	0	1	24	#N/A	#N/A	#N/A	1.2	0.664	98.31	-0.3	-0.5	0	1.2	0	98.32	1.4
2023-11-09 00:35:00	0	0.102	1	14	#N/A	#N/A	#N/A	1.2	0.67	98.3	-0.7	-0.2	3.1	1.2	0	98.31	1.4
2023-11-09 00:40:00	0	0.051	1	14	#N/A	#N/A	#N/A	1.3	0.668	98.35	-0.9	-0.7	2	1.3	0	98.36	1.4
2023-11-09 00:45:00	0	0.562	2	8	#N/A	#N/A	#N/A	1.3	0.672	98.41	-0.6	-0.7	22.4	1.3	0	98.43	1.4
2023-11-09 00:50:00	0	1.481	3	5	#N/A	#N/A	#N/A	1.4	0.676	98.51	-0.9	-0.4	23.5	1.3	0	98.51	1.4
2023-11-09 00:55:00	0	0.255	0	0	#N/A	#N/A	#N/A	1.4	0.676	98.47	-0.5	-0.6	5.1	1.4	0	98.45	1.3
2023-11-09 01:00:00	0	0.664	0	0	#N/A	#N/A	#N/A	1.3	0.67	98.42	-0.9	-0.9	18.4	1.3	0	98.41	1.2
2023-11-09 01:05:00	0	0.051	1	5	#N/A	#N/A	#N/A	1.3	0.67	98.39	-0.8	-0.8	1	1.3	0	98.4	1.2
2023-11-09 01:10:00	0	0.306	0	0	#N/A	#N/A	#N/A	1.2	0.67	98.39	-0.6	-0.7	7.1	1.2	0	98.37	1.2
2023-11-09 01:15:00	0	0.204	0	0	#N/A	#N/A	#N/A	1.1	0.66	98.3	-0.7	-0.6	5.1	1.1	0	98.3	1.2
2023-11-09 01:20:00	0	0.034	0	0	#N/A	#N/A	#N/A	1.2	0.662	98.3	-0.7	-0.9	1	1.2	0	98.3	1.2
2023-11-09 01:25:00	0	0.017	0	0	#N/A	#N/A	#N/A	1.2	0.666	98.25	-0.6	-0.5	1	1.2	0	98.24	1.2
2023-11-09 01:30:00	0	0	0	0	#N/A	#N/A	#N/A	1.2	0.67	98.22	-0.5	-1.2	0	1.2	0	98.22	1.2
2023-11-09 01:35:00	0	0.153	0	0	#N/A	#N/A	#N/A	1.3	0.67	98.18	-0.7	-0.9	3.1	1.3	0	98.19	1.3
2023-11-09 01:40:00	0	0.085	0	0	#N/A	#N/A	#N/A	1.2	0.668	98.18	-0.9	-0.8	3.1	1.2	0	98.2	1.3
2023-11-09 01:45:00	0	0	0	0	#N/A	#N/A	#N/A	1.3	0.67	98.22	-0.4	-0.7	0	1.3	0	98.22	1.4
2023-11-09 01:50:00	0	0.119	0	0	#N/A	#N/A	#N/A	1.4	0.672	98.25	-0.7	-0.6	5.1	1.4	0	98.26	1.4
2023-11-09 01:55:00	0	0.119	0	0	#N/A	#N/A	#N/A	1.4	0.676	98.25	-0.6	-0.7	2	1.4	0	98.26	1.4
2023-11-09 02:00:00	0	0.051	0	0	#N/A	#N/A	#N/A	1.5	0.68	98.28	-0.7	-0.6	1	1.5	0	98.29	1.5
2023-11-09 02:05:00	0	0.374	0	0	#N/A	#N/A	#N/A	1.5	0.68	98.32	-0.7	-0.7	8.2	1.5	0	98.34	1.5
2023-11-09 02:10:00	0	0.153	0	0	#N/A	#N/A	#N/A	1.6	0.686	98.33	-0.7	-0.7	5.1	1.6	0	98.33	1.5
2023-11-09 02:15:00	0	0.085	0	0	#N/A	#N/A	#N/A	1.5	0.68	98.33	-0.8	-0.6	2	1.5	0	98.33	1.4
2023-11-09 02:20:00	0	0.647	0	0	#N/A	#N/A	#N/A	1.6	0.68	98.31	-0.8	-0.6	15.3	1.6	0	98.29	1.5
2023-11-09 02:25:00	0	0.187	0	0	#N/A	#N/A	#N/A	1.6	0.688	98.24	-0.9	-0.7	3.1	1.6	0	98.24	1.5
2023-11-09 02:30:00	0	0.085	0	0	#N/A	#N/A	#N/A	1.6	0.682	98.21	-0.8	-0.6	2	1.6	0	98.21	1.5
2023-11-09 02:35:00	0	0.255	0	0	#N/A	#N/A	#N/A	1.6	0.682	98.18	-0.6	-0.7	3.1	1.6	0	98.19	1.5
2023-11-09 02:40:00	0	0.102	0	0	#N/A	#N/A	#N/A	1.5	0.682	98.17	-0.8	-0.5	2	1.5	0	98.18	1.6
2023-11-09 02:45:00	0	0.153	0	0	#N/A	#N/A	#N/A	1.6	0.68	98.14	-0.6	-0.7	3.1	1.6	0	98.14	1.6
2023-11-09 02:50:00	0	0.085	0	0	#N/A	#N/A	#N/A	1.6	0.682	98.14	-1.1	-0.5	2	1.6	0	98.15	1.6
2023-11-09 02:55:00	0	0.051	0	0	#N/A	#N/A	#N/A	1.6	0.688	98.14	-0.7	-0.7	1	1.6	0	98.14	1.6
2023-11-09 03:00:00	0	0.034	0	0	#N/A	#N/A	#N/A	1.7	0.688	98.13	-0.8	-0.5	1	1.7	0	98.12	1.7
2023-11-09 03:05:00	0	0.034	0	0	#N/A	#N/A	#N/A	1.7	0.69	98.09	-0.7	-0.9	1	1.7	0	98.09	1.7
2023-11-09 03:10:00	0	0	0	0	#N/A	#N/A	#N/A	1.7	0.692	98.06	-0.8	-0.6	0	1.8	0	98.08	1.8
2023-11-09 03:15:00	0	0	0	0	#N/A	#N/A	#N/A	1.8	0.7	98.07	-0.6	-0.7	0	1.9	0	98.08	1.8
2023-11-09 03:20:00	0	0	0	0	#N/A	#N/A	#N/A	1.9	0.7	98.06	-0.6	-1.1	0	1.9	0	98.07	1.9
2023-11-09 03:25:00	0	0	0	0	#N/A	#N/A	#N/A	2.1	0.706	98.05	-0.7	-0.8	0	2.1	0	98.06	2

z6-17454
Records: 2016

Timestamps	Port1														Port8	
	ATMOS 41 All-in-one Weather Station														Barometer	
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure
2023-11-09 03:30:00	0	0	0	0	#N/A	#N/A	2.1	0.71	98.04	-0.6	-0.7	0	2.1	0	98.05	2.1
2023-11-09 03:35:00	0	0	0	0	#N/A	#N/A	2.2	0.716	98.03	-0.8	-0.5	0	2.2	0	98.03	2.2
2023-11-09 03:40:00	0	0	0	0	#N/A	#N/A	2.4	0.72	98.01	-0.7	-0.6	0	2.4	0	98.01	2.3
2023-11-09 03:45:00	0	0	0	0	#N/A	#N/A	2.5	0.73	98	-0.7	-0.7	0	2.6	0	98.01	2.5
2023-11-09 03:50:00	0	0	0	0	#N/A	#N/A	2.7	0.74	97.99	-0.6	-0.5	0	2.7	0	98	2.6
2023-11-09 03:55:00	0	0	0	0	#N/A	#N/A	2.8	0.748	97.98	-0.6	-0.7	0	2.8	0	97.98	2.7
2023-11-09 04:00:00	0	0	0	0	#N/A	#N/A	2.9	0.752	97.97	-0.6	-0.8	0	2.9	0	97.98	2.9
2023-11-09 04:05:00	0	0	0	0	#N/A	#N/A	3.1	0.758	97.98	-0.7	-0.5	0	3.1	0	97.98	3
2023-11-09 04:10:00	0	0	0	0	#N/A	#N/A	3.1	0.764	97.98	-0.5	-0.7	0	3.1	0	97.98	3.1
2023-11-09 04:15:00	0	0	0	0	#N/A	#N/A	3.3	0.77	97.97	-0.5	-0.7	0	3.3	0	97.97	3.2
2023-11-09 04:20:00	0	0	0	0	#N/A	#N/A	3.4	0.778	97.97	-0.7	-0.7	0	3.4	0	97.98	3.3
2023-11-09 04:25:00	0	0	0	0	#N/A	#N/A	3.6	0.788	97.98	-0.5	-0.7	0	3.6	0	97.98	3.5
2023-11-09 04:30:00	0	0	0	0	#N/A	#N/A	3.7	0.796	97.96	-0.7	-0.6	0	3.7	0	97.97	3.6
2023-11-09 04:35:00	0	0	0	0	#N/A	#N/A	3.8	0.8	97.98	-0.5	-0.8	0	3.8	0	97.97	3.7
2023-11-09 04:40:00	0	0	0	0	#N/A	#N/A	4	0.808	97.96	-0.6	-0.7	0	4	0	97.96	3.9
2023-11-09 04:45:00	0	0	0	0	#N/A	#N/A	4.2	0.822	97.95	-0.6	-0.8	0	4.2	0	97.96	4
2023-11-09 04:50:00	0	0	0	0	#N/A	#N/A	4.3	0.828	97.96	-0.4	-0.7	0	4.3	0	97.96	4.2
2023-11-09 04:55:00	0	0	0	0	#N/A	#N/A	4.4	0.834	97.96	-0.5	-0.7	0	4.4	0	97.97	4.3
2023-11-09 05:00:00	0	0	0	0	#N/A	#N/A	4.6	0.844	97.97	-0.5	-0.6	0	4.6	0	97.97	4.4
2023-11-09 05:05:00	0	0	0	0	#N/A	#N/A	4.7	0.852	97.97	-0.5	-0.6	0	4.7	0	97.97	4.6
2023-11-09 05:10:00	0	0	0	0	#N/A	#N/A	4.8	0.858	97.97	-0.5	-0.7	0	4.8	0	97.96	4.7
2023-11-09 05:15:00	0	0	0	0	#N/A	#N/A	4.9	0.862	97.96	-0.6	-0.6	0	4.9	0.01	97.96	4.8
2023-11-09 05:20:00	0	0	0	0	#N/A	#N/A	5	0.87	97.97	-0.4	-0.7	0	5	0	97.97	4.9
2023-11-09 05:25:00	0	0	0	0	#N/A	#N/A	5.1	0.876	97.96	-0.4	-0.7	0	5.1	0	97.97	5.1
2023-11-09 05:30:00	0	0	0	0	#N/A	#N/A	5.3	0.882	97.98	-0.5	-0.8	0	5.3	0.01	97.98	5.2
2023-11-09 05:35:00	0	0	0	0	#N/A	#N/A	5.4	0.888	97.97	-0.4	-0.7	0	5.4	0.01	97.98	5.3
2023-11-09 05:40:00	0	0	0	0	#N/A	#N/A	5.5	0.896	97.99	-0.4	-0.7	0	5.5	0.01	97.99	5.4
2023-11-09 05:45:00	0	0	0	0	#N/A	#N/A	5.6	0.902	98	-0.4	-0.7	0	5.6	0	98	5.5
2023-11-09 05:50:00	0	0	0	0	#N/A	#N/A	5.6	0.9	98	-0.4	-0.6	0	5.6	0.01	97.99	5.6
2023-11-09 05:55:00	0	0	0	0	#N/A	#N/A	5.8	0.908	98	-0.3	-0.7	0	5.8	0.01	98	5.7
2023-11-09 06:00:00	0	0	0	0	#N/A	#N/A	5.8	0.91	98	-0.5	-0.7	0	5.8	0.01	98	5.8
2023-11-09 06:05:00	0	0	0	0	#N/A	#N/A	5.9	0.916	98.01	-0.4	-0.6	0	5.9	0.01	98	5.9
2023-11-09 06:10:00	0	0	0	0	#N/A	#N/A	5.9	0.916	98.01	-0.4	-0.7	0	5.9	0.01	98	5.9
2023-11-09 06:15:00	0	0	0	0	#N/A	#N/A	5.9	0.916	98.01	-0.4	-0.7	0	5.9	0.01	98.01	6
2023-11-09 06:20:00	0	0	0	194	0.85	1.36	6	0.922	98.03	-0.4	-0.7	0	6	0.01	98.03	6.1
2023-11-09 06:25:00	0	0	0	168	1.51	2.42	6.1	0.928	98.05	-0.4	-0.7	0	6.1	0.01	98.05	6.2
2023-11-09 06:30:00	0	0	0	205	0.84	1.31	6.2	0.938	98.07	-0.5	-0.6	0	6.2	0.01	98.07	6.3
2023-11-09 06:35:00	0	0	0	221	0.83	1.43	6.4	0.952	98.08	-0.3	-0.6	0	6.4	0.01	98.08	6.4
2023-11-09 06:40:00	0	0	0	286	1.12	1.99	6.5	0.96	98.1	-0.4	-0.6	0	6.5	0.01	98.1	6.5
2023-11-09 06:45:00	0	0	0	286	1.51	2.04	6.5	0.96	98.12	-0.4	-0.7	0	6.5	0	98.11	6.5
2023-11-09 06:50:00	0.8	0	0	282	2.16	3.29	6.5	0.962	98.14	-0.4	-0.7	0	6.5	0.01	98.13	6.5
2023-11-09 06:55:00	1.6	0	0	290	2.19	3.06	6.5	0.96	98.15	-0.4	-0.8	0	6.5	0.01	98.14	6.5
2023-11-09 07:00:00	3	0	0	284	3.11	4.77	6.5	0.96	98.15	-0.5	-0.7	0	6.5	0	98.15	6.6
2023-11-09 07:05:00	4	0	0	285	3.48	4.72	6.6	0.972	98.18	-0.4	-0.8	0	6.7	0	98.17	6.7
2023-11-09 07:10:00	5.8	0	0	281	4.07	5.96	6.8	0.984	98.19	-0.4	-0.6	0	6.8	0	98.19	6.8
2023-11-09 07:15:00	8.4	0	0	276	6.02	8.74	7.1	1.002	98.19	-0.3	-0.7	0	7.1	0.01	98.2	7
2023-11-09 07:20:00	9	0	0	273	6.32	9.63	7.6	1.038	98.22	-1.4	0.2	0	7.7	0.01	98.22	7.4
2023-11-09 07:25:00	9.4	0	0	276	6.33	10.54	8.2	1.08	98.25	-0.3	-1	0	8.2	0.01	98.24	7.8
2023-11-09 07:30:00	9.4	0	0	272	5.71	8.16	8.7	1.116	98.27	-0.1	-0.7	0	8.7	0.01	98.27	8.1
2023-11-09 07:35:00	11.4	0	0	267	6.31	11.21	9	1.142	98.3	-0.2	-0.8	0	9	0	98.28	8.3
2023-11-09 07:40:00	18.8	0	0	272	6.56	10.25	9.1	1.156	98.3	-0.2	-0.5	0	9.2	0	98.3	8.6
2023-11-09 07:45:00	34.8	0	0	278	6.82	10.34	9.3	1.166	98.31	-0.1	-0.5	0	9.3	0	98.3	8.7
2023-11-09 07:50:00	44.8	0	0	273	5.71	9.39	9.3	1.174	98.32	-0.2	-0.7	0	9.4	0	98.31	8.9
2023-11-09 07:55:00	38.8	0	0	272	6.09	9.26	9.4	1.172	98.33	-0.1	-0.7	0	9.4	0.01	98.32	9
2023-11-09 08:00:00	39.4	0	0	266	5.93	12.02	9.4	1.172	98.34	-0.2	-0.7	0	9.4	0.01	98.33	9.1
2023-11-09 08:05:00	43.8	0	0	271	5.23	7.83	9.4	1.168	98.34	-0.4	-0.9	0	9.4	0.01	98.33	9.1
2023-11-09 08:10:00	42.8	0	0	259	5.28	7.55	9.3	1.162	98.34	-0.3	-0.7	0	9.4	0.01	98.33	9.2
2023-11-09 08:15:00	39.8	0	0	255	5.41	9.33	9.3	1.16	98.34	-0.3	-0.9	0	9.4	0.01	98.34	9.2
2023-11-09 08:20:00	42.2	0	0	256	5.02	7.69	9.4	1.162	98.35	-0.3	-0.8	0	9.5	0.02	98.34	9.3
2023-11-09 08:25:00	42.6	0	0	268	3.81	6.24	9.4	1.16	98.36	-0.2	-0.7	0	9.4	0.02	98.35	9.4

z6-17454
Records: 2016

Timestamps

W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	Port1		Port8	
															Barometer			
															kPa Reference Pressure	°F Logger Temp.		
2023-11-09 08:30:00	58.8	0	0	0	265	3.88	6	9.4	1.164	98.37	-0.5	-0.7	0	9.5	0.01	98.36	9.4	
2023-11-09 08:35:00	75.6	0	0	0	257	5.07	8.9	9.5	1.168	98.38	-0.3	-0.9	0	9.6	0.02	98.37	9.5	
2023-11-09 08:40:00	100	0	0	0	269	4.91	7.18	9.6	1.174	98.39	-0.2	-0.7	0	9.7	0.02	98.38	9.6	
2023-11-09 08:45:00	111.6	0	0	0	267	5.75	9.96	9.7	1.176	98.39	-0.2	-0.6	0	9.8	0.03	98.39	9.8	
2023-11-09 08:50:00	131	0	0	0	260	6.46	10.28	9.8	1.174	98.39	-0.5	-1	0	9.9	0.03	98.39	9.9	
2023-11-09 08:55:00	135.2	0	0	0	265	5.61	9.5	9.9	1.174	98.39	-0.5	-0.5	0	10	0.04	98.4	10	
2023-11-09 09:00:00	95.4	0	0	0	271	6.32	9.63	9.9	1.162	98.42	-0.1	-1.1	0	10	0.06	98.41	10	
2023-11-09 09:05:00	79.8	0	0	0	278	7.86	11.52	9.9	1.152	98.42	0	-0.9	0	10	0.07	98.41	10	
2023-11-09 09:10:00	82	0	0	0	281	7.52	12.86	9.8	1.142	98.44	-0.5	-1	0	9.9	0.07	98.44	10	
2023-11-09 09:15:00	47.8	0	0	0	277	8.02	11.45	9.8	1.122	98.46	-0.3	-0.5	0	9.8	0.09	98.45	9.9	
2023-11-09 09:20:00	63.6	0	0	0	274	7.94	14.31	9.6	1.11	98.47	-0.7	-0.6	0	9.7	0.09	98.46	9.8	
2023-11-09 09:25:00	62.4	0	0	0	278	8.5	13.76	9.5	1.094	98.47	-0.9	-1.4	0	9.6	0.09	98.47	9.7	
2023-11-09 09:30:00	49.2	0	0	0	281	7.96	10.78	9.4	1.084	98.48	-0.5	-0.5	0	9.4	0.09	98.48	9.6	
2023-11-09 09:35:00	42	0	0	0	283	7.23	11.69	9.2	1.078	98.5	-0.2	-0.9	0	9.3	0.08	98.49	9.4	
2023-11-09 09:40:00	44.6	0	0	0	275	5.57	8.16	9.1	1.072	98.51	-0.4	-0.6	0	9.1	0.08	98.51	9.3	
2023-11-09 09:45:00	44.2	0	0	0	282	7.13	9.87	9	1.064	98.52	-0.3	-0.9	0	9	0.08	98.51	9.2	
2023-11-09 09:50:00	49.4	0	0	0	278	7.43	11.36	8.9	1.056	98.52	-0.2	-0.5	0	8.9	0.08	98.53	9.1	
2023-11-09 09:55:00	57.6	0	0	0	275	7.89	12.33	8.7	1.046	98.53	-0.8	-1.4	0	8.8	0.08	98.53	9	
2023-11-09 10:00:00	70.2	0	0	0	278	7.38	11.51	8.6	1.042	98.54	-0.3	-1.3	0	8.7	0.07	98.54	8.9	
2023-11-09 10:05:00	66.2	0	0	0	275	6.54	10.67	8.5	1.034	98.56	-0.1	-0.7	0	8.6	0.08	98.56	8.9	
2023-11-09 10:10:00	62.2	0	0	0	282	6.24	8.91	8.5	1.032	98.57	-0.5	-0.8	0	8.6	0.08	98.57	8.8	
2023-11-09 10:15:00	64.8	0	0	0	285	7.75	12.78	8.4	1.026	98.57	-0.6	-0.9	0	8.5	0.08	98.57	8.7	
2023-11-09 10:20:00	70	0	0	0	281	8.21	14.46	8.2	1.002	98.59	-0.1	-0.8	0	8.3	0.08	98.58	8.6	
2023-11-09 10:25:00	73	0	0	0	275	7.89	12.73	8.1	0.994	98.59	-0.6	-1	0	8.2	0.08	98.6	8.4	
2023-11-09 10:30:00	74	0	0	0	281	7.03	11.38	8	0.988	98.61	-0.2	-0.7	0	8	0.08	98.62	8.4	
2023-11-09 10:35:00	66.2	0	0	0	278	8.12	11.69	7.9	0.98	98.63	-0.3	-0.9	0	8	0.08	98.63	8.3	
2023-11-09 10:40:00	55.6	0	0	0	283	7.69	13.36	7.8	0.97	98.64	-0.4	-0.5	0	7.8	0.09	98.63	8.2	
2023-11-09 10:45:00	49.2	0	0	0	278	7.85	11.56	7.7	0.968	98.65	-0.8	-0.8	0	7.7	0.08	98.64	8	
2023-11-09 10:50:00	48.6	0	0	0	283	7.33	10.64	7.5	0.956	98.64	0.1	-0.3	0	7.5	0.08	98.65	7.9	
2023-11-09 10:55:00	52.2	0	0	0	278	8.68	14.14	7.4	0.948	98.66	-0.3	-0.3	0	7.4	0.08	98.66	7.7	
2023-11-09 11:00:00	59.6	0	0	0	276	6.93	11.86	7.2	0.936	98.67	-0.1	-0.7	0	7.3	0.08	98.67	7.6	
2023-11-09 11:05:00	54.2	0	0	0	281	6.51	10.13	7.1	0.932	98.68	-0.5	-0.3	0	7.2	0.08	98.68	7.5	
2023-11-09 11:10:00	44.4	0	0	0	279	8.34	12.46	7	0.922	98.68	0.1	0.9	0	7.1	0.08	98.68	7.4	
2023-11-09 11:15:00	52	0	0	0	277	6.42	10.39	6.9	0.912	98.7	-0.8	-0.3	0	6.9	0.08	98.7	7.3	
2023-11-09 11:20:00	141	0	0	0	272	6.03	8.42	6.8	0.918	98.7	-0.8	-0.5	0	7	0.07	98.7	7.3	
2023-11-09 11:25:00	116.8	0	0	0	272	4.33	7.53	6.9	0.916	98.7	-0.3	-0.8	0	7.1	0.08	98.7	7.4	
2023-11-09 11:30:00	93.4	0	0	0	267	3.78	6.48	7.1	0.926	98.71	-0.4	-0.8	0	7.2	0.08	98.7	7.5	
2023-11-09 11:35:00	82.2	0	0	0	269	4.71	7.33	7.1	0.924	98.7	-0.2	-0.8	0	7.2	0.08	98.7	7.5	
2023-11-09 11:40:00	83.6	0	0	0	264	3.95	5.32	7.1	0.924	98.71	-0.5	-0.7	0	7.2	0.08	98.7	7.5	
2023-11-09 11:45:00	83.6	0	0	0	266	4.85	7.2	7.2	0.924	98.71	-0.4	-0.6	0	7.3	0.09	98.71	7.5	
2023-11-09 11:50:00	94.4	0	0	0	266	5.65	8.58	7.2	0.922	98.71	-0.3	-0.6	0	7.3	0.09	98.7	7.5	
2023-11-09 11:55:00	88	0	0	0	265	4.68	7.72	7.2	0.928	98.71	-0.4	-0.8	0	7.4	0.09	98.71	7.6	
2023-11-09 12:00:00	84.4	0	0	0	267	4.22	7.24	7.3	0.934	98.71	-0.3	-0.8	0	7.4	0.09	98.71	7.6	
2023-11-09 12:05:00	80.4	0	0	0	265	6.03	9.1	7.4	0.936	98.72	-0.3	-0.9	0	7.5	0.09	98.71	7.6	
2023-11-09 12:10:00	80.4	0	0	0	257	5.39	7.98	7.4	0.934	98.72	-0.4	-0.9	0	7.5	0.09	98.71	7.6	
2023-11-09 12:15:00	69.4	0	0	0	258	6.25	9.33	7.4	0.936	98.71	-0.5	-0.6	0	7.5	0.09	98.71	7.6	
2023-11-09 12:20:00	76.8	0	0	0	266	4.64	9.73	7.4	0.936	98.72	-0.1	-0.6	0	7.5	0.09	98.72	7.6	
2023-11-09 12:25:00	90	0	0	0	258	5.24	8.04	7.4	0.94	98.72	-0.4	-0.7	0	7.5	0.09	98.73	7.6	
2023-11-09 12:30:00	84.2	0	0	0	263	5.18	8.21	7.4	0.944	98.74	-0.1	-0.5	0	7.6	0.09	98.73	7.7	
2023-11-09 12:35:00	75.4	0	0	0	265	5.27	7.38	7.6	0.948	98.75	-0.4	-0.7	0	7.7	0.09	98.74	7.7	
2023-11-09 12:40:00	89.4	0	0	0	268	5.63	8.44	7.6	0.946	98.75	-0.3	-0.8	0	7.7	0.1	98.75	7.7	
2023-11-09 12:45:00	101.2	0	0	0	267	5.78	10.41	7.6	0.944	98.75	-0.4	-0.8	0	7.7	0.1	98.75	7.8	
2023-11-09 12:50:00	100.2	0	0	0	275	5.9	8.58	7.7	0.952	98.75	-0.3	-0.6	0	7.8	0.1	98.75	7.9	
2023-11-09 12:55:00	100.2	0	0	0	264	5.1	8.35	7.7	0.952	98.75	-0.4	-1	0	7.9	0.1	98.75	7.9	
2023-11-09 13:00:00	102	0	0	0	269	6.15	11.2	7.8	0.954	98.75	0	-0.5	0	8	0.11	98.75	8	
2023-11-09 13:05:00	89.2	0	0	0	265	5.1	8.85	7.9	0.954	98.76	-0.3	-0.7	0	8	0.11	98.76	8	
2023-11-09 13:10:00	73.4	0	0	0	269	5.46	9.78	7.9	0.948	98.76	-0.1	-0.7	0	8	0.12	98.76	8.1	
2023-11-09 13:15:00	60.6	0	0	0	271	5.95	8.56	8	0.95	98.77	-0.5	-0.7	0	8	0.12	98.77	8.1	
2023-11-09 13:20:00	57	0	0	0	270	5.14	8.18	8	0.95	98.78	-0.4	-0.8	0	8.1	0.12	98.78	8	
2023-11-09 13:25:00	51.6	0	0	0	274	5.86	11.1	8	0.95	98.79	-0.2	-1	0	8.1	0.12	98.78	8	

z6-17454
Records: 2016

Timestamps	Port1														Port8		
	ATMOS 41 All-in-one Weather Station														Barometer		
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-09 13:30:00	60.2	0	0	0	268	5.09	8.1	7.9	0.948	98.79	-0.1	-0.8	0	8	0.12	98.79	7.9
2023-11-09 13:35:00	63.4	0	0	0	269	5.32	9.68	7.9	0.948	98.8	-0.2	-1.1	0	8	0.11	98.79	7.8
2023-11-09 13:40:00	61	0	0	0	262	4.54	9.41	7.8	0.952	98.81	-0.4	-0.6	0	7.9	0.11	98.81	7.7
2023-11-09 13:45:00	45	0	0	0	267	4.19	7.14	7.7	0.958	98.83	-0.4	-0.7	0	7.8	0.1	98.82	7.6
2023-11-09 13:50:00	44.8	0	0	0	265	4.77	7.63	7.7	0.958	98.84	-0.5	-0.9	0	7.7	0.09	98.83	7.6
2023-11-09 13:55:00	46.6	0	0	0	259	4.06	5.89	7.6	0.952	98.84	-0.5	-0.7	0	7.7	0.09	98.84	7.6
2023-11-09 14:00:00	59.2	0	0	0	258	3.8	5.88	7.6	0.952	98.84	-0.3	-0.7	0	7.7	0.09	98.84	7.7
2023-11-09 14:05:00	52.2	0	0	0	256	4.5	7.71	7.6	0.952	98.84	-0.4	-0.8	0	7.7	0.09	98.83	7.8
2023-11-09 14:10:00	42.2	0	0	0	263	4.31	5.99	7.7	0.948	98.84	-0.4	-0.8	0	7.8	0.1	98.83	7.9
2023-11-09 14:15:00	45.4	0	0	0	261	4.36	7.69	7.8	0.95	98.84	-0.4	-0.7	0	7.9	0.11	98.84	7.9
2023-11-09 14:20:00	50.2	0	0	0	264	3.62	5	7.8	0.95	98.85	-0.3	-0.6	0	7.9	0.11	98.84	7.9
2023-11-09 14:25:00	54.4	0	0	0	268	4.25	7.68	7.9	0.948	98.85	-0.3	-0.7	0	8	0.11	98.85	8
2023-11-09 14:30:00	54	0	0	0	263	3.7	5.06	8	0.952	98.85	-0.3	-0.8	0	8.1	0.12	98.84	8
2023-11-09 14:35:00	55.8	0	0	0	266	5.41	8.44	8	0.946	98.85	-0.4	-0.8	0	8.1	0.13	98.85	8.1
2023-11-09 14:40:00	41	0	0	0	259	3.84	5.71	8.1	0.948	98.87	-0.5	-0.7	0	8.2	0.13	98.85	8.1
2023-11-09 14:45:00	41.2	0	0	0	254	4.56	6.69	8.2	0.948	98.87	-0.3	-0.9	0	8.3	0.14	98.86	8.2
2023-11-09 14:50:00	53.6	0	0	0	256	4.09	7.54	8.2	0.95	98.87	-0.3	-0.9	0	8.3	0.14	98.87	8.2
2023-11-09 14:55:00	55	0	0	0	244	3.03	4.69	8.3	0.954	98.88	-0.4	-0.7	0	8.4	0.14	98.87	8.3
2023-11-09 15:00:00	76.4	0	0	0	240	4.08	7.07	8.3	0.954	98.86	-0.4	-0.8	0	8.4	0.14	98.85	8.3
2023-11-09 15:05:00	76.8	0	0	0	230	4.36	6.9	8.4	0.95	98.85	-0.4	-0.8	0	8.5	0.15	98.84	8.3
2023-11-09 15:10:00	101	0	0	0	245	3.73	7.24	8.4	0.954	98.85	-0.4	-0.8	0	8.6	0.15	98.84	8.4
2023-11-09 15:15:00	128	0	0	0	243	2.86	4.19	8.6	0.96	98.85	-0.3	-0.7	0	8.7	0.15	98.84	8.4
2023-11-09 15:20:00	73.6	0	0	0	248	3.86	5.65	8.7	0.96	98.85	-0.3	-0.7	0	8.9	0.17	98.85	8.6
2023-11-09 15:25:00	145.2	0	0	0	257	3.98	6.86	8.8	0.958	98.86	-0.3	-0.8	0	9	0.18	98.85	8.6
2023-11-09 15:30:00	133.4	0	0	0	252	5.5	9.48	9.2	0.962	98.86	-0.3	-0.7	0	9.4	0.2	98.86	8.9
2023-11-09 15:35:00	95	0	0	0	249	5.24	8.8	9.4	0.958	98.87	-0.1	-0.7	0	9.5	0.22	98.86	9
2023-11-09 15:40:00	69	0	0	0	249	5.24	8.47	9.4	0.95	98.88	-0.6	-0.8	0	9.5	0.23	98.87	9
2023-11-09 15:45:00	73.6	0	0	0	249	5.63	9.61	9.3	0.938	98.89	-0.7	-0.7	0	9.4	0.23	98.88	8.9
2023-11-09 15:50:00	41.8	0	0	0	261	6.46	8.84	9.1	0.918	98.91	-0.2	-1.1	0	9.1	0.24	98.89	8.8
2023-11-09 15:55:00	33.2	0	0	0	264	5.63	9.51	8.9	0.91	98.92	0	-1	0	9	0.23	98.91	8.7
2023-11-09 16:00:00	19.6	0	0	0	263	6.2	9.53	8.8	0.906	98.92	-0.5	-1	0	8.8	0.22	98.91	8.6
2023-11-09 16:05:00	17.4	0	0	0	261	5.01	7.78	8.6	0.896	98.92	-0.4	-0.8	0	8.6	0.22	98.91	8.4
2023-11-09 16:10:00	16.4	0	0	0	259	5.23	9.02	8.5	0.898	98.92	-0.1	-0.5	0	8.5	0.21	98.91	8.3
2023-11-09 16:15:00	18	0	0	0	258	4.41	7.09	8.3	0.896	98.93	-0.2	-0.8	0	8.3	0.2	98.92	8.1
2023-11-09 16:20:00	10.8	0	0	0	258	4.82	7.71	8.1	0.892	98.93	-0.3	-0.7	0	8.2	0.19	98.92	8
2023-11-09 16:25:00	9	0	0	0	262	5.02	7.83	8	0.89	98.93	-0.5	-0.9	0	8	0.18	98.91	7.8
2023-11-09 16:30:00	7.8	0	0	0	262	5.14	9.25	7.9	0.884	98.93	-0.6	-0.8	0	7.9	0.18	98.92	7.7
2023-11-09 16:35:00	4.2	0	0	0	258	4.65	6.84	7.8	0.882	98.93	-0.4	-0.6	0	7.8	0.18	98.92	7.6
2023-11-09 16:40:00	2.4	0	0	0	256	5	7.97	7.7	0.876	98.94	-0.4	-0.6	0	7.7	0.18	98.92	7.4
2023-11-09 16:45:00	0.6	0	0	0	257	4.63	7.33	7.6	0.872	98.94	-0.4	-0.7	0	7.6	0.17	98.92	7.3
2023-11-09 16:50:00	0	0	0	0	253	4.46	7.37	7.5	0.868	98.95	-0.4	-0.8	0	7.5	0.17	98.94	7.1
2023-11-09 16:55:00	0	0	0	0	257	4.27	7.02	7.4	0.866	98.96	-0.5	-0.5	0	7.4	0.16	98.95	7
2023-11-09 17:00:00	0	0	0	0	258	4.7	8.7	7.2	0.858	98.97	-0.2	-0.8	0	7.2	0.16	98.96	6.8
2023-11-09 17:05:00	0	0	0	0	241	6.21	10.17	7.2	0.858	98.97	-0.2	-0.5	0	7.2	0.16	98.97	6.8
2023-11-09 17:10:00	0	0	0	0	244	4.86	7.99	7.2	0.856	98.98	-0.4	-0.4	0	7.2	0.16	98.97	6.8
2023-11-09 17:15:00	0	0	0	0	254	4.59	6.8	7.1	0.852	98.99	-0.3	-0.6	0	7.1	0.16	98.98	6.6
2023-11-09 17:20:00	0	0	0	0	246	4.23	6.25	7	0.85	99	-0.4	-0.9	0	7	0.15	98.99	6.5
2023-11-09 17:25:00	0	0	0	0	247	4.59	8.03	6.9	0.84	99	-0.4	-0.7	0	6.9	0.15	98.99	6.4
2023-11-09 17:30:00	0	0	0	0	240	5.12	8.7	6.8	0.834	99	-0.3	-0.7	0	6.8	0.16	98.99	6.3
2023-11-09 17:35:00	0	0	0	0	246	5.29	7.46	6.8	0.83	99.01	-0.6	-0.8	0	6.8	0.16	99	6.3
2023-11-09 17:40:00	0	0	0	0	246	5.12	7.57	6.8	0.834	99.02	0	-0.9	0	6.8	0.16	99	6.3
2023-11-09 17:45:00	0	0	0	0	244	4.43	6.57	6.8	0.83	99.03	-0.1	-0.5	0	6.8	0.16	99.01	6.2
2023-11-09 17:50:00	0	0	0	0	242	4.89	7.28	6.7	0.828	99.04	-0.3	-0.7	0	6.7	0.15	99.02	6.1
2023-11-09 17:55:00	0	0	0	0	240	4.83	8.29	6.6	0.826	99.04	-0.3	-0.7	0	6.6	0.15	99.03	6.1
2023-11-09 18:00:00	0	0	0	0	238	5.19	8.53	6.6	0.828	99.05	-0.3	-0.6	0	6.6	0.14	99.04	6
2023-11-09 18:05:00	0	0	0	0	242	4.68	8.23	6.6	0.828	99.07	-0.4	-0.9	0	6.6	0.14	99.06	6
2023-11-09 18:10:00	0	0	0	0	242	4.35	6.53	6.6	0.828	99.09	-0.4	-0.6	0	6.6	0.14	99.07	5.9
2023-11-09 18:15:00	0	0	0	0	243	4.29	7.31	6.4	0.822	99.09	-0.4	-0.7	0	6.5	0.14	99.07	5.8
2023-11-09 18:20:00	0	0	0	0	241	4.1	5.88	6.3	0.82	99.09	-0.5	-0.8	0	6.3	0.14	99.07	5.8
2023-11-09 18:25:00	0	0	0	0	236	4.24	6.25	6.3	0.822	99.08	-0.5	-0.7	0	6.3	0.13	99.07	5.7

z6-17454
Records: 2016

Timestamps	Port1														Port8		
	ATMOS 41 All-in-one Weather Station														Barometer		
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-09 18:30:00	0	0	0	0	234	4.5	7.77	6.2	0.82	99.09	-0.6	-0.7	0	6.2	0.13	99.08	5.7
2023-11-09 18:35:00	0	0	0	0	236	4.69	6.98	6.3	0.82	99.1	-0.5	-0.8	0	6.3	0.13	99.08	5.6
2023-11-09 18:40:00	0	0	0	0	232	4.58	7.52	6.3	0.822	99.11	-0.6	-0.8	0	6.3	0.13	99.09	5.6
2023-11-09 18:45:00	0	0	0	0	237	4.12	6.62	6.3	0.826	99.11	-0.5	-0.6	0	6.3	0.13	99.1	5.6
2023-11-09 18:50:00	0	0	0	0	222	4.19	5.61	6.3	0.824	99.11	-0.4	-0.7	0	6.3	0.13	99.09	5.6
2023-11-09 18:55:00	0	0	0	0	225	3.33	5.42	6.3	0.828	99.11	-0.4	-0.6	0	6.3	0.13	99.1	5.5
2023-11-09 19:00:00	0	0	0	0	224	3.61	5.23	6.2	0.824	99.11	-0.5	-0.7	0	6.2	0.13	99.1	5.5
2023-11-09 19:05:00	0	0	0	0	222	3.46	5.82	6.2	0.822	99.11	-0.3	-0.8	0	6.2	0.13	99.1	5.4
2023-11-09 19:10:00	0	0	0	0	214	3.61	5.94	6.1	0.822	99.1	-0.5	-0.7	0	6.1	0.12	99.09	5.4
2023-11-09 19:15:00	0	0	0	0	216	3.26	6.7	6.1	0.822	99.1	-0.4	-0.6	0	6.1	0.12	99.08	5.4
2023-11-09 19:20:00	0	0	0	0	217	3.57	5.54	6.1	0.822	99.1	-0.5	-0.7	0	6.1	0.12	99.08	5.3
2023-11-09 19:25:00	0	0	0	0	213	3.55	5.53	6.1	0.822	99.1	-0.5	-0.8	0	6.1	0.12	99.09	5.3
2023-11-09 19:30:00	0	0	0	0	211	4.09	6.17	6.1	0.826	99.1	-0.4	-0.9	0	6.1	0.11	99.08	5.4
2023-11-09 19:35:00	0	0	0	0	203	3.87	6.36	6.1	0.83	99.1	-0.4	-0.6	0	6.1	0.11	99.08	5.4
2023-11-09 19:40:00	0	0	0	0	203	4.61	8.2	6.2	0.828	99.11	-0.6	-0.6	0	6.2	0.12	99.09	5.5
2023-11-09 19:45:00	0	0	0	0	206	3.88	5.69	6.2	0.832	99.1	-0.4	-0.7	0	6.2	0.12	99.08	5.5
2023-11-09 19:50:00	0	0	0	0	202	4	5.74	6.3	0.832	99.09	-0.5	-0.7	0	6.3	0.12	99.07	5.5
2023-11-09 19:55:00	0	0	0	0	205	4.61	6.85	6.3	0.83	99.09	-0.5	-0.8	0	6.3	0.12	99.07	5.5
2023-11-09 20:00:00	0	0	0	0	209	3.71	6.88	6.3	0.83	99.08	-0.4	-0.7	0	6.3	0.12	99.07	5.5
2023-11-09 20:05:00	0	0	0	0	208	3.24	4.94	6.3	0.83	99.09	-0.4	-0.7	0	6.3	0.12	99.07	5.5
2023-11-09 20:10:00	0	0	0	0	204	4.15	8.3	6.2	0.828	99.09	-0.4	-0.8	0	6.2	0.12	99.08	5.4
2023-11-09 20:15:00	0	0	0	0	202	4.37	6.35	6.2	0.828	99.1	-0.4	-0.6	0	6.2	0.12	99.08	5.5
2023-11-09 20:20:00	0	0	0	0	199	4.33	6.63	6.2	0.83	99.09	-0.4	-0.8	0	6.3	0.12	99.08	5.5
2023-11-09 20:25:00	0	0	0	0	200	4.06	5.83	6.3	0.83	99.1	-0.4	-0.6	0	6.3	0.12	99.09	5.5
2023-11-09 20:30:00	0	0	0	0	209	3.62	6.58	6.2	0.828	99.11	-0.4	-0.6	0	6.2	0.12	99.09	5.5
2023-11-09 20:35:00	0	0	0	0	205	3.4	4.77	6.3	0.828	99.11	-0.4	-0.8	0	6.3	0.13	99.09	5.5
2023-11-09 20:40:00	0	0	0	0	211	3.82	5.47	6.2	0.826	99.11	-0.3	-0.7	0	6.2	0.12	99.1	5.4
2023-11-09 20:45:00	0	0	0	0	211	3.07	6.26	6.2	0.826	99.12	-0.5	-0.6	0	6.2	0.12	99.1	5.4
2023-11-09 20:50:00	0	0	0	0	210	3.3	6.08	6.1	0.828	99.11	-0.5	-0.7	0	6.1	0.11	99.09	5.3
2023-11-09 20:55:00	0	0	0	0	218	2.53	3.76	6.1	0.822	99.12	-0.4	-0.7	0	6.1	0.12	99.1	5.3
2023-11-09 21:00:00	0	0	0	0	200	3.81	8.28	6	0.822	99.11	-0.5	-0.7	0	6	0.11	99.1	5.2
2023-11-09 21:05:00	0	0	0	0	209	4.12	7.08	6.1	0.826	99.11	-0.5	-0.5	0	6.1	0.11	99.09	5.3
2023-11-09 21:10:00	0	0	0	0	208	4.42	6.31	6.1	0.828	99.1	-0.4	-0.7	0	6.1	0.12	99.08	5.4
2023-11-09 21:15:00	0	0	0	0	207	4.2	6.2	6.2	0.83	99.1	-0.4	-0.8	0	6.2	0.12	99.08	5.4
2023-11-09 21:20:00	0	0	0	0	209	3.92	5.75	6.2	0.83	99.1	-0.3	-0.7	0	6.2	0.12	99.08	5.5
2023-11-09 21:25:00	0	0	0	0	207	3.96	5.91	6.3	0.838	99.1	-0.4	-0.7	0	6.3	0.12	99.08	5.5
2023-11-09 21:30:00	0	0	0	0	216	4.56	7.69	6.3	0.836	99.1	-0.4	-0.9	0	6.3	0.12	99.08	5.6
2023-11-09 21:35:00	0	0	0	0	217	4.13	6.23	6.4	0.84	99.09	-0.4	-0.7	0	6.4	0.12	99.08	5.6
2023-11-09 21:40:00	0	0	0	0	221	5.07	8.99	6.5	0.84	99.1	-0.4	-0.6	0	6.5	0.13	99.08	5.6
2023-11-09 21:45:00	0	0	0	0	217	3.94	5.54	6.6	0.842	99.1	-0.4	-0.7	0	6.6	0.13	99.08	5.7
2023-11-09 21:50:00	0	0	0	0	211	3.82	6.03	6.6	0.84	99.1	-0.4	-0.7	0	6.6	0.13	99.08	5.7
2023-11-09 21:55:00	0	0	0	0	207	4.89	7.83	6.5	0.838	99.1	-0.4	-0.8	0	6.5	0.13	99.08	5.7
2023-11-09 22:00:00	0	0	0	0	207	4.1	6.2	6.6	0.834	99.1	-0.5	-0.6	0	6.6	0.14	99.08	5.7
2023-11-09 22:05:00	0	0	0	0	211	4.45	7.2	6.5	0.832	99.1	-0.5	-0.7	0	6.5	0.14	99.08	5.7
2023-11-09 22:10:00	0	0	0	0	219	4.47	6.95	6.5	0.83	99.1	-0.5	-0.6	0	6.5	0.14	99.09	5.7
2023-11-09 22:15:00	0	0	0	0	222	4.65	7.93	6.6	0.836	99.11	-0.3	-0.7	0	6.6	0.14	99.09	5.8
2023-11-09 22:20:00	0	0	0	0	225	4.71	6.84	6.7	0.828	99.11	-0.4	-0.8	0	6.7	0.15	99.09	5.8
2023-11-09 22:25:00	0	0	0	0	226	5.19	8.21	6.8	0.834	99.11	-0.4	-0.5	0	6.8	0.15	99.09	5.9
2023-11-09 22:30:00	0	0	0	0	221	5.89	8.4	6.9	0.836	99.11	-0.5	-0.9	0	6.9	0.16	99.09	6
2023-11-09 22:35:00	0	0	0	0	228	5.14	7.74	6.9	0.832	99.12	-0.5	-0.6	0	6.9	0.16	99.1	6.1
2023-11-09 22:40:00	0	0	0	0	228	5.45	8.41	7	0.83	99.12	0.1	-0.7	0	7	0.17	99.1	6.1
2023-11-09 22:45:00	0	0	0	0	234	5.38	8.57	7	0.828	99.13	-0.6	-0.6	0	7	0.17	99.12	6.2
2023-11-09 22:50:00	0	0	0	0	235	6.12	8.94	7	0.822	99.14	-0.6	-0.8	0	7	0.18	99.12	6.2
2023-11-09 22:55:00	0	0	0	0	246	5.37	7.62	7	0.818	99.13	-0.4	-0.8	0	7.1	0.19	99.12	6.2
2023-11-09 23:00:00	0	0	0	0	236	5.05	8.08	7.1	0.812	99.13	-0.2	-0.8	0	7.1	0.2	99.11	6.3
2023-11-09 23:05:00	0	0	0	0	241	5.1	7.34	7.1	0.812	99.14	-0.4	-0.7	0	7.1	0.19	99.13	6.3
2023-11-09 23:10:00	0	0	0	0	239	4.51	6.51	7.1	0.81	99.14	-0.4	-0.7	0	7.1	0.2	99.12	6.3
2023-11-09 23:15:00	0	0	0	0	234	4.33	6.42	7.1	0.814	99.15	-0.4	-0.8	0	7.1	0.19	99.13	6.2
2023-11-09 23:20:00	0	0	0	0	229	4.34	6.66	7	0.812	99.15	-0.4	-0.6	0	7	0.19	99.13	6.2
2023-11-09 23:25:00	0	0	0	0	234	4.14	5.5	7	0.814	99.15	-0.2	-0.8	0	7	0.18	99.13	6.2

z6-17454
Records: 2016

Timestamps	Port1													Port8			
	ATMOS 41 All-in-one Weather Station														Barometer		
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-09 23:30:00	0	0	0	0	232	4.56	6.58	7	0.81	99.14	-0.4	-0.7	0	7	0.19	99.12	6.2
2023-11-09 23:35:00	0	0	0	0	239	4.5	6.61	6.9	0.808	99.14	-0.4	-0.7	0	6.9	0.19	99.13	6.2
2023-11-09 23:40:00	0	0	0	0	243	4.18	6.38	6.9	0.798	99.15	-0.4	-0.8	0	6.9	0.2	99.14	6.1
2023-11-09 23:45:00	0	0	0	0	242	4.16	7.46	6.8	0.792	99.16	-0.4	-0.7	0	6.8	0.19	99.14	6.1
2023-11-09 23:50:00	0	0	0	0	241	5.54	8.25	6.8	0.776	99.16	-0.3	-0.7	0	6.8	0.21	99.15	6.1
2023-11-09 23:55:00	0	0	0	0	245	5.13	8.08	6.8	0.762	99.18	-0.4	-0.9	0	6.8	0.23	99.16	6.2
2023-11-10 00:00:00	0	0	0	0	256	5.13	9.05	6.9	0.75	99.18	-0.3	-0.7	0	6.9	0.24	99.17	6.2
2023-11-10 00:05:00	0	0	0	0	253	4.83	7.43	6.9	0.744	99.19	-0.4	-0.8	0	6.9	0.25	99.18	6.3
2023-11-10 00:10:00	0	0	0	0	256	4.66	7.11	6.8	0.734	99.19	-0.3	-0.7	0	6.8	0.26	99.18	6.4
2023-11-10 00:15:00	0	0	0	0	258	4.43	6.55	6.8	0.726	99.2	-0.4	-0.7	0	6.8	0.26	99.19	6.4
2023-11-10 00:20:00	0	0	0	0	258	3.86	6.85	6.7	0.722	99.2	-0.2	-0.7	0	6.7	0.26	99.19	6.4
2023-11-10 00:25:00	0	0	0	0	254	3.59	5.37	6.7	0.718	99.21	-0.5	-0.7	0	6.7	0.26	99.19	6.2
2023-11-10 00:30:00	0	0	0	0	253	3.48	5.69	6.6	0.712	99.2	-0.4	-0.7	0	6.6	0.26	99.18	6.1
2023-11-10 00:35:00	0	0	0	0	256	4.01	5.94	6.5	0.708	99.2	-0.5	-0.8	0	6.5	0.26	99.19	6
2023-11-10 00:40:00	0	0	0	0	248	4.02	5.03	6.4	0.702	99.19	-0.7	-0.6	0	6.4	0.26	99.18	5.9
2023-11-10 00:45:00	0	0	0	0	251	4.28	7.03	6.4	0.694	99.2	-0.5	-0.7	0	6.4	0.26	99.19	5.9
2023-11-10 00:50:00	0	0	0	0	254	3.61	5.73	6.4	0.684	99.2	-0.5	-0.8	0	6.4	0.27	99.19	5.9
2023-11-10 00:55:00	0	0	0	0	257	4.05	6.44	6.4	0.682	99.21	-0.4	-0.7	0	6.4	0.28	99.19	5.8
2023-11-10 01:00:00	0	0	0	0	259	4.35	6.37	6.3	0.67	99.22	-0.3	-0.7	0	6.3	0.28	99.2	5.8
2023-11-10 01:05:00	0	0	0	0	264	4.64	7.27	6.3	0.666	99.22	-0.5	-0.7	0	6.3	0.29	99.2	5.8
2023-11-10 01:10:00	0	0	0	0	263	4.45	6.94	6.3	0.658	99.21	-0.5	-0.8	0	6.3	0.3	99.2	5.8
2023-11-10 01:15:00	0	0	0	0	266	4.16	6.67	6.3	0.654	99.22	-0.5	-0.7	0	6.3	0.3	99.2	5.7
2023-11-10 01:20:00	0	0	0	0	263	3.68	6.02	6.2	0.656	99.24	-0.3	-0.8	0	6.2	0.29	99.22	5.7
2023-11-10 01:25:00	0	0	0	0	264	3.15	4.88	6.2	0.654	99.24	-0.4	-0.8	0	6.1	0.29	99.22	5.5
2023-11-10 01:30:00	0	0	0	0	261	4.19	6.59	6	0.646	99.24	-0.4	-0.9	0	6	0.29	99.22	5.4
2023-11-10 01:35:00	0	0	0	0	262	3.85	6.69	6	0.646	99.24	-0.4	-0.7	0	6	0.29	99.22	5.4
2023-11-10 01:40:00	0	0	0	0	265	4.68	6.73	5.9	0.64	99.23	-0.3	-0.7	0	5.9	0.29	99.21	5.4
2023-11-10 01:45:00	0	0	0	0	267	4.26	7.59	5.9	0.64	99.24	-0.6	-0.4	0	5.9	0.29	99.22	5.3
2023-11-10 01:50:00	0	0	0	0	264	4.79	7.74	5.9	0.64	99.24	-0.4	-0.8	0	5.9	0.29	99.22	5.3
2023-11-10 01:55:00	0	0	0	0	265	5.1	8.39	5.8	0.632	99.25	-0.3	-0.6	0	5.8	0.29	99.23	5.3
2023-11-10 02:00:00	0	0	0	0	266	4.8	9.04	5.9	0.63	99.25	-0.4	-0.5	0	5.9	0.3	99.23	5.3
2023-11-10 02:05:00	0	0	0	0	268	4.7	8.01	5.9	0.626	99.24	-0.4	-0.7	0	5.9	0.3	99.22	5.3
2023-11-10 02:10:00	0	0	0	0	264	4.4	7.09	5.9	0.624	99.23	-0.6	-0.8	0	5.9	0.3	99.22	5.2
2023-11-10 02:15:00	0	0	0	0	268	4.13	6.35	5.8	0.62	99.22	-0.4	-0.6	0	5.8	0.3	99.2	5.2
2023-11-10 02:20:00	0	0	0	0	267	4.32	7.1	5.8	0.616	99.22	-0.5	-0.7	0	5.8	0.31	99.2	5.2
2023-11-10 02:25:00	0	0	0	0	269	4.35	6.67	5.8	0.612	99.23	-0.6	-0.6	0	5.8	0.31	99.21	5.1
2023-11-10 02:30:00	0	0	0	0	268	4.19	6.64	5.8	0.61	99.24	-0.5	-0.8	0	5.8	0.31	99.22	5.1
2023-11-10 02:35:00	0	0	0	0	266	3.77	6.68	5.8	0.61	99.25	-0.4	-0.7	0	5.8	0.31	99.23	5.1
2023-11-10 02:40:00	0	0	0	0	264	4.21	7.43	5.7	0.6	99.24	-0.5	-0.8	0	5.7	0.32	99.22	5.1
2023-11-10 02:45:00	0	0	0	0	263	3.69	6.01	5.7	0.602	99.24	-0.4	-0.7	0	5.7	0.32	99.23	5
2023-11-10 02:50:00	0	0	0	0	262	3.7	6.91	5.8	0.602	99.25	-0.4	-0.7	0	5.7	0.32	99.23	5
2023-11-10 02:55:00	0	0	0	0	258	3.46	6.36	5.8	0.606	99.24	-0.4	-0.7	0	5.8	0.31	99.22	5
2023-11-10 03:00:00	0	0	0	0	256	3.65	6.25	5.7	0.6	99.24	-0.5	-0.7	0	5.7	0.31	99.22	5
2023-11-10 03:05:00	0	0	0	0	252	3.4	5.86	5.6	0.596	99.24	-0.5	-0.6	0	5.6	0.32	99.21	4.9
2023-11-10 03:10:00	0	0	0	0	254	3.56	5.6	5.6	0.594	99.24	-0.6	-0.6	0	5.6	0.32	99.22	4.9
2023-11-10 03:15:00	0	0	0	0	257	4.36	6.11	5.6	0.594	99.24	-0.4	-0.8	0	5.6	0.32	99.22	4.9
2023-11-10 03:20:00	0	0	0	0	253	3.95	5.78	5.7	0.59	99.25	-0.4	-0.8	0	5.7	0.32	99.23	4.9
2023-11-10 03:25:00	0	0	0	0	254	3.46	5.52	5.6	0.588	99.26	-0.4	-0.6	0	5.6	0.32	99.23	4.9
2023-11-10 03:30:00	0	0	0	0	256	3.84	5.68	5.6	0.59	99.26	-0.5	-0.7	0	5.6	0.32	99.23	4.9
2023-11-10 03:35:00	0	0	0	0	249	3.51	5.37	5.6	0.588	99.25	-0.4	-0.7	0	5.6	0.32	99.22	4.8
2023-11-10 03:40:00	0	0	0	0	247	3.92	6.17	5.6	0.584	99.25	-0.6	-0.9	0	5.6	0.32	99.23	4.8
2023-11-10 03:45:00	0	0	0	0	248	3.89	5.72	5.5	0.584	99.25	-0.4	-0.8	0	5.5	0.32	99.23	4.8
2023-11-10 03:50:00	0	0	0	0	246	3.64	5.52	5.6	0.586	99.25	-0.4	-0.9	0	5.6	0.32	99.23	4.8
2023-11-10 03:55:00	0	0	0	0	246	3.51	5.79	5.6	0.586	99.25	-0.5	-0.7	0	5.6	0.32	99.23	4.8
2023-11-10 04:00:00	0	0	0	0	240	3.89	6.12	5.5	0.58	99.26	-0.5	-0.6	0	5.5	0.33	99.23	4.8
2023-11-10 04:05:00	0	0	0	0	241	4.03	6.48	5.6	0.578	99.26	-0.4	-0.7	0	5.6	0.33	99.24	4.9
2023-11-10 04:10:00	0	0	0	0	245	3.72	6.05	5.6	0.584	99.26	-0.4	-0.6	0	5.6	0.33	99.24	4.9
2023-11-10 04:15:00	0	0	0	0	241	3.83	6.37	5.6	0.584	99.27	-0.6	-0.6	0	5.6	0.33	99.25	4.9
2023-11-10 04:20:00	0	0	0	0	241	4.16	7.06	5.6	0.58	99.26	-0.5	-0.5	0	5.6	0.33	99.23	4.9
2023-11-10 04:25:00	0	0	0	0	235	4.36	7.95	5.6	0.584	99.26	-0.5	-0.8	0	5.6	0.33	99.23	4.9

z6-17454
Records: 2016

Timestamps	Port1													Port8			
	ATMOS 41 All-in-one Weather Station														Barometer		
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-10 04:30:00	0	0	0	0	237	4.54	6.54	5.7	0.586	99.26	-0.4	-0.8	0	5.7	0.33	99.24	5
2023-11-10 04:35:00	0	0	0	0	241	4.19	6.23	5.7	0.588	99.27	-0.4	-0.7	0	5.7	0.33	99.24	5
2023-11-10 04:40:00	0	0	0	0	249	3.55	5.36	5.7	0.59	99.27	-0.5	-0.8	0	5.7	0.33	99.25	5
2023-11-10 04:45:00	0	0	0	0	255	3.46	6.04	5.8	0.594	99.28	-0.5	-0.6	0	5.8	0.33	99.26	5
2023-11-10 04:50:00	0	0	0	0	257	3.91	6.65	5.7	0.59	99.28	-0.5	-0.7	0	5.7	0.33	99.25	5
2023-11-10 04:55:00	0	0	0	0	251	4.12	5.99	5.8	0.59	99.28	-0.4	-0.7	0	5.8	0.33	99.26	5
2023-11-10 05:00:00	0	0	0	0	249	4.15	6.33	5.8	0.59	99.29	-0.4	-0.6	0	5.8	0.33	99.26	5.1
2023-11-10 05:05:00	0	0	0	0	251	3.86	6.28	5.8	0.592	99.29	-0.4	-0.8	0	5.8	0.33	99.26	5.1
2023-11-10 05:10:00	0	0	0	0	250	4.18	6.19	5.8	0.59	99.29	-0.5	-0.8	0	5.8	0.33	99.26	5.1
2023-11-10 05:15:00	0	0	0	0	251	4.36	6.18	5.9	0.598	99.3	-0.5	-0.6	0	5.9	0.33	99.28	5.2
2023-11-10 05:20:00	0	0	0	0	252	4.61	7.4	5.9	0.598	99.31	-0.4	-0.6	0	5.9	0.33	99.29	5.2
2023-11-10 05:25:00	0	0	0	0	249	4.46	7.01	5.9	0.6	99.31	-0.5	-0.7	0	5.9	0.33	99.28	5.2
2023-11-10 05:30:00	0	0	0	0	248	4.14	5.69	5.9	0.6	99.31	-0.4	-0.5	0	5.9	0.33	99.28	5.2
2023-11-10 05:35:00	0	0	0	0	247	4.34	5.99	5.9	0.606	99.3	-0.4	-0.8	0	6	0.32	99.28	5.2
2023-11-10 05:40:00	0	0	0	0	242	4.77	7.34	5.9	0.602	99.3	-0.6	-1	0	5.9	0.33	99.27	5.3
2023-11-10 05:45:00	0	0	0	0	250	4.32	6.15	6	0.606	99.31	-0.4	-0.6	0	6	0.33	99.28	5.3
2023-11-10 05:50:00	0	0	0	0	251	4.66	7.74	6	0.606	99.32	-0.4	-0.7	0	6	0.33	99.29	5.3
2023-11-10 05:55:00	0	0	0	0	250	4.64	6.8	6.1	0.608	99.33	-0.5	-0.8	0	6.1	0.33	99.31	5.4
2023-11-10 06:00:00	0	0	0	0	251	4.16	6.43	6.1	0.61	99.34	-0.5	-0.8	0	6.1	0.33	99.32	5.4
2023-11-10 06:05:00	0	0	0	0	253	4.17	5.67	6.1	0.612	99.35	-0.5	-0.7	0	6.1	0.33	99.33	5.3
2023-11-10 06:10:00	0	0	0	0	253	4.17	7.06	6	0.61	99.35	-0.5	-0.7	0	6	0.33	99.32	5.3
2023-11-10 06:15:00	0	0	0	0	251	4.09	5.89	6	0.61	99.35	-0.6	-0.7	0	6	0.32	99.32	5.3
2023-11-10 06:20:00	0	0	0	0	252	4.09	6.26	6	0.612	99.35	-0.3	-0.7	0	6	0.32	99.32	5.3
2023-11-10 06:25:00	0	0	0	0	250	4.23	6.01	6	0.612	99.35	-0.4	-0.7	0	6	0.32	99.32	5.3
2023-11-10 06:30:00	0	0	0	0	255	4.13	6.03	6	0.618	99.36	-0.4	-0.7	0	6	0.32	99.34	5.3
2023-11-10 06:35:00	0.2	0	0	0	258	4.16	6.83	6	0.618	99.36	-0.5	-0.6	0	6	0.32	99.33	5.3
2023-11-10 06:40:00	1	0	0	0	254	3.86	8.16	6	0.616	99.36	-0.5	-0.6	0	6	0.32	99.34	5.4
2023-11-10 06:45:00	2	0	0	0	253	4.01	6.72	6	0.62	99.36	-0.5	-0.8	0	6	0.31	99.34	5.3
2023-11-10 06:50:00	3.8	0	0	0	254	4.13	7.23	6	0.62	99.36	-0.3	-0.6	0	6	0.31	99.34	5.4
2023-11-10 06:55:00	7	0	0	0	255	4.3	6.36	6	0.62	99.36	-0.3	-0.8	0	6	0.31	99.34	5.4
2023-11-10 07:00:00	13.2	0	0	0	255	4.19	7.35	6.1	0.622	99.36	-0.4	-0.7	0	6.1	0.32	99.34	5.4
2023-11-10 07:05:00	18.2	0	0	0	255	3.87	6.38	6	0.624	99.36	-0.3	-0.7	0	6.1	0.31	99.34	5.4
2023-11-10 07:10:00	19	0	0	0	252	3.43	5.12	6	0.626	99.36	-0.4	-0.6	0	6.1	0.31	99.34	5.4
2023-11-10 07:15:00	20.2	0	0	0	253	3.7	6.13	6	0.63	99.37	-0.4	-0.7	0	6	0.3	99.35	5.4
2023-11-10 07:20:00	27.2	0	0	0	257	3.14	5.14	6	0.63	99.38	-0.4	-0.6	0	6.1	0.31	99.35	5.4
2023-11-10 07:25:00	32.6	0	0	0	255	4	5.8	6	0.628	99.37	-0.5	-0.8	0	6	0.31	99.35	5.4
2023-11-10 07:30:00	43.6	0	0	0	247	3.6	5.7	6	0.63	99.37	-0.6	-0.8	0	6.1	0.31	99.35	5.4
2023-11-10 07:35:00	54.4	0	0	0	256	3.4	5.31	6.1	0.632	99.38	-0.4	-0.8	0	6.1	0.31	99.36	5.4
2023-11-10 07:40:00	57.8	0	0	0	250	3.7	4.85	6.1	0.63	99.38	-0.5	-0.6	0	6.2	0.31	99.36	5.5
2023-11-10 07:45:00	67.6	0	0	0	256	3.78	5.67	6.1	0.634	99.39	-0.5	-0.8	0	6.2	0.3	99.36	5.5
2023-11-10 07:50:00	73.2	0	0	0	251	3.47	5.61	6.1	0.634	99.38	-0.5	-0.7	0	6.2	0.31	99.36	5.6
2023-11-10 07:55:00	72.2	0	0	0	251	3.86	6.35	6.2	0.64	99.38	-0.4	-0.7	0	6.3	0.31	99.36	5.6
2023-11-10 08:00:00	72	0	0	0	256	3.92	6.19	6.3	0.638	99.39	-0.4	-0.8	0	6.4	0.32	99.36	5.7
2023-11-10 08:05:00	80.6	0	0	0	259	3.69	6.05	6.4	0.642	99.39	-0.5	-0.7	0	6.5	0.32	99.37	5.8
2023-11-10 08:10:00	87.2	0	0	0	257	3.67	5.8	6.4	0.644	99.39	-0.5	-0.6	0	6.6	0.32	99.37	5.8
2023-11-10 08:15:00	103.4	0	0	0	250	4.14	6.7	6.5	0.646	99.38	-0.3	-0.8	0	6.6	0.32	99.37	5.9
2023-11-10 08:20:00	95	0	0	0	253	3.89	6.19	6.6	0.652	99.39	-0.3	-0.7	0	6.7	0.32	99.37	6.1
2023-11-10 08:25:00	97.4	0	0	0	256	4.04	6.34	6.7	0.652	99.4	-0.5	-0.6	0	6.8	0.33	99.38	6.2
2023-11-10 08:30:00	105.4	0	0	0	254	4.2	6.44	6.7	0.654	99.4	-0.6	-0.8	0	6.9	0.33	99.38	6.3
2023-11-10 08:35:00	111.6	0	0	0	257	3.9	6.97	6.9	0.658	99.41	-0.3	-0.8	0	7	0.33	99.39	6.4
2023-11-10 08:40:00	130.2	0	0	0	261	3.02	4.88	6.9	0.662	99.41	-0.5	-0.7	0	7.1	0.33	99.39	6.5
2023-11-10 08:45:00	169	0	0	0	256	4.03	6.42	7	0.668	99.4	-0.3	-0.7	0	7.3	0.33	99.38	6.7
2023-11-10 08:50:00	137.6	0	0	0	256	4.09	6.95	7.2	0.666	99.39	-0.4	-0.6	0	7.5	0.35	99.37	6.8
2023-11-10 08:55:00	89.6	0	0	0	263	3.57	5.76	7.4	0.67	99.4	-0.4	-0.8	0	7.5	0.36	99.38	6.9
2023-11-10 09:00:00	79.2	0	0	0	262	3.65	6.3	7.3	0.664	99.39	-0.4	-0.6	0	7.5	0.36	99.37	6.8
2023-11-10 09:05:00	104.4	0	0	0	262	4.21	7.17	7.4	0.662	99.39	-0.6	-0.8	0	7.5	0.37	99.38	6.8
2023-11-10 09:10:00	122.6	0	0	0	264	3.32	4.92	7.4	0.668	99.39	-0.4	-0.7	0	7.6	0.36	99.37	6.9
2023-11-10 09:15:00	182.2	0	0	0	262	3.82	6.49	7.6	0.674	99.39	-0.4	-0.8	0	7.9	0.37	99.37	7
2023-11-10 09:20:00	148	0	0	0	266	4.06	6.65	7.9	0.676	99.4	-0.3	-0.8	0	8.1	0.39	99.38	7.2
2023-11-10 09:25:00	136.2	0	0	0	262	3.84	6.51	7.8	0.672	99.39	-0.3	-0.6	0	8.1	0.39	99.37	7.3

z6-17454
Records: 2016

Timestamps	Port1													Port8			
	ATMOS 41 All-in-one Weather Station														Barometer		
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-10 09:30:00	117	0	0	0	266	4.48	7.74	7.9	0.672	99.4	-0.4	-0.8	0	8	0.39	99.37	7.3
2023-11-10 09:35:00	211.8	0	0	0	270	3.96	6.69	7.8	0.676	99.38	-0.3	-0.9	0	8.1	0.38	99.37	7.4
2023-11-10 09:40:00	279.6	0	0	0	267	3.99	8.11	8.2	0.69	99.38	-0.3	-0.6	0	8.6	0.4	99.38	7.6
2023-11-10 09:45:00	294.6	0	0	0	264	4.61	7.04	8.7	0.692	99.39	-0.4	-0.7	0	9.1	0.43	99.39	8
2023-11-10 09:50:00	222.4	0	0	0	257	4.13	6.8	9	0.702	99.41	-0.3	-0.8	0	9.3	0.44	99.4	8.4
2023-11-10 09:55:00	126	0	0	0	265	4.54	8.8	8.9	0.698	99.43	-0.4	-0.7	0	9.1	0.44	99.41	8.6
2023-11-10 10:00:00	134.8	0	0	0	270	4.65	8.16	8.7	0.684	99.43	-0.4	-0.8	0	8.9	0.44	99.4	8.6
2023-11-10 10:05:00	287.8	0	0	0	268	4.81	8.93	8.7	0.694	99.41	-0.3	-0.7	0	9.1	0.43	99.4	8.6
2023-11-10 10:10:00	271	0	0	0	267	5.12	8.21	9.1	0.692	99.42	-0.4	-0.7	0	9.5	0.46	99.41	8.9
2023-11-10 10:15:00	238.2	0	0	0	269	4.48	6.62	9.2	0.696	99.43	-0.3	-0.7	0	9.5	0.47	99.42	9.1
2023-11-10 10:20:00	266.2	0	0	0	263	4.39	8.3	9.2	0.7	99.44	-0.3	-0.7	0	9.6	0.47	99.42	9.3
2023-11-10 10:25:00	236.2	0	0	0	264	5.13	7.78	9.4	0.694	99.43	-0.1	-0.8	0	9.7	0.48	99.42	9.5
2023-11-10 10:30:00	286.4	0	0	0	265	4.67	6.78	9.5	0.698	99.43	-0.2	-0.7	0	9.8	0.49	99.42	9.5
2023-11-10 10:35:00	214	0	0	0	268	3.92	7.18	9.6	0.702	99.43	-0.3	-0.8	0	9.9	0.49	99.41	9.7
2023-11-10 10:40:00	198.2	0	0	0	269	4.04	7.23	9.6	0.7	99.43	-0.3	-0.7	0	9.9	0.49	99.41	9.8
2023-11-10 10:45:00	184.6	0	0	0	263	4.33	7	9.6	0.696	99.43	-0.3	-0.8	0	9.8	0.5	99.41	9.8
2023-11-10 10:50:00	225	0	0	0	258	4.5	7.39	9.5	0.688	99.43	-0.1	-0.8	0	9.8	0.5	99.41	9.8
2023-11-10 10:55:00	245.4	0	0	0	275	2.83	4.6	9.6	0.696	99.42	-0.3	-0.7	0	10	0.5	99.41	9.9
2023-11-10 11:00:00	202.6	0	0	0	260	4.4	8.39	9.8	0.7	99.41	-0.2	-1	0	10.2	0.51	99.4	10.1
2023-11-10 11:05:00	270.2	0	0	0	274	3.94	7.07	9.8	0.69	99.41	-0.1	-0.7	0	10.2	0.52	99.4	10.1
2023-11-10 11:10:00	252.4	0	0	0	270	4.39	7.05	9.8	0.684	99.41	-0.3	-0.6	0	10.2	0.53	99.39	10.2
2023-11-10 11:15:00	215	0	0	0	267	3.39	6.08	9.9	0.694	99.4	-0.3	-0.8	0	10.3	0.53	99.39	10.3
2023-11-10 11:20:00	176.4	0	0	0	278	3.13	6.23	9.9	0.692	99.41	-0.2	-0.8	0	10.2	0.53	99.39	10.4
2023-11-10 11:25:00	186.8	0	0	0	296	6.5	11.19	10	0.66	99.4	-0.2	-0.7	0	10.2	0.56	99.37	10.4
2023-11-10 11:30:00	186.2	0	0	0	291	7.59	11.69	9.9	0.618	99.4	-0.4	-0.7	0	10.1	0.6	99.37	10.3
2023-11-10 11:35:00	192.8	0	0	0	295	5.97	8.5	9.7	0.614	99.39	-0.1	-0.6	0	10	0.59	99.37	10.2
2023-11-10 11:40:00	179.8	0	0	0	285	5.7	8.29	9.7	0.618	99.4	-0.3	-0.8	0	10	0.58	99.38	10.2
2023-11-10 11:45:00	193.8	0	0	0	287	4.68	8.22	9.7	0.622	99.4	-0.2	-0.6	0	10	0.58	99.38	10.2
2023-11-10 11:50:00	172.2	0	0	0	288	4.02	6.58	9.7	0.628	99.4	-0.2	-0.6	0	10	0.57	99.38	10.3
2023-11-10 11:55:00	154	0	0	0	288	4.37	6.74	9.8	0.628	99.4	-0.2	-0.8	0	10	0.58	99.38	10.3
2023-11-10 12:00:00	176.8	0	0	0	273	4.04	6.31	9.7	0.636	99.4	-0.1	-0.9	0	10	0.57	99.38	10.3
2023-11-10 12:05:00	176	0	0	0	269	5.1	9.53	9.8	0.63	99.4	-0.1	-0.8	0	10	0.58	99.38	10.3
2023-11-10 12:10:00	175	0	0	0	265	5.41	7.53	9.8	0.628	99.39	-0.2	-0.7	0	10	0.58	99.38	10.3
2023-11-10 12:15:00	156.8	0	0	0	268	4.4	9.39	9.8	0.636	99.4	-0.1	-0.8	0	10	0.57	99.38	10.3
2023-11-10 12:20:00	118.8	0	0	0	268	5.08	7.94	9.8	0.626	99.41	-0.2	-0.8	0	10	0.58	99.39	10.2
2023-11-10 12:25:00	157.8	0	0	0	265	5.38	6.99	9.7	0.622	99.4	-0.2	-0.6	0	9.9	0.58	99.37	10.1
2023-11-10 12:30:00	238	0	0	0	271	4.82	7.63	9.7	0.628	99.38	-0.3	-0.7	0	10	0.57	99.36	10.2
2023-11-10 12:35:00	278.6	0	0	0	269	4.64	7.85	9.9	0.638	99.39	-0.2	-0.7	0	10.2	0.58	99.38	10.3
2023-11-10 12:40:00	193.6	0	0	0	266	5.43	8.67	10.2	0.636	99.39	0	-0.9	0	10.5	0.6	99.37	10.4
2023-11-10 12:45:00	167.6	0	0	0	269	4.89	7.43	10.1	0.632	99.39	-0.2	-0.7	0	10.4	0.61	99.36	10.4
2023-11-10 12:50:00	160	0	0	0	285	4.36	6.74	10	0.632	99.39	-0.2	-0.7	0	10.3	0.6	99.36	10.4
2023-11-10 12:55:00	93	0	0	0	283	4.58	6.41	10	0.628	99.4	-0.3	-0.8	0	10.2	0.6	99.37	10.3
2023-11-10 13:00:00	104	0	0	0	284	3.72	5.8	9.9	0.628	99.39	-0.2	-0.8	0	10	0.59	99.37	10.2
2023-11-10 13:05:00	137.6	0	0	0	281	4.79	8.8	9.8	0.63	99.39	-0.2	-0.8	0	10	0.58	99.37	10.2
2023-11-10 13:10:00	101.2	0	0	0	273	4.98	10.09	9.8	0.634	99.39	-0.3	-0.8	0	9.9	0.58	99.37	10.1
2023-11-10 13:15:00	79.2	0	0	0	273	5.1	9.25	9.7	0.634	99.4	-0.6	-0.4	0	9.8	0.57	99.37	10
2023-11-10 13:20:00	67.8	0	0	0	283	5.6	8.81	9.6	0.628	99.41	-0.5	-0.8	0	9.7	0.57	99.38	10
2023-11-10 13:25:00	66.8	0	0	0	286	4.02	5.91	9.6	0.636	99.41	-0.3	-0.7	0	9.7	0.56	99.38	9.8
2023-11-10 13:30:00	82.6	0	0	0	277	5.12	8.71	9.5	0.632	99.4	-0.2	-0.8	0	9.6	0.55	99.38	9.8
2023-11-10 13:35:00	97.2	0	0	0	277	4.21	6.18	9.4	0.636	99.4	-0.3	-0.7	0	9.5	0.54	99.37	9.7
2023-11-10 13:40:00	132.8	0	0	0	285	3.47	6.34	9.3	0.648	99.39	-0.3	-0.7	0	9.5	0.53	99.37	9.8
2023-11-10 13:45:00	88	0	0	0	284	3.73	5.92	9.5	0.646	99.4	-0.3	-0.7	0	9.6	0.54	99.37	9.8
2023-11-10 13:50:00	77.4	0	0	0	277	4.77	7.29	9.5	0.646	99.4	-0.5	-0.7	0	9.6	0.54	99.37	9.7
2023-11-10 13:55:00	80.4	0	0	0	290	4.69	6.71	9.5	0.638	99.4	-0.2	-0.7	0	9.6	0.55	99.37	9.7
2023-11-10 14:00:00	79.2	0	0	0	288	4.19	6	9.4	0.64	99.39	-0.3	-0.7	0	9.5	0.54	99.36	9.6
2023-11-10 14:05:00	77.6	0	0	0	284	4.73	6.9	9.4	0.636	99.39	-0.2	-0.7	0	9.5	0.54	99.36	9.6
2023-11-10 14:10:00	64.8	0	0	0	288	3.96	5.95	9.4	0.638	99.39	-0.3	-0.7	0	9.5	0.54	99.37	9.6
2023-11-10 14:15:00	68.8	0	0	0	293	4.29	6.12	9.4	0.632	99.4	-0.3	-0.7	0	9.5	0.54	99.37	9.5
2023-11-10 14:20:00	65.2	0	0	0	279	3.24	6.16	9.3	0.634	99.4	-0.3	-0.7	0	9.4	0.54	99.37	9.5
2023-11-10 14:25:00	60.4	0	0	0	273	3.81	5.2	9.3	0.634	99.4	-0.2	-0.7	0	9.4	0.54	99.38	9.4

z6-17454
Records: 2016

Timestamps

Timestamps	Port1													Port8			
	ATMOS 41 All-in-one Weather Station													Barometer			
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-10 14:30:00	44.2	0	0	0	286	4	6.08	9.2	0.628	99.41	-0.5	-0.8	0	9.3	0.54	99.38	9.4
2023-11-10 14:35:00	43	0	0	0	298	5.33	7.85	9.2	0.616	99.41	-0.3	-0.7	0	9.3	0.55	99.37	9.3
2023-11-10 14:40:00	47.6	0	0	0	298	4.6	7.24	9.2	0.6	99.4	-0.2	-0.7	0	9.3	0.56	99.37	9.2
2023-11-10 14:45:00	37.6	0	0	0	307	4.1	7.12	9.1	0.59	99.41	-0.2	-0.8	0	9.2	0.57	99.38	9.1
2023-11-10 14:50:00	25.2	0	0	0	295	5.62	8.85	9	0.582	99.42	-0.4	-0.6	0	9.1	0.57	99.39	9.1
2023-11-10 14:55:00	26.2	0	0	0	298	4.41	6.82	8.9	0.582	99.43	-0.4	-0.8	0	9	0.56	99.4	9
2023-11-10 15:00:00	40	0	0	0	298	4.48	5.97	8.8	0.578	99.43	-0.2	-0.7	0	8.9	0.56	99.4	8.9
2023-11-10 15:05:00	42	0	0	0	302	4.27	5.93	8.8	0.58	99.44	-0.3	-0.7	0	8.9	0.55	99.41	8.8
2023-11-10 15:10:00	46.6	0	0	0	298	2.64	3.95	8.8	0.588	99.44	-0.3	-0.8	0	8.9	0.54	99.41	8.8
2023-11-10 15:15:00	62.2	0	0	0	298	3.45	7.08	8.7	0.586	99.44	-0.2	-0.8	0	8.8	0.54	99.41	8.8
2023-11-10 15:20:00	58.2	0	0	0	301	3.51	4.79	8.7	0.59	99.44	-0.3	-0.8	0	8.8	0.54	99.42	8.7
2023-11-10 15:25:00	42	0	0	0	297	3.2	4.6	8.8	0.59	99.46	-0.2	-0.7	0	8.8	0.54	99.43	8.7
2023-11-10 15:30:00	58.4	0	0	0	305	2.89	4.25	8.7	0.592	99.45	-0.4	-0.7	0	8.8	0.53	99.42	8.7
2023-11-10 15:35:00	52.8	0	0	0	292	3	4.56	8.7	0.59	99.45	-0.4	-0.7	0	8.8	0.54	99.42	8.6
2023-11-10 15:40:00	42	0	0	0	310	2.49	3.73	8.7	0.594	99.45	-0.3	-0.8	0	8.8	0.53	99.42	8.5
2023-11-10 15:45:00	31.2	0	0	0	292	2.13	3.4	8.6	0.594	99.46	-0.3	-0.7	0	8.6	0.52	99.43	8.4
2023-11-10 15:50:00	26.6	0	0	0	296	1.92	2.92	8.5	0.6	99.46	-0.3	-0.8	0	8.5	0.51	99.43	8.3
2023-11-10 15:55:00	20.6	0	0	0	293	2.07	2.96	8.4	0.6	99.47	-0.2	-0.7	0	8.4	0.5	99.44	8.3
2023-11-10 16:00:00	14.6	0	0	0	281	1.68	2.83	8.3	0.61	99.48	-0.3	-0.7	0	8.4	0.49	99.45	8.2
2023-11-10 16:05:00	18.2	0	0	0	284	1.81	2.41	8.2	0.608	99.48	-0.3	-0.7	0	8.3	0.48	99.45	8
2023-11-10 16:10:00	14.6	0	0	0	283	1.55	1.96	8.1	0.608	99.48	-0.4	-0.7	0	8.2	0.47	99.45	7.9
2023-11-10 16:15:00	12.8	0	0	0	271	1.58	2.27	8	0.594	99.48	-0.3	-0.8	0	8	0.48	99.45	7.7
2023-11-10 16:20:00	9.4	0	0	0	261	1.47	1.91	7.9	0.6	99.48	-0.4	-0.7	0	7.9	0.47	99.44	7.5
2023-11-10 16:25:00	6.6	0	0	0	257	1.56	2.14	7.8	0.59	99.48	-0.3	-0.8	0	7.8	0.47	99.45	7.3
2023-11-10 16:30:00	4	0	0	0	261	1.88	2.49	7.7	0.592	99.49	-0.4	-0.7	0	7.7	0.46	99.45	7.1
2023-11-10 16:35:00	2.6	0	0	0	260	1.86	2.57	7.6	0.608	99.49	-0.4	-0.8	0	7.6	0.44	99.46	6.9
2023-11-10 16:40:00	1.6	0	0	0	255	2.04	2.73	7.4	0.608	99.49	-0.4	-0.7	0	7.4	0.42	99.45	6.8
2023-11-10 16:45:00	0.6	0	0	0	255	2.06	2.76	7.3	0.608	99.49	-0.3	-0.8	0	7.4	0.42	99.46	6.7
2023-11-10 16:50:00	0	0	0	0	254	2.19	2.72	7.2	0.61	99.5	-0.3	-0.7	0	7.2	0.41	99.46	6.6
2023-11-10 16:55:00	0	0	0	0	250	2.04	2.65	7.1	0.6	99.5	-0.4	-0.7	0	7.1	0.41	99.46	6.4
2023-11-10 17:00:00	0	0	0	0	233	2.28	2.54	7	0.592	99.5	-0.4	-0.7	0	7	0.41	99.46	6.3
2023-11-10 17:05:00	0	0	0	0	233	2.39	2.62	7.1	0.59	99.5	-0.4	-0.7	0	7.1	0.42	99.47	6.1
2023-11-10 17:10:00	0	0	0	0	232	2.38	2.63	7.1	0.586	99.51	-0.4	-0.7	0	7.1	0.42	99.47	6
2023-11-10 17:15:00	0	0	0	0	229	2.45	3.01	7.1	0.59	99.51	-0.3	-0.8	0	7.1	0.42	99.47	5.9
2023-11-10 17:20:00	0	0	0	0	228	2.66	3.05	7	0.594	99.51	-0.4	-0.7	0	7	0.41	99.47	5.8
2023-11-10 17:25:00	0	0	0	0	228	2.7	3.01	6.9	0.6	99.52	-0.4	-0.7	0	6.9	0.4	99.48	5.8
2023-11-10 17:30:00	0	0	0	0	230	2.65	3.12	6.9	0.6	99.52	-0.4	-0.7	0	6.9	0.39	99.48	5.8
2023-11-10 17:35:00	0	0	0	0	234	2.6	3.01	6.8	0.6	99.53	-0.4	-0.7	0	6.9	0.39	99.49	5.8
2023-11-10 17:40:00	0	0	0	0	230	2.95	3.62	6.8	0.6	99.54	-0.4	-0.6	0	6.8	0.39	99.51	5.7
2023-11-10 17:45:00	0	0	0	0	230	3.3	4.54	6.8	0.6	99.55	-0.4	-0.7	0	6.8	0.39	99.51	5.8
2023-11-10 17:50:00	0	0	0	0	225	3.39	4.48	6.7	0.6	99.55	-0.4	-0.8	0	6.7	0.38	99.52	5.8
2023-11-10 17:55:00	0	0	0	0	232	2.8	3.62	6.8	0.604	99.56	-0.3	-0.7	0	6.8	0.38	99.53	5.8
2023-11-10 18:00:00	0	0	0	0	244	2.66	3.52	6.7	0.606	99.57	-0.4	-0.8	0	6.7	0.37	99.53	5.8
2023-11-10 18:05:00	0	0	0	0	241	2.58	3.26	6.7	0.61	99.57	-0.5	-0.7	0	6.7	0.37	99.54	5.8
2023-11-10 18:10:00	0	0	0	0	242	2.99	4.22	6.7	0.61	99.58	-0.2	-0.6	0	6.7	0.37	99.54	5.8
2023-11-10 18:15:00	0	0	0	0	241	3.1	3.62	6.7	0.612	99.58	-0.4	-0.8	0	6.7	0.37	99.54	5.7
2023-11-10 18:20:00	0	0	0	0	240	3.02	3.96	6.6	0.608	99.58	-0.4	-0.7	0	6.6	0.37	99.54	5.6
2023-11-10 18:25:00	0	0	0	0	231	3.1	3.73	6.4	0.6	99.58	-0.5	-0.7	0	6.4	0.36	99.55	5.5
2023-11-10 18:30:00	0	0	0	0	232	3.12	4.25	6.3	0.606	99.59	-0.4	-0.7	0	6.3	0.35	99.55	5.4
2023-11-10 18:35:00	0	0	0	0	237	3.33	4.93	6.3	0.612	99.59	-0.5	-0.7	0	6.3	0.34	99.56	5.5
2023-11-10 18:40:00	0	0	0	0	239	3.27	4.46	6.4	0.62	99.59	-0.4	-0.6	0	6.4	0.34	99.56	5.6
2023-11-10 18:45:00	0	0	0	0	231	3.41	4.18	6.5	0.62	99.59	-0.4	-0.7	0	6.4	0.34	99.56	5.5
2023-11-10 18:50:00	0	0	0	0	231	3.33	4.29	6.4	0.622	99.6	-0.4	-0.6	0	6.4	0.34	99.56	5.5
2023-11-10 18:55:00	0	0	0	0	234	3.37	4.58	6.3	0.624	99.6	-0.5	-0.7	0	6.3	0.33	99.56	5.4
2023-11-10 19:00:00	0	0	0	0	236	3.05	3.92	6.2	0.628	99.61	-0.5	-0.7	0	6.2	0.32	99.57	5.4
2023-11-10 19:05:00	0	0	0	0	239	2.95	3.77	6.2	0.63	99.61	-0.4	-0.7	0	6.2	0.32	99.58	5.4
2023-11-10 19:10:00	0	0	0	0	239	3.56	4.56	6.1	0.63	99.61	-0.5	-0.7	0	6.1	0.31	99.58	5.3
2023-11-10 19:15:00	0	0	0	0	246	3.03	4.5	6.2	0.64	99.62	-0.5	-0.6	0	6.2	0.31	99.58	5.2
2023-11-10 19:20:00	0	0	0	0	255	3.29	5.01	6	0.634	99.62	-0.6	-0.7	0	6	0.3	99.58	5.2
2023-11-10 19:25:00	0	0	0	0	262	3.65	5.83	6	0.634	99.62	-0.5	-0.7	0	6	0.3	99.59	5.2

z6-17454
Records: 2016

Timestamps	Port1													Port8			
	ATMOS 41 All-in-one Weather Station														Barometer		
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-10 19:30:00	0	0	0	0	268	3.89	6.51	6	0.64	99.62	-0.4	-0.8	0	6	0.29	99.59	5.2
2023-11-10 19:35:00	0	0	0	0	268	4.21	5.4	5.9	0.64	99.62	-0.5	-0.6	0	6	0.29	99.59	5.1
2023-11-10 19:40:00	0	0	0	0	268	3.89	5.95	5.9	0.64	99.63	-0.4	-0.7	0	5.9	0.29	99.6	5
2023-11-10 19:45:00	0	0	0	0	269	3.78	5.35	5.8	0.64	99.64	-0.5	-0.7	0	5.8	0.28	99.6	5
2023-11-10 19:50:00	0	0	0	0	266	3.72	5.09	5.7	0.64	99.64	-0.4	-0.7	0	5.7	0.28	99.61	4.9
2023-11-10 19:55:00	0	0	0	0	267	4.07	5.64	5.6	0.642	99.65	-0.6	-0.7	0	5.7	0.27	99.61	4.8
2023-11-10 20:00:00	0	0	0	0	272	4.1	5.54	5.6	0.64	99.65	-0.4	-0.7	0	5.6	0.27	99.62	4.8
2023-11-10 20:05:00	0	0	0	0	272	3.62	6	5.5	0.64	99.66	-0.5	-0.7	0	5.5	0.26	99.62	4.7
2023-11-10 20:10:00	0	0	0	0	279	3.42	5.3	5.4	0.644	99.66	-0.5	-0.8	0	5.4	0.25	99.62	4.6
2023-11-10 20:15:00	0	0	0	0	285	2.89	4.26	5.2	0.64	99.66	-0.5	-0.6	0	5.2	0.25	99.63	4.4
2023-11-10 20:20:00	0	0	0	0	281	2.83	3.91	5	0.632	99.67	-0.5	-0.7	0	5	0.24	99.64	4.2
2023-11-10 20:25:00	0	0	0	0	268	3.19	4.6	4.9	0.636	99.67	-0.5	-0.8	0	4.9	0.23	99.64	4.1
2023-11-10 20:30:00	0	0	0	0	270	3.14	4.17	4.9	0.64	99.68	-0.4	-0.7	0	4.9	0.23	99.65	4.1
2023-11-10 20:35:00	0	0	0	0	267	3.24	4.32	4.8	0.64	99.69	-0.5	-0.7	0	4.8	0.22	99.66	4
2023-11-10 20:40:00	0	0	0	0	265	3.09	4.04	4.9	0.64	99.7	-0.5	-0.7	0	4.9	0.22	99.67	4
2023-11-10 20:45:00	0	0	0	0	264	2.81	3.73	4.9	0.644	99.71	-0.3	-0.6	0	4.9	0.22	99.68	4
2023-11-10 20:50:00	0	0	0	0	270	2.51	3.68	4.9	0.648	99.7	-0.6	-0.6	0	4.9	0.22	99.67	4.1
2023-11-10 20:55:00	0	0	0	0	265	2.64	4.02	4.9	0.652	99.7	-0.5	-0.7	0	4.9	0.22	99.68	4.2
2023-11-10 21:00:00	0	0	0	0	248	2.31	3.19	5	0.658	99.71	-0.5	-0.7	0	5	0.21	99.68	4.3
2023-11-10 21:05:00	0	0	0	0	226	3.22	4.62	5	0.658	99.72	-0.6	-0.8	0	5	0.21	99.7	4.3
2023-11-10 21:10:00	0	0	0	0	233	3.16	4.14	5.1	0.662	99.73	-0.5	-0.7	0	5.1	0.21	99.7	4.3
2023-11-10 21:15:00	0	0	0	0	238	3.15	4.57	5.1	0.66	99.73	-0.6	-0.8	0	5.1	0.22	99.7	4.4
2023-11-10 21:20:00	0	0	0	0	246	3.26	4.95	5.2	0.662	99.74	-0.5	-0.5	0	5.2	0.22	99.71	4.5
2023-11-10 21:25:00	0	0	0	0	254	2.75	4.11	5.2	0.666	99.74	-0.6	-0.8	0	5.2	0.22	99.71	4.5
2023-11-10 21:30:00	0	0	0	0	255	2.6	3.66	5.2	0.664	99.74	-0.6	-0.7	0	5.2	0.22	99.72	4.6
2023-11-10 21:35:00	0	0	0	0	258	2.28	3.5	5.2	0.666	99.75	-0.5	-0.6	0	5.2	0.22	99.72	4.6
2023-11-10 21:40:00	0	0	0	0	265	2.15	3.58	5.2	0.668	99.75	-0.6	-0.7	0	5.2	0.22	99.72	4.6
2023-11-10 21:45:00	0	0	0	0	267	2.02	2.86	5.2	0.67	99.75	-0.5	-0.7	0	5.2	0.22	99.73	4.6
2023-11-10 21:50:00	0	0	0	0	265	2.23	3.78	5.1	0.668	99.76	-0.4	-0.6	0	5.1	0.21	99.73	4.6
2023-11-10 21:55:00	0	0	0	0	264	2.38	4.25	5.2	0.67	99.76	-0.4	-0.7	0	5.1	0.21	99.73	4.6
2023-11-10 22:00:00	0	0	0	0	266	2.41	3.72	5.2	0.668	99.76	-0.6	-0.7	0	5.2	0.22	99.73	4.6
2023-11-10 22:05:00	0	0	0	0	265	2.46	3.69	5.2	0.67	99.77	-0.5	-0.7	0	5.2	0.21	99.74	4.6
2023-11-10 22:10:00	0	0	0	0	239	3.18	5.25	5.2	0.67	99.78	-0.5	-0.7	0	5.2	0.21	99.75	4.6
2023-11-10 22:15:00	0	0	0	0	225	3.41	4.57	5.2	0.67	99.79	-0.5	-0.8	0	5.2	0.21	99.76	4.7
2023-11-10 22:20:00	0	0	0	0	233	3.23	4.59	5.2	0.67	99.79	-0.5	-0.6	0	5.2	0.22	99.76	4.7
2023-11-10 22:25:00	0	0	0	0	242	3.36	4.67	5.2	0.67	99.79	-0.5	-0.7	0	5.3	0.22	99.76	4.8
2023-11-10 22:30:00	0	0	0	0	248	3.3	5.21	5.3	0.67	99.79	-0.5	-0.8	0	5.3	0.22	99.76	4.8
2023-11-10 22:35:00	0	0	0	0	254	2.96	4.02	5.3	0.67	99.79	-0.5	-0.7	0	5.4	0.22	99.76	4.8
2023-11-10 22:40:00	0	0	0	0	247	2.5	3.5	5.3	0.674	99.79	-0.4	-0.7	0	5.3	0.22	99.76	4.8
2023-11-10 22:45:00	0	0	0	0	245	2.47	3.43	5.3	0.67	99.79	-0.5	-0.7	0	5.3	0.22	99.77	4.8
2023-11-10 22:50:00	0	0	0	0	250	2.45	3.64	5.3	0.67	99.8	-0.5	-0.8	0	5.3	0.22	99.77	4.7
2023-11-10 22:55:00	0	0	0	0	253	2.62	3.98	5.2	0.67	99.81	-0.5	-0.8	0	5.2	0.22	99.78	4.7
2023-11-10 23:00:00	0	0	0	0	246	2.42	3.92	5.2	0.672	99.81	-0.5	-0.8	0	5.2	0.21	99.79	4.7
2023-11-10 23:05:00	0	0	0	0	252	2.87	4.84	5.2	0.674	99.82	-0.5	-0.7	0	5.3	0.21	99.8	4.8
2023-11-10 23:10:00	0	0	0	0	250	2.94	4.08	5.3	0.672	99.82	-0.4	-0.6	0	5.3	0.22	99.8	4.8
2023-11-10 23:15:00	0	0	0	0	258	2.8	4.44	5.3	0.672	99.83	-0.4	-0.8	0	5.3	0.22	99.8	4.8
2023-11-10 23:20:00	0	0	0	0	264	2.72	3.88	5.3	0.67	99.83	-0.4	-0.7	0	5.3	0.22	99.81	4.9
2023-11-10 23:25:00	0	0	0	0	261	2.31	3.68	5.3	0.672	99.83	-0.5	-0.7	0	5.3	0.22	99.81	4.9
2023-11-10 23:30:00	0	0	0	0	272	2.82	4.53	5.4	0.674	99.85	-0.4	-0.8	0	5.4	0.22	99.83	4.8
2023-11-10 23:35:00	0	0	0	0	254	2.41	3.55	5.3	0.672	99.86	-0.4	-0.6	0	5.3	0.22	99.84	4.8
2023-11-10 23:40:00	0	0	0	0	254	2.84	4.53	5.3	0.676	99.87	-0.5	-0.6	0	5.3	0.21	99.84	4.8
2023-11-10 23:45:00	0	0	0	0	257	3.12	5.03	5.3	0.676	99.87	-0.5	-0.7	0	5.3	0.22	99.85	4.8
2023-11-10 23:50:00	0	0	0	0	259	3.96	5.99	5.3	0.672	99.88	-0.5	-0.8	0	5.3	0.22	99.85	4.8
2023-11-10 23:55:00	0	0	0	0	254	3.63	5.53	5.3	0.674	99.88	-0.5	-0.8	0	5.3	0.22	99.85	4.8
2023-11-11 00:00:00	0	0	0	0	257	3.11	5.83	5.3	0.672	99.89	-0.4	-0.7	0	5.3	0.22	99.86	4.8
2023-11-11 00:05:00	0	0	0	0	263	3	4.72	5.2	0.674	99.89	-0.4	-0.7	0	5.2	0.21	99.86	4.8
2023-11-11 00:10:00	0	0	0	0	258	3.57	5.15	5.2	0.666	99.89	-0.4	-0.7	0	5.2	0.22	99.87	4.9
2023-11-11 00:15:00	0	0	0	0	255	3.29	4.73	5.2	0.672	99.89	-0.6	-0.7	0	5.1	0.21	99.87	5
2023-11-11 00:20:00	0	0	0	0	261	2.95	4.14	5.2	0.67	99.89	-0.4	-0.8	0	5.2	0.21	99.87	4.9
2023-11-11 00:25:00	0	0	0	0	259	2.94	4.47	5	0.67	99.89	-0.5	-0.6	0	5	0.2	99.87	4.7

z6-17454
Records: 2016

Timestamps	Port1													Port8			
	ATMOS 41 All-in-one Weather Station														Barometer		
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-11 00:30:00	0	0	0	0	257	3.41	6.21	5	0.67	99.9	-0.6	-0.7	0	5	0.2	99.87	4.6
2023-11-11 00:35:00	0	0	0	0	260	3.32	5.69	4.9	0.67	99.9	-0.5	-0.7	0	4.9	0.2	99.88	4.5
2023-11-11 00:40:00	0	0	0	0	257	3.26	5.43	4.8	0.668	99.9	-0.5	-0.7	0	4.8	0.19	99.88	4.4
2023-11-11 00:45:00	0	0	0	0	258	3.03	4.59	4.8	0.668	99.9	-0.5	-0.8	0	4.8	0.19	99.88	4.4
2023-11-11 00:50:00	0	0	0	0	261	2.86	4.24	4.8	0.668	99.9	-0.5	-0.7	0	4.8	0.19	99.89	4.3
2023-11-11 00:55:00	0	0	0	0	260	2.88	4.3	4.7	0.668	99.91	-0.5	-0.8	0	4.7	0.19	99.89	4.3
2023-11-11 01:00:00	0	0	0	0	266	2.94	4.16	4.7	0.67	99.92	-0.6	-0.8	0	4.7	0.19	99.9	4.3
2023-11-11 01:05:00	0	0	0	0	265	3.18	5.02	4.7	0.668	99.92	-0.5	-0.7	0	4.7	0.18	99.89	4.3
2023-11-11 01:10:00	0	0	0	0	266	3.33	5.47	4.7	0.672	99.92	-0.6	-0.8	0	4.7	0.18	99.9	4.4
2023-11-11 01:15:00	0	0	0	0	265	3.23	5.36	4.8	0.676	99.93	-0.5	-0.7	0	4.8	0.19	99.9	4.4
2023-11-11 01:20:00	0	0	0	0	268	3.12	4.97	4.9	0.676	99.93	-0.7	-0.8	0	4.9	0.19	99.91	4.4
2023-11-11 01:25:00	0	0	0	0	267	3.19	5.42	4.9	0.676	99.93	-0.5	-0.7	0	4.9	0.19	99.91	4.5
2023-11-11 01:30:00	0	0	0	0	267	3.15	4.35	4.9	0.676	99.94	-0.5	-0.7	0	4.9	0.19	99.92	4.5
2023-11-11 01:35:00	0	0	0	0	272	3.66	5.62	4.9	0.68	99.95	-0.4	-0.8	0	4.9	0.19	99.93	4.5
2023-11-11 01:40:00	0	0	0	0	274	3.7	5.34	4.9	0.678	99.96	-0.5	-0.7	0	4.9	0.19	99.93	4.5
2023-11-11 01:45:00	0	0	0	0	275	4.04	6.35	4.9	0.678	99.96	-0.5	-0.6	0	4.9	0.19	99.93	4.5
2023-11-11 01:50:00	0	0	0	0	278	4.05	6.68	4.9	0.68	99.96	-0.4	-0.6	0	4.9	0.18	99.94	4.5
2023-11-11 01:55:00	0	0	0	0	275	4.22	6.19	4.8	0.68	99.97	-0.5	-0.6	0	4.8	0.18	99.94	4.4
2023-11-11 02:00:00	0	0	0	0	279	4.24	6.3	4.8	0.682	99.97	-0.5	-0.7	0	4.8	0.18	99.95	4.4
2023-11-11 02:05:00	0	0	0	0	276	4.37	6.58	4.8	0.682	99.97	-0.4	-0.7	0	4.8	0.18	99.95	4.4
2023-11-11 02:10:00	0	0	0	0	282	4.22	6.33	4.8	0.68	99.97	-0.4	-0.7	0	4.8	0.18	99.95	4.4
2023-11-11 02:15:00	0	0	0	0	280	4.5	6.79	4.8	0.69	99.97	-0.6	-0.7	0	4.8	0.17	99.95	4.4
2023-11-11 02:20:00	0	0	0	0	277	4.42	6.83	4.8	0.69	99.98	-0.6	-0.7	0	4.8	0.17	99.96	4.4
2023-11-11 02:25:00	0	0	0	0	275	4.09	6.37	4.8	0.692	99.99	-0.6	-0.7	0	4.8	0.17	99.97	4.4
2023-11-11 02:30:00	0	0	0	0	277	4.39	6.64	4.7	0.69	99.99	-0.5	-0.7	0	4.7	0.17	99.97	4.4
2023-11-11 02:35:00	0	0	0	0	288	4.01	7.46	4.7	0.69	100	-0.5	-0.7	0	4.7	0.16	99.98	4.4
2023-11-11 02:40:00	0	0	0	0	303	4.09	5.69	4.6	0.69	100.01	-0.4	-0.6	0	4.6	0.16	99.99	4.4
2023-11-11 02:45:00	0	0	0	0	305	3.48	5.2	4.7	0.696	100.02	-0.5	-0.7	0	4.7	0.16	100	4.2
2023-11-11 02:50:00	0	0	0	0	295	3.77	5.66	4.6	0.698	100.02	-0.6	-0.7	0	4.6	0.15	100	4.1
2023-11-11 02:55:00	0	0	0	0	295	4.39	6.18	4.6	0.702	100.02	-0.5	-0.6	0	4.6	0.14	100	3.9
2023-11-11 03:00:00	0	0	0	0	301	4.66	8.24	4.5	0.708	100.02	-0.5	-0.4	0	4.5	0.13	100	3.8
2023-11-11 03:05:00	0	0	0	0	324	5.12	6.71	4.4	0.716	100.01	-0.5	-0.7	0	4.4	0.12	99.99	3.7
2023-11-11 03:10:00	0	0	0	0	326	4.85	7.45	4.2	0.726	100.01	-0.6	-0.6	0	4.2	0.1	100	3.6
2023-11-11 03:15:00	0	0	0	0	325	5.24	6.47	4.1	0.736	100.02	-0.7	-0.7	0	4.1	0.08	100	3.6
2023-11-11 03:20:00	0	0	0	0	320	4.17	5.47	4.1	0.746	100.03	-0.6	-0.6	0	4.1	0.07	100.01	3.6
2023-11-11 03:25:00	0	0	0	0	326	4.42	6.17	4	0.748	100.03	-0.6	-0.7	0	4	0.07	100.01	3.6
2023-11-11 03:30:00	0	0.034	0	0	327	3.92	5.4	4	0.76	100.03	-0.5	-0.7	1	4	0.05	100.01	3.6
2023-11-11 03:35:00	0	0.017	0	0	334	4.79	6.89	4	0.764	100.03	-0.8	-0.7	1	4	0.05	100.02	3.6
2023-11-11 03:40:00	0	0	0	0	334	5	8.31	3.9	0.766	100.04	-0.4	-0.6	0	4	0.04	100.02	3.5
2023-11-11 03:45:00	0	0	0	0	336	5.38	7.92	3.9	0.76	100.05	-0.6	-0.8	0	3.8	0.05	100.03	3.3
2023-11-11 03:50:00	0	0	0	0	342	4.91	6.72	3.8	0.756	100.05	-0.6	-0.7	0	3.8	0.04	100.03	3.2
2023-11-11 03:55:00	0	0.017	0	0	337	4.71	7.54	3.7	0.754	100.06	-0.6	-0.6	1	3.7	0.04	100.04	3.2
2023-11-11 04:00:00	0	0	0	0	338	4.45	6.48	3.7	0.75	100.07	-0.6	-0.6	0	3.7	0.05	100.05	3.2
2023-11-11 04:05:00	0	0	0	0	338	3.99	5.85	3.7	0.748	100.08	-0.4	-0.7	0	3.7	0.05	100.07	3.2
2023-11-11 04:10:00	0	0	0	0	331	2.99	4.31	3.6	0.748	100.09	-0.6	-0.5	0	3.6	0.04	100.08	3.2
2023-11-11 04:15:00	0	0	0	0	315	2.88	4.64	3.6	0.75	100.1	-0.6	-0.6	0	3.6	0.04	100.09	3.1
2023-11-11 04:20:00	0	0	0	0	321	2.98	4.56	3.6	0.744	100.11	-0.6	-0.7	0	3.6	0.05	100.09	3.1
2023-11-11 04:25:00	0	0	0	0	328	3.14	4.4	3.6	0.748	100.11	-0.6	-0.6	0	3.6	0.04	100.1	3.2
2023-11-11 04:30:00	0	0	0	0	321	3.42	4.48	3.6	0.744	100.12	-0.6	-0.7	0	3.6	0.05	100.11	3.1
2023-11-11 04:35:00	0	0	0	0	313	2.43	3.11	3.7	0.742	100.14	-0.7	-0.7	0	3.7	0.05	100.12	3.1
2023-11-11 04:40:00	0	0	0	0	304	2.37	3.15	3.7	0.748	100.14	-0.6	-0.8	0	3.7	0.05	100.13	3.1
2023-11-11 04:45:00	0	0	0	0	292	1.88	2.7	3.6	0.75	100.15	-0.5	-0.7	0	3.6	0.04	100.14	3.1
2023-11-11 04:50:00	0	0	0	0	287	2.45	3.67	3.6	0.746	100.16	-0.6	-0.7	0	3.6	0.05	100.15	3.1
2023-11-11 04:55:00	0	0	0	0	294	2.55	3.43	3.6	0.744	100.17	-0.6	-0.6	0	3.6	0.05	100.15	3.1
2023-11-11 05:00:00	0	0	0	0	310	2.99	4.93	3.7	0.744	100.17	-0.5	-0.7	0	3.7	0.05	100.16	3.1
2023-11-11 05:05:00	0	0	0	0	318	3.44	4.93	3.7	0.732	100.17	-0.5	-0.7	0	3.7	0.06	100.16	3.1
2023-11-11 05:10:00	0	0	0	0	318	3.47	5.78	3.7	0.73	100.18	-0.5	-0.7	0	3.7	0.07	100.17	3.1
2023-11-11 05:15:00	0	0	0	0	314	3.72	5.37	3.7	0.718	100.19	-0.4	-0.6	0	3.7	0.08	100.17	3.1
2023-11-11 05:20:00	0	0	0	0	323	3.98	5.35	3.7	0.712	100.19	-0.6	-0.6	0	3.7	0.09	100.17	3.2
2023-11-11 05:25:00	0	0	0	0	319	3.39	5.13	3.7	0.706	100.19	-0.5	-0.7	0	3.7	0.09	100.18	3.1

z6-17454
Records: 2016

Timestamps

W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	Port1		Port8	
															Barometer			
															kPa Reference Pressure	°F Logger Temp.		
2023-11-11 05:30:00	0	0	0	0	313	3.23	4.77	3.7	0.704	100.19	-0.5	-0.8	0	3.6	0.09	100.17	3.1	
2023-11-11 05:35:00	0	0	0	0	305	3.22	4.59	3.7	0.7	100.19	-0.5	-0.7	0	3.7	0.1	100.18	3.1	
2023-11-11 05:40:00	0	0	0	0	321	3.33	4.46	3.6	0.698	100.2	-0.5	-0.7	0	3.6	0.09	100.19	3.1	
2023-11-11 05:45:00	0	0	0	0	320	3.71	5.07	3.6	0.7	100.21	-0.6	-0.7	0	3.6	0.09	100.19	3.1	
2023-11-11 05:50:00	0	0	0	0	327	4.71	6.13	3.6	0.694	100.21	-0.6	-0.7	0	3.6	0.1	100.2	3.1	
2023-11-11 05:55:00	0	0	0	0	324	4.51	6.78	3.6	0.686	100.22	-0.6	-0.7	0	3.6	0.1	100.21	3.1	
2023-11-11 06:00:00	0	0	0	0	320	4.27	5.75	3.6	0.68	100.23	-0.5	-0.6	0	3.6	0.11	100.22	3.1	
2023-11-11 06:05:00	0	0	0	0	310	4.21	5.49	3.6	0.678	100.23	-0.6	-0.8	0	3.6	0.11	100.22	3.1	
2023-11-11 06:10:00	0	0	0	0	314	3.98	5.69	3.6	0.67	100.24	-0.5	-0.7	0	3.6	0.12	100.23	3.1	
2023-11-11 06:15:00	0	0	0	0	309	3.45	4.8	3.6	0.67	100.25	-0.6	-0.7	0	3.6	0.12	100.24	3.1	
2023-11-11 06:20:00	0	0	0	0	305	3.96	5.25	3.6	0.662	100.25	-0.6	-0.7	0	3.6	0.13	100.25	3.1	
2023-11-11 06:25:00	0	0	0	0	310	4.3	7.21	3.6	0.652	100.26	-0.4	-0.7	0	3.6	0.14	100.25	3.1	
2023-11-11 06:30:00	0.2	0	0	0	310	4.82	7.96	3.6	0.644	100.27	-0.6	-0.6	0	3.6	0.15	100.25	3.1	
2023-11-11 06:35:00	1	0	0	0	309	4.61	7.15	3.6	0.642	100.27	-0.5	-0.6	0	3.6	0.15	100.26	3.1	
2023-11-11 06:40:00	1	0	0	0	303	4.2	5.63	3.6	0.64	100.28	-0.5	-0.8	0	3.6	0.15	100.27	3.1	
2023-11-11 06:45:00	1.2	0	0	0	301	3.88	5.74	3.6	0.64	100.29	-0.5	-0.7	0	3.6	0.15	100.28	3.2	
2023-11-11 06:50:00	2.4	0	0	0	305	3.43	4.42	3.6	0.64	100.31	-0.5	-0.7	0	3.6	0.15	100.3	3.2	
2023-11-11 06:55:00	3.8	0	0	0	304	3.28	4.03	3.6	0.644	100.33	-0.5	-0.7	0	3.6	0.15	100.31	3.1	
2023-11-11 07:00:00	4.4	0	0	0	324	3.25	4.39	3.6	0.644	100.33	-0.6	-0.7	0	3.6	0.14	100.32	3	
2023-11-11 07:05:00	6.8	0	0	0	343	4.3	6.08	3.5	0.658	100.33	-0.6	-0.8	0	3.5	0.13	100.31	2.9	
2023-11-11 07:10:00	7.4	0	0	0	343	3.51	4.77	3.3	0.662	100.34	-0.4	-0.7	0	3.3	0.11	100.33	2.7	
2023-11-11 07:15:00	9.8	0	0	0	332	2.83	3.44	3.2	0.67	100.35	-0.5	-0.7	0	3.2	0.1	100.33	2.6	
2023-11-11 07:20:00	12.4	0	0	0	334	2.63	3.47	3.1	0.666	100.35	-0.6	-0.7	0	3.1	0.09	100.34	2.5	
2023-11-11 07:25:00	13.8	0	0	0	322	2.49	3.58	3	0.666	100.36	-0.5	-0.6	0	3	0.09	100.34	2.5	
2023-11-11 07:30:00	20.4	0	0	0	329	4.83	10.24	3	0.67	100.36	-0.6	-0.7	0	3	0.09	100.35	2.5	
2023-11-11 07:35:00	24.4	0.034	0	0	329	4.85	7.96	3	0.674	100.37	-0.7	-0.7	1	3	0.08	100.37	2.4	
2023-11-11 07:40:00	28.4	0	0	0	347	3.55	5.22	2.9	0.682	100.39	-0.6	-0.7	0	3	0.07	100.38	2.4	
2023-11-11 07:45:00	30.8	0	0	0	346	2.57	3.37	2.8	0.688	100.4	-0.7	-0.6	0	2.9	0.06	100.39	2.4	
2023-11-11 07:50:00	37.2	0	0	0	333	2.29	3.24	2.9	0.694	100.41	-0.6	-0.6	0	2.9	0.06	100.4	2.4	
2023-11-11 07:55:00	43.2	0	0	0	325	3.07	5.18	2.9	0.694	100.42	-0.6	-0.5	0	3	0.06	100.41	2.5	
2023-11-11 08:00:00	53	0	0	0	312	4.29	7.85	2.9	0.682	100.43	-0.6	-0.5	0	3	0.07	100.42	2.4	
2023-11-11 08:05:00	55.8	0	0	0	318	3.85	5.54	2.9	0.67	100.43	-0.6	-0.8	0	3	0.08	100.43	2.4	
2023-11-11 08:10:00	59.8	0	0	0	326	3.95	6.79	3	0.672	100.44	-0.8	-0.6	0	3.1	0.08	100.43	2.5	
2023-11-11 08:15:00	63.8	0	0	0	324	3.23	4.99	3	0.672	100.44	-0.6	-0.7	0	3.1	0.09	100.44	2.6	
2023-11-11 08:20:00	65	0	0	0	326	3.15	4.44	3	0.67	100.45	-0.5	-0.7	0	3.2	0.09	100.44	2.6	
2023-11-11 08:25:00	67	0	0	0	305	2.48	3.64	3	0.666	100.46	-0.6	-0.7	0	3.1	0.09	100.45	2.7	
2023-11-11 08:30:00	69.2	0	0	0	303	2.67	3.85	3.1	0.666	100.46	-0.6	-0.7	0	3.2	0.1	100.45	2.8	
2023-11-11 08:35:00	80.8	0	0	0	299	2.49	3.79	3.1	0.666	100.46	-0.6	-0.7	0	3.3	0.1	100.45	2.9	
2023-11-11 08:40:00	105.2	0	0	0	298	3.61	5.21	3.2	0.664	100.46	-0.6	-0.7	0	3.3	0.1	100.45	3	
2023-11-11 08:45:00	118.2	0	0	0	303	3.09	5.66	3.3	0.662	100.47	-0.6	-0.7	0	3.5	0.11	100.46	3.1	
2023-11-11 08:50:00	125.2	0	0	0	301	3.28	5.41	3.4	0.668	100.47	-0.6	-0.6	0	3.6	0.11	100.47	3.3	
2023-11-11 08:55:00	127.8	0	0	0	313	2.95	4.36	3.5	0.67	100.48	-0.5	-0.7	0	3.8	0.12	100.47	3.5	
2023-11-11 09:00:00	129.8	0	0	0	326	2.76	4.06	3.7	0.676	100.48	-0.6	-0.8	0	3.9	0.12	100.48	3.7	
2023-11-11 09:05:00	140	0	0	0	330	3.71	7.16	3.8	0.684	100.48	-0.5	-0.6	0	4.1	0.12	100.48	3.9	
2023-11-11 09:10:00	136.4	0	0	0	326	3.74	5.58	3.9	0.678	100.48	-0.5	-0.8	0	4.2	0.13	100.48	4	
2023-11-11 09:15:00	115	0	0	0	315	4.04	5.53	4	0.672	100.49	-0.6	-0.7	0	4.2	0.14	100.49	4	
2023-11-11 09:20:00	113	0	0	0	327	4.14	5.9	4	0.664	100.5	-0.5	-0.8	0	4.2	0.15	100.49	4.1	
2023-11-11 09:25:00	124.4	0	0	0	306	3.82	6.7	4.1	0.668	100.5	-0.6	-0.7	0	4.2	0.15	100.5	4.1	
2023-11-11 09:30:00	148.6	0	0	0	300	4.56	6.6	4	0.662	100.5	-0.6	-0.5	0	4.3	0.15	100.5	4.1	
2023-11-11 09:35:00	230.4	0	0	0	310	4.51	7.57	4.1	0.664	100.5	-0.5	-0.8	0	4.4	0.16	100.51	4.2	
2023-11-11 09:40:00	230.8	0	0	0	309	3.25	5.02	4.3	0.666	100.52	-0.5	-0.7	0	4.7	0.17	100.51	4.5	
2023-11-11 09:45:00	183	0	0	0	313	4.6	8.41	4.6	0.664	100.52	-0.5	-0.7	0	4.9	0.19	100.52	4.8	
2023-11-11 09:50:00	173.6	0	0	0	322	5.13	7.35	4.7	0.644	100.52	-0.4	-0.8	0	4.9	0.21	100.52	4.9	
2023-11-11 09:55:00	175.8	0	0	0	325	5.6	7.07	4.6	0.632	100.52	-0.5	-0.9	0	4.8	0.22	100.53	5	
2023-11-11 10:00:00	183.8	0	0	0	317	4.35	6.19	4.5	0.628	100.54	-0.5	-0.8	0	4.8	0.22	100.53	5	
2023-11-11 10:05:00	193.6	0	0	0	313	4.25	6.59	4.6	0.626	100.54	-0.4	-0.6	0	4.9	0.22	100.54	5.1	
2023-11-11 10:10:00	214	0	0	0	306	5.73	8.59	4.6	0.618	100.54	-0.6	-0.6	0	4.9	0.23	100.54	5.1	
2023-11-11 10:15:00	228	0	0	0	306	5.39	9.05	4.6	0.606	100.54	-0.5	-0.9	0	4.9	0.24	100.54	5.1	
2023-11-11 10:20:00	251	0	0	0	306	5.8	7.88	4.6	0.61	100.54	-0.5	-0.7	0	4.9	0.24	100.55	5.1	
2023-11-11 10:25:00	264.8	0	0	0	313	5.43	7.67	4.7	0.612	100.55	-0.7	-0.7	0	5	0.24	100.55	5.2	

z6-17454
Records: 2016

Timestamps

Timestamps	Port1													Port8			
	ATMOS 41 All-in-one Weather Station														Barometer		
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-11 10:30:00	254.6	0	0	0	308	6.15	9.65	4.8	0.614	100.55	-0.5	-0.8	0	5.1	0.24	100.55	5.3
2023-11-11 10:35:00	268.2	0	0	0	313	5.4	8.62	4.8	0.61	100.55	-0.5	-0.6	0	5.1	0.25	100.56	5.4
2023-11-11 10:40:00	225.6	0	0	0	299	5.35	8.4	4.9	0.61	100.56	-0.5	-0.6	0	5.2	0.25	100.56	5.4
2023-11-11 10:45:00	234.2	0	0	0	309	5.66	8.37	4.8	0.612	100.56	-0.6	-0.6	0	5.1	0.25	100.56	5.5
2023-11-11 10:50:00	252.8	0	0	0	307	5.31	8.04	4.8	0.614	100.56	-0.6	-0.6	0	5.2	0.25	100.56	5.6
2023-11-11 10:55:00	263	0	0	0	307	7.54	10.04	4.9	0.602	100.55	-0.5	-0.8	0	5.2	0.27	100.55	5.6
2023-11-11 11:00:00	267	0	0	0	305	5.49	8.09	4.9	0.602	100.56	-0.5	-0.7	0	5.2	0.26	100.57	5.6
2023-11-11 11:05:00	269.6	0	0	0	314	5.86	9.36	4.9	0.6	100.56	-0.3	-0.8	0	5.2	0.26	100.57	5.6
2023-11-11 11:10:00	279.8	0	0	0	303	5.56	9.5	4.9	0.602	100.56	-0.6	-0.7	0	5.3	0.26	100.56	5.7
2023-11-11 11:15:00	269.6	0	0	0	299	6.36	9.23	5	0.602	100.56	-0.7	-0.7	0	5.4	0.27	100.56	5.7
2023-11-11 11:20:00	308	0	0	0	296	6.31	9.53	5.1	0.604	100.55	-0.5	-0.8	0	5.5	0.28	100.56	5.7
2023-11-11 11:25:00	290	0	0	0	285	5.35	7.4	5.1	0.6	100.56	-0.4	-0.6	0	5.5	0.28	100.56	5.8
2023-11-11 11:30:00	334.4	0	0	0	293	6.32	9.94	5.3	0.614	100.55	-0.4	-0.7	0	5.7	0.28	100.55	5.8
2023-11-11 11:35:00	322.2	0	0	0	308	6.67	10.05	5.3	0.604	100.55	-0.5	-0.8	0	5.7	0.29	100.56	5.9
2023-11-11 11:40:00	355.8	0	0	0	309	6.06	8.38	5.4	0.608	100.55	-0.4	-0.5	0	5.8	0.29	100.56	6
2023-11-11 11:45:00	299.6	0	0	0	329	8.36	12.59	5.5	0.632	100.54	-0.4	-1	0	5.8	0.27	100.55	6.1
2023-11-11 11:50:00	269.4	0	0	0	333	7.64	9.5	5.3	0.648	100.55	-0.4	-0.7	0	5.6	0.24	100.55	6
2023-11-11 11:55:00	207	0	0	0	321	7.46	10.14	5.1	0.646	100.55	-0.6	-0.5	0	5.3	0.23	100.55	5.8
2023-11-11 12:00:00	197.6	0	0	0	313	7.21	10.19	4.7	0.636	100.55	-0.3	-0.9	0	4.9	0.22	100.55	5.7
2023-11-11 12:05:00	259.4	0	0	0	316	6.56	11.31	4.5	0.636	100.55	-0.4	-0.8	0	4.8	0.21	100.55	5.5
2023-11-11 12:10:00	361.2	0	0	0	315	6.31	10.95	4.8	0.646	100.54	-0.5	-0.6	0	5.2	0.21	100.55	5.6
2023-11-11 12:15:00	357.4	0	0	0	309	6.1	9.1	5.1	0.65	100.55	-0.6	-0.5	0	5.5	0.23	100.56	5.8
2023-11-11 12:20:00	404.8	0	0	0	311	4.82	9.39	5.3	0.658	100.55	-0.5	-0.8	0	5.8	0.23	100.56	5.9
2023-11-11 12:25:00	244.4	0	0	0	334	7.04	9.59	5.5	0.652	100.55	-0.4	-0.6	0	5.8	0.25	100.56	6
2023-11-11 12:30:00	234.2	0	0	0	322	7.32	9.46	5.3	0.628	100.55	-0.3	-0.9	0	5.5	0.26	100.56	5.8
2023-11-11 12:35:00	292.6	0	0	0	322	6.29	9.66	5.1	0.624	100.55	-0.7	-0.5	0	5.4	0.25	100.56	5.7
2023-11-11 12:40:00	309.2	0	0	0	324	5.43	9.37	5.1	0.632	100.55	-0.4	-0.8	0	5.5	0.24	100.55	5.8
2023-11-11 12:45:00	203	0	0	0	333	6.29	8.84	5.1	0.634	100.56	-0.5	-0.7	0	5.4	0.25	100.56	5.8
2023-11-11 12:50:00	147	0	0	0	331	6.29	9.4	5	0.614	100.56	-0.5	-0.7	0	5.1	0.26	100.56	5.8
2023-11-11 12:55:00	151.6	0	0	0	339	6.5	10.29	4.6	0.598	100.56	-0.7	-0.8	0	4.8	0.25	100.56	5.7
2023-11-11 13:00:00	154.2	0	0	0	334	6.59	8.5	4.4	0.6	100.55	-0.4	-0.5	0	4.6	0.24	100.56	5.5
2023-11-11 13:05:00	146.8	0	0	0	334	6.91	9.97	4.3	0.592	100.56	-0.5	-0.7	0	4.4	0.24	100.55	5.3
2023-11-11 13:10:00	121.4	0	0	0	331	5.83	7.83	4.2	0.59	100.56	-0.4	-0.5	0	4.4	0.23	100.56	5.1
2023-11-11 13:15:00	100	0	0	0	326	5.77	8.58	4.1	0.592	100.57	-0.4	-0.8	0	4.2	0.23	100.57	5
2023-11-11 13:20:00	87	0	0	0	334	6.27	9.6	4	0.584	100.57	-0.5	-0.7	0	4.1	0.23	100.57	4.8
2023-11-11 13:25:00	110.4	0	0	0	327	6.25	8.72	3.9	0.574	100.58	-0.7	-0.9	0	4	0.23	100.58	4.7
2023-11-11 13:30:00	128.4	0	0	0	331	5.75	7.75	3.8	0.576	100.58	-0.6	-0.8	0	3.9	0.22	100.58	4.6
2023-11-11 13:35:00	104.6	0	0	0	324	5.68	7.46	3.7	0.58	100.58	-0.4	-0.8	0	3.9	0.22	100.58	4.5
2023-11-11 13:40:00	98.8	0	0	0	335	4.7	6.53	3.7	0.584	100.59	-0.5	-0.5	0	3.8	0.21	100.59	4.4
2023-11-11 13:45:00	107.6	0	0	0	340	5.8	7.96	3.6	0.6	100.59	-0.6	-0.7	0	3.8	0.19	100.59	4.3
2023-11-11 13:50:00	117.6	0	0	0	336	4.11	5.62	3.5	0.598	100.6	-0.5	-0.6	0	3.6	0.19	100.59	4.2
2023-11-11 13:55:00	110.6	0	0	0	332	3.68	5.02	3.5	0.604	100.6	-0.5	-0.8	0	3.6	0.18	100.59	4.2
2023-11-11 14:00:00	104.8	0	0	0	325	2.94	4.58	3.5	0.61	100.6	-0.7	-0.6	0	3.7	0.18	100.59	4.2
2023-11-11 14:05:00	84.2	0	0	0	321	3.42	4.83	3.5	0.608	100.6	-0.6	-0.7	0	3.7	0.18	100.59	4.2
2023-11-11 14:10:00	69.8	0	0	0	336	4.54	7.19	3.6	0.608	100.6	-0.7	-0.5	0	3.7	0.18	100.6	4.1
2023-11-11 14:15:00	62.6	0	0	0	325	4.38	5.78	3.6	0.606	100.61	-0.5	-0.6	0	3.7	0.18	100.6	4
2023-11-11 14:20:00	74.4	0	0	0	318	3.39	4.85	3.4	0.604	100.61	-0.5	-0.6	0	3.5	0.18	100.6	4
2023-11-11 14:25:00	84.4	0	0	0	303	3.85	5.07	3.4	0.606	100.61	-0.6	-0.5	0	3.5	0.17	100.6	4
2023-11-11 14:30:00	76.2	0	0	0	311	4.75	7.27	3.5	0.604	100.61	-0.7	-0.4	0	3.6	0.18	100.61	3.9
2023-11-11 14:35:00	72.4	0	0	0	299	4.92	7.4	3.4	0.6	100.62	-0.5	-0.6	0	3.5	0.18	100.61	3.8
2023-11-11 14:40:00	68.6	0	0	0	310	5.11	7.33	3.3	0.608	100.62	-0.6	-0.6	0	3.4	0.17	100.61	3.6
2023-11-11 14:45:00	62.2	0	0	0	339	5.18	7.31	3.2	0.62	100.63	-0.5	-0.8	0	3.3	0.15	100.62	3.6
2023-11-11 14:50:00	49.4	0	0	0	327	5.72	8.13	3	0.62	100.63	-0.7	-0.7	0	3.1	0.14	100.63	3.4
2023-11-11 14:55:00	47.2	0	0	0	338	4.09	6.44	2.9	0.622	100.63	-0.7	-0.5	0	2.9	0.13	100.63	3.3
2023-11-11 15:00:00	50.4	0	0	0	335	5.49	7.25	2.8	0.622	100.63	-0.5	-0.7	0	2.9	0.12	100.63	3.2
2023-11-11 15:05:00	51.2	0	0	0	332	3.94	6.11	2.7	0.628	100.64	-0.5	-0.7	0	2.8	0.11	100.64	3.1
2023-11-11 15:10:00	45.2	0	0	0	326	3.99	5.7	2.7	0.628	100.65	-0.6	-0.6	0	2.7	0.11	100.64	3
2023-11-11 15:15:00	36.2	0	0	0	336	3.83	5.27	2.6	0.626	100.65	-0.6	-0.5	0	2.7	0.11	100.64	2.9
2023-11-11 15:20:00	42	0	0	0	331	3.57	5.24	2.6	0.628	100.65	-0.6	-0.7	0	2.6	0.11	100.64	2.8
2023-11-11 15:25:00	41.6	0	0	0	331	3.71	5.01	2.5	0.63	100.65	-0.5	-0.7	0	2.6	0.1	100.64	2.8

z6-17454
Records: 2016

Timestamps

	Port1														Port8		
	ATMOS 41 All-in-one Weather Station														Barometer		
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-11 15:30:00	38.8	0	0	0	336	3.48	4.59	2.5	0.63	100.65	-0.5	-0.7	0	2.5	0.1	100.65	2.7
2023-11-11 15:35:00	35.8	0	0	0	340	3.63	5.53	2.4	0.634	100.65	-0.6	-0.8	0	2.4	0.09	100.65	2.6
2023-11-11 15:40:00	31.6	0	0	0	335	3.58	4.53	2.3	0.64	100.65	-0.7	-0.6	0	2.4	0.08	100.64	2.5
2023-11-11 15:45:00	27.2	0	0	0	332	3.96	5.69	2.3	0.64	100.65	-0.7	-0.6	0	2.3	0.08	100.65	2.4
2023-11-11 15:50:00	23.6	0	0	0	335	4.2	5.29	2.2	0.638	100.65	-0.6	-0.6	0	2.2	0.08	100.65	2.4
2023-11-11 15:55:00	20.2	0	0	0	339	3.76	5.37	2.1	0.638	100.65	-0.6	-0.6	0	2.2	0.07	100.65	2.2
2023-11-11 16:00:00	18	0	0	0	338	2.94	4.07	2	0.634	100.66	-0.7	-0.7	0	2.1	0.07	100.65	2.1
2023-11-11 16:05:00	14.4	0	0	0	328	2.76	4.54	2	0.634	100.66	-0.7	-0.8	0	2	0.07	100.65	2.1
2023-11-11 16:10:00	10.8	0	0	0	313	1.77	4.13	2	0.634	100.65	-0.6	-0.7	0	2	0.07	100.64	2
2023-11-11 16:15:00	7.6	0	0	0	308	2.55	3.59	1.9	0.628	100.65	-0.7	-0.6	0	1.9	0.07	100.65	1.9
2023-11-11 16:20:00	5.6	0	0	0	283	1.44	2.57	1.8	0.626	100.66	-0.7	-0.7	0	1.9	0.07	100.65	1.8
2023-11-11 16:25:00	3.4	0	0	0	295	1.15	1.66	1.9	0.63	100.67	-0.6	-0.6	0	1.9	0.07	100.66	1.8
2023-11-11 16:30:00	1.8	0	0	0	318	0.98	1.7	1.8	0.63	100.67	-0.6	-0.6	0	1.8	0.07	100.66	1.7
2023-11-11 16:35:00	1	0	0	0	294	1.54	2.94	1.8	0.63	100.68	-0.5	-0.7	0	1.8	0.07	100.67	1.7
2023-11-11 16:40:00	0.2	0	0	0	315	1.86	3.38	1.8	0.63	100.68	-0.6	-0.7	0	1.8	0.07	100.67	1.6
2023-11-11 16:45:00	0	0	0	0	331	2.24	3.11	1.8	0.632	100.68	-0.6	-0.7	0	1.8	0.06	100.67	1.6
2023-11-11 16:50:00	0	0	0	0	329	2.4	3.25	1.8	0.63	100.68	-0.7	-0.6	0	1.8	0.06	100.68	1.5
2023-11-11 16:55:00	0	0	0	0	330	2.22	3.45	1.8	0.632	100.69	-0.7	-0.7	0	1.8	0.06	100.68	1.5
2023-11-11 17:00:00	0	0	0	0	343	2.26	3.08	1.7	0.636	100.68	-0.7	-0.7	0	1.7	0.05	100.67	1.4
2023-11-11 17:05:00	0	0	0	0	346	2.51	3.16	1.7	0.638	100.68	-0.7	-0.7	0	1.7	0.05	100.67	1.4
2023-11-11 17:10:00	0	0	0	0	342	2.28	2.95	1.7	0.64	100.68	-0.7	-0.6	0	1.7	0.05	100.67	1.4
2023-11-11 17:15:00	0	0	0	0	3	2.18	2.95	1.7	0.64	100.67	-0.6	-0.6	0	1.7	0.05	100.66	1.3
2023-11-11 17:20:00	0	0	0	0	357	2.18	2.8	1.7	0.642	100.66	-0.8	-0.6	0	1.7	0.05	100.65	1.3
2023-11-11 17:25:00	0	0	0	0	351	1.96	2.59	1.6	0.642	100.66	-0.7	-0.7	0	1.6	0.04	100.65	1.3
2023-11-11 17:30:00	0	0	0	0	346	2.14	2.91	1.6	0.642	100.67	-0.7	-0.7	0	1.6	0.04	100.66	1.2
2023-11-11 17:35:00	0	0	0	0	334	1.98	3.1	1.5	0.642	100.67	-0.7	-0.7	0	1.5	0.04	100.66	1.2
2023-11-11 17:40:00	0	0	0	0	341	1.98	3.22	1.5	0.648	100.67	-0.7	-0.7	0	1.5	0.03	100.66	1.1
2023-11-11 17:45:00	0	0	0	0	338	1.39	1.9	1.5	0.648	100.68	-0.8	-0.8	0	1.5	0.03	100.67	1.1
2023-11-11 17:50:00	0	0	0	0	337	1.53	2.33	1.4	0.65	100.68	-0.7	-0.7	0	1.4	0.03	100.68	1
2023-11-11 17:55:00	0	0	0	0	338	1.5	2.03	1.4	0.648	100.7	-0.7	-0.7	0	1.4	0.03	100.69	1
2023-11-11 18:00:00	0	0	0	0	330	1.38	1.75	1.4	0.65	100.7	-0.6	-0.7	0	1.4	0.03	100.69	1
2023-11-11 18:05:00	0	0	0	0	339	1.28	1.85	1.4	0.65	100.7	-0.6	-0.6	0	1.4	0.03	100.69	1
2023-11-11 18:10:00	0	0	0	0	347	1.26	1.81	1.4	0.65	100.7	-0.6	-0.7	0	1.4	0.03	100.69	0.9
2023-11-11 18:15:00	0	0	0	0	335	1.12	1.71	1.4	0.644	100.7	-0.7	-0.6	0	1.4	0.03	100.69	0.9
2023-11-11 18:20:00	0	0	0	0	330	0.87	1.27	1.4	0.648	100.7	-0.7	-0.6	0	1.5	0.03	100.68	0.9
2023-11-11 18:25:00	0	0	0	0	308	1.32	2.18	1.4	0.646	100.69	-0.7	-0.6	0	1.4	0.03	100.68	0.9
2023-11-11 18:30:00	0	0	0	0	336	1.57	1.93	1.4	0.642	100.69	-0.7	-0.6	0	1.4	0.03	100.68	0.9
2023-11-11 18:35:00	0	0	0	0	347	1.76	2.2	1.4	0.644	100.69	-0.7	-0.6	0	1.4	0.03	100.68	0.8
2023-11-11 18:40:00	0	0	0	0	353	1.81	2.11	1.4	0.642	100.69	-0.7	-0.6	0	1.4	0.03	100.68	0.8
2023-11-11 18:45:00	0	0	0	0	347	1.38	1.57	1.4	0.648	100.69	-0.7	-0.6	0	1.4	0.03	100.69	0.8
2023-11-11 18:50:00	0	0	0	0	338	1.18	1.61	1.3	0.644	100.69	-0.7	-0.7	0	1.3	0.03	100.68	0.7
2023-11-11 18:55:00	0	0	0	0	340	1.39	1.82	1.3	0.64	100.69	-0.7	-0.6	0	1.3	0.03	100.68	0.6
2023-11-11 19:00:00	0	0	0	0	339	1.87	2.89	1.3	0.64	100.68	-0.6	-0.7	0	1.2	0.03	100.68	0.6
2023-11-11 19:05:00	0	0	0	0	329	2.23	3.13	1.2	0.64	100.7	-0.7	-0.6	0	1.2	0.03	100.69	0.6
2023-11-11 19:10:00	0	0	0	0	312	2.27	3.44	1.3	0.642	100.71	-0.7	-0.6	0	1.3	0.03	100.7	0.7
2023-11-11 19:15:00	0	0	0	0	311	2.42	3.51	1.3	0.638	100.72	-0.8	-0.6	0	1.3	0.03	100.71	0.7
2023-11-11 19:20:00	0	0	0	0	306	3.26	5.37	1.4	0.638	100.72	-0.6	-0.6	0	1.4	0.04	100.72	0.8
2023-11-11 19:25:00	0	0	0	0	308	2.78	4.32	1.5	0.632	100.73	-0.8	-0.6	0	1.5	0.05	100.72	0.9
2023-11-11 19:30:00	0	0	0	0	293	2.31	3.34	1.6	0.63	100.73	-0.7	-0.7	0	1.6	0.05	100.72	1
2023-11-11 19:35:00	0	0	0	0	280	2.16	2.91	1.6	0.632	100.72	-0.7	-0.6	0	1.6	0.06	100.72	1
2023-11-11 19:40:00	0	0	0	0	263	2.01	3.09	1.6	0.63	100.72	-0.7	-0.6	0	1.6	0.06	100.72	1.1
2023-11-11 19:45:00	0	0	0	0	243	1.87	2.6	1.7	0.642	100.72	-0.7	-0.7	0	1.7	0.05	100.72	1.1
2023-11-11 19:50:00	0	0	0	0	246	2.09	2.87	1.7	0.65	100.73	-0.6	-0.6	0	1.7	0.04	100.72	1.2
2023-11-11 19:55:00	0	0	0	0	259	1.75	2.72	1.7	0.648	100.74	-0.8	-0.7	0	1.7	0.04	100.73	1.2
2023-11-11 20:00:00	0	0	0	0	261	1.67	2.62	1.7	0.644	100.74	-0.7	-0.7	0	1.7	0.05	100.74	1.2
2023-11-11 20:05:00	0	0	0	0	291	1.6	2.42	1.7	0.64	100.75	-0.6	-0.7	0	1.7	0.05	100.74	1.2
2023-11-11 20:10:00	0	0	0	0	329	1.59	2.3	1.7	0.642	100.75	-0.7	-0.7	0	1.8	0.05	100.74	1.2
2023-11-11 20:15:00	0	0	0	0	334	1.49	2.14	1.8	0.64	100.74	-0.6	-0.6	0	1.8	0.05	100.73	1.2
2023-11-11 20:20:00	0	0	0	0	24	0.95	1.32	1.8	0.64	100.74	-0.7	-0.7	0	1.8	0.05	100.73	1.2
2023-11-11 20:25:00	0	0	0	0	0	0.9	1.36	1.8	0.63	100.74	-0.8	-0.5	0	1.8	0.06	100.73	1.2

z6-17454 # Records: 2016	Port1														Port8		
	ATMOS 41 All-in-one Weather Station														Barometer		
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
	Timestamps																
2023-11-11 20:30:00	0	0	0	0	65	0.67	1.56	1.7	0.628	100.74	-0.7	-0.7	0	1.7	0.06	100.73	1.2
2023-11-11 20:35:00	0	0	0	0	94	1.05	1.42	1.7	0.63	100.75	-0.7	-0.7	0	1.8	0.06	100.74	1.2
2023-11-11 20:40:00	0	0	0	0	90	0.5	0.99	1.7	0.63	100.76	-0.6	-0.6	0	1.7	0.06	100.75	1.2
2023-11-11 20:45:00	0	0	0	0	341	0.49	1.08	1.7	0.63	100.77	-0.6	-0.7	0	1.7	0.06	100.76	1.2
2023-11-11 20:50:00	0	0	0	0	13	0.55	1.12	1.7	0.62	100.78	-0.7	-0.7	0	1.7	0.07	100.77	1.2
2023-11-11 20:55:00	0	0	0	0	304	0.54	0.96	1.7	0.624	100.79	-0.7	-0.7	0	1.7	0.07	100.78	1.2
2023-11-11 21:00:00	0	0	0	0	208	0.46	0.83	1.7	0.616	100.78	-0.6	-0.6	0	1.7	0.07	100.77	1.2
2023-11-11 21:05:00	0	0	0	0	133	0.65	1.01	1.7	0.622	100.77	-0.6	-0.7	0	1.7	0.07	100.76	1.2
2023-11-11 21:10:00	0	0	0	0	166	0.57	0.89	1.7	0.638	100.77	-0.7	-0.7	0	1.7	0.05	100.76	1.2
2023-11-11 21:15:00	0	0	0	0	11	0.84	3.26	1.7	0.638	100.77	-0.7	-0.6	0	1.6	0.05	100.77	1.2
2023-11-11 21:20:00	0	0	0	0	4	1.98	3.07	1.6	0.644	100.78	-0.7	-0.7	0	1.6	0.04	100.78	1.2
2023-11-11 21:25:00	0	0	0	0	352	2.42	3.95	1.5	0.632	100.79	-0.7	-0.6	0	1.5	0.05	100.79	1.1
2023-11-11 21:30:00	0	0	0	0	338	2.98	3.95	1.5	0.63	100.79	-0.6	-0.7	0	1.5	0.05	100.78	1
2023-11-11 21:35:00	0	0	0	0	350	2.29	3.36	1.4	0.634	100.79	-0.7	-0.7	0	1.4	0.04	100.78	0.9
2023-11-11 21:40:00	0	0.017	0	0	3	2.15	2.72	1.3	0.632	100.78	-0.7	-0.6	1	1.3	0.04	100.77	0.9
2023-11-11 21:45:00	0	0	0	0	12	1.49	2.45	1.3	0.632	100.77	-0.8	-0.7	0	1.2	0.04	100.77	0.8
2023-11-11 21:50:00	0	0.017	0	0	9	1.17	1.48	1.2	0.638	100.77	-0.8	-0.7	1	1.2	0.03	100.77	0.8
2023-11-11 21:55:00	0	0.017	0	0	5	1.1	1.57	1.1	0.636	100.77	-0.7	-0.6	1	1.1	0.03	100.77	0.7
2023-11-11 22:00:00	0	0.017	0	0	23	0.52	1.06	1.1	0.636	100.77	-0.7	-0.6	1	1.1	0.03	100.77	0.7
2023-11-11 22:05:00	0	0	0	0	79	0.49	0.81	1.1	0.638	100.77	-0.8	-0.7	0	1.1	0.02	100.77	0.7
2023-11-11 22:10:00	0	0.017	0	0	22	0.51	1.04	1	0.636	100.78	-0.7	-0.7	1	1	0.02	100.78	0.6
2023-11-11 22:15:00	0	0	0	0	9	0.78	1.29	1.1	0.63	100.79	-0.8	-0.7	0	1.1	0.03	100.79	0.6
2023-11-11 22:20:00	0	0	0	0	18	0.49	0.96	1.1	0.63	100.79	-0.6	-0.6	0	1.1	0.03	100.78	0.6
2023-11-11 22:25:00	0	0	0	0	6	0.9	1.4	1	0.632	100.78	-0.7	-0.6	0	1	0.03	100.78	0.6
2023-11-11 22:30:00	0	0.017	0	0	1	0.66	1.17	1.1	0.636	100.78	-0.6	-0.7	1	1.1	0.02	100.78	0.6
2023-11-11 22:35:00	0	0	0	0	331	0.23	0.53	1	0.632	100.79	-0.8	-0.7	0	1	0.03	100.79	0.6
2023-11-11 22:40:00	0	0	0	0	40	0.42	0.73	1	0.63	100.78	-0.7	-0.6	0	1	0.03	100.78	0.6
2023-11-11 22:45:00	0	0	0	0	56	0.51	1.11	1.1	0.634	100.78	-0.7	-0.7	0	1.1	0.03	100.78	0.5
2023-11-11 22:50:00	0	0	0	0	147	1.12	1.6	1.1	0.638	100.79	-0.6	-0.6	0	1	0.02	100.79	0.6
2023-11-11 22:55:00	0	0.017	0	0	176	1.22	1.71	1.1	0.648	100.79	-0.7	-0.7	1	1.1	0.01	100.79	0.6
2023-11-11 23:00:00	0	0	0	0	196	1.9	2.52	1.1	0.648	100.79	-0.7	-0.6	0	1.1	0.02	100.78	0.6
2023-11-11 23:05:00	0	0.017	0	0	193	1.65	2.15	1.2	0.65	100.79	-0.7	-0.7	1	1.2	0.02	100.79	0.7
2023-11-11 23:10:00	0	0	0	0	183	1.25	1.81	1.1	0.65	100.79	-0.7	-0.7	0	1.1	0.01	100.79	0.7
2023-11-11 23:15:00	0	0	0	0	160	1.15	1.62	1.2	0.64	100.79	-0.8	-0.7	0	1.1	0.02	100.79	0.7
2023-11-11 23:20:00	0	0.017	0	0	181	1.47	2.32	1.2	0.64	100.8	-0.6	-0.7	1	1.2	0.02	100.79	0.7
2023-11-11 23:25:00	0	0	0	0	197	2.3	2.84	1.2	0.646	100.79	-0.7	-0.7	0	1.2	0.02	100.8	0.7
2023-11-11 23:30:00	0	0	0	0	179	2.1	2.62	1.1	0.644	100.79	-0.7	-0.6	0	1.1	0.02	100.79	0.7
2023-11-11 23:35:00	0	0	0	0	172	2.4	3.07	1.2	0.65	100.79	-0.6	-0.6	0	1.2	0.02	100.79	0.8
2023-11-11 23:40:00	0	0	0	0	192	1.8	2.41	1.2	0.652	100.8	-0.7	-0.7	0	1.1	0.01	100.8	0.8
2023-11-11 23:45:00	0	0	0	0	196	1.87	2.36	1.1	0.652	100.8	-0.7	-0.6	0	1.1	0.01	100.8	0.8
2023-11-11 23:50:00	0	0	0	0	192	1.51	1.9	1.1	0.65	100.81	-0.7	-0.7	0	1.1	0.01	100.8	0.8
2023-11-11 23:55:00	0	0	0	0	192	1.65	2.12	1.2	0.65	100.8	-0.7	-0.7	0	1.2	0.01	100.8	0.8
2023-11-12 00:00:00	0	0	0	0	198	1.96	2.43	1.2	0.65	100.8	-0.7	-0.7	0	1.2	0.02	100.8	0.8
2023-11-12 00:05:00	0	0	0	0	200	1.48	1.84	1.1	0.65	100.8	-0.7	-0.7	0	1.1	0.01	100.8	0.9
2023-11-12 00:10:00	0	0	0	0	197	1.69	2.24	1.1	0.646	100.8	-0.6	-0.6	0	1.1	0.02	100.8	1
2023-11-12 00:15:00	0	0	0	0	198	1.62	2.05	1.2	0.65	100.81	-0.7	-0.7	0	1.2	0.01	100.81	1.1
2023-11-12 00:20:00	0	0	0	0	192	1.87	2.34	1.2	0.65	100.81	-0.7	-0.7	0	1.1	0.02	100.81	1
2023-11-12 00:25:00	0	0.017	0	0	195	1.59	2.07	1.2	0.65	100.82	-0.6	-0.7	1	1.2	0.02	100.82	1
2023-11-12 00:30:00	0	0	0	0	191	1.71	2.38	1.2	0.648	100.81	-0.6	-0.8	0	1.2	0.02	100.81	0.9
2023-11-12 00:35:00	0	0	0	0	186	2.33	2.94	1.2	0.648	100.81	-0.7	-0.7	0	1.2	0.02	100.81	0.9
2023-11-12 00:40:00	0	0	0	0	180	2.53	3.38	1.3	0.648	100.81	-0.6	-0.7	0	1.3	0.02	100.81	0.9
2023-11-12 00:45:00	0	0	0	0	182	2.15	2.95	1.2	0.65	100.81	-0.6	-0.6	0	1.2	0.02	100.81	0.9
2023-11-12 00:50:00	0	0	0	0	192	1.42	2.24	1.2	0.648	100.82	-0.8	-0.6	0	1.2	0.02	100.82	0.9
2023-11-12 00:55:00	0	0	0	0	189	1.31	1.82	1.2	0.644	100.82	-0.5	-0.7	0	1.2	0.02	100.82	0.8
2023-11-12 01:00:00	0	0	0	0	196	1.3	1.76	1.2	0.644	100.82	-0.7	-0.7	0	1.2	0.02	100.82	0.8
2023-11-12 01:05:00	0	0	0	0	192	1.45	1.96	1.2	0.642	100.82	-0.8	-0.7	0	1.2	0.03	100.81	0.8
2023-11-12 01:10:00	0	0	0	0	188	1.29	1.83	1.2	0.64	100.81	-0.6	-0.7	0	1.2	0.03	100.81	0.8
2023-11-12 01:15:00	0	0	0	0	190	1.18	1.71	1.3	0.64	100.81	-0.7	-0.6	0	1.3	0.03	100.81	0.9
2023-11-12 01:20:00	0	0	0	0	195	1.17	1.84	1.3	0.646	100.81	-0.6	-0.7	0	1.3	0.03	100.81	0.9
2023-11-12 01:25:00	0	0	0	0	197	1.08	1.49	1.3	0.648	100.81	-0.7	-0.6	0	1.3	0.02	100.81	0.9

z6-17454
Records: 2016

Timestamps	Port1													Port8			
	ATMOS 41 All-in-one Weather Station														Barometer		
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-12 01:30:00	0	0	0	0	198	1.21	1.55	1.3	0.648	100.81	-0.7	-0.7	0	1.3	0.02	100.81	0.8
2023-11-12 01:35:00	0	0	0	0	194	1.02	1.4	1.3	0.65	100.81	-0.6	-0.7	0	1.3	0.02	100.81	0.9
2023-11-12 01:40:00	0	0	0	0	220	0.76	1.17	1.3	0.644	100.81	-0.7	-0.6	0	1.3	0.03	100.81	0.9
2023-11-12 01:45:00	0	0	0	0	344	0.58	1.18	1.3	0.652	100.81	-0.6	-0.7	0	1.3	0.02	100.81	0.8
2023-11-12 01:50:00	0	0	0	0	206	0.25	0.5	1.3	0.65	100.81	-0.6	-0.7	0	1.3	0.02	100.81	0.8
2023-11-12 01:55:00	0	0	0	0	205	0.32	0.76	1.2	0.652	100.81	-0.6	-0.6	0	1.2	0.02	100.8	0.8
2023-11-12 02:00:00	0	0	0	0	181	0.99	1.28	1.2	0.646	100.8	-0.7	-0.7	0	1.2	0.02	100.8	0.8
2023-11-12 02:05:00	0	0	0	0	200	1.19	1.65	1.3	0.64	100.8	-0.7	-0.6	0	1.3	0.03	100.8	0.8
2023-11-12 02:10:00	0	0	0	0	206	1.34	1.8	1.3	0.64	100.8	-0.6	-0.7	0	1.3	0.03	100.8	0.9
2023-11-12 02:15:00	0	0	0	0	241	0.75	1.12	1.3	0.644	100.8	-0.7	-0.6	0	1.3	0.03	100.8	0.9
2023-11-12 02:20:00	0	0	0	0	188	0.78	1.14	1.3	0.642	100.8	-0.7	-0.7	0	1.3	0.03	100.8	0.9
2023-11-12 02:25:00	0	0	0	0	198	1.11	1.62	1.4	0.65	100.79	-0.7	-0.6	0	1.4	0.02	100.79	0.9
2023-11-12 02:30:00	0	0	0	0	196	1.29	1.65	1.4	0.65	100.78	-0.7	-0.7	0	1.4	0.03	100.78	0.9
2023-11-12 02:35:00	0	0	0	0	184	0.75	1.47	1.4	0.648	100.78	-0.7	-0.6	0	1.4	0.03	100.77	0.9
2023-11-12 02:40:00	0	0	0	0	170	0.4	0.69	1.4	0.646	100.77	-0.5	-0.7	0	1.4	0.03	100.77	0.9
2023-11-12 02:45:00	0	0	0	0	202	0.5	1.04	1.3	0.64	100.77	-0.6	-0.8	0	1.3	0.03	100.77	0.9
2023-11-12 02:50:00	0	0	0	0	221	0.38	0.66	1.4	0.65	100.77	-0.7	-0.7	0	1.4	0.03	100.77	0.9
2023-11-12 02:55:00	0	0	0	0	16	0.19	0.32	1.4	0.652	100.77	-0.6	-0.6	0	1.4	0.02	100.77	0.9
2023-11-12 03:00:00	0	0	0	0	345	0.34	0.52	1.4	0.66	100.77	-0.7	-0.7	0	1.4	0.02	100.77	0.9
2023-11-12 03:05:00	0	0	0	0	277	0.55	1.36	1.4	0.666	100.77	-0.7	-0.6	0	1.4	0.01	100.77	0.9
2023-11-12 03:10:00	0	0	0	0	248	1.16	1.72	1.4	0.666	100.77	-0.7	-0.6	0	1.3	0.01	100.77	0.9
2023-11-12 03:15:00	0	0	0	0	236	1.23	1.56	1.4	0.662	100.78	-0.6	-0.8	0	1.4	0.01	100.78	0.9
2023-11-12 03:20:00	0	0	0	0	231	1.13	1.49	1.3	0.66	100.78	-0.6	-0.6	0	1.3	0.01	100.78	0.9
2023-11-12 03:25:00	0	0	0	0	249	1.03	1.61	1.4	0.658	100.79	-0.6	-0.5	0	1.4	0.02	100.79	0.9
2023-11-12 03:30:00	0	0	0	0	252	0.91	1.29	1.3	0.66	100.79	-0.6	-0.7	0	1.3	0.01	100.79	0.9
2023-11-12 03:35:00	0	0	0	0	222	1.11	1.53	1.3	0.66	100.78	-0.7	-0.7	0	1.3	0.01	100.78	0.9
2023-11-12 03:40:00	0	0	0	0	202	1.53	1.81	1.4	0.656	100.79	-0.7	-0.6	0	1.4	0.02	100.79	0.9
2023-11-12 03:45:00	0	0	0	0	226	1.16	1.66	1.4	0.646	100.79	-0.6	-0.6	0	1.4	0.03	100.79	0.9
2023-11-12 03:50:00	0	0	0	0	215	1.47	1.95	1.4	0.636	100.79	-0.6	-0.6	0	1.4	0.04	100.79	0.9
2023-11-12 03:55:00	0	0	0	0	220	1.71	2.34	1.4	0.636	100.8	-0.7	-0.7	0	1.4	0.04	100.79	0.9
2023-11-12 04:00:00	0	0	0	0	207	1.52	1.96	1.4	0.646	100.8	-0.7	-0.6	0	1.4	0.03	100.8	0.9
2023-11-12 04:05:00	0	0	0	0	210	1.41	1.96	1.4	0.642	100.81	-0.6	-0.6	0	1.4	0.03	100.8	0.9
2023-11-12 04:10:00	0	0	0	0	243	1.19	1.81	1.4	0.648	100.81	-0.6	-0.5	0	1.4	0.03	100.81	0.9
2023-11-12 04:15:00	0	0	0	0	283	1.33	2.08	1.4	0.65	100.81	-0.7	-0.6	0	1.4	0.03	100.81	0.9
2023-11-12 04:20:00	0	0	0	0	286	1.05	1.35	1.4	0.658	100.82	-0.7	-0.6	0	1.4	0.02	100.81	0.9
2023-11-12 04:25:00	0	0	0	0	295	0.98	1.34	1.4	0.66	100.82	-0.7	-0.6	0	1.4	0.01	100.81	0.9
2023-11-12 04:30:00	0	0	0	0	287	1.16	2.42	1.3	0.66	100.82	-0.7	-0.7	0	1.3	0.01	100.82	0.9
2023-11-12 04:35:00	0	0	0	0	275	1.91	2.63	1.3	0.658	100.83	-0.7	-0.7	0	1.3	0.02	100.83	0.9
2023-11-12 04:40:00	0	0	0	0	273	1.37	2.03	1.4	0.656	100.83	-0.6	-0.6	0	1.4	0.02	100.83	0.9
2023-11-12 04:45:00	0	0	0	0	271	1.35	2.18	1.4	0.658	100.83	-0.8	-0.6	0	1.4	0.02	100.83	0.9
2023-11-12 04:50:00	0	0	0	0	272	1.45	2.13	1.4	0.654	100.84	-0.7	-0.7	0	1.4	0.02	100.84	0.9
2023-11-12 04:55:00	0	0	0	0	257	1.08	1.61	1.4	0.65	100.84	-0.7	-0.7	0	1.4	0.02	100.84	0.9
2023-11-12 05:00:00	0	0	0	0	284	1.12	1.52	1.4	0.652	100.85	-0.8	-0.7	0	1.4	0.02	100.85	0.9
2023-11-12 05:05:00	0	0	0	0	277	1.29	1.8	1.3	0.65	100.85	-0.7	-0.6	0	1.3	0.02	100.85	0.9
2023-11-12 05:10:00	0	0	0	0	267	1.55	2.08	1.4	0.65	100.86	-0.5	-0.7	0	1.4	0.02	100.86	0.9
2023-11-12 05:15:00	0	0	0	0	271	1.58	2.2	1.4	0.65	100.86	-0.7	-0.6	0	1.4	0.02	100.86	0.9
2023-11-12 05:20:00	0	0	0	0	262	1.56	2.17	1.4	0.65	100.86	-0.8	-0.7	0	1.4	0.03	100.86	0.9
2023-11-12 05:25:00	0	0	0	0	252	1.75	2.43	1.4	0.644	100.86	-0.7	-0.6	0	1.3	0.03	100.86	0.9
2023-11-12 05:30:00	0	0	0	0	255	0.86	1.48	1.3	0.642	100.86	-0.6	-0.7	0	1.3	0.03	100.86	0.9
2023-11-12 05:35:00	0	0	0	0	285	1.4	2.01	1.4	0.638	100.86	-0.7	-0.7	0	1.4	0.04	100.86	0.9
2023-11-12 05:40:00	0	0	0	0	275	1.07	1.54	1.4	0.64	100.86	-0.6	-0.7	0	1.4	0.04	100.86	0.8
2023-11-12 05:45:00	0	0	0	0	251	1.56	2.36	1.3	0.642	100.86	-0.7	-0.7	0	1.3	0.03	100.86	0.8
2023-11-12 05:50:00	0	0	0	0	260	1.14	1.65	1.4	0.65	100.86	-0.6	-0.6	0	1.4	0.03	100.86	0.9
2023-11-12 05:55:00	0	0	0	0	270	1.1	1.65	1.3	0.644	100.87	-0.7	-0.6	0	1.3	0.03	100.87	0.9
2023-11-12 06:00:00	0	0	0	0	270	1.44	1.96	1.4	0.64	100.87	-0.7	-0.7	0	1.4	0.04	100.87	0.9
2023-11-12 06:05:00	0	0	0	0	275	1.44	2.12	1.3	0.64	100.87	-0.8	-0.6	0	1.3	0.03	100.86	0.9
2023-11-12 06:10:00	0	0	0	0	283	1.4	1.96	1.3	0.64	100.86	-0.6	-0.6	0	1.3	0.03	100.86	0.9
2023-11-12 06:15:00	0	0	0	0	288	0.91	1.23	1.4	0.65	100.86	-0.7	-0.6	0	1.4	0.03	100.86	0.8
2023-11-12 06:20:00	0	0	0	0	294	1.05	1.53	1.4	0.65	100.87	-0.7	-0.5	0	1.4	0.02	100.86	0.8
2023-11-12 06:25:00	0	0	0	0	311	1.06	1.44	1.3	0.65	100.87	-0.8	-0.8	0	1.3	0.02	100.86	0.8

z6-17454
Records: 2016

Timestamps

W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	Port1		Port8	
															Barometer			
															kPa Reference Pressure	°F Logger Temp.		
2023-11-12 06:30:00	0	0	0	0	313	0.98	1.41	1.3	0.65	100.86	-0.8	-0.6	0	1.3	0.02	100.86	0.8	
2023-11-12 06:35:00	0	0	0	0	292	0.94	1.4	1.3	0.652	100.86	-0.6	-0.7	0	1.3	0.02	100.86	0.8	
2023-11-12 06:40:00	0.4	0	0	0	288	1.35	1.86	1.3	0.644	100.86	-0.6	-0.7	0	1.4	0.03	100.86	0.8	
2023-11-12 06:45:00	1.2	0	0	0	290	1.43	2.62	1.4	0.638	100.86	-0.6	-0.6	0	1.4	0.04	100.87	0.8	
2023-11-12 06:50:00	2.4	0	0	0	277	1.41	2	1.3	0.642	100.87	-0.7	-0.6	0	1.4	0.03	100.87	0.9	
2023-11-12 06:55:00	3.6	0	0	0	276	1.6	2.39	1.4	0.634	100.88	-0.6	-0.7	0	1.4	0.04	100.88	0.9	
2023-11-12 07:00:00	5.4	0	0	0	274	1.42	2.2	1.4	0.638	100.88	-0.6	-0.7	0	1.4	0.04	100.88	0.9	
2023-11-12 07:05:00	6.8	0	0	0	281	1.59	2.12	1.4	0.638	100.89	-0.7	-0.6	0	1.4	0.04	100.89	0.9	
2023-11-12 07:10:00	8.8	0	0	0	280	1.24	1.85	1.4	0.638	100.89	-0.6	-0.7	0	1.5	0.04	100.89	1	
2023-11-12 07:15:00	13	0	0	0	293	1.74	2.57	1.5	0.626	100.9	-0.6	-0.8	0	1.5	0.05	100.9	1	
2023-11-12 07:20:00	17	0	0	0	315	1.65	2.75	1.5	0.616	100.9	-0.7	-0.6	0	1.5	0.07	100.9	1	
2023-11-12 07:25:00	22.6	0	0	0	291	1.5	2.15	1.6	0.64	100.91	-0.5	-0.5	0	1.6	0.05	100.91	1.1	
2023-11-12 07:30:00	29.8	0	0	0	277	1.64	2.13	1.6	0.64	100.92	-0.6	-0.6	0	1.7	0.05	100.92	1.1	
2023-11-12 07:35:00	39	0	0	0	281	1.71	2.35	1.7	0.648	100.92	-0.6	-0.6	0	1.7	0.04	100.92	1.2	
2023-11-12 07:40:00	53.2	0	0	0	277	1.71	2.16	1.7	0.65	100.92	-0.7	-0.6	0	1.8	0.04	100.92	1.4	
2023-11-12 07:45:00	64.8	0	0	0	281	2.36	3.5	1.8	0.652	100.93	-0.6	-0.6	0	1.9	0.04	100.93	1.5	
2023-11-12 07:50:00	66.2	0	0	0	277	1.81	3.32	1.8	0.656	100.93	-0.6	-0.7	0	2	0.04	100.93	1.5	
2023-11-12 07:55:00	62.8	0	0	0	269	1.76	2.49	1.9	0.654	100.93	-0.6	-0.6	0	2	0.05	100.93	1.5	
2023-11-12 08:00:00	74.4	0	0	0	272	1.77	2.85	1.9	0.65	100.94	-0.7	-0.7	0	2.1	0.05	100.94	1.5	
2023-11-12 08:05:00	104.4	0	0	0	268	1.43	2.32	2	0.648	100.95	-0.5	-0.7	0	2.2	0.06	100.95	1.6	
2023-11-12 08:10:00	265.8	0	0	0	279	1.82	2.93	2.4	0.668	100.93	-0.5	-0.6	0	2.9	0.06	100.95	1.9	
2023-11-12 08:15:00	299.6	0	0	0	286	1.86	2.83	3.4	0.682	100.93	-0.5	-0.6	0	4	0.1	100.95	2.5	
2023-11-12 08:20:00	243	0	0	0	279	1.56	2.44	4.2	0.69	100.95	-0.4	-0.7	0	4.9	0.14	100.96	3.2	
2023-11-12 08:25:00	151.2	0	0	0	288	2.33	3.55	4.5	0.662	100.97	-0.5	-0.7	0	4.8	0.18	100.96	3.8	
2023-11-12 08:30:00	270.8	0	0	0	280	2.04	3.33	4.2	0.652	100.95	-0.5	-0.8	0	4.7	0.17	100.97	4	
2023-11-12 08:35:00	362.2	0	0	0	302	2.34	3.66	4.8	0.666	100.95	-0.4	-0.7	0	5.5	0.2	100.98	4.4	
2023-11-12 08:40:00	357.8	0	0	0	277	3.21	4.93	5.6	0.686	100.96	-0.4	-0.6	0	6.3	0.23	100.99	5	
2023-11-12 08:45:00	338.2	0	0	0	277	3.17	5.44	6	0.682	100.96	-0.2	-0.7	0	6.5	0.25	100.99	5.5	
2023-11-12 08:50:00	219.8	0	0	0	268	2.61	4.19	5.8	0.658	100.98	-0.3	-0.7	0	6.2	0.27	100.98	5.8	
2023-11-12 08:55:00	301.8	0	0	0	269	2.19	3.83	5.9	0.668	100.96	-0.4	-0.7	0	6.5	0.26	100.98	6.1	
2023-11-12 09:00:00	141.2	0	0	0	278	3.05	5.15	5.8	0.644	100.98	-0.5	-0.7	0	6.1	0.28	100.98	6.1	
2023-11-12 09:05:00	139	0	0	0	288	3.2	4.76	5	0.626	100.97	-0.4	-0.8	0	5.2	0.25	100.97	5.8	
2023-11-12 09:10:00	146.6	0	0	0	324	2.6	4.26	4.5	0.602	100.97	-0.5	-0.7	0	4.7	0.24	100.97	5.6	
2023-11-12 09:15:00	158	0	0	0	297	2.98	4.47	4.2	0.602	100.96	-0.4	-0.7	0	4.4	0.22	100.97	5.5	
2023-11-12 09:20:00	174.6	0	0	0	298	2.72	4.91	4	0.598	100.96	-0.4	-0.7	0	4.3	0.21	100.97	5.3	
2023-11-12 09:25:00	222	0	0	0	290	2.75	3.98	3.9	0.614	100.96	-0.5	-0.8	0	4.2	0.19	100.97	5.2	
2023-11-12 09:30:00	222.2	0	0	0	296	1.97	4.37	4.1	0.616	100.95	-0.6	-0.7	0	4.6	0.2	100.96	5.3	
2023-11-12 09:35:00	164.4	0	0	0	292	2.39	5.54	4.2	0.618	100.95	-0.5	-0.7	0	4.6	0.2	100.96	5.3	
2023-11-12 09:40:00	159.8	0	0	0	308	3.42	5.1	4.1	0.604	100.95	-0.5	-0.6	0	4.4	0.22	100.96	5.2	
2023-11-12 09:45:00	180.4	0	0	0	345	3	4.58	3.9	0.598	100.94	-0.5	-0.7	0	4.3	0.21	100.95	5.1	
2023-11-12 09:50:00	192.4	0	0	0	331	3	4.23	4	0.602	100.94	-0.5	-0.7	0	4.3	0.21	100.95	5.1	
2023-11-12 09:55:00	161.6	0	0	0	301	2.79	3.65	4	0.61	100.95	-0.6	-0.7	0	4.3	0.2	100.96	5.1	
2023-11-12 10:00:00	158.4	0	0	0	298	3.07	4.67	4	0.604	100.95	-0.7	-0.6	0	4.3	0.21	100.96	5.1	
2023-11-12 10:05:00	161.6	0	0	0	318	3.22	4.88	3.9	0.588	100.96	-0.5	-0.7	0	4.1	0.22	100.96	5	
2023-11-12 10:10:00	164.4	0	0	0	327	2.34	3.35	3.7	0.58	100.96	-0.4	-0.7	0	4	0.22	100.97	5	
2023-11-12 10:15:00	187.6	0	0	0	279	1.6	3.2	3.7	0.588	100.96	-0.4	-0.7	0	4.1	0.21	100.97	5	
2023-11-12 10:20:00	179.8	0	0	0	310	1.75	2.55	3.7	0.578	100.97	-0.6	-0.6	0	4.2	0.22	100.97	5	
2023-11-12 10:25:00	157.2	0	0	0	315	2.35	3.48	3.8	0.57	100.96	-0.6	-0.7	0	4.2	0.23	100.97	5	
2023-11-12 10:30:00	138.4	0	0	0	337	2.85	4.7	3.9	0.57	100.96	-0.5	-0.7	0	4.2	0.24	100.96	5	
2023-11-12 10:35:00	121.8	0	0	0	297	2.77	4.24	3.9	0.578	100.96	-0.6	-0.7	0	4.1	0.23	100.96	4.9	
2023-11-12 10:40:00	122	0	0	0	300	3.55	5.19	3.8	0.588	100.96	-0.5	-0.7	0	4	0.21	100.96	4.8	
2023-11-12 10:45:00	123.8	0	0	0	311	2.83	4.04	3.7	0.59	100.95	-0.5	-0.5	0	3.9	0.21	100.96	4.7	
2023-11-12 10:50:00	133	0	0	0	292	2.87	5.03	3.6	0.592	100.95	-0.5	-0.7	0	3.8	0.2	100.95	4.6	
2023-11-12 10:55:00	159.2	0	0	0	310	2.64	4.51	3.6	0.596	100.94	-0.6	-0.6	0	3.9	0.19	100.94	4.7	
2023-11-12 11:00:00	184.8	0	0	0	328	3.18	5.16	3.6	0.59	100.93	-0.5	-0.7	0	3.9	0.2	100.94	4.7	
2023-11-12 11:05:00	184.8	0	0	0	327	1.62	2.7	3.6	0.602	100.93	-0.6	-0.8	0	4	0.19	100.93	4.8	
2023-11-12 11:10:00	160.8	0	0	0	303	2.07	4.06	3.9	0.608	100.93	-0.5	-0.7	0	4.2	0.2	100.94	5	
2023-11-12 11:15:00	143.2	0	0	0	334	2.36	3.82	3.9	0.586	100.93	-0.4	-0.7	0	4.2	0.22	100.93	5	
2023-11-12 11:20:00	151.8	0	0	0	299	2.68	4.02	4	0.588	100.92	-0.5	-0.7	0	4.3	0.22	100.92	5	
2023-11-12 11:25:00	169.2	0	0	0	327	3.15	5.98	4	0.588	100.92	-0.5	-0.7	0	4.3	0.22	100.92	5	

z6-17454
Records: 2016

Timestamps

W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	Port1		Port8	
															Barometer			
															kPa Reference Pressure	°F Logger Temp.		
2023-11-12 11:30:00	178.4	0	0	0	340	2.89	5.6	4	0.582	100.91	-0.5	-0.7	0	4.3	0.23	100.92	5	
2023-11-12 11:35:00	184.2	0	0	0	329	1.52	3.11	3.9	0.584	100.91	-0.5	-0.7	0	4.3	0.22	100.91	5	
2023-11-12 11:40:00	184.6	0	0	0	344	3.36	5.8	4.1	0.584	100.9	-0.5	-0.6	0	4.4	0.23	100.91	5.1	
2023-11-12 11:45:00	188.4	0	0	0	338	3.11	4.71	4.2	0.582	100.9	-0.6	-0.7	0	4.5	0.24	100.9	5.2	
2023-11-12 11:50:00	220.2	0	0	0	304	2.04	3.1	4.1	0.58	100.9	-0.4	-0.6	0	4.6	0.24	100.9	5.2	
2023-11-12 11:55:00	240	0	0	0	294	2.18	4.09	4.2	0.582	100.9	-0.5	-0.6	0	4.7	0.24	100.9	5.3	
2023-11-12 12:00:00	256.4	0	0	0	322	1.97	3.98	4.3	0.584	100.89	-0.4	-0.8	0	4.9	0.25	100.9	5.4	
2023-11-12 12:05:00	197	0	0	0	347	3.2	4.44	4.7	0.59	100.89	-0.5	-0.7	0	5.1	0.26	100.89	5.5	
2023-11-12 12:10:00	159.4	0	0	0	352	2.83	4.55	4.8	0.582	100.89	-0.5	-0.8	0	5.1	0.28	100.89	5.5	
2023-11-12 12:15:00	140	0	0	0	358	1.33	2.72	4.6	0.578	100.88	-0.5	-0.6	0	5	0.27	100.88	5.4	
2023-11-12 12:20:00	153	0	0	0	297	1.99	3.13	4.7	0.576	100.87	-0.4	-0.7	0	5	0.28	100.87	5.4	
2023-11-12 12:25:00	304.2	0	0	0	295	2.18	3.11	4.7	0.58	100.86	-0.4	-0.6	0	5.2	0.27	100.87	5.3	
2023-11-12 12:30:00	415.2	0	0	0	298	2.7	3.71	5.2	0.592	100.85	-0.4	-0.8	0	5.8	0.29	100.87	5.5	
2023-11-12 12:35:00	521.8	0	0	0	323	1.45	2.64	5.9	0.602	100.85	-0.4	-0.8	0	6.7	0.33	100.87	5.8	
2023-11-12 12:40:00	529.8	0	0	0	317	1.92	4.96	6.6	0.61	100.86	-0.2	-0.8	0	7.6	0.36	100.87	6.4	
2023-11-12 12:45:00	602.2	0	0	0	347	3.37	4.86	7.6	0.61	100.85	-0.2	-0.8	0	8.2	0.43	100.87	6.9	
2023-11-12 12:50:00	493.4	0	0	0	350	3.48	5.9	7.7	0.612	100.85	-0.1	-0.8	0	8.3	0.44	100.86	7.1	
2023-11-12 12:55:00	390.6	0	0	0	342	4.37	5.72	7.5	0.606	100.86	-0.2	-0.7	0	8	0.43	100.86	7.1	
2023-11-12 13:00:00	321.4	0	0	0	347	3.83	5.68	7.5	0.61	100.86	-0.2	-0.7	0	7.9	0.42	100.86	7	
2023-11-12 13:05:00	133.8	0	0	0	352	3.32	4.86	6.8	0.588	100.86	-0.3	-0.7	0	7.1	0.4	100.85	6.7	
2023-11-12 13:10:00	165.6	0	0	0	343	2.67	3.8	6.1	0.578	100.85	-0.5	-0.8	0	6.4	0.37	100.84	6.3	
2023-11-12 13:15:00	365.2	0	0	0	3	2.39	3.83	5.9	0.584	100.82	-0.4	-0.7	0	6.5	0.34	100.83	6.2	
2023-11-12 13:20:00	375.4	0	0	0	359	2.79	4.18	6.4	0.59	100.82	-0.3	-0.9	0	7	0.37	100.82	6.3	
2023-11-12 13:25:00	368.6	0	0	0	341	1.26	2.91	6.6	0.588	100.82	-0.4	-0.8	0	7.4	0.38	100.83	6.4	
2023-11-12 13:30:00	369	0	0	0	282	1.23	2.13	7	0.6	100.83	-0.1	-0.7	0	8.1	0.4	100.83	6.7	
2023-11-12 13:35:00	372	0	0	0	286	1.84	4.01	7.7	0.6	100.83	-0.2	-0.8	0	8.5	0.45	100.83	7	
2023-11-12 13:40:00	367.8	0	0	0	285	0.96	2.08	7.7	0.604	100.83	-0.2	-0.7	0	8.8	0.45	100.82	7.4	
2023-11-12 13:45:00	348.4	0	0	0	301	2.65	7.83	8.2	0.614	100.82	-0.2	-0.8	0	9.1	0.47	100.81	7.8	
2023-11-12 13:50:00	330.6	0	0	0	1	3.88	5.06	8.4	0.616	100.82	-0.1	-0.7	0	8.9	0.48	100.82	7.7	
2023-11-12 13:55:00	220.8	0	0	0	3	3.62	5.44	7.9	0.6	100.83	-0.3	-0.7	0	8.2	0.46	100.81	7.3	
2023-11-12 14:00:00	277.6	0	0	0	352	4.37	5.61	7.5	0.596	100.81	-0.4	-0.8	0	7.9	0.44	100.81	7	
2023-11-12 14:05:00	265.4	0	0	0	5	2.87	4.34	7.2	0.592	100.8	-0.3	-0.7	0	7.7	0.42	100.79	6.8	
2023-11-12 14:10:00	127.8	0	0	0	358	2.25	3.67	7	0.582	100.81	-0.3	-0.8	0	7.3	0.42	100.79	6.6	
2023-11-12 14:15:00	206	0	0	0	29	1.73	2.8	6.6	0.576	100.79	-0.2	-0.9	0	6.9	0.4	100.78	6.4	
2023-11-12 14:20:00	250	0	0	0	109	0.75	1.59	6.3	0.582	100.78	-0.2	-0.8	0	7.1	0.37	100.77	6.5	
2023-11-12 14:25:00	243.6	0	0	0	7	1.76	3.43	6.7	0.586	100.78	-0.3	-0.8	0	7.4	0.39	100.77	6.7	
2023-11-12 14:30:00	235.8	0	0	0	338	3.51	5.17	7	0.59	100.78	-0.2	-0.8	0	7.4	0.41	100.77	6.6	
2023-11-12 14:35:00	226.2	0	0	0	332	3.73	5.7	7	0.59	100.77	-0.3	-0.7	0	7.3	0.41	100.76	6.6	
2023-11-12 14:40:00	216.6	0	0	0	345	3.98	4.98	6.7	0.58	100.78	-0.2	-0.8	0	7.1	0.4	100.77	6.5	
2023-11-12 14:45:00	206.4	0	0	0	342	2.53	4.58	6.5	0.576	100.78	-0.3	-0.7	0	6.9	0.39	100.77	6.4	
2023-11-12 14:50:00	196	0	0	0	9	2.67	4.19	6.5	0.578	100.78	-0.3	-0.8	0	6.9	0.39	100.77	6.4	
2023-11-12 14:55:00	186	0	0	0	6	2.5	4.05	6.4	0.57	100.78	-0.4	-0.8	0	6.8	0.39	100.77	6.4	
2023-11-12 15:00:00	176	0	0	0	335	2.63	4.25	6.4	0.57	100.77	-0.4	-0.7	0	6.7	0.39	100.77	6.4	
2023-11-12 15:05:00	165.6	0	0	0	324	1.77	3.18	6.3	0.57	100.78	-0.3	-0.9	0	6.6	0.38	100.76	6.4	
2023-11-12 15:10:00	154.2	0	0	0	352	1.14	3.17	6.3	0.578	100.78	-0.3	-0.7	0	6.7	0.37	100.76	6.5	
2023-11-12 15:15:00	142.2	0	0	0	11	2.07	3.07	6.4	0.57	100.77	-0.4	-0.9	0	6.7	0.39	100.76	6.6	
2023-11-12 15:20:00	130.2	0	0	0	10	2.4	3.46	6.2	0.57	100.77	-0.4	-0.8	0	6.5	0.38	100.76	6.6	
2023-11-12 15:25:00	118	0	0	0	5	1.89	3.23	6	0.566	100.77	-0.4	-0.8	0	6.3	0.37	100.76	6.5	
2023-11-12 15:30:00	105.8	0	0	0	344	1.09	1.78	5.9	0.57	100.78	-0.4	-0.7	0	6.2	0.36	100.76	6.5	
2023-11-12 15:35:00	94.4	0	0	0	337	2.28	3.55	6	0.566	100.78	-0.4	-0.7	0	6.2	0.37	100.76	6.4	
2023-11-12 15:40:00	82.4	0	0	0	349	2.91	3.74	5.8	0.558	100.77	-0.3	-0.7	0	6	0.37	100.76	6.3	
2023-11-12 15:45:00	71.4	0	0	0	355	2.59	3.43	5.6	0.556	100.77	-0.4	-0.8	0	5.7	0.35	100.76	6.1	
2023-11-12 15:50:00	53.2	0	0	0	2	2.4	3.29	5.4	0.55	100.77	-0.4	-0.8	0	5.5	0.35	100.76	6	
2023-11-12 15:55:00	35.8	0	0	0	346	1.69	2.78	5.2	0.554	100.77	-0.4	-0.6	0	5.3	0.33	100.75	5.7	
2023-11-12 16:00:00	39.2	0	0	0	339	2.44	3.54	5	0.548	100.76	-0.6	-0.8	0	5	0.32	100.75	5.4	
2023-11-12 16:05:00	30.8	0	0	0	356	2.09	3.01	4.7	0.542	100.76	-0.5	-0.7	0	4.8	0.31	100.75	5.2	
2023-11-12 16:10:00	23	0	0	0	9	2.22	3.92	4.5	0.56	100.76	-0.5	-0.7	0	4.6	0.28	100.74	4.9	
2023-11-12 16:15:00	16.4	0	0	0	3	2.55	3.81	4.2	0.574	100.76	-0.5	-0.6	0	4.3	0.25	100.74	4.5	
2023-11-12 16:20:00	11.6	0	0	0	15	2.62	3.79	3.9	0.578	100.75	-0.6	-0.7	0	3.9	0.23	100.74	4.1	
2023-11-12 16:25:00	7.4	0	0	0	22	2.33	3.81	3.7	0.578	100.75	-0.5	-0.7	0	3.7	0.22	100.73	3.7	

z6-17454
Records: 2016

Timestamps	Port1													Port8			
	ATMOS 41 All-in-one Weather Station													Barometer			
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-12 16:30:00	5	0	0	0	21	2.49	3.72	3.4	0.572	100.75	-0.6	-0.7	0	3.4	0.21	100.73	3.4
2023-11-12 16:35:00	3	0	0	0	14	2.12	2.84	3.1	0.57	100.76	-0.6	-0.6	0	3.1	0.19	100.74	3
2023-11-12 16:40:00	1.4	0	0	0	16	1.78	2.19	2.9	0.568	100.76	-0.6	-0.6	0	2.8	0.18	100.74	2.7
2023-11-12 16:45:00	0.4	0	0	0	9	2.02	2.92	2.6	0.57	100.75	-0.7	-0.7	0	2.6	0.17	100.73	2.4
2023-11-12 16:50:00	0	0	0	0	358	2.48	3.26	2.4	0.562	100.75	-0.5	-0.6	0	2.4	0.17	100.73	2.1
2023-11-12 16:55:00	0	0	0	0	8	2.19	3.73	2.3	0.562	100.75	-0.7	-0.7	0	2.3	0.16	100.73	1.9
2023-11-12 17:00:00	0	0	0	0	13	2.27	3.57	2.2	0.56	100.74	-0.7	-0.7	0	2.1	0.15	100.72	1.7
2023-11-12 17:05:00	0	0	0	0	19	2.48	3.29	2	0.56	100.73	-0.7	-0.6	0	2	0.15	100.71	1.5
2023-11-12 17:10:00	0	0	0	0	24	2.29	3.05	1.9	0.56	100.72	-0.8	-0.6	0	1.9	0.14	100.7	1.4
2023-11-12 17:15:00	0	0	0	0	29	2.3	3.25	1.8	0.56	100.72	-0.7	-0.7	0	1.8	0.14	100.7	1.2
2023-11-12 17:20:00	0	0	0	0	25	2.8	3.84	1.7	0.56	100.71	-0.7	-0.6	0	1.7	0.13	100.69	1.1
2023-11-12 17:25:00	0	0	0	0	37	2.41	3.53	1.6	0.562	100.71	-0.8	-0.6	0	1.6	0.12	100.68	1
2023-11-12 17:30:00	0	0	0	0	50	2.19	3.41	1.5	0.56	100.7	-0.7	-0.6	0	1.5	0.12	100.68	0.8
2023-11-12 17:35:00	0	0	0	0	57	1.87	3.12	1.4	0.56	100.7	-0.7	-0.8	0	1.4	0.12	100.68	0.6
2023-11-12 17:40:00	0	0	0	0	73	2.28	3.11	1.3	0.56	100.69	-0.7	-0.7	0	1.3	0.11	100.66	0.5
2023-11-12 17:45:00	0	0	0	0	77	2.44	3.43	1.2	0.56	100.67	-0.7	-0.6	0	1.1	0.1	100.65	0.4
2023-11-12 17:50:00	0	0	0	0	79	2.56	3.38	1.1	0.56	100.66	-0.7	-0.7	0	1.1	0.1	100.64	0.3
2023-11-12 17:55:00	0	0	0	0	80	2.31	3.75	1.1	0.56	100.65	-0.8	-0.6	0	1.1	0.1	100.63	0.2
2023-11-12 18:00:00	0	0	0	0	84	2.49	4.51	1	0.56	100.65	-0.7	-0.5	0	1	0.1	100.63	0.1
2023-11-12 18:05:00	0	0	0	0	81	2.84	4.25	1	0.56	100.66	-0.8	-0.7	0	0.9	0.09	100.64	0
2023-11-12 18:10:00	0	0	0	0	82	2.39	3.48	0.9	0.56	100.66	-0.8	-0.6	0	0.9	0.09	100.64	0
2023-11-12 18:15:00	0	0	0	0	83	2.06	2.9	0.9	0.56	100.67	-0.7	-0.7	0	0.9	0.09	100.65	-0.2
2023-11-12 18:20:00	0	0	0	0	90	2.26	3.16	0.8	0.556	100.67	-0.8	-0.7	0	0.8	0.09	100.65	-0.3
2023-11-12 18:25:00	0	0	0	0	98	2.61	3.43	0.8	0.554	100.67	-0.7	-0.7	0	0.8	0.09	100.65	-0.3
2023-11-12 18:30:00	0	0	0	0	103	2.28	3.23	0.7	0.552	100.66	-0.6	-0.6	0	0.7	0.09	100.64	-0.4
2023-11-12 18:35:00	0	0	0	0	107	2.55	3.27	0.6	0.55	100.66	-0.8	-0.7	0	0.6	0.09	100.64	-0.4
2023-11-12 18:40:00	0	0	0	0	101	1.85	2.61	0.6	0.552	100.67	-0.7	-0.7	0	0.6	0.09	100.65	-0.5
2023-11-12 18:45:00	0	0	0	0	99	2.09	2.66	0.5	0.55	100.66	-0.7	-0.6	0	0.5	0.08	100.64	-0.6
2023-11-12 18:50:00	0	0	0	0	103	2.06	2.65	0.4	0.55	100.66	-0.8	-0.6	0	0.4	0.08	100.64	-0.7
2023-11-12 18:55:00	0	0	0	0	123	1.9	2.56	0.4	0.55	100.66	-0.7	-0.6	0	0.4	0.08	100.64	-0.8
2023-11-12 19:00:00	0	0	0	0	137	2.13	2.5	0.3	0.55	100.66	-0.7	-0.6	0	0.3	0.07	100.64	-0.9
2023-11-12 19:05:00	0	0	0	0	149	2.32	2.74	0.2	0.55	100.66	-0.7	-0.5	0	0.2	0.07	100.64	-1
2023-11-12 19:10:00	0	0	0	0	133	2.19	2.83	0.2	0.55	100.66	-0.8	-0.6	0	0.2	0.07	100.64	-1
2023-11-12 19:15:00	0	0	0	0	108	1.96	2.5	0.2	0.55	100.66	-0.8	-0.7	0	0.1	0.07	100.64	-1.1
2023-11-12 19:20:00	0	0	0	0	104	1.9	2.42	0.2	0.548	100.66	-0.8	-0.6	0	0.2	0.07	100.63	-1.1
2023-11-12 19:25:00	0	0	0	0	106	1.55	1.99	0	0.548	100.65	-0.8	-0.5	0	0	0.06	100.63	-1.2
2023-11-12 19:30:00	0	0	0	0	117	1.74	2.21	0	0.55	100.64	-0.7	-0.6	0	0	0.06	100.62	-1.3
2023-11-12 19:35:00	0	0	0	0	149	2.27	2.97	-0.1	0.548	100.64	-0.8	-0.6	0	-0.1	0.06	100.62	-1.4
2023-11-12 19:40:00	0	0	0	0	148	2.4	2.95	-0.2	0.548	100.63	-0.7	-0.5	0	-0.2	0.06	100.61	-1.4
2023-11-12 19:45:00	0	0	0	0	148	2.42	2.99	-0.2	0.548	100.62	-0.8	-0.5	0	-0.2	0.05	100.61	-1.5
2023-11-12 19:50:00	0	0	0	0	131	2.37	3.6	-0.2	0.546	100.61	-0.8	-0.7	0	-0.2	0.05	100.6	-1.5
2023-11-12 19:55:00	0	0	0	0	151	2.63	3.18	-0.3	0.54	100.62	-0.7	-0.5	0	-0.3	0.06	100.6	-1.5
2023-11-12 20:00:00	0	0	0	0	162	2.52	2.86	-0.4	0.54	100.63	-0.8	-0.6	0	-0.4	0.06	100.61	-1.6
2023-11-12 20:05:00	0	0	0	0	160	2.38	2.6	-0.4	0.54	100.63	-0.8	-0.6	0	-0.4	0.05	100.62	-1.7
2023-11-12 20:10:00	0	0	0	0	154	2.45	3.2	-0.4	0.538	100.64	-0.8	-0.6	0	-0.4	0.05	100.62	-1.7
2023-11-12 20:15:00	0	0	0	0	161	2.38	2.72	-0.4	0.538	100.64	-0.8	-0.5	0	-0.4	0.05	100.62	-1.8
2023-11-12 20:20:00	0	0	0	0	160	2.64	3.45	-0.5	0.534	100.64	-0.8	-0.7	0	-0.5	0.06	100.63	-1.8
2023-11-12 20:25:00	0	0	0	0	161	2.38	2.84	-0.5	0.534	100.64	-0.8	-0.6	0	-0.5	0.05	100.63	-1.9
2023-11-12 20:30:00	0	0	0	0	170	2.3	2.71	-0.6	0.53	100.65	-0.9	-0.5	0	-0.6	0.05	100.63	-1.9
2023-11-12 20:35:00	0	0	0	0	171	2.43	2.75	-0.7	0.53	100.65	-0.8	-0.7	0	-0.7	0.05	100.63	-2
2023-11-12 20:40:00	0	0	0	0	169	2.48	2.81	-0.7	0.53	100.65	-0.8	-0.5	0	-0.7	0.05	100.63	-2
2023-11-12 20:45:00	0	0	0	0	166	2.68	2.95	-0.7	0.53	100.64	-0.8	-0.6	0	-0.7	0.05	100.62	-2.1
2023-11-12 20:50:00	0	0	0	0	166	2.97	3.53	-0.7	0.53	100.63	-0.8	-0.5	0	-0.7	0.05	100.62	-2.1
2023-11-12 20:55:00	0	0	0	0	161	3	3.42	-0.7	0.53	100.63	-0.8	-0.4	0	-0.7	0.05	100.61	-2.1
2023-11-12 21:00:00	0	0	0	0	150	2.53	3.09	-0.7	0.53	100.62	-0.8	-0.8	0	-0.7	0.05	100.6	-2.1
2023-11-12 21:05:00	0	0	0	0	156	2.59	2.95	-0.8	0.53	100.61	-0.8	-0.6	0	-0.8	0.04	100.6	-2.1
2023-11-12 21:10:00	0	0	0	0	165	2.77	3.23	-0.9	0.53	100.62	-0.8	-0.5	0	-0.9	0.04	100.6	-2.2
2023-11-12 21:15:00	0	0	0	0	166	2.98	3.45	-1	0.53	100.62	-0.8	-0.6	0	-1	0.04	100.61	-2.2
2023-11-12 21:20:00	0	0	0	0	165	3.03	3.44	-1	0.526	100.62	-0.9	-0.7	0	-1	0.04	100.61	-2.3
2023-11-12 21:25:00	0	0	0	0	167	3.03	3.7	-1.1	0.522	100.62	-0.9	-0.7	0	-1.1	0.04	100.61	-2.3

z6-17454
Records: 2016

Timestamps	Port1													Port8			
	ATMOS 41 All-in-one Weather Station														Barometer		
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-12 21:30:00	0	0	0	0	171	3.06	3.87	-1.2	0.52	100.62	-0.8	-0.7	0	-1.2	0.04	100.61	-2.3
2023-11-12 21:35:00	0	0	0	0	164	3.03	3.53	-1.1	0.52	100.61	-1	-0.7	0	-1.1	0.04	100.6	-2.3
2023-11-12 21:40:00	0	0	0	0	159	2.88	3.34	-1.1	0.52	100.59	-0.9	-0.5	0	-1.1	0.04	100.58	-2.3
2023-11-12 21:45:00	0	0	0	0	158	2.71	3.24	-1.2	0.518	100.59	-0.7	-0.5	0	-1.2	0.04	100.58	-2.4
2023-11-12 21:50:00	0	0	0	0	162	2.53	3.1	-1.3	0.516	100.59	-0.9	-0.7	0	-1.3	0.04	100.58	-2.5
2023-11-12 21:55:00	0	0	0	0	161	2.59	3.07	-1.4	0.514	100.59	-0.8	-0.6	0	-1.4	0.04	100.57	-2.6
2023-11-12 22:00:00	0	0	0	0	146	2.62	3.12	-1.5	0.51	100.57	-0.8	-0.5	0	-1.5	0.04	100.55	-2.7
2023-11-12 22:05:00	0	0	0	0	133	2.81	3.23	-1.5	0.512	100.55	-0.9	-0.6	0	-1.5	0.04	100.54	-2.7
2023-11-12 22:10:00	0	0	0	0	136	3.09	3.92	-1.5	0.518	100.54	-0.9	-0.6	0	-1.4	0.03	100.53	-2.6
2023-11-12 22:15:00	0	0	0	0	131	3.17	5.09	-1.4	0.52	100.53	-0.8	-0.7	0	-1.4	0.03	100.52	-2.5
2023-11-12 22:20:00	0	0	0	0	131	2.61	3.14	-1.3	0.518	100.52	-0.8	-0.7	0	-1.3	0.04	100.51	-2.5
2023-11-12 22:25:00	0	0	0	0	138	2.92	4.28	-1.3	0.52	100.52	-0.8	-0.5	0	-1.3	0.04	100.51	-2.6
2023-11-12 22:30:00	0	0	0	0	147	3.11	4.14	-1.3	0.512	100.51	-0.9	-0.6	0	-1.3	0.04	100.51	-2.6
2023-11-12 22:35:00	0	0	0	0	157	3.04	3.56	-1.4	0.51	100.52	-0.8	-0.7	0	-1.4	0.04	100.51	-2.6
2023-11-12 22:40:00	0	0	0	0	163	3.25	4.25	-1.4	0.51	100.53	-0.9	-0.7	0	-1.4	0.04	100.52	-2.6
2023-11-12 22:45:00	0	0	0	0	166	3.48	4.17	-1.4	0.512	100.53	-0.9	-0.6	0	-1.4	0.04	100.52	-2.6
2023-11-12 22:50:00	0	0	0	0	167	3.65	4.46	-1.4	0.512	100.54	-0.9	-0.6	0	-1.4	0.04	100.53	-2.6
2023-11-12 22:55:00	0	0	0	0	170	3.54	4.31	-1.5	0.51	100.54	-0.8	-0.7	0	-1.5	0.04	100.52	-2.6
2023-11-12 23:00:00	0	0	0	0	167	3.53	4.45	-1.6	0.508	100.52	-0.9	-0.7	0	-1.6	0.04	100.51	-2.7
2023-11-12 23:05:00	0	0	0	0	161	3.33	3.9	-1.6	0.508	100.51	-0.8	-0.6	0	-1.6	0.04	100.51	-2.7
2023-11-12 23:10:00	0	0	0	0	158	3.37	3.89	-1.7	0.502	100.52	-0.9	-0.7	0	-1.7	0.04	100.51	-2.8
2023-11-12 23:15:00	0	0	0	0	163	3.6	4.37	-1.7	0.506	100.52	-0.9	-0.6	0	-1.7	0.03	100.52	-2.8
2023-11-12 23:20:00	0	0	0	0	169	3.58	4.49	-1.8	0.504	100.53	-0.9	-0.6	0	-1.8	0.03	100.53	-2.8
2023-11-12 23:25:00	0	0	0	0	172	3.59	4.71	-1.8	0.5	100.54	-0.8	-0.6	0	-1.8	0.03	100.53	-2.8
2023-11-12 23:30:00	0	0	0	0	171	3.64	5.02	-1.9	0.5	100.53	-0.9	-0.5	0	-1.9	0.03	100.53	-2.8
2023-11-12 23:35:00	0	0	0	0	167	3.59	4.83	-1.8	0.5	100.53	-0.9	-0.6	0	-1.8	0.03	100.53	-2.8
2023-11-12 23:40:00	0	0	0	0	163	3.42	4.66	-1.9	0.5	100.53	-0.9	-0.7	0	-1.8	0.03	100.53	-2.9
2023-11-12 23:45:00	0	0	0	0	157	3.06	3.85	-1.9	0.502	100.53	-0.9	-0.6	0	-1.9	0.03	100.52	-2.9
2023-11-12 23:50:00	0	0	0	0	148	2.68	3.23	-1.9	0.5	100.51	-0.9	-0.6	0	-1.9	0.03	100.51	-3
2023-11-12 23:55:00	0	0	0	0	140	2.98	3.7	-2	0.5	100.5	-0.9	-0.7	0	-2	0.03	100.5	-3
2023-11-13 00:00:00	0	0	0	0	143	3	3.92	-2	0.5	100.5	-0.9	-0.6	0	-1.9	0.03	100.49	-3
2023-11-13 00:05:00	0	0	0	0	134	3.11	4.06	-1.9	0.5	100.49	-0.9	-0.6	0	-1.9	0.03	100.49	-2.9
2023-11-13 00:10:00	0	0	0	0	126	2.75	3.7	-1.9	0.5	100.49	-0.9	-0.7	0	-1.9	0.03	100.48	-2.8
2023-11-13 00:15:00	0	0	0	0	145	3.33	4.09	-1.8	0.5	100.49	-0.9	-0.6	0	-1.8	0.03	100.49	-2.7
2023-11-13 00:20:00	0	0	0	0	153	3.65	4.3	-1.7	0.502	100.49	-0.8	-0.6	0	-1.7	0.04	100.48	-2.6
2023-11-13 00:25:00	0	0	0	0	159	3.48	4.25	-1.7	0.5	100.48	-0.9	-0.5	0	-1.7	0.04	100.48	-2.8
2023-11-13 00:30:00	0	0	0	0	161	3.31	3.87	-1.8	0.5	100.48	-0.9	-0.5	0	-1.8	0.04	100.48	-2.8
2023-11-13 00:35:00	0	0	0	0	165	3.56	4.35	-1.8	0.5	100.48	-0.8	-0.6	0	-1.8	0.04	100.47	-2.8
2023-11-13 00:40:00	0	0	0	0	158	3.78	4.35	-1.8	0.504	100.47	-0.8	-0.7	0	-1.8	0.03	100.46	-2.8
2023-11-13 00:45:00	0	0	0	0	154	3.2	4.01	-1.8	0.5	100.46	-0.9	-0.6	0	-1.8	0.03	100.46	-2.8
2023-11-13 00:50:00	0	0	0	0	155	3.13	3.9	-1.8	0.5	100.45	-0.8	-0.6	0	-1.8	0.03	100.44	-2.9
2023-11-13 00:55:00	0	0	0	0	149	2.9	3.42	-1.9	0.5	100.43	-0.9	-0.5	0	-1.9	0.03	100.42	-3
2023-11-13 01:00:00	0	0	0	0	131	2.66	3.31	-2	0.5	100.41	-0.9	-0.6	0	-2	0.03	100.41	-3
2023-11-13 01:05:00	0	0	0	0	127	2.79	3.53	-2	0.5	100.41	-0.8	-0.6	0	-2	0.03	100.41	-3.1
2023-11-13 01:10:00	0	0	0	0	125	2.79	3.52	-2	0.5	100.4	-1	-0.7	0	-2	0.03	100.4	-3.1
2023-11-13 01:15:00	0	0	0	0	130	3.15	4.02	-2	0.5	100.4	-0.9	-0.5	0	-2	0.03	100.4	-3.1
2023-11-13 01:20:00	0	0	0	0	139	2.97	3.67	-1.9	0.504	100.4	-0.9	-0.6	0	-1.9	0.03	100.4	-3
2023-11-13 01:25:00	0	0	0	0	137	2.85	3.29	-1.9	0.504	100.4	-0.9	-0.7	0	-1.9	0.03	100.39	-3
2023-11-13 01:30:00	0	0	0	0	132	2.77	3.2	-1.9	0.508	100.39	-0.9	-0.6	0	-1.9	0.03	100.38	-3
2023-11-13 01:35:00	0	0	0	0	133	2.7	3.11	-1.9	0.506	100.39	-0.7	-0.6	0	-1.9	0.03	100.38	-3
2023-11-13 01:40:00	0	0	0	0	132	2.71	3.07	-1.9	0.502	100.38	-0.9	-0.6	0	-1.9	0.03	100.37	-3.1
2023-11-13 01:45:00	0	0	0	0	130	2.95	3.46	-2	0.5	100.37	-0.8	-0.6	0	-2	0.03	100.36	-3.1
2023-11-13 01:50:00	0	0	0	0	121	2.92	3.61	-2	0.5	100.36	-0.9	-0.6	0	-2	0.03	100.35	-3.2
2023-11-13 01:55:00	0	0	0	0	119	3.45	3.93	-2.1	0.5	100.34	-0.9	-0.7	0	-2.1	0.02	100.34	-3.2
2023-11-13 02:00:00	0	0	0	0	119	3.35	4.09	-2.2	0.5	100.33	-0.9	-0.6	0	-2.2	0.02	100.33	-3.2
2023-11-13 02:05:00	0	0	0	0	120	3.27	3.85	-2.2	0.5	100.33	-0.9	-0.6	0	-2.2	0.02	100.32	-3.2
2023-11-13 02:10:00	0	0	0	0	123	3.34	4.06	-2.2	0.5	100.32	-0.9	-0.6	0	-2.2	0.02	100.32	-3.2
2023-11-13 02:15:00	0	0	0	0	129	3.25	3.99	-2.3	0.5	100.32	-1	-0.6	0	-2.3	0.02	100.32	-3.3
2023-11-13 02:20:00	0	0	0	0	120	3.55	4.09	-2.3	0.5	100.31	-0.9	-0.6	0	-2.3	0.02	100.3	-3.3
2023-11-13 02:25:00	0	0	0	0	119	3.47	3.86	-2.3	0.5	100.3	-0.9	-0.6	0	-2.3	0.02	100.3	-3.3

z6-17454
Records: 2016

Timestamps	Port1													Port8			
	ATMOS 41 All-in-one Weather Station														Barometer		
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-13 02:30:00	0	0	0	0	145	3.06	3.76	-2.3	0.5	100.3	-1	-0.7	0	-2.3	0.02	100.31	-3.3
2023-11-13 02:35:00	0	0	0	0	151	3.43	4.06	-2.4	0.5	100.29	-0.9	-0.6	0	-2.3	0.01	100.29	-3.4
2023-11-13 02:40:00	0	0	0	0	154	3.44	4.06	-2.4	0.5	100.28	-0.9	-0.5	0	-2.4	0.01	100.28	-3.4
2023-11-13 02:45:00	0	0	0	0	151	3.3	3.87	-2.5	0.494	100.27	-0.9	-0.5	0	-2.5	0.02	100.27	-3.5
2023-11-13 02:50:00	0	0	0	0	150	3.12	3.77	-2.5	0.494	100.26	-1	-0.6	0	-2.5	0.02	100.26	-3.5
2023-11-13 02:55:00	0	0	0	0	151	3.26	4.18	-2.5	0.496	100.25	-0.8	-0.6	0	-2.5	0.01	100.25	-3.5
2023-11-13 03:00:00	0	0	0	0	153	3.49	4.04	-2.6	0.49	100.25	-1	-0.5	0	-2.6	0.02	100.24	-3.6
2023-11-13 03:05:00	0	0	0	0	155	3.36	4.13	-2.7	0.49	100.23	-0.8	-0.7	0	-2.7	0.01	100.24	-3.6
2023-11-13 03:10:00	0	0	0	0	156	2.99	3.53	-2.7	0.49	100.23	-0.9	-0.6	0	-2.7	0.01	100.23	-3.6
2023-11-13 03:15:00	0	0	0	0	151	2.93	3.58	-2.8	0.49	100.22	-0.9	-0.5	0	-2.8	0.01	100.23	-3.6
2023-11-13 03:20:00	0	0	0	0	157	3.33	3.94	-2.8	0.49	100.22	-0.8	-0.6	0	-2.8	0.01	100.23	-3.6
2023-11-13 03:25:00	0	0	0	0	161	3	3.64	-2.7	0.49	100.22	-1	-0.5	0	-2.7	0.01	100.22	-3.7
2023-11-13 03:30:00	0	0	0	0	165	2.75	3.41	-2.8	0.49	100.22	-0.9	-0.5	0	-2.8	0.01	100.23	-3.7
2023-11-13 03:35:00	0	0	0	0	167	3.15	3.88	-2.8	0.492	100.23	-0.9	-0.5	0	-2.8	0.01	100.23	-3.7
2023-11-13 03:40:00	0	0	0	0	163	2.64	3.69	-2.8	0.494	100.23	-1	-0.6	0	-2.8	0	100.23	-3.6
2023-11-13 03:45:00	0	0	0	0	159	2.61	3.27	-2.7	0.496	100.22	-1	-0.6	0	-2.7	0	100.22	-3.7
2023-11-13 03:50:00	0	0	0	0	167	2.65	3.16	-2.8	0.498	100.22	-0.9	-0.6	0	-2.8	0	100.23	-3.7
2023-11-13 03:55:00	0	0	0	0	170	2.2	2.92	-2.7	0.498	100.22	-1	-0.5	0	-2.7	0	100.22	-3.7
2023-11-13 04:00:00	0	0	0	0	156	3	3.75	-2.8	0.498	100.21	-1	-0.5	0	-2.8	0	100.21	-3.6
2023-11-13 04:05:00	0	0	0	0	156	3.38	3.94	-2.7	0.498	100.19	-1	-0.5	0	-2.7	0	100.19	-3.6
2023-11-13 04:10:00	0	0	0	0	151	3.47	4.27	-2.7	0.496	100.18	-1	-0.7	0	-2.7	0	100.18	-3.6
2023-11-13 04:15:00	0	0	0	0	153	3.56	4.14	-2.7	0.498	100.17	-0.9	-0.5	0	-2.8	0	100.18	-3.6
2023-11-13 04:20:00	0	0	0	0	155	3.47	3.95	-2.8	0.492	100.17	-0.8	-0.6	0	-2.8	0	100.18	-3.6
2023-11-13 04:25:00	0	0	0	0	146	3.39	3.98	-2.8	0.492	100.16	-0.9	-0.5	0	-2.8	0.01	100.17	-3.6
2023-11-13 04:30:00	0	0	0	0	147	3.25	4.08	-2.8	0.496	100.15	-1.1	-0.6	0	-2.8	0	100.16	-3.6
2023-11-13 04:35:00	0	0	0	0	141	2.76	3.37	-2.8	0.494	100.15	-0.9	-0.7	0	-2.8	0	100.16	-3.6
2023-11-13 04:40:00	0	0	0	0	130	2.7	3.16	-2.8	0.496	100.15	-0.8	-0.5	0	-2.8	0	100.15	-3.6
2023-11-13 04:45:00	0	0	0	0	113	3.02	3.73	-2.7	0.496	100.14	-1	-0.6	0	-2.8	0	100.14	-3.6
2023-11-13 04:50:00	0	0	0	0	113	3.1	3.66	-2.8	0.49	100.12	-0.9	-0.7	0	-2.8	0.01	100.13	-3.6
2023-11-13 04:55:00	0	0	0	0	117	3.49	4.49	-2.9	0.49	100.11	-0.9	-0.5	0	-2.9	0	100.11	-3.6
2023-11-13 05:00:00	0	0	0	0	124	3.83	4.66	-2.8	0.492	100.1	-0.9	-0.7	0	-2.8	0.01	100.11	-3.6
2023-11-13 05:05:00	0	0	0	0	142	3.25	3.88	-2.8	0.494	100.11	-0.9	-0.6	0	-2.8	0	100.13	-3.5
2023-11-13 05:10:00	0	0	0	0	143	3.02	3.95	-2.8	0.49	100.11	-0.8	-0.6	0	-2.8	0.01	100.12	-3.5
2023-11-13 05:15:00	0	0	0	0	156	2.29	2.88	-2.8	0.494	100.12	-1	-0.5	0	-2.8	0	100.12	-3.5
2023-11-13 05:20:00	0	0	0	0	133	2.79	3.42	-2.8	0.496	100.1	-0.9	-0.5	0	-2.8	0	100.11	-3.4
2023-11-13 05:25:00	0	0	0	0	122	3.41	4.14	-2.8	0.492	100.07	-1	-0.7	0	-2.8	0.01	100.09	-3.4
2023-11-13 05:30:00	0	0	0	0	129	2.94	3.93	-2.8	0.494	100.08	-0.9	-0.7	0	-2.8	0	100.09	-3.3
2023-11-13 05:35:00	0	0	0	0	130	2.71	3.48	-2.8	0.492	100.09	-1	-0.6	0	-2.8	0	100.1	-3.3
2023-11-13 05:40:00	0	0	0	0	150	2.96	3.48	-2.6	0.5	100.09	-1	-0.5	0	-2.6	0	100.11	-3.2
2023-11-13 05:45:00	0	0	0	0	162	2.76	3.39	-2.6	0.502	100.1	-0.9	-0.7	0	-2.5	0	100.1	-3.1
2023-11-13 05:50:00	0	0	0	0	141	3	3.83	-2.5	0.502	100.08	-1	-0.6	0	-2.5	0.01	100.09	-3
2023-11-13 05:55:00	0	0	0	0	153	3.37	4.64	-2.5	0.502	100.07	-0.9	-0.8	0	-2.5	0.01	100.07	-3
2023-11-13 06:00:00	0	0	0	0	158	4.04	5.03	-2.5	0.5	100.05	-0.9	-0.6	0	-2.5	0.01	100.06	-3
2023-11-13 06:05:00	0	0	0	0	158	4.31	5.2	-2.4	0.502	100.05	-0.9	-0.4	0	-2.4	0.01	100.06	-3
2023-11-13 06:10:00	0	0	0	0	147	4.96	6.26	-2.4	0.5	100.02	-0.9	-0.5	0	-2.4	0.01	100.03	-2.9
2023-11-13 06:15:00	0	0	0	0	156	4.65	5.6	-2.4	0.5	100.01	-1	-0.6	0	-2.4	0.01	100.02	-2.9
2023-11-13 06:20:00	0	0	0	0	164	4.41	5.52	-2.4	0.5	100.02	-0.8	-0.7	0	-2.4	0.01	100.03	-2.9
2023-11-13 06:25:00	0	0	0	0	164	3.71	4.92	-2.4	0.502	100.02	-0.9	-0.6	0	-2.4	0.01	100.03	-2.8
2023-11-13 06:30:00	0	0	0	0	146	3.57	4.32	-2.3	0.506	100	-0.8	-0.7	0	-2.2	0.01	100.01	-2.8
2023-11-13 06:35:00	0.8	0	0	0	145	3.51	4	-2.2	0.506	100	-0.8	-0.6	0	-2.2	0.01	100.02	-2.7
2023-11-13 06:40:00	2.2	0	0	0	138	3.24	3.81	-2.3	0.504	100	-0.9	-0.6	0	-2.2	0.01	100.01	-2.7
2023-11-13 06:45:00	3.6	0	0	0	131	3.15	3.95	-2.2	0.506	100	-0.9	-0.4	0	-2.2	0.01	100.01	-2.7
2023-11-13 06:50:00	8	0	0	0	134	3.64	4.46	-2.1	0.51	99.99	-0.9	-0.7	0	-2	0.02	100	-2.6
2023-11-13 06:55:00	9.6	0	0	0	137	3.34	4.14	-1.9	0.51	99.98	-0.9	-0.6	0	-1.9	0.02	99.99	-2.5
2023-11-13 07:00:00	5.8	0	0	0	138	3.53	4.9	-1.8	0.518	99.97	-0.8	-0.6	0	-1.8	0.02	99.98	-2.4
2023-11-13 07:05:00	11.4	0	0	0	128	4.06	5.01	-1.8	0.516	99.96	-0.9	-0.7	0	-1.7	0.02	99.97	-2.3
2023-11-13 07:10:00	19.6	0	0	0	141	3.85	4.95	-1.7	0.52	99.96	-1	-0.6	0	-1.7	0.02	99.98	-2.3
2023-11-13 07:15:00	19.4	0	0	0	143	4.16	5.43	-1.7	0.52	99.96	-0.9	-0.6	0	-1.7	0.02	99.96	-2.3
2023-11-13 07:20:00	18.8	0	0	0	135	4.78	5.54	-1.7	0.516	99.94	-0.8	-0.6	0	-1.7	0.02	99.95	-2.3
2023-11-13 07:25:00	19.8	0	0	0	134	4.45	5.47	-1.7	0.51	99.94	-0.9	-0.6	0	-1.7	0.03	99.95	-2.3

z6-17454
Records: 2016

Timestamps	Port1													Port8			
	ATMOS 41 All-in-one Weather Station														Barometer		
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-13 07:30:00	28.4	0	0	0	135	3.74	4.64	-1.6	0.52	99.94	-0.9	-0.6	0	-1.6	0.02	99.95	-2.3
2023-11-13 07:35:00	31.4	0	0	0	142	3.14	4.27	-1.6	0.52	99.95	-0.8	-0.6	0	-1.5	0.02	99.95	-2.2
2023-11-13 07:40:00	45.2	0	0	0	134	3.06	3.93	-1.6	0.52	99.93	-0.9	-0.5	0	-1.5	0.03	99.94	-2.1
2023-11-13 07:45:00	62.6	0	0	0	140	3.16	3.8	-1.5	0.52	99.93	-0.8	-0.7	0	-1.4	0.03	99.93	-2
2023-11-13 07:50:00	83.4	0	0	0	152	3.73	4.75	-1.3	0.53	99.91	-0.8	-0.7	0	-1.2	0.03	99.92	-1.8
2023-11-13 07:55:00	124	0	0	0	167	3.06	4.31	-1.1	0.54	99.91	-0.8	-0.6	0	-0.9	0.02	99.93	-1.6
2023-11-13 08:00:00	111.8	0	0	0	172	2.52	3.72	-0.7	0.55	99.93	-0.8	-0.6	0	-0.4	0.03	99.94	-1.3
2023-11-13 08:05:00	74	0	0	0	162	2.28	3.18	-0.5	0.552	99.92	-0.8	-0.6	0	-0.4	0.04	99.93	-1.1
2023-11-13 08:10:00	108.6	0	0	0	153	2.38	3.1	-0.5	0.55	99.91	-0.8	-0.6	0	-0.3	0.04	99.92	-1
2023-11-13 08:15:00	230.2	0	0	0	163	2.47	3.35	-0.1	0.568	99.89	-0.8	-0.6	0	0.3	0.04	99.91	-0.7
2023-11-13 08:20:00	213.4	0	0	0	158	3.23	4.41	0.6	0.592	99.89	-0.7	-0.7	0	1	0.05	99.91	-0.2
2023-11-13 08:25:00	167.8	0	0	0	153	2.96	4.22	1	0.598	99.89	-0.7	-0.7	0	1.3	0.06	99.91	0.2
2023-11-13 08:30:00	242.8	0	0	0	139	3.42	4.39	1.3	0.608	99.88	-0.6	-0.5	0	1.7	0.06	99.9	0.6
2023-11-13 08:35:00	232.6	0	0	0	122	3.42	4.43	1.7	0.614	99.87	-0.5	-0.8	0	2.1	0.08	99.89	1
2023-11-13 08:40:00	106.4	0	0	0	127	3.23	4.2	1.8	0.606	99.89	-0.6	-0.6	0	2	0.09	99.89	1.3
2023-11-13 08:45:00	87.6	0	0	0	125	3.32	4.17	1.4	0.592	99.87	-0.7	-0.6	0	1.6	0.08	99.88	1.3
2023-11-13 08:50:00	126.8	0	0	0	130	3.43	4.42	1.2	0.592	99.85	-0.7	-0.7	0	1.4	0.07	99.86	1.3
2023-11-13 08:55:00	202.6	0	0	0	128	3.73	4.78	1.2	0.6	99.83	-0.6	-0.5	0	1.5	0.07	99.85	1.4
2023-11-13 09:00:00	222	0	0	0	142	2.97	4.28	1.6	0.616	99.84	-0.6	-0.7	0	2	0.07	99.86	1.6
2023-11-13 09:05:00	146.4	0	0	0	165	2.53	3.6	1.8	0.624	99.85	-0.7	-0.7	0	2.1	0.07	99.86	1.9
2023-11-13 09:10:00	95.2	0	0	0	148	3.24	4.24	2	0.622	99.83	-0.7	-0.6	0	2.2	0.09	99.84	2.1
2023-11-13 09:15:00	110.6	0	0	0	130	2.87	3.97	2.1	0.626	99.84	-0.6	-0.8	0	2.2	0.08	99.84	2.2
2023-11-13 09:20:00	124.2	0	0	0	127	3.22	4.19	2.2	0.63	99.83	-0.7	-0.6	0	2.3	0.08	99.84	2.2
2023-11-13 09:25:00	178.8	0	0	0	125	2.64	3.34	2.2	0.634	99.83	-0.7	-0.7	0	2.5	0.08	99.84	2.3
2023-11-13 09:30:00	195.6	0	0	0	110	2.89	3.7	2.5	0.644	99.82	-0.6	-0.7	0	2.9	0.09	99.83	2.5
2023-11-13 09:35:00	87.4	0	0	0	105	3.2	3.9	2.8	0.644	99.82	-0.5	-0.6	0	3	0.1	99.82	2.7
2023-11-13 09:40:00	74.4	0	0	0	115	3.62	5.02	2.9	0.65	99.8	-0.5	-0.7	0	3.1	0.1	99.8	2.8
2023-11-13 09:45:00	92.8	0	0	0	126	3.51	4.22	3	0.656	99.79	-0.6	-0.7	0	3.1	0.1	99.79	2.8
2023-11-13 09:50:00	181.6	0	0	0	125	3.52	4.48	3.1	0.666	99.76	-0.6	-0.7	0	3.3	0.1	99.76	2.9
2023-11-13 09:55:00	195.8	0	0	0	121	3.52	4.25	3.3	0.674	99.75	-0.7	-0.6	0	3.6	0.1	99.75	3.2
2023-11-13 10:00:00	251.6	0	0	0	136	2.59	3.68	3.9	0.692	99.75	-0.5	-0.6	0	4.3	0.11	99.77	3.5
2023-11-13 10:05:00	241.8	0	0	0	169	2.53	3.25	4.5	0.716	99.76	-0.5	-0.7	0	4.9	0.13	99.77	3.9
2023-11-13 10:10:00	492.8	0	0	0	165	1.9	2.51	5.6	0.76	99.74	-0.3	-0.8	0	6.3	0.15	99.77	4.7
2023-11-13 10:15:00	559.4	0	0	0	179	1.52	2.96	7.1	0.788	99.75	-0.5	-0.7	0	8	0.22	99.77	5.8
2023-11-13 10:20:00	506.6	0	0	0	166	2.48	3.87	8.6	0.79	99.75	-0.3	-0.8	0	9.3	0.33	99.77	7
2023-11-13 10:25:00	198.8	0	0	0	178	3.13	5.54	9	0.78	99.77	-0.2	-0.9	0	9.4	0.37	99.76	7.6
2023-11-13 10:30:00	209.6	0	0	0	162	2.37	3.43	8.5	0.748	99.76	-0.3	-0.8	0	8.9	0.36	99.75	7.7
2023-11-13 10:35:00	274.6	0	0	0	148	1.67	3.19	8.2	0.746	99.75	-0.2	-0.7	0	8.8	0.34	99.74	7.8
2023-11-13 10:40:00	543.6	0	0	0	151	2.87	4.49	8.8	0.764	99.71	-0.2	-0.7	0	9.5	0.37	99.73	8.1
2023-11-13 10:45:00	370.2	0	0	0	195	3.54	6.29	9.5	0.762	99.73	-0.3	-0.8	0	10	0.43	99.72	8.7
2023-11-13 10:50:00	328.4	0	0	0	183	3	5.08	9.9	0.75	99.71	-0.2	-0.8	0	10.4	0.47	99.71	9.2
2023-11-13 10:55:00	411.2	0	0	0	181	3.74	5.7	10.1	0.746	99.7	0	-0.8	0	10.7	0.49	99.7	9.5
2023-11-13 11:00:00	424.6	0	0	0	189	4.05	6.09	10.7	0.746	99.69	-0.3	-0.6	0	11.2	0.54	99.69	9.9
2023-11-13 11:05:00	272.8	0	0	0	195	3.55	4.98	10.7	0.744	99.68	-0.2	-0.9	0	11.1	0.55	99.68	10.2
2023-11-13 11:10:00	272.2	0	0	0	197	4.74	6.87	10.7	0.726	99.67	-0.2	-0.9	0	11	0.56	99.66	10.3
2023-11-13 11:15:00	216	0	0	0	227	3.69	6.41	10.4	0.716	99.67	-0.3	-0.8	0	10.7	0.55	99.66	10.3
2023-11-13 11:20:00	205	0	0	0	201	2.84	4.74	10.2	0.716	99.66	-0.1	-0.7	0	10.6	0.53	99.64	10.3
2023-11-13 11:25:00	197.8	0	0	0	195	3.58	5.96	10.1	0.714	99.64	-0.1	-0.9	0	10.5	0.52	99.63	10.3
2023-11-13 11:30:00	165.4	0	0	0	192	3.37	5.36	10	0.696	99.63	-0.3	-0.8	0	10.3	0.53	99.61	10.2
2023-11-13 11:35:00	136.8	0	0	0	196	4.11	7.06	9.8	0.686	99.61	-0.3	-0.6	0	10.1	0.53	99.59	10.1
2023-11-13 11:40:00	139.6	0	0	0	200	4.12	7.36	9.7	0.686	99.6	-0.3	-0.8	0	9.9	0.52	99.58	10.1
2023-11-13 11:45:00	141.6	0	0	0	201	4.25	6.34	9.5	0.684	99.59	-0.2	-0.8	0	9.7	0.51	99.57	10
2023-11-13 11:50:00	92.4	0	0	0	198	5.19	7.57	9.6	0.68	99.58	-0.3	-0.6	0	9.7	0.51	99.56	9.9
2023-11-13 11:55:00	129.6	0	0	0	200	3.27	5.11	9.4	0.68	99.57	-0.3	-0.8	0	9.5	0.5	99.56	9.8
2023-11-13 12:00:00	144.6	0	0	0	205	2.65	4.06	9.3	0.692	99.57	-0.3	-0.9	0	9.6	0.48	99.56	9.8
2023-11-13 12:05:00	175.6	0	0	0	196	2.71	5.06	9.4	0.698	99.56	-0.2	-0.7	0	9.6	0.48	99.55	9.8
2023-11-13 12:10:00	144.2	0	0	0	185	3.08	4.36	9.5	0.684	99.55	-0.2	-0.7	0	9.7	0.5	99.54	9.9
2023-11-13 12:15:00	154.2	0	0	0	188	3.85	5.34	9.5	0.688	99.54	-0.2	-0.8	0	9.7	0.5	99.53	9.9
2023-11-13 12:20:00	129.8	0	0	0	189	3.25	4.87	9.5	0.694	99.53	-0.2	-0.8	0	9.7	0.49	99.51	9.8
2023-11-13 12:25:00	109.8	0	0	0	186	3.12	4.65	9.4	0.68	99.52	-0.2	-0.7	0	9.6	0.5	99.5	9.8

z6-17454
Records: 2016

Timestamps	Port1													Port8			
	ATMOS 41 All-in-one Weather Station													Barometer			
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-13 12:30:00	85.8	0	0	0	180	3.22	4.65	9.4	0.692	99.5	-0.3	-0.8	0	9.6	0.49	99.48	9.8
2023-11-13 12:35:00	76.4	0	0	0	182	3.28	4.57	9.4	0.688	99.51	-0.2	-0.7	0	9.5	0.49	99.5	9.7
2023-11-13 12:40:00	70.2	0	0	0	193	1.92	3.65	9.3	0.692	99.51	-0.3	-0.7	0	9.5	0.48	99.5	9.6
2023-11-13 12:45:00	96.6	0	0	0	183	2.4	3.27	9.3	0.69	99.5	-0.3	-0.8	0	9.5	0.48	99.48	9.6
2023-11-13 12:50:00	305.6	0	0	0	180	1.48	2.37	9.5	0.704	99.48	-0.2	-0.8	0	10	0.48	99.48	9.8
2023-11-13 12:55:00	332	0	0	0	171	2.42	3.17	9.9	0.702	99.47	-0.2	-0.7	0	10.5	0.52	99.47	10
2023-11-13 13:00:00	486	0	0	0	170	1.55	3.69	10.6	0.72	99.45	-0.1	-0.8	0	11.4	0.56	99.46	10.4
2023-11-13 13:05:00	498.8	0	0	0	185	2.25	4.09	11.7	0.74	99.46	0	-0.7	0	12.4	0.63	99.47	11.1
2023-11-13 13:10:00	405	0	0	0	204	1.71	3.22	12.4	0.74	99.47	0.1	-0.8	0	13.1	0.7	99.47	11.6
2023-11-13 13:15:00	302.2	0	0	0	41	0.85	2.38	12.4	0.75	99.49	0	-0.8	0	13.4	0.69	99.47	12
2023-11-13 13:20:00	262	0	0	0	34	1.71	3.19	12.7	0.742	99.48	0	-0.8	0	13.3	0.72	99.47	12.4
2023-11-13 13:25:00	220.6	0	0	0	325	1.85	3.13	12.6	0.732	99.48	-0.2	-0.8	0	13.2	0.73	99.47	12.4
2023-11-13 13:30:00	153.4	0	0	0	291	2.23	4.63	12.7	0.734	99.48	0	-0.8	0	13	0.73	99.46	12.3
2023-11-13 13:35:00	105.6	0	0	0	267	2.04	4.06	12.4	0.73	99.49	0	-0.8	0	12.6	0.71	99.46	12.1
2023-11-13 13:40:00	214	0	0	0	270	1.8	2.82	11.9	0.742	99.47	-0.1	-0.7	0	12.3	0.65	99.46	12
2023-11-13 13:45:00	256.4	0	0	0	286	1.78	3.63	11.9	0.754	99.47	-0.1	-0.7	0	12.5	0.64	99.45	12.1
2023-11-13 13:50:00	248.8	0	0	0	303	3.53	5.61	12.4	0.756	99.46	0	-0.8	0	13	0.69	99.45	12.3
2023-11-13 13:55:00	274.2	0	0	0	307	3.55	7.37	12.5	0.744	99.46	0	-0.9	0	12.9	0.7	99.44	12.4
2023-11-13 14:00:00	176.6	0	0	0	284	2.26	3.85	12.4	0.758	99.46	0	-0.8	0	12.8	0.68	99.44	12.6
2023-11-13 14:05:00	81	0	0	0	272	4.34	6.89	12.4	0.766	99.45	-0.2	-0.8	0	12.6	0.68	99.43	12.5
2023-11-13 14:10:00	54.2	0	0	0	292	3.99	6.25	12.1	0.758	99.46	-0.1	-0.7	0	12.2	0.65	99.43	12.3
2023-11-13 14:15:00	58.8	0	0	0	279	3.63	5.81	11.8	0.774	99.46	-0.2	-0.7	0	11.9	0.61	99.44	12.1
2023-11-13 14:20:00	59	0	0	0	285	3.54	5.59	11.6	0.776	99.46	-0.2	-0.8	0	11.7	0.59	99.44	12
2023-11-13 14:25:00	62	0	0	0	278	3.53	5.25	11.5	0.79	99.46	-0.2	-0.7	0	11.6	0.56	99.44	11.9
2023-11-13 14:30:00	73.6	0	0	0	272	2.88	5.4	11.3	0.804	99.46	-0.2	-0.8	0	11.5	0.54	99.43	11.8
2023-11-13 14:35:00	75.2	0	0	0	275	4.57	8.07	11.3	0.826	99.45	0	-0.6	0	11.4	0.51	99.42	11.8
2023-11-13 14:40:00	74.4	0	0	0	268	4.14	6.69	11.4	0.856	99.45	-0.3	-0.6	0	11.5	0.49	99.42	11.8
2023-11-13 14:45:00	75	0	0	0	275	4.56	7.76	11.3	0.868	99.45	-0.2	-0.8	0	11.4	0.47	99.42	11.7
2023-11-13 14:50:00	58.4	0	0	0	263	4.68	7	11.3	0.88	99.45	-0.3	-1	0	11.4	0.46	99.43	11.7
2023-11-13 14:55:00	66.2	0	0	0	268	3.4	6.06	11.2	0.884	99.46	-0.2	-0.6	0	11.4	0.45	99.43	11.6
2023-11-13 15:00:00	78	0	0	0	271	4.19	6.56	11.3	0.896	99.45	-0.1	-0.8	0	11.4	0.44	99.43	11.6
2023-11-13 15:05:00	58	0	0	0	264	3.93	6.64	11.3	0.9	99.45	-0.2	-0.6	0	11.4	0.44	99.42	11.6
2023-11-13 15:10:00	85.6	0	0	0	261	5.47	9.38	11.3	0.91	99.44	-0.1	-0.9	0	11.4	0.43	99.42	11.5
2023-11-13 15:15:00	180	0	0	0	266	5.49	10.92	11.5	0.928	99.44	-0.2	-0.7	0	11.7	0.43	99.41	11.6
2023-11-13 15:20:00	115.8	0	0	0	254	5.07	9.54	11.7	0.932	99.44	-0.4	-0.6	0	11.9	0.45	99.42	11.8
2023-11-13 15:25:00	96	0	0	0	254	5.69	7.64	11.9	0.94	99.44	-0.2	-0.9	0	12	0.45	99.43	11.8
2023-11-13 15:30:00	34.4	0	0	0	268	3.81	6.95	11.9	0.93	99.46	-0.1	-0.8	0	11.9	0.46	99.43	11.7
2023-11-13 15:35:00	32	0	0	0	265	3.14	5.59	11.6	0.934	99.47	-0.2	-0.8	0	11.7	0.43	99.44	11.6
2023-11-13 15:40:00	28	0	0	0	264	3.91	6.98	11.5	0.928	99.47	-0.1	-0.7	0	11.5	0.42	99.44	11.5
2023-11-13 15:45:00	27.2	0	0	0	269	5.59	8.88	11.4	0.924	99.46	-0.2	-0.8	0	11.4	0.42	99.44	11.4
2023-11-13 15:50:00	23.2	0	0	0	271	5.42	8.12	11.3	0.928	99.47	0	-0.9	0	11.3	0.41	99.45	11.3
2023-11-13 15:55:00	28	0	0	0	264	3.84	6.01	11.2	0.93	99.48	-0.1	-0.8	0	11.2	0.4	99.45	11.2
2023-11-13 16:00:00	29	0	0	0	269	5.5	9.95	11.1	0.93	99.47	-0.1	-0.7	0	11.2	0.39	99.45	11.1
2023-11-13 16:05:00	24.8	0	0	0	266	6.02	9.63	11.2	0.936	99.47	-0.1	-0.6	0	11.2	0.39	99.45	11.1
2023-11-13 16:10:00	22.6	0	0	0	261	5.41	8.69	11.1	0.938	99.48	0	-0.6	0	11.1	0.38	99.45	11.1
2023-11-13 16:15:00	20.2	0	0	0	264	5.73	8.62	11.1	0.94	99.49	-0.3	-0.7	0	11.1	0.38	99.46	11.1
2023-11-13 16:20:00	21	0	0	0	272	5.31	8.26	11.1	0.944	99.49	-0.2	-0.7	0	11.1	0.38	99.47	11.1
2023-11-13 16:25:00	22.2	0	0	0	267	4.85	7.81	11	0.946	99.49	0	-0.8	0	11	0.37	99.47	10.9
2023-11-13 16:30:00	13	0	0	0	266	4.24	7.54	10.9	0.944	99.5	-0.1	-0.8	0	10.9	0.36	99.47	10.8
2023-11-13 16:35:00	3.4	0	0	0	263	4.86	9.18	10.7	0.938	99.5	-0.4	-0.7	0	10.7	0.35	99.47	10.5
2023-11-13 16:40:00	1.4	0	0	0	261	5.16	7.76	10.6	0.932	99.5	-0.2	-0.8	0	10.6	0.34	99.48	10.4
2023-11-13 16:45:00	0.6	0	0	0	264	5.21	8.48	10.4	0.93	99.51	-0.2	-0.8	0	10.4	0.33	99.48	10.2
2023-11-13 16:50:00	0	0	0	0	271	5.02	7.97	10.3	0.922	99.51	-0.2	-0.8	0	10.3	0.33	99.48	10.1
2023-11-13 16:55:00	0	0	0	0	267	5.5	9.77	10.2	0.924	99.52	-0.2	-0.8	0	10.2	0.32	99.49	10
2023-11-13 17:00:00	0	0	0	0	266	4.55	7.37	10.1	0.922	99.52	-0.3	-0.6	0	10.1	0.31	99.49	9.8
2023-11-13 17:05:00	0	0	0	0	266	3.65	6.14	9.9	0.916	99.52	-0.3	-0.8	0	9.9	0.3	99.5	9.6
2023-11-13 17:10:00	0	0	0	0	265	3.45	5.83	9.8	0.914	99.53	-0.3	-0.8	0	9.7	0.29	99.5	9.4
2023-11-13 17:15:00	0	0	0	0	260	3.85	7.29	9.6	0.914	99.53	-0.1	-0.7	0	9.6	0.28	99.51	9.2
2023-11-13 17:20:00	0	0	0	0	264	3.74	5.42	9.5	0.912	99.54	-0.2	-0.7	0	9.5	0.27	99.51	9.1
2023-11-13 17:25:00	0	0	0	0	268	3.74	6.34	9.4	0.91	99.54	-0.3	-0.7	0	9.4	0.27	99.51	8.9

z6-17454
Records: 2016

Timestamps	Port1													Port8			
	ATMOS 41 All-in-one Weather Station														Barometer		
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-13 17:30:00	0	0	0	0	259	4.44	7.7	9.2	0.91	99.54	-0.3	-0.7	0	9.2	0.25	99.51	8.8
2023-11-13 17:35:00	0	0	0	0	258	3.32	5.28	9.1	0.912	99.54	-0.3	-0.7	0	9.1	0.24	99.51	8.7
2023-11-13 17:40:00	0	0	0	0	255	4.21	8.2	9	0.908	99.54	-0.2	-0.6	0	9	0.24	99.51	8.6
2023-11-13 17:45:00	0	0	0	0	257	3.92	6.17	8.9	0.912	99.54	-0.3	-0.8	0	9	0.23	99.51	8.5
2023-11-13 17:50:00	0	0	0	0	252	4.1	6.61	8.9	0.91	99.53	-0.5	-0.7	0	8.9	0.23	99.5	8.4
2023-11-13 17:55:00	0	0	0	0	250	3.75	5.53	8.8	0.906	99.53	-0.2	-0.6	0	8.8	0.23	99.5	8.4
2023-11-13 18:00:00	0	0	0	0	247	4.61	7.58	8.9	0.912	99.52	-0.3	-0.9	0	8.9	0.23	99.5	8.5
2023-11-13 18:05:00	0	0	0	0	255	4.95	7.67	9	0.91	99.53	-0.5	-0.8	0	9	0.23	99.5	8.5
2023-11-13 18:10:00	0	0	0	0	253	5.06	7.34	9	0.91	99.53	-0.3	-0.7	0	9	0.23	99.5	8.5
2023-11-13 18:15:00	0	0	0	0	250	4.46	6.49	9	0.91	99.53	-0.5	-0.6	0	9	0.24	99.51	8.5
2023-11-13 18:20:00	0	0	0	0	248	4.87	7.67	8.9	0.904	99.53	-0.4	-0.7	0	8.9	0.23	99.51	8.5
2023-11-13 18:25:00	0	0	0	0	251	4.88	8.31	8.9	0.904	99.54	-0.3	-0.8	0	8.9	0.23	99.52	8.4
2023-11-13 18:30:00	0	0	0	0	252	4.92	7.52	8.9	0.906	99.55	-0.4	-0.7	0	8.9	0.23	99.52	8.4
2023-11-13 18:35:00	0	0	0	0	252	4.7	7.52	8.8	0.902	99.55	-0.3	-0.8	0	8.8	0.23	99.53	8.3
2023-11-13 18:40:00	0	0	0	0	254	4.36	7.1	8.7	0.898	99.55	-0.4	-0.8	0	8.7	0.22	99.52	8.3
2023-11-13 18:45:00	0	0	0	0	254	4.25	6.34	8.6	0.898	99.55	-0.3	-0.8	0	8.6	0.22	99.53	8.2
2023-11-13 18:50:00	0	0	0	0	251	5.09	10.38	8.6	0.898	99.55	-0.1	-0.7	0	8.6	0.22	99.53	8.2
2023-11-13 18:55:00	0	0	0	0	255	4.55	8.64	8.6	0.904	99.55	-0.4	-0.7	0	8.6	0.21	99.53	8.3
2023-11-13 19:00:00	0	0	0	0	254	4.86	7.81	8.6	0.91	99.55	-0.3	-0.8	0	8.6	0.21	99.53	8.3
2023-11-13 19:05:00	0	0	0	0	263	4.67	8.29	8.7	0.914	99.56	-0.4	-0.7	0	8.7	0.21	99.54	8.3
2023-11-13 19:10:00	0	0	0	0	259	4.69	6.8	8.7	0.918	99.57	-0.3	-0.8	0	8.7	0.21	99.55	8.4
2023-11-13 19:15:00	0	0	0	0	263	5.56	7.63	8.7	0.924	99.57	-0.3	-0.8	0	8.7	0.2	99.55	8.4
2023-11-13 19:20:00	0	0	0	0	269	5.6	9.23	8.8	0.922	99.57	-0.4	-0.8	0	8.7	0.21	99.55	8.4
2023-11-13 19:25:00	0	0	0	0	280	4.3	6.72	8.7	0.922	99.59	-0.3	-0.8	0	8.7	0.21	99.56	8.4
2023-11-13 19:30:00	0	0	0	0	270	5.04	8.79	8.8	0.924	99.58	-0.5	-0.7	0	8.8	0.2	99.56	8.4
2023-11-13 19:35:00	0	0	0	0	278	5.83	8.54	8.8	0.924	99.58	-0.3	-0.9	0	8.8	0.21	99.57	8.4
2023-11-13 19:40:00	0	0	0	0	277	5.04	7	8.8	0.924	99.59	-0.1	-0.7	0	8.8	0.21	99.57	8.4
2023-11-13 19:45:00	0	0	0	0	279	6.27	9.62	8.9	0.92	99.59	-0.1	-0.6	0	8.9	0.22	99.56	8.5
2023-11-13 19:50:00	0	0	0	0	280	3.96	6.15	9	0.918	99.6	-0.2	-0.7	0	9	0.23	99.58	8.5
2023-11-13 19:55:00	0	0	0	0	284	4.07	7.22	9	0.918	99.6	-0.3	-0.7	0	8.9	0.23	99.58	8.5
2023-11-13 20:00:00	0	0	0	0	282	4.35	6.84	8.9	0.91	99.6	-0.3	-0.7	0	8.9	0.23	99.58	8.5
2023-11-13 20:05:00	0	0	0	0	284	3.56	5.78	8.9	0.906	99.6	-0.3	-0.8	0	8.8	0.23	99.58	8.4
2023-11-13 20:10:00	0	0	0	0	279	3.67	5.74	8.8	0.902	99.6	-0.2	-0.7	0	8.8	0.23	99.58	8.4
2023-11-13 20:15:00	0	0	0	0	280	3.12	5.54	8.8	0.898	99.6	-0.2	-0.8	0	8.7	0.23	99.58	8.3
2023-11-13 20:20:00	0	0	0	0	275	3.22	4.93	8.7	0.898	99.6	-0.3	-0.6	0	8.7	0.23	99.58	8.2
2023-11-13 20:25:00	0	0	0	0	275	3.42	5.28	8.6	0.894	99.6	-0.4	-0.8	0	8.6	0.23	99.58	8.2
2023-11-13 20:30:00	0	0	0	0	274	3.43	4.99	8.6	0.894	99.61	-0.3	-0.7	0	8.6	0.22	99.58	8.2
2023-11-13 20:35:00	0	0	0	0	277	3.33	4.98	8.6	0.894	99.61	-0.3	-0.7	0	8.6	0.22	99.59	8.2
2023-11-13 20:40:00	0	0	0	0	283	3.43	6.93	8.5	0.888	99.61	-0.4	-0.7	0	8.5	0.22	99.59	8.2
2023-11-13 20:45:00	0	0	0	0	284	3.67	4.98	8.5	0.888	99.62	-0.3	-0.8	0	8.5	0.22	99.6	8.2
2023-11-13 20:50:00	0	0	0	0	287	3.55	6.25	8.5	0.886	99.63	-0.3	-0.9	0	8.5	0.22	99.61	8.2
2023-11-13 20:55:00	0	0	0	0	291	3.4	6.8	8.5	0.886	99.64	-0.4	-0.8	0	8.5	0.22	99.62	8.1
2023-11-13 21:00:00	0	0	0	0	296	5.15	7.64	8.5	0.884	99.64	-0.2	-0.8	0	8.5	0.22	99.62	7.8
2023-11-13 21:05:00	0	0	0	0	297	5.28	7.1	8.4	0.874	99.64	-0.3	-0.7	0	8.4	0.23	99.62	7.7
2023-11-13 21:10:00	0	0	0	0	300	5.22	8.31	8.4	0.866	99.65	-0.3	-0.7	0	8.4	0.24	99.62	7.7
2023-11-13 21:15:00	0	0	0	0	298	6.51	10.53	8.4	0.848	99.65	0	-0.8	0	8.4	0.25	99.62	7.8
2023-11-13 21:20:00	0	0	0	0	299	6.85	11.41	8.4	0.84	99.65	-0.3	-0.7	0	8.4	0.26	99.63	7.8
2023-11-13 21:25:00	0	0	0	0	309	7.7	13.27	8.4	0.822	99.65	-0.5	-0.7	0	8.4	0.28	99.63	7.9
2023-11-13 21:30:00	0	0	0	0	305	8.01	13.05	8.4	0.812	99.66	-0.7	-0.6	0	8.4	0.29	99.64	8
2023-11-13 21:35:00	0	0	0	0	299	7.25	11.6	8.4	0.804	99.66	-0.2	-0.7	0	8.4	0.3	99.65	8
2023-11-13 21:40:00	0	0	0	0	303	6.88	10.19	8.4	0.798	99.67	-0.4	-1	0	8.4	0.3	99.64	7.9
2023-11-13 21:45:00	0	0	0	0	307	7.13	10.69	8.3	0.784	99.67	-0.7	-0.7	0	8.3	0.31	99.65	7.8
2023-11-13 21:50:00	0	0	0	0	311	7.05	11.55	8.3	0.778	99.68	-0.6	-0.7	0	8.3	0.31	99.65	7.7
2023-11-13 21:55:00	0	0	0	0	302	6.44	10.59	8.2	0.768	99.68	-0.4	-0.7	0	8.1	0.32	99.66	7.6
2023-11-13 22:00:00	0	0	0	0	300	6.57	9.23	8	0.758	99.69	-0.4	-0.8	0	8	0.31	99.66	7.5
2023-11-13 22:05:00	0	0	0	0	295	5.18	8.09	7.9	0.758	99.69	-0.3	-0.8	0	7.9	0.31	99.67	7.3
2023-11-13 22:10:00	0	0	0	0	293	5.97	8.34	7.7	0.752	99.7	-0.4	-0.7	0	7.7	0.3	99.67	7.2
2023-11-13 22:15:00	0	0	0	0	292	4.96	8.39	7.6	0.75	99.7	-0.3	-0.6	0	7.6	0.29	99.67	7
2023-11-13 22:20:00	0	0	0	0	294	5.57	7.98	7.4	0.748	99.7	-0.4	-0.9	0	7.4	0.28	99.68	6.8
2023-11-13 22:25:00	0	0	0	0	294	4.49	8.04	7.3	0.748	99.7	-0.4	-0.7	0	7.3	0.27	99.68	6.7

z6-17454
Records: 2016

Timestamps

Timestamps	Port1														Port8		
	ATMOS 41 All-in-one Weather Station														Barometer		
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-13 22:30:00	0	0	0	0	292	4.18	7.42	7.1	0.748	99.7	-0.5	-0.7	0	7.1	0.26	99.68	6.5
2023-11-13 22:35:00	0	0	0	0	293	4.54	7.14	7.1	0.75	99.7	-0.4	-0.7	0	7.1	0.26	99.68	6.4
2023-11-13 22:40:00	0	0	0	0	287	5.4	8.13	7	0.75	99.7	-0.3	-0.6	0	7	0.25	99.68	6.3
2023-11-13 22:45:00	0	0	0	0	285	4.5	8.3	6.9	0.744	99.71	-0.5	-0.7	0	6.9	0.25	99.69	6.3
2023-11-13 22:50:00	0	0	0	0	282	5.09	7.98	6.8	0.742	99.72	-0.5	-0.6	0	6.8	0.25	99.69	6.2
2023-11-13 22:55:00	0	0	0	0	284	4.91	7.26	6.7	0.736	99.72	-0.4	-0.8	0	6.7	0.24	99.7	6.1
2023-11-13 23:00:00	0	0	0	0	285	5.61	9.7	6.7	0.732	99.72	-0.2	-1	0	6.6	0.25	99.7	6
2023-11-13 23:05:00	0	0	0	0	286	5.08	7.2	6.6	0.73	99.73	-0.4	-0.9	0	6.6	0.25	99.7	6
2023-11-13 23:10:00	0	0	0	0	281	4.98	7.59	6.6	0.73	99.74	-0.3	-0.7	0	6.6	0.24	99.71	5.9
2023-11-13 23:15:00	0	0	0	0	277	4.33	6.73	6.6	0.73	99.74	-0.2	-0.7	0	6.6	0.24	99.72	5.9
2023-11-13 23:20:00	0	0	0	0	283	5.49	9.5	6.4	0.724	99.73	-0.7	-0.7	0	6.4	0.24	99.71	5.8
2023-11-13 23:25:00	0	0	0	0	282	5.97	8.93	6.5	0.73	99.73	-0.4	-0.6	0	6.5	0.24	99.71	5.9
2023-11-13 23:30:00	0	0	0	0	278	5.57	8.79	6.6	0.73	99.74	-0.3	-0.4	0	6.6	0.24	99.72	5.9
2023-11-13 23:35:00	0	0	0	0	275	5.26	9.69	6.6	0.736	99.74	-0.4	-0.9	0	6.6	0.24	99.72	6
2023-11-13 23:40:00	0	0	0	0	274	4.64	8.32	6.6	0.736	99.75	-0.3	-0.8	0	6.6	0.24	99.73	6.1
2023-11-13 23:45:00	0	0	0	0	275	5.69	9.72	6.7	0.738	99.75	-0.2	-0.6	0	6.7	0.24	99.73	6.2
2023-11-13 23:50:00	0	0	0	0	280	6.08	9.57	6.7	0.74	99.75	-0.3	-1	0	6.7	0.24	99.74	6.2
2023-11-13 23:55:00	0	0	0	0	278	5.56	8.78	6.8	0.74	99.76	-0.6	-0.9	0	6.8	0.25	99.74	6.3
2023-11-14 00:00:00	0	0	0	0	277	5.15	7.66	6.8	0.744	99.77	-0.6	-0.7	0	6.7	0.24	99.74	6.3
2023-11-14 00:05:00	0	0	0	0	275	4.97	7.44	6.8	0.74	99.76	-0.4	-0.7	0	6.8	0.25	99.75	6.4
2023-11-14 00:10:00	0	0	0	0	272	5.07	9.11	6.7	0.742	99.77	-0.2	-0.9	0	6.7	0.24	99.75	6.6
2023-11-14 00:15:00	0	0	0	0	275	5.44	8.74	6.7	0.74	99.77	-0.2	-0.9	0	6.7	0.24	99.76	6.7
2023-11-14 00:20:00	0	0	0	0	276	6.32	11.35	6.8	0.746	99.77	-0.1	-0.9	0	6.8	0.24	99.76	6.7
2023-11-14 00:25:00	0	0	0	0	273	5.56	8.3	6.8	0.748	99.77	-0.4	-0.7	0	6.8	0.24	99.75	6.6
2023-11-14 00:30:00	0	0	0	0	274	5.42	7.61	6.7	0.748	99.78	-0.2	-0.9	0	6.7	0.23	99.76	6.5
2023-11-14 00:35:00	0	0	0	0	276	6.14	8.97	6.7	0.75	99.77	-0.5	-0.6	0	6.7	0.23	99.76	6.5
2023-11-14 00:40:00	0	0	0	0	279	6.75	8.88	6.7	0.748	99.78	-0.4	-0.7	0	6.7	0.23	99.77	6.5
2023-11-14 00:45:00	0	0	0	0	282	5.57	9.41	6.7	0.75	99.79	-0.4	-0.8	0	6.7	0.23	99.77	6.5
2023-11-14 00:50:00	0	0	0	0	278	5.58	8.93	6.7	0.754	99.8	-0.6	-0.7	0	6.7	0.23	99.78	6.5
2023-11-14 00:55:00	0	0	0	0	281	5.7	9.17	6.8	0.756	99.8	-0.4	-0.6	0	6.8	0.23	99.78	6.5
2023-11-14 01:00:00	0	0	0	0	283	5.43	8.01	6.8	0.758	99.81	-0.7	-0.4	0	6.8	0.23	99.79	6.5
2023-11-14 01:05:00	0	0	0	0	279	5.94	8.83	6.7	0.754	99.81	-0.5	-1	0	6.7	0.23	99.79	6.5
2023-11-14 01:10:00	0	0	0	0	286	6.98	10.88	6.8	0.758	99.81	-0.3	-0.7	0	6.8	0.23	99.79	6.5
2023-11-14 01:15:00	0	0	0	0	293	8.17	11.46	6.8	0.76	99.82	-0.2	-0.4	0	6.8	0.23	99.8	6.5
2023-11-14 01:20:00	0	0	0	0	300	7.44	10.9	6.8	0.77	99.83	-0.7	-0.4	0	6.8	0.22	99.81	6.1
2023-11-14 01:25:00	0	0	0	0	285	6.67	10.57	6.7	0.77	99.84	-0.4	-0.9	0	6.7	0.21	99.82	5.9
2023-11-14 01:30:00	0	0	0	0	293	6.38	10.29	6.6	0.768	99.85	-0.5	-0.8	0	6.6	0.2	99.82	5.7
2023-11-14 01:35:00	0	0	0	0	289	6.42	10.54	6.4	0.766	99.85	-0.8	-0.2	0	6.4	0.19	99.83	5.6
2023-11-14 01:40:00	0	0	0	0	284	6.66	12.67	6.2	0.768	99.86	-0.6	-1.1	0	6.2	0.18	99.83	5.6
2023-11-14 01:45:00	0	0	0	0	293	7.09	10.29	6.1	0.77	99.87	-0.5	-0.7	0	6.1	0.17	99.85	5.5
2023-11-14 01:50:00	0	0	0	0	293	6.22	12.44	6.1	0.77	99.88	-0.3	-0.7	0	6.1	0.17	99.86	5.5

z6-17454
Records: 2016

Timestamps	Port1														Port8		
	ATMOS 41 All-in-one Weather Station														Barometer		
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-14 01:55:00	0	0	0	0	294	6.04	10	6	0.768	99.88	-0.8	-0.5	0	6	0.17	99.86	5.4
2023-11-14 02:00:00	0	0	0	0	295	7.07	11.09	6	0.764	99.89	-0.5	-0.5	0	6	0.17	99.87	5.4
2023-11-14 02:05:00	0	0	0	0	295	6.37	9.32	6	0.764	99.89	-0.1	-1	0	6	0.17	99.87	5.5
2023-11-14 02:10:00	0	0	0	0	298	6.27	9.16	5.9	0.758	99.9	-0.3	-0.7	0	5.9	0.17	99.88	5.5
2023-11-14 02:15:00	0	0	0	0	300	6.65	11.99	6	0.76	99.9	-0.5	-0.8	0	6	0.17	99.89	5.6
2023-11-14 02:20:00	0	0	0	0	302	6.74	10.25	6.1	0.762	99.91	-0.1	-0.5	0	6.1	0.18	99.89	5.6
2023-11-14 02:25:00	0	0	0	0	301	6.95	10.34	6.1	0.758	99.92	-0.5	-0.9	0	6.1	0.19	99.9	5.7
2023-11-14 02:30:00	0	0	0	0	297	6.32	9.46	6.2	0.76	99.93	-0.5	-0.8	0	6.2	0.19	99.91	5.8
2023-11-14 02:35:00	0	0	0	0	300	5.48	9.03	6.3	0.768	99.94	-0.3	-0.9	0	6.3	0.19	99.93	5.8
2023-11-14 02:40:00	0	0	0	0	302	5.76	8.79	6.2	0.762	99.95	-0.6	-0.6	0	6.2	0.19	99.93	5.8
2023-11-14 02:45:00	0	0	0	0	298	6.53	9.48	6.3	0.77	99.96	-0.6	-1	0	6.3	0.18	99.94	5.9
2023-11-14 02:50:00	0	0	0	0	295	6.02	9.66	6.3	0.774	99.97	-0.3	-0.8	0	6.3	0.18	99.95	5.9
2023-11-14 02:55:00	0	0	0	0	300	6.18	9.54	6.3	0.776	99.97	-0.4	-0.8	0	6.3	0.18	99.95	5.8
2023-11-14 03:00:00	0	0	0	0	294	5.73	7.94	6.3	0.782	99.98	-0.5	-0.8	0	6.3	0.17	99.96	5.8
2023-11-14 03:05:00	0	0	0	0	289	6.88	11.45	6.2	0.798	99.98	-0.4	-0.8	0	6.2	0.15	99.96	5.4
2023-11-14 03:10:00	0	0	0	0	298	6.26	10.54	5.9	0.792	99.99	-0.5	-1	0	5.9	0.14	99.97	5.2
2023-11-14 03:15:00	0	0	0	0	295	7.12	11.04	5.7	0.786	99.99	-1	-0.6	0	5.7	0.13	99.97	5.2
2023-11-14 03:20:00	0	0	0	0	296	6.73	10.61	5.6	0.776	99.99	-0.4	-0.8	0	5.6	0.13	99.98	5.1
2023-11-14 03:25:00	0	0	0	0	295	6.97	10.68	5.5	0.77	100	-0.1	-0.8	0	5.5	0.13	99.98	5.1
2023-11-14 03:30:00	0	0	0	0	300	6.46	10.31	5.3	0.764	100.01	-0.2	-0.8	0	5.3	0.13	99.99	5
2023-11-14 03:35:00	0	0	0	0	300	6.78	9.29	5.3	0.76	100.01	-0.5	-0.7	0	5.3	0.13	99.99	5
2023-11-14 03:40:00	0	0	0	0	295	6.45	9.31	5.2	0.76	100.01	-0.7	-0.5	0	5.2	0.12	100	4.9
2023-11-14 03:45:00	0	0	0	0	292	5.84	8.82	5.2	0.762	100.02	-0.3	-0.8	0	5.1	0.12	100	4.9
2023-11-14 03:50:00	0	0	0	0	298	6.07	8.94	5.1	0.772	100.02	-0.4	-0.6	0	5.1	0.11	100.01	4.9
2023-11-14 03:55:00	0	0	0	0	300	5.22	9.07	5.2	0.78	100.03	-0.5	-0.8	0	5.2	0.1	100.01	4.9
2023-11-14 04:00:00	0	0	0	0	301	5.5	7.8	5.2	0.784	100.03	-0.5	-0.6	0	5.2	0.1	100.01	5
2023-11-14 04:05:00	0	0	0	0	296	5.58	7.84	5.3	0.79	100.03	-0.4	-0.7	0	5.2	0.1	100.02	5
2023-11-14 04:10:00	0	0	0	0	296	5.47	7.99	5.2	0.794	100.04	-0.3	-0.8	0	5.2	0.09	100.02	5
2023-11-14 04:15:00	0	0	0	0	297	5.34	8.76	5.3	0.798	100.05	-0.3	-0.7	0	5.2	0.09	100.03	4.9
2023-11-14 04:20:00	0	0.017	0	0	299	5.94	8.71	5.2	0.802	100.05	-0.6	-0.7	1	5.2	0.08	100.04	4.7
2023-11-14 04:25:00	0	0.017	0	0	295	7.54	11.94	5.2	0.81	100.06	-0.4	-0.4	1	5.2	0.07	100.05	4.6
2023-11-14 04:30:00	0	0.017	0	0	296	6.84	12.53	5	0.806	100.06	-0.4	-0.7	1	5	0.07	100.05	4.5
2023-11-14 04:35:00	0	0	0	0	296	5.33	7.81	4.8	0.8	100.07	-0.8	-0.9	0	4.8	0.06	100.06	4.4
2023-11-14 04:40:00	0	0	0	0	305	5.56	9.47	4.7	0.798	100.08	-0.6	-0.3	0	4.7	0.06	100.06	4.4
2023-11-14 04:45:00	0	0.017	0	0	300	5.04	7.4	4.7	0.8	100.08	-0.3	-0.8	1	4.7	0.05	100.07	4.3
2023-11-14 04:50:00	0	0.017	0	0	304	4.56	6.7	4.7	0.802	100.08	-0.6	-0.8	1	4.7	0.05	100.07	4.3
2023-11-14 04:55:00	0	0.034	0	0	311	4.95	7.3	4.6	0.804	100.09	-0.6	-0.7	1	4.6	0.05	100.08	4.3
2023-11-14 05:00:00	0	0.085	0	0	304	5.21	7.24	4.6	0.81	100.11	-0.5	-0.8	1	4.6	0.04	100.1	4.3
2023-11-14 05:05:00	0	0.017	0	0	301	5.48	8.24	4.6	0.81	100.11	-0.5	-0.5	1	4.6	0.04	100.1	4.2
2023-11-14 05:10:00	0	0	0	0	299	5.52	9.11	4.6	0.808	100.12	-0.5	-0.8	0	4.6	0.04	100.1	4.2
2023-11-14 05:15:00	0	0	0	0	306	4.39	6.87	4.5	0.806	100.13	-0.6	-0.6	0	4.5	0.04	100.12	4.2
2023-11-14 05:20:00	0	0	0	0	302	4.93	7.26	4.5	0.804	100.13	-0.6	-0.8	0	4.5	0.04	100.12	4.1
2023-11-14 05:25:00	0	0	0	0	300	4.97	7.97	4.5	0.798	100.14	-0.5	-0.7	0	4.5	0.04	100.12	4.1
2023-11-14 05:30:00	0	0	0	0	304	5	6.55	4.4	0.796	100.14	-0.5	-0.8	0	4.4	0.04	100.13	4
2023-11-14 05:35:00	0	0	0	0	299	4.71	6.75	4.4	0.788	100.15	-0.4	-0.7	0	4.4	0.05	100.14	4
2023-11-14 05:40:00	0	0	0	0	302	4.05	7.03	4.5	0.788	100.15	-0.5	-0.6	0	4.5	0.05	100.14	4
2023-11-14 05:45:00	0	0	0	0	298	4.93	7.09	4.4	0.778	100.16	-0.7	-0.8	0	4.4	0.06	100.15	4
2023-11-14 05:50:00	0	0	0	0	299	4.32	5.96	4.4	0.768	100.17	-0.5	-0.6	0	4.4	0.07	100.16	4

z6-17454
Records: 2016

Timestamps

	Port1													Port8			
	ATMOS 41 All-in-one Weather Station														Barometer		
	W/m² Solar Radiation	Precip. (in)	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	kPa Reference Pressure	°F Logger Temp.
2023-11-14 05:55:00	0	0	0	0	298	4.16	6.49	4.4	0.768	100.18	-0.6	-0.4	0	4.4	0.07	100.17	4.1
2023-11-14 06:00:00	0	0	0	0	300	3.94	6.03	4.4	0.766	100.19	-0.5	-0.9	0	4.4	0.07	100.18	4.1
2023-11-14 06:05:00	0	0	0	0	302	4.35	6.29	4.4	0.764	100.2	-0.5	-0.6	0	4.4	0.07	100.19	4.1
2023-11-14 06:10:00	0	0	0	0	301	4.6	7.37	4.4	0.756	100.21	-0.3	-0.7	0	4.4	0.08	100.2	4.1
2023-11-14 06:15:00	0	0	0	0	303	4.37	6.89	4.4	0.754	100.22	-0.5	-0.6	0	4.5	0.08	100.21	4.1
2023-11-14 06:20:00	0	0	0	0	312	4.72	7.95	4.5	0.742	100.23	-0.5	-0.6	0	4.5	0.1	100.22	4.2
2023-11-14 06:25:00	0	0	0	0	303	4.34	5.93	4.5	0.734	100.23	-0.6	-0.8	0	4.6	0.11	100.23	4.2

Attachment 4

West Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/7/2023, 6:38:13 AM	0	2.714	55	83.6	
11/7/2023, 6:48:13 AM	0	2.714	54.7	84	
11/7/2023, 6:58:13 AM	0	2.714	54.5	84.2	
11/7/2023, 7:08:13 AM	0	2.714	54.1	84.5	
11/7/2023, 7:18:13 AM	0	2.714	54	85.3	
11/7/2023, 7:28:13 AM	0	2.714	54.1	86.3	0
11/7/2023, 7:38:13 AM	0	2.714	54.7	87.2	0
11/7/2023, 7:48:13 AM	0	2.714	55.4	87.8	0
11/7/2023, 7:58:13 AM	0	2.714	56.1	88.1	0
11/7/2023, 8:08:13 AM	0	2.714	56.7	88.1	0
11/7/2023, 8:18:13 AM	0	2.714	57	88	0
11/7/2023, 8:28:13 AM	0	2.714	57.6	87.8	0
11/7/2023, 8:38:13 AM	0	2.714	57.9	87.6	0
11/7/2023, 8:48:13 AM	0	2.714	58.3	87.4	0
11/7/2023, 8:58:13 AM	0	2.714	58.5	87.1	0
11/7/2023, 9:08:13 AM	0	2.714	58.6	86.7	0
11/7/2023, 9:18:13 AM	0	2.714	58.8	86.5	0
11/7/2023, 9:28:13 AM	0	2.714	59	86.2	0
11/7/2023, 9:38:13 AM	0	2.714	59.2	85.9	0
11/7/2023, 9:48:13 AM	0	2.714	59.4	85.6	0
11/7/2023, 9:58:13 AM	0	2.714	59.5	85.2	0
11/7/2023, 10:08:13 AM	0	2.714	59.5	84.9	0
11/7/2023, 10:18:13 AM	0	2.714	59.5	84.6	0
11/7/2023, 10:28:13 AM	0	2.714	59.7	84.3	0
11/7/2023, 10:38:13 AM	0	2.714	59.7	84	0
11/7/2023, 10:48:13 AM	0	2.714	59.7	83.7	0
11/7/2023, 10:58:13 AM	0	2.714	59.7	83.3	0
11/7/2023, 11:08:13 AM	0	2.714	59.5	82.9	0
11/7/2023, 11:18:13 AM	0	2.714	59	82.3	0
11/7/2023, 11:28:13 AM	0	2.714	58.3	82	0
11/7/2023, 11:38:13 AM	0	2.714	57.9	81.5	0
11/7/2023, 11:48:13 AM	0	2.714	57.6	80.9	0
11/7/2023, 11:58:13 AM	0	2.714	57.4	80.5	0
11/7/2023, 12:08:13 PM	0	2.714	57.4	80	0
11/7/2023, 12:18:13 PM	0	2.714	57.4	79.4	0
11/7/2023, 12:28:13 PM	0	2.714	57.4	78.9	0
11/7/2023, 12:38:13 PM	0	2.714	57.4	78.4	0
11/7/2023, 12:48:13 PM	0	2.714	57.6	78.1	0
11/7/2023, 12:58:13 PM	0	2.714	57.7	77.8	0
11/7/2023, 1:08:13 PM	0	2.714	57.7	77.5	0
11/7/2023, 1:18:13 PM	0	2.714	57.7	77	0
11/7/2023, 1:28:13 PM	0	2.714	57.6	76.5	0
11/7/2023, 1:38:13 PM	0	2.714	57.6	76	0
11/7/2023, 1:48:13 PM	0	2.714	57.4	75.5	0
11/7/2023, 1:58:13 PM	0	2.714	57.2	75.1	0
11/7/2023, 2:08:13 PM	0	2.714	57	74.9	0
11/7/2023, 2:18:13 PM	0	2.714	57	74.7	0
11/7/2023, 2:28:13 PM	0	2.714	56.8	74.3	0
11/7/2023, 2:38:13 PM	0	2.714	56.8	74.1	0
11/7/2023, 2:48:13 PM	0	2.714	56.8	73.9	0
11/7/2023, 2:58:13 PM	0	2.705	56.7	73.4	0
11/7/2023, 3:08:13 PM	0	2.714	56.3	72.9	0
11/7/2023, 3:18:13 PM	0	2.705	56.1	72.8	0
11/7/2023, 3:28:13 PM	0	2.705	55.9	73.1	0
11/7/2023, 3:38:13 PM	0	2.705	55.2	73.2	0
11/7/2023, 3:48:13 PM	0	2.705	54.7	73.7	0
11/7/2023, 3:58:13 PM	0	2.705	54	74.2	0
11/7/2023, 4:08:13 PM	0	2.705	53.4	74.6	0

West Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/7/2023, 4:18:13 PM	0	2.705	53.1	75.2	0
11/7/2023, 4:28:13 PM	0	2.705	52.7	75.5	0
11/7/2023, 4:38:13 PM	0	2.705	52.5	75.8	0
11/7/2023, 4:48:13 PM	0	2.705	52.2	76.2	0
11/7/2023, 4:58:13 PM	0	2.705	51.8	76.6	0
11/7/2023, 5:08:13 PM	0	2.705	51.4	77	0
11/7/2023, 5:18:13 PM	0	2.705	51.3	77.6	0
11/7/2023, 5:28:13 PM	0	2.696	50.7	78.3	0
11/7/2023, 5:38:13 PM	0	2.696	50.4	78.7	0
11/7/2023, 5:48:13 PM	0	2.696	49.8	78.9	0
11/7/2023, 5:58:13 PM	0	2.696	49.5	79.1	0
11/7/2023, 6:08:13 PM	0	2.696	49.3	79.2	0
11/7/2023, 6:18:13 PM	0	2.696	49.1	79.2	0
11/7/2023, 6:28:13 PM	0	2.696	48.9	79.2	0
11/7/2023, 6:38:13 PM	0	2.696	48.6	79.1	0
11/7/2023, 6:48:13 PM	0	2.696	48.4	79.1	0
11/7/2023, 6:58:13 PM	0	2.696	48.2	79.1	0
11/7/2023, 7:08:13 PM	0	2.696	48	79.3	0
11/7/2023, 7:18:13 PM	0	2.687	47.8	79.2	0
11/7/2023, 7:28:13 PM	0	2.687	47.8	79.2	0
11/7/2023, 7:38:13 PM	0	2.687	47.7	79	0
11/7/2023, 7:48:13 PM	0	2.687	47.5	78.9	0
11/7/2023, 7:58:13 PM	0	2.687	47.3	78.7	0
11/7/2023, 8:08:13 PM	0	2.687	47.1	78.5	0
11/7/2023, 8:18:13 PM	0	2.687	46.9	78.4	0
11/7/2023, 8:28:13 PM	0	2.687	46.6	78.4	0
11/7/2023, 8:38:13 PM	0	2.687	46.4	78.3	0
11/7/2023, 8:48:13 PM	0	2.687	46.2	78.1	0
11/7/2023, 8:58:13 PM	0	2.687	46	78.1	0
11/7/2023, 9:08:13 PM	0	2.687	45.7	77.9	0
11/7/2023, 9:18:13 PM	0	2.679	45.5	77.7	0
11/7/2023, 9:28:13 PM	0	2.679	45.3	77.6	0
11/7/2023, 9:38:13 PM	0	2.679	45.1	77.7	0
11/7/2023, 9:48:13 PM	0	2.679	45	77.7	0
11/7/2023, 9:58:13 PM	0	2.679	44.8	77.9	0
11/7/2023, 10:08:13 PM	0	2.679	44.6	78	0
11/7/2023, 10:18:13 PM	0	2.679	44.2	78	0
11/7/2023, 10:28:13 PM	0	2.679	44.1	78.1	0
11/7/2023, 10:38:13 PM	0	2.679	43.9	78.1	0
11/7/2023, 10:48:13 PM	0	2.679	43.5	78.1	0
11/7/2023, 10:58:13 PM	0	2.67	43.3	78.2	0
11/7/2023, 11:08:13 PM	0	2.67	43	78.2	0
11/7/2023, 11:18:13 PM	0	2.67	42.8	78.3	0
11/7/2023, 11:28:13 PM	0	2.67	42.6	78.4	0
11/7/2023, 11:38:13 PM	0	2.67	42.4	78.5	0
11/7/2023, 11:48:13 PM	0	2.67	42.3	78.5	0
11/7/2023, 11:58:13 PM	0	2.67	42.1	78.4	0
11/8/2023, 12:08:13 AM	0	2.67	41.9	78.4	0
11/8/2023, 12:18:13 AM	0	2.67	41.5	78.3	0
11/8/2023, 12:28:13 AM	0	2.67	41.4	78.2	0
11/8/2023, 12:38:13 AM	0	2.661	41.2	78.3	0
11/8/2023, 12:48:13 AM	0	2.661	40.8	78.2	0
11/8/2023, 12:58:13 AM	0	2.661	40.6	78.1	0
11/8/2023, 1:08:13 AM	0	2.661	40.6	78	0
11/8/2023, 1:18:13 AM	0	2.661	40.5	77.9	0
11/8/2023, 1:28:13 AM	0	2.661	40.3	77.9	0
11/8/2023, 1:38:13 AM	0	2.661	40.1	77.9	0
11/8/2023, 1:48:13 AM	0	2.661	39.9	78	0

West Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/8/2023, 1:58:13 AM	0	2.661	39.9	78.1	0
11/8/2023, 2:08:13 AM	0	2.661	39.7	78.1	0
11/8/2023, 2:18:13 AM	0	2.652	39.6	78.1	0
11/8/2023, 2:28:13 AM	0	2.652	39.6	78.2	0
11/8/2023, 2:38:13 AM	0	2.652	39.6	78.3	0
11/8/2023, 2:48:13 AM	0	2.652	39.4	78.5	0
11/8/2023, 2:58:13 AM	0	2.652	39.4	78.6	0
11/8/2023, 3:08:13 AM	0	2.652	39.4	78.5	0
11/8/2023, 3:18:13 AM	0	2.652	39.2	78.4	0
11/8/2023, 3:28:13 AM	0	2.652	39	78.3	0
11/8/2023, 3:38:13 AM	0	2.652	39	78.1	0
11/8/2023, 3:48:13 AM	0	2.652	38.8	78	0
11/8/2023, 3:58:13 AM	0	2.652	38.7	77.8	0
11/8/2023, 4:08:13 AM	0	2.652	38.5	77.5	0
11/8/2023, 4:18:13 AM	0	2.643	38.5	77.3	0
11/8/2023, 4:28:13 AM	0	2.643	38.3	77	0
11/8/2023, 4:38:13 AM	0	2.643	38.1	77	0
11/8/2023, 4:48:13 AM	0	2.643	38.1	76.8	0
11/8/2023, 4:58:13 AM	0	2.643	37.9	76.5	0
11/8/2023, 5:08:13 AM	0	2.643	37.9	76.4	0
11/8/2023, 5:18:13 AM	0	2.643	37.9	76.3	0
11/8/2023, 5:28:13 AM	0	2.643	37.8	76.2	0
11/8/2023, 5:38:13 AM	0	2.643	37.8	76	0
11/8/2023, 5:48:13 AM	0	2.643	37.6	76	0
11/8/2023, 5:58:13 AM	0	2.643	37.6	76.1	0
11/8/2023, 6:08:13 AM	0	2.635	37.4	76	0
11/8/2023, 6:18:13 AM	0	2.635	37.4	76	0
11/8/2023, 6:28:13 AM	0	2.635	37.4	76.1	0
11/8/2023, 6:38:13 AM	0	2.635	37.2	76.1	0
11/8/2023, 6:48:13 AM	0	2.635	37.2	75.8	0
11/8/2023, 6:58:13 AM	0	2.635	37.2	75.7	0
11/8/2023, 7:08:13 AM	0	2.635	37	75.6	0
11/8/2023, 7:18:13 AM	0	2.635	37	75.6	0
11/8/2023, 7:28:13 AM	0	2.635	36.9	75.6	0
11/8/2023, 7:38:13 AM	0	2.635	36.9	75.3	0
11/8/2023, 7:48:13 AM	0	2.635	36.9	75.1	0
11/8/2023, 7:58:13 AM	0	2.635	36.7	75.2	0
11/8/2023, 8:08:13 AM	0	2.635	36.7	75.3	0
11/8/2023, 8:18:13 AM	0	2.626	36.7	75.2	0
11/8/2023, 8:28:13 AM	0	2.626	36.5	75.2	0
11/8/2023, 8:38:13 AM	0	2.626	36.5	75.1	0
11/8/2023, 8:48:13 AM	0	2.626	36.3	75	0
11/8/2023, 8:58:13 AM	0	2.626	36.3	75.1	0
11/8/2023, 9:08:13 AM	0	2.626	36.3	75.2	0
11/8/2023, 9:18:13 AM	0	2.626	36.5	75.1	0
11/8/2023, 9:28:13 AM	0	2.626	36.5	75.1	0
11/8/2023, 9:38:13 AM	0	2.626	36.7	75	0
11/8/2023, 9:48:13 AM	0	2.626	36.9	74.8	0
11/8/2023, 9:58:13 AM	0	2.626	36.9	74.7	0
11/8/2023, 10:08:13 AM	0	2.626	37	74.7	0
11/8/2023, 10:18:13 AM	0	2.626	37.4	74.6	0
11/8/2023, 10:28:13 AM	0	2.626	37.8	74.5	0
11/8/2023, 10:38:13 AM	0	2.626	37.9	74.3	0
11/8/2023, 10:48:13 AM	0	2.626	38.3	74.1	0
11/8/2023, 10:58:13 AM	0	2.626	38.5	73.9	0
11/8/2023, 11:08:13 AM	0	2.626	38.7	73.7	0
11/8/2023, 11:18:13 AM	0	2.626	39	73.7	0
11/8/2023, 11:28:13 AM	0	2.626	39.4	73.4	0

West Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/8/2023, 11:38:13 AM	0	2.626	39.7	73.2	0
11/8/2023, 11:48:13 AM	0	2.626	40.3	72.9	0
11/8/2023, 11:58:13 AM	0	2.626	40.5	72.5	0
11/8/2023, 12:08:13 PM	0	2.626	40.6	72.3	0
11/8/2023, 12:18:13 PM	0	2.626	40.8	71.9	0
11/8/2023, 12:28:13 PM	0	2.626	40.8	71.7	0
11/8/2023, 12:38:13 PM	0	2.626	41	71.8	0
11/8/2023, 12:48:13 PM	0	2.626	41.2	71.8	0
11/8/2023, 12:58:13 PM	0	2.626	41.2	71.5	0
11/8/2023, 1:08:13 PM	0	2.626	41.2	71.4	0
11/8/2023, 1:18:13 PM	0	2.626	41.2	71.2	0
11/8/2023, 1:28:13 PM	0	2.626	41.2	71.1	0
11/8/2023, 1:38:13 PM	0	2.626	41.2	71.2	0
11/8/2023, 1:48:13 PM	0	2.626	41.4	71.1	0
11/8/2023, 1:58:13 PM	0	2.626	41.4	71	0
11/8/2023, 2:08:13 PM	0	2.626	41.4	71	0
11/8/2023, 2:18:13 PM	0	2.626	41.4	70.9	0
11/8/2023, 2:28:13 PM	0	2.626	41.5	70.7	0
11/8/2023, 2:38:13 PM	0	2.626	41.5	70.5	0
11/8/2023, 2:48:13 PM	0	2.626	41.5	70.3	0
11/8/2023, 2:58:13 PM	0	2.626	41.5	70.2	0
11/8/2023, 3:08:13 PM	0	2.626	41.5	70	0
11/8/2023, 3:18:13 PM	0	2.626	41.4	70	0
11/8/2023, 3:28:13 PM	0	2.626	41.4	70.1	0
11/8/2023, 3:38:13 PM	0	2.626	41.2	70.1	0
11/8/2023, 3:48:13 PM	0	2.626	41.2	70	0
11/8/2023, 3:58:13 PM	0	2.626	41	70.1	0
11/8/2023, 4:08:13 PM	0	2.617	40.8	70.3	0
11/8/2023, 4:18:13 PM	0	2.617	40.8	70.4	0
11/8/2023, 4:28:13 PM	0	2.617	40.6	70.4	0
11/8/2023, 4:38:13 PM	0	2.617	40.6	70.4	0
11/8/2023, 4:48:13 PM	0	2.617	40.6	70.6	0
11/8/2023, 4:58:13 PM	0	2.617	40.5	70.8	0
11/8/2023, 5:08:13 PM	0	2.617	40.5	70.9	0
11/8/2023, 5:18:13 PM	0	2.617	40.3	71	0
11/8/2023, 5:28:13 PM	0	2.617	40.3	71	0
11/8/2023, 5:38:13 PM	0	2.617	40.1	71.2	0
11/8/2023, 5:48:13 PM	0	2.617	40.1	71.3	0
11/8/2023, 5:58:13 PM	0	2.617	39.9	71.5	0
11/8/2023, 6:08:13 PM	0	2.617	39.9	71.7	0
11/8/2023, 6:18:13 PM	0	2.617	39.7	71.8	0
11/8/2023, 6:28:13 PM	0	2.617	39.7	72	0
11/8/2023, 6:38:13 PM	0	2.617	39.7	72.2	0
11/8/2023, 6:48:13 PM	0	2.617	39.6	72.4	0
11/8/2023, 6:58:13 PM	0	2.617	39.6	72.8	0
11/8/2023, 7:08:13 PM	0	2.617	39.4	73.1	0
11/8/2023, 7:18:13 PM	0	2.617	39.2	73.5	0
11/8/2023, 7:28:13 PM	0	2.617	39	73.7	0
11/8/2023, 7:38:13 PM	0	2.617	38.8	74.1	0
11/8/2023, 7:48:13 PM	0	2.608	38.8	74.9	0
11/8/2023, 7:58:13 PM	0	2.608	38.7	75.8	0
11/8/2023, 8:08:13 PM	0	2.608	38.3	76.7	0
11/8/2023, 8:18:13 PM	0	2.608	38.1	77.5	0
11/8/2023, 8:28:13 PM	0	2.608	37.9	78.2	0
11/8/2023, 8:38:13 PM	0	2.608	37.8	78.7	0
11/8/2023, 8:48:13 PM	0	2.608	37.8	79.3	0
11/8/2023, 8:58:13 PM	0	2.608	37.6	79.9	0
11/8/2023, 9:08:13 PM	0	2.608	37.6	80.5	0

West Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/8/2023, 9:18:13 PM	0	2.608	37.4	80.9	0
11/8/2023, 9:28:13 PM	0	2.608	37.4	81.4	0
11/8/2023, 9:38:13 PM	0	2.608	37.4	81.8	0
11/8/2023, 9:48:13 PM	0	2.6	37.2	82.1	0
11/8/2023, 9:58:13 PM	0	2.6	37	82.3	0
11/8/2023, 10:08:13 PM	0	2.6	36.9	82.7	0
11/8/2023, 10:18:13 PM	0	2.6	36.9	82.9	0
11/8/2023, 10:28:13 PM	0	2.6	36.7	83.3	0
11/8/2023, 10:38:13 PM	0	2.6	36.7	83.6	0
11/8/2023, 10:48:13 PM	0	2.6	36.5	84	0
11/8/2023, 10:58:13 PM	0	2.6	36.5	84.3	0
11/8/2023, 11:08:13 PM	0	2.6	36.5	84.6	0
11/8/2023, 11:18:13 PM	0	2.6	36.5	84.9	0
11/8/2023, 11:28:13 PM	0	2.6	36.3	85.3	0
11/8/2023, 11:38:13 PM	0	2.6	36.3	85.7	0
11/8/2023, 11:48:13 PM	0	2.6	36.3	86	0
11/8/2023, 11:58:13 PM	0	2.6	36.3	86.3	0
11/9/2023, 12:08:13 AM	0	2.6	36.5	86.7	0
11/9/2023, 12:18:13 AM	0	2.6	36.5	87	0
11/9/2023, 12:28:13 AM	0	2.6	36.7	87.4	0
11/9/2023, 12:38:13 AM	0	2.591	36.7	87.6	0
11/9/2023, 12:48:13 AM	0	2.591	36.9	87.9	0
11/9/2023, 12:58:13 AM	0	2.591	36.9	88.2	0
11/9/2023, 1:08:13 AM	0	2.591	37	88.4	0
11/9/2023, 1:18:13 AM	0	2.591	37	88.6	0
11/9/2023, 1:28:13 AM	0	2.591	37.2	88.7	0
11/9/2023, 1:38:13 AM	0	2.591	37.2	88.9	0
11/9/2023, 1:48:13 AM	0	2.591	37.4	89	0
11/9/2023, 1:58:13 AM	0	2.591	37.4	89.2	0
11/9/2023, 2:08:13 AM	0	2.591	37.6	89.4	0
11/9/2023, 2:18:13 AM	0	2.591	37.6	89.6	0
11/9/2023, 2:28:13 AM	0	2.591	37.6	89.7	0
11/9/2023, 2:38:13 AM	0	2.591	37.6	89.8	0
11/9/2023, 2:48:13 AM	0	2.591	37.6	89.9	0
11/9/2023, 2:58:13 AM	0	2.591	37.6	90	0
11/9/2023, 3:08:13 AM	0	2.591	37.8	90.2	0
11/9/2023, 3:18:13 AM	0	2.591	37.8	90.5	0
11/9/2023, 3:28:13 AM	0	2.591	37.9	90.6	0
11/9/2023, 3:38:13 AM	0	2.591	37.9	90.8	0
11/9/2023, 3:48:13 AM	0	2.591	38.1	90.9	0
11/9/2023, 3:58:13 AM	0	2.591	38.1	91.1	0
11/9/2023, 4:08:13 AM	0	2.591	38.1	91.2	0
11/9/2023, 4:18:13 AM	0	2.591	38.3	91.4	0
11/9/2023, 4:28:13 AM	0	2.591	38.3	91.5	0
11/9/2023, 4:38:13 AM	0	2.591	38.5	91.8	0
11/9/2023, 4:48:13 AM	0	2.591	38.7	91.9	0
11/9/2023, 4:58:13 AM	0	2.591	38.7	92.2	0
11/9/2023, 5:08:13 AM	0	2.591	39	92.4	0
11/9/2023, 5:18:13 AM	0	2.591	39.2	92.6	0
11/9/2023, 5:28:13 AM	0	2.591	39.4	92.9	0
11/9/2023, 5:38:13 AM	0	2.591	39.7	93.1	0
11/9/2023, 5:48:13 AM	0	2.591	39.9	93.3	0
11/9/2023, 5:58:13 AM	0	2.591	40.3	93.5	0
11/9/2023, 6:08:13 AM	0	2.591	40.5	93.8	0
11/9/2023, 6:18:13 AM	0	2.591	40.8	94	0
11/9/2023, 6:28:13 AM	0	2.591	41.2	94.2	0
11/9/2023, 6:38:13 AM	0	2.591	41.4	94.5	0
11/9/2023, 6:48:13 AM	0	2.591	41.7	94.7	0

West Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/9/2023, 6:58:13 AM	0	2.591	42.1	94.9	0
11/9/2023, 7:08:13 AM	0	2.591	42.4	95.1	0
11/9/2023, 7:18:13 AM	0	2.591	42.6	95.2	0
11/9/2023, 7:28:13 AM	0	2.6	43	95.4	0
11/9/2023, 7:38:13 AM	0	2.6	43.2	95.6	0
11/9/2023, 7:48:13 AM	0	2.6	43.3	95.6	0
11/9/2023, 7:58:13 AM	0	2.6	43.5	95.7	0
11/9/2023, 8:08:13 AM	0	2.6	43.9	95.9	0
11/9/2023, 8:18:13 AM	0	2.6	44.1	95.9	0
11/9/2023, 8:28:13 AM	0	2.6	44.2	96	0
11/9/2023, 8:38:13 AM	0	2.6	44.6	96.3	0
11/9/2023, 8:48:13 AM	0	2.6	45.7	96.9	0
11/9/2023, 8:58:13 AM	0	2.6	46.6	97.5	0
11/9/2023, 9:08:13 AM	0	2.6	47.5	97.8	0
11/9/2023, 9:18:13 AM	0	2.6	48.2	98.1	0
11/9/2023, 9:28:13 AM	0	2.608	48.7	98.3	0
11/9/2023, 9:38:13 AM	0	2.608	49.1	98.6	0
11/9/2023, 9:48:13 AM	0	2.608	49.5	98.7	0
11/9/2023, 9:58:13 AM	0	2.608	49.8	98.7	0
11/9/2023, 10:08:13 AM	0	2.608	50.2	98.5	0
11/9/2023, 10:18:13 AM	0	2.608	50.7	98.2	0
11/9/2023, 10:28:13 AM	0	2.608	50.9	97.8	0
11/9/2023, 10:38:13 AM	0	2.608	51.1	97.2	0
11/9/2023, 10:48:13 AM	0	2.608	51.1	96.5	0
11/9/2023, 10:58:13 AM	0	2.608	50.9	95.8	0
11/9/2023, 11:08:13 AM	0	2.617	50.7	95.2	0
11/9/2023, 11:18:13 AM	0	2.617	50.5	94.6	0
11/9/2023, 11:28:13 AM	0	2.617	50.4	94.1	0
11/9/2023, 11:38:13 AM	0	2.617	50.2	93.6	0
11/9/2023, 11:48:13 AM	0	2.617	50	93.1	0
11/9/2023, 11:58:13 AM	0	2.617	49.8	92.6	0
11/9/2023, 12:08:13 PM	0	2.617	49.5	92.2	0
11/9/2023, 12:18:13 PM	0	2.617	49.1	91.8	0
11/9/2023, 12:28:13 PM	0	2.617	48.9	91.3	0
11/9/2023, 12:38:13 PM	0	2.617	48.6	91	0
11/9/2023, 12:48:13 PM	0	2.617	48.6	90.9	0
11/9/2023, 12:58:13 PM	0	2.617	48.6	90.7	0
11/9/2023, 1:08:13 PM	0	2.617	48.6	90.6	0
11/9/2023, 1:18:13 PM	0	2.617	48.6	90.5	0
11/9/2023, 1:28:13 PM	0	2.617	48.6	90.4	0
11/9/2023, 1:38:13 PM	0	2.617	48.6	90.3	0
11/9/2023, 1:48:13 PM	0	2.617	48.7	90.1	0
11/9/2023, 1:58:13 PM	0	2.617	48.7	90	0
11/9/2023, 2:08:13 PM	0	2.617	48.9	89.9	0
11/9/2023, 2:18:13 PM	0	2.617	49.1	89.8	0
11/9/2023, 2:28:13 PM	0	2.617	49.1	89.7	0
11/9/2023, 2:38:13 PM	0	2.617	49.3	89.5	0
11/9/2023, 2:48:13 PM	0	2.617	49.5	89.2	0
11/9/2023, 2:58:13 PM	0	2.617	49.5	89.1	0
11/9/2023, 3:08:13 PM	0	2.617	49.3	89.2	0
11/9/2023, 3:18:13 PM	0	2.617	49.3	89.2	0
11/9/2023, 3:28:13 PM	0	2.617	49.3	89	0
11/9/2023, 3:38:13 PM	0	2.617	49.3	88.9	0
11/9/2023, 3:48:13 PM	0	2.617	49.3	88.8	0
11/9/2023, 3:58:13 PM	0	2.608	49.5	88.6	0
11/9/2023, 4:08:13 PM	0	2.617	49.5	88.5	0
11/9/2023, 4:18:13 PM	0	2.617	49.5	88.4	0
11/9/2023, 4:28:13 PM	0	2.617	49.6	88.2	0

West Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/9/2023, 4:38:13 PM	0	2.617	49.8	88	0
11/9/2023, 4:48:13 PM	0	2.617	50	87.6	0
11/9/2023, 4:58:13 PM	0	2.617	50.2	87.1	0
11/9/2023, 5:08:13 PM	0	2.617	50	86.7	0
11/9/2023, 5:18:13 PM	0	2.617	50	86.3	0
11/9/2023, 5:28:13 PM	0	2.617	49.8	85.8	0
11/9/2023, 5:38:13 PM	0	2.617	49.5	85.6	0
11/9/2023, 5:48:13 PM	0	2.617	49.3	85.4	0
11/9/2023, 5:58:13 PM	0	2.617	48.9	85.3	0
11/9/2023, 6:08:13 PM	0	2.617	48.4	85.1	0
11/9/2023, 6:18:13 PM	0	2.608	48	85.1	0
11/9/2023, 6:28:13 PM	0	2.608	47.7	85	0
11/9/2023, 6:38:13 PM	0	2.608	47.3	85	0
11/9/2023, 6:48:13 PM	0	2.608	46.9	85	0
11/9/2023, 6:58:13 PM	0	2.608	46.6	84.9	0
11/9/2023, 7:08:13 PM	0	2.608	46.4	84.9	0
11/9/2023, 7:18:13 PM	0	2.608	46	85	0
11/9/2023, 7:28:13 PM	0	2.608	45.7	85.1	0
11/9/2023, 7:38:13 PM	0	2.608	45.3	85.1	0
11/9/2023, 7:48:13 PM	0	2.608	45	85.3	0
11/9/2023, 7:58:13 PM	0	2.608	44.8	85.5	0
11/9/2023, 8:08:13 PM	0	2.608	44.4	85.6	0
11/9/2023, 8:18:13 PM	0	2.608	44.1	85.7	0
11/9/2023, 8:28:13 PM	0	2.6	43.5	85.9	0
11/9/2023, 8:38:13 PM	0	2.6	43.2	86.1	0
11/9/2023, 8:48:13 PM	0	2.6	42.8	86.2	0
11/9/2023, 8:58:13 PM	0	2.6	42.4	86.5	0
11/9/2023, 9:08:13 PM	0	2.6	42.3	86.8	0
11/9/2023, 9:18:13 PM	0	2.6	42.1	87.2	0
11/9/2023, 9:28:13 PM	0	2.6	41.9	87.5	0
11/9/2023, 9:38:13 PM	0	2.6	41.7	87.7	0
11/9/2023, 9:48:13 PM	0	2.6	41.5	87.8	0
11/9/2023, 9:58:13 PM	0	2.6	41.2	87.9	0
11/9/2023, 10:08:13 PM	0	2.591	41	88	0
11/9/2023, 10:18:13 PM	0	2.591	40.6	88.3	0
11/9/2023, 10:28:13 PM	0	2.591	40.5	88.6	0
11/9/2023, 10:38:13 PM	0	2.591	40.5	89	0
11/9/2023, 10:48:13 PM	0	2.591	40.6	89.5	0
11/9/2023, 10:58:13 PM	0	2.591	40.8	90.1	0
11/9/2023, 11:08:13 PM	0	2.591	41.2	90.4	0
11/9/2023, 11:18:13 PM	0	2.591	41.5	90.7	0
11/9/2023, 11:28:13 PM	0	2.591	41.7	90.8	0
11/9/2023, 11:38:13 PM	0	2.591	42.1	90.9	0
11/9/2023, 11:48:13 PM	0	2.591	42.4	90.8	0
11/9/2023, 11:58:13 PM	0	2.591	42.8	90.7	0
11/10/2023, 12:08:13 AM	0	2.591	43.2	90.5	0
11/10/2023, 12:18:13 AM	0	2.591	43.3	90.1	0
11/10/2023, 12:28:13 AM	0	2.591	43.5	89.8	0
11/10/2023, 12:38:13 AM	0	2.591	43.7	89.5	0
11/10/2023, 12:48:13 AM	0	2.591	43.7	89.2	0
11/10/2023, 12:58:13 AM	0	2.591	43.5	89.1	0
11/10/2023, 1:08:13 AM	0	2.591	43.3	88.9	0
11/10/2023, 1:18:13 AM	0	2.591	43.3	88.6	0
11/10/2023, 1:28:13 AM	0	2.591	43.3	88.3	0
11/10/2023, 1:38:13 AM	0	2.591	43.3	88.1	0
11/10/2023, 1:48:13 AM	0	2.591	43.2	87.8	0
11/10/2023, 1:58:13 AM	0	2.591	43	87.7	0
11/10/2023, 2:08:13 AM	0	2.591	42.6	87.3	0

West Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/10/2023, 2:18:13 AM	0	2.591	42.6	87.1	0
11/10/2023, 2:28:13 AM	0	2.591	42.4	86.8	0
11/10/2023, 2:38:13 AM	0	2.591	42.3	86.7	0
11/10/2023, 2:48:13 AM	0	2.591	42.1	86.6	0
11/10/2023, 2:58:13 AM	0	2.582	41.7	86.4	0
11/10/2023, 3:08:13 AM	0	2.582	41.5	86.1	0
11/10/2023, 3:18:13 AM	0	2.582	41.2	85.8	0
11/10/2023, 3:28:13 AM	0	2.582	41.2	85.2	0
11/10/2023, 3:38:13 AM	0	2.582	41.4	84.8	0
11/10/2023, 3:48:13 AM	0	2.582	41.4	84.4	0
11/10/2023, 3:58:13 AM	0	2.582	41.4	84.3	0
11/10/2023, 4:08:13 AM	0	2.582	41.2	83.8	0
11/10/2023, 4:18:13 AM	0	2.582	41	83.7	0
11/10/2023, 4:28:13 AM	0	2.582	41	83.8	0
11/10/2023, 4:38:13 AM	0	2.582	40.8	83.9	0
11/10/2023, 4:48:13 AM	0	2.582	40.5	84.1	0
11/10/2023, 4:58:13 AM	0	2.582	40.1	84.3	0
11/10/2023, 5:08:13 AM	0	2.582	39.7	84.4	0
11/10/2023, 5:18:13 AM	0	2.573	39.4	84.7	0
11/10/2023, 5:28:13 AM	0	2.573	39.2	84.9	0
11/10/2023, 5:38:13 AM	0	2.573	38.8	85.1	0
11/10/2023, 5:48:13 AM	0	2.573	38.7	85.5	0
11/10/2023, 5:58:13 AM	0	2.573	38.7	85.8	0
11/10/2023, 6:08:13 AM	0	2.573	38.7	86	0
11/10/2023, 6:18:13 AM	0	2.573	38.7	86.2	0
11/10/2023, 6:28:13 AM	0	2.573	38.5	86.4	0
11/10/2023, 6:38:13 AM	0	2.573	38.5	86.5	0
11/10/2023, 6:48:13 AM	0	2.573	38.7	86.4	0
11/10/2023, 6:58:13 AM	0	2.573	39	86.1	0
11/10/2023, 7:08:13 AM	0	2.573	39.4	85.7	0
11/10/2023, 7:18:13 AM	0	2.573	39.7	85.7	0
11/10/2023, 7:28:13 AM	0	2.573	40.1	85.7	0
11/10/2023, 7:38:13 AM	0	2.573	40.1	85.7	0
11/10/2023, 7:48:13 AM	0	2.573	40.1	85.9	0
11/10/2023, 7:58:13 AM	0	2.573	39.9	85.8	0
11/10/2023, 8:08:13 AM	0	2.573	39.9	85.9	0
11/10/2023, 8:18:13 AM	0	2.564	39.9	86	0
11/10/2023, 8:28:13 AM	0	2.564	39.9	86	0
11/10/2023, 8:38:13 AM	0	2.564	40.1	86.1	0
11/10/2023, 8:48:13 AM	0	2.564	40.1	86	0
11/10/2023, 8:58:13 AM	0	2.564	40.3	86.3	0
11/10/2023, 9:08:13 AM	0	2.564	40.6	86.3	0
11/10/2023, 9:18:13 AM	0	2.564	40.8	86.1	0
11/10/2023, 9:28:13 AM	0	2.564	41.2	86.1	0
11/10/2023, 9:38:13 AM	0	2.573	41.7	85.9	0
11/10/2023, 9:48:13 AM	0	2.573	42.3	85.8	0
11/10/2023, 9:58:13 AM	0	2.573	43	85.2	0
11/10/2023, 10:08:13 AM	0	2.573	43.7	84.7	0
11/10/2023, 10:18:13 AM	0	2.573	44.4	83.9	0
11/10/2023, 10:28:13 AM	0	2.573	45	83.3	0
11/10/2023, 10:38:13 AM	0	2.573	45.5	82.7	0
11/10/2023, 10:48:13 AM	0	2.573	46.2	82.2	0
11/10/2023, 10:58:13 AM	0	2.573	46.8	81.6	0
11/10/2023, 11:08:13 AM	0	2.573	47.8	80.9	0
11/10/2023, 11:18:13 AM	0	2.573	48.6	80	0
11/10/2023, 11:28:13 AM	0	2.582	49.3	79	0
11/10/2023, 11:38:13 AM	0	2.582	49.8	78.3	0
11/10/2023, 11:48:13 AM	0	2.582	50.5	77.4	0

West Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/10/2023, 11:58:13 AM	0	2.582	51.1	76.8	0
11/10/2023, 12:08:13 PM	0	2.582	51.4	76	0
11/10/2023, 12:18:13 PM	0	2.582	51.8	74.8	0
11/10/2023, 12:28:13 PM	0	2.582	52	74.2	0
11/10/2023, 12:38:13 PM	0	2.591	52.3	73.7	0
11/10/2023, 12:48:13 PM	0	2.591	52.5	72.5	0
11/10/2023, 12:58:13 PM	0	2.591	52.5	71.5	0
11/10/2023, 1:08:13 PM	0	2.591	52.7	70.8	0
11/10/2023, 1:18:13 PM	0	2.591	52.7	70.3	0
11/10/2023, 1:28:13 PM	0	2.591	52.9	70	0
11/10/2023, 1:38:13 PM	0	2.591	53.1	69.2	0
11/10/2023, 1:48:13 PM	0	2.591	53.1	69.1	0
11/10/2023, 1:58:13 PM	0	2.591	53.2	68.5	0
11/10/2023, 2:08:13 PM	0	2.591	53.4	68.1	0
11/10/2023, 2:18:13 PM	0	2.591	53.4	68.1	0
11/10/2023, 2:28:13 PM	0	2.591	53.4	67.9	0
11/10/2023, 2:38:13 PM	0	2.591	53.2	67.6	0
11/10/2023, 2:48:13 PM	0	2.6	53.1	67.4	0
11/10/2023, 2:58:13 PM	0	2.6	52.9	67.4	0
11/10/2023, 3:08:13 PM	0	2.6	52.7	67.4	0
11/10/2023, 3:18:13 PM	0	2.6	52.7	67.5	0
11/10/2023, 3:28:13 PM	0	2.6	52.5	67.4	0
11/10/2023, 3:38:13 PM	0	2.6	52.5	66.9	0
11/10/2023, 3:48:13 PM	0	2.6	52.3	66.7	0
11/10/2023, 3:58:13 PM	0	2.6	52.2	66.6	0
11/10/2023, 4:08:13 PM	0	2.6	52	66.4	0
11/10/2023, 4:18:13 PM	0	2.6	51.8	66.4	0
11/10/2023, 4:28:13 PM	0	2.6	51.4	66.4	0
11/10/2023, 4:38:13 PM	0	2.6	51.3	66.9	0
11/10/2023, 4:48:13 PM	0	2.6	51.3	66.9	0
11/10/2023, 4:58:13 PM	0	2.6	51.1	67.1	0
11/10/2023, 5:08:13 PM	0	2.6	50.9	67.7	0
11/10/2023, 5:18:13 PM	0	2.6	50.5	67.7	0
11/10/2023, 5:28:13 PM	0	2.591	50.2	68.8	0
11/10/2023, 5:38:13 PM	0	2.591	49.8	69.5	0
11/10/2023, 5:48:13 PM	0	2.591	49.1	69.9	0
11/10/2023, 5:58:13 PM	0	2.591	48.4	70.3	0
11/10/2023, 6:08:13 PM	0	2.591	47.7	70.9	0
11/10/2023, 6:18:13 PM	0	2.591	46.9	71.6	0
11/10/2023, 6:28:13 PM	0	2.591	46.2	72.5	0
11/10/2023, 6:38:13 PM	0	2.591	45.3	73.1	0
11/10/2023, 6:48:13 PM	0	2.591	44.8	74	0
11/10/2023, 6:58:13 PM	0	2.591	44.2	74.9	0
11/10/2023, 7:08:13 PM	0	2.582	43.7	75.7	0
11/10/2023, 7:18:13 PM	0	2.582	43.3	76.6	0
11/10/2023, 7:28:13 PM	0	2.582	43	77.1	0
11/10/2023, 7:38:13 PM	0	2.582	42.6	77.5	0
11/10/2023, 7:48:13 PM	0	2.582	42.1	77.9	0
11/10/2023, 7:58:13 PM	0	2.582	41.7	78.4	0
11/10/2023, 8:08:13 PM	0	2.582	41.2	78.8	0
11/10/2023, 8:18:13 PM	0	2.573	40.8	79.1	0
11/10/2023, 8:28:13 PM	0	2.573	40.3	79.4	0
11/10/2023, 8:38:13 PM	0	2.573	39.7	79.7	0
11/10/2023, 8:48:13 PM	0	2.573	39.4	79.9	0
11/10/2023, 8:58:13 PM	0	2.573	38.8	80.1	0
11/10/2023, 9:08:13 PM	0	2.573	38.5	80.4	0
11/10/2023, 9:18:13 PM	0	2.564	37.9	80.7	0
11/10/2023, 9:28:13 PM	0	2.564	37.6	81.2	0

West Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/10/2023, 9:38:13 PM	0	2.564	37.4	81.5	0
11/10/2023, 9:48:13 PM	0	2.564	37	81.9	0
11/10/2023, 9:58:13 PM	0	2.564	36.7	82.2	0
11/10/2023, 10:08:13 PM	0	2.564	36.5	82.6	0
11/10/2023, 10:18:13 PM	0	2.556	36.5	83.2	0
11/10/2023, 10:28:13 PM	0	2.556	36.7	83.9	0
11/10/2023, 10:38:13 PM	0	2.556	36.9	84.6	0
11/10/2023, 10:48:13 PM	0	2.556	37	85.2	0
11/10/2023, 10:58:13 PM	0	2.556	37.4	85.7	0
11/10/2023, 11:08:13 PM	0	2.556	37.6	86.2	0
11/10/2023, 11:18:13 PM	0	2.556	37.9	86.5	0
11/10/2023, 11:28:13 PM	0	2.556	38.1	86.9	0
11/10/2023, 11:38:13 PM	0	2.556	38.3	87.2	0
11/10/2023, 11:48:13 PM	0	2.556	38.5	87.6	0
11/10/2023, 11:58:13 PM	0	2.556	38.7	87.8	0
11/11/2023, 12:08:13 AM	0	2.556	38.8	88	0
11/11/2023, 12:18:13 AM	0	2.556	39	88.1	0
11/11/2023, 12:28:13 AM	0	2.556	39.2	88.4	0
11/11/2023, 12:38:13 AM	0	2.556	39.4	88.6	0
11/11/2023, 12:48:13 AM	0	2.556	39.6	88.6	0
11/11/2023, 12:58:13 AM	0	2.556	39.6	88.7	0
11/11/2023, 1:08:13 AM	0	2.556	39.7	88.8	0
11/11/2023, 1:18:13 AM	0	2.556	39.7	88.8	0
11/11/2023, 1:28:13 AM	0	2.556	39.7	88.6	0
11/11/2023, 1:38:13 AM	0	2.556	39.7	88.5	0
11/11/2023, 1:48:13 AM	0	2.556	39.7	88.3	0
11/11/2023, 1:58:13 AM	0	2.556	39.6	88.1	0
11/11/2023, 2:08:13 AM	0	2.556	39.4	88	0
11/11/2023, 2:18:13 AM	0	2.556	39.2	87.9	0
11/11/2023, 2:28:13 AM	0	2.556	39.2	87.9	0
11/11/2023, 2:38:13 AM	0	2.556	39.2	88.1	0
11/11/2023, 2:48:13 AM	0	2.547	39.4	88.4	0
11/11/2023, 2:58:13 AM	0	2.547	39.4	88.8	0
11/11/2023, 3:08:13 AM	0	2.547	39.6	89	0
11/11/2023, 3:18:13 AM	0	2.547	39.7	88.9	0
11/11/2023, 3:28:13 AM	0	2.547	40.1	88.9	0
11/11/2023, 3:38:13 AM	0	2.547	40.3	88.9	0
11/11/2023, 3:48:13 AM	0	2.547	40.5	88.7	0
11/11/2023, 3:58:13 AM	0	2.547	40.8	88.5	0
11/11/2023, 4:08:13 AM	0	2.556	41	88.4	0
11/11/2023, 4:18:13 AM	0	2.556	41.2	88.4	0
11/11/2023, 4:28:13 AM	0	2.547	41.4	88.6	0
11/11/2023, 4:38:13 AM	0	2.556	41.4	88.9	0
11/11/2023, 4:48:13 AM	0	2.556	41.4	89.1	0
11/11/2023, 4:58:13 AM	0	2.556	41.5	89.4	0
11/11/2023, 5:08:13 AM	0	2.556	41.5	89.6	0
11/11/2023, 5:18:13 AM	0	2.556	41.5	89.6	0
11/11/2023, 5:28:13 AM	0	2.556	41.4	89.8	0
11/11/2023, 5:38:13 AM	0	2.547	41.4	89.9	0
11/11/2023, 5:48:13 AM	0	2.556	41.5	90	0
11/11/2023, 5:58:13 AM	0	2.556	41.5	90.2	0
11/11/2023, 6:08:13 AM	0	2.556	41.5	90.4	0
11/11/2023, 6:18:13 AM	0	2.547	41.5	90.4	0
11/11/2023, 6:28:13 AM	0	2.547	41.5	90.4	0
11/11/2023, 6:38:13 AM	0	2.547	41.5	90.3	0
11/11/2023, 6:48:13 AM	0	2.547	41.5	90.2	0
11/11/2023, 6:58:13 AM	0	2.547	41.4	90.1	0
11/11/2023, 7:08:13 AM	0	2.547	41.4	89.6	0

West Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/11/2023, 7:18:13 AM	0	2.547	41.4	89.3	0
11/11/2023, 7:28:13 AM	0	2.547	41.4	89.1	0
11/11/2023, 7:38:13 AM	0	2.547	41.4	88.5	0
11/11/2023, 7:48:13 AM	0	2.547	41.2	87.9	0
11/11/2023, 7:58:13 AM	0	2.547	41.2	87.3	0
11/11/2023, 8:08:13 AM	0	2.547	41.2	87	0
11/11/2023, 8:18:13 AM	0	2.547	41.2	86.7	0
11/11/2023, 8:28:13 AM	0	2.547	41.2	86.7	0
11/11/2023, 8:38:13 AM	0	2.547	41.2	86.6	0
11/11/2023, 8:48:13 AM	0	2.547	41.2	86.5	0
11/11/2023, 8:58:13 AM	0	2.547	41.2	86.6	0
11/11/2023, 9:08:13 AM	0	2.547	41.2	86.7	0
11/11/2023, 9:18:13 AM	0	2.547	41.4	86.4	0
11/11/2023, 9:28:13 AM	0	2.547	41.4	86.2	0
11/11/2023, 9:38:13 AM	0	2.547	41.5	86.2	0
11/11/2023, 9:48:13 AM	0	2.547	41.5	86	0
11/11/2023, 9:58:13 AM	0	2.547	41.7	85.7	0
11/11/2023, 10:08:13 AM	0	2.547	41.9	85.5	0
11/11/2023, 10:18:13 AM	0	2.547	42.3	85.3	0
11/11/2023, 10:28:13 AM	0	2.547	42.6	85	0
11/11/2023, 10:38:13 AM	0	2.547	42.8	84.5	0
11/11/2023, 10:48:13 AM	0	2.547	43	84.1	0
11/11/2023, 10:58:13 AM	0	2.547	43.5	83.8	0
11/11/2023, 11:08:13 AM	0	2.547	43.9	83	0
11/11/2023, 11:18:13 AM	0	2.547	44.2	82.2	0
11/11/2023, 11:28:13 AM	0	2.547	44.2	81.2	0
11/11/2023, 11:38:13 AM	0	2.547	44.4	80.7	0
11/11/2023, 11:48:13 AM	0	2.547	44.6	80.1	0
11/11/2023, 11:58:13 AM	0	2.547	44.8	79.5	0
11/11/2023, 12:08:13 PM	0	2.547	44.8	78.8	0
11/11/2023, 12:18:13 PM	0	2.547	45	78.1	0
11/11/2023, 12:28:13 PM	0	2.547	45.1	77.8	0
11/11/2023, 12:38:13 PM	0	2.547	45.3	77.3	0
11/11/2023, 12:48:13 PM	0	2.556	45.5	76.9	0
11/11/2023, 12:58:13 PM	0	2.556	45.7	76.6	0
11/11/2023, 1:08:13 PM	0	2.556	46	76.7	0
11/11/2023, 1:18:13 PM	0	2.556	45.9	76.8	0
11/11/2023, 1:28:13 PM	0	2.556	45.7	76.8	0
11/11/2023, 1:38:13 PM	0	2.556	45.7	77.1	0
11/11/2023, 1:48:13 PM	0	2.556	45.9	77	0
11/11/2023, 1:58:13 PM	0	2.556	46.2	76.5	0
11/11/2023, 2:08:13 PM	0	2.556	46.4	76	0
11/11/2023, 2:18:13 PM	0	2.556	46	75.5	0
11/11/2023, 2:28:13 PM	0	2.556	45.7	75.1	0
11/11/2023, 2:38:13 PM	0	2.556	45.3	74.9	0
11/11/2023, 2:48:13 PM	0	2.556	45	74.6	0
11/11/2023, 2:58:13 PM	0	2.556	44.8	74.7	0
11/11/2023, 3:08:13 PM	0	2.556	44.4	75	0
11/11/2023, 3:18:13 PM	0	2.556	44.2	75.2	0
11/11/2023, 3:28:13 PM	0	2.547	44.1	75.4	0
11/11/2023, 3:38:13 PM	0	2.547	43.9	75.6	0
11/11/2023, 3:48:13 PM	0	2.547	43.7	75.6	0
11/11/2023, 3:58:13 PM	0	2.547	43.5	75.8	0
11/11/2023, 4:08:13 PM	0	2.547	43.2	76.1	0
11/11/2023, 4:18:13 PM	0	2.547	42.8	76.5	0
11/11/2023, 4:28:13 PM	0	2.547	42.4	76.8	0
11/11/2023, 4:38:13 PM	0	2.547	42.3	77.3	0
11/11/2023, 4:48:13 PM	0	2.547	41.9	77.8	0

West Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/11/2023, 4:58:13 PM	0	2.547	41.7	78.3	0
11/11/2023, 5:08:13 PM	0	2.547	41.5	78.7	0
11/11/2023, 5:18:13 PM	0	2.547	41.2	79.1	0
11/11/2023, 5:28:13 PM	0	2.547	41	79.4	0
11/11/2023, 5:38:13 PM	0	2.538	40.6	79.7	0
11/11/2023, 5:48:13 PM	0	2.538	40.5	80.1	0
11/11/2023, 5:58:13 PM	0	2.538	40.3	80.4	0
11/11/2023, 6:08:13 PM	0	2.538	40.1	80.7	0
11/11/2023, 6:18:13 PM	0	2.538	39.9	81	0
11/11/2023, 6:28:13 PM	0	2.538	39.7	81.3	0
11/11/2023, 6:38:13 PM	0	2.538	39.7	81.6	0
11/11/2023, 6:48:13 PM	0	2.538	39.6	82	0
11/11/2023, 6:58:13 PM	0	2.538	39.4	82.3	0
11/11/2023, 7:08:13 PM	0	2.538	39.4	82.6	0
11/11/2023, 7:18:13 PM	0	2.538	39.4	83	0
11/11/2023, 7:28:13 PM	0	2.538	39.2	83.2	0
11/11/2023, 7:38:13 PM	0	2.529	39	83.5	0
11/11/2023, 7:48:13 PM	0	2.529	39	83.7	0
11/11/2023, 7:58:13 PM	0	2.529	38.8	83.9	0
11/11/2023, 8:08:13 PM	0	2.529	38.8	84.2	0
11/11/2023, 8:18:13 PM	0	2.529	38.7	84.3	0
11/11/2023, 8:28:13 PM	0	2.529	38.5	84.6	0
11/11/2023, 8:38:13 PM	0	2.529	38.5	84.8	0
11/11/2023, 8:48:13 PM	0	2.529	38.3	85.1	0
11/11/2023, 8:58:13 PM	0	2.529	38.3	85.3	0
11/11/2023, 9:08:13 PM	0	2.529	38.3	85.5	0
11/11/2023, 9:18:13 PM	0	2.529	38.3	85.7	0
11/11/2023, 9:28:13 PM	0	2.529	38.3	85.9	0
11/11/2023, 9:38:13 PM	0	2.529	38.5	85.9	0
11/11/2023, 9:48:13 PM	0	2.529	38.5	86	0
11/11/2023, 9:58:13 PM	0	2.529	38.5	86.2	0
11/11/2023, 10:08:13 PM	0	2.529	38.5	86.3	0
11/11/2023, 10:18:13 PM	0	2.529	38.5	86.4	0
11/11/2023, 10:28:13 PM	0	2.529	38.7	86.6	0
11/11/2023, 10:38:13 PM	0	2.529	38.7	86.6	0
11/11/2023, 10:48:13 PM	0	2.529	38.5	86.6	0
11/11/2023, 10:58:13 PM	0	2.529	38.5	86.7	0
11/11/2023, 11:08:13 PM	0	2.529	38.5	86.7	0
11/11/2023, 11:18:13 PM	0	2.529	38.5	86.9	0
11/11/2023, 11:28:13 PM	0	2.521	38.3	87	0
11/11/2023, 11:38:13 PM	0	2.521	38.3	87.2	0
11/11/2023, 11:48:13 PM	0	2.521	38.1	87.4	0
11/11/2023, 11:58:13 PM	0	2.521	38.1	87.6	0
11/12/2023, 12:08:13 AM	0	2.521	37.9	87.8	0
11/12/2023, 12:18:13 AM	0	2.521	37.9	88	0
11/12/2023, 12:28:13 AM	0	2.521	37.9	88.1	0
11/12/2023, 12:38:13 AM	0	2.521	37.8	88.4	0
11/12/2023, 12:48:13 AM	0	2.521	37.8	88.5	0
11/12/2023, 12:58:13 AM	0	2.521	37.8	88.7	0
11/12/2023, 1:08:13 AM	0	2.521	37.8	88.9	0
11/12/2023, 1:18:13 AM	0	2.521	37.8	89.1	0
11/12/2023, 1:28:13 AM	0	2.521	37.8	89.3	0
11/12/2023, 1:38:13 AM	0	2.521	37.8	89.4	0
11/12/2023, 1:48:13 AM	0	2.521	37.8	89.5	0
11/12/2023, 1:58:13 AM	0	2.521	37.6	89.7	0
11/12/2023, 2:08:13 AM	0	2.521	37.6	89.7	0
11/12/2023, 2:18:13 AM	0	2.521	37.6	89.8	0
11/12/2023, 2:28:13 AM	0	2.521	37.6	90	0

West Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/12/2023, 2:38:13 AM	0	2.521	37.6	90.1	0
11/12/2023, 2:48:13 AM	0	2.521	37.6	90.2	0
11/12/2023, 2:58:13 AM	0	2.521	37.6	90.3	0
11/12/2023, 3:08:13 AM	0	2.521	37.6	90.4	0
11/12/2023, 3:18:13 AM	0	2.521	37.6	90.5	0
11/12/2023, 3:28:13 AM	0	2.521	37.6	90.6	0
11/12/2023, 3:38:13 AM	0	2.512	37.6	90.7	0
11/12/2023, 3:48:13 AM	0	2.512	37.6	90.8	0
11/12/2023, 3:58:13 AM	0	2.512	37.6	90.9	0
11/12/2023, 4:08:13 AM	0	2.512	37.6	91	0
11/12/2023, 4:18:13 AM	0	2.512	37.6	91.1	0
11/12/2023, 4:28:13 AM	0	2.512	37.6	91.2	0
11/12/2023, 4:38:13 AM	0	2.512	37.6	91.2	0
11/12/2023, 4:48:13 AM	0	2.512	37.6	91.3	0
11/12/2023, 4:58:13 AM	0	2.512	37.6	91.4	0
11/12/2023, 5:08:13 AM	0	2.512	37.6	91.4	0
11/12/2023, 5:18:13 AM	0	2.512	37.6	91.5	0
11/12/2023, 5:28:13 AM	0	2.512	37.6	91.6	0
11/12/2023, 5:38:13 AM	0	2.512	37.6	91.7	0
11/12/2023, 5:48:13 AM	0	2.512	37.6	91.7	0
11/12/2023, 5:58:13 AM	0	2.512	37.6	91.8	0
11/12/2023, 6:08:13 AM	0	2.512	37.6	91.9	0
11/12/2023, 6:18:13 AM	0	2.512	37.6	92	0
11/12/2023, 6:28:13 AM	0	2.512	37.8	92	0
11/12/2023, 6:38:13 AM	0	2.512	37.8	92	0
11/12/2023, 6:48:13 AM	0	2.512	37.8	92.1	0
11/12/2023, 6:58:13 AM	0	2.512	37.6	92.1	0
11/12/2023, 7:08:13 AM	0	2.512	37.6	92.1	0
11/12/2023, 7:18:13 AM	0	2.512	37.6	92.1	0
11/12/2023, 7:28:13 AM	0	2.512	37.6	92.1	0
11/12/2023, 7:38:13 AM	0	2.512	37.6	92.1	0
11/12/2023, 7:48:13 AM	0	2.512	37.6	92.1	0
11/12/2023, 7:58:13 AM	0	2.512	37.6	92.2	0
11/12/2023, 8:08:13 AM	0	2.512	37.6	92.3	0
11/12/2023, 8:18:13 AM	0	2.512	37.6	92.3	0
11/12/2023, 8:28:13 AM	0	2.512	37.6	92.4	0
11/12/2023, 8:38:13 AM	0	2.512	37.6	92.4	0
11/12/2023, 8:48:13 AM	0	2.512	37.8	92.5	0
11/12/2023, 8:58:13 AM	0	2.512	37.8	92.6	0
11/12/2023, 9:08:13 AM	0	2.512	37.9	92.6	0
11/12/2023, 9:18:13 AM	0	2.512	38.3	92.7	0
11/12/2023, 9:28:13 AM	0	2.512	38.7	92.5	0
11/12/2023, 9:38:13 AM	0	2.512	39.2	92.1	0
11/12/2023, 9:48:13 AM	0	2.512	39.9	91.3	0
11/12/2023, 9:58:13 AM	0	2.512	40.6	90.5	0
11/12/2023, 10:08:13 AM	0	2.512	41.2	89.3	0
11/12/2023, 10:18:13 AM	0	2.512	41.5	88.3	0
11/12/2023, 10:28:13 AM	0	2.512	41.9	87.4	0
11/12/2023, 10:38:13 AM	0	2.512	42.3	86.7	0
11/12/2023, 10:48:13 AM	0	2.512	43	86	0
11/12/2023, 10:58:13 AM	0	2.521	43.5	85.2	0
11/12/2023, 11:08:13 AM	0	2.521	43.7	84.3	0
11/12/2023, 11:18:13 AM	0	2.521	43.7	83.5	0
11/12/2023, 11:28:13 AM	0	2.521	43.5	82.4	0
11/12/2023, 11:38:13 AM	0	2.521	43.5	81.7	0
11/12/2023, 11:48:13 AM	0	2.521	43.5	81.1	0
11/12/2023, 11:58:13 AM	0	2.521	43.5	80.9	0
11/12/2023, 12:08:13 PM	0	2.521	43.3	80.7	0

West Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/12/2023, 12:18:13 PM	0	2.521	43.5	80.3	0
11/12/2023, 12:28:13 PM	0	2.521	43.5	80	0
11/12/2023, 12:38:13 PM	0	2.521	43.7	79.4	0
11/12/2023, 12:48:13 PM	0	2.521	43.9	78.9	0
11/12/2023, 12:58:13 PM	0	2.521	44.1	78.6	0
11/12/2023, 1:08:13 PM	0	2.521	44.4	78.2	0
11/12/2023, 1:18:13 PM	0	2.521	44.8	77.7	0
11/12/2023, 1:28:13 PM	0	2.521	45	77.1	0
11/12/2023, 1:38:13 PM	0	2.521	45	76.8	0
11/12/2023, 1:48:13 PM	0	2.529	45.1	76.5	0
11/12/2023, 1:58:13 PM	0	2.529	45.7	75.9	0
11/12/2023, 2:08:13 PM	0	2.529	46.4	75.7	0
11/12/2023, 2:18:13 PM	0	2.529	46.6	75	0
11/12/2023, 2:28:13 PM	0	2.529	46.2	74.5	0
11/12/2023, 2:38:13 PM	0	2.529	46	74	0
11/12/2023, 2:48:13 PM	0	2.529	46.2	73.5	0
11/12/2023, 2:58:13 PM	0	2.529	46.8	72.8	0
11/12/2023, 3:08:13 PM	0	2.529	47.1	72.2	0
11/12/2023, 3:18:13 PM	0	2.529	47.3	72.1	0
11/12/2023, 3:28:13 PM	0	2.529	46.9	71.7	0
11/12/2023, 3:38:13 PM	0	2.529	46.6	71.3	0
11/12/2023, 3:48:13 PM	0	2.529	46.2	71.3	0
11/12/2023, 3:58:13 PM	0	2.529	46	71.2	0
11/12/2023, 4:08:13 PM	0	2.529	45.9	71.1	0
11/12/2023, 4:18:13 PM	0	2.529	45.7	71	0
11/12/2023, 4:28:13 PM	0	2.529	45.7	70.8	0
11/12/2023, 4:38:13 PM	0	2.529	45.3	70.7	0
11/12/2023, 4:48:13 PM	0	2.529	45.1	70.7	0
11/12/2023, 4:58:13 PM	0	2.529	44.8	70.6	0
11/12/2023, 5:08:13 PM	0	2.529	44.4	70.6	0
11/12/2023, 5:18:13 PM	0	2.529	43.9	70.6	0
11/12/2023, 5:28:13 PM	0	2.529	43.3	70.6	0
11/12/2023, 5:38:13 PM	0	2.529	43	71	0
11/12/2023, 5:48:13 PM	0	2.529	42.4	71.6	0
11/12/2023, 5:58:13 PM	0	2.529	41.9	72.2	0
11/12/2023, 6:08:13 PM	0	2.521	41.4	72.6	0
11/12/2023, 6:18:13 PM	0	2.521	40.8	73.1	0
11/12/2023, 6:28:13 PM	0	2.521	40.1	73.6	0
11/12/2023, 6:38:13 PM	0	2.521	39.4	74	0
11/12/2023, 6:48:13 PM	0	2.521	38.3	74.5	0
11/12/2023, 6:58:13 PM	0	2.521	37.6	75	0
11/12/2023, 7:08:13 PM	0	2.521	36.7	75.6	0
11/12/2023, 7:18:13 PM	0	2.512	36.1	76.1	0
11/12/2023, 7:28:13 PM	0	2.512	35.4	76.6	0
11/12/2023, 7:38:13 PM	0	2.512	35.1	77.2	0
11/12/2023, 7:48:13 PM	0	2.512	34.5	77.8	0
11/12/2023, 7:58:13 PM	0	2.503	34	78.3	0
11/12/2023, 8:08:13 PM	0	2.503	33.6	78.9	0
11/12/2023, 8:18:13 PM	0	2.503	33.3	79.3	0
11/12/2023, 8:28:13 PM	0	2.503	32.9	79.8	0
11/12/2023, 8:38:13 PM	0	2.503	32.5	80.2	0
11/12/2023, 8:48:13 PM	0	2.494	32.2	80.6	0
11/12/2023, 8:58:13 PM	0	2.494	32	81	0
11/12/2023, 9:08:13 PM	0	2.494	31.8	81.4	0
11/12/2023, 9:18:13 PM	0	2.494	31.5	81.7	0
11/12/2023, 9:28:13 PM	0	2.494	31.3	82.1	0
11/12/2023, 9:38:13 PM	0	2.494	31.1	82.4	0
11/12/2023, 9:48:13 PM	0	2.485	30.7	82.7	0

West Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/12/2023, 9:58:13 PM	0	2.485	30.6	83	0
11/12/2023, 10:08:13 PM	0	2.485	30.4	83.3	0
11/12/2023, 10:18:13 PM	0	2.485	30.2	83.6	0
11/12/2023, 10:28:13 PM	0	2.485	30	83.8	0
11/12/2023, 10:38:13 PM	0	2.477	29.8	84.1	0
11/12/2023, 10:48:13 PM	0	2.477	29.7	84.3	0
11/12/2023, 10:58:13 PM	0	2.477	29.5	84.5	0
11/12/2023, 11:08:13 PM	0	2.477	29.3	84.8	0
11/12/2023, 11:18:13 PM	0	2.477	29.1	85	0
11/12/2023, 11:28:13 PM	0	2.477	29.1	85.3	0
11/12/2023, 11:38:13 PM	0	2.477	28.9	85.5	0
11/12/2023, 11:48:13 PM	0	2.477	28.8	85.7	0
11/12/2023, 11:58:13 PM	0	2.468	28.8	85.8	0
11/13/2023, 12:08:13 AM	0	2.468	28.6	86	0
11/13/2023, 12:18:13 AM	0	2.468	28.4	86.2	0
11/13/2023, 12:28:13 AM	0	2.468	28.4	86.4	0
11/13/2023, 12:38:13 AM	0	2.468	28.2	86.6	0
11/13/2023, 12:48:13 AM	0	2.468	28.2	86.8	0
11/13/2023, 12:58:13 AM	0	2.468	28.2	87	0
11/13/2023, 1:08:13 AM	0	2.468	28	87.2	0
11/13/2023, 1:18:13 AM	0	2.468	28	87.3	0
11/13/2023, 1:28:13 AM	0	2.468	28	87.5	0
11/13/2023, 1:38:13 AM	0	2.459	28	87.7	0
11/13/2023, 1:48:13 AM	0	2.459	27.9	87.8	0
11/13/2023, 1:58:13 AM	0	2.459	27.9	87.9	0
11/13/2023, 2:08:13 AM	0	2.459	27.7	88	0
11/13/2023, 2:18:13 AM	0	2.459	27.7	88.1	0
11/13/2023, 2:28:13 AM	0	2.459	27.5	88.3	0
11/13/2023, 2:38:13 AM	0	2.459	27.5	88.4	0
11/13/2023, 2:48:13 AM	0	2.459	27.5	88.6	0
11/13/2023, 2:58:13 AM	0	2.459	27.5	88.6	0
11/13/2023, 3:08:13 AM	0	2.459	27.3	88.7	0
11/13/2023, 3:18:13 AM	0	2.459	27.3	88.8	0
11/13/2023, 3:28:13 AM	0	2.459	27.1	88.9	0
11/13/2023, 3:38:13 AM	0	2.45	27.1	88.9	0
11/13/2023, 3:48:13 AM	0	2.45	27.1	89	0
11/13/2023, 3:58:13 AM	0	2.45	27	89.1	0
11/13/2023, 4:08:13 AM	0	2.45	27	89.1	0
11/13/2023, 4:18:13 AM	0	2.45	26.8	89.1	0
11/13/2023, 4:28:13 AM	0	2.45	26.8	89.2	0
11/13/2023, 4:38:13 AM	0	2.45	26.8	89.3	0
11/13/2023, 4:48:13 AM	0	2.45	26.6	89.4	0
11/13/2023, 4:58:13 AM	0	2.45	26.6	89.5	0
11/13/2023, 5:08:13 AM	0	2.45	26.6	89.6	0
11/13/2023, 5:18:13 AM	0	2.45	26.6	89.6	0
11/13/2023, 5:28:13 AM	0	2.45	26.6	89.7	0
11/13/2023, 5:38:13 AM	0	2.441	26.4	89.8	0
11/13/2023, 5:48:13 AM	0	2.441	26.4	89.8	0
11/13/2023, 5:58:13 AM	0	2.441	26.4	89.8	0
11/13/2023, 6:08:13 AM	0	2.441	26.4	89.9	0
11/13/2023, 6:18:13 AM	0	2.441	26.2	89.9	0
11/13/2023, 6:28:13 AM	0	2.441	26.2	90	0
11/13/2023, 6:38:13 AM	0	2.441	26.4	90.1	0
11/13/2023, 6:48:13 AM	0	2.441	26.4	90.3	0
11/13/2023, 6:58:13 AM	0	2.441	26.8	90.6	0
11/13/2023, 7:08:13 AM	0	2.441	27	90.9	0
11/13/2023, 7:18:13 AM	0	2.441	27.3	91.2	0
11/13/2023, 7:28:13 AM	0	2.441	27.5	91.4	0

West Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/13/2023, 7:38:13 AM	0	2.441	27.9	91.6	0
11/13/2023, 7:48:13 AM	0	2.441	28	91.9	0
11/13/2023, 7:58:13 AM	0	2.441	28.4	92.1	0
11/13/2023, 8:08:13 AM	0	2.441	28.8	92.3	0
11/13/2023, 8:18:13 AM	0	2.441	29.1	92.6	0
11/13/2023, 8:28:13 AM	0	2.441	29.3	92.7	0
11/13/2023, 8:38:13 AM	0	2.441	29.7	92.8	0
11/13/2023, 8:48:13 AM	0	2.441	29.8	92.8	0
11/13/2023, 8:58:13 AM	0	2.45	29.8	92.8	0
11/13/2023, 9:08:13 AM	0	2.45	30	92.8	0
11/13/2023, 9:18:13 AM	0	2.45	30.4	93	0
11/13/2023, 9:28:13 AM	0	2.45	30.9	93.2	0
11/13/2023, 9:38:13 AM	0	2.45	31.5	93.5	0
11/13/2023, 9:48:13 AM	0	2.45	32	93.7	0
11/13/2023, 9:58:13 AM	0	2.45	32.7	93.9	0
11/13/2023, 10:08:13 AM	0	2.45	33.4	94	0
11/13/2023, 10:18:13 AM	0	2.45	34.2	94.2	0
11/13/2023, 10:28:13 AM	0	2.459	34.9	94.3	0
11/13/2023, 10:38:13 AM	0	2.459	35.6	94.1	0
11/13/2023, 10:48:13 AM	0	2.459	36.1	94.1	0
11/13/2023, 10:58:13 AM	0	2.459	36.9	94	0
11/13/2023, 11:08:13 AM	0	2.468	37.4	94	0
11/13/2023, 11:18:13 AM	0	2.468	38.3	93.9	0
11/13/2023, 11:28:13 AM	0	2.468	39.9	94	0
11/13/2023, 11:38:13 AM	0	2.477	42.4	93.4	0
11/13/2023, 11:48:13 AM	0	2.477	44.6	91.8	0
11/13/2023, 11:58:13 AM	0	2.485	46.4	90.3	0
11/13/2023, 12:08:13 PM	0	2.485	47.8	88.3	0
11/13/2023, 12:18:13 PM	0	2.494	49.3	86.3	0
11/13/2023, 12:28:13 PM	0	2.494	50.5	84.3	0
11/13/2023, 12:38:13 PM	0	2.494	51.3	82.3	0
11/13/2023, 12:48:13 PM	0	2.503	51.6	80.8	0
11/13/2023, 12:58:13 PM	0	2.503	51.8	79.3	0
11/13/2023, 1:08:13 PM	0	2.512	51.8	77.9	0
11/13/2023, 1:18:13 PM	0	2.512	51.8	76.9	0
11/13/2023, 1:28:13 PM	0	2.512	52	76	0
11/13/2023, 1:38:13 PM	0	2.512	52	75.4	0
11/13/2023, 1:48:13 PM	0	2.521	52.2	74.5	0
11/13/2023, 1:58:13 PM	0	2.521	52.2	73.9	0
11/13/2023, 2:08:13 PM	0	2.521	52.2	73.6	0
11/13/2023, 2:18:13 PM	0	2.521	52.7	73.1	0

West Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/13/2023, 2:28:13 PM	0	2.521	53.4	72.7	0
11/13/2023, 2:38:13 PM	0	2.529	54.1	72	0
11/13/2023, 2:48:13 PM	0	2.529	54.7	71.5	0
11/13/2023, 2:58:13 PM	0	2.529	54.9	70.9	0
11/13/2023, 3:08:13 PM	0	2.529	55	70.4	0
11/13/2023, 3:18:13 PM	0	2.529	55.4	70.2	0
11/13/2023, 3:28:13 PM	0	2.529	55.6	70	0
11/13/2023, 3:38:13 PM	0	2.538	55.6	70.1	0
11/13/2023, 3:48:13 PM	0	2.538	55.4	70.4	0
11/13/2023, 3:58:13 PM	0	2.538	55.4	70.8	0
11/13/2023, 4:08:13 PM	0	2.538	55.4	71.2	0
11/13/2023, 4:18:13 PM	0	2.538	55.4	71.8	0
11/13/2023, 4:28:13 PM	0	2.538	55.4	72.2	0
11/13/2023, 4:38:13 PM	0	2.538	55.6	72.7	0
11/13/2023, 4:48:13 PM	0	2.538	55.6	72.9	0
11/13/2023, 4:58:13 PM	0	2.547	55.4	73	0
11/13/2023, 5:08:13 PM	0	2.547	55.4	73.3	0
11/13/2023, 5:18:13 PM	0	2.547	55.2	73.6	0
11/13/2023, 5:28:13 PM	0	2.547	55	73.8	0
11/13/2023, 5:38:13 PM	0	2.547	54.7	74.1	0
11/13/2023, 5:48:13 PM	0	2.547	54.5	74.5	0
11/13/2023, 5:58:13 PM	0	2.547	54.1	74.7	0
11/13/2023, 6:08:13 PM	0	2.547	53.6	74.8	0
11/13/2023, 6:18:13 PM	0	2.547	53.1	75	0
11/13/2023, 6:28:13 PM	0	2.547	52.3	75.2	0
11/13/2023, 6:38:13 PM	0	2.547	51.4	75.4	0
11/13/2023, 6:48:13 PM	0	2.547	50.5	75.9	0
11/13/2023, 6:58:13 PM	0	2.547	50	76.6	0
11/13/2023, 7:08:13 PM	0	2.547	49.5	77.2	0
11/13/2023, 7:18:13 PM	0	2.538	49.1	77.9	0
11/13/2023, 7:28:13 PM	0	2.538	48.9	78.5	0
11/13/2023, 7:38:13 PM	0	2.538	48.9	79.1	0
11/13/2023, 7:48:13 PM	0	2.538	48.9	79.5	0
11/13/2023, 7:58:13 PM	0	2.538	48.7	79.8	0
11/13/2023, 8:08:13 PM	0	2.538	48.6	80.1	0
11/13/2023, 8:18:13 PM	0	2.538	48.7	80.6	0
11/13/2023, 8:28:13 PM	0	2.538	48.9	81	0
11/13/2023, 8:38:13 PM	0	2.538	48.9	81.3	0
11/13/2023, 8:48:13 PM	0	2.538	49.1	81.6	0
11/13/2023, 8:58:13 PM	0	2.538	49.1	81.7	0
11/13/2023, 9:08:13 PM	0	2.538	49.3	81.8	0
11/13/2023, 9:18:13 PM	0	2.538	49.3	81.8	0
11/13/2023, 9:28:13 PM	0	2.538	49.5	81.7	0
11/13/2023, 9:38:13 PM	0	2.538	49.3	81.7	0
11/13/2023, 9:48:13 PM	0	2.538	49.1	81.8	0
11/13/2023, 9:58:13 PM	0	2.538	48.9	81.8	0
11/13/2023, 10:08:13 PM	0	2.538	48.7	81.9	0
11/13/2023, 10:18:13 PM	0	2.529	48.7	81.9	0
11/13/2023, 10:28:13 PM	0	2.538	48.7	81.8	0
11/13/2023, 10:38:13 PM	0	2.529	48.9	81.2	0
11/13/2023, 10:48:13 PM	0	2.529	49.1	80.6	0
11/13/2023, 10:58:13 PM	0	2.529	49.3	79.9	0
11/13/2023, 11:08:13 PM	0	2.529	49.3	79.3	0
11/13/2023, 11:18:13 PM	0	2.529	48.9	78.7	0
11/13/2023, 11:28:13 PM	0	2.529	48.6	78.3	0
11/13/2023, 11:38:13 PM	0	2.529	48	78	0
11/13/2023, 11:48:13 PM	0	2.529	47.7	77.9	0
11/13/2023, 11:58:13 PM	0	2.529	47.1	77.8	0

West Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/14/2023, 12:08:13 AM	0	2.529	46.6	77.9	0
11/14/2023, 12:18:13 AM	0	2.529	46	78	0
11/14/2023, 12:28:13 AM	0	2.529	45.9	78.1	0
11/14/2023, 12:38:13 AM	0	2.529	45.7	78.3	0
11/14/2023, 12:48:13 AM	0	2.521	45.5	78.5	0
11/14/2023, 12:58:13 AM	0	2.521	45.5	78.7	0
11/14/2023, 1:08:13 AM	0	2.521	45.7	78.8	0
11/14/2023, 1:18:13 AM	0	2.521	45.9	79	0
11/14/2023, 1:28:13 AM	0	2.521	45.9	79	0
11/14/2023, 1:38:13 AM	0	2.521	46	79.1	0
11/14/2023, 1:48:13 AM	0	2.521	46.2	79.1	0
11/14/2023, 1:58:13 AM	0	2.521	46.2	79.1	0
11/14/2023, 2:08:13 AM	0	2.521	46.4	79.1	0
11/14/2023, 2:18:13 AM	0	2.521	46.6	79.2	0
11/14/2023, 2:28:13 AM	0	2.521	46.6	79.2	0
11/14/2023, 2:38:13 AM	0	2.521	46.6	79.4	0
11/14/2023, 2:48:13 AM	0	2.521	46.6	79.5	0
11/14/2023, 2:58:13 AM	0	2.521	46.2	79.7	0
11/14/2023, 3:08:13 AM	0	2.521	45.9	79.9	0
11/14/2023, 3:18:13 AM	0	2.521	45.7	80.1	0
11/14/2023, 3:28:13 AM	0	2.521	45.5	80.3	0
11/14/2023, 3:38:13 AM	0	2.521	45.5	80.4	0
11/14/2023, 3:48:13 AM	0	2.512	45.7	80.6	0
11/14/2023, 3:58:13 AM	0	2.512	45.7	80.6	0
11/14/2023, 4:08:13 AM	0	2.512	45.7	80.8	0
11/14/2023, 4:18:13 AM	0	2.512	45.9	81.2	0
11/14/2023, 4:28:13 AM	0	2.512	45.7	81.6	0
11/14/2023, 4:38:13 AM	0	2.512	45.5	81.9	0
11/14/2023, 4:48:13 AM	0	2.512	45.3	81.9	0
11/14/2023, 4:58:13 AM	0	2.512	45	82	0
11/14/2023, 5:08:13 AM	0	2.512	44.8	82.3	0
11/14/2023, 5:18:13 AM	0	2.512	44.6	82.7	0
11/14/2023, 5:28:13 AM	0	2.512	44.6	83.1	0
11/14/2023, 5:38:13 AM	0	2.512	44.6	83.7	0
11/14/2023, 5:48:13 AM	0	2.512	44.6	84.2	0
11/14/2023, 5:58:13 AM	0	2.512	44.4	84.5	0
11/14/2023, 6:08:13 AM	0	2.512	44.2	85	0
11/14/2023, 6:18:13 AM	0	2.512	44.1	85.4	0
11/14/2023, 6:28:13 AM	0	2.512	43.9	85.7	0

North Monitoring Station

Time Stamp	H ₂ S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/7/2023, 6:37:51 AM	0	2.723	54.9	83.6	
11/7/2023, 6:47:51 AM	0	2.723	55.2	84	
11/7/2023, 6:57:51 AM	0	2.723	55.6	84.2	
11/7/2023, 7:07:51 AM	0	2.723	55.9	84.3	
11/7/2023, 7:17:51 AM	0	2.723	56.3	84.3	
11/7/2023, 7:27:51 AM	0	2.723	56.7	84.2	0
11/7/2023, 7:37:51 AM	0	2.723	56.8	84.1	0
11/7/2023, 7:47:51 AM	0	2.723	57	83.9	0
11/7/2023, 7:57:51 AM	0	2.723	57.2	83.7	0
11/7/2023, 8:07:51 AM	0	2.723	57.4	83.5	0
11/7/2023, 8:17:51 AM	0	2.723	57.6	83.3	0
11/7/2023, 8:27:51 AM	0	2.723	57.7	83.1	0
11/7/2023, 8:37:51 AM	0	2.723	57.9	82.9	0
11/7/2023, 8:47:51 AM	0	2.723	58.1	82.7	0
11/7/2023, 8:57:51 AM	0	2.723	58.3	82.4	0
11/7/2023, 9:07:51 AM	0	2.723	58.5	82.2	0
11/7/2023, 9:17:51 AM	0	2.723	58.5	81.8	0
11/7/2023, 9:27:51 AM	0	2.723	58.6	81.5	0
11/7/2023, 9:37:51 AM	0	2.723	58.6	81.1	0
11/7/2023, 9:47:51 AM	0	2.723	58.6	80.8	0
11/7/2023, 9:57:51 AM	0	2.723	58.5	80.1	0
11/7/2023, 10:07:51 AM	0	2.723	58.1	79.9	0
11/7/2023, 10:17:51 AM	0	2.723	57.2	79.7	0
11/7/2023, 10:27:51 AM	0	2.723	56.5	79.2	0
11/7/2023, 10:37:51 AM	0	2.723	56.1	78.7	0
11/7/2023, 10:47:51 AM	0	2.723	55.9	78.1	0
11/7/2023, 10:57:51 AM	0	2.723	55.8	77.6	0
11/7/2023, 11:07:51 AM	0	2.723	55.6	77.5	0
11/7/2023, 11:17:51 AM	0	2.723	55.9	77.2	0
11/7/2023, 11:27:51 AM	0	2.723	56.7	76.8	0
11/7/2023, 11:37:51 AM	0	2.723	57	75.9	0
11/7/2023, 11:47:51 AM	0	2.723	57.2	75.6	0
11/7/2023, 11:57:51 AM	0	2.723	57.4	74.9	0
11/7/2023, 12:07:51 PM	0	2.723	57	74.3	0
11/7/2023, 12:17:51 PM	0	2.723	56.5	73.9	0
11/7/2023, 12:27:51 PM	0	2.723	56.3	73.4	0
11/7/2023, 12:37:51 PM	0	2.723	56.1	73	0
11/7/2023, 12:47:51 PM	0	2.723	55.9	72.7	0
11/7/2023, 12:57:51 PM	0	2.723	55.9	72.2	0
11/7/2023, 1:07:51 PM	0	2.723	55.8	72	0
11/7/2023, 1:17:51 PM	0	2.723	55.4	71.8	0
11/7/2023, 1:27:51 PM	0	2.723	55.2	71.8	0
11/7/2023, 1:37:51 PM	0	2.723	55	71.7	0
11/7/2023, 1:47:51 PM	0	2.723	55.2	71.5	0
11/7/2023, 1:57:51 PM	0	2.723	55	71.2	0
11/7/2023, 2:07:51 PM	0	2.723	54.9	70.8	0
11/7/2023, 2:17:51 PM	0	2.723	54.5	70.7	0
11/7/2023, 2:27:51 PM	0	2.723	54	70.8	0
11/7/2023, 2:37:51 PM	0	2.723	53.1	71.2	0
11/7/2023, 2:47:51 PM	0	2.714	52.3	71.8	0
11/7/2023, 2:57:51 PM	0	2.714	52	72.5	0
11/7/2023, 3:07:51 PM	0	2.714	51.4	73	0
11/7/2023, 3:17:51 PM	0	2.714	51.1	73.4	0
11/7/2023, 3:27:51 PM	0	2.714	50.5	73.8	0
11/7/2023, 3:37:51 PM	0	2.714	50.2	74.3	0
11/7/2023, 3:47:51 PM	0	2.714	49.8	74.8	0

North Monitoring Station

Time Stamp	H ₂ S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/7/2023, 3:57:51 PM	0	2.714	49.6	75.3	0
11/7/2023, 4:07:51 PM	0	2.714	49.3	75.7	0
11/7/2023, 4:17:51 PM	0	2.714	48.7	76.4	0
11/7/2023, 4:27:51 PM	0	2.714	48.2	77	0
11/7/2023, 4:37:51 PM	0	2.705	47.7	77.4	0
11/7/2023, 4:47:51 PM	0	2.705	47.3	77.7	0
11/7/2023, 4:57:51 PM	0	2.705	46.9	77.8	0
11/7/2023, 5:07:51 PM	0	2.705	46.9	77.8	0
11/7/2023, 5:17:51 PM	0	2.705	46.8	77.7	0
11/7/2023, 5:27:51 PM	0	2.705	46.6	77.7	0
11/7/2023, 5:37:51 PM	0	2.705	46.4	77.7	0
11/7/2023, 5:47:51 PM	0	2.705	46.2	77.6	0
11/7/2023, 5:57:51 PM	0	2.705	46.2	77.6	0
11/7/2023, 6:07:51 PM	0	2.705	46	77.5	0
11/7/2023, 6:17:51 PM	0	2.705	45.9	77.4	0
11/7/2023, 6:27:51 PM	0	2.705	45.7	77.3	0
11/7/2023, 6:37:51 PM	0	2.696	45.5	77.3	0
11/7/2023, 6:47:51 PM	0	2.696	45.3	77.1	0
11/7/2023, 6:57:51 PM	0	2.696	45.1	77	0
11/7/2023, 7:07:51 PM	0	2.696	45	76.9	0
11/7/2023, 7:17:51 PM	0	2.696	44.8	76.8	0
11/7/2023, 7:27:51 PM	0	2.696	44.8	76.8	0
11/7/2023, 7:37:51 PM	0	2.696	44.6	76.7	0
11/7/2023, 7:47:51 PM	0	2.696	44.2	76.5	0
11/7/2023, 7:57:51 PM	0	2.696	44.1	76.2	0
11/7/2023, 8:07:51 PM	0	2.696	43.7	76.1	0
11/7/2023, 8:17:51 PM	0	2.696	43.5	76	0
11/7/2023, 8:27:51 PM	0	2.696	43.2	76	0
11/7/2023, 8:37:51 PM	0	2.687	43	76	0
11/7/2023, 8:47:51 PM	0	2.687	43	76.1	0
11/7/2023, 8:57:51 PM	0	2.687	42.8	76.2	0
11/7/2023, 9:07:51 PM	0	2.687	42.4	76.4	0
11/7/2023, 9:17:51 PM	0	2.687	42.3	76.5	0
11/7/2023, 9:27:51 PM	0	2.687	42.1	76.7	0
11/7/2023, 9:37:51 PM	0	2.687	41.9	76.7	0
11/7/2023, 9:47:51 PM	0	2.687	41.5	76.7	0
11/7/2023, 9:57:51 PM	0	2.687	41.2	76.7	0
11/7/2023, 10:07:51 PM	0	2.687	41	76.8	0
11/7/2023, 10:17:51 PM	0	2.679	40.8	76.9	0
11/7/2023, 10:27:51 PM	0	2.679	40.6	76.9	0
11/7/2023, 10:37:51 PM	0	2.679	40.5	76.9	0
11/7/2023, 10:47:51 PM	0	2.679	40.3	76.8	0
11/7/2023, 10:57:51 PM	0	2.679	39.9	76.8	0
11/7/2023, 11:07:51 PM	0	2.679	39.7	76.8	0
11/7/2023, 11:17:51 PM	0	2.679	39.4	76.8	0
11/7/2023, 11:27:51 PM	0	2.679	39.2	76.8	0
11/7/2023, 11:37:51 PM	0	2.679	39	76.6	0
11/7/2023, 11:47:51 PM	0	2.679	38.7	76.5	0
11/7/2023, 11:57:51 PM	0	2.679	38.5	76.5	0
11/8/2023, 12:07:51 AM	0	2.67	38.5	76.6	0
11/8/2023, 12:17:51 AM	0	2.67	38.3	76.6	0
11/8/2023, 12:27:51 AM	0	2.67	38.1	76.5	0
11/8/2023, 12:37:51 AM	0	2.67	37.9	76.5	0
11/8/2023, 12:47:51 AM	0	2.67	37.9	76.5	0
11/8/2023, 12:57:51 AM	0	2.67	37.8	76.5	0
11/8/2023, 1:07:51 AM	0	2.67	37.6	76.6	0

North Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/8/2023, 1:17:51 AM	0	2.67	37.6	76.7	0
11/8/2023, 1:27:51 AM	0	2.67	37.4	76.8	0
11/8/2023, 1:37:51 AM	0	2.67	37.4	77.1	0
11/8/2023, 1:47:51 AM	0	2.661	37.4	77.1	0
11/8/2023, 1:57:51 AM	0	2.661	37.2	77.1	0
11/8/2023, 2:07:51 AM	0	2.661	37	77	0
11/8/2023, 2:17:51 AM	0	2.661	36.9	76.9	0
11/8/2023, 2:27:51 AM	0	2.661	36.9	76.8	0
11/8/2023, 2:37:51 AM	0	2.661	36.7	76.7	0
11/8/2023, 2:47:51 AM	0	2.661	36.7	76.4	0
11/8/2023, 2:57:51 AM	0	2.661	36.5	76.2	0
11/8/2023, 3:07:51 AM	0	2.661	36.3	76	0
11/8/2023, 3:17:51 AM	0	2.661	36.3	75.8	0
11/8/2023, 3:27:51 AM	0	2.661	36.1	75.6	0
11/8/2023, 3:37:51 AM	0	2.661	36.1	75.4	0
11/8/2023, 3:47:51 AM	0	2.661	36	75.1	0
11/8/2023, 3:57:51 AM	0	2.652	36	74.9	0
11/8/2023, 4:07:51 AM	0	2.652	35.8	74.8	0
11/8/2023, 4:17:51 AM	0	2.652	35.8	74.7	0
11/8/2023, 4:27:51 AM	0	2.652	35.6	74.7	0
11/8/2023, 4:37:51 AM	0	2.652	35.4	74.6	0
11/8/2023, 4:47:51 AM	0	2.652	35.4	74.6	0
11/8/2023, 4:57:51 AM	0	2.652	35.2	74.4	0
11/8/2023, 5:07:51 AM	0	2.652	35.1	74.4	0
11/8/2023, 5:17:51 AM	0	2.652	35.1	74.5	0
11/8/2023, 5:27:51 AM	0	2.652	35.1	74.4	0
11/8/2023, 5:37:51 AM	0	2.652	34.9	74.2	0
11/8/2023, 5:47:51 AM	0	2.652	34.9	74.2	0
11/8/2023, 5:57:51 AM	0	2.643	34.9	74	0
11/8/2023, 6:07:51 AM	0	2.643	34.9	74	0
11/8/2023, 6:17:51 AM	0	2.643	34.7	74.1	0
11/8/2023, 6:27:51 AM	0	2.643	34.7	74	0
11/8/2023, 6:37:51 AM	0	2.643	34.7	73.9	0
11/8/2023, 6:47:51 AM	0	2.643	34.5	74	0
11/8/2023, 6:57:51 AM	0	2.643	34.5	74.1	0
11/8/2023, 7:07:51 AM	0	2.643	34.5	74.1	0
11/8/2023, 7:17:51 AM	0	2.643	34.3	74	0
11/8/2023, 7:27:51 AM	0	2.643	34.3	74	0
11/8/2023, 7:37:51 AM	0	2.643	34.2	73.9	0
11/8/2023, 7:47:51 AM	0	2.643	34.2	74	0
11/8/2023, 7:57:51 AM	0	2.643	34.2	74	0
11/8/2023, 8:07:51 AM	0	2.643	34.3	73.9	0
11/8/2023, 8:17:51 AM	0	2.635	34.3	73.9	0
11/8/2023, 8:27:51 AM	0	2.635	34.5	73.6	0
11/8/2023, 8:37:51 AM	0	2.635	34.5	73.5	0
11/8/2023, 8:47:51 AM	0	2.635	34.7	73.3	0
11/8/2023, 8:57:51 AM	0	2.635	34.9	73.1	0
11/8/2023, 9:07:51 AM	0	2.635	35.1	72.9	0
11/8/2023, 9:17:51 AM	0	2.635	35.4	72.8	0
11/8/2023, 9:27:51 AM	0	2.635	36	72.8	0
11/8/2023, 9:37:51 AM	0	2.635	36.5	72.6	0
11/8/2023, 9:47:51 AM	0	2.635	36.7	72.3	0
11/8/2023, 9:57:51 AM	0	2.635	37	72	0
11/8/2023, 10:07:51 AM	0	2.635	37.4	71.8	0
11/8/2023, 10:17:51 AM	0	2.635	37.8	71.6	0
11/8/2023, 10:27:51 AM	0	2.635	38.1	71.4	0

North Monitoring Station

Time Stamp	H ₂ S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/8/2023, 10:37:51 AM	0	2.635	38.7	71.1	0
11/8/2023, 10:47:51 AM	0	2.635	39	70.8	0
11/8/2023, 10:57:51 AM	0	2.635	39.4	70.4	0
11/8/2023, 11:07:51 AM	0	2.635	39.6	70	0
11/8/2023, 11:17:51 AM	0	2.635	39.7	69.9	0
11/8/2023, 11:27:51 AM	0	2.635	39.7	69.7	0
11/8/2023, 11:37:51 AM	0	2.635	39.9	69.5	0
11/8/2023, 11:47:51 AM	0	2.635	39.9	69.4	0
11/8/2023, 11:57:51 AM	0	2.635	39.9	69.3	0
11/8/2023, 12:07:51 PM	0	2.635	39.9	69.2	0
11/8/2023, 12:17:51 PM	0	2.635	39.7	69.2	0
11/8/2023, 12:27:51 PM	0	2.635	39.7	69.1	0
11/8/2023, 12:37:51 PM	0	2.635	39.7	69	0
11/8/2023, 12:47:51 PM	0	2.635	39.6	69	0
11/8/2023, 12:57:51 PM	0	2.635	39.6	68.9	0
11/8/2023, 1:07:51 PM	0	2.635	39.6	68.8	0
11/8/2023, 1:17:51 PM	0	2.635	39.6	68.7	0
11/8/2023, 1:27:51 PM	0	2.635	39.6	68.6	0
11/8/2023, 1:37:51 PM	0	2.635	39.6	68.5	0
11/8/2023, 1:47:51 PM	0	2.635	39.6	68.4	0
11/8/2023, 1:57:51 PM	0	2.635	39.6	68.3	0
11/8/2023, 2:07:51 PM	0	2.635	39.6	68.3	0
11/8/2023, 2:17:51 PM	0	2.635	39.4	68.2	0
11/8/2023, 2:27:51 PM	0	2.635	39.4	68.2	0
11/8/2023, 2:37:51 PM	0	2.635	39.2	68.3	0
11/8/2023, 2:47:51 PM	0	2.635	39.2	68.2	0
11/8/2023, 2:57:51 PM	0	2.635	39	68.3	0
11/8/2023, 3:07:51 PM	0	2.635	38.8	68.4	0
11/8/2023, 3:17:51 PM	0	2.635	38.7	68.5	0
11/8/2023, 3:27:51 PM	0	2.635	38.7	68.7	0
11/8/2023, 3:37:51 PM	0	2.635	38.5	68.8	0
11/8/2023, 3:47:51 PM	0	2.635	38.5	69.1	0
11/8/2023, 3:57:51 PM	0	2.635	38.3	69.3	0
11/8/2023, 4:07:51 PM	0	2.635	38.3	69.4	0
11/8/2023, 4:17:51 PM	0	2.635	38.1	69.4	0
11/8/2023, 4:27:51 PM	0	2.635	37.9	69.5	0
11/8/2023, 4:37:51 PM	0	2.635	37.9	69.7	0
11/8/2023, 4:47:51 PM	0	2.626	37.8	69.9	0
11/8/2023, 4:57:51 PM	0	2.626	37.8	70	0
11/8/2023, 5:07:51 PM	0	2.626	37.6	70.1	0
11/8/2023, 5:17:51 PM	0	2.626	37.4	70.2	0
11/8/2023, 5:27:51 PM	0	2.626	37.4	70.4	0
11/8/2023, 5:37:51 PM	0	2.626	37.4	70.7	0
11/8/2023, 5:47:51 PM	0	2.626	37.4	70.8	0
11/8/2023, 5:57:51 PM	0	2.626	37.2	71	0
11/8/2023, 6:07:51 PM	0	2.626	36.9	71.3	0
11/8/2023, 6:17:51 PM	0	2.626	36.7	71.7	0
11/8/2023, 6:27:51 PM	0	2.626	36.7	72	0
11/8/2023, 6:37:51 PM	0	2.626	36.7	72.3	0
11/8/2023, 6:47:51 PM	0	2.626	36.5	72.9	0
11/8/2023, 6:57:51 PM	0	2.626	36.1	73.8	0
11/8/2023, 7:07:51 PM	0	2.626	36	74.7	0
11/8/2023, 7:17:51 PM	0	2.626	35.6	75.5	0
11/8/2023, 7:27:51 PM	0	2.617	35.4	76.3	0
11/8/2023, 7:37:51 PM	0	2.617	35.2	76.9	0
11/8/2023, 7:47:51 PM	0	2.617	35.1	77.6	0

North Monitoring Station

Time Stamp	H ₂ S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/8/2023, 7:57:51 PM	0	2.617	35.1	78.3	0
11/8/2023, 8:07:51 PM	0	2.617	35.1	78.9	0
11/8/2023, 8:17:51 PM	0	2.617	34.9	79.4	0
11/8/2023, 8:27:51 PM	0	2.617	34.9	79.8	0
11/8/2023, 8:37:51 PM	0	2.617	34.7	80.2	0
11/8/2023, 8:47:51 PM	0	2.617	34.5	80.4	0
11/8/2023, 8:57:51 PM	0	2.617	34.5	80.8	0
11/8/2023, 9:07:51 PM	0	2.617	34.3	81.2	0
11/8/2023, 9:17:51 PM	0	2.617	34.3	81.5	0
11/8/2023, 9:27:51 PM	0	2.617	34.2	81.8	0
11/8/2023, 9:37:51 PM	0	2.608	34.2	82.2	0
11/8/2023, 9:47:51 PM	0	2.608	34	82.6	0
11/8/2023, 9:57:51 PM	0	2.608	34	83	0
11/8/2023, 10:07:51 PM	0	2.608	34	83.4	0
11/8/2023, 10:17:51 PM	0	2.608	34	83.8	0
11/8/2023, 10:27:51 PM	0	2.608	34	84.2	0
11/8/2023, 10:37:51 PM	0	2.608	34	84.6	0
11/8/2023, 10:47:51 PM	0	2.608	34	84.9	0
11/8/2023, 10:57:51 PM	0	2.608	34.2	85.3	0
11/8/2023, 11:07:51 PM	0	2.608	34.2	85.7	0
11/8/2023, 11:17:51 PM	0	2.608	34.3	86	0
11/8/2023, 11:27:51 PM	0	2.608	34.5	86.3	0
11/8/2023, 11:37:51 PM	0	2.608	34.5	86.5	0
11/8/2023, 11:47:51 PM	0	2.608	34.7	86.8	0
11/8/2023, 11:57:51 PM	0	2.608	34.9	87	0
11/9/2023, 12:07:51 AM	0	2.608	34.9	87.2	0
11/9/2023, 12:17:51 AM	0	2.608	35.1	87.4	0
11/9/2023, 12:27:51 AM	0	2.608	35.1	87.5	0
11/9/2023, 12:37:51 AM	0	2.608	35.2	87.6	0
11/9/2023, 12:47:51 AM	0	2.608	35.2	87.7	0
11/9/2023, 12:57:51 AM	0	2.608	35.4	87.8	0
11/9/2023, 1:07:51 AM	0	2.608	35.4	88	0
11/9/2023, 1:17:51 AM	0	2.608	35.6	88.1	0
11/9/2023, 1:27:51 AM	0	2.608	35.6	88.3	0
11/9/2023, 1:37:51 AM	0	2.608	35.4	88.4	0
11/9/2023, 1:47:51 AM	0	2.608	35.4	88.6	0
11/9/2023, 1:57:51 AM	0	2.608	35.6	88.7	0
11/9/2023, 2:07:51 AM	0	2.608	35.6	88.8	0
11/9/2023, 2:17:51 AM	0	2.608	35.8	89	0
11/9/2023, 2:27:51 AM	0	2.608	36	89.2	0
11/9/2023, 2:37:51 AM	0	2.608	36	89.4	0
11/9/2023, 2:47:51 AM	0	2.608	36	89.6	0
11/9/2023, 2:57:51 AM	0	2.608	36.1	89.7	0
11/9/2023, 3:07:51 AM	0	2.608	36.1	89.8	0
11/9/2023, 3:17:51 AM	0	2.608	36.1	90	0
11/9/2023, 3:27:51 AM	0	2.608	36.3	90.1	0
11/9/2023, 3:37:51 AM	0	2.6	36.3	90.4	0
11/9/2023, 3:47:51 AM	0	2.608	36.5	90.5	0
11/9/2023, 3:57:51 AM	0	2.6	36.9	90.8	0
11/9/2023, 4:07:51 AM	0	2.6	37	91	0
11/9/2023, 4:17:51 AM	0	2.6	37.4	91.2	0
11/9/2023, 4:27:51 AM	0	2.608	37.8	91.4	0
11/9/2023, 4:37:51 AM	0	2.608	38.1	91.5	0
11/9/2023, 4:47:51 AM	0	2.608	38.5	91.7	0
11/9/2023, 4:57:51 AM	0	2.608	38.8	91.8	0
11/9/2023, 5:07:51 AM	0	2.608	39.2	92	0

North Monitoring Station

Time Stamp	H ₂ S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/9/2023, 5:17:51 AM	0	2.608	39.6	92.2	0
11/9/2023, 5:27:51 AM	0	2.608	39.9	92.4	0
11/9/2023, 5:37:51 AM	0	2.608	40.3	92.5	0
11/9/2023, 5:47:51 AM	0	2.608	40.8	92.7	0
11/9/2023, 5:57:51 AM	0	2.608	41.2	92.8	0
11/9/2023, 6:07:51 AM	0	2.608	41.5	92.9	0
11/9/2023, 6:17:51 AM	0	2.608	41.9	93.1	0
11/9/2023, 6:27:51 AM	0	2.608	42.3	93.1	0
11/9/2023, 6:37:51 AM	0	2.608	42.6	93.2	0
11/9/2023, 6:47:51 AM	0	2.608	42.8	93.3	0
11/9/2023, 6:57:51 AM	0	2.608	43.2	93.4	0
11/9/2023, 7:07:51 AM	0	2.608	43.3	93.5	0
11/9/2023, 7:17:51 AM	0	2.617	43.5	93.5	0
11/9/2023, 7:27:51 AM	0	2.617	43.7	93.7	0
11/9/2023, 7:37:51 AM	0	2.617	44.2	94.1	0
11/9/2023, 7:47:51 AM	0	2.617	45.1	94.7	0
11/9/2023, 7:57:51 AM	0	2.617	46.2	95.1	0
11/9/2023, 8:07:51 AM	0	2.617	46.9	95.4	0
11/9/2023, 8:17:51 AM	0	2.617	47.5	95.7	0
11/9/2023, 8:27:51 AM	0	2.617	48	95.9	0
11/9/2023, 8:37:51 AM	0	2.617	48.4	95.8	0
11/9/2023, 8:47:51 AM	0	2.617	48.7	95.6	0
11/9/2023, 8:57:51 AM	0	2.626	49.1	95.3	0
11/9/2023, 9:07:51 AM	0	2.626	49.6	95.1	0
11/9/2023, 9:17:51 AM	0	2.626	50.2	94.8	0
11/9/2023, 9:27:51 AM	0	2.626	50.5	94.1	0
11/9/2023, 9:37:51 AM	0	2.626	50.5	93.2	0
11/9/2023, 9:47:51 AM	0	2.626	50.4	92.3	0
11/9/2023, 9:57:51 AM	0	2.626	50.2	91.7	0
11/9/2023, 10:07:51 AM	0	2.626	50	91.1	0
11/9/2023, 10:17:51 AM	0	2.626	49.8	90.7	0
11/9/2023, 10:27:51 AM	0	2.626	49.6	90.2	0
11/9/2023, 10:37:51 AM	0	2.626	49.3	89.6	0
11/9/2023, 10:47:51 AM	0	2.626	48.9	89.2	0
11/9/2023, 10:57:51 AM	0	2.626	48.6	88.9	0
11/9/2023, 11:07:51 AM	0	2.626	48.2	88.6	0
11/9/2023, 11:17:51 AM	0	2.626	47.8	88.2	0
11/9/2023, 11:27:51 AM	0	2.626	47.5	87.9	0
11/9/2023, 11:37:51 AM	0	2.626	47.3	87.7	0
11/9/2023, 11:47:51 AM	0	2.626	47.5	87.7	0
11/9/2023, 11:57:51 AM	0	2.626	47.5	87.5	0
11/9/2023, 12:07:51 PM	0	2.626	47.7	87.3	0
11/9/2023, 12:17:51 PM	0	2.626	47.7	87.1	0
11/9/2023, 12:27:51 PM	0	2.626	47.7	87.1	0
11/9/2023, 12:37:51 PM	0	2.626	47.7	87	0
11/9/2023, 12:47:51 PM	0	2.626	47.7	86.9	0
11/9/2023, 12:57:51 PM	0	2.626	47.8	86.8	0
11/9/2023, 1:07:51 PM	0	2.626	47.8	86.7	0
11/9/2023, 1:17:51 PM	0	2.626	48	86.7	0
11/9/2023, 1:27:51 PM	0	2.626	48.2	86.7	0
11/9/2023, 1:37:51 PM	0	2.626	48.2	86.5	0
11/9/2023, 1:47:51 PM	0	2.626	48.2	86.5	0
11/9/2023, 1:57:51 PM	0	2.626	48.2	86.4	0
11/9/2023, 2:07:51 PM	0	2.626	48	86.4	0
11/9/2023, 2:17:51 PM	0	2.626	48	86.3	0
11/9/2023, 2:27:51 PM	0	2.626	48	86.3	0

North Monitoring Station

Time Stamp	H ₂ S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/9/2023, 2:37:51 PM	0	2.626	48	86.1	0
11/9/2023, 2:47:51 PM	0	2.626	48	86	0
11/9/2023, 2:57:51 PM	0	2.626	48.2	85.8	0
11/9/2023, 3:07:51 PM	0	2.626	48.2	85.6	0
11/9/2023, 3:17:51 PM	0	2.626	48.4	85.5	0
11/9/2023, 3:27:51 PM	0	2.626	48.6	85.3	0
11/9/2023, 3:37:51 PM	0	2.626	48.6	85.1	0
11/9/2023, 3:47:51 PM	0	2.626	48.7	84.9	0
11/9/2023, 3:57:51 PM	0	2.626	48.7	84.3	0
11/9/2023, 4:07:51 PM	0	2.626	48.6	83.8	0
11/9/2023, 4:17:51 PM	0	2.626	48.4	83.5	0
11/9/2023, 4:27:51 PM	0	2.626	48.2	83.2	0
11/9/2023, 4:37:51 PM	0	2.626	48	82.9	0
11/9/2023, 4:47:51 PM	0	2.626	47.5	82.8	0
11/9/2023, 4:57:51 PM	0	2.626	46.9	82.8	0
11/9/2023, 5:07:51 PM	0	2.626	46.6	82.8	0
11/9/2023, 5:17:51 PM	0	2.626	46	82.8	0
11/9/2023, 5:27:51 PM	0	2.626	45.7	82.9	0
11/9/2023, 5:37:51 PM	0	2.626	45.3	83	0
11/9/2023, 5:47:51 PM	0	2.626	45	83	0
11/9/2023, 5:57:51 PM	0	2.626	44.8	83	0
11/9/2023, 6:07:51 PM	0	2.626	44.2	83	0
11/9/2023, 6:17:51 PM	0	2.626	43.9	83.2	0
11/9/2023, 6:27:51 PM	0	2.626	43.7	83.4	0
11/9/2023, 6:37:51 PM	0	2.617	43.3	83.6	0
11/9/2023, 6:47:51 PM	0	2.617	43	83.8	0
11/9/2023, 6:57:51 PM	0	2.617	42.6	83.9	0
11/9/2023, 7:07:51 PM	0	2.617	42.3	84.2	0
11/9/2023, 7:17:51 PM	0	2.617	41.9	84.5	0
11/9/2023, 7:27:51 PM	0	2.617	41.7	84.9	0
11/9/2023, 7:37:51 PM	0	2.617	41.5	85.1	0
11/9/2023, 7:47:51 PM	0	2.617	41.4	85.4	0
11/9/2023, 7:57:51 PM	0	2.617	41.2	85.7	0
11/9/2023, 8:07:51 PM	0	2.617	41.2	85.9	0
11/9/2023, 8:17:51 PM	0	2.617	41.2	86.1	0
11/9/2023, 8:27:51 PM	0	2.608	41.2	86.3	0
11/9/2023, 8:37:51 PM	0	2.608	41	86.4	0
11/9/2023, 8:47:51 PM	0	2.608	40.8	86.7	0
11/9/2023, 8:57:51 PM	0	2.608	40.6	86.7	0
11/9/2023, 9:07:51 PM	0	2.608	40.3	86.9	0
11/9/2023, 9:17:51 PM	0	2.608	40.1	87.2	0
11/9/2023, 9:27:51 PM	0	2.608	40.1	87.5	0
11/9/2023, 9:37:51 PM	0	2.608	40.3	87.8	0
11/9/2023, 9:47:51 PM	0	2.608	40.3	88	0
11/9/2023, 9:57:51 PM	0	2.608	40.5	88.2	0
11/9/2023, 10:07:51 PM	0	2.608	40.6	88.4	0
11/9/2023, 10:17:51 PM	0	2.608	40.8	88.5	0
11/9/2023, 10:27:51 PM	0	2.608	41	88.5	0
11/9/2023, 10:37:51 PM	0	2.608	41.2	88.4	0
11/9/2023, 10:47:51 PM	0	2.608	41.5	88.3	0
11/9/2023, 10:57:51 PM	0	2.608	41.7	88.2	0
11/9/2023, 11:07:51 PM	0	2.608	41.9	88	0
11/9/2023, 11:17:51 PM	0	2.608	42.3	87.6	0
11/9/2023, 11:27:51 PM	0	2.608	42.3	87.3	0
11/9/2023, 11:37:51 PM	0	2.608	42.4	87.1	0
11/9/2023, 11:47:51 PM	0	2.608	42.4	86.9	0

North Monitoring Station

Time Stamp	H ₂ S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/9/2023, 11:57:51 PM	0	2.608	42.4	86.6	0
11/10/2023, 12:07:51 AM	0	2.608	42.3	86.4	0
11/10/2023, 12:17:51 AM	0	2.608	42.3	85.9	0
11/10/2023, 12:27:51 AM	0	2.608	42.3	85.3	0
11/10/2023, 12:37:51 AM	0	2.608	42.3	84.7	0
11/10/2023, 12:47:51 AM	0	2.608	42.3	84.2	0
11/10/2023, 12:57:51 AM	0	2.6	42.1	83.6	0
11/10/2023, 1:07:51 AM	0	2.6	41.7	83.1	0
11/10/2023, 1:17:51 AM	0	2.6	41.7	82.6	0
11/10/2023, 1:27:51 AM	0	2.6	41.5	82.2	0
11/10/2023, 1:37:51 AM	0	2.6	41.5	81.7	0
11/10/2023, 1:47:51 AM	0	2.6	41.4	81.3	0
11/10/2023, 1:57:51 AM	0	2.6	41.2	80.9	0
11/10/2023, 2:07:51 AM	0	2.6	40.8	80.5	0
11/10/2023, 2:17:51 AM	0	2.6	40.8	80.2	0
11/10/2023, 2:27:51 AM	0	2.6	40.6	79.8	0
11/10/2023, 2:37:51 AM	0	2.6	40.6	79.5	0
11/10/2023, 2:47:51 AM	0	2.6	40.6	79.1	0
11/10/2023, 2:57:51 AM	0	2.6	40.6	78.7	0
11/10/2023, 3:07:51 AM	0	2.6	40.5	78.4	0
11/10/2023, 3:17:51 AM	0	2.6	40.5	78.1	0
11/10/2023, 3:27:51 AM	0	2.6	40.3	77.8	0
11/10/2023, 3:37:51 AM	0	2.6	40.1	77.7	0
11/10/2023, 3:47:51 AM	0	2.6	39.9	77.5	0
11/10/2023, 3:57:51 AM	0	2.591	39.7	77.3	0
11/10/2023, 4:07:51 AM	0	2.591	39.6	77.2	0
11/10/2023, 4:17:51 AM	0	2.591	39.4	77.1	0
11/10/2023, 4:27:51 AM	0	2.591	39.2	77.2	0
11/10/2023, 4:37:51 AM	0	2.591	39	77.1	0
11/10/2023, 4:47:51 AM	0	2.591	39	77.1	0
11/10/2023, 4:57:51 AM	0	2.591	39	77.1	0
11/10/2023, 5:07:51 AM	0	2.591	39	77	0
11/10/2023, 5:17:51 AM	0	2.591	39	77.2	0
11/10/2023, 5:27:51 AM	0	2.591	39	77.1	0
11/10/2023, 5:37:51 AM	0	2.591	39.2	77.1	0
11/10/2023, 5:47:51 AM	0	2.591	39.4	77	0
11/10/2023, 5:57:51 AM	0	2.591	39.6	77	0
11/10/2023, 6:07:51 AM	0	2.591	39.7	76.9	0
11/10/2023, 6:17:51 AM	0	2.591	39.9	76.8	0
11/10/2023, 6:27:51 AM	0	2.591	40.1	76.7	0
11/10/2023, 6:37:51 AM	0	2.591	40.3	76.7	0
11/10/2023, 6:47:51 AM	0	2.591	40.3	76.6	0
11/10/2023, 6:57:51 AM	0	2.591	40.3	76.6	0
11/10/2023, 7:07:51 AM	0	2.591	40.5	76.5	0
11/10/2023, 7:17:51 AM	0	2.591	40.5	76.6	0
11/10/2023, 7:27:51 AM	0	2.591	40.6	76.6	0
11/10/2023, 7:37:51 AM	0	2.591	40.6	76.6	0
11/10/2023, 7:47:51 AM	0	2.591	40.6	76.6	0
11/10/2023, 7:57:51 AM	0	2.591	40.8	76.7	0
11/10/2023, 8:07:51 AM	0	2.591	41.2	76.7	0
11/10/2023, 8:17:51 AM	0	2.591	41.5	76.6	0
11/10/2023, 8:27:51 AM	0	2.591	41.9	76.4	0
11/10/2023, 8:37:51 AM	0	2.591	42.3	76.5	0
11/10/2023, 8:47:51 AM	0	2.591	42.8	76.5	0
11/10/2023, 8:57:51 AM	0	2.591	43.3	76.4	0
11/10/2023, 9:07:51 AM	0	2.591	44.1	76.3	0

North Monitoring Station

Time Stamp	H ₂ S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/10/2023, 9:17:51 AM	0	2.591	44.6	75.7	0
11/10/2023, 9:27:51 AM	0	2.591	45	75.3	0
11/10/2023, 9:37:51 AM	0	2.591	45.7	74.9	0
11/10/2023, 9:47:51 AM	0	2.591	46.2	74.5	0
11/10/2023, 9:57:51 AM	0	2.591	46.9	74.1	0
11/10/2023, 10:07:51 AM	0	2.591	48	73.5	0
11/10/2023, 10:17:51 AM	0	2.591	48.6	72.8	0
11/10/2023, 10:27:51 AM	0	2.6	49.1	72.4	0
11/10/2023, 10:37:51 AM	0	2.6	50	71.9	0
11/10/2023, 10:47:51 AM	0	2.6	50.7	71.2	0
11/10/2023, 10:57:51 AM	0	2.6	51.3	70.4	0
11/10/2023, 11:07:51 AM	0	2.6	51.6	69.9	0
11/10/2023, 11:17:51 AM	0	2.6	52	69.3	0
11/10/2023, 11:27:51 AM	0	2.6	52.3	68.6	0
11/10/2023, 11:37:51 AM	0	2.6	52.5	68.1	0
11/10/2023, 11:47:51 AM	0	2.6	52.5	67.1	0
11/10/2023, 11:57:51 AM	0	2.608	52.3	66.2	0
11/10/2023, 12:07:51 PM	0	2.608	52.3	65.8	0
11/10/2023, 12:17:51 PM	0	2.608	52.3	65.6	0
11/10/2023, 12:27:51 PM	0	2.608	52.3	65.3	0
11/10/2023, 12:37:51 PM	0	2.608	52.3	65.1	0
11/10/2023, 12:47:51 PM	0	2.608	52.5	64.8	0
11/10/2023, 12:57:51 PM	0	2.608	52.7	64.6	0
11/10/2023, 1:07:51 PM	0	2.608	52.9	64.5	0
11/10/2023, 1:17:51 PM	0	2.608	52.9	64.1	0
11/10/2023, 1:27:51 PM	0	2.608	52.5	63.9	0
11/10/2023, 1:37:51 PM	0	2.608	52.5	63.9	0
11/10/2023, 1:47:51 PM	0	2.608	52.2	63.7	0
11/10/2023, 1:57:51 PM	0	2.608	51.8	63.6	0
11/10/2023, 2:07:51 PM	0	2.608	51.8	63.7	0
11/10/2023, 2:17:51 PM	0	2.608	51.6	63.6	0
11/10/2023, 2:27:51 PM	0	2.608	51.4	63.5	0
11/10/2023, 2:37:51 PM	0	2.608	51.3	63.4	0
11/10/2023, 2:47:51 PM	0	2.608	51.1	63.4	0
11/10/2023, 2:57:51 PM	0	2.608	50.9	63.2	0
11/10/2023, 3:07:51 PM	0	2.608	50.5	62.9	0
11/10/2023, 3:17:51 PM	0	2.608	50.4	62.6	0
11/10/2023, 3:27:51 PM	0	2.608	50	62.5	0
11/10/2023, 3:37:51 PM	0	2.608	50	62.4	0
11/10/2023, 3:47:51 PM	0	2.608	49.8	62.5	0
11/10/2023, 3:57:51 PM	0	2.608	49.6	62.5	0
11/10/2023, 4:07:51 PM	0	2.608	49.5	62.6	0
11/10/2023, 4:17:51 PM	0	2.608	49.3	63.3	0
11/10/2023, 4:27:51 PM	0	2.608	48.9	64.4	0
11/10/2023, 4:37:51 PM	0	2.608	48.2	65.1	0
11/10/2023, 4:47:51 PM	0	2.608	47.5	65.8	0
11/10/2023, 4:57:51 PM	0	2.608	46.4	66.5	0
11/10/2023, 5:07:51 PM	0	2.608	45.3	67.1	0
11/10/2023, 5:17:51 PM	0	2.608	44.4	67.9	0
11/10/2023, 5:27:51 PM	0	2.6	43.5	68.8	0
11/10/2023, 5:37:51 PM	0	2.6	42.6	69.7	0
11/10/2023, 5:47:51 PM	0	2.6	41.9	70.6	0
11/10/2023, 5:57:51 PM	0	2.6	41.2	71.8	0
11/10/2023, 6:07:51 PM	0	2.6	40.8	72.9	0
11/10/2023, 6:17:51 PM	0	2.591	40.3	73.5	0
11/10/2023, 6:27:51 PM	0	2.591	40.1	74.1	0

North Monitoring Station

Time Stamp	H ₂ S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/10/2023, 6:37:51 PM	0	2.591	39.7	74.7	0
11/10/2023, 6:47:51 PM	0	2.591	39.2	75.1	0
11/10/2023, 6:57:51 PM	0	2.591	38.7	75.8	0
11/10/2023, 7:07:51 PM	0	2.591	38.1	76.4	0
11/10/2023, 7:17:51 PM	0	2.591	37.6	76.8	0
11/10/2023, 7:27:51 PM	0	2.582	37	77.2	0
11/10/2023, 7:37:51 PM	0	2.582	36.7	77.5	0
11/10/2023, 7:47:51 PM	0	2.582	36.1	77.9	0
11/10/2023, 7:57:51 PM	0	2.582	35.4	78.2	0
11/10/2023, 8:07:51 PM	0	2.582	34.9	78.6	0
11/10/2023, 8:17:51 PM	0	2.573	34.3	79	0
11/10/2023, 8:27:51 PM	0	2.573	34	79.6	0
11/10/2023, 8:37:51 PM	0	2.573	33.8	80.3	0
11/10/2023, 8:47:51 PM	0	2.573	33.6	80.6	0
11/10/2023, 8:57:51 PM	0	2.573	33.3	81	0
11/10/2023, 9:07:51 PM	0	2.573	32.9	81.5	0
11/10/2023, 9:17:51 PM	0	2.564	32.9	82.2	0
11/10/2023, 9:27:51 PM	0	2.564	33.3	83.1	0
11/10/2023, 9:37:51 PM	0	2.564	33.4	83.9	0
11/10/2023, 9:47:51 PM	0	2.564	34	84.7	0
11/10/2023, 9:57:51 PM	0	2.564	34.3	85.4	0
11/10/2023, 10:07:51 PM	0	2.564	34.7	85.9	0
11/10/2023, 10:17:51 PM	0	2.564	35.1	86.3	0
11/10/2023, 10:27:51 PM	0	2.564	35.2	86.6	0
11/10/2023, 10:37:51 PM	0	2.564	35.4	86.9	0
11/10/2023, 10:47:51 PM	0	2.564	35.8	87.2	0
11/10/2023, 10:57:51 PM	0	2.564	36.1	87.3	0
11/10/2023, 11:07:51 PM	0	2.564	36.3	87.3	0
11/10/2023, 11:17:51 PM	0	2.564	36.5	87.2	0
11/10/2023, 11:27:51 PM	0	2.564	36.7	87.2	0
11/10/2023, 11:37:51 PM	0	2.564	36.9	87.1	0
11/10/2023, 11:47:51 PM	0	2.564	37.4	87	0
11/10/2023, 11:57:51 PM	0	2.564	37.8	86.9	0
11/11/2023, 12:07:51 AM	0	2.564	37.9	86.5	0
11/11/2023, 12:17:51 AM	0	2.564	38.1	86.2	0
11/11/2023, 12:27:51 AM	0	2.564	38.3	85.8	0
11/11/2023, 12:37:51 AM	0	2.564	38.5	85.5	0
11/11/2023, 12:47:51 AM	0	2.564	38.5	85.1	0
11/11/2023, 12:57:51 AM	0	2.564	38.3	84.9	0
11/11/2023, 1:07:51 AM	0	2.564	37.9	84.8	0
11/11/2023, 1:17:51 AM	0	2.564	37.8	84.6	0
11/11/2023, 1:27:51 AM	0	2.564	37.4	84.8	0
11/11/2023, 1:37:51 AM	0	2.564	37.4	85	0
11/11/2023, 1:47:51 AM	0	2.564	37.6	85.3	0
11/11/2023, 1:57:51 AM	0	2.564	37.8	85.5	0
11/11/2023, 2:07:51 AM	0	2.564	37.9	85.6	0
11/11/2023, 2:17:51 AM	0	2.564	38.1	85.6	0
11/11/2023, 2:27:51 AM	0	2.564	38.3	85.7	0
11/11/2023, 2:37:51 AM	0	2.564	38.7	85.7	0
11/11/2023, 2:47:51 AM	0	2.564	39	85.6	0
11/11/2023, 2:57:51 AM	0	2.564	39.2	85.5	0
11/11/2023, 3:07:51 AM	0	2.564	39.6	85.8	0
11/11/2023, 3:17:51 AM	0	2.564	39.6	85.9	0
11/11/2023, 3:27:51 AM	0	2.564	39.6	86.2	0
11/11/2023, 3:37:51 AM	0	2.564	39.7	86.6	0
11/11/2023, 3:47:51 AM	0	2.564	39.7	87.1	0

North Monitoring Station

Time Stamp	H ₂ S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/11/2023, 3:57:51 AM	0	2.564	39.7	87.5	0
11/11/2023, 4:07:51 AM	0	2.564	39.7	87.6	0
11/11/2023, 4:17:51 AM	0	2.564	39.6	87.7	0
11/11/2023, 4:27:51 AM	0	2.564	39.6	87.9	0
11/11/2023, 4:37:51 AM	0	2.564	39.6	88	0
11/11/2023, 4:47:51 AM	0	2.564	39.6	88.1	0
11/11/2023, 4:57:51 AM	0	2.564	39.6	88.3	0
11/11/2023, 5:07:51 AM	0	2.564	39.6	88.5	0
11/11/2023, 5:17:51 AM	0	2.564	39.6	88.6	0
11/11/2023, 5:27:51 AM	0	2.564	39.6	88.5	0
11/11/2023, 5:37:51 AM	0	2.564	39.4	88.4	0
11/11/2023, 5:47:51 AM	0	2.564	39.4	88	0
11/11/2023, 5:57:51 AM	0	2.564	39.4	87.7	0
11/11/2023, 6:07:51 AM	0	2.564	39.2	87.4	0
11/11/2023, 6:17:51 AM	0	2.564	39.2	87.1	0
11/11/2023, 6:27:51 AM	0	2.564	39.2	86.8	0
11/11/2023, 6:37:51 AM	0	2.564	39.2	86.4	0
11/11/2023, 6:47:51 AM	0	2.564	39.2	85.9	0
11/11/2023, 6:57:51 AM	0	2.564	39.2	85.4	0
11/11/2023, 7:07:51 AM	0	2.564	39.4	85	0
11/11/2023, 7:17:51 AM	0	2.556	39.4	84.9	0
11/11/2023, 7:27:51 AM	0	2.556	39.2	85	0
11/11/2023, 7:37:51 AM	0	2.556	39	85.4	0
11/11/2023, 7:47:51 AM	0	2.556	39	85.6	0
11/11/2023, 7:57:51 AM	0	2.556	38.8	85.8	0
11/11/2023, 8:07:51 AM	0	2.556	38.8	86.1	0
11/11/2023, 8:17:51 AM	0	2.556	39	86.2	0
11/11/2023, 8:27:51 AM	0	2.556	39	86	0
11/11/2023, 8:37:51 AM	0	2.556	39.2	85.9	0
11/11/2023, 8:47:51 AM	0	2.556	39.2	85.8	0
11/11/2023, 8:57:51 AM	0	2.556	39.6	85.6	0
11/11/2023, 9:07:51 AM	0	2.556	39.7	85.3	0
11/11/2023, 9:17:51 AM	0	2.556	40.3	85	0
11/11/2023, 9:27:51 AM	0	2.556	40.6	84.5	0
11/11/2023, 9:37:51 AM	0	2.556	40.8	84.1	0
11/11/2023, 9:47:51 AM	0	2.556	41	83.7	0
11/11/2023, 9:57:51 AM	0	2.556	41.7	83	0
11/11/2023, 10:07:51 AM	0	2.556	42.1	81.9	0
11/11/2023, 10:17:51 AM	0	2.556	42.3	81	0
11/11/2023, 10:27:51 AM	0	2.556	42.6	80.3	0
11/11/2023, 10:37:51 AM	0	2.556	42.8	79.5	0
11/11/2023, 10:47:51 AM	0	2.556	43.2	78.9	0
11/11/2023, 10:57:51 AM	0	2.564	43.3	78.3	0
11/11/2023, 11:07:51 AM	0	2.564	43.5	77.7	0
11/11/2023, 11:17:51 AM	0	2.564	43.7	77	0
11/11/2023, 11:27:51 AM	0	2.564	43.7	76.1	0
11/11/2023, 11:37:51 AM	0	2.564	43.9	75.7	0
11/11/2023, 11:47:51 AM	0	2.564	44.4	75.4	0
11/11/2023, 11:57:51 AM	0	2.564	45.1	75	0
11/11/2023, 12:07:51 PM	0	2.564	45.1	75.1	0
11/11/2023, 12:17:51 PM	0	2.564	44.8	75.1	0
11/11/2023, 12:27:51 PM	0	2.564	44.6	75.1	0
11/11/2023, 12:37:51 PM	0	2.564	44.8	74.9	0
11/11/2023, 12:47:51 PM	0	2.564	44.6	74.5	0
11/11/2023, 12:57:51 PM	0	2.564	44.6	74.3	0
11/11/2023, 1:07:51 PM	0	2.564	44.4	73.9	0

North Monitoring Station

Time Stamp	H ₂ S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/11/2023, 1:17:51 PM	0	2.564	44.1	73.4	0
11/11/2023, 1:27:51 PM	0	2.564	43.5	73.2	0
11/11/2023, 1:37:51 PM	0	2.564	43.2	73	0
11/11/2023, 1:47:51 PM	0	2.564	42.8	72.9	0
11/11/2023, 1:57:51 PM	0	2.564	42.4	73.1	0
11/11/2023, 2:07:51 PM	0	2.564	42.1	73.4	0
11/11/2023, 2:17:51 PM	0	2.564	41.9	73.6	0
11/11/2023, 2:27:51 PM	0	2.564	41.7	73.9	0
11/11/2023, 2:37:51 PM	0	2.564	41.5	74	0
11/11/2023, 2:47:51 PM	0	2.564	41.4	74.1	0
11/11/2023, 2:57:51 PM	0	2.556	41.2	74.6	0
11/11/2023, 3:07:51 PM	0	2.556	40.8	75.1	0
11/11/2023, 3:17:51 PM	0	2.556	40.5	75.5	0
11/11/2023, 3:27:51 PM	0	2.556	40.1	76.1	0
11/11/2023, 3:37:51 PM	0	2.556	39.7	76.6	0
11/11/2023, 3:47:51 PM	0	2.556	39.6	77.1	0
11/11/2023, 3:57:51 PM	0	2.556	39.4	77.6	0
11/11/2023, 4:07:51 PM	0	2.556	39	78.1	0
11/11/2023, 4:17:51 PM	0	2.556	38.7	78.5	0
11/11/2023, 4:27:51 PM	0	2.556	38.5	78.8	0
11/11/2023, 4:37:51 PM	0	2.547	38.3	79.2	0
11/11/2023, 4:47:51 PM	0	2.547	37.9	79.5	0
11/11/2023, 4:57:51 PM	0	2.547	37.9	79.8	0
11/11/2023, 5:07:51 PM	0	2.547	37.8	80.1	0
11/11/2023, 5:17:51 PM	0	2.547	37.6	80.5	0
11/11/2023, 5:27:51 PM	0	2.547	37.4	80.9	0
11/11/2023, 5:37:51 PM	0	2.547	37.2	81.3	0
11/11/2023, 5:47:51 PM	0	2.547	37.2	81.7	0
11/11/2023, 5:57:51 PM	0	2.547	37	82.1	0
11/11/2023, 6:07:51 PM	0	2.547	36.9	82.5	0
11/11/2023, 6:17:51 PM	0	2.547	36.7	82.9	0
11/11/2023, 6:27:51 PM	0	2.547	36.7	83.2	0
11/11/2023, 6:37:51 PM	0	2.547	36.5	83.5	0
11/11/2023, 6:47:51 PM	0	2.538	36.5	83.8	0
11/11/2023, 6:57:51 PM	0	2.538	36.3	84	0
11/11/2023, 7:07:51 PM	0	2.538	36.1	84.2	0
11/11/2023, 7:17:51 PM	0	2.538	36.1	84.5	0
11/11/2023, 7:27:51 PM	0	2.538	36	84.7	0
11/11/2023, 7:37:51 PM	0	2.538	36	84.8	0
11/11/2023, 7:47:51 PM	0	2.538	36	84.7	0
11/11/2023, 7:57:51 PM	0	2.538	36.1	84.8	0
11/11/2023, 8:07:51 PM	0	2.538	36.1	84.9	0
11/11/2023, 8:17:51 PM	0	2.538	36.1	85	0
11/11/2023, 8:27:51 PM	0	2.538	36.3	84.9	0
11/11/2023, 8:37:51 PM	0	2.538	36.3	84.9	0
11/11/2023, 8:47:51 PM	0	2.538	36.5	84.9	0
11/11/2023, 8:57:51 PM	0	2.538	36.5	85.1	0
11/11/2023, 9:07:51 PM	0	2.538	36.5	85.3	0
11/11/2023, 9:17:51 PM	0	2.538	36.3	85.5	0
11/11/2023, 9:27:51 PM	0	2.538	36.3	85.8	0
11/11/2023, 9:37:51 PM	0	2.529	36.3	86	0
11/11/2023, 9:47:51 PM	0	2.529	36.1	86.1	0
11/11/2023, 9:57:51 PM	0	2.529	36.1	86.2	0
11/11/2023, 10:07:51 PM	0	2.529	36	86.4	0
11/11/2023, 10:17:51 PM	0	2.529	36	86.6	0
11/11/2023, 10:27:51 PM	0	2.529	35.8	86.9	0

North Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/11/2023, 10:37:51 PM	0	2.529	35.8	87.1	0
11/11/2023, 10:47:51 PM	0	2.529	35.6	87.3	0
11/11/2023, 10:57:51 PM	0	2.529	35.6	87.7	0
11/11/2023, 11:07:51 PM	0	2.529	35.6	87.9	0
11/11/2023, 11:17:51 PM	0	2.529	35.4	88.2	0
11/11/2023, 11:27:51 PM	0	2.529	35.4	88.4	0
11/11/2023, 11:37:51 PM	0	2.529	35.4	88.7	0
11/11/2023, 11:47:51 PM	0	2.529	35.4	88.9	0
11/11/2023, 11:57:51 PM	0	2.529	35.4	89	0
11/12/2023, 12:07:51 AM	0	2.529	35.4	89.2	0
11/12/2023, 12:17:51 AM	0	2.529	35.4	89.3	0
11/12/2023, 12:27:51 AM	0	2.529	35.4	89.4	0
11/12/2023, 12:37:51 AM	0	2.529	35.4	89.6	0
11/12/2023, 12:47:51 AM	0	2.529	35.4	89.7	0
11/12/2023, 12:57:51 AM	0	2.529	35.4	89.8	0
11/12/2023, 1:07:51 AM	0	2.529	35.2	89.9	0
11/12/2023, 1:17:51 AM	0	2.529	35.2	89.9	0
11/12/2023, 1:27:51 AM	0	2.529	35.2	90.1	0
11/12/2023, 1:37:51 AM	0	2.529	35.2	90.2	0
11/12/2023, 1:47:51 AM	0	2.529	35.2	90.3	0
11/12/2023, 1:57:51 AM	0	2.521	35.2	90.4	0
11/12/2023, 2:07:51 AM	0	2.521	35.2	90.5	0
11/12/2023, 2:17:51 AM	0	2.521	35.2	90.7	0
11/12/2023, 2:27:51 AM	0	2.521	35.2	90.8	0
11/12/2023, 2:37:51 AM	0	2.521	35.4	91	0
11/12/2023, 2:47:51 AM	0	2.521	35.4	91.1	0
11/12/2023, 2:57:51 AM	0	2.521	35.4	91.1	0
11/12/2023, 3:07:51 AM	0	2.521	35.4	91.3	0
11/12/2023, 3:17:51 AM	0	2.521	35.4	91.4	0
11/12/2023, 3:27:51 AM	0	2.521	35.4	91.5	0
11/12/2023, 3:37:51 AM	0	2.521	35.4	91.6	0
11/12/2023, 3:47:51 AM	0	2.521	35.4	91.7	0
11/12/2023, 3:57:51 AM	0	2.521	35.4	91.8	0
11/12/2023, 4:07:51 AM	0	2.521	35.4	91.8	0
11/12/2023, 4:17:51 AM	0	2.521	35.4	91.8	0
11/12/2023, 4:27:51 AM	0	2.521	35.4	91.9	0
11/12/2023, 4:37:51 AM	0	2.521	35.4	91.9	0
11/12/2023, 4:47:51 AM	0	2.521	35.4	92	0
11/12/2023, 4:57:51 AM	0	2.521	35.4	92.1	0
11/12/2023, 5:07:51 AM	0	2.521	35.4	92.1	0
11/12/2023, 5:17:51 AM	0	2.521	35.4	92.2	0
11/12/2023, 5:27:51 AM	0	2.521	35.4	92.3	0
11/12/2023, 5:37:51 AM	0	2.521	35.4	92.3	0
11/12/2023, 5:47:51 AM	0	2.521	35.4	92.3	0
11/12/2023, 5:57:51 AM	0	2.521	35.4	92.3	0
11/12/2023, 6:07:51 AM	0	2.521	35.4	92.3	0
11/12/2023, 6:17:51 AM	0	2.521	35.4	92.4	0
11/12/2023, 6:27:51 AM	0	2.521	35.4	92.4	0
11/12/2023, 6:37:51 AM	0	2.521	35.4	92.3	0
11/12/2023, 6:47:51 AM	0	2.521	35.4	92.3	0
11/12/2023, 6:57:51 AM	0	2.521	35.4	92.3	0
11/12/2023, 7:07:51 AM	0	2.521	35.4	92.3	0
11/12/2023, 7:17:51 AM	0	2.521	35.4	92.4	0
11/12/2023, 7:27:51 AM	0	2.521	35.4	92.4	0
11/12/2023, 7:37:51 AM	0	2.521	35.4	92.5	0
11/12/2023, 7:47:51 AM	0	2.521	35.6	92.6	0

North Monitoring Station

Time Stamp	H ₂ S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/12/2023, 7:57:51 AM	0	2.512	35.8	92.7	0
11/12/2023, 8:07:51 AM	0	2.521	36.1	92.9	0
11/12/2023, 8:17:51 AM	0	2.521	36.5	92.8	0
11/12/2023, 8:27:51 AM	0	2.521	37	92.8	0
11/12/2023, 8:37:51 AM	0	2.521	38.7	92.2	0
11/12/2023, 8:47:51 AM	0	2.521	39.9	91	0
11/12/2023, 8:57:51 AM	0	2.521	41.2	89.7	0
11/12/2023, 9:07:51 AM	0	2.521	42.3	88.2	0
11/12/2023, 9:17:51 AM	0	2.521	42.4	86.6	0
11/12/2023, 9:27:51 AM	0	2.521	42.1	85.4	0
11/12/2023, 9:37:51 AM	0	2.529	42.1	84.2	0
11/12/2023, 9:47:51 AM	0	2.529	42.4	83.4	0
11/12/2023, 9:57:51 AM	0	2.529	42.4	82.6	0
11/12/2023, 10:07:51 AM	0	2.529	42.4	81.9	0
11/12/2023, 10:17:51 AM	0	2.529	42.3	81.2	0
11/12/2023, 10:27:51 AM	0	2.529	42.3	80.5	0
11/12/2023, 10:37:51 AM	0	2.529	42.3	79.5	0
11/12/2023, 10:47:51 AM	0	2.529	42.1	79	0
11/12/2023, 10:57:51 AM	0	2.529	41.9	78.8	0
11/12/2023, 11:07:51 AM	0	2.529	41.7	78.6	0
11/12/2023, 11:17:51 AM	0	2.529	41.9	78.1	0
11/12/2023, 11:27:51 AM	0	2.529	41.9	77.9	0
11/12/2023, 11:37:51 AM	0	2.529	41.9	77.6	0
11/12/2023, 11:47:51 AM	0	2.529	42.1	77.1	0
11/12/2023, 11:57:51 AM	0	2.529	42.3	76.7	0
11/12/2023, 12:07:51 PM	0	2.529	42.6	76.4	0
11/12/2023, 12:17:51 PM	0	2.529	42.8	76	0
11/12/2023, 12:27:51 PM	0	2.529	43.2	75.5	0
11/12/2023, 12:37:51 PM	0	2.529	43.5	75.2	0
11/12/2023, 12:47:51 PM	0	2.538	44.2	74.6	0
11/12/2023, 12:57:51 PM	0	2.538	45.5	74.1	0
11/12/2023, 1:07:51 PM	0	2.538	46.6	73.2	0
11/12/2023, 1:17:51 PM	0	2.538	46.2	72.3	0
11/12/2023, 1:27:51 PM	0	2.538	45.3	71.8	0
11/12/2023, 1:37:51 PM	0	2.538	45.1	71.4	0
11/12/2023, 1:47:51 PM	0	2.538	45.5	70.9	0
11/12/2023, 1:57:51 PM	0	2.538	45.7	70.7	0
11/12/2023, 2:07:51 PM	0	2.538	45.7	70.4	0
11/12/2023, 2:17:51 PM	0	2.538	45.3	70.3	0
11/12/2023, 2:27:51 PM	0	2.538	44.8	69.9	0
11/12/2023, 2:37:51 PM	0	2.538	44.6	69.9	0
11/12/2023, 2:47:51 PM	0	2.538	44.6	69.8	0
11/12/2023, 2:57:51 PM	0	2.538	44.2	69.6	0
11/12/2023, 3:07:51 PM	0	2.538	44.1	69.4	0
11/12/2023, 3:17:51 PM	0	2.538	43.7	69.3	0
11/12/2023, 3:27:51 PM	0	2.538	43.5	69.2	0
11/12/2023, 3:37:51 PM	0	2.538	43.2	69.1	0
11/12/2023, 3:47:51 PM	0	2.538	42.6	69.2	0
11/12/2023, 3:57:51 PM	0	2.538	42.3	69.2	0
11/12/2023, 4:07:51 PM	0	2.538	41.7	69.4	0
11/12/2023, 4:17:51 PM	0	2.538	41.2	69.4	0
11/12/2023, 4:27:51 PM	0	2.538	40.8	70	0
11/12/2023, 4:37:51 PM	0	2.538	40.3	70.7	0
11/12/2023, 4:47:51 PM	0	2.529	39.7	71.3	0
11/12/2023, 4:57:51 PM	0	2.529	39	71.9	0
11/12/2023, 5:07:51 PM	0	2.529	38.5	72.4	0

North Monitoring Station

Time Stamp	H ₂ S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/12/2023, 5:17:51 PM	0	2.529	37.6	72.8	0
11/12/2023, 5:27:51 PM	0	2.529	36.7	73.3	0
11/12/2023, 5:37:51 PM	0	2.529	35.8	73.8	0
11/12/2023, 5:47:51 PM	0	2.521	34.9	74.4	0
11/12/2023, 5:57:51 PM	0	2.521	34.2	75	0
11/12/2023, 6:07:51 PM	0	2.521	33.4	75.7	0
11/12/2023, 6:17:51 PM	0	2.521	32.9	76.3	0
11/12/2023, 6:27:51 PM	0	2.512	32.4	77	0
11/12/2023, 6:37:51 PM	0	2.512	32	77.6	0
11/12/2023, 6:47:51 PM	0	2.512	31.8	78.1	0
11/12/2023, 6:57:51 PM	0	2.512	31.3	78.4	0
11/12/2023, 7:07:51 PM	0	2.512	30.7	78.7	0
11/12/2023, 7:17:51 PM	0	2.503	30.2	79.1	0
11/12/2023, 7:27:51 PM	0	2.503	29.7	79.5	0
11/12/2023, 7:37:51 PM	0	2.503	29.3	80	0
11/12/2023, 7:47:51 PM	0	2.503	28.9	80.4	0
11/12/2023, 7:57:51 PM	0	2.494	28.6	80.7	0
11/12/2023, 8:07:51 PM	0	2.494	28	81.1	0
11/12/2023, 8:17:51 PM	0	2.494	27.9	81.5	0
11/12/2023, 8:27:51 PM	0	2.494	27.5	81.9	0
11/12/2023, 8:37:51 PM	0	2.494	27.3	82.3	0
11/12/2023, 8:47:51 PM	0	2.485	27.1	82.6	0
11/12/2023, 8:57:51 PM	0	2.485	26.8	82.9	0
11/12/2023, 9:07:51 PM	0	2.485	26.6	83.2	0
11/12/2023, 9:17:51 PM	0	2.485	26.4	83.5	0
11/12/2023, 9:27:51 PM	0	2.485	26.2	83.7	0
11/12/2023, 9:37:51 PM	0	2.485	26.1	83.9	0
11/12/2023, 9:47:51 PM	0	2.485	25.9	84.1	0
11/12/2023, 9:57:51 PM	0	2.477	25.9	84.4	0
11/12/2023, 10:07:51 PM	0	2.477	25.9	84.7	0
11/12/2023, 10:17:51 PM	0	2.477	25.7	84.9	0
11/12/2023, 10:27:51 PM	0	2.477	25.5	85	0
11/12/2023, 10:37:51 PM	0	2.477	25.5	85.3	0
11/12/2023, 10:47:51 PM	0	2.477	25.3	85.4	0
11/12/2023, 10:57:51 PM	0	2.477	25.2	85.5	0
11/12/2023, 11:07:51 PM	0	2.477	25	85.6	0
11/12/2023, 11:17:51 PM	0	2.468	24.6	85.6	0
11/12/2023, 11:27:51 PM	0	2.468	24.8	85.9	0
11/12/2023, 11:37:51 PM	0	2.468	25	86.4	0
11/12/2023, 11:47:51 PM	0	2.468	25.2	86.8	0
11/12/2023, 11:57:51 PM	0	2.468	25.2	87.2	0
11/13/2023, 12:07:51 AM	0	2.468	25.3	87.5	0
11/13/2023, 12:17:51 AM	0	2.468	25.3	87.8	0
11/13/2023, 12:27:51 AM	0	2.468	25.3	87.9	0
11/13/2023, 12:37:51 AM	0	2.468	25.3	87.9	0
11/13/2023, 12:47:51 AM	0	2.468	25	87.7	0
11/13/2023, 12:57:51 AM	0	2.468	24.8	87.5	0
11/13/2023, 1:07:51 AM	0	2.468	24.4	87.5	0
11/13/2023, 1:17:51 AM	0	2.468	24.4	87.5	0
11/13/2023, 1:27:51 AM	0	2.459	24.3	87.6	0
11/13/2023, 1:37:51 AM	0	2.459	24.3	87.7	0
11/13/2023, 1:47:51 AM	0	2.459	24.1	87.6	0
11/13/2023, 1:57:51 AM	0	2.459	23.9	87.5	0
11/13/2023, 2:07:51 AM	0	2.459	23.7	87.6	0
11/13/2023, 2:17:51 AM	0	2.459	23.7	87.8	0
11/13/2023, 2:27:51 AM	0	2.459	23.5	87.8	0

North Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/13/2023, 2:37:51 AM	0	2.459	23.4	87.8	0
11/13/2023, 2:47:51 AM	0	2.459	23.4	87.9	0
11/13/2023, 2:57:51 AM	0	2.459	23.4	88	0
11/13/2023, 3:07:51 AM	0	2.45	23.4	88.2	0
11/13/2023, 3:17:51 AM	0	2.45	23.5	88.5	0
11/13/2023, 3:27:51 AM	0	2.45	23.5	88.6	0
11/13/2023, 3:37:51 AM	0	2.45	23.4	88.6	0
11/13/2023, 3:47:51 AM	0	2.45	23.4	88.6	0
11/13/2023, 3:57:51 AM	0	2.45	23.2	88.7	0
11/13/2023, 4:07:51 AM	0	2.45	23.2	88.7	0
11/13/2023, 4:17:51 AM	0	2.45	23	88.7	0
11/13/2023, 4:27:51 AM	0	2.45	23	88.8	0
11/13/2023, 4:37:51 AM	0	2.45	23	88.9	0
11/13/2023, 4:47:51 AM	0	2.45	23	88.9	0
11/13/2023, 4:57:51 AM	0	2.45	22.8	89	0
11/13/2023, 5:07:51 AM	0	2.441	22.8	89	0
11/13/2023, 5:17:51 AM	0	2.441	22.8	89.1	0
11/13/2023, 5:27:51 AM	0	2.441	22.8	89.2	0
11/13/2023, 5:37:51 AM	0	2.441	22.8	89.3	0
11/13/2023, 5:47:51 AM	0	2.441	23	89.6	0
11/13/2023, 5:57:51 AM	0	2.441	23.5	90	0
11/13/2023, 6:07:51 AM	0	2.441	24.1	90.5	0
11/13/2023, 6:17:51 AM	0	2.441	24.6	90.9	0
11/13/2023, 6:27:51 AM	0	2.441	25.2	91.3	0
11/13/2023, 6:37:51 AM	0	2.45	25.7	91.6	0
11/13/2023, 6:47:51 AM	0	2.45	26.2	91.9	0
11/13/2023, 6:57:51 AM	0	2.45	26.6	92.2	0
11/13/2023, 7:07:51 AM	0	2.45	27	92.4	0
11/13/2023, 7:17:51 AM	0	2.45	27.3	92.6	0
11/13/2023, 7:27:51 AM	0	2.45	27.7	92.7	0
11/13/2023, 7:37:51 AM	0	2.45	27.9	92.8	0
11/13/2023, 7:47:51 AM	0	2.45	28	92.8	0
11/13/2023, 7:57:51 AM	0	2.45	28.2	92.7	0
11/13/2023, 8:07:51 AM	0	2.45	28.4	92.7	0
11/13/2023, 8:17:51 AM	0	2.45	28.9	92.9	0
11/13/2023, 8:27:51 AM	0	2.459	29.7	93.2	0
11/13/2023, 8:37:51 AM	0	2.459	30.7	93.5	0
11/13/2023, 8:47:51 AM	0	2.459	31.8	93.8	0
11/13/2023, 8:57:51 AM	0	2.459	32.5	94.1	0
11/13/2023, 9:07:51 AM	0	2.459	33.1	94.1	0
11/13/2023, 9:17:51 AM	0	2.468	33.8	94.2	0
11/13/2023, 9:27:51 AM	0	2.468	34.5	94.3	0
11/13/2023, 9:37:51 AM	0	2.468	35.1	94	0
11/13/2023, 9:47:51 AM	0	2.468	35.6	93.7	0
11/13/2023, 9:57:51 AM	0	2.477	36.3	93.4	0
11/13/2023, 10:07:51 AM	0	2.477	36.9	93.1	0
11/13/2023, 10:17:51 AM	0	2.477	37.6	92.7	0
11/13/2023, 10:27:51 AM	0	2.477	39.2	92.4	0
11/13/2023, 10:37:51 AM	0	2.485	41.5	91.7	0
11/13/2023, 10:47:51 AM	0	2.485	43.3	90	0
11/13/2023, 10:57:51 AM	0	2.494	44.6	88.6	0
11/13/2023, 11:07:51 AM	0	2.494	46.6	86.8	0
11/13/2023, 11:17:51 AM	0	2.494	48.4	84.6	0
11/13/2023, 11:27:51 AM	0	2.503	49.5	82.5	0
11/13/2023, 11:37:51 AM	0	2.503	50.2	80.4	0
11/13/2023, 11:47:51 AM	0	2.512	50.5	78.7	0

North Monitoring Station

Time Stamp	H ₂ S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/13/2023, 11:57:51 AM	0	2.512	50.5	77.3	0
11/13/2023, 12:07:51 PM	0	2.512	50.5	76	0
11/13/2023, 12:17:51 PM	0	2.521	50.5	75.1	0
11/13/2023, 12:27:51 PM	0	2.521	50.5	74.3	0
11/13/2023, 12:37:51 PM	0	2.521	50.7	73.5	0
11/13/2023, 12:47:51 PM	0	2.521	50.7	72.9	0
11/13/2023, 12:57:51 PM	0	2.529	50.7	72.2	0
11/13/2023, 1:07:51 PM	0	2.529	50.7	71.7	0
11/13/2023, 1:17:51 PM	0	2.529	51.4	71.2	0
11/13/2023, 1:27:51 PM	0	2.529	52.7	70.5	0
11/13/2023, 1:37:51 PM	0	2.529	53.8	69.7	0
11/13/2023, 1:47:51 PM	0	2.538	54.1	69	0
11/13/2023, 1:57:51 PM	0	2.538	54	68.4	0
11/13/2023, 2:07:51 PM	0	2.538	53.8	68	0
11/13/2023, 2:17:51 PM	0	2.538	54.1	67.8	0
11/13/2023, 2:27:51 PM	0	2.538	54.3	67.8	0
11/13/2023, 2:37:51 PM	0	2.538	54.1	67.8	0
11/13/2023, 2:47:51 PM	0	2.547	54	68.1	0
11/13/2023, 2:57:51 PM	0	2.547	54	68.7	0
11/13/2023, 3:07:51 PM	0	2.547	54.1	69.5	0
11/13/2023, 3:17:51 PM	0	2.547	54.1	69.9	0
11/13/2023, 3:27:51 PM	0	2.547	54	70.4	0
11/13/2023, 3:37:51 PM	0	2.547	54.1	70.7	0
11/13/2023, 3:47:51 PM	0	2.547	54.1	70.9	0
11/13/2023, 3:57:51 PM	0	2.547	54	71.2	0
11/13/2023, 4:07:51 PM	0	2.547	53.8	71.5	0
11/13/2023, 4:17:51 PM	0	2.547	53.6	71.8	0
11/13/2023, 4:27:51 PM	0	2.547	53.2	72.1	0
11/13/2023, 4:37:51 PM	0	2.547	53.1	72.6	0
11/13/2023, 4:47:51 PM	0	2.547	52.9	72.9	0
11/13/2023, 4:57:51 PM	0	2.556	52.5	73.1	0
11/13/2023, 5:07:51 PM	0	2.547	52	73.3	0
11/13/2023, 5:17:51 PM	0	2.556	51.3	73.6	0
11/13/2023, 5:27:51 PM	0	2.547	50.7	74	0
11/13/2023, 5:37:51 PM	0	2.547	50	74.4	0
11/13/2023, 5:47:51 PM	0	2.547	49.3	74.9	0
11/13/2023, 5:57:51 PM	0	2.547	48.6	75.6	0
11/13/2023, 6:07:51 PM	0	2.547	48.2	76.2	0
11/13/2023, 6:17:51 PM	0	2.547	47.8	76.8	0
11/13/2023, 6:27:51 PM	0	2.547	47.7	77.4	0
11/13/2023, 6:37:51 PM	0	2.547	47.7	77.9	0
11/13/2023, 6:47:51 PM	0	2.547	47.7	78.2	0
11/13/2023, 6:57:51 PM	0	2.547	47.5	78.4	0
11/13/2023, 7:07:51 PM	0	2.547	47.3	78.7	0
11/13/2023, 7:17:51 PM	0	2.547	47.3	79.1	0
11/13/2023, 7:27:51 PM	0	2.547	47.5	79.5	0
11/13/2023, 7:37:51 PM	0	2.547	47.5	79.8	0
11/13/2023, 7:47:51 PM	0	2.547	47.5	80.1	0
11/13/2023, 7:57:51 PM	0	2.547	47.7	80.2	0
11/13/2023, 8:07:51 PM	0	2.547	47.7	80.3	0
11/13/2023, 8:17:51 PM	0	2.547	47.8	80.2	0
11/13/2023, 8:27:51 PM	0	2.547	47.8	80.1	0
11/13/2023, 8:37:51 PM	0	2.547	47.8	80	0
11/13/2023, 8:47:51 PM	0	2.538	47.5	80	0
11/13/2023, 8:57:51 PM	0	2.538	47.3	80	0
11/13/2023, 9:07:51 PM	0	2.538	47.1	80.2	0

North Monitoring Station

Time Stamp	H ₂ S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/13/2023, 9:17:51 PM	0	2.538	47.1	80.7	0
11/13/2023, 9:27:51 PM	0	2.538	47.1	80.5	0
11/13/2023, 9:37:51 PM	0	2.538	47.3	80	0
11/13/2023, 9:47:51 PM	0	2.538	47.5	79.1	0
11/13/2023, 9:57:51 PM	0	2.538	47.7	78.3	0
11/13/2023, 10:07:51 PM	0	2.538	47.7	77.5	0
11/13/2023, 10:17:51 PM	0	2.538	47.5	76.8	0
11/13/2023, 10:27:51 PM	0	2.538	46.9	76.4	0
11/13/2023, 10:37:51 PM	0	2.538	46.6	76.2	0
11/13/2023, 10:47:51 PM	0	2.538	46	76.1	0
11/13/2023, 10:57:51 PM	0	2.538	45.5	76.2	0
11/13/2023, 11:07:51 PM	0	2.538	44.8	76.3	0
11/13/2023, 11:17:51 PM	0	2.538	44.4	76.5	0
11/13/2023, 11:27:51 PM	0	2.538	44.1	76.6	0
11/13/2023, 11:37:51 PM	0	2.529	43.9	76.8	0
11/13/2023, 11:47:51 PM	0	2.529	43.7	77	0
11/13/2023, 11:57:51 PM	0	2.529	43.7	77.2	0
11/14/2023, 12:07:51 AM	0	2.529	43.9	77.4	0
11/14/2023, 12:17:51 AM	0	2.529	44.1	77.5	0
11/14/2023, 12:27:51 AM	0	2.529	44.4	77.6	0
11/14/2023, 12:37:51 AM	0	2.529	44.4	77.6	0
11/14/2023, 12:47:51 AM	0	2.529	44.6	77.6	0
11/14/2023, 12:57:51 AM	0	2.529	44.6	77.7	0
11/14/2023, 1:07:51 AM	0	2.529	44.6	77.8	0
11/14/2023, 1:17:51 AM	0	2.529	44.8	77.8	0
11/14/2023, 1:27:51 AM	0	2.529	44.8	77.9	0
11/14/2023, 1:37:51 AM	0	2.529	45	78	0
11/14/2023, 1:47:51 AM	0	2.529	44.8	78.2	0
11/14/2023, 1:57:51 AM	0	2.529	44.6	78.3	0
11/14/2023, 2:07:51 AM	0	2.529	44.2	78.6	0
11/14/2023, 2:17:51 AM	0	2.529	43.9	78.8	0
11/14/2023, 2:27:51 AM	0	2.529	43.7	79	0
11/14/2023, 2:37:51 AM	0	2.521	43.7	79.1	0
11/14/2023, 2:47:51 AM	0	2.521	43.9	79.2	0
11/14/2023, 2:57:51 AM	0	2.521	44.1	79.3	0
11/14/2023, 3:07:51 AM	0	2.521	44.1	79.3	0
11/14/2023, 3:17:51 AM	0	2.521	44.2	79.4	0
11/14/2023, 3:27:51 AM	0	2.521	44.2	79.9	0
11/14/2023, 3:37:51 AM	0	2.521	44.1	80.1	0
11/14/2023, 3:47:51 AM	0	2.521	43.7	80.2	0
11/14/2023, 3:57:51 AM	0	2.521	43.5	80.3	0
11/14/2023, 4:07:51 AM	0	2.521	43.2	80.6	0
11/14/2023, 4:17:51 AM	0	2.521	43	81	0
11/14/2023, 4:27:51 AM	0	2.521	43	81.4	0
11/14/2023, 4:37:51 AM	0	2.521	43	82	0
11/14/2023, 4:47:51 AM	0	2.521	43	82.5	0
11/14/2023, 4:57:51 AM	0	2.521	42.6	83	0
11/14/2023, 5:07:51 AM	0	2.521	42.4	83.5	0
11/14/2023, 5:17:51 AM	0	2.521	42.3	84	0
11/14/2023, 5:27:51 AM	0	2.521	42.3	84.4	0
11/14/2023, 5:37:51 AM	0	2.512	42.1	84.7	0
11/14/2023, 5:47:51 AM	0	2.512	41.9	84.9	0
11/14/2023, 5:57:51 AM	0	2.512	41.9	84.9	0
11/14/2023, 6:07:51 AM	0	2.512	41.7	84.7	0
11/14/2023, 6:17:51 AM	0	2.512	41.7	84.4	0
11/14/2023, 6:27:51 AM	0	2.512	41.7	84.4	0

East Monitoring Station

Time Stamp	H₂S (PPB)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/7/2023, 6:34:40 AM	0	3.074	59.5	59.5	
11/7/2023, 6:44:40 AM	0	3.074	59.4	59.9	
11/7/2023, 6:54:40 AM	0	3.074	59.4	60.4	
11/7/2023, 7:04:40 AM	0	3.074	59.2	60.8	
11/7/2023, 7:14:40 AM	0	3.074	59	61.2	
11/7/2023, 7:24:40 AM	0	3.065	59	61.5	0
11/7/2023, 7:34:40 AM	0	3.065	59	61.8	0
11/7/2023, 7:44:40 AM	0	3.065	59	62.1	0
11/7/2023, 7:54:40 AM	0	3.065	59	62.3	0
11/7/2023, 8:04:40 AM	0	3.065	59	62.5	0
11/7/2023, 8:14:40 AM	0	3.065	59	62.6	0
11/7/2023, 8:24:40 AM	0	3.056	59	62.8	0
11/7/2023, 8:34:40 AM	0	3.056	59	62.8	0
11/7/2023, 8:44:40 AM	0	3.056	59	63	0
11/7/2023, 8:54:40 AM	0	3.056	59	63.1	0
11/7/2023, 9:04:40 AM	0	3.056	59	63.2	0
11/7/2023, 9:14:40 AM	0	3.056	59	63.2	0
11/7/2023, 9:24:40 AM	0	3.048	59	63.2	0
11/7/2023, 9:34:40 AM	0	3.048	59	63.2	0
11/7/2023, 9:44:40 AM	0	3.048	58.8	63.2	0
11/7/2023, 9:54:40 AM	0	3.048	58.8	63.2	0
11/7/2023, 10:04:40 AM	0	3.048	58.6	63.2	0
11/7/2023, 10:14:40 AM	0	3.048	58.1	63.3	0
11/7/2023, 10:24:40 AM	0	3.039	57.6	63.1	0
11/7/2023, 10:34:40 AM	0	3.039	57	62.9	0
11/7/2023, 10:44:40 AM	0	3.039	56.7	62.7	0
11/7/2023, 10:54:40 AM	0	3.039	56.5	62.6	0
11/7/2023, 11:04:40 AM	0	3.039	56.5	62.5	0
11/7/2023, 11:14:40 AM	0	3.039	56.5	62.1	0
11/7/2023, 11:24:40 AM	0	3.039	56.5	61.7	0
11/7/2023, 11:34:40 AM	0	3.03	56.7	61.3	0
11/7/2023, 11:44:40 AM	0	3.03	56.8	60.8	0
11/7/2023, 11:54:40 AM	0	3.03	56.8	60.5	0
11/7/2023, 12:04:40 PM	0	3.03	56.8	60.3	0
11/7/2023, 12:14:40 PM	0	3.03	56.8	60.1	0
11/7/2023, 12:24:40 PM	0	3.03	56.8	59.8	0
11/7/2023, 12:34:40 PM	0	3.03	56.7	59.4	0
11/7/2023, 12:44:40 PM	0	3.03	56.5	58.9	0
11/7/2023, 12:54:40 PM	0	3.021	56.3	58.5	0
11/7/2023, 1:04:40 PM	0	3.021	56.1	58.2	0
11/7/2023, 1:14:40 PM	0	3.021	55.9	58	0
11/7/2023, 1:24:40 PM	0	3.021	55.8	57.8	0
11/7/2023, 1:34:40 PM	0	3.021	55.6	57.6	0
11/7/2023, 1:44:40 PM	0	3.021	55.6	57.4	0
11/7/2023, 1:54:40 PM	0	3.021	55.4	57.1	0
11/7/2023, 2:04:40 PM	0	3.021	55	56.7	0
11/7/2023, 2:14:40 PM	0	3.012	54.9	56.6	0
11/7/2023, 2:24:40 PM	0	3.012	54.9	56.6	0
11/7/2023, 2:34:40 PM	0	3.012	54.3	56.6	0
11/7/2023, 2:44:40 PM	0	3.012	53.8	56.7	0
11/7/2023, 2:54:40 PM	0	3.012	53.1	57	0
11/7/2023, 3:04:40 PM	0	3.012	52.7	57.3	0
11/7/2023, 3:14:40 PM	0	3.012	52.2	57.6	0
11/7/2023, 3:24:40 PM	0	3.012	51.8	57.9	0
11/7/2023, 3:34:40 PM	0	3.004	51.4	58.2	0

East Monitoring Station

Time Stamp	H₂S (PPB)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/7/2023, 3:44:40 PM	0	3.004	51.1	58.5	0
11/7/2023, 3:54:40 PM	0	3.004	50.7	58.8	0
11/7/2023, 4:04:40 PM	0	3.004	50.4	59.2	0
11/7/2023, 4:14:40 PM	0	3.004	50.2	59.6	0
11/7/2023, 4:24:40 PM	0	3.004	49.5	60	0
11/7/2023, 4:34:40 PM	0	3.004	48.9	60.5	0
11/7/2023, 4:44:40 PM	0	3.004	48.4	60.8	0
11/7/2023, 4:54:40 PM	0	2.995	48	61.2	0
11/7/2023, 5:04:40 PM	0	2.995	48	61.4	0
11/7/2023, 5:14:40 PM	0	2.995	47.7	61.6	0
11/7/2023, 5:24:40 PM	0	2.995	47.5	61.6	0
11/7/2023, 5:34:40 PM	0	2.995	47.3	61.7	0
11/7/2023, 5:44:40 PM	0	2.995	47.1	61.8	0
11/7/2023, 5:54:40 PM	0	2.995	46.9	62	0
11/7/2023, 6:04:40 PM	0	2.995	46.8	62.1	0
11/7/2023, 6:14:40 PM	0	2.986	46.6	62.1	0
11/7/2023, 6:24:40 PM	0	2.986	46.4	62.2	0
11/7/2023, 6:34:40 PM	0	2.986	46.2	62.2	0
11/7/2023, 6:44:40 PM	0	2.986	46	62.2	0
11/7/2023, 6:54:40 PM	0	2.986	45.9	62.3	0
11/7/2023, 7:04:40 PM	0	2.986	45.7	62.3	0
11/7/2023, 7:14:40 PM	0	2.986	45.5	62.3	0
11/7/2023, 7:24:40 PM	0	2.986	45.3	62.3	0
11/7/2023, 7:34:40 PM	0	2.986	45.1	62.4	0
11/7/2023, 7:44:40 PM	0	2.977	45.1	62.3	0
11/7/2023, 7:54:40 PM	0	2.977	44.8	62.3	0
11/7/2023, 8:04:40 PM	0	2.977	44.6	62.2	0
11/7/2023, 8:14:40 PM	0	2.977	44.2	62.2	0
11/7/2023, 8:24:40 PM	0	2.977	44.1	62.2	0
11/7/2023, 8:34:40 PM	0	2.977	43.9	62.2	0
11/7/2023, 8:44:40 PM	0	2.977	43.7	62.2	0
11/7/2023, 8:54:40 PM	0	2.977	43.5	62.3	0
11/7/2023, 9:04:40 PM	0	2.968	43.3	62.4	0
11/7/2023, 9:14:40 PM	0	2.968	43	62.5	0
11/7/2023, 9:24:40 PM	0	2.968	42.8	62.6	0
11/7/2023, 9:34:40 PM	0	2.968	42.6	62.7	0
11/7/2023, 9:44:40 PM	0	2.968	42.4	62.8	0
11/7/2023, 9:54:40 PM	0	2.968	42.3	62.8	0
11/7/2023, 10:04:40 PM	0	2.968	41.9	62.9	0
11/7/2023, 10:14:40 PM	0	2.968	41.7	62.9	0
11/7/2023, 10:24:40 PM	0	2.968	41.4	63	0
11/7/2023, 10:34:40 PM	0	2.96	41.2	63.1	0
11/7/2023, 10:44:40 PM	0	2.96	41	63.1	0
11/7/2023, 10:54:40 PM	0	2.96	40.6	63.1	0
11/7/2023, 11:04:40 PM	0	2.96	40.5	63.1	0
11/7/2023, 11:14:40 PM	0	2.96	40.3	63.2	0
11/7/2023, 11:24:40 PM	0	2.96	39.9	63.2	0
11/7/2023, 11:34:40 PM	0	2.96	39.7	63.2	0
11/7/2023, 11:44:40 PM	0	2.96	39.6	63.2	0
11/7/2023, 11:54:40 PM	0	2.96	39.4	63.3	0
11/8/2023, 12:04:40 AM	0	2.951	39.2	63.3	0
11/8/2023, 12:14:40 AM	0	2.951	39	63.3	0
11/8/2023, 12:24:40 AM	0	2.951	39	63.3	0
11/8/2023, 12:34:40 AM	0	2.951	38.8	63.3	0
11/8/2023, 12:44:40 AM	0	2.951	38.7	63.4	0

East Monitoring Station

Time Stamp	H₂S (PPB)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/8/2023, 12:54:40 AM	0	2.951	38.5	63.4	0
11/8/2023, 1:04:40 AM	0	2.951	38.5	63.4	0
11/8/2023, 1:14:40 AM	0	2.951	38.3	63.5	0
11/8/2023, 1:24:40 AM	0	2.951	38.3	63.6	0
11/8/2023, 1:34:40 AM	0	2.951	38.1	63.7	0
11/8/2023, 1:44:40 AM	0	2.951	37.9	63.8	0
11/8/2023, 1:54:40 AM	0	2.942	37.9	63.9	0
11/8/2023, 2:04:40 AM	0	2.942	37.9	63.9	0
11/8/2023, 2:14:40 AM	0	2.942	37.8	63.9	0
11/8/2023, 2:24:40 AM	0	2.942	37.6	63.9	0
11/8/2023, 2:34:40 AM	0	2.942	37.4	63.9	0
11/8/2023, 2:44:40 AM	0	2.942	37.4	63.8	0
11/8/2023, 2:54:40 AM	0	2.942	37.2	63.7	0
11/8/2023, 3:04:40 AM	0	2.942	37	63.5	0
11/8/2023, 3:14:40 AM	0	2.942	36.9	63.4	0
11/8/2023, 3:24:40 AM	0	2.942	36.9	63.3	0
11/8/2023, 3:34:40 AM	0	2.933	36.7	63.2	0
11/8/2023, 3:44:40 AM	0	2.933	36.5	63	0
11/8/2023, 3:54:40 AM	0	2.933	36.5	62.9	0
11/8/2023, 4:04:40 AM	0	2.933	36.3	62.8	0
11/8/2023, 4:14:40 AM	0	2.933	36.3	62.8	0
11/8/2023, 4:24:40 AM	0	2.933	36.1	62.8	0
11/8/2023, 4:34:40 AM	0	2.933	36	62.7	0
11/8/2023, 4:44:40 AM	0	2.933	36	62.7	0
11/8/2023, 4:54:40 AM	0	2.933	35.8	62.7	0
11/8/2023, 5:04:40 AM	0	2.925	35.6	62.7	0
11/8/2023, 5:14:40 AM	0	2.925	35.6	62.6	0
11/8/2023, 5:24:40 AM	0	2.925	35.4	62.5	0
11/8/2023, 5:34:40 AM	0	2.925	35.2	62.5	0
11/8/2023, 5:44:40 AM	0	2.925	35.2	62.5	0
11/8/2023, 5:54:40 AM	0	2.925	35.2	62.5	0
11/8/2023, 6:04:40 AM	0	2.925	35.2	62.5	0
11/8/2023, 6:14:40 AM	0	2.925	35.2	62.5	0
11/8/2023, 6:24:40 AM	0	2.925	35.1	62.5	0
11/8/2023, 6:34:40 AM	0	2.925	35.1	62.6	0
11/8/2023, 6:44:40 AM	0	2.925	35.1	62.6	0
11/8/2023, 6:54:40 AM	0	2.925	34.9	62.6	0
11/8/2023, 7:04:40 AM	0	2.916	34.9	62.6	0
11/8/2023, 7:14:40 AM	0	2.916	34.7	62.6	0
11/8/2023, 7:24:40 AM	0	2.916	34.7	62.6	0
11/8/2023, 7:34:40 AM	0	2.916	34.7	62.6	0
11/8/2023, 7:44:40 AM	0	2.916	34.5	62.5	0
11/8/2023, 7:54:40 AM	0	2.916	34.3	62.5	0
11/8/2023, 8:04:40 AM	0	2.916	34.3	62.5	0
11/8/2023, 8:14:40 AM	0	2.916	34.3	62.4	0
11/8/2023, 8:24:40 AM	0	2.916	34.3	62.3	0
11/8/2023, 8:34:40 AM	0	2.916	34.5	62.3	0
11/8/2023, 8:44:40 AM	0	2.916	34.7	62.2	0
11/8/2023, 8:54:40 AM	0	2.907	34.9	62.1	0
11/8/2023, 9:04:40 AM	0	2.907	35.1	62	0
11/8/2023, 9:14:40 AM	0	2.907	35.2	61.9	0
11/8/2023, 9:24:40 AM	0	2.907	35.4	61.8	0
11/8/2023, 9:34:40 AM	0	2.907	35.8	61.8	0
11/8/2023, 9:44:40 AM	0	2.907	36	61.7	0
11/8/2023, 9:54:40 AM	0	2.907	36.3	61.5	0

East Monitoring Station

Time Stamp	H₂S (PPB)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/8/2023, 10:04:40 AM	0	2.907	36.5	61.3	0
11/8/2023, 10:14:40 AM	0	2.907	36.7	61.1	0
11/8/2023, 10:24:40 AM	0	2.907	37	61	0
11/8/2023, 10:34:40 AM	0	2.907	37.4	60.8	0
11/8/2023, 10:44:40 AM	0	2.907	37.9	60.7	0
11/8/2023, 10:54:40 AM	0	2.907	38.1	60.5	0
11/8/2023, 11:04:40 AM	0	2.907	38.3	60.3	0
11/8/2023, 11:14:40 AM	0	2.907	38.5	60.1	0
11/8/2023, 11:24:40 AM	0	2.898	38.7	59.9	0
11/8/2023, 11:34:40 AM	0	2.898	38.8	59.7	0
11/8/2023, 11:44:40 AM	0	2.898	38.8	59.6	0
11/8/2023, 11:54:40 AM	0	2.898	38.8	59.4	0
11/8/2023, 12:04:40 PM	0	2.898	38.8	59.2	0
11/8/2023, 12:14:40 PM	0	2.898	38.8	59.1	0
11/8/2023, 12:24:40 PM	0	2.898	38.8	59	0
11/8/2023, 12:34:40 PM	0	2.898	39	58.9	0
11/8/2023, 12:44:40 PM	0	2.898	39	58.8	0
11/8/2023, 12:54:40 PM	0	2.898	39	58.7	0
11/8/2023, 1:04:40 PM	0	2.898	39	58.5	0
11/8/2023, 1:14:40 PM	0	2.898	39	58.4	0
11/8/2023, 1:24:40 PM	0	2.898	39.2	58.2	0
11/8/2023, 1:34:40 PM	0	2.898	39.2	58	0
11/8/2023, 1:44:40 PM	0	2.898	39.2	57.8	0
11/8/2023, 1:54:40 PM	0	2.898	39.2	57.6	0
11/8/2023, 2:04:40 PM	0	2.889	39.2	57.5	0
11/8/2023, 2:14:40 PM	0	2.889	39.2	57.5	0
11/8/2023, 2:24:40 PM	0	2.889	39.2	57.3	0
11/8/2023, 2:34:40 PM	0	2.889	39	57.2	0
11/8/2023, 2:44:40 PM	0	2.889	39	57.1	0
11/8/2023, 2:54:40 PM	0	2.889	39	57	0
11/8/2023, 3:04:40 PM	0	2.889	38.8	56.9	0
11/8/2023, 3:14:40 PM	0	2.889	38.8	57	0
11/8/2023, 3:24:40 PM	0	2.889	38.7	57	0
11/8/2023, 3:34:40 PM	0	2.889	38.7	57	0
11/8/2023, 3:44:40 PM	0	2.889	38.5	57.1	0
11/8/2023, 3:54:40 PM	0	2.889	38.5	57.2	0
11/8/2023, 4:04:40 PM	0	2.889	38.3	57.2	0
11/8/2023, 4:14:40 PM	0	2.889	38.3	57.2	0
11/8/2023, 4:24:40 PM	0	2.889	38.3	57.2	0
11/8/2023, 4:34:40 PM	0	2.881	38.1	57.3	0
11/8/2023, 4:44:40 PM	0	2.881	37.9	57.3	0
11/8/2023, 4:54:40 PM	0	2.881	37.9	57.3	0
11/8/2023, 5:04:40 PM	0	2.881	37.9	57.4	0
11/8/2023, 5:14:40 PM	0	2.881	37.9	57.4	0
11/8/2023, 5:24:40 PM	0	2.881	37.9	57.5	0
11/8/2023, 5:34:40 PM	0	2.881	37.9	57.6	0
11/8/2023, 5:44:40 PM	0	2.881	37.9	57.6	0
11/8/2023, 5:54:40 PM	0	2.881	37.8	57.7	0
11/8/2023, 6:04:40 PM	0	2.881	37.6	57.9	0
11/8/2023, 6:14:40 PM	0	2.881	37.4	58	0
11/8/2023, 6:24:40 PM	0	2.881	37.2	58.1	0
11/8/2023, 6:34:40 PM	0	2.881	37.2	58.3	0
11/8/2023, 6:44:40 PM	0	2.881	37.2	58.6	0
11/8/2023, 6:54:40 PM	0	2.881	37	59.1	0
11/8/2023, 7:04:40 PM	0	2.881	36.7	59.6	0

East Monitoring Station

Time Stamp	H₂S (PPB)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/8/2023, 7:14:40 PM	0	2.872	36.5	60.2	0
11/8/2023, 7:24:40 PM	5	2.872	36.3	60.7	0.833333333
11/8/2023, 7:34:40 PM	0	2.872	36.1	61.2	0.833333333
11/8/2023, 7:44:40 PM	0	2.872	36	61.7	0.833333333
11/8/2023, 7:54:40 PM	0	2.872	36	62.1	0.833333333
11/8/2023, 8:04:40 PM	0	2.872	35.8	62.5	0.833333333
11/8/2023, 8:14:40 PM	0	2.872	35.8	62.8	0.833333333
11/8/2023, 8:24:40 PM	0	2.872	35.6	63.3	0
11/8/2023, 8:34:40 PM	0	2.872	35.6	63.6	0
11/8/2023, 8:44:40 PM	0	2.872	35.4	63.9	0
11/8/2023, 8:54:40 PM	0	2.872	35.2	64.2	0
11/8/2023, 9:04:40 PM	0	2.872	35.1	64.6	0
11/8/2023, 9:14:40 PM	0	2.872	35.1	65	0
11/8/2023, 9:24:40 PM	0	2.872	35.1	65.3	0
11/8/2023, 9:34:40 PM	0	2.863	34.9	65.7	0
11/8/2023, 9:44:40 PM	0	2.863	34.9	66	0
11/8/2023, 9:54:40 PM	0	2.863	34.7	66.4	0
11/8/2023, 10:04:40 PM	0	2.863	34.7	66.8	0
11/8/2023, 10:14:40 PM	0	2.863	34.7	67.1	0
11/8/2023, 10:24:40 PM	0	2.863	34.7	67.5	0
11/8/2023, 10:34:40 PM	0	2.863	34.7	67.9	0
11/8/2023, 10:44:40 PM	0	2.863	34.7	68.3	0
11/8/2023, 10:54:40 PM	0	2.863	34.7	68.7	0
11/8/2023, 11:04:40 PM	0	2.863	34.7	69	0
11/8/2023, 11:14:40 PM	0	2.863	34.7	69.3	0
11/8/2023, 11:24:40 PM	0	2.863	34.9	69.7	0
11/8/2023, 11:34:40 PM	0	2.863	34.9	70	0
11/8/2023, 11:44:40 PM	0	2.863	35.1	70.3	0
11/8/2023, 11:54:40 PM	0	2.863	35.1	70.7	0
11/9/2023, 12:04:40 AM	0	2.854	35.2	71	0
11/9/2023, 12:14:40 AM	0	2.854	35.4	71.3	0
11/9/2023, 12:24:40 AM	0	2.854	35.4	71.5	0
11/9/2023, 12:34:40 AM	0	2.854	35.6	71.7	0
11/9/2023, 12:44:40 AM	0	2.854	35.6	72	0
11/9/2023, 12:54:40 AM	0	2.854	35.8	72.2	0
11/9/2023, 1:04:40 AM	0	2.854	36	72.5	0
11/9/2023, 1:14:40 AM	0	2.854	36	72.7	0
11/9/2023, 1:24:40 AM	0	2.854	36	72.9	0
11/9/2023, 1:34:40 AM	0	2.854	36	73.2	0
11/9/2023, 1:44:40 AM	0	2.854	36	73.4	0
11/9/2023, 1:54:40 AM	0	2.854	36	73.6	0
11/9/2023, 2:04:40 AM	0	2.854	36	73.8	0
11/9/2023, 2:14:40 AM	0	2.854	36.1	74.1	0
11/9/2023, 2:24:40 AM	0	2.854	36.1	74.4	0
11/9/2023, 2:34:40 AM	0	2.854	36.3	74.6	0
11/9/2023, 2:44:40 AM	0	2.854	36.3	74.9	0
11/9/2023, 2:54:40 AM	0	2.854	36.3	75.1	0
11/9/2023, 3:04:40 AM	0	2.854	36.3	75.3	0
11/9/2023, 3:14:40 AM	0	2.846	36.5	75.5	0
11/9/2023, 3:24:40 AM	0	2.846	36.5	75.7	0
11/9/2023, 3:34:40 AM	0	2.846	36.7	76	0
11/9/2023, 3:44:40 AM	0	2.846	36.7	76.2	0
11/9/2023, 3:54:40 AM	0	2.846	37	76.5	0
11/9/2023, 4:04:40 AM	0	2.846	37.2	76.7	0
11/9/2023, 4:14:40 AM	0	2.846	37.6	76.9	0

East Monitoring Station

Time Stamp	H₂S (PPB)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/9/2023, 4:24:40 AM	0	2.846	37.9	77.2	0
11/9/2023, 4:34:40 AM	0	2.846	37.9	77.4	0
11/9/2023, 4:44:40 AM	0	2.846	38.5	77.6	0
11/9/2023, 4:54:40 AM	0	2.846	38.8	77.9	0
11/9/2023, 5:04:40 AM	0	2.846	39.2	78.1	0
11/9/2023, 5:14:40 AM	0	2.846	39.6	78.3	0
11/9/2023, 5:24:40 AM	0	2.846	39.9	78.6	0
11/9/2023, 5:34:40 AM	0	2.846	40.3	78.8	0
11/9/2023, 5:44:40 AM	0	2.846	40.6	79.1	0
11/9/2023, 5:54:40 AM	0	2.846	41	79.3	0
11/9/2023, 6:04:40 AM	0	2.846	41.4	79.5	0
11/9/2023, 6:14:40 AM	0	2.846	41.5	79.8	0
11/9/2023, 6:24:40 AM	0	2.846	41.9	80	0
11/9/2023, 6:34:40 AM	0	2.846	42.3	80.2	0
11/9/2023, 6:44:40 AM	0	2.846	42.4	80.4	0
11/9/2023, 6:54:40 AM	0	2.846	42.6	80.6	0
11/9/2023, 7:04:40 AM	0	2.846	42.8	80.8	0
11/9/2023, 7:14:40 AM	0	2.846	43	80.9	0
11/9/2023, 7:24:40 AM	0	2.846	43.2	81.1	0
11/9/2023, 7:34:40 AM	0	2.846	43.7	81.4	0
11/9/2023, 7:44:40 AM	0	2.846	44.6	81.8	0
11/9/2023, 7:54:40 AM	0	2.846	45.9	82.1	0
11/9/2023, 8:04:40 AM	0	2.846	46.9	82.3	0
11/9/2023, 8:14:40 AM	0	2.846	47.7	82.5	0
11/9/2023, 8:24:40 AM	0	2.846	48.2	82.7	0
11/9/2023, 8:34:40 AM	0	2.846	48.6	82.9	0
11/9/2023, 8:44:40 AM	0	2.846	48.9	82.8	0
11/9/2023, 8:54:40 AM	0	2.846	49.3	82.7	0
11/9/2023, 9:04:40 AM	0	2.846	49.6	82.6	0
11/9/2023, 9:14:40 AM	0	2.846	50.2	82.4	0
11/9/2023, 9:24:40 AM	0	2.846	50.4	82.2	0
11/9/2023, 9:34:40 AM	0	2.846	50.5	82	0
11/9/2023, 9:44:40 AM	0	2.846	50.5	81.7	0
11/9/2023, 9:54:40 AM	0	2.846	50.4	81.4	0
11/9/2023, 10:04:40 AM	0	2.846	50.2	81.2	0
11/9/2023, 10:14:40 AM	0	2.846	49.8	81	0
11/9/2023, 10:24:40 AM	0	2.846	49.6	80.8	0
11/9/2023, 10:34:40 AM	0	2.846	49.5	80.7	0
11/9/2023, 10:44:40 AM	0	2.846	49.3	80.5	0
11/9/2023, 10:54:40 AM	0	2.846	48.9	80.3	0
11/9/2023, 11:04:40 AM	0	2.846	48.7	80.2	0
11/9/2023, 11:14:40 AM	0	2.846	48.4	80.1	0
11/9/2023, 11:24:40 AM	0	2.846	48	79.9	0
11/9/2023, 11:34:40 AM	0	2.846	47.5	79.7	0
11/9/2023, 11:44:40 AM	0	2.846	47.3	79.6	0
11/9/2023, 11:54:40 AM	0	2.846	47.3	79.6	0
11/9/2023, 12:04:40 PM	0	2.846	47.1	79.5	0
11/9/2023, 12:14:40 PM	0	2.846	47.1	79.4	0
11/9/2023, 12:24:40 PM	0	2.837	47.3	79.4	0
11/9/2023, 12:34:40 PM	0	2.837	47.3	79.3	0
11/9/2023, 12:44:40 PM	0	2.837	47.3	79.3	0
11/9/2023, 12:54:40 PM	0	2.837	47.3	79.3	0
11/9/2023, 1:04:40 PM	0	2.837	47.5	79.2	0
11/9/2023, 1:14:40 PM	0	2.837	47.5	79.1	0
11/9/2023, 1:24:40 PM	0	2.837	47.7	79.1	0

East Monitoring Station

Time Stamp	H₂S (PPB)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/9/2023, 1:34:40 PM	0	2.837	48	78.9	0
11/9/2023, 1:44:40 PM	0	2.837	48	78.8	0
11/9/2023, 1:54:40 PM	0	2.837	48	78.8	0
11/9/2023, 2:04:40 PM	0	2.837	48	78.7	0
11/9/2023, 2:14:40 PM	0	2.837	48	78.7	0
11/9/2023, 2:24:40 PM	0	2.837	47.8	78.6	0
11/9/2023, 2:34:40 PM	0	2.837	48	78.6	0
11/9/2023, 2:44:40 PM	0	2.837	48	78.5	0
11/9/2023, 2:54:40 PM	0	2.837	48	78.4	0
11/9/2023, 3:04:40 PM	0	2.837	48	78.3	0
11/9/2023, 3:14:40 PM	0	2.837	48.2	78.1	0
11/9/2023, 3:24:40 PM	0	2.837	48.4	78	0
11/9/2023, 3:34:40 PM	0	2.837	48.4	78	0
11/9/2023, 3:44:40 PM	0	2.837	48.7	77.7	0
11/9/2023, 3:54:40 PM	0	2.837	49.1	77.4	0
11/9/2023, 4:04:40 PM	0	2.837	49.3	77	0
11/9/2023, 4:14:40 PM	0	2.837	49.1	76.7	0
11/9/2023, 4:24:40 PM	0	2.837	49.1	76.4	0
11/9/2023, 4:34:40 PM	0	2.837	48.9	76.2	0
11/9/2023, 4:44:40 PM	0	2.837	48.6	76	0
11/9/2023, 4:54:40 PM	0	2.837	48.4	75.9	0
11/9/2023, 5:04:40 PM	0	2.837	48	75.7	0
11/9/2023, 5:14:40 PM	0	2.837	48	75.5	0
11/9/2023, 5:24:40 PM	0	2.837	47.7	75.4	0
11/9/2023, 5:34:40 PM	0	2.837	47.3	75.3	0
11/9/2023, 5:44:40 PM	0	2.837	47.1	75.2	0
11/9/2023, 5:54:40 PM	0	2.837	46.8	75	0
11/9/2023, 6:04:40 PM	0	2.837	46.6	74.9	0
11/9/2023, 6:14:40 PM	0	2.837	46.2	74.8	0
11/9/2023, 6:24:40 PM	0	2.837	46	74.8	0
11/9/2023, 6:34:40 PM	0	2.837	45.9	74.8	0
11/9/2023, 6:44:40 PM	0	2.837	45.5	74.8	0
11/9/2023, 6:54:40 PM	0	2.828	45.3	74.8	0
11/9/2023, 7:04:40 PM	0	2.828	45.1	74.9	0
11/9/2023, 7:14:40 PM	0	2.828	45	74.9	0
11/9/2023, 7:24:40 PM	0	2.828	44.8	74.9	0
11/9/2023, 7:34:40 PM	0	2.828	44.8	75	0
11/9/2023, 7:44:40 PM	0	2.828	44.6	75	0
11/9/2023, 7:54:40 PM	0	2.828	44.6	75.1	0
11/9/2023, 8:04:40 PM	0	2.828	44.6	75.1	0
11/9/2023, 8:14:40 PM	0	2.828	44.6	75.2	0
11/9/2023, 8:24:40 PM	0	2.828	44.6	75.2	0
11/9/2023, 8:34:40 PM	0	2.828	44.6	75.2	0
11/9/2023, 8:44:40 PM	0	2.828	44.4	75.3	0
11/9/2023, 8:54:40 PM	0	2.828	44.6	75.3	0
11/9/2023, 9:04:40 PM	0	2.828	44.4	75.3	0
11/9/2023, 9:14:40 PM	0	2.828	44.4	75.4	0
11/9/2023, 9:24:40 PM	0	2.828	44.4	75.4	0
11/9/2023, 9:34:40 PM	0	2.828	44.4	75.4	0
11/9/2023, 9:44:40 PM	0	2.828	44.4	75.4	0
11/9/2023, 9:54:40 PM	0	2.828	44.4	75.5	0
11/9/2023, 10:04:40 PM	0	2.828	44.4	75.5	0
11/9/2023, 10:14:40 PM	0	2.828	44.4	75.5	0
11/9/2023, 10:24:40 PM	0	2.828	44.6	75.5	0
11/9/2023, 10:34:40 PM	0	2.828	44.6	75.5	0

East Monitoring Station

Time Stamp	H₂S (PPB)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/9/2023, 10:44:40 PM	0	2.828	44.6	75.4	0
11/9/2023, 10:54:40 PM	0	2.828	44.6	75.4	0
11/9/2023, 11:04:40 PM	0	2.828	44.8	75.3	0
11/9/2023, 11:14:40 PM	0	2.828	45	75.2	0
11/9/2023, 11:24:40 PM	0	2.819	45.1	75	0
11/9/2023, 11:34:40 PM	0	2.819	45.1	74.9	0
11/9/2023, 11:44:40 PM	0	2.819	45.1	74.8	0
11/9/2023, 11:54:40 PM	0	2.819	45.1	74.6	0
11/10/2023, 12:04:40 AM	0	2.819	45.1	74.4	0
11/10/2023, 12:14:40 AM	0	2.819	45.1	74.2	0
11/10/2023, 12:24:40 AM	0	2.819	45.1	73.8	0
11/10/2023, 12:34:40 AM	0	2.819	45.3	73.3	0
11/10/2023, 12:44:40 AM	0	2.819	45.3	73	0
11/10/2023, 12:54:40 AM	0	2.819	45.1	72.6	0
11/10/2023, 1:04:40 AM	0	2.819	45.1	72.2	0
11/10/2023, 1:14:40 AM	0	2.819	45	71.8	0
11/10/2023, 1:24:40 AM	0	2.819	45	71.3	0
11/10/2023, 1:34:40 AM	0	2.819	44.8	70.9	0
11/10/2023, 1:44:40 AM	0	2.819	44.8	70.5	0
11/10/2023, 1:54:40 AM	0	2.819	44.6	70.2	0
11/10/2023, 2:04:40 AM	0	2.819	44.6	69.8	0
11/10/2023, 2:14:40 AM	0	2.819	44.4	69.5	0
11/10/2023, 2:24:40 AM	0	2.819	44.2	69.2	0
11/10/2023, 2:34:40 AM	0	2.819	44.2	68.8	0
11/10/2023, 2:44:40 AM	0	2.819	44.1	68.4	0
11/10/2023, 2:54:40 AM	0	2.819	44.1	68.1	0
11/10/2023, 3:04:40 AM	0	2.819	43.9	67.8	0
11/10/2023, 3:14:40 AM	0	2.819	43.9	67.4	0
11/10/2023, 3:24:40 AM	0	2.819	43.9	67.1	0
11/10/2023, 3:34:40 AM	0	2.819	43.9	66.7	0
11/10/2023, 3:44:40 AM	0	2.819	43.7	66.5	0
11/10/2023, 3:54:40 AM	0	2.819	43.7	66.2	0
11/10/2023, 4:04:40 AM	0	2.819	43.5	65.9	0
11/10/2023, 4:14:40 AM	0	2.819	43.5	65.6	0
11/10/2023, 4:24:40 AM	0	2.819	43.5	65.4	0
11/10/2023, 4:34:40 AM	0	2.819	43.3	65.1	0
11/10/2023, 4:44:40 AM	0	2.819	43.3	64.9	0
11/10/2023, 4:54:40 AM	0	2.81	43.3	64.7	0
11/10/2023, 5:04:40 AM	0	2.81	43.3	64.5	0
11/10/2023, 5:14:40 AM	0	2.81	43.3	64.3	0
11/10/2023, 5:24:40 AM	0	2.81	43.5	64.1	0
11/10/2023, 5:34:40 AM	0	2.81	43.5	63.9	0
11/10/2023, 5:44:40 AM	0	2.81	43.7	63.7	0
11/10/2023, 5:54:40 AM	0	2.81	43.9	63.5	0
11/10/2023, 6:04:40 AM	0	2.81	43.9	63.3	0
11/10/2023, 6:14:40 AM	0	2.81	44.1	63.2	0
11/10/2023, 6:24:40 AM	0	2.81	44.1	63	0
11/10/2023, 6:34:40 AM	0	2.81	44.1	62.9	0
11/10/2023, 6:44:40 AM	0	2.81	44.1	62.7	0
11/10/2023, 6:54:40 AM	0	2.81	44.1	62.6	0
11/10/2023, 7:04:40 AM	0	2.81	44.1	62.5	0
11/10/2023, 7:14:40 AM	0	2.81	44.1	62.4	0
11/10/2023, 7:24:40 AM	0	2.81	44.2	62.3	0
11/10/2023, 7:34:40 AM	0	2.81	44.2	62.2	0
11/10/2023, 7:44:40 AM	0	2.81	44.2	62.2	0

East Monitoring Station

Time Stamp	H₂S (PPB)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/10/2023, 7:54:40 AM	0	2.81	44.2	62.1	0
11/10/2023, 8:04:40 AM	0	2.81	44.2	62	0
11/10/2023, 8:14:40 AM	0	2.81	44.4	61.8	0
11/10/2023, 8:24:40 AM	0	2.81	44.6	61.8	0
11/10/2023, 8:34:40 AM	0	2.81	44.8	61.6	0
11/10/2023, 8:44:40 AM	0	2.81	45	61.5	0
11/10/2023, 8:54:40 AM	0	2.81	45.3	61.5	0
11/10/2023, 9:04:40 AM	0	2.81	45.7	61.4	0
11/10/2023, 9:14:40 AM	0	2.81	46	61.2	0
11/10/2023, 9:24:40 AM	0	2.81	46.2	61	0
11/10/2023, 9:34:40 AM	0	2.81	46.4	60.7	0
11/10/2023, 9:44:40 AM	0	2.81	46.8	60.5	0
11/10/2023, 9:54:40 AM	0	2.81	47.1	60.2	0
11/10/2023, 10:04:40 AM	0	2.81	47.8	59.9	0
11/10/2023, 10:14:40 AM	0	2.81	48.4	59.5	0
11/10/2023, 10:24:40 AM	0	2.81	48.7	59	0
11/10/2023, 10:34:40 AM	0	2.81	49.3	58.7	0
11/10/2023, 10:44:40 AM	0	2.81	49.6	58.3	0
11/10/2023, 10:54:40 AM	0	2.81	50	57.9	0
11/10/2023, 11:04:40 AM	0	2.81	50.2	57.5	0
11/10/2023, 11:14:40 AM	0	2.81	50.4	57.1	0
11/10/2023, 11:24:40 AM	0	2.81	50.5	56.7	0
11/10/2023, 11:34:40 AM	0	2.81	50.7	56.3	0
11/10/2023, 11:44:40 AM	0	2.81	50.9	55.9	0
11/10/2023, 11:54:40 AM	0	2.81	51.1	55.2	0
11/10/2023, 12:04:40 PM	0	2.81	51.3	54.6	0
11/10/2023, 12:14:40 PM	0	2.81	51.3	54	0
11/10/2023, 12:24:40 PM	0	2.81	51.4	53.6	0
11/10/2023, 12:34:40 PM	0	2.81	51.4	53.2	0
11/10/2023, 12:44:40 PM	0	2.81	51.4	52.8	0
11/10/2023, 12:54:40 PM	0	2.81	51.4	52.4	0
11/10/2023, 1:04:40 PM	0	2.81	51.8	52.1	0
11/10/2023, 1:14:40 PM	0	2.81	51.8	51.7	0
11/10/2023, 1:24:40 PM	0	2.81	51.8	51.3	0
11/10/2023, 1:34:40 PM	0	2.81	51.6	51.1	0
11/10/2023, 1:44:40 PM	0	2.81	51.4	50.9	0
11/10/2023, 1:54:40 PM	0	2.81	51.4	50.6	0
11/10/2023, 2:04:40 PM	0	2.81	51.3	50.5	0
11/10/2023, 2:14:40 PM	0	2.81	51.3	50.3	0
11/10/2023, 2:24:40 PM	0	2.81	51.3	50.2	0
11/10/2023, 2:34:40 PM	0	2.81	51.3	50.1	0
11/10/2023, 2:44:40 PM	0	2.81	51.1	49.9	0
11/10/2023, 2:54:40 PM	0	2.81	50.9	49.5	0
11/10/2023, 3:04:40 PM	0	2.81	50.7	49.4	0
11/10/2023, 3:14:40 PM	0	2.81	50.5	49.2	0
11/10/2023, 3:24:40 PM	0	2.81	50.4	49.1	0
11/10/2023, 3:34:40 PM	0	2.81	50.2	49.1	0
11/10/2023, 3:44:40 PM	0	2.81	50	49	0
11/10/2023, 3:54:40 PM	0	2.81	50	49	0
11/10/2023, 4:04:40 PM	0	2.81	49.8	49.1	0
11/10/2023, 4:14:40 PM	0	2.81	49.6	49.2	0
11/10/2023, 4:24:40 PM	0	2.81	49.3	49.5	0
11/10/2023, 4:34:40 PM	0	2.81	48.9	49.6	0
11/10/2023, 4:44:40 PM	0	2.81	48.4	50	0
11/10/2023, 4:54:40 PM	0	2.802	48	50.4	0

East Monitoring Station

Time Stamp	H₂S (PPB)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/10/2023, 5:04:40 PM	3	2.802	47.1	50.5	0.5
11/10/2023, 5:14:40 PM	0	2.802	46.8	50.8	0.5
11/10/2023, 5:24:40 PM	0	2.802	46.4	51.3	0.5
11/10/2023, 5:34:40 PM	0	2.802	45.7	51.8	0.5
11/10/2023, 5:44:40 PM	0	2.802	45	52.3	0.5
11/10/2023, 5:54:40 PM	0	2.802	44.4	53	0.5
11/10/2023, 6:04:40 PM	0	2.802	43.9	53.5	0
11/10/2023, 6:14:40 PM	0	2.802	43.5	53.9	0
11/10/2023, 6:24:40 PM	0	2.802	43.3	54.3	0
11/10/2023, 6:34:40 PM	0	2.802	43	54.7	0
11/10/2023, 6:44:40 PM	0	2.802	42.6	54.9	0
11/10/2023, 6:54:40 PM	0	2.802	42.3	55.3	0
11/10/2023, 7:04:40 PM	0	2.802	41.9	55.9	0
11/10/2023, 7:14:40 PM	0	2.802	41.4	56.4	0
11/10/2023, 7:24:40 PM	0	2.793	40.8	56.8	0
11/10/2023, 7:34:40 PM	0	2.793	40.5	57.2	0
11/10/2023, 7:44:40 PM	0	2.793	39.9	57.6	0
11/10/2023, 7:54:40 PM	0	2.793	39.4	57.9	0
11/10/2023, 8:04:40 PM	0	2.793	39.4	58.3	0
11/10/2023, 8:14:40 PM	0	2.793	39.4	58.7	0
11/10/2023, 8:24:40 PM	0	2.793	39.6	58.9	0
11/10/2023, 8:34:40 PM	0	2.793	39.6	59.2	0
11/10/2023, 8:44:40 PM	0	2.793	39.6	59.5	0
11/10/2023, 8:54:40 PM	0	2.793	39.6	59.8	0
11/10/2023, 9:04:40 PM	0	2.793	39.7	60.1	0
11/10/2023, 9:14:40 PM	0	2.793	39.7	60.5	0
11/10/2023, 9:24:40 PM	0	2.793	39.7	60.9	0
11/10/2023, 9:34:40 PM	0	2.793	40.1	61.2	0
11/10/2023, 9:44:40 PM	0	2.784	40.3	61.6	0
11/10/2023, 9:54:40 PM	0	2.784	40.5	61.9	0
11/10/2023, 10:04:40 PM	0	2.784	40.6	62	0
11/10/2023, 10:14:40 PM	0	2.784	40.8	62.1	0
11/10/2023, 10:24:40 PM	0	2.784	41	62.2	0
11/10/2023, 10:34:40 PM	0	2.784	41.2	62.3	0
11/10/2023, 10:44:40 PM	0	2.784	41.5	62.5	0
11/10/2023, 10:54:40 PM	0	2.784	41.7	62.5	0
11/10/2023, 11:04:40 PM	0	2.784	41.9	62.6	0
11/10/2023, 11:14:40 PM	0	2.784	41.9	62.7	0
11/10/2023, 11:24:40 PM	0	2.784	42.1	62.7	0
11/10/2023, 11:34:40 PM	0	2.784	42.3	62.9	0
11/10/2023, 11:44:40 PM	0	2.784	42.3	62.9	0
11/10/2023, 11:54:40 PM	0	2.784	42.4	63	0
11/11/2023, 12:04:40 AM	0	2.784	42.4	63	0
11/11/2023, 12:14:40 AM	0	2.784	42.6	63	0
11/11/2023, 12:24:40 AM	0	2.784	42.6	63	0
11/11/2023, 12:34:40 AM	0	2.784	42.6	63	0
11/11/2023, 12:44:40 AM	0	2.784	42.6	63	0
11/11/2023, 12:54:40 AM	0	2.784	42.4	63.1	0
11/11/2023, 1:04:40 AM	0	2.784	42.3	63.1	0
11/11/2023, 1:14:40 AM	0	2.784	42.1	63.2	0
11/11/2023, 1:24:40 AM	0	2.784	41.9	63.3	0
11/11/2023, 1:34:40 AM	0	2.784	41.9	63.4	0
11/11/2023, 1:44:40 AM	0	2.784	41.9	63.5	0
11/11/2023, 1:54:40 AM	0	2.784	41.9	63.6	0
11/11/2023, 2:04:40 AM	0	2.784	41.9	63.7	0

East Monitoring Station

Time Stamp	H₂S (PPB)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/11/2023, 2:14:40 AM	0	2.784	41.9	63.8	0
11/11/2023, 2:24:40 AM	0	2.775	42.1	64	0
11/11/2023, 2:34:40 AM	0	2.775	42.1	64.1	0
11/11/2023, 2:44:40 AM	0	2.775	42.1	64.2	0
11/11/2023, 2:54:40 AM	0	2.775	42.1	64.4	0
11/11/2023, 3:04:40 AM	0	2.775	42.1	64.7	0
11/11/2023, 3:14:40 AM	0	2.775	41.9	65	0
11/11/2023, 3:24:40 AM	0	2.775	41.7	65.4	0
11/11/2023, 3:34:40 AM	0	2.775	41.5	65.9	0
11/11/2023, 3:44:40 AM	0	2.775	41.4	66.5	0
11/11/2023, 3:54:40 AM	0	2.775	41.2	67	0
11/11/2023, 4:04:40 AM	0	2.775	41	67.5	0
11/11/2023, 4:14:40 AM	0	2.775	40.8	68	0
11/11/2023, 4:24:40 AM	0	2.775	40.6	68.4	0
11/11/2023, 4:34:40 AM	0	2.775	40.5	68.7	0
11/11/2023, 4:44:40 AM	0	2.775	40.5	69.1	0
11/11/2023, 4:54:40 AM	0	2.775	40.5	69.6	0
11/11/2023, 5:04:40 AM	0	2.775	40.5	69.9	0
11/11/2023, 5:14:40 AM	0	2.775	40.3	70.2	0
11/11/2023, 5:24:40 AM	0	2.775	40.3	70.6	0
11/11/2023, 5:34:40 AM	0	2.775	40.3	70.8	0
11/11/2023, 5:44:40 AM	0	2.775	40.3	71	0
11/11/2023, 5:54:40 AM	0	2.775	40.3	71.2	0
11/11/2023, 6:04:40 AM	0	2.766	40.1	71.3	0
11/11/2023, 6:14:40 AM	0	2.766	40.1	71.4	0
11/11/2023, 6:24:40 AM	0	2.766	39.9	71.4	0
11/11/2023, 6:34:40 AM	0	2.766	39.9	71.5	0
11/11/2023, 6:44:40 AM	0	2.766	39.9	71.7	0
11/11/2023, 6:54:40 AM	0	2.766	39.7	71.8	0
11/11/2023, 7:04:40 AM	0	2.766	39.7	71.8	0
11/11/2023, 7:14:40 AM	0	2.766	39.6	71.8	0
11/11/2023, 7:24:40 AM	0	2.766	39.6	71.9	0
11/11/2023, 7:34:40 AM	0	2.766	39.4	72.1	0
11/11/2023, 7:44:40 AM	0	2.766	39.2	72.4	0
11/11/2023, 7:54:40 AM	0	2.766	39.2	72.7	0
11/11/2023, 8:04:40 AM	0	2.766	39.2	73.1	0
11/11/2023, 8:14:40 AM	0	2.766	39.2	73.4	0
11/11/2023, 8:24:40 AM	0	2.766	39.2	73.4	0
11/11/2023, 8:34:40 AM	0	2.766	39.2	73.5	0
11/11/2023, 8:44:40 AM	0	2.766	39.4	73.6	0
11/11/2023, 8:54:40 AM	0	2.766	39.4	73.7	0
11/11/2023, 9:04:40 AM	0	2.766	39.6	73.8	0
11/11/2023, 9:14:40 AM	0	2.766	39.7	73.9	0
11/11/2023, 9:24:40 AM	0	2.766	40.1	74	0
11/11/2023, 9:34:40 AM	0	2.758	40.3	73.9	0
11/11/2023, 9:44:40 AM	0	2.758	40.5	73.7	0
11/11/2023, 9:54:40 AM	0	2.758	40.6	73.5	0
11/11/2023, 10:04:40 AM	0	2.758	41.2	73.4	0
11/11/2023, 10:14:40 AM	0	2.758	41.5	73.1	0
11/11/2023, 10:24:40 AM	0	2.758	41.7	72.6	0
11/11/2023, 10:34:40 AM	0	2.758	41.9	72.2	0
11/11/2023, 10:44:40 AM	0	2.758	42.3	71.7	0
11/11/2023, 10:54:40 AM	0	2.758	42.6	71.3	0
11/11/2023, 11:04:40 AM	0	2.758	43	70.9	0
11/11/2023, 11:14:40 AM	0	2.758	43	70.5	0

East Monitoring Station

Time Stamp	H₂S (PPB)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/11/2023, 11:24:40 AM	0	2.758	43.2	70.1	0
11/11/2023, 11:34:40 AM	0	2.758	43.5	69.8	0
11/11/2023, 11:44:40 AM	0	2.758	43.9	69.4	0
11/11/2023, 11:54:40 AM	0	2.758	44.2	69	0
11/11/2023, 12:04:40 PM	0	2.758	44.4	68.8	0
11/11/2023, 12:14:40 PM	0	2.758	44.6	68.6	0
11/11/2023, 12:24:40 PM	0	2.758	44.4	68.4	0
11/11/2023, 12:34:40 PM	0	2.758	44.2	68.2	0
11/11/2023, 12:44:40 PM	0	2.758	44.4	67.9	0
11/11/2023, 12:54:40 PM	0	2.758	44.6	67.5	0
11/11/2023, 1:04:40 PM	0	2.758	44.4	66.9	0
11/11/2023, 1:14:40 PM	0	2.758	44.1	66.5	0
11/11/2023, 1:24:40 PM	0	2.758	43.7	66.2	0
11/11/2023, 1:34:40 PM	0	2.758	43.2	65.9	0
11/11/2023, 1:44:40 PM	0	2.758	42.8	65.7	0
11/11/2023, 1:54:40 PM	0	2.758	42.4	65.6	0
11/11/2023, 2:04:40 PM	0	2.758	42.3	65.6	0
11/11/2023, 2:14:40 PM	0	2.758	42.1	65.7	0
11/11/2023, 2:24:40 PM	0	2.758	41.9	65.6	0
11/11/2023, 2:34:40 PM	0	2.758	41.7	65.7	0
11/11/2023, 2:44:40 PM	0	2.758	41.5	65.6	0
11/11/2023, 2:54:40 PM	0	2.758	41.4	65.7	0
11/11/2023, 3:04:40 PM	0	2.758	41.4	65.8	0
11/11/2023, 3:14:40 PM	0	2.758	41	66	0
11/11/2023, 3:24:40 PM	0	2.758	40.6	66.2	0
11/11/2023, 3:34:40 PM	0	2.758	40.3	66.4	0
11/11/2023, 3:44:40 PM	0	2.758	40.1	66.5	0
11/11/2023, 3:54:40 PM	0	2.749	39.7	66.8	0
11/11/2023, 4:04:40 PM	0	2.749	39.6	67.1	0
11/11/2023, 4:14:40 PM	0	2.749	39.2	67.4	0
11/11/2023, 4:24:40 PM	0	2.749	39	67.6	0
11/11/2023, 4:34:40 PM	0	2.749	38.7	67.9	0
11/11/2023, 4:44:40 PM	0	2.749	38.5	68.1	0
11/11/2023, 4:54:40 PM	0	2.749	38.3	68.3	0
11/11/2023, 5:04:40 PM	0	2.749	38.3	68.5	0
11/11/2023, 5:14:40 PM	0	2.749	37.9	68.8	0
11/11/2023, 5:24:40 PM	0	2.749	37.9	69	0
11/11/2023, 5:34:40 PM	0	2.749	37.8	69.3	0
11/11/2023, 5:44:40 PM	0	2.749	37.6	69.6	0
11/11/2023, 5:54:40 PM	0	2.749	37.4	70	0
11/11/2023, 6:04:40 PM	0	2.749	37.4	70.3	0
11/11/2023, 6:14:40 PM	0	2.749	37.4	70.5	0
11/11/2023, 6:24:40 PM	0	2.749	37.2	70.7	0
11/11/2023, 6:34:40 PM	0	2.74	37.2	71	0
11/11/2023, 6:44:40 PM	0	2.74	37.2	71.2	0
11/11/2023, 6:54:40 PM	0	2.74	37.2	71.4	0
11/11/2023, 7:04:40 PM	0	2.74	37	71.7	0
11/11/2023, 7:14:40 PM	0	2.74	37	71.9	0
11/11/2023, 7:24:40 PM	0	2.74	36.9	72.1	0
11/11/2023, 7:34:40 PM	0	2.74	36.9	72.3	0
11/11/2023, 7:44:40 PM	4	2.74	36.9	72.5	0.6666666667
11/11/2023, 7:54:40 PM	0	2.74	36.9	72.5	0.6666666667
11/11/2023, 8:04:40 PM	9	2.74	36.9	72.6	2.1666666667
11/11/2023, 8:14:40 PM	3	2.74	36.9	72.8	2.6666666667
11/11/2023, 8:24:40 PM	0	2.74	37	72.9	2.6666666667

East Monitoring Station

Time Stamp	H₂S (PPB)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/11/2023, 8:34:40 PM	0	2.74	37	73.1	2.6666666667
11/11/2023, 8:44:40 PM	0	2.74	37	73.2	2
11/11/2023, 8:54:40 PM	0	2.74	37	73.3	2
11/11/2023, 9:04:40 PM	0	2.74	37	73.4	0.5
11/11/2023, 9:14:40 PM	4	2.74	36.9	73.6	0.6666666667
11/11/2023, 9:24:40 PM	0	2.74	36.9	73.8	0.6666666667
11/11/2023, 9:34:40 PM	0	2.74	36.9	74	0.6666666667
11/11/2023, 9:44:40 PM	0	2.731	36.7	74.1	0.6666666667
11/11/2023, 9:54:40 PM	0	2.731	36.7	74.4	0.6666666667
11/11/2023, 10:04:40 PM	0	2.731	36.5	74.5	0.6666666667
11/11/2023, 10:14:40 PM	3	2.731	36.5	74.7	0.5
11/11/2023, 10:24:40 PM	0	2.731	36.3	74.9	0.5
11/11/2023, 10:34:40 PM	0	2.731	36.3	75.1	0.5
11/11/2023, 10:44:40 PM	0	2.731	36.3	75.3	0.5
11/11/2023, 10:54:40 PM	0	2.731	36.3	75.5	0.5
11/11/2023, 11:04:40 PM	0	2.731	36.1	75.7	0.5
11/11/2023, 11:14:40 PM	0	2.731	36.1	75.9	0
11/11/2023, 11:24:40 PM	0	2.731	36.1	76.1	0
11/11/2023, 11:34:40 PM	0	2.731	36.1	76.2	0
11/11/2023, 11:44:40 PM	0	2.731	36.1	76.4	0
11/11/2023, 11:54:40 PM	0	2.731	36.1	76.5	0
11/12/2023, 12:04:40 AM	0	2.731	36.1	76.6	0
11/12/2023, 12:14:40 AM	0	2.731	36.1	76.8	0
11/12/2023, 12:24:40 AM	0	2.731	36.1	77	0
11/12/2023, 12:34:40 AM	0	2.731	36.1	77.1	0
11/12/2023, 12:44:40 AM	0	2.731	36.1	77.2	0
11/12/2023, 12:54:40 AM	0	2.723	36.1	77.4	0
11/12/2023, 1:04:40 AM	0	2.723	36.1	77.5	0
11/12/2023, 1:14:40 AM	0	2.723	36.1	77.6	0
11/12/2023, 1:24:40 AM	0	2.723	36.1	77.7	0
11/12/2023, 1:34:40 AM	0	2.723	36.1	77.9	0
11/12/2023, 1:44:40 AM	0	2.723	36.1	78	0
11/12/2023, 1:54:40 AM	0	2.723	36.1	78.2	0
11/12/2023, 2:04:40 AM	0	2.723	36.1	78.3	0
11/12/2023, 2:14:40 AM	0	2.723	36.1	78.5	0
11/12/2023, 2:24:40 AM	0	2.723	36.1	78.6	0
11/12/2023, 2:34:40 AM	0	2.723	36.1	78.7	0
11/12/2023, 2:44:40 AM	0	2.723	36.1	78.8	0
11/12/2023, 2:54:40 AM	0	2.723	36.1	78.9	0
11/12/2023, 3:04:40 AM	0	2.723	36.1	79	0
11/12/2023, 3:14:40 AM	0	2.723	36.1	79.1	0
11/12/2023, 3:24:40 AM	0	2.723	36.3	79.2	0
11/12/2023, 3:34:40 AM	0	2.723	36.3	79.3	0
11/12/2023, 3:44:40 AM	0	2.723	36.3	79.4	0
11/12/2023, 3:54:40 AM	0	2.723	36.3	79.5	0
11/12/2023, 4:04:40 AM	0	2.723	36.3	79.6	0
11/12/2023, 4:14:40 AM	0	2.723	36.3	79.6	0
11/12/2023, 4:24:40 AM	0	2.723	36.3	79.7	0
11/12/2023, 4:34:40 AM	0	2.723	36.3	79.8	0
11/12/2023, 4:44:40 AM	0	2.723	36.3	79.9	0
11/12/2023, 4:54:40 AM	0	2.723	36.3	80	0
11/12/2023, 5:04:40 AM	0	2.714	36.3	80.1	0
11/12/2023, 5:14:40 AM	0	2.714	36.3	80.1	0
11/12/2023, 5:24:40 AM	0	2.714	36.3	80.2	0
11/12/2023, 5:34:40 AM	0	2.714	36.3	80.2	0

East Monitoring Station

Time Stamp	H₂S (PPB)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/12/2023, 5:44:40 AM	0	2.714	36.3	80.3	0
11/12/2023, 5:54:40 AM	0	2.714	36.3	80.3	0
11/12/2023, 6:04:40 AM	0	2.714	36.3	80.3	0
11/12/2023, 6:14:40 AM	0	2.714	36.3	80.4	0
11/12/2023, 6:24:40 AM	0	2.714	36.3	80.4	0
11/12/2023, 6:34:40 AM	0	2.714	36.3	80.5	0
11/12/2023, 6:44:40 AM	0	2.714	36.3	80.5	0
11/12/2023, 6:54:40 AM	0	2.714	36.3	80.6	0
11/12/2023, 7:04:40 AM	0	2.714	36.3	80.7	0
11/12/2023, 7:14:40 AM	0	2.714	36.3	80.8	0
11/12/2023, 7:24:40 AM	0	2.714	36.3	80.9	0
11/12/2023, 7:34:40 AM	0	2.714	36.5	80.9	0
11/12/2023, 7:44:40 AM	0	2.714	36.5	81	0
11/12/2023, 7:54:40 AM	0	2.714	36.5	81	0
11/12/2023, 8:04:40 AM	0	2.714	36.7	81	0
11/12/2023, 8:14:40 AM	0	2.714	36.9	80.9	0
11/12/2023, 8:24:40 AM	0	2.714	36.9	80.9	0
11/12/2023, 8:34:40 AM	0	2.714	37.4	81	0
11/12/2023, 8:44:40 AM	0	2.714	38.1	80.9	0
11/12/2023, 8:54:40 AM	0	2.714	38.8	80.5	0
11/12/2023, 9:04:40 AM	0	2.714	39.6	80.1	0
11/12/2023, 9:14:40 AM	0	2.714	40.5	79.6	0
11/12/2023, 9:24:40 AM	0	2.714	40.8	79.1	0
11/12/2023, 9:34:40 AM	0	2.714	40.8	78.6	0
11/12/2023, 9:44:40 AM	0	2.714	40.8	78.2	0
11/12/2023, 9:54:40 AM	0	2.714	40.8	77.8	0
11/12/2023, 10:04:40 AM	0	2.714	41	77.4	0
11/12/2023, 10:14:40 AM	0	2.714	41	77	0
11/12/2023, 10:24:40 AM	0	2.714	41.2	76.6	0
11/12/2023, 10:34:40 AM	0	2.714	41.4	76.1	0
11/12/2023, 10:44:40 AM	0	2.714	41.5	75.7	0
11/12/2023, 10:54:40 AM	0	2.714	41.7	75.2	0
11/12/2023, 11:04:40 AM	0	2.714	41.7	74.9	0
11/12/2023, 11:14:40 AM	0	2.714	41.5	74.6	0
11/12/2023, 11:24:40 AM	0	2.714	41.5	74.3	0
11/12/2023, 11:34:40 AM	0	2.714	41.5	74	0
11/12/2023, 11:44:40 AM	0	2.714	41.7	73.8	0
11/12/2023, 11:54:40 AM	0	2.714	41.7	73.5	0
11/12/2023, 12:04:40 PM	0	2.714	41.9	73.2	0
11/12/2023, 12:14:40 PM	0	2.714	42.1	72.9	0
11/12/2023, 12:24:40 PM	0	2.714	42.3	72.5	0
11/12/2023, 12:34:40 PM	0	2.714	42.4	72.1	0
11/12/2023, 12:44:40 PM	0	2.714	42.6	71.5	0
11/12/2023, 12:54:40 PM	0	2.714	43.2	71.1	0
11/12/2023, 1:04:40 PM	0	2.714	44.2	70.7	0
11/12/2023, 1:14:40 PM	0	2.714	45.5	70.1	0
11/12/2023, 1:24:40 PM	0	2.714	46	69.5	0
11/12/2023, 1:34:40 PM	0	2.714	45.7	68.8	0
11/12/2023, 1:44:40 PM	0	2.714	45.9	68.2	0
11/12/2023, 1:54:40 PM	0	2.714	46.6	67.5	0
11/12/2023, 2:04:40 PM	0	2.714	47.5	66.9	0
11/12/2023, 2:14:40 PM	0	2.714	48	66.2	0
11/12/2023, 2:24:40 PM	0	2.714	47.5	65.6	0
11/12/2023, 2:34:40 PM	0	2.714	47.1	65.1	0
11/12/2023, 2:44:40 PM	0	2.714	46.8	64.7	0

East Monitoring Station

Time Stamp	H₂S (PPB)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/12/2023, 2:54:40 PM	0	2.723	46.4	64.2	0
11/12/2023, 3:04:40 PM	0	2.723	46.2	63.8	0
11/12/2023, 3:14:40 PM	0	2.723	45.9	63.4	0
11/12/2023, 3:24:40 PM	0	2.723	45.7	63.1	0
11/12/2023, 3:34:40 PM	0	2.723	45.5	62.7	0
11/12/2023, 3:44:40 PM	0	2.723	45.5	62.5	0
11/12/2023, 3:54:40 PM	0	2.723	45.1	62.3	0
11/12/2023, 4:04:40 PM	0	2.723	44.8	62.1	0
11/12/2023, 4:14:40 PM	0	2.723	44.2	61.9	0
11/12/2023, 4:24:40 PM	0	2.714	43.5	62	0
11/12/2023, 4:34:40 PM	0	2.714	42.6	62.2	0
11/12/2023, 4:44:40 PM	0	2.714	41.7	62.3	0
11/12/2023, 4:54:40 PM	0	2.714	41	62.5	0
11/12/2023, 5:04:40 PM	0	2.714	40.3	62.7	0
11/12/2023, 5:14:40 PM	0	2.714	39.7	62.9	0
11/12/2023, 5:24:40 PM	0	2.714	39	63.1	0
11/12/2023, 5:34:40 PM	0	2.714	38.3	63.3	0
11/12/2023, 5:44:40 PM	0	2.714	37.8	63.6	0
11/12/2023, 5:54:40 PM	0	2.714	37	63.9	0
11/12/2023, 6:04:40 PM	0	2.714	36.3	64.2	0
11/12/2023, 6:14:40 PM	0	2.714	35.8	64.5	0
11/12/2023, 6:24:40 PM	0	2.705	35.2	64.8	0
11/12/2023, 6:34:40 PM	0	2.705	34.7	65.1	0
11/12/2023, 6:44:40 PM	0	2.705	34.3	65.4	0
11/12/2023, 6:54:40 PM	0	2.705	33.8	65.6	0
11/12/2023, 7:04:40 PM	0	2.705	33.3	65.9	0
11/12/2023, 7:14:40 PM	0	2.705	32.9	66.2	0
11/12/2023, 7:24:40 PM	0	2.705	32.5	66.5	0
11/12/2023, 7:34:40 PM	0	2.705	32.2	66.8	0
11/12/2023, 7:44:40 PM	0	2.696	32	67	0
11/12/2023, 7:54:40 PM	0	2.696	31.6	67.3	0
11/12/2023, 8:04:40 PM	0	2.696	31.3	67.5	0
11/12/2023, 8:14:40 PM	0	2.696	30.9	67.8	0
11/12/2023, 8:24:40 PM	0	2.696	30.7	68.1	0
11/12/2023, 8:34:40 PM	0	2.696	30.4	68.4	0
11/12/2023, 8:44:40 PM	0	2.696	30.2	68.6	0
11/12/2023, 8:54:40 PM	0	2.687	29.8	68.9	0
11/12/2023, 9:04:40 PM	0	2.687	29.7	69.1	0
11/12/2023, 9:14:40 PM	0	2.687	29.5	69.4	0
11/12/2023, 9:24:40 PM	0	2.687	29.1	69.6	0
11/12/2023, 9:34:40 PM	0	2.687	29.1	69.9	0
11/12/2023, 9:44:40 PM	0	2.687	28.8	70.1	0
11/12/2023, 9:54:40 PM	0	2.687	28.6	70.3	0
11/12/2023, 10:04:40 PM	0	2.687	28.4	70.6	0
11/12/2023, 10:14:40 PM	0	2.679	28.4	70.8	0
11/12/2023, 10:24:40 PM	0	2.679	28.2	71.1	0
11/12/2023, 10:34:40 PM	0	2.679	28.2	71.3	0
11/12/2023, 10:44:40 PM	0	2.679	28	71.5	0
11/12/2023, 10:54:40 PM	0	2.679	27.9	71.7	0
11/12/2023, 11:04:40 PM	0	2.679	27.7	71.9	0
11/12/2023, 11:14:40 PM	0	2.679	27.5	72.1	0
11/12/2023, 11:24:40 PM	0	2.679	27.3	72.3	0
11/12/2023, 11:34:40 PM	0	2.679	27.3	72.5	0
11/12/2023, 11:44:40 PM	0	2.67	27.1	72.7	0
11/12/2023, 11:54:40 PM	0	2.67	27.1	73	0

East Monitoring Station

Time Stamp	H₂S (PPB)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/13/2023, 12:04:40 AM	0	2.67	27.1	73.2	0
11/13/2023, 12:14:40 AM	0	2.67	27.1	73.4	0
11/13/2023, 12:24:40 AM	0	2.67	27	73.5	0
11/13/2023, 12:34:40 AM	0	2.67	27	73.7	0
11/13/2023, 12:44:40 AM	0	2.67	26.8	73.9	0
11/13/2023, 12:54:40 AM	0	2.67	26.8	74	0
11/13/2023, 1:04:40 AM	0	2.67	26.6	74.2	0
11/13/2023, 1:14:40 AM	0	2.67	26.4	74.3	0
11/13/2023, 1:24:40 AM	0	2.661	26.4	74.5	0
11/13/2023, 1:34:40 AM	0	2.661	26.4	74.7	0
11/13/2023, 1:44:40 AM	0	2.661	26.2	74.8	0
11/13/2023, 1:54:40 AM	0	2.661	26.2	75	0
11/13/2023, 2:04:40 AM	0	2.661	26.1	75.1	0
11/13/2023, 2:14:40 AM	0	2.661	26.1	75.3	0
11/13/2023, 2:24:40 AM	0	2.661	25.9	75.4	0
11/13/2023, 2:34:40 AM	0	2.661	25.9	75.5	0
11/13/2023, 2:44:40 AM	0	2.661	25.7	75.7	0
11/13/2023, 2:54:40 AM	0	2.661	25.7	75.8	0
11/13/2023, 3:04:40 AM	0	2.652	25.7	76	0
11/13/2023, 3:14:40 AM	0	2.652	25.7	76.1	0
11/13/2023, 3:24:40 AM	0	2.652	25.5	76.2	0
11/13/2023, 3:34:40 AM	0	2.652	25.5	76.4	0
11/13/2023, 3:44:40 AM	0	2.652	25.3	76.5	0
11/13/2023, 3:54:40 AM	0	2.652	25.3	76.6	0
11/13/2023, 4:04:40 AM	0	2.652	25.3	76.7	0
11/13/2023, 4:14:40 AM	0	2.652	25.3	76.8	0
11/13/2023, 4:24:40 AM	0	2.652	25.2	77	0
11/13/2023, 4:34:40 AM	0	2.652	25.2	77.1	0
11/13/2023, 4:44:40 AM	0	2.652	25.2	77.2	0
11/13/2023, 4:54:40 AM	0	2.652	25	77.3	0
11/13/2023, 5:04:40 AM	0	2.643	25	77.4	0
11/13/2023, 5:14:40 AM	0	2.643	25	77.5	0
11/13/2023, 5:24:40 AM	0	2.643	25	77.6	0
11/13/2023, 5:34:40 AM	0	2.643	25	77.8	0
11/13/2023, 5:44:40 AM	0	2.643	25.2	78	0
11/13/2023, 5:54:40 AM	0	2.643	25.3	78.2	0
11/13/2023, 6:04:40 AM	0	2.643	25.5	78.4	0
11/13/2023, 6:14:40 AM	0	2.643	25.9	78.6	0
11/13/2023, 6:24:40 AM	0	2.643	26.2	78.8	0
11/13/2023, 6:34:40 AM	0	2.643	26.4	79	0
11/13/2023, 6:44:40 AM	0	2.643	26.8	79.2	0
11/13/2023, 6:54:40 AM	0	2.643	27.1	79.4	0
11/13/2023, 7:04:40 AM	0	2.643	27.5	79.6	0
11/13/2023, 7:14:40 AM	0	2.643	27.7	79.7	0
11/13/2023, 7:24:40 AM	0	2.643	28.2	79.9	0
11/13/2023, 7:34:40 AM	0	2.643	28.2	80	0
11/13/2023, 7:44:40 AM	0	2.643	28.6	80.2	0
11/13/2023, 7:54:40 AM	0	2.643	28.6	80.2	0
11/13/2023, 8:04:40 AM	0	2.643	28.8	80.3	0
11/13/2023, 8:14:40 AM	0	2.643	29.1	80.5	0
11/13/2023, 8:24:40 AM	0	2.643	29.7	80.7	0
11/13/2023, 8:34:40 AM	0	2.643	30.4	80.8	0
11/13/2023, 8:44:40 AM	0	2.643	31.1	81	0
11/13/2023, 8:54:40 AM	0	2.643	32.2	81.2	0
11/13/2023, 9:04:40 AM	0	2.643	33.1	81.2	0

East Monitoring Station

Time Stamp	H₂S (PPB)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/13/2023, 9:14:40 AM	0	2.643	33.6	81.3	0
11/13/2023, 9:24:40 AM	0	2.643	34.5	81.2	0
11/13/2023, 9:34:40 AM	0	2.652	35.1	81.2	0
11/13/2023, 9:44:40 AM	0	2.652	35.6	81.1	0
11/13/2023, 9:54:40 AM	0	2.652	36.1	81.1	0
11/13/2023, 10:04:40 AM	0	2.652	36.7	81	0
11/13/2023, 10:14:40 AM	0	2.652	37.4	81.1	0
11/13/2023, 10:24:40 AM	0	2.652	38.3	81	0
11/13/2023, 10:34:40 AM	0	2.652	40.3	81	0
11/13/2023, 10:44:40 AM	0	2.652	42.4	80.7	0
11/13/2023, 10:54:40 AM	0	2.661	43.9	80	0
11/13/2023, 11:04:40 AM	0	2.661	45.1	79.3	0
11/13/2023, 11:14:40 AM	0	2.661	46.8	78.3	0
11/13/2023, 11:24:40 AM	0	2.661	48	77.3	0
11/13/2023, 11:34:40 AM	0	2.67	48.7	76.2	0
11/13/2023, 11:44:40 AM	0	2.67	49.3	75.2	0
11/13/2023, 11:54:40 AM	0	2.67	49.5	74.1	0
11/13/2023, 12:04:40 PM	0	2.67	49.6	73.2	0
11/13/2023, 12:14:40 PM	0	2.679	49.6	72.5	0
11/13/2023, 12:24:40 PM	0	2.679	49.8	71.7	0
11/13/2023, 12:34:40 PM	0	2.679	50	71	0
11/13/2023, 12:44:40 PM	0	2.679	50	70.3	0
11/13/2023, 12:54:40 PM	0	2.679	50.2	69.6	0
11/13/2023, 1:04:40 PM	0	2.679	50.2	68.9	0
11/13/2023, 1:14:40 PM	0	2.679	50.5	68.2	0
11/13/2023, 1:24:40 PM	0	2.687	51.8	67.4	0
11/13/2023, 1:34:40 PM	0	2.687	53.6	66.5	0
11/13/2023, 1:44:40 PM	0	2.687	54.7	65.6	0
11/13/2023, 1:54:40 PM	0	2.687	55.4	64.6	0
11/13/2023, 2:04:40 PM	0	2.687	55.6	63.7	0
11/13/2023, 2:14:40 PM	0	2.687	55.9	63	0
11/13/2023, 2:24:40 PM	0	2.696	56.3	62.2	0
11/13/2023, 2:34:40 PM	0	2.696	55.9	61.4	0
11/13/2023, 2:44:40 PM	0	2.696	55.6	60.9	0
11/13/2023, 2:54:40 PM	0	2.696	55.2	60.7	0
11/13/2023, 3:04:40 PM	0	2.696	55	60.7	0
11/13/2023, 3:14:40 PM	0	2.696	54.9	60.7	0
11/13/2023, 3:24:40 PM	0	2.696	54.7	60.8	0
11/13/2023, 3:34:40 PM	0	2.696	54.7	60.9	0
11/13/2023, 3:44:40 PM	0	2.696	54.7	60.9	0
11/13/2023, 3:54:40 PM	0	2.696	54.9	60.9	0
11/13/2023, 4:04:40 PM	0	2.705	54.7	60.8	0
11/13/2023, 4:14:40 PM	0	2.705	54.5	60.8	0
11/13/2023, 4:24:40 PM	0	2.705	54.1	60.8	0
11/13/2023, 4:34:40 PM	0	2.705	54	60.9	0
11/13/2023, 4:44:40 PM	0	2.705	53.8	61	0
11/13/2023, 4:54:40 PM	0	2.705	53.6	61.1	0
11/13/2023, 5:04:40 PM	0	2.705	53.2	61.2	0
11/13/2023, 5:14:40 PM	0	2.705	52.9	61.3	0
11/13/2023, 5:24:40 PM	0	2.705	52.5	61.4	0
11/13/2023, 5:34:40 PM	0	2.705	52.2	61.6	0
11/13/2023, 5:44:40 PM	0	2.705	51.6	61.7	0
11/13/2023, 5:54:40 PM	0	2.705	51.3	62	0
11/13/2023, 6:04:40 PM	0	2.705	50.9	62.3	0
11/13/2023, 6:14:40 PM	0	2.705	50.5	62.5	0

East Monitoring Station

Time Stamp	H₂S (PPB)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/13/2023, 6:24:40 PM	0	2.705	50.4	62.8	0
11/13/2023, 6:34:40 PM	0	2.705	50.2	63.1	0
11/13/2023, 6:44:40 PM	0	2.705	50	63.2	0
11/13/2023, 6:54:40 PM	0	2.705	50	63.4	0
11/13/2023, 7:04:40 PM	0	2.705	49.6	63.6	0
11/13/2023, 7:14:40 PM	0	2.705	49.6	63.9	0
11/13/2023, 7:24:40 PM	0	2.705	49.5	64.1	0
11/13/2023, 7:34:40 PM	0	2.696	49.5	64.4	0
11/13/2023, 7:44:40 PM	0	2.696	49.5	64.6	0
11/13/2023, 7:54:40 PM	0	2.696	49.5	64.7	0
11/13/2023, 8:04:40 PM	0	2.696	49.5	64.9	0
11/13/2023, 8:14:40 PM	0	2.696	49.5	65	0
11/13/2023, 8:24:40 PM	0	2.696	49.5	65	0
11/13/2023, 8:34:40 PM	0	2.696	49.5	65.1	0
11/13/2023, 8:44:40 PM	0	2.696	49.3	65.1	0
11/13/2023, 8:54:40 PM	0	2.696	49.1	65.2	0
11/13/2023, 9:04:40 PM	0	2.696	49.1	65.2	0
11/13/2023, 9:14:40 PM	0	2.696	48.9	65.3	0
11/13/2023, 9:24:40 PM	0	2.696	48.9	65.5	0
11/13/2023, 9:34:40 PM	0	2.696	48.6	65.5	0
11/13/2023, 9:44:40 PM	0	2.696	48.4	65.4	0
11/13/2023, 9:54:40 PM	0	2.696	48.2	65.2	0
11/13/2023, 10:04:40 PM	0	2.696	48	65	0
11/13/2023, 10:14:40 PM	0	2.696	48	64.7	0
11/13/2023, 10:24:40 PM	0	2.696	47.5	64.5	0
11/13/2023, 10:34:40 PM	0	2.696	46.9	64.3	0
11/13/2023, 10:44:40 PM	0	2.696	46.6	64.2	0
11/13/2023, 10:54:40 PM	0	2.696	46	64.2	0
11/13/2023, 11:04:40 PM	0	2.696	45.9	64.2	0
11/13/2023, 11:14:40 PM	0	2.696	45.5	64.3	0
11/13/2023, 11:24:40 PM	0	2.696	45.3	64.3	0
11/13/2023, 11:34:40 PM	0	2.696	45.3	64.3	0
11/13/2023, 11:44:40 PM	0	2.687	45.1	64.4	0
11/13/2023, 11:54:40 PM	0	2.687	45.1	64.4	0
11/14/2023, 12:04:40 AM	0	2.687	45.3	64.4	0
11/14/2023, 12:14:40 AM	0	2.687	45.3	64.5	0
11/14/2023, 12:24:40 AM	0	2.687	45.5	64.5	0
11/14/2023, 12:34:40 AM	0	2.687	45.5	64.5	0
11/14/2023, 12:44:40 AM	0	2.687	45.7	64.5	0
11/14/2023, 12:54:40 AM	0	2.687	45.7	64.5	0
11/14/2023, 1:04:40 AM	0	2.687	45.7	64.6	0
11/14/2023, 1:14:40 AM	0	2.687	45.7	64.6	0
11/14/2023, 1:24:40 AM	0	2.687	45.7	64.6	0
11/14/2023, 1:34:40 AM	0	2.687	45.7	64.7	0
11/14/2023, 1:44:40 AM	0	2.687	45.5	64.9	0
11/14/2023, 1:54:40 AM	0	2.687	45.3	65.1	0
11/14/2023, 2:04:40 AM	0	2.687	45	65.3	0
11/14/2023, 2:14:40 AM	0	2.687	44.6	65.5	0
11/14/2023, 2:24:40 AM	0	2.687	44.2	65.7	0
11/14/2023, 2:34:40 AM	0	2.687	44.1	65.9	0
11/14/2023, 2:44:40 AM	0	2.687	44.1	66.1	0
11/14/2023, 2:54:40 AM	0	2.679	44.2	66.2	0
11/14/2023, 3:04:40 AM	0	2.679	44.2	66.4	0
11/14/2023, 3:14:40 AM	0	2.679	44.2	66.6	0
11/14/2023, 3:24:40 AM	0	2.679	44.2	66.8	0

East Monitoring Station

Time Stamp	H ₂ S (PPB)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/14/2023, 3:34:40 AM	0	2.679	44.2	67.1	0
11/14/2023, 3:44:40 AM	0	2.679	44.1	67.3	0
11/14/2023, 3:54:40 AM	0	2.679	43.9	67.4	0
11/14/2023, 4:04:40 AM	0	2.679	43.7	67.6	0
11/14/2023, 4:14:40 AM	0	2.679	43.5	67.8	0
11/14/2023, 4:24:40 AM	0	2.679	43.3	68	0
11/14/2023, 4:34:40 AM	0	2.679	43.3	68.4	0
11/14/2023, 4:44:40 AM	0	2.679	43.3	68.8	0
11/14/2023, 4:54:40 AM	0	2.679	43.2	69.2	0
11/14/2023, 5:04:40 AM	0	2.679	43	69.6	0
11/14/2023, 5:14:40 AM	0	2.679	42.8	69.9	0
11/14/2023, 5:24:40 AM	0	2.679	42.8	70.3	0
11/14/2023, 5:34:40 AM	0	2.679	42.6	70.7	0
11/14/2023, 5:44:40 AM	0	2.679	42.4	71	0
11/14/2023, 5:54:40 AM	0	2.679	42.3	71.3	0
11/14/2023, 6:04:40 AM	0	2.67	42.3	71.5	0
11/14/2023, 6:14:40 AM	0	2.67	42.1	71.6	0
11/14/2023, 6:24:40 AM	0	2.67	41.9	71.6	0

South Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/7/2023, 6:35:54 AM	0	2.74	55	84.3	
11/7/2023, 6:45:54 AM	0	2.74	55.4	84.8	
11/7/2023, 6:55:54 AM	0	2.74	55.9	85.1	
11/7/2023, 7:05:54 AM	0	2.74	56.3	85.1	
11/7/2023, 7:15:54 AM	0	2.74	56.7	85	
11/7/2023, 7:25:54 AM	0	2.74	57	84.9	0
11/7/2023, 7:35:54 AM	0	2.74	57.2	84.7	0
11/7/2023, 7:45:54 AM	0	2.74	57.6	84.5	0
11/7/2023, 7:55:54 AM	0	2.74	57.6	84.3	0
11/7/2023, 8:05:54 AM	0	2.74	57.7	84	0
11/7/2023, 8:15:54 AM	0	2.74	57.9	83.9	0
11/7/2023, 8:25:54 AM	0	2.74	57.9	83.6	0
11/7/2023, 8:35:54 AM	0	2.74	58.1	83.4	0
11/7/2023, 8:45:54 AM	0	2.74	58.3	83.1	0
11/7/2023, 8:55:54 AM	0	2.74	58.3	82.8	0
11/7/2023, 9:05:54 AM	0	2.74	58.3	82.5	0
11/7/2023, 9:15:54 AM	0	2.74	58.5	82.2	0
11/7/2023, 9:25:54 AM	0	2.74	58.5	81.9	0
11/7/2023, 9:35:54 AM	0	2.74	58.5	81.6	0
11/7/2023, 9:45:54 AM	0	2.74	58.5	81.3	0
11/7/2023, 9:55:54 AM	0	2.74	58.5	81.2	0
11/7/2023, 10:05:54 AM	0	2.74	58.3	80.9	0
11/7/2023, 10:15:54 AM	0	2.74	57.7	80.5	0
11/7/2023, 10:25:54 AM	0	2.74	57.2	80.1	0
11/7/2023, 10:35:54 AM	0	2.74	56.7	79.8	0
11/7/2023, 10:45:54 AM	0	2.74	56.5	79.4	0
11/7/2023, 10:55:54 AM	0	2.74	56.3	78.9	0
11/7/2023, 11:05:54 AM	0	2.74	56.1	78.4	0
11/7/2023, 11:15:54 AM	0	2.74	56.1	77.7	0
11/7/2023, 11:25:54 AM	0	2.74	56.1	77.4	0
11/7/2023, 11:35:54 AM	0	2.74	56.1	76.8	0
11/7/2023, 11:45:54 AM	0	2.74	56.3	76.3	0
11/7/2023, 11:55:54 AM	0	2.74	56.3	76	0
11/7/2023, 12:05:54 PM	0	2.74	56.5	75.7	0
11/7/2023, 12:15:54 PM	0	2.74	56.5	75.3	0
11/7/2023, 12:25:54 PM	0	2.74	56.3	74.7	0
11/7/2023, 12:35:54 PM	0	2.74	56.1	74.2	0
11/7/2023, 12:45:54 PM	0	2.74	55.9	73.8	0
11/7/2023, 12:55:54 PM	0	2.74	55.6	73.4	0
11/7/2023, 1:05:54 PM	0	2.74	55.4	73.1	0
11/7/2023, 1:15:54 PM	0	2.74	55.2	73	0
11/7/2023, 1:25:54 PM	0	2.74	55	72.8	0
11/7/2023, 1:35:54 PM	0	2.74	55	72.6	0
11/7/2023, 1:45:54 PM	0	2.74	54.9	72.5	0
11/7/2023, 1:55:54 PM	0	2.74	54.7	72.1	0
11/7/2023, 2:05:54 PM	0	2.74	54.5	71.7	0
11/7/2023, 2:15:54 PM	0	2.74	54.5	71.5	0
11/7/2023, 2:25:54 PM	0	2.74	54.3	71.7	0
11/7/2023, 2:35:54 PM	0	2.731	54	71.9	0
11/7/2023, 2:45:54 PM	0	2.731	53.4	72.3	0
11/7/2023, 2:55:54 PM	0	2.731	52.9	72.9	0
11/7/2023, 3:05:54 PM	0	2.731	52.3	73.4	0
11/7/2023, 3:15:54 PM	0	2.731	52	73.8	0
11/7/2023, 3:25:54 PM	0	2.731	51.4	74.3	0
11/7/2023, 3:35:54 PM	0	2.731	51.3	74.6	0
11/7/2023, 3:45:54 PM	0	2.731	50.9	74.9	0
11/7/2023, 3:55:54 PM	0	2.731	50.7	75.3	0

South Monitoring Station

Time Stamp	H ₂ S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/7/2023, 4:05:54 PM	0	2.731	50.4	75.8	0
11/7/2023, 4:15:54 PM	0	2.731	50	76.1	0
11/7/2023, 4:25:54 PM	0	2.731	49.6	76.7	0
11/7/2023, 4:35:54 PM	0	2.731	49.1	77.1	0
11/7/2023, 4:45:54 PM	0	2.731	48.6	77.3	0
11/7/2023, 4:55:54 PM	0	2.723	48.4	77.5	0
11/7/2023, 5:05:54 PM	0	2.723	48	77.7	0
11/7/2023, 5:15:54 PM	0	2.723	47.8	77.7	0
11/7/2023, 5:25:54 PM	0	2.723	47.7	77.6	0
11/7/2023, 5:35:54 PM	0	2.723	47.5	77.6	0
11/7/2023, 5:45:54 PM	0	2.723	47.3	77.7	0
11/7/2023, 5:55:54 PM	0	2.723	47.1	77.7	0
11/7/2023, 6:05:54 PM	0	2.723	46.8	77.7	0
11/7/2023, 6:15:54 PM	0	2.723	46.8	77.7	0
11/7/2023, 6:25:54 PM	0	2.723	46.6	77.7	0
11/7/2023, 6:35:54 PM	0	2.723	46.4	77.6	0
11/7/2023, 6:45:54 PM	0	2.723	46.2	77.5	0
11/7/2023, 6:55:54 PM	0	2.714	46	77.4	0
11/7/2023, 7:05:54 PM	0	2.714	45.9	77.2	0
11/7/2023, 7:15:54 PM	0	2.714	45.7	77.1	0
11/7/2023, 7:25:54 PM	0	2.714	45.3	77	0
11/7/2023, 7:35:54 PM	0	2.714	45.1	76.9	0
11/7/2023, 7:45:54 PM	0	2.714	45	76.8	0
11/7/2023, 7:55:54 PM	0	2.714	44.8	76.7	0
11/7/2023, 8:05:54 PM	0	2.714	44.4	76.4	0
11/7/2023, 8:15:54 PM	0	2.714	44.2	76.3	0
11/7/2023, 8:25:54 PM	0	2.714	44.1	76.3	0
11/7/2023, 8:35:54 PM	0	2.714	43.7	76.3	0
11/7/2023, 8:45:54 PM	0	2.705	43.7	76.5	0
11/7/2023, 8:55:54 PM	0	2.705	43.5	76.5	0
11/7/2023, 9:05:54 PM	0	2.705	43.3	76.7	0
11/7/2023, 9:15:54 PM	0	2.705	43	76.8	0
11/7/2023, 9:25:54 PM	0	2.705	42.8	76.8	0
11/7/2023, 9:35:54 PM	0	2.705	42.4	76.8	0
11/7/2023, 9:45:54 PM	0	2.705	42.3	76.8	0
11/7/2023, 9:55:54 PM	0	2.705	41.9	76.8	0
11/7/2023, 10:05:54 PM	0	2.705	41.7	76.8	0
11/7/2023, 10:15:54 PM	0	2.705	41.5	76.9	0
11/7/2023, 10:25:54 PM	0	2.705	41.4	76.9	0
11/7/2023, 10:35:54 PM	0	2.696	41.2	77	0
11/7/2023, 10:45:54 PM	0	2.696	41	77.2	0
11/7/2023, 10:55:54 PM	0	2.696	40.8	77.2	0
11/7/2023, 11:05:54 PM	0	2.696	40.6	77.1	0
11/7/2023, 11:15:54 PM	0	2.696	40.3	77.1	0
11/7/2023, 11:25:54 PM	0	2.696	40.1	77	0
11/7/2023, 11:35:54 PM	0	2.696	39.7	76.9	0
11/7/2023, 11:45:54 PM	0	2.696	39.6	76.9	0
11/7/2023, 11:55:54 PM	0	2.696	39.4	76.8	0
11/8/2023, 12:05:54 AM	0	2.696	39.2	76.8	0
11/8/2023, 12:15:54 AM	0	2.696	39	76.7	0
11/8/2023, 12:25:54 AM	0	2.687	39	76.7	0
11/8/2023, 12:35:54 AM	0	2.687	38.8	76.6	0
11/8/2023, 12:45:54 AM	0	2.687	38.8	76.7	0
11/8/2023, 12:55:54 AM	0	2.687	38.7	76.9	0
11/8/2023, 1:05:54 AM	0	2.687	38.5	76.9	0
11/8/2023, 1:15:54 AM	0	2.687	38.5	77	0
11/8/2023, 1:25:54 AM	0	2.687	38.3	77	0

South Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/8/2023, 1:35:54 AM	0	2.687	38.3	77	0
11/8/2023, 1:45:54 AM	0	2.687	38.1	77.1	0
11/8/2023, 1:55:54 AM	0	2.687	38.1	77.1	0
11/8/2023, 2:05:54 AM	0	2.687	37.9	77.1	0
11/8/2023, 2:15:54 AM	0	2.687	37.9	77	0
11/8/2023, 2:25:54 AM	0	2.679	37.8	76.9	0
11/8/2023, 2:35:54 AM	0	2.679	37.6	76.7	0
11/8/2023, 2:45:54 AM	0	2.679	37.4	76.6	0
11/8/2023, 2:55:54 AM	0	2.679	37.4	76.4	0
11/8/2023, 3:05:54 AM	0	2.679	37.2	76.2	0
11/8/2023, 3:15:54 AM	0	2.679	37	76	0
11/8/2023, 3:25:54 AM	0	2.679	37	75.9	0
11/8/2023, 3:35:54 AM	0	2.679	36.9	75.6	0
11/8/2023, 3:45:54 AM	0	2.679	36.9	75.4	0
11/8/2023, 3:55:54 AM	0	2.679	36.7	75.2	0
11/8/2023, 4:05:54 AM	0	2.679	36.7	75.1	0
11/8/2023, 4:15:54 AM	0	2.679	36.5	75	0
11/8/2023, 4:25:54 AM	0	2.67	36.5	75	0
11/8/2023, 4:35:54 AM	0	2.67	36.5	74.8	0
11/8/2023, 4:45:54 AM	0	2.67	36.3	74.7	0
11/8/2023, 4:55:54 AM	0	2.67	36.1	74.6	0
11/8/2023, 5:05:54 AM	0	2.67	36.1	74.6	0
11/8/2023, 5:15:54 AM	0	2.67	36	74.6	0
11/8/2023, 5:25:54 AM	0	2.67	36	74.5	0
11/8/2023, 5:35:54 AM	0	2.67	36	74.4	0
11/8/2023, 5:45:54 AM	0	2.67	35.8	74.2	0
11/8/2023, 5:55:54 AM	0	2.67	35.8	74.1	0
11/8/2023, 6:05:54 AM	0	2.67	35.8	73.9	0
11/8/2023, 6:15:54 AM	0	2.67	35.6	73.8	0
11/8/2023, 6:25:54 AM	0	2.67	35.6	73.7	0
11/8/2023, 6:35:54 AM	0	2.67	35.6	73.5	0
11/8/2023, 6:45:54 AM	0	2.67	35.4	73.4	0
11/8/2023, 6:55:54 AM	0	2.67	35.4	73.5	0
11/8/2023, 7:05:54 AM	0	2.661	35.4	73.6	0
11/8/2023, 7:15:54 AM	0	2.661	35.2	73.7	0
11/8/2023, 7:25:54 AM	0	2.661	35.2	73.7	0
11/8/2023, 7:35:54 AM	0	2.661	35.1	73.7	0
11/8/2023, 7:45:54 AM	0	2.661	34.9	73.6	0
11/8/2023, 7:55:54 AM	0	2.661	34.9	73.6	0
11/8/2023, 8:05:54 AM	0	2.661	34.9	73.5	0
11/8/2023, 8:15:54 AM	0	2.661	35.1	73.5	0
11/8/2023, 8:25:54 AM	0	2.661	35.1	73.4	0
11/8/2023, 8:35:54 AM	0	2.661	35.1	73.3	0
11/8/2023, 8:45:54 AM	0	2.661	35.2	73.1	0
11/8/2023, 8:55:54 AM	0	2.661	35.2	72.9	0
11/8/2023, 9:05:54 AM	0	2.661	35.4	72.8	0
11/8/2023, 9:15:54 AM	0	2.661	35.6	72.7	0
11/8/2023, 9:25:54 AM	0	2.661	35.8	72.6	0
11/8/2023, 9:35:54 AM	0	2.661	36.1	72.5	0
11/8/2023, 9:45:54 AM	0	2.661	36.5	72.4	0
11/8/2023, 9:55:54 AM	0	2.661	36.7	72.1	0
11/8/2023, 10:05:54 AM	0	2.652	36.9	71.9	0
11/8/2023, 10:15:54 AM	0	2.652	37.2	71.7	0
11/8/2023, 10:25:54 AM	0	2.652	37.4	71.5	0
11/8/2023, 10:35:54 AM	0	2.652	37.8	71.3	0
11/8/2023, 10:45:54 AM	0	2.652	38.1	71	0
11/8/2023, 10:55:54 AM	0	2.652	38.3	70.8	0

South Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/8/2023, 11:05:54 AM	0	2.652	38.7	70.5	0
11/8/2023, 11:15:54 AM	0	2.652	38.8	70.3	0
11/8/2023, 11:25:54 AM	0	2.652	38.8	70.2	0
11/8/2023, 11:35:54 AM	0	2.652	39	70.2	0
11/8/2023, 11:45:54 AM	0	2.652	39	70.2	0
11/8/2023, 11:55:54 AM	0	2.652	39	70	0
11/8/2023, 12:05:54 PM	0	2.652	39.2	69.9	0
11/8/2023, 12:15:54 PM	0	2.652	39.2	69.9	0
11/8/2023, 12:25:54 PM	0	2.652	39.2	69.9	0
11/8/2023, 12:35:54 PM	0	2.652	39.2	69.7	0
11/8/2023, 12:45:54 PM	0	2.652	39.2	69.6	0
11/8/2023, 12:55:54 PM	0	2.652	39.2	69.5	0
11/8/2023, 1:05:54 PM	0	2.652	39.2	69.5	0
11/8/2023, 1:15:54 PM	0	2.652	39.2	69.5	0
11/8/2023, 1:25:54 PM	0	2.652	39.2	69.3	0
11/8/2023, 1:35:54 PM	0	2.652	39.2	69.3	0
11/8/2023, 1:45:54 PM	0	2.652	39.2	69.2	0
11/8/2023, 1:55:54 PM	0	2.652	39.4	69	0
11/8/2023, 2:05:54 PM	0	2.652	39.4	68.9	0
11/8/2023, 2:15:54 PM	0	2.652	39.4	68.9	0
11/8/2023, 2:25:54 PM	0	2.652	39.2	69.1	0
11/8/2023, 2:35:54 PM	0	2.652	39.2	69	0
11/8/2023, 2:45:54 PM	0	2.652	39.2	69	0
11/8/2023, 2:55:54 PM	0	2.652	39.2	69	0
11/8/2023, 3:05:54 PM	0	2.652	39	68.9	0
11/8/2023, 3:15:54 PM	0	2.652	39	69	0
11/8/2023, 3:25:54 PM	0	2.652	38.8	69.2	0
11/8/2023, 3:35:54 PM	0	2.652	38.8	69.3	0
11/8/2023, 3:45:54 PM	0	2.652	38.7	69.4	0
11/8/2023, 3:55:54 PM	0	2.652	38.7	69.6	0
11/8/2023, 4:05:54 PM	0	2.652	38.7	69.7	0
11/8/2023, 4:15:54 PM	0	2.652	38.5	69.8	0
11/8/2023, 4:25:54 PM	0	2.652	38.5	70	0
11/8/2023, 4:35:54 PM	0	2.652	38.5	70.1	0
11/8/2023, 4:45:54 PM	0	2.652	38.3	70.2	0
11/8/2023, 4:55:54 PM	0	2.652	38.3	70.3	0
11/8/2023, 5:05:54 PM	0	2.652	38.1	70.4	0
11/8/2023, 5:15:54 PM	0	2.652	38.1	70.5	0
11/8/2023, 5:25:54 PM	0	2.652	38.1	70.7	0
11/8/2023, 5:35:54 PM	0	2.652	37.9	70.8	0
11/8/2023, 5:45:54 PM	0	2.652	37.9	70.9	0
11/8/2023, 5:55:54 PM	0	2.652	37.9	71.1	0
11/8/2023, 6:05:54 PM	0	2.643	37.8	71.7	0
11/8/2023, 6:15:54 PM	0	2.643	37.6	72.1	0
11/8/2023, 6:25:54 PM	0	2.643	37.4	72.5	0
11/8/2023, 6:35:54 PM	0	2.643	37.4	72.6	0
11/8/2023, 6:45:54 PM	0	2.643	37.2	73.4	0
11/8/2023, 6:55:54 PM	0	2.643	37	74.4	0
11/8/2023, 7:05:54 PM	0	2.643	36.9	75.3	0
11/8/2023, 7:15:54 PM	0	2.643	36.5	76.1	0
11/8/2023, 7:25:54 PM	0	2.643	36.3	76.7	0
11/8/2023, 7:35:54 PM	0	2.643	36.1	77.3	0
11/8/2023, 7:45:54 PM	0	2.643	36	77.8	0
11/8/2023, 7:55:54 PM	0	2.643	36	78.4	0
11/8/2023, 8:05:54 PM	0	2.643	36	79	0
11/8/2023, 8:15:54 PM	0	2.643	35.8	79.5	0
11/8/2023, 8:25:54 PM	0	2.643	35.8	79.7	0

South Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/8/2023, 8:35:54 PM	0	2.635	35.6	80.1	0
11/8/2023, 8:45:54 PM	0	2.635	35.4	80.5	0
11/8/2023, 8:55:54 PM	0	2.635	35.2	80.9	0
11/8/2023, 9:05:54 PM	0	2.635	35.2	81.2	0
11/8/2023, 9:15:54 PM	0	2.635	35.1	81.6	0
11/8/2023, 9:25:54 PM	0	2.635	35.1	82	0
11/8/2023, 9:35:54 PM	0	2.635	34.9	82.3	0
11/8/2023, 9:45:54 PM	0	2.635	34.9	82.7	0
11/8/2023, 9:55:54 PM	0	2.635	34.9	83.1	0
11/8/2023, 10:05:54 PM	0	2.635	34.9	83.5	0
11/8/2023, 10:15:54 PM	0	2.635	34.7	83.8	0
11/8/2023, 10:25:54 PM	0	2.635	34.7	84.1	0
11/8/2023, 10:35:54 PM	0	2.635	34.7	84.5	0
11/8/2023, 10:45:54 PM	0	2.635	34.7	85	0
11/8/2023, 10:55:54 PM	0	2.635	34.9	85.4	0
11/8/2023, 11:05:54 PM	0	2.635	34.9	85.7	0
11/8/2023, 11:15:54 PM	0	2.635	34.9	86.1	0
11/8/2023, 11:25:54 PM	0	2.626	35.1	86.4	0
11/8/2023, 11:35:54 PM	0	2.626	35.1	86.7	0
11/8/2023, 11:45:54 PM	0	2.626	35.2	86.9	0
11/8/2023, 11:55:54 PM	0	2.626	35.2	87.1	0
11/9/2023, 12:05:54 AM	0	2.626	35.4	87.4	0
11/9/2023, 12:15:54 AM	0	2.626	35.6	87.7	0
11/9/2023, 12:25:54 AM	0	2.626	35.6	87.8	0
11/9/2023, 12:35:54 AM	0	2.626	35.8	87.9	0
11/9/2023, 12:45:54 AM	0	2.626	35.8	88	0
11/9/2023, 12:55:54 AM	0	2.626	36	88.1	0
11/9/2023, 1:05:54 AM	0	2.626	36.1	88.2	0
11/9/2023, 1:15:54 AM	0	2.626	36.1	88.3	0
11/9/2023, 1:25:54 AM	0	2.626	36.1	88.3	0
11/9/2023, 1:35:54 AM	0	2.626	36.1	88.5	0
11/9/2023, 1:45:54 AM	0	2.626	36.3	88.6	0
11/9/2023, 1:55:54 AM	0	2.626	36.1	88.7	0
11/9/2023, 2:05:54 AM	0	2.626	36.3	88.8	0
11/9/2023, 2:15:54 AM	0	2.626	36.3	89	0
11/9/2023, 2:25:54 AM	0	2.626	36.3	89.2	0
11/9/2023, 2:35:54 AM	0	2.626	36.5	89.4	0
11/9/2023, 2:45:54 AM	0	2.626	36.5	89.5	0
11/9/2023, 2:55:54 AM	0	2.626	36.5	89.6	0
11/9/2023, 3:05:54 AM	0	2.626	36.5	89.7	0
11/9/2023, 3:15:54 AM	0	2.626	36.7	89.8	0
11/9/2023, 3:25:54 AM	0	2.626	36.7	90.1	0
11/9/2023, 3:35:54 AM	0	2.626	36.9	90.3	0
11/9/2023, 3:45:54 AM	0	2.626	37	90.6	0
11/9/2023, 3:55:54 AM	0	2.626	37.2	90.8	0
11/9/2023, 4:05:54 AM	0	2.626	37.4	91.1	0
11/9/2023, 4:15:54 AM	0	2.626	37.6	91.3	0
11/9/2023, 4:25:54 AM	0	2.626	37.9	91.6	0
11/9/2023, 4:35:54 AM	0	2.626	38.1	91.7	0
11/9/2023, 4:45:54 AM	0	2.626	38.5	92	0
11/9/2023, 4:55:54 AM	0	2.626	38.7	92.2	0
11/9/2023, 5:05:54 AM	0	2.626	39	92.4	0
11/9/2023, 5:15:54 AM	0	2.626	39.4	92.6	0
11/9/2023, 5:25:54 AM	0	2.626	39.6	92.9	0
11/9/2023, 5:35:54 AM	0	2.626	39.9	93.1	0
11/9/2023, 5:45:54 AM	0	2.626	40.3	93.3	0
11/9/2023, 5:55:54 AM	0	2.626	40.6	93.5	0

South Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/9/2023, 6:05:54 AM	0	2.626	40.8	93.6	0
11/9/2023, 6:15:54 AM	0	2.626	41.2	93.8	0
11/9/2023, 6:25:54 AM	0	2.626	41.4	93.9	0
11/9/2023, 6:35:54 AM	0	2.626	41.7	94	0
11/9/2023, 6:45:54 AM	0	2.626	41.9	94.2	0
11/9/2023, 6:55:54 AM	0	2.626	42.1	94.3	0
11/9/2023, 7:05:54 AM	0	2.635	42.3	94.4	0
11/9/2023, 7:15:54 AM	0	2.635	42.4	94.4	0
11/9/2023, 7:25:54 AM	0	2.635	42.6	94.5	0
11/9/2023, 7:35:54 AM	0	2.635	43	94.7	0
11/9/2023, 7:45:54 AM	0	2.635	44.1	95.1	0
11/9/2023, 7:55:54 AM	0	2.635	45.3	95.7	0
11/9/2023, 8:05:54 AM	0	2.635	46.2	96.1	0
11/9/2023, 8:15:54 AM	0	2.635	46.9	96.4	0
11/9/2023, 8:25:54 AM	0	2.635	47.5	96.7	0
11/9/2023, 8:35:54 AM	0	2.635	48	96.8	0
11/9/2023, 8:45:54 AM	0	2.643	48.2	96.8	0
11/9/2023, 8:55:54 AM	0	2.643	48.6	96.7	0
11/9/2023, 9:05:54 AM	0	2.643	48.9	96.5	0
11/9/2023, 9:15:54 AM	0	2.643	49.5	96.3	0
11/9/2023, 9:25:54 AM	0	2.643	49.8	95.8	0
11/9/2023, 9:35:54 AM	0	2.643	49.8	95.1	0
11/9/2023, 9:45:54 AM	0	2.643	49.8	94.3	0
11/9/2023, 9:55:54 AM	0	2.643	49.8	93.6	0
11/9/2023, 10:05:54 AM	0	2.643	49.6	93	0
11/9/2023, 10:15:54 AM	0	2.643	49.5	92.3	0
11/9/2023, 10:25:54 AM	0	2.643	49.3	91.7	0
11/9/2023, 10:35:54 AM	0	2.643	49.1	91.2	0
11/9/2023, 10:45:54 AM	0	2.643	48.9	90.6	0
11/9/2023, 10:55:54 AM	0	2.652	48.6	90.2	0
11/9/2023, 11:05:54 AM	0	2.652	48.4	89.8	0
11/9/2023, 11:15:54 AM	0	2.643	48	89.5	0
11/9/2023, 11:25:54 AM	0	2.652	47.7	89.2	0
11/9/2023, 11:35:54 AM	0	2.643	47.3	88.8	0
11/9/2023, 11:45:54 AM	0	2.643	47.3	88.7	0
11/9/2023, 11:55:54 AM	0	2.643	47.1	88.6	0
11/9/2023, 12:05:54 PM	0	2.643	47.1	88.4	0
11/9/2023, 12:15:54 PM	0	2.652	47.1	88.3	0
11/9/2023, 12:25:54 PM	0	2.643	47.1	88.3	0
11/9/2023, 12:35:54 PM	0	2.643	47.1	88.3	0
11/9/2023, 12:45:54 PM	0	2.643	47.3	88.2	0
11/9/2023, 12:55:54 PM	0	2.643	47.3	88.2	0
11/9/2023, 1:05:54 PM	0	2.643	47.3	88.1	0
11/9/2023, 1:15:54 PM	0	2.643	47.5	88	0
11/9/2023, 1:25:54 PM	0	2.643	47.7	87.9	0
11/9/2023, 1:35:54 PM	0	2.643	47.8	87.8	0
11/9/2023, 1:45:54 PM	0	2.643	47.8	87.5	0
11/9/2023, 1:55:54 PM	0	2.643	47.8	87.3	0
11/9/2023, 2:05:54 PM	0	2.643	47.8	87.3	0
11/9/2023, 2:15:54 PM	0	2.643	47.7	87.2	0
11/9/2023, 2:25:54 PM	0	2.643	47.7	87.2	0
11/9/2023, 2:35:54 PM	0	2.643	47.7	87.1	0
11/9/2023, 2:45:54 PM	0	2.643	47.8	86.9	0
11/9/2023, 2:55:54 PM	0	2.643	47.8	86.8	0
11/9/2023, 3:05:54 PM	0	2.643	48	86.6	0
11/9/2023, 3:15:54 PM	0	2.643	48	86.6	0
11/9/2023, 3:25:54 PM	0	2.643	48.2	86.4	0

South Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/9/2023, 3:35:54 PM	0	2.643	48.4	86	0
11/9/2023, 3:45:54 PM	0	2.643	48.4	85.8	0
11/9/2023, 3:55:54 PM	0	2.643	48.6	85.4	0
11/9/2023, 4:05:54 PM	0	2.643	48.7	84.9	0
11/9/2023, 4:15:54 PM	0	2.643	48.6	84.5	0
11/9/2023, 4:25:54 PM	0	2.643	48.6	84.1	0
11/9/2023, 4:35:54 PM	0	2.643	48.4	83.8	0
11/9/2023, 4:45:54 PM	0	2.643	48.2	83.6	0
11/9/2023, 4:55:54 PM	0	2.643	48	83.4	0
11/9/2023, 5:05:54 PM	0	2.643	47.7	83.2	0
11/9/2023, 5:15:54 PM	0	2.643	47.3	83.1	0
11/9/2023, 5:25:54 PM	0	2.643	46.9	83	0
11/9/2023, 5:35:54 PM	0	2.643	46.8	83	0
11/9/2023, 5:45:54 PM	0	2.643	46.6	82.8	0
11/9/2023, 5:55:54 PM	0	2.643	46.2	82.7	0
11/9/2023, 6:05:54 PM	0	2.643	46	82.6	0
11/9/2023, 6:15:54 PM	0	2.643	45.7	82.6	0
11/9/2023, 6:25:54 PM	0	2.643	45.5	82.7	0
11/9/2023, 6:35:54 PM	0	2.643	45.3	82.7	0
11/9/2023, 6:45:54 PM	0	2.643	45.1	82.8	0
11/9/2023, 6:55:54 PM	0	2.643	44.8	82.9	0
11/9/2023, 7:05:54 PM	0	2.643	44.6	83.1	0
11/9/2023, 7:15:54 PM	0	2.643	44.2	83.2	0
11/9/2023, 7:25:54 PM	0	2.643	43.9	83.2	0
11/9/2023, 7:35:54 PM	0	2.643	43.5	83.2	0
11/9/2023, 7:45:54 PM	0	2.635	43.2	83.5	0
11/9/2023, 7:55:54 PM	0	2.635	43	83.7	0
11/9/2023, 8:05:54 PM	0	2.635	42.6	84.1	0
11/9/2023, 8:15:54 PM	0	2.635	42.4	84.4	0
11/9/2023, 8:25:54 PM	0	2.635	42.3	84.7	0
11/9/2023, 8:35:54 PM	0	2.635	42.1	84.9	0
11/9/2023, 8:45:54 PM	0	2.635	41.9	85.2	0
11/9/2023, 8:55:54 PM	0	2.635	41.5	85.3	0
11/9/2023, 9:05:54 PM	0	2.635	41.4	85.5	0
11/9/2023, 9:15:54 PM	0	2.635	41	85.7	0
11/9/2023, 9:25:54 PM	0	2.635	40.8	86	0
11/9/2023, 9:35:54 PM	0	2.635	40.8	86.4	0
11/9/2023, 9:45:54 PM	0	2.626	41	86.9	0
11/9/2023, 9:55:54 PM	0	2.626	41.2	87.4	0
11/9/2023, 10:05:54 PM	0	2.626	41.5	87.6	0
11/9/2023, 10:15:54 PM	0	2.626	41.7	87.7	0
11/9/2023, 10:25:54 PM	0	2.626	42.1	87.7	0
11/9/2023, 10:35:54 PM	0	2.626	42.3	87.6	0
11/9/2023, 10:45:54 PM	0	2.626	42.4	87.5	0
11/9/2023, 10:55:54 PM	0	2.626	42.4	87.3	0
11/9/2023, 11:05:54 PM	0	2.626	42.6	87.1	0
11/9/2023, 11:15:54 PM	0	2.626	43	86.8	0
11/9/2023, 11:25:54 PM	0	2.626	43.3	86.5	0
11/9/2023, 11:35:54 PM	0	2.626	43.5	86.2	0
11/9/2023, 11:45:54 PM	0	2.626	43.7	85.9	0
11/9/2023, 11:55:54 PM	0	2.626	43.7	85.7	0
11/10/2023, 12:05:54 AM	0	2.626	43.7	85.3	0
11/10/2023, 12:15:54 AM	0	2.626	43.7	84.8	0
11/10/2023, 12:25:54 AM	0	2.626	43.9	84	0
11/10/2023, 12:35:54 AM	0	2.626	43.9	83.3	0
11/10/2023, 12:45:54 AM	0	2.626	44.1	82.7	0
11/10/2023, 12:55:54 AM	0	2.626	44.1	82.2	0

South Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/10/2023, 1:05:54 AM	0	2.626	43.9	81.6	0
11/10/2023, 1:15:54 AM	0	2.626	43.7	81	0
11/10/2023, 1:25:54 AM	0	2.626	43.7	80.4	0
11/10/2023, 1:35:54 AM	0	2.626	43.5	80	0
11/10/2023, 1:45:54 AM	0	2.626	43.5	80	0
11/10/2023, 1:55:54 AM	0	2.626	43.2	79.7	0
11/10/2023, 2:05:54 AM	0	2.626	42.8	79.5	0
11/10/2023, 2:15:54 AM	0	2.626	42.6	79.1	0
11/10/2023, 2:25:54 AM	0	2.626	42.6	78.7	0
11/10/2023, 2:35:54 AM	0	2.626	42.4	78.8	0
11/10/2023, 2:45:54 AM	0	2.626	42.3	78.6	0
11/10/2023, 2:55:54 AM	0	2.626	41.9	78.3	0
11/10/2023, 3:05:54 AM	0	2.626	41.7	77.9	0
11/10/2023, 3:15:54 AM	0	2.626	41.7	77.9	0
11/10/2023, 3:25:54 AM	0	2.626	41.5	78	0
11/10/2023, 3:35:54 AM	0	2.617	41.4	77.9	0
11/10/2023, 3:45:54 AM	0	2.617	41.2	77.7	0
11/10/2023, 3:55:54 AM	0	2.617	41.2	77.5	0
11/10/2023, 4:05:54 AM	0	2.617	41	77.8	0
11/10/2023, 4:15:54 AM	0	2.617	40.8	78	0
11/10/2023, 4:25:54 AM	0	2.617	40.5	78.1	0
11/10/2023, 4:35:54 AM	0	2.617	40.1	78.3	0
11/10/2023, 4:45:54 AM	0	2.617	39.9	78.2	0
11/10/2023, 4:55:54 AM	0	2.617	39.9	78.4	0
11/10/2023, 5:05:54 AM	0	2.617	39.9	78.7	0
11/10/2023, 5:15:54 AM	0	2.617	39.9	78.5	0
11/10/2023, 5:25:54 AM	0	2.617	40.1	78.2	0
11/10/2023, 5:35:54 AM	0	2.617	40.3	78	0
11/10/2023, 5:45:54 AM	0	2.617	40.6	77.6	0
11/10/2023, 5:55:54 AM	0	2.617	41	77.3	0
11/10/2023, 6:05:54 AM	0	2.617	41.4	76.9	0
11/10/2023, 6:15:54 AM	0	2.617	41.5	76.6	0
11/10/2023, 6:25:54 AM	0	2.617	41.9	76.3	0
11/10/2023, 6:35:54 AM	0	2.617	41.9	76	0
11/10/2023, 6:45:54 AM	0	2.617	42.1	75.9	0
11/10/2023, 6:55:54 AM	0	2.617	42.1	76.1	0
11/10/2023, 7:05:54 AM	0	2.617	42.1	76.1	0
11/10/2023, 7:15:54 AM	0	2.617	42.1	75.9	0
11/10/2023, 7:25:54 AM	0	2.617	42.3	75.8	0
11/10/2023, 7:35:54 AM	0	2.617	42.3	75.8	0
11/10/2023, 7:45:54 AM	0	2.617	42.4	75.7	0
11/10/2023, 7:55:54 AM	0	2.617	42.6	75.6	0
11/10/2023, 8:05:54 AM	0	2.617	42.8	75.5	0
11/10/2023, 8:15:54 AM	0	2.617	43	75.4	0
11/10/2023, 8:25:54 AM	0	2.617	43.2	75.4	0
11/10/2023, 8:35:54 AM	0	2.617	43.5	75.3	0
11/10/2023, 8:45:54 AM	0	2.617	43.7	75.1	0
11/10/2023, 8:55:54 AM	0	2.617	44.1	74.9	0
11/10/2023, 9:05:54 AM	0	2.617	44.6	74.7	0
11/10/2023, 9:15:54 AM	0	2.617	45	74.5	0
11/10/2023, 9:25:54 AM	0	2.617	45.3	74.2	0
11/10/2023, 9:35:54 AM	0	2.617	45.5	74	0
11/10/2023, 9:45:54 AM	0	2.617	46	73.8	0
11/10/2023, 9:55:54 AM	0	2.617	46.4	73.4	0
11/10/2023, 10:05:54 AM	0	2.617	47.1	73.1	0
11/10/2023, 10:15:54 AM	0	2.617	47.8	72.9	0
11/10/2023, 10:25:54 AM	0	2.617	48.2	72.3	0

South Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/10/2023, 10:35:54 AM	0	2.617	48.7	71.8	0
11/10/2023, 10:45:54 AM	0	2.617	49.3	71.3	0
11/10/2023, 10:55:54 AM	0	2.617	49.8	70.7	0
11/10/2023, 11:05:54 AM	0	2.617	50.2	70.3	0
11/10/2023, 11:15:54 AM	0	2.626	50.4	69.7	0
11/10/2023, 11:25:54 AM	0	2.626	50.5	69.4	0
11/10/2023, 11:35:54 AM	0	2.626	50.9	68.9	0
11/10/2023, 11:45:54 AM	0	2.626	51.1	68.4	0
11/10/2023, 11:55:54 AM	0	2.626	51.3	67.8	0
11/10/2023, 12:05:54 PM	0	2.626	51.3	67.2	0
11/10/2023, 12:15:54 PM	0	2.626	51.4	66.8	0
11/10/2023, 12:25:54 PM	0	2.626	51.6	66.4	0
11/10/2023, 12:35:54 PM	0	2.626	51.6	65.9	0
11/10/2023, 12:45:54 PM	0	2.626	51.6	65.5	0
11/10/2023, 12:55:54 PM	0	2.626	51.8	65.3	0
11/10/2023, 1:05:54 PM	0	2.626	52	65.1	0
11/10/2023, 1:15:54 PM	0	2.626	52	64.9	0
11/10/2023, 1:25:54 PM	0	2.626	52	64.7	0
11/10/2023, 1:35:54 PM	0	2.626	51.8	64.6	0
11/10/2023, 1:45:54 PM	0	2.626	51.4	64.8	0
11/10/2023, 1:55:54 PM	0	2.626	51.4	64.8	0
11/10/2023, 2:05:54 PM	0	2.626	51.3	64.7	0
11/10/2023, 2:15:54 PM	0	2.626	51.3	64.8	0
11/10/2023, 2:25:54 PM	0	2.626	51.3	64.8	0
11/10/2023, 2:35:54 PM	0	2.626	51.1	64.8	0
11/10/2023, 2:45:54 PM	0	2.626	51.1	64.6	0
11/10/2023, 2:55:54 PM	0	2.626	50.9	64.4	0
11/10/2023, 3:05:54 PM	0	2.626	50.7	64	0
11/10/2023, 3:15:54 PM	0	2.626	50.4	63.8	0
11/10/2023, 3:25:54 PM	0	2.626	50.2	63.8	0
11/10/2023, 3:35:54 PM	0	2.626	50	63.9	0
11/10/2023, 3:45:54 PM	0	2.626	50	63.9	0
11/10/2023, 3:55:54 PM	0	2.626	49.8	64.2	0
11/10/2023, 4:05:54 PM	0	2.626	49.6	64.5	0
11/10/2023, 4:15:54 PM	0	2.626	49.5	64.8	0
11/10/2023, 4:25:54 PM	0	2.626	49.1	65.9	0
11/10/2023, 4:35:54 PM	0	2.626	48.7	66.9	0
11/10/2023, 4:45:54 PM	0	2.626	48	67.6	0
11/10/2023, 4:55:54 PM	0	2.626	47.3	68.1	0
11/10/2023, 5:05:54 PM	0	2.626	46.6	68.8	0
11/10/2023, 5:15:54 PM	0	2.626	45.7	69.3	0
11/10/2023, 5:25:54 PM	0	2.626	45	69.9	0
11/10/2023, 5:35:54 PM	0	2.626	44.2	70.5	0
11/10/2023, 5:45:54 PM	0	2.626	43.5	71.1	0
11/10/2023, 5:55:54 PM	0	2.626	42.8	72.1	0
11/10/2023, 6:05:54 PM	0	2.617	42.3	72.9	0
11/10/2023, 6:15:54 PM	0	2.617	41.9	73.8	0
11/10/2023, 6:25:54 PM	0	2.617	41.5	74.5	0
11/10/2023, 6:35:54 PM	0	2.617	41.2	75.1	0
11/10/2023, 6:45:54 PM	0	2.617	40.8	75.5	0
11/10/2023, 6:55:54 PM	0	2.617	40.3	75.9	0
11/10/2023, 7:05:54 PM	0	2.617	39.7	76.4	0
11/10/2023, 7:15:54 PM	0	2.608	39.4	76.8	0
11/10/2023, 7:25:54 PM	0	2.608	38.8	77.2	0
11/10/2023, 7:35:54 PM	0	2.608	38.5	77.6	0
11/10/2023, 7:45:54 PM	0	2.608	37.9	78.1	0
11/10/2023, 7:55:54 PM	0	2.608	37.6	78.4	0

South Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/10/2023, 8:05:54 PM	0	2.608	37.2	78.7	0
11/10/2023, 8:15:54 PM	0	2.608	36.9	79.1	0
11/10/2023, 8:25:54 PM	0	2.6	36.7	79.6	0
11/10/2023, 8:35:54 PM	0	2.6	36.5	80.1	0
11/10/2023, 8:45:54 PM	0	2.6	36.3	80.4	0
11/10/2023, 8:55:54 PM	0	2.6	36.1	80.7	0
11/10/2023, 9:05:54 PM	0	2.6	35.8	80.9	0
11/10/2023, 9:15:54 PM	0	2.6	35.8	81.4	0
11/10/2023, 9:25:54 PM	0	2.6	35.8	82	0
11/10/2023, 9:35:54 PM	0	2.6	36	82.7	0
11/10/2023, 9:45:54 PM	0	2.591	36.3	83.5	0
11/10/2023, 9:55:54 PM	0	2.591	36.5	84.1	0
11/10/2023, 10:05:54 PM	0	2.591	36.9	84.6	0
11/10/2023, 10:15:54 PM	0	2.591	37.2	85.1	0
11/10/2023, 10:25:54 PM	0	2.591	37.4	85.4	0
11/10/2023, 10:35:54 PM	0	2.591	37.8	85.6	0
11/10/2023, 10:45:54 PM	0	2.591	37.9	85.9	0
11/10/2023, 10:55:54 PM	0	2.591	38.1	86	0
11/10/2023, 11:05:54 PM	0	2.591	38.5	86.1	0
11/10/2023, 11:15:54 PM	0	2.591	38.7	86.1	0
11/10/2023, 11:25:54 PM	0	2.591	38.8	86.1	0
11/10/2023, 11:35:54 PM	0	2.591	39	86.1	0
11/10/2023, 11:45:54 PM	0	2.591	39.4	85.9	0
11/10/2023, 11:55:54 PM	0	2.591	39.6	85.7	0
11/11/2023, 12:05:54 AM	0	2.591	39.9	85.3	0
11/11/2023, 12:15:54 AM	0	2.591	40.1	85	0
11/11/2023, 12:25:54 AM	0	2.591	40.1	84.7	0
11/11/2023, 12:35:54 AM	0	2.591	40.1	84.4	0
11/11/2023, 12:45:54 AM	0	2.591	39.9	84.3	0
11/11/2023, 12:55:54 AM	0	2.591	39.6	84.1	0
11/11/2023, 1:05:54 AM	0	2.591	39.4	84	0
11/11/2023, 1:15:54 AM	0	2.591	39	84	0
11/11/2023, 1:25:54 AM	0	2.591	38.8	84.1	0
11/11/2023, 1:35:54 AM	0	2.591	38.7	84.4	0
11/11/2023, 1:45:54 AM	0	2.591	38.8	84.7	0
11/11/2023, 1:55:54 AM	0	2.591	39	85	0
11/11/2023, 2:05:54 AM	0	2.591	39.2	85.1	0
11/11/2023, 2:15:54 AM	0	2.591	39.6	85	0
11/11/2023, 2:25:54 AM	0	2.591	39.7	84.9	0
11/11/2023, 2:35:54 AM	0	2.591	40.1	84.6	0
11/11/2023, 2:45:54 AM	0	2.591	40.3	84.5	0
11/11/2023, 2:55:54 AM	0	2.591	40.6	84.3	0
11/11/2023, 3:05:54 AM	0	2.591	40.6	84.1	0
11/11/2023, 3:15:54 AM	0	2.591	40.8	84.1	0
11/11/2023, 3:25:54 AM	0	2.591	40.8	84.3	0
11/11/2023, 3:35:54 AM	0	2.591	40.8	84.5	0
11/11/2023, 3:45:54 AM	0	2.591	40.8	84.9	0
11/11/2023, 3:55:54 AM	0	2.591	40.8	85.3	0
11/11/2023, 4:05:54 AM	0	2.591	40.8	85.7	0
11/11/2023, 4:15:54 AM	0	2.591	40.6	85.9	0
11/11/2023, 4:25:54 AM	0	2.591	40.6	86	0
11/11/2023, 4:35:54 AM	0	2.591	40.5	86.2	0
11/11/2023, 4:45:54 AM	0	2.591	40.6	86.4	0
11/11/2023, 4:55:54 AM	0	2.591	40.6	86.6	0
11/11/2023, 5:05:54 AM	0	2.591	40.6	86.9	0
11/11/2023, 5:15:54 AM	0	2.591	40.6	87.1	0
11/11/2023, 5:25:54 AM	0	2.591	40.5	87.3	0

South Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/11/2023, 5:35:54 AM	0	2.591	40.5	87.3	0
11/11/2023, 5:45:54 AM	0	2.591	40.5	87.2	0
11/11/2023, 5:55:54 AM	0	2.591	40.5	86.9	0
11/11/2023, 6:05:54 AM	0	2.591	40.3	86.4	0
11/11/2023, 6:15:54 AM	0	2.591	40.3	86	0
11/11/2023, 6:25:54 AM	0	2.591	40.3	85.7	0
11/11/2023, 6:35:54 AM	0	2.582	40.3	85.3	0
11/11/2023, 6:45:54 AM	0	2.591	40.3	84.7	0
11/11/2023, 6:55:54 AM	0	2.591	40.1	84.2	0
11/11/2023, 7:05:54 AM	0	2.591	40.1	83.8	0
11/11/2023, 7:15:54 AM	0	2.591	40.1	83.5	0
11/11/2023, 7:25:54 AM	0	2.582	40.1	83.3	0
11/11/2023, 7:35:54 AM	0	2.582	40.1	83.4	0
11/11/2023, 7:45:54 AM	0	2.582	40.1	83.3	0
11/11/2023, 7:55:54 AM	0	2.582	40.1	83.4	0
11/11/2023, 8:05:54 AM	0	2.582	40.1	83.6	0
11/11/2023, 8:15:54 AM	0	2.582	40.1	83.5	0
11/11/2023, 8:25:54 AM	0	2.582	40.1	83.3	0
11/11/2023, 8:35:54 AM	0	2.582	40.1	83.2	0
11/11/2023, 8:45:54 AM	0	2.582	40.3	83	0
11/11/2023, 8:55:54 AM	0	2.582	40.3	82.9	0
11/11/2023, 9:05:54 AM	0	2.582	40.5	82.9	0
11/11/2023, 9:15:54 AM	0	2.582	40.8	82.7	0
11/11/2023, 9:25:54 AM	0	2.582	41	82.6	0
11/11/2023, 9:35:54 AM	0	2.582	41.4	82.2	0
11/11/2023, 9:45:54 AM	0	2.582	41.5	81.8	0
11/11/2023, 9:55:54 AM	0	2.582	41.9	81.5	0
11/11/2023, 10:05:54 AM	0	2.582	42.3	80.9	0
11/11/2023, 10:15:54 AM	0	2.582	42.4	80	0
11/11/2023, 10:25:54 AM	0	2.582	42.6	79.1	0
11/11/2023, 10:35:54 AM	0	2.582	42.8	78.5	0
11/11/2023, 10:45:54 AM	0	2.582	43	78	0
11/11/2023, 10:55:54 AM	0	2.582	43.2	77.3	0
11/11/2023, 11:05:54 AM	0	2.582	43.3	76.8	0
11/11/2023, 11:15:54 AM	0	2.582	43.5	76.1	0
11/11/2023, 11:25:54 AM	0	2.582	43.7	75.6	0
11/11/2023, 11:35:54 AM	0	2.582	43.7	75.3	0
11/11/2023, 11:45:54 AM	0	2.582	43.9	74.9	0
11/11/2023, 11:55:54 AM	0	2.582	43.9	74.6	0
11/11/2023, 12:05:54 PM	0	2.582	44.1	74.6	0
11/11/2023, 12:15:54 PM	0	2.582	44.1	74.8	0
11/11/2023, 12:25:54 PM	0	2.582	44.1	75.1	0
11/11/2023, 12:35:54 PM	0	2.582	44.1	75	0
11/11/2023, 12:45:54 PM	0	2.591	44.2	74.9	0
11/11/2023, 12:55:54 PM	0	2.582	44.6	74.7	0
11/11/2023, 1:05:54 PM	0	2.591	44.8	74.1	0
11/11/2023, 1:15:54 PM	0	2.591	44.6	73.7	0
11/11/2023, 1:25:54 PM	0	2.591	44.2	73.1	0
11/11/2023, 1:35:54 PM	0	2.591	43.9	72.8	0
11/11/2023, 1:45:54 PM	0	2.591	43.5	72.7	0
11/11/2023, 1:55:54 PM	0	2.591	43.2	72.7	0
11/11/2023, 2:05:54 PM	0	2.591	43	72.9	0
11/11/2023, 2:15:54 PM	0	2.582	42.8	73.1	0
11/11/2023, 2:25:54 PM	0	2.582	42.4	73.3	0
11/11/2023, 2:35:54 PM	0	2.582	42.3	73.4	0
11/11/2023, 2:45:54 PM	0	2.582	42.1	73.7	0
11/11/2023, 2:55:54 PM	0	2.582	41.7	73.8	0

South Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/11/2023, 3:05:54 PM	0	2.582	41.5	74.1	0
11/11/2023, 3:15:54 PM	0	2.582	41.2	74.6	0
11/11/2023, 3:25:54 PM	0	2.582	41	75	0
11/11/2023, 3:35:54 PM	0	2.582	40.6	75.4	0
11/11/2023, 3:45:54 PM	0	2.582	40.5	75.9	0
11/11/2023, 3:55:54 PM	0	2.582	40.3	76.5	0
11/11/2023, 4:05:54 PM	0	2.582	39.9	76.9	0
11/11/2023, 4:15:54 PM	0	2.582	39.7	77.3	0
11/11/2023, 4:25:54 PM	0	2.582	39.6	77.7	0
11/11/2023, 4:35:54 PM	0	2.582	39.2	78.1	0
11/11/2023, 4:45:54 PM	0	2.582	39	78.4	0
11/11/2023, 4:55:54 PM	0	2.573	38.8	78.6	0
11/11/2023, 5:05:54 PM	0	2.573	38.7	78.9	0
11/11/2023, 5:15:54 PM	0	2.573	38.5	79.2	0
11/11/2023, 5:25:54 PM	0	2.573	38.3	79.5	0
11/11/2023, 5:35:54 PM	0	2.573	38.3	80	0
11/11/2023, 5:45:54 PM	0	2.573	38.1	80.3	0
11/11/2023, 5:55:54 PM	0	2.573	37.9	80.7	0
11/11/2023, 6:05:54 PM	0	2.573	37.9	81.1	0
11/11/2023, 6:15:54 PM	0	2.573	37.8	81.4	0
11/11/2023, 6:25:54 PM	0	2.573	37.8	81.8	0
11/11/2023, 6:35:54 PM	0	2.573	37.6	82.1	0
11/11/2023, 6:45:54 PM	0	2.573	37.6	82.4	0
11/11/2023, 6:55:54 PM	0	2.573	37.4	82.6	0
11/11/2023, 7:05:54 PM	0	2.564	37.4	82.9	0
11/11/2023, 7:15:54 PM	0	2.564	37.2	83	0
11/11/2023, 7:25:54 PM	0	2.564	37	83.2	0
11/11/2023, 7:35:54 PM	0	2.564	36.9	83.5	0
11/11/2023, 7:45:54 PM	0	2.564	36.9	83.8	0
11/11/2023, 7:55:54 PM	0	2.564	36.9	84.1	0
11/11/2023, 8:05:54 PM	0	2.564	37	84.4	0
11/11/2023, 8:15:54 PM	0	2.564	37	84.6	0
11/11/2023, 8:25:54 PM	0	2.564	37	84.7	0
11/11/2023, 8:35:54 PM	0	2.564	37	84.8	0
11/11/2023, 8:45:54 PM	0	2.564	37	84.6	0
11/11/2023, 8:55:54 PM	0	2.564	37.2	84.6	0
11/11/2023, 9:05:54 PM	0	2.564	37.2	84.6	0
11/11/2023, 9:15:54 PM	0	2.564	37.2	84.8	0
11/11/2023, 9:25:54 PM	0	2.564	37.2	84.8	0
11/11/2023, 9:35:54 PM	0	2.564	37.2	85	0
11/11/2023, 9:45:54 PM	0	2.564	37	85.2	0
11/11/2023, 9:55:54 PM	0	2.564	37	85.2	0
11/11/2023, 10:05:54 PM	0	2.564	37	85.3	0
11/11/2023, 10:15:54 PM	0	2.564	36.9	85.4	0
11/11/2023, 10:25:54 PM	0	2.564	36.7	85.6	0
11/11/2023, 10:35:54 PM	0	2.564	36.7	85.7	0
11/11/2023, 10:45:54 PM	0	2.564	36.7	85.9	0
11/11/2023, 10:55:54 PM	0	2.564	36.5	86.2	0
11/11/2023, 11:05:54 PM	0	2.556	36.5	86.4	0
11/11/2023, 11:15:54 PM	0	2.556	36.5	86.6	0
11/11/2023, 11:25:54 PM	0	2.556	36.5	86.8	0
11/11/2023, 11:35:54 PM	0	2.556	36.5	87	0
11/11/2023, 11:45:54 PM	0	2.556	36.5	87.2	0
11/11/2023, 11:55:54 PM	0	2.556	36.3	87.3	0
11/12/2023, 12:05:54 AM	0	2.556	36.3	87.5	0
11/12/2023, 12:15:54 AM	0	2.556	36.3	87.6	0
11/12/2023, 12:25:54 AM	0	2.556	36.3	87.8	0

South Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/12/2023, 12:35:54 AM	0	2.556	36.3	87.9	0
11/12/2023, 12:45:54 AM	0	2.556	36.3	88	0
11/12/2023, 12:55:54 AM	0	2.556	36.3	88.1	0
11/12/2023, 1:05:54 AM	0	2.556	36.1	88.2	0
11/12/2023, 1:15:54 AM	0	2.556	36.1	88.2	0
11/12/2023, 1:25:54 AM	0	2.556	36.1	88.3	0
11/12/2023, 1:35:54 AM	0	2.556	36.1	88.3	0
11/12/2023, 1:45:54 AM	0	2.556	36.1	88.3	0
11/12/2023, 1:55:54 AM	0	2.556	36.1	88.4	0
11/12/2023, 2:05:54 AM	0	2.556	36.1	88.5	0
11/12/2023, 2:15:54 AM	0	2.556	36.1	88.5	0
11/12/2023, 2:25:54 AM	0	2.556	36.1	88.6	0
11/12/2023, 2:35:54 AM	0	2.556	36.1	88.6	0
11/12/2023, 2:45:54 AM	0	2.556	36.1	88.7	0
11/12/2023, 2:55:54 AM	0	2.556	36.1	88.8	0
11/12/2023, 3:05:54 AM	0	2.556	36.1	88.8	0
11/12/2023, 3:15:54 AM	0	2.556	36.1	88.9	0
11/12/2023, 3:25:54 AM	0	2.556	36.1	89	0
11/12/2023, 3:35:54 AM	0	2.556	36.1	89.1	0
11/12/2023, 3:45:54 AM	0	2.556	36.3	89.3	0
11/12/2023, 3:55:54 AM	0	2.556	36.3	89.4	0
11/12/2023, 4:05:54 AM	0	2.547	36.3	89.5	0
11/12/2023, 4:15:54 AM	0	2.547	36.3	89.5	0
11/12/2023, 4:25:54 AM	0	2.547	36.3	89.6	0
11/12/2023, 4:35:54 AM	0	2.547	36.3	89.7	0
11/12/2023, 4:45:54 AM	0	2.547	36.3	89.8	0
11/12/2023, 4:55:54 AM	0	2.547	36.3	89.8	0
11/12/2023, 5:05:54 AM	0	2.547	36.3	89.9	0
11/12/2023, 5:15:54 AM	0	2.547	36.3	90	0
11/12/2023, 5:25:54 AM	0	2.547	36.3	90.1	0
11/12/2023, 5:35:54 AM	0	2.547	36.3	90.1	0
11/12/2023, 5:45:54 AM	0	2.547	36.3	90.1	0
11/12/2023, 5:55:54 AM	0	2.547	36.3	90	0
11/12/2023, 6:05:54 AM	0	2.547	36.3	90	0
11/12/2023, 6:15:54 AM	0	2.547	36.3	90	0
11/12/2023, 6:25:54 AM	0	2.547	36.1	90	0
11/12/2023, 6:35:54 AM	0	2.547	36.1	90.1	0
11/12/2023, 6:45:54 AM	0	2.547	36.1	90.1	0
11/12/2023, 6:55:54 AM	0	2.547	36.1	90.2	0
11/12/2023, 7:05:54 AM	0	2.547	36.1	90.2	0
11/12/2023, 7:15:54 AM	0	2.547	36.1	90.2	0
11/12/2023, 7:25:54 AM	0	2.547	36.3	90.2	0
11/12/2023, 7:35:54 AM	0	2.547	36.3	90.2	0
11/12/2023, 7:45:54 AM	0	2.547	36.3	90.3	0
11/12/2023, 7:55:54 AM	0	2.547	36.5	90.4	0
11/12/2023, 8:05:54 AM	0	2.547	36.7	90.5	0
11/12/2023, 8:15:54 AM	0	2.547	36.9	90.5	0
11/12/2023, 8:25:54 AM	0	2.547	37.2	90.3	0
11/12/2023, 8:35:54 AM	0	2.547	37.9	90	0
11/12/2023, 8:45:54 AM	0	2.547	38.7	89.3	0
11/12/2023, 8:55:54 AM	0	2.547	39.4	88.4	0
11/12/2023, 9:05:54 AM	0	2.547	40.1	87.5	0
11/12/2023, 9:15:54 AM	0	2.547	40.6	86.4	0
11/12/2023, 9:25:54 AM	0	2.547	41	85.2	0
11/12/2023, 9:35:54 AM	0	2.556	41	84.3	0
11/12/2023, 9:45:54 AM	0	2.556	41.2	83.7	0
11/12/2023, 9:55:54 AM	0	2.556	41.5	82.7	0

South Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/12/2023, 10:05:54 AM	0	2.556	41.5	82	0
11/12/2023, 10:15:54 AM	0	2.556	41.5	81.5	0
11/12/2023, 10:25:54 AM	0	2.556	41.5	80.7	0
11/12/2023, 10:35:54 AM	0	2.556	41.7	80.2	0
11/12/2023, 10:45:54 AM	0	2.556	41.7	79.6	0
11/12/2023, 10:55:54 AM	0	2.556	41.7	79.3	0
11/12/2023, 11:05:54 AM	0	2.556	41.5	78.9	0
11/12/2023, 11:15:54 AM	0	2.556	41.5	78.6	0
11/12/2023, 11:25:54 AM	0	2.556	41.7	78.3	0
11/12/2023, 11:35:54 AM	0	2.556	41.7	77.9	0
11/12/2023, 11:45:54 AM	0	2.556	41.9	77.5	0
11/12/2023, 11:55:54 AM	0	2.556	42.1	77.1	0
11/12/2023, 12:05:54 PM	0	2.556	42.3	76.5	0
11/12/2023, 12:15:54 PM	0	2.556	42.6	76	0
11/12/2023, 12:25:54 PM	0	2.556	43	75.5	0
11/12/2023, 12:35:54 PM	0	2.556	43	74.9	0
11/12/2023, 12:45:54 PM	0	2.556	42.8	74.5	0
11/12/2023, 12:55:54 PM	0	2.556	43	74.3	0
11/12/2023, 1:05:54 PM	0	2.556	43.7	74.1	0
11/12/2023, 1:15:54 PM	0	2.556	44.8	73.6	0
11/12/2023, 1:25:54 PM	0	2.564	44.8	72.9	0
11/12/2023, 1:35:54 PM	0	2.564	44.4	72.4	0
11/12/2023, 1:45:54 PM	0	2.564	44.4	71.8	0
11/12/2023, 1:55:54 PM	0	2.564	45	71.4	0
11/12/2023, 2:05:54 PM	0	2.564	45.5	70.9	0
11/12/2023, 2:15:54 PM	0	2.564	46	70.6	0
11/12/2023, 2:25:54 PM	0	2.564	46.4	70.3	0
11/12/2023, 2:35:54 PM	0	2.564	46.2	69.6	0
11/12/2023, 2:45:54 PM	0	2.564	45.7	69.2	0
11/12/2023, 2:55:54 PM	0	2.564	45.1	69.2	0
11/12/2023, 3:05:54 PM	0	2.564	45	69.1	0
11/12/2023, 3:15:54 PM	0	2.564	44.8	69	0
11/12/2023, 3:25:54 PM	0	2.564	44.6	68.9	0
11/12/2023, 3:35:54 PM	0	2.564	44.2	68.8	0
11/12/2023, 3:45:54 PM	0	2.564	44.1	68.7	0
11/12/2023, 3:55:54 PM	0	2.564	43.5	68.6	0
11/12/2023, 4:05:54 PM	0	2.564	43.2	68.6	0
11/12/2023, 4:15:54 PM	0	2.564	42.8	68.8	0
11/12/2023, 4:25:54 PM	0	2.564	42.3	68.9	0
11/12/2023, 4:35:54 PM	0	2.564	41.9	69.4	0
11/12/2023, 4:45:54 PM	0	2.564	41.4	70	0
11/12/2023, 4:55:54 PM	0	2.564	40.8	70.7	0
11/12/2023, 5:05:54 PM	0	2.564	40.3	71.2	0
11/12/2023, 5:15:54 PM	0	2.564	39.6	71.7	0
11/12/2023, 5:25:54 PM	0	2.556	39	72.2	0
11/12/2023, 5:35:54 PM	0	2.556	38.7	72.8	0
11/12/2023, 5:45:54 PM	0	2.556	38.1	73.3	0
11/12/2023, 5:55:54 PM	0	2.556	37.8	73.9	0
11/12/2023, 6:05:54 PM	0	2.556	37.4	74.4	0
11/12/2023, 6:15:54 PM	0	2.556	37	74.9	0
11/12/2023, 6:25:54 PM	0	2.556	36.7	75.3	0
11/12/2023, 6:35:54 PM	0	2.547	36.3	75.6	0
11/12/2023, 6:45:54 PM	0	2.547	35.8	76	0
11/12/2023, 6:55:54 PM	0	2.547	35.1	76.2	0
11/12/2023, 7:05:54 PM	0	2.547	34.3	76.5	0
11/12/2023, 7:15:54 PM	0	2.547	33.8	76.8	0
11/12/2023, 7:25:54 PM	0	2.547	33.1	77.2	0

South Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/12/2023, 7:35:54 PM	0	2.547	32.5	77.6	0
11/12/2023, 7:45:54 PM	0	2.538	32	78.1	0
11/12/2023, 7:55:54 PM	0	2.538	31.6	78.6	0
11/12/2023, 8:05:54 PM	0	2.538	31.3	79.1	0
11/12/2023, 8:15:54 PM	0	2.538	30.9	79.6	0
11/12/2023, 8:25:54 PM	0	2.538	30.7	80	0
11/12/2023, 8:35:54 PM	0	2.529	30.4	80.4	0
11/12/2023, 8:45:54 PM	0	2.529	30	80.7	0
11/12/2023, 8:55:54 PM	0	2.529	29.7	81	0
11/12/2023, 9:05:54 PM	0	2.529	29.5	81.3	0
11/12/2023, 9:15:54 PM	0	2.529	29.1	81.6	0
11/12/2023, 9:25:54 PM	0	2.521	28.9	82	0
11/12/2023, 9:35:54 PM	0	2.521	28.8	82.3	0
11/12/2023, 9:45:54 PM	0	2.521	28.6	82.7	0
11/12/2023, 9:55:54 PM	0	2.521	28.4	82.9	0
11/12/2023, 10:05:54 PM	0	2.521	28	83.2	0
11/12/2023, 10:15:54 PM	0	2.521	28	83.4	0
11/12/2023, 10:25:54 PM	0	2.521	27.9	83.7	0
11/12/2023, 10:35:54 PM	0	2.512	27.7	84	0
11/12/2023, 10:45:54 PM	0	2.512	27.5	84.3	0
11/12/2023, 10:55:54 PM	0	2.512	27.5	84.7	0
11/12/2023, 11:05:54 PM	0	2.512	27.3	85	0
11/12/2023, 11:15:54 PM	0	2.512	27.3	85.1	0
11/12/2023, 11:25:54 PM	0	2.512	27.1	85.3	0
11/12/2023, 11:35:54 PM	0	2.512	27	85.5	0
11/12/2023, 11:45:54 PM	0	2.512	27	85.7	0
11/12/2023, 11:55:54 PM	0	2.512	27	85.9	0
11/13/2023, 12:05:54 AM	0	2.512	26.8	86.1	0
11/13/2023, 12:15:54 AM	0	2.512	26.8	86.4	0
11/13/2023, 12:25:54 AM	0	2.503	26.8	86.6	0
11/13/2023, 12:35:54 AM	0	2.503	26.8	86.8	0
11/13/2023, 12:45:54 AM	0	2.503	26.8	86.9	0
11/13/2023, 12:55:54 AM	0	2.503	26.8	87	0
11/13/2023, 1:05:54 AM	0	2.503	26.6	87.1	0
11/13/2023, 1:15:54 AM	0	2.503	26.6	87.2	0
11/13/2023, 1:25:54 AM	0	2.503	26.4	87.3	0
11/13/2023, 1:35:54 AM	0	2.503	26.4	87.5	0
11/13/2023, 1:45:54 AM	0	2.503	26.4	87.6	0
11/13/2023, 1:55:54 AM	0	2.503	26.4	87.7	0
11/13/2023, 2:05:54 AM	0	2.503	26.2	87.8	0
11/13/2023, 2:15:54 AM	0	2.503	26.2	87.8	0
11/13/2023, 2:25:54 AM	0	2.503	26.2	88	0
11/13/2023, 2:35:54 AM	0	2.503	26.2	88.2	0
11/13/2023, 2:45:54 AM	0	2.503	26.2	88.4	0
11/13/2023, 2:55:54 AM	0	2.494	26.2	88.5	0
11/13/2023, 3:05:54 AM	0	2.494	26.2	88.6	0
11/13/2023, 3:15:54 AM	0	2.494	26.1	88.5	0
11/13/2023, 3:25:54 AM	0	2.494	25.9	88.5	0
11/13/2023, 3:35:54 AM	0	2.494	25.7	88.4	0
11/13/2023, 3:45:54 AM	0	2.494	25.7	88.4	0
11/13/2023, 3:55:54 AM	0	2.494	25.7	88.5	0
11/13/2023, 4:05:54 AM	0	2.494	25.5	88.6	0
11/13/2023, 4:15:54 AM	0	2.494	25.5	88.7	0
11/13/2023, 4:25:54 AM	0	2.494	25.5	88.7	0
11/13/2023, 4:35:54 AM	0	2.494	25.3	88.8	0
11/13/2023, 4:45:54 AM	0	2.494	25.3	88.9	0
11/13/2023, 4:55:54 AM	0	2.494	25.3	89.1	0

South Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/13/2023, 5:05:54 AM	0	2.494	25.3	89.2	0
11/13/2023, 5:15:54 AM	0	2.494	25.3	89.2	0
11/13/2023, 5:25:54 AM	0	2.485	25.3	89.2	0
11/13/2023, 5:35:54 AM	0	2.485	25.3	89.4	0
11/13/2023, 5:45:54 AM	0	2.485	25.3	89.5	0
11/13/2023, 5:55:54 AM	0	2.485	25.5	89.7	0
11/13/2023, 6:05:54 AM	0	2.485	25.9	90	0
11/13/2023, 6:15:54 AM	0	2.485	26.2	90.2	0
11/13/2023, 6:25:54 AM	0	2.485	26.4	90.5	0
11/13/2023, 6:35:54 AM	0	2.485	26.6	90.7	0
11/13/2023, 6:45:54 AM	0	2.485	27	90.9	0
11/13/2023, 6:55:54 AM	0	2.485	27.1	91.1	0
11/13/2023, 7:05:54 AM	0	2.485	27.5	91.3	0
11/13/2023, 7:15:54 AM	0	2.485	27.9	91.5	0
11/13/2023, 7:25:54 AM	0	2.485	28	91.6	0
11/13/2023, 7:35:54 AM	0	2.494	28.4	91.7	0
11/13/2023, 7:45:54 AM	0	2.494	28.6	91.8	0
11/13/2023, 7:55:54 AM	0	2.494	28.8	91.8	0
11/13/2023, 8:05:54 AM	0	2.494	28.8	91.8	0
11/13/2023, 8:15:54 AM	0	2.494	29.3	91.9	0
11/13/2023, 8:25:54 AM	0	2.494	29.7	92.1	0
11/13/2023, 8:35:54 AM	0	2.494	30.4	92.3	0
11/13/2023, 8:45:54 AM	0	2.494	30.9	92.5	0
11/13/2023, 8:55:54 AM	0	2.494	31.6	92.7	0
11/13/2023, 9:05:54 AM	0	2.494	32.2	92.8	0
11/13/2023, 9:15:54 AM	0	2.494	32.7	92.9	0
11/13/2023, 9:25:54 AM	0	2.503	33.4	93	0
11/13/2023, 9:35:54 AM	0	2.503	34.2	93	0
11/13/2023, 9:45:54 AM	0	2.503	34.9	92.9	0
11/13/2023, 9:55:54 AM	0	2.503	35.6	92.8	0
11/13/2023, 10:05:54 AM	0	2.503	36.1	92.7	0
11/13/2023, 10:15:54 AM	0	2.503	37	92.4	0
11/13/2023, 10:25:54 AM	0	2.512	38.1	92.2	0
11/13/2023, 10:35:54 AM	0	2.512	40.1	91.9	0
11/13/2023, 10:45:54 AM	0	2.512	42.3	90.6	0
11/13/2023, 10:55:54 AM	0	2.521	43.7	89.1	0
11/13/2023, 11:05:54 AM	0	2.521	45.1	87.2	0
11/13/2023, 11:15:54 AM	0	2.521	46.8	85.4	0
11/13/2023, 11:25:54 AM	0	2.529	48	83.5	0
11/13/2023, 11:35:54 AM	0	2.529	48.9	81.5	0
11/13/2023, 11:45:54 AM	0	2.538	49.5	79.7	0
11/13/2023, 11:55:54 AM	0	2.538	49.6	78.2	0
11/13/2023, 12:05:54 PM	0	2.538	49.8	77	0
11/13/2023, 12:15:54 PM	0	2.547	49.8	75.9	0
11/13/2023, 12:25:54 PM	0	2.547	50	75	0
11/13/2023, 12:35:54 PM	0	2.547	50.2	74.2	0
11/13/2023, 12:45:54 PM	0	2.547	50.4	73.4	0
11/13/2023, 12:55:54 PM	0	2.547	50.4	72.7	0
11/13/2023, 1:05:54 PM	0	2.556	50.4	72	0
11/13/2023, 1:15:54 PM	0	2.556	51.1	71.6	0
11/13/2023, 1:25:54 PM	0	2.556	52.2	71	0
11/13/2023, 1:35:54 PM	0	2.556	53.1	70.4	0
11/13/2023, 1:45:54 PM	0	2.556	53.6	69.7	0
11/13/2023, 1:55:54 PM	0	2.564	53.8	69.1	0
11/13/2023, 2:05:54 PM	0	2.564	54.1	68.8	0
11/13/2023, 2:15:54 PM	0	2.564	54.5	68.4	0
11/13/2023, 2:25:54 PM	0	2.564	54.7	68.2	0

South Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/13/2023, 2:35:54 PM	0	2.564	54.5	68.2	0
11/13/2023, 2:45:54 PM	0	2.564	54.3	68.2	0
11/13/2023, 2:55:54 PM	0	2.573	54.3	68.7	0
11/13/2023, 3:05:54 PM	0	2.573	54.3	69.3	0
11/13/2023, 3:15:54 PM	0	2.573	54.1	69.8	0
11/13/2023, 3:25:54 PM	0	2.573	54.1	70.3	0
11/13/2023, 3:35:54 PM	0	2.582	54.1	70.8	0
11/13/2023, 3:45:54 PM	0	2.573	54.3	71.1	0
11/13/2023, 3:55:54 PM	0	2.573	54.1	71.4	0
11/13/2023, 4:05:54 PM	0	2.573	54	71.6	0
11/13/2023, 4:15:54 PM	0	2.582	53.8	71.9	0
11/13/2023, 4:25:54 PM	0	2.573	53.6	72.2	0
11/13/2023, 4:35:54 PM	0	2.573	53.4	72.6	0
11/13/2023, 4:45:54 PM	0	2.573	53.4	72.9	0
11/13/2023, 4:55:54 PM	0	2.573	53.2	73.2	0
11/13/2023, 5:05:54 PM	0	2.573	52.9	73.4	0
11/13/2023, 5:15:54 PM	0	2.573	52.3	73.5	0
11/13/2023, 5:25:54 PM	0	2.573	52	73.8	0
11/13/2023, 5:35:54 PM	0	2.573	51.4	74.1	0
11/13/2023, 5:45:54 PM	0	2.573	50.7	74.4	0
11/13/2023, 5:55:54 PM	0	2.573	50.2	75	0
11/13/2023, 6:05:54 PM	0	2.573	49.8	75.5	0
11/13/2023, 6:15:54 PM	0	2.573	49.5	76	0
11/13/2023, 6:25:54 PM	0	2.573	49.5	76.4	0
11/13/2023, 6:35:54 PM	0	2.573	49.5	76.7	0
11/13/2023, 6:45:54 PM	0	2.573	49.3	77	0
11/13/2023, 6:55:54 PM	0	2.573	49.3	77.1	0
11/13/2023, 7:05:54 PM	0	2.573	49.1	77.3	0
11/13/2023, 7:15:54 PM	0	2.573	49.1	77.7	0
11/13/2023, 7:25:54 PM	0	2.573	49.1	78.1	0
11/13/2023, 7:35:54 PM	0	2.573	49.1	78.4	0
11/13/2023, 7:45:54 PM	0	2.573	48.9	78.7	0
11/13/2023, 7:55:54 PM	0	2.573	48.9	78.9	0
11/13/2023, 8:05:54 PM	0	2.573	48.9	79	0
11/13/2023, 8:15:54 PM	0	2.573	48.9	79	0
11/13/2023, 8:25:54 PM	0	2.573	48.9	79	0
11/13/2023, 8:35:54 PM	0	2.573	48.9	78.9	0
11/13/2023, 8:45:54 PM	0	2.573	48.7	79	0
11/13/2023, 8:55:54 PM	0	2.573	48.6	79	0
11/13/2023, 9:05:54 PM	0	2.573	48.4	79	0
11/13/2023, 9:15:54 PM	0	2.573	48.2	79.1	0
11/13/2023, 9:25:54 PM	0	2.573	48.2	78.9	0
11/13/2023, 9:35:54 PM	0	2.573	48.2	78.5	0
11/13/2023, 9:45:54 PM	0	2.573	48.2	78	0
11/13/2023, 9:55:54 PM	0	2.573	48.4	77.4	0
11/13/2023, 10:05:54 PM	0	2.573	48.2	76.8	0
11/13/2023, 10:15:54 PM	0	2.573	48	76.3	0
11/13/2023, 10:25:54 PM	0	2.564	47.8	75.9	0
11/13/2023, 10:35:54 PM	0	2.564	47.5	75.7	0
11/13/2023, 10:45:54 PM	0	2.564	47.1	75.7	0
11/13/2023, 10:55:54 PM	0	2.564	46.6	75.6	0
11/13/2023, 11:05:54 PM	0	2.564	46	75.7	0
11/13/2023, 11:15:54 PM	0	2.564	45.7	75.8	0
11/13/2023, 11:25:54 PM	0	2.564	45.3	75.9	0
11/13/2023, 11:35:54 PM	0	2.564	45.1	76	0
11/13/2023, 11:45:54 PM	0	2.564	45	76.2	0
11/13/2023, 11:55:54 PM	0	2.564	45	76.3	0

South Monitoring Station

Time Stamp	H₂S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
11/14/2023, 12:05:54 AM	0	2.564	45.1	76.4	0
11/14/2023, 12:15:54 AM	0	2.564	45.3	76.4	0
11/14/2023, 12:25:54 AM	0	2.564	45.3	76.4	0
11/14/2023, 12:35:54 AM	0	2.564	45.5	76.5	0
11/14/2023, 12:45:54 AM	0	2.564	45.5	76.5	0
11/14/2023, 12:55:54 AM	0	2.564	45.5	76.6	0
11/14/2023, 1:05:54 AM	0	2.564	45.5	76.7	0
11/14/2023, 1:15:54 AM	0	2.556	45.5	76.7	0
11/14/2023, 1:25:54 AM	0	2.556	45.7	76.8	0
11/14/2023, 1:35:54 AM	0	2.556	45.7	77	0
11/14/2023, 1:45:54 AM	0	2.556	45.5	77.3	0
11/14/2023, 1:55:54 AM	0	2.556	45.3	77.5	0
11/14/2023, 2:05:54 AM	0	2.556	45.1	77.8	0
11/14/2023, 2:15:54 AM	0	2.556	44.8	78.1	0
11/14/2023, 2:25:54 AM	0	2.556	44.4	78.4	0
11/14/2023, 2:35:54 AM	0	2.556	44.2	78.6	0
11/14/2023, 2:45:54 AM	0	2.556	44.4	78.8	0
11/14/2023, 2:55:54 AM	0	2.556	44.4	78.9	0
11/14/2023, 3:05:54 AM	0	2.556	44.6	79.2	0
11/14/2023, 3:15:54 AM	0	2.556	44.6	79.5	0
11/14/2023, 3:25:54 AM	0	2.556	44.4	80	0
11/14/2023, 3:35:54 AM	0	2.556	44.2	80.5	0
11/14/2023, 3:45:54 AM	0	2.556	43.9	80.6	0
11/14/2023, 3:55:54 AM	0	2.556	43.7	80.8	0
11/14/2023, 4:05:54 AM	0	2.556	43.5	81.1	0
11/14/2023, 4:15:54 AM	0	2.556	43.3	81.5	0
11/14/2023, 4:25:54 AM	0	2.556	43.3	82	0
11/14/2023, 4:35:54 AM	0	2.547	43.3	82.4	0
11/14/2023, 4:45:54 AM	0	2.547	43.2	82.9	0
11/14/2023, 4:55:54 AM	0	2.547	43	83.3	0
11/14/2023, 5:05:54 AM	0	2.547	42.6	83.7	0
11/14/2023, 5:15:54 AM	0	2.547	42.4	84.2	0
11/14/2023, 5:25:54 AM	0	2.547	42.4	84.6	0
11/14/2023, 5:35:54 AM	0	2.547	42.3	84.9	0
11/14/2023, 5:45:54 AM	0	2.547	42.1	85.2	0
11/14/2023, 5:55:54 AM	0	2.547	41.9	85.4	0
11/14/2023, 6:05:54 AM	0	2.547	41.9	85.6	0
11/14/2023, 6:15:54 AM	0	2.547	41.7	85.7	0
11/14/2023, 6:25:54 AM	0	2.547	41.7	85.7	0