2055 Niagara Falls Boulevard,
Niagara Falls, New York 14304
USA
www.ghd.com

Our ref: 12601828

April 24, 2023

Mr. Tim Walsh
Acting Regional Director
New York State Department of Environmental Conservation
Region 8-Division of Air Resources
6274 Avon-Lima Road
Avon, NY 14414

Re: Ambient Monitoring Work Plan – Dudley/Northside Elementary School Campus North Monitoring Station, and South Monitoring Station Monthly Report (March 1, 2023, through March 31, 2023) High Acres Landfill

Dear Mr. Walsh:

On April 30, 2019, GHD submitted a Revised Surface Emission Monitoring and Ambient Monitoring Work Plan (Work Plan) to the New York State Department of Environmental Conservation (NYSDEC) for the Waste Management of New York LLC (WMNY), High Acres Landfill and Recycling Center located in Perinton, New York (Facility or Site). This submittal serves to provide NYSDEC with a discussion of work and monitoring activities that occurred during the month of March 2023 at the Dudley/Northside combined campus, North Monitoring Station (NMS), and South Monitoring Station (SMS).

1. Initial Equipment Installation

GHD has performed continuous hydrogen sulfide monitoring at the Dudley/Northside Elementary School Campus and the North Monitoring Station since November 2019. On October 28, 2021, GHD commenced continuous monitoring activities at the South Monitoring Station. The Acrulog hydrogen sulfide (H_2S) monitoring units are installed at the following locations:

Station Name	Unit Serial Number	Last Calibration Date[1]
School Monitoring Station (School)	180200450	October 27, 2022
North Monitoring Station (NMS)	180200447	November 29, 2022
South Monitoring Station (SMS)[3/1/23-3/16/23]	180200452	October 7, 2022
South Monitoring Station (SMS)[3/16/23-3/31/23]	171000376	March 7, 2023

The Acrulog unit, which consists of the monitoring equipment enclosed within a weather shelter, was padlocked to a mounting bracket. The Acrulog unit at the Dudley/Northside School Campus was hung from an apparatus placed on top of the roof. The units at the North Monitoring Station and South Monitoring Station were each installed into the side of a tree. In order to assess whether tampering of

[1] According to manufacturer, a calibration of the instrument should occur every 6 months.

.

the unit has occurred, a camera (Wildgame Innovations Cloak Pro Lights Out Trail Camera) was mounted approximately 20 to 25 feet away from each Acrulog unit. The camera unit is motion activated and will snap a 12-megapixel picture upon detection of motion (at 15 second intervals). The camera has "night-vision" lenses that allow for pictures to be taken during night-time hours.

2. Acrulog Data Download

On the mornings of March 1, 2023, March 16, 2023, and April 3, 2023, Mr. Britt Gebhardt visited each of the three monitoring stations. An initial inspection of the monitoring station and the surrounding area was performed. Next, the Acrulog units were linked to a laptop via Bluetooth connection, and the monitoring data was downloaded. After downloading the monitoring data, the connection was terminated, and the Acrulog units were checked to ensure that the equipment was continuing to log samples every 10 minutes.

3. Summary of Collected Monitoring Data

A preliminary review of the data provides the following:

- Of the total of 4,462 readings taken at the School Monitoring Station, 4,462 were below detection
- Of the total of 4,456 readings taken at the North Monitoring Station, 4,456 were below detection
- Of the total of 4,456 readings taken at the South Monitoring Station, 4,456 were below detection

The on-site meteorological data at the Site for March 1, 2023, through March 31, 2023, is provided in Attachment 1.

NYSDEC's ambient standard for H_2S is 10 ppb for a 1-hour average (6 NYCRR Subpart 257-10). There were no 1-hour averages during the reporting period above the 10-ppb threshold.

Ambient average concentrations of H_2S typically range from 0.11 to 0.33 ppb (Agency for Toxic Substances and Disease Registry (ATSDR) Toxicological Profile for Hydrogen Sulfide and Carbonyl Sulfide).

The raw data for each monitoring station during the period of March 1, 2023, through March 31, 2023, is provided as Attachment 2 to this report.

4. Summary of Landfill Activities

Operational activities occurring during the month of monitoring included the following:

- Leachate extraction
- Operations and maintenance
- Transportation, filling, compaction, and cover of typical volumes of waste received by rail and truck
- Typical volumes of landfill gas extraction and combustion in flare and engine plants
- Composting

5. Conclusion

We appreciate your assistance in this process. We plan to issue reports every month going forward until the completion of work activities. Please feel free to contact us if you have any questions, if you would like any clarifications, or additional information.

Regards,

Steven D. Wilsey
Principal
716-205-1982
steven.wilsey@ghd.com

Bryan P. Szalda
Engineer
716-205-1894
bryan.szalda@ghd.com

SDW/BPS/cs/2

Encl.

LEGEND

AMBIENT AIR MONITORING LOCATION

0 750 1500 ft

1" = 1500 ft

N

GHD

WASTE MANAGEMENT OF NEW YORK
HIGH ACRES LANDFILL
FAIRPORT, NEW YORK
MARCH 2023 AMBIENT AIR MONITORING

AMBIENT AIR MONITORING LOCATIONS

Project No. **12601828**
Date **April 2023**

FIGURE 1

Filename: N:\US\Niagara Falls\Projects\564\12601828\Digital_Design\ACAD\Figures\AMBIENT AIR MONITORING\2023-MARAIR\12601828-GHD-00-00-RPT-EN-D101_WA-2023-MARAIR.dwg
Plot Date: 20 April 2023 11:53 AM

Attachments

Attachment 1

On-Site Meteorological Data
March 1-31, 2023

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-01 00:00:00	0	0	0	0	231	7	8.79	31.4	75.6	99.31	-0.8	-0.5	0	31.4	0.15	100	8338	99.29	29.9
2023-03-01 00:05:00	0	0	0	0	223	7.76	10.89	31.5	75.3	99.3	-0.9	-0.4	0	31.5	0.15	100	8304	99.28	30
2023-03-01 00:10:00	0	0	0	0	215	6.04	8.21	31.4	75.4	99.32	-0.8	-0.5	0	31.4	0.15	100	8292	99.31	30.2
2023-03-01 00:15:00	0	0	0	0	222	6.22	9.17	31.3	75.7	99.33	-0.9	-0.5	0	31.3	0.14	100	8293	99.33	30.3
2023-03-01 00:20:00	0	0	0	0	233	7.47	9.95	31.4	75.6	99.34	-0.9	-0.5	0	31.4	0.15	100	8308	99.33	30.3
2023-03-01 00:25:00	0	0	0	0	235	6.08	7.56	31.3	75.8	99.35	-0.9	-0.5	0	31.3	0.14	100	8307	99.34	30.1
2023-03-01 00:30:00	0	0	0	0	232	5.75	7.36	31.2	76.2	99.36	-0.9	-0.5	0	31.2	0.14	100	8310	99.34	30
2023-03-01 00:35:00	0	0	0	0	220	6.51	8.86	31.2	76	99.35	-0.9	-0.4	0	31.3	0.14	100	8311	99.34	29.9
2023-03-01 00:40:00	0	0	0	0	215	7	10.31	31.2	75.9	99.35	-0.9	-0.5	0	31.3	0.14	100	8313	99.34	29.9
2023-03-01 00:45:00	0	0	0	0	214	5.61	9.51	31.5	75.6	99.36	-0.8	-0.5	0	31.5	0.15	100	8313	99.35	30.1
2023-03-01 00:50:00	0	0	0	0	197	5.14	7.2	31.4	75.5	99.36	-0.9	-0.5	0	31.4	0.15	100	8314	99.35	30.1
2023-03-01 00:55:00	0	0	0	0	205	4.47	6.53	31.4	75.4	99.37	-0.9	-0.5	0	31.5	0.15	100	8314	99.36	30.1
2023-03-01 01:00:00	0	0	0	0	202	4.59	7.45	31.3	75.7	99.38	-0.9	-0.5	0	31.3	0.14	100	8314	99.36	30
2023-03-01 01:05:00	0	0	0	0	199	4.83	8.52	31.4	75.8	99.38	-0.9	-0.4	0	31.4	0.14	100	8314	99.37	30
2023-03-01 01:10:00	0	0	0	0	197	4.85	6.64	31.5	75.3	99.39	-0.9	-0.6	0	31.5	0.15	100	8314	99.38	30.1
2023-03-01 01:15:00	0	0	0	0	198	3.36	4.56	31.5	75.6	99.4	-0.9	-0.4	0	31.5	0.15	100	8315	99.38	30.2
2023-03-01 01:20:00	0	0	0	0	222	2.93	4.85	31.4	77.2	99.4	-1	-0.5	0	31.4	0.14	100	8314	99.39	30.1
2023-03-01 01:25:00	0	0	0	0	189	3.62	5.7	31.4	77.3	99.4	-0.9	-0.5	0	31.4	0.14	100	8313	99.39	30.1
2023-03-01 01:30:00	0	0	0	0	174	5.77	7.38	31.2	77.7	99.41	-1	-0.4	0	31.3	0.13	100	8314	99.4	30
2023-03-01 01:35:00	0	0	0	0	175	7	8.75	31.2	77.7	99.42	-0.9	-0.5	0	31.2	0.13	100	8314	99.4	30
2023-03-01 01:40:00	0	0	0	0	177	6.42	8.23	31.1	78.1	99.41	-0.9	-0.5	0	31.1	0.13	100	8312	99.4	30
2023-03-01 01:45:00	0	0	0	0	173	6.51	8.41	31.1	78.1	99.41	-0.9	-0.4	0	31.1	0.13	100	8317	99.4	29.9
2023-03-01 01:50:00	0	0	0	0	172	6.55	7.81	31.1	78.1	99.41	-0.9	-0.6	0	31.1	0.13	100	8314	99.41	29.8
2023-03-01 01:55:00	0	0	0	0	176	5.64	6.87	31	78.4	99.42	-0.9	-0.4	0	31	0.13	100	8315	99.41	29.7
2023-03-01 02:00:00	0	0	0	0	178	5.93	7.49	30.9	78.6	99.43	-0.9	-0.5	0	31	0.12	100	8312	99.42	29.5
2023-03-01 02:05:00	0	0	0	0	176	6.11	7.72	30.7	78.8	99.43	-0.8	-0.5	0	30.7	0.12	100	8313	99.42	29.4
2023-03-01 02:10:00	0	0	0	0	173	5.55	6.73	30.5	79	99.44	-0.8	-0.4	0	30.5	0.12	100	8312	99.43	29.2
2023-03-01 02:15:00	0	0	0	0	172	6.11	7.4	30.3	79.2	99.43	-0.9	-0.6	0	30.3	0.12	100	8312	99.42	29.1
2023-03-01 02:20:00	0	0	0	0	172	5.84	7.11	30.3	78.9	99.43	-0.9	-0.4	0	30.3	0.12	100	8311	99.41	29
2023-03-01 02:25:00	0	0	0	0	169	6.35	8.3	30.4	79.3	99.42	-1	-0.5	0	30.4	0.12	100	8312	99.41	28.9
2023-03-01 02:30:00	0	0	0	0	164	6.38	7.14	30.3	79.3	99.43	-1	-0.5	0	30.3	0.12	100	8311	99.41	28.8
2023-03-01 02:35:00	0	0	0	0	162	6.26	7.31	30.1	79.5	99.42	-0.9	-0.4	0	30.1	0.12	100	8311	99.41	28.6
2023-03-01 02:40:00	0	0	0	0	162	7.05	7.99	30.1	80.2	99.41	-1	-0.5	0	30.1	0.11	100	8311	99.4	28.5
2023-03-01 02:45:00	0	0	0	0	166	6.17	7.2	30	80.2	99.4	-1	-0.6	0	30	0.11	100	8313	99.39	28.4
2023-03-01 02:50:00	0	0	0	0	168	6.55	7.18	30	80.6	99.4	-0.9	-0.4	0	30	0.11	100	8310	99.39	28.3
2023-03-01 02:55:00	0	0	0	0	168	6.02	7.05	29.8	80.7	99.41	-0.9	-0.4	0	29.8	0.11	100	8311	99.39	28.2
2023-03-01 03:00:00	0	0	0	0	168	6.44	7.34	29.8	80.7	99.41	-0.8	-0.4	0	29.8	0.11	100	8311	99.4	28.1
2023-03-01 03:05:00	0	0	0	0	168	6.35	7.29	29.7	81	99.4	-0.9	-0.4	0	29.7	0.11	100	8306	99.39	28
2023-03-01 03:10:00	0	0	0	0	170	6.71	7.7	29.6	81.3	99.4	-1	-0.4	0	29.6	0.1	100	8307	99.39	28
2023-03-01 03:15:00	0	0	0	0	170	6.26	7.47	29.6	81.2	99.4	-0.9	-0.4	0	29.6	0.1	100	8309	99.39	27.9
2023-03-01 03:20:00	0	0	0	0	166	6.53	7.36	29.4	81.7	99.4	-0.9	-0.5	0	29.4	0.1	100	8307	99.39	27.8
2023-03-01 03:25:00	0	0	0	0	168	6.51	7.74	29.5	81.5	99.41	-1	-0.4	0	29.5	0.1	100	8305	99.4	27.8
2023-03-01 03:30:00	0	0	0	0	170	6.31	7.74	29.4	81.7	99.41	-1	-0.5	0	29.4	0.1	100	8307	99.4	27.7
2023-03-01 03:35:00	0	0	0	0	168	6.91	8.03	29.5	81.6	99.41	-0.8	-0.5	0	29.5	0.1	100	8308	99.4	27.7
2023-03-01 03:40:00	0	0	0	0	169	6.6	7.61	29.4	81.9	99.41	-1	-0.5	0	29.4	0.1	100	8308	99.4	27.7
2023-03-01 03:45:00	0	0	0	0	168	6.53	7.72	29.5	81.9	99.4	-1	-0.4	0	29.5	0.1	100	8306	99.39	27.7
2023-03-01 03:50:00	0	0	0	0	157	6.49	7.23	29.4	82.2	99.39	-1	-0.3	0	29.4	0.1	100	8307	99.39	27.7
2023-03-01 03:55:00	0	0	0	0	154	6.55	7	29.3	82.2	99.4	-0.9	-0.5	0	29.3	0.1	100	8306	99.38	27.6
2023-03-01 04:00:00	0	0	0	0	156	6.29	6.93	29.4	82.7	99.39	-1	-0.5	0	29.4	0.1	100	8306	99.38	27.6
2023-03-01 04:05:00	0	0	0	0	165	6.17	6.78	29.3	82.3	99.39	-0.9	-0.4	0	29.3	0.1	100	8303	99.38	27.5
2023-03-01 04:10:00	0	0	0	0	170	7.07	8.9	29.3	82.7	99.4	-0.9	-0.4	0	29.3	0.09	100	8305	99.39	27.5
2023-03-01 04:15:00	0	0	0	0	172	6.76	7.61	29.2	82.4	99.4	-0.9	-0.4	0	29.2	0.1	100	8302	99.39	27.5
2023-03-01 04:20:00	0	0	0	0	178	6.17	7.7	29.2	82.7	99.4	-0.9	-0.5	0	29.2	0.09	100	8304	99.39	27.5
2023-03-01 04:25:00	0	0	0	0	173	6.31	7.38	29.1	82.9	99.4	-0.9	-0.4	0	29.1	0.09	100	8303	99.39	27.4
2023-03-01 04:30:00	0	0	0	0	168	7.34	9.1	29	83.3	99.39	-0.9	-0.6	0	29	0.09	100	8304	99.38	27.4
2023-03-01 04:35:00	0	0	0	0	166	7.09	9.37	28.9	83.4	99.38	-0.9	-0.5	0	28.9	0.09	100	8303	99.37	27.3
2023-03-01 04:40:00	0	0	0	0	164	6.91	7.65	28.9	83.6	99.39	-0.9	-0.5	0	28.9	0.09	100	8303	99.38	27.3
2023-03-01 04:45:00	0	0	0	0	164	7.27	8.95	28.9	83.5	99.39	-1.1	-0.5	0	28.9	0.09	100	8306	99.38	27.3
2023-03-01 04:50:00	0	0	0	0	155	7.05	8.21	28.9	83.6	99.37	-0.9	-0.5	0	28.9	0.09	100	8301	99.36	27.4
2023-03-01 04:55:00	0	0	0	0	154	8.14	9.06	28.9	83.4	99.37	-0.9	-0.4	0	28.9	0.09	100	8302	99.36	27.4
2023-03-01 05:00:00	0	0	0	0	149	7.99	9.17	28.9	83.5	99.34	-1	-0.4	0	28.9	0.09	100	8301	99.34	27.4
2023-03-01 05:05:00	0	0	0	0	138	6.98	8.81	28.9	83.9	99.34	-1.1	-0.5	0	28.9	0.09	100	8301	99.33	27.5
2023-03-01 05:10:00	0	0	0	0	131	7.56	9.04	28.8	83.9	99.31	-0.9	-0.4	0	28.8	0.09	100	8301	99.3	27.5
2023-03-01 05:15:00	0	0	0	0	117	8.3	10.27	28.9	84.1	99.29	-0.9	-0.4	0	29	0.09	100	8301	99.28	27.6
2023-03-01 05:20:00	0	0	0	0	108	7.85	9.24	29	83.3	99.26	-0.9	-0.4	0	29	0.09	100	8300	99.25	27.6
2023-03-01 05:25:00	0	0	0	0	106	7.81	9.4	28.9	83.4	99.25	-1.1	-0.5	0	29	0.09	100	8300	99.24	27.6
2023-03-01 05:30:00	0	0	0	0	136	8.21	10.4	29	83.2	99.29	-1	-0.5	0	29	0.09	100	8299	99.29	27.6
2023-03-01 05:35:00	0	0	0	0	136	9.13	11.5	29	83	99.28	-1	-0.5	0	29	0.09	100	8299	99.28	27.7
2023-03-01 05:40:00	0	0	0	0	119	8.57	10.78	29.2	82.7	99.26	-0.9	-0.5	0	29.2	0.09	100	8300	99.25	27.8
2023-03-01 05:45:00	0	0	0	0	123	7.54	10.29	29.2	82.5	99.25	-0.8	-0.5	0	29.2	0.1	100	8298	99.24	27.8
2023-03-01 05:50:00	0	0	0	0	132	7.78	9.66	29.2	82.7	99.24	-0.9	-0.5	0	29.1	0.09	100	8298	99.23	27.7
2023-03-01 05:55:00	0	0	0	0	134	8.77	11.05	29.1	82.8	99.21	-1	-0.4	0	29.1	0.09	100	8298	99.2	27.6
2023-03-01 06:00:00	0	0	0	0	138	7.85	9.89	29.1	82.9	99.21	-1.1	-0.4	0	29	0.09	100	8298	99.21	27.4
2023-03-01 06:05:00	0	0	0	0	124	7.83	9.46	28.8	83.4	99.2	-0.9	-0.4	0	28.8	0.09	100	8298	99.2	27.2
2023-03-01 06:10:00	0	0	0	0	132	8.16	9.84	28.8	83.3	99.22	-1	-0.5	0	28.8	0.09	100	8296	99.21	27
2023-03-01 06:15:00	0	0	0	0	138	8.52	11.99	28.5	82.9	99.21	-0.9	-0.5	0	28.5	0.09	100	8297	99.2	27
2023-03-01 06:20:00	0	0	0	0	138	7.92	9.64	28.5	83.6	99.2	-0.9	-0.5	0	28.5	0.09	100	8296	99.2	26.9
2023-03-01 06:25:00	0.4	0	0	0	140	8.48	10.56	28.4	83.6	99.2	-1	-0.4	0	28.4	0.09	100	8296	99.21	26.9
2023-03-01 06:30:00	1.6	0	0	0	133	8.32	10.4	28.5	83.5	99.21	-1	-0.4	0	28.5	0.09	100	8298	99.21	27
2023-03-01 06:35:00	2.2	0	0	0	135	9.01	11.7	28.7	83.6	99.21	-1.1	-0.4	0	28.7	0.09	100	8293	99.2	27
2023-03-01 06:40:00	4.6	0	0	0	139	9.84	12.57	28.7	83.9	99.2	-1	-0.5	0	28.7	0.09	100	8294	99.2	27.1
2023-03-01 06:45:00	10.4	0	0	0	142	8.72	10.67	28.7	83.8	99.22	-0.9	-0.5	0	28.7	0.09	100	8293	99.22	27.2
2023-03-01 06:50:00	11.6	0	0	0	137	9.66	12.1	28.8	84	99.21	-0.9	-0.4	0	28.8	0.09	100	8294	99.21	27.2
2023-03-01 06:55:00	16.2	0	0	0	123	9.15	10.76	28.9	83.2	99.19	-1	-0.6	0	28.9	0.09	100	8295	99.19	27.4
2023-03-01 07:00:00	26	0	0	0	115	9.01	11.88	29	83.3	99.18	-1	-0.4	0	29	0.09	100	8295	99.18	27.5
2023-03-01 07:05:00	23.8	0	0	0	127	8.39	11.39	29.1	82.8	99.19	-0.9	-0.6	0	29.2	0.09	100	8295	99.2	27.6
2023-03-01 07:10:00	35.2	0	0	0	129	7.47	9.4	29.2	82.7	99.22	-0.9	-0.4	0	29.3	0.09	100	8295	99.21	27.8
2023-03-01 07:15:00	25.8	0	0	0	109	8.95	11.1	29.4	81.9	99.19	-0.9	-0.5	0	29.4	0.1	100	8296	99.19	28
2023-03-01 07:20:00	26.8	0	0	0	107	8.61	9.98	29.4	81.7	99.2	-0.9	-0.5	0	29.5	0.1	100	8297	99.19	28.1
2023-03-01 07:25:00	32.4	0	0	0	104	8.39	10.71	29.5	81.6	99.21	-0.9	-0.4	0	29.6	0.1	100	8295	99.2	28.1
2023-03-01 07:30:00	38.4	0	0	0	106	10.6	12.86	29.6	81.2	99.2	-0.9	-0.5	0	29.7	0.1	100	8295	99.19	28.2
2023-03-01 07:35:00	43	0	0	0	107	11.88	14.56	29.6	81.1	99.18	-0.7	-0.5	0	29.7	0.1	100	8294	99.18	28.4
2023-03-01 07:40:00	49.8	0	0	0	104	12.12	16.24	29.8	80.6	99.17	-1.1	-0.5	0	29.9	0.11	100	8295	99.17	28.5
2023-03-01 07:45:00	49.6	0	0	0	104	11.39	15.39	29.9	80	99.17	-0.9	-0.4	0	30.1	0.11	100	8295	99.17	28.7
2023-03-01 07:50:00	54	0	0	0	106	10.6	13.24	30.2	80	99.17	-0.9	-0.3	0	30.2	0.11	100	8296	99.17	28.8
2023-03-01 07:55:00	70.2	0	0	0	107	13.09	17.65	30.3	79.7	99.16	-0.9	-0.5	0	30.4	0.12	100	8298	99.16	29
2023-03-01 08:00:00	80.2	0	0	0	105	10.09	14.61	30.5	79.9	99.17	-0.9	-0.5	0	30.8	0.12	100	8300	99.17	29.2
2023-03-01 08:05:00	69.6	0	0	0	96	7.25	9.13	30.7	79.3	99.19	-0.8	-0.3	0	30.9	0.12	100	8299	99.19	29.4
2023-03-01 08:10:00	80.4	0	0	0	103	10.85	14.03	30.8	79.1	99.19	-1	-0.5	0	31	0.12	100	8299	99.18	29.6
2023-03-01 08:15:00	92.6	0	0	0	108	12.46	15.88	30.9	78.6	99.19	-1	-0.4	0	31.1	0.12	100	8298	99.19	29.7
2023-03-01 08:20:00	94.6	0	0	0	110	11.03	14.29	31.1	79.6	99.21	-1.1	-0.4	0	31.4	0.12	100	8301	99.21	29.9
2023-03-01 08:25:00	98.4	0	0	0	112	10.27	12.82	31.2	79.3	99.21	-0.9	-0.5	0	31.5	0.12	100	8300	99.21	30
2023-03-01 08:30:00	91.4	0	0	0	103	12.1	16.42	31.3	79.2	99.19	-1	-0.4	0	31.5	0.12	100	8304	99.19	30.2
2023-03-01 08:35:00	95	0	0	0	92	10.36	14.74	31.4	80.1	99.18	-0.9	-0.6	0	31.6	0.12	100	8304	99.16	30.3
2023-03-01 08:40:00	93.4	0	0	0	98	13.49	16.46	31.5	80.3	99.17	-0.8	-0.5	0	31.6	0.12	100	8303	99.16	30.4
2023-03-01 08:45:00	90.6	0	0	0	97	12.26	18.52	31.5	81.4	99.16	-0.9	-0.6	0	31.7	0.11	100	8306	99.15	30.5
2023-03-01 08:50:00	101	0	0	0	102	14.32	18.7	31.7	81.9	99.13	-1	-0.6	0	31.9	0.11	100	8304	99.12	30.6
2023-03-01 08:55:00	103.2	0	0	0	108	15.61	20.6	31.6	82.5	99.13	-0.7	-0.5	0	31.9	0.11	100	8308	99.12	30.6
2023-03-01 09:00:00	100	0	0	0	109	20.11	27.69	31.7	81.3	99.11	-0.9	-0.4	0	31.9	0.11	100	8308	99.1	30.7
2023-03-01 09:05:00	104.2	0	0	0	106	18.07	22.19	31.8	80.9	99.1	-0.8	-0.4	0	32	0.12	100	8309	99.1	30.8
2023-03-01 09:10:00	112.8	0	0	0	108	17.56	21.97	31.8	80.5	99.11	-0.7	-0.6	0	32	0.12	100	8311	99.11	30.9
2023-03-01 09:15:00	129	0	0	0	107	16.6	20.94	32	80.2	99.11	-1	-0.4	0	32.3	0.12	100	8311	99.11	31
2023-03-01 09:20:00	159	0	0	0	108	17.2	22.28	32	79.4	99.1	-0.7	-0.4	0	32.4	0.13	100	8314	99.11	31.1
2023-03-01 09:25:00	185.2	0	0	0	118	14.18	20.45	32.3	78.9	99.1	-1	-0.5	0	32.6	0.13	100	8316	99.12	31.3
2023-03-01 09:30:00	196.8	0	0	0	116	15.9	22.19	32.6	78.2	99.11	-0.7	-0.7	0	33	0.14	100	8317	99.13	31.6
2023-03-01 09:35:00	213.8	0	0	0	126	15.82	21.61	32.9	77.2	99.11	-1	-0.4	0	33.3	0.14	100	8322	99.12	31.8
2023-03-01 09:40:00	258.2	0	0	0	132	15.66	22.15	33.3	76.2	99.09	-0.6	-0.3	0	33.7	0.15	100	8327	99.12	32
2023-03-01 09:45:00	289.4	0	0	0	121	15.86	19.39	33.6	75.1	99.09	-1.2	-0.1	0	34.2	0.16	100	8333	99.11	32.3
2023-03-01 09:50:00	296.8	0	0	0	118	15.95	20.31	34.2	74.9	99.08	-0.8	-0.4	0	34.8	0.17	100	8338	99.09	32.7
2023-03-01 09:55:00	290.4	0	0	0	116	19.26	24.92	34.6	73.6	99.04	-0.6	-0.5	0	35.2	0.18	100	8341	99.06	33
2023-03-01 10:00:00	263.8	0	0	0	121	20.78	29.91	34.8	73.2	99.04	-0.7	-0.2	0	35.3	0.18	100	8345	99.06	33.2
2023-03-01 10:05:00	227.2	0	0	0	119	13.4	18.79	34.6	73.4	99.06	-0.6	-0.6	0	35.2	0.18	100	8343	99.08	33.4
2023-03-01 10:10:00	185.2	0	0	0	119	13.62	18.16	34.6	72.9	99.08	-0.9	-0.5	0	35.1	0.18	100	8346	99.08	33.5
2023-03-01 10:15:00	155	0	0	0	113	13.71	20.54	34.6	73	99.09	-0.9	-0.5	0	34.9	0.18	100	8347	99.09	33.6
2023-03-01 10:20:00	149	0	0	0	115	13.31	16.62	34.4	73	99.1	-0.9	-0.5	0	34.8	0.18	100	8344	99.11	33.6
2023-03-01 10:25:00	128.2	0	0	0	134	11.59	15.61	34.4	73.2	99.13	-0.6	-0.3	0	34.7	0.18	100	8346	99.13	33.6
2023-03-01 10:30:00	111.2	0	0	0	131	16.35	20.58	34.3	73	99.11	-0.7	-0.5	0	34.6	0.18	100	8346	99.12	33.6
2023-03-01 10:35:00	94.4	0	0	0	125	16.82	20.78	34.2	73.3	99.09	-1	-0.5	0	34.4	0.18	100	8343	99.1	33.6
2023-03-01 10:40:00	102.4	0	0	0	130	17.34	21.56	34.3	73.4	99.07	-0.5	-0.3	0	34.5	0.18	100	8340	99.07	33.6
2023-03-01 10:45:00	101	0	0	0	120	18.68	24.05	34.3	73.1	99.03	-0.8	-0.7	0	34.5	0.18	100	8343	99.04	33.7
2023-03-01 10:50:00	89	0	0	0	113	19.46	26.06	34.3	72.9	98.99	-1.4	-0.3	0	34.4	0.18	100	8339	99	33.7
2023-03-01 10:55:00	83.6	0	0	0	115	19.64	25.05	34.2	73	98.98	-0.7	-0.2	0	34.4	0.18	100	8342	98.98	33.7
2023-03-01 11:00:00	84	0	0	0	113	22.46	27.49	34.4	72.9	98.94	-0.7	0	0	34.5	0.18	100	8341	98.93	33.7
2023-03-01 11:05:00	85.2	0	0	0	112	21.79	28.77	34.4	72.9	98.9	-0.5	-0.3	0	34.6	0.18	100	8339	98.92	33.7
2023-03-01 11:10:00	91.6	0	0	0	112	19.98	24.99	34.4	72.7	98.91	-0.5	-0.5	0	34.5	0.18	100	8343	98.91	33.7
2023-03-01 11:15:00	91.8	0	0	0	108	21.63	32.17	34.4	72.9	98.89	-

z6-17454
Records: 8916

Timestamps	Port1 ATMOS 41 All-in-one Weather Station															Port7 Battery		Port8 Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-01 11:25:00	54.2	0	0	0	108	16.46	19.84	34.4	72.7	98.94	-0.7	-0.6	0	34.6	0.18	100	8341	98.94	33.9
2023-03-01 11:30:00	53.4	0	0	0	111	21.54	28.03	34.4	72.7	98.92	-0.9	-0.6	0	34.6	0.18	100	8337	98.91	33.9
2023-03-01 11:35:00	68.6	0	0	0	109	21.7	29.93	34.4	72.7	98.88	0.3	-1	0	34.6	0.18	100	8338	98.87	33.9
2023-03-01 11:40:00	73.2	0	0	0	111	20.42	25.43	34.6	73	98.86	-0.5	-0.7	0	34.7	0.18	100	8338	98.86	33.9
2023-03-01 11:45:00	113.2	0	0	0	109	18.23	22.17	34.6	73.9	98.83	-0.8	-0.6	0	34.8	0.18	100	8340	98.83	34
2023-03-01 11:50:00	123	0	0	0	115	19.6	23.82	34.7	73.8	98.82	-1	-0.2	0	35	0.18	100	8342	98.83	34
2023-03-01 11:55:00	90	0	0	0	112	15.41	22.7	34.6	73.6	98.86	-0.7	-0.5	0	34.8	0.18	100	8339	98.85	34
2023-03-01 12:00:00	126.4	0	0	0	114	19.46	24.9	34.8	72.7	98.83	-0.5	-0.2	0	35.1	0.19	100	8342	98.83	34.1
2023-03-01 12:05:00	136.6	0	0	0	114	19.95	30.33	35.1	71.1	98.81	-0.9	-0.5	0	35.4	0.2	100	8345	98.81	34.3
2023-03-01 12:10:00	167	0	0	0	112	21.39	29.1	35.5	69.9	98.79	-0.5	-0.6	0	35.8	0.21	100	8347	98.8	34.5
2023-03-01 12:15:00	213.8	0	0	0	112	22.46	27.56	35.9	69.9	98.76	-0.8	-0.5	0	36.2	0.21	100	8351	98.76	34.8
2023-03-01 12:20:00	317.8	0	0	0	108	21.32	25.99	36.5	70.1	98.73	-0.4	-0.5	0	37	0.22	100	8354	98.74	35.1
2023-03-01 12:25:00	285.6	0	0	0	104	18.72	24.16	36.8	70.2	98.74	-0.7	-0.3	0	37.4	0.22	100	8359	98.75	35.6
2023-03-01 12:30:00	314	0	0	0	110	19.39	26.91	37.1	69.5	98.75	-0.7	-0.3	0	37.7	0.23	100	8364	98.75	35.9
2023-03-01 12:35:00	338	0	0	0	116	21.41	29.15	37.3	68.8	98.73	-0.5	-0.3	0	37.9	0.24	100	8367	98.74	36.1
2023-03-01 12:40:00	369.6	0	0	0	111	20.56	28.39	37.6	68	98.72	-1.1	-0.1	0	38.3	0.24	100	8373	98.74	36.4
2023-03-01 12:45:00	360.8	0	0	0	109	22.03	25.5	38	67.3	98.72	-0.7	-0.4	0	38.6	0.25	100	8376	98.73	36.7
2023-03-01 12:50:00	581.8	0	0	0	113	19.86	27.56	39.2	66.3	98.69	-0.4	-0.8	0	39.7	0.27	100	8382	98.72	37.2
2023-03-01 12:55:00	379.4	0	0	0	110	20.11	24.79	39.7	65	98.68	-0.4	-0.3	0	40.3	0.29	100	8383	98.7	37.7
2023-03-01 13:00:00	584.8	0	0	0	109	20.96	26.62	40.3	64.1	98.66	-0.2	-0.4	0	40.9	0.31	100	8388	98.69	37.9
2023-03-01 13:05:00	679.2	0	0	0	117	19.82	28.97	41.7	61.9	98.65	-0.5	-0.6	0	42.4	0.34	100	8390	98.69	38.4
2023-03-01 13:10:00	443	0	0	0	114	20.98	32.28	41.6	61.1	98.66	-1	-1	0	42.2	0.35	100	8390	98.68	38.7
2023-03-01 13:15:00	542.2	0	0	0	112	22.7	25.86	41.8	60.6	98.64	-1.1	-1.1	0	42.4	0.35	100	8393	98.67	38.8
2023-03-01 13:20:00	450.6	0	0	0	118	20.29	27.42	41.4	61.4	98.64	-0.6	-0.8	0	42	0.34	100	8393	98.68	38.8
2023-03-01 13:25:00	503	0	0	0	128	19.35	27.45	41.3	61.2	98.65	-0.2	-0.9	0	41.9	0.34	100	8396	98.68	38.9
2023-03-01 13:30:00	453.6	0	0	0	116	21.45	29.26	41.6	60.7	98.64	-0.6	-0.4	0	42.2	0.35	100	8398	98.65	39.1
2023-03-01 13:35:00	442.4	0	0	0	120	20.83	27.87	41.9	60.4	98.62	-0.6	-0.5	0	42.5	0.36	100	8398	98.65	39.4
2023-03-01 13:40:00	464.2	0	0	0	125	18.99	26.51	42.2	60.3	98.63	-0.8	-0.4	0	42.8	0.36	100	8399	98.65	39.7
2023-03-01 13:45:00	463	0	0	0	118	21.16	29.44	42.7	58.7	98.62	-0.4	-0.7	0	43.3	0.38	100	8400	98.64	40
2023-03-01 13:50:00	460.6	0	0	0	119	19.98	24.63	42.9	58.2	98.61	0	-0.7	0	43.6	0.39	100	8403	98.63	40.3
2023-03-01 13:55:00	472.4	0	0	0	121	21.61	26.51	43.5	59.2	98.6	-1	-0.5	0	44.1	0.39	100	8403	98.63	40.6
2023-03-01 14:00:00	451.8	0	0	0	128	19.84	26.62	43.8	59.4	98.61	-0.4	-0.8	0	44.4	0.39	100	8401	98.63	40.9
2023-03-01 14:05:00	468.4	0	0	0	136	16.96	23.17	43.9	59.7	98.61	-0.5	-0.6	0	44.6	0.39	100	8407	98.62	41.1
2023-03-01 14:10:00	421.6	0	0	0	126	18.54	24.54	44.1	59.9	98.6	-0.1	-0.9	0	44.7	0.39	100	8406	98.62	41.5
2023-03-01 14:15:00	447.2	0	0	0	136	20.54	28.07	44.2	59.3	98.58	-0.6	-0.1	0	44.9	0.4	100	8409	98.61	41.6
2023-03-01 14:20:00	495.2	0	0	0	131	20.83	28.34	44.7	59.5	98.57	-0.7	-0.4	0	45.4	0.41	100	8408	98.6	41.9
2023-03-01 14:25:00	468.4	0	0	0	132	21.63	26.51	45.1	58.5	98.55	-1.2	0	0	45.8	0.42	100	8408	98.58	42.1
2023-03-01 14:30:00	348.8	0	0	0	118	20.69	27.29	44.9	59.1	98.57	-0.7	-0.8	0	45.5	0.41	100	8409	98.58	42.3
2023-03-01 14:35:00	345.8	0	0	0	124	18.45	27.69	44.5	59.9	98.56	-0.6	-0.4	0	45.1	0.4	100	8408	98.57	42.3
2023-03-01 14:40:00	308.8	0	0	0	136	18.7	24.58	44.3	61.7	98.56	-0.6	-0.7	0	44.9	0.38	100	8408	98.56	42.4
2023-03-01 14:45:00	375	0	0	0	130	17.83	23.73	44.3	61.5	98.55	-0.2	-0.8	0	44.9	0.38	100	8410	98.56	42.4
2023-03-01 14:50:00	429	0	0	0	121	16.96	22.15	44.7	61.6	98.55	-0.7	-0.6	0	45.4	0.39	100	8409	98.56	42.6
2023-03-01 14:55:00	359.2	0	0	0	128	19.48	26.89	45.1	61.3	98.55	-0.5	-0.7	0	45.7	0.39	100	8407	98.56	42.9
2023-03-01 15:00:00	381.4	0	0	0	142	16.87	22.44	45.1	62.3	98.55	-0.4	-0.6	0	45.8	0.38	100	8409	98.57	42.9
2023-03-01 15:05:00	307.6	0	0	0	133	14.72	22.01	45.1	63.4	98.57	-0.6	-0.6	0	45.7	0.37	100	8406	98.57	43.1
2023-03-01 15:10:00	382.6	0	0	0	140	16.58	22.24	45.2	63.1	98.56	-0.8	-0.7	0	45.9	0.38	100	8406	98.57	43.2
2023-03-01 15:15:00	304	0	0	0	130	15.12	18.86	45.2	62	98.6	-0.3	-0.6	0	45.9	0.39	100	8408	98.6	43.3
2023-03-01 15:20:00	205.6	0	0	0	139	15.17	22.86	44.7	62.3	98.62	-0.7	0	0	45	0.38	100	8406	98.62	43.2
2023-03-01 15:25:00	236.4	0	0	0	124	15.79	19.22	44.2	63.3	98.61	-0.6	-0.5	0	44.6	0.36	100	8403	98.61	43
2023-03-01 15:30:00	243.8	0	0	0	123	15.57	22.24	44	64.4	98.58	-0.5	-0.9	0	44.5	0.35	100	8403	98.58	42.9
2023-03-01 15:35:00	264.2	0	0	0	121	15.1	20.18	44	64.7	98.56	-0.5	-0.4	0	44.6	0.35	100	8404	98.57	43
2023-03-01 15:40:00	248	0	0	0	124	15.05	21.27	44.1	64.9	98.56	-0.4	-0.6	0	44.7	0.35	100	8404	98.56	43.1
2023-03-01 15:45:00	120.2	0	0	0	114	11.41	15.46	43.9	65	98.58	-0.5	-0.6	0	44.2	0.34	100	8403	98.57	42.9
2023-03-01 15:50:00	115.8	0	0	0	108	12.37	16.91	43.5	65.1	98.59	-0.6	-0.5	0	43.8	0.33	100	8402	98.56	42.7
2023-03-01 15:55:00	82.6	0	0	0	116	11.97	15.97	43.2	66.5	98.56	-0.7	-0.4	0	43.3	0.32	100	8401	98.55	42.4
2023-03-01 16:00:00	100.2	0	0	0	120	10.47	16.31	42.8	67.8	98.57	-0.4	-0.7	0	43.1	0.3	100	8399	98.55	42.2
2023-03-01 16:05:00	104	0	0	0	115	11.1	13.91	42.6	68.4	98.57	-0.6	-0.6	0	42.8	0.29	100	8399	98.56	42.2
2023-03-01 16:10:00	102.4	0	0	0	114	12.1	17.45	42.6	69	98.57	-0.5	-0.5	0	42.8	0.29	100	8398	98.55	42.2
2023-03-01 16:15:00	133	0	0	0	110	12.82	15.93	42.8	69.4	98.55	-0.6	-0.7	0	43.1	0.29	100	8398	98.53	42.3
2023-03-01 16:20:00	113	0	0	0	109	12.03	16.17	42.9	69.8	98.55	-0.5	-0.5	0	43.2	0.28	100	8396	98.53	42.4
2023-03-01 16:25:00	114.6	0	0	0	111	13.31	16.4	42.9	69.8	98.54	-0.6	-0.6	0	43.1	0.28	100	8396	98.52	42.5
2023-03-01 16:30:00	227	0	0	0	107	12.24	14.14	43.1	70.4	98.52	-0.5	-0.5	0	43.7	0.28	100	8395	98.52	43.1
2023-03-01 16:35:00	163.4	0	0	0	111	12.55	15.52	43.8	70	98.52	-0.5	-0.4	0	44.2	0.29	100	8395	98.51	43.7
2023-03-01 16:40:00	139.8	0	0	0	109	12.39	16.17	44	69.6	98.51	-0.4	-0.7	0	44.4	0.3	100	8394	98.5	43.8
2023-03-01 16:45:00	124.2	0	0	0	110	11.54	16.53	44.2	70	98.52	-0.3	-0.7	0	44.5	0.3	100	8392	98.51	43.9
2023-03-01 16:50:00	109.2	0	0	0	111	11.21	15.03	44.2	70.1	98.52	-0.5	-0.5	0	44.5	0.3	100	8391	98.51	43.9
2023-03-01 16:55:00	93.8	0	0	0	117	13	17.78	44.2	70	98.52	-0.4	-0.7	0	44.4	0.3	100	8390	98.5	43.8
2023-03-01 17:00:00	81.4	0	0	0	116	11.25	14.23	44.1	70.5	98.52	-0.6	-0.6	0	44.3	0.29	100	8387	98.51	43.6
2023-03-01 17:05:00	65.8	0	0	0	113	11.48	14.94	43.9	70.8	98.52	-0.4	-0.5	0	44.1	0.28	100	8385	98.51	43.5
2023-03-01 17:10:00	50.4	0	0	0	110	12.44	16.51	43.6	71	98.52	-0.5	-0.6	0	43.7	0.28	100	8387	98.5	43.1
2023-03-01 17:15:00	47.4	0	0	0	111	11.32	13.87	43.4	71.7	98.51	-0.5	-0.7	0	43.4	0.27	100	8388	98.49	42.7
2023-03-01 17:20:00	36.8	0	0	0	111	11.72	16.17	43.1	72	98.51	-0.6	-0.5	0	43.1	0.26	100	8383	98.49	42.2
2023-03-01 17:25:00	25.8	0	0	0	112	13.8	19.64	42.8	72.4	98.5	-0.3	-0.5	0	42.8	0.26	100	8384	98.49	42
2023-03-01 17:30:00	21.8	0	0	0	110	13.35	19.35	42.5	73	98.49	-0.4	-0.5	0	42.5	0.25	100	8383	98.48	41.7
2023-03-01 17:35:00	16	0	0	0	109	15.26	21.25	42.2	73.5	98.49	-0.5	-0.4	0	42.2	0.24	100	8379	98.47	41.5
2023-03-01 17:40:00	11	0	0	0	107	16.37	23.2	41.9	74.3	98.49	-0.2	-0.6	0	41.9	0.23	100	8381	98.47	41.2
2023-03-01 17:45:00	7.2	0	0	0	115	13.65	18.43	41.7	74.8	98.5	-0.4	-0.6	0	41.7	0.23	100	8381	98.48	40.9
2023-03-01 17:50:00	4.2	0	0	0	113	14.36	19.3	41.4	75.6	98.5	-0.8	-0.4	0	41.4	0.22	100	8378	98.47	40.6
2023-03-01 17:55:00	2.4	0	0	0	106	12.68	16.75	41.3	75.5	98.5	-0.6	-0.7	0	41.3	0.22	100	8380	98.48	40.4
2023-03-01 18:00:00	1	0	0	0	103	12.8	15.12	41	76	98.5	-0.6	-0.4	0	41	0.21	100	8377	98.48	40
2023-03-01 18:05:00	0	0	0	0	107	12.08	17.13	40.8	76.5	98.51	-0.5	-0.4	0	40.8	0.2	100	8374	98.48	39.8
2023-03-01 18:10:00	0	0	0	0	107	13.35	19.77	40.6	77	98.49	-0.7	-0.4	0	40.6	0.2	100	8375	98.47	39.5
2023-03-01 18:15:00	0	0	0	0	106	13.02	15.48	40.3	76.8	98.48	-0.8	-0.4	0	40.3	0.2	100	8374	98.46	39.3
2023-03-01 18:20:00	0	0	0	0	105	11.86	15.03	40.2	77.1	98.48	-0.5	-0.5	0	40.2	0.19	100	8372	98.46	39.1
2023-03-01 18:25:00	0	0	0	0	103	10.58	15.41	39.9	77.6	98.48	-0.7	-0.4	0	39.9	0.19	100	8371	98.46	38.9
2023-03-01 18:30:00	0	0	0	0	100	9.62	12.46	39.7	77.3	98.48	-0.6	-0.4	0	39.7	0.19	100	8370	98.45	38.5
2023-03-01 18:35:00	0	0	0	0	105	9.62	12.08	39.5	77.9	98.47	-0.5	-0.4	0	39.5	0.18	100	8369	98.45	38.3
2023-03-01 18:40:00	0	0	0	0	106	10.74	14.74	39.2	78.5	98.47	-0.6	-0.4	0	39.2	0.18	100	8368	98.44	38.1
2023-03-01 18:45:00	0	0	0	0	110	12.64	16.84	39.1	78.2	98.45	-0.7	-0.5	0	39.1	0.18	100	8369	98.43	38
2023-03-01 18:50:00	0	0	0	0	111	11.32	14	39	78.3	98.45	-0.6	-0.3	0	39	0.18	100	8369	98.43	38
2023-03-01 18:55:00	0	0	0	0	109	11.63	14.29	39.1	78.3	98.45	-0.6	-0.7	0	39.1	0.18	100	8365	98.43	37.8
2023-03-01 19:00:00	0	0	0	0	107	10.63	15.21	39	78	98.45	-0.6	-0.5	0	39	0.18	100	8368	98.43	37.8
2023-03-01 19:05:00	0	0	0	0	108	9.89	12.68	38.9	78.7	98.45	-0.7	-0.4	0	38.9	0.17	100	8365	98.42	37.7
2023-03-01 19:10:00	0	0	0	0	111	9.84	12.62	38.8	78.7	98.44	-0.6	-0.6	0	38.8	0.17	100	8364	98.42	37.6
2023-03-01 19:15:00	0	0	0	0	111	10.58	12.95	38.8	78.6	98.43	-0.7	-0.5	0	38.8	0.17	100	8367	98.41	37.5
2023-03-01 19:20:00	0	0	0	0	113	11.45	16.04	38.8	79.4	98.43	-0.5	-0.7	0	38.8	0.16	100	8361	98.4	37.5
2023-03-01 19:25:00	0	0	0	0	110	11.3	14.85	38.8	79.2	98.43	-0.7	-0.6	0	38.8	0.17	100	8360	98.41	37.5
2023-03-01 19:30:00	0	0	0	0	106	10.11	13.09	38.7	79.2	98.43	-0.6	-0.5	0	38.7	0.17	100	8361	98.41	37.3
2023-03-01 19:35:00	0	0	0	0	106	10.69	15.97	38.7	79.4	98.42	-0.6	-0.4	0	38.7	0.16	100	8360	98.4	37.2
2023-03-01 19:40:00	0	0	0	0	106	9.78	11.48	38.7	79.4	98.42	-0.7	-0.5	0	38.6	0.16	100	8361	98.4	37.1
2023-03-01 19:45:00	0	0	0	0	107	9.71	13.82	38.4	79.8	98.42	-0.8	-0.5	0	38.4	0.16	100	8358	98.4	37
2023-03-01 19:50:00	0	0	0	0	107	9.46	12.21	38.4	80	98.43	-0.8	-0.4	0	38.4	0.16	100	8356	98.4	36.9
2023-03-01 19:55:00	0	0	0	0	111	9.69	12.84	38.3	80.3	98.42	-0.7	-0.4	0	38.3	0.15	100	8358	98.4	36.8
2023-03-01 20:00:00	0	0	0	0	112	11.03	15.17	38.2	79.2	98.41	-0.7	-0.5	0	38.2	0.16	100	8358	98.39	36.8
2023-03-01 20:05:00	0	0	0	0	112	9.42	11.79	38.4	79.3	98.41	-0.6	-0.5	0	38.4	0.16	100	8357	98.39	36.8
2023-03-01 20:10:00	0	0	0	0	111	10.22	14.25	38.2	79.3	98.4	-0.9	-0.5	0	38.2	0.16	100	8357	98.38	36.7
2023-03-01 20:15:00	0	0	0	0	111	10.85	14.07	38.2	79.4	98.39	-0.7	-0.4	0	38.2	0.16	100	8356	98.36	36.6
2023-03-01 20:20:00	0	0	0	0	111	8.99	11.74	38	79.5	98.39	-0.7	-0.5	0	38	0.16	100	8355	98.37	36.6
2023-03-01 20:25:00	0	0	0	0	113	10.49	12.41	38	79.5	98.37	-0.6	-0.4	0	38	0.16	100	8354	98.35	36.5
2023-03-01 20:30:00	0	0	0	0	115	10.85	13.56	37.8	79.7	98.36	-0.7	-0.4	0	37.8	0.16	100	8355	98.34	36.4
2023-03-01 20:35:00	0	0	0	0	114	10.51	14.41	37.9	79.8	98.36	-0.8	-0.4	0	37.9	0.16	100	8355	98.34	36.4
2023-03-01 20:40:00	0	0	0	0	118	10.27	12.3	37.9	80.1	98.36	-0.8	-0.5	0	37.9	0.15	100	8354	98.34	36.4
2023-03-01 20:45:00	0	0	0	0	117	9.98	11.48	37.9	80.3	98.36	-0.7	-0.5	0	37.9	0.15	100	8354	98.34	36.4
2023-03-01 20:50:00	0	0	0	0	120	10.31	11.65	37.9	80.3	98.36	-0.7	-0.5	0	37.9	0.15	100	8352	98.34	36.4
2023-03-01 20:55:00	0	0	0	0	121	10.13	13.53	37.9	80.1	98.36	-0.6	-0.5	0	37.9	0.15	100	8352	98.35	36.5
2023-03-01 21:00:00	0	0	0	0	118	9.66	12.06	38	80.4	98.36	-0.6	-0.5	0	38	0.15	100	8352	98.35	36.6
2023-03-01 21:05:00	0	0	0	0	117	9.71	12.26	38	80.3	98.36	-0.6	-0.5	0	38	0.15	100	8352	98.34	36.7
2023-03-01 21:10:00	0	0	0	0	117	10.02	11.48	38.1	80.7	98.35	-0.6	-0.5	0	38.1	0.15	100	8349	98.34	36.8
2023-03-01 21:15:00	0	0	0	0	118	9.91	11.77	38	80.5	98.35	-0.7	-0.6	0	38	0.15	100	8349	98.33	36.8
2023-03-01 21:20:00	0	0	0	0	114	10.63	12.48	38.2	80.7	98.33	-0.7	-0.6	0	38.1	0.15	100	8350	98.31	36.9
2023-03-01 21:25:00	0	0	0	0	116	9.86	12.24	38.2	80.7	98.33	-0.7	-0.6	0	38.2	0.15	100	8348	98.31	37
2023-03-01 21:30:00	0	0	0	0	117	9.51	12.06	38.3	80.6	98.33	-0.7	-0.5	0	38.3	0.15	100	8347	98.31	37
2023-03-01 21:35:00	0	0	0	0	113	9.01	10.54	38.2	81.1	98.33	-0.6	-0.5	0	38.2	0.15	100	8346	98.31	37.1
2023-03-01 21:40:00	0	0	0	0	120	8.7	11.34	38.4	81.3	98.33	-0.5	-0.4	0	38.4	0.15	100	8348	98.31	37.1
2023-03-01 21:45:00	0	0	0	0	134	7.87	10.56	38.3	81.5	98.32	-0.8	-0.4	0	38.3	0.14	100	8349	98.3	37.2
2023-03-01 21:50:00	0	0	0	0	150	6.58	8.43	38.2	81.8	98.32	-0.7	-0.4	0	38.2	0.14	100	8345	98.3	37.1
2023-03-01 21:55:00	0	0	0	0	156	7.54	9.66	38.2	81.9	98.32	-0.7	-0.5	0	38.2	0.14	100	8342	98.3	37
2023-03-01 22:00:00	0	0	0	0	148	8.48	10.2	38	82.7	98.31	-0.7	-0.6	0	38	0.13	100	8346	98.29	36.8
2023-03-01 22:05:00	0	0	0	0	148	8.61	10.31	37.9	82.8	98.29	-0.6	-0.5	0	37.9	0.13	100	8343	98.28	36.7
2023-03-01 22:10:00	0	0	0	0	140	9.06	10.85	37.7	83.1	98.27	-0.6	-0.6	0	37.8	0.13	100	8347	98.25	36.5
2023-03-01 22:15:00	0	0	0	0	140	8.28	9.22	37.7	83.5	98.25	-0.7	-0.6	0	37.7	0.13	100	8343	98.23	36.3
2023-03-01 22:20:00	0	0	0	0	143	8.01	9.57	37.5	84	98.23	-0.7	-0.4	0	37.5	0.12	100	8344	98.21	36.2
2023-03-01 22:25:00	0	0	0	0	143	8.52	11.48	37.5	84.1	98.22	-0.8	-0.5	0	37.5	0.12	100	8344	98.2	36.1
2023-03-01 22:30:00	0	0	0	0	145	8.16	9.8	37.4	84.3	98.21	-0.6	-0.6	0	37.5	0.12	100	8341	98.19	36
2023-03-01 22:35:00	0	0	0	0	140	8.5	10.29	37.4	84.5	98.18	-0.8	-0.4	0	37.4	0.12	100	8340	98.16	35.9
2023-03-

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-01 22:50:00	0	0	0	0	131	6.67	7.78	37.3	84.9	98.17	-0.8	-0.4	0	37.3	0.11	100	8339	98.15	35.7
2023-03-01 22:55:00	0	0	0	0	127	6.6	7.27	37.1	85.4	98.16	-0.8	-0.4	0	37.1	0.11	100	8339	98.14	35.5
2023-03-01 23:00:00	0	0	0	0	120	6.13	7.2	37	85.8	98.16	-0.7	-0.5	0	37	0.11	100	8338	98.14	35.4
2023-03-01 23:05:00	0	0	0	0	111	6.38	7.25	36.9	86.3	98.14	-0.7	-0.4	0	36.9	0.1	100	8338	98.12	35.5
2023-03-01 23:10:00	0	0	0	0	106	6.91	7.54	37	86.7	98.12	-0.7	-0.4	0	37.1	0.1	100	8337	98.09	35.6
2023-03-01 23:15:00	0	0	0	0	124	8.46	10.56	37.1	86.4	98.12	-0.7	-0.4	0	37.1	0.1	100	8336	98.11	35.7
2023-03-01 23:20:00	0	0	0	0	156	9.1	9.98	37.2	86.5	98.14	-0.7	-0.5	0	37.2	0.1	100	8338	98.12	35.8
2023-03-01 23:25:00	0	0	0	0	160	9.86	11.81	37.2	86.3	98.13	-0.8	-0.5	0	37.2	0.1	100	8336	98.11	35.8
2023-03-01 23:30:00	0	0	0	0	156	7.54	8.81	37	86.5	98.12	-0.7	-0.6	0	37	0.1	100	8334	98.1	35.9
2023-03-01 23:35:00	0	0	0	0	168	4.63	6.93	36.9	87.4	98.13	-0.7	-0.4	0	36.9	0.09	100	8335	98.11	35.9
2023-03-01 23:40:00	0	0	0	0	187	2.24	3.09	36.9	87.5	98.12	-0.8	-0.6	0	37	0.09	100	8334	98.11	35.8
2023-03-01 23:45:00	0	0	0	0	172	2.15	2.66	36.8	87.5	98.12	-0.7	-0.4	0	36.7	0.09	100	8336	98.1	35.8
2023-03-01 23:50:00	0	0	0	0	202	1.74	2.1	36.7	87.9	98.11	-0.7	-0.5	0	36.7	0.09	100	8336	98.09	35.7
2023-03-01 23:55:00	0	0	0	0	154	2.01	3.89	36.7	87.4	98.1	-0.7	-0.6	0	36.7	0.09	100	8334	98.09	35.7
2023-03-02 00:00:00	0	0	0	0	155	5.35	8.3	36.6	87.7	98.1	-0.7	-0.5	0	36.6	0.09	100	8333	98.08	35.7
2023-03-02 00:05:00	0	0	0	0	159	6.93	8.23	36.7	87.7	98.09	-0.8	-0.4	0	36.7	0.09	100	8308	98.08	35.9
2023-03-02 00:10:00	0	0	0	0	150	5.79	7.99	36.6	88.1	98.07	-0.7	-0.4	0	36.7	0.09	100	8302	98.05	36.2
2023-03-02 00:15:00	0	0	0	0	134	6.89	8.46	36.8	87.9	98.04	-0.8	-0.4	0	36.8	0.09	100	8290	98.02	36.3
2023-03-02 00:20:00	0	0	0	0	129	7.38	8.34	36.8	88	98.01	-0.7	-0.4	0	36.8	0.09	100	8306	98	36.3
2023-03-02 00:25:00	0	0	0	0	168	6.6	8.19	36.8	87.8	98.03	-0.7	-0.5	0	36.8	0.09	100	8308	98.03	36.1
2023-03-02 00:30:00	0	0	0	0	178	7.81	9.31	36.7	88.3	98.06	-0.8	-0.5	0	36.7	0.09	100	8309	98.04	36
2023-03-02 00:35:00	0	0	0	0	168	6.96	8.12	36.6	88.2	98.02	-0.9	-0.6	0	36.6	0.09	100	8311	98.01	35.9
2023-03-02 00:40:00	0	0	0	0	155	5.48	7.11	36.7	88.3	98	-0.8	-0.5	0	36.6	0.09	100	8311	97.98	35.9
2023-03-02 00:45:00	0	0	0	0	173	3.89	5.37	36.8	88.5	98.02	-0.8	-0.6	0	36.8	0.08	100	8312	98	36
2023-03-02 00:50:00	0	0	0	0	170	5.48	6.78	36.9	89	98.01	-0.7	-0.6	0	36.9	0.08	100	8310	97.99	36
2023-03-02 00:55:00	0	0	0	0	150	5.99	7.67	36.9	87.9	97.97	-0.7	-0.5	0	36.9	0.09	100	8311	97.96	36
2023-03-02 01:00:00	0	0	0	0	193	2.3	3.89	36.9	87.6	98	-0.7	-0.5	0	36.9	0.09	100	8311	97.99	35.9
2023-03-02 01:05:00	0	0	0	0	190	4.32	5.91	36.6	88.4	98.02	-0.8	-0.4	0	36.6	0.09	100	8309	98.01	35.8
2023-03-02 01:10:00	0	0	0	0	187	5.93	7.85	36.7	88.3	98.02	-0.6	-0.6	0	36.7	0.09	100	8311	98.02	35.9
2023-03-02 01:15:00	0	0	0	0	187	7.23	9.84	36.7	88.9	98.05	-0.8	-0.5	0	36.8	0.08	100	8310	98.04	36
2023-03-02 01:20:00	0	0	0	0	180	8.23	9.64	36.9	88.7	98.04	-0.6	-0.7	0	36.9	0.08	100	8311	98.03	36.1
2023-03-02 01:25:00	0	0.00067	0	0	177	6.69	8.03	36.8	89.1	98.03	-0.7	-0.4	0.04	36.8	0.08	100	8310	98.01	36.2
2023-03-02 01:30:00	0	0.00067	0	0	173	2.86	4.68	36.9	89.5	98	-0.7	-0.4	0.04	37	0.08	100	8311	97.99	36.2
2023-03-02 01:35:00	0	0	0	0	29	1.32	2.24	37	89.9	97.98	-0.6	-0.5	0	37	0.07	100	8311	97.97	36.2
2023-03-02 01:40:00	0	0	0	0	227	2.44	3.33	37	89.9	98	-0.8	-0.5	0	36.9	0.07	100	8309	97.99	36.2
2023-03-02 01:45:00	0	0	0	0	277	3.02	4.32	36.9	90.3	98	-0.6	-0.4	0	36.9	0.07	100	8308	97.99	36.1
2023-03-02 01:50:00	0	0	0	0	303	2.89	4.56	36.7	90.4	97.98	-0.8	-0.4	0	36.7	0.07	100	8308	97.96	36.1
2023-03-02 01:55:00	0	0	0	0	321	3.2	4.56	36.6	89.9	97.97	-0.7	-0.5	0	36.6	0.07	100	8307	97.95	35.9
2023-03-02 02:00:00	0	0	0	0	341	1.86	3.02	36.4	90.4	97.95	-0.7	-0.5	0	36.4	0.07	100	8308	97.94	35.8
2023-03-02 02:05:00	0	0	0	0	69	1.36	2.51	36.3	90.6	97.94	-0.7	-0.4	0	36.3	0.07	100	8306	97.93	35.8
2023-03-02 02:10:00	0	0	0	0	133	2.84	3.49	36.5	90.7	97.93	-0.8	-0.5	0	36.5	0.07	100	8305	97.92	35.9
2023-03-02 02:15:00	0	0	0	0	145	3.69	4.59	36.7	91	97.93	-0.7	-0.5	0	36.7	0.07	100	8308	97.92	36
2023-03-02 02:20:00	0	0	0	0	152	4.36	5.82	36.8	90.6	97.93	-0.8	-0.6	0	36.8	0.07	100	8306	97.91	36
2023-03-02 02:25:00	0	0	0	0	166	5.61	6.26	36.8	90.5	97.92	-0.7	-0.5	0	36.8	0.07	100	8308	97.91	36
2023-03-02 02:30:00	0	0	0	0	194	3.83	4.81	37	90.5	97.92	-0.6	-0.4	0	37.1	0.07	100	8305	97.91	36
2023-03-02 02:35:00	0	0	0	0	198	4.43	5.95	37.2	90.4	97.93	-0.8	-0.5	0	37.3	0.07	100	8308	97.92	36.1
2023-03-02 02:40:00	0	0	0	0	210	3.62	5.59	37.4	89.9	97.92	-0.6	-0.6	0	37.4	0.08	100	8307	97.91	36.3
2023-03-02 02:45:00	0	0	0	0	260	5.21	7.02	37.4	89.6	97.93	-0.7	-0.6	0	37.4	0.08	100	8304	97.92	36.3
2023-03-02 02:50:00	0	0	0	0	255	5.97	8.41	37.2	89.3	97.94	-0.7	-0.6	0	37.2	0.08	100	8305	97.92	36.2
2023-03-02 02:55:00	0	0	0	0	282	7.45	9.42	37	89.5	97.95	-0.7	-0.5	0	36.9	0.08	100	8304	97.94	36
2023-03-02 03:00:00	0	0	0	0	273	6.31	8.16	36.5	90.4	97.96	-0.8	-0.5	0	36.5	0.07	100	8303	97.95	35.7
2023-03-02 03:05:00	0	0	0	0	289	5.39	7.83	36.3	91	97.98	-0.8	-0.6	0	36.2	0.07	100	8303	97.96	35.7
2023-03-02 03:10:00	0	0	0	0	297	5.39	7.85	36.2	91.4	97.97	-0.7	-0.5	0	36.2	0.06	100	8304	97.96	35.6
2023-03-02 03:15:00	0	0	0	0	280	5.23	8.05	36.2	91.4	97.97	-0.7	-0.4	0	36.2	0.06	100	8302	97.96	35.6
2023-03-02 03:20:00	0	0	0	0	274	3.85	8.3	36.2	91.4	97.95	-0.7	-0.5	0	36.2	0.06	100	8302	97.94	35.6
2023-03-02 03:25:00	0	0	0	0	257	3.8	6.53	36.2	91.4	97.96	-0.7	-0.5	0	36.2	0.06	100	8301	97.96	35.6
2023-03-02 03:30:00	0	0	0	0	244	4.81	7.2	36.2	91.4	97.98	-0.8	-0.4	0	36.2	0.06	100	8300	97.97	35.6
2023-03-02 03:35:00	0	0	0	0	248	6.15	9.8	36.2	91.2	97.98	-0.7	-0.5	0	36.2	0.06	100	8301	97.96	35.6
2023-03-02 03:40:00	0	0	0	0	250	7	10.2	36.4	89.3	97.95	-0.6	-0.4	0	36.4	0.08	100	8301	97.94	35.7
2023-03-02 03:45:00	0	0	0	0	240	7.31	11.23	36.6	88.5	97.96	-0.6	-0.4	0	36.6	0.08	100	8301	97.95	35.8
2023-03-02 03:50:00	0	0	0	0	258	7.02	10.04	36.6	87.3	97.95	-0.7	-0.5	0	36.6	0.09	100	8303	97.93	35.9
2023-03-02 03:55:00	0	0	0	0	280	8.14	12.84	36.8	86	97.91	-0.7	-0.5	0	36.8	0.1	100	8301	97.9	35.9
2023-03-02 04:00:00	0	0	0	0	271	7.72	11.01	36.8	85.6	97.91	-0.6	-0.5	0	36.9	0.11	100	8301	97.9	35.9
2023-03-02 04:05:00	0	0	0	0	268	9.4	13	36.7	85.3	97.94	-0.8	-0.5	0	36.7	0.11	100	8298	97.93	35.7
2023-03-02 04:10:00	0	0	0	0	270	11.21	21.16	36.5	84.7	97.96	-0.9	-0.5	0	36.5	0.11	100	8298	97.94	35.7
2023-03-02 04:15:00	0	0	0	0	275	12.5	17.45	36.5	84	97.94	-0.6	-0.5	0	36.5	0.12	100	8301	97.93	35.7
2023-03-02 04:20:00	0	0	0	0	273	11.36	14.56	36.4	83.9	97.95	-0.8	-0.5	0	36.4	0.12	100	8298	97.94	35.7
2023-03-02 04:25:00	0	0	0	0	274	11.99	18.1	36.5	83.5	97.95	-0.9	-0.9	0	36.5	0.12	100	8297	97.94	35.7
2023-03-02 04:30:00	0	0	0	0	281	14.09	19.19	36.5	83.7	97.96	-1.1	-0.5	0	36.5	0.12	100	8301	97.95	35.6
2023-03-02 04:35:00	0	0	0	0	283	15.35	21.74	36.5	83.5	97.98	-0.6	-0.4	0	36.5	0.12	100	8298	97.97	35.6
2023-03-02 04:40:00	0	0	0	0	290	15.35	20.58	36.4	82.9	97.95	-1	-0.4	0	36.4	0.12	100	8296	97.94	35.5
2023-03-02 04:45:00	0	0	0	0	285	15.14	23.58	36.3	83	97.97	-0.5	-0.8	0	36.2	0.12	100	8295	97.97	35.3
2023-03-02 04:50:00	0	0	0	0	282	15.08	21.45	36	83.9	97.98	-0.6	-1	0	36	0.12	100	8296	97.97	35.2
2023-03-02 04:55:00	0	0	0	0	285	17.07	23	35.9	84.2	97.98	-0.7	-0.6	0	35.8	0.11	100	8296	97.97	35
2023-03-02 05:00:00	0	0	0	0	287	10.54	16.51	35.7	84.8	97.99	-0.8	-0.5	0	35.7	0.11	100	8297	97.98	35
2023-03-02 05:05:00	0	0	0	0	274	13.82	19.98	35.5	85.7	97.99	-0.6	-0.6	0	35.5	0.1	100	8295	97.98	34.9
2023-03-02 05:10:00	0	0	0	0	276	12.39	19.15	35.3	86.9	97.99	-0.6	-0.5	0	35.3	0.09	100	8293	97.99	34.7
2023-03-02 05:15:00	0	0	0	0	280	14	18.81	35.1	88.2	98.01	-0.6	-0.5	0	35.1	0.08	100	8295	98.01	34.5
2023-03-02 05:20:00	0	0	0	0	295	14.2	21.79	34.8	89.3	98.04	-1.2	-0.2	0	34.8	0.07	100	8293	98.03	34.4
2023-03-02 05:25:00	0	0	0	0	294	17.13	24.76	34.6	89.8	98.05	-0.4	-0.4	0	34.6	0.07	100	8294	98.05	34.3
2023-03-02 05:30:00	0	0	0	0	293	15.23	20.89	34.3	90.9	98.08	-0.4	-0.7	0	34.4	0.06	100	8292	98.08	34.1
2023-03-02 05:35:00	0	0	0	0	294	13.51	21.21	34.4	90.8	98.1	-0.8	-0.8	0	34.4	0.06	100	8291	98.09	34
2023-03-02 05:40:00	0	0	0	0	303	17.81	26.22	34.2	91.1	98.1	-0.8	-0.3	0	34.2	0.06	100	8291	98.09	33.9
2023-03-02 05:45:00	0	0	0	0	306	16.2	24.65	34	91.6	98.1	-0.4	-0.8	0	34	0.06	100	8290	98.1	33.7
2023-03-02 05:50:00	0	0	0	0	290	14.85	27.72	33.9	92.2	98.11	-1	-0.4	0	33.9	0.05	100	8293	98.11	33.6
2023-03-02 05:55:00	0	0	0	0	291	15.66	22.62	33.8	91.8	98.1	-0.7	-0.7	0	33.8	0.05	100	8292	98.1	33.5
2023-03-02 06:00:00	0	0	0	0	305	16.02	21.77	33.6	92.1	98.1	-0.4	-0.7	0	33.6	0.05	100	8289	98.1	33.3
2023-03-02 06:05:00	0	0	0	0	304	17.22	29.24	33.5	92.3	98.1	-0.6	-0.5	0	33.5	0.05	100	8289	98.1	33.2
2023-03-02 06:10:00	0	0	0	0	299	16.44	23.13	33.4	92.3	98.11	-1.1	-0.2	0	33.4	0.05	100	8286	98.1	33
2023-03-02 06:15:00	0	0	0	0	295	15.95	26.96	33.3	92.3	98.12	-0.6	-0.5	0	33.3	0.05	100	8291	98.11	32.9
2023-03-02 06:20:00	0	0	0	0	281	14.14	20.76	33.3	92.8	98.12	-1.1	-0.4	0	33.4	0.05	100	8289	98.12	32.8
2023-03-02 06:25:00	0	0	0	0	281	16.93	21.63	33.3	91.8	98.13	-0.6	-0.5	0	33.3	0.05	100	8286	98.13	32.7
2023-03-02 06:30:00	0	0	0	0	284	16.89	27.63	33.2	92.2	98.14	-1	0.4	0	33.2	0.05	100	8287	98.14	32.6
2023-03-02 06:35:00	0	0	0	0	285	18.28	29.01	33.1	92.3	98.16	-0.7	-0.6	0	33.1	0.05	100	8286	98.15	32.5
2023-03-02 06:40:00	0	0	0	0	295	19.62	27.81	33.1	92.5	98.16	-0.9	-0.4	0	33.1	0.05	100	8282	98.15	32.5
2023-03-02 06:45:00	0	0	0	0	285	14.88	22.62	33.1	92.3	98.17	-0.6	-0.4	0	33.1	0.05	100	8286	98.16	32.4
2023-03-02 06:50:00	0.8	0	0	0	287	18.01	30.15	33.2	92.2	98.17	-1	-0.7	0	33.2	0.05	100	8287	98.16	32.4
2023-03-02 06:55:00	1.4	0	0	0	288	15.9	27.87	33.1	92.3	98.18	-0.8	-0.7	0	33.1	0.05	100	8286	98.18	32.4
2023-03-02 07:00:00	2.6	0	0	0	285	18.34	25.46	33.1	92.3	98.19	-0.6	-0.7	0	33.1	0.05	100	8287	98.19	32.3
2023-03-02 07:05:00	4.4	0	0	0	290	16.98	26.93	33	92	98.21	-0.9	-0.6	0	33	0.05	100	8285	98.21	32.3
2023-03-02 07:10:00	5.4	0	0	0	290	16.71	23.47	33	91.6	98.22	-0.9	-0.5	0	33	0.05	100	8286	98.21	32.3
2023-03-02 07:15:00	6	0	0	0	281	11.92	16.82	33	91.9	98.22	-0.7	-0.5	0	33	0.05	100	8283	98.22	32.3
2023-03-02 07:20:00	7	0	0	0	280	13.35	21.77	33	92.1	98.22	-0.8	-0.6	0	33	0.05	100	8284	98.22	32.4
2023-03-02 07:25:00	8.2	0	0	0	277	14.67	22.06	33	91.6	98.21	-0.9	-0.6	0	33	0.05	100	8282	98.21	32.4
2023-03-02 07:30:00	9.2	0	0	0	286	13.73	20.69	33	91.6	98.22	-0.9	-0.4	0	33	0.05	100	8284	98.22	32.4
2023-03-02 07:35:00	11.2	0	0	0	291	14.54	19.46	32.9	91.7	98.22	-0.9	-0.7	0	33	0.05	100	8282	98.22	32.4
2023-03-02 07:40:00	12.2	0	0	0	285	14.09	18.99	33	91.3	98.23	-0.7	-0.7	0	33	0.06	100	8283	98.23	32.4
2023-03-02 07:45:00	14.4	0	0	0	276	14.27	24.79	32.9	91.4	98.24	-0.9	-0.4	0	32.9	0.05	100	8282	98.24	32.4
2023-03-02 07:50:00	17.4	0	0	0	280	15.39	20.51	32.9	91.4	98.25	-0.8	-0.6	0	32.9	0.05	100	8284	98.24	32.4
2023-03-02 07:55:00	21	0	0	0	281	17.02	23.38	32.9	91.4	98.25	-0.5	-0.5	0	33	0.05	100	8282	98.25	32.4
2023-03-02 08:00:00	23.2	0	0	0	279	17.38	24.07	33	91.3	98.25	-0.9	-0.6	0	33	0.06	100	8281	98.25	32.3
2023-03-02 08:05:00	27	0	0	0	281	15.77	23.73	32.9	91.5	98.26	-0.7	-0.8	0	33	0.05	100	8279	98.25	32.3
2023-03-02 08:10:00	28.6	0	0	0	288	14.72	19.51	32.9	91.5	98.26	-0.6	-0.5	0	33	0.05	100	8281	98.26	32.2
2023-03-02 08:15:00	34.4	0	0	0	280	12.97	19.13	32.9	91.7	98.26	-0.8	-0.4	0	33.1	0.05	100	8281	98.26	32.1
2023-03-02 08:20:00	44.8	0	0	0	283	13.67	19.3	32.9	91.5	98.26	-0.7	-0.5	0	33	0.05	100	8279	98.25	32.1
2023-03-02 08:25:00	52	0	0	0	281	14.03	18.12	32.9	91.5	98.24	-0.9	-0.3	0	33.1	0.05	100	8278	98.24	32.1
2023-03-02 08:30:00	55.6	0	0	0	281	12.28	18.5	33	92.1	98.24	-0.9	-0.7	0	33.1	0.05	100	8280	98.24	32.2
2023-03-02 08:35:00	57.6	0	0	0	277	14.45	22.19	33	92.3	98.24	-0.7	-0.7	0	33.2	0.05	100	8280	98.24	32.2
2023-03-02 08:40:00	61.6	0	0	0	272	12.8	21.74	33	91.8	98.24	-1	-0.6	0	33.2	0.05	100	8281	98.24	32.2
2023-03-02 08:45:00	60.6	0	0	0	269	12.12	18.61	33.1	90.9	98.25	-0.8	-0.4	0	33.3	0.06	100	8282	98.24	32.3
2023-03-02 08:50:00	68.4	0	0	0	277	12.37	24.45	33.2	90.9	98.24	-0.8	-0.6	0	33.3	0.06	100	8280	98.24	32.4
2023-03-02 08:55:00	65	0	0	0	282	11.63	20.04	33.2	90.4	98.23	-0.6	-0.4	0	33.4	0.06	100	8283	98.23	32.5
2023-03-02 09:00:00	67.4	0	0	0	269	13.06	22.21	33.3	90.3	98.23	-0.6	-0.7	0	33.5	0.06	100	8281	98.23	32.6
2023-03-02 09:05:00	67.8	0	0	0	271	17.4	23.94	33.4	89.4	98.23	-1.1	-0.7	0	33.5	0.07	100	8261	98.23	32.8
2023-03-02 09:10:00	73.8	0	0	0	279	14.41	19.64	33.3	88.9	98.25	-0.6	-0.4	0	33.4	0.07	100	8268	98.25	33
2023-03-02 09:15:00	88	0	0	0	284	14.92	22.08	33.3	88.4	98.25	-1	-0.6	0	33.5	0.07	100	8270	98.24	33.1
2023-03-02 09:20:00	85	0	0	0	280	11.32	18.14	33.5	87.9	98.25	-0.5	-0.6	0	33.7	0.08	100	8272	98.25	33.1
2023-03-02 09:25:00	89.8	0	0	0	277	11.99	17.63	33.5	87.8	98.25	-0.7	-0.3	0	33.8	0.08	100	8276	98.25	33.2
2023-03-02 09:30:00	98.6	0	0	0	272	15.05	20.92	33.7	87.3	98.25	-0.9	-0.9	0	33.8	0.08	100	8275	98.25	33.2
2023-03-02 09:35:00	101.4	0	0	0	272	13.4	22.73	33.6	87.4	98.25	-0.7	-0.5	0	33.9	0.08	100	8276	98.26	33.3
2023-03-02 09:40:00	87.6	0	0	0	271	16.64	25.08	33.7	87.2	98.26	-1.1	-0.5	0	33.9	0.08	100	8279	98.27	33.3
2023-03-02 09:45:00	84.4	0	0	0	268	14.72	18.54	33.7	87.3	98.27	-0.9	-0.6	0	33.8	0.08	100	8280	98.27	33.3
2023-03-02 09:50:00	76.4	0	0	0	275	16.42	24.29	33.8	86.9	98.29	-0.4	-0.4	0	33.9	0.09	100	8277	98.29	33.3
2023-03-02 09:55:00	75.8	0	0	0	276	19.26	25.32	33.6	87.1	98.29	-0.6	-1	0	33.8	0.08	100	8276	98.28	33.2
2023-03-02 10:00:00	75	0	0	0	278	16.15	23.2	33.5	87.4	98.3	-1.1	-0.8	0	33.7	0.08	100	8279	98.31	33.1
2023-03-02 10:05:00	81.2	0	0	0	282	18.68	25.68	33.6	87.4	98.

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-02 10:15:00	103.4	0	0	0	286	18.12	25.57	33.5	86.6	98.32	-0.9	-0.8	0	33.7	0.09	100	8282	98.33	33.1
2023-03-02 10:20:00	106.8	0	0	0	272	16.64	28.68	33.6	86.8	98.33	-1.4	-0.4	0	33.8	0.09	100	8282	98.33	33.1
2023-03-02 10:25:00	92.2	0	0	0	281	17.92	25.9	33.6	86.6	98.33	-0.6	-0.5	0	33.8	0.09	100	8281	98.32	33.1
2023-03-02 10:30:00	87.2	0	0	0	287	15.88	22.21	33.5	86.4	98.32	-1.2	-0.4	0	33.7	0.09	100	8282	98.32	33
2023-03-02 10:35:00	90.2	0	0	0	274	15.14	20.87	33.5	86.6	98.33	-1	0	0	33.7	0.09	100	8279	98.34	33.1
2023-03-02 10:40:00	104.2	0	0	0	274	17.67	25.88	33.4	86.5	98.32	-1	-0.4	0	33.6	0.09	100	8286	98.33	33.1
2023-03-02 10:45:00	117.6	0	0	0	278	16.17	22.59	33.5	86.1	98.32	-0.7	-0.4	0	33.8	0.09	100	8286	98.32	33.2
2023-03-02 10:50:00	141.6	0	0	0	281	14.85	23.22	33.7	86.1	98.32	-1.1	-0.6	0	33.9	0.09	100	8285	98.33	33.3
2023-03-02 10:55:00	144.4	0	0	0	272	14.47	21.5	33.9	85.3	98.34	-0.7	-0.4	0	34.1	0.1	100	8286	98.34	33.5
2023-03-02 11:00:00	146.6	0	0	0	274	15.32	20	33.9	84.8	98.35	-0.8	-0.6	0	34.3	0.1	100	8290	98.35	33.6
2023-03-02 11:05:00	149.4	0	0	0	278	17.22	27.49	34.1	84.4	98.35	-0.7	-0.6	0	34.3	0.1	100	8289	98.35	33.6
2023-03-02 11:10:00	172.6	0	0	0	282	17.81	22.95	34	84	98.35	-0.7	-0.7	0	34.3	0.11	100	8291	98.35	33.7
2023-03-02 11:15:00	161.8	0	0	0	275	15.05	23	34.1	84	98.36	-0.7	-0.3	0	34.4	0.11	100	8294	98.36	33.8
2023-03-02 11:20:00	179.2	0	0	0	280	16.37	22.28	34.2	83.7	98.36	-0.6	-0.5	0	34.5	0.11	100	8296	98.36	33.9
2023-03-02 11:25:00	203.8	0	0	0	276	16.24	24.72	34.4	83.3	98.36	-0.7	-0.5	0	34.8	0.11	100	8297	98.36	34.1
2023-03-02 11:30:00	211.2	0	0	0	279	15.79	20.85	34.5	82.8	98.36	-0.5	-0.6	0	35	0.12	100	8298	98.37	34.3
2023-03-02 11:35:00	221.6	0	0	0	265	15.21	24.23	34.7	83	98.37	-0.9	-0.4	0	35.1	0.12	100	8301	98.37	34.5
2023-03-02 11:40:00	226.8	0	0	0	268	15.93	26.31	34.8	82	98.37	-0.8	-0.3	0	35.2	0.12	100	8304	98.38	34.6
2023-03-02 11:45:00	216	0	0	0	278	15.64	22.73	35	82.3	98.37	-1	-0.6	0	35.5	0.12	100	8307	98.38	34.7
2023-03-02 11:50:00	225.8	0	0	0	268	13.69	21.97	35.1	81.8	98.38	-0.7	-0.6	0	35.5	0.13	100	8308	98.39	34.9
2023-03-02 11:55:00	207.4	0	0	0	272	13.76	18.5	35.3	82.6	98.39	-0.8	-0.5	0	35.8	0.12	100	8308	98.39	35.1
2023-03-02 12:00:00	213.4	0	0	0	276	14	19.64	35.5	81.5	98.39	-0.5	-0.8	0	35.9	0.13	100	8311	98.39	35.1
2023-03-02 12:05:00	236.4	0	0	0	281	13.18	17.43	35.5	81.4	98.39	-0.6	-0.5	0	36	0.13	100	8314	98.4	35.3
2023-03-02 12:10:00	216.2	0	0	0	282	14.12	20.27	35.7	80.8	98.41	-0.7	-0.5	0	36.1	0.14	100	8315	98.41	35.4
2023-03-02 12:15:00	261.4	0	0	0	274	15.9	21.94	35.7	80.9	98.4	-0.6	-0.3	0	36.3	0.14	100	8320	98.41	35.6
2023-03-02 12:20:00	271.8	0	0	0	274	15.75	20.87	36	80.2	98.4	-0.7	-0.7	0	36.6	0.14	100	8322	98.41	35.8
2023-03-02 12:25:00	263	0	0	0	285	13.4	19.26	36.1	80.3	98.41	-1	-0.4	0	36.7	0.14	100	8324	98.42	36
2023-03-02 12:30:00	268	0	0	0	277	14.56	22.68	36.3	79.9	98.41	-0.6	-0.4	0	36.9	0.15	100	8327	98.41	36.2
2023-03-02 12:35:00	264.6	0	0	0	280	12.75	18.14	36.5	79.3	98.41	-0.6	-0.8	0	37	0.15	100	8326	98.41	36.4
2023-03-02 12:40:00	216.2	0	0	0	286	11.5	14.76	36.6	78.9	98.41	-0.7	-0.4	0	37.2	0.16	100	8328	98.41	36.6
2023-03-02 12:45:00	213	0	0	0	281	12.5	19.46	36.8	78.3	98.43	-0.6	-0.6	0	37.3	0.16	100	8332	98.43	36.8
2023-03-02 12:50:00	226.8	0	0	0	284	15.77	21.32	37	77.9	98.42	-0.5	-0.9	0	37.4	0.16	100	8330	98.42	36.9
2023-03-02 12:55:00	173.4	0	0	0	286	15.23	20.51	36.9	76.7	98.42	-0.8	-0.3	0	37.3	0.17	100	8331	98.42	36.8
2023-03-02 13:00:00	197.6	0	0	0	287	15.05	22.95	36.8	77	98.42	-0.6	-0.5	0	37.2	0.17	100	8333	98.43	36.8
2023-03-02 13:05:00	167	0	0	0	276	17	23.09	36.8	77	98.43	-0.6	-0.4	0	37.1	0.17	100	8332	98.43	36.8
2023-03-02 13:10:00	141	0	0	0	276	13.78	21.16	36.6	77.6	98.43	-0.8	-0.8	0	36.9	0.16	100	8333	98.43	36.6
2023-03-02 13:15:00	139.8	0	0	0	288	12.64	19.04	36.5	77.5	98.43	-0.7	-0.3	0	36.8	0.16	100	8328	98.43	36.6
2023-03-02 13:20:00	150.4	0	0	0	279	15.61	21.18	36.5	77.9	98.43	-0.9	0	0	36.8	0.16	100	8331	98.43	36.6
2023-03-02 13:25:00	141.2	0	0	0	284	14.12	19.17	36.4	77.2	98.43	-0.7	-0.7	0	36.7	0.17	100	8332	98.43	36.5
2023-03-02 13:30:00	145.2	0	0	0	288	15.28	22.3	36.5	77.4	98.44	-0.8	-0.5	0	36.8	0.17	100	8332	98.43	36.5
2023-03-02 13:35:00	147.4	0	0	0	274	15.5	21.94	36.5	77.5	98.43	-1.1	-0.3	0	36.8	0.16	100	8333	98.43	36.5
2023-03-02 13:40:00	140	0	0	0	283	14.2	19.35	36.4	77.5	98.44	-0.7	-0.5	0	36.6	0.16	100	8333	98.43	36.4
2023-03-02 13:45:00	152.8	0	0	0	294	11.97	17.92	36.4	78.1	98.44	-0.9	-0.5	0	36.7	0.16	100	8333	98.43	36.5
2023-03-02 13:50:00	141	0	0	0	292	11.77	18.21	36.4	77.3	98.45	-0.6	-0.7	0	36.7	0.17	100	8333	98.45	36.6
2023-03-02 13:55:00	156.2	0	0	0	287	15.93	22.06	36.6	76.9	98.45	-0.8	-0.4	0	36.9	0.17	100	8333	98.45	36.6
2023-03-02 14:00:00	146.6	0	0	0	293	16.46	26.17	36.7	76.3	98.46	-0.5	-0.5	0	36.9	0.17	100	8336	98.45	36.6
2023-03-02 14:05:00	150.4	0	0	0	291	17.22	25.84	36.6	76	98.46	-0.6	-0.4	0	36.9	0.18	100	8334	98.46	36.6
2023-03-02 14:10:00	162.8	0	0	0	285	15.55	22.7	36.6	75.9	98.46	-1	-0.3	0	37	0.18	100	8336	98.46	36.6
2023-03-02 14:15:00	159.6	0	0	0	287	14.7	21.14	36.6	76.6	98.46	-0.7	-0.6	0	36.9	0.17	100	8339	98.46	36.6
2023-03-02 14:20:00	140.6	0	0	0	290	13.67	22.12	36.6	76.1	98.48	-0.7	-0.4	0	37	0.18	100	8339	98.48	36.7
2023-03-02 14:25:00	134.4	0	0	0	283	14.7	19.95	36.8	76.1	98.49	-0.8	-0.3	0	37.1	0.18	100	8339	98.49	36.7
2023-03-02 14:30:00	130	0	0	0	282	13.69	18.54	36.8	76	98.49	-0.7	-0.6	0	37.1	0.18	100	8336	98.49	36.7
2023-03-02 14:35:00	212.2	0	0	0	282	13.69	20.02	36.8	75.6	98.48	-0.6	-0.5	0	37.2	0.18	100	8340	98.48	36.9
2023-03-02 14:40:00	253.2	0	0	0	281	12.88	23.47	37	75.9	98.49	-0.8	-0.4	0	37.6	0.18	100	8342	98.49	37.2
2023-03-02 14:45:00	202	0	0	0	280	15.99	23.38	37.5	74.5	98.49	-0.5	-0.3	0	38	0.19	100	8342	98.49	37.4
2023-03-02 14:50:00	166	0	0	0	287	15.01	22.88	37.7	73.1	98.51	-0.7	-0.3	0	38	0.21	100	8342	98.51	37.4
2023-03-02 14:55:00	146.6	0	0	0	282	15.17	20.98	37.6	73.3	98.54	-0.8	-0.3	0	37.9	0.2	100	8345	98.53	37.5
2023-03-02 15:00:00	120.6	0	0	0	280	14.76	18.57	37.5	72.7	98.55	-0.6	-0.5	0	37.8	0.21	100	8342	98.55	37.3
2023-03-02 15:05:00	101.4	0	0	0	277	12.95	19.73	37.4	73	98.56	-0.8	-0.6	0	37.7	0.2	100	8342	98.56	37.3
2023-03-02 15:10:00	97.8	0	0	0	290	11.97	17.09	37.4	73.2	98.57	-0.7	-0.5	0	37.6	0.2	100	8342	98.56	37.2
2023-03-02 15:15:00	89	0	0	0	291	12.62	20.58	37.3	72.8	98.58	-0.7	-0.4	0	37.5	0.21	100	8339	98.57	37.2
2023-03-02 15:20:00	79.2	0	0	0	294	14.83	18.48	37.3	72.1	98.59	-0.7	-0.5	0	37.5	0.21	100	8337	98.58	37.2
2023-03-02 15:25:00	83.6	0	0	0	289	12.46	18.32	37.3	72.2	98.59	-0.8	-0.6	0	37.4	0.21	100	8336	98.58	37.1
2023-03-02 15:30:00	124.8	0	0	0	288	12.28	16.91	37.3	73	98.6	-0.8	-0.4	0	37.5	0.2	100	8339	98.59	37.1
2023-03-02 15:35:00	91.6	0	0	0	291	13.49	20.33	37.2	73.1	98.62	-0.8	-0.5	0	37.5	0.2	100	8336	98.61	37.2
2023-03-02 15:40:00	88.4	0	0	0	290	11.59	17.69	37.3	72.9	98.63	-0.7	-0.5	0	37.5	0.2	100	8337	98.63	37.2
2023-03-02 15:45:00	67.6	0	0	0	304	12.64	19.3	37.3	72.9	98.63	-0.7	-0.7	0	37.5	0.2	100	8339	98.62	37.2
2023-03-02 15:50:00	56.6	0	0	0	299	15.17	19.08	37.3	72.5	98.63	-0.6	-0.7	0	37.4	0.21	100	8336	98.62	37.1
2023-03-02 15:55:00	44	0	0	0	306	15.12	20.96	37.2	72.7	98.64	-0.5	-0.5	0	37.3	0.21	100	8333	98.63	37
2023-03-02 16:00:00	39.4	0	0	0	303	14.45	19.22	37.1	72.4	98.66	-0.8	-0.4	0	37.1	0.21	100	8334	98.65	36.9
2023-03-02 16:05:00	46.4	0	0	0	310	13.67	20.54	37.1	73.3	98.66	-0.5	-0.5	0	37.2	0.2	100	8332	98.65	36.8
2023-03-02 16:10:00	45	0	0	0	307	14	18.5	37	73.3	98.67	-0.7	-0.5	0	37.1	0.2	100	8331	98.66	36.8
2023-03-02 16:15:00	42.2	0	0	0	305	14.38	19.62	36.9	72.9	98.68	-0.7	-0.3	0	37	0.2	100	8331	98.67	36.7
2023-03-02 16:20:00	47	0	0	0	306	18.92	25.08	37	72.8	98.68	-0.6	-0.5	0	37.1	0.2	100	8330	98.67	36.6
2023-03-02 16:25:00	50.6	0	0	0	304	15.77	27.4	36.9	72.7	98.69	-0.5	-0.8	0	37	0.2	100	8328	98.69	36.6
2023-03-02 16:30:00	42.4	0	0	0	306	13.91	18.9	36.8	72.6	98.71	-0.7	-0.6	0	36.9	0.2	100	8328	98.7	36.6
2023-03-02 16:35:00	32.6	0	0	0	306	15.32	21.88	36.8	72.7	98.72	-0.9	-0.4	0	37	0.2	100	8325	98.71	36.6
2023-03-02 16:40:00	26.2	0	0	0	301	13.91	18.7	36.9	72.3	98.74	-0.7	-0.4	0	36.9	0.21	100	8324	98.73	36.5
2023-03-02 16:45:00	22.4	0	0	0	297	12.82	17.49	36.8	72.6	98.75	-0.7	-0.6	0	36.9	0.2	100	8325	98.73	36.4
2023-03-02 16:50:00	16.8	0	0	0	303	11.05	17.18	36.8	73	98.75	-0.5	-0.7	0	36.9	0.2	100	8323	98.73	36.4
2023-03-02 16:55:00	13.8	0	0	0	308	11.52	18.7	36.7	73.3	98.75	-0.7	-0.6	0	36.8	0.2	100	8322	98.73	36.3
2023-03-02 17:00:00	14.2	0	0	0	296	14.56	23.87	36.8	72.8	98.75	-0.5	-0.6	0	36.8	0.2	100	8321	98.74	36.2
2023-03-02 17:05:00	14.4	0	0	0	296	11.7	17.83	36.6	72.5	98.76	-0.8	-0.5	0	36.6	0.2	100	8323	98.75	36.2
2023-03-02 17:10:00	11.6	0	0	0	296	10.56	16.91	36.5	72.7	98.77	-0.9	-0.4	0	36.6	0.2	100	8320	98.76	36.1
2023-03-02 17:15:00	9.8	0	0	0	288	10.78	16.6	36.5	73	98.79	-0.6	-0.4	0	36.6	0.2	100	8320	98.78	36.1
2023-03-02 17:20:00	8.2	0	0	0	298	10.27	15.21	36.6	73.4	98.81	-0.7	-0.4	0	36.6	0.2	100	8320	98.79	36
2023-03-02 17:25:00	6.4	0	0	0	306	10.45	16.15	36.5	73.2	98.8	-0.6	-0.7	0	36.6	0.2	100	8320	98.79	36
2023-03-02 17:30:00	7	0	0	0	301	8.59	12.17	36.6	73.4	98.8	-0.6	-0.5	0	36.6	0.2	100	8318	98.78	36
2023-03-02 17:35:00	6	0	0	0	310	11.56	15.08	36.6	73.1	98.79	-0.8	-0.4	0	36.6	0.2	100	8316	98.78	35.9
2023-03-02 17:40:00	4.2	0	0	0	309	7.92	11.61	36.5	73.6	98.81	-0.6	-0.5	0	36.5	0.19	100	8316	98.8	35.9
2023-03-02 17:45:00	2.6	0	0	0	309	8.77	10.6	36.4	73.3	98.82	-0.8	-0.6	0	36.4	0.19	100	8317	98.81	35.8
2023-03-02 17:50:00	1.6	0	0	0	293	10.42	15.59	36.4	73.1	98.84	-0.9	-0.3	0	36.4	0.2	100	8319	98.83	35.7
2023-03-02 17:55:00	1	0	0	0	290	11.61	18.79	36.4	73.7	98.86	-0.6	-0.5	0	36.4	0.19	100	8314	98.84	35.7
2023-03-02 18:00:00	0.2	0	0	0	294	12.55	18.23	36.4	73.9	98.86	-0.8	-0.5	0	36.4	0.19	100	8316	98.84	35.7
2023-03-02 18:05:00	0	0	0	0	294	11.34	16.26	36.4	74.1	98.86	-0.5	-0.4	0	36.4	0.19	100	8314	98.85	35.6
2023-03-02 18:10:00	0	0	0	0	286	8.75	12.75	36.3	74.2	98.87	-0.8	-0.6	0	36.2	0.19	100	8314	98.86	35.3
2023-03-02 18:15:00	0	0	0	0	281	9.89	14.74	36	74.4	98.88	-0.7	-0.4	0	36	0.18	100	8312	98.86	35
2023-03-02 18:20:00	0	0	0	0	289	7.65	11.27	35.8	74.7	98.88	-0.7	-0.5	0	35.8	0.18	100	8312	98.86	34.8
2023-03-02 18:25:00	0	0	0	0	296	5.79	9.01	35.7	75.2	98.88	-0.8	-0.6	0	35.7	0.18	100	8311	98.86	34.8
2023-03-02 18:30:00	0	0	0	0	309	6.35	7.94	35.6	76.1	98.88	-0.7	-0.5	0	35.5	0.17	100	8311	98.87	34.7
2023-03-02 18:35:00	0	0	0	0	312	8.28	11.45	35.5	75.9	98.88	-0.7	-0.5	0	35.5	0.17	100	8311	98.87	34.7
2023-03-02 18:40:00	0	0	0	0	298	9.55	13.56	35.5	76.2	98.88	-1	-0.5	0	35.5	0.17	100	8311	98.86	34.7
2023-03-02 18:45:00	0	0	0	0	311	10.54	15.26	35.7	76.3	98.87	-0.6	-0.6	0	35.7	0.17	100	8309	98.85	34.8
2023-03-02 18:50:00	0	0	0	0	307	9.78	13.6	35.8	76	98.87	-0.8	-0.7	0	35.8	0.17	100	8304	98.86	34.9
2023-03-02 18:55:00	0	0	0	0	303	9.33	12.39	35.8	76	98.89	-0.9	-0.7	0	35.8	0.17	100	8307	98.87	34.9
2023-03-02 19:00:00	0	0	0	0	300	9.17	11.77	35.7	76.8	98.9	-0.6	-0.6	0	35.7	0.16	100	8306	98.89	34.9
2023-03-02 19:05:00	0	0	0	0	295	9.73	13.29	35.7	77.2	98.93	-0.7	-0.6	0	35.7	0.16	100	8307	98.91	34.9
2023-03-02 19:10:00	0	0	0	0	288	10.38	14.03	35.6	77.5	98.93	-0.7	-0.6	0	35.7	0.16	100	8306	98.91	34.9
2023-03-02 19:15:00	0	0	0	0	285	10.76	17.56	35.7	77.7	98.93	-0.9	-0.4	0	35.7	0.16	100	8304	98.92	34.8
2023-03-02 19:20:00	0	0	0	0	297	9.15	13.02	35.5	77.6	98.94	-0.7	-0.5	0	35.6	0.16	100	8307	98.93	34.8
2023-03-02 19:25:00	0	0	0	0	301	9.33	14.7	35.7	77.4	98.95	-0.7	-0.5	0	35.7	0.16	100	8304	98.93	34.8
2023-03-02 19:30:00	0	0	0	0	312	9.69	13.91	35.6	77.3	98.96	-0.7	-0.6	0	35.6	0.16	100	8304	98.95	34.8
2023-03-02 19:35:00	0	0	0	0	313	8.97	12.97	35.6	77.5	98.97	-0.7	-0.5	0	35.6	0.16	100	8301	98.95	34.8
2023-03-02 19:40:00	0	0	0	0	315	9.35	12.46	35.6	77.7	98.96	-0.7	-0.5	0	35.6	0.16	100	8304	98.95	34.8
2023-03-02 19:45:00	0	0	0	0	312	8.95	15.99	35.6	77.4	98.96	-0.7	-0.5	0	35.6	0.16	100	8303	98.94	34.7
2023-03-02 19:50:00	0	0	0	0	304	9.8	13.56	35.6	77.8	98.95	-0.8	-0.5	0	35.6	0.16	100	8300	98.93	34.7
2023-03-02 19:55:00	0	0	0	0	299	9.98	14.29	35.5	77.7	98.93	-0.9	-0.5	0	35.5	0.16	100	8301	98.92	34.7
2023-03-02 20:00:00	0	0	0	0	299	8.41	12.19	35.4	78.3	98.95	-0.7	-0.6	0	35.4	0.15	100	8303	98.94	34.6
2023-03-02 20:05:00	0	0	0	0	310	7.9	11.23	35.3	78.2	98.97	-0.7	-0.5	0	35.3	0.15	100	8301	98.95	34.6
2023-03-02 20:10:00	0	0	0	0	303	8.21	11.88	35.4	78.6	98.97	-0.8	-0.4	0	35.4	0.15	100	8301	98.95	34.5
2023-03-02 20:15:00	0	0	0	0	296	7.81	11.54	35.2	78.2	98.98	-0.8	-0.5	0	35.2	0.15	100	8300	98.97	34.4
2023-03-02 20:20:00	0	0	0	0	299	7.65	11.27	35.2	78.8	98.99	-0.8	-0.5	0	35.2	0.15	100	8300	98.97	34.3
2023-03-02 20:25:00	0	0	0	0	304	7.61	10.65	35.2	79	98.99	-0.9	-0.4	0	35.2	0.15	100	8301	98.98	34.1
2023-03-02 20:30:00	0	0	0	0	296	6.8	9.95	35	78.9	99	-0.9	-0.5	0	35	0.15	100	8298	98.99	34
2023-03-02 20:35:00	0	0	0	0	291	5.53	7.92	35	79.7	99.01	-0.7	-0.5	0	34.9	0.14	100	8298	99	33.9
2023-03-02 20:40:00	0	0	0	0	290	6.06	8.86	34.8	80.1	99.01	-0.8	-0.5	0	34.8	0.14	100	8296	99	33.7
2023-03-02 20:45:00	0	0	0	0	292	5.61	8.66	34.7	80.6	99.02	-0.8	-0.5	0	34.6	0.13	100	8298	99.01	33.5
2023-03-02 20:50:00	0	0	0	0	284	7	8.66	34.5	80.6	99.02	-0.7	-0.5	0	34.4	0.13	100	8297	99.01	33.3
2023-03-02 20:55:00	0	0	0	0	275	6.53	9.64	34.3	81	99.04	-0.7	-0.5	0	34.3	0.13	100	8295	99.03	33.2
2023-03-02 21:00:00	0	0	0	0	278	7.65	12.06	34.3	81.5	99.05	-0.8	-0.5	0	34.3	0.12	100	8295	99.04	33.1
2023-03-02 21:05:00	0	0	0	0	277	6.91	9.71	34.1	81.6	99.05	-0.8	-0.5	0	34.1	0.12	100	8294	99.04	32.9
2023-03-02 21:10:00	0	0	0	0	271	6.33	7.72	34	81.9	99.06	-0.9	-0.5	0	34	0.12	100	8295	99.04	32.7
2023-03-02 21:15:00	0	0	0	0	271	6.26	8.03	33.8	82.5	99.05	-0.9	-0.5	0	33.8	0.11	100	8292	99.04	32.6
2023-03-02 21:20:00	0	0	0	0	287	6.38	8.03	33.6	82.9	99.05	-1	-0.5	0	33.5	0.11	100	8294	99.03	32.4
2023-03-02 21:25:00	0	0	0	0	285	5.41	6.62	33.4	83.1	99.05	-

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-02 21:40:00	0	0	0	0	273	6.26	7.63	33	85	99.04	-0.8	-0.5	0	33	0.1	100	8292	99.02	31.7
2023-03-02 21:45:00	0	0	0	0	276	5.35	6.87	33	84.7	99.03	-0.8	-0.4	0	33	0.1	100	8290	99.01	31.6
2023-03-02 21:50:00	0	0	0	0	272	5.19	6.04	32.8	85.3	99.03	-0.8	-0.4	0	32.8	0.09	100	8290	99.02	31.4
2023-03-02 21:55:00	0	0	0	0	271	5.88	7.38	32.7	85.7	99.03	-0.9	-0.4	0	32.7	0.09	100	8287	99.01	31.3
2023-03-02 22:00:00	0	0	0	0	277	6.11	7.52	32.6	85.8	99.02	-0.8	-0.4	0	32.6	0.09	100	8290	99.01	31.3
2023-03-02 22:05:00	0	0	0	0	282	5.48	6.71	32.6	86	99.02	-0.8	-0.5	0	32.6	0.09	100	8289	99.01	31.1
2023-03-02 22:10:00	0	0	0	0	288	5.17	6.42	32.4	85.7	99.03	-0.9	-0.6	0	32.4	0.09	100	8289	99.01	30.9
2023-03-02 22:15:00	0	0	0	0	308	5.14	6.06	32.3	86.1	99.02	-0.9	-0.5	0	32.3	0.09	100	8287	99	30.6
2023-03-02 22:20:00	0	0	0	0	316	6.08	7.45	32.2	86.1	99.01	-0.9	-0.3	0	32.2	0.09	100	8286	98.99	30.4
2023-03-02 22:25:00	0	0	0	0	321	6.69	8.97	32.1	86.7	99.01	-0.9	-0.5	0	32.1	0.08	100	8286	99	30.3
2023-03-02 22:30:00	0	0	0	0	312	6.96	9.37	32	86.6	99.02	-0.8	-0.5	0	32	0.08	100	8286	99.01	30.2
2023-03-02 22:35:00	0	0	0	0	294	6.62	8.55	32.2	87.7	99.03	-0.9	-0.4	0	32.2	0.08	100	8286	99.01	30.2
2023-03-02 22:40:00	0	0	0	0	293	6.55	7.87	32.1	87.8	99.03	-0.9	-0.4	0	32.1	0.07	100	8287	99.02	30.2
2023-03-02 22:45:00	0	0	0	0	286	6.08	7.92	32	87.9	99.03	-0.9	-0.4	0	32	0.07	100	8286	99.02	30.2
2023-03-02 22:50:00	0	0	0	0	257	5.19	6.69	31.9	87.7	99.03	-0.9	-0.5	0	31.9	0.08	100	8285	99.02	30.1
2023-03-02 22:55:00	0	0	0	0	232	5.93	7.14	31.8	88.2	99.04	-0.9	-0.5	0	31.8	0.07	100	8283	99.03	29.9
2023-03-02 23:00:00	0	0	0	0	248	5.64	7.85	31.6	88.3	99.04	-0.8	-0.4	0	31.6	0.07	100	8286	99.03	29.8
2023-03-02 23:05:00	0	0	0	0	255	6.44	9.31	31.5	88.4	99.05	-0.9	-0.4	0	31.5	0.07	100	8282	99.04	29.8
2023-03-02 23:10:00	0	0	0	0	255	7.45	10.42	31.5	88.4	99.05	-1	-0.5	0	31.5	0.07	100	8282	99.03	29.8
2023-03-02 23:15:00	0	0	0	0	256	6.69	9.64	31.5	88.7	99.05	-0.9	-0.4	0	31.5	0.07	100	8282	99.03	29.8
2023-03-02 23:20:00	0	0	0	0	262	6.29	8.3	31.6	89.3	99.04	-0.8	-0.6	0	31.5	0.06	100	8280	99.03	29.7
2023-03-02 23:25:00	0	0	0	0	256	7.38	9.53	31.4	88.8	99.05	-0.9	-0.4	0	31.4	0.07	100	8282	99.03	29.6
2023-03-02 23:30:00	0	0	0	0	257	7.58	10.74	31.3	89.2	99.04	-0.8	-0.5	0	31.3	0.06	100	8281	99.03	29.6
2023-03-02 23:35:00	0	0	0	0	262	7.34	9.33	31.2	89.7	99.04	-0.9	-0.5	0	31.2	0.06	100	8282	99.03	29.5
2023-03-02 23:40:00	0	0	0	0	248	7.07	9.37	31.1	90.1	99.05	-0.9	-0.5	0	31.1	0.06	100	8281	99.04	29.4
2023-03-02 23:45:00	0	0	0	0	242	7.47	10.42	31	90.4	99.05	-0.8	-0.5	0	31	0.06	100	8282	99.04	29.3
2023-03-02 23:50:00	0	0	0	0	244	6.93	8.86	31	90.4	99.05	-0.9	-0.6	0	31	0.06	100	8278	99.04	29.3
2023-03-02 23:55:00	0	0	0	0	251	7.09	10.16	31	90.4	99.06	-0.8	-0.5	0	31	0.06	100	8278	99.05	29.3
2023-03-03 00:00:00	0	0	0	0	251	7.29	10.89	31	90.4	99.07	-1	-0.5	0	31	0.06	100	8279	99.06	29.2
2023-03-03 00:05:00	0	0	0	0	245	7.23	9.01	30.9	89.9	99.06	-0.9	-0.5	0	30.9	0.06	100	8251	99.05	29.3
2023-03-03 00:10:00	0	0	0	0	250	6.87	9.51	30.8	90	99.06	-0.7	-0.4	0	30.8	0.06	100	8241	99.06	29.5
2023-03-03 00:15:00	0	0	0	0	254	7.02	10.98	30.8	90.3	99.06	-0.8	-0.5	0	30.8	0.06	100	8235	99.06	29.6
2023-03-03 00:20:00	0	0	0	0	263	7.49	10.2	30.7	89.9	99.07	-0.9	-0.5	0	30.8	0.06	100	8251	99.06	29.4
2023-03-03 00:25:00	0	0	0	0	266	7.2	9.62	30.5	89.9	99.07	-0.8	-0.7	0	30.5	0.06	100	8253	99.07	29
2023-03-03 00:30:00	0	0	0	0	264	6.96	9.57	30.2	90	99.08	-0.9	-0.4	0	30.2	0.06	100	8256	99.07	28.7
2023-03-03 00:35:00	0	0	0	0	261	7.38	9.86	30.1	90.4	99.09	-0.9	-0.4	0	30.1	0.05	100	8252	99.08	28.6
2023-03-03 00:40:00	0	0	0	0	259	7.43	9.33	30.1	90.9	99.09	-0.9	-0.6	0	30.1	0.05	100	8255	99.09	28.5
2023-03-03 00:45:00	0	0	0	0	260	6.24	8.86	30	91.6	99.1	-0.9	-0.4	0	30	0.05	100	8258	99.09	28.4
2023-03-03 00:50:00	0	0	0	0	261	6.35	8.19	30	91.5	99.11	-0.8	-0.4	0	30	0.05	100	8254	99.1	28.3
2023-03-03 00:55:00	0	0	0	0	252	6.49	8.46	29.9	91.7	99.11	-0.9	-0.5	0	29.9	0.05	100	8256	99.1	28.2
2023-03-03 01:00:00	0	0	0	0	231	6.98	8.7	29.9	91.7	99.1	-0.8	-0.4	0	29.8	0.05	100	8255	99.09	28.1
2023-03-03 01:05:00	0	0	0	0	229	6.91	9.13	29.8	92.2	99.11	-1	-0.5	0	29.8	0.04	100	8258	99.1	28.1
2023-03-03 01:10:00	0	0	0	0	236	6.6	8.81	29.9	91.9	99.1	-0.9	-0.5	0	29.9	0.05	100	8257	99.09	28.1
2023-03-03 01:15:00	0	0	0	0	230	7.65	11.01	29.9	92.6	99.11	-0.9	-0.4	0	29.9	0.04	100	8254	99.11	28.1
2023-03-03 01:20:00	0	0	0	0	227	7.94	10.33	29.9	92.5	99.12	-1	-0.4	0	29.9	0.04	100	8254	99.11	28.2
2023-03-03 01:25:00	0	0	0	0	226	7.76	9.48	29.8	92.9	99.11	-0.9	-0.5	0	29.9	0.04	100	8256	99.11	28.2
2023-03-03 01:30:00	0	0	0	0	247	6.06	8.39	29.9	92.8	99.12	-0.9	-0.5	0	29.9	0.04	100	8255	99.12	28.2
2023-03-03 01:35:00	0	0	0	0	265	5.55	8.34	30	92.7	99.11	-1	-0.4	0	30	0.04	100	8255	99.1	28.4
2023-03-03 01:40:00	0	0	0	0	269	5.32	6.51	30.1	92.7	99.1	-1	-0.4	0	30.1	0.04	100	8257	99.09	28.6
2023-03-03 01:45:00	0	0	0	0	269	4.99	6.38	30.1	92.5	99.09	-0.9	-0.5	0	30.1	0.04	100	8254	99.09	28.7
2023-03-03 01:50:00	0	0	0	0	259	5.73	8.03	30.2	92.8	99.1	-1	-0.5	0	30.2	0.04	100	8254	99.09	28.5
2023-03-03 01:55:00	0	0	0	0	253	5.17	7.83	30.2	93.1	99.1	-0.9	-0.5	0	30.2	0.04	100	8254	99.09	28.4
2023-03-03 02:00:00	0	0	0	0	254	5.1	8.19	29.9	92.5	99.11	-0.9	-0.5	0	29.9	0.04	100	8257	99.1	28.2
2023-03-03 02:05:00	0	0	0	0	261	5.39	7.54	29.9	93.2	99.11	-0.9	-0.5	0	29.9	0.04	100	8252	99.09	28.1
2023-03-03 02:10:00	0	0	0	0	277	4.63	6.31	29.8	92.9	99.1	-0.9	-0.4	0	29.8	0.04	100	8250	99.09	28.3
2023-03-03 02:15:00	0	0	0	0	296	3.71	4.61	29.8	93.2	99.12	-0.8	-0.5	0	29.8	0.04	100	8251	99.11	28.4
2023-03-03 02:20:00	0	0	0	0	271	3.44	5.95	29.7	93.3	99.12	-0.9	-0.5	0	29.7	0.04	100	8250	99.12	28.4
2023-03-03 02:25:00	0	0	0	0	307	4.41	5.64	29.7	93.1	99.13	-1	-0.5	0	29.7	0.04	100	8250	99.13	28.2
2023-03-03 02:30:00	0	0	0	0	281	3.87	5.86	29.6	93.3	99.14	-0.9	-0.5	0	29.5	0.04	100	8250	99.13	28
2023-03-03 02:35:00	0	0	0	0	281	4.09	4.9	29.4	93.3	99.12	-0.9	-0.4	0	29.4	0.04	100	8251	99.12	27.8
2023-03-03 02:40:00	0	0	0	0	285	3.87	4.81	29.3	93.4	99.12	-0.9	-0.5	0	29.3	0.04	100	8249	99.12	27.6
2023-03-03 02:45:00	0	0	0	0	284	5.12	6.11	29.2	93.7	99.13	-1	-0.6	0	29.2	0.03	100	8251	99.12	27.4
2023-03-03 02:50:00	0	0	0	0	277	4.56	5.55	29.1	94.3	99.13	-1.1	-0.4	0	29.1	0.03	100	8249	99.13	27.3
2023-03-03 02:55:00	0	0	0	0	284	3.74	5.23	28.9	94.5	99.13	-0.8	-0.3	0	29	0.03	100	8248	99.12	27.2
2023-03-03 03:00:00	0	0	0	0	268	3.24	4.61	29	94.8	99.14	-0.9	-0.4	0	29	0.03	100	8251	99.13	27
2023-03-03 03:05:00	0	0	0	0	260	4.16	4.94	28.9	95.4	99.14	-1	-0.4	0	28.9	0.02	100	8248	99.14	26.9
2023-03-03 03:10:00	0	0	0	0	271	4.63	6.08	28.9	95.9	99.15	-1	-0.5	0	28.9	0.02	100	8249	99.14	27
2023-03-03 03:15:00	0	0	0	0	300	2.75	4.07	28.9	96	99.14	-1	-0.5	0	28.9	0.02	100	8248	99.13	26.9
2023-03-03 03:20:00	0	0	0	0	330	2.15	2.44	28.8	95.2	99.11	-1	-0.5	0	28.8	0.03	100	8248	99.1	26.6
2023-03-03 03:25:00	0	0	0	0	336	2.62	3.2	28.6	95.9	99.09	-0.9	-0.5	0	28.6	0.02	100	8246	99.09	26.3
2023-03-03 03:30:00	0	0	0	0	289	1.59	2.26	28.4	95.9	99.1	-1.1	-0.5	0	28.4	0.02	100	8248	99.1	26
2023-03-03 03:35:00	0	0	0	0	256	1.95	3.15	28	96.2	99.12	-0.9	-0.4	0	28	0.02	100	8245	99.11	25.8
2023-03-03 03:40:00	0	0	0	0	172	1.07	2.95	28.1	96.4	99.12	-1	-0.3	0	28.1	0.02	100	8247	99.11	25.9
2023-03-03 03:45:00	0	0	0	0	255	1.63	2.55	28.1	96.4	99.13	-1	-0.6	0	28.1	0.02	100	8244	99.13	26
2023-03-03 03:50:00	0	0	0	0	282	3.31	3.83	28.1	97.9	99.14	-1.1	-0.4	0	28.1	0.01	100	8246	99.14	26.2
2023-03-03 03:55:00	0	0	0	0	286	3.33	3.8	28.1	97.3	99.16	-0.9	-0.4	0	28.1	0.01	100	8246	99.17	26.3
2023-03-03 04:00:00	0	0	0	0	292	3.18	3.74	28.2	97.5	99.18	-1.1	-0.5	0	28.2	0.01	100	8245	99.18	26.3
2023-03-03 04:05:00	0	0	0	0	292	2.75	3.06	28.3	97.1	99.19	-1.1	-0.4	0	28.3	0.02	100	8243	99.19	26.4
2023-03-03 04:10:00	0	0	0	0	289	2.42	2.68	28.3	96.9	99.19	-1.1	-0.4	0	28.3	0.02	100	8244	99.18	26.5
2023-03-03 04:15:00	0	0	0	0	272	1.36	2.42	28.2	97.4	99.18	-0.9	-0.4	0	28.2	0.01	100	8244	99.18	26.3
2023-03-03 04:20:00	0	0	0	0	277	0.63	1.14	28.1	97.5	99.18	-1	-0.4	0	28.1	0.01	100	8244	99.18	25.9
2023-03-03 04:25:00	0	0	0	0	8	2.44	6.8	27.9	97.3	99.2	-1	-0.5	0	27.9	0.01	100	8244	99.2	25.6
2023-03-03 04:30:00	0	0	0	0	52	5.86	10.78	27.8	97.2	99.22	-1	-0.4	0	27.8	0.01	100	8242	99.22	25.6
2023-03-03 04:35:00	0	0	0	0	59	5.03	8.34	27.8	97.4	99.23	-1.1	-0.4	0	27.8	0.01	100	8243	99.22	25.7
2023-03-03 04:40:00	0	0	0	0	60	5.95	9.06	27.8	97.3	99.23	-1	-0.4	0	27.7	0.01	100	8244	99.23	25.7
2023-03-03 04:45:00	0	0	0	0	69	5.77	8.08	27.7	96.3	99.22	-1	-0.5	0	27.7	0.02	100	8243	99.21	25.6
2023-03-03 04:50:00	0	0	0	0	74	6.55	8.23	27.7	95.6	99.21	-1	-0.4	0	27.7	0.02	100	8241	99.2	25.5
2023-03-03 04:55:00	0	0	0	0	79	6.51	9.48	27.6	96.1	99.21	-0.9	-0.4	0	27.6	0.02	100	8241	99.21	25.5
2023-03-03 05:00:00	0	0	0	0	78	6.53	9.44	27.7	95.2	99.23	-1	-0.5	0	27.7	0.02	100	8242	99.22	25.5
2023-03-03 05:05:00	0	0	0	0	81	7.25	9.73	27.7	94.7	99.22	-1	-0.5	0	27.7	0.03	100	8240	99.22	25.5
2023-03-03 05:10:00	0	0	0	0	81	7.16	10.02	27.7	93.9	99.21	-0.9	-0.4	0	27.7	0.03	100	8241	99.21	25.5
2023-03-03 05:15:00	0	0	0	0	75	7.14	10.4	27.6	94.1	99.22	-1	-0.4	0	27.6	0.03	100	8241	99.21	25.5
2023-03-03 05:20:00	0	0	0	0	79	7.27	9.8	27.6	94	99.22	-1.1	-0.4	0	27.6	0.03	100	8241	99.21	25.4
2023-03-03 05:25:00	0	0	0	0	79	7.05	9.75	27.5	93.2	99.22	-1	-0.4	0	27.5	0.03	100	8240	99.21	25.4
2023-03-03 05:30:00	0	0	0	0	76	7.02	8.84	27.4	93.5	99.21	-1.1	-0.4	0	27.4	0.03	100	8241	99.2	25.4
2023-03-03 05:35:00	0	0	0	0	79	7	11.79	27.4	93	99.2	-1.1	-0.5	0	27.3	0.04	100	8238	99.2	25.4
2023-03-03 05:40:00	0	0	0	0	81	7.9	9.89	27.3	93.2	99.2	-1.1	-0.4	0	27.3	0.03	100	8238	99.2	25.3
2023-03-03 05:45:00	0	0	0	0	87	8.3	10.42	27.3	92.1	99.2	-1.1	-0.4	0	27.3	0.04	100	8239	99.2	25.2
2023-03-03 05:50:00	0	0	0	0	82	8.48	10.78	27.4	91	99.21	-0.9	-0.4	0	27.4	0.05	100	8237	99.2	25.2
2023-03-03 05:55:00	0	0	0	0	73	7.09	11.34	27.3	91.1	99.2	-1	-0.4	0	27.3	0.04	100	8238	99.2	25.1
2023-03-03 06:00:00	0	0	0	0	66	7.18	10.45	27.2	91.1	99.19	-0.9	-0.4	0	27.2	0.04	100	8240	99.19	25.1
2023-03-03 06:05:00	0	0	0	0	54	7.29	11.32	27.1	90.5	99.19	-1	-0.4	0	27.1	0.05	100	8237	99.19	24.9
2023-03-03 06:10:00	0	0	0	0	65	8.39	12.35	27	90.5	99.18	-1	-0.4	0	27	0.05	100	8236	99.18	24.8
2023-03-03 06:15:00	0	0	0	0	67	7.83	11.27	27	90.5	99.17	-1.1	-0.4	0	27	0.05	100	8237	99.17	24.7
2023-03-03 06:20:00	0.8	0	0	0	70	7.4	11.63	26.9	90.3	99.18	-1.1	-0.5	0	26.9	0.05	100	8236	99.17	24.7
2023-03-03 06:25:00	2.4	0	0	0	81	8.77	11.65	26.9	89.3	99.19	-1	-0.4	0	26.9	0.05	100	8236	99.19	24.8
2023-03-03 06:30:00	2.6	0	0	0	80	9.24	12.8	27	88.9	99.19	-1.2	-0.5	0	27	0.06	100	8235	99.19	24.9
2023-03-03 06:35:00	3.2	0	0	0	84	9.13	12.03	27.1	88.9	99.19	-1	-0.4	0	27.1	0.06	100	8235	99.19	25
2023-03-03 06:40:00	6.6	0	0	0	87	9.64	12.8	27.1	87.8	99.21	-1	-0.5	0	27.1	0.06	100	8237	99.21	25.1
2023-03-03 06:45:00	18.2	0	0	0	83	8.79	10.87	27.3	87.3	99.22	-1.1	-0.4	0	27.4	0.06	100	8237	99.22	25.2
2023-03-03 06:50:00	22.6	0	0	0	84	8.28	10.78	27.7	87.4	99.22	-1	-0.5	0	27.8	0.06	100	8235	99.22	25.3
2023-03-03 06:55:00	33	0	0	0	84	9.37	11.97	27.7	87.8	99.22	-1.1	-0.3	0	27.8	0.06	100	8242	99.21	25.5
2023-03-03 07:00:00	33.2	0	0	0	85	10.56	14.99	27.8	86.7	99.22	-1	-0.5	0	27.9	0.07	100	8242	99.21	25.8
2023-03-03 07:05:00	39.8	0	0	0	95	9.42	13.06	27.9	86.9	99.22	-1	-0.3	0	28	0.07	100	8243	99.22	26
2023-03-03 07:10:00	63.4	0	0	0	86	9.6	13.27	28	86.8	99.21	-1	-0.4	0	28.1	0.07	100	8248	99.21	26
2023-03-03 07:15:00	87.8	0	0	0	82	9.1	11.86	28.2	85.9	99.19	-1	-0.5	0	28.5	0.07	100	8253	99.2	26.1
2023-03-03 07:20:00	74.2	0	0	0	81	9.22	12.53	28.4	83.8	99.19	-1	-0.5	0	28.6	0.09	100	8252	99.19	26.3
2023-03-03 07:25:00	90.4	0	0	0	83	9.51	12.8	28.4	83.4	99.2	-0.9	-0.4	0	28.7	0.09	100	8260	99.2	26.4
2023-03-03 07:30:00	68.8	0	0	0	88	9.64	15.37	28.4	81.4	99.22	-1	-0.4	0	28.7	0.1	100	8262	99.22	26.5
2023-03-03 07:35:00	84	0	0	0	93	10.18	13.31	28.4	81.5	99.23	-1	-0.3	0	28.6	0.1	100	8261	99.24	26.7
2023-03-03 07:40:00	113.6	0	0	0	90	9.1	11.99	28.6	80.8	99.23	-1	-0.5	0	28.9	0.1	100	8267	99.24	26.8
2023-03-03 07:45:00	125.4	0	0	0	91	8.84	10.85	28.9	80.2	99.25	-1	-0.4	0	29.3	0.11	100	8274	99.26	27
2023-03-03 07:50:00	110.6	0	0	0	98	7.87	10.65	28.9	79.7	99.25	-0.9	-0.5	0	29.3	0.11	100	8272	99.26	27.3
2023-03-03 07:55:00	120.8	0	0	0	79	7.72	9.82	28.9	79.9	99.26	-0.8	-0.5	0	29.2	0.11	100	8276	99.26	27.5
2023-03-03 08:00:00	147.6	0	0	0	80	6.44	8.59	29	79.8	99.26	-1	-0.3	0	29.4	0.11	100	8284	99.26	27.6
2023-03-03 08:05:00	153.6	0	0	0	78	6.51	8.79	29.3	79.1	99.25	-0.9	-0.4	0	29.8	0.11	100	8286	99.26	27.9
2023-03-03 08:10:00	162.4	0	0	0	62	6.89	9.71	29.7	78.1	99.25	-0.9	-0.4	0	30.1	0.12	100	8295	99.26	28.1
2023-03-03 08:15:00	169	0	0	0	71	7.9	10.58	29.8	77.8	99.25	-0.9	-0.4	0	30.3	0.12	100	8299	99.26	28.4
2023-03-03 08:20:00	168.8	0	0	0	68	7.7	10.98	29.9	77	99.26	-0.9	-0.4	0	30.4	0.13	100	8301	99.26	28.7
2023-03-03 08:25:00	179.4	0	0	0	64	7.58	11.5	29.9	76.8	99.26	-1.1	-0.5	0	30.4	0.13	100	8307	99.27	28.9
2023-03-03 08:30:00	189	0	0	0	70	6.82	11.45	29.9	77.2	99.26	-0.9	-0.5	0	30.5	0.13	100	8310	99.27	29.1
2023-03-03 08:35:00	192.4	0	0	0	81	7.63	10.45	30.2	76.8	99.26	-0.9	-0.5	0	30.8	0.13	100	8311	99.27	29.4
2023-03-03 08:40:00	208.4	0	0	0	78	7.76	10.11	30.2	76.1	99.27	-0.9	-0.4	0	30.8	0.14	100	8316	99.27	29.6
2023-03-03 08:45:00	238.6	0	0	0	67	7.54	11.1	30.4	76.1	99.26	-1	-0.5	0	31.1	0.14	100	8326	99.29	29.8
2023-03-03 08:50:00	240	0	0	0	73	6.73	8.48	30.8	75.7	99.27	-1	-0.6	0	31.5	0.14	100	8329	99.29	30.2
2023-03-03 08:55:00	257.2	0	0	0	71	6.44	10.56	31.1	75.1	99.28	-0.8	-0.5	0	31.8	0.15	100	8336	99.3	30.5
2023-

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-03 09:05:00	304.2	0	0	0	70	6.13	8.28	32	74.7	99.3	-0.8	-0.4	0	33	0.15	100	8351	99.33	31.5
2023-03-03 09:10:00	318.2	0	0	0	92	6.98	9.86	32.5	73.9	99.33	-0.8	-0.5	0	33.5	0.16	100	8355	99.35	32
2023-03-03 09:15:00	292	0	0	0	104	7.54	9.31	32.8	71.7	99.35	-0.8	-0.5	0	33.7	0.18	100	8360	99.36	32.3
2023-03-03 09:20:00	294	0	0	0	103	5.86	8.97	32.8	72.3	99.35	-0.8	-0.4	0	33.7	0.17	100	8364	99.37	32.5
2023-03-03 09:25:00	306.8	0	0	0	115	7.52	10.11	33	72.2	99.37	-0.8	-0.6	0	33.9	0.18	100	8368	99.38	32.7
2023-03-03 09:30:00	306.2	0	0	0	111	6.4	9.48	33.1	72	99.37	-0.8	-0.5	0	34.1	0.18	100	8374	99.38	32.8
2023-03-03 09:35:00	333.4	0	0	0	105	5.68	7.81	33.2	71.7	99.36	-0.7	-0.5	0	34.3	0.18	100	8380	99.38	33.1
2023-03-03 09:40:00	346	0	0	0	150	6.31	8.99	33.7	72.3	99.36	-0.7	-0.6	0	34.8	0.18	100	8384	99.38	33.4
2023-03-03 09:45:00	338.8	0	0	0	123	5.73	7.96	33.9	72	99.36	-0.7	-0.5	0	35.1	0.18	100	8388	99.38	33.6
2023-03-03 09:50:00	338.6	0	0	0	110	6.2	9.24	34.2	72	99.36	-0.9	-0.4	0	35.3	0.19	100	8392	99.36	33.9
2023-03-03 09:55:00	312.4	0	0	0	97	7.43	9.33	34.4	71.3	99.32	-0.7	-0.4	0	35.4	0.19	100	8393	99.33	34.2
2023-03-03 10:00:00	322.4	0	0	0	112	7.09	11.54	34.5	71.7	99.3	-0.8	-0.4	0	35.5	0.19	100	8399	99.3	34.4
2023-03-03 10:05:00	307	0	0	0	100	8.16	10.38	34.6	71.4	99.29	-0.8	-0.4	0	35.5	0.19	100	8397	99.3	34.6
2023-03-03 10:10:00	323.2	0	0	0	106	9.75	12.19	34.6	71.3	99.29	-0.9	-0.4	0	35.5	0.19	100	8401	99.3	34.7
2023-03-03 10:15:00	320.8	0	0	0	110	7.14	11.45	34.6	71.6	99.29	-0.8	-0.6	0	35.6	0.19	100	8403	99.29	34.7
2023-03-03 10:20:00	308.6	0	0	0	102	8.37	11.83	34.7	71.8	99.27	-1.1	-0.4	0	35.6	0.19	100	8407	99.27	34.8
2023-03-03 10:25:00	313.6	0	0	0	88	7.96	11.83	34.7	72	99.25	-0.7	-0.4	0	35.6	0.19	100	8407	99.26	35
2023-03-03 10:30:00	322.2	0	0	0	87	8.43	11.05	34.9	72.5	99.24	-0.7	-0.4	0	35.7	0.19	100	8411	99.25	35.1
2023-03-03 10:35:00	320	0	0	0	97	8.16	12.82	35	72.4	99.24	-0.8	-0.5	0	35.9	0.19	100	8412	99.25	35.3
2023-03-03 10:40:00	324.6	0	0	0	101	10.78	13.8	35.1	71.3	99.22	-0.7	-0.4	0	35.9	0.2	100	8412	99.23	35.4
2023-03-03 10:45:00	333	0	0	0	106	9.89	12.66	35.2	71.9	99.22	-0.7	-0.5	0	36.1	0.2	100	8415	99.23	35.5
2023-03-03 10:50:00	346	0	0	0	110	10.76	13.56	35.3	72.1	99.22	-0.9	-0.3	0	36.2	0.19	100	8418	99.23	35.6
2023-03-03 10:55:00	345	0	0	0	117	11.63	14.12	35.7	72	99.21	-0.7	-0.5	0	36.5	0.2	100	8422	99.22	35.7
2023-03-03 11:00:00	329.8	0	0	0	119	11.43	15.01	35.8	71.8	99.21	-0.7	-0.5	0	36.6	0.2	100	8422	99.22	35.7
2023-03-03 11:05:00	323.6	0	0	0	107	10.38	15.03	35.7	71.8	99.22	-0.6	-0.5	0	36.5	0.2	100	8424	99.23	35.8
2023-03-03 11:10:00	325.2	0	0	0	110	11.65	16.62	35.8	71.7	99.21	-0.6	-0.7	0	36.6	0.2	100	8425	99.21	35.9
2023-03-03 11:15:00	344.2	0	0	0	108	13.35	20.02	35.9	71.3	99.2	-0.7	-0.6	0	36.7	0.2	100	8431	99.21	36
2023-03-03 11:20:00	365.2	0	0	0	115	12.46	17.4	36.2	71	99.2	-0.7	-0.6	0	37	0.21	100	8432	99.21	36.2
2023-03-03 11:25:00	381.6	0	0	0	105	8.99	13.11	36.4	71.3	99.2	-0.8	-0.5	0	37.4	0.21	100	8434	99.21	36.5
2023-03-03 11:30:00	383.8	0	0	0	110	12.06	15.84	37	71.1	99.2	-0.6	-0.4	0	37.8	0.21	100	8435	99.21	36.8
2023-03-03 11:35:00	372.4	0	0	0	114	12.15	17.78	37.1	70.2	99.19	-0.7	-0.5	0	38	0.22	100	8440	99.2	37
2023-03-03 11:40:00	329.6	0	0	0	102	12.93	16.78	37.3	70.1	99.19	-0.5	-0.6	0	38	0.23	100	8439	99.2	37.1
2023-03-03 11:45:00	294.8	0	0	0	115	15.5	19.64	37.2	69.6	99.18	-0.9	0	0	37.9	0.23	100	8439	99.19	37.2
2023-03-03 11:50:00	312.2	0	0	0	123	13.67	18.23	37.1	70.6	99.19	-0.5	-0.7	0	37.8	0.22	100	8440	99.2	37.2
2023-03-03 11:55:00	312.6	0	0	0	117	14.85	20.54	37.3	70.1	99.18	-0.7	-0.4	0	37.9	0.23	100	8443	99.19	37.3
2023-03-03 12:00:00	325.4	0	0	0	103	14.58	19.24	37.4	70.5	99.18	-0.5	-0.6	0	38.1	0.22	100	8445	99.18	37.4
2023-03-03 12:05:00	333.2	0	0	0	103	15.28	19.93	37.7	70.5	99.18	-0.5	-0.6	0	38.4	0.23	100	8447	99.18	37.7
2023-03-03 12:10:00	328.8	0	0	0	102	13.82	18.59	37.9	70.1	99.16	-0.6	-0.6	0	38.6	0.23	100	8447	99.15	37.9
2023-03-03 12:15:00	321.2	0	0	0	107	15.97	22.82	38	69.6	99.14	-0.4	-0.7	0	38.7	0.24	100	8448	99.15	38
2023-03-03 12:20:00	317.6	0	0	0	110	16.06	20.71	38.2	69.6	99.13	-0.7	-0.5	0	38.8	0.24	100	8450	99.13	38.1
2023-03-03 12:25:00	318.4	0	0	0	106	17.22	23.31	38.2	69.3	99.11	-0.4	-0.4	0	38.8	0.24	100	8451	99.11	38.2
2023-03-03 12:30:00	319.6	0	0	0	107	17.31	22.01	38.3	69.8	99.1	-0.5	-0.4	0	38.9	0.24	100	8453	99.1	38.3
2023-03-03 12:35:00	306.6	0	0	0	112	18.12	25.7	38.4	69.3	99.09	-0.8	-0.9	0	39	0.24	100	8451	99.1	38.4
2023-03-03 12:40:00	319	0	0	0	116	18.86	25.57	38.4	69.7	99.08	-0.6	-0.4	0	39	0.24	100	8453	99.09	38.4
2023-03-03 12:45:00	325.4	0	0	0	122	17.18	22.77	38.5	69.3	99.07	-0.3	-0.7	0	39.1	0.24	100	8456	99.08	38.5
2023-03-03 12:50:00	340	0	0	0	108	16.2	21.5	38.7	69.1	99.07	-0.7	-0.4	0	39.4	0.25	100	8456	99.06	38.7
2023-03-03 12:55:00	345.2	0	0	0	114	17.74	25.28	38.8	68.3	99.04	-0.6	-0.7	0	39.5	0.25	100	8456	99.05	38.8
2023-03-03 13:00:00	348.2	0	0	0	104	16.42	19.42	39	68.4	99.04	-0.7	-1	0	39.7	0.26	100	8461	99.03	39
2023-03-03 13:05:00	355	0	0	0	116	15.28	20.47	39.3	68.7	99.01	-0.4	-0.5	0	40	0.26	100	8459	99.01	39.2
2023-03-03 13:10:00	335.6	0	0	0	108	16.46	20.33	39.5	68.3	98.97	-0.5	-0.8	0	40.2	0.26	100	8460	98.97	39.4
2023-03-03 13:15:00	332.8	0	0	0	123	20.4	25.05	39.6	67.1	98.94	-0.7	-0.6	0	40.2	0.27	100	8462	98.95	39.4
2023-03-03 13:20:00	323.6	0	0	0	122	19.95	25.81	39.6	67.2	98.91	-0.5	-0.4	0	40.1	0.27	100	8463	98.93	39.4
2023-03-03 13:25:00	311.2	0	0	0	111	16.62	23.09	39.6	66.5	98.9	-0.4	-0.6	0	40.1	0.28	100	8464	98.9	39.5
2023-03-03 13:30:00	300.4	0	0	0	103	20.38	25.43	39.6	66.3	98.87	-0.3	-0.8	0	40.2	0.28	100	8462	98.87	39.7
2023-03-03 13:35:00	288	0	0	0	107	17.76	23.76	39.8	65.4	98.85	-0.2	-0.3	0	40.3	0.29	100	8463	98.85	39.8
2023-03-03 13:40:00	275.4	0	0	0	104	21.09	27	39.7	65.3	98.83	-0.8	-0.6	0	40.2	0.29	100	8465	98.82	39.8
2023-03-03 13:45:00	259.2	0	0	0	104	21.23	29.04	39.7	64.5	98.81	-1.3	0.2	0	40.1	0.29	100	8463	98.81	39.8
2023-03-03 13:50:00	245.2	0	0	0	102	19.51	27	39.6	65	98.81	-0.6	0.1	0	40.1	0.29	100	8465	98.8	39.8
2023-03-03 13:55:00	224.4	0	0	0	108	16.2	29.12	39.6	65.9	98.81	-0.5	-0.8	0	40.1	0.28	100	8464	98.81	39.9
2023-03-03 14:00:00	202.4	0	0	0	113	17.87	27.42	39.7	65.8	98.8	-0.9	-0.4	0	40.1	0.28	100	8463	98.8	39.9
2023-03-03 14:05:00	186.6	0	0	0	110	17.72	22.82	39.7	65.5	98.8	-0.4	-0.7	0	40	0.29	100	8461	98.8	39.8
2023-03-03 14:10:00	174.2	0	0	0	113	16.96	25.66	39.7	65	98.79	-0.6	-0.8	0	40	0.29	100	8463	98.79	39.8
2023-03-03 14:15:00	167	0	0	0	111	19.75	27.78	39.6	64.1	98.78	-0.7	-0.7	0	40	0.3	100	8461	98.77	39.7
2023-03-03 14:20:00	156.6	0	0	0	108	14.88	21.14	39.5	63.5	98.77	-0.8	-0.1	0	39.8	0.3	100	8459	98.76	39.7
2023-03-03 14:25:00	152.8	0	0	0	104	15.05	19.01	39.6	64.2	98.75	-0.7	-0.4	0	39.9	0.3	100	8460	98.74	39.7
2023-03-03 14:30:00	158.2	0	0	0	111	18.9	23.78	39.6	62.9	98.72	-0.5	-0.8	0	39.9	0.31	100	8457	98.72	39.6
2023-03-03 14:35:00	165.8	0	0	0	100	17.54	22.48	39.6	62.8	98.71	-0.5	-0.6	0	39.9	0.31	100	8456	98.69	39.6
2023-03-03 14:40:00	167.2	0	0	0	102	21.27	27.42	39.7	61.7	98.69	-0.7	-0.5	0	39.9	0.32	100	8458	98.68	39.7
2023-03-03 14:45:00	168.4	0	0	0	109	18.03	26.64	39.7	61.5	98.66	-0.5	-0.7	0	40	0.32	100	8457	98.66	39.7
2023-03-03 14:50:00	163	0	0	0	102	16.51	25.55	39.7	62.4	98.66	-0.5	-0.5	0	40.1	0.31	100	8458	98.65	39.8
2023-03-03 14:55:00	165.6	0	0	0	101	20.27	27.67	39.8	62	98.64	-0.4	-1.1	0	40.1	0.32	100	8455	98.62	39.8
2023-03-03 15:00:00	148.4	0	0	0	100	18.37	24.18	39.9	61.1	98.62	-0.5	-0.5	0	40.2	0.33	100	8456	98.61	39.9
2023-03-03 15:05:00	131.2	0	0	0	105	15.1	21.83	39.9	61.6	98.61	-0.7	-0.7	0	40.1	0.32	100	8453	98.6	39.9
2023-03-03 15:10:00	123	0	0	0	103	16.11	20.94	40	61.9	98.6	-0.7	-0.6	0	40.2	0.32	100	8453	98.58	39.9
2023-03-03 15:15:00	111	0	0	0	103	16.6	22.82	39.9	60.8	98.59	-0.6	-0.7	0	40.1	0.33	100	8453	98.56	39.8
2023-03-03 15:20:00	100.6	0	0	0	104	14.83	21.5	40	60.9	98.58	-0.6	-0.6	0	40.2	0.33	100	8451	98.57	39.8
2023-03-03 15:25:00	94.8	0	0	0	106	17.54	23.58	39.8	59.8	98.56	-0.9	-0.5	0	40	0.33	100	8448	98.55	39.8
2023-03-03 15:30:00	86.2	0	0	0	103	17.45	26.6	39.9	59.2	98.54	-0.6	-0.4	0	40	0.34	100	8448	98.52	39.7
2023-03-03 15:35:00	80.6	0	0	0	103	18.61	23.04	39.7	60.8	98.52	-0.7	-0.6	0	39.8	0.33	100	8447	98.5	39.7
2023-03-03 15:40:00	75	0	0	0	105	18.03	25.5	39.8	60.8	98.5	-1	-0.3	0	40	0.33	100	8445	98.49	39.6
2023-03-03 15:45:00	70	0	0	0	102	21.23	28.3	39.7	60.2	98.49	-0.9	0	0	39.9	0.33	100	8445	98.47	39.6
2023-03-03 15:50:00	64.4	0	0	0	102	20.74	25.48	39.8	59.1	98.47	-0.7	-0.6	0	39.9	0.34	100	8442	98.45	39.6
2023-03-03 15:55:00	60	0	0	0	106	20.76	27.16	39.8	59.2	98.46	-0.8	-1.1	0	39.9	0.34	100	8441	98.44	39.5
2023-03-03 16:00:00	56.6	0	0	0	105	19.8	25.81	39.8	58.9	98.45	-0.9	-0.2	0	39.9	0.34	100	8440	98.44	39.5
2023-03-03 16:05:00	49.8	0	0	0	107	20.22	25.75	39.7	59	98.44	-0.5	-0.8	0	39.9	0.34	100	8440	98.43	39.5
2023-03-03 16:10:00	39.8	0	0	0	104	18.68	23.73	39.8	58.7	98.43	-0.7	-0.6	0	39.8	0.34	100	8437	98.41	39.4
2023-03-03 16:15:00	39.2	0	0	0	106	19.04	25.17	39.7	59.2	98.41	-0.4	-0.9	0	39.8	0.34	100	8437	98.39	39.3
2023-03-03 16:20:00	35.6	0	0	0	103	20.22	27.38	39.7	58.7	98.4	-0.3	-0.3	0	39.7	0.34	100	8434	98.38	39.3
2023-03-03 16:25:00	31.8	0	0	0	102	17.72	23.8	39.7	59.2	98.39	-0.5	-0.8	0	39.8	0.34	100	8432	98.37	39.3
2023-03-03 16:30:00	25.6	0	0	0	103	17.67	22.08	39.7	59.2	98.39	-0.4	-0.6	0	39.7	0.34	100	8431	98.37	39.2
2023-03-03 16:35:00	23.8	0	0	0	105	17.54	24.9	39.6	59.1	98.39	-0.6	-0.3	0	39.6	0.34	100	8431	98.37	39.2
2023-03-03 16:40:00	23.8	0	0	0	100	16.35	23.96	39.5	59.7	98.38	-0.7	-0.6	0	39.6	0.33	100	8429	98.36	39.1
2023-03-03 16:45:00	21.2	0	0	0	87	12.35	20.6	39.5	60.3	98.37	-0.7	-0.6	0	39.7	0.33	100	8431	98.35	39.1
2023-03-03 16:50:00	20.6	0	0	0	79	9.37	15.64	39.2	63.2	98.37	-0.7	-0.3	0	39.2	0.3	100	8426	98.35	38.8
2023-03-03 16:55:00	18.4	0	0	0	85	9.78	15.17	38.7	64.2	98.36	-0.6	-0.6	0	38.7	0.29	100	8424	98.34	38.5
2023-03-03 17:00:00	16.2	0	0	0	86	11.77	16.06	38.5	64.5	98.35	-0.8	-0.5	0	38.5	0.28	100	8427	98.33	38.2
2023-03-03 17:05:00	14	0	0	0	91	14.41	20.51	38.3	65.3	98.34	-0.6	-0.7	0	38.3	0.27	100	8419	98.32	38
2023-03-03 17:10:00	10.4	0	0	0	86	13.98	17.87	38.1	65.2	98.35	-0.5	-0.6	0	38.1	0.27	100	8422	98.33	37.9
2023-03-03 17:15:00	7.8	0	0	0	88	12.95	19.04	38	64.8	98.35	-0.8	-0.4	0	38	0.27	100	8419	98.33	37.7
2023-03-03 17:20:00	5.8	0	0	0	92	13.29	18.1	37.9	65	98.33	-0.9	-0.4	0	37.9	0.27	100	8418	98.31	37.6
2023-03-03 17:25:00	3.6	0	0	0	95	14.03	20.71	37.7	65.5	98.31	-0.8	-0.4	0	37.8	0.26	100	8419	98.28	37.5
2023-03-03 17:30:00	2.2	0	0	0	99	14.03	19.82	37.6	65.5	98.3	-0.7	-0.7	0	37.6	0.26	100	8418	98.28	37.3
2023-03-03 17:35:00	1	0	0	0	106	14.34	18.23	37.5	65.3	98.29	-0.8	-0.6	0	37.5	0.26	100	8415	98.28	37.2
2023-03-03 17:40:00	0.4	0	0	0	107	16.11	22.15	37.4	65.2	98.3	-0.7	-0.3	0	37.4	0.26	100	8415	98.29	37.2
2023-03-03 17:45:00	0	0	0	0	125	14.05	18.81	37.4	65.7	98.32	-0.6	-0.6	0	37.4	0.26	100	8414	98.32	37.1
2023-03-03 17:50:00	0	0	0	0	142	19.06	27.54	37.3	69.1	98.31	-0.5	-0.9	0	37.3	0.23	100	8412	98.32	37.1
2023-03-03 17:55:00	0	0	0	0	157	19.93	33.87	37.2	72.9	98.31	-0.9	0.8	0	37.2	0.2	100	8412	98.3	37
2023-03-03 18:00:00	0	0.00134	0	0	154	22.88	31.59	36.6	77.5	98.28	0	-1	0.04	36.6	0.17	100	8412	98.28	36.5
2023-03-03 18:05:00	0	0.00335	0	0	148	21.72	33.62	35.9	81.1	98.24	-0.3	-1.4	0.08	35.9	0.13	100	8409	98.26	36
2023-03-03 18:10:00	0	0.00402	0	0	143	19.35	27.18	35.2	83.9	98.24	-0.8	-0.7	0.08	35.2	0.11	100	8410	98.25	35.4
2023-03-03 18:15:00	0	0.00335	0	0	136	17.07	23.67	34.5	86.1	98.23	-0.5	-0.6	0.08	34.5	0.09	100	8407	98.24	34.9
2023-03-03 18:20:00	0	0.00201	0	0	134	15.46	21.83	33.9	87.8	98.23	-0.5	-0.6	0.04	33.9	0.08	100	8405	98.24	34.4
2023-03-03 18:25:00	0	0.00067	0	0	128	14.54	18.7	33.6	89.4	98.22	-0.8	-0.4	0.04	33.6	0.07	100	8403	98.22	34
2023-03-03 18:30:00	0	0	0	0	125	14.05	19.46	33.2	90.6	98.21	-1.1	-0.6	0	33.2	0.06	100	8404	98.22	33.6
2023-03-03 18:35:00	0	0	0	0	125	14.05	20.62	32.9	91.5	98.21	-0.8	-0.5	0	32.9	0.05	100	8404	98.21	33.3
2023-03-03 18:40:00	0	0	0	0	115	13.94	19.08	32.7	92.2	98.18	-0.9	-0.6	0	32.7	0.05	100	8405	98.18	33
2023-03-03 18:45:00	0	0	0	0	111	14.58	17.63	32.6	92.7	98.15	-0.9	-0.3	0	32.6	0.05	100	8403	98.14	32.8
2023-03-03 18:50:00	0	0	0	0	105	13.78	18.01	32.5	93.2	98.12	-1	-0.4	0	32.5	0.04	100	8401	98.11	32.6
2023-03-03 18:55:00	0	0	0	0	105	15.57	19.28	32.4	93.6	98.09	-1.1	-0.2	0	32.3	0.04	100	8400	98.09	32.4
2023-03-03 19:00:00	0	0	0	0	103	15.28	18.9	32.4	94.4	98.08	-0.9	-0.2	0	32.4	0.03	100	8399	98.07	32.3
2023-03-03 19:05:00	0	0	0	0	101	15.48	21.03	32.3	94.6	98.06	-1	-0.3	0	32.3	0.03	100	8396	98.05	32.3
2023-03-03 19:10:00	0	0	0	0	102	17.63	23.4	32.4	95	98.04	-1	-0.6	0	32.4	0.03	100	8401	98.02	32.2
2023-03-03 19:15:00	0	0	0	0	103	17.78	26.04	32.4	95.2	98.03	-0.7	-0.8	0	32.4	0.03	100	8398	98.02	32.1
2023-03-03 19:20:00	0	0	0	0	100	17.54	23.04	32.3	95.6	98.01	-1.6	-0.3	0	32.3	0.03	100	8396	98.01	32.1
2023-03-03 19:25:00	0	0	0	0	105	18.95	23.78	32.2	95.7	98	-0.7	-0.4	0	32.2	0.03	100	8394	98.01	32
2023-03-03 19:30:00	0	0	0	0	103	17.9	24.14	32.3	95.6	98	-0.9	-0.9	0	32.3	0.03	100	8396	98.01	31.9
2023-03-03 19:35:00	0	0.00067	0	0	104	17.22	22.7	32.2	95.7	98.01	-0.6	-0.8	0.04	32.3	0.03	100	8393	98.01	31.9
2023-03-03 19:40:00	0	0	2	4	102	16.22	21.77	32.2	95.9	97.99	-1.2	-0.6	0	32.2	0.03	100	8393	97.99	31.9
2023-03-03 19:45:00	0	0	2	1	104	16.93	23.51	32.2	95.7	97.96	-1	-0.3	0	32.2	0.03	100	8393	97.97	31.8
2023-03-03 19:50:00	0	0	0	0	102	17.54	22.48	32.1	96	97.93	-1.6	-0.2	0	32.1	0.02	100	8389	97.91	31.7
2023-03-03 19:55:00	0	0	0	0	98	18.5	27.63	32.1	96.3	97.81	-1.2	-0.6	0	32.1	0.02	100	8390	97.8	31.7
2023-03-03 20:00:00	0	0	13	1	98	17.78	24.14	32	96.6	97.81	-1	-0.1	0	32	0.02	100	8390	97.82	31.7
2023-03-03 20:05:00	0	0	8	1	95	14.56	20.27	32.1	96	97.85	-0.7	-0.6	0	32.1	0.02	100	8390	97.85	31.6
2023-03-03 20:10:00	0	0	1	1	101	16.71	23.53	32.1	96	97.86	-1.2	-0.6	0	32.1	0.02	100	8389	97.85	31.6
2023-03-03 20:15:00	0	0

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-03 20:30:00	0	0	45	1	102	18.68	23.44	32	96.4	97.68	-1.1	-0.4	0	32	0.02	100	8384	97.69	31.6
2023-03-03 20:35:00	0	0	50	1	104	20.42	28.54	32	96.7	97.64	-0.8	-0.7	0	32	0.02	100	8383	97.67	31.6
2023-03-03 20:40:00	0	0	47	1	105	19.71	25.79	32.1	96.9	97.65	-0.6	-0.7	0	32.1	0.02	100	8383	97.69	31.5
2023-03-03 20:45:00	0	0	63	1	106	15.99	22.37	32	96.7	97.71	-0.9	-0.8	0	32	0.02	100	8384	97.73	31.5
2023-03-03 20:50:00	0	0.00134	10	1	103	19.93	30.91	32	96.7	97.69	-1.1	-0.6	0.08	32	0.02	100	8381	97.7	31.5
2023-03-03 20:55:00	0	0.00201	11	1	104	21.34	29.19	32.1	97.1	97.67	-0.6	-0.5	0.12	32.1	0.02	100	8382	97.71	31.5
2023-03-03 21:00:00	0	0	41	1	106	20.58	30.11	32	97	97.68	-1.3	-0.2	0	32	0.02	100	8380	97.72	31.5
2023-03-03 21:05:00	0	0	42	1	105	19.08	26.24	32	97.1	97.72	-1	-0.5	0	32	0.02	100	8380	97.76	31.5
2023-03-03 21:10:00	0	0	13	1	103	16.4	22.21	32.1	97.3	97.75	-0.2	-0.9	0	32.1	0.02	100	8379	97.77	31.5
2023-03-03 21:15:00	0	0.00536	0	0	98	15.93	22.35	32	97.4	97.69	-0.9	-0.5	0.281	32	0.02	100	8381	97.7	31.5
2023-03-03 21:20:00	0	0.00603	0	0	101	18.54	22.17	32.1	97.3	97.69	-0.6	-0.6	0.361	32	0.02	100	8375	97.73	31.5
2023-03-03 21:25:00	0	0	0	0	103	17.34	29.06	32.1	97.4	97.71	-1.1	-0.6	0	32.1	0.02	100	8379	97.72	31.5
2023-03-03 21:30:00	0	0	0	0	108	21.23	28.52	32.1	96.9	97.67	-0.7	-0.1	0	32.1	0.02	100	8379	97.71	31.5
2023-03-03 21:35:00	0	0	7	1	107	21.68	33.98	32.1	97.3	97.66	-1.2	-0.2	0	32.1	0.02	100	8375	97.69	31.5
2023-03-03 21:40:00	0	0	36	1	107	23.62	28.86	32.1	96.9	97.63	-1	0.1	0	32.1	0.02	100	8377	97.68	31.5
2023-03-03 21:45:00	0	0.00335	7	1	107	20.65	25.77	32.1	97.1	97.62	-1.4	-0.2	0.12	32.1	0.02	100	8375	97.65	31.5
2023-03-03 21:50:00	0	0	55	1	107	22.62	29.01	32.2	97.2	97.61	-0.5	-0.8	0	32.2	0.02	100	8374	97.63	31.5
2023-03-03 21:55:00	0	0.00469	2	1	106	23.04	31.47	32	96.4	97.55	-0.4	-0.5	0.281	32	0.02	100	8374	97.59	31.5
2023-03-03 22:00:00	0	0	0	0	107	22.64	30.2	32.1	97.1	97.54	-1	-0.5	0	32.1	0.02	100	8374	97.57	31.5
2023-03-03 22:05:00	0	0	0	0	108	23.06	28.54	32.1	97	97.48	-1.5	0	0	32.1	0.02	100	8372	97.52	31.5
2023-03-03 22:10:00	0	0	0	0	109	25.19	31.97	32.1	96.8	97.44	-0.9	0.1	0	32.1	0.02	100	8374	97.48	31.5
2023-03-03 22:15:00	0	0	0	0	110	24.58	34.63	32.1	96.5	97.4	-0.5	-0.9	0	32.1	0.02	100	8373	97.47	31.5
2023-03-03 22:20:00	0	0	0	0	108	27.2	34.92	32.1	96	97.37	-1.5	-0.2	0	32.1	0.02	100	8372	97.42	31.5
2023-03-03 22:25:00	0	0	0	0	105	30.89	39.82	32.1	96.5	97.29	-2.2	-0.3	0	32.1	0.02	100	8373	97.38	31.6
2023-03-03 22:30:00	0	0	0	0	108	30.27	38.65	32.3	95.9	97.26	-1.7	0.3	0	32.3	0.03	100	8371	97.33	31.6
2023-03-03 22:35:00	0	0	0	0	109	30.82	41.36	32.1	96	97.21	-0.1	0	0	32.1	0.02	100	8373	97.29	31.6
2023-03-03 22:40:00	0	0	0	0	112	28.7	40.44	32.2	95.9	97.21	-1.5	-0.4	0	32.2	0.03	100	8371	97.26	31.6
2023-03-03 22:45:00	0	0	0	0	111	29.04	38.68	32.2	95.7	97.14	-1.7	-0.1	0	32.2	0.03	100	8370	97.21	31.5
2023-03-03 22:50:00	0	0	0	0	114	29.77	39.84	32.2	95.7	97.1	-2	0	0	32.2	0.03	100	8370	97.17	31.5
2023-03-03 22:55:00	0	0	0	0	114	33.55	44.16	32.3	95.4	97.07	-1.8	-0.5	0	32.3	0.03	100	8369	97.16	31.5
2023-03-03 23:00:00	0	0	0	0	116	30.44	42.79	32.2	95.9	97.07	-1.7	0	0	32.2	0.03	100	8370	97.13	31.5
2023-03-03 23:05:00	0	0	0	0	114	29.12	40.67	32.2	95.4	97.06	-0.2	-0.6	0	32.3	0.03	100	8368	97.12	31.5
2023-03-03 23:10:00	0	0	0	0	116	25.28	40.94	32.2	95.5	97.07	-0.9	-0.8	0	32.2	0.03	100	8368	97.12	31.5
2023-03-03 23:15:00	0	0	0	0	115	27.16	38.03	32.3	95.6	97.04	-1.1	0.4	0	32.3	0.03	100	8369	97.1	31.5
2023-03-03 23:20:00	0	0	0	0	115	28.19	36.13	32.3	94.8	97.01	-1	-0.1	0	32.3	0.03	100	8366	97.06	31.5
2023-03-03 23:25:00	0	0	0	0	117	28.43	39.39	32.2	94.4	96.97	-1.1	-1.8	0	32.2	0.03	100	8365	97.01	31.5
2023-03-03 23:30:00	0	0	0	0	115	27.67	42.08	32.3	94.5	96.95	-2.2	-0.3	0	32.3	0.03	100	8366	96.99	31.5
2023-03-03 23:35:00	0	0	0	0	112	28.07	38.88	32.3	94.3	96.91	-0.7	0.4	0	32.3	0.04	100	8365	96.96	31.5
2023-03-03 23:40:00	0	0	0	0	115	29.84	38.77	32.3	93.7	96.86	-2.4	0.1	0	32.3	0.04	100	8366	96.93	31.5
2023-03-03 23:45:00	0	0	0	0	117	28.57	43.93	32.4	93.6	96.86	-0.3	-1.6	0	32.4	0.04	100	8365	96.9	31.5
2023-03-03 23:50:00	0	0	0	0	114	32.61	43.71	32.4	93.4	96.77	-2	-0.9	0	32.4	0.04	100	8364	96.89	31.5
2023-03-03 23:55:00	0	0	0	0	118	28.68	45.34	32.5	93.2	96.83	-1.8	-0.1	0	32.5	0.04	100	8364	96.89	31.6
2023-03-04 00:00:00	0	0	0	0	119	26.87	34	32.5	93.2	96.87	-1.1	-0.2	0	32.5	0.04	100	8365	96.9	31.5
2023-03-04 00:05:00	0	0	0	0	117	27.07	36.98	32.5	93.2	96.86	-0.2	-1.1	0	32.4	0.04	100	8331	96.91	31.7
2023-03-04 00:10:00	0	0	0	0	117	23.58	33.89	32.5	93	96.88	-1	0.2	0	32.5	0.04	100	8329	96.92	31.9
2023-03-04 00:15:00	0	0	0	0	117	24.49	31.65	32.5	93	96.86	-0.9	0.3	0	32.5	0.04	100	8317	96.91	32.1
2023-03-04 00:20:00	0	0	0	0	117	24.4	31.61	32.6	92.7	96.86	-1.3	0.2	0	32.6	0.05	100	8333	96.9	32
2023-03-04 00:25:00	0	0	0	0	126	22.57	28.57	32.6	92.7	96.87	-0.6	-1.1	0	32.6	0.05	100	8335	96.91	31.9
2023-03-04 00:30:00	0	0	0	0	128	22.12	32.5	32.6	92.6	96.87	-1.4	-0.4	0	32.6	0.05	100	8338	96.91	31.8
2023-03-04 00:35:00	0	0	0	0	120	22.91	30.15	32.5	92.7	96.87	-0.9	-0.7	0	32.5	0.05	100	8336	96.89	31.8
2023-03-04 00:40:00	0	0	0	0	118	21.65	28.03	32.7	92.3	96.83	-0.6	-0.9	0	32.7	0.05	100	8337	96.85	31.8
2023-03-04 00:45:00	0	0	0	0	116	22.82	28.72	32.6	92.5	96.81	-1.1	0.4	0	32.6	0.05	100	8339	96.85	31.9
2023-03-04 00:50:00	0	0	0	0	124	20.2	28.77	32.8	92.4	96.83	-0.9	-0.7	0	32.8	0.05	100	8339	96.87	31.9
2023-03-04 00:55:00	0	0	0	0	141	16.22	23.33	32.8	92.4	96.89	-0.9	-0.8	0	32.8	0.05	100	8339	96.91	32
2023-03-04 01:00:00	0	0	0	0	138	16.4	23.44	32.9	92.9	96.93	-0.6	-0.8	0	32.9	0.04	100	8343	96.94	32
2023-03-04 01:05:00	0	0	0	0	132	13.2	20.4	32.8	92.6	96.96	-0.8	-0.6	0	32.8	0.05	100	8338	96.97	32
2023-03-04 01:10:00	0	0	0	0	127	13.29	21.21	32.8	92.4	96.97	-0.5	-0.8	0	32.8	0.05	100	8339	96.99	32
2023-03-04 01:15:00	0	0	0	0	120	8.41	13.33	32.7	93.3	97.01	-0.7	-0.6	0	32.7	0.04	100	8339	97.02	32
2023-03-04 01:20:00	0	0	0	0	103	8.68	13.73	32.6	93.6	97.04	-1	-0.5	0	32.6	0.04	100	8336	97.05	32
2023-03-04 01:25:00	0	0	0	0	352	3.11	4.38	32.5	93.8	97.07	-0.8	-0.5	0	32.5	0.04	100	8339	97.07	31.9
2023-03-04 01:30:00	0	0	0	0	0	2.73	5.21	32.5	94.5	97.07	-0.8	-0.6	0	32.5	0.03	100	8339	97.06	31.8
2023-03-04 01:35:00	0	0	0	0	51	1.88	3.2	32.4	94.6	97.06	-0.7	-0.6	0	32.4	0.03	100	8342	97.06	31.7
2023-03-04 01:40:00	0	0.02614	0	0	73	6.24	11.14	32.4	95.2	97.04	-1	-0.6	1.285	32.3	0.03	100	8338	97.03	31.7
2023-03-04 01:45:00	0	0.02815	0	0	77	8.3	10.63	32.4	95	97.01	-0.9	-0.6	1.566	32.4	0.03	100	8338	97	31.7
2023-03-04 01:50:00	0	0	0	0	79	9.46	12.17	32.4	95.2	96.99	-0.8	-0.6	0	32.4	0.03	100	8336	96.98	31.8
2023-03-04 01:55:00	0	0.01742	0	0	78	11.95	15.52	32.4	95.2	96.96	-0.9	-0.6	1.044	32.3	0.03	100	8334	96.95	31.7
2023-03-04 02:00:00	0	0.03619	0	0	79	10.18	13.42	32.4	95.2	96.96	-0.8	-0.5	1.325	32.4	0.03	100	8337	96.96	31.7
2023-03-04 02:05:00	0	0.01072	0	0	76	8.79	12.71	32.3	95.3	96.96	-0.8	-0.5	0.361	32.3	0.03	100	8336	96.95	31.7
2023-03-04 02:10:00	0	0	0	0	74	8.7	14.5	32.2	95.9	96.95	-0.8	-0.4	0	32.2	0.03	100	8335	96.94	31.6
2023-03-04 02:15:00	0	0	0	0	74	9.8	14.74	32.1	96.3	96.93	-0.9	-0.5	0	32.1	0.02	100	8334	96.93	31.6
2023-03-04 02:20:00	0	0	0	0	75	8.48	14.56	32.1	96.6	96.94	-0.8	-0.6	0	32.1	0.02	100	8335	96.93	31.5
2023-03-04 02:25:00	0	0	0	0	77	11.68	17	32	96.7	96.92	-0.8	-0.5	0	32	0.02	100	8333	96.92	31.5
2023-03-04 02:30:00	0	0	0	0	77	12.55	19.08	32	97	96.91	-0.8	-0.5	0	32	0.02	100	8335	96.91	31.5
2023-03-04 02:35:00	0	0	0	0	73	11.83	15.99	32	97.7	96.91	-0.7	-0.7	0	32	0.01	100	8333	96.91	31.5
2023-03-04 02:40:00	0	0	0	0	71	10.56	15.35	32	97.5	96.91	-0.9	-0.5	0	32	0.02	100	8333	96.91	31.5
2023-03-04 02:45:00	0	0	0	0	74	11.3	16.35	32	97.9	96.92	-0.9	-0.4	0	32	0.01	100	8335	96.92	31.5
2023-03-04 02:50:00	0	0	0	0	71	11.56	18.81	32.1	97.9	96.93	-1.2	-0.5	0	32.1	0.01	100	8333	96.92	31.5
2023-03-04 02:55:00	0	0	0	0	74	11.14	16.13	32	98.1	96.93	-0.9	-0.5	0	32	0.01	100	8333	96.93	31.5
2023-03-04 03:00:00	0	0	0	0	73	11.12	16.8	32.1	97.9	96.93	-0.9	-0.4	0	32.1	0.01	100	8331	96.94	31.5
2023-03-04 03:05:00	0	0	0	0	75	11.81	15.3	32	98.3	96.94	-1	-0.6	0	31.9	0.01	100	8333	96.94	31.5
2023-03-04 03:10:00	0	0	0	0	74	10.8	15.77	32	98.3	96.94	-0.8	-0.6	0	32	0.01	100	8332	96.94	31.5
2023-03-04 03:15:00	0	0	0	0	78	11.43	17.16	32	98.1	96.94	-0.6	-0.6	0	32	0.01	100	8330	96.94	31.5
2023-03-04 03:20:00	0	0	0	0	73	10.16	13.02	32	98.2	96.94	-0.9	-0.5	0	32	0.01	100	8330	96.94	31.5
2023-03-04 03:25:00	0	0	0	0	72	9.55	15.21	32	98.2	96.94	-0.9	-0.6	0	32	0.01	100	8330	96.94	31.4
2023-03-04 03:30:00	0	0	0	0	75	10.36	16.22	32	98.2	96.94	-0.9	-0.5	0	32	0.01	100	8330	96.94	31.4
2023-03-04 03:35:00	0	0	0	0	73	10.29	14.74	32	98.3	96.94	-0.8	-0.6	0	32	0.01	100	8327	96.94	31.4
2023-03-04 03:40:00	0	0	0	0	77	10.29	17.2	32	98.2	96.94	-0.8	-0.6	0	32	0.01	100	8329	96.94	31.4
2023-03-04 03:45:00	0	0	0	0	76	9.8	12.84	31.9	98.5	96.94	-0.7	-0.5	0	31.9	0.01	100	8330	96.94	31.4
2023-03-04 03:50:00	0	0	0	0	74	10.2	14.34	32	98.2	96.93	-0.9	-0.4	0	32	0.01	100	8327	96.93	31.4
2023-03-04 03:55:00	0	0	0	0	74	10.58	13.6	32	98.2	96.93	-0.8	-0.3	0	32	0.01	100	8330	96.93	31.4
2023-03-04 04:00:00	0	0	0	0	76	11.77	17.83	32	98.2	96.94	-0.6	-0.4	0	32	0.01	100	8327	96.93	31.4
2023-03-04 04:05:00	0	0	0	0	75	11.12	14.85	32	98.4	96.94	-0.8	-0.5	0	32	0.01	100	8327	96.94	31.4
2023-03-04 04:10:00	0	0	0	0	71	10.49	15.39	32.1	98.2	96.94	-0.7	-0.6	0	32.1	0.01	100	8327	96.94	31.4
2023-03-04 04:15:00	0	0	0	0	73	10.85	17.09	32	98.5	96.95	-1	-0.6	0	32	0.01	100	8328	96.94	31.4
2023-03-04 04:20:00	0	0	0	0	71	10	14.41	32	98.4	96.95	-1	-0.6	0	32	0.01	100	8327	96.95	31.4
2023-03-04 04:25:00	0	0	0	0	73	10.09	15.55	32	98.3	96.95	-0.8	-0.7	0	32	0.01	100	8327	96.95	31.4
2023-03-04 04:30:00	0	0	0	0	67	9.64	15.19	32	98.9	96.95	-0.7	-0.4	0	32	0.01	100	8326	96.95	31.4
2023-03-04 04:35:00	0	0	0	0	64	8.88	12.77	32	98.3	96.95	-0.9	-0.5	0	32	0.01	100	8325	96.95	31.4
2023-03-04 04:40:00	0	0	0	0	66	9.24	13.89	32	98.3	96.95	-0.9	-0.7	0	32	0.01	100	8323	96.95	31.4
2023-03-04 04:45:00	0	0	0	0	63	9.15	17.05	32	98.4	96.95	-0.8	-0.6	0	32	0.01	100	8325	96.95	31.4
2023-03-04 04:50:00	0	0	0	0	61	8.61	11.54	31.9	98.8	96.96	-0.8	-0.6	0	31.9	0.01	100	8324	96.96	31.4
2023-03-04 04:55:00	0	0	0	0	68	9.64	13.4	32	98.1	96.96	-0.9	-0.6	0	32	0.01	100	8326	96.96	31.4
2023-03-04 05:00:00	0	0	0	0	65	9.1	14.88	31.9	98.5	96.96	-0.7	-0.8	0	31.9	0.01	100	8323	96.96	31.3
2023-03-04 05:05:00	0	0	0	0	69	9.91	15.77	31.9	98.6	96.96	-1	-0.7	0	31.9	0.01	100	8321	96.96	31.3
2023-03-04 05:10:00	0	0	0	0	68	8.52	12.62	31.9	99	96.96	-0.8	-0.6	0	31.9	0.01	100	8323	96.96	31.3
2023-03-04 05:15:00	0	0	0	0	70	10.36	15.75	31.8	98.9	96.96	-0.9	-0.7	0	31.8	0.01	100	8321	96.96	31.3
2023-03-04 05:20:00	0	0	0	0	69	8.93	12.01	31.8	98.7	96.97	-0.8	-0.7	0	31.7	0.01	100	8320	96.97	31.3
2023-03-04 05:25:00	0	0	0	0	73	9.82	15.32	31.8	98.7	96.97	-0.9	-0.6	0	31.8	0.01	100	8323	96.97	31.3
2023-03-04 05:30:00	0	0	0	0	73	8.88	12.53	31.8	98.6	96.97	-0.9	-0.6	0	31.8	0.01	100	8322	96.97	31.2
2023-03-04 05:35:00	0	0	0	0	78	10.85	13.78	31.8	98.7	96.96	-0.8	-0.6	0	31.8	0.01	100	8321	96.97	31.2
2023-03-04 05:40:00	0	0	0	0	77	9.98	14.34	31.7	99.2	96.97	-0.9	-0.6	0	31.7	0	100	8320	96.97	31.2
2023-03-04 05:45:00	0	0	0	0	76	10.25	13.49	31.8	98.7	96.98	-0.8	-0.6	0	31.8	0.01	100	8320	96.98	31.2
2023-03-04 05:50:00	0	0	0	0	78	8.46	10.85	31.8	98.7	96.98	-0.9	-0.5	0	31.7	0.01	100	8318	96.99	31.2
2023-03-04 05:55:00	0	0	0	0	80	9.44	12.71	31.9	98.8	96.99	-0.9	-0.6	0	31.8	0.01	100	8320	96.99	31.2
2023-03-04 06:00:00	0	0	0	0	78	8.61	11.41	31.9	98.6	97	-0.9	-0.6	0	31.8	0.01	100	8318	96.99	31.2
2023-03-04 06:05:00	0	0	0	0	76	8.12	11.92	31.9	98.8	97	-0.8	-0.6	0	31.9	0.01	100	8317	97	31.2
2023-03-04 06:10:00	0	0	0	0	75	7.83	10.87	31.8	98.9	97.01	-0.9	-0.4	0	31.8	0.01	100	8316	97.01	31.2
2023-03-04 06:15:00	0	0	0	0	75	7.25	10.65	31.8	98.9	97.02	-0.8	-0.5	0	31.8	0.01	100	8320	97.02	31.2
2023-03-04 06:20:00	0	0	0	0	75	8.34	14.29	31.9	98.8	97.02	-0.7	-0.5	0	31.9	0.01	100	8317	97.03	31.2
2023-03-04 06:25:00	0	0	0	0	77	7.99	10.76	31.9	99	97.04	-0.7	-0.7	0	31.9	0.01	100	8316	97.04	31.3
2023-03-04 06:30:00	0.2	0	0	0	78	7.92	11.32	32	98.3	97.05	-0.9	-0.5	0	31.9	0.01	100	8316	97.05	31.3
2023-03-04 06:35:00	1	0	0	0	80	8.28	12.28	31.9	99.1	97.06	-0.8	-0.6	0	31.9	0.01	100	8316	97.06	31.3
2023-03-04 06:40:00	2.8	0	0	0	76	7.34	10	32	99.2	97.06	-0.9	-0.5	0	32	0.01	100	8317	97.07	31.3
2023-03-04 06:45:00	5.6	0	0	0	74	6.98	10.58	31.9	99.1	97.08	-0.9	-0.6	0	31.9	0.01	100	8315	97.08	31.3
2023-03-04 06:50:00	7	0	0	0	72	7.14	9.98	32	99.3	97.09	-0.8	-0.6	0	32	0	100	8314	97.09	31.4
2023-03-04 06:55:00	9.2	0	0	0	74	6.46	9.51	32	99.7	97.1	-0.9	-0.7	0	32	0	100	8315	97.1	31.4
2023-03-04 07:00:00	11.2	0	0	0	72	6.22	9.22	32	99.4	97.11	-0.8	-0.5	0	32.1	0	100	8314	97.12	31.4
2023-03-04 07:05:00	14.4	0	0	0	75	5.86	8.77	32	99.7	97.12	-0.9	-0.5	0	32	0	100	8312	97.13	31.4
2023-03-04 07:10:00	19	0	0	0	77	5.61	8.32	32.2	99.1	97.13	-0.8	-0.5	0	32.3	0.01	100	8312	97.14	31.4
2023-03-04 07:15:00	23.4	0	0	0	78	5.7	8.79	32.1	99.5	97.14	-0.8	-0.6	0	32.2	0	100	8311	97.15	31.5
2023-03-04 07:20:00	27.6	0	0	0	77	5.21	8.63	32.2	99.1	97.16	-0.8	-0.5	0	32.3	0.01	100	8311	97.16	31.5
2023-03-04 07:25:00	30.2	0	0	0	71	4.09	5.79	32.2	99.1	97.17	-0.8	-0.5	0	32.3	0.01	100	8311	97.18	31.6
2023-03-04 07:30:00	33.2	0	0	0	74	4.54	6.87	32.2	99.3	97.18	-0.7	-0.6	0	32.4	0	100	8311	97.19	31.6
2023-03-04 07:35:00	38	0	0	0	74	4.38	7.56	32.2	99	97.2	-0.9	-0.6	0	32.4	0.01	100	8310	97.2	31.6
2023-03-04 07:40:00	41	0	0	0	70	3.67	6.35	32.3	99.2	97.21	-0.9	-0.6	0	32.4	0.01	100	8314	97.22	31.7
2023-03-04 07:45:00	38.8	0	0	0	50	2.73	3.91	32.3	98.9	97.23	-0.9	-0.6	0	32.5	0.01	100	8311	97.24	31.7
2023-03-04 07:50:00	40.8	0	0	0

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-04 07:55:00	45	0	0	0	16	3.62	5.06	32.3	99.5	97.26	-0.9	-0.6	0	32.5	0	100	8311	97.27	31.8
2023-03-04 08:00:00	49	0	0	0	352	3.83	4.99	32.4	99.2	97.29	-0.9	-0.5	0	32.6	0	100	8309	97.3	31.8
2023-03-04 08:05:00	52	0	0	0	357	5.19	7.29	32.6	99.1	97.31	-0.9	-0.6	0	32.8	0.01	100	8311	97.32	31.8
2023-03-04 08:10:00	53.6	0	0	0	335	3.38	5.44	32.5	99.3	97.33	-0.9	-0.6	0	32.7	0	100	8306	97.34	31.8
2023-03-04 08:15:00	57.8	0	0	0	334	3.4	6.42	32.5	99.3	97.34	-0.9	-0.7	0	32.8	0	100	8308	97.36	31.8
2023-03-04 08:20:00	60.2	0	0	0	328	3.56	5.39	32.6	99.1	97.36	-0.7	-0.6	0	32.8	0.01	100	8308	97.38	31.8
2023-03-04 08:25:00	62	0	0	0	318	3.78	5.46	32.7	98.7	97.39	-0.9	-0.5	0	32.9	0.01	100	8309	97.4	31.8
2023-03-04 08:30:00	67.6	0	0	0	321	3.83	6.11	32.7	98.6	97.42	-0.8	-0.6	0	33	0.01	100	8308	97.42	31.8
2023-03-04 08:35:00	72.8	0	0	0	316	4.09	5.57	32.7	98.6	97.44	-0.8	-0.6	0	33.1	0.01	100	8308	97.44	31.8
2023-03-04 08:40:00	81.4	0	0	0	320	4.25	7.76	32.8	98.6	97.45	-0.8	-0.6	0	33.1	0.01	100	8305	97.46	31.8
2023-03-04 08:45:00	96	0	0	0	322	6.13	10.33	32.9	98.3	97.47	-0.9	-0.5	0	33.2	0.01	100	8307	97.48	31.7
2023-03-04 08:50:00	101.8	0	0	0	325	6.35	11.39	33	98.9	97.49	-0.9	-0.5	0	33.4	0.01	100	8307	97.5	31.7
2023-03-04 08:55:00	103.2	0	0	0	335	6.15	11.65	32.9	98	97.51	-0.8	-0.5	0	33.3	0.01	100	8304	97.52	31.7
2023-03-04 09:00:00	129.6	0	0	0	324	7.05	13.73	33.2	98.1	97.52	-0.9	-0.6	0	33.5	0.01	100	8305	97.53	31.7
2023-03-04 09:05:00	148.4	0	0	0	328	5.44	10.76	33.3	98	97.54	-0.8	-0.6	0	33.7	0.01	100	8305	97.55	31.7
2023-03-04 09:10:00	161.8	0	0	0	326	5.77	9.95	33.3	97.7	97.56	-0.8	-0.7	0	33.8	0.01	100	8307	97.57	31.8
2023-03-04 09:15:00	165.2	0	0	0	326	5.68	9.69	33.4	97.4	97.58	-0.9	-0.6	0	34	0.02	100	8306	97.59	31.8
2023-03-04 09:20:00	142.4	0	0	0	309	5.5	8.55	33.6	97.1	97.6	-1	-0.6	0	34.1	0.02	100	8304	97.61	31.9
2023-03-04 09:25:00	113.2	0	0	0	309	7.47	11.34	33.6	96.6	97.62	-0.9	-0.6	0	34	0.02	100	8304	97.62	31.8
2023-03-04 09:30:00	112.8	0	0	0	318	5.88	10.07	33.5	96.9	97.64	-0.7	-0.6	0	33.9	0.02	100	8304	97.65	31.8
2023-03-04 09:35:00	128.8	0	0	0	298	6.73	10	33.5	97.2	97.66	-0.7	-0.4	0	33.9	0.02	100	8304	97.67	31.7
2023-03-04 09:40:00	175.2	0	0	0	315	6.13	8.79	33.6	97.2	97.67	-0.7	-0.4	0	34.1	0.02	100	8303	97.68	31.7
2023-03-04 09:45:00	182.8	0.00335	0	0	299	6.17	9.46	33.8	97.4	97.7	-0.9	-0.5	0.12	34.4	0.02	100	8304	97.72	31.8
2023-03-04 09:50:00	174.2	0.00469	0	0	297	7.05	11.65	33.9	97	97.73	-0.9	-0.4	0.08	34.5	0.02	100	8301	97.74	31.9
2023-03-04 09:55:00	156.2	0.00402	0	0	298	6.89	8.41	34	96.7	97.75	-0.8	-0.5	0.08	34.5	0.02	100	8307	97.76	31.9
2023-03-04 10:00:00	144.2	0.00402	0	0	308	7.11	10.6	33.9	96.6	97.77	-0.7	-0.9	0.08	34.4	0.02	100	8304	97.78	32
2023-03-04 10:05:00	143	0.00402	0	0	302	7.96	11.65	34	96.7	97.81	-0.9	-0.6	0.08	34.4	0.02	100	8303	97.81	32.1
2023-03-04 10:10:00	159.4	0.00402	0	0	309	7.27	11.81	33.8	96.4	97.82	-0.8	-0.5	0.08	34.2	0.02	100	8304	97.83	32.1
2023-03-04 10:15:00	158.4	0.00469	0	0	314	8.55	12.64	33.9	96.4	97.83	-0.7	-0.5	0.08	34.3	0.02	100	8301	97.84	32
2023-03-04 10:20:00	123.6	0.00335	0	0	330	8.66	13.56	33.8	95.3	97.86	-0.7	-0.8	0.04	34.2	0.03	100	8299	97.86	31.9
2023-03-04 10:25:00	133.8	0.00201	0	0	330	8.59	15.5	33.5	95.7	97.88	-1.3	-0.4	0.04	33.9	0.03	100	8304	97.89	31.9
2023-03-04 10:30:00	144	0.00201	0	0	323	8.48	13.8	33.4	95.8	97.91	-0.8	-0.6	0.04	33.8	0.03	100	8301	97.92	31.8
2023-03-04 10:35:00	175	0.00067	0	0	323	10.13	16.42	33.4	95.9	97.93	-0.9	-0.8	0.04	33.8	0.03	100	8301	97.93	31.8
2023-03-04 10:40:00	225.2	0.00067	0	0	322	10.36	13.89	33.4	95.6	97.94	-0.7	-0.8	0.04	33.9	0.03	100	8303	97.94	31.8
2023-03-04 10:45:00	238.2	0.00067	0	0	325	11.27	15.08	33.6	94.8	97.95	-0.9	-0.5	0.04	34.1	0.03	100	8303	97.97	31.8
2023-03-04 10:50:00	223.2	0	0	0	339	9.98	15.28	33.8	93.3	97.97	-0.5	-0.5	0	34	0.04	100	8303	97.98	31.8
2023-03-04 10:55:00	271.2	0	0	0	323	9.24	14.72	33.5	94.1	97.99	-0.4	-0.6	0	34.1	0.04	100	8305	98	31.8
2023-03-04 11:00:00	323.6	0.00067	0	0	327	12.77	19.98	33.8	93.2	97.99	-0.8	-0.8	0.04	34.4	0.04	100	8306	98.01	31.8
2023-03-04 11:05:00	326	0.00268	0	0	329	10.83	15.88	33.8	92.9	98.01	-0.8	-0.7	0.04	34.5	0.05	100	8308	98.04	31.8
2023-03-04 11:10:00	375	0.00201	0	0	340	13.15	19.86	34	92.2	98.03	-0.7	-0.5	0.04	34.8	0.05	100	8308	98.05	31.9
2023-03-04 11:15:00	439.2	0.00201	0	0	319	14.25	20.47	34.4	90.5	98.05	-0.7	-0.4	0.04	35.2	0.06	100	8313	98.08	31.9
2023-03-04 11:20:00	399.4	0.00201	0	0	338	13.96	19.84	35.1	88.2	98.07	-1.1	-0.5	0.04	35.3	0.08	100	8311	98.1	32
2023-03-04 11:25:00	417.4	0.00201	0	0	282	44.27	44.25	35.2	86.8	98.09	-0.7	-1.3	0.04	35.2	0.09	100	8315	98.12	32
2023-03-04 11:30:00	323.6	0.00201	0	0	#N/A	#N/A	#N/A	35	87	98.12	-0.6	-0.3	0.04	35	#N/A	100	8313	98.15	32.1
2023-03-04 11:35:00	274.8	0.00201	0	0	#N/A	#N/A	#N/A	34.6	88.6	98.14	-1	-0.3	0.04	34.6	#N/A	100	8315	98.15	32.1
2023-03-04 11:40:00	331.8	0.00067	0	0	#N/A	#N/A	#N/A	34.6	87.3	98.14	-1.1	-0.4	0.04	34.6	#N/A	100	8314	98.16	32.1
2023-03-04 11:45:00	295.6	0.00067	0	0	#N/A	#N/A	#N/A	34.4	87.5	98.14	-0.5	-0.9	0.04	34.4	#N/A	100	8316	98.17	32.1
2023-03-04 11:50:00	225.8	0.00067	0	0	#N/A	#N/A	#N/A	34.1	87.9	98.18	-1.2	-0.1	0.04	34	#N/A	100	8314	98.19	32.1
2023-03-04 11:55:00	249.4	0	0	0	302	14.34	18.19	33.8	88.5	98.18	-1	-0.6	0	34	0.08	100	8315	98.19	32.1
2023-03-04 12:00:00	304.6	0.00067	0	0	302	15.57	24.43	33.6	90.2	98.16	-0.7	-0.5	0.04	34.1	0.06	100	8317	98.19	32.1
2023-03-04 12:05:00	298.2	0	0	0	309	11.74	18.3	33.6	90.2	98.19	-0.9	-0.5	0	34.2	0.06	100	8317	98.21	32.1
2023-03-04 12:10:00	218.8	0	0	0	305	13.38	23.47	33.7	89.3	98.21	-1.1	-0.5	0	34	0.07	100	8317	98.23	32.2
2023-03-04 12:15:00	165.8	0	0	0	292	13.62	20.45	33.4	89.6	98.23	-0.9	-0.7	0	33.6	0.07	100	8315	98.25	32.1
2023-03-04 12:20:00	177.4	0	0	0	297	17.45	25.77	33.3	89.8	98.24	-1	-0.2	0	33.4	0.07	100	8315	98.25	32
2023-03-04 12:25:00	194.8	0	0	0	296	18.45	20.67	33.2	89.4	98.25	-0.7	-0.5	0	33.2	0.07	100	8317	98.26	32
2023-03-04 12:30:00	212.8	0.00067	0	0	286	22.06	22.79	33.3	89.2	98.26	-0.7	-0.6	0.04	33.4	0.07	100	8316	98.28	31.9
2023-03-04 12:35:00	253.8	0	0	0	#N/A	#N/A	#N/A	33.4	88.3	98.27	-1	-0.3	0	33.4	#N/A	100	8315	98.29	31.9
2023-03-04 12:40:00	252.6	0	0	0	#N/A	#N/A	#N/A	33.6	88.9	98.28	-0.9	-0.3	0	33.6	#N/A	100	8318	98.3	31.9
2023-03-04 12:45:00	217.4	0	0	0	#N/A	#N/A	#N/A	33.7	88.5	98.3	-0.8	-0.5	0	33.6	#N/A	100	8319	98.32	31.9
2023-03-04 12:50:00	196.4	0	0	0	#N/A	#N/A	#N/A	33.4	89	98.33	-0.8	-0.8	0	33.4	#N/A	100	8317	98.34	31.9
2023-03-04 12:55:00	226.6	0	0	0	#N/A	#N/A	#N/A	33.5	89.3	98.34	-0.9	-0.5	0	33.5	#N/A	100	8322	98.36	31.9
2023-03-04 13:00:00	221.8	0	0	0	#N/A	#N/A	#N/A	33.7	88.5	98.34	-1	-0.8	0	33.6	#N/A	100	8319	98.36	31.9
2023-03-04 13:05:00	198.4	0.00067	0	0	#N/A	#N/A	#N/A	33.5	89.1	98.36	-0.8	-0.3	0.04	33.5	#N/A	100	8320	98.37	31.9
2023-03-04 13:10:00	190.4	0	0	0	#N/A	#N/A	#N/A	33.4	89.1	98.37	-0.8	-0.7	0	33.4	#N/A	100	8318	98.37	31.9
2023-03-04 13:15:00	182	0	0	0	277	54.67	55.23	33.4	88.5	98.37	-0.7	-0.5	0	33.4	0.07	100	8318	98.39	31.9
2023-03-04 13:20:00	200.8	0.00067	0	0	#N/A	#N/A	#N/A	33.4	88.3	98.38	-0.7	-0.4	0.04	33.4	#N/A	100	8319	98.4	31.8
2023-03-04 13:25:00	185.8	0	0	0	7	8.9	8.88	33.4	88.8	98.41	-0.4	-0.3	0	33.4	0.07	100	8320	98.42	31.9
2023-03-04 13:30:00	164.8	0.00134	0	0	67	25.77	25.77	33.3	88.9	98.42	-0.8	-0.7	0.04	33.3	0.07	100	8320	98.43	31.8
2023-03-04 13:35:00	171.6	0	0	0	311	9.28	23.38	33.2	89.1	98.43	-1.3	-0.6	0	33.3	0.07	100	8320	98.45	31.8
2023-03-04 13:40:00	187.2	0.00067	0	0	306	11.45	23.89	33.4	89.2	98.45	-0.7	-0.8	0.04	33.4	0.07	100	8320	98.47	31.8
2023-03-04 13:45:00	174.2	0.00067	0	0	289	12.12	22.7	33.2	89.7	98.47	-0.7	-0.7	0.04	33.4	0.07	100	8320	98.48	31.8
2023-03-04 13:50:00	177.2	0.00067	0	0	311	8.39	19.33	33.2	89.4	98.48	-1	-0.3	0.04	33.5	0.07	100	8316	98.48	31.9
2023-03-04 13:55:00	162.4	0.00067	0	0	288	11.68	19.37	33.1	89.5	98.49	-1	-0.7	0.04	33.4	0.07	100	8320	98.5	31.9
2023-03-04 14:00:00	127	0	0	0	307	11.07	24.43	33	89.1	98.5	-0.7	-0.3	0	33.3	0.07	100	8320	98.51	31.8
2023-03-04 14:05:00	114.8	0.00067	0	0	310	8.61	21.83	32.9	90.1	98.52	-0.6	-0.9	0.04	33.2	0.06	100	8320	98.53	31.7
2023-03-04 14:10:00	106.2	0.00067	0	0	303	9.01	19.28	32.7	90.6	98.53	-0.9	-0.6	0.04	33	0.06	100	8317	98.54	31.7
2023-03-04 14:15:00	97.6	0	0	0	286	11.95	18.28	32.5	90	98.54	-1	-0.5	0	32.8	0.06	100	8318	98.55	31.6
2023-03-04 14:20:00	92.4	0	0	0	284	10.51	15.41	32.5	90.3	98.56	-0.9	-0.7	0	32.8	0.06	100	8315	98.56	31.5
2023-03-04 14:25:00	84	0.00067	0	0	291	12.03	18.7	32.3	90.8	98.56	-0.4	-0.5	0.04	32.6	0.06	100	8316	98.57	31.5
2023-03-04 14:30:00	88.8	0	0	0	318	10.42	18.57	32.4	90.7	98.57	-1.1	-1	0	32.6	0.06	100	8315	98.59	31.4
2023-03-04 14:35:00	87.2	0.00067	0	0	311	8.63	13.94	32.3	91.1	98.59	-0.6	-0.5	0.04	32.6	0.06	100	8314	98.6	31.4
2023-03-04 14:40:00	84.4	0	0	0	297	11.45	21.34	32.3	90.6	98.59	-1	-0.1	0	32.5	0.06	100	8314	98.59	31.3
2023-03-04 14:45:00	82.4	0.00067	0	0	293	10.98	24.34	32.2	91	98.61	-0.8	-0.8	0.04	32.4	0.06	100	8316	98.62	31.3
2023-03-04 14:50:00	77.4	0	0	0	291	11.99	16.69	32.2	90.9	98.62	-0.9	-0.5	0	32.4	0.06	100	8313	98.63	31.3
2023-03-04 14:55:00	77.2	0	0	0	292	10.02	14.79	32.3	90.6	98.63	-0.8	-0.5	0	32.5	0.06	100	8313	98.63	31.3
2023-03-04 15:00:00	82.2	0.00067	0	0	288	10.29	23.15	32.3	91.6	98.64	-0.6	-0.7	0.04	32.5	0.05	100	8311	98.64	31.3
2023-03-04 15:05:00	97.2	0	0	0	291	11.9	16.55	32.5	90.3	98.64	-0.7	-0.5	0	32.7	0.06	100	8311	98.64	31.3
2023-03-04 15:10:00	101.6	0.00067	0	0	291	11.45	19.89	32.4	90.2	98.65	-1	-0.3	0.04	32.7	0.06	100	8311	98.65	31.3
2023-03-04 15:15:00	118.6	0	0	0	287	10.42	17.54	32.6	90.2	98.65	-1.1	-0.3	0	32.9	0.06	100	8313	98.66	31.3
2023-03-04 15:20:00	113.8	0	0	0	322	7.29	15.61	32.7	90.4	98.66	-0.9	-0.7	0	33	0.06	100	8310	98.67	31.4
2023-03-04 15:25:00	127.6	0.00067	0	0	293	9.8	14.83	32.8	90.2	98.67	-0.8	-0.5	0.04	33.2	0.06	100	8314	98.68	31.4
2023-03-04 15:30:00	142.6	0	0	0	292	9.28	15.23	32.9	89.8	98.68	-0.8	-0.8	0	33.2	0.06	100	8314	98.69	31.5
2023-03-04 15:35:00	141.4	0.00067	0	0	296	9.24	16.73	33	89.6	98.69	-0.7	-0.6	0.04	33.4	0.07	100	8314	98.7	31.6
2023-03-04 15:40:00	120.6	0	0	0	321	9.08	20.18	33.1	89.2	98.69	-0.9	-0.3	0	33.4	0.07	100	8312	98.7	31.6
2023-03-04 15:45:00	100.8	0	0	0	298	12.17	20.94	33	87.9	98.69	-0.6	-0.9	0	33.3	0.08	100	8314	98.7	31.6
2023-03-04 15:50:00	98	0	0	0	289	10.94	16.24	33	87.9	98.7	-0.9	-0.4	0	33.2	0.08	100	8311	98.71	31.6
2023-03-04 15:55:00	97.2	0.00067	0	0	292	9.44	13.58	32.9	88.3	98.71	-0.6	-0.6	0.04	33.2	0.07	100	8311	98.71	31.6
2023-03-04 16:00:00	76.8	0	0	0	297	7.56	12.33	32.9	88.3	98.72	-0.8	-0.6	0	33.2	0.07	100	8311	98.72	31.6
2023-03-04 16:05:00	71.8	0	0	0	284	9.1	13.67	32.9	88.2	98.73	-1	-0.4	0	33.1	0.07	100	8311	98.74	31.6
2023-03-04 16:10:00	67	0.00067	0	0	290	9.4	13	32.9	88.4	98.74	-0.8	-0.5	0.04	33.1	0.07	100	8310	98.74	31.6
2023-03-04 16:15:00	55.8	0	0	0	294	8.86	13.38	32.9	88.5	98.75	-0.8	-0.7	0	33	0.07	100	8308	98.75	31.6
2023-03-04 16:20:00	47.8	0	0	0	287	8.55	13.27	32.8	88.3	98.76	-0.7	-0.5	0	33	0.07	100	8306	98.76	31.6
2023-03-04 16:25:00	44.8	0.00067	0	0	282	9.75	14.23	32.7	87.8	98.77	-0.6	-0.7	0.04	32.9	0.08	100	8308	98.77	31.6
2023-03-04 16:30:00	33.8	0	0	0	282	9.44	13.76	32.8	88.3	98.78	-0.9	-0.5	0	32.8	0.07	100	8307	98.78	31.5
2023-03-04 16:35:00	26.6	0	0	0	282	11.79	17.87	32.6	87.7	98.79	-0.6	-0.4	0	32.7	0.08	100	8306	98.78	31.5
2023-03-04 16:40:00	21.6	0	0	0	285	10.4	17.05	32.6	88.1	98.8	-0.9	-0.4	0	32.7	0.07	100	8308	98.8	31.4
2023-03-04 16:45:00	20.6	0.00067	0	0	286	10.25	14.38	32.6	88.1	98.8	-0.6	-0.5	0.04	32.7	0.07	100	8305	98.81	31.4
2023-03-04 16:50:00	18.4	0	0	0	289	10.22	16.15	32.5	88.1	98.81	-0.8	-0.5	0	32.6	0.07	100	8304	98.81	31.4
2023-03-04 16:55:00	18	0	0	0	297	9.13	13.35	32.5	88.4	98.81	-0.9	-0.5	0	32.5	0.07	100	8305	98.81	31.3
2023-03-04 17:00:00	19.4	0	0	0	303	8.5	13.73	32.5	89	98.81	-0.9	-0.5	0	32.6	0.07	100	8306	98.81	31.3
2023-03-04 17:05:00	23.2	0	0	0	295	8.21	13.18	32.5	88.7	98.82	-0.9	-0.6	0	32.6	0.07	100	8302	98.82	31.3
2023-03-04 17:10:00	17.8	0	0	0	296	7.76	10.71	32.5	89	98.83	-0.9	-0.5	0	32.5	0.07	100	8301	98.83	31.3
2023-03-04 17:15:00	15.8	0.00067	0	0	286	7.74	11.05	32.5	88.4	98.84	-0.8	-0.6	0.04	32.5	0.07	100	8304	98.84	31.3
2023-03-04 17:20:00	13	0	0	0	285	8.25	11.36	32.5	88.8	98.85	-0.9	-0.6	0	32.5	0.07	100	8301	98.84	31.3
2023-03-04 17:25:00	11	0	0	0	284	9.35	13.69	32.4	88.5	98.85	-0.8	-0.6	0	32.5	0.07	100	8302	98.84	31.3
2023-03-04 17:30:00	9.2	0	0	0	285	9.15	12.95	32.5	88.7	98.85	-0.8	-0.5	0	32.5	0.07	100	8302	98.85	31.3
2023-03-04 17:35:00	8.2	0	0	0	287	7.74	11.63	32.5	89.2	98.85	-0.9	-0.5	0	32.5	0.07	100	8301	98.85	31.3
2023-03-04 17:40:00	5.4	0	0	0	293	7.43	10.27	32.6	89.2	98.85	-1	-0.4	0	32.6	0.07	100	8301	98.85	31.3
2023-03-04 17:45:00	3.4	0	0	0	288	6.17	8.93	32.6	89.6	98.87	-0.7	-0.6	0	32.6	0.07	100	8300	98.87	31.2
2023-03-04 17:50:00	2.2	0.00067	0	0	296	4.97	7.83	32.3	90.1	98.88	-0.9	-0.6	0.04	32.4	0.06	100	8299	98.88	31.2
2023-03-04 17:55:00	1.2	0	0	0	286	5.46	7.94	32.4	90.2	98.89	-0.8	-0.5	0	32.4	0.06	100	8298	98.89	31.2
2023-03-04 18:00:00	0.2	0	0	0	279	5.35	7.47	32.4	90.1	98.9	-0.9	-0.6	0	32.4	0.06	100	8299	98.89	31.2
2023-03-04 18:05:00	0	0	0	0	273	6.44	9.46	32.4	90	98.9	-0.8	-0.5	0	32.3	0.06	100	8298	98.9	31.2
2023-03-04 18:10:00	0	0	0	0	278	7.18	9.13	32.4	89.4	98.91	-0.6	-0.5	0	32.4	0.07	100	8297	98.91	31.2
2023-03-04 18:15:00	0	0	0	0	283	8.59	13.11	32.4	89.7	98.93	-0.7	-0.7	0	32.4	0.06	100	8296	98.93	31.3
2023-03-04 18:20:00	0	0	0	0	284	8.41	11.12	32.5	89.7	98.95	-1	-0.5	0	32.5	0.06	100	8298	98.94	31.3
2023-03-04 18:25:00	0	0	0	0	299	6.38	9.89	32.6	89.4	98.96	-0.8	-0.5	0	32.6	0.07	100	8294	98.95	31.3
2023-03-04 18:30:00	0	0	0	0	291	8.93	13.62	32.5	89.7	98.96	-0.7	-0.7	0	32.5	0.06	100	8295	98.96	31.3
2023-03-04 18:35:00	0	0	0	0	292	8.61	11.21	32.6	89.4	98.98	-0.8	-0.6	0	32.6	0.07	100	8296	98.97	31.3
2023-03-04 18:40:00	0	0	0	0	290	8.77	11.86	32.7	89.2	98.99	-0.6	-0.6	0	32.7	0.07	100	8294	98.98	31.4
2023-03-04 18:45:00	0	0.00067	0	0	289	8.63	12.55	32.7	89.2	99	-0.9	-0.7	0.04	32.7	0.07	100	8295	99	31.4
2023-03-04 18:50:00	0	0	0	0	283	8.16	11.07	32.7	89.4	99.02	-0.7	-0.7	0	32.7	0.07	100	8292	99.01	31.4
2023-03-04 18:55:00

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-04 19:20:00	0	0	0	0	293	7.05	9.55	32.5	90.6	99.04	-0.8	-0.5	0	32.5	0.06	100	8292	99.04	31.4
2023-03-04 19:25:00	0	0	0	0	302	6.98	8.97	32.5	90.6	99.05	-0.7	-0.6	0	32.6	0.06	100	8292	99.04	31.4
2023-03-04 19:30:00	0	0	0	0	314	7.11	9.53	32.5	91	99.06	-1	-0.7	0	32.5	0.06	100	8292	99.05	31.4
2023-03-04 19:35:00	0	0	0	0	318	6.93	9.51	32.5	90.6	99.06	-0.9	-0.7	0	32.5	0.06	100	8288	99.06	31.4
2023-03-04 19:40:00	0	0	0	0	323	6.26	7.72	32.5	90.6	99.07	-0.8	-0.4	0	32.5	0.06	100	8287	99.07	31.3
2023-03-04 19:45:00	0	0	0	0	315	5.91	8.81	32.5	90.6	99.08	-1	-0.6	0	32.5	0.06	100	8289	99.08	31.2
2023-03-04 19:50:00	0	0	0	0	303	5.41	8.14	32.4	91	99.08	-0.8	-0.5	0	32.5	0.06	100	8288	99.08	31.2
2023-03-04 19:55:00	0	0.00067	0	0	280	6.04	8.55	32.4	90.7	99.09	-0.9	-0.6	0.04	32.4	0.06	100	8291	99.09	31.1
2023-03-04 20:00:00	0	0	0	0	252	6.02	8.19	32.3	90.9	99.11	-0.9	-0.5	0	32.3	0.06	100	8288	99.1	31.1
2023-03-04 20:05:00	0	0	0	0	255	5.97	9.04	32.2	91	99.11	-0.9	-0.5	0	32.2	0.06	100	8288	99.11	31.1
2023-03-04 20:10:00	0	0	0	0	244	6.31	7.65	32.3	91.4	99.12	-0.8	-0.5	0	32.3	0.05	100	8288	99.12	31.2
2023-03-04 20:15:00	0	0	0	0	243	5.59	7.78	32.4	91.2	99.12	-0.9	-0.5	0	32.4	0.05	100	8288	99.11	31.2
2023-03-04 20:20:00	0	0	0	0	245	4.56	6.24	32.3	90.8	99.13	-0.9	-0.5	0	32.3	0.06	100	8287	99.13	31.2
2023-03-04 20:25:00	0	0	0	0	259	4.85	6.85	32.5	91.5	99.14	-0.8	-0.5	0	32.4	0.05	100	8286	99.14	31.2
2023-03-04 20:30:00	0	0	0	0	256	4.94	8.19	32.4	91.3	99.16	-0.8	-0.5	0	32.3	0.05	100	8285	99.16	31.3
2023-03-04 20:35:00	0	0	0	0	262	5.5	8.68	32.5	91.2	99.16	-1	-0.6	0	32.5	0.05	100	8286	99.16	31.3
2023-03-04 20:40:00	0	0	0	0	266	4.83	6.13	32.5	91.3	99.16	-0.9	-0.5	0	32.5	0.05	100	8283	99.16	31.3
2023-03-04 20:45:00	0	0	0	0	266	5.41	6.67	32.5	91.3	99.17	-0.8	-0.6	0	32.5	0.05	100	8284	99.16	31.3
2023-03-04 20:50:00	0	0	0	0	262	4.7	6.44	32.6	90.8	99.17	-0.8	-0.5	0	32.6	0.06	100	8284	99.17	31.4
2023-03-04 20:55:00	0	0	0	0	255	4.63	6.89	32.5	91.4	99.19	-0.8	-0.5	0	32.5	0.05	100	8286	99.19	31.4
2023-03-04 21:00:00	0	0	0	0	265	4.14	5.86	32.6	91.1	99.19	-0.7	-0.5	0	32.6	0.06	100	8282	99.19	31.4
2023-03-04 21:05:00	0	0	0	0	276	4.5	5.39	32.6	91.1	99.19	-0.9	-0.6	0	32.6	0.06	100	8283	99.19	31.5
2023-03-04 21:10:00	0	0	0	0	283	3.74	4.61	32.7	91.7	99.2	-0.9	-0.5	0	32.7	0.05	100	8283	99.19	31.5
2023-03-04 21:15:00	0	0.00067	0	0	265	4.68	6.98	32.5	91.3	99.2	-0.8	-0.6	0.04	32.6	0.05	100	8283	99.2	31.5
2023-03-04 21:20:00	0	0	0	0	265	5.82	7.74	32.6	91.5	99.21	-0.8	-0.6	0	32.6	0.05	100	8282	99.2	31.6
2023-03-04 21:25:00	0	0	0	0	257	4.94	5.86	32.7	91.9	99.21	-0.9	-0.5	0	32.7	0.05	100	8284	99.2	31.6
2023-03-04 21:30:00	0	0	0	0	254	4.92	6.49	32.8	91.8	99.21	-0.8	-0.5	0	32.8	0.05	100	8282	99.21	31.7
2023-03-04 21:35:00	0	0	0	0	257	5.53	7.27	32.9	91.1	99.22	-0.8	-0.5	0	32.9	0.06	100	8279	99.21	31.7
2023-03-04 21:40:00	0	0	0	0	254	4.52	6.13	33	91	99.22	-0.8	-0.5	0	33	0.06	100	8282	99.22	31.7
2023-03-04 21:45:00	0	0	0	0	253	4.16	5.08	32.9	91.5	99.22	-0.8	-0.5	0	32.9	0.05	100	8281	99.21	31.7
2023-03-04 21:50:00	0	0	0	0	251	5.01	7.14	33	91.5	99.22	-0.8	-0.5	0	33	0.05	100	8277	99.21	31.8
2023-03-04 21:55:00	0	0	0	0	255	4.61	8.43	33.1	91.5	99.22	-0.8	-0.5	0	33.1	0.05	100	8279	99.21	31.9
2023-03-04 22:00:00	0	0	0	0	256	5.19	7.29	33.2	92.2	99.22	-0.8	-0.6	0	33.2	0.05	100	8279	99.21	31.9
2023-03-04 22:05:00	0	0	0	0	261	4.47	7.81	33.2	91.9	99.22	-0.8	-0.6	0	33.2	0.05	100	8276	99.21	32
2023-03-04 22:10:00	0	0	0	0	253	2.62	3.96	33.3	91.8	99.22	-0.8	-0.6	0	33.3	0.05	100	8274	99.21	31.9
2023-03-04 22:15:00	0	0	0	0	244	2.98	4.41	33.2	92.1	99.22	-0.8	-0.6	0	33.2	0.05	100	8276	99.21	31.9
2023-03-04 22:20:00	0	0	0	0	241	3.18	4	33.1	92.3	99.21	-0.8	-0.5	0	33.1	0.05	100	8275	99.21	32
2023-03-04 22:25:00	0	0	0	0	246	3.69	4.99	33.3	92	99.21	-0.7	-0.6	0	33.3	0.05	100	8276	99.21	32
2023-03-04 22:30:00	0	0	0	0	235	4.12	5.93	33.4	92.6	99.21	-0.8	-0.5	0	33.4	0.05	100	8277	99.21	32
2023-03-04 22:35:00	0	0	0	0	238	4.97	7.34	33.5	92.3	99.21	-0.8	-0.6	0	33.5	0.05	100	8276	99.2	32.1
2023-03-04 22:40:00	0	0	0	0	244	4.68	6.67	33.5	92.4	99.21	-0.8	-0.6	0	33.5	0.05	100	8276	99.21	32.2
2023-03-04 22:45:00	0	0	0	0	241	4.34	5.5	33.6	92.3	99.21	-0.7	-0.5	0	33.6	0.05	100	8276	99.2	32.2
2023-03-04 22:50:00	0	0	0	0	236	4.85	7.2	33.6	92.1	99.2	-0.8	-0.5	0	33.5	0.05	100	8273	99.19	32.3
2023-03-04 22:55:00	0	0.00067	0	0	237	5.32	6.96	33.6	92.3	99.2	-0.8	-0.6	0.04	33.6	0.05	100	8272	99.19	32.3
2023-03-04 23:00:00	0	0	0	0	246	3.91	6.96	33.8	92.4	99.2	-0.8	-0.5	0	33.7	0.05	100	8276	99.19	32.4
2023-03-04 23:05:00	0	0	0	0	247	3.85	5.26	33.7	92	99.2	-0.8	-0.5	0	33.7	0.05	100	8273	99.19	32.4
2023-03-04 23:10:00	0	0	0	0	250	3.71	5.1	33.6	92	99.21	-0.9	-0.5	0	33.6	0.05	100	8274	99.2	32.4
2023-03-04 23:15:00	0	0	0	0	250	3.58	5.46	33.6	92.8	99.2	-0.9	-0.5	0	33.6	0.05	100	8275	99.2	32.4
2023-03-04 23:20:00	0	0	0	0	231	4.92	7.43	33.6	93.1	99.2	-0.7	-0.5	0	33.6	0.05	100	8273	99.19	32.4
2023-03-04 23:25:00	0	0.00067	0	0	225	4.34	5.48	33.7	92.7	99.2	-0.8	-0.6	0.04	33.7	0.05	100	8273	99.19	32.5
2023-03-04 23:30:00	0	0	0	0	193	3.15	4.32	33.7	92.2	99.2	-0.7	-0.5	0	33.7	0.05	100	8273	99.19	32.5
2023-03-04 23:35:00	0	0	0	0	227	2.91	5.75	33.7	92.2	99.2	-0.7	-0.5	0	33.7	0.05	100	8271	99.19	32.5
2023-03-04 23:40:00	0	0.00067	0	0	213	3.02	4.81	33.8	92.7	99.2	-0.8	-0.6	0.04	33.8	0.05	100	8276	99.19	32.5
2023-03-04 23:45:00	0	0.00067	0	0	231	4.36	8.81	33.8	92.4	99.2	-0.7	-0.6	0.04	33.7	0.05	100	8268	99.19	32.6
2023-03-04 23:50:00	0	0	0	0	229	5.73	7.45	33.9	92.6	99.2	-0.7	-0.7	0	33.9	0.05	100	8268	99.19	32.7
2023-03-04 23:55:00	0	0.00067	0	0	233	5.48	7.61	33.9	92.3	99.2	-0.7	-0.6	0.04	33.9	0.05	100	8271	99.2	32.7
2023-03-05 00:00:00	0	0.00134	0	0	224	5.3	6.98	34	91.5	99.19	-0.9	-0.6	0.04	34	0.06	100	8271	99.18	32.7
2023-03-05 00:05:00	0	0.00067	0	0	217	4.45	7.29	34.1	91.5	99.19	-0.8	-0.5	0.04	34.2	0.06	100	8247	99.18	32.9
2023-03-05 00:10:00	0	0.00067	0	0	208	4.25	6.55	34	92.2	99.19	-0.8	-0.5	0.04	34	0.05	100	8238	99.19	33.1
2023-03-05 00:15:00	0	0.00134	0	0	206	3.69	5.68	34	91.9	99.18	-0.8	-0.4	0.04	34	0.05	100	8229	99.18	33.2
2023-03-05 00:20:00	0	0.00067	0	0	210	2.95	6.2	33.9	92	99.18	-0.7	-0.6	0.04	33.9	0.05	100	8245	99.17	33.1
2023-03-05 00:25:00	0	0.00067	0	0	234	5.84	7	33.9	91.4	99.18	-0.7	-0.5	0.04	33.9	0.06	100	8248	99.18	33
2023-03-05 00:30:00	0	0.00067	0	0	242	5.86	7.72	34.1	91.5	99.18	-0.8	-0.6	0.04	34.1	0.06	100	8250	99.18	33
2023-03-05 00:35:00	0	0.00134	0	0	239	4.99	6.8	34.1	91	99.18	-0.9	-0.6	0.04	34.1	0.06	100	8249	99.18	32.9
2023-03-05 00:40:00	0	0.00067	0	0	244	4.79	6.89	34	91	99.18	-0.6	-0.5	0.04	34	0.06	100	8250	99.18	32.8
2023-03-05 00:45:00	0	0.00067	0	0	255	4.21	6.13	33.8	91.2	99.19	-0.8	-0.5	0.04	33.8	0.06	100	8250	99.19	32.7
2023-03-05 00:50:00	0	0	0	0	251	3.38	4.61	33.8	91.2	99.2	-0.9	-0.5	0	33.8	0.06	100	8252	99.2	32.6
2023-03-05 00:55:00	0	0.00067	0	0	194	2.39	3.49	33.5	91.4	99.2	-0.8	-0.5	0.04	33.5	0.06	100	8251	99.19	32.4
2023-03-05 01:00:00	0	0	0	0	197	1.68	3.06	33.5	91.7	99.21	-0.7	-0.6	0	33.5	0.05	100	8251	99.2	32.2
2023-03-05 01:05:00	0	0	0	0	198	1.86	4.43	33.4	91.7	99.21	-0.8	-0.4	0	33.4	0.05	100	8251	99.21	32.1
2023-03-05 01:10:00	0	0.00067	0	0	203	2.91	4.12	33.3	91.8	99.21	-0.8	-0.5	0.04	33.3	0.05	100	8251	99.21	32.1
2023-03-05 01:15:00	0	0	0	0	215	3.83	5.01	33.3	91.8	99.22	-0.8	-0.6	0	33.2	0.05	100	8249	99.22	32
2023-03-05 01:20:00	0	0	0	0	208	3.94	5.32	33.2	92.1	99.22	-0.9	-0.6	0	33.2	0.05	100	8250	99.22	32
2023-03-05 01:25:00	0	0.00067	0	0	212	3.42	5.46	33.2	92.4	99.21	-0.8	-0.6	0.04	33.2	0.05	100	8251	99.21	32
2023-03-05 01:30:00	0	0	0	0	214	4.92	8.01	33.2	92.2	99.22	-0.8	-0.4	0	33.2	0.05	100	8249	99.21	32.1
2023-03-05 01:35:00	0	0	0	0	200	4.79	6.26	33.4	92.3	99.22	-0.8	-0.6	0	33.4	0.05	100	8250	99.21	32.2
2023-03-05 01:40:00	0	0.00067	0	0	208	4.32	6.08	33.5	92.2	99.23	-0.7	-0.4	0.04	33.5	0.05	100	8251	99.23	32.3
2023-03-05 01:45:00	0	0	0	0	212	5.46	6.93	33.5	91.7	99.24	-0.8	-0.5	0	33.5	0.05	100	8250	99.23	32.4
2023-03-05 01:50:00	0	0.00067	0	0	218	5.57	8.03	33.7	91.9	99.24	-0.7	-0.6	0.04	33.6	0.05	100	8250	99.24	32.6
2023-03-05 01:55:00	0	0.00067	0	0	220	5.86	8.93	33.7	91.6	99.25	-0.7	-0.4	0.04	33.7	0.06	100	8248	99.25	32.7
2023-03-05 02:00:00	0	0.00067	0	0	209	6.11	8.34	33.9	91	99.25	-0.8	-0.5	0.04	33.8	0.06	100	8248	99.24	32.8
2023-03-05 02:05:00	0	0.00067	0	0	208	7.45	9.55	33.9	91	99.24	-0.8	-0.7	0.04	33.9	0.06	100	8249	99.24	33
2023-03-05 02:10:00	0	0.00134	0	0	198	6.44	8.16	34.2	90	99.23	-0.8	-0.3	0.04	34.1	0.07	100	8251	99.22	33.1
2023-03-05 02:15:00	0	0.00067	0	0	197	4.76	6.51	34.1	89.9	99.22	-0.9	-0.5	0.04	34.1	0.07	100	8248	99.22	33.1
2023-03-05 02:20:00	0	0	0	0	198	4.72	7	34	89.4	99.22	-0.9	-0.5	0	34	0.07	100	8248	99.21	32.9
2023-03-05 02:25:00	0	0.00067	0	0	203	4.54	5.17	33.8	89.4	99.22	-0.7	-0.6	0.04	33.8	0.07	100	8249	99.22	32.7
2023-03-05 02:30:00	0	0	0	0	194	3.91	6.24	33.6	90.2	99.22	-0.8	-0.6	0	33.6	0.06	100	8249	99.21	32.6
2023-03-05 02:35:00	0	0	0	0	168	4.83	5.37	33.5	89.6	99.2	-0.7	-0.6	0	33.5	0.07	100	8248	99.2	32.4
2023-03-05 02:40:00	0	0.00067	0	0	167	5.1	5.75	33.4	89.6	99.2	-0.7	-0.5	0.04	33.4	0.07	100	8250	99.2	32.3
2023-03-05 02:45:00	0	0	0	0	168	4.45	4.83	33.4	89.7	99.2	-0.8	-0.6	0	33.4	0.07	100	8248	99.19	32.1
2023-03-05 02:50:00	0	0	0	0	171	4.83	5.12	33.3	90.3	99.2	-0.7	-0.5	0	33.4	0.06	100	8245	99.19	32.1
2023-03-05 02:55:00	0	0	0	0	169	4.83	5.21	33.3	90.2	99.2	-0.8	-0.6	0	33.3	0.06	100	8244	99.2	32
2023-03-05 03:00:00	0	0	0	0	171	5.23	5.75	33.3	91.2	99.2	-0.8	-0.6	0	33.2	0.06	100	8246	99.2	32
2023-03-05 03:05:00	0	0.00067	0	0	174	4.52	4.99	33.2	90.9	99.2	-0.8	-0.5	0.04	33.2	0.06	100	8247	99.2	31.9
2023-03-05 03:10:00	0	0	0	0	197	3.42	4.29	33	91.2	99.21	-0.8	-0.5	0	33.1	0.06	100	8246	99.2	31.8
2023-03-05 03:15:00	0	0	0	0	211	2.84	3.56	32.9	91.4	99.21	-0.9	-0.5	0	33	0.05	100	8244	99.21	31.7
2023-03-05 03:20:00	0	0	0	0	212	3.09	4.09	32.7	92	99.21	-0.8	-0.5	0	32.7	0.05	100	8244	99.21	31.5
2023-03-05 03:25:00	0	0	0	0	210	3.71	4.68	32.5	92.4	99.22	-0.8	-0.5	0	32.5	0.05	100	8244	99.21	31.4
2023-03-05 03:30:00	0	0	0	0	208	3.38	4.59	32.4	92.3	99.22	-0.9	-0.6	0	32.5	0.05	100	8244	99.22	31.4
2023-03-05 03:35:00	0	0	0	0	198	4.83	6.51	32.4	92.6	99.22	-0.9	-0.5	0	32.4	0.05	100	8242	99.22	31.4
2023-03-05 03:40:00	0	0	0	0	201	4.74	6.85	32.6	92.6	99.23	-0.8	-0.4	0	32.6	0.05	100	8243	99.23	31.6
2023-03-05 03:45:00	0	0	0	0	199	4.25	5.5	32.6	92.4	99.23	-0.8	-0.5	0	32.6	0.05	100	8243	99.23	31.6
2023-03-05 03:50:00	0	0	0	0	203	3.69	4.36	32.6	92.5	99.24	-0.8	-0.6	0	32.6	0.05	100	8241	99.24	31.6
2023-03-05 03:55:00	0	0.00067	0	0	194	3.96	4.5	32.5	93	99.24	-0.7	-0.5	0.04	32.5	0.04	100	8242	99.24	31.5
2023-03-05 04:00:00	0	0	0	0	200	5.01	5.97	32.4	92.6	99.25	-0.7	-0.5	0	32.4	0.05	100	8244	99.25	31.4
2023-03-05 04:05:00	0	0	0	0	199	5.41	6.44	32.5	92.8	99.26	-0.8	-0.6	0	32.5	0.04	100	8242	99.26	31.5
2023-03-05 04:10:00	0	0	0	0	195	5.37	7.18	32.6	92.7	99.26	-0.8	-0.5	0	32.6	0.05	100	8241	99.26	31.6
2023-03-05 04:15:00	0	0	0	0	197	5.73	7.16	32.7	92.2	99.27	-0.9	-0.5	0	32.7	0.05	100	8241	99.27	31.6
2023-03-05 04:20:00	0	0	0	0	203	5.99	7.83	32.8	92.1	99.28	-0.8	-0.7	0	32.8	0.05	100	8241	99.27	31.7
2023-03-05 04:25:00	0	0	0	0	203	6.35	8.14	32.8	91.8	99.28	-0.8	-0.6	0	32.9	0.05	100	8241	99.27	31.9
2023-03-05 04:30:00	0	0	0	0	205	5.88	7.92	33.1	90.8	99.27	-0.8	-0.6	0	33.2	0.06	100	8241	99.27	32
2023-03-05 04:35:00	0	0	0	0	206	5.73	6.98	33.3	90.2	99.27	-0.8	-0.6	0	33.3	0.06	100	8239	99.27	32.1
2023-03-05 04:40:00	0	0	0	0	209	5.64	8.14	33.5	89.5	99.27	-0.8	-0.6	0	33.5	0.07	100	8239	99.27	32.2
2023-03-05 04:45:00	0	0	0	0	203	5.68	7.74	33.5	89.2	99.27	-0.7	-0.5	0	33.5	0.07	100	8239	99.27	32.3
2023-03-05 04:50:00	0	0	0	0	206	4.7	6.64	33.5	89.2	99.28	-0.8	-0.5	0	33.6	0.07	100	8241	99.27	32.4
2023-03-05 04:55:00	0	0	0	0	208	2.95	5.08	33.5	89.3	99.27	-0.7	-0.6	0	33.5	0.07	100	8241	99.27	32.4
2023-03-05 05:00:00	0	0	0	0	231	3.15	4.52	33.5	88.7	99.27	-0.8	-0.5	0	33.5	0.07	100	8239	99.27	32.4
2023-03-05 05:05:00	0	0	0	0	224	1.05	2.15	33.4	89.6	99.26	-0.7	-0.6	0	33.4	0.07	100	8237	99.26	32.4
2023-03-05 05:10:00	0	0	0	0	187	1.95	2.44	33.4	88.8	99.26	-0.9	-0.5	0	33.4	0.07	100	8240	99.26	32.3
2023-03-05 05:15:00	0	0.00067	0	0	200	3.09	5.19	33.3	88.4	99.27	-0.8	-0.5	0.04	33.4	0.07	100	8238	99.27	32.3
2023-03-05 05:20:00	0	0	0	0	192	4.74	5.68	33.4	88.8	99.28	-0.8	-0.5	0	33.4	0.07	100	8235	99.28	32.3
2023-03-05 05:25:00	0	0	0	0	192	4.5	6.15	33.5	88.5	99.29	-0.8	-0.5	0	33.5	0.07	100	8238	99.29	32.4
2023-03-05 05:30:00	0	0	0	0	189	3.96	4.92	33.4	88.6	99.3	-0.7	-0.5	0	33.4	0.07	100	8239	99.3	32.4
2023-03-05 05:35:00	0	0	0	0	191	5.32	7.7	33.3	88.7	99.31	-0.8	-0.6	0	33.2	0.07	100	8236	99.31	32.4
2023-03-05 05:40:00	0	0	0	0	201	4.81	5.95	33.2	88.9	99.33	-0.8	-0.6	0	33.2	0.07	100	8239	99.32	32.4
2023-03-05 05:45:00	0	0	0	0	199	6.17	8.39	33.2	89.9	99.33	-0.8	-0.5	0	33.2	0.06	100	8234	99.33	32.3
2023-03-05 05:50:00	0	0	0	0	195	5.03	7.02	33.2	90	99.34	-0.7	-0.4	0	33.2	0.06	100	8237	99.34	32.3
2023-03-05 05:55:00	0	0	0	0	196	4.54	5.79	33.2	89.1	99.34	-0.8	-0.6	0	33.2	0.07	100	8235	99.33	32.3
2023-03-05 06:00:00	0	0	0	0	203	4.41	5.57	33.1	89.5	99.35	-0.9	-0.5	0	33.1	0.07	100	8235	99.34	32.3
2023-03-05 06:05:00	0	0	0	0	208	4.76	6.6	33.3	89.3	99.35	-0.8	-0.5	0	33.3	0.07	100	8235	99.35	32.3
2023-03-05 06:10:00	0	0	0	0	213	4.23	5.73	33.3	88.6	99.35	-0.8	-0.5	0	33.3	0.07	100	8235	99.35	32.3
2023-03-05 06:15:00	0	0	0	0	222	4.32	6.15	33.3	88.1	99.35	-0.7	-0.5	0	33.3	0.08	100	8238	99.35	32.2
2023-03-05 06:20:00	0.2	0.00067	0	0	222	4	4.97	33.3	87.8	99.35	-0.8	-0.5	0.04	33.4	0.08	100	8234	99.35	32.3
2023-03-05 06:25:00	1	0	0	0	200	3.33	4.68	33.4	86.6	99.35	-0.8	-0.7	0	33.4	0.09	100	8235	99.35	32.2
2023-03-05 06:30:00	2.4	0

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-05 06:45:00	9.6	0	0	0	214	4.5	6.93	33.3	87.1	99.36	-0.8	-0.6	0	33.3	0.08	100	8234	99.36	32
2023-03-05 06:50:00	12	0	0	0	218	4.45	7.65	33.5	86.6	99.37	-0.8	-0.5	0	33.5	0.09	100	8235	99.37	32.2
2023-03-05 06:55:00	15.6	0	0	0	200	3.85	5.26	33.6	86.8	99.36	-0.7	-0.5	0	33.7	0.09	100	8235	99.36	32.3
2023-03-05 07:00:00	28.8	0	0	0	202	4.79	7.7	33.7	87	99.37	-0.8	-0.4	0	33.8	0.09	100	8233	99.36	32.2
2023-03-05 07:05:00	37.4	0	0	0	227	5.84	6.91	33.8	86.7	99.37	-0.8	-0.5	0	33.9	0.09	100	8235	99.37	32.5
2023-03-05 07:10:00	58.2	0	0	0	225	5.61	7.16	34.2	85.8	99.37	-0.8	-0.7	0	34.4	0.09	100	8238	99.37	32.8
2023-03-05 07:15:00	61.2	0.00067	0	0	234	5.06	6.78	34.5	85.6	99.38	-0.7	-0.5	0.04	34.7	0.1	100	8238	99.38	33.1
2023-03-05 07:20:00	62.6	0	0	0	235	4.36	6.17	34.6	85.6	99.38	-0.8	-0.5	0	34.9	0.1	100	8237	99.38	33.3
2023-03-05 07:25:00	56	0	0	0	217	3.89	5.19	34.7	85.2	99.38	-0.8	-0.5	0	35	0.1	100	8241	99.38	33.3
2023-03-05 07:30:00	64	0	0	0	203	4.52	6.15	34.7	84.8	99.38	-0.8	-0.5	0	35	0.1	100	8242	99.38	33.3
2023-03-05 07:35:00	131.6	0.00067	0	0	217	3.98	5.68	35.1	84.6	99.37	-0.8	-0.6	0.04	35.6	0.11	100	8256	99.38	33.5
2023-03-05 07:40:00	173.6	0	0	0	225	5.97	9.19	36.2	83.1	99.38	-0.7	-0.5	0	36.8	0.12	100	8267	99.39	34
2023-03-05 07:45:00	189.4	0.00067	0	0	239	7.61	9.48	37.4	81.7	99.38	-0.6	-0.6	0.04	37.9	0.14	100	8279	99.4	34.8
2023-03-05 07:50:00	193.2	0.00134	0	0	243	7.9	12.08	38.1	80.9	99.39	-0.6	-0.5	0.04	38.7	0.15	100	8283	99.4	35.5
2023-03-05 07:55:00	157.4	0.00134	0	0	247	7.81	10.45	38.1	80.8	99.4	-0.6	-0.6	0.04	38.6	0.15	100	8283	99.41	36.1
2023-03-05 08:00:00	159.4	0.00201	0	0	240	8.3	13.82	37.8	81.9	99.4	-0.6	-0.5	0.04	38.3	0.14	100	8288	99.41	36.4
2023-03-05 08:05:00	105.2	0.00201	0	0	247	8.88	13.49	37.5	82.9	99.42	-0.7	-0.6	0.04	37.8	0.13	100	8281	99.42	36.4
2023-03-05 08:10:00	65.8	0.00268	0	0	250	8.57	11.27	36.9	83.9	99.43	-1	-0.5	0.04	37	0.12	100	8277	99.43	36.3
2023-03-05 08:15:00	58	0.00201	0	0	255	8.03	12.17	36.4	85.3	99.43	-0.6	-0.7	0.04	36.5	0.11	100	8277	99.44	36
2023-03-05 08:20:00	60	0.00268	0	0	259	8.63	13.06	36.1	86.1	99.43	-0.7	-0.7	0.04	36.3	0.1	100	8276	99.43	35.8
2023-03-05 08:25:00	67.8	0.00268	0	0	257	10.4	13.33	35.9	87.1	99.43	-0.9	-0.5	0.04	36.1	0.09	100	8276	99.43	35.6
2023-03-05 08:30:00	68.4	0.00268	0	0	262	8.95	13.6	35.7	87.6	99.43	-0.7	-0.6	0.04	35.9	0.09	100	8273	99.44	35.4
2023-03-05 08:35:00	58.2	0.00268	0	0	263	8.28	11.63	35.6	88.4	99.44	-0.8	-0.4	0.04	35.8	0.08	100	8271	99.44	35.3
2023-03-05 08:40:00	58.4	0.00268	0	0	257	8.19	12.95	35.5	89.4	99.44	-0.8	-0.5	0.04	35.7	0.07	100	8271	99.44	35.2
2023-03-05 08:45:00	60.8	0.00268	0	0	250	8.39	13.56	35.4	89.9	99.45	-0.8	-0.5	0.04	35.6	0.07	100	8272	99.45	35.1
2023-03-05 08:50:00	70.4	0.00201	0	0	249	8.61	12.21	35.4	89.9	99.45	-0.8	-0.6	0.04	35.6	0.07	100	8270	99.46	35.1
2023-03-05 08:55:00	69.6	0.00201	0	0	248	9.69	13.22	35.3	90.2	99.46	-0.7	-0.6	0.04	35.6	0.07	100	8270	99.46	35
2023-03-05 09:00:00	72	0.00201	0	0	247	9.4	15.52	35.5	90.4	99.46	-0.7	-0.7	0.04	35.6	0.07	100	8272	99.47	35
2023-03-05 09:05:00	80.2	0.00067	0	0	248	9.08	13.6	35.4	91.1	99.47	-0.7	-0.7	0.04	35.6	0.06	100	8270	99.47	35
2023-03-05 09:10:00	60.2	0.00067	0	0	256	8.93	12.91	35.3	91	99.48	-0.7	-0.3	0.04	35.5	0.06	100	8271	99.49	35
2023-03-05 09:15:00	91.6	0.00134	0	0	258	8.99	13.6	35.4	91.6	99.49	-0.7	-0.5	0.04	35.6	0.06	100	8274	99.49	35
2023-03-05 09:20:00	103	0.00067	0	0	254	9.28	13.2	35.6	90.8	99.49	-0.8	-0.4	0.04	35.8	0.06	100	8273	99.49	35
2023-03-05 09:25:00	124.8	0.00201	0	0	258	9.35	12.95	35.7	91.3	99.49	-0.6	-0.3	0.04	36	0.06	100	8273	99.49	35.1
2023-03-05 09:30:00	109.4	0.00134	0	0	261	7.9	13.4	35.8	91.3	99.5	-0.7	-0.4	0.04	36.2	0.06	100	8276	99.5	35.2
2023-03-05 09:35:00	81	0.00335	0	0	257	9.95	15.48	35.9	91.2	99.51	-0.7	-0.6	0.08	36.1	0.06	100	8273	99.51	35.3
2023-03-05 09:40:00	79.6	0.0067	0	0	261	10.04	13.89	35.9	91.1	99.51	-0.6	-0.5	0.161	36	0.06	100	8274	99.51	35.3
2023-03-05 09:45:00	103	0.0067	0	0	262	8.52	11.65	35.8	91.3	99.52	-0.6	-0.5	0.08	36.1	0.06	100	8275	99.52	35.2
2023-03-05 09:50:00	112.4	0.00469	0	0	262	7.85	10.54	36	91.1	99.53	-0.7	-0.7	0.08	36.2	0.06	100	8276	99.54	35.3
2023-03-05 09:55:00	139.4	0.00603	0	0	261	7.7	11.03	36	91.1	99.53	-0.7	-0.6	0.12	36.4	0.06	100	8277	99.54	35.4
2023-03-05 10:00:00	125.4	0.00603	0	0	262	9.24	11.43	36.2	90.9	99.55	-0.5	-0.4	0.12	36.6	0.07	100	8279	99.55	35.5
2023-03-05 10:05:00	203	0.00536	0	0	266	8.16	10.38	36.4	91.1	99.55	-0.8	-0.5	0.12	36.9	0.07	100	8282	99.55	35.7
2023-03-05 10:10:00	307.4	0.00871	0	0	268	8.72	11.92	37	90.7	99.54	-0.7	-0.5	0.201	37.8	0.07	100	8289	99.56	36.2
2023-03-05 10:15:00	329.8	0.00871	0	0	260	8.84	11.65	37.8	89.5	99.55	-0.8	-0.4	0.12	38.7	0.08	100	8300	99.57	36.7
2023-03-05 10:20:00	400.8	0.00938	0	0	264	9.8	13.22	39.1	87.4	99.55	-0.6	-0.6	0.12	40.1	0.1	100	8305	99.58	37.2
2023-03-05 10:25:00	397.8	0.00938	0	0	260	10.74	14.63	39.9	85	99.56	-0.8	-0.5	0.12	40.7	0.13	100	8314	99.59	37.8
2023-03-05 10:30:00	324.8	0.01005	0	0	267	11.36	16.11	40.1	84.2	99.57	-0.9	-0.6	0.12	40.9	0.13	100	8314	99.59	38.2
2023-03-05 10:35:00	219.6	0.00737	0	0	265	9.62	14.12	39.8	83.7	99.59	-0.7	-0.5	0.12	40.4	0.14	100	8314	99.59	38.3
2023-03-05 10:40:00	233.2	0.00804	0	0	265	10.74	14.76	39.6	83.9	99.59	-0.8	-0.5	0.12	40.1	0.13	100	8314	99.59	38.4
2023-03-05 10:45:00	224.8	0.00737	0	0	264	11.36	16.06	39.5	83.8	99.59	-0.6	-0.4	0.12	40	0.13	100	8319	99.59	38.4
2023-03-05 10:50:00	262.8	0.0067	0	0	266	9.84	13.29	39.5	84.4	99.58	-0.5	-0.6	0.08	40.1	0.13	100	8317	99.6	38.5
2023-03-05 10:55:00	237.8	0.0067	0	0	267	9.64	12.88	39.5	84	99.59	-0.6	-0.5	0.12	40.2	0.13	100	8317	99.6	38.7
2023-03-05 11:00:00	215	0.00469	0	0	277	9.28	14.27	39.6	83.7	99.6	-0.7	-0.5	0.08	40.1	0.13	100	8322	99.61	38.8
2023-03-05 11:05:00	214.6	0.00536	0	0	274	9.42	17.83	39.5	84.3	99.61	-0.7	-0.4	0.08	40.1	0.13	100	8322	99.61	38.8
2023-03-05 11:10:00	217.4	0.00603	0	0	279	11.61	16.2	39.5	83.8	99.61	-0.8	-0.6	0.08	40	0.13	100	8322	99.62	38.8
2023-03-05 11:15:00	263.4	0.00469	0	0	277	12.48	16.42	39.7	83.3	99.61	-0.8	-0.6	0.08	40.2	0.14	100	8326	99.62	38.9
2023-03-05 11:20:00	188	0.00402	0	0	278	13.11	19.24	39.6	83	99.62	-0.6	-0.6	0.08	40.1	0.14	100	8323	99.63	38.9
2023-03-05 11:25:00	169.4	0.00335	0	0	273	11.74	18.3	39.4	83.3	99.63	-0.7	-0.7	0.04	39.8	0.14	100	8325	99.64	38.8
2023-03-05 11:30:00	124.4	0.00335	0	0	273	12.15	16.33	39.2	82.9	99.64	-0.8	-0.5	0.04	39.5	0.14	100	8325	99.64	38.7
2023-03-05 11:35:00	98.4	0.00268	0	0	275	11.43	16.71	38.9	83.5	99.64	-0.6	-0.5	0.04	39.2	0.13	100	8320	99.64	38.5
2023-03-05 11:40:00	128.6	0.00201	0	0	269	11.01	14.65	38.7	84	99.64	-0.6	-0.4	0.04	38.9	0.13	100	8323	99.65	38.4
2023-03-05 11:45:00	167.4	0.00335	0	0	269	12.46	17.81	38.6	84.1	99.64	-0.6	-0.4	0.08	38.9	0.13	100	8326	99.65	38.3
2023-03-05 11:50:00	209	0.00201	0	0	272	13.38	20.69	38.8	83.9	99.64	-0.3	-0.6	0.04	39.2	0.13	100	8324	99.65	38.4
2023-03-05 11:55:00	314.4	0.00268	0	0	271	11.83	18.45	39.1	83.9	99.64	-0.7	-0.6	0.04	39.8	0.13	100	8331	99.65	38.6
2023-03-05 12:00:00	307.8	0.00201	0	0	273	11.9	16.46	39.6	83	99.65	-0.5	-0.7	0.04	40.4	0.14	100	8334	99.66	38.8
2023-03-05 12:05:00	239.6	0.00134	0	0	274	10.02	13.76	39.8	82.3	99.65	-0.5	-0.7	0.04	40.5	0.15	100	8333	99.66	39
2023-03-05 12:10:00	162	0.00134	0	0	269	12.39	19.08	39.8	82	99.66	-0.8	-0.6	0.04	40.2	0.15	100	8336	99.66	39
2023-03-05 12:15:00	138	0.00067	0	0	267	12.5	15.59	39.6	81.4	99.67	-0.7	-0.4	0.04	39.8	0.15	100	8335	99.66	38.9
2023-03-05 12:20:00	119.6	0.00134	0	0	271	11.92	16.53	39.2	82.4	99.67	-0.6	-0.7	0.04	39.5	0.14	100	8334	99.67	38.7
2023-03-05 12:25:00	136.2	0	0	0	265	11.1	16.53	39.1	82.9	99.67	-0.4	-0.7	0	39.3	0.14	100	8336	99.67	38.6
2023-03-05 12:30:00	135	0.00067	0	0	266	11.3	15.73	38.8	83.6	99.67	-0.8	-0.5	0.04	39.2	0.13	100	8335	99.67	38.5
2023-03-05 12:35:00	118.8	0.00067	0	0	264	11.68	17.11	38.8	83.4	99.67	-0.5	-0.5	0.04	39.1	0.13	100	8334	99.67	38.4
2023-03-05 12:40:00	109	0	0	0	270	11.83	15.84	38.8	83.6	99.67	-0.7	-0.5	0	39	0.13	100	8333	99.66	38.4
2023-03-05 12:45:00	100	0	0	0	271	9.95	15.12	38.7	83.4	99.67	-0.7	-0.6	0	38.9	0.13	100	8332	99.67	38.3
2023-03-05 12:50:00	99	0	0	0	269	7.99	10.69	38.6	84	99.67	-0.7	-0.6	0	38.8	0.13	100	8330	99.67	38.2
2023-03-05 12:55:00	106.8	0	0	0	274	9.53	15.17	38.6	84.3	99.67	-0.6	-0.7	0	38.8	0.12	100	8331	99.67	38.2
2023-03-05 13:00:00	102.4	0	0	0	263	9.1	14.14	38.5	84.4	99.68	-0.5	-0.5	0	38.8	0.12	100	8331	99.67	38.2
2023-03-05 13:05:00	91.8	0	0	0	272	11.45	15.43	38.6	83.8	99.68	-0.6	-0.5	0	38.8	0.13	100	8331	99.67	38.2
2023-03-05 13:10:00	83	0	0	0	272	10	14.32	38.5	83.5	99.68	-0.6	-0.4	0	38.7	0.13	100	8331	99.67	38.1
2023-03-05 13:15:00	77	0	0	0	275	11.43	17.9	38.5	83.6	99.68	-0.6	-0.7	0	38.7	0.13	100	8329	99.67	38.1
2023-03-05 13:20:00	80	0	0	0	275	11.81	17.34	38.5	83.5	99.68	-0.6	-0.7	0	38.7	0.13	100	8329	99.68	38.1
2023-03-05 13:25:00	107.6	0	0	0	275	10.76	14.85	38.5	83.5	99.68	-0.8	-0.5	0	38.7	0.13	100	8329	99.68	38.1
2023-03-05 13:30:00	139.6	0	0	0	271	11.48	15.97	38.7	83.9	99.69	-0.6	-0.6	0	39	0.13	100	8332	99.69	38.1
2023-03-05 13:35:00	131.2	0	0	0	275	10.69	15.82	38.7	83.2	99.69	-0.6	-0.6	0	39.1	0.13	100	8332	99.69	38.2
2023-03-05 13:40:00	127.6	0	0	0	279	10.36	14.63	38.9	83.4	99.7	-0.5	-0.5	0	39.2	0.13	100	8332	99.7	38.3
2023-03-05 13:45:00	109.4	0	0	0	280	14.83	24.09	38.9	82.7	99.7	-0.3	-0.9	0	39.2	0.14	100	8330	99.7	38.4
2023-03-05 13:50:00	96.2	0	0	0	289	17.05	22.64	38.8	81.6	99.71	-0.9	-0.3	0	39	0.15	100	8333	99.7	38.4
2023-03-05 13:55:00	123.2	0	0	0	282	13.4	18.84	38.8	81.3	99.72	-0.8	-0.3	0	39.1	0.15	100	8333	99.72	38.3
2023-03-05 14:00:00	171.4	0	0	0	283	13.56	19.84	38.8	81.2	99.72	-0.5	-0.7	0	39.1	0.15	100	8336	99.72	38.3
2023-03-05 14:05:00	185	0	0	0	285	13.91	19.53	39	80.5	99.72	-0.4	-0.7	0	39.5	0.16	100	8336	99.73	38.4
2023-03-05 14:10:00	172	0	0	0	281	11.83	17.36	39	79.3	99.73	-0.5	-0.3	0	39.4	0.17	100	8339	99.74	38.5
2023-03-05 14:15:00	196.6	0	0	0	279	11.61	15.75	39.1	79.3	99.74	-0.7	-0.6	0	39.6	0.17	100	8340	99.74	38.6
2023-03-05 14:20:00	244	0	0	0	274	10.49	14.74	39.3	79.2	99.74	-0.7	-0.5	0	39.9	0.17	100	8343	99.74	38.7
2023-03-05 14:25:00	233.2	0	0	0	281	13.31	20.15	39.7	78.5	99.74	-0.6	-0.5	0	40.2	0.18	100	8345	99.75	38.9
2023-03-05 14:30:00	231.6	0	0	0	278	12.24	17.36	39.9	77.6	99.75	-0.4	-0.7	0	40.4	0.19	100	8350	99.76	39.1
2023-03-05 14:35:00	209.8	0	0	0	280	11.88	17	39.9	77.7	99.76	-0.8	-0.5	0	40.5	0.19	100	8347	99.76	39.2
2023-03-05 14:40:00	184.6	0	0	0	276	12.62	17.9	40.1	77.3	99.76	-0.6	-0.6	0	40.5	0.19	100	8344	99.77	39.3
2023-03-05 14:45:00	216	0	0	0	281	11.61	16.06	40.2	77.1	99.77	-0.6	-0.5	0	40.7	0.19	100	8351	99.77	39.3
2023-03-05 14:50:00	213.4	0	0	0	285	9.78	15.23	40.4	77.1	99.78	-0.6	-0.5	0	40.9	0.19	100	8352	99.78	39.5
2023-03-05 14:55:00	205.2	0	0	0	287	12.53	19.3	40.5	77.1	99.78	-0.6	-0.5	0	41.1	0.2	100	8352	99.77	39.7
2023-03-05 15:00:00	150	0	0	0	282	15.79	20.8	40.5	75.8	99.79	-0.4	-0.7	0	40.8	0.21	100	8352	99.78	39.7
2023-03-05 15:05:00	114.4	0	0	0	296	14.12	20.98	40.3	75.5	99.79	-0.6	-0.4	0	40.5	0.21	100	8350	99.79	39.6
2023-03-05 15:10:00	81.6	0	0	0	290	12.91	17.05	40	76.6	99.8	-0.5	-0.6	0	40.2	0.2	100	8351	99.8	39.5
2023-03-05 15:15:00	99.8	0	0	0	296	11.5	15.77	39.8	76.7	99.81	-0.5	-0.7	0	40.1	0.19	100	8352	99.8	39.4
2023-03-05 15:20:00	110	0	0	0	291	10.49	14.05	39.9	76.6	99.81	-0.6	-0.5	0	40.1	0.2	100	8348	99.81	39.4
2023-03-05 15:25:00	75.4	0	0	0	292	9.93	14.27	39.7	76.8	99.82	-0.6	-0.5	0	39.9	0.19	100	8349	99.81	39.4
2023-03-05 15:30:00	74.6	0	0	0	300	13.06	19.26	39.6	77.2	99.82	-0.8	-0.9	0	39.8	0.19	100	8348	99.81	39.3
2023-03-05 15:35:00	76.4	0	0	0	305	12.46	17.36	39.6	77.3	99.82	-0.5	-0.4	0	39.8	0.19	100	8347	99.81	39.3
2023-03-05 15:40:00	71.8	0	0	0	305	11.34	16.28	39.5	77.2	99.83	-0.9	-0.5	0	39.7	0.19	100	8345	99.82	39.2
2023-03-05 15:45:00	70.2	0	0	0	287	10.58	14.29	39.4	78	99.83	-0.6	-0.6	0	39.6	0.18	100	8347	99.82	39.1
2023-03-05 15:50:00	72.6	0	0	0	299	9.31	13.24	39.3	78.3	99.84	-0.6	-0.6	0	39.6	0.18	100	8343	99.83	39.1
2023-03-05 15:55:00	89.6	0	0	0	291	9.73	13.67	39.3	78.3	99.84	-0.7	-0.4	0	39.6	0.18	100	8345	99.84	39
2023-03-05 16:00:00	93.4	0	0	0	304	8.68	10.98	39.3	78.5	99.84	-0.7	-0.5	0	39.6	0.18	100	8344	99.84	39
2023-03-05 16:05:00	113.2	0	0	0	305	9.82	13.56	39.4	78.3	99.85	-0.7	-0.5	0	39.7	0.18	100	8345	99.84	39.1
2023-03-05 16:10:00	89.2	0	0	0	303	11.54	19.57	39.5	78.8	99.85	-0.9	-0.5	0	39.8	0.17	100	8347	99.84	39.1
2023-03-05 16:15:00	90	0	0	0	302	12.1	16.91	39.4	78.6	99.86	-0.5	-0.7	0	39.6	0.17	100	8346	99.85	39
2023-03-05 16:20:00	84.4	0	0	0	305	11.43	15.39	39.5	79.2	99.86	-0.4	-0.6	0	39.7	0.17	100	8344	99.85	39
2023-03-05 16:25:00	66.6	0	0	0	299	9.46	12.82	39.3	78.7	99.87	-0.6	-0.5	0	39.4	0.17	100	8345	99.86	38.9
2023-03-05 16:30:00	77.2	0	0	0	300	10.71	13.69	39.2	79.1	99.87	-0.4	-0.5	0	39.4	0.17	100	8344	99.86	38.8
2023-03-05 16:35:00	76.2	0	0	0	297	10.33	13.78	39.2	79.6	99.87	-0.6	-0.6	0	39.3	0.17	100	8342	99.87	38.8
2023-03-05 16:40:00	55.4	0	0	0	296	8.7	13.38	39.1	79.5	99.88	-0.5	-0.7	0	39.2	0.17	100	8342	99.87	38.8
2023-03-05 16:45:00	52	0	0	0	297	10.6	14.88	39.1	80.2	99.88	-0.6	-0.5	0	39.3	0.16	100	8340	99.87	38.7
2023-03-05 16:50:00	34.6	0	0	0	301	7.83	9.86	39	80	99.89	-0.5	-0.7	0	39.1	0.16	100	8339	99.88	38.6
2023-03-05 16:55:00	19	0	0	0	299	8.95	13.11	38.9	80	99.9	-0.8	-0.6	0	38.9	0.16	100	8337	99.89	38.5
2023-03-05 17:00:00	13.6	0	0	0	303	8.59	12.24	38.7	80.2	99.91	-0.6	-0.5	0	38.8	0.16	100	8338	99.9	38.4
2023-03-05 17:05:00	15.6	0	0	0	297	7.83	10.49	38.7	80.7	99.92	-0.6	-0.5	0	38.8	0.15	100	8337	99.91	38.3
2023-03-05 17:10:00	16.2	0	0	0	301	8.19	10.63	38.5	80.8	99.93	-0.5	-0.6	0	38.6	0.15	100	8336	99.92	38.3
2023-03-05 17:15:00	15.6	0	0	0	297	7.7	12.8	38.5	81.2	99.94	-0.6	-0.6	0	38.6	0.15	100	8333	99.93	38.2
2023-03-05 17:20:00	12.8	0	0	0	308	6.44	8.63	38.5	81.3	99.94	-0.6	-0.4	0	38.6	0.15	100	8335	99.93	38.1
2023-03-05 17:25:00	11	0	0	0	304	6.93	9.89	38.4	82.1	99.94	-0.7	-0.5	0	38.4	0.14	100	8333	99.94	38
2023-03-05 17:30:00	8.4	0	0	0	301	6.58	8.61	38.3	81.9	99.95	-0.6	-0.5	0	38.4	0.14	100	8336	99.93	37.9
2023-03-05 17:35:00	7.6	0	0	0	301	6.15	9.26	38.3	81.6	99.95	-0.6	-0.4	0	38.3	0.14	100	8331	99.94	37.8
2023-03-05 17:40:00	5	0	0	0

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-05 18:10:00	0	0	0	0	319	5.26	7.11	37.7	83.1	99.98	-0.5	-0.6	0	37.8	0.13	100	8329	99.96	37.1
2023-03-05 18:15:00	0	0	0	0	333	5.79	7.56	37.7	83.4	99.98	-0.6	-0.4	0	37.7	0.13	100	8325	99.96	37
2023-03-05 18:20:00	0	0	0	0	327	4.97	6.29	37.5	84.2	99.98	-0.6	-0.6	0	37.5	0.12	100	8323	99.97	36.8
2023-03-05 18:25:00	0	0	0	0	328	5.19	6.78	37.4	84.3	99.98	-0.6	-0.5	0	37.4	0.12	100	8327	99.97	36.7
2023-03-05 18:30:00	0	0	0	0	323	4.41	6.02	37.3	84.8	99.98	-0.6	-0.4	0	37.3	0.11	100	8325	99.97	36.6
2023-03-05 18:35:00	0	0	0	0	319	4.36	5.59	37.2	85.3	100	-0.6	-0.4	0	37.2	0.11	100	8322	99.98	36.5
2023-03-05 18:40:00	0	0	0	0	317	3.62	4.47	37	85.7	100	-0.7	-0.6	0	37	0.11	100	8323	99.99	36.3
2023-03-05 18:45:00	0	0	0	0	322	3.94	5.97	37	85.9	100.01	-0.8	-0.5	0	37	0.1	100	8322	99.99	36.2
2023-03-05 18:50:00	0	0	0	0	303	3.87	5.68	36.9	86.3	100.01	-0.6	-0.5	0	36.9	0.1	100	8320	100	36.1
2023-03-05 18:55:00	0	0	0	0	301	4.03	5.44	36.8	86.3	100.01	-0.7	-0.5	0	36.8	0.1	100	8319	99.99	36
2023-03-05 19:00:00	0	0	0	0	300	3.78	4.94	36.8	86.6	100.01	-0.7	-0.5	0	36.8	0.1	100	8321	99.99	36
2023-03-05 19:05:00	0	0	0	0	293	4.23	6.31	36.6	87	100.01	-0.7	-0.4	0	36.6	0.1	100	8319	100	35.9
2023-03-05 19:10:00	0	0	0	0	289	4.23	5.3	36.6	87	100.01	-0.8	-0.6	0	36.6	0.1	100	8320	100	35.9
2023-03-05 19:15:00	0	0	0	0	302	3.8	4.47	36.6	87.1	100.02	-0.6	-0.6	0	36.6	0.09	100	8320	100.01	35.8
2023-03-05 19:20:00	0	0	0	0	308	2.98	3.85	36.6	87.1	100.02	-0.6	-0.4	0	36.6	0.09	100	8314	100.01	35.8
2023-03-05 19:25:00	0	0	0	0	331	2.64	3.4	36.5	87.4	100.03	-0.7	-0.5	0	36.5	0.09	100	8318	100.02	35.7
2023-03-05 19:30:00	0	0	0	0	328	2.17	3.22	36.4	87.8	100.03	-0.8	-0.7	0	36.4	0.09	100	8317	100.02	35.6
2023-03-05 19:35:00	0	0	0	0	312	2.84	3.71	36.4	87.5	100.03	-0.8	-0.6	0	36.3	0.09	100	8314	100.02	35.5
2023-03-05 19:40:00	0	0	0	0	298	3.27	4.29	36.3	87	100.03	-0.7	-0.4	0	36.3	0.09	100	8314	100.02	35.5
2023-03-05 19:45:00	0	0	0	0	290	3.71	5.01	36.4	86.9	100.03	-0.7	-0.4	0	36.4	0.1	100	8313	100.02	35.5
2023-03-05 19:50:00	0	0	0	0	281	3.78	4.56	36.5	86.3	100.03	-0.8	-0.5	0	36.5	0.1	100	8310	100.01	35.4
2023-03-05 19:55:00	0	0	0	0	256	3.67	4.61	36.4	85.8	100.02	-0.8	-0.4	0	36.4	0.1	100	8313	100	35.1
2023-03-05 20:00:00	0	0	0	0	238	4.61	5.46	36.1	85.4	100.02	-0.8	-0.5	0	36.1	0.1	100	8311	100	34.7
2023-03-05 20:05:00	0	0	0	0	236	4.68	5.3	36.1	85.4	100.02	-0.7	-0.5	0	36.1	0.1	100	8311	100	34.5
2023-03-05 20:10:00	0	0	0	0	249	4.85	6.4	36.1	84.6	100.02	-0.7	-0.4	0	36.1	0.11	100	8314	100	34.4
2023-03-05 20:15:00	0	0	0	0	251	5.23	6.51	36.1	84.6	100.02	-0.8	-0.5	0	36.1	0.11	100	8311	100.01	34.2
2023-03-05 20:20:00	0	0	0	0	254	5.66	7.61	36	84.7	100.03	-0.7	-0.4	0	35.9	0.11	100	8308	100.01	34.1
2023-03-05 20:25:00	0	0	0	0	257	6.24	7.9	35.9	84.8	100.03	-0.7	-0.5	0	35.9	0.11	100	8307	100.01	34.1
2023-03-05 20:30:00	0	0	0	0	256	6.29	8.59	35.8	84.4	100.03	-0.8	-0.5	0	35.8	0.11	100	8310	100.02	34
2023-03-05 20:35:00	0	0	0	0	255	5.14	6.98	35.7	84.5	100.03	-0.8	-0.5	0	35.7	0.11	100	8309	100.02	33.8
2023-03-05 20:40:00	0	0	0	0	252	5.3	7.58	35.4	85.5	100.03	-0.8	-0.5	0	35.4	0.1	100	8308	100.02	33.6
2023-03-05 20:45:00	0	0	0	0	250	6.22	8.21	35.3	86	100.03	-0.7	-0.6	0	35.3	0.1	100	8307	100.02	33.5
2023-03-05 20:50:00	0	0	0	0	255	7	10.4	35.4	85.6	100.04	-0.7	-0.6	0	35.4	0.1	100	8308	100.02	33.5
2023-03-05 20:55:00	0	0	0	0	259	7.76	10.65	35.3	86.1	100.04	-0.7	-0.6	0	35.3	0.1	100	8304	100.03	33.6
2023-03-05 21:00:00	0	0	0	0	262	8.55	10.47	35.5	85.8	100.04	-0.8	-0.5	0	35.5	0.1	100	8306	100.03	33.6
2023-03-05 21:05:00	0	0	0	0	263	8.81	11.05	35.2	86	100.05	-0.8	-0.6	0	35.3	0.1	100	8306	100.03	33.7
2023-03-05 21:10:00	0	0	0	0	261	9.22	13.73	35.3	86	100.05	-0.8	-0.5	0	35.3	0.1	100	8304	100.03	33.7
2023-03-05 21:15:00	0	0	0	0	262	9.6	12.41	35.3	85.9	100.04	-0.9	-0.6	0	35.3	0.1	100	8304	100.02	33.7
2023-03-05 21:20:00	0	0	0	0	263	9.66	12.35	35.2	85.6	100.03	-0.6	-0.5	0	35.2	0.1	100	8303	100.02	33.7
2023-03-05 21:25:00	0	0	0	0	263	8.1	10.51	35.2	85.9	100.04	-0.6	-0.6	0	35.2	0.1	100	8304	100.02	33.6
2023-03-05 21:30:00	0	0	0	0	259	7.87	11.03	35	85.7	100.04	-0.7	-0.5	0	35	0.1	100	8302	100.02	33.4
2023-03-05 21:35:00	0	0	0	0	258	7.34	10.16	34.9	85.9	100.04	-0.7	-0.5	0	34.9	0.1	100	8301	100.02	33.3
2023-03-05 21:40:00	0	0	0	0	264	8.08	11.97	34.9	86	100.04	-0.8	-0.5	0	34.8	0.1	100	8303	100.02	33.3
2023-03-05 21:45:00	0	0	0	0	266	8.9	12.17	34.7	86.8	100.03	-0.7	-0.4	0	34.6	0.09	100	8299	100.02	33.2
2023-03-05 21:50:00	0	0	0	0	268	8.55	11.65	34.6	87.2	100.03	-0.6	-0.7	0	34.6	0.09	100	8300	100.01	33.1
2023-03-05 21:55:00	0	0	0	0	266	8.81	11.9	34.4	87.5	100.03	-0.8	-0.5	0	34.4	0.08	100	8299	100.01	33
2023-03-05 22:00:00	0	0	0	0	268	8.79	11.05	34.4	87.8	100.02	-0.7	-0.5	0	34.4	0.08	100	8301	100.01	32.9
2023-03-05 22:05:00	0	0	0	0	266	8.21	10.87	34.2	88.3	100.02	-0.8	-0.6	0	34.2	0.08	100	8298	100.01	32.8
2023-03-05 22:10:00	0	0	0	0	264	9.89	14.2	34.1	88.7	100.02	-0.9	-0.4	0	34.1	0.08	100	8299	100.01	32.8
2023-03-05 22:15:00	0	0	0	0	267	9.17	11.65	34.1	88.8	100.02	-0.8	-0.5	0	34.1	0.07	100	8301	100.01	32.7
2023-03-05 22:20:00	0	0	0	0	268	9.42	13.6	34.1	88.8	100.02	-0.8	-0.5	0	34.1	0.07	100	8297	100.01	32.7
2023-03-05 22:25:00	0	0	0	0	276	9.06	12.48	33.9	89.4	100.02	-0.8	-0.5	0	33.9	0.07	100	8298	100.01	32.6
2023-03-05 22:30:00	0	0	0	0	275	8.99	12.84	33.8	89.7	100.02	-0.8	-0.5	0	33.8	0.07	100	8295	100.01	32.4
2023-03-05 22:35:00	0	0	0	0	278	8.39	13.87	33.7	90.1	100.02	-0.9	-0.6	0	33.7	0.06	100	8295	100.01	32.3
2023-03-05 22:40:00	0	0	0	0	273	9.98	12.39	33.7	89.4	100.02	-0.7	-0.6	0	33.7	0.07	100	8297	100.01	32.3
2023-03-05 22:45:00	0	0	0	0	270	10.47	13.94	33.6	89.9	100.02	-0.8	-0.5	0	33.6	0.07	100	8294	100.01	32.3
2023-03-05 22:50:00	0	0	0	0	272	10.4	16.67	33.7	89.7	100.02	-0.5	-0.5	0	33.6	0.07	100	8294	100.01	32.3
2023-03-05 22:55:00	0	0	0	0	268	10.56	15.88	33.7	89.5	100.02	-0.9	-0.5	0	33.7	0.07	100	8295	100.01	32.3
2023-03-05 23:00:00	0	0	0	0	271	10.16	13.58	33.6	89.2	100.02	-0.7	-0.5	0	33.6	0.07	100	8292	100.02	32.2
2023-03-05 23:05:00	0	0	0	0	273	10.27	13.98	33.5	89.3	100.03	-0.8	-0.6	0	33.5	0.07	100	8292	100.02	32.2
2023-03-05 23:10:00	0	0	0	0	277	10	12.95	33.5	89.5	100.02	-0.8	-0.5	0	33.4	0.07	100	8293	100.02	32.1
2023-03-05 23:15:00	0	0	0	0	281	11.12	15.3	33.4	89.6	100.02	-0.8	-0.5	0	33.4	0.07	100	8293	100.01	31.9
2023-03-05 23:20:00	0	0	0	0	279	10.78	16.02	33.3	89.7	100.02	-0.7	-0.6	0	33.3	0.07	100	8291	100.01	31.9
2023-03-05 23:25:00	0	0	0	0	275	10.74	15.05	33.2	88.8	100.02	-0.8	-0.4	0	33.2	0.07	100	8288	100.01	31.8
2023-03-05 23:30:00	0	0	0	0	279	10.36	13.65	33.2	88.9	100.02	-0.8	-0.4	0	33.2	0.07	100	8291	100.01	31.7
2023-03-05 23:35:00	0	0	0	0	280	10.31	14.07	33.1	89.3	100.03	-0.8	-0.5	0	33.1	0.07	100	8289	100.02	31.6
2023-03-05 23:40:00	0	0	0	0	279	10	13.96	33	89.7	100.03	-0.7	-0.6	0	32.9	0.07	100	8289	100.01	31.5
2023-03-05 23:45:00	0	0	0	0	278	10.29	15.84	32.8	89	100.02	-0.8	-0.4	0	32.8	0.07	100	8291	100.01	31.4
2023-03-05 23:50:00	0	0	0	0	276	10.27	13.09	32.8	89.2	100.03	-1	-0.5	0	32.8	0.07	100	8288	100.02	31.4
2023-03-05 23:55:00	0	0	0	0	274	11.16	15.37	32.7	89.2	100.02	-0.7	-0.4	0	32.7	0.07	100	8289	100.01	31.3
2023-03-06 00:00:00	0	0	0	0	274	11.36	14.56	32.7	89	100.02	-0.9	-0.7	0	32.7	0.07	100	8289	100.01	31.3
2023-03-06 00:05:00	0	0	0	0	274	10.47	13.82	32.6	89.3	100.02	-0.9	-0.4	0	32.6	0.07	100	8262	100.02	31.4
2023-03-06 00:10:00	0	0	0	0	274	9.62	12.86	32.5	89.8	100.02	-0.8	-0.5	0	32.5	0.06	100	8253	100.02	31.5
2023-03-06 00:15:00	0	0	0	0	272	9.53	12.19	32.4	90.2	100.02	-0.9	-0.5	0	32.4	0.06	100	8246	100.02	31.5
2023-03-06 00:20:00	0	0	0	0	272	10.31	13.02	32.3	90.3	100.01	-0.8	-0.5	0	32.3	0.06	100	8262	100.01	31.4
2023-03-06 00:25:00	0	0	0	0	270	9.57	12.57	32.2	89.9	100.02	-0.9	-0.5	0	32.2	0.06	100	8263	100.01	31.1
2023-03-06 00:30:00	0	0	0	0	268	10.4	13.6	32.1	90.5	100.02	-0.7	-0.5	0	32.1	0.06	100	8265	100.01	30.9
2023-03-06 00:35:00	0	0	0	0	271	10.22	14.65	32	90.5	100.02	-0.8	-0.5	0	32	0.06	100	8266	100.02	30.8
2023-03-06 00:40:00	0	0	0	0	275	10.07	12.66	32	90.5	100.03	-0.8	-0.4	0	32	0.06	100	8264	100.02	30.7
2023-03-06 00:45:00	0	0	0	0	279	9.33	14	32	91.1	100.03	-0.9	-0.5	0	32	0.05	100	8266	100.03	30.6
2023-03-06 00:50:00	0	0	0	0	283	8.84	13.02	31.8	91.5	100.03	-0.8	-0.5	0	31.8	0.05	100	8264	100.02	30.4
2023-03-06 00:55:00	0	0	0	0	277	8.97	12.06	31.7	91.2	100.03	-0.9	-0.6	0	31.6	0.05	100	8265	100.02	30.2
2023-03-06 01:00:00	0	0	0	0	277	10.09	13.42	31.5	91.9	100.03	-0.9	-0.6	0	31.5	0.05	100	8265	100.02	30.1
2023-03-06 01:05:00	0	0	0	0	282	10.11	13.31	31.4	92.3	100.04	-0.8	-0.7	0	31.4	0.05	100	8265	100.03	30.1
2023-03-06 01:10:00	0	0	0	0	275	9.71	14	31.3	92.2	100.04	-1	-0.6	0	31.3	0.05	100	8266	100.03	30
2023-03-06 01:15:00	0	0	0	0	272	10.04	12.84	31.4	92.3	100.05	-0.9	-0.5	0	31.4	0.05	100	8266	100.04	29.9
2023-03-06 01:20:00	0	0	0	0	268	10.25	14.45	31.3	92.7	100.04	-0.9	-0.7	0	31.3	0.04	100	8263	100.04	29.9
2023-03-06 01:25:00	0	0	0	0	272	9.8	12.62	31.3	92.7	100.04	-0.8	-0.2	0	31.3	0.04	100	8263	100.03	29.9
2023-03-06 01:30:00	0	0	0	0	274	9.57	14.43	31.2	92.4	100.04	-0.8	-0.5	0	31.2	0.04	100	8262	100.03	29.8
2023-03-06 01:35:00	0	0	0	0	271	9.33	13	31.1	93	100.03	-0.9	-0.4	0	31.1	0.04	100	8263	100.03	29.7
2023-03-06 01:40:00	0	0	0	0	268	9.84	12.24	31.1	92.5	100.04	-0.9	-0.5	0	31.1	0.04	100	8263	100.03	29.6
2023-03-06 01:45:00	0	0	0	0	271	9.28	13.65	30.9	92.3	100.03	-0.9	-0.5	0	31	0.04	100	8265	100.02	29.5
2023-03-06 01:50:00	0	0	0	0	270	9.33	11.99	30.9	92.3	100.02	-0.9	-0.4	0	31	0.04	100	8263	100.02	29.5
2023-03-06 01:55:00	0	0	0	0	274	9.51	12.59	30.8	92.6	100.01	-1	-0.5	0	30.8	0.04	100	8264	100.01	29.4
2023-03-06 02:00:00	0	0	0	0	271	8.48	10.33	30.8	92.9	100.02	-0.8	-0.5	0	30.8	0.04	100	8263	100.01	29.3
2023-03-06 02:05:00	0	0	0	0	273	8.59	11.25	30.7	93.1	100.01	-0.9	-0.5	0	30.7	0.04	100	8262	100.01	29.2
2023-03-06 02:10:00	0	0	0	0	273	8.48	10.65	30.5	92.9	100.02	-0.9	-0.4	0	30.5	0.04	100	8263	100.02	29
2023-03-06 02:15:00	0	0	0	0	269	9.51	13.02	30.3	93.5	100.02	-0.7	-0.4	0	30.4	0.04	100	8263	100.01	28.9
2023-03-06 02:20:00	0	0	0	0	270	9.73	12.64	30.4	92.6	100.01	-0.9	-0.6	0	30.3	0.04	100	8262	100	28.9
2023-03-06 02:25:00	0	0	0	0	269	8.99	12.84	30.2	93.2	100	-0.9	-0.5	0	30.2	0.04	100	8261	100	28.8
2023-03-06 02:30:00	0	0	0	0	267	9.46	11.97	30.2	93.2	100	-0.9	-0.5	0	30.2	0.04	100	8260	100	28.7
2023-03-06 02:35:00	0	0	0	0	269	9.55	12.5	30.2	93.3	100.01	-0.9	-0.5	0	30.2	0.04	100	8260	100	28.7
2023-03-06 02:40:00	0	0	0	0	274	9.35	13.11	30.1	93.6	100.01	-0.9	-0.4	0	30.1	0.04	100	8260	100	28.6
2023-03-06 02:45:00	0	0	0	0	273	8.55	10.67	30.1	93.9	100.01	-1	-0.4	0	30	0.03	100	8258	100	28.5
2023-03-06 02:50:00	0	0	0	0	266	9.37	12.59	29.9	93.9	100	-0.9	-0.4	0	29.9	0.03	100	8259	100	28.4
2023-03-06 02:55:00	0	0	0	0	263	10.42	13.29	29.9	94.2	100	-0.7	-0.3	0	29.9	0.03	100	8260	100	28.4
2023-03-06 03:00:00	0	0	0	0	258	10.71	14.72	29.9	94.3	100.01	-1	-0.5	0	29.9	0.03	100	8259	100.01	28.4
2023-03-06 03:05:00	0	0	0	0	259	9.73	12.28	30	94	100.01	-0.9	-0.4	0	30	0.03	100	8259	100.01	28.5
2023-03-06 03:10:00	0	0	0	0	266	9.64	14.05	30.1	93.9	100.01	-0.8	-0.4	0	30.1	0.03	100	8260	100	28.5
2023-03-06 03:15:00	0	0	0	0	272	8.68	12.86	30.1	93.7	100	-0.9	-0.7	0	30.1	0.04	100	8258	100	28.5
2023-03-06 03:20:00	0	0	0	0	267	9.28	12.55	30	93.8	100.01	-0.9	-0.5	0	30	0.04	100	8257	100	28.4
2023-03-06 03:25:00	0	0	0	0	266	9.06	12.75	29.9	93.5	100	-0.9	-0.4	0	29.8	0.04	100	8258	100	28.3
2023-03-06 03:30:00	0	0	0	0	272	8.97	10.71	29.8	94.5	100	-1	-0.4	0	29.8	0.03	100	8257	100	28.3
2023-03-06 03:35:00	0	0	0	0	272	9.1	11.5	29.7	93.3	100.01	-0.9	-0.4	0	29.7	0.04	100	8257	100	28.2
2023-03-06 03:40:00	0	0	0	0	270	9.69	12.37	29.7	93.6	100.02	-0.9	-0.5	0	29.7	0.04	100	8259	100.01	28.2
2023-03-06 03:45:00	0	0	0	0	271	9.73	13.2	29.7	93.9	100.02	-0.9	-0.5	0	29.7	0.03	100	8257	100.02	28.1
2023-03-06 03:50:00	0	0	0	0	278	8.99	12.41	29.7	93.9	100.03	-0.9	-0.4	0	29.6	0.03	100	8256	100.02	28.1
2023-03-06 03:55:00	0	0	0	0	284	8.1	10.76	29.6	93.7	100.03	-0.9	-0.5	0	29.6	0.03	100	8257	100.03	28
2023-03-06 04:00:00	0	0	0	0	278	7.92	9.53	29.3	95	100.03	-0.9	-0.4	0	29.3	0.03	100	8256	100.03	27.8
2023-03-06 04:05:00	0	0	0	0	276	8.72	12.75	29.3	94.7	100.04	-0.9	-0.5	0	29.3	0.03	100	8256	100.04	27.7
2023-03-06 04:10:00	0	0	0	0	277	9.31	12.44	29.2	94.9	100.04	-1	-0.5	0	29.2	0.03	100	8251	100.03	27.6
2023-03-06 04:15:00	0	0	0	0	274	9.04	11.97	29	95.2	100.04	-0.9	-0.5	0	29.1	0.03	100	8254	100.03	27.5
2023-03-06 04:20:00	0	0	0	0	274	9.19	13.35	29	95.6	100.04	-1.1	-0.4	0	29.1	0.02	100	8253	100.04	27.5
2023-03-06 04:25:00	0	0	0	0	275	8.99	12.75	29.1	95.4	100.05	-1	-0.6	0	29.1	0.02	100	8254	100.05	27.5
2023-03-06 04:30:00	0	0	0	0	274	8.75	10.78	28.9	95.3	100.05	-0.9	-0.4	0	28.9	0.03	100	8251	100.05	27.4
2023-03-06 04:35:00	0	0	0	0	273	8.46	10.47	29	95.5	100.06	-1	-0.5	0	28.9	0.02	100	8252	100.06	27.4
2023-03-06 04:40:00	0	0	0	0	271	9.15	10.65	28.9	96.4	100.06	-0.9	-0.6	0	28.9	0.02	100	8253	100.06	27.4
2023-03-06 04:45:00	0	0	0	0	271	7.81	10.94	28.9	95.5	100.06	-0.9	-0.6	0	28.9	0.02	100	8252	100.06	27.3
2023-03-06 04:50:00	0	0	0	0	271	8.21	10.33	28.9	95.4	100.06	-0.7	-0.4	0	28.9	0.02	100	8253	100.06	27.3
2023-03-06 04:55:00	0	0	0	0	265	8.99	11.12	28.7	95.4	100.06	-1	-0.5	0	28.7	0.02	100	8251	100.06	27.3
2023-03-06 05:00:00	0	0	0	0	265	9.71	13.13	28.9	96.3	100.06	-1	-0.5	0	28.9	0.02	100	8253	100.06	27.4
2023-03-06 05:05:00	0	0	0	0	273	8.72	11.01	28.9	96	100.05	-1	-0.3	0	28.9	0.02	100	8251	100.05	27.5
2023-03-06 05:10:00	0	0	0	0	268	7.38	8.95	29	96.2	100.05	-0.9	-0.6	0	29	0.02	100	8251	100.04	27.5
2023-03-06 05:15:00	0	0	0	0	273	7.07	9.55	29	96	100.02	-1	-0.4	0	29	0.02	100	8252	100.02	27.5
2023-03-06 05:20:00	0	0	0	0	275	6.46	8.39	29	96.2	100.02	-1	-0.6	0	29	0.02	100	8250	100.02	27.4
2023-03-06 05:25:00	0	0	0	0	270	6.78	8.39	29	96.1	100.01	-0.9	-0.6	0	29	0.02	100	8249	100.01	27.4
2023-03-06 05:30:00	0	0	0	0	271	7.9	11.21	29	96.2	100.02

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-06 05:35:00	0	0	0	0	267	8.14	9.66	29	96.2	100.01	-0.9	-0.5	0	29	0.02	100	8248	100	27.4
2023-03-06 05:40:00	0	0	0	0	265	7.81	10.33	28.9	96.4	100	-0.9	-0.5	0	29	0.02	100	8249	100	27.4
2023-03-06 05:45:00	0	0	0	0	266	7.58	10	29	96.1	99.99	-0.9	-0.5	0	29	0.02	100	8248	99.99	27.5
2023-03-06 05:50:00	0	0	0	0	261	7.23	9.33	29.1	96.4	99.98	-0.9	-0.5	0	29.1	0.02	100	8249	99.98	27.6
2023-03-06 05:55:00	0	0	0	0	260	8.55	11.59	29.3	96.7	99.98	-0.9	-0.4	0	29.4	0.02	100	8248	99.98	27.7
2023-03-06 06:00:00	0	0	0	0	261	7.99	11.14	29.4	96.4	99.99	-0.9	-0.4	0	29.4	0.02	100	8245	99.99	27.9
2023-03-06 06:05:00	0	0	0	0	265	7.94	11.9	29.7	96.8	100	-1	-0.4	0	29.7	0.02	100	8244	99.99	28
2023-03-06 06:10:00	0	0	0	0	261	7.92	10.54	29.7	96.5	100.01	-0.8	-0.5	0	29.7	0.02	100	8248	100.01	28
2023-03-06 06:15:00	0	0	0	0	263	8.32	10.94	29.7	96.1	100	-0.8	-0.5	0	29.7	0.02	100	8248	100	28
2023-03-06 06:20:00	1.4	0	0	0	270	7.83	10.49	29.8	96	99.99	-0.9	-0.5	0	29.7	0.02	100	8246	99.99	28
2023-03-06 06:25:00	3.8	0	0	0	256	7.52	10.49	29.6	95.9	99.98	-0.9	-0.5	0	29.7	0.02	100	8247	99.98	28
2023-03-06 06:30:00	6.2	0	0	0	266	7.25	9.42	29.7	95.6	99.98	-1	-0.4	0	29.7	0.02	100	8246	99.98	27.9
2023-03-06 06:35:00	10	0	0	0	273	6.31	8.3	29.6	95.8	99.98	-0.8	-0.6	0	29.6	0.02	100	8247	99.98	27.9
2023-03-06 06:40:00	19.6	0	0	0	269	5.55	6.64	29.5	95.9	99.98	-0.9	-0.4	0	29.6	0.02	100	8246	99.98	27.8
2023-03-06 06:45:00	28	0	0	0	271	6.46	8.34	29.6	95.9	99.98	-0.9	-0.4	0	29.7	0.02	100	8250	99.98	27.7
2023-03-06 06:50:00	36.4	0	0	0	274	6.22	8.43	29.7	95.6	99.98	-0.9	-0.4	0	29.8	0.02	100	8247	99.98	27.8
2023-03-06 06:55:00	66.6	0	0	0	275	4.68	6.17	29.7	95.6	99.97	-0.8	-0.5	0	29.9	0.02	100	8256	99.98	27.8
2023-03-06 07:00:00	86.8	0	0	0	273	5.57	6.49	30.2	95.8	99.97	-0.8	-0.6	0	30.5	0.02	100	8263	99.97	28.1
2023-03-06 07:05:00	84.2	0	0	0	271	6.06	7.76	30.7	94.9	99.96	-0.9	-0.4	0	31	0.03	100	8266	99.97	28.5
2023-03-06 07:10:00	79.6	0	0	0	269	5.95	8.16	31.1	93.8	99.96	-0.9	-0.3	0	31.3	0.04	100	8267	99.97	28.9
2023-03-06 07:15:00	71	0	0	0	267	6.42	7.61	31.1	93.4	99.98	-0.9	-0.6	0	31.4	0.04	100	8270	99.98	29.2
2023-03-06 07:20:00	69.6	0	0	0	268	7.36	9.55	30.9	93.7	100	-0.8	-0.6	0	31.1	0.04	100	8266	99.99	29.3
2023-03-06 07:25:00	62.2	0	0	0	269	6.69	8.39	30.9	93.4	99.99	-0.8	-0.6	0	31.1	0.04	100	8266	99.99	29.4
2023-03-06 07:30:00	66.8	0	0	0	271	7.49	9.15	30.8	93.6	100	-1	-0.5	0	31	0.04	100	8265	100	29.5
2023-03-06 07:35:00	70.8	0	0	0	262	7.7	9.46	30.7	94.2	100.01	-0.8	-0.5	0	31	0.03	100	8263	100.01	29.6
2023-03-06 07:40:00	65.6	0	0	0	269	7.63	10.13	30.8	93.8	100.01	-0.9	-0.5	0	31	0.04	100	8265	100.01	29.7
2023-03-06 07:45:00	59	0	0	0	270	7.72	10.13	30.9	94	100.01	-0.9	-0.5	0	31.1	0.03	100	8267	100.01	29.7
2023-03-06 07:50:00	58.2	0	0	0	275	7.02	10.09	31	93.8	100	-0.9	-0.5	0	31.2	0.04	100	8264	100	29.8
2023-03-06 07:55:00	64	0	0	0	270	7.72	10.85	30.9	94.2	100	-0.9	-0.6	0	31.1	0.03	100	8264	100.01	29.9
2023-03-06 08:00:00	73.4	0	0	0	272	8.46	11.54	31.1	93.6	100	-0.9	-0.5	0	31.3	0.04	100	8264	100	30
2023-03-06 08:05:00	75.6	0	0	0	272	7.65	9.46	31.2	93.8	100	-0.9	-0.5	0	31.5	0.04	100	8264	100.01	30.1
2023-03-06 08:10:00	82.8	0	0	0	273	7.36	9.19	31.4	93.9	100	-0.9	-0.5	0	31.6	0.04	100	8264	100.01	30.2
2023-03-06 08:15:00	94.8	0	0	0	271	6.2	8.72	31.4	93.9	100	-0.8	-0.7	0	31.7	0.04	100	8266	100.01	30.3
2023-03-06 08:20:00	105.6	0	0	0	271	7.78	11.03	31.6	93.1	100.02	-0.7	-0.5	0	31.9	0.04	100	8269	100.03	30.5
2023-03-06 08:25:00	116.6	0	0	0	271	7.63	10.6	31.7	92.9	100.03	-0.6	-0.4	0	32.1	0.04	100	8269	100.04	30.6
2023-03-06 08:30:00	126.2	0	0	0	266	7.96	12.21	32	93.1	100.03	-0.8	-0.5	0	32.3	0.04	100	8273	100.04	30.8
2023-03-06 08:35:00	136.2	0	0	0	263	7.87	10.58	32.2	92.9	100.04	-0.8	-0.6	0	32.6	0.04	100	8272	100.05	31
2023-03-06 08:40:00	140.4	0	0	0	273	7.11	8.57	32.4	92.8	100.05	-0.8	-0.6	0	32.8	0.04	100	8273	100.05	31.2
2023-03-06 08:45:00	144.4	0	0	0	290	6.06	8.72	32.6	92.1	100.04	-0.8	-0.5	0	33	0.05	100	8277	100.05	31.4
2023-03-06 08:50:00	150	0	0	0	290	6.08	8.12	32.8	91.8	100.04	-0.7	-0.5	0	33.3	0.05	100	8280	100.04	31.7
2023-03-06 08:55:00	154.2	0	0	0	281	5.86	8.43	33	91.6	100.04	-0.9	-0.5	0	33.5	0.05	100	8278	100.04	31.9
2023-03-06 09:00:00	157.4	0	0	0	285	7.23	10.2	33.2	90.6	100.04	-0.8	-0.4	0	33.6	0.06	100	8282	100.04	32.1
2023-03-06 09:05:00	165.8	0	0	0	279	7.25	9.53	33.3	90.4	100.04	-0.8	-0.4	0	33.8	0.06	100	8282	100.05	32.2
2023-03-06 09:10:00	170.8	0	0	0	276	6.22	7.94	33.5	90.7	100.03	-0.7	-0.5	0	34	0.06	100	8283	100.04	32.4
2023-03-06 09:15:00	172.4	0	0	0	289	4.97	6.78	33.6	90.6	100.03	-0.7	-0.5	0	34.1	0.06	100	8286	100.04	32.6
2023-03-06 09:20:00	175.2	0	0	0	286	6.06	7.47	33.8	90	100.03	-0.7	-0.5	0	34.3	0.07	100	8287	100.04	32.8
2023-03-06 09:25:00	174.4	0	0	0	302	5.59	7.25	33.9	89.3	100.03	-0.8	-0.5	0	34.5	0.07	100	8289	100.03	33
2023-03-06 09:30:00	177.8	0	0	0	299	4.09	6.2	34	89.2	100.02	-0.7	-0.6	0	34.6	0.07	100	8292	100.03	33.2
2023-03-06 09:35:00	186.2	0	0	0	277	5.35	6.96	34.2	89.1	100.02	-0.8	-0.6	0	34.8	0.07	100	8294	100.03	33.4
2023-03-06 09:40:00	202.4	0	0	0	273	5.57	7.36	34.4	88.7	100.03	-0.7	-0.5	0	35.1	0.08	100	8295	100.03	33.6
2023-03-06 09:45:00	212.2	0	0	0	276	5.41	7.31	34.6	88.6	100.02	-0.7	-0.5	0	35.3	0.08	100	8298	100.03	33.8
2023-03-06 09:50:00	222.2	0	0	0	280	4.27	5.55	34.7	88.1	100.01	-0.8	-0.5	0	35.5	0.08	100	8301	100.02	34.1
2023-03-06 09:55:00	239	0	0	0	297	4.59	5.97	35	88.3	100.01	-0.7	-0.5	0	35.8	0.08	100	8301	100.02	34.4
2023-03-06 10:00:00	256.6	0	0	0	281	5.3	7.54	35.2	87.1	100.02	-0.7	-0.4	0	36.2	0.09	100	8309	100.03	34.7
2023-03-06 10:05:00	261.2	0	0	0	280	5.84	8.01	35.5	86.4	100.02	-0.6	-0.6	0	36.4	0.1	100	8307	100.03	34.9
2023-03-06 10:10:00	245.6	0	0	0	271	5.97	8.9	35.7	85.9	100.02	-0.7	-0.5	0	36.6	0.1	100	8308	100.04	35.1
2023-03-06 10:15:00	225	0	0	0	281	5.14	7.52	35.9	85.9	100.03	-0.6	-0.5	0	36.6	0.1	100	8311	100.04	35.2
2023-03-06 10:20:00	217.6	0	0	0	282	4.74	7.43	35.9	85.2	100.04	-0.8	-0.6	0	36.7	0.11	100	8313	100.04	35.3
2023-03-06 10:25:00	215.6	0	0	0	277	5.23	7.96	36	84.5	100.03	-0.6	-0.5	0	36.8	0.11	100	8316	100.04	35.4
2023-03-06 10:30:00	202.4	0	0	0	288	4.76	7.25	36	84.1	100.03	-0.7	-0.5	0	36.8	0.11	100	8316	100.03	35.5
2023-03-06 10:35:00	199	0	0	0	282	3.02	5.66	36	83.7	100.02	-0.7	-0.6	0	36.8	0.12	100	8316	100.03	35.7
2023-03-06 10:40:00	202.2	0	0	0	304	4.54	7.36	36.2	82.4	100.02	-0.7	-0.5	0	37	0.13	100	8319	100.03	35.8
2023-03-06 10:45:00	205.4	0	0	0	321	2.89	4	36.1	81.8	100.01	-0.7	-0.5	0	37.1	0.13	100	8317	100.02	36
2023-03-06 10:50:00	213.6	0	0	0	320	4.59	7.14	36.3	82.4	100.01	-0.6	-0.6	0	37.2	0.13	100	8320	100.01	36.2
2023-03-06 10:55:00	231.6	0	0	0	318	4.68	6.02	36.5	80.8	100	-0.6	-0.6	0	37.3	0.14	100	8325	100.01	36.3
2023-03-06 11:00:00	226.2	0	0	0	312	3.74	5.79	36.5	81.1	99.99	-0.7	-0.6	0	37.4	0.14	100	8327	100	36.4
2023-03-06 11:05:00	232.4	0	0	0	358	3.09	4.36	36.6	80.7	99.98	-0.6	-0.6	0	37.6	0.14	100	8325	99.99	36.6
2023-03-06 11:10:00	263.4	0	0	0	15	1.92	4.9	36.6	79.6	99.97	-0.6	-0.6	0	37.9	0.15	100	8329	99.99	37
2023-03-06 11:15:00	264.2	0	0	0	336	2.42	5.73	36.7	78.6	99.97	-0.6	-0.6	0	38.3	0.16	100	8332	99.98	37.4
2023-03-06 11:20:00	259.8	0	0	0	346	3.96	6.42	37.5	75.2	99.97	-0.6	-0.5	0	38.6	0.19	100	8331	99.98	37.7
2023-03-06 11:25:00	285.4	0	0	0	42	1.63	3.56	37.3	75.8	99.97	-0.6	-0.5	0	38.8	0.18	100	8338	99.99	38
2023-03-06 11:30:00	328.4	0	0	0	318	2.89	4.7	37.7	75.6	99.97	-0.5	-0.5	0	39.5	0.19	100	8340	99.98	38.6
2023-03-06 11:35:00	367.4	0	0	0	297	2.84	4.27	38.6	73.2	99.96	-0.6	-0.6	0	40.2	0.21	100	8344	99.98	38.8
2023-03-06 11:40:00	430.2	0	0	0	306	2.08	3.91	39.2	72.9	99.95	-0.5	-0.6	0	41.2	0.22	100	8354	99.97	39.4
2023-03-06 11:45:00	541.4	0	0	0	3	5.37	10.56	41.1	68.6	99.93	-0.5	-0.6	0	42.5	0.27	100	8358	99.96	40
2023-03-06 11:50:00	488.8	0	0	0	15	5.39	8.86	41.9	65.7	99.92	-0.6	-0.5	0	43.1	0.31	100	8365	99.94	40.5
2023-03-06 11:55:00	463.8	0	0	0	356	4.52	7.02	41.8	65.9	99.91	-0.4	-0.5	0	43.1	0.31	100	8371	99.93	40.8
2023-03-06 12:00:00	513.6	0	0	0	14	4.9	8.72	42.2	65.3	99.89	-0.5	-0.6	0	43.5	0.32	100	8374	99.92	41.1
2023-03-06 12:05:00	443.4	0	0	0	24	5.17	7.27	42.1	65.2	99.89	-0.4	-0.6	0	43.4	0.32	100	8380	99.9	41.3
2023-03-06 12:10:00	379	0	0	0	18	4.94	9.55	41.7	65.9	99.88	-0.5	-0.5	0	42.9	0.31	100	8382	99.89	41.4
2023-03-06 12:15:00	461.6	0	0	0	30	6.58	11.14	41.6	65.3	99.85	-0.6	-0.5	0	42.7	0.31	100	8384	99.88	41.3
2023-03-06 12:20:00	645.2	0	0	0	43	5.28	7.76	42.5	63.9	99.84	-0.5	-0.5	0	43.8	0.33	100	8394	99.89	41.6
2023-03-06 12:25:00	583.4	0	0	0	24	3.4	7.16	43.4	63.1	99.85	-0.5	-0.4	0	44.8	0.35	100	8397	99.89	42.3
2023-03-06 12:30:00	599.8	0	0	0	80	5.03	7.18	44.1	60.6	99.85	-0.5	-0.5	0	45.5	0.39	100	8403	99.88	42.9
2023-03-06 12:35:00	650.6	0	0	0	44	4.7	7.63	44.9	57.2	99.83	-0.2	-0.6	0	46.1	0.43	100	8407	99.88	43.4
2023-03-06 12:40:00	660.6	0	0	0	76	4.14	6.58	45.5	56	99.83	-0.3	-0.7	0	46.9	0.45	100	8412	99.88	43.8
2023-03-06 12:45:00	695.4	0	0	0	5	6.02	8.1	46.2	53	99.83	-0.3	-0.6	0	47.4	0.5	100	8412	99.87	44.2
2023-03-06 12:50:00	677.4	0	0	0	347	4.79	8.48	46.7	49.9	99.81	-0.3	-0.6	0	47.9	0.54	100	8415	99.85	44.2
2023-03-06 12:55:00	626.8	0	0	0	356	6.82	11.01	46.9	48.7	99.81	-0.2	-0.6	0	48	0.56	100	8418	99.84	44.1
2023-03-06 13:00:00	652.8	0	0	0	3	5.95	8.9	46.8	46.6	99.81	-0.2	-0.6	0	47.9	0.58	100	8415	99.83	43.7
2023-03-06 13:05:00	646.8	0	0	0	356	5.91	9.66	46.7	46.1	99.78	-0.2	-0.6	0	47.8	0.59	100	8414	99.81	43.5
2023-03-06 13:10:00	658.6	0	0	0	340	7.36	11.97	46.9	45	99.77	-0.3	-0.5	0	47.9	0.6	100	8412	99.8	43.2
2023-03-06 13:15:00	646.2	0	0	0	353	5.21	9.1	46.7	46.3	99.75	-0.3	-0.6	0	47.9	0.58	100	8413	99.77	43
2023-03-06 13:20:00	634.8	0	0	0	61	4.83	8.01	46.8	47.5	99.73	-0.3	-0.7	0	48.1	0.57	100	8409	99.75	43.3
2023-03-06 13:25:00	625	0	0	0	43	7.52	10.38	46.8	44.9	99.7	-0.3	-0.6	0	47.8	0.6	100	8409	99.73	43.5
2023-03-06 13:30:00	591	0	0	0	18	6.11	10.74	46.2	44.9	99.7	-0.4	-0.7	0	47.3	0.59	100	8406	99.73	43.4
2023-03-06 13:35:00	504.6	0	0	0	59	4.18	5.55	45.7	46.8	99.74	-0.4	-0.6	0	46.9	0.56	100	8406	99.76	43.4
2023-03-06 13:40:00	414.2	0	0	0	62	4.68	8.68	44.7	48.3	99.77	-0.3	-0.6	0	46.1	0.52	100	8411	99.77	43.9
2023-03-06 13:45:00	462	0	0	0	56	5.06	7.72	44.3	49.5	99.74	-0.4	-0.8	0	45.5	0.5	100	8410	99.75	44.2
2023-03-06 13:50:00	418.8	0	0	0	28	5.79	9.86	43.9	50.1	99.72	-0.3	-0.6	0	45.1	0.49	100	8417	99.73	44
2023-03-06 13:55:00	431	0	0	0	71	5.61	7.78	43.5	50.9	99.69	-0.4	-0.7	0	44.7	0.47	100	8415	99.7	43.8
2023-03-06 14:00:00	494.6	0	0	0	64	5.68	7.52	43.5	50.8	99.66	-0.5	-0.6	0	44.7	0.47	100	8414	99.68	43.9
2023-03-06 14:05:00	424	0	0	0	39	6.11	8.59	43.8	49.6	99.64	-0.3	-0.6	0	44.9	0.49	100	8412	99.66	43.8
2023-03-06 14:10:00	411	0	0	0	71	6.6	8.5	43.6	50.4	99.63	-0.4	-0.7	0	44.7	0.48	100	8410	99.65	43.8
2023-03-06 14:15:00	562.2	0	0	0	49	8.48	11.74	44.1	47.4	99.61	-0.4	-0.7	0	45	0.52	100	8415	99.64	43.8
2023-03-06 14:20:00	461.2	0	0	0	39	6.55	10.09	43.7	46.7	99.62	-0.3	-0.7	0	44.7	0.52	100	8413	99.65	43.8
2023-03-06 14:25:00	367.6	0	0	0	45	4.97	7.67	43.1	47.8	99.64	-0.5	-0.6	0	44.2	0.49	100	8414	99.65	43.7
2023-03-06 14:30:00	338.6	0	0	0	21	5.64	8.48	42.5	48.2	99.64	-0.5	-0.5	0	43.8	0.48	100	8415	99.64	43.6
2023-03-06 14:35:00	307.4	0	0	0	350	7.16	10.22	42.3	48.7	99.64	-0.3	-0.6	0	43.2	0.47	100	8415	99.65	43
2023-03-06 14:40:00	293.4	0	0	0	352	7.52	11.05	41.9	49.7	99.65	-0.5	-0.6	0	42.7	0.45	100	8416	99.66	42.4
2023-03-06 14:45:00	327	0	0	0	342	6.49	8.48	41.5	51.1	99.65	-0.5	-0.5	0	42.5	0.44	100	8417	99.65	42
2023-03-06 14:50:00	332.4	0	0	0	3	6.64	9.8	41.3	52.2	99.63	-0.6	-0.5	0	42.3	0.42	100	8418	99.63	41.8
2023-03-06 14:55:00	358	0	0	0	9	5.93	9.8	41.3	52.4	99.62	-0.6	-0.5	0	42.3	0.42	100	8418	99.62	41.5
2023-03-06 15:00:00	405.2	0	0	0	55	5.5	7.27	41.3	53.4	99.61	-0.4	-0.6	0	42.5	0.41	100	8418	99.62	41.6
2023-03-06 15:05:00	436.4	0	0	0	11	6.46	9.82	41.8	51.6	99.6	-0.5	-0.7	0	42.9	0.44	100	8418	99.61	41.9
2023-03-06 15:10:00	426.4	0	0	0	12	7.18	9.69	42.2	52.8	99.59	-0.5	-0.6	0	43.3	0.43	100	8420	99.59	42
2023-03-06 15:15:00	308	0	0	0	23	7.05	10.74	42	52.4	99.58	-0.5	-0.6	0	43	0.43	100	8420	99.58	41.9
2023-03-06 15:20:00	204.4	0	0	0	34	6.73	9.66	41.4	52.4	99.57	-0.5	-0.6	0	42	0.42	100	8419	99.55	41.6
2023-03-06 15:25:00	209	0	0	0	41	5.26	7.7	40.7	50.7	99.56	-0.5	-0.7	0	41.4	0.43	100	8418	99.55	41.1
2023-03-06 15:30:00	187.2	0	0	0	38	6.78	10.94	40.2	45.7	99.56	-0.5	-0.7	0	40.7	0.46	100	8419	99.55	40.7
2023-03-06 15:35:00	223.4	0	0	0	34	7.16	9.69	39.7	43.4	99.55	-0.6	-0.6	0	40.3	0.47	100	8419	99.54	40.4
2023-03-06 15:40:00	231.8	0	0	0	24	7.81	10.78	39.5	43.8	99.52	-0.7	-0.4	0	40.2	0.46	100	8419	99.51	40
2023-03-06 15:45:00	199.2	0	0	0	24	7.45	9.75	39.2	46.2	99.52	-0.6	-0.6	0	39.8	0.44	100	8418	99.51	39.8
2023-03-06 15:50:00	186.4	0	0	0	18	5.46	8.41	38.8	49.2	99.52	-0.5	-0.7	0	39.5	0.41	100	8417	99.52	39.4
2023-03-06 15:55:00	179.6	0	0	0	357	3.6	5.55	38.6	50.5	99.53	-0.5	-0.5	0	39.2	0.39	100	8418	99.52	39.2
2023-03-06 16:00:00	165.6	0	0	0	19	3.62	7.74	38.4	52	99.51	-0.5	-0.6	0	39.2	0.38	100	8417	99.49	39
2023-03-06 16:05:00	158.4	0	0	0	23	4.99	7.02	38.4	52.7	99.49	-0.7	-0.5	0	39	0.37	100	8417	99.47	38.9
2023-03-06 16:10:00	156	0	0	0	25	6.26	7.78	38.2	54.8	99.47	-0.6	-0.6	0	38.7	0.35	100	8416	99.46	38.6
2023-03-06 16:15:00	131.6	0	0	0	11	7	9.48	38	55.1	99.45	-0.7	-0.5	0	38.4	0.35	100	8415	99.44	38.3
2023-03-06 16:20:00	111	0	0	0	9	5.97	7.58	37.7	55.6	99.45	-0.6	-0.6	0	38	0.34	100	8414	99.44	37.9
2023-03-06 16:25:00	111.6	0	0	0	15	4.18	5.68	37.4	55.7	99.44	-0.7	-0.5	0	37.8	0.34	100	8412	99.42	37.5
2023-03-06 16:30:00	128.8	0	0	0	9	5.46	7.2	37.2	57.7	99.42	-0.6	-0.6	0	37.7	0.32	100	8412	99.4	37.3
2023-03-06 16:35:00	97.2	0	0	0	17	6.24	7.74	37	58.6	99.39	-0.7	-0.5	0	37.4	0.31	100	8412	99.36	37.1
2023-03-06 16:40:00	90.6	0	0	0	18	5.86	7.99	36.9	60.1	99.37	-0.6	-0.5	0	37.1	0.3	100	8412	99.36	36.8
2023-03-06 16:45:00	79	0	0	0	25	6.15

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-06 17:00:00	51.8	0	0	0	18	7.36	10.87	35.8	65	99.34	-0.7	-0.5	0	36	0.25	100	8407	99.32	35.6
2023-03-06 17:05:00	36.2	0	0	0	14	8.01	10.4	35.5	65.2	99.34	-0.7	-0.4	0	35.6	0.24	100	8406	99.32	35.2
2023-03-06 17:10:00	33.6	0	0	0	19	7.83	11.25	35.2	66.3	99.33	-0.6	-0.5	0	35.2	0.23	100	8403	99.31	34.9
2023-03-06 17:15:00	31.4	0	0	0	18	8.39	11.27	34.9	67.1	99.31	-0.6	-0.6	0	35	0.23	100	8403	99.3	34.6
2023-03-06 17:20:00	27	0	0	0	21	7.65	9.62	34.6	67.3	99.31	-0.7	-0.5	0	34.7	0.22	100	8399	99.29	34.3
2023-03-06 17:25:00	17.6	0	0	0	24	7.65	9.73	34.3	67.9	99.3	-0.7	-0.4	0	34.4	0.22	100	8397	99.28	34.1
2023-03-06 17:30:00	13	0	0	0	26	6.82	8.84	34.2	68.4	99.29	-0.7	-0.5	0	34.2	0.21	100	8399	99.27	33.8
2023-03-06 17:35:00	9.4	0	0	0	16	5.23	7.16	34	69.1	99.29	-0.8	-0.6	0	34	0.2	100	8396	99.27	33.5
2023-03-06 17:40:00	6.8	0	0	0	14	5.75	7.83	33.8	70	99.29	-0.7	-0.4	0	33.8	0.2	100	8396	99.27	33.3
2023-03-06 17:45:00	4.2	0	0	0	15	5.5	8.77	33.6	70.6	99.3	-0.8	-0.4	0	33.6	0.19	100	8396	99.28	33.1
2023-03-06 17:50:00	1.8	0	0	0	15	4.83	5.95	33.3	70.7	99.3	-0.8	-0.5	0	33.4	0.19	100	8394	99.28	32.8
2023-03-06 17:55:00	0.6	0	0	0	18	4.36	6.08	33.2	70.7	99.3	-0.7	-0.3	0	33.2	0.19	100	8393	99.28	32.6
2023-03-06 18:00:00	0	0	0	0	22	5.08	6.64	33	70.6	99.3	-0.8	-0.4	0	33	0.19	100	8392	99.28	32.4
2023-03-06 18:05:00	0	0	0	0	16	4.27	6.42	33	69.6	99.33	-0.8	-0.5	0	32.9	0.19	100	8392	99.31	32.3
2023-03-06 18:10:00	0	0	0	0	23	5.93	9.06	32.9	68	99.33	-0.9	-0.4	0	32.8	0.2	100	8392	99.32	32.2
2023-03-06 18:15:00	0	0	0	0	20	6.49	8.7	32.8	65.1	99.34	-0.8	-0.4	0	32.8	0.22	100	8390	99.32	32.1
2023-03-06 18:20:00	0	0	0	0	27	6.04	7.85	32.8	65.2	99.33	-0.9	-0.4	0	32.8	0.22	100	8388	99.31	32
2023-03-06 18:25:00	0	0	0	0	25	4.76	6.06	32.6	67	99.33	-0.9	-0.5	0	32.6	0.21	100	8387	99.31	31.9
2023-03-06 18:30:00	0	0	0	0	30	4.41	7.09	32.5	67.9	99.33	-0.9	-0.4	0	32.6	0.2	100	8387	99.31	31.7
2023-03-06 18:35:00	0	0	0	0	29	4.38	5.73	32.5	68.6	99.33	-0.8	-0.4	0	32.5	0.2	100	8385	99.31	31.6
2023-03-06 18:40:00	0	0	0	0	36	4.74	7.05	32.4	68.2	99.33	-0.8	-0.5	0	32.4	0.2	100	8387	99.31	31.5
2023-03-06 18:45:00	0	0	0	0	59	3.42	5.5	32.3	67.7	99.34	-0.9	-0.5	0	32.3	0.2	100	8385	99.32	31.4
2023-03-06 18:50:00	0	0	0	0	43	2.77	4.05	32.2	65.9	99.35	-0.9	-0.4	0	32.2	0.21	100	8384	99.34	31.2
2023-03-06 18:55:00	0	0	0	0	23	0.94	2.3	32	65.4	99.37	-0.9	-0.5	0	32	0.21	100	8383	99.35	31
2023-03-06 19:00:00	0	0	0	0	292	0.49	0.65	32	65.6	99.38	-0.8	-0.5	0	31.9	0.21	100	8384	99.35	30.8
2023-03-06 19:05:00	0	0	0	0	133	0.78	1.07	31.7	65.5	99.35	-0.8	-0.5	0	31.7	0.21	100	8383	99.33	30.6
2023-03-06 19:10:00	0	0	0	0	195	0.72	1.66	31.7	67.7	99.35	-0.8	-0.5	0	31.7	0.2	100	8383	99.33	30.5
2023-03-06 19:15:00	0	0	0	0	190	1.03	1.54	31.6	67.2	99.34	-0.8	-0.6	0	31.6	0.2	100	8381	99.32	30.5
2023-03-06 19:20:00	0	0	0	0	135	0.58	0.92	31.5	67	99.33	-0.8	-0.4	0	31.5	0.2	100	8379	99.31	30.4
2023-03-06 19:25:00	0	0	0	0	124	0.94	1.45	31.6	68.3	99.32	-0.8	-0.5	0	31.6	0.19	100	8379	99.3	30.3
2023-03-06 19:30:00	0	0	0	0	168	1.86	2.48	31.5	71.8	99.31	-0.8	-0.5	0	31.5	0.17	100	8380	99.29	30.3
2023-03-06 19:35:00	0	0	0	0	175	3.02	4.16	31.5	69.4	99.3	-0.9	-0.5	0	31.5	0.18	100	8376	99.28	30.3
2023-03-06 19:40:00	0	0	0	0	183	4.45	5.17	31.7	70.6	99.29	-0.9	-0.5	0	31.7	0.18	100	8378	99.27	30.5
2023-03-06 19:45:00	0	0	0	0	180	4.34	4.83	31.6	70.7	99.29	-0.9	-0.4	0	31.6	0.18	100	8375	99.27	30.5
2023-03-06 19:50:00	0	0	0	0	182	4.34	5.23	31.8	71	99.28	-0.9	-0.4	0	31.8	0.18	100	8376	99.26	30.6
2023-03-06 19:55:00	0	0	0	0	185	4.21	4.92	31.7	70.9	99.27	-0.8	-0.5	0	31.7	0.18	100	8375	99.25	30.6
2023-03-06 20:00:00	0	0	0	0	184	3.51	4.34	31.8	70.7	99.27	-0.8	-0.4	0	31.8	0.18	100	8375	99.24	30.6
2023-03-06 20:05:00	0	0	0	0	180	4.59	5.44	31.7	70.6	99.25	-0.8	-0.5	0	31.7	0.18	100	8372	99.23	30.6
2023-03-06 20:10:00	0	0	0	0	190	6.11	7.29	31.8	70.9	99.27	-0.9	-0.5	0	31.9	0.18	100	8374	99.26	30.7
2023-03-06 20:15:00	0	0	0	0	196	6.29	7.61	31.9	71.4	99.31	-0.9	-0.4	0	31.9	0.17	100	8371	99.29	30.8
2023-03-06 20:20:00	0	0	0	0	195	5.57	7.25	31.9	71.6	99.3	-0.9	-0.5	0	31.9	0.17	100	8371	99.28	30.8
2023-03-06 20:25:00	0	0	0	0	195	2.8	4.7	31.9	72.4	99.29	-0.8	-0.4	0	31.9	0.17	100	8371	99.27	30.8
2023-03-06 20:30:00	0	0	0	0	245	1.19	2.08	31.8	72.6	99.29	-0.8	-0.5	0	31.8	0.17	100	8371	99.27	30.7
2023-03-06 20:35:00	0	0	0	0	314	1.28	1.5	31.8	73.9	99.28	-0.9	-0.5	0	31.8	0.16	100	8369	99.26	30.6
2023-03-06 20:40:00	0	0	0	0	281	1.48	1.74	31.7	73	99.29	-0.9	-0.5	0	31.7	0.16	100	8369	99.27	30.5
2023-03-06 20:45:00	0	0	0	0	248	2.42	3.47	31.5	72.1	99.29	-0.8	-0.5	0	31.5	0.17	100	8369	99.27	30.5
2023-03-06 20:50:00	0	0	0	0	244	3.15	4.27	31.6	69.7	99.29	-0.9	-0.5	0	31.6	0.18	100	8367	99.28	30.5
2023-03-06 20:55:00	0	0	0	0	260	2.66	4.16	31.7	65.2	99.29	-0.9	-0.4	0	31.7	0.21	100	8368	99.27	30.6
2023-03-06 21:00:00	0	0	0	0	301	2.55	3.04	31.8	67.3	99.26	-0.9	-0.5	0	31.8	0.2	100	8368	99.24	30.6
2023-03-06 21:05:00	0	0	0	0	313	2.77	3.24	31.7	70.2	99.26	-0.8	-0.5	0	31.7	0.18	100	8366	99.24	30.6
2023-03-06 21:10:00	0	0	0	0	291	3.78	4.47	31.7	71.1	99.28	-0.9	-0.4	0	31.7	0.17	100	8370	99.26	30.6
2023-03-06 21:15:00	0	0	0	0	295	3.69	4.52	31.7	72.7	99.28	-0.8	-0.4	0	31.7	0.16	100	8365	99.26	30.6
2023-03-06 21:20:00	0	0	0	0	300	3.53	4.45	31.7	73.6	99.27	-0.9	-0.5	0	31.7	0.16	100	8369	99.24	30.6
2023-03-06 21:25:00	0	0	0	0	333	3.15	3.85	31.7	74	99.24	-0.8	-0.4	0	31.6	0.16	100	8366	99.21	30.5
2023-03-06 21:30:00	0	0	0	0	345	3.13	3.56	31.6	73.2	99.21	-0.9	-0.5	0	31.6	0.16	100	8364	99.19	30.5
2023-03-06 21:35:00	0	0	0	0	318	3.29	4.16	31.6	73.3	99.22	-0.9	-0.5	0	31.6	0.16	100	8365	99.21	30.5
2023-03-06 21:40:00	0	0	0	0	305	3.69	5.14	31.6	73.2	99.24	-0.8	-0.5	0	31.6	0.16	100	8362	99.22	30.5
2023-03-06 21:45:00	0	0	0	0	321	3.98	4.81	31.5	74.1	99.23	-0.9	-0.5	0	31.5	0.16	100	8362	99.21	30.5
2023-03-06 21:50:00	0	0	0	0	322	3.94	4.47	31.6	74.8	99.23	-0.9	-0.4	0	31.6	0.15	100	8361	99.21	30.4
2023-03-06 21:55:00	0	0	0	0	331	3.53	4.12	31.5	74.8	99.22	-0.8	-0.5	0	31.5	0.15	100	8362	99.2	30.4
2023-03-06 22:00:00	0	0	0	0	341	2.73	3.33	31.5	74.7	99.18	-0.9	-0.5	0	31.5	0.15	100	8361	99.16	30.3
2023-03-06 22:05:00	0	0	0	0	309	2.08	2.59	31.5	73.3	99.17	-0.9	-0.5	0	31.5	0.16	100	8358	99.15	30.3
2023-03-06 22:10:00	0	0	0	0	292	2.37	2.59	31.4	71.9	99.17	-0.9	-0.5	0	31.4	0.17	100	8361	99.15	30.4
2023-03-06 22:15:00	0	0	0	0	256	3.13	4.63	31.5	73.3	99.17	-0.9	-0.5	0	31.5	0.16	100	8359	99.16	30.4
2023-03-06 22:20:00	0	0	0	0	298	4.32	4.92	31.5	71.7	99.18	-0.9	-0.5	0	31.5	0.17	100	8358	99.17	30.5
2023-03-06 22:25:00	0	0	0	0	302	3.02	4.32	31.7	72.3	99.18	-0.8	-0.4	0	31.7	0.17	100	8356	99.15	30.5
2023-03-06 22:30:00	0	0	0	0	341	2.24	2.98	31.6	73.6	99.15	-1	-0.6	0	31.6	0.16	100	8357	99.12	30.5
2023-03-06 22:35:00	0	0	0	0	17	3.38	3.76	31.5	75.1	99.12	-0.8	-0.6	0	31.5	0.15	100	8355	99.1	30.4
2023-03-06 22:40:00	0	0	0	0	20	2.8	3.62	31.5	76.3	99.1	-0.7	-0.4	0	31.5	0.14	100	8358	99.08	30.3
2023-03-06 22:45:00	0	0	0	0	3	2.46	3.13	31.3	74	99.09	-0.9	-0.4	0	31.3	0.15	100	8355	99.08	30.2
2023-03-06 22:50:00	0	0	0	0	344	1.19	2.24	31.2	74.2	99.09	-0.7	-0.5	0	31.2	0.15	100	8355	99.08	30.1
2023-03-06 22:55:00	0	0	0	0	336	2.13	3.6	31.2	72.8	99.1	-0.9	-0.4	0	31.2	0.16	100	8355	99.09	30.1
2023-03-06 23:00:00	0	0	0	0	329	3.53	4.97	31.1	72.9	99.11	-0.8	-0.5	0	31.1	0.16	100	8355	99.09	30.1
2023-03-06 23:05:00	0	0	0	0	347	2.59	3.58	31.2	74.1	99.08	-0.9	-0.5	0	31.2	0.15	100	8354	99.06	30.1
2023-03-06 23:10:00	0	0	0	0	279	2.89	4.36	31.1	74.7	99.1	-0.9	-0.5	0	31.1	0.15	100	8355	99.09	30.1
2023-03-06 23:15:00	0	0	0	0	286	3.11	4.47	31.1	73	99.12	-0.9	-0.6	0	31.1	0.16	100	8355	99.1	30.1
2023-03-06 23:20:00	0	0	0	0	295	1.66	2.37	31.1	71.6	99.1	-1	-0.5	0	31.1	0.17	100	8352	99.08	30.1
2023-03-06 23:25:00	0	0	0	0	294	2.64	3.18	31.1	71.4	99.09	-0.9	-0.6	0	31.1	0.17	100	8352	99.08	30.1
2023-03-06 23:30:00	0	0	0	0	315	2.46	2.82	31.1	72.6	99.08	-0.8	-0.4	0	31.1	0.16	100	8354	99.06	30.1
2023-03-06 23:35:00	0	0	0	0	325	2.59	3.36	31	74.6	99.06	-0.9	-0.4	0	31	0.15	100	8350	99.04	30
2023-03-06 23:40:00	0	0	0	0	323	2.01	2.55	31	76.4	99.04	-0.9	-0.5	0	31	0.14	100	8351	99.02	29.9
2023-03-06 23:45:00	0	0	0	0	300	2.51	2.95	31	76.1	99.04	-0.8	-0.5	0	31	0.14	100	8352	99.02	29.8
2023-03-06 23:50:00	0	0	0	0	299	3.44	4.18	30.9	75.6	99.03	-0.9	-0.5	0	30.9	0.14	100	8350	99.02	29.8
2023-03-06 23:55:00	0	0	0	0	296	4.03	5.01	30.8	75.8	99.03	-0.9	-0.6	0	30.8	0.14	100	8350	99.01	29.8
2023-03-07 00:00:00	0	0	0	0	289	4.18	5.03	30.8	75.8	99.02	-0.9	-0.5	0	30.9	0.14	100	8350	99.01	29.8
2023-03-07 00:05:00	0	0	0	0	280	4.29	5.08	30.9	75.2	99.02	-0.9	-0.5	0	30.9	0.14	100	8320	99.01	30
2023-03-07 00:10:00	0	0	0	0	283	4.88	6.35	30.9	74.9	99.02	-0.9	-0.5	0	31	0.15	100	8308	99.01	30.2
2023-03-07 00:15:00	0	0	0	0	280	5.35	6.55	30.8	75.1	99.02	-0.9	-0.5	0	30.8	0.15	100	8304	99.01	30.3
2023-03-07 00:20:00	0	0	0	0	292	6.78	8.48	30.9	75.2	99.03	-0.9	-0.3	0	31	0.14	100	8318	99.01	30.2
2023-03-07 00:25:00	0	0	0	0	304	6.71	8.7	30.8	75.1	99.02	-0.8	-0.5	0	30.8	0.15	100	8320	99	29.8
2023-03-07 00:30:00	0	0	0	0	305	6.44	7.58	30.8	74.8	99.02	-0.9	-0.4	0	30.8	0.15	100	8323	99	29.6
2023-03-07 00:35:00	0	0	0	0	311	6.29	8.48	30.7	74.6	99.01	-0.9	-0.4	0	30.7	0.15	100	8322	98.99	29.3
2023-03-07 00:40:00	0	0	0	0	312	6.06	9.04	30.5	76.1	99	-0.9	-0.4	0	30.5	0.14	100	8323	98.98	29.1
2023-03-07 00:45:00	0	0	0	0	312	5.79	6.96	30.4	76.9	99	-0.9	-0.4	0	30.4	0.13	100	8325	98.98	28.8
2023-03-07 00:50:00	0	0	0	0	328	4.7	7.54	30.2	77.1	99	-0.9	-0.4	0	30.2	0.13	100	8325	98.98	28.5
2023-03-07 00:55:00	0	0	0	0	314	5.66	6.51	30	77.7	98.98	-0.9	-0.4	0	30	0.13	100	8323	98.97	28.3
2023-03-07 01:00:00	0	0	0	0	322	7	9.08	29.8	78.5	98.98	-1.1	-0.5	0	29.8	0.12	100	8326	98.96	28.1
2023-03-07 01:05:00	0	0	0	0	324	7.45	8.95	29.7	78.7	98.98	-0.9	-0.6	0	29.7	0.12	100	8320	98.96	28
2023-03-07 01:10:00	0	0	0	0	321	6.96	8.3	29.6	78.4	98.98	-0.9	-0.6	0	29.6	0.12	100	8324	98.96	28
2023-03-07 01:15:00	0	0	0	0	317	7.31	8.84	29.7	78.8	98.97	-1	-0.5	0	29.7	0.12	100	8323	98.96	28.1
2023-03-07 01:20:00	0	0	0	0	317	7.85	10.58	29.7	79	98.97	-0.9	-0.5	0	29.7	0.12	100	8323	98.95	28.2
2023-03-07 01:25:00	0	0	0	0	317	7.02	8.59	29.9	78.5	98.96	-1	-0.5	0	29.9	0.12	100	8324	98.94	28.4
2023-03-07 01:30:00	0	0	0	0	322	7.05	9.13	29.9	79.3	98.96	-1	-0.4	0	29.9	0.12	100	8322	98.94	28.5
2023-03-07 01:35:00	0	0	0	0	325	7.43	9.31	30.1	79.7	98.95	-0.9	-0.5	0	30.1	0.11	100	8322	98.94	28.6
2023-03-07 01:40:00	0	0	0	0	322	8.57	11.59	30.2	80	98.95	-1	-0.5	0	30.2	0.11	100	8323	98.94	28.7
2023-03-07 01:45:00	0	0	0	0	323	8.84	11.3	30.3	80.6	98.95	-0.9	-0.6	0	30.3	0.11	100	8324	98.94	28.8
2023-03-07 01:50:00	0	0	0	0	328	9.19	12.64	30.5	80.9	98.96	-0.8	-0.5	0	30.5	0.11	100	8322	98.94	29
2023-03-07 01:55:00	0	0	0	0	335	10.74	13.98	30.7	81.2	98.96	-0.8	-0.5	0	30.7	0.11	100	8321	98.94	29.2
2023-03-07 02:00:00	0	0	0	0	340	10.87	14.07	30.8	79.5	98.96	-0.9	-0.4	0	30.8	0.12	100	8323	98.94	29.4
2023-03-07 02:05:00	0	0	0	0	337	9.98	12.8	31.1	78.4	98.97	-0.8	-0.5	0	31.1	0.13	100	8322	98.95	29.6
2023-03-07 02:10:00	0	0	0	0	343	10.13	14.63	31.1	78	98.97	-0.8	-0.5	0	31.2	0.13	100	8320	98.95	29.8
2023-03-07 02:15:00	0	0	0	0	348	10.27	13.65	31.4	75.7	98.97	-0.9	-0.5	0	31.4	0.14	100	8322	98.95	29.9
2023-03-07 02:20:00	0	0	0	0	357	11.27	15.55	31.5	72.7	98.96	-0.9	-0.5	0	31.5	0.16	100	8320	98.94	30.1
2023-03-07 02:25:00	0	0	0	0	354	10.56	14.38	31.6	71.1	98.96	-1	-0.5	0	31.7	0.17	100	8320	98.95	30.3
2023-03-07 02:30:00	0	0	0	0	356	9.66	14.38	31.8	68.4	98.97	-0.8	-0.6	0	31.8	0.19	100	8321	98.95	30.4
2023-03-07 02:35:00	0	0	0	0	351	11.12	17.47	31.8	66.6	98.97	-0.7	-0.7	0	31.8	0.2	100	8323	98.95	30.5
2023-03-07 02:40:00	0	0	0	0	358	11.23	15.32	32	63.9	98.97	-1	-0.6	0	32	0.22	100	8320	98.96	30.6
2023-03-07 02:45:00	0	0	0	0	359	12.1	14.67	32	62.5	98.96	-0.8	-0.5	0	32	0.23	100	8320	98.94	30.6
2023-03-07 02:50:00	0	0	0	0	358	13.38	16.93	32	61.2	98.96	-0.8	-0.5	0	32	0.24	100	8320	98.95	30.7
2023-03-07 02:55:00	0	0	0	0	355	11.68	17.09	31.9	60.7	98.97	-0.8	-0.6	0	32	0.24	100	8320	98.96	30.8
2023-03-07 03:00:00	0	0	0	0	357	12.41	16.58	32	59.6	98.97	-0.9	-0.5	0	32	0.25	100	8318	98.96	30.7
2023-03-07 03:05:00	0	0	0	0	352	13.82	21.34	32	58.9	98.97	-0.8	-0.4	0	32	0.25	100	8314	98.95	30.8
2023-03-07 03:10:00	0	0	0	0	352	12.35	15.48	32	58.3	98.98	-0.9	-0.6	0	32	0.25	100	8318	98.96	30.8
2023-03-07 03:15:00	0	0	0	0	353	13.89	19.37	31.9	58.3	98.98	-0.9	-0.4	0	31.9	0.25	100	8318	98.96	30.7
2023-03-07 03:20:00	0	0	0	0	353	13.94	19.69	31.8	57.7	98.99	-0.8	-0.5	0	31.8	0.26	100	8315	98.97	30.7
2023-03-07 03:25:00	0	0	0	0	351	16.35	24.96	31.9	57.3	98.99	-0.7	-0.5	0	31.8	0.26	100	8317	98.97	30.6
2023-03-07 03:30:00	0	0	0	0	345	15.5	22.66	31.7	57.3	99	-0.9	-0.9	0	31.7	0.26	100	8315	98.98	30.5
2023-03-07 03:35:00	0	0	0	0	347	16.13	20.92	31.6	56.5	99	-0.8	-0.8	0	31.6	0.26	100	8314	98.99	30.4
2023-03-07 03:40:00	0	0	0	0	350	13.62	18.7	31.4	56	99	-0.9	-0.2	0	31.4	0.26	100	8314	98.99	30.2
2023-03-07 03:45:00	0	0	0	0	344	12.66	19.08	31.3	55.9	99.01	-0.9	-0.5	0	31.3	0.26	100	8316	98.99	30
2023-03-07 03:50:00	0	0	0	0	338	12.46	16.8	31.1	56.9	99.01	-1	-0.4	0	31.1	0.25	100	8314	99	29.8
2023-03-07 03:55:00	0	0	0	0	331	13.2	19.28	30.9	56.5	99.02	-0.8	-0.5	0	30.9	0.25	100	8313	99	29.5
2023-03-07 04:00:00	0	0	0	0	342	13.2	19.13	30.7	56.8	99.02	-1.1	-0.6	0	30.7	0.25	100	8314	99	29.4
2023-03-07 04:05:00	0	0	0	0	343	12.75	17.9	30.6	57.9	99.02	-1	-0.4	0	30.6	0.24	100	8313	99	29.2
2023-03-07 04:10:00	0	0	0	0	343	11.99	15.57	30.5	57.5	99.02	-0.8	-0.4	0	30.5	0.24	100	8313	99	29.1
2023-03-07 04:15:00	0	0	0	0	341	11.36	14.34	30.3	57.8	99.02	-1	-0.5	0	30.3	0.24	100	8312	99.01	29

z6-17454
Records: 8916

Timestamps	Port1 ATMOS 41 All-in-one Weather Station															Port7 Battery		Port8 Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-07 04:25:00	0	0	0	0	339	12.53	17.25	30.1	57.3	99.03	-0.9	-0.4	0	30.1	0.24	100	8311	99.01	28.8
2023-03-07 04:30:00	0	0	0	0	352	14.99	22.55	29.9	58.7	99.03	-1	-0.3	0	29.9	0.23	100	8313	99.01	28.8
2023-03-07 04:35:00	0	0	0	0	347	14.43	19.64	29.9	57.6	99.03	-1	-0.8	0	29.9	0.24	100	8309	99.02	28.8
2023-03-07 04:40:00	0	0	0	0	350	14.03	19.66	29.9	57.6	99.04	-0.7	-0.4	0	29.9	0.24	100	8314	99.02	28.6
2023-03-07 04:45:00	0	0	0	0	345	12.53	16.08	29.8	57.3	99.04	-0.8	-0.7	0	29.8	0.24	100	8310	99.02	28.5
2023-03-07 04:50:00	0	0	0	0	348	12.73	17.47	29.7	57.8	99.04	-0.9	-0.4	0	29.7	0.24	100	8311	99.03	28.4
2023-03-07 04:55:00	0	0	0	0	338	11.25	14.56	29.6	58.1	99.05	-0.9	-0.5	0	29.6	0.23	100	8308	99.03	28.3
2023-03-07 05:00:00	0	0	0	0	336	12.97	17.6	29.5	58.4	99.05	-1	-0.4	0	29.5	0.23	100	8308	99.03	28.2
2023-03-07 05:05:00	0	0	0	0	333	10.65	13.76	29.4	58.6	99.06	-0.8	-0.5	0	29.3	0.23	100	8304	99.04	28.1
2023-03-07 05:10:00	0	0	0	0	334	12.33	17.05	29.3	59.2	99.05	-0.9	-0.5	0	29.3	0.22	100	8307	99.04	27.9
2023-03-07 05:15:00	0	0	0	0	339	12.1	17	29.2	60.2	99.05	-1	-0.5	0	29.2	0.22	100	8308	99.04	27.7
2023-03-07 05:20:00	0	0	0	0	336	12.44	16.24	29.1	60.4	99.06	-0.9	-0.6	0	29.1	0.21	100	8305	99.04	27.6
2023-03-07 05:25:00	0	0	0	0	336	12.46	15.99	28.9	60	99.06	-0.7	-0.7	0	28.9	0.22	100	8304	99.04	27.4
2023-03-07 05:30:00	0	0	0	0	331	12.88	17.07	28.9	61.3	99.07	-1	-0.3	0	28.9	0.21	100	8303	99.05	27.3
2023-03-07 05:35:00	0	0	0	0	332	14.97	20.85	28.8	60.7	99.07	-0.9	-0.5	0	28.9	0.21	100	8305	99.05	27.2
2023-03-07 05:40:00	0	0	0	0	330	13.18	18.92	28.8	61.2	99.07	-1	-0.6	0	28.8	0.21	100	8305	99.05	27.1
2023-03-07 05:45:00	0	0	0	0	335	13.29	16.82	28.5	60.7	99.07	-1	-0.4	0	28.6	0.21	100	8305	99.06	26.9
2023-03-07 05:50:00	0	0	0	0	333	12.37	14.65	28.5	60.3	99.08	-1.1	-0.3	0	28.5	0.21	100	8302	99.06	26.7
2023-03-07 05:55:00	0	0	0	0	329	13.27	18.03	28.4	61	99.08	-1.1	-0.4	0	28.4	0.21	100	8305	99.06	26.6
2023-03-07 06:00:00	0	0	0	0	330	12.97	15.23	28.3	61.2	99.08	-1.1	-0.6	0	28.3	0.2	100	8301	99.06	26.5
2023-03-07 06:05:00	0	0	0	0	326	12.41	15.3	28.2	62.3	99.08	-0.9	-0.5	0	28.2	0.2	100	8304	99.06	26.3
2023-03-07 06:10:00	0	0	0	0	330	14.18	20.07	28.1	62.5	99.08	-0.9	-0.3	0	28.1	0.2	100	8304	99.07	26.2
2023-03-07 06:15:00	0.2	0	0	0	328	13.62	18.19	28.1	61.4	99.09	-1.3	-0.3	0	28.1	0.2	100	8302	99.07	26.1
2023-03-07 06:20:00	1.4	0	0	0	329	13.96	18.05	28	61.5	99.1	-1	-0.3	0	28	0.2	100	8301	99.07	26
2023-03-07 06:25:00	3	0	0	0	325	14.41	17.27	28	62	99.1	-0.9	-0.5	0	28	0.2	100	8298	99.08	26
2023-03-07 06:30:00	5.2	0	0	0	333	14.34	21.68	27.9	63.1	99.1	-1	-0.7	0	27.9	0.19	100	8303	99.08	25.9
2023-03-07 06:35:00	7.2	0	0	0	328	16.33	20.49	28	61.6	99.11	-0.9	-0.6	0	28	0.2	100	8299	99.09	25.9
2023-03-07 06:40:00	11.4	0	0	0	335	15.57	20.4	28	61.5	99.11	-1.1	-0.6	0	28.1	0.2	100	8300	99.09	26
2023-03-07 06:45:00	34.8	0	0	0	337	16.31	20.87	28.1	61.3	99.11	-1.1	-1	0	28.1	0.2	100	8311	99.1	26
2023-03-07 06:50:00	49	0	0	0	336	15.03	18.59	28.7	61.8	99.11	-0.8	-0.5	0	28.8	0.2	100	8318	99.1	26.2
2023-03-07 06:55:00	60.6	0	0	0	340	16.78	22.84	29.1	60.8	99.12	-1.3	-0.3	0	29.2	0.21	100	8327	99.11	26.5
2023-03-07 07:00:00	70.6	0	0	0	335	14.9	20.56	29.6	59.9	99.13	-0.9	-0.7	0	29.7	0.22	100	8338	99.13	26.9
2023-03-07 07:05:00	79	0	0	0	329	14.45	18.01	30	60	99.14	-0.7	-0.5	0	30.1	0.23	100	8348	99.13	27.2
2023-03-07 07:10:00	86.4	0	0	0	331	15.23	23.96	30.4	59.4	99.14	-0.9	-0.4	0	30.6	0.23	100	8360	99.14	27.5
2023-03-07 07:15:00	95.2	0	0	0	327	15.5	21.83	30.7	58.7	99.16	-0.8	-0.6	0	30.9	0.24	100	8371	99.15	27.9
2023-03-07 07:20:00	109.6	0	0	0	336	20.33	28.16	31	57.9	99.16	-0.8	-0.6	0	31.3	0.25	100	8382	99.16	28.3
2023-03-07 07:25:00	126	0	0	0	334	20.83	29.64	31.4	57.8	99.17	-1.3	-0.4	0	31.6	0.25	100	8393	99.16	28.7
2023-03-07 07:30:00	142.4	0	0	0	339	23.76	30	31.6	56.5	99.16	-1.2	0.8	0	31.9	0.26	100	8404	99.17	29
2023-03-07 07:35:00	157.6	0	0	0	339	21.85	27.49	31.9	56	99.17	-0.5	-0.2	0	32.1	0.27	100	8415	99.18	29.2
2023-03-07 07:40:00	171.4	0	0	0	343	20.74	28.7	32	55.6	99.19	-1.1	-1.3	0	32.4	0.27	100	8428	99.19	29.5
2023-03-07 07:45:00	187.6	0	0	0	337	21.05	28.66	32.4	55.1	99.2	-0.6	-0.8	0	32.7	0.28	100	8441	99.21	29.8
2023-03-07 07:50:00	201.6	0	0	0	336	21.18	26.31	32.8	55.2	99.21	-0.7	-0.3	0	33.1	0.28	100	8450	99.23	30
2023-03-07 07:55:00	216.2	0	0	0	330	23.38	38.65	33	55.1	99.21	-0.4	-0.3	0	33.4	0.29	100	8461	99.22	30.3
2023-03-07 08:00:00	230.6	0	0	0	340	23.38	32.21	33.1	53.9	99.21	-0.9	-0.8	0	33.4	0.29	100	8473	99.22	30.5
2023-03-07 08:05:00	245.2	0	0	0	331	24.4	32.01	33.3	53.8	99.22	-0.9	-0.5	0	33.7	0.3	100	8485	99.24	30.6
2023-03-07 08:10:00	259.6	0	0	0	339	20.42	28.32	33.4	53.8	99.24	-0.9	-0.5	0	33.8	0.3	100	8494	99.25	30.8
2023-03-07 08:15:00	274.2	0	0	0	342	24.23	34.52	33.7	54.1	99.23	-1.3	0.2	0	34.2	0.3	100	8507	99.25	31
2023-03-07 08:20:00	289.2	0	0	0	338	27.36	34.11	33.8	53.3	99.23	-0.2	-1.3	0	34.2	0.31	100	8518	99.25	31.1
2023-03-07 08:25:00	302.6	0	0	0	335	29.44	35.95	33.8	53.3	99.23	0.1	-1.2	0	34.3	0.31	100	8528	99.26	31.2
2023-03-07 08:30:00	306	0	0	0	339	25.99	32.46	33.9	53.1	99.24	-1.1	-0.2	0	34.3	0.31	100	8539	99.27	31.3
2023-03-07 08:35:00	309.4	0	0	0	337	28.5	37.04	34.1	53.1	99.25	-0.9	-2.9	0	34.4	0.31	100	8547	99.26	31.4
2023-03-07 08:40:00	306.8	0	0	0	335	25.08	39.35	34.2	52.5	99.25	-1.3	0.2	0	34.6	0.32	100	8559	99.28	31.4
2023-03-07 08:45:00	311.4	0	0	0	333	25.32	35.97	34.3	52.5	99.27	-1.3	-0.8	0	34.8	0.32	100	8567	99.29	31.6
2023-03-07 08:50:00	340	0	0	0	335	26.53	32.88	34.3	52.1	99.27	-0.6	-0.5	0	34.9	0.32	100	8575	99.3	31.6
2023-03-07 08:55:00	365.4	0	0	0	328	25.23	39.21	34.5	52.4	99.26	-0.9	-1.3	0	35.1	0.32	100	8586	99.29	31.7
2023-03-07 09:00:00	395	0	0	0	333	25.97	31.9	34.7	52.9	99.26	-0.9	-0.9	0	35.2	0.32	100	8594	99.29	31.9
2023-03-07 09:05:00	415	0	0	0	322	24.52	35.34	34.7	52.9	99.27	-1.2	-1.2	0	35.3	0.32	100	8601	99.3	32.1
2023-03-07 09:10:00	431.6	0	0	0	326	29.04	36.42	34.8	52.1	99.26	-1.5	-0.2	0	35.3	0.33	100	8611	99.29	32.1
2023-03-07 09:15:00	444.4	0	0	0	320	25.41	33.15	34.8	52.1	99.28	-0.3	0.2	0	35.4	0.33	100	8620	99.31	32.2
2023-03-07 09:20:00	458.8	0	0	0	329	23.98	32.08	35	52.8	99.28	-0.3	-0.4	0	35.6	0.33	100	8622	99.31	32.4
2023-03-07 09:25:00	479	0	0	0	331	24.99	35.46	35.3	53.1	99.28	-0.1	-1.3	0	35.8	0.33	100	8634	99.31	32.6
2023-03-07 09:30:00	494.8	0	0	0	325	26.64	39.21	35.5	52.2	99.27	0.2	-0.9	0	36	0.34	100	8640	99.32	32.7
2023-03-07 09:35:00	488.2	0	0	0	332	25.72	38.95	35.4	52.5	99.29	-0.9	-0.2	0	35.9	0.33	100	8647	99.33	32.7
2023-03-07 09:40:00	498.2	0	0	0	330	26.4	36.08	35.5	52.4	99.29	-0.9	-1.8	0	36	0.33	100	8651	99.33	32.7
2023-03-07 09:45:00	478.8	0	0	0	337	23.47	36.62	35.4	52.5	99.31	-0.4	-0.1	0	35.9	0.33	100	8655	99.34	32.8
2023-03-07 09:50:00	515.4	0	0	0	317	25.26	34.87	35.7	52.8	99.32	-1.1	-0.7	0	36.3	0.33	100	8660	99.34	32.9
2023-03-07 09:55:00	452.2	0	0	0	316	27.65	35.95	35.6	52.8	99.31	-0.1	-0.1	0	36	0.33	100	8664	99.34	33
2023-03-07 10:00:00	459.8	0	0	0	322	23.98	33.67	35.6	52.5	99.31	-0.8	-0.8	0	36.1	0.33	100	8670	99.35	32.9
2023-03-07 10:05:00	493.6	0	0	0	327	25.68	33.4	35.8	52	99.31	-1	-2	0	36.4	0.34	100	8676	99.34	33
2023-03-07 10:10:00	534.8	0	0	0	324	26.78	35.97	36.1	51.9	99.29	-1	-1.1	0	36.6	0.35	100	8682	99.33	33.1
2023-03-07 10:15:00	562.6	0	0	0	326	26.28	36.8	36	51.3	99.3	-1.2	0.6	0	36.5	0.35	100	8686	99.34	33.1
2023-03-07 10:20:00	593.4	0	0	0	326	25.9	35.48	36.1	51.1	99.32	-1.2	-0.7	0	36.7	0.35	100	8690	99.35	33.2
2023-03-07 10:25:00	604.6	0	0	0	322	25.75	35.41	36.2	51.4	99.3	-1.6	-0.1	0	36.9	0.35	100	8696	99.34	33.3
2023-03-07 10:30:00	612.8	0	0	0	310	24.56	32.14	36.3	51	99.31	-0.4	-0.9	0	36.9	0.36	100	8697	99.36	33.3
2023-03-07 10:35:00	619.8	0	0	0	318	27.96	38.12	36.4	51.1	99.31	-0.4	-1.1	0	36.9	0.36	100	8701	99.34	33.4
2023-03-07 10:40:00	630.2	0	0	0	323	28.41	37.13	36.2	51.1	99.3	-1.2	-1.2	0	36.8	0.35	100	8704	99.34	33.3
2023-03-07 10:45:00	636	0	0	0	331	29.51	39.57	36.1	51.3	99.3	-0.6	-1	0	36.7	0.35	100	8706	99.35	33.3
2023-03-07 10:50:00	631.2	0	0	0	324	25.9	41.43	36.3	51.3	99.32	-0.7	-0.9	0	36.9	0.35	100	8705	99.36	33.3
2023-03-07 10:55:00	611.8	0	0	0	319	23.53	36.51	36.4	50.6	99.33	-0.7	-0.7	0	37	0.36	100	8710	99.36	33.4
2023-03-07 11:00:00	597.6	0	0	0	312	22.86	31.76	36.6	50.7	99.33	-1.3	-0.8	0	37.2	0.36	100	8714	99.35	33.5
2023-03-07 11:05:00	545.4	0	0	0	305	22.19	33.31	36.8	51.3	99.33	-1.1	-0.2	0	37.4	0.36	100	8712	99.36	33.8
2023-03-07 11:10:00	580	0	0	0	317	20.18	27.6	37.1	50.8	99.33	-1.1	-0.3	0	37.8	0.37	100	8716	99.36	33.9
2023-03-07 11:15:00	618.2	0	0	0	314	25.1	32.95	37.4	49.7	99.33	-0.9	-0.7	0	38	0.38	100	8715	99.36	34
2023-03-07 11:20:00	643	0	0	0	317	24.02	29.24	37.1	49.7	99.33	-0.3	-1	0	37.7	0.38	100	8715	99.37	33.9
2023-03-07 11:25:00	630	0	0	0	306	23.04	29.55	36.9	51.1	99.34	-0.9	-0.5	0	37.5	0.36	100	8714	99.38	33.9
2023-03-07 11:30:00	658.2	0	0	0	293	22.26	36.01	36.9	51.1	99.36	-1	-0.6	0	37.6	0.36	100	8714	99.38	33.9
2023-03-07 11:35:00	681.6	0	0	0	303	25.97	42.7	37.1	50.5	99.35	-0.8	-0.7	0	37.7	0.37	100	8716	99.37	33.8
2023-03-07 11:40:00	683	0	0	0	293	24.58	36.28	37.1	50.5	99.35	-1.2	-0.3	0	37.6	0.37	100	8715	99.38	33.7
2023-03-07 11:45:00	706	0	0	0	290	25.1	39.26	37	50.4	99.35	-0.2	-1.8	0	37.5	0.37	100	8714	99.37	33.6
2023-03-07 11:50:00	694.2	0	0	0	294	22.93	36.13	37	51	99.35	-0.6	-1	0	37.5	0.36	100	8713	99.38	33.6
2023-03-07 11:55:00	665.6	0	0	0	293	22.75	30.89	37.2	51.4	99.36	-0.4	-0.8	0	37.8	0.37	100	8718	99.38	33.8
2023-03-07 12:00:00	645.6	0	0	0	311	28.21	36.6	37.3	50	99.34	-0.7	0.2	0	37.9	0.38	100	8714	99.36	33.8
2023-03-07 12:05:00	617.2	0	0	0	303	28.23	42.39	37.1	50.8	99.34	-1.4	-0.2	0	37.6	0.37	100	8712	99.37	33.7
2023-03-07 12:10:00	586.8	0	0	0	297	23.47	33.33	37	50.7	99.35	-1.2	0.1	0	37.5	0.37	100	8710	99.39	33.6
2023-03-07 12:15:00	589.2	0	0	0	299	27.18	38.1	37.1	50.7	99.35	-1	-0.1	0	37.7	0.37	100	8711	99.36	33.7
2023-03-07 12:20:00	625.6	0	0	0	297	22.86	33.11	37.1	50.7	99.35	0.3	-0.7	0	37.7	0.37	100	8706	99.36	33.7
2023-03-07 12:25:00	649.8	0	0	0	295	27.72	36.37	37.3	50.2	99.34	-0.2	-0.8	0	37.8	0.38	100	8703	99.36	33.7
2023-03-07 12:30:00	666.4	0	0	0	298	28.79	40.02	37.3	50.3	99.34	0.1	-0.2	0	37.8	0.38	100	8703	99.35	33.7
2023-03-07 12:35:00	682.4	0	0	0	301	24.45	37.89	37	51.2	99.34	0.2	-0.4	0	37.6	0.36	100	8700	99.35	33.7
2023-03-07 12:40:00	685.4	0	0	0	315	26.28	41.03	37.4	50.4	99.34	-1.1	-0.8	0	37.9	0.38	100	8697	99.36	33.8
2023-03-07 12:45:00	683.8	0	0	0	300	26.19	36.46	37.3	50.3	99.34	-1.4	0.1	0	37.9	0.38	100	8692	99.34	33.8
2023-03-07 12:50:00	681.8	0	0	0	287	28.05	38.97	37.3	50.4	99.35	-0.4	0.7	0	37.8	0.37	100	8688	99.35	33.7
2023-03-07 12:55:00	678.6	0	0	0	308	27.89	37.69	37.1	51	99.34	-1.5	0.3	0	37.7	0.37	100	8684	99.35	33.6
2023-03-07 13:00:00	690.2	0	0	0	311	24.63	38.07	37.1	50.9	99.35	-1.7	-0.2	0	37.7	0.37	100	8681	99.35	33.7
2023-03-07 13:05:00	675.4	0	0	0	299	25.97	38.5	37.3	51.4	99.35	-0.3	-1.8	0	37.9	0.37	100	8676	99.37	33.7
2023-03-07 13:10:00	672.6	0	0	0	301	22.28	31.52	37.3	51.4	99.36	0.1	-1.8	0	37.9	0.37	100	8673	99.38	33.7
2023-03-07 13:15:00	654.2	0	0	0	314	24.85	34.34	37.5	50.8	99.34	-0.6	-0.4	0	38	0.37	100	8668	99.36	33.7
2023-03-07 13:20:00	644.4	0	0	0	300	28.9	44.94	37.5	50	99.35	-1	-1.1	0	38	0.38	100	8661	99.36	33.7
2023-03-07 13:25:00	622.2	0	0	0	297	31.56	42.75	37.3	49.4	99.36	-0.6	-0.4	0	37.7	0.38	100	8657	99.36	33.5
2023-03-07 13:30:00	594.8	0	0	0	302	26.64	39.08	36.9	49.7	99.37	-2.1	-0.5	0	37.4	0.37	100	8656	99.37	33.4
2023-03-07 13:35:00	615.6	0	0	0	309	25.43	38.74	37	50.1	99.36	-1	-0.5	0	37.6	0.37	100	8649	99.38	33.5
2023-03-07 13:40:00	596	0	0	0	310	22.79	32.99	37.3	50.3	99.38	-0.5	-0.5	0	37.9	0.38	100	8647	99.38	33.7
2023-03-07 13:45:00	564	0	0	0	310	31.32	42.01	37.5	49.4	99.37	-0.7	-1.7	0	37.9	0.38	100	8643	99.37	33.7
2023-03-07 13:50:00	578.4	0	0	0	310	23.8	32.61	37.3	49.6	99.39	-1.2	-0.5	0	37.8	0.38	100	8640	99.4	33.6
2023-03-07 13:55:00	540	0	0	0	295	25.95	36.73	37.6	50.3	99.4	-0.1	-1.6	0	38.2	0.38	100	8638	99.39	33.8
2023-03-07 14:00:00	505.6	0	0	0	288	30.38	44.78	37.3	49.2	99.4	-0.5	-1.8	0	37.8	0.38	100	8633	99.4	33.5
2023-03-07 14:05:00	511	0	0	0	292	26.8	40.13	37.1	49.7	99.4	-0.3	-0.7	0	37.7	0.38	100	8632	99.41	33.4
2023-03-07 14:10:00	499.4	0	0	0	293	32.84	45.03	37	49.4	99.41	-1.3	-1.3	0	37.5	0.38	100	8628	99.4	33.3
2023-03-07 14:15:00	496	0	0	0	291	29.3	40.04	36.9	49.9	99.41	-0.6	-1.6	0	37.4	0.37	100	8624	99.41	33.2
2023-03-07 14:20:00	466.4	0	0	0	299	27.49	42.17	36.6	50	99.43	-0.4	-0.4	0	37.2	0.37	100	8623	99.42	33.2
2023-03-07 14:25:00	489.6	0	0	0	307	29.66	42.05	36.4	50.2	99.42	-0.6	-0.1	0	37	0.36	100	8621	99.4	33.2
2023-03-07 14:30:00	480	0	0	0	310	32.21	43.69	36.5	50.7	99.42	-1.1	1.5	0	37	0.36	100	8618	99.42	33.2
2023-03-07 14:35:00	486.2	0	0	0	294	29.62	42.3	36.6	50.5	99.44	-0.4	-1.5	0	37	0.36	100	8613	99.43	33.2
2023-03-07 14:40:00	439.8	0	0	0	293	28.86	44.78	36.4	50.8	99.45	-0.2	-1	0	36.8	0.36	100	8614	99.44	33.2
2023-03-07 14:45:00	414.2	0	0	0	296	29.68	46.04	36.3	50.7	99.45	-0.9	1	0	36.8	0.36	100	8611	99.44	33.2
2023-03-07 14:50:00	390.8	0	0	0	292	30.31	42.64	36.1	50.6	99.46	-0.7	-0.8	0	36.6	0.36	100	8610	99.44	33.2
2023-03-07 14:55:00	309.8	0	0	0	291	29.53	48.5	35.3	51	99.46	-0.3	-0.2	0	35.7	0.34	100	8610	99.45	33.2
2023-03-07 15:00:00	317.8	0	0	0	295	27.22	38.14	34.8	51.7	99.48	-0.1	-1	0	35.3	0.33	100	8612	99.46	33.3
2023-03-07 15:05:00	313.6	0	0	0	295	27.76	41.27	34.8	52.1	99.49	-0.1	-0.3	0	35.3	0.33	100	8613	99.46	33.5
2023-03-07 15:10:00	267.8	0	0	0	293	29.21	41.79	34.7	52	99.48	-0.1	-1.3	0	35.2	0.33	100	8611	99.46	33.5
2023-03-07 15:15:00	254.6	0	0	0	296	30.87	46.13	34.6	51.8	99.47	-0.5	-1.6	0	35	0.33	100	8614	99.45	33.5
2023-03-07 15:20:00	260.4	0	0	0	298	25.21	36.89	34.3	52.4	99.5	0.3	-1.1	0	34.8	0.32	100	8612	99.48	33.6
2023-03-07 15:25:00	249.8	0	0	0	296	30.94	45.54	34.4	52	99.48	-1.5	-1.6	0	34.8	0.32	100	8611	99.45	33.6
2023-03-07 15:30:00	252.2	0	0	0	302	30.29	53.53	34.4	52	99.49	0	0.3	0	34.8	0.32	100	8611	99.47	33.6
2023-03-07 15:35:00	269.2	0	0	0	294	32.23	44.47	34.6	50.5	99.49	0.6	-0.8	0	35	0.

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-07 15:50:00	158	0	0	0	304	28.03	40.06	34.2	51.6	99.52	-0.9	-1	0	34.4	0.32	100	8605	99.5	33.5
2023-03-07 15:55:00	149	0	0	0	297	32.66	53.26	34.1	51.2	99.52	-0.9	-0.3	0	34.3	0.32	100	8605	99.5	33.5
2023-03-07 16:00:00	144.2	0	0	0	300	29.62	42.5	34	51.7	99.52	-1.2	-0.4	0	34.2	0.32	100	8603	99.5	33.4
2023-03-07 16:05:00	144	0	0	0	292	26.31	38.63	33.9	52.1	99.55	0.8	-0.6	0	34.2	0.32	100	8600	99.53	33.4
2023-03-07 16:10:00	136	0	0	0	299	27.2	39.64	34.1	52.5	99.55	-0.8	-1.4	0	34.3	0.32	100	8599	99.53	33.5
2023-03-07 16:15:00	125	0	0	0	296	30.15	50.31	34.2	51.8	99.55	-1	1.3	0	34.4	0.32	100	8599	99.51	33.5
2023-03-07 16:20:00	138	0	0	0	302	29.06	47.51	34.2	51	99.55	-1.3	-0.5	0	34.4	0.33	100	8595	99.52	33.5
2023-03-07 16:25:00	119	0	0	0	305	25.14	41.36	34.2	51.6	99.57	0	-0.5	0	34.3	0.32	100	8594	99.55	33.5
2023-03-07 16:30:00	106	0	0	0	298	31.18	43.04	34.2	51.3	99.56	-0.6	-1.1	0	34.4	0.33	100	8592	99.53	33.5
2023-03-07 16:35:00	105.4	0	0	0	305	26.13	43.53	34.2	50.6	99.57	-1	-0.1	0	34.4	0.33	100	8589	99.55	33.5
2023-03-07 16:40:00	98.6	0	0	0	298	28.19	37.16	34.2	50.9	99.58	0.5	0.1	0	34.4	0.33	100	8587	99.54	33.5
2023-03-07 16:45:00	91.8	0	0	0	304	24.79	34.45	34.1	51.4	99.58	-1.7	0.5	0	34.3	0.32	100	8589	99.55	33.5
2023-03-07 16:50:00	77	0	0	0	309	23.22	35.12	34.2	51.5	99.59	-0.6	1	0	34.3	0.32	100	8583	99.56	33.5
2023-03-07 16:55:00	69.8	0	0	0	308	24.36	40.51	34.2	51.8	99.6	-0.6	-1.1	0	34.3	0.32	100	8582	99.58	33.5
2023-03-07 17:00:00	69.8	0	0	0	300	21	38.95	34.1	52.9	99.61	-0.5	-0.4	0	34.3	0.31	100	8579	99.58	33.5
2023-03-07 17:05:00	71.2	0	0	0	310	24.25	48.74	34.3	52.6	99.61	-1.5	1.4	0	34.4	0.32	100	8577	99.58	33.6
2023-03-07 17:10:00	61.6	0	0	0	304	23.94	41.27	34.4	53	99.62	0.4	-0.7	0	34.5	0.32	100	8576	99.58	33.6
2023-03-07 17:15:00	46.2	0	0	0	311	23.17	37.69	34.4	53.3	99.62	-0.5	-0.2	0	34.5	0.31	100	8573	99.59	33.6
2023-03-07 17:20:00	40.6	0	0	0	304	21.43	33.2	34.3	53.7	99.62	-0.8	-0.1	0	34.3	0.31	100	8571	99.59	33.6
2023-03-07 17:25:00	31.6	0	0	0	302	23.67	32.93	34.4	53.6	99.64	-0.7	-0.4	0	34.4	0.31	100	8570	99.6	33.6
2023-03-07 17:30:00	25.4	0	0	0	299	25.19	32.3	34.4	53.2	99.64	-0.6	-0.5	0	34.5	0.32	100	8568	99.61	33.6
2023-03-07 17:35:00	18	0	0	0	305	25.75	34.9	34.3	52.3	99.63	-1.1	-0.1	0	34.3	0.32	100	8565	99.6	33.6
2023-03-07 17:40:00	13.8	0	0	0	307	25.32	38.23	34.3	51.9	99.63	-0.7	-0.6	0	34.4	0.32	100	8564	99.61	33.6
2023-03-07 17:45:00	11.6	0	0	0	299	23.6	38.81	34.3	51.7	99.66	-0.4	-1	0	34.3	0.32	100	8564	99.62	33.9
2023-03-07 17:50:00	7.2	0	0	0	311	23.02	35.9	34.4	51.9	99.67	-1.2	-0.2	0	34.4	0.32	100	8560	99.64	34
2023-03-07 17:55:00	4.2	0	0	0	305	21.21	29.44	34.4	52.1	99.68	-1.2	-1.4	0	34.4	0.32	100	8561	99.65	33.7
2023-03-07 18:00:00	2.6	0	0	0	307	24.09	33.42	34.4	52.1	99.68	-0.3	-0.7	0	34.3	0.32	100	8556	99.65	33.6
2023-03-07 18:05:00	1.2	0	0	0	308	21.05	30.74	34.4	52	99.68	0	-0.8	0	34.4	0.32	100	8555	99.67	33.6
2023-03-07 18:10:00	0	0	0	0	307	22.39	32.12	34.3	52.1	99.71	-0.7	-0.2	0	34.3	0.32	100	8555	99.68	33.5
2023-03-07 18:15:00	0	0	0	0	305	20.18	36.62	34.3	52.3	99.72	-1.4	0.5	0	34.3	0.32	100	8554	99.69	33.5
2023-03-07 18:20:00	0	0	0	0	292	23.69	33.91	34.2	53.6	99.73	-0.9	-0.5	0	34.2	0.31	100	8551	99.7	33.4
2023-03-07 18:25:00	0	0	0	0	299	23.62	31.99	34	55.9	99.72	-0.9	-0.6	0	34	0.29	100	8550	99.7	33.3
2023-03-07 18:30:00	0	0	0	0	298	20	25.05	33.8	56.9	99.74	-0.5	-0.8	0	33.8	0.28	100	8553	99.72	33.2
2023-03-07 18:35:00	0	0	0	0	305	20.78	28.72	33.7	57.4	99.74	-0.6	-0.2	0	33.7	0.28	100	8548	99.71	33
2023-03-07 18:40:00	0	0	0	0	297	19.93	27.74	33.6	58	99.75	-0.9	-0.7	0	33.6	0.27	100	8548	99.72	33
2023-03-07 18:45:00	0	0	0	0	303	20.62	29.01	33.5	58.5	99.75	-0.6	-0.6	0	33.5	0.27	100	8544	99.72	32.9
2023-03-07 18:50:00	0	0	0	0	299	22.12	30.49	33.5	58.4	99.75	-0.4	-0.6	0	33.5	0.27	100	8543	99.73	32.8
2023-03-07 18:55:00	0	0	0	0	301	19.08	28.05	33.4	58.7	99.77	-0.4	-0.5	0	33.4	0.27	100	8543	99.73	32.8
2023-03-07 19:00:00	0	0	0	0	302	16.75	23.58	33.4	59.3	99.78	-1.1	-0.5	0	33.4	0.26	100	8545	99.75	32.8
2023-03-07 19:05:00	0	0	0	0	304	17.05	24.4	33.4	60	99.79	-0.7	-0.5	0	33.4	0.26	100	8539	99.76	32.7
2023-03-07 19:10:00	0	0	0	0	310	13.82	17.76	33.4	60.1	99.79	-0.7	-0.4	0	33.4	0.26	100	8538	99.77	32.7
2023-03-07 19:15:00	0	0	0	0	323	14.74	23.04	33.3	60.8	99.8	-0.7	-0.5	0	33.4	0.25	100	8537	99.78	32.6
2023-03-07 19:20:00	0	0	0	0	331	20.8	31.21	33.4	59.8	99.79	-0.6	-0.3	0	33.4	0.26	100	8536	99.77	32.8
2023-03-07 19:25:00	0	0	0	0	333	23.49	29.77	33.8	57.9	99.79	-0.2	-0.3	0	33.8	0.28	100	8535	99.77	33
2023-03-07 19:30:00	0	0	0	0	337	20.92	32.03	34	57.7	99.81	-0.5	-0.8	0	34.1	0.28	100	8535	99.79	33.1
2023-03-07 19:35:00	0	0	0	0	334	23.2	32.39	34.2	57	99.82	-0.9	-0.6	0	34.2	0.29	100	8534	99.79	33.2
2023-03-07 19:40:00	0	0	0	0	328	32.61	50.29	34.2	56.4	99.8	-0.4	-0.2	0	34.1	0.29	100	8535	99.77	33.2
2023-03-07 19:45:00	0	0	0	0	331	30.2	40.82	34.1	55	99.8	-0.9	-2.3	0	34.1	0.3	100	8532	99.77	33.2
2023-03-07 19:50:00	0	0	0	0	330	28.74	40.11	34	54.3	99.81	-0.2	-2.1	0	34	0.3	100	8532	99.78	33.1
2023-03-07 19:55:00	0	0	0	0	333	28.25	43.69	33.9	54.5	99.81	0.1	-1	0	33.9	0.3	100	8531	99.78	33.1
2023-03-07 20:00:00	0	0	0	0	331	26.17	34.05	33.9	55.3	99.82	-0.6	0.1	0	33.9	0.29	100	8527	99.79	33
2023-03-07 20:05:00	0	0	0	0	327	23.26	30.85	33.7	57.5	99.83	-0.9	-0.6	0	33.7	0.28	100	8526	99.81	32.9
2023-03-07 20:10:00	0	0	0	0	334	23.13	32.06	33.5	58.4	99.86	-0.8	-0.6	0	33.5	0.27	100	8529	99.83	32.8
2023-03-07 20:15:00	0	0	0	0	332	22.48	33.26	33.4	59	99.86	-1.2	0	0	33.4	0.27	100	8526	99.83	32.8
2023-03-07 20:20:00	0	0	0	0	338	24.09	35.99	33.4	58.4	99.87	-1.2	-0.7	0	33.4	0.27	100	8523	99.85	32.7
2023-03-07 20:25:00	0	0	0	0	339	19.46	29.91	33.3	59	99.89	-1.1	-0.2	0	33.3	0.26	100	8526	99.86	32.6
2023-03-07 20:30:00	0	0	0	0	336	20.98	27.27	33.1	59.5	99.89	-0.6	-1.1	0	33.1	0.26	100	8523	99.87	32.5
2023-03-07 20:35:00	0	0	0	0	342	20.11	26.31	33	59.6	99.89	-1	0	0	33	0.26	100	8523	99.86	32.4
2023-03-07 20:40:00	0	0	0	0	339	23.78	33.38	32.9	59.6	99.89	-0.8	-0.8	0	32.9	0.26	100	8521	99.86	32.3
2023-03-07 20:45:00	0	0	0	0	342	23.42	31.54	32.8	59.5	99.9	-1.5	-0.7	0	32.8	0.26	100	8520	99.87	32.2
2023-03-07 20:50:00	0	0	0	0	334	21.68	39.39	32.7	60.5	99.9	-0.5	-0.4	0	32.7	0.25	100	8516	99.89	32.1
2023-03-07 20:55:00	0	0	0	0	334	25.75	36.75	32.6	61.1	99.9	-0.6	-1	0	32.6	0.24	100	8519	99.87	32
2023-03-07 21:00:00	0	0	0	0	340	25.7	35.34	32.6	60.8	99.9	-1.2	1.1	0	32.6	0.25	100	8517	99.88	32
2023-03-07 21:05:00	0	0	0	0	344	21.88	27.45	32.5	60.9	99.91	0	-0.8	0	32.5	0.24	100	8514	99.89	31.8
2023-03-07 21:10:00	0	0	0	0	348	21.99	33.17	32.3	61.4	99.91	-0.2	-1.8	0	32.3	0.24	100	8515	99.9	31.7
2023-03-07 21:15:00	0	0	0	0	337	25.12	42.19	32.3	62.2	99.92	-0.8	-1.5	0	32.3	0.23	100	8514	99.89	31.7
2023-03-07 21:20:00	0	0	0	0	341	23.8	32.12	32.1	61.9	99.92	-0.7	0.5	0	32.1	0.23	100	8510	99.91	31.6
2023-03-07 21:25:00	0	0	0	0	342	21.25	31.29	32	62.1	99.94	-0.4	-0.8	0	32	0.23	100	8511	99.91	31.5
2023-03-07 21:30:00	0	0	0	0	340	19.01	26.75	32	62.3	99.94	-0.9	0.2	0	32	0.23	100	8510	99.92	31.4
2023-03-07 21:35:00	0	0	0	0	336	22.46	29.53	31.8	62.7	99.94	-1.1	0.4	0	31.8	0.23	100	8510	99.91	31.2
2023-03-07 21:40:00	0	0	0	0	346	23.38	32.3	31.7	62.8	99.92	-0.9	-1.1	0	31.7	0.22	100	8510	99.91	31.2
2023-03-07 21:45:00	0	0	0	0	334	22.44	33.22	31.8	62.6	99.94	-1	-0.4	0	31.8	0.23	100	8510	99.92	31.1
2023-03-07 21:50:00	0	0	0	0	334	21.79	30.76	31.6	63.1	99.93	-0.8	-0.9	0	31.6	0.22	100	8508	99.92	31.1
2023-03-07 21:55:00	0	0	0	0	332	21.74	34.2	31.7	62	99.94	-0.9	-0.6	0	31.7	0.23	100	8505	99.92	31
2023-03-07 22:00:00	0	0	0	0	336	23.13	34.56	31.7	61.7	99.93	-0.7	-0.6	0	31.6	0.23	100	8506	99.91	30.9
2023-03-07 22:05:00	0	0	0	0	339	26.46	35.39	31.6	61.3	99.93	-1.3	-0.2	0	31.5	0.23	100	8504	99.91	30.8
2023-03-07 22:10:00	0	0	0	0	343	23	34.27	31.4	60.6	99.94	-1.1	0.6	0	31.4	0.23	100	8504	99.91	30.8
2023-03-07 22:15:00	0	0	0	0	341	20.65	32.79	31.3	60.9	99.94	-0.9	-0.6	0	31.4	0.23	100	8504	99.92	30.6
2023-03-07 22:20:00	0	0	0	0	345	23.91	31	31.3	61.3	99.94	-1.9	-0.3	0	31.3	0.23	100	8502	99.91	30.6
2023-03-07 22:25:00	0	0	0	0	341	21.52	34.36	31.2	61.3	99.94	-1.1	-0.6	0	31.2	0.23	100	8501	99.92	30.5
2023-03-07 22:30:00	0	0	0	0	337	19.57	26.53	31.1	61.9	99.96	-0.9	-1.2	0	31.1	0.22	100	8502	99.94	30.4
2023-03-07 22:35:00	0	0	0	0	337	19.19	26.37	31	63.1	99.96	-1	-0.4	0	31	0.22	100	8499	99.95	30.3
2023-03-07 22:40:00	0	0	0	0	348	21.52	30.53	31.1	62.9	99.97	-0.7	-0.5	0	31.1	0.22	100	8498	99.95	30.3
2023-03-07 22:45:00	0	0	0	0	341	21.09	38.95	31	63.3	99.98	-1.1	0.1	0	31	0.22	100	8499	99.96	30.3
2023-03-07 22:50:00	0	0	0	0	340	21.74	29.1	31	63.7	99.98	-0.7	-0.2	0	31	0.21	100	8497	99.95	30.3
2023-03-07 22:55:00	0	0	0	0	333	22.32	32.68	30.9	63.3	99.99	-0.7	-0.8	0	30.9	0.21	100	8500	99.96	30.2
2023-03-07 23:00:00	0	0	0	0	338	20.58	27.76	30.9	63.3	99.98	-1	-0.6	0	30.9	0.21	100	8497	99.96	30.2
2023-03-07 23:05:00	0	0	0	0	344	21.9	35.48	30.8	63.4	99.98	-0.6	-0.8	0	30.8	0.21	100	8494	99.96	30.1
2023-03-07 23:10:00	0	0	0	0	339	23.69	31.18	30.7	63.7	99.98	-1.4	0.1	0	30.7	0.21	100	8494	99.95	30
2023-03-07 23:15:00	0	0	0	0	343	22.82	30.36	30.7	63.7	99.98	-1.6	-0.2	0	30.7	0.21	100	8495	99.95	30
2023-03-07 23:20:00	0	0	0	0	338	20.15	28.61	30.6	64	99.98	-0.7	-0.7	0	30.6	0.21	100	8493	99.96	29.9
2023-03-07 23:25:00	0	0	0	0	334	21.09	27.96	30.6	64.1	99.98	-0.4	-0.6	0	30.6	0.21	100	8493	99.97	29.9
2023-03-07 23:30:00	0	0	0	0	329	21.72	32.88	30.5	64.3	99.98	-0.3	0	0	30.5	0.21	100	8491	99.97	29.8
2023-03-07 23:35:00	0	0	0	0	344	22.17	29.84	30.5	64.5	99.99	-1.2	-0.2	0	30.5	0.2	100	8491	99.98	29.8
2023-03-07 23:40:00	0	0	0	0	337	19.93	28.99	30.4	64.6	100.01	-1.3	-0.6	0	30.5	0.2	100	8488	99.99	29.7
2023-03-07 23:45:00	0	0	0	0	335	19.57	28.05	30.4	65.3	100.01	-0.6	-0.6	0	30.4	0.2	100	8490	99.99	29.7
2023-03-07 23:50:00	0	0	0	0	342	20.69	30.36	30.4	65.7	100.01	-0.9	-0.4	0	30.4	0.2	100	8488	99.99	29.6
2023-03-07 23:55:00	0	0	0	0	345	16.37	21.12	30.4	66.1	100.02	-0.7	-0.6	0	30.3	0.19	100	8487	100	29.6
2023-03-08 00:00:00	0	0	0	0	340	16.42	20.76	30.2	66.8	100.02	-1.2	-0.6	0	30.2	0.19	100	8489	100	29.6
2023-03-08 00:05:00	0	0	0	0	336	14.47	18.63	30.2	67	100.03	-0.8	-0.6	0	30.1	0.19	100	8457	100.02	29.6
2023-03-08 00:10:00	0	0	0	0	340	12.24	17.18	30.2	66.8	100.04	-0.8	-0.6	0	30.2	0.19	100	8447	100.03	29.8
2023-03-08 00:15:00	0	0	0	0	337	13.11	20.27	30.2	67.7	100.05	-0.9	-0.6	0	30.2	0.18	100	8439	100.03	29.9
2023-03-08 00:20:00	0	0	0	0	336	12.57	16.71	30.1	67.2	100.04	-1	-0.5	0	30.1	0.19	100	8458	100.03	29.8
2023-03-08 00:25:00	0	0	0	0	336	11.59	15.57	30	67.7	100.05	-0.9	-0.5	0	30	0.18	100	8459	100.04	29.5
2023-03-08 00:30:00	0	0	0	0	341	13.49	16.58	29.9	68.3	100.06	-0.8	-0.6	0	30	0.18	100	8459	100.04	29.4
2023-03-08 00:35:00	0	0	0	0	342	13.13	22.03	30	68.6	100.06	-0.9	-0.3	0	30	0.18	100	8459	100.04	29.3
2023-03-08 00:40:00	0	0	0	0	330	16.35	21.27	30	68.2	100.06	-1	-0.4	0	30	0.18	100	8462	100.04	29.3
2023-03-08 00:45:00	0	0	0	0	338	15.75	20.71	29.8	67.9	100.06	-0.8	-0.8	0	29.9	0.18	100	8462	100.05	29.2
2023-03-08 00:50:00	0	0	0	0	339	18.1	24.09	29.8	67.9	100.06	-0.9	-0.5	0	29.8	0.18	100	8460	100.05	29.2
2023-03-08 00:55:00	0	0	0	0	345	19.19	24.94	29.9	68.4	100.07	-0.9	-0.4	0	29.9	0.18	100	8463	100.05	29.1
2023-03-08 01:00:00	0	0	0	0	346	15.21	22.95	29.8	68.6	100.08	-1	-0.8	0	29.8	0.18	100	8463	100.07	29.1
2023-03-08 01:05:00	0	0	0	0	336	17.25	25.81	29.8	68.4	100.09	-0.9	-0.4	0	29.8	0.18	100	8464	100.07	29
2023-03-08 01:10:00	0	0	0	0	334	18.52	26.11	29.7	68.6	100.09	-0.6	-0.9	0	29.7	0.17	100	8462	100.07	28.9
2023-03-08 01:15:00	0	0	0	0	339	17.22	21.72	29.7	68.7	100.1	-1.2	-1	0	29.6	0.17	100	8464	100.08	28.9
2023-03-08 01:20:00	0	0	0	0	337	15.77	20.6	29.6	69.1	100.1	-1.3	-0.3	0	29.6	0.17	100	8446	100.09	28.9
2023-03-08 01:25:00	0	0	0	0	338	13.56	23.02	29.6	70.1	100.11	-0.9	-0.6	0	29.6	0.17	100	8451	100.09	28.9
2023-03-08 01:30:00	0	0	0	0	340	17.83	25.3	29.5	70.6	100.1	-0.8	-0.6	0	29.5	0.16	100	8450	100.08	28.8
2023-03-08 01:35:00	0	0	0	0	335	16.22	23.73	29.4	70.8	100.11	-0.9	-0.9	0	29.4	0.16	100	8452	100.09	28.8
2023-03-08 01:40:00	0	0	0	0	341	16.2	20.74	29.4	70.8	100.11	-0.6	-0.8	0	29.4	0.16	100	8452	100.09	28.7
2023-03-08 01:45:00	0	0	0	0	343	16.13	20.65	29.3	71.1	100.11	-1	-0.5	0	29.3	0.16	100	8454	100.1	28.7
2023-03-08 01:50:00	0	0	0	0	343	12.57	17.65	29.3	71.3	100.12	-0.8	-0.5	0	29.3	0.16	100	8451	100.1	28.6
2023-03-08 01:55:00	0	0	0	0	338	13.62	17.22	29.3	71.2	100.11	-1	-0.7	0	29.3	0.16	100	8452	100.1	28.5
2023-03-08 02:00:00	0	0	0	0	332	13.58	19.35	29.3	71.2	100.11	-0.9	-0.6	0	29.3	0.16	100	8453	100.09	28.5
2023-03-08 02:05:00	0	0	0	0	334	14.52	18.81	29.2	71.4	100.11	-0.7	-0.8	0	29.2	0.16	100	8450	100.1	28.5
2023-03-08 02:10:00	0	0	0	0	340	14.23	21.72	29.3	71.2	100.11	-0.8	-0.1	0	29.3	0.16	100	8453	100.1	28.5
2023-03-08 02:15:00	0	0	0	0	334	14.94	18.77	29.3	71.1	100.12	-0.7	-0.6	0	29.4	0.16	100	8452	100.1	28.5
2023-03-08 02:20:00	0	0	0	0	346	14.12	19.1	29.2	71.4	100.12	-1	-0.3	0	29.2	0.16	100	8449	100.11	28.4
2023-03-08 02:25:00	0	0	0	0	346	15.05	19.42	29.3	71.2	100.12	-1.2	-0.5	0	29.3	0.16	100	8450	100.1	28.4
2023-03-08 02:30:00	0	0	0	0	341	14.36	19.55	29.2	71.4	100.12	-0.9	-0.4	0	29.2	0.16	100	8451	100.1	28.4
2023-03-08 02:35:00	0	0	0	0	332	12.71	19.15	29.2	71.5	100.12	-1.2	-0.3	0	29.2	0.16	100	8448	100.1	28.3
2023-03-08 02:40:00	0	0	0	0	341	12.75	17.02	29.2	71.6	100.12	-1.1	-0.7	0	29.2	0.15	100	8448	100.11	28.3
2023-03-08 02:45:00	0	0	0	0	337	12.35	18.95	29.2	71.6	100.13	-0.9	-0.6	0	29.1	0.15	100	8453	100.11	28.3
2023-03-08 02:50:00	0	0	0	0	333	13.02	16.73	29.2	70.8	100.13	-1	-0.6	0	29.2	0.16	100	8450	100.11	28.3
2023-03-08 02:55:00	0	0	0	0	334	14.32	22.06	29.1	70.6	100.13	-0.9	-0.2	0	29.1	0.16	100	8448	100.11	28.3
2023-03-08 03:00:00	0	0	0	0	339	15.39	19.51	29.3	70.1	100.13	-1.1	-0.4	0	29.3	0.16	100	8450	100.11	28.3
2023-03-08 03:05:00	0	0	0	0	338	13.8	18.9	29.3	69.5	100.14	-0.9	-0.4	0	29.3	0.17

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-08 03:15:00	0	0	0	0	334	14.05	19.69	29.3	70.4	100.14	-1.1	-0.2	0	29.3	0.16	100	8444	100.13	28.4
2023-03-08 03:20:00	0	0	0	0	335	16.46	23.24	29.4	69.9	100.15	-0.6	-0.6	0	29.4	0.17	100	8446	100.13	28.4
2023-03-08 03:25:00	0	0	0	0	328	18.37	26.13	29.3	69.3	100.15	-1	-0.6	0	29.3	0.17	100	8444	100.14	28.4
2023-03-08 03:30:00	0	0	0	0	325	18.25	23.47	29.2	69.6	100.16	-0.9	-0.2	0	29.2	0.17	100	8447	100.14	28.3
2023-03-08 03:35:00	0	0	0	0	330	19.44	28.12	29.2	69.8	100.16	-1	-0.8	0	29.2	0.16	100	8444	100.14	28.3
2023-03-08 03:40:00	0	0	0	0	327	17.31	24.63	29.2	69.8	100.17	-1	-0.5	0	29.1	0.16	100	8445	100.15	28.2
2023-03-08 03:45:00	0	0	0	0	335	18.52	27.31	29.1	70	100.16	-1	-0.6	0	29.1	0.16	100	8444	100.15	28.2
2023-03-08 03:50:00	0	0	0	0	334	16.67	22.3	29	70.1	100.17	-1	-0.2	0	29.1	0.16	100	8444	100.15	28.1
2023-03-08 03:55:00	0	0	0	0	343	18.05	25.32	29	70.3	100.18	-1	-0.2	0	29	0.16	100	8444	100.16	28.1
2023-03-08 04:00:00	0	0	0	0	336	16.44	21.36	28.9	70.5	100.19	-1	-0.4	0	28.9	0.16	100	8444	100.17	28
2023-03-08 04:05:00	0	0	0	0	339	19.26	28.77	28.9	70.6	100.18	-0.8	-0.2	0	28.9	0.16	100	8444	100.16	28
2023-03-08 04:10:00	0	0	0	0	339	16.22	22.1	28.8	70.9	100.18	-1.1	-0.5	0	28.8	0.16	100	8440	100.17	28
2023-03-08 04:15:00	0	0	0	0	324	16.11	23.85	28.7	71.3	100.19	-1.1	-0.4	0	28.7	0.15	100	8444	100.18	27.9
2023-03-08 04:20:00	0	0	0	0	332	15.14	19.26	28.6	71.1	100.2	-1	-0.8	0	28.6	0.15	100	8441	100.18	27.8
2023-03-08 04:25:00	0	0	0	0	339	15.01	19.51	28.7	71.3	100.19	-1	-0.3	0	28.7	0.15	100	8443	100.17	27.8
2023-03-08 04:30:00	0	0	0	0	342	12.91	16.98	28.5	71.7	100.2	-1	-0.5	0	28.5	0.15	100	8440	100.19	27.7
2023-03-08 04:35:00	0	0	0	0	342	15.12	18.95	28.5	71.7	100.2	-1	-0.4	0	28.5	0.15	100	8440	100.19	27.7
2023-03-08 04:40:00	0	0	0	0	341	12.88	17.25	28.5	71.7	100.21	-1	-0.3	0	28.5	0.15	100	8439	100.19	27.7
2023-03-08 04:45:00	0	0	0	0	332	13.76	17.98	28.5	71.7	100.2	-1.2	-0.5	0	28.5	0.15	100	8440	100.19	27.6
2023-03-08 04:50:00	0	0	0	0	339	14.23	23.98	28.5	71.8	100.2	-1.2	-0.1	0	28.5	0.15	100	8440	100.19	27.7
2023-03-08 04:55:00	0	0	0	0	327	16.98	22.86	28.5	70.4	100.2	-1	-0.6	0	28.5	0.16	100	8434	100.19	27.7
2023-03-08 05:00:00	0	0	0	0	332	15.28	21.36	28.7	70.1	100.2	-1	-0.5	0	28.7	0.16	100	8436	100.18	27.7
2023-03-08 05:05:00	0	0	0	0	336	16.91	22.7	28.6	69.6	100.19	-1	-0.5	0	28.6	0.16	100	8437	100.18	27.7
2023-03-08 05:10:00	0	0	0	0	337	15.39	21.68	28.6	69.5	100.2	-1.1	-0.1	0	28.6	0.16	100	8435	100.19	27.7
2023-03-08 05:15:00	0	0	0	0	333	15.03	20.38	28.7	69.4	100.21	-0.9	-0.4	0	28.7	0.16	100	8437	100.19	27.6
2023-03-08 05:20:00	0	0	0	0	330	14.5	19.8	28.6	69.6	100.21	-1.1	-0.4	0	28.6	0.16	100	8437	100.19	27.6
2023-03-08 05:25:00	0	0	0	0	331	14.14	21.21	28.5	69.7	100.2	-1.1	-0.2	0	28.6	0.16	100	8434	100.19	27.6
2023-03-08 05:30:00	0	0	0	0	340	13.31	18.07	28.5	69.7	100.22	-0.8	-0.6	0	28.5	0.16	100	8437	100.2	27.6
2023-03-08 05:35:00	0	0	0	0	339	13.31	18.79	28.5	69.7	100.21	-0.9	-0.6	0	28.5	0.16	100	8433	100.2	27.6
2023-03-08 05:40:00	0	0	0	0	338	11.41	15.23	28.4	70	100.22	-0.9	-0.3	0	28.5	0.16	100	8434	100.2	27.6
2023-03-08 05:45:00	0	0	0	0	336	11.1	15.37	28.4	70.8	100.22	-1	-0.6	0	28.4	0.15	100	8434	100.21	27.5
2023-03-08 05:50:00	0	0	0	0	336	9.75	13.4	28.5	71	100.23	-1	-0.2	0	28.4	0.15	100	8432	100.22	27.5
2023-03-08 05:55:00	0	0	0	0	340	12.77	16.87	28.4	71.7	100.23	-0.9	-0.4	0	28.4	0.15	100	8431	100.22	27.5
2023-03-08 06:00:00	0	0	0	0	332	11.34	15.73	28.4	71.9	100.23	-1	-0.4	0	28.5	0.15	100	8434	100.22	27.5
2023-03-08 06:05:00	0	0	0	0	325	15.99	27.22	28.3	70.8	100.23	-1	-0.3	0	28.3	0.15	100	8433	100.21	27.5
2023-03-08 06:10:00	0	0	0	0	327	15.84	21.83	28.4	71	100.23	-1.1	-0.3	0	28.3	0.15	100	8431	100.22	27.5
2023-03-08 06:15:00	0	0	0	0	334	12.57	16.98	28.5	71.7	100.24	-1.2	-0.3	0	28.5	0.15	100	8431	100.23	27.5
2023-03-08 06:20:00	0	0	0	0	324	13.65	21	28.4	72.1	100.25	-1.2	-0.2	0	28.4	0.15	100	8430	100.24	27.4
2023-03-08 06:25:00	1	0	0	0	329	13.04	19.66	28.4	71.9	100.26	-1	-0.8	0	28.4	0.15	100	8432	100.24	27.4
2023-03-08 06:30:00	1.6	0	0	0	334	14.45	21.07	28.4	72	100.25	-0.9	0	0	28.4	0.15	100	8430	100.24	27.4
2023-03-08 06:35:00	3	0	0	0	323	12.01	15.84	28.4	72	100.26	-0.9	-0.7	0	28.4	0.15	100	8428	100.25	27.4
2023-03-08 06:40:00	5	0	0	0	333	13.69	20.33	28.4	72.1	100.26	-0.9	-0.5	0	28.4	0.15	100	8429	100.25	27.4
2023-03-08 06:45:00	7.2	0	0	0	330	19.08	25.19	28.4	72	100.26	-0.9	-0.7	0	28.4	0.15	100	8428	100.25	27.4
2023-03-08 06:50:00	9.8	0	0	0	324	18.5	25.57	28.3	72.2	100.27	-1.1	0.1	0	28.3	0.15	100	8430	100.26	27.4
2023-03-08 06:55:00	11.4	0	0	0	330	17.09	21.77	28.3	72.4	100.27	-0.8	-0.6	0	28.3	0.14	100	8429	100.25	27.4
2023-03-08 07:00:00	14.8	0	0	0	334	18.21	25.79	28.2	72.6	100.27	-1.1	-0.6	0	28.3	0.14	100	8428	100.25	27.3
2023-03-08 07:05:00	19.2	0	0	0	333	12.91	18.21	28.3	73.1	100.27	-0.8	-0.6	0	28.3	0.14	100	8428	100.26	27.3
2023-03-08 07:10:00	24	0	0	0	325	15.39	20.04	28.2	73.4	100.27	-1	-0.6	0	28.3	0.14	100	8427	100.26	27.3
2023-03-08 07:15:00	27.8	0	0	0	329	13.44	18.25	28.3	74	100.29	-1	-0.4	0	28.3	0.14	100	8426	100.28	27.3
2023-03-08 07:20:00	32	0	0	0	341	16.37	23.49	28.1	74	100.29	-0.6	-0.9	0	28.3	0.14	100	8427	100.27	27.4
2023-03-08 07:25:00	36.4	0	0	0	343	15.61	20.98	28.1	74.3	100.28	-1	-0.3	0	28.3	0.13	100	8427	100.27	27.4
2023-03-08 07:30:00	42	0	0	0	339	14.81	23.96	28.2	74.4	100.28	-1.1	-0.7	0	28.3	0.13	100	8428	100.27	27.4
2023-03-08 07:35:00	50	0	0	0	333	13.8	20.67	28.2	74.4	100.28	-0.9	-0.4	0	28.3	0.13	100	8426	100.27	27.4
2023-03-08 07:40:00	55	0	0	0	327	17.47	21.72	28.3	74.3	100.29	-1	-0.3	0	28.4	0.13	100	8428	100.28	27.4
2023-03-08 07:45:00	61.4	0	0	0	336	16.13	23.82	28.2	74.4	100.29	-1.1	-0.2	0	28.3	0.13	100	8428	100.28	27.4
2023-03-08 07:50:00	73.6	0	0	0	324	15.39	20.67	28.2	74.9	100.29	-0.9	-0.5	0	28.3	0.13	100	8429	100.28	27.4
2023-03-08 07:55:00	74.6	0	0	0	328	18.5	24.61	28.3	74.7	100.29	-1	-0.8	0	28.4	0.13	100	8428	100.29	27.4
2023-03-08 08:00:00	81.6	0	0	0	333	18.61	26.35	28.2	74.6	100.29	-0.8	-0.3	0	28.3	0.13	100	8431	100.28	27.4
2023-03-08 08:05:00	93.8	0	0	0	325	17.27	22.01	28.1	74.9	100.29	-1.2	-0.5	0	28.3	0.13	100	8431	100.29	27.4
2023-03-08 08:10:00	94	0	0	0	329	14.56	19.51	28.1	75.1	100.31	-0.8	-0.7	0	28.3	0.13	100	8433	100.31	27.4
2023-03-08 08:15:00	96.4	0	0	0	336	16.49	22.59	28.2	76	100.32	-1.1	-0.5	0	28.4	0.13	100	8434	100.32	27.5
2023-03-08 08:20:00	112.8	0	0	0	342	14.97	18.99	28.2	76.4	100.33	-1	-0.4	0	28.4	0.12	100	8434	100.32	27.5
2023-03-08 08:25:00	131.8	0	0	0	323	16.2	26.44	28.3	76	100.32	-0.9	-0.8	0	28.5	0.13	100	8435	100.31	27.6
2023-03-08 08:30:00	153.6	0	0	0	329	19.04	26.24	28.5	75.5	100.32	-1	-1	0	28.8	0.13	100	8439	100.32	27.7
2023-03-08 08:35:00	176.6	0	0	0	335	14.83	19.95	28.6	75.2	100.33	-0.9	-0.4	0	29	0.13	100	8443	100.33	27.8
2023-03-08 08:40:00	181.6	0	0	0	333	16.24	24.07	28.8	75.1	100.33	-1.2	-0.8	0	29.1	0.13	100	8449	100.33	28
2023-03-08 08:45:00	196.2	0	0	0	344	19.28	30.31	29	75.8	100.33	-1	0.1	0	29.3	0.13	100	8454	100.34	28.1
2023-03-08 08:50:00	179.2	0	0	0	334	16.93	22.24	28.9	74.9	100.35	-0.9	-0.8	0	29.3	0.14	100	8453	100.35	28.1
2023-03-08 08:55:00	173.6	0	0	0	332	15.93	24.58	28.8	75.3	100.35	-0.7	-1	0	29.2	0.13	100	8453	100.35	28.1
2023-03-08 09:00:00	177.4	0	0	0	333	15.88	23.6	28.9	76	100.35	-1	-0.6	0	29.2	0.13	100	8459	100.35	28.2
2023-03-08 09:05:00	174.8	0	0	0	335	15.3	21.59	28.9	74.4	100.35	-1	-0.5	0	29.2	0.14	100	8459	100.35	28.3
2023-03-08 09:10:00	172.8	0	0	0	335	15.12	22.66	28.9	74.2	100.36	-0.7	-1	0	29.3	0.14	100	8459	100.36	28.4
2023-03-08 09:15:00	163.6	0	0	0	344	15.19	21.47	29	74.4	100.36	-0.9	-0.4	0	29.3	0.14	100	8460	100.35	28.4
2023-03-08 09:20:00	194.2	0	0	0	335	15.3	23.11	28.9	75.1	100.36	-0.9	-0.2	0	29.3	0.13	100	8463	100.36	28.4
2023-03-08 09:25:00	207.6	0	0	0	320	13.62	18.79	29	75.8	100.36	-0.9	-0.5	0	29.5	0.13	100	8465	100.36	28.6
2023-03-08 09:30:00	203.8	0	0	0	334	16.2	23.85	29.2	74.8	100.36	-0.9	-0.4	0	29.6	0.14	100	8469	100.36	28.7
2023-03-08 09:35:00	208.4	0	0	0	339	15.68	21.09	29.1	73.6	100.37	-1.1	-0.5	0	29.6	0.14	100	8467	100.37	28.7
2023-03-08 09:40:00	199	0	0	0	339	13.29	18.97	29.1	74.7	100.37	-1.1	-0.5	0	29.5	0.14	100	8472	100.38	28.7
2023-03-08 09:45:00	167.2	0	0	0	337	17.69	22.39	29.2	74.8	100.37	-0.8	-0.3	0	29.5	0.14	100	8471	100.37	28.7
2023-03-08 09:50:00	184.8	0	0	0	337	17.74	24.58	29	74.8	100.37	-1.1	-0.5	0	29.3	0.14	100	8470	100.38	28.5
2023-03-08 09:55:00	215.6	0	0	0	334	17.6	21.59	28.8	74.2	100.37	-0.8	-0.8	0	29.2	0.14	100	8475	100.38	28.4
2023-03-08 10:00:00	218	0	0	0	335	14.38	19.17	28.7	73.8	100.38	-0.9	-0.4	0	29.1	0.14	100	8478	100.39	28.5
2023-03-08 10:05:00	217.2	0	0	0	325	16.53	23.96	28.9	74	100.39	-1.1	-0.4	0	29.3	0.14	100	8478	100.4	28.6
2023-03-08 10:10:00	219.2	0	0	0	335	17.36	23.22	29	72.2	100.4	-0.8	-0.3	0	29.4	0.15	100	8482	100.4	28.6
2023-03-08 10:15:00	231.4	0	0	0	333	15.95	19.98	28.9	72.4	100.4	-0.9	-0.5	0	29.4	0.15	100	8484	100.41	28.5
2023-03-08 10:20:00	240.2	0	0	0	347	17.65	24.99	28.9	72.7	100.41	-0.7	-0.8	0	29.4	0.15	100	8484	100.41	28.6
2023-03-08 10:25:00	235.4	0	0	0	323	16.08	21.07	29	72.3	100.42	-0.9	-0.4	0	29.5	0.15	100	8487	100.42	28.7
2023-03-08 10:30:00	250.6	0	0	0	320	17.74	23.67	29	72.7	100.42	-1.5	0	0	29.6	0.15	100	8491	100.43	28.7
2023-03-08 10:35:00	242	0	0	0	335	17.58	23.31	29	72.4	100.43	-1.1	-0.5	0	29.6	0.15	100	8491	100.43	28.7
2023-03-08 10:40:00	239.2	0	0	0	342	16.89	22.1	28.9	72.5	100.43	-0.6	-0.9	0	29.3	0.15	100	8494	100.44	28.6
2023-03-08 10:45:00	250	0	0	0	331	16.46	21.5	28.9	72.4	100.43	-0.9	-1	0	29.4	0.15	100	8498	100.45	28.7
2023-03-08 10:50:00	253	0	0	0	337	15.73	21.34	29	72	100.44	-1.2	0.1	0	29.6	0.15	100	8497	100.45	28.7
2023-03-08 10:55:00	244.6	0	0	0	334	18.12	26.66	29.1	71.9	100.45	-0.9	-0.9	0	29.5	0.15	100	8501	100.45	28.7
2023-03-08 11:00:00	241.4	0	0	0	324	17.81	29.01	29	72.4	100.45	-1.1	-0.4	0	29.5	0.15	100	8503	100.45	28.8
2023-03-08 11:05:00	258.6	0	0	0	333	19.77	26.57	29	72.1	100.45	-1	-0.7	0	29.5	0.15	100	8504	100.45	28.8
2023-03-08 11:10:00	284.4	0	0	0	330	17.4	24.43	29.1	72.6	100.44	-0.9	-0.7	0	29.6	0.15	100	8507	100.45	28.8
2023-03-08 11:15:00	300.8	0	0	0	322	18.77	24.56	29.2	73.4	100.44	-0.9	0	0	29.7	0.15	100	8510	100.45	29
2023-03-08 11:20:00	328.2	0	0	0	328	16.93	21.54	29.4	72.7	100.44	-0.9	-0.4	0	30.1	0.15	100	8515	100.45	29.1
2023-03-08 11:25:00	332.6	0	0	0	324	17.98	23.85	29.6	72.3	100.44	-1.3	-0.4	0	30.2	0.15	100	8517	100.45	29.3
2023-03-08 11:30:00	339.6	0	0	0	311	15.1	19.8	29.7	71.9	100.44	-0.8	-0.7	0	30.3	0.16	100	8523	100.45	29.4
2023-03-08 11:35:00	342.4	0	0	0	323	12.77	23.91	29.9	73.4	100.46	-0.8	-0.6	0	30.7	0.15	100	8526	100.47	29.8
2023-03-08 11:40:00	358.8	0	0	0	332	17.83	26.46	30.4	71.7	100.45	-1	-0.5	0	31.1	0.16	100	8530	100.45	30
2023-03-08 11:45:00	396.4	0	0	0	334	17.54	23.31	30.6	70.6	100.44	-0.8	-0.5	0	31.3	0.17	100	8536	100.45	30.1
2023-03-08 11:50:00	438	0	0	0	343	17.09	23.17	31	70.1	100.44	-1	-0.6	0	31.7	0.18	100	8539	100.45	30.2
2023-03-08 11:55:00	386.2	0	0	0	338	15.97	21.39	31.1	70	100.44	-0.8	-0.5	0	31.7	0.18	100	8542	100.45	30.5
2023-03-08 12:00:00	455.6	0	0	0	345	15.64	22.68	31.5	69.6	100.43	-0.8	-0.4	0	32.1	0.18	100	8548	100.44	30.7
2023-03-08 12:05:00	412	0	0	0	326	14.45	22.46	31.8	68.7	100.43	-0.7	-0.7	0	32.5	0.19	100	8551	100.44	31
2023-03-08 12:10:00	458	0	0	0	322	16.35	21.77	32.3	66.3	100.42	-0.5	-0.6	0	33	0.21	100	8557	100.43	31.2
2023-03-08 12:15:00	510.2	0	0	0	326	17.38	23.44	32.7	65.3	100.41	-0.8	-0.5	0	33.4	0.22	100	8561	100.43	31.4
2023-03-08 12:20:00	514.2	0	0	0	330	17.92	24.45	32.8	65.2	100.41	-1.1	-0.5	0	33.5	0.22	100	8566	100.43	31.6
2023-03-08 12:25:00	526.4	0	0	0	327	14.09	21.16	33.2	63.6	100.41	-1.1	-0.6	0	33.9	0.23	100	8569	100.43	31.9
2023-03-08 12:30:00	478	0	0	0	308	14.61	19.51	33.5	62.9	100.42	-0.8	-0.3	0	34.2	0.24	100	8572	100.43	32.2
2023-03-08 12:35:00	458.6	0	0	0	335	15.9	25.79	33.3	62.7	100.41	-0.8	-0.5	0	34.1	0.24	100	8573	100.42	32.3
2023-03-08 12:40:00	539	0	0	0	326	17.85	24.54	33.5	62.4	100.39	-0.9	0.1	0	34.3	0.24	100	8579	100.41	32.3
2023-03-08 12:45:00	548.8	0	0	0	309	16.84	23.06	33.8	62.5	100.39	-0.6	-1	0	34.4	0.25	100	8582	100.41	32.4
2023-03-08 12:50:00	553.6	0	0	0	334	16.93	25.88	33.9	61.6	100.39	-0.5	-0.9	0	34.6	0.25	100	8579	100.41	32.6
2023-03-08 12:55:00	540.8	0	0	0	332	17.92	23.8	34	61.9	100.38	-0.8	-0.3	0	34.7	0.25	100	8583	100.4	32.6
2023-03-08 13:00:00	508.8	0	0	0	342	17.87	21.5	33.8	62.4	100.38	-0.9	-0.1	0	34.5	0.25	100	8584	100.4	32.5
2023-03-08 13:05:00	511.6	0	0	0	331	17.4	24.58	33.7	62.3	100.37	-1.2	-0.6	0	34.4	0.25	100	8584	100.39	32.5
2023-03-08 13:10:00	581.8	0	0	0	325	15.43	21.7	33.8	62	100.36	-1.1	-0.2	0	34.6	0.25	100	8585	100.39	32.5
2023-03-08 13:15:00	561	0	0	0	340	17.43	23.13	34.4	60.7	100.36	-0.7	-0.5	0	35	0.26	100	8586	100.38	32.5
2023-03-08 13:20:00	558.2	0	0	0	337	19.17	26.4	34.1	60.5	100.36	-0.6	-0.1	0	34.8	0.26	100	8581	100.37	32.4
2023-03-08 13:25:00	691.8	0	0	0	328	16.53	20.62	35.1	60.3	100.35	-0.8	-0.8	0	35.8	0.27	100	8580	100.39	32.5
2023-03-08 13:30:00	467.2	0	0	0	320	17.05	23.85	34.9	59.8	100.37	-0.8	-0.9	0	35.6	0.28	100	8577	100.38	32.6
2023-03-08 13:35:00	417.6	0	0	0	316	14.43	21.7	34.4	60.9	100.37	-0.8	-0.4	0	35.1	0.26	100	8570	100.38	32.5
2023-03-08 13:40:00	433	0	0	0	323	14.65	19.95	34.2	61.2	100.37	-0.8	-0.5	0	34.8	0.26	100	8571	100.38	32.4
2023-03-08 13:45:00	521.4	0	0	0	320	15.55	23.2	34.6	60.2	100.36	-0.7	-0.5	0	35.3	0.27	100	8571	100.38	32.2
2023-03-08 13:50:00	501.6	0	0	0	327	17.56	26.13	34.7	60.3	100.36	-0.4	-0.8	0	35.4	0.27	100	8564	100.38	32.1
2023-03-08 13:55:00	520.2	0	0	0	333	16.4	27.38	34.8	59	100.37	-0.7	-0.2	0	35.6	0.28	100	8565	100.38	32.1
2023-03-08 14:00:00	543.6	0	0	0	339	16.58	22.35	35.2	59	100.36	-0.6	-0.7	0	35.9	0.28	100	8562	100.38	32.1
2023-03-08 14:05:00	465	0	0	0	313	13.85	20.15	35.3	59.1	100.38	-0.7	-0.6	0	36	0.28	100	8555	100.38	32.2
2023-03-08 14:10:00	496.8	0	0	0	320	16.44	26.62	35.5	59.1	100.37	-0.3	-1.4	0	36.2	0.29	100	8557	100.37	32.3
2023-03-08 14:15:00	511.8	0	0	0	329	15.61	21.81	35.8	58.8	100.37	-0.3	-0.9	0	36.5	0.29	100	8553	100.38	32.4
2023-03-08 14:20:00	397.6	0	0	0	329	18.43	26.37	35.9	57.8	100.38	-0.4	-0.5	0	36.5	0.3	100	8550	100.38	32.5
2023-03-08 14:25:00	450.6	0	0	0	330	17.67	23.8	35.1	57.8	100.37	-0.8	-0.2	0	35.7	0.29	100	8548	100.38	32

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-08 14:40:00	455.4	0	0	0	318	12.82	21.97	35.3	58.7	100.38	-0.4	-0.8	0	36.1	0.29	100	8542	100.38	32.5
2023-03-08 14:45:00	503.2	0	0	0	322	15.88	21.45	35.8	57.6	100.38	-0.8	-0.7	0	36.5	0.3	100	8545	100.38	32.6
2023-03-08 14:50:00	421.2	0	0	0	332	14	21.23	35.4	57.1	100.38	-0.7	-0.6	0	36.1	0.3	100	8538	100.38	32.6
2023-03-08 14:55:00	431	0	0	0	341	14.29	20.4	35.1	58.6	100.38	-0.6	-0.9	0	35.9	0.29	100	8539	100.37	32.6
2023-03-08 15:00:00	419	0	0	0	329	15.46	23.62	35.3	58.6	100.38	-0.6	-0.4	0	36	0.29	100	8534	100.37	32.9
2023-03-08 15:05:00	464.2	0	0	0	345	18.25	24.7	35.2	58.4	100.37	-0.7	-0.3	0	35.7	0.29	100	8533	100.36	32.7
2023-03-08 15:10:00	455.2	0	0	0	346	15.82	23.47	35.1	58.8	100.36	-0.5	-0.1	0	35.7	0.28	100	8532	100.37	32.8
2023-03-08 15:15:00	444.4	0	0	0	340	16.8	23.58	35.1	59.3	100.37	-0.7	-0.7	0	35.8	0.28	100	8531	100.37	32.9
2023-03-08 15:20:00	425.4	0	0	0	295	12.88	18.77	35.2	59	100.38	-0.9	-0.6	0	35.9	0.28	100	8531	100.38	33.2
2023-03-08 15:25:00	411.8	0	0	0	310	14	19.06	35.6	58.2	100.39	-1	-0.6	0	36.2	0.29	100	8529	100.38	33.3
2023-03-08 15:30:00	401.2	0	0	0	336	15.37	20.09	35.5	58	100.38	-0.8	-0.7	0	36.2	0.3	100	8531	100.38	33.5
2023-03-08 15:35:00	372.4	0	0	0	330	16.15	20.15	35.2	58.1	100.39	-0.8	-0.7	0	36	0.29	100	8524	100.38	33.6
2023-03-08 15:40:00	366.2	0	0	0	333	13.44	18.45	35	58.7	100.39	-0.6	-0.5	0	35.7	0.28	100	8524	100.39	33.7
2023-03-08 15:45:00	351.2	0	0	0	335	16.62	21.83	34.8	58.7	100.38	-0.8	-0.6	0	35.6	0.28	100	8523	100.38	33.4
2023-03-08 15:50:00	336	0	0	0	326	16.71	23.31	34.8	58.5	100.39	-0.7	-0.6	0	35.5	0.28	100	8523	100.38	33.6
2023-03-08 15:55:00	321.6	0	0	0	331	13.96	20.27	34.6	59.1	100.39	-0.8	-0.4	0	35.2	0.28	100	8524	100.39	33.6
2023-03-08 16:00:00	307	0	0	0	334	14.58	18.34	34.5	59.3	100.4	-0.6	-0.6	0	35.1	0.28	100	8520	100.39	33.9
2023-03-08 16:05:00	292.2	0	0	0	305	13.98	19.89	34.5	59.3	100.4	-0.6	-0.6	0	35.2	0.28	100	8520	100.4	34
2023-03-08 16:10:00	275.8	0	0	0	313	13.09	17.65	34.5	59.2	100.4	-0.5	-0.6	0	35.2	0.28	100	8520	100.4	34.2
2023-03-08 16:15:00	260.2	0	0	0	333	13.35	17.81	34.4	59.6	100.4	-0.7	-0.7	0	35.1	0.27	100	8517	100.39	34.4
2023-03-08 16:20:00	242.4	0	0	0	327	13.4	21.83	34.6	59.4	100.4	-0.6	-0.5	0	35.1	0.27	100	8518	100.4	34.4
2023-03-08 16:25:00	237	0	0	0	310	10.89	14.7	34.6	59.4	100.41	-0.9	-0.4	0	35.1	0.27	100	8519	100.4	34.7
2023-03-08 16:30:00	215.4	0	0	0	316	13.87	20.29	34.6	59.6	100.4	-0.8	-0.5	0	35.1	0.27	100	8516	100.4	34.7
2023-03-08 16:35:00	188	0	0	0	324	14.56	19.35	34.6	59.3	100.41	-0.6	-0.5	0	35	0.28	100	8514	100.4	34.7
2023-03-08 16:40:00	153.4	0	0	0	309	14.09	22.97	34.2	59	100.4	-0.8	-0.6	0	34.5	0.27	100	8515	100.39	34.2
2023-03-08 16:45:00	119	0	0	0	322	14.74	21.41	33.8	59.3	100.4	-0.9	-0.3	0	34.1	0.27	100	8514	100.39	33.7
2023-03-08 16:50:00	111.8	0	0	0	326	14.14	20.31	33.5	60	100.4	-0.5	-0.6	0	33.8	0.26	100	8512	100.39	33.3
2023-03-08 16:55:00	91.2	0	0	0	335	15.01	20.54	33.2	60.9	100.39	-0.5	-0.9	0	33.4	0.25	100	8510	100.38	33
2023-03-08 17:00:00	82.8	0	0	0	327	14.27	19.35	32.9	61.6	100.39	-0.9	-0.6	0	33.1	0.24	100	8509	100.38	32.7
2023-03-08 17:05:00	71	0	0	0	324	12.53	17.02	32.7	62.1	100.4	-0.8	-0.4	0	32.8	0.24	100	8510	100.39	32.4
2023-03-08 17:10:00	61.4	0	0	0	305	13.18	19.1	32.5	62.5	100.41	-0.8	-0.6	0	32.6	0.23	100	8507	100.39	32.2
2023-03-08 17:15:00	51.8	0	0	0	309	14.61	20.78	32.3	62.4	100.42	-0.9	-0.4	0	32.5	0.23	100	8508	100.4	32
2023-03-08 17:20:00	41.8	0	0	0	298	11.39	17.13	32.1	62.9	100.42	-0.8	-0.6	0	32.3	0.23	100	8504	100.4	31.8
2023-03-08 17:25:00	31.6	0	0	0	304	10.92	17.05	31.9	63	100.42	-0.8	-0.4	0	32	0.23	100	8503	100.4	31.6
2023-03-08 17:30:00	28.2	0	0	0	309	13.94	20.33	31.9	62.2	100.41	-0.8	-0.6	0	31.9	0.23	100	8502	100.4	31.4
2023-03-08 17:35:00	22	0	0	0	306	10.8	15.64	31.6	61.8	100.41	-0.8	-0.4	0	31.7	0.23	100	8501	100.4	31.2
2023-03-08 17:40:00	15	0	0	0	297	10.49	16.73	31.4	62.2	100.41	-0.9	-0.3	0	31.4	0.23	100	8500	100.39	30.9
2023-03-08 17:45:00	10.8	0	0	0	295	11.56	15.66	31.2	61.9	100.41	-0.9	-0.4	0	31.2	0.22	100	8499	100.39	30.7
2023-03-08 17:50:00	7.6	0	0	0	301	9.62	15.64	31.1	62.6	100.41	-0.9	-0.5	0	31	0.22	100	8497	100.39	30.6
2023-03-08 17:55:00	5.8	0	0	0	303	8.23	11.83	31	63.1	100.4	-0.9	-0.5	0	31.1	0.22	100	8497	100.39	30.4
2023-03-08 18:00:00	3.6	0	0	0	303	9.44	13.6	31	63.1	100.4	-0.8	-0.5	0	31	0.22	100	8495	100.38	30.2
2023-03-08 18:05:00	1.4	0	0	0	294	9.55	13.31	30.8	62.9	100.4	-0.9	-0.6	0	30.8	0.22	100	8494	100.38	30.1
2023-03-08 18:10:00	0.4	0	0	0	298	7.16	11.1	30.8	63.6	100.4	-1	-0.6	0	30.8	0.21	100	8494	100.38	29.9
2023-03-08 18:15:00	0	0	0	0	290	7.29	12.15	30.6	64.4	100.4	-0.9	-0.5	0	30.6	0.21	100	8493	100.38	29.8
2023-03-08 18:20:00	0	0	0	0	289	8.39	13.47	30.6	64.8	100.4	-0.9	-0.4	0	30.6	0.2	100	8490	100.38	29.7
2023-03-08 18:25:00	0	0	0	0	290	10.02	15.88	30.6	64	100.4	-1	-0.5	0	30.6	0.21	100	8489	100.38	29.8
2023-03-08 18:30:00	0	0	0	0	292	8.55	14.41	30.7	63.7	100.4	-0.9	-0.4	0	30.7	0.21	100	8491	100.38	29.9
2023-03-08 18:35:00	0	0	0	0	292	6.98	9.57	30.8	64.9	100.4	-0.8	-0.5	0	30.8	0.2	100	8487	100.38	29.9
2023-03-08 18:40:00	0	0	0	0	282	8.28	12.21	30.8	65.4	100.4	-1	-0.4	0	30.8	0.2	100	8488	100.38	29.9
2023-03-08 18:45:00	0	0	0	0	267	7.61	10.47	30.8	64.6	100.4	-0.8	-0.5	0	30.8	0.21	100	8485	100.37	29.9
2023-03-08 18:50:00	0	0	0	0	267	8.79	12.15	30.7	65.4	100.39	-0.9	-0.6	0	30.8	0.2	100	8485	100.37	29.8
2023-03-08 18:55:00	0	0	0	0	276	9.86	14.32	30.7	65.4	100.39	-0.9	-0.6	0	30.7	0.2	100	8485	100.37	29.7
2023-03-08 19:00:00	0	0	0	0	277	9.66	14.76	30.7	65.9	100.39	-1	-0.4	0	30.7	0.2	100	8488	100.37	29.7
2023-03-08 19:05:00	0	0	0	0	276	9.95	16.13	30.7	65.9	100.38	-1	-0.7	0	30.7	0.2	100	8485	100.36	29.6
2023-03-08 19:10:00	0	0	0	0	276	11.05	14.9	30.5	66.4	100.38	-1.1	-0.4	0	30.5	0.19	100	8482	100.36	29.6
2023-03-08 19:15:00	0	0	0	0	282	11.61	15.21	30.5	66	100.38	-0.9	-0.5	0	30.5	0.2	100	8483	100.35	29.5
2023-03-08 19:20:00	0	0	0	0	282	10.76	12.8	30.6	66.6	100.37	-0.9	-0.5	0	30.6	0.19	100	8478	100.35	29.5
2023-03-08 19:25:00	0	0	0	0	271	8.66	11.81	30.5	67.4	100.37	-0.8	-0.5	0	30.5	0.19	100	8480	100.35	29.3
2023-03-08 19:30:00	0	0	0	0	267	9.08	12.12	30.3	67.3	100.37	-1	-0.4	0	30.3	0.19	100	8478	100.35	29.1
2023-03-08 19:35:00	0	0	0	0	267	9.6	13.44	30.2	67.3	100.36	-0.9	-0.4	0	30.1	0.19	100	8478	100.34	28.9
2023-03-08 19:40:00	0	0	0	0	269	10.4	13.87	30	67.5	100.36	-1	-0.4	0	30	0.18	100	8477	100.34	28.7
2023-03-08 19:45:00	0	0	0	0	271	8.9	11.07	29.8	68	100.36	-0.8	-0.5	0	29.8	0.18	100	8477	100.34	28.6
2023-03-08 19:50:00	0	0	0	0	267	9.01	11.65	29.7	68.4	100.35	-1	-0.5	0	29.7	0.18	100	8476	100.33	28.5
2023-03-08 19:55:00	0	0	0	0	269	8.57	12.12	29.6	69.6	100.36	-0.9	-0.4	0	29.6	0.17	100	8474	100.33	28.3
2023-03-08 20:00:00	0	0	0	0	268	8.66	11.56	29.4	70.1	100.35	-1	-0.5	0	29.4	0.16	100	8477	100.33	28.2
2023-03-08 20:05:00	0	0	0	0	266	10.02	13.04	29.4	70.4	100.35	-1	-0.6	0	29.4	0.16	100	8469	100.33	28.2
2023-03-08 20:10:00	0	0	0	0	271	9.66	13.4	29.4	70.2	100.35	-0.9	-0.5	0	29.4	0.16	100	8474	100.33	28.1
2023-03-08 20:15:00	0	0	0	0	270	9.17	14.14	29.4	70.4	100.35	-1	-0.5	0	29.4	0.16	100	8472	100.33	28
2023-03-08 20:20:00	0	0	0	0	275	10.4	13.09	29.4	70.7	100.35	-0.9	-0.4	0	29.4	0.16	100	8471	100.33	28
2023-03-08 20:25:00	0	0	0	0	270	8.88	12.12	29.4	70.7	100.35	-1	-0.5	0	29.4	0.16	100	8471	100.33	27.9
2023-03-08 20:30:00	0	0	0	0	266	8.75	11.16	29.2	71.2	100.34	-1	-0.6	0	29.2	0.16	100	8469	100.32	27.8
2023-03-08 20:35:00	0	0	0	0	263	8.81	14.47	29.3	71.3	100.34	-1	-0.6	0	29.2	0.16	100	8467	100.32	27.6
2023-03-08 20:40:00	0	0	0	0	269	9.22	11.72	29.2	71.6	100.34	-0.9	-0.6	0	29.2	0.15	100	8469	100.32	27.6
2023-03-08 20:45:00	0	0	0	0	268	9.1	12.88	29.1	71.9	100.34	-0.9	-0.3	0	29.1	0.15	100	8468	100.32	27.5
2023-03-08 20:50:00	0	0	0	0	268	9.1	11.32	29	72	100.34	-1	-0.5	0	29	0.15	100	8468	100.32	27.4
2023-03-08 20:55:00	0	0	0	0	267	8.93	11.32	28.8	72.6	100.34	-1	-0.4	0	28.9	0.15	100	8468	100.32	27.3
2023-03-08 21:00:00	0	0	0	0	265	10.38	14.16	28.8	72.8	100.33	-0.9	-0.5	0	28.8	0.15	100	8465	100.31	27.2
2023-03-08 21:05:00	0	0	0	0	267	10.42	14.27	28.8	72.8	100.34	-1	-0.5	0	28.8	0.15	100	8463	100.32	27.2
2023-03-08 21:10:00	0	0	0	0	266	9.78	14.92	28.8	72.8	100.34	-0.9	-0.4	0	28.8	0.15	100	8463	100.32	27.2
2023-03-08 21:15:00	0	0	0	0	270	10.89	15.57	28.8	72.7	100.34	-1.1	-0.4	0	28.8	0.15	100	8465	100.32	27.2
2023-03-08 21:20:00	0	0	0	0	269	10.25	14.34	28.9	72.4	100.34	-1	-0.4	0	28.9	0.15	100	8461	100.32	27.2
2023-03-08 21:25:00	0	0	0	0	266	12.03	16.58	28.8	72.6	100.34	-0.9	-0.3	0	28.8	0.15	100	8463	100.32	27.2
2023-03-08 21:30:00	0	0	0	0	272	11.77	16.31	28.8	72.6	100.34	-0.9	-0.8	0	28.9	0.15	100	8463	100.32	27.3
2023-03-08 21:35:00	0	0	0	0	272	10.27	13.94	29	73.2	100.34	-1	-0.4	0	29	0.15	100	8458	100.32	27.4
2023-03-08 21:40:00	0	0	0	0	269	12.82	19.93	29	72.8	100.34	-0.9	-0.5	0	29	0.15	100	8458	100.31	27.4
2023-03-08 21:45:00	0	0	0	0	270	12.44	16.31	29.1	73.2	100.33	-0.9	-0.5	0	29.1	0.15	100	8456	100.3	27.5
2023-03-08 21:50:00	0	0	0	0	267	12.48	17.05	29.2	73.4	100.32	-0.9	-0.8	0	29.2	0.15	100	8455	100.3	27.5
2023-03-08 21:55:00	0	0	0	0	271	10.98	14.09	29.1	73.6	100.31	-1.1	-0.3	0	29.1	0.14	100	8456	100.29	27.5
2023-03-08 22:00:00	0	0	0	0	270	10.83	15.1	29.1	73.6	100.31	-0.9	-0.5	0	29.1	0.14	100	8456	100.28	27.4
2023-03-08 22:05:00	0	0	0	0	265	11.9	15.46	29.1	73.6	100.3	-1	-0.4	0	29.1	0.14	100	8456	100.27	27.4
2023-03-08 22:10:00	0	0	0	0	273	11.65	14.52	29.2	75	100.29	-0.8	-0.3	0	29.2	0.14	100	8456	100.27	27.4
2023-03-08 22:15:00	0	0	0	0	271	10.49	14.45	29.1	75.1	100.29	-1	-0.4	0	29.1	0.14	100	8456	100.26	27.4
2023-03-08 22:20:00	0	0	0	0	272	12.3	15.5	29	75.5	100.28	-0.9	-0.6	0	29	0.13	100	8457	100.26	27.4
2023-03-08 22:25:00	0	0	0	0	277	11.36	14	29	75.8	100.28	-1.1	-0.6	0	29	0.13	100	8456	100.26	27.4
2023-03-08 22:30:00	0	0	0	0	273	11.77	16.8	29	75.8	100.27	-1	-0.6	0	29	0.13	100	8454	100.25	27.4
2023-03-08 22:35:00	0	0	0	0	273	12.88	17.92	29	76.1	100.27	-0.9	-0.3	0	29	0.13	100	8454	100.24	27.4
2023-03-08 22:40:00	0	0	0	0	273	12.35	16.02	29.2	75.7	100.26	-1.1	-0.5	0	29.2	0.13	100	8452	100.25	27.5
2023-03-08 22:45:00	0	0	0	0	277	12.57	17.38	29.2	76.9	100.26	-0.7	-0.4	0	29.2	0.13	100	8455	100.24	27.5
2023-03-08 22:50:00	0	0	0	0	277	11.43	15.9	29.1	77.3	100.26	-1	-0.4	0	29.1	0.12	100	8450	100.24	27.4
2023-03-08 22:55:00	0	0	0	0	275	11.34	14.07	29	77.5	100.26	-1.1	-0.5	0	29	0.12	100	8455	100.24	27.4
2023-03-08 23:00:00	0	0	0	0	283	10.54	14.99	29	77.5	100.26	-1.1	-0.5	0	29.1	0.12	100	8450	100.24	27.3
2023-03-08 23:05:00	0	0	0	0	278	11.88	15.59	29	77.6	100.26	-1	-0.5	0	29	0.12	100	8450	100.24	27.2
2023-03-08 23:10:00	0	0	0	0	274	12.39	16.51	28.9	78	100.26	-1.1	-0.5	0	28.9	0.12	100	8450	100.24	27.3
2023-03-08 23:15:00	0	0	0	0	276	11.95	15.43	28.9	78	100.25	-0.8	-0.5	0	28.9	0.12	100	8447	100.23	27.2
2023-03-08 23:20:00	0	0	0	0	276	11.23	14.38	28.9	77.8	100.25	-0.9	-0.5	0	28.9	0.12	100	8447	100.23	27.2
2023-03-08 23:25:00	0	0	0	0	271	11.16	15.5	28.9	78.1	100.25	-0.9	-0.6	0	28.9	0.12	100	8447	100.23	27.1
2023-03-08 23:30:00	0	0	0	0	273	11.56	14.79	28.7	78.6	100.25	-0.9	-0.5	0	28.7	0.11	100	8447	100.23	27.1
2023-03-08 23:35:00	0	0	0	0	276	11.52	15.12	28.6	79	100.25	-1	-0.6	0	28.7	0.11	100	8446	100.23	27
2023-03-08 23:40:00	0	0	0	0	276	11.48	16.26	28.6	78.9	100.24	-0.9	-0.4	0	28.6	0.11	100	8449	100.22	27
2023-03-08 23:45:00	0	0	0	0	272	10.85	15.55	28.6	79	100.24	-0.9	-0.8	0	28.6	0.11	100	8447	100.22	26.9
2023-03-08 23:50:00	0	0	0	0	275	11.21	14.45	28.5	79.2	100.23	-1.1	-0.5	0	28.5	0.11	100	8446	100.22	26.9
2023-03-08 23:55:00	0	0	0	0	269	12.82	17.69	28.4	79.7	100.23	-0.8	-0.5	0	28.4	0.11	100	8445	100.22	26.8
2023-03-09 00:00:00	0	0	0	0	272	11.95	17.74	28.4	79.7	100.23	-0.9	-0.3	0	28.4	0.11	100	8444	100.21	26.8
2023-03-09 00:05:00	0	0	0	0	273	13.06	16.35	28.4	79.7	100.23	-0.9	-0.4	0	28.3	0.11	100	8407	100.22	27
2023-03-09 00:10:00	0	0	0	0	270	11.18	14.81	28.3	79.8	100.23	-1	-0.4	0	28.3	0.11	100	8404	100.22	27.2
2023-03-09 00:15:00	0	0	0	0	267	11.45	16.67	28.4	79.7	100.24	-1	-0.4	0	28.4	0.11	100	8396	100.22	27.2
2023-03-09 00:20:00	0	0	0	0	271	11.05	15.41	28.3	79.9	100.23	-1.1	-0.6	0	28.3	0.11	100	8409	100.22	27.2
2023-03-09 00:25:00	0	0	0	0	274	10.63	14.27	28.2	80.2	100.24	-1.1	-0.5	0	28.3	0.1	100	8412	100.22	26.9
2023-03-09 00:30:00	0	0	0	0	276	9.75	14.94	28.1	80.5	100.24	-1	-0.5	0	28.1	0.1	100	8415	100.22	26.7
2023-03-09 00:35:00	0	0	0	0	286	10.45	14.85	28.1	80.6	100.24	-1	-0.3	0	28.1	0.1	100	8417	100.23	26.6
2023-03-09 00:40:00	0	0	0	0	281	9.01	12.53	27.9	81.2	100.25	-1.1	-0.5	0	27.9	0.1	100	8417	100.23	26.4
2023-03-09 00:45:00	0	0	0	0	274	10	13.35	27.9	81.2	100.25	-1	-0.6	0	27.9	0.1	100	8416	100.23	26.4
2023-03-09 00:50:00	0	0	0	0	281	9.89	14.99	27.9	81.4	100.25	-1.1	-0.4	0	27.9	0.1	100	8416	100.23	26.3
2023-03-09 00:55:00	0	0	0	0	272	9.71	12.68	27.8	81.5	100.25	-1	-0.5	0	27.8	0.1	100	8417	100.24	26.2
2023-03-09 01:00:00	0	0	0	0	273	9.66	11.72	27.8	81.7	100.26	-1	-0.4	0	27.7	0.09	100	8419	100.24	26.1
2023-03-09 01:05:00	0	0	0	0	274	9.6	14.9	27.8	81.7	100.26	-1.1	-0.5	0	27.7	0.09	100	8417	100.25	26.1
2023-03-09 01:10:00	0	0	0	0	277	9.35	12.46	27.6	82.2	100.27	-0.9	-0.5	0	27.6	0.09	100	8422	100.25	26
2023-03-09 01:15:00	0	0	0	0	280	8.25	11.41	27.4	83	100.27	-1	-0.5	0	27.4	0.09	100	8417	100.26	25.8
2023-03-09 01:20:00	0	0	0	0	278	8.68	11.05	27.3	83.2	100.27	-1	-0.5	0	27.3	0.08	100	8416	100.25	25.7
2023-03-09 01:25:00	0	0	0	0	270	8.59	10.63	27.2	83.7	100.27	-1.1	-0.4	0	27.2	0.08	100	8417	100.25	25.6
2023-03-09 01:30:00	0	0	0	0	269	8.32	10.42	27.1	83.9	100.26	-1	-0.5	0	27.1	0.08	100	8417	100.25	25.5
2023-03-09 01:35:00	0	0	0	0	267	8.41	10.31	27.1	83.9	100.27	-1	-0.3	0	27.1	0.08	100	8417	100.25	25.4
2023-03-09 01:40:00	0	0	0	0	270	7.38	8.99	27.1	84.1	100.27	-1	-0.5	0	27.1	0.08	100	8415	100.25	25.3
2023-03-09 01:45:00	0	0	0	0	267	7.4	9.73	27	84.4	100.26	-1	-0.5	0	27	0.08	100	8419	100.25	25.2
2023-03-09 01:50:00	0	0	0	0	267	7.67	9.93	26.9	84.7	100.26	-1	-0.4	0	26.9	0.08	100	8413	100.25	25.1
2023-03-09 01:55:00	0	0	0	0	269	7.23	9.6	26.8	84.9	100.25	-1	-0.4	0	26.8	0.07	100	8416	100.24

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-09 02:05:00	0	0	0	0	267	7.16	9.73	26.6	85.6	100.25	-1	-0.4	0	26.7	0.07	100	8411	100.23	24.9
2023-03-09 02:10:00	0	0	0	0	271	6.46	8.5	26.6	85.8	100.24	-1.1	-0.5	0	26.6	0.07	100	8415	100.23	24.7
2023-03-09 02:15:00	0	0	0	0	267	6.08	7.27	26.5	86.1	100.23	-1	-0.4	0	26.5	0.07	100	8415	100.22	24.6
2023-03-09 02:20:00	0	0	0	0	278	5.77	7.16	26.4	86.1	100.23	-1	-0.4	0	26.4	0.07	100	8412	100.21	24.5
2023-03-09 02:25:00	0	0	0	0	284	6.15	7.94	26.3	86.3	100.22	-1	-0.5	0	26.3	0.07	100	8413	100.2	24.4
2023-03-09 02:30:00	0	0	0	0	281	6.04	7.38	26.2	86.4	100.21	-1	-0.5	0	26.2	0.07	100	8412	100.2	24.2
2023-03-09 02:35:00	0	0	0	0	280	5.68	7.4	26.2	86.8	100.21	-1.1	-0.5	0	26.2	0.06	100	8413	100.2	24.2
2023-03-09 02:40:00	0	0	0	0	280	5.46	6.67	26	87.4	100.2	-1.1	-0.4	0	26.1	0.06	100	8412	100.19	24
2023-03-09 02:45:00	0	0	0	0	276	5.39	6.22	25.9	86.9	100.2	-1	-0.5	0	25.9	0.06	100	8412	100.19	23.9
2023-03-09 02:50:00	0	0	0	0	272	5.35	6.42	25.9	87.9	100.19	-1.1	-0.3	0	25.8	0.06	100	8410	100.18	23.8
2023-03-09 02:55:00	0	0	0	0	279	5.59	6.62	25.9	88.2	100.19	-1.1	-0.4	0	26	0.06	100	8410	100.18	23.8
2023-03-09 03:00:00	0	0	0	0	282	5.82	7.29	25.8	87.7	100.19	-1	-0.5	0	25.8	0.06	100	8411	100.18	23.7
2023-03-09 03:05:00	0	0	0	0	290	5.84	7.54	25.8	88.1	100.19	-1	-0.4	0	25.8	0.06	100	8411	100.17	23.7
2023-03-09 03:10:00	0	0	0	0	295	5.57	7.65	25.9	87.9	100.19	-1.1	-0.4	0	25.9	0.06	100	8411	100.17	23.6
2023-03-09 03:15:00	0	0	0	0	308	6.31	9.1	26.1	87.6	100.19	-1	-0.4	0	26.1	0.06	100	8409	100.17	23.7
2023-03-09 03:20:00	0	0	0	0	309	5.75	7.11	26.2	86.7	100.18	-1	-0.4	0	26.2	0.06	100	8409	100.16	23.8
2023-03-09 03:25:00	0	0	0	0	311	5.3	6.53	26.3	86.6	100.18	-1.1	-0.4	0	26.3	0.06	100	8409	100.17	23.9
2023-03-09 03:30:00	0	0	0	0	300	5.59	6.49	26.4	86.5	100.18	-1.1	-0.4	0	26.4	0.07	100	8407	100.16	23.9
2023-03-09 03:35:00	0	0	0	0	295	5.95	7.74	26.2	87	100.18	-1	-0.6	0	26.2	0.06	100	8406	100.16	23.8
2023-03-09 03:40:00	0	0	0	0	297	6.2	7.43	26.1	86.6	100.17	-1.1	-0.4	0	26.1	0.06	100	8407	100.16	23.7
2023-03-09 03:45:00	0	0	0	0	302	6.42	8.1	26.1	86.6	100.17	-1	-0.5	0	26.1	0.06	100	8407	100.16	23.6
2023-03-09 03:50:00	0	0	0	0	303	5.66	6.8	26.1	86.1	100.17	-1	-0.4	0	26.1	0.07	100	8406	100.16	23.6
2023-03-09 03:55:00	0	0	0	0	297	5.99	6.93	25.9	86.2	100.18	-0.9	-0.4	0	25.9	0.07	100	8407	100.16	23.5
2023-03-09 04:00:00	0	0	0	0	295	6.64	8.25	25.9	86.2	100.18	-1.1	-0.4	0	25.9	0.07	100	8407	100.16	23.5
2023-03-09 04:05:00	0	0	0	0	298	6.85	8.05	25.9	86.1	100.18	-1	-0.5	0	25.9	0.07	100	8405	100.16	23.7
2023-03-09 04:10:00	0	0	0	0	303	6.87	8.97	25.9	86.6	100.17	-1	-0.4	0	25.8	0.06	100	8408	100.16	23.8
2023-03-09 04:15:00	0	0	0	0	299	7.27	10.25	26	86.8	100.18	-1	-0.4	0	26	0.06	100	8405	100.16	23.8
2023-03-09 04:20:00	0	0	0	0	299	7.14	8.79	25.9	87.9	100.18	-1	-0.5	0	25.9	0.06	100	8403	100.16	23.9
2023-03-09 04:25:00	0	0	0	0	296	6.89	9.15	25.8	87.7	100.18	-1.1	-0.4	0	25.8	0.06	100	8403	100.16	24
2023-03-09 04:30:00	0	0	0	0	298	6.6	8.84	25.8	87.3	100.18	-1.1	-0.5	0	25.8	0.06	100	8405	100.17	24.1
2023-03-09 04:35:00	0	0	0	0	305	6.73	9.08	26	87.6	100.18	-1.1	-0.4	0	26	0.06	100	8403	100.17	24.3
2023-03-09 04:40:00	0	0	0	0	313	7.23	9.46	26.1	87.2	100.18	-1	-0.5	0	26.1	0.06	100	8404	100.18	24.4
2023-03-09 04:45:00	0	0	0	0	308	6.89	8.72	26.2	87	100.19	-1.1	-0.4	0	26.3	0.06	100	8403	100.18	24.6
2023-03-09 04:50:00	0	0	0	0	297	6.67	8.7	26.4	86.5	100.19	-1	-0.4	0	26.4	0.07	100	8403	100.19	24.7
2023-03-09 04:55:00	0	0	0	0	296	7.47	10.71	26.5	86.1	100.2	-1.1	-0.4	0	26.5	0.07	100	8404	100.19	24.9
2023-03-09 05:00:00	0	0	0	0	295	7.27	9.73	26.6	86.1	100.2	-0.9	-0.4	0	26.6	0.07	100	8403	100.19	25
2023-03-09 05:05:00	0	0	0	0	301	7.31	8.75	26.6	85.7	100.2	-1.1	-0.5	0	26.6	0.07	100	8401	100.19	25.1
2023-03-09 05:10:00	0	0	0	0	313	7.9	10.42	26.7	84.6	100.19	-1	-0.4	0	26.7	0.08	100	8400	100.18	24.9
2023-03-09 05:15:00	0	0	0	0	319	7.02	8.99	26.6	84.6	100.19	-1	-0.4	0	26.6	0.08	100	8403	100.18	24.8
2023-03-09 05:20:00	0	0	0	0	316	6.15	7.87	26.5	84	100.19	-1.1	-0.5	0	26.5	0.08	100	8401	100.18	24.5
2023-03-09 05:25:00	0	0	0	0	308	6.08	7.65	26.3	84.5	100.19	-1	-0.5	0	26.3	0.07	100	8399	100.18	24.3
2023-03-09 05:30:00	0	0	0	0	311	6.44	8.66	26.2	85.2	100.19	-0.9	-0.5	0	26.2	0.07	100	8402	100.18	24.1
2023-03-09 05:35:00	0	0	0	0	313	6.6	7.83	25.9	84.8	100.18	-1.1	-0.5	0	25.9	0.07	100	8398	100.17	23.9
2023-03-09 05:40:00	0	0	0	0	315	7.02	8.5	25.8	84.2	100.18	-1	-0.4	0	25.8	0.07	100	8397	100.18	23.8
2023-03-09 05:45:00	0	0	0	0	315	6.87	8.52	25.8	84.5	100.19	-1	-0.4	0	25.8	0.07	100	8399	100.18	23.7
2023-03-09 05:50:00	0	0	0	0	313	6.55	7.65	25.7	84.9	100.19	-1	-0.4	0	25.6	0.07	100	8399	100.18	23.8
2023-03-09 05:55:00	0	0	0	0	311	6.44	7.81	25.7	84.9	100.19	-1.1	-0.4	0	25.7	0.07	100	8402	100.18	24
2023-03-09 06:00:00	0	0	0	0	303	6.55	7.92	25.8	84.4	100.19	-1.1	-0.3	0	25.8	0.07	100	8399	100.18	24.1
2023-03-09 06:05:00	0	0	0	0	301	6.51	8.39	26	84	100.19	-1	-0.5	0	26	0.08	100	8397	100.18	24.3
2023-03-09 06:10:00	0	0	0	0	313	6.93	9.53	26.1	84.9	100.19	-1	-0.4	0	26.2	0.07	100	8398	100.18	24.5
2023-03-09 06:15:00	0.2	0	0	0	314	6.11	7.58	26.2	84.2	100.18	-1.1	-0.4	0	26.2	0.08	100	8398	100.17	24.6
2023-03-09 06:20:00	1.4	0	0	0	323	6.69	8.79	26.3	84.8	100.18	-1.1	-0.4	0	26.3	0.07	100	8398	100.17	24.7
2023-03-09 06:25:00	3.4	0	0	0	328	7.29	8.34	26.3	82.9	100.18	-1	-0.4	0	26.4	0.08	100	8396	100.17	24.7
2023-03-09 06:30:00	5.4	0	0	0	327	7.14	8.3	26.4	82.7	100.18	-1.1	-0.4	0	26.4	0.08	100	8396	100.18	24.8
2023-03-09 06:35:00	8.4	0	0	0	327	6.55	8.75	26.5	82.3	100.19	-1	-0.3	0	26.6	0.09	100	8396	100.18	24.9
2023-03-09 06:40:00	12.4	0	0	0	320	5.61	7.78	26.6	82.4	100.19	-0.9	-0.5	0	26.7	0.09	100	8394	100.19	25
2023-03-09 06:45:00	17.8	0	0	0	324	6.04	7.83	26.7	82.6	100.19	-1.1	-0.4	0	26.8	0.09	100	8396	100.19	25
2023-03-09 06:50:00	23.2	0	0	0	320	7.18	9.4	26.9	82	100.2	-1.1	-0.4	0	26.9	0.09	100	8394	100.19	25.2
2023-03-09 06:55:00	25.8	0	0	0	309	6.64	8.99	26.9	81.3	100.2	-1	-0.4	0	27	0.09	100	8395	100.2	25.4
2023-03-09 07:00:00	30.2	0	0	0	311	6.64	9.19	27.1	81.7	100.2	-1.1	-0.4	0	27.1	0.09	100	8396	100.2	25.6
2023-03-09 07:05:00	34.8	0	0	0	314	6.89	9.17	27.1	81.5	100.2	-1	-0.5	0	27.3	0.09	100	8396	100.2	25.7
2023-03-09 07:10:00	43.4	0	0	0	312	6.31	8.32	27.3	81.3	100.2	-1	-0.4	0	27.4	0.09	100	8398	100.2	25.9
2023-03-09 07:15:00	49.8	0	0	0	310	7.52	10	27.4	81	100.2	-1.2	-0.5	0	27.5	0.1	100	8399	100.2	26
2023-03-09 07:20:00	51.6	0	0	0	313	7.58	9.89	27.5	80.7	100.2	-1	-0.5	0	27.6	0.1	100	8398	100.2	26.2
2023-03-09 07:25:00	61	0	0	0	317	8.25	10.54	27.8	80.2	100.2	-1	-0.5	0	27.9	0.1	100	8399	100.2	26.4
2023-03-09 07:30:00	64.2	0	0	0	312	8.34	11.88	27.9	80.1	100.21	-1.1	-0.4	0	28.1	0.1	100	8400	100.21	26.7
2023-03-09 07:35:00	78	0	0	0	329	9.86	15.05	28.2	79.4	100.21	-0.9	-0.4	0	28.4	0.11	100	8402	100.21	26.9
2023-03-09 07:40:00	90	0	0	0	328	10.16	14.65	28.3	79.6	100.21	-1	-0.5	0	28.5	0.11	100	8403	100.2	27.2
2023-03-09 07:45:00	99.6	0	0	0	326	11.14	15.77	28.7	78.8	100.21	-0.9	-0.4	0	28.9	0.11	100	8406	100.21	27.4
2023-03-09 07:50:00	113.6	0	0	0	318	12.17	15.48	28.9	77.8	100.21	-0.8	-0.6	0	29.2	0.12	100	8412	100.21	27.6
2023-03-09 07:55:00	113.4	0	0	0	324	11.7	15.26	29.1	77.4	100.22	-1	-0.4	0	29.3	0.12	100	8411	100.23	27.8
2023-03-09 08:00:00	104.4	0	0	0	332	10.36	13.47	29.2	77.2	100.23	-0.9	-0.3	0	29.4	0.12	100	8412	100.23	28.1
2023-03-09 08:05:00	119.6	0	0	0	327	11.77	16.4	29.3	76.6	100.22	-0.9	-0.4	0	29.6	0.13	100	8412	100.22	28.3
2023-03-09 08:10:00	132.4	0	0	0	319	11.39	16.08	29.5	76.1	100.22	-0.8	-0.6	0	29.8	0.13	100	8415	100.22	28.4
2023-03-09 08:15:00	130.4	0	0	0	331	13.2	18.57	29.7	75.6	100.22	-0.9	-0.5	0	30	0.14	100	8418	100.22	28.6
2023-03-09 08:20:00	127	0	0	0	319	13.24	16.96	29.8	75.3	100.22	-1.1	-0.3	0	30.1	0.14	100	8415	100.21	28.8
2023-03-09 08:25:00	125.2	0	0	0	329	11.86	17.98	29.7	75.1	100.22	-0.9	-0.4	0	29.9	0.14	100	8419	100.22	28.9
2023-03-09 08:30:00	124.8	0	0	0	311	11.65	17.56	29.7	75	100.23	-1.1	-0.4	0	30.1	0.14	100	8418	100.23	29
2023-03-09 08:35:00	137.6	0	0	0	305	13.27	18.86	29.8	75	100.24	-1.1	-0.5	0	30.2	0.14	100	8422	100.24	29.1
2023-03-09 08:40:00	146.8	0	0	0	318	16.02	21.99	29.9	74.7	100.24	-1.2	-0.2	0	30.2	0.14	100	8422	100.24	29.2
2023-03-09 08:45:00	153	0	0	0	334	13.58	17.56	29.9	74.2	100.24	-1	-0.3	0	30.2	0.14	100	8424	100.24	29.2
2023-03-09 08:50:00	162	0	0	0	330	14.67	20.67	30	73.9	100.23	-0.9	-0.5	0	30.3	0.15	100	8424	100.23	29.4
2023-03-09 08:55:00	163.2	0	0	0	330	12.33	17.85	29.9	74.7	100.23	-0.8	-0.7	0	30.4	0.14	100	8428	100.23	29.5
2023-03-09 09:00:00	169.4	0	0	0	343	14.76	20.8	30.2	73.6	100.22	-1.3	-0.2	0	30.6	0.15	100	8429	100.22	29.6
2023-03-09 09:05:00	172.4	0	0	0	339	12.39	16.82	30.2	73.9	100.22	-0.9	-0.5	0	30.6	0.15	100	8429	100.22	29.7
2023-03-09 09:10:00	178.8	0	0	0	347	13.91	20.09	30.3	73.6	100.21	-0.8	-0.3	0	30.7	0.15	100	8432	100.22	29.8
2023-03-09 09:15:00	180.2	0	0	0	316	11.81	18.32	30.3	73.5	100.21	-1	-0.5	0	30.8	0.15	100	8433	100.21	29.8
2023-03-09 09:20:00	188.2	0	0	0	338	13.65	19.35	30.5	73	100.2	-0.9	-0.3	0	30.9	0.16	100	8434	100.2	30
2023-03-09 09:25:00	192.6	0	0	0	320	12.91	17.2	30.6	72.8	100.2	-0.8	-0.6	0	31.1	0.16	100	8437	100.21	30.1
2023-03-09 09:30:00	190.6	0	0	0	321	12.55	18.3	30.6	72.9	100.22	-0.9	-0.5	0	31	0.16	100	8439	100.22	30.1
2023-03-09 09:35:00	204.8	0	0	0	334	11.01	13.67	30.6	72.7	100.22	-0.9	-0.4	0	31.1	0.16	100	8442	100.23	30.3
2023-03-09 09:40:00	194.2	0	0	0	331	10.16	15.23	30.8	73.2	100.23	-0.7	-0.5	0	31.4	0.16	100	8444	100.23	30.5
2023-03-09 09:45:00	202.6	0	0	0	323	13.2	19.33	31	72	100.22	-1	-0.3	0	31.5	0.16	100	8444	100.23	30.6
2023-03-09 09:50:00	204	0	0	0	323	12.26	18.63	30.9	72.2	100.23	-0.8	-0.5	0	31.5	0.16	100	8445	100.23	30.6
2023-03-09 09:55:00	203.2	0	0	0	307	13.53	17.94	31	72.2	100.24	-1	-0.4	0	31.5	0.16	100	8450	100.24	30.7
2023-03-09 10:00:00	194.4	0	0	0	326	9.01	13.18	31	72.4	100.24	-0.9	-0.4	0	31.4	0.16	100	8450	100.25	30.7
2023-03-09 10:05:00	178	0	0	0	312	10.74	17.25	31	72.5	100.25	-0.8	-0.4	0	31.5	0.16	100	8449	100.25	30.8
2023-03-09 10:10:00	189.8	0	0	0	300	13.22	18.72	31	72.9	100.25	-0.9	-0.5	0	31.5	0.16	100	8451	100.25	30.8
2023-03-09 10:15:00	207	0	0	0	308	12.93	18.48	31	71.8	100.25	-1	-0.5	0	31.5	0.17	100	8454	100.25	30.8
2023-03-09 10:20:00	220	0	0	0	322	13.96	22.68	31	71.7	100.25	-0.9	-0.6	0	31.5	0.17	100	8455	100.25	30.8
2023-03-09 10:25:00	259.8	0	0	0	306	13.8	19.86	31.1	71.4	100.24	-1.1	-0.6	0	31.6	0.17	100	8459	100.25	30.9
2023-03-09 10:30:00	276.6	0	0	0	305	12.39	15.97	31.2	71.4	100.24	-0.8	-0.5	0	31.8	0.17	100	8463	100.24	31
2023-03-09 10:35:00	276	0	0	0	319	11.23	15.21	31.4	71.5	100.24	-0.8	-0.5	0	32.1	0.17	100	8466	100.24	31.3
2023-03-09 10:40:00	286.8	0	0	0	331	14.2	18.75	31.6	72.1	100.23	-0.7	-0.4	0	32.3	0.17	100	8469	100.24	31.6
2023-03-09 10:45:00	287.8	0	0	0	331	14.27	18.25	31.7	71.1	100.23	-0.7	-0.5	0	32.4	0.17	100	8472	100.24	31.7
2023-03-09 10:50:00	300.2	0	0	0	338	14.56	20.15	32	70.7	100.23	-0.7	-0.3	0	32.6	0.18	100	8475	100.24	31.8
2023-03-09 10:55:00	308.6	0	0	0	342	13.98	19.95	32	70.4	100.23	-0.9	-0.4	0	32.6	0.18	100	8480	100.24	31.9
2023-03-09 11:00:00	330.2	0	0	0	347	12.37	16.46	32.2	71.5	100.23	-0.8	-0.5	0	32.9	0.18	100	8483	100.24	32.1
2023-03-09 11:05:00	317.2	0	0	0	299	10.49	16.11	32.4	71	100.24	-0.9	-0.5	0	33.2	0.18	100	8482	100.25	32.2
2023-03-09 11:10:00	301.8	0	0	0	294	10.85	16.8	32.6	71.3	100.25	-0.9	-0.5	0	33.4	0.18	100	8487	100.25	32.4
2023-03-09 11:15:00	297	0	0	0	305	10.76	16.75	32.7	70.4	100.25	-0.8	-0.4	0	33.4	0.19	100	8490	100.26	32.6
2023-03-09 11:20:00	280.4	0	0	0	329	9.42	13.44	32.7	70.3	100.25	-0.8	-0.5	0	33.5	0.19	100	8488	100.26	32.8
2023-03-09 11:25:00	298	0	0	0	298	9.06	13.11	32.9	70.4	100.25	-0.8	-0.5	0	33.6	0.19	100	8492	100.26	33
2023-03-09 11:30:00	297.6	0	0	0	314	12.73	18.81	33	70	100.25	-1	-0.7	0	33.8	0.19	100	8494	100.26	33.2
2023-03-09 11:35:00	298	0	0	0	343	13.76	16.98	33.1	69.3	100.25	-0.7	-0.4	0	33.8	0.2	100	8494	100.26	33.2
2023-03-09 11:40:00	303.2	0	0	0	345	13.67	18.43	33.2	70.2	100.26	-0.7	-0.4	0	33.8	0.19	100	8498	100.27	33.3
2023-03-09 11:45:00	298.2	0	0	0	331	11.03	14.43	33.1	70.2	100.26	-0.7	-0.5	0	33.8	0.19	100	8501	100.27	33.3
2023-03-09 11:50:00	313	0	0	0	339	12.66	18.77	33.2	70.3	100.27	-0.8	-0.9	0	33.9	0.19	100	8501	100.27	33.4
2023-03-09 11:55:00	323	0	0	0	330	12.71	20.2	33.4	69.9	100.27	-0.9	-0.4	0	34.1	0.19	100	8501	100.28	33.5
2023-03-09 12:00:00	300.6	0	0	0	319	13.33	17.29	33.4	69.7	100.28	-0.8	-0.7	0	34.1	0.2	100	8505	100.29	33.5
2023-03-09 12:05:00	293.6	0	0	0	313	11.83	18.81	33.3	69.4	100.28	-0.8	-0.5	0	33.9	0.2	100	8506	100.29	33.5
2023-03-09 12:10:00	289.6	0	0	0	333	13.47	19.06	33.3	69.7	100.28	-0.7	-0.8	0	33.9	0.19	100	8509	100.29	33.5
2023-03-09 12:15:00	301.8	0	0	0	331	14.79	18.63	33.3	70	100.28	-0.6	-0.4	0	33.9	0.19	100	8510	100.28	33.6
2023-03-09 12:20:00	322.4	0	0	0	332	15.12	20.29	33.2	68.8	100.27	-1	-0.5	0	33.8	0.2	100	8512	100.28	33.5
2023-03-09 12:25:00	311.6	0	0	0	327	15.08	22.77	33.1	68.9	100.26	-0.8	-0.7	0	33.8	0.2	100	8515	100.27	33.5
2023-03-09 12:30:00	309.8	0	0	0	320	12.86	19.98	33.2	69.4	100.27	-0.8	-0.3	0	33.8	0.2	100	8517	100.27	33.5
2023-03-09 12:35:00	331.8	0	0	0	330	12.3	15.28	33.2	69.8	100.26	-0.8	-0.4	0	33.9	0.19	100	8517	100.28	33.7
2023-03-09 12:40:00	365.2	0	0	0	321	13.73	20.62	33.6	69.3	100.27	-0.6	-0.4	0	34.4	0.2	100	8521	100.27	33.9
2023-03-09 12:45:00	400.8	0	0	0	341	14.54	19.33	33.9	68.1	100.25	-0.8	-0.7	0	34.7	0.21	100	8526	100.26	34
2023-03-09 12:50:00	404.8	0	0	0	354	11.92	18.16	34.1	68.6	100.25	-0.7	-0.6	0	34.8	0.21	100	8528	100.26	34.1
2023-03-09 12:55:00	429.8	0	0	0	338	13.62	16.15	34.4	68.2	100.25	-0.8	-0.5	0	35.2	0.21	100	8531	100.26	34.2
2023-03-09 13:00:00	426.6	0	0	0	336	12.26	18.3	34.7	67	100.25	-0.7	-0.3	0	35.5	0.22	100	8533	100.26	34.4
2023-03-09 13:05:00	422.8	0	0	0	350	11.92	18.12	34.8	66.8	100.25	-0.7	-0.6	0	35.6	0.23	100	8536	100.27	34.5
2023-03-09 13:10:00	386.8	0	0	0	326	13.58	18.5	34.9	66.8	100.25	-0.7	-0.6	0	35.7	0.23	100	8539	100.26	34.6
2023-03-09 13:15:00	367.6	0	0	0	341	15.61	22.24	34.7	66.6	100.25	-0.5	-0.6	0	35.5	0.23	100	8538	100.25	34.6
2023-03-09 13:20:00

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-09 13:30:00	486.4	0	0	0	309	11.7	17.92	35.1	66.3	100.23	-0.9	-0.4	0	35.9	0.23	100	8542	100.24	34.6
2023-03-09 13:35:00	528.6	0	0	0	316	10.09	16.28	35.9	66	100.21	-0.8	-0.7	0	36.9	0.24	100	8541	100.23	35
2023-03-09 13:40:00	727.4	0	0	0	341	8.63	14.43	37.4	64.3	100.19	-0.7	-0.5	0	38.4	0.27	100	8543	100.23	35.5
2023-03-09 13:45:00	709.8	0	0	0	326	12.44	21.74	38.9	63.4	100.19	-0.5	-0.8	0	39.9	0.29	100	8542	100.21	35.9
2023-03-09 13:50:00	580.2	0	0	0	306	13.24	22.95	39.2	61.4	100.2	-0.5	-0.7	0	40.1	0.31	100	8536	100.21	35.8
2023-03-09 13:55:00	540.8	0	0	0	341	12.1	17.96	39	61.5	100.19	-0.6	-0.8	0	39.8	0.31	100	8537	100.2	35.6
2023-03-09 14:00:00	526.4	0	0	0	328	10.94	16.28	38.9	62	100.19	-0.4	-0.8	0	39.6	0.3	100	8533	100.2	35.5
2023-03-09 14:05:00	514	0	0	0	337	10.04	15.43	38.8	62.5	100.19	-0.5	-0.5	0	39.6	0.3	100	8529	100.2	35.5
2023-03-09 14:10:00	496.8	0	0	0	345	11.59	17.05	38.8	62.4	100.18	-0.5	-0.7	0	39.7	0.3	100	8528	100.19	35.5
2023-03-09 14:15:00	495.4	0	0	0	339	13.53	18.75	38.7	62.6	100.18	-0.6	-0.4	0	39.5	0.3	100	8526	100.19	35.4
2023-03-09 14:20:00	496	0	0	0	334	11.45	18.99	38.3	62.3	100.19	-0.6	-0.5	0	39.2	0.3	100	8523	100.19	35.2
2023-03-09 14:25:00	498.4	0	0	0	319	14.05	20.02	38.3	62.6	100.18	-0.7	-0.5	0	39.1	0.29	100	8520	100.18	35.2
2023-03-09 14:30:00	497.8	0	0	0	318	8.41	15.79	38	63.5	100.18	-0.5	-0.6	0	38.9	0.28	100	8519	100.18	35.1
2023-03-09 14:35:00	496.2	0	0	0	326	12.82	20.27	38.3	63.4	100.18	-0.5	-0.5	0	39.2	0.29	100	8517	100.18	35.3
2023-03-09 14:40:00	492	0	0	0	338	9.44	17.47	38.4	63.2	100.19	-0.6	-0.6	0	39.2	0.29	100	8516	100.19	35.4
2023-03-09 14:45:00	490.4	0	0	0	328	13.04	19.69	38.5	63.4	100.18	-0.8	-0.6	0	39.3	0.29	100	8513	100.18	35.5
2023-03-09 14:50:00	462	0	0	0	336	11.88	19.55	38.4	63.3	100.18	-0.6	-0.5	0	39.3	0.29	100	8513	100.18	35.6
2023-03-09 14:55:00	382	0	0	0	337	13.6	18.32	37.9	63	100.18	-0.5	-0.9	0	38.4	0.29	100	8513	100.17	35.5
2023-03-09 15:00:00	481	0	0	0	358	14.45	18.95	37.8	63.7	100.15	-0.7	-0.6	0	38.6	0.28	100	8509	100.15	35.4
2023-03-09 15:05:00	465	0	0	0	341	11.27	15.43	37.7	64.2	100.14	-0.5	-0.7	0	38.5	0.27	100	8508	100.14	35.5
2023-03-09 15:10:00	453.4	0	0	0	345	11.12	15.86	37.6	64.4	100.14	-0.4	-0.6	0	38.4	0.27	100	8507	100.14	35.7
2023-03-09 15:15:00	441	0	0	0	337	10.31	15.55	37.7	64.3	100.13	-0.6	-0.6	0	38.5	0.27	100	8508	100.13	35.8
2023-03-09 15:20:00	431.4	0	0	0	345	9.22	15.93	37.5	64.4	100.13	-0.6	-0.6	0	38.4	0.27	100	8507	100.13	36
2023-03-09 15:25:00	429.6	0	0	0	354	11.72	16.67	37.7	63.9	100.13	-0.6	-0.5	0	38.5	0.28	100	8506	100.14	36
2023-03-09 15:30:00	419.8	0	0	0	344	12.5	17.96	37.7	64.2	100.14	-0.5	-0.8	0	38.5	0.27	100	8506	100.13	36.1
2023-03-09 15:35:00	361.6	0	0	0	337	11.27	16.17	37.4	64.2	100.14	-0.5	-0.7	0	38.2	0.27	100	8504	100.14	36.2
2023-03-09 15:40:00	333.4	0	0	0	339	10.04	14.27	37	64.7	100.15	-0.6	-0.5	0	37.8	0.26	100	8502	100.14	36.2
2023-03-09 15:45:00	335	0	0	0	313	10.18	14.27	36.9	65.1	100.14	-0.6	-0.9	0	37.7	0.26	100	8504	100.14	36.2
2023-03-09 15:50:00	329.2	0	0	0	337	10.98	16.22	36.9	65.7	100.14	-0.6	-0.6	0	37.7	0.25	100	8502	100.14	36.5
2023-03-09 15:55:00	237.2	0	0	0	330	11.45	17.83	36.7	65.7	100.14	-0.8	-0.5	0	37.3	0.25	100	8504	100.13	36.4
2023-03-09 16:00:00	228.4	0	0	0	347	13.35	18.25	36.2	66.2	100.13	-0.7	-0.6	0	36.6	0.24	100	8503	100.13	36
2023-03-09 16:05:00	273.2	0	0	0	336	11.68	15.77	35.8	66.9	100.13	-0.5	-0.7	0	36.4	0.24	100	8500	100.13	35.9
2023-03-09 16:10:00	223.2	0	0	0	348	10.54	16.67	35.8	67.5	100.13	-0.7	-0.5	0	36.3	0.23	100	8500	100.12	36.1
2023-03-09 16:15:00	215.6	0	0	0	357	13.15	19.19	35.5	67.7	100.12	-0.8	-0.5	0	36	0.23	100	8499	100.11	35.6
2023-03-09 16:20:00	230.4	0	0	0	358	12.26	15.95	35.2	67.8	100.11	-0.9	-0.6	0	35.7	0.22	100	8495	100.11	35.4
2023-03-09 16:25:00	229.4	0	0	0	335	10.38	14.18	35.1	68.6	100.11	-0.8	-0.3	0	35.6	0.22	100	8495	100.11	35.8
2023-03-09 16:30:00	211.8	0	0	0	354	11.68	15.9	35.1	68.9	100.11	-0.6	-0.7	0	35.6	0.21	100	8495	100.12	35.9
2023-03-09 16:35:00	195.2	0	0	0	341	10	13.51	35	68.5	100.12	-0.7	-0.6	0	35.5	0.22	100	8492	100.12	35.9
2023-03-09 16:40:00	178.4	0	0	0	318	9.42	11.9	35	68.7	100.13	-0.7	-0.5	0	35.6	0.22	100	8491	100.13	36.1
2023-03-09 16:45:00	163	0	0	0	317	9.84	13.31	34.9	68.5	100.14	-0.6	-0.5	0	35.3	0.22	100	8491	100.13	36.1
2023-03-09 16:50:00	138.6	0	0	0	330	9.57	14.92	34.6	68.4	100.14	-0.6	-0.6	0	35	0.21	100	8489	100.14	35.6
2023-03-09 16:55:00	39.8	0	0	0	343	9.84	14.97	34.6	67.9	100.14	-0.7	-0.6	0	34.7	0.22	100	8487	100.13	34.3
2023-03-09 17:00:00	99.8	0	0	0	341	10.22	14.2	34.2	68.9	100.13	-0.7	-0.6	0	34.4	0.21	100	8486	100.12	33.6
2023-03-09 17:05:00	87.8	0	0	0	336	9.28	11.92	34	69.7	100.15	-0.8	-0.5	0	34.2	0.2	100	8485	100.15	34.3
2023-03-09 17:10:00	64.6	0	0	0	337	9.19	12.21	33.9	69.5	100.16	-0.8	-0.6	0	33.9	0.2	100	8485	100.15	34.2
2023-03-09 17:15:00	75.2	0	0	0	337	10.09	12.59	33.6	70.5	100.16	-0.8	-0.4	0	33.8	0.19	100	8484	100.15	34.3
2023-03-09 17:20:00	62.6	0	0	0	332	8.55	13.94	33.5	70.2	100.15	-0.7	-0.5	0	33.7	0.19	100	8482	100.14	34.5
2023-03-09 17:25:00	51	0	0	0	341	8.81	12.21	33.4	70.8	100.14	-0.8	-0.5	0	33.5	0.19	100	8481	100.14	34.4
2023-03-09 17:30:00	40	0	0	0	317	8.05	10.85	33.2	70.1	100.14	-0.8	-0.5	0	33.3	0.19	100	8481	100.14	34.2
2023-03-09 17:35:00	31.2	0	0	0	325	7.25	9.35	33	70.7	100.14	-0.8	-0.5	0	33.1	0.19	100	8478	100.13	33.8
2023-03-09 17:40:00	23.4	0	0	0	331	7.23	10.27	32.8	71.3	100.15	-0.8	-0.5	0	32.8	0.18	100	8478	100.14	33.5
2023-03-09 17:45:00	18	0	0	0	340	6.6	10.13	32.4	72.1	100.15	-0.8	-0.5	0	32.5	0.17	100	8477	100.14	33
2023-03-09 17:50:00	11	0	0	0	332	6.08	8.1	32.2	72.7	100.15	-0.9	-0.6	0	32.2	0.17	100	8475	100.14	32.4
2023-03-09 17:55:00	5.6	0	0	0	329	6.29	8.21	31.9	73.1	100.15	-0.9	-0.6	0	31.9	0.16	100	8473	100.14	31.6
2023-03-09 18:00:00	2.8	0	0	0	329	5.32	6.85	31.6	73.4	100.15	-0.8	-0.6	0	31.6	0.16	100	8475	100.13	30.9
2023-03-09 18:05:00	1.4	0	0	0	321	3.78	5.41	31.2	74.2	100.15	-0.9	-0.6	0	31.2	0.15	100	8474	100.13	30.4
2023-03-09 18:10:00	0.2	0	0	0	327	4.61	6.2	31	75.1	100.15	-1	-0.5	0	31	0.15	100	8472	100.13	29.9
2023-03-09 18:15:00	0	0	0	0	328	3.94	5.44	30.6	75.8	100.15	-1	-0.4	0	30.6	0.14	100	8471	100.13	29.5
2023-03-09 18:20:00	0	0	0	0	315	3.49	4.27	30.4	76.2	100.15	-0.8	-0.5	0	30.4	0.14	100	8469	100.14	29.2
2023-03-09 18:25:00	0	0	0	0	298	3.76	5.46	30.1	75.9	100.15	-0.8	-0.5	0	30.1	0.14	100	8467	100.14	28.9
2023-03-09 18:30:00	0	0	0	0	291	4.76	5.5	30	76.3	100.16	-0.9	-0.5	0	30	0.13	100	8469	100.15	28.7
2023-03-09 18:35:00	0	0	0	0	304	4.03	5.82	29.8	76.8	100.16	-0.9	-0.5	0	29.8	0.13	100	8465	100.14	28.4
2023-03-09 18:40:00	0	0	0	0	295	4.07	5.64	29.6	77.6	100.16	-1	-0.5	0	29.6	0.12	100	8464	100.14	28.1
2023-03-09 18:45:00	0	0	0	0	295	2.95	4.18	29.4	77.7	100.16	-0.8	-0.4	0	29.4	0.12	100	8464	100.13	27.9
2023-03-09 18:50:00	0	0	0	0	308	3.22	4.41	29.3	78.5	100.15	-0.8	-0.4	0	29.3	0.12	100	8463	100.12	27.6
2023-03-09 18:55:00	0	0	0	0	316	2.44	3.78	29	78	100.13	-1	-0.5	0	29	0.12	100	8463	100.11	27.2
2023-03-09 19:00:00	0	0	0	0	311	2.19	3.09	28.8	78.3	100.12	-1	-0.4	0	28.8	0.12	100	8463	100.1	26.9
2023-03-09 19:05:00	0	0	0	0	296	2.28	3.51	28.7	78.8	100.12	-1	-0.4	0	28.7	0.11	100	8463	100.1	26.7
2023-03-09 19:10:00	0	0	0	0	287	3.24	3.71	28.5	79.2	100.12	-1	-0.4	0	28.5	0.11	100	8459	100.11	26.6
2023-03-09 19:15:00	0	0	0	0	280	3.69	4.21	28.4	79.6	100.12	-1	-0.5	0	28.4	0.11	100	8457	100.1	26.6
2023-03-09 19:20:00	0	0	0	0	291	2.86	3.8	28.4	79.5	100.11	-0.9	-0.5	0	28.4	0.11	100	8457	100.1	26.5
2023-03-09 19:25:00	0	0	0	0	279	2.24	2.66	28.3	79.9	100.12	-1	-0.4	0	28.3	0.11	100	8457	100.1	26.4
2023-03-09 19:30:00	0	0	0	0	263	2.06	2.46	28.3	80.1	100.12	-1	-0.6	0	28.3	0.1	100	8455	100.1	26.1
2023-03-09 19:35:00	0	0	0	0	260	2.68	3.09	28.1	80.4	100.11	-0.9	-0.4	0	28.1	0.1	100	8456	100.09	25.9
2023-03-09 19:40:00	0	0	0	0	246	2.62	3.02	28.1	80.4	100.11	-0.9	-0.5	0	28.1	0.1	100	8455	100.08	25.8
2023-03-09 19:45:00	0	0	0	0	218	2.19	2.53	28.1	80.4	100.09	-1	-0.5	0	28.1	0.1	100	8453	100.07	25.7
2023-03-09 19:50:00	0	0	0	0	188	1.86	2.26	28.2	80.3	100.08	-1	-0.4	0	28.2	0.1	100	8452	100.06	25.6
2023-03-09 19:55:00	0	0	0	0	186	2.24	2.86	28.2	80.3	100.08	-1	-0.5	0	28.2	0.1	100	8450	100.06	25.5
2023-03-09 20:00:00	0	0	0	0	176	1.48	2.44	28.2	80.3	100.08	-1	-0.5	0	28.2	0.1	100	8453	100.05	25.4
2023-03-09 20:05:00	0	0	0	0	115	3.49	4.63	28.1	80.9	100.06	-1	-0.6	0	28.1	0.1	100	8452	100.04	25.4
2023-03-09 20:10:00	0	0	0	0	112	4.14	4.79	28.1	81.6	100.04	-1	-0.5	0	28.1	0.1	100	8451	100.02	25.5
2023-03-09 20:15:00	0	0	0	0	109	3.98	4.59	28.3	80.4	100.04	-0.9	-0.5	0	28.3	0.1	100	8450	100.02	25.5
2023-03-09 20:20:00	0	0	0	0	101	4.7	5.08	28.2	80.2	100.04	-1	-0.6	0	28.3	0.1	100	8448	100.01	25.4
2023-03-09 20:25:00	0	0	0	0	105	3.94	4.34	28.3	79.8	100.04	-0.9	-0.5	0	28.3	0.11	100	8448	100.01	25.4
2023-03-09 20:30:00	0	0	0	0	112	4.16	4.72	28.3	80.2	100.03	-1	-0.5	0	28.3	0.1	100	8451	100.01	25.5
2023-03-09 20:35:00	0	0	0	0	106	4.85	5.75	28.3	79.8	100.03	-1	-0.4	0	28.3	0.11	100	8446	100.01	25.6
2023-03-09 20:40:00	0	0	0	0	106	4.94	5.68	28.3	79.9	100.02	-1	-0.4	0	28.3	0.11	100	8447	100	25.6
2023-03-09 20:45:00	0	0	0	0	107	5.95	6.6	28.1	80.4	100.01	-0.9	-0.5	0	28.1	0.1	100	8447	99.99	25.6
2023-03-09 20:50:00	0	0	0	0	111	5.84	6.29	28.1	80.4	100.01	-1.1	-0.4	0	28.1	0.1	100	8446	99.99	25.6
2023-03-09 20:55:00	0	0	0	0	116	5.06	5.73	28.1	80.6	100	-0.9	-0.4	0	28.1	0.1	100	8446	99.98	25.6
2023-03-09 21:00:00	0	0	0	0	129	4.7	5.21	28	81	100	-1	-0.5	0	28	0.1	100	8447	99.99	25.5
2023-03-09 21:05:00	0	0	0	0	121	5.28	6.49	27.9	81.4	100	-0.9	-0.5	0	27.9	0.1	100	8444	99.98	25.5
2023-03-09 21:10:00	0	0	0	0	130	6.11	6.91	27.9	81.1	99.99	-1	-0.5	0	28	0.1	100	8444	99.97	25.6
2023-03-09 21:15:00	0	0	0	0	136	4.65	6.22	28	80.8	99.98	-1	-0.4	0	28	0.1	100	8444	99.96	25.7
2023-03-09 21:20:00	0	0	0	0	147	4.92	6.02	27.9	82.8	99.98	-1	-0.4	0	27.9	0.09	100	8444	99.96	25.5
2023-03-09 21:25:00	0	0	0	0	149	5.17	6.58	27.7	82	99.97	-0.8	-0.5	0	27.7	0.09	100	8444	99.95	25.4
2023-03-09 21:30:00	0	0	0	0	144	4.43	5.1	27.5	83.4	99.96	-1	-0.4	0	27.5	0.08	100	8440	99.94	25.2
2023-03-09 21:35:00	0	0	0	0	137	4.61	5.39	27.4	83.7	99.95	-1	-0.5	0	27.4	0.08	100	8440	99.93	25.1
2023-03-09 21:40:00	0	0	0	0	135	5.21	6.87	27.3	83.3	99.94	-0.9	-0.5	0	27.2	0.08	100	8440	99.92	25
2023-03-09 21:45:00	0	0	0	0	137	5.75	7.67	27.3	83.6	99.93	-1	-0.3	0	27.3	0.08	100	8443	99.92	25.1
2023-03-09 21:50:00	0	0	0	0	136	6.53	8.1	27.4	84.3	99.92	-1	-0.6	0	27.3	0.08	100	8439	99.91	25.2
2023-03-09 21:55:00	0	0	0	0	145	7.18	9.28	27.3	84.4	99.91	-1.2	-0.4	0	27.3	0.08	100	8439	99.9	25.2
2023-03-09 22:00:00	0	0	0	0	154	6.53	8.14	27.3	83.7	99.92	-1	-0.5	0	27.2	0.08	100	8440	99.9	25.3
2023-03-09 22:05:00	0	0	0	0	158	6.04	7.14	27.1	83.8	99.9	-1.1	-0.5	0	27.1	0.08	100	8438	99.89	25.2
2023-03-09 22:10:00	0	0	0	0	164	6.02	6.6	27.1	85.1	99.9	-1	-0.6	0	27.1	0.07	100	8438	99.89	25.1
2023-03-09 22:15:00	0	0	0	0	160	6.24	7.43	26.9	84.6	99.9	-1.1	-0.4	0	26.9	0.08	100	8435	99.88	24.9
2023-03-09 22:20:00	0	0	0	0	158	6.55	7.29	26.9	84.8	99.89	-1	-0.4	0	26.9	0.08	100	8436	99.88	24.9
2023-03-09 22:25:00	0	0	0	0	152	6.85	7.67	26.7	85.3	99.88	-1	-0.5	0	26.7	0.07	100	8434	99.87	24.8
2023-03-09 22:30:00	0	0	0	0	143	6.55	7.38	26.7	85.2	99.87	-1.1	-0.4	0	26.7	0.07	100	8435	99.86	24.8
2023-03-09 22:35:00	0	0	0	0	144	5.84	7	26.6	85.7	99.87	-1	-0.4	0	26.6	0.07	100	8431	99.86	24.7
2023-03-09 22:40:00	0	0	0	0	148	5.95	6.87	26.6	85.8	99.86	-1	-0.3	0	26.5	0.07	100	8432	99.85	24.7
2023-03-09 22:45:00	0	0	0	0	131	5.08	5.95	26.6	85.8	99.86	-1	-0.4	0	26.6	0.07	100	8432	99.84	24.6
2023-03-09 22:50:00	0	0	0	0	127	5.59	6.31	26.4	86.4	99.84	-1	-0.4	0	26.4	0.07	100	8431	99.83	24.5
2023-03-09 22:55:00	0	0	0	0	126	4.74	6.22	26.5	86.5	99.83	-1.1	-0.3	0	26.5	0.07	100	8432	99.82	24.5
2023-03-09 23:00:00	0	0	0	0	111	5.28	6.04	26.4	86.4	99.83	-1.1	-0.4	0	26.4	0.07	100	8431	99.82	24.4
2023-03-09 23:05:00	0	0	0	0	110	4.99	5.79	26.4	86.4	99.83	-1.1	-0.4	0	26.4	0.07	100	8429	99.82	24.3
2023-03-09 23:10:00	0	0	0	0	115	5.06	5.59	26.3	86.7	99.82	-1.1	-0.4	0	26.3	0.06	100	8431	99.81	24.2
2023-03-09 23:15:00	0	0	0	0	109	5.66	6.42	26.2	87.1	99.82	-1.2	-0.5	0	26.2	0.06	100	8431	99.8	24.1
2023-03-09 23:20:00	0	0	0	0	108	5.44	6.6	26.1	87.4	99.81	-1.1	-0.5	0	26.1	0.06	100	8428	99.8	24.1
2023-03-09 23:25:00	0	0	0	0	116	4.45	5.37	26.1	87.4	99.81	-1	-0.3	0	26.2	0.06	100	8428	99.8	24.1
2023-03-09 23:30:00	0	0	0	0	116	5.3	6.69	26.2	87.3	99.81	-1	-0.4	0	26.2	0.06	100	8429	99.81	24
2023-03-09 23:35:00	0	0	0	0	106	5.1	5.7	26.1	87.4	99.81	-1.1	-0.4	0	26.1	0.06	100	8429	99.8	24
2023-03-09 23:40:00	0	0	0	0	109	5.06	5.88	26.1	87.6	99.81	-1	-0.4	0	26	0.06	100	8424	99.79	23.9
2023-03-09 23:45:00	0	0	0	0	110	4.83	5.66	26	87.9	99.8	-1	-0.5	0	26	0.06	100	8428	99.79	23.8
2023-03-09 23:50:00	0	0	0	0	110	4.32	4.83	25.7	87.6	99.79	-1.1	-0.5	0	25.7	0.06	100	8426	99.78	23.7
2023-03-09 23:55:00	0	0	0	0	108	4.68	5.59	25.7	88.5	99.79	-1	-0.4	0	25.7	0.05	100	8425	99.78	23.6
2023-03-10 00:00:00	0	0	0	0	108	5.82	6.46	25.7	89	99.79	-1.1	-0.4	0	25.7	0.05	100	8425	99.78	23.5
2023-03-10 00:05:00	0	0	0	0	109	6.2	6.53	25.6	89.1	99.78	-1	-0.4	0	25.6	0.05	100	8393	99.77	23.6
2023-03-10 00:10:00	0	0	0	0	110	6.17	6.93	25.4	88.6	99.76	-1.1	-0.5	0	25.4	0.05	100	8384	99.76	23.9
2023-03-10 00:15:00	0	0	0	0	118	5.57	6.46	25.3	89	99.75	-1.1	-0.3	0	25.3	0.05	100	8377	99.75	23.9
2023-03-10 00:20:00	0	0	0	0	127	5.35	6.26	25.3	89.7	99.74	-1	-0.6	0	25.2	0.05	100	8390	99.74	23.8
2023-03-10 00:25:00	0	0	0	0	125	5.53	6.2	25.2	90.1	99.74	-1	-0.5	0	25.1	0.05	100	8393	99.74	23.5
2023-03-10 00:30:00	0	0	0	0	129	5.79	7	25.1	90.7	99.75	-1.1	-0.5	0	25.1	0.04	100	8394	99.74	23.5
2023-03-10 00:35:00	0	0	0	0	132	5.19	6.13	25.2	90.7	99.75	-1	-0.5	0	25.2	0.04	100	8393	99.74	23.5
2023-03-10 00:40:00	0	0	0	0	128	5.64	6.85	25.3	90.3	99.75	-1.1	-0.4	0	25.3	0.05	100	8396	99.75	23.5
2023-03-10 00:45:00	0	0	0	0	133	5.73	7.23	25.4	90.2	99.76	-

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-10 00:55:00	0	0	0	0	130	5.61	6.96	25.3	90.7	99.76	-1.2	-0.5	0	25.3	0.04	100	8400	99.75	23.6
2023-03-10 01:00:00	0	0	0	0	145	5.35	6.29	25.4	90.3	99.77	-1	-0.5	0	25.4	0.05	100	8399	99.76	23.6
2023-03-10 01:05:00	0	0	0	0	153	5.59	6.35	25.5	91.1	99.78	-1.1	-0.4	0	25.5	0.04	100	8396	99.77	23.6
2023-03-10 01:10:00	0	0	0	0	155	5.66	6.15	25.4	90.3	99.77	-1.1	-0.4	0	25.4	0.05	100	8399	99.76	23.6
2023-03-10 01:15:00	0	0	0	0	158	4.92	6.04	25.3	90.3	99.76	-1	-0.5	0	25.3	0.05	100	8397	99.75	23.5
2023-03-10 01:20:00	0	0	0	0	147	4.76	5.55	25.2	90.7	99.75	-1.1	-0.5	0	25.2	0.04	100	8398	99.74	23.4
2023-03-10 01:25:00	0	0	0	0	143	4.47	5.28	25.2	90.9	99.74	-1	-0.4	0	25.2	0.04	100	8399	99.73	23.4
2023-03-10 01:30:00	0	0	0	0	141	3.89	4.54	25.1	91.1	99.73	-1.1	-0.4	0	25.1	0.04	100	8399	99.73	23.3
2023-03-10 01:35:00	0	0	0	0	130	4.12	4.97	25.1	91.3	99.73	-1.1	-0.4	0	25.1	0.04	100	8401	99.72	23.3
2023-03-10 01:40:00	0	0	0	0	131	3.98	4.88	25.1	91.1	99.73	-1	-0.4	0	25.1	0.04	100	8397	99.72	23.3
2023-03-10 01:45:00	0	0	0	0	117	5.03	6.35	25.1	91.4	99.72	-1.1	-0.4	0	25.1	0.04	100	8398	99.71	23.4
2023-03-10 01:50:00	0	0	0	0	124	5.3	6.13	25.1	91.6	99.71	-1.1	-0.4	0	25.2	0.04	100	8396	99.7	23.4
2023-03-10 01:55:00	0	0	0	0	121	5.57	6.53	25.2	91.4	99.69	-1.1	-0.4	0	25.2	0.04	100	8398	99.68	23.4
2023-03-10 02:00:00	0	0	0	0	119	5.97	7.27	25.1	91.3	99.68	-1	-0.3	0	25.1	0.04	100	8397	99.67	23.5
2023-03-10 02:05:00	0	0	0	0	110	5.86	6.85	25.1	91.1	99.66	-1.1	-0.4	0	25.1	0.04	100	8399	99.65	23.5
2023-03-10 02:10:00	0	0	0	0	109	3.76	5.55	25.1	91.7	99.65	-1	-0.4	0	25.1	0.04	100	8396	99.64	23.5
2023-03-10 02:15:00	0	0	0	0	128	3.74	4.83	25	91.5	99.64	-1	-0.4	0	25	0.04	100	8395	99.64	23.4
2023-03-10 02:20:00	0	0	0	0	118	3.89	5.19	24.9	92.1	99.64	-1.1	-0.4	0	24.9	0.04	100	8395	99.63	23.3
2023-03-10 02:25:00	0	0	0	0	108	3.49	4.61	24.8	92.2	99.63	-1	-0.5	0	24.8	0.04	100	8396	99.62	23.3
2023-03-10 02:30:00	0	0	0	0	112	4.14	5.19	24.7	92.6	99.62	-1.1	-0.4	0	24.8	0.03	100	8396	99.61	23.3
2023-03-10 02:35:00	0	0	0	0	115	4.43	5.32	24.8	92.5	99.61	-1.1	-0.4	0	24.8	0.03	100	8394	99.61	23.3
2023-03-10 02:40:00	0	0	0	0	124	4.68	5.44	24.8	93.7	99.6	-1	-0.5	0	24.8	0.03	100	8396	99.6	23.3
2023-03-10 02:45:00	0	0	0	0	131	4.56	5.66	24.9	93.8	99.6	-1	-0.4	0	24.9	0.03	100	8396	99.6	23.4
2023-03-10 02:50:00	0	0	0	0	130	5.77	7.47	24.9	94	99.6	-1.1	-0.4	0	24.9	0.03	100	8395	99.6	23.5
2023-03-10 02:55:00	0	0	0	0	145	5.66	6.42	25.1	93.9	99.61	-1.1	-0.6	0	25.1	0.03	100	8394	99.6	23.7
2023-03-10 03:00:00	0	0	0	0	143	5.23	6.49	25.3	94	99.61	-1.1	-0.5	0	25.3	0.03	100	8392	99.61	23.8
2023-03-10 03:05:00	0	0	0	0	127	5.06	6.17	25.3	94.5	99.6	-1.1	-0.5	0	25.3	0.03	100	8394	99.6	23.8
2023-03-10 03:10:00	0	0	0	0	106	5.12	6.93	25.3	94.2	99.59	-1	-0.4	0	25.3	0.03	100	8392	99.58	23.8
2023-03-10 03:15:00	0	0	0	0	104	4.45	5.79	25.4	94	99.59	-1	-0.5	0	25.3	0.03	100	8394	99.58	23.8
2023-03-10 03:20:00	0	0	0	0	96	4.85	5.93	25.3	94.2	99.58	-1.1	-0.4	0	25.3	0.03	100	8390	99.57	23.8
2023-03-10 03:25:00	0	0	0	0	71	3.53	4.63	25.3	93.8	99.56	-1.1	-0.5	0	25.3	0.03	100	8393	99.56	23.7
2023-03-10 03:30:00	0	0	0	0	82	4.59	6.15	25.2	93.4	99.56	-1.1	-0.5	0	25.2	0.03	100	8393	99.55	23.6
2023-03-10 03:35:00	0	0	0	0	81	5.57	7.25	25.2	94	99.55	-1	-0.5	0	25.2	0.03	100	8394	99.54	23.6
2023-03-10 03:40:00	0	0	0	0	80	6.17	7.92	25.3	94.8	99.53	-1.1	-0.4	0	25.3	0.02	100	8392	99.53	23.7
2023-03-10 03:45:00	0	0	0	0	80	5.73	7.36	25.3	94.6	99.53	-1	-0.5	0	25.3	0.03	100	8390	99.52	23.7
2023-03-10 03:50:00	0	0	0	0	85	6.98	9.4	25.4	94.2	99.52	-1.1	-0.4	0	25.4	0.03	100	8390	99.51	23.8
2023-03-10 03:55:00	0	0	0	0	91	5.99	8.28	25.5	93.9	99.51	-1.1	-0.6	0	25.5	0.03	100	8391	99.51	23.9
2023-03-10 04:00:00	0	0	0	0	102	6.73	9.04	25.8	93.8	99.51	-1	-0.4	0	25.8	0.03	100	8389	99.51	24
2023-03-10 04:05:00	0	0	0	0	108	5.01	7.65	25.8	93.6	99.52	-1.1	-0.4	0	25.8	0.03	100	8390	99.52	24.1
2023-03-10 04:10:00	0	0	0	0	112	4.63	5.95	25.8	94.3	99.52	-1	-0.5	0	25.8	0.03	100	8390	99.52	24.2
2023-03-10 04:15:00	0	0	0	0	109	5.01	5.99	25.7	93.6	99.52	-0.9	-0.4	0	25.7	0.03	100	8389	99.52	24.2
2023-03-10 04:20:00	0	0	0	0	106	4.38	5.95	25.7	93.2	99.51	-1.1	-0.4	0	25.7	0.03	100	8388	99.51	24.2
2023-03-10 04:25:00	0	0	0	0	85	4.03	5.12	25.8	93.8	99.51	-1	-0.5	0	25.8	0.03	100	8391	99.5	24.2
2023-03-10 04:30:00	0	0	0	0	74	3.49	4.52	25.7	93.6	99.5	-1	-0.4	0	25.7	0.03	100	8387	99.49	24.1
2023-03-10 04:35:00	0	0	0	0	68	3.74	4.7	25.7	93.6	99.49	-1.1	-0.4	0	25.7	0.03	100	8387	99.48	24
2023-03-10 04:40:00	0	0	0	0	71	4.05	5.48	25.6	93.8	99.48	-1.1	-0.4	0	25.5	0.03	100	8387	99.47	24
2023-03-10 04:45:00	0	0	0	0	78	3.36	4.63	25.5	93.9	99.47	-1.1	-0.5	0	25.4	0.03	100	8387	99.47	23.9
2023-03-10 04:50:00	0	0	0	0	84	3.53	4.94	25.6	94.2	99.47	-1.1	-0.4	0	25.5	0.03	100	8387	99.46	23.9
2023-03-10 04:55:00	0	0	0	0	82	3.74	4.65	25.4	94.6	99.45	-1	-0.5	0	25.4	0.03	100	8387	99.45	23.9
2023-03-10 05:00:00	0	0	0	0	89	3.56	4.92	25.5	94.5	99.45	-1	-0.4	0	25.5	0.03	100	8387	99.45	23.9
2023-03-10 05:05:00	0	0	0	0	68	4.29	5.53	25.5	94.8	99.44	-1.1	-0.4	0	25.6	0.02	100	8384	99.44	23.9
2023-03-10 05:10:00	0	0	0	0	93	4.32	5.7	25.6	94.6	99.44	-1.1	-0.5	0	25.5	0.03	100	8387	99.44	24
2023-03-10 05:15:00	0	0	0	0	92	4.18	5.37	25.6	95.3	99.45	-1.1	-0.4	0	25.6	0.02	100	8384	99.45	24
2023-03-10 05:20:00	0	0	0	0	97	4.03	4.74	25.7	95	99.46	-1	-0.4	0	25.6	0.02	100	8386	99.46	24
2023-03-10 05:25:00	0	0	0	0	103	5.46	6.89	25.6	95.2	99.46	-1.1	-0.5	0	25.6	0.02	100	8386	99.46	24.1
2023-03-10 05:30:00	0	0	0	0	111	5.57	6.67	25.7	95.2	99.46	-1	-0.4	0	25.7	0.02	100	8386	99.46	24.2
2023-03-10 05:35:00	0	0	0	0	112	5.99	7.49	25.8	94.6	99.46	-1	-0.4	0	25.8	0.03	100	8383	99.46	24.3
2023-03-10 05:40:00	0	0	0	0	114	6.2	7.63	25.7	95.3	99.46	-1.2	-0.4	0	25.7	0.02	100	8384	99.46	24.4
2023-03-10 05:45:00	0	0	0	0	108	6.42	7.81	25.8	94.2	99.45	-1	-0.6	0	25.7	0.03	100	8385	99.45	24.4
2023-03-10 05:50:00	0	0	0	0	103	6.02	7.18	25.8	95	99.45	-1	-0.4	0	25.8	0.02	100	8383	99.45	24.4
2023-03-10 05:55:00	0	0	0	0	85	4.59	6.06	25.8	94.6	99.44	-1	-0.5	0	25.8	0.03	100	8381	99.44	24.4
2023-03-10 06:00:00	0	0	0	0	82	4.5	6.35	25.7	95.3	99.43	-1	-0.4	0	25.7	0.02	100	8384	99.43	24.3
2023-03-10 06:05:00	0	0	0	0	94	5.1	6.42	25.7	94.5	99.43	-1.1	-0.4	0	25.7	0.03	100	8382	99.43	24.3
2023-03-10 06:10:00	0.6	0	0	0	107	7.25	9.04	25.7	93.6	99.42	-1	-0.4	0	25.7	0.03	100	8381	99.42	24.3
2023-03-10 06:15:00	2.8	0	0	0	110	7.49	9.48	25.8	93.8	99.42	-0.9	-0.5	0	25.8	0.03	100	8384	99.42	24.4
2023-03-10 06:20:00	2.6	0	0	0	108	7.18	8.63	25.9	94.6	99.41	-1	-0.4	0	25.9	0.03	100	8382	99.41	24.5
2023-03-10 06:25:00	1.6	0	0	0	105	7.52	8.75	25.9	94.1	99.42	-1	-0.4	0	25.9	0.03	100	8383	99.42	24.6
2023-03-10 06:30:00	2.6	0	0	0	102	7.2	8.79	26	93.9	99.41	-1	-0.5	0	26	0.03	100	8380	99.41	24.7
2023-03-10 06:35:00	4.8	0	0	0	85	5.14	7.18	26	94.3	99.4	-1.1	-0.4	0	26	0.03	100	8379	99.41	24.7
2023-03-10 06:40:00	8.2	0	0	0	81	5.5	6.85	26	94	99.39	-1.1	-0.5	0	26.1	0.03	100	8382	99.4	24.7
2023-03-10 06:45:00	11	0	0	0	89	5.59	6.51	26	94.2	99.39	-1	-0.4	0	26	0.03	100	8379	99.39	24.7
2023-03-10 06:50:00	16.4	0	0	0	92	5.66	7.11	26.1	93.9	99.38	-1	-0.4	0	26.1	0.03	100	8380	99.38	24.7
2023-03-10 06:55:00	20.6	0	0	0	99	6.42	8.23	26.1	93.8	99.38	-1	-0.4	0	26.2	0.03	100	8379	99.38	24.8
2023-03-10 07:00:00	22.4	0	0	0	96	6.33	8.66	26.2	93.2	99.37	-1	-0.4	0	26.3	0.03	100	8379	99.37	24.9
2023-03-10 07:05:00	24.2	0	0	0	102	6.78	7.96	26.3	93.1	99.37	-1.1	-0.5	0	26.4	0.03	100	8377	99.37	25
2023-03-10 07:10:00	31.8	0	0	0	108	6.98	8.52	26.5	93.2	99.37	-1	-0.4	0	26.5	0.03	100	8374	99.37	25.1
2023-03-10 07:15:00	47.4	0	0	0	110	7.45	9.06	26.4	92.9	99.36	-1	-0.4	0	26.5	0.03	100	8379	99.37	25.2
2023-03-10 07:20:00	56.6	0	0	0	109	7.2	8.52	26.6	92.4	99.37	-1	-0.5	0	26.7	0.04	100	8377	99.38	25.4
2023-03-10 07:25:00	55.2	0	0	0	104	6.44	7.74	26.6	92.9	99.36	-0.9	-0.4	0	26.8	0.03	100	8380	99.37	25.5
2023-03-10 07:30:00	56.8	0	0	0	99	6.69	8.08	26.8	92.8	99.36	-0.9	-0.3	0	27	0.04	100	8379	99.36	25.6
2023-03-10 07:35:00	57.6	0	0	0	97	6.85	8.05	26.9	92.8	99.35	-1.1	-0.3	0	27.1	0.04	100	8380	99.35	25.8
2023-03-10 07:40:00	60.6	0	0	0	103	8.68	10.33	27	92.2	99.35	-1	-0.4	0	27.2	0.04	100	8378	99.35	25.9
2023-03-10 07:45:00	63.8	0	0	0	101	9.22	11.59	27.2	91.7	99.33	-1	-0.4	0	27.3	0.04	100	8382	99.33	26
2023-03-10 07:50:00	69.2	0	0	0	104	10.29	12.44	27.2	91.5	99.32	-1	-0.5	0	27.4	0.04	100	8379	99.32	26.2
2023-03-10 07:55:00	79.2	0	0	0	102	10.2	13.38	27.2	91.4	99.3	-1	-0.4	0	27.5	0.04	100	8380	99.3	26.3
2023-03-10 08:00:00	85.2	0	0	0	105	10.6	12.84	27.4	91.1	99.29	-1	-0.5	0	27.6	0.05	100	8380	99.29	26.4
2023-03-10 08:05:00	90.6	0	0	0	107	11.21	13.04	27.6	92	99.27	-0.9	-0.6	0	27.9	0.04	100	8381	99.28	26.6
2023-03-10 08:10:00	102	0	0	0	109	11.97	15.32	27.9	90.9	99.26	-1	-0.5	0	28.1	0.05	100	8381	99.26	26.9
2023-03-10 08:15:00	119.8	0	0	0	104	11.88	14.52	28.1	90.1	99.24	-0.9	-0.7	0	28.4	0.05	100	8384	99.25	27.1
2023-03-10 08:20:00	157	0	0	0	95	10.29	13.22	28.6	89.5	99.22	-0.8	-0.4	0	28.9	0.06	100	8393	99.23	27.4
2023-03-10 08:25:00	206.2	0	0	0	92	12.64	17.11	29.2	89.4	99.21	-1	-0.6	0	29.7	0.06	100	8398	99.21	27.9
2023-03-10 08:30:00	204.2	0	0	0	90	10.92	19.24	30.1	88.4	99.2	-1	-0.4	0	30.6	0.07	100	8406	99.21	28.4
2023-03-10 08:35:00	245.8	0	0	0	91	12.53	17.98	30.8	87	99.18	-0.9	-0.5	0	31.4	0.08	100	8417	99.2	29
2023-03-10 08:40:00	290	0	0	0	95	13.98	19.35	31.6	85.7	99.18	-0.9	-0.5	0	32.3	0.09	100	8433	99.19	29.7
2023-03-10 08:45:00	309	0	0	0	102	17.05	21.27	32.4	83.4	99.16	-0.6	-0.5	0	33	0.1	100	8447	99.19	30.3
2023-03-10 08:50:00	218.6	0	0	0	102	16.4	20.36	32.3	82.4	99.19	-0.8	-0.6	0	32.8	0.11	100	8442	99.2	30.8
2023-03-10 08:55:00	233.8	0	0	0	105	15.55	19.39	32	83.3	99.19	-1.1	-0.4	0	32.5	0.1	100	8444	99.2	31
2023-03-10 09:00:00	237.6	0	0	0	106	13.42	18.68	31.8	83.9	99.19	-0.8	-0.4	0	32.3	0.1	100	8445	99.2	31.1
2023-03-10 09:05:00	205.4	0	0	0	109	13.47	18.43	31.7	83.5	99.18	-0.8	-0.4	0	32.1	0.1	100	8444	99.19	31.2
2023-03-10 09:10:00	205.6	0	0	0	103	13.29	19.06	31.6	83.4	99.17	-1	-0.5	0	32.1	0.1	100	8446	99.18	31.3
2023-03-10 09:15:00	213.6	0	0	0	96	13.35	17.27	31.7	83.7	99.16	-1	-0.5	0	32.1	0.1	100	8447	99.17	31.4
2023-03-10 09:20:00	224.2	0	0	0	78	11.61	19.64	31.6	83.7	99.15	-0.5	-0.4	0	32.2	0.1	100	8450	99.16	31.6
2023-03-10 09:25:00	193.8	0	0	0	86	13.71	18.86	31.7	82.9	99.16	-0.9	-0.6	0	32.1	0.1	100	8449	99.16	31.6
2023-03-10 09:30:00	161.6	0	0	0	96	15.95	19.64	31.6	83	99.14	-0.6	-0.7	0	32	0.1	100	8450	99.15	31.6
2023-03-10 09:35:00	165.4	0	0	0	73	12.64	21.14	31.4	83.4	99.13	-0.9	-0.2	0	31.8	0.1	100	8447	99.14	31.6
2023-03-10 09:40:00	180.4	0	0	0	63	13.09	21.16	31.2	83.7	99.12	-1.1	-0.6	0	31.6	0.1	100	8447	99.13	31.5
2023-03-10 09:45:00	208.2	0	0	0	72	11.39	16.82	31.1	84.7	99.11	-0.6	-0.7	0	31.6	0.09	100	8453	99.12	31.5
2023-03-10 09:50:00	190.4	0	0	0	76	13.65	18.95	31.2	83.7	99.11	-0.6	-0.5	0	31.6	0.1	100	8450	99.12	31.5
2023-03-10 09:55:00	211.4	0	0	0	62	13.73	20.09	31.3	82.9	99.09	-0.9	-0.3	0	31.6	0.1	100	8450	99.1	31.5
2023-03-10 10:00:00	221.8	0	0	0	72	12.77	17.76	31.3	82.9	99.08	-0.8	-0.6	0	31.8	0.1	100	8456	99.09	31.5
2023-03-10 10:05:00	238.6	0	0	0	63	12.19	18.12	31.5	83.6	99.07	-0.9	-0.4	0	32	0.1	100	8457	99.08	31.6
2023-03-10 10:10:00	254.4	0	0	0	65	11.77	17.38	31.6	83	99.06	-0.7	-0.4	0	32.2	0.1	100	8462	99.08	31.8
2023-03-10 10:15:00	259.4	0	0	0	65	10.33	15.97	31.8	82.9	99.06	-0.9	-0.5	0	32.4	0.1	100	8463	99.07	32
2023-03-10 10:20:00	251.6	0	0	0	60	11.34	18.52	32.1	82.5	99.06	-0.8	-0.4	0	32.8	0.11	100	8465	99.07	32.2
2023-03-10 10:25:00	259.8	0	0	0	72	11.88	16.93	32.2	80.8	99.05	-0.9	-0.7	0	32.9	0.12	100	8466	99.06	32.4
2023-03-10 10:30:00	284	0	0	0	81	12.44	17.09	32.4	80.4	99.04	-0.9	-0.5	0	33.1	0.12	100	8472	99.06	32.5
2023-03-10 10:35:00	328.2	0	0	0	80	10.07	13.73	32.5	79.9	99.04	-0.8	-0.5	0	33.3	0.13	100	8474	99.05	32.8
2023-03-10 10:40:00	312.4	0	0	0	66	9.55	12.97	32.9	78.9	99.03	-0.9	-0.6	0	33.7	0.13	100	8475	99.04	33.2
2023-03-10 10:45:00	278.2	0	0	0	63	11.3	14.63	33.1	78.2	99.01	-0.7	-0.4	0	33.8	0.14	100	8478	99.02	33.4
2023-03-10 10:50:00	267.2	0	0	0	58	9.98	15.28	33.2	77.8	99.01	-0.9	-0.4	0	33.8	0.14	100	8480	99.02	33.5
2023-03-10 10:55:00	249.6	0	0	0	62	11.03	15.3	33.3	76.9	99	-0.9	-0.4	0	33.8	0.15	100	8481	99.01	33.5
2023-03-10 11:00:00	221.4	0	0	0	85	11.74	17.54	33.1	75.8	98.99	-0.8	-0.7	0	33.7	0.15	100	8480	98.99	33.5
2023-03-10 11:05:00	223.8	0	0	0	72	9.48	14.79	33	75.4	98.97	-0.9	-0.5	0	33.5	0.16	100	8481	98.98	33.5
2023-03-10 11:10:00	239.4	0	0	0	61	10.74	16.44	33	75.5	98.95	-0.8	-0.6	0	33.5	0.16	100	8484	98.96	33.5
2023-03-10 11:15:00	228.8	0	0	0	63	11.23	15.84	33	75.2	98.95	-0.6	-0.6	0	33.5	0.16	100	8483	98.95	33.4
2023-03-10 11:20:00	242	0	0	0	55	11.39	17.54	33	74.5	98.94	-0.7	-0.4	0	33.5	0.16	100	8485	98.94	33.4
2023-03-10 11:25:00	239.6	0	0	0	58	12.41	15.61	33.1	73.9	98.92	-0.9	-0.6	0	33.7	0.17	100	8485	98.92	33.4
2023-03-10 11:30:00	213.6	0	0	0	55	12.28	15.86	33	73.4	98.9	-0.8	-0.5	0	33.5	0.17	100	8491	98.9	33.4
2023-03-10 11:35:00	173.2	0	0	0	61	14	18.23	33	73.5	98.87	-0.9	-0.5	0	33.4	0.17	100	8488	98.87	33.4
2023-03-10 11:40:00	179.4	0	0	0	49	13.2	19.53	33	73.9	98.86	-0.8	-0.6	0	33.4	0.17	100	8485	98.86	33.2
2023-03-10 11:45:00	214.4	0	0	0	55	12.19	16.4	32.9	74	98.84	-1.1	-0.5	0	33.3	0.16	100	8487	98.85	33.2
2023-03-10 11:50:00	237.2	0	0	0	64	12.88	18.1	33	73.8	98.83	-0.7	-0.5	0	33.6	0.17	100	8488	98.84	33.3
2023-03-10 11:55:00	189.8	0	0	0	66	12.33	16.17	33.1	73.7	98.84	-0.7	-0.4	0	33.5	0.17	100	8491	98.85	33.4
2023-03-10 12:00:00	136.8	0	0	0	71	10.63	14.23	33	73.1	98.84	-0.9	-0.6	0	33.4	0.17	100	8490	98.83	33.4
2023-03-10 12:05:00	102.6	0	0	0	53	8.48	12.66	32.9	74	98.82	-0.8	-0.5	0	33.2	0.16	100	8485	98.82	33.3
2023-03-10 12:10:00	97.8	0	0	0	66

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-10 12:20:00	129.2	0	0	0	57	12.1	16.93	32.8	73	98.76	-0.7	-0.7	0	33	0.17	100	8484	98.76	33
2023-03-10 12:25:00	123.8	0	0	0	55	11.9	16.89	32.8	73	98.74	-0.7	-0.7	0	33	0.17	100	8484	98.73	32.9
2023-03-10 12:30:00	94	0	0	0	65	11.41	14.9	32.6	73.5	98.72	-1	-0.6	0	32.9	0.17	100	8482	98.71	32.8
2023-03-10 12:35:00	69.6	0	0	0	69	9.64	14.94	32.6	73.2	98.71	-0.7	-0.5	0	32.8	0.17	100	8482	98.71	32.7
2023-03-10 12:40:00	69.4	0	0	0	76	8.34	10.83	32.5	73.5	98.71	-0.9	-0.6	0	32.7	0.17	100	8476	98.7	32.6
2023-03-10 12:45:00	58.8	0	0	0	67	8.5	14.14	32.4	73.3	98.69	-0.9	-0.5	0	32.6	0.17	100	8476	98.68	32.5
2023-03-10 12:50:00	50.8	0	0	0	75	10.98	15.59	32.4	73.9	98.67	-0.8	-0.6	0	32.5	0.16	100	8473	98.67	32.4
2023-03-10 12:55:00	46.8	0	0	0	69	9.28	13.33	32.2	73.7	98.66	-0.9	-0.5	0	32.4	0.16	100	8472	98.66	32.3
2023-03-10 13:00:00	40.4	0	0	0	78	9.1	13.27	32.3	74.5	98.65	-0.7	-0.4	0	32.4	0.16	100	8470	98.64	32.2
2023-03-10 13:05:00	55	0	0	0	57	7.87	11.59	32.1	75.6	98.64	-0.7	-0.5	0	32.2	0.15	100	8470	98.63	32.1
2023-03-10 13:10:00	68.6	0	0	0	55	8.08	11.23	32	76.7	98.63	-0.9	-0.7	0	32.1	0.14	100	8470	98.63	32
2023-03-10 13:15:00	79.6	0	0	0	55	8.81	13.49	31.8	78.1	98.62	-0.8	-0.4	0	32	0.13	100	8468	98.61	31.8
2023-03-10 13:20:00	96.6	0	0	0	47	10.98	15.37	31.7	80.9	98.6	-0.7	-0.4	0	31.9	0.12	100	8468	98.6	31.7
2023-03-10 13:25:00	128.2	0	0	0	58	11.12	16.75	31.4	84.1	98.58	-0.7	-0.3	0	31.7	0.09	100	8469	98.58	31.3
2023-03-10 13:30:00	158.2	0	0	0	55	9.26	14.72	31.1	85.9	98.56	-0.8	-0.5	0	31.5	0.08	100	8466	98.57	31.2
2023-03-10 13:35:00	163.8	0	0	0	40	9.91	14.67	31.1	86.6	98.56	-0.8	-0.5	0	31.5	0.08	100	8465	98.57	31.1
2023-03-10 13:40:00	168.8	0	0	0	37	7.94	10.4	31.1	88.3	98.55	-0.8	-0.5	0	31.5	0.07	100	8463	98.56	31.1
2023-03-10 13:45:00	153	0	0	0	43	9.57	13.82	31.1	87.8	98.55	-0.9	-0.5	0	31.5	0.07	100	8461	98.55	31.1
2023-03-10 13:50:00	125.8	0	0	0	50	10.11	13.47	31.1	88.3	98.55	-1	-0.6	0	31.5	0.07	100	8459	98.56	31
2023-03-10 13:55:00	124.8	0	0	0	36	10.11	16.02	31	88.3	98.55	-0.8	-0.6	0	31.2	0.07	100	8459	98.56	30.8
2023-03-10 14:00:00	149.6	0	0	0	42	10.13	16.89	30.9	88.4	98.55	-1.1	-0.6	0	31.2	0.07	100	8458	98.56	30.8
2023-03-10 14:05:00	153.2	0	0	0	44	9.66	15.52	31	88.5	98.55	-0.8	-0.5	0	31.4	0.07	100	8456	98.56	30.8
2023-03-10 14:10:00	144.8	0	0	0	36	10.87	15.14	31	88.9	98.53	-0.8	-0.5	0	31.4	0.07	100	8455	98.54	30.8
2023-03-10 14:15:00	156.6	0	0	0	16	12.39	14.52	31	88.9	98.51	-0.8	-0.5	0	31.4	0.07	100	8456	98.51	30.6
2023-03-10 14:20:00	142.8	0	0	0	28	11.99	15.37	31	88.5	98.49	-0.7	-0.5	0	31.4	0.07	100	8454	98.49	30.5
2023-03-10 14:25:00	139.6	0	0	0	22	10.56	13.22	30.8	89.2	98.47	-0.8	-0.4	0	31.2	0.06	100	8453	98.48	30.5
2023-03-10 14:30:00	149.6	0	0	0	37	10.22	15.95	30.8	89.2	98.47	-0.9	-0.3	0	31.2	0.06	100	8453	98.47	30.4
2023-03-10 14:35:00	116.4	0	0	0	51	12.44	18.25	30.8	89	98.46	-0.9	-0.4	0	31.1	0.06	100	8450	98.47	30.4
2023-03-10 14:40:00	102.8	0	0	0	49	13.42	16.84	30.6	89.3	98.45	-0.9	-0.3	0	30.9	0.06	100	8449	98.45	30.3
2023-03-10 14:45:00	112	0	0	0	39	12.57	21.85	30.5	89.1	98.44	-0.7	-0.3	0	30.8	0.06	100	8451	98.45	30.1
2023-03-10 14:50:00	120.2	0	0	0	37	13.82	18.05	30.5	89.2	98.43	-0.9	-0.5	0	30.7	0.06	100	8447	98.44	30.1
2023-03-10 14:55:00	98	0	0	0	41	13.6	17.94	30.4	89.5	98.42	-1.1	-0.4	0	30.6	0.06	100	8447	98.42	30
2023-03-10 15:00:00	92	0	0	0	37	14.5	21.07	30.3	89.9	98.4	-0.9	-0.5	0	30.5	0.06	100	8447	98.41	29.9
2023-03-10 15:05:00	90.4	0	0	0	44	14.65	22.12	30.2	90.1	98.4	-0.7	-0.5	0	30.4	0.06	100	8443	98.4	29.8
2023-03-10 15:10:00	82	0	0	0	39	14.7	21.3	30.2	91.2	98.39	-0.7	-0.7	0	30.4	0.05	100	8444	98.39	29.8
2023-03-10 15:15:00	80.2	0	0	0	30	14.65	22.48	30.2	91.5	98.37	-0.7	-0.4	0	30.3	0.05	100	8442	98.38	29.7
2023-03-10 15:20:00	82.4	0	0	0	28	15.57	20.8	30.2	91.5	98.36	-0.8	-0.3	0	30.4	0.05	100	8440	98.37	29.7
2023-03-10 15:25:00	81.8	0	0	0	29	14.09	23.67	30.2	91.4	98.36	-0.7	-0.3	0	30.4	0.05	100	8444	98.37	29.7
2023-03-10 15:30:00	77.4	0	0	0	37	13.76	18.03	30.3	92.2	98.35	-0.9	-0.5	0	30.5	0.04	100	8442	98.35	29.7
2023-03-10 15:35:00	64.4	0	0	0	34	13.73	18.37	30.2	91.5	98.34	-0.9	-0.5	0	30.4	0.05	100	8439	98.35	29.7
2023-03-10 15:40:00	53.4	0	0	0	39	13.65	17.56	30.2	91.8	98.33	-1	-0.5	0	30.3	0.05	100	8439	98.34	29.7
2023-03-10 15:45:00	51.6	0	0	0	37	13.38	17	30.1	92.5	98.33	-1	-0.6	0	30.2	0.04	100	8440	98.34	29.6
2023-03-10 15:50:00	51.8	0	0	0	41	15.08	20.8	30.2	92.4	98.33	-0.9	-0.4	0	30.3	0.04	100	8438	98.33	29.6
2023-03-10 15:55:00	54.6	0	0	0	35	13.58	19.37	30.3	93	98.32	-1	-0.5	0	30.4	0.04	100	8437	98.32	29.6
2023-03-10 16:00:00	57.2	0	0	0	46	13.06	17.54	30.2	93.2	98.32	-0.9	-0.4	0	30.4	0.04	100	8437	98.32	29.7
2023-03-10 16:05:00	59.2	0	0	0	44	15.79	22.35	30.3	92.8	98.32	-1.2	-0.6	0	30.5	0.04	100	8435	98.32	29.7
2023-03-10 16:10:00	57.4	0	0	0	36	15.05	19.28	30.4	92.6	98.31	-0.7	-0.5	0	30.5	0.04	100	8433	98.31	29.7
2023-03-10 16:15:00	59.8	0	0	0	51	15.01	20.51	30.5	92.4	98.31	-0.8	-0.7	0	30.5	0.04	100	8436	98.31	29.7
2023-03-10 16:20:00	62.8	0	0	0	44	16.64	24.65	30.5	92.6	98.31	-0.9	-0.7	0	30.6	0.04	100	8434	98.31	29.8
2023-03-10 16:25:00	63.4	0	0	0	52	13.4	19.19	30.5	92.6	98.31	-1	-0.4	0	30.6	0.04	100	8434	98.31	29.8
2023-03-10 16:30:00	68	0	0	0	38	14.45	20.54	30.6	93.4	98.31	-0.8	-0.3	0	30.8	0.04	100	8432	98.31	29.8
2023-03-10 16:35:00	61.6	0	0	0	41	14.12	19.28	30.6	93.5	98.3	-1.1	-0.1	0	30.8	0.04	100	8432	98.31	29.8
2023-03-10 16:40:00	55.6	0	0	0	35	12.53	18.01	30.6	93.2	98.31	-0.8	-0.7	0	30.7	0.04	100	8432	98.32	29.8
2023-03-10 16:45:00	49.2	0	0	0	42	13.33	18.9	30.5	93.5	98.32	-0.8	-0.6	0	30.7	0.04	100	8430	98.31	29.8
2023-03-10 16:50:00	43.8	0	0	0	28	14.83	25.7	30.6	93.7	98.31	-0.5	-0.2	0	30.7	0.04	100	8428	98.31	29.8
2023-03-10 16:55:00	39.8	0	0	0	31	16.11	24.05	30.5	93.1	98.31	-1	-0.5	0	30.6	0.04	100	8429	98.31	29.8
2023-03-10 17:00:00	35	0	0	0	35	16.22	22.17	30.3	92.9	98.31	-0.9	-0.4	0	30.3	0.04	100	8428	98.31	29.7
2023-03-10 17:05:00	31.8	0	0	0	33	15.01	19.62	30.2	93.3	98.32	-0.8	-0.3	0	30.3	0.04	100	8431	98.32	29.6
2023-03-10 17:10:00	29.2	0	0	0	26	12.06	18.52	30.1	93.7	98.32	-0.9	-0.5	0	30.2	0.04	100	8428	98.32	29.5
2023-03-10 17:15:00	25.8	0	0	0	30	13.51	18.03	30	94	98.32	-1.1	-0.4	0	30.1	0.03	100	8428	98.32	29.4
2023-03-10 17:20:00	21.8	0	0	0	26	14.76	21.85	30	93.4	98.31	-0.9	-0.2	0	30	0.04	100	8424	98.32	29.4
2023-03-10 17:25:00	17.8	0	0	0	31	14.99	21.56	29.8	93	98.32	-0.8	-0.3	0	29.8	0.04	100	8425	98.32	29.3
2023-03-10 17:30:00	15	0	0	0	26	14.85	19.17	29.8	93.2	98.31	-0.9	-0.4	0	29.8	0.04	100	8426	98.32	29.2
2023-03-10 17:35:00	11.6	0	0	0	29	17.9	26.93	29.7	93.4	98.31	-1	-0.9	0	29.7	0.04	100	8424	98.31	29.2
2023-03-10 17:40:00	7.8	0	0	0	20	14.97	22.75	29.6	93.7	98.31	-0.7	-0.4	0	29.6	0.03	100	8424	98.31	29.1
2023-03-10 17:45:00	5.2	0	0	0	20	14.94	22.41	29.6	93.7	98.31	-0.9	-0.3	0	29.6	0.03	100	8423	98.31	29
2023-03-10 17:50:00	3	0	0	0	26	15.35	22.12	29.6	93.7	98.32	-0.8	-0.3	0	29.7	0.03	100	8422	98.31	29
2023-03-10 17:55:00	1.6	0	0	0	18	14.43	20.2	29.6	93.9	98.31	-0.7	-0.4	0	29.6	0.03	100	8423	98.31	29
2023-03-10 18:00:00	1	0	0	0	22	18.03	28.39	29.4	94.4	98.31	-1	-0.7	0	29.4	0.03	100	8420	98.31	28.9
2023-03-10 18:05:00	0	0	0	0	29	15.82	22.46	29.5	94.3	98.31	-0.9	-0.4	0	29.4	0.03	100	8421	98.31	28.9
2023-03-10 18:10:00	0	0	0	0	11	18.01	28.16	29.4	94.4	98.3	-1.1	-0.7	0	29.4	0.03	100	8419	98.3	28.8
2023-03-10 18:15:00	0	0	0	0	21	17.87	24.74	29.4	93.6	98.31	-1	-0.2	0	29.4	0.04	100	8417	98.31	28.8
2023-03-10 18:20:00	0	0	0	0	20	16.08	24.47	29.3	93.4	98.31	-1.3	-0.1	0	29.3	0.04	100	8416	98.31	28.7
2023-03-10 18:25:00	0	0	0	0	29	17.25	28.81	29.3	93.1	98.31	-0.8	-0.3	0	29.3	0.04	100	8417	98.31	28.6
2023-03-10 18:30:00	0	0	0	0	27	18.34	25.84	29.2	93.8	98.31	-1	-0.4	0	29.2	0.03	100	8417	98.31	28.6
2023-03-10 18:35:00	0	0	0	0	20	17.47	31.7	29.2	93.7	98.3	-1.4	-0.5	0	29.2	0.03	100	8417	98.3	28.5
2023-03-10 18:40:00	0	0	0	0	23	18.7	25.72	29.1	93.8	98.3	-1	-0.7	0	29.1	0.03	100	8416	98.3	28.5
2023-03-10 18:45:00	0	0	0	0	20	18.7	24.87	29.1	93.8	98.3	-0.8	-0.6	0	29.1	0.03	100	8417	98.3	28.5
2023-03-10 18:50:00	0	0	0	0	18	19.22	26.82	29.2	93.7	98.29	-0.8	-0.7	0	29.2	0.03	100	8413	98.3	28.5
2023-03-10 18:55:00	0	0	0	0	21	20.15	29.59	29	94.2	98.3	-1.2	-0.3	0	29	0.03	100	8415	98.29	28.4
2023-03-10 19:00:00	0	0	0	0	21	19.82	29.97	29	94.2	98.29	-0.8	-0.5	0	29	0.03	100	8418	98.29	28.4
2023-03-10 19:05:00	0	0	0	0	21	19.51	31.36	29.1	94	98.29	-0.7	-0.3	0	29.1	0.03	100	8414	98.3	28.4
2023-03-10 19:10:00	0	0	0	0	14	18.59	25.86	29	94.2	98.29	-0.8	-0.6	0	29	0.03	100	8413	98.3	28.4
2023-03-10 19:15:00	0	0	0	0	19	16.46	24.16	29.1	94	98.3	-1	-0.5	0	29.1	0.03	100	8414	98.3	28.3
2023-03-10 19:20:00	0	0	0	0	22	17.49	28.34	29	94.2	98.3	-0.8	-0.5	0	29	0.03	100	8415	98.3	28.3
2023-03-10 19:25:00	0	0	0	0	24	16.87	23.24	29	94.4	98.29	-1.1	-0.3	0	29	0.03	100	8414	98.3	28.3
2023-03-10 19:30:00	0	0	0	0	12	17.54	25.3	29	94.4	98.29	-0.9	-0.1	0	29	0.03	100	8412	98.29	28.3
2023-03-10 19:35:00	0	0	0	0	11	19.33	25.39	28.9	94.7	98.29	-1.1	-0.4	0	28.9	0.03	100	8411	98.29	28.3
2023-03-10 19:40:00	0	0	0	0	20	20.6	26.19	28.9	94.5	98.29	-1.1	-0.4	0	29	0.03	100	8410	98.29	28.2
2023-03-10 19:45:00	0	0	0	0	14	20.67	29.44	28.9	94.8	98.29	-0.9	-0.4	0	28.9	0.03	100	8409	98.29	28.2
2023-03-10 19:50:00	0	0	0	0	15	21.34	29.59	28.9	94.8	98.29	-0.7	-0.5	0	28.9	0.03	100	8407	98.29	28.1
2023-03-10 19:55:00	0	0	0	0	9	18.63	28.48	28.8	94.9	98.3	-1	-0.8	0	28.8	0.03	100	8409	98.29	28.1
2023-03-10 20:00:00	0	0	0	0	17	19.82	28.61	28.8	95.1	98.3	-0.9	-0.7	0	28.8	0.03	100	8410	98.3	28
2023-03-10 20:05:00	0	0	0	0	10	19.82	25.17	28.7	94.5	98.3	-1.1	0	0	28.7	0.03	100	8407	98.3	28
2023-03-10 20:10:00	0	0	0	0	15	19.1	29.51	28.7	93.6	98.3	-1.1	-0.5	0	28.7	0.03	100	8405	98.3	27.9
2023-03-10 20:15:00	0	0	0	0	13	20.58	29.75	28.5	94.2	98.3	-0.8	-0.1	0	28.5	0.03	100	8406	98.3	27.9
2023-03-10 20:20:00	0	0	0	0	20	21.88	29.93	28.4	94.7	98.3	-1	-0.5	0	28.4	0.03	100	8406	98.3	27.8
2023-03-10 20:25:00	0	0	0	0	13	20.09	31.52	28.4	94.5	98.3	-1	-0.7	0	28.4	0.03	100	8403	98.31	27.7
2023-03-10 20:30:00	0	0	0	0	16	21.39	28.86	28.4	94.1	98.29	-0.9	-0.3	0	28.4	0.03	100	8405	98.3	27.6
2023-03-10 20:35:00	0	0	0	0	12	20.15	32.41	28.2	93.5	98.29	-1.1	-0.5	0	28.2	0.03	100	8407	98.3	27.6
2023-03-10 20:40:00	0	0	0	0	20	22.26	33.6	28.2	94.3	98.3	-0.9	-0.5	0	28.2	0.03	100	8402	98.3	27.5
2023-03-10 20:45:00	0	0	0	0	10	19.28	27.4	28.2	93.9	98.3	-0.9	-0.3	0	28.2	0.03	100	8403	98.31	27.5
2023-03-10 20:50:00	0	0	0	0	14	16.84	22.91	28.2	93.9	98.31	-1	-0.7	0	28.2	0.03	100	8400	98.32	27.5
2023-03-10 20:55:00	0	0	0	0	20	18.63	27.04	28.2	94.4	98.3	-1.2	-0.4	0	28.1	0.03	100	8398	98.31	27.5
2023-03-10 21:00:00	0	0	0	0	12	17.58	25.17	28.3	94.2	98.3	-0.9	-0.9	0	28.3	0.03	100	8401	98.31	27.5
2023-03-10 21:05:00	0	0	0	0	12	16.6	22.97	28.1	94.7	98.31	-0.8	-0.4	0	28.1	0.03	100	8399	98.31	27.5
2023-03-10 21:10:00	0	0	0	0	15	16.69	24.58	28.1	94.7	98.31	-0.7	-0.4	0	28.1	0.03	100	8403	98.31	27.4
2023-03-10 21:15:00	0	0	0	0	9	18.66	29.8	28.2	94.1	98.3	-1.1	-0.2	0	28.2	0.03	100	8398	98.31	27.4
2023-03-10 21:20:00	0	0	0	0	4	19.64	26.4	28	94.2	98.3	-0.7	-0.9	0	28	0.03	100	8399	98.31	27.4
2023-03-10 21:25:00	0	0	0	0	16	17.96	26.46	28.1	94.1	98.31	-0.9	-0.4	0	28.1	0.03	100	8399	98.31	27.4
2023-03-10 21:30:00	0	0	0	0	15	20.96	27.25	28.1	94.1	98.31	-0.8	-0.3	0	28.1	0.03	100	8399	98.32	27.3
2023-03-10 21:35:00	0	0	0	0	7	17.85	24.83	28	94.4	98.31	-1.1	-0.5	0	28	0.03	100	8397	98.32	27.3
2023-03-10 21:40:00	0	0	0	0	19	20.69	31.29	28	94.5	98.32	-0.8	-0.1	0	28	0.03	100	8397	98.32	27.3
2023-03-10 21:45:00	0	0	0	0	14	18.3	24.09	28	94.4	98.32	-0.9	-0.4	0	28	0.03	100	8398	98.33	27.3
2023-03-10 21:50:00	0	0	0	0	12	19.33	29.3	28	94.4	98.32	-1.2	-0.4	0	28	0.03	100	8396	98.32	27.2
2023-03-10 21:55:00	0	0	0	0	6	16.06	20.47	27.9	94.8	98.32	-0.9	-0.3	0	27.9	0.03	100	8395	98.33	27.2
2023-03-10 22:00:00	0	0	0	0	8	18.37	27.07	27.9	94.6	98.32	-0.8	-0.6	0	27.9	0.03	100	8394	98.32	27.2
2023-03-10 22:05:00	0	0	0	0	10	17.65	24.72	27.9	94.6	98.33	-1	-0.4	0	27.9	0.03	100	8393	98.33	27.2
2023-03-10 22:10:00	0	0	0	0	9	17.43	24.99	27.9	94.9	98.32	-0.8	-0.8	0	27.9	0.03	100	8394	98.33	27.2
2023-03-10 22:15:00	0	0	0	0	9	15.17	22.88	27.9	94.8	98.33	-0.9	-0.6	0	27.9	0.03	100	8395	98.33	27.2
2023-03-10 22:20:00	0	0	0	0	7	15.97	21.3	27.9	95.2	98.34	-1.1	-0.5	0	27.9	0.02	100	8395	98.34	27.2
2023-03-10 22:25:00	0	0	0	0	16	17.96	24.18	28	94.8	98.34	-1	-0.3	0	28	0.03	100	8395	98.35	27.2
2023-03-10 22:30:00	0	0	0	0	10	19.17	27.16	28	95.5	98.34	-1.1	0.2	0	28	0.02	100	8393	98.35	27.2
2023-03-10 22:35:00	0	0	0	0	17	18.34	27.18	28.1	94.9	98.36	-1	-0.6	0	28.1	0.03	100	8392	98.36	27.3
2023-03-10 22:40:00	0	0	0	0	16	17.67	27.51	28.1	94.5	98.35	-1.1	-0.7	0	28.1	0.03	100	8392	98.36	27.2
2023-03-10 22:45:00	0	0	0	0	12	17.11	25.84	28	94.6	98.35	-1	-0.4	0	28.1	0.03	100	8390	98.35	27.2
2023-03-10 22:50:00	0	0	0	0	3	14.25	22.91	28	95	98.35	-1.1	-0.6	0	28.1	0.03	100	8393	98.36	27.2
2023-03-10 22:55:00	0	0	0	0	5	13.47	19.8	28.1	95.6	98.35	-0.9	-0.2	0	28.1	0.02	100	8390	98.35	27.2
2023-03-10 23:00:00	0	0	0	0	5	15.55	24.54	28	95.5	98.36	-0.9	-0.2	0	28	0.02	100	8390	98.36	27.2
2023-03-10 23:05:00	0	0	0	0	12	13.38	19.42	28	94.4	98.37	-1.1	-0.3	0	28	0.03	100	8388	98.37	27.2
2023-03-10 23:10:00	0	0	0	0	11	17.05	22.41	28	94.5	98.36	-0.9	-0.3	0	28	0.03	100	8389	98.37	27.2
2023-03-10 23:15:00	0	0	0	0	8	15.28	23.94	28	94.5	98.36	-0.8	-0.3	0	27.9	0.03	100	8389	98.37	27.1
2023-03-10 23:20:00	0	0	0	0	13	15.86	27.83	28	94.5	98.36	-0.8	-0.6	0	27.9	0.03	100	8388	98.37	27.1
2023-03-10 23:25:00	0	0	0	0	8	16.22	23.55	27.9	94.9	98.35	-0.9	-0.5	0	27.9	0.03	100	8387	98.36	27.1
2023-03-10 23:30:00	0	0	0	0	6	14.43	23.15	27.9	93.9	98.36	-1	-0.8	0	27.9	0.03	100	8388	98.36	27.1
2023-03-10 23:35:00	0	0	0	0	4	15.

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-10 23:45:00	0	0	0	0	7	15.75	22.57	27.9	94.3	98.36	-1.1	-0.4	0	27.9	0.03	100	8385	98.36	27.1
2023-03-10 23:50:00	0	0	0	0	4	14.34	19.17	28	94.4	98.36	-0.9	-0.6	0	28	0.03	100	8386	98.37	27.1
2023-03-10 23:55:00	0	0	0	0	359	12.77	18.41	28	94.5	98.36	-0.9	-0.6	0	27.9	0.03	100	8384	98.37	27.1
2023-03-11 00:00:00	0	0	0	0	359	12.86	16.78	28	94.5	98.37	-0.9	-0.5	0	28	0.03	100	8384	98.37	27.1
2023-03-11 00:05:00	0	0	0	0	353	13.62	21.23	27.9	94.6	98.37	-1	-0.4	0	27.9	0.03	100	8356	98.38	27.3
2023-03-11 00:10:00	0	0	0	0	357	14.05	21.07	28	94.4	98.37	-0.9	-0.4	0	28	0.03	100	8346	98.38	27.6
2023-03-11 00:15:00	0	0	0	0	359	12.71	17.31	28	94.2	98.38	-0.9	-0.7	0	28	0.03	100	8338	98.38	27.7
2023-03-11 00:20:00	0	0	0	0	2	10.74	15.59	28.1	94.1	98.38	-0.9	-0.3	0	28.1	0.03	100	8352	98.39	27.7
2023-03-11 00:25:00	0	0	0	0	357	13.02	19.84	28.1	94	98.38	-1	-0.2	0	28.1	0.03	100	8358	98.39	27.5
2023-03-11 00:30:00	0	0	0	0	359	13.06	19.33	28.1	94	98.39	-1	-0.4	0	28.1	0.03	100	8358	98.39	27.4
2023-03-11 00:35:00	0	0	0	0	355	12.46	17.38	28.1	94.6	98.39	-0.9	-0.5	0	28.1	0.03	100	8355	98.4	27.4
2023-03-11 00:40:00	0	0	0	0	354	13.89	20.33	28.2	94.3	98.39	-1	-0.9	0	28.2	0.03	100	8358	98.4	27.4
2023-03-11 00:45:00	0	0	0	0	350	11.79	17.16	28.2	95.2	98.4	-1	-0.4	0	28.2	0.03	100	8361	98.41	27.4
2023-03-11 00:50:00	0	0	0	0	354	12.15	18.43	28.2	95.4	98.41	-1.1	-0.2	0	28.2	0.02	100	8357	98.41	27.4
2023-03-11 00:55:00	0	0	0	0	348	11.83	16.37	28.2	95.4	98.41	-0.9	-0.6	0	28.2	0.02	100	8359	98.42	27.5
2023-03-11 01:00:00	0	0	0	0	346	12.19	18.37	28.2	95.4	98.42	-0.9	-0.6	0	28.2	0.02	100	8358	98.42	27.4
2023-03-11 01:05:00	0	0	0	0	353	12.5	18.68	28.3	95.3	98.42	-0.8	-0.2	0	28.3	0.02	100	8357	98.43	27.5
2023-03-11 01:10:00	0	0	0	0	351	12.88	17.67	28.4	94.7	98.43	-0.9	-0.3	0	28.4	0.03	100	8358	98.43	27.5
2023-03-11 01:15:00	0	0	0	0	349	12.55	16.08	28.4	94.7	98.43	-1	-0.6	0	28.4	0.03	100	8359	98.44	27.5
2023-03-11 01:20:00	0	0	0	0	343	11.59	15.73	28.4	95	98.43	-1	-0.5	0	28.4	0.03	100	8358	98.44	27.5
2023-03-11 01:25:00	0	0	0	0	344	10.02	16.35	28.4	94.9	98.44	-0.9	-0.6	0	28.4	0.03	100	8359	98.44	27.5
2023-03-11 01:30:00	0	0	0	0	338	11.43	16.24	28.4	94.7	98.44	-1	-0.6	0	28.4	0.03	100	8360	98.45	27.5
2023-03-11 01:35:00	0	0	0	0	341	12.95	17.16	28.4	95	98.45	-0.8	-0.7	0	28.4	0.03	100	8358	98.45	27.5
2023-03-11 01:40:00	0	0	0	0	345	12.84	17.34	28.4	95	98.45	-0.9	-0.6	0	28.4	0.03	100	8360	98.45	27.6
2023-03-11 01:45:00	0	0	0	0	349	12.62	16.31	28.4	94.7	98.44	-0.8	-0.6	0	28.4	0.03	100	8359	98.44	27.6
2023-03-11 01:50:00	0	0	0	0	344	12.3	16.75	28.5	95.2	98.44	-0.9	-0.6	0	28.5	0.03	100	8358	98.44	27.6
2023-03-11 01:55:00	0	0	0	0	332	13.22	20.13	28.4	95.4	98.44	-0.8	-0.4	0	28.4	0.02	100	8357	98.44	27.6
2023-03-11 02:00:00	0	0	0	0	343	14.92	22.66	28.3	95.8	98.44	-1	-0.5	0	28.3	0.02	100	8359	98.44	27.6
2023-03-11 02:05:00	0	0	0	0	344	17.22	27.92	28.3	95.8	98.44	-1	-0.6	0	28.4	0.02	100	8359	98.44	27.6
2023-03-11 02:10:00	0	0	0	0	344	15.14	18.52	28.5	96	98.44	-0.9	-0.7	0	28.5	0.02	100	8361	98.44	27.6
2023-03-11 02:15:00	0	0	0	0	341	14.27	21.41	28.5	95.7	98.44	-1.1	-0.7	0	28.5	0.02	100	8359	98.44	27.6
2023-03-11 02:20:00	0	0	0	0	347	14.9	18.59	28.5	94.5	98.44	-1.2	-0.3	0	28.5	0.03	100	8355	98.44	27.6
2023-03-11 02:25:00	0	0	0	0	342	14.03	21.32	28.4	94.7	98.44	-0.9	0	0	28.5	0.03	100	8358	98.45	27.6
2023-03-11 02:30:00	0	0	0	0	343	12.53	16.55	28.5	94.7	98.45	-0.8	-0.6	0	28.5	0.03	100	8358	98.45	27.6
2023-03-11 02:35:00	0	0	0	0	333	12.62	17.81	28.5	94.5	98.45	-0.9	-0.3	0	28.5	0.03	100	8355	98.45	27.6
2023-03-11 02:40:00	0	0	0	0	340	13.58	17.78	28.5	94.7	98.44	-0.9	-0.4	0	28.5	0.03	100	8358	98.45	27.6
2023-03-11 02:45:00	0	0	0	0	341	12.86	17.96	28.4	94.7	98.44	-1	-0.5	0	28.4	0.03	100	8358	98.45	27.6
2023-03-11 02:50:00	0	0	0	0	341	13.35	20.13	28.4	95.7	98.45	-0.9	-0.5	0	28.5	0.02	100	8355	98.45	27.6
2023-03-11 02:55:00	0	0	0	0	341	14.2	20.2	28.5	95.6	98.44	-0.9	-0.8	0	28.5	0.02	100	8355	98.45	27.6
2023-03-11 03:00:00	0	0	0	0	345	15.73	19.51	28.4	95.7	98.44	-0.9	-0.5	0	28.4	0.02	100	8355	98.45	27.6
2023-03-11 03:05:00	0	0	0	0	346	16.4	22.93	28.5	95.8	98.44	-0.9	-0.3	0	28.5	0.02	100	8355	98.45	27.6
2023-03-11 03:10:00	0	0	0	0	349	16.98	21.43	28.4	95.9	98.44	-0.9	-0.7	0	28.5	0.02	100	8352	98.45	27.6
2023-03-11 03:15:00	0	0	0	0	344	16.73	21.97	28.4	94.7	98.45	-0.9	-0.5	0	28.4	0.03	100	8355	98.45	27.6
2023-03-11 03:20:00	0	0	0	0	345	15.84	20.18	28.4	94.9	98.46	-0.9	-0.6	0	28.4	0.03	100	8354	98.46	27.6
2023-03-11 03:25:00	0	0	0	0	350	16.46	27.42	28.4	94.9	98.46	-1	-0.3	0	28.4	0.03	100	8355	98.47	27.6
2023-03-11 03:30:00	0	0	0	0	353	19.08	26.24	28.4	94.7	98.47	-0.8	-1.1	0	28.4	0.03	100	8353	98.47	27.5
2023-03-11 03:35:00	0	0	0	0	347	15.77	22.55	28.3	94.4	98.48	-0.9	-0.4	0	28.3	0.03	100	8355	98.49	27.5
2023-03-11 03:40:00	0	0	0	0	346	15.61	19.04	28.2	93.7	98.49	-1.1	-0.6	0	28.2	0.03	100	8354	98.5	27.4
2023-03-11 03:45:00	0	0	0	0	342	15.84	20.27	28.1	94	98.5	-1.2	-0.6	0	28.1	0.03	100	8354	98.51	27.3
2023-03-11 03:50:00	0	0	0	0	334	14.47	18.37	28.1	94	98.51	-0.9	-0.4	0	28.1	0.03	100	8352	98.52	27.3
2023-03-11 03:55:00	0	0	0	0	334	15.86	21.56	28	94.2	98.52	-0.7	-0.5	0	28	0.03	100	8353	98.53	27.2
2023-03-11 04:00:00	0	0	0	0	330	14.25	18.34	28	94.2	98.54	-1	-0.4	0	28	0.03	100	8352	98.54	27.2
2023-03-11 04:05:00	0	0	0	0	331	15.77	20.74	28	92.7	98.55	-0.8	-0.4	0	28	0.04	100	8353	98.55	27.2
2023-03-11 04:10:00	0	0	0	0	337	15.46	19.66	28	91.5	98.55	-0.9	-0.7	0	28	0.04	100	8351	98.56	27.2
2023-03-11 04:15:00	0	0	0	0	333	16.42	21.83	28.1	90.1	98.56	-0.8	-0.5	0	28.1	0.05	100	8352	98.56	27.2
2023-03-11 04:20:00	0	0	0	0	336	15.03	20.58	28.1	89.2	98.56	-1	-0.4	0	28.2	0.06	100	8348	98.57	27.2
2023-03-11 04:25:00	0	0	0	0	330	14.83	18.48	28.1	88.1	98.57	-0.9	-0.5	0	28.1	0.06	100	8351	98.57	27.2
2023-03-11 04:30:00	0	0	0	0	336	15.19	19.71	28.1	88.2	98.58	-1.1	-0.5	0	28.1	0.06	100	8350	98.58	27.1
2023-03-11 04:35:00	0	0	0	0	335	14.83	19.13	28.1	87.9	98.59	-1.1	-0.4	0	28.1	0.06	100	8349	98.59	27.1
2023-03-11 04:40:00	0	0	0	0	339	14.45	20.94	28	87.3	98.6	-1.1	-0.4	0	28	0.07	100	8349	98.6	27
2023-03-11 04:45:00	0	0	0	0	331	16.8	22.3	28	86.8	98.6	-0.9	-0.4	0	27.9	0.07	100	8349	98.61	27
2023-03-11 04:50:00	0	0	0	0	332	16.84	22.12	28	86.5	98.61	-1	-0.5	0	28	0.07	100	8349	98.62	27
2023-03-11 04:55:00	0	0	0	0	336	15.55	20.87	27.9	86.9	98.62	-0.3	-1	0	27.9	0.07	100	8349	98.63	26.9
2023-03-11 05:00:00	0	0	0	0	335	16.13	20.83	27.9	86.4	98.63	-0.9	-0.5	0	27.8	0.07	100	8349	98.63	26.9
2023-03-11 05:05:00	0	0	0	0	336	14.97	21.09	27.8	86.1	98.64	-0.9	-0.6	0	27.8	0.07	100	8349	98.64	26.9
2023-03-11 05:10:00	0	0	0	0	336	14.56	20.76	27.8	85.9	98.64	-1.2	-0.4	0	27.8	0.07	100	8352	98.65	26.8
2023-03-11 05:15:00	0	0	0	0	337	14.16	18.01	27.7	85.9	98.65	-0.9	-0.1	0	27.7	0.07	100	8348	98.65	26.8
2023-03-11 05:20:00	0	0	0	0	337	14.52	20.47	27.8	85.6	98.66	-1	-0.4	0	27.7	0.07	100	8346	98.66	26.7
2023-03-11 05:25:00	0	0	0	0	339	13.8	17.56	27.8	85.5	98.66	-0.9	-0.4	0	27.8	0.07	100	8347	98.66	26.7
2023-03-11 05:30:00	0	0	0	0	338	15.03	19.37	27.7	85.9	98.67	-0.9	-0.5	0	27.7	0.07	100	8346	98.67	26.7
2023-03-11 05:35:00	0	0	0	0	335	14	20.24	27.7	85.7	98.67	-1	-0.4	0	27.7	0.07	100	8344	98.67	26.7
2023-03-11 05:40:00	0	0	0	0	341	15.75	21.32	27.7	85.4	98.67	-1	-0.4	0	27.7	0.08	100	8346	98.68	26.7
2023-03-11 05:45:00	0	0	0	0	346	14.23	18.43	27.9	85.2	98.68	-0.9	-0.3	0	27.9	0.08	100	8346	98.69	26.7
2023-03-11 05:50:00	0	0	0	0	345	13.94	18.05	27.8	85.5	98.7	-0.8	-0.6	0	27.8	0.07	100	8343	98.7	26.7
2023-03-11 05:55:00	0	0	0	0	336	13.56	18.88	27.8	84.6	98.71	-0.9	-0.6	0	27.8	0.08	100	8345	98.72	26.8
2023-03-11 06:00:00	0	0	0	0	336	13.38	16.84	27.9	84.9	98.73	-1	-0.7	0	27.9	0.08	100	8346	98.73	26.7
2023-03-11 06:05:00	0	0	0	0	334	15.41	20.8	27.8	84.6	98.74	-0.8	-0.7	0	27.9	0.08	100	8342	98.74	26.7
2023-03-11 06:10:00	0	0	0	0	339	13.71	18.03	27.9	84.1	98.75	-0.8	-0.4	0	27.9	0.08	100	8345	98.75	26.7
2023-03-11 06:15:00	0	0	0	0	336	12.88	17.36	27.9	84.9	98.76	-0.9	-0.4	0	27.9	0.08	100	8346	98.77	26.7
2023-03-11 06:20:00	0	0	0	0	339	13.15	16.82	27.9	84.3	98.77	-0.9	-0.3	0	27.9	0.08	100	8344	98.78	26.7
2023-03-11 06:25:00	0.2	0	0	0	343	13.24	17.6	27.8	84.7	98.78	-1	-0.7	0	27.8	0.08	100	8343	98.78	26.7
2023-03-11 06:30:00	1	0	0	0	344	15.73	22.03	27.8	84.7	98.78	-1.3	-0.5	0	27.8	0.08	100	8346	98.78	26.7
2023-03-11 06:35:00	1.4	0	0	0	342	14.34	19.86	27.8	84.8	98.79	-0.9	-0.4	0	27.7	0.08	100	8342	98.79	26.7
2023-03-11 06:40:00	2.8	0	0	0	344	13.35	18.66	27.6	85.6	98.8	-1	-0.5	0	27.7	0.07	100	8344	98.81	26.7
2023-03-11 06:45:00	5.4	0	0	0	342	17.16	22.46	27.8	85.1	98.8	-1.2	-0.1	0	27.8	0.08	100	8342	98.8	26.7
2023-03-11 06:50:00	7.8	0	0	0	346	15.46	19.86	27.7	85.4	98.81	-1.2	-0.5	0	27.7	0.08	100	8341	98.81	26.7
2023-03-11 06:55:00	10	0	0	0	343	15.61	21.77	27.7	85.7	98.82	-0.8	-0.6	0	27.7	0.07	100	8342	98.83	26.6
2023-03-11 07:00:00	11	0	0	0	340	16.24	22.59	27.7	85.9	98.84	-0.9	-0.6	0	27.7	0.07	100	8341	98.84	26.6
2023-03-11 07:05:00	12	0	0	0	337	14.67	21.23	27.6	86.1	98.84	-0.8	-0.5	0	27.6	0.07	100	8339	98.85	26.6
2023-03-11 07:10:00	13.4	0	0	0	341	13.18	20.85	27.6	86.3	98.86	-1.1	-0.5	0	27.6	0.07	100	8339	98.87	26.6
2023-03-11 07:15:00	14.6	0	0	0	336	13.91	18.32	27.6	86.3	98.86	-1	-0.3	0	27.6	0.07	100	8338	98.87	26.5
2023-03-11 07:20:00	17.8	0	0	0	338	12.37	15.59	27.5	87.4	98.87	-1.1	-0.4	0	27.5	0.06	100	8339	98.87	26.5
2023-03-11 07:25:00	21.4	0	0	0	336	12.88	17.16	27.5	87.3	98.88	-1.1	-0.6	0	27.5	0.06	100	8339	98.88	26.5
2023-03-11 07:30:00	23.2	0	0	0	334	14.32	18.25	27.5	87	98.87	-0.9	-0.5	0	27.5	0.07	100	8337	98.88	26.5
2023-03-11 07:35:00	29.4	0	0	0	326	13.49	20.74	27.5	86.5	98.88	-0.9	-0.6	0	27.5	0.07	100	8339	98.89	26.5
2023-03-11 07:40:00	34.8	0	0	0	336	14.81	18.95	27.4	86.4	98.89	-0.8	-0.5	0	27.5	0.07	100	8339	98.89	26.5
2023-03-11 07:45:00	36.4	0	0	0	335	17.02	23.69	27.6	86	98.89	-0.8	-0.8	0	27.8	0.07	100	8339	98.9	26.5
2023-03-11 07:50:00	37.6	0	0	0	333	18.7	25.88	27.7	84.3	98.9	-0.9	-0.4	0	27.7	0.08	100	8339	98.9	26.5
2023-03-11 07:55:00	37	0	0	0	329	18.68	25.12	27.7	83.9	98.91	-0.8	-0.7	0	27.7	0.08	100	8339	98.91	26.6
2023-03-11 08:00:00	35	0	0	0	343	18.66	23.13	27.6	84.3	98.91	-0.8	-0.6	0	27.6	0.08	100	8339	98.92	26.6
2023-03-11 08:05:00	41.2	0	0	0	335	18.57	24.4	27.7	83.5	98.91	-1.1	0	0	27.8	0.08	100	8339	98.91	26.6
2023-03-11 08:10:00	45.4	0	0	0	342	17.54	21.61	27.8	83.6	98.92	-0.8	-0.6	0	27.8	0.08	100	8339	98.93	26.6
2023-03-11 08:15:00	46.6	0	0	0	337	17.87	21.47	27.7	82.2	98.93	-1.1	-0.4	0	27.8	0.09	100	8340	98.93	26.6
2023-03-11 08:20:00	50.8	0	0	0	341	17.02	23.15	27.7	82	98.93	-0.7	-0.7	0	27.8	0.09	100	8338	98.94	26.6
2023-03-11 08:25:00	55.6	0	0	0	342	16.71	26.11	27.8	81.7	98.94	-0.9	-0.4	0	27.8	0.09	100	8344	98.94	26.6
2023-03-11 08:30:00	61.2	0	0	0	348	15.59	21.52	27.8	81.7	98.95	-0.8	-0.5	0	27.9	0.09	100	8342	98.96	26.6
2023-03-11 08:35:00	63.8	0	0	0	341	18.37	24.74	27.8	81.6	98.95	-0.9	-0.2	0	27.9	0.09	100	8340	98.96	26.6
2023-03-11 08:40:00	72.4	0	0	0	346	15.59	19.73	27.7	82	98.96	-1.2	-0.6	0	27.9	0.09	100	8342	98.97	26.7
2023-03-11 08:45:00	83.8	0	0	0	338	16.4	20.47	27.8	81.1	98.97	-1.1	-0.3	0	28	0.1	100	8342	98.99	26.7
2023-03-11 08:50:00	87.2	0	0	0	342	15.95	22.91	27.7	80.3	98.98	-1	-0.3	0	27.9	0.1	100	8343	98.99	26.7
2023-03-11 08:55:00	93	0	0	0	334	14.29	18.28	27.9	81	98.99	-1.1	-0.5	0	28	0.1	100	8345	99	26.8
2023-03-11 09:00:00	98.8	0	0	0	337	16.67	22.7	28	80.9	99	-0.9	-0.3	0	28.2	0.1	100	8348	99	26.8
2023-03-11 09:05:00	99	0	0	0	340	17.67	24.56	27.9	80.5	99	-0.7	-0.7	0	28.1	0.1	100	8347	99.01	26.8
2023-03-11 09:10:00	106.6	0	0	0	343	15.08	19.73	28	80.9	99.01	-0.8	-0.6	0	28.3	0.1	100	8351	99.02	26.9
2023-03-11 09:15:00	115.6	0	0	0	338	14.29	22.64	28	80.8	99.01	-1	-0.6	0	28.3	0.1	100	8351	99.03	26.9
2023-03-11 09:20:00	135.4	0	0	0	337	16.73	22.19	28.1	80.4	99.01	-0.9	-0.2	0	28.4	0.1	100	8352	99.02	27
2023-03-11 09:25:00	162.4	0	0	0	349	17.49	25.66	28.3	79.3	99.01	-1.1	-0.6	0	28.5	0.11	100	8358	99.02	27.1
2023-03-11 09:30:00	179.2	0	0	0	333	18.32	26.55	28.5	78.6	99.01	-0.6	-0.8	0	28.8	0.11	100	8361	99.02	27.2
2023-03-11 09:35:00	205.2	0	0	0	340	15.01	20.11	28.7	78.5	99.01	-1	-0.5	0	29.1	0.11	100	8361	99.03	27.4
2023-03-11 09:40:00	242.4	0	0	0	340	17.07	26.66	28.9	77.8	99	-1	-0.5	0	29.4	0.12	100	8370	99.02	27.6
2023-03-11 09:45:00	273	0	0	0	349	18.3	24.02	29.3	76.6	99	-0.8	-0.6	0	29.9	0.13	100	8377	99.02	27.8
2023-03-11 09:50:00	309.4	0	0	0	350	17.29	24.87	29.7	76.4	99	-0.9	-0.6	0	30.4	0.13	100	8378	99.03	28.1
2023-03-11 09:55:00	320.2	0	0	0	348	17.31	22.59	30.1	74.7	99.01	-0.9	-0.2	0	30.6	0.14	100	8384	99.03	28.3
2023-03-11 10:00:00	336.4	0	0	0	346	15.12	21.92	30.3	75.3	99.02	-0.9	-0.5	0	31.1	0.14	100	8391	99.04	28.6
2023-03-11 10:05:00	343.6	0	0	0	352	18.59	24.72	30.8	73.7	99.02	-0.8	-0.7	0	31.5	0.15	100	8396	99.04	28.8
2023-03-11 10:10:00	329.8	0	0	0	350	18.92	23.47	30.9	71.8	99.02	-0.8	-0.6	0	31.5	0.16	100	8404	99.04	28.9
2023-03-11 10:15:00	299.4	0	0	0	346	18.68	25.34	30.8	72	99.02	-0.5	-0.4	0	31.5	0.16	100	8406	99.04	28.9
2023-03-11 10:20:00	279.2	0	0	0	345	16.6	23.26	30.8	72.1	99.04	-1	-0.5	0	31.4	0.16	100	8408	99.06	29
2023-03-11 10:25:00	264.8	0	0	0	338	16.42	25.39	30.6	72.8	99.06	-0.8	-0.6	0	31.1	0.16	100	8409	99.07	29.1
2023-03-11 10:30:00	262	0	0	0	327	18.23	27.27	30.7	72.5	99.07	-0.8	-0.5	0	31.1	0.16	100	8413	99.08	29.1
2023-03-11 10:35:00	264.4	0	0	0	332	18.3	22.44	30.5	72.5	99.07	-1.2	-0.4	0	31	0.16	100	8413	99.08	29.1
2023-03-11 10:40:00	260.2	0	0	0	336	18.32	23.73	30.3	71.9	99.08	-0.7	-0.4	0	30.8	0.16	100	8417	99.1	29.1
2023-03-11 10:45:00	265.2	0	0	0	338	16.53	22.15	30.2	72.2	99.09	-0.8	-0.5	0	30.7	0.16	100	8420	99.11	29.2
2023-03-11 10:50:00	249.6	0	0	0	341	13.78	19.73	30.2	72.5	99.09	-0.9	-0.6	0	30.7	0.16	100	8419	99.11	29.2
2023-03-11 10:55:00	291.6	0	0	0	348	15.41	20.85	30.4	73.3	99.09	-0.9	-0.5	0	31	0.15	100	8425	99.11	29.4
2023-03-11 11:00:00	298.6	0	0	0	336	16.11	23.78	30.

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-11 11:10:00	351.6	0	0	0	339	18.7	24.72	31.1	71.2	99.08	-0.9	-0.4	0	31.7	0.17	100	8440	99.1	29.8
2023-03-11 11:15:00	409	0	0	0	332	16.35	21.14	31.4	70.9	99.07	-1	-0.5	0	32.1	0.17	100	8444	99.1	30
2023-03-11 11:20:00	413.8	0	0	0	323	19.35	25.32	31.9	69.9	99.06	-0.9	-0.4	0	32.6	0.18	100	8453	99.09	30.3
2023-03-11 11:25:00	410.4	0	0	0	335	16.22	24.67	32.1	69.8	99.08	-0.6	-0.2	0	32.8	0.18	100	8457	99.11	30.5
2023-03-11 11:30:00	378.4	0	0	0	330	14.85	19.19	32.2	69.2	99.1	-1.1	-0.6	0	32.9	0.19	100	8460	99.13	30.8
2023-03-11 11:35:00	309.8	0	0	0	326	17.78	22.73	31.9	69.3	99.12	-0.8	-0.8	0	32.6	0.19	100	8459	99.13	30.8
2023-03-11 11:40:00	347	0	0	0	328	15.66	21.3	31.8	69.2	99.12	-0.8	-0.5	0	32.4	0.19	100	8465	99.13	30.7
2023-03-11 11:45:00	389.8	0	0	0	336	17.22	22.5	31.9	69.1	99.11	-1	-0.5	0	32.5	0.19	100	8467	99.14	30.8
2023-03-11 11:50:00	402.4	0	0	0	339	17.27	21.92	32.1	68.8	99.11	-0.8	-0.5	0	32.8	0.19	100	8473	99.13	31
2023-03-11 11:55:00	415.6	0	0	0	343	18.01	22.91	32.4	68.2	99.11	-0.6	-0.5	0	33.1	0.2	100	8478	99.14	31.1
2023-03-11 12:00:00	368.2	0	0	0	334	16.73	23.87	32.4	68.2	99.12	-0.9	-0.3	0	33.1	0.2	100	8483	99.14	31.1
2023-03-11 12:05:00	386.6	0	0	0	344	17.67	22.37	32.3	68.3	99.11	-1	-0.7	0	33	0.2	100	8485	99.13	31.2
2023-03-11 12:10:00	360.6	0	0	0	339	16.02	21.52	32.3	68	99.12	-0.9	-0.3	0	32.9	0.2	100	8484	99.14	31.2
2023-03-11 12:15:00	369.2	0	0	0	328	16.8	22.7	32.3	67.8	99.11	-0.9	-0.2	0	33	0.2	100	8491	99.14	31.2
2023-03-11 12:20:00	385.4	0	0	0	333	15.66	23.11	32.3	68.5	99.12	-0.9	-0.6	0	33.1	0.2	100	8493	99.14	31.4
2023-03-11 12:25:00	379	0	0	0	349	17.9	24.4	32.5	67.3	99.12	-0.8	-0.2	0	33.3	0.2	100	8498	99.14	31.5
2023-03-11 12:30:00	372.8	0	0	0	350	16.8	23.11	32.6	67.7	99.12	-1	-0.7	0	33.3	0.2	100	8501	99.14	31.4
2023-03-11 12:35:00	330.8	0	0	0	349	16.26	23.76	32.5	68.1	99.12	-0.7	-0.5	0	33.2	0.2	100	8501	99.14	31.4
2023-03-11 12:40:00	336.8	0	0	0	338	16.24	22.26	32.5	69	99.13	-0.8	-0.6	0	33.2	0.19	100	8505	99.14	31.5
2023-03-11 12:45:00	387.4	0	0	0	352	15.48	19.06	32.7	68.5	99.12	-0.8	-0.3	0	33.4	0.2	100	8510	99.14	31.6
2023-03-11 12:50:00	444.4	0	0	0	334	14.38	20.31	33.2	67.3	99.11	-0.6	-0.5	0	34	0.21	100	8513	99.14	31.9
2023-03-11 12:55:00	362.8	0	0	0	337	16.53	26.71	33.4	66.9	99.11	-0.8	-0.6	0	34.1	0.21	100	8516	99.13	32.1
2023-03-11 13:00:00	392	0	0	0	333	18.23	24.72	33.3	66.4	99.11	-0.8	0	0	33.9	0.22	100	8520	99.12	32.1
2023-03-11 13:05:00	407.6	0	0	0	324	18.48	24.07	33.4	66.9	99.1	-0.8	-0.5	0	34.1	0.21	100	8523	99.12	32.1
2023-03-11 13:10:00	378.4	0	0	0	322	15.95	20.78	33.3	66.8	99.11	-1	-0.5	0	34	0.21	100	8526	99.13	32.3
2023-03-11 13:15:00	358.4	0	0	0	320	16.2	25.59	33.3	66.8	99.11	-0.7	-0.5	0	34	0.21	100	8526	99.12	32.3
2023-03-11 13:20:00	327	0	0	0	326	16.17	20.65	33.1	67.4	99.11	-0.5	-0.7	0	33.7	0.21	100	8528	99.12	32.3
2023-03-11 13:25:00	321.8	0	0	0	337	16.58	21.56	33	67.5	99.11	-0.7	-0.4	0	33.6	0.21	100	8530	99.12	32.2
2023-03-11 13:30:00	302.6	0	0	0	325	13.69	19.37	32.8	67.8	99.11	-0.9	-0.3	0	33.5	0.2	100	8530	99.13	32.3
2023-03-11 13:35:00	331.4	0	0	0	327	17.09	23.71	32.8	68.1	99.11	-0.7	-0.4	0	33.5	0.2	100	8532	99.12	32.3
2023-03-11 13:40:00	345	0	0	0	333	16.4	23.02	32.9	68	99.11	-0.9	-0.7	0	33.6	0.2	100	8534	99.13	32.4
2023-03-11 13:45:00	401.6	0	0	0	335	17.02	23.78	33.1	67.1	99.1	-0.9	-0.4	0	33.8	0.21	100	8536	99.12	32.4
2023-03-11 13:50:00	385.2	0	0	0	330	15.26	20.94	33.3	67	99.11	-0.8	-0.6	0	34	0.21	100	8541	99.12	32.6
2023-03-11 13:55:00	421.4	0	0	0	329	15.08	21.45	33.7	66.2	99.09	-0.8	-0.9	0	34.4	0.22	100	8541	99.12	32.7
2023-03-11 14:00:00	562.4	0	0	0	327	13.62	19.28	34.8	65.2	99.09	-0.8	-0.4	0	35.6	0.24	100	8544	99.13	33
2023-03-11 14:05:00	455	0	0	0	346	16.93	25.61	35.5	62.5	99.1	-0.7	-0.4	0	36.2	0.26	100	8544	99.13	33.3
2023-03-11 14:10:00	408.4	0	0	0	343	17.18	23.22	35.2	63.2	99.1	-0.6	-0.5	0	35.9	0.26	100	8545	99.13	33.2
2023-03-11 14:15:00	423.6	0	0	0	339	13.47	19.08	34.7	64.5	99.12	-0.7	-0.3	0	35.5	0.24	100	8546	99.13	33.2
2023-03-11 14:20:00	362.2	0	0	0	339	13.67	19.62	34.7	64.7	99.12	-0.8	-0.7	0	35.4	0.24	100	8547	99.14	33.3
2023-03-11 14:25:00	287.2	0	0	0	331	12.95	19.84	34.4	65.3	99.13	-0.8	-0.5	0	35.1	0.23	100	8547	99.14	33.3
2023-03-11 14:30:00	243	0	0	0	333	14.85	20.74	34.2	64.7	99.13	-0.9	-0.7	0	34.8	0.24	100	8545	99.14	33
2023-03-11 14:35:00	267.2	0	0	0	323	14.25	20.51	33.6	65.1	99.13	-0.8	-0.4	0	34.1	0.23	100	8545	99.14	32.7
2023-03-11 14:40:00	255.8	0	0	0	345	15.48	21.63	33.3	65	99.12	-0.9	-0.4	0	33.7	0.22	100	8542	99.13	32.6
2023-03-11 14:45:00	639	0	0	0	349	14.54	21.03	34.5	65.5	99.09	-0.9	-0.2	0	35.2	0.23	100	8544	99.14	32.6
2023-03-11 14:50:00	543.8	0	0	0	332	13.49	19.37	35.5	65.5	99.12	-0.8	-0.4	0	36.2	0.24	100	8546	99.15	33.2
2023-03-11 14:55:00	516.6	0	0	0	334	13.53	16.62	36	64.4	99.13	-0.6	-0.5	0	36.8	0.26	100	8545	99.15	33.6
2023-03-11 15:00:00	457.4	0	0	0	334	12.86	18.9	36.2	64.5	99.14	-0.5	-0.7	0	37	0.26	100	8543	99.16	33.8
2023-03-11 15:05:00	537.8	0	0	0	342	13.87	19.37	36.5	62.5	99.13	-0.6	-0.5	0	37.3	0.27	100	8539	99.16	33.9
2023-03-11 15:10:00	448	0	0	0	343	14.97	20.42	36.9	62.1	99.14	-0.4	-0.8	0	37.7	0.28	100	8536	99.16	33.8
2023-03-11 15:15:00	258.4	0	0	0	328	14.36	19.01	35.6	63	99.16	-0.7	-0.5	0	36	0.26	100	8535	99.15	33.3
2023-03-11 15:20:00	454.8	0	0	0	330	14.92	18.52	35.7	62.8	99.13	-0.6	-0.5	0	36.4	0.26	100	8535	99.15	33.2
2023-03-11 15:25:00	461.6	0	0	0	325	11.81	18.52	35.9	62.8	99.14	-0.8	-0.6	0	36.7	0.27	100	8535	99.15	33.6
2023-03-11 15:30:00	491.4	0	0	0	332	12.64	18.48	36.2	62.2	99.13	-0.6	-0.6	0	37	0.27	100	8532	99.15	34
2023-03-11 15:35:00	470.8	0	0	0	340	12.91	17.13	36.7	61.3	99.14	-0.4	-0.6	0	37.5	0.29	100	8532	99.16	34.2
2023-03-11 15:40:00	445.4	0	0	0	317	11.5	16.98	36.6	62.1	99.15	-0.4	-0.6	0	37.4	0.28	100	8531	99.16	33.9
2023-03-11 15:45:00	431.4	0	0	0	319	11.74	17.45	36.8	62.1	99.15	-0.6	-0.5	0	37.7	0.28	100	8531	99.16	34.4
2023-03-11 15:50:00	263.8	0	0	0	324	14.2	20.2	36.4	61.7	99.17	-0.5	-0.6	0	37	0.28	100	8529	99.16	34.4
2023-03-11 15:55:00	387.6	0	0	0	314	13.91	19.57	35.8	62.7	99.15	-0.6	-0.7	0	36.4	0.27	100	8526	99.16	34.2
2023-03-11 16:00:00	474.6	0	0	0	319	14.76	20.09	36.2	62.9	99.15	-0.8	-0.8	0	37	0.27	100	8529	99.17	34.9
2023-03-11 16:05:00	226.4	0	0	0	306	11.99	19.06	36	63.2	99.18	-0.8	-0.7	0	36.6	0.26	100	8528	99.18	34.8
2023-03-11 16:10:00	192.4	0	0	0	303	13.73	17.74	35.1	63.7	99.17	-0.5	-0.4	0	35.4	0.25	100	8523	99.17	33.9
2023-03-11 16:15:00	253.6	0	0	0	345	15.57	20.71	34.6	64.8	99.16	-0.7	-0.8	0	35.1	0.24	100	8524	99.16	33.8
2023-03-11 16:20:00	245	0	0	0	333	15.19	20.15	34.5	65.5	99.16	-0.9	-0.3	0	35	0.23	100	8520	99.16	33.9
2023-03-11 16:25:00	233.8	0	0	0	318	11.05	16.73	34.1	66.5	99.16	-0.7	-0.7	0	34.6	0.22	100	8519	99.17	33.7
2023-03-11 16:30:00	238.2	0	0	0	333	14.85	19.71	34.3	66.2	99.16	-0.7	-0.5	0	34.8	0.23	100	8520	99.17	34.2
2023-03-11 16:35:00	218.8	0	0	0	331	14.2	17.49	34.1	66.1	99.17	-0.8	-0.6	0	34.7	0.23	100	8517	99.18	34.3
2023-03-11 16:40:00	200.4	0	0	0	329	14.43	19.66	33.9	66.6	99.17	-0.6	-0.6	0	34.4	0.22	100	8514	99.18	34.2
2023-03-11 16:45:00	175.4	0	0	0	313	14.12	19.33	33.8	66.9	99.18	-0.6	-0.8	0	34.2	0.22	100	8513	99.19	34.1
2023-03-11 16:50:00	151.6	0	0	0	314	12.64	21.81	33.3	67.5	99.19	-0.7	-0.5	0	33.6	0.21	100	8503	99.18	33.2
2023-03-11 16:55:00	106.8	0	0	0	315	12.86	17.9	32.9	67.9	99.19	-0.8	-0.7	0	33.2	0.2	100	8506	99.18	32
2023-03-11 17:00:00	117.4	0	0	0	307	13.11	16.8	32.7	68.8	99.19	-0.7	-0.4	0	33	0.2	100	8503	99.18	31.5
2023-03-11 17:05:00	68.8	0	0	0	305	12.26	18.43	32.5	69.1	99.19	-0.8	-0.6	0	32.6	0.19	100	8501	99.19	31.9
2023-03-11 17:10:00	98.6	0	0	0	314	14.74	19.93	32.2	69.4	99.19	-0.8	-0.5	0	32.4	0.19	100	8501	99.19	32
2023-03-11 17:15:00	84.2	0	0	0	321	14.58	19.28	32.1	69.5	99.19	-0.9	-0.4	0	32.3	0.19	100	8499	99.19	32.4
2023-03-11 17:20:00	70.6	0	0	0	329	12.19	16.08	31.9	70	99.2	-0.9	-0.7	0	32.1	0.18	100	8498	99.21	32.4
2023-03-11 17:25:00	42.8	0	0	0	321	13.87	19.89	31.7	70.5	99.2	-0.7	-0.5	0	31.8	0.18	100	8495	99.2	32.2
2023-03-11 17:30:00	37.2	0	0	0	321	12.55	16.69	31.4	70.6	99.21	-0.8	-0.5	0	31.4	0.18	100	8494	99.2	31.1
2023-03-11 17:35:00	36.2	0	0	0	336	13	16.75	31.1	71.3	99.22	-0.9	-0.6	0	31.3	0.17	100	8494	99.22	31.2
2023-03-11 17:40:00	27.4	0	0	0	331	12.88	16.78	30.9	71.8	99.22	-0.8	-0.4	0	31	0.16	100	8493	99.22	31.1
2023-03-11 17:45:00	20	0	0	0	335	11.59	15.68	30.6	72.7	99.23	-0.8	-0.5	0	30.7	0.16	100	8491	99.23	30.7
2023-03-11 17:50:00	14	0	0	0	336	11.32	16.24	30.4	71.7	99.24	-0.8	-0.6	0	30.4	0.16	100	8489	99.23	30.3
2023-03-11 17:55:00	8.2	0	0	0	335	11.1	13.8	30	72.7	99.24	-1	-0.6	0	30	0.15	100	8488	99.23	29.6
2023-03-11 18:00:00	5.4	0	0	0	335	10.07	13.89	29.7	73.6	99.25	-0.9	-0.4	0	29.7	0.15	100	8489	99.23	28.7
2023-03-11 18:05:00	3.2	0	0	0	338	9.73	12.12	29.4	74.7	99.25	-1	-0.5	0	29.3	0.14	100	8486	99.24	28.1
2023-03-11 18:10:00	1.4	0	0	0	334	9.6	12.66	29	75	99.25	-1	-0.4	0	29	0.14	100	8485	99.24	27.7
2023-03-11 18:15:00	0	0	0	0	327	10.2	12.46	28.8	75.7	99.25	-1	-0.4	0	28.8	0.13	100	8484	99.24	27.4
2023-03-11 18:20:00	0	0	0	0	334	10.16	12.8	28.6	76.7	99.26	-1	-0.5	0	28.6	0.12	100	8481	99.24	27.1
2023-03-11 18:25:00	0	0	0	0	330	9.35	11.43	28.3	76.4	99.26	-1.1	-0.5	0	28.3	0.12	100	8481	99.25	26.8
2023-03-11 18:30:00	0	0	0	0	332	8.3	10.33	28	76.9	99.27	-1.1	-0.4	0	28	0.12	100	8481	99.25	26.5
2023-03-11 18:35:00	0	0	0	0	330	9.17	10.78	28	77.2	99.27	-1	-0.6	0	28	0.12	100	8478	99.26	26.2
2023-03-11 18:40:00	0	0	0	0	323	7.83	9.46	27.8	77.6	99.28	-0.9	-0.5	0	27.8	0.12	100	8478	99.26	26.1
2023-03-11 18:45:00	0	0	0	0	318	7.85	9.04	27.6	78.3	99.28	-1.1	-0.4	0	27.6	0.11	100	8477	99.27	25.8
2023-03-11 18:50:00	0	0	0	0	305	6.98	9.19	27.6	78.4	99.29	-1.1	-0.4	0	27.5	0.11	100	8475	99.28	25.7
2023-03-11 18:55:00	0	0	0	0	300	6.53	7.81	27.4	79.1	99.3	-0.9	-0.5	0	27.4	0.11	100	8474	99.29	25.5
2023-03-11 19:00:00	0	0	0	0	302	5.75	8.34	27.2	79.6	99.3	-1	-0.4	0	27.2	0.1	100	8475	99.29	25.2
2023-03-11 19:05:00	0	0	0	0	307	5.55	7.16	27	79.1	99.31	-1	-0.4	0	27	0.1	100	8472	99.29	25
2023-03-11 19:10:00	0	0	0	0	308	4.32	5.44	26.9	79.7	99.3	-1	-0.5	0	26.9	0.1	100	8472	99.29	24.7
2023-03-11 19:15:00	0	0	0	0	310	4.36	5.59	26.7	79.2	99.3	-1.1	-0.4	0	26.7	0.1	100	8471	99.28	24.5
2023-03-11 19:20:00	0	0	0	0	301	4.47	5.44	26.5	79.8	99.29	-1	-0.4	0	26.5	0.1	100	8468	99.28	24.2
2023-03-11 19:25:00	0	0	0	0	291	5.53	6.73	26.4	80.3	99.3	-1.1	-0.5	0	26.4	0.1	100	8468	99.28	24.1
2023-03-11 19:30:00	0	0	0	0	282	6.73	7.76	26.4	80.3	99.3	-1	-0.5	0	26.4	0.1	100	8469	99.29	24.1
2023-03-11 19:35:00	0	0	0	0	281	7.63	9.31	26.4	80.2	99.31	-1.1	-0.4	0	26.4	0.1	100	8462	99.29	24.1
2023-03-11 19:40:00	0	0	0	0	274	7.94	9.51	26.4	80.3	99.31	-1.1	-0.6	0	26.4	0.1	100	8463	99.3	24.2
2023-03-11 19:45:00	0	0	0	0	272	8.28	10.92	26.4	80.2	99.31	-1.1	-0.4	0	26.4	0.1	100	8461	99.3	24.2
2023-03-11 19:50:00	0	0	0	0	271	8.97	10.94	26.5	79.9	99.32	-1	-0.6	0	26.5	0.1	100	8460	99.31	24.2
2023-03-11 19:55:00	0	0	0	0	267	8.7	10.6	26.5	79.9	99.32	-1.1	-0.4	0	26.5	0.1	100	8464	99.31	24.2
2023-03-11 20:00:00	0	0	0	0	267	8.41	10.4	26.5	79.8	99.33	-1	-0.5	0	26.5	0.1	100	8459	99.31	24.2
2023-03-11 20:05:00	0	0	0	0	265	8.34	10.8	26.5	79.9	99.33	-1.1	-0.5	0	26.5	0.1	100	8458	99.32	24.2
2023-03-11 20:10:00	0	0	0	0	265	9.13	11.14	26.5	79.9	99.33	-1	-0.4	0	26.5	0.1	100	8459	99.32	24.2
2023-03-11 20:15:00	0	0	0	0	264	8.88	11.52	26.5	79.8	99.33	-1	-0.5	0	26.5	0.1	100	8460	99.32	24.2
2023-03-11 20:20:00	0	0	0	0	268	9.04	11.27	26.4	80.2	99.34	-1.1	-0.4	0	26.4	0.1	100	8457	99.33	24.2
2023-03-11 20:25:00	0	0	0	0	266	8.95	11.39	26.2	80.4	99.34	-1	-0.4	0	26.2	0.09	100	8460	99.33	24
2023-03-11 20:30:00	0	0	0	0	268	8.7	11.21	26.1	80.3	99.34	-1	-0.5	0	26.1	0.09	100	8459	99.33	23.9
2023-03-11 20:35:00	0	0	0	0	267	9.4	12.44	25.9	79.9	99.35	-1	-0.5	0	25.9	0.1	100	8456	99.34	23.8
2023-03-11 20:40:00	0	0	0	0	270	10.04	12.24	25.8	80	99.36	-1	-0.6	0	25.8	0.09	100	8456	99.35	23.9
2023-03-11 20:45:00	0	0	0	0	273	8.97	11.25	25.8	80	99.36	-1.1	-0.5	0	25.8	0.09	100	8457	99.35	23.9
2023-03-11 20:50:00	0	0	0	0	274	8.59	10.47	25.8	80	99.36	-1	-0.5	0	25.8	0.09	100	8453	99.35	23.8
2023-03-11 20:55:00	0	0	0	0	272	9.46	14.63	25.7	80.6	99.36	-1.1	-0.5	0	25.7	0.09	100	8453	99.35	23.7
2023-03-11 21:00:00	0	0	0	0	272	10.45	13.47	25.6	80.7	99.36	-1	-0.5	0	25.6	0.09	100	8454	99.35	23.6
2023-03-11 21:05:00	0	0	0	0	274	10.45	14.27	25.5	81.1	99.37	-1.1	-0.4	0	25.6	0.09	100	8451	99.36	23.6
2023-03-11 21:10:00	0	0	0	0	274	9.17	12.03	25.4	81.3	99.36	-1	-0.6	0	25.5	0.09	100	8451	99.35	23.6
2023-03-11 21:15:00	0	0	0	0	273	9.55	11.97	25.4	81.3	99.36	-1.1	-0.5	0	25.4	0.09	100	8453	99.35	23.5
2023-03-11 21:20:00	0	0	0	0	270	9.31	11.36	25.4	81.6	99.36	-1	-0.5	0	25.4	0.09	100	8452	99.36	23.4
2023-03-11 21:25:00	0	0	0	0	271	9.64	12.24	25.3	81.7	99.37	-1.1	-0.5	0	25.3	0.09	100	8451	99.37	23.4
2023-03-11 21:30:00	0	0	0	0	267	9.8	12.84	25.3	80.7	99.38	-1.1	-0.4	0	25.2	0.09	100	8451	99.37	23.4
2023-03-11 21:35:00	0	0	0	0	267	10.33	12.95	25.2	80.3	99.38	-1.2	-0.6	0	25.2	0.09	100	8447	99.37	23.3
2023-03-11 21:40:00	0	0	0	0	267	9.73	12.71	25.2	80.2	99.39	-1.1	-0.4	0	25.2	0.09	100	8447	99.38	23.3
2023-03-11 21:45:00	0	0	0	0	265	10.02	12.82	25.2	80.2	99.39	-1.1	-0.5	0	25.2	0.09	100	8449	99.39	23.2
2023-03-11 21:50:00	0	0	0	0	266	10.94	15.97	25.1	80.4	99.39	-0.9	-0.4	0	25.1	0.09	100	8448	99.38	23.2
2023-03-11 21:55:00	0	0	0	0	266	10.63	14.29	25	80.6	99.4	-0.9	-0.4	0	25	0.09	100	8445	99.39	23.2
2023-03-11 22:00:00	0	0	0	0	269	9.62	13.94	25	80.6	99.4	-1	-0.4	0	25	0.09	100	8446	99.39	23.1
2023-03-11 22:05:00	0	0	0	0	267	10.22	12.53	24.9	80.9	99.4	-1.1	-0.4	0	24.9	0.09	100	8444	99.39	23.1
2023-03-11 22:10:00	0	0	0	0	268	11.36	16.35	24.9	81	99.39	-1.1	-0.5	0	24.9	0.09	100	8446	99.39	23.1
2023-03-11 22:15:00	0	0	0	0	267	10.36	12.93	24.9	80.9	99.39	-1.1	-0.4	0	24.9	0.09	100	8443	99.38	23
2023-03-11 22:20:00	0	0	0	0	269	10.09	14.23	25	80.8	99.39	-1.1	-0.5	0	25	0.09	100	8444	99.38	23

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-11 22:35:00	0	0	0	0	265	7.96	10.18	24.4	80.5	99.36	-1.1	-0.4	0	24.4	0.09	100	8444	99.36	22.5
2023-03-11 22:40:00	0	0	0	0	273	6.38	8.37	24.4	80.5	99.36	-1.1	-0.5	0	24.4	0.09	100	8442	99.35	22.4
2023-03-11 22:45:00	0	0	0	0	284	3.6	5.26	24.3	81	99.35	-1.1	-0.5	0	24.3	0.08	100	8440	99.33	22.2
2023-03-11 22:50:00	0	0	0	0	268	3.62	4.74	24	81.8	99.33	-1	-0.5	0	24	0.08	100	8440	99.33	21.8
2023-03-11 22:55:00	0	0	0	0	272	3.8	4.43	23.8	82.6	99.32	-1.1	-0.5	0	23.8	0.08	100	8440	99.31	21.6
2023-03-11 23:00:00	0	0	0	0	269	3.33	3.71	23.6	82.9	99.32	-1.1	-0.5	0	23.6	0.07	100	8440	99.31	21.4
2023-03-11 23:05:00	0	0	0	0	243	3.36	4.05	23.4	82.4	99.3	-1.1	-0.5	0	23.4	0.08	100	8435	99.29	21.1
2023-03-11 23:10:00	0	0	0	0	220	4.16	4.81	23.4	82.4	99.29	-1.2	-0.5	0	23.4	0.08	100	8437	99.29	21
2023-03-11 23:15:00	0	0	0	0	233	4.16	4.88	23.6	82.7	99.3	-1.1	-0.5	0	23.6	0.07	100	8437	99.28	21.1
2023-03-11 23:20:00	0	0	0	0	238	3.65	4.56	23.6	83.1	99.29	-1.1	-0.4	0	23.6	0.07	100	8438	99.28	21
2023-03-11 23:25:00	0	0	0	0	237	4.07	4.61	23.8	82.7	99.3	-1.2	-0.4	0	23.8	0.08	100	8436	99.29	21
2023-03-11 23:30:00	0	0	0	0	224	4.54	5.5	23.8	82.7	99.3	-1.2	-0.4	0	23.8	0.08	100	8437	99.29	21.1
2023-03-11 23:35:00	0	0	0	0	221	5.68	6.64	23.8	82.5	99.3	-1.2	-0.5	0	23.8	0.08	100	8436	99.28	21.1
2023-03-11 23:40:00	0	0	0	0	207	4.85	6.13	24	81.8	99.29	-1.2	-0.5	0	24	0.08	100	8434	99.28	21.1
2023-03-11 23:45:00	0	0	0	0	195	3.76	4.97	24.2	81.3	99.28	-1.1	-0.4	0	24.2	0.08	100	8435	99.26	21
2023-03-11 23:50:00	0	0	0	0	175	3.96	4.81	24.1	81.6	99.27	-1	-0.5	0	24	0.08	100	8433	99.26	20.8
2023-03-11 23:55:00	0	0	0	0	165	4.61	5.23	23.9	82.3	99.26	-1.2	-0.5	0	23.9	0.08	100	8433	99.25	20.7
2023-03-12 00:00:00	0	0	0	0	178	4.52	5.64	23.8	82.7	99.27	-1.1	-0.4	0	23.8	0.08	100	8431	99.26	20.7
2023-03-12 00:05:00	0	0	0	0	195	5.41	7.11	23.7	82.4	99.27	-1.1	-0.4	0	23.8	0.08	100	8399	99.27	20.9
2023-03-12 00:10:00	0	0	0	0	196	7.9	9.15	23.6	82.2	99.28	-1.1	-0.5	0	23.6	0.08	100	8386	99.27	21.1
2023-03-12 00:15:00	0	0	0	0	198	8.03	9.15	23.3	82	99.27	-1.1	-0.4	0	23.3	0.08	100	8379	99.27	20.9
2023-03-12 00:20:00	0	0	0	0	197	7.09	8.41	23	82.9	99.27	-1.1	-0.4	0	23	0.07	100	8396	99.26	20.8
2023-03-12 00:25:00	0	0	0	0	198	7.4	8.43	23	83	99.27	-1.2	-0.4	0	23	0.07	100	8398	99.26	20.4
2023-03-12 00:30:00	0	0	0	0	198	6.96	7.81	23	83.1	99.27	-1.3	-0.3	0	23	0.07	100	8402	99.26	20.3
2023-03-12 00:35:00	0	0	0	0	200	5.95	7.05	22.9	83.4	99.26	-1.1	-0.4	0	22.9	0.07	100	8402	99.25	20.2
2023-03-12 00:40:00	0	0	0	0	225	5.14	5.86	23	82.9	99.25	-1	-0.4	0	23.1	0.07	100	8403	99.25	20.1
2023-03-12 00:45:00	0	0	0	0	232	5.79	6.76	23.2	82.4	99.25	-1.1	-0.6	0	23.2	0.07	100	8403	99.25	20.1
2023-03-12 00:50:00	0	0	0	0	229	6.46	7.65	23.4	81.8	99.25	-1.1	-0.4	0	23.3	0.08	100	8403	99.24	20.2
2023-03-12 00:55:00	0	0	0	0	226	6.64	7.29	23.5	81.3	99.26	-1.1	-0.5	0	23.5	0.08	100	8403	99.25	20.2
2023-03-12 01:00:00	0	0	0	0	227	6.49	7.07	23.4	81.5	99.26	-1.1	-0.4	0	23.4	0.08	100	8406	99.25	20
2023-03-12 01:05:00	0	0	0	0	231	6.04	6.71	23.3	82	99.26	-1.2	-0.4	0	23.3	0.08	100	8400	99.24	19.8
2023-03-12 01:10:00	0	0	0	0	236	6.62	7.47	23.3	82	99.25	-1	-0.4	0	23.3	0.08	100	8405	99.24	19.8
2023-03-12 01:15:00	0	0	0	0	238	6.22	7.02	23.4	81.6	99.25	-1.2	-0.5	0	23.4	0.08	100	8402	99.24	19.8
2023-03-12 01:20:00	0	0	0	0	250	6.13	7.31	23.3	81.9	99.26	-1.2	-0.5	0	23.3	0.08	100	8403	99.25	19.8
2023-03-12 01:25:00	0	0	0	0	253	5.26	7.38	23.1	81.6	99.25	-1.1	-0.5	0	23.1	0.08	100	8403	99.24	19.8
2023-03-12 01:30:00	0	0	0	0	256	5.14	6.35	23	82.7	99.25	-1.1	-0.4	0	23	0.07	100	8403	99.23	19.6
2023-03-12 01:35:00	0	0	0	0	239	6.33	7.43	22.8	82.2	99.25	-1.2	-0.4	0	22.8	0.07	100	8402	99.24	19.5
2023-03-12 01:40:00	0	0	0	0	258	5.46	6.35	22.8	82.7	99.24	-1.1	-0.5	0	22.8	0.07	100	8403	99.23	19.4
2023-03-12 01:45:00	0	0	0	0	259	5.79	6.73	22.7	81.7	99.24	-1.2	-0.4	0	22.7	0.08	100	8406	99.23	19.3
2023-03-12 01:50:00	0	0	0	0	247	6.35	8.66	22.4	82.6	99.24	-1.1	-0.4	0	22.5	0.07	100	8401	99.23	19.2
2023-03-12 01:55:00	0	0	0	0	247	6.35	8.19	22.3	83.1	99.24	-1.2	-0.5	0	22.3	0.07	100	8402	99.23	19.2
2023-03-12 02:00:00	0	0	0	0	250	6.69	8.95	22.2	83.4	99.24	-1.2	-0.4	0	22.2	0.07	100	8403	99.24	19.2
2023-03-12 02:05:00	0	0	0	0	257	6.06	7.14	22.2	83.5	99.24	-1.2	-0.4	0	22.2	0.07	100	8399	99.23	19.3
2023-03-12 02:10:00	0	0	0	0	261	5.84	7.16	22	84	99.23	-1.2	-0.4	0	22	0.06	100	8403	99.23	19.3
2023-03-12 02:15:00	0	0	0	0	268	5.66	6.91	22.1	83.7	99.23	-1.3	-0.6	0	22.1	0.07	100	8401	99.22	19.4
2023-03-12 02:20:00	0	0	0	0	263	6.35	8.57	22	84.3	99.22	-1.1	-0.5	0	22	0.06	100	8399	99.22	19.5
2023-03-12 02:25:00	0	0	0	0	249	7.18	8.55	22	84.1	99.23	-1.2	-0.4	0	22	0.06	100	8399	99.23	19.7
2023-03-12 03:30:00	0	0	0	0	246	6.78	8.86	22.3	84.1	99.23	-1.1	-0.4	0	22.3	0.07	100	8400	99.23	19.9
2023-03-12 03:35:00	0	0	0	0	238	7.18	9.17	22.6	84.5	99.24	-1.1	-0.5	0	22.6	0.06	100	8399	99.23	20.2
2023-03-12 03:40:00	0	0	0	0	239	7.61	9.95	22.6	84.3	99.24	-1.2	-0.4	0	22.6	0.07	100	8399	99.24	20.4
2023-03-12 03:45:00	0	0	0	0	235	6.35	8.66	22.7	83.7	99.24	-1.2	-0.4	0	22.7	0.07	100	8399	99.24	20.4
2023-03-12 03:50:00	0	0	0	0	220	6.49	8.3	22.6	83.4	99.24	-1.1	-0.5	0	22.6	0.07	100	8396	99.24	20.5
2023-03-12 03:55:00	0	0	0	0	218	7.87	9.75	22.7	84	99.24	-1.1	-0.3	0	22.7	0.07	100	8399	99.23	20.7
2023-03-12 04:00:00	0	0	0	0	216	7.76	9.55	22.8	83.6	99.24	-1.1	-0.5	0	22.8	0.07	100	8397	99.23	20.9
2023-03-12 04:05:00	0	0	0	0	245	4.54	6.33	23	83.1	99.24	-1.1	-0.4	0	23	0.07	100	8399	99.24	21.1
2023-03-12 04:10:00	0	0	0	0	250	3.91	5.48	23.1	82.8	99.24	-1.1	-0.4	0	23.1	0.07	100	8402	99.24	21.2
2023-03-12 04:15:00	0	0	0	0	256	2.75	4.05	23.2	83.8	99.24	-1.1	-0.5	0	23.1	0.07	100	8400	99.24	21.2
2023-03-12 04:20:00	0	0	0	0	252	2.75	3.98	23.1	82.6	99.24	-1.2	-0.4	0	23.1	0.07	100	8400	99.24	21.2
2023-03-12 04:25:00	0	0	0	0	251	2.82	4	23.1	83.1	99.24	-1.1	-0.4	0	23.1	0.07	100	8396	99.24	21.3
2023-03-12 04:30:00	0	0	0	0	219	2.84	3.44	23	83.8	99.25	-1.1	-0.4	0	23	0.07	100	8398	99.25	21.3
2023-03-12 04:35:00	0	0	0	0	229	2.37	4	23	83.5	99.25	-1.2	-0.4	0	23	0.07	100	8395	99.25	21.4
2023-03-12 04:40:00	0	0	0	0	315	0.92	1.23	23.1	83.7	99.25	-1.1	-0.5	0	23.1	0.07	100	8397	99.25	21.3
2023-03-12 04:45:00	0	0	0	0	272	1.1	1.43	23	83.1	99.25	-1.2	-0.4	0	23	0.07	100	8396	99.25	21.3
2023-03-12 04:50:00	0	0	0	0	242	1.34	2.82	22.8	84.6	99.24	-1.1	-0.5	0	22.9	0.06	100	8395	99.24	21.3
2023-03-12 04:55:00	0	0	0	0	259	2.48	3.47	22.9	85.3	99.24	-0.9	-0.5	0	22.9	0.06	100	8397	99.24	21.4
2023-03-12 05:00:00	0	0	0	0	273	1.79	2.55	23	85.2	99.24	-1.2	-0.4	0	23	0.06	100	8396	99.24	21.5
2023-03-12 05:05:00	0	0	0	0	225	2.8	4.36	23.2	84.7	99.24	-1.1	-0.5	0	23.2	0.06	100	8394	99.24	21.6
2023-03-12 05:10:00	0	0	0	0	201	2.89	3.89	23.2	84.6	99.24	-1.2	-0.5	0	23.2	0.07	100	8394	99.23	21.7
2023-03-12 05:15:00	0	0	0	0	227	2.98	4	23.4	84.1	99.23	-1.1	-0.5	0	23.4	0.07	100	8393	99.23	21.8
2023-03-12 05:20:00	0	0	0	0	282	1.63	2.44	23.4	84	99.23	-1.1	-0.4	0	23.4	0.07	100	8392	99.24	21.8
2023-03-12 05:25:00	0	0	0	0	259	2.1	3.58	23.4	84	99.23	-1.1	-0.4	0	23.4	0.07	100	8394	99.22	21.8
2023-03-12 05:30:00	0	0	0	0	245	2.68	3.85	23.4	84.1	99.22	-1.1	-0.4	0	23.4	0.07	100	8393	99.22	21.8
2023-03-12 05:35:00	0	0	0	0	220	3.09	3.85	23.4	84.1	99.22	-1.1	-0.5	0	23.4	0.07	100	8393	99.22	21.9
2023-03-12 05:40:00	0	0	0	0	270	2.42	3.69	23.5	83.7	99.22	-1.1	-0.5	0	23.4	0.07	100	8393	99.22	22
2023-03-12 05:45:00	0	0	0	0	65	2.53	4.03	23.5	85.6	99.21	-1.1	-0.5	0	23.5	0.06	100	8394	99.21	21.9
2023-03-12 05:50:00	0	0	0	0	156	1.39	2.21	23.3	85.8	99.2	-1.1	-0.5	0	23.3	0.06	100	8393	99.2	21.9
2023-03-12 05:55:00	0	0	0	0	170	1.86	3.78	23.3	86.7	99.2	-1	-0.5	0	23.3	0.06	100	8393	99.2	21.8
2023-03-12 06:00:00	0	0	0	0	125	3.24	4.99	23.2	86.1	99.19	-1.1	-0.4	0	23.2	0.06	100	8391	99.19	21.8
2023-03-12 06:05:00	0	0	0	0	185	3.2	4.12	23.2	84.6	99.18	-1.1	-0.4	0	23.2	0.07	100	8390	99.19	21.8
2023-03-12 06:10:00	0	0	0	0	151	5.88	7.61	23.3	84.9	99.18	-1.2	-0.5	0	23.3	0.06	100	8391	99.19	21.9
2023-03-12 06:15:00	0	0	0	0	149	5.28	6.17	22.9	85.8	99.18	-1.1	-0.4	0	22.9	0.06	100	8388	99.19	21.7
2023-03-12 06:20:00	0	0	0	0	140	4.43	5.21	22.8	86	99.18	-1.2	-0.4	0	22.8	0.06	100	8391	99.18	21.6
2023-03-12 06:25:00	0	0	0	0	169	4.56	5.32	22.7	86.5	99.18	-1.1	-0.5	0	22.7	0.06	100	8390	99.18	21.5
2023-03-12 06:30:00	0	0	0	0	193	3.58	5.12	22.6	86.7	99.18	-1.1	-0.4	0	22.6	0.06	100	8392	99.19	21.5
2023-03-12 06:35:00	0	0	0	0	198	2.86	3.91	22.7	86.3	99.18	-1.1	-0.4	0	22.8	0.06	100	8391	99.19	21.7
2023-03-12 06:40:00	0	0	0	0	162	1.83	3.2	22.9	87.1	99.19	-1.1	-0.5	0	22.9	0.05	100	8387	99.19	21.7
2023-03-12 06:45:00	0	0	0	0	171	2.82	3.65	22.9	85.6	99.19	-1.1	-0.5	0	22.9	0.06	100	8388	99.2	21.7
2023-03-12 06:50:00	0	0	0	0	198	4.16	4.99	22.9	85.8	99.21	-1.2	-0.4	0	22.9	0.06	100	8390	99.21	21.7
2023-03-12 06:55:00	0	0	0	0	201	4.97	5.93	23	85.5	99.22	-1.1	-0.4	0	23	0.06	100	8387	99.22	21.8
2023-03-12 07:00:00	0	0	0	0	204	4.34	5.68	23	85.2	99.22	-1.1	-0.5	0	23	0.06	100	8392	99.23	21.9
2023-03-12 07:05:00	0	0	0	0	216	2.55	3.62	23.2	85.5	99.22	-1.1	-0.5	0	23.2	0.06	100	8387	99.23	22
2023-03-12 07:10:00	0.8	0	0	0	291	2.04	2.68	23.3	86.6	99.23	-1.2	-0.4	0	23.3	0.06	100	8387	99.24	22.1
2023-03-12 07:15:00	2.4	0	0	0	273	1.95	2.66	23.3	86.8	99.24	-1.1	-0.5	0	23.3	0.06	100	8389	99.24	22
2023-03-12 07:20:00	3.8	0	0	0	234	2.86	3.6	23.2	87.1	99.24	-1.1	-0.5	0	23.2	0.05	100	8387	99.24	22
2023-03-12 07:25:00	4.6	0	0	0	302	2.55	4.21	23.4	86.2	99.23	-1.1	-0.5	0	23.5	0.06	100	8388	99.24	22.1
2023-03-12 07:30:00	6.8	0	0	0	308	1.63	2.28	23.4	86.2	99.24	-1.2	-0.4	0	23.5	0.06	100	8386	99.25	22.2
2023-03-12 07:35:00	10.2	0	0	0	273	1.34	2.44	23.5	86	99.24	-1.1	-0.5	0	23.5	0.06	100	8387	99.25	22.3
2023-03-12 07:40:00	13.8	0	0	0	271	1.88	2.57	23.6	85.6	99.24	-1.1	-0.4	0	23.7	0.06	100	8386	99.25	22.4
2023-03-12 07:45:00	18	0	0	0	294	1.88	2.55	23.6	85.5	99.24	-1.1	-0.4	0	23.7	0.06	100	8384	99.25	22.5
2023-03-12 07:50:00	23.2	0	0	0	282	0.96	1.59	23.8	85.9	99.25	-1.1	-0.5	0	24	0.06	100	8386	99.26	22.6
2023-03-12 07:55:00	29.4	0	0	0	274	0.92	1.36	23.8	86.7	99.26	-1	-0.4	0	24	0.06	100	8384	99.26	22.7
2023-03-12 08:00:00	34.2	0	0	0	245	2.95	5.17	24.1	86	99.27	-1.1	-0.5	0	24.3	0.06	100	8387	99.28	22.9
2023-03-12 08:05:00	36	0	0	0	212	3.78	4.38	24.4	85.1	99.28	-1.1	-0.5	0	24.5	0.07	100	8383	99.29	23.2
2023-03-12 08:10:00	40.8	0	0	0	216	2.75	4.21	24.5	85	99.28	-1	-0.5	0	24.7	0.07	100	8386	99.29	23.4
2023-03-12 08:15:00	53.4	0	0	0	288	0.92	1.61	24.5	86.7	99.28	-1	-0.4	0	24.9	0.06	100	8385	99.29	23.5
2023-03-12 08:20:00	52.4	0	0	0	71	2.06	3.06	24.8	85.9	99.28	-0.9	-0.5	0	25.1	0.06	100	8386	99.29	23.7
2023-03-12 08:25:00	54.4	0	0	0	132	2.37	3.33	25	85.1	99.28	-0.9	-0.4	0	25.3	0.07	100	8387	99.29	24
2023-03-12 08:30:00	62.6	0	0	0	174	2.53	4.14	25.1	84.7	99.28	-1	-0.4	0	25.4	0.07	100	8390	99.29	24.1
2023-03-12 08:35:00	79.6	0	0	0	135	1.5	2.48	25.1	84.7	99.28	-1.1	-0.5	0	25.6	0.07	100	8388	99.29	24.3
2023-03-12 08:40:00	88.8	0	0	0	146	1.77	2.68	25.4	83.5	99.27	-1.1	-0.5	0	26	0.08	100	8392	99.28	24.6
2023-03-12 08:45:00	100.6	0	0	0	114	1.86	2.8	25.8	83	99.26	-1	-0.5	0	26.4	0.08	100	8394	99.27	24.9
2023-03-12 08:50:00	118	0	0	0	88	2.82	5.19	26.1	83.2	99.24	-1	-0.4	0	26.7	0.08	100	8394	99.25	25.3
2023-03-12 08:55:00	146	0	0	0	99	4.05	5.7	26.6	81.6	99.22	-1	-0.4	0	27.1	0.09	100	8399	99.24	25.7
2023-03-12 09:00:00	144.2	0	0	0	92	3.27	4.88	27	82.4	99.23	-1	-0.6	0	27.6	0.09	100	8403	99.24	26.1
2023-03-12 09:05:00	175	0	0	0	79	4.61	5.84	27.2	81.7	99.23	-1	-0.5	0	27.8	0.09	100	8404	99.24	26.5
2023-03-12 09:10:00	150.2	0	0	0	79	5.68	7.81	27.4	80.9	99.21	-1	-0.6	0	27.9	0.1	100	8407	99.23	26.8
2023-03-12 09:15:00	144	0	0	0	89	5.23	6.42	27.7	80	99.21	-1	-0.5	0	28.1	0.1	100	8408	99.22	27
2023-03-12 09:20:00	142	0	0	0	88	4	5.23	27.6	80.3	99.21	-1	-0.5	0	28.1	0.1	100	8409	99.22	27.1
2023-03-12 09:25:00	141.8	0	0	0	112	3	4.27	27.7	80.3	99.22	-1	-0.6	0	28.4	0.1	100	8412	99.24	27.4
2023-03-12 09:30:00	155.2	0	0	0	123	3.4	5.01	28	79.7	99.23	-1.1	-0.5	0	28.7	0.11	100	8414	99.24	27.6
2023-03-12 09:35:00	179.8	0	0	0	114	2.77	4.92	28.3	78.8	99.23	-0.9	-0.5	0	29.1	0.11	100	8418	99.25	28
2023-03-12 09:40:00	173.6	0	0	0	119	3.33	6.51	28.7	78.8	99.23	-0.9	-0.6	0	29.5	0.11	100	8420	99.25	28.3
2023-03-12 09:45:00	193.2	0	0	0	111	3.89	6.31	29.1	77.6	99.23	-0.9	-0.5	0	29.9	0.12	100	8425	99.25	28.6
2023-03-12 09:50:00	189	0	0	0	139	1.01	2.42	29.2	79.2	99.25	-0.9	-0.5	0	30.5	0.11	100	8425	99.27	29.1
2023-03-12 09:55:00	183.6	0	0	0	176	1.9	3.33	29.6	78.8	99.26	-0.8	-0.5	0	30.8	0.12	100	8428	99.28	29.7
2023-03-12 10:00:00	203.6	0	0	0	172	2.8	3.56	30.3	77.2	99.27	-1	-0.5	0	31.2	0.13	100	8428	99.28	29.9
2023-03-12 10:05:00	222	0	0	0	180	2.62	3.53	30.6	76.2	99.27	-0.9	-0.5	0	31.7	0.14	100	8432	99.29	30.3
2023-03-12 10:10:00	241.2	0	0	0	171	3.15	4.12	31.1	75.1	99.28	-0.7	-0.5	0	32.1	0.15	100	8435	99.29	30.6
2023-03-12 10:15:00	250	0	0	0	166	2.75	4.27	31.3	74.7	99.28	-0.8	-0.6	0	32.6	0.15	100	8439	99.3	31
2023-03-12 10:20:00	253.8	0	0	0	157	2.77	4.03	32	73.1	99.29	-0.9	-0.6	0	33.1	0.16	100	8443	99.3	31.4
2023-03-12 10:25:00	276	0	0	0	146	3	4.45	32.4	71.6	99.29	-0.8	-0.6	0	33.7	0.18	100	8448	99.31	31.9
2023-03-12 10:30:00	296	0	0	0	154	3.4	4.5	32.9	70.1	99.3	-0.8	-0.5	0	34.2	0.19	100	8455	99.31	32.4
2023-03-12 10:35:00	305.6	0	0	0	174	3.29	5.12	33.3	70	99.3	-0.8	-0.4	0	34.6	0.19	100	8462	99.32	32.7
2023-03-12 10:40:00	304.2	0	0	0	158	3.65	5.93	33.6	69.1	99.3	-0.7	-0.6	0	35	0.2	100	8462	99.32	33.1
2023-03-12 10:45:00	381.4	0	0	0	125	2.64	5.91	34.2	67.2	99.29	-0.8	-0.4	0	35.7	0.22	100	8472	99.32	33.6
2023-03-12 10:50:00	390.6	0	0	0	159	3.47	8.25	35.2	65.7	99.29	-0.6	-0.7	0	36.9	0.24	100

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-12 11:00:00	472.8	0	0	0	173	5.77	9.86	36.4	63.8	99.27	-0.7	-0.5	0	37.5	0.26	100	8495	99.31	34.5
2023-03-12 11:05:00	435	0	0	0	167	9.4	13.18	37	62.6	99.28	-0.7	-0.6	0	37.9	0.28	100	8502	99.3	34.7
2023-03-12 11:10:00	431.8	0	0	0	156	8.55	13.98	36.8	61.7	99.27	-0.7	-0.6	0	37.7	0.28	100	8508	99.3	34.6
2023-03-12 11:15:00	432.2	0	0	0	164	6.82	10.36	36.7	62.4	99.26	-0.7	-0.4	0	37.8	0.28	100	8516	99.28	34.6
2023-03-12 11:20:00	433.4	0	0	0	154	6.08	8.99	36.6	61.3	99.25	-0.8	-0.5	0	37.8	0.28	100	8522	99.27	34.8
2023-03-12 11:25:00	418	0	0	0	134	7.18	10.25	36.8	61.4	99.22	-0.7	-0.5	0	37.9	0.29	100	8523	99.24	35
2023-03-12 11:30:00	391.4	0	0	0	133	7.54	11.45	36.6	61.8	99.22	-0.6	-0.6	0	37.6	0.28	100	8525	99.23	35
2023-03-12 11:35:00	368.8	0	0	0	144	8.03	12.01	36.3	62.3	99.21	-0.8	-0.6	0	37.3	0.27	100	8526	99.23	35
2023-03-12 11:40:00	373	0	0	0	144	7.56	11.14	36	63	99.2	-0.6	-0.6	0	37	0.27	100	8529	99.22	35
2023-03-12 11:45:00	386.8	0	0	0	145	6.64	13.62	35.9	63.7	99.2	-0.8	-0.5	0	37	0.26	100	8533	99.21	35
2023-03-12 11:50:00	403.2	0	0	0	118	7.7	11.1	36.1	63.1	99.19	-0.6	-0.6	0	37.1	0.27	100	8535	99.21	35.2
2023-03-12 11:55:00	390.8	0	0	0	117	7.85	11.92	36.2	62.3	99.19	-0.7	-0.5	0	37.3	0.27	100	8537	99.21	35.3
2023-03-12 12:00:00	415.2	0	0	0	114	7.94	11.77	36.3	62.1	99.19	-0.7	-0.6	0	37.3	0.28	100	8541	99.21	35.4
2023-03-12 12:05:00	488	0	0	0	146	6.35	9.64	36.9	60.5	99.18	-0.8	-0.5	0	38	0.29	100	8545	99.22	35.6
2023-03-12 12:10:00	437.2	0	0	0	145	6.08	10.42	37.1	60.4	99.21	-0.6	-0.6	0	38.2	0.3	100	8552	99.23	35.9
2023-03-12 12:15:00	472.8	0	0	0	172	4.81	7.56	37.3	60.5	99.2	-0.7	-0.6	0	38.6	0.3	100	8556	99.23	36.2
2023-03-12 12:20:00	599.2	0	0	0	180	5.17	6.35	38.4	59.1	99.19	-0.7	-0.5	0	39.8	0.32	100	8564	99.23	36.6
2023-03-12 12:25:00	768.4	0	0	0	154	5.06	8.1	40.2	55.6	99.18	-0.6	-0.6	0	41.6	0.38	100	8576	99.23	37.3
2023-03-12 12:30:00	605.8	0	0	0	147	3.8	6.24	41.1	53.6	99.2	-0.6	-0.6	0	42.5	0.41	100	8580	99.22	38.2
2023-03-12 12:35:00	597.8	0	0	0	161	3.62	6.82	41.4	52.8	99.18	-0.5	-0.6	0	42.8	0.42	100	8582	99.21	38.9
2023-03-12 12:40:00	674.4	0	0	0	157	4.23	8.34	42.2	51.8	99.17	-0.5	-0.5	0	43.6	0.44	100	8592	99.21	39.5
2023-03-12 12:45:00	553.2	0	0	0	184	5.14	7.14	42.5	50.6	99.19	-0.5	-0.6	0	43.8	0.46	100	8590	99.21	39.7
2023-03-12 12:50:00	522.8	0	0	0	165	4.18	7.11	42.1	51.6	99.18	-0.4	-0.6	0	43.4	0.44	100	8588	99.2	39.9
2023-03-12 12:55:00	590.4	0	0	0	165	2.8	6.06	42	52	99.18	-0.4	-0.5	0	43.7	0.44	100	8593	99.21	40.4
2023-03-12 13:00:00	499.6	0	0	0	185	5.53	8.46	42.4	51.4	99.19	-0.4	-0.7	0	43.7	0.45	100	8592	99.2	40.5
2023-03-12 13:05:00	450	0	0	0	159	7.18	12.71	41.8	52.1	99.19	-0.5	-0.6	0	42.9	0.43	100	8592	99.2	40.3
2023-03-12 13:10:00	426.2	0	0	0	160	8.1	11.83	40.8	51.7	99.17	-0.6	-0.6	0	41.8	0.42	100	8592	99.19	39.7
2023-03-12 13:15:00	402.8	0	0	0	153	8.08	12.17	39.9	53.1	99.16	-0.5	-0.6	0	40.9	0.39	100	8592	99.17	39.2
2023-03-12 13:20:00	361.4	0	0	0	142	10.27	14.43	39.2	54.6	99.14	-0.6	-0.5	0	40.1	0.37	100	8589	99.15	38.7
2023-03-12 13:25:00	360.6	0	0	0	140	11.14	16.26	38.4	55.7	99.13	-0.5	-0.4	0	39.3	0.35	100	8590	99.15	38.2
2023-03-12 13:30:00	434.8	0	0	0	144	12.19	15.37	38.3	56.6	99.12	-0.4	-0.6	0	39.1	0.34	100	8592	99.14	37.9
2023-03-12 13:35:00	452.4	0	0	0	142	9.71	13.09	38.3	56.2	99.12	-0.5	-0.5	0	39.2	0.34	100	8592	99.14	37.8
2023-03-12 13:40:00	387.2	0	0	0	147	9.75	12.3	38.1	56.8	99.12	-0.6	-0.6	0	38.9	0.34	100	8593	99.13	37.7
2023-03-12 13:45:00	390.8	0	0	0	128	8.5	11.1	37.8	57	99.1	-0.6	-0.5	0	38.7	0.33	100	8594	99.12	37.6
2023-03-12 13:50:00	397.8	0	0	0	110	8.99	12.71	37.8	57	99.1	-0.6	-0.5	0	38.7	0.33	100	8594	99.11	37.7
2023-03-12 13:55:00	378.8	0	0	0	114	7.36	10.18	37.8	57	99.1	-0.6	-0.4	0	38.8	0.33	100	8595	99.11	37.8
2023-03-12 14:00:00	429	0	0	0	116	7.54	11.77	38	57.7	99.09	-0.8	-0.5	0	39	0.33	100	8598	99.11	38
2023-03-12 14:05:00	460.6	0	0	0	125	9.78	14	38.5	57.1	99.07	-0.7	-0.4	0	39.5	0.34	100	8600	99.09	38.1
2023-03-12 14:10:00	433.4	0	0	0	116	10.07	14.38	38.7	56.9	99.07	-0.6	-0.6	0	39.6	0.34	100	8600	99.09	38.1
2023-03-12 14:15:00	408.2	0	0	0	105	9.91	15.64	38.6	56.9	99.07	-0.6	-0.4	0	39.5	0.34	100	8602	99.08	38.2
2023-03-12 14:20:00	428.4	0	0	0	109	12.93	17.49	38.8	56.8	99.05	-0.5	-0.5	0	39.6	0.35	100	8605	99.07	38.2
2023-03-12 14:25:00	416	0	0	0	116	12.21	17.16	38.6	56.7	99.04	-0.7	-0.5	0	39.4	0.34	100	8603	99.06	38.1
2023-03-12 14:30:00	381.6	0	0	0	115	10.49	14.25	38.4	57	99.04	-0.6	-0.6	0	39.3	0.34	100	8602	99.05	38
2023-03-12 14:35:00	340.2	0	0	0	110	10.09	14.34	38.2	57.4	99.03	-0.6	-0.6	0	39	0.33	100	8602	99.03	38
2023-03-12 14:40:00	312.2	0	0	0	136	13.33	17.85	38	58.2	99	-0.8	-0.6	0	38.7	0.32	100	8602	99.02	37.8
2023-03-12 14:45:00	290.8	0	0	0	109	11.03	15.08	37.6	59.7	99.02	-0.6	-0.5	0	38.3	0.31	100	8601	99.02	37.5
2023-03-12 14:50:00	277.2	0	0	0	105	11.34	15.79	37.4	60.2	99.02	-0.6	-0.5	0	38	0.3	100	8599	99.02	37.5
2023-03-12 14:55:00	270.8	0	0	0	105	9.1	12.66	37.1	60	99.01	-0.7	-0.6	0	37.8	0.3	100	8597	99.01	37.4
2023-03-12 15:00:00	274.6	0	0	0	105	13.15	18.19	37	61.3	99	-0.7	-0.7	0	37.7	0.29	100	8598	99	37.4
2023-03-12 15:05:00	274.2	0	0	0	110	13.22	19.95	37	61.2	98.98	-0.7	-0.7	0	37.6	0.29	100	8598	98.99	37.2
2023-03-12 15:10:00	264.4	0	0	0	107	12.73	16.89	36.8	60.8	98.98	-0.8	-0.6	0	37.5	0.29	100	8599	98.98	37
2023-03-12 15:15:00	258	0	0	0	112	15.66	21.34	36.7	61.3	98.96	-0.7	-0.4	0	37.3	0.29	100	8596	98.97	36.9
2023-03-12 15:20:00	230.8	0	0	0	107	15.28	19.71	36.6	61.5	98.96	-0.9	-0.5	0	37.1	0.28	100	8593	98.96	36.7
2023-03-12 15:25:00	209	0	0	0	98	10.98	15.26	36.4	62.3	98.97	-0.7	-0.6	0	36.8	0.27	100	8593	98.97	36.6
2023-03-12 15:30:00	213.6	0	0	0	116	14.72	18.86	36.3	62.3	98.97	-0.6	-0.6	0	36.8	0.27	100	8592	98.97	36.4
2023-03-12 15:35:00	221.2	0	0	0	120	15.05	20.36	36.2	62.3	98.97	-0.8	-0.4	0	36.6	0.27	100	8592	98.97	36.2
2023-03-12 15:40:00	229.6	0	0	0	133	14.72	20.24	36.1	63.2	98.96	-0.5	-0.7	0	36.6	0.26	100	8592	98.97	36
2023-03-12 15:45:00	249.6	0	0	0	120	12.93	17.96	36	63.1	98.96	-0.6	-0.7	0	36.5	0.26	100	8592	98.97	36
2023-03-12 15:50:00	223.6	0	0	0	119	11.25	14.99	36	63.8	98.97	-0.7	-0.5	0	36.6	0.26	100	8591	98.98	36
2023-03-12 15:55:00	192.4	0	0	0	148	13.38	17.43	36	64.1	98.98	-0.8	-0.3	0	36.4	0.26	100	8592	98.98	35.9
2023-03-12 16:00:00	187.8	0	0	0	139	12.5	16.4	35.9	64.5	98.98	-0.8	-0.4	0	36.2	0.25	100	8589	98.98	35.7
2023-03-12 16:05:00	185.6	0	0	0	139	11.88	14.27	35.7	64.8	98.97	-0.7	-0.6	0	36.2	0.25	100	8588	98.98	35.6
2023-03-12 16:10:00	210	0	0	0	125	11.03	15.46	35.7	65.3	98.96	-0.7	-0.5	0	36.2	0.25	100	8589	98.96	35.6
2023-03-12 16:15:00	248.6	0	0	0	117	13.49	17.54	35.9	65.2	98.94	-0.7	-0.5	0	36.5	0.25	100	8589	98.94	35.7
2023-03-12 16:20:00	238.8	0	0	0	125	12.3	16.15	36.1	65.3	98.94	-0.7	-0.6	0	36.7	0.25	100	8588	98.95	35.8
2023-03-12 16:25:00	223.4	0	0	0	122	12.08	15.97	36.1	64.5	98.95	-0.6	-0.7	0	36.6	0.26	100	8589	98.96	35.8
2023-03-12 16:30:00	203.6	0	0	0	108	13.13	16.73	36.2	64.9	98.96	-0.6	-0.7	0	36.8	0.25	100	8586	98.96	35.9
2023-03-12 16:35:00	191.6	0	0	0	131	12.24	15.48	36.2	65.2	98.96	-0.6	-0.5	0	36.7	0.25	100	8585	98.96	36
2023-03-12 16:40:00	198	0	0	0	131	12.3	18.01	36.2	64.9	98.96	-0.8	-0.6	0	36.7	0.25	100	8589	98.96	35.9
2023-03-12 16:45:00	195.6	0	0	0	125	11.16	14.88	36.3	65.1	98.97	-0.7	-0.4	0	36.8	0.25	100	8586	98.97	35.9
2023-03-12 16:50:00	180.4	0	0	0	133	10.74	13.27	36.3	65.6	98.96	-0.7	-0.5	0	36.7	0.25	100	8585	98.97	35.9
2023-03-12 16:55:00	173.8	0	0	0	125	10.36	13.27	36.3	65.4	98.96	-0.6	-0.5	0	36.6	0.25	100	8584	98.96	35.9
2023-03-12 17:00:00	165.4	0	0	0	142	11.1	14.67	36.3	65.8	98.96	-0.7	-0.3	0	36.7	0.25	100	8580	98.96	35.9
2023-03-12 17:05:00	154	0	0	0	141	8.5	10.69	36.2	66.3	98.97	-0.8	-0.5	0	36.7	0.24	100	8580	98.96	35.9
2023-03-12 17:10:00	138.2	0	0	0	131	9.01	11.79	36.2	66.4	98.97	-0.7	-0.5	0	36.6	0.24	100	8579	98.96	35.9
2023-03-12 17:15:00	131.6	0	0	0	135	12.35	15.86	36.1	66.6	98.96	-0.7	-0.5	0	36.5	0.24	100	8580	98.95	35.8
2023-03-12 17:20:00	130.6	0	0	0	138	9.42	13.02	36.1	67.2	98.95	-0.8	-0.4	0	36.4	0.24	100	8576	98.95	35.7
2023-03-12 17:25:00	116.6	0	0	0	137	12.17	14.97	36.1	67	98.95	-0.9	-0.4	0	36.3	0.24	100	8573	98.95	35.7
2023-03-12 17:30:00	111	0	0	0	139	9.6	11.86	36	66.9	98.96	-0.6	-0.5	0	36.3	0.24	100	8571	98.96	35.6
2023-03-12 17:35:00	95.6	0	0	0	135	8.9	10.83	36	67.1	98.96	-0.6	-0.3	0	36.2	0.24	100	8571	98.96	35.6
2023-03-12 17:40:00	83.4	0	0	0	129	10.71	15.05	35.9	67.2	98.96	-0.8	-0.4	0	36.1	0.23	100	8568	98.95	35.5
2023-03-12 17:45:00	70.8	0	0	0	118	9.42	13.22	35.8	67.5	98.96	-0.7	-0.6	0	36	0.23	100	8567	98.95	35.4
2023-03-12 17:50:00	67.2	0	0	0	129	8.5	11.72	35.7	67.7	98.96	-0.7	-0.6	0	35.9	0.23	100	8563	98.95	35.3
2023-03-12 17:55:00	62.6	0	0	0	122	8.68	11.34	35.6	68.2	98.96	-0.7	-0.7	0	35.8	0.22	100	8562	98.95	35.3
2023-03-12 18:00:00	41.2	0	0	0	126	7.94	9.57	35.5	68.8	98.96	-0.7	-0.5	0	35.6	0.22	100	8560	98.94	35.2
2023-03-12 18:05:00	35.6	0	0	0	127	9.19	11.68	35.5	69	98.95	-0.7	-0.6	0	35.5	0.22	100	8556	98.94	35.1
2023-03-12 18:10:00	41.2	0	0	0	111	9.31	11.45	35.3	68.8	98.94	-0.8	-0.4	0	35.4	0.22	100	8557	98.93	35
2023-03-12 18:15:00	34	0	0	0	107	9.6	13.2	35.2	68.5	98.94	-0.8	-0.5	0	35.4	0.22	100	8551	98.92	34.9
2023-03-12 18:20:00	23.8	0	0	0	115	7.36	8.99	35.2	69.2	98.94	-0.8	-0.4	0	35.3	0.21	100	8550	98.92	34.8
2023-03-12 18:25:00	20	0	0	0	117	7.29	8.88	35.1	69.5	98.94	-0.8	-0.5	0	35.2	0.21	100	8549	98.92	34.7
2023-03-12 18:30:00	20.2	0	0	0	109	6.58	7.9	35	69.6	98.94	-0.8	-0.6	0	35.1	0.21	100	8548	98.93	34.6
2023-03-12 18:35:00	12	0	0	0	121	6.53	7.4	35	70.1	98.95	-0.6	-0.5	0	35	0.21	100	8545	98.93	34.5
2023-03-12 18:40:00	8.2	0	0	0	112	6.78	7.83	34.8	70.4	98.94	-0.8	-0.5	0	34.8	0.2	100	8545	98.92	34.4
2023-03-12 18:45:00	6.8	0	0	0	110	7.49	9.26	34.8	70.8	98.93	-0.8	-0.5	0	34.8	0.2	100	8546	98.91	34.3
2023-03-12 18:50:00	5.2	0	0	0	105	8.79	11.36	34.7	70.8	98.93	-0.7	-0.5	0	34.7	0.2	100	8540	98.92	34.2
2023-03-12 18:55:00	3.2	0	0	0	109	9.46	13.31	34.7	71.5	98.94	-0.7	-0.5	0	34.7	0.19	100	8539	98.93	34.1
2023-03-12 19:00:00	2.6	0	0	0	109	9.75	11.79	34.5	71.6	98.94	-0.6	-0.4	0	34.5	0.19	100	8539	98.92	34.1
2023-03-12 19:05:00	1	0	0	0	107	11.36	14.79	34.5	71.6	98.93	-0.7	-0.5	0	34.5	0.19	100	8535	98.91	34
2023-03-12 19:10:00	0.4	0	0	0	106	11.7	14.14	34.6	71.7	98.93	-0.9	-0.5	0	34.6	0.19	100	8534	98.91	33.9
2023-03-12 19:15:00	0	0	0	0	109	9.69	12.28	34.4	72.4	98.94	-0.7	-0.5	0	34.4	0.19	100	8533	98.92	33.9
2023-03-12 19:20:00	0	0	0	0	108	10.02	13.04	34.4	72.2	98.94	-0.8	-0.6	0	34.4	0.19	100	8531	98.92	33.8
2023-03-12 19:25:00	0	0	0	0	109	8.43	11.43	34.4	72.6	98.94	-0.8	-0.6	0	34.4	0.18	100	8529	98.92	33.8
2023-03-12 19:30:00	0	0	0	0	108	8.5	10.27	34.5	72.6	98.94	-0.7	-0.5	0	34.5	0.19	100	8529	98.92	33.7
2023-03-12 19:35:00	0	0	0	0	108	10.11	14.03	34.4	72.9	98.94	-0.9	-0.4	0	34.4	0.18	100	8528	98.92	33.7
2023-03-12 19:40:00	0	0	0	0	106	9.46	11.41	34.3	73.4	98.93	-0.7	-0.5	0	34.3	0.18	100	8527	98.91	33.7
2023-03-12 19:45:00	0	0	0	0	105	10.8	13.58	34.3	74.2	98.92	-0.9	-0.5	0	34.4	0.17	100	8528	98.91	33.6
2023-03-12 19:50:00	0	0	0	0	110	9.82	12.66	34.3	74.1	98.92	-0.7	-0.5	0	34.3	0.17	100	8523	98.9	33.6
2023-03-12 19:55:00	0	0	0	0	113	9.86	13.11	34.2	74.9	98.92	-0.7	-0.4	0	34.2	0.17	100	8523	98.9	33.5
2023-03-12 20:00:00	0	0	0	0	109	12.1	15.59	34.1	75.3	98.91	-0.8	-0.5	0	34.1	0.16	100	8523	98.89	33.4
2023-03-12 20:05:00	0	0	0	0	110	10.98	14.27	34	76.1	98.9	-0.7	-0.5	0	34	0.16	100	8521	98.89	33.4
2023-03-12 20:10:00	0	0	0	0	109	9.91	13.33	34	76.5	98.91	-0.7	-0.7	0	34	0.16	100	8519	98.9	33.3
2023-03-12 20:15:00	0	0	0	0	105	10.29	12.68	33.8	76	98.91	-1	-0.3	0	33.8	0.16	100	8519	98.89	33.3
2023-03-12 20:20:00	0	0	0	0	106	10.51	14.9	33.8	76.1	98.91	-0.8	-0.5	0	33.8	0.16	100	8516	98.89	33.2
2023-03-12 20:25:00	0	0	0	0	109	9.04	11.48	33.8	76.9	98.91	-0.7	-0.6	0	33.8	0.15	100	8516	98.9	33.2
2023-03-12 20:30:00	0	0	0	0	107	8.81	11.34	33.8	77.5	98.91	-0.9	-0.6	0	33.7	0.15	100	8516	98.89	33.1
2023-03-12 20:35:00	0	0	0	0	107	10.22	12.44	33.7	77.8	98.9	-0.8	-0.6	0	33.6	0.15	100	8515	98.88	33
2023-03-12 20:40:00	0	0	0	0	108	10.69	12.71	33.6	77.7	98.89	-0.8	-0.5	0	33.5	0.15	100	8513	98.88	33
2023-03-12 20:45:00	0	0	0	0	108	9.48	11.56	33.5	78.5	98.89	-0.7	-0.4	0	33.5	0.14	100	8510	98.87	32.9
2023-03-12 20:50:00	0	0	0	0	111	10.49	12.62	33.4	78.6	98.88	-0.8	-0.6	0	33.4	0.14	100	8513	98.86	32.8
2023-03-12 20:55:00	0	0	0	0	110	10.36	13.51	33.3	79.1	98.88	-0.7	-0.5	0	33.4	0.13	100	8510	98.86	32.8
2023-03-12 21:00:00	0	0	0	0	110	11.36	13.8	33.3	79	98.87	-0.8	-0.6	0	33.3	0.13	100	8509	98.86	32.7
2023-03-12 21:05:00	0	0	0	0	108	10.6	12.86	33.1	79.2	98.86	-0.7	-0.5	0	33.2	0.13	100	8507	98.85	32.7
2023-03-12 21:10:00	0	0	0	0	108	9.69	13.29	33.2	79.5	98.86	-0.7	-0.5	0	33.3	0.13	100	8507	98.85	32.6
2023-03-12 21:15:00	0	0	0	0	109	8.86	12.15	33.2	79.7	98.87	-0.7	-0.6	0	33.2	0.13	100	8507	98.85	32.6
2023-03-12 21:20:00	0	0	0	0	107	10.4	12.44	33.1	79.8	98.86	-0.9	-0.3	0	33.2	0.13	100	8507	98.85	32.5
2023-03-12 21:25:00	0	0	0	0	109	8.95	11.45	33	79.7	98.87	-0.7	-0.5	0	33	0.13	100	8502	98.85	32.5
2023-03-12 21:30:00	0	0	0	0	111	8.95	13.4	33.1	79.8	98.86	-0.9	-0.4	0	33.1	0.13	100	8504	98.85	32.5
2023-03-12 21:35:00	0	0	0	0	115	8.79	11.41	33	80	98.86	-0.8	-0.5	0	33.1	0.13	100	8503	98.84	32.4
2023-03-12 21:40:00	0	0	0	0	119	8.32	10.33	33.1	79.8	98.86	-0.9	-0.5	0	33.2	0.13	100	8507	98.84	32.4
2023-03-12 21:45:00	0	0	0	0	121	6.71	8.84	33.1	79.9	98.85	-0.8	-0.6	0	33	0.13	100	8502	98.84	32.4
2023-03-12 21:50:00	0	0	0	0	123	7.07	9.04	33	80.5	98.86	-0.8	-0.5	0	33	0.12	100	8500	98.84	32.4
2023-03-12 21:55:00	0	0	0	0	125	7.43	9.28	33	80.3	98.86	-0.8	-0.5	0	33	0.13	100	8499	98.85	32.3
2023-03-12 22:00:00	0	0	0	0	122	6.2	8.77	33	81.3	98.86	-0.8	-0.5	0	33	0.12	100	8498	98.84	32.3
2023-03-12 22:05:00	0	0	0	0	118	6.17	7.52	32.9	81.8	98.86	-0.9	-0.4	0	32.9	0.12	100	8497	98.84	32.3
2023-03-12 22:10:00	0	0	0	0	113	7.14	8.66	32.9	81.9	98.

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-12 22:25:00	0	0	0	0	114	8.08	10.02	32.8	82.8	98.83	-0.9	-0.4	0	32.8	0.11	100	8491	98.82	32.2
2023-03-12 22:30:00	0	0	0	0	121	8.39	12.06	32.9	82.4	98.83	-0.8	-0.5	0	32.9	0.11	100	8493	98.83	32.1
2023-03-12 22:35:00	0	0	0	0	124	7.18	9.42	32.8	83.3	98.83	-0.8	-0.5	0	32.8	0.11	100	8491	98.82	32.2
2023-03-12 22:40:00	0	0	0	0	119	6.33	8.46	32.8	83.9	98.83	-0.8	-0.5	0	32.8	0.1	100	8492	98.82	32.1
2023-03-12 22:45:00	0	0	0	0	115	6.62	8.28	32.7	83.9	98.83	-0.9	-0.5	0	32.7	0.1	100	8490	98.83	32.1
2023-03-12 22:50:00	0	0	0	0	113	5.66	7.58	32.6	84.2	98.84	-0.8	-0.5	0	32.7	0.1	100	8489	98.83	32.1
2023-03-12 22:55:00	0	0	0	0	114	6.2	7.65	32.7	84.3	98.83	-0.8	-0.6	0	32.7	0.1	100	8489	98.82	32
2023-03-12 23:00:00	0	0	0	0	112	5.35	7.16	32.6	84.5	98.84	-0.8	-0.5	0	32.6	0.1	100	8488	98.83	32
2023-03-12 23:05:00	0	0	0	0	109	5.41	6.93	32.6	85.4	98.84	-0.8	-0.5	0	32.5	0.09	100	8487	98.83	32
2023-03-12 23:10:00	0	0	0	0	109	4.88	5.95	32.5	85.8	98.84	-0.7	-0.5	0	32.6	0.09	100	8486	98.83	31.9
2023-03-12 23:15:00	0	0	0	0	109	5.17	6.42	32.5	86	98.85	-0.8	-0.5	0	32.5	0.09	100	8489	98.84	31.9
2023-03-12 23:20:00	0	0	0	0	109	5.35	6.49	32.5	86.5	98.84	-0.8	-0.6	0	32.5	0.08	100	8484	98.84	31.8
2023-03-12 23:25:00	0	0	0	0	106	5.46	6.44	32.4	86.7	98.84	-0.8	-0.5	0	32.4	0.08	100	8484	98.83	31.8
2023-03-12 23:30:00	0	0	0	0	107	5.08	6.29	32.4	87.1	98.84	-0.7	-0.6	0	32.4	0.08	100	8485	98.83	31.7
2023-03-12 23:35:00	0	0	0	0	110	5.12	6.51	32.4	87	98.83	-0.7	-0.6	0	32.4	0.08	100	8482	98.82	31.7
2023-03-12 23:40:00	0	0	0	0	115	5.75	7.47	32.4	86.9	98.83	-0.9	-0.5	0	32.4	0.08	100	8482	98.82	31.7
2023-03-12 23:45:00	0	0	0	0	115	5.75	8.19	32.4	87.3	98.83	-0.8	-0.7	0	32.4	0.08	100	8484	98.82	31.7
2023-03-12 23:50:00	0	0	0	0	117	6.53	8.14	32.4	87.3	98.82	-0.9	-0.5	0	32.4	0.08	100	8482	98.81	31.7
2023-03-12 23:55:00	0	0	0	0	116	6.73	9.31	32.4	87.4	98.82	-0.8	-0.4	0	32.4	0.08	100	8482	98.81	31.7
2023-03-13 00:00:00	0	0	0	0	113	6.11	7.9	32.5	88.2	98.81	-0.8	-0.4	0	32.5	0.07	100	8479	98.8	31.7
2023-03-13 00:05:00	0	0	0	0	114	6.67	7.96	32.5	88.2	98.81	-0.7	-0.6	0	32.5	0.07	100	8453	98.8	31.9
2023-03-13 00:10:00	0	0	0	0	106	5.93	7	32.5	88.2	98.8	-0.7	-0.6	0	32.5	0.07	100	8436	98.8	32.1
2023-03-13 00:15:00	0	0	0	0	107	6.44	7.74	32.5	88.2	98.8	-0.9	-0.3	0	32.5	0.07	100	8431	98.79	32.2
2023-03-13 00:20:00	0	0	0	0	110	6.29	7.67	32.4	88.5	98.8	-0.9	-0.4	0	32.4	0.07	100	8445	98.79	32.2
2023-03-13 00:25:00	0	0	0	0	110	5.95	7.63	32.5	88.5	98.8	-0.8	-0.4	0	32.5	0.07	100	8450	98.79	32
2023-03-13 00:30:00	0	0	0	0	105	6.64	7.9	32.4	88.9	98.79	-0.8	-0.5	0	32.4	0.07	100	8453	98.78	31.9
2023-03-13 00:35:00	0	0	0	0	106	6.38	7.72	32.4	89.9	98.79	-0.8	-0.5	0	32.4	0.06	100	8451	98.78	31.8
2023-03-13 00:40:00	0	0	0	0	109	6.62	8.25	32.4	90	98.78	-0.9	-0.5	0	32.4	0.06	100	8453	98.77	31.8
2023-03-13 00:45:00	0	0	0	0	108	6.53	8.08	32.4	90.3	98.77	-0.8	-0.5	0	32.4	0.06	100	8453	98.77	31.7
2023-03-13 00:50:00	0	0	0	0	107	6.24	7.72	32.4	90.2	98.77	-0.9	-0.4	0	32.4	0.06	100	8456	98.76	31.7
2023-03-13 00:55:00	0	0	0	0	109	6.13	7.76	32.4	90.5	98.77	-0.8	-0.6	0	32.4	0.06	100	8453	98.76	31.7
2023-03-13 01:00:00	0	0	0	0	108	6.04	7.99	32.3	90.7	98.77	-0.7	-0.6	0	32.3	0.06	100	8454	98.76	31.7
2023-03-13 01:05:00	0	0	0	0	106	6.38	7.83	32.4	91.3	98.76	-0.9	-0.6	0	32.4	0.05	100	8452	98.76	31.7
2023-03-13 01:10:00	0	0	0	0	105	6.62	8.19	32.3	92	98.75	-0.9	-0.5	0	32.3	0.05	100	8450	98.75	31.7
2023-03-13 01:15:00	0	0	0	0	105	6.98	8.48	32.2	92.5	98.75	-0.8	-0.4	0	32.2	0.05	100	8453	98.74	31.6
2023-03-13 01:20:00	0	0	0	0	107	6.89	8.23	32.2	92.5	98.75	-0.7	-0.5	0	32.3	0.05	100	8451	98.74	31.6
2023-03-13 01:25:00	0	0	0	0	109	7.14	8.61	32.2	92.5	98.74	-0.8	-0.5	0	32.2	0.05	100	8452	98.74	31.6
2023-03-13 01:30:00	0	0	0	0	117	7.34	8.95	32.3	93	98.74	-0.8	-0.5	0	32.3	0.04	100	8451	98.74	31.6
2023-03-13 01:35:00	0	0	0	0	127	7.99	9.98	32.3	92.9	98.74	-0.9	-0.5	0	32.3	0.04	100	8450	98.74	31.6
2023-03-13 01:40:00	0	0	0	0	127	7.34	9.75	32.3	93	98.74	-0.9	-0.5	0	32.3	0.04	100	8451	98.74	31.7
2023-03-13 01:45:00	0	0	0	0	127	7.34	8.66	32.4	92.6	98.73	-0.7	-0.4	0	32.4	0.05	100	8452	98.73	31.7
2023-03-13 01:50:00	0	0	0	0	132	7.16	10.4	32.4	93.3	98.73	-0.8	-0.6	0	32.4	0.04	100	8449	98.73	31.7
2023-03-13 01:55:00	0	0	0	0	135	7.74	9.57	32.4	93.2	98.73	-0.8	-0.6	0	32.4	0.04	100	8450	98.73	31.7
2023-03-13 02:00:00	0	0	0	0	135	8.63	12.03	32.5	92.9	98.73	-0.8	-0.5	0	32.5	0.04	100	8450	98.72	31.8
2023-03-13 02:05:00	0	0	0	0	141	8.86	10.6	32.6	92.7	98.73	-0.8	-0.4	0	32.6	0.05	100	8448	98.73	31.8
2023-03-13 02:10:00	0	0	0	0	148	8.37	11.3	32.7	92.7	98.73	-0.8	-0.6	0	32.7	0.05	100	8447	98.73	31.9
2023-03-13 02:15:00	0	0	0	0	143	9.4	12.39	32.7	92.5	98.73	-0.8	-0.5	0	32.7	0.05	100	8449	98.73	31.9
2023-03-13 02:20:00	0	0	0	0	139	10.29	12.44	32.7	92.3	98.72	-0.7	-0.4	0	32.7	0.05	100	8448	98.72	32
2023-03-13 02:25:00	0	0	0	0	134	11.45	14.12	32.8	92.7	98.72	-0.8	-0.5	0	32.8	0.05	100	8446	98.72	32
2023-03-13 02:30:00	0	0	0	0	137	10.18	12.95	32.8	93.2	98.72	-0.7	-0.6	0	32.8	0.04	100	8445	98.72	32
2023-03-13 02:35:00	0	0	0	0	140	11.63	14.27	32.7	92.8	98.72	-0.7	-0.5	0	32.7	0.04	100	8444	98.72	32
2023-03-13 02:40:00	0	0	0	0	135	10.63	13.69	32.7	92.8	98.72	-0.8	-0.6	0	32.7	0.04	100	8444	98.72	32
2023-03-13 02:45:00	0	0	0	0	137	11.05	13.31	32.6	93.3	98.72	-0.8	-0.5	0	32.6	0.04	100	8447	98.71	32
2023-03-13 02:50:00	0	0	0	0	137	10.22	13.98	32.6	93.9	98.71	-0.8	-0.5	0	32.6	0.04	100	8447	98.71	32
2023-03-13 02:55:00	0	0	0	0	139	10.22	13.33	32.5	94.2	98.71	-0.8	-0.5	0	32.5	0.04	100	8446	98.71	32
2023-03-13 03:00:00	0	0	0	0	139	9.33	10.83	32.5	93.8	98.71	-0.7	-0.5	0	32.5	0.04	100	8444	98.71	31.9
2023-03-13 03:05:00	0	0	0	0	135	10.04	12.53	32.6	94.2	98.71	-0.7	-0.5	0	32.6	0.04	100	8443	98.71	31.9
2023-03-13 03:10:00	0	0	0	0	133	10.27	12.82	32.5	94.5	98.7	-0.7	-0.7	0	32.5	0.03	100	8444	98.7	31.9
2023-03-13 03:15:00	0	0	0	0	133	9.37	11.59	32.5	94.5	98.69	-0.9	-0.6	0	32.5	0.03	100	8444	98.69	31.9
2023-03-13 03:20:00	0	0	0	0	132	9.62	11.77	32.5	94.4	98.69	-0.9	-0.5	0	32.5	0.03	100	8441	98.68	31.9
2023-03-13 03:25:00	0	0	0	0	134	9.42	11.21	32.4	94.9	98.68	-0.8	-0.5	0	32.5	0.03	100	8441	98.68	31.9
2023-03-13 03:30:00	0	0	0	0	132	9.19	10.71	32.4	94.7	98.68	-0.8	-0.6	0	32.4	0.03	100	8440	98.67	31.9
2023-03-13 03:35:00	0	0	0	0	131	9.26	11.23	32.4	94.9	98.67	-0.8	-0.5	0	32.4	0.03	100	8438	98.67	31.9
2023-03-13 03:40:00	0	0	0	0	133	9.75	12.95	32.4	94.9	98.66	-0.9	-0.5	0	32.5	0.03	100	8437	98.66	31.8
2023-03-13 03:45:00	0	0	0	0	130	10.31	12.19	32.4	95.2	98.66	-0.8	-0.5	0	32.5	0.03	100	8440	98.66	31.8
2023-03-13 03:50:00	0	0	0	0	139	8.86	10.4	32.3	95.3	98.66	-0.7	-0.6	0	32.3	0.03	100	8437	98.66	31.8
2023-03-13 03:55:00	0	0	0	0	138	9.31	11.72	32.4	95.2	98.65	-0.8	-0.6	0	32.4	0.03	100	8437	98.66	31.8
2023-03-13 04:00:00	0	0	0	0	141	9.08	11.68	32.4	95	98.65	-0.8	-0.5	0	32.4	0.03	100	8437	98.65	31.8
2023-03-13 04:05:00	0	0	0	0	145	8.14	11.18	32.4	95	98.65	-0.9	-0.4	0	32.4	0.03	100	8435	98.65	31.8
2023-03-13 04:10:00	0	0	0	0	143	8.34	10.04	32.4	95	98.65	-0.8	-0.5	0	32.4	0.03	100	8437	98.65	31.8
2023-03-13 04:15:00	0	0	0	0	146	8.59	11.61	32.4	95.2	98.65	-0.8	-0.4	0	32.4	0.03	100	8436	98.65	31.8
2023-03-13 04:20:00	0	0	0	0	145	8.77	10.74	32.4	95.4	98.64	-0.7	-0.4	0	32.4	0.03	100	8434	98.64	31.8
2023-03-13 04:25:00	0	0	0	0	151	9.31	11.34	32.4	95	98.64	-0.8	-0.5	0	32.4	0.03	100	8434	98.64	31.8
2023-03-13 04:30:00	0	0	0	0	148	8.95	11.65	32.4	95.2	98.64	-0.7	-0.6	0	32.4	0.03	100	8436	98.64	31.8
2023-03-13 04:35:00	0	0	0	0	150	8.34	9.91	32.4	94.9	98.64	-0.8	-0.4	0	32.4	0.03	100	8434	98.64	31.8
2023-03-13 04:40:00	0	0	0	0	153	7.45	9.15	32.5	94.8	98.64	-0.8	-0.5	0	32.5	0.03	100	8437	98.63	31.8
2023-03-13 04:45:00	0	0	0	0	150	7.4	9.01	32.4	95.2	98.64	-0.8	-0.5	0	32.3	0.03	100	8432	98.64	31.8
2023-03-13 04:50:00	0	0	0	0	153	7.54	9.62	32.4	95	98.64	-0.8	-0.5	0	32.4	0.03	100	8433	98.64	31.8
2023-03-13 04:55:00	0	0	0	0	156	6.87	9.28	32.3	95	98.64	-0.7	-0.5	0	32.3	0.03	100	8431	98.64	31.7
2023-03-13 05:00:00	0	0	0	0	157	7.67	10.69	32.4	95.2	98.64	-0.8	-0.4	0	32.4	0.03	100	8432	98.64	31.7
2023-03-13 05:05:00	0	0	0	0	158	7.83	10.4	32.3	95	98.64	-0.8	-0.5	0	32.4	0.03	100	8429	98.64	31.8
2023-03-13 05:10:00	0	0	0	0	157	6.22	7.94	32.4	94.9	98.64	-0.8	-0.5	0	32.4	0.03	100	8430	98.64	31.8
2023-03-13 05:15:00	0	0	0	0	156	6.2	7.9	32.5	94.8	98.65	-0.6	-0.6	0	32.5	0.03	100	8431	98.65	31.7
2023-03-13 05:20:00	0	0	0	0	154	5.17	6.53	32.4	95	98.65	-0.8	-0.6	0	32.4	0.03	100	8428	98.65	31.7
2023-03-13 05:25:00	0	0	0	0	146	5.37	7.34	32.4	95	98.65	-0.9	-0.5	0	32.4	0.03	100	8431	98.65	31.7
2023-03-13 05:30:00	0	0	0	0	136	4.72	5.77	32.4	95.2	98.65	-0.8	-0.4	0	32.3	0.03	100	8427	98.64	31.7
2023-03-13 05:35:00	0	0	0	0	143	4.99	7.07	32.4	95	98.65	-0.9	-0.5	0	32.4	0.03	100	8430	98.64	31.7
2023-03-13 05:40:00	0	0	0	0	147	4.45	5.23	32.4	95.2	98.65	-0.8	-0.4	0	32.4	0.03	100	8427	98.65	31.7
2023-03-13 05:45:00	0	0	0	0	146	4.23	5.82	32.4	95.2	98.65	-0.8	-0.5	0	32.4	0.03	100	8429	98.64	31.7
2023-03-13 05:50:00	0	0	0	0	149	4.32	5.06	32.3	95.3	98.64	-0.7	-0.6	0	32.4	0.03	100	8425	98.64	31.7
2023-03-13 05:55:00	0	0	0	0	152	4.14	5.55	32.4	95	98.65	-0.9	-0.4	0	32.4	0.03	100	8426	98.65	31.7
2023-03-13 06:00:00	0	0	0	0	154	4.18	5.28	32.4	95.2	98.65	-0.7	-0.4	0	32.4	0.03	100	8425	98.65	31.7
2023-03-13 06:05:00	0	0	0	0	155	4.88	6.33	32.4	95.2	98.65	-0.8	-0.5	0	32.3	0.03	100	8425	98.65	31.7
2023-03-13 06:10:00	0	0	0	0	154	4.25	5.06	32.4	95.2	98.66	-0.8	-0.5	0	32.4	0.03	100	8424	98.65	31.7
2023-03-13 06:15:00	0	0	0	0	150	4.09	4.72	32.4	95.2	98.65	-0.8	-0.5	0	32.4	0.03	100	8425	98.65	31.7
2023-03-13 06:20:00	0	0	0	0	149	4.59	7.02	32.4	95.4	98.65	-0.9	-0.4	0	32.4	0.03	100	8425	98.65	31.7
2023-03-13 06:25:00	0	0	0	0	152	4.59	5.57	32.4	95.2	98.66	-0.9	-0.5	0	32.3	0.03	100	8424	98.66	31.7
2023-03-13 06:30:00	0	0	0	0	156	4.32	5.5	32.4	95.2	98.66	-0.8	-0.5	0	32.4	0.03	100	8424	98.66	31.7
2023-03-13 06:35:00	0	0	0	0	155	4.12	4.74	32.3	95.3	98.66	-0.8	-0.4	0	32.3	0.03	100	8422	98.66	31.7
2023-03-13 06:40:00	0	0	0	0	150	3.91	4.61	32.3	95.3	98.66	-0.8	-0.6	0	32.3	0.03	100	8421	98.66	31.6
2023-03-13 06:45:00	0	0	0	0	157	4.16	4.72	32.3	96	98.66	-0.8	-0.6	0	32.3	0.03	100	8421	98.66	31.6
2023-03-13 06:50:00	0	0	0	0	159	4.27	5.03	32.3	96	98.67	-0.7	-0.4	0	32.3	0.03	100	8419	98.67	31.6
2023-03-13 06:55:00	0	0	0	0	161	4.18	4.88	32.3	96.2	98.67	-0.8	-0.4	0	32.3	0.02	100	8421	98.67	31.6
2023-03-13 07:00:00	0	0	0	0	159	4.21	4.88	32.2	96.4	98.67	-0.9	-0.4	0	32.2	0.02	100	8420	98.67	31.6
2023-03-13 07:05:00	0	0	0	0	158	4.61	5.66	32.3	96.4	98.67	-0.8	-0.5	0	32.3	0.02	100	8419	98.67	31.6
2023-03-13 07:10:00	0	0	0	0	157	4.47	5.23	32.3	96.7	98.67	-0.8	-0.5	0	32.3	0.02	100	8418	98.67	31.6
2023-03-13 07:15:00	0.6	0	0	0	155	4.12	4.56	32.2	96.4	98.67	-0.9	-0.5	0	32.2	0.02	100	8418	98.67	31.5
2023-03-13 07:20:00	1.6	0	0	0	155	3.69	4.52	32.3	96.9	98.68	-0.8	-0.5	0	32.3	0.02	100	8415	98.68	31.5
2023-03-13 07:25:00	3	0	0	0	152	3.96	4.92	32.2	96.5	98.68	-0.8	-0.4	0	32.2	0.02	100	8417	98.68	31.4
2023-03-13 07:30:00	4.4	0	0	0	151	4.21	4.88	32.2	96.7	98.68	-0.9	-0.5	0	32.3	0.02	100	8418	98.69	31.4
2023-03-13 07:35:00	6.2	0	0	0	151	3.83	4.65	32.1	97.3	98.69	-0.9	-0.6	0	32.1	0.02	100	8418	98.69	31.4
2023-03-13 07:40:00	8.6	0	0	0	142	3.49	4.29	32.2	97	98.69	-0.8	-0.5	0	32.3	0.02	100	8415	98.69	31.4
2023-03-13 07:45:00	13	0	0	0	143	3.67	4.83	32.2	97.3	98.69	-0.8	-0.5	0	32.3	0.02	100	8414	98.69	31.4
2023-03-13 07:50:00	16.2	0	0	0	148	4.12	4.81	32.2	97.3	98.69	-0.8	-0.5	0	32.3	0.02	100	8414	98.7	31.5
2023-03-13 07:55:00	21.8	0	0	0	149	4.05	4.5	32.3	97.1	98.69	-0.8	-0.5	0	32.3	0.02	100	8415	98.7	31.5
2023-03-13 08:00:00	25.6	0	0	0	152	4.21	4.74	32.3	97.2	98.69	-0.7	-0.6	0	32.4	0.02	100	8415	98.7	31.5
2023-03-13 08:05:00	28.2	0	0	0	156	4.18	5.5	32.4	97.1	98.69	-0.8	-0.6	0	32.5	0.02	100	8412	98.7	31.6
2023-03-13 08:10:00	32	0	0	0	161	4.09	5.03	32.4	96.8	98.69	-0.8	-0.4	0	32.5	0.02	100	8414	98.7	31.6
2023-03-13 08:15:00	36.8	0	0	0	171	3.94	5.08	32.4	97	98.7	-0.8	-0.5	0	32.5	0.02	100	8412	98.7	31.7
2023-03-13 08:20:00	39	0	0	0	172	4.5	5.75	32.5	97.3	98.7	-0.7	-0.4	0	32.6	0.02	100	8412	98.71	31.8
2023-03-13 08:25:00	39.8	0	0	0	172	4.68	5.68	32.5	97.4	98.71	-0.8	-0.5	0	32.7	0.02	100	8415	98.71	31.9
2023-03-13 08:30:00	45.6	0	0	0	171	5.19	6.33	32.8	96.8	98.7	-0.9	-0.6	0	32.9	0.02	100	8412	98.71	32
2023-03-13 08:35:00	51	0	0	0	165	4.65	6.02	32.9	96.4	98.71	-0.7	-0.6	0	33	0.02	100	8411	98.71	32.1
2023-03-13 08:40:00	61.4	0	0	0	164	4.94	6.06	32.9	96.5	98.71	-0.8	-0.5	0	33.1	0.02	100	8411	98.71	32.2
2023-03-13 08:45:00	65	0	0	0	164	4.34	5.01	33	96.5	98.71	-0.7	-0.5	0	33.3	0.02	100	8410	98.71	32.2
2023-03-13 08:50:00	77	0	0	0	169	4.45	5.44	33.1	96.1	98.7	-0.7	-0.5	0	33.4	0.03	100	8410	98.71	32.3
2023-03-13 08:55:00	95.8	0	0	0	168	4.41	5.5	33.2	96.6	98.7	-0.8	-0.7	0	33.6	0.02	100	8410	98.71	32.5
2023-03-13 09:00:00	97.4	0	0	0	165	4.14	4.72	33.4	95.8	98.7	-0.7	-0.5	0	33.8	0.03	100	8411	98.71	32.6
2023-03-13 09:05:00	97.2	0	0	0	161	4.52	5.32	33.5	95.7	98.7	-0.7	-0.5	0	33.9	0.03	100	8413	98.71	32.8
2023-03-13 09:10:00	99	0	0	0	159	3.89	4.92	33.7	96	98.7	-0.8	-0.5	0	34.1	0.03	100	8412	98.71	32.9
2023-03-13 09:15:00	102.6	0	0	0	155	3.6	4.27	33.7	95.6	98.7	-0.7	-0.6	0	34.2	0.03	100	8412	98.71	33.1
2023-03-13 09:20:00	102.8	0	0	0	159	4.23	5.59	33.9	95.4	98.71	-0.8	-0.4	0	34.3	0.03	100	8414	98.72	33.2
2023-03-13 09:25:00	103.8	0	0	0	158	4.63	5.97	34.1	95	98.71	-0.7	-0.6	0	34.4	0.03	100	8416	98.72	33.4
2023-03-13 09:30:00	123.8	0	0	0	157	4.61	5.68	34.3	95	98.71	-0.8	-0.5	0	34.7	0.03	100	8415	98.72	33.5
2023-03-13 09:35:00	145.8	0	0	0	161	2.86	4.47	34.3	95.2	98.71	-0.7	-0.6	0	35	0.03	100	8418	98.71	33.8
2023-03-13 09:

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-13 09:50:00	140.6	0	0	0	164	2.93	4.12	35	94.1	98.71	-0.7	-0.6	0	35.6	0.04	100	8424	98.72	34.7
2023-03-13 09:55:00	148.6	0	0	0	173	3.62	5.14	35.2	93.4	98.71	-0.7	-0.5	0	35.9	0.05	100	8425	98.72	34.9
2023-03-13 10:00:00	148.4	0	0	0	211	1.92	4.41	35.3	93	98.72	-0.7	-0.6	0	36.1	0.05	100	8427	98.72	35.1
2023-03-13 10:05:00	136.6	0	0	0	244	1.63	2.64	35.5	92.6	98.72	-0.8	-0.5	0	36.3	0.05	100	8422	98.73	35.5
2023-03-13 10:10:00	153	0	0	0	195	1.34	2.35	35.7	92.4	98.72	-0.7	-0.5	0	36.7	0.05	100	8426	98.73	35.9
2023-03-13 10:15:00	159.2	0	0	0	165	2.17	3.91	36	92.2	98.72	-0.7	-0.5	0	36.9	0.06	100	8428	98.73	36.2
2023-03-13 10:20:00	153.4	0.00067	0	0	176	2.42	4.14	36.2	91.2	98.73	-0.6	-0.5	0.04	37.1	0.06	100	8431	98.74	36.4
2023-03-13 10:25:00	146.6	0.00469	0	0	163	2.37	3.91	36.3	90.1	98.73	-0.6	-0.6	0.08	37.1	0.07	100	8430	98.74	36.6
2023-03-13 10:30:00	147.8	0.00402	0	0	187	1.54	2.93	36.2	91.2	98.73	-0.8	-0.5	0.08	37.2	0.06	100	8431	98.74	36.8
2023-03-13 10:35:00	151.6	0.00402	0	0	186	2.3	4.43	36.4	89.7	98.73	-0.6	-0.5	0.08	37.3	0.08	100	8433	98.74	37
2023-03-13 10:40:00	159.2	0.00335	0	0	179	2.77	3.6	36.6	89.3	98.73	-0.5	-0.5	0.04	37.4	0.08	100	8433	98.74	37
2023-03-13 10:45:00	150	0.00402	0	0	196	2.51	4.18	36.7	88.4	98.73	-0.7	-0.5	0.08	37.4	0.09	100	8433	98.73	37
2023-03-13 10:50:00	160.8	0.00402	0	0	197	2.82	4.25	36.6	88.6	98.72	-0.7	-0.5	0.08	37.3	0.08	100	8436	98.73	37.1
2023-03-13 10:55:00	174.6	0.00469	0	0	232	4.14	7.81	36.8	88	98.72	-0.6	-0.6	0.08	37.4	0.09	100	8437	98.73	37.1
2023-03-13 11:00:00	181.4	0.00402	0	0	233	4.9	8.79	36.8	88	98.72	-0.7	-0.4	0.08	37.5	0.09	100	8438	98.73	37
2023-03-13 11:05:00	210.6	0.00402	0	0	245	5.95	8.08	36.8	88	98.72	-0.7	-0.5	0.08	37.4	0.09	100	8440	98.73	36.8
2023-03-13 11:10:00	234.2	0.00335	0	0	243	4.76	7	36.6	88.2	98.72	-0.6	-0.5	0.04	37.4	0.09	100	8444	98.73	36.7
2023-03-13 11:15:00	266	0.00268	0	0	214	4.18	5.53	36.6	89.5	98.71	-0.7	-0.5	0.04	37.7	0.08	100	8444	98.72	36.9
2023-03-13 11:20:00	259.8	0.00201	0	0	245	3.29	5.59	36.8	89.4	98.71	-0.6	-0.6	0.04	37.9	0.08	100	8447	98.72	37.2
2023-03-13 11:25:00	198.8	0.00201	0	0	257	3.98	5.7	37.2	87.2	98.71	-0.6	-0.6	0.04	38	0.1	100	8450	98.72	37.3
2023-03-13 11:30:00	204	0.00134	0	0	253	3.85	5.77	37.1	87.7	98.71	-0.7	-0.6	0.04	37.9	0.09	100	8451	98.72	37.3
2023-03-13 11:35:00	222.4	0.00201	0	0	256	5.48	8.59	37.2	87.2	98.71	-0.6	-0.6	0.04	38	0.1	100	8452	98.72	37.3
2023-03-13 11:40:00	224.2	0.00134	0	0	245	5.01	8.19	37.1	86.1	98.71	-0.7	-0.6	0.04	38	0.1	100	8452	98.72	37.2
2023-03-13 11:45:00	228	0.00067	0	0	250	4.54	6.73	37.1	87.2	98.71	-0.7	-0.5	0.04	38	0.1	100	8457	98.72	37.3
2023-03-13 11:50:00	240	0	0	0	257	4.97	7.11	37.2	86.9	98.71	-0.7	-0.5	0	38.1	0.1	100	8455	98.72	37.3
2023-03-13 11:55:00	234.6	0.00067	0	0	272	4.5	6.02	37.2	87.2	98.71	-0.6	-0.5	0.04	38.1	0.1	100	8459	98.72	37.4
2023-03-13 12:00:00	239.4	0	0	0	283	4.83	6.06	37.3	87.1	98.7	-0.5	-0.6	0	38.2	0.1	100	8460	98.72	37.4
2023-03-13 12:05:00	286.2	0	0	0	298	4.21	5.73	37.5	87.9	98.7	-0.5	-0.5	0	38.5	0.09	100	8461	98.71	37.6
2023-03-13 12:10:00	304	0	0	0	317	3.24	5.59	37.6	87.8	98.7	-0.6	-0.5	0	38.8	0.09	100	8464	98.71	37.9
2023-03-13 12:15:00	324.8	0	0	0	297	3.27	5.1	37.9	87.1	98.7	-0.7	-0.6	0	39.4	0.1	100	8472	98.72	38.3
2023-03-13 12:20:00	311	0	0	0	281	3	4.27	38.3	86.2	98.71	-0.6	-0.5	0	39.8	0.11	100	8471	98.73	38.7
2023-03-13 12:25:00	266.8	0.00067	0	0	296	3.18	5.41	38.7	84.2	98.71	-0.7	-0.5	0.04	40	0.13	100	8473	98.72	38.9
2023-03-13 12:30:00	229.8	0	0	0	309	2.77	4.61	38.9	83.4	98.72	-0.6	-0.5	0	40	0.13	100	8473	98.72	39.1
2023-03-13 12:35:00	199.2	0	0	0	285	2.82	5.84	38.8	83.3	98.72	-0.6	-0.6	0	39.9	0.13	100	8473	98.72	39.3
2023-03-13 12:40:00	232	0	0	0	284	4.97	5.97	39	81.6	98.71	-0.6	-0.6	0	39.8	0.15	100	8474	98.71	39.1
2023-03-13 12:45:00	292.4	0.00134	0	0	274	4.63	6.58	38.8	82.6	98.7	-0.6	-0.6	0.04	39.8	0.14	100	8475	98.71	38.9
2023-03-13 12:50:00	295.2	0.00067	0	0	250	3.85	6.15	38.7	83.4	98.7	-0.5	-0.5	0.04	39.9	0.13	100	8477	98.71	39.1
2023-03-13 12:55:00	281.4	0.00067	0	0	269	2.68	4.34	38.5	83.6	98.7	-0.5	-0.6	0.04	39.8	0.13	100	8479	98.71	39.3
2023-03-13 13:00:00	321.2	0	0	0	326	2.93	4.63	38.7	83.4	98.7	-0.6	-0.6	0	40.1	0.13	100	8482	98.71	39.5
2023-03-13 13:05:00	326.4	0	0	0	280	1.05	2.13	38.4	85.9	98.69	-0.5	-0.7	0	40.6	0.11	100	8485	98.71	40
2023-03-13 13:10:00	225	0	0	0	290	2.82	5.26	39.4	82.1	98.7	-0.5	-0.6	0	40.8	0.15	100	8488	98.71	40.3
2023-03-13 13:15:00	193.4	0	0	0	299	2.64	5.28	39.7	80.3	98.7	-0.5	-0.6	0	40.7	0.16	100	8485	98.7	40.2
2023-03-13 13:20:00	213.4	0	0	0	312	3.36	5.37	39.6	80	98.69	-0.6	-0.5	0	40.4	0.16	100	8484	98.69	40.1
2023-03-13 13:25:00	189.2	0	0	0	297	3.94	6.49	39.4	79.8	98.68	-0.6	-0.5	0	40.2	0.17	100	8482	98.68	39.9
2023-03-13 13:30:00	146.6	0	0	0	297	2.08	4.34	39	80.3	98.68	-0.7	-0.6	0	39.8	0.16	100	8482	98.68	39.7
2023-03-13 13:35:00	168.2	0	0	0	273	2.98	5.86	38.8	80.5	98.67	-0.5	-0.5	0	39.6	0.16	100	8482	98.67	39.6
2023-03-13 13:40:00	219.2	0	0	0	278	4.9	6.76	38.8	80	98.67	-0.6	-0.4	0	39.6	0.16	100	8482	98.67	39.6
2023-03-13 13:45:00	268.8	0	0	0	286	5.01	6.13	38.7	80.3	98.66	-0.5	-0.6	0	39.6	0.16	100	8483	98.67	39.5
2023-03-13 13:50:00	283.2	0	0	0	284	4.25	7.02	38.6	80.6	98.65	-0.5	-0.5	0	39.7	0.15	100	8485	98.67	39.4
2023-03-13 13:55:00	305.8	0	0	0	279	4.68	7.05	38.8	81	98.65	-0.7	-0.4	0	40	0.15	100	8488	98.66	39.6
2023-03-13 14:00:00	324.2	0	0	0	257	4.72	7.11	39.1	79.9	98.65	-0.7	-0.6	0	40.2	0.16	100	8488	98.66	39.6
2023-03-13 14:05:00	296.4	0.00067	0	0	242	4.16	6.02	39.1	80.4	98.65	-0.5	-0.5	0.04	40.2	0.16	100	8494	98.66	39.8
2023-03-13 14:10:00	252.8	0	0	0	262	3.65	5.97	39	80.1	98.65	-0.7	-0.6	0	40.1	0.16	100	8494	98.66	39.9
2023-03-13 14:15:00	262.4	0	0	0	252	4.23	6.4	39.1	79.9	98.65	-0.6	-0.5	0	40.1	0.16	100	8496	98.65	40
2023-03-13 14:20:00	295.2	0.00067	0	0	272	5.19	7.2	39.1	80.3	98.64	-0.7	-0.5	0.04	40.2	0.16	100	8497	98.65	39.9
2023-03-13 14:25:00	204.8	0	0	0	271	5.61	8.14	39.1	79.2	98.64	-0.5	-0.5	0	39.9	0.17	100	8497	98.64	39.7
2023-03-13 14:30:00	147	0.00067	0	0	306	9.44	14.63	39	80.1	98.64	-0.6	-0.5	0.04	39.4	0.16	100	8497	98.64	39.2
2023-03-13 14:35:00	159	0.00201	0	0	331	11.52	14.92	38.3	81.6	98.63	-0.6	-0.6	0.04	38.6	0.14	100	8492	98.63	38.5
2023-03-13 14:40:00	221	0.00067	0	0	329	8.34	12.19	37.5	84.2	98.62	-0.8	-0.4	0.04	38	0.12	100	8494	98.63	38
2023-03-13 14:45:00	227.4	0.00067	0	0	321	8.9	13.18	37.3	86.3	98.62	-0.7	-0.5	0.04	37.9	0.1	100	8496	98.63	37.8
2023-03-13 14:50:00	245.6	0	0	0	316	9.91	13.02	37.1	86.4	98.61	-0.7	-0.6	0	37.8	0.1	100	8496	98.62	37.6
2023-03-13 14:55:00	204.8	0	0	0	318	9.98	12.37	36.9	86.3	98.61	-0.7	-0.8	0	37.5	0.1	100	8498	98.62	37.3
2023-03-13 15:00:00	127.8	0.00067	0	0	325	8.43	10.96	36.6	87	98.62	-0.7	-0.5	0.04	37	0.1	100	8494	98.62	37
2023-03-13 15:05:00	114	0.00067	0	0	336	10.09	13.4	36.4	87.7	98.61	-0.6	-0.5	0.04	36.6	0.09	100	8492	98.62	36.8
2023-03-13 15:10:00	131.8	0.00067	0	0	339	8.39	11.12	36.1	88.7	98.61	-0.8	-0.6	0.04	36.4	0.08	100	8491	98.62	36.5
2023-03-13 15:15:00	186.4	0.00067	0	0	348	9.69	12.28	36	89.4	98.61	-0.6	-0.6	0.04	36.4	0.08	100	8493	98.61	36.4
2023-03-13 15:20:00	199.2	0.00067	0	0	354	9.84	13.4	36	89.4	98.61	-0.8	-0.6	0.04	36.5	0.08	100	8497	98.61	36.3
2023-03-13 15:25:00	148.8	0	0	0	335	11.27	15.28	35.9	89.4	98.61	-0.6	-0.6	0	36.2	0.08	100	8495	98.61	36
2023-03-13 15:30:00	102.4	0.00067	0	0	344	12.88	19.71	35.7	89.3	98.61	-0.7	-0.5	0.04	35.9	0.08	100	8494	98.61	35.7
2023-03-13 15:35:00	75.4	0.00067	0	0	353	12.88	18.21	35.3	89.6	98.61	-0.6	-0.5	0.04	35.5	0.07	100	8471	98.61	35.3
2023-03-13 15:40:00	81.4	0.00067	0	0	342	10.45	13.09	34.8	90.7	98.61	-0.8	-0.6	0.04	35	0.06	100	8472	98.61	35.1
2023-03-13 15:45:00	86.6	0	0	0	323	11.32	14.43	34.6	91.2	98.6	-0.8	-0.6	0	34.8	0.06	100	8477	98.6	34.8
2023-03-13 15:50:00	94	0.00067	0	0	328	13.69	19.17	34.4	90.9	98.6	-0.8	-0.5	0.04	34.6	0.06	100	8475	98.6	34.3
2023-03-13 15:55:00	117.8	0.00067	0	0	330	11.48	14.67	34.2	91	98.59	-0.6	-0.7	0.04	34.4	0.06	100	8478	98.6	34.1
2023-03-13 16:00:00	135.4	0	0	0	335	10.58	12.77	34.1	91.9	98.59	-0.7	-0.5	0	34.4	0.05	100	8478	98.6	34
2023-03-13 16:05:00	127.4	0.00067	0	0	338	9.62	12.17	34.2	92	98.6	-0.7	-0.6	0.04	34.6	0.05	100	8479	98.6	34
2023-03-13 16:10:00	124.2	0	0	0	329	8.84	13.2	34.1	92.1	98.6	-0.7	-0.5	0	34.4	0.05	100	8478	98.6	34
2023-03-13 16:15:00	109.6	0.00067	0	0	343	9.64	13.29	34.2	92.9	98.6	-0.8	-0.4	0.04	34.5	0.05	100	8478	98.6	34
2023-03-13 16:20:00	85.8	0	0	0	341	8.9	11.1	34.2	92.9	98.6	-0.7	-0.5	0	34.4	0.05	100	8477	98.61	34
2023-03-13 16:25:00	99.6	0	0	0	324	8.61	11.56	34.1	93.3	98.61	-0.8	-0.4	0	34.4	0.04	100	8478	98.61	33.9
2023-03-13 16:30:00	140	0.00067	0	0	329	9.44	12.57	34.2	93	98.6	-0.7	-0.4	0.04	34.5	0.05	100	8478	98.61	33.8
2023-03-13 16:35:00	148.2	0.00067	0	0	328	7.56	11.52	34.2	92.9	98.61	-0.8	-0.6	0.04	34.7	0.05	100	8478	98.61	33.9
2023-03-13 16:40:00	133.8	0	0	0	334	9.8	12.41	34.4	92.5	98.61	-0.6	-0.5	0	34.7	0.05	100	8477	98.61	34
2023-03-13 16:45:00	105.8	0.00067	0	0	330	10.33	13.24	34.3	92.4	98.61	-0.8	-0.5	0.04	34.6	0.05	100	8477	98.61	33.9
2023-03-13 16:50:00	70.2	0	0	0	329	8.52	11.36	34.3	92.2	98.61	-0.9	-0.6	0	34.5	0.05	100	8478	98.61	33.7
2023-03-13 16:55:00	41	0	0	0	339	10.76	14.07	34.1	91.8	98.61	-0.8	-0.4	0	34.2	0.05	100	8477	98.61	33.6
2023-03-13 17:00:00	39.6	0.00067	0	0	336	11.18	16.55	33.9	92.5	98.61	-0.7	-0.4	0.04	33.9	0.05	100	8475	98.61	33.4
2023-03-13 17:05:00	53.8	0	0	0	326	10.71	13.96	33.7	93.1	98.61	-1	-0.5	0	33.8	0.05	100	8472	98.61	33.1
2023-03-13 17:10:00	77.8	0	0	0	336	9.95	12.24	33.4	93	98.61	-0.7	-0.5	0	33.6	0.05	100	8474	98.61	33
2023-03-13 17:15:00	47	0.00067	0	0	325	9.62	14	33.4	92.9	98.61	-0.8	-0.6	0.04	33.4	0.05	100	8474	98.61	32.9
2023-03-13 17:20:00	30	0	0	0	324	10.92	14.83	33	93.8	98.62	-0.9	-0.5	0	33.2	0.04	100	8466	98.62	32.7
2023-03-13 17:25:00	32.2	0	0	0	322	8.84	11.36	33	93.8	98.62	-0.7	-0.5	0	33.1	0.04	100	8469	98.62	32.6
2023-03-13 17:30:00	63.8	0	0	0	322	9.86	12.91	33	94.1	98.62	-0.8	-0.5	0	33.1	0.04	100	8467	98.63	32.5
2023-03-13 17:35:00	76.8	0	0	0	330	7.9	10.78	32.9	94.8	98.63	-0.7	-0.5	0	33.1	0.03	100	8468	98.63	32.4
2023-03-13 17:40:00	63	0	0	0	328	8.25	10.22	32.9	94.8	98.63	-0.8	-0.6	0	33	0.03	100	8467	98.63	32.4
2023-03-13 17:45:00	58.2	0.00067	0	0	330	7.94	11.86	32.9	94.7	98.63	-0.8	-0.5	0.04	33.1	0.03	100	8465	98.63	32.3
2023-03-13 17:50:00	42.8	0	0	0	334	7.78	10.38	32.9	94.6	98.64	-0.8	-0.6	0	33	0.03	100	8463	98.64	32.3
2023-03-13 17:55:00	47.6	0	0	0	324	6.26	8.3	32.9	94.8	98.64	-0.7	-0.4	0	33	0.03	100	8465	98.64	32.3
2023-03-13 18:00:00	53.8	0.00067	0	0	330	6.02	7.87	32.8	95.3	98.64	-0.8	-0.4	0.04	32.9	0.03	100	8465	98.64	32.3
2023-03-13 18:05:00	43.2	0.00067	0	0	329	5.75	8.68	32.7	95.4	98.65	-0.8	-0.5	0.04	32.9	0.03	100	8462	98.65	32.3
2023-03-13 18:10:00	30.4	0.00067	0	0	325	5.82	7.45	32.9	95.2	98.65	-0.8	-0.5	0.04	32.9	0.03	100	8461	98.65	32.3
2023-03-13 18:15:00	15.8	0	0	0	339	6.31	8.81	32.8	95.1	98.66	-0.7	-0.5	0	32.9	0.03	100	8461	98.65	32.2
2023-03-13 18:20:00	7.6	0	0	0	343	5.84	7.43	32.6	95.7	98.66	-0.8	-0.5	0	32.7	0.03	100	8458	98.66	32.1
2023-03-13 18:25:00	5.6	0	0	0	331	6.13	8.84	32.6	95.6	98.66	-0.9	-0.5	0	32.6	0.03	100	8460	98.66	32.1
2023-03-13 18:30:00	5.4	0	0	0	335	6.96	9.93	32.5	96.1	98.66	-0.9	-0.5	0	32.5	0.02	100	8458	98.66	32
2023-03-13 18:35:00	3.2	0	0	0	336	8.3	10.6	32.4	95.2	98.66	-0.9	-0.5	0	32.4	0.03	100	8456	98.66	31.9
2023-03-13 18:40:00	4.2	0	0	0	328	6.69	10	32.3	95.6	98.66	-0.8	-0.5	0	32.3	0.03	100	8456	98.66	31.9
2023-03-13 18:45:00	7.6	0	0	0	331	5.97	8.3	32.3	96.2	98.66	-0.7	-0.5	0	32.3	0.02	100	8454	98.66	31.8
2023-03-13 18:50:00	5	0	0	0	322	6.4	7.96	32.2	96.4	98.67	-0.8	-0.5	0	32.3	0.02	100	8453	98.67	31.7
2023-03-13 18:55:00	1.4	0	0	0	322	5.44	7	32	96.4	98.67	-0.7	-0.5	0	32.1	0.02	100	8452	98.67	31.7
2023-03-13 19:00:00	0.8	0	0	0	293	4.9	6.62	32	96.4	98.67	-0.8	-0.5	0	32	0.02	100	8453	98.67	31.7
2023-03-13 19:05:00	0	0	0	0	291	4.79	6.29	32	96.6	98.68	-0.9	-0.4	0	32	0.02	100	8449	98.68	31.6
2023-03-13 19:10:00	0	0	0	0	295	7.05	9.22	32.1	96.6	98.68	-0.8	-0.5	0	32.1	0.02	100	8450	98.68	31.6
2023-03-13 19:15:00	0	0	0	0	296	4.32	6.35	32	96.7	98.68	-0.8	-0.6	0	32	0.02	100	8447	98.68	31.6
2023-03-13 19:20:00	0	0	0	0	285	5.93	11.92	31.9	96.8	98.68	-0.7	-0.6	0	31.9	0.02	100	8445	98.68	31.6
2023-03-13 19:25:00	0	0	0	0	291	6.4	8.95	32	96.7	98.68	-0.9	-0.5	0	32	0.02	100	8447	98.68	31.5
2023-03-13 19:30:00	0	0	0	0	301	5.7	10.54	32	96.7	98.68	-0.8	-0.6	0	32	0.02	100	8447	98.68	31.5
2023-03-13 19:35:00	0	0	0	0	297	4.07	5.3	32	97	98.68	-0.8	-0.5	0	32	0.02	100	8443	98.68	31.5
2023-03-13 19:40:00	0	0	0	0	285	6.4	9.24	32	96.7	98.68	-0.8	-0.4	0	31.9	0.02	100	8446	98.68	31.5
2023-03-13 19:45:00	0	0	0	0	289	7.34	9.71	31.9	97.1	98.68	-0.7	-0.5	0	31.9	0.02	100	8445	98.68	31.4
2023-03-13 19:50:00	0	0	0	0	285	7.52	10.89	31.9	97.1	98.68	-0.7	-0.5	0	31.9	0.02	100	8443	98.68	31.4
2023-03-13 19:55:00	0	0	0	0	280	8.9	11.72	31.9	96.8	98.68	-0.8	-0.4	0	31.8	0.02	100	8443	98.68	31.4
2023-03-13 20:00:00	0	0	0	0	277	7.56	9.62	31.8	96.6	98.68	-0.7	-0.4	0	31.7	0.02	100	8441	98.68	31.3
2023-03-13 20:05:00	0	0	0	0	275	7.38	10.89	31.7	96.4	98.68	-0.8	-0.5	0	31.7	0.02	100	8442	98.68	31.3
2023-03-13 20:10:00	0	0	0	0	272	8.68	12.97	31.6	96.3	98.68	-0.8	-0.5	0	31.7	0.02	100	8442	98.68	31.3
2023-03-13 20:15:00	0	0	0	0	277	8.81	13.65	31.7	96	98.68	-0.9	-0.6	0	31.7	0.02	100	8437	98.68	31.2
2023-03-13 20:20:00	0	0	0	0	276	8.23	11.74	31.6	96.5	98.68	-0.8	-0.5	0	31.6	0.02	100	8440	98.68	31.2
2023-03-13 20:25:00	0	0	0	0	281	9.93	14.9	31.6	96.6	98.67	-0.8	-0.4	0	31.6	0.02	100	8437	98.68	31.1
2023-03-13 20:30:00	0	0	0	0	279	9.66	12.46	31.6	96.5	98.68	-0.8	-0.6	0	31.6	0.02	100	8439	98.68	31
2023-03-13 20:35:00	0	0	0	0	277	9.26	12.17	31.5	96.5	98.68	-0.8	-0.5	0	31.5	0.02	100	8441	98.68	31
2023-03-13 20:40:00	0	0	0	0	277	9.19	13.06	31.5	96.4	98.68	-0.9	-0.4	0	31.5	0.02	100	8436	98.68	31
2023-03-13 20:45:00	0	0	0	0	275	9.22	13.87	31.4	96.8	98.67	-0.7	-0.4	0	31.4	0.02	100	8436	98.67	30.9
2023-03-13 20:50:00	0	0	0	0	277	10.09	14.

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-13 21:15:00	0	0	0	0	279	9.1	14.47	31.2	96.2	98.67	-1	-0.4	0	31.3	0.02	100	8432	98.67	30.7
2023-03-13 21:20:00	0	0	0	0	278	9.26	13.82	31.2	96.5	98.68	-0.7	-0.6	0	31.2	0.02	100	8431	98.68	30.6
2023-03-13 21:25:00	0	0	0	0	282	8.32	11.83	31.2	96.2	98.68	-0.7	-0.5	0	31.2	0.02	100	8431	98.68	30.5
2023-03-13 21:30:00	0	0	0	0	279	7.16	10.11	31.1	96.3	98.68	-1	-0.4	0	31.1	0.02	100	8429	98.68	30.5
2023-03-13 21:35:00	0	0	0	0	271	9.01	13.33	31.1	95.9	98.68	-0.7	-0.5	0	31.1	0.02	100	8429	98.67	30.4
2023-03-13 21:40:00	0	0	0	0	274	8.52	12.41	30.9	95.5	98.67	-0.9	-0.4	0	30.9	0.03	100	8429	98.67	30.3
2023-03-13 21:45:00	0	0	0	0	272	8.01	10.94	30.8	95.1	98.67	-0.8	-0.5	0	30.8	0.03	100	8429	98.67	30.1
2023-03-13 21:50:00	0	0	0	0	272	7.38	10.96	30.6	95.1	98.67	-0.9	-0.5	0	30.6	0.03	100	8427	98.67	30
2023-03-13 21:55:00	0	0	0	0	275	7.34	10.49	30.6	95.4	98.67	-0.8	-0.4	0	30.6	0.03	100	8428	98.67	29.9
2023-03-13 22:00:00	0	0	0	0	275	7.2	10.67	30.5	95.1	98.66	-0.7	-0.5	0	30.5	0.03	100	8428	98.67	29.8
2023-03-13 22:05:00	0	0	0	0	279	6.29	10.98	30.3	95.9	98.66	-0.9	-0.4	0	30.3	0.02	100	8425	98.66	29.8
2023-03-13 22:10:00	0	0	0	0	275	6.82	11.18	30.3	96.1	98.66	-0.9	-0.5	0	30.3	0.02	100	8425	98.66	29.7
2023-03-13 22:15:00	0	0	0	0	271	7.38	11.43	30.3	95.5	98.65	-0.8	-0.6	0	30.3	0.03	100	8423	98.66	29.6
2023-03-13 22:20:00	0	0	0	0	263	7.09	10.36	30.2	94.9	98.65	-0.8	-0.6	0	30.2	0.03	100	8422	98.65	29.6
2023-03-13 22:25:00	0	0	0	0	270	8.99	12.1	30.1	95.3	98.65	-0.9	-0.4	0	30.1	0.03	100	8422	98.65	29.5
2023-03-13 22:30:00	0	0	0	0	274	9.13	13.24	30.1	95.5	98.64	-0.9	-0.5	0	30.1	0.03	100	8424	98.64	29.4
2023-03-13 22:35:00	0	0	0	0	273	7.14	9.13	30.1	95.3	98.64	-0.8	-0.4	0	30.1	0.03	100	8420	98.64	29.4
2023-03-13 22:40:00	0	0	0	0	271	7.58	10.83	30.1	95.6	98.63	-0.9	-0.5	0	30.1	0.02	100	8420	98.63	29.3
2023-03-13 22:45:00	0	0	0	0	275	8.21	10.76	29.9	96	98.63	-0.8	-0.5	0	29.9	0.02	100	8422	98.63	29.3
2023-03-13 22:50:00	0	0	0	0	274	8.48	13.13	29.9	96.3	98.63	-0.9	-0.5	0	29.9	0.02	100	8418	98.63	29.2
2023-03-13 22:55:00	0	0	0	0	278	7.81	10.85	29.9	96	98.62	-0.8	-0.4	0	29.9	0.02	100	8421	98.63	29.2
2023-03-13 23:00:00	0	0	0	0	274	8.32	12.1	29.9	96	98.62	-0.8	-0.5	0	29.9	0.02	100	8418	98.63	29.1
2023-03-13 23:05:00	0	0	0	0	271	7.67	10.74	29.9	96	98.62	-0.9	-0.5	0	29.9	0.02	100	8419	98.62	29.1
2023-03-13 23:10:00	0	0	0	0	271	6.82	11.36	29.8	96.1	98.62	-0.9	-0.6	0	29.8	0.02	100	8419	98.62	29.1
2023-03-13 23:15:00	0	0	0	0	271	7.07	11.43	29.9	96.3	98.61	-0.9	-0.5	0	29.9	0.02	100	8419	98.61	29.1
2023-03-13 23:20:00	0	0	0	0	274	6.87	9.71	29.9	96.2	98.61	-0.9	-0.5	0	29.9	0.02	100	8416	98.61	29.1
2023-03-13 23:25:00	0	0	0	0	279	6.76	9.31	29.9	96.2	98.61	-0.8	-0.4	0	29.9	0.02	100	8415	98.61	29.1
2023-03-13 23:30:00	0	0	0	0	276	7.43	12.55	30	95.9	98.6	-0.9	-0.4	0	29.9	0.02	100	8416	98.61	29.1
2023-03-13 23:35:00	0	0	0	0	279	6.69	9.22	29.9	96	98.61	-0.9	-0.5	0	29.9	0.02	100	8415	98.61	29.2
2023-03-13 23:40:00	0	0	0	0	276	7.45	9.62	30	96.3	98.6	-0.8	-0.4	0	30	0.02	100	8416	98.61	29.2
2023-03-13 23:45:00	0	0	0	0	285	7.09	9.8	30.1	96.7	98.6	-0.9	-0.5	0	30.1	0.02	100	8414	98.6	29.2
2023-03-13 23:50:00	0	0	0	0	282	7.92	11.81	30	95.9	98.6	-0.8	-0.5	0	30	0.02	100	8413	98.6	29.2
2023-03-13 23:55:00	0	0	0	0	287	7.27	10.71	30	96.8	98.59	-0.9	-0.5	0	30	0.02	100	8415	98.6	29.2
2023-03-14 00:00:00	0	0	0	0	290	6.6	9.44	30	96.5	98.59	-0.9	-0.5	0	30	0.02	100	8412	98.6	29.2
2023-03-14 00:05:00	0	0	0	0	279	6.82	10.92	30.1	96.9	98.59	-0.9	-0.4	0	30.1	0.02	100	8387	98.59	29.4
2023-03-14 00:10:00	0	0	0	0	284	8.57	12.12	30	96.5	98.58	-0.8	-0.4	0	30	0.02	100	8372	98.58	29.7
2023-03-14 00:15:00	0	0	0	0	287	7.61	11.05	30	97.5	98.58	-0.9	-0.4	0	30	0.01	100	8363	98.59	29.8
2023-03-14 00:20:00	0	0	0	0	285	8.01	11.27	30.2	96.6	98.57	-0.8	-0.5	0	30.2	0.02	100	8381	98.58	29.8
2023-03-14 00:25:00	0	0	0	0	285	8.37	11.27	30.1	97.1	98.56	-0.9	-0.5	0	30.1	0.02	100	8383	98.57	29.6
2023-03-14 00:30:00	0	0	0	0	283	8.08	12.71	30.1	96.9	98.56	-0.9	-0.5	0	30.1	0.02	100	8386	98.57	29.5
2023-03-14 00:35:00	0	0	0	0	284	7.34	10.38	30.2	97	98.56	-0.8	-0.5	0	30.1	0.02	100	8386	98.56	29.4
2023-03-14 00:40:00	0	0	0	0	291	7.76	10.42	30	97.5	98.55	-0.8	-0.5	0	30	0.01	100	8386	98.55	29.4
2023-03-14 00:45:00	0	0	0	0	299	6.13	7.58	30.1	97.4	98.55	-0.8	-0.5	0	30.1	0.01	100	8387	98.55	29.4
2023-03-14 00:50:00	0	0	0	0	293	7.9	11.56	30.1	97.4	98.54	-0.9	-0.4	0	30.1	0.01	100	8387	98.54	29.4
2023-03-14 00:55:00	0	0	0	0	296	7.83	11.7	30.1	97.3	98.54	-0.9	-0.4	0	30.1	0.02	100	8388	98.54	29.4
2023-03-14 01:00:00	0	0	0	0	294	7.9	10.69	30.1	97.3	98.53	-0.8	-0.3	0	30.1	0.02	100	8387	98.54	29.4
2023-03-14 01:05:00	0	0	0	0	291	9.64	12.12	30.1	97.4	98.53	-0.9	-0.4	0	30.1	0.01	100	8387	98.53	29.4
2023-03-14 01:10:00	0	0	0	0	291	8.95	12.06	30.2	96.8	98.52	-0.8	-0.3	0	30.2	0.02	100	8387	98.53	29.4
2023-03-14 01:15:00	0	0	0	0	291	10.8	15.61	30.2	96.8	98.52	-0.8	-0.5	0	30.2	0.02	100	8388	98.52	29.4
2023-03-14 01:20:00	0	0	0	0	291	10.8	13.44	30.2	97	98.51	-0.9	-0.4	0	30.2	0.02	100	8384	98.51	29.4
2023-03-14 01:25:00	0	0	0	0	301	10.87	17.22	30.1	96.8	98.51	-0.9	-0.4	0	30.1	0.02	100	8387	98.51	29.4
2023-03-14 01:30:00	0	0	0	0	297	11.79	16.28	30.2	96.8	98.51	-1	-0.2	0	30.2	0.02	100	8390	98.51	29.3
2023-03-14 01:35:00	0	0	0	0	286	14.97	19.75	30.2	96.8	98.5	-0.9	-0.6	0	30.2	0.02	100	8389	98.51	29.3
2023-03-14 01:40:00	0	0	0	0	295	15.55	21.23	30.2	95.1	98.5	-0.8	-0.7	0	30.2	0.03	100	8389	98.5	29.2
2023-03-14 01:45:00	0	0	0	0	300	13.94	19.98	30.1	94.8	98.5	-0.6	-0.6	0	30.1	0.03	100	8388	98.5	29.1
2023-03-14 01:50:00	0	0	0	0	302	16.4	22.79	30	94	98.49	-1	-0.4	0	30	0.03	100	8384	98.49	29
2023-03-14 01:55:00	0	0	0	0	302	12.93	21.56	30	94	98.5	-1	-0.4	0	30	0.03	100	8387	98.5	29
2023-03-14 02:00:00	0	0	0	0	295	13.18	17.94	30	94.1	98.5	-0.8	-0.5	0	29.9	0.03	100	8384	98.51	28.9
2023-03-14 02:05:00	0	0	0	0	301	12.73	16.98	29.8	93.6	98.49	-0.9	-0.4	0	29.8	0.04	100	8385	98.49	28.8
2023-03-14 02:10:00	0	0	0	0	300	15.82	24.54	29.7	93.4	98.48	-0.9	-0.7	0	29.7	0.04	100	8385	98.48	28.7
2023-03-14 02:15:00	0	0	0	0	305	15.61	21.05	29.6	93.1	98.48	-0.8	-0.6	0	29.6	0.04	100	8384	98.48	28.6
2023-03-14 02:20:00	0	0	0	0	308	13.85	20.15	29.6	93.3	98.48	-0.9	-0.6	0	29.5	0.04	100	8384	98.48	28.5
2023-03-14 02:25:00	0	0	0	0	297	15.39	21.39	29.4	93	98.47	-0.8	-0.5	0	29.4	0.04	100	8380	98.48	28.5
2023-03-14 02:30:00	0	0	0	0	310	14.16	19.48	29.4	92.7	98.48	-0.7	-0.4	0	29.4	0.04	100	8384	98.48	28.4
2023-03-14 02:35:00	0	0	0	0	308	11.14	15.3	29.4	92.9	98.49	-0.9	-0.4	0	29.4	0.04	100	8384	98.49	28.4
2023-03-14 02:40:00	0	0	0	0	293	11.74	17.27	29.4	93.2	98.48	-0.9	-0.7	0	29.3	0.04	100	8386	98.49	28.3
2023-03-14 02:45:00	0	0	0	0	293	12.1	17.58	29.3	93.3	98.48	-0.8	-0.7	0	29.3	0.04	100	8384	98.49	28.3
2023-03-14 02:50:00	0	0	0	0	291	13.29	20.8	29.4	92.9	98.48	-0.9	-0.2	0	29.4	0.04	100	8382	98.49	28.3
2023-03-14 02:55:00	0	0	0	0	296	12.97	17.72	29.3	92.8	98.48	-1.1	-0.2	0	29.3	0.04	100	8383	98.48	28.2
2023-03-14 03:00:00	0	0	0	0	296	13.85	20.31	29.3	92.5	98.47	-0.9	-0.3	0	29.2	0.04	100	8384	98.47	28.2
2023-03-14 03:05:00	0	0	0	0	302	13.76	20.24	29.3	92.5	98.46	-0.8	-0.8	0	29.2	0.04	100	8377	98.46	28.2
2023-03-14 03:10:00	0	0	0	0	293	12.57	21.14	29.3	92.9	98.46	-1	-0.5	0	29.3	0.04	100	8377	98.46	28.2
2023-03-14 03:15:00	0	0	0	0	297	12.62	20.51	29.3	92.8	98.46	-0.8	-0.4	0	29.3	0.04	100	8378	98.46	28.1
2023-03-14 03:20:00	0	0	0	0	298	14.38	20.13	29.3	92.4	98.45	-0.6	-0.5	0	29.3	0.04	100	8376	98.45	28.1
2023-03-14 03:25:00	0	0	0	0	295	16.69	23.71	29.2	92.1	98.44	-1	-0.2	0	29.2	0.04	100	8379	98.45	28.1
2023-03-14 03:30:00	0	0	0	0	296	15.95	23.47	29.2	91.6	98.44	-1.1	-0.3	0	29.2	0.05	100	8377	98.44	28
2023-03-14 03:35:00	0	0	0	0	290	15.84	23.71	29.2	92	98.44	-0.9	-0.2	0	29.2	0.04	100	8376	98.44	28
2023-03-14 03:40:00	0	0	0	0	289	15.68	20.07	29.2	92.2	98.43	-1	-0.4	0	29.2	0.04	100	8379	98.43	28
2023-03-14 03:45:00	0	0	0	0	292	15.08	22.03	29.2	92.2	98.43	-0.7	-0.7	0	29.2	0.04	100	8377	98.43	28
2023-03-14 03:50:00	0	0	0	0	287	13.58	19.22	29.2	92	98.42	-1.1	-0.4	0	29.2	0.04	100	8376	98.42	28
2023-03-14 03:55:00	0	0	0	0	284	15.77	20.62	29.2	92	98.41	-0.8	-0.5	0	29.2	0.04	100	8376	98.41	28
2023-03-14 04:00:00	0	0	0	0	290	15.28	21.36	29.2	91.6	98.41	-0.9	-0.4	0	29.2	0.05	100	8379	98.42	28
2023-03-14 04:05:00	0	0	0	0	288	15.79	25.17	29.2	91.7	98.41	-0.8	-0.7	0	29.2	0.05	100	8376	98.41	28
2023-03-14 04:10:00	0	0	0	0	289	14.16	22.24	29.2	91.7	98.41	-0.8	-0.4	0	29.2	0.05	100	8376	98.42	28
2023-03-14 04:15:00	0	0	0	0	292	13.31	18.48	29.2	92.3	98.42	-0.9	-0.2	0	29.2	0.04	100	8374	98.42	28
2023-03-14 04:20:00	0	0	0	0	282	12.86	17.94	29.3	92.9	98.42	-1	-0.3	0	29.2	0.04	100	8374	98.42	28
2023-03-14 04:25:00	0	0	0	0	286	13.06	19.17	29.2	92	98.42	-1	-0.5	0	29.2	0.04	100	8374	98.42	28.1
2023-03-14 04:30:00	0	0	0	0	284	15.68	19.46	29.2	92.7	98.41	-0.8	-0.7	0	29.2	0.04	100	8374	98.4	28
2023-03-14 04:35:00	0	0	0	0	287	13.91	22.15	29.3	92.2	98.4	-1.1	-0.5	0	29.2	0.04	100	8373	98.4	28.1
2023-03-14 04:40:00	0	0	0	0	284	14.74	21.39	29.2	92.7	98.4	-0.8	-0.4	0	29.2	0.04	100	8374	98.4	28.1
2023-03-14 04:45:00	0	0	0	0	292	15.05	22.08	29.2	93	98.41	-0.8	-0.6	0	29.2	0.04	100	8371	98.41	28.1
2023-03-14 04:50:00	0	0	0	0	296	13.69	19.44	29.2	93.3	98.41	-0.8	-0.5	0	29.2	0.04	100	8371	98.41	28.1
2023-03-14 04:55:00	0	0	0	0	288	14.76	21.23	29.2	93	98.41	-1	-0.4	0	29.2	0.04	100	8372	98.41	28.1
2023-03-14 05:00:00	0	0	0	0	293	13.29	20.94	29.2	93.7	98.41	-0.9	-0.3	0	29.2	0.03	100	8372	98.41	28.1
2023-03-14 05:05:00	0	0	0	0	288	14.7	20.18	29.2	93.4	98.41	-0.9	-0.5	0	29.2	0.04	100	8369	98.41	28.1
2023-03-14 05:10:00	0	0	0	0	284	16.17	21.9	29.1	93.1	98.41	-0.9	-0.6	0	29.1	0.04	100	8372	98.41	28.1
2023-03-14 05:15:00	0	0	0	0	290	15.99	21.47	29.2	92.5	98.41	-1.2	-0.3	0	29.2	0.04	100	8371	98.41	28.1
2023-03-14 05:20:00	0	0	0	0	290	17.27	23.73	29.2	93	98.4	-0.8	-0.3	0	29.1	0.04	100	8368	98.41	28.1
2023-03-14 05:25:00	0	0	0	0	299	17.34	24.81	29.2	92.2	98.39	-0.9	-0.5	0	29.2	0.04	100	8369	98.41	28
2023-03-14 05:30:00	0	0	0	0	287	19.77	29.8	29.1	92	98.41	-1.2	-0.4	0	29.1	0.04	100	8370	98.41	28
2023-03-14 05:35:00	0	0	0	0	295	21.21	28.5	29.1	92	98.41	-0.7	-0.2	0	29.1	0.04	100	8366	98.41	28
2023-03-14 05:40:00	0	0	0	0	294	19.26	25.81	29	92.5	98.41	-0.7	-0.6	0	29	0.04	100	8368	98.41	27.9
2023-03-14 05:45:00	0	0	0	0	286	19.28	28.43	28.9	92.4	98.41	-0.8	-0.3	0	28.9	0.04	100	8370	98.42	27.9
2023-03-14 05:50:00	0	0	0	0	294	20.38	30.47	28.9	91.8	98.4	-0.6	-0.9	0	28.9	0.04	100	8369	98.41	27.8
2023-03-14 05:55:00	0	0	0	0	287	19.42	25.7	28.9	91.7	98.41	-1.2	-0.8	0	28.9	0.04	100	8368	98.41	27.8
2023-03-14 06:00:00	0	0	0	0	292	17.18	27.38	28.8	91.5	98.42	-0.9	-0.4	0	28.8	0.05	100	8367	98.42	27.7
2023-03-14 06:05:00	0	0	0	0	285	17.13	24.11	28.8	91.5	98.42	-0.9	-0.5	0	28.8	0.05	100	8367	98.42	27.7
2023-03-14 06:10:00	0	0	0	0	283	15.95	23.71	28.6	92.2	98.42	-1	-0.4	0	28.6	0.04	100	8364	98.43	27.6
2023-03-14 06:15:00	0	0	0	0	291	14.07	18.52	28.6	92.2	98.43	-0.9	-0.4	0	28.5	0.04	100	8366	98.43	27.6
2023-03-14 06:20:00	0	0	0	0	288	14.61	23.42	28.5	92.4	98.43	-1	-0.6	0	28.5	0.04	100	8366	98.43	27.5
2023-03-14 06:25:00	0	0	0	0	286	16.67	24.63	28.5	92.3	98.43	-0.9	-0.4	0	28.5	0.04	100	8365	98.43	27.5
2023-03-14 06:30:00	0	0	0	0	289	18.88	27.67	28.4	92.6	98.43	-0.9	-0.2	0	28.4	0.04	100	8365	98.42	27.4
2023-03-14 06:35:00	0	0	0	0	289	18.07	28.92	28.4	91.8	98.42	-0.7	-0.6	0	28.4	0.04	100	8361	98.43	27.4
2023-03-14 06:40:00	0	0	0	0	291	16.98	24.11	28.3	92.9	98.43	-0.6	-0.6	0	28.3	0.04	100	8361	98.44	27.3
2023-03-14 06:45:00	0	0	0	0	289	21.45	28.66	28.2	91.8	98.41	-1.3	-1	0	28.2	0.04	100	8361	98.41	27.2
2023-03-14 06:50:00	0	0	0	0	297	22.01	30.02	28.1	91.7	98.42	-0.9	-0.2	0	28.1	0.04	100	8358	98.43	27.1
2023-03-14 06:55:00	0	0	0	0	293	20.27	29.21	28	92.4	98.42	-0.9	-0.3	0	28	0.04	100	8362	98.43	27
2023-03-14 07:00:00	0	0	0	0	294	18.92	24.94	27.9	92.5	98.43	-1	-0.7	0	27.9	0.04	100	8361	98.44	26.9
2023-03-14 07:05:00	0	0	0	0	296	17.2	25.3	27.8	92.7	98.43	-1.1	-0.2	0	27.8	0.04	100	8360	98.43	26.9
2023-03-14 07:10:00	0.2	0	0	0	286	16.89	25.9	27.7	92.4	98.43	-1	-0.5	0	27.7	0.04	100	8361	98.42	26.9
2023-03-14 07:15:00	1	0	0	0	291	22.08	29.75	27.7	91.6	98.42	-1.3	-0.2	0	27.7	0.04	100	8359	98.42	26.7
2023-03-14 07:20:00	1.8	0	0	0	288	16.26	24.14	27.6	92.1	98.43	-0.8	-0.7	0	27.6	0.04	100	8359	98.44	26.6
2023-03-14 07:25:00	2	0	0	0	289	18.92	27.98	27.4	92.8	98.44	-0.7	-0.9	0	27.4	0.04	100	8358	98.45	26.6
2023-03-14 07:30:00	2.4	0	0	0	284	18.7	25.32	27.3	92.8	98.45	-1	-0.8	0	27.3	0.04	100	8359	98.45	26.4
2023-03-14 07:35:00	4	0	0	0	283	19.42	29.84	27.2	92.6	98.44	-1	-0.5	0	27.2	0.04	100	8357	98.43	26.3
2023-03-14 07:40:00	7	0	0	0	288	23.6	34.45	27	92.2	98.42	-1.1	-0.3	0	27	0.04	100	8358	98.41	26.2
2023-03-14 07:45:00	11	0	0	0	285	22.75	29.86	27	91.9	98.42	-0.5	-1	0	27	0.04	100	8361	98.43	26
2023-03-14 07:50:00	15.4	0	0	0	285	23.4	29.19	26.9	91.7	98.43	-1.2	-0.6	0	26.9	0.04	100	8353	98.42	26
2023-03-14 07:55:00	18.4	0	0	0	294	22.59	32.17	26.7	91.3	98.42	-1.8	-0.1	0	26.7	0.04	100	8357	98.42	25.8
2023-03-14 08:00:00	19.4	0	0	0	285	17.9	29.84	26.7	91.3	98.44	-1.2	-0.6	0	26.7	0.04	100	8355	98.45	25.8
2023-03-14 08:05:00	23	0	0	0	287	17.67	25.95	26.7	91.4	98.45	-0.9	-0.4	0	26.7	0.04	100	8355	98.45	25.7
2023-03-14 08:10:00	23.6	0	0	0	290	16.96	22.28	26.7	91.6	98.45	-1.1	-0.5	0	26.7	0.04	100	8355	98.46	25.7
2023-03-14 08:15:00	23.2	0	0	0	286	18.95	28.36	26.6	91.7	98.45	-1	-0.6	0	26.7	0.04	100	8353	98.45	25.6
2023-03-14 08:20:00	27.8	0	0	0	285	18.01	26.11	26.5	92.4	98.45	-0.9	-0.6	0	26.6	0.04	100	8355	98.46	25.5
2023-03-14 08:25:00	34.6	0	0	0	283	18.84	24.45	26.5	92	98.45	-0.8	-0.5	0	26.5	0.04	100	8356	98.46	25.5
2023-03-14 08:30:00	42.4	0	0	0	284	21.12	31.32	26.4	90.9	98.45	-1.1	-0.7	0	26.4	0.04	100	8355	98.46	25.4
2023-03-14 08:

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-14 08:40:00	51.2	0	0	0	289	16.11	23.38	26.4	91.3	98.47	-1.2	-0.4	0	26.5	0.04	100	8357	98.49	25.4
2023-03-14 08:45:00	51.8	0	0	0	287	18.57	26.78	26.5	91.4	98.47	-0.9	-0.6	0	26.6	0.04	100	8353	98.48	25.4
2023-03-14 08:50:00	55.8	0	0	0	286	19.35	29.64	26.4	90.5	98.47	-1.1	-0.3	0	26.6	0.05	100	8353	98.47	25.4
2023-03-14 08:55:00	68.4	0	0	0	290	17.81	26.26	26.6	91.2	98.47	-0.7	-0.5	0	26.7	0.04	100	8355	98.48	25.3
2023-03-14 09:00:00	92	0	0	0	283	18.9	23.76	26.6	89.9	98.47	-0.6	-0.3	0	26.7	0.05	100	8355	98.48	25.3
2023-03-14 09:05:00	104.8	0	0	0	286	17.54	25.61	26.7	90.3	98.47	-1	-0.5	0	26.9	0.05	100	8358	98.48	25.4
2023-03-14 09:10:00	89.6	0	0	0	286	23.13	31.59	26.6	89.9	98.45	-1	-0.5	0	26.7	0.05	100	8358	98.47	25.4
2023-03-14 09:15:00	94.4	0	0	0	285	21.32	33.64	26.7	89.5	98.47	-1	-0.5	0	26.8	0.05	100	8358	98.47	25.4
2023-03-14 09:20:00	114.2	0	0	0	285	18.75	26.64	26.8	89.1	98.46	-1.3	-0.4	0	27	0.05	100	8360	98.47	25.4
2023-03-14 09:25:00	143.6	0	0	0	288	20.29	32.23	26.9	89.3	98.46	-0.8	-0.6	0	27	0.05	100	8363	98.47	25.4
2023-03-14 09:30:00	165	0	0	0	292	20.94	30.65	27	88.9	98.45	-1.4	-1.1	0	27.2	0.06	100	8365	98.47	25.5
2023-03-14 09:35:00	170.4	0	0	0	297	20.85	26.71	27.1	88.2	98.46	-1	-0.8	0	27.4	0.06	100	8365	98.47	25.6
2023-03-14 09:40:00	171.4	0	0	0	294	17.58	23.26	27.2	88.5	98.47	-1	-0.5	0	27.5	0.06	100	8368	98.49	25.7
2023-03-14 09:45:00	184	0	0	0	291	17.47	23.69	27.4	89	98.47	-1.1	-0.5	0	27.7	0.06	100	8374	98.49	25.9
2023-03-14 09:50:00	192.2	0	0	0	293	18.54	27.02	27.5	88.6	98.47	-1	-0.4	0	27.9	0.06	100	8371	98.48	26
2023-03-14 09:55:00	219	0	0	0	285	23.85	37.67	27.6	88	98.46	-0.7	-0.3	0	28	0.06	100	8377	98.48	26
2023-03-14 10:00:00	223.2	0	0	0	282	22.62	29.77	27.6	87.2	98.47	-0.6	-0.3	0	28	0.07	100	8380	98.48	26
2023-03-14 10:05:00	224.8	0	0	0	287	20.6	27.34	27.6	87.3	98.47	-1.2	0	0	28	0.06	100	8381	98.49	26
2023-03-14 10:10:00	242.4	0	0	0	290	24.2	34.31	27.6	86	98.47	-1.2	-0.5	0	28	0.07	100	8385	98.49	26.1
2023-03-14 10:15:00	232.2	0	0	0	296	20.45	29.53	27.6	86.1	98.48	-1.3	-0.8	0	28	0.07	100	8390	98.49	26.1
2023-03-14 10:20:00	230.4	0	0	0	290	24.85	38.56	27.6	85.9	98.48	-0.9	-0.7	0	28	0.07	100	8389	98.49	26.1
2023-03-14 10:25:00	232	0	0	0	294	23.55	37.89	27.5	86.4	98.49	-1	-1.1	0	27.9	0.07	100	8391	98.5	26
2023-03-14 10:30:00	207.4	0	0	0	289	21.39	30.49	27.4	86.4	98.5	-1	-0.6	0	27.8	0.07	100	8396	98.52	26
2023-03-14 10:35:00	222.4	0	0	0	286	21.68	28.63	27.3	86.1	98.5	-1	-0.6	0	27.6	0.07	100	8393	98.51	26
2023-03-14 10:40:00	254.4	0	0	0	290	24.14	37.2	27.3	85.2	98.49	-0.9	-1.1	0	27.7	0.07	100	8399	98.51	26
2023-03-14 10:45:00	286	0	0	0	296	24.65	34.47	27.4	85.2	98.48	-1.3	-0.1	0	27.9	0.08	100	8402	98.5	26
2023-03-14 10:50:00	257.6	0	0	0	292	25.77	33.62	27.4	84	98.49	-1.3	-0.7	0	27.9	0.08	100	8406	98.51	26
2023-03-14 10:55:00	254.2	0	0	0	289	24.25	38.88	27.5	84.3	98.48	-0.5	-0.4	0	27.9	0.08	100	8406	98.5	26
2023-03-14 11:00:00	227.6	0	0	0	291	22.5	31.79	27.2	84.2	98.49	-0.6	-1	0	27.6	0.08	100	8412	98.52	25.9
2023-03-14 11:05:00	245	0	0	0	292	21.7	27.85	27.2	85.2	98.49	-1.2	0.1	0	27.6	0.07	100	8413	98.51	26
2023-03-14 11:10:00	256.6	0	0	0	294	22.79	33.26	27.2	85.3	98.49	-1	0.2	0	27.6	0.07	100	8416	98.51	26
2023-03-14 11:15:00	226.8	0	0	0	290	19.57	27.2	27.1	85.8	98.5	-1.1	-0.6	0	27.5	0.07	100	8420	98.53	26
2023-03-14 11:20:00	239.2	0	0	0	282	23.94	37.2	27.1	85.5	98.5	-1.4	0.2	0	27.5	0.07	100	8422	98.51	26
2023-03-14 11:25:00	255	0	0	0	295	22.84	34.25	27.2	84	98.5	-1	-0.7	0	27.6	0.08	100	8424	98.51	25.9
2023-03-14 11:30:00	239.2	0	0	0	292	20.22	26.17	27	84.3	98.52	-1.4	-0.5	0	27.4	0.08	100	8427	98.53	25.9
2023-03-14 11:35:00	212.4	0	0	0	294	23.53	30.62	27	84.6	98.51	-0.9	-0.3	0	27.4	0.08	100	8428	98.52	25.8
2023-03-14 11:40:00	216.4	0	0	0	292	23.6	34.11	26.8	84.9	98.51	-0.7	-0.8	0	27.2	0.07	100	8430	98.51	25.7
2023-03-14 11:45:00	252.6	0	0	0	291	21.54	33.08	26.9	84.7	98.5	-0.8	-1	0	27.2	0.08	100	8432	98.52	25.7
2023-03-14 11:50:00	224	0	0	0	292	24.02	32.23	26.8	83.5	98.5	-1.1	-0.5	0	27.1	0.08	100	8437	98.52	25.7
2023-03-14 11:55:00	217.4	0	0	0	286	22.77	30.15	26.6	83.5	98.5	-1.2	-0.8	0	27	0.08	100	8437	98.52	25.6
2023-03-14 12:00:00	196.4	0	0	0	293	20.56	30.98	26.6	84.9	98.51	-1.5	-0.7	0	26.9	0.07	100	8440	98.53	25.5
2023-03-14 12:05:00	188.4	0	0	0	287	24.32	39.71	26.5	84.5	98.5	-0.8	-0.1	0	26.8	0.08	100	8437	98.51	25.5
2023-03-14 12:10:00	194.2	0	0	0	293	25.12	37.27	26.5	84.2	98.5	-0.9	-0.7	0	26.7	0.08	100	8440	98.51	25.4
2023-03-14 12:15:00	195.4	0	0	0	294	20.94	34.81	26.2	84.9	98.51	-1.4	-0.5	0	26.6	0.07	100	8439	98.53	25.3
2023-03-14 12:20:00	200.2	0	0	0	288	20.29	28.21	26.3	84.5	98.51	-1.1	-0.5	0	26.7	0.07	100	8443	98.53	25.4
2023-03-14 12:25:00	190.6	0	0	0	293	20.78	34.65	26.4	84.4	98.51	-1.1	-0.3	0	26.7	0.08	100	8443	98.53	25.4
2023-03-14 12:30:00	195.6	0	0	0	291	29.68	37.33	26.4	84	98.5	-0.2	-0.7	0	26.7	0.08	100	8445	98.49	25.3
2023-03-14 12:35:00	217.6	0	0	0	292	24.32	41.23	26.3	84.1	98.5	-1	-0.9	0	26.7	0.08	100	8446	98.52	25.2
2023-03-14 12:40:00	181	0	0	0	289	24.96	35.05	26.3	84.7	98.51	-1.4	-0.9	0	26.6	0.07	100	8448	98.52	25.2
2023-03-14 12:45:00	173.4	0	0	0	284	25.28	34.25	26.2	83.7	98.5	-0.7	-0.7	0	26.5	0.08	100	8448	98.5	25.1
2023-03-14 12:50:00	169	0	0	0	285	21.36	28.99	26.2	84.8	98.51	-1.1	-0.5	0	26.5	0.07	100	8447	98.52	25.1
2023-03-14 12:55:00	138.8	0	0	0	282	22.97	31.63	26.1	84.5	98.51	-1.7	-0.6	0	26.3	0.07	100	8449	98.53	25.1
2023-03-14 13:00:00	158.8	0	0	0	286	23.04	30.65	26.1	83.9	98.5	-1.2	-0.1	0	26.2	0.08	100	8450	98.51	25
2023-03-14 13:05:00	159.6	0	0	0	288	22.28	31.54	26	83.9	98.51	-0.8	-1	0	26.2	0.08	100	8449	98.52	25
2023-03-14 13:10:00	176.8	0	0	0	284	24.36	32.32	26	84.4	98.51	-0.7	0.3	0	26.4	0.07	100	8453	98.53	25
2023-03-14 13:15:00	172.8	0	0	0	281	24.16	30	26.1	83.5	98.52	-1	-1.2	0	26.3	0.08	100	8454	98.52	25
2023-03-14 13:20:00	177.6	0	0	0	286	20.92	36.75	26.1	83.9	98.52	-0.9	-0.1	0	26.4	0.08	100	8453	98.52	25
2023-03-14 13:25:00	182	0	0	0	282	22.84	33.89	26.2	83.7	98.51	-1.5	-0.5	0	26.5	0.08	100	8456	98.51	25
2023-03-14 13:30:00	176.4	0	0	0	285	25.86	35.03	26.3	83.8	98.49	-1.1	-1.4	0	26.5	0.08	100	8460	98.5	25
2023-03-14 13:35:00	189.6	0	0	0	285	22.5	32.03	26.2	84.9	98.5	-1.2	0.2	0	26.6	0.07	100	8460	98.51	25.1
2023-03-14 13:40:00	192.4	0	0	0	287	19.39	26.31	26.4	84.4	98.5	-1.2	-0.2	0	26.8	0.08	100	8460	98.52	25.2
2023-03-14 13:45:00	208.8	0	0	0	288	23.78	31	26.7	83.8	98.49	-0.9	-0.1	0	27	0.08	100	8463	98.5	25.4
2023-03-14 13:50:00	202	0	0	0	288	25.77	37.42	26.8	82.9	98.48	-0.9	-1.3	0	27.1	0.08	100	8465	98.5	25.4
2023-03-14 13:55:00	192.4	0	0	0	287	24.96	42.41	26.7	83.2	98.48	-1.2	-0.2	0	27	0.08	100	8466	98.49	25.4
2023-03-14 14:00:00	200.8	0	0	0	287	25.97	36.6	26.8	83.3	98.47	-1.5	-0.5	0	27.1	0.08	100	8469	98.48	25.5
2023-03-14 14:05:00	223	0	0	0	288	24.76	32.32	26.9	83.9	98.47	-1	-0.5	0	27.2	0.08	100	8466	98.49	25.5
2023-03-14 14:10:00	229	0	0	0	286	24.27	32.86	27	83.9	98.48	-1	-0.6	0	27.3	0.08	100	8472	98.49	25.7
2023-03-14 14:15:00	236.2	0	0	0	288	25.19	37.31	27.1	83.9	98.47	-0.7	-0.6	0	27.4	0.08	100	8474	98.49	25.8
2023-03-14 14:20:00	253.8	0	0	0	289	24.85	34.47	27.2	83.4	98.47	-0.5	-0.6	0	27.6	0.08	100	8480	98.47	25.9
2023-03-14 14:25:00	247.4	0	0	0	289	24.38	34.11	27.4	83.5	98.47	-1.2	-0.2	0	27.8	0.08	100	8480	98.49	26
2023-03-14 14:30:00	250.8	0	0	0	285	24.02	34.23	27.4	84.3	98.47	-0.5	-1.1	0	27.8	0.08	100	8483	98.47	26.1
2023-03-14 14:35:00	252.6	0	0	0	285	25.88	34.72	27.5	83.5	98.45	-0.8	-0.5	0	27.8	0.08	100	8487	98.47	26.1
2023-03-14 14:40:00	262.2	0	0	0	291	25.28	34.14	27.5	84.4	98.46	-1.1	-0.6	0	28	0.08	100	8488	98.47	26.2
2023-03-14 14:45:00	289.8	0	0	0	292	22.24	27.76	27.8	84.5	98.46	-0.8	-0.8	0	28.3	0.08	100	8494	98.48	26.4
2023-03-14 14:50:00	313	0	0	0	285	21.36	26.8	28	84.7	98.47	-1	-0.3	0	28.5	0.08	100	8500	98.49	26.6
2023-03-14 14:55:00	317.2	0	0	0	286	22.06	32.41	28.3	83.9	98.47	-0.7	-0.8	0	28.8	0.08	100	8500	98.5	26.8
2023-03-14 15:00:00	289.2	0	0	0	292	25.95	38.79	28.5	83.1	98.46	-0.6	-0.8	0	29	0.09	100	8505	98.48	26.8
2023-03-14 15:05:00	261.8	0	0	0	287	23.67	31.76	28.2	84	98.48	-1.5	0	0	28.6	0.08	100	8506	98.5	26.9
2023-03-14 15:10:00	243	0	0	0	289	20.87	27.13	28	84.6	98.48	-1.1	-0.3	0	28.4	0.08	100	8505	98.5	26.9
2023-03-14 15:15:00	198.6	0	0	0	292	22.84	30.22	28	84.5	98.48	-0.3	-1.4	0	28.3	0.08	100	8509	98.49	26.9
2023-03-14 15:20:00	194	0	0	0	283	23.42	33.93	27.7	85.7	98.48	-0.9	-0.4	0	28.1	0.07	100	8506	98.49	26.7
2023-03-14 15:25:00	206.2	0	0	0	285	25.12	35.03	27.8	85.2	98.47	-1.7	-1.3	0	28.1	0.08	100	8505	98.48	26.7
2023-03-14 15:30:00	195	0	0	0	288	22.17	31.21	27.7	85.5	98.48	-0.9	-0.1	0	28	0.07	100	8506	98.49	26.6
2023-03-14 15:35:00	173.8	0	0	0	288	25.84	35.01	27.6	85	98.48	-1.2	-0.2	0	27.9	0.08	100	8508	98.5	26.6
2023-03-14 15:40:00	157.8	0	0	0	289	23.17	29.57	27.5	86	98.49	-1.5	-0.4	0	27.8	0.07	100	8503	98.51	26.6
2023-03-14 15:45:00	137.8	0	0	0	290	24.47	30.85	27.4	86.1	98.5	-1.1	-0.4	0	27.6	0.07	100	8504	98.51	26.5
2023-03-14 15:50:00	135.2	0	0	0	294	21.83	30.87	27.4	86.4	98.49	-0.9	-0.3	0	27.6	0.07	100	8504	98.51	26.5
2023-03-14 15:55:00	136.8	0	0	0	288	20.65	27.85	27.4	87	98.51	-0.9	-0.5	0	27.6	0.07	100	8504	98.51	26.5
2023-03-14 16:00:00	154.2	0	0	0	293	19.37	29.64	27.4	87.2	98.51	-0.9	-1.1	0	27.8	0.07	100	8503	98.52	26.6
2023-03-14 16:05:00	146.6	0	0	0	287	20.76	26.22	27.5	86.4	98.52	-0.9	-0.7	0	27.8	0.07	100	8502	98.54	26.7
2023-03-14 16:10:00	139.8	0	0	0	291	19.28	24.79	27.6	86.5	98.53	-1.1	-0.5	0	27.8	0.07	100	8504	98.55	26.7
2023-03-14 16:15:00	121.4	0	0	0	289	20.65	30.2	27.5	86.9	98.53	-0.7	-0.6	0	27.7	0.07	100	8504	98.54	26.7
2023-03-14 16:20:00	108.2	0	0	0	286	20.4	27.63	27.5	87.3	98.54	-1	-0.3	0	27.6	0.06	100	8501	98.55	26.6
2023-03-14 16:25:00	102.4	0	0	0	290	20.27	26.26	27.3	87.6	98.55	-0.8	-0.7	0	27.5	0.06	100	8499	98.56	26.5
2023-03-14 16:30:00	96.8	0	0	0	296	20.07	30.02	27.3	88.7	98.56	-1.2	-0.1	0	27.5	0.06	100	8501	98.56	26.5
2023-03-14 16:35:00	101	0	0	0	294	18.92	29.1	27.2	89	98.56	-1.1	-1	0	27.4	0.06	100	8498	98.58	26.5
2023-03-14 16:40:00	107	0	0	0	288	21.12	29.35	27.3	89.3	98.56	-1.2	-0.5	0	27.5	0.05	100	8501	98.57	26.5
2023-03-14 16:45:00	96.8	0	0	0	290	22.66	31.16	27.4	88.7	98.57	-1.1	-0.4	0	27.5	0.06	100	8498	98.57	26.5
2023-03-14 16:50:00	78.8	0	0	0	293	23.82	32.73	27.3	89.3	98.57	-1	-0.5	0	27.4	0.05	100	8494	98.59	26.5
2023-03-14 16:55:00	83.8	0	0	0	288	20.33	32.44	27.2	89.4	98.58	-1.1	-0.6	0	27.4	0.05	100	8496	98.6	26.5
2023-03-14 17:00:00	81.8	0	0	0	290	22.39	30.89	27.3	89.3	98.59	-0.7	-0.5	0	27.4	0.05	100	8497	98.59	26.4
2023-03-14 17:05:00	91.6	0	0	0	291	23.31	29.24	27.3	89.1	98.6	-1	-0.8	0	27.4	0.05	100	8493	98.59	26.4
2023-03-14 17:10:00	96.8	0	0	0	290	21.5	28.86	27.4	89.8	98.6	-1	-0.5	0	27.5	0.05	100	8494	98.61	26.5
2023-03-14 17:15:00	93.2	0	0	0	290	18.92	30.94	27.4	90.5	98.61	-0.8	-0.6	0	27.5	0.05	100	8492	98.62	26.5
2023-03-14 17:20:00	88.2	0	0	0	285	22.44	30.38	27.4	91	98.61	-0.9	-0.3	0	27.5	0.05	100	8491	98.61	26.5
2023-03-14 17:25:00	92.2	0	0	0	293	23.51	30.47	27.4	90.7	98.62	-0.9	-1	0	27.5	0.05	100	8493	98.62	26.5
2023-03-14 17:30:00	74	0	0	0	297	21.09	26.17	27.4	90.1	98.63	-1.4	-0.5	0	27.5	0.05	100	8491	98.63	26.5
2023-03-14 17:35:00	67.6	0	0	0	292	20.09	27.83	27.3	90.7	98.63	-1.1	-0.2	0	27.4	0.05	100	8488	98.63	26.5
2023-03-14 17:40:00	70.4	0	0	0	293	23.69	32.19	27.2	90.6	98.63	-1	-0.4	0	27.4	0.05	100	8490	98.63	26.4
2023-03-14 17:45:00	65.8	0	0	0	287	24.43	34.2	27.3	89.3	98.64	-1.1	0	0	27.4	0.05	100	8490	98.64	26.4
2023-03-14 17:50:00	53.8	0	0	0	286	20.33	25.68	27.2	89.7	98.65	-1	0	0	27.2	0.05	100	8486	98.66	26.3
2023-03-14 17:55:00	51.8	0	0	0	288	24.54	32.3	27.1	90.2	98.65	-0.9	-1	0	27.2	0.05	100	8485	98.66	26.3
2023-03-14 18:00:00	51.2	0	0	0	288	22.3	31.12	27.1	89.9	98.66	-1	-0.5	0	27.1	0.05	100	8487	98.66	26.2
2023-03-14 18:05:00	48	0	0	0	288	22.28	30.42	27	90.3	98.66	-1.1	-0.5	0	27.1	0.05	100	8482	98.67	26.2
2023-03-14 18:10:00	47.2	0	0	0	289	19.89	30.15	27	90.3	98.68	-0.9	-0.8	0	27	0.05	100	8482	98.68	26.1
2023-03-14 18:15:00	44.4	0	0	0	289	20.27	30	27	90.5	98.68	-1.1	-0.3	0	27	0.05	100	8481	98.69	26.1
2023-03-14 18:20:00	38.8	0	0	0	289	22.01	28.48	26.9	90.7	98.68	-1.5	-0.3	0	26.9	0.05	100	8477	98.69	26.1
2023-03-14 18:25:00	33.6	0	0	0	289	18.81	25.23	26.8	91.2	98.7	-1	-0.4	0	26.9	0.04	100	8477	98.69	26
2023-03-14 18:30:00	28.6	0	0	0	287	20.89	27.6	26.8	91	98.7	-0.6	-0.7	0	26.9	0.04	100	8477	98.71	25.9
2023-03-14 18:35:00	22.2	0	0	0	288	21.21	28.19	26.7	91.6	98.71	-1	-0.6	0	26.7	0.04	100	8475	98.71	25.9
2023-03-14 18:40:00	17.6	0	0	0	286	20.4	25.57	26.6	91.7	98.72	-0.9	-0.5	0	26.6	0.04	100	8474	98.72	25.8
2023-03-14 18:45:00	14.8	0	0	0	287	20.36	27.6	26.5	91.8	98.71	-0.9	-0.9	0	26.6	0.04	100	8475	98.72	25.8
2023-03-14 18:50:00	11	0	0	0	287	19.42	26.96	26.5	92.2	98.72	-0.9	-0.9	0	26.5	0.04	100	8470	98.72	25.7
2023-03-14 18:55:00	7.6	0	0	0	286	19.13	24.56	26.4	92.5	98.73	-1	-0.7	0	26.5	0.04	100	8470	98.73	25.6
2023-03-14 19:00:00	5	0	0	0	287	21.16	27.22	26.3	92.4	98.73	-0.9	-0.2	0	26.3	0.04	100	8470	98.73	25.6
2023-03-14 19:05:00	3.4	0	0	0	289	22.17	28.48	26.2	92.5	98.74	-1	-0.4	0	26.2	0.04	100	8464	98.73	25.5
2023-03-14 19:10:00	2	0	0	0	287	18.59	27.27	26.2	93.2	98.75	-0.8	-0.4	0	26.3	0.03	100	8466	98.75	25.5
2023-03-14 19:15:00	0.4	0	0	0	284	20.45	29.82	26.2	93.2	98.75	-1	0	0	26.2	0.03	100	8466	98.75	25.4
2023-03-14 19:20:00	0	0	0	0	286	20.54	27.81	26.1	93.4	98.75	-0.7	-0.5	0	26.1	0.03	100	8463	98.75	25.4
2023-03-14 19:25:00	0	0	0	0	288	21.18	27.51	26	94	98.76	-1.1	-0.3	0	26.1	0.03	100	8463	98.75	25.4
2023-03-14 19:30:00	0	0	0	0	286	19.17	27.42	26.1	93.9	98.75	-1.3	0	0	26	0.03	100	8461	98.75	25.3
2023-03-14 19:35:00	0	0	0	0	286	18.59	26.17	26	94	98.76	-1.3	-0.5	0	26	0.03	100	8464	98.76	25.3
2023-03-14 19:40:00	0	0	0	0	286	19.1	24.87	26.1	93.6	98.76	-1	-0.7	0	26.1	0.03	100	8460	98.76	25.3
2023-03-14 19:45:00	0	0	0	0	286	20.47	32.23	26.1	93.8	98.76	-0.3	-0.5	0	26.1	0.03	100	8461	98.76	25.3
2023-03-14 19:50:00	0	0	0	0	289	18.39	29.64	26.2	94.3	98.76	-1.6	0.4	0	26.1	0.03	100	8458	98.77	25.4

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-14 20:05:00	0	0	0	0	290	20.54	30.6	26.4	94.7	98.77	-0.9	-0.7	0	26.4	0.03	100	8453	98.77	25.5
2023-03-14 20:10:00	0	0	0	0	291	20.62	27.56	26.4	94.6	98.78	-0.4	-1.1	0	26.5	0.03	100	8453	98.79	25.6
2023-03-14 20:15:00	0	0	0	0	285	22.15	30.09	26.5	94.2	98.79	-1.6	-0.1	0	26.5	0.03	100	8455	98.79	25.6
2023-03-14 20:20:00	0	0	0	0	293	22.03	28.43	26.6	94.7	98.78	-0.9	-0.6	0	26.6	0.03	100	8453	98.79	25.7
2023-03-14 20:25:00	0	0	0	0	290	20.24	26.42	26.7	95.1	98.8	-1.3	-0.2	0	26.7	0.02	100	8454	98.8	25.7
2023-03-14 20:30:00	0	0	0	0	290	21.36	27.56	26.7	95.3	98.8	-1.3	-0.3	0	26.7	0.02	100	8452	98.8	25.8
2023-03-14 20:35:00	0	0	0	0	294	22.7	34.49	26.9	94.8	98.81	-0.9	-0.3	0	26.9	0.03	100	8450	98.81	25.9
2023-03-14 20:40:00	0	0	0	0	292	21.79	27.63	26.9	94.6	98.81	-1.2	0.1	0	26.9	0.03	100	8450	98.82	25.9
2023-03-14 20:45:00	0	0	0	0	293	21.09	27.6	27	94.5	98.82	-0.9	-0.7	0	27	0.03	100	8449	98.81	26
2023-03-14 20:50:00	0	0	0	0	291	22.19	30.24	27.1	93.9	98.82	-0.8	-1.3	0	27.1	0.03	100	8447	98.82	26
2023-03-14 20:55:00	0	0	0	0	292	21.39	30.71	27.1	94.2	98.83	-0.8	-0.3	0	27.1	0.03	100	8450	98.83	26.1
2023-03-14 21:00:00	0	0	0	0	292	22.64	28.36	27.1	94.3	98.83	-1.2	-0.5	0	27.1	0.03	100	8448	98.82	26.1
2023-03-14 21:05:00	0	0	0	0	301	20.02	27.67	27.1	94.6	98.83	-0.7	-0.4	0	27.1	0.03	100	8445	98.83	26.2
2023-03-14 21:10:00	0	0	0	0	295	21.5	31.45	27.2	94.3	98.84	-0.8	-0.2	0	27.2	0.03	100	8444	98.84	26.2
2023-03-14 21:15:00	0	0	0	0	295	19.04	23.58	27.2	95.4	98.85	-0.9	-0.6	0	27.2	0.02	100	8444	98.85	26.2
2023-03-14 21:20:00	0	0	0	0	295	19.8	26.42	27.2	95.4	98.86	-0.7	-0.4	0	27.2	0.02	100	8444	98.86	26.3
2023-03-14 21:25:00	0	0	0	0	294	17.83	23.02	27.3	95.2	98.87	-1.1	-0.6	0	27.3	0.02	100	8444	98.87	26.3
2023-03-14 21:30:00	0	0	0	0	296	17.02	26.64	27.3	95.1	98.87	-0.9	-0.1	0	27.3	0.02	100	8443	98.87	26.3
2023-03-14 21:35:00	0	0	0	0	293	17	23.58	27.2	95.4	98.88	-1.2	-0.8	0	27.2	0.02	100	8441	98.88	26.4
2023-03-14 21:40:00	0	0	0	0	291	16.44	21.34	27.3	95.1	98.87	-1	-0.4	0	27.3	0.02	100	8442	98.88	26.4
2023-03-14 21:45:00	0	0	0	0	294	16.33	23.4	27.4	95.5	98.88	-1.2	-0.4	0	27.4	0.02	100	8442	98.89	26.5
2023-03-14 21:50:00	0	0	0	0	301	16.58	23.62	27.5	95.2	98.88	-1.1	-0.4	0	27.5	0.02	100	8441	98.88	26.5
2023-03-14 21:55:00	0	0	0	0	306	19.22	29.39	27.6	94.7	98.88	-0.9	-0.6	0	27.6	0.03	100	8440	98.89	26.7
2023-03-14 22:00:00	0	0	0	0	302	18.72	26.96	27.8	95.4	98.89	-1.1	-0.4	0	27.8	0.02	100	8439	98.89	26.8
2023-03-14 22:05:00	0	0	0	0	303	18.75	26.93	28	94.5	98.89	-0.7	-0.7	0	28	0.03	100	8437	98.89	26.9
2023-03-14 22:10:00	0	0	0	0	301	18.88	24.63	28	94.2	98.9	-1.1	-0.3	0	28	0.03	100	8437	98.9	27
2023-03-14 22:15:00	0	0	0	0	302	19.19	28.05	28	94.2	98.9	-0.8	-0.4	0	28	0.03	100	8437	98.9	27
2023-03-14 22:20:00	0	0	0	0	309	19.75	31.03	28	94.5	98.9	-0.9	-0.5	0	28	0.03	100	8434	98.9	27
2023-03-14 22:25:00	0	0	0	0	306	20.4	27.04	28	94.4	98.9	-1	-0.7	0	28	0.03	100	8434	98.9	27.1
2023-03-14 22:30:00	0	0	0	0	310	19.69	27.54	28.1	94	98.9	-0.6	-0.7	0	28.1	0.03	100	8434	98.91	27.1
2023-03-14 22:35:00	0	0	0	0	309	19.91	26.82	28.2	93.5	98.91	-1.1	-0.2	0	28.3	0.03	100	8434	98.9	27.2
2023-03-14 22:40:00	0	0	0	0	316	24.07	31.21	28.3	92.1	98.89	-1.3	-0.6	0	28.3	0.04	100	8433	98.9	27.3
2023-03-14 22:45:00	0	0	0	0	307	22.01	35.01	28.4	91.1	98.9	-0.3	0.2	0	28.4	0.05	100	8433	98.9	27.4
2023-03-14 22:50:00	0	0	0	0	308	21.21	27.92	28.4	91	98.91	-1.4	-0.2	0	28.4	0.05	100	8431	98.9	27.4
2023-03-14 22:55:00	0	0	0	0	317	20.94	27.42	28.4	91	98.91	-0.6	-0.1	0	28.4	0.05	100	8432	98.91	27.4
2023-03-14 23:00:00	0	0	0	0	315	19.77	34.09	28.4	91	98.92	-1.3	-0.1	0	28.5	0.05	100	8431	98.92	27.4
2023-03-14 23:05:00	0	0	0	0	316	24.18	33.02	28.6	90.3	98.91	-0.2	-0.1	0	28.6	0.05	100	8431	98.9	27.6
2023-03-14 23:10:00	0	0	0	0	323	21.74	31.34	28.7	88.8	98.92	-1.3	-0.4	0	28.7	0.06	100	8431	98.92	27.7
2023-03-14 23:15:00	0	0	0	0	316	19.66	25.64	28.8	87.5	98.93	-0.7	-0.4	0	28.9	0.07	100	8431	98.91	27.8
2023-03-14 23:20:00	0	0	0	0	309	19.55	27.04	28.9	86.9	98.93	-1.2	-0.6	0	28.9	0.07	100	8428	98.93	27.9
2023-03-14 23:25:00	0	0	0	0	311	18.61	25.95	29	84.9	98.94	-0.7	-0.8	0	29	0.08	100	8428	98.94	28
2023-03-14 23:30:00	0	0	0	0	311	22.97	34.52	29.3	83.4	98.93	-0.8	-0.5	0	29.3	0.09	100	8428	98.91	28.2
2023-03-14 23:35:00	0	0	0	0	315	23.78	32.32	29.6	81.3	98.91	-0.7	-1.5	0	29.6	0.1	100	8426	98.91	28.3
2023-03-14 23:40:00	0	0	0	0	323	24.87	36.53	29.5	80.7	98.91	-1	-0.5	0	29.5	0.11	100	8425	98.92	28.4
2023-03-14 23:45:00	0	0	0	0	313	21	27.27	29.6	79.5	98.93	-1.2	0	0	29.6	0.11	100	8427	98.93	28.5
2023-03-14 23:50:00	0	0	0	0	318	24.52	36.28	29.7	79.2	98.92	-0.7	-0.4	0	29.7	0.12	100	8425	98.92	28.5
2023-03-14 23:55:00	0	0	0	0	323	23.15	31.38	29.7	77.5	98.92	-0.2	-0.9	0	29.7	0.13	100	8423	98.92	28.6
2023-03-15 00:00:00	0	0	0	0	315	21.34	36.13	29.8	77	98.93	-1.2	-0.1	0	29.7	0.13	100	8425	98.92	28.6
2023-03-15 00:05:00	0	0	0	0	322	22.12	34.81	29.8	75.3	98.92	-0.7	-0.4	0	29.8	0.14	100	8398	98.92	28.8
2023-03-15 00:10:00	0	0	0	0	314	24.43	38.97	29.9	74.9	98.92	-1.3	-0.2	0	29.9	0.14	100	8379	98.92	29.2
2023-03-15 00:15:00	0	0	0	0	314	22.1	28.83	29.9	73.3	98.93	-0.7	-0.9	0	29.9	0.15	100	8374	98.95	29.3
2023-03-15 00:20:00	0	0	0	0	317	20.42	26.93	29.9	72.9	98.93	-0.8	-0.3	0	29.9	0.15	100	8390	98.93	29.3
2023-03-15 00:25:00	0	0	0	0	314	23.22	31.65	29.9	72	98.93	-0.7	-0.6	0	29.9	0.16	100	8394	98.93	29.1
2023-03-15 00:30:00	0	0	0	0	305	23.26	30.33	29.9	71.6	98.93	-0.4	-0.8	0	29.9	0.16	100	8396	98.93	29
2023-03-15 00:35:00	0	0	0	0	313	23.22	30.6	29.8	70.8	98.94	-0.1	-1.1	0	29.8	0.16	100	8397	98.94	29
2023-03-15 00:40:00	0	0	0	0	316	23.4	35.1	29.9	70.5	98.94	-0.9	-0.2	0	29.9	0.17	100	8397	98.93	28.9
2023-03-15 00:45:00	0	0	0	0	319	20.83	29.28	29.7	70	98.94	-0.6	-0.6	0	29.7	0.17	100	8399	98.94	28.8
2023-03-15 00:50:00	0	0	0	0	315	19.93	24.81	29.7	70.1	98.94	-1.4	-0.6	0	29.7	0.17	100	8396	98.95	28.8
2023-03-15 00:55:00	0	0	0	0	310	21.59	30.11	29.6	70.4	98.94	-0.8	-0.8	0	29.6	0.16	100	8400	98.93	28.7
2023-03-15 01:00:00	0	0	0	0	312	21.74	34.23	29.6	69.2	98.94	-1.1	-0.9	0	29.6	0.17	100	8397	98.94	28.7
2023-03-15 01:05:00	0	0	0	0	315	19.28	24.45	29.6	69.3	98.96	-1	-0.7	0	29.6	0.17	100	8396	98.94	28.6
2023-03-15 01:10:00	0	0	0	0	319	22.88	31.34	29.6	69.1	98.93	-0.4	0	0	29.5	0.17	100	8400	98.93	28.6
2023-03-15 01:15:00	0	0	0	0	318	21.63	27.87	29.5	68.8	98.95	-0.7	-0.4	0	29.5	0.17	100	8399	98.94	28.5
2023-03-15 01:20:00	0	0	0	0	323	21.56	34.07	29.4	69	98.95	-1	-0.9	0	29.4	0.17	100	8396	98.95	28.5
2023-03-15 01:25:00	0	0	0	0	324	22.73	29.51	29.4	69	98.95	-0.5	-0.8	0	29.4	0.17	100	8400	98.94	28.5
2023-03-15 01:30:00	0	0	0	0	320	22.01	28.25	29.3	68.6	98.95	-1.4	-0.7	0	29.3	0.17	100	8397	98.95	28.4
2023-03-15 01:35:00	0	0	0	0	318	24.72	32.35	29.3	67.9	98.96	-0.8	-0.8	0	29.3	0.18	100	8395	98.95	28.4
2023-03-15 01:40:00	0	0	0	0	317	23.85	33.71	29.3	67.7	98.96	-1.4	-1.3	0	29.2	0.18	100	8399	98.95	28.3
2023-03-15 01:45:00	0	0	0	0	317	19.93	26.26	29.2	67.8	98.97	-1.1	-0.6	0	29.2	0.18	100	8397	98.96	28.2
2023-03-15 01:50:00	0	0	0	0	315	21.47	28.43	29	68.3	98.97	-1	-0.6	0	29	0.17	100	8396	98.96	28.1
2023-03-15 01:55:00	0	0	0	0	317	20.04	28.45	28.9	67.1	98.97	-0.9	-0.6	0	28.9	0.18	100	8394	98.97	28
2023-03-15 02:00:00	0	0	0	0	315	23.11	34.2	28.8	67	98.97	-0.5	-1.1	0	28.8	0.18	100	8397	98.97	27.8
2023-03-15 02:05:00	0	0	0	0	319	22.08	32.97	28.7	67.3	98.97	-0.5	-0.6	0	28.7	0.17	100	8395	98.97	27.8
2023-03-15 02:10:00	0	0	0	0	312	23.11	30.65	28.7	66.8	98.98	-1.1	-0.9	0	28.7	0.18	100	8394	98.97	27.7
2023-03-15 02:15:00	0	0	0	0	314	20	30.09	28.5	67.4	98.98	-0.2	-0.9	0	28.5	0.17	100	8394	98.98	27.6
2023-03-15 02:20:00	0	0	0	0	317	18.16	28.03	28.4	66.6	99	-0.8	-0.8	0	28.4	0.18	100	8392	99	27.6
2023-03-15 02:25:00	0	0	0	0	314	19.93	29.44	28.4	67.1	99	-1	-0.2	0	28.4	0.17	100	8393	98.99	27.5
2023-03-15 02:30:00	0	0	0	0	317	23.73	34.09	28.3	66.5	98.98	-0.7	-0.5	0	28.3	0.18	100	8394	98.98	27.4
2023-03-15 02:35:00	0	0	0	0	315	21.94	29.57	28.3	66.5	98.99	-1.4	-0.9	0	28.3	0.18	100	8390	98.97	27.4
2023-03-15 02:40:00	0	0	0	0	314	22.06	30.51	28.3	66.5	98.99	-0.9	-0.2	0	28.3	0.18	100	8394	98.98	27.4
2023-03-15 02:45:00	0	0	0	0	309	22.77	30	28.3	66.6	99	-1.3	-0.5	0	28.3	0.18	100	8390	98.99	27.3
2023-03-15 02:50:00	0	0	0	0	309	21.05	27.29	28.3	66.2	99	-0.8	-0.3	0	28.3	0.18	100	8391	98.99	27.2
2023-03-15 02:55:00	0	0	0	0	309	19.22	27.76	28.1	66.4	99	-1	-1.1	0	28	0.17	100	8391	99	27.1
2023-03-15 03:00:00	0	0	0	0	317	19.89	26.89	28.1	66.4	99.01	-1.2	-0.4	0	28.1	0.17	100	8391	99.01	27.1
2023-03-15 03:05:00	0	0	0	0	301	18.16	24.74	28	67.5	99.01	-1	-0.5	0	28	0.17	100	8387	99	27
2023-03-15 03:10:00	0	0	0	0	312	20.24	32.06	27.9	66.9	98.99	-1.1	-0.4	0	27.9	0.17	100	8390	99	26.9
2023-03-15 03:15:00	0	0	0	0	305	17.25	23.31	27.8	67.6	99.01	-0.9	-1.1	0	27.8	0.17	100	8389	99	26.8
2023-03-15 03:20:00	0	0	0	0	305	17.09	26.04	27.7	66.4	99	-0.8	-0.8	0	27.7	0.17	100	8387	99	26.7
2023-03-15 03:25:00	0	0	0	0	303	18.57	23.6	27.6	67.2	98.99	-0.9	-0.3	0	27.6	0.17	100	8387	98.99	26.6
2023-03-15 03:30:00	0	0	0	0	306	17.07	24.43	27.5	67.2	99	-0.8	-0.6	0	27.5	0.17	100	8386	98.99	26.5
2023-03-15 03:35:00	0	0	0	0	303	15.55	22.06	27.4	67.4	99	-0.7	-1	0	27.4	0.17	100	8390	99	26.4
2023-03-15 03:40:00	0	0	0	0	300	17.94	24.23	27.3	67.5	99.01	-1.1	-0.3	0	27.2	0.16	100	8384	99	26.3
2023-03-15 03:45:00	0	0	0	0	298	19.71	26.26	27.1	67.9	99	-1.4	-0.9	0	27.1	0.16	100	8385	98.99	26.2
2023-03-15 03:50:00	0	0	0	0	301	20.85	29.77	27.1	68	99	-1	-0.1	0	27.1	0.16	100	8384	99	26.1
2023-03-15 03:55:00	0	0	0	0	301	18.9	27.22	27	67.8	99	-1.3	-0.7	0	27	0.16	100	8383	98.99	26
2023-03-15 04:00:00	0	0	0	0	297	17.22	29.71	26.9	68.3	99	-1	-0.5	0	26.9	0.16	100	8385	98.99	25.8
2023-03-15 04:05:00	0	0	0	0	300	18.28	24	26.7	67.1	99	-0.9	-0.7	0	26.7	0.16	100	8382	99	25.7
2023-03-15 04:10:00	0	0	0	0	301	20.02	24.87	26.6	67.3	99	-1	-0.7	0	26.6	0.16	100	8382	98.99	25.6
2023-03-15 04:15:00	0	0	0	0	294	19.46	27.25	26.6	67.4	99	-0.8	-0.8	0	26.5	0.16	100	8384	98.99	25.5
2023-03-15 04:20:00	0	0	0	0	304	17.81	25.08	26.4	67.8	99	-1.2	-0.2	0	26.5	0.16	100	8380	99	25.3
2023-03-15 04:25:00	0	0	0	0	299	19.42	25.52	26.3	68.3	99.01	-0.6	-0.6	0	26.3	0.15	100	8381	99	25.1
2023-03-15 04:30:00	0	0	0	0	300	20.11	28.43	26	66.9	99.01	-1.5	-0.1	0	26	0.16	100	8383	99	24.9
2023-03-15 04:35:00	0	0	0	0	296	18.45	23.96	25.8	67.6	99.02	-1	-0.6	0	25.8	0.15	100	8379	99.01	24.6
2023-03-15 04:40:00	0	0	0	0	304	20.65	29.8	25.7	67.7	99.01	-1.2	-0.3	0	25.7	0.15	100	8381	99.01	24.4
2023-03-15 04:45:00	0	0	0	0	298	18.84	26.13	25.5	68.3	99.01	-1.1	-0.4	0	25.5	0.15	100	8380	99.01	24.3
2023-03-15 04:50:00	0	0	0	0	301	20.94	28.05	25.4	68.6	99.02	-1	-0.3	0	25.3	0.15	100	8379	99.01	24.2
2023-03-15 04:55:00	0	0	0	0	297	18.99	28.01	25.3	68.8	99.02	-1	-0.4	0	25.3	0.15	100	8381	99.02	24
2023-03-15 05:00:00	0	0	0	0	303	19.26	28.07	25.3	68.6	99.03	-1	-0.3	0	25.3	0.15	100	8378	99.02	23.9
2023-03-15 05:05:00	0	0	0	0	298	19.51	27.69	25.2	69.3	99.03	-1.4	-0.3	0	25.1	0.14	100	8377	99.02	23.7
2023-03-15 05:10:00	0	0	0	0	297	19.22	27.94	25	69.3	99.04	-1	-0.4	0	25	0.14	100	8377	99.03	23.6
2023-03-15 05:15:00	0	0	0	0	300	18.37	25.57	24.9	69.1	99.05	-1	-0.6	0	24.9	0.14	100	8378	99.04	23.5
2023-03-15 05:20:00	0	0	0	0	300	18.41	26.4	25	69.4	99.05	-1.6	-0.2	0	25	0.14	100	8373	99.05	23.4
2023-03-15 05:25:00	0	0	0	0	303	17.45	25.99	24.8	69.1	99.06	-1.3	0	0	24.8	0.14	100	8374	99.06	23.3
2023-03-15 05:30:00	0	0	0	0	299	19.89	26.22	24.8	68.3	99.06	-1	-0.1	0	24.8	0.14	100	8376	99.06	23.2
2023-03-15 05:35:00	0	0	0	0	301	17.13	25.41	24.7	68.9	99.07	-1.4	-0.1	0	24.7	0.14	100	8377	99.07	23.1
2023-03-15 05:40:00	0	0	0	0	300	17.65	24.4	24.6	69.2	99.07	-1.1	-0.7	0	24.6	0.14	100	8373	99.07	23
2023-03-15 05:45:00	0	0	0	0	300	17.2	25.79	24.5	69.8	99.08	-1.1	-0.7	0	24.5	0.14	100	8372	99.07	22.9
2023-03-15 05:50:00	0	0	0	0	299	19.95	29.3	24.4	69.2	99.08	-0.9	-1.7	0	24.4	0.14	100	8372	99.07	22.8
2023-03-15 05:55:00	0	0	0	0	301	16.91	22.77	24.4	69.8	99.1	-0.9	-0.8	0	24.4	0.14	100	8371	99.09	22.8
2023-03-15 06:00:00	0	0	0	0	306	17.22	24.25	24.4	70.7	99.1	-1.5	-0.7	0	24.4	0.13	100	8371	99.1	22.6
2023-03-15 06:05:00	0	0	0	0	306	14.54	20	24.4	71.2	99.11	-1.2	-0.5	0	24.4	0.13	100	8366	99.11	22.5
2023-03-15 06:10:00	0	0	0	0	298	15.9	22.75	24.2	71.2	99.12	-1.2	-0.6	0	24.2	0.13	100	8369	99.11	22.5
2023-03-15 06:15:00	0	0	0	0	303	15.79	22.91	24.2	71.4	99.11	-1.1	-0.5	0	24.2	0.13	100	8369	99.1	22.4
2023-03-15 06:20:00	0	0	0	0	301	18.63	26.02	24.2	71.4	99.11	-0.6	-1.3	0	24.2	0.13	100	8367	99.1	22.3
2023-03-15 06:25:00	0	0	0	0	301	15.05	20.65	24.1	70.7	99.12	-1.2	-0.7	0	24.1	0.13	100	8371	99.11	22.3
2023-03-15 06:30:00	0	0	0	0	302	16.26	23.73	24.1	72.1	99.12	-1.4	-0.6	0	24	0.12	100	8368	99.12	22.2
2023-03-15 06:35:00	0	0	0	0	298	15.77	22.35	24	71.7	99.14	-1.4	-0.3	0	24	0.12	100	8367	99.13	22.1
2023-03-15 06:40:00	0	0	0	0	297	16.51	24.92	23.9	71.7	99.15	-1.2	-0.5	0	24	0.12	100	8367	99.14	22.1
2023-03-15 06:45:00	0	0	0	0	294	15.57	22.5	23.9	72.6	99.15	-1.2	-0.8	0	23.9	0.12	100	8368	99.15	22
2023-03-15 06:50:00	0	0	0	0	296	17.31	26.06	23.7	71.8	99.15	-1.3	-0.4	0	23.7	0.12	100	8365	99.15	21.9
2023-03-15 06:55:00	0	0	0	0	302	16.84	23.35	23.8	72.8	99.15	-1.1	-0.6	0	23.8	0.12	100	8365	99.16	21.9
2023-03-15 07:00:00	0	0	0	0	294	15.46	21.03	23.7	73.6	99.17	-1.3	-0.6	0	23.7	0.11	100	8366	99.16	21.9
2023-03-15 07:05:00	1	0	0	0	294	15.82	20.85	23.7	73.6	99.18	-1.2	-0.1	0	23.7	0.11	100	8365	99.17	21.8
2023-03-15 07:10:00	2.2	0	0	0	296	15.55	20.02	23.6	73.4	99.18	-1.1	-0.7	0	23.6	0.12	100	8365	99.19	21.8
2023-03-15 07:15:00	3.6	0	0	0	295	15.64	21.81	23.7	73.3	99.19	-0.7	-0.6	0	23.7	0.12	100	8365	99.19	21.7
2023-03-15 07:20:00	5.8	0	0	0	293	14.03	20.07	23.7	73.6	99.2	-1.4	-0.3	0	23.7	0.11	100	8361	99.2	21.6
2023-03-15 07:25:00	8.4	0	0	0	292	12.95	17.74	23.5	73.8	99.21	-1	-0.6

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-15 07:30:00	12.8	0	0	0	282	11.79	17.52	23.5	74.3	99.23	-1	-0.4	0	23.5	0.11	100	8365	99.23	21.5
2023-03-15 07:35:00	23	0	0	0	280	11.32	14.72	23.4	73.6	99.24	-1.2	-0.5	0	23.4	0.11	100	8368	99.24	21.3
2023-03-15 07:40:00	24.2	0	0	0	279	11.74	15.9	23.3	72.5	99.25	-1.1	-0.4	0	23.3	0.12	100	8368	99.25	21.2
2023-03-15 07:45:00	52.6	0	0	0	280	12.53	21.99	23.3	73.1	99.25	-1.1	-0.6	0	23.4	0.11	100	8383	99.26	21.1
2023-03-15 07:50:00	71.6	0	0	0	282	13.49	16.33	23.8	72.9	99.25	-1.1	-0.4	0	24	0.12	100	8396	99.26	21.3
2023-03-15 07:55:00	79.2	0	0	0	283	12.35	16.89	24.2	72.1	99.26	-1	-0.9	0	24.4	0.12	100	8404	99.27	21.6
2023-03-15 08:00:00	90	0	0	0	279	11.65	15.37	24.7	71.7	99.27	-1.3	-0.5	0	24.9	0.13	100	8416	99.29	22
2023-03-15 08:05:00	91.6	0	0	0	280	11.12	15.26	24.9	71	99.28	-1.1	-0.4	0	25.1	0.13	100	8425	99.29	22.3
2023-03-15 08:10:00	114.6	0	0	0	282	12.73	17.81	25.2	70.8	99.28	-1.1	-0.6	0	25.4	0.13	100	8438	99.3	22.6
2023-03-15 08:15:00	134.4	0	0	0	284	14.07	19.42	25.8	69.9	99.29	-1.1	-0.3	0	26.1	0.14	100	8456	99.31	23
2023-03-15 08:20:00	150.4	0	0	0	286	13.8	17.85	26.6	69.4	99.3	-1	-0.6	0	26.9	0.15	100	8469	99.33	23.6
2023-03-15 08:25:00	159.4	0	0	0	288	14.05	19.8	27.3	67.4	99.31	-0.9	-0.2	0	27.7	0.16	100	8487	99.33	24.2
2023-03-15 08:30:00	178	0	0	0	293	13.6	20.45	28	67	99.32	-1.1	-0.4	0	28.4	0.17	100	8504	99.34	24.9
2023-03-15 08:35:00	200	0	0	0	290	16.73	21.68	28.5	66.1	99.32	-1.2	-0.1	0	28.9	0.18	100	8517	99.34	25.4
2023-03-15 08:40:00	220.6	0	0	0	292	15.88	20.65	29	64.8	99.32	-1.2	-0.3	0	29.4	0.19	100	8533	99.35	25.9
2023-03-15 08:45:00	239.4	0	0	0	293	17.92	24.92	29.4	65	99.33	-0.9	-0.4	0	29.8	0.19	100	8548	99.36	26.4
2023-03-15 08:50:00	255.6	0	0	0	298	19.01	26.17	29.8	64.3	99.34	-1.2	0	0	30.3	0.2	100	8559	99.37	26.8
2023-03-15 08:55:00	272	0	0	0	300	19.95	28.79	30.3	63.2	99.34	-1	-0.9	0	30.8	0.21	100	8575	99.38	27.2
2023-03-15 09:00:00	287.8	0	0	0	297	19.44	30.22	30.5	62.5	99.35	-1.1	0	0	31.1	0.22	100	8586	99.39	27.6
2023-03-15 09:05:00	303	0	0	0	294	19.84	30.27	30.8	60.7	99.36	-1.1	-0.4	0	31.4	0.23	100	8599	99.4	28
2023-03-15 09:10:00	317	0	0	0	294	18.07	23.15	31.3	60.2	99.37	-0.6	-0.5	0	31.9	0.24	100	8611	99.4	28.3
2023-03-15 09:15:00	333	0	0	0	293	17.31	22.68	31.6	60	99.39	-1.1	-0.4	0	32.3	0.24	100	8623	99.43	28.6
2023-03-15 09:20:00	348.2	0	0	0	305	18.48	28.86	32	58.3	99.39	-0.8	-0.5	0	32.6	0.25	100	8631	99.43	29
2023-03-15 09:25:00	364.4	0	0	0	301	20.04	27.65	32.4	56.9	99.4	-0.9	-0.7	0	33.1	0.27	100	8645	99.44	29.4
2023-03-15 09:30:00	379.2	0	0	0	303	19.57	31.38	32.7	55.7	99.41	-1	-0.5	0	33.4	0.28	100	8652	99.45	29.7
2023-03-15 09:35:00	386	0	0	0	308	19.17	39.5	33	54.9	99.41	-0.8	-0.3	0	33.7	0.29	100	8661	99.45	30
2023-03-15 09:40:00	387	0	0	0	315	23.22	30.76	33.4	52.8	99.4	-0.1	-0.4	0	34.1	0.31	100	8671	99.45	30.3
2023-03-15 09:45:00	384.2	0	0	0	298	21.34	28.88	33.7	52.2	99.41	-0.6	-0.6	0	34.4	0.31	100	8681	99.45	30.6
2023-03-15 09:50:00	376.8	0	0	0	298	21.47	31.09	33.9	52.1	99.42	-0.9	-0.5	0	34.6	0.32	100	8688	99.46	30.8
2023-03-15 09:55:00	397	0	0	0	294	20.49	29.77	34.2	52.4	99.43	-0.6	-0.7	0	34.8	0.32	100	8694	99.46	31
2023-03-15 10:00:00	432.2	0	0	0	299	25.41	33.98	34.5	51	99.42	-0.8	-0.7	0	35.1	0.33	100	8703	99.47	31.2
2023-03-15 10:05:00	460.6	0	0	0	301	26.44	42.73	34.5	50.3	99.42	-0.8	-1.5	0	35.1	0.34	100	8707	99.47	31.3
2023-03-15 10:10:00	492.8	0	0	0	301	26.93	35.41	34.6	49.5	99.43	-0.4	-0.8	0	35.2	0.34	100	8718	99.47	31.4
2023-03-15 10:15:00	507	0	0	0	302	21.43	28.95	34.7	49.6	99.44	-1.2	-0.3	0	35.3	0.34	100	8723	99.49	31.6
2023-03-15 10:20:00	521	0	0	0	297	26.93	34.47	35	49.1	99.44	-1	-0.2	0	35.6	0.35	100	8727	99.49	31.7
2023-03-15 10:25:00	533.4	0	0	0	288	22.95	33.58	35.1	49.1	99.44	-1.2	-0.1	0	35.7	0.35	100	8735	99.49	31.8
2023-03-15 10:30:00	546	0	0	0	293	24.92	32.23	35.3	48.5	99.44	-0.4	-0.4	0	35.8	0.36	100	8738	99.49	31.9
2023-03-15 10:35:00	558.6	0	0	0	291	25.84	37.69	35.3	47.4	99.44	-0.8	-0.5	0	35.9	0.37	100	8744	99.49	31.9
2023-03-15 10:40:00	571.6	0	0	0	294	26.4	40.85	35.4	47.1	99.44	-1.1	-0.6	0	36	0.37	100	8748	99.49	32
2023-03-15 10:45:00	582.8	0	0	0	297	21.7	32.23	35.6	47.8	99.46	-1.1	-0.2	0	36.3	0.37	100	8754	99.51	32.2
2023-03-15 10:50:00	587.8	0	0	0	290	26.98	41.09	36	46.3	99.46	-0.7	-0.8	0	36.5	0.38	100	8757	99.51	32.4
2023-03-15 10:55:00	575.2	0	0	0	293	26.06	33.58	36	45.7	99.46	-0.4	-0.5	0	36.5	0.39	100	8762	99.51	32.4
2023-03-15 11:00:00	562.4	0	0	0	290	22.66	30.33	36.1	46.5	99.46	-0.8	0	0	36.6	0.38	100	8764	99.51	32.5
2023-03-15 11:05:00	538.2	0	0	0	302	25.14	38.9	36.4	44.7	99.46	-0.4	-0.5	0	37	0.4	100	8758	99.51	32.8
2023-03-15 11:10:00	546.8	0	0	0	295	23.4	40.78	36.5	45.1	99.47	-0.8	-1	0	37.1	0.4	100	8765	99.52	33
2023-03-15 11:15:00	595.8	0	0	0	285	25.79	36.35	36.6	44.9	99.47	-0.2	-1.1	0	37.2	0.41	100	8768	99.52	32.9
2023-03-15 11:20:00	632.2	0	0	0	283	23.31	35.25	36.5	44.6	99.47	-0.4	-0.4	0	37.1	0.4	100	8769	99.51	32.8
2023-03-15 11:25:00	664.4	0	0	0	288	21.54	28.07	36.7	44	99.47	-1	-1.1	0	37.3	0.41	100	8772	99.51	32.8
2023-03-15 11:30:00	673.8	0	0	0	290	20.71	28.79	37	43.2	99.47	-0.3	-1.1	0	37.6	0.42	100	8775	99.52	33.1
2023-03-15 11:35:00	682.4	0	0	0	292	25.66	36.01	37.1	42.5	99.47	-0.9	-0.5	0	37.7	0.43	100	8778	99.51	33.2
2023-03-15 11:40:00	689.4	0	0	0	314	24.43	35.72	37.3	41.4	99.47	-0.7	-1	0	37.8	0.44	100	8778	99.52	33.3
2023-03-15 11:45:00	697.6	0	0	0	308	25.46	32.86	37.4	40.1	99.46	-0.8	-0.1	0	38	0.45	100	8779	99.51	33.4
2023-03-15 11:50:00	700.8	0	0	0	317	22.17	33.93	37.5	40.3	99.47	-0.9	-0.4	0	38	0.45	100	8779	99.52	33.5
2023-03-15 11:55:00	681.6	0	0	0	303	20.49	27	37.9	40.1	99.47	-0.8	-0.6	0	38.6	0.46	100	8779	99.53	33.8
2023-03-15 12:00:00	659.4	0	0	0	311	19.35	30.09	38.3	39.5	99.47	-0.9	-0.5	0	38.8	0.47	100	8779	99.53	34
2023-03-15 12:05:00	627.6	0	0	0	305	23.94	37.8	38.5	38.2	99.47	-0.6	-0.7	0	39	0.49	100	8779	99.52	34.1
2023-03-15 12:10:00	618.2	0	0	0	305	20.36	33.26	38.5	38.1	99.49	-0.4	-0.3	0	39.1	0.49	100	8781	99.53	34.3
2023-03-15 12:15:00	667.8	0	0	0	296	23.96	31.68	38.6	36.6	99.48	-0.8	-0.6	0	39.1	0.5	100	8779	99.53	34.2
2023-03-15 12:20:00	705.4	0	0	0	308	19.42	30.22	38.6	36.8	99.49	-0.8	-0.4	0	39.2	0.5	100	8778	99.53	34.3
2023-03-15 12:25:00	738.8	0	0	0	291	21.56	32.35	38.8	37.3	99.48	-0.5	-0.5	0	39.5	0.5	100	8778	99.53	34.4
2023-03-15 12:30:00	745	0	0	0	300	17.94	27.72	38.8	36.2	99.49	-0.9	-0.5	0	39.5	0.51	100	8776	99.53	34.4
2023-03-15 12:35:00	748.2	0	0	0	316	23.02	31.18	39.2	35.6	99.48	-0.5	-0.6	0	39.9	0.52	100	8773	99.52	34.7
2023-03-15 12:40:00	748.2	0	0	0	312	21.99	35.39	39.2	35.6	99.48	-0.5	-0.8	0	39.8	0.52	100	8773	99.52	34.7
2023-03-15 12:45:00	750	0	0	0	306	19.66	27.58	39.2	35.2	99.48	-1	-0.6	0	39.9	0.53	100	8771	99.52	34.7
2023-03-15 12:50:00	732.6	0	0	0	307	20.45	30.78	39.5	35	99.48	-0.7	-0.6	0	40.1	0.53	100	8769	99.53	34.9
2023-03-15 12:55:00	713.8	0	0	0	292	19.42	26.57	39.7	35	99.48	-0.8	-0.7	0	40.4	0.54	100	8768	99.52	35
2023-03-15 13:00:00	691.6	0	0	0	308	22.66	30.89	39.8	35	99.48	-0.5	-0.2	0	40.5	0.54	100	8766	99.52	35.1
2023-03-15 13:05:00	654.6	0	0	0	291	21.09	28.3	39.8	35	99.48	-0.2	-0.9	0	40.4	0.54	100	8763	99.52	35.1
2023-03-15 13:10:00	636.4	0	0	0	300	19.73	23.91	39.9	35.2	99.48	-0.4	-0.6	0	40.5	0.54	100	8763	99.51	35.1
2023-03-15 13:15:00	668.6	0	0	0	303	18.68	24.67	40.1	34.7	99.48	-0.6	-0.6	0	40.7	0.55	100	8760	99.51	35.3
2023-03-15 13:20:00	702.4	0	0	0	299	19.82	26.82	40.3	34.4	99.48	-1.1	-0.3	0	41	0.56	100	8757	99.52	35.5
2023-03-15 13:25:00	724.4	0	0	0	292	20.29	25.97	40.6	33.8	99.49	-0.5	-0.8	0	41.2	0.57	100	8753	99.51	35.6
2023-03-15 13:30:00	746	0	0	0	313	17.07	23.17	40.6	34.3	99.48	-0.5	-0.6	0	41.3	0.56	100	8750	99.51	35.7
2023-03-15 13:35:00	754.2	0	0	0	300	19.15	29.62	40.9	34	99.48	-0.5	-0.6	0	41.6	0.57	100	8747	99.51	36
2023-03-15 13:40:00	753	0	0	0	290	22.15	28.77	41.1	33.3	99.47	-0.4	-1	0	41.7	0.58	100	8743	99.49	36
2023-03-15 13:45:00	750.4	0	0	0	301	23.76	33.62	40.9	32.7	99.46	-0.7	-0.5	0	41.5	0.59	100	8738	99.48	35.9
2023-03-15 13:50:00	746.8	0	0	0	307	24.34	35.75	40.8	32.8	99.45	0.2	-0.6	0	41.3	0.58	100	8731	99.48	35.9
2023-03-15 13:55:00	742.6	0	0	0	306	22.24	28.88	40.7	32.5	99.46	-0.3	-0.4	0	41.3	0.58	100	8725	99.48	35.9
2023-03-15 14:00:00	737.4	0	0	0	300	20.07	28.43	40.8	33.3	99.46	-0.5	-0.4	0	41.4	0.58	100	8721	99.48	36
2023-03-15 14:05:00	732.6	0	0	0	303	21.99	30.74	41	32.8	99.46	-0.6	-0.9	0	41.6	0.59	100	8714	99.48	36.1
2023-03-15 14:10:00	719.2	0	0	0	295	20.71	27.02	41	32.1	99.46	-0.6	-0.7	0	41.6	0.59	100	8708	99.49	36.1
2023-03-15 14:15:00	702.2	0	0	0	291	22.64	28.61	41	32.1	99.46	-0.8	-1	0	41.6	0.59	100	8703	99.48	36
2023-03-15 14:20:00	688.2	0	0	0	301	22.75	35.39	40.9	32.2	99.46	-0.1	-0.6	0	41.5	0.59	100	8696	99.47	36
2023-03-15 14:25:00	675	0	0	0	296	21.65	31.47	40.9	32.2	99.45	-0.7	-0.4	0	41.5	0.59	100	8693	99.46	36.1
2023-03-15 14:30:00	661.4	0	0	0	304	22.53	29.95	41	32.1	99.45	-0.4	-0.6	0	41.6	0.59	100	8690	99.46	36.1
2023-03-15 14:35:00	644.6	0	0	0	312	20.33	26.6	40.9	32.4	99.45	-0.3	-0.9	0	41.5	0.59	100	8683	99.46	36.1
2023-03-15 14:40:00	627.4	0	0	0	304	20.13	26.73	41	33	99.45	-0.1	-0.4	0	41.7	0.59	100	8681	99.45	36.2
2023-03-15 14:45:00	607	0	0	0	290	17.72	26.71	41.1	32.2	99.45	-0.4	-0.4	0	41.8	0.59	100	8678	99.46	36.2
2023-03-15 14:50:00	582.8	0	0	0	303	18.54	25.61	41	32.1	99.45	-0.6	-0.6	0	41.7	0.59	100	8672	99.47	36.2
2023-03-15 14:55:00	564.8	0	0	0	312	22.55	30.8	41.2	31.2	99.45	-0.4	-0.9	0	41.8	0.61	100	8670	99.46	36.2
2023-03-15 15:00:00	552.8	0	0	0	307	19.37	31.52	41.1	31.3	99.45	-0.4	-0.8	0	41.8	0.6	100	8667	99.46	36.3
2023-03-15 15:05:00	549.4	0	0	0	291	20.98	27.92	41	31.1	99.46	-0.9	-0.2	0	41.7	0.6	100	8663	99.47	36.3
2023-03-15 15:10:00	552.6	0	0	0	294	18.72	23.47	41	31.6	99.47	-0.9	-0.6	0	41.6	0.6	100	8661	99.47	36.2
2023-03-15 15:15:00	557.2	0	0	0	307	18.1	23.87	41	31.8	99.47	-0.8	-0.5	0	41.8	0.6	100	8656	99.47	36.4
2023-03-15 15:20:00	559.8	0	0	0	299	20.45	30.2	41.3	30.2	99.47	-0.4	-0.6	0	41.9	0.61	100	8653	99.46	36.4
2023-03-15 15:25:00	559.6	0	0	0	304	21.72	33.22	41.1	31.1	99.46	-0.5	-0.7	0	41.7	0.6	100	8651	99.45	36.4
2023-03-15 15:30:00	556.8	0	0	0	289	20.96	27.56	40.9	31.8	99.46	-1	-0.3	0	41.5	0.59	100	8647	99.45	36.3
2023-03-15 15:35:00	553.4	0	0	0	315	25.46	35.32	40.8	31.6	99.44	-0.5	-0.6	0	41.4	0.59	100	8646	99.44	36.3
2023-03-15 15:40:00	549	0	0	0	295	22.62	28.66	40.5	31.9	99.45	-1.1	-0.5	0	41	0.58	100	8643	99.45	36.3
2023-03-15 15:45:00	544.2	0	0	0	289	21.88	31.65	40.4	31.9	99.46	-0.4	-0.3	0	41	0.58	100	8640	99.45	36.2
2023-03-15 15:50:00	539.2	0	0	0	284	19.15	27.22	40.3	31.8	99.47	-0.7	-0.4	0	40.9	0.58	100	8639	99.46	36.3
2023-03-15 15:55:00	534.8	0	0	0	310	21.25	28.83	40.4	31.7	99.46	-0.3	-0.6	0	41	0.58	100	8636	99.45	36.5
2023-03-15 16:00:00	527	0	0	0	304	21.47	27.2	40.4	31.7	99.46	-0.7	-0.9	0	41	0.58	100	8634	99.45	36.7
2023-03-15 16:05:00	515.2	0	0	0	297	19.17	26.33	40.4	31.7	99.46	-0.8	-0.5	0	41	0.58	100	8630	99.45	36.8
2023-03-15 16:10:00	500	0	0	0	301	21.12	31.7	40.3	31.6	99.46	-0.2	-0.5	0	40.9	0.58	100	8630	99.44	36.8
2023-03-15 16:15:00	485.4	0	0	0	295	19.75	28.77	40.3	31.8	99.46	-0.5	-0.6	0	40.9	0.58	100	8627	99.45	37
2023-03-15 16:20:00	472.4	0	0	0	309	20.74	30.11	40.3	33	99.46	0	-1	0	40.9	0.57	100	8627	99.45	37.2
2023-03-15 16:25:00	458	0	0	0	310	21.56	29.73	40.3	32.7	99.47	-0.8	-0.9	0	40.9	0.57	100	8624	99.45	37.3
2023-03-15 16:30:00	444	0	0	0	317	23.04	32.08	40.2	31.6	99.47	-0.3	-0.7	0	40.8	0.58	100	8621	99.45	37.2
2023-03-15 16:35:00	429	0	0	0	294	20.8	28.12	40	31	99.48	-0.5	-0.4	0	40.6	0.58	100	8619	99.46	36.8
2023-03-15 16:40:00	413.4	0	0	0	306	23.85	38.7	39.9	31.1	99.48	-0.8	-0.8	0	40.5	0.58	100	8619	99.45	37.2
2023-03-15 16:45:00	397	0	0	0	311	23.4	31.76	39.7	30.6	99.47	-1.4	0.1	0	40.3	0.58	100	8615	99.46	37.4
2023-03-15 16:50:00	381.4	0	0	0	320	19.75	25.81	39.5	31.6	99.47	-0.5	-1	0	40.1	0.56	100	8614	99.46	37.7
2023-03-15 16:55:00	366	0	0	0	298	20.45	30.38	39.6	32	99.47	0.2	-1.3	0	40.2	0.56	100	8614	99.45	37.9
2023-03-15 17:00:00	349	0	0	0	309	21.52	32.73	39.6	30.5	99.48	-0.3	-0.5	0	40.3	0.57	100	8612	99.46	38
2023-03-15 17:05:00	332.2	0	0	0	304	20.76	27.94	39.5	30.4	99.48	-0.6	-0.4	0	40.1	0.57	100	8606	99.48	38.1
2023-03-15 17:10:00	315.4	0	0	0	308	21.97	34.92	39.4	30.5	99.49	-0.6	-1.2	0	40	0.57	100	8608	99.48	38.3
2023-03-15 17:15:00	298.4	0	0	0	310	22.1	36.04	39.3	29.8	99.5	-0.7	-0.4	0	39.8	0.57	100	8607	99.48	38.3
2023-03-15 17:20:00	281.2	0	0	0	311	20	30.11	39.2	29.5	99.49	-0.9	-0.5	0	39.7	0.57	100	8603	99.48	38.4
2023-03-15 17:25:00	263.6	0	0	0	297	18.07	23.31	39.1	29.7	99.5	-0.5	-0.6	0	39.6	0.57	100	8602	99.49	38.4
2023-03-15 17:30:00	246	0	0	0	299	20.49	28.68	39	30	99.51	-0.5	-0.6	0	39.4	0.56	100	8600	99.49	38.4
2023-03-15 17:35:00	228.4	0	0	0	295	20.11	29.37	38.9	29.8	99.51	-0.8	-0.7	0	39.3	0.57	100	8599	99.49	38.4
2023-03-15 17:40:00	210.8	0	0	0	310	22.06	36.01	38.8	29.5	99.5	-0.7	-1	0	39.1	0.56	100	8598	99.49	38.3
2023-03-15 17:45:00	186	0	0	0	313	17.4	24.47	38.7	30.1	99.52	-0.6	-0.1	0	39	0.56	100	8595	99.49	37.7
2023-03-15 17:50:00	165.4	0	0	0	298	16.69	21.94	38.4	31.4	99.52	-0.6	-0.4	0	38.8	0.54	100	8591	99.5	36.8
2023-03-15 17:55:00	99.8	0	0	0	316	19.46	31.21	38.4	31	99.52	-0.5	-0.9	0	38.7	0.54	100	8590	99.48	36.8
2023-03-15 18:00:00	132.6	0	0	0	296	16.91	30.06	38.1	31.6	99.53	-0.5	-0.8	0	38.3	0.53	100	8589	99.49	36.8
2023-03-15 18:05:00	128	0	0	0	290	15.1	21.27	37.8	32.7	99.53	-0.6	-0.8	0	38	0.52	100	8587	99.51	37.4
2023-03-15 18:10:00	113	0	0	0	295	18.12	28.92	37.8	33.8	99.53	-0.4	-1	0	37.9	0.51	100	8586	99.5	37.6
2023-03-15 18:15:00	97.8	0	0	0	296	20.36	27.27	37.7	34	99.53	-0.5	-0.8	0	37.9	0.51	100	8585	99.5	37.6
2023-03-15 18:20:00	83.6	0	0	0	296	15.23	22.41	37.5	35.2	99.53	-0.3	-0.9	0	37.7	0.49	100	8582	99.51	37.5
2023-03-15 18:25:00	69.8	0	0	0	296	18.95	28.5	37.3	34.5	99.52	-0.5	-0.6	0	37.5	0.49	100	8581	99.49	37.4
2023-03-15 18:30:00	56.8	0	0	0	290	19.26	24.85	37	34.6	99.51	-1	-0.2	0	37.1	0.49	100	8577	99.49	37.1
2023-03-15 18:35:00	45.4	0	0	0	287	16.24	27.29	36.7	35	99.52	-0.8	-0.4	0	36.8	0.48	100	8576	99.49	36.8
2023-03-15 18:40:00	35.2	0	0	0	281	18.81	24.29	36.4	36.9	99.51	-0.9	-

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-15 18:55:00	13.6	0	0	0	278	15.08	21	35.5	37.8	99.51	-0.9	-0.6	0	35.5	0.44	100	8567	99.48	35.3
2023-03-15 19:00:00	9	0	0	0	272	14.12	19.26	35.2	38.6	99.51	-0.6	-0.7	0	35.2	0.43	100	8568	99.49	34.7
2023-03-15 19:05:00	5.2	0	0	0	256	13.11	19.66	34.7	43.5	99.52	-0.7	-0.4	0	34.7	0.38	100	8566	99.48	33.9
2023-03-15 19:10:00	2.8	0	0	0	260	16.13	20.87	34.1	49.7	99.51	-0.7	-0.1	0	34.1	0.33	100	8564	99.48	33.3
2023-03-15 19:15:00	1.2	0	0	0	262	15.1	19.66	33.6	52.8	99.51	-0.9	-0.6	0	33.5	0.31	100	8566	99.47	32.8
2023-03-15 19:20:00	0	0	0	0	261	13.76	20.36	33.1	55.2	99.51	-0.8	-0.4	0	33.1	0.29	100	8561	99.47	32.3
2023-03-15 19:25:00	0	0	0	0	265	14.05	18.23	32.6	57.2	99.51	-0.9	-0.6	0	32.6	0.27	100	8560	99.48	31.9
2023-03-15 19:30:00	0	0	0	0	268	15.1	21.07	32.4	58	99.5	-0.8	-0.6	0	32.4	0.26	100	8558	99.47	31.6
2023-03-15 19:35:00	0	0	0	0	268	14.38	19.75	32.2	58.5	99.5	-1	-0.5	0	32.3	0.26	100	8556	99.47	31.5
2023-03-15 19:40:00	0	0	0	0	267	14.16	21.14	32.1	58.7	99.5	-1	-0.7	0	32	0.25	100	8557	99.47	31.3
2023-03-15 19:45:00	0	0	0	0	270	14.45	21.12	32	58.9	99.5	-0.6	-0.5	0	32	0.25	100	8553	99.47	31.1
2023-03-15 19:50:00	0	0	0	0	266	12.37	19.48	31.9	59.3	99.5	-0.8	-0.8	0	31.9	0.25	100	8552	99.47	30.9
2023-03-15 19:55:00	0	0	0	0	265	13.58	19.82	31.7	59.7	99.51	-1	-0.5	0	31.6	0.24	100	8551	99.48	30.6
2023-03-15 20:00:00	0	0	0	0	261	12.68	17.02	31.5	60.1	99.51	-0.9	-0.5	0	31.5	0.24	100	8554	99.48	30.4
2023-03-15 20:05:00	0	0	0	0	261	13.29	21.9	31.5	61.6	99.51	-0.8	-0.4	0	31.5	0.23	100	8550	99.48	30.2
2023-03-15 20:10:00	0	0	0	0	264	13.38	21.25	31.2	63	99.52	-1	-0.6	0	31.1	0.22	100	8550	99.49	30.1
2023-03-15 20:15:00	0	0	0	0	265	14.7	21.43	31	64.7	99.52	-1.1	-0.6	0	31	0.21	100	8549	99.49	29.9
2023-03-15 20:20:00	0	0	0	0	263	16.84	25.32	31.1	65.6	99.51	-1	-0.5	0	31.1	0.2	100	8545	99.48	29.8
2023-03-15 20:25:00	0	0	0	0	267	14.34	20.54	30.9	66.7	99.51	-0.7	-0.5	0	30.9	0.19	100	8546	99.48	29.7
2023-03-15 20:30:00	0	0	0	0	266	14.56	22.64	30.7	67.2	99.51	-0.9	-0.6	0	30.7	0.19	100	8545	99.48	29.5
2023-03-15 20:35:00	0	0	0	0	265	13.85	19.44	30.6	68.2	99.51	-1	-0.6	0	30.6	0.18	100	8540	99.48	29.3
2023-03-15 20:40:00	0	0	0	0	263	13.35	18.01	30.5	69.7	99.5	-1.1	-0.7	0	30.4	0.17	100	8544	99.47	29.1
2023-03-15 20:45:00	0	0	0	0	266	12.39	17.16	30.1	70.6	99.49	-0.8	-0.5	0	30.1	0.17	100	8542	99.46	28.9
2023-03-15 20:50:00	0	0	0	0	267	13.29	17.72	30	70.9	99.49	-1	-0.6	0	30	0.16	100	8540	99.46	28.8
2023-03-15 20:55:00	0	0	0	0	268	14.03	18.7	29.9	71.6	99.48	-1.2	-0.3	0	29.9	0.16	100	8540	99.46	28.6
2023-03-15 21:00:00	0	0	0	0	268	14.09	19.53	29.9	72.4	99.49	-0.8	-0.9	0	29.9	0.15	100	8540	99.46	28.5
2023-03-15 21:05:00	0	0	0	0	270	13.06	18.23	29.7	73.7	99.49	-1.1	-0.5	0	29.7	0.15	100	8537	99.46	28.4
2023-03-15 21:10:00	0	0	0	0	271	12.06	18.43	29.6	74	99.5	-0.7	-0.7	0	29.6	0.14	100	8537	99.47	28.3
2023-03-15 21:15:00	0	0	0	0	266	12.48	15.75	29.5	74.3	99.5	-0.8	-0.4	0	29.4	0.14	100	8538	99.47	28.1
2023-03-15 21:20:00	0	0	0	0	265	12.84	18.21	29.3	74.8	99.5	-1	-0.4	0	29.3	0.14	100	8535	99.47	28
2023-03-15 21:25:00	0	0	0	0	269	13.22	17.58	29.3	74.9	99.5	-1.2	-0.6	0	29.3	0.14	100	8533	99.47	28
2023-03-15 21:30:00	0	0	0	0	267	12.8	18.79	29.3	74.9	99.5	-0.8	-0.6	0	29.3	0.14	100	8534	99.47	27.9
2023-03-15 21:35:00	0	0	0	0	267	13.44	17.56	29.2	75.2	99.5	-1.2	-0.4	0	29.2	0.14	100	8532	99.47	27.8
2023-03-15 21:40:00	0	0	0	0	267	11.79	16.46	29	74.9	99.5	-1	-0.6	0	29	0.14	100	8530	99.47	27.6
2023-03-15 21:45:00	0	0	0	0	266	12.1	17.67	29	75	99.5	-1	-0.5	0	29	0.14	100	8531	99.47	27.6
2023-03-15 21:50:00	0	0	0	0	266	11.3	16.64	28.9	75.8	99.49	-1	-0.4	0	28.9	0.13	100	8531	99.47	27.5
2023-03-15 21:55:00	0	0	0	0	265	11.36	16.87	28.8	76.4	99.49	-1	-0.6	0	28.8	0.13	100	8530	99.47	27.4
2023-03-15 22:00:00	0	0	0	0	265	10.6	15.7	28.7	76	99.49	-1	-0.7	0	28.7	0.13	100	8530	99.47	27.2
2023-03-15 22:05:00	0	0	0	0	265	12.19	18.61	28.6	77	99.49	-1	-0.5	0	28.7	0.12	100	8529	99.47	27.2
2023-03-15 22:10:00	0	0	0	0	265	11.41	16.73	28.6	77	99.5	-1	-0.3	0	28.7	0.12	100	8527	99.47	27.2
2023-03-15 22:15:00	0	0	0	0	268	12.24	16.04	28.6	77.1	99.5	-1.1	-0.4	0	28.6	0.12	100	8524	99.47	27.3
2023-03-15 22:20:00	0	0	0	0	268	11.81	16.98	28.8	76.9	99.5	-1	-0.4	0	28.8	0.12	100	8524	99.48	27.5
2023-03-15 22:25:00	0	0	0	0	268	11.7	16.91	29	77.7	99.51	-0.9	-0.5	0	29	0.12	100	8526	99.49	27.7
2023-03-15 22:30:00	0	0	0	0	269	12.68	19.37	29.2	77.4	99.51	-1	-0.6	0	29.2	0.12	100	8523	99.49	27.9
2023-03-15 22:35:00	0	0	0	0	267	12.53	17.49	29.4	77.5	99.51	-0.9	-0.4	0	29.4	0.12	100	8523	99.49	28.1
2023-03-15 22:40:00	0	0	0	0	269	12.46	17.34	29.6	77.6	99.52	-1.2	-0.6	0	29.6	0.12	100	8523	99.49	28.3
2023-03-15 22:45:00	0	0	0	0	265	12.86	18.19	29.8	77	99.51	-1	-0.7	0	29.8	0.13	100	8524	99.49	28.4
2023-03-15 22:50:00	0	0	0	0	259	13.11	21	29.8	77.2	99.51	-1.1	-0.6	0	29.8	0.13	100	8523	99.49	28.6
2023-03-15 22:55:00	0	0	0	0	263	11.99	17.13	30	77.8	99.51	-0.7	-0.6	0	30	0.13	100	8523	99.49	28.7
2023-03-15 23:00:00	0	0	0	0	263	11.05	16.28	30	77.7	99.51	-0.8	-0.5	0	30	0.13	100	8523	99.49	28.8
2023-03-15 23:05:00	0	0	0	0	262	11.14	15.17	30.1	77.7	99.51	-0.9	-0.5	0	30.1	0.13	100	8520	99.49	28.9
2023-03-15 23:10:00	0	0	0	0	261	10.38	18.23	30.1	77.8	99.51	-1	-0.6	0	30.1	0.13	100	8520	99.48	29
2023-03-15 23:15:00	0	0	0	0	258	10.85	17.87	30.3	77.1	99.5	-1	-0.7	0	30.3	0.13	100	8523	99.47	29.1
2023-03-15 23:20:00	0	0	0	0	256	11.9	16.75	30.4	76.8	99.49	-0.9	-0.3	0	30.4	0.13	100	8516	99.46	29.2
2023-03-15 23:25:00	0	0	0	0	252	13.62	18.66	30.5	77.3	99.47	-0.8	-0.7	0	30.5	0.13	100	8518	99.45	29.3
2023-03-15 23:30:00	0	0	0	0	246	12.35	18.5	30.6	76.6	99.46	-0.9	-0.6	0	30.6	0.14	100	8519	99.44	29.4
2023-03-15 23:35:00	0	0	0	0	248	12.64	17.34	30.7	76.7	99.46	-1	-0.5	0	30.7	0.13	100	8514	99.44	29.5
2023-03-15 23:40:00	0	0	0	0	256	11.97	16.08	30.8	76.4	99.46	-0.8	-0.6	0	30.7	0.14	100	8516	99.44	29.5
2023-03-15 23:45:00	0	0	0	0	256	12.91	18.48	30.7	75.9	99.45	-0.9	-0.5	0	30.7	0.14	100	8515	99.44	29.6
2023-03-15 23:50:00	0	0	0	0	256	13.38	19.86	30.7	75.8	99.45	-1	-0.7	0	30.7	0.14	100	8514	99.44	29.7
2023-03-15 23:55:00	0	0	0	0	263	12.62	18.19	30.8	75.4	99.45	-0.9	-0.8	0	30.8	0.14	100	8513	99.43	29.8
2023-03-16 00:00:00	0	0	0	0	262	12.35	15.88	31	75.5	99.45	-1	-0.7	0	31	0.14	100	8513	99.43	29.8
2023-03-16 00:05:00	0	0	0	0	266	11.92	17.18	31	75.1	99.45	-0.6	-0.7	0	31	0.15	100	8485	99.43	30
2023-03-16 00:10:00	0	0	0	0	271	11.99	17.85	30.9	75.2	99.46	-0.9	-0.6	0	30.9	0.14	100	8474	99.43	30.3
2023-03-16 00:15:00	0	0	0	0	267	12.75	16.15	31	75	99.46	-0.9	-0.6	0	31	0.15	100	8468	99.44	30.4
2023-03-16 00:20:00	0	0	0	0	267	10.85	15.39	31	74.9	99.45	-1	-0.6	0	31	0.15	100	8481	99.44	30.5
2023-03-16 00:25:00	0	0	0	0	263	10.13	15.21	31	75	99.45	-1	-0.6	0	31	0.15	100	8484	99.44	30.3
2023-03-16 00:30:00	0	0	0	0	266	10.18	13.96	30.9	75.2	99.45	-0.8	-0.5	0	30.9	0.14	100	8485	99.43	30.1
2023-03-16 00:35:00	0	0	0	0	267	10.78	13.82	30.9	75.2	99.45	-0.9	-0.5	0	31	0.14	100	8488	99.44	30.1
2023-03-16 00:40:00	0	0	0	0	267	11.21	16.91	31	74.9	99.45	-0.9	-0.4	0	31	0.15	100	8488	99.43	30.1
2023-03-16 00:45:00	0	0	0	0	266	11.36	16.93	31	74.9	99.45	-0.9	-0.5	0	31.1	0.15	100	8487	99.43	30.1
2023-03-16 00:50:00	0	0	0	0	267	12.21	20.67	31	74.9	99.45	-0.8	-0.5	0	31	0.15	100	8488	99.43	30.1
2023-03-16 00:55:00	0	0	0	0	265	11.52	18.52	31.1	74.7	99.45	-0.9	-0.6	0	31.1	0.15	100	8488	99.43	30.2
2023-03-16 01:00:00	0	0	0	0	266	14.61	20.4	31.2	73.1	99.45	-0.6	-0.4	0	31.2	0.16	100	8488	99.43	30.3
2023-03-16 01:05:00	0	0	0	0	266	12.62	18.07	31.3	72.3	99.45	-0.9	-0.6	0	31.3	0.16	100	8488	99.43	30.4
2023-03-16 01:10:00	0	0	0	0	265	10.74	15.12	31.4	72.2	99.46	-1	-0.4	0	31.4	0.17	100	8490	99.44	30.4
2023-03-16 01:15:00	0	0	0	0	265	11.95	21.83	31.3	72	99.46	-0.9	-0.4	0	31.3	0.17	100	8490	99.44	30.4
2023-03-16 01:20:00	0	0	0	0	260	10.4	15.57	31.4	70.4	99.45	-1	-0.4	0	31.4	0.18	100	8475	99.43	30.5
2023-03-16 01:25:00	0	0	0	0	262	8.66	14.16	31.5	70.6	99.45	-0.9	-0.6	0	31.5	0.18	100	8482	99.43	30.5
2023-03-16 01:30:00	0	0	0	0	257	9.31	15.1	31.4	70	99.44	-1	-0.6	0	31.4	0.18	100	8482	99.42	30.5
2023-03-16 01:35:00	0	0	0	0	249	9.17	12.93	31.4	68.9	99.43	-1.1	-0.6	0	31.4	0.19	100	8480	99.41	30.5
2023-03-16 01:40:00	0	0	0	0	249	8.41	12.71	31.5	69.6	99.43	-0.9	-0.4	0	31.5	0.18	100	8482	99.41	30.5
2023-03-16 01:45:00	0	0	0	0	243	8.63	12.44	31.4	69.1	99.42	-0.9	-0.5	0	31.4	0.18	100	8485	99.4	30.5
2023-03-16 01:50:00	0	0	0	0	243	7.85	11.12	31.4	68.9	99.41	-0.9	-0.4	0	31.4	0.19	100	8484	99.39	30.4
2023-03-16 01:55:00	0	0	0	0	245	7.67	12.86	31.4	68.2	99.4	-0.7	-0.6	0	31.4	0.19	100	8484	99.38	30.4
2023-03-16 02:00:00	0	0	0	0	242	8.68	12.82	31.4	67.1	99.4	-0.9	-0.5	0	31.4	0.2	100	8481	99.38	30.4
2023-03-16 02:05:00	0	0	0	0	251	7.85	12.82	31.4	65.5	99.4	-0.8	-0.5	0	31.4	0.21	100	8482	99.38	30.5
2023-03-16 02:10:00	0	0	0	0	239	8.5	16.62	31.4	65.5	99.4	-0.7	-0.7	0	31.4	0.21	100	8482	99.38	30.5
2023-03-16 02:15:00	0	0	0	0	250	8.16	11.32	31.5	63.8	99.39	-0.9	-0.6	0	31.5	0.22	100	8479	99.38	30.5
2023-03-16 02:20:00	0	0	0	0	250	8.55	13.51	31.5	63.2	99.39	-0.8	-0.4	0	31.5	0.22	100	8479	99.37	30.5
2023-03-16 02:25:00	0	0	0	0	250	7.83	13.02	31.5	60.8	99.39	-0.8	-0.4	0	31.5	0.23	100	8480	99.37	30.6
2023-03-16 02:30:00	0	0	0	0	247	10	16.26	31.6	59.2	99.38	-1	-0.5	0	31.6	0.25	100	8482	99.36	30.6
2023-03-16 02:35:00	0	0	0	0	243	9.48	12.95	31.8	57.8	99.37	-0.9	-0.6	0	31.7	0.26	100	8478	99.35	30.7
2023-03-16 02:40:00	0	0	0	0	248	8.34	11.32	31.7	58.2	99.37	-0.9	-0.4	0	31.7	0.25	100	8479	99.35	30.8
2023-03-16 02:45:00	0	0	0	0	245	7.96	11.3	31.8	57.1	99.37	-0.8	-0.4	0	31.8	0.26	100	8481	99.35	30.8
2023-03-16 02:50:00	0	0	0	0	236	8.99	14.07	31.9	55.6	99.37	-0.7	-0.7	0	31.9	0.27	100	8478	99.35	30.8
2023-03-16 02:55:00	0	0	0	0	243	7.54	10.27	31.9	55.2	99.37	-0.8	-0.5	0	31.9	0.27	100	8477	99.35	30.9
2023-03-16 03:00:00	0	0	0	0	250	8.63	11.83	32	54	99.37	-0.9	-0.5	0	32	0.28	100	8478	99.35	31
2023-03-16 03:05:00	0	0	0	0	247	7.92	11.23	32	53.4	99.36	-0.8	-0.6	0	32	0.28	100	8478	99.34	31
2023-03-16 03:10:00	0	0	0	0	251	8.99	11.74	32	52.7	99.36	-0.8	-0.6	0	32	0.29	100	8480	99.33	31
2023-03-16 03:15:00	0	0	0	0	251	8.43	14.43	32.1	53.2	99.35	-0.9	-0.6	0	32.1	0.29	100	8478	99.33	31
2023-03-16 03:20:00	0	0	0	0	247	8.79	13.96	32.1	52.5	99.35	-1	-0.6	0	32.1	0.29	100	8475	99.33	31.1
2023-03-16 03:25:00	0	0	0	0	249	7.27	11.01	32.1	52.4	99.34	-0.8	-0.5	0	32.1	0.29	100	8475	99.32	31.1
2023-03-16 03:30:00	0	0	0	0	253	6.96	10.38	32.2	52.6	99.34	-0.8	-0.5	0	32.2	0.29	100	8475	99.32	31.1
2023-03-16 03:35:00	0	0	0	0	256	7.92	11.65	32.1	52.1	99.34	-0.8	-0.5	0	32.2	0.29	100	8475	99.32	31.1
2023-03-16 03:40:00	0	0	0	0	251	7.07	12.17	32.2	52.6	99.33	-0.7	-0.4	0	32.1	0.29	100	8473	99.31	31.1
2023-03-16 03:45:00	0	0	0	0	248	9.13	12.59	32.2	52.2	99.32	-0.7	-0.5	0	32.3	0.29	100	8475	99.3	31.2
2023-03-16 03:50:00	0	0	0	0	244	9.19	13.58	32.3	52	99.32	-1	-0.6	0	32.3	0.3	100	8472	99.29	31.2
2023-03-16 03:55:00	0	0	0	0	250	9.28	13.87	32.4	52.5	99.31	-0.9	-0.5	0	32.4	0.29	100	8475	99.29	31.3
2023-03-16 04:00:00	0	0	0	0	254	8.7	11.9	32.4	52.9	99.31	-1	-0.5	0	32.4	0.29	100	8475	99.28	31.3
2023-03-16 04:05:00	0	0	0	0	259	10.36	16.67	32.5	52.7	99.3	-1	-0.6	0	32.5	0.29	100	8473	99.28	31.3
2023-03-16 04:10:00	0	0	0	0	259	9.1	16.6	32.5	52.7	99.3	-0.9	-0.6	0	32.5	0.29	100	8470	99.28	31.4
2023-03-16 04:15:00	0	0	0	0	263	10.33	14.56	32.4	53.2	99.3	-0.8	-0.7	0	32.4	0.29	100	8472	99.28	31.3
2023-03-16 04:20:00	0	0	0	0	262	10.67	15.95	32.4	53.2	99.29	-0.9	-0.5	0	32.4	0.29	100	8472	99.27	31.4
2023-03-16 04:25:00	0	0	0	0	261	10.31	15.73	32.6	53.4	99.29	-0.9	-0.6	0	32.6	0.29	100	8471	99.27	31.4
2023-03-16 04:30:00	0	0	0	0	258	10.63	15.95	32.5	53.5	99.29	-0.8	-0.5	0	32.5	0.29	100	8472	99.26	31.5
2023-03-16 04:35:00	0	0	0	0	262	10.25	14.7	32.6	54.2	99.29	-0.7	-0.6	0	32.6	0.29	100	8467	99.26	31.6
2023-03-16 04:40:00	0	0	0	0	254	11.25	16.62	32.7	54.1	99.29	-0.9	-0.7	0	32.7	0.29	100	8470	99.26	31.7
2023-03-16 04:45:00	0	0	0	0	255	10.58	15.3	33	54.5	99.29	-0.8	-0.4	0	33	0.29	100	8472	99.27	31.8
2023-03-16 04:50:00	0	0	0	0	253	10.87	17.58	33.1	54.2	99.29	-0.7	-0.6	0	33.1	0.29	100	8468	99.27	31.9
2023-03-16 04:55:00	0	0	0	0	256	10.6	15.66	33.2	54.6	99.29	-1	-0.4	0	33.3	0.29	100	8466	99.26	32.1
2023-03-16 05:00:00	0	0	0	0	259	9.6	13.98	33.4	54.4	99.29	-0.8	-0.6	0	33.4	0.3	100	8464	99.26	32.2
2023-03-16 05:05:00	0	0	0	0	254	9.86	14.45	33.5	55.4	99.29	-0.6	-0.6	0	33.5	0.29	100	8463	99.26	32.3
2023-03-16 05:10:00	0	0	0	0	259	9.48	16.28	33.7	55.4	99.29	-0.8	-0.6	0	33.7	0.29	100	8467	99.26	32.5
2023-03-16 05:15:00	0	0	0	0	261	10.25	18.79	33.8	55.4	99.29	-0.9	-0.6	0	33.8	0.29	100	8467	99.26	32.6
2023-03-16 05:20:00	0	0	0	0	260	10.36	16.44	34	55.3	99.29	-0.8	-0.7	0	34	0.3	100	8467	99.26	32.8
2023-03-16 05:25:00	0	0	0	0	262	9.71	16.2	34	55.9	99.29	-0.8	-0.7	0	34	0.29	100	8466	99.27	32.9
2023-03-16 05:30:00	0	0	0	0	264	9.98	14.7	34.2	55.4	99.29	-0.7	-0.7	0	34.2	0.3	100	8466	99.27	33
2023-03-16 05:35:00	0	0	0	0	260	9.31	12.55	34.3	55.2	99.29	-0.7	-0.7	0	34.3	0.3	100	8464	99.27	33.1
2023-03-16 05:40:00	0	0	0	0	257	9.69	12.37	34.4	55.6	99.29	-0.8	-0.7	0	34.4	0.3	100	8464	99.26	33.2
2023-03-16 05:45:00	0	0	0	0	258	8.63	11.92	34.5	56	99.29	-0.9	-0.7	0	34.5	0.3	100	8466	99.26	33.3
2023-03-16 05:50:00	0	0	0	0	253	8.81	14.52	34.5	55.9	99.29	-0.8	-0.6	0	34.5	0.3	100	8463	99.26	33.4
2023-03-16 05:55:00	0	0	0	0	256	8.39	11.92	34.6	56	99.29	-0.7	-0.5	0	34.6	0.3	100	8466	99.26	33.4
2023-03-16 06:00:00	0	0	0	0	260	8.61	13.76	34.7	56.5	99.3	-0.9	-0.7	0	34.7	0.3	100	8463	99.27	33.5
2023-03-16 06:05:00	0	0	0	0	258	8.81	13.02	34.7	56.1	99.3	-0.9	-0.5	0	34.7	0.3	100	8462	99.27	33.5
2023-03-16 06:10:00	0	0	0	0	264	8.77	12.86	34.8	56.8	99.3	-0.8	-0.4	0	34.8	0.29	100	8462	99.27	33.6
2023-03-16 06:15:00	0	0	0	0	260	8.75	11.03	34.7	56.9

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-16 06:20:00	0	0	0	0	260	7.72	10.89	34.9	56.3	99.3	-0.7	-0.6	0	34.9	0.3	100	8461	99.27	33.8
2023-03-16 06:25:00	0	0	0	0	252	8.32	13.62	35	56.7	99.3	-0.8	-0.5	0	35	0.3	100	8462	99.27	33.9
2023-03-16 06:30:00	0	0	0	0	253	7.83	12.57	35.1	56.5	99.29	-0.8	-0.5	0	35.1	0.3	100	8462	99.26	34
2023-03-16 06:35:00	0	0	0	0	249	7.45	11.34	35.3	57.1	99.29	-0.9	-0.7	0	35.3	0.3	100	8463	99.26	34.1
2023-03-16 06:40:00	0	0	0	0	250	8.1	11.39	35.3	57.3	99.29	-0.8	-0.6	0	35.3	0.3	100	8456	99.26	34.2
2023-03-16 06:45:00	0	0	0	0	243	7.74	11.92	35.4	57.1	99.29	-0.7	-0.7	0	35.4	0.3	100	8459	99.26	34.3
2023-03-16 06:50:00	0	0	0	0	243	7.27	10.98	35.6	58.1	99.28	-0.7	-0.5	0	35.6	0.3	100	8459	99.26	34.4
2023-03-16 06:55:00	0	0	0	0	249	7.76	10.56	35.6	57.8	99.28	-0.8	-0.5	0	35.6	0.3	100	8459	99.25	34.4
2023-03-16 07:00:00	0	0	0	0	249	8.16	11.34	35.6	57.2	99.29	-0.8	-0.5	0	35.6	0.3	100	8459	99.26	34.4
2023-03-16 07:05:00	1.2	0	0	0	250	7.7	10.94	35.7	57	99.29	-0.7	-0.6	0	35.7	0.3	100	8455	99.26	34.4
2023-03-16 07:10:00	2.6	0	0	0	248	6.8	9.69	35.7	57.7	99.29	-0.8	-0.6	0	35.7	0.3	100	8458	99.27	34.3
2023-03-16 07:15:00	4.8	0	0	0	247	6.67	10.58	35.6	57.8	99.3	-0.9	-0.8	0	35.6	0.3	100	8456	99.27	34.1
2023-03-16 07:20:00	7.2	0	0	0	249	6.53	10.13	35.4	58	99.3	-0.7	-0.5	0	35.4	0.29	100	8456	99.27	33.9
2023-03-16 07:25:00	11.6	0	0	0	252	6.2	9.19	35.2	57.8	99.3	-0.7	-0.6	0	35.3	0.29	100	8454	99.27	33.7
2023-03-16 07:30:00	14.2	0	0	0	251	6.91	9.62	35.2	57.7	99.29	-0.8	-0.6	0	35.2	0.29	100	8454	99.26	33.6
2023-03-16 07:35:00	18	0	0	0	249	5.93	7.94	35.1	58.2	99.29	-0.9	-0.6	0	35.1	0.29	100	8453	99.26	33.4
2023-03-16 07:40:00	23.2	0	0	0	249	7.36	10.78	35	58.2	99.28	-0.8	-0.6	0	35	0.29	100	8456	99.26	33.4
2023-03-16 07:45:00	42.6	0	0	0	245	7.2	10.42	35.1	58.1	99.28	-0.7	-0.6	0	35.2	0.29	100	8461	99.26	33.4
2023-03-16 07:50:00	73	0	0	0	245	6.91	10.45	35.6	58.1	99.27	-0.8	-0.5	0	35.8	0.3	100	8469	99.25	33.5
2023-03-16 07:55:00	86	0	0	0	244	6.6	9.75	36.2	57	99.27	-0.7	-0.5	0	36.5	0.31	100	8479	99.26	33.9
2023-03-16 08:00:00	98.2	0	0	0	243	6.78	9.28	37	56	99.27	-0.9	-0.5	0	37.3	0.33	100	8489	99.26	34.5
2023-03-16 08:05:00	111.8	0	0	0	251	6.64	8.75	37.5	55.2	99.28	-0.7	-0.6	0	37.9	0.34	100	8499	99.27	35.1
2023-03-16 08:10:00	122	0	0	0	243	6.55	9.84	38.2	54.3	99.28	-0.7	-0.4	0	38.6	0.36	100	8506	99.27	35.7
2023-03-16 08:15:00	131.4	0	0	0	244	8.08	11.95	38.8	52.9	99.27	-0.6	-0.5	0	39.3	0.38	100	8516	99.27	36.4
2023-03-16 08:20:00	139.4	0	0	0	248	7.14	10.13	39.5	51.9	99.28	-0.6	-0.6	0	39.9	0.4	100	8526	99.27	37
2023-03-16 08:25:00	148.4	0	0	0	241	8.9	13.49	40.1	50.8	99.28	-0.6	-0.4	0	40.5	0.41	100	8538	99.27	37.7
2023-03-16 08:30:00	166.4	0	0	0	245	9.19	13.87	40.7	49.9	99.27	-0.4	-0.4	0	41.1	0.43	100	8547	99.27	38.3
2023-03-16 08:35:00	187	0	0	0	242	10.67	16.13	41.3	48.8	99.27	-0.7	-0.5	0	41.8	0.45	100	8554	99.27	38.9
2023-03-16 08:40:00	207	0	0	0	244	10.13	13.73	41.9	47.7	99.28	-0.5	-0.4	0	42.4	0.47	100	8564	99.29	39.5
2023-03-16 08:45:00	225.6	0	0	0	239	10.71	14.47	42.2	47	99.27	-0.7	-0.6	0	42.8	0.48	100	8573	99.28	40
2023-03-16 08:50:00	240	0	0	0	235	10.09	15.99	42.6	46.1	99.27	-0.8	-0.8	0	43.2	0.5	100	8580	99.28	40.4
2023-03-16 08:55:00	256.8	0	0	0	233	12.33	19.89	43.1	45.4	99.27	-0.5	-0.5	0	43.7	0.52	100	8588	99.28	40.9
2023-03-16 09:00:00	272.8	0	0	0	247	11.27	15.01	43.6	44.7	99.27	-0.7	-0.7	0	44.2	0.53	100	8598	99.28	41.2
2023-03-16 09:05:00	287.8	0	0	0	254	11.65	15.79	43.9	44.3	99.27	-0.5	-0.5	0	44.6	0.54	100	8605	99.29	41.5
2023-03-16 09:10:00	305.6	0	0	0	254	11.86	15.48	44.2	44.4	99.28	-0.3	-0.6	0	44.9	0.55	100	8613	99.29	41.9
2023-03-16 09:15:00	345	0	0	0	256	10.76	18.28	44.6	43.6	99.28	-0.3	-0.2	0	45.4	0.56	100	8621	99.3	42.3
2023-03-16 09:20:00	358.2	0	0	0	259	10.96	16.28	45	43.1	99.28	-0.5	-0.6	0	45.8	0.58	100	8627	99.3	42.8
2023-03-16 09:25:00	314.8	0	0	0	256	12.08	16.51	45.1	43	99.29	-0.6	-0.6	0	45.8	0.58	100	8620	99.3	43.2
2023-03-16 09:30:00	206.4	0	0	0	264	11.95	16.89	43.9	44.1	99.31	-0.6	-0.6	0	44.5	0.54	100	8611	99.3	43.3
2023-03-16 09:35:00	213	0	0	0	257	10.96	19.24	42.9	45.1	99.31	-0.4	-0.5	0	43.4	0.52	100	8605	99.3	43.1
2023-03-16 09:40:00	230.6	0	0	0	261	8.86	16.84	42.5	47.1	99.3	-0.6	-0.6	0	43.2	0.49	100	8601	99.29	42.9
2023-03-16 09:45:00	255	0	0	0	264	10.38	15.1	42.4	46.5	99.29	-0.5	-0.6	0	43	0.49	100	8599	99.28	42.9
2023-03-16 09:50:00	258	0	0	0	259	9.1	15.03	42.6	47	99.29	-0.5	-0.6	0	43.3	0.49	100	8595	99.28	42.9
2023-03-16 09:55:00	276.2	0	0	0	263	12.03	19.89	42.8	46.2	99.28	-0.5	-0.7	0	43.4	0.5	100	8599	99.28	43
2023-03-16 10:00:00	264.2	0	0	0	263	9.1	13.73	42.9	47	99.29	-0.6	-0.8	0	43.6	0.5	100	8595	99.28	43
2023-03-16 10:05:00	235.8	0	0	0	257	8.77	11.12	42.9	47.2	99.29	-0.4	-0.6	0	43.6	0.5	100	8592	99.28	43.1
2023-03-16 10:10:00	249.8	0	0	0	249	10.71	20.51	42.8	46.9	99.28	-0.4	-0.6	0	43.5	0.5	100	8592	99.27	43.1
2023-03-16 10:15:00	277.2	0	0	0	249	11.21	16.69	43	45.9	99.27	-0.5	-0.6	0	43.7	0.51	100	8594	99.27	43
2023-03-16 10:20:00	303.6	0	0	0	258	9.86	14.03	43.3	46.3	99.27	-0.5	-0.6	0	44.2	0.51	100	8596	99.26	43.1
2023-03-16 10:25:00	509.8	0	0	0	250	8.59	15.3	44.5	45.3	99.23	-0.4	-0.6	0	45.4	0.55	100	8611	99.25	43.3
2023-03-16 10:30:00	462.8	0	0	0	262	10.45	15.7	46.6	41.7	99.22	-0.5	-0.6	0	47.5	0.63	100	8620	99.25	44
2023-03-16 10:35:00	463.2	0	0	0	261	8.99	14.92	47.3	41.3	99.24	-0.4	-0.6	0	48.2	0.65	100	8624	99.25	44.7
2023-03-16 10:40:00	431.4	0	0	0	259	10.45	18.68	47.7	40.3	99.24	-0.5	-0.5	0	48.6	0.67	100	8628	99.25	45.3
2023-03-16 10:45:00	382.2	0	0	0	250	11.99	18.12	47.4	39.8	99.24	-0.5	-0.3	0	48.2	0.67	100	8628	99.24	45.5
2023-03-16 10:50:00	466.4	0	0	0	253	13	17.54	47.8	39.7	99.22	-0.5	-0.7	0	48.6	0.68	100	8633	99.24	45.6
2023-03-16 10:55:00	465	0	0	0	253	11.43	16.8	48	39.3	99.23	-0.7	-0.7	0	48.9	0.69	100	8637	99.25	45.9
2023-03-16 11:00:00	438	0	0	0	262	12.3	19.48	48.2	38.6	99.24	-0.1	-0.6	0	49	0.7	100	8635	99.25	46.3
2023-03-16 11:05:00	364.4	0	0	0	264	12.8	18.88	47.8	39.2	99.24	-0.3	-0.6	0	48.6	0.69	100	8636	99.24	46.3
2023-03-16 11:10:00	595.4	0	0	0	266	11.77	18.23	49.3	37.8	99.19	-0.3	-0.8	0	50.1	0.74	100	8648	99.24	46.6
2023-03-16 11:15:00	652.4	0	0	0	262	13.56	23.98	50.9	36.5	99.19	-0.3	-0.7	0	51.8	0.81	100	8659	99.23	47.2
2023-03-16 11:20:00	612	0	0	0	264	15.64	21.23	51.7	35.2	99.19	-0.4	-1	0	52.4	0.85	100	8665	99.23	47.7
2023-03-16 11:25:00	651	0	0	0	263	18.25	25.77	52	34.4	99.19	-0.9	-0.6	0	52.7	0.87	100	8667	99.23	48
2023-03-16 11:30:00	642.4	0	0	0	260	12.66	21.63	52	34.9	99.19	-0.1	-0.8	0	52.8	0.86	100	8669	99.23	48.2
2023-03-16 11:35:00	657.6	0	0	0	264	15.52	23.89	52.3	34.1	99.18	-0.2	-0.3	0	53.1	0.88	100	8672	99.22	48.5
2023-03-16 11:40:00	662.2	0	0	0	262	12.93	19.51	52.4	34.2	99.18	-0.3	-0.7	0	53.2	0.88	100	8675	99.22	48.7
2023-03-16 11:45:00	674.2	0	0	0	267	13.58	19.51	52.7	34	99.18	-0.3	-0.6	0	53.5	0.9	100	8675	99.22	48.9
2023-03-16 11:50:00	677.2	0	0	0	268	13.09	19.42	53	34.5	99.18	-0.3	-0.5	0	53.7	0.9	100	8677	99.22	49.2
2023-03-16 11:55:00	665.2	0	0	0	270	12.59	18.01	53.3	33.4	99.18	-0.2	-0.6	0	54.1	0.92	100	8678	99.21	49.5
2023-03-16 12:00:00	646.2	0	0	0	263	11.88	20.78	53.6	33.3	99.18	-0.3	-0.9	0	54.4	0.93	100	8678	99.22	49.7
2023-03-16 12:05:00	618.2	0	0	0	260	13.73	21.03	53.9	32.8	99.18	-0.4	-0.6	0	54.6	0.95	100	8675	99.22	49.9
2023-03-16 12:10:00	618.6	0	0	0	261	13.38	18.7	53.9	33.2	99.18	-0.1	-0.8	0	54.7	0.95	100	8677	99.21	50.1
2023-03-16 12:15:00	716	0	0	0	252	12.84	20.56	54.2	32.9	99.17	-0.3	-0.5	0	55	0.96	100	8679	99.21	50.4
2023-03-16 12:20:00	718	0	0	0	253	13.94	19.64	54.6	32.3	99.16	-0.3	-0.8	0	55.4	0.98	100	8675	99.2	50.8
2023-03-16 12:25:00	714.8	0	0	0	268	12.15	16.37	54.6	31.9	99.16	-0.1	-0.6	0	55.4	0.99	100	8676	99.19	50.8
2023-03-16 12:30:00	657.4	0	0	0	251	11.43	18.16	54.6	33.1	99.17	-0.1	-0.7	0	55.4	0.97	100	8672	99.19	51.1
2023-03-16 12:35:00	714	0	0	0	260	14.29	18.99	54.1	32.9	99.18	-0.2	-0.6	0	54.9	0.96	100	8671	99.19	51.2
2023-03-16 12:40:00	730.6	0	0	0	267	13.35	19.98	54.4	32.7	99.16	-0.4	-0.7	0	55.2	0.97	100	8671	99.19	51.5
2023-03-16 12:45:00	458	0	0	0	253	13.8	18.3	53.4	32.8	99.18	-0.4	-0.7	0	54.1	0.94	100	8662	99.18	51.7
2023-03-16 12:50:00	488	0	0	0	278	14.25	20.22	52.5	33.3	99.17	-0.3	-0.9	0	53.3	0.9	100	8658	99.17	51.6
2023-03-16 12:55:00	518	0	0	0	262	12.15	17.92	52.6	34	99.16	-0.2	-0.7	0	53.3	0.89	100	8655	99.17	51.7
2023-03-16 13:00:00	445	0	0	0	256	14.83	18.88	52.2	33.8	99.17	-0.4	-0.9	0	53	0.88	100	8649	99.16	51.7
2023-03-16 13:05:00	405.2	0	0	0	266	12.57	18.92	51.7	34.3	99.16	-0.2	-0.9	0	52.4	0.86	100	8647	99.16	51.6
2023-03-16 13:10:00	395.6	0	0	0	265	11.59	15.12	51.2	35	99.16	-0.2	-0.6	0	52.1	0.83	100	8643	99.15	51.5
2023-03-16 13:15:00	404.2	0	0	0	247	10.94	15.88	51.1	34.8	99.16	-0.2	-0.7	0	51.9	0.83	100	8640	99.15	51.4
2023-03-16 13:20:00	368.2	0	0	0	237	10.31	16.82	51.1	34.6	99.15	-0.4	-0.6	0	52	0.84	100	8634	99.14	51.5
2023-03-16 13:25:00	352	0	0	0	231	12.24	16.46	51	34.3	99.14	-0.2	-0.5	0	51.8	0.84	100	8634	99.13	51.5
2023-03-16 13:30:00	366.4	0	0	0	238	14.18	22.77	51	33.6	99.13	-0.4	-0.9	0	51.8	0.85	100	8632	99.12	51.4
2023-03-16 13:35:00	371.6	0	0	0	257	9.37	17.34	50.9	35	99.13	-0.3	-0.7	0	51.8	0.82	100	8628	99.12	51.4
2023-03-16 13:40:00	395.4	0	0	0	258	11.1	14.29	51.3	34.3	99.12	-0.1	-0.5	0	52.2	0.85	100	8628	99.11	51.5
2023-03-16 13:45:00	415.6	0	0	0	254	13.91	20.89	51.8	33.6	99.1	-0.2	-0.7	0	52.5	0.87	100	8626	99.1	51.6
2023-03-16 13:50:00	453	0	0	0	252	14.74	19.71	52.2	32.2	99.09	0	-0.6	0	52.9	0.9	100	8623	99.09	51.7
2023-03-16 13:55:00	465	0	0	0	255	12.91	20.09	52.2	33.2	99.09	-0.3	-0.7	0	53	0.89	100	8624	99.09	51.7
2023-03-16 14:00:00	530.8	0	0	0	255	11.45	18.45	52.8	32.2	99.07	-0.4	-0.8	0	53.6	0.92	100	8622	99.08	51.9
2023-03-16 14:05:00	502.8	0	0	0	246	12.24	17.4	53.3	32.7	99.07	-0.2	-0.6	0	54.1	0.93	100	8621	99.07	52.2
2023-03-16 14:10:00	553.8	0	0	0	269	15.03	22.21	53.5	31.3	99.06	-0.3	-0.6	0	54.3	0.96	100	8621	99.06	52.2
2023-03-16 14:15:00	513.4	0	0	0	276	14.45	20.04	54	30.7	99.04	-0.2	-0.4	0	54.8	0.98	100	8617	99.05	52.1
2023-03-16 14:20:00	474	0	0	0	262	15.28	22.7	53.8	31	99.05	-0.4	-0.8	0	54.6	0.97	100	8615	99.05	52.1
2023-03-16 14:25:00	524.4	0	0	0	262	15.93	19.82	54.2	29.6	99.03	-0.1	-0.9	0	54.9	1.01	100	8613	99.03	52
2023-03-16 14:30:00	609.8	0	0	0	253	14.94	20.94	54.3	29.8	99.02	-0.5	-0.8	0	55	1.01	100	8609	99.03	51.9
2023-03-16 14:35:00	467.2	0	0	0	256	15.64	20.71	54.3	29.9	99.03	-0.1	-0.7	0	55	1.01	100	8607	99.02	52.1
2023-03-16 14:40:00	393.8	0	0	0	261	12.71	19.89	53.6	30.4	99.04	-0.1	-0.4	0	54.3	0.97	100	8605	99.02	52
2023-03-16 14:45:00	424	0	0	0	259	14.03	23.42	53.3	31.5	99.04	-0.1	-0.4	0	54.2	0.95	100	8602	99.02	52
2023-03-16 14:50:00	510.8	0	0	0	257	14.56	21.56	53.7	30.3	99.02	-0.2	-0.4	0	54.5	0.98	100	8602	99.02	52.2
2023-03-16 14:55:00	526.6	0	0	0	260	13.8	22.15	54.2	30.3	99.01	-0.4	-0.8	0	54.9	1	100	8600	99.01	52.3
2023-03-16 15:00:00	513.8	0	0	0	259	13.8	20.92	54.7	29	99	-0.2	-0.9	0	55.5	1.04	100	8599	99	52.4
2023-03-16 15:05:00	544.2	0	0	0	263	14.9	18.63	55.2	29.4	99	0	-1	0	56	1.05	100	8593	99	52.6
2023-03-16 15:10:00	453.2	0	0	0	261	14.07	18.84	55.1	29.1	98.99	-0.5	-0.8	0	55.8	1.05	100	8588	98.99	52.6
2023-03-16 15:15:00	344.6	0	0	0	256	13.8	18.16	54.5	29.5	99.01	0	-0.7	0	55.2	1.02	100	8587	98.99	52.5
2023-03-16 15:20:00	317.4	0	0	0	262	10.07	16.2	53.7	30	99.01	-0.4	-0.7	0	54.5	0.99	100	8583	98.98	52.3
2023-03-16 15:25:00	369.2	0	0	0	266	10.67	15.84	53.5	31.1	99	-0.2	-0.6	0	54.4	0.96	100	8578	98.98	52.1
2023-03-16 15:30:00	372.8	0	0	0	257	10.71	16.98	53.4	32.1	98.99	-0.2	-0.6	0	54.2	0.94	100	8578	98.97	52
2023-03-16 15:35:00	338.6	0	0	0	240	12.46	17.56	53.4	31	98.98	-0.1	-0.8	0	54.2	0.96	100	8576	98.96	52.1
2023-03-16 15:40:00	319.2	0	0	0	236	10.85	17.69	53	31.5	98.99	-0.4	-0.6	0	53.7	0.94	100	8575	98.96	52
2023-03-16 15:45:00	383.6	0	0	0	225	9.91	13.33	52.9	32.2	98.98	-0.2	-0.6	0	53.8	0.93	100	8575	98.96	52.1
2023-03-16 15:50:00	277.2	0	0	0	231	9.19	13.22	52.8	32.5	98.98	-0.4	-0.8	0	53.5	0.92	100	8572	98.95	52.2
2023-03-16 15:55:00	235.6	0	0	0	257	9.71	14.97	52.5	31.4	98.98	-0.3	-0.8	0	53.1	0.92	100	8571	98.95	52
2023-03-16 16:00:00	171.2	0	0	0	247	8.72	15.3	52.2	32.8	98.99	-0.3	-0.7	0	52.6	0.89	100	8571	98.96	51.7
2023-03-16 16:05:00	142.4	0	0	0	235	13.51	18.97	51.6	30.4	98.99	-0.2	-0.6	0	51.9	0.91	100	8569	98.95	51.5
2023-03-16 16:10:00	135.2	0	0	0	241	12.01	19.06	51.2	31	98.98	-0.4	-0.7	0	51.5	0.89	100	8567	98.94	51.2
2023-03-16 16:15:00	125.4	0	0	0	239	10.98	16.35	50.9	31.4	98.97	-0.3	-0.6	0	51.1	0.87	100	8562	98.93	50.9
2023-03-16 16:20:00	119.8	0	0	0	228	12.08	17.25	50.5	31.8	98.97	-0.3	-0.7	0	50.8	0.85	100	8557	98.93	50.7
2023-03-16 16:25:00	114.6	0	0	0	230	10.78	14.65	50.3	32.4	98.97	-0.4	-0.7	0	50.6	0.84	100	8561	98.93	50.5
2023-03-16 16:30:00	100.4	0	0	0	243	9.17	12.41	50.1	32.5	98.96	-0.3	-0.7	0	50.3	0.83	100	8557	98.92	50.3
2023-03-16 16:35:00	92.4	0	0	0	220	8.99	13.49	50	32.3	98.96	-0.5	-0.5	0	50.3	0.83	100	8553	98.92	50.1
2023-03-16 16:40:00	101.2	0	0	0	249	7.74	10.25	49.8	33	98.96	-0.3	-0.5	0	50.1	0.82	100	8551	98.92	49.9
2023-03-16 16:45:00	97.8	0	0	0	236	6.8	9.06	49.6	34.5	98.97	-0.4	-0.7	0	50	0.79	100	8550	98.92	49.8
2023-03-16 16:50:00	95.4	0	0	0	245	6.51	8.32	49.6	33.6	98.96	-0.3	-0.6	0	49.8	0.8	100	8547	98.92	49.7
2023-03-16 16:55:00	94.6	0	0	0	247	5.77	8.52	49.5	33.9	98.96	-0.4	-0.7	0	49.8	0.8	100	8548	98.92	49.6
2023-03-16 17:00:00	103	0	0	0	245	4.16	5.37	49.4	35	98.96	-0.4	-0.6	0	49.8	0.78	100	8544	98.92	49.5
2023-03-16 17:05:00	108.4	0	0	0	238	4.72	6.89	49.4	35.2	98.95	-0.4	-0.7	0	49.8	0.78	100	8542	98.91	49.4
2023-03-16 17:10:00	118	0	0	0	248	5.01	7.78	49.5	33.8	98.95	-0.3	-0.7	0	49.9	0.8	100	8542	98.91	49.4
2023-03-16 17:15:00	137.6	0	0	0	245	4.63	5.61	49.5	33.8	98.95	-0.3	-0.7	0	50	0.8	100	8540	98.91	49.6
2023-03-16 17:20:00	157.4	0	0	0	237	3.91	5.75	49.7	34.9	98.95	-0.3	-0.7	0	50.3	0.79	100	8539	98.91	49.7
2023-03-16 17:25:00	204	0	0	0	234	5.57	7.43	49.9	34.8	98.94	-0.3	-0.6	0	50.6	0.8	100	8539	98.91	50.1
2023-03-16 17:30:00	241.6	0	0	0	242	4.

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-16 17:45:00	136	0	0	0	246	4.32	6.87	51.4	33	98.92	-0.4	-0.6	0	51.8	0.87	100	8529	98.88	51.4
2023-03-16 17:50:00	166.8	0	0	0	240	4.32	5.84	51.3	34.4	98.91	-0.3	-0.7	0	51.9	0.85	100	8529	98.87	51.2
2023-03-16 17:55:00	84.2	0	0	0	244	4.59	6.87	51.5	34.2	98.91	-0.3	-0.6	0	51.9	0.85	100	8527	98.87	51.1
2023-03-16 18:00:00	69.8	0	0	0	241	5.91	8.55	51.2	33.5	98.9	-0.3	-0.7	0	51.4	0.85	100	8524	98.86	50.6
2023-03-16 18:05:00	68.8	0	0	0	247	4.61	5.44	50.8	32.9	98.89	-0.3	-0.5	0	51	0.85	100	8525	98.84	50.2
2023-03-16 18:10:00	59.6	0	0	0	260	3.89	4.85	50.4	31.6	98.88	-0.3	-0.7	0	50.6	0.85	100	8519	98.84	49.9
2023-03-16 18:15:00	53	0	0	0	238	3.51	4.76	50.1	31.5	98.88	-0.4	-0.6	0	50.4	0.84	100	8522	98.83	49.6
2023-03-16 18:20:00	47.4	0	0	0	263	4.34	5.55	49.9	31.3	98.88	-0.3	-0.6	0	50.1	0.84	100	8517	98.83	49.2
2023-03-16 18:25:00	37.4	0	0	0	241	3.38	4.61	49.6	32.1	98.87	-0.4	-0.7	0	49.7	0.82	100	8516	98.82	48.8
2023-03-16 18:30:00	26.2	0	0	0	175	2.95	3.47	49.2	33.4	98.87	-0.4	-0.7	0	49.2	0.79	100	8515	98.83	48.4
2023-03-16 18:35:00	20.8	0	0	0	160	4.7	6.04	48.9	34.2	98.87	-0.4	-0.6	0	49	0.78	100	8513	98.82	48
2023-03-16 18:40:00	20.6	0	0	0	153	4.45	5.39	48.7	33.5	98.86	-0.3	-0.7	0	48.7	0.78	100	8508	98.82	47.6
2023-03-16 18:45:00	20.8	0	0	0	165	5.12	5.95	48.7	32.8	98.86	-0.5	-0.6	0	48.7	0.79	100	8507	98.81	47.5
2023-03-16 18:50:00	17.6	0	0	0	156	5.46	6.06	48.6	32.6	98.85	-0.3	-0.7	0	48.6	0.78	100	8504	98.8	47.3
2023-03-16 18:55:00	12.4	0	0	0	151	4.7	5.1	48.6	32.6	98.84	-0.4	-0.5	0	48.7	0.79	100	8504	98.78	47.2
2023-03-16 19:00:00	7	0	0	0	141	4.36	5.08	48.5	32.4	98.83	-0.4	-0.7	0	48.5	0.78	100	8505	98.77	47
2023-03-16 19:05:00	2.8	0	0	0	126	4.27	5.12	48.5	32.8	98.82	-0.4	-0.6	0	48.4	0.78	100	8501	98.76	46.9
2023-03-16 19:10:00	1.4	0	0	0	117	3.24	4.25	48.2	33.1	98.81	-0.5	-0.6	0	48.2	0.77	100	8499	98.76	46.7
2023-03-16 19:15:00	0.4	0	0	0	117	4.61	5.01	48	33.3	98.8	-0.3	-0.5	0	48	0.76	100	8499	98.75	46.5
2023-03-16 19:20:00	0	0	0	0	131	3.96	4.88	47.8	33.6	98.8	-0.4	-0.7	0	47.8	0.75	100	8497	98.74	46.3
2023-03-16 19:25:00	0	0	0	0	146	5.37	6.78	47.6	33.9	98.79	-0.4	-0.5	0	47.6	0.74	100	8497	98.74	46.1
2023-03-16 19:30:00	0	0	0	0	138	6.67	7.31	47.4	34.4	98.78	-0.4	-0.5	0	47.4	0.73	100	8494	98.73	45.8
2023-03-16 19:35:00	0	0	0	0	142	7.07	7.99	47.3	37	98.78	-0.3	-0.6	0	47.3	0.7	100	8492	98.72	45.6
2023-03-16 19:40:00	0	0	0	0	142	7.38	8.03	46.8	38.8	98.76	-0.4	-0.5	0	46.8	0.66	100	8493	98.71	45
2023-03-16 19:45:00	0	0	0	0	149	7.2	7.81	46.3	38.6	98.76	-0.4	-0.4	0	46.3	0.65	100	8488	98.7	44.6
2023-03-16 19:50:00	0	0	0	0	148	6.87	7.92	46	38.3	98.76	-0.5	-0.6	0	46	0.65	100	8492	98.71	44.2
2023-03-16 19:55:00	0	0	0	0	155	6.91	7.99	45.6	39.3	98.76	-0.4	-0.7	0	45.6	0.63	100	8487	98.71	43.9
2023-03-16 20:00:00	0	0	0	0	151	5.37	6.4	45.3	39.1	98.76	-0.5	-0.6	0	45.3	0.63	100	8489	98.71	43.7
2023-03-16 20:05:00	0	0	0	0	152	6.58	7.47	45.2	39.1	98.76	-0.5	-0.6	0	45.2	0.62	100	8486	98.71	43.6
2023-03-16 20:10:00	0	0	0	0	149	7.25	7.7	45.1	39.2	98.75	-0.5	-0.6	0	45.1	0.62	100	8485	98.7	43.2
2023-03-16 20:15:00	0	0	0	0	152	7.45	8.16	45	40	98.75	-0.5	-0.5	0	44.9	0.61	100	8486	98.69	42.8
2023-03-16 20:20:00	0	0	0	0	151	7.16	7.72	44.7	40.3	98.74	-0.5	-0.6	0	44.7	0.6	100	8482	98.69	42.6
2023-03-16 20:25:00	0	0	0	0	149	6.51	7.05	44.5	40.9	98.74	-0.6	-0.6	0	44.5	0.59	100	8482	98.69	42.4
2023-03-16 20:30:00	0	0	0	0	157	6.11	6.69	44.3	40.2	98.75	-0.5	-0.5	0	44.3	0.59	100	8482	98.69	42.4
2023-03-16 20:35:00	0	0	0	0	154	6.6	7.05	44.3	39.4	98.74	-0.6	-0.7	0	44.4	0.6	100	8479	98.68	42.2
2023-03-16 20:40:00	0	0	0	0	152	6.71	7.16	44.3	39.4	98.74	-0.6	-0.6	0	44.3	0.6	100	8477	98.68	42
2023-03-16 20:45:00	0	0	0	0	154	6.64	7.02	44.3	40.2	98.73	-0.6	-0.6	0	44.3	0.59	100	8478	98.67	41.6
2023-03-16 20:50:00	0	0	0	0	153	6.73	7.02	44.2	40.8	98.72	-0.5	-0.6	0	44.2	0.58	100	8475	98.66	41.4
2023-03-16 20:55:00	0	0	0	0	153	7	7.72	44.1	40.7	98.71	-0.6	-0.6	0	44.1	0.58	100	8475	98.65	41.3
2023-03-16 21:00:00	0	0	0	0	153	7.27	8.12	44	40.9	98.7	-0.6	-0.6	0	44	0.58	100	8476	98.64	41.2
2023-03-16 21:05:00	0	0	0	0	154	7.56	8.28	43.8	41.5	98.7	-0.4	-0.5	0	43.8	0.57	100	8472	98.64	41.2
2023-03-16 21:10:00	0	0	0	0	155	8.1	9.1	43.5	42.1	98.69	-0.6	-0.7	0	43.6	0.56	100	8472	98.63	41
2023-03-16 21:15:00	0	0	0	0	154	8.16	8.9	43.2	43.3	98.67	-0.6	-0.7	0	43.2	0.54	100	8472	98.62	40.7
2023-03-16 21:20:00	0	0	0	0	154	7.54	8.68	42.9	43.6	98.67	-0.6	-0.5	0	42.9	0.53	100	8471	98.62	40.6
2023-03-16 21:25:00	0	0	0	0	154	7.58	8.59	42.8	43.9	98.67	-0.5	-0.6	0	42.8	0.52	100	8472	98.61	40.5
2023-03-16 21:30:00	0	0	0	0	156	7.74	8.77	42.7	44	98.66	-0.6	-0.6	0	42.7	0.52	100	8470	98.61	40.4
2023-03-16 21:35:00	0	0	0	0	151	7.85	8.48	42.6	44.4	98.65	-0.5	-0.5	0	42.5	0.52	100	8466	98.59	40.2
2023-03-16 21:40:00	0	0	0	0	154	7.58	8.14	42.3	44.9	98.64	-0.4	-0.6	0	42.3	0.51	100	8469	98.59	40.2
2023-03-16 21:45:00	0	0	0	0	152	7.72	8.48	42.3	45.2	98.63	-0.6	-0.6	0	42.3	0.5	100	8466	98.58	40.1
2023-03-16 21:50:00	0	0	0	0	155	7.72	8.77	42.2	45.8	98.63	-0.6	-0.7	0	42.2	0.49	100	8466	98.58	40.1
2023-03-16 21:55:00	0	0	0	0	157	7.25	8.05	42.1	46.2	98.63	-0.6	-0.5	0	42.1	0.49	100	8466	98.58	39.9
2023-03-16 22:00:00	0	0	0	0	157	7.94	9.01	42.1	46.2	98.62	-0.7	-0.4	0	42.1	0.49	100	8465	98.56	39.8
2023-03-16 22:05:00	0	0	0	0	157	8.63	9.57	42.1	47.9	98.61	-0.6	-0.5	0	42.1	0.47	100	8463	98.56	39.9
2023-03-16 22:10:00	0	0	0	0	159	8.9	9.57	42.1	48.2	98.61	-0.6	-0.5	0	42.1	0.47	100	8464	98.56	39.9
2023-03-16 22:15:00	0	0	0	0	158	9.19	10.87	41.9	48.7	98.6	-0.5	-0.7	0	41.9	0.46	100	8463	98.54	39.8
2023-03-16 22:20:00	0	0	0	0	157	8.9	10.58	41.9	48.7	98.6	-0.5	-0.6	0	42	0.46	100	8459	98.54	39.9
2023-03-16 22:25:00	0	0	0	0	160	8.79	9.93	41.9	48.7	98.59	-0.6	-0.5	0	41.9	0.46	100	8460	98.54	39.8
2023-03-16 22:30:00	0	0	0	0	149	8.68	10.56	41.9	48.1	98.59	-0.6	-0.6	0	41.9	0.47	100	8461	98.53	39.7
2023-03-16 22:35:00	0	0	0	0	141	9.08	11.07	41.7	48.6	98.57	-0.4	-0.5	0	41.7	0.46	100	8458	98.52	39.7
2023-03-16 22:40:00	0	0	0	0	145	8.48	9.73	41.8	48.8	98.56	-0.7	-0.6	0	41.8	0.46	100	8457	98.51	39.8
2023-03-16 22:45:00	0	0	0	0	144	8.05	8.61	41.7	48.9	98.55	-0.7	-0.4	0	41.6	0.46	100	8458	98.5	39.7
2023-03-16 22:50:00	0	0	0	0	148	7.72	8.39	41.6	49.3	98.55	-0.6	-0.5	0	41.6	0.45	100	8457	98.5	39.6
2023-03-16 22:55:00	0	0	0	0	147	7.58	8.21	41.5	49.4	98.54	-0.6	-0.5	0	41.5	0.45	100	8456	98.5	39.5
2023-03-16 23:00:00	0	0	0	0	152	7.92	8.75	41.5	49.4	98.54	-0.5	-0.6	0	41.5	0.45	100	8454	98.49	39.5
2023-03-16 23:05:00	0	0	0	0	160	8.01	9.73	41.5	50.4	98.55	-0.6	-0.5	0	41.5	0.44	100	8452	98.5	39.4
2023-03-16 23:10:00	0	0	0	0	155	9.89	11.54	41.4	50.8	98.55	-0.6	-0.5	0	41.4	0.44	100	8451	98.5	39.5
2023-03-16 23:15:00	0	0	0	0	147	8.61	9.84	41.4	50.9	98.54	-0.5	-0.6	0	41.4	0.43	100	8452	98.49	39.6
2023-03-16 23:20:00	0	0	0	0	143	8.03	9.24	41.3	51.3	98.53	-0.7	-0.6	0	41.3	0.43	100	8450	98.48	39.6
2023-03-16 23:25:00	0	0	0	0	148	7.92	8.63	41.2	51.7	98.53	-0.5	-0.6	0	41.2	0.42	100	8453	98.48	39.5
2023-03-16 23:30:00	0	0	0	0	153	8.3	9.42	41	51.8	98.52	-0.6	-0.6	0	41	0.42	100	8452	98.47	39.4
2023-03-16 23:35:00	0	0	0	0	148	7.96	9.17	41	51.6	98.51	-0.5	-0.5	0	41	0.42	100	8450	98.46	39.4
2023-03-16 23:40:00	0	0	0	0	152	7.49	8.39	40.8	52.4	98.51	-0.6	-0.8	0	40.9	0.41	100	8452	98.46	39.3
2023-03-16 23:45:00	0	0	0	0	143	7.52	8.5	40.7	52.6	98.51	-0.6	-0.6	0	40.7	0.41	100	8450	98.46	39.2
2023-03-16 23:50:00	0	0	0	0	144	7.96	8.68	40.7	52.9	98.5	-0.7	-0.6	0	40.7	0.41	100	8446	98.45	39.2
2023-03-16 23:55:00	0	0	0	0	143	8.03	8.75	40.7	52.9	98.49	-0.7	-0.8	0	40.7	0.41	100	8448	98.45	39.3
2023-03-17 00:00:00	0	0	0	0	152	8.01	8.9	40.7	53.6	98.49	-0.6	-0.6	0	40.6	0.4	100	8448	98.44	39.3
2023-03-17 00:05:00	0	0	0	0	146	8.46	10.18	40.6	54.3	98.48	-0.7	-0.6	0	40.6	0.39	100	8425	98.44	39.5
2023-03-17 00:10:00	0	0	0	0	151	8.28	10.71	40.7	53.3	98.48	-0.6	-0.5	0	40.7	0.4	100	8414	98.43	39.8
2023-03-17 00:15:00	0	0	0	0	145	6.67	10.31	40.7	54.4	98.47	-0.6	-0.7	0	40.7	0.39	100	8403	98.44	40
2023-03-17 00:20:00	0	0	0	0	251	2.82	4.5	40.6	57.4	98.48	-0.6	-0.5	0	40.6	0.37	100	8418	98.43	39.9
2023-03-17 00:25:00	0	0	0	0	144	6.38	7.9	40.5	56.2	98.46	-0.6	-0.7	0	40.5	0.37	100	8423	98.41	39.6
2023-03-17 00:30:00	0	0	0	0	150	5.57	8.23	40.6	55	98.46	-0.6	-0.6	0	40.5	0.39	100	8425	98.42	39.6
2023-03-17 00:35:00	0	0	0	0	146	4.68	6.67	40.6	56.4	98.46	-0.6	-0.6	0	40.6	0.37	100	8425	98.41	39.6
2023-03-17 00:40:00	0	0	0	0	122	5.37	6.2	40.6	53.1	98.45	-0.5	-0.5	0	40.6	0.4	100	8428	98.4	39.6
2023-03-17 00:45:00	0	0	0	0	131	3.85	5.79	41	51.6	98.45	-0.6	-0.7	0	41	0.42	100	8425	98.4	39.8
2023-03-17 00:50:00	0	0	0	0	152	5.88	7.11	41.1	52.3	98.45	-0.7	-0.6	0	41.1	0.42	100	8425	98.41	39.9
2023-03-17 00:55:00	0	0	0	0	152	5.84	6.42	41.3	51.3	98.45	-0.6	-0.5	0	41.3	0.43	100	8425	98.41	40
2023-03-17 01:00:00	0	0	0	0	152	5.75	6.64	41.4	51	98.45	-0.6	-0.6	0	41.5	0.43	100	8425	98.4	40.1
2023-03-17 01:05:00	0	0	0	0	174	4.14	4.92	41.5	54.3	98.45	-0.5	-0.5	0	41.5	0.41	100	8425	98.4	40
2023-03-17 01:10:00	0	0	0	0	154	7.18	8.57	41.1	54.3	98.45	-0.6	-0.6	0	41.1	0.4	100	8425	98.4	39.8
2023-03-17 01:15:00	0	0	0	0	160	5.66	6.67	41.1	52.8	98.45	-0.6	-0.5	0	41.1	0.41	100	8422	98.4	39.8
2023-03-17 01:20:00	0	0	0	0	188	5.59	6.58	41.2	52.5	98.45	-0.7	-0.6	0	41.2	0.42	100	8424	98.41	39.8
2023-03-17 01:25:00	0	0	0	0	230	6.69	9.17	41.4	51.8	98.47	-0.6	-0.6	0	41.4	0.43	100	8422	98.42	40
2023-03-17 01:30:00	0	0	0	0	278	8.52	11.77	41.4	56.8	98.48	-0.6	-0.5	0	41.4	0.38	100	8423	98.44	39.9
2023-03-17 01:35:00	0	0	0	0	274	9.95	16.02	40.8	55.9	98.48	-0.7	-0.6	0	40.8	0.38	100	8423	98.44	39.7
2023-03-17 01:40:00	0	0	0	0	267	12.59	17.27	41	53.1	98.48	-0.8	-0.5	0	41	0.41	100	8421	98.44	40.1
2023-03-17 01:45:00	0	0	0	0	252	11.59	16.04	41.4	53.1	98.51	-0.8	-0.7	0	41.4	0.41	100	8422	98.46	40.4
2023-03-17 01:50:00	0	0	0	0	257	13.58	19.13	41.7	53.4	98.5	-0.6	-0.5	0	41.7	0.42	100	8422	98.46	40.7
2023-03-17 01:55:00	0	0	0	0	253	14.52	20.98	42.2	57.4	98.5	-0.4	-0.4	0	42.2	0.39	100	8421	98.45	41.1
2023-03-17 02:00:00	0	0	0	0	248	16.26	24.65	42.5	62	98.49	-0.6	-0.6	0	42.5	0.35	100	8424	98.45	41.4
2023-03-17 02:05:00	0	0	0	0	243	12.44	17.9	42.8	63.9	98.49	-0.5	-0.8	0	42.8	0.34	100	8421	98.45	41.6
2023-03-17 02:10:00	0	0	0	0	232	8.86	13.15	43	66.3	98.49	-0.7	-0.6	0	43	0.32	100	8419	98.45	41.7
2023-03-17 02:15:00	0	0	0	0	225	8.43	13.27	42.9	69.3	98.48	-0.6	-0.6	0	42.9	0.29	100	8419	98.43	41.7
2023-03-17 02:20:00	0	0.00335	0	0	227	12.24	20.2	42.7	73.5	98.47	-0.8	-0.7	0.08	42.7	0.25	100	8423	98.43	41.5
2023-03-17 02:25:00	0	0.00536	0	0	223	12.62	19.3	42.2	76.7	98.47	-0.4	-0.5	0.08	42.2	0.21	100	8422	98.42	41.1
2023-03-17 02:30:00	0	0.00536	0	0	213	8.9	12.64	41.6	79.4	98.46	-0.6	-0.6	0.08	41.6	0.18	100	8418	98.42	40.8
2023-03-17 02:35:00	0	0.00402	0	0	205	8.46	12.19	41.1	82	98.45	-0.6	-0.7	0.08	41.1	0.16	100	8418	98.41	40.6
2023-03-17 02:40:00	0	0.00335	0	0	191	7.87	13.38	40.7	83.6	98.44	-0.5	-0.6	0.04	40.6	0.14	100	8418	98.4	40.4
2023-03-17 02:45:00	0	0.00536	0	0	183	6.15	9.42	40.4	84.7	98.44	-0.7	-0.6	0.08	40.4	0.13	100	8416	98.4	40.2
2023-03-17 02:50:00	0	0.00469	0	0	178	6.42	8.72	40.1	85.9	98.43	-0.6	-0.5	0.08	40.1	0.12	100	8418	98.39	40.1
2023-03-17 02:55:00	0	0.0067	0	0	170	5.5	6.96	39.9	86.7	98.41	-0.6	-0.7	0.08	39.8	0.11	100	8417	98.37	39.9
2023-03-17 03:00:00	0	0.00938	0	0	170	6.33	8.32	39.7	87.8	98.39	-0.8	-0.6	0.12	39.7	0.1	100	8416	98.35	39.7
2023-03-17 03:05:00	0	0.00737	0	0	171	6.53	8.16	39.6	88.8	98.37	-0.7	-0.5	0.12	39.6	0.09	100	8415	98.34	39.6
2023-03-17 03:10:00	0	0.00737	0	0	175	6.6	8.28	39.3	89.9	98.37	-0.7	-0.5	0.12	39.3	0.08	100	8412	98.34	39.4
2023-03-17 03:15:00	0	0.00871	0	0	174	6.64	7.81	39.2	90.9	98.36	-0.6	-0.7	0.12	39.2	0.07	100	8414	98.33	39.3
2023-03-17 03:20:00	0	0.01005	0	0	169	7.2	8.66	39.2	91.1	98.35	-0.7	-0.5	0.161	39.2	0.07	100	8412	98.32	39.2
2023-03-17 03:25:00	0	0.00804	0	0	166	8.03	9.57	39.1	92.8	98.34	-0.7	-0.5	0.12	39.1	0.06	100	8413	98.31	39.1
2023-03-17 03:30:00	0	0.00737	0	0	167	8.46	10.83	39.1	92.8	98.33	-0.5	-0.7	0.12	39.1	0.06	100	8412	98.3	39.1
2023-03-17 03:35:00	0	0.00737	0	0	166	8.39	10.02	39	93	98.32	-0.7	-0.5	0.12	39	0.06	100	8407	98.3	39
2023-03-17 03:40:00	0	0.00804	0	0	157	7.47	9.01	39	93.8	98.32	-0.7	-0.5	0.12	39	0.05	100	8409	98.29	38.9
2023-03-17 03:45:00	0	0.00737	0	0	157	7.38	10.85	38.9	93.8	98.31	-0.8	-0.7	0.12	38.9	0.05	100	8410	98.28	38.8
2023-03-17 03:50:00	0	0.0067	0	0	158	7.18	9.24	38.8	94.7	98.3	-0.7	-0.6	0.08	38.8	0.04	100	8408	98.27	38.8
2023-03-17 03:55:00	0	0.00603	0	0	154	7.36	9.4	38.8	94.9	98.29	-0.6	-0.5	0.12	38.8	0.04	100	8409	98.27	38.7
2023-03-17 04:00:00	0	0.00536	0	0	160	8.25	10.11	38.8	95.1	98.28	-0.8	-0.5	0.08	38.8	0.04	100	8409	98.26	38.7
2023-03-17 04:05:00	0	0.00603	0	0	160	8.57	10.85	38.8	95	98.28	-0.3	-0.5	0.08	38.8	0.04	100	8408	98.26	38.7
2023-03-17 04:10:00	0	0.00603	0	0	155	7.85	10.51	38.9	95.5	98.27	-0.7	-0.6	0.08	38.9	0.04	100	8407	98.25	38.7
2023-03-17 04:15:00	0	0.0067	0	0	151	7.23	9.28	39	95.4	98.27	-0.6	-0.5	0.12	39	0.04	100	8408	98.24	38.7
2023-03-17 04:20:00	0	0.0067	0	0	144	7.43	8.97	38.9	95.8	98.25	-0.7	-0.5	0.08	38.9	0.03	100	8406	98.23	38.7
2023-03-17 04:25:00	0	0.00469	0	0	145	8.14	9.75	38.9	96.1	98.24	-0.7	-0.6	0.08	38.9	0.03	100	8408	98.22	38.8
2023-03-17 04:30:00	0	0.00469	0	0	153	7.78	9.48	39.1	96.4	98.24	-0.7	-0.6	0.08	39.1	0.03	100	8407	98.22	38.8
2023-03-17 04:35:00	0	0.00335	0	0	152	8.48	10.78	39	96.6	98.23	-0.7	-0.6	0.08	39	0.03	100	8406	98.21	38.8
2023-03-17 04:40:00	0	0.00804	0	0	148	8.93	10.69	39.2	96.8	98.22	-0.6	-0.6	0.12	39.2	0.03	100	8404	98.19	38.9
2023-03-17 04:45:00	0	0.00603	0	0	148	8.48	11.25	39.2	97	98.21	-0.7	-0.5	0.08	39.2	0.02	100	8404	98.19	38.9
2023-03-17 04:50:00	0	0.0067	0	0	142	8.21	9.95	39.2	97.2	98.19	-0.7	-0.6	0.08	39.3	0.02	100	8402	98.17	39

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-17 05:10:00	0	0.00268	0	0	125	7.72	9.4	39.5	97.8	98.16	-0.6	-0.4	0.04	39.6	0.02	100	8403	98.14	39.1
2023-03-17 05:15:00	0	0.00268	0	0	118	8.46	10.42	39.6	97.4	98.14	-0.7	-0.6	0.04	39.6	0.02	100	8401	98.12	39.1
2023-03-17 05:20:00	0	0.00134	0	0	118	8.37	10.51	39.6	97.7	98.13	-0.6	-0.5	0.04	39.6	0.02	100	8399	98.11	39.2
2023-03-17 05:25:00	0	0.00134	0	0	117	8.52	10	39.5	97.4	98.12	-0.5	-0.6	0.04	39.5	0.02	100	8401	98.1	39.2
2023-03-17 05:30:00	0	0.00134	0	0	122	9.17	10.47	39.6	97.2	98.11	-0.8	-0.5	0.04	39.6	0.02	100	8404	98.1	39.2
2023-03-17 05:35:00	0	0.00067	0	0	124	9.35	11.61	39.5	97.4	98.1	-0.6	-0.6	0.04	39.5	0.02	100	8400	98.08	39.2
2023-03-17 05:40:00	0	0	0	0	122	9.93	12.15	39.5	97.4	98.08	-0.7	-0.5	0	39.5	0.02	100	8398	98.07	39.2
2023-03-17 05:45:00	0	0.00067	0	0	122	9.71	11.88	39.5	97.7	98.08	-0.7	-0.5	0.04	39.5	0.02	100	8400	98.07	39.2
2023-03-17 05:50:00	0	0.00134	0	0	126	9.91	11.52	39.5	97.7	98.07	-0.5	-0.5	0.04	39.5	0.02	100	8395	98.06	39.2
2023-03-17 05:55:00	0	0.00201	0	0	132	9.6	11.68	39.5	97.7	98.06	-0.6	-0.6	0.04	39.4	0.02	100	8396	98.05	39.2
2023-03-17 06:00:00	0	0.00469	0	0	130	10.25	13.6	39.5	97.7	98.05	-0.6	-0.4	0.08	39.5	0.02	100	8398	98.03	39.2
2023-03-17 06:05:00	0	0.00268	0	0	125	10.2	12.55	39.5	97.7	98.04	-0.4	-0.6	0.04	39.5	0.02	100	8396	98.02	39.2
2023-03-17 06:10:00	0	0.00268	0	0	125	11.32	13.89	39.5	98	98.02	-0.5	-0.4	0.04	39.5	0.02	100	8394	98.01	39.3
2023-03-17 06:15:00	0	0.00268	0	0	128	12.26	14.72	39.6	98.1	98	-0.6	-0.6	0.04	39.6	0.02	100	8396	97.99	39.3
2023-03-17 06:20:00	0	0.00536	0	0	133	12.62	17.09	39.7	97.8	97.99	-0.6	-0.5	0.08	39.7	0.02	100	8393	97.98	39.3
2023-03-17 06:25:00	0	0.00402	0	0	137	10.78	14.07	39.5	98.1	97.98	-0.7	-0.5	0.08	39.5	0.02	100	8395	97.96	39.3
2023-03-17 06:30:00	0	0.00469	0	0	134	11.14	14.27	39.6	97.8	97.96	-0.5	-0.4	0.08	39.6	0.02	100	8395	97.95	39.3
2023-03-17 06:35:00	0	0.00335	0	0	135	10.83	13.51	39.5	98.1	97.96	-0.6	-0.6	0.08	39.5	0.02	100	8393	97.95	39.3
2023-03-17 06:40:00	0	0.00201	0	0	134	10.94	14.23	39.4	98	97.95	-0.7	-0.7	0.04	39.5	0.02	100	8394	97.94	39.3
2023-03-17 06:45:00	0	0.00067	0	0	142	9.04	11.16	39.3	98.1	97.95	-0.5	-0.8	0.04	39.4	0.02	100	8392	97.94	39.2
2023-03-17 06:50:00	0	0.00067	0	0	138	9.24	13.51	39.3	98.1	97.95	-0.6	-0.4	0.04	39.3	0.02	100	8390	97.94	39.2
2023-03-17 06:55:00	0	0	0	0	142	9.15	11.56	39.2	98.2	97.94	-0.5	-0.7	0	39.3	0.01	100	8392	97.93	39.1
2023-03-17 07:00:00	0	0	0	0	132	8.79	11.01	39.2	97.6	97.94	-0.7	-0.5	0	39.2	0.02	100	8392	97.93	39.1
2023-03-17 07:05:00	0	0	0	0	142	7.58	9.71	39.2	98	97.95	-0.7	-0.5	0	39.1	0.02	100	8390	97.94	39.1
2023-03-17 07:10:00	0	0	0	0	145	8.1	11.95	39.1	98	97.95	-0.7	-0.6	0	39.1	0.02	100	8389	97.94	39.1
2023-03-17 07:15:00	0.6	0.00536	0	0	148	7.58	10.07	39.2	98	97.95	-0.6	-0.4	0.08	39.2	0.02	100	8391	97.94	39
2023-03-17 07:20:00	3	0.00536	0	0	149	8.03	10.04	39.1	98.3	97.94	-0.7	-0.5	0.12	39.1	0.01	100	8387	97.93	39
2023-03-17 07:25:00	3.4	0.00402	0	0	153	8.34	11.86	39.2	98.3	97.94	-0.7	-0.7	0.08	39.2	0.01	100	8388	97.92	39
2023-03-17 07:30:00	3.4	0.00469	0	0	152	8.97	11.81	39.1	98.4	97.92	-0.6	-0.4	0.08	39.1	0.01	100	8388	97.91	39
2023-03-17 07:35:00	4.4	0.00335	0	0	145	10.8	14.67	39.2	98.5	97.89	-0.5	-0.8	0.08	39.2	0.01	100	8387	97.88	39
2023-03-17 07:40:00	4.8	0.00201	0	0	145	11.25	15.03	39.3	98.6	97.89	-0.7	-0.4	0.04	39.3	0.01	100	8387	97.88	39.1
2023-03-17 07:45:00	5.6	0.00201	0	0	148	10.78	13.6	39.3	98.3	97.88	-0.6	-0.8	0.08	39.3	0.01	100	8385	97.87	39.1
2023-03-17 07:50:00	6.8	0.0067	0	0	146	10.94	15.46	39.3	98.8	97.87	-0.5	-0.8	0.12	39.3	0.01	100	8386	97.87	39.1
2023-03-17 07:55:00	8	0.00603	0	0	149	11.36	13.69	39.4	98.8	97.87	-0.7	-0.4	0.08	39.5	0.01	100	8390	97.86	39.2
2023-03-17 08:00:00	7	0.00536	0	0	146	11.86	16.15	39.4	98.8	97.86	-0.8	-0.5	0.08	39.4	0.01	100	8387	97.85	39.2
2023-03-17 08:05:00	8.2	0.00335	0	0	151	11.74	14.36	39.5	98.7	97.86	-0.4	-0.6	0.04	39.5	0.01	100	8384	97.85	39.3
2023-03-17 08:10:00	8.4	0.00938	0	0	153	10.71	13.35	39.6	99	97.85	-0.8	-0.4	0.12	39.6	0.01	100	8385	97.84	39.3
2023-03-17 08:15:00	9.2	0.01072	0	0	150	10.45	13	39.6	98.5	97.84	-0.7	-0.5	0.161	39.6	0.01	100	8387	97.83	39.3
2023-03-17 08:20:00	10.6	0.01139	0	0	144	10.36	13.04	39.8	98.6	97.83	-0.6	-0.6	0.161	39.8	0.01	100	8384	97.82	39.4
2023-03-17 08:25:00	13.2	0.01005	0	0	142	9.55	11.81	39.8	98.9	97.82	-0.7	-0.5	0.12	39.8	0.01	100	8387	97.81	39.5
2023-03-17 08:30:00	15.4	0.00804	0	0	138	10.78	12.8	39.9	99.2	97.8	-0.5	-0.7	0.12	40	0.01	100	8386	97.79	39.6
2023-03-17 08:35:00	15.4	0.00603	0	0	136	10.69	14.29	40	99.3	97.79	-0.7	-0.4	0.08	40.1	0.01	100	8384	97.79	39.7
2023-03-17 08:40:00	15.6	0.00536	0	0	140	11.48	13.76	40.1	99.4	97.79	-0.5	-0.6	0.08	40.2	0.01	100	8382	97.79	39.8
2023-03-17 08:45:00	17.6	0.00402	0	0	141	11.74	14.18	40.2	99.2	97.79	-0.7	-0.8	0.08	40.3	0.01	100	8383	97.78	39.9
2023-03-17 08:50:00	21.4	0.00402	0	0	139	11.36	15.73	40.4	99.5	97.78	-0.4	-0.7	0.08	40.5	0	100	8383	97.78	40
2023-03-17 08:55:00	25	0.00536	0	0	134	10.8	13.82	40.5	99.7	97.78	-0.6	-0.5	0.08	40.7	0	100	8380	97.77	40.2
2023-03-17 09:00:00	25	0.00469	0	0	135	10.2	12.35	40.8	99.2	97.77	-0.8	-0.6	0.08	40.8	0.01	100	8383	97.76	40.3
2023-03-17 09:05:00	25	0.00335	0	0	138	10.02	12.01	40.7	99.6	97.75	-0.6	-0.6	0.04	40.8	0	100	8381	97.75	40.4
2023-03-17 09:10:00	28.2	0.00402	0	0	142	10.54	13.33	40.9	99.4	97.74	-0.8	-0.5	0.08	41	0.01	100	8383	97.74	40.6
2023-03-17 09:15:00	28.8	0.00469	0	0	138	10.6	13.33	41.1	99.7	97.74	-0.6	-0.6	0.08	41.2	0	100	8381	97.73	40.7
2023-03-17 09:20:00	34.6	0.00335	0	0	135	10.33	13.65	41.2	99.8	97.73	-0.4	-0.9	0.04	41.3	0	100	8380	97.72	40.8
2023-03-17 09:25:00	44.2	0.00335	0	0	132	10.8	14.05	41.3	99.6	97.71	-0.5	-0.4	0.08	41.4	0	100	8380	97.71	41
2023-03-17 09:30:00	44	0.00335	0	0	135	11.23	15.14	41.5	99.3	97.71	-0.7	-0.6	0.04	41.6	0.01	100	8381	97.7	41.1
2023-03-17 09:35:00	41	0.00201	0	0	130	11.97	14.58	41.5	98.8	97.69	-0.7	-1	0.04	41.5	0.01	100	8380	97.69	41.2
2023-03-17 09:40:00	38	0.00067	0	0	130	11.34	14.12	41.6	99.6	97.68	-0.6	-0.5	0.04	41.7	0	100	8378	97.68	41.3
2023-03-17 09:45:00	38.2	0	0	0	127	10.98	14.79	41.7	99.4	97.67	-0.6	-0.7	0	41.8	0.01	100	8377	97.66	41.4
2023-03-17 09:50:00	42.2	0.00134	0	0	127	9.91	12.84	41.6	99	97.66	-0.6	-0.5	0.04	41.8	0.01	100	8377	97.65	41.4
2023-03-17 09:55:00	55	0.00201	0	0	126	10.02	12.66	41.6	99.3	97.65	-0.5	-0.7	0.04	41.8	0.01	100	8379	97.64	41.5
2023-03-17 10:00:00	64	0	0	0	126	9.26	14.23	41.8	99.1	97.64	-0.7	-0.7	0	41.9	0.01	100	8380	97.63	41.5
2023-03-17 10:05:00	58.4	0.00067	0	0	124	9.66	11.97	41.8	99.1	97.62	-0.4	-0.6	0.04	42	0.01	100	8379	97.62	41.6
2023-03-17 10:10:00	70.2	0	0	0	123	9.98	12.33	41.9	99.1	97.61	-0.4	-0.5	0	42	0.01	100	8379	97.61	41.7
2023-03-17 10:15:00	70	0.00067	0	0	123	10.18	11.9	41.9	99	97.61	-0.7	-0.5	0.04	42.1	0.01	100	8379	97.6	41.8
2023-03-17 10:20:00	60.6	0.00402	0	0	128	9.48	13	41.9	98.7	97.59	-0.6	-0.5	0.08	42.1	0.01	100	8378	97.59	41.9
2023-03-17 10:25:00	71.2	0.00402	0	0	126	9.57	13.06	42.1	99	97.58	-0.7	-0.5	0.08	42.3	0.01	100	8379	97.58	41.9
2023-03-17 10:30:00	75.6	0.00335	0	0	127	9.24	13.06	42.1	99.2	97.57	-0.6	-0.6	0.04	42.3	0.01	100	8377	97.57	42
2023-03-17 10:35:00	75.2	0.00536	0	0	124	8.79	11.12	42.2	99.1	97.58	-0.5	-0.6	0.08	42.4	0.01	100	8377	97.57	42.1
2023-03-17 10:40:00	78.2	0.00469	0	0	128	8.97	10.71	42.3	99.4	97.56	-0.6	-0.5	0.08	42.5	0.01	100	8380	97.56	42.2
2023-03-17 10:45:00	85	0.00402	0	0	125	8.66	11.34	42.4	99.3	97.55	-0.5	-0.7	0.08	42.6	0.01	100	8379	97.55	42.3
2023-03-17 10:50:00	87.2	0.00268	0	0	126	7.99	10.27	42.5	99.4	97.54	-0.4	-0.5	0.04	42.7	0.01	100	8381	97.54	42.4
2023-03-17 10:55:00	89	0.00201	0	0	130	6.82	9.37	42.6	99.2	97.54	-0.5	-0.5	0.04	42.8	0.01	100	8380	97.53	42.6
2023-03-17 11:00:00	119.6	0.00268	0	0	143	7.54	10.71	42.8	99.6	97.52	-0.5	-0.6	0.04	43.1	0	100	8381	97.52	42.7
2023-03-17 11:05:00	101.2	0.00134	0	0	151	7.99	11.48	43.1	99.6	97.53	-0.6	-0.4	0.04	43.4	0	100	8381	97.52	43.1
2023-03-17 11:10:00	82.6	0.00067	0	0	156	8.3	14.72	43.3	99.8	97.52	-0.7	-0.4	0.04	43.6	0	100	8382	97.51	43.3
2023-03-17 11:15:00	95	0.00067	0	0	161	9.24	15.5	43.7	99.6	97.51	-0.4	-0.5	0.04	44	0	100	8380	97.5	43.6
2023-03-17 11:20:00	95	0.00134	0	0	165	12.59	17.45	44.1	98.7	97.49	-0.5	-0.7	0.04	44.3	0.01	100	8380	97.49	44
2023-03-17 11:25:00	101.4	0.00134	0	0	164	12.57	18.41	44.5	98.2	97.48	-0.4	-0.7	0.04	44.7	0.02	100	8380	97.49	44.3
2023-03-17 11:30:00	112.8	0.00134	0	0	170	10.33	14.36	44.6	97.9	97.48	-0.6	-0.2	0.04	44.8	0.02	100	8382	97.47	44.5
2023-03-17 11:35:00	112.6	0.00134	0	0	170	11.27	14.25	44.8	97.4	97.46	-0.5	-0.4	0.04	45	0.03	100	8382	97.46	44.7
2023-03-17 11:40:00	123.6	0.00067	0	0	173	11.61	17.16	45.1	97.1	97.45	-0.5	-0.6	0.04	45.3	0.03	100	8384	97.45	44.9
2023-03-17 11:45:00	123.4	0	0	0	169	10.25	15.9	45.2	96.8	97.44	-0.4	-0.6	0	45.5	0.03	100	8383	97.44	45.1
2023-03-17 11:50:00	113.6	0.00067	0	0	175	11.25	16.53	45.4	96	97.44	-0.3	-0.2	0.04	45.6	0.04	100	8381	97.43	45.3
2023-03-17 11:55:00	111	0.00134	0	0	174	10.78	13.98	45.5	95.6	97.43	-0.5	-0.5	0.04	45.8	0.05	100	8388	97.43	45.5
2023-03-17 12:00:00	114.6	0.00134	0	0	177	10.98	15.77	45.6	95.7	97.43	-0.4	-0.4	0.04	45.8	0.04	100	8384	97.42	45.7
2023-03-17 12:05:00	111.2	0.00201	0	0	177	11.25	15.79	45.7	95.5	97.42	-0.4	-0.6	0.04	45.9	0.05	100	8384	97.41	45.8
2023-03-17 12:10:00	110	0.00268	0	0	176	11.39	17.16	45.9	95	97.42	-0.6	-0.8	0.04	46.1	0.05	100	8383	97.41	45.9
2023-03-17 12:15:00	116.6	0.00268	0	0	179	10.71	14.65	45.8	95.1	97.41	-0.3	-0.5	0.04	46.2	0.05	100	8387	97.41	46
2023-03-17 12:20:00	124.4	0.00268	0	0	179	10.49	15.52	46	94.8	97.4	-0.5	-0.9	0.04	46.3	0.05	100	8384	97.39	46.1
2023-03-17 12:25:00	114.4	0.00134	0	0	177	10.67	14.41	46	94.7	97.4	-0.2	-0.5	0.04	46.3	0.06	100	8385	97.39	46.2
2023-03-17 12:30:00	115	0	0	0	180	10.54	18.25	46	94.8	97.4	-0.3	-0.6	0	46.2	0.05	100	8384	97.39	46.3
2023-03-17 12:35:00	122.8	0.00067	0	0	181	9.69	13.78	46.1	94.6	97.39	-0.5	-0.7	0.04	46.4	0.06	100	8386	97.39	46.4
2023-03-17 12:40:00	132.6	0.00134	0	0	186	10.33	16.82	46.1	94.5	97.4	-0.4	-0.6	0.04	46.4	0.06	100	8387	97.38	46.5
2023-03-17 12:45:00	144.2	0.00067	0	0	183	10.92	14.83	46.4	94.1	97.39	-0.2	-0.7	0.04	46.7	0.06	100	8387	97.38	46.7
2023-03-17 12:50:00	149.6	0.00134	0	0	181	10.94	13.67	46.4	94.2	97.38	-0.3	-0.6	0.04	46.8	0.06	100	8387	97.38	46.8
2023-03-17 12:55:00	121.6	0.00067	0	0	186	10.63	13.73	46.6	93.6	97.39	-0.6	-0.9	0.04	46.9	0.07	100	8386	97.38	46.9
2023-03-17 13:00:00	133.4	0.00134	0	0	185	12.55	18.01	46.7	93.2	97.38	-0.3	-0.4	0.04	47	0.07	100	8387	97.37	47
2023-03-17 13:05:00	139	0.00201	0	0	185	12.28	15.77	46.8	93.2	97.37	-0.2	-0.2	0.04	47.1	0.07	100	8385	97.36	47.1
2023-03-17 13:10:00	153.4	0.00067	0	0	185	10.83	16.73	46.9	93.2	97.36	-0.4	-0.9	0.04	47.3	0.07	100	8389	97.35	47.3
2023-03-17 13:15:00	172.2	0.00067	0	0	185	10.42	18.45	46.9	93.6	97.35	-0.5	-0.4	0.04	47.4	0.07	100	8390	97.35	47.4
2023-03-17 13:20:00	154.8	0.00067	0	0	186	11.05	16.58	47.3	93	97.35	-0.5	-0.6	0.04	47.7	0.08	100	8389	97.34	47.5
2023-03-17 13:25:00	132.2	0	0	0	186	10.83	14.76	47.3	92.9	97.34	-0.2	-0.7	0	47.6	0.08	100	8389	97.33	47.6
2023-03-17 13:30:00	137.4	0	0	0	184	11.23	16.04	47.4	92.5	97.34	-0.4	-1	0	47.7	0.08	100	8390	97.33	47.8
2023-03-17 13:35:00	172	0.00134	0	0	188	12.82	18.9	47.6	92.2	97.32	-0.7	-1.1	0.04	48	0.09	100	8390	97.32	47.9
2023-03-17 13:40:00	200	0.00067	0	0	189	10.94	16.17	47.8	92.5	97.31	-0.2	-0.6	0.04	48.3	0.08	100	8391	97.31	48.1
2023-03-17 13:45:00	219.2	0.00134	0	0	189	10.94	16.24	47.9	92.3	97.31	-0.3	-1	0.04	48.5	0.09	100	8396	97.31	48.3
2023-03-17 13:50:00	169.8	0	0	0	189	11.79	17.58	48.1	91.9	97.31	-0.4	-0.5	0	48.6	0.09	100	8393	97.3	48.5
2023-03-17 13:55:00	123.8	0	0	0	186	11.63	22.79	48.2	91.4	97.31	-0.5	-0.8	0	48.6	0.1	100	8392	97.3	48.5
2023-03-17 14:00:00	127.8	0	0	0	187	11.65	18.61	48.5	90.1	97.3	-0.1	-0.9	0	48.7	0.11	100	8394	97.29	48.7
2023-03-17 14:05:00	120.2	0	0	0	189	10.33	15.75	48.5	90.1	97.3	-0.1	-0.2	0	48.7	0.11	100	8390	97.29	48.7
2023-03-17 14:10:00	157.2	0	0	0	191	11.01	15.66	48.6	90	97.29	-0.3	-0.9	0	49	0.12	100	8393	97.28	48.9
2023-03-17 14:15:00	174	0	0	0	189	9.98	16.53	48.7	89.6	97.29	-0.3	-0.7	0	49.1	0.12	100	8393	97.29	49.1
2023-03-17 14:20:00	189.2	0	0	0	189	9.15	12.88	48.9	89.9	97.3	-0.3	-0.6	0	49.5	0.12	100	8393	97.29	49.3
2023-03-17 14:25:00	175.4	0	0	0	189	10.85	16.64	49.2	89.6	97.3	-0.3	-0.3	0	49.7	0.12	100	8392	97.29	49.5
2023-03-17 14:30:00	172.8	0	0	0	192	11.88	17.6	49.5	88.1	97.31	-0.4	-0.6	0	49.9	0.14	100	8393	97.3	49.8
2023-03-17 14:35:00	153.2	0	0	0	186	11.54	21.3	49.8	87.4	97.31	0	-0.9	0	50.2	0.15	100	8392	97.31	50
2023-03-17 14:40:00	101.8	0	0	0	193	12.59	18.32	50	86.7	97.33	-0.4	-0.7	0	50.3	0.16	100	8393	97.32	50.2
2023-03-17 14:45:00	146.4	0	0	0	195	11.65	15.21	50.3	86.4	97.32	-0.1	-0.9	0	50.6	0.17	100	8396	97.3	50.3
2023-03-17 14:50:00	126.8	0	0	0	196	14.65	18.28	50.5	84.8	97.31	-0.2	-0.3	0	50.8	0.19	100	8396	97.29	50.6
2023-03-17 14:55:00	143.4	0	0	0	198	14.45	25.17	50.8	84.4	97.29	-0.3	-0.5	0	51.2	0.2	100	8393	97.27	50.8
2023-03-17 15:00:00	161.6	0	0	0	195	15.28	21.59	51.1	83	97.28	-0.5	-1.2	0	51.3	0.22	100	8390	97.27	51
2023-03-17 15:05:00	145.6	0	0	0	198	16.11	22.79	51.3	82.5	97.29	-0.4	-0.7	0	51.6	0.23	100	8393	97.27	51.2
2023-03-17 15:10:00	122	0	0	0	191	11.07	19.46	51.4	82.3	97.29	-0.3	-0.6	0	51.7	0.23	100	8393	97.27	51.4
2023-03-17 15:15:00	191.2	0	0	0	197	13.29	18.43	51.4	82.6	97.27	-0.3	-0.5	0	51.7	0.23	100	8396	97.25	51.5
2023-03-17 15:20:00	146	0	0	0	193	13.13	24.4	51.6	82.4	97.27	-0.1	-0.7	0	51.9	0.23	100	8394	97.26	51.6
2023-03-17 15:25:00	253.8	0	0	0	194	14.5	22.75	51.6	82.5	97.26	0.3	-0.6	0	52.1	0.23	100	8396	97.24	51.7
2023-03-17 15:30:00	182.4	0	0	0	185	13.22	19.26	51.8	82.3	97.25	-0.2	-0.7	0	52.2	0.23	100	8397	97.23	52
2023-03-17 15:35:00	173.6	0	0	0	187	12.46	17.52	51.9	81.4	97.25	-0.2	-0.6	0	52.3	0.24	100	8396	97.23	52.1
2023-03-17 15:40:00	163.6	0	0	0	188	14.14	21.12	52.1	81	97.25	-0.2	-0.3	0	52.5	0.25	100	8394	97.24	52.2
2023-03-17 15:45:00	127.2	0	0	0	189	14.43	18.12	52.2	80.3	97.25	-0.5	-0.8	0	52.5	0.26	100	8396	97.23	52.2
2023-03-17 15:50:00	81.8	0	0	0	194	12.33	17.65	52.2	80.3	97.26	-0.4	-0.6	0	52.4	0.26	100	8394	97.24	52.2
2023-03-17 15:55:00	47	0	0	0	199	12.01	17.43	52.1	80.6	97.27	-0.4	-0.5	0	52.3	0.26	100	8392	97.25	52.2
2023-03-17 16:00:00	48.2	0	0	0	192	11.14	15.43	52.1

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-17 16:35:00	16.8	0	0	0	194	11.45	17.47	51.8	80.1	97.28	-0.4	-0.7	0	51.9	0.26	100	8384	97.25	52
2023-03-17 16:40:00	19.6	0	0	0	206	10.87	18.63	51.8	80.1	97.28	-0.4	-0.9	0	51.8	0.26	100	8381	97.26	51.9
2023-03-17 16:45:00	23.8	0	0	0	200	11.36	14.99	51.6	80.4	97.28	-0.4	-0.7	0	51.6	0.26	100	8384	97.26	51.8
2023-03-17 16:50:00	26.2	0	0	0	199	10.33	16.37	51.5	80.9	97.28	-0.3	-0.4	0	51.6	0.25	100	8378	97.26	51.7
2023-03-17 16:55:00	17	0	0	0	196	11.32	15.35	51.4	81	97.28	-0.2	-0.8	0	51.5	0.25	100	8378	97.26	51.6
2023-03-17 17:00:00	13.2	0	0	0	218	10.92	14.81	51.3	81.7	97.3	-0.2	-0.3	0	51.3	0.24	100	8377	97.28	51.5
2023-03-17 17:05:00	9.8	0	0	0	230	12.57	18.77	51	83.5	97.31	-0.3	-0.7	0	51	0.21	100	8379	97.28	51.2
2023-03-17 17:10:00	5.4	0	0	0	251	13.62	26.15	50.5	85.6	97.32	-0.4	-0.2	0	50.5	0.18	100	8378	97.3	50.5
2023-03-17 17:15:00	3.4	0.00201	0	0	277	19.95	26.87	49.8	85.6	97.34	0	-0.2	0.04	49.7	0.18	100	8377	97.31	49.6
2023-03-17 17:20:00	4.6	0.00268	0	0	273	16.96	23.78	48.7	87.2	97.34	-0.5	-1.1	0.08	48.7	0.15	100	8373	97.32	48.7
2023-03-17 17:25:00	4.6	0.00067	0	0	271	12.84	16.67	47.8	89.3	97.36	-0.3	-0.6	0.04	47.8	0.12	100	8375	97.34	48.1
2023-03-17 17:30:00	4.2	0.00134	0	0	273	12.88	19.06	47.2	90.5	97.38	-0.2	-0.4	0.04	47.1	0.11	100	8372	97.36	47.6
2023-03-17 17:35:00	6.2	0.00067	0	0	269	15.48	21.81	46.7	90.7	97.39	-0.4	-0.8	0.04	46.7	0.1	100	8371	97.38	47.1
2023-03-17 17:40:00	8.2	0.00067	0	0	268	15.48	23.02	46.2	91.1	97.41	-0.7	-0.1	0.04	46.3	0.09	100	8371	97.39	46.7
2023-03-17 17:45:00	10.6	0	0	0	266	17.67	23.2	45.9	90.7	97.42	-0.5	-0.3	0	45.9	0.1	100	8369	97.4	46.2
2023-03-17 17:50:00	14	0.00067	0	0	268	17.65	30.96	45.6	90.1	97.43	-0.6	-0.8	0.04	45.6	0.1	100	8367	97.41	45.8
2023-03-17 17:55:00	17	0.00134	0	0	261	16.8	27.69	45.2	90.3	97.44	-1.3	-0.5	0.04	45.2	0.1	100	8367	97.43	45.4
2023-03-17 18:00:00	19	0.00134	0	0	262	18.97	26.93	44.9	90.4	97.46	-0.4	-0.9	0.04	44.9	0.1	100	8369	97.44	45
2023-03-17 18:05:00	22.2	0.00134	0	0	263	19.22	30.74	44.3	90.2	97.46	-0.8	0.7	0.04	44.3	0.1	100	8366	97.45	44.5
2023-03-17 18:10:00	14.8	0.00067	0	0	258	18.79	26.6	43.7	90.6	97.47	-0.3	-0.9	0.04	43.7	0.09	100	8365	97.45	44
2023-03-17 18:15:00	13.4	0	0	0	265	19.3	27.09	43.2	90.5	97.47	-0.8	-0.8	0	43.2	0.09	100	8365	97.45	43.6
2023-03-17 18:20:00	12.6	0.00067	0	0	265	21.34	29.3	42.9	90.4	97.48	-0.1	0	0.04	42.9	0.09	100	8362	97.47	43.2
2023-03-17 18:25:00	9	0	0	0	266	19.69	29.33	42.7	90.5	97.49	-0.7	-0.9	0	42.7	0.09	100	8362	97.48	42.9
2023-03-17 18:30:00	5.8	0	0	0	262	18.5	25.57	42.6	90.4	97.52	-0.2	-0.5	0	42.5	0.09	100	8360	97.5	42.7
2023-03-17 18:35:00	3.8	0	0	0	261	18.34	25.43	42.4	90.2	97.53	-0.6	-1.1	0	42.4	0.09	100	8358	97.52	42.5
2023-03-17 18:40:00	3	0	0	0	259	14.32	22.39	42.2	90.6	97.55	-0.2	-0.5	0	42.2	0.09	100	8363	97.53	42.3
2023-03-17 18:45:00	2.4	0	0	0	259	15.3	21.21	42.2	90.4	97.56	-1.2	-0.3	0	42.2	0.09	100	8361	97.55	42.2
2023-03-17 18:50:00	1	0	0	0	262	16.11	21.39	42	90.2	97.58	-0.7	-0.8	0	42	0.09	100	8358	97.57	42.1
2023-03-17 18:55:00	0	0	0	0	266	15.66	22.06	41.9	89.6	97.6	-0.5	-0.9	0	42	0.09	100	8361	97.58	42
2023-03-17 19:00:00	0	0	0	0	265	17.65	30.8	42	89.7	97.61	-0.6	-0.8	0	41.9	0.09	100	8355	97.6	41.8
2023-03-17 19:05:00	0	0	0	0	273	20	27.18	41.7	89.7	97.62	0	-0.7	0	41.7	0.09	100	8356	97.6	41.4
2023-03-17 19:10:00	0	0	0	0	268	20	31.14	41.4	89.3	97.63	-0.6	-0.3	0	41.5	0.09	100	8355	97.63	41.1
2023-03-17 19:15:00	0	0	0	0	259	16.71	28.14	41.1	89.6	97.65	-1	-0.5	0	41.1	0.09	100	8357	97.64	40.9
2023-03-17 19:20:00	0	0	0	0	261	18.9	29.59	40.9	89.7	97.67	-0.1	-0.9	0	40.9	0.09	100	8353	97.65	40.7
2023-03-17 19:25:00	0	0	0	0	261	18.5	28.36	40.7	89.6	97.67	-0.6	-0.7	0	40.7	0.09	100	8355	97.66	40.5
2023-03-17 19:30:00	0	0	0	0	263	17.43	27.11	40.5	89.3	97.68	-1.1	-0.2	0	40.5	0.09	100	8353	97.67	40.3
2023-03-17 19:35:00	0	0	0	0	264	18.5	29.46	40.2	89.8	97.7	-0.9	-0.3	0	40.2	0.09	100	8351	97.68	40.1
2023-03-17 19:40:00	0	0	0	0	262	17.54	28.21	40.1	89.3	97.69	-0.6	-1.1	0	40.1	0.09	100	8352	97.68	40
2023-03-17 19:45:00	0	0	0	0	263	19.26	29.64	39.9	89.2	97.7	0.2	-0.9	0	39.9	0.09	100	8353	97.69	39.8
2023-03-17 19:50:00	0	0	0	0	261	15.9	24.85	39.8	88.9	97.72	0.3	-0.8	0	39.8	0.09	100	8350	97.71	39.7
2023-03-17 19:55:00	0	0	0	0	260	20.02	30.94	39.7	88.8	97.73	-0.9	-1.1	0	39.7	0.09	100	8352	97.72	39.6
2023-03-17 20:00:00	0	0	0	0	264	16.58	28.32	39.6	88.5	97.74	-1.3	-0.5	0	39.6	0.09	100	8351	97.73	39.5
2023-03-17 20:05:00	0	0	0	0	262	15.73	24.63	39.5	88.5	97.75	-1	-0.4	0	39.5	0.09	100	8348	97.73	39.4
2023-03-17 20:10:00	0	0	0	0	263	17.81	25.99	39.4	88.2	97.74	-0.6	-0.4	0	39.3	0.1	100	8349	97.73	39.3
2023-03-17 20:15:00	0	0	0	0	264	15.46	23.82	39.3	88.4	97.75	-0.7	-0.2	0	39.3	0.09	100	8348	97.74	39.1
2023-03-17 20:20:00	0	0	0	0	259	16.62	22.95	39.2	88.3	97.76	-0.6	-0.2	0	39.2	0.1	100	8350	97.75	39.1
2023-03-17 20:25:00	0	0	0	0	263	18.7	31.97	39.1	87.9	97.77	-0.9	-0.7	0	39.1	0.1	100	8348	97.76	38.8
2023-03-17 20:30:00	0	0	0	0	259	15.03	21.14	38.8	88.8	97.79	-1	-0.8	0	38.8	0.09	100	8346	97.78	38.5
2023-03-17 20:35:00	0	0.00134	0	0	262	14.74	21.74	38.7	89.8	97.8	-0.7	-0.8	0.04	38.7	0.08	100	8346	97.77	38.3
2023-03-17 20:40:00	0	0.00201	0	0	266	14.05	20.69	38.4	90.7	97.8	-0.6	-0.3	0.04	38.4	0.07	100	8343	97.79	38.1
2023-03-17 20:45:00	0	0.00134	0	0	263	13.22	21.03	38.1	92.5	97.81	-0.7	-0.7	0.04	38.1	0.06	100	8344	97.8	37.9
2023-03-17 20:50:00	0	0.00067	0	0	266	14.81	20.62	38	92.1	97.81	-0.3	-0.5	0.04	38	0.06	100	8342	97.8	37.8
2023-03-17 20:55:00	0	0.00134	0	0	265	14.43	20.96	37.9	92.8	97.83	-0.6	-0.7	0.04	37.9	0.06	100	8344	97.82	37.6
2023-03-17 21:00:00	0	0.00134	0	0	268	12.03	15.79	37.8	93.3	97.85	-0.7	-0.3	0.04	37.8	0.05	100	8346	97.83	37.5
2023-03-17 21:05:00	0	0.00201	0	0	265	12.86	21.36	37.7	93.6	97.85	-1	-0.7	0.04	37.7	0.05	100	8342	97.83	37.4
2023-03-17 21:10:00	0	0.00335	0	0	260	11.16	17.63	37.6	94.1	97.86	-0.8	-0.3	0.08	37.6	0.05	100	8342	97.85	37.3
2023-03-17 21:15:00	0	0.00134	0	0	257	12.48	19.13	37.4	94.6	97.87	-0.8	-0.6	0.04	37.5	0.04	100	8342	97.86	37.2
2023-03-17 21:20:00	0	0.00134	0	0	257	16.67	25.21	37.4	93.6	97.88	-0.3	-0.6	0.04	37.4	0.05	100	8341	97.86	37.1
2023-03-17 21:25:00	0	0	0	0	264	17.13	23.87	37.4	93.6	97.89	0.2	-0.3	0	37.4	0.05	100	8342	97.88	37
2023-03-17 21:30:00	0	0.00067	0	0	278	17.25	22.82	37.3	92.6	97.9	-0.8	-0.7	0.04	37.3	0.06	100	8338	97.89	36.8
2023-03-17 21:35:00	0	0	0	0	278	13.04	20.49	37.2	91.7	97.92	-0.8	-0.6	0	37.2	0.06	100	8339	97.9	36.7
2023-03-17 21:40:00	0	0	0	0	285	18.86	26.69	37.2	90.2	97.92	-0.6	-0.2	0	37.2	0.07	100	8341	97.91	36.5
2023-03-17 21:45:00	0	0	0	0	283	16.37	22.44	37	88.1	97.94	-0.3	-0.7	0	37	0.09	100	8339	97.93	36.3
2023-03-17 21:50:00	0	0	0	0	287	20.04	29.55	36.8	85.9	97.95	-0.3	-1	0	36.8	0.1	100	8337	97.93	36.2
2023-03-17 21:55:00	0	0	0	0	279	21.68	30.24	36.8	82.3	97.97	0	-0.1	0	36.8	0.13	100	8339	97.96	36.1
2023-03-17 22:00:00	0	0	0	0	273	18.68	28.21	36.5	81.4	97.99	-0.8	-0.3	0	36.5	0.14	100	8336	97.97	36
2023-03-17 22:05:00	0	0	0	0	276	17.65	24.34	36.4	80.3	98	-0.8	-0.5	0	36.3	0.14	100	8336	97.98	36
2023-03-17 22:10:00	0	0	0	0	278	14.76	20.98	36.2	79.9	98.01	-0.7	-0.2	0	36.2	0.15	100	8338	97.99	35.9
2023-03-17 22:15:00	0	0	0	0	273	14.23	19.3	36.1	79.1	98.02	-0.7	-0.6	0	36.1	0.15	100	8336	98.01	35.8
2023-03-17 22:20:00	0	0	0	0	274	12.46	19.53	36.1	78.7	98.03	-0.8	-0.6	0	36	0.15	100	8336	98.02	35.8
2023-03-17 22:25:00	0	0	0	0	277	11.63	17.13	35.9	78.7	98.04	-0.9	-0.4	0	35.9	0.15	100	8336	98.03	35.7
2023-03-17 22:30:00	0	0	0	0	270	9.8	13.27	35.8	79.1	98.05	-0.8	-0.6	0	35.8	0.15	100	8335	98.05	35.6
2023-03-17 22:35:00	0	0	0	0	270	11.56	16.04	35.7	79.2	98.06	-0.8	-0.6	0	35.7	0.15	100	8335	98.05	35.5
2023-03-17 22:40:00	0	0	0	0	268	11.72	17.56	35.9	79.1	98.07	-0.7	-0.3	0	35.9	0.15	100	8333	98.06	35.5
2023-03-17 22:45:00	0	0	0	0	266	11.5	16.75	35.7	79.3	98.08	-0.7	-0.4	0	35.7	0.15	100	8333	98.07	35.4
2023-03-17 22:50:00	0	0	0	0	266	9.13	12.88	35.7	79.1	98.09	-0.8	-0.6	0	35.7	0.15	100	8331	98.07	35.3
2023-03-17 22:55:00	0	0	0	0	261	11.01	17.58	35.6	79.5	98.1	-0.7	-0.6	0	35.6	0.14	100	8331	98.09	35.3
2023-03-17 23:00:00	0	0	0	0	265	12.06	16.67	35.6	79.2	98.11	-1	-0.3	0	35.6	0.15	100	8333	98.11	35.3
2023-03-17 23:05:00	0	0	0	0	265	9.69	17.94	35.7	79.7	98.12	-0.6	-0.6	0	35.7	0.14	100	8330	98.1	35.2
2023-03-17 23:10:00	0	0	0	0	266	12.77	17.98	35.6	79.2	98.12	-0.6	-0.8	0	35.6	0.15	100	8330	98.11	35.2
2023-03-17 23:15:00	0	0	0	0	262	9.26	13.27	35.6	79.1	98.13	-0.7	-0.5	0	35.6	0.15	100	8331	98.12	35.2
2023-03-17 23:20:00	0	0	0	0	270	13.71	18.7	35.6	79	98.13	-0.6	-0.6	0	35.6	0.15	100	8327	98.12	35.2
2023-03-17 23:25:00	0	0	0	0	273	11.34	17.6	35.6	78.9	98.14	-0.8	-0.2	0	35.6	0.15	100	8327	98.13	35.2
2023-03-17 23:30:00	0	0	0	0	271	11.07	13.87	35.6	78.7	98.15	-1	-0.5	0	35.6	0.15	100	8327	98.14	35.1
2023-03-17 23:35:00	0	0	0	0	270	10.92	22.1	35.5	79.3	98.16	-0.7	-0.4	0	35.6	0.15	100	8327	98.15	35.1
2023-03-17 23:40:00	0	0	0	0	272	11.14	16.46	35.6	79.1	98.18	-0.7	-0.4	0	35.6	0.15	100	8328	98.16	35
2023-03-17 23:45:00	0	0	0	0	275	11.65	18.81	35.5	79	98.18	-0.7	-0.4	0	35.5	0.15	100	8327	98.17	35
2023-03-17 23:50:00	0	0	0	0	274	10.16	13.2	35.5	79.3	98.18	-0.6	-0.7	0	35.5	0.15	100	8325	98.16	35
2023-03-17 23:55:00	0	0	0	0	280	10.65	14.74	35.5	79.7	98.18	-0.5	-0.6	0	35.5	0.14	100	8327	98.17	35
2023-03-18 00:00:00	0	0	0	0	280	11.23	17.2	35.4	79.4	98.19	-0.7	-0.3	0	35.4	0.14	100	8324	98.17	35
2023-03-18 00:05:00	0	0	0	0	281	11.43	15.21	35.5	79.1	98.19	-0.8	-0.5	0	35.5	0.15	100	8300	98.18	35.1
2023-03-18 00:10:00	0	0	0	0	279	11.03	15.14	35.5	78.6	98.2	-0.6	-0.7	0	35.5	0.15	100	8286	98.2	35.4
2023-03-18 00:15:00	0	0	0	0	271	9.46	13.73	35.5	79.7	98.22	-0.9	-0.6	0	35.5	0.14	100	8286	98.21	35.5
2023-03-18 00:20:00	0	0	0	0	269	10.07	15.84	35.5	79	98.23	-0.7	-0.3	0	35.5	0.15	100	8298	98.22	35.4
2023-03-18 00:25:00	0	0	0	0	273	12.15	16.78	35.5	78.3	98.23	-0.5	-0.6	0	35.5	0.15	100	8301	98.22	35.2
2023-03-18 00:30:00	0	0	0	0	275	11.05	16.24	35.5	78.3	98.24	-0.7	-0.5	0	35.5	0.15	100	8303	98.23	35
2023-03-18 00:35:00	0	0	0	0	273	10.63	17.72	35.5	77.2	98.25	-0.6	-0.6	0	35.5	0.16	100	8301	98.23	35
2023-03-18 00:40:00	0	0	0	0	278	9.4	15.52	35.3	77.6	98.24	-1	-0.5	0	35.3	0.16	100	8303	98.23	34.9
2023-03-18 00:45:00	0	0	0	0	284	8.86	14.03	35.2	77.3	98.24	-0.8	-0.6	0	35.2	0.16	100	8304	98.22	34.8
2023-03-18 00:50:00	0	0	0	0	289	9.86	13.89	35.2	76.6	98.23	-0.8	-0.5	0	35.2	0.16	100	8304	98.22	34.8
2023-03-18 00:55:00	0	0	0	0	290	10.83	16.78	35.2	76.2	98.24	-0.8	-0.5	0	35.2	0.17	100	8306	98.22	34.7
2023-03-18 01:00:00	0	0	0	0	284	11.14	16.8	35.1	76.2	98.23	-0.9	-0.6	0	35.2	0.16	100	8305	98.21	34.5
2023-03-18 01:05:00	0	0	0	0	277	11.14	17.43	35	76.3	98.22	-0.9	-0.7	0	35	0.16	100	8304	98.21	34.3
2023-03-18 01:10:00	0	0	0	0	279	12.59	19.6	35	75.3	98.22	-0.7	-0.5	0	35	0.17	100	8306	98.2	34.2
2023-03-18 01:15:00	0	0	0	0	272	10.04	16.42	35	75	98.23	-0.8	-0.5	0	35	0.17	100	8306	98.21	34.2
2023-03-18 01:20:00	0	0	0	0	278	9.86	13.91	35	75	98.22	-0.7	-0.6	0	35	0.17	100	8303	98.21	34.1
2023-03-18 01:25:00	0	0	0	0	278	10.83	17.72	34.8	75.5	98.22	-0.7	-0.5	0	34.8	0.17	100	8304	98.21	34
2023-03-18 01:30:00	0	0	0	0	279	11.01	19.3	34.8	74.6	98.23	-0.7	-0.7	0	34.8	0.17	100	8303	98.22	33.9
2023-03-18 01:35:00	0	0	0	0	278	10.96	16.35	34.7	75	98.24	-1	-0.4	0	34.7	0.17	100	8302	98.23	33.9
2023-03-18 01:40:00	0	0	0	0	268	8.63	14.2	34.6	75.5	98.26	-0.8	-0.5	0	34.6	0.17	100	8302	98.24	33.8
2023-03-18 01:45:00	0	0	0	0	269	10.2	14.99	34.6	75	98.26	-0.9	-0.6	0	34.5	0.17	100	8302	98.24	33.8
2023-03-18 01:50:00	0	0	0	0	267	12.62	24.27	34.6	73.6	98.26	-0.8	-0.5	0	34.7	0.18	100	8302	98.25	33.8
2023-03-18 01:55:00	0	0	0	0	271	10.98	15.93	34.6	72.9	98.26	-0.5	-0.3	0	34.6	0.18	100	8304	98.25	33.8
2023-03-18 02:00:00	0	0	0	0	268	11.03	15.9	34.7	72.1	98.26	-1.1	-0.5	0	34.6	0.19	100	8304	98.25	33.8
2023-03-18 02:05:00	0	0	0	0	264	9.46	14.72	34.6	71.5	98.28	-0.7	-0.5	0	34.5	0.19	100	8303	98.26	33.7
2023-03-18 02:10:00	0	0	0	0	266	11.25	15.52	34.6	71.2	98.28	-0.7	-0.7	0	34.6	0.19	100	8301	98.26	33.7
2023-03-18 02:15:00	0	0	0	0	274	10.16	15.12	34.5	71	98.28	-0.7	-0.5	0	34.5	0.2	100	8303	98.27	33.7
2023-03-18 02:20:00	0	0	0	0	272	9.48	13.85	34.4	71.2	98.29	-0.7	-0.6	0	34.4	0.19	100	8300	98.28	33.6
2023-03-18 02:25:00	0	0	0	0	270	10.11	14.83	34.4	70.7	98.3	-0.7	-0.3	0	34.4	0.2	100	8303	98.28	33.6
2023-03-18 02:30:00	0	0	0	0	265	11.5	16.53	34.3	70.3	98.3	-0.7	-0.6	0	34.3	0.2	100	8304	98.28	33.6
2023-03-18 02:35:00	0	0	0	0	270	10.02	17.09	34.3	71.8	98.29	-0.6	-0.5	0	34.3	0.19	100	8302	98.28	33.6
2023-03-18 02:40:00	0	0	0	0	266	8.84	14.27	34.3	71.5	98.3	-0.8	-0.7	0	34.4	0.19	100	8300	98.28	33.5
2023-03-18 02:45:00	0	0	0	0	262	9.44	12.55	34.3	71.6	98.3	-0.9	-0.4	0	34.3	0.19	100	8301	98.28	33.5
2023-03-18 02:50:00	0	0	0	0	264	13.85	20.45	34.2	71.8	98.29	-0.7	-0.7	0	34.2	0.19	100	8299	98.27	33.5
2023-03-18 02:55:00	0	0	0	0	265	13.98	19.66	34.3	70.9	98.29	-0.7	-0.1	0	34.3	0.2	100	8300	98.27	33.5
2023-03-18 03:00:00	0	0	0	0	269	12.91	21	34.2	71.8	98.28	-1	-0.4	0	34.2	0.19	100	8298	98.27	33.5
2023-03-18 03:05:00	0	0	0	0	271	9.24	16.04	34.2	72.1	98.28	-0.9	-0.6	0	34.2	0.19	100	8299	98.26	33.4
2023-03-18 03:10:00	0	0	0	0	267	15.26	24.79	34.2	72	98.27	-0.6	-0.2	0	34.2	0.19	100	8299	98.25	33.4
2023-03-18 03:15:00	0	0	0	0	267	12.06	19.28	34.1	71.3	98.27	-0.6	-0.4	0	34.1	0.19	100	8298	98.25	33.3
2023-03-18 03:20:00	0	0	0	0	272	13.33	25.9	34	70.9	98.26	-0.6	-0.5	0	34	0.19	100	8297	98.24	33.3
2023-03-18 03:25:00	0	0	0	0	270	14.52	20.74	33.9	69.8	98.26	-1.3	-0.8	0	33.9	0.2	100	8298	98.24	33.2
2023-03-18 03:30:00	0	0	0	0	265	10.83	16.04	33.9	69.6	98.26	-0.9	-0.5	0	33.9	0.2	100	8297	98.24	33.2
2023-03-18 03:35:00	0	0	0	0	270	11.52	15.46	33.9	69.7	98.26	-1	-0.6	0	33.9	0.2	100	8298	98.24	33.1
2023-03-18 03:40:00	0	0	0	0	268	12.8	22.53	33.8	69.9	98.26	-0.8	-0.6	0	33.8	0.2	100	8297	98.24	33.1
2023-03-18 03:45:00	0	0	0	0	270	10.94	20.11	33.8	70.9	98

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-18 04:00:00	0	0	0	0	265	10.22	18.7	33.6	71.2	98.29	-0.9	-0.6	0	33.6	0.19	100	8296	98.28	32.8
2023-03-18 04:05:00	0	0	0	0	263	9.06	15.28	33.6	70.3	98.28	-1	-0.7	0	33.6	0.19	100	8296	98.26	32.8
2023-03-18 04:10:00	0	0	0	0	261	10.42	14.81	33.5	69.6	98.26	-0.5	-0.4	0	33.5	0.2	100	8295	98.25	32.8
2023-03-18 04:15:00	0	0	0	0	272	9.6	13.06	33.5	69.4	98.27	-0.7	-0.6	0	33.4	0.2	100	8298	98.25	32.7
2023-03-18 04:20:00	0	0	0	0	271	8.57	13	33.4	69.7	98.26	-1	-0.4	0	33.4	0.2	100	8292	98.25	32.6
2023-03-18 04:25:00	0	0	0	0	267	7.81	9.69	33.4	69.7	98.26	-0.8	-0.4	0	33.4	0.2	100	8295	98.24	32.6
2023-03-18 04:30:00	0	0	0	0	269	6.42	8.14	33.3	70	98.24	-0.8	-0.5	0	33.3	0.19	100	8294	98.23	32.5
2023-03-18 04:35:00	0	0	0	0	270	8.03	11.54	33.1	70.5	98.24	-0.9	-0.5	0	33.1	0.19	100	8292	98.22	32.4
2023-03-18 04:40:00	0	0	0	0	274	9.55	13.62	33.1	69.6	98.24	-0.8	-0.5	0	33.1	0.19	100	8295	98.23	32.4
2023-03-18 04:45:00	0	0	0	0	267	7.38	11.1	33.1	70.5	98.25	-0.8	-0.5	0	33.1	0.19	100	8295	98.23	32.3
2023-03-18 04:50:00	0	0	0	0	264	7.49	11.07	33.1	70.5	98.25	-0.9	-0.6	0	33	0.19	100	8292	98.23	32.3
2023-03-18 04:55:00	0	0	0	0	263	10.96	15.99	33	69.2	98.25	-0.8	-0.6	0	33	0.2	100	8293	98.24	32.3
2023-03-18 05:00:00	0	0	0	0	266	9.04	14.05	33	70	98.26	-0.7	-0.4	0	33	0.19	100	8294	98.24	32.3
2023-03-18 05:05:00	0	0	0	0	264	9.33	13.76	33	70.2	98.26	-0.9	-0.4	0	33	0.19	100	8290	98.24	32.2
2023-03-18 05:10:00	0	0	0	0	259	8.03	11.74	33	70.3	98.26	-0.8	-0.4	0	33	0.19	100	8290	98.25	32.2
2023-03-18 05:15:00	0	0	0	0	260	7.25	11.25	32.9	70	98.27	-0.8	-0.5	0	32.9	0.19	100	8291	98.25	32.2
2023-03-18 05:20:00	0	0	0	0	256	7.25	9.6	32.9	70.7	98.27	-1	-0.4	0	33	0.19	100	8291	98.26	32.1
2023-03-18 05:25:00	0	0	0	0	257	6.15	9.53	33	70.8	98.28	-0.8	-0.4	0	33	0.19	100	8292	98.26	32.1
2023-03-18 05:30:00	0	0	0	0	257	7.4	11.9	33	70.5	98.28	-0.7	-0.3	0	33	0.19	100	8290	98.27	32.1
2023-03-18 05:35:00	0	0	0	0	259	6.46	9.62	32.9	71.2	98.29	-0.9	-0.5	0	33	0.18	100	8289	98.27	32.1
2023-03-18 05:40:00	0	0	0	0	257	6.87	11.79	32.9	71	98.29	-0.8	-0.5	0	32.9	0.18	100	8289	98.27	32.1
2023-03-18 05:45:00	0	0	0	0	260	9.04	14.67	33	70.8	98.28	-0.8	-0.4	0	33	0.19	100	8292	98.27	32.1
2023-03-18 05:50:00	0	0	0	0	257	9.37	16.55	33	70.2	98.29	-0.8	-0.5	0	33	0.19	100	8289	98.27	32.1
2023-03-18 05:55:00	0	0	0	0	270	9.98	15.3	33	70.6	98.28	-1	-0.3	0	33.1	0.19	100	8289	98.26	32.1
2023-03-18 06:00:00	0	0	0	0	259	9.84	14	33	70.3	98.28	-0.8	-0.4	0	33	0.19	100	8290	98.27	32.1
2023-03-18 06:05:00	0	0	0	0	262	9.57	13.87	33.1	70.5	98.29	-0.8	-0.5	0	33.1	0.19	100	8287	98.28	32.2
2023-03-18 06:10:00	0	0	0	0	261	6.96	11.01	33.1	70.5	98.3	-0.8	-0.5	0	33	0.19	100	8289	98.28	32.1
2023-03-18 06:15:00	0	0	0	0	263	8.16	12.24	33	70.6	98.3	-1	-0.5	0	33	0.19	100	8289	98.28	32.1
2023-03-18 06:20:00	0	0	0	0	262	7.96	10.45	33	70.8	98.3	-0.7	-0.4	0	33	0.19	100	8289	98.29	32.1
2023-03-18 06:25:00	0	0	0	0	262	10.04	14.81	32.9	70	98.31	-0.8	-0.4	0	32.9	0.19	100	8289	98.29	32.1
2023-03-18 06:30:00	0	0	0	0	257	7.96	11.16	33	70.8	98.31	-0.7	-0.5	0	33	0.19	100	8287	98.29	32.1
2023-03-18 06:35:00	0	0	0	0	263	8.57	11.9	33.1	70.2	98.31	-0.6	-0.6	0	33.1	0.19	100	8289	98.29	32.1
2023-03-18 06:40:00	0	0	0	0	256	5.95	9.1	33.1	70.2	98.31	-0.8	-0.5	0	33	0.19	100	8288	98.29	32.1
2023-03-18 06:45:00	0	0	0	0	251	5.88	7.99	33	70.4	98.31	-0.8	-0.4	0	33	0.19	100	8285	98.29	32.1
2023-03-18 06:50:00	0	0	0	0	263	5.46	9.33	32.9	71	98.32	-0.7	-0.5	0	32.9	0.18	100	8286	98.3	32
2023-03-18 06:55:00	0	0	0	0	262	6.04	8.12	32.9	71	98.32	-0.9	-0.4	0	32.9	0.18	100	8286	98.31	32
2023-03-18 07:00:00	0	0	0	0	265	4.92	6.8	32.9	71.1	98.32	-0.9	-0.5	0	32.9	0.18	100	8286	98.31	31.9
2023-03-18 07:05:00	0.4	0	0	0	264	4.94	6.73	32.8	71.2	98.33	-0.9	-0.5	0	32.8	0.18	100	8286	98.31	31.9
2023-03-18 07:10:00	1.2	0	0	0	257	5.66	7.7	32.8	71.6	98.34	-1	-0.5	0	32.8	0.18	100	8283	98.32	31.9
2023-03-18 07:15:00	3	0	0	0	263	4.32	6.82	32.7	71.9	98.34	-0.8	-0.4	0	32.7	0.18	100	8282	98.33	31.8
2023-03-18 07:20:00	5.4	0	0	0	244	5.14	9.8	32.7	71.5	98.35	-0.7	-0.4	0	32.8	0.18	100	8284	98.33	31.8
2023-03-18 07:25:00	7.8	0	0	0	245	5.35	10.67	32.8	71.4	98.35	-0.8	-0.5	0	32.8	0.18	100	8285	98.33	31.8
2023-03-18 07:30:00	10.2	0	0	0	258	7.63	12.86	32.9	71.1	98.35	-0.7	-0.5	0	32.9	0.18	100	8283	98.33	31.9
2023-03-18 07:35:00	12.6	0	0	0	259	8.39	15.64	32.9	71	98.35	-0.8	-0.5	0	32.9	0.18	100	8284	98.34	32
2023-03-18 07:40:00	18.2	0	0	0	256	8.63	12.57	33.1	70.4	98.35	-0.9	-0.5	0	33.3	0.19	100	8286	98.34	32.1
2023-03-18 07:45:00	17	0	0	0	258	8.75	13.6	33.3	69.3	98.35	-0.7	-0.5	0	33.3	0.2	100	8285	98.34	32.2
2023-03-18 07:50:00	14.6	0	0	0	240	8.84	11.61	33.3	68.6	98.35	-0.9	-0.6	0	33.4	0.2	100	8282	98.34	32.3
2023-03-18 07:55:00	14.6	0	0	0	223	9.19	14.23	33.4	67.4	98.35	-0.8	-0.4	0	33.4	0.21	100	8285	98.33	32.4
2023-03-18 08:00:00	13	0	0	0	240	12.12	20.67	33.5	66	98.34	-0.7	-0.5	0	33.5	0.22	100	8282	98.33	32.6
2023-03-18 08:05:00	18.8	0	0	0	239	15.19	25.93	33.5	66.6	98.34	-0.9	-0.6	0	33.6	0.22	100	8282	98.33	32.6
2023-03-18 08:10:00	32.6	0	0	0	231	17.22	24.67	33.5	66.5	98.34	-1	-0.5	0	33.6	0.22	100	8284	98.32	32.6
2023-03-18 08:15:00	39.6	0	0	0	252	13.4	20.04	33.4	66.7	98.33	-1.2	-0.5	0	33.4	0.22	100	8284	98.32	32.6
2023-03-18 08:20:00	46.4	0	0	0	243	11.92	20.36	33.4	66.6	98.33	-0.7	-0.8	0	33.5	0.22	100	8282	98.32	32.6
2023-03-18 08:25:00	51.6	0	0	0	234	14.47	23.94	33.4	66.9	98.32	-1	-0.4	0	33.5	0.21	100	8285	98.31	32.6
2023-03-18 08:30:00	61.4	0	0	0	262	12.37	20.69	33.4	66.1	98.33	-0.6	-0.7	0	33.6	0.22	100	8285	98.31	32.7
2023-03-18 08:35:00	74	0	0	0	272	11.36	16.31	33.5	66.3	98.33	-0.7	-0.6	0	33.5	0.22	100	8285	98.31	32.7
2023-03-18 08:40:00	86.2	0	0	0	257	16.84	27.72	33.4	65.5	98.32	-0.8	-0.6	0	33.6	0.22	100	8288	98.3	32.7
2023-03-18 08:45:00	100.4	0	0	0	259	14	20.6	33.5	64.6	98.3	-0.7	-0.4	0	33.7	0.23	100	8289	98.29	32.7
2023-03-18 08:50:00	106.6	0	0	0	264	13.82	20.13	33.5	65	98.3	-0.9	-0.5	0	33.8	0.23	100	8290	98.29	32.7
2023-03-18 08:55:00	129.4	0	0	0	259	12.19	17.25	33.5	64.6	98.29	-0.9	-0.3	0	33.8	0.23	100	8295	98.28	32.7
2023-03-18 09:00:00	147.6	0	0	0	262	11.01	17.09	33.7	65.3	98.3	-0.7	-0.6	0	34.1	0.23	100	8301	98.28	32.8
2023-03-18 09:05:00	127.2	0	0	0	262	9.91	14.5	33.8	64.9	98.29	-0.8	-0.3	0	34.1	0.23	100	8303	98.28	32.9
2023-03-18 09:10:00	126.4	0	0	0	247	11.52	15.73	34	64.9	98.29	-0.9	-0.4	0	34.3	0.23	100	8309	98.28	32.9
2023-03-18 09:15:00	250.6	0	0	0	260	10.65	17.6	34.6	64.1	98.27	-0.7	-0.4	0	35.2	0.24	100	8324	98.29	33.1
2023-03-18 09:20:00	156.2	0	0	0	263	10.8	16.4	35.2	62.9	98.29	-0.9	-0.4	0	35.6	0.26	100	8323	98.28	33.5
2023-03-18 09:25:00	341.8	0	0	0	252	8.32	12.57	35.4	63.4	98.27	-0.8	-0.4	0	36.2	0.26	100	8346	98.29	33.9
2023-03-18 09:30:00	222.4	0	0	0	222	12.53	18.77	36	62.3	98.3	-0.8	-0.4	0	36.5	0.27	100	8343	98.29	34.6
2023-03-18 09:35:00	199.4	0	0	0	244	11.61	17.45	35.9	62.6	98.31	-0.5	-0.4	0	36.4	0.27	100	8344	98.3	34.9
2023-03-18 09:40:00	193	0	0	0	262	12.59	18.39	35.4	61.9	98.3	-0.7	-0.2	0	35.8	0.27	100	8344	98.3	34.9
2023-03-18 09:45:00	174.6	0	0	0	252	12.73	17.45	35.2	63.4	98.31	-1	-0.5	0	35.5	0.25	100	8344	98.29	34.9
2023-03-18 09:50:00	149.8	0	0	0	221	16.49	22.57	34.9	63.9	98.31	-0.9	-0.1	0	35.2	0.25	100	8340	98.31	34.8
2023-03-18 09:55:00	137.8	0	0	0	233	12.46	20.47	34.5	65.7	98.32	-0.6	-0.6	0	34.8	0.23	100	8341	98.31	34.5
2023-03-18 10:00:00	127.6	0	0	0	229	12.21	17.74	34.3	67.7	98.32	-0.8	-0.6	0	34.6	0.22	100	8340	98.31	34.4
2023-03-18 10:05:00	243	0	0	0	219	12.82	16.15	34.4	69.3	98.32	-0.8	-0.6	0	34.8	0.21	100	8346	98.31	34.2
2023-03-18 10:10:00	250.8	0	0	0	228	13.33	21.63	34.7	69.7	98.32	-0.7	-0.5	0	35.3	0.21	100	8349	98.31	34.3
2023-03-18 10:15:00	226.6	0	0	0	232	11.5	18.21	34.6	69.6	98.32	-0.9	-0.1	0	35.1	0.21	100	8353	98.32	34.4
2023-03-18 10:20:00	325	0	0	0	225	13.8	20.11	34.9	70.6	98.31	-0.8	-0.5	0	35.5	0.2	100	8360	98.31	34.5
2023-03-18 10:25:00	260.2	0	0	0	227	13.02	18.37	35	72	98.32	-0.7	-0.4	0	35.6	0.19	100	8362	98.31	34.7
2023-03-18 10:30:00	247.4	0	0	0	239	10.45	19.17	34.8	73	98.32	-0.8	-0.5	0	35.5	0.18	100	8363	98.31	34.7
2023-03-18 10:35:00	329	0	0	0	217	14	22.26	34.9	73.5	98.3	-0.8	-0.4	0	35.6	0.18	100	8371	98.3	34.8
2023-03-18 10:40:00	446.8	0	0	0	216	13.91	17.85	35.7	72.6	98.29	-0.7	-0.6	0	36.5	0.19	100	8381	98.3	35
2023-03-18 10:45:00	335	0	0	0	232	11.5	17.72	36	73.2	98.3	-0.7	-0.6	0	36.7	0.19	100	8384	98.29	35.4
2023-03-18 10:50:00	367.4	0	0	0	209	13.33	21.14	36.1	72.8	98.29	-0.6	-0.6	0	36.9	0.2	100	8389	98.29	35.7
2023-03-18 10:55:00	596.2	0	0	0	230	11.83	18.72	36.7	73.5	98.27	-0.9	-0.3	0	37.6	0.2	100	8411	98.29	36
2023-03-18 11:00:00	643.4	0	0	0	202	10.07	21.23	38.3	70.6	98.26	-0.6	-0.5	0	39.2	0.23	100	8428	98.28	36.9
2023-03-18 11:05:00	487	0	0	0	199	14.61	20.67	39.2	67.3	98.28	-0.9	-0.6	0	39.9	0.27	100	8431	98.28	37.6
2023-03-18 11:10:00	598.8	0	0	0	216	14.05	23.15	39.6	66.7	98.27	-0.7	-0.6	0	40.3	0.27	100	8441	98.28	38
2023-03-18 11:15:00	571.6	0	0	0	230	8.46	13	39.5	67.5	98.28	-0.5	-0.5	0	40.4	0.27	100	8452	98.29	38.6
2023-03-18 11:20:00	713	0	0	0	205	13.09	22.3	41	66	98.24	-0.7	-0.6	0	41.9	0.3	100	8466	98.28	39.4
2023-03-18 11:25:00	503.2	0	0	0	210	16.15	23.55	41.6	61.1	98.28	-0.6	0	0	42.4	0.35	100	8459	98.28	39.8
2023-03-18 11:30:00	268.2	0	0	0	242	14.25	24.72	40.6	59.9	98.3	-0.7	-0.7	0	41.1	0.34	100	8457	98.29	39.8
2023-03-18 11:35:00	119.2	0	0	0	249	14.99	23.31	39.5	59.6	98.31	-0.5	-0.6	0	39.8	0.33	100	8449	98.29	39.4
2023-03-18 11:40:00	87.6	0	0	0	296	21.59	29.53	38.2	65	98.3	-0.4	-0.5	0	38.3	0.27	100	8444	98.28	38.3
2023-03-18 11:45:00	99	0	0	0	284	19.15	26.53	36.2	71.3	98.32	-0.6	-0.9	0	36.4	0.21	100	8439	98.3	36.9
2023-03-18 11:50:00	169.6	0	0	0	274	15.84	23.33	34.8	77.1	98.32	-1	0.2	0	35	0.16	100	8434	98.31	35.6
2023-03-18 11:55:00	230.8	0	0	0	246	16.26	25.81	33.9	79.6	98.32	-1.4	-0.2	0	34.4	0.13	100	8437	98.32	34.8
2023-03-18 12:00:00	239.8	0	0	0	246	15.79	23.38	33.6	79.7	98.31	-0.9	-0.5	0	34	0.13	100	8438	98.31	34.5
2023-03-18 12:05:00	646	0	0	0	252	14.05	24.54	34.6	79.5	98.27	-0.8	-0.2	0	35.4	0.14	100	8459	98.3	34.4
2023-03-18 12:10:00	610.4	0	0	0	243	14.14	18.84	36.9	76.6	98.27	-0.7	-0.4	0	37.7	0.17	100	8477	98.29	34.9
2023-03-18 12:15:00	676	0	0	0	244	14.05	20.71	38.7	72.1	98.27	-0.7	-0.7	0	39.6	0.22	100	8490	98.3	35.7
2023-03-18 12:20:00	537.2	0	0	0	257	13.71	23.11	39.7	67.7	98.28	-0.8	-1	0	40.5	0.27	100	8487	98.29	36.8
2023-03-18 12:25:00	263.4	0	0	0	245	19.6	38.56	38.9	62.8	98.31	-0.8	-0.4	0	39.5	0.3	100	8481	98.29	37.3
2023-03-18 12:30:00	475.8	0	0	0	263	21.56	29.66	38.7	59.1	98.27	-1.1	-0.3	0	39.2	0.33	100	8490	98.27	37.1
2023-03-18 12:35:00	455.6	0	0	0	259	18.25	27.74	38.4	59.6	98.27	-0.4	0	0	39	0.32	100	8491	98.27	37.3
2023-03-18 12:40:00	474.2	0	0	0	244	20.6	37.56	38.9	57.1	98.27	-0.6	-0.2	0	39.5	0.35	100	8494	98.26	37.5
2023-03-18 12:45:00	392.8	0	0	0	240	21.88	28.7	38.7	55.2	98.28	-1.2	-0.8	0	39.3	0.36	100	8494	98.27	37.6
2023-03-18 12:50:00	386.2	0	0	0	245	19.1	30.29	38.7	55.4	98.27	-0.7	-0.5	0	39.3	0.36	100	8494	98.27	37.7
2023-03-18 12:55:00	183.4	0	0	0	262	20.8	30.6	38.2	55.3	98.29	-0.5	-0.6	0	38.4	0.35	100	8488	98.28	37.6
2023-03-18 13:00:00	208	0	0	0	251	19.39	32.17	37.4	55	98.29	-0.6	-0.5	0	37.8	0.34	100	8488	98.27	37.4
2023-03-18 13:05:00	340.4	0	0	0	269	20.04	27.25	37.3	55.2	98.28	-0.5	0	0	37.7	0.34	100	8487	98.27	37.2
2023-03-18 13:10:00	267.4	0	0	0	278	21.36	30.06	37	54.1	98.28	-0.8	-0.7	0	37.4	0.34	100	8486	98.26	37
2023-03-18 13:15:00	493.2	0	0	0	279	16.8	27.67	37	54.5	98.26	-0.8	-0.3	0	37.6	0.34	100	8494	98.26	37.1
2023-03-18 13:20:00	266.6	0	0	0	280	19.86	26.96	37.7	53.3	98.26	-0.5	-0.2	0	38.2	0.36	100	8491	98.25	37.4
2023-03-18 13:25:00	285.8	0	0	0	272	16.28	26.24	37.3	52.7	98.27	-0.5	-0.6	0	37.8	0.36	100	8492	98.26	37.2
2023-03-18 13:30:00	368	0	0	0	270	19.48	33.69	37.3	53.6	98.26	-0.6	-0.6	0	37.9	0.35	100	8495	98.25	37.2
2023-03-18 13:35:00	379.8	0	0	0	277	17.98	23.31	37.3	52.1	98.25	-0.8	-0.3	0	38	0.36	100	8495	98.25	37.2
2023-03-18 13:40:00	404.2	0	0	0	268	20.96	28.52	37.7	52	98.24	-0.8	0.5	0	38.2	0.37	100	8495	98.24	37.3
2023-03-18 13:45:00	281	0	0	0	263	20.36	28.77	37.3	51.6	98.25	-0.8	-1	0	37.8	0.37	100	8496	98.24	37.1
2023-03-18 13:50:00	397.8	0	0	0	262	19.42	35.41	37.2	51.8	98.24	-0.3	-0.9	0	37.8	0.36	100	8501	98.23	37.1
2023-03-18 13:55:00	560.6	0	0	0	274	19.53	31	37.8	51.7	98.23	-0.7	-0.7	0	38.4	0.37	100	8502	98.22	37.3
2023-03-18 14:00:00	592.6	0	0	0	282	23.09	31.79	38.7	50.2	98.22	-0.2	-0.9	0	39.3	0.4	100	8505	98.22	37.5
2023-03-18 14:05:00	537.4	0	0	0	271	19.6	33.73	38.9	50.6	98.23	-0.7	-0.6	0	39.4	0.4	100	8507	98.22	37.7
2023-03-18 14:10:00	352.4	0	0	0	270	19.73	32.66	38.3	50	98.25	-0.4	-0.3	0	38.9	0.39	100	8505	98.22	37.7
2023-03-18 14:15:00	292.6	0	0	0	271	17.69	23.6	37.9	50.3	98.24	-0.7	-0.2	0	38.4	0.38	100	8507	98.22	37.5
2023-03-18 14:20:00	315.2	0	0	0	268	16.11	22.26	37.5	51.7	98.23	-0.6	-0.5	0	38.1	0.37	100	8503	98.22	37.3
2023-03-18 14:25:00	314.6	0	0	0	266	21.74	33.26	37.7	50.7	98.22	-1.5	-0.6	0	38.2	0.38	100	8506	98.21	37.4
2023-03-18 14:30:00	287	0	0	0	271	24.38	36.8	37.2	49.2	98.21	-0.4	-0.6	0	37.7	0.38	100	8507	98.19	37.1
2023-03-18 14:35:00	289.4	0	0	0	264	25.68	36.44	36.9	50.2	98.21	-0.3	-1.2	0	37.3	0.37	100	8507	98.2	37
2023-03-18 14:40:00	290	0	0	0	252	21.74	32.06	36.5	51.6	98.22	-1.5	-0.9	0	37	0.35	100	8508	98.21	36.7
2023-03-18 14:45:00	281	0	0	0	267	15.95	24.47	36.4	51.8	98.21	-1	-0.2	0	36.9	0.35	100	8507	98.21	36.7
2023-03-18 14:50:00	232	0	0	0	247	18.43	31.88	36.4	53.6	98.22	-0.8	-0.6	0	36.8	0.34	100	8508	98.2	36.7
2023-03-18 14:55:00	354.6	0	0	0	256	21.5	32.84	36.2	51.7	98.2	-1	-0.3	0	36.8	0.35	100	8509	98.19	36.5
2023-03-18 15:00:00	269	0	0	0	267	20.85	31.45	36.3	51.6	98.2	-0.7	-0.8	0	36.8	0.35	100	8510	98.19	36.4
2023-03-18 15:05:00	235.8	0	0	0	270	22.03	35.54	36.2	52.6	98.2	-1.4	-0.7	0	36.6	0.34	100	8511	98.18	36.3
2023-03-18 15:10:00	221.4	0	0	0	259	20.27	29.55	35.9	51.8	98.19	-1.1	-0.3	0	36.2	0.34	100	8509	98.18	36
2023-

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-18 15:25:00	202.2	0	0	0	264	22.46	30.78	35	54.9	98.2	-0.2	0.2	0	35.3	0.31	100	8507	98.19	35.3
2023-03-18 15:30:00	171.2	0	0	0	258	25.05	34.43	34.6	57.1	98.21	0.2	-1.8	0	34.8	0.29	100	8507	98.2	34.9
2023-03-18 15:35:00	174.8	0	0	0	249	19.62	29.33	34.1	58.4	98.22	-1.7	-1	0	34.4	0.28	100	8504	98.2	34.6
2023-03-18 15:40:00	179.4	0	0	0	251	19.66	37.07	33.9	57.7	98.21	-1.1	-0.9	0	34.2	0.28	100	8504	98.19	34.5
2023-03-18 15:45:00	190.2	0	0	0	266	19.73	29.68	34	57.7	98.21	-0.6	-1	0	34.3	0.28	100	8505	98.2	34.4
2023-03-18 15:50:00	198.4	0	0	0	255	22.17	29.8	34.1	56.4	98.21	-1	-0.8	0	34.4	0.29	100	8507	98.19	34.4
2023-03-18 15:55:00	181.2	0	0	0	256	14.97	22.68	34.2	55.5	98.21	-0.7	-0.7	0	34.5	0.3	100	8504	98.2	34.4
2023-03-18 16:00:00	218	0	0	0	260	14.99	24.81	34.3	54.4	98.2	-0.8	-0.9	0	34.7	0.31	100	8505	98.19	34.6
2023-03-18 16:05:00	192.8	0	0	0	244	18.81	34.05	34.6	53.4	98.2	-0.6	-0.3	0	35	0.32	100	8504	98.18	34.7
2023-03-18 16:10:00	197.6	0	0	0	239	22.64	38.27	34.7	51.5	98.18	-1.4	-1.8	0	35.1	0.33	100	8505	98.17	34.7
2023-03-18 16:15:00	208.4	0	0	0	252	18.45	26.51	34.7	52.3	98.19	-0.4	-0.9	0	35.1	0.32	100	8506	98.18	34.7
2023-03-18 16:20:00	274.2	0	0	0	255	16.49	26.06	35	52.2	98.19	-1.2	-0.5	0	35.6	0.33	100	8505	98.18	34.9
2023-03-18 16:25:00	482	0	0	0	239	17.27	27.22	35.7	49.7	98.18	-0.3	-0.7	0	36.3	0.36	100	8505	98.17	35.3
2023-03-18 16:30:00	337.6	0	0	0	268	16.24	25.19	36.6	48.7	98.19	-0.2	-0.6	0	37.3	0.38	100	8504	98.18	35.9
2023-03-18 16:35:00	257.4	0	0	0	270	15.68	22.86	36.6	46.6	98.19	-0.6	-0.5	0	37	0.39	100	8504	98.17	35.8
2023-03-18 16:40:00	279.2	0	0	0	260	17.11	24.18	36.7	47.2	98.19	-0.9	-0.3	0	37.2	0.39	100	8502	98.17	35.9
2023-03-18 16:45:00	265	0	0	0	267	12.66	20.51	36.6	48.4	98.19	-0.9	-0.4	0	37.3	0.38	100	8501	98.17	36
2023-03-18 16:50:00	189.8	0	0	0	263	11.95	18.19	36.4	48	98.19	-0.8	-0.4	0	36.9	0.38	100	8501	98.17	35.9
2023-03-18 16:55:00	119	0	0	0	262	13.29	21.03	36.2	49	98.19	-1.1	-0.5	0	36.5	0.37	100	8500	98.17	35.7
2023-03-18 17:00:00	111.6	0	0	0	250	13.15	21.09	35.8	49.2	98.19	-0.6	-0.5	0	36	0.36	100	8498	98.17	35.3
2023-03-18 17:05:00	97.6	0	0	0	234	17.85	26.73	35.5	49.7	98.18	-0.4	-0.5	0	35.7	0.35	100	8489	98.16	35.2
2023-03-18 17:10:00	89	0	0	0	258	15.08	24.87	35.1	51.5	98.19	-0.8	-0.1	0	35.3	0.34	100	8489	98.17	35
2023-03-18 17:15:00	85.2	0	0	0	257	16.26	23.17	34.8	52.4	98.2	-0.6	-0.6	0	35	0.33	100	8488	98.18	34.7
2023-03-18 17:20:00	133.2	0	0	0	251	14.92	24.81	34.6	53.7	98.2	-0.6	-1	0	34.8	0.31	100	8488	98.18	34.6
2023-03-18 17:25:00	148.8	0	0	0	260	14.76	24.56	34.5	56.3	98.21	-1.2	-0.9	0	34.8	0.3	100	8491	98.19	34.5
2023-03-18 17:30:00	87.6	0	0	0	247	16.44	24.76	34.4	57.7	98.23	-0.9	-0.5	0	34.6	0.28	100	8489	98.21	34.3
2023-03-18 17:35:00	69.6	0	0	0	256	18.95	27.81	33.9	60.6	98.23	-0.7	0.4	0	34.1	0.26	100	8486	98.21	33.9
2023-03-18 17:40:00	85.2	0	0	0	254	20.67	31.38	33.5	62.3	98.24	-0.7	-0.8	0	33.6	0.24	100	8487	98.23	33.5
2023-03-18 17:45:00	161.8	0	0	0	239	20.04	30.33	33.2	63.8	98.24	-0.8	-0.6	0	33.4	0.23	100	8488	98.22	33.4
2023-03-18 17:50:00	151	0	0	0	237	21.9	33.22	33.2	64.4	98.24	-0.5	-0.7	0	33.4	0.23	100	8488	98.22	33.3
2023-03-18 17:55:00	103.8	0	0	0	242	18.95	25.95	33	64.7	98.24	-1	-0.8	0	33.3	0.23	100	8486	98.23	33.1
2023-03-18 18:00:00	52.2	0	0	0	242	15.03	20.78	32.8	66.6	98.25	-0.8	-0.5	0	32.9	0.21	100	8485	98.23	32.7
2023-03-18 18:05:00	50.6	0	0	0	241	13.96	24.45	32.4	68.3	98.25	-0.8	-0.5	0	32.5	0.2	100	8482	98.23	32.3
2023-03-18 18:10:00	38.4	0	0	0	241	15.88	21.12	32.1	68.9	98.25	-1	-0.5	0	32.1	0.19	100	8479	98.23	32
2023-03-18 18:15:00	29.4	0	0	0	240	15.35	21.88	31.8	71	98.26	-0.9	-0.2	0	31.9	0.18	100	8478	98.24	31.8
2023-03-18 18:20:00	22	0	0	0	260	10.45	14.83	31.7	71.3	98.26	-0.7	-0.6	0	31.8	0.17	100	8476	98.24	31.6
2023-03-18 18:25:00	6.8	0	0	0	259	14.23	25.77	31.6	71.4	98.27	-0.5	-0.5	0	31.6	0.17	100	8474	98.25	31.5
2023-03-18 18:30:00	5.6	0	0	0	274	21.61	34.78	31.6	71.3	98.29	-0.8	-0.4	0	31.6	0.17	100	8473	98.26	31.4
2023-03-18 18:35:00	7	0	0	0	277	27.42	42.03	31.2	71.8	98.28	0.1	-1.4	0	31.2	0.17	100	8471	98.28	30.9
2023-03-18 18:40:00	19	0	0	0	267	23.76	31.68	30.3	74.7	98.3	0.9	0.2	0	30.3	0.14	100	8472	98.28	30.1
2023-03-18 18:45:00	26.8	0	0	0	258	19.82	29.01	29.6	76.8	98.31	-1.2	-0.1	0	29.7	0.13	100	8470	98.3	29.8
2023-03-18 18:50:00	18	0	0	0	256	21.79	32.59	29.3	75.1	98.31	-0.5	-0.7	0	29.4	0.14	100	8467	98.31	29.5
2023-03-18 18:55:00	10.6	0	0	0	253	20.71	28.45	29.3	74.5	98.32	-0.9	-0.9	0	29.3	0.14	100	8466	98.31	29.3
2023-03-18 19:00:00	6	0	0	0	261	20.54	30.42	29.3	73.5	98.32	-1	-0.6	0	29.3	0.14	100	8466	98.31	29.1
2023-03-18 19:05:00	3.8	0	0	0	257	18.77	30.31	29.2	72.4	98.33	-0.5	-0.3	0	29.2	0.15	100	8464	98.32	28.9
2023-03-18 19:10:00	2.2	0	0	0	262	19.77	28.07	29	71.7	98.33	-0.7	-0.3	0	29	0.15	100	8464	98.32	28.7
2023-03-18 19:15:00	0.8	0	0	0	262	20.38	32.3	28.9	71.3	98.33	-0.9	-0.5	0	28.9	0.15	100	8464	98.32	28.6
2023-03-18 19:20:00	0	0	0	0	259	19.64	26.13	28.9	70.6	98.34	-0.6	-0.7	0	28.9	0.16	100	8460	98.33	28.5
2023-03-18 19:25:00	0	0	0	0	258	15.86	23.69	28.9	70.5	98.35	-0.8	-0.6	0	28.9	0.16	100	8464	98.34	28.5
2023-03-18 19:30:00	0	0	0	0	262	19.91	28.92	29	70.7	98.36	-1.1	-0.1	0	29	0.16	100	8463	98.34	28.4
2023-03-18 19:35:00	0	0	0	0	267	22.01	34.38	28.8	71.5	98.37	-1.4	0.3	0	28.8	0.15	100	8458	98.35	28.3
2023-03-18 19:40:00	0	0	0	0	257	20.38	34.09	28.7	71.4	98.37	-1.4	-0.3	0	28.7	0.15	100	8459	98.36	28.1
2023-03-18 19:45:00	0	0	0	0	253	20.96	32.97	28.6	71.7	98.38	-0.8	-0.4	0	28.6	0.15	100	8459	98.37	28
2023-03-18 19:50:00	0	0	0	0	255	19.22	25.23	28.4	71.9	98.39	-0.6	-0.8	0	28.4	0.15	100	8454	98.37	27.9
2023-03-18 19:55:00	0	0	0	0	262	19.3	32.06	28.4	72	98.39	-0.6	-0.3	0	28.4	0.15	100	8453	98.38	27.8
2023-03-18 20:00:00	0	0	0	0	258	23.98	38.27	28.3	73.2	98.41	-0.8	-1.7	0	28.3	0.14	100	8453	98.39	27.7
2023-03-18 20:05:00	0	0	0	0	263	19.89	28.74	28	74.6	98.41	-0.6	0.2	0	28	0.13	100	8455	98.4	27.4
2023-03-18 20:10:00	0	0	0	0	257	19.75	32.7	27.8	73.3	98.41	-0.7	-0.8	0	27.8	0.14	100	8455	98.41	27.1
2023-03-18 20:15:00	0	0	0	0	260	20.87	30.09	27.5	72.9	98.43	-1	-0.2	0	27.4	0.14	100	8451	98.4	26.8
2023-03-18 20:20:00	0	0	0	0	266	20.38	30.58	27.1	74.1	98.43	-1.2	-0.1	0	27	0.13	100	8449	98.42	26.5
2023-03-18 20:25:00	0	0	0	0	271	19.95	29.48	26.9	74.6	98.44	-0.8	-0.4	0	26.9	0.13	100	8450	98.43	26.2
2023-03-18 20:30:00	0	0	0	0	272	24.74	37.4	26.8	74.5	98.45	-1	-0.8	0	26.8	0.13	100	8450	98.42	26.2
2023-03-18 20:35:00	0	0	0	0	271	24.92	35.93	26.5	75.4	98.46	-0.8	-1	0	26.5	0.12	100	8449	98.44	25.9
2023-03-18 20:40:00	0	0	0	0	273	21.32	29.77	26.2	76.8	98.48	-1.6	-0.8	0	26.2	0.11	100	8446	98.47	25.6
2023-03-18 20:45:00	0	0	0	0	272	22.91	33.49	25.9	77.8	98.49	-0.8	-0.7	0	25.9	0.11	100	8446	98.47	25.4
2023-03-18 20:50:00	0	0	0	0	268	21.59	35.32	25.7	76.8	98.49	-0.9	-0.9	0	25.7	0.11	100	8444	98.48	25.2
2023-03-18 20:55:00	0	0	0	0	260	19.28	26.22	25.4	77.7	98.5	-0.5	-0.9	0	25.3	0.1	100	8446	98.5	25
2023-03-18 21:00:00	0	0	0	0	263	21.16	30.58	25.2	79.6	98.5	-1	-0.9	0	25.2	0.09	100	8444	98.49	24.7
2023-03-18 21:05:00	0	0	0	0	264	18.9	31.59	24.9	78.8	98.51	-1.7	-0.4	0	24.9	0.1	100	8444	98.51	24.4
2023-03-18 21:10:00	0	0	0	0	266	20.45	32.86	24.7	79.4	98.51	-1.2	-0.8	0	24.7	0.09	100	8442	98.51	24.3
2023-03-18 21:15:00	0	0	0	0	267	19.04	25.14	24.8	78.8	98.52	-1.3	-0.8	0	24.8	0.1	100	8442	98.51	24.2
2023-03-18 21:20:00	0	0	0	0	276	17.72	27.67	24.6	77.6	98.53	-0.4	-1	0	24.6	0.1	100	8440	98.53	24.1
2023-03-18 21:25:00	0	0	0	0	272	21.47	32.53	24.5	80.2	98.53	-2	-0.4	0	24.5	0.09	100	8442	98.53	23.9
2023-03-18 21:30:00	0	0	0	0	267	23.02	31.09	24.2	79.5	98.55	-0.9	0.2	0	24.2	0.09	100	8439	98.54	23.5
2023-03-18 21:35:00	0	0	0	0	263	21.34	28.25	23.8	78.1	98.55	-0.9	-0.9	0	23.8	0.1	100	8438	98.54	23.2
2023-03-18 21:40:00	0	0	0	0	265	18.01	29.15	23.6	77.2	98.54	-0.9	-0.6	0	23.6	0.1	100	8438	98.54	22.9
2023-03-18 21:45:00	0	0	0	0	265	21.07	30	23.3	75.6	98.54	-1	-0.9	0	23.3	0.1	100	8440	98.54	22.6
2023-03-18 21:50:00	0	0	0	0	264	16.11	20.47	23.1	74.5	98.55	-1	-0.5	0	23.1	0.11	100	8434	98.55	22.4
2023-03-18 21:55:00	0	0	0	0	265	15.75	23.13	22.9	74	98.56	-1.3	-0.4	0	22.9	0.11	100	8434	98.56	22.3
2023-03-18 22:00:00	0	0	0	0	262	18.5	29.3	22.9	75.9	98.56	-0.8	-0.5	0	22.9	0.1	100	8437	98.56	22.2
2023-03-18 22:05:00	0	0	0	0	268	18.88	30.24	22.9	76.1	98.57	-0.5	-0.7	0	22.9	0.1	100	8434	98.55	22
2023-03-18 22:10:00	0	0	0	0	269	20.42	30.76	22.6	75.6	98.55	-0.2	-1.2	0	22.6	0.1	100	8434	98.55	21.7
2023-03-18 22:15:00	0	0	0	0	265	20.2	30.29	22.4	75.3	98.56	-0.9	-1.3	0	22.5	0.1	100	8431	98.55	21.4
2023-03-18 22:20:00	0	0	0	0	259	18.75	29.19	22.3	75.7	98.55	-1.3	-0.8	0	22.3	0.1	100	8431	98.55	21.2
2023-03-18 22:25:00	0	0	0	0	254	18.05	27.16	22.1	76.2	98.55	-1.6	-0.6	0	22.1	0.1	100	8431	98.54	21.1
2023-03-18 22:30:00	0	0	0	0	237	20.24	32.59	22.1	76.5	98.54	-1.4	0.1	0	22.1	0.1	100	8430	98.53	20.9
2023-03-18 22:35:00	0	0	0	0	252	16.26	23.26	22.1	76.5	98.55	-1.1	-0.5	0	22.1	0.1	100	8429	98.54	20.9
2023-03-18 22:40:00	0	0	0	0	249	18.41	26.75	21.9	77.1	98.54	-1.2	-0.3	0	21.9	0.09	100	8430	98.54	20.8
2023-03-18 22:45:00	0	0	0	0	256	15.64	23.29	22	75.7	98.55	-1.3	-0.2	0	22	0.1	100	8428	98.54	20.6
2023-03-18 22:50:00	0	0	0	0	254	14.83	19.62	21.9	75	98.55	-1.3	-0.5	0	21.9	0.1	100	8428	98.54	20.5
2023-03-18 22:55:00	0	0	0	0	251	15.68	22.95	21.8	72.3	98.55	-1.3	-0.3	0	21.8	0.11	100	8427	98.55	20.4
2023-03-18 23:00:00	0	0	0	0	249	12.01	19.73	21.8	72.3	98.56	-1	-0.4	0	21.8	0.11	100	8426	98.55	20.3
2023-03-18 23:05:00	0	0	0	0	256	13.09	19.69	21.7	71.6	98.56	-1.2	-0.3	0	21.7	0.11	100	8425	98.56	20.2
2023-03-18 23:10:00	0	0	0	0	254	16.2	27.45	21.6	70.9	98.56	-1.4	-0.2	0	21.6	0.12	100	8425	98.55	20.2
2023-03-18 23:15:00	0	0	0	0	243	14.74	26.26	21.7	70.2	98.56	-1.4	-0.3	0	21.7	0.12	100	8425	98.56	20.2
2023-03-18 23:20:00	0	0	0	0	254	17.49	23.94	21.7	68.5	98.58	-1.1	-0.7	0	21.7	0.13	100	8427	98.57	20.2
2023-03-18 23:25:00	0	0	0	0	251	13.8	20.11	21.7	67.6	98.58	-1.1	-0.1	0	21.7	0.13	100	8421	98.58	20.1
2023-03-18 23:30:00	0	0	0	0	248	11.72	17.98	21.7	67.7	98.59	-1.1	-0.3	0	21.7	0.13	100	8423	98.58	20
2023-03-18 23:35:00	0	0	0	0	240	13.35	19.55	21.6	67.9	98.59	-1.1	-0.3	0	21.6	0.13	100	8425	98.58	19.9
2023-03-18 23:40:00	0	0	0	0	245	12.21	17.22	21.5	68.3	98.59	-1.2	-0.6	0	21.5	0.13	100	8423	98.58	19.8
2023-03-18 23:45:00	0	0	0	0	245	12.55	20.02	21.3	68.7	98.58	-0.9	-0.4	0	21.3	0.12	100	8422	98.58	19.7
2023-03-18 23:50:00	0	0	0	0	239	11.52	17.85	21.4	68.5	98.59	-1.2	-0.4	0	21.4	0.12	100	8419	98.58	19.7
2023-03-18 23:55:00	0	0	0	0	247	10.13	15.88	21.2	69.5	98.59	-1.3	-0.5	0	21.2	0.12	100	8421	98.58	19.5
2023-03-19 00:00:00	0	0	0	0	241	10.67	15.28	21.1	70.4	98.58	-1.2	-0.4	0	21.1	0.12	100	8418	98.58	19.4
2023-03-19 00:05:00	0	0	0	0	234	11.01	14	21	70.1	98.58	-1.3	-0.3	0	21	0.12	100	8390	98.58	19.5
2023-03-19 00:10:00	0	0	0	0	230	11.99	21.32	21	70.7	98.58	-1.3	-0.3	0	21	0.11	100	8376	98.58	19.7
2023-03-19 00:15:00	0	0	0	0	226	13.51	20.49	21	71.2	98.58	-1	-0.2	0	21.1	0.11	100	8365	98.58	19.8
2023-03-19 00:20:00	0	0	0	0	225	12.91	18.86	21	70.7	98.58	-1.5	-0.4	0	21	0.11	100	8379	98.57	19.7
2023-03-19 00:25:00	0	0	0	0	224	10.78	14.83	21.1	72.1	98.58	-1.2	-0.4	0	21.1	0.11	100	8386	98.58	19.6
2023-03-19 00:30:00	0	0	0	0	224	11.5	16.02	21	73.9	98.58	-1.3	-0.7	0	21	0.1	100	8386	98.57	19.4
2023-03-19 00:35:00	0	0	0	0	223	12.19	15.5	21	74.9	98.58	-1.3	-0.5	0	21	0.1	100	8390	98.58	19.4
2023-03-19 00:40:00	0	0	0	0	223	10.29	13.96	21.1	75.2	98.59	-1.2	-0.4	0	21.1	0.1	100	8390	98.58	19.3
2023-03-19 00:45:00	0	0	0	0	202	11.79	17.18	21	77.5	98.59	-1.1	-0.4	0	21	0.09	100	8389	98.58	19.3
2023-03-19 00:50:00	0	0	0	0	197	11.77	17.83	21.1	77.1	98.59	-1.2	-0.5	0	21.1	0.09	100	8388	98.58	19.3
2023-03-19 00:55:00	0	0	0	0	198	11.81	16.17	21.1	77.2	98.59	-1.2	-0.5	0	21	0.09	100	8391	98.58	19.3
2023-03-19 01:00:00	0	0	0	0	203	15.37	24.87	21.1	77.8	98.59	-1	-0.4	0	21.1	0.09	100	8392	98.58	19.4
2023-03-19 01:05:00	0	0	0	0	216	19.55	26.11	21.3	78.5	98.59	-1	-0.3	0	21.3	0.08	100	8389	98.58	19.6
2023-03-19 01:10:00	0	0	0	0	215	15.41	23.8	21.3	79	98.59	-1.2	-0.3	0	21.3	0.08	100	8392	98.58	19.6
2023-03-19 01:15:00	0	0	0	0	224	15.39	23.15	21.2	79.2	98.59	-1.5	-0.4	0	21.2	0.08	100	8390	98.58	19.5
2023-03-19 01:20:00	0	0	0	0	228	13.18	19.06	21	80.1	98.58	-1.2	-0.3	0	21	0.08	100	8389	98.58	19.3
2023-03-19 01:25:00	0	0	0	0	228	12.5	17.94	20.9	80.2	98.6	-1.2	-0.4	0	21	0.08	100	8389	98.59	19.2
2023-03-19 01:30:00	0	0	0	0	222	12.48	17.9	20.8	80.7	98.6	-1.2	-0.6	0	20.8	0.07	100	8391	98.59	19.2
2023-03-19 01:35:00	0	0	0	0	204	13.15	19.33	20.8	80.7	98.6	-0.9	-0.3	0	20.8	0.07	100	8389	98.59	19.2
2023-03-19 01:40:00	0	0	0	0	214	12.12	18.7	20.9	80.9	98.6	-1.2	-0.2	0	20.9	0.07	100	8390	98.59	19.2
2023-03-19 01:45:00	0	0	0	0	208	12.71	19.19	20.8	82.1	98.6	-1.2	-0.3	0	20.9	0.07	100	8391	98.59	19.2
2023-03-19 01:50:00	0	0	0	0	207	14.34	20.11	21	82.5	98.6	-1.1	-0.3	0	21	0.07	100	8390	98.59	19.2
2023-03-19 01:55:00	0	0	0	0	209	13.09	17.45	20.9	80.7	98.59	-1.2	-0.5	0	20.9	0.07	100	8391	98.59	19.3
2023-03-19 02:00:00	0	0	0	0	217	13.98	21.61	21	79.9	98.59	-1.5	-0.7	0	21	0.08	100	8390	98.58	19.3
2023-03-19 02:05:00	0	0	0	0	220	15.82	21.36	21.1	79.8	98.59	-1.1	-0.5	0	21.1	0.08	100	8387	98.58	19.3
2023-03-19 02:10:00	0	0	0	0	224	13.53	18.79	21.1	79.8	98.59	-1.1	-0.3	0	21.1	0.08	100	8390	98.58	19.3
2023-03-19 02:15:00	0	0	0	0	227	15.05	22.53	21.1	80.1	98.58	-1.1	-0.7	0	21.1	0.08	100	8388	98.58	19.3
2023-03-19 02:20:00	0	0	0	0	223	13.35	18.86	21.2	81.5	98.58	-1.2	-0.3	0	21.1	0.07	100	8390	98.58	19.4
2023-03-19 02:25:00	0	0	0	0	211	12.55	21.09	21.1	82.1	98.58	-1.2	-0.5	0	21.1	0.07	100	8390	98.58	19.4
2023-03-19 02:30:00	0	0	0	0	215	11.01	19.39	21.1	82.1	98.58	-1.2	-0.5	0	21.1	0.07	100	8390	98.58	19.3
2023-03-19 02:35:00	0	0	0	0	203	10.16	16.11	21	82.5	98.58	-1.2	-0.3	0	21	0.07	100	8388	98.58	19.2
2023-03-19 02:40:00	0	0	0	0	217	11.34	15.23

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-19 02:50:00	0	0	0	0	207	13.44	19.19	21.1	82.1	98.58	-1.1	-0.4	0	21.1	0.07	100	8389	98.57	19.3
2023-03-19 02:55:00	0	0	0	0	207	13.6	18.66	21.2	80.5	98.57	-1.4	-0.7	0	21.1	0.08	100	8387	98.57	19.3
2023-03-19 03:00:00	0	0	0	0	210	12.26	21.25	21.1	79.6	98.57	-1.1	-0.3	0	21.1	0.08	100	8386	98.56	19.3
2023-03-19 03:05:00	0	0	0	0	216	13.29	21.14	21.3	80.6	98.57	-1.2	-0.4	0	21.3	0.08	100	8385	98.56	19.4
2023-03-19 03:10:00	0	0	0	0	222	13.71	21	21.3	80.1	98.56	-1.3	-0.4	0	21.3	0.08	100	8388	98.55	19.5
2023-03-19 03:15:00	0	0	0	0	232	15.35	24.87	21.3	79.9	98.56	-1.2	-0.5	0	21.3	0.08	100	8387	98.56	19.5
2023-03-19 03:20:00	0	0	0	0	231	12.95	18.9	21.4	79.7	98.57	-1.3	-0.3	0	21.4	0.08	100	8381	98.56	19.5
2023-03-19 03:25:00	0	0	0	0	232	12.53	21.18	21.3	78.8	98.56	-1.1	-0.5	0	21.3	0.08	100	8384	98.56	19.4
2023-03-19 03:30:00	0	0	0	0	241	14.52	20.76	21.3	79	98.56	-1.1	-0.5	0	21.3	0.08	100	8386	98.55	19.4
2023-03-19 03:35:00	0	0	0	0	241	13.82	19.69	21.3	78.3	98.55	-1.1	-0.1	0	21.3	0.09	100	8384	98.54	19.5
2023-03-19 03:40:00	0	0	0	0	243	11.99	17.27	21.5	77.5	98.55	-1.1	-0.5	0	21.5	0.09	100	8384	98.54	19.5
2023-03-19 03:45:00	0	0	0	0	238	13.15	19.19	21.5	76.3	98.54	-1.5	-0.4	0	21.5	0.09	100	8385	98.54	19.5
2023-03-19 03:50:00	0	0	0	0	249	11.79	20.02	21.5	75.8	98.55	-1.1	-0.5	0	21.5	0.1	100	8383	98.53	19.5
2023-03-19 03:55:00	0	0	0	0	246	12.82	21.14	21.6	72.9	98.55	-1.2	-0.6	0	21.6	0.11	100	8383	98.54	19.6
2023-03-19 04:00:00	0	0	0	0	254	15.23	21.34	21.7	70.7	98.55	-1.3	-0.6	0	21.7	0.12	100	8387	98.54	19.7
2023-03-19 04:05:00	0	0	0	0	255	16.49	29.68	21.9	69.1	98.55	-1.5	-0.6	0	21.9	0.12	100	8382	98.55	19.9
2023-03-19 04:10:00	0	0	0	0	262	19.35	28.1	22.2	66.3	98.55	-0.5	-0.6	0	22.2	0.14	100	8383	98.54	20.1
2023-03-19 04:15:00	0	0	0	0	254	20.67	30.82	22.4	64.8	98.55	-1.1	-0.1	0	22.4	0.14	100	8383	98.54	20.3
2023-03-19 04:20:00	0	0	0	0	252	23.24	33.49	22.6	62.8	98.54	-0.5	-0.4	0	22.6	0.15	100	8382	98.54	20.5
2023-03-19 04:25:00	0	0	0	0	260	22.1	34.45	22.6	62.6	98.55	-0.9	-0.7	0	22.6	0.16	100	8386	98.54	20.6
2023-03-19 04:30:00	0	0	0	0	258	19.93	33.62	22.6	62.6	98.55	-0.4	-1	0	22.6	0.16	100	8380	98.55	20.6
2023-03-19 04:35:00	0	0	0	0	262	20.31	30.8	22.6	62.7	98.56	-1	-0.7	0	22.6	0.15	100	8381	98.56	20.7
2023-03-19 04:40:00	0	0	0	0	252	24.23	36.55	22.6	61.2	98.56	-1.3	-0.7	0	22.7	0.16	100	8381	98.55	20.7
2023-03-19 04:45:00	0	0	0	0	257	21.27	31.76	22.7	61.5	98.56	-1.5	-1.1	0	22.7	0.16	100	8380	98.55	20.8
2023-03-19 04:50:00	0	0	0	0	258	23.15	41.2	22.6	61.3	98.56	-1.4	0.2	0	22.6	0.16	100	8379	98.54	20.7
2023-03-19 04:55:00	0	0	0	0	260	23.71	38.32	22.5	61	98.56	-1.8	-1	0	22.5	0.16	100	8379	98.55	20.7
2023-03-19 05:00:00	0	0	0	0	264	19.22	28.77	22.3	62.1	98.57	-2.1	0.3	0	22.3	0.16	100	8383	98.56	20.6
2023-03-19 05:05:00	0	0	0	0	271	23.35	35.95	22.4	63.4	98.57	-0.9	-1.6	0	22.3	0.15	100	8380	98.55	20.5
2023-03-19 05:10:00	0	0	0	0	263	22.68	36.01	22.2	63.8	98.58	-1.2	-0.5	0	22.2	0.15	100	8380	98.57	20.5
2023-03-19 05:15:00	0	0	0	0	265	23.2	34.4	22.2	63.7	98.58	-1.6	0.1	0	22.2	0.15	100	8379	98.58	20.6
2023-03-19 05:20:00	0	0	0	0	265	18.84	31.88	22.2	63.8	98.6	-0.9	-0.5	0	22.2	0.15	100	8380	98.6	20.6
2023-03-19 05:25:00	0	0	0	0	275	22.68	35.1	22.1	63.9	98.61	-0.5	-0.6	0	22.1	0.15	100	8380	98.6	20.6
2023-03-19 05:30:00	0	0	0	0	270	20.76	29.08	22.1	65.4	98.61	-0.9	0.1	0	22.1	0.14	100	8379	98.61	20.6
2023-03-19 05:35:00	0	0	0	0	265	24.18	41.94	22.1	64.1	98.63	-0.9	-0.8	0	22.1	0.15	100	8377	98.62	20.6
2023-03-19 05:40:00	0	0	0	0	267	24.4	35.93	22.1	65.6	98.63	-1.2	0.5	0	22.1	0.14	100	8380	98.63	20.7
2023-03-19 05:45:00	0	0	0	0	268	24.87	39.06	22.1	66	98.64	-1.1	0.5	0	22.1	0.14	100	8377	98.64	20.7
2023-03-19 05:50:00	0	0	0	0	265	20	29.01	22.1	66.6	98.67	-1.4	0.1	0	22.1	0.14	100	8376	98.66	20.7
2023-03-19 05:55:00	0	0	0	0	267	23.51	36.17	21.9	67	98.66	-1.9	0.3	0	21.9	0.13	100	8374	98.66	20.6
2023-03-19 06:00:00	0	0	0	0	269	23.85	34.78	21.7	67.5	98.67	-1.2	0.6	0	21.7	0.13	100	8375	98.66	20.4
2023-03-19 06:05:00	0	0	0	0	260	19.28	29.44	21.5	68.1	98.69	-2.2	-0.6	0	21.5	0.13	100	8374	98.67	20.2
2023-03-19 06:10:00	0	0	0	0	265	20.38	27.94	21.3	69.2	98.69	-1.1	-0.7	0	21.3	0.12	100	8374	98.68	20.2
2023-03-19 06:15:00	0	0	0	0	261	22.06	33.17	21.4	69.1	98.69	-1	-0.4	0	21.4	0.12	100	8376	98.67	20.2
2023-03-19 06:20:00	0	0	0	0	263	21.7	31.32	21.4	70.6	98.69	-0.1	0.8	0	21.3	0.12	100	8374	98.69	20.2
2023-03-19 06:25:00	0	0	0	0	261	20.4	34.83	21.5	70.8	98.7	-0.8	-0.4	0	21.5	0.12	100	8372	98.71	20.2
2023-03-19 06:30:00	0	0	0	0	267	20.6	29.82	21.5	70.8	98.71	-0.6	0.1	0	21.5	0.12	100	8375	98.7	20.2
2023-03-19 06:35:00	0	0	0	0	266	14.36	18.72	21.5	70.8	98.72	-0.9	-0.9	0	21.5	0.12	100	8373	98.72	20.3
2023-03-19 06:40:00	0	0	0	0	253	22.35	38.34	21.6	70.6	98.72	-1	-0.3	0	21.6	0.12	100	8373	98.71	20.4
2023-03-19 06:45:00	0	0	0	0	270	20.36	26.15	21.5	73.2	98.73	-1.5	-1.2	0	21.6	0.11	100	8372	98.72	20.3
2023-03-19 06:50:00	0	0	0	0	268	23.58	31.72	21.5	73.3	98.73	-0.1	-1.3	0	21.5	0.11	100	8371	98.71	20.3
2023-03-19 06:55:00	0	0	0	0	275	18.9	28.97	21.2	76.6	98.74	-0.8	-0.6	0	21.2	0.09	100	8369	98.74	20.2
2023-03-19 07:00:00	0.2	0	0	0	273	19.91	31.34	21.2	76.9	98.74	-1	-0.5	0	21.2	0.09	100	8371	98.74	20.1
2023-03-19 07:05:00	1.2	0	0	0	272	17.43	23.15	21	78.5	98.76	-1.6	-0.3	0	21	0.08	100	8368	98.75	19.9
2023-03-19 07:10:00	2.4	0	0	0	272	17	26.62	20.9	80.4	98.76	-1.4	-0.5	0	20.9	0.08	100	8371	98.76	19.8
2023-03-19 07:15:00	5.2	0	0	0	273	18.43	27.76	20.8	80	98.76	-0.9	-0.8	0	20.8	0.08	100	8368	98.76	19.8
2023-03-19 07:20:00	8.8	0	0	0	272	17.56	26.73	20.7	81	98.77	-1.3	-0.3	0	20.7	0.07	100	8369	98.77	19.7
2023-03-19 07:25:00	13.6	0	0	0	278	17.78	30.24	20.8	79.6	98.76	-0.8	-0.7	0	20.8	0.08	100	8368	98.76	19.7
2023-03-19 07:30:00	20	0	0	0	277	16.46	25.12	20.7	78.3	98.77	-1.5	-0.1	0	20.8	0.08	100	8371	98.76	19.6
2023-03-19 07:35:00	23.6	0	0	0	274	16.6	30.29	20.8	77.9	98.77	-2	-0.5	0	20.9	0.08	100	8368	98.77	19.7
2023-03-19 07:40:00	20.2	0	0	0	277	18.92	27.45	20.9	77.6	98.76	-1	-0.5	0	21	0.09	100	8370	98.77	19.8
2023-03-19 07:45:00	31.2	0	0	0	276	18.68	26.19	20.9	80.2	98.78	-1.3	-0.3	0	21.1	0.08	100	8370	98.78	19.8
2023-03-19 07:50:00	42.8	0	0	0	278	18.32	23.89	20.9	80.2	98.79	-0.9	-0.5	0	21	0.08	100	8369	98.79	19.8
2023-03-19 07:55:00	38.4	0	0	0	269	18.41	25.41	20.9	80.7	98.79	-1.1	-0.4	0	21.1	0.07	100	8369	98.8	19.8
2023-03-19 08:00:00	38.2	0	0	0	278	14.74	21.36	21	82.1	98.8	-1	-0.9	0	21.1	0.07	100	8370	98.8	19.8
2023-03-19 08:05:00	50	0	0	0	272	12.91	16.82	20.9	82.9	98.81	-1.4	-0.4	0	21.1	0.07	100	8369	98.81	19.9
2023-03-19 08:10:00	71.6	0	0	0	271	15.5	24.29	21.1	82.3	98.8	-1.6	-0.5	0	21.2	0.07	100	8373	98.8	20
2023-03-19 08:15:00	72.2	0	0	0	277	14.41	19.91	21.3	83.2	98.8	-1.3	-0.5	0	21.5	0.07	100	8374	98.81	20.1
2023-03-19 08:20:00	111.4	0	0	0	267	13.53	20.6	21.5	83	98.81	-1.2	-0.6	0	21.7	0.07	100	8376	98.81	20.3
2023-03-19 08:25:00	136.6	0	0	0	272	16.11	25.08	22	80.3	98.8	-1.4	-0.5	0	22.2	0.08	100	8385	98.81	20.6
2023-03-19 08:30:00	116.6	0	0	0	283	18.25	27.34	22.4	78.7	98.81	-1	-0.4	0	22.7	0.09	100	8388	98.81	20.9
2023-03-19 08:35:00	133.2	0	0	0	278	13.85	23.53	22.6	77.5	98.81	-0.7	-0.7	0	22.9	0.09	100	8390	98.81	21.2
2023-03-19 08:40:00	140.4	0	0	0	280	22.86	32.44	23.2	74.8	98.81	-1.1	-0.4	0	23.5	0.11	100	8397	98.8	21.5
2023-03-19 08:45:00	162.8	0	0	0	276	22.01	33.82	23.6	71.6	98.8	-1.1	-0.5	0	23.9	0.12	100	8405	98.81	21.9
2023-03-19 08:50:00	161.2	0	0	0	278	18.14	32.26	24.1	70.2	98.82	-0.5	-0.8	0	24.4	0.13	100	8407	98.82	22.2
2023-03-19 08:55:00	161.4	0	0	0	268	17.65	27.85	24.5	69	98.83	-0.7	-0.7	0	24.8	0.14	100	8417	98.83	22.6
2023-03-19 09:00:00	220.6	0	0	0	261	20.02	32.28	25.1	67.5	98.83	-1.1	-1.1	0	25.5	0.15	100	8430	98.85	23
2023-03-19 09:05:00	175.4	0	0	0	273	19.91	31.27	25.4	66.6	98.85	-1.5	-0.8	0	25.8	0.16	100	8429	98.84	23.4
2023-03-19 09:10:00	221.2	0	0	0	279	20.69	34.58	25.7	66.6	98.85	-0.8	-0.2	0	26.1	0.16	100	8442	98.85	23.8
2023-03-19 09:15:00	185	0	0	0	271	20.92	28.68	25.7	65.7	98.86	-1.2	-0.8	0	26.1	0.16	100	8440	98.86	24
2023-03-19 09:20:00	233.8	0	0	0	283	22.41	37.96	26	65.7	98.85	-0.4	-1	0	26.4	0.16	100	8447	98.86	24.2
2023-03-19 09:25:00	241.2	0	0	0	274	20.11	31.09	26.2	64.2	98.88	-1.3	-0.3	0	26.6	0.17	100	8461	98.88	24.4
2023-03-19 09:30:00	442.8	0	0	0	280	25.64	33.84	27.4	63.2	98.85	0.4	-0.4	0	28	0.19	100	8481	98.88	24.9
2023-03-19 09:35:00	227	0	0	0	272	22.12	34.65	27.4	62.9	98.9	-1.5	-0.7	0	27.8	0.19	100	8475	98.89	25.4
2023-03-19 09:40:00	267.2	0	0	0	276	24.67	31.09	26.9	62.9	98.88	-1.6	0.1	0	27.2	0.18	100	8483	98.89	25.5
2023-03-19 09:45:00	275.2	0	0	0	274	24.16	36.35	27	63.8	98.9	-1.1	-1.1	0	27.5	0.18	100	8485	98.9	25.6
2023-03-19 09:50:00	204	0	0	0	276	20.96	27.31	26.4	65.8	98.92	-1.5	0.8	0	26.8	0.17	100	8482	98.92	25.6
2023-03-19 09:55:00	248.2	0	0	0	286	21.92	29.86	26.2	66.7	98.91	-0.6	-1.6	0	26.7	0.16	100	8485	98.92	25.6
2023-03-19 10:00:00	304	0	0	0	289	23.17	32.95	26.4	67.9	98.93	-1.3	0	0	26.9	0.16	100	8494	98.93	25.6
2023-03-19 10:05:00	411.8	0	0	0	293	20.31	27.11	27.1	69.3	98.92	-1.6	-1	0	27.6	0.15	100	8507	98.94	25.8
2023-03-19 10:10:00	337.2	0	0	0	296	23.78	39.77	27.4	67.8	98.93	-1.5	0.2	0	28	0.16	100	8511	98.94	26.1
2023-03-19 10:15:00	227.6	0	0	0	296	24.9	37.54	26.9	68.6	98.94	-1.1	-0.3	0	27.3	0.16	100	8507	98.93	26.1
2023-03-19 10:20:00	213.8	0	0	0	299	21.65	32.21	26.3	70.3	98.95	-0.5	-0.3	0	26.6	0.14	100	8504	98.95	25.9
2023-03-19 10:25:00	335	0	0	0	292	21.25	29.19	26.1	71.2	98.95	-1.3	-0.4	0	26.6	0.14	100	8510	98.97	25.8
2023-03-19 10:30:00	191.4	0	0	0	298	23.73	36.1	26.1	71.3	98.97	-1.2	-0.1	0	26.5	0.14	100	8509	98.97	25.7
2023-03-19 10:35:00	215.6	0	0	0	284	23.62	32.93	25.7	73.2	98.98	-0.3	-0.6	0	26.1	0.13	100	8510	98.98	25.5
2023-03-19 10:40:00	288	0	0	0	283	22.32	33.64	25.6	74.9	98.98	-1.2	0.3	0	26	0.12	100	8518	98.99	25.3
2023-03-19 10:45:00	455.6	0	0	0	287	20.92	28.48	26.4	74.4	98.97	-0.3	-0.2	0	27	0.12	100	8534	99	25.5
2023-03-19 10:50:00	381.8	0	0	0	285	23.82	32.75	27.4	72.7	98.99	-1.4	0.4	0	27.9	0.14	100	8539	99	26
2023-03-19 10:55:00	530.2	0	0	0	274	22.7	30.6	27.4	72.3	98.99	-1.2	-0.5	0	28	0.14	100	8560	99.01	26.2
2023-03-19 11:00:00	388	0	0	0	277	22.08	34.83	28.3	71.6	99.01	-1.2	-0.4	0	28.9	0.15	100	8557	99.01	26.7
2023-03-19 11:05:00	330.6	0	0	0	289	25.28	37.94	27.7	70.2	99.01	-0.6	0	0	28.1	0.15	100	8559	99.03	26.7
2023-03-19 11:10:00	215.8	0	0	0	275	22.44	32.79	27.2	70.7	99.03	-0.9	-0.4	0	27.6	0.15	100	8554	99.04	26.6
2023-03-19 11:15:00	461.8	0	0	0	279	23.44	37.51	27.2	72.5	99.02	-1.4	-1.2	0	27.7	0.14	100	8577	99.04	26.3
2023-03-19 11:20:00	667.4	0	0	0	280	20.04	30.11	29	71.2	99.01	-1.1	-1.1	0	29.7	0.16	100	8597	99.05	26.7
2023-03-19 11:25:00	605.8	0	0	0	270	21.09	28.05	30.2	67.3	99.02	-0.1	-0.4	0	30.8	0.19	100	8610	99.05	27.4
2023-03-19 11:30:00	676.8	0	0	0	274	21.18	28.54	30.6	66.1	99.03	-2.3	-0.8	0	31.3	0.2	100	8624	99.06	28.1
2023-03-19 11:35:00	741.2	0	0	0	276	22.59	34.52	31.6	64.5	99.02	-0.9	0.3	0	32.2	0.21	100	8637	99.07	28.6
2023-03-19 11:40:00	599.2	0	0	0	282	21.7	36.06	31.5	63.7	99.05	-1	-0.9	0	32.1	0.22	100	8639	99.07	29.2
2023-03-19 11:45:00	634.4	0	0	0	275	18.32	25.97	31.3	66	99.06	-1.4	0.1	0	32	0.2	100	8647	99.09	29.4
2023-03-19 11:50:00	594.6	0	0	0	279	20.87	28.07	31.7	64.5	99.07	-1	-1	0	32.3	0.21	100	8651	99.09	29.7
2023-03-19 11:55:00	639.6	0	0	0	274	20.24	28.21	31.7	62.8	99.08	-0.6	-0.3	0	32.4	0.22	100	8659	99.09	29.9
2023-03-19 12:00:00	746.6	0	0	0	270	25.7	40.47	32.3	60.2	99.07	-1.5	-0.3	0	32.9	0.25	100	8671	99.1	30.1
2023-03-19 12:05:00	473.8	0	0	0	267	22.68	31.36	32.4	58	99.09	-0.1	-1.1	0	32.9	0.26	100	8661	99.11	30.5
2023-03-19 12:10:00	265.8	0	0	0	275	22.86	37.47	30.6	60.7	99.11	-0.2	-0.4	0	30.9	0.23	100	8654	99.11	30.1
2023-03-19 12:15:00	310	0	0	0	281	22.15	35.46	29.4	63.6	99.11	-0.2	-0.5	0	29.9	0.2	100	8647	99.11	29.5
2023-03-19 12:20:00	370.6	0	0	0	286	21.34	30.31	29.1	63.8	99.1	-1.6	-0.7	0	29.6	0.2	100	8643	99.11	29.4
2023-03-19 12:25:00	419.8	0	0	0	281	23.06	33.76	29.1	62.6	99.1	-1.3	-1	0	29.6	0.2	100	8645	99.12	29.4
2023-03-19 12:30:00	507.4	0	0	0	281	21.03	29.33	29.5	62.6	99.1	-0.9	-0.6	0	30.2	0.21	100	8648	99.11	29.5
2023-03-19 12:35:00	408.4	0	0	0	287	21.79	33.22	29.7	62.6	99.12	-0.4	-1	0	30.2	0.21	100	8646	99.12	29.7
2023-03-19 12:40:00	338.4	0	0	0	272	21.77	31.97	29.7	61.9	99.13	-0.8	-0.5	0	30.3	0.21	100	8644	99.13	29.7
2023-03-19 12:45:00	274.2	0	0	0	289	19.42	31.61	29.3	63.1	99.14	-1.2	-0.8	0	29.8	0.2	100	8643	99.13	29.7
2023-03-19 12:50:00	603.2	0	0	0	271	20.22	26.66	30.2	63.3	99.12	-1.2	-0.1	0	30.9	0.21	100	8650	99.14	29.8
2023-03-19 12:55:00	348	0	0	0	293	18.88	34.43	30.7	61.8	99.14	-0.9	-0.7	0	31.2	0.22	100	8647	99.15	30.1
2023-03-19 13:00:00	269.8	0	0	0	265	19.39	26.98	30.2	62.8	99.16	-0.7	-1.1	0	30.6	0.21	100	8642	99.15	30
2023-03-19 13:05:00	319.4	0	0	0	281	21.92	31	29.7	64.4	99.15	-0.4	-0.8	0	30.2	0.2	100	8643	99.15	29.7
2023-03-19 13:10:00	504.4	0	0	0	278	18.84	29.51	29.8	64.3	99.14	-0.7	-0.3	0	30.5	0.2	100	8651	99.15	29.7
2023-03-19 13:15:00	400.8	0	0	0	280	19.01	26.51	30.6	64.8	99.15	-0.4	-0.9	0	31.2	0.2	100	8645	99.16	30.1
2023-03-19 13:20:00	184.8	0	0	0	264	18.41	29.89	30.1	64.6	99.16	-1.2	0.1	0	30.5	0.2	100	8641	99.16	29.9
2023-03-19 13:25:00	289.2	0	0	0	273	22.7	33.29	29.6	64.7	99.15	-0.6	-1.1	0	29.9	0.2	100	8643	99.15	29.6
2023-03-19 13:30:00	680.4	0	0	0	276	25.77	42.88	30.5	62.3	99.12	-1.6	-0.5	0	31.1	0.22	100	8646	99.15	29.8
2023-03-19 13:35:00	369.6	0	0	0	281	19.91	34.56	31	60.7	99.15	-0.1	-0.6	0	31.5	0.23	100	8644	99.15	30.1
2023-03-19 13:40:00	480.2	0	0	0	268	21.43	37.4	31	59.8	99.15	-0.8	-0.6	0	31.5	0.24	100	8648	99.16	30.3
2023-03-19 13:45:00	470.8	0	0	0	266	25.14	40.42	31.6	58.2	99.14	-1.2	0.8	0	32.1	0.25	100	8646	99.15	30.5
2023-03-19 13:50:00	719	0	0	0	270	23.29	33.84	32.4	55.7	99.12	-2.2	-1.3	0	33	0.27	100	8649	99.13	30.8
2023-03-19 13:55:00	771	0	0	0	268	21.3	31.03	33.2	54.4	99.12	-1.3	0	0	33.7	0.29	100	8648	99.14	31.3
2023-03-19 14:00:00	228.4	0	0	0	288	21.43	48.88	33.2	53.4

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-19 14:15:00	607	0	0	0	271	21.54	36.48	31.5	56.4	99.13	-0.6	0.2	0	32.1	0.26	100	8639	99.14	30.8
2023-03-19 14:20:00	639.2	0	0	0	269	21.23	36.98	32.9	52.5	99.13	-0.4	-0.5	0	33.4	0.3	100	8635	99.14	31.1
2023-03-19 14:25:00	560.2	0	0	0	278	17.87	31.56	32.9	51.5	99.14	-0.8	-0.8	0	33.4	0.31	100	8633	99.14	31.5
2023-03-19 14:30:00	382	0	0	0	272	23.31	35.48	33	51.9	99.14	-1.1	-0.4	0	33.6	0.31	100	8633	99.13	31.7
2023-03-19 14:35:00	633.2	0	0	0	275	21	34.87	33	52.7	99.14	-1	-0.1	0	33.7	0.3	100	8635	99.15	31.9
2023-03-19 14:40:00	585.4	0	0	0	262	20.92	28.1	33.8	55.9	99.16	-0.3	-0.7	0	34.4	0.29	100	8636	99.17	32.3
2023-03-19 14:45:00	449.6	0	0	0	275	27.34	37.58	33.4	55.3	99.14	-0.5	-1.1	0	34	0.29	100	8637	99.15	32.2
2023-03-19 14:50:00	596.8	0	0	0	275	21.23	37	33.4	58.2	99.16	-0.6	-0.2	0	34	0.27	100	8633	99.16	32
2023-03-19 14:55:00	400.8	0	0	0	264	18.19	30.29	32.9	59.8	99.19	-0.9	-0.3	0	33.4	0.25	100	8634	99.18	32
2023-03-19 15:00:00	600.2	0	0	0	259	19.82	28.72	33.5	61.6	99.17	-0.4	-0.2	0	34.2	0.25	100	8631	99.18	32
2023-03-19 15:05:00	390.6	0	0	0	258	17.58	29.17	33.2	59.7	99.19	-0.4	-0.2	0	33.7	0.26	100	8630	99.18	32.1
2023-03-19 15:10:00	311.6	0	0	0	263	21.77	36.15	32.9	57.9	99.17	-1.5	-0.5	0	33.4	0.27	100	8627	99.16	32.1
2023-03-19 15:15:00	340.8	0	0	0	267	24.94	39.26	32.2	55.8	99.17	-0.3	-0.1	0	32.7	0.27	100	8628	99.16	31.8
2023-03-19 15:20:00	308.6	0	0	0	287	27.54	38.54	32.1	54.8	99.16	-0.7	-0.2	0	32.5	0.28	100	8629	99.16	31.7
2023-03-19 15:25:00	446	0	0	0	277	22.93	29.86	32	55.4	99.18	-0.2	-0.9	0	32.5	0.27	100	8627	99.18	31.6
2023-03-19 15:30:00	581.6	0	0	0	262	25.03	40.26	32.9	54	99.18	-0.7	0	0	33.5	0.29	100	8625	99.18	32
2023-03-19 15:35:00	382.6	0	0	0	265	24.4	34.4	33.1	52.3	99.2	-0.6	-0.7	0	33.6	0.31	100	8622	99.19	32.3
2023-03-19 15:40:00	409.4	0	0	0	276	26.53	40.69	32.6	52	99.19	-0.6	-0.7	0	33.1	0.3	100	8623	99.2	32
2023-03-19 15:45:00	258.4	0	0	0	264	20.09	25.93	32.9	52.2	99.21	-1.1	-1.1	0	33.3	0.3	100	8622	99.21	32.1
2023-03-19 15:50:00	228	0	0	0	267	24.07	39.1	32.4	53.2	99.22	0.2	-0.2	0	32.7	0.29	100	8618	99.2	31.9
2023-03-19 15:55:00	370.6	0	0	0	262	26.08	36.84	32	53.9	99.19	0.5	-2.4	0	32.5	0.28	100	8618	99.22	31.7
2023-03-19 16:00:00	344.2	0	0	0	262	21.3	32.26	32	52.6	99.22	-0.8	-0.8	0	32.5	0.29	100	8621	99.21	31.8
2023-03-19 16:05:00	312.4	0	0	0	256	20.8	29.39	32.6	53.3	99.23	-0.5	-0.4	0	33.1	0.29	100	8616	99.22	32.1
2023-03-19 16:10:00	190.8	0	0	0	253	25.3	33.26	32.3	53.4	99.23	-0.1	0	0	32.6	0.29	100	8616	99.22	31.8
2023-03-19 16:15:00	225.4	0	0	0	255	26.15	40.35	31.9	55.3	99.24	-0.3	-0.7	0	32.2	0.27	100	8616	99.23	31.5
2023-03-19 16:20:00	232.4	0	0	0	261	24.29	35.39	31.5	56.5	99.25	-0.9	-0.4	0	31.9	0.26	100	8617	99.24	31.3
2023-03-19 16:25:00	268.6	0	0	0	263	24.14	33.91	31.4	57.6	99.25	0	-1.6	0	31.8	0.25	100	8617	99.24	31.4
2023-03-19 16:30:00	138.8	0	0	0	268	24.72	32.86	31.4	56.6	99.25	-1.1	-0.8	0	31.6	0.26	100	8610	99.24	31.2
2023-03-19 16:35:00	167.8	0	0	0	247	20.31	27.27	30.9	59.5	99.26	-2	-0.1	0	31.2	0.24	100	8608	99.25	30.8
2023-03-19 16:40:00	232	0	0	0	265	16.89	27.04	30.9	60.2	99.26	-0.2	-0.5	0	31.4	0.23	100	8608	99.26	31
2023-03-19 16:45:00	353	0	0	0	262	17.27	26.49	31.3	60	99.26	-0.6	-0.8	0	31.7	0.24	100	8608	99.26	31.3
2023-03-19 16:50:00	139.6	0	0	0	257	25.86	38.03	31.5	59	99.28	-1.4	-0.6	0	31.9	0.25	100	8605	99.27	31.3
2023-03-19 16:55:00	325.8	0	0	0	257	17.4	25.93	31.2	62.9	99.29	-1.2	-0.3	0	31.6	0.22	100	8606	99.28	31
2023-03-19 17:00:00	119.4	0	0	0	253	18.32	27.87	31.2	64.6	99.3	-0.5	-0.9	0	31.5	0.21	100	8604	99.28	31
2023-03-19 17:05:00	127.2	0	0	0	261	19.73	30.2	30.7	63.8	99.3	-0.2	0	0	31	0.21	100	8601	99.28	30.6
2023-03-19 17:10:00	133.2	0	0	0	260	18.52	27.02	30.5	63.8	99.3	-0.8	-0.5	0	30.7	0.21	100	8600	99.29	30.4
2023-03-19 17:15:00	100.6	0	0	0	259	24.47	39.55	30.3	62	99.29	-0.8	-0.3	0	30.5	0.22	100	8598	99.28	30.2
2023-03-19 17:20:00	116	0	0	0	265	21.85	32.95	30.2	61.7	99.3	-1.4	0.3	0	30.3	0.22	100	8596	99.29	30.1
2023-03-19 17:25:00	105.8	0	0	0	253	20.09	30.58	30.1	61.8	99.3	-1.7	-0.6	0	30.3	0.22	100	8595	99.29	30.1
2023-03-19 17:30:00	114.2	0	0	0	253	24.09	36.39	30.2	61.4	99.3	-1.6	-0.6	0	30.3	0.22	100	8594	99.28	30
2023-03-19 17:35:00	110.4	0	0	0	257	20.45	29.12	30.2	60.6	99.3	-0.1	-0.4	0	30.3	0.22	100	8592	99.29	30
2023-03-19 17:40:00	89	0	0	0	259	19.73	31.79	30.2	59.8	99.31	-1.4	-0.7	0	30.4	0.23	100	8591	99.29	30
2023-03-19 17:45:00	103.2	0	0	0	267	22.41	31.34	30.3	59.7	99.31	-2.2	-0.6	0	30.5	0.23	100	8589	99.3	30
2023-03-19 17:50:00	129.6	0	0	0	251	19.1	33.26	30.3	60.9	99.32	-0.8	-0.3	0	30.6	0.22	100	8586	99.31	30.1
2023-03-19 17:55:00	118	0	0	0	260	22.32	30.98	30.5	60.1	99.32	-1.1	-0.1	0	30.7	0.23	100	8584	99.31	30.1
2023-03-19 18:00:00	87.8	0	0	0	264	17.05	25.1	30.5	60.3	99.34	-0.6	-0.6	0	30.6	0.23	100	8584	99.32	30
2023-03-19 18:05:00	76.4	0	0	0	256	17.92	26.57	30.4	60.5	99.34	-1.1	-0.5	0	30.5	0.23	100	8583	99.32	29.9
2023-03-19 18:10:00	70.6	0	0	0	266	18.12	25.72	30.4	60.8	99.34	-0.7	0.1	0	30.5	0.22	100	8579	99.32	29.9
2023-03-19 18:15:00	58.4	0	0	0	257	17.13	27.92	30.3	61.3	99.35	-0.6	-0.5	0	30.4	0.22	100	8577	99.34	29.8
2023-03-19 18:20:00	83.4	0	0	0	258	17.69	30.47	30.3	61.8	99.35	-0.4	-0.5	0	30.4	0.22	100	8574	99.35	29.9
2023-03-19 18:25:00	63.2	0	0	0	252	18.95	28.05	30.3	62.8	99.36	-1.4	-0.6	0	30.3	0.21	100	8575	99.35	29.8
2023-03-19 18:30:00	47.8	0	0	0	263	19.46	31.63	30	62.4	99.36	-0.7	-0.7	0	30.1	0.21	100	8573	99.35	29.6
2023-03-19 18:35:00	38.4	0	0	0	260	16.15	26.33	30	62.2	99.37	-1	-0.9	0	30.1	0.21	100	8568	99.36	29.5
2023-03-19 18:40:00	31.2	0	0	0	261	15.41	24.85	29.9	63.8	99.37	-1.2	-0.5	0	29.9	0.2	100	8568	99.36	29.3
2023-03-19 18:45:00	20	0	0	0	262	18.88	27.6	29.7	63.9	99.38	-0.7	-0.4	0	29.7	0.2	100	8567	99.36	29.1
2023-03-19 18:50:00	16.6	0	0	0	265	18.63	25.57	29.6	64.5	99.38	-0.3	-0.8	0	29.6	0.2	100	8565	99.37	29
2023-03-19 18:55:00	13.2	0	0	0	259	15.21	27.96	29.5	65.3	99.39	-0.9	-0.7	0	29.6	0.19	100	8564	99.37	28.8
2023-03-19 19:00:00	10.4	0	0	0	267	16.84	26.08	29.3	64.6	99.39	-1.3	-0.9	0	29.3	0.19	100	8563	99.37	28.7
2023-03-19 19:05:00	6.6	0	0	0	262	18.01	28.68	29.3	63.9	99.4	-0.6	-0.6	0	29.3	0.2	100	8560	99.37	28.7
2023-03-19 19:10:00	4	0	0	0	252	15.41	21.41	29.3	63.9	99.4	-1.4	0.2	0	29.3	0.2	100	8558	99.39	28.5
2023-03-19 19:15:00	2	0	0	0	258	15.37	22.15	29.2	64.1	99.41	-1.1	-0.4	0	29.2	0.2	100	8560	99.4	28.5
2023-03-19 19:20:00	0.8	0	0	0	262	14.32	20.27	29.3	64.3	99.41	-0.7	-0.5	0	29.3	0.2	100	8554	99.4	28.5
2023-03-19 19:25:00	0	0	0	0	255	18.95	32.48	29.2	64.1	99.42	-0.7	-1.5	0	29.2	0.2	100	8553	99.4	28.4
2023-03-19 19:30:00	0	0	0	0	257	14.99	25.93	29.2	64.5	99.43	-0.9	-0.2	0	29.2	0.19	100	8554	99.41	28.3
2023-03-19 19:35:00	0	0	0	0	259	14.99	23.73	29.2	64.6	99.43	-1.2	-0.5	0	29.2	0.19	100	8551	99.41	28.2
2023-03-19 19:40:00	0	0	0	0	249	19.62	29.64	29	64.7	99.42	-0.9	0.2	0	29	0.19	100	8550	99.41	28.1
2023-03-19 19:45:00	0	0	0	0	246	17.69	27.87	29	65	99.42	-0.9	-0.8	0	29	0.19	100	8550	99.42	28
2023-03-19 19:50:00	0	0	0	0	253	17.11	25.99	29	64.8	99.43	-1.4	0.1	0	28.9	0.19	100	8546	99.41	27.9
2023-03-19 19:55:00	0	0	0	0	246	18.3	25.86	28.9	65.1	99.43	-1.1	-0.7	0	28.9	0.19	100	8547	99.42	27.9
2023-03-19 20:00:00	0	0	0	0	251	15.97	25.1	28.9	65.4	99.44	-1.1	-0.5	0	28.9	0.19	100	8547	99.42	27.8
2023-03-19 20:05:00	0	0	0	0	245	13.02	20.76	28.7	66.2	99.44	-0.9	-0.4	0	28.7	0.18	100	8543	99.42	27.6
2023-03-19 20:10:00	0	0	0	0	244	13.02	21.03	28.6	67.2	99.44	-1	-0.5	0	28.7	0.17	100	8542	99.42	27.5
2023-03-19 20:15:00	0	0	0	0	246	15.39	25.48	28.5	66.3	99.44	-1.1	-0.5	0	28.5	0.18	100	8542	99.42	27.4
2023-03-19 20:20:00	0	0	0	0	245	15.23	21.94	28.5	66.9	99.45	-0.8	-0.6	0	28.5	0.18	100	8539	99.43	27.3
2023-03-19 20:25:00	0	0	0	0	243	15.5	22.39	28.4	66.7	99.45	-0.7	-0.6	0	28.3	0.18	100	8542	99.44	27.2
2023-03-19 20:30:00	0	0	0	0	246	13.27	20.2	28.3	68	99.46	-0.7	-0.4	0	28.4	0.17	100	8538	99.44	27.1
2023-03-19 20:35:00	0	0	0	0	249	13.82	20.51	28.2	68.7	99.46	-1.1	-0.3	0	28.2	0.16	100	8536	99.44	27
2023-03-19 20:40:00	0	0	0	0	247	14.99	28.9	28.2	68.7	99.45	-0.8	-0.3	0	28.2	0.16	100	8537	99.44	27
2023-03-19 20:45:00	0	0	0	0	237	13.62	21.47	28.1	69	99.45	-1.1	-0.4	0	28.1	0.16	100	8537	99.44	26.9
2023-03-19 20:50:00	0	0	0	0	231	15.55	24.36	28.1	67.6	99.46	-0.8	-0.5	0	28	0.17	100	8534	99.44	26.9
2023-03-19 20:55:00	0	0	0	0	237	13.18	19.93	28.1	69.1	99.46	-1	-0.6	0	28.1	0.16	100	8533	99.44	26.8
2023-03-19 21:00:00	0	0	0	0	238	11.27	17.2	28	68.9	99.46	-1.1	-0.6	0	28	0.16	100	8533	99.44	26.7
2023-03-19 21:05:00	0	0	0	0	234	14.9	20.74	28	69.2	99.47	-1	-0.4	0	28	0.16	100	8532	99.45	26.6
2023-03-19 21:10:00	0	0	0	0	236	13.47	18.5	28	69.2	99.47	-1.1	-0.6	0	28	0.16	100	8531	99.45	26.7
2023-03-19 21:15:00	0	0	0	0	236	12.97	19.3	27.9	69.2	99.47	-1.1	-0.5	0	27.9	0.16	100	8530	99.45	26.6
2023-03-19 21:20:00	0	0	0	0	236	12.59	20.38	28	69.4	99.48	-1	-0.5	0	27.9	0.16	100	8530	99.46	26.5
2023-03-19 21:25:00	0	0	0	0	239	13.29	20	27.9	69.5	99.48	-1.2	-0.7	0	27.9	0.16	100	8526	99.46	26.5
2023-03-19 21:30:00	0	0	0	0	241	10.74	20.36	27.9	69.7	99.48	-1	-0.6	0	27.8	0.16	100	8526	99.46	26.5
2023-03-19 21:35:00	0	0	0	0	239	13	18.01	27.9	69.6	99.48	-0.9	-0.6	0	27.9	0.16	100	8523	99.46	26.4
2023-03-19 21:40:00	0	0	0	0	240	14.9	21.16	27.9	69.7	99.48	-1	-0.5	0	27.9	0.16	100	8524	99.46	26.5
2023-03-19 21:45:00	0	0	0	0	242	14.2	19.48	27.9	69.5	99.48	-0.9	-0.3	0	27.9	0.16	100	8523	99.46	26.5
2023-03-19 21:50:00	0	0	0	0	243	14.34	19.62	28	69.2	99.48	-0.9	0	0	28.1	0.16	100	8523	99.46	26.5
2023-03-19 21:55:00	0	0	0	0	235	12.39	21.45	28.1	69.9	99.48	-0.6	-0.6	0	28.1	0.16	100	8522	99.46	26.5
2023-03-19 22:00:00	0	0	0	0	233	11.9	18.81	28.1	70.7	99.48	-1.1	-0.5	0	28	0.15	100	8523	99.46	26.4
2023-03-19 22:05:00	0	0	0	0	235	12.82	19.73	28	70.2	99.48	-1.1	-0.5	0	28	0.15	100	8518	99.46	26.4
2023-03-19 22:10:00	0	0	0	0	237	15.86	22.77	28.1	70.3	99.48	-0.9	-0.4	0	28.1	0.15	100	8522	99.45	26.5
2023-03-19 22:15:00	0	0	0	0	235	14.61	22.77	28	70.4	99.48	-1	-0.3	0	28	0.15	100	8521	99.46	26.5
2023-03-19 22:20:00	0	0	0	0	240	13.89	19.55	28.1	70.6	99.48	-0.9	-0.2	0	28.1	0.15	100	8516	99.46	26.6
2023-03-19 22:25:00	0	0	0	0	239	14.34	20.2	28.1	70.5	99.48	-0.7	-0.3	0	28.1	0.15	100	8520	99.46	26.6
2023-03-19 22:30:00	0	0	0	0	236	12.93	19.35	28.2	70.7	99.48	-0.9	-0.1	0	28.1	0.15	100	8516	99.46	26.5
2023-03-19 22:35:00	0	0	0	0	230	14.97	20.74	28.1	69.4	99.48	-0.9	-0.4	0	28.1	0.16	100	8515	99.45	26.5
2023-03-19 22:40:00	0	0	0	0	228	12.88	20.27	28.1	69.1	99.47	-1.2	-0.2	0	28.1	0.16	100	8514	99.46	26.5
2023-03-19 22:45:00	0	0	0	0	226	14.85	22.44	28	68.9	99.47	-0.9	-0.6	0	28	0.16	100	8516	99.45	26.5
2023-03-19 22:50:00	0	0	0	0	219	14.99	24.45	28	68.3	99.47	-0.8	-0.4	0	27.9	0.16	100	8513	99.45	26.5
2023-03-19 22:55:00	0	0	0	0	220	14.45	24.56	28	67.9	99.47	-0.8	-0.7	0	28	0.17	100	8512	99.45	26.4
2023-03-19 23:00:00	0	0	0	0	228	14.67	19.91	27.9	67.7	99.47	-1.2	-0.4	0	27.9	0.17	100	8512	99.45	26.4
2023-03-19 23:05:00	0	0	0	0	225	14.74	21.47	27.9	67.4	99.46	-1.1	-0.9	0	27.9	0.17	100	8509	99.45	26.4
2023-03-19 23:10:00	0	0	0	0	226	13.78	20.74	27.8	67.2	99.46	-1	-0.3	0	27.8	0.17	100	8510	99.45	26.3
2023-03-19 23:15:00	0	0	0	0	226	14.67	20.8	27.8	66.6	99.46	-1.1	-0.6	0	27.8	0.17	100	8510	99.44	26.3
2023-03-19 23:20:00	0	0	0	0	218	14.72	25.37	27.8	66.1	99.47	-1	-0.5	0	27.8	0.17	100	8507	99.45	26.3
2023-03-19 23:25:00	0	0	0	0	227	12.91	19.8	27.7	66.4	99.46	-1.1	-0.1	0	27.7	0.17	100	8506	99.45	26.3
2023-03-19 23:30:00	0	0	0	0	222	13.02	20.62	27.8	66.2	99.47	-1	-0.4	0	27.8	0.17	100	8507	99.44	26.2
2023-03-19 23:35:00	0	0	0	0	218	11.3	16.35	27.7	66.7	99.47	-1	-0.6	0	27.7	0.17	100	8507	99.45	26.2
2023-03-19 23:40:00	0	0	0	0	215	10.89	18.1	27.7	66.4	99.46	-1	-0.3	0	27.6	0.17	100	8504	99.44	26.1
2023-03-19 23:45:00	0	0	0	0	212	12.68	17.45	27.8	66.2	99.46	-0.9	-0.5	0	27.8	0.17	100	8504	99.44	26.1
2023-03-19 23:50:00	0	0	0	0	214	9.42	15.7	27.6	66.5	99.46	-1	-0.4	0	27.6	0.17	100	8504	99.44	26
2023-03-19 23:55:00	0	0	0	0	222	9.91	16.89	27.6	66.6	99.45	-0.9	-0.4	0	27.5	0.17	100	8505	99.44	25.9
2023-03-20 00:00:00	0	0	0	0	217	10.38	18.68	27.5	66.9	99.45	-1.1	-0.6	0	27.5	0.17	100	8503	99.43	25.8
2023-03-20 00:05:00	0	0	0	0	216	11.61	19.46	27.6	67	99.45	-1	-0.2	0	27.6	0.17	100	8472	99.43	26.1
2023-03-20 00:10:00	0	0	0	0	225	11.48	19.26	27.6	66.6	99.45	-0.7	-0.4	0	27.5	0.17	100	8463	99.43	26.3
2023-03-20 00:15:00	0	0	0	0	225	13.65	19.93	27.6	66.7	99.44	-0.9	-0.3	0	27.6	0.17	100	8453	99.43	26.4
2023-03-20 00:20:00	0	0	0	0	226	11.34	17.45	27.6	66.8	99.44	-1	-0.7	0	27.6	0.17	100	8468	99.42	26.4
2023-03-20 00:25:00	0	0	0	0	223	12.33	18.95	27.7	66.4	99.43	-1.1	-0.4	0	27.6	0.17	100	8473	99.42	26.3
2023-03-20 00:30:00	0	0	0	0	224	11.41	14.54	27.7	66.7	99.43	-0.8	-0.5	0	27.7	0.17	100	8474	99.41	26.2
2023-03-20 00:35:00	0	0	0	0	231	12.1	21.45	27.7	67.5	99.43	-1	-0.5	0	27.7	0.17	100	8474	99.42	26.1
2023-03-20 00:40:00	0	0	0	0	233	11.27	18.21	27.7	67.9	99.43	-1	-0.4	0	27.7	0.16	100	8475	99.41	26
2023-03-20 00:45:00	0	0	0	0	236	11.68	17.18	27.7	67.5	99.43	-1	-0.7	0	27.7	0.17	100	8475	99.41	26
2023-03-20 00:50:00	0	0	0	0	236	12.01	18.37	27.8	68.1	99.43	-1	-0.7	0	27.8	0.16	100	8473	99.41	26
2023-03-20 00:55:00	0	0	0	0	238	13.29	18.23	27.7	67	99.43	-1	-0.5	0	27.7	0.17	100	8475	99.41	26.1
2023-03-20 01:00:00	0	0	0	0	240	12.35	23.49	27.8	67.6	99.43	-1	-0.1	0	27.8	0.17	100	8475	99.41	26.1
2023-03-20 01:05:00	0	0	0	0	235	11.74	17.74	27.8	67.5	99.43	-1	-0.5	0	27.8	0.17	100	8474	99.41	26.1
2023-03-20 01:10:00	0	0	0	0	233	12.06	21.41	27.9	67.8	99.43	-1.1	-0.4	0	27.9	0.17	100	8474	99.41	26.1
2023-03-20 01:15:00	0	0	0	0	233	12.66	17.02	27.9	67.6	99.43	-0.9	-0.9	0	27.9	0.17	100	8475	99.41	26.2
2023-03-20 01:20:00	0	0	0	0	232	11.88	15.12	27.9	67.8	99.43	-1.1	-0.7	0	27.9	0.17	100	8474	99.42	26.2
2023-03-20 01:25:00	0	0	0	0	235	12.39	18.12	27.9	67.3	99.44	-0.9	-0.4	0	27.9	0.17	100	8474	99.42	26.2
2023-03-20 01:30:00	0	0	0	0	234	14.27	25.52	28	67.5	99.44	-1	-

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-20 01:40:00	0	0	0	0	231	12.93	20.76	28.1	67	99.46	-1	-0.6	0	28.1	0.17	100	8475	99.44	26.3
2023-03-20 01:45:00	0	0	0	0	228	14.07	20.92	28.1	67	99.45	-0.9	-0.9	0	28.1	0.17	100	8474	99.44	26.4
2023-03-20 01:50:00	0	0	0	0	234	14.45	22.17	28.2	66.9	99.46	-1	-0.5	0	28.2	0.17	100	8472	99.44	26.4
2023-03-20 01:55:00	0	0	0	0	230	13.85	19.37	28.2	66.8	99.46	-0.8	-0.1	0	28.3	0.17	100	8472	99.44	26.5
2023-03-20 02:00:00	0	0	0	0	231	15.95	23.64	28.3	66.7	99.46	-0.9	-0.5	0	28.3	0.17	100	8474	99.44	26.5
2023-03-20 02:05:00	0	0	0	0	238	14.18	20.29	28.3	66.5	99.46	-0.9	-0.5	0	28.3	0.18	100	8471	99.45	26.6
2023-03-20 02:10:00	0	0	0	0	236	15.23	22.19	28.4	66.6	99.47	-1	-0.5	0	28.4	0.18	100	8472	99.45	26.7
2023-03-20 02:15:00	0	0	0	0	232	15.01	20.51	28.4	66.2	99.47	-0.7	-0.5	0	28.4	0.18	100	8472	99.44	26.7
2023-03-20 02:20:00	0	0	0	0	229	13.96	19.71	28.4	66.7	99.47	-0.9	-0.6	0	28.4	0.18	100	8470	99.45	26.7
2023-03-20 02:25:00	0	0	0	0	225	13.76	20.13	28.4	66.6	99.47	-1	-0.2	0	28.4	0.18	100	8472	99.45	26.7
2023-03-20 02:30:00	0	0	0	0	219	11.27	15.84	28.5	68	99.47	-1.1	-0.4	0	28.5	0.17	100	8471	99.45	26.7
2023-03-20 02:35:00	0	0	0	0	212	10.11	16.58	28.3	67.8	99.47	-1	-0.6	0	28.3	0.17	100	8468	99.45	26.6
2023-03-20 02:40:00	0	0	0	0	215	9.84	13.67	28.1	67	99.47	-1	-0.4	0	28.1	0.17	100	8468	99.45	26.5
2023-03-20 02:45:00	0	0	0	0	214	11.34	16.67	28	67.4	99.47	-1	-0.3	0	28	0.17	100	8471	99.45	26.3
2023-03-20 02:50:00	0	0	0	0	212	12.15	17.72	27.9	67.6	99.47	-1.2	-0.3	0	28	0.17	100	8469	99.45	26.3
2023-03-20 02:55:00	0	0	0	0	221	12.57	17.92	27.8	68	99.47	-0.9	-0.2	0	27.8	0.16	100	8467	99.45	26.3
2023-03-20 03:00:00	0	0	0	0	224	12.12	18.21	27.9	68	99.47	-1.4	-0.4	0	27.9	0.17	100	8466	99.45	26.3
2023-03-20 03:05:00	0	0	0	0	232	13.2	19.35	27.9	68.1	99.46	-1	-0.6	0	27.9	0.16	100	8464	99.44	26.3
2023-03-20 03:10:00	0	0	0	0	231	11.95	15.9	27.9	68.9	99.46	-1.1	-0.2	0	27.9	0.16	100	8464	99.44	26.3
2023-03-20 03:15:00	0	0	0	0	228	13.04	18.32	27.9	68.8	99.46	-0.8	-0.4	0	27.9	0.16	100	8466	99.44	26.3
2023-03-20 03:20:00	0	0	0	0	224	13.4	21.25	28	68.9	99.46	-1.1	-0.7	0	28	0.16	100	8463	99.44	26.3
2023-03-20 03:25:00	0	0	0	0	230	12.57	20.92	28.2	68.7	99.46	-1.1	-0.4	0	28.2	0.16	100	8465	99.44	26.4
2023-03-20 03:30:00	0	0	0	0	230	14.05	22.01	28.1	69.1	99.47	-0.9	-0.4	0	28.1	0.16	100	8467	99.44	26.4
2023-03-20 03:35:00	0	0	0	0	230	14.12	21.25	28.2	68.7	99.46	-1.1	-0.3	0	28.3	0.16	100	8463	99.44	26.5
2023-03-20 03:40:00	0	0	0	0	232	14.61	20	28.3	68.5	99.46	-0.8	-0.6	0	28.3	0.17	100	8463	99.44	26.6
2023-03-20 03:45:00	0	0	0	0	231	14.76	20.8	28.4	68.3	99.46	-1	-0.4	0	28.4	0.17	100	8463	99.43	26.6
2023-03-20 03:50:00	0	0	0	0	235	13.4	20.8	28.4	68.2	99.46	-0.9	-0.5	0	28.4	0.17	100	8462	99.43	26.6
2023-03-20 03:55:00	0	0	0	0	240	14	19.19	28.4	69.5	99.46	-0.8	-0.5	0	28.4	0.16	100	8462	99.43	26.6
2023-03-20 04:00:00	0	0	0	0	237	16.13	22.91	28.5	69.4	99.46	-1.2	-1	0	28.5	0.16	100	8463	99.44	26.7
2023-03-20 04:05:00	0	0	0	0	240	13.29	17.98	28.5	69.8	99.46	-0.8	-0.8	0	28.5	0.16	100	8459	99.44	26.7
2023-03-20 04:10:00	0	0	0	0	236	14.85	24.45	28.5	69.9	99.46	-0.9	-0.3	0	28.5	0.16	100	8462	99.44	26.7
2023-03-20 04:15:00	0	0	0	0	237	16.31	20.74	28.6	69.6	99.46	-1.2	-0.5	0	28.6	0.16	100	8462	99.44	26.8
2023-03-20 04:20:00	0	0	0	0	241	10.96	16.78	28.6	69.6	99.46	-1	-0.4	0	28.6	0.16	100	8460	99.44	26.8
2023-03-20 04:25:00	0	0	0	0	237	12.57	19.57	28.4	70	99.46	-0.8	-0.2	0	28.4	0.16	100	8456	99.44	26.7
2023-03-20 04:30:00	0	0	0	0	242	16.2	24.92	28.5	69.8	99.46	-0.6	0	0	28.5	0.16	100	8462	99.45	26.8
2023-03-20 04:35:00	0	0	0	0	238	14.25	20.24	28.5	69.8	99.47	-0.8	-0.6	0	28.5	0.16	100	8456	99.45	26.9
2023-03-20 04:40:00	0	0	0	0	241	10.96	18.92	28.5	69.8	99.48	-0.9	-0.6	0	28.5	0.16	100	8457	99.46	26.8
2023-03-20 04:45:00	0	0	0	0	242	13.33	21.83	28.5	69.8	99.48	-0.8	-0.2	0	28.5	0.16	100	8456	99.46	26.7
2023-03-20 04:50:00	0	0	0	0	247	12.24	19.1	28.5	69.8	99.48	-1	-0.3	0	28.5	0.16	100	8456	99.46	26.7
2023-03-20 04:55:00	0	0	0	0	239	15.26	22.77	28.4	70	99.49	-1	-0.4	0	28.4	0.16	100	8456	99.47	26.8
2023-03-20 05:00:00	0	0	0	0	240	15.82	21.81	28.6	69.6	99.48	-0.8	-0.3	0	28.6	0.16	100	8455	99.47	26.8
2023-03-20 05:05:00	0	0	0	0	241	15.99	25.5	28.6	69.5	99.49	-0.9	-0.4	0	28.6	0.16	100	8456	99.47	26.9
2023-03-20 05:10:00	0	0	0	0	249	11.92	17.58	28.7	69.8	99.5	-1.1	-0.6	0	28.6	0.16	100	8454	99.48	26.9
2023-03-20 05:15:00	0	0	0	0	246	14.07	24.09	28.6	70	99.5	-1.1	-0.3	0	28.6	0.16	100	8453	99.48	26.8
2023-03-20 05:20:00	0	0	0	0	255	14.83	25.93	28.6	70.2	99.51	-0.9	-0.6	0	28.6	0.16	100	8456	99.49	26.9
2023-03-20 05:25:00	0	0	0	0	248	13.38	23.55	28.7	70.1	99.51	-0.8	-0.2	0	28.7	0.16	100	8453	99.5	26.9
2023-03-20 05:30:00	0	0	0	0	249	11.05	15.14	28.6	70.3	99.51	-1.1	-0.3	0	28.6	0.16	100	8453	99.49	26.8
2023-03-20 05:35:00	0	0	0	0	238	14.99	23.02	28.6	70	99.51	-1	-0.3	0	28.6	0.16	100	8452	99.5	26.8
2023-03-20 05:40:00	0	0	0	0	242	12.66	18.1	28.6	70	99.52	-1.1	-0.7	0	28.6	0.16	100	8453	99.5	26.8
2023-03-20 05:45:00	0	0	0	0	243	14.05	23.06	28.5	69.7	99.52	-0.9	-0.4	0	28.5	0.16	100	8453	99.5	26.8
2023-03-20 05:50:00	0	0	0	0	242	13.04	19.6	28.6	70	99.53	-1.1	-0.2	0	28.6	0.16	100	8453	99.51	26.8
2023-03-20 05:55:00	0	0	0	0	242	13.76	18.95	28.5	69.8	99.54	-1.2	-0.5	0	28.5	0.16	100	8451	99.52	26.8
2023-03-20 06:00:00	0	0	0	0	243	13.29	19.22	28.5	69.7	99.54	-1	-0.6	0	28.6	0.16	100	8450	99.52	26.7
2023-03-20 06:05:00	0	0	0	0	240	15.75	22.41	28.5	69.9	99.54	-1.3	-0.6	0	28.5	0.16	100	8450	99.52	26.8
2023-03-20 06:10:00	0	0	0	0	237	12.8	22.68	28.5	69.8	99.54	-0.8	-0.5	0	28.5	0.16	100	8448	99.52	26.8
2023-03-20 06:15:00	0	0	0	0	235	13.42	20.76	28.5	69.8	99.54	-0.8	-0.9	0	28.5	0.16	100	8452	99.53	26.7
2023-03-20 06:20:00	0	0	0	0	227	11.9	19.98	28.4	70.2	99.54	-1.3	-0.5	0	28.4	0.16	100	8450	99.52	26.7
2023-03-20 06:25:00	0	0	0	0	228	12.73	20.83	28.4	70.2	99.54	-0.9	-0.3	0	28.4	0.16	100	8449	99.52	26.6
2023-03-20 06:30:00	0	0	0	0	220	11.59	15.68	28.3	70.3	99.54	-0.9	-0.7	0	28.3	0.16	100	8448	99.52	26.6
2023-03-20 06:35:00	0	0	0	0	217	10.65	17.38	28.1	70.8	99.54	-0.9	-0.4	0	28.1	0.15	100	8447	99.52	26.5
2023-03-20 06:40:00	0	0	0	0	225	11.88	15.97	28	69.6	99.54	-1.1	-0.5	0	28	0.16	100	8445	99.52	26.4
2023-03-20 06:45:00	0	0	0	0	220	13.6	23.17	27.9	69.5	99.54	-0.8	-0.3	0	27.9	0.16	100	8447	99.52	26.3
2023-03-20 06:50:00	0.2	0	0	0	225	13.49	18.97	27.9	69.5	99.55	-1.1	-0.4	0	27.9	0.16	100	8446	99.53	26.4
2023-03-20 06:55:00	1.4	0	0	0	223	14.54	23.06	28	69.4	99.55	-1.2	-0.5	0	28	0.16	100	8447	99.53	26.4
2023-03-20 07:00:00	3	0	0	0	226	14.09	20.74	28	69.2	99.55	-0.6	-0.1	0	28	0.16	100	8445	99.54	26.4
2023-03-20 07:05:00	5.4	0	0	0	228	13.73	18.95	28	69.4	99.56	-1	-0.4	0	28	0.16	100	8445	99.55	26.3
2023-03-20 07:10:00	9.2	0	0	0	226	14.36	20.54	28	69.4	99.56	-0.8	-0.5	0	28	0.16	100	8447	99.55	26.3
2023-03-20 07:15:00	19.8	0	0	0	226	15.95	23.44	28.2	68.8	99.56	-1	-0.3	0	28.2	0.16	100	8450	99.55	26.4
2023-03-20 07:20:00	29.4	0	0	0	222	14.94	20.83	28.4	68.2	99.56	-1	-0.3	0	28.4	0.17	100	8452	99.55	26.6
2023-03-20 07:25:00	40.4	0	0	0	216	17.4	26.28	28.7	68.6	99.56	-0.6	-0.6	0	28.8	0.17	100	8461	99.54	26.8
2023-03-20 07:30:00	51	0	0	0	212	15.88	26.28	29.1	68.1	99.55	-0.9	-0.4	0	29.2	0.17	100	8469	99.55	27.2
2023-03-20 07:35:00	63	0	0	0	216	14.74	21.09	29.4	67.3	99.56	-1.2	-0.4	0	29.6	0.18	100	8477	99.55	27.5
2023-03-20 07:40:00	76	0	0	0	218	15.35	21.74	29.8	66.2	99.56	-1	-0.2	0	29.9	0.19	100	8490	99.55	27.8
2023-03-20 07:45:00	88.2	0	0	0	220	15.77	22.88	30.2	65.9	99.57	-0.8	-1	0	30.3	0.19	100	8499	99.57	28.2
2023-03-20 07:50:00	101	0	0	0	216	16.24	25.95	30.6	65.8	99.58	-1.2	-0.5	0	30.8	0.2	100	8507	99.57	28.6
2023-03-20 07:55:00	113.8	0	0	0	218	16.31	21.27	30.9	65.1	99.59	-0.8	-0.4	0	31.1	0.2	100	8520	99.58	29
2023-03-20 08:00:00	126.4	0	0	0	220	16.42	23.67	31.2	64.5	99.6	-0.8	-0.6	0	31.4	0.21	100	8532	99.6	29.4
2023-03-20 08:05:00	139.4	0	0	0	223	16.02	25.77	31.6	63.6	99.6	-0.8	-0.5	0	31.7	0.22	100	8540	99.6	29.7
2023-03-20 08:10:00	152.8	0	0	0	230	14.16	19.82	31.9	64.2	99.61	-0.7	0.1	0	32.1	0.22	100	8553	99.62	30.1
2023-03-20 08:15:00	162.4	0	0	0	223	14.09	22.73	32.3	63.1	99.62	-0.9	-0.2	0	32.6	0.23	100	8564	99.62	30.5
2023-03-20 08:20:00	171	0	0	0	225	14.5	20.27	32.6	62.2	99.63	-1	-0.4	0	33	0.24	100	8574	99.63	30.9
2023-03-20 08:25:00	177.2	0	0	0	229	12.28	17.67	33	61.5	99.63	-0.8	-0.6	0	33.4	0.25	100	8584	99.64	31.4
2023-03-20 08:30:00	184.2	0	0	0	228	15.68	27.2	33.4	60.3	99.63	-0.3	-0.9	0	33.8	0.26	100	8596	99.64	31.8
2023-03-20 08:35:00	206.4	0	0	0	224	15.86	26.73	33.8	60.6	99.64	-0.9	-0.4	0	34.2	0.26	100	8604	99.65	32.2
2023-03-20 08:40:00	229.4	0	0	0	234	15.77	27.2	34.2	59.4	99.64	-0.7	-0.5	0	34.6	0.27	100	8617	99.65	32.6
2023-03-20 08:45:00	250.6	0	0	0	231	17.63	31.9	34.4	59.5	99.64	-0.9	-0.9	0	34.9	0.27	100	8624	99.65	32.9
2023-03-20 08:50:00	271.4	0	0	0	230	19.89	31.63	34.7	58.8	99.64	-0.9	-0.4	0	35.1	0.28	100	8635	99.65	33.2
2023-03-20 08:55:00	286.4	0	0	0	233	13.53	32.68	34.8	59.6	99.65	-0.5	-0.3	0	35.6	0.28	100	8644	99.66	33.6
2023-03-20 09:00:00	302.8	0	0	0	243	15.61	23.76	35.4	58.6	99.65	-0.9	-0.8	0	36	0.29	100	8655	99.66	34
2023-03-20 09:05:00	318.8	0	0	0	241	18.41	29.57	35.7	58.4	99.65	-0.8	-0.5	0	36.4	0.29	100	8662	99.67	34.3
2023-03-20 09:10:00	334.2	0	0	0	234	15.1	25.86	35.9	58.1	99.66	-0.7	-0.6	0	36.5	0.3	100	8669	99.68	34.6
2023-03-20 09:15:00	349.6	0	0	0	237	17.85	35.46	36.1	58.3	99.66	-1.3	-0.4	0	36.8	0.3	100	8676	99.68	35
2023-03-20 09:20:00	363.4	0	0	0	230	18.59	28.9	36.3	57.9	99.66	-0.8	-0.4	0	37	0.31	100	8684	99.68	35.1
2023-03-20 09:25:00	379.4	0	0	0	235	17.38	25.55	36.5	57.6	99.67	-0.8	-0.4	0	37.2	0.31	100	8692	99.68	35.4
2023-03-20 09:30:00	395.6	0	0	0	243	16.67	29.21	36.7	58	99.66	-0.9	-0.4	0	37.4	0.31	100	8697	99.68	35.7
2023-03-20 09:35:00	409.2	0	0	0	239	17.72	27.74	37.3	58.1	99.67	-0.8	-0.2	0	38	0.32	100	8706	99.7	36.1
2023-03-20 09:40:00	414.6	0	0	0	253	20.27	27.16	37.5	57.6	99.67	-0.2	0.1	0	38.1	0.32	100	8709	99.69	36.3
2023-03-20 09:45:00	416.8	0	0	0	245	18.05	25.66	37.6	57.3	99.68	-0.9	-0.2	0	38.3	0.33	100	8717	99.7	36.5
2023-03-20 09:50:00	401.8	0	0	0	261	17.02	27.63	37.9	56.7	99.69	-1.6	-0.6	0	38.6	0.33	100	8719	99.71	36.9
2023-03-20 09:55:00	400	0	0	0	258	17.47	26.42	38.2	56.6	99.68	-0.4	-0.3	0	38.8	0.34	100	8723	99.71	37.2
2023-03-20 10:00:00	405.4	0	0	0	242	17.05	27.29	38.6	56.1	99.7	-0.9	-0.3	0	39.3	0.35	100	8723	99.72	37.6
2023-03-20 10:05:00	373	0	0	0	248	16.58	27.74	38.3	56.6	99.71	-0.6	-0.6	0	38.7	0.34	100	8726	99.73	37.5
2023-03-20 10:10:00	450.4	0	0	0	260	14.79	19.57	38.4	56.8	99.71	-0.6	-0.5	0	39.1	0.34	100	8729	99.73	37.8
2023-03-20 10:15:00	496.4	0	0	0	255	16.44	24.45	39.3	55.9	99.7	-0.6	-0.8	0	39.9	0.36	100	8735	99.73	38.2
2023-03-20 10:20:00	542.4	0	0	0	264	15.46	26.28	39.7	55.5	99.7	-0.4	-0.1	0	40.4	0.37	100	8738	99.73	38.6
2023-03-20 10:25:00	574.6	0	0	0	252	15.57	22.84	40.2	54.7	99.71	-0.8	-0.3	0	40.9	0.38	100	8745	99.73	39
2023-03-20 10:30:00	569	0	0	0	260	14.9	24.07	40.5	54.4	99.71	-0.3	-0.3	0	41.3	0.39	100	8744	99.74	39.4
2023-03-20 10:35:00	575.8	0	0	0	236	17.98	27.09	40.8	53.2	99.7	-1.3	-0.5	0	41.4	0.4	100	8746	99.73	39.6
2023-03-20 10:40:00	585.2	0	0	0	253	14.07	21.97	40.8	53.8	99.72	-0.6	-0.8	0	41.5	0.4	100	8750	99.74	39.7
2023-03-20 10:45:00	596.8	0	0	0	248	15.75	21.43	41	53.4	99.72	-1.3	-0.5	0	41.7	0.41	100	8750	99.74	40
2023-03-20 10:50:00	608.8	0	0	0	236	17.31	35.28	41	52.9	99.72	-0.6	-0.5	0	41.7	0.41	100	8750	99.74	40.1
2023-03-20 10:55:00	606.6	0	0	0	261	17.43	31.59	41.2	52.5	99.72	-1.5	-0.7	0	41.9	0.42	100	8752	99.75	40.3
2023-03-20 11:00:00	592.6	0	0	0	258	17.49	26.15	41.3	52.1	99.73	-0.3	-0.4	0	42	0.42	100	8753	99.76	40.4
2023-03-20 11:05:00	571.6	0	0	0	251	15.14	24.25	41.4	52.2	99.73	-0.6	-0.8	0	42.1	0.42	100	8751	99.76	40.5
2023-03-20 11:10:00	547.8	0	0	0	250	15.84	21.97	41.4	52.3	99.74	-0.5	-0.7	0	42.2	0.42	100	8752	99.76	40.7
2023-03-20 11:15:00	585	0	0	0	249	18.05	24.67	41.7	51.8	99.73	-0.9	-0.3	0	42.4	0.43	100	8754	99.76	40.8
2023-03-20 11:20:00	627	0	0	0	253	18.14	28.95	41.6	50.5	99.73	-0.7	-1.3	0	42.3	0.44	100	8754	99.75	40.8
2023-03-20 11:25:00	662.2	0	0	0	270	15.57	24.79	41.9	51.7	99.72	-0.8	-0.3	0	42.6	0.44	100	8754	99.75	41.1
2023-03-20 11:30:00	686.8	0	0	0	268	16.08	22.7	42.2	50.5	99.73	0.1	-0.9	0	42.9	0.45	100	8757	99.75	41.4
2023-03-20 11:35:00	688.2	0	0	0	271	15.66	25.01	42.5	49.8	99.73	-0.8	-1.1	0	43.2	0.46	100	8754	99.75	41.6
2023-03-20 11:40:00	692.4	0	0	0	275	15.61	24.76	42.8	48.8	99.72	-0.4	-0.3	0	43.5	0.48	100	8755	99.74	41.8
2023-03-20 11:45:00	701	0	0	0	269	13.51	19.19	42.9	48.8	99.73	-0.9	-0.7	0	43.7	0.48	100	8751	99.75	42.1
2023-03-20 11:50:00	706.8	0	0	0	251	18.59	27.78	43.3	48.7	99.73	-0.4	-0.4	0	44	0.49	100	8750	99.74	42.3
2023-03-20 11:55:00	695.8	0	0	0	235	16.84	22.91	43.2	48	99.73	-0.4	-0.5	0	43.9	0.49	100	8751	99.75	42.2
2023-03-20 12:00:00	671.4	0	0	0	257	11.5	18.59	43.2	49.4	99.73	-0.4	-0.8	0	44	0.48	100	8751	99.75	42.3
2023-03-20 12:05:00	643.2	0	0	0	264	13.94	23.47	43.7	48	99.73	-0.5	-0.5	0	44.5	0.5	100	8749	99.75	42.6
2023-03-20 12:10:00	619.8	0	0	0	263	13.35	19.17	44.1	47.6	99.73	-0.5	-0.4	0	44.9	0.52	100	8748	99.75	42.9
2023-03-20 12:15:00	665	0	0	0	262	15.21	24.18	44.3	47	99.72	-0.4	-0.6	0	45	0.52	100	8746	99.74	43.1
2023-03-20 12:20:00	705.4	0	0	0	272	16.37	23.09	44.5	45.6	99.72	-0.2	-0.8	0	45.2	0.54	100	8744	99.74	43.1
2023-03-20 12:25:00	740.4	0	0	0	272	14.56	19.86	44.4	45.7	99.72	-0.4	-0.5	0	45.1	0.54	100	8744	99.74	43.2
2023-03-20 12:30:00	746.2	0	0	0	254	13.78	21.09	44.6	45.8	99.73	-0.4	-0.7	0	45.3	0.54	100	8746	99.75	43.3
2023-03-20 12:35:00	751.6	0	0	0	226	15.7	21.5	44.8	45.6	99.73	-0.3	-0.4	0	45.5	0.55	100	8741	99.73	43.4
2023-03-20 12:40:00	755.6	0	0	0	231	13.69	19.64	44.6	44.9	99.72	-0.6	-0.4	0	45.4	0.55	100	8738	99.74	43.4
2023-03-20 12:45:00	751.4	0	0	0	220	16.31	21.99	44.7	44.7	99.71	0.1	-0.8	0	45.5	0.56	100	8737	99.73	43.3
2023-03-20 12:50:00	733	0	0	0	243	14.52	21.83	44.6	45.1	99.71	-0.3	-0.5	0	45.4	0.55	100	8736	99.73	43

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-20 13:05:00	649.6	0	0	0	228	16.2	23.47	45.3	43	99.7	-0.3	-1	0	46	0.59	100	8728	99.72	43.6
2023-03-20 13:10:00	646	0	0	0	248	13.51	20.4	45.2	43.1	99.7	-0.4	-0.6	0	46	0.58	100	8724	99.71	43.6
2023-03-20 13:15:00	686.4	0	0	0	221	17.36	25.79	45.6	42.9	99.69	-0.4	-0.5	0	46.4	0.59	100	8724	99.7	43.9
2023-03-20 13:20:00	716.6	0	0	0	252	13.49	21.36	45.8	41.2	99.69	-0.5	-0.5	0	46.5	0.62	100	8718	99.7	44.1
2023-03-20 13:25:00	741.2	0	0	0	214	11.65	22.01	46.2	41.4	99.69	-0.2	-0.7	0	47	0.62	100	8716	99.69	44.5
2023-03-20 13:30:00	760	0	0	0	206	15.82	30.96	46.5	40.6	99.68	-0.4	-0.8	0	47.3	0.64	100	8712	99.68	44.6
2023-03-20 13:35:00	762	0	0	0	225	16.06	28.57	46.6	40.5	99.69	-0.7	-0.9	0	47.3	0.64	100	8706	99.68	44.6
2023-03-20 13:40:00	758	0	0	0	233	15.84	22.19	46.5	38.6	99.68	-0.5	-0.4	0	47.2	0.66	100	8704	99.68	44.6
2023-03-20 13:45:00	755.4	0	0	0	250	13.67	19.69	46.6	39.5	99.68	-0.4	-0.7	0	47.3	0.65	100	8695	99.68	44.6
2023-03-20 13:50:00	753	0	0	0	231	18.9	30.33	46.7	37.4	99.66	0	0.1	0	47.3	0.68	100	8691	99.66	44.6
2023-03-20 13:55:00	749.2	0	0	0	236	16.55	23.58	46.7	37.6	99.66	-0.3	0	0	47.4	0.68	100	8687	99.66	44.7
2023-03-20 14:00:00	746.8	0	0	0	237	17.34	25.34	46.9	36.3	99.66	-0.4	-0.8	0	47.6	0.7	100	8679	99.64	44.9
2023-03-20 14:05:00	736.6	0	0	0	238	21.85	32.46	47.1	34.3	99.64	-0.3	-1.3	0	47.7	0.72	100	8675	99.64	45
2023-03-20 14:10:00	719	0	0	0	221	25.17	36.62	47.1	33.6	99.64	-0.5	1	0	47.7	0.73	100	8670	99.63	44.9
2023-03-20 14:15:00	703.2	0	0	0	228	19.46	25.99	46.9	34.5	99.65	-0.7	-0.3	0	47.6	0.72	100	8665	99.64	44.9
2023-03-20 14:20:00	692.4	0	0	0	228	19.82	30.22	47.1	33.6	99.64	-0.8	-0.1	0	47.8	0.73	100	8660	99.63	45
2023-03-20 14:25:00	680.2	0	0	0	236	15.99	27	47.4	34.3	99.64	-0.4	-0.5	0	48.1	0.73	100	8656	99.63	45.3
2023-03-20 14:30:00	664.6	0	0	0	231	20.76	29.68	47.8	32.6	99.63	-1.4	-1.7	0	48.5	0.76	100	8652	99.62	45.5
2023-03-20 14:35:00	645.8	0	0	0	235	20.67	35.81	47.9	31.4	99.64	-0.6	-1.1	0	48.5	0.78	100	8646	99.63	45.5
2023-03-20 14:40:00	624.4	0	0	0	243	19.17	26.13	48	30.7	99.63	-0.4	-1.1	0	48.6	0.79	100	8641	99.62	45.5
2023-03-20 14:45:00	600	0	0	0	231	20.27	28.68	48.1	30.8	99.64	-0.3	-1.2	0	48.8	0.79	100	8640	99.62	45.7
2023-03-20 14:50:00	580.2	0	0	0	250	16.51	24.74	48.2	30.5	99.64	-0.6	-0.8	0	48.9	0.8	100	8634	99.62	45.8
2023-03-20 14:55:00	569.2	0	0	0	251	15.26	23.53	48.4	31.2	99.64	-0.6	-0.8	0	49.1	0.8	100	8633	99.62	46
2023-03-20 15:00:00	567.2	0	0	0	226	18.75	27.09	48.5	30.3	99.64	-0.2	-0.6	0	49.2	0.81	100	8630	99.62	46.2
2023-03-20 15:05:00	571.6	0	0	0	244	17.9	28.68	48.7	29.7	99.63	-0.6	-1	0	49.4	0.82	100	8624	99.62	46.2
2023-03-20 15:10:00	577.4	0	0	0	244	16.44	24.11	48.7	30.3	99.64	-0.6	-0.8	0	49.4	0.82	100	8622	99.61	46.3
2023-03-20 15:15:00	582.4	0	0	0	246	18.41	24.92	48.8	30.2	99.63	-0.4	-0.7	0	49.4	0.82	100	8621	99.61	46.4
2023-03-20 15:20:00	582.4	0	0	0	235	20.54	34.18	48.9	29.4	99.63	-1.2	-0.8	0	49.5	0.83	100	8619	99.6	46.6
2023-03-20 15:25:00	580.4	0	0	0	242	21.05	27.83	48.9	29	99.62	0.4	-0.4	0	49.5	0.84	100	8614	99.6	46.6
2023-03-20 15:30:00	577.6	0	0	0	232	18.48	24.99	48.9	29.1	99.62	-0.2	-0.6	0	49.5	0.84	100	8612	99.6	46.7
2023-03-20 15:35:00	574.8	0	0	0	247	18.41	24.56	49.1	29.2	99.63	-0.4	-0.7	0	49.7	0.84	100	8607	99.6	46.9
2023-03-20 15:40:00	571	0	0	0	256	15.43	24.61	49.3	29.3	99.63	-0.2	-0.9	0	50	0.84	100	8603	99.6	47.2
2023-03-20 15:45:00	567	0	0	0	217	23.8	32.23	49.6	28	99.62	-0.1	-0.5	0	50.1	0.87	100	8602	99.59	47.4
2023-03-20 15:50:00	565.2	0	0	0	220	22.37	30.22	49.6	26.7	99.62	-0.1	-0.6	0	50.1	0.89	100	8595	99.6	47.4
2023-03-20 15:55:00	556.6	0	0	0	260	13.85	20.56	49.5	26.9	99.63	-0.1	-0.9	0	50.2	0.88	100	8597	99.61	47.6
2023-03-20 16:00:00	546	0	0	0	264	24.07	33.84	49.9	24.1	99.62	-0.1	0.4	0	50.6	0.93	100	8592	99.6	47.8
2023-03-20 16:05:00	533	0	0	0	251	24.94	33.22	49.8	22.8	99.62	0.4	-0.2	0	50.4	0.94	100	8592	99.6	47.8
2023-03-20 16:10:00	519	0	0	0	248	20.27	30.82	49.5	23.2	99.64	0	-0.7	0	50.2	0.93	100	8589	99.61	47.9
2023-03-20 16:15:00	504.8	0	0	0	255	20.09	30	49.5	23.8	99.63	-0.6	-0.4	0	50.1	0.92	100	8586	99.61	47.9
2023-03-20 16:20:00	489.8	0	0	0	259	18.14	24.14	49.5	23.9	99.64	-0.4	0	0	50.2	0.92	100	8585	99.62	48.1
2023-03-20 16:25:00	476	0	0	0	255	18.66	27.49	49.5	24.2	99.64	-0.3	-0.5	0	50.3	0.91	100	8582	99.6	48.2
2023-03-20 16:30:00	461	0	0	0	248	19.01	30.09	49.7	25.4	99.65	-0.5	-0.6	0	50.4	0.91	100	8580	99.62	48.5
2023-03-20 16:35:00	446.2	0	0	0	238	17.76	25.88	49.9	24.7	99.64	-0.2	-0.8	0	50.5	0.92	100	8579	99.61	48.7
2023-03-20 16:40:00	433.2	0	0	0	269	20.51	36.06	50	22.5	99.64	-0.2	-0.1	0	50.6	0.95	100	8578	99.61	48.8
2023-03-20 16:45:00	416	0	0	0	258	17.11	24.02	49.8	22.3	99.65	-0.2	-0.2	0	50.4	0.95	100	8578	99.62	48.9
2023-03-20 16:50:00	400.8	0	0	0	248	16.28	28.05	49.9	22.3	99.65	-0.8	-0.7	0	50.5	0.95	100	8571	99.61	49.1
2023-03-20 16:55:00	384.6	0	0	0	259	21.36	31.52	49.8	21.2	99.63	-0.1	-1.4	0	50.4	0.96	100	8569	99.6	49.1
2023-03-20 17:00:00	368.6	0	0	0	261	17.29	27.07	49.6	22.1	99.63	-0.2	-1.1	0	50.3	0.94	100	8570	99.6	49.1
2023-03-20 17:05:00	351.8	0	0	0	260	16.84	31.32	49.6	22.5	99.64	-0.2	-0.8	0	50.2	0.94	100	8567	99.61	49.3
2023-03-20 17:10:00	334.6	0	0	0	247	15.21	21.14	49.6	22.2	99.64	-0.6	-0.4	0	50.3	0.94	100	8566	99.61	49.4
2023-03-20 17:15:00	317	0	0	0	247	17.22	30.94	49.6	22.7	99.64	-0.1	-0.7	0	50.2	0.93	100	8564	99.61	49.4
2023-03-20 17:20:00	299.4	0	0	0	250	20.11	27.45	49.5	22.7	99.64	-0.4	-0.8	0	50.1	0.93	100	8562	99.61	49.3
2023-03-20 17:25:00	284	0	0	0	246	16.93	22.84	49.3	22.9	99.64	-0.1	-0.8	0	49.9	0.92	100	8559	99.61	49.2
2023-03-20 17:30:00	266.4	0	0	0	239	21.65	34.38	49.2	21.3	99.63	-0.1	-0.4	0	49.7	0.94	100	8559	99.6	48.9
2023-03-20 17:35:00	249.6	0	0	0	255	14.9	23.22	49	21.3	99.64	-0.7	-0.2	0	49.6	0.93	100	8554	99.6	48.6
2023-03-20 17:40:00	232	0	0	0	254	15.5	25.99	49	22.2	99.64	-0.2	-1.5	0	49.4	0.92	100	8556	99.6	49
2023-03-20 17:45:00	198.2	0	0	0	248	20.15	31.29	48.9	21.4	99.63	0.6	-1.1	0	49.2	0.93	100	8556	99.6	48.8
2023-03-20 17:50:00	153.6	0	0	0	252	17.05	27.83	48.4	22.3	99.64	-0.4	-0.6	0	48.7	0.9	100	8553	99.6	48.1
2023-03-20 17:55:00	165	0	0	0	252	17.43	23.4	47.9	22.2	99.64	-0.6	-0.7	0	48.3	0.88	100	8549	99.6	48.1
2023-03-20 18:00:00	138	0	0	0	245	17.74	25.32	47.8	22.1	99.64	-0.1	-0.9	0	48	0.88	100	8548	99.6	47.8
2023-03-20 18:05:00	95.2	0	0	0	242	16.22	25.68	47.4	23.3	99.65	-0.4	-0.6	0	47.6	0.86	100	8548	99.6	47.4
2023-03-20 18:10:00	69	0	0	0	248	15.99	21.7	47	23.1	99.65	-0.5	-0.2	0	47.2	0.84	100	8541	99.61	46.7
2023-03-20 18:15:00	60.4	0	0	0	255	10.69	18.28	46.5	24.5	99.65	-0.5	-0.2	0	46.7	0.81	100	8544	99.61	46.2
2023-03-20 18:20:00	63.8	0	0	0	247	12.46	18.72	46.1	24.7	99.65	-0.5	-0.6	0	46.3	0.8	100	8539	99.6	46
2023-03-20 18:25:00	82.6	0	0	0	237	10.22	17.72	45.9	25.8	99.65	-0.5	-0.6	0	46.1	0.78	100	8538	99.61	46
2023-03-20 18:30:00	86.4	0	0	0	239	7.74	13.38	45.9	26.8	99.65	-0.5	-0.6	0	46.1	0.77	100	8537	99.61	46.4
2023-03-20 18:35:00	72.8	0	0	0	234	11.56	16.4	46	27.5	99.65	-0.6	-0.6	0	46.2	0.77	100	8534	99.61	46.6
2023-03-20 18:40:00	56.4	0	0	0	228	12.08	20.89	46	27.8	99.65	-0.4	-0.9	0	46.2	0.76	100	8533	99.61	46.4
2023-03-20 18:45:00	46	0	0	0	235	12.95	18.19	46.1	27.6	99.65	-0.4	-0.2	0	46.2	0.77	100	8532	99.62	46.4
2023-03-20 18:50:00	33.8	0	0	0	238	10.11	14.76	45.9	27.9	99.66	-0.2	-0.7	0	46	0.76	100	8532	99.62	46.2
2023-03-20 18:55:00	22.2	0	0	0	224	8.68	16.89	45.7	28.1	99.66	-0.5	-0.7	0	45.8	0.75	100	8529	99.62	45.8
2023-03-20 19:00:00	14.2	0	0	0	220	10.67	18.75	45.5	28	99.67	-0.5	-0.6	0	45.5	0.74	100	8529	99.63	45.3
2023-03-20 19:05:00	8.8	0	0	0	224	14.97	21.34	45.3	27.2	99.68	-0.6	-0.6	0	45.3	0.75	100	8527	99.63	44.9
2023-03-20 19:10:00	3.8	0	0	0	231	11.21	18.05	45.1	28.4	99.69	-0.5	-0.6	0	45.1	0.73	100	8526	99.65	44.5
2023-03-20 19:15:00	1.8	0	0	0	239	10.56	19.35	44.8	29	99.7	-0.2	-0.6	0	44.8	0.72	100	8523	99.65	44.1
2023-03-20 19:20:00	0.8	0	0	0	240	9.78	15.48	44.4	28.6	99.71	-0.7	-0.5	0	44.4	0.71	100	8521	99.66	43.8
2023-03-20 19:25:00	0	0	0	0	234	8.63	11.65	44.2	28.8	99.72	-0.6	-0.5	0	44.2	0.7	100	8518	99.67	43.5
2023-03-20 19:30:00	0	0	0	0	236	9.75	15.5	44	29.2	99.72	-0.7	-0.5	0	44	0.69	100	8520	99.67	43.2
2023-03-20 19:35:00	0	0	0	0	230	9.19	13.33	43.8	28.7	99.72	-0.5	-0.6	0	43.7	0.69	100	8516	99.67	43
2023-03-20 19:40:00	0	0	0	0	219	7.58	10.98	43.7	30	99.72	-0.5	-0.5	0	43.7	0.68	100	8515	99.68	42.8
2023-03-20 19:45:00	0	0	0	0	219	5.46	7.11	43.3	31	99.73	-0.6	-0.6	0	43.3	0.66	100	8516	99.68	42.4
2023-03-20 19:50:00	0	0	0	0	217	6.73	10.16	43	30.8	99.73	-0.6	-0.4	0	43	0.65	100	8511	99.68	42
2023-03-20 19:55:00	0	0	0	0	222	6.98	10.58	42.8	31.4	99.73	-0.5	-0.6	0	42.8	0.64	100	8513	99.68	41.8
2023-03-20 20:00:00	0	0	0	0	220	6.62	9.33	42.6	32.1	99.74	-0.5	-0.6	0	42.6	0.63	100	8510	99.69	41.7
2023-03-20 20:05:00	0	0	0	0	220	6.11	8.52	42.5	32.5	99.74	-0.7	-0.5	0	42.5	0.62	100	8510	99.69	41.5
2023-03-20 20:10:00	0	0	0	0	211	5.35	8.39	42.3	32.1	99.73	-0.6	-0.6	0	42.3	0.62	100	8507	99.68	41.3
2023-03-20 20:15:00	0	0	0	0	214	4.32	5.99	42.2	31.8	99.73	-0.5	-0.6	0	42.2	0.62	100	8508	99.68	40.9
2023-03-20 20:20:00	0	0	0	0	228	5.93	12.55	41.9	32.3	99.73	-0.6	-0.5	0	41.9	0.61	100	8504	99.68	40.7
2023-03-20 20:25:00	0	0	0	0	224	8.23	13.8	42	32.4	99.73	-0.6	-0.6	0	42	0.61	100	8504	99.68	40.8
2023-03-20 20:30:00	0	0	0	0	232	7.96	10.94	42	32.6	99.73	-0.5	-0.7	0	42	0.61	100	8505	99.68	40.9
2023-03-20 20:35:00	0	0	0	0	247	8.12	11.21	42.2	32.9	99.74	-0.5	-0.6	0	42.2	0.61	100	8504	99.69	41
2023-03-20 20:40:00	0	0	0	0	255	8.19	11.54	42.2	32.9	99.75	-0.4	-0.4	0	42.2	0.61	100	8503	99.7	40.9
2023-03-20 20:45:00	0	0	0	0	259	8.63	11.3	42.2	32.9	99.75	-0.6	-0.7	0	42.2	0.61	100	8501	99.7	40.8
2023-03-20 20:50:00	0	0	0	0	264	8.25	10.31	42.1	33	99.76	-0.5	-0.6	0	42.1	0.61	100	8499	99.71	40.8
2023-03-20 20:55:00	0	0	0	0	262	8.05	10.18	42.1	33	99.76	-0.5	-0.6	0	42.1	0.61	100	8501	99.71	40.9
2023-03-20 21:00:00	0	0	0	0	258	7.85	10.87	42.1	33.2	99.76	-0.6	-0.4	0	42.1	0.61	100	8500	99.71	40.8
2023-03-20 21:05:00	0	0	0	0	264	7.34	10.54	42.1	33.7	99.76	-0.6	-0.5	0	42.1	0.6	100	8499	99.71	40.7
2023-03-20 21:10:00	0	0	0	0	275	7	9.51	41.8	33.5	99.77	-0.5	-0.5	0	41.8	0.6	100	8495	99.72	40.6
2023-03-20 21:15:00	0	0	0	0	282	6.87	9.62	41.6	33.6	99.78	-0.6	-0.5	0	41.6	0.59	100	8501	99.72	40.3
2023-03-20 21:20:00	0	0	0	0	278	6.29	10.67	41.4	33.2	99.79	-0.6	-0.7	0	41.4	0.59	100	8494	99.73	40.1
2023-03-20 21:25:00	0	0	0	0	288	7.05	9.78	41.2	33.4	99.8	-0.6	-0.6	0	41.2	0.59	100	8495	99.74	40
2023-03-20 21:30:00	0	0	0	0	308	9.26	12.66	41	33	99.79	-0.6	-0.5	0	41	0.59	100	8494	99.74	39.8
2023-03-20 21:35:00	0	0	0	0	310	9.15	11.97	40.9	32.9	99.79	-0.7	-0.5	0	40.9	0.58	100	8491	99.74	39.7
2023-03-20 21:40:00	0	0	0	0	301	8.1	11.74	40.7	34	99.8	-0.6	-0.7	0	40.7	0.57	100	8494	99.75	39.5
2023-03-20 21:45:00	0	0	0	0	293	8.03	10.85	40.4	35.7	99.79	-0.6	-0.6	0	40.4	0.55	100	8490	99.74	39.3
2023-03-20 21:50:00	0	0	0	0	290	7.43	10.07	40	37.4	99.8	-0.7	-0.6	0	40	0.53	100	8488	99.75	39
2023-03-20 21:55:00	0	0	0	0	289	7.25	11.63	39.7	39.3	99.8	-0.9	-0.5	0	39.7	0.5	100	8488	99.75	38.6
2023-03-20 22:00:00	0	0	0	0	287	6.8	9.64	39.5	40.4	99.8	-0.6	-0.5	0	39.5	0.49	100	8489	99.75	38.4
2023-03-20 22:05:00	0	0	0	0	271	5.35	7.02	39.1	41.6	99.8	-0.6	-0.5	0	39.1	0.47	100	8488	99.75	38.1
2023-03-20 22:10:00	0	0	0	0	269	6.42	8.41	38.8	41.2	99.8	-0.8	-0.4	0	38.8	0.47	100	8486	99.75	37.8
2023-03-20 22:15:00	0	0	0	0	266	6.49	8.72	38.6	42.4	99.8	-0.7	-0.5	0	38.6	0.46	100	8485	99.76	37.5
2023-03-20 22:20:00	0	0	0	0	263	6.13	8.43	38.3	43.3	99.8	-0.6	-0.6	0	38.3	0.44	100	8484	99.75	37.2
2023-03-20 22:25:00	0	0	0	0	272	6.22	8.95	38.1	44.2	99.8	-0.7	-0.5	0	38.1	0.43	100	8485	99.75	37
2023-03-20 22:30:00	0	0	0	0	268	4.83	6.24	37.9	44.8	99.8	-0.7	-0.5	0	37.8	0.43	100	8483	99.75	36.6
2023-03-20 22:35:00	0	0	0	0	265	4.63	5.73	37.7	45.1	99.8	-0.7	-0.4	0	37.7	0.42	100	8480	99.75	36.3
2023-03-20 22:40:00	0	0	0	0	266	4.25	5.59	37.4	45.1	99.79	-0.7	-0.5	0	37.4	0.42	100	8479	99.74	36.1
2023-03-20 22:45:00	0	0	0	0	262	4.21	5.68	37.3	46.3	99.79	-0.8	-0.4	0	37.3	0.41	100	8479	99.74	35.9
2023-03-20 22:50:00	0	0	0	0	246	3.27	4.61	37.1	46.7	99.79	-0.8	-0.5	0	37.1	0.4	100	8477	99.74	35.6
2023-03-20 22:55:00	0	0	0	0	211	3.74	4.88	37.1	47.2	99.79	-0.8	-0.5	0	37.1	0.4	100	8478	99.74	35.4
2023-03-20 23:00:00	0	0	0	0	172	3.06	3.62	36.9	47.3	99.8	-0.8	-0.6	0	36.9	0.39	100	8478	99.75	35.3
2023-03-20 23:05:00	0	0	0	0	165	1.88	2.68	36.7	48.6	99.8	-0.9	-0.5	0	36.7	0.38	100	8477	99.75	35
2023-03-20 23:10:00	0	0	0	0	172	2.06	3.02	36.6	47.7	99.8	-0.7	-0.4	0	36.6	0.38	100	8474	99.75	34.8
2023-03-20 23:15:00	0	0	0	0	161	2.24	3.36	36.5	47.9	99.8	-0.8	-0.5	0	36.5	0.38	100	8475	99.75	34.7
2023-03-20 23:20:00	0	0	0	0	207	2.19	3.44	36.5	47.9	99.81	-0.8	-0.6	0	36.5	0.38	100	8475	99.76	34.7
2023-03-20 23:25:00	0	0	0	0	223	2.95	4.68	36.4	48.3	99.81	-0.8	-0.5	0	36.4	0.38	100	8471	99.76	34.7
2023-03-20 23:30:00	0	0	0	0	218	3.87	5.17	36.4	49.4	99.81	-0.7	-0.6	0	36.4	0.37	100	8475	99.76	34.6
2023-03-20 23:35:00	0	0	0	0	200	2.82	3.71	36.4	49.7	99.81	-0.9	-0.5	0	36.4	0.37	100	8470	99.77	34.5
2023-03-20 23:40:00	0	0	0	0	204	3.33	4.47	36.2	49.7	99.81	-0.7	-0.4	0	36.2	0.36	100	8471	99.76	34.4
2023-03-20 23:45:00	0	0	0	0	190	3.06	4.12	36.3	49.7	99.81	-0.8	-0.5	0	36.3	0.37	100	8472	99.76	34.3
2023-03-20 23:50:00	0	0	0	0	203	2.62	3.53	36.2	50.7	99.81	-0.7	-0.4	0	36.2	0.36	100	8471	99.76	34.2
2023-03-20 23:55:00	0	0	0	0	182	3.33	5.32	36	50.7	99.81	-0.8	-0.4	0	36	0.35	100	8470	99.76	34
2023-03-21 00:00:00	0	0	0	0	172	5.93	6.4	35.8	50.9	99.81	-0.8	-0.5	0	35.8	0.35	100	8467	99.76	33.8
2023-03-21 00:05:00	0	0	0	0	173	5.7	6.4	35.8	49.2	99.81	-0.8	-0.7	0	35.9	0.36	100	8440	99.76	33.9
2023-03-21 00:10:00	0	0	0	0	174	5.77	6.38	35.9	49	99.81	-0.9	-0.5	0	35.9	0.36	100	8429	99.76	34.1
2023-03-21 00:15:00	0	0	0	0	175	6.11	7.05	35.7	50.2	99.81	-0.8	-0.4	0	35.7	0.35	100	8422	99

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-21 00:30:00	0	0	0	0	165	7.34	8.34	35.3	51.6	99.82	-0.8	-0.4	0	35.3	0.34	100	8442	99.77	33.1
2023-03-21 00:35:00	0	0	0	0	168	6.82	7.58	35.4	53.2	99.83	-0.8	-0.5	0	35.4	0.33	100	8443	99.78	33
2023-03-21 00:40:00	0	0	0	0	166	6.91	7.99	35.2	52.6	99.83	-0.8	-0.4	0	35.3	0.33	100	8444	99.78	32.9
2023-03-21 00:45:00	0	0	0	0	167	7.07	8.03	35.1	52.3	99.83	-0.8	-0.5	0	35.1	0.33	100	8445	99.78	32.7
2023-03-21 00:50:00	0	0	0	0	165	7.67	8.61	35	52.3	99.83	-0.7	-0.5	0	35	0.33	100	8443	99.78	32.6
2023-03-21 00:55:00	0	0	0	0	167	7.45	8.32	34.8	53.9	99.84	-0.8	-0.5	0	34.7	0.31	100	8444	99.79	32.6
2023-03-21 01:00:00	0	0	0	0	166	7.87	9.1	34.6	54.4	99.84	-0.6	-0.5	0	34.5	0.31	100	8443	99.79	32.6
2023-03-21 01:05:00	0	0	0	0	165	8.75	10.11	34.6	54.7	99.84	-0.9	-0.5	0	34.6	0.31	100	8444	99.79	32.7
2023-03-21 01:10:00	0	0	0	0	164	8.68	9.4	34.5	54.7	99.84	-0.8	-0.4	0	34.5	0.31	100	8443	99.79	32.8
2023-03-21 01:15:00	0	0	0	0	163	9.48	10.25	34.4	54.7	99.83	-0.7	-0.5	0	34.4	0.31	100	8443	99.79	32.8
2023-03-21 01:20:00	0	0	0	0	163	8.97	10.78	34.5	54.8	99.83	-0.8	-0.5	0	34.5	0.31	100	8444	99.79	33
2023-03-21 01:25:00	0	0	0	0	163	7.78	9.55	34.5	55.7	99.83	-0.8	-0.4	0	34.5	0.3	100	8445	99.79	33
2023-03-21 01:30:00	0	0	0	0	162	7.78	9.15	34.3	55.7	99.82	-0.7	-0.6	0	34.3	0.3	100	8443	99.78	32.8
2023-03-21 01:35:00	0	0	0	0	167	7.02	9.71	33.9	56.6	99.82	-0.8	-0.5	0	33.9	0.29	100	8440	99.78	32.7
2023-03-21 01:40:00	0	0	0	0	177	6.78	8.81	34	55.9	99.83	-0.9	-0.6	0	33.9	0.29	100	8442	99.79	32.6
2023-03-21 01:45:00	0	0	0	0	191	5.95	8.48	34.1	56.6	99.83	-0.7	-0.6	0	34.1	0.29	100	8442	99.79	32.8
2023-03-21 01:50:00	0	0	0	0	196	7.14	11.59	34.4	56.4	99.83	-0.7	-0.5	0	34.4	0.29	100	8441	99.79	33.1
2023-03-21 01:55:00	0	0	0	0	205	8.79	13.02	35	53.7	99.84	-0.8	-0.3	0	35	0.32	100	8442	99.79	33.8
2023-03-21 02:00:00	0	0	0	0	204	10.09	16.06	35.9	53	99.84	-0.6	-0.6	0	35.9	0.34	100	8442	99.8	34.5
2023-03-21 02:05:00	0	0	0	0	216	11.56	21	36.7	51.5	99.86	-0.8	-0.3	0	36.7	0.36	100	8441	99.82	35.1
2023-03-21 02:10:00	0	0	0	0	230	13.24	21	37.5	49.7	99.87	-1	-0.2	0	37.6	0.38	100	8440	99.83	35.9
2023-03-21 02:15:00	0	0	0	0	228	15.64	22.46	38.4	47.8	99.89	-0.6	-0.5	0	38.4	0.41	100	8440	99.84	36.4
2023-03-21 02:20:00	0	0	0	0	237	18.66	28.01	38.9	46.8	99.88	-1	-0.9	0	38.9	0.43	100	8442	99.84	37.1
2023-03-21 02:25:00	0	0	0	0	242	17.76	27.89	39.6	46	99.9	-1.1	-1.1	0	39.6	0.45	100	8438	99.85	37.6
2023-03-21 02:30:00	0	0	0	0	248	17.43	24.27	39.8	45.9	99.91	-0.7	-0.6	0	39.8	0.45	100	8440	99.86	37.9
2023-03-21 02:35:00	0	0	0	0	249	16.89	23.64	39.9	46.7	99.92	-0.5	-0.3	0	39.9	0.45	100	8440	99.87	38
2023-03-21 02:40:00	0	0	0	0	249	17.22	24.7	39.8	48.5	99.94	-0.4	-0.4	0	39.8	0.43	100	8440	99.89	38.1
2023-03-21 02:45:00	0	0	0	0	253	21.59	33.38	39.7	56.1	99.94	-0.4	-0.6	0	39.7	0.36	100	8440	99.89	38.1
2023-03-21 02:50:00	0	0	0	0	253	22.12	32.61	39.5	63.3	99.94	-0.4	-0.4	0	39.5	0.3	100	8438	99.9	38
2023-03-21 02:55:00	0	0	0	0	240	18.52	29.82	39.1	64.5	99.94	-0.5	-0.4	0	39.1	0.29	100	8440	99.9	37.9
2023-03-21 03:00:00	0	0	0	0	234	18.7	26.84	38.8	68.2	99.92	-0.8	-1.7	0	38.8	0.25	100	8440	99.89	37.7
2023-03-21 03:05:00	0	0	0	0	238	17.07	25.7	38.6	69.8	99.92	-0.2	-0.4	0	38.6	0.24	100	8438	99.88	37.7
2023-03-21 03:10:00	0	0	0	0	241	12.95	22.37	38.4	70.9	99.92	-0.9	-0.6	0	38.5	0.23	100	8438	99.88	37.6
2023-03-21 03:15:00	0	0	0	0	234	16.46	23.4	38.4	71	99.91	-0.8	-0.4	0	38.4	0.23	100	8439	99.88	37.7
2023-03-21 03:20:00	0	0	0	0	243	16.26	23.67	38.5	70.8	99.92	-0.7	-0.6	0	38.5	0.23	100	8437	99.87	37.7
2023-03-21 03:25:00	0	0	0	0	229	14.29	17.81	38.4	72.1	99.91	-0.8	-0.5	0	38.4	0.22	100	8437	99.87	37.7
2023-03-21 03:30:00	0	0	0	0	225	17.69	23.71	38.2	72.6	99.9	0	-0.2	0	38.2	0.21	100	8437	99.86	37.6
2023-03-21 03:35:00	0	0	0	0	225	17.34	24.9	38.1	73.1	99.89	-0.6	-0.5	0	38.1	0.21	100	8438	99.85	37.5
2023-03-21 03:40:00	0	0	0	0	226	16.51	22.77	38.1	73.5	99.89	-0.6	-0.1	0	38.1	0.21	100	8437	99.85	37.5
2023-03-21 03:45:00	0	0	0	0	226	15.97	24.79	38	73.5	99.89	-0.6	-0.6	0	38	0.21	100	8434	99.85	37.4
2023-03-21 03:50:00	0	0	0	0	232	13.76	20.13	37.8	74.1	99.89	-0.5	-0.5	0	37.8	0.2	100	8431	99.85	37.3
2023-03-21 03:55:00	0	0	0	0	228	16.35	23.55	37.9	73.3	99.89	-0.3	-0.4	0	37.9	0.21	100	8434	99.86	37.3
2023-03-21 04:00:00	0	0	0	0	231	14	19.8	37.8	73.4	99.9	-0.5	-0.7	0	37.8	0.2	100	8431	99.86	37.2
2023-03-21 04:05:00	0	0	0	0	230	13.51	20.4	37.8	73.7	99.89	-0.6	-0.7	0	37.8	0.2	100	8433	99.86	37.2
2023-03-21 04:10:00	0	0	0	0	230	12.1	16.6	37.8	73.4	99.89	-0.7	-0.6	0	37.8	0.2	100	8433	99.85	37.1
2023-03-21 04:15:00	0	0	0	0	236	11.88	16.64	37.7	73	99.89	-0.8	-0.5	0	37.7	0.21	100	8432	99.85	37
2023-03-21 04:20:00	0	0	0	0	242	10.02	16.06	37.7	73	99.89	-0.7	-0.4	0	37.7	0.21	100	8431	99.85	37
2023-03-21 04:25:00	0	0	0	0	248	8.5	14.79	37.5	73	99.89	-0.7	-0.5	0	37.5	0.21	100	8433	99.85	36.8
2023-03-21 04:30:00	0	0	0	0	237	8.7	12.57	37.4	72.7	99.88	-0.7	-0.4	0	37.4	0.21	100	8434	99.85	36.8
2023-03-21 04:35:00	0	0	0	0	226	9.06	13.89	37.5	72.2	99.88	-0.6	-0.5	0	37.5	0.21	100	8431	99.84	36.8
2023-03-21 04:40:00	0	0	0	0	209	7.92	12.95	37.6	72.3	99.88	-0.7	-0.6	0	37.6	0.21	100	8431	99.84	36.8
2023-03-21 04:45:00	0	0	0	0	203	10.02	14.79	37.7	71.8	99.88	-0.7	-0.4	0	37.7	0.22	100	8432	99.84	36.9
2023-03-21 04:50:00	0	0	0	0	204	10.36	15.7	37.8	71	99.88	-0.6	-0.7	0	37.8	0.22	100	8429	99.84	36.9
2023-03-21 04:55:00	0	0	0	0	214	9.4	18.5	37.8	70.1	99.88	-0.7	-0.4	0	37.8	0.23	100	8430	99.84	37
2023-03-21 05:00:00	0	0	0	0	210	10.89	15.41	38	68.8	99.88	-0.9	-0.2	0	38	0.24	100	8429	99.84	37.1
2023-03-21 05:05:00	0	0	0	0	215	10.42	14.74	38.2	67.7	99.88	-0.6	-0.6	0	38.2	0.25	100	8428	99.84	37.1
2023-03-21 05:10:00	0	0	0	0	207	11.74	17.54	38.3	67	99.88	-0.8	-0.3	0	38.3	0.26	100	8428	99.85	37.1
2023-03-21 05:15:00	0	0	0	0	211	11.01	17.13	38.4	65.8	99.88	-0.6	-0.6	0	38.4	0.27	100	8426	99.85	37.2
2023-03-21 05:20:00	0	0	0	0	209	9.62	14.36	38.4	65.5	99.89	-0.8	-0.4	0	38.4	0.27	100	8427	99.85	37.2
2023-03-21 05:25:00	0	0	0	0	214	11.36	17.29	38.3	64.8	99.89	-0.6	-0.4	0	38.3	0.28	100	8426	99.86	37.1
2023-03-21 05:30:00	0	0	0	0	212	8.97	13.87	38.3	64.7	99.9	-0.8	-0.8	0	38.3	0.28	100	8428	99.86	37.1
2023-03-21 05:35:00	0	0	0	0	213	10.2	17.67	38.3	63.8	99.89	-0.6	-0.6	0	38.2	0.28	100	8425	99.86	37.1
2023-03-21 05:40:00	0	0	0	0	213	11.77	17.56	38.3	63.1	99.9	-0.8	-0.7	0	38.3	0.29	100	8425	99.86	37.1
2023-03-21 05:45:00	0	0	0	0	216	11.1	14.63	38.4	62.3	99.9	-0.6	-0.8	0	38.4	0.3	100	8425	99.86	37.2
2023-03-21 05:50:00	0	0	0	0	219	11.39	16.51	38.7	61.3	99.91	-0.6	-0.4	0	38.7	0.31	100	8422	99.87	37.3
2023-03-21 05:55:00	0	0	0	0	223	11.48	16.08	38.5	60.4	99.92	-0.7	-0.4	0	38.5	0.31	100	8424	99.88	37.3
2023-03-21 06:00:00	0	0	0	0	226	12.39	16.22	38.7	59.4	99.92	-0.7	-0.5	0	38.7	0.32	100	8425	99.88	37.3
2023-03-21 06:05:00	0	0	0	0	225	11.99	16.62	38.7	59	99.92	-0.7	-0.5	0	38.7	0.33	100	8423	99.88	37.3
2023-03-21 06:10:00	0	0	0	0	225	11.56	15.39	38.8	57.8	99.92	-0.7	-0.4	0	38.8	0.34	100	8422	99.89	37.4
2023-03-21 06:15:00	0	0	0	0	226	10.69	16.55	38.7	57.6	99.93	-0.8	-0.5	0	38.7	0.34	100	8422	99.89	37.3
2023-03-21 06:20:00	0	0	0	0	230	10.6	14.14	38.8	57.5	99.93	-0.8	-0.4	0	38.8	0.34	100	8420	99.89	37.2
2023-03-21 06:25:00	0	0	0	0	228	12.26	16.78	38.7	56.9	99.94	-0.6	-0.6	0	38.6	0.34	100	8420	99.9	37.3
2023-03-21 06:30:00	0	0	0	0	233	12.15	18.28	38.7	56.8	99.94	-0.7	-0.6	0	38.6	0.34	100	8421	99.9	37.2
2023-03-21 06:35:00	0	0	0	0	227	10.6	14.09	38.6	56.7	99.94	-0.5	-0.7	0	38.6	0.34	100	8419	99.9	37.2
2023-03-21 06:40:00	0	0	0	0	230	10.31	15.21	38.5	56.7	99.94	-0.8	-0.5	0	38.5	0.34	100	8418	99.9	37.1
2023-03-21 06:45:00	0	0	0	0	229	11.21	15.39	38.6	56.3	99.94	-0.7	-0.4	0	38.5	0.35	100	8418	99.9	37.1
2023-03-21 06:50:00	0	0	0	0	231	11.92	17.43	38.4	55.8	99.94	-0.6	-0.6	0	38.4	0.35	100	8419	99.91	37.1
2023-03-21 06:55:00	1	0	0	0	227	12.8	21.05	38.4	55.7	99.95	-0.7	-0.6	0	38.4	0.35	100	8417	99.91	37.2
2023-03-21 07:00:00	2.4	0	0	0	230	11.99	16.13	38.5	55.6	99.95	-0.4	-0.5	0	38.5	0.35	100	8418	99.92	37.2
2023-03-21 07:05:00	4.8	0	0	0	228	12.48	20.22	38.6	54.7	99.96	-0.8	-0.6	0	38.6	0.36	100	8415	99.92	37.3
2023-03-21 07:10:00	8	0	0	0	230	12.82	20.69	38.7	54	99.96	-0.8	-0.3	0	38.7	0.37	100	8418	99.93	37.4
2023-03-21 07:15:00	12.8	0	0	0	225	13.02	19.06	38.8	53.8	99.97	-0.6	-0.4	0	38.8	0.37	100	8416	99.93	37.5
2023-03-21 07:20:00	14.4	0	0	0	227	12.57	20.15	38.9	53.5	99.97	-0.8	-0.4	0	38.9	0.37	100	8415	99.93	37.5
2023-03-21 07:25:00	19.4	0	0	0	229	11.79	16.64	38.9	53.6	99.97	-0.6	-0.4	0	38.9	0.37	100	8414	99.93	37.5
2023-03-21 07:30:00	27	0	0	0	227	13.38	21.56	38.8	53.4	99.97	-0.7	-0.7	0	38.9	0.37	100	8415	99.93	37.6
2023-03-21 07:35:00	34.4	0	0	0	226	14.25	19.75	38.9	52.2	99.97	-0.7	-0.7	0	39.1	0.38	100	8415	99.93	37.9
2023-03-21 07:40:00	41	0	0	0	226	12.55	19.55	39.2	51.9	99.97	-0.9	-0.5	0	39.3	0.39	100	8416	99.94	38
2023-03-21 07:45:00	49.6	0	0	0	230	12.91	19.75	39.3	51.8	99.98	-0.6	-0.5	0	39.4	0.39	100	8419	99.95	38.2
2023-03-21 07:50:00	57.4	0	0	0	232	12.95	24.2	39.5	51.1	99.98	-0.4	-0.6	0	39.6	0.4	100	8418	99.95	38.4
2023-03-21 07:55:00	60.8	0	0	0	234	12.95	18.72	39.7	50.6	99.99	-0.6	-0.3	0	39.8	0.41	100	8418	99.96	38.5
2023-03-21 08:00:00	68.4	0	0	0	235	13.24	20.47	39.7	50.4	100	-0.6	-0.5	0	39.9	0.41	100	8418	99.96	38.6
2023-03-21 08:05:00	78.4	0	0	0	234	14.2	20.4	39.9	50.1	100	-0.6	-0.8	0	40.1	0.42	100	8420	99.97	38.8
2023-03-21 08:10:00	80.6	0	0	0	238	14.2	21.9	40	49.8	100.01	-0.6	-0.7	0	40.2	0.42	100	8420	99.98	39
2023-03-21 08:15:00	86	0	0	0	237	13.58	19.37	40.2	49.4	100.02	-0.7	-0.2	0	40.4	0.43	100	8422	99.99	39.2
2023-03-21 08:20:00	96.4	0	0	0	235	12.64	17.87	40.4	49.2	100.03	-0.4	-0.6	0	40.6	0.43	100	8421	99.99	39.3
2023-03-21 08:25:00	104.8	0	0	0	234	12.68	19.62	40.4	49.2	100.03	-0.8	-0.5	0	40.6	0.43	100	8423	99.99	39.5
2023-03-21 08:30:00	106.8	0	0	0	232	13.6	21.21	40.7	48.3	100.03	-0.9	-0.5	0	40.9	0.45	100	8422	99.99	39.7
2023-03-21 08:35:00	117.2	0	0	0	231	11.83	16.02	40.8	48.5	100.03	-0.5	-0.6	0	41	0.45	100	8427	100	39.9
2023-03-21 08:40:00	127	0	0	0	238	13.15	19.66	41.1	48	100.03	-0.5	-0.7	0	41.3	0.45	100	8428	100	40.1
2023-03-21 08:45:00	164.2	0	0	0	233	12.59	18.61	41.3	47.3	100.04	-0.6	-0.3	0	41.7	0.47	100	8432	100	40.4
2023-03-21 08:50:00	171.8	0	0	0	233	13.62	21.47	41.6	47	100.04	-0.5	-0.5	0	42	0.47	100	8434	100.01	40.7
2023-03-21 08:55:00	165.2	0	0	0	230	14.72	23.44	41.9	46.7	100.04	-1	-0.4	0	42.3	0.48	100	8437	100.01	41
2023-03-21 09:00:00	158.8	0	0	0	242	13.85	17.6	42.2	46.2	100.04	-0.6	-0.2	0	42.6	0.49	100	8440	100.01	41.2
2023-03-21 09:05:00	163.4	0	0	0	242	11.72	20.15	42.3	46.2	100.05	-0.5	-0.5	0	42.8	0.49	100	8440	100.02	41.3
2023-03-21 09:10:00	155.2	0	0	0	240	13.56	23.62	42.6	46	100.06	-0.6	-0.6	0	42.9	0.5	100	8444	100.03	41.4
2023-03-21 09:15:00	153	0	0	0	245	14.83	22.41	42.9	44.3	100.07	-0.6	-0.6	0	43.3	0.52	100	8450	100.05	41.6
2023-03-21 09:20:00	264.6	0	0	0	250	12.37	17.96	43.4	44.5	100.07	-0.7	-0.6	0	43.9	0.53	100	8466	100.05	41.8
2023-03-21 09:25:00	369.8	0	0	0	245	15.82	29.51	44.7	43.5	100.06	-0.2	-0.3	0	45.5	0.57	100	8480	100.05	42.5
2023-03-21 09:30:00	278.6	0	0	0	241	15.55	22.62	45.4	42.1	100.06	-0.1	-0.8	0	45.9	0.6	100	8491	100.04	43.2
2023-03-21 09:35:00	410.8	0	0	0	243	12.19	19.91	46	42.2	100.05	-0.4	-0.5	0	46.8	0.61	100	8504	100.06	43.9
2023-03-21 09:40:00	438.8	0	0	0	244	14	19.93	47	41.4	100.08	-0.5	-0.3	0	47.8	0.64	100	8513	100.08	44.9
2023-03-21 09:45:00	302.8	0	0	0	240	13.76	18.81	46.7	41.2	100.12	-0.6	-0.6	0	47.3	0.64	100	8506	100.1	45.5
2023-03-21 09:50:00	299.2	0	0	0	245	15.79	23.13	46.1	41.7	100.13	-0.5	-0.7	0	46.8	0.62	100	8507	100.1	45.6
2023-03-21 09:55:00	301.2	0	0	0	246	15.52	22.26	45.9	41	100.14	-0.6	-0.5	0	46.5	0.62	100	8509	100.12	45.5
2023-03-21 10:00:00	400.6	0	0	0	252	14.61	22.5	46.4	41.6	100.13	-0.3	-0.6	0	47.1	0.63	100	8526	100.13	45.6
2023-03-21 10:05:00	508.8	0	0	0	249	12.48	16.73	47.7	41.6	100.13	-0.4	-1	0	48.5	0.66	100	8537	100.13	46.4
2023-03-21 10:10:00	511.2	0	0	0	239	15.86	23.26	48.7	39.9	100.14	-0.3	-0.8	0	49.5	0.7	100	8548	100.15	47.1
2023-03-21 10:15:00	465.4	0	0	0	251	13.47	20.8	49.2	39.6	100.16	-0.3	-0.7	0	49.9	0.72	100	8550	100.15	47.6
2023-03-21 10:20:00	544	0	0	0	256	15.59	21.25	49.4	38.7	100.15	-0.6	-0.5	0	50	0.73	100	8561	100.14	48
2023-03-21 10:25:00	555.6	0	0	0	248	13.44	19.48	50	38.7	100.15	-0.6	-0.7	0	50.8	0.75	100	8570	100.15	48.4
2023-03-21 10:30:00	540.6	0	0	0	244	12.59	22.28	50.3	38.5	100.15	-0.4	-0.5	0	51.2	0.76	100	8576	100.16	48.9
2023-03-21 10:35:00	530.8	0	0	0	240	16.51	23.96	50.7	37.3	100.15	-0.1	-0.5	0	51.4	0.79	100	8580	100.16	49.2
2023-03-21 10:40:00	561.4	0	0	0	243	13.82	25.3	50.8	37.7	100.16	-0.4	-0.8	0	51.4	0.79	100	8588	100.16	49.5
2023-03-21 10:45:00	585.4	0	0	0	257	12.93	17.85	51.1	38	100.16	-0.5	-0.5	0	51.8	0.79	100	8596	100.17	49.9
2023-03-21 10:50:00	593.6	0	0	0	262	16.51	26.11	51.8	37.2	100.17	-0.1	-0.3	0	52.5	0.82	100	8596	100.18	50.5
2023-03-21 10:55:00	579.8	0	0	0	262	18.3	29.17	52.1	36.6	100.18	-0.1	-0.4	0	52.7	0.84	100	8604	100.18	50.8
2023-03-21 11:00:00	579.2	0	0	0	270	18.39	27.83	52.1	36	100.18	-0.7	-0.5	0	52.8	0.85	100	8607	100.18	50.9
2023-03-21 11:05:00	564.2	0	0	0	259	15.7	22.5	52.1	36.2	100.18	-0.1	-0.9	0	52.8	0.85	100	8608	100.18	51.1
2023-03-21 11:10:00	541.8	0	0	0	242	16.6	24.23	52.1	37.1	100.18	-0.4	-0.5	0	52.8	0.84	100	8614	100.19	51.2
2023-03-21 11:15:00	602.2	0	0	0	239	17.67	25.32	52.4	37.5	100.17	-0.4	-0.9	0	53.1	0.84	100	8619	100.18	51.5
2023-03-21 11:20:00	505.6	0	0	0	250	15.7	21.25	52.1	36.6	100.18	-0.4	-0.5	0	52.7	0.84	100	8614	100.18	51.6
2023-03-21 11:25:00	448.2	0	0	0	279	16.13	21.94	51.5	36.5	100.18	0.3	-0.6	0	52.2	0.83	100	8611	100.18	51.5
2023-03-21 11:30:00	433.4	0	0	0	275	14.74	20.74	51.2	37.3	100.18	-0.1	-0.5	0	51.8	0.8	100	8611	100.18	51.5
2023-03-21 11:35:00	494.6	0	0	0	266	14.61	20.58	51	37.5	100.19	-0.2	-0.6	0	51.7	0.8	100	8608	100.19	51.5
2023-03-21 11:40:00	485	0	0	0	266	17	26.44	51.1	38	100.21	-0.1	-1.6	0	51.8	0.79	100	8609	100.19	51

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-21 11:55:00	575.6	0	0	0	252	15.93	26.31	52	38.5	100.2	-0.7	-0.6	0	52.6	0.81	100	8618	100.2	51.8
2023-03-21 12:00:00	608.8	0	0	0	267	13.4	19.26	52.5	37.3	100.2	-0.4	-0.5	0	53.3	0.85	100	8620	100.2	52
2023-03-21 12:05:00	587.2	0	0	0	269	15.28	22.06	53.3	36.4	100.19	0.3	-0.5	0	54	0.88	100	8619	100.2	52.4
2023-03-21 12:10:00	413.2	0	0	0	276	15.14	21.05	52.9	36.3	100.21	-0.3	-0.5	0	53.5	0.87	100	8622	100.2	52.4
2023-03-21 12:15:00	661.2	0	0	0	284	16.82	26.11	53.1	35.5	100.19	-0.2	-0.6	0	53.8	0.89	100	8624	100.2	52.3
2023-03-21 12:20:00	609.8	0	0	0	266	16.28	21.18	53.4	36.1	100.21	-0.3	-0.6	0	54.1	0.89	100	8624	100.21	52.6
2023-03-21 12:25:00	698.2	0	0	0	269	15.57	19.93	53.6	35.6	100.21	-0.2	-1.2	0	54.2	0.9	100	8628	100.21	52.7
2023-03-21 12:30:00	752.6	0	0	0	270	15.86	25.05	54	35.5	100.21	-0.6	-0.5	0	54.8	0.92	100	8627	100.22	53.1
2023-03-21 12:35:00	443.6	0	0	0	267	17.67	32.75	53.7	35.8	100.24	-0.1	-0.8	0	54.4	0.9	100	8624	100.22	53.3
2023-03-21 12:40:00	537	0	0	0	237	15.66	21.27	52.8	37.1	100.24	-0.1	-0.4	0	53.5	0.86	100	8616	100.22	53.2
2023-03-21 12:45:00	580	0	0	0	255	15.59	21.77	52.8	38	100.24	-0.4	-0.5	0	53.6	0.84	100	8619	100.22	53.3
2023-03-21 12:50:00	708	0	0	0	269	12.93	18.28	53.3	37.2	100.22	-0.5	-0.4	0	54.1	0.87	100	8621	100.22	53.7
2023-03-21 12:55:00	380.6	0	0	0	250	14.97	23.71	53.5	37.5	100.25	0	-0.2	0	54.2	0.87	100	8618	100.22	54
2023-03-21 13:00:00	553.2	0	0	0	251	12.12	18.12	53.2	38	100.23	-0.3	-0.6	0	54	0.86	100	8617	100.22	53.9
2023-03-21 13:05:00	585	0	0	0	265	10.67	16.26	53.6	38.3	100.23	-0.3	-0.6	0	54.5	0.86	100	8616	100.22	54.2
2023-03-21 13:10:00	640.6	0	0	0	283	14.18	20.15	54.3	35.9	100.24	-0.2	-0.7	0	55.1	0.92	100	8619	100.22	54.5
2023-03-21 13:15:00	740.6	0	0	0	273	14.65	24.36	55.1	35	100.22	-0.2	-0.5	0	55.8	0.96	100	8617	100.22	54.5
2023-03-21 13:20:00	764.2	0	0	0	287	13.69	18.57	55.6	35	100.22	-0.2	-0.5	0	56.3	0.98	100	8619	100.22	54.7
2023-03-21 13:25:00	766.8	0	0	0	303	16.75	25.12	55.9	34.2	100.21	0	-0.7	0	56.6	1	100	8614	100.21	54.8
2023-03-21 13:30:00	605.6	0	0	0	298	11.36	21.03	55.5	34.5	100.23	0	-0.9	0	56.3	0.98	100	8613	100.21	55
2023-03-21 13:35:00	632	0	0	0	282	14.97	20.2	55.3	35.3	100.23	-0.2	-1	0	56	0.96	100	8613	100.21	54.9
2023-03-21 13:40:00	844.8	0	0	0	287	15.01	24.25	55.5	34.5	100.21	-0.4	-0.7	0	56.2	0.98	100	8614	100.21	55
2023-03-21 13:45:00	653.6	0	0	0	263	10.74	16.55	55.5	35.1	100.23	-0.3	-0.6	0	56.4	0.98	100	8609	100.21	55.4
2023-03-21 13:50:00	398.6	0	0	0	274	10.6	19.1	55	35.5	100.25	-0.1	-0.8	0	55.8	0.95	100	8605	100.21	55.5
2023-03-21 13:55:00	344.8	0	0	0	282	10.56	16.69	54.3	36	100.25	-0.3	-0.7	0	55.1	0.92	100	8601	100.22	55.1
2023-03-21 14:00:00	701.8	0	0	0	295	13.73	22.35	54.2	36.2	100.23	-0.3	-0.7	0	55	0.92	100	8599	100.21	54.8
2023-03-21 14:05:00	764.2	0	0	0	295	16.8	22.77	55	34.9	100.22	-0.2	-0.5	0	55.8	0.96	100	8597	100.21	55
2023-03-21 14:10:00	793.2	0	0	0	289	17.09	22.01	55.4	35.1	100.23	-0.2	-0.7	0	56.1	0.97	100	8595	100.22	55.1
2023-03-21 14:15:00	603.4	0	0	0	284	13.15	17.85	55.4	35.4	100.24	-0.2	-0.7	0	56.1	0.97	100	8595	100.22	55.5
2023-03-21 14:20:00	447.4	0	0	0	277	14.45	21.9	54.8	35.3	100.25	-0.4	-0.5	0	55.6	0.95	100	8593	100.22	55.4
2023-03-21 14:25:00	637	0	0	0	280	15.48	27.49	54.5	35.7	100.24	-0.3	-0.9	0	55.3	0.93	100	8590	100.22	55.2
2023-03-21 14:30:00	428.8	0	0	0	296	15.05	21	54.4	36.2	100.25	-0.4	-0.6	0	55.1	0.92	100	8587	100.21	55.1
2023-03-21 14:35:00	531.8	0	0	0	297	17.02	22.59	54.2	36.2	100.24	-0.1	-0.7	0	55	0.92	100	8583	100.21	55
2023-03-21 14:40:00	527	0	0	0	290	17.63	25.55	54.1	36.1	100.23	0.1	-0.2	0	54.9	0.91	100	8583	100.21	54.8
2023-03-21 14:45:00	455.4	0	0	0	296	16.71	27.38	54	35.9	100.23	0	-0.9	0	54.7	0.91	100	8580	100.21	54.7
2023-03-21 14:50:00	364.6	0	0	0	278	12.88	19.42	53.5	37.1	100.23	-0.3	-0.3	0	54.2	0.88	100	8580	100.21	54.5
2023-03-21 14:55:00	611	0	0	0	312	14.56	22.24	54	36.6	100.22	-0.2	-0.5	0	54.8	0.9	100	8573	100.2	54.3
2023-03-21 15:00:00	577.2	0	0	0	306	17.85	25.08	54.4	35.5	100.22	-0.4	-0.8	0	55	0.93	100	8571	100.19	54.3
2023-03-21 15:05:00	579.8	0	0	0	305	16.64	24.61	54.5	35.3	100.22	-0.5	-0.3	0	55.2	0.94	100	8566	100.2	54.3
2023-03-21 15:10:00	592	0	0	0	295	16.91	25.43	54.7	35.3	100.22	-0.3	-0.8	0	55.4	0.94	100	8564	100.2	54.2
2023-03-21 15:15:00	553.2	0	0	0	309	13.24	19.62	54.4	35.1	100.22	-0.1	-0.9	0	55.2	0.94	100	8561	100.19	54
2023-03-21 15:20:00	554.2	0	0	0	299	14.79	22.88	54.6	35.3	100.22	-0.4	-0.6	0	55.4	0.94	100	8558	100.19	54.1
2023-03-21 15:25:00	549	0	0	0	309	13.69	18.5	54.7	35.2	100.22	-0.4	-0.6	0	55.4	0.95	100	8554	100.19	54.1
2023-03-21 15:30:00	549.2	0	0	0	293	13.29	16.71	54.9	35.3	100.21	-0.2	-0.7	0	55.7	0.95	100	8554	100.19	54.1
2023-03-21 15:35:00	549.4	0	0	0	285	13.31	20.13	55	35.1	100.22	-0.3	-0.6	0	55.8	0.96	100	8548	100.19	54.1
2023-03-21 15:40:00	532.2	0	0	0	297	12.55	19.04	55	34.8	100.22	-0.1	-0.8	0	55.8	0.96	100	8547	100.19	54.2
2023-03-21 15:45:00	534.8	0	0	0	304	12.44	19.3	55	34.9	100.22	-0.1	-0.6	0	55.8	0.96	100	8545	100.19	54.3
2023-03-21 15:50:00	519.4	0	0	0	294	14.18	20.15	55.2	35.4	100.22	0.2	-0.7	0	55.9	0.96	100	8543	100.19	54.5
2023-03-21 15:55:00	415.8	0	0	0	301	12.75	19.1	55.2	35.3	100.23	0.1	-0.8	0	55.9	0.96	100	8540	100.2	54.6
2023-03-21 16:00:00	269.4	0	0	0	328	14.7	20.85	54.6	35	100.23	0.1	-0.7	0	55.2	0.95	100	8537	100.19	54.3
2023-03-21 16:05:00	232.8	0	0	0	343	14.07	19.04	53.9	37.9	100.23	-0.3	-0.9	0	54.4	0.88	100	8539	100.19	53.8
2023-03-21 16:10:00	254.6	0	0	0	359	13.51	17.22	52.6	41	100.23	-0.2	-0.1	0	53.1	0.8	100	8534	100.19	52.9
2023-03-21 16:15:00	400.4	0	0	0	344	16.75	23.15	51.8	42	100.22	-0.3	-0.5	0	52.5	0.76	100	8533	100.19	52.3
2023-03-21 16:20:00	366.4	0	0	0	349	16.46	26.26	51.5	43.1	100.22	-0.4	-0.3	0	52.2	0.74	100	8529	100.19	52.2
2023-03-21 16:25:00	241.4	0	0	0	352	17.31	22.95	50.9	44	100.22	-0.2	-0.8	0	51.3	0.71	100	8529	100.18	51.5
2023-03-21 16:30:00	363.2	0	0	0	352	15.26	21.18	49.9	45.5	100.23	-0.4	-0.7	0	50.5	0.67	100	8527	100.19	50.7
2023-03-21 16:35:00	395.2	0	0	0	348	16.55	22.77	49.6	46	100.22	-0.2	-0.8	0	50.3	0.65	100	8523	100.2	50.8
2023-03-21 16:40:00	352.2	0	0	0	352	15.26	22.7	49.4	46.1	100.22	-0.1	-0.4	0	50	0.65	100	8523	100.19	50.6
2023-03-21 16:45:00	341.4	0	0	0	350	14.47	19.69	49	46.8	100.22	-0.2	-0.6	0	49.7	0.63	100	8520	100.2	50.3
2023-03-21 16:50:00	347.6	0	0	0	340	14.23	19.44	49	46.9	100.23	-0.4	-0.3	0	49.7	0.63	100	8518	100.2	50.4
2023-03-21 16:55:00	321.6	0	0	0	351	15.9	22.97	48.8	46.8	100.23	-0.5	-0.8	0	49.5	0.63	100	8518	100.2	50.2
2023-03-21 17:00:00	348.8	0	0	0	348	15.48	20.65	48.6	46.4	100.23	-0.2	-0.7	0	49.3	0.62	100	8518	100.2	50
2023-03-21 17:05:00	318.4	0	0	0	352	14.27	19.66	48.5	46.7	100.23	-0.3	-0.7	0	49.2	0.62	100	8513	100.2	49.9
2023-03-21 17:10:00	322.8	0	0	0	343	15.75	19.55	48.3	46.5	100.22	-0.3	-0.5	0	49	0.62	100	8515	100.19	49.8
2023-03-21 17:15:00	277	0	0	0	334	13.65	17.81	48.2	47	100.22	-0.6	-0.8	0	48.8	0.61	100	8510	100.19	49.6
2023-03-21 17:20:00	267.2	0	0	0	350	14.29	18.63	48	47.4	100.23	-0.4	-0.3	0	48.5	0.6	100	8509	100.2	49
2023-03-21 17:25:00	228.2	0	0	0	339	13.62	18.28	47.7	47.7	100.23	-0.4	-0.3	0	48.3	0.59	100	8510	100.19	49
2023-03-21 17:30:00	197.4	0	0	0	327	13.35	18.1	47.4	47.7	100.23	-0.5	-0.4	0	47.9	0.58	100	8507	100.19	48.7
2023-03-21 17:35:00	168.8	0	0	0	329	13.4	18.05	47.2	48.3	100.23	-0.3	-0.8	0	47.6	0.57	100	8505	100.19	48.2
2023-03-21 17:40:00	185.8	0	0	0	337	11.54	15.9	46.8	48.9	100.24	-0.5	-0.5	0	47.2	0.56	100	8503	100.2	48
2023-03-21 17:45:00	178	0	0	0	346	12.15	19.08	46.8	49.5	100.25	-0.6	-0.4	0	47.2	0.55	100	8504	100.21	47.9
2023-03-21 17:50:00	166.2	0	0	0	336	12.5	17.74	46.4	50.5	100.25	-0.3	-0.7	0	46.8	0.53	100	8501	100.22	47.5
2023-03-21 17:55:00	131.4	0	0	0	335	13.22	18.43	46.2	50.7	100.26	-0.3	-0.8	0	46.6	0.52	100	8499	100.22	47.3
2023-03-21 18:00:00	135.4	0	0	0	338	12.03	17.58	45.8	51.5	100.26	-0.5	-0.4	0	46.1	0.51	100	8501	100.23	46.9
2023-03-21 18:05:00	130.4	0	0	0	348	12.86	16.87	45.6	52.9	100.26	-0.3	-0.4	0	45.8	0.49	100	8499	100.22	46.7
2023-03-21 18:10:00	134.2	0	0	0	344	12.3	16.22	45.4	52.8	100.26	-0.6	-0.4	0	45.7	0.49	100	8495	100.23	46.7
2023-03-21 18:15:00	110.6	0	0	0	344	10.47	14.32	45.2	53.1	100.27	-0.6	-0.7	0	45.5	0.48	100	8496	100.24	46.5
2023-03-21 18:20:00	81.8	0	0	0	342	8.81	12.12	45.1	54.1	100.28	-0.5	-0.6	0	45.3	0.47	100	8494	100.24	46
2023-03-21 18:25:00	66.2	0	0	0	345	8.68	13.89	44.8	54.7	100.29	-0.5	-0.6	0	45	0.46	100	8494	100.25	45.4
2023-03-21 18:30:00	58.6	0	0	0	346	11.43	15.14	44.5	54.7	100.3	-0.6	-0.4	0	44.7	0.45	100	8491	100.25	44.9
2023-03-21 18:35:00	48.6	0	0	0	354	10.31	15.5	44.1	55.1	100.29	-0.5	-0.5	0	44.3	0.44	100	8486	100.25	44.4
2023-03-21 18:40:00	48.6	0	0	0	345	9.98	12.66	44	55.3	100.3	-0.5	-0.9	0	44.1	0.44	100	8488	100.26	44.2
2023-03-21 18:45:00	36.2	0	0	0	338	9.33	11.43	43.6	56	100.3	-0.4	-0.8	0	43.8	0.42	100	8486	100.25	44
2023-03-21 18:50:00	28	0	0	0	340	7.11	10.16	43.4	56.7	100.3	-0.6	-0.6	0	43.4	0.41	100	8485	100.26	43.4
2023-03-21 18:55:00	23.8	0	0	0	352	7.65	11.72	43	57.6	100.3	-0.4	-0.6	0	43	0.4	100	8485	100.26	42.9
2023-03-21 19:00:00	18.4	0	0	0	344	6.98	9.89	42.7	58.1	100.3	-0.6	-0.6	0	42.8	0.39	100	8485	100.26	42.5
2023-03-21 19:05:00	10.4	0	0	0	346	5.79	7.9	42.6	58.5	100.31	-0.6	-0.4	0	42.6	0.39	100	8482	100.26	42.2
2023-03-21 19:10:00	5	0	0	0	354	5.93	7.54	42.3	59	100.3	-0.6	-0.5	0	42.3	0.38	100	8479	100.26	41.7
2023-03-21 19:15:00	2	0	0	0	340	4.32	5.55	41.9	59.7	100.31	-0.6	-0.6	0	42	0.36	100	8478	100.27	41.3
2023-03-21 19:20:00	0.8	0	0	0	336	3.09	4.18	41.8	60.6	100.31	-0.7	-0.5	0	41.8	0.35	100	8477	100.27	40.9
2023-03-21 19:25:00	0	0	0	0	350	3.22	4.76	41.4	61.3	100.31	-0.7	-0.5	0	41.4	0.34	100	8477	100.27	40.4
2023-03-21 19:30:00	0	0	0	0	4	4.97	6.82	41	61.8	100.31	-0.8	-0.5	0	41	0.33	100	8476	100.26	40
2023-03-21 19:35:00	0	0	0	0	1	5.32	6.8	40.7	62.5	100.31	-0.5	-0.5	0	40.7	0.32	100	8473	100.26	39.8
2023-03-21 19:40:00	0	0	0	0	0	4.09	5.14	40.6	62.9	100.31	-0.7	-0.4	0	40.6	0.32	100	8472	100.26	39.6
2023-03-21 19:45:00	0	0	0	0	10	4.32	5.48	40.5	63.1	100.31	-0.6	-0.5	0	40.5	0.32	100	8472	100.26	39.3
2023-03-21 19:50:00	0	0	0	0	25	3.22	4.18	40.3	63.6	100.31	-0.7	-0.6	0	40.3	0.31	100	8470	100.27	39.1
2023-03-21 19:55:00	0	0	0	0	27	3.71	5.19	40.1	63.8	100.32	-0.6	-0.5	0	40.1	0.31	100	8471	100.27	38.9
2023-03-21 20:00:00	0	0	0	0	20	3.18	3.96	40.1	64.2	100.32	-0.6	-0.5	0	40.1	0.3	100	8469	100.27	38.7
2023-03-21 20:05:00	0	0	0	0	59	3.11	3.94	39.8	64.8	100.33	-0.7	-0.5	0	39.8	0.29	100	8469	100.28	38.4
2023-03-21 20:10:00	0	0	0	0	74	3.87	4.81	39.8	64.9	100.33	-0.7	-0.5	0	39.8	0.29	100	8467	100.28	38.1
2023-03-21 20:15:00	0	0	0	0	67	3.31	4.76	39.6	65.5	100.33	-0.6	-0.5	0	39.6	0.28	100	8469	100.28	37.9
2023-03-21 20:20:00	0	0	0	0	76	3.78	4.63	39.5	66.1	100.33	-0.7	-0.5	0	39.5	0.28	100	8464	100.28	37.7
2023-03-21 20:25:00	0	0	0	0	87	3.56	4.7	39.4	66.8	100.34	-0.8	-0.5	0	39.4	0.27	100	8466	100.29	37.6
2023-03-21 20:30:00	0	0	0	0	91	3.36	4.43	39.3	66.9	100.33	-0.7	-0.5	0	39.3	0.27	100	8463	100.29	37.4
2023-03-21 20:35:00	0	0	0	0	88	3.38	4.27	39.2	67.5	100.34	-0.7	-0.4	0	39.2	0.26	100	8463	100.29	37.2
2023-03-21 20:40:00	0	0	0	0	84	4.16	5.73	39.1	67.3	100.34	-0.7	-0.5	0	39.1	0.26	100	8463	100.29	37.1
2023-03-21 20:45:00	0	0	0	0	105	4.54	5.41	39	67	100.34	-0.6	-0.5	0	39	0.27	100	8462	100.29	37.1
2023-03-21 20:50:00	0	0	0	0	103	5.19	5.86	39.2	67	100.33	-0.8	-0.5	0	39.2	0.27	100	8462	100.29	37.2
2023-03-21 20:55:00	0	0	0	0	100	5.06	5.91	39.2	66.6	100.33	-0.7	-0.4	0	39.2	0.27	100	8459	100.28	37.3
2023-03-21 21:00:00	0	0	0	0	104	5.64	7.56	39.2	66.8	100.32	-0.7	-0.4	0	39.2	0.27	100	8460	100.28	37.3
2023-03-21 21:05:00	0	0	0	0	97	4.97	6.49	39.2	67.6	100.32	-0.7	-0.5	0	39.2	0.26	100	8460	100.27	37.3
2023-03-21 21:10:00	0	0	0	0	107	4.74	6.33	38.9	68.4	100.32	-0.7	-0.5	0	38.9	0.25	100	8458	100.27	37.1
2023-03-21 21:15:00	0	0	0	0	101	4.36	4.72	38.8	68	100.32	-0.7	-0.5	0	38.8	0.26	100	8456	100.27	36.9
2023-03-21 21:20:00	0	0	0	0	127	4.61	5.7	38.7	68.3	100.33	-0.8	-0.4	0	38.7	0.25	100	8456	100.29	36.8
2023-03-21 21:25:00	0	0	0	0	131	4.83	5.64	38.6	68.9	100.33	-0.7	-0.4	0	38.6	0.25	100	8456	100.29	36.9
2023-03-21 21:30:00	0	0	0	0	139	5.79	6.6	38.7	69.1	100.33	-0.8	-0.6	0	38.7	0.25	100	8456	100.29	36.9
2023-03-21 21:35:00	0	0	0	0	138	5.21	6.15	38.7	69.6	100.33	-0.6	-0.6	0	38.7	0.24	100	8455	100.28	37
2023-03-21 21:40:00	0	0	0	0	129	5.82	7.18	38.4	70.4	100.32	-0.6	-0.5	0	38.4	0.23	100	8455	100.28	37
2023-03-21 21:45:00	0	0	0	0	147	5.12	6.73	38.5	70.2	100.32	-0.8	-0.5	0	38.5	0.24	100	8455	100.28	37
2023-03-21 21:50:00	0	0	0	0	154	4.94	5.93	38.5	70.1	100.33	-0.7	-0.6	0	38.5	0.24	100	8452	100.29	36.9
2023-03-21 21:55:00	0	0	0	0	155	5.93	7.29	38.4	70.6	100.32	-0.8	-0.5	0	38.4	0.23	100	8453	100.28	36.9
2023-03-21 22:00:00	0	0	0	0	164	6.02	6.62	38.4	70.8	100.32	-0.8	-0.5	0	38.4	0.23	100	8451	100.28	36.8
2023-03-21 22:05:00	0	0	0	0	163	5.77	6.55	38.2	70.5	100.32	-0.7	-0.6	0	38.2	0.23	100	8449	100.28	36.7
2023-03-21 22:10:00	0	0	0	0	158	5.08	5.84	38.2	71.7	100.32	-0.8	-0.4	0	38.2	0.22	100	8450	100.28	36.6
2023-03-21 22:15:00	0	0	0	0	143	5.12	5.59	38	71.6	100.32	-0.8	-0.5	0	38	0.22	100	8448	100.27	36.6
2023-03-21 22:20:00	0	0	0	0	145	4.99	6.51	38	71.1	100.31	-0.7	-0.5	0	38	0.22	100	8448	100.27	36.6
2023-03-21 22:25:00	0	0	0	0	150	4.94	6.46	37.9	71.9	100.31	-0.7	-0.4	0	37.9	0.22	100	8447	100.27	36.5
2023-03-21 22:30:00	0	0	0	0	142	4.38	5.59	37.8	71.7	100.31	-0.7	-0.6	0	37.8	0.22	100	8444	100.27	36.4
2023-03-21 22:35:00	0	0	0	0	142	5.73	7.34	37.8	72.1	100.31	-0.7	-0.5	0	37.8	0.21	100	8446	100.27	36.5
2023-03-21 22:40:00	0	0	0	0	146	4.65	5.48	37.8	72.9	100.3	-0.7	-0.4	0	37.8	0.21	100	8447	100.26	36.4
2023-03-21 22:45:00	0	0	0	0	156	5.79	6.8	37.8	72.9	100.3	-0.5	-0.5	0	37.8	0.21	100	8445	100.27	36.4
2023-03-21 22:50:00	0	0	0	0	159	5.7	6.64	37.7	72.6	100.31	-0.7	-0.5	0	37.7	0.21	100	8447	100.27	36.3
2023-03-21 22:55:00	0	0	0	0	166	5.97	6.76	37.6	72.8	100.31	-0.7	-0.5	0	37.6	0.21	100	8444	100.28	36.2
2023-03-21 23:00:00	0	0	0	0	168	5.88	6.44	37.5	72.3	100.32	-0.7	-0.5	0	37.5	0.21	100	8443	100.28	36
2023-03-21 23:05:00	0	0	0	0	166	5.68	6.22	37.3	72.9	100.32	-0.6	-0.6	0	37.

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-21 23:20:00	0	0	0	0	159	5.55	6.11	37	73.6	100.32	-0.8	-0.4	0	37	0.2	100	8440	100.28	35.3
2023-03-21 23:25:00	0	0	0	0	155	4.92	5.86	37	72.3	100.32	-0.8	-0.5	0	37	0.21	100	8442	100.27	35.1
2023-03-21 23:30:00	0	0	0	0	140	2.73	3.74	36.9	72.9	100.31	-0.9	-0.6	0	36.9	0.2	100	8440	100.27	34.9
2023-03-21 23:35:00	0	0	0	0	118	2.84	3.47	36.9	72.9	100.31	-0.7	-0.6	0	36.9	0.2	100	8438	100.27	34.7
2023-03-21 23:40:00	0	0	0	0	74	1.66	2.1	36.7	73.5	100.3	-0.7	-0.4	0	36.7	0.2	100	8435	100.26	34.6
2023-03-21 23:45:00	0	0	0	0	52	1.52	2.1	36.5	74.4	100.3	-0.8	-0.5	0	36.5	0.19	100	8438	100.26	34.3
2023-03-21 23:50:00	0	0	0	0	85	2.46	3.15	36.3	74.5	100.3	-0.9	-0.5	0	36.3	0.19	100	8434	100.26	34.1
2023-03-21 23:55:00	0	0	0	0	111	2.73	3.65	36.2	74.3	100.3	-0.8	-0.5	0	36.2	0.19	100	8435	100.26	34.1
2023-03-22 00:00:00	0	0	0	0	136	4.68	5.95	36.4	74.1	100.3	-0.7	-0.5	0	36.4	0.19	100	8437	100.26	34.3
2023-03-22 00:05:00	0	0	0	0	149	6.22	7.11	36.6	74.2	100.3	-0.8	-0.5	0	36.6	0.19	100	8404	100.26	34.7
2023-03-22 00:10:00	0	0	0	0	153	7.14	7.72	36.6	74.5	100.3	-0.8	-0.5	0	36.6	0.19	100	8398	100.27	35.1
2023-03-22 00:15:00	0	0	0	0	153	7.25	8.43	36.6	75	100.29	-0.7	-0.5	0	36.6	0.18	100	8392	100.26	35.1
2023-03-22 00:20:00	0	0	0	0	157	7.2	8.14	36.4	75.1	100.28	-0.8	-0.5	0	36.4	0.18	100	8406	100.25	35
2023-03-22 00:25:00	0	0	0	0	155	7.56	8.57	36.2	75.8	100.27	-0.9	-0.4	0	36.2	0.18	100	8409	100.23	34.7
2023-03-22 00:30:00	0	0	0	0	148	7.16	8.59	36.1	76.4	100.26	-0.7	-0.5	0	36.1	0.17	100	8410	100.23	34.5
2023-03-22 00:35:00	0	0	0	0	152	7.63	8.59	35.9	76	100.25	-0.8	-0.6	0	35.8	0.17	100	8411	100.22	34.4
2023-03-22 00:40:00	0	0	0	0	149	7.05	7.74	35.7	76.2	100.24	-0.8	-0.5	0	35.7	0.17	100	8412	100.21	34.2
2023-03-22 00:45:00	0	0	0	0	146	6.33	7.36	35.4	77.1	100.24	-0.8	-0.5	0	35.4	0.16	100	8413	100.2	34
2023-03-22 00:50:00	0	0	0	0	115	2.84	5.28	35.3	77.4	100.24	-0.8	-0.6	0	35.3	0.16	100	8411	100.2	33.8
2023-03-22 00:55:00	0	0	0	0	49	1.28	2.15	35.1	77.3	100.24	-0.9	-0.5	0	35.1	0.16	100	8412	100.21	33.3
2023-03-22 01:00:00	0	0	0	0	123	1.54	2.95	34.7	77.5	100.24	-0.9	-0.4	0	34.7	0.15	100	8411	100.2	32.9
2023-03-22 01:05:00	0	0	0	0	146	4.61	5.75	34.6	77.7	100.24	-0.8	-0.5	0	34.6	0.15	100	8409	100.21	32.9
2023-03-22 01:10:00	0	0	0	0	126	6.35	7.05	34.8	78.1	100.24	-0.8	-0.4	0	34.8	0.15	100	8412	100.21	33.1
2023-03-22 01:15:00	0	0	0	0	144	6.33	7.09	34.9	77.6	100.25	-0.8	-0.4	0	34.9	0.15	100	8409	100.22	33
2023-03-22 01:20:00	0	0	0	0	158	6.96	7.87	34.8	77.4	100.26	-0.8	-0.4	0	34.8	0.15	100	8412	100.22	32.9
2023-03-22 01:25:00	0	0	0	0	138	6.04	7.14	34.8	77.6	100.25	-0.8	-0.4	0	34.8	0.15	100	8409	100.22	32.9
2023-03-22 01:30:00	0	0	0	0	130	5.5	6.2	34.8	77.9	100.25	-0.7	-0.6	0	34.8	0.15	100	8409	100.22	32.9
2023-03-22 01:35:00	0	0	0	0	124	5.5	6.53	34.7	77.8	100.24	-0.9	-0.5	0	34.7	0.15	100	8409	100.21	32.8
2023-03-22 01:40:00	0	0	0	0	117	4.16	4.85	34.6	78.1	100.24	-0.9	-0.5	0	34.6	0.15	100	8410	100.21	32.7
2023-03-22 01:45:00	0	0	0	0	132	4.7	5.23	34.4	78.3	100.24	-0.8	-0.5	0	34.4	0.15	100	8409	100.2	32.5
2023-03-22 01:50:00	0	0	0	0	146	5.82	6.46	34.4	78.9	100.23	-0.9	-0.4	0	34.4	0.14	100	8408	100.2	32.6
2023-03-22 01:55:00	0	0	0	0	107	5.06	6.51	34.7	77.8	100.22	-0.8	-0.6	0	34.7	0.15	100	8406	100.18	32.7
2023-03-22 02:00:00	0	0	0	0	97	3.76	4.85	34.6	78.2	100.21	-0.8	-0.4	0	34.6	0.15	100	8408	100.18	32.5
2023-03-22 02:05:00	0	0	0	0	145	5.73	6.69	34.2	78.5	100.23	-0.8	-0.5	0	34.2	0.14	100	8405	100.2	32.3
2023-03-22 02:10:00	0	0	0	0	121	5.44	6.15	34.3	78.8	100.23	-1	-0.5	0	34.2	0.14	100	8403	100.2	32.3
2023-03-22 02:15:00	0	0	0	0	98	5.21	5.93	34.1	78.4	100.23	-0.8	-0.5	0	34.1	0.14	100	8409	100.2	32.1
2023-03-22 02:20:00	0	0	0	0	99	4.09	4.38	33.9	78.8	100.23	-0.8	-0.5	0	33.9	0.14	100	8407	100.2	31.8
2023-03-22 02:25:00	0	0	0	0	107	4.23	4.68	33.8	79.2	100.24	-0.9	-0.4	0	33.8	0.14	100	8407	100.21	31.7
2023-03-22 02:30:00	0	0	0	0	85	4.61	5.79	33.9	79.1	100.24	-0.7	-0.5	0	33.9	0.14	100	8406	100.2	31.6
2023-03-22 02:35:00	0	0	0	0	84	4.61	5.75	33.9	78.8	100.24	-0.8	-0.5	0	33.9	0.14	100	8405	100.2	31.6
2023-03-22 02:40:00	0	0	0	0	84	4.56	5.93	34	78.6	100.23	-0.8	-0.6	0	33.9	0.14	100	8406	100.19	31.6
2023-03-22 02:45:00	0	0	0	0	94	6.02	7.34	33.9	78.9	100.23	-0.8	-0.4	0	33.9	0.14	100	8406	100.19	31.6
2023-03-22 02:50:00	0	0	0	0	96	5.61	6.71	33.8	79.1	100.23	-0.9	-0.5	0	33.8	0.14	100	8403	100.19	31.6
2023-03-22 02:55:00	0	0	0	0	99	6.35	7.23	33.9	78.7	100.22	-0.8	-0.4	0	33.9	0.14	100	8403	100.19	31.6
2023-03-22 03:00:00	0	0	0	0	107	5.97	7.56	33.7	79.4	100.22	-0.9	-0.4	0	33.7	0.13	100	8402	100.19	31.5
2023-03-22 03:05:00	0	0	0	0	104	5.61	6.73	33.5	79.4	100.21	-0.8	-0.4	0	33.5	0.13	100	8399	100.18	31.4
2023-03-22 03:10:00	0	0	0	0	104	5.77	7.61	33.4	79.7	100.21	-0.8	-0.3	0	33.4	0.13	100	8403	100.17	31.3
2023-03-22 03:15:00	0	0	0	0	100	5.66	6.98	33.5	79.6	100.2	-0.8	-0.5	0	33.5	0.13	100	8403	100.16	31.2
2023-03-22 03:20:00	0	0	0	0	102	6.49	7.29	33.5	79.9	100.19	-0.8	-0.5	0	33.5	0.13	100	8401	100.16	31.3
2023-03-22 03:25:00	0	0	0	0	110	6.51	8.32	33.4	79.4	100.19	-0.7	-0.5	0	33.5	0.13	100	8403	100.15	31.3
2023-03-22 03:30:00	0	0	0	0	106	6.85	8.28	33.3	79.2	100.18	-0.8	-0.4	0	33.3	0.13	100	8401	100.14	31.2
2023-03-22 03:35:00	0	0	0	0	106	7.18	8.72	33.2	79.5	100.17	-0.9	-0.5	0	33.2	0.13	100	8399	100.14	31.2
2023-03-22 03:40:00	0	0	0	0	109	7.78	9.24	33.3	79.3	100.16	-0.9	-0.5	0	33.3	0.13	100	8399	100.13	31.3
2023-03-22 03:45:00	0	0	0	0	114	7.61	8.84	33.3	79.5	100.15	-0.8	-0.4	0	33.3	0.13	100	8399	100.12	31.3
2023-03-22 03:50:00	0	0	0	0	112	7.11	8.61	33.3	79.3	100.15	-0.8	-0.4	0	33.3	0.13	100	8396	100.12	31.4
2023-03-22 03:55:00	0	0	0	0	117	6.85	7.47	33.3	79.9	100.15	-0.9	-0.5	0	33.3	0.13	100	8399	100.12	31.4
2023-03-22 04:00:00	0	0	0	0	125	5.84	7.02	33.2	79.7	100.15	-0.9	-0.4	0	33.2	0.13	100	8401	100.12	31.3
2023-03-22 04:05:00	0	0	0	0	112	4.54	5.46	33.1	80.1	100.15	-0.8	-0.4	0	33.1	0.13	100	8396	100.12	31.3
2023-03-22 04:10:00	0	0	0	0	103	4.18	4.88	33	80.3	100.14	-0.9	-0.4	0	33	0.13	100	8396	100.1	31.1
2023-03-22 04:15:00	0	0	0	0	117	4.88	6.08	32.8	81	100.13	-0.8	-0.5	0	32.8	0.12	100	8397	100.1	31
2023-03-22 04:20:00	0	0	0	0	116	6.49	7.36	32.7	80.9	100.12	-0.8	-0.4	0	32.6	0.12	100	8393	100.1	31.1
2023-03-22 04:25:00	0	0	0	0	111	6.08	7.36	32.7	81.2	100.12	-0.8	-0.4	0	32.6	0.12	100	8394	100.09	31.1
2023-03-22 04:30:00	0	0	0	0	122	7.67	8.88	32.5	81.8	100.11	-0.8	-0.4	0	32.5	0.11	100	8394	100.09	31.1
2023-03-22 04:35:00	0	0	0	0	121	8.16	9.95	32.4	82	100.11	-1	-0.3	0	32.4	0.11	100	8392	100.08	31
2023-03-22 04:40:00	0	0	0	0	122	7.61	10.2	32.4	82.1	100.1	-0.9	-0.5	0	32.4	0.11	100	8393	100.08	31.2
2023-03-22 04:45:00	0	0	0	0	121	8.08	9.6	32.7	81.7	100.1	-0.8	-0.4	0	32.8	0.11	100	8395	100.08	31.4
2023-03-22 04:50:00	0	0	0	0	130	7	8.66	32.9	82.2	100.11	-0.8	-0.4	0	32.9	0.11	100	8391	100.08	31.5
2023-03-22 04:55:00	0	0	0	0	134	6.71	8.28	32.9	82.1	100.1	-1	-0.4	0	32.9	0.11	100	8393	100.08	31.5
2023-03-22 05:00:00	0	0	0	0	119	6.4	7.96	32.9	82.1	100.11	-0.9	-0.4	0	32.9	0.11	100	8392	100.08	31.5
2023-03-22 05:05:00	0	0	0	0	108	5.75	7.07	32.9	82	100.11	-0.9	-0.4	0	32.9	0.11	100	8390	100.08	31.5
2023-03-22 05:10:00	0	0	0	0	92	4.14	5.91	33	81.8	100.11	-0.8	-0.4	0	33	0.12	100	8393	100.08	31.5
2023-03-22 05:15:00	0	0	0	0	99	4.41	6.4	32.9	82.2	100.11	-0.9	-0.4	0	32.9	0.11	100	8390	100.08	31.3
2023-03-22 05:20:00	0	0	0	0	104	5.97	7.18	32.7	82.2	100.1	-0.9	-0.5	0	32.7	0.11	100	8389	100.07	31.3
2023-03-22 05:25:00	0	0	0	0	105	7.14	8.68	32.7	81.7	100.1	-0.8	-0.5	0	32.7	0.11	100	8389	100.08	31.3
2023-03-22 05:30:00	0	0	0	0	100	6.62	9.19	32.6	82.1	100.11	-0.9	-0.5	0	32.6	0.11	100	8390	100.09	31.3
2023-03-22 05:35:00	0	0	0	0	111	5.93	7.65	32.6	82.3	100.11	-0.8	-0.5	0	32.6	0.11	100	8388	100.09	31.3
2023-03-22 05:40:00	0	0	0	0	114	6.17	7.2	32.5	81.9	100.12	-0.8	-0.4	0	32.5	0.11	100	8390	100.1	31.2
2023-03-22 05:45:00	0	0	0	0	114	4.99	5.97	32.5	82.4	100.12	-0.9	-0.4	0	32.5	0.11	100	8390	100.1	31.2
2023-03-22 05:50:00	0	0	0	0	96	6.08	7.27	32.4	82.1	100.11	-1	-0.5	0	32.4	0.11	100	8387	100.09	31.1
2023-03-22 05:55:00	0	0	0	0	92	5.86	7.4	32.4	83	100.1	-0.9	-0.4	0	32.5	0.11	100	8387	100.08	31
2023-03-22 06:00:00	0	0	0	0	104	6.06	7.52	32.4	82.7	100.1	-0.8	-0.4	0	32.4	0.11	100	8388	100.08	31
2023-03-22 06:05:00	0	0	0	0	111	7.99	9.46	32.4	82.8	100.09	-0.8	-0.4	0	32.4	0.11	100	8385	100.07	31
2023-03-22 06:10:00	0	0	0	0	116	8.39	9.22	32.4	83	100.08	-0.8	-0.4	0	32.4	0.11	100	8387	100.06	31
2023-03-22 06:15:00	0	0	0	0	124	8.46	10.22	32.3	82.8	100.08	-1	-0.4	0	32.3	0.11	100	8387	100.06	30.9
2023-03-22 06:20:00	0	0	0	0	127	9.1	10.83	32.2	84	100.07	-1	-0.5	0	32.2	0.1	100	8384	100.06	30.9
2023-03-22 06:25:00	0	0	0	0	144	9.66	11.54	32.1	84.4	100.08	-1	-0.4	0	32.1	0.1	100	8386	100.06	30.9
2023-03-22 06:30:00	0	0	0	0	126	10.25	13.09	32.1	85.3	100.05	-0.8	-0.5	0	32.1	0.09	100	8386	100.04	30.9
2023-03-22 06:35:00	0	0	0	0	140	7.63	9.24	32	85.3	100.06	-0.9	-0.4	0	32.1	0.09	100	8384	100.04	30.8
2023-03-22 06:40:00	0	0	0	0	119	8.05	9.31	32	85.8	100.04	-0.9	-0.4	0	32	0.09	100	8384	100.03	30.7
2023-03-22 06:45:00	0	0	0	0	122	9.98	12.3	32	86.2	100.04	-0.9	-0.4	0	32	0.08	100	8385	100.02	30.7
2023-03-22 06:50:00	0	0	0	0	140	10	12.15	32.1	86.5	100.04	-0.9	-0.4	0	32.1	0.08	100	8384	100.02	30.8
2023-03-22 06:55:00	0.8	0	0	0	135	9.53	11.74	32	86.7	100.03	-1	-0.5	0	32	0.08	100	8385	100.02	30.7
2023-03-22 07:00:00	1.8	0	0	0	146	9.78	12.24	32	86.7	100.03	-0.9	-0.6	0	32	0.08	100	8384	100.02	30.7
2023-03-22 07:05:00	3.8	0	0	0	156	10.04	12.73	32	86.7	100.04	-0.9	-0.4	0	32	0.08	100	8383	100.02	30.8
2023-03-22 07:10:00	8	0	0	0	160	10.45	11.72	32.1	87.5	100.04	-0.8	-0.5	0	32.1	0.08	100	8381	100.03	30.8
2023-03-22 07:15:00	12.8	0	0	0	165	11.03	13.06	32.2	87.7	100.04	-0.7	-0.4	0	32.2	0.08	100	8383	100.03	30.9
2023-03-22 07:20:00	16.4	0	0	0	169	10.47	13.11	32.2	87.4	100.05	-0.9	-0.4	0	32.3	0.08	100	8384	100.03	31
2023-03-22 07:25:00	20	0	0	0	165	8.55	9.66	32.2	87	100.04	-1	-0.5	0	32.3	0.08	100	8384	100.02	31
2023-03-22 07:30:00	24.8	0	0	0	167	9.15	11.41	32.4	87	100.05	-0.8	-0.5	0	32.4	0.08	100	8383	100.03	31.3
2023-03-22 07:35:00	27.8	0	0	0	154	9.51	12.21	32.7	86	100.04	-0.8	-0.4	0	32.8	0.09	100	8381	100.03	31.5
2023-03-22 07:40:00	30.8	0	0	0	154	9.28	10.83	32.8	85.7	100.04	-0.8	-0.5	0	32.8	0.09	100	8381	100.02	31.5
2023-03-22 07:45:00	33.4	0	0	0	152	8.03	10.04	32.6	85.5	100.03	-0.8	-0.5	0	32.7	0.09	100	8380	100.02	31.5
2023-03-22 07:50:00	39.8	0	0	0	162	5.68	6.93	32.5	86.2	100.04	-0.9	-0.5	0	32.7	0.09	100	8381	100.03	31.5
2023-03-22 07:55:00	46.2	0	0	0	165	5.93	7.58	32.7	85.9	100.04	-0.7	-0.5	0	32.9	0.09	100	8384	100.02	31.6
2023-03-22 08:00:00	48.8	0	0	0	169	7.02	9.33	32.9	85.4	100.04	-0.8	-0.5	0	33	0.09	100	8385	100.02	31.7
2023-03-22 08:05:00	49.6	0	0	0	160	9.13	10.83	33.1	84.3	100.03	-1	-0.5	0	33.2	0.1	100	8380	100.02	31.9
2023-03-22 08:10:00	55.6	0	0	0	151	8.59	9.95	33.3	83.9	100.03	-0.7	-0.6	0	33.4	0.1	100	8384	100.02	32
2023-03-22 08:15:00	64	0	0	0	146	7.52	9.22	33.3	83.8	100.03	-0.9	-0.5	0	33.5	0.1	100	8388	100.01	32.1
2023-03-22 08:20:00	81.2	0	0	0	133	7.96	9.35	33.4	83.5	100.02	-0.9	-0.5	0	33.6	0.11	100	8389	100.01	32.3
2023-03-22 08:25:00	122.4	0	0	0	118	6.96	8.97	33.8	82.8	100.02	-0.8	-0.3	0	34.2	0.11	100	8399	100.01	32.6
2023-03-22 08:30:00	144.2	0	0	0	59	3.94	6.06	34.5	82.1	100.03	-0.8	-0.4	0	35	0.12	100	8406	100.02	33
2023-03-22 08:35:00	147	0	0	0	359	3.49	4.7	35.1	82.4	100.04	-0.9	-0.5	0	35.7	0.12	100	8412	100.03	33.5
2023-03-22 08:40:00	135	0	0	0	30	1.36	2.64	35.2	82.2	100.04	-0.8	-0.4	0	36.1	0.12	100	8416	100.03	34
2023-03-22 08:45:00	173.2	0	0	0	117	5.77	7.92	36	79.5	100.03	-0.7	-0.5	0	36.6	0.15	100	8427	100.02	34.6
2023-03-22 08:50:00	237.2	0	0	0	121	5.44	7.54	36.9	78.4	100.03	-0.8	-0.4	0	37.7	0.16	100	8442	100.04	35.2
2023-03-22 08:55:00	281.2	0	0	0	147	3.22	4.25	37.6	77.6	100.04	-0.7	-0.7	0	38.7	0.17	100	8460	100.05	36
2023-03-22 09:00:00	301.4	0	0	0	128	3.58	4.76	38.7	75.9	100.04	-0.7	-0.5	0	40	0.19	100	8475	100.04	37
2023-03-22 09:05:00	317.4	0	0	0	128	4.16	5.57	39.7	73.4	100.04	-0.5	-0.5	0	41	0.22	100	8487	100.05	38
2023-03-22 09:10:00	325.2	0	0	0	144	3.96	5.3	40.5	71.4	100.05	-0.7	-0.5	0	41.7	0.24	100	8499	100.05	38.9
2023-03-22 09:15:00	349.4	0	0	0	151	3.38	5.48	40.9	70.7	100.04	-0.6	-0.5	0	42.4	0.25	100	8510	100.05	39.8
2023-03-22 09:20:00	340.4	0	0	0	124	4.61	6.93	41.6	68.4	100.04	-0.6	-0.6	0	43	0.28	100	8520	100.05	40.6
2023-03-22 09:25:00	370.4	0	0	0	120	4.65	7.27	42.2	67.4	100.03	-0.5	-0.6	0	43.6	0.3	100	8529	100.04	41.3
2023-03-22 09:30:00	366.6	0	0	0	128	4.92	7.52	42.8	65.6	100.03	-0.7	-0.5	0	44	0.32	100	8537	100.04	42
2023-03-22 09:35:00	395.6	0	0	0	108	5.41	7.34	43.2	65.3	100.02	-0.7	-0.5	0	44.4	0.33	100	8544	100.03	42.6
2023-03-22 09:40:00	426.8	0	0	0	100	6.4	7.96	43.9	63.8	100	-0.5	-0.4	0	45.1	0.35	100	8555	100.01	43.3
2023-03-22 09:45:00	372.2	0	0	0	81	6.17	8.84	44.4	63	100	-0.5	-0.5	0	45.5	0.37	100	8556	100.01	44.1
2023-03-22 09:50:00	326.2	0	0	0	44	4.63	7.65	44.1	63.1	100.01	-0.6	-0.6	0	45.2	0.36	100	8552	100.01	44.7
2023-03-22 09:55:00	262.8	0	0	0	63	2.42	3.33	43.5	64.5	100.03	-0.5	-0.6	0	44.9	0.34	100	8551	100.02	45.1
2023-03-22 10:00:00	372	0	0	0	80	1.79	3.85	43.6	65.1	100.01	-0.5	-0.5	0	45.2	0.34	100	8560	100.01	45.4
2023-03-22 10:05:00	367.2	0	0	0	57	2.93	5.66	44.7	63.9	100	-0.5	-0.5	0	46.4	0.36	100	8567	100.01	46.1
2023-03-22 10:10:00	493.2	0	0	0	141	2.66	4.65	45.8	62	100	-0.5	-0.5	0	47.6	0.4	100	8576	100.02	46.8
2023-03-22 10:15:00	550.8	0	0	0	173	2.35	4.94	47.2	63.1	100.01	-0.3	-0.4	0	48.9	0.41	100	8587	100.03	47.7
2023-03-22 10:20:00	538.2	0	0	0	337	1.14	2.42	48	59.7	100.02	-0.3	-0.5	0	50.3	0.46	100	8589	100.03	48.8
2023-03-22 10:25:00	515.8	0	0	0	281	2.84	6.82	49.9	57.2	100.02	-0.4	-0.6	0	51.6	0.52	100	8596	100.04	49.9
2023-03-22 10:30:00	554	0	0	0	304	2.55	4.9	50.6	55.3	100.02	-0.3	-0.6	0	52.4	0.56	100	8600	100.03	50.7
2023-03-22 10:35:00	569.4	0	0	0	45	3.13	4.

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-22 10:45:00	588.4	0	0	0	69	2.53	6.38	52.7	51.7	99.98	-0.2	-0.6	0	54.6	0.66	100	8605	100	53.3
2023-03-22 10:50:00	600	0	0	0	41	4.36	7.38	53.7	49.2	99.98	-0.2	-0.7	0	55	0.71	100	8611	99.99	54
2023-03-22 10:55:00	604.2	0	0	0	4	2.28	3.76	53.6	49.3	99.97	-0.2	-0.6	0	55.3	0.71	100	8614	99.99	54.4
2023-03-22 11:00:00	594	0	0	0	60	4.23	7.74	54.5	49.5	99.97	-0.2	-0.5	0	56.1	0.73	100	8614	99.99	55
2023-03-22 11:05:00	582	0	0	0	89	2.53	4.54	54.7	48.8	99.97	-0.2	-0.7	0	56.3	0.75	100	8615	99.98	55.5
2023-03-22 11:10:00	551	0	0	0	51	1.9	4.07	54.8	48.3	99.97	-0.1	-0.7	0	56.8	0.76	100	8616	99.98	56.2
2023-03-22 11:15:00	540.6	0	0	0	62	3.8	5.95	55.7	45	99.97	-0.2	-0.6	0	57.2	0.83	100	8615	99.98	56.7
2023-03-22 11:20:00	544.2	0	0	0	15	3.83	5.91	55.7	44.9	99.97	-0.1	-0.6	0	57.2	0.83	100	8614	99.98	57
2023-03-22 11:25:00	563.2	0	0	0	20	2.64	6.06	55.6	44.5	99.97	-0.1	-0.7	0	57.2	0.84	100	8614	99.97	57.1
2023-03-22 11:30:00	662.6	0	0	0	140	3.36	6.93	56.3	43.6	99.96	-0.2	-0.7	0	57.9	0.87	100	8615	99.97	57.4
2023-03-22 11:35:00	625	0	0	0	170	3.69	7.23	56.6	43.4	99.96	-0.1	-0.6	0	58.1	0.88	100	8614	99.97	57.6
2023-03-22 11:40:00	715.8	0	0	0	150	5.41	7.45	57.1	42.7	99.95	-0.1	-0.7	0	58.4	0.91	100	8618	99.97	57.6
2023-03-22 11:45:00	685.4	0	0	0	143	4.54	8.59	57.3	42.4	99.94	0	-0.6	0	58.7	0.93	100	8619	99.96	57.7
2023-03-22 11:50:00	704	0	0	0	114	4.34	8.28	57.4	41.7	99.94	-0.1	-0.6	0	58.8	0.94	100	8620	99.95	57.9
2023-03-22 11:55:00	707.6	0	0	0	140	4.18	9.06	57.9	40.6	99.93	-0.2	-0.8	0	59.3	0.97	100	8621	99.95	58.2
2023-03-22 12:00:00	699.2	0	0	0	147	4.47	9.01	58.3	39.7	99.92	-0.2	-0.7	0	59.6	1	100	8621	99.94	58.5
2023-03-22 12:05:00	679.2	0	0	0	92	4.97	7.47	58.7	40.1	99.92	-0.1	-0.7	0	60	1.01	100	8621	99.93	58.8
2023-03-22 12:10:00	665	0	0	0	178	3.15	5.44	58.9	39.2	99.91	0	-0.7	0	60.4	1.03	100	8621	99.92	59.3
2023-03-22 12:15:00	692.6	0	0	0	150	3.89	8.23	59.5	38.9	99.91	-0.1	-0.5	0	60.9	1.06	100	8622	99.92	59.6
2023-03-22 12:20:00	525.8	0	0	0	131	5.23	8.84	59.8	38.7	99.92	-0.1	-0.7	0	61.1	1.07	100	8615	99.92	60
2023-03-22 12:25:00	534.6	0	0	0	124	6.6	11.56	59.2	37.7	99.91	-0.2	-0.6	0	60.3	1.07	100	8611	99.91	59.8
2023-03-22 12:30:00	598	0	0	0	118	6.24	8.72	58.6	37.9	99.9	-0.1	-0.8	0	59.7	1.04	100	8611	99.89	59.4
2023-03-22 12:35:00	789.6	0	0	0	97	6.15	9.33	58.9	37.5	99.86	-0.2	-0.5	0	60.1	1.06	100	8611	99.87	59.3
2023-03-22 12:40:00	738.8	0	0	0	106	5.39	8.05	59.4	37	99.85	-0.2	-0.7	0	60.7	1.09	100	8611	99.86	59.6
2023-03-22 12:45:00	572.2	0	0	0	139	3.87	8.25	59.5	36.5	99.86	-0.1	-0.8	0	60.8	1.1	100	8608	99.85	59.9
2023-03-22 12:50:00	629	0	0	0	139	2.66	6.08	59.5	36.7	99.85	-0.2	-0.6	0	61	1.1	100	8608	99.85	60
2023-03-22 12:55:00	701.8	0	0	0	341	2.15	4.12	59.9	36	99.83	0	-0.6	0	62	1.13	100	8605	99.83	60.5
2023-03-22 13:00:00	641	0	0	0	152	3.04	5.53	61	34.8	99.83	0	-0.7	0	62.8	1.19	100	8604	99.82	61.2
2023-03-22 13:05:00	629.8	0	0	0	137	5.73	11.27	62	32.5	99.82	0	-0.8	0	63.2	1.28	100	8600	99.82	61.6
2023-03-22 13:10:00	676.6	0	0	0	144	3.56	9.78	61.4	32.2	99.81	0	-0.6	0	62.9	1.26	100	8601	99.81	61.8
2023-03-22 13:15:00	598.6	0	0	0	161	3.65	7.45	61.5	32.7	99.81	-0.1	-0.6	0	62.9	1.25	100	8599	99.8	62
2023-03-22 13:20:00	636	0	0	0	113	4.99	8.48	61.7	32.8	99.8	0	-0.6	0	63.2	1.26	100	8596	99.79	62.3
2023-03-22 13:25:00	727	0	0	0	96	6.35	9.44	62.2	31.6	99.78	-0.2	-0.6	0	63.3	1.3	100	8594	99.78	62.4
2023-03-22 13:30:00	709	0	0	0	84	3.85	7.81	62.1	30.8	99.78	0	-0.7	0	63.3	1.31	100	8592	99.78	62.7
2023-03-22 13:35:00	419	0	0	0	97	5.77	10.71	61.8	31.3	99.8	0	-0.7	0	63.1	1.3	100	8582	99.78	63
2023-03-22 13:40:00	406	0	0	0	124	2.55	5.97	60.6	32.5	99.81	0	-0.7	0	62.1	1.22	100	8583	99.78	63
2023-03-22 13:45:00	364.8	0	0	0	154	3.98	7.58	60.2	32.7	99.81	-0.1	-0.7	0	61.7	1.2	100	8580	99.77	63
2023-03-22 13:50:00	398	0	0	0	222	5.91	10.29	60.2	31.4	99.8	-0.1	-0.6	0	61.4	1.22	100	8576	99.76	62.9
2023-03-22 13:55:00	376.2	0	0	0	255	11.32	16.46	60.5	28.1	99.79	-0.1	-0.8	0	61.4	1.29	100	8573	99.75	62.6
2023-03-22 14:00:00	330.8	0	0	0	221	11.21	17.67	60.2	27.6	99.79	-0.2	-0.7	0	61	1.29	100	8570	99.75	62.2
2023-03-22 14:05:00	403.4	0	0	0	213	9.57	15.37	59.8	27.3	99.78	-0.1	-0.7	0	60.6	1.27	100	8567	99.74	61.8
2023-03-22 14:10:00	434.8	0	0	0	208	9.46	14.52	59.9	27.3	99.76	-0.1	-0.7	0	60.8	1.28	100	8566	99.73	61.7
2023-03-22 14:15:00	392.6	0	0	0	201	11.79	16.55	59.8	27.3	99.75	-0.2	-0.6	0	60.7	1.28	100	8560	99.71	61.6
2023-03-22 14:20:00	434.2	0	0	0	200	10.51	15.61	59.7	26.7	99.74	0.2	-0.5	0	60.5	1.28	100	8558	99.71	61.4
2023-03-22 14:25:00	434.2	0	0	0	212	10.49	13.87	59.8	26.8	99.73	-0.1	-0.6	0	60.7	1.29	100	8559	99.7	61.4
2023-03-22 14:30:00	334	0	0	0	214	14.03	23.29	59.8	27.3	99.73	-0.3	-0.5	0	60.6	1.28	100	8558	99.69	61.3
2023-03-22 14:35:00	298	0	0	0	203	17.58	27.34	59.6	28.7	99.71	-0.2	-0.9	0	60.2	1.24	100	8554	99.66	61
2023-03-22 14:40:00	316.8	0	0	0	211	17.92	22.7	59.3	30.2	99.7	0.1	-0.4	0	59.9	1.2	100	8550	99.66	60.7
2023-03-22 14:45:00	237.8	0	0	0	211	15.86	21.83	59.1	30.9	99.7	-0.3	-1.1	0	59.6	1.18	100	8548	99.66	60.5
2023-03-22 14:50:00	179.2	0	0	0	212	13.98	21.68	58.7	31.3	99.71	-0.3	-0.5	0	59.1	1.16	100	8545	99.67	60.2
2023-03-22 14:55:00	176.8	0	0	0	217	13.76	20.89	58.4	32	99.71	-0.1	-0.7	0	58.8	1.14	100	8542	99.66	59.8
2023-03-22 15:00:00	155.6	0	0	0	191	16.22	26.49	58	33.8	99.7	0.1	-0.8	0	58.4	1.09	100	8537	99.65	59.4
2023-03-22 15:05:00	129.8	0	0	0	202	17.72	25.19	57.7	36.4	99.7	0.5	-0.8	0	58	1.03	100	8536	99.66	59
2023-03-22 15:10:00	115.2	0	0	0	208	13.51	17.94	57.2	38.9	99.71	-0.7	-0.3	0	57.5	0.98	100	8530	99.66	58.6
2023-03-22 15:15:00	104.4	0	0	0	202	16.37	24.87	56.9	40.4	99.71	-0.9	-0.8	0	57.1	0.94	100	8526	99.66	58.2
2023-03-22 15:20:00	105.4	0	0	0	213	15.88	21.52	56.6	41.7	99.71	-0.4	-0.6	0	56.8	0.91	100	8527	99.66	57.8
2023-03-22 15:25:00	112.6	0	0	0	215	14.05	19.69	56.3	42	99.71	-0.3	-0.8	0	56.5	0.9	100	8523	99.67	57.5
2023-03-22 15:30:00	129	0	0	0	239	13.51	18.16	56	42.7	99.71	0	-0.9	0	56.3	0.88	100	8520	99.67	57.2
2023-03-22 15:35:00	155.4	0	0	0	242	15.19	21.47	55.8	43.1	99.7	0.4	-0.1	0	56.1	0.86	100	8521	99.66	56.9
2023-03-22 15:40:00	125.6	0	0	0	232	13.67	19.42	55.6	43	99.7	-0.3	-0.7	0	55.9	0.86	100	8516	99.66	56.7
2023-03-22 15:45:00	120.2	0	0	0	239	12.53	17.31	55.4	43.4	99.69	-0.3	-0.7	0	55.8	0.85	100	8516	99.64	56.5
2023-03-22 15:50:00	111.2	0	0	0	224	11.61	17.34	55.4	43.2	99.69	-0.1	-0.8	0	55.7	0.85	100	8513	99.65	56.4
2023-03-22 15:55:00	88	0	0	0	225	9.62	15.28	55.3	43.9	99.69	-0.3	-0.8	0	55.5	0.84	100	8512	99.65	56.3
2023-03-22 16:00:00	104	0	0	0	227	8.95	13.78	55.3	43.7	99.69	-0.3	-0.7	0	55.6	0.84	100	8507	99.64	56.2
2023-03-22 16:05:00	131.6	0	0	0	220	9.73	15.28	55.2	44.4	99.67	-0.2	-0.7	0	55.5	0.82	100	8507	99.62	56.1
2023-03-22 16:10:00	131	0	0	0	205	11.92	15.3	55.2	43.2	99.66	-0.3	-0.7	0	55.5	0.84	100	8505	99.61	56.1
2023-03-22 16:15:00	105.4	0	0	0	241	10.13	14.7	55.4	43.5	99.67	-0.2	-0.8	0	55.6	0.84	100	8504	99.62	56
2023-03-22 16:20:00	106	0	0	0	227	6.08	9.31	55.1	44.3	99.66	-0.3	-0.7	0	55.4	0.83	100	8500	99.61	55.8
2023-03-22 16:25:00	95.2	0	0	0	223	5.44	8.75	55.1	44.5	99.65	-0.2	-0.7	0	55.4	0.82	100	8499	99.6	55.8
2023-03-22 16:30:00	93	0	0	0	240	5.95	7.94	55	44.5	99.63	-0.2	-0.6	0	55.3	0.82	100	8497	99.58	55.7
2023-03-22 16:35:00	93.4	0	0	0	253	6.98	11.1	55	44	99.62	-0.3	-0.6	0	55.3	0.83	100	8496	99.57	55.7
2023-03-22 16:40:00	87	0	0	0	248	5.97	8.16	55	44.7	99.62	-0.3	-0.8	0	55.3	0.82	100	8492	99.57	55.6
2023-03-22 16:45:00	76	0	0	0	238	7.07	10.67	54.9	44.4	99.62	-0.3	-0.6	0	55.1	0.82	100	8494	99.56	55.5
2023-03-22 16:50:00	65.6	0	0	0	247	8.86	12.41	54.9	43.9	99.61	-0.2	-0.7	0	55.1	0.83	100	8490	99.56	55.4
2023-03-22 16:55:00	61.4	0	0	0	249	6.71	9.48	54.8	44.6	99.6	-0.4	-0.7	0	55	0.81	100	8491	99.55	55.2
2023-03-22 17:00:00	48.4	0	0	0	245	6.11	12.75	54.7	44.7	99.6	-0.2	-0.6	0	54.9	0.81	100	8487	99.55	55.1
2023-03-22 17:05:00	47.6	0	0	0	267	6.42	8.19	54.5	44.7	99.59	-0.2	-0.8	0	54.7	0.8	100	8485	99.54	54.9
2023-03-22 17:10:00	50.6	0	0	0	264	6.98	9.15	54.5	44.8	99.59	-0.3	-0.7	0	54.6	0.8	100	8483	99.54	54.8
2023-03-22 17:15:00	49.6	0	0	0	256	6.76	8.61	54.4	45.2	99.6	-0.1	-0.7	0	54.5	0.79	100	8481	99.55	54.7
2023-03-22 17:20:00	42.2	0	0	0	268	5.57	7.16	54.3	46	99.59	-0.3	-0.7	0	54.5	0.78	100	8478	99.54	54.6
2023-03-22 17:25:00	31.8	0	0	0	273	5.75	7.61	54.1	46	99.59	-0.4	-0.5	0	54.2	0.77	100	8478	99.54	54.4
2023-03-22 17:30:00	30.8	0	0	0	272	6.17	8.84	54	46.2	99.58	-0.3	-0.7	0	54	0.76	100	8476	99.53	54.2
2023-03-22 17:35:00	33.4	0	0	0	267	5.03	6.78	53.8	46.6	99.58	-0.1	-0.7	0	53.9	0.75	100	8475	99.52	54.1
2023-03-22 17:40:00	29.2	0	0	0	269	4.63	6.87	53.6	46.7	99.57	-0.2	-0.6	0	53.7	0.75	100	8472	99.52	53.9
2023-03-22 17:45:00	27.6	0	0	0	273	4.72	7.09	53.6	47	99.57	-0.3	-0.5	0	53.7	0.74	100	8471	99.52	53.8
2023-03-22 17:50:00	31.6	0	0	0	261	4	5.26	53.3	47.2	99.56	-0.3	-0.8	0	53.5	0.73	100	8470	99.5	53.6
2023-03-22 17:55:00	23.8	0	0	0	261	2.57	3.42	53.3	47.4	99.55	-0.3	-0.6	0	53.4	0.73	100	8469	99.49	53.5
2023-03-22 18:00:00	18.2	0	0	0	182	1.95	2.89	53.2	48.9	99.54	-0.4	-0.7	0	53.3	0.71	100	8468	99.49	53.3
2023-03-22 18:05:00	13.2	0	0	0	216	1.97	3.18	53.1	48.2	99.55	-0.4	-0.6	0	53.2	0.71	100	8464	99.5	53.1
2023-03-22 18:10:00	12	0	0	0	199	2.86	4	53.1	48.3	99.55	-0.4	-0.7	0	53.1	0.71	100	8466	99.5	53
2023-03-22 18:15:00	9.2	0	0	0	207	2.53	3.18	52.9	49.6	99.56	-0.4	-0.7	0	52.9	0.69	100	8463	99.51	52.8
2023-03-22 18:20:00	9.8	0	0	0	251	2.17	2.91	52.7	49	99.57	-0.3	-0.6	0	52.7	0.69	100	8460	99.52	52.6
2023-03-22 18:25:00	12	0	0	0	207	2.8	3.62	52.6	47.7	99.57	-0.3	-0.6	0	52.7	0.71	100	8461	99.52	52.5
2023-03-22 18:30:00	10.6	0	0	0	198	2.66	3.62	52.7	47.6	99.56	-0.3	-0.6	0	52.7	0.71	100	8457	99.51	52.5
2023-03-22 18:35:00	6.2	0	0	0	185	2.75	4.16	52.6	49.5	99.57	-0.5	-0.6	0	52.7	0.68	100	8456	99.52	52.4
2023-03-22 18:40:00	4	0	0	0	175	3.38	4.38	52.6	49.7	99.57	-0.5	-0.6	0	52.6	0.68	100	8455	99.52	52.2
2023-03-22 18:45:00	3	0	0	0	177	3.62	4.29	52.4	49.2	99.57	-0.4	-0.7	0	52.4	0.68	100	8454	99.52	52
2023-03-22 18:50:00	2.8	0	0	0	233	1.92	3.31	52.4	51.5	99.57	-0.4	-0.8	0	52.4	0.65	100	8452	99.52	51.8
2023-03-22 18:55:00	2	0	0	0	237	2.46	4.32	52.2	50.1	99.57	-0.3	-0.8	0	52.2	0.66	100	8452	99.52	51.7
2023-03-22 19:00:00	2	0	0	0	211	3.6	5.14	52.1	49.7	99.58	-0.3	-0.6	0	52	0.67	100	8448	99.53	51.7
2023-03-22 19:05:00	1	0	0	0	210	4.32	7.2	52	50.4	99.58	-0.3	-0.7	0	52	0.66	100	8449	99.52	51.6
2023-03-22 19:10:00	0	0	0	0	266	3.18	5.46	52	50.8	99.57	-0.3	-0.6	0	52	0.65	100	8450	99.52	51.5
2023-03-22 19:15:00	0	0	0	0	244	3.58	6.33	51.9	51.3	99.58	-0.4	-0.7	0	51.9	0.64	100	8447	99.53	51.5
2023-03-22 19:20:00	0	0	0	0	253	3.67	5.5	51.9	51	99.58	-0.4	-0.7	0	51.9	0.65	100	8450	99.52	51.5
2023-03-22 19:25:00	0	0	0	0	193	2.64	4.14	51.9	50.9	99.57	-0.4	-0.6	0	51.8	0.65	100	8447	99.51	51.4
2023-03-22 19:30:00	0	0	0	0	198	2.77	3.56	51.9	49.7	99.55	-0.3	-0.6	0	51.9	0.66	100	8442	99.5	51.4
2023-03-22 19:35:00	0	0	0	0	188	1.95	2.68	52	49.1	99.54	-0.3	-0.7	0	51.9	0.67	100	8440	99.49	51.4
2023-03-22 19:40:00	0	0	0	0	163	1.23	1.77	51.9	49.5	99.53	-0.4	-0.6	0	51.8	0.67	100	8440	99.47	51.3
2023-03-22 19:45:00	0	0	0	0	147	2.35	4.54	51.8	52.1	99.51	-0.4	-0.7	0	51.8	0.63	100	8440	99.46	51.2
2023-03-22 19:50:00	0	0	0	0	141	4.47	5.48	51.7	50.6	99.51	-0.3	-0.6	0	51.7	0.64	100	8439	99.46	51.1
2023-03-22 19:55:00	0	0	0	0	143	3.56	4.21	51.6	50.8	99.52	-0.5	-0.6	0	51.6	0.64	100	8437	99.47	51
2023-03-22 20:00:00	0	0	0	0	207	2.13	3.02	51.6	53.9	99.52	-0.4	-0.6	0	51.6	0.6	100	8439	99.47	50.8
2023-03-22 20:05:00	0	0	0	0	189	2.55	3.58	51.3	54	99.52	-0.4	-0.6	0	51.3	0.59	100	8434	99.46	50.7
2023-03-22 20:10:00	0	0	0	0	183	5.3	7.14	51.2	54.4	99.5	-0.4	-0.4	0	51.2	0.59	100	8434	99.45	50.7
2023-03-22 20:15:00	0	0	0	0	170	4.63	6.17	51.4	54.2	99.5	-0.4	-0.5	0	51.4	0.59	100	8431	99.45	50.9
2023-03-22 20:20:00	0	0	0	0	166	5.26	6.76	51.4	54	99.49	-0.4	-0.5	0	51.4	0.59	100	8431	99.44	50.8
2023-03-22 20:25:00	0	0	0	0	173	5.03	6.2	51.5	54.3	99.49	-0.2	-0.6	0	51.5	0.59	100	8432	99.44	50.9
2023-03-22 20:30:00	0	0	0	0	174	4.97	6.15	51.5	54.2	99.48	-0.3	-0.6	0	51.5	0.59	100	8431	99.43	50.8
2023-03-22 20:35:00	0	0	0	0	164	6.17	7.61	51.4	54.4	99.47	-0.4	-0.6	0	51.4	0.59	100	8431	99.41	50.8
2023-03-22 20:40:00	0	0	0	0	163	6.08	7.49	51.4	54.6	99.47	-0.3	-0.7	0	51.4	0.59	100	8430	99.41	50.7
2023-03-22 20:45:00	0	0	0	0	165	5.73	6.51	51.3	55.5	99.46	-0.3	-0.6	0	51.3	0.57	100	8429	99.41	50.6
2023-03-22 20:50:00	0	0	0	0	168	5.28	6.55	51.3	55.7	99.47	-0.3	-0.5	0	51.3	0.57	100	8425	99.42	50.6
2023-03-22 20:55:00	0	0	0	0	166	5.19	5.88	51.3	56.3	99.47	-0.3	-0.6	0	51.2	0.56	100	8425	99.43	50.5
2023-03-22 21:00:00	0	0	0	0	168	4.9	5.73	51.3	56	99.48	-0.3	-0.6	0	51.3	0.57	100	8426	99.43	50.5
2023-03-22 21:05:00	0	0	0	0	169	3.71	4.21	51.3	55.6	99.49	-0.3	-0.5	0	51.3	0.57	100	8423	99.44	50.5
2023-03-22 21:10:00	0	0	0	0	171	3.51	3.8	51.4	55.1	99.5	-0.4	-0.5	0	51.4	0.58	100	8422	99.45	50.6
2023-03-22 21:15:00	0	0	0	0	171	3.74	4.36	51.4	55.8	99.5	-0.4	-0.6	0	51.4	0.57	100	8423	99.44	50.7
2023-03-22 21:20:00	0	0	0	0	163	4.76	5.26	51.5	56	99.48	-0.4	-0.7	0	51.5	0.57	100	8422	99.43	50.7
2023-03-22 21:25:00	0	0	0	0	153	4.56	5.23	51.5	56.7	99.47	-0.3	-0.7	0	51.5	0.56	100	8417	99.42	50.6
2023-03-22 21:30:00	0	0	0	0	141	3.71	4.47	51.5	56.5	99.47	-0.4	-0.6	0	51.5	0.56	100	8421	99.42	50.4
2023-03-22 21:35:00	0	0	0	0	160	3.29	3.62	51.3	55.9	99.47	-0.4	-0.6	0	51.3	0.57	100	8418	99.42	50.3
2023-03-22 21:40:00	0	0	0	0	163	4.16	4.61	51.3	56.8	99.47	-0.4	-0.5	0	51.3	0.56	100	8418	99.42	50.2
2023-03-22 21:45:00	0	0	0	0	159	4.85	5.28	51.2	56.9	99.46	-0.4	-0.6	0	51.2	0.55	100	8417	99.41	50.2
2023-03-22 21:50:00	0	0	0	0	155	4.94	5.3	51.3	58.4	99.45	-0.5	-0.5	0	51.3	0.54	100	8419	99.4	50.1
2023-03-22 21:55:00	0	0	0	0	155	5.17	5.64	51.2	58.9	99.45	-0.3	-0.7	0	51.2

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-22 22:10:00	0	0	0	0	160	5.99	7	50.6	60.5	99.41	-0.4	-0.6	0	50.6	0.5	100	8413	99.35	49.6
2023-03-22 22:15:00	0	0	0	0	157	6.44	7.36	50.4	61.3	99.38	-0.3	-0.6	0	50.4	0.48	100	8412	99.34	49.6
2023-03-22 22:20:00	0	0	0	0	162	5.75	6.98	50.2	61.5	99.4	-0.4	-0.6	0	50.2	0.48	100	8410	99.36	49.5
2023-03-22 22:25:00	0	0	0	0	174	5.17	6.33	50.2	60.5	99.41	-0.5	-0.7	0	50.2	0.49	100	8409	99.36	49.5
2023-03-22 22:30:00	0	0	0	0	170	4.68	5.73	50.1	59.9	99.4	-0.4	-0.6	0	50.2	0.49	100	8411	99.35	49.5
2023-03-22 22:35:00	0	0	0	0	168	5.7	6.44	50.1	59.8	99.39	-0.4	-0.6	0	50.1	0.5	100	8409	99.34	49.6
2023-03-22 22:40:00	0	0	0	0	155	6.38	8.16	50.3	59.7	99.38	-0.3	-0.6	0	50.3	0.5	100	8409	99.33	49.6
2023-03-22 22:45:00	0	0	0	0	156	5.17	6.82	50.3	60.4	99.37	-0.4	-0.5	0	50.3	0.49	100	8406	99.32	49.6
2023-03-22 22:50:00	0	0	0	0	149	4.97	5.73	50.1	61.1	99.37	-0.4	-0.6	0	50.1	0.48	100	8406	99.33	49.4
2023-03-22 22:55:00	0	0	0	0	152	5.5	6.71	50.1	60.5	99.37	-0.4	-0.6	0	50.1	0.49	100	8406	99.33	49.4
2023-03-22 23:00:00	0	0	0	0	147	5.46	6.35	50.1	61	99.37	-0.4	-0.7	0	50.1	0.48	100	8408	99.32	49.4
2023-03-22 23:05:00	0	0	0	0	139	5.26	5.99	50	61.1	99.36	-0.4	-0.5	0	50	0.48	100	8403	99.31	49.3
2023-03-22 23:10:00	0	0	0	0	134	5.21	6.35	50	61	99.35	-0.3	-0.6	0	50	0.48	100	8404	99.31	49.3
2023-03-22 23:15:00	0	0	0	0	137	4.94	6.02	50	60.3	99.35	-0.4	-0.6	0	50	0.49	100	8403	99.3	49.2
2023-03-22 23:20:00	0	0	0	0	138	5.64	6.24	49.9	60.1	99.34	-0.5	-0.5	0	49.9	0.49	100	8401	99.3	49.2
2023-03-22 23:25:00	0	0	0	0	154	5.3	6.49	49.9	60.7	99.34	-0.3	-0.5	0	49.9	0.48	100	8401	99.3	49.2
2023-03-22 23:30:00	0	0	0	0	154	6.2	7.11	49.8	61.2	99.34	-0.4	-0.6	0	49.8	0.47	100	8403	99.29	49.1
2023-03-22 23:35:00	0	0	0	0	166	5.32	6.31	49.9	62.1	99.35	-0.3	-0.8	0	49.9	0.46	100	8399	99.3	49
2023-03-22 23:40:00	0	0	0	0	165	5.91	6.78	49.8	61.2	99.35	-0.4	-0.6	0	49.8	0.47	100	8399	99.3	49
2023-03-22 23:45:00	0	0	0	0	160	7	7.85	49.8	61.4	99.32	-0.5	-0.5	0	49.7	0.47	100	8397	99.27	49
2023-03-22 23:50:00	0	0	0	0	155	5.99	7.27	49.7	61.7	99.31	-0.3	-0.5	0	49.6	0.46	100	8398	99.27	48.8
2023-03-22 23:55:00	0	0	0	0	165	6.26	7.05	49.6	62	99.31	-0.5	-0.6	0	49.6	0.46	100	8396	99.27	48.6
2023-03-23 00:00:00	0	0	0	0	166	6.13	6.64	49.4	61.4	99.31	-0.4	-0.5	0	49.5	0.46	100	8398	99.26	48.4
2023-03-23 00:05:00	0	0	0	0	160	6.42	7.25	49.4	61.3	99.29	-0.5	-0.5	0	49.4	0.47	100	8375	99.23	48.6
2023-03-23 00:10:00	0	0	0	0	160	6.51	7.49	49.4	62.3	99.28	-0.5	-0.6	0	49.4	0.45	100	8368	99.23	48.8
2023-03-23 00:15:00	0	0	0	0	164	6.02	6.55	49.4	62.8	99.28	-0.4	-0.6	0	49.4	0.45	100	8359	99.24	48.9
2023-03-23 00:20:00	0	0	0	0	166	6.42	7.27	49.4	62	99.28	-0.3	-0.6	0	49.4	0.46	100	8372	99.23	48.8
2023-03-23 00:25:00	0	0	0	0	160	7.05	8.12	49.4	61.6	99.26	-0.4	-0.6	0	49.4	0.46	100	8374	99.21	48.7
2023-03-23 00:30:00	0	0	0	0	160	6.17	7.34	49.3	62.1	99.24	-0.3	-0.5	0	49.3	0.45	100	8376	99.2	48.7
2023-03-23 00:35:00	0	0	0	0	166	5.77	6.46	49.4	62.3	99.25	-0.4	-0.6	0	49.4	0.45	100	8375	99.2	48.6
2023-03-23 00:40:00	0	0	0	0	164	6.06	6.64	49.3	61.4	99.24	-0.4	-0.7	0	49.3	0.46	100	8377	99.19	48.6
2023-03-23 00:45:00	0	0	0	0	160	5.64	6.6	49.3	61.4	99.22	-0.4	-0.6	0	49.3	0.46	100	8376	99.17	48.5
2023-03-23 00:50:00	0	0	0	0	157	5.84	6.35	49.2	61.4	99.22	-0.4	-0.6	0	49.2	0.46	100	8376	99.17	48.4
2023-03-23 00:55:00	0	0	0	0	162	5.55	6.15	49.3	61.7	99.22	-0.4	-0.5	0	49.4	0.46	100	8374	99.18	48.4
2023-03-23 01:00:00	0	0	0	0	166	5.57	6.58	49.3	61.4	99.22	-0.4	-0.5	0	49.2	0.46	100	8374	99.17	48.3
2023-03-23 01:05:00	0	0	0	0	167	5.23	5.73	49.3	60.9	99.22	-0.5	-0.5	0	49.3	0.47	100	8371	99.18	48.4
2023-03-23 01:10:00	0	0	0	0	174	5.19	6.15	49.4	61.1	99.23	-0.5	-0.5	0	49.4	0.47	100	8374	99.18	48.4
2023-03-23 01:15:00	0	0	0	0	180	5.03	7.85	49.3	61.9	99.23	-0.4	-0.6	0	49.3	0.45	100	8372	99.18	48.3
2023-03-23 01:20:00	0	0	0	0	193	7.65	11.48	49.2	61.7	99.22	-0.2	-0.6	0	49.2	0.46	100	8376	99.18	48.5
2023-03-23 01:25:00	0	0	0	0	205	5.86	7.74	49.4	61.8	99.22	-0.4	-0.5	0	49.4	0.46	100	8374	99.17	48.7
2023-03-23 01:30:00	0	0	0	0	233	5.32	8.23	49.6	61.6	99.21	-0.4	-0.6	0	49.6	0.46	100	8372	99.16	48.8
2023-03-23 01:35:00	0	0	0	0	258	6.73	10.4	49.6	61.1	99.22	-0.5	-0.7	0	49.6	0.47	100	8370	99.17	49
2023-03-23 01:40:00	0	0	0	0	264	7.52	12.15	49.8	60.8	99.22	-0.5	-0.7	0	49.7	0.48	100	8371	99.17	49.1
2023-03-23 01:45:00	0	0	0	0	267	7.7	9.75	50	60.3	99.21	-0.3	-0.5	0	50	0.49	100	8370	99.16	49.2
2023-03-23 01:50:00	0	0	0	0	269	7.34	9.42	50.1	60.5	99.2	-0.4	-0.5	0	50.1	0.49	100	8369	99.15	49.4
2023-03-23 01:55:00	0	0	0	0	270	6.64	8.79	50.2	60.6	99.19	-0.5	-0.6	0	50.2	0.49	100	8370	99.14	49.6
2023-03-23 02:00:00	0	0	0	0	267	6.22	9.62	50.3	60.5	99.18	-0.3	-0.7	0	50.3	0.49	100	8370	99.13	49.6
2023-03-23 02:05:00	0	0	0	0	256	5.61	8.28	50.3	60.4	99.17	-0.5	-0.5	0	50.3	0.49	100	8370	99.12	49.7
2023-03-23 02:10:00	0	0	0	0	252	3.83	6.44	50.3	60.8	99.16	-0.4	-0.7	0	50.3	0.49	100	8369	99.11	49.6
2023-03-23 02:15:00	0	0	0	0	255	4.54	5.86	50.1	60.8	99.16	-0.4	-0.7	0	50.2	0.48	100	8371	99.12	49.6
2023-03-23 02:20:00	0	0	0	0	251	3.65	4.5	50.2	60.8	99.16	-0.4	-0.6	0	50.2	0.49	100	8368	99.11	49.5
2023-03-23 02:25:00	0	0	0	0	249	3.76	4.99	50	61.1	99.15	-0.4	-0.6	0	50	0.48	100	8368	99.1	49.4
2023-03-23 02:30:00	0	0	0	0	236	4.45	5.73	49.9	61.9	99.15	-0.3	-0.6	0	49.9	0.47	100	8368	99.1	49.2
2023-03-23 02:35:00	0	0	0	0	224	4.38	6.53	49.8	61.9	99.13	-0.4	-0.6	0	49.8	0.46	100	8366	99.09	49.2
2023-03-23 02:40:00	0	0	0	0	252	4.21	5.21	49.8	62.2	99.13	-0.4	-0.6	0	49.8	0.46	100	8365	99.08	49.2
2023-03-23 02:45:00	0	0	0	0	241	4.47	6.89	49.8	62.1	99.12	-0.3	-0.7	0	49.7	0.46	100	8366	99.07	49.2
2023-03-23 02:50:00	0	0	0	0	244	4.5	7.4	49.8	62.1	99.11	-0.4	-0.7	0	49.8	0.46	100	8364	99.06	49.2
2023-03-23 02:55:00	0	0	0	0	245	5.23	7.43	49.9	62.3	99.11	-0.3	-0.6	0	49.8	0.46	100	8361	99.06	49.3
2023-03-23 03:00:00	0	0	0	0	253	3.71	5.17	49.9	62.6	99.1	-0.3	-0.6	0	49.9	0.46	100	8362	99.05	49.2
2023-03-23 03:05:00	0	0	0	0	246	3.53	5.03	49.7	62.5	99.09	-0.4	-0.6	0	49.7	0.46	100	8363	99.04	49.2
2023-03-23 03:10:00	0	0	0	0	207	3.06	4.56	49.6	63.5	99.09	-0.3	-0.6	0	49.6	0.44	100	8363	99.04	49.1
2023-03-23 03:15:00	0	0	0	0	195	3.09	4	49.6	63.1	99.08	-0.4	-0.6	0	49.6	0.45	100	8362	99.03	49.1
2023-03-23 03:20:00	0	0	0	0	206	2.06	2.71	49.5	63.8	99.07	-0.5	-0.6	0	49.5	0.44	100	8358	99.03	49
2023-03-23 03:25:00	0	0	0	0	180	2.73	8.99	49.4	66.1	99.07	-0.4	-0.6	0	49.3	0.41	100	8361	99.03	48.9
2023-03-23 03:30:00	0	0	0	0	197	4.27	7.4	49	68.8	99.06	-0.5	-0.6	0	49	0.37	100	8361	99.01	48.7
2023-03-23 03:35:00	0	0.00067	0	0	208	7.52	12.73	48.6	72.5	99.05	-0.4	-0.5	0.04	48.6	0.32	100	8358	99.01	48.5
2023-03-23 03:40:00	0	0	0	0	221	4.83	8.7	48.1	75	99.05	-0.5	-0.5	0	48.1	0.29	100	8357	99	48.2
2023-03-23 03:45:00	0	0.00067	0	0	247	5.84	9.86	47.7	76.7	99.04	-0.4	-0.6	0.04	47.7	0.26	100	8358	98.99	47.9
2023-03-23 03:50:00	0	0	0	0	240	4.32	6.78	47.5	77.4	99.03	-0.5	-0.5	0	47.5	0.25	100	8357	98.99	47.6
2023-03-23 03:55:00	0	0	0	0	252	3.85	5.82	47.3	77.5	99.03	-0.5	-0.6	0	47.3	0.25	100	8355	98.99	47.4
2023-03-23 04:00:00	0	0	0	0	266	2.84	5.3	46.9	78.4	99.03	-0.5	-0.5	0	46.9	0.24	100	8357	98.98	47.2
2023-03-23 04:05:00	0	0	0	0	251	2.86	4.56	46.9	78.1	99.01	-0.4	-0.8	0	46.9	0.24	100	8355	98.97	47.2
2023-03-23 04:10:00	0	0	0	0	218	2.75	4	46.8	78.5	99	-0.5	-0.7	0	46.8	0.23	100	8355	98.96	47.1
2023-03-23 04:15:00	0	0	0	0	171	2.91	4.09	46.8	79.5	98.99	-0.4	-0.6	0	46.8	0.22	100	8355	98.95	47
2023-03-23 04:20:00	0	0	0	0	138	3.15	4.83	46.8	79.8	98.97	-0.4	-0.6	0	46.8	0.22	100	8355	98.93	46.9
2023-03-23 04:25:00	0	0	0	0	143	4.5	5.12	46.7	79.8	98.96	-0.4	-0.5	0	46.7	0.22	100	8352	98.92	46.8
2023-03-23 04:30:00	0	0	0	0	139	4.85	5.95	46.6	80.5	98.95	-0.4	-0.7	0	46.6	0.21	100	8354	98.92	46.6
2023-03-23 04:35:00	0	0	0	0	139	4.5	6.02	46.5	81.1	98.94	-0.5	-0.6	0	46.5	0.2	100	8352	98.9	46.6
2023-03-23 04:40:00	0	0	0	0	134	6.76	8.88	46.4	82.3	98.9	-0.4	-0.6	0	46.4	0.19	100	8353	98.86	46.5
2023-03-23 04:45:00	0	0	0	0	133	7.61	10.89	46.5	83.7	98.89	-0.4	-0.5	0	46.5	0.18	100	8355	98.86	46.4
2023-03-23 04:50:00	0	0	0	0	158	7.72	9.37	46.3	85.1	98.89	-0.4	-0.6	0	46.3	0.16	100	8351	98.85	46.3
2023-03-23 04:55:00	0	0	0	0	159	7.72	9.1	46.3	85.9	98.89	-0.4	-0.7	0	46.3	0.15	100	8349	98.86	46.3
2023-03-23 05:00:00	0	0.00067	0	0	156	8.39	9.82	46.2	85.6	98.89	-0.6	-0.4	0.04	46.2	0.15	100	8349	98.86	46.3
2023-03-23 05:05:00	0	0	0	0	158	7.05	8.28	46.1	86.4	98.89	-0.5	-0.5	0	46.1	0.14	100	8349	98.86	46.2
2023-03-23 05:10:00	0	0.00067	0	0	149	7.18	8.59	46.1	86.7	98.88	-0.5	-0.6	0.04	46.1	0.14	100	8348	98.85	46.1
2023-03-23 05:15:00	0	0	0	0	154	6.85	8.52	46.1	87.4	98.88	-0.6	-0.5	0	46.1	0.13	100	8349	98.84	46.1
2023-03-23 05:20:00	0	0	0	0	155	6.85	7.76	46	87.5	98.86	-0.4	-0.6	0	46	0.13	100	8345	98.83	46
2023-03-23 05:25:00	0	0	0	0	149	6.26	7.56	45.9	87.7	98.84	-0.5	-0.5	0	45.9	0.13	100	8347	98.81	45.9
2023-03-23 05:30:00	0	0	0	0	152	5.88	7.11	45.9	88.2	98.83	-0.6	-0.5	0	45.9	0.12	100	8347	98.81	45.8
2023-03-23 05:35:00	0	0	0	0	147	6.35	7.2	45.9	88.7	98.83	-0.4	-0.7	0	45.9	0.12	100	8345	98.8	45.8
2023-03-23 05:40:00	0	0	0	0	137	5.77	6.85	45.7	89.1	98.82	-0.6	-0.5	0	45.7	0.11	100	8346	98.79	45.7
2023-03-23 05:45:00	0	0	0	0	134	5.57	6.78	45.6	89.8	98.82	-0.5	-0.6	0	45.6	0.11	100	8347	98.79	45.6
2023-03-23 05:50:00	0	0	0	0	122	6.46	7.4	45.7	89.9	98.81	-0.7	-0.5	0	45.6	0.11	100	8344	98.78	45.6
2023-03-23 05:55:00	0	0.00067	0	0	116	6.62	7.94	45.7	90.1	98.79	-0.3	-0.5	0.04	45.7	0.1	100	8340	98.76	45.6
2023-03-23 06:00:00	0	0	0	0	117	6.4	7.78	45.6	90	98.78	-0.5	-0.5	0	45.6	0.1	100	8343	98.75	45.7
2023-03-23 06:05:00	0	0	0	0	128	7.4	8.86	45.8	89.7	98.77	-0.4	-0.6	0	45.8	0.11	100	8342	98.75	45.8
2023-03-23 06:10:00	0	0	0	0	130	6.87	8.59	46	89.1	98.77	-0.6	-0.5	0	46	0.11	100	8346	98.74	45.9
2023-03-23 06:15:00	0	0	0	0	117	6.35	8.12	46.1	89.1	98.75	-0.4	-0.6	0	46.1	0.12	100	8342	98.72	45.9
2023-03-23 06:20:00	0	0	0	0	138	5.99	6.89	46.1	88.8	98.76	-0.6	-0.6	0	46.1	0.12	100	8342	98.73	46
2023-03-23 06:25:00	0	0	0	0	158	6.71	8.68	46.2	88.4	98.76	-0.5	-0.6	0	46.2	0.12	100	8339	98.73	46
2023-03-23 06:30:00	0	0	0	0	150	5.5	7.81	46.1	88.3	98.74	-0.6	-0.5	0	46.2	0.12	100	8340	98.71	46
2023-03-23 06:35:00	0	0	0	0	157	5.14	6.55	46.1	88.1	98.75	-0.4	-0.7	0	46.2	0.13	100	8341	98.72	46
2023-03-23 06:40:00	0	0	0	0	168	4.56	5.44	46.2	88.1	98.75	-0.4	-0.6	0	46.3	0.13	100	8341	98.72	46
2023-03-23 06:45:00	0	0	0	0	171	4.54	5.32	46.3	87.7	98.76	-0.6	-0.5	0	46.3	0.13	100	8340	98.73	46
2023-03-23 06:50:00	0	0	0	0	175	4.29	5.12	46.2	88.1	98.76	-0.6	-0.6	0	46.3	0.13	100	8339	98.73	46
2023-03-23 06:55:00	0	0	0	0	168	5.08	6.4	46.2	88.3	98.76	-0.4	-0.6	0	46.3	0.12	100	8341	98.74	46
2023-03-23 07:00:00	0	0	0	0	171	5.5	6.55	46.2	88.3	98.77	-0.4	-0.6	0	46.2	0.12	100	8339	98.73	46
2023-03-23 07:05:00	0.8	0	0	0	167	5.77	6.51	46.2	88.4	98.76	-0.4	-0.5	0	46.2	0.12	100	8336	98.73	46
2023-03-23 07:10:00	1	0	0	0	169	5.37	6.67	46.1	88.5	98.76	-0.5	-0.6	0	46.1	0.12	100	8338	98.73	46
2023-03-23 07:15:00	2.6	0	0	0	163	4.72	5.86	46.2	88.4	98.75	-0.4	-0.6	0	46.2	0.12	100	8339	98.72	46
2023-03-23 07:20:00	3.2	0	0	0	152	5.39	6.46	46.3	88.3	98.74	-0.6	-0.6	0	46.3	0.12	100	8336	98.71	46
2023-03-23 07:25:00	4.6	0	0	0	150	5.3	6.4	46.3	87.9	98.73	-0.4	-0.6	0	46.4	0.13	100	8336	98.7	46.1
2023-03-23 07:30:00	4.6	0	0	0	159	4.79	6.26	46.5	87.6	98.73	-0.4	-0.6	0	46.5	0.13	100	8337	98.7	46.2
2023-03-23 07:35:00	7.6	0	0	0	151	5.86	7.49	46.5	87.6	98.71	-0.6	-0.6	0	46.5	0.13	100	8336	98.68	46.3
2023-03-23 07:40:00	6.8	0.00067	0	0	155	5.32	6.76	46.6	87.9	98.71	-0.6	-0.5	0.04	46.7	0.13	100	8335	98.68	46.3
2023-03-23 07:45:00	8.8	0.00067	0	0	152	6.08	7.27	46.7	87.8	98.69	-0.5	-0.5	0.04	46.7	0.13	100	8335	98.66	46.4
2023-03-23 07:50:00	10.8	0.00067	0	0	159	6.53	8.61	46.6	88.4	98.68	-0.5	-0.7	0.04	46.7	0.13	100	8335	98.65	46.5
2023-03-23 07:55:00	14.4	0	0	0	154	5.73	6.98	46.7	88.4	98.67	-0.4	-0.7	0	46.8	0.13	100	8333	98.64	46.5
2023-03-23 08:00:00	20.6	0	0	0	145	6.69	8.08	46.7	88.5	98.65	-0.5	-0.5	0	46.7	0.12	100	8335	98.62	46.5
2023-03-23 08:05:00	19	0	0	0	138	6.22	7.16	46.8	88.7	98.63	-0.5	-0.5	0	46.8	0.12	100	8333	98.61	46.6
2023-03-23 08:10:00	13	0	0	0	145	5.95	7.85	46.9	88.5	98.63	-0.5	-0.5	0	46.9	0.13	100	8333	98.61	46.7
2023-03-23 08:15:00	13.4	0	0	0	156	4.97	6.31	46.9	89	98.63	-0.5	-0.6	0	47	0.12	100	8333	98.61	46.8
2023-03-23 08:20:00	22.6	0	0	0	160	4.9	6.4	47.2	89	98.62	-0.6	-0.5	0	47.2	0.12	100	8331	98.6	46.9
2023-03-23 08:25:00	27.8	0	0	0	170	5.44	8.1	47.4	89.4	98.63	-0.4	-0.6	0	47.4	0.12	100	8331	98.6	47.2
2023-03-23 08:30:00	21.4	0	0	0	183	6.6	9.28	47.9	89.1	98.64	-0.5	-0.6	0	48	0.12	100	8331	98.61	47.5
2023-03-23 08:35:00	22	0	0	0	184	6.51	10.76	48.3	88.5	98.64	-0.5	-0.6	0	48.3	0.13	100	8330	98.61	47.8
2023-03-23 08:40:00	26.8	0	0	0	190	6.85	9.75	48.6	88.4	98.63	-0.5	-0.7	0	48.7	0.13	100	8329	98.6	48.1
2023-03-23 08:45:00	31.2	0	0	0	197	6.73	8.68	48.9	88.3	98.62	-0.4	-0.6	0	49	0.14	100	8329	98.59	48.4
2023-03-23 08:50:00	40.6	0	0	0	191	7	11.41	49.3	88.1	98.61	-0.4	-0.8	0	49.4	0.14	100	8327	98.59	48.8
2023-03-23 08:55:00	41.6	0	0	0	196	7.74	13.6	49.7	87.6	98.61	-0.4	-0.5	0	49.9	0.15	100	8330	98.58	49.2
2023-03-23 09:00:00	40	0	0	0	191	7.63	12.68	50.1	87.1	98.6	-0.3	-0.6	0	50.3	0.16	100	8330	98.57	49.5
2023-03-23 09:05:00	43	0	0	0	193	7.25	9.78	50.5	86.5	98.6	-0.4	-0.6	0	50.6	0.17	100	8330	98.57	49.8
2023-03-23 09:10:00	51.4	0	0	0	194	8.03	10.71	50.7	86	98.58	-0.2	-0.6	0	50.8	0.18	100	8327	98.55	50.1
2023-03-23 09:15:00	56.4	0	0	0	193	7.78	10.69	50.9	85.8	98.57	-0.3	-0.7	0	51.1	0.18	100	8330	98.54	50.3
2023-03-23 09:20:00	70.2	0	0	0	188	7.49	11.65	51.2	85.2	98.55	-0.3	-0.6	0	51.4	0.19	100	8331	98.52	50.6

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-23 09:35:00	35.4	0	0	0	193	12.06	18.03	51.8	83.9	98.56	-0.1	-0.4	0	51.9	0.21	100	8330	98.53	51.2
2023-03-23 09:40:00	32	0	0	0	197	9.66	13.33	51.9	83.5	98.55	-0.4	-0.5	0	51.9	0.22	100	8328	98.52	51.4
2023-03-23 09:45:00	74	0	0	0	184	9.24	11.86	51.9	83.6	98.51	-0.2	-0.7	0	52.1	0.22	100	8328	98.47	51.5
2023-03-23 09:50:00	43.8	0	0	0	193	11.99	17.81	52.1	83.3	98.51	-0.3	-0.9	0	52.2	0.22	100	8331	98.48	51.6
2023-03-23 09:55:00	30.2	0	0	0	193	11.14	15.46	52.1	83.3	98.52	-0.2	-0.7	0	52.3	0.22	100	8327	98.49	51.7
2023-03-23 10:00:00	43.4	0	0	0	193	9.33	13.18	52.2	83.3	98.52	-0.2	-0.5	0	52.3	0.22	100	8327	98.49	51.8
2023-03-23 10:05:00	47.4	0	0	0	192	9.4	16.04	52.2	83.3	98.51	-0.4	-0.5	0	52.4	0.22	100	8328	98.48	51.9
2023-03-23 10:10:00	43.4	0	0	0	193	9.35	15.1	52.2	83.1	98.51	-0.3	-0.5	0	52.4	0.22	100	8324	98.48	52
2023-03-23 10:15:00	28.6	0	0	0	196	9.69	13.76	52.4	83	98.51	-0.4	-0.5	0	52.6	0.23	100	8329	98.48	52.1
2023-03-23 10:20:00	38	0	0	0	198	11.88	18.19	52.5	82.7	98.51	-0.5	-0.6	0	52.6	0.23	100	8326	98.48	52.2
2023-03-23 10:25:00	29.8	0	0	0	201	10.56	15.5	52.6	83.2	98.51	-0.4	-0.9	0	52.7	0.23	100	8324	98.48	52.3
2023-03-23 10:30:00	56	0.00402	0	0	195	10.33	14.7	52.2	85	98.5	-0.5	-0.6	0.08	52.3	0.2	100	8324	98.47	52.1
2023-03-23 10:35:00	83.6	0.00469	0	0	196	9.84	14.12	51.8	86.8	98.49	-0.3	-0.8	0.08	52	0.17	100	8322	98.46	51.9
2023-03-23 10:40:00	108.6	0.00134	0	0	197	11.16	14.94	51.6	88.4	98.47	-0.6	-0.8	0.04	51.8	0.15	100	8324	98.45	51.8
2023-03-23 10:45:00	68.8	0.00067	0	0	197	8.28	13.94	51.5	89.2	98.48	-0.4	-0.7	0.04	51.7	0.14	100	8325	98.46	51.7
2023-03-23 10:50:00	68.8	0	0	0	204	6.89	9.64	51.4	90.2	98.48	-0.2	-0.6	0	51.5	0.13	100	8323	98.46	51.7
2023-03-23 10:55:00	86.2	0.00067	0	0	204	7.45	12.01	51.3	90.5	98.48	-0.3	-0.7	0.04	51.5	0.12	100	8325	98.45	51.7
2023-03-23 11:00:00	55.8	0	0	0	207	5.37	10.07	51.3	90.6	98.49	-0.2	-0.7	0	51.5	0.12	100	8323	98.46	51.7
2023-03-23 11:05:00	31	0	0	0	226	5.64	10.56	51.3	91	98.49	-0.4	-0.6	0	51.4	0.12	100	8323	98.46	51.7
2023-03-23 11:10:00	30	0	0	0	223	5.88	10.51	51.3	90.6	98.49	-0.3	-0.7	0	51.4	0.12	100	8322	98.46	51.7
2023-03-23 11:15:00	33.6	0	0	0	237	7.05	10.56	51.4	90.3	98.5	-0.4	-0.6	0	51.5	0.13	100	8322	98.47	51.7
2023-03-23 11:20:00	43.4	0.00067	0	0	247	7.07	10.4	51.4	89.8	98.5	-0.3	-0.7	0.04	51.5	0.13	100	8321	98.49	51.7
2023-03-23 11:25:00	51.8	0.00201	0	0	234	8.16	14.27	51.4	90.7	98.51	-0.3	-0.7	0.04	51.5	0.12	100	8320	98.49	51.6
2023-03-23 11:30:00	40.4	0.00134	0	0	239	9.71	13.89	51.4	90.7	98.52	-0.3	-0.7	0.04	51.5	0.12	100	8321	98.5	51.4
2023-03-23 11:35:00	39.6	0.00201	0	0	243	9.78	12.86	51.4	91.2	98.54	-0.4	-0.6	0.04	51.5	0.11	100	8318	98.52	51.3
2023-03-23 11:40:00	68.4	0.00469	0	0	249	10.22	13.18	51.2	92.1	98.54	-0.3	-0.6	0.08	51.3	0.1	100	8321	98.52	51.2
2023-03-23 11:45:00	77.4	0.00469	0	0	246	9.46	13.98	51	93.1	98.54	-0.5	-0.7	0.08	51.2	0.09	100	8319	98.52	51.1
2023-03-23 11:50:00	67	0.00469	0	0	246	10.13	16.69	50.9	93.8	98.54	-0.3	-0.6	0.08	51.1	0.08	100	8318	98.52	51.1
2023-03-23 11:55:00	67.2	0.0067	0	0	242	8.25	13	50.9	94.3	98.54	-0.4	-0.6	0.12	51.1	0.07	100	8320	98.52	51.1
2023-03-23 12:00:00	55	0.00804	0	0	239	9.17	13.35	50.9	94.4	98.52	-0.3	-0.6	0.12	51	0.07	100	8319	98.49	51
2023-03-23 12:05:00	48.2	0.00871	0	0	215	9.78	14	50.8	95	98.48	-0.5	-0.5	0.12	50.9	0.06	100	8320	98.45	51
2023-03-23 12:10:00	51	0.00871	0	0	220	8.88	12.06	50.8	95.2	98.46	-0.2	-0.6	0.161	50.9	0.06	100	8317	98.44	51
2023-03-23 12:15:00	82.4	0.01675	0	0	222	8.25	15.66	50.8	96	98.44	-0.4	-0.5	0.241	51	0.05	100	8319	98.42	51
2023-03-23 12:20:00	176.8	0.00536	0	0	225	8.63	14.5	50.5	97.1	98.44	-0.4	-0.8	0.12	51	0.04	100	8321	98.42	51.1
2023-03-23 12:25:00	164	0.00067	0	0	238	9.71	13.69	50.8	97.2	98.45	-0.5	-0.5	0.04	51.3	0.04	100	8321	98.43	51.4
2023-03-23 12:30:00	137.4	0	0	0	244	9.28	11.88	51	96.7	98.45	-0.4	-0.5	0	51.4	0.04	100	8323	98.44	51.4
2023-03-23 12:35:00	114.6	0	0	0	258	8.21	13.67	51	96.7	98.47	-0.3	-0.6	0	51.4	0.04	100	8322	98.46	51.5
2023-03-23 12:40:00	173.8	0.00067	0	0	263	6.64	10.27	51.1	97.4	98.46	-0.2	-0.5	0.04	51.6	0.03	100	8325	98.44	51.7
2023-03-23 12:45:00	150	0.00335	0	0	273	7.18	12.64	51.3	97.5	98.43	-0.3	-0.6	0.04	51.8	0.03	100	8323	98.41	51.9
2023-03-23 12:50:00	159.8	0.00201	0	0	284	7.18	10.71	51.4	97.6	98.4	-0.3	-0.6	0.04	51.9	0.03	100	8320	98.37	51.9
2023-03-23 12:55:00	147.2	0.00067	0	0	265	7.83	15.05	51.4	97.5	98.39	-0.3	-0.6	0.04	51.9	0.03	100	8324	98.38	52
2023-03-23 13:00:00	53.2	0.00335	0	0	295	12.5	18.68	51.5	96.6	98.45	-0.1	-0.6	0.08	51.7	0.04	100	8324	98.43	51.9
2023-03-23 13:05:00	86.4	0.00134	0	0	297	12.97	24.94	51.3	96.4	98.45	-0.6	-0.9	0.04	51.4	0.05	100	8325	98.42	51.7
2023-03-23 13:10:00	146.6	0	0	0	280	13.38	18.57	51	96.3	98.42	-0.7	-0.5	0	51.3	0.05	100	8323	98.4	51.4
2023-03-23 13:15:00	67.8	0	0	0	292	14.07	18.19	50.8	95.7	98.42	-0.5	-0.3	0	50.9	0.05	100	8323	98.4	51.2
2023-03-23 13:20:00	41	0.00134	0	0	294	10.33	16.22	50.6	95.4	98.44	-0.5	-0.7	0.04	50.6	0.06	100	8319	98.42	51
2023-03-23 13:25:00	87	0.00134	0	0	291	11.97	18.97	50.3	96.1	98.43	-0.4	-0.6	0.04	50.5	0.05	100	8321	98.41	50.8
2023-03-23 13:30:00	108.2	0	0	0	295	13.38	19.22	50.1	96	98.43	-0.3	-0.1	0	50.4	0.05	100	8323	98.41	50.6
2023-03-23 13:35:00	109.6	0.00067	0	0	294	11.83	16.84	50	96.3	98.43	-0.5	-0.5	0.04	50.2	0.05	100	8322	98.4	50.5
2023-03-23 13:40:00	144	0	0	0	286	12.48	18.28	49.9	96.3	98.41	-0.4	-0.4	0	50.2	0.05	100	8320	98.4	50.5
2023-03-23 13:45:00	100	0	0	0	289	11.7	16.17	49.9	96.3	98.42	-0.6	-0.6	0	50.2	0.05	100	8323	98.4	50.5
2023-03-23 13:50:00	179	0	0	0	289	11.74	16.75	49.9	96.4	98.4	-0.2	-0.5	0	50.2	0.04	100	8325	98.38	50.4
2023-03-23 13:55:00	206	0.00134	0	0	294	12.21	15.61	49.9	96.5	98.39	-0.5	-0.7	0.04	50.3	0.04	100	8326	98.38	50.5
2023-03-23 14:00:00	111	0.00067	0	0	302	11.63	15.14	50.1	96.3	98.4	-0.3	-0.5	0.04	50.4	0.05	100	8327	98.38	50.6
2023-03-23 14:05:00	111.8	0.00067	0	0	303	11.65	16.62	50.1	96.1	98.38	-0.4	-0.7	0.04	50.3	0.05	100	8327	98.36	50.6
2023-03-23 14:10:00	62.6	0	0	0	326	12.48	18.66	50	95	98.37	-0.4	-0.6	0	50.1	0.06	100	8323	98.36	50.3
2023-03-23 14:15:00	41.8	0	0	0	318	11.43	15.35	49.4	94.7	98.37	-0.5	-0.6	0	49.4	0.06	100	8321	98.35	49.9
2023-03-23 14:20:00	49.2	0	0	0	307	11.59	15.17	49	94.7	98.36	-0.3	-0.7	0	49.1	0.06	100	8321	98.35	49.4
2023-03-23 14:25:00	48.6	0	0	0	318	10.2	14.36	48.6	95.3	98.36	-0.4	-0.6	0	48.7	0.05	100	8320	98.34	49.2
2023-03-23 14:30:00	85.6	0.00536	0	0	303	10.09	15.17	48.3	96.2	98.34	-0.5	-0.6	0.12	48.5	0.04	100	8321	98.32	49
2023-03-23 14:35:00	43.2	0.00067	0	0	304	11.39	15.43	48.2	95.8	98.36	-0.3	-0.7	0.04	48.3	0.05	100	8319	98.34	48.8
2023-03-23 14:40:00	25.8	0.00067	0	0	318	11.48	14.65	48	96.3	98.39	-0.5	-0.5	0.04	48.1	0.04	100	8319	98.38	48.7
2023-03-23 14:45:00	20.6	0	0	0	323	15.05	18.59	47.9	96.4	98.41	-0.1	-0.4	0	47.9	0.04	100	8319	98.4	48.5
2023-03-23 14:50:00	25.2	0	0	0	318	16.6	20.76	47.8	96.4	98.44	-0.5	-0.4	0	47.8	0.04	100	8317	98.43	48.3
2023-03-23 14:55:00	36.2	0	0	0	314	18.52	25.03	47.5	96.4	98.44	-0.9	-0.6	0	47.6	0.04	100	8316	98.43	48.1
2023-03-23 15:00:00	69.4	0.00268	0	0	317	14.99	18.63	47.4	96.4	98.44	-0.6	-0.8	0.04	47.5	0.04	100	8316	98.42	47.9
2023-03-23 15:05:00	39.2	0.00268	0	0	313	16.49	20.96	47.2	96.2	98.45	-0.5	-0.3	0.04	47.3	0.04	100	8314	98.44	47.6
2023-03-23 15:10:00	51	0.00134	0	0	318	17.45	21.92	46.9	96.3	98.44	-1.1	-0.4	0.04	47	0.04	100	8316	98.41	47.4
2023-03-23 15:15:00	53.2	0.00134	0	0	321	16.33	25.03	46.7	96.3	98.42	-0.2	0.4	0.04	46.8	0.04	100	8318	98.41	47.2
2023-03-23 15:20:00	51.8	0.00268	0	0	305	15.95	27.07	46.6	96.3	98.44	-0.4	-0.7	0.08	46.7	0.04	100	8314	98.43	47
2023-03-23 15:25:00	74.4	0	0	0	303	17.81	23.09	46.4	96.1	98.45	-0.5	-0.3	0	46.5	0.04	100	8314	98.43	46.8
2023-03-23 15:30:00	94	0.00536	0	0	307	14.79	19.15	46.2	96.2	98.47	-0.4	-0.7	0.12	46.4	0.04	100	8315	98.45	46.7
2023-03-23 15:35:00	91.2	0.00067	0	0	307	13.51	17.31	46	96.7	98.46	-0.5	-1.1	0.04	46.1	0.03	100	8313	98.45	46.6
2023-03-23 15:40:00	81.6	0	0	0	300	14.36	19.08	46.1	96.9	98.48	-0.4	-0.6	0	46.3	0.03	100	8314	98.47	46.5
2023-03-23 15:45:00	64	0.00067	0	0	306	13.15	20.22	46	96.4	98.49	-0.6	-0.4	0.04	46.2	0.04	100	8313	98.47	46.5
2023-03-23 15:50:00	103.8	0.00134	0	0	310	11.36	16.44	46	97.1	98.48	-0.4	-0.7	0.04	46.2	0.03	100	8312	98.46	46.4
2023-03-23 15:55:00	72.6	0.00067	0	0	313	9.44	12.44	46.1	97.2	98.46	-0.6	-0.7	0.04	46.3	0.03	100	8314	98.45	46.5
2023-03-23 16:00:00	59.2	0	0	0	309	11.43	16.13	46.1	97.2	98.48	-0.5	-0.6	0	46.3	0.03	100	8314	98.46	46.4
2023-03-23 16:05:00	81.2	0	0	0	312	10.71	16.6	46	97.4	98.48	-0.5	-0.5	0	46.3	0.03	100	8314	98.46	46.4
2023-03-23 16:10:00	103.4	0	0	0	306	10.09	14.58	46.1	97.2	98.46	-0.3	-0.7	0	46.3	0.03	100	8315	98.44	46.4
2023-03-23 16:15:00	101.2	0	0	0	304	11.3	15.52	46.1	97.3	98.45	-0.6	-0.5	0	46.4	0.03	100	8315	98.43	46.4
2023-03-23 16:20:00	114.6	0	0	0	305	10.51	15.97	46.2	97.2	98.46	-0.5	-0.7	0	46.5	0.03	100	8314	98.44	46.5
2023-03-23 16:25:00	70.8	0	0	0	305	9.46	13.49	46.3	96.6	98.46	-0.5	-0.6	0	46.5	0.04	100	8313	98.44	46.5
2023-03-23 16:30:00	32.8	0	0	0	310	10.18	13.56	46.3	96.1	98.48	-0.4	-0.7	0	46.4	0.04	100	8315	98.46	46.4
2023-03-23 16:35:00	17.8	0	0	0	336	14.07	19.57	46.2	95.8	98.47	-0.4	-0.7	0	46.3	0.04	100	8311	98.46	46.2
2023-03-23 16:40:00	19.6	0	0	0	329	15.26	19.82	45.8	95.2	98.5	-0.1	-0.6	0	45.8	0.05	100	8311	98.48	45.8
2023-03-23 16:45:00	23	0	0	0	324	11.83	17.25	45.4	95.5	98.52	-0.6	-0.5	0	45.4	0.05	100	8311	98.51	45.5
2023-03-23 16:50:00	32.8	0	0	0	322	10.89	16.35	45.2	95.7	98.53	-0.6	-0.4	0	45.2	0.04	100	8311	98.51	45.4
2023-03-23 16:55:00	43.6	0	0	0	320	10.07	14.41	45	96.1	98.52	-0.5	-0.5	0	45.1	0.04	100	8309	98.5	45.2
2023-03-23 17:00:00	56	0.00067	0	0	315	9.1	13.58	44.9	96.7	98.52	-0.5	-0.5	0.04	45	0.03	100	8311	98.5	45.1
2023-03-23 17:05:00	65.4	0.00067	0	0	308	9.57	15.41	44.8	96.9	98.52	-0.5	-0.5	0.04	44.9	0.03	100	8310	98.51	45.1
2023-03-23 17:10:00	50.2	0	0	0	307	9.6	12.82	44.9	96.9	98.54	-0.5	-0.5	0	45	0.03	100	8308	98.52	45.1
2023-03-23 17:15:00	48.2	0.00067	0	0	308	8.14	11.79	44.8	97.3	98.54	-0.5	-0.5	0.04	45	0.03	100	8309	98.53	45
2023-03-23 17:20:00	40.6	0	0	0	298	9.84	14.09	44.8	97.3	98.55	-0.5	-0.5	0	44.8	0.03	100	8308	98.53	45
2023-03-23 17:25:00	50.6	0.00067	0	0	294	9.46	12.64	44.8	97.6	98.55	-0.6	-0.6	0.04	44.9	0.02	100	8306	98.53	44.9
2023-03-23 17:30:00	38	0.00067	0	0	297	9.35	13.04	44.8	97.4	98.56	-0.5	-0.5	0.04	44.9	0.03	100	8305	98.54	44.9
2023-03-23 17:35:00	25	0	0	0	315	10.18	14.23	44.7	97.3	98.57	-0.6	-0.5	0	44.8	0.03	100	8307	98.55	44.8
2023-03-23 17:40:00	27.6	0	0	0	311	9.26	13.35	44.6	97.3	98.58	-0.4	-0.5	0	44.7	0.03	100	8305	98.56	44.7
2023-03-23 17:45:00	23	0.00067	0	0	307	12.33	15.32	44.6	97	98.57	-0.7	-0.3	0.04	44.6	0.03	100	8304	98.55	44.6
2023-03-23 17:50:00	22.4	0	0	0	304	13.6	18.45	44.5	96.7	98.57	-0.6	-0.5	0	44.5	0.03	100	8301	98.55	44.4
2023-03-23 17:55:00	24.6	0	0	0	304	13.13	20	44.2	96.2	98.56	-0.7	-0.6	0	44.3	0.04	100	8302	98.55	44.2
2023-03-23 18:00:00	19.8	0	0	0	305	11.95	15.97	44.1	96.2	98.56	-0.5	-0.6	0	44.2	0.04	100	8302	98.55	44
2023-03-23 18:05:00	14.4	0	0	0	300	12.57	19.24	43.9	96.6	98.59	-0.3	-0.7	0	43.9	0.03	100	8302	98.57	43.9
2023-03-23 18:10:00	8.2	0	0	0	304	11.3	16.15	43.8	96.6	98.61	-0.2	-0.7	0	43.8	0.03	100	8301	98.6	43.8
2023-03-23 18:15:00	3.8	0	0	0	318	10.6	16.78	43.7	96.3	98.62	-0.5	-0.4	0	43.7	0.04	100	8300	98.6	43.7
2023-03-23 18:20:00	3.8	0.00067	0	0	319	11.48	15.48	43.6	96	98.62	-0.4	-0.9	0.04	43.6	0.04	100	8300	98.61	43.5
2023-03-23 18:25:00	3.6	0	0	0	322	14.23	18.32	43.3	96.2	98.64	-0.9	-0.5	0	43.3	0.04	100	8301	98.63	43.3
2023-03-23 18:30:00	3	0	0	0	330	16.6	23.22	42.9	95.7	98.65	-0.7	-0.8	0	42.9	0.04	100	8299	98.64	42.9
2023-03-23 18:35:00	3.2	0	0	0	322	13.71	20.27	42.5	95.8	98.66	-0.8	-0.7	0	42.5	0.04	100	8298	98.65	42.6
2023-03-23 18:40:00	3.4	0	0	0	309	15.7	23.02	42.3	95.8	98.68	-0.6	-0.6	0	42.3	0.04	100	8297	98.65	42.3
2023-03-23 18:45:00	4	0	0	0	302	17.25	25.1	41.8	94.1	98.68	-0.5	0	0	41.8	0.05	100	8298	98.67	41.9
2023-03-23 18:50:00	2.8	0	0	0	299	17.49	26.44	41.3	93.4	98.7	-0.6	0	0	41.3	0.06	100	8297	98.69	41.5
2023-03-23 18:55:00	3	0	0	0	300	17.4	22.75	41	92.1	98.7	-0.1	-0.7	0	41	0.07	100	8295	98.69	41.2
2023-03-23 19:00:00	4.4	0	0	0	293	15.01	21.27	40.6	91.4	98.7	-0.4	-0.4	0	40.6	0.07	100	8294	98.68	40.9
2023-03-23 19:05:00	2.2	0	0	0	289	13.87	17.74	40.3	91.4	98.7	-0.8	-0.6	0	40.4	0.07	100	8295	98.69	40.7
2023-03-23 19:10:00	1.4	0	0	0	289	12.53	16.62	40.3	91.7	98.71	-0.6	-0.6	0	40.3	0.07	100	8295	98.69	40.5
2023-03-23 19:15:00	1	0	0	0	288	11.56	15.64	40.2	91.7	98.71	-0.6	-0.5	0	40.2	0.07	100	8295	98.7	40.4
2023-03-23 19:20:00	1	0	0	0	283	12.44	21.72	40.1	92	98.72	-0.5	-0.8	0	40.1	0.07	100	8292	98.7	40.3
2023-03-23 19:25:00	0.2	0	0	0	285	13.33	18.57	40	91.5	98.71	-0.7	-0.6	0	40	0.07	100	8293	98.7	40.1
2023-03-23 19:30:00	0	0	0	0	290	14.5	18.81	39.8	91.1	98.71	-0.8	-0.7	0	39.9	0.07	100	8291	98.7	40
2023-03-23 19:35:00	0	0	0	0	290	12.91	19.6	39.8	91.2	98.72	-0.6	-0.4	0	39.7	0.07	100	8292	98.71	39.8
2023-03-23 19:40:00	0	0	0	0	293	10.92	14.9	39.7	91.5	98.73	-0.6	-0.7	0	39.7	0.07	100	8293	98.72	39.6
2023-03-23 19:45:00	0	0	0	0	288	11.88	15.52	39.6	92.2	98.74	-0.5	-0.6	0	39.6	0.06	100	8291	98.72	39.5
2023-03-23 19:50:00	0	0	0	0	286	14.43	23.62	39.5	91.7	98.75	-0.7	-0.7	0	39.5	0.07	100	8289	98.73	39.4
2023-03-23 19:55:00	0	0	0	0	294	15.17	22.21	39.6	91	98.74	-0.4	-0.4	0	39.6	0.07	100	8289	98.73	39.2
2023-03-23 20:00:00	0	0	0	0	289	15.03	23	39.5	91.1	98.76	-0.5	-0.4	0	39.5	0.07	100	8289	98.74	39.1
2023-03-23 20:05:00	0	0	0	0	288	16.46	23.15	39.4	90.6	98.76	-0.8	-0.6	0	39.4	0.08	100	8289	98.75	39.1
2023-03-23 20:10:00	0	0	0	0	282	14.43	24.05	39.4	90.7	98.77	-1	-0.6	0	39.4	0.08	100	8288	98.76	39.1
2023-03-23 20:15:00	0	0	0	0	288	13.47	19.24	39.3	90.6	98.79	-0.6	-0.6	0	39.3	0.08	100	8288	98.77	38.9
2023-03-23 20:20:00	0	0	0	0	285	13.06	21.3	39.3	90.8	98.79	-0.5	-0.4	0	39.3	0.08	100	8288	98.78	38.8
2023-03-23 20:25:00	0	0	0	0	292	12.68	19.57	39.2	91.1	98.79	-1.1	-0.3	0	39.2	0.07	100	8284	98.78	38.7
2023-03-23 20:30:00	0	0	0	0	288	12.26	17.67	39.1	90.8	98.81	-0.8	-0.4	0	39.1	0.07	100	8286	98.8	38.6

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-23 21:00:00	0	0	0	0	293	13.35	18.32	38.9	89.4	98.86	-0.9	-0.3	0	38.9	0.09	100	8284	98.84	38.4
2023-03-23 21:05:00	0	0	0	0	298	15.59	23.22	38.8	89.6	98.86	-0.7	-0.5	0	38.8	0.08	100	8280	98.84	38.2
2023-03-23 21:10:00	0	0	0	0	291	14.43	20.69	38.8	89.1	98.87	-0.7	-0.8	0	38.7	0.09	100	8286	98.86	38.1
2023-03-23 21:15:00	0	0	0	0	286	14.72	21.79	38.5	89.4	98.89	-0.8	-0.2	0	38.5	0.08	100	8283	98.87	37.9
2023-03-23 21:20:00	0	0	0	0	286	13.09	17.02	38.4	89.2	98.89	-0.7	-0.4	0	38.4	0.09	100	8282	98.88	37.9
2023-03-23 21:25:00	0	0	0	0	290	12.33	18.68	38.3	89.3	98.9	-0.8	-0.4	0	38.2	0.08	100	8282	98.88	37.8
2023-03-23 21:30:00	0	0	0	0	286	10.33	17.4	38.2	89.6	98.91	-0.7	-0.6	0	38.2	0.08	100	8282	98.89	37.8
2023-03-23 21:35:00	0	0	0	0	286	12.62	16.53	38.1	89.8	98.91	-1	-0.5	0	38.1	0.08	100	8280	98.89	37.8
2023-03-23 21:40:00	0	0	0	0	287	13.67	20.27	38.2	88.5	98.92	-0.7	-0.7	0	38.2	0.09	100	8280	98.91	37.8
2023-03-23 21:45:00	0	0	0	0	287	11.86	16.64	38.2	88.1	98.94	-0.9	-0.4	0	38.2	0.09	100	8281	98.92	37.7
2023-03-23 21:50:00	0	0	0	0	284	12.68	16.87	38.1	88.3	98.95	-0.7	-0.6	0	38.1	0.09	100	8279	98.93	37.7
2023-03-23 21:55:00	0	0	0	0	288	11.18	16.91	38.1	87.8	98.94	-0.6	-0.6	0	38.1	0.1	100	8276	98.93	37.6
2023-03-23 22:00:00	0	0	0	0	291	11.25	15.88	38	88	98.95	-0.8	-0.6	0	38	0.09	100	8280	98.94	37.5
2023-03-23 22:05:00	0	0	0	0	289	11.39	16.24	37.9	88	98.96	-0.7	-0.6	0	37.9	0.09	100	8279	98.94	37.5
2023-03-23 22:10:00	0	0	0	0	294	11.86	18.41	37.8	88	98.96	-0.7	-0.6	0	37.8	0.09	100	8280	98.94	37.5
2023-03-23 22:15:00	0	0	0	0	293	11.92	15.7	37.8	87.2	98.95	-0.5	-0.6	0	37.8	0.1	100	8277	98.93	37.5
2023-03-23 22:20:00	0	0	0	0	294	11.34	15.64	37.8	87.3	98.96	-0.8	-0.6	0	37.8	0.1	100	8276	98.95	37.4
2023-03-23 22:25:00	0	0	0	0	304	10.96	14.94	37.7	87.3	98.97	-0.7	-0.5	0	37.7	0.1	100	8277	98.96	37.4
2023-03-23 22:30:00	0	0	0	0	309	10.96	15.68	37.7	87.3	98.98	-0.8	-0.4	0	37.7	0.1	100	8279	98.96	37.3
2023-03-23 22:35:00	0	0	0	0	307	12.53	18.43	37.6	87.3	98.98	-0.6	-0.8	0	37.7	0.1	100	8277	98.97	37.3
2023-03-23 22:40:00	0	0	0	0	313	12.86	17.18	37.5	86.9	99	-0.7	-0.2	0	37.5	0.1	100	8276	98.99	37.1
2023-03-23 22:45:00	0	0	0	0	306	15.21	22.32	37.3	85.7	98.99	-0.8	-0.4	0	37.3	0.11	100	8277	98.97	37
2023-03-23 22:50:00	0	0	0	0	312	13.58	20.33	37	85.7	99	-0.8	-0.5	0	37	0.11	100	8275	98.99	36.8
2023-03-23 22:55:00	0	0	0	0	315	15.12	20.18	36.8	84.8	99	-0.8	-0.4	0	36.8	0.11	100	8277	98.98	36.6
2023-03-23 23:00:00	0	0	0	0	320	17	26.64	36.5	83.8	99	-0.8	-0.4	0	36.4	0.12	100	8276	98.99	36.3
2023-03-23 23:05:00	0	0	0	0	323	16.4	21.05	36.1	82.8	99	-1.4	-0.5	0	36.1	0.12	100	8274	98.99	36
2023-03-23 23:10:00	0	0	0	0	316	13.06	18.23	35.7	82.6	99.02	-0.9	-0.7	0	35.7	0.12	100	8275	99.01	35.7
2023-03-23 23:15:00	0	0	0	0	324	14.14	20.78	35.5	82.4	99.04	-0.6	-0.6	0	35.5	0.12	100	8274	99.02	35.4
2023-03-23 23:20:00	0	0	0	0	322	15.3	25.03	35.2	82.9	99.02	-0.8	-0.5	0	35.2	0.12	100	8271	99.01	35.2
2023-03-23 23:25:00	0	0	0	0	317	15.61	24.61	35	82.4	99.03	-0.6	-0.2	0	35.1	0.12	100	8271	99.02	35
2023-03-23 23:30:00	0	0	0	0	307	16.28	21.77	34.8	81.5	99.03	-0.9	-0.6	0	34.8	0.13	100	8272	99.01	34.8
2023-03-23 23:35:00	0	0	0	0	322	16.89	21.34	34.7	81	99.03	-1.2	-0.6	0	34.7	0.13	100	8272	99.02	34.7
2023-03-23 23:40:00	0	0	0	0	311	14.18	19.64	34.6	81.2	99.05	-0.4	-0.6	0	34.6	0.13	100	8269	99.04	34.6
2023-03-23 23:45:00	0	0	0	0	315	12.55	17.94	34.5	81.4	99.06	-1.2	-0.4	0	34.5	0.13	100	8271	99.05	34.4
2023-03-23 23:50:00	0	0	0	0	314	13.85	18.99	34.4	81.6	99.06	-0.8	-0.7	0	34.4	0.12	100	8269	99.05	34.3
2023-03-23 23:55:00	0	0	0	0	309	12.77	18.88	34.3	81.9	99.06	-0.8	-0.4	0	34.3	0.12	100	8270	99.05	34.2
2023-03-24 00:00:00	0	0	0	0	306	13.02	21.23	34.4	81.5	99.06	-0.9	-0.4	0	34.3	0.12	100	8269	99.06	34.1
2023-03-24 00:05:00	0	0	0	0	315	13.15	18.97	34.3	81.4	99.08	-1.3	-0.7	0	34.3	0.13	100	8248	99.07	34.2
2023-03-24 00:10:00	0	0	0	0	306	10.38	15.26	34.3	81.8	99.08	-0.7	-0.7	0	34.3	0.12	100	8235	99.07	34.4
2023-03-24 00:15:00	0	0	0	0	314	10.36	15.35	34.3	81.9	99.08	-1.1	-0.4	0	34.3	0.12	100	8228	99.07	34.5
2023-03-24 00:20:00	0	0	0	0	318	12.53	18.1	34.2	81.3	99.07	-0.9	-0.4	0	34.1	0.12	100	8244	99.05	34.4
2023-03-24 00:25:00	0	0	0	0	310	13.4	17.87	34.3	81.3	99.06	-0.8	-0.8	0	34.3	0.13	100	8248	99.05	34.1
2023-03-24 00:30:00	0	0	0	0	316	16.35	21.3	34.2	81	99.07	-0.1	-0.4	0	34.2	0.13	100	8248	99.05	34
2023-03-24 00:35:00	0	0	0	0	313	14.27	20.49	34.2	81.1	99.09	-0.8	-0.5	0	34.2	0.13	100	8250	99.08	33.9
2023-03-24 00:40:00	0	0	0	0	301	10.25	13.96	34.2	82.2	99.11	-0.9	-0.6	0	34.1	0.12	100	8248	99.1	33.9
2023-03-24 00:45:00	0	0	0	0	296	9.75	13.69	34.1	82.4	99.1	-0.9	-0.4	0	34.1	0.12	100	8252	99.08	33.8
2023-03-24 00:50:00	0	0	0	0	297	11.65	15.73	34.1	82.3	99.09	-0.8	-0.5	0	34.1	0.12	100	8248	99.08	33.7
2023-03-24 00:55:00	0	0	0	0	287	11.07	15.86	34.1	81.7	99.1	-0.9	-0.2	0	34.1	0.12	100	8251	99.09	33.7
2023-03-24 01:00:00	0	0	0	0	298	12.73	20.67	34.1	81.4	99.1	-1	-0.4	0	34.1	0.12	100	8251	99.08	33.6
2023-03-24 01:05:00	0	0	0	0	293	12.71	19.28	34	81.5	99.09	-0.9	-0.6	0	34	0.12	100	8250	99.07	33.6
2023-03-24 01:10:00	0	0	0	0	301	13.62	19.84	34	81.2	99.07	-0.9	-0.4	0	34	0.12	100	8251	99.06	33.6
2023-03-24 01:15:00	0	0	0	0	297	10.04	14.27	34	81.3	99.07	-0.8	-0.5	0	34	0.12	100	8251	99.05	33.5
2023-03-24 01:20:00	0	0	0	0	291	13	22.77	33.9	81.4	99.05	-0.5	-0.3	0	34	0.12	100	8250	99.03	33.4
2023-03-24 01:25:00	0	0	0	0	294	11.12	19.01	34	81.3	99.07	-0.7	-0.5	0	34	0.12	100	8251	99.06	33.4
2023-03-24 01:30:00	0	0	0	0	304	10.09	14.27	33.9	81.7	99.09	-0.8	-0.3	0	33.9	0.12	100	8251	99.07	33.2
2023-03-24 01:35:00	0	0	0	0	296	8.88	11.74	33.8	81.8	99.1	-0.8	-0.6	0	33.9	0.12	100	8250	99.09	33.1
2023-03-24 01:40:00	0	0	0	0	308	9.15	11.39	33.8	82	99.1	-0.9	-0.4	0	33.8	0.12	100	8249	99.08	32.9
2023-03-24 01:45:00	0	0	0	0	308	10.65	17.58	33.6	82	99.09	-0.9	-0.2	0	33.6	0.12	100	8251	99.07	32.7
2023-03-24 01:50:00	0	0	0	0	299	12.26	15.95	33.4	82	99.1	-0.9	-0.6	0	33.4	0.12	100	8248	99.09	32.5
2023-03-24 01:55:00	0	0	0	0	320	10.25	15.26	33.4	82	99.1	-1	-0.3	0	33.4	0.12	100	8249	99.09	32.4
2023-03-24 02:00:00	0	0	0	0	305	9.8	13.13	33.1	82.9	99.1	-0.9	-0.5	0	33.1	0.11	100	8251	99.08	32.2
2023-03-24 02:05:00	0	0	0	0	308	10.76	15.55	33.1	83.1	99.11	-1	-0.6	0	33.1	0.11	100	8248	99.09	32.1
2023-03-24 02:10:00	0	0	0	0	300	12.55	15.32	33	83.1	99.11	-0.9	-0.5	0	33	0.11	100	8248	99.1	32
2023-03-24 02:15:00	0	0	0	0	303	10.98	18.48	32.9	83.5	99.12	-0.7	-0.4	0	32.9	0.1	100	8248	99.1	31.9
2023-03-24 02:20:00	0	0	0	0	306	11.3	16.06	32.8	83.3	99.12	-0.9	-0.4	0	32.8	0.11	100	8244	99.1	31.8
2023-03-24 02:25:00	0	0	0	0	297	11.23	14.88	32.8	83.2	99.11	-0.6	-0.6	0	32.8	0.11	100	8248	99.1	31.7
2023-03-24 02:30:00	0	0	0	0	293	11.63	15.86	32.6	83	99.12	-0.8	-0.5	0	32.6	0.11	100	8248	99.1	31.7
2023-03-24 02:35:00	0	0	0	0	302	10.83	15.1	32.6	83	99.11	-0.9	-0.4	0	32.6	0.11	100	8247	99.1	31.6
2023-03-24 02:40:00	0	0	0	0	293	10.31	13.58	32.5	83.3	99.12	-0.8	-0.4	0	32.5	0.1	100	8248	99.11	31.5
2023-03-24 02:45:00	0	0	0	0	294	9.91	13.31	32.5	83.4	99.14	-0.9	-0.4	0	32.5	0.1	100	8246	99.12	31.4
2023-03-24 02:50:00	0	0	0	0	286	8.66	12.88	32.4	83.8	99.14	-0.9	-0.4	0	32.4	0.1	100	8246	99.12	31.3
2023-03-24 02:55:00	0	0	0	0	285	10.4	15.39	32.4	83.8	99.12	-1	-0.5	0	32.4	0.1	100	8248	99.11	31.3
2023-03-24 03:00:00	0	0	0	0	293	8.05	11.5	32.3	84	99.12	-0.9	-0.3	0	32.3	0.1	100	8249	99.1	31.2
2023-03-24 03:05:00	0	0	0	0	283	6.62	9.82	32.2	84.4	99.12	-0.9	-0.4	0	32.2	0.1	100	8245	99.11	31.1
2023-03-24 03:10:00	0	0	0	0	280	5.35	6.73	32.1	84.6	99.12	-0.9	-0.4	0	32.1	0.09	100	8244	99.1	30.9
2023-03-24 03:15:00	0	0	0	0	282	6.13	8.7	32	84.9	99.12	-0.9	-0.4	0	32	0.09	100	8244	99.11	30.7
2023-03-24 03:20:00	0	0	0	0	278	7.81	10.25	31.9	85.3	99.13	-0.9	-0.4	0	31.8	0.09	100	8244	99.11	30.6
2023-03-24 03:25:00	0	0	0	0	277	7.29	9.89	31.7	86	99.13	-0.9	-0.4	0	31.7	0.08	100	8244	99.11	30.5
2023-03-24 03:30:00	0	0	0	0	269	7.45	10.58	31.6	85.7	99.13	-0.9	-0.5	0	31.6	0.09	100	8243	99.12	30.5
2023-03-24 03:35:00	0	0	0	0	263	6.64	10.04	31.7	85.2	99.13	-0.9	-0.5	0	31.6	0.09	100	8244	99.12	30.4
2023-03-24 03:40:00	0	0	0	0	265	7.25	9.86	31.7	85.6	99.13	-0.8	-0.4	0	31.6	0.09	100	8242	99.12	30.4
2023-03-24 03:45:00	0	0	0	0	266	6.67	8.57	31.6	85.5	99.11	-0.9	-0.5	0	31.6	0.09	100	8244	99.1	30.3
2023-03-24 03:50:00	0	0	0	0	265	7.2	11.03	31.5	85.1	99.12	-1	-0.4	0	31.5	0.09	100	8241	99.11	30.3
2023-03-24 03:55:00	0	0	0	0	268	7.54	9.62	31.5	85.5	99.13	-0.9	-0.5	0	31.5	0.09	100	8242	99.11	30.3
2023-03-24 04:00:00	0	0	0	0	274	8.3	11.77	31.5	85.3	99.13	-0.8	-0.3	0	31.5	0.09	100	8241	99.12	30.2
2023-03-24 04:05:00	0	0	0	0	272	8.08	11.97	31.5	85.3	99.13	-1	-0.4	0	31.5	0.09	100	8238	99.12	30.3
2023-03-24 04:10:00	0	0	0	0	277	7.56	9.6	31.5	85.5	99.14	-0.9	-0.6	0	31.5	0.09	100	8243	99.12	30.2
2023-03-24 04:15:00	0	0	0	0	282	7.72	11.56	31.4	85.8	99.12	-0.9	-0.4	0	31.4	0.08	100	8241	99.1	30.2
2023-03-24 04:20:00	0	0	0	0	280	7.45	10.6	31.4	85.4	99.12	-0.8	-0.5	0	31.4	0.09	100	8240	99.11	30.2
2023-03-24 04:25:00	0	0	0	0	276	9.28	12.62	31.5	85.5	99.12	-0.9	-0.5	0	31.5	0.09	100	8243	99.11	30.2
2023-03-24 04:30:00	0	0	0	0	279	9.26	13.33	31.5	85.3	99.13	-0.9	-0.4	0	31.5	0.09	100	8241	99.12	30.2
2023-03-24 04:35:00	0	0	0	0	281	8.59	12.08	31.5	85.3	99.14	-0.7	-0.4	0	31.5	0.09	100	8238	99.13	30.2
2023-03-24 04:40:00	0	0	0	0	274	8.19	11.12	31.5	85.7	99.15	-1	-0.4	0	31.5	0.09	100	8240	99.14	30.2
2023-03-24 04:45:00	0	0	0	0	278	7.47	10.76	31.4	85.4	99.15	-0.9	-0.5	0	31.4	0.09	100	8240	99.14	30.2
2023-03-24 04:50:00	0	0	0	0	275	8.75	11.25	31.5	85.6	99.14	-0.9	-0.5	0	31.5	0.09	100	8238	99.13	30.2
2023-03-24 04:55:00	0	0	0	0	279	8.41	11.65	31.4	85.4	99.14	-1	-0.4	0	31.4	0.09	100	8238	99.13	30.2
2023-03-24 05:00:00	0	0	0	0	277	8.16	10.96	31.4	85.4	99.14	-0.8	-0.4	0	31.4	0.09	100	8238	99.12	30.2
2023-03-24 05:05:00	0	0	0	0	279	7.87	10.4	31.5	85.5	99.14	-1	-0.4	0	31.5	0.09	100	8235	99.13	30.2
2023-03-24 05:10:00	0	0	0	0	280	7.38	11.39	31.4	85.9	99.14	-0.8	-0.7	0	31.5	0.08	100	8234	99.12	30.2
2023-03-24 05:15:00	0	0	0	0	275	7.94	11.52	31.4	85.6	99.14	-0.9	-0.5	0	31.4	0.09	100	8236	99.13	30.2
2023-03-24 05:20:00	0	0	0	0	272	7.52	11.41	31.4	85.6	99.15	-1	-0.4	0	31.4	0.09	100	8235	99.13	30.2
2023-03-24 05:25:00	0	0	0	0	270	8.1	11.16	31.4	85.6	99.16	-1	-0.4	0	31.4	0.09	100	8238	99.15	30.2
2023-03-24 05:30:00	0	0	0	0	266	7.09	10.33	31.4	85.9	99.16	-0.9	-0.4	0	31.4	0.08	100	8235	99.14	30.2
2023-03-24 05:35:00	0	0	0	0	267	7.78	10.85	31.3	85.8	99.15	-1	-0.5	0	31.3	0.08	100	8235	99.14	30.1
2023-03-24 05:40:00	0	0	0	0	270	6.96	9.89	31.3	85.9	99.15	-0.8	-0.4	0	31.3	0.08	100	8236	99.13	30.1
2023-03-24 05:45:00	0	0	0	0	273	7.56	10.4	31.3	85.9	99.15	-0.9	-0.4	0	31.3	0.08	100	8235	99.13	30.1
2023-03-24 05:50:00	0	0	0	0	277	7.4	10.31	31.1	86.4	99.15	-0.9	-0.5	0	31.1	0.08	100	8235	99.15	30
2023-03-24 05:55:00	0	0	0	0	280	6.76	8.32	31.1	86.4	99.17	-1	-0.4	0	31.2	0.08	100	8234	99.15	30
2023-03-24 06:00:00	0	0	0	0	276	6.17	7.63	31.1	86.8	99.16	-0.9	-0.5	0	31.2	0.08	100	8236	99.14	29.9
2023-03-24 06:05:00	0	0	0	0	270	6.89	9.78	31	86.9	99.15	-1	-0.5	0	31	0.08	100	8235	99.13	29.9
2023-03-24 06:10:00	0	0	0	0	271	6.46	9.44	31	86.8	99.13	-1	-0.4	0	31	0.08	100	8236	99.13	29.9
2023-03-24 06:15:00	0	0	0	0	265	6.06	7.76	31.1	86.8	99.15	-1	-0.4	0	31.1	0.08	100	8234	99.14	29.9
2023-03-24 06:20:00	0	0	0	0	262	6.8	10.36	31	86.8	99.16	-0.9	-0.4	0	31	0.08	100	8232	99.15	29.9
2023-03-24 06:25:00	0	0	0	0	259	6.64	8.52	31	86.8	99.17	-0.9	-0.5	0	31.1	0.08	100	8232	99.16	30
2023-03-24 06:30:00	0	0	0	0	262	6.26	9.6	31.1	86.8	99.18	-0.8	-0.5	0	31.1	0.08	100	8235	99.16	30.1
2023-03-24 06:35:00	0	0	0	0	266	7.67	10.13	31.2	87.7	99.17	-1	-0.5	0	31.2	0.07	100	8229	99.16	30.2
2023-03-24 06:40:00	0	0	0	0	277	7.23	10.47	31.2	87.1	99.17	-1	-0.5	0	31.2	0.08	100	8234	99.16	30.2
2023-03-24 06:45:00	0	0	0	0	276	7.52	10.2	31.2	87.4	99.18	-1	-0.3	0	31.2	0.07	100	8231	99.17	30.2
2023-03-24 06:50:00	0	0	0	0	275	8.41	10.36	31.2	87.2	99.19	-0.8	-0.4	0	31.2	0.08	100	8232	99.18	30.2
2023-03-24 06:55:00	0.6	0	0	0	282	8.05	12.35	31.2	87.4	99.19	-0.8	-0.4	0	31.2	0.07	100	8232	99.18	30.2
2023-03-24 07:00:00	1.6	0	0	0	288	7.85	11.48	31.2	88	99.18	-0.9	-0.6	0	31.2	0.07	100	8233	99.17	30.2
2023-03-24 07:05:00	4.2	0	0	0	282	7.4	10.87	31.3	87.6	99.2	-0.9	-0.4	0	31.3	0.07	100	8229	99.19	30.1
2023-03-24 07:10:00	9	0	0	0	287	7.92	11.61	31.2	87.7	99.2	-0.9	-0.5	0	31.2	0.07	100	8231	99.19	30.1
2023-03-24 07:15:00	13.6	0	0	0	290	8.19	11.01	31.2	87.9	99.21	-1	-0.4	0	31.3	0.07	100	8230	99.19	30.1
2023-03-24 07:20:00	20.8	0	0	0	286	7.14	10.2	31.3	87.5	99.2	-0.7	-0.5	0	31.4	0.07	100	8229	99.19	30.1
2023-03-24 07:25:00	23.6	0	0	0	288	6.22	7.99	31.2	87.7	99.2	-1	-0.5	0	31.4	0.07	100	8232	99.19	30.2
2023-03-24 07:30:00	23.8	0	0	0	291	7.11	10.04	31.2	87.7	99.2	-0.9	-0.4	0	31.3	0.07	100	8229	99.19	30.2
2023-03-24 07:35:00	28	0	0	0	290	6.6	10	31.4	87.7	99.21	-1	-0.3	0	31.5	0.07	100	8229	99.2	30.3
2023-03-24 07:40:00	33.6	0	0	0	291	6.24	8.01	31.5	87	99.22	-0.8	-0.5	0	31.5	0.08	100	8228	99.21	30.3
2023-03-24 07:45:00	42.8	0	0	0	286	7.07	10.22	31.5	87.5	99.23	-0.9	-0.4	0	31.6	0.07	100	8232	99.22	30.4
2023-03-24 07:50:00	50.8	0	0	0	282	7.16	10.83	31.6	87.6	99.24	-0.9	-0.5	0	31.7	0.07	100	8230	99.23	30.6
2023-03-24 07:55:00	63.2	0	0	0	281	8.34	12.71	31.7	87.2	99.23	-1	-0.5	0	31.9	0.08	100	8230	99.23	30.7
2023-03-24 08:00:00	66.8	0	0	0	298	7.72	10.94	31.9	86.9	99.24	-1	-0.4	0	32.1	0.08	100	8234	99.23	30.9
2023-03-24 08:05:00	68.4	0	0	0	288	7.72	11.56	32	87.1	99.23	-0.9	-0.5	0	32.3	0.08	100	8231	99.22	31
2023-03-24 08:10:00	74.6	0	0	0	288	7.87	11.07	32.2	86.1	99.23	-0.8	-0.4	0	32.4	0.09	100	8233	99.22	31.2
2023-03-24 08:15:00	88	0	0	0	301	8.93	11.59	32.3	85.6	99.24	-0.7	-0.4	0	32.5	0.09	100	8235	99.23

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-24 08:25:00	109	0	0	0	291	9.53	13.29	32.6	84.6	99.25	-1	-0.4	0	32.9	0.1	100	8237	99.24	31.6
2023-03-24 08:30:00	114	0	0	0	283	8.97	12.46	32.7	84.4	99.26	-1.1	-0.4	0	32.9	0.1	100	8241	99.26	31.7
2023-03-24 08:35:00	136.4	0	0	0	291	9.24	13.51	32.7	84.3	99.27	-0.9	-0.5	0	33.1	0.1	100	8241	99.26	31.9
2023-03-24 08:40:00	136.2	0	0	0	297	10.38	14.41	33	84.4	99.28	-0.8	-0.5	0	33.4	0.1	100	8245	99.28	32.1
2023-03-24 08:45:00	134.4	0	0	0	303	8.7	12.77	33.1	84.2	99.29	-0.8	-0.4	0	33.5	0.1	100	8248	99.29	32.3
2023-03-24 08:50:00	143.6	0	0	0	307	10.07	14.34	33.3	83.9	99.3	-1	-0.4	0	33.6	0.1	100	8250	99.29	32.5
2023-03-24 08:55:00	188.4	0	0	0	289	8.01	11.81	33.5	84.1	99.31	-0.6	-0.6	0	34	0.1	100	8254	99.31	32.8
2023-03-24 09:00:00	176.4	0	0	0	288	8.99	13.53	33.8	83.9	99.32	-0.9	-0.5	0	34.3	0.11	100	8260	99.32	33.2
2023-03-24 09:05:00	179.6	0	0	0	284	12.48	15.19	34.1	82.4	99.33	-0.9	-0.4	0	34.5	0.12	100	8258	99.32	33.5
2023-03-24 09:10:00	185	0	0	0	279	10.49	15.12	34.1	82.1	99.34	-0.9	-0.5	0	34.6	0.12	100	8263	99.34	33.7
2023-03-24 09:15:00	215.4	0	0	0	280	8.48	12.5	34.1	82.7	99.34	-0.8	-0.5	0	34.7	0.12	100	8266	99.34	33.9
2023-03-24 09:20:00	183.6	0	0	0	280	9.51	13.42	34.4	82.6	99.35	-0.6	-0.5	0	34.9	0.12	100	8265	99.35	34.2
2023-03-24 09:25:00	155.8	0	0	0	277	11.41	13.87	34.6	81.5	99.36	-0.8	-0.5	0	35	0.12	100	8268	99.36	34.3
2023-03-24 09:30:00	173.2	0	0	0	284	9.62	14.61	34.5	81.5	99.37	-1	-0.6	0	34.9	0.13	100	8268	99.36	34.3
2023-03-24 09:35:00	217.2	0	0	0	279	9.62	13.51	34.7	81.5	99.38	-0.7	-0.4	0	35.2	0.13	100	8273	99.38	34.6
2023-03-24 09:40:00	215.8	0	0	0	281	11.18	17.29	35	81.2	99.38	-0.7	-0.6	0	35.6	0.13	100	8277	99.38	34.8
2023-03-24 09:45:00	231.4	0	0	0	285	8.99	15.14	35.2	80.3	99.39	-0.8	-0.4	0	35.7	0.14	100	8281	99.39	35
2023-03-24 09:50:00	234.8	0	0	0	281	8.75	16.89	35.5	79.3	99.4	-0.8	-0.4	0	36.1	0.15	100	8282	99.4	35.4
2023-03-24 09:55:00	416.6	0	0	0	292	10.76	13.4	36.1	78.6	99.38	-0.6	-0.4	0	36.9	0.15	100	8305	99.39	35.7
2023-03-24 10:00:00	428.4	0	0	0	299	10.09	15.64	37.2	76.3	99.38	-0.9	-0.5	0	38	0.18	100	8320	99.38	36.5
2023-03-24 10:05:00	464	0	0	0	303	10.98	15.01	38.4	74.1	99.36	-0.6	-0.2	0	39.3	0.2	100	8325	99.37	37.4
2023-03-24 10:10:00	361	0	0	0	318	10.33	14.03	38.1	73.1	99.36	-0.8	-0.3	0	38.8	0.21	100	8330	99.36	38
2023-03-24 10:15:00	470.2	0	0	0	292	9.78	13.91	38.5	73	99.33	-0.7	-0.4	0	39.5	0.21	100	8339	99.35	38.4
2023-03-24 10:20:00	402	0	0	0	301	9.8	14.81	38.6	72	99.35	-0.7	-0.6	0	39.5	0.22	100	8345	99.35	38.8
2023-03-24 10:25:00	320	0	0	0	300	8.28	14.38	38.4	72	99.35	-0.5	-0.5	0	39.3	0.22	100	8345	99.35	39
2023-03-24 10:30:00	310.6	0	0	0	303	8.52	11.01	38.3	72	99.36	-0.6	-0.6	0	39.1	0.22	100	8342	99.37	39.1
2023-03-24 10:35:00	349.4	0	0	0	285	9.46	15.26	38.2	72.2	99.38	-0.7	-0.5	0	39	0.22	100	8350	99.38	39.1
2023-03-24 10:40:00	452.2	0	0	0	287	9.37	13.89	38.4	71.7	99.36	-0.7	-0.5	0	39.4	0.22	100	8358	99.38	39.1
2023-03-24 10:45:00	315.4	0	0	0	299	5.73	8.1	38.8	71	99.39	-0.6	-0.5	0	39.8	0.23	100	8357	99.39	39.5
2023-03-24 10:50:00	244.6	0	0	0	293	7.94	13.58	38.7	70.5	99.4	-0.6	-0.7	0	39.5	0.24	100	8353	99.39	39.7
2023-03-24 10:55:00	381	0	0	0	294	8.37	12.84	38.4	69.9	99.39	-0.8	-0.5	0	39.2	0.24	100	8364	99.4	39.6
2023-03-24 11:00:00	303.4	0	0	0	342	5.64	9.08	38.4	70.4	99.39	-0.7	-0.6	0	39.4	0.23	100	8359	99.39	39.8
2023-03-24 11:05:00	230.4	0	0	0	292	6.06	11.63	38.6	70.1	99.4	-0.7	-0.5	0	39.4	0.24	100	8359	99.39	40
2023-03-24 11:10:00	245	0	0	0	325	9.48	14.45	38.6	69.2	99.38	-0.8	-0.5	0	39.3	0.25	100	8361	99.38	39.8
2023-03-24 11:15:00	534.6	0	0	0	322	7.4	9.71	39.3	67.6	99.36	-0.6	-0.6	0	40.2	0.26	100	8378	99.37	39.9
2023-03-24 11:20:00	676.8	0	0	0	317	5.28	9.19	40.6	65.1	99.34	-0.7	-0.4	0	41.9	0.3	100	8393	99.37	40.7
2023-03-24 11:25:00	400.8	0	0	0	306	2.84	9.44	41	65.5	99.37	-0.5	-0.5	0	42.6	0.3	100	8391	99.37	41.7
2023-03-24 11:30:00	284.8	0	0	0	286	9.46	14.56	41.4	63.2	99.39	-0.5	-0.5	0	42.3	0.33	100	8388	99.39	42.1
2023-03-24 11:35:00	265	0	0	0	285	7.56	11.23	40.8	62.7	99.39	-0.5	-0.5	0	41.5	0.32	100	8385	99.39	41.8
2023-03-24 11:40:00	368.6	0	0	0	295	6.38	11.3	40.2	63.5	99.4	-0.4	-0.6	0	41.2	0.31	100	8390	99.4	41.7
2023-03-24 11:45:00	484.6	0	0	0	309	4.79	8.61	40.7	63.2	99.41	-0.6	-0.5	0	41.9	0.32	100	8399	99.43	41.8
2023-03-24 11:50:00	402	0	0	0	340	9.66	15.99	41.4	62.4	99.41	-0.6	-0.6	0	42.3	0.33	100	8399	99.41	42.1
2023-03-24 11:55:00	335	0	0	0	327	9.78	14.83	41	62.7	99.4	-0.6	-0.5	0	41.8	0.32	100	8401	99.39	42
2023-03-24 12:00:00	536.4	0	0	0	350	5.97	10.6	40.9	62.6	99.38	-0.6	-0.4	0	42	0.33	100	8408	99.38	42
2023-03-24 12:05:00	330.6	0	0	0	325	9.26	12.33	41.2	62.9	99.38	-0.4	-0.5	0	42.1	0.33	100	8407	99.38	42.2
2023-03-24 12:10:00	584.2	0	0	0	306	11.07	15.03	41.8	63.7	99.36	-0.5	-0.5	0	42.6	0.33	100	8423	99.38	42
2023-03-24 12:15:00	791	0	0	0	276	6.4	14.2	43.2	62.3	99.35	-0.5	-0.6	0	44.2	0.36	100	8437	99.38	42.5
2023-03-24 12:20:00	786.2	0	0	0	315	6.31	13.8	44.6	61.4	99.37	-0.5	-0.3	0	45.7	0.39	100	8448	99.39	43.5
2023-03-24 12:25:00	650.4	0	0	0	295	6.89	9.84	45.6	58.9	99.39	-0.5	-0.5	0	46.8	0.43	100	8449	99.4	44.4
2023-03-24 12:30:00	880.4	0	0	0	289	7.23	11.88	45.8	57.8	99.36	-0.4	-0.6	0	46.9	0.44	100	8463	99.38	44.8
2023-03-24 12:35:00	700.2	0	0	0	332	7.16	14.85	46.2	57	99.37	-0.4	-0.7	0	47.2	0.46	100	8462	99.38	45.4
2023-03-24 12:40:00	403.2	0	0	0	307	9.04	13.04	45.5	56.9	99.37	-0.4	-0.6	0	46.4	0.45	100	8458	99.36	45.4
2023-03-24 12:45:00	679.8	0	0	0	311	8.55	16.11	45	57.8	99.35	-0.6	-0.6	0	46	0.43	100	8466	99.35	45.2
2023-03-24 12:50:00	559.4	0	0	0	308	9.08	16.84	45.1	58.1	99.37	-0.4	-0.4	0	46	0.43	100	8466	99.38	45.4
2023-03-24 12:55:00	518.2	0	0	0	326	8.21	13.13	45	57.4	99.37	-0.6	-0.3	0	45.9	0.43	100	8465	99.37	45.3
2023-03-24 13:00:00	376.2	0	0	0	320	10.65	14.67	44.1	58.8	99.39	-0.6	-0.5	0	45	0.41	100	8465	99.39	45.1
2023-03-24 13:05:00	583.6	0	0	0	287	9.26	15.39	43.8	59.5	99.39	-0.5	-0.7	0	44.7	0.39	100	8469	99.4	44.8
2023-03-24 13:10:00	669	0	0	0	307	7.36	13.04	44.3	59.2	99.38	-0.5	-0.5	0	45.4	0.4	100	8474	99.39	45
2023-03-24 13:15:00	580.8	0	0	0	329	10.6	15.99	44.8	58.5	99.38	-0.6	-0.5	0	45.6	0.42	100	8476	99.39	45.1
2023-03-24 13:20:00	716.4	0	0	0	328	10.11	17.63	45	59	99.38	-0.2	-0.6	0	45.9	0.42	100	8479	99.39	45.1
2023-03-24 13:25:00	839	0	0	0	297	7.31	13.62	45.5	58.5	99.38	-0.4	-0.7	0	46.6	0.43	100	8488	99.39	45.3
2023-03-24 13:30:00	702.4	0	0	0	306	7.76	10.96	46.2	56.2	99.39	-0.4	-0.5	0	47.2	0.47	100	8487	99.4	45.6
2023-03-24 13:35:00	559	0	0	0	352	9.31	20.27	45.8	57.7	99.39	-0.3	-0.7	0	46.7	0.44	100	8488	99.38	45.8
2023-03-24 13:40:00	697	0	0	0	337	10.36	19.35	45.7	57.6	99.37	-0.2	-0.8	0	46.7	0.44	100	8488	99.38	45.8
2023-03-24 13:45:00	363	0	0	0	330	10.74	17.56	45.1	58	99.4	-0.6	-0.6	0	45.9	0.43	100	8486	99.4	45.5
2023-03-24 13:50:00	591.8	0	0	0	325	8.88	21.61	44.6	59	99.39	-0.6	-0.5	0	45.5	0.41	100	8486	99.39	45.1
2023-03-24 13:55:00	612	0	0	0	337	12.3	16.71	44.9	59.2	99.38	-0.3	-0.7	0	45.8	0.41	100	8484	99.39	45
2023-03-24 14:00:00	427.2	0	0	0	352	11.79	15.46	44.4	58.9	99.4	-0.3	-0.8	0	45.2	0.41	100	8485	99.39	44.9
2023-03-24 14:05:00	615.2	0	0	0	331	11.14	18.72	44.1	59.4	99.39	-0.4	-0.6	0	45	0.4	100	8485	99.39	44.6
2023-03-24 14:10:00	726.8	0	0	0	341	12.26	17.58	44.3	59.8	99.38	-0.7	-0.6	0	45.2	0.4	100	8488	99.39	44.5
2023-03-24 14:15:00	761.8	0	0	0	329	10.96	17.6	44.9	59.1	99.37	-0.4	-0.6	0	45.7	0.41	100	8487	99.38	44.5
2023-03-24 14:20:00	588.6	0	0	0	348	9.48	18.81	44.5	58.7	99.39	-0.4	-0.6	0	45.4	0.41	100	8485	99.39	44.5
2023-03-24 14:25:00	614.4	0	0	0	313	12.8	18.07	44.6	58.8	99.39	-0.7	-0.6	0	45.5	0.41	100	8486	99.39	44.5
2023-03-24 14:30:00	617.6	0	0	0	342	10.96	18.57	44.6	58.7	99.4	-0.5	-0.4	0	45.4	0.41	100	8484	99.39	44.3
2023-03-24 14:35:00	625.6	0	0	0	319	12.66	21.21	44.6	58.4	99.39	-0.8	-0.5	0	45.6	0.42	100	8483	99.39	44.3
2023-03-24 14:40:00	563.2	0	0	0	343	11.52	16.91	44.6	58.5	99.4	-0.6	-0.5	0	45.4	0.42	100	8482	99.39	44.2
2023-03-24 14:45:00	530.2	0	0	0	340	13.38	18.68	44.6	58.5	99.41	-0.5	-0.6	0	45.3	0.42	100	8482	99.4	44
2023-03-24 14:50:00	570.6	0	0	0	348	13.31	18.07	44.3	58.5	99.39	-0.5	-0.4	0	45.2	0.41	100	8478	99.39	43.6
2023-03-24 14:55:00	570.8	0	0	0	336	12.24	19.73	44.2	58.6	99.4	-0.5	-0.5	0	45	0.41	100	8475	99.4	43.4
2023-03-24 15:00:00	593	0	0	0	345	10.27	14.7	44.2	58.5	99.41	-0.5	-0.7	0	45.1	0.41	100	8474	99.4	43.3
2023-03-24 15:05:00	588.8	0	0	0	314	11.88	17.4	44.4	58.9	99.41	-0.5	-0.4	0	45.2	0.41	100	8474	99.41	43.4
2023-03-24 15:10:00	607.4	0	0	0	328	11.54	17.47	44.5	57.8	99.41	-0.4	-0.5	0	45.2	0.42	100	8471	99.4	43.3
2023-03-24 15:15:00	606.6	0	0	0	318	12.39	17.16	44.5	58.4	99.41	-0.7	-1	0	45.2	0.41	100	8469	99.41	43.2
2023-03-24 15:20:00	505.2	0	0	0	343	10.58	16.24	44.1	58.6	99.42	-0.6	-0.7	0	45	0.41	100	8466	99.41	43.2
2023-03-24 15:25:00	625.6	0	0	0	357	12.8	18.12	44	58.6	99.41	-0.4	-0.8	0	44.8	0.41	100	8466	99.4	43.1
2023-03-24 15:30:00	602.8	0	0	0	334	11.7	15.61	44	59.8	99.4	-0.4	-0.7	0	44.9	0.39	100	8467	99.39	43.1
2023-03-24 15:35:00	591.8	0	0	0	326	12.03	16.89	44.2	59.3	99.4	-0.4	-0.4	0	45.1	0.4	100	8464	99.38	43.3
2023-03-24 15:40:00	578.6	0	0	0	353	13.15	18.43	44.1	58.7	99.39	-0.7	-0.6	0	44.9	0.4	100	8461	99.38	43.2
2023-03-24 15:45:00	561.6	0	0	0	353	11.81	15.48	43.8	59	99.38	-0.6	-0.6	0	44.6	0.4	100	8463	99.37	43.1
2023-03-24 15:50:00	550.4	0	0	0	351	12.53	20.71	43.6	59.7	99.38	-0.4	-0.5	0	44.5	0.39	100	8459	99.37	43.1
2023-03-24 15:55:00	560	0	0	0	348	12.26	17.85	43.6	59.5	99.37	-0.6	-0.1	0	44.4	0.39	100	8459	99.36	43.2
2023-03-24 16:00:00	555.6	0	0	0	334	12.03	20.2	43.5	59.2	99.37	-0.5	-0.8	0	44.3	0.39	100	8459	99.36	43.3
2023-03-24 16:05:00	520.8	0	0	0	340	11.9	18.34	43.4	59.4	99.38	-0.2	-0.6	0	44.2	0.39	100	8459	99.37	43.3
2023-03-24 16:10:00	520.4	0	0	0	336	10.13	14.76	43.4	59	99.38	-0.4	-0.7	0	44.2	0.39	100	8455	99.37	43.5
2023-03-24 16:15:00	465.6	0	0	0	351	10.11	17.09	43.4	59.4	99.38	-0.4	-0.7	0	44.3	0.39	100	8456	99.37	43.8
2023-03-24 16:20:00	437.6	0	0	0	332	13.49	19.91	43.2	58.7	99.38	-0.6	-0.4	0	44.1	0.39	100	8454	99.36	43.6
2023-03-24 16:25:00	361.6	0	0	0	324	9.89	14.67	42.8	59.7	99.38	-0.5	-0.6	0	43.6	0.38	100	8455	99.37	43.5
2023-03-24 16:30:00	355	0	0	0	346	11.18	14.7	42.3	60.3	99.39	-0.5	-0.6	0	43.1	0.36	100	8454	99.37	43.2
2023-03-24 16:35:00	389.2	0	0	0	330	11.34	15.3	42.1	60.6	99.4	-0.5	-0.5	0	42.9	0.36	100	8454	99.39	43.1
2023-03-24 16:40:00	330.8	0	0	0	344	11.79	18.48	41.9	60.6	99.4	-0.9	-0.5	0	42.7	0.36	100	8456	99.39	43.1
2023-03-24 16:45:00	253.6	0	0	0	336	11.5	17.52	41.5	60.6	99.4	-0.7	-0.6	0	42.2	0.35	100	8456	99.38	42.5
2023-03-24 16:50:00	280.8	0	0	0	349	11.9	17.27	41.1	61.3	99.39	-0.5	-0.5	0	41.7	0.34	100	8456	99.38	42.1
2023-03-24 16:55:00	314.4	0	0	0	345	12.55	16.64	40.7	61.4	99.4	-0.6	-0.6	0	41.4	0.33	100	8457	99.39	41.9
2023-03-24 17:00:00	297.2	0	0	0	346	11.54	16.02	40.7	62.4	99.41	-0.9	-0.3	0	41.4	0.32	100	8454	99.4	42
2023-03-24 17:05:00	326	0	0	0	348	9.48	12.44	40.6	62.3	99.41	-0.6	-0.5	0	41.4	0.32	100	8453	99.4	42.1
2023-03-24 17:10:00	275.4	0	0	0	357	10.98	14.79	40.8	62.4	99.41	-0.5	-0.7	0	41.5	0.33	100	8453	99.4	42.3
2023-03-24 17:15:00	242	0	0	0	347	10.58	14.9	40.7	61.5	99.42	-0.5	-0.5	0	41.3	0.33	100	8455	99.4	41.9
2023-03-24 17:20:00	233.8	0	0	0	349	9.78	13.62	40.5	61.5	99.42	-0.7	-0.5	0	41	0.33	100	8450	99.4	41.5
2023-03-24 17:25:00	222.8	0	0	0	325	9.86	13	40.2	62	99.43	-0.7	-0.5	0	40.8	0.32	100	8453	99.41	41.2
2023-03-24 17:30:00	207.4	0	0	0	328	9.24	12.97	40.1	61.9	99.43	-0.7	-0.5	0	40.7	0.32	100	8453	99.41	41
2023-03-24 17:35:00	148.6	0	0	0	346	10.85	14.43	40	61.6	99.43	-0.7	-0.5	0	40.4	0.32	100	8450	99.41	40.7
2023-03-24 17:40:00	135.6	0	0	0	341	9.95	12.41	39.6	61.8	99.44	-0.8	-0.5	0	39.9	0.31	100	8449	99.42	40.1
2023-03-24 17:45:00	160.8	0	0	0	330	11.14	14.12	39.2	62.5	99.44	-0.6	-0.5	0	39.6	0.31	100	8448	99.42	39.7
2023-03-24 17:50:00	133.4	0	0	0	331	10.8	13.8	38.8	62.3	99.44	-0.7	-0.5	0	39.1	0.3	100	8448	99.42	39.4
2023-03-24 17:55:00	132.2	0	0	0	336	7.99	10.92	38.6	63.3	99.45	-0.6	-0.5	0	38.9	0.29	100	8447	99.43	39.1
2023-03-24 18:00:00	144	0	0	0	341	9.55	12.66	38.4	62.5	99.46	-0.7	-0.5	0	38.7	0.3	100	8447	99.45	39.1
2023-03-24 18:05:00	127.8	0	0	0	339	9.93	12.8	38.2	62.3	99.46	-0.6	-0.5	0	38.6	0.29	100	8444	99.45	39.1
2023-03-24 18:10:00	109.8	0	0	0	327	7.65	10.47	38.1	62.2	99.47	-0.8	-0.5	0	38.4	0.29	100	8444	99.45	38.9
2023-03-24 18:15:00	111.4	0	0	0	353	9.24	11.79	38	61.8	99.48	-0.7	-0.6	0	38.3	0.3	100	8444	99.46	38.8
2023-03-24 18:20:00	112.2	0	0	0	338	8.84	11.21	37.7	62	99.48	-0.7	-0.6	0	38	0.29	100	8441	99.46	38.8
2023-03-24 18:25:00	98.6	0	0	0	324	9.62	11.83	37.8	61.5	99.49	-0.8	-0.6	0	38.1	0.3	100	8443	99.47	38.9
2023-03-24 18:30:00	67.2	0	0	0	318	7.4	9.66	37.7	61	99.5	-0.6	-0.5	0	37.9	0.3	100	8442	99.48	38.4
2023-03-24 18:35:00	47	0	0	0	345	7.31	10.45	37.5	61.6	99.49	-0.7	-0.6	0	37.7	0.29	100	8437	99.46	37.7
2023-03-24 18:40:00	40.6	0	0	0	341	6.22	9.13	37.2	60.7	99.48	-0.8	-0.5	0	37.4	0.3	100	8439	99.45	37.2
2023-03-24 18:45:00	33	0	0	0	339	6.08	7.56	36.9	61.4	99.48	-0.6	-0.4	0	37	0.29	100	8437	99.45	36.6
2023-03-24 18:50:00	28.8	0	0	0	341	6.62	10.04	36.6	61.6	99.48	-0.8	-0.5	0	36.7	0.28	100	8435	99.45	36.2
2023-03-24 18:55:00	23.6	0	0	0	348	4.56	6.31	36.3	62.1	99.48	-0.8	-0.5	0	36.4	0.28	100	8434	99.46	35.7
2023-03-24 19:00:00	14.4	0	0	0	345	5.61	6.87	36	61.9	99.48	-0.9	-0.4	0	36	0.27	100	8434	99.45	35.3
2023-03-24 19:05:00	9.4	0	0	0	349	5.86	7.61	35.8	61.9	99.48	-0.9	-0.5	0	35.8	0.27	100	8430	99.45	34.9
2023-03-24 19:10:00	5.8	0	0	0	345	5.46	7.7	35.5	62.7	99.48	-0.8	-0.6	0	35.5	0.26	100	8430	99.45	34.6
2023-03-24 19:15:00	2.6	0	0	0	355	4.83	6.69	35.3	62.3	99.47	-0.8	-0.5	0	35.3	0.26	100	8428	99.44	34.2
2023-03-24 19:20:00	1.2	0	0	0	9	4.85	6.51	35.1	62.3	99.47	-0.9	-0.5	0	35.1	0.26	100	8428	99.44	34
2023-03-24 19:25:00	0.4	0	0	0	4	6.31	8.48	34.8	62.8	99.45	-1	-0.4	0	34.9	0.25	100	8428	99.43	33.7
2023-03-24 19:30:00	0	0	0	0	357	5.53	7.72	34.6	63	99.45	-0.8	-0.5	0	34.6	0.25	100	8427	99.42	33.5

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-24 19:50:00	0	0	0	0	2	5.77	7.18	33.9	65.5	99.45	-0.9	-0.4	0	33.9	0.23	100	8424	99.42	32.6
2023-03-24 19:55:00	0	0	0	0	6	5.75	8.25	33.8	66.4	99.44	-0.8	-0.4	0	33.8	0.22	100	8419	99.41	32.4
2023-03-24 20:00:00	0	0	0	0	16	6.15	8.43	33.5	67.8	99.44	-0.9	-0.5	0	33.4	0.21	100	8421	99.41	32.2
2023-03-24 20:05:00	0	0	0	0	19	6.26	7.96	33.4	69.1	99.44	-0.8	-0.5	0	33.4	0.2	100	8419	99.41	32.1
2023-03-24 20:10:00	0	0	0	0	17	6.02	8.23	33.1	70.4	99.44	-0.9	-0.5	0	33.1	0.19	100	8420	99.41	31.9
2023-03-24 20:15:00	0	0	0	0	17	5.28	7.27	33	71.3	99.43	-0.9	-0.4	0	33	0.18	100	8419	99.4	31.6
2023-03-24 20:20:00	0	0	0	0	28	4.41	6.22	32.8	72.6	99.43	-0.8	-0.4	0	32.8	0.17	100	8418	99.4	31.4
2023-03-24 20:25:00	0	0	0	0	20	5.23	7.94	32.6	73.6	99.43	-0.9	-0.5	0	32.6	0.17	100	8417	99.41	31.1
2023-03-24 20:30:00	0	0	0	0	24	4.09	5.44	32.4	74	99.43	-0.9	-0.5	0	32.4	0.16	100	8415	99.4	31
2023-03-24 20:35:00	0	0	0	0	39	3.89	5.41	32.3	74.4	99.44	-1	-0.4	0	32.3	0.16	100	8414	99.41	30.7
2023-03-24 20:40:00	0	0	0	0	36	4.41	6.15	32.1	75	99.44	-1	-0.4	0	32.1	0.15	100	8415	99.41	30.5
2023-03-24 20:45:00	0	0	0	0	58	4.23	5.53	32	75.3	99.44	-1	-0.6	0	32	0.15	100	8415	99.41	30.4
2023-03-24 20:50:00	0	0	0	0	66	3.71	5.61	31.8	75.8	99.44	-0.9	-0.4	0	31.8	0.15	100	8413	99.41	30.2
2023-03-24 20:55:00	0	0	0	0	64	3.27	3.87	31.8	76.5	99.44	-0.9	-0.4	0	31.8	0.14	100	8412	99.41	30
2023-03-24 21:00:00	0	0	0	0	53	3.13	4.12	31.7	76.4	99.44	-1	-0.6	0	31.7	0.14	100	8412	99.41	29.9
2023-03-24 21:05:00	0	0	0	0	57	3.11	4.81	31.6	76.8	99.45	-1	-0.4	0	31.6	0.14	100	8410	99.41	29.7
2023-03-24 21:10:00	0	0	0	0	67	2.98	3.96	31.6	77.5	99.44	-0.9	-0.4	0	31.6	0.14	100	8409	99.41	29.6
2023-03-24 21:15:00	0	0	0	0	83	3.02	4.7	31.5	77.6	99.44	-1	-0.4	0	31.5	0.13	100	8413	99.42	29.4
2023-03-24 21:20:00	0	0	0	0	86	3.94	5.46	31.4	78.1	99.46	-0.9	-0.5	0	31.4	0.13	100	8409	99.43	29.3
2023-03-24 21:25:00	0	0	0	0	99	3.85	5.14	31.5	78.6	99.46	-0.9	-0.5	0	31.5	0.13	100	8406	99.43	29.3
2023-03-24 21:30:00	0	0	0	0	109	3.62	4.65	31.5	78.6	99.46	-0.9	-0.4	0	31.5	0.13	100	8407	99.43	29.4
2023-03-24 21:35:00	0	0	0	0	105	3.85	5.19	31.4	78.4	99.46	-0.9	-0.5	0	31.5	0.13	100	8406	99.43	29.4
2023-03-24 21:40:00	0	0	0	0	104	3.38	4.54	31.5	78.6	99.46	-0.9	-0.5	0	31.5	0.13	100	8407	99.43	29.3
2023-03-24 21:45:00	0	0	0	0	100	3.58	5.19	31.4	78.7	99.46	-0.9	-0.4	0	31.5	0.13	100	8404	99.43	29.2
2023-03-24 21:50:00	0	0	0	0	101	4.16	5.5	31.4	79	99.47	-0.9	-0.5	0	31.4	0.13	100	8406	99.44	29.2
2023-03-24 21:55:00	0	0	0	0	114	4.07	5.3	31.4	78.7	99.47	-0.9	-0.5	0	31.4	0.13	100	8404	99.44	29.2
2023-03-24 22:00:00	0	0	0	0	88	3.76	4.61	31.3	78.9	99.47	-1	-0.4	0	31.3	0.13	100	8403	99.45	29.2
2023-03-24 22:05:00	0	0	0	0	71	1.86	3.42	31.3	78.9	99.47	-0.9	-0.5	0	31.3	0.13	100	8403	99.44	29.1
2023-03-24 22:10:00	0	0	0	0	61	2.35	3.65	31	79.3	99.47	-0.9	-0.5	0	31	0.12	100	8402	99.44	28.8
2023-03-24 22:15:00	0	0	0	0	79	3.49	5.03	30.8	78.9	99.45	-1	-0.6	0	30.8	0.12	100	8399	99.42	28.6
2023-03-24 22:20:00	0	0	0	0	87	4.81	6.73	30.7	79.3	99.44	-0.9	-0.4	0	30.7	0.12	100	8400	99.41	28.6
2023-03-24 22:25:00	0	0	0	0	84	5.88	7.87	30.8	79.1	99.42	-0.8	-0.3	0	30.8	0.12	100	8403	99.39	28.7
2023-03-24 22:30:00	0	0	0	0	99	5.5	7.92	30.8	79.1	99.4	-0.9	-0.5	0	30.8	0.12	100	8400	99.38	28.7
2023-03-24 22:35:00	0	0	0	0	105	4.94	7.05	30.8	78.9	99.41	-1	-0.4	0	30.9	0.12	100	8399	99.38	28.8
2023-03-24 22:40:00	0	0	0	0	109	4.09	5.1	30.9	78.8	99.42	-0.9	-0.5	0	30.9	0.12	100	8397	99.39	28.9
2023-03-24 22:45:00	0	0	0	0	108	5.06	6.64	30.9	78.4	99.4	-1	-0.4	0	30.8	0.13	100	8399	99.37	29
2023-03-24 22:50:00	0	0	0	0	117	4.32	5.41	31	78.5	99.4	-0.9	-0.4	0	31	0.13	100	8397	99.37	29
2023-03-24 22:55:00	0	0	0	0	112	4.45	5.48	30.9	79	99.39	-0.9	-0.5	0	30.9	0.12	100	8398	99.37	29.1
2023-03-24 23:00:00	0	0	0	0	114	4.38	5.48	30.9	78.8	99.39	-0.9	-0.4	0	30.9	0.12	100	8398	99.36	29
2023-03-24 23:05:00	0	0	0	0	114	5.12	6.51	30.9	78.8	99.38	-0.9	-0.5	0	30.9	0.12	100	8395	99.35	29
2023-03-24 23:10:00	0	0	0	0	115	6.35	8.16	30.7	79.2	99.37	-1	-0.5	0	30.8	0.12	100	8396	99.35	28.9
2023-03-24 23:15:00	0	0	0	0	119	5.95	8.08	30.7	79.5	99.37	-0.9	-0.6	0	30.7	0.12	100	8396	99.34	28.9
2023-03-24 23:20:00	0	0	0	0	109	5.35	6.11	30.5	79.8	99.37	-1	-0.4	0	30.5	0.12	100	8394	99.34	28.7
2023-03-24 23:25:00	0	0	0	0	95	5.19	6.38	30.4	79.3	99.36	-1	-0.4	0	30.4	0.12	100	8396	99.33	28.5
2023-03-24 23:30:00	0	0	0	0	92	5.37	6.73	30.3	79.3	99.35	-0.9	-0.4	0	30.3	0.12	100	8396	99.33	28.4
2023-03-24 23:35:00	0	0	0	0	96	4.81	6.22	30.2	79.2	99.35	-1	-0.5	0	30.2	0.12	100	8392	99.33	28.2
2023-03-24 23:40:00	0	0	0	0	100	6.51	9.15	30.1	79.6	99.34	-1	-0.4	0	30.1	0.12	100	8392	99.32	28.1
2023-03-24 23:45:00	0	0	0	0	100	8.25	10.18	30.1	79.2	99.33	-1.1	-0.4	0	30.1	0.12	100	8394	99.3	28.1
2023-03-24 23:50:00	0	0	0	0	101	7.4	9.08	30.1	79.6	99.32	-0.9	-0.4	0	30.1	0.12	100	8390	99.29	28.2
2023-03-24 23:55:00	0	0	0	0	92	6.62	8.72	30.1	79.7	99.31	-1	-0.5	0	30.1	0.11	100	8390	99.28	28.1
2023-03-25 00:00:00	0	0	0	0	83	7	8.66	30	79.2	99.28	-1.1	-0.4	0	30	0.12	100	8389	99.25	28
2023-03-25 00:05:00	0	0	0	0	84	8.7	10.74	30	78.1	99.27	-0.9	-0.3	0	30	0.12	100	8361	99.25	28.1
2023-03-25 00:10:00	0	0	0	0	83	7.78	10.8	30	78.4	99.27	-1	-0.5	0	30	0.12	100	8349	99.26	28.4
2023-03-25 00:15:00	0	0	0	0	90	7.85	11.74	30	78.5	99.28	-1.1	-0.5	0	29.9	0.12	100	8344	99.25	28.6
2023-03-25 00:20:00	0	0	0	0	90	8.1	9.84	30.1	78.5	99.26	-0.9	-0.6	0	30.1	0.12	100	8355	99.24	28.5
2023-03-25 00:25:00	0	0	0	0	89	8.34	13.02	30	78.5	99.26	-1	-0.5	0	30	0.12	100	8358	99.24	28.3
2023-03-25 00:30:00	0	0	0	0	76	6.89	10.8	30.1	78.3	99.28	-0.9	-0.4	0	30.1	0.12	100	8358	99.26	28.2
2023-03-25 00:35:00	0	0	0	0	74	8.03	11.01	30	78.7	99.28	-0.9	-0.5	0	30	0.12	100	8363	99.25	28.1
2023-03-25 00:40:00	0	0	0	0	87	9.55	12.93	30	78.4	99.26	-1.2	-0.5	0	30	0.12	100	8363	99.23	28.2
2023-03-25 00:45:00	0	0	0	0	97	8.99	12.55	30.1	79.3	99.23	-1	-0.5	0	30.1	0.12	100	8363	99.21	28.3
2023-03-25 00:50:00	0	0	0	0	98	9.26	11.59	30.1	79.6	99.23	-0.9	-0.6	0	30.1	0.12	100	8361	99.21	28.4
2023-03-25 00:55:00	0	0	0	0	99	9.6	14.5	30.2	79.2	99.23	-1	-0.5	0	30.2	0.12	100	8365	99.2	28.5
2023-03-25 01:00:00	0	0	0	0	85	8.95	12.21	30.2	79.2	99.22	-0.9	-0.5	0	30.2	0.12	100	8364	99.19	28.5
2023-03-25 01:05:00	0	0	0	0	83	9.28	12.55	30.3	78.9	99.21	-0.9	-0.4	0	30.3	0.12	100	8364	99.19	28.5
2023-03-25 01:10:00	0	0	0	0	79	7.83	11.43	30.3	79	99.23	-1	-0.5	0	30.3	0.12	100	8364	99.21	28.5
2023-03-25 01:15:00	0	0	0	0	80	8.1	11.72	30.3	79	99.23	-1	-0.4	0	30.3	0.12	100	8365	99.21	28.4
2023-03-25 01:20:00	0	0	0	0	85	8.01	10.29	30.3	79	99.23	-1	-0.5	0	30.3	0.12	100	8362	99.21	28.4
2023-03-25 01:25:00	0	0	0	0	100	7.94	11.12	30.2	79.2	99.23	-0.9	-0.5	0	30.2	0.12	100	8362	99.21	28.5
2023-03-25 01:30:00	0	0	0	0	111	9.37	11.72	30.2	79.1	99.23	-1	-0.5	0	30.2	0.12	100	8365	99.21	28.6
2023-03-25 01:35:00	0	0	0	0	118	9.51	11.65	30.3	78.9	99.23	-0.9	-0.3	0	30.3	0.12	100	8363	99.22	28.7
2023-03-25 01:40:00	0	0	0	0	124	8.25	10.25	30.3	78.8	99.23	-0.9	-0.5	0	30.3	0.12	100	8361	99.22	28.8
2023-03-25 01:45:00	0	0	0	0	108	7.76	10.74	30.3	78.8	99.23	-0.9	-0.4	0	30.3	0.12	100	8362	99.21	28.7
2023-03-25 01:50:00	0	0	0	0	112	8.12	11.27	30.4	78.6	99.25	-0.8	-0.4	0	30.4	0.12	100	8361	99.23	28.7
2023-03-25 01:55:00	0	0	0	0	112	10.04	12.17	30.3	79	99.27	-0.8	-0.4	0	30.3	0.12	100	8363	99.25	28.7
2023-03-25 02:00:00	0	0	0	0	118	11.77	14.83	30.3	78.9	99.28	-0.9	-0.6	0	30.3	0.12	100	8362	99.27	28.8
2023-03-25 02:05:00	0	0	0	0	139	10.22	14.83	30.5	78.5	99.29	-0.9	-0.5	0	30.5	0.12	100	8361	99.28	28.9
2023-03-25 02:10:00	0	0	0	0	140	7.27	9.64	30.5	79.5	99.28	-0.9	-0.4	0	30.5	0.12	100	8362	99.25	28.8
2023-03-25 02:15:00	0	0	0	0	112	8.21	10.25	30.3	79.1	99.24	-0.9	-0.6	0	30.3	0.12	100	8358	99.22	28.7
2023-03-25 02:20:00	0	0	0	0	109	11.18	15.1	30.2	79.1	99.23	-1	-0.4	0	30.3	0.12	100	8360	99.21	28.7
2023-03-25 02:25:00	0	0	0	0	105	11.27	14.27	30.3	79	99.22	-1.1	-0.4	0	30.3	0.12	100	8361	99.19	28.7
2023-03-25 02:30:00	0	0	0	0	99	10.42	14.41	30.3	78.9	99.18	-1	-0.5	0	30.3	0.12	100	8361	99.16	28.6
2023-03-25 02:35:00	0	0	0	0	90	9.15	14.07	30.3	78.9	99.17	-0.9	-0.4	0	30.3	0.12	100	8359	99.14	28.6
2023-03-25 02:40:00	0	0	0	0	89	9.93	14.29	30.3	78.9	99.15	-1	-0.4	0	30.3	0.12	100	8361	99.13	28.6
2023-03-25 02:45:00	0	0	0	0	94	9.73	13.91	30.2	79.1	99.17	-1	-0.4	0	30.2	0.12	100	8361	99.15	28.5
2023-03-25 02:50:00	0	0	0	0	92	8.39	10.8	30.3	79	99.18	-1	-0.4	0	30.3	0.12	100	8361	99.15	28.5
2023-03-25 02:55:00	0	0	0	0	96	10.78	15.48	30.2	79.1	99.17	-1.1	-0.4	0	30.2	0.12	100	8359	99.15	28.5
2023-03-25 03:00:00	0	0	0	0	106	12.86	15.41	30.3	79	99.18	-0.9	-0.5	0	30.3	0.12	100	8359	99.16	28.7
2023-03-25 03:05:00	0	0	0	0	106	13.04	15.43	30.4	78.6	99.16	-0.9	-0.6	0	30.4	0.12	100	8357	99.14	28.8
2023-03-25 03:10:00	0	0	0	0	108	11.14	14.54	30.5	79	99.16	-0.9	-0.4	0	30.5	0.12	100	8357	99.14	29
2023-03-25 03:15:00	0	0	0	0	105	12.75	16.04	30.6	78.1	99.15	-0.9	-0.3	0	30.6	0.13	100	8358	99.13	29.1
2023-03-25 03:20:00	0	0	0	0	105	12.33	14.83	30.7	78.9	99.14	-1	-0.6	0	30.7	0.12	100	8353	99.12	29.2
2023-03-25 03:25:00	0	0	0	0	102	11.86	14.79	30.7	78.9	99.13	-1	-0.2	0	30.8	0.12	100	8355	99.1	29.3
2023-03-25 03:30:00	0	0	0	0	91	9.6	15.37	30.8	79	99.11	-0.8	-0.3	0	30.8	0.12	100	8355	99.08	29.3
2023-03-25 03:35:00	0	0	0	0	92	9.55	13.89	30.7	79.2	99.1	-1	-0.4	0	30.7	0.12	100	8355	99.09	29.4
2023-03-25 03:40:00	0	0	0	0	101	11.97	14.63	30.8	79.1	99.1	-0.9	-0.4	0	30.8	0.12	100	8357	99.07	29.4
2023-03-25 03:45:00	0	0	0	0	100	13.27	17.36	30.8	79.1	99.07	-1	-0.5	0	30.8	0.12	100	8356	99.05	29.4
2023-03-25 03:50:00	0	0	0	0	102	13.15	16.17	30.9	78.8	99.07	-0.9	-0.4	0	30.9	0.12	100	8354	99.04	29.5
2023-03-25 03:55:00	0	0	0	0	101	10.4	13.38	30.9	78.8	99.06	-0.8	-0.5	0	30.9	0.12	100	8355	99.04	29.6
2023-03-25 04:00:00	0	0	0	0	84	8.66	11.95	31	78.5	99.04	-0.9	-0.6	0	31	0.13	100	8355	99.02	29.6
2023-03-25 04:05:00	0	0	0	0	86	9.93	13.4	30.8	78.9	99.02	-1	-0.5	0	30.8	0.12	100	8352	99	29.6
2023-03-25 04:10:00	0	0	0	0	88	10.96	14.07	30.8	78.9	99	-0.7	-0.3	0	30.8	0.12	100	8353	98.99	29.6
2023-03-25 04:15:00	0	0	0	0	89	10.96	15.68	30.9	79.1	99.01	-1.1	-0.3	0	31	0.12	100	8355	98.98	29.7
2023-03-25 04:20:00	0	0	0	0	85	11.41	16.6	31.1	79.6	98.97	-0.8	-0.5	0	31.1	0.12	100	8352	98.95	29.8
2023-03-25 04:25:00	0	0	0	0	103	14	19.15	31.2	79.4	98.96	-1	-0.4	0	31.2	0.12	100	8350	98.94	29.9
2023-03-25 04:30:00	0	0	0	0	104	14.05	18.9	31.3	78.4	98.95	-0.8	-0.4	0	31.3	0.13	100	8351	98.93	30.1
2023-03-25 04:35:00	0	0	0	0	107	11.92	16.91	31.5	78.6	98.95	-0.9	-0.4	0	31.5	0.13	100	8352	98.94	30.3
2023-03-25 04:40:00	0	0	0	0	110	13.96	17.76	31.5	78.4	98.96	-0.8	-0.6	0	31.6	0.13	100	8351	98.95	30.4
2023-03-25 04:45:00	0	0	0	0	112	12.55	15.88	31.7	78.4	98.96	-0.9	-0.6	0	31.7	0.13	100	8352	98.94	30.6
2023-03-25 04:50:00	0	0	0	0	115	13	18.41	31.8	78.8	98.94	-1.1	-0.2	0	31.8	0.13	100	8350	98.93	30.7
2023-03-25 04:55:00	0	0	0	0	113	13.24	17.96	31.9	78.7	98.94	-0.8	-0.4	0	31.9	0.13	100	8352	98.93	30.8
2023-03-25 05:00:00	0	0	0	0	107	14.92	19.15	32	78.7	98.94	-0.9	-0.6	0	31.9	0.13	100	8349	98.92	30.9
2023-03-25 05:05:00	0	0	0	0	105	14.79	19.28	32	78.4	98.94	-0.8	-0.3	0	32	0.13	100	8348	98.92	30.9
2023-03-25 05:10:00	0	0	0	0	111	15.23	19.24	32.1	78.2	98.94	-1	-0.4	0	32.1	0.13	100	8349	98.92	31
2023-03-25 05:15:00	0	0	0	0	108	13.33	17.13	32.1	78.5	98.94	-1.1	-0.3	0	32.1	0.13	100	8349	98.92	31.1
2023-03-25 05:20:00	0	0	0	0	108	16.11	19.93	32.2	78	98.92	-0.9	-0.3	0	32.2	0.14	100	8349	98.91	31.2
2023-03-25 05:25:00	0	0	0	0	108	14.27	18.81	32.2	78.9	98.92	-0.9	-0.4	0	32.2	0.13	100	8349	98.9	31.3
2023-03-25 05:30:00	0	0	0	0	103	13.31	19.28	32.3	78.9	98.91	-1	-0.4	0	32.3	0.13	100	8349	98.89	31.3
2023-03-25 05:35:00	0	0	0	0	101	14.67	19.01	32.3	79.1	98.88	-0.9	-0.7	0	32.3	0.13	100	8346	98.86	31.4
2023-03-25 05:40:00	0	0	0	0	100	13.53	18.54	32.4	78.9	98.86	-0.9	-0.5	0	32.4	0.13	100	8346	98.83	31.4
2023-03-25 05:45:00	0	0	0	0	104	15.35	21.74	32.4	78.9	98.83	-0.9	-0.6	0	32.4	0.13	100	8347	98.81	31.5
2023-03-25 05:50:00	0	0	0	0	106	16.08	20.38	32.4	79	98.82	-0.9	-0.5	0	32.4	0.13	100	8348	98.8	31.6
2023-03-25 05:55:00	0	0	0	0	106	16.64	23.02	32.6	78.6	98.81	-1	-0.6	0	32.6	0.13	100	8346	98.79	31.7
2023-03-25 06:00:00	0	0	0	0	107	16.69	22.91	32.7	78.7	98.81	-0.6	0	0	32.7	0.13	100	8348	98.79	31.8
2023-03-25 06:05:00	0	0	0	0	106	18.07	23.38	32.9	78.8	98.79	-0.8	-0.1	0	33	0.13	100	8347	98.77	32
2023-03-25 06:10:00	0	0	0	0	102	20.13	26.4	33.2	78.1	98.77	-0.8	-0.7	0	33.2	0.14	100	8344	98.74	32.2
2023-03-25 06:15:00	0	0	0	0	105	21.47	27.11	33.3	77.6	98.74	-1.5	-0.2	0	33.4	0.14	100	8349	98.72	32.3
2023-03-25 06:20:00	0	0	0	0	103	19.51	24.32	33.5	77	98.71	-0.7	-0.9	0	33.5	0.15	100	8346	98.69	32.5
2023-03-25 06:25:00	0	0	0	0	98	16.62	23.31	33.6	76.8	98.7	-0.9	-0.5	0	33.6	0.15	100	8345	98.67	32.6
2023-03-25 06:30:00	0	0	0	0	100	16.02	23.49	33.8	76.4	98.69	-0.9	-0.4	0	33.8	0.15	100	8344	98.66	32.7
2023-03-25 06:35:00	0	0	0	0	104	16.87	24.07	33.8	76.1	98.68	-0.7	-0.5	0	33.8	0.16	100	8344	98.66	32.8
2023-03-25 06:40:00	0	0	0	0	103	18.48	27.2	33.8	76	98.68	-0.4	-1.2	0	33.8	0.16	100	8346	98.66	32.9
2023-03-25 06:45:00	0	0	0	0	107	18.05	23.67	33.9	75.8	98.68	-0.8	-0.4	0	33.9	0.16	100	8344	98.67	33
2023-03-25 06:50:00	0	0	0	0	111	18.3	23.51	34	75.8	98.68	-0.8	-0.8	0	34.1	0.16	100	8343	98.67	33.1
2023-03-25 06:55:00	0	0	0	0	116	18.03	23.09	34.2	76.5	98.7	-0.7	-0.4	0	34.1	0.16	100	8341	98.7	33.2
2023-03-25 07:00:00	0	0	0	0	116	17.92	22.28	34.1	76.6	98.72	-1.1	-0.3	0	34.1	0.16	100	8343	98.71	33.3
2023-03-25 07:05:00	0.2	0	0	0	122	19.26	25.23	34.1	76.8	98.72	-0.7	-0.1	0	34.1	0.15	100	8342	98.72	33.3
2023-03-25 07:10:00	1.2	0	0	0	118	20.83	28.45	34.2

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-25 07:15:00	2.2	0	0	0	118	20.31	28.14	34.3	77.7	98.67	-0.3	-0.7	0	34.3	0.15	100	8343	98.66	33.4
2023-03-25 07:20:00	3.8	0.00134	0	0	109	21.5	26.87	34	78.5	98.63	-0.8	-0.7	0.04	34.1	0.14	100	8340	98.6	33.3
2023-03-25 07:25:00	4.6	0.00603	0	0	112	19.86	25.68	33.8	79.2	98.6	-0.8	-0.1	0.08	33.8	0.14	100	8341	98.6	33.1
2023-03-25 07:30:00	5	0.0067	0	0	113	18.59	23.51	33.3	81.9	98.6	-1	-0.4	0.12	33.4	0.12	100	8339	98.59	32.9
2023-03-25 07:35:00	5.6	0.00134	0	0	118	18.88	23.64	33	83.6	98.6	-1.2	-0.3	0.04	33	0.1	100	8339	98.6	32.8
2023-03-25 07:40:00	7.6	0.00067	0	0	112	19.08	24.29	32.9	84.5	98.58	-1.2	-0.5	0.04	33	0.1	100	8339	98.59	32.8
2023-03-25 07:45:00	10.6	0.00134	0	0	110	18.61	27.6	32.9	85.4	98.58	-0.5	-0.6	0.04	32.9	0.09	100	8340	98.58	32.7
2023-03-25 07:50:00	11.4	0.00201	0	0	117	18.1	26.13	32.9	86.4	98.59	-0.8	-0.7	0.04	32.9	0.09	100	8340	98.61	32.7
2023-03-25 07:55:00	10.4	0.00134	0	0	132	17.85	22.37	33	87.1	98.61	-1.4	0.2	0.08	33	0.08	100	8339	98.63	32.7
2023-03-25 08:00:00	11.4	0.00268	0	0	139	16.2	24.52	33.1	87.9	98.63	-1.3	0.1	0.04	33.1	0.08	100	8340	98.63	32.8
2023-03-25 08:05:00	12	0.00603	0	0	127	18.84	24.23	33.3	89.6	98.59	-0.5	-1.2	0.12	33.3	0.07	100	8338	98.59	32.9
2023-03-25 08:10:00	13.2	0.01206	0	0	129	21.9	28.14	33.6	91.1	98.56	-0.3	0.1	0.201	33.6	0.06	100	8338	98.58	33.1
2023-03-25 08:15:00	16.6	0.01206	0	0	127	20.29	27.13	33.9	92.6	98.53	-1.6	-0.5	0.161	33.9	0.05	100	8336	98.54	33.4
2023-03-25 08:20:00	18.2	0.0067	0	0	129	20.85	26.46	34.2	93.5	98.52	-0.8	-0.1	0.12	34.3	0.04	100	8339	98.54	33.6
2023-03-25 08:25:00	21	0.00536	0	0	124	23.76	31.14	34.5	94.1	98.48	-0.2	-0.8	0.12	34.6	0.04	100	8337	98.51	33.9
2023-03-25 08:30:00	21.6	0.0067	0	0	126	22.57	30.42	34.7	94.2	98.42	0.2	-1.5	0.12	34.7	0.04	100	8339	98.44	34.1
2023-03-25 08:35:00	31	0.0067	0	0	124	22.12	31.27	34.8	94.6	98.36	-1	-1.2	0.12	34.9	0.04	100	8335	98.39	34.2
2023-03-25 08:40:00	38.6	0.00737	0	0	118	26.33	31.99	35	94.5	98.35	-1.1	1	0.12	35	0.04	100	8335	98.37	34.2
2023-03-25 08:45:00	39.4	0.00469	0	0	112	30.29	31.83	35.1	94.4	98.33	0.1	-0.3	0.08	35.1	0.04	100	8336	98.37	34.4
2023-03-25 08:50:00	30	0.00335	0	0	113	29.19	30.96	35.2	94.9	98.34	-0.7	-0.6	0.08	35.2	0.04	100	8336	98.35	34.6
2023-03-25 08:55:00	37.4	0.00067	0	0	121	30.09	30.06	35.3	94.6	98.3	-1.2	-0.4	0.04	35.3	0.04	100	8334	98.32	34.7
2023-03-25 09:00:00	39.4	0.00067	0	0	119	32.73	32.75	35.5	94.1	98.24	-1.8	-1	0.04	35.5	0.04	100	8332	98.28	34.9
2023-03-25 09:05:00	50.4	0.00067	0	0	125	34.05	39.86	35.7	93.4	98.19	-0.4	-0.2	0.04	35.7	0.05	100	8335	98.21	35.2
2023-03-25 09:10:00	43.8	0	0	0	123	31.32	31.88	36	92.6	98.19	-0.8	0	0	36	0.05	100	8335	98.24	35.4
2023-03-25 09:15:00	30	0	0	0	120	31.92	34.99	36.2	92.7	98.22	-1.4	0.6	0	36.2	0.05	100	8336	98.28	35.5
2023-03-25 09:20:00	18.6	0.00067	0	0	#N/A	#N/A	#N/A	36.2	92.1	98.29	-1.3	-0.4	0.04	36.2	#N/A	100	8335	98.32	35.7
2023-03-25 09:25:00	12.4	0.00201	0	0	#N/A	#N/A	#N/A	36.2	92.7	98.32	0.4	-0.2	0.04	36.2	#N/A	100	8333	98.34	35.7
2023-03-25 09:30:00	8.8	0	0	0	#N/A	#N/A	#N/A	36.2	92.5	98.34	-0.8	-0.6	0	36.2	#N/A	100	8336	98.35	35.6
2023-03-25 09:35:00	11.8	0.00536	0	0	#N/A	#N/A	#N/A	36.1	92.7	98.32	-0.3	-0.4	0.08	36.1	#N/A	100	8334	98.32	35.6
2023-03-25 09:40:00	9.8	0.01005	0	0	#N/A	#N/A	#N/A	36	92.6	98.36	-1	-0.9	0.161	36	#N/A	100	8332	98.38	35.5
2023-03-25 09:45:00	11.8	0.02479	0	0	#N/A	#N/A	#N/A	35.8	94.1	98.4	-0.8	-0.3	0.442	35.7	#N/A	100	8333	98.39	35.5
2023-03-25 09:50:00	14.2	0.02479	0	0	#N/A	#N/A	#N/A	35.8	94.8	98.36	-0.1	-0.8	0.402	35.8	#N/A	100	8333	98.38	35.5
2023-03-25 09:55:00	22.4	0.01407	0	0	#N/A	#N/A	#N/A	35.8	95.4	98.36	-1.1	-0.6	0.281	35.8	#N/A	100	8332	98.36	35.5
2023-03-25 10:00:00	36.8	0.01072	0	0	#N/A	#N/A	#N/A	35.9	95.4	98.3	-0.6	-0.4	0.161	35.9	#N/A	100	8333	98.32	35.6
2023-03-25 10:05:00	46	0.01273	0	0	#N/A	#N/A	#N/A	35.9	95.5	98.28	0	-0.7	0.201	35.9	#N/A	100	8330	98.3	35.7
2023-03-25 10:10:00	49.2	0.00804	0	0	#N/A	#N/A	#N/A	35.9	95.7	98.25	-1.2	-0.5	0.161	35.9	#N/A	100	8332	98.28	35.8
2023-03-25 10:15:00	49.6	0.00871	0	0	#N/A	#N/A	#N/A	36.1	95.7	98.21	-0.3	-1.1	0.12	36.1	#N/A	100	8333	98.24	35.8
2023-03-25 10:20:00	54.4	0.00938	0	0	#N/A	#N/A	#N/A	36.2	95.7	98.21	-1.3	0.1	0.161	36.2	#N/A	100	8330	98.22	35.9
2023-03-25 10:25:00	67	0.00268	0	0	#N/A	#N/A	#N/A	36.3	95.4	98.17	-0.6	-0.7	0.12	36.2	#N/A	100	8333	98.19	36
2023-03-25 10:30:00	87.2	0	0	0	#N/A	#N/A	#N/A	36.5	95.6	98.13	0.3	-0.4	0	36.4	#N/A	100	8334	98.15	36.2
2023-03-25 10:35:00	96.6	0	0	0	#N/A	#N/A	#N/A	36.6	95.4	98.09	-1	0.1	0	36.6	#N/A	100	8333	98.12	36.4
2023-03-25 10:40:00	97.2	0.00067	0	0	#N/A	#N/A	#N/A	36.8	94.6	98.08	-1.6	-1.3	0.04	36.8	#N/A	100	8333	98.09	36.5
2023-03-25 10:45:00	98.4	0	0	0	#N/A	#N/A	#N/A	36.9	93.8	98.06	-0.7	-0.8	0	36.9	#N/A	100	8336	98.09	36.6
2023-03-25 10:50:00	102.6	0	0	0	#N/A	#N/A	#N/A	37	93.4	98.05	-0.1	-0.5	0	37	#N/A	100	8337	98.08	36.8
2023-03-25 10:55:00	94.4	0	0	0	#N/A	#N/A	#N/A	37.1	92.8	98.02	-0.6	0	0	37.2	#N/A	100	8336	98.05	36.9
2023-03-25 11:00:00	89.6	0	0	0	#N/A	#N/A	#N/A	37.3	92.1	98.01	-0.4	-0.8	0	37.4	#N/A	100	8337	98.04	37.1
2023-03-25 11:05:00	138	0	0	0	#N/A	#N/A	#N/A	37.7	91.3	98	0.2	-1.1	0	37.7	#N/A	100	8338	98.04	37.3
2023-03-25 11:10:00	183.8	0	0	0	#N/A	#N/A	#N/A	37.9	90.7	97.97	-0.6	-0.7	0	38	#N/A	100	8339	98.02	37.7
2023-03-25 11:15:00	393	0	0	0	#N/A	#N/A	#N/A	38.7	89.4	97.94	0	0.2	0	38.7	#N/A	100	8353	98.01	38.1
2023-03-25 11:20:00	473.2	0	0	0	#N/A	#N/A	#N/A	40	87.2	97.9	-0.6	-2.2	0	40	#N/A	100	8361	97.98	38.9
2023-03-25 11:25:00	239.2	0	0	0	#N/A	#N/A	#N/A	40.2	86.3	97.94	-0.6	-1.5	0	40.2	#N/A	100	8360	98	39.5
2023-03-25 11:30:00	177.2	0.00067	0	0	#N/A	#N/A	#N/A	40.1	85.4	97.88	3.3	-3.6	0.04	40.1	#N/A	100	8358	97.98	39.6
2023-03-25 11:35:00	148.2	0	0	0	#N/A	#N/A	#N/A	40	84.8	97.93	-0.2	-0.4	0	40.1	#N/A	100	8358	97.99	39.7
2023-03-25 11:40:00	165.8	0	0	0	#N/A	#N/A	#N/A	40.1	84.3	97.93	-0.9	-1.5	0	40.1	#N/A	100	8359	97.97	39.8
2023-03-25 11:45:00	117.4	0	0	0	#N/A	#N/A	#N/A	40.1	83.5	97.92	-0.3	-0.3	0	40.1	#N/A	100	8358	97.97	39.8
2023-03-25 11:50:00	107.8	0	0	0	#N/A	#N/A	#N/A	40.1	83.1	97.92	-1.1	-0.8	0	40.1	#N/A	100	8357	97.96	39.9
2023-03-25 11:55:00	112.4	0	0	0	#N/A	#N/A	#N/A	40.2	82.5	97.89	0.1	-1	0	40.2	#N/A	100	8355	97.95	39.9
2023-03-25 12:00:00	127.4	0	0	0	#N/A	#N/A	#N/A	40.2	82.5	97.9	-1.5	-2	0	40.2	#N/A	100	8358	97.95	40
2023-03-25 12:05:00	152.6	0	0	0	#N/A	#N/A	#N/A	40.4	82	97.91	-0.8	-0.2	0	40.4	#N/A	100	8358	97.93	40.1
2023-03-25 12:10:00	123	0	0	0	#N/A	#N/A	#N/A	40.6	81.9	97.89	0.6	-0.6	0	40.6	#N/A	100	8358	97.93	40.3
2023-03-25 12:15:00	94	0	0	0	152	28.14	36.95	40.6	81.4	97.9	-0.5	-0.2	0	40.6	0.16	100	8357	97.92	40.4
2023-03-25 12:20:00	79	0	0	0	151	25.72	38.68	40.5	81.9	97.9	-0.3	-0.3	0	40.6	0.16	100	8356	97.93	40.4
2023-03-25 12:25:00	73.8	0	0	0	148	24.7	33.13	40.6	80.7	97.91	-0.2	0.5	0	40.6	0.17	100	8355	97.92	40.4
2023-03-25 12:30:00	80.8	0	0	0	148	27.11	39.15	40.6	81.2	97.87	0.5	-0.8	0	40.8	0.16	100	8356	97.9	40.5
2023-03-25 12:35:00	88.2	0	0	0	149	26.28	35.99	40.6	81.4	97.86	0.5	-0.7	0	40.8	0.16	100	8352	97.89	40.5
2023-03-25 12:40:00	89.2	0	0	0	152	26.66	37.22	40.7	81.3	97.85	-0.8	-0.3	0	40.9	0.16	100	8351	97.86	40.6
2023-03-25 12:45:00	100.6	0	0	0	150	29.64	41.43	40.8	81.3	97.81	-0.7	-1.5	0	41	0.16	100	8354	97.85	40.7
2023-03-25 12:50:00	158.2	0	0	0	149	27.69	36.28	41	81.5	97.8	-1.2	0.6	0	41.2	0.16	100	8355	97.83	40.8
2023-03-25 12:55:00	155.2	0	0	0	150	26.42	35.97	41.3	81.3	97.79	-1.7	1.3	0	41.5	0.16	100	8358	97.81	41
2023-03-25 13:00:00	127.2	0	0	0	153	36.46	47.2	41.4	80.9	97.74	-2.1	-1.8	0	41.6	0.17	100	8356	97.77	41.1
2023-03-25 13:05:00	125	0	0	0	147	28.19	37.09	41.5	81	97.78	-3.9	2.3	0	41.7	0.17	100	8357	97.8	41.3
2023-03-25 13:10:00	139.8	0	0	0	148	31.12	36.06	41.6	80.7	97.74	1.1	-1	0	41.8	0.17	100	8357	97.76	41.4
2023-03-25 13:15:00	174.2	0	0	0	151	34.25	46.98	41.9	80.2	97.67	-0.4	-0.9	0	42.1	0.18	100	8357	97.74	41.5
2023-03-25 13:20:00	181.2	0	0	0	154	29.66	51.29	42.2	80.7	97.74	-0.1	-4	0	42.4	0.18	100	8358	97.75	41.7
2023-03-25 13:25:00	157.6	0	0	0	151	32.61	45.86	42.3	80.3	97.71	-0.9	2.1	0	42.6	0.18	100	8360	97.73	41.9
2023-03-25 13:30:00	215.4	0	0	0	151	32.55	43.91	42.4	80.7	97.67	-1.2	-1.2	0	42.8	0.18	100	8361	97.71	42
2023-03-25 13:35:00	341.6	0	0	0	150	30.76	41.92	42.7	80.2	97.68	-0.9	0.4	0	43.1	0.18	100	8367	97.7	42.4
2023-03-25 13:40:00	318.4	0	0	0	154	27.11	40.11	43.1	80.6	97.7	-0.6	-1.3	0	43.6	0.18	100	8367	97.71	42.8
2023-03-25 13:45:00	374	0	0	0	148	32.44	42.95	43.5	80.1	97.65	-2.1	0	0	44	0.19	100	8372	97.67	43.1
2023-03-25 13:50:00	327.4	0	0	0	150	30.85	40.29	44	80	97.66	-0.5	0.4	0	44.5	0.19	100	8377	97.68	43.4
2023-03-25 13:55:00	352.8	0	0	0	149	33.06	45.03	44.1	79.3	97.64	-0.4	-2	0	44.6	0.2	100	8374	97.64	43.6
2023-03-25 14:00:00	443.4	0	0	0	153	28.14	41.92	44.3	78.8	97.63	0.2	-0.8	0	44.9	0.21	100	8380	97.65	43.8
2023-03-25 14:05:00	346.2	0	0	0	151	27.2	38.21	44.5	79.6	97.62	-0.2	-0.9	0	45	0.2	100	8383	97.65	44.1
2023-03-25 14:10:00	244	0	0	0	155	32.57	40.98	44.8	78.5	97.62	-1.6	-0.2	0	45.2	0.22	100	8380	97.63	44.3
2023-03-25 14:15:00	163.6	0	0	0	149	30.62	39.66	44.7	77.9	97.59	-1.2	0.8	0	44.9	0.22	100	8381	97.62	44.2
2023-03-25 14:20:00	207	0.00067	0	0	156	29.08	40.53	44.4	79.5	97.6	-0.2	0.5	0.04	44.7	0.2	100	8383	97.61	44.1
2023-03-25 14:25:00	186.2	0	0	0	152	32.3	44.25	43.9	80.5	97.56	-1.6	-1.4	0	44.2	0.19	100	8380	97.58	43.8
2023-03-25 14:30:00	166	0	0	0	155	36.78	44.96	43.6	81.1	97.55	-1.3	-1.5	0	43.8	0.18	100	8380	97.58	43.7
2023-03-25 14:35:00	189.4	0	0	0	152	31.97	41.83	43.6	81.7	97.58	-1.2	1.7	0	43.8	0.18	100	8381	97.59	43.8
2023-03-25 14:40:00	216.8	0	0	0	153	30.65	41.2	43.8	81.5	97.54	-2	-3.2	0	44.1	0.18	100	8380	97.58	43.9
2023-03-25 14:45:00	169.6	0	0	0	154	30.47	42.19	44	81.2	97.57	-1.7	0.4	0	44.3	0.18	100	8381	97.59	44
2023-03-25 14:50:00	74	0	0	0	159	31.18	39.41	44.1	80.3	97.58	0.3	-1.4	0	44.2	0.19	100	8379	97.58	44
2023-03-25 14:55:00	118.4	0	0	0	155	34.56	50.15	44	80.6	97.53	0	1.2	0	44.2	0.19	100	8381	97.54	44
2023-03-25 15:00:00	162	0	0	0	160	33.78	44.69	44.1	80.9	97.53	-0.8	1.9	0	44.3	0.19	100	8380	97.55	44
2023-03-25 15:05:00	82.8	0	0	0	160	34.31	43.53	44.1	80.7	97.52	-0.5	-0.4	0	44.3	0.19	100	8376	97.52	44
2023-03-25 15:10:00	126.4	0	0	0	164	35.99	50.85	44	80.6	97.5	-3.2	1.5	0	44.2	0.19	100	8377	97.5	44
2023-03-25 15:15:00	68.6	0	0	0	161	31.76	42.32	44	81.6	97.54	-2.2	2.8	0	44.1	0.18	100	8376	97.55	44
2023-03-25 15:20:00	95.6	0	0	0	158	30.33	38.9	43.9	81.9	97.55	-1.3	-1.7	0	44	0.18	100	8376	97.53	43.9
2023-03-25 15:25:00	166.6	0.00134	0	0	156	36.39	47.13	43.7	83	97.46	-0.4	3.5	0.04	44	0.16	100	8375	97.48	43.7
2023-03-25 15:30:00	178.4	0	0	0	157	28.66	38.68	43.4	84.5	97.49	-1.1	-0.5	0	43.7	0.15	100	8380	97.49	43.6
2023-03-25 15:35:00	168.8	0	0	0	161	37.92	51.87	43.5	84.3	97.42	-0.4	0.5	0	43.8	0.15	100	8380	97.47	43.7
2023-03-25 15:40:00	224.8	0	0	0	159	33.67	42.59	43.7	84.5	97.49	-0.2	-2.1	0	44	0.15	100	8380	97.49	43.8
2023-03-25 15:45:00	279.4	0	0	0	158	35.93	46.71	43.9	84.7	97.44	-0.7	0	0	44.3	0.15	100	8384	97.46	44.1
2023-03-25 15:50:00	159.2	0	0	0	161	31.56	42.39	44.1	84.1	97.46	0.2	-1.4	0	44.3	0.16	100	8381	97.46	44.2
2023-03-25 15:55:00	80.8	0	0	0	158	32.64	47.78	44.4	83.4	97.45	0.7	-1.7	0	44.5	0.17	100	8380	97.46	44.2
2023-03-25 16:00:00	81	0	0	0	160	27.58	33.93	44.3	83.7	97.46	0.3	-3.3	0	44.4	0.16	100	8380	97.47	44.2
2023-03-25 16:05:00	82.4	0	0	0	158	29.44	39.57	44.1	84.2	97.47	-0.3	-1.3	0	44.2	0.15	100	8379	97.47	44.1
2023-03-25 16:10:00	147	0	0	0	162	32.37	39.01	44.1	84.2	97.46	0.2	-2.3	0	44.2	0.15	100	8378	97.46	44.2
2023-03-25 16:15:00	241.8	0	0	0	161	30.8	38.52	44.2	84.5	97.47	-0.6	0.3	0	44.5	0.15	100	8380	97.46	44.3
2023-03-25 16:20:00	207	0	0	0	161	29.17	42.05	44.8	83.7	97.45	-0.1	-0.8	0	45.1	0.16	100	8381	97.45	44.7
2023-03-25 16:25:00	143.6	0	0	0	162	25.01	33.73	45	83.1	97.48	-0.6	1	0	45.2	0.17	100	8382	97.47	44.8
2023-03-25 16:30:00	197.8	0	0	0	159	26.17	37.85	45.1	83.1	97.45	-0.9	-1.3	0	45.4	0.17	100	8382	97.45	45
2023-03-25 16:35:00	263.6	0	0	0	162	29.44	39.86	45.4	83.1	97.43	-0.1	0.4	0	45.7	0.17	100	8386	97.45	45.2
2023-03-25 16:40:00	165	0	0	0	160	24.72	35.52	45.8	82.6	97.5	0.7	0.6	0	46.1	0.18	100	8384	97.49	45.5
2023-03-25 16:45:00	84.8	0	0	0	163	25.61	39.93	45.9	81.5	97.53	-0.6	-0.4	0	46.1	0.2	100	8383	97.52	45.6
2023-03-25 16:50:00	68.6	0	0	0	168	23.82	34.29	46	81.5	97.56	0.3	0.1	0	46.1	0.19	100	8381	97.53	45.6
2023-03-25 16:55:00	97.4	0	0	0	164	26.64	34.99	46	82.1	97.55	0.4	-0.7	0	46.1	0.19	100	8382	97.54	45.7
2023-03-25 17:00:00	81.8	0	0	0	159	26.96	36.48	46	81.5	97.54	0.2	0.2	0	46.1	0.19	100	8379	97.55	45.7
2023-03-25 17:05:00	40.8	0	0	0	158	26.35	32.35	46.1	81.2	97.55	0.2	-1.3	0	46.1	0.2	100	8378	97.54	45.7
2023-03-25 17:10:00	58.6	0	0	0	159	24.85	31.61	45.9	81.4	97.53	0.2	-1.2	0	46	0.2	100	8376	97.53	45.7
2023-03-25 17:15:00	62	0	0	0	157	23.22	28.5	45.9	81.9	97.53	-0.6	0.5	0	46	0.19	100	8375	97.52	45.7
2023-03-25 17:20:00	76.2	0	0	0	155	23.53	35.63	45.8	81.8	97.51	0	0.4	0	46	0.19	100	8377	97.51	45.7
2023-03-25 17:25:00	37.8	0	0	0	155	21.81	29.91	46	81.8	97.54	-0.6	-0.8	0	46.1	0.19	100	8376	97.55	45.8
2023-03-25 17:30:00	12.2	0.00804	22	1	165	20.29	29.48	45.9	82.3	97.64	-0.4	-0.4	0.361	45.9	0.19	100	8374	97.64	45.7
2023-03-25 17:35:00	6.8	0.01943	0	0	167	15.32	21.25	45.2	86.5	97.67	-0.5	-1	0.642	45.2	0.14	100	8372	97.67	45.1
2023-03-25 17:40:00	14.2	0.01675	0	0	164	15.08	20.02	44.4	89	97.65	0	-0.7	0.402	44.4	0.11	100	8372	97.65	44.7
2023-03-25 17:45:00	27.2	0.01206	0	0	149	11.65	15.57	44	90.8	97.57	-0.5	-0.6	0.361	44	0.09	100	8371	97.54	44.4
2023-03-25 17:50:00	27	0.00067	0	0	127	13.44	19.93	43.7	91.6	97.46	-0.6	-0.2	0.04	43.8	0.08	100	8368	97.47	44.3
2023-03-25 17:55:00	38	0.00067	0	0	143	16.02	20.2	43.7	92.1	97.49	-0.1	-0.5	0.04	43.8	0.08	100	8368	97.49	44.2
2023-03-25 18:00:00	53	0	0	0	143	17.74	27	43.7	92	97.47	-0.6	-0.7	0	43.8	0.08	100	8366	97.48	44.2
2023-03-25 18:05:00	50.2	0	0	0	141	18.1	25.37	44	92	97.46	-0.7	-0.4	0	44.1	0.08	100	8368	97.46	44.3
2023-03-25 18:10:00	47.6	0	0	0	140	18.03	25.12	44.2	92.2	97.44	-0.6	-0.9	0	44.3	0.08	100	8366	97.44	44.4
2023-03-25 18:15:00	90	0	0	0	144	17.34	24.94	44.3	91.9	97.43	-0.8	-0.1	0	44.5	0.08	100	8365	97.45	44.5
2023-03-25 18:20

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-25 18:40:00	14.2	0	0	0	155	15.84	22.66	45.6	88.4	97.45	-0.4	-0.5	0	45.6	0.12	100	8364	97.45	45.4
2023-03-25 18:45:00	12.4	0	0	0	157	19.93	26.46	45.5	88.3	97.45	-0.3	-0.9	0	45.5	0.12	100	8362	97.46	45.3
2023-03-25 18:50:00	4.6	0	0	0	159	21.5	25.37	45.4	87.2	97.47	-0.4	-0.4	0	45.4	0.13	100	8359	97.48	45.4
2023-03-25 18:55:00	1.8	0	0	0	158	19.28	26.4	45.4	87.4	97.5	0.4	-0.3	0	45.4	0.13	100	8360	97.51	45.4
2023-03-25 19:00:00	1	0.00134	0	0	162	20.13	29.28	45.2	87.7	97.55	-0.3	-0.9	0.04	45.2	0.13	100	8359	97.55	45.3
2023-03-25 19:05:00	1.2	0.00938	0	0	165	20.45	26.04	45	88.8	97.56	-0.6	-0.1	0.201	44.9	0.11	100	8358	97.57	44.9
2023-03-25 19:10:00	1	0.0134	0	0	165	17.67	28.5	44.5	90.2	97.6	-0.4	-0.3	0.442	44.5	0.1	100	8357	97.58	44.7
2023-03-25 19:15:00	9	0.01407	0	0	160	20.51	20.51	44.2	92.2	97.54	-0.2	-0.4	0.281	44.2	0.08	100	8359	97.53	44.4
2023-03-25 19:20:00	6.6	0.00603	0	0	#N/A	#N/A	#N/A	43.8	93.3	97.49	-1.1	-0.4	0.12	43.8	#N/A	100	8358	97.49	44.2
2023-03-25 19:25:00	2	0	0	0	#N/A	#N/A	#N/A	43.6	93.8	97.46	-0.8	-0.4	0	43.6	#N/A	100	8355	97.47	44.1
2023-03-25 19:30:00	0	0	0	0	#N/A	#N/A	#N/A	43.7	93.4	97.46	-0.4	0.1	0	43.7	#N/A	100	8354	97.47	44
2023-03-25 19:35:00	0	0	0	0	#N/A	#N/A	#N/A	43.6	93.5	97.48	-0.4	-0.3	0	43.6	#N/A	100	8353	97.48	44
2023-03-25 19:40:00	0	0	0	0	#N/A	#N/A	#N/A	43.7	93.8	97.47	-0.5	-0.3	0	43.7	#N/A	100	8354	97.47	44
2023-03-25 19:45:00	0	0	0	0	#N/A	#N/A	#N/A	43.7	93.8	97.48	-0.6	-0.6	0	43.7	#N/A	100	8351	97.48	44
2023-03-25 19:50:00	0	0	0	0	#N/A	#N/A	#N/A	43.7	93.7	97.48	-0.6	-0.9	0	43.7	#N/A	100	8353	97.49	44.1
2023-03-25 19:55:00	0	0	0	0	#N/A	#N/A	#N/A	43.9	93.7	97.49	-0.7	-0.8	0	43.9	#N/A	100	8352	97.49	44.2
2023-03-25 20:00:00	0	0.00335	0	0	#N/A	#N/A	#N/A	43.9	94.1	97.51	-0.5	-0.7	0.08	43.9	#N/A	100	8349	97.51	44.1
2023-03-25 20:05:00	0	0.01273	0	0	#N/A	#N/A	#N/A	43.8	94.4	97.54	-0.6	-0.2	0.442	43.9	#N/A	100	8350	97.53	44.1
2023-03-25 20:10:00	0	0.0134	0	0	#N/A	#N/A	#N/A	43.7	94.7	97.55	-0.6	-0.7	0.241	43.7	#N/A	100	8348	97.55	44
2023-03-25 20:15:00	0	0.00938	0	0	#N/A	#N/A	#N/A	43.7	95.2	97.6	-0.5	-0.5	0.12	43.7	#N/A	100	8349	97.6	43.9
2023-03-25 20:20:00	0	0.02144	0	0	#N/A	#N/A	#N/A	43.6	95.8	97.66	-0.5	-0.6	0.361	43.6	#N/A	100	8346	97.64	43.8
2023-03-25 20:25:00	0	0.02882	0	0	#N/A	#N/A	#N/A	43.7	96	97.66	-0.6	-0.5	0.442	43.7	#N/A	100	8346	97.65	43.6
2023-03-25 20:30:00	0	0.01407	0	0	#N/A	#N/A	#N/A	43.7	96.9	97.68	-0.5	-0.5	0.201	43.7	#N/A	100	8347	97.66	43.6
2023-03-25 20:35:00	0	0.00938	0	0	#N/A	#N/A	#N/A	43.8	97	97.69	-0.5	-0.5	0.161	43.8	#N/A	100	8346	97.67	43.7
2023-03-25 20:40:00	0	0.00268	0	0	#N/A	#N/A	#N/A	44	96.9	97.71	-0.2	-0.5	0.08	44	#N/A	100	8346	97.69	43.8
2023-03-25 20:45:00	0	0.00201	0	0	#N/A	#N/A	#N/A	44	96.1	97.73	0.1	-1	0.04	44	#N/A	100	8344	97.71	43.7
2023-03-25 20:50:00	0	0.01809	0	0	#N/A	#N/A	#N/A	43.9	95.5	97.74	-0.8	-0.6	0.321	43.9	#N/A	100	8342	97.72	43.5
2023-03-25 20:55:00	0	0.00871	0	0	#N/A	#N/A	#N/A	43.4	94.5	97.72	-1.5	-0.4	0.201	43.4	#N/A	100	8339	97.69	43.2
2023-03-25 21:00:00	0	0.00536	0	0	#N/A	#N/A	#N/A	42.6	92.2	97.73	-0.7	0.5	0.08	42.6	#N/A	100	8342	97.73	42.4
2023-03-25 21:05:00	0	0.00201	0	0	#N/A	#N/A	#N/A	41.8	91	97.76	-0.4	-0.4	0.08	41.8	#N/A	100	8341	97.74	41.8
2023-03-25 21:10:00	0	0	0	0	#N/A	#N/A	#N/A	41.1	91	97.78	-0.5	-0.6	0	41	#N/A	100	8341	97.76	41.4
2023-03-25 21:15:00	0	0.00335	0	0	#N/A	#N/A	#N/A	40.7	90.2	97.79	-1.2	-1.2	0.08	40.7	#N/A	100	8339	97.78	41
2023-03-25 21:20:00	0	0.00402	0	0	#N/A	#N/A	#N/A	40.2	90.7	97.8	1.3	0.5	0.08	40.2	#N/A	100	8339	97.78	40.6
2023-03-25 21:25:00	0	0.00804	0	0	#N/A	#N/A	#N/A	39.6	91.3	97.8	-1.1	-0.8	0.161	39.6	#N/A	100	8339	97.79	40
2023-03-25 21:30:00	0	0.00201	0	0	#N/A	#N/A	#N/A	38.9	91.7	97.82	-1.1	-1	0.04	38.9	#N/A	100	8338	97.8	39.5
2023-03-25 21:35:00	0	0	0	0	#N/A	#N/A	#N/A	38.7	91.8	97.82	-1.3	-0.2	0	38.7	#N/A	100	8336	97.81	39.3
2023-03-25 21:40:00	0	0	0	0	#N/A	#N/A	#N/A	38.7	91.3	97.83	-1.1	0	0	38.7	#N/A	100	8335	97.82	39.1
2023-03-25 21:45:00	0	0	0	0	#N/A	#N/A	#N/A	38.6	90.8	97.83	-0.6	-0.9	0	38.6	#N/A	100	8336	97.82	39.1
2023-03-25 21:50:00	0	0.00067	0	0	#N/A	#N/A	#N/A	38.8	89.8	97.83	-0.6	-1.1	0.04	38.8	#N/A	100	8336	97.82	39.1
2023-03-25 21:55:00	0	0	0	0	#N/A	#N/A	#N/A	39	87.9	97.82	-1	-0.3	0	39.1	#N/A	100	8335	97.81	39.2
2023-03-25 22:00:00	0	0	0	0	#N/A	#N/A	#N/A	39.1	87.7	97.82	-0.5	-0.1	0	39.1	#N/A	100	8333	97.8	39.2
2023-03-25 22:05:00	0	0	0	0	#N/A	#N/A	#N/A	39.2	87.2	97.8	-1.1	-0.8	0	39.2	#N/A	100	8334	97.8	39
2023-03-25 22:10:00	0	0	0	0	#N/A	#N/A	#N/A	39	86.7	97.83	-0.7	-0.2	0	39	#N/A	100	8334	97.81	38.8
2023-03-25 22:15:00	0	0	0	0	#N/A	#N/A	#N/A	39.1	86.6	97.81	-1	-0.3	0	39.1	#N/A	100	8330	97.8	38.8
2023-03-25 22:20:00	0	0	0	0	#N/A	#N/A	#N/A	38.9	86.3	97.81	-0.3	-0.5	0	38.9	#N/A	100	8330	97.8	38.8
2023-03-25 22:25:00	0	0	0	0	#N/A	#N/A	#N/A	39.1	85.8	97.81	-1	-0.9	0	39.1	#N/A	100	8330	97.8	38.8
2023-03-25 22:30:00	0	0	0	0	#N/A	#N/A	#N/A	39.1	85.3	97.81	-0.9	-0.7	0	39.1	#N/A	100	8330	97.8	38.8
2023-03-25 22:35:00	0	0	0	0	#N/A	#N/A	#N/A	39.2	84.1	97.81	-0.7	-0.7	0	39.2	#N/A	100	8330	97.81	38.9
2023-03-25 22:40:00	0	0	0	0	#N/A	#N/A	#N/A	39.4	83	97.82	-0.7	-0.8	0	39.4	#N/A	100	8330	97.8	39
2023-03-25 22:45:00	0	0	0	0	#N/A	#N/A	#N/A	39.5	80.6	97.8	-0.8	-1.2	0	39.5	#N/A	100	8330	97.79	39.3
2023-03-25 22:50:00	0	0	0	0	#N/A	#N/A	#N/A	39.9	79.2	97.81	-1.8	-0.9	0	39.9	#N/A	100	8330	97.8	39.6
2023-03-25 22:55:00	0	0	0	0	#N/A	#N/A	#N/A	40.1	78	97.82	-0.2	-0.7	0	40.1	#N/A	100	8327	97.79	39.7
2023-03-25 23:00:00	0	0	0	0	#N/A	#N/A	#N/A	40.2	76.2	97.82	-0.1	-0.1	0	40.2	#N/A	100	8327	97.8	39.9
2023-03-25 23:05:00	0	0	0	0	#N/A	#N/A	#N/A	40.4	74.7	97.81	0.4	-1.3	0	40.4	#N/A	100	8325	97.8	40
2023-03-25 23:10:00	0	0	0	0	#N/A	#N/A	#N/A	40.6	73.7	97.81	-0.9	-1.1	0	40.6	#N/A	100	8327	97.8	40.2
2023-03-25 23:15:00	0	0	0	0	#N/A	#N/A	#N/A	40.6	72.6	97.82	-1.1	-0.1	0	40.6	#N/A	100	8326	97.8	40.3
2023-03-25 23:20:00	0	0	0	0	241	26.06	35.88	40.7	72.7	97.81	0.6	-1.1	0	40.7	0.24	100	8326	97.81	40.4
2023-03-25 23:25:00	0	0	0	0	254	25.68	43.49	40.9	71.5	97.81	-1.6	-1.9	0	40.9	0.25	100	8326	97.81	40.5
2023-03-25 23:30:00	0	0	0	0	250	23.71	35.95	41	71	97.85	-1.3	-2	0	41	0.25	100	8327	97.83	40.6
2023-03-25 23:35:00	0	0	0	0	252	25.95	40.09	41.1	69.8	97.85	-0.6	-2.1	0	41.1	0.26	100	8323	97.83	40.6
2023-03-25 23:40:00	0	0	0	0	252	20.04	28.74	41.2	69.2	97.87	-1	-1	0	41.1	0.27	100	8323	97.85	40.6
2023-03-25 23:45:00	0	0	0	0	248	16.71	22.68	41.2	69.7	97.87	-0.3	-0.5	0	41.1	0.27	100	8323	97.84	40.5
2023-03-25 23:50:00	0	0	0	0	249	16.89	26.55	41	69.7	97.86	-0.3	-0.3	0	41	0.26	100	8323	97.85	40.5
2023-03-25 23:55:00	0	0	0	0	249	20.71	32.39	41	68.8	97.84	-0.3	-0.7	0	41	0.27	100	8321	97.83	40.5
2023-03-26 00:00:00	0	0	0	0	258	24.07	40.82	41	68.9	97.85	1.6	-0.3	0	41	0.27	100	8323	97.82	40.4
2023-03-26 00:05:00	0	0	0	0	252	21.99	46.22	41	68.8	97.85	-1.6	0.2	0	41	0.27	100	8298	97.83	40.6
2023-03-26 00:10:00	0	0	0	0	254	23.69	38.77	40.9	69	97.85	0	-1.5	0	40.9	0.27	100	8290	97.84	40.8
2023-03-26 00:15:00	0	0	0	0	251	21.92	32.23	40.9	69.2	97.88	-0.4	0	0	40.9	0.27	100	8284	97.85	40.9
2023-03-26 00:20:00	0	0	0	0	255	24.2	33.84	40.9	69.2	97.87	1.4	-2.2	0	40.9	0.27	100	8298	97.85	40.8
2023-03-26 00:25:00	0	0	0	0	259	22.55	29.55	40.8	69.4	97.89	-0.9	-0.2	0	40.8	0.26	100	8298	97.87	40.4
2023-03-26 00:30:00	0	0	0	0	252	24.25	36.35	40.6	69.6	97.89	0.2	-0.3	0	40.6	0.26	100	8301	97.88	40.2
2023-03-26 00:35:00	0	0	0	0	262	26.51	43.55	40.6	70.1	97.92	-0.6	-0.6	0	40.6	0.26	100	8301	97.9	39.9
2023-03-26 00:40:00	0	0	0	0	257	29.37	46.26	40	70.7	97.91	0.2	-1.9	0	40	0.25	100	8301	97.9	39.1
2023-03-26 00:45:00	0	0	0	0	252	30.27	44.07	39.6	70.9	97.91	-0.6	-1.2	0	39.6	0.24	100	8301	97.9	38.8
2023-03-26 00:50:00	0	0	0	0	251	23.51	39.95	39.2	71.2	97.93	-0.4	-0.1	0	39.2	0.23	100	8301	97.91	38.7
2023-03-26 00:55:00	0	0	0	0	243	21.68	27.22	38.9	71.8	97.93	-1.9	-0.9	0	38.9	0.23	100	8304	97.93	38.7
2023-03-26 01:00:00	0	0	0	0	248	24.72	46.95	38.9	71.4	97.94	-1.8	-0.5	0	38.9	0.23	100	8301	97.94	38.8
2023-03-26 01:05:00	0	0	0	0	248	27.18	40.73	39	68.9	97.95	-1.1	-0.5	0	39	0.25	100	8300	97.93	38.8
2023-03-26 01:10:00	0	0	0	0	247	22.66	36.73	39.2	68.7	97.96	-0.3	-0.3	0	39.1	0.25	100	8302	97.95	38.8
2023-03-26 01:15:00	0	0	0	0	245	25.61	40.8	39.1	68.8	97.96	-1.2	-0.2	0	39.1	0.25	100	8301	97.95	38.8
2023-03-26 01:20:00	0	0	0	0	244	24.87	36.57	39.2	68.2	97.95	1.3	-0.8	0	39.2	0.26	100	8301	97.95	38.7
2023-03-26 01:25:00	0	0	0	0	249	29.59	45.99	39.1	67.5	97.97	-1.8	0.7	0	39.1	0.26	100	8299	97.96	38.7
2023-03-26 01:30:00	0	0	0	0	247	18.84	30.04	38.9	68.3	98	-1.2	0.5	0	38.9	0.26	100	8296	97.98	38.6
2023-03-26 01:35:00	0	0	0	0	247	24.74	32.79	39	67.5	98	0.8	1	0	39	0.26	100	8300	97.98	38.6
2023-03-26 01:40:00	0	0	0	0	257	23.13	30.58	38.9	67.7	98	-1.1	-1	0	38.9	0.26	100	8298	97.98	38.5
2023-03-26 01:45:00	0	0	0	0	244	21.7	29.24	38.9	68	98	-0.2	-0.2	0	38.9	0.26	100	8301	97.99	38.4
2023-03-26 01:50:00	0	0	0	0	245	32.03	55.92	38.8	67.4	98	0.3	0.1	0	38.8	0.26	100	8296	97.97	38.4
2023-03-26 01:55:00	0	0	0	0	249	28.61	45.1	38.9	67.3	98.02	-1.2	-1.2	0	38.9	0.26	100	8296	97.99	38.4
2023-03-26 02:00:00	0	0	0	0	258	37.13	62.9	38.8	66.1	98.02	-3	1.9	0	38.8	0.27	100	8297	98	38.4
2023-03-26 02:05:00	0	0	0	0	247	34.9	66.95	38.9	65.4	98.02	-0.4	-4.1	0	38.9	0.28	100	8297	98.01	38.4
2023-03-26 02:10:00	0	0	0	0	250	28.81	45.01	38.8	65.5	98.07	-1.9	2.3	0	38.8	0.28	100	8296	98.03	38.3
2023-03-26 02:15:00	0	0	0	0	253	33.31	56.55	38.7	65.2	98.07	-0.2	-3.8	0	38.7	0.28	100	8293	98.05	38.2
2023-03-26 02:20:00	0	0	0	0	252	35.7	48.59	38.7	64.6	98.07	-0.3	0.6	0	38.6	0.28	100	8295	98.06	38.2
2023-03-26 02:25:00	0	0	0	0	247	24.99	40.58	38.7	64.6	98.07	-0.3	0.4	0	38.6	0.28	100	8295	98.08	38.2
2023-03-26 02:30:00	0	0	0	0	253	30.89	48.5	38.6	64.7	98.09	0.9	-1.9	0	38.6	0.28	100	8297	98.06	38.1
2023-03-26 02:35:00	0	0	0	0	254	29.42	42.73	38.5	65.8	98.09	-0.1	-0.6	0	38.5	0.27	100	8293	98.06	38
2023-03-26 02:40:00	0	0	0	0	254	32.37	46.42	38.5	65.3	98.1	-1.2	0.1	0	38.5	0.27	100	8295	98.06	37.9
2023-03-26 02:45:00	0	0	0	0	259	24.67	40.4	38.4	65.4	98.12	-0.8	-0.6	0	38.4	0.27	100	8292	98.11	37.9
2023-03-26 02:50:00	0	0	0	0	241	17.81	27.81	38.4	66.3	98.14	-0.6	-0.6	0	38.4	0.27	100	8294	98.11	37.8
2023-03-26 02:55:00	0	0	0	0	243	27.16	43.84	38.2	68.1	98.14	-0.5	0.1	0	38.2	0.25	100	8293	98.11	37.6
2023-03-26 03:00:00	0	0	0	0	255	27.34	46.98	37.7	72.8	98.13	-1.2	-2.6	0	37.7	0.21	100	8294	98.11	36.8
2023-03-26 03:05:00	0	0	0	0	261	21.3	29.73	36.9	76.6	98.15	-1.5	0.4	0	36.9	0.17	100	8290	98.13	36
2023-03-26 03:10:00	0	0	0	0	262	19.62	28.07	36.4	77.7	98.15	-0.4	-1.8	0	36.4	0.16	100	8289	98.13	35.7
2023-03-26 03:15:00	0	0	0	0	260	18.14	30.27	36.1	78	98.14	-1.5	0	0	36.1	0.16	100	8291	98.13	35.5
2023-03-26 03:20:00	0	0	0	0	261	16.73	24.9	36.2	77.7	98.15	-0.8	-0.3	0	36.1	0.16	100	8287	98.14	35.5
2023-03-26 03:25:00	0	0	0	0	257	15.75	21.56	36.3	76.7	98.16	-1.1	-0.2	0	36.3	0.17	100	8286	98.14	35.5
2023-03-26 03:30:00	0	0	0	0	258	18.12	41.41	36.5	75.4	98.16	-0.2	-0.8	0	36.5	0.18	100	8286	98.13	35.5
2023-03-26 03:35:00	0	0	0	0	262	21.21	34.65	36.8	73	98.16	-1.9	-0.1	0	36.8	0.2	100	8286	98.13	35.7
2023-03-26 03:40:00	0	0	0	0	255	23.64	43.4	37.2	71.8	98.15	-0.4	0	0	37.2	0.21	100	8286	98.13	35.9
2023-03-26 03:45:00	0	0	0	0	246	24.56	36.51	37.4	70.4	98.16	-0.4	-1.5	0	37.4	0.22	100	8287	98.13	36.2
2023-03-26 03:50:00	0	0	0	0	261	21.39	31.88	37.7	70.6	98.17	-0.5	-0.6	0	37.7	0.23	100	8285	98.15	36.4
2023-03-26 03:55:00	0	0	0	0	260	23.13	40.58	37.7	70.1	98.18	0.5	0.3	0	37.8	0.23	100	8286	98.15	36.6
2023-03-26 04:00:00	0	0	0	0	251	20.76	34.65	37.8	70.3	98.18	-0.5	-1.4	0	37.8	0.23	100	8287	98.16	36.8
2023-03-26 04:05:00	0	0	0	0	251	26.69	44.07	37.9	70.2	98.17	-1.2	-0.8	0	37.9	0.23	100	8286	98.16	37
2023-03-26 04:10:00	0	0	0	0	255	25.1	35.57	38	70.3	98.19	-1.1	0.3	0	38	0.23	100	8284	98.16	37.1
2023-03-26 04:15:00	0	0	0	0	260	26.96	46.62	38.1	69.9	98.2	-1.9	-0.2	0	38	0.23	100	8285	98.17	37.2
2023-03-26 04:20:00	0	0	0	0	253	24.79	37.89	38.1	70.6	98.21	-0.4	-0.9	0	38.1	0.23	100	8284	98.19	37.2
2023-03-26 04:25:00	0	0	0	0	247	23.78	49.1	38.1	70.6	98.22	-0.2	-0.9	0	38.1	0.23	100	8285	98.2	37.3
2023-03-26 04:30:00	0	0	0	0	251	29.64	42.05	38.2	70.2	98.21	-1.1	1	0	38.2	0.23	100	8282	98.19	37.4
2023-03-26 04:35:00	0	0	0	0	254	25.48	34.87	38.2	70	98.23	-0.3	-0.1	0	38.2	0.23	100	8283	98.2	37.5
2023-03-26 04:40:00	0	0	0	0	253	29.24	47.47	38.3	69.3	98.23	-1.7	-1.4	0	38.3	0.24	100	8282	98.21	37.5
2023-03-26 04:45:00	0	0	0	0	255	23.98	38.07	38.3	69.6	98.24	0.2	-0.7	0	38.3	0.24	100	8286	98.22	37.6
2023-03-26 04:50:00	0	0	0	0	258	18.99	26.44	38.3	70	98.26	-0.6	-0.6	0	38.3	0.24	100	8284	98.24	37.6
2023-03-26 04:55:00	0	0	0	0	255	23.17	44	38.4	69.6	98.25	-0.6	-0.6	0	38.4	0.24	100	8282	98.23	37.6
2023-03-26 05:00:00	0	0	0	0	254	27.72	41.47	38.4	69.3	98.28	-0.6	-1.2	0	38.4	0.24	100	8282	98.25	37.6
2023-03-26 05:05:00	0	0	0	0	249	20.92	31.59	38.4	69.4	98.27	-1	0.3	0	38.4	0.24	100	8282	98.26	37.6
2023-03-26 05:10:00	0	0	0	0	251	21	28.81	38.3	69.8	98.29	-0.6	0.1	0	38.3	0.24	100	8281	98.27	37.6
2023-03-26 05:15:00	0	0	0	0	254	25.08	36.04	38.3	69.9	98.29	-0.1	-2.5	0	38.3	0.24	100	8281	98.29	37.6
2023-03-26 05:20:00	0	0	0	0	252	23.29	36.31	38.3	69.9	98.3	-0.4	-1.3	0	38.3	0.24	100	8281	98.28	37.6
2023-03-26 05:25:00	0	0	0	0	254	22.57	39.39	38.3	70	98.3	-1	-1.4	0	38.3	0.24	100	8282	98.29	37.6
2023-03-26 05:30:00	0	0	0	0	246	23.58	40.82	38.2	70.5	98.32	-1.3	-0.2	0	38.2	0.23	100	8280	98.3	37.6
2023-03-26 05:35:00	0	0	0	0	253	19.46	31.34	38.3	70.3	98.33	-0.7	0.3	0	38.3	0.23	100	8278	98.31	37.6
2023-03-26 05:40:00	0	0	0	0	252	20.45	32.03	38.2	70.3	98.35	-0.6	-0.8	0	38.2	0.23	100	8280	98.32	37.6
2023-03-26 05:45:00	0	0	0	0	249	19.82	37.33	38.2	70.4	98.35	-0.2	-0.7	0	38.2	0.23	100	8280	98.34	37.6
2023-03-26 05:50:00	0	0	0	0	256	21.79	32.39	38.1	70.7	98.37	-1.1	-0.5	0	38.1	0.23	100	8278	98.34	37.6
2023-03-26 05:55:00	0	0	0	0	258	18.9	26.15	38.2	70.9	98.39	-1	-0.9	0	38.2	0.23	100	8280

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-26 06:05:00	0	0	0	0	257	23.22	36.98	38.1	71.2	98.39	-1	-0.9	0	38.1	0.22	100	8276	98.37	37.5
2023-03-26 06:10:00	0	0	0	0	264	24.23	42.03	38.1	70.9	98.41	-0.2	-0.9	0	38.1	0.23	100	8279	98.4	37.5
2023-03-26 06:15:00	0	0	0	0	263	22.44	36.86	38	71.2	98.43	-0.8	-1.2	0	38	0.22	100	8279	98.4	37.4
2023-03-26 06:20:00	0	0	0	0	256	27.87	42.93	38	71	98.43	-2.2	0.7	0	38	0.23	100	8279	98.4	37.4
2023-03-26 06:25:00	0	0	0	0	264	23.87	35.63	37.9	71.3	98.44	-1.3	-0.5	0	38	0.22	100	8274	98.43	37.3
2023-03-26 06:30:00	0	0	0	0	260	19.48	29.57	37.8	72	98.46	-0.6	-0.9	0	37.8	0.22	100	8278	98.44	37.2
2023-03-26 06:35:00	0	0	0	0	264	26.08	38.52	37.7	72.7	98.45	-1.2	-1.6	0	37.7	0.21	100	8276	98.43	37.1
2023-03-26 06:40:00	0	0	0	0	266	24.58	41.88	37.7	72.6	98.45	-0.9	-0.1	0	37.7	0.21	100	8274	98.44	37.1
2023-03-26 06:45:00	0	0	0	0	261	23.47	37.02	37.7	71.8	98.47	-1.4	-1.2	0	37.7	0.22	100	8276	98.45	37.1
2023-03-26 06:50:00	0	0	0	0	261	22.73	35.63	37.7	71.1	98.48	-0.4	0.6	0	37.7	0.22	100	8276	98.46	37.1
2023-03-26 06:55:00	0	0	0	0	256	24.45	31.92	37.7	71	98.49	-0.2	0	0	37.8	0.22	100	8276	98.46	37.1
2023-03-26 07:00:00	0.2	0	0	0	266	23.04	35.01	37.7	70.6	98.5	-1.2	-0.1	0	37.7	0.23	100	8276	98.48	37.2
2023-03-26 07:05:00	1	0	0	0	265	23.51	35.79	37.7	71.2	98.5	-0.6	-1.9	0	37.7	0.22	100	8276	98.48	37.1
2023-03-26 07:10:00	1.6	0	0	0	263	22.86	34.11	37.7	70.6	98.51	-0.5	-0.6	0	37.7	0.23	100	8272	98.49	37.1
2023-03-26 07:15:00	3.4	0	0	0	260	27	41.11	37.8	70.5	98.52	-1.2	0.6	0	37.8	0.23	100	8276	98.51	37.1
2023-03-26 07:20:00	5.2	0	0	0	263	27.51	43.66	37.8	70.3	98.52	0.4	-1.2	0	37.8	0.23	100	8273	98.5	37.2
2023-03-26 07:25:00	8	0	0	0	262	29.08	41.67	37.8	70.3	98.53	0.8	-1.1	0	37.8	0.23	100	8273	98.5	37.2
2023-03-26 07:30:00	11.4	0	0	0	262	25.57	39.97	37.8	70.3	98.55	-1.3	-0.6	0	37.8	0.23	100	8271	98.52	37.1
2023-03-26 07:35:00	13	0	0	0	263	27.04	38.03	37.8	70.2	98.55	-1.6	-1.3	0	37.8	0.23	100	8272	98.53	37.2
2023-03-26 07:40:00	22.2	0	0	0	263	24.81	37.04	37.8	70.2	98.56	-0.4	-0.7	0	37.8	0.23	100	8270	98.54	37.2
2023-03-26 07:45:00	22.2	0	0	0	257	20.54	28.99	37.8	70.5	98.58	-0.9	-0.5	0	37.8	0.23	100	8270	98.56	37.2
2023-03-26 07:50:00	24.8	0	0	0	258	25.72	39.57	37.8	70.1	98.57	-0.7	-0.1	0	37.8	0.23	100	8270	98.55	37.2
2023-03-26 07:55:00	32.8	0	0	0	261	27.29	40.58	37.9	69.9	98.57	-1.1	-0.6	0	37.9	0.23	100	8270	98.55	37.3
2023-03-26 08:00:00	37.8	0	0	0	259	23.85	36.01	37.8	69.9	98.58	-1.7	-0.4	0	37.9	0.23	100	8271	98.56	37.3
2023-03-26 08:05:00	53.6	0	0	0	263	23.38	34.58	37.9	70	98.61	0	-0.3	0	38	0.23	100	8268	98.58	37.3
2023-03-26 08:10:00	65.8	0	0	0	265	19.73	31.59	37.9	70.3	98.62	-0.1	-0.6	0	38	0.23	100	8270	98.6	37.4
2023-03-26 08:15:00	69.2	0	0	0	257	24.14	38.52	38	69.7	98.62	-0.9	-0.3	0	38.2	0.24	100	8271	98.6	37.4
2023-03-26 08:20:00	80.6	0	0	0	261	21.43	31.88	38.1	69.4	98.63	0.5	-1.3	0	38.2	0.24	100	8269	98.62	37.5
2023-03-26 08:25:00	114.4	0	0	0	271	23.33	38.65	38.1	69.4	98.65	-0.9	0.3	0	38.3	0.24	100	8279	98.62	37.5
2023-03-26 08:30:00	96	0	0	0	265	25.12	36.89	38.2	69.1	98.65	0.4	-0.3	0	38.3	0.24	100	8276	98.63	37.6
2023-03-26 08:35:00	165.2	0	0	0	261	23.73	35.81	38.4	68.9	98.65	0	-0.8	0	38.6	0.25	100	8286	98.63	37.6
2023-03-26 08:40:00	210.6	0	0	0	265	19.44	30.27	38.9	69	98.65	-1.1	-0.5	0	39.2	0.25	100	8296	98.65	37.9
2023-03-26 08:45:00	224	0	0	0	267	18.5	28.7	39.4	68.8	98.67	-1.2	-0.4	0	39.8	0.26	100	8312	98.66	38.2
2023-03-26 08:50:00	252.2	0	0	0	267	21.56	31.94	40.2	67.5	98.65	0	0	0	40.7	0.27	100	8319	98.66	38.7
2023-03-26 08:55:00	246.6	0	0	0	264	21.32	30.09	40.1	67.6	98.68	-0.6	-0.7	0	40.5	0.27	100	8329	98.66	39.1
2023-03-26 09:00:00	274	0	0	0	256	21.99	30.38	40.7	67.2	98.67	-0.1	-0.2	0	41.3	0.28	100	8337	98.67	39.5
2023-03-26 09:05:00	265.6	0	0	0	258	20.38	27.89	41.1	66.6	98.67	-0.3	-1.8	0	41.6	0.29	100	8346	98.68	39.9
2023-03-26 09:10:00	393.6	0	0	0	267	19.01	32.14	41.6	66	98.67	-0.4	0.3	0	42.2	0.3	100	8364	98.67	40.3
2023-03-26 09:15:00	356.8	0	0	0	260	22.21	30.22	42.2	64.9	98.67	-1.3	-0.3	0	42.7	0.32	100	8372	98.69	40.8
2023-03-26 09:20:00	408.4	0	0	0	266	21.56	29.26	42.4	63.3	98.67	-0.3	-0.6	0	43	0.34	100	8387	98.69	41.2
2023-03-26 09:25:00	342	0	0	0	263	19.24	32.73	42.8	62.8	98.71	-0.7	-0.1	0	43.3	0.35	100	8392	98.7	41.6
2023-03-26 09:30:00	315.4	0	0	0	257	20.76	33.55	42.9	62.2	98.7	-1	-0.7	0	43.3	0.35	100	8398	98.71	41.8
2023-03-26 09:35:00	470.4	0	0	0	268	17.36	24.14	43.3	62.1	98.7	-0.6	-0.7	0	43.9	0.36	100	8414	98.71	42.2
2023-03-26 09:40:00	362.6	0	0	0	258	23.78	34.2	44.1	59.9	98.71	-0.9	-0.7	0	44.6	0.39	100	8415	98.7	42.6
2023-03-26 09:45:00	343.4	0	0	0	265	24.47	41.63	43.3	59.6	98.71	0.1	0.3	0	43.7	0.39	100	8422	98.71	42.5
2023-03-26 09:50:00	354	0	0	0	269	26.66	39.44	43.3	59.5	98.71	-1.7	-0.4	0	43.8	0.39	100	8429	98.72	42.5
2023-03-26 09:55:00	417.8	0	0	0	255	22.57	32.46	43.5	59.3	98.73	-0.9	-0.3	0	44.1	0.39	100	8442	98.73	42.6
2023-03-26 10:00:00	496.6	0	0	0	261	20.85	29.82	44.3	61.3	98.72	-0.4	0	0	44.9	0.38	100	8463	98.75	43.1
2023-03-26 10:05:00	365.2	0	0	0	260	25.55	33.76	44.7	59.7	98.74	-0.8	-1.2	0	45.1	0.41	100	8463	98.75	43.4
2023-03-26 10:10:00	543.6	0	0	0	260	22.3	34.63	44.6	59.8	98.74	-1.2	-0.9	0	45.2	0.4	100	8475	98.76	43.5
2023-03-26 10:15:00	572.4	0	0	0	264	18.03	29.06	45.1	60	98.76	-0.3	-0.2	0	45.8	0.41	100	8491	98.78	44
2023-03-26 10:20:00	581.6	0	0	0	267	20.15	31.03	45.9	58.7	98.77	-0.7	-0.2	0	46.5	0.44	100	8502	98.79	44.6
2023-03-26 10:25:00	616	0	0	0	258	18.84	32.08	46.4	57.9	98.77	-0.5	-0.9	0	47	0.45	100	8510	98.79	45.1
2023-03-26 10:30:00	609.4	0	0	0	270	24.54	50.62	46.7	55.8	98.78	1.1	-1.4	0	47.2	0.48	100	8517	98.79	45.2
2023-03-26 10:35:00	530.6	0	0	0	269	27.34	40.51	46.5	55.3	98.77	0.7	-1.8	0	47.1	0.48	100	8519	98.78	45.3
2023-03-26 10:40:00	624.6	0	0	0	263	26.64	42.64	45.9	55.3	98.77	-0.5	-0.2	0	46.4	0.47	100	8531	98.78	45.1
2023-03-26 10:45:00	651.6	0	0	0	255	24.7	41.96	46	55.4	98.79	-0.8	-1.3	0	46.6	0.47	100	8539	98.8	45.1
2023-03-26 10:50:00	649.4	0	0	0	267	23.69	38.99	46.3	55.5	98.78	-0.1	-0.1	0	46.9	0.47	100	8546	98.8	45.4
2023-03-26 10:55:00	605.4	0	0	0	269	26.17	43.22	46.5	54.6	98.8	-0.2	-0.7	0	47	0.49	100	8554	98.81	45.6
2023-03-26 11:00:00	625.2	0	0	0	261	23.87	35.03	46.7	54.1	98.79	-0.4	-0.7	0	47.2	0.5	100	8561	98.83	45.7
2023-03-26 11:05:00	633.8	0	0	0	265	27.72	46.86	46.9	53	98.8	1.1	0	0	47.4	0.51	100	8565	98.8	45.8
2023-03-26 11:10:00	597	0	0	0	260	26.6	36.64	46.9	52.6	98.8	-1.6	0.1	0	47.4	0.52	100	8573	98.82	45.9
2023-03-26 11:15:00	559.8	0	0	0	253	24.58	35.05	46.8	53.7	98.81	-1.1	0.5	0	47.3	0.5	100	8580	98.83	46
2023-03-26 11:20:00	635.8	0	0	0	268	29.21	41.32	47	53.2	98.8	-0.5	-0.8	0	47.6	0.51	100	8582	98.82	46.1
2023-03-26 11:25:00	672.4	0	0	0	274	22.77	32.1	47.2	52.8	98.8	-1.4	-1.1	0	47.7	0.52	100	8589	98.82	46.2
2023-03-26 11:30:00	712.4	0	0	0	278	25.72	43.53	47.4	51.5	98.81	-0.3	-0.4	0	48	0.54	100	8595	98.82	46.4
2023-03-26 11:35:00	720.8	0	0	0	277	28.12	42.3	47.6	50.2	98.81	0.3	-0.3	0	48.2	0.56	100	8599	98.83	46.5
2023-03-26 11:40:00	720.4	0	0	0	271	24.09	38.56	47.6	50.5	98.82	0.1	-0.1	0	48.2	0.56	100	8604	98.84	46.6
2023-03-26 11:45:00	731.8	0	0	0	277	27.34	41.88	47.9	50.7	98.82	-2	0.7	0	48.5	0.56	100	8604	98.82	46.8
2023-03-26 11:50:00	740.8	0	0	0	274	24.9	36.35	48.1	49.4	98.83	0.2	-0.8	0	48.6	0.58	100	8610	98.83	46.9
2023-03-26 11:55:00	734.8	0	0	0	262	27.69	37.18	48.1	49.5	98.83	-0.4	-0.7	0	48.7	0.58	100	8615	98.83	47
2023-03-26 12:00:00	707.4	0	0	0	272	26.42	36.62	48.2	49.2	98.83	0.6	-1.2	0	48.7	0.58	100	8617	98.83	47
2023-03-26 12:05:00	676.6	0	0	0	277	26.4	34.72	48.2	48.9	98.82	-2	-0.3	0	48.8	0.59	100	8618	98.84	47.1
2023-03-26 12:10:00	644.2	0	0	0	276	20.85	37.09	48.5	50.8	98.83	0.1	-0.6	0	49.2	0.57	100	8621	98.84	47.4
2023-03-26 12:15:00	689.2	0	0	0	284	28.95	38.5	48.7	48.7	98.81	-1.6	0.1	0	49.3	0.6	100	8622	98.83	47.4
2023-03-26 12:20:00	734.6	0	0	0	270	24.54	31.99	48.6	49.1	98.83	-0.6	-0.6	0	49.1	0.59	100	8628	98.84	47.5
2023-03-26 12:25:00	774.6	0	0	0	261	26.24	39.57	48.7	48.9	98.84	-0.6	-1	0	49.3	0.6	100	8628	98.85	47.6
2023-03-26 12:30:00	779.6	0	0	0	274	27.18	34.78	48.8	47.7	98.83	-0.4	-0.2	0	49.4	0.61	100	8629	98.84	47.6
2023-03-26 12:35:00	780.8	0	0	0	281	27.45	39.37	48.8	46.3	98.83	-1.9	-1.3	0	49.4	0.63	100	8628	98.83	47.6
2023-03-26 12:40:00	779.2	0	0	0	262	22.08	33.49	49	48.2	98.85	-0.6	-0.2	0	49.6	0.61	100	8631	98.85	47.8
2023-03-26 12:45:00	776.2	0	0	0	263	23.11	32.57	49.2	47.9	98.84	-0.4	-1.5	0	49.8	0.62	100	8633	98.86	48
2023-03-26 12:50:00	755	0	0	0	258	20.58	30.2	49.4	48.4	98.85	-0.1	-0.6	0	49.9	0.62	100	8631	98.86	48.1
2023-03-26 12:55:00	732.6	0	0	0	273	25.48	41.56	49.6	48.4	98.84	0.3	-1.8	0	50.1	0.62	100	8635	98.85	48.2
2023-03-26 13:00:00	694.4	0	0	0	279	27.22	40.71	49.4	46	98.84	-1.4	-0.9	0	49.9	0.65	100	8630	98.84	48
2023-03-26 13:05:00	660.8	0	0	0	268	22.59	34.18	49.2	48.1	98.85	0.2	0.9	0	49.8	0.62	100	8632	98.86	48
2023-03-26 13:10:00	693	0	0	0	268	25.7	35.34	49.3	47.3	98.85	0.7	-0.5	0	49.9	0.63	100	8629	98.86	48.2
2023-03-26 13:15:00	730.4	0	0	0	270	27.74	39.97	49.5	47.1	98.86	-0.1	1	0	50.1	0.64	100	8628	98.86	48.2
2023-03-26 13:20:00	757.6	0	0	0	275	25.37	37.2	49.4	46.5	98.85	-1.2	-0.7	0	50	0.64	100	8631	98.84	48.1
2023-03-26 13:25:00	780.4	0	0	0	275	24.94	35.79	49.4	46.3	98.86	-0.8	0.1	0	50	0.65	100	8626	98.86	48.2
2023-03-26 13:30:00	783.4	0	0	0	267	22.48	34.78	49.5	47.1	98.87	-0.1	-2.2	0	50.1	0.64	100	8627	98.87	48.2
2023-03-26 13:35:00	785.8	0	0	0	268	21.81	37.85	49.7	48.1	98.88	-0.6	-1	0	50.3	0.63	100	8623	98.88	48.5
2023-03-26 13:40:00	784.4	0	0	0	258	23.15	30.53	49.9	47.6	98.89	-0.1	-0.5	0	50.5	0.64	100	8619	98.89	48.5
2023-03-26 13:45:00	781.6	0	0	0	269	23.71	32.77	49.9	47.6	98.89	-0.4	-1.1	0	50.5	0.64	100	8614	98.89	48.6
2023-03-26 13:50:00	775	0	0	0	264	16.8	28.03	50.1	48.4	98.9	-0.9	-0.8	0	50.8	0.64	100	8608	98.9	48.8
2023-03-26 13:55:00	771.4	0	0	0	270	20.71	31.45	50.6	48.6	98.89	-0.6	-0.7	0	51.3	0.65	100	8606	98.89	49.1
2023-03-26 14:00:00	764	0	0	0	274	20.92	26.35	50.8	45.7	98.9	-1.3	-0.7	0	51.4	0.69	100	8601	98.89	49.1
2023-03-26 14:05:00	745.2	0	0	0	274	20.07	26.82	50.8	46.1	98.91	-0.5	-0.2	0	51.3	0.68	100	8597	98.9	49.1
2023-03-26 14:10:00	728.6	0	0	0	280	20.49	28.74	50.8	46.8	98.91	-0.6	-0.8	0	51.4	0.67	100	8592	98.9	49.2
2023-03-26 14:15:00	715.6	0	0	0	279	23.26	37.07	50.9	45.2	98.9	-0.2	0.5	0	51.5	0.69	100	8591	98.89	49.1
2023-03-26 14:20:00	700.6	0	0	0	266	20.38	31.34	50.7	45.9	98.92	-0.8	-0.4	0	51.3	0.68	100	8585	98.9	49
2023-03-26 14:25:00	687	0	0	0	282	19.73	29.59	50.8	45.6	98.91	-0.1	-0.3	0	51.4	0.69	100	8580	98.9	49.2
2023-03-26 14:30:00	667.2	0	0	0	269	19.57	29.01	50.9	46.1	98.93	-0.1	-0.9	0	51.5	0.68	100	8581	98.92	49.2
2023-03-26 14:35:00	642.8	0	0	0	262	24.11	34.36	50.8	45.5	98.92	-0.1	0.4	0	51.4	0.69	100	8571	98.92	49.2
2023-03-26 14:40:00	618.6	0	0	0	272	24.05	34.52	50.8	45	98.92	-1.7	-0.3	0	51.3	0.69	100	8570	98.92	49.1
2023-03-26 14:45:00	600.2	0	0	0	267	21.61	27.58	50.7	45.2	98.94	0.6	-0.8	0	51.3	0.69	100	8564	98.92	49.1
2023-03-26 14:50:00	591.2	0	0	0	285	23.38	35.93	50.8	45	98.93	-0.4	-0.6	0	51.3	0.69	100	8564	98.92	49.1
2023-03-26 14:55:00	594	0	0	0	283	18.32	27.04	50.6	45.5	98.94	-0.6	-0.2	0	51.2	0.68	100	8563	98.93	49
2023-03-26 15:00:00	603.2	0	0	0	265	22.84	33.62	50.7	46	98.94	-1	-0.5	0	51.4	0.68	100	8558	98.93	49.2
2023-03-26 15:05:00	609	0	0	0	259	19.08	30.24	50.8	46.9	98.95	-0.9	-0.8	0	51.3	0.67	100	8555	98.93	49.2
2023-03-26 15:10:00	614.6	0	0	0	266	20.96	28.95	51	45.8	98.94	-0.6	-0.5	0	51.6	0.69	100	8554	98.92	49.4
2023-03-26 15:15:00	612.6	0	0	0	267	22.77	30.67	51	46.2	98.95	-0.5	-0.4	0	51.5	0.69	100	8551	98.94	49.4
2023-03-26 15:20:00	610.4	0	0	0	264	22.59	40.47	51.1	45.7	98.96	-0.1	-0.8	0	51.7	0.69	100	8547	98.94	49.5
2023-03-26 15:25:00	608.2	0	0	0	258	22.79	31.76	51	45.9	98.97	-0.7	-0.5	0	51.5	0.69	100	8545	98.95	49.5
2023-03-26 15:30:00	604.6	0	0	0	263	20.58	32.14	50.9	46	98.98	-0.5	-0.6	0	51.5	0.68	100	8544	98.96	49.5
2023-03-26 15:35:00	602.8	0	0	0	266	16.42	25.52	51.1	46.3	98.98	-0.2	-0.8	0	51.8	0.69	100	8541	98.96	49.8
2023-03-26 15:40:00	601.6	0	0	0	257	21.32	34.05	51.4	46.1	98.98	0.1	-0.7	0	52	0.7	100	8540	98.97	50
2023-03-26 15:45:00	594.8	0	0	0	252	19.44	27.25	51.2	46	98.99	-0.9	0.1	0	51.9	0.69	100	8537	98.96	49.9
2023-03-26 15:50:00	582.2	0	0	0	258	20.85	33.15	51.1	46.6	99	-0.5	-1	0	51.8	0.68	100	8533	98.97	49.9
2023-03-26 15:55:00	568.6	0	0	0	258	18.1	25.48	51.1	47.3	99.01	-0.2	-1.2	0	51.7	0.67	100	8535	98.99	50
2023-03-26 16:00:00	558	0	0	0	264	19.28	29.15	51.2	46.6	99.02	-0.2	-1.6	0	51.8	0.68	100	8531	99	50.1
2023-03-26 16:05:00	544.8	0	0	0	257	19.89	28.79	51.2	45.9	99.02	-0.3	-0.9	0	51.8	0.69	100	8529	99	50.1
2023-03-26 16:10:00	530.4	0	0	0	258	21.05	30.27	51.1	45.2	99.03	0.6	-0.6	0	51.7	0.7	100	8529	99.01	50.2
2023-03-26 16:15:00	518	0	0	0	261	19.35	26.42	51	46.2	99.04	0	-1.5	0	51.6	0.69	100	8526	99.02	50.3
2023-03-26 16:20:00	503	0	0	0	265	20.87	30.91	51	45.9	99.04	-0.2	-0.6	0	51.7	0.69	100	8521	99.02	50.4
2023-03-26 16:25:00	489.2	0	0	0	257	20.62	28.3	51	44.9	99.05	0.2	-0.8	0	51.6	0.7	100	8522	99.03	50.4
2023-03-26 16:30:00	475.2	0	0	0	258	20.07	30.56	51	45.3	99.06	0	-0.6	0	51.6	0.7	100	8521	99.03	50.5
2023-03-26 16:35:00	460.2	0	0	0	268	19.64	28.54	50.9	44.3	99.07	-0.3	-0.5	0	51.5	0.71	100	8517	99.05	50.6
2023-03-26 16:40:00	444	0	0	0	261	17.83	31.03	50.8	45.5	99.07	0	-0.8	0	51.5	0.69	100	8517	99.05	50.7
2023-03-26 16:45:00	431.6	0	0	0	246	20.29	30.02	50.9	45.6	99.07	-0.4	-1.3	0	51.5	0.69	100	8516	99.05	50.7
2023-03-26 16:50:00	414.8	0	0	0	269	15.57	26.69	50.8	45.5	99.08	-0.4	-0.6	0	51.4	0.69	100	8510	99.06	50.8
2023-03-26 16:55:00	397	0	0	0	257	15.64	22.12	50.8	45.7	99.09	-0.1	-1	0	51.5	0.69	100	8511	99.07	51
2023-03-26 17:00:00	382.4	0	0	0	249	17.87	24.09	50.9	46.8	99.1	-0.5	-0.7	0	51.5	0.67	100	8509	99.08	51
2023-03-26 17:05:00	365.8	0	0	0	265	16.26	24.09	50.8	46.5	99.11	-0.4	-0.3	0	51.5	0.68	100	8506	99.09	51.1
2023-03-26 17:10:00	348.4	0	0	0	265	17.67	25.72	50.7	45.6	99.12	0.3	-1.3	0	51.4	0.68	100	8507	99.1	51.2
2023-03-26 17:15:00	331.6	0	0	0	259

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-26 17:30:00	279.6	0	0	0	253	16.93	23	50.4	45.2	99.14	-0.5	-0.9	0	50.9	0.68	100	8498	99.11	50.4
2023-03-26 17:35:00	261.4	0	0	0	262	17.2	23.82	50.4	44.5	99.14	-0.5	-0.7	0	50.9	0.69	100	8497	99.12	50.4
2023-03-26 17:40:00	244.4	0	0	0	273	17.85	24.87	50.2	44	99.15	0	-0.7	0	50.6	0.69	100	8497	99.12	50.2
2023-03-26 17:45:00	227.4	0	0	0	274	15.28	21.74	50.1	44.9	99.16	-0.4	-0.8	0	50.5	0.68	100	8497	99.13	50.6
2023-03-26 17:50:00	210	0	0	0	263	15.3	23.98	50	44.6	99.17	-0.5	-0.7	0	50.5	0.68	100	8494	99.14	50.6
2023-03-26 17:55:00	193.6	0	0	0	256	16.37	26.93	49.9	45.1	99.17	0	-0.7	0	50.3	0.67	100	8494	99.14	50.6
2023-03-26 18:00:00	176.6	0	0	0	276	13.2	20.24	49.8	44	99.18	-0.4	-0.8	0	50.2	0.68	100	8488	99.15	50.7
2023-03-26 18:05:00	160.4	0	0	0	262	13.27	19.84	49.6	45.1	99.18	-0.4	-0.7	0	50	0.66	100	8490	99.15	50.7
2023-03-26 18:10:00	145.6	0	0	0	258	15.75	22.3	49.6	45.2	99.18	-0.5	-0.5	0	49.9	0.66	100	8488	99.16	50.5
2023-03-26 18:15:00	130	0	0	0	265	15.79	23.17	49.3	45.2	99.19	-0.6	-0.6	0	49.5	0.65	100	8488	99.16	50.3
2023-03-26 18:20:00	114.4	0	0	0	265	17.67	23.89	49.1	44.7	99.19	-0.2	-0.9	0	49.3	0.66	100	8484	99.16	50
2023-03-26 18:25:00	99.8	0	0	0	268	16.82	22.64	48.8	45.1	99.2	-0.6	-0.4	0	49	0.65	100	8485	99.18	49.7
2023-03-26 18:30:00	85.6	0	0	0	264	13.85	22.79	48.6	45.1	99.21	-0.4	-0.7	0	48.7	0.64	100	8482	99.18	49.5
2023-03-26 18:35:00	72.2	0	0	0	273	12.8	20.92	48.3	45.7	99.22	-0.5	-0.6	0	48.4	0.62	100	8479	99.18	49.3
2023-03-26 18:40:00	59.6	0	0	0	263	13.8	20.56	47.9	46.2	99.22	-0.3	-0.6	0	48	0.61	100	8480	99.19	48.9
2023-03-26 18:45:00	48.2	0	0	0	261	13.91	25.12	47.7	46.7	99.23	-0.7	-0.6	0	47.9	0.6	100	8478	99.19	48.7
2023-03-26 18:50:00	38.2	0	0	0	267	14.43	24	47.4	47.3	99.23	-0.6	-0.9	0	47.4	0.59	100	8479	99.2	48.1
2023-03-26 18:55:00	29.2	0	0	0	269	14.58	19.57	46.9	47.1	99.24	-0.6	-0.9	0	47	0.58	100	8475	99.21	47.7
2023-03-26 19:00:00	21	0	0	0	268	14.65	22.01	46.5	47.7	99.25	-0.7	-0.6	0	46.6	0.56	100	8472	99.22	47.1
2023-03-26 19:05:00	13.2	0	0	0	268	15.14	22.3	46.1	47.8	99.26	-0.6	-1.1	0	46.1	0.55	100	8472	99.22	46.5
2023-03-26 19:10:00	8.4	0	0	0	260	13.04	19.35	45.7	48.1	99.26	-0.7	-0.6	0	45.7	0.54	100	8471	99.22	45.7
2023-03-26 19:15:00	5.8	0	0	0	265	11.23	14.63	45.4	48.4	99.26	-0.4	-0.6	0	45.4	0.53	100	8470	99.23	45.2
2023-03-26 19:20:00	3.4	0	0	0	267	10.4	15.55	45.1	49	99.27	-0.5	-0.7	0	45.1	0.52	100	8467	99.22	44.8
2023-03-26 19:25:00	1.6	0	0	0	264	12.1	16.44	44.7	49.6	99.26	-0.8	-0.4	0	44.7	0.51	100	8467	99.23	44.4
2023-03-26 19:30:00	0.4	0	0	0	264	12.5	20.47	44.5	49.9	99.27	-0.7	-0.8	0	44.5	0.5	100	8466	99.23	44.1
2023-03-26 19:35:00	0	0	0	0	265	12.41	18.63	44.3	50.1	99.27	-0.2	-0.6	0	44.3	0.49	100	8461	99.23	43.8
2023-03-26 19:40:00	0	0	0	0	268	14.07	19.35	44.1	50	99.27	-0.6	-0.5	0	44.1	0.49	100	8465	99.23	43.6
2023-03-26 19:45:00	0	0	0	0	265	12.68	18.1	44	50.1	99.28	-1	-0.8	0	44	0.49	100	8464	99.24	43.4
2023-03-26 19:50:00	0	0	0	0	269	11.41	16.46	43.8	50.6	99.29	-0.7	-0.5	0	43.8	0.48	100	8459	99.25	43.2
2023-03-26 19:55:00	0	0	0	0	270	10.54	15.84	43.6	50.9	99.29	-0.5	-0.6	0	43.6	0.47	100	8459	99.25	42.9
2023-03-26 20:00:00	0	0	0	0	269	11.36	16.11	43.4	50.9	99.29	-0.6	-0.5	0	43.4	0.47	100	8459	99.25	42.7
2023-03-26 20:05:00	0	0	0	0	270	10.67	14.47	43.3	51.2	99.29	-0.5	-0.6	0	43.3	0.47	100	8456	99.25	42.6
2023-03-26 20:10:00	0	0	0	0	269	10.36	15.23	43.2	51.3	99.29	-0.5	-0.4	0	43.2	0.46	100	8455	99.25	42.4
2023-03-26 20:15:00	0	0	0	0	267	8.66	11.56	43.1	51.9	99.3	-0.7	-0.6	0	43.1	0.45	100	8453	99.26	42.2
2023-03-26 20:20:00	0	0	0	0	270	8.86	12.66	43	51.6	99.31	-0.6	-0.6	0	42.9	0.46	100	8453	99.27	42.1
2023-03-26 20:25:00	0	0	0	0	271	7.87	10.92	42.9	51.8	99.32	-0.6	-0.5	0	42.9	0.45	100	8453	99.28	42
2023-03-26 20:30:00	0	0	0	0	271	7.76	11.77	42.8	52.4	99.32	-0.6	-0.6	0	42.8	0.44	100	8453	99.28	41.9
2023-03-26 20:35:00	0	0	0	0	267	6.87	10.89	42.7	52.1	99.33	-0.6	-0.4	0	42.7	0.45	100	8451	99.29	41.8
2023-03-26 20:40:00	0	0	0	0	268	7.47	10.07	42.6	52.9	99.33	-0.5	-0.6	0	42.6	0.44	100	8452	99.29	41.7
2023-03-26 20:45:00	0	0	0	0	270	7.72	11.63	42.5	53.1	99.34	-0.4	-0.6	0	42.5	0.43	100	8450	99.3	41.7
2023-03-26 20:50:00	0	0	0	0	268	7.38	9.93	42.5	53.5	99.35	-0.6	-0.5	0	42.5	0.43	100	8449	99.3	41.6
2023-03-26 20:55:00	0	0	0	0	265	8.3	11.36	42.4	53.1	99.35	-0.7	-0.6	0	42.5	0.43	100	8447	99.31	41.5
2023-03-26 21:00:00	0	0	0	0	267	8.43	11.1	42.5	53.3	99.35	-0.6	-0.5	0	42.5	0.43	100	8447	99.31	41.4
2023-03-26 21:05:00	0	0	0	0	273	7.92	9.13	42.4	53.1	99.35	-0.6	-0.6	0	42.4	0.43	100	8448	99.31	41.4
2023-03-26 21:10:00	0	0	0	0	274	7.14	8.81	42.3	53.4	99.35	-0.7	-0.6	0	42.3	0.43	100	8444	99.31	41.2
2023-03-26 21:15:00	0	0	0	0	286	7.43	10.63	42.2	53.4	99.35	-0.6	-0.5	0	42.2	0.43	100	8444	99.31	41
2023-03-26 21:20:00	0	0	0	0	292	6.24	8.68	42	53.4	99.34	-0.6	-0.6	0	42	0.42	100	8447	99.3	40.8
2023-03-26 21:25:00	0	0	0	0	284	6.26	7.78	41.8	53.5	99.35	-0.6	-0.5	0	41.8	0.42	100	8440	99.3	40.5
2023-03-26 21:30:00	0	0	0	0	278	6.53	9.1	41.7	53.6	99.35	-0.6	-0.4	0	41.7	0.42	100	8443	99.3	40.3
2023-03-26 21:35:00	0	0	0	0	273	5.86	7.38	41.5	53.8	99.34	-0.6	-0.5	0	41.5	0.41	100	8441	99.3	40.2
2023-03-26 21:40:00	0	0	0	0	263	6.44	7.87	41.4	54.2	99.34	-0.5	-0.5	0	41.4	0.41	100	8439	99.3	39.9
2023-03-26 21:45:00	0	0	0	0	258	6.17	8.37	41.3	54.5	99.34	-0.6	-0.6	0	41.3	0.4	100	8440	99.29	39.6
2023-03-26 21:50:00	0	0	0	0	259	6.29	9.06	41	55.2	99.33	-0.6	-0.5	0	41	0.39	100	8437	99.29	39.4
2023-03-26 21:55:00	0	0	0	0	260	7.31	11.36	41	55.2	99.33	-0.7	-0.5	0	41	0.39	100	8437	99.29	39.2
2023-03-26 22:00:00	0	0	0	0	264	7.56	10.87	41.1	54.9	99.33	-0.6	-0.6	0	41.1	0.39	100	8436	99.28	39.2
2023-03-26 22:05:00	0	0	0	0	262	6.96	8.61	40.9	54.8	99.33	-0.5	-0.5	0	40.9	0.39	100	8435	99.28	39.1
2023-03-26 22:10:00	0	0	0	0	259	5.91	8.59	40.6	55.3	99.33	-0.7	-0.5	0	40.6	0.38	100	8435	99.29	38.9
2023-03-26 22:15:00	0	0	0	0	259	5.75	8.28	40.5	56.1	99.33	-0.6	-0.5	0	40.5	0.38	100	8433	99.28	38.6
2023-03-26 22:20:00	0	0	0	0	260	5.84	7.05	40.4	55.9	99.33	-0.5	-0.5	0	40.4	0.38	100	8434	99.28	38.5
2023-03-26 22:25:00	0	0	0	0	257	4.92	7.11	40.4	56.4	99.32	-0.7	-0.6	0	40.4	0.37	100	8432	99.27	38.3
2023-03-26 22:30:00	0	0	0	0	249	4.88	6.24	40.2	56.4	99.32	-0.8	-0.5	0	40.2	0.37	100	8432	99.27	38.1
2023-03-26 22:35:00	0	0	0	0	222	5.01	6.71	40.1	56.3	99.32	-0.7	-0.6	0	40.1	0.37	100	8434	99.27	37.9
2023-03-26 22:40:00	0	0	0	0	202	5.01	5.73	40	57.3	99.32	-0.6	-0.5	0	40	0.36	100	8431	99.27	37.7
2023-03-26 22:45:00	0	0	0	0	225	5.17	6.26	39.9	57.2	99.32	-0.7	-0.4	0	39.9	0.36	100	8431	99.27	37.5
2023-03-26 22:50:00	0	0	0	0	220	3.69	5.68	39.9	58.2	99.32	-0.7	-0.6	0	39.9	0.35	100	8430	99.27	37.4
2023-03-26 22:55:00	0	0	0	0	207	3.11	3.8	39.6	56.9	99.33	-0.7	-0.4	0	39.6	0.36	100	8431	99.28	37.3
2023-03-26 23:00:00	0	0	0	0	216	5.14	9.26	39.7	57	99.33	-0.7	-0.5	0	39.7	0.36	100	8429	99.28	37.3
2023-03-26 23:05:00	0	0	0	0	197	7.14	9.13	39.7	56.6	99.33	-0.7	-0.5	0	39.7	0.36	100	8428	99.28	37.5
2023-03-26 23:10:00	0	0	0	0	195	7.43	10.16	39.7	56.8	99.33	-0.6	-0.7	0	39.7	0.36	100	8427	99.28	37.4
2023-03-26 23:15:00	0	0	0	0	202	6.58	8.03	39.3	57.7	99.33	-0.7	-0.5	0	39.4	0.35	100	8426	99.28	37.2
2023-03-26 23:20:00	0	0	0	0	187	6.17	7.61	38.9	58.1	99.32	-0.7	-0.6	0	38.9	0.34	100	8425	99.27	36.9
2023-03-26 23:25:00	0	0	0	0	185	5.44	7.07	38.7	58.3	99.32	-0.7	-0.4	0	38.7	0.33	100	8425	99.27	36.7
2023-03-26 23:30:00	0	0	0	0	200	5.14	6.29	38.6	58	99.32	-0.7	-0.5	0	38.6	0.33	100	8423	99.27	36.5
2023-03-26 23:35:00	0	0	0	0	205	6.04	9.82	38.5	57.9	99.32	-0.8	-0.5	0	38.5	0.33	100	8423	99.28	36.4
2023-03-26 23:40:00	0	0	0	0	221	7.11	8.68	38.6	58.7	99.32	-0.6	-0.6	0	38.6	0.33	100	8425	99.28	36.6
2023-03-26 23:45:00	0	0	0	0	218	6.85	8.37	38.7	58.9	99.32	-0.8	-0.6	0	38.7	0.33	100	8420	99.28	36.6
2023-03-26 23:50:00	0	0	0	0	224	8.14	10.11	38.7	59.2	99.33	-0.7	-0.6	0	38.7	0.33	100	8425	99.28	36.7
2023-03-26 23:55:00	0	0	0	0	233	7.05	8.95	38.8	58.8	99.33	-0.7	-0.4	0	38.8	0.33	100	8423	99.29	36.8
2023-03-27 00:00:00	0	0	0	0	230	6.08	7.52	38.7	59	99.34	-0.6	-0.5	0	38.7	0.33	100	8422	99.3	36.6
2023-03-27 00:05:00	0	0	0	0	212	6.85	8.46	38.7	58.5	99.35	-0.7	-0.5	0	38.7	0.33	100	8390	99.31	36.6
2023-03-27 00:10:00	0	0	0	0	210	7.43	10.02	38.5	59.4	99.34	-0.7	-0.5	0	38.5	0.32	100	8384	99.3	36.8
2023-03-27 00:15:00	0	0	0	0	210	7.43	10.09	38.4	59.7	99.33	-0.8	-0.6	0	38.4	0.32	100	8375	99.29	36.8
2023-03-27 00:20:00	0	0	0	0	219	9.08	13.02	38.4	59.5	99.33	-0.8	-0.6	0	38.4	0.32	100	8390	99.29	36.8
2023-03-27 00:25:00	0	0	0	0	221	8.1	10.09	38.4	58.7	99.33	-0.7	-0.5	0	38.3	0.33	100	8392	99.29	36.7
2023-03-27 00:30:00	0	0	0	0	225	7.23	9.66	38.4	58.4	99.33	-0.7	-0.5	0	38.4	0.33	100	8396	99.29	36.6
2023-03-27 00:35:00	0	0	0	0	240	5.91	7.52	38.2	58.9	99.34	-0.7	-0.6	0	38.2	0.32	100	8395	99.3	36.4
2023-03-27 00:40:00	0	0	0	0	242	5.48	7.23	38.1	59.1	99.34	-0.8	-0.5	0	38.1	0.32	100	8397	99.3	36.1
2023-03-27 00:45:00	0	0	0	0	252	5.08	8.21	37.8	59.3	99.33	-0.8	-0.5	0	37.8	0.31	100	8396	99.29	35.8
2023-03-27 00:50:00	0	0	0	0	259	4.65	7.61	37.7	60	99.32	-0.6	-0.5	0	37.7	0.31	100	8396	99.28	35.7
2023-03-27 00:55:00	0	0	0	0	262	6.04	7.31	37.6	60.3	99.32	-0.8	-0.5	0	37.6	0.3	100	8396	99.28	35.5
2023-03-27 01:00:00	0	0	0	0	272	4.52	6.26	37.4	59.4	99.32	-0.7	-0.5	0	37.4	0.31	100	8395	99.28	35.4
2023-03-27 01:05:00	0	0	0	0	278	2.44	3.98	37.1	60.5	99.31	-0.8	-0.5	0	37.1	0.3	100	8396	99.27	35.1
2023-03-27 01:10:00	0	0	0	0	258	4.65	6.76	36.9	60.9	99.3	-0.7	-0.6	0	36.9	0.29	100	8395	99.26	34.8
2023-03-27 01:15:00	0	0	0	0	244	5.44	6.64	36.8	61.3	99.29	-0.7	-0.5	0	36.9	0.29	100	8395	99.25	34.7
2023-03-27 01:20:00	0	0	0	0	228	6.29	7.34	36.9	60.5	99.29	-0.8	-0.4	0	36.9	0.29	100	8393	99.25	34.7
2023-03-27 01:25:00	0	0	0	0	213	5.17	5.82	37	61.4	99.29	-0.8	-0.5	0	37	0.29	100	8393	99.24	34.7
2023-03-27 01:30:00	0	0	0	0	229	4.97	6.82	37	61.7	99.29	-0.7	-0.5	0	37	0.29	100	8393	99.24	34.6
2023-03-27 01:35:00	0	0	0	0	216	6.33	7.56	37.1	61.9	99.3	-0.7	-0.5	0	37.1	0.29	100	8392	99.25	34.7
2023-03-27 01:40:00	0	0	0	0	204	6.89	9.28	37.1	62.6	99.3	-0.7	-0.5	0	37.1	0.28	100	8391	99.25	34.6
2023-03-27 01:45:00	0	0	0	0	214	7.63	9.57	37.1	62.6	99.29	-0.7	-0.5	0	37.1	0.28	100	8393	99.25	34.7
2023-03-27 01:50:00	0	0	0	0	227	6.91	10.76	37.3	62.2	99.29	-0.7	-0.4	0	37.3	0.29	100	8392	99.25	34.9
2023-03-27 01:55:00	0	0	0	0	221	4.99	5.97	37.3	61.5	99.3	-0.7	-0.4	0	37.3	0.29	100	8391	99.26	34.9
2023-03-27 02:00:00	0	0	0	0	198	5.88	7.25	37.3	62.4	99.31	-0.7	-0.5	0	37.3	0.28	100	8393	99.26	34.7
2023-03-27 02:05:00	0	0	0	0	200	6.22	7.85	37.1	62.6	99.3	-0.7	-0.5	0	37.1	0.28	100	8391	99.26	34.6
2023-03-27 02:10:00	0	0	0	0	199	7.05	8.86	37	62.8	99.29	-0.7	-0.5	0	37	0.28	100	8393	99.25	34.4
2023-03-27 02:15:00	0	0	0	0	196	8.57	10.8	36.9	63.3	99.3	-0.8	-0.5	0	36.9	0.27	100	8391	99.26	34.2
2023-03-27 02:20:00	0	0	0	0	195	8.32	10.98	36.8	63.5	99.3	-0.8	-0.5	0	36.9	0.27	100	8389	99.25	34.4
2023-03-27 02:25:00	0	0	0	0	190	6.93	9.71	36.9	63.2	99.29	-0.8	-0.5	0	37	0.27	100	8390	99.25	34.6
2023-03-27 02:30:00	0	0	0	0	180	5.55	7.52	37	63.1	99.29	-0.8	-0.4	0	37	0.27	100	8390	99.25	34.6
2023-03-27 02:35:00	0	0	0	0	185	5.77	7.54	37	63.1	99.28	-0.7	-0.5	0	37	0.27	100	8390	99.23	34.7
2023-03-27 02:40:00	0	0	0	0	195	6.11	8.34	37	63.2	99.27	-0.9	-0.4	0	37.1	0.28	100	8387	99.22	34.7
2023-03-27 02:45:00	0	0	0	0	197	5.39	6.87	37.2	63.8	99.27	-0.7	-0.5	0	37.3	0.27	100	8390	99.23	34.7
2023-03-27 02:50:00	0	0	0	0	188	3.87	5.5	37.3	63.5	99.28	-0.7	-0.5	0	37.3	0.28	100	8385	99.24	34.7
2023-03-27 02:55:00	0	0	0	0	84	4.52	5.7	37.1	63.4	99.28	-0.6	-0.5	0	37.1	0.27	100	8387	99.24	34.4
2023-03-27 03:00:00	0	0	0	0	103	3.04	4.47	36.7	62.7	99.28	-0.8	-0.5	0	36.7	0.27	100	8386	99.24	34
2023-03-27 03:05:00	0	0	0	0	155	1.83	2.8	36.4	63.7	99.28	-0.7	-0.5	0	36.4	0.26	100	8381	99.23	33.6
2023-03-27 03:10:00	0	0	0	0	199	4.38	6.02	36.1	64.6	99.27	-0.9	-0.4	0	36.1	0.25	100	8384	99.23	33.4
2023-03-27 03:15:00	0	0	0	0	199	4.99	5.93	36.2	65.3	99.27	-0.9	-0.4	0	36.2	0.25	100	8384	99.23	33.6
2023-03-27 03:20:00	0	0	0	0	187	3.27	4.47	36.3	66.1	99.28	-0.8	-0.5	0	36.3	0.25	100	8383	99.24	33.5
2023-03-27 03:25:00	0	0	0	0	131	4.14	5.17	36	67.9	99.29	-0.7	-0.5	0	36	0.23	100	8387	99.24	33.1
2023-03-27 03:30:00	0	0	0	0	145	5.7	6.82	35.6	66.7	99.28	-0.8	-0.4	0	35.6	0.23	100	8384	99.23	32.9
2023-03-27 03:35:00	0	0	0	0	160	5.73	6.67	35.3	66	99.26	-1	-0.4	0	35.3	0.24	100	8383	99.22	32.7
2023-03-27 03:40:00	0	0	0	0	159	5.84	6.69	35.1	67.9	99.25	-0.9	-0.4	0	35.1	0.22	100	8384	99.21	32.5
2023-03-27 03:45:00	0	0	0	0	153	6.15	6.69	35.1	67.2	99.24	-0.8	-0.5	0	35.1	0.23	100	8382	99.19	32.4
2023-03-27 03:50:00	0	0	0	0	141	6.04	7.07	34.9	67.3	99.21	-0.8	-0.5	0	34.9	0.22	100	8380	99.17	32.3
2023-03-27 03:55:00	0	0	0	0	153	7.16	7.76	34.8	67.7	99.2	-0.8	-0.4	0	34.8	0.22	100	8383	99.16	32.3
2023-03-27 04:00:00	0	0	0	0	149	7.05	8.08	34.6	68.3	99.19	-0.9	-0.5	0	34.7	0.21	100	8381	99.15	32.2
2023-03-27 04:05:00	0	0	0	0	132	6.55	7.58	34.6	68.4	99.18	-0.8	-0.5	0	34.6	0.21	100	8380	99.14	32.2
2023-03-27 04:10:00	0	0	0	0	138	6.93	7.63	34.4	68.3	99.18	-0.8	-0.5	0	34.4	0.21	100	8375	99.13	32.1
2023-03-27 04:15:00	0	0	0	0	139	7.45	8.93	34.5	68.3	99.15	-0.8	-0.5	0	34.4	0.21	100	8380	99.12	32.1
2023-03-27 04:20:00	0	0	0	0	129	7.38	9.48	34.5	68.4	99.14	-0.9	-0.5	0	34.5	0.21	100	8377	99.11	32.1
2023-03-27 04:25:00	0	0	0	0	149	8.93	9.86	34.2	69	99.14	-0.9	-0.4	0	34.1	0.21	100	8378	99.1	31.9
2023-03-27 04:30:00	0	0	0	0	160	8.7	10.33	34.1	70	99.15	-0.9	-0.6	0	34.1	0.2	100	8382	99.11	31.9
2023-03-27 04:35:00	0	0	0	0	164	8.88	9.75	34.2	70.5	99.14	-0.8	-0.4	0	34.2	0.2	100	8376	99.11	31.9
2023-03-27 04:40:00	0	0	0	0	166	9.53	11.5	33.9	71.3	99.14	-0.7	-0.4	0	33.9	0.19	100	8372	99.11	31.7
2023-03-27 04:45:00	0	0	0

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-27 04:55:00	0	0	0	0	171	9.24	10.49	32.9	73.6	99.14	-0.7	-0.4	0	32.9	0.17	100	8372	99.11	31.2
2023-03-27 05:00:00	0	0	0	0	180	9.62	11.14	32.8	74.2	99.15	-1	-0.6	0	32.8	0.16	100	8377	99.12	31.1
2023-03-27 05:05:00	0	0	0	0	186	9.64	11.18	32.6	74.9	99.16	-0.8	-0.5	0	32.7	0.16	100	8375	99.12	31.1
2023-03-27 05:10:00	0	0	0	0	182	8.99	9.91	32.5	75.3	99.16	-0.9	-0.5	0	32.6	0.15	100	8374	99.13	31
2023-03-27 05:15:00	0	0	0	0	184	9.4	11.52	32.5	75.3	99.18	-0.8	-0.6	0	32.5	0.15	100	8374	99.15	31
2023-03-27 05:20:00	0	0	0	0	183	8.3	10.27	32.6	75.7	99.19	-1	-0.5	0	32.6	0.15	100	8373	99.16	31.1
2023-03-27 05:25:00	0	0	0	0	167	5.79	7.67	32.6	75.4	99.18	-1	-0.4	0	32.6	0.15	100	8374	99.15	31.1
2023-03-27 05:30:00	0	0	0	0	180	5.95	7.7	32.6	75.3	99.19	-0.9	-0.4	0	32.6	0.16	100	8372	99.16	31.1
2023-03-27 05:35:00	0	0	0	0	185	6.64	8.46	32.9	76.2	99.22	-0.8	-0.6	0	32.9	0.15	100	8373	99.19	31.3
2023-03-27 05:40:00	0	0	0	0	152	8.39	9.57	33.1	75.5	99.19	-0.8	-0.5	0	33.1	0.16	100	8371	99.16	31.6
2023-03-27 05:45:00	0	0	0	0	131	8.81	9.78	33.2	74.9	99.17	-0.9	-0.4	0	33.2	0.16	100	8371	99.14	31.7
2023-03-27 05:50:00	0	0	0	0	133	8.84	9.84	33	75.3	99.17	-0.8	-0.5	0	33	0.16	100	8370	99.15	31.6
2023-03-27 05:55:00	0	0	0	0	138	7	8.46	32.9	75.7	99.19	-0.9	-0.5	0	32.9	0.15	100	8370	99.17	31.6
2023-03-27 06:00:00	0	0	0	0	160	3.69	5.95	32.8	77.4	99.22	-0.8	-0.3	0	32.8	0.14	100	8371	99.19	31.6
2023-03-27 06:05:00	0	0	0	0	106	3.29	4.99	32.8	77.7	99.22	-0.9	-0.5	0	32.8	0.14	100	8370	99.19	31.6
2023-03-27 06:10:00	0	0	0	0	114	5.95	7.49	32.8	77.2	99.21	-0.9	-0.4	0	32.8	0.14	100	8369	99.18	31.7
2023-03-27 06:15:00	0	0	0	0	116	5.39	6.53	32.8	76.6	99.22	-0.9	-0.5	0	32.8	0.15	100	8371	99.2	31.8
2023-03-27 06:20:00	0	0	0	0	114	6.51	7.14	32.7	76.3	99.22	-0.8	-0.4	0	32.8	0.15	100	8369	99.19	31.8
2023-03-27 06:25:00	0	0	0	0	136	7.18	8.32	32.8	77	99.23	-1	-0.4	0	32.8	0.14	100	8368	99.21	31.9
2023-03-27 06:30:00	0	0	0	0	157	6.24	7.05	32.9	77.8	99.25	-0.9	-0.5	0	32.9	0.14	100	8367	99.23	32
2023-03-27 06:35:00	0	0	0	0	171	6.26	7.14	32.8	78.2	99.27	-1	-0.6	0	32.8	0.14	100	8368	99.24	32
2023-03-27 06:40:00	0	0	0	0	180	4.97	6.13	32.8	79.4	99.28	-0.9	-0.4	0	32.8	0.13	100	8366	99.27	32.1
2023-03-27 06:45:00	0	0	0	0	241	2.75	4.03	32.9	78.8	99.31	-0.9	-0.4	0	32.9	0.13	100	8367	99.29	32.1
2023-03-27 06:50:00	0.8	0	0	0	297	3.91	4.81	32.9	78.9	99.33	-0.9	-0.5	0	32.9	0.13	100	8368	99.31	32
2023-03-27 06:55:00	2	0	0	0	289	3.49	4.52	32.8	79.6	99.35	-0.9	-0.4	0	32.8	0.13	100	8367	99.32	32
2023-03-27 07:00:00	4.2	0	0	0	285	2.1	2.71	32.7	79.8	99.35	-0.8	-0.5	0	32.7	0.13	100	8365	99.33	31.9
2023-03-27 07:05:00	5.4	0	0	0	337	0.87	1.57	32.8	79.7	99.35	-0.8	-0.5	0	32.8	0.13	100	8366	99.33	32
2023-03-27 07:10:00	8	0	0	0	321	1.32	1.77	32.7	79.5	99.35	-0.9	-0.4	0	32.8	0.13	100	8365	99.33	32.1
2023-03-27 07:15:00	9.2	0	0	0	332	2.33	3.2	32.8	79.4	99.35	-1	-0.5	0	32.9	0.13	100	8365	99.33	32.2
2023-03-27 07:20:00	13.4	0	0	0	337	2.8	3.24	32.9	80.5	99.36	-0.9	-0.5	0	33	0.12	100	8361	99.34	32.3
2023-03-27 07:25:00	25	0	0	0	321	1.63	2.8	32.8	80.7	99.35	-0.9	-0.4	0	33	0.12	100	8365	99.33	32.3
2023-03-27 07:30:00	36.2	0	0	0	325	2.17	2.89	32.9	80.5	99.35	-0.8	-0.5	0	33.2	0.12	100	8363	99.33	32.4
2023-03-27 07:35:00	42.4	0	0	0	330	3.62	4.21	33.1	79.9	99.35	-0.9	-0.5	0	33.3	0.13	100	8366	99.33	32.6
2023-03-27 07:40:00	56.8	0	0	0	326	3.91	5.19	33.3	79.7	99.34	-0.9	-0.5	0	33.5	0.13	100	8365	99.32	32.8
2023-03-27 07:45:00	72.6	0	0	0	325	4.18	5.01	33.4	80.1	99.33	-0.8	-0.4	0	33.7	0.13	100	8368	99.31	33
2023-03-27 07:50:00	73.6	0	0	0	332	4.72	6.04	33.7	79.8	99.32	-0.9	-0.4	0	33.9	0.13	100	8368	99.31	33.1
2023-03-27 07:55:00	85	0	0	0	331	5.46	6.42	33.8	79.4	99.32	-0.9	-0.4	0	34.1	0.14	100	8373	99.3	33.3
2023-03-27 08:00:00	92.8	0	0	0	318	3.87	5.21	34.1	79.5	99.32	-0.8	-0.5	0	34.4	0.14	100	8376	99.31	33.5
2023-03-27 08:05:00	116.8	0	0	0	333	3.71	5.55	34.4	78.7	99.32	-0.9	-0.5	0	34.8	0.14	100	8377	99.3	33.8
2023-03-27 08:10:00	156.2	0	0	0	340	4.99	8.01	34.8	77.7	99.3	-0.8	-0.5	0	35.4	0.15	100	8386	99.29	34.3
2023-03-27 08:15:00	215.2	0	0	0	349	4.32	5.73	35.6	78.3	99.3	-0.8	-0.5	0	36.2	0.15	100	8399	99.29	34.9
2023-03-27 08:20:00	247.4	0	0	0	344	4.47	6.38	36.5	77.3	99.3	-0.7	-0.4	0	37.5	0.17	100	8406	99.29	35.8
2023-03-27 08:25:00	151	0	0	0	333	3.09	4.7	37.3	75.8	99.31	-0.7	-0.5	0	38	0.18	100	8406	99.3	36.7
2023-03-27 08:30:00	79.4	0	0	0	329	3.36	4.97	37.7	74.7	99.32	-0.7	-0.5	0	38.1	0.19	100	8401	99.3	37.3
2023-03-27 08:35:00	67	0	0	0	344	4.94	7.72	37.7	73.4	99.31	-0.8	-0.5	0	37.9	0.2	100	8400	99.29	37.6
2023-03-27 08:40:00	71.8	0	0	0	1	6.22	8.43	37.7	73.4	99.31	-0.7	-0.5	0	37.9	0.2	100	8402	99.29	37.7
2023-03-27 08:45:00	98.8	0	0	0	357	7.85	9.57	37.6	73.3	99.3	-0.7	-0.7	0	38	0.2	100	8398	99.28	37.8
2023-03-27 08:50:00	111	0	0	0	0	8.19	10.63	37.9	73.6	99.3	-0.6	-0.5	0	38.2	0.2	100	8396	99.28	37.9
2023-03-27 08:55:00	127.2	0	0	0	7	7.54	10.42	38.2	73.3	99.28	-0.7	-0.5	0	38.5	0.21	100	8401	99.26	38
2023-03-27 09:00:00	159	0	0	0	3	7.81	10.51	38.4	73.2	99.27	-0.8	-0.5	0	38.8	0.21	100	8402	99.26	38.3
2023-03-27 09:05:00	132	0	0	0	1	8.25	10.65	38.8	72.5	99.28	-0.7	-0.5	0	39.2	0.22	100	8402	99.25	38.7
2023-03-27 09:10:00	117.8	0	0	0	8	9.06	12.93	39.2	71.3	99.26	-0.7	-0.4	0	39.6	0.23	100	8401	99.24	39
2023-03-27 09:15:00	120.2	0	0	0	0	8.97	12.39	39.5	70.5	99.27	-0.7	-0.5	0	39.8	0.24	100	8403	99.25	39.3
2023-03-27 09:20:00	124.4	0	0	0	3	9.31	12.26	39.8	69.6	99.27	-0.6	-0.8	0	40.2	0.25	100	8402	99.25	39.5
2023-03-27 09:25:00	170	0	0	0	6	9.71	13.94	40	69.6	99.25	-0.4	-0.6	0	40.4	0.25	100	8405	99.23	39.8
2023-03-27 09:30:00	193.4	0	0	0	9	9.57	12.88	40.4	68.7	99.24	-0.7	-0.5	0	40.8	0.27	100	8405	99.22	40.1
2023-03-27 09:35:00	192.6	0	0	0	16	9.01	12.95	40.6	67.9	99.24	-0.7	-0.6	0	41.1	0.28	100	8408	99.22	40.4
2023-03-27 09:40:00	191.6	0	0	0	18	9.53	12.53	40.9	67.6	99.24	-0.7	-0.4	0	41.4	0.28	100	8410	99.22	40.7
2023-03-27 09:45:00	197.4	0	0	0	28	8.23	11.99	41.1	66.8	99.25	-0.5	-0.5	0	41.6	0.29	100	8411	99.23	41
2023-03-27 09:50:00	153.6	0	0	0	36	9.1	12.26	41.4	65.7	99.25	-0.6	-0.4	0	41.8	0.3	100	8412	99.22	41.3
2023-03-27 09:55:00	167.4	0	0	0	36	10	14.65	41.4	65.5	99.24	-0.7	-0.6	0	41.9	0.31	100	8412	99.22	41.4
2023-03-27 10:00:00	175.2	0	0	0	31	9.95	14.76	41.4	65.6	99.24	-0.4	-0.7	0	41.9	0.3	100	8414	99.22	41.5
2023-03-27 10:05:00	157.2	0	0	0	46	8.21	11.56	41.5	65.6	99.24	-0.6	-0.6	0	42	0.31	100	8412	99.21	41.6
2023-03-27 10:10:00	157.4	0	0	0	41	10.13	14.16	41.7	65	99.23	-0.5	-0.4	0	42.1	0.31	100	8412	99.21	41.8
2023-03-27 10:15:00	162.2	0	0	0	40	8.03	10.85	41.7	65.7	99.22	-0.6	-0.5	0	42.1	0.31	100	8415	99.2	41.9
2023-03-27 10:20:00	162.4	0	0	0	37	7.58	10.54	41.7	65.4	99.23	-0.7	-0.6	0	42.2	0.31	100	8412	99.21	42.1
2023-03-27 10:25:00	148.2	0	0	0	46	8.57	14.5	41.9	65.9	99.22	-0.5	-0.4	0	42.3	0.31	100	8412	99.2	42.2
2023-03-27 10:30:00	157.8	0	0	0	54	9.75	12.53	41.9	65.7	99.23	-0.5	-0.5	0	42.2	0.31	100	8412	99.21	42.2
2023-03-27 10:35:00	146.2	0	0	0	57	8.25	12.5	42	65.2	99.25	-0.6	-0.5	0	42.4	0.32	100	8413	99.23	42.3
2023-03-27 10:40:00	133.2	0	0	0	47	7.9	12.62	42	65.3	99.26	-0.6	-0.5	0	42.4	0.31	100	8415	99.24	42.3
2023-03-27 10:45:00	134.6	0	0	0	39	8.48	12.15	42	65.4	99.26	-0.6	-0.5	0	42.3	0.31	100	8415	99.23	42.3
2023-03-27 10:50:00	163.8	0	0	0	48	7.43	9.51	41.8	66	99.25	-0.6	-0.6	0	42.3	0.31	100	8413	99.23	42.4
2023-03-27 10:55:00	181.8	0	0	0	68	7.34	11.48	41.9	65.7	99.26	-0.5	-0.5	0	42.4	0.31	100	8415	99.24	42.5
2023-03-27 11:00:00	186.6	0	0	0	53	7.18	11.45	42.1	66.4	99.26	-0.5	-0.6	0	42.7	0.31	100	8418	99.24	42.8
2023-03-27 11:05:00	189.2	0	0	0	23	10.85	14.38	42.4	65.4	99.25	-0.5	-0.4	0	42.9	0.32	100	8416	99.23	42.9
2023-03-27 11:10:00	183.2	0	0	0	34	8.99	13.73	42.4	65.2	99.25	-0.5	-0.5	0	42.9	0.32	100	8417	99.22	43
2023-03-27 11:15:00	178	0	0	0	39	10.04	14.32	42.5	64.9	99.23	-0.5	-0.6	0	42.9	0.32	100	8418	99.21	43
2023-03-27 11:20:00	163.6	0	0	0	58	9.78	14.12	42.6	64.5	99.24	-0.5	-0.5	0	43	0.33	100	8413	99.22	43.1
2023-03-27 11:25:00	156.4	0	0	0	58	8.88	12.37	42.6	64.5	99.26	-0.5	-0.5	0	43	0.33	100	8418	99.24	43.2
2023-03-27 11:30:00	159	0	0	0	56	9.51	15.32	42.6	63.9	99.27	-0.7	-0.5	0	43	0.34	100	8417	99.25	43.2
2023-03-27 11:35:00	155.4	0	0	0	49	7.85	12.26	42.5	64.6	99.26	-0.6	-0.7	0	43	0.33	100	8417	99.24	43.3
2023-03-27 11:40:00	155.8	0	0	0	54	9.06	14.99	42.6	63.6	99.26	-0.6	-0.5	0	43	0.34	100	8416	99.24	43.3
2023-03-27 11:45:00	160.6	0	0	0	25	7.96	12.73	42.7	64.3	99.26	-0.5	-0.5	0	43	0.33	100	8418	99.24	43.3
2023-03-27 11:50:00	177.6	0	0	0	43	7.09	9.55	42.7	64.2	99.27	-0.5	-0.5	0	43.1	0.33	100	8418	99.25	43.4
2023-03-27 11:55:00	186	0	0	0	25	7.92	10.8	42.8	63.8	99.28	-0.6	-0.5	0	43.3	0.34	100	8418	99.26	43.5
2023-03-27 12:00:00	190.4	0	0	0	37	7.49	10.98	42.9	63.2	99.29	-0.4	-0.6	0	43.5	0.35	100	8422	99.27	43.6
2023-03-27 12:05:00	184	0	0	0	31	5.3	8.77	42.9	62.6	99.3	-0.6	-0.5	0	43.6	0.35	100	8421	99.28	43.7
2023-03-27 12:10:00	165.4	0	0	0	41	4.03	6.62	42.9	63.4	99.31	-0.6	-0.5	0	43.6	0.34	100	8422	99.29	43.9
2023-03-27 12:15:00	165	0	0	0	27	6.11	9.51	43.3	62.6	99.31	-0.6	-0.6	0	43.8	0.36	100	8422	99.28	44
2023-03-27 12:20:00	170.4	0	0	0	11	7.99	12.33	43.4	61.4	99.3	-0.5	-0.5	0	43.9	0.37	100	8421	99.28	44
2023-03-27 12:25:00	168.4	0	0	0	356	5.75	9.04	43.3	60.6	99.3	-0.6	-0.6	0	43.9	0.38	100	8420	99.28	44.1
2023-03-27 12:30:00	194.6	0	0	0	57	5.66	10.76	43.4	60.1	99.3	-0.5	-0.6	0	44.2	0.38	100	8425	99.28	44.2
2023-03-27 12:35:00	199	0	0	0	91	7.54	11.21	43.5	58.1	99.31	-0.6	-0.5	0	44.1	0.4	100	8423	99.29	44.3
2023-03-27 12:40:00	194.2	0	0	0	81	5.35	7.54	43.4	58.1	99.31	-0.5	-0.6	0	44	0.4	100	8424	99.29	44.4
2023-03-27 12:45:00	182.8	0	0	0	65	6.02	8.88	43.5	58.8	99.31	-0.6	-0.5	0	44.1	0.4	100	8425	99.29	44.5
2023-03-27 12:50:00	181.2	0	0	0	50	5.99	9.37	43.5	58.5	99.31	-0.5	-0.7	0	44.1	0.4	100	8422	99.29	44.6
2023-03-27 12:55:00	173	0	0	0	31	8.55	13.29	43.7	60.1	99.29	-0.5	-0.4	0	44.2	0.39	100	8423	99.27	44.5
2023-03-27 13:00:00	195.6	0	0	0	28	6.73	9.48	43.5	62.3	99.29	-0.5	-0.5	0	44.1	0.36	100	8426	99.27	44.2
2023-03-27 13:05:00	201.8	0	0	0	3	8.12	11.77	43.3	60.1	99.29	-0.5	-0.5	0	43.8	0.38	100	8425	99.27	44
2023-03-27 13:10:00	183.6	0	0	0	35	7.31	12.1	43.2	60.4	99.29	-0.6	-0.7	0	43.7	0.38	100	8427	99.27	43.8
2023-03-27 13:15:00	191.2	0	0	0	99	8.57	12.19	43.1	63.7	99.29	-0.5	-0.5	0	43.6	0.34	100	8426	99.26	43.7
2023-03-27 13:20:00	207.6	0	0	0	96	7	10.63	42.4	68.1	99.27	-0.5	-0.6	0	43	0.29	100	8428	99.25	43.5
2023-03-27 13:25:00	203.8	0	0	0	52	7.74	12.24	42.1	66.2	99.27	-0.8	-0.8	0	42.7	0.31	100	8431	99.25	43.4
2023-03-27 13:30:00	219.6	0	0	0	42	7.85	11.16	42	66.6	99.27	-0.6	-0.5	0	42.7	0.3	100	8429	99.25	43.2
2023-03-27 13:35:00	225	0	0	0	52	8.79	12.75	42	66.6	99.27	-0.7	-0.6	0	42.6	0.3	100	8431	99.25	43.1
2023-03-27 13:40:00	177.4	0	0	0	40	7.96	12.03	42	67.6	99.26	-0.6	-0.7	0	42.5	0.29	100	8431	99.24	43
2023-03-27 13:45:00	185.2	0	0	0	39	10.4	15.12	41.8	69.3	99.26	-0.6	-0.6	0	42.3	0.28	100	8433	99.24	42.7
2023-03-27 13:50:00	197.2	0	0	0	34	10.47	13.91	41.5	71.2	99.25	-0.7	-0.4	0	42	0.26	100	8433	99.24	42.4
2023-03-27 13:55:00	191.2	0	0	0	47	9.6	14.18	41.3	72.3	99.25	-0.5	-0.6	0	41.7	0.24	100	8431	99.22	42.2
2023-03-27 14:00:00	183.8	0	0	0	48	10.58	15.55	41.1	74.3	99.23	-0.7	-0.4	0	41.5	0.22	100	8437	99.21	41.9
2023-03-27 14:05:00	185.6	0	0	0	47	10.36	14.54	40.7	75.9	99.22	-0.7	-0.6	0	41.2	0.21	100	8432	99.2	41.6
2023-03-27 14:10:00	181.4	0	0	0	66	9.78	16.08	40.4	76.7	99.22	-0.4	-0.5	0	40.9	0.2	100	8434	99.19	41.4
2023-03-27 14:15:00	166	0	0	0	30	8.9	13.87	40.2	77.7	99.2	-0.6	-0.5	0	40.7	0.19	100	8433	99.18	41.2
2023-03-27 14:20:00	158.6	0	0	0	4	12.15	17.34	40.2	75.5	99.19	-0.7	-0.6	0	40.5	0.21	100	8432	99.18	41
2023-03-27 14:25:00	139.4	0	0	0	15	9.15	15.43	40.1	75.6	99.19	-0.7	-0.6	0	40.4	0.2	100	8434	99.17	40.7
2023-03-27 14:30:00	111.6	0	0	0	40	8.34	12.48	40	77	99.19	-0.6	-0.4	0	40.3	0.19	100	8434	99.17	40.6
2023-03-27 14:35:00	123.8	0	0	0	53	9.93	14.32	39.9	77.1	99.19	-0.7	-0.6	0	40.2	0.19	100	8432	99.17	40.5
2023-03-27 14:40:00	136	0	0	0	33	12.1	21.92	39.7	76.8	99.18	-0.5	-0.5	0	40	0.19	100	8431	99.16	40.3
2023-03-27 14:45:00	156.2	0	0	0	18	14.25	19.95	39.2	76.1	99.17	-0.7	-0.4	0	39.6	0.19	100	8434	99.16	39.7
2023-03-27 14:50:00	180.2	0	0	0	21	12.77	18.92	38.8	77.7	99.17	-0.7	-0.7	0	39.2	0.18	100	8434	99.15	39.3
2023-03-27 14:55:00	180	0	0	0	17	14.76	18.72	38.6	79	99.16	-0.4	-0.6	0	39	0.17	100	8435	99.14	39
2023-03-27 15:00:00	191.6	0	0	0	17	14.09	20.98	38.3	79.6	99.15	-0.6	-0.6	0	38.8	0.16	100	8434	99.13	38.7
2023-03-27 15:05:00	165.4	0	0	0	17	13.94	18.23	38	79.8	99.15	-0.7	-0.7	0	38.4	0.16	100	8435	99.13	38.5
2023-03-27 15:10:00	125.8	0.00067	0	0	8	11.18	16.2	37.8	81.6	99.16	-0.8	-0.5	0.04	38.1	0.14	100	8434	99.14	38.2
2023-03-27 15:15:00	126.8	0.00067	0	0	19	11.52	19.01	37.7	82.1	99.16	-0.7	-0.5	0.04	37.9	0.14	100	8435	99.14	37.9
2023-03-27 15:20:00	103	0	0	0	9	11.32	14.99	37.4	83.1	99.16	-0.9	-0.7	0	37.6	0.13	100	8433	99.14	37.7
2023-03-27 15:25:00	91	0.00067	0	0	28	12.66	19.1	37.2	84.1	99.16	-0.6	-0.5	0.04	37.4	0.12	100	8431	99.14	37.4
2023-03-27 15:30:00	77.4	0	0	0	13	12.8	17.65	36.9	85.1	99.16	-0.7	-0.5	0	37.1	0.11	100	8430	99.14	37.1
2023-03-27 15:35:00	71.2	0.00067	0	0	13	13.65	17.2	36.7	85.5	99.16	-0.9	-0.6	0.04	36.9	0.11	100	8429	99.14	36.8
2023-03-27 15:40:00	76	0.00134	0	0	7	13.2	18.32	36.2	86.2	99.15	-0.7	-0.8	0.04	36.4	0.1	100	8429	99.14	36.5
2023-03-27 15:45:00	80.4	0.00201	0	0	13	13.04	19.35	36.1	87	99.16	-0.5	-0.4	0.04	36.2	0.09	100	8430	99.14	36.2
2023-03-27 15:50:00	77.2	0.00134	0	0	19	11.9	18.39	35.8	88	99.17	-1	-0.5	0.04	36	0.09	100	8427	99.15	36
2023-03-27 15:55:00	59	0.00134	0	0	14	10.33	18.25	35.6	88.1	99.18	-1	-0.5	0.04	35.7	0.08	100	8427	99.16	35.8
2023-03-27 16:00:00	49.2	0.00201	0	0	12	11.05	16.37	35.4	89.3	99.18	-0.8	-0.5	0.04	35.6	0.07	100	8425	99.16	35.6

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-27 16:20:00	53.2	0.00268	0	0	15	9.08	13.94	34.3	91.1	99.19	-0.8	-0.4	0.04	34.4	0.06	100	8422	99.17	34.3
2023-03-27 16:25:00	55.8	0.00335	0	0	21	7.83	12.12	34.1	91.7	99.19	-0.9	-0.6	0.04	34.3	0.06	100	8420	99.18	34.1
2023-03-27 16:30:00	57.6	0.00201	0	0	17	6.08	7.96	33.9	92.5	99.2	-0.8	-0.4	0.04	34.1	0.05	100	8420	99.18	33.9
2023-03-27 16:35:00	37.6	0.00134	0	0	13	8.66	13.89	33.8	92.9	99.2	-0.8	-0.5	0.04	33.9	0.05	100	8418	99.18	33.8
2023-03-27 16:40:00	41.6	0.00067	0	0	18	7.54	11.63	33.8	92.7	99.2	-0.9	-0.5	0.04	33.8	0.05	100	8418	99.19	33.6
2023-03-27 16:45:00	46.8	0.00067	0	0	15	7.09	12.62	33.5	92.8	99.2	-0.8	-0.6	0.04	33.6	0.05	100	8420	99.19	33.4
2023-03-27 16:50:00	44.8	0	0	0	18	6.93	10.38	33.3	93.1	99.21	-0.8	-0.5	0	33.4	0.04	100	8417	99.19	33.2
2023-03-27 16:55:00	43.4	0	0	0	27	6.73	9.22	33.1	93.9	99.2	-0.7	-0.6	0	33.2	0.04	100	8417	99.19	32.9
2023-03-27 17:00:00	38.6	0	0	0	24	6.26	8.28	32.9	94.1	99.21	-0.8	-0.6	0	33.1	0.04	100	8414	99.2	32.7
2023-03-27 17:05:00	43	0	0	0	21	6.15	8.43	32.8	94.5	99.21	-0.9	-0.4	0	32.9	0.03	100	8412	99.2	32.6
2023-03-27 17:10:00	41.2	0	0	0	20	5.91	8.66	32.7	94.8	99.21	-0.8	-0.6	0	32.9	0.03	100	8409	99.2	32.5
2023-03-27 17:15:00	40.4	0	0	0	17	5.64	8.97	32.6	94.2	99.22	-0.8	-0.4	0	32.7	0.04	100	8411	99.2	32.4
2023-03-27 17:20:00	40.8	0	0	0	15	6.08	8.5	32.5	94.6	99.22	-0.8	-0.5	0	32.6	0.03	100	8407	99.21	32.3
2023-03-27 17:25:00	38.2	0	0	0	16	6.35	9.35	32.4	95	99.22	-0.8	-0.4	0	32.6	0.03	100	8406	99.21	32.2
2023-03-27 17:30:00	36.6	0	0	0	15	6.35	12.35	32.4	95.5	99.22	-0.9	-0.4	0	32.6	0.03	100	8407	99.22	32.1
2023-03-27 17:35:00	37.4	0	0	0	18	6.29	8.95	32.4	95.5	99.23	-0.9	-0.5	0	32.5	0.03	100	8403	99.21	32.1
2023-03-27 17:40:00	36.8	0	0	0	21	6.2	10.78	32.4	95.5	99.23	-0.9	-0.4	0	32.4	0.03	100	8403	99.22	32
2023-03-27 17:45:00	35.2	0	0	0	12	6.2	8.28	32.4	95.7	99.23	-0.9	-0.5	0	32.5	0.03	100	8403	99.22	32
2023-03-27 17:50:00	37.6	0	0	0	18	5.41	7.56	32.4	96.6	99.23	-0.9	-0.6	0	32.5	0.02	100	8400	99.22	32
2023-03-27 17:55:00	35.4	0	0	0	22	5.5	7.58	32.4	96.5	99.24	-1	-0.5	0	32.5	0.02	100	8403	99.23	31.9
2023-03-27 18:00:00	31.4	0	0	0	25	6.26	8.59	32.3	96.6	99.24	-1	-0.5	0	32.5	0.02	100	8401	99.23	31.9
2023-03-27 18:05:00	27.6	0	0	0	21	7.7	10.42	32.5	96.2	99.24	-1.1	-0.5	0	32.6	0.02	100	8398	99.22	31.9
2023-03-27 18:10:00	22.6	0	0	0	21	6.67	10.16	32.5	96.4	99.24	-0.9	-0.6	0	32.5	0.02	100	8399	99.23	31.9
2023-03-27 18:15:00	19	0	0	0	19	7.94	10.87	32.4	96.5	99.24	-0.9	-0.4	0	32.5	0.02	100	8399	99.23	31.9
2023-03-27 18:20:00	19.2	0	0	0	14	7.4	9.89	32.4	96.5	99.25	-0.9	-0.4	0	32.5	0.02	100	8396	99.24	31.9
2023-03-27 18:25:00	21.8	0	0	0	17	7.2	10.8	32.4	96.8	99.26	-0.9	-0.5	0	32.5	0.02	100	8396	99.24	31.9
2023-03-27 18:30:00	19.6	0	0	0	18	7.76	10.98	32.4	96.6	99.25	-0.9	-0.4	0	32.4	0.02	100	8394	99.24	31.8
2023-03-27 18:35:00	18.2	0	0	0	15	6.96	9.8	32.4	96.5	99.27	-1	-0.4	0	32.5	0.02	100	8393	99.26	31.8
2023-03-27 18:40:00	18.8	0	0	0	8	6.06	8.88	32.4	96.5	99.28	-0.8	-0.5	0	32.5	0.02	100	8393	99.27	31.8
2023-03-27 18:45:00	14.2	0	0	0	15	6.87	10.56	32.4	96.6	99.28	-1	-0.4	0	32.4	0.02	100	8395	99.26	31.8
2023-03-27 18:50:00	9.4	0	0	0	24	6.02	7.7	32.4	96.6	99.28	-1	-0.6	0	32.4	0.02	100	8392	99.27	31.8
2023-03-27 18:55:00	5	0	0	0	20	5.82	7.9	32.3	96.9	99.29	-1	-0.5	0	32.4	0.02	100	8391	99.28	31.8
2023-03-27 19:00:00	2.2	0.00067	0	0	12	5.7	8.08	32.4	96.5	99.29	-0.9	-0.5	0.04	32.5	0.02	100	8393	99.28	31.7
2023-03-27 19:05:00	1.8	0.00067	0	0	15	5.88	8.3	32.4	96.6	99.29	-0.8	-0.5	0.04	32.4	0.02	100	8389	99.29	31.7
2023-03-27 19:10:00	1	0.00067	0	0	3	4.79	7.65	32.4	97	99.31	-0.9	-0.4	0.04	32.4	0.02	100	8390	99.3	31.8
2023-03-27 19:15:00	1	0.00134	0	0	0	5.39	7.31	32.4	97	99.32	-0.9	-0.4	0.04	32.4	0.02	100	8389	99.31	31.7
2023-03-27 19:20:00	0	0.00067	0	0	353	5.26	7.38	32.5	97.6	99.32	-0.9	-0.4	0.04	32.5	0.01	100	8385	99.31	31.7
2023-03-27 19:25:00	0	0.00067	0	0	352	4.65	6.31	32.5	97.3	99.32	-0.9	-0.5	0.04	32.5	0.02	100	8386	99.31	31.7
2023-03-27 19:30:00	0	0.00067	0	0	347	5.1	6.8	32.4	97	99.33	-0.9	-0.3	0.04	32.4	0.02	100	8385	99.32	31.7
2023-03-27 19:35:00	0	0	0	0	346	5.57	7.2	32.4	97.9	99.33	-0.8	-0.5	0	32.4	0.01	100	8381	99.33	31.7
2023-03-27 19:40:00	0	0.00067	0	0	346	4.12	5.59	32.4	97.4	99.34	-1	-0.4	0.04	32.4	0.02	100	8384	99.34	31.7
2023-03-27 19:45:00	0	0	0	0	351	2.46	4.38	32.4	98.1	99.35	-0.9	-0.4	0	32.4	0.01	100	8386	99.34	31.7
2023-03-27 19:50:00	0	0	0	0	353	2.86	4.74	32.4	98.1	99.35	-0.9	-0.5	0	32.4	0.01	100	8384	99.34	31.6
2023-03-27 19:55:00	0	0	0	0	353	2.53	4.65	32.3	97.6	99.35	-0.8	-0.5	0	32.3	0.02	100	8384	99.34	31.6
2023-03-27 20:00:00	0	0	0	0	346	2.51	3.62	32.3	97.4	99.35	-0.9	-0.5	0	32.3	0.02	100	8383	99.35	31.6
2023-03-27 20:05:00	0	0.00067	0	0	343	2.55	3.62	32.2	97.7	99.36	-0.9	-0.5	0.04	32.2	0.01	100	8379	99.35	31.6
2023-03-27 20:10:00	0	0.00067	0	0	335	2.46	4.29	32.3	97.9	99.37	-0.9	-0.5	0.04	32.3	0.01	100	8379	99.37	31.6
2023-03-27 20:15:00	0	0.00134	0	0	320	2.3	3.85	32.3	97.9	99.38	-1	-0.5	0.04	32.3	0.01	100	8382	99.37	31.6
2023-03-27 20:20:00	0	0.00134	0	0	329	2.1	3.22	32.2	97.7	99.39	-0.9	-0.4	0.04	32.2	0.01	100	8376	99.38	31.6
2023-03-27 20:25:00	0	0.00134	0	0	325	2.33	3.8	32.2	98	99.4	-0.9	-0.4	0.04	32.2	0.01	100	8379	99.39	31.6
2023-03-27 20:30:00	0	0.00201	0	0	318	2.46	3.87	32.4	98.4	99.4	-0.9	-0.5	0.04	32.3	0.01	100	8375	99.4	31.6
2023-03-27 20:35:00	0	0.00134	0	0	322	1.95	3.18	32.4	98.4	99.4	-0.8	-0.5	0.04	32.4	0.01	100	8376	99.39	31.7
2023-03-27 20:40:00	0	0.00134	0	0	325	1.59	3.13	32.4	98.4	99.4	-0.9	-0.5	0.04	32.4	0.01	100	8374	99.4	31.7
2023-03-27 20:45:00	0	0.00201	0	0	305	2.51	3.15	32.5	98.1	99.41	-0.8	-0.5	0.04	32.5	0.01	100	8375	99.4	31.7
2023-03-27 20:50:00	0	0.00134	0	0	305	2.1	3.04	32.5	98.6	99.41	-0.9	-0.5	0.04	32.6	0.01	100	8373	99.4	31.8
2023-03-27 20:55:00	0	0.00201	0	0	310	2.19	3.56	32.6	98.7	99.42	-0.9	-0.5	0.04	32.6	0.01	100	8375	99.41	31.8
2023-03-27 21:00:00	0	0.00201	0	0	305	2.42	3.56	32.6	98.5	99.43	-0.9	-0.5	0.04	32.6	0.01	100	8374	99.42	31.9
2023-03-27 21:05:00	0	0.00201	0	0	309	2.15	3	32.8	98.4	99.43	-0.9	-0.6	0.04	32.8	0.01	100	8371	99.42	31.9
2023-03-27 21:10:00	0	0.00134	0	0	313	1.19	2.75	32.7	98.9	99.43	-0.8	-0.5	0.04	32.7	0.01	100	8371	99.42	32
2023-03-27 21:15:00	0	0.00201	0	0	313	0.58	1.59	32.8	98.5	99.43	-0.8	-0.4	0.04	32.8	0.01	100	8371	99.42	32
2023-03-27 21:20:00	0	0.00201	0	0	297	0.56	1.07	32.9	98.7	99.44	-0.8	-0.6	0.04	32.9	0.01	100	8369	99.43	32
2023-03-27 21:25:00	0	0.00268	0	0	294	0.67	1.3	33	99.2	99.44	-0.9	-0.4	0.04	33	0.01	100	8369	99.44	32.1
2023-03-27 21:30:00	0	0.00201	0	0	298	0.6	1.14	33	99	99.45	-0.7	-0.5	0.04	33	0.01	100	8371	99.44	32.1
2023-03-27 21:35:00	0	0.00268	0	0	294	0.51	0.85	33.2	98.6	99.46	-0.8	-0.4	0.04	33.2	0.01	100	8366	99.45	32.2
2023-03-27 21:40:00	0	0.00201	0	0	290	0.54	1.19	33.3	99.3	99.46	-0.8	-0.5	0.04	33.3	0	100	8368	99.45	32.3
2023-03-27 21:45:00	0	0.00268	0	0	306	0.54	1.03	33.3	99.1	99.47	-0.8	-0.4	0.04	33.3	0.01	100	8368	99.46	32.3
2023-03-27 21:50:00	0	0.00201	0	0	293	0.69	2.82	33.3	99	99.47	-0.9	-0.5	0.04	33.4	0.01	100	8366	99.46	32.4
2023-03-27 21:55:00	0	0.00268	0	0	271	0.65	2.55	33.4	99.2	99.47	-0.7	-0.6	0.04	33.4	0.01	100	8366	99.46	32.4
2023-03-27 22:00:00	0	0.00335	0	0	226	0.67	1.45	33.5	98.9	99.48	-0.8	-0.5	0.04	33.5	0.01	100	8367	99.47	32.5
2023-03-27 22:05:00	0	0.00268	0	0	231	0.67	1.3	33.5	98.9	99.47	-0.8	-0.4	0.04	33.5	0.01	100	8361	99.46	32.6
2023-03-27 22:10:00	0	0.00201	0	0	307	0.63	1.59	33.6	99.2	99.47	-0.8	-0.5	0.04	33.5	0.01	100	8363	99.47	32.6
2023-03-27 22:15:00	0	0.00201	0	0	337	1.81	4.5	33.7	99.2	99.48	-0.8	-0.4	0.04	33.7	0.01	100	8361	99.47	32.6
2023-03-27 22:20:00	0	0.00201	0	0	333	1.5	3.89	33.7	99.1	99.48	-0.8	-0.5	0.04	33.7	0.01	100	8361	99.47	32.7
2023-03-27 22:25:00	0	0.00201	0	0	335	1.61	4.81	33.8	99.1	99.48	-1	-0.4	0.04	33.8	0.01	100	8361	99.47	32.7
2023-03-27 22:30:00	0	0.00134	0	0	8	2.95	6.17	33.8	99	99.48	-0.8	-0.5	0.04	33.8	0.01	100	8363	99.46	32.8
2023-03-27 22:35:00	0	0.00067	0	0	18	3.58	4.7	34	98.9	99.48	-0.8	-0.5	0.04	34	0.01	100	8361	99.47	32.8
2023-03-27 22:40:00	0	0.00134	0	0	23	3.91	5.64	34	99.8	99.48	-0.8	-0.5	0.04	34	0	100	8362	99.47	32.8
2023-03-27 22:45:00	0	0.00134	0	0	53	4.97	10.4	34	99.3	99.48	-0.8	-0.5	0.04	34	0	100	8361	99.46	32.8
2023-03-27 22:50:00	0	0.00134	0	0	30	5.57	8.25	34.1	99.2	99.48	-0.9	-0.4	0.04	34.1	0.01	100	8361	99.47	32.9
2023-03-27 22:55:00	0	0.00134	0	0	34	5.59	10.11	34.2	98.9	99.49	-0.8	-0.3	0.04	34.2	0.01	100	8358	99.48	32.9
2023-03-27 23:00:00	0	0.00201	0	0	19	5.06	7.09	34.2	98.8	99.5	-0.7	-0.5	0.04	34.2	0.01	100	8358	99.48	33
2023-03-27 23:05:00	0	0.00134	0	0	12	5.46	8.55	34.2	98.5	99.5	-0.8	-0.4	0.04	34.2	0.01	100	8358	99.48	33
2023-03-27 23:10:00	0	0.00067	0	0	6	4.09	5.84	34.2	98	99.49	-0.7	-0.4	0.04	34.2	0.01	100	8356	99.48	33
2023-03-27 23:15:00	0	0.00067	0	0	358	2.91	4.07	34.2	97.5	99.49	-0.7	-0.5	0.04	34.2	0.02	100	8356	99.48	32.9
2023-03-27 23:20:00	0	0.00067	0	0	347	3.24	4.27	34.1	97.7	99.48	-0.8	-0.5	0.04	34.1	0.02	100	8355	99.47	32.8
2023-03-27 23:25:00	0	0.00067	0	0	300	3.33	4.18	34	98.1	99.48	-0.8	-0.4	0.04	34	0.01	100	8355	99.47	32.6
2023-03-27 23:30:00	0	0	0	0	334	6.08	7.56	33.9	98.1	99.48	-0.8	-0.4	0	33.9	0.01	100	8354	99.47	32.6
2023-03-27 23:35:00	0	0.00067	0	0	336	7.76	10.58	33.8	98.2	99.48	-0.9	-0.3	0.04	33.8	0.01	100	8353	99.47	32.7
2023-03-27 23:40:00	0	0.00134	0	0	342	7.36	8.81	33.8	98.8	99.49	-0.9	-0.5	0.04	33.8	0.01	100	8350	99.48	32.8
2023-03-27 23:45:00	0	0.00134	0	0	340	6.69	9.78	34	98.2	99.49	-0.8	-0.6	0.04	34	0.01	100	8355	99.48	32.9
2023-03-27 23:50:00	0	0.00134	0	0	332	5.86	8.12	34	98.7	99.5	-0.8	-0.5	0.04	34	0.01	100	8352	99.49	32.8
2023-03-27 23:55:00	0	0.00067	0	0	337	5.57	7.36	33.9	98.4	99.5	-0.8	-0.5	0.04	33.9	0.01	100	8352	99.49	32.6
2023-03-28 00:00:00	0	0	0	0	335	5.21	6.31	33.8	98.2	99.5	-0.7	-0.4	0	33.8	0.01	100	8352	99.49	32.4
2023-03-28 00:05:00	0	0.00067	0	0	328	4.47	5.5	33.6	98.1	99.5	-0.9	-0.4	0.04	33.6	0.01	100	8327	99.49	32.4
2023-03-28 00:10:00	0	0	0	0	309	3.44	4.92	33.4	98.5	99.5	-1	-0.4	0	33.4	0.01	100	8318	99.49	32.5
2023-03-28 00:15:00	0	0.00067	0	0	300	4.41	5.3	33.4	98.8	99.51	-0.9	-0.4	0.04	33.4	0.01	100	8310	99.51	32.6
2023-03-28 00:20:00	0	0	0	0	290	4.72	5.64	33.2	98.6	99.52	-0.9	-0.4	0	33.2	0.01	100	8317	99.52	32.5
2023-03-28 00:25:00	0	0	0	0	291	5.17	5.95	33.1	98.9	99.53	-0.9	-0.4	0	33.1	0.01	100	8324	99.52	32.3
2023-03-28 00:30:00	0	0.00067	0	0	294	4.81	5.99	33.1	98.7	99.53	-1	-0.4	0.04	33.1	0.01	100	8324	99.52	32.2
2023-03-28 00:35:00	0	0	0	0	288	4.88	5.77	33	98.9	99.53	-0.8	-0.4	0	33	0.01	100	8324	99.52	32.2
2023-03-28 00:40:00	0	0	0	0	288	5.28	6.08	33.1	99	99.53	-0.8	-0.4	0	33.1	0.01	100	8327	99.53	32.3
2023-03-28 00:45:00	0	0.00067	0	0	286	5.01	6.11	33	98.9	99.53	-0.8	-0.3	0.04	33	0.01	100	8328	99.52	32.1
2023-03-28 00:50:00	0	0	0	0	288	4.43	5.61	33.1	98.9	99.53	-0.8	-0.5	0	33.2	0.01	100	8323	99.52	32
2023-03-28 00:55:00	0	0.00067	0	0	290	4.94	7.18	33	99.2	99.54	-0.9	-0.4	0.04	33	0.01	100	8327	99.53	32
2023-03-28 01:00:00	0	0	0	0	291	5.3	6.06	33.1	99	99.54	-0.8	-0.5	0	33.1	0.01	100	8325	99.53	32.1
2023-03-28 01:05:00	0	0.00067	0	0	303	5.03	7.11	33	99.5	99.54	-0.9	-0.4	0.04	33	0	100	8323	99.53	32.2
2023-03-28 01:10:00	0	0.00067	0	0	309	6.17	7.49	33.1	99.8	99.53	-0.8	-0.4	0.04	33.1	0	100	8325	99.52	32.2
2023-03-28 01:15:00	0	0	0	0	315	5.12	6.4	33.2	99.9	99.54	-0.8	-0.5	0	33.2	0	100	8324	99.53	32.2
2023-03-28 01:20:00	0	0.00067	0	0	313	4.97	6.8	33.1	99.4	99.54	-0.9	-0.5	0.04	33	0	100	8323	99.53	32.1
2023-03-28 01:25:00	0	0	0	0	313	5.19	6.91	33.2	99.9	99.54	-0.8	-0.4	0	33.2	0	100	8324	99.53	32.1
2023-03-28 01:30:00	0	0.00067	0	0	306	5.55	6.69	33.2	100	99.54	-0.9	-0.4	0.04	33.2	0	100	8326	99.53	32
2023-03-28 01:35:00	0	0	0	0	313	6.02	8.19	33.1	100	99.54	-0.8	-0.5	0	33.1	0	100	8321	99.53	32
2023-03-28 01:40:00	0	0	0	0	320	5.46	7.23	33	99.8	99.54	-0.7	-0.5	0	33	0	100	8321	99.53	32
2023-03-28 01:45:00	0	0.00067	0	0	308	5.68	7.23	33	99.6	99.54	-0.9	-0.6	0.04	33	0	100	8323	99.53	32
2023-03-28 01:50:00	0	0	0	0	321	4.72	6.06	33	99.5	99.53	-0.8	-0.5	0	33	0	100	8323	99.52	31.9
2023-03-28 01:55:00	0	0	0	0	317	4.54	5.55	32.9	99.4	99.53	-0.8	-0.5	0	32.9	0	100	8323	99.52	31.7
2023-03-28 02:00:00	0	0.00067	0	0	310	4.34	5.32	32.9	99.4	99.53	-0.7	-0.4	0.04	32.9	0	100	8323	99.52	31.6
2023-03-28 02:05:00	0	0	0	0	294	5.73	7.87	32.8	100	99.53	-0.7	-0.4	0	32.8	0	100	8320	99.52	31.6
2023-03-28 02:10:00	0	0	0	0	290	5.75	7.31	32.8	100	99.54	-0.8	-0.3	0	32.8	0	100	8323	99.53	31.5
2023-03-28 02:15:00	0	0	0	0	293	4.85	5.88	32.6	99.3	99.52	-0.9	-0.5	0	32.6	0	100	8321	99.51	31.4
2023-03-28 02:20:00	0	0	0	0	290	5.46	6.73	32.6	99.5	99.52	-0.8	-0.5	0	32.6	0	100	8318	99.52	31.4
2023-03-28 02:25:00	0	0	0	0	284	5.73	6.67	32.5	99.8	99.53	-0.8	-0.4	0	32.5	0	100	8321	99.52	31.3
2023-03-28 02:30:00	0	0	0	0	284	5.93	7.36	32.4	99.7	99.52	-0.9	-0.5	0	32.4	0	100	8320	99.52	31.3
2023-03-28 02:35:00	0	0.00067	0	0	282	5.91	8.32	32.5	99.4	99.52	-0.9	-0.5	0.04	32.5	0	100	8317	99.52	31.3
2023-03-28 02:40:00	0	0	0	0	286	6.58	7.81	32.3	100.2	99.52	-0.8	-0.4	0	32.3	0	100	8318	99.52	31.2
2023-03-28 02:45:00	0	0	0	0	282	6.02	8.21	32.4	100	99.52	-0.9	-0.4	0	32.4	0	100	8320	99.52	31.2
2023-03-28 02:50:00	0	0	0	0	284	6.33	8.28	32.3	100.1	99.52	-0.8	-0.6	0	32.3	0	100	8314	99.51	31.1
2023-03-28 02:55:00	0	0	0	0	290	6.62	8.1	32.3	100	99.51	-0.8	-0.5	0	32.3	0	100	8317	99.51	31
2023-03-28 03:00:00	0	0	0	0	297	5.93	7.43	32.1	100.4	99.51	-0.9	-0.5	0	32.1	0	100	8322	99.5	30.9
2023-03-28 03:05:00	0	0	0	0	297	6.08	7.36	32.1	99.7	99.51	-0.8	-0.6	0	32.1	0	100	8315	99.51	30.9
2023-03-28 03:10:00	0	0	0	0	295	5.77	7.96	32	99.8	99.51	-0.9	-0.5	0	32	0	100	8316	99.51	30.8
2023-03-28 03:15:00	0	0	0	0	296	5.86	7.58	31.7	99.7	99.51	-0.9	-0.4	0	31.7	0	100	8315	99.5	30.7
2023-03-28 03:20:00	0	0	0	0	302	5.59	7.16	31.8	99.6	99.51	-0.8	-0.4	0	31.8	0	100	8313	99.51	30.6

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-28 03:45:00	0	0	0	0	290	5.66	7.63	31.5	100.4	99.52	-0.9	-0.5	0	31.5	0	100	8312	99.52	30.2
2023-03-28 03:50:00	0	0	0	0	288	6.11	7.25	31.5	100.2	99.53	-0.9	-0.4	0	31.5	0	100	8311	99.52	30.1
2023-03-28 03:55:00	0	0	0	0	291	5.59	6.71	31.5	100.4	99.53	-0.9	-0.4	0	31.5	0	100	8311	99.53	30.1
2023-03-28 04:00:00	0	0	0	0	298	5.3	6.4	31.4	100.2	99.53	-0.9	-0.4	0	31.4	0	100	8311	99.53	30
2023-03-28 04:05:00	0	0	0	0	293	5.86	6.87	31.4	100.5	99.54	-0.8	-0.5	0	31.4	0	100	8308	99.53	30
2023-03-28 04:10:00	0	0	0	0	292	6.2	7.52	31.3	99.9	99.54	-0.8	-0.4	0	31.4	0	100	8308	99.54	30
2023-03-28 04:15:00	0	0	0	0	299	5.84	7.29	31.4	100.5	99.55	-1	-0.4	0	31.4	0	100	8308	99.55	30
2023-03-28 04:20:00	0	0	0	0	290	6.02	7.23	31.4	100	99.56	-0.9	-0.5	0	31.4	0	100	8307	99.55	30.1
2023-03-28 04:25:00	0	0	0	0	284	6.64	8.75	31.5	100.4	99.56	-0.9	-0.4	0	31.5	0	100	8308	99.55	30.2
2023-03-28 04:30:00	0	0	0	0	284	6.62	8.81	31.5	100.2	99.56	-0.8	-0.5	0	31.5	0	100	8306	99.56	30.4
2023-03-28 04:35:00	0	0	0	0	283	6.58	9.53	31.5	100.1	99.56	-1	-0.5	0	31.6	0	100	8305	99.56	30.5
2023-03-28 04:40:00	0	0	0	0	284	7.94	12.75	31.7	99.9	99.57	-1	-0.4	0	31.7	0	100	8307	99.56	30.7
2023-03-28 04:45:00	0	0	0	0	289	7.76	10.13	31.8	100.1	99.57	-1	-0.4	0	31.8	0	100	8304	99.57	30.8
2023-03-28 04:50:00	0	0	0	0	301	7.99	10.38	31.8	100.2	99.58	-0.8	-0.6	0	31.8	0	100	8306	99.58	30.8
2023-03-28 04:55:00	0	0	0	0	304	7.4	9.24	31.9	100.4	99.59	-0.9	-0.6	0	31.9	0	100	8306	99.59	30.8
2023-03-28 05:00:00	0	0	0	0	303	7.7	9.62	31.8	100.4	99.6	-0.8	-0.4	0	31.8	0	100	8306	99.6	30.9
2023-03-28 05:05:00	0	0	0	0	297	7.67	13.98	31.8	100.4	99.61	-0.8	-0.4	0	31.8	0	100	8304	99.6	31
2023-03-28 05:10:00	0	0	0	0	284	7.92	9.86	31.9	100.1	99.61	-0.8	-0.5	0	31.8	0	100	8304	99.61	31.1
2023-03-28 05:15:00	0	0	0	0	286	8.37	11.68	31.9	100.1	99.61	-0.8	-0.5	0	31.9	0	100	8305	99.61	31.1
2023-03-28 05:20:00	0	0	0	0	280	7.4	10.33	32	100	99.61	-0.8	-0.5	0	32	0	100	8301	99.6	31.2
2023-03-28 05:25:00	0	0	0	0	276	7.7	10.74	31.9	100.3	99.61	-0.8	-0.5	0	31.9	0	100	8301	99.61	31.2
2023-03-28 05:30:00	0	0	0	0	283	8.37	10.89	31.9	100.1	99.61	-0.9	-0.4	0	31.9	0	100	8304	99.61	31.2
2023-03-28 05:35:00	0	0	0	0	287	7.81	9.55	31.9	100.1	99.62	-0.9	-0.4	0	31.9	0	100	8301	99.62	31.2
2023-03-28 05:40:00	0	0	0	0	297	7.02	9.75	31.9	100.1	99.62	-0.9	-0.5	0	31.9	0	100	8301	99.62	31
2023-03-28 05:45:00	0	0	0	0	292	7.11	9.64	31.8	100.4	99.62	-1	-0.4	0	31.8	0	100	8302	99.62	31
2023-03-28 05:50:00	0	0	0	0	294	5.97	8.03	31.7	99.8	99.62	-0.9	-0.5	0	31.7	0	100	8301	99.62	30.9
2023-03-28 05:55:00	0	0	0	0	289	6.08	8.1	31.7	99.5	99.63	-0.7	-0.5	0	31.7	0	100	8302	99.63	30.9
2023-03-28 06:00:00	0	0	0	0	292	4.92	6.58	31.8	99.4	99.63	-0.7	-0.5	0	31.7	0	100	8300	99.63	30.8
2023-03-28 06:05:00	0	0	0	0	285	4.7	5.91	31.7	99.8	99.64	-0.9	-0.4	0	31.7	0	100	8298	99.64	30.8
2023-03-28 06:10:00	0	0	0	0	280	5.86	7.81	31.7	99.9	99.64	-0.9	-0.4	0	31.7	0	100	8300	99.64	30.8
2023-03-28 06:15:00	0	0	0	0	269	6.31	7.58	31.7	99.8	99.65	-0.8	-0.4	0	31.7	0	100	8299	99.65	30.8
2023-03-28 06:20:00	0	0	0	0	269	5.86	8.28	31.7	99.7	99.65	-0.9	-0.5	0	31.7	0	100	8296	99.65	30.8
2023-03-28 06:25:00	0	0	0	0	276	6.22	8.52	31.7	99.5	99.66	-0.9	-0.4	0	31.7	0	100	8299	99.66	30.8
2023-03-28 06:30:00	0	0	0	0	283	4.74	6.11	31.7	99.7	99.66	-0.8	-0.5	0	31.7	0	100	8298	99.66	30.8
2023-03-28 06:35:00	0	0	0	0	311	3.96	4.99	31.7	99.8	99.66	-0.9	-0.4	0	31.7	0	100	8294	99.66	30.9
2023-03-28 06:40:00	0.4	0	0	0	321	4.21	5.55	31.8	100.2	99.66	-0.9	-0.3	0	31.8	0	100	8297	99.66	30.9
2023-03-28 06:45:00	1.8	0	0	0	313	4.18	5.21	31.8	99.9	99.66	-0.8	-0.4	0	31.8	0	100	8296	99.67	30.9
2023-03-28 06:50:00	3.6	0	0	0	297	4	5.61	31.8	100.2	99.67	-0.7	-0.5	0	31.9	0	100	8295	99.68	31
2023-03-28 06:55:00	7.8	0	0	0	297	4.23	6.58	31.9	99.9	99.68	-0.8	-0.5	0	31.9	0	100	8295	99.68	31
2023-03-28 07:00:00	11.2	0	0	0	307	4	5.12	32	99.8	99.69	-1	-0.5	0	32	0	100	8295	99.69	31.1
2023-03-28 07:05:00	20.4	0	0	0	322	4.14	4.9	32	99.8	99.7	-0.9	-0.4	0	32	0	100	8293	99.7	31.2
2023-03-28 07:10:00	46.4	0	0	0	333	4.12	5.12	32	100	99.7	-0.8	-0.5	0	32.1	0	100	8297	99.71	31.2
2023-03-28 07:15:00	67.4	0	0	0	328	4.9	6.22	32.1	99.6	99.7	-0.8	-0.5	0	32.4	0	100	8301	99.71	31.2
2023-03-28 07:20:00	82.6	0	0	0	315	4.81	6.08	32.4	100	99.71	-0.8	-0.3	0	32.8	0	100	8303	99.71	31.3
2023-03-28 07:25:00	76.6	0	0	0	310	4.7	5.88	32.7	100.2	99.72	-0.9	-0.4	0	33	0	100	8304	99.72	31.5
2023-03-28 07:30:00	70.6	0	0	0	312	6.2	7.61	32.8	99.9	99.72	-0.9	-0.5	0	33	0	100	8307	99.73	31.7
2023-03-28 07:35:00	78.2	0	0	0	315	4.85	6.33	32.7	100.2	99.72	-0.7	-0.3	0	33	0	100	8306	99.73	31.8
2023-03-28 07:40:00	87.2	0	0	0	328	6.15	8.05	32.7	100.3	99.72	-0.8	-0.4	0	33	0	100	8308	99.73	31.9
2023-03-28 07:45:00	134.8	0	0	0	329	6.42	8.25	32.9	99.6	99.72	-0.8	-0.6	0	33.3	0	100	8320	99.73	31.9
2023-03-28 07:50:00	76	0	0	0	328	6.96	9.04	33.1	100.1	99.74	-0.9	-0.4	0	33.4	0	100	8316	99.74	32.2
2023-03-28 07:55:00	64.2	0	0	0	322	6.29	8.61	33	99.2	99.74	-0.8	-0.5	0	33.2	0.01	100	8316	99.74	32.3
2023-03-28 08:00:00	59.6	0	0	0	321	6.04	10.13	33	99.2	99.75	-0.8	-0.5	0	33.2	0.01	100	8316	99.75	32.4
2023-03-28 08:05:00	52	0	0	0	324	5.3	6.69	32.9	99.6	99.75	-0.7	-0.4	0	33	0	100	8311	99.75	32.5
2023-03-28 08:10:00	51.4	0	0	0	333	5.75	8.08	32.8	99.1	99.75	-0.8	-0.4	0	33	0.01	100	8312	99.75	32.5
2023-03-28 08:15:00	44.2	0	0	0	333	5.23	6.6	32.9	99.1	99.75	-0.8	-0.4	0	33.1	0.01	100	8311	99.75	32.5
2023-03-28 08:20:00	93.2	0	0	0	341	4.45	5.46	32.8	99.4	99.74	-0.7	-0.4	0	33.1	0	100	8311	99.75	32.6
2023-03-28 08:25:00	226	0.00067	0	0	330	4.61	5.91	32.8	99.7	99.74	-0.6	-0.5	0.04	33.5	0	100	8326	99.76	32.8
2023-03-28 08:30:00	119.2	0.00067	0	0	318	5.77	8.01	33.4	98.9	99.76	-0.8	-0.4	0.04	33.9	0.01	100	8324	99.76	33.1
2023-03-28 08:35:00	119.2	0.00067	0	0	326	5.7	8.28	33.5	98	99.76	-0.8	-0.4	0.04	33.9	0.01	100	8320	99.76	33.3
2023-03-28 08:40:00	132.6	0.00067	0	0	326	5.3	7.56	33.6	98.3	99.76	-0.8	-0.5	0.04	34	0.01	100	8323	99.77	33.5
2023-03-28 08:45:00	117.2	0.00134	0	0	329	5.35	7.09	33.7	97.9	99.77	-0.8	-0.5	0.04	34.1	0.01	100	8323	99.77	33.6
2023-03-28 08:50:00	147.6	0.00134	0	0	321	5.61	7.78	33.6	98	99.77	-0.8	-0.5	0.04	34.1	0.01	100	8323	99.77	33.8
2023-03-28 08:55:00	188	0.00201	0	0	325	5.91	7.43	33.7	97.4	99.76	-0.7	-0.4	0.04	34.3	0.02	100	8327	99.77	33.9
2023-03-28 09:00:00	256.4	0.00201	0	0	329	5.08	7	33.8	97.3	99.75	-0.8	-0.4	0.04	34.7	0.02	100	8336	99.76	34.1
2023-03-28 09:05:00	207.2	0.00134	0	0	316	4.23	6.58	34.3	96.8	99.75	-0.8	-0.4	0.04	35.1	0.02	100	8337	99.77	34.4
2023-03-28 09:10:00	136.8	0.00067	0	0	324	4.99	6.76	34.6	95.4	99.77	-0.7	-0.5	0.04	35.3	0.03	100	8337	99.78	34.6
2023-03-28 09:15:00	161.6	0	0	0	330	4.76	6.8	34.6	94.7	99.77	-0.8	-0.4	0	35.2	0.04	100	8336	99.78	34.8
2023-03-28 09:20:00	182.6	0	0	0	328	4.36	5.91	34.5	94.7	99.78	-0.8	-0.4	0	35.2	0.04	100	8335	99.78	35
2023-03-28 09:25:00	247.8	0	0	0	334	5.1	7.25	34.5	94.4	99.77	-0.7	-0.4	0	35.4	0.04	100	8340	99.78	35.2
2023-03-28 09:30:00	255.2	0	0	0	323	5.23	6.51	34.8	93.1	99.77	-0.8	-0.5	0	35.6	0.05	100	8346	99.78	35.3
2023-03-28 09:35:00	303.2	0.00134	0	0	303	4.72	6.69	34.8	93.3	99.77	-0.7	-0.5	0.08	35.9	0.05	100	8345	99.79	35.7
2023-03-28 09:40:00	228	0	0	0	320	5.21	7.11	35.2	91.7	99.78	-0.8	-0.4	0	36	0.06	100	8345	99.79	35.9
2023-03-28 09:45:00	141.4	0	0	0	331	4.45	5.53	35.4	90	99.79	-0.6	-0.5	0	36	0.07	100	8347	99.79	36
2023-03-28 09:50:00	97.8	0	0	0	330	3.67	5.08	35.4	89.8	99.78	-0.7	-0.5	0	35.7	0.07	100	8343	99.78	35.9
2023-03-28 09:55:00	104.2	0	0	0	337	1.45	2.55	34.9	90.9	99.77	-0.7	-0.5	0	35.5	0.06	100	8346	99.77	35.8
2023-03-28 10:00:00	147.6	0.00067	0	0	343	1.32	2.89	34.5	93.2	99.76	-0.7	-0.5	0.04	35.5	0.05	100	8347	99.77	35.8
2023-03-28 10:05:00	170.6	0.00067	0	0	321	2.17	3.27	34.7	93	99.76	-0.8	-0.5	0.04	35.6	0.05	100	8343	99.77	35.9
2023-03-28 10:10:00	209.2	0.00134	0	0	295	2.26	3.58	34.8	94	99.76	-0.7	-0.5	0.04	35.8	0.04	100	8347	99.77	36.1
2023-03-28 10:15:00	226.4	0.00201	0	0	260	1.14	2.39	34.6	95.4	99.76	-0.7	-0.4	0.04	36.1	0.03	100	8352	99.77	36.3
2023-03-28 10:20:00	210.8	0.00201	0	0	298	2.06	5.01	35.1	94.7	99.77	-0.7	-0.4	0.04	36.5	0.04	100	8349	99.77	36.7
2023-03-28 10:25:00	220	0.00134	0	0	288	2.13	4.34	35.6	93.7	99.77	-0.7	-0.5	0.04	36.8	0.04	100	8353	99.78	36.9
2023-03-28 10:30:00	212.2	0.00201	0	0	298	2.06	3.56	35.7	93.4	99.78	-0.7	-0.5	0.04	37	0.05	100	8355	99.78	37.1
2023-03-28 10:35:00	206.8	0.00134	0	0	269	1.43	2.3	35.8	93.7	99.78	-0.6	-0.5	0.04	37.1	0.04	100	8353	99.78	37.5
2023-03-28 10:40:00	209.4	0.00134	0	0	297	2.59	5.32	36	93.3	99.78	-0.8	-0.4	0.04	37.3	0.05	100	8355	99.78	37.8
2023-03-28 10:45:00	189.6	0.00067	0	0	314	2.73	4.54	36.5	91.7	99.78	-0.6	-0.4	0.04	37.4	0.06	100	8356	99.79	38
2023-03-28 10:50:00	212.2	0.00067	0	0	287	2.84	4.41	36.4	91.9	99.78	-0.7	-0.5	0.04	37.4	0.06	100	8359	99.79	38
2023-03-28 10:55:00	135.6	0.00134	0	0	263	2.44	4.47	36.6	91.9	99.79	-0.7	-0.4	0.04	37.4	0.06	100	8358	99.79	38
2023-03-28 11:00:00	94.8	0.00067	0	0	285	2.75	3.85	36.9	90.5	99.8	-0.7	-0.6	0.04	37.4	0.07	100	8356	99.8	38
2023-03-28 11:05:00	84.4	0.00201	0	0	322	4.16	5.95	36.9	90.9	99.8	-0.8	-0.6	0.04	37.2	0.07	100	8352	99.81	37.8
2023-03-28 11:10:00	70	0.00134	0	0	322	4.83	7.18	36.7	90.4	99.8	-0.8	-0.5	0.04	36.9	0.07	100	8353	99.81	37.6
2023-03-28 11:15:00	72.2	0.00268	0	0	308	4.63	6.44	36.4	90.8	99.8	-0.8	-0.5	0.04	36.6	0.07	100	8352	99.81	37.3
2023-03-28 11:20:00	69	0.00134	0	0	321	3.36	3.96	36.2	91.6	99.8	-0.7	-0.5	0.04	36.5	0.06	100	8347	99.8	37.2
2023-03-28 11:25:00	70.2	0.00201	0	0	338	5.88	8.25	36.2	91.8	99.8	-0.8	-0.4	0.04	36.4	0.06	100	8350	99.8	37.1
2023-03-28 11:30:00	94.6	0.00201	0	0	320	5.93	7.61	36.1	92.4	99.79	-0.7	-0.4	0.04	36.4	0.05	100	8349	99.8	37.1
2023-03-28 11:35:00	144.6	0.00201	0	0	325	5.82	9.22	36	93.3	99.79	-0.7	-0.5	0.04	36.5	0.05	100	8352	99.8	37.1
2023-03-28 11:40:00	193.8	0.00201	0	0	331	6.24	9.15	36	93.6	99.79	-0.8	-0.6	0.04	36.5	0.05	100	8355	99.8	37.2
2023-03-28 11:45:00	184	0.00268	0	0	342	6.42	8.5	36.2	93.9	99.79	-0.7	-0.6	0.04	36.9	0.04	100	8356	99.8	37.5
2023-03-28 11:50:00	270.4	0.00335	0	0	325	6.67	10.78	36.4	93.8	99.79	-0.7	-0.6	0.04	37.2	0.05	100	8356	99.8	37.7
2023-03-28 11:55:00	520.8	0.00335	0	0	340	5.55	8.39	36.8	93.8	99.78	-0.6	-0.5	0.08	37.9	0.05	100	8374	99.8	38.2
2023-03-28 12:00:00	418	0.00268	0	0	335	6.89	10.04	38.1	92.5	99.78	-0.7	-0.6	0.04	39.2	0.06	100	8377	99.8	39
2023-03-28 12:05:00	326.8	0.00268	0	0	342	7.29	10.27	38.4	90.4	99.79	-0.5	-0.6	0.04	39.3	0.08	100	8374	99.79	39.5
2023-03-28 12:10:00	243	0.00134	0	0	304	4.12	7.85	38.4	88.9	99.79	-0.5	-0.5	0.04	39.3	0.09	100	8376	99.79	39.7
2023-03-28 12:15:00	269.8	0.00134	0	0	325	6.51	9.31	38.6	89.6	99.78	-0.5	-0.5	0.04	39.5	0.08	100	8382	99.79	39.9
2023-03-28 12:20:00	268.4	0.00067	0	0	339	4.61	7.9	38.3	89	99.79	-0.6	-0.5	0.04	39.3	0.09	100	8380	99.79	40.1
2023-03-28 12:25:00	324.4	0.00067	0	0	345	7.47	10.04	38.7	89.4	99.77	-0.7	-0.4	0.04	39.6	0.08	100	8385	99.78	40.3
2023-03-28 12:30:00	264.6	0	0	0	343	7.99	11.43	38.8	88.6	99.77	-0.8	-0.4	0	39.7	0.09	100	8385	99.78	40.4
2023-03-28 12:35:00	224.8	0	0	0	323	9.17	12.44	39	87.3	99.77	-0.6	-0.5	0	39.6	0.1	100	8385	99.78	40.4
2023-03-28 12:40:00	284.6	0	0	0	339	8.75	12.44	38.8	86.8	99.77	-0.7	-0.4	0	39.5	0.11	100	8387	99.78	40.4
2023-03-28 12:45:00	289.6	0	0	0	335	9.01	10.78	38.9	87.2	99.77	-0.7	-0.4	0	39.6	0.1	100	8391	99.77	40.4
2023-03-28 12:50:00	479.2	0	0	0	342	8.5	12.95	39.1	87.6	99.76	-0.7	-0.6	0	40	0.1	100	8397	99.77	40.6
2023-03-28 12:55:00	512	0	0	0	322	7.34	12.8	39.7	87.2	99.75	-0.6	-0.7	0	40.7	0.11	100	8405	99.77	41.1
2023-03-28 13:00:00	465.8	0	0	0	315	10.09	14.65	40.5	84.7	99.75	-0.5	-0.7	0	41.5	0.13	100	8410	99.77	41.6
2023-03-28 13:05:00	409.4	0	0	0	308	9.08	14.29	40.9	83	99.76	-0.5	-0.5	0	41.8	0.15	100	8408	99.77	41.8
2023-03-28 13:10:00	388	0	0	0	323	11.01	15.37	40.7	82.6	99.76	-0.7	-0.5	0	41.5	0.15	100	8412	99.77	42
2023-03-28 13:15:00	408.8	0	0	0	317	9.19	12.53	40.7	82.6	99.77	-0.6	-0.5	0	41.6	0.15	100	8416	99.77	42.2
2023-03-28 13:20:00	478.6	0	0	0	313	10.74	14.27	41	81.1	99.76	-0.5	-0.8	0	41.9	0.16	100	8417	99.77	42.5
2023-03-28 13:25:00	505.8	0	0	0	322	9.24	14.5	41.2	80.4	99.75	-0.5	-0.4	0	42.2	0.17	100	8421	99.77	42.7
2023-03-28 13:30:00	621.4	0	0	0	296	10	14.05	42.2	79.6	99.75	-0.6	-0.5	0	43.1	0.19	100	8428	99.77	43
2023-03-28 13:35:00	887.8	0	0	0	282	10.65	15.75	43.3	77	99.74	-0.5	-0.7	0	44.2	0.22	100	8434	99.77	43.2
2023-03-28 13:40:00	647.2	0	0	0	330	10.51	16.06	44.2	73.9	99.75	-0.4	-0.9	0	45	0.26	100	8437	99.76	43.8
2023-03-28 13:45:00	916.8	0	0	0	299	11.18	16.62	44.7	72.8	99.74	-0.5	-0.6	0	45.5	0.27	100	8441	99.76	44.2
2023-03-28 13:50:00	599.2	0	0	0	298	10.11	13.8	45	70.1	99.75	-0.4	-0.5	0	45.9	0.3	100	8440	99.77	44.5
2023-03-28 13:55:00	697.8	0	0	0	290	8.77	14.09	44.5	69.9	99.75	-0.4	-0.4	0	45.5	0.3	100	8444	99.76	44.6
2023-03-28 14:00:00	687.2	0	0	0	275	8.84	12.93	45.3	71.2	99.75	-0.3	-0.6	0	46.2	0.3	100	8444	99.77	45.2
2023-03-28 14:05:00	552.4	0	0	0	282	8.23	12.15	45	69.4	99.76	-0.5	-0.6	0	45.8	0.31	100	8443	99.77	45.4
2023-03-28 14:10:00	341.4	0	0	0	322	8.88	12.01	44.5	69.9	99.77	-0.3	-0.6	0	45.3	0.3	100	8442	99.77	45.4
2023-03-28 14:15:00	242	0	0	0	346	10.36	13.94	43.8	68	99.76	-0.7	-0.4	0	44.5	0.31	100	8444	99.76	45
2023-03-28 14:20:00	236.8	0	0	0	345	10.18	13.98	43.1	69.3	99.76	-0.4	-0.6	0	43.7	0.29	100	8439	99.76	44.5
2023-03-28 14:25:00	332.2	0	0	0	329	8.1	11.27	42.3	70.6	99.75	-0.5	-0.5	0	43.1	0.27	100	8443	99.75	44.2
2023-03-28 14:30:00	594.4	0	0	0	287	8.77	11.9	42.5	71.4	99.74	-0.3	-0.7	0	43.4	0.26	100	8444	99.75	44.3
2023-03-28 14:35:00	390.6	0	0	0	306	8.19	10.78	43.3	70.4	99.75	-0.6	-0.4	0	44.2	0.28	100	8443	99.75	44.7
2023-03-28 14:40:00	269.2	0	0	0	316	6.91	11.45	43.4	69.9	99.76	-0.5	-0.8	0	44.2	0.29	100	8443	99.75	44.7
2023-03-28 14:45:00	353.2	0	0	0	336	10.42	16.13	43.3	69.4	99.74	-0.5	-0.4	0	44.2	0.29	100	8443	99.74	44.7
2023-03-28 14:50:00	311.8	0	0	0	335	11.25	16.53	43.3	68.5	99.73	-0.4	-0

z6-17454
Records: 8916

Timestamps	Port1															Port7		Port8	
	ATMOS 41 All-in-one Weather Station															Battery		Barometer	
	W/m² Solar Radiation	in Precipitation	Lightning Activity	miles Lightning Distance	° Wind Direction	mph Wind Speed	mph Gust Speed	°F Air Temp.	% Relative Humidity	kPa Atmospheric Pressure	° X-axis Level	° Y-axis Level	in/h Max Precip Rate	°F RH Sensor Temp	kPa VPD	% Battery Percent	mV Battery Voltage	kPa Reference Pressure	°F Logger Temp.
2023-03-28 15:10:00	334.4	0	0	0	320	8.79	12.1	44	65.1	99.72	-0.4	-0.7	0	44.6	0.34	100	8439	99.72	44.3
2023-03-28 15:15:00	175.6	0	0	0	301	7.9	12.12	43.5	64.3	99.73	-0.5	-0.4	0	44	0.34	100	8440	99.72	44.2
2023-03-28 15:20:00	243.8	0	0	0	326	10.85	16.93	43.2	64.7	99.72	-0.4	-0.6	0	43.7	0.34	100	8440	99.71	44
2023-03-28 15:25:00	693.4	0	0	0	325	9.75	14.29	43.2	64.4	99.71	-0.6	-0.6	0	44.1	0.34	100	8439	99.72	44.1
2023-03-28 15:30:00	519.2	0	0	0	341	5.99	12.3	43.7	66.6	99.71	-0.4	-0.5	0	44.8	0.32	100	8440	99.71	44.5
2023-03-28 15:35:00	617	0	0	0	346	10.51	14.76	44.6	65.6	99.7	-0.3	-0.6	0	45.5	0.34	100	8437	99.71	44.8
2023-03-28 15:40:00	588.4	0	0	0	353	10.22	13.85	45	63	99.7	-0.2	-0.6	0	45.8	0.38	100	8437	99.7	44.9
2023-03-28 15:45:00	497.4	0	0	0	337	9.62	16.22	45.3	61.9	99.71	-0.3	-0.9	0	46.2	0.39	100	8434	99.71	45.1
2023-03-28 15:50:00	551.2	0	0	0	310	8.9	15.35	45.2	61.3	99.72	-0.2	-0.8	0	46.1	0.4	100	8432	99.71	45.2
2023-03-28 15:55:00	527.8	0	0	0	321	9.6	13.76	45.2	61.6	99.72	-0.4	-0.5	0	46.2	0.39	100	8435	99.71	45.5
2023-03-28 16:00:00	587.8	0	0	0	305	8.72	12.26	45.5	60.7	99.72	-0.4	-0.5	0	46.5	0.41	100	8432	99.71	45.8
2023-03-28 16:05:00	560.4	0	0	0	303	7.72	13.56	45.9	60	99.72	-0.4	-0.6	0	46.9	0.42	100	8431	99.71	46.2
2023-03-28 16:10:00	564.8	0	0	0	334	11.72	17.56	46.1	58.8	99.71	-0.3	-0.6	0	47	0.44	100	8430	99.71	46.7
2023-03-28 16:15:00	554.4	0	0	0	347	12.33	16.08	46.1	57.4	99.71	-0.4	-0.6	0	46.9	0.45	100	8432	99.7	46.6
2023-03-28 16:20:00	578.4	0	0	0	347	11.81	15.75	46	57.3	99.7	-0.4	-0.5	0	46.8	0.45	100	8427	99.7	46.6
2023-03-28 16:25:00	487.4	0	0	0	336	9.86	19.86	45.9	58	99.71	-0.4	-0.7	0	46.8	0.44	100	8430	99.71	46.9
2023-03-28 16:30:00	324	0	0	0	329	12.24	18.72	45.9	56	99.71	-0.2	-0.7	0	46.6	0.46	100	8429	99.7	46.7
2023-03-28 16:35:00	468	0	0	0	340	12.53	19.28	45.6	56.1	99.7	-0.4	-0.7	0	46.4	0.46	100	8428	99.7	46.5
2023-03-28 16:40:00	455.4	0	0	0	344	11.88	16.71	45.5	55.8	99.7	-0.4	-0.3	0	46.3	0.46	100	8425	99.69	46.6
2023-03-28 16:45:00	435.6	0	0	0	343	10.18	14.61	45.3	55.2	99.7	-0.4	-0.6	0	46.2	0.46	100	8423	99.69	46.7
2023-03-28 16:50:00	419	0	0	0	346	12.28	15.12	45.3	56.2	99.69	-0.4	-0.5	0	46.1	0.45	100	8425	99.69	46.9
2023-03-28 16:55:00	406.6	0	0	0	336	15.21	21.14	45.4	55	99.68	-0.5	-0.5	0	46.1	0.46	100	8425	99.68	46.8
2023-03-28 17:00:00	389.2	0	0	0	341	14.27	18.75	45.2	54.6	99.68	-0.2	-0.3	0	46	0.47	100	8420	99.68	46.7
2023-03-28 17:05:00	366	0	0	0	333	13.35	19.04	45.1	54.5	99.69	-0.2	-0.4	0	45.9	0.46	100	8423	99.68	46.7
2023-03-28 17:10:00	355.8	0	0	0	317	11.52	16.04	45	55.3	99.7	-0.4	-0.5	0	45.8	0.45	100	8421	99.69	46.8
2023-03-28 17:15:00	346.4	0	0	0	344	13.13	19.35	45.1	54.9	99.7	-0.3	-0.7	0	45.9	0.46	100	8422	99.69	46.9
2023-03-28 17:20:00	324.6	0	0	0	340	11.92	15.23	45	54.2	99.7	-0.1	-0.9	0	45.7	0.47	100	8418	99.69	46.7
2023-03-28 17:25:00	283.8	0	0	0	329	12.39	18.81	45	53.3	99.7	-0.2	-0.7	0	45.7	0.47	100	8418	99.69	46
2023-03-28 17:30:00	271.6	0	0	0	337	13.96	20.09	45	52.4	99.71	-0.5	-0.4	0	45.5	0.48	100	8416	99.7	46
2023-03-28 17:35:00	236.4	0	0	0	314	11.18	18.12	44.7	51.8	99.72	-0.4	-0.5	0	45.3	0.48	100	8415	99.71	45.6
2023-03-28 17:40:00	247.8	0	0	0	337	11.3	16.37	44.7	51.4	99.72	-0.5	-0.7	0	45.2	0.49	100	8414	99.71	45.9
2023-03-28 17:45:00	170	0	0	0	329	10.92	17.43	44.5	50.6	99.73	-0.4	-0.8	0	44.9	0.49	100	8415	99.71	45.8
2023-03-28 17:50:00	127.2	0	0	0	338	10.02	14.76	44.2	50.4	99.73	-0.4	-0.6	0	44.6	0.49	100	8411	99.71	45
2023-03-28 17:55:00	113.8	0	0	0	315	9.86	14.2	43.7	49.7	99.74	-0.6	-0.6	0	44.1	0.49	100	8412	99.72	44.3
2023-03-28 18:00:00	107.4	0	0	0	329	8.99	13.65	43.3	50.7	99.74	-0.5	-0.6	0	43.6	0.47	100	8412	99.71	43.7
2023-03-28 18:05:00	106	0	0	0	337	11.14	17.58	42.9	50.7	99.73	-0.4	-0.6	0	43.2	0.46	100	8410	99.71	43.2
2023-03-28 18:10:00	99	0	0	0	336	12.3	16.82	42.6	50.7	99.72	-0.6	-0.6	0	42.8	0.46	100	8409	99.7	42.8
2023-03-28 18:15:00	89.6	0	0	0	326	12.15	16.02	42.3	51.4	99.72	-0.6	-0.6	0	42.5	0.45	100	8410	99.7	42.4
2023-03-28 18:20:00	79.8	0	0	0	337	11.18	14.94	42.1	51.6	99.73	-0.6	-0.7	0	42.3	0.44	100	8409	99.7	42.1
2023-03-28 18:25:00	70	0	0	0	329	9.55	12.8	41.8	51.6	99.73	-0.5	-0.8	0	42	0.44	100	8408	99.71	41.8
2023-03-28 18:30:00	61.2	0	0	0	338	8.55	10.74	41.6	52.1	99.73	-0.4	-0.5	0	41.8	0.43	100	8407	99.7	41.5
2023-03-28 18:35:00	56.4	0	0	0	336	8.63	12.88	41.5	52.2	99.73	-0.6	-0.4	0	41.6	0.43	100	8403	99.7	41.3
2023-03-28 18:40:00	50.4	0	0	0	338	7.83	9.55	41.2	52.4	99.73	-0.6	-0.4	0	41.3	0.42	100	8404	99.71	41
2023-03-28 18:45:00	42.6	0	0	0	331	8.1	9.86	41.1	52.6	99.73	-0.5	-0.4	0	41.1	0.41	100	8403	99.71	40.7
2023-03-28 18:50:00	33.6	0	0	0	333	7.54	10.47	40.9	52.6	99.73	-0.6	-0.5	0	41	0.41	100	8402	99.7	40.4
2023-03-28 18:55:00	24.8	0	0	0	329	7.02	9.22	40.7	53.2	99.73	-0.7	-0.5	0	40.8	0.4	100	8401	99.7	40.1
2023-03-28 19:00:00	18.4	0	0	0	333	5.86	7.63	40.5	52.9	99.73	-0.6	-0.5	0	40.5	0.4	100	8399	99.7	39.8
2023-03-28 19:05:00	13.4	0	0	0	335	5.23	7.11	40.2	52.9	99.73	-0.6	-0.7	0	40.2	0.4	100	8399	99.7	39.4
2023-03-28 19:10:00	9.4	0	0	0	335	4.52	5.28	40.1	53.4	99.72	-0.7	-0.5	0	40.2	0.39	100	8398	99.69	39.1
2023-03-28 19:15:00	5.4	0	0	0	335	4.03	5.1	39.8	53.8	99.72	-0.6	-0.5	0	39.8	0.38	100	8394	99.69	38.7
2023-03-28 19:20:00	2.6	0	0	0	326	2.93	4.09	39.6	53.4	99.73	-0.5	-0.3	0	39.6	0.38	100	8394	99.69	38.4
2023-03-28 19:25:00	1.6	0	0	0	323	2.39	3.04	39.3	54	99.72	-0.7	-0.5	0	39.3	0.38	100	8396	99.69	38
2023-03-28 19:30:00	0.6	0	0	0	325	2.57	3.02	39.1	53.6	99.72	-0.7	-0.4	0	39.1	0.38	100	8395	99.69	37.7
2023-03-28 19:35:00	0	0	0	0	323	2.98	3.49	38.9	53.7	99.72	-0.7	-0.4	0	38.9	0.37	100	8394	99.69	37.4
2023-03-28 19:40:00	0	0	0	0	312	3.24	3.65	38.8	53.8	99.73	-0.8	-0.5	0	38.7	0.37	100	8389	99.69	37.2
2023-03-28 19:45:00	0	0	0	0	302	3.33	3.96	38.5	54.3	99.73	-0.7	-0.5	0	38.5	0.36	100	8391	99.69	37.1
2023-03-28 19:50:00	0	0	0	0	297	3.47	4.27	38.5	53.6	99.73	-0.8	-0.4	0	38.4	0.37	100	8391	99.69	36.9
2023-03-28 19:55:00	0	0	0	0	285	4.27	4.94	38.5	54.1	99.73	-0.8	-0.5	0	38.5	0.36	100	8388	99.69	36.8
2023-03-28 20:00:00	0	0	0	0	272	3.87	4.43	38.5	54.1	99.73	-0.7	-0.5	0	38.5	0.36	100	8389	99.7	36.7
2023-03-28 20:05:00	0	0	0	0	259	3.83	4.54	38.4	56.4	99.73	-0.7	-0.5	0	38.3	0.34	100	8389	99.69	36.4
2023-03-28 20:10:00	0	0	0	0	240	4.09	5.01	38.1	58.8	99.73	-0.9	-0.5	0	38.1	0.32	100	8388	99.69	36.2
2023-03-28 20:15:00	0	0	0	0	232	4.34	4.99	38.1	60.1	99.73	-0.8	-0.3	0	38.1	0.31	100	8385	99.69	36
2023-03-28 20:20:00	0	0	0	0	227	5.28	6.26	38	60.6	99.72	-0.6	-0.5	0	38	0.31	100	8384	99.68	35.9
2023-03-28 20:25:00	0	0	0	0	217	5.32	6.08	37.9	61.8	99.73	-0.7	-0.5	0	37.9	0.29	100	8385	99.69	35.8
2023-03-28 20:30:00	0	0	0	0	212	4.47	5.44	37.8	61.5	99.73	-0.7	-0.5	0	37.8	0.3	100	8384	99.69	35.6
2023-03-28 20:35:00	0	0	0	0	225	4.61	5.48	37.8	60.1	99.73	-0.6	-0.4	0	37.8	0.31	100	8384	99.69	35.6
2023-03-28 20:40:00	0	0	0	0	228	4.47	5.68	37.9	62.6	99.73	-0.7	-0.5	0	37.9	0.29	100	8384	99.69	35.6
2023-03-28 20:45:00	0	0	0	0	229	4.23	4.9	37.9	63.3	99.74	-0.7	-0.5	0	37.9	0.28	100	8384	99.7	35.5
2023-03-28 20:50:00	0	0	0	0	215	3.96	4.68	37.8	66.2	99.73	-0.8	-0.5	0	37.8	0.26	100	8380	99.69	35.4
2023-03-28 20:55:00	0	0	0	0	220	3.78	4.94	37.8	67.9	99.73	-0.7	-0.5	0	37.8	0.25	100	8383	99.69	35.3
2023-03-28 21:00:00	0	0	0	0	222	4.16	5.17	37.7	70.8	99.73	-0.8	-0.5	0	37.7	0.22	100	8380	99.69	35.3
2023-03-28 21:05:00	0	0	0	0	222	3.94	4.56	37.5	72.4	99.73	-0.7	-0.4	0	37.5	0.21	100	8377	99.69	35.2
2023-03-28 21:10:00	0	0	0	0	225	4.61	5.61	37.4	74.8	99.73	-0.8	-0.6	0	37.4	0.19	100	8380	99.69	35.1
2023-03-28 21:15:00	0	0	0	0	212	5.08	5.77	37.2	75.2	99.74	-0.7	-0.4	0	37.2	0.19	100	8381	99.7	35
2023-03-28 21:20:00	0	0	0	0	204	5.12	6.11	36.9	72.6	99.74	-0.7	-0.5	0	36.9	0.2	100	8378	99.71	34.7
2023-03-28 21:25:00	0	0	0	0	205	5.82	7.47	36.7	74.9	99.74	-0.8	-0.6	0	36.7	0.18	100	8377	99.7	34.4
2023-03-28 21:30:00	0	0	0	0	204	6.08	8.41	36.6	77.6	99.74	-0.8	-0.5	0	36.6	0.16	100	8377	99.7	34.4
2023-03-28 21:35:00	0	0	0	0	206	5.57	7.45	36.5	78.1	99.74	-0.8	-0.6	0	36.5	0.16	100	8375	99.7	34.3
2023-03-28 21:40:00	0	0	0	0	225	7.23	10.42	36.4	79.8	99.74	-0.8	-0.6	0	36.4	0.15	100	8374	99.7	34.3
2023-03-28 21:45:00	0	0	0	0	232	7.09	9.69	36.3	81.3	99.74	-0.8	-0.5	0	36.4	0.14	100	8374	99.7	34.4
2023-03-28 21:50:00	0	0	0	0	242	7.52	10.51	36.4	81.7	99.73	-0.8	-0.5	0	36.4	0.13	100	8377	99.7	34.6
2023-03-28 21:55:00	0	0	0	0	245	7.72	10.78	36.4	82.5	99.73	-0.7	-0.6	0	36.4	0.13	100	8373	99.7	34.6
2023-03-28 22:00:00	0	0	0	0	254	6.6	9.84	36.4	82.5	99.73	-0.8	-0.5	0	36.4	0.13	100	8374	99.7	34.6
2023-03-28 22:05:00	0	0	0	0	254	6.44	9.15	36.3	82.4	99.73	-0.8	-0.5	0	36.3	0.13	100	8370	99.7	34.6
2023-03-28 22:10:00	0	0	0	0	255	6.06	7.67	36.2	82.3	99.73	-0.8	-0.5	0	36.2	0.13	100	8371	99.7	34.6
2023-03-28 22:15:00	0	0	0	0	258	6.64	9.89	36.4	81.7	99.73	-0.8	-0.6	0	36.4	0.13	100	8373	99.7	34.5
2023-03-28 22:20:00	0	0	0	0	255	6.58	10.42	36.3	81.4	99.72	-0.4	-0.5	0	36.2	0.14	100	8370	99.69	34.5
2023-03-28 22:25:00	0	0	0	0	257	6.98	10.58	36.2	81.1	99.72	-0.7	-0.5	0	36.2	0.14	100	8369	99.69	34.6
2023-03-28 22:30:00	0	0	0	0	259	6.46	8.68	36.3	80.8	99.71	-0.7	-0.6	0	36.2	0.14	100	8368	99.68	34.5
2023-03-28 22:35:00	0	0	0	0	260	6.71	9.15	36.2	80.1	99.71	-0.7	-0.6	0	36.2	0.14	100	8369	99.68	34.5
2023-03-28 22:40:00	0	0	0	0	261	7	9.6	36.1	80.4	99.71	-0.7	-0.5	0	36.1	0.14	100	8368	99.68	34.5
2023-03-28 22:45:00	0	0	0	0	263	7.11	9.1	36.1	80.3	99.7	-0.8	-0.5	0	36.1	0.14	100	8368	99.68	34.4
2023-03-28 22:50:00	0	0	0	0	264	7.27	9.73	36.1	80.1	99.71	-0.6	-0.5	0	36.1	0.14	100	8368	99.68	34.4
2023-03-28 22:55:00	0	0	0	0	262	7.23	9.78	36	80.2	99.71	-0.7	-0.5	0	36	0.14	100	8367	99.68	34.3
2023-03-28 23:00:00	0	0	0	0	262	7.27	10.54	35.9	80.3	99.71	-0.9	-0.5	0	35.8	0.14	100	8370	99.68	34.3
2023-03-28 23:05:00	0	0	0	0	265	7.54	9.8	35.9	80	99.71	-0.8	-0.5	0	35.9	0.14	100	8368	99.68	34.2
2023-03-28 23:10:00	0	0	0	0	266	7.83	10.69	35.8	80.2	99.71	-0.6	-0.7	0	35.8	0.14	100	8364	99.68	34.2
2023-03-28 23:15:00	0	0	0	0	261	7.92	10.38	35.8	80.2	99.71	-0.7	-0.5	0	35.8	0.14	100	8368	99.68	34.1
2023-03-28 23:20:00	0	0	0	0	258	7.54	10.8	35.6	80.7	99.7	-0.7	-0.5	0	35.6	0.14	100	8364	99.68	34
2023-03-28 23:25:00	0	0	0	0	255	6.89	9.75	35.6	80.8	99.7	-0.8	-0.6	0	35.6	0.14	100	8362	99.67	34
2023-03-28 23:30:00	0	0	0	0	247	6.78	9.33	35.6	81.1	99.71	-0.7	-0.5	0	35.6	0.13	100	8364	99.68	33.9
2023-03-28 23:35:00	0	0	0	0	234	6.67	10.13	35.6	80.8	99.71	-0.7	-0.4	0	35.6	0.14	100	8361	99.68	33.9
2023-03-28 23:40:00	0	0	0	0	217	8.3	11.14	35.6	80.6	99.7	-0.7	-0.5	0	35.6	0.14	100	8362	99.68	34
2023-03-28 23:45:00	0	0	0	0	220	7.85	10.87	35.6	80.4	99.7	-0.7	-0.4	0	35.7	0.14	100	8364	99.67	34.1
2023-03-28 23:50:00	0	0	0	0	224	7.43	9.93	35.6	80.8	99.7	-0.9	-0.5	0	35.6	0.14	100	8361	99.67	34.1
2023-03-28 23:55:00	0	0	0	0	225	8.55	11.32	35.6	80.7	99.69	-0.8	-0.6	0	35.6	0.14	100	8359	99.66	34.1
2023-03-29 00:00:00	0	0	0	0	244	7.02	9.33	35.6	80.2	99.68	-0.6	-0.5	0	35.6	0.14	100	8361	99.66	34
2023-03-29 00:05:00	0	0	0	0	256	6.78	8.99	35.5	79.6	99.68	-0.8	-0.3	0	35.5	0.14	100	8334	99.65	34
2023-03-29 00:10:00	0	0	0	0	258	6.2	8.3	35.3	80.4	99.67	-0.6	-0.5	0	35.3	0.14	100	8325	99.65	34.1
2023-03-29 00:15:00	0	0	0	0	252	6.42	10.04	35.3	79.9	99.67	-0.7	-0.6	0	35.3	0.14	100	8313	99.65	34.1
2023-03-29 00:20:00	0	0	0	0	246	7.58	10.87	35.3	79.5	99.67	-0.7	-0.4	0	35.3	0.14	100	8331	99.64	34.1
2023-03-29 00:25:00	0	0	0	0	250	7.4	11.52	35.3	78.9	99.66	-0.7	-0.5	0	35.3	0.15	100	8335	99.64	33.9
2023-03-29 00:30:00	0	0	0	0	257	7.45	10.63	35.3	78.9	99.66	-0.7	-0.5	0	35.3	0.15	100	8334	99.63	33.8
2023-03-29 00:35:00	0	0	0	0	254	6.6	9.24	35.2	78.5	99.65	-0.8	-0.4	0	35.2	0.15	100	8333	99.62	33.7
2023-03-29 00:40:00	0	0	0	0	254	5.44	7.99	35.3	77.8	99.65	-0.7	-0.5	0	35.2	0.15	100	8336	99.62	33.6
2023-03-29 00:45:00	0	0	0	0	251	4.65	6.11	35.1	78	99.64	-0.9	-0.5	0	35.1	0.15	100	8337	99.61	33.4
2023-03-29 00:50:00	0	0	0	0	243	6.38	11.23	35	77.4	99.63	-0.7	-0.4	0	35	0.16	100	8334	99.6	33.4
2023-03-29 00:55:00	0	0	0	0	243	6.06	8.9	35	77.2	99.62	-0.8	-0.5	0	35	0.16	100	8336	99.6	33.3

Attachment 2

Raw Data for Each Monitoring Station
March 1-31, 2023

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/1/2023, 12:04:52 AM	0	6.833	31.5	77	
3/1/2023, 12:14:52 AM	0	6.833	31.1	77.4	
3/1/2023, 12:24:52 AM	0	6.833	30.7	77.8	
3/1/2023, 12:34:52 AM	0	6.833	30.4	78.4	
3/1/2023, 12:44:52 AM	0	6.833	30.4	78.8	
3/1/2023, 12:54:52 AM	0	6.833	30.2	79.3	0
3/1/2023, 1:04:52 AM	0	6.833	30.4	79.7	0
3/1/2023, 1:14:52 AM	0	6.833	30.4	80	0
3/1/2023, 1:24:52 AM	0	6.833	30.6	80.2	0
3/1/2023, 1:34:52 AM	0	6.833	30.7	80.4	0
3/1/2023, 1:44:52 AM	0	6.833	30.7	80.6	0
3/1/2023, 1:54:52 AM	0	6.833	30.7	80.7	0
3/1/2023, 2:04:52 AM	0	6.833	30.6	80.7	0
3/1/2023, 2:14:52 AM	0	6.833	30.6	80.8	0
3/1/2023, 2:24:52 AM	0	6.833	30.2	80.9	0
3/1/2023, 2:34:52 AM	0	6.833	29.8	81	0
3/1/2023, 2:44:52 AM	0	6.833	29.5	81.1	0
3/1/2023, 2:54:52 AM	0	6.825	29.1	81.4	0
3/1/2023, 3:04:52 AM	0	6.825	28.9	81.8	0
3/1/2023, 3:14:52 AM	0	6.825	28.8	82.2	0
3/1/2023, 3:24:52 AM	0	6.825	28.6	82.6	0
3/1/2023, 3:34:52 AM	0	6.825	28.2	82.9	0
3/1/2023, 3:44:52 AM	0	6.825	28.2	83.3	0
3/1/2023, 3:54:52 AM	0	6.825	28.2	83.7	0
3/1/2023, 4:04:52 AM	0	6.825	28.2	84	0
3/1/2023, 4:14:52 AM	0	6.825	28.2	84.2	0
3/1/2023, 4:24:52 AM	0	6.825	28.2	84.5	0
3/1/2023, 4:34:52 AM	0	6.825	28.2	84.7	0
3/1/2023, 4:44:52 AM	0	6.825	28.2	84.8	0
3/1/2023, 4:54:52 AM	0	6.825	28.2	85	0
3/1/2023, 5:04:52 AM	0	6.825	28.4	85.1	0
3/1/2023, 5:14:52 AM	0	6.825	28.6	85.2	0
3/1/2023, 5:24:52 AM	0	6.825	28.8	85.2	0
3/1/2023, 5:34:52 AM	0	6.825	29.1	85.2	0
3/1/2023, 5:44:52 AM	0	6.825	29.3	85	0
3/1/2023, 5:54:52 AM	0	6.825	29.3	84.9	0
3/1/2023, 6:04:52 AM	0	6.825	29.3	84.7	0
3/1/2023, 6:14:52 AM	0	6.825	28.9	84.5	0
3/1/2023, 6:24:52 AM	0	6.825	28.6	84.4	0
3/1/2023, 6:34:52 AM	0	6.825	28.2	84.3	0
3/1/2023, 6:44:52 AM	0	6.825	28	84.4	0
3/1/2023, 6:54:52 AM	0	6.825	27.9	84.6	0
3/1/2023, 7:04:52 AM	0	6.825	28	84.9	0
3/1/2023, 7:14:52 AM	0	6.825	28.6	85.1	0
3/1/2023, 7:24:52 AM	0	6.825	28.9	85.1	0
3/1/2023, 7:34:52 AM	0	6.825	29.5	85.1	0
3/1/2023, 7:44:52 AM	0	6.825	30	84.8	0
3/1/2023, 7:54:52 AM	0	6.825	30.6	84.6	0
3/1/2023, 8:04:52 AM	0	6.825	31.1	84.2	0
3/1/2023, 8:14:52 AM	0	6.833	31.6	83.7	0
3/1/2023, 8:24:52 AM	0	6.833	32	83.3	0
3/1/2023, 8:34:52 AM	0	6.833	32.7	82.8	0
3/1/2023, 8:44:52 AM	0	6.833	33.1	82.4	0
3/1/2023, 8:54:52 AM	0	6.833	33.4	82	0
3/1/2023, 9:04:52 AM	0	6.833	33.6	81.8	0
3/1/2023, 9:14:52 AM	0	6.833	34	81.7	0
3/1/2023, 9:24:52 AM	0	6.833	34.3	81.5	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/1/2023, 10:53:59 AM	0	6.921	48.2	76.9	0
3/1/2023, 11:03:59 AM	0	6.86	50	74.1	0
3/1/2023, 11:13:59 AM	0	6.86	46.6	71.8	0
3/1/2023, 11:23:59 AM	0	6.86	43.9	70.8	0
3/1/2023, 11:33:59 AM	0	6.86	42.3	70.6	0
3/1/2023, 11:43:59 AM	0	6.851	41	70.6	0
3/1/2023, 11:53:59 AM	0	6.851	40.1	70.8	0
3/1/2023, 12:03:59 PM	0	6.851	39.4	71	0
3/1/2023, 12:13:59 PM	0	6.851	38.7	71.4	0
3/1/2023, 12:23:59 PM	0	6.851	38.3	71.7	0
3/1/2023, 12:33:59 PM	0	6.851	37.9	72	0
3/1/2023, 12:43:59 PM	0	6.851	37.6	72.5	0
3/1/2023, 12:53:59 PM	0	6.842	37.8	72.8	0
3/1/2023, 1:03:59 PM	0	6.842	37.6	73.2	0
3/1/2023, 1:13:59 PM	0	6.842	37.9	73.3	0
3/1/2023, 1:23:59 PM	0	6.842	38.7	73.2	0
3/1/2023, 1:33:59 PM	0	6.842	39.9	73	0
3/1/2023, 1:43:59 PM	0	6.851	41	72.6	0
3/1/2023, 1:53:59 PM	0	6.851	42.3	72.2	0
3/1/2023, 2:03:59 PM	0	6.851	43.9	71.5	0
3/1/2023, 2:13:59 PM	0	6.851	45.1	70.8	0
3/1/2023, 2:23:59 PM	0	6.851	46	69.9	0
3/1/2023, 2:33:59 PM	0	6.851	46.6	69.1	0
3/1/2023, 2:43:59 PM	0	6.851	47.1	68.4	0
3/1/2023, 2:53:59 PM	0	6.851	48	67.8	0
3/1/2023, 3:03:59 PM	0	6.86	49.1	67.2	0
3/1/2023, 3:13:59 PM	0	6.86	49.5	66.5	0
3/1/2023, 3:23:59 PM	0	6.86	50	65.9	0
3/1/2023, 3:33:59 PM	0	6.86	50.7	65.5	0
3/1/2023, 3:43:59 PM	0	6.86	50.7	65.2	0
3/1/2023, 3:53:59 PM	0	6.86	50.7	64.9	0
3/1/2023, 4:03:59 PM	0	6.86	50.9	64.9	0
3/1/2023, 4:13:59 PM	0	6.86	49.8	64.9	0
3/1/2023, 4:23:59 PM	0	6.86	49.3	65.2	0
3/1/2023, 4:33:59 PM	0	6.86	49.6	65.5	0
3/1/2023, 4:43:59 PM	0	6.86	49.6	65.6	0
3/1/2023, 4:53:59 PM	0	6.86	49.6	65.7	0
3/1/2023, 5:03:59 PM	0	6.86	48.9	65.8	0
3/1/2023, 5:13:59 PM	0	6.86	47.8	66	0
3/1/2023, 5:23:59 PM	0	6.86	47.1	66.5	0
3/1/2023, 5:33:59 PM	0	6.86	46.6	67.2	0
3/1/2023, 5:43:59 PM	0	6.86	46.8	67.9	0
3/1/2023, 5:53:59 PM	0	6.86	47.3	68.4	0
3/1/2023, 6:03:59 PM	0	6.86	47.5	68.8	0
3/1/2023, 6:13:59 PM	0	6.86	47.1	69.1	0
3/1/2023, 6:23:59 PM	0	6.86	46.6	69.3	0
3/1/2023, 6:33:59 PM	0	6.86	45.5	69.7	0
3/1/2023, 6:43:59 PM	0	6.86	44.6	70.4	0
3/1/2023, 6:53:59 PM	0	6.86	43.9	71.1	0
3/1/2023, 7:03:59 PM	0	6.86	43.3	71.8	0
3/1/2023, 7:13:59 PM	0	6.86	42.8	72.4	0
3/1/2023, 7:23:59 PM	0	6.86	42.3	73.1	0
3/1/2023, 7:33:59 PM	0	6.86	41.9	73.6	0
3/1/2023, 7:43:59 PM	0	6.86	41.5	74.1	0
3/1/2023, 7:53:59 PM	0	6.86	41.2	74.6	0
3/1/2023, 8:03:59 PM	0	6.86	40.8	75	0
3/1/2023, 8:13:59 PM	0	6.86	40.6	75.4	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/1/2023, 8:23:59 PM	0	6.86	40.3	75.9	0
3/1/2023, 8:33:59 PM	0	6.851	40.1	76.4	0
3/1/2023, 8:43:59 PM	0	6.851	39.7	77	0
3/1/2023, 8:53:59 PM	0	6.851	39.6	77.4	0
3/1/2023, 9:03:59 PM	0	6.851	39.6	77.9	0
3/1/2023, 9:13:59 PM	0	6.851	39.4	78.2	0
3/1/2023, 9:23:59 PM	0	6.851	39	78.4	0
3/1/2023, 9:33:59 PM	0	6.851	39	78.6	0
3/1/2023, 9:43:59 PM	0	6.851	38.8	78.7	0
3/1/2023, 9:53:59 PM	0	6.851	38.7	78.9	0
3/1/2023, 10:03:59 PM	0	6.851	38.5	79.2	0
3/1/2023, 10:13:59 PM	0	6.851	38.5	79.5	0
3/1/2023, 10:23:59 PM	0	6.851	38.5	79.8	0
3/1/2023, 10:33:59 PM	0	6.851	38.5	80.1	0
3/1/2023, 10:43:59 PM	0	6.851	38.5	80.4	0
3/1/2023, 10:53:59 PM	0	6.851	38.5	80.7	0
3/1/2023, 11:03:59 PM	0	6.851	38.3	81	0
3/1/2023, 11:13:59 PM	0	6.851	38.1	81.2	0
3/1/2023, 11:23:59 PM	0	6.851	37.9	81.4	0
3/1/2023, 11:33:59 PM	0	6.851	37.6	81.6	0
3/1/2023, 11:43:59 PM	0	6.851	37	81.9	0
3/1/2023, 11:53:59 PM	0	6.851	36.9	82.4	0
3/2/2023, 12:03:59 AM	0	6.851	36.7	82.9	0
3/2/2023, 12:13:59 AM	0	6.851	36.7	83.5	0
3/2/2023, 12:23:59 AM	0	6.851	36.7	84	0
3/2/2023, 12:33:59 AM	0	6.851	36.7	84.4	0
3/2/2023, 12:43:59 AM	0	6.842	36.9	84.7	0
3/2/2023, 12:53:59 AM	0	6.851	36.9	84.9	0
3/2/2023, 1:03:59 AM	0	6.842	37	85.1	0
3/2/2023, 1:13:59 AM	0	6.842	36.9	85.2	0
3/2/2023, 1:23:59 AM	0	6.842	36.9	85.4	0
3/2/2023, 1:33:59 AM	0	6.842	37	85.6	0
3/2/2023, 1:43:59 AM	0	6.851	37	85.8	0
3/2/2023, 1:53:59 AM	0	6.842	37	85.9	0
3/2/2023, 2:03:59 AM	0	6.851	37	86	0
3/2/2023, 2:13:59 AM	0	6.851	37.2	86.1	0
3/2/2023, 2:23:59 AM	0	6.842	37.2	86.2	0
3/2/2023, 2:33:59 AM	0	6.851	37.2	86.3	0
3/2/2023, 2:43:59 AM	0	6.842	37.2	86.5	0
3/2/2023, 2:53:59 AM	0	6.842	37.2	86.7	0
3/2/2023, 3:03:59 AM	0	6.851	37	86.8	0
3/2/2023, 3:13:59 AM	0	6.842	37	87	0
3/2/2023, 3:23:59 AM	0	6.851	36.9	87.1	0
3/2/2023, 3:33:59 AM	0	6.842	36.9	87.3	0
3/2/2023, 3:43:59 AM	0	6.842	36.9	87.5	0
3/2/2023, 3:53:59 AM	0	6.851	36.9	87.7	0
3/2/2023, 4:03:59 AM	0	6.842	36.9	88	0
3/2/2023, 4:13:59 AM	0	6.842	36.9	88.2	0
3/2/2023, 4:23:59 AM	0	6.842	36.9	88.4	0
3/2/2023, 4:33:59 AM	0	6.842	36.9	88.5	0
3/2/2023, 4:43:59 AM	0	6.842	36.9	88.7	0
3/2/2023, 4:53:59 AM	0	6.842	36.9	88.7	0
3/2/2023, 5:03:59 AM	0	6.842	36.9	88.6	0
3/2/2023, 5:13:59 AM	0	6.842	37	88.3	0
3/2/2023, 5:23:59 AM	0	6.842	37	88	0
3/2/2023, 5:33:59 AM	0	6.842	37.2	87.4	0
3/2/2023, 5:43:59 AM	0	6.842	37.2	86.9	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/2/2023, 5:53:59 AM	0	6.842	37.2	86.3	0
3/2/2023, 6:03:59 AM	0	6.842	37	86	0
3/2/2023, 6:13:59 AM	0	6.842	36.9	85.8	0
3/2/2023, 6:23:59 AM	0	6.842	36.7	85.9	0
3/2/2023, 6:33:59 AM	0	6.842	36.3	86.2	0
3/2/2023, 6:43:59 AM	0	6.842	36.1	86.4	0
3/2/2023, 6:53:59 AM	0	6.842	35.8	86.6	0
3/2/2023, 7:03:59 AM	0	6.842	35.6	86.8	0
3/2/2023, 7:13:59 AM	0	6.842	35.4	86.9	0
3/2/2023, 7:23:59 AM	0	6.842	35.2	87.1	0
3/2/2023, 7:33:59 AM	0	6.842	35.1	87.2	0
3/2/2023, 7:43:59 AM	0	6.842	34.9	87.4	0
3/2/2023, 7:53:59 AM	0	6.842	34.9	87.5	0
3/2/2023, 8:03:59 AM	0	6.842	34.7	87.6	0
3/2/2023, 8:13:59 AM	0	6.842	34.7	87.6	0
3/2/2023, 8:23:59 AM	0	6.842	34.5	87.6	0
3/2/2023, 8:33:59 AM	0	6.842	34.5	87.7	0
3/2/2023, 8:43:59 AM	0	6.842	34.5	87.7	0
3/2/2023, 8:53:59 AM	0	6.842	34.7	87.7	0
3/2/2023, 9:03:59 AM	0	6.842	34.7	87.7	0
3/2/2023, 9:13:59 AM	0	6.842	34.7	87.6	0
3/2/2023, 9:23:59 AM	0	6.842	34.7	87.6	0
3/2/2023, 9:33:59 AM	0	6.842	34.7	87.6	0
3/2/2023, 9:43:59 AM	0	6.842	34.9	87.7	0
3/2/2023, 9:53:59 AM	0	6.842	35.1	87.6	0
3/2/2023, 10:03:59 AM	0	6.842	35.1	87.4	0
3/2/2023, 10:13:59 AM	0	6.842	35.2	87.2	0
3/2/2023, 10:23:59 AM	0	6.842	35.4	86.8	0
3/2/2023, 10:33:59 AM	0	6.842	35.6	86.5	0
3/2/2023, 10:43:59 AM	0	6.842	35.8	86.1	0
3/2/2023, 10:53:59 AM	0	6.842	36	85.8	0
3/2/2023, 11:03:59 AM	0	6.842	36	85.5	0
3/2/2023, 11:13:59 AM	0	6.842	36	85.2	0
3/2/2023, 11:23:59 AM	0	6.842	36	85	0
3/2/2023, 11:33:59 AM	0	6.842	36	84.8	0
3/2/2023, 11:43:59 AM	0	6.842	36	84.6	0
3/2/2023, 11:53:59 AM	0	6.842	36	84.3	0
3/2/2023, 12:03:59 PM	0	6.842	36.3	84.1	0
3/2/2023, 12:13:59 PM	0	6.842	36.3	83.8	0
3/2/2023, 12:23:59 PM	0	6.842	36.5	83.5	0
3/2/2023, 12:33:59 PM	0	6.842	36.9	83.1	0
3/2/2023, 12:43:59 PM	0	6.842	37	82.8	0
3/2/2023, 12:53:59 PM	0	6.842	37.4	82.4	0
3/2/2023, 1:03:59 PM	0	6.842	37.6	82	0
3/2/2023, 1:13:59 PM	0	6.842	37.8	81.8	0
3/2/2023, 1:23:59 PM	0	6.842	37.9	81.4	0
3/2/2023, 1:33:59 PM	0	6.842	38.5	81.1	0
3/2/2023, 1:43:59 PM	0	6.842	38.8	80.8	0
3/2/2023, 1:53:59 PM	0	6.842	39	80.4	0
3/2/2023, 2:03:59 PM	0	6.851	39.2	80	0
3/2/2023, 2:13:59 PM	0	6.851	39.2	79.7	0
3/2/2023, 2:23:59 PM	0	6.842	39	79.3	0
3/2/2023, 2:33:59 PM	0	6.851	39	79	0
3/2/2023, 2:43:59 PM	0	6.851	39	78.8	0
3/2/2023, 2:53:59 PM	0	6.851	39	78.7	0
3/2/2023, 3:03:59 PM	0	6.851	39	78.5	0
3/2/2023, 3:13:59 PM	0	6.851	39	78.5	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/2/2023, 3:23:59 PM	0	6.851	39.2	78.4	0
3/2/2023, 3:33:59 PM	0	6.851	39.2	78.2	0
3/2/2023, 3:43:59 PM	0	6.851	39.4	77.9	0
3/2/2023, 3:53:59 PM	0	6.851	39.7	77.6	0
3/2/2023, 4:03:59 PM	0	6.851	39.7	77.3	0
3/2/2023, 4:13:59 PM	0	6.851	39.7	76.8	0
3/2/2023, 4:23:59 PM	0	6.851	39.6	76.6	0
3/2/2023, 4:33:59 PM	0	6.851	39.6	76.5	0
3/2/2023, 4:43:59 PM	0	6.851	39.4	76.4	0
3/2/2023, 4:53:59 PM	0	6.851	39.4	76.4	0
3/2/2023, 5:03:59 PM	0	6.851	39.2	76.4	0
3/2/2023, 5:13:59 PM	0	6.851	39	76.4	0
3/2/2023, 5:23:59 PM	0	6.851	38.8	76.4	0
3/2/2023, 5:33:59 PM	0	6.851	38.8	76.4	0
3/2/2023, 5:43:59 PM	0	6.851	38.7	76.4	0
3/2/2023, 5:53:59 PM	0	6.851	38.5	76.4	0
3/2/2023, 6:03:59 PM	0	6.851	38.5	76.3	0
3/2/2023, 6:13:59 PM	0	6.851	38.3	76.3	0
3/2/2023, 6:23:59 PM	0	6.851	38.1	76.3	0
3/2/2023, 6:33:59 PM	0	6.851	38.1	76.4	0
3/2/2023, 6:43:59 PM	0	6.851	37.9	76.5	0
3/2/2023, 6:53:59 PM	0	6.851	37.9	76.6	0
3/2/2023, 7:03:59 PM	0	6.851	37.9	76.7	0
3/2/2023, 7:13:59 PM	0	6.851	37.8	76.8	0
3/2/2023, 7:23:59 PM	0	6.851	37.6	76.9	0
3/2/2023, 7:33:59 PM	0	6.851	37.2	77	0
3/2/2023, 7:43:59 PM	0	6.842	37	77.3	0
3/2/2023, 7:53:59 PM	0	6.842	37	77.6	0
3/2/2023, 8:03:59 PM	0	6.842	37	77.9	0
3/2/2023, 8:13:59 PM	0	6.842	37	78.1	0
3/2/2023, 8:23:59 PM	0	6.842	36.9	78.3	0
3/2/2023, 8:33:59 PM	0	6.842	36.9	78.4	0
3/2/2023, 8:43:59 PM	0	6.842	36.9	78.5	0
3/2/2023, 8:53:59 PM	0	6.842	36.9	78.7	0
3/2/2023, 9:03:59 PM	0	6.842	36.7	78.8	0
3/2/2023, 9:13:59 PM	0	6.842	36.7	79	0
3/2/2023, 9:23:59 PM	0	6.842	36.5	79.1	0
3/2/2023, 9:33:59 PM	0	6.842	36.3	79.3	0
3/2/2023, 9:43:59 PM	0	6.842	36.1	79.4	0
3/2/2023, 9:53:59 PM	0	6.842	36	79.6	0
3/2/2023, 10:03:59 PM	0	6.842	35.6	79.8	0
3/2/2023, 10:13:59 PM	0	6.842	35.4	80	0
3/2/2023, 10:23:59 PM	0	6.842	35.1	80.3	0
3/2/2023, 10:33:59 PM	0	6.842	34.9	80.6	0
3/2/2023, 10:43:59 PM	0	6.842	34.3	80.9	0
3/2/2023, 10:53:59 PM	0	6.842	34	81.2	0
3/2/2023, 11:03:59 PM	0	6.842	33.8	81.7	0
3/2/2023, 11:13:59 PM	0	6.833	33.4	82	0
3/2/2023, 11:23:59 PM	0	6.833	33.3	82.4	0
3/2/2023, 11:33:59 PM	0	6.833	32.9	82.7	0
3/2/2023, 11:43:59 PM	0	6.833	32.5	83	0
3/2/2023, 11:53:59 PM	0	6.833	32.2	83.4	0
3/3/2023, 12:03:59 AM	0	6.833	32	83.6	0
3/3/2023, 12:13:59 AM	0	6.833	31.8	83.9	0
3/3/2023, 12:23:59 AM	0	6.833	31.5	84.1	0
3/3/2023, 12:33:59 AM	0	6.833	31.1	84.4	0
3/3/2023, 12:43:59 AM	0	6.833	30.9	84.7	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/3/2023, 12:53:59 AM	0	6.833	30.7	85.1	0
3/3/2023, 1:03:59 AM	0	6.825	30.6	85.4	0
3/3/2023, 1:13:59 AM	0	6.833	30.4	85.7	0
3/3/2023, 1:23:59 AM	0	6.825	30.2	85.9	0
3/3/2023, 1:33:59 AM	0	6.825	30	86.2	0
3/3/2023, 1:43:59 AM	0	6.825	29.8	86.4	0
3/3/2023, 1:53:59 AM	0	6.825	29.8	86.6	0
3/3/2023, 2:03:59 AM	0	6.825	29.5	86.8	0
3/3/2023, 2:13:59 AM	0	6.825	29.3	86.9	0
3/3/2023, 2:23:59 AM	0	6.825	28.9	86.9	0
3/3/2023, 2:33:59 AM	0	6.825	28.4	86.9	0
3/3/2023, 2:43:59 AM	0	6.825	28.2	87	0
3/3/2023, 2:53:59 AM	0	6.825	28.2	87.2	0
3/3/2023, 3:03:59 AM	0	6.825	28	87.6	0
3/3/2023, 3:13:59 AM	0	6.825	27.9	87.8	0
3/3/2023, 3:23:59 AM	0	6.816	27.7	88	0
3/3/2023, 3:33:59 AM	0	6.816	27.9	88.2	0
3/3/2023, 3:43:59 AM	0	6.816	28	88.6	0
3/3/2023, 3:53:59 AM	0	6.816	28	88.9	0
3/3/2023, 4:03:59 AM	0	6.816	27.7	89	0
3/3/2023, 4:13:59 AM	0	6.816	27.3	89.1	0
3/3/2023, 4:23:59 AM	0	6.816	27	89	0
3/3/2023, 4:33:59 AM	0	6.816	26.8	89	0
3/3/2023, 4:43:59 AM	0	6.816	26.4	89	0
3/3/2023, 4:53:59 AM	0	6.816	26.2	89	0
3/3/2023, 5:03:59 AM	0	6.816	25.9	89	0
3/3/2023, 5:13:59 AM	0	6.816	25.7	89	0
3/3/2023, 5:23:59 AM	0	6.816	25.9	89.1	0
3/3/2023, 5:33:59 AM	0	6.816	25.9	89.3	0
3/3/2023, 5:43:59 AM	0	6.816	25.9	89.4	0
3/3/2023, 5:53:59 AM	0	6.816	25.9	89.6	0
3/3/2023, 6:03:59 AM	0	6.816	26.4	89.9	0
3/3/2023, 6:13:59 AM	0	6.816	26.6	90.1	0
3/3/2023, 6:23:59 AM	0	6.816	27	90.3	0
3/3/2023, 6:33:59 AM	0	6.816	27.1	90.3	0
3/3/2023, 6:43:59 AM	0	6.816	27.1	90.4	0
3/3/2023, 6:53:59 AM	0	6.816	27.3	90.3	0
3/3/2023, 7:03:59 AM	0	6.816	27.3	90.2	0
3/3/2023, 7:13:59 AM	0	6.816	27.3	90.1	0
3/3/2023, 7:23:59 AM	0	6.816	27.3	90	0
3/3/2023, 7:33:59 AM	0	6.816	27.3	89.9	0
3/3/2023, 7:43:59 AM	0	6.816	27.3	89.7	0
3/3/2023, 7:53:59 AM	0	6.816	27.5	89.5	0
3/3/2023, 8:03:59 AM	0	6.816	27.5	89.4	0
3/3/2023, 8:13:59 AM	0	6.816	27.7	89.2	0
3/3/2023, 8:23:59 AM	0	6.816	28	88.9	0
3/3/2023, 8:33:59 AM	0	6.816	28.2	88.5	0
3/3/2023, 8:43:59 AM	0	6.816	28.4	88.1	0
3/3/2023, 8:53:59 AM	0	6.816	28.9	87.6	0
3/3/2023, 9:03:59 AM	0	6.825	29.3	86.9	0
3/3/2023, 9:13:59 AM	0	6.825	29.7	86.2	0
3/3/2023, 9:23:59 AM	0	6.825	30.2	85.4	0
3/3/2023, 9:33:59 AM	0	6.825	30.7	84.7	0
3/3/2023, 9:43:59 AM	0	6.825	31.3	83.9	0
3/3/2023, 9:53:59 AM	0	6.825	31.6	83.2	0
3/3/2023, 10:03:59 AM	0	6.825	32	82.5	0
3/3/2023, 10:13:59 AM	0	6.825	32.7	82	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/3/2023, 10:23:59 AM	0	6.833	33.6	81.5	0
3/3/2023, 10:33:59 AM	0	6.833	34.2	81	0
3/3/2023, 10:43:59 AM	0	6.833	34.5	80.5	0
3/3/2023, 10:53:59 AM	0	6.833	34.9	80.1	0
3/3/2023, 11:03:59 AM	0	6.833	35.4	79.8	0
3/3/2023, 11:13:59 AM	0	6.833	36	79.5	0
3/3/2023, 11:23:59 AM	0	6.833	36.3	79.2	0
3/3/2023, 11:33:59 AM	0	6.842	36.5	78.9	0
3/3/2023, 11:43:59 AM	0	6.842	36.7	78.7	0
3/3/2023, 11:53:59 AM	0	6.842	37	78.6	0
3/3/2023, 12:03:59 PM	0	6.842	37.4	78.5	0
3/3/2023, 12:13:59 PM	0	6.842	37.8	78.4	0
3/3/2023, 12:23:59 PM	0	6.842	37.9	78.1	0
3/3/2023, 12:33:59 PM	0	6.842	38.3	78	0
3/3/2023, 12:43:59 PM	0	6.842	38.8	78	0
3/3/2023, 12:53:59 PM	0	6.842	39	77.6	0
3/3/2023, 1:03:59 PM	0	6.842	39.2	77.5	0
3/3/2023, 1:13:59 PM	0	6.842	39.4	77.2	0
3/3/2023, 1:23:59 PM	0	6.842	39.6	77	0
3/3/2023, 1:33:59 PM	0	6.851	39.7	76.8	0
3/3/2023, 1:43:59 PM	0	6.851	40.1	76.6	0
3/3/2023, 1:53:59 PM	0	6.851	40.3	76.5	0
3/3/2023, 2:03:59 PM	0	6.851	40.5	76.3	0
3/3/2023, 2:13:59 PM	0	6.851	40.8	76	0
3/3/2023, 2:23:59 PM	0	6.851	41	75.9	0
3/3/2023, 2:33:59 PM	0	6.851	41.2	75.6	0
3/3/2023, 2:43:59 PM	0	6.851	41.2	75.2	0
3/3/2023, 2:53:59 PM	0	6.851	41.2	74.6	0
3/3/2023, 3:03:59 PM	0	6.851	41.2	74.2	0
3/3/2023, 3:13:59 PM	0	6.851	41.2	74	0
3/3/2023, 3:23:59 PM	0	6.851	41	73.7	0
3/3/2023, 3:33:59 PM	0	6.851	41	73.4	0
3/3/2023, 3:43:59 PM	0	6.851	41.2	73	0
3/3/2023, 3:53:59 PM	0	6.851	41.2	72.7	0
3/3/2023, 4:03:59 PM	0	6.851	41.2	72.5	0
3/3/2023, 4:13:59 PM	0	6.851	41.2	72.4	0
3/3/2023, 4:23:59 PM	0	6.851	41.2	72.1	0
3/3/2023, 4:33:59 PM	0	6.851	41.2	71.7	0
3/3/2023, 4:43:59 PM	0	6.851	41.2	71.1	0
3/3/2023, 4:53:59 PM	0	6.851	41.2	70.7	0
3/3/2023, 5:03:59 PM	0	6.851	41.2	70.2	0
3/3/2023, 5:13:59 PM	0	6.851	41.2	69.8	0
3/3/2023, 5:23:59 PM	0	6.851	41	69.5	0
3/3/2023, 5:33:59 PM	0	6.851	41	69.3	0
3/3/2023, 5:43:59 PM	0	6.851	41	69	0
3/3/2023, 5:53:59 PM	0	6.851	40.8	69	0
3/3/2023, 6:03:59 PM	0	6.851	40.5	69.2	0
3/3/2023, 6:13:59 PM	0	6.851	40.1	69.4	0
3/3/2023, 6:23:59 PM	0	6.851	39.7	69.6	0
3/3/2023, 6:33:59 PM	0	6.851	39.4	69.7	0
3/3/2023, 6:43:59 PM	0	6.851	39.2	69.8	0
3/3/2023, 6:53:59 PM	0	6.851	39.2	69.9	0
3/3/2023, 7:03:59 PM	0	6.851	39	70.2	0
3/3/2023, 7:13:59 PM	0	6.851	38.8	71.7	0
3/3/2023, 7:23:59 PM	0	6.851	38.1	73.9	0
3/3/2023, 7:33:59 PM	0	6.851	37.4	75.7	0
3/3/2023, 7:43:59 PM	0	6.842	36.7	77.3	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/3/2023, 7:53:59 PM	0	6.842	36.1	78.5	0
3/3/2023, 8:03:59 PM	0	6.842	35.4	79.6	0
3/3/2023, 8:13:59 PM	0	6.842	35.1	80.7	0
3/3/2023, 8:23:59 PM	0	6.842	34.7	81.7	0
3/3/2023, 8:33:59 PM	0	6.842	34.5	82.5	0
3/3/2023, 8:43:59 PM	0	6.842	34.3	83.3	0
3/3/2023, 8:53:59 PM	0	6.833	34.2	84	0
3/3/2023, 9:03:59 PM	0	6.833	34	84.6	0
3/3/2023, 9:13:59 PM	0	6.833	33.8	85.1	0
3/3/2023, 9:23:59 PM	0	6.833	33.6	85.6	0
3/3/2023, 9:33:59 PM	0	6.833	33.6	86	0
3/3/2023, 9:43:59 PM	0	6.833	33.4	86.4	0
3/3/2023, 9:53:59 PM	0	6.833	33.4	86.8	0
3/3/2023, 10:03:59 PM	0	6.833	33.4	87.2	0
3/3/2023, 10:13:59 PM	0	6.833	33.3	87.5	0
3/3/2023, 10:23:59 PM	0	6.833	33.3	87.9	0
3/3/2023, 10:33:59 PM	0	6.833	33.3	88.1	0
3/3/2023, 10:43:59 PM	0	6.833	33.3	88.4	0
3/3/2023, 10:53:59 PM	0	6.833	33.3	88.6	0
3/3/2023, 11:03:59 PM	0	6.833	33.3	88.8	0
3/3/2023, 11:13:59 PM	0	6.833	33.3	88.9	0
3/3/2023, 11:23:59 PM	0	6.833	33.3	89.1	0
3/3/2023, 11:33:59 PM	0	6.833	33.4	89.2	0
3/3/2023, 11:43:59 PM	0	6.833	33.4	89.2	0
3/3/2023, 11:53:59 PM	0	6.833	33.6	89.1	0
3/4/2023, 12:03:59 AM	0	6.833	33.6	89	0
3/4/2023, 12:13:59 AM	0	6.833	33.6	89	0
3/4/2023, 12:23:59 AM	0	6.833	33.6	88.9	0
3/4/2023, 12:33:59 AM	0	6.833	33.8	88.8	0
3/4/2023, 12:43:59 AM	0	6.833	33.8	88.6	0
3/4/2023, 12:53:59 AM	0	6.833	33.8	88.4	0
3/4/2023, 1:03:59 AM	0	6.833	34	88.2	0
3/4/2023, 1:13:59 AM	0	6.833	34.2	88	0
3/4/2023, 1:23:59 AM	0	6.833	34.2	87.7	0
3/4/2023, 1:33:59 AM	0	6.833	34.2	87.5	0
3/4/2023, 1:43:59 AM	0	6.833	34.2	87.3	0
3/4/2023, 1:53:59 AM	0	6.833	34.2	87.2	0
3/4/2023, 2:03:59 AM	0	6.833	34.3	87.1	0
3/4/2023, 2:13:59 AM	0	6.833	34.3	87	0
3/4/2023, 2:23:59 AM	0	6.833	34.3	87	0
3/4/2023, 2:33:59 AM	0	6.833	34.3	87.2	0
3/4/2023, 2:43:59 AM	0	6.833	34.2	87.3	0
3/4/2023, 2:53:59 AM	0	6.833	34.2	87.5	0
3/4/2023, 3:03:59 AM	0	6.833	34.2	87.7	0
3/4/2023, 3:13:59 AM	0	6.833	34	88	0
3/4/2023, 3:23:59 AM	0	6.833	33.8	88.2	0
3/4/2023, 3:33:59 AM	0	6.833	33.6	88.5	0
3/4/2023, 3:43:59 AM	0	6.833	33.4	88.8	0
3/4/2023, 3:53:59 AM	0	6.833	33.4	89.2	0
3/4/2023, 4:03:59 AM	0	6.833	33.4	89.5	0
3/4/2023, 4:13:59 AM	0	6.833	33.3	89.7	0
3/4/2023, 4:23:59 AM	0	6.833	33.3	90	0
3/4/2023, 4:33:59 AM	0	6.833	33.3	90.3	0
3/4/2023, 4:43:59 AM	0	6.833	33.3	90.5	0
3/4/2023, 4:53:59 AM	0	6.833	33.3	90.6	0
3/4/2023, 5:03:59 AM	0	6.833	33.3	90.8	0
3/4/2023, 5:13:59 AM	0	6.833	33.3	90.9	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/4/2023, 5:23:59 AM	0	6.833	33.3	91.1	0
3/4/2023, 5:33:59 AM	0	6.833	33.3	91.2	0
3/4/2023, 5:43:59 AM	0	6.833	33.3	91.3	0
3/4/2023, 5:53:59 AM	0	6.833	33.3	91.5	0
3/4/2023, 6:03:59 AM	0	6.833	33.1	91.5	0
3/4/2023, 6:13:59 AM	0	6.833	33.1	91.6	0
3/4/2023, 6:23:59 AM	0	6.833	33.1	91.7	0
3/4/2023, 6:33:59 AM	0	6.833	33.1	91.8	0
3/4/2023, 6:43:59 AM	0	6.833	33.1	91.9	0
3/4/2023, 6:53:59 AM	0	6.833	33.1	91.9	0
3/4/2023, 7:03:59 AM	0	6.833	33.1	92	0
3/4/2023, 7:13:59 AM	0	6.833	33.1	92	0
3/4/2023, 7:23:59 AM	0	6.833	33.1	92.1	0
3/4/2023, 7:33:59 AM	0	6.833	33.3	92.2	0
3/4/2023, 7:43:59 AM	0	6.833	33.3	92.3	0
3/4/2023, 7:53:59 AM	0	6.833	33.3	92.4	0
3/4/2023, 8:03:59 AM	0	6.833	33.4	92.4	0
3/4/2023, 8:13:59 AM	0	6.833	33.4	92.4	0
3/4/2023, 8:23:59 AM	0	6.833	33.6	92.5	0
3/4/2023, 8:33:59 AM	0	6.833	34	92.6	0
3/4/2023, 8:43:59 AM	0	6.833	34.2	92.6	0
3/4/2023, 8:53:59 AM	0	6.833	34.5	92.6	0
3/4/2023, 9:03:59 AM	0	6.833	34.9	92.6	0
3/4/2023, 9:13:59 AM	0	6.833	35.1	92.5	0
3/4/2023, 9:23:59 AM	0	6.833	35.4	92.3	0
3/4/2023, 9:33:59 AM	0	6.833	35.6	92.2	0
3/4/2023, 9:43:59 AM	0	6.833	36	92	0
3/4/2023, 9:53:59 AM	0	6.833	36.3	91.8	0
3/4/2023, 10:03:59 AM	0	6.833	36.7	91.4	0
3/4/2023, 10:13:59 AM	0	6.833	37.4	91	0
3/4/2023, 10:23:59 AM	0	6.833	38.1	90.5	0
3/4/2023, 10:33:59 AM	0	6.842	38.1	89.8	0
3/4/2023, 10:43:59 AM	0	6.842	37.9	89.2	0
3/4/2023, 10:53:59 AM	0	6.842	38.5	88.8	0
3/4/2023, 11:03:59 AM	0	6.842	38.7	88.4	0
3/4/2023, 11:13:59 AM	0	6.842	38.5	87.9	0
3/4/2023, 11:23:59 AM	0	6.842	38.1	87.6	0
3/4/2023, 11:33:59 AM	0	6.842	37.8	87.3	0
3/4/2023, 11:43:59 AM	0	6.842	37.4	87	0
3/4/2023, 11:53:59 AM	0	6.842	37.6	86.8	0
3/4/2023, 12:03:59 PM	0	6.842	37.9	86.5	0
3/4/2023, 12:13:59 PM	0	6.842	38.8	86.1	0
3/4/2023, 12:23:59 PM	0	6.842	39.4	85.5	0
3/4/2023, 12:33:59 PM	0	6.842	40.3	84.8	0
3/4/2023, 12:43:59 PM	0	6.842	40.1	84	0
3/4/2023, 12:53:59 PM	0	6.842	39.7	83.3	0
3/4/2023, 1:03:59 PM	0	6.842	39.4	82.8	0
3/4/2023, 1:13:59 PM	0	6.842	39.9	82.5	0
3/4/2023, 1:23:59 PM	0	6.842	39.2	82	0
3/4/2023, 1:33:59 PM	0	6.842	38.7	81.8	0
3/4/2023, 1:43:59 PM	0	6.842	38.7	81.7	0
3/4/2023, 1:53:59 PM	0	6.842	38.7	81.6	0
3/4/2023, 2:03:59 PM	0	6.842	38.7	81.5	0
3/4/2023, 2:13:59 PM	0	6.842	38.7	81.4	0
3/4/2023, 2:23:59 PM	0	6.842	38.8	81.4	0
3/4/2023, 2:33:59 PM	0	6.842	38.7	81.2	0
3/4/2023, 2:43:59 PM	0	6.842	38.1	81.1	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/4/2023, 2:53:59 PM	0	6.842	37.9	81.2	0
3/4/2023, 3:03:59 PM	0	6.833	37.9	81.2	0
3/4/2023, 3:13:59 PM	0	6.842	37.4	81.2	0
3/4/2023, 3:23:59 PM	0	6.833	36.9	81.3	0
3/4/2023, 3:33:59 PM	0	6.833	36.5	81.5	0
3/4/2023, 3:43:59 PM	0	6.833	36.1	81.7	0
3/4/2023, 3:53:59 PM	0	6.833	35.8	82	0
3/4/2023, 4:03:59 PM	0	6.833	35.6	82.3	0
3/4/2023, 4:13:59 PM	0	6.833	35.6	82.5	0
3/4/2023, 4:23:59 PM	0	6.833	35.8	82.8	0
3/4/2023, 4:33:59 PM	0	6.833	36.1	82.9	0
3/4/2023, 4:43:59 PM	0	6.833	36.5	82.9	0
3/4/2023, 4:53:59 PM	0	6.833	36.5	82.6	0
3/4/2023, 5:03:59 PM	0	6.833	36.5	82.4	0
3/4/2023, 5:13:59 PM	0	6.833	36.3	82.3	0
3/4/2023, 5:23:59 PM	0	6.833	36.1	82.2	0
3/4/2023, 5:33:59 PM	0	6.833	36	82.1	0
3/4/2023, 5:43:59 PM	0	6.833	35.6	82.1	0
3/4/2023, 5:53:59 PM	0	6.833	35.2	82.2	0
3/4/2023, 6:03:59 PM	0	6.833	35.1	82.4	0
3/4/2023, 6:13:59 PM	0	6.833	35.1	82.6	0
3/4/2023, 6:23:59 PM	0	6.833	34.9	82.9	0
3/4/2023, 6:33:59 PM	0	6.833	34.9	83	0
3/4/2023, 6:43:59 PM	0	6.833	34.7	83.2	0
3/4/2023, 6:53:59 PM	0	6.833	34.5	83.4	0
3/4/2023, 7:03:59 PM	0	6.833	34.5	83.6	0
3/4/2023, 7:13:59 PM	0	6.833	34.3	83.9	0
3/4/2023, 7:23:59 PM	0	6.833	34.3	84.1	0
3/4/2023, 7:33:59 PM	0	6.833	34.2	84.3	0
3/4/2023, 7:43:59 PM	0	6.833	34.2	84.4	0
3/4/2023, 7:53:59 PM	0	6.833	34.2	84.6	0
3/4/2023, 8:03:59 PM	0	6.833	34.2	84.7	0
3/4/2023, 8:13:59 PM	0	6.833	34.2	84.9	0
3/4/2023, 8:23:59 PM	0	6.833	34.2	85.1	0
3/4/2023, 8:33:59 PM	0	6.833	34.2	85.2	0
3/4/2023, 8:43:59 PM	0	6.833	34	85.4	0
3/4/2023, 8:53:59 PM	0	6.833	34	85.6	0
3/4/2023, 9:03:59 PM	0	6.833	33.8	85.6	0
3/4/2023, 9:13:59 PM	0	6.833	33.8	85.8	0
3/4/2023, 9:23:59 PM	0	6.833	33.6	86.1	0
3/4/2023, 9:33:59 PM	0	6.833	33.6	86.3	0
3/4/2023, 9:43:59 PM	0	6.833	33.6	86.4	0
3/4/2023, 9:53:59 PM	0	6.833	33.6	86.6	0
3/4/2023, 10:03:59 PM	0	6.833	33.8	86.8	0
3/4/2023, 10:13:59 PM	0	6.833	33.8	86.9	0
3/4/2023, 10:23:59 PM	0	6.833	33.8	87	0
3/4/2023, 10:33:59 PM	0	6.833	33.8	87.2	0
3/4/2023, 10:43:59 PM	0	6.833	33.8	87.4	0
3/4/2023, 10:53:59 PM	0	6.833	33.8	87.6	0
3/4/2023, 11:03:59 PM	0	6.833	34	87.7	0
3/4/2023, 11:13:59 PM	0	6.833	34	87.8	0
3/4/2023, 11:23:59 PM	0	6.833	34	87.9	0
3/4/2023, 11:33:59 PM	0	6.833	34	88	0
3/4/2023, 11:43:59 PM	0	6.833	34	88.2	0
3/4/2023, 11:53:59 PM	0	6.833	34	88.4	0
3/5/2023, 12:03:59 AM	0	6.833	33.8	88.5	0
3/5/2023, 12:13:59 AM	0	6.833	33.8	88.6	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/5/2023, 12:23:59 AM	0	6.833	33.8	88.7	0
3/5/2023, 12:33:59 AM	0	6.833	33.8	88.9	0
3/5/2023, 12:43:59 AM	0	6.833	33.6	89.1	0
3/5/2023, 12:53:59 AM	0	6.833	33.6	89.2	0
3/5/2023, 1:03:59 AM	0	6.833	33.6	89.3	0
3/5/2023, 1:13:59 AM	0	6.833	33.4	89.4	0
3/5/2023, 1:23:59 AM	0	6.833	33.3	89.4	0
3/5/2023, 1:33:59 AM	0	6.833	33.1	89.5	0
3/5/2023, 1:43:59 AM	0	6.833	32.9	89.6	0
3/5/2023, 1:53:59 AM	0	6.833	32.7	89.7	0
3/5/2023, 2:03:59 AM	0	6.833	32.7	89.9	0
3/5/2023, 2:13:59 AM	0	6.833	32.7	90.1	0
3/5/2023, 2:23:59 AM	0	6.833	32.5	90.2	0
3/5/2023, 2:33:59 AM	0	6.833	32.4	90.2	0
3/5/2023, 2:43:59 AM	0	6.833	32.4	90.3	0
3/5/2023, 2:53:59 AM	0	6.833	32.4	90.5	0
3/5/2023, 3:03:59 AM	0	6.833	32.4	90.8	0
3/5/2023, 3:13:59 AM	0	6.833	32.7	91.2	0
3/5/2023, 3:23:59 AM	0	6.833	33.1	91.5	0
3/5/2023, 3:33:59 AM	0	6.833	33.3	91.6	0
3/5/2023, 3:43:59 AM	0	6.833	33.1	91.6	0
3/5/2023, 3:53:59 AM	0	6.833	32.9	91.5	0
3/5/2023, 4:03:59 AM	0	6.833	32.7	91.4	0
3/5/2023, 4:13:59 AM	0	6.833	32.7	91.5	0
3/5/2023, 4:23:59 AM	0	6.833	32.7	91.5	0
3/5/2023, 4:33:59 AM	0	6.833	32.5	91.5	0
3/5/2023, 4:43:59 AM	0	6.833	32.4	91.4	0
3/5/2023, 4:53:59 AM	0	6.833	32.2	91.4	0
3/5/2023, 5:03:59 AM	0	6.833	32	91.4	0
3/5/2023, 5:13:59 AM	0	6.833	32	91.5	0
3/5/2023, 5:23:59 AM	0	6.825	32	91.6	0
3/5/2023, 5:33:59 AM	0	6.825	32	91.7	0
3/5/2023, 5:43:59 AM	0	6.833	32	91.8	0
3/5/2023, 5:53:59 AM	0	6.825	32	91.9	0
3/5/2023, 6:03:59 AM	0	6.825	32	92	0
3/5/2023, 6:13:59 AM	0	6.825	32	92.1	0
3/5/2023, 6:23:59 AM	0	6.825	32	92.3	0
3/5/2023, 6:33:59 AM	0	6.825	32	92.4	0
3/5/2023, 6:43:59 AM	0	6.825	32.2	92.5	0
3/5/2023, 6:53:59 AM	0	6.825	32.2	92.5	0
3/5/2023, 7:03:59 AM	0	6.825	32.2	92.6	0
3/5/2023, 7:13:59 AM	0	6.825	32.2	92.7	0
3/5/2023, 7:23:59 AM	0	6.825	32	92.7	0
3/5/2023, 7:33:59 AM	0	6.825	32	92.6	0
3/5/2023, 7:43:59 AM	0	6.825	31.8	92.5	0
3/5/2023, 7:53:59 AM	0	6.825	31.6	92.4	0
3/5/2023, 8:03:59 AM	0	6.825	31.8	92.5	0
3/5/2023, 8:13:59 AM	0	6.825	32	92.6	0
3/5/2023, 8:23:59 AM	0	6.825	32.5	92.8	0
3/5/2023, 8:33:59 AM	0	6.825	33.1	93	0
3/5/2023, 8:43:59 AM	0	6.825	34	93.1	0
3/5/2023, 8:53:59 AM	0	6.825	35.8	93.4	0
3/5/2023, 9:03:59 AM	0	6.833	37.4	93.4	0
3/5/2023, 9:13:59 AM	0	6.833	38.3	92.9	0
3/5/2023, 9:23:59 AM	0	6.833	38.3	91.9	0
3/5/2023, 9:33:59 AM	0	6.833	38.1	91	0
3/5/2023, 9:43:59 AM	0	6.833	37.9	90.2	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/5/2023, 9:53:59 AM	0	6.842	37.9	89.7	0
3/5/2023, 10:03:59 AM	0	6.842	38.1	89.3	0
3/5/2023, 10:13:59 AM	0	6.842	38.1	89	0
3/5/2023, 10:23:59 AM	0	6.842	38.5	88.8	0
3/5/2023, 10:33:59 AM	0	6.842	38.8	88.6	0
3/5/2023, 10:43:59 AM	0	6.842	39	88.4	0
3/5/2023, 10:53:59 AM	0	6.842	39	88.1	0
3/5/2023, 11:03:59 AM	0	6.842	39.4	87.9	0
3/5/2023, 11:13:59 AM	0	6.842	40.3	87.8	0
3/5/2023, 11:23:59 AM	0	6.842	42.3	87.5	0
3/5/2023, 11:33:59 AM	0	6.842	44.6	86.7	0
3/5/2023, 11:43:59 AM	0	6.842	45.1	85.2	0
3/5/2023, 11:53:59 AM	0	6.842	45.1	84	0
3/5/2023, 12:03:59 PM	0	6.851	45.5	83	0
3/5/2023, 12:13:59 PM	0	6.851	45.5	82.2	0
3/5/2023, 12:23:59 PM	0	6.851	45.9	81.5	0
3/5/2023, 12:33:59 PM	0	6.851	45.5	80.9	0
3/5/2023, 12:43:59 PM	0	6.851	44.8	80.3	0
3/5/2023, 12:53:59 PM	0	6.851	44.4	80.2	0
3/5/2023, 1:03:59 PM	0	6.851	45.3	80	0
3/5/2023, 1:13:59 PM	0	6.851	45.9	79.6	0
3/5/2023, 1:23:59 PM	0	6.851	45.1	79.1	0
3/5/2023, 1:33:59 PM	0	6.851	44.4	78.9	0
3/5/2023, 1:43:59 PM	0	6.851	44.1	78.9	0
3/5/2023, 1:53:59 PM	0	6.851	43.5	79	0
3/5/2023, 2:03:59 PM	0	6.851	43.2	79.1	0
3/5/2023, 2:13:59 PM	0	6.851	42.8	79.4	0
3/5/2023, 2:23:59 PM	0	6.851	42.4	79.4	0
3/5/2023, 2:33:59 PM	0	6.851	42.3	79.6	0
3/5/2023, 2:43:59 PM	0	6.851	42.6	79.7	0
3/5/2023, 2:53:59 PM	0	6.851	42.8	79.6	0
3/5/2023, 3:03:59 PM	0	6.851	43	79.2	0
3/5/2023, 3:13:59 PM	0	6.851	43.2	78.6	0
3/5/2023, 3:23:59 PM	0	6.851	43.9	78.2	0
3/5/2023, 3:33:59 PM	0	6.851	44.6	77.7	0
3/5/2023, 3:43:59 PM	0	6.851	44.8	77	0
3/5/2023, 3:53:59 PM	0	6.851	44.6	76.5	0
3/5/2023, 4:03:59 PM	0	6.851	44.8	76.3	0
3/5/2023, 4:13:59 PM	0	6.851	44.4	76	0
3/5/2023, 4:23:59 PM	0	6.851	44.1	75.8	0
3/5/2023, 4:33:59 PM	0	6.851	43.7	75.8	0
3/5/2023, 4:43:59 PM	0	6.851	43.3	75.9	0
3/5/2023, 4:53:59 PM	0	6.851	43.2	76.1	0
3/5/2023, 5:03:59 PM	0	6.851	43.2	76.2	0
3/5/2023, 5:13:59 PM	0	6.851	43.3	76.4	0
3/5/2023, 5:23:59 PM	0	6.851	43.3	76.4	0
3/5/2023, 5:33:59 PM	0	6.851	43.2	76.4	0
3/5/2023, 5:43:59 PM	0	6.851	42.8	76.6	0
3/5/2023, 5:53:59 PM	0	6.851	42.6	76.7	0
3/5/2023, 6:03:59 PM	0	6.851	42.1	76.9	0
3/5/2023, 6:13:59 PM	0	6.851	41.5	77.3	0
3/5/2023, 6:23:59 PM	0	6.851	41.2	77.7	0
3/5/2023, 6:33:59 PM	0	6.851	40.8	78.1	0
3/5/2023, 6:43:59 PM	0	6.851	40.6	78.5	0
3/5/2023, 6:53:59 PM	0	6.851	40.3	78.9	0
3/5/2023, 7:03:59 PM	0	6.851	40.1	79.2	0
3/5/2023, 7:13:59 PM	0	6.851	39.7	79.5	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/5/2023, 7:23:59 PM	0	6.851	39.6	79.8	0
3/5/2023, 7:33:59 PM	0	6.842	39.2	80.2	0
3/5/2023, 7:43:59 PM	0	6.842	39	80.7	0
3/5/2023, 7:53:59 PM	0	6.842	38.7	81.1	0
3/5/2023, 8:03:59 PM	0	6.842	38.5	81.6	0
3/5/2023, 8:13:59 PM	0	6.842	38.1	82	0
3/5/2023, 8:23:59 PM	0	6.842	37.9	82.4	0
3/5/2023, 8:33:59 PM	0	6.842	37.8	82.8	0
3/5/2023, 8:43:59 PM	0	6.842	37.6	83.1	0
3/5/2023, 8:53:59 PM	0	6.842	37.4	83.3	0
3/5/2023, 9:03:59 PM	0	6.842	37.2	83.5	0
3/5/2023, 9:13:59 PM	0	6.842	36.7	83.5	0
3/5/2023, 9:23:59 PM	0	6.842	36.1	83.5	0
3/5/2023, 9:33:59 PM	0	6.842	35.6	83.6	0
3/5/2023, 9:43:59 PM	0	6.842	34.9	83.8	0
3/5/2023, 9:53:59 PM	0	6.833	34.5	84.1	0
3/5/2023, 10:03:59 PM	0	6.833	34.2	84.5	0
3/5/2023, 10:13:59 PM	0	6.833	34	85	0
3/5/2023, 10:23:59 PM	0	6.833	34	85.5	0
3/5/2023, 10:33:59 PM	0	6.833	34	85.9	0
3/5/2023, 10:43:59 PM	0	6.833	34	86.2	0
3/5/2023, 10:53:59 PM	0	6.833	34	86.4	0
3/5/2023, 11:03:59 PM	0	6.833	33.8	86.6	0
3/5/2023, 11:13:59 PM	0	6.833	33.8	86.8	0
3/5/2023, 11:23:59 PM	0	6.833	33.8	87	0
3/5/2023, 11:33:59 PM	0	6.833	33.8	87.2	0
3/5/2023, 11:43:59 PM	0	6.833	33.6	87.4	0
3/5/2023, 11:53:59 PM	0	6.833	33.6	87.5	0
3/6/2023, 12:03:59 AM	0	6.833	33.6	87.7	0
3/6/2023, 12:13:59 AM	0	6.833	33.4	87.8	0
3/6/2023, 12:23:59 AM	0	6.833	33.3	87.9	0
3/6/2023, 12:33:59 AM	0	6.833	33.3	88	0
3/6/2023, 12:43:59 AM	0	6.833	33.1	88	0
3/6/2023, 12:53:59 AM	0	6.833	33.1	88.1	0
3/6/2023, 1:03:59 AM	0	6.833	32.9	88.1	0
3/6/2023, 1:13:59 AM	0	6.833	32.7	88.1	0
3/6/2023, 1:23:59 AM	0	6.833	32.5	88.1	0
3/6/2023, 1:33:59 AM	0	6.833	32.5	88.1	0
3/6/2023, 1:43:59 AM	0	6.833	32.4	88.1	0
3/6/2023, 1:53:59 AM	0	6.825	32.2	88.2	0
3/6/2023, 2:03:59 AM	0	6.825	32	88.3	0
3/6/2023, 2:13:59 AM	0	6.825	32	88.4	0
3/6/2023, 2:23:59 AM	0	6.825	31.8	88.6	0
3/6/2023, 2:33:59 AM	0	6.825	31.6	88.7	0
3/6/2023, 2:43:59 AM	0	6.825	31.5	88.8	0
3/6/2023, 2:53:59 AM	0	6.825	31.3	89	0
3/6/2023, 3:03:59 AM	0	6.825	31.3	89.1	0
3/6/2023, 3:13:59 AM	0	6.825	31.1	89.2	0
3/6/2023, 3:23:59 AM	0	6.825	30.9	89.3	0
3/6/2023, 3:33:59 AM	0	6.825	30.7	89.4	0
3/6/2023, 3:43:59 AM	0	6.825	30.7	89.6	0
3/6/2023, 3:53:59 AM	0	6.825	30.6	89.6	0
3/6/2023, 4:03:59 AM	0	6.825	30.6	89.8	0
3/6/2023, 4:13:59 AM	0	6.825	30.4	89.9	0
3/6/2023, 4:23:59 AM	0	6.825	30.4	90	0
3/6/2023, 4:33:59 AM	0	6.825	30.4	90.1	0
3/6/2023, 4:43:59 AM	0	6.825	30.2	90.2	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/6/2023, 4:53:59 AM	0	6.825	30.2	90.3	0
3/6/2023, 5:03:59 AM	0	6.825	30	90.4	0
3/6/2023, 5:13:59 AM	0	6.825	29.8	90.4	0
3/6/2023, 5:23:59 AM	0	6.816	29.8	90.6	0
3/6/2023, 5:33:59 AM	0	6.816	29.7	90.6	0
3/6/2023, 5:43:59 AM	0	6.816	29.7	90.7	0
3/6/2023, 5:53:59 AM	0	6.816	29.5	90.7	0
3/6/2023, 6:03:59 AM	0	6.816	29.3	90.8	0
3/6/2023, 6:13:59 AM	0	6.816	29.3	90.9	0
3/6/2023, 6:23:59 AM	0	6.816	29.3	91	0
3/6/2023, 6:33:59 AM	0	6.816	29.3	91.1	0
3/6/2023, 6:43:59 AM	0	6.816	29.1	91.1	0
3/6/2023, 6:53:59 AM	0	6.816	28.9	91.2	0
3/6/2023, 7:03:59 AM	0	6.816	28.8	91.2	0
3/6/2023, 7:13:59 AM	0	6.816	28.8	91.3	0
3/6/2023, 7:23:59 AM	0	6.816	28.9	91.5	0
3/6/2023, 7:33:59 AM	0	6.816	29.1	91.6	0
3/6/2023, 7:43:59 AM	0	6.816	29.1	91.8	0
3/6/2023, 7:53:59 AM	0	6.816	29.1	91.9	0
3/6/2023, 8:03:59 AM	0	6.816	29.5	92	0
3/6/2023, 8:13:59 AM	0	6.816	30.2	92.2	0
3/6/2023, 8:23:59 AM	0	6.816	30.9	92.4	0
3/6/2023, 8:33:59 AM	0	6.816	31.5	92.6	0
3/6/2023, 8:43:59 AM	0	6.816	31.8	92.6	0
3/6/2023, 8:53:59 AM	0	6.825	32	92.6	0
3/6/2023, 9:03:59 AM	0	6.825	32.2	92.6	0
3/6/2023, 9:13:59 AM	0	6.825	32.4	92.5	0
3/6/2023, 9:23:59 AM	0	6.825	32.9	92.4	0
3/6/2023, 9:33:59 AM	0	6.825	33.3	92.3	0
3/6/2023, 9:43:59 AM	0	6.825	34	92.2	0
3/6/2023, 9:53:59 AM	0	6.825	34.5	91.9	0
3/6/2023, 10:03:59 AM	0	6.825	35.2	91.6	0
3/6/2023, 10:13:59 AM	0	6.825	36	91.1	0
3/6/2023, 10:23:59 AM	0	6.825	36.5	90.5	0
3/6/2023, 10:33:59 AM	0	6.833	37	89.8	0
3/6/2023, 10:43:59 AM	0	6.833	37.8	89.1	0
3/6/2023, 10:53:59 AM	0	6.833	38.7	88.3	0
3/6/2023, 11:03:59 AM	0	6.833	39.6	87.5	0
3/6/2023, 11:13:59 AM	0	6.833	40.6	86.5	0
3/6/2023, 11:23:59 AM	0	6.833	41.4	85.4	0
3/6/2023, 11:33:59 AM	0	6.833	41.7	84.2	0
3/6/2023, 11:43:59 AM	0	6.842	41.9	83.1	0
3/6/2023, 11:53:59 AM	0	6.842	42.3	82.1	0
3/6/2023, 12:03:59 PM	0	6.842	42.6	81.1	0
3/6/2023, 12:13:59 PM	0	6.842	43.2	80	0
3/6/2023, 12:23:59 PM	0	6.842	43.7	78.9	0
3/6/2023, 12:33:59 PM	0	6.842	44.4	77.9	0
3/6/2023, 12:43:59 PM	0	6.842	45.7	76.8	0
3/6/2023, 12:53:59 PM	0	6.842	47.8	75.5	0
3/6/2023, 1:03:59 PM	0	6.851	48.9	74.1	0
3/6/2023, 1:13:59 PM	0	6.851	49.3	72.8	0
3/6/2023, 1:23:59 PM	0	6.851	48.9	71.7	0
3/6/2023, 1:33:59 PM	0	6.851	51.3	70.8	0
3/6/2023, 1:43:59 PM	0	6.851	53.2	69.3	0
3/6/2023, 1:53:59 PM	0	6.851	56.1	67.7	0
3/6/2023, 2:03:59 PM	0	6.851	57	65.8	0
3/6/2023, 2:13:59 PM	0	6.86	57.2	64.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/6/2023, 2:23:59 PM	0	6.86	57.9	63.3	0
3/6/2023, 2:33:59 PM	0	6.86	58.1	62.1	0
3/6/2023, 2:43:59 PM	0	6.86	58.5	61.3	0
3/6/2023, 2:53:59 PM	0	6.86	57.4	60.5	0
3/6/2023, 3:03:59 PM	0	6.86	56.1	59.8	0
3/6/2023, 3:13:59 PM	0	6.86	55.9	59.4	0
3/6/2023, 3:23:59 PM	0	6.86	56.3	59.1	0
3/6/2023, 3:33:59 PM	0	6.86	55	58.6	0
3/6/2023, 3:43:59 PM	0	6.86	53.6	58.3	0
3/6/2023, 3:53:59 PM	0	6.86	52.3	58	0
3/6/2023, 4:03:59 PM	0	6.86	51.4	57.9	0
3/6/2023, 4:13:59 PM	0	6.86	51.8	58	0
3/6/2023, 4:23:59 PM	0	6.86	51.8	58	0
3/6/2023, 4:33:59 PM	0	6.86	50.4	57.7	0
3/6/2023, 4:43:59 PM	0	6.86	48.7	57.6	0
3/6/2023, 4:53:59 PM	0	6.86	47.5	57.4	0
3/6/2023, 5:03:59 PM	0	6.851	46.6	57.2	0
3/6/2023, 5:13:59 PM	0	6.851	45.9	57	0
3/6/2023, 5:23:59 PM	0	6.851	45	57	0
3/6/2023, 5:33:59 PM	0	6.851	44.1	57.1	0
3/6/2023, 5:43:59 PM	0	6.851	43.3	57.2	0
3/6/2023, 5:53:59 PM	0	6.851	42.4	57.5	0
3/6/2023, 6:03:59 PM	0	6.851	41.5	58	0
3/6/2023, 6:13:59 PM	0	6.851	40.6	58.9	0
3/6/2023, 6:23:59 PM	0	6.842	39.6	60.1	0
3/6/2023, 6:33:59 PM	0	6.842	38.8	61.2	0
3/6/2023, 6:43:59 PM	0	6.842	38.1	62.2	0
3/6/2023, 6:53:59 PM	0	6.842	37.6	63.1	0
3/6/2023, 7:03:59 PM	0	6.842	36.9	63.9	0
3/6/2023, 7:13:59 PM	0	6.842	36.3	64.7	0
3/6/2023, 7:23:59 PM	0	6.842	36	65.5	0
3/6/2023, 7:33:59 PM	0	6.833	35.6	66.3	0
3/6/2023, 7:43:59 PM	0	6.833	35.2	66.8	0
3/6/2023, 7:53:59 PM	0	6.833	34.9	67.2	0
3/6/2023, 8:03:59 PM	0	6.833	34.7	67.6	0
3/6/2023, 8:13:59 PM	0	6.833	34.3	67.7	0
3/6/2023, 8:23:59 PM	0	6.833	34.2	67.8	0
3/6/2023, 8:33:59 PM	0	6.833	34	68.2	0
3/6/2023, 8:43:59 PM	0	6.833	33.8	68.7	0
3/6/2023, 8:53:59 PM	0	6.833	33.6	69.2	0
3/6/2023, 9:03:59 PM	0	6.833	33.4	69.7	0
3/6/2023, 9:13:59 PM	0	6.833	33.4	70	0
3/6/2023, 9:23:59 PM	0	6.833	33.3	70.5	0
3/6/2023, 9:33:59 PM	0	6.825	33.1	71.1	0
3/6/2023, 9:43:59 PM	0	6.825	33.1	71.7	0
3/6/2023, 9:53:59 PM	0	6.825	32.9	72.1	0
3/6/2023, 10:03:59 PM	0	6.825	32.9	72.4	0
3/6/2023, 10:13:59 PM	0	6.825	32.9	72.7	0
3/6/2023, 10:23:59 PM	0	6.825	32.9	73.1	0
3/6/2023, 10:33:59 PM	0	6.825	32.7	73.7	0
3/6/2023, 10:43:59 PM	0	6.825	32.7	74.4	0
3/6/2023, 10:53:59 PM	0	6.825	32.5	74.9	0
3/6/2023, 11:03:59 PM	0	6.825	32.5	75.3	0
3/6/2023, 11:13:59 PM	0	6.825	32.4	75.7	0
3/6/2023, 11:23:59 PM	0	6.825	32.4	76	0
3/6/2023, 11:33:59 PM	0	6.825	32.4	76.2	0
3/6/2023, 11:43:59 PM	0	6.825	32.4	76.6	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/6/2023, 11:53:59 PM	0	6.825	32.2	77	0
3/7/2023, 12:03:59 AM	0	6.825	32.2	77.2	0
3/7/2023, 12:13:59 AM	0	6.825	32.2	77	0
3/7/2023, 12:23:59 AM	0	6.825	32.2	76.8	0
3/7/2023, 12:33:59 AM	0	6.825	32.2	76.9	0
3/7/2023, 12:43:59 AM	0	6.825	32	76.9	0
3/7/2023, 12:53:59 AM	0	6.825	32	76.8	0
3/7/2023, 1:03:59 AM	0	6.825	32	76.7	0
3/7/2023, 1:13:59 AM	0	6.825	32	76.5	0
3/7/2023, 1:23:59 AM	0	6.825	32	76.4	0
3/7/2023, 1:33:59 AM	0	6.825	32	76.3	0
3/7/2023, 1:43:59 AM	0	6.825	31.8	76.4	0
3/7/2023, 1:53:59 AM	0	6.825	31.5	76.5	0
3/7/2023, 2:03:59 AM	0	6.825	30.9	76.8	0
3/7/2023, 2:13:59 AM	0	6.825	30.6	77.2	0
3/7/2023, 2:23:59 AM	0	6.825	30.2	77.7	0
3/7/2023, 2:33:59 AM	0	6.816	30.2	78.3	0
3/7/2023, 2:43:59 AM	0	6.816	30.4	79	0
3/7/2023, 2:53:59 AM	0	6.816	30.6	79.5	0
3/7/2023, 3:03:59 AM	0	6.816	30.7	80.1	0
3/7/2023, 3:13:59 AM	0	6.816	31.3	80.3	0
3/7/2023, 3:23:59 AM	0	6.825	31.6	79.7	0
3/7/2023, 3:33:59 AM	0	6.825	32	78.4	0
3/7/2023, 3:43:59 AM	0	6.825	32	76.9	0
3/7/2023, 3:53:59 AM	0	6.825	32.2	75.3	0
3/7/2023, 4:03:59 AM	0	6.825	32.4	73.9	0
3/7/2023, 4:13:59 AM	0	6.825	32.5	72.6	0
3/7/2023, 4:23:59 AM	0	6.825	32.5	71.6	0
3/7/2023, 4:33:59 AM	0	6.825	32.5	70.6	0
3/7/2023, 4:43:59 AM	0	6.825	32.5	69.9	0
3/7/2023, 4:53:59 AM	0	6.825	32.4	69.2	0
3/7/2023, 5:03:59 AM	0	6.825	32	68.7	0
3/7/2023, 5:13:59 AM	0	6.825	32	68.2	0
3/7/2023, 5:23:59 AM	0	6.825	31.8	67.8	0
3/7/2023, 5:33:59 AM	0	6.825	31.6	67.6	0
3/7/2023, 5:43:59 AM	0	6.825	31.6	67.4	0
3/7/2023, 5:53:59 AM	0	6.825	31.5	67.2	0
3/7/2023, 6:03:59 AM	0	6.825	31.3	67	0
3/7/2023, 6:13:59 AM	0	6.825	31.1	67.1	0
3/7/2023, 6:23:59 AM	0	6.825	30.9	67.1	0
3/7/2023, 6:33:59 AM	0	6.825	30.7	67.1	0
3/7/2023, 6:43:59 AM	0	6.816	30.6	67	0
3/7/2023, 6:53:59 AM	0	6.816	30.4	67.1	0
3/7/2023, 7:03:59 AM	0	6.816	30	67.1	0
3/7/2023, 7:13:59 AM	0	6.816	29.8	67.1	0
3/7/2023, 7:23:59 AM	0	6.816	29.7	67.2	0
3/7/2023, 7:33:59 AM	0	6.816	29.5	67.3	0
3/7/2023, 7:43:59 AM	0	6.816	29.5	67.3	0
3/7/2023, 7:53:59 AM	0	6.816	29.5	67.3	0
3/7/2023, 8:03:59 AM	0	6.816	29.8	67.5	0
3/7/2023, 8:13:59 AM	0	6.816	30.4	67.5	0
3/7/2023, 8:23:59 AM	0	6.816	31.1	67.4	0
3/7/2023, 8:33:59 AM	0	6.816	32	67.2	0
3/7/2023, 8:43:59 AM	0	6.816	32.5	66.8	0
3/7/2023, 8:53:59 AM	0	6.816	33.4	66.5	0
3/7/2023, 9:03:59 AM	0	6.825	34.2	66	0
3/7/2023, 9:13:59 AM	0	6.825	34.9	65.6	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/7/2023, 9:23:59 AM	0	6.825	35.6	65.2	0
3/7/2023, 9:33:59 AM	0	6.825	36.3	64.9	0
3/7/2023, 9:43:59 AM	0	6.825	37	64.4	0
3/7/2023, 9:53:59 AM	0	6.825	37.8	63.9	0
3/7/2023, 10:03:59 AM	0	6.825	38.3	63.5	0
3/7/2023, 10:13:59 AM	0	6.825	39.2	63.1	0
3/7/2023, 10:23:59 AM	0	6.833	39.9	62.7	0
3/7/2023, 10:33:59 AM	0	6.833	40.3	62.4	0
3/7/2023, 10:43:59 AM	0	6.833	40.6	61.9	0
3/7/2023, 10:53:59 AM	0	6.833	41.2	61.7	0
3/7/2023, 11:03:59 AM	0	6.833	41.7	61.4	0
3/7/2023, 11:13:59 AM	0	6.833	42.3	61.1	0
3/7/2023, 11:23:59 AM	0	6.833	42.6	60.7	0
3/7/2023, 11:33:59 AM	0	6.833	43.2	60.4	0
3/7/2023, 11:43:59 AM	0	6.833	43.7	60.2	0
3/7/2023, 11:53:59 AM	0	6.833	44.1	59.9	0
3/7/2023, 12:03:59 PM	0	6.833	44.8	59.5	0
3/7/2023, 12:13:59 PM	0	6.833	45.1	59.2	0
3/7/2023, 12:23:59 PM	0	6.833	45.5	58.8	0
3/7/2023, 12:33:59 PM	0	6.833	45.5	58.5	0
3/7/2023, 12:43:59 PM	0	6.833	45.9	58.2	0
3/7/2023, 12:53:59 PM	0	6.842	46.2	58	0
3/7/2023, 1:03:59 PM	0	6.842	46.4	57.8	0
3/7/2023, 1:13:59 PM	0	6.842	46.2	57.5	0
3/7/2023, 1:23:59 PM	0	6.842	46.4	57.3	0
3/7/2023, 1:33:59 PM	0	6.842	46.4	57.2	0
3/7/2023, 1:43:59 PM	0	6.842	46.6	57.1	0
3/7/2023, 1:53:59 PM	0	6.842	46.6	56.9	0
3/7/2023, 2:03:59 PM	0	6.842	46.6	56.8	0
3/7/2023, 2:13:59 PM	0	6.842	46.4	56.8	0
3/7/2023, 2:23:59 PM	0	6.842	46.6	56.8	0
3/7/2023, 2:33:59 PM	0	6.842	46.2	56.6	0
3/7/2023, 2:43:59 PM	0	6.842	45.7	56.4	0
3/7/2023, 2:53:59 PM	0	6.842	45.5	56.3	0
3/7/2023, 3:03:59 PM	0	6.842	45.9	56.4	0
3/7/2023, 3:13:59 PM	0	6.842	45.9	56.3	0
3/7/2023, 3:23:59 PM	0	6.842	45.5	56.2	0
3/7/2023, 3:33:59 PM	0	6.842	44.6	56.1	0
3/7/2023, 3:43:59 PM	0	6.842	44.1	56.1	0
3/7/2023, 3:53:59 PM	0	6.842	43.9	56.3	0
3/7/2023, 4:03:59 PM	0	6.842	42.3	56.1	0
3/7/2023, 4:13:59 PM	0	6.833	41.4	56.2	0
3/7/2023, 4:23:59 PM	0	6.833	40.6	56.4	0
3/7/2023, 4:33:59 PM	0	6.833	40.1	56.7	0
3/7/2023, 4:43:59 PM	0	6.833	39.7	56.9	0
3/7/2023, 4:53:59 PM	0	6.833	39.4	57.1	0
3/7/2023, 5:03:59 PM	0	6.833	38.7	57.2	0
3/7/2023, 5:13:59 PM	0	6.833	38.1	57.5	0
3/7/2023, 5:23:59 PM	0	6.833	37.9	57.8	0
3/7/2023, 5:33:59 PM	0	6.833	37.6	58.1	0
3/7/2023, 5:43:59 PM	0	6.833	37.4	58.2	0
3/7/2023, 5:53:59 PM	0	6.833	37.2	58.4	0
3/7/2023, 6:03:59 PM	0	6.833	37	58.7	0
3/7/2023, 6:13:59 PM	0	6.833	36.9	59	0
3/7/2023, 6:23:59 PM	0	6.833	36.7	59.4	0
3/7/2023, 6:33:59 PM	0	6.833	36.3	59.8	0
3/7/2023, 6:43:59 PM	0	6.833	36.1	60	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/7/2023, 6:53:59 PM	0	6.833	36	60.1	0
3/7/2023, 7:03:59 PM	0	6.833	35.8	60.3	0
3/7/2023, 7:13:59 PM	0	6.833	35.6	60.5	0
3/7/2023, 7:23:59 PM	0	6.833	35.6	60.7	0
3/7/2023, 7:33:59 PM	0	6.833	35.4	61.1	0
3/7/2023, 7:43:59 PM	0	6.833	35.2	61.8	0
3/7/2023, 7:53:59 PM	0	6.833	35.1	62.3	0
3/7/2023, 8:03:59 PM	0	6.833	34.9	62.8	0
3/7/2023, 8:13:59 PM	0	6.833	34.7	63.3	0
3/7/2023, 8:23:59 PM	0	6.833	34.7	63.7	0
3/7/2023, 8:33:59 PM	0	6.833	34.9	63.9	0
3/7/2023, 8:43:59 PM	0	6.833	35.1	64	0
3/7/2023, 8:53:59 PM	0	6.833	35.2	64	0
3/7/2023, 9:03:59 PM	0	6.833	35.1	63.7	0
3/7/2023, 9:13:59 PM	0	6.833	35.1	63.5	0
3/7/2023, 9:23:59 PM	0	6.833	34.9	63.5	0
3/7/2023, 9:33:59 PM	0	6.833	34.7	63.6	0
3/7/2023, 9:43:59 PM	0	6.833	34.5	63.9	0
3/7/2023, 9:53:59 PM	0	6.833	34.3	64.1	0
3/7/2023, 10:03:59 PM	0	6.825	34.2	64.3	0
3/7/2023, 10:13:59 PM	0	6.833	34	64.5	0
3/7/2023, 10:23:59 PM	0	6.825	34	64.8	0
3/7/2023, 10:33:59 PM	0	6.825	33.6	65	0
3/7/2023, 10:43:59 PM	0	6.825	33.4	65.2	0
3/7/2023, 10:53:59 PM	0	6.825	33.4	65.4	0
3/7/2023, 11:03:59 PM	0	6.825	33.3	65.6	0
3/7/2023, 11:13:59 PM	0	6.825	33.1	65.6	0
3/7/2023, 11:23:59 PM	0	6.825	32.9	65.7	0
3/7/2023, 11:33:59 PM	0	6.825	32.7	65.8	0
3/7/2023, 11:43:59 PM	0	6.825	32.7	66	0
3/7/2023, 11:53:59 PM	0	6.825	32.5	66.2	0
3/8/2023, 12:03:59 AM	0	6.825	32.5	66.3	0
3/8/2023, 12:13:59 AM	0	6.825	32.4	66.4	0
3/8/2023, 12:23:59 AM	0	6.825	32.2	66.4	0
3/8/2023, 12:33:59 AM	0	6.825	32.2	66.5	0
3/8/2023, 12:43:59 AM	0	6.825	32	66.6	0
3/8/2023, 12:53:59 AM	0	6.825	32	66.8	0
3/8/2023, 1:03:59 AM	0	6.825	32	67	0
3/8/2023, 1:13:59 AM	0	6.825	32	67.4	0
3/8/2023, 1:23:59 AM	0	6.825	31.8	67.6	0
3/8/2023, 1:33:59 AM	0	6.816	31.8	67.7	0
3/8/2023, 1:43:59 AM	0	6.825	31.8	67.7	0
3/8/2023, 1:53:59 AM	0	6.816	31.8	67.8	0
3/8/2023, 2:03:59 AM	0	6.825	31.6	68.1	0
3/8/2023, 2:13:59 AM	0	6.825	31.6	68.4	0
3/8/2023, 2:23:59 AM	0	6.825	31.5	68.7	0
3/8/2023, 2:33:59 AM	0	6.816	31.5	69.1	0
3/8/2023, 2:43:59 AM	0	6.816	31.3	69.5	0
3/8/2023, 2:53:59 AM	0	6.816	31.3	69.7	0
3/8/2023, 3:03:59 AM	0	6.816	31.1	69.9	0
3/8/2023, 3:13:59 AM	0	6.816	31.1	70	0
3/8/2023, 3:23:59 AM	0	6.816	31.1	70.1	0
3/8/2023, 3:33:59 AM	0	6.816	31.1	70.1	0
3/8/2023, 3:43:59 AM	0	6.816	30.9	70.2	0
3/8/2023, 3:53:59 AM	0	6.816	30.9	70.2	0
3/8/2023, 4:03:59 AM	0	6.816	30.9	70.2	0
3/8/2023, 4:13:59 AM	0	6.816	30.9	70.3	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/8/2023, 4:23:59 AM	0	6.816	30.9	70.4	0
3/8/2023, 4:33:59 AM	0	6.816	30.7	70.4	0
3/8/2023, 4:43:59 AM	0	6.816	30.7	70.5	0
3/8/2023, 4:53:59 AM	0	6.816	30.6	70.5	0
3/8/2023, 5:03:59 AM	0	6.816	30.6	70.5	0
3/8/2023, 5:13:59 AM	0	6.816	30.6	70.6	0
3/8/2023, 5:23:59 AM	0	6.816	30.6	70.7	0
3/8/2023, 5:33:59 AM	0	6.816	30.4	70.7	0
3/8/2023, 5:43:59 AM	0	6.816	30.4	70.6	0
3/8/2023, 5:53:59 AM	0	6.816	30.4	70.6	0
3/8/2023, 6:03:59 AM	0	6.816	30.4	70.6	0
3/8/2023, 6:13:59 AM	0	6.816	30.4	70.6	0
3/8/2023, 6:23:59 AM	0	6.816	30.4	70.5	0
3/8/2023, 6:33:59 AM	0	6.816	30.2	70.6	0
3/8/2023, 6:43:59 AM	0	6.816	30.2	70.6	0
3/8/2023, 6:53:59 AM	0	6.816	30.2	70.7	0
3/8/2023, 7:03:59 AM	0	6.816	30.2	70.8	0
3/8/2023, 7:13:59 AM	0	6.816	30.2	71	0
3/8/2023, 7:23:59 AM	0	6.816	30.2	71.2	0
3/8/2023, 7:33:59 AM	0	6.816	30	71.3	0
3/8/2023, 7:43:59 AM	0	6.816	30	71.5	0
3/8/2023, 7:53:59 AM	0	6.816	30	71.7	0
3/8/2023, 8:03:59 AM	0	6.816	30	71.8	0
3/8/2023, 8:13:59 AM	0	6.816	30	72.1	0
3/8/2023, 8:23:59 AM	0	6.816	30.2	72.2	0
3/8/2023, 8:33:59 AM	0	6.816	30.2	72.4	0
3/8/2023, 8:43:59 AM	0	6.816	30.4	72.5	0
3/8/2023, 8:53:59 AM	0	6.816	30.4	72.6	0
3/8/2023, 9:03:59 AM	0	6.816	30.6	72.7	0
3/8/2023, 9:13:59 AM	0	6.816	30.7	72.8	0
3/8/2023, 9:23:59 AM	0	6.816	30.7	72.9	0
3/8/2023, 9:33:59 AM	0	6.816	30.9	73.1	0
3/8/2023, 9:43:59 AM	0	6.816	31.5	73.1	0
3/8/2023, 9:53:59 AM	0	6.816	32	73.1	0
3/8/2023, 10:03:59 AM	0	6.816	32.4	72.9	0
3/8/2023, 10:13:59 AM	0	6.816	32.5	72.6	0
3/8/2023, 10:23:59 AM	0	6.816	32.7	72.4	0
3/8/2023, 10:33:59 AM	0	6.816	32.9	72.3	0
3/8/2023, 10:43:59 AM	0	6.816	33.4	72.1	0
3/8/2023, 10:53:59 AM	0	6.816	33.4	71.8	0
3/8/2023, 11:03:59 AM	0	6.816	33.6	71.5	0
3/8/2023, 11:13:59 AM	0	6.816	33.6	71.1	0
3/8/2023, 11:23:59 AM	0	6.816	33.8	70.7	0
3/8/2023, 11:33:59 AM	0	6.816	33.8	70.4	0
3/8/2023, 11:43:59 AM	0	6.816	34.2	70.2	0
3/8/2023, 11:53:59 AM	0	6.816	34.2	70	0
3/8/2023, 12:03:59 PM	0	6.816	34.2	69.7	0
3/8/2023, 12:13:59 PM	0	6.816	34.2	69.6	0
3/8/2023, 12:23:59 PM	0	6.816	34.5	69.5	0
3/8/2023, 12:33:59 PM	0	6.816	35.1	69.3	0
3/8/2023, 12:43:59 PM	0	6.816	36	69.1	0
3/8/2023, 12:53:59 PM	0	6.825	36.9	68.8	0
3/8/2023, 1:03:59 PM	0	6.825	37.6	68.4	0
3/8/2023, 1:13:59 PM	0	6.825	38.3	67.7	0
3/8/2023, 1:23:59 PM	0	6.825	39.6	67.1	0
3/8/2023, 1:33:59 PM	0	6.825	40.6	66.4	0
3/8/2023, 1:43:59 PM	0	6.825	40.6	65.5	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/8/2023, 1:53:59 PM	0	6.825	40.5	65	0
3/8/2023, 2:03:59 PM	0	6.825	40.6	64.7	0
3/8/2023, 2:13:59 PM	0	6.825	41.2	64.4	0
3/8/2023, 2:23:59 PM	0	6.825	41.9	64.1	0
3/8/2023, 2:33:59 PM	0	6.833	42.8	63.7	0
3/8/2023, 2:43:59 PM	0	6.833	43.7	63.3	0
3/8/2023, 2:53:59 PM	0	6.833	43.7	62.8	0
3/8/2023, 3:03:59 PM	0	6.833	44.1	62.4	0
3/8/2023, 3:13:59 PM	0	6.833	44.1	61.9	0
3/8/2023, 3:23:59 PM	0	6.833	44.6	61.7	0
3/8/2023, 3:33:59 PM	0	6.833	44.6	61.3	0
3/8/2023, 3:43:59 PM	0	6.833	43.9	60.9	0
3/8/2023, 3:53:59 PM	0	6.833	43.9	60.8	0
3/8/2023, 4:03:59 PM	0	6.833	43.7	60.6	0
3/8/2023, 4:13:59 PM	0	6.833	43.9	60.7	0
3/8/2023, 4:23:59 PM	0	6.833	43.7	60.5	0
3/8/2023, 4:33:59 PM	0	6.833	43.3	60.4	0
3/8/2023, 4:43:59 PM	0	6.833	43	60.3	0
3/8/2023, 4:53:59 PM	0	6.833	42.3	60.2	0
3/8/2023, 5:03:59 PM	0	6.833	41.9	60.2	0
3/8/2023, 5:13:59 PM	0	6.833	41.5	60.3	0
3/8/2023, 5:23:59 PM	0	6.833	41.4	60.5	0
3/8/2023, 5:33:59 PM	0	6.833	41	60.5	0
3/8/2023, 5:43:59 PM	0	6.833	40.5	60.6	0
3/8/2023, 5:53:59 PM	0	6.833	39.6	60.6	0
3/8/2023, 6:03:59 PM	0	6.833	38.7	60.8	0
3/8/2023, 6:13:59 PM	0	6.833	37.6	61.1	0
3/8/2023, 6:23:59 PM	0	6.833	36.5	61.4	0
3/8/2023, 6:33:59 PM	0	6.833	35.8	61.9	0
3/8/2023, 6:43:59 PM	0	6.825	35.1	62.2	0
3/8/2023, 6:53:59 PM	0	6.825	34.5	62.5	0
3/8/2023, 7:03:59 PM	0	6.825	34.2	62.9	0
3/8/2023, 7:13:59 PM	0	6.825	33.6	63.4	0
3/8/2023, 7:23:59 PM	0	6.825	33.3	63.8	0
3/8/2023, 7:33:59 PM	0	6.825	32.9	64.2	0
3/8/2023, 7:43:59 PM	0	6.825	32.9	64.5	0
3/8/2023, 7:53:59 PM	0	6.825	32.7	64.9	0
3/8/2023, 8:03:59 PM	0	6.825	32.7	65.2	0
3/8/2023, 8:13:59 PM	0	6.825	32.5	65.5	0
3/8/2023, 8:23:59 PM	0	6.825	32.5	65.9	0
3/8/2023, 8:33:59 PM	0	6.825	32.4	66.2	0
3/8/2023, 8:43:59 PM	0	6.816	32.2	66.5	0
3/8/2023, 8:53:59 PM	0	6.816	32	66.8	0
3/8/2023, 9:03:59 PM	0	6.816	31.8	67.2	0
3/8/2023, 9:13:59 PM	0	6.816	31.6	67.5	0
3/8/2023, 9:23:59 PM	0	6.816	31.3	67.8	0
3/8/2023, 9:33:59 PM	0	6.816	31.1	68.2	0
3/8/2023, 9:43:59 PM	0	6.816	30.9	68.5	0
3/8/2023, 9:53:59 PM	0	6.816	30.7	68.9	0
3/8/2023, 10:03:59 PM	0	6.816	30.6	69.3	0
3/8/2023, 10:13:59 PM	0	6.816	30.4	69.6	0
3/8/2023, 10:23:59 PM	0	6.816	30.4	70	0
3/8/2023, 10:33:59 PM	0	6.816	30.4	70.2	0
3/8/2023, 10:43:59 PM	0	6.816	30.2	70.6	0
3/8/2023, 10:53:59 PM	0	6.816	30.2	70.9	0
3/8/2023, 11:03:59 PM	0	6.816	30.2	71.2	0
3/8/2023, 11:13:59 PM	0	6.816	30.2	71.5	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/8/2023, 11:23:59 PM	0	6.816	30	71.7	0
3/8/2023, 11:33:59 PM	0	6.816	29.8	72.1	0
3/8/2023, 11:43:59 PM	0	6.816	29.8	72.5	0
3/8/2023, 11:53:59 PM	0	6.816	29.8	72.9	0
3/9/2023, 12:03:59 AM	0	6.816	29.8	73.2	0
3/9/2023, 12:13:59 AM	0	6.816	29.7	73.6	0
3/9/2023, 12:23:59 AM	0	6.807	29.7	74	0
3/9/2023, 12:33:59 AM	0	6.807	29.7	74.4	0
3/9/2023, 12:43:59 AM	0	6.816	29.5	74.8	0
3/9/2023, 12:53:59 AM	0	6.807	29.3	75.1	0
3/9/2023, 1:03:59 AM	0	6.807	29.1	75.6	0
3/9/2023, 1:13:59 AM	0	6.807	29.1	76	0
3/9/2023, 1:23:59 AM	0	6.807	28.9	76.4	0
3/9/2023, 1:33:59 AM	0	6.807	28.8	76.8	0
3/9/2023, 1:43:59 AM	0	6.807	28.6	77.2	0
3/9/2023, 1:53:59 AM	0	6.807	28.4	77.6	0
3/9/2023, 2:03:59 AM	0	6.807	28.4	78.1	0
3/9/2023, 2:13:59 AM	0	6.807	28.2	78.5	0
3/9/2023, 2:23:59 AM	0	6.807	28.2	78.8	0
3/9/2023, 2:33:59 AM	0	6.807	28.2	79.2	0
3/9/2023, 2:43:59 AM	0	6.807	28	79.5	0
3/9/2023, 2:53:59 AM	0	6.807	27.9	79.8	0
3/9/2023, 3:03:59 AM	0	6.807	27.9	80.1	0
3/9/2023, 3:13:59 AM	0	6.807	27.5	80.3	0
3/9/2023, 3:23:59 AM	0	6.807	27.3	80.6	0
3/9/2023, 3:33:59 AM	0	6.807	27	80.8	0
3/9/2023, 3:43:59 AM	0	6.807	26.6	80.9	0
3/9/2023, 3:53:59 AM	0	6.798	26.1	81.2	0
3/9/2023, 4:03:59 AM	0	6.798	25.7	81.4	0
3/9/2023, 4:13:59 AM	0	6.798	25.2	81.6	0
3/9/2023, 4:23:59 AM	0	6.798	24.8	81.8	0
3/9/2023, 4:33:59 AM	0	6.798	24.3	82	0
3/9/2023, 4:43:59 AM	0	6.79	23.9	82.3	0
3/9/2023, 4:53:59 AM	0	6.79	23.7	82.6	0
3/9/2023, 5:03:59 AM	0	6.79	23.4	82.9	0
3/9/2023, 5:13:59 AM	0	6.79	23.2	83.2	0
3/9/2023, 5:23:59 AM	0	6.79	23.5	83.7	0
3/9/2023, 5:33:59 AM	0	6.79	23.9	84.3	0
3/9/2023, 5:43:59 AM	0	6.79	24.3	84.9	0
3/9/2023, 5:53:59 AM	0	6.79	24.6	85.3	0
3/9/2023, 6:03:59 AM	0	6.79	25	85.7	0
3/9/2023, 6:13:59 AM	0	6.79	25.2	85.9	0
3/9/2023, 6:23:59 AM	0	6.798	25.3	86.1	0
3/9/2023, 6:33:59 AM	0	6.798	25.2	86.1	0
3/9/2023, 6:43:59 AM	0	6.79	25	86	0
3/9/2023, 6:53:59 AM	0	6.79	24.8	86	0
3/9/2023, 7:03:59 AM	0	6.79	24.6	85.9	0
3/9/2023, 7:13:59 AM	0	6.79	24.8	86	0
3/9/2023, 7:23:59 AM	0	6.798	25.2	86.1	0
3/9/2023, 7:33:59 AM	0	6.79	25.5	86.1	0
3/9/2023, 7:43:59 AM	0	6.798	25.7	86	0
3/9/2023, 7:53:59 AM	0	6.798	26.1	85.9	0
3/9/2023, 8:03:59 AM	0	6.798	26.4	85.7	0
3/9/2023, 8:13:59 AM	0	6.798	26.8	85.4	0
3/9/2023, 8:23:59 AM	0	6.798	27.3	85.2	0
3/9/2023, 8:33:59 AM	0	6.798	28	84.9	0
3/9/2023, 8:43:59 AM	0	6.798	28.8	84.3	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/9/2023, 8:53:59 AM	0	6.798	29.5	83.8	0
3/9/2023, 9:03:59 AM	0	6.807	30.4	83.2	0
3/9/2023, 9:13:59 AM	0	6.807	30.9	82.5	0
3/9/2023, 9:23:59 AM	0	6.807	31.5	81.8	0
3/9/2023, 9:33:59 AM	0	6.807	32	81	0
3/9/2023, 9:43:59 AM	0	6.816	32.2	80.2	0
3/9/2023, 9:53:59 AM	0	6.816	32.5	79.6	0
3/9/2023, 10:03:59 AM	0	6.816	33.1	79	0
3/9/2023, 10:13:59 AM	0	6.816	33.4	78.3	0
3/9/2023, 10:23:59 AM	0	6.816	33.8	77.7	0
3/9/2023, 10:33:59 AM	0	6.816	34.2	77	0
3/9/2023, 10:43:59 AM	0	6.816	34.3	76.5	0
3/9/2023, 10:53:59 AM	0	6.816	34.5	75.9	0
3/9/2023, 11:03:59 AM	0	6.816	34.9	75.5	0
3/9/2023, 11:13:59 AM	0	6.816	35.1	75.1	0
3/9/2023, 11:23:59 AM	0	6.816	35.2	74.8	0
3/9/2023, 11:33:59 AM	0	6.816	35.6	74.5	0
3/9/2023, 11:43:59 AM	0	6.825	36.1	74.1	0
3/9/2023, 11:53:59 AM	0	6.825	36.7	73.8	0
3/9/2023, 12:03:59 PM	0	6.825	37.4	73.4	0
3/9/2023, 12:13:59 PM	0	6.825	37.9	73	0
3/9/2023, 12:23:59 PM	0	6.825	38.1	72.5	0
3/9/2023, 12:33:59 PM	0	6.825	38.5	72.1	0
3/9/2023, 12:43:59 PM	0	6.825	38.8	71.7	0
3/9/2023, 12:53:59 PM	0	6.825	39	71.3	0
3/9/2023, 1:03:59 PM	0	6.825	39	71	0
3/9/2023, 1:13:59 PM	0	6.825	39	70.7	0
3/9/2023, 1:23:59 PM	0	6.825	39	70.5	0
3/9/2023, 1:33:59 PM	0	6.825	39.2	70.4	0
3/9/2023, 1:43:59 PM	0	6.825	39.4	70	0
3/9/2023, 1:53:59 PM	0	6.825	39.7	69.8	0
3/9/2023, 2:03:59 PM	0	6.833	40.1	69.5	0
3/9/2023, 2:13:59 PM	0	6.833	40.5	69.2	0
3/9/2023, 2:23:59 PM	0	6.833	41.2	69	0
3/9/2023, 2:33:59 PM	0	6.833	41.2	68.7	0
3/9/2023, 2:43:59 PM	0	6.833	41.5	68.4	0
3/9/2023, 2:53:59 PM	0	6.833	42.3	68.1	0
3/9/2023, 3:03:59 PM	0	6.833	42.8	67.8	0
3/9/2023, 3:13:59 PM	0	6.833	43.9	67.6	0
3/9/2023, 3:23:59 PM	0	6.833	44.4	67.2	0
3/9/2023, 3:33:59 PM	0	6.833	44.8	66.7	0
3/9/2023, 3:43:59 PM	0	6.833	45	66.3	0
3/9/2023, 3:53:59 PM	0	6.833	44.4	65.8	0
3/9/2023, 4:03:59 PM	0	6.833	44.2	65.5	0
3/9/2023, 4:13:59 PM	0	6.833	44.1	65.3	0
3/9/2023, 4:23:59 PM	0	6.842	43.7	65.2	0
3/9/2023, 4:33:59 PM	0	6.833	43.3	65.2	0
3/9/2023, 4:43:59 PM	0	6.833	43.3	65.2	0
3/9/2023, 4:53:59 PM	0	6.842	42.8	65.1	0
3/9/2023, 5:03:59 PM	0	6.833	42.6	65.3	0
3/9/2023, 5:13:59 PM	0	6.833	41.7	65.4	0
3/9/2023, 5:23:59 PM	0	6.833	40.6	65.5	0
3/9/2023, 5:33:59 PM	0	6.833	40.1	65.9	0
3/9/2023, 5:43:59 PM	0	6.833	39.9	66.4	0
3/9/2023, 5:53:59 PM	0	6.833	40.1	66.6	0
3/9/2023, 6:03:59 PM	0	6.833	39.7	66.5	0
3/9/2023, 6:13:59 PM	0	6.833	39.4	66.5	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/9/2023, 6:23:59 PM	0	6.833	38.5	66.4	0
3/9/2023, 6:33:59 PM	0	6.833	37	66.6	0
3/9/2023, 6:43:59 PM	0	6.825	36	67.1	0
3/9/2023, 6:53:59 PM	0	6.825	35.2	67.8	0
3/9/2023, 7:03:59 PM	0	6.825	34.5	68.4	0
3/9/2023, 7:13:59 PM	0	6.825	34	69.1	0
3/9/2023, 7:23:59 PM	0	6.825	33.4	69.8	0
3/9/2023, 7:33:59 PM	0	6.825	32.9	70.3	0
3/9/2023, 7:43:59 PM	0	6.825	32.5	71	0
3/9/2023, 7:53:59 PM	0	6.816	32.4	71.6	0
3/9/2023, 8:03:59 PM	0	6.816	32	72	0
3/9/2023, 8:13:59 PM	0	6.816	31.5	72.5	0
3/9/2023, 8:23:59 PM	0	6.816	30.9	73	0
3/9/2023, 8:33:59 PM	0	6.816	30.6	73.5	0
3/9/2023, 8:43:59 PM	0	6.816	30	74.1	0
3/9/2023, 8:53:59 PM	0	6.807	29.5	74.7	0
3/9/2023, 9:03:59 PM	0	6.807	29.3	75.3	0
3/9/2023, 9:13:59 PM	0	6.807	28.9	76	0
3/9/2023, 9:23:59 PM	0	6.807	28.4	76.6	0
3/9/2023, 9:33:59 PM	0	6.807	28	77.1	0
3/9/2023, 9:43:59 PM	0	6.807	27.5	77.5	0
3/9/2023, 9:53:59 PM	0	6.798	27	78	0
3/9/2023, 10:03:59 PM	0	6.798	26.6	78.5	0
3/9/2023, 10:13:59 PM	0	6.798	26.2	79	0
3/9/2023, 10:23:59 PM	0	6.798	26.1	79.6	0
3/9/2023, 10:33:59 PM	0	6.798	25.9	80.2	0
3/9/2023, 10:43:59 PM	0	6.798	25.5	80.7	0
3/9/2023, 10:53:59 PM	0	6.798	25.3	81.2	0
3/9/2023, 11:03:59 PM	0	6.79	25	81.5	0
3/9/2023, 11:13:59 PM	0	6.79	24.8	82	0
3/9/2023, 11:23:59 PM	0	6.79	24.6	82.5	0
3/9/2023, 11:33:59 PM	0	6.79	24.6	82.9	0
3/9/2023, 11:43:59 PM	0	6.79	24.4	83.3	0
3/9/2023, 11:53:59 PM	0	6.79	24.3	83.5	0
3/10/2023, 12:03:59 AM	0	6.79	24.1	83.7	0
3/10/2023, 12:13:59 AM	0	6.79	23.7	83.8	0
3/10/2023, 12:23:59 AM	0	6.79	23.5	84.1	0
3/10/2023, 12:33:59 AM	0	6.79	23.4	84.3	0
3/10/2023, 12:43:59 AM	0	6.79	23.2	84.3	0
3/10/2023, 12:53:59 AM	0	6.781	23	84.5	0
3/10/2023, 1:03:59 AM	0	6.781	22.6	84.6	0
3/10/2023, 1:13:59 AM	0	6.781	22.5	84.7	0
3/10/2023, 1:23:59 AM	0	6.781	22.3	84.9	0
3/10/2023, 1:33:59 AM	0	6.781	22.1	85	0
3/10/2023, 1:43:59 AM	0	6.781	22.1	85.2	0
3/10/2023, 1:53:59 AM	0	6.781	22.1	85.4	0
3/10/2023, 2:03:59 AM	0	6.781	21.9	85.5	0
3/10/2023, 2:13:59 AM	0	6.781	21.7	85.6	0
3/10/2023, 2:23:59 AM	0	6.781	21.9	85.9	0
3/10/2023, 2:33:59 AM	0	6.781	22.1	86.1	0
3/10/2023, 2:43:59 AM	0	6.781	21.9	86.3	0
3/10/2023, 2:53:59 AM	0	6.781	21.9	86.4	0
3/10/2023, 3:03:59 AM	0	6.781	21.7	86.5	0
3/10/2023, 3:13:59 AM	0	6.781	21.7	86.7	0
3/10/2023, 3:23:59 AM	0	6.781	21.7	86.8	0
3/10/2023, 3:33:59 AM	0	6.781	21.7	86.9	0
3/10/2023, 3:43:59 AM	0	6.781	21.9	87.1	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/10/2023, 3:53:59 AM	0	6.781	22.1	87.3	0
3/10/2023, 4:03:59 AM	0	6.781	22.3	87.5	0
3/10/2023, 4:13:59 AM	0	6.781	22.6	87.8	0
3/10/2023, 4:23:59 AM	0	6.781	23	88	0
3/10/2023, 4:33:59 AM	0	6.781	23.2	88.3	0
3/10/2023, 4:43:59 AM	0	6.781	23.2	88.5	0
3/10/2023, 4:53:59 AM	0	6.781	23.5	88.7	0
3/10/2023, 5:03:59 AM	0	6.781	24.1	89	0
3/10/2023, 5:13:59 AM	0	6.79	24.6	89.3	0
3/10/2023, 5:23:59 AM	0	6.79	24.8	89.6	0
3/10/2023, 5:33:59 AM	0	6.79	25.2	89.7	0
3/10/2023, 5:43:59 AM	0	6.79	25.3	89.9	0
3/10/2023, 5:53:59 AM	0	6.79	25.5	89.9	0
3/10/2023, 6:03:59 AM	0	6.79	25.7	90	0
3/10/2023, 6:13:59 AM	0	6.79	25.9	90.1	0
3/10/2023, 6:23:59 AM	0	6.79	26.1	90.2	0
3/10/2023, 6:33:59 AM	0	6.798	26.2	90.2	0
3/10/2023, 6:43:59 AM	0	6.79	26.4	90.2	0
3/10/2023, 6:53:59 AM	0	6.798	26.4	90.2	0
3/10/2023, 7:03:59 AM	0	6.798	26.6	90.2	0
3/10/2023, 7:13:59 AM	0	6.798	26.6	90.2	0
3/10/2023, 7:23:59 AM	0	6.798	26.8	90.2	0
3/10/2023, 7:33:59 AM	0	6.798	27	90.2	0
3/10/2023, 7:43:59 AM	0	6.798	27.1	90.1	0
3/10/2023, 7:53:59 AM	0	6.798	27.1	90.1	0
3/10/2023, 8:03:59 AM	0	6.798	27.3	90	0
3/10/2023, 8:13:59 AM	0	6.798	27.5	90	0
3/10/2023, 8:23:59 AM	0	6.798	27.7	89.9	0
3/10/2023, 8:33:59 AM	0	6.798	27.9	89.9	0
3/10/2023, 8:43:59 AM	0	6.798	28	89.8	0
3/10/2023, 8:53:59 AM	0	6.798	28.2	89.7	0
3/10/2023, 9:03:59 AM	0	6.798	28.4	89.7	0
3/10/2023, 9:13:59 AM	0	6.798	28.8	89.6	0
3/10/2023, 9:23:59 AM	0	6.798	29.1	89.5	0
3/10/2023, 9:33:59 AM	0	6.798	29.7	89.5	0
3/10/2023, 9:43:59 AM	0	6.807	30.6	89.3	0
3/10/2023, 9:53:59 AM	0	6.807	31.3	89.1	0
3/10/2023, 10:03:59 AM	0	6.807	32	88.9	0
3/10/2023, 10:13:59 AM	0	6.807	32.2	88.5	0
3/10/2023, 10:23:59 AM	0	6.807	32.4	88.1	0
3/10/2023, 10:33:59 AM	0	6.807	32.5	87.6	0
3/10/2023, 10:43:59 AM	0	6.816	32.7	87.2	0
3/10/2023, 10:53:59 AM	0	6.816	32.9	86.7	0
3/10/2023, 11:03:59 AM	0	6.816	32.9	86.2	0
3/10/2023, 11:13:59 AM	0	6.816	33.1	85.8	0
3/10/2023, 11:23:59 AM	0	6.816	33.4	85.4	0
3/10/2023, 11:33:59 AM	0	6.816	34	84.9	0
3/10/2023, 11:43:59 AM	0	6.816	34.5	84.2	0
3/10/2023, 11:53:59 AM	0	6.816	34.9	83.5	0
3/10/2023, 12:03:59 PM	0	6.816	35.2	82.7	0
3/10/2023, 12:13:59 PM	0	6.816	35.2	82.1	0
3/10/2023, 12:23:59 PM	0	6.816	35.4	81.5	0
3/10/2023, 12:33:59 PM	0	6.816	35.8	81	0
3/10/2023, 12:43:59 PM	0	6.816	35.8	80.3	0
3/10/2023, 12:53:59 PM	0	6.825	35.6	79.6	0
3/10/2023, 1:03:59 PM	0	6.825	35.8	79.3	0
3/10/2023, 1:13:59 PM	0	6.825	35.6	78.8	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/10/2023, 1:23:59 PM	0	6.825	35.4	78.4	0
3/10/2023, 1:33:59 PM	0	6.825	35.2	78.1	0
3/10/2023, 1:43:59 PM	0	6.825	35.1	77.9	0
3/10/2023, 1:53:59 PM	0	6.825	34.9	77.7	0
3/10/2023, 2:03:59 PM	0	6.825	34.7	77.6	0
3/10/2023, 2:13:59 PM	0	6.825	34.5	77.6	0
3/10/2023, 2:23:59 PM	0	6.825	34.3	78	0
3/10/2023, 2:33:59 PM	0	6.816	34.2	78.8	0
3/10/2023, 2:43:59 PM	0	6.816	34.3	79.7	0
3/10/2023, 2:53:59 PM	0	6.816	34.7	80.5	0
3/10/2023, 3:03:59 PM	0	6.816	34.7	81	0
3/10/2023, 3:13:59 PM	0	6.816	34.9	81.4	0
3/10/2023, 3:23:59 PM	0	6.816	34.7	81.5	0
3/10/2023, 3:33:59 PM	0	6.816	34.5	81.7	0
3/10/2023, 3:43:59 PM	0	6.816	34.5	81.8	0
3/10/2023, 3:53:59 PM	0	6.816	34.3	81.9	0
3/10/2023, 4:03:59 PM	0	6.816	34	82.1	0
3/10/2023, 4:13:59 PM	0	6.816	33.8	82.4	0
3/10/2023, 4:23:59 PM	0	6.816	33.6	82.7	0
3/10/2023, 4:33:59 PM	0	6.816	33.3	83.1	0
3/10/2023, 4:43:59 PM	0	6.816	33.3	83.4	0
3/10/2023, 4:53:59 PM	0	6.816	32.9	83.7	0
3/10/2023, 5:03:59 PM	0	6.816	32.9	84.1	0
3/10/2023, 5:13:59 PM	0	6.816	32.7	84.5	0
3/10/2023, 5:23:59 PM	0	6.816	32.7	84.8	0
3/10/2023, 5:33:59 PM	0	6.816	32.7	85.1	0
3/10/2023, 5:43:59 PM	0	6.816	32.7	85.4	0
3/10/2023, 5:53:59 PM	0	6.816	32.7	85.7	0
3/10/2023, 6:03:59 PM	0	6.816	32.5	85.8	0
3/10/2023, 6:13:59 PM	0	6.816	32.4	86	0
3/10/2023, 6:23:59 PM	0	6.816	32.2	86.1	0
3/10/2023, 6:33:59 PM	0	6.816	32	86.2	0
3/10/2023, 6:43:59 PM	0	6.807	31.8	86.4	0
3/10/2023, 6:53:59 PM	0	6.807	31.6	86.6	0
3/10/2023, 7:03:59 PM	0	6.807	31.5	86.7	0
3/10/2023, 7:13:59 PM	0	6.807	31.3	86.9	0
3/10/2023, 7:23:59 PM	0	6.807	31.1	87	0
3/10/2023, 7:33:59 PM	0	6.807	31.1	87.2	0
3/10/2023, 7:43:59 PM	0	6.807	30.9	87.3	0
3/10/2023, 7:53:59 PM	0	6.807	30.7	87.5	0
3/10/2023, 8:03:59 PM	0	6.807	30.7	87.7	0
3/10/2023, 8:13:59 PM	0	6.807	30.7	87.9	0
3/10/2023, 8:23:59 PM	0	6.807	30.7	88.1	0
3/10/2023, 8:33:59 PM	0	6.807	30.6	88.2	0
3/10/2023, 8:43:59 PM	0	6.807	30.6	88.4	0
3/10/2023, 8:53:59 PM	0	6.807	30.6	88.6	0
3/10/2023, 9:03:59 PM	0	6.807	30.4	88.7	0
3/10/2023, 9:13:59 PM	0	6.807	30.4	88.8	0
3/10/2023, 9:23:59 PM	0	6.807	30.2	88.9	0
3/10/2023, 9:33:59 PM	0	6.807	30	89	0
3/10/2023, 9:43:59 PM	0	6.807	30	89	0
3/10/2023, 9:53:59 PM	0	6.807	29.8	89	0
3/10/2023, 10:03:59 PM	0	6.807	29.8	89.1	0
3/10/2023, 10:13:59 PM	0	6.807	29.7	89.1	0
3/10/2023, 10:23:59 PM	0	6.807	29.7	89.3	0
3/10/2023, 10:33:59 PM	0	6.807	29.5	89.3	0
3/10/2023, 10:43:59 PM	0	6.807	29.5	89.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/10/2023, 10:53:59 PM	0	6.807	29.3	89.5	0
3/10/2023, 11:03:59 PM	0	6.807	29.3	89.6	0
3/10/2023, 11:13:59 PM	0	6.807	29.3	89.7	0
3/10/2023, 11:23:59 PM	0	6.807	29.3	89.8	0
3/10/2023, 11:33:59 PM	0	6.798	29.5	90	0
3/10/2023, 11:43:59 PM	0	6.807	29.5	90	0
3/10/2023, 11:53:59 PM	0	6.807	29.5	90	0
3/11/2023, 12:03:59 AM	0	6.807	29.3	90	0
3/11/2023, 12:13:59 AM	0	6.798	29.3	90	0
3/11/2023, 12:23:59 AM	0	6.798	29.3	90	0
3/11/2023, 12:33:59 AM	0	6.807	29.3	90	0
3/11/2023, 12:43:59 AM	0	6.798	29.3	90	0
3/11/2023, 12:53:59 AM	0	6.798	29.3	90	0
3/11/2023, 1:03:59 AM	0	6.807	29.3	90	0
3/11/2023, 1:13:59 AM	0	6.807	29.5	89.9	0
3/11/2023, 1:23:59 AM	0	6.798	29.5	89.9	0
3/11/2023, 1:33:59 AM	0	6.807	29.5	89.9	0
3/11/2023, 1:43:59 AM	0	6.798	29.7	89.9	0
3/11/2023, 1:53:59 AM	0	6.798	29.7	90	0
3/11/2023, 2:03:59 AM	0	6.807	29.7	90.1	0
3/11/2023, 2:13:59 AM	0	6.807	29.7	90.1	0
3/11/2023, 2:23:59 AM	0	6.807	29.8	90.2	0
3/11/2023, 2:33:59 AM	0	6.807	29.8	90.2	0
3/11/2023, 2:43:59 AM	0	6.807	29.8	90.2	0
3/11/2023, 2:53:59 AM	0	6.807	29.8	90.2	0
3/11/2023, 3:03:59 AM	0	6.807	29.8	90.2	0
3/11/2023, 3:13:59 AM	0	6.807	29.8	90.3	0
3/11/2023, 3:23:59 AM	0	6.807	29.8	90.3	0
3/11/2023, 3:33:59 AM	0	6.807	30	90.3	0
3/11/2023, 3:43:59 AM	0	6.807	30	90.2	0
3/11/2023, 3:53:59 AM	0	6.807	30	90.2	0
3/11/2023, 4:03:59 AM	0	6.807	30	90.3	0
3/11/2023, 4:13:59 AM	0	6.807	30	90.3	0
3/11/2023, 4:23:59 AM	0	6.807	30	90.2	0
3/11/2023, 4:33:59 AM	0	6.807	30	90.3	0
3/11/2023, 4:43:59 AM	0	6.807	29.8	90.3	0
3/11/2023, 4:53:59 AM	0	6.807	29.8	90.2	0
3/11/2023, 5:03:59 AM	0	6.807	29.7	90.2	0
3/11/2023, 5:13:59 AM	0	6.807	29.7	89.9	0
3/11/2023, 5:23:59 AM	0	6.807	29.7	89.7	0
3/11/2023, 5:33:59 AM	0	6.807	29.5	89.3	0
3/11/2023, 5:43:59 AM	0	6.807	29.5	88.8	0
3/11/2023, 5:53:59 AM	0	6.807	29.5	88.3	0
3/11/2023, 6:03:59 AM	0	6.807	29.5	87.9	0
3/11/2023, 6:13:59 AM	0	6.798	29.3	87.4	0
3/11/2023, 6:23:59 AM	0	6.798	29.3	87	0
3/11/2023, 6:33:59 AM	0	6.798	29.3	86.7	0
3/11/2023, 6:43:59 AM	0	6.798	29.3	86.4	0
3/11/2023, 6:53:59 AM	0	6.798	29.3	86.1	0
3/11/2023, 7:03:59 AM	0	6.798	29.1	85.9	0
3/11/2023, 7:13:59 AM	0	6.798	29.1	85.7	0
3/11/2023, 7:23:59 AM	0	6.798	29.3	85.5	0
3/11/2023, 7:33:59 AM	0	6.798	29.1	85.3	0
3/11/2023, 7:43:59 AM	0	6.798	29.1	85.1	0
3/11/2023, 7:53:59 AM	0	6.798	29.1	85.1	0
3/11/2023, 8:03:59 AM	0	6.798	29.1	85.1	0
3/11/2023, 8:13:59 AM	0	6.798	29.1	85.1	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/11/2023, 8:23:59 AM	0	6.798	29.1	85.1	0
3/11/2023, 8:33:59 AM	0	6.798	29.3	85.1	0
3/11/2023, 8:43:59 AM	0	6.798	29.3	85	0
3/11/2023, 8:53:59 AM	0	6.798	29.5	84.9	0
3/11/2023, 9:03:59 AM	0	6.798	29.7	84.7	0
3/11/2023, 9:13:59 AM	0	6.798	29.8	84.4	0
3/11/2023, 9:23:59 AM	0	6.798	29.8	84	0
3/11/2023, 9:33:59 AM	0	6.798	30	83.6	0
3/11/2023, 9:43:59 AM	0	6.798	30.4	83.2	0
3/11/2023, 9:53:59 AM	0	6.798	30.6	82.8	0
3/11/2023, 10:03:59 AM	0	6.798	30.9	82.4	0
3/11/2023, 10:13:59 AM	0	6.798	31.1	82	0
3/11/2023, 10:23:59 AM	0	6.798	31.5	81.6	0
3/11/2023, 10:33:59 AM	0	6.798	32	81.1	0
3/11/2023, 10:43:59 AM	0	6.807	32.7	80.6	0
3/11/2023, 10:53:59 AM	0	6.807	33.8	80	0
3/11/2023, 11:03:59 AM	0	6.807	35.2	79.1	0
3/11/2023, 11:13:59 AM	0	6.807	36.5	78	0
3/11/2023, 11:23:59 AM	0	6.807	37.6	76.9	0
3/11/2023, 11:33:59 AM	0	6.807	38.3	75.7	0
3/11/2023, 11:43:59 AM	0	6.816	37.9	74.6	0
3/11/2023, 11:53:59 AM	0	6.816	37.6	73.8	0
3/11/2023, 12:03:59 PM	0	6.816	37.8	73.3	0
3/11/2023, 12:13:59 PM	0	6.816	38.8	72.9	0
3/11/2023, 12:23:59 PM	0	6.816	39.2	72.2	0
3/11/2023, 12:33:59 PM	0	6.816	39.6	71.5	0
3/11/2023, 12:43:59 PM	0	6.816	39.7	70.9	0
3/11/2023, 12:53:59 PM	0	6.816	39.6	70.4	0
3/11/2023, 1:03:59 PM	0	6.816	40.3	70	0
3/11/2023, 1:13:59 PM	0	6.816	40.8	69.6	0
3/11/2023, 1:23:59 PM	0	6.816	40.8	69.2	0
3/11/2023, 1:33:59 PM	0	6.816	40.5	68.8	0
3/11/2023, 1:43:59 PM	0	6.816	40.5	68.5	0
3/11/2023, 1:53:59 PM	0	6.816	41.2	68.4	0
3/11/2023, 2:03:59 PM	0	6.816	41.2	68	0
3/11/2023, 2:13:59 PM	0	6.816	41.5	67.7	0
3/11/2023, 2:23:59 PM	0	6.825	41.2	67.3	0
3/11/2023, 2:33:59 PM	0	6.825	40.8	67	0
3/11/2023, 2:43:59 PM	0	6.825	41.2	67	0
3/11/2023, 2:53:59 PM	0	6.825	41	66.8	0
3/11/2023, 3:03:59 PM	0	6.825	41.7	66.7	0
3/11/2023, 3:13:59 PM	0	6.825	42.1	66.3	0
3/11/2023, 3:23:59 PM	0	6.825	42.4	66.1	0
3/11/2023, 3:33:59 PM	0	6.825	43.2	65.8	0
3/11/2023, 3:43:59 PM	0	6.825	43.2	65.3	0
3/11/2023, 3:53:59 PM	0	6.825	42.6	64.9	0
3/11/2023, 4:03:59 PM	0	6.825	45.1	64.7	0
3/11/2023, 4:13:59 PM	0	6.825	45.3	64.1	0
3/11/2023, 4:23:59 PM	0	6.825	43.2	63.4	0
3/11/2023, 4:33:59 PM	0	6.825	42.4	63.2	0
3/11/2023, 4:43:59 PM	0	6.825	42.1	63.3	0
3/11/2023, 4:53:59 PM	0	6.825	42.8	63.5	0
3/11/2023, 5:03:59 PM	0	6.825	41.4	63.3	0
3/11/2023, 5:13:59 PM	0	6.825	40.8	63.5	0
3/11/2023, 5:23:59 PM	0	6.825	41.9	64	0
3/11/2023, 5:33:59 PM	0	6.825	42.3	64	0
3/11/2023, 5:43:59 PM	0	6.825	41.7	63.7	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/11/2023, 5:53:59 PM	0	6.825	40.5	63.5	0
3/11/2023, 6:03:59 PM	0	6.825	39	63.6	0
3/11/2023, 6:13:59 PM	0	6.825	38.5	64.1	0
3/11/2023, 6:23:59 PM	0	6.825	37.6	64.5	0
3/11/2023, 6:33:59 PM	0	6.816	36	64.7	0
3/11/2023, 6:43:59 PM	0	6.816	34.5	64.9	0
3/11/2023, 6:53:59 PM	0	6.816	33.4	65.6	0
3/11/2023, 7:03:59 PM	0	6.816	32.5	66.5	0
3/11/2023, 7:13:59 PM	0	6.807	31.8	67.4	0
3/11/2023, 7:23:59 PM	0	6.807	31.1	68.2	0
3/11/2023, 7:33:59 PM	0	6.807	30.4	69	0
3/11/2023, 7:43:59 PM	0	6.807	29.7	69.8	0
3/11/2023, 7:53:59 PM	0	6.807	29.1	70.5	0
3/11/2023, 8:03:59 PM	0	6.798	28.4	71.2	0
3/11/2023, 8:13:59 PM	0	6.798	27.9	71.9	0
3/11/2023, 8:23:59 PM	0	6.798	27	72.6	0
3/11/2023, 8:33:59 PM	0	6.798	26.2	73.3	0
3/11/2023, 8:43:59 PM	0	6.79	25.5	74.1	0
3/11/2023, 8:53:59 PM	0	6.79	25.2	75	0
3/11/2023, 9:03:59 PM	0	6.79	24.6	75.8	0
3/11/2023, 9:13:59 PM	0	6.79	24.3	76.5	0
3/11/2023, 9:23:59 PM	0	6.781	23.7	77.1	0
3/11/2023, 9:33:59 PM	0	6.781	23.4	77.7	0
3/11/2023, 9:43:59 PM	0	6.781	23.2	78.4	0
3/11/2023, 9:53:59 PM	0	6.781	23.2	79.3	0
3/11/2023, 10:03:59 PM	0	6.781	23.4	79.9	0
3/11/2023, 10:13:59 PM	0	6.781	23.5	80.4	0
3/11/2023, 10:23:59 PM	0	6.781	23.5	80.8	0
3/11/2023, 10:33:59 PM	0	6.781	23.5	81.1	0
3/11/2023, 10:43:59 PM	0	6.781	23.4	81.3	0
3/11/2023, 10:53:59 PM	0	6.781	23.4	81.5	0
3/11/2023, 11:03:59 PM	0	6.781	23.4	81.7	0
3/11/2023, 11:13:59 PM	0	6.781	23.5	82	0
3/11/2023, 11:23:59 PM	0	6.781	23.5	82.1	0
3/11/2023, 11:33:59 PM	0	6.781	23.5	82.2	0
3/11/2023, 11:43:59 PM	0	6.781	23.4	82.1	0
3/11/2023, 11:53:59 PM	0	6.781	23.2	82.1	0
3/12/2023, 12:03:59 AM	0	6.781	22.5	81.9	0
3/12/2023, 12:13:59 AM	0	6.772	21.7	81.7	0
3/12/2023, 12:23:59 AM	0	6.772	21	81.5	0
3/12/2023, 12:33:59 AM	0	6.772	20.7	81.5	0
3/12/2023, 12:43:59 AM	0	6.772	20.1	81.5	0
3/12/2023, 12:53:59 AM	0	6.763	19.6	81.5	0
3/12/2023, 1:03:59 AM	0	6.763	19	81.5	0
3/12/2023, 1:13:59 AM	0	6.763	18.7	81.6	0
3/12/2023, 1:23:59 AM	0	6.763	18.7	81.9	0
3/12/2023, 1:33:59 AM	0	6.763	18.5	82.2	0
3/12/2023, 1:43:59 AM	0	6.754	18.1	82.3	0
3/12/2023, 1:53:59 AM	0	6.754	17.8	82.5	0
3/12/2023, 3:03:59 AM	0	6.754	17.4	82.6	0
3/12/2023, 3:13:59 AM	0	6.754	17.1	82.6	0
3/12/2023, 3:23:59 AM	0	6.754	16.9	82.7	0
3/12/2023, 3:33:59 AM	0	6.746	16.5	82.8	0
3/12/2023, 3:43:59 AM	0	6.746	16.3	82.9	0
3/12/2023, 3:53:59 AM	0	6.746	16	82.9	0
3/12/2023, 3:03:59 AM	0	6.746	15.6	82.9	0
3/12/2023, 3:13:59 AM	0	6.746	15.3	83	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/12/2023, 3:23:59 AM	0	6.746	15.6	83.3	0
3/12/2023, 3:33:59 AM	0	6.746	16	83.8	0
3/12/2023, 3:43:59 AM	0	6.746	16.3	84.2	0
3/12/2023, 3:53:59 AM	0	6.746	16.7	84.7	0
3/12/2023, 4:03:59 AM	0	6.746	17.1	85	0
3/12/2023, 4:13:59 AM	0	6.746	17.6	85.4	0
3/12/2023, 4:23:59 AM	0	6.746	18	85.7	0
3/12/2023, 4:33:59 AM	0	6.754	18.3	86	0
3/12/2023, 4:43:59 AM	0	6.754	18.9	86.4	0
3/12/2023, 4:53:59 AM	0	6.754	19.2	86.7	0
3/12/2023, 5:03:59 AM	0	6.754	19.8	87	0
3/12/2023, 5:13:59 AM	0	6.754	19.9	87.3	0
3/12/2023, 5:23:59 AM	0	6.763	20.3	87.5	0
3/12/2023, 5:33:59 AM	0	6.763	20.7	87.7	0
3/12/2023, 5:43:59 AM	0	6.763	20.8	87.9	0
3/12/2023, 5:53:59 AM	0	6.763	21.2	88.1	0
3/12/2023, 6:03:59 AM	0	6.763	21.4	88.2	0
3/12/2023, 6:13:59 AM	0	6.763	21.6	88.3	0
3/12/2023, 6:23:59 AM	0	6.763	21.9	88.4	0
3/12/2023, 6:33:59 AM	0	6.763	22.1	88.5	0
3/12/2023, 6:43:59 AM	0	6.772	22.3	88.6	0
3/12/2023, 6:53:59 AM	0	6.772	22.5	88.7	0
3/12/2023, 7:03:59 AM	0	6.772	22.8	88.8	0
3/12/2023, 7:13:59 AM	0	6.772	22.8	88.8	0
3/12/2023, 7:23:59 AM	0	6.772	23	88.8	0
3/12/2023, 7:33:59 AM	0	6.772	23.2	88.9	0
3/12/2023, 7:43:59 AM	0	6.772	23.5	89	0
3/12/2023, 7:53:59 AM	0	6.772	23.7	89	0
3/12/2023, 8:03:59 AM	0	6.772	24.1	89.1	0
3/12/2023, 8:13:59 AM	0	6.772	24.6	89.1	0
3/12/2023, 8:23:59 AM	0	6.781	25	89.2	0
3/12/2023, 8:33:59 AM	0	6.781	25.7	89.2	0
3/12/2023, 8:43:59 AM	0	6.781	26.2	89.2	0
3/12/2023, 8:53:59 AM	0	6.781	27.3	89.1	0
3/12/2023, 9:03:59 AM	0	6.781	28.2	88.9	0
3/12/2023, 9:13:59 AM	0	6.79	29.3	88.6	0
3/12/2023, 9:23:59 AM	0	6.79	30.2	88	0
3/12/2023, 9:33:59 AM	0	6.79	30.9	87.3	0
3/12/2023, 9:43:59 AM	0	6.79	31.8	86.2	0
3/12/2023, 9:53:59 AM	0	6.798	32.5	85.1	0
3/12/2023, 10:03:59 AM	0	6.798	33.6	83.9	0
3/12/2023, 10:13:59 AM	0	6.798	34.7	82.6	0
3/12/2023, 10:23:59 AM	0	6.798	36.3	81.3	0
3/12/2023, 10:33:59 AM	0	6.807	37.9	79.7	0
3/12/2023, 10:43:59 AM	0	6.807	39.4	78	0
3/12/2023, 10:53:59 AM	0	6.816	40.6	76.3	0
3/12/2023, 11:03:59 AM	0	6.816	41.7	74.6	0
3/12/2023, 11:13:59 AM	0	6.816	43	73.2	0
3/12/2023, 11:23:59 AM	0	6.816	44.2	71.8	0
3/12/2023, 11:33:59 AM	0	6.816	45.5	70.5	0
3/12/2023, 11:43:59 AM	0	6.825	45.9	69.1	0
3/12/2023, 11:53:59 AM	0	6.825	45.5	67.9	0
3/12/2023, 12:03:59 PM	0	6.825	45.5	67.1	0
3/12/2023, 12:13:59 PM	0	6.825	46	66.5	0
3/12/2023, 12:23:59 PM	0	6.825	47.3	66	0
3/12/2023, 12:33:59 PM	0	6.825	49.1	65.2	0
3/12/2023, 12:43:59 PM	0	6.825	52.2	64.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/12/2023, 12:53:59 PM	0	6.833	54.1	63.4	0
3/12/2023, 1:03:59 PM	0	6.833	54.5	62.2	0
3/12/2023, 1:13:59 PM	0	6.833	54.1	61.3	0
3/12/2023, 1:23:59 PM	0	6.833	53.1	60.6	0
3/12/2023, 1:33:59 PM	0	6.833	52	60.1	0
3/12/2023, 1:43:59 PM	0	6.833	51.3	59.7	0
3/12/2023, 1:53:59 PM	0	6.833	50.5	59.4	0
3/12/2023, 2:03:59 PM	0	6.833	49.3	59.1	0
3/12/2023, 2:13:59 PM	0	6.833	48.9	59.1	0
3/12/2023, 2:23:59 PM	0	6.833	48.7	59.1	0
3/12/2023, 2:33:59 PM	0	6.833	48.4	59.1	0
3/12/2023, 2:43:59 PM	0	6.833	48	59.1	0
3/12/2023, 2:53:59 PM	0	6.833	47.3	59.1	0
3/12/2023, 3:03:59 PM	0	6.833	46.4	59.1	0
3/12/2023, 3:13:59 PM	0	6.833	45.7	59.4	0
3/12/2023, 3:23:59 PM	0	6.833	45.1	59.7	0
3/12/2023, 3:33:59 PM	0	6.833	44.4	60	0
3/12/2023, 3:43:59 PM	0	6.825	43.7	60.3	0
3/12/2023, 3:53:59 PM	0	6.825	43.3	60.6	0
3/12/2023, 4:03:59 PM	0	6.825	43	61	0
3/12/2023, 4:13:59 PM	0	6.825	42.4	61.2	0
3/12/2023, 4:23:59 PM	0	6.825	42.1	61.7	0
3/12/2023, 4:33:59 PM	0	6.825	42.3	62	0
3/12/2023, 4:43:59 PM	0	6.825	42.3	62.3	0
3/12/2023, 4:53:59 PM	0	6.825	42.3	62.5	0
3/12/2023, 5:03:59 PM	0	6.825	42.1	62.7	0
3/12/2023, 5:13:59 PM	0	6.825	41.7	62.9	0
3/12/2023, 5:23:59 PM	0	6.825	41.4	63.3	0
3/12/2023, 5:33:59 PM	0	6.825	41	63.6	0
3/12/2023, 5:43:59 PM	0	6.825	40.5	63.9	0
3/12/2023, 5:53:59 PM	0	6.825	40.1	64.2	0
3/12/2023, 6:03:59 PM	0	6.825	39.6	64.6	0
3/12/2023, 6:13:59 PM	0	6.825	39	65.1	0
3/12/2023, 6:23:59 PM	0	6.825	38.7	65.6	0
3/12/2023, 6:33:59 PM	0	6.825	38.1	66.1	0
3/12/2023, 6:43:59 PM	0	6.825	37.8	66.7	0
3/12/2023, 6:53:59 PM	0	6.825	37.4	67.2	0
3/12/2023, 7:03:59 PM	0	6.816	36.9	67.7	0
3/12/2023, 7:13:59 PM	0	6.816	36.7	68.2	0
3/12/2023, 7:23:59 PM	0	6.816	36.3	68.7	0
3/12/2023, 7:33:59 PM	0	6.816	36.1	69.2	0
3/12/2023, 7:43:59 PM	0	6.816	36	69.7	0
3/12/2023, 7:53:59 PM	0	6.816	35.8	70.2	0
3/12/2023, 8:03:59 PM	0	6.816	35.8	70.7	0
3/12/2023, 8:13:59 PM	0	6.816	35.6	71.1	0
3/12/2023, 8:23:59 PM	0	6.816	35.6	71.6	0
3/12/2023, 8:33:59 PM	0	6.816	35.4	72.1	0
3/12/2023, 8:43:59 PM	0	6.816	35.2	72.6	0
3/12/2023, 8:53:59 PM	0	6.816	35.2	73	0
3/12/2023, 9:03:59 PM	0	6.816	35.1	73.5	0
3/12/2023, 9:13:59 PM	0	6.816	34.9	73.9	0
3/12/2023, 9:23:59 PM	0	6.816	34.7	74.4	0
3/12/2023, 9:33:59 PM	0	6.816	34.7	74.8	0
3/12/2023, 9:43:59 PM	0	6.816	34.5	75.4	0
3/12/2023, 9:53:59 PM	0	6.816	34.5	75.9	0
3/12/2023, 10:03:59 PM	0	6.816	34.5	76.4	0
3/12/2023, 10:13:59 PM	0	6.816	34.3	77	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/12/2023, 10:23:59 PM	0	6.816	34.3	77.5	0
3/12/2023, 10:33:59 PM	0	6.816	34.3	78	0
3/12/2023, 10:43:59 PM	0	6.816	34.2	78.5	0
3/12/2023, 10:53:59 PM	0	6.816	34.2	78.9	0
3/12/2023, 11:03:59 PM	0	6.807	34.2	79.4	0
3/12/2023, 11:13:59 PM	0	6.807	34	79.8	0
3/12/2023, 11:23:59 PM	0	6.807	34	80.3	0
3/12/2023, 11:33:59 PM	0	6.807	34	80.7	0
3/12/2023, 11:43:59 PM	0	6.807	33.8	81.1	0
3/12/2023, 11:53:59 PM	0	6.807	33.8	81.4	0
3/13/2023, 12:03:59 AM	0	6.807	33.8	81.8	0
3/13/2023, 12:13:59 AM	0	6.807	33.6	82.1	0
3/13/2023, 12:23:59 AM	0	6.807	33.6	82.4	0
3/13/2023, 12:33:59 AM	0	6.807	33.6	82.7	0
3/13/2023, 12:43:59 AM	0	6.807	33.6	83	0
3/13/2023, 12:53:59 AM	0	6.807	33.6	83.4	0
3/13/2023, 1:03:59 AM	0	6.807	33.6	83.6	0
3/13/2023, 1:13:59 AM	0	6.807	33.6	83.9	0
3/13/2023, 1:23:59 AM	0	6.807	33.4	84.2	0
3/13/2023, 1:33:59 AM	0	6.807	33.4	84.6	0
3/13/2023, 1:43:59 AM	0	6.807	33.4	84.9	0
3/13/2023, 1:53:59 AM	0	6.807	33.4	85.3	0
3/13/2023, 2:03:59 AM	0	6.807	33.4	85.6	0
3/13/2023, 2:13:59 AM	0	6.807	33.6	85.9	0
3/13/2023, 2:23:59 AM	0	6.807	33.6	86.1	0
3/13/2023, 2:33:59 AM	0	6.807	33.8	86.3	0
3/13/2023, 2:43:59 AM	0	6.807	33.8	86.5	0
3/13/2023, 2:53:59 AM	0	6.807	34	86.7	0
3/13/2023, 3:03:59 AM	0	6.807	34	86.8	0
3/13/2023, 3:13:59 AM	0	6.807	34	87	0
3/13/2023, 3:23:59 AM	0	6.807	34	87.1	0
3/13/2023, 3:33:59 AM	0	6.807	34	87.3	0
3/13/2023, 3:43:59 AM	0	6.807	34	87.4	0
3/13/2023, 3:53:59 AM	0	6.807	34	87.6	0
3/13/2023, 4:03:59 AM	0	6.807	34	87.7	0
3/13/2023, 4:13:59 AM	0	6.807	34	87.8	0
3/13/2023, 4:23:59 AM	0	6.807	34	87.9	0
3/13/2023, 4:33:59 AM	0	6.807	34	88	0
3/13/2023, 4:43:59 AM	0	6.807	34	88.1	0
3/13/2023, 4:53:59 AM	0	6.807	34	88.2	0
3/13/2023, 5:03:59 AM	0	6.807	34	88.3	0
3/13/2023, 5:13:59 AM	0	6.807	34	88.4	0
3/13/2023, 5:23:59 AM	0	6.807	34	88.5	0
3/13/2023, 5:33:59 AM	0	6.807	34	88.6	0
3/13/2023, 5:43:59 AM	0	6.807	33.8	88.6	0
3/13/2023, 5:53:59 AM	0	6.807	33.8	88.6	0
3/13/2023, 6:03:59 AM	0	6.807	33.8	88.8	0
3/13/2023, 6:13:59 AM	0	6.807	33.8	88.8	0
3/13/2023, 6:23:59 AM	0	6.807	33.8	88.9	0
3/13/2023, 6:33:59 AM	0	6.807	33.8	89	0
3/13/2023, 6:43:59 AM	0	6.807	33.8	89.1	0
3/13/2023, 6:53:59 AM	0	6.807	33.8	89.1	0
3/13/2023, 7:03:59 AM	0	6.807	33.8	89.2	0
3/13/2023, 7:13:59 AM	0	6.807	33.8	89.3	0
3/13/2023, 7:23:59 AM	0	6.807	33.8	89.5	0
3/13/2023, 7:33:59 AM	0	6.807	33.8	89.6	0
3/13/2023, 7:43:59 AM	0	6.807	33.8	89.7	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/13/2023, 7:53:59 AM	0	6.807	34	89.8	0
3/13/2023, 8:03:59 AM	0	6.807	34	89.9	0
3/13/2023, 8:13:59 AM	0	6.807	34.2	90	0
3/13/2023, 8:23:59 AM	0	6.807	34.3	90.1	0
3/13/2023, 8:33:59 AM	0	6.807	34.7	90.2	0
3/13/2023, 8:43:59 AM	0	6.807	35.1	90.3	0
3/13/2023, 8:53:59 AM	0	6.807	35.6	90.3	0
3/13/2023, 9:03:59 AM	0	6.807	36	90.2	0
3/13/2023, 9:13:59 AM	0	6.807	36.7	90	0
3/13/2023, 9:23:59 AM	0	6.807	37.4	89.7	0
3/13/2023, 9:33:59 AM	0	6.807	37.9	89.2	0
3/13/2023, 9:43:59 AM	0	6.816	38.5	88.6	0
3/13/2023, 9:53:59 AM	0	6.816	39.2	88.1	0
3/13/2023, 10:03:59 AM	0	6.816	40.1	87.4	0
3/13/2023, 10:13:59 AM	0	6.816	41	86.5	0
3/13/2023, 10:23:59 AM	0	6.816	41.7	85.5	0
3/13/2023, 10:33:59 AM	0	6.816	42.3	84.5	0
3/13/2023, 10:43:59 AM	0	6.816	42.6	83.5	0
3/13/2023, 10:53:59 AM	0	6.825	42.8	82.6	0
3/13/2023, 11:03:59 AM	0	6.825	42.8	81.6	0
3/13/2023, 11:13:59 AM	0	6.825	43	80.9	0
3/13/2023, 11:23:59 AM	0	6.825	43.2	80.6	0
3/13/2023, 11:33:59 AM	0	6.825	43.3	80.2	0
3/13/2023, 11:43:59 AM	0	6.825	43.5	80	0
3/13/2023, 11:53:59 AM	0	6.825	44.1	79.8	0
3/13/2023, 12:03:59 PM	0	6.825	44.8	79.5	0
3/13/2023, 12:13:59 PM	0	6.825	45.7	79.1	0
3/13/2023, 12:23:59 PM	0	6.825	46.8	78.2	0
3/13/2023, 12:33:59 PM	0	6.825	47.8	77.1	0
3/13/2023, 12:43:59 PM	0	6.825	48.2	76	0
3/13/2023, 12:53:59 PM	0	6.833	48.2	75.1	0
3/13/2023, 1:03:59 PM	0	6.833	48.2	74.4	0
3/13/2023, 1:13:59 PM	0	6.833	48	73.8	0
3/13/2023, 1:23:59 PM	0	6.833	47.8	73.4	0
3/13/2023, 1:33:59 PM	0	6.833	47.3	73	0
3/13/2023, 1:43:59 PM	0	6.833	47.1	73	0
3/13/2023, 1:53:59 PM	0	6.833	47.7	72.8	0
3/13/2023, 2:03:59 PM	0	6.833	48.4	72.4	0
3/13/2023, 2:13:59 PM	0	6.833	48.7	71.8	0
3/13/2023, 2:23:59 PM	0	6.833	47.5	71.5	0
3/13/2023, 2:33:59 PM	0	6.833	46	72	0
3/13/2023, 2:43:59 PM	0	6.833	45.1	72.9	0
3/13/2023, 2:53:59 PM	0	6.833	44.1	73.8	0
3/13/2023, 3:03:59 PM	0	6.825	43.2	74.6	0
3/13/2023, 3:13:59 PM	0	6.825	42.8	75.5	0
3/13/2023, 3:23:59 PM	0	6.825	42.6	76	0
3/13/2023, 3:33:59 PM	0	6.825	41.7	76.4	0
3/13/2023, 3:43:59 PM	0	6.825	40.8	76.8	0
3/13/2023, 3:53:59 PM	0	6.825	40.1	77.3	0
3/13/2023, 4:03:59 PM	0	6.825	39.7	78.1	0
3/13/2023, 4:13:59 PM	0	6.816	39.7	78.7	0
3/13/2023, 4:23:59 PM	0	6.816	39.4	79.3	0
3/13/2023, 4:33:59 PM	0	6.816	39.2	79.9	0
3/13/2023, 4:43:59 PM	0	6.816	39	80.4	0
3/13/2023, 4:53:59 PM	0	6.816	38.7	80.8	0
3/13/2023, 5:03:59 PM	0	6.816	38.1	81	0
3/13/2023, 5:13:59 PM	0	6.816	37.6	81.3	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/13/2023, 5:23:59 PM	0	6.816	37.2	81.7	0
3/13/2023, 5:33:59 PM	0	6.816	36.7	82.1	0
3/13/2023, 5:43:59 PM	0	6.816	36.7	82.6	0
3/13/2023, 5:53:59 PM	0	6.816	36.7	83	0
3/13/2023, 6:03:59 PM	0	6.816	36.5	83.5	0
3/13/2023, 6:13:59 PM	0	6.816	36.5	83.8	0
3/13/2023, 6:23:59 PM	0	6.807	36.1	84.1	0
3/13/2023, 6:33:59 PM	0	6.807	35.8	84.4	0
3/13/2023, 6:43:59 PM	0	6.807	35.4	84.6	0
3/13/2023, 6:53:59 PM	0	6.807	35.2	84.9	0
3/13/2023, 7:03:59 PM	0	6.807	35.1	85.3	0
3/13/2023, 7:13:59 PM	0	6.807	34.7	85.6	0
3/13/2023, 7:23:59 PM	0	6.807	34.5	85.9	0
3/13/2023, 7:33:59 PM	0	6.807	34.3	86.2	0
3/13/2023, 7:43:59 PM	0	6.807	34.2	86.4	0
3/13/2023, 7:53:59 PM	0	6.807	34	86.6	0
3/13/2023, 8:03:59 PM	0	6.807	33.8	86.7	0
3/13/2023, 8:13:59 PM	0	6.807	33.6	87	0
3/13/2023, 8:23:59 PM	0	6.807	33.6	87.2	0
3/13/2023, 8:33:59 PM	0	6.807	33.4	87.4	0
3/13/2023, 8:43:59 PM	0	6.807	33.3	87.6	0
3/13/2023, 8:53:59 PM	0	6.807	33.3	87.7	0
3/13/2023, 9:03:59 PM	0	6.807	33.1	87.9	0
3/13/2023, 9:13:59 PM	0	6.798	33.1	88.1	0
3/13/2023, 9:23:59 PM	0	6.798	32.9	88.2	0
3/13/2023, 9:33:59 PM	0	6.798	32.9	88.3	0
3/13/2023, 9:43:59 PM	0	6.798	32.7	88.3	0
3/13/2023, 9:53:59 PM	0	6.798	32.7	88.3	0
3/13/2023, 10:03:59 PM	0	6.798	32.5	88.4	0
3/13/2023, 10:13:59 PM	0	6.798	32.4	88.4	0
3/13/2023, 10:23:59 PM	0	6.798	32.4	88.6	0
3/13/2023, 10:33:59 PM	0	6.798	32.2	88.6	0
3/13/2023, 10:43:59 PM	0	6.798	32.2	88.7	0
3/13/2023, 10:53:59 PM	0	6.798	32	88.8	0
3/13/2023, 11:03:59 PM	0	6.798	32	88.8	0
3/13/2023, 11:13:59 PM	0	6.798	32	88.9	0
3/13/2023, 11:23:59 PM	0	6.798	32	89	0
3/13/2023, 11:33:59 PM	0	6.798	32	89	0
3/13/2023, 11:43:59 PM	0	6.798	31.8	89.1	0
3/13/2023, 11:53:59 PM	0	6.798	31.8	89.1	0
3/14/2023, 12:03:59 AM	0	6.798	31.8	89.2	0
3/14/2023, 12:13:59 AM	0	6.798	31.8	89.3	0
3/14/2023, 12:23:59 AM	0	6.798	31.8	89.4	0
3/14/2023, 12:33:59 AM	0	6.798	31.8	89.6	0
3/14/2023, 12:43:59 AM	0	6.798	31.8	89.7	0
3/14/2023, 12:53:59 AM	0	6.798	31.8	89.7	0
3/14/2023, 1:03:59 AM	0	6.798	31.8	89.9	0
3/14/2023, 1:13:59 AM	0	6.798	31.8	89.9	0
3/14/2023, 1:23:59 AM	0	6.798	31.8	90	0
3/14/2023, 1:33:59 AM	0	6.798	31.8	90.1	0
3/14/2023, 1:43:59 AM	0	6.798	31.6	90.1	0
3/14/2023, 1:53:59 AM	0	6.798	31.6	90.1	0
3/14/2023, 2:03:59 AM	0	6.798	31.6	89.9	0
3/14/2023, 2:13:59 AM	0	6.798	31.5	89.7	0
3/14/2023, 2:23:59 AM	0	6.798	31.5	89.5	0
3/14/2023, 2:33:59 AM	0	6.798	31.3	89.3	0
3/14/2023, 2:43:59 AM	0	6.798	31.3	89.1	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/14/2023, 2:53:59 AM	0	6.79	31.1	88.9	0
3/14/2023, 3:03:59 AM	0	6.79	31.1	88.8	0
3/14/2023, 3:13:59 AM	0	6.79	31.1	88.7	0
3/14/2023, 3:23:59 AM	0	6.79	30.9	88.6	0
3/14/2023, 3:33:59 AM	0	6.79	30.9	88.5	0
3/14/2023, 3:43:59 AM	0	6.79	30.9	88.3	0
3/14/2023, 3:53:59 AM	0	6.79	30.9	88.3	0
3/14/2023, 4:03:59 AM	0	6.79	30.9	88.2	0
3/14/2023, 4:13:59 AM	0	6.79	30.9	88.2	0
3/14/2023, 4:23:59 AM	0	6.79	30.9	88.2	0
3/14/2023, 4:33:59 AM	0	6.79	30.9	88.2	0
3/14/2023, 4:43:59 AM	0	6.79	30.9	88.2	0
3/14/2023, 4:53:59 AM	0	6.79	30.9	88.3	0
3/14/2023, 5:03:59 AM	0	6.79	30.9	88.3	0
3/14/2023, 5:13:59 AM	0	6.79	30.9	88.4	0
3/14/2023, 5:23:59 AM	0	6.79	30.9	88.4	0
3/14/2023, 5:33:59 AM	0	6.79	30.9	88.4	0
3/14/2023, 5:43:59 AM	0	6.79	30.7	88.3	0
3/14/2023, 5:53:59 AM	0	6.79	30.7	88.2	0
3/14/2023, 6:03:59 AM	0	6.79	30.6	88.1	0
3/14/2023, 6:13:59 AM	0	6.79	30.6	88	0
3/14/2023, 6:23:59 AM	0	6.79	30.4	88	0
3/14/2023, 6:33:59 AM	0	6.79	30.4	87.9	0
3/14/2023, 6:43:59 AM	0	6.79	30.2	87.9	0
3/14/2023, 6:53:59 AM	0	6.79	30	87.9	0
3/14/2023, 7:03:59 AM	0	6.79	29.8	87.7	0
3/14/2023, 7:13:59 AM	0	6.79	29.7	87.7	0
3/14/2023, 7:23:59 AM	0	6.79	29.7	87.6	0
3/14/2023, 7:33:59 AM	0	6.79	29.3	87.5	0
3/14/2023, 7:43:59 AM	0	6.781	29.1	87.4	0
3/14/2023, 7:53:59 AM	0	6.781	29.1	87.5	0
3/14/2023, 8:03:59 AM	0	6.781	28.9	87.4	0
3/14/2023, 8:13:59 AM	0	6.781	28.9	87.3	0
3/14/2023, 8:23:59 AM	0	6.781	28.9	87.2	0
3/14/2023, 8:33:59 AM	0	6.781	28.9	87.1	0
3/14/2023, 8:43:59 AM	0	6.781	28.8	87	0
3/14/2023, 8:53:59 AM	0	6.781	28.9	86.9	0
3/14/2023, 9:03:59 AM	0	6.781	28.9	86.7	0
3/14/2023, 9:13:59 AM	0	6.781	29.3	86.5	0
3/14/2023, 9:23:59 AM	0	6.781	29.5	86.3	0
3/14/2023, 9:33:59 AM	0	6.781	29.7	86	0
3/14/2023, 9:43:59 AM	0	6.781	30.4	85.8	0
3/14/2023, 9:53:59 AM	0	6.781	30.9	85.4	0
3/14/2023, 10:03:59 AM	0	6.781	31.3	85	0
3/14/2023, 10:13:59 AM	0	6.781	31.6	84.5	0
3/14/2023, 10:23:59 AM	0	6.781	32	83.9	0
3/14/2023, 10:33:59 AM	0	6.781	32	83.4	0
3/14/2023, 10:43:59 AM	0	6.781	32	82.8	0
3/14/2023, 10:53:59 AM	0	6.781	32	82.3	0
3/14/2023, 11:03:59 AM	0	6.781	32.4	81.8	0
3/14/2023, 11:13:59 AM	0	6.781	32.4	81.3	0
3/14/2023, 11:23:59 AM	0	6.781	32.5	80.8	0
3/14/2023, 11:33:59 AM	0	6.781	32.5	80.4	0
3/14/2023, 11:43:59 AM	0	6.781	32.2	80	0
3/14/2023, 11:53:59 AM	0	6.781	32	79.7	0
3/14/2023, 12:03:59 PM	0	6.781	32	79.5	0
3/14/2023, 12:13:59 PM	0	6.781	31.8	79.3	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/14/2023, 12:23:59 PM	0	6.781	31.5	79.2	0
3/14/2023, 12:33:59 PM	0	6.781	31.3	79.2	0
3/14/2023, 12:43:59 PM	0	6.781	31.1	78.9	0
3/14/2023, 12:53:59 PM	0	6.781	31.1	78.8	0
3/14/2023, 1:03:59 PM	0	6.781	30.7	78.7	0
3/14/2023, 1:13:59 PM	0	6.781	30.4	78.7	0
3/14/2023, 1:23:59 PM	0	6.781	30.6	78.8	0
3/14/2023, 1:33:59 PM	0	6.781	30.4	78.7	0
3/14/2023, 1:43:59 PM	0	6.781	30.6	78.7	0
3/14/2023, 1:53:59 PM	0	6.781	30.7	78.7	0
3/14/2023, 2:03:59 PM	0	6.781	30.9	78.7	0
3/14/2023, 2:13:59 PM	0	6.781	31.3	78.8	0
3/14/2023, 2:23:59 PM	0	6.781	31.3	78.8	0
3/14/2023, 2:33:59 PM	0	6.781	31.5	78.7	0
3/14/2023, 2:43:59 PM	0	6.781	31.6	78.9	0
3/14/2023, 2:53:59 PM	0	6.781	32	78.9	0
3/14/2023, 3:03:59 PM	0	6.781	32.2	78.9	0
3/14/2023, 3:13:59 PM	0	6.781	32.4	78.9	0
3/14/2023, 3:23:59 PM	0	6.781	32.4	78.8	0
3/14/2023, 3:33:59 PM	0	6.781	32	78.8	0
3/14/2023, 3:43:59 PM	0	6.781	31.8	78.8	0
3/14/2023, 3:53:59 PM	0	6.781	31.6	79	0
3/14/2023, 4:03:59 PM	0	6.781	31.5	79.2	0
3/14/2023, 4:13:59 PM	0	6.781	31.3	79.4	0
3/14/2023, 4:23:59 PM	0	6.781	31.3	79.6	0
3/14/2023, 4:33:59 PM	0	6.781	31.1	79.8	0
3/14/2023, 4:43:59 PM	0	6.781	30.9	80.1	0
3/14/2023, 4:53:59 PM	0	6.781	30.9	80.4	0
3/14/2023, 5:03:59 PM	0	6.781	30.7	80.7	0
3/14/2023, 5:13:59 PM	0	6.781	30.4	81	0
3/14/2023, 5:23:59 PM	0	6.781	30.4	81.4	0
3/14/2023, 5:33:59 PM	0	6.781	30.4	81.8	0
3/14/2023, 5:43:59 PM	0	6.781	30.2	82	0
3/14/2023, 5:53:59 PM	0	6.781	30	82.2	0
3/14/2023, 6:03:59 PM	0	6.781	29.8	82.3	0
3/14/2023, 6:13:59 PM	0	6.781	29.7	82.6	0
3/14/2023, 6:23:59 PM	0	6.781	29.5	82.8	0
3/14/2023, 6:33:59 PM	0	6.781	29.3	83.1	0
3/14/2023, 6:43:59 PM	0	6.781	29.1	83.3	0
3/14/2023, 6:53:59 PM	0	6.781	28.9	83.5	0
3/14/2023, 7:03:59 PM	0	6.781	28.6	83.8	0
3/14/2023, 7:13:59 PM	0	6.781	28.4	84	0
3/14/2023, 7:23:59 PM	0	6.781	28.2	84.4	0
3/14/2023, 7:33:59 PM	0	6.781	28.2	84.7	0
3/14/2023, 7:43:59 PM	0	6.781	28	85.1	0
3/14/2023, 7:53:59 PM	0	6.772	27.9	85.4	0
3/14/2023, 8:03:59 PM	0	6.772	27.9	85.7	0
3/14/2023, 8:13:59 PM	0	6.772	28	86	0
3/14/2023, 8:23:59 PM	0	6.772	28	86.3	0
3/14/2023, 8:33:59 PM	0	6.772	28	86.6	0
3/14/2023, 8:43:59 PM	0	6.772	28.2	86.9	0
3/14/2023, 8:53:59 PM	0	6.781	28.2	87.1	0
3/14/2023, 9:03:59 PM	0	6.772	28.2	87.3	0
3/14/2023, 9:13:59 PM	0	6.781	28.4	87.5	0
3/14/2023, 9:23:59 PM	0	6.781	28.4	87.7	0
3/14/2023, 9:33:59 PM	0	6.781	28.6	87.9	0
3/14/2023, 9:43:59 PM	0	6.781	28.6	88.1	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/14/2023, 9:53:59 PM	0	6.781	28.8	88.2	0
3/14/2023, 10:03:59 PM	0	6.781	28.9	88.3	0
3/14/2023, 10:13:59 PM	0	6.781	29.1	88.4	0
3/14/2023, 10:23:59 PM	0	6.781	29.3	88.5	0
3/14/2023, 10:33:59 PM	0	6.781	29.3	88.5	0
3/14/2023, 10:43:59 PM	0	6.781	29.5	88.3	0
3/14/2023, 10:53:59 PM	0	6.781	29.7	88.1	0
3/14/2023, 11:03:59 PM	0	6.781	29.8	87.8	0
3/14/2023, 11:13:59 PM	0	6.781	29.8	87.5	0
3/14/2023, 11:23:59 PM	0	6.781	30	87.1	0
3/14/2023, 11:33:59 PM	0	6.781	30.4	86.5	0
3/14/2023, 11:43:59 PM	0	6.781	30.6	85.6	0
3/14/2023, 11:53:59 PM	0	6.781	30.7	84.8	0
3/15/2023, 12:03:59 AM	0	6.79	30.9	83.9	0
3/15/2023, 12:13:59 AM	0	6.781	31.1	83.1	0
3/15/2023, 12:23:59 AM	0	6.79	31.1	82.3	0
3/15/2023, 12:33:59 AM	0	6.79	31.1	81.5	0
3/15/2023, 12:43:59 AM	0	6.79	31.1	80.8	0
3/15/2023, 12:53:59 AM	0	6.79	31.1	80.2	0
3/15/2023, 1:03:59 AM	0	6.79	31.1	79.3	0
3/15/2023, 1:13:59 AM	0	6.79	30.9	78.7	0
3/15/2023, 1:23:59 AM	0	6.79	30.9	78.1	0
3/15/2023, 1:33:59 AM	0	6.79	30.7	77.6	0
3/15/2023, 1:43:59 AM	0	6.79	30.7	77.1	0
3/15/2023, 1:53:59 AM	0	6.79	30.6	76.7	0
3/15/2023, 2:03:59 AM	0	6.781	30.4	76.4	0
3/15/2023, 2:13:59 AM	0	6.781	30.2	76	0
3/15/2023, 2:23:59 AM	0	6.781	30	75.6	0
3/15/2023, 2:33:59 AM	0	6.781	30	75.2	0
3/15/2023, 2:43:59 AM	0	6.781	29.8	75	0
3/15/2023, 2:53:59 AM	0	6.781	29.8	74.7	0
3/15/2023, 3:03:59 AM	0	6.781	29.7	74.4	0
3/15/2023, 3:13:59 AM	0	6.781	29.5	74.3	0
3/15/2023, 3:23:59 AM	0	6.781	29.3	74.1	0
3/15/2023, 3:33:59 AM	0	6.781	29.1	74	0
3/15/2023, 3:43:59 AM	0	6.781	29.1	73.9	0
3/15/2023, 3:53:59 AM	0	6.781	28.8	73.8	0
3/15/2023, 4:03:59 AM	0	6.781	28.6	73.6	0
3/15/2023, 4:13:59 AM	0	6.781	28.4	73.5	0
3/15/2023, 4:23:59 AM	0	6.772	28.2	73.4	0
3/15/2023, 4:33:59 AM	0	6.772	28	73.3	0
3/15/2023, 4:43:59 AM	0	6.772	27.7	73.2	0
3/15/2023, 4:53:59 AM	0	6.772	27.3	73.1	0
3/15/2023, 5:03:59 AM	0	6.772	27	73	0
3/15/2023, 5:13:59 AM	0	6.772	26.6	73	0
3/15/2023, 5:23:59 AM	0	6.772	26.4	73	0
3/15/2023, 5:33:59 AM	0	6.772	26.2	73	0
3/15/2023, 5:43:59 AM	0	6.763	26.1	73.1	0
3/15/2023, 5:53:59 AM	0	6.763	25.9	73.2	0
3/15/2023, 6:03:59 AM	0	6.763	25.7	73.3	0
3/15/2023, 6:13:59 AM	0	6.763	25.5	73.4	0
3/15/2023, 6:23:59 AM	0	6.763	25.5	73.6	0
3/15/2023, 6:33:59 AM	0	6.763	25.3	73.7	0
3/15/2023, 6:43:59 AM	0	6.763	25.2	73.8	0
3/15/2023, 6:53:59 AM	0	6.763	25	73.9	0
3/15/2023, 7:03:59 AM	0	6.763	25	74.1	0
3/15/2023, 7:13:59 AM	0	6.763	24.8	74.3	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/15/2023, 7:23:59 AM	0	6.763	24.6	74.4	0
3/15/2023, 7:33:59 AM	0	6.763	24.6	74.6	0
3/15/2023, 7:43:59 AM	0	6.763	24.4	74.7	0
3/15/2023, 7:53:59 AM	0	6.763	24.6	74.9	0
3/15/2023, 8:03:59 AM	0	6.754	25.2	75	0
3/15/2023, 8:13:59 AM	0	6.763	26.1	75	0
3/15/2023, 8:23:59 AM	0	6.763	27.1	74.8	0
3/15/2023, 8:33:59 AM	0	6.763	28.6	74.5	0
3/15/2023, 8:43:59 AM	0	6.763	30	74	0
3/15/2023, 8:53:59 AM	0	6.772	31.3	73.2	0
3/15/2023, 9:03:59 AM	0	6.772	32.5	72.3	0
3/15/2023, 9:13:59 AM	0	6.772	33.6	71.2	0
3/15/2023, 9:23:59 AM	0	6.781	34.9	70.2	0
3/15/2023, 9:33:59 AM	0	6.781	36.1	69.1	0
3/15/2023, 9:43:59 AM	0	6.781	37.2	68.2	0
3/15/2023, 9:53:59 AM	0	6.79	38.5	67.2	0
3/15/2023, 10:03:59 AM	0	6.79	39.6	66.2	0
3/15/2023, 10:13:59 AM	0	6.79	40.5	65.2	0
3/15/2023, 10:23:59 AM	0	6.79	41.2	64.4	0
3/15/2023, 10:33:59 AM	0	6.798	42.3	63.7	0
3/15/2023, 10:43:59 AM	0	6.798	43	62.8	0
3/15/2023, 10:53:59 AM	0	6.798	43.5	62	0
3/15/2023, 11:03:59 AM	0	6.798	44.2	61.3	0
3/15/2023, 11:13:59 AM	0	6.798	45	60.6	0
3/15/2023, 11:23:59 AM	0	6.798	45.7	60.1	0
3/15/2023, 11:33:59 AM	0	6.798	46.4	59.5	0
3/15/2023, 11:43:59 AM	0	6.807	47.1	58.8	0
3/15/2023, 11:53:59 AM	0	6.807	47.5	58.2	0
3/15/2023, 12:03:59 PM	0	6.807	48.4	57.6	0
3/15/2023, 12:13:59 PM	0	6.807	48.9	57	0
3/15/2023, 12:23:59 PM	0	6.807	49.5	56.5	0
3/15/2023, 12:33:59 PM	0	6.807	49.8	55.9	0
3/15/2023, 12:43:59 PM	0	6.807	50.4	55.4	0
3/15/2023, 12:53:59 PM	0	6.807	50.9	54.9	0
3/15/2023, 1:03:59 PM	0	6.816	51.4	54.5	0
3/15/2023, 1:13:59 PM	0	6.816	52.2	54.2	0
3/15/2023, 1:23:59 PM	0	6.816	52.7	53.8	0
3/15/2023, 1:33:59 PM	0	6.816	53.2	53.5	0
3/15/2023, 1:43:59 PM	0	6.816	53.2	53.1	0
3/15/2023, 1:53:59 PM	0	6.816	53.4	52.8	0
3/15/2023, 2:03:59 PM	0	6.816	53.2	52.4	0
3/15/2023, 2:13:59 PM	0	6.816	53.2	52.1	0
3/15/2023, 2:23:59 PM	0	6.816	53.1	51.9	0
3/15/2023, 2:33:59 PM	0	6.816	53.1	51.6	0
3/15/2023, 2:43:59 PM	0	6.816	53.1	51.4	0
3/15/2023, 2:53:59 PM	0	6.816	53.1	51.3	0
3/15/2023, 3:03:59 PM	0	6.816	52.9	51.1	0
3/15/2023, 3:13:59 PM	0	6.825	52.7	50.9	0
3/15/2023, 3:23:59 PM	0	6.825	52.5	50.7	0
3/15/2023, 3:33:59 PM	0	6.825	52.5	50.6	0
3/15/2023, 3:43:59 PM	0	6.825	52	50.4	0
3/15/2023, 3:53:59 PM	0	6.825	51.4	50.3	0
3/15/2023, 4:03:59 PM	0	6.825	51.3	50.2	0
3/15/2023, 4:13:59 PM	0	6.825	50.7	50.1	0
3/15/2023, 4:23:59 PM	0	6.825	50.2	50	0
3/15/2023, 4:33:59 PM	0	6.816	49.6	50	0
3/15/2023, 4:43:59 PM	0	6.816	48.9	49.9	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/15/2023, 4:53:59 PM	0	6.816	48.2	49.7	0
3/15/2023, 5:03:59 PM	0	6.816	47.8	49.7	0
3/15/2023, 5:13:59 PM	0	6.816	47.1	49.6	0
3/15/2023, 5:23:59 PM	0	6.816	46.4	49.5	0
3/15/2023, 5:33:59 PM	0	6.816	45.9	49.4	0
3/15/2023, 5:43:59 PM	0	6.816	45.5	49.4	0
3/15/2023, 5:53:59 PM	0	6.816	44.6	49.3	0
3/15/2023, 6:03:59 PM	0	6.816	44.1	49.3	0
3/15/2023, 6:13:59 PM	0	6.816	43.5	49.3	0
3/15/2023, 6:23:59 PM	0	6.816	42.6	49.4	0
3/15/2023, 6:33:59 PM	0	6.816	41.2	49.4	0
3/15/2023, 6:43:59 PM	0	6.807	39.7	49.5	0
3/15/2023, 6:53:59 PM	0	6.807	38.8	49.6	0
3/15/2023, 7:03:59 PM	0	6.807	37.9	49.8	0
3/15/2023, 7:13:59 PM	0	6.807	37.4	50.1	0
3/15/2023, 7:23:59 PM	0	6.807	36.5	50.8	0
3/15/2023, 7:33:59 PM	0	6.798	36	52	0
3/15/2023, 7:43:59 PM	0	6.798	35.2	53.5	0
3/15/2023, 7:53:59 PM	0	6.798	34.7	54.9	0
3/15/2023, 8:03:59 PM	0	6.798	34.3	56.2	0
3/15/2023, 8:13:59 PM	0	6.798	33.8	57.4	0
3/15/2023, 8:23:59 PM	0	6.79	33.4	58.5	0
3/15/2023, 8:33:59 PM	0	6.79	33.1	59.7	0
3/15/2023, 8:43:59 PM	0	6.79	32.7	61.1	0
3/15/2023, 8:53:59 PM	0	6.79	32.4	62.4	0
3/15/2023, 9:03:59 PM	0	6.79	32	63.7	0
3/15/2023, 9:13:59 PM	0	6.79	32	64.9	0
3/15/2023, 9:23:59 PM	0	6.781	31.6	66	0
3/15/2023, 9:33:59 PM	0	6.781	31.3	67	0
3/15/2023, 9:43:59 PM	0	6.781	31.1	67.9	0
3/15/2023, 9:53:59 PM	0	6.781	30.9	68.7	0
3/15/2023, 10:03:59 PM	0	6.781	30.7	69.4	0
3/15/2023, 10:13:59 PM	0	6.781	30.6	70	0
3/15/2023, 10:23:59 PM	0	6.781	30.6	70.5	0
3/15/2023, 10:33:59 PM	0	6.781	30.6	71.1	0
3/15/2023, 10:43:59 PM	0	6.781	30.7	71.6	0
3/15/2023, 10:53:59 PM	0	6.781	30.9	72.1	0
3/15/2023, 11:03:59 PM	0	6.781	31.1	72.5	0
3/15/2023, 11:13:59 PM	0	6.781	31.3	72.9	0
3/15/2023, 11:23:59 PM	0	6.781	31.5	73.2	0
3/15/2023, 11:33:59 PM	0	6.781	31.6	73.5	0
3/15/2023, 11:43:59 PM	0	6.781	31.6	73.8	0
3/15/2023, 11:53:59 PM	0	6.781	31.8	73.9	0
3/16/2023, 12:03:59 AM	0	6.781	31.8	74	0
3/16/2023, 12:13:59 AM	0	6.781	32	74.1	0
3/16/2023, 12:23:59 AM	0	6.781	32	74.1	0
3/16/2023, 12:33:59 AM	0	6.781	32	74.1	0
3/16/2023, 12:43:59 AM	0	6.781	32	74	0
3/16/2023, 12:53:59 AM	0	6.781	32	74	0
3/16/2023, 1:03:59 AM	0	6.781	32	73.9	0
3/16/2023, 1:13:59 AM	0	6.781	32.2	73.7	0
3/16/2023, 1:23:59 AM	0	6.781	32.2	73.5	0
3/16/2023, 1:33:59 AM	0	6.781	32.2	73.3	0
3/16/2023, 1:43:59 AM	0	6.781	32.4	72.9	0
3/16/2023, 1:53:59 AM	0	6.781	32.4	72.4	0
3/16/2023, 2:03:59 AM	0	6.781	32.4	71.9	0
3/16/2023, 2:13:59 AM	0	6.781	32.4	71.3	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/16/2023, 2:23:59 AM	0	6.781	32.4	70.8	0
3/16/2023, 2:33:59 AM	0	6.781	32.4	70.4	0
3/16/2023, 2:43:59 AM	0	6.781	32.4	69.9	0
3/16/2023, 2:53:59 AM	0	6.781	32.4	69.4	0
3/16/2023, 3:03:59 AM	0	6.781	32.4	68.8	0
3/16/2023, 3:13:59 AM	0	6.781	32.5	68.1	0
3/16/2023, 3:23:59 AM	0	6.781	32.5	67.6	0
3/16/2023, 3:33:59 AM	0	6.781	32.5	67	0
3/16/2023, 3:43:59 AM	0	6.79	32.5	66.5	0
3/16/2023, 3:53:59 AM	0	6.79	32.5	66	0
3/16/2023, 4:03:59 AM	0	6.79	32.5	65.6	0
3/16/2023, 4:13:59 AM	0	6.79	32.7	65.3	0
3/16/2023, 4:23:59 AM	0	6.79	32.7	65	0
3/16/2023, 4:33:59 AM	0	6.781	32.7	64.8	0
3/16/2023, 4:43:59 AM	0	6.79	32.7	64.7	0
3/16/2023, 4:53:59 AM	0	6.79	32.7	64.5	0
3/16/2023, 5:03:59 AM	0	6.79	32.9	64.5	0
3/16/2023, 5:13:59 AM	0	6.79	33.1	64.5	0
3/16/2023, 5:23:59 AM	0	6.79	33.3	64.5	0
3/16/2023, 5:33:59 AM	0	6.79	33.4	64.6	0
3/16/2023, 5:43:59 AM	0	6.79	33.6	64.6	0
3/16/2023, 5:53:59 AM	0	6.79	33.8	64.7	0
3/16/2023, 6:03:59 AM	0	6.79	33.8	64.9	0
3/16/2023, 6:13:59 AM	0	6.79	34	65	0
3/16/2023, 6:23:59 AM	0	6.79	34.2	65.2	0
3/16/2023, 6:33:59 AM	0	6.79	34.5	65.3	0
3/16/2023, 6:43:59 AM	0	6.79	34.7	65.4	0
3/16/2023, 6:53:59 AM	0	6.79	34.9	65.5	0
3/16/2023, 7:03:59 AM	0	6.79	35.1	65.5	0
3/16/2023, 7:13:59 AM	0	6.79	35.2	65.6	0
3/16/2023, 7:23:59 AM	0	6.79	35.2	65.6	0
3/16/2023, 7:33:59 AM	0	6.79	35.1	65.6	0
3/16/2023, 7:43:59 AM	0	6.79	34.9	65.6	0
3/16/2023, 7:53:59 AM	0	6.79	34.7	65.7	0
3/16/2023, 8:03:59 AM	0	6.79	35.1	65.9	0
3/16/2023, 8:13:59 AM	0	6.79	36.1	66	0
3/16/2023, 8:23:59 AM	0	6.798	37.6	65.9	0
3/16/2023, 8:33:59 AM	0	6.798	39.2	65.5	0
3/16/2023, 8:43:59 AM	0	6.798	40.8	65	0
3/16/2023, 8:53:59 AM	0	6.798	42.4	64.2	0
3/16/2023, 9:03:59 AM	0	6.807	44.1	63.4	0
3/16/2023, 9:13:59 AM	0	6.807	45.7	62.6	0
3/16/2023, 9:23:59 AM	0	6.807	47.1	61.7	0
3/16/2023, 9:33:59 AM	0	6.816	48	60.9	0
3/16/2023, 9:31:31 AM	0	6.877	42.1	65.4	0
3/16/2023, 9:41:31 AM	0	6.877	43.3	64.8	0
3/16/2023, 9:51:31 AM	0	6.886	43.5	64.2	0
3/16/2023, 10:01:31 AM	0	6.886	43.9	63.7	0
3/16/2023, 10:11:31 AM	0	6.886	44.2	63.4	0
3/16/2023, 10:21:31 AM	0	6.886	44.6	63	0
3/16/2023, 9:40:49 AM	0	6.816	48.4	60.8	0
3/16/2023, 9:50:49 AM	0	6.842	53.6	60.8	0
3/16/2023, 10:00:49 AM	0	6.842	52.7	59.2	0
3/16/2023, 10:10:49 AM	0	6.842	51.8	58.2	0
3/16/2023, 10:20:49 AM	0	6.842	51.1	57.6	0
3/16/2023, 10:30:49 AM	0	6.842	50.9	57.2	0
3/16/2023, 10:40:49 AM	0	6.851	51.6	57	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/16/2023, 10:50:49 AM	0	6.851	52.2	56.7	0
3/16/2023, 11:00:49 AM	0	6.86	53.4	56.4	0
3/16/2023, 11:10:49 AM	0	6.86	53.8	56	0
3/16/2023, 11:20:49 AM	0	6.86	54.7	55.6	0
3/16/2023, 11:30:49 AM	0	6.86	56.1	55.3	0
3/16/2023, 11:40:49 AM	0	6.869	57.2	54.9	0
3/16/2023, 11:50:49 AM	0	6.869	58.1	54.5	0
3/16/2023, 12:00:49 PM	0	6.869	58.5	54	0
3/16/2023, 12:10:49 PM	0	6.869	58.8	53.7	0
3/16/2023, 12:20:49 PM	0	6.869	59	53.3	0
3/16/2023, 12:30:49 PM	0	6.877	59.4	52.9	0
3/16/2023, 12:40:49 PM	0	6.877	59.4	52.7	0
3/16/2023, 12:50:49 PM	0	6.877	59.5	52.5	0
3/16/2023, 1:00:49 PM	0	6.877	59	52.1	0
3/16/2023, 1:10:49 PM	0	6.877	57.9	51.8	0
3/16/2023, 1:20:49 PM	0	6.877	57.4	51.6	0
3/16/2023, 1:30:49 PM	0	6.877	57	51.4	0
3/16/2023, 1:40:49 PM	0	6.877	56.7	51.4	0
3/16/2023, 1:50:49 PM	0	6.877	56.7	51.4	0
3/16/2023, 2:00:49 PM	0	6.877	56.5	51.4	0
3/16/2023, 2:10:49 PM	0	6.877	56.3	51.2	0
3/16/2023, 2:20:49 PM	0	6.877	56.5	51.2	0
3/16/2023, 2:30:49 PM	0	6.877	57.2	51.3	0
3/16/2023, 2:40:49 PM	0	6.877	57.4	51.1	0
3/16/2023, 2:50:49 PM	0	6.877	56.8	50.9	0
3/16/2023, 3:00:49 PM	0	6.877	56.5	50.8	0
3/16/2023, 3:10:49 PM	0	6.877	56.7	50.7	0
3/16/2023, 3:20:49 PM	0	6.877	56.7	50.6	0
3/16/2023, 3:30:49 PM	0	6.877	56.1	50.4	0
3/16/2023, 3:40:49 PM	0	6.877	55.6	50.4	0
3/16/2023, 3:50:49 PM	0	6.877	55	50.3	0
3/16/2023, 4:00:49 PM	0	6.877	54.9	50.2	0
3/16/2023, 4:10:49 PM	0	6.877	54.3	50.3	0
3/16/2023, 4:20:49 PM	0	6.877	54	50.3	0
3/16/2023, 4:30:49 PM	0	6.877	53.4	50.2	0
3/16/2023, 4:40:49 PM	0	6.869	53.1	50.3	0
3/16/2023, 4:50:49 PM	0	6.869	52.7	50.3	0
3/16/2023, 5:00:49 PM	0	6.869	52.5	50.4	0
3/16/2023, 5:10:49 PM	0	6.869	52.3	50.5	0
3/16/2023, 5:20:49 PM	0	6.869	52.2	50.7	0
3/16/2023, 5:30:49 PM	0	6.869	52.2	50.8	0
3/16/2023, 5:40:49 PM	0	6.869	52.7	51	0
3/16/2023, 5:50:49 PM	0	6.869	53.1	51.1	0
3/16/2023, 6:00:49 PM	0	6.869	53.4	51.3	0
3/16/2023, 6:10:49 PM	0	6.869	53.2	51.3	0
3/16/2023, 6:20:49 PM	0	6.869	52.7	51.2	0
3/16/2023, 6:30:49 PM	0	6.869	52.2	51	0
3/16/2023, 6:40:49 PM	0	6.869	51.4	51.1	0
3/16/2023, 6:50:49 PM	0	6.86	50.7	51.3	0
3/16/2023, 7:00:49 PM	0	6.86	50.2	51.4	0
3/16/2023, 7:10:49 PM	0	6.86	49.5	51.8	0
3/16/2023, 7:20:49 PM	0	6.86	48.9	52.4	0
3/16/2023, 7:30:49 PM	0	6.86	48.2	53	0
3/16/2023, 7:40:49 PM	0	6.86	47.7	53.8	0
3/16/2023, 7:50:49 PM	0	6.851	46.8	54.4	0
3/16/2023, 8:00:49 PM	0	6.851	46	55.1	0
3/16/2023, 8:10:49 PM	0	6.851	45.3	56.2	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/16/2023, 8:20:49 PM	0	6.851	44.8	56.3	0
3/16/2023, 8:30:49 PM	0	6.842	44.1	56.6	0
3/16/2023, 8:40:49 PM	0	6.842	43.3	57	0
3/16/2023, 8:50:49 PM	0	6.842	42.8	57.4	0
3/16/2023, 9:00:49 PM	0	6.842	42.1	58.1	0
3/16/2023, 9:10:49 PM	0	6.842	41.5	58.6	0
3/16/2023, 9:20:49 PM	0	6.842	41.2	59	0
3/16/2023, 9:30:49 PM	0	6.833	41	59.5	0
3/16/2023, 9:40:49 PM	0	6.833	40.8	60	0
3/16/2023, 9:50:49 PM	0	6.833	40.8	60.3	0
3/16/2023, 10:00:49 PM	0	6.833	40.8	60.5	0
3/16/2023, 10:10:49 PM	0	6.833	40.8	60.8	0
3/16/2023, 10:20:49 PM	0	6.833	40.8	61.1	0
3/16/2023, 10:30:49 PM	0	6.833	40.6	61.2	0
3/16/2023, 10:40:49 PM	0	6.833	40.8	61.4	0
3/16/2023, 10:50:49 PM	0	6.833	40.8	61.5	0
3/16/2023, 11:00:49 PM	0	6.833	41	61.6	0
3/16/2023, 11:10:49 PM	0	6.833	41	61.7	0
3/16/2023, 11:20:49 PM	0	6.833	41	61.8	0
3/16/2023, 11:30:49 PM	0	6.833	41	61.8	0
3/16/2023, 11:40:49 PM	0	6.833	41.2	62	0
3/16/2023, 11:50:49 PM	0	6.833	41.2	62.1	0
3/17/2023, 12:00:49 AM	0	6.833	41.2	62.1	0
3/17/2023, 12:10:49 AM	0	6.833	41.4	62.3	0
3/17/2023, 12:20:49 AM	0	6.833	41.4	62.3	0
3/17/2023, 12:30:49 AM	0	6.833	41.5	62.3	0
3/17/2023, 12:40:49 AM	0	6.833	41.5	62.3	0
3/17/2023, 12:50:49 AM	0	6.833	41.5	62.3	0
3/17/2023, 1:00:49 AM	0	6.833	41.5	62.5	0
3/17/2023, 1:10:49 AM	0	6.833	41.4	62.7	0
3/17/2023, 1:20:49 AM	0	6.833	41.4	62.9	0
3/17/2023, 1:30:49 AM	0	6.833	41.2	63	0
3/17/2023, 1:40:49 AM	0	6.833	41	63.4	0
3/17/2023, 1:50:49 AM	0	6.833	41.2	63.2	0
3/17/2023, 2:00:49 AM	0	6.833	41.5	63.1	0
3/17/2023, 2:10:49 AM	0	6.833	41.9	63.5	0
3/17/2023, 2:20:49 AM	0	6.833	42.4	65	0
3/17/2023, 2:30:49 AM	0	6.833	42.6	67.7	0
3/17/2023, 2:40:49 AM	0	6.833	42.4	70.6	0
3/17/2023, 2:50:49 AM	0	6.833	42.3	73	0
3/17/2023, 3:00:49 AM	0	6.833	42.1	75	0
3/17/2023, 3:10:49 AM	0	6.833	41.9	76.7	0
3/17/2023, 3:20:49 AM	0	6.833	41.7	78.2	0
3/17/2023, 3:30:49 AM	0	6.833	41.4	79.3	0
3/17/2023, 3:40:49 AM	0	6.833	41.4	80.4	0
3/17/2023, 3:50:49 AM	0	6.833	41.2	81.4	0
3/17/2023, 4:00:49 AM	0	6.833	41	82.4	0
3/17/2023, 4:10:49 AM	0	6.833	41	83.2	0
3/17/2023, 4:20:49 AM	0	6.833	40.8	83.8	0
3/17/2023, 4:30:49 AM	0	6.833	40.8	84.5	0
3/17/2023, 4:40:49 AM	0	6.833	40.8	85.1	0
3/17/2023, 4:50:49 AM	0	6.833	40.8	85.7	0
3/17/2023, 5:00:49 AM	0	6.833	40.8	86.2	0
3/17/2023, 5:10:49 AM	0	6.833	40.8	86.6	0
3/17/2023, 5:20:49 AM	0	6.833	40.8	87	0
3/17/2023, 5:30:49 AM	0	6.833	41	87.4	0
3/17/2023, 5:40:49 AM	0	6.833	41	87.9	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/17/2023, 5:50:49 AM	0	6.833	41	88.2	0
3/17/2023, 6:00:49 AM	0	6.833	41.2	88.5	0
3/17/2023, 6:10:49 AM	0	6.833	41.2	88.7	0
3/17/2023, 6:20:49 AM	0	6.833	41	88.9	0
3/17/2023, 6:30:49 AM	0	6.833	41.2	89.1	0
3/17/2023, 6:40:49 AM	0	6.833	41.2	89.4	0
3/17/2023, 6:50:49 AM	0	6.833	41.2	89.6	0
3/17/2023, 7:00:49 AM	0	6.833	41.2	89.7	0
3/17/2023, 7:10:49 AM	0	6.833	41.2	89.8	0
3/17/2023, 7:20:49 AM	0	6.833	41	89.8	0
3/17/2023, 7:30:49 AM	0	6.833	41	89.9	0
3/17/2023, 7:40:49 AM	0	6.833	41	90	0
3/17/2023, 7:50:49 AM	0	6.833	41	90	0
3/17/2023, 8:00:49 AM	0	6.833	41	90.2	0
3/17/2023, 8:10:49 AM	0	6.833	41	90.3	0
3/17/2023, 8:20:49 AM	0	6.833	41	90.5	0
3/17/2023, 8:30:49 AM	0	6.833	41	90.7	0
3/17/2023, 8:40:49 AM	0	6.833	41.2	90.9	0
3/17/2023, 8:50:49 AM	0	6.833	41.2	91.2	0
3/17/2023, 9:00:49 AM	0	6.833	41.4	91.5	0
3/17/2023, 9:10:49 AM	0	6.833	41.5	91.7	0
3/17/2023, 9:20:49 AM	0	6.833	41.7	91.9	0
3/17/2023, 9:30:49 AM	0	6.833	41.9	92.2	0
3/17/2023, 9:40:49 AM	0	6.833	42.3	92.3	0
3/17/2023, 9:50:49 AM	0	6.833	42.4	92.5	0
3/17/2023, 10:00:49 AM	0	6.833	42.6	92.7	0
3/17/2023, 10:10:49 AM	0	6.833	42.8	92.7	0
3/17/2023, 10:20:49 AM	0	6.833	43.2	92.9	0
3/17/2023, 10:30:49 AM	0	6.833	43.3	93	0
3/17/2023, 10:40:49 AM	0	6.842	43.5	93	0
3/17/2023, 10:50:49 AM	0	6.842	43.7	93	0
3/17/2023, 11:00:49 AM	0	6.842	43.9	93.1	0
3/17/2023, 11:10:49 AM	0	6.842	44.2	93.2	0
3/17/2023, 11:20:49 AM	0	6.842	44.6	93.2	0
3/17/2023, 11:30:49 AM	0	6.842	45	93.3	0
3/17/2023, 11:40:49 AM	0	6.842	45.3	93.3	0
3/17/2023, 11:50:49 AM	0	6.842	45.7	93.3	0
3/17/2023, 12:00:49 PM	0	6.842	46	93.1	0
3/17/2023, 12:10:49 PM	0	6.842	46.4	93	0
3/17/2023, 12:20:49 PM	0	6.851	46.9	92.7	0
3/17/2023, 12:30:49 PM	0	6.851	47.3	92.4	0
3/17/2023, 12:40:49 PM	0	6.851	47.7	92	0
3/17/2023, 12:50:49 PM	0	6.851	47.8	91.6	0
3/17/2023, 1:00:49 PM	0	6.851	48.2	91.3	0
3/17/2023, 1:10:49 PM	0	6.851	48.6	90.9	0
3/17/2023, 1:20:49 PM	0	6.851	48.7	90.6	0
3/17/2023, 1:30:49 PM	0	6.851	48.9	90.3	0
3/17/2023, 1:40:49 PM	0	6.851	49.3	90.1	0
3/17/2023, 1:50:49 PM	0	6.851	49.5	89.9	0
3/17/2023, 2:00:49 PM	0	6.851	49.8	89.7	0
3/17/2023, 2:10:49 PM	0	6.851	50	89.6	0
3/17/2023, 2:20:49 PM	0	6.851	50.4	89.3	0
3/17/2023, 2:30:49 PM	0	6.851	50.7	88.9	0
3/17/2023, 2:40:49 PM	0	6.86	51.3	88.6	0
3/17/2023, 2:50:49 PM	0	6.86	51.6	88.1	0
3/17/2023, 3:00:49 PM	0	6.86	52	87.4	0
3/17/2023, 3:10:49 PM	0	6.86	52.3	86.8	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/17/2023, 3:20:49 PM	0	6.86	52.7	86.2	0
3/17/2023, 3:30:49 PM	0	6.86	52.9	85.7	0
3/17/2023, 3:40:49 PM	0	6.86	53.2	85.3	0
3/17/2023, 3:50:49 PM	0	6.86	53.6	84.9	0
3/17/2023, 4:00:49 PM	0	6.86	53.8	84.4	0
3/17/2023, 4:10:49 PM	0	6.86	53.8	83.9	0
3/17/2023, 4:20:49 PM	0	6.86	54	83.6	0
3/17/2023, 4:30:49 PM	0	6.86	54	83.1	0
3/17/2023, 4:40:49 PM	0	6.869	54	82.8	0
3/17/2023, 4:50:49 PM	0	6.869	53.8	82.6	0
3/17/2023, 5:00:49 PM	0	6.86	53.6	82.5	0
3/17/2023, 5:10:49 PM	0	6.86	53.4	82.6	0
3/17/2023, 5:20:49 PM	0	6.86	53.1	82.8	0
3/17/2023, 5:30:49 PM	0	6.86	51.8	82.9	0
3/17/2023, 5:40:49 PM	0	6.86	50.7	83.2	0
3/17/2023, 5:50:49 PM	0	6.86	49.8	83.3	0
3/17/2023, 6:00:49 PM	0	6.86	49.1	83.6	0
3/17/2023, 6:10:49 PM	0	6.851	48.4	83.9	0
3/17/2023, 6:20:49 PM	0	6.851	47.8	84.2	0
3/17/2023, 6:30:49 PM	0	6.851	46.9	84.5	0
3/17/2023, 6:40:49 PM	0	6.851	46.4	84.7	0
3/17/2023, 6:50:49 PM	0	6.851	45.7	84.6	0
3/17/2023, 7:00:49 PM	0	6.851	45.3	84.5	0
3/17/2023, 7:10:49 PM	0	6.842	44.8	84.4	0
3/17/2023, 7:20:49 PM	0	6.842	44.2	84.3	0
3/17/2023, 7:30:49 PM	0	6.842	43.9	84.3	0
3/17/2023, 7:40:49 PM	0	6.842	43.3	84.3	0
3/17/2023, 7:50:49 PM	0	6.842	43	84.4	0
3/17/2023, 8:00:49 PM	0	6.842	42.6	84.4	0
3/17/2023, 8:10:49 PM	0	6.842	42.3	84.3	0
3/17/2023, 8:20:49 PM	0	6.842	41.9	84.4	0
3/17/2023, 8:30:49 PM	0	6.833	41.7	84.4	0
3/17/2023, 8:40:49 PM	0	6.833	41.5	84.4	0
3/17/2023, 8:50:49 PM	0	6.833	41.2	84.6	0
3/17/2023, 9:00:49 PM	0	6.833	40.8	84.9	0
3/17/2023, 9:10:49 PM	0	6.833	40.3	85.3	0
3/17/2023, 9:20:49 PM	0	6.833	39.9	85.6	0
3/17/2023, 9:30:49 PM	0	6.833	39.7	86	0
3/17/2023, 9:40:49 PM	0	6.833	39.4	86.1	0
3/17/2023, 9:50:49 PM	0	6.833	39.2	85.6	0
3/17/2023, 10:00:49 PM	0	6.833	39	84.7	0
3/17/2023, 10:10:49 PM	0	6.833	38.8	83.5	0
3/17/2023, 10:20:49 PM	0	6.833	38.7	82.5	0
3/17/2023, 10:30:49 PM	0	6.833	38.5	81.5	0
3/17/2023, 10:40:49 PM	0	6.825	38.3	80.7	0
3/17/2023, 10:50:49 PM	0	6.825	38.1	80.1	0
3/17/2023, 11:00:49 PM	0	6.825	37.9	79.8	0
3/17/2023, 11:10:49 PM	0	6.825	37.9	79.6	0
3/17/2023, 11:20:49 PM	0	6.825	37.8	79.4	0
3/17/2023, 11:30:49 PM	0	6.825	37.6	79.3	0
3/17/2023, 11:40:49 PM	0	6.825	37.6	79.2	0
3/17/2023, 11:50:49 PM	0	6.825	37.4	79.2	0
3/18/2023, 12:00:49 AM	0	6.825	37.4	79.2	0
3/18/2023, 12:10:49 AM	0	6.825	37.2	79.1	0
3/18/2023, 12:20:49 AM	0	6.825	37.2	79.1	0
3/18/2023, 12:30:49 AM	0	6.825	37.2	79	0
3/18/2023, 12:40:49 AM	0	6.825	37	79	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/18/2023, 12:50:49 AM	0	6.825	36.9	78.9	0
3/18/2023, 1:00:49 AM	0	6.825	36.9	78.7	0
3/18/2023, 1:10:49 AM	0	6.825	36.7	78.4	0
3/18/2023, 1:20:49 AM	0	6.825	36.5	78	0
3/18/2023, 1:30:49 AM	0	6.825	36.3	77.7	0
3/18/2023, 1:40:49 AM	0	6.825	36.1	77.4	0
3/18/2023, 1:50:49 AM	0	6.825	36	77.3	0
3/18/2023, 2:00:49 AM	0	6.825	36	77.1	0
3/18/2023, 2:10:49 AM	0	6.825	35.8	76.9	0
3/18/2023, 2:20:49 AM	0	6.825	35.8	76.5	0
3/18/2023, 2:30:49 AM	0	6.825	35.8	76	0
3/18/2023, 2:40:49 AM	0	6.825	35.6	75.6	0
3/18/2023, 2:50:49 AM	0	6.825	35.6	75.3	0
3/18/2023, 3:00:49 AM	0	6.825	35.6	75.1	0
3/18/2023, 3:10:49 AM	0	6.825	35.6	75	0
3/18/2023, 3:20:49 AM	0	6.825	35.6	75	0
3/18/2023, 3:30:49 AM	0	6.825	35.4	74.9	0
3/18/2023, 3:40:49 AM	0	6.825	35.4	74.8	0
3/18/2023, 3:50:49 AM	0	6.825	35.2	74.6	0
3/18/2023, 4:00:49 AM	0	6.825	35.2	74.4	0
3/18/2023, 4:10:49 AM	0	6.825	35.1	74.1	0
3/18/2023, 4:20:49 AM	0	6.825	35.1	73.8	0
3/18/2023, 4:30:49 AM	0	6.825	34.9	73.4	0
3/18/2023, 4:40:49 AM	0	6.825	34.9	73.2	0
3/18/2023, 4:50:49 AM	0	6.825	34.7	73.1	0
3/18/2023, 5:00:49 AM	0	6.825	34.7	73	0
3/18/2023, 5:10:49 AM	0	6.825	34.5	72.9	0
3/18/2023, 5:20:49 AM	0	6.825	34.5	72.9	0
3/18/2023, 5:30:49 AM	0	6.825	34.3	72.9	0
3/18/2023, 5:40:49 AM	0	6.825	34.3	73	0
3/18/2023, 5:50:49 AM	0	6.825	34.3	73.1	0
3/18/2023, 6:00:49 AM	0	6.825	34.3	73.1	0
3/18/2023, 6:10:49 AM	0	6.825	34.3	73.1	0
3/18/2023, 6:20:49 AM	0	6.825	34.3	73.1	0
3/18/2023, 6:30:49 AM	0	6.825	34.3	73.1	0
3/18/2023, 6:40:49 AM	0	6.825	34.2	73.1	0
3/18/2023, 6:50:49 AM	0	6.825	34.2	73	0
3/18/2023, 7:00:49 AM	0	6.825	34.2	73	0
3/18/2023, 7:10:49 AM	0	6.825	34.2	73.1	0
3/18/2023, 7:20:49 AM	0	6.825	34.2	73.2	0
3/18/2023, 7:30:49 AM	0	6.825	34	73.3	0
3/18/2023, 7:40:49 AM	0	6.825	34	73.4	0
3/18/2023, 7:50:49 AM	0	6.825	34	73.5	0
3/18/2023, 8:00:49 AM	0	6.825	34	73.5	0
3/18/2023, 8:10:49 AM	0	6.825	34.2	73.3	0
3/18/2023, 8:20:49 AM	0	6.825	34.3	73.1	0
3/18/2023, 8:30:49 AM	0	6.825	34.3	72.8	0
3/18/2023, 8:40:49 AM	0	6.825	34.5	72.3	0
3/18/2023, 8:50:49 AM	0	6.825	34.7	71.8	0
3/18/2023, 9:00:49 AM	0	6.825	34.9	71.4	0
3/18/2023, 9:10:49 AM	0	6.825	35.1	71.1	0
3/18/2023, 9:20:49 AM	0	6.825	35.2	70.9	0
3/18/2023, 9:30:49 AM	0	6.825	36	70.8	0
3/18/2023, 9:40:49 AM	0	6.825	36.7	70.5	0
3/18/2023, 9:50:49 AM	0	6.825	36.9	70.2	0
3/18/2023, 10:00:49 AM	0	6.825	36.9	70.1	0
3/18/2023, 10:10:49 AM	0	6.825	36.5	70	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/18/2023, 10:20:49 AM	0	6.825	36.5	70.3	0
3/18/2023, 10:30:49 AM	0	6.825	36.7	70.9	0
3/18/2023, 10:40:49 AM	0	6.825	36.9	71.5	0
3/18/2023, 10:50:49 AM	0	6.825	37.2	71.8	0
3/18/2023, 11:00:49 AM	0	6.833	37.6	72.1	0
3/18/2023, 11:10:49 AM	0	6.833	38.1	72.3	0
3/18/2023, 11:20:49 AM	0	6.833	38.5	71.8	0
3/18/2023, 11:30:49 AM	0	6.833	38.8	71.5	0
3/18/2023, 11:40:49 AM	0	6.833	39.4	71.6	0
3/18/2023, 11:50:49 AM	0	6.833	38.3	71.9	0
3/18/2023, 12:00:49 PM	0	6.833	37.2	72.6	0
3/18/2023, 12:10:49 PM	0	6.833	36.9	73.5	0
3/18/2023, 12:20:49 PM	0	6.833	37.6	73.9	0
3/18/2023, 12:30:49 PM	0	6.833	39	73.4	0
3/18/2023, 12:40:49 PM	0	6.833	39.7	71.6	0
3/18/2023, 12:50:49 PM	0	6.833	40.1	70.2	0
3/18/2023, 1:00:49 PM	0	6.833	39.9	68.6	0
3/18/2023, 1:10:49 PM	0	6.833	39.6	67.6	0
3/18/2023, 1:20:49 PM	0	6.833	39.6	66.5	0
3/18/2023, 1:30:49 PM	0	6.833	39.7	65.5	0
3/18/2023, 1:40:49 PM	0	6.833	39.9	64.8	0
3/18/2023, 1:50:49 PM	0	6.833	40.5	64.2	0
3/18/2023, 2:00:49 PM	0	6.833	41	63.8	0
3/18/2023, 2:10:49 PM	0	6.842	41.2	63.3	0
3/18/2023, 2:20:49 PM	0	6.842	41.2	62.7	0
3/18/2023, 2:30:49 PM	0	6.842	41.7	62.4	0
3/18/2023, 2:40:49 PM	0	6.842	41.4	61.9	0
3/18/2023, 2:50:49 PM	0	6.842	40.6	61.2	0
3/18/2023, 3:00:49 PM	0	6.842	40.1	61	0
3/18/2023, 3:10:49 PM	0	6.842	39.9	60.8	0
3/18/2023, 3:20:49 PM	0	6.842	39.4	60.5	0
3/18/2023, 3:30:49 PM	0	6.833	39	60.4	0
3/18/2023, 3:40:49 PM	0	6.833	38.7	60.6	0
3/18/2023, 3:50:49 PM	0	6.833	38.3	60.8	0
3/18/2023, 4:00:49 PM	0	6.833	38.5	60.7	0
3/18/2023, 4:10:49 PM	0	6.833	38.5	60.4	0
3/18/2023, 4:20:49 PM	0	6.833	38.3	60.1	0
3/18/2023, 4:30:49 PM	0	6.833	38.3	60	0
3/18/2023, 4:40:49 PM	0	6.833	38.7	59.5	0
3/18/2023, 4:50:49 PM	0	6.833	38.7	59	0
3/18/2023, 5:00:49 PM	0	6.833	38.1	58.8	0
3/18/2023, 5:10:49 PM	0	6.833	37.9	58.6	0
3/18/2023, 5:20:49 PM	0	6.833	37.8	58.8	0
3/18/2023, 5:30:49 PM	0	6.833	37.6	59.1	0
3/18/2023, 5:40:49 PM	0	6.833	37.2	59.4	0
3/18/2023, 5:50:49 PM	0	6.833	36.7	60	0
3/18/2023, 6:00:49 PM	0	6.833	36.5	61	0
3/18/2023, 6:10:49 PM	0	6.833	36	62	0
3/18/2023, 6:20:49 PM	0	6.833	35.2	63	0
3/18/2023, 6:30:49 PM	0	6.825	34.9	63.9	0
3/18/2023, 6:40:49 PM	0	6.825	34.3	64.6	0
3/18/2023, 6:50:49 PM	0	6.825	33.4	65.6	0
3/18/2023, 7:00:49 PM	0	6.825	32.5	66.6	0
3/18/2023, 7:10:49 PM	0	6.825	32	67	0
3/18/2023, 7:20:49 PM	0	6.816	31.6	67.2	0
3/18/2023, 7:30:49 PM	0	6.816	31.5	67.4	0
3/18/2023, 7:40:49 PM	0	6.816	31.1	67.6	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/18/2023, 7:50:49 PM	0	6.816	30.9	67.9	0
3/18/2023, 8:00:49 PM	0	6.816	30.6	68.1	0
3/18/2023, 8:10:49 PM	0	6.816	30.4	68.5	0
3/18/2023, 8:20:49 PM	0	6.816	29.8	69.3	0
3/18/2023, 8:30:49 PM	0	6.816	29.3	69.6	0
3/18/2023, 8:40:49 PM	0	6.807	28.9	69.7	0
3/18/2023, 8:50:49 PM	0	6.807	28.6	69.8	0
3/18/2023, 9:00:49 PM	0	6.807	28.2	70	0
3/18/2023, 9:10:49 PM	0	6.807	27.7	70.5	0
3/18/2023, 9:20:49 PM	0	6.807	27.1	71.4	0
3/18/2023, 9:30:49 PM	0	6.807	26.6	72.2	0
3/18/2023, 9:40:49 PM	0	6.807	26.2	73	0
3/18/2023, 9:50:49 PM	0	6.798	25.9	73	0
3/18/2023, 10:00:49 PM	0	6.798	25.5	72.5	0
3/18/2023, 10:10:49 PM	0	6.798	25.2	72.2	0
3/18/2023, 10:20:49 PM	0	6.798	24.8	72.2	0
3/18/2023, 10:30:49 PM	0	6.798	24.4	72.1	0
3/18/2023, 10:40:49 PM	0	6.798	24.1	71.9	0
3/18/2023, 10:50:49 PM	0	6.798	23.7	71.9	0
3/18/2023, 11:00:49 PM	0	6.798	23.4	71.9	0
3/18/2023, 11:10:49 PM	0	6.798	23.2	71.7	0
3/18/2023, 11:20:49 PM	0	6.798	23	71.3	0
3/18/2023, 11:30:49 PM	0	6.79	22.8	70.8	0
3/18/2023, 11:40:49 PM	0	6.79	22.6	70.1	0
3/18/2023, 11:50:49 PM	0	6.79	22.5	69.4	0
3/19/2023, 12:00:49 AM	0	6.79	22.3	69	0
3/19/2023, 12:10:49 AM	0	6.79	22.1	68.8	0
3/19/2023, 12:20:49 AM	0	6.79	21.9	69	0
3/19/2023, 12:30:49 AM	0	6.79	21.7	69.1	0
3/19/2023, 12:40:49 AM	0	6.79	21.6	69.4	0
3/19/2023, 12:50:49 AM	0	6.79	21.4	69.8	0
3/19/2023, 1:00:49 AM	0	6.79	21.4	70.4	0
3/19/2023, 1:10:49 AM	0	6.79	21.4	71.1	0
3/19/2023, 1:20:49 AM	0	6.79	21.6	71.9	0
3/19/2023, 1:30:49 AM	0	6.79	21.4	72.6	0
3/19/2023, 1:40:49 AM	0	6.79	21.4	73.4	0
3/19/2023, 1:50:49 AM	0	6.79	21.2	74.1	0
3/19/2023, 2:00:49 AM	0	6.79	21.2	74.7	0
3/19/2023, 2:10:49 AM	0	6.79	21.2	75.2	0
3/19/2023, 2:20:49 AM	0	6.79	21.2	75.6	0
3/19/2023, 2:30:49 AM	0	6.79	21.2	75.8	0
3/19/2023, 2:40:49 AM	0	6.79	21.2	76	0
3/19/2023, 2:50:49 AM	0	6.79	21.2	76.2	0
3/19/2023, 3:00:49 AM	0	6.79	21.2	76.4	0
3/19/2023, 3:10:49 AM	0	6.79	21.2	76.6	0
3/19/2023, 3:20:49 AM	0	6.79	21.2	76.7	0
3/19/2023, 3:30:49 AM	0	6.79	21.2	76.9	0
3/19/2023, 3:40:49 AM	0	6.79	21	76.9	0
3/19/2023, 3:50:49 AM	0	6.79	21.2	76.7	0
3/19/2023, 4:00:49 AM	0	6.79	21.2	76	0
3/19/2023, 4:10:49 AM	0	6.79	21.6	75	0
3/19/2023, 4:20:49 AM	0	6.79	21.9	73.9	0
3/19/2023, 4:30:49 AM	0	6.79	22.3	72.8	0
3/19/2023, 4:40:49 AM	0	6.798	22.5	72	0
3/19/2023, 4:50:49 AM	0	6.798	22.8	71.2	0
3/19/2023, 5:00:49 AM	0	6.798	22.8	70.4	0
3/19/2023, 5:10:49 AM	0	6.798	23	69.9	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/19/2023, 5:20:49 AM	0	6.798	23	69.5	0
3/19/2023, 5:30:49 AM	0	6.798	23	69.3	0
3/19/2023, 5:40:49 AM	0	6.798	23	69.2	0
3/19/2023, 5:50:49 AM	0	6.798	23	69.2	0
3/19/2023, 6:00:49 AM	0	6.798	23	69.2	0
3/19/2023, 6:10:49 AM	0	6.798	22.8	69.3	0
3/19/2023, 6:20:49 AM	0	6.798	22.6	69.6	0
3/19/2023, 6:30:49 AM	0	6.798	22.6	69.8	0
3/19/2023, 6:40:49 AM	0	6.798	22.6	70.1	0
3/19/2023, 6:50:49 AM	0	6.798	22.6	70.4	0
3/19/2023, 7:00:49 AM	0	6.798	22.6	70.9	0
3/19/2023, 7:10:49 AM	0	6.798	22.5	71.7	0
3/19/2023, 7:20:49 AM	0	6.798	22.3	72.8	0
3/19/2023, 7:30:49 AM	0	6.798	22.1	73.8	0
3/19/2023, 7:40:49 AM	0	6.798	22.1	74.4	0
3/19/2023, 7:50:49 AM	0	6.798	22.1	74.7	0
3/19/2023, 8:00:49 AM	0	6.798	22.3	75	0
3/19/2023, 8:10:49 AM	0	6.798	22.5	75.6	0
3/19/2023, 8:20:49 AM	0	6.798	22.6	76.2	0
3/19/2023, 8:30:49 AM	0	6.798	23	76.9	0
3/19/2023, 8:40:49 AM	0	6.798	23.5	77.3	0
3/19/2023, 8:50:49 AM	0	6.798	24.3	77.1	0
3/19/2023, 9:00:49 AM	0	6.798	25	76.3	0
3/19/2023, 9:10:49 AM	0	6.798	25.7	75.2	0
3/19/2023, 9:20:49 AM	0	6.807	26.4	74.2	0
3/19/2023, 9:30:49 AM	0	6.807	27.1	73.2	0
3/19/2023, 9:40:49 AM	0	6.807	28.2	72.3	0
3/19/2023, 9:50:49 AM	0	6.807	28.8	71.5	0
3/19/2023, 10:00:49 AM	0	6.816	29.1	71	0
3/19/2023, 10:10:49 AM	0	6.816	29.1	71.2	0
3/19/2023, 10:20:49 AM	0	6.816	29.8	71.4	0
3/19/2023, 10:30:49 AM	0	6.816	29.7	71.4	0
3/19/2023, 10:40:49 AM	0	6.816	29.5	71.6	0
3/19/2023, 10:50:49 AM	0	6.816	29.7	72.1	0
3/19/2023, 11:00:49 AM	0	6.816	30.2	72.5	0
3/19/2023, 11:10:49 AM	0	6.816	30.4	72.4	0
3/19/2023, 11:20:49 AM	0	6.816	30.2	72	0
3/19/2023, 11:30:49 AM	0	6.816	30.7	72	0
3/19/2023, 11:40:49 AM	0	6.825	31.5	72	0
3/19/2023, 11:50:49 AM	0	6.825	31.6	71.4	0
3/19/2023, 12:00:49 PM	0	6.825	32	71.1	0
3/19/2023, 12:10:49 PM	0	6.825	32.4	70.5	0
3/19/2023, 12:20:49 PM	0	6.825	32.2	69.7	0
3/19/2023, 12:30:49 PM	0	6.825	32	69.5	0
3/19/2023, 12:40:49 PM	0	6.825	32	69.2	0
3/19/2023, 12:50:49 PM	0	6.825	32.2	69.2	0
3/19/2023, 1:00:49 PM	0	6.825	32.5	68.6	0
3/19/2023, 1:10:49 PM	0	6.833	32.4	68.4	0
3/19/2023, 1:20:49 PM	0	6.833	32.5	68.4	0
3/19/2023, 1:30:49 PM	0	6.833	32.7	68.2	0
3/19/2023, 1:40:49 PM	0	6.833	33.4	68.1	0
3/19/2023, 1:50:49 PM	0	6.833	34	67.5	0
3/19/2023, 2:00:49 PM	0	6.833	34.5	66.7	0
3/19/2023, 2:10:49 PM	0	6.833	34.9	66	0
3/19/2023, 2:20:49 PM	0	6.833	34.5	65.2	0
3/19/2023, 2:30:49 PM	0	6.833	35.2	65	0
3/19/2023, 2:40:49 PM	0	6.833	35.4	64.2	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/19/2023, 2:50:49 PM	0	6.833	35.4	63.6	0
3/19/2023, 3:00:49 PM	0	6.833	35.2	63.5	0
3/19/2023, 3:10:49 PM	0	6.833	36.1	64	0
3/19/2023, 3:20:49 PM	0	6.842	36	64	0
3/19/2023, 3:30:49 PM	0	6.842	35.4	63.4	0
3/19/2023, 3:40:49 PM	0	6.842	35.8	63.1	0
3/19/2023, 3:50:49 PM	0	6.842	36	62.6	0
3/19/2023, 4:00:49 PM	0	6.842	35.8	62.3	0
3/19/2023, 4:10:49 PM	0	6.842	35.8	62	0
3/19/2023, 4:20:49 PM	0	6.842	35.4	61.6	0
3/19/2023, 4:30:49 PM	0	6.842	35.1	61.5	0
3/19/2023, 4:40:49 PM	0	6.842	34.5	61.6	0
3/19/2023, 4:50:49 PM	0	6.842	34.3	61.9	0
3/19/2023, 5:00:49 PM	0	6.833	34.3	62.2	0
3/19/2023, 5:10:49 PM	0	6.833	34.3	62.5	0
3/19/2023, 5:20:49 PM	0	6.833	33.8	62.6	0
3/19/2023, 5:30:49 PM	0	6.833	33.6	62.8	0
3/19/2023, 5:40:49 PM	0	6.833	33.4	63	0
3/19/2023, 5:50:49 PM	0	6.833	33.3	63.1	0
3/19/2023, 6:00:49 PM	0	6.833	33.1	63.1	0
3/19/2023, 6:10:49 PM	0	6.833	32.9	63.1	0
3/19/2023, 6:20:49 PM	0	6.833	32.7	63.2	0
3/19/2023, 6:30:49 PM	0	6.833	32.5	63.5	0
3/19/2023, 6:40:49 PM	0	6.833	32.4	63.9	0
3/19/2023, 6:50:49 PM	0	6.833	32	64.2	0
3/19/2023, 7:00:49 PM	0	6.833	32	64.6	0
3/19/2023, 7:10:49 PM	0	6.833	31.6	64.8	0
3/19/2023, 7:20:49 PM	0	6.833	31.5	65	0
3/19/2023, 7:30:49 PM	0	6.833	31.3	65.3	0
3/19/2023, 7:40:49 PM	0	6.833	31.1	65.5	0
3/19/2023, 7:50:49 PM	0	6.833	30.9	65.7	0
3/19/2023, 8:00:49 PM	0	6.833	30.7	65.9	0
3/19/2023, 8:10:49 PM	0	6.833	30.6	66.1	0
3/19/2023, 8:20:49 PM	0	6.825	30.4	66.3	0
3/19/2023, 8:30:49 PM	0	6.825	30.2	66.6	0
3/19/2023, 8:40:49 PM	0	6.825	30	66.8	0
3/19/2023, 8:50:49 PM	0	6.825	29.8	67.2	0
3/19/2023, 9:00:49 PM	0	6.825	29.7	67.5	0
3/19/2023, 9:10:49 PM	0	6.825	29.5	67.8	0
3/19/2023, 9:20:49 PM	0	6.825	29.3	68.1	0
3/19/2023, 9:30:49 PM	0	6.825	29.3	68.4	0
3/19/2023, 9:40:49 PM	0	6.825	29.1	68.6	0
3/19/2023, 9:50:49 PM	0	6.825	29.1	68.8	0
3/19/2023, 10:00:49 PM	0	6.825	28.9	69.1	0
3/19/2023, 10:10:49 PM	0	6.825	29.1	69.3	0
3/19/2023, 10:20:49 PM	0	6.825	29.1	69.5	0
3/19/2023, 10:30:49 PM	0	6.825	29.1	69.8	0
3/19/2023, 10:40:49 PM	0	6.825	29.1	69.9	0
3/19/2023, 10:50:49 PM	0	6.825	28.9	70	0
3/19/2023, 11:00:49 PM	0	6.825	28.9	70.1	0
3/19/2023, 11:10:49 PM	0	6.825	28.8	70	0
3/19/2023, 11:20:49 PM	0	6.825	28.6	69.8	0
3/19/2023, 11:30:49 PM	0	6.825	28.6	69.7	0
3/19/2023, 11:40:49 PM	0	6.825	28.6	69.5	0
3/19/2023, 11:50:49 PM	0	6.825	28.4	69.4	0
3/20/2023, 12:00:49 AM	0	6.825	28.2	69.3	0
3/20/2023, 12:10:49 AM	0	6.825	28.2	69.3	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/20/2023, 12:20:49 AM	0	6.825	28.2	69.3	0
3/20/2023, 12:30:49 AM	0	6.825	28	69.4	0
3/20/2023, 12:40:49 AM	0	6.825	28	69.5	0
3/20/2023, 12:50:49 AM	0	6.825	28	69.6	0
3/20/2023, 1:00:49 AM	0	6.825	28	69.7	0
3/20/2023, 1:10:49 AM	0	6.825	28	69.8	0
3/20/2023, 1:20:49 AM	0	6.825	28	69.8	0
3/20/2023, 1:30:49 AM	0	6.825	28	69.9	0
3/20/2023, 1:40:49 AM	0	6.825	28	70	0
3/20/2023, 1:50:49 AM	0	6.825	28.2	70	0
3/20/2023, 2:00:49 AM	0	6.825	28.2	70	0
3/20/2023, 2:10:49 AM	0	6.825	28.2	70.1	0
3/20/2023, 2:20:49 AM	0	6.825	28.2	70.2	0
3/20/2023, 2:30:49 AM	0	6.825	28.2	70.2	0
3/20/2023, 2:40:49 AM	0	6.825	28.2	70.3	0
3/20/2023, 2:50:49 AM	0	6.825	28.2	70.4	0
3/20/2023, 3:00:49 AM	0	6.825	28.2	70.5	0
3/20/2023, 3:10:49 AM	0	6.825	28.2	70.6	0
3/20/2023, 3:20:49 AM	0	6.825	28.2	70.6	0
3/20/2023, 3:30:49 AM	0	6.825	28.2	70.7	0
3/20/2023, 3:40:49 AM	0	6.825	28.2	70.8	0
3/20/2023, 3:50:49 AM	0	6.825	28.2	71	0
3/20/2023, 4:00:49 AM	0	6.825	28.4	71.1	0
3/20/2023, 4:10:49 AM	0	6.825	28.4	71.3	0
3/20/2023, 4:20:49 AM	0	6.825	28.6	71.4	0
3/20/2023, 4:30:49 AM	0	6.825	28.6	71.5	0
3/20/2023, 4:40:49 AM	0	6.825	28.6	71.6	0
3/20/2023, 4:50:49 AM	0	6.825	28.8	71.7	0
3/20/2023, 5:00:49 AM	0	6.825	28.8	71.8	0
3/20/2023, 5:10:49 AM	0	6.825	28.8	71.9	0
3/20/2023, 5:20:49 AM	0	6.825	28.9	72	0
3/20/2023, 5:30:49 AM	0	6.825	28.9	72	0
3/20/2023, 5:40:49 AM	0	6.825	29.1	72	0
3/20/2023, 5:50:49 AM	0	6.825	29.1	72	0
3/20/2023, 6:00:49 AM	0	6.825	29.1	72	0
3/20/2023, 6:10:49 AM	0	6.825	29.1	72	0
3/20/2023, 6:20:49 AM	0	6.825	28.9	72	0
3/20/2023, 6:30:49 AM	0	6.825	28.9	72	0
3/20/2023, 6:40:49 AM	0	6.825	28.9	72	0
3/20/2023, 6:50:49 AM	0	6.825	28.9	72	0
3/20/2023, 7:00:49 AM	0	6.825	28.8	71.9	0
3/20/2023, 7:10:49 AM	0	6.825	28.8	71.8	0
3/20/2023, 7:20:49 AM	0	6.825	28.6	71.8	0
3/20/2023, 7:30:49 AM	0	6.825	28.6	71.8	0
3/20/2023, 7:40:49 AM	0	6.825	28.8	71.8	0
3/20/2023, 7:50:49 AM	0	6.825	29.1	71.8	0
3/20/2023, 8:00:49 AM	0	6.825	29.7	71.7	0
3/20/2023, 8:10:49 AM	0	6.825	30.2	71.5	0
3/20/2023, 8:20:49 AM	0	6.825	30.9	71.3	0
3/20/2023, 8:30:49 AM	0	6.833	31.6	71.1	0
3/20/2023, 8:40:49 AM	0	6.833	32.2	70.8	0
3/20/2023, 8:50:49 AM	0	6.833	32.9	70.3	0
3/20/2023, 9:00:49 AM	0	6.833	33.6	69.9	0
3/20/2023, 9:10:49 AM	0	6.833	34.3	69.5	0
3/20/2023, 9:20:49 AM	0	6.842	35.1	69.1	0
3/20/2023, 9:30:49 AM	0	6.842	35.8	68.7	0
3/20/2023, 9:40:49 AM	0	6.842	36.3	68.4	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/20/2023, 9:50:49 AM	0	6.842	37	68.1	0
3/20/2023, 10:00:49 AM	0	6.842	37.8	67.8	0
3/20/2023, 10:10:49 AM	0	6.851	38.3	67.5	0
3/20/2023, 10:20:49 AM	0	6.851	39	67.2	0
3/20/2023, 10:30:49 AM	0	6.851	39.9	66.8	0
3/20/2023, 10:40:49 AM	0	6.851	40.6	66.4	0
3/20/2023, 10:50:49 AM	0	6.851	41	65.9	0
3/20/2023, 11:00:49 AM	0	6.851	41.7	65.4	0
3/20/2023, 11:10:49 AM	0	6.86	42.1	64.9	0
3/20/2023, 11:20:49 AM	0	6.86	42.6	64.5	0
3/20/2023, 11:30:49 AM	0	6.86	43	64.1	0
3/20/2023, 11:40:49 AM	0	6.86	43.5	63.6	0
3/20/2023, 11:50:49 AM	0	6.86	44.4	63.2	0
3/20/2023, 12:00:49 PM	0	6.86	45.1	62.8	0
3/20/2023, 12:10:49 PM	0	6.86	46	62.2	0
3/20/2023, 12:20:49 PM	0	6.86	46.8	61.7	0
3/20/2023, 12:30:49 PM	0	6.869	47.7	61.2	0
3/20/2023, 12:40:49 PM	0	6.869	48.2	60.6	0
3/20/2023, 12:50:49 PM	0	6.869	48.9	60.1	0
3/20/2023, 1:00:49 PM	0	6.869	49.3	59.4	0
3/20/2023, 1:10:49 PM	0	6.869	49.6	58.9	0
3/20/2023, 1:20:49 PM	0	6.869	49.8	58.3	0
3/20/2023, 1:30:49 PM	0	6.869	49.8	57.7	0
3/20/2023, 1:40:49 PM	0	6.869	50.2	57.1	0
3/20/2023, 1:50:49 PM	0	6.869	50.7	56.5	0
3/20/2023, 2:00:49 PM	0	6.877	51.1	55.9	0
3/20/2023, 2:10:49 PM	0	6.877	51.8	55.4	0
3/20/2023, 2:20:49 PM	0	6.877	51.8	54.8	0
3/20/2023, 2:30:49 PM	0	6.877	52	54.3	0
3/20/2023, 2:40:49 PM	0	6.877	52.3	53.8	0
3/20/2023, 2:50:49 PM	0	6.877	52.7	53.2	0
3/20/2023, 3:00:49 PM	0	6.877	53.4	52.9	0
3/20/2023, 3:10:49 PM	0	6.877	53.6	52.5	0
3/20/2023, 3:20:49 PM	0	6.877	53.8	52	0
3/20/2023, 3:30:49 PM	0	6.877	54.1	51.7	0
3/20/2023, 3:40:49 PM	0	6.877	54.5	51.4	0
3/20/2023, 3:50:49 PM	0	6.877	55	51.2	0
3/20/2023, 4:00:49 PM	0	6.886	55.2	50.8	0
3/20/2023, 4:10:49 PM	0	6.886	55.2	50.2	0
3/20/2023, 4:20:49 PM	0	6.886	55	49.7	0
3/20/2023, 4:30:49 PM	0	6.886	55	49.2	0
3/20/2023, 4:40:49 PM	0	6.886	55	48.9	0
3/20/2023, 4:50:49 PM	0	6.886	54.7	48.5	0
3/20/2023, 5:00:49 PM	0	6.886	54.5	48.2	0
3/20/2023, 5:10:49 PM	0	6.886	54.3	47.9	0
3/20/2023, 5:20:49 PM	0	6.886	54	47.6	0
3/20/2023, 5:30:49 PM	0	6.886	53.6	47.3	0
3/20/2023, 5:40:49 PM	0	6.886	53.4	47.1	0
3/20/2023, 5:50:49 PM	0	6.886	52.9	46.9	0
3/20/2023, 6:00:49 PM	0	6.886	52.3	46.6	0
3/20/2023, 6:10:49 PM	0	6.886	51.6	46.4	0
3/20/2023, 6:20:49 PM	0	6.877	50.7	46.2	0
3/20/2023, 6:30:49 PM	0	6.877	50	46.1	0
3/20/2023, 6:40:49 PM	0	6.877	49.8	46	0
3/20/2023, 6:50:49 PM	0	6.877	49.3	46	0
3/20/2023, 7:00:49 PM	0	6.877	48.7	45.9	0
3/20/2023, 7:10:49 PM	0	6.877	48.2	45.8	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/20/2023, 7:20:49 PM	0	6.877	47.7	45.9	0
3/20/2023, 7:30:49 PM	0	6.877	47.1	46	0
3/20/2023, 7:40:49 PM	0	6.877	46.6	46.1	0
3/20/2023, 7:50:49 PM	0	6.877	46.2	46.3	0
3/20/2023, 8:00:49 PM	0	6.877	45.7	46.5	0
3/20/2023, 8:10:49 PM	0	6.869	45.3	46.7	0
3/20/2023, 8:20:49 PM	0	6.869	44.8	46.9	0
3/20/2023, 8:30:49 PM	0	6.869	44.1	47.1	0
3/20/2023, 8:40:49 PM	0	6.869	43.3	47.2	0
3/20/2023, 8:50:49 PM	0	6.869	42.8	47.5	0
3/20/2023, 9:00:49 PM	0	6.869	42.6	47.7	0
3/20/2023, 9:10:49 PM	0	6.869	42.3	48	0
3/20/2023, 9:20:49 PM	0	6.869	41.7	48.4	0
3/20/2023, 9:30:49 PM	0	6.86	41.4	48.7	0
3/20/2023, 9:40:49 PM	0	6.86	41.4	49	0
3/20/2023, 9:50:49 PM	0	6.86	41.2	49.3	0
3/20/2023, 10:00:49 PM	0	6.86	40.8	49.7	0
3/20/2023, 10:10:49 PM	0	6.86	40.6	50.1	0
3/20/2023, 10:20:49 PM	0	6.86	40.1	50.6	0
3/20/2023, 10:30:49 PM	0	6.86	39.7	51.1	0
3/20/2023, 10:40:49 PM	0	6.86	39.2	51.8	0
3/20/2023, 10:50:49 PM	0	6.86	38.7	52.5	0
3/20/2023, 11:00:49 PM	0	6.851	37.9	53.1	0
3/20/2023, 11:10:49 PM	0	6.851	37.2	53.9	0
3/20/2023, 11:20:49 PM	0	6.851	36.5	54.6	0
3/20/2023, 11:30:49 PM	0	6.851	36	55.4	0
3/20/2023, 11:40:49 PM	0	6.851	35.2	56.2	0
3/20/2023, 11:50:49 PM	0	6.842	34.7	57.2	0
3/21/2023, 12:00:49 AM	0	6.842	34.2	58.7	0
3/21/2023, 12:10:49 AM	0	6.842	33.6	59.7	0
3/21/2023, 12:20:49 AM	0	6.842	32.9	60.6	0
3/21/2023, 12:30:49 AM	0	6.842	32.4	61.2	0
3/21/2023, 12:40:49 AM	0	6.833	31.8	61.9	0
3/21/2023, 12:50:49 AM	0	6.833	31.3	62.5	0
3/21/2023, 1:00:49 AM	0	6.833	30.9	63.6	0
3/21/2023, 1:10:49 AM	0	6.833	30.6	64.5	0
3/21/2023, 1:20:49 AM	0	6.825	30.6	65.2	0
3/21/2023, 1:30:49 AM	0	6.825	30.7	65.8	0
3/21/2023, 1:40:49 AM	0	6.825	30.9	66.3	0
3/21/2023, 1:50:49 AM	0	6.825	30.9	66.6	0
3/21/2023, 2:00:49 AM	0	6.825	31.1	66.9	0
3/21/2023, 2:10:49 AM	0	6.825	31.6	66.8	0
3/21/2023, 2:20:49 AM	0	6.833	33.3	66.2	0
3/21/2023, 2:30:49 AM	0	6.833	35.1	65.4	0
3/21/2023, 2:40:49 AM	0	6.842	36.3	64.5	0
3/21/2023, 2:50:49 AM	0	6.842	37.4	64.3	0
3/21/2023, 3:00:49 AM	0	6.842	38.1	65.4	0
3/21/2023, 3:10:49 AM	0	6.851	38.7	67.2	0
3/21/2023, 3:20:49 AM	0	6.851	38.8	68.8	0
3/21/2023, 3:30:49 AM	0	6.851	38.8	69.9	0
3/21/2023, 3:40:49 AM	0	6.851	39	70.7	0
3/21/2023, 3:50:49 AM	0	6.851	39	71.2	0
3/21/2023, 4:00:49 AM	0	6.851	39	71.7	0
3/21/2023, 4:10:49 AM	0	6.851	39	72	0
3/21/2023, 4:20:49 AM	0	6.851	39	72.2	0
3/21/2023, 4:30:49 AM	0	6.851	38.8	72.4	0
3/21/2023, 4:40:49 AM	0	6.851	38.7	72.5	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/21/2023, 4:50:49 AM	0	6.851	38.7	72.6	0
3/21/2023, 5:00:49 AM	0	6.851	38.7	72.5	0
3/21/2023, 5:10:49 AM	0	6.851	38.8	72.2	0
3/21/2023, 5:20:49 AM	0	6.851	38.7	71.8	0
3/21/2023, 5:30:49 AM	0	6.851	38.7	71.4	0
3/21/2023, 5:40:49 AM	0	6.851	38.7	70.9	0
3/21/2023, 5:50:49 AM	0	6.851	38.7	70.4	0
3/21/2023, 6:00:49 AM	0	6.851	38.7	69.9	0
3/21/2023, 6:10:49 AM	0	6.851	38.7	69.3	0
3/21/2023, 6:20:49 AM	0	6.851	38.7	68.7	0
3/21/2023, 6:30:49 AM	0	6.851	38.5	68.2	0
3/21/2023, 6:40:49 AM	0	6.851	38.5	67.7	0
3/21/2023, 6:50:49 AM	0	6.851	38.3	67.3	0
3/21/2023, 7:00:49 AM	0	6.851	38.3	66.9	0
3/21/2023, 7:10:49 AM	0	6.851	38.3	66.6	0
3/21/2023, 7:20:49 AM	0	6.851	38.5	66.2	0
3/21/2023, 7:30:49 AM	0	6.851	38.5	65.9	0
3/21/2023, 7:40:49 AM	0	6.851	38.7	65.5	0
3/21/2023, 7:50:49 AM	0	6.851	39	65.2	0
3/21/2023, 8:00:49 AM	0	6.851	39.4	64.8	0
3/21/2023, 8:10:49 AM	0	6.851	39.7	64.4	0
3/21/2023, 8:20:49 AM	0	6.851	40.3	63.9	0
3/21/2023, 8:30:49 AM	0	6.86	40.8	63.5	0
3/21/2023, 8:40:49 AM	0	6.86	41.2	63	0
3/21/2023, 8:50:49 AM	0	6.86	41.7	62.6	0
3/21/2023, 9:00:49 AM	0	6.86	42.4	62.2	0
3/21/2023, 9:10:49 AM	0	6.86	43	61.7	0
3/21/2023, 9:20:49 AM	0	6.86	43.7	61.2	0
3/21/2023, 9:30:49 AM	0	6.86	44.4	60.8	0
3/21/2023, 9:40:49 AM	0	6.86	45.7	60.4	0
3/21/2023, 9:50:49 AM	0	6.869	46.9	59.9	0
3/21/2023, 10:00:49 AM	0	6.869	47.8	59.3	0
3/21/2023, 10:10:49 AM	0	6.869	48.4	58.7	0
3/21/2023, 10:20:49 AM	0	6.869	49.1	58.4	0
3/21/2023, 10:30:49 AM	0	6.869	49.5	57.9	0
3/21/2023, 10:40:49 AM	0	6.877	50.2	57.5	0
3/21/2023, 10:50:49 AM	0	6.877	51.3	57.2	0
3/21/2023, 11:00:49 AM	0	6.877	52.3	56.9	0
3/21/2023, 11:10:49 AM	0	6.877	53.2	56.4	0
3/21/2023, 11:20:49 AM	0	6.877	53.8	56	0
3/21/2023, 11:30:49 AM	0	6.877	54.1	55.7	0
3/21/2023, 11:40:49 AM	0	6.877	54.3	55.3	0
3/21/2023, 11:50:49 AM	0	6.877	54.5	55	0
3/21/2023, 12:00:49 PM	0	6.877	55.2	54.8	0
3/21/2023, 12:10:49 PM	0	6.886	56.1	54.6	0
3/21/2023, 12:20:49 PM	0	6.886	56.8	54.4	0
3/21/2023, 12:30:49 PM	0	6.886	57.6	54.2	0
3/21/2023, 12:40:49 PM	0	6.886	57.9	53.9	0
3/21/2023, 12:50:49 PM	0	6.886	58.3	53.6	0
3/21/2023, 1:00:49 PM	0	6.886	58.3	53.4	0
3/21/2023, 1:10:49 PM	0	6.886	58.3	53.3	0
3/21/2023, 1:20:49 PM	0	6.886	58.6	53.2	0
3/21/2023, 1:30:49 PM	0	6.886	59.5	53.2	0
3/21/2023, 1:40:49 PM	0	6.886	60.3	52.9	0
3/21/2023, 1:50:49 PM	0	6.886	60.4	52.7	0
3/21/2023, 2:00:49 PM	0	6.895	60.3	52.5	0
3/21/2023, 2:10:49 PM	0	6.895	60.8	52.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/21/2023, 2:20:49 PM	0	6.895	61.7	52.4	0
3/21/2023, 2:30:49 PM	0	6.895	61.3	52.3	0
3/21/2023, 2:40:49 PM	0	6.895	61.2	52.2	0
3/21/2023, 2:50:49 PM	0	6.895	61	52	0
3/21/2023, 3:00:49 PM	0	6.895	60.6	51.9	0
3/21/2023, 3:10:49 PM	0	6.895	61	51.9	0
3/21/2023, 3:20:49 PM	0	6.895	61.5	52	0
3/21/2023, 3:30:49 PM	0	6.895	61.7	51.8	0
3/21/2023, 3:40:49 PM	0	6.895	61.7	51.7	0
3/21/2023, 3:50:49 PM	0	6.895	62.1	51.6	0
3/21/2023, 4:00:49 PM	0	6.895	62.2	51.5	0
3/21/2023, 4:10:49 PM	0	6.895	62.1	51.4	0
3/21/2023, 4:20:49 PM	0	6.895	60.6	51.5	0
3/21/2023, 4:30:49 PM	0	6.895	59.5	51.7	0
3/21/2023, 4:40:49 PM	0	6.895	57.6	52	0
3/21/2023, 4:50:49 PM	0	6.895	55.9	52.3	0
3/21/2023, 5:00:49 PM	0	6.886	55	52.9	0
3/21/2023, 5:10:49 PM	0	6.886	54.7	53.4	0
3/21/2023, 5:20:49 PM	0	6.886	54.5	53.8	0
3/21/2023, 5:30:49 PM	0	6.886	54	54.1	0
3/21/2023, 5:40:49 PM	0	6.886	53.1	54.3	0
3/21/2023, 5:50:49 PM	0	6.886	52.2	54.6	0
3/21/2023, 6:00:49 PM	0	6.886	51.6	55	0
3/21/2023, 6:10:49 PM	0	6.886	50.7	55.5	0
3/21/2023, 6:20:49 PM	0	6.877	50.2	56.1	0
3/21/2023, 6:30:49 PM	0	6.877	49.6	56.6	0
3/21/2023, 6:40:49 PM	0	6.877	48.7	57.1	0
3/21/2023, 6:50:49 PM	0	6.877	48	57.6	0
3/21/2023, 7:00:49 PM	0	6.877	47.5	58.2	0
3/21/2023, 7:10:49 PM	0	6.877	46.8	58.9	0
3/21/2023, 7:20:49 PM	0	6.877	46.2	59.6	0
3/21/2023, 7:30:49 PM	0	6.869	45.7	60.2	0
3/21/2023, 7:40:49 PM	0	6.869	45	60.9	0
3/21/2023, 7:50:49 PM	0	6.869	44.4	61.6	0
3/21/2023, 8:00:49 PM	0	6.869	43.9	62.3	0
3/21/2023, 8:10:49 PM	0	6.869	43.2	62.9	0
3/21/2023, 8:20:49 PM	0	6.869	42.4	63.6	0
3/21/2023, 8:30:49 PM	0	6.869	41.5	64.2	0
3/21/2023, 8:40:49 PM	0	6.86	40.8	64.9	0
3/21/2023, 8:50:49 PM	0	6.86	40.1	65.5	0
3/21/2023, 9:00:49 PM	0	6.86	39.4	66.4	0
3/21/2023, 9:10:49 PM	0	6.86	38.8	67.2	0
3/21/2023, 9:20:49 PM	0	6.86	38.3	68.1	0
3/21/2023, 9:30:49 PM	0	6.851	37.8	69.1	0
3/21/2023, 9:40:49 PM	0	6.851	37.6	70.1	0
3/21/2023, 9:50:49 PM	0	6.851	37.2	70.8	0
3/21/2023, 10:00:49 PM	0	6.851	36.9	71.6	0
3/21/2023, 10:10:49 PM	0	6.851	36.7	72.3	0
3/21/2023, 10:20:49 PM	0	6.851	36.5	72.9	0
3/21/2023, 10:30:49 PM	0	6.842	36.3	73.5	0
3/21/2023, 10:40:49 PM	0	6.842	36.1	74.1	0
3/21/2023, 10:50:49 PM	0	6.842	35.8	74.7	0
3/21/2023, 11:00:49 PM	0	6.842	35.8	75.3	0
3/21/2023, 11:10:49 PM	0	6.842	35.8	75.7	0
3/21/2023, 11:20:49 PM	0	6.842	35.8	75.9	0
3/21/2023, 11:30:49 PM	0	6.842	35.4	76.2	0
3/21/2023, 11:40:49 PM	0	6.842	35.1	76.6	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/21/2023, 11:50:49 PM	0	6.842	34.7	76.9	0
3/22/2023, 12:00:49 AM	0	6.842	34.3	77.3	0
3/22/2023, 12:10:49 AM	0	6.842	34	77.6	0
3/22/2023, 12:20:49 AM	0	6.842	33.6	77.9	0
3/22/2023, 12:30:49 AM	0	6.833	33.4	78.4	0
3/22/2023, 12:40:49 AM	0	6.833	33.4	78.9	0
3/22/2023, 12:50:49 AM	0	6.833	33.1	79.4	0
3/22/2023, 1:00:49 AM	0	6.833	32.7	79.8	0
3/22/2023, 1:10:49 AM	0	6.833	32.5	80.1	0
3/22/2023, 1:20:49 AM	0	6.833	32.4	80.3	0
3/22/2023, 1:30:49 AM	0	6.833	32	80.5	0
3/22/2023, 1:40:49 AM	0	6.833	31.6	80.7	0
3/22/2023, 1:50:49 AM	0	6.833	31.3	80.9	0
3/22/2023, 2:00:49 AM	0	6.833	30.9	81.2	0
3/22/2023, 2:10:49 AM	0	6.825	30.7	81.5	0
3/22/2023, 2:20:49 AM	0	6.825	30.6	81.9	0
3/22/2023, 2:30:49 AM	0	6.825	30.7	82.3	0
3/22/2023, 2:40:49 AM	0	6.825	30.4	82.5	0
3/22/2023, 2:50:49 AM	0	6.825	30.2	82.8	0
3/22/2023, 3:00:49 AM	0	6.825	29.8	82.9	0
3/22/2023, 3:10:49 AM	0	6.825	29.7	83.1	0
3/22/2023, 3:20:49 AM	0	6.825	29.3	83.4	0
3/22/2023, 3:30:49 AM	0	6.825	28.9	83.6	0
3/22/2023, 3:40:49 AM	0	6.816	28.8	83.8	0
3/22/2023, 3:50:49 AM	0	6.816	28.6	84.1	0
3/22/2023, 4:00:49 AM	0	6.816	28.8	84.6	0
3/22/2023, 4:10:49 AM	0	6.816	28.9	85.1	0
3/22/2023, 4:20:49 AM	0	6.816	29.1	85.6	0
3/22/2023, 4:30:49 AM	0	6.825	29.3	86	0
3/22/2023, 4:40:49 AM	0	6.825	29.8	86.5	0
3/22/2023, 4:50:49 AM	0	6.825	30.2	86.9	0
3/22/2023, 5:00:49 AM	0	6.825	30.6	87.1	0
3/22/2023, 5:10:49 AM	0	6.825	30.7	87.1	0
3/22/2023, 5:20:49 AM	0	6.825	30.9	87.1	0
3/22/2023, 5:30:49 AM	0	6.825	31.3	87.1	0
3/22/2023, 5:40:49 AM	0	6.825	31.6	86.9	0
3/22/2023, 5:50:49 AM	0	6.825	32	86.7	0
3/22/2023, 6:00:49 AM	0	6.833	31.8	86.3	0
3/22/2023, 6:10:49 AM	0	6.833	32	86.1	0
3/22/2023, 6:20:49 AM	0	6.833	31.8	85.9	0
3/22/2023, 6:30:49 AM	0	6.833	31.8	85.7	0
3/22/2023, 6:40:49 AM	0	6.833	31.8	85.7	0
3/22/2023, 6:50:49 AM	0	6.833	31.8	85.7	0
3/22/2023, 7:00:49 AM	0	6.833	32	85.8	0
3/22/2023, 7:10:49 AM	0	6.833	32	85.9	0
3/22/2023, 7:20:49 AM	0	6.833	32	86	0
3/22/2023, 7:30:49 AM	0	6.833	32	86.1	0
3/22/2023, 7:40:49 AM	0	6.833	32	86.1	0
3/22/2023, 7:50:49 AM	0	6.833	32	86.2	0
3/22/2023, 8:00:49 AM	0	6.833	32.2	86.3	0
3/22/2023, 8:10:49 AM	0	6.833	32.4	86.3	0
3/22/2023, 8:20:49 AM	0	6.833	32.7	86.2	0
3/22/2023, 8:30:49 AM	0	6.833	33.1	86.2	0
3/22/2023, 8:40:49 AM	0	6.833	33.8	86.1	0
3/22/2023, 8:50:49 AM	0	6.833	34.5	86	0
3/22/2023, 9:00:49 AM	0	6.833	35.6	85.7	0
3/22/2023, 9:10:49 AM	0	6.842	36.9	85.1	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/22/2023, 9:20:49 AM	0	6.842	38.3	84.4	0
3/22/2023, 9:30:49 AM	0	6.842	39.7	83.5	0
3/22/2023, 9:40:49 AM	0	6.851	41.2	82.2	0
3/22/2023, 9:50:49 AM	0	6.851	42.8	80.9	0
3/22/2023, 10:00:49 AM	0	6.86	43.9	79.3	0
3/22/2023, 10:10:49 AM	0	6.86	45.1	78	0
3/22/2023, 10:20:49 AM	0	6.86	46.9	76.7	0
3/22/2023, 10:30:49 AM	0	6.869	48.6	75.2	0
3/22/2023, 10:40:49 AM	0	6.869	50.4	73.6	0
3/22/2023, 10:50:49 AM	0	6.869	52	72	0
3/22/2023, 11:00:49 AM	0	6.877	53.6	70.2	0
3/22/2023, 11:10:49 AM	0	6.877	55.2	68.5	0
3/22/2023, 11:20:49 AM	0	6.877	56.8	66.8	0
3/22/2023, 11:30:49 AM	0	6.886	58.3	65.3	0
3/22/2023, 11:40:49 AM	0	6.886	59.4	64.1	0
3/22/2023, 11:50:49 AM	0	6.886	60.6	62.9	0
3/22/2023, 12:00:49 PM	0	6.886	61.9	61.9	0
3/22/2023, 12:10:49 PM	0	6.886	63.1	61	0
3/22/2023, 12:20:49 PM	0	6.895	64.2	60.1	0
3/22/2023, 12:30:49 PM	0	6.895	64.9	59.2	0
3/22/2023, 12:40:49 PM	0	6.895	65.1	58.4	0
3/22/2023, 12:50:49 PM	0	6.895	66	57.6	0
3/22/2023, 1:00:49 PM	0	6.895	66.9	56.9	0
3/22/2023, 1:10:49 PM	0	6.895	66.9	56.1	0
3/22/2023, 1:20:49 PM	0	6.895	67.3	55.6	0
3/22/2023, 1:30:49 PM	0	6.895	67.6	55.2	0
3/22/2023, 1:40:49 PM	0	6.904	68.5	54.8	0
3/22/2023, 1:50:49 PM	0	6.904	68.4	54.2	0
3/22/2023, 2:00:49 PM	0	6.904	67.8	53.3	0
3/22/2023, 2:10:49 PM	0	6.904	67.3	52.4	0
3/22/2023, 2:20:49 PM	0	6.904	66.9	51.7	0
3/22/2023, 2:30:49 PM	0	6.904	66.9	51.2	0
3/22/2023, 2:40:49 PM	0	6.904	66.7	50.8	0
3/22/2023, 2:50:49 PM	0	6.904	66	50.4	0
3/22/2023, 3:00:49 PM	0	6.904	65.1	50.3	0
3/22/2023, 3:10:49 PM	0	6.904	64	50.2	0
3/22/2023, 3:20:49 PM	0	6.904	63.1	50.4	0
3/22/2023, 3:30:49 PM	0	6.904	61.9	51.1	0
3/22/2023, 3:40:49 PM	0	6.895	61	51.8	0
3/22/2023, 3:50:49 PM	0	6.895	60.6	52.5	0
3/22/2023, 4:00:49 PM	0	6.895	60.3	53.1	0
3/22/2023, 4:10:49 PM	0	6.895	59.7	53.5	0
3/22/2023, 4:20:49 PM	0	6.895	59.5	53.8	0
3/22/2023, 4:30:49 PM	0	6.895	59.2	54.1	0
3/22/2023, 4:40:49 PM	0	6.895	59	54.3	0
3/22/2023, 4:50:49 PM	0	6.895	58.8	54.6	0
3/22/2023, 5:00:49 PM	0	6.895	58.6	54.9	0
3/22/2023, 5:10:49 PM	0	6.895	58.5	55.1	0
3/22/2023, 5:20:49 PM	0	6.895	58.3	55.3	0
3/22/2023, 5:30:49 PM	0	6.895	57.9	55.6	0
3/22/2023, 5:40:49 PM	0	6.895	57.7	55.8	0
3/22/2023, 5:50:49 PM	0	6.895	57.4	56	0
3/22/2023, 6:00:49 PM	0	6.895	57.2	56.2	0
3/22/2023, 6:10:49 PM	0	6.895	57	56.5	0
3/22/2023, 6:20:49 PM	0	6.895	56.8	56.7	0
3/22/2023, 6:30:49 PM	0	6.895	56.5	56.8	0
3/22/2023, 6:40:49 PM	0	6.895	56.3	57	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/22/2023, 6:50:49 PM	0	6.895	56.1	57.2	0
3/22/2023, 7:00:49 PM	0	6.895	55.8	57.4	0
3/22/2023, 7:10:49 PM	0	6.895	55.6	57.7	0
3/22/2023, 7:20:49 PM	0	6.886	55.2	58.3	0
3/22/2023, 7:30:49 PM	0	6.886	55	59	0
3/22/2023, 7:40:49 PM	0	6.886	54.9	59.2	0
3/22/2023, 7:50:49 PM	0	6.886	54.5	59.9	0
3/22/2023, 8:00:49 PM	0	6.886	54.3	60.5	0
3/22/2023, 8:10:49 PM	0	6.886	54	61	0
3/22/2023, 8:20:49 PM	0	6.886	53.8	61.2	0
3/22/2023, 8:30:49 PM	0	6.886	53.4	61.5	0
3/22/2023, 8:40:49 PM	0	6.886	53.2	61.9	0
3/22/2023, 8:50:49 PM	0	6.886	53.1	62.1	0
3/22/2023, 9:00:49 PM	0	6.886	52.7	62.4	0
3/22/2023, 9:10:49 PM	0	6.886	52.5	62.8	0
3/22/2023, 9:20:49 PM	0	6.886	52.3	63.4	0
3/22/2023, 9:30:49 PM	0	6.886	52.2	63.8	0
3/22/2023, 9:40:49 PM	0	6.886	52	64.4	0
3/22/2023, 9:50:49 PM	0	6.886	51.8	64.8	0
3/22/2023, 10:00:49 PM	0	6.886	51.6	64.9	0
3/22/2023, 10:10:49 PM	0	6.886	51.6	65	0
3/22/2023, 10:20:49 PM	0	6.886	51.4	65.1	0
3/22/2023, 10:30:49 PM	0	6.886	51.3	65.3	0
3/22/2023, 10:40:49 PM	0	6.886	51.3	65.5	0
3/22/2023, 10:50:49 PM	0	6.886	51.3	65.8	0
3/22/2023, 11:00:49 PM	0	6.886	51.1	65.9	0
3/22/2023, 11:10:49 PM	0	6.886	51.1	66.1	0
3/22/2023, 11:20:49 PM	0	6.877	51.1	66.3	0
3/22/2023, 11:30:49 PM	0	6.877	50.9	66.5	0
3/22/2023, 11:40:49 PM	0	6.886	50.9	66.6	0
3/22/2023, 11:50:49 PM	0	6.877	50.9	66.7	0
3/23/2023, 12:00:49 AM	0	6.886	50.7	66.8	0
3/23/2023, 12:10:49 AM	0	6.877	50.7	66.9	0
3/23/2023, 12:20:49 AM	0	6.877	50.5	67	0
3/23/2023, 12:30:49 AM	0	6.877	50.5	67.1	0
3/23/2023, 12:40:49 AM	0	6.877	50.4	67.3	0
3/23/2023, 12:50:49 AM	0	6.877	50.4	67.4	0
3/23/2023, 1:00:49 AM	0	6.877	50.2	67.5	0
3/23/2023, 1:10:49 AM	0	6.877	50.2	67.6	0
3/23/2023, 1:20:49 AM	0	6.877	50.2	67.8	0
3/23/2023, 1:30:49 AM	0	6.877	50	67.8	0
3/23/2023, 1:40:49 AM	0	6.877	50.2	67.8	0
3/23/2023, 1:50:49 AM	0	6.877	50.4	67.7	0
3/23/2023, 2:00:49 AM	0	6.877	50.7	67.6	0
3/23/2023, 2:10:49 AM	0	6.877	51.1	67.6	0
3/23/2023, 2:20:49 AM	0	6.877	51.3	67.6	0
3/23/2023, 2:30:49 AM	0	6.877	51.3	67.8	0
3/23/2023, 2:40:49 AM	0	6.877	51.3	68.2	0
3/23/2023, 2:50:49 AM	0	6.877	51.3	68.5	0
3/23/2023, 3:00:49 AM	0	6.877	51.1	68.8	0
3/23/2023, 3:10:49 AM	0	6.877	51.1	69	0
3/23/2023, 3:20:49 AM	0	6.877	50.9	69.2	0
3/23/2023, 3:30:49 AM	0	6.877	50.7	69.4	0
3/23/2023, 3:40:49 AM	0	6.877	50.7	69.7	0
3/23/2023, 3:50:49 AM	0	6.877	50.5	70.7	0
3/23/2023, 4:00:49 AM	0	6.877	50	72.4	0
3/23/2023, 4:10:49 AM	0	6.877	49.5	74	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/23/2023, 4:20:49 AM	0	6.877	49.1	75.3	0
3/23/2023, 4:30:49 AM	0	6.877	48.9	76.4	0
3/23/2023, 4:40:49 AM	0	6.877	48.7	77.6	0
3/23/2023, 4:50:49 AM	0	6.877	48.7	78.5	0
3/23/2023, 5:00:49 AM	0	6.877	48.6	79	0
3/23/2023, 5:10:49 AM	0	6.877	48.6	79.3	0
3/23/2023, 5:20:49 AM	0	6.877	48.4	80	0
3/23/2023, 5:30:49 AM	0	6.877	48.2	80.8	0
3/23/2023, 5:40:49 AM	0	6.877	48	81.6	0
3/23/2023, 5:50:49 AM	0	6.877	48	82.2	0
3/23/2023, 6:00:49 AM	0	6.877	47.8	82.8	0
3/23/2023, 6:10:49 AM	0	6.877	47.8	83.3	0
3/23/2023, 6:20:49 AM	0	6.877	47.8	83.7	0
3/23/2023, 6:30:49 AM	0	6.877	47.8	84.1	0
3/23/2023, 6:40:49 AM	0	6.877	47.8	84.5	0
3/23/2023, 6:50:49 AM	0	6.877	47.8	84.8	0
3/23/2023, 7:00:49 AM	0	6.877	47.8	85	0
3/23/2023, 7:10:49 AM	0	6.877	47.8	85.2	0
3/23/2023, 7:20:49 AM	0	6.877	47.8	85.3	0
3/23/2023, 7:30:49 AM	0	6.877	47.8	85.4	0
3/23/2023, 7:40:49 AM	0	6.877	48	85.4	0
3/23/2023, 7:50:49 AM	0	6.877	48	85.4	0
3/23/2023, 8:00:49 AM	0	6.877	48	85.5	0
3/23/2023, 8:10:49 AM	0	6.877	48.2	85.7	0
3/23/2023, 8:20:49 AM	0	6.877	48.2	85.9	0
3/23/2023, 8:30:49 AM	0	6.877	48.4	86.1	0
3/23/2023, 8:40:49 AM	0	6.877	48.6	86.4	0
3/23/2023, 8:50:49 AM	0	6.877	48.7	86.7	0
3/23/2023, 9:00:49 AM	0	6.877	49.3	87.2	0
3/23/2023, 9:10:49 AM	0	6.877	49.8	87.5	0
3/23/2023, 9:20:49 AM	0	6.877	50.5	87.6	0
3/23/2023, 9:30:49 AM	0	6.877	51.1	87.6	0
3/23/2023, 9:40:49 AM	0	6.877	51.6	87.4	0
3/23/2023, 9:50:49 AM	0	6.877	52	87.1	0
3/23/2023, 10:00:49 AM	0	6.877	52.3	86.7	0
3/23/2023, 10:10:49 AM	0	6.877	52.7	86.4	0
3/23/2023, 10:20:49 AM	0	6.886	52.9	86.1	0
3/23/2023, 10:30:49 AM	0	6.886	53.2	85.9	0
3/23/2023, 10:40:49 AM	0	6.886	53.4	85.8	0
3/23/2023, 10:50:49 AM	0	6.886	53.4	86	0
3/23/2023, 11:00:49 AM	0	6.886	53.4	86.3	0
3/23/2023, 11:10:49 AM	0	6.886	53.2	86.6	0
3/23/2023, 11:20:49 AM	0	6.886	53.2	86.8	0
3/23/2023, 11:30:49 AM	0	6.886	53.2	87	0
3/23/2023, 11:40:49 AM	0	6.886	53.2	87.2	0
3/23/2023, 11:50:49 AM	0	6.886	53.2	87.7	0
3/23/2023, 12:00:49 PM	0	6.886	53.1	88.2	0
3/23/2023, 12:10:49 PM	0	6.886	52.9	88.6	0
3/23/2023, 12:20:49 PM	0	6.886	52.9	89	0
3/23/2023, 12:30:49 PM	0	6.886	52.9	89.4	0
3/23/2023, 12:40:49 PM	0	6.886	52.9	89.8	0
3/23/2023, 12:50:49 PM	0	6.886	53.1	90.1	0
3/23/2023, 1:00:49 PM	0	6.886	53.1	90.5	0
3/23/2023, 1:10:49 PM	0	6.886	53.2	90.8	0
3/23/2023, 1:20:49 PM	0	6.886	53.2	90.9	0
3/23/2023, 1:30:49 PM	0	6.886	53.1	90.9	0
3/23/2023, 1:40:49 PM	0	6.886	52.9	90.8	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/23/2023, 1:50:49 PM	0	6.886	52.9	90.6	0
3/23/2023, 2:00:49 PM	0	6.886	52.7	90.5	0
3/23/2023, 2:10:49 PM	0	6.886	52.7	90.4	0
3/23/2023, 2:20:49 PM	0	6.886	52.3	90.1	0
3/23/2023, 2:30:49 PM	0	6.886	51.8	89.7	0
3/23/2023, 2:40:49 PM	0	6.886	51.4	89.5	0
3/23/2023, 2:50:49 PM	0	6.886	51.1	89.6	0
3/23/2023, 3:00:49 PM	0	6.877	50.7	89.7	0
3/23/2023, 3:10:49 PM	0	6.877	50.4	89.6	0
3/23/2023, 3:20:49 PM	0	6.877	50	89.6	0
3/23/2023, 3:30:49 PM	0	6.877	49.6	89.5	0
3/23/2023, 3:40:49 PM	0	6.877	49.3	89.4	0
3/23/2023, 3:50:49 PM	0	6.877	48.9	89.5	0
3/23/2023, 4:00:49 PM	0	6.877	48.7	89.6	0
3/23/2023, 4:10:49 PM	0	6.877	48.7	89.8	0
3/23/2023, 4:20:49 PM	0	6.877	48.6	89.9	0
3/23/2023, 4:30:49 PM	0	6.877	48.6	90	0
3/23/2023, 4:40:49 PM	0	6.877	48.6	90.1	0
3/23/2023, 4:50:49 PM	0	6.877	48.4	89.9	0
3/23/2023, 5:00:49 PM	0	6.877	48	89.7	0
3/23/2023, 5:10:49 PM	0	6.877	47.8	89.7	0
3/23/2023, 5:20:49 PM	0	6.877	47.7	89.8	0
3/23/2023, 5:30:49 PM	0	6.877	47.5	90	0
3/23/2023, 5:40:49 PM	0	6.877	47.3	90.1	0
3/23/2023, 5:50:49 PM	0	6.869	47.1	90.2	0
3/23/2023, 6:00:49 PM	0	6.869	46.8	90.1	0
3/23/2023, 6:10:49 PM	0	6.869	46.6	90.1	0
3/23/2023, 6:20:49 PM	0	6.869	46.2	90.1	0
3/23/2023, 6:30:49 PM	0	6.869	46	90	0
3/23/2023, 6:40:49 PM	0	6.869	45.5	89.8	0
3/23/2023, 6:50:49 PM	0	6.869	45	89.4	0
3/23/2023, 7:00:49 PM	0	6.869	44.2	88.8	0
3/23/2023, 7:10:49 PM	0	6.869	43.7	88.2	0
3/23/2023, 7:20:49 PM	0	6.869	43.3	87.8	0
3/23/2023, 7:30:49 PM	0	6.869	43	87.5	0
3/23/2023, 7:40:49 PM	0	6.869	42.6	87.4	0
3/23/2023, 7:50:49 PM	0	6.86	42.4	87.3	0
3/23/2023, 8:00:49 PM	0	6.86	42.1	87.2	0
3/23/2023, 8:10:49 PM	0	6.86	41.9	87.1	0
3/23/2023, 8:20:49 PM	0	6.86	41.5	87.1	0
3/23/2023, 8:30:49 PM	0	6.86	41.4	87.1	0
3/23/2023, 8:40:49 PM	0	6.86	41.2	87	0
3/23/2023, 8:50:49 PM	0	6.86	41	87	0
3/23/2023, 9:00:49 PM	0	6.86	40.8	87.1	0
3/23/2023, 9:10:49 PM	0	6.86	40.6	87	0
3/23/2023, 9:20:49 PM	0	6.86	40.5	86.8	0
3/23/2023, 9:30:49 PM	0	6.86	40.3	86.7	0
3/23/2023, 9:40:49 PM	0	6.86	39.9	86.7	0
3/23/2023, 9:50:49 PM	0	6.86	39.9	86.6	0
3/23/2023, 10:00:49 PM	0	6.86	39.7	86.5	0
3/23/2023, 10:10:49 PM	0	6.851	39.6	86.4	0
3/23/2023, 10:20:49 PM	0	6.851	39.6	86.3	0
3/23/2023, 10:30:49 PM	0	6.851	39.6	86.1	0
3/23/2023, 10:40:49 PM	0	6.851	39.4	85.9	0
3/23/2023, 10:50:49 PM	0	6.851	39.2	85.6	0
3/23/2023, 11:00:49 PM	0	6.851	38.8	85.2	0
3/23/2023, 11:10:49 PM	0	6.851	38.5	84.5	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/23/2023, 11:20:49 PM	0	6.851	38.1	83.9	0
3/23/2023, 11:30:49 PM	0	6.851	37.6	83.3	0
3/23/2023, 11:40:49 PM	0	6.851	37.2	82.7	0
3/23/2023, 11:50:49 PM	0	6.851	36.9	82.3	0
3/24/2023, 12:00:49 AM	0	6.842	36.7	82.1	0
3/24/2023, 12:10:49 AM	0	6.842	36.5	81.9	0
3/24/2023, 12:20:49 AM	0	6.842	36.3	81.8	0
3/24/2023, 12:30:49 AM	0	6.842	36.1	81.7	0
3/24/2023, 12:40:49 AM	0	6.842	36	81.7	0
3/24/2023, 12:50:49 AM	0	6.842	36	81.7	0
3/24/2023, 1:00:49 AM	0	6.842	35.8	81.8	0
3/24/2023, 1:10:49 AM	0	6.842	35.8	81.7	0
3/24/2023, 1:20:49 AM	0	6.842	35.6	81.7	0
3/24/2023, 1:30:49 AM	0	6.842	35.6	81.7	0
3/24/2023, 1:40:49 AM	0	6.842	35.4	81.7	0
3/24/2023, 1:50:49 AM	0	6.842	35.2	81.7	0
3/24/2023, 2:00:49 AM	0	6.842	35.1	81.6	0
3/24/2023, 2:10:49 AM	0	6.842	34.7	81.6	0
3/24/2023, 2:20:49 AM	0	6.842	34.5	81.8	0
3/24/2023, 2:30:49 AM	0	6.833	34.3	81.9	0
3/24/2023, 2:40:49 AM	0	6.842	34.2	82	0
3/24/2023, 2:50:49 AM	0	6.833	34	82	0
3/24/2023, 3:00:49 AM	0	6.833	33.8	82.1	0
3/24/2023, 3:10:49 AM	0	6.833	33.8	82.2	0
3/24/2023, 3:20:49 AM	0	6.833	33.6	82.3	0
3/24/2023, 3:30:49 AM	0	6.833	33.4	82.4	0
3/24/2023, 3:40:49 AM	0	6.833	33.1	82.5	0
3/24/2023, 3:50:49 AM	0	6.833	32.9	82.6	0
3/24/2023, 4:00:49 AM	0	6.833	32.9	82.7	0
3/24/2023, 4:10:49 AM	0	6.833	32.7	82.9	0
3/24/2023, 4:20:49 AM	0	6.833	32.5	83	0
3/24/2023, 4:30:49 AM	0	6.833	32.5	83.2	0
3/24/2023, 4:40:49 AM	0	6.833	32.5	83.3	0
3/24/2023, 4:50:49 AM	0	6.833	32.5	83.4	0
3/24/2023, 5:00:49 AM	0	6.833	32.5	83.5	0
3/24/2023, 5:10:49 AM	0	6.833	32.5	83.5	0
3/24/2023, 5:20:49 AM	0	6.833	32.5	83.6	0
3/24/2023, 5:30:49 AM	0	6.833	32.4	83.6	0
3/24/2023, 5:40:49 AM	0	6.833	32.4	83.7	0
3/24/2023, 5:50:49 AM	0	6.833	32.4	83.7	0
3/24/2023, 6:00:49 AM	0	6.833	32.4	83.7	0
3/24/2023, 6:10:49 AM	0	6.833	32.2	83.8	0
3/24/2023, 6:20:49 AM	0	6.833	32.2	83.9	0
3/24/2023, 6:30:49 AM	0	6.833	32.2	84	0
3/24/2023, 6:40:49 AM	0	6.833	32.2	84	0
3/24/2023, 6:50:49 AM	0	6.833	32.2	84.1	0
3/24/2023, 7:00:49 AM	0	6.833	32.4	84.2	0
3/24/2023, 7:10:49 AM	0	6.833	32.4	84.3	0
3/24/2023, 7:20:49 AM	0	6.833	32.4	84.4	0
3/24/2023, 7:30:49 AM	0	6.833	32.4	84.4	0
3/24/2023, 7:40:49 AM	0	6.833	32.5	84.5	0
3/24/2023, 7:50:49 AM	0	6.833	32.5	84.5	0
3/24/2023, 8:00:49 AM	0	6.833	32.7	84.6	0
3/24/2023, 8:10:49 AM	0	6.833	32.9	84.5	0
3/24/2023, 8:20:49 AM	0	6.833	33.3	84.5	0
3/24/2023, 8:30:49 AM	0	6.833	33.4	84.5	0
3/24/2023, 8:40:49 AM	0	6.833	33.6	84.4	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/24/2023, 8:50:49 AM	0	6.833	34	84.3	0
3/24/2023, 9:00:49 AM	0	6.833	34.2	84.1	0
3/24/2023, 9:10:49 AM	0	6.833	34.5	83.9	0
3/24/2023, 9:20:49 AM	0	6.833	35.1	83.8	0
3/24/2023, 9:30:49 AM	0	6.842	35.4	83.6	0
3/24/2023, 9:40:49 AM	0	6.842	35.8	83.3	0
3/24/2023, 9:50:49 AM	0	6.842	36.3	83	0
3/24/2023, 10:00:49 AM	0	6.842	36.9	82.7	0
3/24/2023, 10:10:49 AM	0	6.842	37.4	82.2	0
3/24/2023, 10:20:49 AM	0	6.842	37.9	81.7	0
3/24/2023, 10:30:49 AM	0	6.842	38.8	81.3	0
3/24/2023, 10:40:49 AM	0	6.851	39.6	80.8	0
3/24/2023, 10:50:49 AM	0	6.851	40.5	80.2	0
3/24/2023, 11:00:49 AM	0	6.851	41.4	79.4	0
3/24/2023, 11:10:49 AM	0	6.851	41.7	78.3	0
3/24/2023, 11:20:49 AM	0	6.851	42.3	77.2	0
3/24/2023, 11:30:49 AM	0	6.86	43.2	76.3	0
3/24/2023, 11:40:49 AM	0	6.86	44.1	75.7	0
3/24/2023, 11:50:49 AM	0	6.86	44.4	74.8	0
3/24/2023, 12:00:49 PM	0	6.86	44.6	74	0
3/24/2023, 12:10:49 PM	0	6.86	45.1	73.6	0
3/24/2023, 12:20:49 PM	0	6.86	45.9	72.7	0
3/24/2023, 12:30:49 PM	0	6.86	46.6	72	0
3/24/2023, 12:40:49 PM	0	6.869	47.3	71.5	0
3/24/2023, 12:50:49 PM	0	6.869	48.2	70.9	0
3/24/2023, 1:00:49 PM	0	6.869	48.9	70.5	0
3/24/2023, 1:10:49 PM	0	6.869	49.1	69.8	0
3/24/2023, 1:20:49 PM	0	6.869	49.1	69	0
3/24/2023, 1:30:49 PM	0	6.869	49.6	68.4	0
3/24/2023, 1:40:49 PM	0	6.869	50.4	67.9	0
3/24/2023, 1:50:49 PM	0	6.869	50.5	67.2	0
3/24/2023, 2:00:49 PM	0	6.869	50.9	66.9	0
3/24/2023, 2:10:49 PM	0	6.869	50.9	66.3	0
3/24/2023, 2:20:49 PM	0	6.877	50.5	65.8	0
3/24/2023, 2:30:49 PM	0	6.877	50.7	65.5	0
3/24/2023, 2:40:49 PM	0	6.877	50.2	65	0
3/24/2023, 2:50:49 PM	0	6.869	50.2	64.9	0
3/24/2023, 3:00:49 PM	0	6.869	50.2	64.7	0
3/24/2023, 3:10:49 PM	0	6.869	50.4	64.5	0
3/24/2023, 3:20:49 PM	0	6.877	50.9	64.3	0
3/24/2023, 3:30:49 PM	0	6.877	50.9	63.9	0
3/24/2023, 3:40:49 PM	0	6.877	50.9	63.6	0
3/24/2023, 3:50:49 PM	0	6.877	51.1	63.3	0
3/24/2023, 4:00:49 PM	0	6.877	51.1	63.1	0
3/24/2023, 4:10:49 PM	0	6.877	50.4	62.7	0
3/24/2023, 4:20:49 PM	0	6.877	50.4	62.6	0
3/24/2023, 4:30:49 PM	0	6.877	50	62.4	0
3/24/2023, 4:40:49 PM	0	6.877	49.1	62.2	0
3/24/2023, 4:50:49 PM	0	6.869	48.4	62.2	0
3/24/2023, 5:00:49 PM	0	6.869	47.7	62.2	0
3/24/2023, 5:10:49 PM	0	6.869	46.9	62.3	0
3/24/2023, 5:20:49 PM	0	6.869	46.6	62.5	0
3/24/2023, 5:30:49 PM	0	6.869	46	62.5	0
3/24/2023, 5:40:49 PM	0	6.869	45.5	62.6	0
3/24/2023, 5:50:49 PM	0	6.869	44.6	62.6	0
3/24/2023, 6:00:49 PM	0	6.869	43.9	62.7	0
3/24/2023, 6:10:49 PM	0	6.86	43.2	62.7	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/24/2023, 6:20:49 PM	0	6.86	42.8	62.7	0
3/24/2023, 6:30:49 PM	0	6.86	42.4	62.8	0
3/24/2023, 6:40:49 PM	0	6.86	42.1	62.7	0
3/24/2023, 6:50:49 PM	0	6.86	41.4	62.7	0
3/24/2023, 7:00:49 PM	0	6.86	40.8	62.7	0
3/24/2023, 7:10:49 PM	0	6.86	40.1	62.7	0
3/24/2023, 7:20:49 PM	0	6.86	39.6	62.8	0
3/24/2023, 7:30:49 PM	0	6.851	39	62.9	0
3/24/2023, 7:40:49 PM	0	6.851	38.3	63.2	0
3/24/2023, 7:50:49 PM	0	6.851	37.8	63.9	0
3/24/2023, 8:00:49 PM	0	6.851	37.2	64.7	0
3/24/2023, 8:10:49 PM	0	6.851	36.5	65.7	0
3/24/2023, 8:20:49 PM	0	6.851	36	66.7	0
3/24/2023, 8:30:49 PM	0	6.842	35.2	67.6	0
3/24/2023, 8:40:49 PM	0	6.842	34.7	68.4	0
3/24/2023, 8:50:49 PM	0	6.842	34.2	69.2	0
3/24/2023, 9:00:49 PM	0	6.842	33.8	70	0
3/24/2023, 9:10:49 PM	0	6.833	33.4	70.8	0
3/24/2023, 9:20:49 PM	0	6.833	32.9	71.5	0
3/24/2023, 9:30:49 PM	0	6.833	32.5	72.2	0
3/24/2023, 9:40:49 PM	0	6.833	32	72.9	0
3/24/2023, 9:50:49 PM	0	6.833	31.8	73.6	0
3/24/2023, 10:00:49 PM	0	6.833	31.5	74.3	0
3/24/2023, 10:10:49 PM	0	6.833	31.1	74.9	0
3/24/2023, 10:20:49 PM	0	6.825	30.7	75.5	0
3/24/2023, 10:30:49 PM	0	6.825	30.4	76.2	0
3/24/2023, 10:40:49 PM	0	6.825	30.2	76.8	0
3/24/2023, 10:50:49 PM	0	6.825	30	77.3	0
3/24/2023, 11:00:49 PM	0	6.825	29.8	77.8	0
3/24/2023, 11:10:49 PM	0	6.825	29.8	78.3	0
3/24/2023, 11:20:49 PM	0	6.825	29.7	78.6	0
3/24/2023, 11:30:49 PM	0	6.825	29.5	78.9	0
3/24/2023, 11:40:49 PM	0	6.825	29.3	79.2	0
3/24/2023, 11:50:49 PM	0	6.825	29.3	79.4	0
3/25/2023, 12:00:49 AM	0	6.825	29.5	79.4	0
3/25/2023, 12:10:49 AM	0	6.825	29.7	79.4	0
3/25/2023, 12:20:49 AM	0	6.825	29.8	79.4	0
3/25/2023, 12:30:49 AM	0	6.825	29.8	79.3	0
3/25/2023, 12:40:49 AM	0	6.825	29.8	79.2	0
3/25/2023, 12:50:49 AM	0	6.825	29.8	79	0
3/25/2023, 1:00:49 AM	0	6.825	30	79	0
3/25/2023, 1:10:49 AM	0	6.825	30	79.1	0
3/25/2023, 1:20:49 AM	0	6.825	30.2	79.1	0
3/25/2023, 1:30:49 AM	0	6.825	30.4	79.1	0
3/25/2023, 1:40:49 AM	0	6.825	30.6	79.1	0
3/25/2023, 1:50:49 AM	0	6.825	30.6	79.1	0
3/25/2023, 2:00:49 AM	0	6.825	30.6	79	0
3/25/2023, 2:10:49 AM	0	6.825	30.6	79	0
3/25/2023, 2:20:49 AM	0	6.825	30.4	79	0
3/25/2023, 2:30:49 AM	0	6.825	30.4	79.1	0
3/25/2023, 2:40:49 AM	0	6.825	30.2	79.1	0
3/25/2023, 2:50:49 AM	0	6.825	30.2	79.2	0
3/25/2023, 3:00:49 AM	0	6.825	30.2	79.3	0
3/25/2023, 3:10:49 AM	0	6.825	30.2	79.4	0
3/25/2023, 3:20:49 AM	0	6.825	30.4	79.5	0
3/25/2023, 3:30:49 AM	0	6.825	30.6	79.5	0
3/25/2023, 3:40:49 AM	0	6.825	30.6	79.5	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/25/2023, 3:50:49 AM	0	6.825	30.7	79.5	0
3/25/2023, 4:00:49 AM	0	6.825	30.9	79.6	0
3/25/2023, 4:10:49 AM	0	6.825	31.1	79.5	0
3/25/2023, 4:20:49 AM	0	6.825	31.3	79.5	0
3/25/2023, 4:30:49 AM	0	6.825	31.5	79.5	0
3/25/2023, 4:40:49 AM	0	6.825	31.6	79.6	0
3/25/2023, 4:50:49 AM	0	6.833	31.8	79.6	0
3/25/2023, 5:00:49 AM	0	6.833	32	79.5	0
3/25/2023, 5:10:49 AM	0	6.833	32.2	79.5	0
3/25/2023, 5:20:49 AM	0	6.833	32.4	79.4	0
3/25/2023, 5:30:49 AM	0	6.833	32.5	79.4	0
3/25/2023, 5:40:49 AM	0	6.833	32.7	79.4	0
3/25/2023, 5:50:49 AM	0	6.833	32.9	79.4	0
3/25/2023, 6:00:49 AM	0	6.833	32.9	79.3	0
3/25/2023, 6:10:49 AM	0	6.833	33.1	79.3	0
3/25/2023, 6:20:49 AM	0	6.833	33.3	79.3	0
3/25/2023, 6:30:49 AM	0	6.833	33.6	79.2	0
3/25/2023, 6:40:49 AM	0	6.833	34	79	0
3/25/2023, 6:50:49 AM	0	6.842	34.2	78.7	0
3/25/2023, 7:00:49 AM	0	6.842	34.5	78.3	0
3/25/2023, 7:10:49 AM	0	6.842	34.7	78.1	0
3/25/2023, 7:20:49 AM	0	6.842	34.9	78	0
3/25/2023, 7:30:49 AM	0	6.842	35.1	78	0
3/25/2023, 7:40:49 AM	0	6.842	35.1	78.4	0
3/25/2023, 7:50:49 AM	0	6.842	35.1	79.1	0
3/25/2023, 8:00:49 AM	0	6.842	34.9	79.8	0
3/25/2023, 8:10:49 AM	0	6.842	34.9	80.7	0
3/25/2023, 8:20:49 AM	0	6.842	34.9	81.6	0
3/25/2023, 8:30:49 AM	0	6.842	35.1	82.7	0
3/25/2023, 8:40:49 AM	0	6.842	35.4	83.8	0
3/25/2023, 8:50:49 AM	0	6.842	36	84.7	0
3/25/2023, 9:00:49 AM	0	6.842	36.1	85.4	0
3/25/2023, 9:10:49 AM	0	6.842	36.5	85.9	0
3/25/2023, 9:20:49 AM	0	6.842	36.7	86.3	0
3/25/2023, 9:30:49 AM	0	6.851	37	86.6	0
3/25/2023, 9:40:49 AM	0	6.851	37.4	86.7	0
3/25/2023, 9:50:49 AM	0	6.851	37.4	86.8	0
3/25/2023, 10:00:49 AM	0	6.851	37.6	87	0
3/25/2023, 10:10:49 AM	0	6.851	37.6	87.2	0
3/25/2023, 10:20:49 AM	0	6.851	37.6	87.4	0
3/25/2023, 10:30:49 AM	0	6.851	37.6	87.7	0
3/25/2023, 10:40:49 AM	0	6.851	37.8	87.9	0
3/25/2023, 10:50:49 AM	0	6.851	37.9	88.1	0
3/25/2023, 11:00:49 AM	0	6.851	38.1	88.2	0
3/25/2023, 11:10:49 AM	0	6.851	38.3	88.2	0
3/25/2023, 11:20:49 AM	0	6.851	38.7	88	0
3/25/2023, 11:30:49 AM	0	6.851	39.4	87.8	0
3/25/2023, 11:40:49 AM	0	6.851	40.1	87.6	0
3/25/2023, 11:50:49 AM	0	6.86	40.6	87.1	0
3/25/2023, 12:00:49 PM	0	6.86	40.8	86.4	0
3/25/2023, 12:10:49 PM	0	6.86	41	85.8	0
3/25/2023, 12:20:49 PM	0	6.86	41.4	85.3	0
3/25/2023, 12:30:49 PM	0	6.86	41.5	84.8	0
3/25/2023, 12:40:49 PM	0	6.86	41.7	84.5	0
3/25/2023, 12:50:49 PM	0	6.86	41.7	84.1	0
3/25/2023, 1:00:49 PM	0	6.86	41.9	83.8	0
3/25/2023, 1:10:49 PM	0	6.86	42.3	83.7	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/25/2023, 1:20:49 PM	0	6.86	42.8	83.6	0
3/25/2023, 1:30:49 PM	0	6.86	43	83.5	0
3/25/2023, 1:40:49 PM	0	6.86	43.3	83.3	0
3/25/2023, 1:50:49 PM	0	6.86	43.9	83.3	0
3/25/2023, 2:00:49 PM	0	6.869	44.8	83.4	0
3/25/2023, 2:10:49 PM	0	6.869	45.3	83.1	0
3/25/2023, 2:20:49 PM	0	6.869	45.5	82.7	0
3/25/2023, 2:30:49 PM	0	6.869	45.5	82.4	0
3/25/2023, 2:40:49 PM	0	6.869	45.5	82.4	0
3/25/2023, 2:50:49 PM	0	6.869	45.5	82.5	0
3/25/2023, 3:00:49 PM	0	6.869	45.7	82.5	0
3/25/2023, 3:10:49 PM	0	6.869	45.7	82.5	0
3/25/2023, 3:20:49 PM	0	6.869	45.3	82.6	0
3/25/2023, 3:30:49 PM	0	6.869	45.3	82.7	0
3/25/2023, 3:40:49 PM	0	6.869	45.3	83	0
3/25/2023, 3:50:49 PM	0	6.869	45.3	83.3	0
3/25/2023, 4:00:49 PM	0	6.869	45.7	83.5	0
3/25/2023, 4:10:49 PM	0	6.869	45.7	83.7	0
3/25/2023, 4:20:49 PM	0	6.869	45.9	83.6	0
3/25/2023, 4:30:49 PM	0	6.869	46	83.6	0
3/25/2023, 4:40:49 PM	0	6.869	46.2	83.5	0
3/25/2023, 4:50:49 PM	0	6.869	46.6	83.5	0
3/25/2023, 5:00:49 PM	0	6.869	46.8	83.4	0
3/25/2023, 5:10:49 PM	0	6.869	46.9	83.3	0
3/25/2023, 5:20:49 PM	0	6.869	46.9	83.2	0
3/25/2023, 5:30:49 PM	0	6.877	47.1	83.1	0
3/25/2023, 5:40:49 PM	0	6.877	47.1	83.1	0
3/25/2023, 5:50:49 PM	0	6.877	46.9	83.5	0
3/25/2023, 6:00:49 PM	0	6.869	46.8	84.1	0
3/25/2023, 6:10:49 PM	0	6.877	46.4	84.9	0
3/25/2023, 6:20:49 PM	0	6.869	46.2	85.4	0
3/25/2023, 6:30:49 PM	0	6.869	46.4	85.9	0
3/25/2023, 6:40:49 PM	0	6.869	46.6	86.4	0
3/25/2023, 6:50:49 PM	0	6.869	46.6	86.5	0
3/25/2023, 7:00:49 PM	0	6.869	46.8	86.4	0
3/25/2023, 7:10:49 PM	0	6.877	46.8	86.3	0
3/25/2023, 7:20:49 PM	0	6.877	46.8	86.3	0
3/25/2023, 7:30:49 PM	0	6.869	46.4	86.4	0
3/25/2023, 7:40:49 PM	0	6.869	46.2	86.7	0
3/25/2023, 7:50:49 PM	0	6.869	46	87	0
3/25/2023, 8:00:49 PM	0	6.869	45.9	87.3	0
3/25/2023, 8:10:49 PM	0	6.869	45.9	87.7	0
3/25/2023, 8:20:49 PM	0	6.869	45.7	88.1	0
3/25/2023, 8:30:49 PM	0	6.869	45.7	88.5	0
3/25/2023, 8:40:49 PM	0	6.869	45.7	89	0
3/25/2023, 8:50:49 PM	0	6.869	45.7	89.5	0
3/25/2023, 9:00:49 PM	0	6.869	45.5	89.5	0
3/25/2023, 9:10:49 PM	0	6.869	44.8	88.6	0
3/25/2023, 9:20:49 PM	0	6.869	44.1	87.5	0
3/25/2023, 9:30:49 PM	0	6.869	43.5	86.6	0
3/25/2023, 9:40:49 PM	0	6.869	42.8	85.8	0
3/25/2023, 9:50:49 PM	0	6.869	41.9	85.3	0
3/25/2023, 10:00:49 PM	0	6.86	41.7	85	0
3/25/2023, 10:10:49 PM	0	6.86	41.7	84.7	0
3/25/2023, 10:20:49 PM	0	6.86	41.4	84.4	0
3/25/2023, 10:30:49 PM	0	6.86	41.2	84.2	0
3/25/2023, 10:40:49 PM	0	6.86	41.2	83.9	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/25/2023, 10:50:49 PM	0	6.86	41.2	83.4	0
3/25/2023, 11:00:49 PM	0	6.86	41.4	82.5	0
3/25/2023, 11:10:49 PM	0	6.86	41.7	81.5	0
3/25/2023, 11:20:49 PM	0	6.86	41.7	80.7	0
3/25/2023, 11:30:49 PM	0	6.86	41.9	79.8	0
3/25/2023, 11:40:49 PM	0	6.86	42.1	79.1	0
3/25/2023, 11:50:49 PM	0	6.86	42.1	78.4	0
3/26/2023, 12:00:49 AM	0	6.86	42.1	77.7	0
3/26/2023, 12:10:49 AM	0	6.86	42.1	77.2	0
3/26/2023, 12:20:49 AM	0	6.86	41.9	76.8	0
3/26/2023, 12:30:49 AM	0	6.86	41.9	76.6	0
3/26/2023, 12:40:49 AM	0	6.86	41.7	76.4	0
3/26/2023, 12:50:49 AM	0	6.86	41.4	76.2	0
3/26/2023, 1:00:49 AM	0	6.86	41	76	0
3/26/2023, 1:10:49 AM	0	6.86	40.8	75.6	0
3/26/2023, 1:20:49 AM	0	6.86	40.8	75.2	0
3/26/2023, 1:30:49 AM	0	6.86	40.6	74.9	0
3/26/2023, 1:40:49 AM	0	6.86	40.5	74.5	0
3/26/2023, 1:50:49 AM	0	6.86	40.3	74.1	0
3/26/2023, 2:00:49 AM	0	6.86	40.3	73.9	0
3/26/2023, 2:10:49 AM	0	6.86	40.1	73.7	0
3/26/2023, 2:20:49 AM	0	6.86	40.1	73.3	0
3/26/2023, 2:30:49 AM	0	6.86	39.9	72.9	0
3/26/2023, 2:40:49 AM	0	6.86	39.9	72.6	0
3/26/2023, 2:50:49 AM	0	6.86	39.7	72.6	0
3/26/2023, 3:00:49 AM	0	6.86	39.6	72.8	0
3/26/2023, 3:10:49 AM	0	6.86	39.6	73.2	0
3/26/2023, 3:20:49 AM	0	6.86	38.8	74.3	0
3/26/2023, 3:30:49 AM	0	6.851	38.1	75.5	0
3/26/2023, 3:40:49 AM	0	6.851	37.8	76.5	0
3/26/2023, 3:50:49 AM	0	6.851	37.9	76.7	0
3/26/2023, 4:00:49 AM	0	6.851	38.3	76.3	0
3/26/2023, 4:10:49 AM	0	6.851	38.5	76	0
3/26/2023, 4:20:49 AM	0	6.851	38.7	75.8	0
3/26/2023, 4:30:49 AM	0	6.851	38.8	75.6	0
3/26/2023, 4:40:49 AM	0	6.851	39	75.5	0
3/26/2023, 4:50:49 AM	0	6.851	39	75.3	0
3/26/2023, 5:00:49 AM	0	6.851	39.2	75.1	0
3/26/2023, 5:10:49 AM	0	6.851	39.2	74.9	0
3/26/2023, 5:20:49 AM	0	6.851	39.4	74.8	0
3/26/2023, 5:30:49 AM	0	6.851	39.4	74.6	0
3/26/2023, 5:40:49 AM	0	6.851	39.4	74.6	0
3/26/2023, 5:50:49 AM	0	6.851	39.4	74.6	0
3/26/2023, 6:00:49 AM	0	6.851	39.4	74.6	0
3/26/2023, 6:10:49 AM	0	6.851	39.4	74.6	0
3/26/2023, 6:20:49 AM	0	6.851	39.4	74.6	0
3/26/2023, 6:30:49 AM	0	6.86	39.4	74.7	0
3/26/2023, 6:40:49 AM	0	6.851	39.2	74.7	0
3/26/2023, 6:50:49 AM	0	6.851	39.2	74.9	0
3/26/2023, 7:00:49 AM	0	6.851	39.2	74.8	0
3/26/2023, 7:10:49 AM	0	6.851	39	74.7	0
3/26/2023, 7:20:49 AM	0	6.851	39	74.6	0
3/26/2023, 7:30:49 AM	0	6.851	39	74.5	0
3/26/2023, 7:40:49 AM	0	6.851	39	74.4	0
3/26/2023, 7:50:49 AM	0	6.851	39	74.3	0
3/26/2023, 8:00:49 AM	0	6.851	39	74.2	0
3/26/2023, 8:10:49 AM	0	6.851	39	74.1	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/26/2023, 8:20:49 AM	0	6.851	39.2	74.1	0
3/26/2023, 8:30:49 AM	0	6.851	39.2	74	0
3/26/2023, 8:40:49 AM	0	6.851	39.4	73.9	0
3/26/2023, 8:50:49 AM	0	6.851	39.6	73.8	0
3/26/2023, 9:00:49 AM	0	6.851	39.9	73.8	0
3/26/2023, 9:10:49 AM	0	6.851	40.5	73.8	0
3/26/2023, 9:20:49 AM	0	6.86	41.2	73.7	0
3/26/2023, 9:30:49 AM	0	6.86	41.7	73.4	0
3/26/2023, 9:40:49 AM	0	6.86	42.4	73.1	0
3/26/2023, 9:50:49 AM	0	6.86	43.5	72.6	0
3/26/2023, 10:00:49 AM	0	6.86	44.1	71.8	0
3/26/2023, 10:10:49 AM	0	6.86	44.2	70.9	0
3/26/2023, 10:20:49 AM	0	6.86	44.8	70.3	0
3/26/2023, 10:30:49 AM	0	6.86	45.3	69.7	0
3/26/2023, 10:40:49 AM	0	6.86	45.9	69.1	0
3/26/2023, 10:50:49 AM	0	6.869	46.4	68.6	0
3/26/2023, 11:00:49 AM	0	6.869	46.8	67.9	0
3/26/2023, 11:10:49 AM	0	6.869	47.5	67.3	0
3/26/2023, 11:20:49 AM	0	6.869	48	66.5	0
3/26/2023, 11:30:49 AM	0	6.869	48.4	65.9	0
3/26/2023, 11:40:49 AM	0	6.869	49.1	65.4	0
3/26/2023, 11:50:49 AM	0	6.869	49.6	64.7	0
3/26/2023, 12:00:49 PM	0	6.869	50	64.2	0
3/26/2023, 12:10:49 PM	0	6.869	50.9	63.9	0
3/26/2023, 12:20:49 PM	0	6.877	51.3	63.4	0
3/26/2023, 12:30:49 PM	0	6.877	51.8	62.9	0
3/26/2023, 12:40:49 PM	0	6.877	52.3	62.5	0
3/26/2023, 12:50:49 PM	0	6.877	52.9	62	0
3/26/2023, 1:00:49 PM	0	6.877	53.1	61.3	0
3/26/2023, 1:10:49 PM	0	6.877	53.4	60.8	0
3/26/2023, 1:20:49 PM	0	6.877	53.8	60.5	0
3/26/2023, 1:30:49 PM	0	6.877	54	60.1	0
3/26/2023, 1:40:49 PM	0	6.877	54.3	59.8	0
3/26/2023, 1:50:49 PM	0	6.877	54.5	59.4	0
3/26/2023, 2:00:49 PM	0	6.877	54.7	59.1	0
3/26/2023, 2:10:49 PM	0	6.877	54.9	58.8	0
3/26/2023, 2:20:49 PM	0	6.877	55	58.7	0
3/26/2023, 2:30:49 PM	0	6.877	55.4	58.5	0
3/26/2023, 2:40:49 PM	0	6.886	55.4	58.2	0
3/26/2023, 2:50:49 PM	0	6.886	55.8	58	0
3/26/2023, 3:00:49 PM	0	6.886	55.9	57.9	0
3/26/2023, 3:10:49 PM	0	6.886	56.3	57.7	0
3/26/2023, 3:20:49 PM	0	6.886	56.7	57.6	0
3/26/2023, 3:30:49 PM	0	6.886	57	57.3	0
3/26/2023, 3:40:49 PM	0	6.886	57.4	57.2	0
3/26/2023, 3:50:49 PM	0	6.886	57.4	56.9	0
3/26/2023, 4:00:49 PM	0	6.886	57.2	56.8	0
3/26/2023, 4:10:49 PM	0	6.886	57.2	56.7	0
3/26/2023, 4:20:49 PM	0	6.886	57	56.6	0
3/26/2023, 4:30:49 PM	0	6.886	56.8	56.5	0
3/26/2023, 4:40:49 PM	0	6.886	57	56.4	0
3/26/2023, 4:50:49 PM	0	6.886	56.8	56.2	0
3/26/2023, 5:00:49 PM	0	6.886	56.8	56.1	0
3/26/2023, 5:10:49 PM	0	6.886	56.5	56	0
3/26/2023, 5:20:49 PM	0	6.886	56.1	55.9	0
3/26/2023, 5:30:49 PM	0	6.886	55.8	55.9	0
3/26/2023, 5:40:49 PM	0	6.886	55.4	55.9	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/26/2023, 5:50:49 PM	0	6.886	55	55.7	0
3/26/2023, 6:00:49 PM	0	6.886	54.7	55.7	0
3/26/2023, 6:10:49 PM	0	6.886	54	55.7	0
3/26/2023, 6:20:49 PM	0	6.886	53.4	55.7	0
3/26/2023, 6:30:49 PM	0	6.886	53.1	55.6	0
3/26/2023, 6:40:49 PM	0	6.886	52.5	55.7	0
3/26/2023, 6:50:49 PM	0	6.886	51.4	55.8	0
3/26/2023, 7:00:49 PM	0	6.886	50.5	56	0
3/26/2023, 7:10:49 PM	0	6.877	49.8	56.2	0
3/26/2023, 7:20:49 PM	0	6.877	49.1	56.4	0
3/26/2023, 7:30:49 PM	0	6.877	48.4	56.6	0
3/26/2023, 7:40:49 PM	0	6.877	47.8	56.8	0
3/26/2023, 7:50:49 PM	0	6.877	47.3	57	0
3/26/2023, 8:00:49 PM	0	6.877	46.8	57.3	0
3/26/2023, 8:10:49 PM	0	6.877	46.2	57.7	0
3/26/2023, 8:20:49 PM	0	6.877	45.9	58	0
3/26/2023, 8:30:49 PM	0	6.877	45.5	58.4	0
3/26/2023, 8:40:49 PM	0	6.869	45	58.7	0
3/26/2023, 8:50:49 PM	0	6.869	44.6	59.1	0
3/26/2023, 9:00:49 PM	0	6.869	44.2	59.5	0
3/26/2023, 9:10:49 PM	0	6.869	44.1	59.8	0
3/26/2023, 9:20:49 PM	0	6.869	43.9	60.1	0
3/26/2023, 9:30:49 PM	0	6.869	43.7	60.2	0
3/26/2023, 9:40:49 PM	0	6.869	43.3	60.4	0
3/26/2023, 9:50:49 PM	0	6.869	43	60.6	0
3/26/2023, 10:00:49 PM	0	6.869	42.4	60.7	0
3/26/2023, 10:10:49 PM	0	6.869	41.9	61.1	0
3/26/2023, 10:20:49 PM	0	6.869	41	61.5	0
3/26/2023, 10:30:49 PM	0	6.86	40.1	62.1	0
3/26/2023, 10:40:49 PM	0	6.86	39.4	62.6	0
3/26/2023, 10:50:49 PM	0	6.86	38.5	63.5	0
3/26/2023, 11:00:49 PM	0	6.86	37.8	64.5	0
3/26/2023, 11:10:49 PM	0	6.851	36.9	65.6	0
3/26/2023, 11:20:49 PM	0	6.851	36.3	66.7	0
3/26/2023, 11:30:49 PM	0	6.851	35.8	67.9	0
3/26/2023, 11:40:49 PM	0	6.851	35.2	68.8	0
3/26/2023, 11:50:49 PM	0	6.842	34.7	69.6	0
3/27/2023, 12:00:49 AM	0	6.842	34.2	70.6	0
3/27/2023, 12:10:49 AM	0	6.842	33.8	71.2	0
3/27/2023, 12:20:49 AM	0	6.842	33.3	71.8	0
3/27/2023, 12:30:49 AM	0	6.842	32.5	72.5	0
3/27/2023, 12:40:49 AM	0	6.842	32	73.4	0
3/27/2023, 12:50:49 AM	0	6.833	31.6	74.3	0
3/27/2023, 1:00:49 AM	0	6.833	31.3	75.2	0
3/27/2023, 1:10:49 AM	0	6.833	30.9	75.9	0
3/27/2023, 1:20:49 AM	0	6.833	30.6	76.8	0
3/27/2023, 1:30:49 AM	0	6.833	30.2	77.4	0
3/27/2023, 1:40:49 AM	0	6.825	30	78	0
3/27/2023, 1:50:49 AM	0	6.825	29.7	78.5	0
3/27/2023, 2:00:49 AM	0	6.825	29.5	79.1	0
3/27/2023, 2:10:49 AM	0	6.825	29.1	79.5	0
3/27/2023, 2:20:49 AM	0	6.825	28.9	79.9	0
3/27/2023, 2:30:49 AM	0	6.825	28.6	80.3	0
3/27/2023, 2:40:49 AM	0	6.825	28.2	80.7	0
3/27/2023, 2:50:49 AM	0	6.816	28.2	81.3	0
3/27/2023, 3:00:49 AM	0	6.816	28	81.8	0
3/27/2023, 3:10:49 AM	0	6.816	28	82.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/27/2023, 3:20:49 AM	0	6.816	27.9	82.7	0
3/27/2023, 3:30:49 AM	0	6.816	27.7	83	0
3/27/2023, 3:40:49 AM	0	6.816	27.5	83.1	0
3/27/2023, 3:50:49 AM	0	6.816	27.3	83.3	0
3/27/2023, 4:00:49 AM	0	6.816	27	83.5	0
3/27/2023, 4:10:49 AM	0	6.816	26.8	83.7	0
3/27/2023, 4:20:49 AM	0	6.816	27	84.1	0
3/27/2023, 4:30:49 AM	0	6.816	27	84.6	0
3/27/2023, 4:40:49 AM	0	6.816	27	84.9	0
3/27/2023, 4:50:49 AM	0	6.816	27	85.3	0
3/27/2023, 5:00:49 AM	0	6.816	27.1	85.6	0
3/27/2023, 5:10:49 AM	0	6.816	27.1	85.9	0
3/27/2023, 5:20:49 AM	0	6.816	27.1	86.1	0
3/27/2023, 5:30:49 AM	0	6.816	27.1	86.3	0
3/27/2023, 5:40:49 AM	0	6.816	27.3	86.6	0
3/27/2023, 5:50:49 AM	0	6.816	27.5	86.9	0
3/27/2023, 6:00:49 AM	0	6.816	28	87.2	0
3/27/2023, 6:10:49 AM	0	6.816	28.2	87.5	0
3/27/2023, 6:20:49 AM	0	6.816	28.6	87.7	0
3/27/2023, 6:30:49 AM	0	6.816	28.9	87.9	0
3/27/2023, 6:40:49 AM	0	6.825	29.1	88.1	0
3/27/2023, 6:50:49 AM	0	6.825	29.5	88.3	0
3/27/2023, 7:00:49 AM	0	6.825	30	88.5	0
3/27/2023, 7:10:49 AM	0	6.825	30.4	88.6	0
3/27/2023, 7:20:49 AM	0	6.825	30.7	88.7	0
3/27/2023, 7:30:49 AM	0	6.825	31.3	88.7	0
3/27/2023, 7:40:49 AM	0	6.833	31.8	88.7	0
3/27/2023, 7:50:49 AM	0	6.833	32	88.5	0
3/27/2023, 8:00:49 AM	0	6.833	32.5	88.2	0
3/27/2023, 8:10:49 AM	0	6.833	33.1	87.8	0
3/27/2023, 8:20:49 AM	0	6.833	34	87.3	0
3/27/2023, 8:30:49 AM	0	6.833	35.1	86.7	0
3/27/2023, 8:40:49 AM	0	6.842	36	85.9	0
3/27/2023, 8:50:49 AM	0	6.842	36.7	84.8	0
3/27/2023, 9:00:49 AM	0	6.842	37.6	84	0
3/27/2023, 9:10:49 AM	0	6.842	38.3	83.3	0
3/27/2023, 9:20:49 AM	0	6.851	39.2	82.4	0
3/27/2023, 9:30:49 AM	0	6.851	39.9	81.4	0
3/27/2023, 9:40:49 AM	0	6.851	40.8	80.3	0
3/27/2023, 9:50:49 AM	0	6.851	41.4	79.3	0
3/27/2023, 10:00:49 AM	0	6.86	42.1	78.2	0
3/27/2023, 10:10:49 AM	0	6.86	42.4	77.1	0
3/27/2023, 10:20:49 AM	0	6.86	42.8	76.3	0
3/27/2023, 10:30:49 AM	0	6.86	43.2	75.5	0
3/27/2023, 10:40:49 AM	0	6.86	43.3	74.8	0
3/27/2023, 10:50:49 AM	0	6.86	43.5	74.2	0
3/27/2023, 11:00:49 AM	0	6.869	43.7	73.6	0
3/27/2023, 11:10:49 AM	0	6.869	44.1	73.2	0
3/27/2023, 11:20:49 AM	0	6.869	44.2	72.7	0
3/27/2023, 11:30:49 AM	0	6.869	44.4	72.4	0
3/27/2023, 11:40:49 AM	0	6.869	44.4	72.1	0
3/27/2023, 11:50:49 AM	0	6.869	44.6	71.8	0
3/27/2023, 12:00:49 PM	0	6.869	44.8	71.4	0
3/27/2023, 12:10:49 PM	0	6.869	45	71	0
3/27/2023, 12:20:49 PM	0	6.869	45.1	70.6	0
3/27/2023, 12:30:49 PM	0	6.869	45.3	69.9	0
3/27/2023, 12:40:49 PM	0	6.869	45.7	69.3	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/27/2023, 12:50:49 PM	0	6.869	46	68.6	0
3/27/2023, 1:00:49 PM	0	6.869	46.4	67.9	0
3/27/2023, 1:10:49 PM	0	6.869	46.4	67.2	0
3/27/2023, 1:20:49 PM	0	6.869	46.2	66.8	0
3/27/2023, 1:30:49 PM	0	6.869	46.2	67	0
3/27/2023, 1:40:49 PM	0	6.869	45.9	67.5	0
3/27/2023, 1:50:49 PM	0	6.869	45.3	68.4	0
3/27/2023, 2:00:49 PM	0	6.869	44.8	69.3	0
3/27/2023, 2:10:49 PM	0	6.869	44.2	70.2	0
3/27/2023, 2:20:49 PM	0	6.869	43.5	71.2	0
3/27/2023, 2:30:49 PM	0	6.869	43	71.9	0
3/27/2023, 2:40:49 PM	0	6.869	42.8	72.4	0
3/27/2023, 2:50:49 PM	0	6.869	42.3	73	0
3/27/2023, 3:00:49 PM	0	6.86	41.9	73.6	0
3/27/2023, 3:10:49 PM	0	6.86	41.5	74.3	0
3/27/2023, 3:20:49 PM	0	6.86	41	75	0
3/27/2023, 3:30:49 PM	0	6.86	40.5	75.8	0
3/27/2023, 3:40:49 PM	0	6.86	39.7	76.9	0
3/27/2023, 3:50:49 PM	0	6.86	39.2	77.9	0
3/27/2023, 4:00:49 PM	0	6.86	38.8	78.8	0
3/27/2023, 4:10:49 PM	0	6.86	38.3	79.8	0
3/27/2023, 4:20:49 PM	0	6.851	37.9	80.5	0
3/27/2023, 4:30:49 PM	0	6.851	37.6	81	0
3/27/2023, 4:40:49 PM	0	6.851	37	81.6	0
3/27/2023, 4:50:49 PM	0	6.851	36.7	82.2	0
3/27/2023, 5:00:49 PM	0	6.851	36.5	82.8	0
3/27/2023, 5:10:49 PM	0	6.851	36.1	83.2	0
3/27/2023, 5:20:49 PM	0	6.842	35.8	83.7	0
3/27/2023, 5:30:49 PM	0	6.851	35.4	84	0
3/27/2023, 5:40:49 PM	0	6.842	35.2	84.4	0
3/27/2023, 5:50:49 PM	0	6.842	34.9	84.8	0
3/27/2023, 6:00:49 PM	0	6.842	34.9	85.2	0
3/27/2023, 6:10:49 PM	0	6.842	34.7	85.6	0
3/27/2023, 6:20:49 PM	0	6.842	34.5	86	0
3/27/2023, 6:30:49 PM	0	6.842	34.5	86.3	0
3/27/2023, 6:40:49 PM	0	6.842	34.3	86.6	0
3/27/2023, 6:50:49 PM	0	6.842	34.3	86.9	0
3/27/2023, 7:00:49 PM	0	6.842	34.3	87.3	0
3/27/2023, 7:10:49 PM	0	6.842	34.3	87.6	0
3/27/2023, 7:20:49 PM	0	6.842	34.3	87.9	0
3/27/2023, 7:30:49 PM	0	6.842	34.3	88.1	0
3/27/2023, 7:40:49 PM	0	6.842	34.3	88.4	0
3/27/2023, 7:50:49 PM	0	6.842	34.3	88.6	0
3/27/2023, 8:00:49 PM	0	6.842	34.3	88.8	0
3/27/2023, 8:10:49 PM	0	6.842	34.3	89	0
3/27/2023, 8:20:49 PM	0	6.842	34.2	89	0
3/27/2023, 8:30:49 PM	0	6.842	34.2	89.2	0
3/27/2023, 8:40:49 PM	0	6.842	34.2	89.4	0
3/27/2023, 8:50:49 PM	0	6.842	34.3	89.7	0
3/27/2023, 9:00:49 PM	0	6.842	34.3	89.9	0
3/27/2023, 9:10:49 PM	0	6.842	34.5	90.2	0
3/27/2023, 9:20:49 PM	0	6.842	34.7	90.5	0
3/27/2023, 9:30:49 PM	0	6.842	34.9	90.7	0
3/27/2023, 9:40:49 PM	0	6.842	35.1	90.9	0
3/27/2023, 9:50:49 PM	0	6.842	35.1	91.2	0
3/27/2023, 10:00:49 PM	0	6.842	35.2	91.3	0
3/27/2023, 10:10:49 PM	0	6.842	35.4	91.4	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/27/2023, 10:20:49 PM	0	6.842	35.4	91.6	0
3/27/2023, 10:30:49 PM	0	6.842	35.6	91.7	0
3/27/2023, 10:40:49 PM	0	6.842	35.6	91.8	0
3/27/2023, 10:50:49 PM	0	6.842	35.4	91.8	0
3/27/2023, 11:00:49 PM	0	6.842	35.4	91.8	0
3/27/2023, 11:10:49 PM	0	6.842	35.4	91.8	0
3/27/2023, 11:20:49 PM	0	6.842	35.4	91.9	0
3/27/2023, 11:30:49 PM	0	6.842	35.4	92	0
3/27/2023, 11:40:49 PM	0	6.842	35.4	91.9	0
3/27/2023, 11:50:49 PM	0	6.842	35.4	92	0
3/28/2023, 12:00:49 AM	0	6.842	35.2	92	0
3/28/2023, 12:10:49 AM	0	6.842	35.1	91.9	0
3/28/2023, 12:20:49 AM	0	6.842	34.7	91.8	0
3/28/2023, 12:30:49 AM	0	6.842	34.5	91.8	0
3/28/2023, 12:40:49 AM	0	6.842	34.3	91.8	0
3/28/2023, 12:50:49 AM	0	6.842	34.2	91.8	0
3/28/2023, 1:00:49 AM	0	6.842	34.2	91.8	0
3/28/2023, 1:10:49 AM	0	6.842	34	91.9	0
3/28/2023, 1:20:49 AM	0	6.842	34	91.9	0
3/28/2023, 1:30:49 AM	0	6.842	34	92.1	0
3/28/2023, 1:40:49 AM	0	6.842	34.2	92.2	0
3/28/2023, 1:50:49 AM	0	6.842	34.2	92.4	0
3/28/2023, 2:00:49 AM	0	6.842	34.2	92.5	0
3/28/2023, 2:10:49 AM	0	6.842	34	92.6	0
3/28/2023, 2:20:49 AM	0	6.842	33.8	92.5	0
3/28/2023, 2:30:49 AM	0	6.842	33.4	92.5	0
3/28/2023, 2:40:49 AM	0	6.842	33.1	92.4	0
3/28/2023, 2:50:49 AM	0	6.842	32.7	92.3	0
3/28/2023, 3:00:49 AM	0	6.833	32.5	92.3	0
3/28/2023, 3:10:49 AM	0	6.833	32.5	92.4	0
3/28/2023, 3:20:49 AM	0	6.833	32.4	92.5	0
3/28/2023, 3:30:49 AM	0	6.833	32.2	92.5	0
3/28/2023, 3:40:49 AM	0	6.833	32	92.4	0
3/28/2023, 3:50:49 AM	0	6.833	31.6	92.4	0
3/28/2023, 4:00:49 AM	0	6.833	31.5	92.4	0
3/28/2023, 4:10:49 AM	0	6.833	31.1	92.3	0
3/28/2023, 4:20:49 AM	0	6.833	30.9	92.2	0
3/28/2023, 4:30:49 AM	0	6.833	30.9	92.3	0
3/28/2023, 4:40:49 AM	0	6.833	31.1	92.5	0
3/28/2023, 4:50:49 AM	0	6.833	31.3	92.7	0
3/28/2023, 5:00:49 AM	0	6.833	31.5	92.8	0
3/28/2023, 5:10:49 AM	0	6.833	31.6	93	0
3/28/2023, 5:20:49 AM	0	6.833	31.8	93.1	0
3/28/2023, 5:30:49 AM	0	6.833	32	93.3	0
3/28/2023, 5:40:49 AM	0	6.833	32	93.5	0
3/28/2023, 5:50:49 AM	0	6.833	32.2	93.5	0
3/28/2023, 6:00:49 AM	0	6.833	32.4	93.6	0
3/28/2023, 6:10:49 AM	0	6.833	32.4	93.7	0
3/28/2023, 6:20:49 AM	0	6.833	32.5	93.8	0
3/28/2023, 6:30:49 AM	0	6.833	32.5	93.8	0
3/28/2023, 6:40:49 AM	0	6.833	32.5	93.9	0
3/28/2023, 6:50:49 AM	0	6.833	32.7	94	0
3/28/2023, 7:00:49 AM	0	6.833	32.9	94	0
3/28/2023, 7:10:49 AM	0	6.833	32.9	94	0
3/28/2023, 7:20:49 AM	0	6.833	32.9	94.1	0
3/28/2023, 7:30:49 AM	0	6.833	33.1	94.1	0
3/28/2023, 7:40:49 AM	0	6.833	33.4	94.2	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/28/2023, 7:50:49 AM	0	6.842	33.6	94.3	0
3/28/2023, 8:00:49 AM	0	6.842	34	94.4	0
3/28/2023, 8:10:49 AM	0	6.842	34	94.4	0
3/28/2023, 8:20:49 AM	0	6.842	34.2	94.4	0
3/28/2023, 8:30:49 AM	0	6.842	34.3	94.5	0
3/28/2023, 8:40:49 AM	0	6.842	34.5	94.5	0
3/28/2023, 8:50:49 AM	0	6.842	34.7	94.5	0
3/28/2023, 9:00:49 AM	0	6.842	35.1	94.4	0
3/28/2023, 9:10:49 AM	0	6.842	35.4	94.4	0
3/28/2023, 9:20:49 AM	0	6.842	35.6	94.2	0
3/28/2023, 9:30:49 AM	0	6.842	36	94	0
3/28/2023, 9:40:49 AM	0	6.842	36.3	93.8	0
3/28/2023, 9:50:49 AM	0	6.842	36.7	93.4	0
3/28/2023, 10:00:49 AM	0	6.842	36.7	93.1	0
3/28/2023, 10:10:49 AM	0	6.851	37	92.7	0
3/28/2023, 10:20:49 AM	0	6.851	37.4	92.3	0
3/28/2023, 10:30:49 AM	0	6.851	37.8	91.9	0
3/28/2023, 10:40:49 AM	0	6.851	38.1	91.6	0
3/28/2023, 10:50:49 AM	0	6.851	38.7	91.2	0
3/28/2023, 11:00:49 AM	0	6.851	39	90.8	0
3/28/2023, 11:10:49 AM	0	6.851	39.2	90.4	0
3/28/2023, 11:20:49 AM	0	6.851	39.2	90	0
3/28/2023, 11:30:49 AM	0	6.851	39	89.7	0
3/28/2023, 11:40:49 AM	0	6.851	39.2	89.5	0
3/28/2023, 11:50:49 AM	0	6.851	39.4	89.5	0
3/28/2023, 12:00:49 PM	0	6.851	39.9	89.4	0
3/28/2023, 12:10:49 PM	0	6.851	40.6	89.1	0
3/28/2023, 12:20:49 PM	0	6.86	41.2	88.7	0
3/28/2023, 12:30:49 PM	0	6.86	41.7	88.2	0
3/28/2023, 12:40:49 PM	0	6.86	41.9	87.8	0
3/28/2023, 12:50:49 PM	0	6.86	42.3	87.4	0
3/28/2023, 1:00:49 PM	0	6.86	42.4	87.1	0
3/28/2023, 1:10:49 PM	0	6.86	43	86.6	0
3/28/2023, 1:20:49 PM	0	6.86	43.3	86.1	0
3/28/2023, 1:30:49 PM	0	6.86	43.9	85.4	0
3/28/2023, 1:40:49 PM	0	6.86	44.8	84.8	0
3/28/2023, 1:50:49 PM	0	6.869	46.4	84.4	0
3/28/2023, 2:00:49 PM	0	6.869	47.7	83.8	0
3/28/2023, 2:10:49 PM	0	6.869	48	82.2	0
3/28/2023, 2:20:49 PM	0	6.869	47.8	80.6	0
3/28/2023, 2:30:49 PM	0	6.869	47.7	79.4	0
3/28/2023, 2:40:49 PM	0	6.869	48.6	78.8	0
3/28/2023, 2:50:49 PM	0	6.869	49.8	78	0
3/28/2023, 3:00:49 PM	0	6.877	50	76.9	0
3/28/2023, 3:10:49 PM	0	6.877	50.2	75.6	0
3/28/2023, 3:20:49 PM	0	6.877	50	74.5	0
3/28/2023, 3:30:49 PM	0	6.877	49.8	73.5	0
3/28/2023, 3:40:49 PM	0	6.877	49.8	72.5	0
3/28/2023, 3:50:49 PM	0	6.877	50.9	71.9	0
3/28/2023, 4:00:49 PM	0	6.877	50.9	70.5	0
3/28/2023, 4:10:49 PM	0	6.877	51.4	69.8	0
3/28/2023, 4:20:49 PM	0	6.877	51.8	68.8	0
3/28/2023, 4:30:49 PM	0	6.877	52.2	67.8	0
3/28/2023, 4:40:49 PM	0	6.877	51.8	66.8	0
3/28/2023, 4:50:49 PM	0	6.877	51.8	66.1	0
3/28/2023, 5:00:49 PM	0	6.877	51.8	65.5	0
3/28/2023, 5:10:49 PM	0	6.877	52	65	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/28/2023, 5:20:49 PM	0	6.877	51.3	64.5	0
3/28/2023, 5:30:49 PM	0	6.877	50.9	64.2	0
3/28/2023, 5:40:49 PM	0	6.877	50.5	63.5	0
3/28/2023, 5:50:49 PM	0	6.877	49.8	62.7	0
3/28/2023, 6:00:49 PM	0	6.877	49.1	62.2	0
3/28/2023, 6:10:49 PM	0	6.877	48	61.7	0
3/28/2023, 6:20:49 PM	0	6.877	47.1	61.6	0
3/28/2023, 6:30:49 PM	0	6.877	46.4	61.5	0
3/28/2023, 6:40:49 PM	0	6.877	45.9	61.4	0
3/28/2023, 6:50:49 PM	0	6.869	45.3	61.4	0
3/28/2023, 7:00:49 PM	0	6.869	44.8	61.5	0
3/28/2023, 7:10:49 PM	0	6.869	44.2	61.7	0
3/28/2023, 7:20:49 PM	0	6.869	43.7	61.7	0
3/28/2023, 7:30:49 PM	0	6.869	43.2	61.8	0
3/28/2023, 7:40:49 PM	0	6.869	42.4	62.2	0
3/28/2023, 7:50:49 PM	0	6.869	41.7	62.7	0
3/28/2023, 8:00:49 PM	0	6.869	41	63.1	0
3/28/2023, 8:10:49 PM	0	6.86	40.3	63.5	0
3/28/2023, 8:20:49 PM	0	6.86	39.7	64	0
3/28/2023, 8:30:49 PM	0	6.86	39	64.5	0
3/28/2023, 8:40:49 PM	0	6.86	38.3	65.3	0
3/28/2023, 8:50:49 PM	0	6.86	37.8	66.1	0
3/28/2023, 9:00:49 PM	0	6.851	37.2	66.9	0
3/28/2023, 9:10:49 PM	0	6.851	36.5	67.8	0
3/28/2023, 9:20:49 PM	0	6.851	35.8	69	0
3/28/2023, 9:30:49 PM	0	6.851	35.1	70.4	0
3/28/2023, 9:40:49 PM	0	6.851	34.5	71.4	0
3/28/2023, 9:50:49 PM	0	6.842	34.2	72.2	0
3/28/2023, 10:00:49 PM	0	6.842	33.6	73.1	0
3/28/2023, 10:10:49 PM	0	6.842	33.4	74.8	0
3/28/2023, 10:20:49 PM	0	6.842	33.6	76.8	0
3/28/2023, 10:30:49 PM	0	6.842	34	78.3	0
3/28/2023, 10:40:49 PM	0	6.842	34.2	79.3	0
3/28/2023, 10:50:49 PM	0	6.842	34.2	80	0
3/28/2023, 11:00:49 PM	0	6.842	34.2	80.4	0
3/28/2023, 11:10:49 PM	0	6.842	34.2	80.8	0
3/28/2023, 11:20:49 PM	0	6.842	34	81.1	0
3/28/2023, 11:30:49 PM	0	6.842	33.8	81.4	0
3/28/2023, 11:40:49 PM	0	6.842	33.4	81.6	0
3/28/2023, 11:50:49 PM	0	6.842	33.1	81.7	0
3/29/2023, 12:00:49 AM	0	6.842	32.5	81.9	0
3/29/2023, 12:10:49 AM	0	6.842	32.4	82.4	0
3/29/2023, 12:20:49 AM	0	6.833	32.2	83	0
3/29/2023, 12:30:49 AM	0	6.833	32.2	83.5	0
3/29/2023, 12:40:49 AM	0	6.833	32.2	83.8	0
3/29/2023, 12:50:49 AM	0	6.833	32.2	84	0
3/29/2023, 1:00:49 AM	0	6.833	32	84.1	0
3/29/2023, 1:10:49 AM	0	6.833	32	84.1	0
3/29/2023, 1:20:49 AM	0	6.833	31.8	84.2	0
3/29/2023, 1:30:49 AM	0	6.833	31.6	84.3	0
3/29/2023, 1:40:49 AM	0	6.833	31.5	84.3	0
3/29/2023, 1:50:49 AM	0	6.833	31.3	84.2	0
3/29/2023, 2:00:49 AM	0	6.833	30.9	84.1	0
3/29/2023, 2:10:49 AM	0	6.833	30.6	84.2	0
3/29/2023, 2:20:49 AM	0	6.833	30.4	84.4	0
3/29/2023, 2:30:49 AM	0	6.833	30.2	84.6	0
3/29/2023, 2:40:49 AM	0	6.833	29.8	84.7	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/29/2023, 2:50:49 AM	0	6.833	29.7	84.9	0
3/29/2023, 3:00:49 AM	0	6.825	29.5	85.1	0
3/29/2023, 3:10:49 AM	0	6.825	29.3	85.2	0
3/29/2023, 3:20:49 AM	0	6.825	29.3	85.5	0
3/29/2023, 3:30:49 AM	0	6.825	29.3	85.7	0
3/29/2023, 3:40:49 AM	0	6.825	29.1	85.8	0
3/29/2023, 3:50:49 AM	0	6.825	28.8	86	0
3/29/2023, 4:00:49 AM	0	6.825	28.6	86.1	0
3/29/2023, 4:10:49 AM	0	6.825	28.4	86.2	0
3/29/2023, 4:20:49 AM	0	6.825	28.2	86.3	0
3/29/2023, 4:30:49 AM	0	6.825	28	86.4	0
3/29/2023, 4:40:49 AM	0	6.825	27.9	86.6	0
3/29/2023, 4:50:49 AM	0	6.825	27.9	86.8	0
3/29/2023, 5:00:49 AM	0	6.825	27.7	87.1	0
3/29/2023, 5:10:49 AM	0	6.825	27.7	87.2	0
3/29/2023, 5:20:49 AM	0	6.825	27.7	87.5	0
3/29/2023, 5:30:49 AM	0	6.825	28.2	87.9	0
3/29/2023, 5:40:49 AM	0	6.825	28.6	88.4	0
3/29/2023, 5:50:49 AM	0	6.825	28.9	88.8	0
3/29/2023, 6:00:49 AM	0	6.825	29.1	89	0
3/29/2023, 6:10:49 AM	0	6.825	29.3	89.2	0
3/29/2023, 6:20:49 AM	0	6.825	29.3	89.3	0
3/29/2023, 6:30:49 AM	0	6.825	29.5	89.3	0
3/29/2023, 6:40:49 AM	0	6.825	29.7	89.3	0
3/29/2023, 6:50:49 AM	0	6.825	29.5	89.1	0
3/29/2023, 7:00:49 AM	0	6.825	29.5	89	0
3/29/2023, 7:10:49 AM	0	6.825	30	89	0
3/29/2023, 7:20:49 AM	0	6.833	30.9	89	0
3/29/2023, 7:30:49 AM	0	6.833	31.8	88.9	0
3/29/2023, 7:40:49 AM	0	6.833	32.5	88.5	0
3/29/2023, 7:50:49 AM	0	6.833	33.4	87.9	0
3/29/2023, 8:00:49 AM	0	6.842	34.3	87.2	0
3/29/2023, 8:10:49 AM	0	6.842	35.1	86.3	0
3/29/2023, 8:20:49 AM	0	6.842	36	85.4	0
3/29/2023, 8:30:49 AM	0	6.842	36.9	84.4	0
3/29/2023, 8:40:49 AM	0	6.851	37.9	83.3	0
3/29/2023, 8:50:49 AM	0	6.851	38.8	82.2	0
3/29/2023, 9:00:49 AM	0	6.851	39.7	81	0
3/29/2023, 9:10:49 AM	0	6.851	40.8	79.7	0
3/29/2023, 9:20:49 AM	0	6.86	41.7	78.3	0
3/29/2023, 9:30:49 AM	0	6.86	42.6	76.9	0
3/29/2023, 9:40:49 AM	0	6.86	43.2	75.6	0
3/29/2023, 9:50:49 AM	0	6.86	43.5	74.4	0
3/29/2023, 10:00:49 AM	0	6.86	44.1	73.6	0
3/29/2023, 10:10:49 AM	0	6.86	45.3	72.9	0
3/29/2023, 10:20:49 AM	0	6.869	46.6	72.2	0
3/29/2023, 10:30:49 AM	0	6.869	47.8	71.5	0
3/29/2023, 10:40:49 AM	0	6.869	48.7	70.5	0
3/29/2023, 10:50:49 AM	0	6.869	49.5	69.3	0
3/29/2023, 11:00:49 AM	0	6.869	50.2	68.1	0
3/29/2023, 11:10:49 AM	0	6.877	51.1	67	0
3/29/2023, 11:20:49 AM	0	6.877	51.8	66.2	0
3/29/2023, 11:30:49 AM	0	6.877	52.9	65.4	0
3/29/2023, 11:40:49 AM	0	6.877	53.8	64.6	0
3/29/2023, 11:50:49 AM	0	6.877	54.5	63.9	0
3/29/2023, 12:00:49 PM	0	6.877	55	63.3	0
3/29/2023, 12:10:49 PM	0	6.886	55.4	62.5	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/29/2023, 12:20:49 PM	0	6.886	55.4	61.9	0
3/29/2023, 12:30:49 PM	0	6.886	55.9	61.5	0
3/29/2023, 12:40:49 PM	0	6.886	55.6	60.9	0
3/29/2023, 12:50:49 PM	0	6.886	55.2	60.6	0
3/29/2023, 1:00:49 PM	0	6.886	55.6	60.3	0
3/29/2023, 1:10:49 PM	0	6.886	55.6	60	0
3/29/2023, 1:20:49 PM	0	6.886	55.4	59.4	0
3/29/2023, 1:30:49 PM	0	6.886	55.8	59.1	0
3/29/2023, 1:40:49 PM	0	6.886	55.8	58.8	0
3/29/2023, 1:50:49 PM	0	6.886	56.1	58.4	0
3/29/2023, 2:00:49 PM	0	6.886	56.5	58.2	0
3/29/2023, 2:10:49 PM	0	6.886	56.5	57.8	0
3/29/2023, 2:20:49 PM	0	6.886	56.3	57.3	0
3/29/2023, 2:30:49 PM	0	6.886	55.6	56.7	0
3/29/2023, 2:40:49 PM	0	6.886	55.4	56.2	0
3/29/2023, 2:50:49 PM	0	6.886	55.4	56	0
3/29/2023, 3:00:49 PM	0	6.886	55	55.8	0
3/29/2023, 3:10:49 PM	0	6.886	54.5	55.6	0
3/29/2023, 3:20:49 PM	0	6.886	54	55.5	0
3/29/2023, 3:30:49 PM	0	6.886	54	55.4	0
3/29/2023, 3:40:49 PM	0	6.886	54.1	55.4	0
3/29/2023, 3:50:49 PM	0	6.886	53.6	55.3	0
3/29/2023, 4:00:49 PM	0	6.886	53.2	55.4	0
3/29/2023, 4:10:49 PM	0	6.886	52.7	55.4	0
3/29/2023, 4:20:49 PM	0	6.886	52.2	55.8	0
3/29/2023, 4:30:49 PM	0	6.886	52.2	56.5	0
3/29/2023, 4:40:49 PM	0	6.886	52.5	57.2	0
3/29/2023, 4:50:49 PM	0	6.886	52.2	57.6	0
3/29/2023, 5:00:49 PM	0	6.886	52	58.1	0
3/29/2023, 5:10:49 PM	0	6.886	51.3	58.7	0
3/29/2023, 5:20:49 PM	0	6.877	50.7	59.2	0
3/29/2023, 5:30:49 PM	0	6.877	50.4	59.4	0
3/29/2023, 5:40:49 PM	0	6.877	49.8	58.6	0
3/29/2023, 5:50:49 PM	0	6.877	49.3	58	0
3/29/2023, 6:00:49 PM	0	6.877	47.7	58.5	0
3/29/2023, 6:10:49 PM	0	6.877	43.7	60.5	0
3/29/2023, 6:20:49 PM	0	6.877	40.8	63.4	0
3/29/2023, 6:30:49 PM	0	6.869	39	66.1	0
3/29/2023, 6:40:49 PM	0	6.86	37.6	68.5	0
3/29/2023, 6:50:49 PM	0	6.86	36.5	70.3	0
3/29/2023, 7:00:49 PM	0	6.851	35.8	72.1	0
3/29/2023, 7:10:49 PM	0	6.851	35.1	73.4	0
3/29/2023, 7:20:49 PM	0	6.851	34.3	74.6	0
3/29/2023, 7:30:49 PM	0	6.842	34	75.4	0
3/29/2023, 7:40:49 PM	0	6.842	33.6	75.9	0
3/29/2023, 7:50:49 PM	0	6.842	33.3	76.4	0
3/29/2023, 8:00:49 PM	0	6.842	33.1	76.5	0
3/29/2023, 8:10:49 PM	0	6.842	32.9	76.4	0
3/29/2023, 8:20:49 PM	0	6.842	32.7	76.2	0
3/29/2023, 8:30:49 PM	0	6.842	32.5	75.8	0
3/29/2023, 8:40:49 PM	0	6.833	32.4	75.2	0
3/29/2023, 8:50:49 PM	0	6.833	32	73.9	0
3/29/2023, 9:00:49 PM	0	6.833	31.8	72.8	0
3/29/2023, 9:10:49 PM	0	6.833	31.6	71.8	0
3/29/2023, 9:20:49 PM	0	6.833	31.5	71.1	0
3/29/2023, 9:30:49 PM	0	6.833	31.3	70.6	0
3/29/2023, 9:40:49 PM	0	6.833	31.1	70.2	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/29/2023, 9:50:49 PM	0	6.833	31.1	69.7	0
3/29/2023, 10:00:49 PM	0	6.833	30.9	69.4	0
3/29/2023, 10:10:49 PM	0	6.833	30.7	69.2	0
3/29/2023, 10:20:49 PM	0	6.833	30.6	69.1	0
3/29/2023, 10:30:49 PM	0	6.833	30.4	69.1	0
3/29/2023, 10:40:49 PM	0	6.833	30.4	69.2	0
3/29/2023, 10:50:49 PM	0	6.833	30	69.6	0
3/29/2023, 11:00:49 PM	0	6.825	29.8	70.2	0
3/29/2023, 11:10:49 PM	0	6.825	29.5	70	0
3/29/2023, 11:20:49 PM	0	6.825	29.3	69.5	0
3/29/2023, 11:30:49 PM	0	6.825	29.1	69.2	0
3/29/2023, 11:40:49 PM	0	6.825	28.9	68.9	0
3/29/2023, 11:50:49 PM	0	6.825	28.8	68.9	0
3/30/2023, 12:00:49 AM	0	6.825	28.4	68.8	0
3/30/2023, 12:10:49 AM	0	6.825	28.4	68.4	0
3/30/2023, 12:20:49 AM	0	6.825	28.4	67.9	0
3/30/2023, 12:30:49 AM	0	6.825	28.2	67.6	0
3/30/2023, 12:40:49 AM	0	6.825	28.2	67.5	0
3/30/2023, 12:50:49 AM	0	6.825	28	67.4	0
3/30/2023, 1:00:49 AM	0	6.825	28	67.4	0
3/30/2023, 1:10:49 AM	0	6.825	27.9	67.3	0
3/30/2023, 1:20:49 AM	0	6.825	27.7	67.1	0
3/30/2023, 1:30:49 AM	0	6.816	27.5	67	0
3/30/2023, 1:40:49 AM	0	6.816	27.1	66.8	0
3/30/2023, 1:50:49 AM	0	6.816	27	66.7	0
3/30/2023, 2:00:49 AM	0	6.816	26.6	66.7	0
3/30/2023, 2:10:49 AM	0	6.816	26.4	66.7	0
3/30/2023, 2:20:49 AM	0	6.816	26.4	66.6	0
3/30/2023, 2:30:49 AM	0	6.816	26.2	66.6	0
3/30/2023, 2:40:49 AM	0	6.816	26.1	66.6	0
3/30/2023, 2:50:49 AM	0	6.816	26.1	66.7	0
3/30/2023, 3:00:49 AM	0	6.816	25.9	66.8	0
3/30/2023, 3:10:49 AM	0	6.816	25.9	66.8	0
3/30/2023, 3:20:49 AM	0	6.816	25.9	66.9	0
3/30/2023, 3:30:49 AM	0	6.816	25.9	67.1	0
3/30/2023, 3:40:49 AM	0	6.816	25.7	67.2	0
3/30/2023, 3:50:49 AM	0	6.816	25.7	67.4	0
3/30/2023, 4:00:49 AM	0	6.816	25.7	67.7	0
3/30/2023, 4:10:49 AM	0	6.816	25.7	67.9	0
3/30/2023, 4:20:49 AM	0	6.816	25.7	68.5	0
3/30/2023, 4:30:49 AM	0	6.816	25.7	69	0
3/30/2023, 4:40:49 AM	0	6.816	25.7	69.4	0
3/30/2023, 4:50:49 AM	0	6.816	25.5	69.6	0
3/30/2023, 5:00:49 AM	0	6.816	25.5	69.7	0
3/30/2023, 5:10:49 AM	0	6.816	25.3	69.9	0
3/30/2023, 5:20:49 AM	0	6.816	25.2	69.9	0
3/30/2023, 5:30:49 AM	0	6.816	25.2	69.9	0
3/30/2023, 5:40:49 AM	0	6.816	25.2	69.9	0
3/30/2023, 5:50:49 AM	0	6.816	25.3	70.1	0
3/30/2023, 6:00:49 AM	0	6.816	25.5	70.7	0
3/30/2023, 6:10:49 AM	0	6.816	25.7	71.4	0
3/30/2023, 6:20:49 AM	0	6.816	25.7	71.8	0
3/30/2023, 6:30:49 AM	0	6.816	25.7	72	0
3/30/2023, 6:40:49 AM	0	6.816	25.7	72.5	0
3/30/2023, 6:50:49 AM	0	6.816	25.5	73.3	0
3/30/2023, 7:00:49 AM	0	6.816	25.3	73.9	0
3/30/2023, 7:10:49 AM	0	6.816	25.3	73.9	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/30/2023, 7:20:49 AM	0	6.807	25.3	73.8	0
3/30/2023, 7:30:49 AM	0	6.816	25.2	73.7	0
3/30/2023, 7:40:49 AM	0	6.807	25.2	73.4	0
3/30/2023, 7:50:49 AM	0	6.807	25.2	73.2	0
3/30/2023, 8:00:49 AM	0	6.807	25.7	73	0
3/30/2023, 8:10:49 AM	0	6.807	26.2	72.7	0
3/30/2023, 8:20:49 AM	0	6.816	26.2	72.4	0
3/30/2023, 8:30:49 AM	0	6.816	26.2	72.1	0
3/30/2023, 8:40:49 AM	0	6.807	26.8	72	0
3/30/2023, 8:50:49 AM	0	6.816	28	71.9	0
3/30/2023, 9:00:49 AM	0	6.816	28.8	71.7	0
3/30/2023, 9:10:49 AM	0	6.816	29.5	71.4	0
3/30/2023, 9:20:49 AM	0	6.816	31.5	71	0
3/30/2023, 9:30:49 AM	0	6.825	33.8	70.3	0
3/30/2023, 9:40:49 AM	0	6.825	34.5	69.2	0
3/30/2023, 9:50:49 AM	0	6.833	35.2	68	0
3/30/2023, 10:00:49 AM	0	6.833	35.4	67.1	0
3/30/2023, 10:10:49 AM	0	6.833	34.9	66.2	0
3/30/2023, 10:20:49 AM	0	6.833	34.5	65.7	0
3/30/2023, 10:30:49 AM	0	6.833	34	65.8	0
3/30/2023, 10:40:49 AM	0	6.833	34.3	66.1	0
3/30/2023, 10:50:49 AM	0	6.833	36.5	66.2	0
3/30/2023, 11:00:49 AM	0	6.842	36.9	65.7	0
3/30/2023, 11:10:49 AM	0	6.842	36.5	65.1	0
3/30/2023, 11:20:49 AM	0	6.842	36.1	64.6	0
3/30/2023, 11:30:49 AM	0	6.842	36.5	63.9	0
3/30/2023, 11:40:49 AM	0	6.842	37	63.4	0
3/30/2023, 11:50:49 AM	0	6.842	37.4	63.1	0
3/30/2023, 12:00:49 PM	0	6.842	37.8	63	0
3/30/2023, 12:10:49 PM	0	6.851	37.4	62.9	0
3/30/2023, 12:20:49 PM	0	6.851	37.2	63	0
3/30/2023, 12:30:49 PM	0	6.851	37.8	62.8	0
3/30/2023, 12:40:49 PM	0	6.851	38.5	62.5	0
3/30/2023, 12:50:49 PM	0	6.851	38.8	62	0
3/30/2023, 1:00:49 PM	0	6.851	39.6	62	0
3/30/2023, 1:10:49 PM	0	6.851	40.3	61.8	0
3/30/2023, 1:20:49 PM	0	6.851	41.2	61.6	0
3/30/2023, 1:30:49 PM	0	6.851	41.4	61.5	0
3/30/2023, 1:40:49 PM	0	6.851	41.5	61	0
3/30/2023, 1:50:49 PM	0	6.851	42.3	60.4	0
3/30/2023, 2:00:49 PM	0	6.86	42.8	59.9	0
3/30/2023, 2:10:49 PM	0	6.86	43.9	59.7	0
3/30/2023, 2:20:49 PM	0	6.86	44.8	59.1	0
3/30/2023, 2:30:49 PM	0	6.86	45.5	58.4	0
3/30/2023, 2:40:49 PM	0	6.86	45.1	57.7	0
3/30/2023, 2:50:49 PM	0	6.86	44.2	57.2	0
3/30/2023, 3:00:49 PM	0	6.86	44.6	56.8	0
3/30/2023, 3:10:49 PM	0	6.86	44.8	56.9	0
3/30/2023, 3:20:49 PM	0	6.86	44.6	56.9	0
3/30/2023, 3:30:49 PM	0	6.86	43.7	56.9	0
3/30/2023, 3:40:49 PM	0	6.86	43.7	56.7	0
3/30/2023, 3:50:49 PM	0	6.86	43.9	56.6	0
3/30/2023, 4:00:49 PM	0	6.86	44.2	56.6	0
3/30/2023, 4:10:49 PM	0	6.86	44.2	56.4	0
3/30/2023, 4:20:49 PM	0	6.86	43.5	56.2	0
3/30/2023, 4:30:49 PM	0	6.86	44.1	56.2	0
3/30/2023, 4:40:49 PM	0	6.86	44.2	56.2	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/30/2023, 4:50:49 PM	0	6.86	43.9	56	0
3/30/2023, 5:00:49 PM	0	6.86	44.1	56.1	0
3/30/2023, 5:10:49 PM	0	6.86	44.2	56.1	0
3/30/2023, 5:20:49 PM	0	6.86	44.1	56	0
3/30/2023, 5:30:49 PM	0	6.86	43.9	56	0
3/30/2023, 5:40:49 PM	0	6.86	43.5	55.9	0
3/30/2023, 5:50:49 PM	0	6.86	43.3	55.9	0
3/30/2023, 6:00:49 PM	0	6.86	43	56	0
3/30/2023, 6:10:49 PM	0	6.86	42.6	56	0
3/30/2023, 6:20:49 PM	0	6.86	41.9	56.1	0
3/30/2023, 6:30:49 PM	0	6.86	41.4	56.2	0
3/30/2023, 6:40:49 PM	0	6.86	40.8	56.4	0
3/30/2023, 6:50:49 PM	0	6.86	39.9	56.7	0
3/30/2023, 7:00:49 PM	0	6.86	38.8	57	0
3/30/2023, 7:10:49 PM	0	6.86	37.9	57.4	0
3/30/2023, 7:20:49 PM	0	6.86	37	57.9	0
3/30/2023, 7:30:49 PM	0	6.851	36.3	58.5	0
3/30/2023, 7:40:49 PM	0	6.851	35.6	59.1	0
3/30/2023, 7:50:49 PM	0	6.851	34.9	59.9	0
3/30/2023, 8:00:49 PM	0	6.851	34.3	60.6	0
3/30/2023, 8:10:49 PM	0	6.842	33.6	61.3	0
3/30/2023, 8:20:49 PM	0	6.842	32.7	61.9	0
3/30/2023, 8:30:49 PM	0	6.842	32	62.8	0
3/30/2023, 8:40:49 PM	0	6.842	31.3	63.7	0
3/30/2023, 8:50:49 PM	0	6.842	30.6	64.6	0
3/30/2023, 9:00:49 PM	0	6.833	29.8	65.6	0
3/30/2023, 9:10:49 PM	0	6.833	29.3	66.6	0
3/30/2023, 9:20:49 PM	0	6.833	29.1	67.5	0
3/30/2023, 9:30:49 PM	0	6.833	28.6	68.2	0
3/30/2023, 9:40:49 PM	0	6.825	28.2	69.1	0
3/30/2023, 9:50:49 PM	0	6.825	27.7	69.8	0
3/30/2023, 10:00:49 PM	0	6.825	27.3	70.6	0
3/30/2023, 10:10:49 PM	0	6.825	26.8	71.4	0
3/30/2023, 10:20:49 PM	0	6.825	26.6	72.3	0
3/30/2023, 10:30:49 PM	0	6.825	26.4	73.1	0
3/30/2023, 10:40:49 PM	0	6.816	26.4	73.8	0
3/30/2023, 10:50:49 PM	0	6.816	26.4	74.3	0
3/30/2023, 11:00:49 PM	0	6.816	26.2	74.7	0
3/30/2023, 11:10:49 PM	0	6.816	25.9	74.9	0
3/30/2023, 11:20:49 PM	0	6.816	25.7	75.1	0
3/30/2023, 11:30:49 PM	0	6.816	25.5	75.4	0
3/30/2023, 11:40:49 PM	0	6.816	25.3	75.7	0
3/30/2023, 11:50:49 PM	0	6.816	25.2	76.1	0
3/31/2023, 12:00:49 AM	0	6.816	25.2	76.5	0
3/31/2023, 12:10:49 AM	0	6.816	25.2	76.9	0
3/31/2023, 12:20:49 AM	0	6.816	25.2	77.1	0
3/31/2023, 12:30:49 AM	0	6.816	25.2	77.3	0
3/31/2023, 12:40:49 AM	0	6.816	25.2	77.6	0
3/31/2023, 12:50:49 AM	0	6.816	25.2	77.8	0
3/31/2023, 1:00:49 AM	0	6.816	25.2	78	0
3/31/2023, 1:10:49 AM	0	6.816	25.2	78.1	0
3/31/2023, 1:20:49 AM	0	6.816	25.2	78.3	0
3/31/2023, 1:30:49 AM	0	6.816	25.3	78.4	0
3/31/2023, 1:40:49 AM	0	6.816	25.3	78.5	0
3/31/2023, 1:50:49 AM	0	6.816	25.3	78.5	0
3/31/2023, 2:00:49 AM	0	6.816	25.5	78.5	0
3/31/2023, 2:10:49 AM	0	6.816	25.5	78.5	0

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/31/2023, 2:20:49 AM	0	6.816	25.7	78.5	0
3/31/2023, 2:30:49 AM	0	6.816	25.7	78.5	0
3/31/2023, 2:40:49 AM	0	6.816	25.9	78.4	0
3/31/2023, 2:50:49 AM	0	6.816	25.9	78.4	0
3/31/2023, 3:00:49 AM	0	6.816	25.9	78.4	0
3/31/2023, 3:10:49 AM	0	6.816	26.1	78.4	0
3/31/2023, 3:20:49 AM	0	6.816	26.1	78.5	0
3/31/2023, 3:30:49 AM	0	6.816	25.9	78.5	0
3/31/2023, 3:40:49 AM	0	6.816	25.9	78.6	0
3/31/2023, 3:50:49 AM	0	6.816	26.1	78.8	0
3/31/2023, 4:00:49 AM	0	6.816	26.1	79	0
3/31/2023, 4:10:49 AM	0	6.816	26.1	79.1	0
3/31/2023, 4:20:49 AM	0	6.816	26.2	79.3	0
3/31/2023, 4:30:49 AM	0	6.816	26.4	79.4	0
3/31/2023, 4:40:49 AM	0	6.816	26.8	79.4	0
3/31/2023, 4:50:49 AM	0	6.816	27.1	79.4	0
3/31/2023, 5:00:49 AM	0	6.825	27.5	79.4	0
3/31/2023, 5:10:49 AM	0	6.825	27.9	79.3	0
3/31/2023, 5:20:49 AM	0	6.825	28.2	79.2	0
3/31/2023, 5:30:49 AM	0	6.825	28.4	79.1	0
3/31/2023, 5:40:49 AM	0	6.825	28.6	79	0
3/31/2023, 5:50:49 AM	0	6.825	28.9	79.1	0
3/31/2023, 6:00:49 AM	0	6.825	29.1	79.1	0
3/31/2023, 6:10:49 AM	0	6.825	29.3	79.2	0
3/31/2023, 6:20:49 AM	0	6.825	29.5	79.1	0
3/31/2023, 6:30:49 AM	0	6.825	29.5	79.1	0
3/31/2023, 6:40:49 AM	0	6.833	29.7	78.9	0
3/31/2023, 6:50:49 AM	0	6.833	29.8	78.8	0
3/31/2023, 7:00:49 AM	0	6.833	30	78.8	0
3/31/2023, 7:10:49 AM	0	6.833	30.2	78.7	0
3/31/2023, 7:20:49 AM	0	6.833	30.4	78.6	0
3/31/2023, 7:30:49 AM	0	6.833	30.6	78.5	0
3/31/2023, 7:40:49 AM	0	6.833	30.9	78.4	0
3/31/2023, 7:50:49 AM	0	6.833	31.1	78.3	0
3/31/2023, 8:00:49 AM	0	6.833	31.5	78.4	0
3/31/2023, 8:10:49 AM	0	6.833	31.8	78.3	0
3/31/2023, 8:20:49 AM	0	6.833	32	78.3	0
3/31/2023, 8:30:49 AM	0	6.833	32.5	78.2	0
3/31/2023, 8:40:49 AM	0	6.842	33.1	78	0
3/31/2023, 8:50:49 AM	0	6.842	33.6	77.7	0
3/31/2023, 9:00:49 AM	0	6.842	34	77.4	0
3/31/2023, 9:10:49 AM	0	6.842	34.5	77.1	0
3/31/2023, 9:20:49 AM	0	6.842	35.1	76.7	0
3/31/2023, 9:30:49 AM	0	6.842	35.8	76.3	0
3/31/2023, 9:40:49 AM	0	6.842	36.1	76.1	0
3/31/2023, 9:50:49 AM	0	6.851	36.5	75.9	0
3/31/2023, 10:00:49 AM	0	6.851	36.9	75.8	0
3/31/2023, 10:10:49 AM	0	6.851	37.4	75.7	0
3/31/2023, 10:20:49 AM	0	6.851	37.9	75.4	0
3/31/2023, 10:30:49 AM	0	6.851	38.5	75.1	0
3/31/2023, 10:40:49 AM	0	6.851	38.8	74.8	0
3/31/2023, 10:50:49 AM	0	6.86	39.2	74.8	0
3/31/2023, 11:00:49 AM	0	6.86	39.6	75	0
3/31/2023, 11:10:49 AM	0	6.86	39.7	75.2	0
3/31/2023, 11:20:49 AM	0	6.86	40.1	75.2	0
3/31/2023, 11:30:49 AM	0	6.86	40.3	75	0
3/31/2023, 11:40:49 AM	0	6.86	40.6	74.8	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/31/2023, 11:50:49 AM	0	6.86	41	74.3	0
3/31/2023, 12:00:49 PM	0	6.86	41.4	73.8	0
3/31/2023, 12:10:49 PM	0	6.86	42.1	73.1	0
3/31/2023, 12:20:49 PM	0	6.86	42.8	72	0
3/31/2023, 12:30:49 PM	0	6.869	43.7	70.9	0
3/31/2023, 12:40:49 PM	0	6.869	44.8	70	0
3/31/2023, 12:50:49 PM	0	6.869	45.7	69.4	0
3/31/2023, 1:00:49 PM	0	6.869	46	68.6	0
3/31/2023, 1:10:49 PM	0	6.869	46	68.3	0
3/31/2023, 1:20:49 PM	0	6.869	45.7	69	0
3/31/2023, 1:30:49 PM	0	6.869	45.1	69.9	0
3/31/2023, 1:40:49 PM	0	6.869	45	70.9	0
3/31/2023, 1:50:49 PM	0	6.869	44.6	72.1	0
3/31/2023, 2:00:49 PM	0	6.869	44.1	73.2	0
3/31/2023, 2:10:49 PM	0	6.869	43.5	74.3	0
3/31/2023, 2:20:49 PM	0	6.869	43.3	75.5	0
3/31/2023, 2:30:49 PM	0	6.869	43.3	76.8	0
3/31/2023, 2:40:49 PM	0	6.869	43.3	77.9	0
3/31/2023, 2:50:49 PM	0	6.869	43.3	78.7	0
3/31/2023, 3:00:49 PM	0	6.869	43.7	79.4	0
3/31/2023, 3:10:49 PM	0	6.869	44.4	80.1	0
3/31/2023, 3:20:49 PM	0	6.869	45.1	80.4	0
3/31/2023, 3:30:49 PM	0	6.869	45.5	80.6	0
3/31/2023, 3:40:49 PM	0	6.869	45.7	80.7	0
3/31/2023, 3:50:49 PM	0	6.869	45.9	80.9	0
3/31/2023, 4:00:49 PM	0	6.869	46	81.2	0
3/31/2023, 4:10:49 PM	0	6.869	46.4	81.2	0
3/31/2023, 4:20:49 PM	0	6.877	46.8	81	0
3/31/2023, 4:30:49 PM	0	6.877	47.1	80.9	0
3/31/2023, 4:40:49 PM	0	6.877	47.3	80.8	0
3/31/2023, 4:50:49 PM	0	6.877	47.5	80.8	0
3/31/2023, 5:00:49 PM	0	6.877	47.8	80.9	0
3/31/2023, 5:10:49 PM	0	6.877	48	80.9	0
3/31/2023, 5:20:49 PM	0	6.877	48.4	80.9	0
3/31/2023, 5:30:49 PM	0	6.877	48.6	80.9	0
3/31/2023, 5:40:49 PM	0	6.877	48.7	80.9	0
3/31/2023, 5:50:49 PM	0	6.877	48.9	81	0
3/31/2023, 6:00:49 PM	0	6.877	48.9	81.4	0
3/31/2023, 6:10:49 PM	0	6.877	48.7	82.1	0
3/31/2023, 6:20:49 PM	0	6.877	48.7	82.8	0
3/31/2023, 6:30:49 PM	0	6.877	48.6	83.5	0
3/31/2023, 6:40:49 PM	0	6.877	48.4	84.3	0
3/31/2023, 6:50:49 PM	0	6.877	48.4	84.9	0
3/31/2023, 7:00:49 PM	0	6.877	48.4	85.5	0
3/31/2023, 7:10:49 PM	0	6.877	48.2	86.1	0
3/31/2023, 7:20:49 PM	0	6.877	48.2	86.6	0
3/31/2023, 7:30:49 PM	0	6.877	48.2	87	0
3/31/2023, 7:40:49 PM	0	6.877	48	87.3	0
3/31/2023, 7:50:49 PM	0	6.877	48	87.5	0
3/31/2023, 8:00:49 PM	0	6.877	48	87.8	0
3/31/2023, 8:10:49 PM	0	6.877	48.2	88	0
3/31/2023, 8:20:49 PM	0	6.877	48.2	88.2	0
3/31/2023, 8:30:49 PM	0	6.877	48.2	88.4	0
3/31/2023, 8:40:49 PM	0	6.877	48.2	88.6	0
3/31/2023, 8:50:49 PM	0	6.877	48.4	88.8	0
3/31/2023, 9:00:49 PM	0	6.877	48.6	89	0
3/31/2023, 9:10:49 PM	0	6.877	48.7	89	0

Attachment 2

School Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/31/2023, 9:20:49 PM	0	6.877	48.9	88.9	0
3/31/2023, 9:30:49 PM	0	6.877	49.1	88.7	0
3/31/2023, 9:40:49 PM	0	6.877	49.3	88.5	0
3/31/2023, 9:50:49 PM	0	6.877	49.3	88.2	0
3/31/2023, 10:00:49 PM	0	6.877	49.3	88.1	0
3/31/2023, 10:10:49 PM	0	6.877	49.5	88	0
3/31/2023, 10:20:49 PM	0	6.877	49.6	87.8	0
3/31/2023, 10:30:49 PM	0	6.877	49.8	87.7	0
3/31/2023, 10:40:49 PM	0	6.877	49.8	87.6	0
3/31/2023, 10:50:49 PM	0	6.877	50	87.5	0
3/31/2023, 11:00:49 PM	0	6.877	50.2	87.2	0
3/31/2023, 11:10:49 PM	0	6.877	50.2	87	0
3/31/2023, 11:20:49 PM	0	6.886	50.2	86.8	0
3/31/2023, 11:30:49 PM	0	6.886	50.2	86.6	0
3/31/2023, 11:40:49 PM	0	6.877	50.2	86.5	0
3/31/2023, 11:50:49 PM	0	6.886	50	86.3	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/1/2023, 12:03:20 AM	0	6.825	32.7	79.4	
3/1/2023, 12:13:20 AM	0	6.825	32.5	79.6	
3/1/2023, 12:23:20 AM	0	6.825	32.2	79.7	
3/1/2023, 12:33:20 AM	0	6.825	32	79.9	
3/1/2023, 12:43:20 AM	0	6.825	31.8	80.1	
3/1/2023, 12:53:20 AM	0	6.816	31.6	80.4	0
3/1/2023, 1:03:20 AM	0	6.816	31.5	80.6	0
3/1/2023, 1:13:20 AM	0	6.816	31.5	81	0
3/1/2023, 1:23:20 AM	0	6.816	31.5	81.4	0
3/1/2023, 1:33:20 AM	0	6.816	31.6	81.8	0
3/1/2023, 1:43:20 AM	0	6.816	31.6	82.1	0
3/1/2023, 1:53:20 AM	0	6.816	32	82.5	0
3/1/2023, 2:03:20 AM	0	6.816	32	82.7	0
3/1/2023, 2:13:20 AM	0	6.816	32.2	82.7	0
3/1/2023, 2:23:20 AM	0	6.816	32	82.5	0
3/1/2023, 2:33:20 AM	0	6.816	31.8	82.3	0
3/1/2023, 2:43:20 AM	0	6.816	31.5	82.2	0
3/1/2023, 2:53:20 AM	0	6.816	31.1	82.1	0
3/1/2023, 3:03:20 AM	0	6.816	30.7	82.1	0
3/1/2023, 3:13:20 AM	0	6.816	30.4	82.1	0
3/1/2023, 3:23:20 AM	0	6.816	30	82.2	0
3/1/2023, 3:33:20 AM	0	6.816	29.8	82.3	0
3/1/2023, 3:43:20 AM	0	6.816	29.7	82.5	0
3/1/2023, 3:53:20 AM	0	6.816	29.5	82.7	0
3/1/2023, 4:03:20 AM	0	6.816	29.5	82.9	0
3/1/2023, 4:13:20 AM	0	6.816	29.3	83.1	0
3/1/2023, 4:23:20 AM	0	6.816	29.3	83.2	0
3/1/2023, 4:33:20 AM	0	6.807	29.1	83.4	0
3/1/2023, 4:43:20 AM	0	6.807	28.9	83.5	0
3/1/2023, 4:53:20 AM	0	6.807	28.8	83.7	0
3/1/2023, 5:03:20 AM	0	6.807	28.8	83.9	0
3/1/2023, 5:13:20 AM	0	6.807	28.9	84.3	0
3/1/2023, 5:23:20 AM	0	6.807	29.3	84.7	0
3/1/2023, 5:33:20 AM	0	6.807	29.5	85.2	0
3/1/2023, 5:43:20 AM	0	6.807	30	85.5	0
3/1/2023, 5:53:20 AM	0	6.816	30.2	85.7	0
3/1/2023, 6:03:20 AM	0	6.816	30.4	85.7	0
3/1/2023, 6:13:20 AM	0	6.816	30.6	85.6	0
3/1/2023, 6:23:20 AM	0	6.816	30.4	85.4	0
3/1/2023, 6:33:20 AM	0	6.816	30.2	85.2	0
3/1/2023, 6:43:20 AM	0	6.816	30	85.1	0
3/1/2023, 6:53:20 AM	0	6.816	30	85	0
3/1/2023, 7:03:20 AM	0	6.816	30	85	0
3/1/2023, 7:13:20 AM	0	6.816	30.2	85.2	0
3/1/2023, 7:23:20 AM	0	6.816	30.6	85.4	0
3/1/2023, 7:33:20 AM	0	6.816	30.7	85.5	0
3/1/2023, 7:43:20 AM	0	6.816	31.3	85.6	0
3/1/2023, 7:53:20 AM	0	6.816	31.6	85.7	0
3/1/2023, 8:03:20 AM	0	6.816	32	85.7	0
3/1/2023, 8:13:20 AM	0	6.816	32.4	85.7	0
3/1/2023, 8:23:20 AM	0	6.816	32.9	85.5	0
3/1/2023, 8:33:20 AM	0	6.816	33.4	85.4	0
3/1/2023, 8:43:20 AM	0	6.825	33.8	85.3	0
3/1/2023, 8:53:20 AM	0	6.825	34	85.1	0
3/1/2023, 9:03:20 AM	0	6.825	34.3	84.9	0
3/1/2023, 9:13:20 AM	0	6.825	34.5	84.6	0
3/1/2023, 9:23:20 AM	0	6.825	34.9	84.5	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/1/2023, 9:33:20 AM	0	6.825	35.2	84.3	0
3/1/2023, 9:43:20 AM	0	6.825	35.8	84	0
3/1/2023, 9:53:20 AM	0	6.825	36.5	83.7	0
3/1/2023, 10:03:20 AM	0	6.825	37.2	83.4	0
3/1/2023, 11:25:18 AM	0	6.93	41.4	80.9	0
3/1/2023, 11:35:18 AM	0	6.798	41.2	79.9	0
3/1/2023, 11:45:18 AM	0	6.798	40.3	79	0
3/1/2023, 11:55:18 AM	0	6.807	39.7	78.4	0
3/1/2023, 12:05:18 PM	0	6.807	39.2	78.1	0
3/1/2023, 12:15:18 PM	0	6.807	38.8	77.9	0
3/1/2023, 12:25:18 PM	0	6.807	38.7	77.7	0
3/1/2023, 12:35:18 PM	0	6.807	38.5	77.7	0
3/1/2023, 12:45:18 PM	0	6.807	38.3	77.6	0
3/1/2023, 12:55:18 PM	0	6.807	38.3	77.6	0
3/1/2023, 1:05:18 PM	0	6.807	38.3	77.5	0
3/1/2023, 1:15:18 PM	0	6.807	38.7	77.3	0
3/1/2023, 1:25:18 PM	0	6.807	39.2	77.1	0
3/1/2023, 1:35:18 PM	0	6.807	39.9	76.8	0
3/1/2023, 1:45:18 PM	0	6.807	40.6	76.6	0
3/1/2023, 1:55:18 PM	0	6.807	41.4	76.3	0
3/1/2023, 2:05:18 PM	0	6.807	42.3	75.9	0
3/1/2023, 2:15:18 PM	0	6.807	43.2	75.3	0
3/1/2023, 2:25:18 PM	0	6.816	43.9	74.9	0
3/1/2023, 2:35:18 PM	0	6.816	44.2	74.4	0
3/1/2023, 2:45:18 PM	0	6.816	44.6	73.9	0
3/1/2023, 2:55:18 PM	0	6.816	45.1	73.3	0
3/1/2023, 3:05:18 PM	0	6.816	45.7	72.8	0
3/1/2023, 3:15:18 PM	0	6.816	46.6	72.3	0
3/1/2023, 3:25:18 PM	0	6.816	46.9	71.7	0
3/1/2023, 3:35:18 PM	0	6.816	47.5	71.3	0
3/1/2023, 3:45:18 PM	0	6.825	47.7	70.9	0
3/1/2023, 3:55:18 PM	0	6.825	47.8	70.7	0
3/1/2023, 4:05:18 PM	0	6.825	48.2	70.6	0
3/1/2023, 4:15:18 PM	0	6.825	48.4	70.5	0
3/1/2023, 4:25:18 PM	0	6.825	48.4	70.4	0
3/1/2023, 4:35:18 PM	0	6.825	48.6	70.2	0
3/1/2023, 4:45:18 PM	0	6.825	48.4	70	0
3/1/2023, 4:55:18 PM	0	6.825	48	69.8	0
3/1/2023, 5:05:18 PM	0	6.825	47.3	69.8	0
3/1/2023, 5:15:18 PM	0	6.825	46.8	70	0
3/1/2023, 5:25:18 PM	0	6.825	46.6	70.5	0
3/1/2023, 5:35:18 PM	0	6.825	46.4	71	0
3/1/2023, 5:45:18 PM	0	6.825	46.4	71.4	0
3/1/2023, 5:55:18 PM	0	6.825	46.2	71.8	0
3/1/2023, 6:05:18 PM	0	6.825	46	72.2	0
3/1/2023, 6:15:18 PM	0	6.825	45.7	72.5	0
3/1/2023, 6:25:18 PM	0	6.825	45.5	72.9	0
3/1/2023, 6:35:18 PM	0	6.825	45.1	73.3	0
3/1/2023, 6:45:18 PM	0	6.825	44.8	73.7	0
3/1/2023, 6:55:18 PM	0	6.825	44.6	74	0
3/1/2023, 7:05:18 PM	0	6.825	44.2	74.3	0
3/1/2023, 7:15:18 PM	0	6.816	43.9	74.6	0
3/1/2023, 7:25:18 PM	0	6.816	43.5	74.9	0
3/1/2023, 7:35:18 PM	0	6.816	43	75.2	0
3/1/2023, 7:45:18 PM	0	6.816	42.6	75.5	0
3/1/2023, 7:55:18 PM	0	6.816	42.4	75.9	0
3/1/2023, 8:05:18 PM	0	6.816	42.1	76.3	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/1/2023, 8:15:18 PM	0	6.816	41.9	76.6	0
3/1/2023, 8:25:18 PM	0	6.816	41.7	77	0
3/1/2023, 8:35:18 PM	0	6.816	41.4	77.4	0
3/1/2023, 8:45:18 PM	0	6.816	41.2	77.8	0
3/1/2023, 8:55:18 PM	0	6.816	41	78.1	0
3/1/2023, 9:05:18 PM	0	6.816	40.8	78.3	0
3/1/2023, 9:15:18 PM	0	6.816	40.6	78.5	0
3/1/2023, 9:25:18 PM	0	6.816	40.5	78.6	0
3/1/2023, 9:35:18 PM	0	6.816	40.3	78.8	0
3/1/2023, 9:45:18 PM	0	6.816	40.1	79	0
3/1/2023, 9:55:18 PM	0	6.816	40.1	79.2	0
3/1/2023, 10:05:18 PM	0	6.807	39.9	79.4	0
3/1/2023, 10:15:18 PM	0	6.807	39.7	79.7	0
3/1/2023, 10:25:18 PM	0	6.816	39.7	80	0
3/1/2023, 10:35:18 PM	0	6.816	39.7	80.3	0
3/1/2023, 10:45:18 PM	0	6.807	39.7	80.7	0
3/1/2023, 10:55:18 PM	0	6.807	39.7	80.9	0
3/1/2023, 11:05:18 PM	0	6.807	39.6	81	0
3/1/2023, 11:15:18 PM	0	6.807	39.4	81.2	0
3/1/2023, 11:25:18 PM	0	6.807	39.2	81.2	0
3/1/2023, 11:35:18 PM	0	6.807	38.8	81	0
3/1/2023, 11:45:18 PM	0	6.807	38.1	81	0
3/1/2023, 11:55:18 PM	0	6.807	37.6	80.8	0
3/2/2023, 12:05:18 AM	0	6.807	36.7	80.8	0
3/2/2023, 12:15:18 AM	0	6.807	36.1	81	0
3/2/2023, 12:25:18 AM	0	6.807	35.8	81.3	0
3/2/2023, 12:35:18 AM	0	6.807	35.6	81.9	0
3/2/2023, 12:45:18 AM	0	6.807	35.8	82.9	0
3/2/2023, 12:55:18 AM	0	6.807	36.1	83.8	0
3/2/2023, 1:05:18 AM	0	6.798	36.5	84.4	0
3/2/2023, 1:15:18 AM	0	6.807	36.5	84.7	0
3/2/2023, 1:25:18 AM	0	6.798	36.7	84.9	0
3/2/2023, 1:35:18 AM	0	6.807	36.7	85.3	0
3/2/2023, 1:45:18 AM	0	6.807	36.9	85.6	0
3/2/2023, 1:55:18 AM	0	6.807	37	86	0
3/2/2023, 2:05:18 AM	0	6.807	37.2	86.3	0
3/2/2023, 2:15:18 AM	0	6.807	37.2	86.4	0
3/2/2023, 2:25:18 AM	0	6.807	37.2	86.4	0
3/2/2023, 2:35:18 AM	0	6.807	37.2	86.6	0
3/2/2023, 2:45:18 AM	0	6.807	37.4	86.8	0
3/2/2023, 2:55:18 AM	0	6.807	37.4	87.2	0
3/2/2023, 3:05:18 AM	0	6.807	37.4	87.4	0
3/2/2023, 3:15:18 AM	0	6.807	37.4	87.6	0
3/2/2023, 3:25:18 AM	0	6.807	37.4	87.7	0
3/2/2023, 3:35:18 AM	0	6.807	37.4	87.9	0
3/2/2023, 3:45:18 AM	0	6.807	37.4	88	0
3/2/2023, 3:55:18 AM	0	6.807	37.4	88.3	0
3/2/2023, 4:05:18 AM	0	6.807	37.4	88.5	0
3/2/2023, 4:15:18 AM	0	6.807	37.6	88.6	0
3/2/2023, 4:25:18 AM	0	6.807	37.6	88.9	0
3/2/2023, 4:35:18 AM	0	6.807	37.6	89.1	0
3/2/2023, 4:45:18 AM	0	6.807	37.6	89.3	0
3/2/2023, 4:55:18 AM	0	6.807	37.6	89.4	0
3/2/2023, 5:05:18 AM	0	6.807	37.8	89.5	0
3/2/2023, 5:15:18 AM	0	6.807	37.8	89.4	0
3/2/2023, 5:25:18 AM	0	6.807	37.8	89.3	0
3/2/2023, 5:35:18 AM	0	6.807	37.8	89	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/2/2023, 5:45:18 AM	0	6.807	37.8	88.7	0
3/2/2023, 5:55:18 AM	0	6.807	37.9	88.4	0
3/2/2023, 6:05:18 AM	0	6.807	37.8	88.1	0
3/2/2023, 6:15:18 AM	0	6.807	37.8	88	0
3/2/2023, 6:25:18 AM	0	6.807	37.8	88	0
3/2/2023, 6:35:18 AM	0	6.807	37.8	88	0
3/2/2023, 6:45:18 AM	0	6.807	37.6	88	0
3/2/2023, 6:55:18 AM	0	6.807	37.6	88	0
3/2/2023, 7:05:18 AM	0	6.807	37.4	88	0
3/2/2023, 7:15:18 AM	0	6.807	37.2	88	0
3/2/2023, 7:25:18 AM	0	6.807	37	87.9	0
3/2/2023, 7:35:18 AM	0	6.807	37	88	0
3/2/2023, 7:45:18 AM	0	6.807	36.9	88	0
3/2/2023, 7:55:18 AM	0	6.807	36.7	88	0
3/2/2023, 8:05:18 AM	0	6.807	36.7	88	0
3/2/2023, 8:15:18 AM	0	6.807	36.7	88	0
3/2/2023, 8:25:18 AM	0	6.807	36.5	88	0
3/2/2023, 8:35:18 AM	0	6.807	36.5	88	0
3/2/2023, 8:45:18 AM	0	6.807	36.5	88	0
3/2/2023, 8:55:18 AM	0	6.807	36.5	88	0
3/2/2023, 9:05:18 AM	0	6.798	36.5	88	0
3/2/2023, 9:15:18 AM	0	6.807	36.5	88	0
3/2/2023, 9:25:18 AM	0	6.807	36.5	88	0
3/2/2023, 9:35:18 AM	0	6.807	36.7	88	0
3/2/2023, 9:45:18 AM	0	6.807	36.7	88.1	0
3/2/2023, 9:55:18 AM	0	6.798	36.9	88	0
3/2/2023, 10:05:18 AM	0	6.807	37	87.9	0
3/2/2023, 10:15:18 AM	0	6.807	37	87.7	0
3/2/2023, 10:25:18 AM	0	6.807	37.2	87.4	0
3/2/2023, 10:35:18 AM	0	6.807	37.4	87.2	0
3/2/2023, 10:45:18 AM	0	6.807	37.6	87	0
3/2/2023, 10:55:18 AM	0	6.807	37.8	86.9	0
3/2/2023, 11:05:18 AM	0	6.807	37.9	86.6	0
3/2/2023, 11:15:18 AM	0	6.807	37.9	86.3	0
3/2/2023, 11:25:18 AM	0	6.807	37.9	86.1	0
3/2/2023, 11:35:18 AM	0	6.807	37.9	85.9	0
3/2/2023, 11:45:18 AM	0	6.807	37.9	85.7	0
3/2/2023, 11:55:18 AM	0	6.807	38.1	85.5	0
3/2/2023, 12:05:18 PM	0	6.807	38.3	85.3	0
3/2/2023, 12:15:18 PM	0	6.807	38.5	85.1	0
3/2/2023, 12:25:18 PM	0	6.807	38.7	84.8	0
3/2/2023, 12:35:18 PM	0	6.807	39	84.5	0
3/2/2023, 12:45:18 PM	0	6.807	39.4	84.3	0
3/2/2023, 12:55:18 PM	0	6.807	39.7	84	0
3/2/2023, 1:05:18 PM	0	6.807	40.1	83.6	0
3/2/2023, 1:15:18 PM	0	6.807	40.3	83.3	0
3/2/2023, 1:25:18 PM	0	6.807	40.6	82.9	0
3/2/2023, 1:35:18 PM	0	6.807	40.8	82.6	0
3/2/2023, 1:45:18 PM	0	6.807	41.2	82.3	0
3/2/2023, 1:55:18 PM	0	6.807	41.5	81.8	0
3/2/2023, 2:05:18 PM	0	6.816	41.5	81.4	0
3/2/2023, 2:15:18 PM	0	6.816	41.5	81.1	0
3/2/2023, 2:25:18 PM	0	6.816	41.5	80.8	0
3/2/2023, 2:35:18 PM	0	6.816	41.5	80.5	0
3/2/2023, 2:45:18 PM	0	6.816	41.5	80.2	0
3/2/2023, 2:55:18 PM	0	6.816	41.5	80	0
3/2/2023, 3:05:18 PM	0	6.816	41.5	79.8	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/2/2023, 3:15:18 PM	0	6.816	41.5	79.6	0
3/2/2023, 3:25:18 PM	0	6.816	41.5	79.3	0
3/2/2023, 3:35:18 PM	0	6.816	41.5	79.1	0
3/2/2023, 3:45:18 PM	0	6.816	41.7	78.9	0
3/2/2023, 3:55:18 PM	0	6.816	42.1	78.7	0
3/2/2023, 4:05:18 PM	0	6.816	42.3	78.4	0
3/2/2023, 4:15:18 PM	0	6.816	42.3	77.9	0
3/2/2023, 4:25:18 PM	0	6.816	42.1	77.5	0
3/2/2023, 4:35:18 PM	0	6.816	41.9	77.3	0
3/2/2023, 4:45:18 PM	0	6.816	41.9	77.1	0
3/2/2023, 4:55:18 PM	0	6.816	41.7	77	0
3/2/2023, 5:05:18 PM	0	6.816	41.5	76.9	0
3/2/2023, 5:15:18 PM	0	6.816	41.4	76.8	0
3/2/2023, 5:25:18 PM	0	6.816	41.2	76.7	0
3/2/2023, 5:35:18 PM	0	6.816	41	76.6	0
3/2/2023, 5:45:18 PM	0	6.816	40.8	76.5	0
3/2/2023, 5:55:18 PM	0	6.816	40.6	76.4	0
3/2/2023, 6:05:18 PM	0	6.816	40.5	76.4	0
3/2/2023, 6:15:18 PM	0	6.816	40.3	76.4	0
3/2/2023, 6:25:18 PM	0	6.816	40.1	76.5	0
3/2/2023, 6:35:18 PM	0	6.807	39.9	76.6	0
3/2/2023, 6:45:18 PM	0	6.807	39.9	76.6	0
3/2/2023, 6:55:18 PM	0	6.807	39.7	76.7	0
3/2/2023, 7:05:18 PM	0	6.807	39.6	76.8	0
3/2/2023, 7:15:18 PM	0	6.807	39.4	77	0
3/2/2023, 7:25:18 PM	0	6.807	39	77.1	0
3/2/2023, 7:35:18 PM	0	6.807	38.7	77.1	0
3/2/2023, 7:45:18 PM	0	6.807	38.5	77.4	0
3/2/2023, 7:55:18 PM	0	6.807	38.3	77.7	0
3/2/2023, 8:05:18 PM	0	6.807	38.3	78	0
3/2/2023, 8:15:18 PM	0	6.807	38.3	78.3	0
3/2/2023, 8:25:18 PM	0	6.807	38.3	78.6	0
3/2/2023, 8:35:18 PM	0	6.807	38.1	78.8	0
3/2/2023, 8:45:18 PM	0	6.807	38.1	79	0
3/2/2023, 8:55:18 PM	0	6.807	38.1	79.1	0
3/2/2023, 9:05:18 PM	0	6.807	38.1	79.2	0
3/2/2023, 9:15:18 PM	0	6.807	37.9	79.4	0
3/2/2023, 9:25:18 PM	0	6.807	37.9	79.5	0
3/2/2023, 9:35:18 PM	0	6.807	37.8	79.6	0
3/2/2023, 9:45:18 PM	0	6.807	37.4	79.7	0
3/2/2023, 9:55:18 PM	0	6.807	37	79.8	0
3/2/2023, 10:05:18 PM	0	6.807	36.7	79.9	0
3/2/2023, 10:15:18 PM	0	6.807	36.3	80	0
3/2/2023, 10:25:18 PM	0	6.807	35.8	80.1	0
3/2/2023, 10:35:18 PM	0	6.798	35.2	80.4	0
3/2/2023, 10:45:18 PM	0	6.798	34.9	80.6	0
3/2/2023, 10:55:18 PM	0	6.798	34.3	80.8	0
3/2/2023, 11:05:18 PM	0	6.798	34	81.2	0
3/2/2023, 11:15:18 PM	0	6.798	33.6	81.5	0
3/2/2023, 11:25:18 PM	0	6.798	33.4	81.9	0
3/2/2023, 11:35:18 PM	0	6.798	33.3	82.3	0
3/2/2023, 11:45:18 PM	0	6.798	33.1	82.5	0
3/2/2023, 11:55:18 PM	0	6.798	32.7	82.7	0
3/3/2023, 12:05:18 AM	0	6.79	32.4	82.8	0
3/3/2023, 12:15:18 AM	0	6.79	32	83	0
3/3/2023, 12:25:18 AM	0	6.79	31.8	83.3	0
3/3/2023, 12:35:18 AM	0	6.79	31.5	83.5	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/3/2023, 12:45:18 AM	0	6.79	31.1	83.7	0
3/3/2023, 12:55:18 AM	0	6.79	30.9	83.9	0
3/3/2023, 1:05:18 AM	0	6.79	30.6	84.1	0
3/3/2023, 1:15:18 AM	0	6.79	30.4	84.3	0
3/3/2023, 1:25:18 AM	0	6.781	30	84.4	0
3/3/2023, 1:35:18 AM	0	6.781	29.7	84.5	0
3/3/2023, 1:45:18 AM	0	6.781	29.3	84.7	0
3/3/2023, 1:55:18 AM	0	6.781	28.9	84.7	0
3/3/2023, 2:05:18 AM	0	6.781	28.8	84.8	0
3/3/2023, 2:15:18 AM	0	6.781	28.4	84.9	0
3/3/2023, 2:25:18 AM	0	6.781	28.2	85.2	0
3/3/2023, 2:35:18 AM	0	6.781	28	85.4	0
3/3/2023, 2:45:18 AM	0	6.781	28	85.8	0
3/3/2023, 2:55:18 AM	0	6.772	28.4	86.4	0
3/3/2023, 3:05:18 AM	0	6.781	28.4	86.8	0
3/3/2023, 3:15:18 AM	0	6.781	28.4	86.9	0
3/3/2023, 3:25:18 AM	0	6.781	28.4	87.2	0
3/3/2023, 3:35:18 AM	0	6.781	28.8	87.7	0
3/3/2023, 3:45:18 AM	0	6.781	28.9	88.1	0
3/3/2023, 3:55:18 AM	0	6.781	29.1	88.3	0
3/3/2023, 4:05:18 AM	0	6.781	28.9	88.4	0
3/3/2023, 4:15:18 AM	0	6.781	28.8	88.4	0
3/3/2023, 4:25:18 AM	0	6.781	28.6	88.4	0
3/3/2023, 4:35:18 AM	0	6.781	28.4	88.3	0
3/3/2023, 4:45:18 AM	0	6.781	28.2	88.2	0
3/3/2023, 4:55:18 AM	0	6.781	28	88.1	0
3/3/2023, 5:05:18 AM	0	6.772	27.9	88.2	0
3/3/2023, 5:15:18 AM	0	6.772	27.9	88.3	0
3/3/2023, 5:25:18 AM	0	6.772	27.7	88.4	0
3/3/2023, 5:35:18 AM	0	6.772	27.7	88.4	0
3/3/2023, 5:45:18 AM	0	6.772	27.5	88.5	0
3/3/2023, 5:55:18 AM	0	6.772	27.7	88.8	0
3/3/2023, 6:05:18 AM	0	6.772	28	89.3	0
3/3/2023, 6:15:18 AM	0	6.772	28.4	89.6	0
3/3/2023, 6:25:18 AM	0	6.772	28.6	89.8	0
3/3/2023, 6:35:18 AM	0	6.781	28.8	89.9	0
3/3/2023, 6:45:18 AM	0	6.781	28.9	89.9	0
3/3/2023, 6:55:18 AM	0	6.781	29.1	89.9	0
3/3/2023, 7:05:18 AM	0	6.781	29.1	89.8	0
3/3/2023, 7:15:18 AM	0	6.781	29.1	89.7	0
3/3/2023, 7:25:18 AM	0	6.781	29.1	89.5	0
3/3/2023, 7:35:18 AM	0	6.781	29.1	89.3	0
3/3/2023, 7:45:18 AM	0	6.781	29.3	89.1	0
3/3/2023, 7:55:18 AM	0	6.781	29.3	89	0
3/3/2023, 8:05:18 AM	0	6.781	29.5	88.8	0
3/3/2023, 8:15:18 AM	0	6.781	29.7	88.6	0
3/3/2023, 8:25:18 AM	0	6.781	29.8	88.3	0
3/3/2023, 8:35:18 AM	0	6.781	30.2	88	0
3/3/2023, 8:45:18 AM	0	6.781	30.4	87.6	0
3/3/2023, 8:55:18 AM	0	6.781	30.9	87.3	0
3/3/2023, 9:05:18 AM	0	6.781	31.3	86.8	0
3/3/2023, 9:15:18 AM	0	6.781	31.6	86.3	0
3/3/2023, 9:25:18 AM	0	6.781	32	85.7	0
3/3/2023, 9:35:18 AM	0	6.79	32.4	85.1	0
3/3/2023, 9:45:18 AM	0	6.79	32.9	84.6	0
3/3/2023, 9:55:18 AM	0	6.79	33.4	84.2	0
3/3/2023, 10:05:18 AM	0	6.79	34	83.7	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/3/2023, 10:15:18 AM	0	6.79	34.7	83.3	0
3/3/2023, 10:25:18 AM	0	6.79	35.4	82.7	0
3/3/2023, 10:35:18 AM	0	6.798	36	82.2	0
3/3/2023, 10:45:18 AM	0	6.798	36.5	81.7	0
3/3/2023, 10:55:18 AM	0	6.798	37.2	81.3	0
3/3/2023, 11:05:18 AM	0	6.798	37.9	80.8	0
3/3/2023, 11:15:18 AM	0	6.798	38.1	80.4	0
3/3/2023, 11:25:18 AM	0	6.798	38.3	80	0
3/3/2023, 11:35:18 AM	0	6.798	38.7	79.7	0
3/3/2023, 11:45:18 AM	0	6.807	38.8	79.3	0
3/3/2023, 11:55:18 AM	0	6.807	39	78.9	0
3/3/2023, 12:05:18 PM	0	6.807	39.4	78.8	0
3/3/2023, 12:15:18 PM	0	6.807	39.6	78.5	0
3/3/2023, 12:25:18 PM	0	6.807	39.9	78.4	0
3/3/2023, 12:35:18 PM	0	6.807	40.3	78.1	0
3/3/2023, 12:45:18 PM	0	6.807	40.6	77.9	0
3/3/2023, 12:55:18 PM	0	6.807	40.8	77.6	0
3/3/2023, 1:05:18 PM	0	6.807	41	77.4	0
3/3/2023, 1:15:18 PM	0	6.807	41.2	77.2	0
3/3/2023, 1:25:18 PM	0	6.816	41.4	77.1	0
3/3/2023, 1:35:18 PM	0	6.816	41.7	76.8	0
3/3/2023, 1:45:18 PM	0	6.816	41.9	76.5	0
3/3/2023, 1:55:18 PM	0	6.816	42.1	76.2	0
3/3/2023, 2:05:18 PM	0	6.816	42.3	76	0
3/3/2023, 2:15:18 PM	0	6.816	42.6	75.9	0
3/3/2023, 2:25:18 PM	0	6.816	42.8	75.7	0
3/3/2023, 2:35:18 PM	0	6.816	43	75.3	0
3/3/2023, 2:45:18 PM	0	6.816	43	74.9	0
3/3/2023, 2:55:18 PM	0	6.816	43	74.5	0
3/3/2023, 3:05:18 PM	0	6.816	43.2	74.2	0
3/3/2023, 3:15:18 PM	0	6.816	43	73.8	0
3/3/2023, 3:25:18 PM	0	6.816	43	73.6	0
3/3/2023, 3:35:18 PM	0	6.816	43	73.3	0
3/3/2023, 3:45:18 PM	0	6.816	43	73	0
3/3/2023, 3:55:18 PM	0	6.816	43	72.9	0
3/3/2023, 4:05:18 PM	0	6.816	43.2	72.8	0
3/3/2023, 4:15:18 PM	0	6.816	43.2	72.6	0
3/3/2023, 4:25:18 PM	0	6.816	43.2	72.3	0
3/3/2023, 4:35:18 PM	0	6.816	43.2	71.8	0
3/3/2023, 4:45:18 PM	0	6.816	43	71.3	0
3/3/2023, 4:55:18 PM	0	6.816	43	70.8	0
3/3/2023, 5:05:18 PM	0	6.816	43	70.4	0
3/3/2023, 5:15:18 PM	0	6.816	42.8	70	0
3/3/2023, 5:25:18 PM	0	6.816	42.8	69.7	0
3/3/2023, 5:35:18 PM	0	6.816	42.8	69.4	0
3/3/2023, 5:45:18 PM	0	6.816	42.6	69.2	0
3/3/2023, 5:55:18 PM	0	6.816	42.6	69.3	0
3/3/2023, 6:05:18 PM	0	6.816	42.3	69.5	0
3/3/2023, 6:15:18 PM	0	6.816	41.9	69.7	0
3/3/2023, 6:25:18 PM	0	6.816	41.5	69.7	0
3/3/2023, 6:35:18 PM	0	6.816	41.4	69.7	0
3/3/2023, 6:45:18 PM	0	6.816	41.2	69.7	0
3/3/2023, 6:55:18 PM	0	6.816	41	69.8	0
3/3/2023, 7:05:18 PM	0	6.816	40.8	70.1	0
3/3/2023, 7:15:18 PM	0	6.816	40.6	71.7	0
3/3/2023, 7:25:18 PM	0	6.816	40.1	73.3	0
3/3/2023, 7:35:18 PM	0	6.816	39.4	74.6	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/3/2023, 7:45:18 PM	0	6.816	38.7	75.6	0
3/3/2023, 7:55:18 PM	0	6.807	37.9	76.6	0
3/3/2023, 8:05:18 PM	0	6.807	37.4	77.5	0
3/3/2023, 8:15:18 PM	0	6.807	37	78.4	0
3/3/2023, 8:25:18 PM	0	6.807	36.7	79.2	0
3/3/2023, 8:35:18 PM	0	6.807	36.3	80	0
3/3/2023, 8:45:18 PM	0	6.807	36.1	80.7	0
3/3/2023, 8:55:18 PM	0	6.807	35.8	81.4	0
3/3/2023, 9:05:18 PM	0	6.798	35.6	82	0
3/3/2023, 9:15:18 PM	0	6.798	35.4	82.6	0
3/3/2023, 9:25:18 PM	0	6.798	35.4	83.1	0
3/3/2023, 9:35:18 PM	0	6.798	35.2	83.6	0
3/3/2023, 9:45:18 PM	0	6.798	35.1	84.1	0
3/3/2023, 9:55:18 PM	0	6.798	35.1	84.6	0
3/3/2023, 10:05:18 PM	0	6.798	35.1	85.1	0
3/3/2023, 10:15:18 PM	0	6.798	35.1	85.5	0
3/3/2023, 10:25:18 PM	0	6.798	34.9	85.9	0
3/3/2023, 10:35:18 PM	0	6.798	34.9	86.3	0
3/3/2023, 10:45:18 PM	0	6.798	34.9	86.7	0
3/3/2023, 10:55:18 PM	0	6.798	34.9	87	0
3/3/2023, 11:05:18 PM	0	6.798	34.9	87.4	0
3/3/2023, 11:15:18 PM	0	6.798	34.9	87.6	0
3/3/2023, 11:25:18 PM	0	6.798	34.9	87.9	0
3/3/2023, 11:35:18 PM	0	6.798	35.1	88.1	0
3/3/2023, 11:45:18 PM	0	6.798	35.1	88.3	0
3/3/2023, 11:55:18 PM	0	6.798	35.1	88.3	0
3/4/2023, 12:05:18 AM	0	6.798	35.1	88.3	0
3/4/2023, 12:15:18 AM	0	6.798	35.1	88.3	0
3/4/2023, 12:25:18 AM	0	6.798	35.1	88.3	0
3/4/2023, 12:35:18 AM	0	6.798	35.1	88.3	0
3/4/2023, 12:45:18 AM	0	6.798	35.2	88.2	0
3/4/2023, 12:55:18 AM	0	6.798	35.2	88.3	0
3/4/2023, 1:05:18 AM	0	6.798	35.2	88.2	0
3/4/2023, 1:15:18 AM	0	6.798	35.2	88	0
3/4/2023, 1:25:18 AM	0	6.798	35.4	88	0
3/4/2023, 1:35:18 AM	0	6.798	35.4	87.9	0
3/4/2023, 1:45:18 AM	0	6.798	35.4	87.9	0
3/4/2023, 1:55:18 AM	0	6.798	35.4	87.9	0
3/4/2023, 2:05:18 AM	0	6.798	35.6	87.8	0
3/4/2023, 2:15:18 AM	0	6.798	35.6	87.9	0
3/4/2023, 2:25:18 AM	0	6.798	35.6	88	0
3/4/2023, 2:35:18 AM	0	6.798	35.6	88.1	0
3/4/2023, 2:45:18 AM	0	6.798	35.6	88.1	0
3/4/2023, 2:55:18 AM	0	6.798	35.6	88.2	0
3/4/2023, 3:05:18 AM	0	6.798	35.6	88.4	0
3/4/2023, 3:15:18 AM	0	6.798	35.4	88.5	0
3/4/2023, 3:25:18 AM	0	6.798	35.4	88.6	0
3/4/2023, 3:35:18 AM	0	6.798	35.2	88.9	0
3/4/2023, 3:45:18 AM	0	6.798	35.2	89	0
3/4/2023, 3:55:18 AM	0	6.798	35.1	89.2	0
3/4/2023, 4:05:18 AM	0	6.798	35.1	89.5	0
3/4/2023, 4:15:18 AM	0	6.798	35.1	89.7	0
3/4/2023, 4:25:18 AM	0	6.798	35.1	89.9	0
3/4/2023, 4:35:18 AM	0	6.798	35.1	90	0
3/4/2023, 4:45:18 AM	0	6.798	35.1	90.2	0
3/4/2023, 4:55:18 AM	0	6.798	35.1	90.4	0
3/4/2023, 5:05:18 AM	0	6.798	35.1	90.5	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/4/2023, 5:15:18 AM	0	6.798	35.1	90.6	0
3/4/2023, 5:25:18 AM	0	6.798	35.1	90.8	0
3/4/2023, 5:35:18 AM	0	6.798	35.1	90.9	0
3/4/2023, 5:45:18 AM	0	6.798	35.1	91	0
3/4/2023, 5:55:18 AM	0	6.798	34.9	91.1	0
3/4/2023, 6:05:18 AM	0	6.798	34.9	91.2	0
3/4/2023, 6:15:18 AM	0	6.798	34.9	91.2	0
3/4/2023, 6:25:18 AM	0	6.798	34.9	91.3	0
3/4/2023, 6:35:18 AM	0	6.798	34.9	91.4	0
3/4/2023, 6:45:18 AM	0	6.798	34.9	91.4	0
3/4/2023, 6:55:18 AM	0	6.798	34.9	91.5	0
3/4/2023, 7:05:18 AM	0	6.798	34.9	91.6	0
3/4/2023, 7:15:18 AM	0	6.798	34.9	91.6	0
3/4/2023, 7:25:18 AM	0	6.798	34.9	91.7	0
3/4/2023, 7:35:18 AM	0	6.798	34.9	91.8	0
3/4/2023, 7:45:18 AM	0	6.798	34.9	91.9	0
3/4/2023, 7:55:18 AM	0	6.798	34.9	92	0
3/4/2023, 8:05:18 AM	0	6.798	35.1	92.1	0
3/4/2023, 8:15:18 AM	0	6.798	35.1	92.1	0
3/4/2023, 8:25:18 AM	0	6.798	35.2	92.2	0
3/4/2023, 8:35:18 AM	0	6.798	35.2	92.3	0
3/4/2023, 8:45:18 AM	0	6.798	35.6	92.3	0
3/4/2023, 8:55:18 AM	0	6.798	35.6	92.4	0
3/4/2023, 9:05:18 AM	0	6.798	35.8	92.4	0
3/4/2023, 9:15:18 AM	0	6.798	36	92.3	0
3/4/2023, 9:25:18 AM	0	6.798	36.1	92.3	0
3/4/2023, 9:35:18 AM	0	6.798	36.5	92.3	0
3/4/2023, 9:45:18 AM	0	6.798	36.7	92.2	0
3/4/2023, 9:55:18 AM	0	6.798	36.9	92.2	0
3/4/2023, 10:05:18 AM	0	6.798	37.2	92.1	0
3/4/2023, 10:15:18 AM	0	6.798	37.6	92	0
3/4/2023, 10:25:18 AM	0	6.798	38.1	91.9	0
3/4/2023, 10:35:18 AM	0	6.798	38.3	91.6	0
3/4/2023, 10:45:18 AM	0	6.798	38.5	91.3	0
3/4/2023, 10:55:18 AM	0	6.798	38.7	91.1	0
3/4/2023, 11:05:18 AM	0	6.807	38.8	90.9	0
3/4/2023, 11:15:18 AM	0	6.807	39	90.6	0
3/4/2023, 11:25:18 AM	0	6.807	39	90.4	0
3/4/2023, 11:35:18 AM	0	6.807	38.7	90	0
3/4/2023, 11:45:18 AM	0	6.807	38.5	89.7	0
3/4/2023, 11:55:18 AM	0	6.807	38.5	89.4	0
3/4/2023, 12:05:18 PM	0	6.807	38.7	89.3	0
3/4/2023, 12:15:18 PM	0	6.807	39	89	0
3/4/2023, 12:25:18 PM	0	6.807	39.6	88.8	0
3/4/2023, 12:35:18 PM	0	6.807	40.3	88.5	0
3/4/2023, 12:45:18 PM	0	6.807	40.1	88	0
3/4/2023, 12:55:18 PM	0	6.807	40.1	87.5	0
3/4/2023, 1:05:18 PM	0	6.807	39.7	87.2	0
3/4/2023, 1:15:18 PM	0	6.807	39.9	87.1	0
3/4/2023, 1:25:18 PM	0	6.807	39.6	86.8	0
3/4/2023, 1:35:18 PM	0	6.807	39.4	86.5	0
3/4/2023, 1:45:18 PM	0	6.807	39.2	86.3	0
3/4/2023, 1:55:18 PM	0	6.807	39.2	86.2	0
3/4/2023, 2:05:18 PM	0	6.807	39.2	86.1	0
3/4/2023, 2:15:18 PM	0	6.807	39.2	86.1	0
3/4/2023, 2:25:18 PM	0	6.807	39	86	0
3/4/2023, 2:35:18 PM	0	6.807	39	86	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/4/2023, 2:45:18 PM	0	6.807	39	85.8	0
3/4/2023, 2:55:18 PM	0	6.807	38.8	85.8	0
3/4/2023, 3:05:18 PM	0	6.807	38.7	85.7	0
3/4/2023, 3:15:18 PM	0	6.807	38.5	85.7	0
3/4/2023, 3:25:18 PM	0	6.807	38.1	85.6	0
3/4/2023, 3:35:18 PM	0	6.798	37.9	85.6	0
3/4/2023, 3:45:18 PM	0	6.798	37.6	85.6	0
3/4/2023, 3:55:18 PM	0	6.798	37.4	85.6	0
3/4/2023, 4:05:18 PM	0	6.798	37.2	85.6	0
3/4/2023, 4:15:18 PM	0	6.798	37	85.7	0
3/4/2023, 4:25:18 PM	0	6.798	37	85.8	0
3/4/2023, 4:35:18 PM	0	6.798	37	86	0
3/4/2023, 4:45:18 PM	0	6.798	37.4	86.1	0
3/4/2023, 4:55:18 PM	0	6.798	37.6	86.1	0
3/4/2023, 5:05:18 PM	0	6.798	37.6	85.9	0
3/4/2023, 5:15:18 PM	0	6.798	37.6	85.9	0
3/4/2023, 5:25:18 PM	0	6.798	37.6	85.8	0
3/4/2023, 5:35:18 PM	0	6.798	37.4	85.8	0
3/4/2023, 5:45:18 PM	0	6.798	37	85.7	0
3/4/2023, 5:55:18 PM	0	6.798	36.9	85.8	0
3/4/2023, 6:05:18 PM	0	6.798	36.7	85.8	0
3/4/2023, 6:15:18 PM	0	6.798	36.5	86	0
3/4/2023, 6:25:18 PM	0	6.798	36.3	86.1	0
3/4/2023, 6:35:18 PM	0	6.798	36.3	86.2	0
3/4/2023, 6:45:18 PM	0	6.798	36.1	86.3	0
3/4/2023, 6:55:18 PM	0	6.798	36.1	86.5	0
3/4/2023, 7:05:18 PM	0	6.798	36	86.7	0
3/4/2023, 7:15:18 PM	0	6.798	35.8	86.8	0
3/4/2023, 7:25:18 PM	0	6.798	35.8	86.9	0
3/4/2023, 7:35:18 PM	0	6.798	35.6	87.1	0
3/4/2023, 7:45:18 PM	0	6.798	35.6	87.3	0
3/4/2023, 7:55:18 PM	0	6.798	35.6	87.4	0
3/4/2023, 8:05:18 PM	0	6.798	35.4	87.5	0
3/4/2023, 8:15:18 PM	0	6.798	35.4	87.6	0
3/4/2023, 8:25:18 PM	0	6.798	35.4	87.8	0
3/4/2023, 8:35:18 PM	0	6.798	35.4	87.9	0
3/4/2023, 8:45:18 PM	0	6.798	35.4	88	0
3/4/2023, 8:55:18 PM	0	6.798	35.2	88.1	0
3/4/2023, 9:05:18 PM	0	6.798	35.2	88.1	0
3/4/2023, 9:15:18 PM	0	6.798	35.1	88.2	0
3/4/2023, 9:25:18 PM	0	6.798	35.1	88.4	0
3/4/2023, 9:35:18 PM	0	6.798	35.1	88.5	0
3/4/2023, 9:45:18 PM	0	6.798	35.1	88.7	0
3/4/2023, 9:55:18 PM	0	6.798	35.1	88.9	0
3/4/2023, 10:05:18 PM	0	6.798	35.1	89	0
3/4/2023, 10:15:18 PM	0	6.798	35.1	89.2	0
3/4/2023, 10:25:18 PM	0	6.798	35.1	89.3	0
3/4/2023, 10:35:18 PM	0	6.798	35.1	89.4	0
3/4/2023, 10:45:18 PM	0	6.798	35.1	89.6	0
3/4/2023, 10:55:18 PM	0	6.798	35.1	89.7	0
3/4/2023, 11:05:18 PM	0	6.798	35.2	89.8	0
3/4/2023, 11:15:18 PM	0	6.798	35.2	89.9	0
3/4/2023, 11:25:18 PM	0	6.798	35.2	90	0
3/4/2023, 11:35:18 PM	0	6.798	35.2	90	0
3/4/2023, 11:45:18 PM	0	6.798	35.2	90.1	0
3/4/2023, 11:55:18 PM	0	6.798	35.2	90.2	0
3/5/2023, 12:05:18 AM	0	6.798	35.2	90.3	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/5/2023, 12:15:18 AM	0	6.798	35.2	90.3	0
3/5/2023, 12:25:18 AM	0	6.798	35.2	90.4	0
3/5/2023, 12:35:18 AM	0	6.798	35.2	90.5	0
3/5/2023, 12:45:18 AM	0	6.798	35.2	90.6	0
3/5/2023, 12:55:18 AM	0	6.798	35.2	90.7	0
3/5/2023, 1:05:18 AM	0	6.798	35.1	90.8	0
3/5/2023, 1:15:18 AM	0	6.798	35.1	90.8	0
3/5/2023, 1:25:18 AM	0	6.798	35.1	90.8	0
3/5/2023, 1:35:18 AM	0	6.798	34.9	90.9	0
3/5/2023, 1:45:18 AM	0	6.798	34.9	90.9	0
3/5/2023, 1:55:18 AM	0	6.798	34.9	91.1	0
3/5/2023, 2:05:18 AM	0	6.798	34.9	91.1	0
3/5/2023, 2:15:18 AM	0	6.798	34.7	91	0
3/5/2023, 2:25:18 AM	0	6.798	34.5	90.9	0
3/5/2023, 2:35:18 AM	0	6.798	34.3	90.9	0
3/5/2023, 2:45:18 AM	0	6.79	34.2	91	0
3/5/2023, 2:55:18 AM	0	6.798	34.2	91.1	0
3/5/2023, 3:05:18 AM	0	6.79	34.2	91.3	0
3/5/2023, 3:15:18 AM	0	6.798	34.2	91.5	0
3/5/2023, 3:25:18 AM	0	6.79	34.3	91.7	0
3/5/2023, 3:35:18 AM	0	6.79	34.3	91.9	0
3/5/2023, 3:45:18 AM	0	6.79	34.3	91.8	0
3/5/2023, 3:55:18 AM	0	6.798	34.2	91.8	0
3/5/2023, 4:05:18 AM	0	6.79	34.2	91.8	0
3/5/2023, 4:15:18 AM	0	6.798	34.2	91.9	0
3/5/2023, 4:25:18 AM	0	6.79	34.2	91.9	0
3/5/2023, 4:35:18 AM	0	6.79	34	91.9	0
3/5/2023, 4:45:18 AM	0	6.79	34	91.8	0
3/5/2023, 4:55:18 AM	0	6.79	33.8	91.8	0
3/5/2023, 5:05:18 AM	0	6.79	33.8	91.9	0
3/5/2023, 5:15:18 AM	0	6.79	33.8	92	0
3/5/2023, 5:25:18 AM	0	6.79	33.8	92.1	0
3/5/2023, 5:35:18 AM	0	6.79	33.8	92.2	0
3/5/2023, 5:45:18 AM	0	6.79	34	92.3	0
3/5/2023, 5:55:18 AM	0	6.79	34	92.3	0
3/5/2023, 6:05:18 AM	0	6.79	34	92.4	0
3/5/2023, 6:15:18 AM	0	6.79	34	92.4	0
3/5/2023, 6:25:18 AM	0	6.79	34	92.5	0
3/5/2023, 6:35:18 AM	0	6.79	34	92.5	0
3/5/2023, 6:45:18 AM	0	6.79	34	92.5	0
3/5/2023, 6:55:18 AM	0	6.79	34	92.6	0
3/5/2023, 7:05:18 AM	0	6.79	34.2	92.7	0
3/5/2023, 7:15:18 AM	0	6.79	34.2	92.7	0
3/5/2023, 7:25:18 AM	0	6.79	34	92.6	0
3/5/2023, 7:35:18 AM	0	6.79	34	92.5	0
3/5/2023, 7:45:18 AM	0	6.79	33.8	92.4	0
3/5/2023, 7:55:18 AM	0	6.79	33.8	92.4	0
3/5/2023, 8:05:18 AM	0	6.79	33.8	92.4	0
3/5/2023, 8:15:18 AM	0	6.79	33.8	92.4	0
3/5/2023, 8:25:18 AM	0	6.79	34	92.5	0
3/5/2023, 8:35:18 AM	0	6.79	34.3	92.7	0
3/5/2023, 8:45:18 AM	0	6.79	34.9	92.9	0
3/5/2023, 8:55:18 AM	0	6.79	36.1	93.2	0
3/5/2023, 9:05:18 AM	0	6.798	37.6	93.3	0
3/5/2023, 9:15:18 AM	0	6.798	38.5	93	0
3/5/2023, 9:25:18 AM	0	6.798	38.7	92.4	0
3/5/2023, 9:35:18 AM	0	6.798	38.7	92	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/5/2023, 9:45:18 AM	0	6.798	38.7	91.6	0
3/5/2023, 9:55:18 AM	0	6.798	38.7	91.4	0
3/5/2023, 10:05:18 AM	0	6.798	38.7	91.2	0
3/5/2023, 10:15:18 AM	0	6.798	38.8	91.1	0
3/5/2023, 10:25:18 AM	0	6.798	38.8	91	0
3/5/2023, 10:35:18 AM	0	6.798	39.2	91	0
3/5/2023, 10:45:18 AM	0	6.807	39.4	90.9	0
3/5/2023, 10:55:18 AM	0	6.807	39.6	90.7	0
3/5/2023, 11:05:18 AM	0	6.807	39.9	90.6	0
3/5/2023, 11:15:18 AM	0	6.807	40.5	90.6	0
3/5/2023, 11:25:18 AM	0	6.807	41.7	90.6	0
3/5/2023, 11:35:18 AM	0	6.807	43.5	90.4	0
3/5/2023, 11:45:18 AM	0	6.807	44.6	89.5	0
3/5/2023, 11:55:18 AM	0	6.807	45	88.5	0
3/5/2023, 12:05:18 PM	0	6.816	45.1	87.8	0
3/5/2023, 12:15:18 PM	0	6.816	45.1	87.1	0
3/5/2023, 12:25:18 PM	0	6.816	45.3	86.4	0
3/5/2023, 12:35:18 PM	0	6.816	45.1	85.9	0
3/5/2023, 12:45:18 PM	0	6.816	44.8	85.4	0
3/5/2023, 12:55:18 PM	0	6.816	44.4	85.1	0
3/5/2023, 1:05:18 PM	0	6.816	44.6	84.9	0
3/5/2023, 1:15:18 PM	0	6.816	45.1	84.7	0
3/5/2023, 1:25:18 PM	0	6.816	45.1	84.3	0
3/5/2023, 1:35:18 PM	0	6.816	44.8	83.9	0
3/5/2023, 1:45:18 PM	0	6.816	44.4	83.7	0
3/5/2023, 1:55:18 PM	0	6.816	44.2	83.5	0
3/5/2023, 2:05:18 PM	0	6.816	43.9	83.3	0
3/5/2023, 2:15:18 PM	0	6.816	43.5	83.3	0
3/5/2023, 2:25:18 PM	0	6.816	43.3	83.3	0
3/5/2023, 2:35:18 PM	0	6.816	43.2	83.3	0
3/5/2023, 2:45:18 PM	0	6.816	43.2	83.3	0
3/5/2023, 2:55:18 PM	0	6.816	43.3	83.3	0
3/5/2023, 3:05:18 PM	0	6.816	43.3	82.9	0
3/5/2023, 3:15:18 PM	0	6.816	43.5	82.5	0
3/5/2023, 3:25:18 PM	0	6.816	43.7	82.2	0
3/5/2023, 3:35:18 PM	0	6.816	44.2	81.9	0
3/5/2023, 3:45:18 PM	0	6.816	44.6	81.6	0
3/5/2023, 3:55:18 PM	0	6.816	44.6	81.3	0
3/5/2023, 4:05:18 PM	0	6.816	44.8	81	0
3/5/2023, 4:15:18 PM	0	6.816	44.6	80.6	0
3/5/2023, 4:25:18 PM	0	6.816	44.4	80.3	0
3/5/2023, 4:35:18 PM	0	6.816	44.2	80.2	0
3/5/2023, 4:45:18 PM	0	6.816	43.9	80.1	0
3/5/2023, 4:55:18 PM	0	6.816	43.7	80	0
3/5/2023, 5:05:18 PM	0	6.816	43.5	80	0
3/5/2023, 5:15:18 PM	0	6.816	43.5	80.1	0
3/5/2023, 5:25:18 PM	0	6.816	43.5	80.1	0
3/5/2023, 5:35:18 PM	0	6.816	43.3	80.2	0
3/5/2023, 5:45:18 PM	0	6.816	43.2	80.3	0
3/5/2023, 5:55:18 PM	0	6.816	43	80.3	0
3/5/2023, 6:05:18 PM	0	6.816	42.8	80.4	0
3/5/2023, 6:15:18 PM	0	6.816	42.4	80.6	0
3/5/2023, 6:25:18 PM	0	6.816	42.1	80.7	0
3/5/2023, 6:35:18 PM	0	6.816	41.9	81	0
3/5/2023, 6:45:18 PM	0	6.807	41.5	81.2	0
3/5/2023, 6:55:18 PM	0	6.807	41.4	81.4	0
3/5/2023, 7:05:18 PM	0	6.807	41.2	81.6	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/5/2023, 7:15:18 PM	0	6.807	40.8	81.8	0
3/5/2023, 7:25:18 PM	0	6.807	40.6	82	0
3/5/2023, 7:35:18 PM	0	6.807	40.3	82.3	0
3/5/2023, 7:45:18 PM	0	6.807	40.1	82.6	0
3/5/2023, 7:55:18 PM	0	6.807	39.7	82.8	0
3/5/2023, 8:05:18 PM	0	6.807	39.6	83.1	0
3/5/2023, 8:15:18 PM	0	6.807	39.4	83.4	0
3/5/2023, 8:25:18 PM	0	6.807	39	83.7	0
3/5/2023, 8:35:18 PM	0	6.807	38.8	83.9	0
3/5/2023, 8:45:18 PM	0	6.807	38.7	84.1	0
3/5/2023, 8:55:18 PM	0	6.807	38.5	84.4	0
3/5/2023, 9:05:18 PM	0	6.807	38.1	84.5	0
3/5/2023, 9:15:18 PM	0	6.798	37.6	84.5	0
3/5/2023, 9:25:18 PM	0	6.807	37	84.6	0
3/5/2023, 9:35:18 PM	0	6.798	36.5	84.7	0
3/5/2023, 9:45:18 PM	0	6.798	36	84.8	0
3/5/2023, 9:55:18 PM	0	6.798	35.4	84.8	0
3/5/2023, 10:05:18 PM	0	6.798	34.9	84.9	0
3/5/2023, 10:15:18 PM	0	6.798	34.3	85.1	0
3/5/2023, 10:25:18 PM	0	6.798	34	85.3	0
3/5/2023, 10:35:18 PM	0	6.79	33.6	85.4	0
3/5/2023, 10:45:18 PM	0	6.79	33.3	85.6	0
3/5/2023, 10:55:18 PM	0	6.79	32.9	85.9	0
3/5/2023, 11:05:18 PM	0	6.79	32.7	86.2	0
3/5/2023, 11:15:18 PM	0	6.79	32.5	86.6	0
3/5/2023, 11:25:18 PM	0	6.79	32.5	87	0
3/5/2023, 11:35:18 PM	0	6.79	32.5	87.4	0
3/5/2023, 11:45:18 PM	0	6.79	32.5	87.7	0
3/5/2023, 11:55:18 PM	0	6.79	32.5	88.1	0
3/6/2023, 12:05:18 AM	0	6.79	32.5	88.5	0
3/6/2023, 12:15:18 AM	0	6.79	32.5	88.7	0
3/6/2023, 12:25:18 AM	0	6.79	32.5	89	0
3/6/2023, 12:35:18 AM	0	6.79	32.5	89.3	0
3/6/2023, 12:45:18 AM	0	6.781	32.5	89.5	0
3/6/2023, 12:55:18 AM	0	6.79	32.5	89.6	0
3/6/2023, 1:05:18 AM	0	6.79	32.5	89.8	0
3/6/2023, 1:15:18 AM	0	6.79	32.5	89.9	0
3/6/2023, 1:25:18 AM	0	6.79	32.4	90.1	0
3/6/2023, 1:35:18 AM	0	6.79	32.4	90.1	0
3/6/2023, 1:45:18 AM	0	6.79	32.2	90.1	0
3/6/2023, 1:55:18 AM	0	6.781	32	90.1	0
3/6/2023, 2:05:18 AM	0	6.781	32	90.1	0
3/6/2023, 2:15:18 AM	0	6.781	31.8	90.1	0
3/6/2023, 2:25:18 AM	0	6.781	31.8	90.2	0
3/6/2023, 2:35:18 AM	0	6.781	31.6	90.3	0
3/6/2023, 2:45:18 AM	0	6.781	31.5	90.3	0
3/6/2023, 2:55:18 AM	0	6.781	31.3	90.3	0
3/6/2023, 3:05:18 AM	0	6.781	31.1	90.3	0
3/6/2023, 3:15:18 AM	0	6.781	31.1	90.4	0
3/6/2023, 3:25:18 AM	0	6.781	30.7	90.4	0
3/6/2023, 3:35:18 AM	0	6.781	30.7	90.4	0
3/6/2023, 3:45:18 AM	0	6.781	30.6	90.4	0
3/6/2023, 3:55:18 AM	0	6.781	30.4	90.4	0
3/6/2023, 4:05:18 AM	0	6.781	30.2	90.4	0
3/6/2023, 4:15:18 AM	0	6.781	30	90.4	0
3/6/2023, 4:25:18 AM	0	6.781	29.8	90.4	0
3/6/2023, 4:35:18 AM	0	6.772	29.8	90.5	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/6/2023, 4:45:18 AM	0	6.772	29.7	90.5	0
3/6/2023, 4:55:18 AM	0	6.772	29.7	90.6	0
3/6/2023, 5:05:18 AM	0	6.772	29.7	90.6	0
3/6/2023, 5:15:18 AM	0	6.772	29.5	90.7	0
3/6/2023, 5:25:18 AM	0	6.772	29.5	90.7	0
3/6/2023, 5:35:18 AM	0	6.772	29.3	90.7	0
3/6/2023, 5:45:18 AM	0	6.772	29.3	90.8	0
3/6/2023, 5:55:18 AM	0	6.772	29.3	90.8	0
3/6/2023, 6:05:18 AM	0	6.772	29.1	90.9	0
3/6/2023, 6:15:18 AM	0	6.772	29.1	90.9	0
3/6/2023, 6:25:18 AM	0	6.772	29.1	91	0
3/6/2023, 6:35:18 AM	0	6.772	28.9	91.1	0
3/6/2023, 6:45:18 AM	0	6.772	28.9	91.2	0
3/6/2023, 6:55:18 AM	0	6.772	28.9	91.2	0
3/6/2023, 7:05:18 AM	0	6.772	28.8	91.3	0
3/6/2023, 7:15:18 AM	0	6.772	28.8	91.4	0
3/6/2023, 7:25:18 AM	0	6.772	28.8	91.5	0
3/6/2023, 7:35:18 AM	0	6.772	28.8	91.5	0
3/6/2023, 7:45:18 AM	0	6.772	28.8	91.7	0
3/6/2023, 7:55:18 AM	0	6.772	28.9	91.8	0
3/6/2023, 8:05:18 AM	0	6.772	29.1	92	0
3/6/2023, 8:15:18 AM	0	6.772	29.5	92.2	0
3/6/2023, 8:25:18 AM	0	6.772	30	92.6	0
3/6/2023, 8:35:18 AM	0	6.772	30.6	92.9	0
3/6/2023, 8:45:18 AM	0	6.772	31.1	93.3	0
3/6/2023, 8:55:18 AM	0	6.781	31.6	93.5	0
3/6/2023, 9:05:18 AM	0	6.781	32	93.9	0
3/6/2023, 9:15:18 AM	0	6.781	32.4	94.1	0
3/6/2023, 9:25:18 AM	0	6.781	32.9	94.3	0
3/6/2023, 9:35:18 AM	0	6.781	33.4	94.5	0
3/6/2023, 9:45:18 AM	0	6.781	34	94.6	0
3/6/2023, 9:55:18 AM	0	6.781	34.5	94.6	0
3/6/2023, 10:05:18 AM	0	6.79	34.9	94.7	0
3/6/2023, 10:15:18 AM	0	6.79	35.4	94.5	0
3/6/2023, 10:25:18 AM	0	6.79	36	94.4	0
3/6/2023, 10:35:18 AM	0	6.79	36.5	94.1	0
3/6/2023, 10:45:18 AM	0	6.79	36.9	93.8	0
3/6/2023, 10:55:18 AM	0	6.79	37.4	93.4	0
3/6/2023, 11:05:18 AM	0	6.79	37.9	93.1	0
3/6/2023, 11:15:18 AM	0	6.79	38.7	92.7	0
3/6/2023, 11:25:18 AM	0	6.798	39.2	92.1	0
3/6/2023, 11:35:18 AM	0	6.798	39.4	91.5	0
3/6/2023, 11:45:18 AM	0	6.798	39.7	90.9	0
3/6/2023, 11:55:18 AM	0	6.798	39.9	90.1	0
3/6/2023, 12:05:18 PM	0	6.798	40.1	89.3	0
3/6/2023, 12:15:18 PM	0	6.798	40.5	88.4	0
3/6/2023, 12:25:18 PM	0	6.798	40.8	87.6	0
3/6/2023, 12:35:18 PM	0	6.798	41.4	86.8	0
3/6/2023, 12:45:18 PM	0	6.807	41.9	86.1	0
3/6/2023, 12:55:18 PM	0	6.807	42.8	85.3	0
3/6/2023, 1:05:18 PM	0	6.807	43.7	84.2	0
3/6/2023, 1:15:18 PM	0	6.807	44.2	83.3	0
3/6/2023, 1:25:18 PM	0	6.807	44.4	82.5	0
3/6/2023, 1:35:18 PM	0	6.807	45.5	81.2	0
3/6/2023, 1:45:18 PM	0	6.807	46.6	79.7	0
3/6/2023, 1:55:18 PM	0	6.807	47.5	78.1	0
3/6/2023, 2:05:18 PM	0	6.816	47.8	76.5	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/6/2023, 2:15:18 PM	0	6.816	47.7	75.2	0
3/6/2023, 2:25:18 PM	0	6.816	47.3	74.1	0
3/6/2023, 2:35:18 PM	0	6.816	47.1	73.3	0
3/6/2023, 2:45:18 PM	0	6.816	47.1	72.5	0
3/6/2023, 2:55:18 PM	0	6.816	47.1	71.7	0
3/6/2023, 3:05:18 PM	0	6.816	47.1	71	0
3/6/2023, 3:15:18 PM	0	6.816	47.3	70.4	0
3/6/2023, 3:25:18 PM	0	6.816	47.5	69.6	0
3/6/2023, 3:35:18 PM	0	6.816	47.5	69.2	0
3/6/2023, 3:45:18 PM	0	6.816	46.9	68.6	0
3/6/2023, 3:55:18 PM	0	6.816	46.6	68.1	0
3/6/2023, 4:05:18 PM	0	6.816	46.2	67.7	0
3/6/2023, 4:15:18 PM	0	6.816	46.2	67.6	0
3/6/2023, 4:25:18 PM	0	6.816	46.4	67.4	0
3/6/2023, 4:35:18 PM	0	6.816	46	67.2	0
3/6/2023, 4:45:18 PM	0	6.816	45.3	66.3	0
3/6/2023, 4:55:18 PM	0	6.816	45	65.4	0
3/6/2023, 5:05:18 PM	0	6.816	44.4	65	0
3/6/2023, 5:15:18 PM	0	6.816	43.9	64.9	0
3/6/2023, 5:25:18 PM	0	6.816	43.5	64.9	0
3/6/2023, 5:35:18 PM	0	6.816	43	65	0
3/6/2023, 5:45:18 PM	0	6.816	42.6	65.4	0
3/6/2023, 5:55:18 PM	0	6.807	42.3	65.7	0
3/6/2023, 6:05:18 PM	0	6.807	41.7	65.9	0
3/6/2023, 6:15:18 PM	0	6.807	41	66.3	0
3/6/2023, 6:25:18 PM	0	6.807	40.5	66.8	0
3/6/2023, 6:35:18 PM	0	6.807	39.7	67.3	0
3/6/2023, 6:45:18 PM	0	6.807	39.4	67.7	0
3/6/2023, 6:55:18 PM	0	6.807	38.8	68.1	0
3/6/2023, 7:05:18 PM	0	6.807	38.3	68.4	0
3/6/2023, 7:15:18 PM	0	6.798	37.9	68.7	0
3/6/2023, 7:25:18 PM	0	6.798	37.6	69.1	0
3/6/2023, 7:35:18 PM	0	6.798	37.2	69.4	0
3/6/2023, 7:45:18 PM	0	6.798	37	69.7	0
3/6/2023, 7:55:18 PM	0	6.798	36.7	69.9	0
3/6/2023, 8:05:18 PM	0	6.798	36.5	69.8	0
3/6/2023, 8:15:18 PM	0	6.798	36.3	70.2	0
3/6/2023, 8:25:18 PM	0	6.798	36	70.6	0
3/6/2023, 8:35:18 PM	0	6.798	35.8	71.2	0
3/6/2023, 8:45:18 PM	0	6.798	35.6	71.6	0
3/6/2023, 8:55:18 PM	0	6.79	35.4	72	0
3/6/2023, 9:05:18 PM	0	6.79	35.2	72.7	0
3/6/2023, 9:15:18 PM	0	6.79	35.1	72.9	0
3/6/2023, 9:25:18 PM	0	6.79	35.1	73.2	0
3/6/2023, 9:35:18 PM	0	6.79	34.9	73.4	0
3/6/2023, 9:45:18 PM	0	6.79	34.9	73.7	0
3/6/2023, 9:55:18 PM	0	6.79	34.9	74	0
3/6/2023, 10:05:18 PM	0	6.79	34.9	74.5	0
3/6/2023, 10:15:18 PM	0	6.79	34.7	74.7	0
3/6/2023, 10:25:18 PM	0	6.79	34.7	75	0
3/6/2023, 10:35:18 PM	0	6.79	34.7	75.3	0
3/6/2023, 10:45:18 PM	0	6.79	34.7	75.7	0
3/6/2023, 10:55:18 PM	0	6.79	34.5	76.1	0
3/6/2023, 11:05:18 PM	0	6.79	34.5	76.5	0
3/6/2023, 11:15:18 PM	0	6.79	34.5	77	0
3/6/2023, 11:25:18 PM	0	6.79	34.3	77.4	0
3/6/2023, 11:35:18 PM	0	6.79	34.3	77.6	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/6/2023, 11:45:18 PM	0	6.79	34.3	77.8	0
3/6/2023, 11:55:18 PM	0	6.79	34.2	77.8	0
3/7/2023, 12:05:18 AM	0	6.79	34.2	77.8	0
3/7/2023, 12:15:18 AM	0	6.79	34.2	78	0
3/7/2023, 12:25:18 AM	0	6.79	34	78.2	0
3/7/2023, 12:35:18 AM	0	6.79	34	78.3	0
3/7/2023, 12:45:18 AM	0	6.79	34	78.6	0
3/7/2023, 12:55:18 AM	0	6.79	34	78.8	0
3/7/2023, 1:05:18 AM	0	6.79	34	79	0
3/7/2023, 1:15:18 AM	0	6.79	34	79.1	0
3/7/2023, 1:25:18 AM	0	6.79	34	79.4	0
3/7/2023, 1:35:18 AM	0	6.79	33.8	79.4	0
3/7/2023, 1:45:18 AM	0	6.79	33.6	79.4	0
3/7/2023, 1:55:18 AM	0	6.79	33.3	79.1	0
3/7/2023, 2:05:18 AM	0	6.79	32.9	79.1	0
3/7/2023, 2:15:18 AM	0	6.781	32.4	79.2	0
3/7/2023, 2:25:18 AM	0	6.781	32	79.4	0
3/7/2023, 2:35:18 AM	0	6.781	32	79.8	0
3/7/2023, 2:45:18 AM	0	6.781	32	80.3	0
3/7/2023, 2:55:18 AM	0	6.781	32	80.9	0
3/7/2023, 3:05:18 AM	0	6.781	32	81.4	0
3/7/2023, 3:15:18 AM	0	6.781	32.4	81.7	0
3/7/2023, 3:25:18 AM	0	6.781	32.5	81.5	0
3/7/2023, 3:35:18 AM	0	6.781	32.9	80.6	0
3/7/2023, 3:45:18 AM	0	6.781	33.3	79.7	0
3/7/2023, 3:55:18 AM	0	6.781	33.4	78.5	0
3/7/2023, 4:05:18 AM	0	6.781	33.6	77.5	0
3/7/2023, 4:15:18 AM	0	6.79	33.8	76.7	0
3/7/2023, 4:25:18 AM	0	6.781	34	75.8	0
3/7/2023, 4:35:18 AM	0	6.79	34	74.9	0
3/7/2023, 4:45:18 AM	0	6.79	33.8	74.2	0
3/7/2023, 4:55:18 AM	0	6.79	33.8	73.7	0
3/7/2023, 5:05:18 AM	0	6.79	33.4	73.3	0
3/7/2023, 5:15:18 AM	0	6.79	33.1	72.9	0
3/7/2023, 5:25:18 AM	0	6.781	32.9	72.6	0
3/7/2023, 5:35:18 AM	0	6.781	32.5	72.4	0
3/7/2023, 5:45:18 AM	0	6.781	32.4	72.3	0
3/7/2023, 5:55:18 AM	0	6.781	32.4	72	0
3/7/2023, 6:05:18 AM	0	6.781	32.2	71.8	0
3/7/2023, 6:15:18 AM	0	6.781	32	71.7	0
3/7/2023, 6:25:18 AM	0	6.781	32	71.8	0
3/7/2023, 6:35:18 AM	0	6.781	31.6	71.7	0
3/7/2023, 6:45:18 AM	0	6.781	31.5	71.6	0
3/7/2023, 6:55:18 AM	0	6.781	31.1	71.6	0
3/7/2023, 7:05:18 AM	0	6.781	30.9	71.5	0
3/7/2023, 7:15:18 AM	0	6.781	30.6	71.5	0
3/7/2023, 7:25:18 AM	0	6.781	30.4	71.5	0
3/7/2023, 7:35:18 AM	0	6.772	30.2	71.6	0
3/7/2023, 7:45:18 AM	0	6.772	30	71.6	0
3/7/2023, 7:55:18 AM	0	6.772	30	71.6	0
3/7/2023, 8:05:18 AM	0	6.772	30	71.7	0
3/7/2023, 8:15:18 AM	0	6.772	30.2	71.8	0
3/7/2023, 8:25:18 AM	0	6.772	30.6	71.8	0
3/7/2023, 8:35:18 AM	0	6.772	31.1	71.9	0
3/7/2023, 8:45:18 AM	0	6.772	32	71.8	0
3/7/2023, 8:55:18 AM	0	6.781	33.1	71.6	0
3/7/2023, 9:05:18 AM	0	6.781	34.5	71.4	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/7/2023, 9:15:18 AM	0	6.781	35.6	70.9	0
3/7/2023, 9:25:18 AM	0	6.781	36.7	70.4	0
3/7/2023, 9:35:18 AM	0	6.79	37.8	69.8	0
3/7/2023, 9:45:18 AM	0	6.79	38.5	69.1	0
3/7/2023, 9:55:18 AM	0	6.79	39.6	68.6	0
3/7/2023, 10:05:18 AM	0	6.79	40.5	68	0
3/7/2023, 10:15:18 AM	0	6.79	41.2	67.4	0
3/7/2023, 10:25:18 AM	0	6.798	41.7	66.9	0
3/7/2023, 10:35:18 AM	0	6.798	42.4	66.4	0
3/7/2023, 10:45:18 AM	0	6.798	42.8	65.9	0
3/7/2023, 10:55:18 AM	0	6.798	43.3	65.4	0
3/7/2023, 11:05:18 AM	0	6.798	43.7	65	0
3/7/2023, 11:15:18 AM	0	6.798	43.5	64.5	0
3/7/2023, 11:25:18 AM	0	6.798	43.5	64.2	0
3/7/2023, 11:35:18 AM	0	6.798	43.9	64	0
3/7/2023, 11:45:18 AM	0	6.798	44.2	63.8	0
3/7/2023, 11:55:18 AM	0	6.798	44.8	63.4	0
3/7/2023, 12:05:18 PM	0	6.798	45	63.1	0
3/7/2023, 12:15:18 PM	0	6.807	45	62.7	0
3/7/2023, 12:25:18 PM	0	6.798	45	62.4	0
3/7/2023, 12:35:18 PM	0	6.807	44.8	62.2	0
3/7/2023, 12:45:18 PM	0	6.807	44.6	62.1	0
3/7/2023, 12:55:18 PM	0	6.807	44.6	62.1	0
3/7/2023, 1:05:18 PM	0	6.807	44.4	62.2	0
3/7/2023, 1:15:18 PM	0	6.807	44.1	62	0
3/7/2023, 1:25:18 PM	0	6.807	43.7	61.8	0
3/7/2023, 1:35:18 PM	0	6.807	43.7	61.8	0
3/7/2023, 1:45:18 PM	0	6.807	43.9	61.8	0
3/7/2023, 1:55:18 PM	0	6.807	44.1	61.9	0
3/7/2023, 2:05:18 PM	0	6.807	43.9	61.9	0
3/7/2023, 2:15:18 PM	0	6.807	43.3	61.7	0
3/7/2023, 2:25:18 PM	0	6.807	42.8	61.8	0
3/7/2023, 2:35:18 PM	0	6.807	42.4	61.8	0
3/7/2023, 2:45:18 PM	0	6.807	42.3	61.8	0
3/7/2023, 2:55:18 PM	0	6.807	42.3	61.8	0
3/7/2023, 3:05:18 PM	0	6.807	42.3	61.8	0
3/7/2023, 3:15:18 PM	0	6.807	42.6	61.8	0
3/7/2023, 3:25:18 PM	0	6.807	42.8	61.8	0
3/7/2023, 3:35:18 PM	0	6.807	43	61.5	0
3/7/2023, 3:45:18 PM	0	6.807	42.8	61.4	0
3/7/2023, 3:55:18 PM	0	6.807	42.8	61.4	0
3/7/2023, 4:05:18 PM	0	6.807	42.8	61.3	0
3/7/2023, 4:15:18 PM	0	6.807	42.6	61.2	0
3/7/2023, 4:25:18 PM	0	6.807	42.1	61.1	0
3/7/2023, 4:35:18 PM	0	6.807	41.5	60.9	0
3/7/2023, 4:45:18 PM	0	6.807	41	60.9	0
3/7/2023, 4:55:18 PM	0	6.798	40.6	60.9	0
3/7/2023, 5:05:18 PM	0	6.798	40.3	61	0
3/7/2023, 5:15:18 PM	0	6.798	39.7	61	0
3/7/2023, 5:25:18 PM	0	6.798	39.6	61.2	0
3/7/2023, 5:35:18 PM	0	6.798	39.4	61.3	0
3/7/2023, 5:45:18 PM	0	6.798	39	61.3	0
3/7/2023, 5:55:18 PM	0	6.798	38.7	61.3	0
3/7/2023, 6:05:18 PM	0	6.798	38.5	61.4	0
3/7/2023, 6:15:18 PM	0	6.798	38.5	61.7	0
3/7/2023, 6:25:18 PM	0	6.798	38.3	61.8	0
3/7/2023, 6:35:18 PM	0	6.798	38.1	62.1	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/7/2023, 6:45:18 PM	0	6.798	38.1	62.3	0
3/7/2023, 6:55:18 PM	0	6.798	37.9	62.4	0
3/7/2023, 7:05:18 PM	0	6.798	37.8	62.5	0
3/7/2023, 7:15:18 PM	0	6.798	37.6	62.6	0
3/7/2023, 7:25:18 PM	0	6.798	37.6	62.7	0
3/7/2023, 7:35:18 PM	0	6.798	37.4	62.8	0
3/7/2023, 7:45:18 PM	0	6.798	37.2	63.2	0
3/7/2023, 7:55:18 PM	0	6.798	37	63.5	0
3/7/2023, 8:05:18 PM	0	6.79	37	63.9	0
3/7/2023, 8:15:18 PM	0	6.79	36.9	64.3	0
3/7/2023, 8:25:18 PM	0	6.79	36.7	64.6	0
3/7/2023, 8:35:18 PM	0	6.79	36.7	64.9	0
3/7/2023, 8:45:18 PM	0	6.79	36.9	65	0
3/7/2023, 8:55:18 PM	0	6.79	36.9	65.1	0
3/7/2023, 9:05:18 PM	0	6.79	36.7	65	0
3/7/2023, 9:15:18 PM	0	6.79	36.7	65	0
3/7/2023, 9:25:18 PM	0	6.79	36.5	65.3	0
3/7/2023, 9:35:18 PM	0	6.79	36.5	65.5	0
3/7/2023, 9:45:18 PM	0	6.79	36.3	65.7	0
3/7/2023, 9:55:18 PM	0	6.79	36.1	65.8	0
3/7/2023, 10:05:18 PM	0	6.79	36	66	0
3/7/2023, 10:15:18 PM	0	6.79	36	66.3	0
3/7/2023, 10:25:18 PM	0	6.79	35.8	66.5	0
3/7/2023, 10:35:18 PM	0	6.79	35.6	66.7	0
3/7/2023, 10:45:18 PM	0	6.79	35.4	66.8	0
3/7/2023, 10:55:18 PM	0	6.79	35.2	67	0
3/7/2023, 11:05:18 PM	0	6.79	35.1	67.1	0
3/7/2023, 11:15:18 PM	0	6.79	35.1	67.2	0
3/7/2023, 11:25:18 PM	0	6.79	34.9	67.2	0
3/7/2023, 11:35:18 PM	0	6.79	34.7	67.2	0
3/7/2023, 11:45:18 PM	0	6.79	34.5	67.3	0
3/7/2023, 11:55:18 PM	0	6.79	34.5	67.6	0
3/8/2023, 12:05:18 AM	0	6.79	34.3	67.8	0
3/8/2023, 12:15:18 AM	0	6.79	34.2	67.7	0
3/8/2023, 12:25:18 AM	0	6.79	34.2	67.8	0
3/8/2023, 12:35:18 AM	0	6.781	34	68	0
3/8/2023, 12:45:18 AM	0	6.781	34	68.1	0
3/8/2023, 12:55:18 AM	0	6.781	33.8	68.3	0
3/8/2023, 1:05:18 AM	0	6.781	33.8	68.5	0
3/8/2023, 1:15:18 AM	0	6.781	33.6	68.8	0
3/8/2023, 1:25:18 AM	0	6.781	33.6	69	0
3/8/2023, 1:35:18 AM	0	6.781	33.6	69.2	0
3/8/2023, 1:45:18 AM	0	6.781	33.4	69.4	0
3/8/2023, 1:55:18 AM	0	6.781	33.4	69.6	0
3/8/2023, 2:05:18 AM	0	6.781	33.4	69.7	0
3/8/2023, 2:15:18 AM	0	6.781	33.3	69.9	0
3/8/2023, 2:25:18 AM	0	6.781	33.3	70	0
3/8/2023, 2:35:18 AM	0	6.781	33.1	70.2	0
3/8/2023, 2:45:18 AM	0	6.781	33.1	70.3	0
3/8/2023, 2:55:18 AM	0	6.781	33.1	70.6	0
3/8/2023, 3:05:18 AM	0	6.781	32.9	70.8	0
3/8/2023, 3:15:18 AM	0	6.781	32.9	71	0
3/8/2023, 3:25:18 AM	0	6.781	32.9	71.2	0
3/8/2023, 3:35:18 AM	0	6.781	32.7	71.3	0
3/8/2023, 3:45:18 AM	0	6.781	32.7	71.4	0
3/8/2023, 3:55:18 AM	0	6.781	32.7	71.5	0
3/8/2023, 4:05:18 AM	0	6.781	32.7	71.6	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/8/2023, 4:15:18 AM	0	6.781	32.5	71.6	0
3/8/2023, 4:25:18 AM	0	6.781	32.5	71.6	0
3/8/2023, 4:35:18 AM	0	6.781	32.5	71.6	0
3/8/2023, 4:45:18 AM	0	6.781	32.5	71.6	0
3/8/2023, 4:55:18 AM	0	6.781	32.5	71.7	0
3/8/2023, 5:05:18 AM	0	6.781	32.5	71.7	0
3/8/2023, 5:15:18 AM	0	6.781	32.4	71.8	0
3/8/2023, 5:25:18 AM	0	6.781	32.4	71.8	0
3/8/2023, 5:35:18 AM	0	6.781	32.4	71.8	0
3/8/2023, 5:45:18 AM	0	6.781	32.2	72	0
3/8/2023, 5:55:18 AM	0	6.781	32.2	72.1	0
3/8/2023, 6:05:18 AM	0	6.781	32.2	72.1	0
3/8/2023, 6:15:18 AM	0	6.781	32	72	0
3/8/2023, 6:25:18 AM	0	6.781	32	71.9	0
3/8/2023, 6:35:18 AM	0	6.781	32	71.9	0
3/8/2023, 6:45:18 AM	0	6.781	32	72	0
3/8/2023, 6:55:18 AM	0	6.772	32	72.1	0
3/8/2023, 7:05:18 AM	0	6.772	32	72.1	0
3/8/2023, 7:15:18 AM	0	6.781	32	72.2	0
3/8/2023, 7:25:18 AM	0	6.772	32	72.3	0
3/8/2023, 7:35:18 AM	0	6.772	32	72.4	0
3/8/2023, 7:45:18 AM	0	6.772	32	72.5	0
3/8/2023, 7:55:18 AM	0	6.772	32	72.6	0
3/8/2023, 8:05:18 AM	0	6.781	32	72.7	0
3/8/2023, 8:15:18 AM	0	6.772	32	72.8	0
3/8/2023, 8:25:18 AM	0	6.772	32	72.9	0
3/8/2023, 8:35:18 AM	0	6.772	32	73.1	0
3/8/2023, 8:45:18 AM	0	6.772	32	73.2	0
3/8/2023, 8:55:18 AM	0	6.772	32.2	73.3	0
3/8/2023, 9:05:18 AM	0	6.772	32.2	73.5	0
3/8/2023, 9:15:18 AM	0	6.772	32.4	73.6	0
3/8/2023, 9:25:18 AM	0	6.772	32.5	73.7	0
3/8/2023, 9:35:18 AM	0	6.781	32.7	73.8	0
3/8/2023, 9:45:18 AM	0	6.781	32.9	73.8	0
3/8/2023, 9:55:18 AM	0	6.781	33.3	73.8	0
3/8/2023, 10:05:18 AM	0	6.781	33.4	73.8	0
3/8/2023, 10:15:18 AM	0	6.781	33.6	73.8	0
3/8/2023, 10:25:18 AM	0	6.781	33.8	73.7	0
3/8/2023, 10:35:18 AM	0	6.781	34	73.7	0
3/8/2023, 10:45:18 AM	0	6.781	34.3	73.7	0
3/8/2023, 10:55:18 AM	0	6.781	34.5	73.5	0
3/8/2023, 11:05:18 AM	0	6.781	34.5	73.3	0
3/8/2023, 11:15:18 AM	0	6.781	34.5	73	0
3/8/2023, 11:25:18 AM	0	6.781	34.7	72.7	0
3/8/2023, 11:35:18 AM	0	6.781	34.9	72.5	0
3/8/2023, 11:45:18 AM	0	6.781	35.1	72.5	0
3/8/2023, 11:55:18 AM	0	6.781	35.1	72.3	0
3/8/2023, 12:05:18 PM	0	6.781	35.1	72.1	0
3/8/2023, 12:15:18 PM	0	6.781	35.2	72	0
3/8/2023, 12:25:18 PM	0	6.781	35.4	71.9	0
3/8/2023, 12:35:18 PM	0	6.781	35.8	71.8	0
3/8/2023, 12:45:18 PM	0	6.781	36.1	71.8	0
3/8/2023, 12:55:18 PM	0	6.781	36.7	71.7	0
3/8/2023, 1:05:18 PM	0	6.79	37	71.5	0
3/8/2023, 1:15:18 PM	0	6.79	37.4	71.1	0
3/8/2023, 1:25:18 PM	0	6.79	38.1	70.9	0
3/8/2023, 1:35:18 PM	0	6.79	38.7	70.6	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/8/2023, 1:45:18 PM	0	6.79	39.2	70	0
3/8/2023, 1:55:18 PM	0	6.79	39.7	69.6	0
3/8/2023, 2:05:18 PM	0	6.79	40.1	69.2	0
3/8/2023, 2:15:18 PM	0	6.798	40.3	68.6	0
3/8/2023, 2:25:18 PM	0	6.798	40.3	68.3	0
3/8/2023, 2:35:18 PM	0	6.798	40.3	68.1	0
3/8/2023, 2:45:18 PM	0	6.798	40.6	67.9	0
3/8/2023, 2:55:18 PM	0	6.798	40.8	67.6	0
3/8/2023, 3:05:18 PM	0	6.798	41	67.5	0
3/8/2023, 3:15:18 PM	0	6.798	41.4	67.3	0
3/8/2023, 3:25:18 PM	0	6.798	41.9	66.9	0
3/8/2023, 3:35:18 PM	0	6.798	42.3	66.4	0
3/8/2023, 3:45:18 PM	0	6.798	42.4	66.1	0
3/8/2023, 3:55:18 PM	0	6.798	42.6	65.5	0
3/8/2023, 4:05:18 PM	0	6.798	42.6	65.2	0
3/8/2023, 4:15:18 PM	0	6.798	42.3	64.9	0
3/8/2023, 4:25:18 PM	0	6.798	41.9	64.8	0
3/8/2023, 4:35:18 PM	0	6.798	41.9	64.7	0
3/8/2023, 4:45:18 PM	0	6.798	41.9	64.5	0
3/8/2023, 4:55:18 PM	0	6.798	41.4	64.4	0
3/8/2023, 5:05:18 PM	0	6.798	41	64.4	0
3/8/2023, 5:15:18 PM	0	6.798	40.5	64.3	0
3/8/2023, 5:25:18 PM	0	6.798	40.1	64.4	0
3/8/2023, 5:35:18 PM	0	6.798	39.7	64.4	0
3/8/2023, 5:45:18 PM	0	6.798	39.4	64.4	0
3/8/2023, 5:55:18 PM	0	6.798	39.2	64.4	0
3/8/2023, 6:05:18 PM	0	6.798	38.8	64.5	0
3/8/2023, 6:15:18 PM	0	6.798	38.3	64.6	0
3/8/2023, 6:25:18 PM	0	6.79	37.9	64.8	0
3/8/2023, 6:35:18 PM	0	6.79	37.6	64.9	0
3/8/2023, 6:45:18 PM	0	6.79	37	64.8	0
3/8/2023, 6:55:18 PM	0	6.79	36.7	64.9	0
3/8/2023, 7:05:18 PM	0	6.79	36.1	65.2	0
3/8/2023, 7:15:18 PM	0	6.79	35.8	65.4	0
3/8/2023, 7:25:18 PM	0	6.79	35.4	65.7	0
3/8/2023, 7:35:18 PM	0	6.79	35.1	66	0
3/8/2023, 7:45:18 PM	0	6.79	34.9	66.3	0
3/8/2023, 7:55:18 PM	0	6.781	34.7	66.5	0
3/8/2023, 8:05:18 PM	0	6.781	34.5	66.8	0
3/8/2023, 8:15:18 PM	0	6.781	34.5	67	0
3/8/2023, 8:25:18 PM	0	6.781	34.3	67.3	0
3/8/2023, 8:35:18 PM	0	6.781	34.2	67.6	0
3/8/2023, 8:45:18 PM	0	6.781	34	67.8	0
3/8/2023, 8:55:18 PM	0	6.781	33.4	68	0
3/8/2023, 9:05:18 PM	0	6.781	32.9	68.3	0
3/8/2023, 9:15:18 PM	0	6.781	32.5	68.8	0
3/8/2023, 9:25:18 PM	0	6.781	32.4	69.3	0
3/8/2023, 9:35:18 PM	0	6.781	32	69.6	0
3/8/2023, 9:45:18 PM	0	6.781	31.8	70	0
3/8/2023, 9:55:18 PM	0	6.772	31.5	70.3	0
3/8/2023, 10:05:18 PM	0	6.772	31.3	70.7	0
3/8/2023, 10:15:18 PM	0	6.772	30.9	71.1	0
3/8/2023, 10:25:18 PM	0	6.772	30.6	71.5	0
3/8/2023, 10:35:18 PM	0	6.772	30.4	71.9	0
3/8/2023, 10:45:18 PM	0	6.772	30.4	72.4	0
3/8/2023, 10:55:18 PM	0	6.772	30.4	72.7	0
3/8/2023, 11:05:18 PM	0	6.772	30.4	73.1	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/8/2023, 11:15:18 PM	0	6.772	30.4	73.3	0
3/8/2023, 11:25:18 PM	0	6.772	30.2	73.6	0
3/8/2023, 11:35:18 PM	0	6.772	30.2	74	0
3/8/2023, 11:45:18 PM	0	6.763	30.2	74.4	0
3/8/2023, 11:55:18 PM	0	6.772	30.2	74.8	0
3/9/2023, 12:05:18 AM	0	6.772	30.2	75.2	0
3/9/2023, 12:15:18 AM	0	6.763	30	75.6	0
3/9/2023, 12:25:18 AM	0	6.763	30	75.9	0
3/9/2023, 12:35:18 AM	0	6.763	29.8	76.3	0
3/9/2023, 12:45:18 AM	0	6.763	29.8	76.6	0
3/9/2023, 12:55:18 AM	0	6.763	29.8	76.9	0
3/9/2023, 1:05:18 AM	0	6.763	29.8	77.2	0
3/9/2023, 1:15:18 AM	0	6.763	29.7	77.5	0
3/9/2023, 1:25:18 AM	0	6.763	29.7	77.8	0
3/9/2023, 1:35:18 AM	0	6.763	29.5	78.1	0
3/9/2023, 1:45:18 AM	0	6.763	29.5	78.4	0
3/9/2023, 1:55:18 AM	0	6.763	29.3	78.6	0
3/9/2023, 2:05:18 AM	0	6.763	29.3	78.9	0
3/9/2023, 2:15:18 AM	0	6.763	29.1	79.3	0
3/9/2023, 2:25:18 AM	0	6.763	28.9	79.4	0
3/9/2023, 2:35:18 AM	0	6.763	28.8	79.7	0
3/9/2023, 2:45:18 AM	0	6.763	28.6	79.9	0
3/9/2023, 2:55:18 AM	0	6.763	28.4	80.1	0
3/9/2023, 3:05:18 AM	0	6.763	28	80.2	0
3/9/2023, 3:15:18 AM	0	6.763	27.9	80.4	0
3/9/2023, 3:25:18 AM	0	6.763	27.5	80.6	0
3/9/2023, 3:35:18 AM	0	6.754	27.3	80.8	0
3/9/2023, 3:45:18 AM	0	6.754	27.1	81	0
3/9/2023, 3:55:18 AM	0	6.754	26.8	81.2	0
3/9/2023, 4:05:18 AM	0	6.754	26.6	81.4	0
3/9/2023, 4:15:18 AM	0	6.754	26.4	81.7	0
3/9/2023, 4:25:18 AM	0	6.754	26.2	81.9	0
3/9/2023, 4:35:18 AM	0	6.754	26.1	82.1	0
3/9/2023, 4:45:18 AM	0	6.754	25.9	82.4	0
3/9/2023, 4:55:18 AM	0	6.754	25.9	82.7	0
3/9/2023, 5:05:18 AM	0	6.754	25.7	82.9	0
3/9/2023, 5:15:18 AM	0	6.746	25.5	83.1	0
3/9/2023, 5:25:18 AM	0	6.746	25.5	83.4	0
3/9/2023, 5:35:18 AM	0	6.746	25.7	83.9	0
3/9/2023, 5:45:18 AM	0	6.746	26.1	84.3	0
3/9/2023, 5:55:18 AM	0	6.754	26.4	84.8	0
3/9/2023, 6:05:18 AM	0	6.754	26.8	85.2	0
3/9/2023, 6:15:18 AM	0	6.754	27.1	85.5	0
3/9/2023, 6:25:18 AM	0	6.754	27.3	85.7	0
3/9/2023, 6:35:18 AM	0	6.754	27.3	85.5	0
3/9/2023, 6:45:18 AM	0	6.754	27.1	85.4	0
3/9/2023, 6:55:18 AM	0	6.754	27	85.2	0
3/9/2023, 7:05:18 AM	0	6.754	26.8	85.1	0
3/9/2023, 7:15:18 AM	0	6.754	26.8	85.3	0
3/9/2023, 7:25:18 AM	0	6.754	27	85.5	0
3/9/2023, 7:35:18 AM	0	6.754	27.1	85.7	0
3/9/2023, 7:45:18 AM	0	6.754	27.5	85.8	0
3/9/2023, 7:55:18 AM	0	6.754	27.7	85.9	0
3/9/2023, 8:05:18 AM	0	6.754	28	86	0
3/9/2023, 8:15:18 AM	0	6.754	28.4	86.1	0
3/9/2023, 8:25:18 AM	0	6.754	28.9	86.2	0
3/9/2023, 8:35:18 AM	0	6.763	29.3	86.1	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/9/2023, 8:45:18 AM	0	6.763	29.8	85.9	0
3/9/2023, 8:55:18 AM	0	6.763	30.6	85.6	0
3/9/2023, 9:05:18 AM	0	6.763	31.1	85.3	0
3/9/2023, 9:15:18 AM	0	6.763	31.8	84.9	0
3/9/2023, 9:25:18 AM	0	6.772	32.2	84.4	0
3/9/2023, 9:35:18 AM	0	6.772	32.5	83.9	0
3/9/2023, 9:45:18 AM	0	6.772	33.1	83.4	0
3/9/2023, 9:55:18 AM	0	6.772	33.4	82.8	0
3/9/2023, 10:05:18 AM	0	6.772	33.8	82.3	0
3/9/2023, 10:15:18 AM	0	6.772	34.2	81.8	0
3/9/2023, 10:25:18 AM	0	6.781	34.3	81.2	0
3/9/2023, 10:35:18 AM	0	6.781	34.7	80.7	0
3/9/2023, 10:45:18 AM	0	6.781	35.1	80.3	0
3/9/2023, 10:55:18 AM	0	6.781	35.4	79.8	0
3/9/2023, 11:05:18 AM	0	6.781	35.8	79.4	0
3/9/2023, 11:15:18 AM	0	6.781	36	79	0
3/9/2023, 11:25:18 AM	0	6.781	36.1	78.5	0
3/9/2023, 11:35:18 AM	0	6.781	36.3	78.1	0
3/9/2023, 11:45:18 AM	0	6.781	36.7	77.8	0
3/9/2023, 11:55:18 AM	0	6.781	37.2	77.5	0
3/9/2023, 12:05:18 PM	0	6.781	37.6	77.1	0
3/9/2023, 12:15:18 PM	0	6.79	37.9	76.9	0
3/9/2023, 12:25:18 PM	0	6.79	38.5	76.5	0
3/9/2023, 12:35:18 PM	0	6.79	38.7	76.1	0
3/9/2023, 12:45:18 PM	0	6.79	39	75.7	0
3/9/2023, 12:55:18 PM	0	6.79	39.2	75.4	0
3/9/2023, 1:05:18 PM	0	6.79	39.4	75	0
3/9/2023, 1:15:18 PM	0	6.79	39.6	74.7	0
3/9/2023, 1:25:18 PM	0	6.79	39.7	74.2	0
3/9/2023, 1:35:18 PM	0	6.79	39.7	73.9	0
3/9/2023, 1:45:18 PM	0	6.79	39.9	73.7	0
3/9/2023, 1:55:18 PM	0	6.79	40.3	73.4	0
3/9/2023, 2:05:18 PM	0	6.79	40.6	73.3	0
3/9/2023, 2:15:18 PM	0	6.79	41.2	73	0
3/9/2023, 2:25:18 PM	0	6.798	41.2	72.7	0
3/9/2023, 2:35:18 PM	0	6.798	41	72.4	0
3/9/2023, 2:45:18 PM	0	6.798	41.5	72.3	0
3/9/2023, 2:55:18 PM	0	6.798	42.4	72.1	0
3/9/2023, 3:05:18 PM	0	6.798	43.3	71.6	0
3/9/2023, 3:15:18 PM	0	6.798	43.9	71	0
3/9/2023, 3:25:18 PM	0	6.798	44.2	70.5	0
3/9/2023, 3:35:18 PM	0	6.798	44.8	70	0
3/9/2023, 3:45:18 PM	0	6.807	45.1	69.5	0
3/9/2023, 3:55:18 PM	0	6.807	45.3	69.1	0
3/9/2023, 4:05:18 PM	0	6.807	45.1	68.7	0
3/9/2023, 4:15:18 PM	0	6.807	45	68.4	0
3/9/2023, 4:25:18 PM	0	6.807	45	68.2	0
3/9/2023, 4:35:18 PM	0	6.807	44.8	67.8	0
3/9/2023, 4:45:18 PM	0	6.807	44.4	67.6	0
3/9/2023, 4:55:18 PM	0	6.807	44.1	67.5	0
3/9/2023, 5:05:18 PM	0	6.807	43.5	67.5	0
3/9/2023, 5:15:18 PM	0	6.807	42.8	67.4	0
3/9/2023, 5:25:18 PM	0	6.807	42.1	67.5	0
3/9/2023, 5:35:18 PM	0	6.798	41.2	67.5	0
3/9/2023, 5:45:18 PM	0	6.798	40.1	67.7	0
3/9/2023, 5:55:18 PM	0	6.798	39.6	68	0
3/9/2023, 6:05:18 PM	0	6.798	38.8	68.2	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/9/2023, 6:15:18 PM	0	6.798	38.3	68.5	0
3/9/2023, 6:25:18 PM	0	6.79	37.6	68.8	0
3/9/2023, 6:35:18 PM	0	6.79	37	69.2	0
3/9/2023, 6:45:18 PM	0	6.79	36.5	69.5	0
3/9/2023, 6:55:18 PM	0	6.79	36.1	69.8	0
3/9/2023, 7:05:18 PM	0	6.79	35.4	70.2	0
3/9/2023, 7:15:18 PM	0	6.781	35.1	70.7	0
3/9/2023, 7:25:18 PM	0	6.781	34.5	71	0
3/9/2023, 7:35:18 PM	0	6.781	34	71.4	0
3/9/2023, 7:45:18 PM	0	6.781	33.4	71.9	0
3/9/2023, 7:55:18 PM	0	6.781	32.9	72.3	0
3/9/2023, 8:05:18 PM	0	6.781	32.4	72.7	0
3/9/2023, 8:15:18 PM	0	6.772	31.8	73.1	0
3/9/2023, 8:25:18 PM	0	6.772	31.5	73.6	0
3/9/2023, 8:35:18 PM	0	6.772	31.3	74.1	0
3/9/2023, 8:45:18 PM	0	6.772	30.9	74.6	0
3/9/2023, 8:55:18 PM	0	6.772	30.4	75.2	0
3/9/2023, 9:05:18 PM	0	6.763	30	75.6	0
3/9/2023, 9:15:18 PM	0	6.763	29.8	76.1	0
3/9/2023, 9:25:18 PM	0	6.763	29.8	76.6	0
3/9/2023, 9:35:18 PM	0	6.763	29.7	77	0
3/9/2023, 9:45:18 PM	0	6.763	29.5	77.3	0
3/9/2023, 9:55:18 PM	0	6.763	29.1	77.6	0
3/9/2023, 10:05:18 PM	0	6.763	28.9	77.9	0
3/9/2023, 10:15:18 PM	0	6.763	28.8	78.3	0
3/9/2023, 10:25:18 PM	0	6.763	28.4	78.5	0
3/9/2023, 10:35:18 PM	0	6.754	28.2	78.9	0
3/9/2023, 10:45:18 PM	0	6.754	28	79.2	0
3/9/2023, 10:55:18 PM	0	6.754	27.7	79.4	0
3/9/2023, 11:05:18 PM	0	6.754	27.5	79.7	0
3/9/2023, 11:15:18 PM	0	6.754	27.1	80	0
3/9/2023, 11:25:18 PM	0	6.754	27	80.4	0
3/9/2023, 11:35:18 PM	0	6.754	26.8	80.9	0
3/9/2023, 11:45:18 PM	0	6.754	26.8	81.1	0
3/9/2023, 11:55:18 PM	0	6.754	26.6	81.4	0
3/10/2023, 12:05:18 AM	0	6.746	26.4	81.8	0
3/10/2023, 12:15:18 AM	0	6.746	26.4	82	0
3/10/2023, 12:25:18 AM	0	6.746	26.2	82.2	0
3/10/2023, 12:35:18 AM	0	6.746	26.1	82.5	0
3/10/2023, 12:45:18 AM	0	6.746	25.9	82.7	0
3/10/2023, 12:55:18 AM	0	6.746	25.9	83	0
3/10/2023, 1:05:18 AM	0	6.746	25.7	83.1	0
3/10/2023, 1:15:18 AM	0	6.746	25.7	83.4	0
3/10/2023, 1:25:18 AM	0	6.746	25.5	83.7	0
3/10/2023, 1:35:18 AM	0	6.746	25.5	83.9	0
3/10/2023, 1:45:18 AM	0	6.746	25.5	84.2	0
3/10/2023, 1:55:18 AM	0	6.746	25.5	84.5	0
3/10/2023, 2:05:18 AM	0	6.746	25.5	84.7	0
3/10/2023, 2:15:18 AM	0	6.746	25.7	84.9	0
3/10/2023, 2:25:18 AM	0	6.746	25.5	84.9	0
3/10/2023, 2:35:18 AM	0	6.746	25.3	85	0
3/10/2023, 2:45:18 AM	0	6.746	25.3	85.1	0
3/10/2023, 2:55:18 AM	0	6.746	25.3	85.2	0
3/10/2023, 3:05:18 AM	0	6.746	25.2	85.3	0
3/10/2023, 3:15:18 AM	0	6.746	25.3	85.6	0
3/10/2023, 3:25:18 AM	0	6.746	25.5	85.9	0
3/10/2023, 3:35:18 AM	0	6.746	25.7	86.2	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/10/2023, 3:45:18 AM	0	6.746	25.9	86.5	0
3/10/2023, 3:55:18 AM	0	6.746	26.1	86.7	0
3/10/2023, 4:05:18 AM	0	6.746	26.2	86.9	0
3/10/2023, 4:15:18 AM	0	6.746	26.4	87.2	0
3/10/2023, 4:25:18 AM	0	6.746	26.8	87.5	0
3/10/2023, 4:35:18 AM	0	6.746	27	87.7	0
3/10/2023, 4:45:18 AM	0	6.746	27.1	87.8	0
3/10/2023, 4:55:18 AM	0	6.746	27.3	87.9	0
3/10/2023, 5:05:18 AM	0	6.754	27.5	88.1	0
3/10/2023, 5:15:18 AM	0	6.754	27.7	88.2	0
3/10/2023, 5:25:18 AM	0	6.754	27.9	88.2	0
3/10/2023, 5:35:18 AM	0	6.754	27.9	88.2	0
3/10/2023, 5:45:18 AM	0	6.754	28	88.2	0
3/10/2023, 5:55:18 AM	0	6.754	28	88.3	0
3/10/2023, 6:05:18 AM	0	6.754	28	88.3	0
3/10/2023, 6:15:18 AM	0	6.754	28.2	88.4	0
3/10/2023, 6:25:18 AM	0	6.754	28.2	88.4	0
3/10/2023, 6:35:18 AM	0	6.754	28.4	88.4	0
3/10/2023, 6:45:18 AM	0	6.754	28.4	88.5	0
3/10/2023, 6:55:18 AM	0	6.754	28.6	88.5	0
3/10/2023, 7:05:18 AM	0	6.754	28.6	88.6	0
3/10/2023, 7:15:18 AM	0	6.754	28.8	88.6	0
3/10/2023, 7:25:18 AM	0	6.754	28.8	88.6	0
3/10/2023, 7:35:18 AM	0	6.754	28.9	88.5	0
3/10/2023, 7:45:18 AM	0	6.754	28.9	88.5	0
3/10/2023, 7:55:18 AM	0	6.754	28.9	88.5	0
3/10/2023, 8:05:18 AM	0	6.754	29.1	88.5	0
3/10/2023, 8:15:18 AM	0	6.754	29.3	88.5	0
3/10/2023, 8:25:18 AM	0	6.754	29.5	88.5	0
3/10/2023, 8:35:18 AM	0	6.763	29.7	88.5	0
3/10/2023, 8:45:18 AM	0	6.763	29.8	88.5	0
3/10/2023, 8:55:18 AM	0	6.763	30.2	88.6	0
3/10/2023, 9:05:18 AM	0	6.763	30.4	88.5	0
3/10/2023, 9:15:18 AM	0	6.763	30.7	88.5	0
3/10/2023, 9:25:18 AM	0	6.763	30.9	88.4	0
3/10/2023, 9:35:18 AM	0	6.763	31.5	88.4	0
3/10/2023, 9:45:18 AM	0	6.763	32.2	88.4	0
3/10/2023, 9:55:18 AM	0	6.763	32.9	88.2	0
3/10/2023, 10:05:18 AM	0	6.772	33.4	88	0
3/10/2023, 10:15:18 AM	0	6.772	33.8	87.8	0
3/10/2023, 10:25:18 AM	0	6.772	34.2	87.5	0
3/10/2023, 10:35:18 AM	0	6.772	34.5	87.3	0
3/10/2023, 10:45:18 AM	0	6.772	34.5	86.9	0
3/10/2023, 10:55:18 AM	0	6.772	34.7	86.6	0
3/10/2023, 11:05:18 AM	0	6.772	34.7	86.2	0
3/10/2023, 11:15:18 AM	0	6.772	34.9	85.9	0
3/10/2023, 11:25:18 AM	0	6.772	35.1	85.7	0
3/10/2023, 11:35:18 AM	0	6.781	35.4	85.3	0
3/10/2023, 11:45:18 AM	0	6.781	35.8	84.7	0
3/10/2023, 11:55:18 AM	0	6.781	36.1	84.1	0
3/10/2023, 12:05:18 PM	0	6.781	36.3	83.4	0
3/10/2023, 12:15:18 PM	0	6.781	36.3	82.9	0
3/10/2023, 12:25:18 PM	0	6.781	36.5	82.3	0
3/10/2023, 12:35:18 PM	0	6.781	36.7	81.9	0
3/10/2023, 12:45:18 PM	0	6.781	36.7	81.3	0
3/10/2023, 12:55:18 PM	0	6.781	36.7	80.9	0
3/10/2023, 1:05:18 PM	0	6.781	36.7	80.5	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/10/2023, 1:15:18 PM	0	6.781	36.9	80.1	0
3/10/2023, 1:25:18 PM	0	6.781	36.7	79.7	0
3/10/2023, 1:35:18 PM	0	6.781	36.5	79.4	0
3/10/2023, 1:45:18 PM	0	6.781	36.5	79.2	0
3/10/2023, 1:55:18 PM	0	6.781	36.3	78.9	0
3/10/2023, 2:05:18 PM	0	6.781	36.3	78.7	0
3/10/2023, 2:15:18 PM	0	6.781	36.1	78.6	0
3/10/2023, 2:25:18 PM	0	6.781	35.8	78.9	0
3/10/2023, 2:35:18 PM	0	6.781	35.4	79.5	0
3/10/2023, 2:45:18 PM	0	6.781	35.4	80.2	0
3/10/2023, 2:55:18 PM	0	6.781	35.4	80.9	0
3/10/2023, 3:05:18 PM	0	6.781	35.6	81.4	0
3/10/2023, 3:15:18 PM	0	6.781	35.6	81.9	0
3/10/2023, 3:25:18 PM	0	6.781	35.8	82	0
3/10/2023, 3:35:18 PM	0	6.781	35.6	82.1	0
3/10/2023, 3:45:18 PM	0	6.781	35.4	82.3	0
3/10/2023, 3:55:18 PM	0	6.772	35.1	82.4	0
3/10/2023, 4:05:18 PM	0	6.772	35.1	82.6	0
3/10/2023, 4:15:18 PM	0	6.772	34.9	82.8	0
3/10/2023, 4:25:18 PM	0	6.772	34.7	83.2	0
3/10/2023, 4:35:18 PM	0	6.772	34.5	83.4	0
3/10/2023, 4:45:18 PM	0	6.772	34.3	83.8	0
3/10/2023, 4:55:18 PM	0	6.772	34.2	84	0
3/10/2023, 5:05:18 PM	0	6.772	34.2	84.3	0
3/10/2023, 5:15:18 PM	0	6.772	34	84.6	0
3/10/2023, 5:25:18 PM	0	6.772	34.2	84.9	0
3/10/2023, 5:35:18 PM	0	6.772	34.2	85.1	0
3/10/2023, 5:45:18 PM	0	6.772	34.2	85.4	0
3/10/2023, 5:55:18 PM	0	6.772	34.2	85.5	0
3/10/2023, 6:05:18 PM	0	6.772	34	85.7	0
3/10/2023, 6:15:18 PM	0	6.772	33.8	85.8	0
3/10/2023, 6:25:18 PM	0	6.772	33.6	85.9	0
3/10/2023, 6:35:18 PM	0	6.772	33.6	86	0
3/10/2023, 6:45:18 PM	0	6.772	33.4	86.1	0
3/10/2023, 6:55:18 PM	0	6.772	33.3	86.2	0
3/10/2023, 7:05:18 PM	0	6.772	33.1	86.4	0
3/10/2023, 7:15:18 PM	0	6.772	33.1	86.5	0
3/10/2023, 7:25:18 PM	0	6.772	32.9	86.6	0
3/10/2023, 7:35:18 PM	0	6.772	32.7	86.7	0
3/10/2023, 7:45:18 PM	0	6.772	32.7	86.8	0
3/10/2023, 7:55:18 PM	0	6.772	32.5	86.9	0
3/10/2023, 8:05:18 PM	0	6.772	32.5	87	0
3/10/2023, 8:15:18 PM	0	6.772	32.4	87.1	0
3/10/2023, 8:25:18 PM	0	6.772	32.4	87.3	0
3/10/2023, 8:35:18 PM	0	6.772	32.4	87.4	0
3/10/2023, 8:45:18 PM	0	6.772	32.4	87.5	0
3/10/2023, 8:55:18 PM	0	6.772	32.2	87.6	0
3/10/2023, 9:05:18 PM	0	6.772	32.2	87.7	0
3/10/2023, 9:15:18 PM	0	6.772	32	87.7	0
3/10/2023, 9:25:18 PM	0	6.772	32	87.7	0
3/10/2023, 9:35:18 PM	0	6.763	32	87.7	0
3/10/2023, 9:45:18 PM	0	6.763	31.8	87.7	0
3/10/2023, 9:55:18 PM	0	6.763	31.8	87.8	0
3/10/2023, 10:05:18 PM	0	6.763	31.6	87.9	0
3/10/2023, 10:15:18 PM	0	6.763	31.6	88	0
3/10/2023, 10:25:18 PM	0	6.763	31.6	88.1	0
3/10/2023, 10:35:18 PM	0	6.763	31.5	88.1	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/10/2023, 10:45:18 PM	0	6.763	31.5	88.2	0
3/10/2023, 10:55:18 PM	0	6.763	31.5	88.2	0
3/10/2023, 11:05:18 PM	0	6.763	31.5	88.3	0
3/10/2023, 11:15:18 PM	0	6.763	31.5	88.4	0
3/10/2023, 11:25:18 PM	0	6.763	31.3	88.4	0
3/10/2023, 11:35:18 PM	0	6.763	31.3	88.5	0
3/10/2023, 11:45:18 PM	0	6.763	31.5	88.6	0
3/10/2023, 11:55:18 PM	0	6.763	31.5	88.7	0
3/11/2023, 12:05:18 AM	0	6.763	31.5	88.8	0
3/11/2023, 12:15:18 AM	0	6.763	31.3	88.8	0
3/11/2023, 12:25:18 AM	0	6.763	31.3	88.8	0
3/11/2023, 12:35:18 AM	0	6.763	31.3	88.8	0
3/11/2023, 12:45:18 AM	0	6.763	31.3	88.8	0
3/11/2023, 12:55:18 AM	0	6.763	31.3	88.8	0
3/11/2023, 1:05:18 AM	0	6.763	31.3	88.8	0
3/11/2023, 1:15:18 AM	0	6.763	31.3	88.8	0
3/11/2023, 1:25:18 AM	0	6.763	31.5	88.8	0
3/11/2023, 1:35:18 AM	0	6.763	31.5	88.8	0
3/11/2023, 1:45:18 AM	0	6.763	31.5	88.9	0
3/11/2023, 1:55:18 AM	0	6.763	31.5	89	0
3/11/2023, 2:05:18 AM	0	6.763	31.6	89.1	0
3/11/2023, 2:15:18 AM	0	6.763	31.6	89.1	0
3/11/2023, 2:25:18 AM	0	6.763	31.6	89.2	0
3/11/2023, 2:35:18 AM	0	6.763	31.6	89.3	0
3/11/2023, 2:45:18 AM	0	6.763	31.8	89.4	0
3/11/2023, 2:55:18 AM	0	6.763	31.8	89.4	0
3/11/2023, 3:05:18 AM	0	6.763	31.8	89.5	0
3/11/2023, 3:15:18 AM	0	6.763	31.8	89.5	0
3/11/2023, 3:25:18 AM	0	6.763	31.8	89.6	0
3/11/2023, 3:35:18 AM	0	6.763	31.8	89.5	0
3/11/2023, 3:45:18 AM	0	6.763	31.8	89.5	0
3/11/2023, 3:55:18 AM	0	6.763	31.8	89.6	0
3/11/2023, 4:05:18 AM	0	6.763	31.8	89.6	0
3/11/2023, 4:15:18 AM	0	6.763	31.8	89.7	0
3/11/2023, 4:25:18 AM	0	6.763	31.8	89.7	0
3/11/2023, 4:35:18 AM	0	6.763	31.8	89.6	0
3/11/2023, 4:45:18 AM	0	6.763	31.8	89.6	0
3/11/2023, 4:55:18 AM	0	6.763	31.8	89.5	0
3/11/2023, 5:05:18 AM	0	6.763	31.6	89.4	0
3/11/2023, 5:15:18 AM	0	6.763	31.6	89.3	0
3/11/2023, 5:25:18 AM	0	6.763	31.5	89.1	0
3/11/2023, 5:35:18 AM	0	6.763	31.5	88.8	0
3/11/2023, 5:45:18 AM	0	6.763	31.5	88.5	0
3/11/2023, 5:55:18 AM	0	6.763	31.3	88.3	0
3/11/2023, 6:05:18 AM	0	6.763	31.3	88	0
3/11/2023, 6:15:18 AM	0	6.763	31.1	87.9	0
3/11/2023, 6:25:18 AM	0	6.763	31.1	87.7	0
3/11/2023, 6:35:18 AM	0	6.763	31.1	87.5	0
3/11/2023, 6:45:18 AM	0	6.763	30.9	87.4	0
3/11/2023, 6:55:18 AM	0	6.763	30.9	87.2	0
3/11/2023, 7:05:18 AM	0	6.763	30.9	87.1	0
3/11/2023, 7:15:18 AM	0	6.763	30.9	87.1	0
3/11/2023, 7:25:18 AM	0	6.763	30.9	86.9	0
3/11/2023, 7:35:18 AM	0	6.763	30.9	86.8	0
3/11/2023, 7:45:18 AM	0	6.763	30.7	86.7	0
3/11/2023, 7:55:18 AM	0	6.763	30.9	86.7	0
3/11/2023, 8:05:18 AM	0	6.763	30.9	86.6	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/11/2023, 8:15:18 AM	0	6.763	30.9	86.6	0
3/11/2023, 8:25:18 AM	0	6.763	30.9	86.6	0
3/11/2023, 8:35:18 AM	0	6.763	30.9	86.7	0
3/11/2023, 8:45:18 AM	0	6.763	31.1	86.6	0
3/11/2023, 8:55:18 AM	0	6.763	31.1	86.5	0
3/11/2023, 9:05:18 AM	0	6.763	31.3	86.3	0
3/11/2023, 9:15:18 AM	0	6.763	31.3	86.1	0
3/11/2023, 9:25:18 AM	0	6.763	31.5	85.8	0
3/11/2023, 9:35:18 AM	0	6.763	31.6	85.4	0
3/11/2023, 9:45:18 AM	0	6.763	31.6	85.2	0
3/11/2023, 9:55:18 AM	0	6.763	31.8	84.8	0
3/11/2023, 10:05:18 AM	0	6.763	32	84.6	0
3/11/2023, 10:15:18 AM	0	6.763	32.2	84.4	0
3/11/2023, 10:25:18 AM	0	6.763	32.5	84.1	0
3/11/2023, 10:35:18 AM	0	6.763	32.9	83.8	0
3/11/2023, 10:45:18 AM	0	6.763	33.4	83.4	0
3/11/2023, 10:55:18 AM	0	6.763	34.5	83	0
3/11/2023, 11:05:18 AM	0	6.763	35.8	82.5	0
3/11/2023, 11:15:18 AM	0	6.772	36.9	81.8	0
3/11/2023, 11:25:18 AM	0	6.772	37.6	80.9	0
3/11/2023, 11:35:18 AM	0	6.772	37.6	80.1	0
3/11/2023, 11:45:18 AM	0	6.772	37.9	79.4	0
3/11/2023, 11:55:18 AM	0	6.772	37.9	78.8	0
3/11/2023, 12:05:18 PM	0	6.772	38.1	78.2	0
3/11/2023, 12:15:18 PM	0	6.772	38.3	77.6	0
3/11/2023, 12:25:18 PM	0	6.772	39.2	77.3	0
3/11/2023, 12:35:18 PM	0	6.772	40.3	76.8	0
3/11/2023, 12:45:18 PM	0	6.781	40.8	76	0
3/11/2023, 12:55:18 PM	0	6.781	41	75.2	0
3/11/2023, 1:05:18 PM	0	6.781	41.4	74.6	0
3/11/2023, 1:15:18 PM	0	6.781	41.5	74	0
3/11/2023, 1:25:18 PM	0	6.781	41.7	73.5	0
3/11/2023, 1:35:18 PM	0	6.781	42.1	72.9	0
3/11/2023, 1:45:18 PM	0	6.781	41.9	72.5	0
3/11/2023, 1:55:18 PM	0	6.781	41.9	72.2	0
3/11/2023, 2:05:18 PM	0	6.781	42.4	71.9	0
3/11/2023, 2:15:18 PM	0	6.781	42.8	71.5	0
3/11/2023, 2:25:18 PM	0	6.781	43.3	71.1	0
3/11/2023, 2:35:18 PM	0	6.79	43.2	70.7	0
3/11/2023, 2:45:18 PM	0	6.79	43	70.3	0
3/11/2023, 2:55:18 PM	0	6.79	43.2	70	0
3/11/2023, 3:05:18 PM	0	6.79	43.5	69.8	0
3/11/2023, 3:15:18 PM	0	6.79	44.4	69.5	0
3/11/2023, 3:25:18 PM	0	6.79	44.1	69	0
3/11/2023, 3:35:18 PM	0	6.79	43.5	68.7	0
3/11/2023, 3:45:18 PM	0	6.79	43	68.5	0
3/11/2023, 3:55:18 PM	0	6.79	42.8	68.2	0
3/11/2023, 4:05:18 PM	0	6.79	43	68	0
3/11/2023, 4:15:18 PM	0	6.79	43.3	67.8	0
3/11/2023, 4:25:18 PM	0	6.79	42.8	67.6	0
3/11/2023, 4:35:18 PM	0	6.79	43.3	67.6	0
3/11/2023, 4:45:18 PM	0	6.79	43.9	67.5	0
3/11/2023, 4:55:18 PM	0	6.79	44.1	67.3	0
3/11/2023, 5:05:18 PM	0	6.79	43.3	67	0
3/11/2023, 5:15:18 PM	0	6.79	43	66.8	0
3/11/2023, 5:25:18 PM	0	6.79	42.3	66.8	0
3/11/2023, 5:35:18 PM	0	6.79	41.2	66.8	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/11/2023, 5:45:18 PM	0	6.79	40.1	66.9	0
3/11/2023, 5:55:18 PM	0	6.79	39	67.2	0
3/11/2023, 6:05:18 PM	0	6.79	38.1	67.5	0
3/11/2023, 6:15:18 PM	0	6.781	37.4	68	0
3/11/2023, 6:25:18 PM	0	6.781	36.7	68.4	0
3/11/2023, 6:35:18 PM	0	6.781	36	68.8	0
3/11/2023, 6:45:18 PM	0	6.781	35.2	69.2	0
3/11/2023, 6:55:18 PM	0	6.772	34.5	69.5	0
3/11/2023, 7:05:18 PM	0	6.772	33.8	69.9	0
3/11/2023, 7:15:18 PM	0	6.772	33.1	70.4	0
3/11/2023, 7:25:18 PM	0	6.772	32.4	70.9	0
3/11/2023, 7:35:18 PM	0	6.763	32	71.4	0
3/11/2023, 7:45:18 PM	0	6.763	31.3	71.9	0
3/11/2023, 7:55:18 PM	0	6.763	30.7	72.5	0
3/11/2023, 8:05:18 PM	0	6.763	30	73	0
3/11/2023, 8:15:18 PM	0	6.754	29.5	73.5	0
3/11/2023, 8:25:18 PM	0	6.754	28.9	73.9	0
3/11/2023, 8:35:18 PM	0	6.754	28.2	74.3	0
3/11/2023, 8:45:18 PM	0	6.754	27.7	74.9	0
3/11/2023, 8:55:18 PM	0	6.746	27.1	75.4	0
3/11/2023, 9:05:18 PM	0	6.746	26.8	75.9	0
3/11/2023, 9:15:18 PM	0	6.746	26.4	76.4	0
3/11/2023, 9:25:18 PM	0	6.746	26.1	76.9	0
3/11/2023, 9:35:18 PM	0	6.746	25.7	77.4	0
3/11/2023, 9:45:18 PM	0	6.737	25.3	77.7	0
3/11/2023, 9:55:18 PM	0	6.737	24.8	77.9	0
3/11/2023, 10:05:18 PM	0	6.737	24.4	78.1	0
3/11/2023, 10:15:18 PM	0	6.737	23.9	78.4	0
3/11/2023, 10:25:18 PM	0	6.728	23.5	78.7	0
3/11/2023, 10:35:18 PM	0	6.728	23.4	79	0
3/11/2023, 10:45:18 PM	0	6.728	23.2	79.4	0
3/11/2023, 10:55:18 PM	0	6.728	23	79.7	0
3/11/2023, 11:05:18 PM	0	6.728	22.8	80.1	0
3/11/2023, 11:15:18 PM	0	6.728	22.6	80.5	0
3/11/2023, 11:25:18 PM	0	6.728	22.6	80.8	0
3/11/2023, 11:35:18 PM	0	6.728	22.5	81.2	0
3/11/2023, 11:45:18 PM	0	6.728	22.3	81.4	0
3/11/2023, 11:55:18 PM	0	6.719	22.1	81.6	0
3/12/2023, 12:05:18 AM	0	6.719	22.1	81.9	0
3/12/2023, 12:15:18 AM	0	6.719	21.9	82.1	0
3/12/2023, 12:25:18 AM	0	6.719	21.7	82.2	0
3/12/2023, 12:35:18 AM	0	6.719	21.6	82.5	0
3/12/2023, 12:45:18 AM	0	6.719	21.6	82.8	0
3/12/2023, 12:55:18 AM	0	6.719	21.4	82.8	0
3/12/2023, 1:05:18 AM	0	6.719	21	82.7	0
3/12/2023, 1:15:18 AM	0	6.719	20.7	82.8	0
3/12/2023, 1:25:18 AM	0	6.719	20.5	83.1	0
3/12/2023, 1:35:18 AM	0	6.719	20.5	83.2	0
3/12/2023, 1:45:18 AM	0	6.719	20.3	83.4	0
3/12/2023, 1:55:18 AM	0	6.71	20.1	83.4	0
3/12/2023, 3:05:18 AM	0	6.71	19.8	83.4	0
3/12/2023, 3:15:18 AM	0	6.71	19.6	83.5	0
3/12/2023, 3:25:18 AM	0	6.71	19.2	83.5	0
3/12/2023, 3:35:18 AM	0	6.71	19.2	83.6	0
3/12/2023, 3:45:18 AM	0	6.71	19	83.6	0
3/12/2023, 3:55:18 AM	0	6.71	18.7	83.6	0
3/12/2023, 3:05:18 AM	0	6.71	18.5	83.7	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/12/2023, 3:15:18 AM	0	6.71	18.3	83.8	0
3/12/2023, 3:25:18 AM	0	6.702	18.3	84	0
3/12/2023, 3:35:18 AM	0	6.702	18.5	84.2	0
3/12/2023, 3:45:18 AM	0	6.702	18.7	84.5	0
3/12/2023, 3:55:18 AM	0	6.702	18.9	84.7	0
3/12/2023, 4:05:18 AM	0	6.702	19.2	85.1	0
3/12/2023, 4:15:18 AM	0	6.71	19.6	85.5	0
3/12/2023, 4:25:18 AM	0	6.71	19.9	85.9	0
3/12/2023, 4:35:18 AM	0	6.71	20.5	86.3	0
3/12/2023, 4:45:18 AM	0	6.71	20.8	86.8	0
3/12/2023, 4:55:18 AM	0	6.71	21.4	87.1	0
3/12/2023, 5:05:18 AM	0	6.719	21.7	87.5	0
3/12/2023, 5:15:18 AM	0	6.719	22.1	87.8	0
3/12/2023, 5:25:18 AM	0	6.719	22.6	88	0
3/12/2023, 5:35:18 AM	0	6.719	23	88.3	0
3/12/2023, 5:45:18 AM	0	6.719	23.2	88.4	0
3/12/2023, 5:55:18 AM	0	6.728	23.5	88.6	0
3/12/2023, 6:05:18 AM	0	6.728	23.9	88.7	0
3/12/2023, 6:15:18 AM	0	6.728	24.1	88.8	0
3/12/2023, 6:25:18 AM	0	6.728	24.3	88.8	0
3/12/2023, 6:35:18 AM	0	6.728	24.6	88.8	0
3/12/2023, 6:45:18 AM	0	6.728	24.8	88.8	0
3/12/2023, 6:55:18 AM	0	6.728	25	88.7	0
3/12/2023, 7:05:18 AM	0	6.728	25.2	88.7	0
3/12/2023, 7:15:18 AM	0	6.728	25.2	88.7	0
3/12/2023, 7:25:18 AM	0	6.737	25.3	88.7	0
3/12/2023, 7:35:18 AM	0	6.737	25.5	88.7	0
3/12/2023, 7:45:18 AM	0	6.737	25.7	88.7	0
3/12/2023, 7:55:18 AM	0	6.737	26.1	88.7	0
3/12/2023, 8:05:18 AM	0	6.737	26.2	88.8	0
3/12/2023, 8:15:18 AM	0	6.737	26.6	88.8	0
3/12/2023, 8:25:18 AM	0	6.737	27.1	88.9	0
3/12/2023, 8:35:18 AM	0	6.737	27.5	88.8	0
3/12/2023, 8:45:18 AM	0	6.737	28	88.6	0
3/12/2023, 8:55:18 AM	0	6.746	28.6	88.5	0
3/12/2023, 9:05:18 AM	0	6.746	29.3	88.4	0
3/12/2023, 9:15:18 AM	0	6.746	30	88.1	0
3/12/2023, 9:25:18 AM	0	6.746	30.6	87.7	0
3/12/2023, 9:35:18 AM	0	6.746	31.3	87.3	0
3/12/2023, 9:45:18 AM	0	6.754	32	86.8	0
3/12/2023, 9:55:18 AM	0	6.754	32.7	86.3	0
3/12/2023, 10:05:18 AM	0	6.754	33.6	85.7	0
3/12/2023, 10:15:18 AM	0	6.754	34.5	85	0
3/12/2023, 10:25:18 AM	0	6.763	35.6	84.2	0
3/12/2023, 10:35:18 AM	0	6.763	36.7	83.3	0
3/12/2023, 10:45:18 AM	0	6.763	38.1	82.4	0
3/12/2023, 10:55:18 AM	0	6.772	39.4	81.1	0
3/12/2023, 11:05:18 AM	0	6.772	41	79.8	0
3/12/2023, 11:15:18 AM	0	6.772	42.4	78.4	0
3/12/2023, 11:25:18 AM	0	6.781	43.5	76.8	0
3/12/2023, 11:35:18 AM	0	6.781	44.2	75.5	0
3/12/2023, 11:45:18 AM	0	6.781	44.4	74.3	0
3/12/2023, 11:55:18 AM	0	6.781	44.4	73.2	0
3/12/2023, 12:05:18 PM	0	6.79	44.2	72.3	0
3/12/2023, 12:15:18 PM	0	6.79	44.6	71.5	0
3/12/2023, 12:25:18 PM	0	6.79	45.3	71	0
3/12/2023, 12:35:18 PM	0	6.79	46.9	70.2	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/12/2023, 12:45:18 PM	0	6.79	48.4	69.3	0
3/12/2023, 12:55:18 PM	0	6.79	49.1	68.2	0
3/12/2023, 1:05:18 PM	0	6.79	49.5	67.3	0
3/12/2023, 1:15:18 PM	0	6.79	49.5	66.6	0
3/12/2023, 1:25:18 PM	0	6.798	49.1	65.9	0
3/12/2023, 1:35:18 PM	0	6.798	48.4	65.3	0
3/12/2023, 1:45:18 PM	0	6.798	47.8	64.8	0
3/12/2023, 1:55:18 PM	0	6.798	47.3	64.5	0
3/12/2023, 2:05:18 PM	0	6.79	47.1	64.2	0
3/12/2023, 2:15:18 PM	0	6.798	46.9	64	0
3/12/2023, 2:25:18 PM	0	6.798	46.8	63.8	0
3/12/2023, 2:35:18 PM	0	6.798	46.6	63.8	0
3/12/2023, 2:45:18 PM	0	6.79	46.2	63.7	0
3/12/2023, 2:55:18 PM	0	6.79	45.9	63.5	0
3/12/2023, 3:05:18 PM	0	6.79	45.1	63.5	0
3/12/2023, 3:15:18 PM	0	6.79	44.4	63.6	0
3/12/2023, 3:25:18 PM	0	6.79	44.1	63.8	0
3/12/2023, 3:35:18 PM	0	6.79	43.5	63.9	0
3/12/2023, 3:45:18 PM	0	6.79	42.8	64.2	0
3/12/2023, 3:55:18 PM	0	6.79	42.4	64.5	0
3/12/2023, 4:05:18 PM	0	6.79	42.3	64.7	0
3/12/2023, 4:15:18 PM	0	6.79	42.1	65	0
3/12/2023, 4:25:18 PM	0	6.79	41.9	65.2	0
3/12/2023, 4:35:18 PM	0	6.79	41.9	65.4	0
3/12/2023, 4:45:18 PM	0	6.79	41.9	65.7	0
3/12/2023, 4:55:18 PM	0	6.79	41.9	65.9	0
3/12/2023, 5:05:18 PM	0	6.79	41.7	66.1	0
3/12/2023, 5:15:18 PM	0	6.781	41.7	66.3	0
3/12/2023, 5:25:18 PM	0	6.781	41.4	66.4	0
3/12/2023, 5:35:18 PM	0	6.79	41.2	66.6	0
3/12/2023, 5:45:18 PM	0	6.781	41	66.9	0
3/12/2023, 5:55:18 PM	0	6.781	40.6	67.1	0
3/12/2023, 6:05:18 PM	0	6.781	40.5	67.3	0
3/12/2023, 6:15:18 PM	0	6.781	40.1	67.5	0
3/12/2023, 6:25:18 PM	0	6.781	39.9	67.8	0
3/12/2023, 6:35:18 PM	0	6.781	39.6	68.1	0
3/12/2023, 6:45:18 PM	0	6.781	39.2	68.5	0
3/12/2023, 6:55:18 PM	0	6.781	39	68.8	0
3/12/2023, 7:05:18 PM	0	6.781	38.7	69.1	0
3/12/2023, 7:15:18 PM	0	6.781	38.5	69.5	0
3/12/2023, 7:25:18 PM	0	6.781	38.1	69.8	0
3/12/2023, 7:35:18 PM	0	6.781	37.9	70.1	0
3/12/2023, 7:45:18 PM	0	6.781	37.9	70.5	0
3/12/2023, 7:55:18 PM	0	6.781	37.8	70.8	0
3/12/2023, 8:05:18 PM	0	6.781	37.6	71.2	0
3/12/2023, 8:15:18 PM	0	6.772	37.6	71.6	0
3/12/2023, 8:25:18 PM	0	6.781	37.4	72	0
3/12/2023, 8:35:18 PM	0	6.772	37.2	72.4	0
3/12/2023, 8:45:18 PM	0	6.772	37.2	72.7	0
3/12/2023, 8:55:18 PM	0	6.772	37	73.1	0
3/12/2023, 9:05:18 PM	0	6.772	36.9	73.4	0
3/12/2023, 9:15:18 PM	0	6.772	36.9	73.8	0
3/12/2023, 9:25:18 PM	0	6.772	36.7	74.2	0
3/12/2023, 9:35:18 PM	0	6.772	36.7	74.6	0
3/12/2023, 9:45:18 PM	0	6.772	36.5	75	0
3/12/2023, 9:55:18 PM	0	6.772	36.5	75.4	0
3/12/2023, 10:05:18 PM	0	6.772	36.3	75.8	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/12/2023, 10:15:18 PM	0	6.772	36.3	76.1	0
3/12/2023, 10:25:18 PM	0	6.772	36.3	76.5	0
3/12/2023, 10:35:18 PM	0	6.772	36.1	77	0
3/12/2023, 10:45:18 PM	0	6.772	36.1	77.4	0
3/12/2023, 10:55:18 PM	0	6.772	36.1	77.7	0
3/12/2023, 11:05:18 PM	0	6.772	36.1	78	0
3/12/2023, 11:15:18 PM	0	6.772	36.1	78.4	0
3/12/2023, 11:25:18 PM	0	6.772	36	78.7	0
3/12/2023, 11:35:18 PM	0	6.772	36	79.1	0
3/12/2023, 11:45:18 PM	0	6.772	36	79.5	0
3/12/2023, 11:55:18 PM	0	6.772	35.8	79.8	0
3/13/2023, 12:05:18 AM	0	6.772	35.8	80.1	0
3/13/2023, 12:15:18 AM	0	6.772	35.8	80.4	0
3/13/2023, 12:25:18 AM	0	6.772	35.8	80.7	0
3/13/2023, 12:35:18 AM	0	6.772	35.8	81	0
3/13/2023, 12:45:18 AM	0	6.772	35.6	81.3	0
3/13/2023, 12:55:18 AM	0	6.772	35.6	81.7	0
3/13/2023, 1:05:18 AM	0	6.772	35.6	82	0
3/13/2023, 1:15:18 AM	0	6.772	35.6	82.3	0
3/13/2023, 1:25:18 AM	0	6.772	35.4	82.7	0
3/13/2023, 1:35:18 AM	0	6.763	35.4	83	0
3/13/2023, 1:45:18 AM	0	6.763	35.4	83.4	0
3/13/2023, 1:55:18 AM	0	6.772	35.4	83.7	0
3/13/2023, 2:05:18 AM	0	6.772	35.6	84	0
3/13/2023, 2:15:18 AM	0	6.772	35.6	84.3	0
3/13/2023, 2:25:18 AM	0	6.763	35.6	84.5	0
3/13/2023, 2:35:18 AM	0	6.772	35.6	84.7	0
3/13/2023, 2:45:18 AM	0	6.772	35.8	85	0
3/13/2023, 2:55:18 AM	0	6.772	35.8	85.2	0
3/13/2023, 3:05:18 AM	0	6.763	35.8	85.4	0
3/13/2023, 3:15:18 AM	0	6.772	35.8	85.6	0
3/13/2023, 3:25:18 AM	0	6.772	35.8	85.8	0
3/13/2023, 3:35:18 AM	0	6.772	35.8	86	0
3/13/2023, 3:45:18 AM	0	6.772	35.8	86.2	0
3/13/2023, 3:55:18 AM	0	6.772	35.8	86.3	0
3/13/2023, 4:05:18 AM	0	6.772	35.8	86.4	0
3/13/2023, 4:15:18 AM	0	6.772	35.8	86.6	0
3/13/2023, 4:25:18 AM	0	6.772	35.8	86.7	0
3/13/2023, 4:35:18 AM	0	6.772	35.8	86.8	0
3/13/2023, 4:45:18 AM	0	6.772	35.8	86.9	0
3/13/2023, 4:55:18 AM	0	6.763	35.8	87	0
3/13/2023, 5:05:18 AM	0	6.763	35.8	87.1	0
3/13/2023, 5:15:18 AM	0	6.772	35.8	87.2	0
3/13/2023, 5:25:18 AM	0	6.772	35.8	87.3	0
3/13/2023, 5:35:18 AM	0	6.772	35.8	87.4	0
3/13/2023, 5:45:18 AM	0	6.763	35.8	87.4	0
3/13/2023, 5:55:18 AM	0	6.763	35.8	87.5	0
3/13/2023, 6:05:18 AM	0	6.763	35.8	87.7	0
3/13/2023, 6:15:18 AM	0	6.763	35.8	87.7	0
3/13/2023, 6:25:18 AM	0	6.763	35.8	87.8	0
3/13/2023, 6:35:18 AM	0	6.763	35.8	87.9	0
3/13/2023, 6:45:18 AM	0	6.763	35.8	88	0
3/13/2023, 6:55:18 AM	0	6.763	35.6	88.1	0
3/13/2023, 7:05:18 AM	0	6.763	35.6	88.2	0
3/13/2023, 7:15:18 AM	0	6.763	35.6	88.3	0
3/13/2023, 7:25:18 AM	0	6.763	35.6	88.4	0
3/13/2023, 7:35:18 AM	0	6.763	35.6	88.5	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/13/2023, 7:45:18 AM	0	6.763	35.6	88.7	0
3/13/2023, 7:55:18 AM	0	6.763	35.6	88.8	0
3/13/2023, 8:05:18 AM	0	6.763	35.8	88.9	0
3/13/2023, 8:15:18 AM	0	6.763	35.8	89.1	0
3/13/2023, 8:25:18 AM	0	6.763	36	89.2	0
3/13/2023, 8:35:18 AM	0	6.763	36.1	89.4	0
3/13/2023, 8:45:18 AM	0	6.763	36.5	89.5	0
3/13/2023, 8:55:18 AM	0	6.763	36.9	89.6	0
3/13/2023, 9:05:18 AM	0	6.763	37.2	89.6	0
3/13/2023, 9:15:18 AM	0	6.772	37.6	89.5	0
3/13/2023, 9:25:18 AM	0	6.772	38.1	89.4	0
3/13/2023, 9:35:18 AM	0	6.772	38.5	89.2	0
3/13/2023, 9:45:18 AM	0	6.772	38.8	88.9	0
3/13/2023, 9:55:18 AM	0	6.772	39.4	88.7	0
3/13/2023, 10:05:18 AM	0	6.772	39.7	88.3	0
3/13/2023, 10:15:18 AM	0	6.772	40.3	87.9	0
3/13/2023, 10:25:18 AM	0	6.772	40.6	87.5	0
3/13/2023, 10:35:18 AM	0	6.772	41	87.1	0
3/13/2023, 10:45:18 AM	0	6.781	41.4	86.6	0
3/13/2023, 10:55:18 AM	0	6.781	41.5	86.2	0
3/13/2023, 11:05:18 AM	0	6.781	41.7	85.9	0
3/13/2023, 11:15:18 AM	0	6.781	41.9	85.8	0
3/13/2023, 11:25:18 AM	0	6.781	42.4	85.6	0
3/13/2023, 11:35:18 AM	0	6.781	42.8	85.5	0
3/13/2023, 11:45:18 AM	0	6.781	43.2	85.2	0
3/13/2023, 11:55:18 AM	0	6.781	43.2	84.9	0
3/13/2023, 12:05:18 PM	0	6.781	43.2	84.7	0
3/13/2023, 12:15:18 PM	0	6.781	43.5	84.5	0
3/13/2023, 12:25:18 PM	0	6.781	44.2	84.2	0
3/13/2023, 12:35:18 PM	0	6.781	45	83.5	0
3/13/2023, 12:45:18 PM	0	6.781	45.1	82.8	0
3/13/2023, 12:55:18 PM	0	6.79	45.3	82.2	0
3/13/2023, 1:05:18 PM	0	6.79	45.5	81.9	0
3/13/2023, 1:15:18 PM	0	6.79	45.9	81.4	0
3/13/2023, 1:25:18 PM	0	6.79	45.7	80.8	0
3/13/2023, 1:35:18 PM	0	6.79	45.5	80.3	0
3/13/2023, 1:45:18 PM	0	6.79	45.3	79.9	0
3/13/2023, 1:55:18 PM	0	6.79	45.3	79.7	0
3/13/2023, 2:05:18 PM	0	6.79	45.7	79.3	0
3/13/2023, 2:15:18 PM	0	6.79	46	79	0
3/13/2023, 2:25:18 PM	0	6.79	46.2	78.9	0
3/13/2023, 2:35:18 PM	0	6.79	46	78.6	0
3/13/2023, 2:45:18 PM	0	6.79	45.5	78.5	0
3/13/2023, 2:55:18 PM	0	6.79	45	78.9	0
3/13/2023, 3:05:18 PM	0	6.79	44.6	79.2	0
3/13/2023, 3:15:18 PM	0	6.79	44.1	79.4	0
3/13/2023, 3:25:18 PM	0	6.79	43.5	79.6	0
3/13/2023, 3:35:18 PM	0	6.79	43.2	79.8	0
3/13/2023, 3:45:18 PM	0	6.79	42.4	79.9	0
3/13/2023, 3:55:18 PM	0	6.781	41.7	80.2	0
3/13/2023, 4:05:18 PM	0	6.781	41.4	80.5	0
3/13/2023, 4:15:18 PM	0	6.781	41	81	0
3/13/2023, 4:25:18 PM	0	6.781	40.8	81.3	0
3/13/2023, 4:35:18 PM	0	6.781	40.6	81.7	0
3/13/2023, 4:45:18 PM	0	6.781	40.6	82	0
3/13/2023, 4:55:18 PM	0	6.781	40.5	82.3	0
3/13/2023, 5:05:18 PM	0	6.781	40.1	82.5	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/13/2023, 5:15:18 PM	0	6.781	39.7	82.6	0
3/13/2023, 5:25:18 PM	0	6.772	39.4	82.8	0
3/13/2023, 5:35:18 PM	0	6.772	39	83	0
3/13/2023, 5:45:18 PM	0	6.772	38.8	83.2	0
3/13/2023, 5:55:18 PM	0	6.772	38.7	83.5	0
3/13/2023, 6:05:18 PM	0	6.772	38.5	83.8	0
3/13/2023, 6:15:18 PM	0	6.772	38.3	84	0
3/13/2023, 6:25:18 PM	0	6.772	38.1	84.3	0
3/13/2023, 6:35:18 PM	0	6.772	37.8	84.4	0
3/13/2023, 6:45:18 PM	0	6.772	37.6	84.6	0
3/13/2023, 6:55:18 PM	0	6.772	37.2	84.8	0
3/13/2023, 7:05:18 PM	0	6.772	37	85	0
3/13/2023, 7:15:18 PM	0	6.763	36.7	85.2	0
3/13/2023, 7:25:18 PM	0	6.763	36.5	85.5	0
3/13/2023, 7:35:18 PM	0	6.763	36.3	85.7	0
3/13/2023, 7:45:18 PM	0	6.763	36.1	86	0
3/13/2023, 7:55:18 PM	0	6.763	36.1	86.2	0
3/13/2023, 8:05:18 PM	0	6.763	36	86.4	0
3/13/2023, 8:15:18 PM	0	6.763	35.8	86.6	0
3/13/2023, 8:25:18 PM	0	6.763	35.8	86.8	0
3/13/2023, 8:35:18 PM	0	6.763	35.6	87	0
3/13/2023, 8:45:18 PM	0	6.763	35.6	87.2	0
3/13/2023, 8:55:18 PM	0	6.763	35.4	87.3	0
3/13/2023, 9:05:18 PM	0	6.763	35.4	87.5	0
3/13/2023, 9:15:18 PM	0	6.763	35.2	87.7	0
3/13/2023, 9:25:18 PM	0	6.763	35.2	87.8	0
3/13/2023, 9:35:18 PM	0	6.763	35.2	87.9	0
3/13/2023, 9:45:18 PM	0	6.763	35.1	88	0
3/13/2023, 9:55:18 PM	0	6.763	35.1	88.1	0
3/13/2023, 10:05:18 PM	0	6.763	34.9	88.2	0
3/13/2023, 10:15:18 PM	0	6.763	34.9	88.3	0
3/13/2023, 10:25:18 PM	0	6.763	34.7	88.4	0
3/13/2023, 10:35:18 PM	0	6.763	34.7	88.5	0
3/13/2023, 10:45:18 PM	0	6.754	34.5	88.5	0
3/13/2023, 10:55:18 PM	0	6.754	34.5	88.6	0
3/13/2023, 11:05:18 PM	0	6.754	34.3	88.7	0
3/13/2023, 11:15:18 PM	0	6.754	34.3	88.7	0
3/13/2023, 11:25:18 PM	0	6.754	34.2	88.8	0
3/13/2023, 11:35:18 PM	0	6.754	34.2	88.9	0
3/13/2023, 11:45:18 PM	0	6.754	34.2	89	0
3/13/2023, 11:55:18 PM	0	6.754	34.2	89.2	0
3/14/2023, 12:05:18 AM	0	6.754	34.2	89.2	0
3/14/2023, 12:15:18 AM	0	6.754	34	89.4	0
3/14/2023, 12:25:18 AM	0	6.754	34	89.5	0
3/14/2023, 12:35:18 AM	0	6.754	34	89.5	0
3/14/2023, 12:45:18 AM	0	6.754	34	89.6	0
3/14/2023, 12:55:18 AM	0	6.754	34	89.7	0
3/14/2023, 1:05:18 AM	0	6.754	34	89.8	0
3/14/2023, 1:15:18 AM	0	6.754	34	89.8	0
3/14/2023, 1:25:18 AM	0	6.754	34	89.9	0
3/14/2023, 1:35:18 AM	0	6.754	33.8	89.9	0
3/14/2023, 1:45:18 AM	0	6.754	33.8	89.9	0
3/14/2023, 1:55:18 AM	0	6.754	33.8	89.9	0
3/14/2023, 2:05:18 AM	0	6.754	33.6	89.9	0
3/14/2023, 2:15:18 AM	0	6.754	33.6	89.8	0
3/14/2023, 2:25:18 AM	0	6.754	33.4	89.7	0
3/14/2023, 2:35:18 AM	0	6.754	33.4	89.6	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/14/2023, 2:45:18 AM	0	6.754	33.3	89.5	0
3/14/2023, 2:55:18 AM	0	6.754	33.3	89.4	0
3/14/2023, 3:05:18 AM	0	6.754	33.1	89.4	0
3/14/2023, 3:15:18 AM	0	6.754	33.1	89.3	0
3/14/2023, 3:25:18 AM	0	6.754	32.9	89.2	0
3/14/2023, 3:35:18 AM	0	6.746	32.9	89.2	0
3/14/2023, 3:45:18 AM	0	6.754	32.9	89.1	0
3/14/2023, 3:55:18 AM	0	6.754	32.7	89.1	0
3/14/2023, 4:05:18 AM	0	6.746	32.7	89.2	0
3/14/2023, 4:15:18 AM	0	6.746	32.7	89.2	0
3/14/2023, 4:25:18 AM	0	6.746	32.7	89.2	0
3/14/2023, 4:35:18 AM	0	6.746	32.7	89.2	0
3/14/2023, 4:45:18 AM	0	6.746	32.7	89.3	0
3/14/2023, 4:55:18 AM	0	6.746	32.7	89.3	0
3/14/2023, 5:05:18 AM	0	6.746	32.7	89.4	0
3/14/2023, 5:15:18 AM	0	6.746	32.7	89.4	0
3/14/2023, 5:25:18 AM	0	6.746	32.7	89.4	0
3/14/2023, 5:35:18 AM	0	6.746	32.7	89.4	0
3/14/2023, 5:45:18 AM	0	6.746	32.7	89.3	0
3/14/2023, 5:55:18 AM	0	6.746	32.5	89.3	0
3/14/2023, 6:05:18 AM	0	6.746	32.5	89.1	0
3/14/2023, 6:15:18 AM	0	6.746	32.4	89.1	0
3/14/2023, 6:25:18 AM	0	6.746	32.4	88.9	0
3/14/2023, 6:35:18 AM	0	6.746	32.2	88.9	0
3/14/2023, 6:45:18 AM	0	6.746	32.2	88.8	0
3/14/2023, 6:55:18 AM	0	6.746	32	88.7	0
3/14/2023, 7:05:18 AM	0	6.746	32	88.6	0
3/14/2023, 7:15:18 AM	0	6.746	32	88.5	0
3/14/2023, 7:25:18 AM	0	6.746	31.8	88.3	0
3/14/2023, 7:35:18 AM	0	6.746	31.6	88.2	0
3/14/2023, 7:45:18 AM	0	6.746	31.5	88.1	0
3/14/2023, 7:55:18 AM	0	6.746	31.3	88.1	0
3/14/2023, 8:05:18 AM	0	6.746	31.3	88	0
3/14/2023, 8:15:18 AM	0	6.746	31.1	87.9	0
3/14/2023, 8:25:18 AM	0	6.746	31.1	87.7	0
3/14/2023, 8:35:18 AM	0	6.746	31.1	87.7	0
3/14/2023, 8:45:18 AM	0	6.737	31.1	87.6	0
3/14/2023, 8:55:18 AM	0	6.737	31.3	87.4	0
3/14/2023, 9:05:18 AM	0	6.737	31.3	87.3	0
3/14/2023, 9:15:18 AM	0	6.737	31.5	87.2	0
3/14/2023, 9:25:18 AM	0	6.737	31.6	87.1	0
3/14/2023, 9:35:18 AM	0	6.737	32	86.9	0
3/14/2023, 9:45:18 AM	0	6.737	32.4	86.7	0
3/14/2023, 9:55:18 AM	0	6.737	32.7	86.4	0
3/14/2023, 10:05:18 AM	0	6.746	33.1	86.1	0
3/14/2023, 10:15:18 AM	0	6.746	33.6	85.7	0
3/14/2023, 10:25:18 AM	0	6.746	34	85.3	0
3/14/2023, 10:35:18 AM	0	6.746	34.2	84.9	0
3/14/2023, 10:45:18 AM	0	6.746	34.3	84.4	0
3/14/2023, 10:55:18 AM	0	6.746	34.5	83.9	0
3/14/2023, 11:05:18 AM	0	6.746	34.7	83.5	0
3/14/2023, 11:15:18 AM	0	6.746	34.7	83	0
3/14/2023, 11:25:18 AM	0	6.746	34.9	82.6	0
3/14/2023, 11:35:18 AM	0	6.746	35.1	82.2	0
3/14/2023, 11:45:18 AM	0	6.746	35.1	81.8	0
3/14/2023, 11:55:18 AM	0	6.746	35.1	81.5	0
3/14/2023, 12:05:18 PM	0	6.746	34.7	81	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/14/2023, 12:15:18 PM	0	6.746	34.5	80.7	0
3/14/2023, 12:25:18 PM	0	6.746	34.3	80.4	0
3/14/2023, 12:35:18 PM	0	6.746	34	80.3	0
3/14/2023, 12:45:18 PM	0	6.746	34	80.1	0
3/14/2023, 12:55:18 PM	0	6.746	33.8	79.9	0
3/14/2023, 1:05:18 PM	0	6.746	33.4	79.7	0
3/14/2023, 1:15:18 PM	0	6.746	33.1	79.5	0
3/14/2023, 1:25:18 PM	0	6.746	33.1	79.5	0
3/14/2023, 1:35:18 PM	0	6.746	33.1	79.4	0
3/14/2023, 1:45:18 PM	0	6.746	33.1	79.4	0
3/14/2023, 1:55:18 PM	0	6.746	33.3	79.3	0
3/14/2023, 2:05:18 PM	0	6.746	33.3	79.3	0
3/14/2023, 2:15:18 PM	0	6.746	33.6	79.3	0
3/14/2023, 2:25:18 PM	0	6.746	33.8	79.3	0
3/14/2023, 2:35:18 PM	0	6.746	34.2	79.3	0
3/14/2023, 2:45:18 PM	0	6.746	34.3	79.3	0
3/14/2023, 2:55:18 PM	0	6.746	34.7	79.3	0
3/14/2023, 3:05:18 PM	0	6.746	35.2	79.3	0
3/14/2023, 3:15:18 PM	0	6.746	35.6	79.1	0
3/14/2023, 3:25:18 PM	0	6.746	35.4	79	0
3/14/2023, 3:35:18 PM	0	6.746	35.1	78.9	0
3/14/2023, 3:45:18 PM	0	6.746	34.7	78.8	0
3/14/2023, 3:55:18 PM	0	6.746	34.3	78.7	0
3/14/2023, 4:05:18 PM	0	6.746	34.2	79	0
3/14/2023, 4:15:18 PM	0	6.746	34	79.1	0
3/14/2023, 4:25:18 PM	0	6.746	34	79.2	0
3/14/2023, 4:35:18 PM	0	6.746	33.6	79.3	0
3/14/2023, 4:45:18 PM	0	6.746	33.4	79.6	0
3/14/2023, 4:55:18 PM	0	6.746	33.3	79.9	0
3/14/2023, 5:05:18 PM	0	6.746	32.9	80.1	0
3/14/2023, 5:15:18 PM	0	6.746	32.7	80.4	0
3/14/2023, 5:25:18 PM	0	6.746	32.7	80.7	0
3/14/2023, 5:35:18 PM	0	6.746	32.7	80.9	0
3/14/2023, 5:45:18 PM	0	6.737	32.5	81.2	0
3/14/2023, 5:55:18 PM	0	6.737	32.4	81.3	0
3/14/2023, 6:05:18 PM	0	6.737	32	81.5	0
3/14/2023, 6:15:18 PM	0	6.737	32	81.7	0
3/14/2023, 6:25:18 PM	0	6.737	31.8	81.8	0
3/14/2023, 6:35:18 PM	0	6.737	31.6	82	0
3/14/2023, 6:45:18 PM	0	6.737	31.5	82.2	0
3/14/2023, 6:55:18 PM	0	6.737	31.3	82.3	0
3/14/2023, 7:05:18 PM	0	6.737	31.1	82.6	0
3/14/2023, 7:15:18 PM	0	6.737	30.7	82.8	0
3/14/2023, 7:25:18 PM	0	6.737	30.6	83.1	0
3/14/2023, 7:35:18 PM	0	6.737	30.4	83.4	0
3/14/2023, 7:45:18 PM	0	6.737	30.4	83.7	0
3/14/2023, 7:55:18 PM	0	6.737	30.2	84	0
3/14/2023, 8:05:18 PM	0	6.737	30.2	84.3	0
3/14/2023, 8:15:18 PM	0	6.737	30	84.7	0
3/14/2023, 8:25:18 PM	0	6.737	30	85	0
3/14/2023, 8:35:18 PM	0	6.737	30.2	85.3	0
3/14/2023, 8:45:18 PM	0	6.737	30.2	85.6	0
3/14/2023, 8:55:18 PM	0	6.737	30.2	85.8	0
3/14/2023, 9:05:18 PM	0	6.737	30.4	86.1	0
3/14/2023, 9:15:18 PM	0	6.737	30.4	86.3	0
3/14/2023, 9:25:18 PM	0	6.737	30.4	86.5	0
3/14/2023, 9:35:18 PM	0	6.737	30.4	86.7	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/14/2023, 9:45:18 PM	0	6.737	30.6	86.9	0
3/14/2023, 9:55:18 PM	0	6.737	30.6	87.1	0
3/14/2023, 10:05:18 PM	0	6.737	30.7	87.4	0
3/14/2023, 10:15:18 PM	0	6.737	30.9	87.5	0
3/14/2023, 10:25:18 PM	0	6.737	30.9	87.7	0
3/14/2023, 10:35:18 PM	0	6.737	31.1	87.8	0
3/14/2023, 10:45:18 PM	0	6.737	31.1	87.8	0
3/14/2023, 10:55:18 PM	0	6.737	31.3	87.7	0
3/14/2023, 11:05:18 PM	0	6.737	31.3	87.7	0
3/14/2023, 11:15:18 PM	0	6.737	31.5	87.7	0
3/14/2023, 11:25:18 PM	0	6.737	31.5	87.5	0
3/14/2023, 11:35:18 PM	0	6.737	31.5	87.2	0
3/14/2023, 11:45:18 PM	0	6.737	31.6	86.9	0
3/14/2023, 11:55:18 PM	0	6.737	31.8	86.4	0
3/15/2023, 12:05:18 AM	0	6.737	32	85.9	0
3/15/2023, 12:15:18 AM	0	6.737	32	85.3	0
3/15/2023, 12:25:18 AM	0	6.737	32	84.7	0
3/15/2023, 12:35:18 AM	0	6.737	32	84.1	0
3/15/2023, 12:45:18 AM	0	6.737	32.2	83.5	0
3/15/2023, 12:55:18 AM	0	6.737	32.2	83	0
3/15/2023, 1:05:18 AM	0	6.737	32	82.4	0
3/15/2023, 1:15:18 AM	0	6.737	32	81.9	0
3/15/2023, 1:25:18 AM	0	6.737	32	81.5	0
3/15/2023, 1:35:18 AM	0	6.737	32	81.1	0
3/15/2023, 1:45:18 AM	0	6.737	32	80.8	0
3/15/2023, 1:55:18 AM	0	6.737	32	80.4	0
3/15/2023, 2:05:18 AM	0	6.737	31.8	79.9	0
3/15/2023, 2:15:18 AM	0	6.737	31.6	79.5	0
3/15/2023, 2:25:18 AM	0	6.737	31.5	79.1	0
3/15/2023, 2:35:18 AM	0	6.737	31.5	78.8	0
3/15/2023, 2:45:18 AM	0	6.737	31.3	78.5	0
3/15/2023, 2:55:18 AM	0	6.737	31.1	78.3	0
3/15/2023, 3:05:18 AM	0	6.737	31.1	78	0
3/15/2023, 3:15:18 AM	0	6.737	30.9	77.9	0
3/15/2023, 3:25:18 AM	0	6.737	30.9	77.6	0
3/15/2023, 3:35:18 AM	0	6.737	30.7	77.4	0
3/15/2023, 3:45:18 AM	0	6.737	30.6	77.3	0
3/15/2023, 3:55:18 AM	0	6.737	30.4	77.2	0
3/15/2023, 4:05:18 AM	0	6.737	30.2	76.9	0
3/15/2023, 4:15:18 AM	0	6.728	30	76.7	0
3/15/2023, 4:25:18 AM	0	6.728	29.8	76.5	0
3/15/2023, 4:35:18 AM	0	6.728	29.7	76.3	0
3/15/2023, 4:45:18 AM	0	6.728	29.3	76.1	0
3/15/2023, 4:55:18 AM	0	6.728	28.9	75.9	0
3/15/2023, 5:05:18 AM	0	6.728	28.8	75.7	0
3/15/2023, 5:15:18 AM	0	6.728	28.4	75.7	0
3/15/2023, 5:25:18 AM	0	6.719	28	75.6	0
3/15/2023, 5:35:18 AM	0	6.719	27.7	75.6	0
3/15/2023, 5:45:18 AM	0	6.719	27.5	75.6	0
3/15/2023, 5:55:18 AM	0	6.719	27.1	75.7	0
3/15/2023, 6:05:18 AM	0	6.719	27.1	75.7	0
3/15/2023, 6:15:18 AM	0	6.719	27	75.8	0
3/15/2023, 6:25:18 AM	0	6.719	26.8	75.9	0
3/15/2023, 6:35:18 AM	0	6.719	26.6	76	0
3/15/2023, 6:45:18 AM	0	6.719	26.4	76.1	0
3/15/2023, 6:55:18 AM	0	6.71	26.2	76.2	0
3/15/2023, 7:05:18 AM	0	6.71	26.1	76.3	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/15/2023, 7:15:18 AM	0	6.71	25.9	76.4	0
3/15/2023, 7:25:18 AM	0	6.71	25.7	76.5	0
3/15/2023, 7:35:18 AM	0	6.71	25.5	76.7	0
3/15/2023, 7:45:18 AM	0	6.71	25.5	76.8	0
3/15/2023, 7:55:18 AM	0	6.71	25.3	76.9	0
3/15/2023, 8:05:18 AM	0	6.71	25.5	77.1	0
3/15/2023, 8:15:18 AM	0	6.71	26.1	77.3	0
3/15/2023, 8:25:18 AM	0	6.71	26.8	77.3	0
3/15/2023, 8:35:18 AM	0	6.71	28	77.3	0
3/15/2023, 8:45:18 AM	0	6.71	29.5	77.2	0
3/15/2023, 8:55:18 AM	0	6.719	31.3	76.9	0
3/15/2023, 9:05:18 AM	0	6.719	33.1	76.2	0
3/15/2023, 9:15:18 AM	0	6.728	35.1	75.4	0
3/15/2023, 9:25:18 AM	0	6.728	37.2	74.3	0
3/15/2023, 9:35:18 AM	0	6.737	39.2	73.1	0
3/15/2023, 9:45:18 AM	0	6.746	40.8	71.7	0
3/15/2023, 9:55:18 AM	0	6.746	42.6	70.5	0
3/15/2023, 10:05:18 AM	0	6.754	44.1	69.2	0
3/15/2023, 10:15:18 AM	0	6.754	45.7	68.1	0
3/15/2023, 10:25:18 AM	0	6.763	46.9	66.9	0
3/15/2023, 10:35:18 AM	0	6.763	48	65.8	0
3/15/2023, 10:45:18 AM	0	6.763	49.1	64.9	0
3/15/2023, 10:55:18 AM	0	6.763	49.8	63.8	0
3/15/2023, 11:05:18 AM	0	6.772	50.5	62.9	0
3/15/2023, 11:15:18 AM	0	6.772	50.9	62	0
3/15/2023, 11:25:18 AM	0	6.772	51.4	61.2	0
3/15/2023, 11:35:18 AM	0	6.772	52.2	60.5	0
3/15/2023, 11:45:18 AM	0	6.772	52.7	59.7	0
3/15/2023, 11:55:18 AM	0	6.772	53.4	58.9	0
3/15/2023, 12:05:18 PM	0	6.772	54	58.2	0
3/15/2023, 12:15:18 PM	0	6.781	54.1	57.5	0
3/15/2023, 12:25:18 PM	0	6.781	54.3	56.9	0
3/15/2023, 12:35:18 PM	0	6.781	54.5	56.3	0
3/15/2023, 12:45:18 PM	0	6.781	54.5	55.8	0
3/15/2023, 12:55:18 PM	0	6.781	54	55.2	0
3/15/2023, 1:05:18 PM	0	6.781	53.4	54.8	0
3/15/2023, 1:15:18 PM	0	6.781	53.1	54.5	0
3/15/2023, 1:25:18 PM	0	6.781	53.1	54.3	0
3/15/2023, 1:35:18 PM	0	6.781	53.1	54	0
3/15/2023, 1:45:18 PM	0	6.781	53.2	53.8	0
3/15/2023, 1:55:18 PM	0	6.781	53.1	53.5	0
3/15/2023, 2:05:18 PM	0	6.781	52.5	53.2	0
3/15/2023, 2:15:18 PM	0	6.781	51.6	53	0
3/15/2023, 2:25:18 PM	0	6.781	50.7	52.8	0
3/15/2023, 2:35:18 PM	0	6.781	50.5	52.7	0
3/15/2023, 2:45:18 PM	0	6.781	50.5	52.6	0
3/15/2023, 2:55:18 PM	0	6.781	51.3	52.7	0
3/15/2023, 3:05:18 PM	0	6.781	51.8	52.6	0
3/15/2023, 3:15:18 PM	0	6.781	52.2	52.5	0
3/15/2023, 3:25:18 PM	0	6.781	52.5	52.4	0
3/15/2023, 3:35:18 PM	0	6.781	52.7	52.4	0
3/15/2023, 3:45:18 PM	0	6.781	52.7	52.3	0
3/15/2023, 3:55:18 PM	0	6.781	52	52	0
3/15/2023, 4:05:18 PM	0	6.781	51.8	51.9	0
3/15/2023, 4:15:18 PM	0	6.781	51.3	51.6	0
3/15/2023, 4:25:18 PM	0	6.781	50.7	51.5	0
3/15/2023, 4:35:18 PM	0	6.781	50.2	51.4	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/15/2023, 4:45:18 PM	0	6.781	49.5	51.2	0
3/15/2023, 4:55:18 PM	0	6.781	48.7	51.1	0
3/15/2023, 5:05:18 PM	0	6.781	47.7	51	0
3/15/2023, 5:15:18 PM	0	6.781	46.9	51.1	0
3/15/2023, 5:25:18 PM	0	6.781	46.2	51	0
3/15/2023, 5:35:18 PM	0	6.781	45.3	50.9	0
3/15/2023, 5:45:18 PM	0	6.772	44.2	50.9	0
3/15/2023, 5:55:18 PM	0	6.772	43.2	50.8	0
3/15/2023, 6:05:18 PM	0	6.772	42.4	50.9	0
3/15/2023, 6:15:18 PM	0	6.772	41.7	51	0
3/15/2023, 6:25:18 PM	0	6.763	41.2	51.2	0
3/15/2023, 6:35:18 PM	0	6.763	40.6	51.4	0
3/15/2023, 6:45:18 PM	0	6.763	39.9	51.7	0
3/15/2023, 6:55:18 PM	0	6.763	39.4	52	0
3/15/2023, 7:05:18 PM	0	6.754	38.8	52.4	0
3/15/2023, 7:15:18 PM	0	6.754	38.3	52.9	0
3/15/2023, 7:25:18 PM	0	6.754	37.8	53.5	0
3/15/2023, 7:35:18 PM	0	6.754	37	54.6	0
3/15/2023, 7:45:18 PM	0	6.754	36.3	55.8	0
3/15/2023, 7:55:18 PM	0	6.746	35.8	57.1	0
3/15/2023, 8:05:18 PM	0	6.746	35.2	58.2	0
3/15/2023, 8:15:18 PM	0	6.746	34.7	59.2	0
3/15/2023, 8:25:18 PM	0	6.746	34.3	60.2	0
3/15/2023, 8:35:18 PM	0	6.737	33.8	61.2	0
3/15/2023, 8:45:18 PM	0	6.737	33.4	62.3	0
3/15/2023, 8:55:18 PM	0	6.737	33.1	63.3	0
3/15/2023, 9:05:18 PM	0	6.737	32.7	64.3	0
3/15/2023, 9:15:18 PM	0	6.737	32.5	65.3	0
3/15/2023, 9:25:18 PM	0	6.728	32.2	66.2	0
3/15/2023, 9:35:18 PM	0	6.728	32	67	0
3/15/2023, 9:45:18 PM	0	6.728	31.8	67.7	0
3/15/2023, 9:55:18 PM	0	6.728	31.6	68.4	0
3/15/2023, 10:05:18 PM	0	6.728	31.3	69	0
3/15/2023, 10:15:18 PM	0	6.728	31.1	69.6	0
3/15/2023, 10:25:18 PM	0	6.728	30.9	70.1	0
3/15/2023, 10:35:18 PM	0	6.719	30.7	70.8	0
3/15/2023, 10:45:18 PM	0	6.719	30.9	71.6	0
3/15/2023, 10:55:18 PM	0	6.719	31.3	72.3	0
3/15/2023, 11:05:18 PM	0	6.728	31.5	72.9	0
3/15/2023, 11:15:18 PM	0	6.728	31.8	73.4	0
3/15/2023, 11:25:18 PM	0	6.728	32	73.8	0
3/15/2023, 11:35:18 PM	0	6.728	32.2	74.2	0
3/15/2023, 11:45:18 PM	0	6.728	32.4	74.4	0
3/15/2023, 11:55:18 PM	0	6.728	32.5	74.7	0
3/16/2023, 12:05:18 AM	0	6.728	32.7	74.8	0
3/16/2023, 12:15:18 AM	0	6.728	32.9	74.8	0
3/16/2023, 12:25:18 AM	0	6.728	32.9	74.9	0
3/16/2023, 12:35:18 AM	0	6.728	33.1	75	0
3/16/2023, 12:45:18 AM	0	6.728	33.1	75	0
3/16/2023, 12:55:18 AM	0	6.728	33.3	75	0
3/16/2023, 1:05:18 AM	0	6.728	33.3	75	0
3/16/2023, 1:15:18 AM	0	6.728	33.4	74.9	0
3/16/2023, 1:25:18 AM	0	6.728	33.4	74.8	0
3/16/2023, 1:35:18 AM	0	6.728	33.4	74.6	0
3/16/2023, 1:45:18 AM	0	6.728	33.6	74.5	0
3/16/2023, 1:55:18 AM	0	6.728	33.6	74.3	0
3/16/2023, 2:05:18 AM	0	6.728	33.6	74	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/16/2023, 2:15:18 AM	0	6.728	33.6	73.7	0
3/16/2023, 2:25:18 AM	0	6.728	33.6	73.6	0
3/16/2023, 2:35:18 AM	0	6.728	33.6	73.3	0
3/16/2023, 2:45:18 AM	0	6.728	33.6	73	0
3/16/2023, 2:55:18 AM	0	6.728	33.6	72.6	0
3/16/2023, 3:05:18 AM	0	6.728	33.8	72.1	0
3/16/2023, 3:15:18 AM	0	6.728	33.8	71.6	0
3/16/2023, 3:25:18 AM	0	6.728	33.8	71.2	0
3/16/2023, 3:35:18 AM	0	6.728	33.8	70.7	0
3/16/2023, 3:45:18 AM	0	6.728	34	70.1	0
3/16/2023, 3:55:18 AM	0	6.728	34	69.7	0
3/16/2023, 4:05:18 AM	0	6.728	34	69.3	0
3/16/2023, 4:15:18 AM	0	6.728	34	69.1	0
3/16/2023, 4:25:18 AM	0	6.728	34	68.8	0
3/16/2023, 4:35:18 AM	0	6.728	33.8	68.7	0
3/16/2023, 4:45:18 AM	0	6.728	33.8	68.6	0
3/16/2023, 4:55:18 AM	0	6.728	33.8	68.5	0
3/16/2023, 5:05:18 AM	0	6.728	34	68.5	0
3/16/2023, 5:15:18 AM	0	6.728	34	68.4	0
3/16/2023, 5:25:18 AM	0	6.728	34.2	68.4	0
3/16/2023, 5:35:18 AM	0	6.728	34.3	68.4	0
3/16/2023, 5:45:18 AM	0	6.728	34.5	68.5	0
3/16/2023, 5:55:18 AM	0	6.728	34.5	68.5	0
3/16/2023, 6:05:18 AM	0	6.728	34.7	68.7	0
3/16/2023, 6:15:18 AM	0	6.737	34.9	68.7	0
3/16/2023, 6:25:18 AM	0	6.737	34.9	68.7	0
3/16/2023, 6:35:18 AM	0	6.737	35.1	68.8	0
3/16/2023, 6:45:18 AM	0	6.737	35.1	68.9	0
3/16/2023, 6:55:18 AM	0	6.737	35.2	69	0
3/16/2023, 7:05:18 AM	0	6.737	35.4	69	0
3/16/2023, 7:15:18 AM	0	6.737	35.6	69.2	0
3/16/2023, 7:25:18 AM	0	6.737	35.6	69.2	0
3/16/2023, 7:35:18 AM	0	6.737	35.4	69.1	0
3/16/2023, 7:45:18 AM	0	6.737	35.2	69.3	0
3/16/2023, 7:55:18 AM	0	6.737	35.1	69.6	0
3/16/2023, 8:05:18 AM	0	6.737	34.9	69.8	0
3/16/2023, 8:15:18 AM	0	6.728	35.2	70.1	0
3/16/2023, 8:25:18 AM	0	6.728	36	70.3	0
3/16/2023, 8:35:18 AM	0	6.737	37	70.2	0
3/16/2023, 8:45:18 AM	0	6.737	38.5	70	0
3/16/2023, 8:55:18 AM	0	6.737	40.3	69.3	0
3/16/2023, 9:05:18 AM	0	6.746	42.4	68.5	0
3/16/2023, 9:15:18 AM	0	6.746	44.6	67.6	0
3/16/2023, 9:25:18 AM	0	6.754	46.8	66.7	0
3/16/2023, 9:35:18 AM	0	6.754	48.6	65.8	0
3/16/2023, 9:45:18 AM	0	6.763	48.7	64.7	0
3/16/2023, 10:01:46 AM	0	0	32	0	0
3/16/2023, 10:11:46 AM	0	6.816	50.9	64.3	0
3/16/2023, 10:21:46 AM	0	6.816	50.7	63.1	0
3/16/2023, 10:31:46 AM	0	6.816	50.9	62.2	0
3/16/2023, 10:41:46 AM	0	6.825	52.5	61.7	0
3/16/2023, 10:51:46 AM	0	6.833	54	61	0
3/16/2023, 11:01:46 AM	0	6.842	55	60.2	0
3/16/2023, 11:11:46 AM	0	6.842	56.1	59.5	0
3/16/2023, 11:21:46 AM	0	6.851	57.6	58.8	0
3/16/2023, 11:31:46 AM	0	6.851	59.4	58.2	0
3/16/2023, 11:41:46 AM	0	6.86	60.8	57.7	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/16/2023, 11:51:46 AM	0	6.86	62.1	56.9	0
3/16/2023, 12:01:46 PM	0	6.86	63.1	56.3	0
3/16/2023, 12:11:46 PM	0	6.869	63.5	55.7	0
3/16/2023, 12:21:46 PM	0	6.869	64	55.2	0
3/16/2023, 12:31:46 PM	0	6.869	64	54.6	0
3/16/2023, 12:41:46 PM	0	6.869	64	54.2	0
3/16/2023, 12:51:46 PM	0	6.869	63.7	53.9	0
3/16/2023, 1:01:46 PM	0	6.869	63	53.5	0
3/16/2023, 1:11:46 PM	0	6.869	62.1	53.2	0
3/16/2023, 1:21:46 PM	0	6.869	61.5	53	0
3/16/2023, 1:31:46 PM	0	6.869	61	52.9	0
3/16/2023, 1:41:46 PM	0	6.869	60.4	52.8	0
3/16/2023, 1:51:46 PM	0	6.869	59.9	52.8	0
3/16/2023, 2:01:46 PM	0	6.869	59.7	52.7	0
3/16/2023, 2:11:46 PM	0	6.869	59.7	52.8	0
3/16/2023, 2:21:46 PM	0	6.869	60.1	52.8	0
3/16/2023, 2:31:46 PM	0	6.869	60.3	52.7	0
3/16/2023, 2:41:46 PM	0	6.869	60.3	52.7	0
3/16/2023, 2:51:46 PM	0	6.869	60.1	52.5	0
3/16/2023, 3:01:46 PM	0	6.869	59.7	52.5	0
3/16/2023, 3:11:46 PM	0	6.869	60.1	52.3	0
3/16/2023, 3:21:46 PM	0	6.869	60.6	52.3	0
3/16/2023, 3:31:46 PM	0	6.869	60.4	52.2	0
3/16/2023, 3:41:46 PM	0	6.869	60.1	52	0
3/16/2023, 3:51:46 PM	0	6.869	59.9	52	0
3/16/2023, 4:01:46 PM	0	6.869	59.5	52	0
3/16/2023, 4:11:46 PM	0	6.869	59.2	52	0
3/16/2023, 4:21:46 PM	0	6.869	58.5	52	0
3/16/2023, 4:31:46 PM	0	6.869	57.6	51.8	0
3/16/2023, 4:41:46 PM	0	6.86	56.8	51.7	0
3/16/2023, 4:51:46 PM	0	6.86	56.1	51.8	0
3/16/2023, 5:01:46 PM	0	6.86	55.4	51.8	0
3/16/2023, 5:11:46 PM	0	6.86	55	51.8	0
3/16/2023, 5:21:46 PM	0	6.86	54.7	52.1	0
3/16/2023, 5:31:46 PM	0	6.86	54.5	52.2	0
3/16/2023, 5:41:46 PM	0	6.86	54.5	52.3	0
3/16/2023, 5:51:46 PM	0	6.851	54.5	52.5	0
3/16/2023, 6:01:46 PM	0	6.851	54.3	52.4	0
3/16/2023, 6:11:46 PM	0	6.851	54	52.4	0
3/16/2023, 6:21:46 PM	0	6.851	53.4	52.5	0
3/16/2023, 6:31:46 PM	0	6.851	52.5	52.7	0
3/16/2023, 6:41:46 PM	0	6.851	51.8	53.1	0
3/16/2023, 6:51:46 PM	0	6.842	50.9	53.6	0
3/16/2023, 7:01:46 PM	0	6.842	50	54.9	0
3/16/2023, 7:11:46 PM	0	6.842	49.5	55.8	0
3/16/2023, 7:21:46 PM	0	6.842	48.4	56.7	0
3/16/2023, 7:31:46 PM	0	6.842	47.7	57.2	0
3/16/2023, 7:41:46 PM	0	6.833	46.8	58.4	0
3/16/2023, 7:51:46 PM	0	6.833	45.9	59.7	0
3/16/2023, 8:01:46 PM	0	6.833	45	60.4	0
3/16/2023, 8:11:46 PM	0	6.833	44.1	61.3	0
3/16/2023, 8:21:46 PM	0	6.825	43.3	62.2	0
3/16/2023, 8:31:46 PM	0	6.825	42.6	63.5	0
3/16/2023, 8:41:46 PM	0	6.825	41.9	64.4	0
3/16/2023, 8:51:46 PM	0	6.825	41.2	65	0
3/16/2023, 9:01:46 PM	0	6.816	40.6	65.7	0
3/16/2023, 9:11:46 PM	0	6.816	40.3	66.5	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/16/2023, 9:21:46 PM	0	6.816	39.7	67.3	0
3/16/2023, 9:31:46 PM	0	6.816	39.4	68.1	0
3/16/2023, 9:41:46 PM	0	6.816	39	68.6	0
3/16/2023, 9:51:46 PM	0	6.807	38.7	69.1	0
3/16/2023, 10:01:46 PM	0	6.807	38.5	69.6	0
3/16/2023, 10:11:46 PM	0	6.807	38.3	70	0
3/16/2023, 10:21:46 PM	0	6.807	38.1	70.4	0
3/16/2023, 10:31:46 PM	0	6.807	37.9	70.8	0
3/16/2023, 10:41:46 PM	0	6.807	37.9	71.5	0
3/16/2023, 10:51:46 PM	0	6.807	37.9	71.7	0
3/16/2023, 11:01:46 PM	0	6.807	38.1	72.1	0
3/16/2023, 11:11:46 PM	0	6.807	38.3	72.5	0
3/16/2023, 11:21:46 PM	0	6.807	38.3	72.9	0
3/16/2023, 11:31:46 PM	0	6.807	38.5	73.1	0
3/16/2023, 11:41:46 PM	0	6.807	38.5	73.3	0
3/16/2023, 11:51:46 PM	0	6.807	38.7	73.6	0
3/17/2023, 12:01:46 AM	0	6.807	38.7	73.9	0
3/17/2023, 12:11:46 AM	0	6.807	38.8	74.2	0
3/17/2023, 12:21:46 AM	0	6.807	39	74.5	0
3/17/2023, 12:31:46 AM	0	6.807	39.4	74.9	0
3/17/2023, 12:41:46 AM	0	6.807	39.6	74.8	0
3/17/2023, 12:51:46 AM	0	6.807	39.7	74.7	0
3/17/2023, 1:01:46 AM	0	6.807	39.9	74.8	0
3/17/2023, 1:11:46 AM	0	6.807	39.9	75.2	0
3/17/2023, 1:21:46 AM	0	6.807	40.1	75.3	0
3/17/2023, 1:31:46 AM	0	6.807	40.1	75	0
3/17/2023, 1:41:46 AM	0	6.807	40.1	74.8	0
3/17/2023, 1:51:46 AM	0	6.807	40.1	74.9	0
3/17/2023, 2:01:46 AM	0	6.807	40.1	74.7	0
3/17/2023, 2:11:46 AM	0	6.807	40.5	74.8	0
3/17/2023, 2:21:46 AM	0	6.816	40.8	75.3	0
3/17/2023, 2:31:46 AM	0	6.816	41.5	76.8	0
3/17/2023, 2:41:46 AM	0	6.816	41.9	78.4	0
3/17/2023, 2:51:46 AM	0	6.816	42.1	79.6	0
3/17/2023, 3:01:46 AM	0	6.816	42.3	80.5	0
3/17/2023, 3:11:46 AM	0	6.816	42.3	81.3	0
3/17/2023, 3:21:46 AM	0	6.816	42.3	81.9	0
3/17/2023, 3:31:46 AM	0	6.816	42.3	82.6	0
3/17/2023, 3:41:46 AM	0	6.816	42.3	83.1	0
3/17/2023, 3:51:46 AM	0	6.816	42.3	83.6	0
3/17/2023, 4:01:46 AM	0	6.816	42.3	84	0
3/17/2023, 4:11:46 AM	0	6.816	42.3	84.5	0
3/17/2023, 4:21:46 AM	0	6.816	42.1	84.9	0
3/17/2023, 4:31:46 AM	0	6.816	42.1	85.2	0
3/17/2023, 4:41:46 AM	0	6.816	42.1	85.7	0
3/17/2023, 4:51:46 AM	0	6.816	42.3	86.1	0
3/17/2023, 5:01:46 AM	0	6.816	42.3	86.5	0
3/17/2023, 5:11:46 AM	0	6.816	42.3	86.8	0
3/17/2023, 5:21:46 AM	0	6.816	42.3	87.1	0
3/17/2023, 5:31:46 AM	0	6.816	42.4	87.4	0
3/17/2023, 5:41:46 AM	0	6.816	42.4	87.7	0
3/17/2023, 5:51:46 AM	0	6.816	42.6	87.9	0
3/17/2023, 6:01:46 AM	0	6.816	42.6	88.2	0
3/17/2023, 6:11:46 AM	0	6.816	42.6	88.4	0
3/17/2023, 6:21:46 AM	0	6.816	42.6	88.6	0
3/17/2023, 6:31:46 AM	0	6.816	42.6	88.7	0
3/17/2023, 6:41:46 AM	0	6.816	42.6	88.9	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/17/2023, 6:51:46 AM	0	6.816	42.6	89	0
3/17/2023, 7:01:46 AM	0	6.816	42.6	89.1	0
3/17/2023, 7:11:46 AM	0	6.816	42.6	89.2	0
3/17/2023, 7:21:46 AM	0	6.816	42.6	89.2	0
3/17/2023, 7:31:46 AM	0	6.816	42.4	89.3	0
3/17/2023, 7:41:46 AM	0	6.816	42.4	89.5	0
3/17/2023, 7:51:46 AM	0	6.816	42.4	89.6	0
3/17/2023, 8:01:46 AM	0	6.816	42.4	89.8	0
3/17/2023, 8:11:46 AM	0	6.816	42.4	90	0
3/17/2023, 8:21:46 AM	0	6.816	42.6	90.2	0
3/17/2023, 8:31:46 AM	0	6.816	42.6	90.4	0
3/17/2023, 8:41:46 AM	0	6.816	42.8	90.7	0
3/17/2023, 8:51:46 AM	0	6.816	42.8	90.9	0
3/17/2023, 9:01:46 AM	0	6.816	43	91.2	0
3/17/2023, 9:11:46 AM	0	6.825	43.3	91.5	0
3/17/2023, 9:21:46 AM	0	6.825	43.5	91.8	0
3/17/2023, 9:31:46 AM	0	6.825	43.7	91.9	0
3/17/2023, 9:41:46 AM	0	6.825	43.9	92.2	0
3/17/2023, 9:51:46 AM	0	6.825	44.1	92.3	0
3/17/2023, 10:01:46 AM	0	6.825	44.2	92.4	0
3/17/2023, 10:11:46 AM	0	6.825	44.4	92.4	0
3/17/2023, 10:21:46 AM	0	6.825	44.6	92.4	0
3/17/2023, 10:31:46 AM	0	6.825	44.8	92.4	0
3/17/2023, 10:41:46 AM	0	6.825	44.8	92.5	0
3/17/2023, 10:51:46 AM	0	6.825	45	92.6	0
3/17/2023, 11:01:46 AM	0	6.825	45.1	92.7	0
3/17/2023, 11:11:46 AM	0	6.825	45.3	92.8	0
3/17/2023, 11:21:46 AM	0	6.825	45.7	93	0
3/17/2023, 11:31:46 AM	0	6.825	46	93.3	0
3/17/2023, 11:41:46 AM	0	6.825	46.4	93.5	0
3/17/2023, 11:51:46 AM	0	6.833	46.8	93.7	0
3/17/2023, 12:01:46 PM	0	6.833	47.3	93.8	0
3/17/2023, 12:11:46 PM	0	6.833	47.5	93.9	0
3/17/2023, 12:21:46 PM	0	6.833	47.8	93.9	0
3/17/2023, 12:31:46 PM	0	6.833	48.2	93.7	0
3/17/2023, 12:41:46 PM	0	6.833	48.4	93.5	0
3/17/2023, 12:51:46 PM	0	6.833	48.7	93.3	0
3/17/2023, 1:01:46 PM	0	6.833	48.9	93.2	0
3/17/2023, 1:11:46 PM	0	6.833	49.3	93.1	0
3/17/2023, 1:21:46 PM	0	6.833	49.5	93	0
3/17/2023, 1:31:46 PM	0	6.833	49.8	92.9	0
3/17/2023, 1:41:46 PM	0	6.833	50	92.7	0
3/17/2023, 1:51:46 PM	0	6.833	50.4	92.5	0
3/17/2023, 2:01:46 PM	0	6.842	50.7	92.3	0
3/17/2023, 2:11:46 PM	0	6.842	50.9	92.1	0
3/17/2023, 2:21:46 PM	0	6.842	51.1	91.8	0
3/17/2023, 2:31:46 PM	0	6.842	51.4	91.6	0
3/17/2023, 2:41:46 PM	0	6.842	51.8	91.2	0
3/17/2023, 2:51:46 PM	0	6.842	52.2	90.7	0
3/17/2023, 3:01:46 PM	0	6.842	52.5	90.3	0
3/17/2023, 3:11:46 PM	0	6.842	52.7	89.8	0
3/17/2023, 3:21:46 PM	0	6.842	53.2	89.3	0
3/17/2023, 3:31:46 PM	0	6.842	53.6	88.8	0
3/17/2023, 3:41:46 PM	0	6.842	54	88.5	0
3/17/2023, 3:51:46 PM	0	6.842	54.3	88	0
3/17/2023, 4:01:46 PM	0	6.851	54.5	87.5	0
3/17/2023, 4:11:46 PM	0	6.851	54.5	86.9	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/17/2023, 4:21:46 PM	0	6.851	54.5	86.4	0
3/17/2023, 4:31:46 PM	0	6.851	54.7	86.1	0
3/17/2023, 4:41:46 PM	0	6.851	54.7	85.8	0
3/17/2023, 4:51:46 PM	0	6.851	54.7	85.5	0
3/17/2023, 5:01:46 PM	0	6.851	54.5	85.3	0
3/17/2023, 5:11:46 PM	0	6.851	54.5	85.3	0
3/17/2023, 5:21:46 PM	0	6.851	54.1	85.6	0
3/17/2023, 5:31:46 PM	0	6.851	53.6	85.4	0
3/17/2023, 5:41:46 PM	0	6.851	52.9	85.3	0
3/17/2023, 5:51:46 PM	0	6.851	52	85.3	0
3/17/2023, 6:01:46 PM	0	6.842	51.3	85.1	0
3/17/2023, 6:11:46 PM	0	6.842	50.5	85.2	0
3/17/2023, 6:21:46 PM	0	6.842	49.8	85.3	0
3/17/2023, 6:31:46 PM	0	6.842	49.1	85.2	0
3/17/2023, 6:41:46 PM	0	6.842	48.4	85.1	0
3/17/2023, 6:51:46 PM	0	6.833	47.7	85.1	0
3/17/2023, 7:01:46 PM	0	6.833	47.1	85.3	0
3/17/2023, 7:11:46 PM	0	6.833	46.8	85.3	0
3/17/2023, 7:21:46 PM	0	6.833	46.2	85.4	0
3/17/2023, 7:31:46 PM	0	6.833	45.9	85.4	0
3/17/2023, 7:41:46 PM	0	6.833	45.5	85.4	0
3/17/2023, 7:51:46 PM	0	6.833	45	85.3	0
3/17/2023, 8:01:46 PM	0	6.833	44.6	85.3	0
3/17/2023, 8:11:46 PM	0	6.825	44.2	85.3	0
3/17/2023, 8:21:46 PM	0	6.825	44.1	85.3	0
3/17/2023, 8:31:46 PM	0	6.825	43.7	85.3	0
3/17/2023, 8:41:46 PM	0	6.825	43.3	85.4	0
3/17/2023, 8:51:46 PM	0	6.825	43.2	85.6	0
3/17/2023, 9:01:46 PM	0	6.825	42.8	85.9	0
3/17/2023, 9:11:46 PM	0	6.825	42.4	86.2	0
3/17/2023, 9:21:46 PM	0	6.825	42.3	86.4	0
3/17/2023, 9:31:46 PM	0	6.825	41.9	86.7	0
3/17/2023, 9:41:46 PM	0	6.825	41.7	86.9	0
3/17/2023, 9:51:46 PM	0	6.825	41.4	86.8	0
3/17/2023, 10:01:46 PM	0	6.816	41	86.1	0
3/17/2023, 10:11:46 PM	0	6.816	40.6	85.5	0
3/17/2023, 10:21:46 PM	0	6.816	40.3	84.9	0
3/17/2023, 10:31:46 PM	0	6.816	39.9	84.5	0
3/17/2023, 10:41:46 PM	0	6.816	39.7	84.1	0
3/17/2023, 10:51:46 PM	0	6.816	39.6	84	0
3/17/2023, 11:01:46 PM	0	6.816	39.4	83.9	0
3/17/2023, 11:11:46 PM	0	6.816	39.2	83.8	0
3/17/2023, 11:21:46 PM	0	6.816	39	83.7	0
3/17/2023, 11:31:46 PM	0	6.816	38.8	83.6	0
3/17/2023, 11:41:46 PM	0	6.816	38.8	83.6	0
3/17/2023, 11:51:46 PM	0	6.816	38.7	83.4	0
3/18/2023, 12:01:46 AM	0	6.816	38.7	83.3	0
3/18/2023, 12:11:46 AM	0	6.816	38.7	83.2	0
3/18/2023, 12:21:46 AM	0	6.816	38.7	83.1	0
3/18/2023, 12:31:46 AM	0	6.816	38.5	83.1	0
3/18/2023, 12:41:46 AM	0	6.816	38.5	83	0
3/18/2023, 12:51:46 AM	0	6.816	38.5	82.9	0
3/18/2023, 1:01:46 AM	0	6.816	38.3	82.5	0
3/18/2023, 1:11:46 AM	0	6.816	38.1	82.4	0
3/18/2023, 1:21:46 AM	0	6.816	37.9	82.3	0
3/18/2023, 1:31:46 AM	0	6.816	37.8	82	0
3/18/2023, 1:41:46 AM	0	6.816	37.6	81.9	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/18/2023, 1:51:46 AM	0	6.816	37.6	81.8	0
3/18/2023, 2:01:46 AM	0	6.807	37.4	81.5	0
3/18/2023, 2:11:46 AM	0	6.807	37.4	81.4	0
3/18/2023, 2:21:46 AM	0	6.807	37.4	81.2	0
3/18/2023, 2:31:46 AM	0	6.807	37.2	80.9	0
3/18/2023, 2:41:46 AM	0	6.807	37.2	80.7	0
3/18/2023, 2:51:46 AM	0	6.807	37	80.5	0
3/18/2023, 3:01:46 AM	0	6.807	37	80.5	0
3/18/2023, 3:11:46 AM	0	6.807	37	80.2	0
3/18/2023, 3:21:46 AM	0	6.807	36.9	80	0
3/18/2023, 3:31:46 AM	0	6.807	36.9	79.7	0
3/18/2023, 3:41:46 AM	0	6.807	36.9	79.5	0
3/18/2023, 3:51:46 AM	0	6.807	36.7	79.2	0
3/18/2023, 4:01:46 AM	0	6.807	36.7	79.1	0
3/18/2023, 4:11:46 AM	0	6.807	36.7	78.9	0
3/18/2023, 4:21:46 AM	0	6.807	36.5	78.5	0
3/18/2023, 4:31:46 AM	0	6.807	36.5	78.3	0
3/18/2023, 4:41:46 AM	0	6.807	36.5	78	0
3/18/2023, 4:51:46 AM	0	6.807	36.3	77.9	0
3/18/2023, 5:01:46 AM	0	6.807	36.3	77.7	0
3/18/2023, 5:11:46 AM	0	6.807	36.1	77.7	0
3/18/2023, 5:21:46 AM	0	6.807	36.1	77.7	0
3/18/2023, 5:31:46 AM	0	6.807	36	77.8	0
3/18/2023, 5:41:46 AM	0	6.807	36	77.7	0
3/18/2023, 5:51:46 AM	0	6.807	36	77.8	0
3/18/2023, 6:01:46 AM	0	6.807	36	77.8	0
3/18/2023, 6:11:46 AM	0	6.807	36	77.7	0
3/18/2023, 6:21:46 AM	0	6.807	36	77.6	0
3/18/2023, 6:31:46 AM	0	6.807	35.8	77.6	0
3/18/2023, 6:41:46 AM	0	6.807	35.8	77.6	0
3/18/2023, 6:51:46 AM	0	6.807	35.8	77.7	0
3/18/2023, 7:01:46 AM	0	6.807	35.8	77.7	0
3/18/2023, 7:11:46 AM	0	6.807	35.8	77.7	0
3/18/2023, 7:21:46 AM	0	6.807	35.8	77.8	0
3/18/2023, 7:31:46 AM	0	6.807	35.6	77.8	0
3/18/2023, 7:41:46 AM	0	6.807	35.6	77.9	0
3/18/2023, 7:51:46 AM	0	6.807	35.6	77.9	0
3/18/2023, 8:01:46 AM	0	6.807	35.8	77.7	0
3/18/2023, 8:11:46 AM	0	6.807	35.8	77.5	0
3/18/2023, 8:21:46 AM	0	6.807	36	77.2	0
3/18/2023, 8:31:46 AM	0	6.807	36.1	76.8	0
3/18/2023, 8:41:46 AM	0	6.807	36.1	76.5	0
3/18/2023, 8:51:46 AM	0	6.807	36.3	76.2	0
3/18/2023, 9:01:46 AM	0	6.816	36.7	75.8	0
3/18/2023, 9:11:46 AM	0	6.816	36.9	75.6	0
3/18/2023, 9:21:46 AM	0	6.816	37.2	75.3	0
3/18/2023, 9:31:46 AM	0	6.816	38.1	75.1	0
3/18/2023, 9:41:46 AM	0	6.816	39.2	74.8	0
3/18/2023, 9:51:46 AM	0	6.816	39.6	74.5	0
3/18/2023, 10:01:46 AM	0	6.816	39.6	74.2	0
3/18/2023, 10:11:46 AM	0	6.816	39.4	73.9	0
3/18/2023, 10:21:46 AM	0	6.816	39.4	73.9	0
3/18/2023, 10:31:46 AM	0	6.825	39.7	73.9	0
3/18/2023, 10:41:46 AM	0	6.816	39.7	73.9	0
3/18/2023, 10:51:46 AM	0	6.825	40.3	74	0
3/18/2023, 11:01:46 AM	0	6.825	40.8	74.1	0
3/18/2023, 11:11:46 AM	0	6.825	41.9	73.7	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/18/2023, 11:21:46 AM	0	6.825	42.8	73.2	0
3/18/2023, 11:31:46 AM	0	6.825	43.7	72.7	0
3/18/2023, 11:41:46 AM	0	6.825	44.2	71.8	0
3/18/2023, 11:51:46 AM	0	6.833	43.5	71.5	0
3/18/2023, 12:01:46 PM	0	6.833	42.3	71.9	0
3/18/2023, 12:11:46 PM	0	6.825	41.4	72.5	0
3/18/2023, 12:21:46 PM	0	6.825	41.9	73.4	0
3/18/2023, 12:31:46 PM	0	6.825	43.5	72.7	0
3/18/2023, 12:41:46 PM	0	6.825	44.2	71.8	0
3/18/2023, 12:51:46 PM	0	6.833	45.1	71.2	0
3/18/2023, 1:01:46 PM	0	6.833	45.9	70.3	0
3/18/2023, 1:11:46 PM	0	6.833	45.5	69.1	0
3/18/2023, 1:21:46 PM	0	6.833	45	68	0
3/18/2023, 1:31:46 PM	0	6.833	44.8	67.3	0
3/18/2023, 1:41:46 PM	0	6.833	44.6	66.5	0
3/18/2023, 1:51:46 PM	0	6.833	44.6	66	0
3/18/2023, 2:01:46 PM	0	6.833	44.8	65.6	0
3/18/2023, 2:11:46 PM	0	6.833	44.8	65.2	0
3/18/2023, 2:21:46 PM	0	6.833	45	64.7	0
3/18/2023, 2:31:46 PM	0	6.833	44.8	64.2	0
3/18/2023, 2:41:46 PM	0	6.833	44.6	64	0
3/18/2023, 2:51:46 PM	0	6.833	44.1	63.4	0
3/18/2023, 3:01:46 PM	0	6.833	43.9	63.2	0
3/18/2023, 3:11:46 PM	0	6.833	43.5	62.8	0
3/18/2023, 3:21:46 PM	0	6.833	43	62.5	0
3/18/2023, 3:31:46 PM	0	6.833	42.6	62.6	0
3/18/2023, 3:41:46 PM	0	6.833	42.1	62.6	0
3/18/2023, 3:51:46 PM	0	6.833	41.7	62.8	0
3/18/2023, 4:01:46 PM	0	6.825	41.4	62.7	0
3/18/2023, 4:11:46 PM	0	6.825	41.2	62.5	0
3/18/2023, 4:21:46 PM	0	6.825	41	62.1	0
3/18/2023, 4:31:46 PM	0	6.825	41	62	0
3/18/2023, 4:41:46 PM	0	6.825	41.4	61.7	0
3/18/2023, 4:51:46 PM	0	6.825	41.4	61.3	0
3/18/2023, 5:01:46 PM	0	6.825	41.2	61.1	0
3/18/2023, 5:11:46 PM	0	6.825	40.8	60.8	0
3/18/2023, 5:21:46 PM	0	6.825	40.5	60.8	0
3/18/2023, 5:31:46 PM	0	6.825	40.3	61.1	0
3/18/2023, 5:41:46 PM	0	6.825	40.1	61.5	0
3/18/2023, 5:51:46 PM	0	6.825	39.7	62.2	0
3/18/2023, 6:01:46 PM	0	6.825	39.4	62.8	0
3/18/2023, 6:11:46 PM	0	6.825	38.8	63.4	0
3/18/2023, 6:21:46 PM	0	6.825	38.1	64.1	0
3/18/2023, 6:31:46 PM	0	6.825	37.6	64.9	0
3/18/2023, 6:41:46 PM	0	6.816	37.2	65.5	0
3/18/2023, 6:51:46 PM	0	6.816	36.5	66.2	0
3/18/2023, 7:01:46 PM	0	6.816	35.8	66.7	0
3/18/2023, 7:11:46 PM	0	6.816	35.2	66.9	0
3/18/2023, 7:21:46 PM	0	6.816	34.7	67.2	0
3/18/2023, 7:31:46 PM	0	6.816	34.2	67.4	0
3/18/2023, 7:41:46 PM	0	6.807	34	67.7	0
3/18/2023, 7:51:46 PM	0	6.807	33.6	67.8	0
3/18/2023, 8:01:46 PM	0	6.807	33.4	68	0
3/18/2023, 8:11:46 PM	0	6.807	33.1	68.4	0
3/18/2023, 8:21:46 PM	0	6.807	32.7	68.7	0
3/18/2023, 8:31:46 PM	0	6.807	32.2	68.8	0
3/18/2023, 8:41:46 PM	0	6.807	32	69.1	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/18/2023, 8:51:46 PM	0	6.807	31.6	69.4	0
3/18/2023, 9:01:46 PM	0	6.798	31.3	69.7	0
3/18/2023, 9:11:46 PM	0	6.798	30.9	70.1	0
3/18/2023, 9:21:46 PM	0	6.798	30.4	70.7	0
3/18/2023, 9:31:46 PM	0	6.798	30	71.3	0
3/18/2023, 9:41:46 PM	0	6.798	29.7	71.6	0
3/18/2023, 9:51:46 PM	0	6.798	29.3	71.6	0
3/18/2023, 10:01:46 PM	0	6.798	28.9	71.4	0
3/18/2023, 10:11:46 PM	0	6.798	28.4	71.2	0
3/18/2023, 10:21:46 PM	0	6.79	28.2	71.2	0
3/18/2023, 10:31:46 PM	0	6.79	27.7	71.1	0
3/18/2023, 10:41:46 PM	0	6.79	27.3	71.2	0
3/18/2023, 10:51:46 PM	0	6.79	26.8	71.3	0
3/18/2023, 11:01:46 PM	0	6.79	26.4	71.5	0
3/18/2023, 11:11:46 PM	0	6.79	26.1	71.5	0
3/18/2023, 11:21:46 PM	0	6.79	25.7	71.3	0
3/18/2023, 11:31:46 PM	0	6.79	25.5	71.2	0
3/18/2023, 11:41:46 PM	0	6.781	25.3	70.9	0
3/18/2023, 11:51:46 PM	0	6.781	25.2	70.7	0
3/19/2023, 12:01:46 AM	0	6.781	24.8	70.7	0
3/19/2023, 12:11:46 AM	0	6.781	24.6	70.7	0
3/19/2023, 12:21:46 AM	0	6.781	24.4	70.8	0
3/19/2023, 12:31:46 AM	0	6.781	24.3	70.8	0
3/19/2023, 12:41:46 AM	0	6.781	24.3	71	0
3/19/2023, 12:51:46 AM	0	6.781	24.1	71.3	0
3/19/2023, 1:01:46 AM	0	6.781	23.9	71.7	0
3/19/2023, 1:11:46 AM	0	6.781	24.1	72.2	0
3/19/2023, 1:21:46 AM	0	6.781	24.1	72.7	0
3/19/2023, 1:31:46 AM	0	6.781	24.1	73.2	0
3/19/2023, 1:41:46 AM	0	6.781	23.9	73.7	0
3/19/2023, 1:51:46 AM	0	6.781	23.9	74.2	0
3/19/2023, 2:01:46 AM	0	6.781	23.9	74.6	0
3/19/2023, 2:11:46 AM	0	6.781	23.9	74.9	0
3/19/2023, 2:21:46 AM	0	6.781	23.9	75.1	0
3/19/2023, 2:31:46 AM	0	6.781	23.7	75.3	0
3/19/2023, 2:41:46 AM	0	6.781	23.7	75.5	0
3/19/2023, 2:51:46 AM	0	6.781	23.7	75.7	0
3/19/2023, 3:01:46 AM	0	6.781	23.7	76	0
3/19/2023, 3:11:46 AM	0	6.781	23.7	76.2	0
3/19/2023, 3:21:46 AM	0	6.781	23.7	76.3	0
3/19/2023, 3:31:46 AM	0	6.781	23.7	76.4	0
3/19/2023, 3:41:46 AM	0	6.781	23.7	76.5	0
3/19/2023, 3:51:46 AM	0	6.781	23.5	76.5	0
3/19/2023, 4:01:46 AM	0	6.781	23.5	76.4	0
3/19/2023, 4:11:46 AM	0	6.781	23.5	76.2	0
3/19/2023, 4:21:46 AM	0	6.781	23.5	75.7	0
3/19/2023, 4:31:46 AM	0	6.781	23.7	75.2	0
3/19/2023, 4:41:46 AM	0	6.781	24.1	74.6	0
3/19/2023, 4:51:46 AM	0	6.79	24.3	74	0
3/19/2023, 5:01:46 AM	0	6.79	24.4	73.4	0
3/19/2023, 5:11:46 AM	0	6.79	24.6	73	0
3/19/2023, 5:21:46 AM	0	6.79	24.6	72.7	0
3/19/2023, 5:31:46 AM	0	6.79	24.6	72.5	0
3/19/2023, 5:41:46 AM	0	6.79	24.8	72.4	0
3/19/2023, 5:51:46 AM	0	6.79	25	72.3	0
3/19/2023, 6:01:46 AM	0	6.79	25	72.2	0
3/19/2023, 6:11:46 AM	0	6.79	25	72.2	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/19/2023, 6:21:46 AM	0	6.79	25	72.2	0
3/19/2023, 6:31:46 AM	0	6.79	24.8	72.3	0
3/19/2023, 6:41:46 AM	0	6.79	25	72.4	0
3/19/2023, 6:51:46 AM	0	6.79	25	72.5	0
3/19/2023, 7:01:46 AM	0	6.79	25.2	72.7	0
3/19/2023, 7:11:46 AM	0	6.79	25.2	73.2	0
3/19/2023, 7:21:46 AM	0	6.79	25	73.8	0
3/19/2023, 7:31:46 AM	0	6.79	25	74.3	0
3/19/2023, 7:41:46 AM	0	6.79	25	74.6	0
3/19/2023, 7:51:46 AM	0	6.79	24.8	74.7	0
3/19/2023, 8:01:46 AM	0	6.79	25	75	0
3/19/2023, 8:11:46 AM	0	6.79	25.2	75.4	0
3/19/2023, 8:21:46 AM	0	6.79	25.3	76	0
3/19/2023, 8:31:46 AM	0	6.79	25.5	76.4	0
3/19/2023, 8:41:46 AM	0	6.79	26.1	76.7	0
3/19/2023, 8:51:46 AM	0	6.79	26.6	76.5	0
3/19/2023, 9:01:46 AM	0	6.79	27.1	76.1	0
3/19/2023, 9:11:46 AM	0	6.798	27.7	75.5	0
3/19/2023, 9:21:46 AM	0	6.798	28.4	74.9	0
3/19/2023, 9:31:46 AM	0	6.798	28.9	74.3	0
3/19/2023, 9:41:46 AM	0	6.798	29.8	73.9	0
3/19/2023, 9:51:46 AM	0	6.807	30.7	73.4	0
3/19/2023, 10:01:46 AM	0	6.807	31.3	73	0
3/19/2023, 10:11:46 AM	0	6.807	31.3	72.7	0
3/19/2023, 10:21:46 AM	0	6.807	31.6	72.6	0
3/19/2023, 10:31:46 AM	0	6.807	31.6	72.5	0
3/19/2023, 10:41:46 AM	0	6.807	31.5	72.6	0
3/19/2023, 10:51:46 AM	0	6.807	31.6	72.9	0
3/19/2023, 11:01:46 AM	0	6.816	32.5	73.2	0
3/19/2023, 11:11:46 AM	0	6.816	33.6	73.2	0
3/19/2023, 11:21:46 AM	0	6.816	34.3	72.8	0
3/19/2023, 11:31:46 AM	0	6.816	35.2	72.4	0
3/19/2023, 11:41:46 AM	0	6.816	36.7	72.2	0
3/19/2023, 11:51:46 AM	0	6.825	37.9	71.5	0
3/19/2023, 12:01:46 PM	0	6.825	38.7	70.7	0
3/19/2023, 12:11:46 PM	0	6.825	39	70.1	0
3/19/2023, 12:21:46 PM	0	6.825	38.5	69.1	0
3/19/2023, 12:31:46 PM	0	6.825	37.6	68.5	0
3/19/2023, 12:41:46 PM	0	6.825	37	68.1	0
3/19/2023, 12:51:46 PM	0	6.825	37	67.9	0
3/19/2023, 1:01:46 PM	0	6.825	36.9	67.7	0
3/19/2023, 1:11:46 PM	0	6.825	36.7	67.6	0
3/19/2023, 1:21:46 PM	0	6.825	36.9	67.7	0
3/19/2023, 1:31:46 PM	0	6.825	37	67.5	0
3/19/2023, 1:41:46 PM	0	6.825	37.4	67.5	0
3/19/2023, 1:51:46 PM	0	6.825	38.1	67.2	0
3/19/2023, 2:01:46 PM	0	6.825	38.5	66.8	0
3/19/2023, 2:11:46 PM	0	6.833	39	66.1	0
3/19/2023, 2:21:46 PM	0	6.833	38.5	65.3	0
3/19/2023, 2:31:46 PM	0	6.833	38.7	65.1	0
3/19/2023, 2:41:46 PM	0	6.833	39	64.5	0
3/19/2023, 2:51:46 PM	0	6.833	39.4	64.3	0
3/19/2023, 3:01:46 PM	0	6.833	39.7	64.5	0
3/19/2023, 3:11:46 PM	0	6.833	40.1	64.4	0
3/19/2023, 3:21:46 PM	0	6.833	40.5	64.4	0
3/19/2023, 3:31:46 PM	0	6.833	40.1	63.8	0
3/19/2023, 3:41:46 PM	0	6.833	40.1	63.4	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/19/2023, 3:51:46 PM	0	6.833	40.3	63	0
3/19/2023, 4:01:46 PM	0	6.833	39.9	62.6	0
3/19/2023, 4:11:46 PM	0	6.833	39.4	62.2	0
3/19/2023, 4:21:46 PM	0	6.833	39.2	61.9	0
3/19/2023, 4:31:46 PM	0	6.833	38.8	61.8	0
3/19/2023, 4:41:46 PM	0	6.833	38.7	62	0
3/19/2023, 4:51:46 PM	0	6.833	38.1	62	0
3/19/2023, 5:01:46 PM	0	6.833	37.9	62.2	0
3/19/2023, 5:11:46 PM	0	6.833	37.8	62.7	0
3/19/2023, 5:21:46 PM	0	6.833	37.4	63.1	0
3/19/2023, 5:31:46 PM	0	6.833	37	63.2	0
3/19/2023, 5:41:46 PM	0	6.833	36.7	63.2	0
3/19/2023, 5:51:46 PM	0	6.825	36.3	63.3	0
3/19/2023, 6:01:46 PM	0	6.825	36	63.4	0
3/19/2023, 6:11:46 PM	0	6.825	35.8	63.5	0
3/19/2023, 6:21:46 PM	0	6.825	35.6	63.7	0
3/19/2023, 6:31:46 PM	0	6.825	35.4	63.8	0
3/19/2023, 6:41:46 PM	0	6.825	35.2	64.1	0
3/19/2023, 6:51:46 PM	0	6.825	34.9	64.3	0
3/19/2023, 7:01:46 PM	0	6.825	34.3	64.6	0
3/19/2023, 7:11:46 PM	0	6.825	34	64.8	0
3/19/2023, 7:21:46 PM	0	6.825	33.6	65	0
3/19/2023, 7:31:46 PM	0	6.825	33.4	65.3	0
3/19/2023, 7:41:46 PM	0	6.825	33.3	65.5	0
3/19/2023, 7:51:46 PM	0	6.816	33.1	65.8	0
3/19/2023, 8:01:46 PM	0	6.816	32.7	66	0
3/19/2023, 8:11:46 PM	0	6.816	32.4	66.3	0
3/19/2023, 8:21:46 PM	0	6.816	32.2	66.5	0
3/19/2023, 8:31:46 PM	0	6.816	32	66.9	0
3/19/2023, 8:41:46 PM	0	6.816	31.8	67.1	0
3/19/2023, 8:51:46 PM	0	6.816	31.6	67.5	0
3/19/2023, 9:01:46 PM	0	6.816	31.5	67.8	0
3/19/2023, 9:11:46 PM	0	6.816	31.1	68.1	0
3/19/2023, 9:21:46 PM	0	6.816	30.9	68.4	0
3/19/2023, 9:31:46 PM	0	6.816	30.9	68.8	0
3/19/2023, 9:41:46 PM	0	6.816	30.7	69.1	0
3/19/2023, 9:51:46 PM	0	6.816	30.6	69.3	0
3/19/2023, 10:01:46 PM	0	6.807	30.4	69.6	0
3/19/2023, 10:11:46 PM	0	6.807	30.4	69.9	0
3/19/2023, 10:21:46 PM	0	6.807	30.2	70.1	0
3/19/2023, 10:31:46 PM	0	6.807	30.2	70.4	0
3/19/2023, 10:41:46 PM	0	6.807	30.2	70.6	0
3/19/2023, 10:51:46 PM	0	6.807	30.2	70.8	0
3/19/2023, 11:01:46 PM	0	6.807	30.2	70.9	0
3/19/2023, 11:11:46 PM	0	6.807	30.2	70.9	0
3/19/2023, 11:21:46 PM	0	6.807	30.2	70.8	0
3/19/2023, 11:31:46 PM	0	6.807	30	70.6	0
3/19/2023, 11:41:46 PM	0	6.807	30	70.5	0
3/19/2023, 11:51:46 PM	0	6.807	29.8	70.4	0
3/20/2023, 12:01:46 AM	0	6.807	29.8	70.3	0
3/20/2023, 12:11:46 AM	0	6.807	29.8	70.3	0
3/20/2023, 12:21:46 AM	0	6.807	29.8	70.3	0
3/20/2023, 12:31:46 AM	0	6.807	29.7	70.3	0
3/20/2023, 12:41:46 AM	0	6.807	29.7	70.5	0
3/20/2023, 12:51:46 AM	0	6.807	29.7	70.6	0
3/20/2023, 1:01:46 AM	0	6.807	29.5	70.7	0
3/20/2023, 1:11:46 AM	0	6.807	29.3	70.8	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/20/2023, 1:21:46 AM	0	6.807	29.3	70.9	0
3/20/2023, 1:31:46 AM	0	6.807	29.3	71.1	0
3/20/2023, 1:41:46 AM	0	6.807	29.3	71.2	0
3/20/2023, 1:51:46 AM	0	6.807	29.3	71.3	0
3/20/2023, 2:01:46 AM	0	6.807	29.3	71.4	0
3/20/2023, 2:11:46 AM	0	6.807	29.3	71.5	0
3/20/2023, 2:21:46 AM	0	6.807	29.3	71.7	0
3/20/2023, 2:31:46 AM	0	6.807	29.3	71.8	0
3/20/2023, 2:41:46 AM	0	6.807	29.3	71.9	0
3/20/2023, 2:51:46 AM	0	6.807	29.5	72	0
3/20/2023, 3:01:46 AM	0	6.807	29.5	72	0
3/20/2023, 3:11:46 AM	0	6.807	29.5	72	0
3/20/2023, 3:21:46 AM	0	6.807	29.5	72	0
3/20/2023, 3:31:46 AM	0	6.807	29.5	72.1	0
3/20/2023, 3:41:46 AM	0	6.807	29.5	72.3	0
3/20/2023, 3:51:46 AM	0	6.807	29.5	72.4	0
3/20/2023, 4:01:46 AM	0	6.807	29.5	72.5	0
3/20/2023, 4:11:46 AM	0	6.807	29.5	72.7	0
3/20/2023, 4:21:46 AM	0	6.807	29.7	72.9	0
3/20/2023, 4:31:46 AM	0	6.807	29.7	73	0
3/20/2023, 4:41:46 AM	0	6.807	29.7	73.2	0
3/20/2023, 4:51:46 AM	0	6.807	29.5	73.4	0
3/20/2023, 5:01:46 AM	0	6.807	29.5	73.5	0
3/20/2023, 5:11:46 AM	0	6.807	29.5	73.6	0
3/20/2023, 5:21:46 AM	0	6.807	29.5	73.8	0
3/20/2023, 5:31:46 AM	0	6.807	29.5	74	0
3/20/2023, 5:41:46 AM	0	6.807	29.5	74.1	0
3/20/2023, 5:51:46 AM	0	6.807	29.7	74.2	0
3/20/2023, 6:01:46 AM	0	6.807	29.7	74.2	0
3/20/2023, 6:11:46 AM	0	6.807	29.7	74.2	0
3/20/2023, 6:21:46 AM	0	6.807	29.7	74.2	0
3/20/2023, 6:31:46 AM	0	6.807	29.7	74.2	0
3/20/2023, 6:41:46 AM	0	6.807	29.7	74.2	0
3/20/2023, 6:51:46 AM	0	6.807	29.8	74.2	0
3/20/2023, 7:01:46 AM	0	6.807	29.8	74.1	0
3/20/2023, 7:11:46 AM	0	6.807	29.8	73.9	0
3/20/2023, 7:21:46 AM	0	6.807	29.8	73.8	0
3/20/2023, 7:31:46 AM	0	6.807	29.8	73.8	0
3/20/2023, 7:41:46 AM	0	6.807	30	73.7	0
3/20/2023, 7:51:46 AM	0	6.816	30.4	73.6	0
3/20/2023, 8:01:46 AM	0	6.816	30.7	73.6	0
3/20/2023, 8:11:46 AM	0	6.816	31.3	73.5	0
3/20/2023, 8:21:46 AM	0	6.816	32	73.5	0
3/20/2023, 8:31:46 AM	0	6.816	32.5	73.3	0
3/20/2023, 8:41:46 AM	0	6.816	33.3	73	0
3/20/2023, 8:51:46 AM	0	6.816	34.2	72.7	0
3/20/2023, 9:01:46 AM	0	6.825	35.1	72.4	0
3/20/2023, 9:11:46 AM	0	6.825	36.3	72	0
3/20/2023, 9:21:46 AM	0	6.825	37.6	71.6	0
3/20/2023, 9:31:46 AM	0	6.833	39.2	71.1	0
3/20/2023, 9:41:46 AM	0	6.833	40.6	70.4	0
3/20/2023, 9:51:46 AM	0	6.833	42.1	69.7	0
3/20/2023, 10:01:46 AM	0	6.842	43.5	69.2	0
3/20/2023, 10:11:46 AM	0	6.842	44.8	68.5	0
3/20/2023, 10:21:46 AM	0	6.842	46	67.7	0
3/20/2023, 10:31:46 AM	0	6.851	47.1	66.9	0
3/20/2023, 10:41:46 AM	0	6.851	47.8	66.1	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/20/2023, 10:51:46 AM	0	6.851	48.4	65.4	0
3/20/2023, 11:01:46 AM	0	6.851	49.3	64.8	0
3/20/2023, 11:11:46 AM	0	6.851	49.8	64.1	0
3/20/2023, 11:21:46 AM	0	6.851	50.5	63.7	0
3/20/2023, 11:31:46 AM	0	6.86	51.1	63	0
3/20/2023, 11:41:46 AM	0	6.86	51.4	62.3	0
3/20/2023, 11:51:46 AM	0	6.86	52.3	62	0
3/20/2023, 12:01:46 PM	0	6.86	53.2	61.4	0
3/20/2023, 12:11:46 PM	0	6.86	53.4	60.6	0
3/20/2023, 12:21:46 PM	0	6.86	53.8	60	0
3/20/2023, 12:31:46 PM	0	6.86	54.1	59.5	0
3/20/2023, 12:41:46 PM	0	6.86	54.5	59	0
3/20/2023, 12:51:46 PM	0	6.86	54.9	58.6	0
3/20/2023, 1:01:46 PM	0	6.869	54.9	58.1	0
3/20/2023, 1:11:46 PM	0	6.86	54.5	57.5	0
3/20/2023, 1:21:46 PM	0	6.86	54.7	57.2	0
3/20/2023, 1:31:46 PM	0	6.86	54.5	56.7	0
3/20/2023, 1:41:46 PM	0	6.869	54.7	56.3	0
3/20/2023, 1:51:46 PM	0	6.869	54.7	55.9	0
3/20/2023, 2:01:46 PM	0	6.869	54.1	55.4	0
3/20/2023, 2:11:46 PM	0	6.869	53.4	54.8	0
3/20/2023, 2:21:46 PM	0	6.86	53.4	54.6	0
3/20/2023, 2:31:46 PM	0	6.869	53.2	54.2	0
3/20/2023, 2:41:46 PM	0	6.869	53.6	54	0
3/20/2023, 2:51:46 PM	0	6.869	54.3	53.7	0
3/20/2023, 3:01:46 PM	0	6.869	55	53.5	0
3/20/2023, 3:11:46 PM	0	6.869	55.4	53	0
3/20/2023, 3:21:46 PM	0	6.869	55.9	52.6	0
3/20/2023, 3:31:46 PM	0	6.869	56.7	52.4	0
3/20/2023, 3:41:46 PM	0	6.869	57.2	52.2	0
3/20/2023, 3:51:46 PM	0	6.869	57.6	51.9	0
3/20/2023, 4:01:46 PM	0	6.869	57.7	51.6	0
3/20/2023, 4:11:46 PM	0	6.869	58.1	51.3	0
3/20/2023, 4:21:46 PM	0	6.869	58.3	50.8	0
3/20/2023, 4:31:46 PM	0	6.869	58.5	50.4	0
3/20/2023, 4:41:46 PM	0	6.877	58.5	50.1	0
3/20/2023, 4:51:46 PM	0	6.877	57.9	49.7	0
3/20/2023, 5:01:46 PM	0	6.869	57.2	49.4	0
3/20/2023, 5:11:46 PM	0	6.869	56.8	49.1	0
3/20/2023, 5:21:46 PM	0	6.869	56.5	48.8	0
3/20/2023, 5:31:46 PM	0	6.869	55.9	48.6	0
3/20/2023, 5:41:46 PM	0	6.869	54.9	48.3	0
3/20/2023, 5:51:46 PM	0	6.869	53.8	48.1	0
3/20/2023, 6:01:46 PM	0	6.869	52.9	47.9	0
3/20/2023, 6:11:46 PM	0	6.869	52	47.9	0
3/20/2023, 6:21:46 PM	0	6.869	51.3	47.8	0
3/20/2023, 6:31:46 PM	0	6.869	50.5	47.8	0
3/20/2023, 6:41:46 PM	0	6.869	50	47.8	0
3/20/2023, 6:51:46 PM	0	6.86	49.5	48	0
3/20/2023, 7:01:46 PM	0	6.86	48.9	48.1	0
3/20/2023, 7:11:46 PM	0	6.86	48.4	48.3	0
3/20/2023, 7:21:46 PM	0	6.86	48	48.5	0
3/20/2023, 7:31:46 PM	0	6.86	47.5	48.6	0
3/20/2023, 7:41:46 PM	0	6.86	46.9	48.7	0
3/20/2023, 7:51:46 PM	0	6.86	46.2	48.9	0
3/20/2023, 8:01:46 PM	0	6.86	45.7	49	0
3/20/2023, 8:11:46 PM	0	6.851	45.1	49.2	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/20/2023, 8:21:46 PM	0	6.851	44.6	49.4	0
3/20/2023, 8:31:46 PM	0	6.851	44.1	49.7	0
3/20/2023, 8:41:46 PM	0	6.851	43.3	50	0
3/20/2023, 8:51:46 PM	0	6.851	42.8	50.3	0
3/20/2023, 9:01:46 PM	0	6.851	42.4	50.9	0
3/20/2023, 9:11:46 PM	0	6.851	41.9	51.6	0
3/20/2023, 9:21:46 PM	0	6.851	41.5	52.1	0
3/20/2023, 9:31:46 PM	0	6.842	41.4	52.4	0
3/20/2023, 9:41:46 PM	0	6.842	41.2	53	0
3/20/2023, 9:51:46 PM	0	6.842	41	53.3	0
3/20/2023, 10:01:46 PM	0	6.842	40.8	53.8	0
3/20/2023, 10:11:46 PM	0	6.842	40.5	54.1	0
3/20/2023, 10:21:46 PM	0	6.842	40.1	54.4	0
3/20/2023, 10:31:46 PM	0	6.842	39.7	54.7	0
3/20/2023, 10:41:46 PM	0	6.842	39.4	55.2	0
3/20/2023, 10:51:46 PM	0	6.833	38.8	55.6	0
3/20/2023, 11:01:46 PM	0	6.833	38.3	56.3	0
3/20/2023, 11:11:46 PM	0	6.833	37.8	57.1	0
3/20/2023, 11:21:46 PM	0	6.833	37	57.9	0
3/20/2023, 11:31:46 PM	0	6.833	36.5	59	0
3/20/2023, 11:41:46 PM	0	6.833	36	59.9	0
3/20/2023, 11:51:46 PM	0	6.833	35.4	60.9	0
3/21/2023, 12:01:46 AM	0	6.825	34.9	61.9	0
3/21/2023, 12:11:46 AM	0	6.825	34.3	62.5	0
3/21/2023, 12:21:46 AM	0	6.825	33.8	63.2	0
3/21/2023, 12:31:46 AM	0	6.825	33.3	64.1	0
3/21/2023, 12:41:46 AM	0	6.825	32.9	65	0
3/21/2023, 12:51:46 AM	0	6.825	32.4	65.8	0
3/21/2023, 1:01:46 AM	0	6.816	32	66.5	0
3/21/2023, 1:11:46 AM	0	6.816	31.8	67.2	0
3/21/2023, 1:21:46 AM	0	6.816	31.8	68.1	0
3/21/2023, 1:31:46 AM	0	6.816	32	68.9	0
3/21/2023, 1:41:46 AM	0	6.816	32.2	69.5	0
3/21/2023, 1:51:46 AM	0	6.816	32.2	69.9	0
3/21/2023, 2:01:46 AM	0	6.816	32.2	70.2	0
3/21/2023, 2:11:46 AM	0	6.816	32.4	70.5	0
3/21/2023, 2:21:46 AM	0	6.816	32.7	70.4	0
3/21/2023, 2:31:46 AM	0	6.816	33.8	70.1	0
3/21/2023, 2:41:46 AM	0	6.816	35.1	69.7	0
3/21/2023, 2:51:46 AM	0	6.825	36.3	69.4	0
3/21/2023, 3:01:46 AM	0	6.825	37.4	70.2	0
3/21/2023, 3:11:46 AM	0	6.825	38.1	71.5	0
3/21/2023, 3:21:46 AM	0	6.833	38.7	72.3	0
3/21/2023, 3:31:46 AM	0	6.833	38.8	72.8	0
3/21/2023, 3:41:46 AM	0	6.833	39.2	73.2	0
3/21/2023, 3:51:46 AM	0	6.833	39.4	73.5	0
3/21/2023, 4:01:46 AM	0	6.833	39.6	73.7	0
3/21/2023, 4:11:46 AM	0	6.833	39.7	73.8	0
3/21/2023, 4:21:46 AM	0	6.842	39.7	73.9	0
3/21/2023, 4:31:46 AM	0	6.842	39.6	73.9	0
3/21/2023, 4:41:46 AM	0	6.842	39.6	73.9	0
3/21/2023, 4:51:46 AM	0	6.842	39.4	73.9	0
3/21/2023, 5:01:46 AM	0	6.833	39.4	73.9	0
3/21/2023, 5:11:46 AM	0	6.833	39.6	73.7	0
3/21/2023, 5:21:46 AM	0	6.842	39.6	73.3	0
3/21/2023, 5:31:46 AM	0	6.842	39.6	72.9	0
3/21/2023, 5:41:46 AM	0	6.842	39.6	72.5	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/21/2023, 5:51:46 AM	0	6.842	39.4	72.1	0
3/21/2023, 6:01:46 AM	0	6.842	39.4	71.6	0
3/21/2023, 6:11:46 AM	0	6.833	39.2	71.1	0
3/21/2023, 6:21:46 AM	0	6.842	39	70.7	0
3/21/2023, 6:31:46 AM	0	6.833	39	70.3	0
3/21/2023, 6:41:46 AM	0	6.833	38.8	69.9	0
3/21/2023, 6:51:46 AM	0	6.833	38.7	69.6	0
3/21/2023, 7:01:46 AM	0	6.833	38.7	69.3	0
3/21/2023, 7:11:46 AM	0	6.833	38.3	69.2	0
3/21/2023, 7:21:46 AM	0	6.833	38.3	69.1	0
3/21/2023, 7:31:46 AM	0	6.833	38.5	68.9	0
3/21/2023, 7:41:46 AM	0	6.833	38.7	68.7	0
3/21/2023, 7:51:46 AM	0	6.833	38.8	68.5	0
3/21/2023, 8:01:46 AM	0	6.833	39.2	68.3	0
3/21/2023, 8:11:46 AM	0	6.833	39.7	67.9	0
3/21/2023, 8:21:46 AM	0	6.833	40.3	67.5	0
3/21/2023, 8:31:46 AM	0	6.842	41	67.2	0
3/21/2023, 8:41:46 AM	0	6.842	41.5	67	0
3/21/2023, 8:51:46 AM	0	6.842	42.3	66.4	0
3/21/2023, 9:01:46 AM	0	6.842	43	65.9	0
3/21/2023, 9:11:46 AM	0	6.842	43.9	65.4	0
3/21/2023, 9:21:46 AM	0	6.842	44.6	64.8	0
3/21/2023, 9:31:46 AM	0	6.851	45.5	64.4	0
3/21/2023, 9:41:46 AM	0	6.851	47.7	64	0
3/21/2023, 9:51:46 AM	0	6.851	49.8	63.4	0
3/21/2023, 10:01:46 AM	0	6.851	51.3	62.6	0
3/21/2023, 10:11:46 AM	0	6.86	52	61.7	0
3/21/2023, 10:21:46 AM	0	6.86	54	61.1	0
3/21/2023, 10:31:46 AM	0	6.86	55.4	60.2	0
3/21/2023, 10:41:46 AM	0	6.86	56.5	59.4	0
3/21/2023, 10:51:46 AM	0	6.869	57.9	58.8	0
3/21/2023, 11:01:46 AM	0	6.869	59.2	58.1	0
3/21/2023, 11:11:46 AM	0	6.869	59.9	57.4	0
3/21/2023, 11:21:46 AM	0	6.869	60.6	56.8	0
3/21/2023, 11:31:46 AM	0	6.869	61.3	56.2	0
3/21/2023, 11:41:46 AM	0	6.877	61.3	55.6	0
3/21/2023, 11:51:46 AM	0	6.877	61.2	55	0
3/21/2023, 12:01:46 PM	0	6.877	61.5	54.8	0
3/21/2023, 12:11:46 PM	0	6.877	62.1	54.6	0
3/21/2023, 12:21:46 PM	0	6.877	63	54.4	0
3/21/2023, 12:31:46 PM	0	6.877	63.9	54.1	0
3/21/2023, 12:41:46 PM	0	6.877	64.2	53.9	0
3/21/2023, 12:51:46 PM	0	6.877	63.7	53.4	0
3/21/2023, 1:01:46 PM	0	6.877	63.3	53.3	0
3/21/2023, 1:11:46 PM	0	6.877	63.1	53.1	0
3/21/2023, 1:21:46 PM	0	6.877	63.5	53.1	0
3/21/2023, 1:31:46 PM	0	6.877	64	53	0
3/21/2023, 1:41:46 PM	0	6.877	64.6	52.9	0
3/21/2023, 1:51:46 PM	0	6.877	64.8	52.7	0
3/21/2023, 2:01:46 PM	0	6.877	64.4	52.5	0
3/21/2023, 2:11:46 PM	0	6.886	63.9	52.3	0
3/21/2023, 2:21:46 PM	0	6.877	63.9	52.2	0
3/21/2023, 2:31:46 PM	0	6.877	63.7	52.2	0
3/21/2023, 2:41:46 PM	0	6.877	63.9	52.2	0
3/21/2023, 2:51:46 PM	0	6.877	63.9	52.2	0
3/21/2023, 3:01:46 PM	0	6.877	63.7	52.1	0
3/21/2023, 3:11:46 PM	0	6.877	63.7	52	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/21/2023, 3:21:46 PM	0	6.877	64.2	52.1	0
3/21/2023, 3:31:46 PM	0	6.877	64.8	52	0
3/21/2023, 3:41:46 PM	0	6.877	65.1	52	0
3/21/2023, 3:51:46 PM	0	6.886	65.1	51.9	0
3/21/2023, 4:01:46 PM	0	6.886	65.1	51.8	0
3/21/2023, 4:11:46 PM	0	6.886	64.8	51.7	0
3/21/2023, 4:21:46 PM	0	6.886	63	51.7	0
3/21/2023, 4:31:46 PM	0	6.886	61.5	52	0
3/21/2023, 4:41:46 PM	0	6.886	59.7	52.3	0
3/21/2023, 4:51:46 PM	0	6.877	58.5	52.7	0
3/21/2023, 5:01:46 PM	0	6.877	57.4	53.2	0
3/21/2023, 5:11:46 PM	0	6.877	56.5	53.6	0
3/21/2023, 5:21:46 PM	0	6.877	55.8	54	0
3/21/2023, 5:31:46 PM	0	6.877	54.9	54.3	0
3/21/2023, 5:41:46 PM	0	6.877	53.8	54.6	0
3/21/2023, 5:51:46 PM	0	6.869	52.7	55.1	0
3/21/2023, 6:01:46 PM	0	6.869	52	55.7	0
3/21/2023, 6:11:46 PM	0	6.869	51.3	56.3	0
3/21/2023, 6:21:46 PM	0	6.869	50.7	57	0
3/21/2023, 6:31:46 PM	0	6.869	50	57.7	0
3/21/2023, 6:41:46 PM	0	6.869	49.5	58.3	0
3/21/2023, 6:51:46 PM	0	6.869	48.9	58.8	0
3/21/2023, 7:01:46 PM	0	6.86	48.2	59.3	0
3/21/2023, 7:11:46 PM	0	6.86	47.5	59.8	0
3/21/2023, 7:21:46 PM	0	6.86	46.9	60.4	0
3/21/2023, 7:31:46 PM	0	6.86	46.2	60.9	0
3/21/2023, 7:41:46 PM	0	6.86	45.3	61.5	0
3/21/2023, 7:51:46 PM	0	6.86	44.4	62.1	0
3/21/2023, 8:01:46 PM	0	6.851	43.5	62.8	0
3/21/2023, 8:11:46 PM	0	6.851	42.6	63.6	0
3/21/2023, 8:21:46 PM	0	6.851	41.9	64.4	0
3/21/2023, 8:31:46 PM	0	6.851	41.2	65.2	0
3/21/2023, 8:41:46 PM	0	6.851	40.5	66	0
3/21/2023, 8:51:46 PM	0	6.842	39.9	66.7	0
3/21/2023, 9:01:46 PM	0	6.842	39.4	67.6	0
3/21/2023, 9:11:46 PM	0	6.842	39	68.4	0
3/21/2023, 9:21:46 PM	0	6.842	38.7	69.1	0
3/21/2023, 9:31:46 PM	0	6.842	38.3	69.9	0
3/21/2023, 9:41:46 PM	0	6.833	37.9	70.5	0
3/21/2023, 9:51:46 PM	0	6.833	37.8	71.4	0
3/21/2023, 10:01:46 PM	0	6.833	37.6	72.1	0
3/21/2023, 10:11:46 PM	0	6.833	37.4	72.8	0
3/21/2023, 10:21:46 PM	0	6.833	37.4	73.4	0
3/21/2023, 10:31:46 PM	0	6.833	37.4	74.1	0
3/21/2023, 10:41:46 PM	0	6.833	37.4	74.6	0
3/21/2023, 10:51:46 PM	0	6.833	37.2	75.1	0
3/21/2023, 11:01:46 PM	0	6.833	37.2	75.5	0
3/21/2023, 11:11:46 PM	0	6.833	37.2	75.8	0
3/21/2023, 11:21:46 PM	0	6.833	37	76	0
3/21/2023, 11:31:46 PM	0	6.833	36.7	76.2	0
3/21/2023, 11:41:46 PM	0	6.833	36.3	76.5	0
3/21/2023, 11:51:46 PM	0	6.825	36.1	77	0
3/22/2023, 12:01:46 AM	0	6.825	35.8	77.4	0
3/22/2023, 12:11:46 AM	0	6.825	35.6	77.7	0
3/22/2023, 12:21:46 AM	0	6.825	35.2	78.1	0
3/22/2023, 12:31:46 AM	0	6.825	35.1	78.5	0
3/22/2023, 12:41:46 AM	0	6.825	35.1	78.9	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/22/2023, 12:51:46 AM	0	6.825	35.1	79.2	0
3/22/2023, 1:01:46 AM	0	6.825	35.1	79.4	0
3/22/2023, 1:11:46 AM	0	6.825	35.1	79.5	0
3/22/2023, 1:21:46 AM	0	6.825	34.7	79.6	0
3/22/2023, 1:31:46 AM	0	6.825	34.5	79.8	0
3/22/2023, 1:41:46 AM	0	6.825	34.2	79.9	0
3/22/2023, 1:51:46 AM	0	6.825	33.8	80.1	0
3/22/2023, 2:01:46 AM	0	6.825	33.6	80.3	0
3/22/2023, 2:11:46 AM	0	6.816	33.4	80.5	0
3/22/2023, 2:21:46 AM	0	6.816	33.3	80.7	0
3/22/2023, 2:31:46 AM	0	6.816	33.1	80.9	0
3/22/2023, 2:41:46 AM	0	6.816	32.7	81	0
3/22/2023, 2:51:46 AM	0	6.816	32.5	81.2	0
3/22/2023, 3:01:46 AM	0	6.816	32.2	81.4	0
3/22/2023, 3:11:46 AM	0	6.816	32	81.7	0
3/22/2023, 3:21:46 AM	0	6.816	32	82.1	0
3/22/2023, 3:31:46 AM	0	6.816	32	82.4	0
3/22/2023, 3:41:46 AM	0	6.816	32	82.6	0
3/22/2023, 3:51:46 AM	0	6.816	31.8	82.8	0
3/22/2023, 4:01:46 AM	0	6.816	31.8	83.1	0
3/22/2023, 4:11:46 AM	0	6.816	31.8	83.4	0
3/22/2023, 4:21:46 AM	0	6.816	32	83.8	0
3/22/2023, 4:31:46 AM	0	6.816	32	84	0
3/22/2023, 4:41:46 AM	0	6.816	32	84.2	0
3/22/2023, 4:51:46 AM	0	6.816	32	84.5	0
3/22/2023, 5:01:46 AM	0	6.816	32.2	84.7	0
3/22/2023, 5:11:46 AM	0	6.816	32.2	84.8	0
3/22/2023, 5:21:46 AM	0	6.816	32.5	85.1	0
3/22/2023, 5:31:46 AM	0	6.816	32.7	85.2	0
3/22/2023, 5:41:46 AM	0	6.816	32.9	85.2	0
3/22/2023, 5:51:46 AM	0	6.816	33.1	85.2	0
3/22/2023, 6:01:46 AM	0	6.816	33.3	85.1	0
3/22/2023, 6:11:46 AM	0	6.816	33.3	85.1	0
3/22/2023, 6:21:46 AM	0	6.816	33.3	85	0
3/22/2023, 6:31:46 AM	0	6.816	33.3	84.9	0
3/22/2023, 6:41:46 AM	0	6.816	33.3	85	0
3/22/2023, 6:51:46 AM	0	6.816	33.3	85.1	0
3/22/2023, 7:01:46 AM	0	6.816	33.4	85.2	0
3/22/2023, 7:11:46 AM	0	6.816	33.4	85.3	0
3/22/2023, 7:21:46 AM	0	6.816	33.6	85.4	0
3/22/2023, 7:31:46 AM	0	6.816	33.6	85.6	0
3/22/2023, 7:41:46 AM	0	6.816	33.8	85.7	0
3/22/2023, 7:51:46 AM	0	6.816	34.2	85.9	0
3/22/2023, 8:01:46 AM	0	6.816	34.3	85.9	0
3/22/2023, 8:11:46 AM	0	6.825	34.7	85.9	0
3/22/2023, 8:21:46 AM	0	6.825	35.1	85.8	0
3/22/2023, 8:31:46 AM	0	6.825	35.2	85.8	0
3/22/2023, 8:41:46 AM	0	6.825	35.8	85.8	0
3/22/2023, 8:51:46 AM	0	6.825	36.5	85.9	0
3/22/2023, 9:01:46 AM	0	6.825	37.6	85.8	0
3/22/2023, 9:11:46 AM	0	6.825	38.8	85.7	0
3/22/2023, 9:21:46 AM	0	6.833	40.6	85.3	0
3/22/2023, 9:31:46 AM	0	6.833	42.6	84.4	0
3/22/2023, 9:41:46 AM	0	6.842	44.4	83	0
3/22/2023, 9:51:46 AM	0	6.842	46	81.6	0
3/22/2023, 10:01:46 AM	0	6.851	47.3	80.3	0
3/22/2023, 10:11:46 AM	0	6.851	47.8	79	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/22/2023, 10:21:46 AM	0	6.851	49.1	77.8	0
3/22/2023, 10:31:46 AM	0	6.851	51.3	76.6	0
3/22/2023, 10:41:46 AM	0	6.86	53.4	75	0
3/22/2023, 10:51:46 AM	0	6.86	55.2	73.3	0
3/22/2023, 11:01:46 AM	0	6.86	56.3	71.2	0
3/22/2023, 11:11:46 AM	0	6.869	57	69.7	0
3/22/2023, 11:21:46 AM	0	6.869	57.9	68.5	0
3/22/2023, 11:31:46 AM	0	6.869	59	67.2	0
3/22/2023, 11:41:46 AM	0	6.869	59.7	65.9	0
3/22/2023, 11:51:46 AM	0	6.869	60.8	64.9	0
3/22/2023, 12:01:46 PM	0	6.877	61.9	63.8	0
3/22/2023, 12:11:46 PM	0	6.877	63	62.7	0
3/22/2023, 12:21:46 PM	0	6.877	64	61.7	0
3/22/2023, 12:31:46 PM	0	6.877	64.6	60.8	0
3/22/2023, 12:41:46 PM	0	6.877	64.6	59.9	0
3/22/2023, 12:51:46 PM	0	6.877	64.8	59.2	0
3/22/2023, 1:01:46 PM	0	6.877	64.9	58.5	0
3/22/2023, 1:11:46 PM	0	6.877	65.1	57.8	0
3/22/2023, 1:21:46 PM	0	6.877	65.5	57.2	0
3/22/2023, 1:31:46 PM	0	6.886	66.2	56.6	0
3/22/2023, 1:41:46 PM	0	6.886	66.6	56	0
3/22/2023, 1:51:46 PM	0	6.886	66.4	55.4	0
3/22/2023, 2:01:46 PM	0	6.886	66.2	54.9	0
3/22/2023, 2:11:46 PM	0	6.886	66	54.2	0
3/22/2023, 2:21:46 PM	0	6.886	66	53.5	0
3/22/2023, 2:31:46 PM	0	6.886	66.2	53	0
3/22/2023, 2:41:46 PM	0	6.886	66.4	52.6	0
3/22/2023, 2:51:46 PM	0	6.886	66.2	52.2	0
3/22/2023, 3:01:46 PM	0	6.886	65.3	51.9	0
3/22/2023, 3:11:46 PM	0	6.886	64.6	51.9	0
3/22/2023, 3:21:46 PM	0	6.886	63.9	52.1	0
3/22/2023, 3:31:46 PM	0	6.886	63	52.6	0
3/22/2023, 3:41:46 PM	0	6.886	62.2	53.3	0
3/22/2023, 3:51:46 PM	0	6.886	61.9	54	0
3/22/2023, 4:01:46 PM	0	6.877	61.5	54.6	0
3/22/2023, 4:11:46 PM	0	6.886	61.2	54.8	0
3/22/2023, 4:21:46 PM	0	6.877	60.8	55.2	0
3/22/2023, 4:31:46 PM	0	6.877	60.6	55.4	0
3/22/2023, 4:41:46 PM	0	6.877	60.4	55.7	0
3/22/2023, 4:51:46 PM	0	6.877	60.3	55.9	0
3/22/2023, 5:01:46 PM	0	6.877	60.1	56.1	0
3/22/2023, 5:11:46 PM	0	6.877	59.7	56.4	0
3/22/2023, 5:21:46 PM	0	6.877	59.4	56.6	0
3/22/2023, 5:31:46 PM	0	6.877	59.2	57	0
3/22/2023, 5:41:46 PM	0	6.877	58.8	57.6	0
3/22/2023, 5:51:46 PM	0	6.877	58.3	57.8	0
3/22/2023, 6:01:46 PM	0	6.877	57.9	58.1	0
3/22/2023, 6:11:46 PM	0	6.877	57.6	58.4	0
3/22/2023, 6:21:46 PM	0	6.877	57	58.6	0
3/22/2023, 6:31:46 PM	0	6.877	56.7	58.8	0
3/22/2023, 6:41:46 PM	0	6.877	56.1	59.3	0
3/22/2023, 6:51:46 PM	0	6.877	55.8	60.2	0
3/22/2023, 7:01:46 PM	0	6.877	55.2	60.7	0
3/22/2023, 7:11:46 PM	0	6.877	54.9	61.1	0
3/22/2023, 7:21:46 PM	0	6.869	54.3	61.7	0
3/22/2023, 7:31:46 PM	0	6.869	54.1	62.4	0
3/22/2023, 7:41:46 PM	0	6.869	53.8	63.1	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/22/2023, 7:51:46 PM	0	6.869	53.4	64.2	0
3/22/2023, 8:01:46 PM	0	6.869	53.2	65.2	0
3/22/2023, 8:11:46 PM	0	6.869	52.9	65.7	0
3/22/2023, 8:21:46 PM	0	6.869	52.7	66.2	0
3/22/2023, 8:31:46 PM	0	6.869	52.5	66.5	0
3/22/2023, 8:41:46 PM	0	6.869	52.3	67	0
3/22/2023, 8:51:46 PM	0	6.869	52	67.5	0
3/22/2023, 9:01:46 PM	0	6.869	51.8	68	0
3/22/2023, 9:11:46 PM	0	6.869	51.6	68.3	0
3/22/2023, 9:21:46 PM	0	6.869	51.4	68.7	0
3/22/2023, 9:31:46 PM	0	6.869	51.3	69.5	0
3/22/2023, 9:41:46 PM	0	6.869	51.1	70.4	0
3/22/2023, 9:51:46 PM	0	6.869	51.1	70.8	0
3/22/2023, 10:01:46 PM	0	6.869	50.9	71.5	0
3/22/2023, 10:11:46 PM	0	6.869	50.7	72.2	0
3/22/2023, 10:21:46 PM	0	6.869	50.5	72.5	0
3/22/2023, 10:31:46 PM	0	6.86	50.5	72.6	0
3/22/2023, 10:41:46 PM	0	6.86	50.5	72.8	0
3/22/2023, 10:51:46 PM	0	6.86	50.4	73	0
3/22/2023, 11:01:46 PM	0	6.86	50.4	73.1	0
3/22/2023, 11:11:46 PM	0	6.86	50.2	73.4	0
3/22/2023, 11:21:46 PM	0	6.86	50.2	73.7	0
3/22/2023, 11:31:46 PM	0	6.86	50	74	0
3/22/2023, 11:41:46 PM	0	6.86	50	74.2	0
3/22/2023, 11:51:46 PM	0	6.86	49.8	74.3	0
3/23/2023, 12:01:46 AM	0	6.86	49.8	74.6	0
3/23/2023, 12:11:46 AM	0	6.86	49.5	74.4	0
3/23/2023, 12:21:46 AM	0	6.86	49.5	74.8	0
3/23/2023, 12:31:46 AM	0	6.86	49.3	74.7	0
3/23/2023, 12:41:46 AM	0	6.86	49.3	75	0
3/23/2023, 12:51:46 AM	0	6.86	49.3	75.2	0
3/23/2023, 1:01:46 AM	0	6.86	49.1	75.3	0
3/23/2023, 1:11:46 AM	0	6.86	49.1	75.6	0
3/23/2023, 1:21:46 AM	0	6.86	49.1	75.8	0
3/23/2023, 1:31:46 AM	0	6.86	49.1	76	0
3/23/2023, 1:41:46 AM	0	6.86	49.1	75.7	0
3/23/2023, 1:51:46 AM	0	6.86	49.3	75.9	0
3/23/2023, 2:01:46 AM	0	6.86	49.3	76.1	0
3/23/2023, 2:11:46 AM	0	6.86	49.3	76.2	0
3/23/2023, 2:21:46 AM	0	6.86	49.3	76.1	0
3/23/2023, 2:31:46 AM	0	6.86	49.5	76.1	0
3/23/2023, 2:41:46 AM	0	6.86	49.5	76.5	0
3/23/2023, 2:51:46 AM	0	6.86	49.5	76.6	0
3/23/2023, 3:01:46 AM	0	6.86	49.5	76.7	0
3/23/2023, 3:11:46 AM	0	6.86	49.5	76.5	0
3/23/2023, 3:21:46 AM	0	6.86	49.5	76.9	0
3/23/2023, 3:31:46 AM	0	6.86	49.5	77.2	0
3/23/2023, 3:41:46 AM	0	6.86	49.5	77.6	0
3/23/2023, 3:51:46 AM	0	6.86	49.5	78.3	0
3/23/2023, 4:01:46 AM	0	6.86	49.5	79	0
3/23/2023, 4:11:46 AM	0	6.86	49.5	79.5	0
3/23/2023, 4:21:46 AM	0	6.86	49.3	79.8	0
3/23/2023, 4:31:46 AM	0	6.86	49.3	80.3	0
3/23/2023, 4:41:46 AM	0	6.86	49.1	80.6	0
3/23/2023, 4:51:46 AM	0	6.86	49.1	81	0
3/23/2023, 5:01:46 AM	0	6.86	49.1	81.4	0
3/23/2023, 5:11:46 AM	0	6.86	49.3	81.9	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/23/2023, 5:21:46 AM	0	6.86	49.3	82.4	0
3/23/2023, 5:31:46 AM	0	6.86	49.3	82.9	0
3/23/2023, 5:41:46 AM	0	6.86	49.3	83.1	0
3/23/2023, 5:51:46 AM	0	6.86	49.3	83.3	0
3/23/2023, 6:01:46 AM	0	6.86	49.3	83.6	0
3/23/2023, 6:11:46 AM	0	6.86	49.3	83.9	0
3/23/2023, 6:21:46 AM	0	6.86	49.3	84.1	0
3/23/2023, 6:31:46 AM	0	6.86	49.3	84.4	0
3/23/2023, 6:41:46 AM	0	6.86	49.3	84.5	0
3/23/2023, 6:51:46 AM	0	6.86	49.3	84.6	0
3/23/2023, 7:01:46 AM	0	6.86	49.5	84.7	0
3/23/2023, 7:11:46 AM	0	6.86	49.5	84.8	0
3/23/2023, 7:21:46 AM	0	6.86	49.5	84.9	0
3/23/2023, 7:31:46 AM	0	6.86	49.5	84.9	0
3/23/2023, 7:41:46 AM	0	6.86	49.5	85	0
3/23/2023, 7:51:46 AM	0	6.86	49.5	85	0
3/23/2023, 8:01:46 AM	0	6.86	49.6	85.3	0
3/23/2023, 8:11:46 AM	0	6.86	49.6	85.5	0
3/23/2023, 8:21:46 AM	0	6.86	49.6	85.7	0
3/23/2023, 8:31:46 AM	0	6.86	49.8	85.8	0
3/23/2023, 8:41:46 AM	0	6.86	50	86	0
3/23/2023, 8:51:46 AM	0	6.86	50.2	86.4	0
3/23/2023, 9:01:46 AM	0	6.86	50.5	86.9	0
3/23/2023, 9:11:46 AM	0	6.86	51.1	87.2	0
3/23/2023, 9:21:46 AM	0	6.86	51.6	87.4	0
3/23/2023, 9:31:46 AM	0	6.86	52.2	87.5	0
3/23/2023, 9:41:46 AM	0	6.86	52.7	87.4	0
3/23/2023, 9:51:46 AM	0	6.869	53.2	87.1	0
3/23/2023, 10:01:46 AM	0	6.869	53.6	86.9	0
3/23/2023, 10:11:46 AM	0	6.869	54	86.7	0
3/23/2023, 10:21:46 AM	0	6.869	54.3	86.4	0
3/23/2023, 10:31:46 AM	0	6.869	54.5	86.2	0
3/23/2023, 10:41:46 AM	0	6.869	54.7	86.2	0
3/23/2023, 10:51:46 AM	0	6.869	54.9	86.6	0
3/23/2023, 11:01:46 AM	0	6.869	54.9	86.9	0
3/23/2023, 11:11:46 AM	0	6.869	54.9	87.2	0
3/23/2023, 11:21:46 AM	0	6.869	54.9	87.3	0
3/23/2023, 11:31:46 AM	0	6.869	54.7	87.5	0
3/23/2023, 11:41:46 AM	0	6.869	54.7	87.8	0
3/23/2023, 11:51:46 AM	0	6.869	54.7	88.1	0
3/23/2023, 12:01:46 PM	0	6.869	54.7	88.5	0
3/23/2023, 12:11:46 PM	0	6.869	54.5	88.8	0
3/23/2023, 12:21:46 PM	0	6.869	54.5	89.1	0
3/23/2023, 12:31:46 PM	0	6.869	54.5	89.4	0
3/23/2023, 12:41:46 PM	0	6.869	54.7	90	0
3/23/2023, 12:51:46 PM	0	6.869	54.9	90.4	0
3/23/2023, 1:01:46 PM	0	6.869	55.2	90.8	0
3/23/2023, 1:11:46 PM	0	6.869	55.4	90.9	0
3/23/2023, 1:21:46 PM	0	6.869	55.2	90.8	0
3/23/2023, 1:31:46 PM	0	6.869	55.2	90.7	0
3/23/2023, 1:41:46 PM	0	6.869	55	90.4	0
3/23/2023, 1:51:46 PM	0	6.869	55	90.5	0
3/23/2023, 2:01:46 PM	0	6.869	55	90.5	0
3/23/2023, 2:11:46 PM	0	6.869	55	90.6	0
3/23/2023, 2:21:46 PM	0	6.869	55	90.2	0
3/23/2023, 2:31:46 PM	0	6.869	54.5	89.7	0
3/23/2023, 2:41:46 PM	0	6.869	54	89.5	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/23/2023, 2:51:46 PM	0	6.869	53.6	89.4	0
3/23/2023, 3:01:46 PM	0	6.869	53.1	89.3	0
3/23/2023, 3:11:46 PM	0	6.869	52.7	89.3	0
3/23/2023, 3:21:46 PM	0	6.869	52.3	89.2	0
3/23/2023, 3:31:46 PM	0	6.869	52	89	0
3/23/2023, 3:41:46 PM	0	6.869	51.6	89	0
3/23/2023, 3:51:46 PM	0	6.869	51.3	89.2	0
3/23/2023, 4:01:46 PM	0	6.86	50.9	89.3	0
3/23/2023, 4:11:46 PM	0	6.86	50.7	89.5	0
3/23/2023, 4:21:46 PM	0	6.86	50.7	89.8	0
3/23/2023, 4:31:46 PM	0	6.86	50.7	90	0
3/23/2023, 4:41:46 PM	0	6.86	50.5	90.1	0
3/23/2023, 4:51:46 PM	0	6.86	50.4	89.8	0
3/23/2023, 5:01:46 PM	0	6.86	50	89.6	0
3/23/2023, 5:11:46 PM	0	6.86	49.6	89.6	0
3/23/2023, 5:21:46 PM	0	6.86	49.5	89.8	0
3/23/2023, 5:31:46 PM	0	6.86	49.5	90	0
3/23/2023, 5:41:46 PM	0	6.86	49.3	90.1	0
3/23/2023, 5:51:46 PM	0	6.86	49.1	90.3	0
3/23/2023, 6:01:46 PM	0	6.86	48.9	90.1	0
3/23/2023, 6:11:46 PM	0	6.86	48.6	90	0
3/23/2023, 6:21:46 PM	0	6.86	48.4	90	0
3/23/2023, 6:31:46 PM	0	6.86	48	89.8	0
3/23/2023, 6:41:46 PM	0	6.86	47.7	89.6	0
3/23/2023, 6:51:46 PM	0	6.86	47.1	89.4	0
3/23/2023, 7:01:46 PM	0	6.86	46.8	88.9	0
3/23/2023, 7:11:46 PM	0	6.851	46	88.5	0
3/23/2023, 7:21:46 PM	0	6.851	45.7	88.2	0
3/23/2023, 7:31:46 PM	0	6.851	45.1	88.1	0
3/23/2023, 7:41:46 PM	0	6.851	44.8	88.1	0
3/23/2023, 7:51:46 PM	0	6.851	44.4	88	0
3/23/2023, 8:01:46 PM	0	6.851	44.1	87.9	0
3/23/2023, 8:11:46 PM	0	6.851	43.7	88	0
3/23/2023, 8:21:46 PM	0	6.851	43.3	88	0
3/23/2023, 8:31:46 PM	0	6.851	43.2	88	0
3/23/2023, 8:41:46 PM	0	6.851	42.8	88	0
3/23/2023, 8:51:46 PM	0	6.851	42.6	88.1	0
3/23/2023, 9:01:46 PM	0	6.842	42.4	88.2	0
3/23/2023, 9:11:46 PM	0	6.842	42.3	88.1	0
3/23/2023, 9:21:46 PM	0	6.842	42.1	88	0
3/23/2023, 9:31:46 PM	0	6.842	41.9	88	0
3/23/2023, 9:41:46 PM	0	6.842	41.7	88	0
3/23/2023, 9:51:46 PM	0	6.842	41.5	88	0
3/23/2023, 10:01:46 PM	0	6.842	41.5	88	0
3/23/2023, 10:11:46 PM	0	6.842	41.4	87.9	0
3/23/2023, 10:21:46 PM	0	6.842	41.4	87.9	0
3/23/2023, 10:31:46 PM	0	6.842	41.2	87.7	0
3/23/2023, 10:41:46 PM	0	6.842	41.2	87.6	0
3/23/2023, 10:51:46 PM	0	6.842	41	87.4	0
3/23/2023, 11:01:46 PM	0	6.842	40.8	86.9	0
3/23/2023, 11:11:46 PM	0	6.842	40.6	86.3	0
3/23/2023, 11:21:46 PM	0	6.842	40.1	85.7	0
3/23/2023, 11:31:46 PM	0	6.842	39.7	85.2	0
3/23/2023, 11:41:46 PM	0	6.833	39.4	84.8	0
3/23/2023, 11:51:46 PM	0	6.833	39	84.5	0
3/24/2023, 12:01:46 AM	0	6.833	38.8	84.2	0
3/24/2023, 12:11:46 AM	0	6.833	38.5	84.1	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/24/2023, 12:21:46 AM	0	6.833	38.3	83.9	0
3/24/2023, 12:31:46 AM	0	6.833	38.3	83.8	0
3/24/2023, 12:41:46 AM	0	6.833	38.1	83.8	0
3/24/2023, 12:51:46 AM	0	6.833	37.9	83.7	0
3/24/2023, 1:01:46 AM	0	6.833	37.9	83.7	0
3/24/2023, 1:11:46 AM	0	6.833	37.8	83.7	0
3/24/2023, 1:21:46 AM	0	6.833	37.8	83.6	0
3/24/2023, 1:31:46 AM	0	6.833	37.6	83.5	0
3/24/2023, 1:41:46 AM	0	6.833	37.6	83.4	0
3/24/2023, 1:51:46 AM	0	6.833	37.4	83.2	0
3/24/2023, 2:01:46 AM	0	6.833	37	83.1	0
3/24/2023, 2:11:46 AM	0	6.833	36.7	83	0
3/24/2023, 2:21:46 AM	0	6.825	36.5	83	0
3/24/2023, 2:31:46 AM	0	6.825	36.3	83.1	0
3/24/2023, 2:41:46 AM	0	6.825	36.1	83.2	0
3/24/2023, 2:51:46 AM	0	6.825	36	83.3	0
3/24/2023, 3:01:46 AM	0	6.825	35.8	83.4	0
3/24/2023, 3:11:46 AM	0	6.825	35.6	83.5	0
3/24/2023, 3:21:46 AM	0	6.825	35.4	83.6	0
3/24/2023, 3:31:46 AM	0	6.825	35.2	83.7	0
3/24/2023, 3:41:46 AM	0	6.825	34.9	83.9	0
3/24/2023, 3:51:46 AM	0	6.825	34.7	83.9	0
3/24/2023, 4:01:46 AM	0	6.825	34.5	84.1	0
3/24/2023, 4:11:46 AM	0	6.825	34.3	84.3	0
3/24/2023, 4:21:46 AM	0	6.825	34.2	84.5	0
3/24/2023, 4:31:46 AM	0	6.825	34.2	84.6	0
3/24/2023, 4:41:46 AM	0	6.825	34	84.8	0
3/24/2023, 4:51:46 AM	0	6.816	34	84.9	0
3/24/2023, 5:01:46 AM	0	6.825	34	85.1	0
3/24/2023, 5:11:46 AM	0	6.825	34	85.2	0
3/24/2023, 5:21:46 AM	0	6.825	34	85.3	0
3/24/2023, 5:31:46 AM	0	6.825	34	85.3	0
3/24/2023, 5:41:46 AM	0	6.816	34	85.4	0
3/24/2023, 5:51:46 AM	0	6.825	33.8	85.5	0
3/24/2023, 6:01:46 AM	0	6.816	33.8	85.6	0
3/24/2023, 6:11:46 AM	0	6.816	33.8	85.6	0
3/24/2023, 6:21:46 AM	0	6.816	33.8	85.7	0
3/24/2023, 6:31:46 AM	0	6.816	33.8	85.8	0
3/24/2023, 6:41:46 AM	0	6.816	33.8	85.9	0
3/24/2023, 6:51:46 AM	0	6.816	34	86.1	0
3/24/2023, 7:01:46 AM	0	6.816	34	86.2	0
3/24/2023, 7:11:46 AM	0	6.816	34	86.2	0
3/24/2023, 7:21:46 AM	0	6.825	34.2	86.2	0
3/24/2023, 7:31:46 AM	0	6.825	34.2	86.3	0
3/24/2023, 7:41:46 AM	0	6.816	34.2	86.3	0
3/24/2023, 7:51:46 AM	0	6.825	34.3	86.3	0
3/24/2023, 8:01:46 AM	0	6.825	34.3	86.4	0
3/24/2023, 8:11:46 AM	0	6.825	34.7	86.5	0
3/24/2023, 8:21:46 AM	0	6.825	34.9	86.4	0
3/24/2023, 8:31:46 AM	0	6.825	35.2	86.3	0
3/24/2023, 8:41:46 AM	0	6.825	35.6	86.2	0
3/24/2023, 8:51:46 AM	0	6.825	36	86.2	0
3/24/2023, 9:01:46 AM	0	6.825	36.3	86	0
3/24/2023, 9:11:46 AM	0	6.825	36.9	85.9	0
3/24/2023, 9:21:46 AM	0	6.825	37.4	85.6	0
3/24/2023, 9:31:46 AM	0	6.825	38.1	85.3	0
3/24/2023, 9:41:46 AM	0	6.833	38.5	85	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/24/2023, 9:51:46 AM	0	6.833	39.2	84.8	0
3/24/2023, 10:01:46 AM	0	6.833	40.1	84.6	0
3/24/2023, 10:11:46 AM	0	6.833	41.2	84.3	0
3/24/2023, 10:21:46 AM	0	6.833	42.3	83.6	0
3/24/2023, 10:31:46 AM	0	6.842	43.9	83	0
3/24/2023, 10:41:46 AM	0	6.842	44.6	81.8	0
3/24/2023, 10:51:46 AM	0	6.842	45	81	0
3/24/2023, 11:01:46 AM	0	6.842	45.1	79.9	0
3/24/2023, 11:11:46 AM	0	6.842	45.1	79.1	0
3/24/2023, 11:21:46 AM	0	6.842	45.5	78.1	0
3/24/2023, 11:31:46 AM	0	6.851	46.6	77.4	0
3/24/2023, 11:41:46 AM	0	6.851	46.9	76.4	0
3/24/2023, 11:51:46 AM	0	6.851	47.3	75.5	0
3/24/2023, 12:01:46 PM	0	6.851	47.5	74.6	0
3/24/2023, 12:11:46 PM	0	6.851	48	74.2	0
3/24/2023, 12:21:46 PM	0	6.851	49.1	74	0
3/24/2023, 12:31:46 PM	0	6.851	50.7	73.2	0
3/24/2023, 12:41:46 PM	0	6.86	51.4	72.2	0
3/24/2023, 12:51:46 PM	0	6.86	51.6	71.4	0
3/24/2023, 1:01:46 PM	0	6.86	51.8	70.6	0
3/24/2023, 1:11:46 PM	0	6.86	51.6	70.1	0
3/24/2023, 1:21:46 PM	0	6.86	51.8	69.4	0
3/24/2023, 1:31:46 PM	0	6.86	52	69.2	0
3/24/2023, 1:41:46 PM	0	6.86	52.7	68.9	0
3/24/2023, 1:51:46 PM	0	6.86	52.9	68.4	0
3/24/2023, 2:01:46 PM	0	6.86	52.5	67.9	0
3/24/2023, 2:11:46 PM	0	6.86	51.8	67.5	0
3/24/2023, 2:21:46 PM	0	6.86	51.6	67.4	0
3/24/2023, 2:31:46 PM	0	6.86	51.8	67.2	0
3/24/2023, 2:41:46 PM	0	6.86	52.2	66.9	0
3/24/2023, 2:51:46 PM	0	6.86	52.3	66.5	0
3/24/2023, 3:01:46 PM	0	6.86	52.3	66.2	0
3/24/2023, 3:11:46 PM	0	6.86	52.3	65.9	0
3/24/2023, 3:21:46 PM	0	6.86	53.1	65.6	0
3/24/2023, 3:31:46 PM	0	6.86	53.1	65.2	0
3/24/2023, 3:41:46 PM	0	6.86	52.7	64.8	0
3/24/2023, 3:51:46 PM	0	6.86	52.7	64.7	0
3/24/2023, 4:01:46 PM	0	6.86	52.5	64.5	0
3/24/2023, 4:11:46 PM	0	6.869	52.2	64.3	0
3/24/2023, 4:21:46 PM	0	6.86	52.2	64.1	0
3/24/2023, 4:31:46 PM	0	6.869	52	63.9	0
3/24/2023, 4:41:46 PM	0	6.86	51.4	63.7	0
3/24/2023, 4:51:46 PM	0	6.86	50.7	63.6	0
3/24/2023, 5:01:46 PM	0	6.86	49.8	63.6	0
3/24/2023, 5:11:46 PM	0	6.86	49.1	63.6	0
3/24/2023, 5:21:46 PM	0	6.86	48.4	63.9	0
3/24/2023, 5:31:46 PM	0	6.86	47.8	64	0
3/24/2023, 5:41:46 PM	0	6.86	47.3	64	0
3/24/2023, 5:51:46 PM	0	6.86	46.6	64.2	0
3/24/2023, 6:01:46 PM	0	6.86	46	64.3	0
3/24/2023, 6:11:46 PM	0	6.851	45.3	64.4	0
3/24/2023, 6:21:46 PM	0	6.851	44.8	64.5	0
3/24/2023, 6:31:46 PM	0	6.851	44.2	64.5	0
3/24/2023, 6:41:46 PM	0	6.851	43.5	64.5	0
3/24/2023, 6:51:46 PM	0	6.851	43	64.5	0
3/24/2023, 7:01:46 PM	0	6.851	42.3	64.5	0
3/24/2023, 7:11:46 PM	0	6.851	41.5	64.5	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/24/2023, 7:21:46 PM	0	6.842	40.8	64.5	0
3/24/2023, 7:31:46 PM	0	6.842	40.1	64.7	0
3/24/2023, 7:41:46 PM	0	6.842	39.6	64.9	0
3/24/2023, 7:51:46 PM	0	6.842	39	65.2	0
3/24/2023, 8:01:46 PM	0	6.842	38.3	65.6	0
3/24/2023, 8:11:46 PM	0	6.833	37.8	66.2	0
3/24/2023, 8:21:46 PM	0	6.833	37.4	66.9	0
3/24/2023, 8:31:46 PM	0	6.833	37	67.5	0
3/24/2023, 8:41:46 PM	0	6.833	36.7	68.1	0
3/24/2023, 8:51:46 PM	0	6.833	36.3	68.7	0
3/24/2023, 9:01:46 PM	0	6.833	36.1	69.3	0
3/24/2023, 9:11:46 PM	0	6.833	35.8	69.9	0
3/24/2023, 9:21:46 PM	0	6.825	35.4	70.4	0
3/24/2023, 9:31:46 PM	0	6.825	35.1	70.9	0
3/24/2023, 9:41:46 PM	0	6.825	34.7	71.7	0
3/24/2023, 9:51:46 PM	0	6.825	34.3	72.3	0
3/24/2023, 10:01:46 PM	0	6.825	34	72.8	0
3/24/2023, 10:11:46 PM	0	6.825	33.8	73.3	0
3/24/2023, 10:21:46 PM	0	6.825	33.4	73.8	0
3/24/2023, 10:31:46 PM	0	6.825	33.3	74.3	0
3/24/2023, 10:41:46 PM	0	6.816	33.1	74.9	0
3/24/2023, 10:51:46 PM	0	6.816	32.9	75.3	0
3/24/2023, 11:01:46 PM	0	6.816	32.5	75.7	0
3/24/2023, 11:11:46 PM	0	6.816	32.5	76.1	0
3/24/2023, 11:21:46 PM	0	6.816	32.4	76.5	0
3/24/2023, 11:31:46 PM	0	6.816	32.2	76.9	0
3/24/2023, 11:41:46 PM	0	6.816	32	77.1	0
3/24/2023, 11:51:46 PM	0	6.816	32	77.2	0
3/25/2023, 12:01:46 AM	0	6.816	32	77.4	0
3/25/2023, 12:11:46 AM	0	6.816	32	77.6	0
3/25/2023, 12:21:46 AM	0	6.816	32	77.7	0
3/25/2023, 12:31:46 AM	0	6.816	32	77.8	0
3/25/2023, 12:41:46 AM	0	6.816	32.2	77.9	0
3/25/2023, 12:51:46 AM	0	6.816	32.2	77.9	0
3/25/2023, 1:01:46 AM	0	6.816	32.4	78	0
3/25/2023, 1:11:46 AM	0	6.816	32.5	78.1	0
3/25/2023, 1:21:46 AM	0	6.816	32.7	78.1	0
3/25/2023, 1:31:46 AM	0	6.816	32.9	78	0
3/25/2023, 1:41:46 AM	0	6.816	32.9	78	0
3/25/2023, 1:51:46 AM	0	6.816	32.9	78	0
3/25/2023, 2:01:46 AM	0	6.816	32.9	77.9	0
3/25/2023, 2:11:46 AM	0	6.816	32.9	77.8	0
3/25/2023, 2:21:46 AM	0	6.816	32.7	77.9	0
3/25/2023, 2:31:46 AM	0	6.816	32.5	77.9	0
3/25/2023, 2:41:46 AM	0	6.816	32.5	78	0
3/25/2023, 2:51:46 AM	0	6.816	32.5	78.1	0
3/25/2023, 3:01:46 AM	0	6.816	32.5	78.2	0
3/25/2023, 3:11:46 AM	0	6.816	32.5	78.3	0
3/25/2023, 3:21:46 AM	0	6.816	32.7	78.4	0
3/25/2023, 3:31:46 AM	0	6.816	32.7	78.5	0
3/25/2023, 3:41:46 AM	0	6.816	33.1	78.5	0
3/25/2023, 3:51:46 AM	0	6.816	33.1	78.6	0
3/25/2023, 4:01:46 AM	0	6.816	33.3	78.6	0
3/25/2023, 4:11:46 AM	0	6.816	33.4	78.6	0
3/25/2023, 4:21:46 AM	0	6.816	33.6	78.6	0
3/25/2023, 4:31:46 AM	0	6.816	33.6	78.6	0
3/25/2023, 4:41:46 AM	0	6.816	33.8	78.6	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/25/2023, 4:51:46 AM	0	6.816	34	78.7	0
3/25/2023, 5:01:46 AM	0	6.825	34.2	78.7	0
3/25/2023, 5:11:46 AM	0	6.825	34.3	78.7	0
3/25/2023, 5:21:46 AM	0	6.825	34.5	78.7	0
3/25/2023, 5:31:46 AM	0	6.825	34.7	78.8	0
3/25/2023, 5:41:46 AM	0	6.825	34.9	78.8	0
3/25/2023, 5:51:46 AM	0	6.825	35.1	78.7	0
3/25/2023, 6:01:46 AM	0	6.825	35.1	78.7	0
3/25/2023, 6:11:46 AM	0	6.825	35.2	78.8	0
3/25/2023, 6:21:46 AM	0	6.825	35.4	78.8	0
3/25/2023, 6:31:46 AM	0	6.825	35.8	78.7	0
3/25/2023, 6:41:46 AM	0	6.825	36	78.5	0
3/25/2023, 6:51:46 AM	0	6.825	36.1	78.3	0
3/25/2023, 7:01:46 AM	0	6.825	36.3	78.1	0
3/25/2023, 7:11:46 AM	0	6.825	36.7	78	0
3/25/2023, 7:21:46 AM	0	6.825	36.9	78	0
3/25/2023, 7:31:46 AM	0	6.833	37	78.1	0
3/25/2023, 7:41:46 AM	0	6.833	37	78.4	0
3/25/2023, 7:51:46 AM	0	6.833	36.7	79	0
3/25/2023, 8:01:46 AM	0	6.833	36.7	79.7	0
3/25/2023, 8:11:46 AM	0	6.833	36.7	80.4	0
3/25/2023, 8:21:46 AM	0	6.833	36.7	81.3	0
3/25/2023, 8:31:46 AM	0	6.833	37	82.2	0
3/25/2023, 8:41:46 AM	0	6.833	37.4	83.1	0
3/25/2023, 8:51:46 AM	0	6.833	37.6	83.8	0
3/25/2023, 9:01:46 AM	0	6.833	37.9	84.3	0
3/25/2023, 9:11:46 AM	0	6.833	38.1	84.8	0
3/25/2023, 9:21:46 AM	0	6.833	38.5	85.2	0
3/25/2023, 9:31:46 AM	0	6.833	38.7	85.5	0
3/25/2023, 9:41:46 AM	0	6.833	38.8	85.7	0
3/25/2023, 9:51:46 AM	0	6.833	38.8	85.8	0
3/25/2023, 10:01:46 AM	0	6.833	39	86	0
3/25/2023, 10:11:46 AM	0	6.833	39	86.3	0
3/25/2023, 10:21:46 AM	0	6.833	39	86.6	0
3/25/2023, 10:31:46 AM	0	6.833	39.2	86.8	0
3/25/2023, 10:41:46 AM	0	6.833	39.4	87.1	0
3/25/2023, 10:51:46 AM	0	6.833	39.6	87.2	0
3/25/2023, 11:01:46 AM	0	6.842	39.7	87.3	0
3/25/2023, 11:11:46 AM	0	6.842	40.1	87.3	0
3/25/2023, 11:21:46 AM	0	6.842	40.3	87.3	0
3/25/2023, 11:31:46 AM	0	6.842	41.2	87.4	0
3/25/2023, 11:41:46 AM	0	6.842	41.9	87.1	0
3/25/2023, 11:51:46 AM	0	6.842	42.3	86.5	0
3/25/2023, 12:01:46 PM	0	6.842	42.4	86	0
3/25/2023, 12:11:46 PM	0	6.842	42.6	85.6	0
3/25/2023, 12:21:46 PM	0	6.842	43	85.3	0
3/25/2023, 12:31:46 PM	0	6.842	43.2	85	0
3/25/2023, 12:41:46 PM	0	6.842	43.3	84.7	0
3/25/2023, 12:51:46 PM	0	6.851	43.5	84.5	0
3/25/2023, 1:01:46 PM	0	6.851	43.7	84.4	0
3/25/2023, 1:11:46 PM	0	6.851	44.1	84.2	0
3/25/2023, 1:21:46 PM	0	6.851	44.4	84.1	0
3/25/2023, 1:31:46 PM	0	6.851	44.8	84	0
3/25/2023, 1:41:46 PM	0	6.851	45.1	83.9	0
3/25/2023, 1:51:46 PM	0	6.851	45.7	84	0
3/25/2023, 2:01:46 PM	0	6.851	46.6	83.9	0
3/25/2023, 2:11:46 PM	0	6.851	47.3	83.6	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/25/2023, 2:21:46 PM	0	6.851	47.7	83.2	0
3/25/2023, 2:31:46 PM	0	6.851	47.7	82.9	0
3/25/2023, 2:41:46 PM	0	6.851	47.5	82.7	0
3/25/2023, 2:51:46 PM	0	6.86	47.5	82.7	0
3/25/2023, 3:01:46 PM	0	6.851	47.7	82.6	0
3/25/2023, 3:11:46 PM	0	6.86	47.5	82.5	0
3/25/2023, 3:21:46 PM	0	6.86	47.5	82.3	0
3/25/2023, 3:31:46 PM	0	6.86	47.5	82.5	0
3/25/2023, 3:41:46 PM	0	6.851	47.3	82.8	0
3/25/2023, 3:51:46 PM	0	6.86	47.3	83.2	0
3/25/2023, 4:01:46 PM	0	6.86	47.7	83.3	0
3/25/2023, 4:11:46 PM	0	6.86	47.7	83.3	0
3/25/2023, 4:21:46 PM	0	6.86	47.7	83.3	0
3/25/2023, 4:31:46 PM	0	6.86	48	83.4	0
3/25/2023, 4:41:46 PM	0	6.86	48.2	83.4	0
3/25/2023, 4:51:46 PM	0	6.86	48.7	83.3	0
3/25/2023, 5:01:46 PM	0	6.86	48.9	83.2	0
3/25/2023, 5:11:46 PM	0	6.86	48.9	83.1	0
3/25/2023, 5:21:46 PM	0	6.86	49.1	82.9	0
3/25/2023, 5:31:46 PM	0	6.86	49.1	82.9	0
3/25/2023, 5:41:46 PM	0	6.86	49.1	83	0
3/25/2023, 5:51:46 PM	0	6.86	48.9	83.3	0
3/25/2023, 6:01:46 PM	0	6.86	48.4	83.8	0
3/25/2023, 6:11:46 PM	0	6.86	48	84.3	0
3/25/2023, 6:21:46 PM	0	6.86	47.8	84.8	0
3/25/2023, 6:31:46 PM	0	6.86	47.8	85.3	0
3/25/2023, 6:41:46 PM	0	6.86	47.8	85.7	0
3/25/2023, 6:51:46 PM	0	6.86	47.8	86	0
3/25/2023, 7:01:46 PM	0	6.86	47.8	86.1	0
3/25/2023, 7:11:46 PM	0	6.86	48	86.2	0
3/25/2023, 7:21:46 PM	0	6.86	47.8	86.4	0
3/25/2023, 7:31:46 PM	0	6.86	47.7	86.5	0
3/25/2023, 7:41:46 PM	0	6.86	47.5	86.7	0
3/25/2023, 7:51:46 PM	0	6.86	47.3	86.9	0
3/25/2023, 8:01:46 PM	0	6.86	47.1	87.3	0
3/25/2023, 8:11:46 PM	0	6.86	47.1	87.6	0
3/25/2023, 8:21:46 PM	0	6.86	47.1	88	0
3/25/2023, 8:31:46 PM	0	6.86	46.9	88.4	0
3/25/2023, 8:41:46 PM	0	6.86	46.9	88.7	0
3/25/2023, 8:51:46 PM	0	6.86	46.9	89	0
3/25/2023, 9:01:46 PM	0	6.86	46.9	89.3	0
3/25/2023, 9:11:46 PM	0	6.86	46.8	89	0
3/25/2023, 9:21:46 PM	0	6.851	46.2	88.5	0
3/25/2023, 9:31:46 PM	0	6.86	45.7	87.9	0
3/25/2023, 9:41:46 PM	0	6.851	45	87.3	0
3/25/2023, 9:51:46 PM	0	6.851	44.2	87.1	0
3/25/2023, 10:01:46 PM	0	6.851	43.7	87	0
3/25/2023, 10:11:46 PM	0	6.851	43.3	86.9	0
3/25/2023, 10:21:46 PM	0	6.851	43	86.9	0
3/25/2023, 10:31:46 PM	0	6.851	42.6	86.9	0
3/25/2023, 10:41:46 PM	0	6.851	42.4	87	0
3/25/2023, 10:51:46 PM	0	6.851	42.3	86.9	0
3/25/2023, 11:01:46 PM	0	6.842	42.3	86.5	0
3/25/2023, 11:11:46 PM	0	6.842	42.3	85.9	0
3/25/2023, 11:21:46 PM	0	6.842	42.4	85.6	0
3/25/2023, 11:31:46 PM	0	6.842	42.4	85.1	0
3/25/2023, 11:41:46 PM	0	6.842	42.6	84.7	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/25/2023, 11:51:46 PM	0	6.842	42.6	84.3	0
3/26/2023, 12:01:46 AM	0	6.842	42.6	83.6	0
3/26/2023, 12:11:46 AM	0	6.842	42.6	83.1	0
3/26/2023, 12:21:46 AM	0	6.842	42.6	82.5	0
3/26/2023, 12:31:46 AM	0	6.842	42.8	82.1	0
3/26/2023, 12:41:46 AM	0	6.842	42.8	81.9	0
3/26/2023, 12:51:46 AM	0	6.842	42.6	81.5	0
3/26/2023, 1:01:46 AM	0	6.842	42.4	81	0
3/26/2023, 1:11:46 AM	0	6.842	42.3	80.6	0
3/26/2023, 1:21:46 AM	0	6.842	42.1	80.1	0
3/26/2023, 1:31:46 AM	0	6.842	42.1	79.7	0
3/26/2023, 1:41:46 AM	0	6.842	41.9	79.4	0
3/26/2023, 1:51:46 AM	0	6.842	41.9	78.9	0
3/26/2023, 2:01:46 AM	0	6.842	41.7	78.6	0
3/26/2023, 2:11:46 AM	0	6.842	41.7	78.2	0
3/26/2023, 2:21:46 AM	0	6.842	41.5	77.8	0
3/26/2023, 2:31:46 AM	0	6.842	41.5	77.4	0
3/26/2023, 2:41:46 AM	0	6.842	41.4	77	0
3/26/2023, 2:51:46 AM	0	6.842	41.4	76.9	0
3/26/2023, 3:01:46 AM	0	6.842	41.2	76.9	0
3/26/2023, 3:11:46 AM	0	6.842	41	77.2	0
3/26/2023, 3:21:46 AM	0	6.842	40.8	77.8	0
3/26/2023, 3:31:46 AM	0	6.842	40.5	78.4	0
3/26/2023, 3:41:46 AM	0	6.842	40.1	78.7	0
3/26/2023, 3:51:46 AM	0	6.842	40.1	78.6	0
3/26/2023, 4:01:46 AM	0	6.842	40.1	78.4	0
3/26/2023, 4:11:46 AM	0	6.842	40.3	78.3	0
3/26/2023, 4:21:46 AM	0	6.842	40.5	78.2	0
3/26/2023, 4:31:46 AM	0	6.842	40.5	78.1	0
3/26/2023, 4:41:46 AM	0	6.842	40.5	78	0
3/26/2023, 4:51:46 AM	0	6.842	40.6	78	0
3/26/2023, 5:01:46 AM	0	6.842	40.6	77.8	0
3/26/2023, 5:11:46 AM	0	6.842	40.8	77.6	0
3/26/2023, 5:21:46 AM	0	6.842	40.8	77.6	0
3/26/2023, 5:31:46 AM	0	6.842	40.8	77.6	0
3/26/2023, 5:41:46 AM	0	6.842	40.8	77.6	0
3/26/2023, 5:51:46 AM	0	6.842	40.8	77.6	0
3/26/2023, 6:01:46 AM	0	6.842	40.8	77.6	0
3/26/2023, 6:11:46 AM	0	6.842	40.8	77.6	0
3/26/2023, 6:21:46 AM	0	6.842	40.8	77.5	0
3/26/2023, 6:31:46 AM	0	6.842	40.8	77.4	0
3/26/2023, 6:41:46 AM	0	6.842	40.8	77.4	0
3/26/2023, 6:51:46 AM	0	6.842	40.8	77.5	0
3/26/2023, 7:01:46 AM	0	6.842	40.6	77.4	0
3/26/2023, 7:11:46 AM	0	6.842	40.6	77.4	0
3/26/2023, 7:21:46 AM	0	6.842	40.6	77.2	0
3/26/2023, 7:31:46 AM	0	6.842	40.6	77.1	0
3/26/2023, 7:41:46 AM	0	6.842	40.6	77	0
3/26/2023, 7:51:46 AM	0	6.842	40.6	76.9	0
3/26/2023, 8:01:46 AM	0	6.842	40.6	76.8	0
3/26/2023, 8:11:46 AM	0	6.842	40.8	76.6	0
3/26/2023, 8:21:46 AM	0	6.842	41	76.5	0
3/26/2023, 8:31:46 AM	0	6.842	41	76.4	0
3/26/2023, 8:41:46 AM	0	6.842	41.4	76.2	0
3/26/2023, 8:51:46 AM	0	6.842	41.5	76.1	0
3/26/2023, 9:01:46 AM	0	6.842	42.1	76.3	0
3/26/2023, 9:11:46 AM	0	6.842	42.8	76.3	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/26/2023, 9:21:46 AM	0	6.842	43.7	76.1	0
3/26/2023, 9:31:46 AM	0	6.842	44.8	75.6	0
3/26/2023, 9:41:46 AM	0	6.842	45.5	75.1	0
3/26/2023, 9:51:46 AM	0	6.851	46.6	74.3	0
3/26/2023, 10:01:46 AM	0	6.851	47.8	73.5	0
3/26/2023, 10:11:46 AM	0	6.851	49.5	72.6	0
3/26/2023, 10:21:46 AM	0	6.851	50.5	71.8	0
3/26/2023, 10:31:46 AM	0	6.851	51.4	70.9	0
3/26/2023, 10:41:46 AM	0	6.86	52.3	70	0
3/26/2023, 10:51:46 AM	0	6.86	53.2	69.2	0
3/26/2023, 11:01:46 AM	0	6.86	54.1	68.3	0
3/26/2023, 11:11:46 AM	0	6.86	54.9	67.5	0
3/26/2023, 11:21:46 AM	0	6.86	55.6	66.7	0
3/26/2023, 11:31:46 AM	0	6.86	56.5	66	0
3/26/2023, 11:41:46 AM	0	6.869	57	65	0
3/26/2023, 11:51:46 AM	0	6.869	57.4	64.3	0
3/26/2023, 12:01:46 PM	0	6.869	57.7	63.7	0
3/26/2023, 12:11:46 PM	0	6.869	58.3	63	0
3/26/2023, 12:21:46 PM	0	6.869	58.8	62.5	0
3/26/2023, 12:31:46 PM	0	6.869	59	61.8	0
3/26/2023, 12:41:46 PM	0	6.869	59.2	61.4	0
3/26/2023, 12:51:46 PM	0	6.869	59.4	60.9	0
3/26/2023, 1:01:46 PM	0	6.869	59.7	60.6	0
3/26/2023, 1:11:46 PM	0	6.869	59.7	60	0
3/26/2023, 1:21:46 PM	0	6.869	59.5	59.7	0
3/26/2023, 1:31:46 PM	0	6.869	59.9	59.5	0
3/26/2023, 1:41:46 PM	0	6.869	59.9	59.2	0
3/26/2023, 1:51:46 PM	0	6.869	59.9	59.1	0
3/26/2023, 2:01:46 PM	0	6.869	59.9	58.9	0
3/26/2023, 2:11:46 PM	0	6.869	59.4	58.5	0
3/26/2023, 2:21:46 PM	0	6.869	59	58.4	0
3/26/2023, 2:31:46 PM	0	6.869	58.8	58.4	0
3/26/2023, 2:41:46 PM	0	6.869	59.2	58.2	0
3/26/2023, 2:51:46 PM	0	6.877	59.5	58.2	0
3/26/2023, 3:01:46 PM	0	6.869	59.9	58.2	0
3/26/2023, 3:11:46 PM	0	6.877	60.3	58.1	0
3/26/2023, 3:21:46 PM	0	6.877	61	58	0
3/26/2023, 3:31:46 PM	0	6.877	61.3	57.8	0
3/26/2023, 3:41:46 PM	0	6.877	61.3	57.4	0
3/26/2023, 3:51:46 PM	0	6.877	61.5	57.3	0
3/26/2023, 4:01:46 PM	0	6.877	61.9	57.3	0
3/26/2023, 4:11:46 PM	0	6.877	61.9	57.1	0
3/26/2023, 4:21:46 PM	0	6.877	61.9	56.9	0
3/26/2023, 4:31:46 PM	0	6.877	61.9	56.7	0
3/26/2023, 4:41:46 PM	0	6.877	61.3	56.5	0
3/26/2023, 4:51:46 PM	0	6.877	60.8	56.3	0
3/26/2023, 5:01:46 PM	0	6.877	60.4	56.3	0
3/26/2023, 5:11:46 PM	0	6.877	60.1	56.2	0
3/26/2023, 5:21:46 PM	0	6.877	59.5	56.2	0
3/26/2023, 5:31:46 PM	0	6.877	58.8	56.2	0
3/26/2023, 5:41:46 PM	0	6.877	57.7	56.2	0
3/26/2023, 5:51:46 PM	0	6.877	56.8	56.2	0
3/26/2023, 6:01:46 PM	0	6.877	55.9	56.3	0
3/26/2023, 6:11:46 PM	0	6.877	54.9	56.4	0
3/26/2023, 6:21:46 PM	0	6.877	54	56.5	0
3/26/2023, 6:31:46 PM	0	6.869	53.2	56.8	0
3/26/2023, 6:41:46 PM	0	6.869	52.5	57	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/26/2023, 6:51:46 PM	0	6.869	51.8	57.3	0
3/26/2023, 7:01:46 PM	0	6.869	51.1	57.6	0
3/26/2023, 7:11:46 PM	0	6.869	50.5	57.9	0
3/26/2023, 7:21:46 PM	0	6.869	49.8	58.3	0
3/26/2023, 7:31:46 PM	0	6.869	49.1	58.6	0
3/26/2023, 7:41:46 PM	0	6.86	48.4	58.9	0
3/26/2023, 7:51:46 PM	0	6.86	47.7	59.2	0
3/26/2023, 8:01:46 PM	0	6.86	47.1	59.5	0
3/26/2023, 8:11:46 PM	0	6.86	46.6	59.8	0
3/26/2023, 8:21:46 PM	0	6.86	45.9	60.2	0
3/26/2023, 8:31:46 PM	0	6.86	45.3	60.6	0
3/26/2023, 8:41:46 PM	0	6.86	44.8	61	0
3/26/2023, 8:51:46 PM	0	6.851	44.4	61.5	0
3/26/2023, 9:01:46 PM	0	6.851	44.1	62	0
3/26/2023, 9:11:46 PM	0	6.851	43.7	62.6	0
3/26/2023, 9:21:46 PM	0	6.851	43.3	63	0
3/26/2023, 9:31:46 PM	0	6.851	43	63.4	0
3/26/2023, 9:41:46 PM	0	6.851	42.6	63.8	0
3/26/2023, 9:51:46 PM	0	6.851	42.3	64	0
3/26/2023, 10:01:46 PM	0	6.851	41.7	64.8	0
3/26/2023, 10:11:46 PM	0	6.842	41	65.5	0
3/26/2023, 10:21:46 PM	0	6.842	40.5	66	0
3/26/2023, 10:31:46 PM	0	6.842	39.9	66.4	0
3/26/2023, 10:41:46 PM	0	6.842	39.4	67	0
3/26/2023, 10:51:46 PM	0	6.842	38.7	67.6	0
3/26/2023, 11:01:46 PM	0	6.842	38.1	68.5	0
3/26/2023, 11:11:46 PM	0	6.833	37.8	69.4	0
3/26/2023, 11:21:46 PM	0	6.833	37.2	70.2	0
3/26/2023, 11:31:46 PM	0	6.833	36.9	71.2	0
3/26/2023, 11:41:46 PM	0	6.833	36.5	71.8	0
3/26/2023, 11:51:46 PM	0	6.833	36	72.4	0
3/27/2023, 12:01:46 AM	0	6.833	35.6	72.8	0
3/27/2023, 12:11:46 AM	0	6.833	35.2	73.2	0
3/27/2023, 12:21:46 AM	0	6.825	34.9	73.6	0
3/27/2023, 12:31:46 AM	0	6.825	34.3	74.2	0
3/27/2023, 12:41:46 AM	0	6.825	34.2	74.7	0
3/27/2023, 12:51:46 AM	0	6.825	34	75	0
3/27/2023, 1:01:46 AM	0	6.825	33.6	75.2	0
3/27/2023, 1:11:46 AM	0	6.825	33.4	75.5	0
3/27/2023, 1:21:46 AM	0	6.825	33.1	75.8	0
3/27/2023, 1:31:46 AM	0	6.825	32.7	76.2	0
3/27/2023, 1:41:46 AM	0	6.816	32.5	76.7	0
3/27/2023, 1:51:46 AM	0	6.816	32.4	77.4	0
3/27/2023, 2:01:46 AM	0	6.816	32.4	78.1	0
3/27/2023, 2:11:46 AM	0	6.816	32.4	78.7	0
3/27/2023, 2:21:46 AM	0	6.816	32.2	79.2	0
3/27/2023, 2:31:46 AM	0	6.816	32	79.5	0
3/27/2023, 2:41:46 AM	0	6.816	32	80	0
3/27/2023, 2:51:46 AM	0	6.816	32	80.3	0
3/27/2023, 3:01:46 AM	0	6.816	31.8	80.5	0
3/27/2023, 3:11:46 AM	0	6.816	31.6	80.7	0
3/27/2023, 3:21:46 AM	0	6.816	31.5	80.8	0
3/27/2023, 3:31:46 AM	0	6.816	31.3	81.1	0
3/27/2023, 3:41:46 AM	0	6.816	31.1	81.4	0
3/27/2023, 3:51:46 AM	0	6.816	30.9	81.7	0
3/27/2023, 4:01:46 AM	0	6.816	30.9	82	0
3/27/2023, 4:11:46 AM	0	6.816	30.9	82.2	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/27/2023, 4:21:46 AM	0	6.816	30.9	82.3	0
3/27/2023, 4:31:46 AM	0	6.807	30.7	82.5	0
3/27/2023, 4:41:46 AM	0	6.807	30.6	82.7	0
3/27/2023, 4:51:46 AM	0	6.807	30.6	82.9	0
3/27/2023, 5:01:46 AM	0	6.807	30.4	83	0
3/27/2023, 5:11:46 AM	0	6.807	30.2	83.2	0
3/27/2023, 5:21:46 AM	0	6.807	30.2	83.4	0
3/27/2023, 5:31:46 AM	0	6.807	30.4	83.5	0
3/27/2023, 5:41:46 AM	0	6.807	30.4	83.8	0
3/27/2023, 5:51:46 AM	0	6.807	30.6	84	0
3/27/2023, 6:01:46 AM	0	6.807	30.9	84.3	0
3/27/2023, 6:11:46 AM	0	6.816	31.3	84.5	0
3/27/2023, 6:21:46 AM	0	6.816	31.6	84.8	0
3/27/2023, 6:31:46 AM	0	6.816	32	85.1	0
3/27/2023, 6:41:46 AM	0	6.816	32.4	85.1	0
3/27/2023, 6:51:46 AM	0	6.816	32.7	85.2	0
3/27/2023, 7:01:46 AM	0	6.816	33.1	85.3	0
3/27/2023, 7:11:46 AM	0	6.816	33.4	85.3	0
3/27/2023, 7:21:46 AM	0	6.816	33.8	85.4	0
3/27/2023, 7:31:46 AM	0	6.816	34	85.4	0
3/27/2023, 7:41:46 AM	0	6.825	34.3	85.4	0
3/27/2023, 7:51:46 AM	0	6.825	34.7	85.5	0
3/27/2023, 8:01:46 AM	0	6.825	35.2	85.5	0
3/27/2023, 8:11:46 AM	0	6.825	35.8	85.3	0
3/27/2023, 8:21:46 AM	0	6.825	36.5	85	0
3/27/2023, 8:31:46 AM	0	6.825	37.4	84.9	0
3/27/2023, 8:41:46 AM	0	6.825	38.5	84.5	0
3/27/2023, 8:51:46 AM	0	6.833	39	84.1	0
3/27/2023, 9:01:46 AM	0	6.833	39.6	83.7	0
3/27/2023, 9:11:46 AM	0	6.833	40.3	83.1	0
3/27/2023, 9:21:46 AM	0	6.833	41	82.4	0
3/27/2023, 9:31:46 AM	0	6.842	41.5	81.8	0
3/27/2023, 9:41:46 AM	0	6.842	42.3	81.1	0
3/27/2023, 9:51:46 AM	0	6.842	43	80.2	0
3/27/2023, 10:01:46 AM	0	6.842	43.7	79.2	0
3/27/2023, 10:11:46 AM	0	6.842	44.1	78.1	0
3/27/2023, 10:21:46 AM	0	6.851	44.4	77.3	0
3/27/2023, 10:31:46 AM	0	6.851	44.6	76.6	0
3/27/2023, 10:41:46 AM	0	6.851	44.8	76.1	0
3/27/2023, 10:51:46 AM	0	6.851	45.1	75.5	0
3/27/2023, 11:01:46 AM	0	6.851	45.1	75	0
3/27/2023, 11:11:46 AM	0	6.851	45.5	74.7	0
3/27/2023, 11:21:46 AM	0	6.851	45.7	74.4	0
3/27/2023, 11:31:46 AM	0	6.851	46	73.9	0
3/27/2023, 11:41:46 AM	0	6.851	46.2	73.5	0
3/27/2023, 11:51:46 AM	0	6.851	46.2	72.8	0
3/27/2023, 12:01:46 PM	0	6.851	46.4	72.3	0
3/27/2023, 12:11:46 PM	0	6.851	46.6	71.8	0
3/27/2023, 12:21:46 PM	0	6.851	46.8	71.4	0
3/27/2023, 12:31:46 PM	0	6.851	46.9	70.8	0
3/27/2023, 12:41:46 PM	0	6.851	47.3	70.1	0
3/27/2023, 12:51:46 PM	0	6.86	47.5	69.5	0
3/27/2023, 1:01:46 PM	0	6.86	47.7	69.1	0
3/27/2023, 1:11:46 PM	0	6.86	47.8	68.7	0
3/27/2023, 1:21:46 PM	0	6.86	47.7	68.4	0
3/27/2023, 1:31:46 PM	0	6.86	47.5	68.4	0
3/27/2023, 1:41:46 PM	0	6.86	47.3	68.5	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/27/2023, 1:51:46 PM	0	6.86	47.1	69.2	0
3/27/2023, 2:01:46 PM	0	6.851	46.8	69.7	0
3/27/2023, 2:11:46 PM	0	6.851	46.2	70.4	0
3/27/2023, 2:21:46 PM	0	6.851	45.9	71	0
3/27/2023, 2:31:46 PM	0	6.851	45.3	71.6	0
3/27/2023, 2:41:46 PM	0	6.851	44.8	72	0
3/27/2023, 2:51:46 PM	0	6.851	44.4	72.5	0
3/27/2023, 3:01:46 PM	0	6.851	44.1	72.9	0
3/27/2023, 3:11:46 PM	0	6.851	43.5	73.4	0
3/27/2023, 3:21:46 PM	0	6.851	43	74.1	0
3/27/2023, 3:31:46 PM	0	6.851	42.4	74.8	0
3/27/2023, 3:41:46 PM	0	6.842	42.1	75.5	0
3/27/2023, 3:51:46 PM	0	6.851	41.5	76.2	0
3/27/2023, 4:01:46 PM	0	6.842	41	76.8	0
3/27/2023, 4:11:46 PM	0	6.842	40.5	77.5	0
3/27/2023, 4:21:46 PM	0	6.842	39.9	78.1	0
3/27/2023, 4:31:46 PM	0	6.842	39.6	78.6	0
3/27/2023, 4:41:46 PM	0	6.842	39.2	79.3	0
3/27/2023, 4:51:46 PM	0	6.842	38.8	79.8	0
3/27/2023, 5:01:46 PM	0	6.842	38.3	80.1	0
3/27/2023, 5:11:46 PM	0	6.833	37.9	80.5	0
3/27/2023, 5:21:46 PM	0	6.833	37.6	81	0
3/27/2023, 5:31:46 PM	0	6.833	37.4	81.4	0
3/27/2023, 5:41:46 PM	0	6.833	37	81.8	0
3/27/2023, 5:51:46 PM	0	6.833	36.9	82.2	0
3/27/2023, 6:01:46 PM	0	6.833	36.7	82.6	0
3/27/2023, 6:11:46 PM	0	6.833	36.5	83.1	0
3/27/2023, 6:21:46 PM	0	6.833	36.5	83.4	0
3/27/2023, 6:31:46 PM	0	6.833	36.3	83.8	0
3/27/2023, 6:41:46 PM	0	6.833	36.1	84.2	0
3/27/2023, 6:51:46 PM	0	6.833	36.1	84.5	0
3/27/2023, 7:01:46 PM	0	6.833	36	84.8	0
3/27/2023, 7:11:46 PM	0	6.833	36	85.2	0
3/27/2023, 7:21:46 PM	0	6.833	36	85.5	0
3/27/2023, 7:31:46 PM	0	6.825	36	85.8	0
3/27/2023, 7:41:46 PM	0	6.825	36	86	0
3/27/2023, 7:51:46 PM	0	6.825	36	86.3	0
3/27/2023, 8:01:46 PM	0	6.825	36	86.6	0
3/27/2023, 8:11:46 PM	0	6.825	36	86.7	0
3/27/2023, 8:21:46 PM	0	6.825	35.8	86.9	0
3/27/2023, 8:31:46 PM	0	6.825	35.8	87.1	0
3/27/2023, 8:41:46 PM	0	6.825	35.8	87.4	0
3/27/2023, 8:51:46 PM	0	6.825	36	87.6	0
3/27/2023, 9:01:46 PM	0	6.825	36	87.8	0
3/27/2023, 9:11:46 PM	0	6.825	36	88.1	0
3/27/2023, 9:21:46 PM	0	6.825	36.1	88.3	0
3/27/2023, 9:31:46 PM	0	6.825	36.1	88.5	0
3/27/2023, 9:41:46 PM	0	6.825	36.1	88.8	0
3/27/2023, 9:51:46 PM	0	6.833	36.3	89.1	0
3/27/2023, 10:01:46 PM	0	6.825	36.5	89.4	0
3/27/2023, 10:11:46 PM	0	6.833	36.7	89.7	0
3/27/2023, 10:21:46 PM	0	6.833	36.9	89.9	0
3/27/2023, 10:31:46 PM	0	6.833	37	90.1	0
3/27/2023, 10:41:46 PM	0	6.833	37	90.2	0
3/27/2023, 10:51:46 PM	0	6.833	37	90.2	0
3/27/2023, 11:01:46 PM	0	6.833	37.2	90.3	0
3/27/2023, 11:11:46 PM	0	6.833	37.2	90.4	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/27/2023, 11:21:46 PM	0	6.833	37.2	90.5	0
3/27/2023, 11:31:46 PM	0	6.833	37.2	90.4	0
3/27/2023, 11:41:46 PM	0	6.833	37	90.3	0
3/27/2023, 11:51:46 PM	0	6.833	37	90.3	0
3/28/2023, 12:01:46 AM	0	6.833	36.9	90.3	0
3/28/2023, 12:11:46 AM	0	6.833	36.7	90.2	0
3/28/2023, 12:21:46 AM	0	6.833	36.5	90	0
3/28/2023, 12:31:46 AM	0	6.833	36.1	89.8	0
3/28/2023, 12:41:46 AM	0	6.833	35.8	89.7	0
3/28/2023, 12:51:46 AM	0	6.825	35.4	89.7	0
3/28/2023, 1:01:46 AM	0	6.825	35.4	89.8	0
3/28/2023, 1:11:46 AM	0	6.825	35.2	89.9	0
3/28/2023, 1:21:46 AM	0	6.825	35.1	90	0
3/28/2023, 1:31:46 AM	0	6.825	35.1	90.2	0
3/28/2023, 1:41:46 AM	0	6.825	35.1	90.3	0
3/28/2023, 1:51:46 AM	0	6.825	34.9	90.5	0
3/28/2023, 2:01:46 AM	0	6.825	34.9	90.5	0
3/28/2023, 2:11:46 AM	0	6.825	34.7	90.6	0
3/28/2023, 2:21:46 AM	0	6.825	34.5	90.6	0
3/28/2023, 2:31:46 AM	0	6.825	34.3	90.6	0
3/28/2023, 2:41:46 AM	0	6.825	34	90.5	0
3/28/2023, 2:51:46 AM	0	6.825	33.8	90.5	0
3/28/2023, 3:01:46 AM	0	6.825	33.6	90.4	0
3/28/2023, 3:11:46 AM	0	6.825	33.4	90.5	0
3/28/2023, 3:21:46 AM	0	6.825	33.1	90.5	0
3/28/2023, 3:31:46 AM	0	6.825	32.9	90.5	0
3/28/2023, 3:41:46 AM	0	6.825	32.9	90.6	0
3/28/2023, 3:51:46 AM	0	6.816	32.7	90.7	0
3/28/2023, 4:01:46 AM	0	6.816	32.5	90.7	0
3/28/2023, 4:11:46 AM	0	6.816	32.5	90.8	0
3/28/2023, 4:21:46 AM	0	6.816	32.4	90.8	0
3/28/2023, 4:31:46 AM	0	6.816	32.2	90.8	0
3/28/2023, 4:41:46 AM	0	6.816	32.2	90.9	0
3/28/2023, 4:51:46 AM	0	6.816	32.2	91.1	0
3/28/2023, 5:01:46 AM	0	6.816	32.4	91.4	0
3/28/2023, 5:11:46 AM	0	6.816	32.7	91.7	0
3/28/2023, 5:21:46 AM	0	6.816	33.1	92.1	0
3/28/2023, 5:31:46 AM	0	6.816	33.3	92.5	0
3/28/2023, 5:41:46 AM	0	6.816	33.6	92.7	0
3/28/2023, 5:51:46 AM	0	6.816	33.8	92.8	0
3/28/2023, 6:01:46 AM	0	6.825	33.8	92.9	0
3/28/2023, 6:11:46 AM	0	6.825	33.8	92.8	0
3/28/2023, 6:21:46 AM	0	6.825	33.8	92.8	0
3/28/2023, 6:31:46 AM	0	6.825	33.8	92.8	0
3/28/2023, 6:41:46 AM	0	6.825	33.6	92.7	0
3/28/2023, 6:51:46 AM	0	6.825	33.8	92.8	0
3/28/2023, 7:01:46 AM	0	6.825	34	93	0
3/28/2023, 7:11:46 AM	0	6.825	34.2	93.1	0
3/28/2023, 7:21:46 AM	0	6.825	34.3	93.3	0
3/28/2023, 7:31:46 AM	0	6.825	34.5	93.3	0
3/28/2023, 7:41:46 AM	0	6.825	34.5	93.4	0
3/28/2023, 7:51:46 AM	0	6.825	34.7	93.5	0
3/28/2023, 8:01:46 AM	0	6.825	35.1	93.6	0
3/28/2023, 8:11:46 AM	0	6.825	35.2	93.7	0
3/28/2023, 8:21:46 AM	0	6.825	35.4	93.8	0
3/28/2023, 8:31:46 AM	0	6.825	35.6	93.9	0
3/28/2023, 8:41:46 AM	0	6.825	36	94	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/28/2023, 8:51:46 AM	0	6.825	36.3	94.2	0
3/28/2023, 9:01:46 AM	0	6.825	36.7	94.3	0
3/28/2023, 9:11:46 AM	0	6.825	37.2	94.5	0
3/28/2023, 9:21:46 AM	0	6.833	37.6	94.4	0
3/28/2023, 9:31:46 AM	0	6.833	37.9	94.2	0
3/28/2023, 9:41:46 AM	0	6.833	38.5	94.1	0
3/28/2023, 9:51:46 AM	0	6.833	39	93.8	0
3/28/2023, 10:01:46 AM	0	6.833	39.2	93.3	0
3/28/2023, 10:11:46 AM	0	6.833	39.4	92.7	0
3/28/2023, 10:21:46 AM	0	6.833	39.4	92.4	0
3/28/2023, 10:31:46 AM	0	6.833	39.7	92.1	0
3/28/2023, 10:41:46 AM	0	6.833	40.1	91.7	0
3/28/2023, 10:51:46 AM	0	6.833	40.5	91.4	0
3/28/2023, 11:01:46 AM	0	6.842	40.6	91.1	0
3/28/2023, 11:11:46 AM	0	6.842	40.8	90.9	0
3/28/2023, 11:21:46 AM	0	6.842	40.8	90.7	0
3/28/2023, 11:31:46 AM	0	6.842	40.8	90.5	0
3/28/2023, 11:41:46 AM	0	6.842	40.8	90.3	0
3/28/2023, 11:51:46 AM	0	6.842	41	90.3	0
3/28/2023, 12:01:46 PM	0	6.842	41.4	90.4	0
3/28/2023, 12:11:46 PM	0	6.842	42.3	90.5	0
3/28/2023, 12:21:46 PM	0	6.842	43	90.2	0
3/28/2023, 12:31:46 PM	0	6.842	43.3	89.8	0
3/28/2023, 12:41:46 PM	0	6.842	43.9	89.5	0
3/28/2023, 12:51:46 PM	0	6.842	44.2	89	0
3/28/2023, 1:01:46 PM	0	6.851	44.6	88.7	0
3/28/2023, 1:11:46 PM	0	6.851	45.5	88.6	0
3/28/2023, 1:21:46 PM	0	6.851	46.6	87.8	0
3/28/2023, 1:31:46 PM	0	6.851	47.1	87	0
3/28/2023, 1:41:46 PM	0	6.851	47.7	86.3	0
3/28/2023, 1:51:46 PM	0	6.851	48.6	85.1	0
3/28/2023, 2:01:46 PM	0	6.851	49.6	84.3	0
3/28/2023, 2:11:46 PM	0	6.851	50.5	82.9	0
3/28/2023, 2:21:46 PM	0	6.86	50.7	81.4	0
3/28/2023, 2:31:46 PM	0	6.86	50	80.1	0
3/28/2023, 2:41:46 PM	0	6.86	49.8	79.7	0
3/28/2023, 2:51:46 PM	0	6.86	49.8	78.7	0
3/28/2023, 3:01:46 PM	0	6.86	49.6	78.1	0
3/28/2023, 3:11:46 PM	0	6.86	50.2	77.4	0
3/28/2023, 3:21:46 PM	0	6.86	51.1	76.4	0
3/28/2023, 3:31:46 PM	0	6.86	50.9	75.1	0
3/28/2023, 3:41:46 PM	0	6.86	51.1	74.6	0
3/28/2023, 3:51:46 PM	0	6.86	51.8	74	0
3/28/2023, 4:01:46 PM	0	6.86	52.3	73	0
3/28/2023, 4:11:46 PM	0	6.86	53.1	72.2	0
3/28/2023, 4:21:46 PM	0	6.86	53.6	71.1	0
3/28/2023, 4:31:46 PM	0	6.869	53.8	70.2	0
3/28/2023, 4:41:46 PM	0	6.869	53.4	69.2	0
3/28/2023, 4:51:46 PM	0	6.869	53.2	68.4	0
3/28/2023, 5:01:46 PM	0	6.869	53.1	67.7	0
3/28/2023, 5:11:46 PM	0	6.869	52.7	67.1	0
3/28/2023, 5:21:46 PM	0	6.869	52.5	66.6	0
3/28/2023, 5:31:46 PM	0	6.869	52	66.1	0
3/28/2023, 5:41:46 PM	0	6.869	51.3	65.6	0
3/28/2023, 5:51:46 PM	0	6.869	50.4	65.1	0
3/28/2023, 6:01:46 PM	0	6.86	49.6	64.6	0
3/28/2023, 6:11:46 PM	0	6.86	48.7	64.3	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/28/2023, 6:21:46 PM	0	6.86	48	64.2	0
3/28/2023, 6:31:46 PM	0	6.86	47.5	64.2	0
3/28/2023, 6:41:46 PM	0	6.86	46.9	64.4	0
3/28/2023, 6:51:46 PM	0	6.86	46.4	64.4	0
3/28/2023, 7:01:46 PM	0	6.86	45.7	64.6	0
3/28/2023, 7:11:46 PM	0	6.86	45.1	64.7	0
3/28/2023, 7:21:46 PM	0	6.851	44.2	64.9	0
3/28/2023, 7:31:46 PM	0	6.851	43.5	65.1	0
3/28/2023, 7:41:46 PM	0	6.851	42.6	65.4	0
3/28/2023, 7:51:46 PM	0	6.851	41.7	65.8	0
3/28/2023, 8:01:46 PM	0	6.851	41	67	0
3/28/2023, 8:11:46 PM	0	6.842	40.5	68.2	0
3/28/2023, 8:21:46 PM	0	6.842	39.9	68.7	0
3/28/2023, 8:31:46 PM	0	6.842	39.4	69.2	0
3/28/2023, 8:41:46 PM	0	6.842	38.7	70	0
3/28/2023, 8:51:46 PM	0	6.842	38.1	70.9	0
3/28/2023, 9:01:46 PM	0	6.842	37.6	71.6	0
3/28/2023, 9:11:46 PM	0	6.833	37.2	72.1	0
3/28/2023, 9:21:46 PM	0	6.833	36.7	72.6	0
3/28/2023, 9:31:46 PM	0	6.833	36.1	73.2	0
3/28/2023, 9:41:46 PM	0	6.833	35.6	73.9	0
3/28/2023, 9:51:46 PM	0	6.833	35.2	74.6	0
3/28/2023, 10:01:46 PM	0	6.833	34.9	75.4	0
3/28/2023, 10:11:46 PM	0	6.825	34.7	75.9	0
3/28/2023, 10:21:46 PM	0	6.825	34.5	76.4	0
3/28/2023, 10:31:46 PM	0	6.825	34.2	76.7	0
3/28/2023, 10:41:46 PM	0	6.825	33.8	77.2	0
3/28/2023, 10:51:46 PM	0	6.825	33.6	77.8	0
3/28/2023, 11:01:46 PM	0	6.825	33.4	78.6	0
3/28/2023, 11:11:46 PM	0	6.825	33.3	79.2	0
3/28/2023, 11:21:46 PM	0	6.825	33.3	79.9	0
3/28/2023, 11:31:46 PM	0	6.825	33.1	80.4	0
3/28/2023, 11:41:46 PM	0	6.825	32.9	80.8	0
3/28/2023, 11:51:46 PM	0	6.816	32.5	81.2	0
3/29/2023, 12:01:46 AM	0	6.816	32.5	81.7	0
3/29/2023, 12:11:46 AM	0	6.816	32.4	82.2	0
3/29/2023, 12:21:46 AM	0	6.816	32.4	82.8	0
3/29/2023, 12:31:46 AM	0	6.816	32.4	83.2	0
3/29/2023, 12:41:46 AM	0	6.816	32.4	83.4	0
3/29/2023, 12:51:46 AM	0	6.816	32.2	83.7	0
3/29/2023, 1:01:46 AM	0	6.816	32	84	0
3/29/2023, 1:11:46 AM	0	6.816	32.2	84.4	0
3/29/2023, 1:21:46 AM	0	6.816	32.2	84.8	0
3/29/2023, 1:31:46 AM	0	6.816	32	84.9	0
3/29/2023, 1:41:46 AM	0	6.816	32	84.9	0
3/29/2023, 1:51:46 AM	0	6.816	31.6	84.9	0
3/29/2023, 2:01:46 AM	0	6.816	31.5	85	0
3/29/2023, 2:11:46 AM	0	6.816	31.3	85.1	0
3/29/2023, 2:21:46 AM	0	6.816	31.1	85.4	0
3/29/2023, 2:31:46 AM	0	6.816	31.1	85.7	0
3/29/2023, 2:41:46 AM	0	6.816	31.1	85.9	0
3/29/2023, 2:51:46 AM	0	6.816	30.9	86	0
3/29/2023, 3:01:46 AM	0	6.816	30.9	86.1	0
3/29/2023, 3:11:46 AM	0	6.816	30.7	86.3	0
3/29/2023, 3:21:46 AM	0	6.816	30.7	86.4	0
3/29/2023, 3:31:46 AM	0	6.816	30.6	86.5	0
3/29/2023, 3:41:46 AM	0	6.807	30.4	86.6	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/29/2023, 3:51:46 AM	0	6.807	30.2	86.7	0
3/29/2023, 4:01:46 AM	0	6.807	30.2	86.9	0
3/29/2023, 4:11:46 AM	0	6.807	30	87.1	0
3/29/2023, 4:21:46 AM	0	6.807	30	87.3	0
3/29/2023, 4:31:46 AM	0	6.807	30	87.4	0
3/29/2023, 4:41:46 AM	0	6.807	29.8	87.5	0
3/29/2023, 4:51:46 AM	0	6.807	29.8	87.5	0
3/29/2023, 5:01:46 AM	0	6.807	29.7	87.6	0
3/29/2023, 5:11:46 AM	0	6.807	29.5	87.6	0
3/29/2023, 5:21:46 AM	0	6.807	29.3	87.7	0
3/29/2023, 5:31:46 AM	0	6.807	29.3	87.9	0
3/29/2023, 5:41:46 AM	0	6.807	29.3	88.1	0
3/29/2023, 5:51:46 AM	0	6.807	29.3	88.4	0
3/29/2023, 6:01:46 AM	0	6.807	29.3	88.6	0
3/29/2023, 6:11:46 AM	0	6.807	29.5	88.9	0
3/29/2023, 6:21:46 AM	0	6.807	29.5	89	0
3/29/2023, 6:31:46 AM	0	6.807	29.5	89.1	0
3/29/2023, 6:41:46 AM	0	6.807	29.5	89.3	0
3/29/2023, 6:51:46 AM	0	6.807	29.5	89.5	0
3/29/2023, 7:01:46 AM	0	6.807	29.7	89.7	0
3/29/2023, 7:11:46 AM	0	6.807	30	90	0
3/29/2023, 7:21:46 AM	0	6.807	30.6	90.6	0
3/29/2023, 7:31:46 AM	0	6.807	31.1	91	0
3/29/2023, 7:41:46 AM	0	6.816	32	91.3	0
3/29/2023, 7:51:46 AM	0	6.816	32.9	91.3	0
3/29/2023, 8:01:46 AM	0	6.816	33.8	91	0
3/29/2023, 8:11:46 AM	0	6.825	34.9	90.5	0
3/29/2023, 8:21:46 AM	0	6.825	36	89.8	0
3/29/2023, 8:31:46 AM	0	6.825	37.2	89	0
3/29/2023, 8:41:46 AM	0	6.825	38.3	88.1	0
3/29/2023, 8:51:46 AM	0	6.833	39.7	87	0
3/29/2023, 9:01:46 AM	0	6.833	41	85.8	0
3/29/2023, 9:11:46 AM	0	6.833	42.3	84.5	0
3/29/2023, 9:21:46 AM	0	6.842	43.7	82.9	0
3/29/2023, 9:31:46 AM	0	6.842	44.6	81.2	0
3/29/2023, 9:41:46 AM	0	6.842	45.3	79.8	0
3/29/2023, 9:51:46 AM	0	6.851	45.7	78.5	0
3/29/2023, 10:01:46 AM	0	6.851	46.2	77.6	0
3/29/2023, 10:11:46 AM	0	6.851	48.2	76.8	0
3/29/2023, 10:21:46 AM	0	6.851	50.5	75.9	0
3/29/2023, 10:31:46 AM	0	6.86	52.2	74.3	0
3/29/2023, 10:41:46 AM	0	6.86	53.1	72.7	0
3/29/2023, 10:51:46 AM	0	6.86	54	71.3	0
3/29/2023, 11:01:46 AM	0	6.86	54.9	70	0
3/29/2023, 11:11:46 AM	0	6.86	55.6	68.6	0
3/29/2023, 11:21:46 AM	0	6.869	56.3	67.6	0
3/29/2023, 11:31:46 AM	0	6.869	57.2	66.7	0
3/29/2023, 11:41:46 AM	0	6.869	58.3	65.9	0
3/29/2023, 11:51:46 AM	0	6.869	59.4	65	0
3/29/2023, 12:01:46 PM	0	6.869	59.9	64.2	0
3/29/2023, 12:11:46 PM	0	6.869	60.3	63.1	0
3/29/2023, 12:21:46 PM	0	6.869	59.2	62.1	0
3/29/2023, 12:31:46 PM	0	6.869	58.3	61.5	0
3/29/2023, 12:41:46 PM	0	6.869	57.9	61.3	0
3/29/2023, 12:51:46 PM	0	6.869	58.6	61.1	0
3/29/2023, 1:01:46 PM	0	6.869	58.6	60.7	0
3/29/2023, 1:11:46 PM	0	6.869	58.6	60.3	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/29/2023, 1:21:46 PM	0	6.869	58.8	59.9	0
3/29/2023, 1:31:46 PM	0	6.869	58.3	59.4	0
3/29/2023, 1:41:46 PM	0	6.869	57.9	59.2	0
3/29/2023, 1:51:46 PM	0	6.877	57.9	59.1	0
3/29/2023, 2:01:46 PM	0	6.869	57.7	58.9	0
3/29/2023, 2:11:46 PM	0	6.869	57.6	58.5	0
3/29/2023, 2:21:46 PM	0	6.869	57.7	58.2	0
3/29/2023, 2:31:46 PM	0	6.869	57.9	57.8	0
3/29/2023, 2:41:46 PM	0	6.877	58.1	57.7	0
3/29/2023, 2:51:46 PM	0	6.877	58.1	57.3	0
3/29/2023, 3:01:46 PM	0	6.877	57.9	56.9	0
3/29/2023, 3:11:46 PM	0	6.877	57.2	56.6	0
3/29/2023, 3:21:46 PM	0	6.877	56.7	56.4	0
3/29/2023, 3:31:46 PM	0	6.869	56.3	56.3	0
3/29/2023, 3:41:46 PM	0	6.869	56.1	56.7	0
3/29/2023, 3:51:46 PM	0	6.869	56.1	56.9	0
3/29/2023, 4:01:46 PM	0	6.869	55.6	56.8	0
3/29/2023, 4:11:46 PM	0	6.869	55	56.8	0
3/29/2023, 4:21:46 PM	0	6.869	54.7	57.1	0
3/29/2023, 4:31:46 PM	0	6.869	54.5	57.7	0
3/29/2023, 4:41:46 PM	0	6.869	54.5	58.2	0
3/29/2023, 4:51:46 PM	0	6.869	54.3	58.6	0
3/29/2023, 5:01:46 PM	0	6.869	54	59	0
3/29/2023, 5:11:46 PM	0	6.869	53.6	59.5	0
3/29/2023, 5:21:46 PM	0	6.869	53.2	60	0
3/29/2023, 5:31:46 PM	0	6.869	52.7	60	0
3/29/2023, 5:41:46 PM	0	6.869	52.3	59.4	0
3/29/2023, 5:51:46 PM	0	6.869	51.8	59	0
3/29/2023, 6:01:46 PM	0	6.869	50.7	59.3	0
3/29/2023, 6:11:46 PM	0	6.869	48	60.3	0
3/29/2023, 6:21:46 PM	0	6.86	45.3	61.8	0
3/29/2023, 6:31:46 PM	0	6.86	43.2	63.4	0
3/29/2023, 6:41:46 PM	0	6.851	41.7	65.1	0
3/29/2023, 6:51:46 PM	0	6.851	40.5	66.7	0
3/29/2023, 7:01:46 PM	0	6.851	39.6	68.3	0
3/29/2023, 7:11:46 PM	0	6.842	38.7	69.5	0
3/29/2023, 7:21:46 PM	0	6.842	37.9	70.5	0
3/29/2023, 7:31:46 PM	0	6.842	37.4	71.5	0
3/29/2023, 7:41:46 PM	0	6.833	36.9	72.3	0
3/29/2023, 7:51:46 PM	0	6.833	36.5	72.9	0
3/29/2023, 8:01:46 PM	0	6.833	36	73.4	0
3/29/2023, 8:11:46 PM	0	6.833	35.6	73.9	0
3/29/2023, 8:21:46 PM	0	6.833	35.2	74.1	0
3/29/2023, 8:31:46 PM	0	6.833	35.1	74.4	0
3/29/2023, 8:41:46 PM	0	6.825	34.7	74.4	0
3/29/2023, 8:51:46 PM	0	6.825	34.3	74.1	0
3/29/2023, 9:01:46 PM	0	6.825	33.8	73.8	0
3/29/2023, 9:11:46 PM	0	6.825	33.3	73.6	0
3/29/2023, 9:21:46 PM	0	6.825	32.9	73.3	0
3/29/2023, 9:31:46 PM	0	6.825	32.5	73.1	0
3/29/2023, 9:41:46 PM	0	6.825	32.4	73	0
3/29/2023, 9:51:46 PM	0	6.825	32.4	72.8	0
3/29/2023, 10:01:46 PM	0	6.816	32.2	72.8	0
3/29/2023, 10:11:46 PM	0	6.816	32	72.8	0
3/29/2023, 10:21:46 PM	0	6.816	32	72.7	0
3/29/2023, 10:31:46 PM	0	6.816	31.8	72.8	0
3/29/2023, 10:41:46 PM	0	6.816	31.8	73	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/29/2023, 10:51:46 PM	0	6.816	31.6	73.2	0
3/29/2023, 11:01:46 PM	0	6.816	31.5	73.4	0
3/29/2023, 11:11:46 PM	0	6.816	31.1	73.2	0
3/29/2023, 11:21:46 PM	0	6.816	30.9	72.8	0
3/29/2023, 11:31:46 PM	0	6.816	30.7	72.5	0
3/29/2023, 11:41:46 PM	0	6.816	30.6	72.4	0
3/29/2023, 11:51:46 PM	0	6.816	30.4	72.4	0
3/30/2023, 12:01:46 AM	0	6.816	30.2	72.2	0
3/30/2023, 12:11:46 AM	0	6.807	30	72	0
3/30/2023, 12:21:46 AM	0	6.807	29.8	71.9	0
3/30/2023, 12:31:46 AM	0	6.807	29.7	71.7	0
3/30/2023, 12:41:46 AM	0	6.807	29.5	71.4	0
3/30/2023, 12:51:46 AM	0	6.807	29.5	71.3	0
3/30/2023, 1:01:46 AM	0	6.807	29.5	71.2	0
3/30/2023, 1:11:46 AM	0	6.807	29.3	71.1	0
3/30/2023, 1:21:46 AM	0	6.807	29.3	70.9	0
3/30/2023, 1:31:46 AM	0	6.807	28.9	70.7	0
3/30/2023, 1:41:46 AM	0	6.807	28.6	70.5	0
3/30/2023, 1:51:46 AM	0	6.807	28.2	70.5	0
3/30/2023, 2:01:46 AM	0	6.807	28	70.5	0
3/30/2023, 2:11:46 AM	0	6.807	27.9	70.5	0
3/30/2023, 2:21:46 AM	0	6.807	27.7	70.5	0
3/30/2023, 2:31:46 AM	0	6.807	27.7	70.6	0
3/30/2023, 2:41:46 AM	0	6.807	27.5	70.7	0
3/30/2023, 2:51:46 AM	0	6.798	27.3	70.8	0
3/30/2023, 3:01:46 AM	0	6.798	27.1	70.9	0
3/30/2023, 3:11:46 AM	0	6.798	27.1	71	0
3/30/2023, 3:21:46 AM	0	6.798	27.1	71.2	0
3/30/2023, 3:31:46 AM	0	6.798	27.3	71.4	0
3/30/2023, 3:41:46 AM	0	6.798	27.3	71.5	0
3/30/2023, 3:51:46 AM	0	6.798	27.3	71.6	0
3/30/2023, 4:01:46 AM	0	6.798	27.5	71.7	0
3/30/2023, 4:11:46 AM	0	6.798	27.7	71.8	0
3/30/2023, 4:21:46 AM	0	6.798	27.5	71.9	0
3/30/2023, 4:31:46 AM	0	6.798	27.5	72.1	0
3/30/2023, 4:41:46 AM	0	6.798	27.5	72.3	0
3/30/2023, 4:51:46 AM	0	6.798	27.5	72.4	0
3/30/2023, 5:01:46 AM	0	6.798	27.3	72.4	0
3/30/2023, 5:11:46 AM	0	6.798	27.1	72.4	0
3/30/2023, 5:21:46 AM	0	6.798	27	72.5	0
3/30/2023, 5:31:46 AM	0	6.798	26.6	72.6	0
3/30/2023, 5:41:46 AM	0	6.798	26.6	72.9	0
3/30/2023, 5:51:46 AM	0	6.798	26.6	73.5	0
3/30/2023, 6:01:46 AM	0	6.798	26.8	73.8	0
3/30/2023, 6:11:46 AM	0	6.798	27.1	74.2	0
3/30/2023, 6:21:46 AM	0	6.798	27.3	74.5	0
3/30/2023, 6:31:46 AM	0	6.798	27.5	74.7	0
3/30/2023, 6:41:46 AM	0	6.798	27.7	74.9	0
3/30/2023, 6:51:46 AM	0	6.798	27.9	75.2	0
3/30/2023, 7:01:46 AM	0	6.798	27.9	75.5	0
3/30/2023, 7:11:46 AM	0	6.807	27.9	75.7	0
3/30/2023, 7:21:46 AM	0	6.798	27.9	76	0
3/30/2023, 7:31:46 AM	0	6.798	27.9	76	0
3/30/2023, 7:41:46 AM	0	6.807	27.7	75.8	0
3/30/2023, 7:51:46 AM	0	6.807	27.5	75.5	0
3/30/2023, 8:01:46 AM	0	6.798	27.7	75.4	0
3/30/2023, 8:11:46 AM	0	6.798	27.7	75.3	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/30/2023, 8:21:46 AM	0	6.798	27.9	75.2	0
3/30/2023, 8:31:46 AM	0	6.798	27.9	74.9	0
3/30/2023, 8:41:46 AM	0	6.798	28	74.9	0
3/30/2023, 8:51:46 AM	0	6.798	28.6	75	0
3/30/2023, 9:01:46 AM	0	6.807	29.7	75	0
3/30/2023, 9:11:46 AM	0	6.807	30.4	74.8	0
3/30/2023, 9:21:46 AM	0	6.807	31.8	74.5	0
3/30/2023, 9:31:46 AM	0	6.807	34	74.2	0
3/30/2023, 9:41:46 AM	0	6.816	36	73.3	0
3/30/2023, 9:51:46 AM	0	6.816	36.1	72.2	0
3/30/2023, 10:01:46 AM	0	6.825	36.7	71.3	0
3/30/2023, 10:11:46 AM	0	6.825	36.9	70.4	0
3/30/2023, 10:21:46 AM	0	6.825	36.9	69.6	0
3/30/2023, 10:31:46 AM	0	6.825	36.5	69.2	0
3/30/2023, 10:41:46 AM	0	6.825	36.1	69.4	0
3/30/2023, 10:51:46 AM	0	6.825	37.2	69.8	0
3/30/2023, 11:01:46 AM	0	6.825	38.8	69.7	0
3/30/2023, 11:11:46 AM	0	6.833	39.7	69.2	0
3/30/2023, 11:21:46 AM	0	6.833	40.6	68.3	0
3/30/2023, 11:31:46 AM	0	6.833	41.4	67.4	0
3/30/2023, 11:41:46 AM	0	6.833	42.4	66.8	0
3/30/2023, 11:51:46 AM	0	6.842	43.7	66	0
3/30/2023, 12:01:46 PM	0	6.842	44.2	65.3	0
3/30/2023, 12:11:46 PM	0	6.842	44.4	64.5	0
3/30/2023, 12:21:46 PM	0	6.842	44.1	63.7	0
3/30/2023, 12:31:46 PM	0	6.842	43.5	62.9	0
3/30/2023, 12:41:46 PM	0	6.842	44.1	62.3	0
3/30/2023, 12:51:46 PM	0	6.842	45.1	62.1	0
3/30/2023, 1:01:46 PM	0	6.842	46	61.7	0
3/30/2023, 1:11:46 PM	0	6.851	46.8	61.5	0
3/30/2023, 1:21:46 PM	0	6.851	47.5	60.9	0
3/30/2023, 1:31:46 PM	0	6.851	48	60.3	0
3/30/2023, 1:41:46 PM	0	6.851	48.4	59.8	0
3/30/2023, 1:51:46 PM	0	6.851	47.8	59	0
3/30/2023, 2:01:46 PM	0	6.851	47.3	58.3	0
3/30/2023, 2:11:46 PM	0	6.851	47.3	58	0
3/30/2023, 2:21:46 PM	0	6.851	47.1	57.6	0
3/30/2023, 2:31:46 PM	0	6.851	47.5	57.4	0
3/30/2023, 2:41:46 PM	0	6.851	47.8	57.1	0
3/30/2023, 2:51:46 PM	0	6.851	48.4	57.1	0
3/30/2023, 3:01:46 PM	0	6.851	48.2	56.8	0
3/30/2023, 3:11:46 PM	0	6.851	48.4	56.4	0
3/30/2023, 3:21:46 PM	0	6.851	48.6	56.5	0
3/30/2023, 3:31:46 PM	0	6.86	48.6	56.6	0
3/30/2023, 3:41:46 PM	0	6.86	48.6	56.5	0
3/30/2023, 3:51:46 PM	0	6.86	48.4	56.2	0
3/30/2023, 4:01:46 PM	0	6.86	48.4	56	0
3/30/2023, 4:11:46 PM	0	6.86	48.2	55.9	0
3/30/2023, 4:21:46 PM	0	6.86	48.2	55.8	0
3/30/2023, 4:31:46 PM	0	6.86	48	55.9	0
3/30/2023, 4:41:46 PM	0	6.86	47.7	55.7	0
3/30/2023, 4:51:46 PM	0	6.86	47.3	55.8	0
3/30/2023, 5:01:46 PM	0	6.86	47.1	55.7	0
3/30/2023, 5:11:46 PM	0	6.86	46.4	55.5	0
3/30/2023, 5:21:46 PM	0	6.86	45.3	55.3	0
3/30/2023, 5:31:46 PM	0	6.86	44.2	55.4	0
3/30/2023, 5:41:46 PM	0	6.851	43.3	55.7	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/30/2023, 5:51:46 PM	0	6.851	42.4	56	0
3/30/2023, 6:01:46 PM	0	6.851	41.7	56.3	0
3/30/2023, 6:11:46 PM	0	6.851	41	56.7	0
3/30/2023, 6:21:46 PM	0	6.851	40.3	57	0
3/30/2023, 6:31:46 PM	0	6.842	39.6	57.4	0
3/30/2023, 6:41:46 PM	0	6.842	39	57.7	0
3/30/2023, 6:51:46 PM	0	6.842	38.7	58.2	0
3/30/2023, 7:01:46 PM	0	6.842	38.1	58.6	0
3/30/2023, 7:11:46 PM	0	6.842	37.8	59.1	0
3/30/2023, 7:21:46 PM	0	6.833	37.2	59.6	0
3/30/2023, 7:31:46 PM	0	6.833	36.5	60	0
3/30/2023, 7:41:46 PM	0	6.833	36	60.6	0
3/30/2023, 7:51:46 PM	0	6.833	35.2	61.2	0
3/30/2023, 8:01:46 PM	0	6.833	34.7	61.6	0
3/30/2023, 8:11:46 PM	0	6.833	34	62.2	0
3/30/2023, 8:21:46 PM	0	6.825	33.3	62.8	0
3/30/2023, 8:31:46 PM	0	6.825	32.7	63.4	0
3/30/2023, 8:41:46 PM	0	6.825	32.2	64	0
3/30/2023, 8:51:46 PM	0	6.825	32	64.6	0
3/30/2023, 9:01:46 PM	0	6.816	31.5	65.4	0
3/30/2023, 9:11:46 PM	0	6.816	31.1	66.2	0
3/30/2023, 9:21:46 PM	0	6.816	30.7	67.2	0
3/30/2023, 9:31:46 PM	0	6.816	30.4	68.2	0
3/30/2023, 9:41:46 PM	0	6.816	30.2	69.2	0
3/30/2023, 9:51:46 PM	0	6.816	30.2	70	0
3/30/2023, 10:01:46 PM	0	6.816	30	70.7	0
3/30/2023, 10:11:46 PM	0	6.816	29.8	71.4	0
3/30/2023, 10:21:46 PM	0	6.807	29.7	72	0
3/30/2023, 10:31:46 PM	0	6.807	29.5	72.5	0
3/30/2023, 10:41:46 PM	0	6.807	29.3	72.9	0
3/30/2023, 10:51:46 PM	0	6.807	29.1	73.3	0
3/30/2023, 11:01:46 PM	0	6.807	28.9	73.6	0
3/30/2023, 11:11:46 PM	0	6.807	28.6	73.8	0
3/30/2023, 11:21:46 PM	0	6.807	28.4	74	0
3/30/2023, 11:31:46 PM	0	6.807	28	74.4	0
3/30/2023, 11:41:46 PM	0	6.807	28	74.7	0
3/30/2023, 11:51:46 PM	0	6.807	28	75	0
3/31/2023, 12:01:46 AM	0	6.807	27.9	75.3	0
3/31/2023, 12:11:46 AM	0	6.807	27.9	75.5	0
3/31/2023, 12:21:46 AM	0	6.807	27.9	75.8	0
3/31/2023, 12:31:46 AM	0	6.807	28	76	0
3/31/2023, 12:41:46 AM	0	6.807	28	76.1	0
3/31/2023, 12:51:46 AM	0	6.807	28.2	76.1	0
3/31/2023, 1:01:46 AM	0	6.807	28.4	76.1	0
3/31/2023, 1:11:46 AM	0	6.807	28.6	76.1	0
3/31/2023, 1:21:46 AM	0	6.807	28.6	76.1	0
3/31/2023, 1:31:46 AM	0	6.807	28.6	76.1	0
3/31/2023, 1:41:46 AM	0	6.807	28.8	76	0
3/31/2023, 1:51:46 AM	0	6.807	28.8	76	0
3/31/2023, 2:01:46 AM	0	6.807	28.9	76	0
3/31/2023, 2:11:46 AM	0	6.807	28.8	75.9	0
3/31/2023, 2:21:46 AM	0	6.807	28.8	75.9	0
3/31/2023, 2:31:46 AM	0	6.807	28.8	76	0
3/31/2023, 2:41:46 AM	0	6.807	28.8	76	0
3/31/2023, 2:51:46 AM	0	6.807	28.9	76.1	0
3/31/2023, 3:01:46 AM	0	6.807	28.9	76.2	0
3/31/2023, 3:11:46 AM	0	6.807	29.1	76.2	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/31/2023, 3:21:46 AM	0	6.807	29.1	76.3	0
3/31/2023, 3:31:46 AM	0	6.807	29.1	76.4	0
3/31/2023, 3:41:46 AM	0	6.807	29.1	76.4	0
3/31/2023, 3:51:46 AM	0	6.807	29.3	76.5	0
3/31/2023, 4:01:46 AM	0	6.807	29.3	76.7	0
3/31/2023, 4:11:46 AM	0	6.807	29.5	76.8	0
3/31/2023, 4:21:46 AM	0	6.807	29.5	77.1	0
3/31/2023, 4:31:46 AM	0	6.807	29.7	77.2	0
3/31/2023, 4:41:46 AM	0	6.807	29.8	77.4	0
3/31/2023, 4:51:46 AM	0	6.807	30	77.5	0
3/31/2023, 5:01:46 AM	0	6.807	30.4	77.5	0
3/31/2023, 5:11:46 AM	0	6.807	30.6	77.5	0
3/31/2023, 5:21:46 AM	0	6.816	30.9	77.5	0
3/31/2023, 5:31:46 AM	0	6.816	31.1	77.5	0
3/31/2023, 5:41:46 AM	0	6.816	31.3	77.5	0
3/31/2023, 5:51:46 AM	0	6.816	31.5	77.5	0
3/31/2023, 6:01:46 AM	0	6.816	31.6	77.6	0
3/31/2023, 6:11:46 AM	0	6.816	31.8	77.6	0
3/31/2023, 6:21:46 AM	0	6.816	32	77.5	0
3/31/2023, 6:31:46 AM	0	6.816	32	77.5	0
3/31/2023, 6:41:46 AM	0	6.816	32	77.5	0
3/31/2023, 6:51:46 AM	0	6.816	32.2	77.5	0
3/31/2023, 7:01:46 AM	0	6.816	32.4	77.5	0
3/31/2023, 7:11:46 AM	0	6.816	32.4	77.5	0
3/31/2023, 7:21:46 AM	0	6.816	32.5	77.4	0
3/31/2023, 7:31:46 AM	0	6.816	32.7	77.5	0
3/31/2023, 7:41:46 AM	0	6.816	33.1	77.4	0
3/31/2023, 7:51:46 AM	0	6.825	33.3	77.4	0
3/31/2023, 8:01:46 AM	0	6.825	33.4	77.5	0
3/31/2023, 8:11:46 AM	0	6.825	33.8	77.5	0
3/31/2023, 8:21:46 AM	0	6.825	34.2	77.5	0
3/31/2023, 8:31:46 AM	0	6.825	34.5	77.4	0
3/31/2023, 8:41:46 AM	0	6.825	35.1	77.2	0
3/31/2023, 8:51:46 AM	0	6.825	35.4	77	0
3/31/2023, 9:01:46 AM	0	6.825	36	76.8	0
3/31/2023, 9:11:46 AM	0	6.825	36.3	76.7	0
3/31/2023, 9:21:46 AM	0	6.833	37	76.5	0
3/31/2023, 9:31:46 AM	0	6.833	37.6	76.4	0
3/31/2023, 9:41:46 AM	0	6.833	38.1	76.1	0
3/31/2023, 9:51:46 AM	0	6.833	38.5	76	0
3/31/2023, 10:01:46 AM	0	6.833	38.7	75.8	0
3/31/2023, 10:11:46 AM	0	6.833	39.2	75.7	0
3/31/2023, 10:21:46 AM	0	6.833	39.7	75.6	0
3/31/2023, 10:31:46 AM	0	6.842	40.3	75.4	0
3/31/2023, 10:41:46 AM	0	6.842	40.6	75	0
3/31/2023, 10:51:46 AM	0	6.842	41	74.9	0
3/31/2023, 11:01:46 AM	0	6.842	41.2	75.1	0
3/31/2023, 11:11:46 AM	0	6.842	41.5	75	0
3/31/2023, 11:21:46 AM	0	6.842	41.7	74.8	0
3/31/2023, 11:31:46 AM	0	6.842	42.1	74.5	0
3/31/2023, 11:41:46 AM	0	6.842	42.3	74.2	0
3/31/2023, 11:51:46 AM	0	6.842	42.6	73.8	0
3/31/2023, 12:01:46 PM	0	6.851	43	73.2	0
3/31/2023, 12:11:46 PM	0	6.851	43.5	72.6	0
3/31/2023, 12:21:46 PM	0	6.851	44.2	72	0
3/31/2023, 12:31:46 PM	0	6.851	45.1	71.5	0
3/31/2023, 12:41:46 PM	0	6.851	45.9	70.9	0

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/31/2023, 12:51:46 PM	0	6.851	46.6	70.3	0
3/31/2023, 1:01:46 PM	0	6.851	47.1	69.6	0
3/31/2023, 1:11:46 PM	0	6.851	47.1	69.5	0
3/31/2023, 1:21:46 PM	0	6.851	46.8	70.1	0
3/31/2023, 1:31:46 PM	0	6.86	46.2	71	0
3/31/2023, 1:41:46 PM	0	6.851	46	72	0
3/31/2023, 1:51:46 PM	0	6.851	45.7	73.2	0
3/31/2023, 2:01:46 PM	0	6.851	45.3	74	0
3/31/2023, 2:11:46 PM	0	6.851	45	75	0
3/31/2023, 2:21:46 PM	0	6.851	45	76	0
3/31/2023, 2:31:46 PM	0	6.851	44.8	76.9	0
3/31/2023, 2:41:46 PM	0	6.851	44.8	77.7	0
3/31/2023, 2:51:46 PM	0	6.851	45	78.5	0
3/31/2023, 3:01:46 PM	0	6.851	45.1	79.3	0
3/31/2023, 3:11:46 PM	0	6.851	46.2	80.3	0
3/31/2023, 3:21:46 PM	0	6.851	47.1	80.7	0
3/31/2023, 3:31:46 PM	0	6.851	47.5	80.7	0
3/31/2023, 3:41:46 PM	0	6.86	47.5	80.6	0
3/31/2023, 3:51:46 PM	0	6.86	47.7	80.7	0
3/31/2023, 4:01:46 PM	0	6.86	47.8	80.9	0
3/31/2023, 4:11:46 PM	0	6.86	48	80.9	0
3/31/2023, 4:21:46 PM	0	6.86	48.2	80.8	0
3/31/2023, 4:31:46 PM	0	6.86	48.4	80.7	0
3/31/2023, 4:41:46 PM	0	6.86	48.6	80.8	0
3/31/2023, 4:51:46 PM	0	6.86	48.7	80.9	0
3/31/2023, 5:01:46 PM	0	6.86	48.9	81.1	0
3/31/2023, 5:11:46 PM	0	6.86	49.1	81.2	0
3/31/2023, 5:21:46 PM	0	6.86	49.5	81.3	0
3/31/2023, 5:31:46 PM	0	6.86	49.6	81.2	0
3/31/2023, 5:41:46 PM	0	6.86	50	81.3	0
3/31/2023, 5:51:46 PM	0	6.86	50	81.5	0
3/31/2023, 6:01:46 PM	0	6.86	50.2	81.9	0
3/31/2023, 6:11:46 PM	0	6.86	50.2	82.4	0
3/31/2023, 6:21:46 PM	0	6.86	50.2	82.9	0
3/31/2023, 6:31:46 PM	0	6.86	50.2	83.4	0
3/31/2023, 6:41:46 PM	0	6.86	50.2	84	0
3/31/2023, 6:51:46 PM	0	6.86	50	84.4	0
3/31/2023, 7:01:46 PM	0	6.86	49.8	84.9	0
3/31/2023, 7:11:46 PM	0	6.86	49.6	85.3	0
3/31/2023, 7:21:46 PM	0	6.86	49.6	85.7	0
3/31/2023, 7:31:46 PM	0	6.86	49.5	86	0
3/31/2023, 7:41:46 PM	0	6.86	49.6	86.3	0
3/31/2023, 7:51:46 PM	0	6.86	49.6	86.6	0
3/31/2023, 8:01:46 PM	0	6.86	49.8	86.8	0
3/31/2023, 8:11:46 PM	0	6.86	50	86.9	0
3/31/2023, 8:21:46 PM	0	6.86	50	87.1	0
3/31/2023, 8:31:46 PM	0	6.86	50.2	87.3	0
3/31/2023, 8:41:46 PM	0	6.86	50.2	87.5	0
3/31/2023, 8:51:46 PM	0	6.86	50.2	87.5	0
3/31/2023, 9:01:46 PM	0	6.86	50.2	87.6	0
3/31/2023, 9:11:46 PM	0	6.86	50.4	87.7	0
3/31/2023, 9:21:46 PM	0	6.86	50.4	87.7	0
3/31/2023, 9:31:46 PM	0	6.86	50.5	87.6	0
3/31/2023, 9:41:46 PM	0	6.86	50.7	87.5	0
3/31/2023, 9:51:46 PM	0	6.86	50.9	87.4	0
3/31/2023, 10:01:46 PM	0	6.86	51.1	87.4	0
3/31/2023, 10:11:46 PM	0	6.86	51.3	87.3	0

Attachment 2

North Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/31/2023, 10:21:46 PM	0	6.86	51.3	87.1	0
3/31/2023, 10:31:46 PM	0	6.869	51.3	86.8	0
3/31/2023, 10:41:46 PM	0	6.86	51.3	86.6	0
3/31/2023, 10:51:46 PM	0	6.86	51.1	86.6	0
3/31/2023, 11:01:46 PM	0	6.86	51.1	86.5	0
3/31/2023, 11:11:46 PM	0	6.86	51.1	86.5	0
3/31/2023, 11:21:46 PM	0	6.86	50.9	86.5	0
3/31/2023, 11:31:46 PM	0	6.86	50.9	86.4	0
3/31/2023, 11:41:46 PM	0	6.86	50.7	86.4	0
3/31/2023, 11:51:46 PM	0	6.86	50.5	86.4	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/1/2023, 12:02:45 AM	0	6.807	32	79.2	
3/1/2023, 12:12:45 AM	0	6.807	31.6	79.4	
3/1/2023, 12:22:45 AM	0	6.807	31.3	79.6	
3/1/2023, 12:32:45 AM	0	6.807	31.1	79.9	
3/1/2023, 12:42:45 AM	0	6.807	30.9	80.2	
3/1/2023, 12:52:45 AM	0	6.798	30.7	80.5	0
3/1/2023, 1:02:45 AM	0	6.798	30.6	80.9	0
3/1/2023, 1:12:45 AM	0	6.798	30.6	81.3	0
3/1/2023, 1:22:45 AM	0	6.798	30.6	81.6	0
3/1/2023, 1:32:45 AM	0	6.798	30.6	82	0
3/1/2023, 1:42:45 AM	0	6.798	30.6	82.3	0
3/1/2023, 1:52:45 AM	0	6.798	30.6	82.6	0
3/1/2023, 2:02:45 AM	0	6.798	30.6	82.8	0
3/1/2023, 2:12:45 AM	0	6.798	30.4	82.9	0
3/1/2023, 2:22:45 AM	0	6.798	30.2	83	0
3/1/2023, 2:32:45 AM	0	6.798	30	83	0
3/1/2023, 2:42:45 AM	0	6.798	29.7	83	0
3/1/2023, 2:52:45 AM	0	6.798	29.3	83	0
3/1/2023, 3:02:45 AM	0	6.798	29.1	83.1	0
3/1/2023, 3:12:45 AM	0	6.798	28.8	83.2	0
3/1/2023, 3:22:45 AM	0	6.798	28.6	83.3	0
3/1/2023, 3:32:45 AM	0	6.798	28.2	83.4	0
3/1/2023, 3:42:45 AM	0	6.79	28	83.6	0
3/1/2023, 3:52:45 AM	0	6.79	27.9	83.8	0
3/1/2023, 4:02:45 AM	0	6.79	27.7	84	0
3/1/2023, 4:12:45 AM	0	6.79	27.7	84.2	0
3/1/2023, 4:22:45 AM	0	6.79	27.5	84.4	0
3/1/2023, 4:32:45 AM	0	6.79	27.5	84.6	0
3/1/2023, 4:42:45 AM	0	6.79	27.3	84.7	0
3/1/2023, 4:52:45 AM	0	6.79	27.1	84.9	0
3/1/2023, 5:02:45 AM	0	6.79	27.1	85.1	0
3/1/2023, 5:12:45 AM	0	6.79	27.1	85.4	0
3/1/2023, 5:22:45 AM	0	6.79	27.3	85.7	0
3/1/2023, 5:32:45 AM	0	6.79	27.3	86	0
3/1/2023, 5:42:45 AM	0	6.79	27.7	86.3	0
3/1/2023, 5:52:45 AM	0	6.79	27.9	86.6	0
3/1/2023, 6:02:45 AM	0	6.79	27.9	86.8	0
3/1/2023, 6:12:45 AM	0	6.79	27.9	86.8	0
3/1/2023, 6:22:45 AM	0	6.79	27.5	86.7	0
3/1/2023, 6:32:45 AM	0	6.79	27.1	86.5	0
3/1/2023, 6:42:45 AM	0	6.79	27	86.4	0
3/1/2023, 6:52:45 AM	0	6.79	26.6	86.4	0
3/1/2023, 7:02:45 AM	0	6.79	26.6	86.5	0
3/1/2023, 7:12:45 AM	0	6.79	26.8	86.8	0
3/1/2023, 7:22:45 AM	0	6.79	27.1	87.1	0
3/1/2023, 7:32:45 AM	0	6.79	27.5	87.6	0
3/1/2023, 7:42:45 AM	0	6.79	28	87.9	0
3/1/2023, 7:52:45 AM	0	6.79	28.4	88.2	0
3/1/2023, 8:02:45 AM	0	6.79	28.9	88.4	0
3/1/2023, 8:12:45 AM	0	6.79	29.5	88.5	0
3/1/2023, 8:22:45 AM	0	6.79	30	88.5	0
3/1/2023, 8:32:45 AM	0	6.798	30.7	88.4	0
3/1/2023, 8:42:45 AM	0	6.798	31.3	88.2	0
3/1/2023, 8:52:45 AM	0	6.798	31.6	87.9	0
3/1/2023, 9:02:45 AM	0	6.798	32	87.6	0
3/1/2023, 9:12:45 AM	0	6.798	32.2	87.3	0
3/1/2023, 9:22:45 AM	0	6.798	32.5	86.9	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/1/2023, 9:32:45 AM	0	6.807	32.9	86.6	0
3/1/2023, 9:42:45 AM	0	6.807	33.4	86.3	0
3/1/2023, 9:52:45 AM	0	6.807	34.2	85.9	0
3/1/2023, 10:02:45 AM	0	6.807	34.9	85.4	0
3/1/2023, 10:12:45 AM	0	6.807	35.4	84.8	0
3/1/2023, 10:22:45 AM	0	6.807	35.8	84.1	0
3/1/2023, 10:32:45 AM	0	6.807	35.8	83.4	0
3/1/2023, 10:42:45 AM	0	6.816	36	82.8	0
3/1/2023, 10:52:45 AM	0	6.816	36	82.3	0
3/1/2023, 11:02:45 AM	0	6.816	36	81.8	0
3/1/2023, 11:12:45 AM	0	6.816	36	81.3	0
3/1/2023, 11:39:58 AM	0	6.93	39.7	81.6	0
3/1/2023, 11:49:58 AM	0	6.833	42.3	80.6	0
3/1/2023, 11:59:58 AM	0	6.833	40.8	79.1	0
3/1/2023, 12:09:58 PM	0	6.833	39.7	78.1	0
3/1/2023, 12:19:58 PM	0	6.833	39.2	77.4	0
3/1/2023, 12:29:58 PM	0	6.833	39.2	77	0
3/1/2023, 12:39:58 PM	0	6.833	39.6	76.9	0
3/1/2023, 12:49:58 PM	0	6.833	39.9	76.6	0
3/1/2023, 12:59:58 PM	0	6.833	40.5	76.4	0
3/1/2023, 1:09:58 PM	0	6.833	40.8	75.8	0
3/1/2023, 1:19:58 PM	0	6.833	41.4	75.5	0
3/1/2023, 1:29:58 PM	0	6.833	41.7	74.9	0
3/1/2023, 1:39:58 PM	0	6.833	41.9	74.5	0
3/1/2023, 1:49:58 PM	0	6.833	42.4	74.1	0
3/1/2023, 1:59:58 PM	0	6.842	42.8	73.6	0
3/1/2023, 2:09:58 PM	0	6.842	43.2	73.1	0
3/1/2023, 2:19:58 PM	0	6.842	43.7	72.7	0
3/1/2023, 2:29:58 PM	0	6.842	44.4	72.4	0
3/1/2023, 2:39:58 PM	0	6.842	45	72	0
3/1/2023, 2:49:58 PM	0	6.842	45.3	71.5	0
3/1/2023, 2:59:58 PM	0	6.842	45.3	71.4	0
3/1/2023, 3:09:58 PM	0	6.842	45.5	71.4	0
3/1/2023, 3:19:58 PM	0	6.842	45.7	71.3	0
3/1/2023, 3:29:58 PM	0	6.842	45.7	71	0
3/1/2023, 3:39:58 PM	0	6.842	45.7	70.9	0
3/1/2023, 3:49:58 PM	0	6.842	45.7	70.9	0
3/1/2023, 3:59:58 PM	0	6.842	45.5	70.9	0
3/1/2023, 4:09:58 PM	0	6.842	45.1	71	0
3/1/2023, 4:19:58 PM	0	6.842	45	71.3	0
3/1/2023, 4:29:58 PM	0	6.842	44.8	71.6	0
3/1/2023, 4:39:58 PM	0	6.842	44.8	71.9	0
3/1/2023, 4:49:58 PM	0	6.842	44.8	72.3	0
3/1/2023, 4:59:58 PM	0	6.842	44.8	72.7	0
3/1/2023, 5:09:58 PM	0	6.842	44.8	72.9	0
3/1/2023, 5:19:58 PM	0	6.842	44.8	73	0
3/1/2023, 5:29:58 PM	0	6.842	44.6	73.2	0
3/1/2023, 5:39:58 PM	0	6.842	44.1	73.2	0
3/1/2023, 5:49:58 PM	0	6.842	43.5	73.4	0
3/1/2023, 5:59:58 PM	0	6.842	43.2	73.7	0
3/1/2023, 6:09:58 PM	0	6.842	42.6	74	0
3/1/2023, 6:19:58 PM	0	6.842	42.1	74.3	0
3/1/2023, 6:29:58 PM	0	6.842	41.5	74.6	0
3/1/2023, 6:39:58 PM	0	6.842	41	75	0
3/1/2023, 6:49:58 PM	0	6.842	40.6	75.3	0
3/1/2023, 6:59:58 PM	0	6.842	39.9	75.7	0
3/1/2023, 7:09:58 PM	0	6.842	39.6	76.1	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/1/2023, 7:19:58 PM	0	6.833	39	76.5	0
3/1/2023, 7:29:58 PM	0	6.833	38.5	76.8	0
3/1/2023, 7:39:58 PM	0	6.833	37.9	77.1	0
3/1/2023, 7:49:58 PM	0	6.833	37.4	77.6	0
3/1/2023, 7:59:58 PM	0	6.833	37.2	78.1	0
3/1/2023, 8:09:58 PM	0	6.833	36.9	78.5	0
3/1/2023, 8:19:58 PM	0	6.833	36.5	78.8	0
3/1/2023, 8:29:58 PM	0	6.833	36.1	79.1	0
3/1/2023, 8:39:58 PM	0	6.833	35.8	79.5	0
3/1/2023, 8:49:58 PM	0	6.825	35.6	79.8	0
3/1/2023, 8:59:58 PM	0	6.825	35.2	80	0
3/1/2023, 9:09:58 PM	0	6.825	34.7	80.2	0
3/1/2023, 9:19:58 PM	0	6.825	34.3	80.4	0
3/1/2023, 9:29:58 PM	0	6.825	34.2	80.8	0
3/1/2023, 9:39:58 PM	0	6.825	34	81.2	0
3/1/2023, 9:49:58 PM	0	6.825	33.8	81.6	0
3/1/2023, 9:59:58 PM	0	6.825	33.8	82	0
3/1/2023, 10:09:58 PM	0	6.825	33.6	82.2	0
3/1/2023, 10:19:58 PM	0	6.816	33.4	82.4	0
3/1/2023, 10:29:58 PM	0	6.816	33.3	82.5	0
3/1/2023, 10:39:58 PM	0	6.816	32.9	82.6	0
3/1/2023, 10:49:58 PM	0	6.816	32.5	82.7	0
3/1/2023, 10:59:58 PM	0	6.816	32.2	82.9	0
3/1/2023, 11:09:58 PM	0	6.816	32	83.1	0
3/1/2023, 11:19:58 PM	0	6.816	31.8	83.5	0
3/1/2023, 11:29:58 PM	0	6.816	31.8	83.9	0
3/1/2023, 11:39:58 PM	0	6.816	32	84.4	0
3/1/2023, 11:49:58 PM	0	6.816	32	84.8	0
3/1/2023, 11:59:58 PM	0	6.816	32	85.2	0
3/2/2023, 12:09:58 AM	0	6.816	32.2	85.7	0
3/2/2023, 12:19:58 AM	0	6.816	32.4	85.9	0
3/2/2023, 12:29:58 AM	0	6.816	32.5	86.2	0
3/2/2023, 12:39:58 AM	0	6.816	32.7	86.5	0
3/2/2023, 12:49:58 AM	0	6.816	32.9	86.8	0
3/2/2023, 12:59:58 AM	0	6.816	33.1	87	0
3/2/2023, 1:09:58 AM	0	6.816	33.3	87.2	0
3/2/2023, 1:19:58 AM	0	6.816	33.3	87.3	0
3/2/2023, 1:29:58 AM	0	6.816	33.4	87.4	0
3/2/2023, 1:39:58 AM	0	6.816	33.6	87.7	0
3/2/2023, 1:49:58 AM	0	6.816	33.8	88	0
3/2/2023, 1:59:58 AM	0	6.816	34	88.2	0
3/2/2023, 2:09:58 AM	0	6.816	34	88.4	0
3/2/2023, 2:19:58 AM	0	6.816	34	88.5	0
3/2/2023, 2:29:58 AM	0	6.816	34.2	88.7	0
3/2/2023, 2:39:58 AM	0	6.816	34.2	88.9	0
3/2/2023, 2:49:58 AM	0	6.816	34.2	89	0
3/2/2023, 2:59:58 AM	0	6.816	34.3	89.1	0
3/2/2023, 3:09:58 AM	0	6.825	34.3	89.3	0
3/2/2023, 3:19:58 AM	0	6.825	34.5	89.5	0
3/2/2023, 3:29:58 AM	0	6.825	34.5	89.6	0
3/2/2023, 3:39:58 AM	0	6.825	34.7	89.8	0
3/2/2023, 3:49:58 AM	0	6.825	34.7	89.9	0
3/2/2023, 3:59:58 AM	0	6.825	34.9	90.1	0
3/2/2023, 4:09:58 AM	0	6.825	35.1	90.3	0
3/2/2023, 4:19:58 AM	0	6.825	35.2	90.3	0
3/2/2023, 4:29:58 AM	0	6.825	35.4	90.1	0
3/2/2023, 4:39:58 AM	0	6.825	35.6	89.7	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/2/2023, 4:49:58 AM	0	6.825	36	89.3	0
3/2/2023, 4:59:58 AM	0	6.825	36.1	88.8	0
3/2/2023, 5:09:58 AM	0	6.825	36.1	88.4	0
3/2/2023, 5:19:58 AM	0	6.825	36.1	88.2	0
3/2/2023, 5:29:58 AM	0	6.825	36.1	88.2	0
3/2/2023, 5:39:58 AM	0	6.825	36.1	88.1	0
3/2/2023, 5:49:58 AM	0	6.825	36	88.1	0
3/2/2023, 5:59:58 AM	0	6.825	35.8	88.1	0
3/2/2023, 6:09:58 AM	0	6.825	35.6	88	0
3/2/2023, 6:19:58 AM	0	6.825	35.6	88	0
3/2/2023, 6:29:58 AM	0	6.825	35.4	88	0
3/2/2023, 6:39:58 AM	0	6.825	35.2	87.9	0
3/2/2023, 6:49:58 AM	0	6.825	35.1	87.9	0
3/2/2023, 6:59:58 AM	0	6.825	35.1	87.9	0
3/2/2023, 7:09:58 AM	0	6.825	35.1	87.8	0
3/2/2023, 7:19:58 AM	0	6.825	34.9	87.8	0
3/2/2023, 7:29:58 AM	0	6.825	34.9	87.8	0
3/2/2023, 7:39:58 AM	0	6.825	34.9	87.8	0
3/2/2023, 7:49:58 AM	0	6.825	34.7	87.8	0
3/2/2023, 7:59:58 AM	0	6.825	34.7	87.7	0
3/2/2023, 8:09:58 AM	0	6.825	34.7	87.7	0
3/2/2023, 8:19:58 AM	0	6.825	34.7	87.7	0
3/2/2023, 8:29:58 AM	0	6.825	34.7	87.7	0
3/2/2023, 8:39:58 AM	0	6.825	34.9	87.7	0
3/2/2023, 8:49:58 AM	0	6.825	34.9	87.6	0
3/2/2023, 8:59:58 AM	0	6.825	34.9	87.5	0
3/2/2023, 9:09:58 AM	0	6.825	35.1	87.4	0
3/2/2023, 9:19:58 AM	0	6.825	35.1	87.2	0
3/2/2023, 9:29:58 AM	0	6.825	35.2	87	0
3/2/2023, 9:39:58 AM	0	6.825	35.2	86.8	0
3/2/2023, 9:49:58 AM	0	6.825	35.4	86.6	0
3/2/2023, 9:59:58 AM	0	6.825	35.4	86.4	0
3/2/2023, 10:09:58 AM	0	6.825	35.4	86.2	0
3/2/2023, 10:19:58 AM	0	6.825	35.4	86.1	0
3/2/2023, 10:29:58 AM	0	6.825	35.4	85.9	0
3/2/2023, 10:39:58 AM	0	6.825	35.6	85.7	0
3/2/2023, 10:49:58 AM	0	6.825	35.4	85.5	0
3/2/2023, 10:59:58 AM	0	6.825	35.6	85.3	0
3/2/2023, 11:09:58 AM	0	6.825	35.8	85.1	0
3/2/2023, 11:19:58 AM	0	6.825	36	84.8	0
3/2/2023, 11:29:58 AM	0	6.825	36	84.5	0
3/2/2023, 11:39:58 AM	0	6.825	36.1	84.3	0
3/2/2023, 11:49:58 AM	0	6.825	36.5	84	0
3/2/2023, 11:59:58 AM	0	6.825	36.7	83.9	0
3/2/2023, 12:09:58 PM	0	6.825	36.9	83.6	0
3/2/2023, 12:19:58 PM	0	6.825	37.2	83.4	0
3/2/2023, 12:29:58 PM	0	6.825	37.4	83.1	0
3/2/2023, 12:39:58 PM	0	6.825	37.8	82.9	0
3/2/2023, 12:49:58 PM	0	6.825	38.1	82.5	0
3/2/2023, 12:59:58 PM	0	6.825	38.3	82.2	0
3/2/2023, 1:09:58 PM	0	6.825	38.5	81.9	0
3/2/2023, 1:19:58 PM	0	6.833	38.5	81.6	0
3/2/2023, 1:29:58 PM	0	6.833	38.5	81.3	0
3/2/2023, 1:39:58 PM	0	6.833	38.5	81	0
3/2/2023, 1:49:58 PM	0	6.833	38.5	80.7	0
3/2/2023, 1:59:58 PM	0	6.833	38.5	80.5	0
3/2/2023, 2:09:58 PM	0	6.833	38.5	80.2	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/2/2023, 2:19:58 PM	0	6.833	38.5	80.2	0
3/2/2023, 2:29:58 PM	0	6.833	38.7	80	0
3/2/2023, 2:39:58 PM	0	6.833	38.7	79.7	0
3/2/2023, 2:49:58 PM	0	6.833	38.8	79.5	0
3/2/2023, 2:59:58 PM	0	6.833	39.2	79.2	0
3/2/2023, 3:09:58 PM	0	6.833	39.2	78.8	0
3/2/2023, 3:19:58 PM	0	6.833	39.2	78.4	0
3/2/2023, 3:29:58 PM	0	6.833	39.2	78.2	0
3/2/2023, 3:39:58 PM	0	6.833	39	77.9	0
3/2/2023, 3:49:58 PM	0	6.833	39	77.7	0
3/2/2023, 3:59:58 PM	0	6.833	39	77.6	0
3/2/2023, 4:09:58 PM	0	6.833	39	77.5	0
3/2/2023, 4:19:58 PM	0	6.833	38.8	77.5	0
3/2/2023, 4:29:58 PM	0	6.833	38.7	77.5	0
3/2/2023, 4:39:58 PM	0	6.833	38.7	77.4	0
3/2/2023, 4:49:58 PM	0	6.833	38.5	77.3	0
3/2/2023, 4:59:58 PM	0	6.833	38.5	77.1	0
3/2/2023, 5:09:58 PM	0	6.833	38.3	77	0
3/2/2023, 5:19:58 PM	0	6.833	38.3	76.9	0
3/2/2023, 5:29:58 PM	0	6.833	38.1	76.8	0
3/2/2023, 5:39:58 PM	0	6.833	38.1	76.8	0
3/2/2023, 5:49:58 PM	0	6.833	37.9	76.8	0
3/2/2023, 5:59:58 PM	0	6.833	37.8	76.8	0
3/2/2023, 6:09:58 PM	0	6.825	37.8	76.9	0
3/2/2023, 6:19:58 PM	0	6.833	37.6	77	0
3/2/2023, 6:29:58 PM	0	6.833	37.4	77.1	0
3/2/2023, 6:39:58 PM	0	6.825	36.9	77.1	0
3/2/2023, 6:49:58 PM	0	6.825	36.7	77.4	0
3/2/2023, 6:59:58 PM	0	6.825	36.5	77.5	0
3/2/2023, 7:09:58 PM	0	6.825	36.3	77.9	0
3/2/2023, 7:19:58 PM	0	6.825	36.1	78.1	0
3/2/2023, 7:29:58 PM	0	6.825	36.1	78.4	0
3/2/2023, 7:39:58 PM	0	6.825	36.1	78.6	0
3/2/2023, 7:49:58 PM	0	6.825	36.1	78.8	0
3/2/2023, 7:59:58 PM	0	6.825	36.1	78.9	0
3/2/2023, 8:09:58 PM	0	6.825	36.1	79	0
3/2/2023, 8:19:58 PM	0	6.825	36.1	79.1	0
3/2/2023, 8:29:58 PM	0	6.825	36.1	79.2	0
3/2/2023, 8:39:58 PM	0	6.825	36	79.3	0
3/2/2023, 8:49:58 PM	0	6.825	35.8	79.4	0
3/2/2023, 8:59:58 PM	0	6.825	35.4	79.5	0
3/2/2023, 9:09:58 PM	0	6.825	35.1	79.6	0
3/2/2023, 9:19:58 PM	0	6.825	34.5	79.8	0
3/2/2023, 9:29:58 PM	0	6.825	34	80	0
3/2/2023, 9:39:58 PM	0	6.825	33.4	80.2	0
3/2/2023, 9:49:58 PM	0	6.816	33.1	80.4	0
3/2/2023, 9:59:58 PM	0	6.816	32.5	80.7	0
3/2/2023, 10:09:58 PM	0	6.816	32.2	81.1	0
3/2/2023, 10:19:58 PM	0	6.816	32	81.3	0
3/2/2023, 10:29:58 PM	0	6.816	31.6	81.6	0
3/2/2023, 10:39:58 PM	0	6.816	31.5	81.9	0
3/2/2023, 10:49:58 PM	0	6.816	31.1	82.2	0
3/2/2023, 10:59:58 PM	0	6.816	30.9	82.5	0
3/2/2023, 11:09:58 PM	0	6.807	30.6	82.8	0
3/2/2023, 11:19:58 PM	0	6.807	30.4	83	0
3/2/2023, 11:29:58 PM	0	6.807	30.2	83.2	0
3/2/2023, 11:39:58 PM	0	6.807	29.8	83.4	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/2/2023, 11:49:58 PM	0	6.807	29.7	83.6	0
3/2/2023, 11:59:58 PM	0	6.807	29.5	83.8	0
3/3/2023, 12:09:58 AM	0	6.807	29.1	83.9	0
3/3/2023, 12:19:58 AM	0	6.807	28.9	84.1	0
3/3/2023, 12:29:58 AM	0	6.807	28.8	84.2	0
3/3/2023, 12:39:58 AM	0	6.798	28.4	84.4	0
3/3/2023, 12:49:58 AM	0	6.798	28.2	84.6	0
3/3/2023, 12:59:58 AM	0	6.798	28	84.8	0
3/3/2023, 1:09:58 AM	0	6.798	27.7	84.9	0
3/3/2023, 1:19:58 AM	0	6.798	27.5	85	0
3/3/2023, 1:29:58 AM	0	6.798	27.3	85.2	0
3/3/2023, 1:39:58 AM	0	6.798	27	85.3	0
3/3/2023, 1:49:58 AM	0	6.798	27	85.6	0
3/3/2023, 1:59:58 AM	0	6.798	27.1	86	0
3/3/2023, 2:09:58 AM	0	6.798	27.3	86.4	0
3/3/2023, 2:19:58 AM	0	6.798	27.1	86.6	0
3/3/2023, 2:29:58 AM	0	6.798	27.3	86.9	0
3/3/2023, 2:39:58 AM	0	6.798	27.5	87.3	0
3/3/2023, 2:49:58 AM	0	6.798	27.7	87.7	0
3/3/2023, 2:59:58 AM	0	6.798	27.9	87.9	0
3/3/2023, 3:09:58 AM	0	6.798	27.7	87.9	0
3/3/2023, 3:19:58 AM	0	6.798	27.5	87.8	0
3/3/2023, 3:29:58 AM	0	6.798	27.3	87.7	0
3/3/2023, 3:39:58 AM	0	6.798	27.1	87.6	0
3/3/2023, 3:49:58 AM	0	6.798	27	87.5	0
3/3/2023, 3:59:58 AM	0	6.798	26.6	87.5	0
3/3/2023, 4:09:58 AM	0	6.798	26.4	87.5	0
3/3/2023, 4:19:58 AM	0	6.798	26.4	87.6	0
3/3/2023, 4:29:58 AM	0	6.79	26.4	87.8	0
3/3/2023, 4:39:58 AM	0	6.79	26.2	87.8	0
3/3/2023, 4:49:58 AM	0	6.79	26.1	87.8	0
3/3/2023, 4:59:58 AM	0	6.79	26.1	87.9	0
3/3/2023, 5:09:58 AM	0	6.79	25.9	88.1	0
3/3/2023, 5:19:58 AM	0	6.79	26.1	88.4	0
3/3/2023, 5:29:58 AM	0	6.79	26.2	88.7	0
3/3/2023, 5:39:58 AM	0	6.79	26.6	89.1	0
3/3/2023, 5:49:58 AM	0	6.79	26.8	89.4	0
3/3/2023, 5:59:58 AM	0	6.79	27	89.4	0
3/3/2023, 6:09:58 AM	0	6.79	27	89.4	0
3/3/2023, 6:19:58 AM	0	6.798	27.3	89.4	0
3/3/2023, 6:29:58 AM	0	6.798	27.5	89.2	0
3/3/2023, 6:39:58 AM	0	6.798	27.7	89.1	0
3/3/2023, 6:49:58 AM	0	6.798	27.9	88.9	0
3/3/2023, 6:59:58 AM	0	6.798	28	88.8	0
3/3/2023, 7:09:58 AM	0	6.798	28	88.6	0
3/3/2023, 7:19:58 AM	0	6.798	28.2	88.4	0
3/3/2023, 7:29:58 AM	0	6.798	28.6	88.2	0
3/3/2023, 7:39:58 AM	0	6.798	28.8	88.1	0
3/3/2023, 7:49:58 AM	0	6.798	28.9	87.8	0
3/3/2023, 7:59:58 AM	0	6.798	29.3	87.4	0
3/3/2023, 8:09:58 AM	0	6.798	29.5	87.1	0
3/3/2023, 8:19:58 AM	0	6.798	30	86.7	0
3/3/2023, 8:29:58 AM	0	6.807	30.4	86.2	0
3/3/2023, 8:39:58 AM	0	6.807	30.7	85.7	0
3/3/2023, 8:49:58 AM	0	6.807	31.3	85.2	0
3/3/2023, 8:59:58 AM	0	6.807	31.6	84.7	0
3/3/2023, 9:09:58 AM	0	6.807	32.2	84.2	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/3/2023, 9:19:58 AM	0	6.807	32.9	83.7	0
3/3/2023, 9:29:58 AM	0	6.816	33.4	83.2	0
3/3/2023, 9:39:58 AM	0	6.816	34	82.6	0
3/3/2023, 9:49:58 AM	0	6.816	34.3	82.2	0
3/3/2023, 9:59:58 AM	0	6.816	34.9	81.9	0
3/3/2023, 10:09:58 AM	0	6.816	35.4	81.5	0
3/3/2023, 10:19:58 AM	0	6.816	36	81.1	0
3/3/2023, 10:29:58 AM	0	6.816	36.1	80.6	0
3/3/2023, 10:39:58 AM	0	6.825	36.5	80.3	0
3/3/2023, 10:49:58 AM	0	6.825	36.9	79.9	0
3/3/2023, 10:59:58 AM	0	6.825	37.2	79.6	0
3/3/2023, 11:09:58 AM	0	6.825	37.4	79.4	0
3/3/2023, 11:19:58 AM	0	6.825	37.8	79.2	0
3/3/2023, 11:29:58 AM	0	6.825	38.1	78.8	0
3/3/2023, 11:39:58 AM	0	6.825	38.7	78.5	0
3/3/2023, 11:49:58 AM	0	6.825	39	78.2	0
3/3/2023, 11:59:58 AM	0	6.825	39.2	77.9	0
3/3/2023, 12:09:58 PM	0	6.825	39.4	77.7	0
3/3/2023, 12:19:58 PM	0	6.833	39.6	77.4	0
3/3/2023, 12:29:58 PM	0	6.833	39.7	77.1	0
3/3/2023, 12:39:58 PM	0	6.833	40.1	76.8	0
3/3/2023, 12:49:58 PM	0	6.833	40.3	76.5	0
3/3/2023, 12:59:58 PM	0	6.833	40.5	76.4	0
3/3/2023, 1:09:58 PM	0	6.833	40.8	76	0
3/3/2023, 1:19:58 PM	0	6.833	41.2	75.7	0
3/3/2023, 1:29:58 PM	0	6.833	41.2	75.5	0
3/3/2023, 1:39:58 PM	0	6.833	41.5	74.9	0
3/3/2023, 1:49:58 PM	0	6.833	41.7	74.6	0
3/3/2023, 1:59:58 PM	0	6.833	41.7	74.2	0
3/3/2023, 2:09:58 PM	0	6.833	41.7	73.8	0
3/3/2023, 2:19:58 PM	0	6.833	41.7	73.4	0
3/3/2023, 2:29:58 PM	0	6.833	41.5	72.9	0
3/3/2023, 2:39:58 PM	0	6.833	41.5	72.5	0
3/3/2023, 2:49:58 PM	0	6.833	41.5	72.2	0
3/3/2023, 2:59:58 PM	0	6.833	41.5	71.9	0
3/3/2023, 3:09:58 PM	0	6.833	41.7	71.6	0
3/3/2023, 3:19:58 PM	0	6.833	41.7	71.2	0
3/3/2023, 3:29:58 PM	0	6.833	41.7	70.9	0
3/3/2023, 3:39:58 PM	0	6.833	41.7	70.4	0
3/3/2023, 3:49:58 PM	0	6.833	41.5	70	0
3/3/2023, 3:59:58 PM	0	6.833	41.5	69.6	0
3/3/2023, 4:09:58 PM	0	6.833	41.5	69.3	0
3/3/2023, 4:19:58 PM	0	6.833	41.4	69	0
3/3/2023, 4:29:58 PM	0	6.833	41.4	68.7	0
3/3/2023, 4:39:58 PM	0	6.833	41.2	68.5	0
3/3/2023, 4:49:58 PM	0	6.833	41.2	68.4	0
3/3/2023, 4:59:58 PM	0	6.833	41	68.4	0
3/3/2023, 5:09:58 PM	0	6.833	41	68.6	0
3/3/2023, 5:19:58 PM	0	6.833	40.6	68.8	0
3/3/2023, 5:29:58 PM	0	6.833	40.5	68.9	0
3/3/2023, 5:39:58 PM	0	6.833	40.1	69	0
3/3/2023, 5:49:58 PM	0	6.833	39.7	69.1	0
3/3/2023, 5:59:58 PM	0	6.833	39.6	69.4	0
3/3/2023, 6:09:58 PM	0	6.833	39.4	70.9	0
3/3/2023, 6:19:58 PM	0	6.833	39	72.5	0
3/3/2023, 6:29:58 PM	0	6.833	38.3	73.8	0
3/3/2023, 6:39:58 PM	0	6.833	37.6	74.9	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/3/2023, 6:49:58 PM	0	6.825	36.9	75.8	0
3/3/2023, 6:59:58 PM	0	6.825	36.3	76.7	0
3/3/2023, 7:09:58 PM	0	6.825	36	77.5	0
3/3/2023, 7:19:58 PM	0	6.825	35.4	78.4	0
3/3/2023, 7:29:58 PM	0	6.825	35.2	79.1	0
3/3/2023, 7:39:58 PM	0	6.825	34.9	79.8	0
3/3/2023, 7:49:58 PM	0	6.825	34.7	80.5	0
3/3/2023, 7:59:58 PM	0	6.825	34.3	81.2	0
3/3/2023, 8:09:58 PM	0	6.816	34.2	81.7	0
3/3/2023, 8:19:58 PM	0	6.816	34	82.3	0
3/3/2023, 8:29:58 PM	0	6.816	34	82.8	0
3/3/2023, 8:39:58 PM	0	6.816	33.8	83.3	0
3/3/2023, 8:49:58 PM	0	6.816	33.6	83.8	0
3/3/2023, 8:59:58 PM	0	6.816	33.6	84.2	0
3/3/2023, 9:09:58 PM	0	6.816	33.4	84.7	0
3/3/2023, 9:19:58 PM	0	6.816	33.4	85	0
3/3/2023, 9:29:58 PM	0	6.816	33.4	85.4	0
3/3/2023, 9:39:58 PM	0	6.816	33.4	85.7	0
3/3/2023, 9:49:58 PM	0	6.816	33.4	86	0
3/3/2023, 9:59:58 PM	0	6.816	33.4	86.3	0
3/3/2023, 10:09:58 PM	0	6.816	33.4	86.6	0
3/3/2023, 10:19:58 PM	0	6.816	33.4	86.8	0
3/3/2023, 10:29:58 PM	0	6.816	33.4	87	0
3/3/2023, 10:39:58 PM	0	6.816	33.4	87.1	0
3/3/2023, 10:49:58 PM	0	6.816	33.4	87.2	0
3/3/2023, 10:59:58 PM	0	6.816	33.4	87.3	0
3/3/2023, 11:09:58 PM	0	6.816	33.4	87.4	0
3/3/2023, 11:19:58 PM	0	6.816	33.4	87.5	0
3/3/2023, 11:29:58 PM	0	6.816	33.4	87.6	0
3/3/2023, 11:39:58 PM	0	6.816	33.6	87.6	0
3/3/2023, 11:49:58 PM	0	6.816	33.6	87.6	0
3/3/2023, 11:59:58 PM	0	6.816	33.6	87.6	0
3/4/2023, 12:09:58 AM	0	6.816	33.6	87.5	0
3/4/2023, 12:19:58 AM	0	6.816	33.6	87.5	0
3/4/2023, 12:29:58 AM	0	6.816	33.8	87.5	0
3/4/2023, 12:39:58 AM	0	6.816	33.8	87.5	0
3/4/2023, 12:49:58 AM	0	6.816	33.8	87.5	0
3/4/2023, 12:59:58 AM	0	6.816	33.8	87.5	0
3/4/2023, 1:09:58 AM	0	6.816	34	87.5	0
3/4/2023, 1:19:58 AM	0	6.816	34	87.6	0
3/4/2023, 1:29:58 AM	0	6.816	34	87.6	0
3/4/2023, 1:39:58 AM	0	6.816	34	87.7	0
3/4/2023, 1:49:58 AM	0	6.816	34	87.8	0
3/4/2023, 1:59:58 AM	0	6.816	34	88	0
3/4/2023, 2:09:58 AM	0	6.816	34	88.1	0
3/4/2023, 2:19:58 AM	0	6.816	33.8	88.3	0
3/4/2023, 2:29:58 AM	0	6.816	33.8	88.5	0
3/4/2023, 2:39:58 AM	0	6.816	33.8	88.7	0
3/4/2023, 2:49:58 AM	0	6.816	33.6	88.9	0
3/4/2023, 2:59:58 AM	0	6.816	33.6	89.1	0
3/4/2023, 3:09:58 AM	0	6.816	33.6	89.3	0
3/4/2023, 3:19:58 AM	0	6.816	33.6	89.5	0
3/4/2023, 3:29:58 AM	0	6.816	33.4	89.6	0
3/4/2023, 3:39:58 AM	0	6.816	33.4	89.8	0
3/4/2023, 3:49:58 AM	0	6.816	33.4	90	0
3/4/2023, 3:59:58 AM	0	6.816	33.4	90.1	0
3/4/2023, 4:09:58 AM	0	6.816	33.4	90.3	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/4/2023, 4:19:58 AM	0	6.816	33.4	90.4	0
3/4/2023, 4:29:58 AM	0	6.816	33.4	90.5	0
3/4/2023, 4:39:58 AM	0	6.816	33.4	90.6	0
3/4/2023, 4:49:58 AM	0	6.816	33.4	90.7	0
3/4/2023, 4:59:58 AM	0	6.816	33.4	90.7	0
3/4/2023, 5:09:58 AM	0	6.816	33.4	90.8	0
3/4/2023, 5:19:58 AM	0	6.816	33.4	90.8	0
3/4/2023, 5:29:58 AM	0	6.816	33.3	90.9	0
3/4/2023, 5:39:58 AM	0	6.816	33.3	91	0
3/4/2023, 5:49:58 AM	0	6.816	33.3	91.1	0
3/4/2023, 5:59:58 AM	0	6.816	33.3	91.1	0
3/4/2023, 6:09:58 AM	0	6.816	33.3	91.2	0
3/4/2023, 6:19:58 AM	0	6.816	33.3	91.3	0
3/4/2023, 6:29:58 AM	0	6.816	33.3	91.4	0
3/4/2023, 6:39:58 AM	0	6.816	33.3	91.5	0
3/4/2023, 6:49:58 AM	0	6.816	33.3	91.5	0
3/4/2023, 6:59:58 AM	0	6.816	33.3	91.6	0
3/4/2023, 7:09:58 AM	0	6.816	33.4	91.7	0
3/4/2023, 7:19:58 AM	0	6.816	33.4	91.7	0
3/4/2023, 7:29:58 AM	0	6.816	33.4	91.9	0
3/4/2023, 7:39:58 AM	0	6.816	33.6	91.9	0
3/4/2023, 7:49:58 AM	0	6.816	33.6	92	0
3/4/2023, 7:59:58 AM	0	6.816	33.6	92	0
3/4/2023, 8:09:58 AM	0	6.816	33.8	92.1	0
3/4/2023, 8:19:58 AM	0	6.816	33.8	92.1	0
3/4/2023, 8:29:58 AM	0	6.816	34	92.2	0
3/4/2023, 8:39:58 AM	0	6.816	34	92.2	0
3/4/2023, 8:49:58 AM	0	6.816	34.2	92.2	0
3/4/2023, 8:59:58 AM	0	6.816	34.3	92.3	0
3/4/2023, 9:09:58 AM	0	6.816	34.5	92.3	0
3/4/2023, 9:19:58 AM	0	6.816	34.9	92.3	0
3/4/2023, 9:29:58 AM	0	6.816	35.1	92.4	0
3/4/2023, 9:39:58 AM	0	6.816	35.2	92.3	0
3/4/2023, 9:49:58 AM	0	6.816	35.2	92.2	0
3/4/2023, 9:59:58 AM	0	6.816	35.6	92.1	0
3/4/2023, 10:09:58 AM	0	6.816	35.6	92.1	0
3/4/2023, 10:19:58 AM	0	6.816	35.8	92	0
3/4/2023, 10:29:58 AM	0	6.816	35.8	91.9	0
3/4/2023, 10:39:58 AM	0	6.816	35.6	91.5	0
3/4/2023, 10:49:58 AM	0	6.816	35.4	91.3	0
3/4/2023, 10:59:58 AM	0	6.816	35.4	91.2	0
3/4/2023, 11:09:58 AM	0	6.816	35.6	91	0
3/4/2023, 11:19:58 AM	0	6.816	35.8	90.8	0
3/4/2023, 11:29:58 AM	0	6.816	36	90.5	0
3/4/2023, 11:39:58 AM	0	6.816	36	90.3	0
3/4/2023, 11:49:58 AM	0	6.816	36	90	0
3/4/2023, 11:59:58 AM	0	6.816	35.8	89.8	0
3/4/2023, 12:09:58 PM	0	6.816	35.8	89.6	0
3/4/2023, 12:19:58 PM	0	6.816	35.8	89.4	0
3/4/2023, 12:29:58 PM	0	6.816	35.6	89.2	0
3/4/2023, 12:39:58 PM	0	6.816	35.4	89	0
3/4/2023, 12:49:58 PM	0	6.816	35.4	88.9	0
3/4/2023, 12:59:58 PM	0	6.816	35.4	88.9	0
3/4/2023, 1:09:58 PM	0	6.816	35.4	88.7	0
3/4/2023, 1:19:58 PM	0	6.816	35.2	88.6	0
3/4/2023, 1:29:58 PM	0	6.816	35.2	88.6	0
3/4/2023, 1:39:58 PM	0	6.816	35.2	88.6	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/4/2023, 1:49:58 PM	0	6.816	35.2	88.5	0
3/4/2023, 1:59:58 PM	0	6.816	35.2	88.4	0
3/4/2023, 2:09:58 PM	0	6.816	35.1	88.2	0
3/4/2023, 2:19:58 PM	0	6.816	34.9	88.1	0
3/4/2023, 2:29:58 PM	0	6.816	34.7	88	0
3/4/2023, 2:39:58 PM	0	6.816	34.5	88	0
3/4/2023, 2:49:58 PM	0	6.816	34.3	88	0
3/4/2023, 2:59:58 PM	0	6.816	34.3	88	0
3/4/2023, 3:09:58 PM	0	6.816	34.3	88	0
3/4/2023, 3:19:58 PM	0	6.816	34.3	87.9	0
3/4/2023, 3:29:58 PM	0	6.816	34.3	88	0
3/4/2023, 3:39:58 PM	0	6.816	34.5	88	0
3/4/2023, 3:49:58 PM	0	6.816	34.7	88	0
3/4/2023, 3:59:58 PM	0	6.816	34.9	87.8	0
3/4/2023, 4:09:58 PM	0	6.816	34.9	87.6	0
3/4/2023, 4:19:58 PM	0	6.816	34.7	87.5	0
3/4/2023, 4:29:58 PM	0	6.816	34.7	87.3	0
3/4/2023, 4:39:58 PM	0	6.816	34.5	87.3	0
3/4/2023, 4:49:58 PM	0	6.816	34.5	87.2	0
3/4/2023, 4:59:58 PM	0	6.816	34.3	87	0
3/4/2023, 5:09:58 PM	0	6.816	34.3	87	0
3/4/2023, 5:19:58 PM	0	6.816	34.3	87.1	0
3/4/2023, 5:29:58 PM	0	6.816	34.2	87.1	0
3/4/2023, 5:39:58 PM	0	6.816	34.2	87.1	0
3/4/2023, 5:49:58 PM	0	6.816	34.2	87.2	0
3/4/2023, 5:59:58 PM	0	6.816	34.2	87.2	0
3/4/2023, 6:09:58 PM	0	6.816	34	87.3	0
3/4/2023, 6:19:58 PM	0	6.816	34	87.4	0
3/4/2023, 6:29:58 PM	0	6.816	34	87.4	0
3/4/2023, 6:39:58 PM	0	6.816	34	87.5	0
3/4/2023, 6:49:58 PM	0	6.816	34	87.6	0
3/4/2023, 6:59:58 PM	0	6.816	34	87.6	0
3/4/2023, 7:09:58 PM	0	6.816	34	87.7	0
3/4/2023, 7:19:58 PM	0	6.816	34	87.8	0
3/4/2023, 7:29:58 PM	0	6.816	34	87.9	0
3/4/2023, 7:39:58 PM	0	6.816	33.8	88	0
3/4/2023, 7:49:58 PM	0	6.816	33.8	88	0
3/4/2023, 7:59:58 PM	0	6.816	33.8	88.1	0
3/4/2023, 8:09:58 PM	0	6.816	33.8	88.1	0
3/4/2023, 8:19:58 PM	0	6.816	33.6	88.2	0
3/4/2023, 8:29:58 PM	0	6.816	33.6	88.4	0
3/4/2023, 8:39:58 PM	0	6.816	33.6	88.5	0
3/4/2023, 8:49:58 PM	0	6.816	33.6	88.6	0
3/4/2023, 8:59:58 PM	0	6.816	33.6	88.7	0
3/4/2023, 9:09:58 PM	0	6.816	33.6	88.9	0
3/4/2023, 9:19:58 PM	0	6.816	33.6	89	0
3/4/2023, 9:29:58 PM	0	6.816	33.6	89.2	0
3/4/2023, 9:39:58 PM	0	6.816	33.4	89.4	0
3/4/2023, 9:49:58 PM	0	6.816	33.6	89.5	0
3/4/2023, 9:59:58 PM	0	6.816	33.6	89.6	0
3/4/2023, 10:09:58 PM	0	6.816	33.4	89.7	0
3/4/2023, 10:19:58 PM	0	6.816	33.4	89.8	0
3/4/2023, 10:29:58 PM	0	6.816	33.4	89.9	0
3/4/2023, 10:39:58 PM	0	6.816	33.4	90	0
3/4/2023, 10:49:58 PM	0	6.816	33.4	90.2	0
3/4/2023, 10:59:58 PM	0	6.816	33.4	90.3	0
3/4/2023, 11:09:58 PM	0	6.816	33.4	90.4	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/4/2023, 11:19:58 PM	0	6.816	33.4	90.5	0
3/4/2023, 11:29:58 PM	0	6.816	33.4	90.5	0
3/4/2023, 11:39:58 PM	0	6.816	33.4	90.6	0
3/4/2023, 11:49:58 PM	0	6.816	33.4	90.7	0
3/4/2023, 11:59:58 PM	0	6.816	33.4	90.8	0
3/5/2023, 12:09:58 AM	0	6.816	33.4	90.9	0
3/5/2023, 12:19:58 AM	0	6.816	33.4	90.9	0
3/5/2023, 12:29:58 AM	0	6.816	33.3	91	0
3/5/2023, 12:39:58 AM	0	6.816	33.3	91.1	0
3/5/2023, 12:49:58 AM	0	6.816	33.3	91.1	0
3/5/2023, 12:59:58 AM	0	6.816	33.1	91.1	0
3/5/2023, 1:09:58 AM	0	6.816	33.1	91.1	0
3/5/2023, 1:19:58 AM	0	6.807	32.9	91.1	0
3/5/2023, 1:29:58 AM	0	6.807	32.7	91.1	0
3/5/2023, 1:39:58 AM	0	6.807	32.7	91.2	0
3/5/2023, 1:49:58 AM	0	6.807	32.7	91.3	0
3/5/2023, 1:59:58 AM	0	6.807	32.7	91.4	0
3/5/2023, 2:09:58 AM	0	6.807	32.7	91.6	0
3/5/2023, 2:19:58 AM	0	6.807	32.9	91.8	0
3/5/2023, 2:29:58 AM	0	6.807	32.9	91.9	0
3/5/2023, 2:39:58 AM	0	6.807	32.9	91.9	0
3/5/2023, 2:49:58 AM	0	6.807	32.7	91.9	0
3/5/2023, 2:59:58 AM	0	6.807	32.7	91.9	0
3/5/2023, 3:09:58 AM	0	6.807	32.7	92	0
3/5/2023, 3:19:58 AM	0	6.807	32.7	92	0
3/5/2023, 3:29:58 AM	0	6.807	32.5	92	0
3/5/2023, 3:39:58 AM	0	6.807	32.5	92	0
3/5/2023, 3:49:58 AM	0	6.807	32.5	92	0
3/5/2023, 3:59:58 AM	0	6.807	32.4	92.1	0
3/5/2023, 4:09:58 AM	0	6.807	32.4	92.1	0
3/5/2023, 4:19:58 AM	0	6.807	32.4	92.2	0
3/5/2023, 4:29:58 AM	0	6.807	32.4	92.2	0
3/5/2023, 4:39:58 AM	0	6.807	32.4	92.3	0
3/5/2023, 4:49:58 AM	0	6.807	32.4	92.3	0
3/5/2023, 4:59:58 AM	0	6.807	32.4	92.4	0
3/5/2023, 5:09:58 AM	0	6.807	32.4	92.4	0
3/5/2023, 5:19:58 AM	0	6.807	32.4	92.5	0
3/5/2023, 5:29:58 AM	0	6.807	32.4	92.5	0
3/5/2023, 5:39:58 AM	0	6.807	32.4	92.6	0
3/5/2023, 5:49:58 AM	0	6.807	32.4	92.7	0
3/5/2023, 5:59:58 AM	0	6.807	32.4	92.7	0
3/5/2023, 6:09:58 AM	0	6.807	32.4	92.7	0
3/5/2023, 6:19:58 AM	0	6.807	32.4	92.7	0
3/5/2023, 6:29:58 AM	0	6.807	32.4	92.7	0
3/5/2023, 6:39:58 AM	0	6.807	32.4	92.7	0
3/5/2023, 6:49:58 AM	0	6.807	32.2	92.6	0
3/5/2023, 6:59:58 AM	0	6.807	32.2	92.6	0
3/5/2023, 7:09:58 AM	0	6.807	32.2	92.6	0
3/5/2023, 7:19:58 AM	0	6.807	32.2	92.7	0
3/5/2023, 7:29:58 AM	0	6.807	32.4	92.8	0
3/5/2023, 7:39:58 AM	0	6.807	32.5	92.9	0
3/5/2023, 7:49:58 AM	0	6.807	32.9	93	0
3/5/2023, 7:59:58 AM	0	6.807	33.4	93.2	0
3/5/2023, 8:09:58 AM	0	6.807	34	93.5	0
3/5/2023, 8:19:58 AM	0	6.807	34.5	93.6	0
3/5/2023, 8:29:58 AM	0	6.807	34.9	93.6	0
3/5/2023, 8:39:58 AM	0	6.816	35.1	93.4	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/5/2023, 8:49:58 AM	0	6.816	35.4	93.3	0
3/5/2023, 8:59:58 AM	0	6.816	35.6	93.1	0
3/5/2023, 9:09:58 AM	0	6.816	35.8	93	0
3/5/2023, 9:19:58 AM	0	6.816	36	92.8	0
3/5/2023, 9:29:58 AM	0	6.816	36.1	92.8	0
3/5/2023, 9:39:58 AM	0	6.816	36.3	92.6	0
3/5/2023, 9:49:58 AM	0	6.816	36.5	92.5	0
3/5/2023, 9:59:58 AM	0	6.816	36.7	92.4	0
3/5/2023, 10:09:58 AM	0	6.816	36.9	92.3	0
3/5/2023, 10:19:58 AM	0	6.816	37.4	92.2	0
3/5/2023, 10:29:58 AM	0	6.825	38.3	92.3	0
3/5/2023, 10:39:58 AM	0	6.825	39.2	92	0
3/5/2023, 10:49:58 AM	0	6.825	39.6	91.6	0
3/5/2023, 10:59:58 AM	0	6.825	39.9	91.1	0
3/5/2023, 11:09:58 AM	0	6.825	40.1	90.6	0
3/5/2023, 11:19:58 AM	0	6.825	40.3	90.1	0
3/5/2023, 11:29:58 AM	0	6.825	40.5	89.7	0
3/5/2023, 11:39:58 AM	0	6.825	40.5	89.2	0
3/5/2023, 11:49:58 AM	0	6.825	40.3	88.8	0
3/5/2023, 11:59:58 AM	0	6.825	40.3	88.5	0
3/5/2023, 12:09:58 PM	0	6.825	40.6	88.4	0
3/5/2023, 12:19:58 PM	0	6.825	40.8	88.1	0
3/5/2023, 12:29:58 PM	0	6.825	40.8	87.7	0
3/5/2023, 12:39:58 PM	0	6.833	40.6	87.4	0
3/5/2023, 12:49:58 PM	0	6.833	40.6	87.2	0
3/5/2023, 12:59:58 PM	0	6.833	40.5	87	0
3/5/2023, 1:09:58 PM	0	6.825	40.5	86.9	0
3/5/2023, 1:19:58 PM	0	6.825	40.5	86.7	0
3/5/2023, 1:29:58 PM	0	6.825	40.3	86.5	0
3/5/2023, 1:39:58 PM	0	6.833	40.3	86.4	0
3/5/2023, 1:49:58 PM	0	6.825	40.3	86.3	0
3/5/2023, 1:59:58 PM	0	6.833	40.3	86.1	0
3/5/2023, 2:09:58 PM	0	6.833	40.3	85.7	0
3/5/2023, 2:19:58 PM	0	6.825	40.3	85.4	0
3/5/2023, 2:29:58 PM	0	6.825	40.5	85.1	0
3/5/2023, 2:39:58 PM	0	6.825	40.8	84.9	0
3/5/2023, 2:49:58 PM	0	6.825	41	84.6	0
3/5/2023, 2:59:58 PM	0	6.833	41.4	84.3	0
3/5/2023, 3:09:58 PM	0	6.833	41.5	84	0
3/5/2023, 3:19:58 PM	0	6.833	41.5	83.7	0
3/5/2023, 3:29:58 PM	0	6.833	41.4	83.4	0
3/5/2023, 3:39:58 PM	0	6.833	41.2	83.1	0
3/5/2023, 3:49:58 PM	0	6.833	41	83	0
3/5/2023, 3:59:58 PM	0	6.833	41	82.9	0
3/5/2023, 4:09:58 PM	0	6.833	40.8	82.9	0
3/5/2023, 4:19:58 PM	0	6.833	40.8	82.9	0
3/5/2023, 4:29:58 PM	0	6.833	40.8	83	0
3/5/2023, 4:39:58 PM	0	6.833	40.6	83	0
3/5/2023, 4:49:58 PM	0	6.833	40.6	82.9	0
3/5/2023, 4:59:58 PM	0	6.833	40.5	83	0
3/5/2023, 5:09:58 PM	0	6.833	40.3	82.9	0
3/5/2023, 5:19:58 PM	0	6.833	40.1	83	0
3/5/2023, 5:29:58 PM	0	6.833	39.9	83.1	0
3/5/2023, 5:39:58 PM	0	6.825	39.7	83.1	0
3/5/2023, 5:49:58 PM	0	6.825	39.6	83.3	0
3/5/2023, 5:59:58 PM	0	6.825	39.4	83.4	0
3/5/2023, 6:09:58 PM	0	6.825	39	83.5	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/5/2023, 6:19:58 PM	0	6.825	38.8	83.7	0
3/5/2023, 6:29:58 PM	0	6.825	38.5	83.8	0
3/5/2023, 6:39:58 PM	0	6.825	38.1	83.9	0
3/5/2023, 6:49:58 PM	0	6.825	37.9	84.1	0
3/5/2023, 6:59:58 PM	0	6.825	37.6	84.4	0
3/5/2023, 7:09:58 PM	0	6.825	37.4	84.6	0
3/5/2023, 7:19:58 PM	0	6.825	37	84.8	0
3/5/2023, 7:29:58 PM	0	6.825	36.9	85.1	0
3/5/2023, 7:39:58 PM	0	6.825	36.7	85.3	0
3/5/2023, 7:49:58 PM	0	6.825	36.5	85.5	0
3/5/2023, 7:59:58 PM	0	6.825	36.1	85.8	0
3/5/2023, 8:09:58 PM	0	6.816	36	85.8	0
3/5/2023, 8:19:58 PM	0	6.816	35.6	85.8	0
3/5/2023, 8:29:58 PM	0	6.816	35.1	85.9	0
3/5/2023, 8:39:58 PM	0	6.816	34.5	85.9	0
3/5/2023, 8:49:58 PM	0	6.816	34.2	85.9	0
3/5/2023, 8:59:58 PM	0	6.816	33.6	86	0
3/5/2023, 9:09:58 PM	0	6.816	33.3	86.2	0
3/5/2023, 9:19:58 PM	0	6.816	32.9	86.4	0
3/5/2023, 9:29:58 PM	0	6.807	32.7	86.6	0
3/5/2023, 9:39:58 PM	0	6.807	32.4	86.8	0
3/5/2023, 9:49:58 PM	0	6.807	32.2	87.1	0
3/5/2023, 9:59:58 PM	0	6.807	32	87.4	0
3/5/2023, 10:09:58 PM	0	6.807	32	87.7	0
3/5/2023, 10:19:58 PM	0	6.807	32	88.1	0
3/5/2023, 10:29:58 PM	0	6.807	32.2	88.6	0
3/5/2023, 10:39:58 PM	0	6.807	32.4	88.9	0
3/5/2023, 10:49:58 PM	0	6.807	32.4	89.3	0
3/5/2023, 10:59:58 PM	0	6.807	32.5	89.6	0
3/5/2023, 11:09:58 PM	0	6.807	32.5	89.8	0
3/5/2023, 11:19:58 PM	0	6.807	32.7	89.8	0
3/5/2023, 11:29:58 PM	0	6.807	32.7	89.9	0
3/5/2023, 11:39:58 PM	0	6.807	32.7	90	0
3/5/2023, 11:49:58 PM	0	6.807	32.7	89.9	0
3/5/2023, 11:59:58 PM	0	6.807	32.7	89.9	0
3/6/2023, 12:09:58 AM	0	6.807	32.7	89.8	0
3/6/2023, 12:19:58 AM	0	6.807	32.5	89.8	0
3/6/2023, 12:29:58 AM	0	6.807	32.5	89.7	0
3/6/2023, 12:39:58 AM	0	6.807	32.4	89.7	0
3/6/2023, 12:49:58 AM	0	6.807	32.4	89.7	0
3/6/2023, 12:59:58 AM	0	6.807	32.2	89.7	0
3/6/2023, 1:09:58 AM	0	6.807	32	89.6	0
3/6/2023, 1:19:58 AM	0	6.807	32	89.7	0
3/6/2023, 1:29:58 AM	0	6.807	32	89.6	0
3/6/2023, 1:39:58 AM	0	6.807	31.8	89.7	0
3/6/2023, 1:49:58 AM	0	6.807	31.8	89.8	0
3/6/2023, 1:59:58 AM	0	6.807	31.6	89.8	0
3/6/2023, 2:09:58 AM	0	6.807	31.5	89.8	0
3/6/2023, 2:19:58 AM	0	6.807	31.3	89.8	0
3/6/2023, 2:29:58 AM	0	6.807	31.3	89.9	0
3/6/2023, 2:39:58 AM	0	6.807	31.1	89.9	0
3/6/2023, 2:49:58 AM	0	6.807	30.9	90	0
3/6/2023, 2:59:58 AM	0	6.798	30.9	90.1	0
3/6/2023, 3:09:58 AM	0	6.798	30.7	90.1	0
3/6/2023, 3:19:58 AM	0	6.798	30.6	90.1	0
3/6/2023, 3:29:58 AM	0	6.798	30.4	90	0
3/6/2023, 3:39:58 AM	0	6.798	30.2	90.1	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/6/2023, 3:49:58 AM	0	6.798	30	90.2	0
3/6/2023, 3:59:58 AM	0	6.798	30	90.3	0
3/6/2023, 4:09:58 AM	0	6.798	30	90.4	0
3/6/2023, 4:19:58 AM	0	6.798	30	90.5	0
3/6/2023, 4:29:58 AM	0	6.798	29.8	90.5	0
3/6/2023, 4:39:58 AM	0	6.798	29.7	90.6	0
3/6/2023, 4:49:58 AM	0	6.798	29.7	90.6	0
3/6/2023, 4:59:58 AM	0	6.798	29.5	90.6	0
3/6/2023, 5:09:58 AM	0	6.798	29.3	90.8	0
3/6/2023, 5:19:58 AM	0	6.798	29.3	90.8	0
3/6/2023, 5:29:58 AM	0	6.798	29.3	90.9	0
3/6/2023, 5:39:58 AM	0	6.798	29.3	91	0
3/6/2023, 5:49:58 AM	0	6.798	29.1	91	0
3/6/2023, 5:59:58 AM	0	6.798	29.1	91	0
3/6/2023, 6:09:58 AM	0	6.798	28.9	91	0
3/6/2023, 6:19:58 AM	0	6.798	28.8	91	0
3/6/2023, 6:29:58 AM	0	6.798	28.8	91.1	0
3/6/2023, 6:39:58 AM	0	6.79	28.8	91.3	0
3/6/2023, 6:49:58 AM	0	6.798	28.9	91.4	0
3/6/2023, 6:59:58 AM	0	6.79	28.9	91.5	0
3/6/2023, 7:09:58 AM	0	6.79	28.9	91.6	0
3/6/2023, 7:19:58 AM	0	6.79	29.1	91.7	0
3/6/2023, 7:29:58 AM	0	6.79	29.3	91.9	0
3/6/2023, 7:39:58 AM	0	6.79	29.7	92.2	0
3/6/2023, 7:49:58 AM	0	6.798	30	92.5	0
3/6/2023, 7:59:58 AM	0	6.798	30.6	92.8	0
3/6/2023, 8:09:58 AM	0	6.798	30.9	93.1	0
3/6/2023, 8:19:58 AM	0	6.798	31.3	93.2	0
3/6/2023, 8:29:58 AM	0	6.798	31.6	93.3	0
3/6/2023, 8:39:58 AM	0	6.798	32	93.4	0
3/6/2023, 8:49:58 AM	0	6.798	32.4	93.4	0
3/6/2023, 8:59:58 AM	0	6.807	32.7	93.4	0
3/6/2023, 9:09:58 AM	0	6.807	33.1	93.3	0
3/6/2023, 9:19:58 AM	0	6.807	33.6	93.2	0
3/6/2023, 9:29:58 AM	0	6.807	34	93	0
3/6/2023, 9:39:58 AM	0	6.807	34.3	92.7	0
3/6/2023, 9:49:58 AM	0	6.807	34.5	92.3	0
3/6/2023, 9:59:58 AM	0	6.807	35.1	92	0
3/6/2023, 10:09:58 AM	0	6.807	35.4	91.7	0
3/6/2023, 10:19:58 AM	0	6.816	35.8	91.3	0
3/6/2023, 10:29:58 AM	0	6.816	36.1	90.9	0
3/6/2023, 10:39:58 AM	0	6.816	36.3	90.4	0
3/6/2023, 10:49:58 AM	0	6.816	36.5	89.8	0
3/6/2023, 10:59:58 AM	0	6.816	36.7	89.3	0
3/6/2023, 11:09:58 AM	0	6.816	36.9	88.8	0
3/6/2023, 11:19:58 AM	0	6.816	37.2	88.3	0
3/6/2023, 11:29:58 AM	0	6.816	37.6	87.4	0
3/6/2023, 11:39:58 AM	0	6.816	37.9	86.8	0
3/6/2023, 11:49:58 AM	0	6.816	38.3	86.1	0
3/6/2023, 11:59:58 AM	0	6.816	39.2	85.5	0
3/6/2023, 12:09:58 PM	0	6.825	39.7	84.7	0
3/6/2023, 12:19:58 PM	0	6.825	40.1	84	0
3/6/2023, 12:29:58 PM	0	6.825	40.5	83.4	0
3/6/2023, 12:39:58 PM	0	6.825	40.8	83	0
3/6/2023, 12:49:58 PM	0	6.825	41.4	82.1	0
3/6/2023, 12:59:58 PM	0	6.825	41.7	80.7	0
3/6/2023, 1:09:58 PM	0	6.825	42.1	79.3	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/6/2023, 1:19:58 PM	0	6.825	42.3	78	0
3/6/2023, 1:29:58 PM	0	6.825	42.4	76.7	0
3/6/2023, 1:39:58 PM	0	6.833	42.4	75.8	0
3/6/2023, 1:49:58 PM	0	6.825	42.3	74.9	0
3/6/2023, 1:59:58 PM	0	6.825	42.4	74.3	0
3/6/2023, 2:09:58 PM	0	6.833	42.6	73.6	0
3/6/2023, 2:19:58 PM	0	6.833	42.6	73	0
3/6/2023, 2:29:58 PM	0	6.833	42.6	72.3	0
3/6/2023, 2:39:58 PM	0	6.833	42.8	71.7	0
3/6/2023, 2:49:58 PM	0	6.833	42.8	71.1	0
3/6/2023, 2:59:58 PM	0	6.833	42.6	70.6	0
3/6/2023, 3:09:58 PM	0	6.833	42.6	70.2	0
3/6/2023, 3:19:58 PM	0	6.833	42.6	69.7	0
3/6/2023, 3:29:58 PM	0	6.833	42.4	69.5	0
3/6/2023, 3:39:58 PM	0	6.833	42.1	69	0
3/6/2023, 3:49:58 PM	0	6.833	41.7	67.9	0
3/6/2023, 3:59:58 PM	0	6.833	41.2	67	0
3/6/2023, 4:09:58 PM	0	6.825	41	66.7	0
3/6/2023, 4:19:58 PM	0	6.825	40.6	66.7	0
3/6/2023, 4:29:58 PM	0	6.825	40.3	66.8	0
3/6/2023, 4:39:58 PM	0	6.825	39.9	66.9	0
3/6/2023, 4:49:58 PM	0	6.825	39.6	67.2	0
3/6/2023, 4:59:58 PM	0	6.825	39.2	67.5	0
3/6/2023, 5:09:58 PM	0	6.825	39	67.9	0
3/6/2023, 5:19:58 PM	0	6.825	38.5	68.3	0
3/6/2023, 5:29:58 PM	0	6.825	38.1	68.6	0
3/6/2023, 5:39:58 PM	0	6.825	37.6	68.9	0
3/6/2023, 5:49:58 PM	0	6.825	37.2	69.1	0
3/6/2023, 5:59:58 PM	0	6.816	36.9	69.6	0
3/6/2023, 6:09:58 PM	0	6.816	36.5	69.9	0
3/6/2023, 6:19:58 PM	0	6.816	36.1	70.1	0
3/6/2023, 6:29:58 PM	0	6.816	35.8	70	0
3/6/2023, 6:39:58 PM	0	6.816	35.6	69.9	0
3/6/2023, 6:49:58 PM	0	6.816	35.2	70	0
3/6/2023, 6:59:58 PM	0	6.816	35.1	70.4	0
3/6/2023, 7:09:58 PM	0	6.816	34.9	71	0
3/6/2023, 7:19:58 PM	0	6.816	34.7	71.8	0
3/6/2023, 7:29:58 PM	0	6.816	34.3	72.4	0
3/6/2023, 7:39:58 PM	0	6.816	34.2	72.9	0
3/6/2023, 7:49:58 PM	0	6.816	34	73.2	0
3/6/2023, 7:59:58 PM	0	6.807	33.8	73.5	0
3/6/2023, 8:09:58 PM	0	6.807	33.6	74	0
3/6/2023, 8:19:58 PM	0	6.807	33.4	74.4	0
3/6/2023, 8:29:58 PM	0	6.807	33.3	74.7	0
3/6/2023, 8:39:58 PM	0	6.807	33.3	75.2	0
3/6/2023, 8:49:58 PM	0	6.807	33.3	75.4	0
3/6/2023, 8:59:58 PM	0	6.807	33.1	75.6	0
3/6/2023, 9:09:58 PM	0	6.807	33.1	75.9	0
3/6/2023, 9:19:58 PM	0	6.807	33.1	76.1	0
3/6/2023, 9:29:58 PM	0	6.807	32.9	76.6	0
3/6/2023, 9:39:58 PM	0	6.807	32.9	76.9	0
3/6/2023, 9:49:58 PM	0	6.807	32.9	77.2	0
3/6/2023, 9:59:58 PM	0	6.807	32.9	77.5	0
3/6/2023, 10:09:58 PM	0	6.807	32.9	77.8	0
3/6/2023, 10:19:58 PM	0	6.807	32.7	78.1	0
3/6/2023, 10:29:58 PM	0	6.807	32.7	78.6	0
3/6/2023, 10:39:58 PM	0	6.807	32.7	78.9	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/6/2023, 10:49:58 PM	0	6.807	32.7	79	0
3/6/2023, 10:59:58 PM	0	6.807	32.5	79.2	0
3/6/2023, 11:09:58 PM	0	6.807	32.5	79.5	0
3/6/2023, 11:19:58 PM	0	6.807	32.5	79.7	0
3/6/2023, 11:29:58 PM	0	6.807	32.5	80	0
3/6/2023, 11:39:58 PM	0	6.807	32.5	80.2	0
3/6/2023, 11:49:58 PM	0	6.807	32.4	80.5	0
3/6/2023, 11:59:58 PM	0	6.807	32.4	80.6	0
3/7/2023, 12:09:58 AM	0	6.807	32.4	80.6	0
3/7/2023, 12:19:58 AM	0	6.807	32.4	80.7	0
3/7/2023, 12:29:58 AM	0	6.807	32.4	80.9	0
3/7/2023, 12:39:58 AM	0	6.807	32.2	80.9	0
3/7/2023, 12:49:58 AM	0	6.807	32	80.8	0
3/7/2023, 12:59:58 AM	0	6.807	32	80.7	0
3/7/2023, 1:09:58 AM	0	6.798	31.5	80.6	0
3/7/2023, 1:19:58 AM	0	6.798	31.1	80.9	0
3/7/2023, 1:29:58 AM	0	6.798	30.9	81.1	0
3/7/2023, 1:39:58 AM	0	6.798	30.7	81.3	0
3/7/2023, 1:49:58 AM	0	6.798	30.6	81.6	0
3/7/2023, 1:59:58 AM	0	6.798	30.7	82	0
3/7/2023, 2:09:58 AM	0	6.798	30.7	82.3	0
3/7/2023, 2:19:58 AM	0	6.798	30.7	82.6	0
3/7/2023, 2:29:58 AM	0	6.798	30.9	82.3	0
3/7/2023, 2:39:58 AM	0	6.798	31.3	81.5	0
3/7/2023, 2:49:58 AM	0	6.798	31.6	80.3	0
3/7/2023, 2:59:58 AM	0	6.798	32	79.2	0
3/7/2023, 3:09:58 AM	0	6.798	32	78.1	0
3/7/2023, 3:19:58 AM	0	6.798	32.2	77.1	0
3/7/2023, 3:29:58 AM	0	6.798	32.4	76.3	0
3/7/2023, 3:39:58 AM	0	6.798	32.4	75.4	0
3/7/2023, 3:49:58 AM	0	6.807	32.4	74.7	0
3/7/2023, 3:59:58 AM	0	6.807	32.2	74.1	0
3/7/2023, 4:09:58 AM	0	6.807	32	73.7	0
3/7/2023, 4:19:58 AM	0	6.807	32	73.1	0
3/7/2023, 4:29:58 AM	0	6.798	31.8	72.8	0
3/7/2023, 4:39:58 AM	0	6.798	31.6	72.4	0
3/7/2023, 4:49:58 AM	0	6.798	31.6	72.1	0
3/7/2023, 4:59:58 AM	0	6.798	31.5	71.9	0
3/7/2023, 5:09:58 AM	0	6.798	31.3	71.8	0
3/7/2023, 5:19:58 AM	0	6.798	31.1	71.7	0
3/7/2023, 5:29:58 AM	0	6.798	30.9	71.5	0
3/7/2023, 5:39:58 AM	0	6.798	30.7	71.4	0
3/7/2023, 5:49:58 AM	0	6.798	30.6	71.4	0
3/7/2023, 5:59:58 AM	0	6.798	30.4	71.3	0
3/7/2023, 6:09:58 AM	0	6.798	30.2	71.3	0
3/7/2023, 6:19:58 AM	0	6.798	29.8	71.3	0
3/7/2023, 6:29:58 AM	0	6.798	29.7	71.4	0
3/7/2023, 6:39:58 AM	0	6.798	29.5	71.3	0
3/7/2023, 6:49:58 AM	0	6.798	29.3	71.2	0
3/7/2023, 6:59:58 AM	0	6.79	29.3	71.2	0
3/7/2023, 7:09:58 AM	0	6.79	29.3	71.2	0
3/7/2023, 7:19:58 AM	0	6.79	29.5	71.2	0
3/7/2023, 7:29:58 AM	0	6.79	29.7	71.2	0
3/7/2023, 7:39:58 AM	0	6.79	29.8	71.1	0
3/7/2023, 7:49:58 AM	0	6.79	30	70.9	0
3/7/2023, 7:59:58 AM	0	6.798	30.4	70.8	0
3/7/2023, 8:09:58 AM	0	6.798	31.1	70.6	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/7/2023, 8:19:58 AM	0	6.798	31.6	70.3	0
3/7/2023, 8:29:58 AM	0	6.798	32.2	70.1	0
3/7/2023, 8:39:58 AM	0	6.798	32.9	69.9	0
3/7/2023, 8:49:58 AM	0	6.798	33.8	69.6	0
3/7/2023, 8:59:58 AM	0	6.798	34	69.1	0
3/7/2023, 9:09:58 AM	0	6.807	34.5	68.8	0
3/7/2023, 9:19:58 AM	0	6.807	35.1	68.6	0
3/7/2023, 9:29:58 AM	0	6.807	35.6	68.3	0
3/7/2023, 9:39:58 AM	0	6.807	35.8	68.1	0
3/7/2023, 9:49:58 AM	0	6.807	36	67.8	0
3/7/2023, 9:59:58 AM	0	6.807	36.3	67.7	0
3/7/2023, 10:09:58 AM	0	6.807	36.7	67.5	0
3/7/2023, 10:19:58 AM	0	6.807	36.9	67.1	0
3/7/2023, 10:29:58 AM	0	6.816	36.9	66.8	0
3/7/2023, 10:39:58 AM	0	6.816	36.9	66.6	0
3/7/2023, 10:49:58 AM	0	6.816	37	66.5	0
3/7/2023, 10:59:58 AM	0	6.816	37.6	66.3	0
3/7/2023, 11:09:58 AM	0	6.816	37.9	66	0
3/7/2023, 11:19:58 AM	0	6.816	38.5	65.8	0
3/7/2023, 11:29:58 AM	0	6.816	38.8	65.6	0
3/7/2023, 11:39:58 AM	0	6.816	39	65.4	0
3/7/2023, 11:49:58 AM	0	6.816	39.2	65.2	0
3/7/2023, 11:59:58 AM	0	6.816	39.4	64.8	0
3/7/2023, 12:09:58 PM	0	6.816	39.4	64.6	0
3/7/2023, 12:19:58 PM	0	6.816	39	64.3	0
3/7/2023, 12:29:58 PM	0	6.816	38.7	64.1	0
3/7/2023, 12:39:58 PM	0	6.816	38.1	64	0
3/7/2023, 12:49:58 PM	0	6.816	37.9	64.1	0
3/7/2023, 12:59:58 PM	0	6.816	37.8	64.2	0
3/7/2023, 1:09:58 PM	0	6.816	37.8	64.2	0
3/7/2023, 1:19:58 PM	0	6.816	37.6	64.1	0
3/7/2023, 1:29:58 PM	0	6.816	37.6	64.2	0
3/7/2023, 1:39:58 PM	0	6.816	37.8	64.3	0
3/7/2023, 1:49:58 PM	0	6.816	37.9	64.1	0
3/7/2023, 1:59:58 PM	0	6.816	37.9	64	0
3/7/2023, 2:09:58 PM	0	6.816	37.8	63.7	0
3/7/2023, 2:19:58 PM	0	6.816	37.4	63.4	0
3/7/2023, 2:29:58 PM	0	6.816	37.4	63.5	0
3/7/2023, 2:39:58 PM	0	6.816	37.8	63.5	0
3/7/2023, 2:49:58 PM	0	6.816	37.8	63.4	0
3/7/2023, 2:59:58 PM	0	6.816	37.8	63.2	0
3/7/2023, 3:09:58 PM	0	6.816	37.4	63	0
3/7/2023, 3:19:58 PM	0	6.816	37.2	63	0
3/7/2023, 3:29:58 PM	0	6.816	37.2	62.9	0
3/7/2023, 3:39:58 PM	0	6.816	37	62.9	0
3/7/2023, 3:49:58 PM	0	6.816	37	62.7	0
3/7/2023, 3:59:58 PM	0	6.816	36.9	62.5	0
3/7/2023, 4:09:58 PM	0	6.816	36.5	62.3	0
3/7/2023, 4:19:58 PM	0	6.816	36.3	62.3	0
3/7/2023, 4:29:58 PM	0	6.816	36.3	62.2	0
3/7/2023, 4:39:58 PM	0	6.816	36.1	62.2	0
3/7/2023, 4:49:58 PM	0	6.816	36.1	62.2	0
3/7/2023, 4:59:58 PM	0	6.816	36.1	62.1	0
3/7/2023, 5:09:58 PM	0	6.816	36.1	62.2	0
3/7/2023, 5:19:58 PM	0	6.816	36.1	62.3	0
3/7/2023, 5:29:58 PM	0	6.816	36	62.5	0
3/7/2023, 5:39:58 PM	0	6.816	36	62.5	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/7/2023, 5:49:58 PM	0	6.816	36	62.4	0
3/7/2023, 5:59:58 PM	0	6.816	36	62.4	0
3/7/2023, 6:09:58 PM	0	6.816	35.8	62.4	0
3/7/2023, 6:19:58 PM	0	6.816	35.8	62.4	0
3/7/2023, 6:29:58 PM	0	6.816	35.8	62.5	0
3/7/2023, 6:39:58 PM	0	6.816	35.6	62.9	0
3/7/2023, 6:49:58 PM	0	6.816	35.4	63.2	0
3/7/2023, 6:59:58 PM	0	6.816	35.4	63.5	0
3/7/2023, 7:09:58 PM	0	6.816	35.2	63.8	0
3/7/2023, 7:19:58 PM	0	6.816	35.2	64.1	0
3/7/2023, 7:29:58 PM	0	6.807	35.1	64.4	0
3/7/2023, 7:39:58 PM	0	6.807	35.1	64.6	0
3/7/2023, 7:49:58 PM	0	6.807	35.2	64.6	0
3/7/2023, 7:59:58 PM	0	6.807	35.2	64.5	0
3/7/2023, 8:09:58 PM	0	6.807	35.2	64.4	0
3/7/2023, 8:19:58 PM	0	6.807	35.2	64.5	0
3/7/2023, 8:29:58 PM	0	6.807	35.1	64.6	0
3/7/2023, 8:39:58 PM	0	6.807	35.1	64.8	0
3/7/2023, 8:49:58 PM	0	6.807	34.9	64.9	0
3/7/2023, 8:59:58 PM	0	6.807	34.7	65.1	0
3/7/2023, 9:09:58 PM	0	6.807	34.7	65.2	0
3/7/2023, 9:19:58 PM	0	6.807	34.5	65.4	0
3/7/2023, 9:29:58 PM	0	6.807	34.3	65.4	0
3/7/2023, 9:39:58 PM	0	6.807	34.2	65.6	0
3/7/2023, 9:49:58 PM	0	6.807	34	65.7	0
3/7/2023, 9:59:58 PM	0	6.807	33.8	65.9	0
3/7/2023, 10:09:58 PM	0	6.807	33.6	65.9	0
3/7/2023, 10:19:58 PM	0	6.807	33.6	65.9	0
3/7/2023, 10:29:58 PM	0	6.807	33.4	65.9	0
3/7/2023, 10:39:58 PM	0	6.807	33.3	65.9	0
3/7/2023, 10:49:58 PM	0	6.807	33.1	66.1	0
3/7/2023, 10:59:58 PM	0	6.807	33.1	66.4	0
3/7/2023, 11:09:58 PM	0	6.807	32.9	66.4	0
3/7/2023, 11:19:58 PM	0	6.807	32.9	66.5	0
3/7/2023, 11:29:58 PM	0	6.807	32.7	66.6	0
3/7/2023, 11:39:58 PM	0	6.798	32.5	66.8	0
3/7/2023, 11:49:58 PM	0	6.807	32.5	66.9	0
3/7/2023, 11:59:58 PM	0	6.798	32.4	67.1	0
3/8/2023, 12:09:58 AM	0	6.798	32.4	67.4	0
3/8/2023, 12:19:58 AM	0	6.798	32.4	67.6	0
3/8/2023, 12:29:58 AM	0	6.798	32.2	67.8	0
3/8/2023, 12:39:58 AM	0	6.798	32.2	68	0
3/8/2023, 12:49:58 AM	0	6.798	32	68.3	0
3/8/2023, 12:59:58 AM	0	6.798	32	68.4	0
3/8/2023, 1:09:58 AM	0	6.798	32	68.6	0
3/8/2023, 1:19:58 AM	0	6.798	32	68.7	0
3/8/2023, 1:29:58 AM	0	6.798	32	68.9	0
3/8/2023, 1:39:58 AM	0	6.798	31.8	69.1	0
3/8/2023, 1:49:58 AM	0	6.798	31.8	69.3	0
3/8/2023, 1:59:58 AM	0	6.798	31.6	69.5	0
3/8/2023, 2:09:58 AM	0	6.798	31.6	69.7	0
3/8/2023, 2:19:58 AM	0	6.798	31.6	69.9	0
3/8/2023, 2:29:58 AM	0	6.798	31.6	70	0
3/8/2023, 2:39:58 AM	0	6.798	31.5	70.1	0
3/8/2023, 2:49:58 AM	0	6.798	31.5	70.2	0
3/8/2023, 2:59:58 AM	0	6.798	31.5	70.3	0
3/8/2023, 3:09:58 AM	0	6.798	31.5	70.3	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/8/2023, 3:19:58 AM	0	6.798	31.5	70.3	0
3/8/2023, 3:29:58 AM	0	6.798	31.5	70.3	0
3/8/2023, 3:39:58 AM	0	6.798	31.3	70.3	0
3/8/2023, 3:49:58 AM	0	6.798	31.3	70.3	0
3/8/2023, 3:59:58 AM	0	6.798	31.3	70.3	0
3/8/2023, 4:09:58 AM	0	6.798	31.1	70.4	0
3/8/2023, 4:19:58 AM	0	6.798	31.1	70.5	0
3/8/2023, 4:29:58 AM	0	6.798	31.1	70.6	0
3/8/2023, 4:39:58 AM	0	6.798	30.9	70.7	0
3/8/2023, 4:49:58 AM	0	6.798	30.9	70.8	0
3/8/2023, 4:59:58 AM	0	6.798	30.9	70.8	0
3/8/2023, 5:09:58 AM	0	6.798	30.7	70.8	0
3/8/2023, 5:19:58 AM	0	6.798	30.7	70.7	0
3/8/2023, 5:29:58 AM	0	6.798	30.7	70.7	0
3/8/2023, 5:39:58 AM	0	6.798	30.7	70.7	0
3/8/2023, 5:49:58 AM	0	6.79	30.7	70.8	0
3/8/2023, 5:59:58 AM	0	6.798	30.7	70.8	0
3/8/2023, 6:09:58 AM	0	6.79	30.7	70.9	0
3/8/2023, 6:19:58 AM	0	6.79	30.6	70.9	0
3/8/2023, 6:29:58 AM	0	6.798	30.6	71	0
3/8/2023, 6:39:58 AM	0	6.798	30.6	71.2	0
3/8/2023, 6:49:58 AM	0	6.798	30.6	71.3	0
3/8/2023, 6:59:58 AM	0	6.79	30.6	71.4	0
3/8/2023, 7:09:58 AM	0	6.798	30.6	71.6	0
3/8/2023, 7:19:58 AM	0	6.79	30.6	71.7	0
3/8/2023, 7:29:58 AM	0	6.79	30.6	71.9	0
3/8/2023, 7:39:58 AM	0	6.79	30.6	72	0
3/8/2023, 7:49:58 AM	0	6.79	30.6	72.2	0
3/8/2023, 7:59:58 AM	0	6.79	30.6	72.4	0
3/8/2023, 8:09:58 AM	0	6.79	30.6	72.5	0
3/8/2023, 8:19:58 AM	0	6.79	30.6	72.8	0
3/8/2023, 8:29:58 AM	0	6.79	30.6	72.9	0
3/8/2023, 8:39:58 AM	0	6.79	30.7	73	0
3/8/2023, 8:49:58 AM	0	6.79	30.9	73.1	0
3/8/2023, 8:59:58 AM	0	6.79	31.1	73.2	0
3/8/2023, 9:09:58 AM	0	6.798	31.3	73.3	0
3/8/2023, 9:19:58 AM	0	6.798	31.5	73.3	0
3/8/2023, 9:29:58 AM	0	6.798	31.6	73.2	0
3/8/2023, 9:39:58 AM	0	6.798	31.8	73.2	0
3/8/2023, 9:49:58 AM	0	6.798	32	73.1	0
3/8/2023, 9:59:58 AM	0	6.798	32	73	0
3/8/2023, 10:09:58 AM	0	6.798	32	72.9	0
3/8/2023, 10:19:58 AM	0	6.798	32	72.7	0
3/8/2023, 10:29:58 AM	0	6.798	32	72.5	0
3/8/2023, 10:39:58 AM	0	6.798	31.8	72.4	0
3/8/2023, 10:49:58 AM	0	6.798	32	72.3	0
3/8/2023, 10:59:58 AM	0	6.798	32	72.3	0
3/8/2023, 11:09:58 AM	0	6.798	32	72.2	0
3/8/2023, 11:19:58 AM	0	6.798	32	72.1	0
3/8/2023, 11:29:58 AM	0	6.798	32.2	72	0
3/8/2023, 11:39:58 AM	0	6.798	32.4	72	0
3/8/2023, 11:49:58 AM	0	6.798	32.7	71.9	0
3/8/2023, 11:59:58 AM	0	6.798	33.1	71.9	0
3/8/2023, 12:09:58 PM	0	6.798	33.4	71.8	0
3/8/2023, 12:19:58 PM	0	6.798	33.8	71.4	0
3/8/2023, 12:29:58 PM	0	6.798	34.3	71.1	0
3/8/2023, 12:39:58 PM	0	6.798	34.7	70.7	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/8/2023, 12:49:58 PM	0	6.807	35.2	70.3	0
3/8/2023, 12:59:58 PM	0	6.807	35.4	70	0
3/8/2023, 1:09:58 PM	0	6.807	35.6	69.6	0
3/8/2023, 1:19:58 PM	0	6.807	36	69.4	0
3/8/2023, 1:29:58 PM	0	6.807	36.1	69	0
3/8/2023, 1:39:58 PM	0	6.807	36.3	68.8	0
3/8/2023, 1:49:58 PM	0	6.807	36.7	68.5	0
3/8/2023, 1:59:58 PM	0	6.807	36.7	68.1	0
3/8/2023, 2:09:58 PM	0	6.807	36.7	67.9	0
3/8/2023, 2:19:58 PM	0	6.807	36.7	67.7	0
3/8/2023, 2:29:58 PM	0	6.807	36.7	67.4	0
3/8/2023, 2:39:58 PM	0	6.807	37	67.2	0
3/8/2023, 2:49:58 PM	0	6.807	37	66.9	0
3/8/2023, 2:59:58 PM	0	6.816	37	66.7	0
3/8/2023, 3:09:58 PM	0	6.816	37.2	66.5	0
3/8/2023, 3:19:58 PM	0	6.816	37.2	66.3	0
3/8/2023, 3:29:58 PM	0	6.816	37.2	66.2	0
3/8/2023, 3:39:58 PM	0	6.816	37.4	66.1	0
3/8/2023, 3:49:58 PM	0	6.816	37.8	66	0
3/8/2023, 3:59:58 PM	0	6.816	37.9	65.8	0
3/8/2023, 4:09:58 PM	0	6.816	37.8	65.5	0
3/8/2023, 4:19:58 PM	0	6.816	37.4	65.4	0
3/8/2023, 4:29:58 PM	0	6.816	36.9	65.3	0
3/8/2023, 4:39:58 PM	0	6.816	36.5	65.3	0
3/8/2023, 4:49:58 PM	0	6.807	36.3	65.3	0
3/8/2023, 4:59:58 PM	0	6.807	36.3	65.3	0
3/8/2023, 5:09:58 PM	0	6.807	36.1	65.3	0
3/8/2023, 5:19:58 PM	0	6.807	35.8	65.4	0
3/8/2023, 5:29:58 PM	0	6.807	35.4	65.4	0
3/8/2023, 5:39:58 PM	0	6.807	35.1	65.4	0
3/8/2023, 5:49:58 PM	0	6.807	34.7	65.3	0
3/8/2023, 5:59:58 PM	0	6.807	34.3	65.2	0
3/8/2023, 6:09:58 PM	0	6.807	34	65.3	0
3/8/2023, 6:19:58 PM	0	6.807	33.8	65.5	0
3/8/2023, 6:29:58 PM	0	6.807	33.4	65.6	0
3/8/2023, 6:39:58 PM	0	6.807	33.3	65.9	0
3/8/2023, 6:49:58 PM	0	6.807	33.3	66.2	0
3/8/2023, 6:59:58 PM	0	6.798	33.1	66.3	0
3/8/2023, 7:09:58 PM	0	6.798	33.1	66.5	0
3/8/2023, 7:19:58 PM	0	6.798	32.9	66.8	0
3/8/2023, 7:29:58 PM	0	6.798	32.7	66.9	0
3/8/2023, 7:39:58 PM	0	6.798	32.7	67	0
3/8/2023, 7:49:58 PM	0	6.798	32.4	67.3	0
3/8/2023, 7:59:58 PM	0	6.798	32.2	67.6	0
3/8/2023, 8:09:58 PM	0	6.798	32	67.8	0
3/8/2023, 8:19:58 PM	0	6.798	31.8	68.2	0
3/8/2023, 8:29:58 PM	0	6.798	31.6	68.5	0
3/8/2023, 8:39:58 PM	0	6.798	31.3	68.8	0
3/8/2023, 8:49:58 PM	0	6.798	30.9	69.1	0
3/8/2023, 8:59:58 PM	0	6.798	30.7	69.4	0
3/8/2023, 9:09:58 PM	0	6.79	30.4	69.8	0
3/8/2023, 9:19:58 PM	0	6.79	30.4	70.1	0
3/8/2023, 9:29:58 PM	0	6.79	30	70.5	0
3/8/2023, 9:39:58 PM	0	6.79	30	70.8	0
3/8/2023, 9:49:58 PM	0	6.79	30	71.1	0
3/8/2023, 9:59:58 PM	0	6.79	30.2	71.4	0
3/8/2023, 10:09:58 PM	0	6.79	30.2	71.7	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/8/2023, 10:19:58 PM	0	6.79	30.2	71.9	0
3/8/2023, 10:29:58 PM	0	6.79	30.2	72.3	0
3/8/2023, 10:39:58 PM	0	6.79	30	72.6	0
3/8/2023, 10:49:58 PM	0	6.79	30	72.9	0
3/8/2023, 10:59:58 PM	0	6.79	30.2	73.2	0
3/8/2023, 11:09:58 PM	0	6.79	30.2	73.6	0
3/8/2023, 11:19:58 PM	0	6.79	30.2	73.8	0
3/8/2023, 11:29:58 PM	0	6.79	30.2	74.1	0
3/8/2023, 11:39:58 PM	0	6.79	30.2	74.4	0
3/8/2023, 11:49:58 PM	0	6.79	30	74.6	0
3/8/2023, 11:59:58 PM	0	6.79	30	74.9	0
3/9/2023, 12:09:58 AM	0	6.79	29.8	75.2	0
3/9/2023, 12:19:58 AM	0	6.79	29.8	75.4	0
3/9/2023, 12:29:58 AM	0	6.79	29.8	75.7	0
3/9/2023, 12:39:58 AM	0	6.79	29.7	75.9	0
3/9/2023, 12:49:58 AM	0	6.79	29.7	76.2	0
3/9/2023, 12:59:58 AM	0	6.79	29.5	76.4	0
3/9/2023, 1:09:58 AM	0	6.79	29.3	76.7	0
3/9/2023, 1:19:58 AM	0	6.79	29.1	76.9	0
3/9/2023, 1:29:58 AM	0	6.79	28.9	77.2	0
3/9/2023, 1:39:58 AM	0	6.79	28.9	77.4	0
3/9/2023, 1:49:58 AM	0	6.79	28.8	77.6	0
3/9/2023, 1:59:58 AM	0	6.79	28.6	77.7	0
3/9/2023, 2:09:58 AM	0	6.781	28.2	77.8	0
3/9/2023, 2:19:58 AM	0	6.781	27.9	78	0
3/9/2023, 2:29:58 AM	0	6.781	27.5	78.2	0
3/9/2023, 2:39:58 AM	0	6.781	27.1	78.4	0
3/9/2023, 2:49:58 AM	0	6.781	26.8	78.7	0
3/9/2023, 2:59:58 AM	0	6.781	26.4	78.9	0
3/9/2023, 3:09:58 AM	0	6.781	26.1	79.1	0
3/9/2023, 3:19:58 AM	0	6.772	25.9	79.4	0
3/9/2023, 3:29:58 AM	0	6.772	25.5	79.6	0
3/9/2023, 3:39:58 AM	0	6.772	25.3	79.8	0
3/9/2023, 3:49:58 AM	0	6.772	25.2	80.1	0
3/9/2023, 3:59:58 AM	0	6.772	25	80.5	0
3/9/2023, 4:09:58 AM	0	6.772	24.8	80.7	0
3/9/2023, 4:19:58 AM	0	6.772	24.6	81.1	0
3/9/2023, 4:29:58 AM	0	6.772	24.8	81.5	0
3/9/2023, 4:39:58 AM	0	6.772	25	82	0
3/9/2023, 4:49:58 AM	0	6.772	25.2	82.4	0
3/9/2023, 4:59:58 AM	0	6.772	25.3	82.9	0
3/9/2023, 5:09:58 AM	0	6.772	25.7	83.2	0
3/9/2023, 5:19:58 AM	0	6.772	26.1	83.6	0
3/9/2023, 5:29:58 AM	0	6.772	26.2	83.7	0
3/9/2023, 5:39:58 AM	0	6.772	26.2	83.7	0
3/9/2023, 5:49:58 AM	0	6.772	25.9	83.6	0
3/9/2023, 5:59:58 AM	0	6.772	25.7	83.4	0
3/9/2023, 6:09:58 AM	0	6.772	25.5	83.5	0
3/9/2023, 6:19:58 AM	0	6.772	25.5	83.8	0
3/9/2023, 6:29:58 AM	0	6.772	25.7	84.1	0
3/9/2023, 6:39:58 AM	0	6.772	25.9	84.4	0
3/9/2023, 6:49:58 AM	0	6.772	26.1	84.7	0
3/9/2023, 6:59:58 AM	0	6.772	26.2	84.9	0
3/9/2023, 7:09:58 AM	0	6.772	26.4	85.2	0
3/9/2023, 7:19:58 AM	0	6.772	27	85.4	0
3/9/2023, 7:29:58 AM	0	6.772	27.3	85.5	0
3/9/2023, 7:39:58 AM	0	6.772	27.7	85.4	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/9/2023, 7:49:58 AM	0	6.781	28.2	85.2	0
3/9/2023, 7:59:58 AM	0	6.781	28.8	84.8	0
3/9/2023, 8:09:58 AM	0	6.781	29.3	84.4	0
3/9/2023, 8:19:58 AM	0	6.781	29.8	83.9	0
3/9/2023, 8:29:58 AM	0	6.79	30.4	83.4	0
3/9/2023, 8:39:58 AM	0	6.79	30.7	82.8	0
3/9/2023, 8:49:58 AM	0	6.79	31.1	82.3	0
3/9/2023, 8:59:58 AM	0	6.79	31.5	81.8	0
3/9/2023, 9:09:58 AM	0	6.79	31.6	81.3	0
3/9/2023, 9:19:58 AM	0	6.79	32	80.8	0
3/9/2023, 9:29:58 AM	0	6.79	32.2	80.4	0
3/9/2023, 9:39:58 AM	0	6.798	32.4	80	0
3/9/2023, 9:49:58 AM	0	6.798	32.7	79.5	0
3/9/2023, 9:59:58 AM	0	6.798	32.9	79	0
3/9/2023, 10:09:58 AM	0	6.798	32.9	78.7	0
3/9/2023, 10:19:58 AM	0	6.798	33.1	78.4	0
3/9/2023, 10:29:58 AM	0	6.798	33.3	78	0
3/9/2023, 10:39:58 AM	0	6.798	33.6	77.7	0
3/9/2023, 10:49:58 AM	0	6.798	33.8	77.4	0
3/9/2023, 10:59:58 AM	0	6.798	34.2	77.1	0
3/9/2023, 11:09:58 AM	0	6.798	34.5	76.9	0
3/9/2023, 11:19:58 AM	0	6.798	34.9	76.5	0
3/9/2023, 11:29:58 AM	0	6.798	35.1	76.3	0
3/9/2023, 11:39:58 AM	0	6.807	35.4	76	0
3/9/2023, 11:49:58 AM	0	6.807	35.8	75.6	0
3/9/2023, 11:59:58 AM	0	6.807	36	75.4	0
3/9/2023, 12:09:58 PM	0	6.807	36.3	75	0
3/9/2023, 12:19:58 PM	0	6.807	36.1	74.7	0
3/9/2023, 12:29:58 PM	0	6.807	36.1	74.4	0
3/9/2023, 12:39:58 PM	0	6.807	36.1	74.2	0
3/9/2023, 12:49:58 PM	0	6.807	36.1	74	0
3/9/2023, 12:59:58 PM	0	6.807	36.5	73.8	0
3/9/2023, 1:09:58 PM	0	6.807	36.7	73.7	0
3/9/2023, 1:19:58 PM	0	6.807	37	73.5	0
3/9/2023, 1:29:58 PM	0	6.807	37.4	73.3	0
3/9/2023, 1:39:58 PM	0	6.807	37.6	73	0
3/9/2023, 1:49:58 PM	0	6.807	37.8	72.6	0
3/9/2023, 1:59:58 PM	0	6.807	37.8	72.4	0
3/9/2023, 2:09:58 PM	0	6.807	37.9	72.2	0
3/9/2023, 2:19:58 PM	0	6.807	38.3	72	0
3/9/2023, 2:29:58 PM	0	6.816	38.8	71.9	0
3/9/2023, 2:39:58 PM	0	6.816	39.4	71.5	0
3/9/2023, 2:49:58 PM	0	6.816	39.4	71.2	0
3/9/2023, 2:59:58 PM	0	6.816	39.6	70.9	0
3/9/2023, 3:09:58 PM	0	6.816	39.6	70.6	0
3/9/2023, 3:19:58 PM	0	6.816	39.6	70.4	0
3/9/2023, 3:29:58 PM	0	6.816	39.7	70.2	0
3/9/2023, 3:39:58 PM	0	6.816	39.9	70	0
3/9/2023, 3:49:58 PM	0	6.816	39.9	69.7	0
3/9/2023, 3:59:58 PM	0	6.816	39.9	69.5	0
3/9/2023, 4:09:58 PM	0	6.816	39.7	69.3	0
3/9/2023, 4:19:58 PM	0	6.816	39.2	69.1	0
3/9/2023, 4:29:58 PM	0	6.816	38.7	69	0
3/9/2023, 4:39:58 PM	0	6.816	38.1	69.1	0
3/9/2023, 4:49:58 PM	0	6.816	37.8	69.2	0
3/9/2023, 4:59:58 PM	0	6.816	37.4	69.3	0
3/9/2023, 5:09:58 PM	0	6.816	37.2	69.4	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/9/2023, 5:19:58 PM	0	6.816	37	69.4	0
3/9/2023, 5:29:58 PM	0	6.816	36.7	69.4	0
3/9/2023, 5:39:58 PM	0	6.807	36.1	69.4	0
3/9/2023, 5:49:58 PM	0	6.807	35.6	69.6	0
3/9/2023, 5:59:58 PM	0	6.807	35.1	69.8	0
3/9/2023, 6:09:58 PM	0	6.807	34.5	70.1	0
3/9/2023, 6:19:58 PM	0	6.807	34	70.4	0
3/9/2023, 6:29:58 PM	0	6.807	33.6	70.7	0
3/9/2023, 6:39:58 PM	0	6.807	33.3	71.1	0
3/9/2023, 6:49:58 PM	0	6.798	32.7	71.4	0
3/9/2023, 6:59:58 PM	0	6.798	32.4	71.7	0
3/9/2023, 7:09:58 PM	0	6.798	32	72	0
3/9/2023, 7:19:58 PM	0	6.798	31.5	72.4	0
3/9/2023, 7:29:58 PM	0	6.798	30.9	72.9	0
3/9/2023, 7:39:58 PM	0	6.79	30.4	73.3	0
3/9/2023, 7:49:58 PM	0	6.79	30	73.7	0
3/9/2023, 7:59:58 PM	0	6.79	29.5	74	0
3/9/2023, 8:09:58 PM	0	6.79	29.1	74.5	0
3/9/2023, 8:19:58 PM	0	6.79	28.8	75	0
3/9/2023, 8:29:58 PM	0	6.781	28.4	75.5	0
3/9/2023, 8:39:58 PM	0	6.781	28	76	0
3/9/2023, 8:49:58 PM	0	6.781	27.7	76.4	0
3/9/2023, 8:59:58 PM	0	6.781	27.3	76.9	0
3/9/2023, 9:09:58 PM	0	6.781	27	77.3	0
3/9/2023, 9:19:58 PM	0	6.781	26.8	77.6	0
3/9/2023, 9:29:58 PM	0	6.772	26.4	78.1	0
3/9/2023, 9:39:58 PM	0	6.772	26.2	78.6	0
3/9/2023, 9:49:58 PM	0	6.772	26.1	79	0
3/9/2023, 9:59:58 PM	0	6.772	25.9	79.5	0
3/9/2023, 10:09:58 PM	0	6.772	25.7	79.9	0
3/9/2023, 10:19:58 PM	0	6.772	25.5	80.2	0
3/9/2023, 10:29:58 PM	0	6.772	25.3	80.5	0
3/9/2023, 10:39:58 PM	0	6.772	25.2	80.9	0
3/9/2023, 10:49:58 PM	0	6.772	25	81.1	0
3/9/2023, 10:59:58 PM	0	6.763	25	81.4	0
3/9/2023, 11:09:58 PM	0	6.763	24.8	81.6	0
3/9/2023, 11:19:58 PM	0	6.763	24.6	81.9	0
3/9/2023, 11:29:58 PM	0	6.763	24.4	82.1	0
3/9/2023, 11:39:58 PM	0	6.763	24.3	82.3	0
3/9/2023, 11:49:58 PM	0	6.763	24.1	82.4	0
3/9/2023, 11:59:58 PM	0	6.763	23.9	82.6	0
3/10/2023, 12:09:58 AM	0	6.763	23.7	82.7	0
3/10/2023, 12:19:58 AM	0	6.763	23.5	82.9	0
3/10/2023, 12:29:58 AM	0	6.763	23.4	83.1	0
3/10/2023, 12:39:58 AM	0	6.763	23.4	83.3	0
3/10/2023, 12:49:58 AM	0	6.763	23.2	83.4	0
3/10/2023, 12:59:58 AM	0	6.763	23	83.6	0
3/10/2023, 1:09:58 AM	0	6.754	23	83.8	0
3/10/2023, 1:19:58 AM	0	6.754	23	84	0
3/10/2023, 1:29:58 AM	0	6.754	22.8	84.2	0
3/10/2023, 1:39:58 AM	0	6.754	22.8	84.5	0
3/10/2023, 1:49:58 AM	0	6.754	23	84.7	0
3/10/2023, 1:59:58 AM	0	6.754	23	84.9	0
3/10/2023, 2:09:58 AM	0	6.754	23	85.1	0
3/10/2023, 2:19:58 AM	0	6.754	23.2	85.4	0
3/10/2023, 2:29:58 AM	0	6.754	23.4	85.7	0
3/10/2023, 2:39:58 AM	0	6.754	23.5	86	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/10/2023, 2:49:58 AM	0	6.763	23.7	86.2	0
3/10/2023, 2:59:58 AM	0	6.763	23.9	86.4	0
3/10/2023, 3:09:58 AM	0	6.763	24.1	86.5	0
3/10/2023, 3:19:58 AM	0	6.763	24.1	86.6	0
3/10/2023, 3:29:58 AM	0	6.763	24.3	86.8	0
3/10/2023, 3:39:58 AM	0	6.763	24.4	87	0
3/10/2023, 3:49:58 AM	0	6.763	24.6	87.4	0
3/10/2023, 3:59:58 AM	0	6.763	25	87.7	0
3/10/2023, 4:09:58 AM	0	6.763	25.3	88	0
3/10/2023, 4:19:58 AM	0	6.763	25.5	88.3	0
3/10/2023, 4:29:58 AM	0	6.763	25.7	88.4	0
3/10/2023, 4:39:58 AM	0	6.772	25.9	88.4	0
3/10/2023, 4:49:58 AM	0	6.772	25.9	88.3	0
3/10/2023, 4:59:58 AM	0	6.772	25.9	88.3	0
3/10/2023, 5:09:58 AM	0	6.772	26.1	88.5	0
3/10/2023, 5:19:58 AM	0	6.772	26.4	88.7	0
3/10/2023, 5:29:58 AM	0	6.772	26.6	88.8	0
3/10/2023, 5:39:58 AM	0	6.772	26.6	88.9	0
3/10/2023, 5:49:58 AM	0	6.772	26.8	88.9	0
3/10/2023, 5:59:58 AM	0	6.772	27	88.9	0
3/10/2023, 6:09:58 AM	0	6.772	27	88.8	0
3/10/2023, 6:19:58 AM	0	6.772	27	88.8	0
3/10/2023, 6:29:58 AM	0	6.772	27	88.8	0
3/10/2023, 6:39:58 AM	0	6.772	27.1	88.8	0
3/10/2023, 6:49:58 AM	0	6.772	27.1	88.8	0
3/10/2023, 6:59:58 AM	0	6.772	27.1	88.8	0
3/10/2023, 7:09:58 AM	0	6.772	27.3	88.8	0
3/10/2023, 7:19:58 AM	0	6.772	27.5	88.8	0
3/10/2023, 7:29:58 AM	0	6.772	27.7	88.8	0
3/10/2023, 7:39:58 AM	0	6.781	27.9	88.9	0
3/10/2023, 7:49:58 AM	0	6.781	28.2	88.9	0
3/10/2023, 7:59:58 AM	0	6.781	28.4	88.9	0
3/10/2023, 8:09:58 AM	0	6.781	28.6	88.8	0
3/10/2023, 8:19:58 AM	0	6.781	28.9	88.7	0
3/10/2023, 8:29:58 AM	0	6.781	29.3	88.7	0
3/10/2023, 8:39:58 AM	0	6.781	29.8	88.6	0
3/10/2023, 8:49:58 AM	0	6.781	30.7	88.5	0
3/10/2023, 8:59:58 AM	0	6.781	31.6	88.4	0
3/10/2023, 9:09:58 AM	0	6.79	32	88	0
3/10/2023, 9:19:58 AM	0	6.79	32.4	87.6	0
3/10/2023, 9:29:58 AM	0	6.79	32.7	87.1	0
3/10/2023, 9:39:58 AM	0	6.79	33.1	86.7	0
3/10/2023, 9:49:58 AM	0	6.79	33.3	86.3	0
3/10/2023, 9:59:58 AM	0	6.79	33.4	85.9	0
3/10/2023, 10:09:58 AM	0	6.798	33.4	85.5	0
3/10/2023, 10:19:58 AM	0	6.798	33.6	85.1	0
3/10/2023, 10:29:58 AM	0	6.798	33.8	84.8	0
3/10/2023, 10:39:58 AM	0	6.798	34.2	84.4	0
3/10/2023, 10:49:58 AM	0	6.798	34.5	83.9	0
3/10/2023, 10:59:58 AM	0	6.798	34.9	83.3	0
3/10/2023, 11:09:58 AM	0	6.798	34.9	82.7	0
3/10/2023, 11:19:58 AM	0	6.798	35.1	82.1	0
3/10/2023, 11:29:58 AM	0	6.798	35.1	81.6	0
3/10/2023, 11:39:58 AM	0	6.798	35.2	81.1	0
3/10/2023, 11:49:58 AM	0	6.798	35.2	80.6	0
3/10/2023, 11:59:58 AM	0	6.798	35.2	80.2	0
3/10/2023, 12:09:58 PM	0	6.798	35.4	79.8	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/10/2023, 12:19:58 PM	0	6.798	35.4	79.3	0
3/10/2023, 12:29:58 PM	0	6.807	35.2	78.9	0
3/10/2023, 12:39:58 PM	0	6.807	35.1	78.6	0
3/10/2023, 12:49:58 PM	0	6.798	35.1	78.4	0
3/10/2023, 12:59:58 PM	0	6.798	34.9	78.2	0
3/10/2023, 1:09:58 PM	0	6.798	34.9	78.1	0
3/10/2023, 1:19:58 PM	0	6.798	34.7	78.3	0
3/10/2023, 1:29:58 PM	0	6.798	34.3	79	0
3/10/2023, 1:39:58 PM	0	6.798	34.2	79.6	0
3/10/2023, 1:49:58 PM	0	6.798	34	80.2	0
3/10/2023, 1:59:58 PM	0	6.798	34	80.8	0
3/10/2023, 2:09:58 PM	0	6.798	33.8	81.2	0
3/10/2023, 2:19:58 PM	0	6.798	33.6	81.6	0
3/10/2023, 2:29:58 PM	0	6.798	33.6	81.9	0
3/10/2023, 2:39:58 PM	0	6.798	33.4	82.2	0
3/10/2023, 2:49:58 PM	0	6.798	33.4	82.3	0
3/10/2023, 2:59:58 PM	0	6.798	33.1	82.5	0
3/10/2023, 3:09:58 PM	0	6.798	32.9	82.7	0
3/10/2023, 3:19:58 PM	0	6.798	32.7	83	0
3/10/2023, 3:29:58 PM	0	6.79	32.5	83.3	0
3/10/2023, 3:39:58 PM	0	6.79	32.5	83.6	0
3/10/2023, 3:49:58 PM	0	6.79	32.4	83.9	0
3/10/2023, 3:59:58 PM	0	6.79	32.4	84.1	0
3/10/2023, 4:09:58 PM	0	6.79	32.4	84.4	0
3/10/2023, 4:19:58 PM	0	6.79	32.4	84.7	0
3/10/2023, 4:29:58 PM	0	6.79	32.4	84.9	0
3/10/2023, 4:39:58 PM	0	6.79	32.4	85.1	0
3/10/2023, 4:49:58 PM	0	6.79	32.4	85.3	0
3/10/2023, 4:59:58 PM	0	6.79	32.4	85.5	0
3/10/2023, 5:09:58 PM	0	6.79	32.4	85.7	0
3/10/2023, 5:19:58 PM	0	6.79	32.2	85.8	0
3/10/2023, 5:29:58 PM	0	6.79	32.2	85.8	0
3/10/2023, 5:39:58 PM	0	6.79	32	85.9	0
3/10/2023, 5:49:58 PM	0	6.79	32	86	0
3/10/2023, 5:59:58 PM	0	6.79	31.8	86.1	0
3/10/2023, 6:09:58 PM	0	6.79	31.6	86.2	0
3/10/2023, 6:19:58 PM	0	6.79	31.6	86.3	0
3/10/2023, 6:29:58 PM	0	6.79	31.5	86.4	0
3/10/2023, 6:39:58 PM	0	6.79	31.5	86.5	0
3/10/2023, 6:49:58 PM	0	6.79	31.3	86.5	0
3/10/2023, 6:59:58 PM	0	6.79	31.3	86.7	0
3/10/2023, 7:09:58 PM	0	6.79	31.1	86.8	0
3/10/2023, 7:19:58 PM	0	6.79	31.1	86.8	0
3/10/2023, 7:29:58 PM	0	6.79	31.1	87	0
3/10/2023, 7:39:58 PM	0	6.79	30.9	87.1	0
3/10/2023, 7:49:58 PM	0	6.79	30.9	87.3	0
3/10/2023, 7:59:58 PM	0	6.79	30.9	87.3	0
3/10/2023, 8:09:58 PM	0	6.79	30.7	87.4	0
3/10/2023, 8:19:58 PM	0	6.79	30.7	87.4	0
3/10/2023, 8:29:58 PM	0	6.79	30.6	87.4	0
3/10/2023, 8:39:58 PM	0	6.79	30.6	87.4	0
3/10/2023, 8:49:58 PM	0	6.79	30.4	87.4	0
3/10/2023, 8:59:58 PM	0	6.79	30.4	87.5	0
3/10/2023, 9:09:58 PM	0	6.79	30.2	87.6	0
3/10/2023, 9:19:58 PM	0	6.781	30.2	87.6	0
3/10/2023, 9:29:58 PM	0	6.79	30.2	87.7	0
3/10/2023, 9:39:58 PM	0	6.79	30	87.8	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/10/2023, 9:49:58 PM	0	6.781	30	87.8	0
3/10/2023, 9:59:58 PM	0	6.781	30	87.9	0
3/10/2023, 10:09:58 PM	0	6.781	30	87.9	0
3/10/2023, 10:19:58 PM	0	6.781	29.8	88	0
3/10/2023, 10:29:58 PM	0	6.781	29.8	88	0
3/10/2023, 10:39:58 PM	0	6.781	29.8	88.2	0
3/10/2023, 10:49:58 PM	0	6.781	29.8	88.2	0
3/10/2023, 10:59:58 PM	0	6.781	29.8	88.3	0
3/10/2023, 11:09:58 PM	0	6.781	29.8	88.4	0
3/10/2023, 11:19:58 PM	0	6.781	29.8	88.4	0
3/10/2023, 11:29:58 PM	0	6.781	29.8	88.4	0
3/10/2023, 11:39:58 PM	0	6.781	29.8	88.4	0
3/10/2023, 11:49:58 PM	0	6.781	29.8	88.4	0
3/10/2023, 11:59:58 PM	0	6.781	29.8	88.4	0
3/11/2023, 12:09:58 AM	0	6.781	29.8	88.5	0
3/11/2023, 12:19:58 AM	0	6.781	29.8	88.4	0
3/11/2023, 12:29:58 AM	0	6.781	29.8	88.5	0
3/11/2023, 12:39:58 AM	0	6.781	29.8	88.5	0
3/11/2023, 12:49:58 AM	0	6.781	30	88.6	0
3/11/2023, 12:59:58 AM	0	6.781	30	88.7	0
3/11/2023, 1:09:58 AM	0	6.781	30	88.7	0
3/11/2023, 1:19:58 AM	0	6.781	30	88.8	0
3/11/2023, 1:29:58 AM	0	6.781	30	88.9	0
3/11/2023, 1:39:58 AM	0	6.781	30.2	89.1	0
3/11/2023, 1:49:58 AM	0	6.781	30.2	89.1	0
3/11/2023, 1:59:58 AM	0	6.781	30.2	89.2	0
3/11/2023, 2:09:58 AM	0	6.781	30.2	89.2	0
3/11/2023, 2:19:58 AM	0	6.781	30.4	89.3	0
3/11/2023, 2:29:58 AM	0	6.781	30.4	89.3	0
3/11/2023, 2:39:58 AM	0	6.781	30.4	89.4	0
3/11/2023, 2:49:58 AM	0	6.781	30.4	89.4	0
3/11/2023, 2:59:58 AM	0	6.781	30.4	89.4	0
3/11/2023, 3:09:58 AM	0	6.781	30.4	89.5	0
3/11/2023, 3:19:58 AM	0	6.781	30.4	89.5	0
3/11/2023, 3:29:58 AM	0	6.781	30.4	89.5	0
3/11/2023, 3:39:58 AM	0	6.781	30.4	89.5	0
3/11/2023, 3:49:58 AM	0	6.781	30.2	89.4	0
3/11/2023, 3:59:58 AM	0	6.781	30.2	89.3	0
3/11/2023, 4:09:58 AM	0	6.781	30.2	89.2	0
3/11/2023, 4:19:58 AM	0	6.781	30	89.1	0
3/11/2023, 4:29:58 AM	0	6.781	30	88.9	0
3/11/2023, 4:39:58 AM	0	6.781	30	88.7	0
3/11/2023, 4:49:58 AM	0	6.781	29.8	88.4	0
3/11/2023, 4:59:58 AM	0	6.781	29.8	88.1	0
3/11/2023, 5:09:58 AM	0	6.781	29.7	87.9	0
3/11/2023, 5:19:58 AM	0	6.781	29.7	87.6	0
3/11/2023, 5:29:58 AM	0	6.781	29.5	87.5	0
3/11/2023, 5:39:58 AM	0	6.781	29.5	87.3	0
3/11/2023, 5:49:58 AM	0	6.781	29.5	87.1	0
3/11/2023, 5:59:58 AM	0	6.781	29.5	86.9	0
3/11/2023, 6:09:58 AM	0	6.781	29.3	86.8	0
3/11/2023, 6:19:58 AM	0	6.781	29.3	86.7	0
3/11/2023, 6:29:58 AM	0	6.781	29.3	86.6	0
3/11/2023, 6:39:58 AM	0	6.781	29.3	86.5	0
3/11/2023, 6:49:58 AM	0	6.781	29.3	86.4	0
3/11/2023, 6:59:58 AM	0	6.781	29.3	86.3	0
3/11/2023, 7:09:58 AM	0	6.781	29.3	86.2	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/11/2023, 7:19:58 AM	0	6.781	29.3	86.2	0
3/11/2023, 7:29:58 AM	0	6.781	29.3	86.2	0
3/11/2023, 7:39:58 AM	0	6.781	29.5	86.2	0
3/11/2023, 7:49:58 AM	0	6.781	29.5	86.2	0
3/11/2023, 7:59:58 AM	0	6.781	29.5	86.1	0
3/11/2023, 8:09:58 AM	0	6.781	29.7	85.9	0
3/11/2023, 8:19:58 AM	0	6.781	29.7	85.6	0
3/11/2023, 8:29:58 AM	0	6.781	29.8	85.4	0
3/11/2023, 8:39:58 AM	0	6.781	29.8	85.2	0
3/11/2023, 8:49:58 AM	0	6.781	29.8	84.9	0
3/11/2023, 8:59:58 AM	0	6.781	30	84.6	0
3/11/2023, 9:09:58 AM	0	6.781	30.4	84.4	0
3/11/2023, 9:19:58 AM	0	6.781	30.4	84.1	0
3/11/2023, 9:29:58 AM	0	6.781	30.6	83.9	0
3/11/2023, 9:39:58 AM	0	6.781	30.9	83.6	0
3/11/2023, 9:49:58 AM	0	6.781	31.5	83.3	0
3/11/2023, 9:59:58 AM	0	6.781	32.2	82.9	0
3/11/2023, 10:09:58 AM	0	6.781	33.1	82.4	0
3/11/2023, 10:19:58 AM	0	6.79	34	82	0
3/11/2023, 10:29:58 AM	0	6.79	34.3	81.4	0
3/11/2023, 10:39:58 AM	0	6.79	34.5	80.7	0
3/11/2023, 10:49:58 AM	0	6.79	34.7	80	0
3/11/2023, 10:59:58 AM	0	6.79	34.7	79.5	0
3/11/2023, 11:09:58 AM	0	6.79	34.9	79	0
3/11/2023, 11:19:58 AM	0	6.79	35.1	78.6	0
3/11/2023, 11:29:58 AM	0	6.79	35.8	78.2	0
3/11/2023, 11:39:58 AM	0	6.79	36.5	77.7	0
3/11/2023, 11:49:58 AM	0	6.798	36.5	77	0
3/11/2023, 11:59:58 AM	0	6.798	36.7	76.6	0
3/11/2023, 12:09:58 PM	0	6.798	37.2	76.2	0
3/11/2023, 12:19:58 PM	0	6.798	37.4	76	0
3/11/2023, 12:29:58 PM	0	6.798	37.6	75.4	0
3/11/2023, 12:39:58 PM	0	6.798	37.4	74.9	0
3/11/2023, 12:49:58 PM	0	6.798	37.6	74.6	0
3/11/2023, 12:59:58 PM	0	6.798	37.9	74.2	0
3/11/2023, 1:09:58 PM	0	6.798	38.1	73.9	0
3/11/2023, 1:19:58 PM	0	6.798	38.3	73.5	0
3/11/2023, 1:29:58 PM	0	6.798	38.3	73.2	0
3/11/2023, 1:39:58 PM	0	6.798	38.1	73	0
3/11/2023, 1:49:58 PM	0	6.798	38.1	72.8	0
3/11/2023, 1:59:58 PM	0	6.798	38.1	72.6	0
3/11/2023, 2:09:58 PM	0	6.798	38.3	72.3	0
3/11/2023, 2:19:58 PM	0	6.798	38.5	72.1	0
3/11/2023, 2:29:58 PM	0	6.798	38.8	71.9	0
3/11/2023, 2:39:58 PM	0	6.807	38.7	71.5	0
3/11/2023, 2:49:58 PM	0	6.807	38.7	71.4	0
3/11/2023, 2:59:58 PM	0	6.807	39.2	71.1	0
3/11/2023, 3:09:58 PM	0	6.807	39.4	70.7	0
3/11/2023, 3:19:58 PM	0	6.807	39.6	70.4	0
3/11/2023, 3:29:58 PM	0	6.807	39.4	70	0
3/11/2023, 3:39:58 PM	0	6.807	38.5	69.6	0
3/11/2023, 3:49:58 PM	0	6.807	37.8	69.6	0
3/11/2023, 3:59:58 PM	0	6.807	37.4	69.7	0
3/11/2023, 4:09:58 PM	0	6.807	37.2	69.8	0
3/11/2023, 4:19:58 PM	0	6.798	36.9	69.9	0
3/11/2023, 4:29:58 PM	0	6.798	36.9	70.2	0
3/11/2023, 4:39:58 PM	0	6.798	36.7	70.1	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/11/2023, 4:49:58 PM	0	6.798	36.3	70.1	0
3/11/2023, 4:59:58 PM	0	6.798	35.8	70.1	0
3/11/2023, 5:09:58 PM	0	6.798	35.2	70.3	0
3/11/2023, 5:19:58 PM	0	6.798	35.1	70.5	0
3/11/2023, 5:29:58 PM	0	6.798	34.7	70.5	0
3/11/2023, 5:39:58 PM	0	6.798	34.2	70.6	0
3/11/2023, 5:49:58 PM	0	6.798	33.4	70.6	0
3/11/2023, 5:59:58 PM	0	6.798	32.9	70.8	0
3/11/2023, 6:09:58 PM	0	6.79	32.4	71.1	0
3/11/2023, 6:19:58 PM	0	6.79	31.8	71.4	0
3/11/2023, 6:29:58 PM	0	6.79	31.1	71.8	0
3/11/2023, 6:39:58 PM	0	6.79	30.4	72.2	0
3/11/2023, 6:49:58 PM	0	6.781	29.7	72.5	0
3/11/2023, 6:59:58 PM	0	6.781	29.1	73	0
3/11/2023, 7:09:58 PM	0	6.781	28.4	73.5	0
3/11/2023, 7:19:58 PM	0	6.781	27.7	74	0
3/11/2023, 7:29:58 PM	0	6.772	27.1	74.5	0
3/11/2023, 7:39:58 PM	0	6.772	26.6	75	0
3/11/2023, 7:49:58 PM	0	6.772	26.1	75.5	0
3/11/2023, 7:59:58 PM	0	6.772	25.5	75.9	0
3/11/2023, 8:09:58 PM	0	6.763	25.2	76.3	0
3/11/2023, 8:19:58 PM	0	6.763	24.6	76.8	0
3/11/2023, 8:29:58 PM	0	6.763	24.1	77.2	0
3/11/2023, 8:39:58 PM	0	6.763	23.7	77.6	0
3/11/2023, 8:49:58 PM	0	6.754	23.4	78	0
3/11/2023, 8:59:58 PM	0	6.754	23	78.3	0
3/11/2023, 9:09:58 PM	0	6.754	22.8	78.7	0
3/11/2023, 9:19:58 PM	0	6.754	22.6	79.2	0
3/11/2023, 9:29:58 PM	0	6.754	22.5	79.5	0
3/11/2023, 9:39:58 PM	0	6.754	22.5	80	0
3/11/2023, 9:49:58 PM	0	6.746	22.3	80.3	0
3/11/2023, 9:59:58 PM	0	6.746	22.3	80.6	0
3/11/2023, 10:09:58 PM	0	6.746	22.3	81	0
3/11/2023, 10:19:58 PM	0	6.746	22.3	81.2	0
3/11/2023, 10:29:58 PM	0	6.746	22.3	81.5	0
3/11/2023, 10:39:58 PM	0	6.746	22.3	81.7	0
3/11/2023, 10:49:58 PM	0	6.746	22.1	81.8	0
3/11/2023, 10:59:58 PM	0	6.746	21.9	81.8	0
3/11/2023, 11:09:58 PM	0	6.746	21.7	81.9	0
3/11/2023, 11:19:58 PM	0	6.746	21.4	81.9	0
3/11/2023, 11:29:58 PM	0	6.746	21	82	0
3/11/2023, 11:39:58 PM	0	6.746	20.8	82.1	0
3/11/2023, 11:49:58 PM	0	6.746	20.5	82.2	0
3/11/2023, 11:59:58 PM	0	6.746	20.3	82.4	0
3/12/2023, 12:09:58 AM	0	6.737	19.9	82.5	0
3/12/2023, 12:19:58 AM	0	6.737	19.8	82.6	0
3/12/2023, 12:29:58 AM	0	6.737	19.4	82.7	0
3/12/2023, 12:39:58 AM	0	6.737	19.2	82.8	0
3/12/2023, 12:49:58 AM	0	6.737	19	82.9	0
3/12/2023, 12:59:58 AM	0	6.737	18.7	83.1	0
3/12/2023, 1:09:58 AM	0	6.737	18.5	83.1	0
3/12/2023, 1:19:58 AM	0	6.728	18.3	83.2	0
3/12/2023, 1:29:58 AM	0	6.728	18.1	83.3	0
3/12/2023, 1:39:58 AM	0	6.728	18	83.4	0
3/12/2023, 1:49:58 AM	0	6.728	17.6	83.4	0
3/12/2023, 1:59:58 AM	0	6.728	17.4	83.4	0
3/12/2023, 1:09:58 AM	0	6.728	17.2	83.4	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/12/2023, 1:19:58 AM	0	6.728	17.1	83.4	0
3/12/2023, 1:29:58 AM	0	6.719	16.9	83.5	0
3/12/2023, 1:39:58 AM	0	6.719	16.9	83.7	0
3/12/2023, 1:49:58 AM	0	6.719	17.1	83.9	0
3/12/2023, 1:59:58 AM	0	6.719	17.1	84.1	0
3/12/2023, 3:09:58 AM	0	6.719	17.2	84.3	0
3/12/2023, 3:19:58 AM	0	6.728	17.6	84.7	0
3/12/2023, 3:29:58 AM	0	6.728	18	85.1	0
3/12/2023, 3:39:58 AM	0	6.728	18.3	85.5	0
3/12/2023, 3:49:58 AM	0	6.728	18.7	85.8	0
3/12/2023, 3:59:58 AM	0	6.728	19	86.1	0
3/12/2023, 4:09:58 AM	0	6.728	19.4	86.4	0
3/12/2023, 4:19:58 AM	0	6.737	19.8	86.7	0
3/12/2023, 4:29:58 AM	0	6.737	20.1	86.9	0
3/12/2023, 4:39:58 AM	0	6.737	20.5	87.1	0
3/12/2023, 4:49:58 AM	0	6.737	20.7	87.3	0
3/12/2023, 4:59:58 AM	0	6.737	21	87.5	0
3/12/2023, 5:09:58 AM	0	6.737	21.2	87.6	0
3/12/2023, 5:19:58 AM	0	6.737	21.6	87.7	0
3/12/2023, 5:29:58 AM	0	6.746	21.7	87.8	0
3/12/2023, 5:39:58 AM	0	6.746	21.9	87.9	0
3/12/2023, 5:49:58 AM	0	6.746	22.3	88	0
3/12/2023, 5:59:58 AM	0	6.746	22.5	88.1	0
3/12/2023, 6:09:58 AM	0	6.746	22.8	88.1	0
3/12/2023, 6:19:58 AM	0	6.746	23	88.2	0
3/12/2023, 6:29:58 AM	0	6.746	23.2	88.2	0
3/12/2023, 6:39:58 AM	0	6.754	23.4	88.2	0
3/12/2023, 6:49:58 AM	0	6.754	23.5	88.2	0
3/12/2023, 6:59:58 AM	0	6.754	23.9	88.2	0
3/12/2023, 7:09:58 AM	0	6.754	24.1	88.2	0
3/12/2023, 7:19:58 AM	0	6.754	24.4	88.2	0
3/12/2023, 7:29:58 AM	0	6.754	25	88.3	0
3/12/2023, 7:39:58 AM	0	6.754	25.3	88.2	0
3/12/2023, 7:49:58 AM	0	6.754	25.9	88.1	0
3/12/2023, 7:59:58 AM	0	6.763	26.4	88	0
3/12/2023, 8:09:58 AM	0	6.763	27.1	87.8	0
3/12/2023, 8:19:58 AM	0	6.763	27.9	87.3	0
3/12/2023, 8:29:58 AM	0	6.763	28.6	87	0
3/12/2023, 8:39:58 AM	0	6.772	29.1	86.5	0
3/12/2023, 8:49:58 AM	0	6.772	29.8	86.2	0
3/12/2023, 8:59:58 AM	0	6.772	30.7	85.8	0
3/12/2023, 9:09:58 AM	0	6.772	31.5	85.4	0
3/12/2023, 9:19:58 AM	0	6.781	32	84.7	0
3/12/2023, 9:29:58 AM	0	6.781	32.9	83.9	0
3/12/2023, 9:39:58 AM	0	6.781	33.8	83.1	0
3/12/2023, 9:49:58 AM	0	6.781	34.7	82.4	0
3/12/2023, 9:59:58 AM	0	6.79	35.6	81.3	0
3/12/2023, 10:09:58 AM	0	6.79	36.5	80.2	0
3/12/2023, 10:19:58 AM	0	6.79	37.6	79	0
3/12/2023, 10:29:58 AM	0	6.798	38.3	78	0
3/12/2023, 10:39:58 AM	0	6.798	39.2	77	0
3/12/2023, 10:49:58 AM	0	6.798	39.6	76	0
3/12/2023, 10:59:58 AM	0	6.798	39.9	75.1	0
3/12/2023, 11:09:58 AM	0	6.798	40.5	74.3	0
3/12/2023, 11:19:58 AM	0	6.807	41	73.4	0
3/12/2023, 11:29:58 AM	0	6.807	41.7	72.5	0
3/12/2023, 11:39:58 AM	0	6.807	43.3	71.8	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/12/2023, 11:49:58 AM	0	6.807	44.6	70.9	0
3/12/2023, 11:59:58 AM	0	6.807	45.1	69.8	0
3/12/2023, 12:09:58 PM	0	6.816	45.1	68.9	0
3/12/2023, 12:19:58 PM	0	6.816	44.8	68	0
3/12/2023, 12:29:58 PM	0	6.816	44.2	67.4	0
3/12/2023, 12:39:58 PM	0	6.816	43.5	66.9	0
3/12/2023, 12:49:58 PM	0	6.816	43.3	66.6	0
3/12/2023, 12:59:58 PM	0	6.816	43.2	66.4	0
3/12/2023, 1:09:58 PM	0	6.816	43.2	66.2	0
3/12/2023, 1:19:58 PM	0	6.816	43.2	65.9	0
3/12/2023, 1:29:58 PM	0	6.816	43	65.7	0
3/12/2023, 1:39:58 PM	0	6.816	43	65.7	0
3/12/2023, 1:49:58 PM	0	6.816	42.8	65.5	0
3/12/2023, 1:59:58 PM	0	6.816	42.3	65.4	0
3/12/2023, 2:09:58 PM	0	6.816	41.9	65.4	0
3/12/2023, 2:19:58 PM	0	6.816	41.5	65.4	0
3/12/2023, 2:29:58 PM	0	6.807	41.4	65.6	0
3/12/2023, 2:39:58 PM	0	6.807	41	65.6	0
3/12/2023, 2:49:58 PM	0	6.807	40.6	65.6	0
3/12/2023, 2:59:58 PM	0	6.807	40.3	65.7	0
3/12/2023, 3:09:58 PM	0	6.807	39.9	65.9	0
3/12/2023, 3:19:58 PM	0	6.807	39.7	66.1	0
3/12/2023, 3:29:58 PM	0	6.807	39.7	66.3	0
3/12/2023, 3:39:58 PM	0	6.807	39.7	66.3	0
3/12/2023, 3:49:58 PM	0	6.807	39.6	66.6	0
3/12/2023, 3:59:58 PM	0	6.807	39.4	66.8	0
3/12/2023, 4:09:58 PM	0	6.807	39.4	67	0
3/12/2023, 4:19:58 PM	0	6.807	39.2	67.3	0
3/12/2023, 4:29:58 PM	0	6.807	39	67.4	0
3/12/2023, 4:39:58 PM	0	6.807	39	67.6	0
3/12/2023, 4:49:58 PM	0	6.807	38.7	67.8	0
3/12/2023, 4:59:58 PM	0	6.807	38.5	68.1	0
3/12/2023, 5:09:58 PM	0	6.807	38.3	68.3	0
3/12/2023, 5:19:58 PM	0	6.807	37.9	68.6	0
3/12/2023, 5:29:58 PM	0	6.807	37.8	68.8	0
3/12/2023, 5:39:58 PM	0	6.807	37.4	68.9	0
3/12/2023, 5:49:58 PM	0	6.807	37.2	69.2	0
3/12/2023, 5:59:58 PM	0	6.798	36.9	69.4	0
3/12/2023, 6:09:58 PM	0	6.798	36.7	69.7	0
3/12/2023, 6:19:58 PM	0	6.798	36.5	70.1	0
3/12/2023, 6:29:58 PM	0	6.798	36.3	70.4	0
3/12/2023, 6:39:58 PM	0	6.798	36.1	70.8	0
3/12/2023, 6:49:58 PM	0	6.798	36	71.1	0
3/12/2023, 6:59:58 PM	0	6.798	36	71.4	0
3/12/2023, 7:09:58 PM	0	6.798	35.8	71.8	0
3/12/2023, 7:19:58 PM	0	6.798	35.6	72.2	0
3/12/2023, 7:29:58 PM	0	6.798	35.6	72.6	0
3/12/2023, 7:39:58 PM	0	6.798	35.4	72.9	0
3/12/2023, 7:49:58 PM	0	6.798	35.4	73.3	0
3/12/2023, 7:59:58 PM	0	6.798	35.2	73.7	0
3/12/2023, 8:09:58 PM	0	6.798	35.1	74	0
3/12/2023, 8:19:58 PM	0	6.798	35.1	74.4	0
3/12/2023, 8:29:58 PM	0	6.798	34.9	74.7	0
3/12/2023, 8:39:58 PM	0	6.798	34.9	75.1	0
3/12/2023, 8:49:58 PM	0	6.798	34.7	75.5	0
3/12/2023, 8:59:58 PM	0	6.798	34.7	75.8	0
3/12/2023, 9:09:58 PM	0	6.79	34.7	76.1	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/12/2023, 9:19:58 PM	0	6.79	34.5	76.5	0
3/12/2023, 9:29:58 PM	0	6.79	34.5	76.9	0
3/12/2023, 9:39:58 PM	0	6.79	34.3	77.3	0
3/12/2023, 9:49:58 PM	0	6.79	34.3	77.7	0
3/12/2023, 9:59:58 PM	0	6.79	34.2	78	0
3/12/2023, 10:09:58 PM	0	6.79	34.2	78.5	0
3/12/2023, 10:19:58 PM	0	6.79	34.2	78.9	0
3/12/2023, 10:29:58 PM	0	6.79	34	79.3	0
3/12/2023, 10:39:58 PM	0	6.79	34	79.7	0
3/12/2023, 10:49:58 PM	0	6.79	33.8	80.1	0
3/12/2023, 10:59:58 PM	0	6.79	33.8	80.4	0
3/12/2023, 11:09:58 PM	0	6.79	33.6	80.7	0
3/12/2023, 11:19:58 PM	0	6.79	33.6	81.1	0
3/12/2023, 11:29:58 PM	0	6.79	33.6	81.4	0
3/12/2023, 11:39:58 PM	0	6.79	33.6	81.8	0
3/12/2023, 11:49:58 PM	0	6.79	33.6	82.1	0
3/12/2023, 11:59:58 PM	0	6.79	33.6	82.4	0
3/13/2023, 12:09:58 AM	0	6.79	33.6	82.7	0
3/13/2023, 12:19:58 AM	0	6.79	33.6	83.1	0
3/13/2023, 12:29:58 AM	0	6.79	33.6	83.4	0
3/13/2023, 12:39:58 AM	0	6.79	33.6	83.7	0
3/13/2023, 12:49:58 AM	0	6.79	33.6	84	0
3/13/2023, 12:59:58 AM	0	6.79	33.6	84.3	0
3/13/2023, 1:09:58 AM	0	6.79	33.6	84.6	0
3/13/2023, 1:19:58 AM	0	6.79	33.6	84.8	0
3/13/2023, 1:29:58 AM	0	6.79	33.6	85.1	0
3/13/2023, 1:39:58 AM	0	6.79	33.8	85.3	0
3/13/2023, 1:49:58 AM	0	6.79	33.8	85.6	0
3/13/2023, 1:59:58 AM	0	6.79	33.8	85.8	0
3/13/2023, 2:09:58 AM	0	6.79	34	86	0
3/13/2023, 2:19:58 AM	0	6.79	34	86.2	0
3/13/2023, 2:29:58 AM	0	6.79	34	86.3	0
3/13/2023, 2:39:58 AM	0	6.79	34	86.5	0
3/13/2023, 2:49:58 AM	0	6.79	34	86.7	0
3/13/2023, 2:59:58 AM	0	6.79	34	86.8	0
3/13/2023, 3:09:58 AM	0	6.79	34	86.9	0
3/13/2023, 3:19:58 AM	0	6.79	34	87.1	0
3/13/2023, 3:29:58 AM	0	6.79	34	87.2	0
3/13/2023, 3:39:58 AM	0	6.79	34	87.3	0
3/13/2023, 3:49:58 AM	0	6.79	34	87.4	0
3/13/2023, 3:59:58 AM	0	6.79	34	87.5	0
3/13/2023, 4:09:58 AM	0	6.79	34	87.6	0
3/13/2023, 4:19:58 AM	0	6.79	34	87.6	0
3/13/2023, 4:29:58 AM	0	6.79	33.8	87.7	0
3/13/2023, 4:39:58 AM	0	6.79	33.8	87.7	0
3/13/2023, 4:49:58 AM	0	6.79	33.8	87.8	0
3/13/2023, 4:59:58 AM	0	6.79	33.8	87.9	0
3/13/2023, 5:09:58 AM	0	6.79	33.8	87.9	0
3/13/2023, 5:19:58 AM	0	6.79	33.8	88	0
3/13/2023, 5:29:58 AM	0	6.79	33.6	88.1	0
3/13/2023, 5:39:58 AM	0	6.79	33.6	88.2	0
3/13/2023, 5:49:58 AM	0	6.79	33.6	88.3	0
3/13/2023, 5:59:58 AM	0	6.79	33.6	88.4	0
3/13/2023, 6:09:58 AM	0	6.79	33.6	88.6	0
3/13/2023, 6:19:58 AM	0	6.79	33.6	88.6	0
3/13/2023, 6:29:58 AM	0	6.79	33.4	88.7	0
3/13/2023, 6:39:58 AM	0	6.79	33.4	88.9	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/13/2023, 6:49:58 AM	0	6.79	33.4	89	0
3/13/2023, 6:59:58 AM	0	6.79	33.4	89.1	0
3/13/2023, 7:09:58 AM	0	6.79	33.6	89.3	0
3/13/2023, 7:19:58 AM	0	6.79	33.6	89.5	0
3/13/2023, 7:29:58 AM	0	6.79	34	89.7	0
3/13/2023, 7:39:58 AM	0	6.79	34	89.8	0
3/13/2023, 7:49:58 AM	0	6.79	34.3	89.9	0
3/13/2023, 7:59:58 AM	0	6.79	34.5	90	0
3/13/2023, 8:09:58 AM	0	6.79	34.9	90	0
3/13/2023, 8:19:58 AM	0	6.79	35.2	90	0
3/13/2023, 8:29:58 AM	0	6.79	35.6	90	0
3/13/2023, 8:39:58 AM	0	6.79	35.8	89.8	0
3/13/2023, 8:49:58 AM	0	6.79	36.1	89.6	0
3/13/2023, 8:59:58 AM	0	6.79	36.7	89.5	0
3/13/2023, 9:09:58 AM	0	6.79	36.9	89.2	0
3/13/2023, 9:19:58 AM	0	6.79	37.4	88.9	0
3/13/2023, 9:29:58 AM	0	6.798	37.8	88.5	0
3/13/2023, 9:39:58 AM	0	6.798	37.9	88.2	0
3/13/2023, 9:49:58 AM	0	6.798	38.1	87.8	0
3/13/2023, 9:59:58 AM	0	6.798	38.5	87.5	0
3/13/2023, 10:09:58 AM	0	6.798	38.7	87.2	0
3/13/2023, 10:19:58 AM	0	6.798	39	87.1	0
3/13/2023, 10:29:58 AM	0	6.798	39.4	86.9	0
3/13/2023, 10:39:58 AM	0	6.798	39.6	86.6	0
3/13/2023, 10:49:58 AM	0	6.798	39.7	86.3	0
3/13/2023, 10:59:58 AM	0	6.798	39.9	86	0
3/13/2023, 11:09:58 AM	0	6.798	40.1	85.8	0
3/13/2023, 11:19:58 AM	0	6.807	40.5	85.4	0
3/13/2023, 11:29:58 AM	0	6.807	40.8	85.2	0
3/13/2023, 11:39:58 AM	0	6.807	41	84.8	0
3/13/2023, 11:49:58 AM	0	6.807	40.8	84.6	0
3/13/2023, 11:59:58 AM	0	6.807	41.2	84.3	0
3/13/2023, 12:09:58 PM	0	6.807	41.4	83.9	0
3/13/2023, 12:19:58 PM	0	6.807	41.5	83.5	0
3/13/2023, 12:29:58 PM	0	6.807	41.5	83.2	0
3/13/2023, 12:39:58 PM	0	6.807	41.4	82.7	0
3/13/2023, 12:49:58 PM	0	6.807	41.2	82.4	0
3/13/2023, 12:59:58 PM	0	6.807	41.4	82.3	0
3/13/2023, 1:09:58 PM	0	6.807	41.7	82	0
3/13/2023, 1:19:58 PM	0	6.807	41.7	81.7	0
3/13/2023, 1:29:58 PM	0	6.807	41.7	81.6	0
3/13/2023, 1:39:58 PM	0	6.807	41.7	81.4	0
3/13/2023, 1:49:58 PM	0	6.807	41.4	81.4	0
3/13/2023, 1:59:58 PM	0	6.807	41	81.6	0
3/13/2023, 2:09:58 PM	0	6.807	40.6	81.8	0
3/13/2023, 2:19:58 PM	0	6.807	40.1	82	0
3/13/2023, 2:29:58 PM	0	6.807	39.7	82.3	0
3/13/2023, 2:39:58 PM	0	6.807	39.2	82.5	0
3/13/2023, 2:49:58 PM	0	6.807	38.7	82.6	0
3/13/2023, 2:59:58 PM	0	6.798	38.1	82.8	0
3/13/2023, 3:09:58 PM	0	6.798	37.9	83.1	0
3/13/2023, 3:19:58 PM	0	6.798	37.8	83.4	0
3/13/2023, 3:29:58 PM	0	6.798	37.4	83.6	0
3/13/2023, 3:39:58 PM	0	6.798	37.2	83.9	0
3/13/2023, 3:49:58 PM	0	6.798	37.2	84.2	0
3/13/2023, 3:59:58 PM	0	6.798	37	84.5	0
3/13/2023, 4:09:58 PM	0	6.798	36.9	84.6	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/13/2023, 4:19:58 PM	0	6.798	36.5	84.7	0
3/13/2023, 4:29:58 PM	0	6.798	36.1	84.8	0
3/13/2023, 4:39:58 PM	0	6.798	36	85	0
3/13/2023, 4:49:58 PM	0	6.79	35.8	85.3	0
3/13/2023, 4:59:58 PM	0	6.79	35.6	85.6	0
3/13/2023, 5:09:58 PM	0	6.79	35.6	85.8	0
3/13/2023, 5:19:58 PM	0	6.79	35.4	86.1	0
3/13/2023, 5:29:58 PM	0	6.79	35.4	86.3	0
3/13/2023, 5:39:58 PM	0	6.79	35.2	86.5	0
3/13/2023, 5:49:58 PM	0	6.79	35.1	86.6	0
3/13/2023, 5:59:58 PM	0	6.79	34.9	86.7	0
3/13/2023, 6:09:58 PM	0	6.79	34.7	86.9	0
3/13/2023, 6:19:58 PM	0	6.79	34.5	87	0
3/13/2023, 6:29:58 PM	0	6.79	34.3	87.2	0
3/13/2023, 6:39:58 PM	0	6.79	34.2	87.3	0
3/13/2023, 6:49:58 PM	0	6.79	34.2	87.5	0
3/13/2023, 6:59:58 PM	0	6.79	34	87.6	0
3/13/2023, 7:09:58 PM	0	6.79	34	87.8	0
3/13/2023, 7:19:58 PM	0	6.79	33.8	88	0
3/13/2023, 7:29:58 PM	0	6.79	33.8	88	0
3/13/2023, 7:39:58 PM	0	6.781	33.6	88.1	0
3/13/2023, 7:49:58 PM	0	6.781	33.6	88.3	0
3/13/2023, 7:59:58 PM	0	6.781	33.4	88.5	0
3/13/2023, 8:09:58 PM	0	6.781	33.4	88.6	0
3/13/2023, 8:19:58 PM	0	6.781	33.4	88.7	0
3/13/2023, 8:29:58 PM	0	6.781	33.3	88.8	0
3/13/2023, 8:39:58 PM	0	6.781	33.3	88.8	0
3/13/2023, 8:49:58 PM	0	6.781	33.1	88.8	0
3/13/2023, 8:59:58 PM	0	6.781	33.1	88.8	0
3/13/2023, 9:09:58 PM	0	6.781	32.9	88.8	0
3/13/2023, 9:19:58 PM	0	6.781	32.7	88.7	0
3/13/2023, 9:29:58 PM	0	6.781	32.5	88.7	0
3/13/2023, 9:39:58 PM	0	6.781	32.5	88.8	0
3/13/2023, 9:49:58 PM	0	6.781	32.4	88.7	0
3/13/2023, 9:59:58 PM	0	6.781	32.4	88.8	0
3/13/2023, 10:09:58 PM	0	6.781	32.2	88.9	0
3/13/2023, 10:19:58 PM	0	6.781	32.2	88.9	0
3/13/2023, 10:29:58 PM	0	6.781	32.2	89	0
3/13/2023, 10:39:58 PM	0	6.781	32.2	89.1	0
3/13/2023, 10:49:58 PM	0	6.781	32.2	89.2	0
3/13/2023, 10:59:58 PM	0	6.781	32	89.3	0
3/13/2023, 11:09:58 PM	0	6.781	32	89.4	0
3/13/2023, 11:19:58 PM	0	6.781	32	89.5	0
3/13/2023, 11:29:58 PM	0	6.781	32	89.5	0
3/13/2023, 11:39:58 PM	0	6.781	32	89.6	0
3/13/2023, 11:49:58 PM	0	6.781	32	89.7	0
3/13/2023, 11:59:58 PM	0	6.781	32	89.8	0
3/14/2023, 12:09:58 AM	0	6.781	32	89.8	0
3/14/2023, 12:19:58 AM	0	6.781	32	89.9	0
3/14/2023, 12:29:58 AM	0	6.781	32	90	0
3/14/2023, 12:39:58 AM	0	6.781	32	90	0
3/14/2023, 12:49:58 AM	0	6.781	32	90	0
3/14/2023, 12:59:58 AM	0	6.781	32	89.9	0
3/14/2023, 1:09:58 AM	0	6.781	32	89.7	0
3/14/2023, 1:19:58 AM	0	6.781	32	89.5	0
3/14/2023, 1:29:58 AM	0	6.781	31.8	89.4	0
3/14/2023, 1:39:58 AM	0	6.772	31.6	89.2	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/14/2023, 1:49:58 AM	0	6.772	31.6	89.2	0
3/14/2023, 1:59:58 AM	0	6.772	31.6	89.1	0
3/14/2023, 2:09:58 AM	0	6.772	31.5	89	0
3/14/2023, 2:19:58 AM	0	6.772	31.5	89	0
3/14/2023, 2:29:58 AM	0	6.772	31.5	88.9	0
3/14/2023, 2:39:58 AM	0	6.772	31.5	88.8	0
3/14/2023, 2:49:58 AM	0	6.772	31.3	88.8	0
3/14/2023, 2:59:58 AM	0	6.772	31.3	88.7	0
3/14/2023, 3:09:58 AM	0	6.772	31.3	88.7	0
3/14/2023, 3:19:58 AM	0	6.772	31.3	88.7	0
3/14/2023, 3:29:58 AM	0	6.772	31.3	88.6	0
3/14/2023, 3:39:58 AM	0	6.772	31.3	88.6	0
3/14/2023, 3:49:58 AM	0	6.772	31.3	88.6	0
3/14/2023, 3:59:58 AM	0	6.772	31.3	88.6	0
3/14/2023, 4:09:58 AM	0	6.772	31.1	88.6	0
3/14/2023, 4:19:58 AM	0	6.772	31.1	88.6	0
3/14/2023, 4:29:58 AM	0	6.772	31.1	88.6	0
3/14/2023, 4:39:58 AM	0	6.772	31.1	88.6	0
3/14/2023, 4:49:58 AM	0	6.772	31.1	88.6	0
3/14/2023, 4:59:58 AM	0	6.772	31.1	88.5	0
3/14/2023, 5:09:58 AM	0	6.772	31.1	88.4	0
3/14/2023, 5:19:58 AM	0	6.772	30.9	88.3	0
3/14/2023, 5:29:58 AM	0	6.772	30.9	88.2	0
3/14/2023, 5:39:58 AM	0	6.772	30.7	88.1	0
3/14/2023, 5:49:58 AM	0	6.772	30.6	88	0
3/14/2023, 5:59:58 AM	0	6.772	30.6	87.9	0
3/14/2023, 6:09:58 AM	0	6.772	30.4	87.9	0
3/14/2023, 6:19:58 AM	0	6.772	30.2	87.9	0
3/14/2023, 6:29:58 AM	0	6.772	30	87.8	0
3/14/2023, 6:39:58 AM	0	6.772	30	87.8	0
3/14/2023, 6:49:58 AM	0	6.763	29.8	87.7	0
3/14/2023, 6:59:58 AM	0	6.763	29.7	87.5	0
3/14/2023, 7:09:58 AM	0	6.763	29.5	87.4	0
3/14/2023, 7:19:58 AM	0	6.763	29.3	87.3	0
3/14/2023, 7:29:58 AM	0	6.763	29.3	87.3	0
3/14/2023, 7:39:58 AM	0	6.763	29.1	87.1	0
3/14/2023, 7:49:58 AM	0	6.763	29.1	87.1	0
3/14/2023, 7:59:58 AM	0	6.763	29.1	87	0
3/14/2023, 8:09:58 AM	0	6.763	29.1	86.9	0
3/14/2023, 8:19:58 AM	0	6.763	29.1	86.8	0
3/14/2023, 8:29:58 AM	0	6.763	29.1	86.6	0
3/14/2023, 8:39:58 AM	0	6.763	29.3	86.5	0
3/14/2023, 8:49:58 AM	0	6.763	29.7	86.4	0
3/14/2023, 8:59:58 AM	0	6.763	29.8	86.3	0
3/14/2023, 9:09:58 AM	0	6.763	30	86.1	0
3/14/2023, 9:19:58 AM	0	6.763	30.4	85.9	0
3/14/2023, 9:29:58 AM	0	6.763	30.7	85.7	0
3/14/2023, 9:39:58 AM	0	6.763	30.7	85.4	0
3/14/2023, 9:49:58 AM	0	6.763	30.7	85.1	0
3/14/2023, 9:59:58 AM	0	6.763	30.9	84.9	0
3/14/2023, 10:09:58 AM	0	6.763	30.9	84.6	0
3/14/2023, 10:19:58 AM	0	6.763	30.7	84.2	0
3/14/2023, 10:29:58 AM	0	6.763	30.4	84	0
3/14/2023, 10:39:58 AM	0	6.763	30.4	83.8	0
3/14/2023, 10:49:58 AM	0	6.763	30.4	83.6	0
3/14/2023, 10:59:58 AM	0	6.763	30.4	83.3	0
3/14/2023, 11:09:58 AM	0	6.763	30.2	83.1	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/14/2023, 11:19:58 AM	0	6.763	30	82.9	0
3/14/2023, 11:29:58 AM	0	6.763	29.8	82.7	0
3/14/2023, 11:39:58 AM	0	6.763	29.8	82.5	0
3/14/2023, 11:49:58 AM	0	6.763	29.8	82.4	0
3/14/2023, 11:59:58 AM	0	6.763	29.8	82.3	0
3/14/2023, 12:09:58 PM	0	6.763	29.7	82.1	0
3/14/2023, 12:19:58 PM	0	6.763	29.5	81.9	0
3/14/2023, 12:29:58 PM	0	6.763	29.5	81.8	0
3/14/2023, 12:39:58 PM	0	6.763	29.5	81.9	0
3/14/2023, 12:49:58 PM	0	6.763	29.7	81.8	0
3/14/2023, 12:59:58 PM	0	6.763	29.8	81.8	0
3/14/2023, 1:09:58 PM	0	6.763	30	81.8	0
3/14/2023, 1:19:58 PM	0	6.763	30.2	81.7	0
3/14/2023, 1:29:58 PM	0	6.763	30.2	81.7	0
3/14/2023, 1:39:58 PM	0	6.763	30.6	81.8	0
3/14/2023, 1:49:58 PM	0	6.763	30.7	81.8	0
3/14/2023, 1:59:58 PM	0	6.763	30.7	81.9	0
3/14/2023, 2:09:58 PM	0	6.763	31.1	81.9	0
3/14/2023, 2:19:58 PM	0	6.763	31.1	82	0
3/14/2023, 2:29:58 PM	0	6.763	30.9	81.9	0
3/14/2023, 2:39:58 PM	0	6.763	30.9	81.9	0
3/14/2023, 2:49:58 PM	0	6.763	30.9	81.9	0
3/14/2023, 2:59:58 PM	0	6.763	30.7	81.9	0
3/14/2023, 3:09:58 PM	0	6.763	30.6	82.1	0
3/14/2023, 3:19:58 PM	0	6.763	30.6	82.2	0
3/14/2023, 3:29:58 PM	0	6.763	30.6	82.3	0
3/14/2023, 3:39:58 PM	0	6.763	30.4	82.4	0
3/14/2023, 3:49:58 PM	0	6.763	30.2	82.5	0
3/14/2023, 3:59:58 PM	0	6.763	30	82.7	0
3/14/2023, 4:09:58 PM	0	6.763	29.8	83	0
3/14/2023, 4:19:58 PM	0	6.763	29.8	83.2	0
3/14/2023, 4:29:58 PM	0	6.763	29.8	83.5	0
3/14/2023, 4:39:58 PM	0	6.763	29.8	83.7	0
3/14/2023, 4:49:58 PM	0	6.763	29.8	83.8	0
3/14/2023, 4:59:58 PM	0	6.763	29.7	84	0
3/14/2023, 5:09:58 PM	0	6.763	29.5	84.1	0
3/14/2023, 5:19:58 PM	0	6.763	29.5	84.1	0
3/14/2023, 5:29:58 PM	0	6.763	29.3	84.3	0
3/14/2023, 5:39:58 PM	0	6.763	29.3	84.4	0
3/14/2023, 5:49:58 PM	0	6.763	29.1	84.4	0
3/14/2023, 5:59:58 PM	0	6.763	28.9	84.6	0
3/14/2023, 6:09:58 PM	0	6.763	28.8	84.7	0
3/14/2023, 6:19:58 PM	0	6.763	28.6	84.9	0
3/14/2023, 6:29:58 PM	0	6.754	28.6	85.1	0
3/14/2023, 6:39:58 PM	0	6.754	28.4	85.3	0
3/14/2023, 6:49:58 PM	0	6.754	28.4	85.6	0
3/14/2023, 6:59:58 PM	0	6.754	28.2	85.8	0
3/14/2023, 7:09:58 PM	0	6.754	28.2	86.1	0
3/14/2023, 7:19:58 PM	0	6.754	28.2	86.3	0
3/14/2023, 7:29:58 PM	0	6.754	28.4	86.5	0
3/14/2023, 7:39:58 PM	0	6.754	28.4	86.8	0
3/14/2023, 7:49:58 PM	0	6.754	28.4	87	0
3/14/2023, 7:59:58 PM	0	6.754	28.6	87.2	0
3/14/2023, 8:09:58 PM	0	6.754	28.6	87.5	0
3/14/2023, 8:19:58 PM	0	6.754	28.8	87.6	0
3/14/2023, 8:29:58 PM	0	6.754	28.8	87.8	0
3/14/2023, 8:39:58 PM	0	6.754	28.9	87.9	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/14/2023, 8:49:58 PM	0	6.754	28.9	88.1	0
3/14/2023, 8:59:58 PM	0	6.763	28.9	88.3	0
3/14/2023, 9:09:58 PM	0	6.763	29.1	88.4	0
3/14/2023, 9:19:58 PM	0	6.763	29.1	88.6	0
3/14/2023, 9:29:58 PM	0	6.763	29.3	88.7	0
3/14/2023, 9:39:58 PM	0	6.763	29.3	88.8	0
3/14/2023, 9:49:58 PM	0	6.763	29.3	88.8	0
3/14/2023, 9:59:58 PM	0	6.763	29.5	88.7	0
3/14/2023, 10:09:58 PM	0	6.763	29.5	88.7	0
3/14/2023, 10:19:58 PM	0	6.763	29.7	88.5	0
3/14/2023, 10:29:58 PM	0	6.763	29.8	88.2	0
3/14/2023, 10:39:58 PM	0	6.763	29.8	87.8	0
3/14/2023, 10:49:58 PM	0	6.763	30	87.2	0
3/14/2023, 10:59:58 PM	0	6.763	30.2	86.7	0
3/14/2023, 11:09:58 PM	0	6.763	30.4	86.1	0
3/14/2023, 11:19:58 PM	0	6.763	30.6	85.6	0
3/14/2023, 11:29:58 PM	0	6.763	30.6	84.9	0
3/14/2023, 11:39:58 PM	0	6.763	30.7	84.2	0
3/14/2023, 11:49:58 PM	0	6.763	30.7	83.6	0
3/14/2023, 11:59:58 PM	0	6.763	30.7	82.9	0
3/15/2023, 12:09:58 AM	0	6.763	30.7	82.3	0
3/15/2023, 12:19:58 AM	0	6.763	30.7	81.8	0
3/15/2023, 12:29:58 AM	0	6.763	30.7	81.4	0
3/15/2023, 12:39:58 AM	0	6.763	30.6	81	0
3/15/2023, 12:49:58 AM	0	6.763	30.6	80.6	0
3/15/2023, 12:59:58 AM	0	6.763	30.6	80.2	0
3/15/2023, 1:09:58 AM	0	6.763	30.4	79.9	0
3/15/2023, 1:19:58 AM	0	6.763	30.2	79.5	0
3/15/2023, 1:29:58 AM	0	6.763	30	79.1	0
3/15/2023, 1:39:58 AM	0	6.763	30	78.7	0
3/15/2023, 1:49:58 AM	0	6.763	29.8	78.4	0
3/15/2023, 1:59:58 AM	0	6.763	29.8	78.2	0
3/15/2023, 2:09:58 AM	0	6.763	29.7	78.1	0
3/15/2023, 2:19:58 AM	0	6.763	29.5	77.8	0
3/15/2023, 2:29:58 AM	0	6.763	29.3	77.6	0
3/15/2023, 2:39:58 AM	0	6.763	29.3	77.4	0
3/15/2023, 2:49:58 AM	0	6.763	29.1	77.1	0
3/15/2023, 2:59:58 AM	0	6.754	28.9	77	0
3/15/2023, 3:09:58 AM	0	6.754	28.8	76.7	0
3/15/2023, 3:19:58 AM	0	6.754	28.6	76.5	0
3/15/2023, 3:29:58 AM	0	6.754	28.4	76.4	0
3/15/2023, 3:39:58 AM	0	6.754	28	76.2	0
3/15/2023, 3:49:58 AM	0	6.754	27.9	76	0
3/15/2023, 3:59:58 AM	0	6.754	27.5	75.9	0
3/15/2023, 4:09:58 AM	0	6.754	27.1	75.8	0
3/15/2023, 4:19:58 AM	0	6.754	26.8	75.7	0
3/15/2023, 4:29:58 AM	0	6.746	26.6	75.7	0
3/15/2023, 4:39:58 AM	0	6.746	26.2	75.7	0
3/15/2023, 4:49:58 AM	0	6.746	26.1	75.7	0
3/15/2023, 4:59:58 AM	0	6.746	25.9	75.8	0
3/15/2023, 5:09:58 AM	0	6.746	25.5	75.8	0
3/15/2023, 5:19:58 AM	0	6.746	25.3	75.9	0
3/15/2023, 5:29:58 AM	0	6.746	25.2	75.9	0
3/15/2023, 5:39:58 AM	0	6.737	25.2	76	0
3/15/2023, 5:49:58 AM	0	6.737	25	76.1	0
3/15/2023, 5:59:58 AM	0	6.737	24.8	76.2	0
3/15/2023, 6:09:58 AM	0	6.737	24.6	76.3	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/15/2023, 6:19:58 AM	0	6.737	24.6	76.5	0
3/15/2023, 6:29:58 AM	0	6.737	24.4	76.6	0
3/15/2023, 6:39:58 AM	0	6.737	24.3	76.7	0
3/15/2023, 6:49:58 AM	0	6.737	24.3	76.8	0
3/15/2023, 6:59:58 AM	0	6.737	24.3	76.9	0
3/15/2023, 7:09:58 AM	0	6.737	24.3	77	0
3/15/2023, 7:19:58 AM	0	6.737	24.3	77	0
3/15/2023, 7:29:58 AM	0	6.737	24.6	77.1	0
3/15/2023, 7:39:58 AM	0	6.737	25.2	77.2	0
3/15/2023, 7:49:58 AM	0	6.737	25.7	77.2	0
3/15/2023, 7:59:58 AM	0	6.737	26.6	77.1	0
3/15/2023, 8:09:58 AM	0	6.737	27.9	76.8	0
3/15/2023, 8:19:58 AM	0	6.746	29.1	76.3	0
3/15/2023, 8:29:58 AM	0	6.746	30.9	75.9	0
3/15/2023, 8:39:58 AM	0	6.754	32.7	75.2	0
3/15/2023, 8:49:58 AM	0	6.754	34.7	74.2	0
3/15/2023, 8:59:58 AM	0	6.763	36.1	73	0
3/15/2023, 9:09:58 AM	0	6.763	37	71.9	0
3/15/2023, 9:19:58 AM	0	6.763	37.9	70.8	0
3/15/2023, 9:29:58 AM	0	6.772	39.4	69.8	0
3/15/2023, 9:39:58 AM	0	6.772	40.3	68.7	0
3/15/2023, 9:49:58 AM	0	6.772	40.8	67.7	0
3/15/2023, 9:59:58 AM	0	6.781	41.2	66.8	0
3/15/2023, 10:09:58 AM	0	6.781	41.5	66	0
3/15/2023, 10:19:58 AM	0	6.781	41.9	65.3	0
3/15/2023, 10:29:58 AM	0	6.781	41.9	64.5	0
3/15/2023, 10:39:58 AM	0	6.781	41.9	63.8	0
3/15/2023, 10:49:58 AM	0	6.781	42.3	63.2	0
3/15/2023, 10:59:58 AM	0	6.781	43.2	62.7	0
3/15/2023, 11:09:58 AM	0	6.781	44.1	62	0
3/15/2023, 11:19:58 AM	0	6.79	44.6	61.2	0
3/15/2023, 11:29:58 AM	0	6.79	45.3	60.6	0
3/15/2023, 11:39:58 AM	0	6.79	45.7	59.8	0
3/15/2023, 11:49:58 AM	0	6.79	45.7	59	0
3/15/2023, 11:59:58 AM	0	6.79	46.6	58.6	0
3/15/2023, 12:09:58 PM	0	6.798	47.3	58	0
3/15/2023, 12:19:58 PM	0	6.798	46.6	57.3	0
3/15/2023, 12:29:58 PM	0	6.798	45.5	56.8	0
3/15/2023, 12:39:58 PM	0	6.798	44.1	56.3	0
3/15/2023, 12:49:58 PM	0	6.798	43.5	56	0
3/15/2023, 12:59:58 PM	0	6.79	43.3	55.8	0
3/15/2023, 1:09:58 PM	0	6.798	43.3	55.8	0
3/15/2023, 1:19:58 PM	0	6.798	43	55.6	0
3/15/2023, 1:29:58 PM	0	6.798	42.6	55.4	0
3/15/2023, 1:39:58 PM	0	6.79	42.6	55.3	0
3/15/2023, 1:49:58 PM	0	6.79	42.6	55.2	0
3/15/2023, 1:59:58 PM	0	6.79	42.6	55.1	0
3/15/2023, 2:09:58 PM	0	6.798	42.6	54.8	0
3/15/2023, 2:19:58 PM	0	6.79	43	54.7	0
3/15/2023, 2:29:58 PM	0	6.798	43.2	54.6	0
3/15/2023, 2:39:58 PM	0	6.798	43.3	54.5	0
3/15/2023, 2:49:58 PM	0	6.798	43.3	54.4	0
3/15/2023, 2:59:58 PM	0	6.798	43.3	54.4	0
3/15/2023, 3:09:58 PM	0	6.798	43.3	54	0
3/15/2023, 3:19:58 PM	0	6.798	43.2	53.8	0
3/15/2023, 3:29:58 PM	0	6.798	43.3	53.7	0
3/15/2023, 3:39:58 PM	0	6.798	43.3	53.7	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/15/2023, 3:49:58 PM	0	6.798	43	53.5	0
3/15/2023, 3:59:58 PM	0	6.798	42.4	53.5	0
3/15/2023, 4:09:58 PM	0	6.798	41.9	53.4	0
3/15/2023, 4:19:58 PM	0	6.798	41.5	53.2	0
3/15/2023, 4:29:58 PM	0	6.79	41.2	53.1	0
3/15/2023, 4:39:58 PM	0	6.79	41	53	0
3/15/2023, 4:49:58 PM	0	6.79	40.6	52.8	0
3/15/2023, 4:59:58 PM	0	6.79	40.3	52.7	0
3/15/2023, 5:09:58 PM	0	6.79	40.1	52.9	0
3/15/2023, 5:19:58 PM	0	6.79	39.7	53.1	0
3/15/2023, 5:29:58 PM	0	6.79	39.4	53.2	0
3/15/2023, 5:39:58 PM	0	6.79	39	53.2	0
3/15/2023, 5:49:58 PM	0	6.79	38.5	53.4	0
3/15/2023, 5:59:58 PM	0	6.79	37.9	53.6	0
3/15/2023, 6:09:58 PM	0	6.79	37.4	53.9	0
3/15/2023, 6:19:58 PM	0	6.781	36.9	54.2	0
3/15/2023, 6:29:58 PM	0	6.781	36.3	55.4	0
3/15/2023, 6:39:58 PM	0	6.781	36	56.6	0
3/15/2023, 6:49:58 PM	0	6.781	35.4	57.6	0
3/15/2023, 6:59:58 PM	0	6.781	34.9	58.6	0
3/15/2023, 7:09:58 PM	0	6.772	34.5	59.4	0
3/15/2023, 7:19:58 PM	0	6.772	34.2	60.1	0
3/15/2023, 7:29:58 PM	0	6.772	33.8	61.1	0
3/15/2023, 7:39:58 PM	0	6.772	33.4	62	0
3/15/2023, 7:49:58 PM	0	6.772	33.3	62.8	0
3/15/2023, 7:59:58 PM	0	6.772	32.9	63.6	0
3/15/2023, 8:09:58 PM	0	6.763	32.5	64.4	0
3/15/2023, 8:19:58 PM	0	6.763	32.2	65.2	0
3/15/2023, 8:29:58 PM	0	6.763	32	65.8	0
3/15/2023, 8:39:58 PM	0	6.763	32	66.4	0
3/15/2023, 8:49:58 PM	0	6.763	31.6	67	0
3/15/2023, 8:59:58 PM	0	6.763	31.5	67.6	0
3/15/2023, 9:09:58 PM	0	6.763	31.3	68.1	0
3/15/2023, 9:19:58 PM	0	6.754	31.1	68.6	0
3/15/2023, 9:29:58 PM	0	6.754	30.9	69.2	0
3/15/2023, 9:39:58 PM	0	6.754	30.9	69.8	0
3/15/2023, 9:49:58 PM	0	6.754	31.1	70.4	0
3/15/2023, 9:59:58 PM	0	6.754	31.3	70.9	0
3/15/2023, 10:09:58 PM	0	6.754	31.5	71.3	0
3/15/2023, 10:19:58 PM	0	6.754	31.6	71.6	0
3/15/2023, 10:29:58 PM	0	6.763	31.8	72	0
3/15/2023, 10:39:58 PM	0	6.754	31.8	72.2	0
3/15/2023, 10:49:58 PM	0	6.763	32	72.3	0
3/15/2023, 10:59:58 PM	0	6.763	32	72.5	0
3/15/2023, 11:09:58 PM	0	6.763	32	72.6	0
3/15/2023, 11:19:58 PM	0	6.763	32.2	72.7	0
3/15/2023, 11:29:58 PM	0	6.763	32.2	72.8	0
3/15/2023, 11:39:58 PM	0	6.763	32.2	72.8	0
3/15/2023, 11:49:58 PM	0	6.763	32.2	72.9	0
3/15/2023, 11:59:58 PM	0	6.763	32.4	72.9	0
3/16/2023, 12:09:58 AM	0	6.763	32.4	72.8	0
3/16/2023, 12:19:58 AM	0	6.763	32.5	72.7	0
3/16/2023, 12:29:58 AM	0	6.763	32.5	72.5	0
3/16/2023, 12:39:58 AM	0	6.763	32.5	72.3	0
3/16/2023, 12:49:58 AM	0	6.763	32.7	72	0
3/16/2023, 12:59:58 AM	0	6.763	32.7	71.7	0
3/16/2023, 1:09:58 AM	0	6.763	32.7	71.4	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/16/2023, 1:19:58 AM	0	6.763	32.7	71	0
3/16/2023, 1:29:58 AM	0	6.763	32.7	70.6	0
3/16/2023, 1:39:58 AM	0	6.763	32.7	70	0
3/16/2023, 1:49:58 AM	0	6.763	32.7	69.3	0
3/16/2023, 1:59:58 AM	0	6.763	32.7	68.7	0
3/16/2023, 2:09:58 AM	0	6.763	32.7	68.3	0
3/16/2023, 2:19:58 AM	0	6.763	32.9	67.8	0
3/16/2023, 2:29:58 AM	0	6.763	32.9	67.3	0
3/16/2023, 2:39:58 AM	0	6.763	32.9	66.7	0
3/16/2023, 2:49:58 AM	0	6.763	32.9	66.4	0
3/16/2023, 2:59:58 AM	0	6.763	33.1	66.2	0
3/16/2023, 3:09:58 AM	0	6.763	33.1	66	0
3/16/2023, 3:19:58 AM	0	6.763	33.1	65.9	0
3/16/2023, 3:29:58 AM	0	6.763	33.1	65.7	0
3/16/2023, 3:39:58 AM	0	6.763	33.3	65.7	0
3/16/2023, 3:49:58 AM	0	6.763	33.3	65.6	0
3/16/2023, 3:59:58 AM	0	6.763	33.4	65.5	0
3/16/2023, 4:09:58 AM	0	6.763	33.4	65.4	0
3/16/2023, 4:19:58 AM	0	6.763	33.8	65.5	0
3/16/2023, 4:29:58 AM	0	6.763	34	65.5	0
3/16/2023, 4:39:58 AM	0	6.763	34.2	65.6	0
3/16/2023, 4:49:58 AM	0	6.763	34.3	65.8	0
3/16/2023, 4:59:58 AM	0	6.763	34.3	66	0
3/16/2023, 5:09:58 AM	0	6.772	34.5	66.1	0
3/16/2023, 5:19:58 AM	0	6.772	34.5	66.2	0
3/16/2023, 5:29:58 AM	0	6.772	34.7	66.4	0
3/16/2023, 5:39:58 AM	0	6.772	34.7	66.4	0
3/16/2023, 5:49:58 AM	0	6.772	34.9	66.4	0
3/16/2023, 5:59:58 AM	0	6.772	35.1	66.8	0
3/16/2023, 6:09:58 AM	0	6.772	35.1	67.1	0
3/16/2023, 6:19:58 AM	0	6.772	35.1	67.4	0
3/16/2023, 6:29:58 AM	0	6.772	35.1	67.6	0
3/16/2023, 6:39:58 AM	0	6.772	34.7	67.9	0
3/16/2023, 6:49:58 AM	0	6.772	34.3	68	0
3/16/2023, 6:59:58 AM	0	6.772	34	68	0
3/16/2023, 7:09:58 AM	0	6.763	33.8	68.3	0
3/16/2023, 7:19:58 AM	0	6.763	33.6	68.7	0
3/16/2023, 7:29:58 AM	0	6.763	33.8	69.1	0
3/16/2023, 7:39:58 AM	0	6.763	34.2	69.3	0
3/16/2023, 7:49:58 AM	0	6.763	35.1	68.9	0
3/16/2023, 7:59:58 AM	0	6.772	36.3	68.4	0
3/16/2023, 8:09:58 AM	0	6.772	37.8	67.9	0
3/16/2023, 8:19:58 AM	0	6.772	39.2	67.3	0
3/16/2023, 8:29:58 AM	0	6.781	41	66.5	0
3/16/2023, 8:39:58 AM	0	6.781	42.3	65.8	0
3/16/2023, 8:49:58 AM	0	6.79	42.8	65	0
3/16/2023, 8:59:58 AM	0	6.79	43.2	64.3	0
3/16/2023, 9:09:58 AM	0	6.79	43.7	63.7	0
3/16/2023, 9:19:58 AM	0	6.79	44.1	63.2	0
3/16/2023, 9:29:58 AM	0	6.79	44.4	62.7	0
3/16/2023, 9:39:58 AM	0	6.798	45.5	62.4	0
3/16/2023, 10:54:00 AM	0	6.992	48.2	63.4	0
3/16/2023, 11:04:00 AM	0	6.825	49.8	63.6	0
3/16/2023, 11:14:00 AM	0	6.833	50.4	62.4	0
3/16/2023, 11:24:00 AM	0	6.833	50.9	61.3	0
3/16/2023, 11:34:00 AM	0	6.833	52	60.6	0
3/16/2023, 11:44:00 AM	0	6.833	52.7	60	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/16/2023, 11:54:00 AM	0	6.833	53.4	59.4	0
3/16/2023, 12:04:00 PM	0	6.833	54.1	58.8	0
3/16/2023, 12:14:00 PM	0	6.842	55	58.3	0
3/16/2023, 12:24:00 PM	0	6.842	55.6	58	0
3/16/2023, 12:34:00 PM	0	6.842	56.1	57.5	0
3/16/2023, 12:44:00 PM	0	6.842	56.3	57	0
3/16/2023, 12:54:00 PM	0	6.842	56.3	56.6	0
3/16/2023, 1:04:00 PM	0	6.842	55.9	56.3	0
3/16/2023, 1:14:00 PM	0	6.842	55.6	56	0
3/16/2023, 1:24:00 PM	0	6.842	55.2	55.7	0
3/16/2023, 1:34:00 PM	0	6.842	54.9	55.4	0
3/16/2023, 1:44:00 PM	0	6.842	54.5	55.2	0
3/16/2023, 1:54:00 PM	0	6.842	54.5	55	0
3/16/2023, 2:04:00 PM	0	6.842	54.5	54.9	0
3/16/2023, 2:14:00 PM	0	6.842	54.7	54.8	0
3/16/2023, 2:24:00 PM	0	6.842	55	54.7	0
3/16/2023, 2:34:00 PM	0	6.851	55.2	54.7	0
3/16/2023, 2:44:00 PM	0	6.851	55.4	54.5	0
3/16/2023, 2:54:00 PM	0	6.851	55.2	54.3	0
3/16/2023, 3:04:00 PM	0	6.851	55.4	54.1	0
3/16/2023, 3:14:00 PM	0	6.851	55.6	54	0
3/16/2023, 3:24:00 PM	0	6.851	55.6	53.9	0
3/16/2023, 3:34:00 PM	0	6.851	55.4	53.6	0
3/16/2023, 3:44:00 PM	0	6.851	55.2	53.5	0
3/16/2023, 3:54:00 PM	0	6.851	55	53.4	0
3/16/2023, 4:04:00 PM	0	6.851	54.9	53.3	0
3/16/2023, 4:14:00 PM	0	6.851	54.5	53.1	0
3/16/2023, 4:24:00 PM	0	6.851	54	53	0
3/16/2023, 4:34:00 PM	0	6.851	53.4	52.7	0
3/16/2023, 4:44:00 PM	0	6.851	53.1	52.7	0
3/16/2023, 4:54:00 PM	0	6.851	52.7	52.6	0
3/16/2023, 5:04:00 PM	0	6.851	52.3	52.7	0
3/16/2023, 5:14:00 PM	0	6.851	52	52.7	0
3/16/2023, 5:24:00 PM	0	6.842	51.8	52.9	0
3/16/2023, 5:34:00 PM	0	6.842	51.6	53	0
3/16/2023, 5:44:00 PM	0	6.842	51.8	53.1	0
3/16/2023, 5:54:00 PM	0	6.842	52	53.3	0
3/16/2023, 6:04:00 PM	0	6.851	52	53.3	0
3/16/2023, 6:14:00 PM	0	6.842	51.8	53.2	0
3/16/2023, 6:24:00 PM	0	6.851	51.4	53.2	0
3/16/2023, 6:34:00 PM	0	6.842	50.7	53.4	0
3/16/2023, 6:44:00 PM	0	6.842	49.8	53.9	0
3/16/2023, 6:54:00 PM	0	6.842	48.9	54.8	0
3/16/2023, 7:04:00 PM	0	6.842	47.8	56	0
3/16/2023, 7:14:00 PM	0	6.842	47.1	56.9	0
3/16/2023, 7:24:00 PM	0	6.842	46.2	58	0
3/16/2023, 7:34:00 PM	0	6.842	45.3	59	0
3/16/2023, 7:44:00 PM	0	6.833	44.4	60.1	0
3/16/2023, 7:54:00 PM	0	6.833	43.3	61	0
3/16/2023, 8:04:00 PM	0	6.833	42.4	61.9	0
3/16/2023, 8:14:00 PM	0	6.833	41.5	62.8	0
3/16/2023, 8:24:00 PM	0	6.833	40.8	63.6	0
3/16/2023, 8:34:00 PM	0	6.825	40.1	64.3	0
3/16/2023, 8:44:00 PM	0	6.825	39.4	64.9	0
3/16/2023, 8:54:00 PM	0	6.825	38.7	65.8	0
3/16/2023, 9:04:00 PM	0	6.825	38.1	66.6	0
3/16/2023, 9:14:00 PM	0	6.825	37.6	67.5	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/16/2023, 9:24:00 PM	0	6.825	37.2	68.2	0
3/16/2023, 9:34:00 PM	0	6.816	36.7	68.9	0
3/16/2023, 9:44:00 PM	0	6.816	36.1	69.7	0
3/16/2023, 9:54:00 PM	0	6.816	36	70.5	0
3/16/2023, 10:04:00 PM	0	6.816	35.8	71.3	0
3/16/2023, 10:14:00 PM	0	6.816	35.6	72	0
3/16/2023, 10:24:00 PM	0	6.816	35.4	72.7	0
3/16/2023, 10:34:00 PM	0	6.816	35.2	73.2	0
3/16/2023, 10:44:00 PM	0	6.816	35.1	73.7	0
3/16/2023, 10:54:00 PM	0	6.816	35.1	74.2	0
3/16/2023, 11:04:00 PM	0	6.816	34.9	74.7	0
3/16/2023, 11:14:00 PM	0	6.816	34.9	75.2	0
3/16/2023, 11:24:00 PM	0	6.816	34.9	75.7	0
3/16/2023, 11:34:00 PM	0	6.816	34.9	76.2	0
3/16/2023, 11:44:00 PM	0	6.816	34.9	76.6	0
3/16/2023, 11:54:00 PM	0	6.816	35.1	77.1	0
3/17/2023, 12:04:00 AM	0	6.816	35.2	77.6	0
3/17/2023, 12:14:00 AM	0	6.816	35.4	78	0
3/17/2023, 12:24:00 AM	0	6.816	35.6	78.4	0
3/17/2023, 12:34:00 AM	0	6.816	36	78.8	0
3/17/2023, 12:44:00 AM	0	6.816	36.3	79	0
3/17/2023, 12:54:00 AM	0	6.816	36.5	79	0
3/17/2023, 1:04:00 AM	0	6.816	36.7	79	0
3/17/2023, 1:14:00 AM	0	6.825	36.9	79	0
3/17/2023, 1:24:00 AM	0	6.825	37	78.9	0
3/17/2023, 1:34:00 AM	0	6.825	37	78.8	0
3/17/2023, 1:44:00 AM	0	6.825	37.2	78.8	0
3/17/2023, 1:54:00 AM	0	6.825	37.2	78.8	0
3/17/2023, 2:04:00 AM	0	6.825	37.6	78.4	0
3/17/2023, 2:14:00 AM	0	6.825	38.7	78.4	0
3/17/2023, 2:24:00 AM	0	6.825	39.7	78.5	0
3/17/2023, 2:34:00 AM	0	6.833	40.5	78.7	0
3/17/2023, 2:44:00 AM	0	6.833	40.6	79.1	0
3/17/2023, 2:54:00 AM	0	6.833	40.8	79.5	0
3/17/2023, 3:04:00 AM	0	6.833	40.6	79.9	0
3/17/2023, 3:14:00 AM	0	6.833	40.6	80.4	0
3/17/2023, 3:24:00 AM	0	6.833	40.5	80.9	0
3/17/2023, 3:34:00 AM	0	6.833	40.3	81.4	0
3/17/2023, 3:44:00 AM	0	6.833	40.3	81.9	0
3/17/2023, 3:54:00 AM	0	6.833	40.3	82.3	0
3/17/2023, 4:04:00 AM	0	6.833	40.3	82.8	0
3/17/2023, 4:14:00 AM	0	6.833	40.1	83.2	0
3/17/2023, 4:24:00 AM	0	6.833	40.1	83.6	0
3/17/2023, 4:34:00 AM	0	6.833	40.1	83.9	0
3/17/2023, 4:44:00 AM	0	6.833	40.1	84.3	0
3/17/2023, 4:54:00 AM	0	6.833	40.1	84.7	0
3/17/2023, 5:04:00 AM	0	6.833	40.1	85.1	0
3/17/2023, 5:14:00 AM	0	6.833	40.3	85.4	0
3/17/2023, 5:24:00 AM	0	6.833	40.3	85.8	0
3/17/2023, 5:34:00 AM	0	6.833	40.3	86.1	0
3/17/2023, 5:44:00 AM	0	6.833	40.5	86.4	0
3/17/2023, 5:54:00 AM	0	6.833	40.5	86.7	0
3/17/2023, 6:04:00 AM	0	6.833	40.5	86.9	0
3/17/2023, 6:14:00 AM	0	6.833	40.5	87.1	0
3/17/2023, 6:24:00 AM	0	6.833	40.5	87.3	0
3/17/2023, 6:34:00 AM	0	6.833	40.6	87.4	0
3/17/2023, 6:44:00 AM	0	6.833	40.6	87.7	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/17/2023, 6:54:00 AM	0	6.833	40.6	87.9	0
3/17/2023, 7:04:00 AM	0	6.833	40.6	88.1	0
3/17/2023, 7:14:00 AM	0	6.833	40.6	88.2	0
3/17/2023, 7:24:00 AM	0	6.833	40.6	88.3	0
3/17/2023, 7:34:00 AM	0	6.833	40.6	88.4	0
3/17/2023, 7:44:00 AM	0	6.833	40.6	88.5	0
3/17/2023, 7:54:00 AM	0	6.833	40.6	88.7	0
3/17/2023, 8:04:00 AM	0	6.833	40.6	88.8	0
3/17/2023, 8:14:00 AM	0	6.833	40.6	88.9	0
3/17/2023, 8:24:00 AM	0	6.833	40.6	89.1	0
3/17/2023, 8:34:00 AM	0	6.833	40.8	89.2	0
3/17/2023, 8:44:00 AM	0	6.842	40.8	89.4	0
3/17/2023, 8:54:00 AM	0	6.833	41	89.5	0
3/17/2023, 9:04:00 AM	0	6.842	41.2	89.7	0
3/17/2023, 9:14:00 AM	0	6.842	41.2	90	0
3/17/2023, 9:24:00 AM	0	6.842	41.5	90.1	0
3/17/2023, 9:34:00 AM	0	6.842	41.7	90.4	0
3/17/2023, 9:44:00 AM	0	6.842	41.9	90.6	0
3/17/2023, 9:54:00 AM	0	6.842	42.1	90.9	0
3/17/2023, 10:04:00 AM	0	6.842	42.4	91	0
3/17/2023, 10:14:00 AM	0	6.842	42.6	91.2	0
3/17/2023, 10:24:00 AM	0	6.842	42.8	91.4	0
3/17/2023, 10:34:00 AM	0	6.842	43	91.5	0
3/17/2023, 10:44:00 AM	0	6.842	43.2	91.6	0
3/17/2023, 10:54:00 AM	0	6.842	43.3	91.7	0
3/17/2023, 11:04:00 AM	0	6.842	43.5	91.8	0
3/17/2023, 11:14:00 AM	0	6.842	43.9	92	0
3/17/2023, 11:24:00 AM	0	6.842	44.2	92.2	0
3/17/2023, 11:34:00 AM	0	6.851	44.6	92.4	0
3/17/2023, 11:44:00 AM	0	6.851	45	92.6	0
3/17/2023, 11:54:00 AM	0	6.851	45.3	92.8	0
3/17/2023, 12:04:00 PM	0	6.851	45.7	92.9	0
3/17/2023, 12:14:00 PM	0	6.851	45.9	93.1	0
3/17/2023, 12:24:00 PM	0	6.851	46.2	93.2	0
3/17/2023, 12:34:00 PM	0	6.851	46.6	93.2	0
3/17/2023, 12:44:00 PM	0	6.851	46.8	93.2	0
3/17/2023, 12:54:00 PM	0	6.851	46.9	93.3	0
3/17/2023, 1:04:00 PM	0	6.851	47.1	93.3	0
3/17/2023, 1:14:00 PM	0	6.851	47.5	93.3	0
3/17/2023, 1:24:00 PM	0	6.86	47.7	93.3	0
3/17/2023, 1:34:00 PM	0	6.86	48	93.2	0
3/17/2023, 1:44:00 PM	0	6.86	48.2	93.2	0
3/17/2023, 1:54:00 PM	0	6.86	48.4	93.2	0
3/17/2023, 2:04:00 PM	0	6.86	48.7	93.1	0
3/17/2023, 2:14:00 PM	0	6.86	48.9	93	0
3/17/2023, 2:24:00 PM	0	6.86	49.3	92.9	0
3/17/2023, 2:34:00 PM	0	6.86	49.5	92.8	0
3/17/2023, 2:44:00 PM	0	6.86	49.8	92.7	0
3/17/2023, 2:54:00 PM	0	6.86	50.2	92.5	0
3/17/2023, 3:04:00 PM	0	6.86	50.5	92.3	0
3/17/2023, 3:14:00 PM	0	6.86	50.9	92	0
3/17/2023, 3:24:00 PM	0	6.86	51.3	91.5	0
3/17/2023, 3:34:00 PM	0	6.86	51.6	91	0
3/17/2023, 3:44:00 PM	0	6.869	52	90.5	0
3/17/2023, 3:54:00 PM	0	6.869	52.3	90.1	0
3/17/2023, 4:04:00 PM	0	6.869	52.5	89.5	0
3/17/2023, 4:14:00 PM	0	6.869	52.7	88.8	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/17/2023, 4:24:00 PM	0	6.869	52.7	88.2	0
3/17/2023, 4:34:00 PM	0	6.869	52.7	87.7	0
3/17/2023, 4:44:00 PM	0	6.869	52.7	87.2	0
3/17/2023, 4:54:00 PM	0	6.869	52.7	86.8	0
3/17/2023, 5:04:00 PM	0	6.869	52.5	86.4	0
3/17/2023, 5:14:00 PM	0	6.869	52.3	86.1	0
3/17/2023, 5:24:00 PM	0	6.869	52.2	85.9	0
3/17/2023, 5:34:00 PM	0	6.869	51.4	85.5	0
3/17/2023, 5:44:00 PM	0	6.869	50.7	85.2	0
3/17/2023, 5:54:00 PM	0	6.869	50	85.2	0
3/17/2023, 6:04:00 PM	0	6.86	49.3	85.1	0
3/17/2023, 6:14:00 PM	0	6.86	48.4	85	0
3/17/2023, 6:24:00 PM	0	6.86	47.7	84.8	0
3/17/2023, 6:34:00 PM	0	6.86	46.8	84.7	0
3/17/2023, 6:44:00 PM	0	6.86	46.2	84.8	0
3/17/2023, 6:54:00 PM	0	6.86	45.7	84.8	0
3/17/2023, 7:04:00 PM	0	6.851	45.1	84.9	0
3/17/2023, 7:14:00 PM	0	6.851	44.8	85.1	0
3/17/2023, 7:24:00 PM	0	6.851	44.4	85.1	0
3/17/2023, 7:34:00 PM	0	6.851	44.1	85.1	0
3/17/2023, 7:44:00 PM	0	6.851	43.5	85	0
3/17/2023, 7:54:00 PM	0	6.851	43.2	84.9	0
3/17/2023, 8:04:00 PM	0	6.851	42.8	84.9	0
3/17/2023, 8:14:00 PM	0	6.842	42.4	84.9	0
3/17/2023, 8:24:00 PM	0	6.842	42.3	84.8	0
3/17/2023, 8:34:00 PM	0	6.842	41.9	84.8	0
3/17/2023, 8:44:00 PM	0	6.842	41.5	84.7	0
3/17/2023, 8:54:00 PM	0	6.842	41.2	84.7	0
3/17/2023, 9:04:00 PM	0	6.842	41	84.8	0
3/17/2023, 9:14:00 PM	0	6.842	40.6	84.9	0
3/17/2023, 9:24:00 PM	0	6.842	40.3	85.1	0
3/17/2023, 9:34:00 PM	0	6.842	40.1	85.3	0
3/17/2023, 9:44:00 PM	0	6.842	39.7	85.5	0
3/17/2023, 9:54:00 PM	0	6.842	39.6	85.6	0
3/17/2023, 10:04:00 PM	0	6.842	39.2	85.5	0
3/17/2023, 10:14:00 PM	0	6.842	38.8	85.3	0
3/17/2023, 10:24:00 PM	0	6.833	38.5	85	0
3/17/2023, 10:34:00 PM	0	6.833	38.3	84.7	0
3/17/2023, 10:44:00 PM	0	6.833	38.1	84.3	0
3/17/2023, 10:54:00 PM	0	6.833	37.9	84.1	0
3/17/2023, 11:04:00 PM	0	6.833	37.8	83.7	0
3/17/2023, 11:14:00 PM	0	6.833	37.6	83.5	0
3/17/2023, 11:24:00 PM	0	6.833	37.4	83.2	0
3/17/2023, 11:34:00 PM	0	6.833	37.4	83	0
3/17/2023, 11:44:00 PM	0	6.833	37.4	82.8	0
3/17/2023, 11:54:00 PM	0	6.833	37.2	82.7	0
3/18/2023, 12:04:00 AM	0	6.833	37.2	82.6	0
3/18/2023, 12:14:00 AM	0	6.833	37.2	82.5	0
3/18/2023, 12:24:00 AM	0	6.833	37.2	82.4	0
3/18/2023, 12:34:00 AM	0	6.833	37.2	82.3	0
3/18/2023, 12:44:00 AM	0	6.833	37	82.2	0
3/18/2023, 12:54:00 AM	0	6.833	37	82.1	0
3/18/2023, 1:04:00 AM	0	6.833	36.9	81.9	0
3/18/2023, 1:14:00 AM	0	6.833	36.7	81.6	0
3/18/2023, 1:24:00 AM	0	6.833	36.5	81.4	0
3/18/2023, 1:34:00 AM	0	6.833	36.3	81.2	0
3/18/2023, 1:44:00 AM	0	6.833	36.3	80.9	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/18/2023, 1:54:00 AM	0	6.833	36.1	80.7	0
3/18/2023, 2:04:00 AM	0	6.833	36.1	80.6	0
3/18/2023, 2:14:00 AM	0	6.833	36	80.3	0
3/18/2023, 2:24:00 AM	0	6.833	36	80	0
3/18/2023, 2:34:00 AM	0	6.833	36	79.7	0
3/18/2023, 2:44:00 AM	0	6.833	35.8	79.4	0
3/18/2023, 2:54:00 AM	0	6.833	35.8	79.2	0
3/18/2023, 3:04:00 AM	0	6.833	35.6	78.9	0
3/18/2023, 3:14:00 AM	0	6.833	35.6	78.7	0
3/18/2023, 3:24:00 AM	0	6.833	35.6	78.5	0
3/18/2023, 3:34:00 AM	0	6.825	35.6	78.3	0
3/18/2023, 3:44:00 AM	0	6.833	35.4	78.1	0
3/18/2023, 3:54:00 AM	0	6.825	35.4	77.9	0
3/18/2023, 4:04:00 AM	0	6.825	35.2	77.7	0
3/18/2023, 4:14:00 AM	0	6.825	35.2	77.5	0
3/18/2023, 4:24:00 AM	0	6.825	35.2	77.3	0
3/18/2023, 4:34:00 AM	0	6.825	35.1	77.1	0
3/18/2023, 4:44:00 AM	0	6.825	35.1	76.9	0
3/18/2023, 4:54:00 AM	0	6.825	34.9	76.8	0
3/18/2023, 5:04:00 AM	0	6.825	34.9	76.8	0
3/18/2023, 5:14:00 AM	0	6.825	34.7	76.8	0
3/18/2023, 5:24:00 AM	0	6.825	34.7	76.7	0
3/18/2023, 5:34:00 AM	0	6.825	34.7	76.6	0
3/18/2023, 5:44:00 AM	0	6.825	34.5	76.5	0
3/18/2023, 5:54:00 AM	0	6.825	34.5	76.4	0
3/18/2023, 6:04:00 AM	0	6.825	34.5	76.3	0
3/18/2023, 6:14:00 AM	0	6.825	34.5	76.2	0
3/18/2023, 6:24:00 AM	0	6.825	34.5	76.2	0
3/18/2023, 6:34:00 AM	0	6.825	34.5	76.2	0
3/18/2023, 6:44:00 AM	0	6.825	34.5	76.1	0
3/18/2023, 6:54:00 AM	0	6.825	34.5	76.1	0
3/18/2023, 7:04:00 AM	0	6.825	34.5	76.2	0
3/18/2023, 7:14:00 AM	0	6.825	34.3	76.2	0
3/18/2023, 7:24:00 AM	0	6.825	34.3	76.3	0
3/18/2023, 7:34:00 AM	0	6.825	34.3	76.4	0
3/18/2023, 7:44:00 AM	0	6.825	34.3	76.4	0
3/18/2023, 7:54:00 AM	0	6.825	34.3	76.3	0
3/18/2023, 8:04:00 AM	0	6.825	34.3	76.3	0
3/18/2023, 8:14:00 AM	0	6.825	34.5	76.1	0
3/18/2023, 8:24:00 AM	0	6.825	34.5	75.8	0
3/18/2023, 8:34:00 AM	0	6.825	34.7	75.5	0
3/18/2023, 8:44:00 AM	0	6.833	34.7	75.2	0
3/18/2023, 8:54:00 AM	0	6.833	34.9	75	0
3/18/2023, 9:04:00 AM	0	6.825	34.9	74.7	0
3/18/2023, 9:14:00 AM	0	6.833	35.1	74.4	0
3/18/2023, 9:24:00 AM	0	6.833	35.2	74.2	0
3/18/2023, 9:34:00 AM	0	6.833	35.6	74.1	0
3/18/2023, 9:44:00 AM	0	6.833	36.3	74.1	0
3/18/2023, 9:54:00 AM	0	6.833	36.5	73.9	0
3/18/2023, 10:04:00 AM	0	6.833	36.5	73.6	0
3/18/2023, 10:14:00 AM	0	6.833	36.5	73.3	0
3/18/2023, 10:24:00 AM	0	6.833	36.5	73.3	0
3/18/2023, 10:34:00 AM	0	6.833	36.7	73.4	0
3/18/2023, 10:44:00 AM	0	6.833	36.9	73.6	0
3/18/2023, 10:54:00 AM	0	6.833	37.2	73.8	0
3/18/2023, 11:04:00 AM	0	6.833	37.8	74.1	0
3/18/2023, 11:14:00 AM	0	6.833	38.8	74.3	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/18/2023, 11:24:00 AM	0	6.842	39.7	74.5	0
3/18/2023, 11:34:00 AM	0	6.842	40.6	74.3	0
3/18/2023, 11:44:00 AM	0	6.842	41	73.5	0
3/18/2023, 11:54:00 AM	0	6.842	40.5	72.4	0
3/18/2023, 12:04:00 PM	0	6.842	39.2	71.7	0
3/18/2023, 12:14:00 PM	0	6.842	38.3	71.8	0
3/18/2023, 12:24:00 PM	0	6.842	39	72.8	0
3/18/2023, 12:34:00 PM	0	6.842	40.1	73.6	0
3/18/2023, 12:44:00 PM	0	6.842	40.6	73.2	0
3/18/2023, 12:54:00 PM	0	6.842	40.8	72.2	0
3/18/2023, 1:04:00 PM	0	6.842	40.6	71	0
3/18/2023, 1:14:00 PM	0	6.842	40.3	70	0
3/18/2023, 1:24:00 PM	0	6.842	40.1	69.2	0
3/18/2023, 1:34:00 PM	0	6.842	40.1	68.6	0
3/18/2023, 1:44:00 PM	0	6.842	40.1	68.1	0
3/18/2023, 1:54:00 PM	0	6.842	40.1	67.5	0
3/18/2023, 2:04:00 PM	0	6.842	40.1	67	0
3/18/2023, 2:14:00 PM	0	6.842	40.5	66.6	0
3/18/2023, 2:24:00 PM	0	6.842	40.6	66.2	0
3/18/2023, 2:34:00 PM	0	6.842	40.6	65.9	0
3/18/2023, 2:44:00 PM	0	6.842	40.3	65.5	0
3/18/2023, 2:54:00 PM	0	6.842	39.9	65	0
3/18/2023, 3:04:00 PM	0	6.842	39.4	64.6	0
3/18/2023, 3:14:00 PM	0	6.842	39	64.2	0
3/18/2023, 3:24:00 PM	0	6.842	38.8	64.1	0
3/18/2023, 3:34:00 PM	0	6.842	38.3	63.9	0
3/18/2023, 3:44:00 PM	0	6.842	37.9	63.9	0
3/18/2023, 3:54:00 PM	0	6.842	37.4	63.9	0
3/18/2023, 4:04:00 PM	0	6.842	37.2	64	0
3/18/2023, 4:14:00 PM	0	6.842	37.2	64	0
3/18/2023, 4:24:00 PM	0	6.842	37.2	64	0
3/18/2023, 4:34:00 PM	0	6.833	37.4	63.9	0
3/18/2023, 4:44:00 PM	0	6.833	37.9	63.8	0
3/18/2023, 4:54:00 PM	0	6.842	38.1	63.4	0
3/18/2023, 5:04:00 PM	0	6.842	38.3	63.1	0
3/18/2023, 5:14:00 PM	0	6.842	38.1	62.8	0
3/18/2023, 5:24:00 PM	0	6.842	37.8	62.5	0
3/18/2023, 5:34:00 PM	0	6.842	37.6	62.5	0
3/18/2023, 5:44:00 PM	0	6.842	37.2	62.6	0
3/18/2023, 5:54:00 PM	0	6.842	36.7	62.9	0
3/18/2023, 6:04:00 PM	0	6.842	36.3	63.4	0
3/18/2023, 6:14:00 PM	0	6.833	35.8	63.9	0
3/18/2023, 6:24:00 PM	0	6.833	35.4	64.5	0
3/18/2023, 6:34:00 PM	0	6.833	35.1	65.1	0
3/18/2023, 6:44:00 PM	0	6.833	34.7	65.8	0
3/18/2023, 6:54:00 PM	0	6.833	34	66.3	0
3/18/2023, 7:04:00 PM	0	6.833	33.3	66.8	0
3/18/2023, 7:14:00 PM	0	6.825	32.7	67.2	0
3/18/2023, 7:24:00 PM	0	6.825	32.4	67.5	0
3/18/2023, 7:34:00 PM	0	6.825	32	67.8	0
3/18/2023, 7:44:00 PM	0	6.825	32	68.1	0
3/18/2023, 7:54:00 PM	0	6.825	31.6	68.3	0
3/18/2023, 8:04:00 PM	0	6.825	31.3	68.4	0
3/18/2023, 8:14:00 PM	0	6.825	31.1	68.7	0
3/18/2023, 8:24:00 PM	0	6.825	30.7	68.9	0
3/18/2023, 8:34:00 PM	0	6.825	30.4	69	0
3/18/2023, 8:44:00 PM	0	6.816	30	69.1	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/18/2023, 8:54:00 PM	0	6.816	29.5	69.3	0
3/18/2023, 9:04:00 PM	0	6.816	29.1	69.7	0
3/18/2023, 9:14:00 PM	0	6.816	28.8	70	0
3/18/2023, 9:24:00 PM	0	6.816	28.2	70.4	0
3/18/2023, 9:34:00 PM	0	6.816	28	70.7	0
3/18/2023, 9:44:00 PM	0	6.807	27.7	71	0
3/18/2023, 9:54:00 PM	0	6.807	27.1	71.3	0
3/18/2023, 10:04:00 PM	0	6.807	26.8	71.4	0
3/18/2023, 10:14:00 PM	0	6.807	26.4	71.4	0
3/18/2023, 10:24:00 PM	0	6.807	26.1	71.4	0
3/18/2023, 10:34:00 PM	0	6.807	25.5	71.4	0
3/18/2023, 10:44:00 PM	0	6.807	25.2	71.5	0
3/18/2023, 10:54:00 PM	0	6.807	25	71.7	0
3/18/2023, 11:04:00 PM	0	6.798	24.6	71.7	0
3/18/2023, 11:14:00 PM	0	6.798	24.4	71.7	0
3/18/2023, 11:24:00 PM	0	6.798	24.3	71.6	0
3/18/2023, 11:34:00 PM	0	6.798	24.1	71.5	0
3/18/2023, 11:44:00 PM	0	6.798	23.9	71.2	0
3/18/2023, 11:54:00 PM	0	6.798	23.7	71.1	0
3/19/2023, 12:04:00 AM	0	6.798	23.5	70.8	0
3/19/2023, 12:14:00 AM	0	6.798	23.4	70.7	0
3/19/2023, 12:24:00 AM	0	6.798	23.2	70.6	0
3/19/2023, 12:34:00 AM	0	6.798	23.2	70.6	0
3/19/2023, 12:44:00 AM	0	6.798	23	70.6	0
3/19/2023, 12:54:00 AM	0	6.798	22.8	70.7	0
3/19/2023, 1:04:00 AM	0	6.798	22.8	70.9	0
3/19/2023, 1:14:00 AM	0	6.798	22.8	71.2	0
3/19/2023, 1:24:00 AM	0	6.798	22.8	71.6	0
3/19/2023, 1:34:00 AM	0	6.798	22.8	72	0
3/19/2023, 1:44:00 AM	0	6.798	22.6	72.4	0
3/19/2023, 1:54:00 AM	0	6.798	22.6	72.7	0
3/19/2023, 2:04:00 AM	0	6.798	22.6	73.1	0
3/19/2023, 2:14:00 AM	0	6.798	22.5	73.5	0
3/19/2023, 2:24:00 AM	0	6.798	22.5	73.8	0
3/19/2023, 2:34:00 AM	0	6.798	22.5	74.2	0
3/19/2023, 2:44:00 AM	0	6.798	22.5	74.4	0
3/19/2023, 2:54:00 AM	0	6.798	22.5	74.7	0
3/19/2023, 3:04:00 AM	0	6.798	22.5	75	0
3/19/2023, 3:14:00 AM	0	6.798	22.5	75.2	0
3/19/2023, 3:24:00 AM	0	6.798	22.5	75.5	0
3/19/2023, 3:34:00 AM	0	6.798	22.5	75.6	0
3/19/2023, 3:44:00 AM	0	6.798	22.6	75.8	0
3/19/2023, 3:54:00 AM	0	6.798	22.6	75.8	0
3/19/2023, 4:04:00 AM	0	6.798	22.8	75.8	0
3/19/2023, 4:14:00 AM	0	6.798	22.8	75.6	0
3/19/2023, 4:24:00 AM	0	6.798	23	75.4	0
3/19/2023, 4:34:00 AM	0	6.798	23.2	75	0
3/19/2023, 4:44:00 AM	0	6.798	23.4	74.6	0
3/19/2023, 4:54:00 AM	0	6.798	23.7	74	0
3/19/2023, 5:04:00 AM	0	6.798	23.7	73.4	0
3/19/2023, 5:14:00 AM	0	6.807	23.9	72.9	0
3/19/2023, 5:24:00 AM	0	6.807	23.9	72.4	0
3/19/2023, 5:34:00 AM	0	6.807	23.9	71.9	0
3/19/2023, 5:44:00 AM	0	6.807	23.9	71.6	0
3/19/2023, 5:54:00 AM	0	6.807	23.9	71.3	0
3/19/2023, 6:04:00 AM	0	6.807	23.9	71.1	0
3/19/2023, 6:14:00 AM	0	6.807	23.7	70.9	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/19/2023, 6:24:00 AM	0	6.807	23.7	70.8	0
3/19/2023, 6:34:00 AM	0	6.807	23.5	70.8	0
3/19/2023, 6:44:00 AM	0	6.807	23.5	70.8	0
3/19/2023, 6:54:00 AM	0	6.807	23.5	70.8	0
3/19/2023, 7:04:00 AM	0	6.807	23.5	71	0
3/19/2023, 7:14:00 AM	0	6.807	23.5	71.2	0
3/19/2023, 7:24:00 AM	0	6.807	23.5	71.5	0
3/19/2023, 7:34:00 AM	0	6.807	23.4	71.9	0
3/19/2023, 7:44:00 AM	0	6.807	23.4	72.2	0
3/19/2023, 7:54:00 AM	0	6.807	23.4	72.5	0
3/19/2023, 8:04:00 AM	0	6.807	23.4	72.8	0
3/19/2023, 8:14:00 AM	0	6.807	23.4	73.2	0
3/19/2023, 8:24:00 AM	0	6.807	23.4	73.7	0
3/19/2023, 8:34:00 AM	0	6.807	23.7	74.2	0
3/19/2023, 8:44:00 AM	0	6.807	24.1	74.6	0
3/19/2023, 8:54:00 AM	0	6.807	24.4	74.9	0
3/19/2023, 9:04:00 AM	0	6.807	25	75	0
3/19/2023, 9:14:00 AM	0	6.807	25.3	74.8	0
3/19/2023, 9:24:00 AM	0	6.807	25.9	74.5	0
3/19/2023, 9:34:00 AM	0	6.816	26.4	74.2	0
3/19/2023, 9:44:00 AM	0	6.816	27.3	73.9	0
3/19/2023, 9:54:00 AM	0	6.816	27.7	73.5	0
3/19/2023, 10:04:00 AM	0	6.816	27.9	73	0
3/19/2023, 10:14:00 AM	0	6.816	28.4	72.6	0
3/19/2023, 10:24:00 AM	0	6.816	28.9	72.5	0
3/19/2023, 10:34:00 AM	0	6.825	29.1	72.3	0
3/19/2023, 10:44:00 AM	0	6.825	28.9	72	0
3/19/2023, 10:54:00 AM	0	6.825	28.9	71.9	0
3/19/2023, 11:04:00 AM	0	6.825	29.3	72.2	0
3/19/2023, 11:14:00 AM	0	6.825	29.7	72.3	0
3/19/2023, 11:24:00 AM	0	6.825	29.7	72.3	0
3/19/2023, 11:34:00 AM	0	6.825	30	72.4	0
3/19/2023, 11:44:00 AM	0	6.825	30.7	72.6	0
3/19/2023, 11:54:00 AM	0	6.825	31.5	72.8	0
3/19/2023, 12:04:00 PM	0	6.825	32	72.7	0
3/19/2023, 12:14:00 PM	0	6.833	32.4	72.4	0
3/19/2023, 12:24:00 PM	0	6.833	32.2	71.6	0
3/19/2023, 12:34:00 PM	0	6.833	32	70.9	0
3/19/2023, 12:44:00 PM	0	6.833	32.2	70.5	0
3/19/2023, 12:54:00 PM	0	6.833	32.4	70.2	0
3/19/2023, 1:04:00 PM	0	6.833	32.9	70	0
3/19/2023, 1:14:00 PM	0	6.833	32.7	69.6	0
3/19/2023, 1:24:00 PM	0	6.833	32.7	69.4	0
3/19/2023, 1:34:00 PM	0	6.833	32.7	69.2	0
3/19/2023, 1:44:00 PM	0	6.833	32.7	69	0
3/19/2023, 1:54:00 PM	0	6.833	32.7	68.7	0
3/19/2023, 2:04:00 PM	0	6.833	33.1	68.5	0
3/19/2023, 2:14:00 PM	0	6.833	33.4	68.2	0
3/19/2023, 2:24:00 PM	0	6.842	33.4	67.7	0
3/19/2023, 2:34:00 PM	0	6.833	33.8	67.2	0
3/19/2023, 2:44:00 PM	0	6.842	34.2	66.9	0
3/19/2023, 2:54:00 PM	0	6.842	34.5	66.7	0
3/19/2023, 3:04:00 PM	0	6.842	34.5	66.4	0
3/19/2023, 3:14:00 PM	0	6.842	34.5	66.4	0
3/19/2023, 3:24:00 PM	0	6.842	34.5	66.5	0
3/19/2023, 3:34:00 PM	0	6.842	34.7	66.3	0
3/19/2023, 3:44:00 PM	0	6.842	35.1	66.2	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/19/2023, 3:54:00 PM	0	6.842	35.2	65.9	0
3/19/2023, 4:04:00 PM	0	6.842	34.9	65.3	0
3/19/2023, 4:14:00 PM	0	6.842	34.7	64.9	0
3/19/2023, 4:24:00 PM	0	6.842	34.7	64.6	0
3/19/2023, 4:34:00 PM	0	6.842	34.3	64.3	0
3/19/2023, 4:44:00 PM	0	6.842	34	64.2	0
3/19/2023, 4:54:00 PM	0	6.842	33.8	64.3	0
3/19/2023, 5:04:00 PM	0	6.842	33.8	64.4	0
3/19/2023, 5:14:00 PM	0	6.842	33.6	64.8	0
3/19/2023, 5:24:00 PM	0	6.842	33.3	65.2	0
3/19/2023, 5:34:00 PM	0	6.842	33.1	65.4	0
3/19/2023, 5:44:00 PM	0	6.842	33.1	65.5	0
3/19/2023, 5:54:00 PM	0	6.842	32.9	65.6	0
3/19/2023, 6:04:00 PM	0	6.842	32.9	65.5	0
3/19/2023, 6:14:00 PM	0	6.842	32.7	65.4	0
3/19/2023, 6:24:00 PM	0	6.833	32.5	65.4	0
3/19/2023, 6:34:00 PM	0	6.842	32.5	65.4	0
3/19/2023, 6:44:00 PM	0	6.833	32.4	65.6	0
3/19/2023, 6:54:00 PM	0	6.833	32.2	65.7	0
3/19/2023, 7:04:00 PM	0	6.833	32	65.8	0
3/19/2023, 7:14:00 PM	0	6.833	32	65.9	0
3/19/2023, 7:24:00 PM	0	6.833	31.8	66.1	0
3/19/2023, 7:34:00 PM	0	6.833	31.6	66.3	0
3/19/2023, 7:44:00 PM	0	6.833	31.5	66.5	0
3/19/2023, 7:54:00 PM	0	6.833	31.3	66.6	0
3/19/2023, 8:04:00 PM	0	6.833	31.1	66.7	0
3/19/2023, 8:14:00 PM	0	6.833	30.9	66.8	0
3/19/2023, 8:24:00 PM	0	6.833	30.7	66.9	0
3/19/2023, 8:34:00 PM	0	6.833	30.6	67.1	0
3/19/2023, 8:44:00 PM	0	6.833	30.4	67.2	0
3/19/2023, 8:54:00 PM	0	6.833	30.4	67.4	0
3/19/2023, 9:04:00 PM	0	6.833	30.2	67.6	0
3/19/2023, 9:14:00 PM	0	6.833	30	67.7	0
3/19/2023, 9:24:00 PM	0	6.833	29.8	67.9	0
3/19/2023, 9:34:00 PM	0	6.825	29.8	68.1	0
3/19/2023, 9:44:00 PM	0	6.825	29.7	68.3	0
3/19/2023, 9:54:00 PM	0	6.825	29.7	68.5	0
3/19/2023, 10:04:00 PM	0	6.825	29.5	68.7	0
3/19/2023, 10:14:00 PM	0	6.825	29.5	68.9	0
3/19/2023, 10:24:00 PM	0	6.825	29.5	69.1	0
3/19/2023, 10:34:00 PM	0	6.825	29.5	69.3	0
3/19/2023, 10:44:00 PM	0	6.825	29.5	69.5	0
3/19/2023, 10:54:00 PM	0	6.825	29.5	69.6	0
3/19/2023, 11:04:00 PM	0	6.825	29.3	69.7	0
3/19/2023, 11:14:00 PM	0	6.825	29.3	69.7	0
3/19/2023, 11:24:00 PM	0	6.825	29.3	69.6	0
3/19/2023, 11:34:00 PM	0	6.825	29.1	69.6	0
3/19/2023, 11:44:00 PM	0	6.825	29.1	69.5	0
3/19/2023, 11:54:00 PM	0	6.825	28.9	69.4	0
3/20/2023, 12:04:00 AM	0	6.825	28.8	69.3	0
3/20/2023, 12:14:00 AM	0	6.825	28.8	69.3	0
3/20/2023, 12:24:00 AM	0	6.825	28.8	69.3	0
3/20/2023, 12:34:00 AM	0	6.825	28.6	69.3	0
3/20/2023, 12:44:00 AM	0	6.825	28.6	69.4	0
3/20/2023, 12:54:00 AM	0	6.825	28.6	69.5	0
3/20/2023, 1:04:00 AM	0	6.825	28.6	69.5	0
3/20/2023, 1:14:00 AM	0	6.825	28.6	69.7	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/20/2023, 1:24:00 AM	0	6.825	28.6	69.7	0
3/20/2023, 1:34:00 AM	0	6.825	28.6	69.8	0
3/20/2023, 1:44:00 AM	0	6.825	28.8	69.8	0
3/20/2023, 1:54:00 AM	0	6.825	28.8	69.9	0
3/20/2023, 2:04:00 AM	0	6.825	28.9	69.9	0
3/20/2023, 2:14:00 AM	0	6.825	28.9	70	0
3/20/2023, 2:24:00 AM	0	6.825	29.1	70	0
3/20/2023, 2:34:00 AM	0	6.825	29.1	70	0
3/20/2023, 2:44:00 AM	0	6.825	29.1	70	0
3/20/2023, 2:54:00 AM	0	6.825	29.1	70	0
3/20/2023, 3:04:00 AM	0	6.825	28.9	70	0
3/20/2023, 3:14:00 AM	0	6.825	28.9	70	0
3/20/2023, 3:24:00 AM	0	6.825	28.9	70.1	0
3/20/2023, 3:34:00 AM	0	6.825	28.9	70.1	0
3/20/2023, 3:44:00 AM	0	6.825	28.9	70.2	0
3/20/2023, 3:54:00 AM	0	6.825	29.1	70.4	0
3/20/2023, 4:04:00 AM	0	6.825	29.1	70.5	0
3/20/2023, 4:14:00 AM	0	6.825	29.3	70.7	0
3/20/2023, 4:24:00 AM	0	6.825	29.3	70.8	0
3/20/2023, 4:34:00 AM	0	6.825	29.3	70.8	0
3/20/2023, 4:44:00 AM	0	6.825	29.5	70.9	0
3/20/2023, 4:54:00 AM	0	6.825	29.5	71	0
3/20/2023, 5:04:00 AM	0	6.825	29.5	71.1	0
3/20/2023, 5:14:00 AM	0	6.825	29.7	71.2	0
3/20/2023, 5:24:00 AM	0	6.825	29.7	71.2	0
3/20/2023, 5:34:00 AM	0	6.825	29.7	71.3	0
3/20/2023, 5:44:00 AM	0	6.825	29.7	71.4	0
3/20/2023, 5:54:00 AM	0	6.833	29.7	71.4	0
3/20/2023, 6:04:00 AM	0	6.833	29.7	71.4	0
3/20/2023, 6:14:00 AM	0	6.833	29.7	71.4	0
3/20/2023, 6:24:00 AM	0	6.825	29.7	71.4	0
3/20/2023, 6:34:00 AM	0	6.833	29.7	71.4	0
3/20/2023, 6:44:00 AM	0	6.825	29.5	71.4	0
3/20/2023, 6:54:00 AM	0	6.833	29.3	71.3	0
3/20/2023, 7:04:00 AM	0	6.825	29.3	71.3	0
3/20/2023, 7:14:00 AM	0	6.833	29.1	71.2	0
3/20/2023, 7:24:00 AM	0	6.825	29.1	71.2	0
3/20/2023, 7:34:00 AM	0	6.825	29.1	71.2	0
3/20/2023, 7:44:00 AM	0	6.825	29.1	71.2	0
3/20/2023, 7:54:00 AM	0	6.825	29.3	71.3	0
3/20/2023, 8:04:00 AM	0	6.825	29.5	71.3	0
3/20/2023, 8:14:00 AM	0	6.825	29.7	71.3	0
3/20/2023, 8:24:00 AM	0	6.833	30	71.4	0
3/20/2023, 8:34:00 AM	0	6.833	30.4	71.5	0
3/20/2023, 8:44:00 AM	0	6.833	30.9	71.5	0
3/20/2023, 8:54:00 AM	0	6.833	31.5	71.5	0
3/20/2023, 9:04:00 AM	0	6.833	32	71.4	0
3/20/2023, 9:14:00 AM	0	6.833	32.5	71.3	0
3/20/2023, 9:24:00 AM	0	6.833	33.6	71.3	0
3/20/2023, 9:34:00 AM	0	6.842	34.7	71.2	0
3/20/2023, 9:44:00 AM	0	6.842	35.6	71	0
3/20/2023, 9:54:00 AM	0	6.842	36.5	70.7	0
3/20/2023, 10:04:00 AM	0	6.842	37.4	70.4	0
3/20/2023, 10:14:00 AM	0	6.851	38.1	70	0
3/20/2023, 10:24:00 AM	0	6.851	39	69.7	0
3/20/2023, 10:34:00 AM	0	6.851	40.1	69.3	0
3/20/2023, 10:44:00 AM	0	6.86	41.2	68.8	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/20/2023, 10:54:00 AM	0	6.86	41.5	68.2	0
3/20/2023, 11:04:00 AM	0	6.86	41.7	67.5	0
3/20/2023, 11:14:00 AM	0	6.86	42.1	67	0
3/20/2023, 11:24:00 AM	0	6.86	42.8	66.7	0
3/20/2023, 11:34:00 AM	0	6.86	43.3	66.3	0
3/20/2023, 11:44:00 AM	0	6.86	43.7	65.8	0
3/20/2023, 11:54:00 AM	0	6.869	44.6	65.5	0
3/20/2023, 12:04:00 PM	0	6.869	45.3	65.2	0
3/20/2023, 12:14:00 PM	0	6.869	45.7	64.5	0
3/20/2023, 12:24:00 PM	0	6.869	46.2	64	0
3/20/2023, 12:34:00 PM	0	6.869	47.1	63.7	0
3/20/2023, 12:44:00 PM	0	6.869	47.7	63.2	0
3/20/2023, 12:54:00 PM	0	6.869	48	62.5	0
3/20/2023, 1:04:00 PM	0	6.869	48.4	62	0
3/20/2023, 1:14:00 PM	0	6.877	48.7	61.5	0
3/20/2023, 1:24:00 PM	0	6.877	48.6	60.9	0
3/20/2023, 1:34:00 PM	0	6.877	48.2	60.3	0
3/20/2023, 1:44:00 PM	0	6.877	48.2	59.9	0
3/20/2023, 1:54:00 PM	0	6.877	48.2	59.5	0
3/20/2023, 2:04:00 PM	0	6.877	48.4	59.1	0
3/20/2023, 2:14:00 PM	0	6.877	48.7	58.7	0
3/20/2023, 2:24:00 PM	0	6.877	48.9	58.2	0
3/20/2023, 2:34:00 PM	0	6.877	49.1	57.6	0
3/20/2023, 2:44:00 PM	0	6.877	49.6	57.2	0
3/20/2023, 2:54:00 PM	0	6.877	49.8	56.7	0
3/20/2023, 3:04:00 PM	0	6.877	50	56.2	0
3/20/2023, 3:14:00 PM	0	6.877	50.4	55.9	0
3/20/2023, 3:24:00 PM	0	6.877	50.5	55.5	0
3/20/2023, 3:34:00 PM	0	6.877	50.7	55.2	0
3/20/2023, 3:44:00 PM	0	6.877	50.9	54.9	0
3/20/2023, 3:54:00 PM	0	6.877	50.9	54.6	0
3/20/2023, 4:04:00 PM	0	6.877	51.1	54.3	0
3/20/2023, 4:14:00 PM	0	6.886	51.4	54	0
3/20/2023, 4:24:00 PM	0	6.886	51.6	53.6	0
3/20/2023, 4:34:00 PM	0	6.886	51.8	53.2	0
3/20/2023, 4:44:00 PM	0	6.886	52	53	0
3/20/2023, 4:54:00 PM	0	6.886	51.8	52.7	0
3/20/2023, 5:04:00 PM	0	6.886	51.6	52.3	0
3/20/2023, 5:14:00 PM	0	6.886	51.3	52	0
3/20/2023, 5:24:00 PM	0	6.886	51.1	51.7	0
3/20/2023, 5:34:00 PM	0	6.886	51.1	51.5	0
3/20/2023, 5:44:00 PM	0	6.886	50.7	51.3	0
3/20/2023, 5:54:00 PM	0	6.886	50.4	51.1	0
3/20/2023, 6:04:00 PM	0	6.886	50	50.9	0
3/20/2023, 6:14:00 PM	0	6.886	49.6	50.7	0
3/20/2023, 6:24:00 PM	0	6.877	49.3	50.6	0
3/20/2023, 6:34:00 PM	0	6.877	48.7	50.4	0
3/20/2023, 6:44:00 PM	0	6.877	48.4	50.4	0
3/20/2023, 6:54:00 PM	0	6.877	48	50.3	0
3/20/2023, 7:04:00 PM	0	6.877	47.7	50.3	0
3/20/2023, 7:14:00 PM	0	6.877	47.3	50.4	0
3/20/2023, 7:24:00 PM	0	6.877	46.8	50.4	0
3/20/2023, 7:34:00 PM	0	6.877	46.2	50.4	0
3/20/2023, 7:44:00 PM	0	6.877	45.7	50.5	0
3/20/2023, 7:54:00 PM	0	6.877	45.1	50.5	0
3/20/2023, 8:04:00 PM	0	6.877	44.1	50.5	0
3/20/2023, 8:14:00 PM	0	6.869	43.2	50.6	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/20/2023, 8:24:00 PM	0	6.869	42.3	50.7	0
3/20/2023, 8:34:00 PM	0	6.869	41.5	50.9	0
3/20/2023, 8:44:00 PM	0	6.869	40.8	51.2	0
3/20/2023, 8:54:00 PM	0	6.869	40.3	51.5	0
3/20/2023, 9:04:00 PM	0	6.869	39.9	52	0
3/20/2023, 9:14:00 PM	0	6.86	39.7	52.6	0
3/20/2023, 9:24:00 PM	0	6.86	39.6	53.2	0
3/20/2023, 9:34:00 PM	0	6.86	39.4	53.7	0
3/20/2023, 9:44:00 PM	0	6.86	39.2	54.2	0
3/20/2023, 9:54:00 PM	0	6.86	39	54.8	0
3/20/2023, 10:04:00 PM	0	6.86	39	55	0
3/20/2023, 10:14:00 PM	0	6.86	39	55.2	0
3/20/2023, 10:24:00 PM	0	6.86	38.8	55.5	0
3/20/2023, 10:34:00 PM	0	6.86	38.3	55.7	0
3/20/2023, 10:44:00 PM	0	6.86	37.8	56	0
3/20/2023, 10:54:00 PM	0	6.851	37.2	56.2	0
3/20/2023, 11:04:00 PM	0	6.851	36.7	56.5	0
3/20/2023, 11:14:00 PM	0	6.851	36	57	0
3/20/2023, 11:24:00 PM	0	6.851	35.2	57.6	0
3/20/2023, 11:34:00 PM	0	6.851	34.7	58.4	0
3/20/2023, 11:44:00 PM	0	6.851	34.2	59.3	0
3/20/2023, 11:54:00 PM	0	6.842	33.6	60.2	0
3/21/2023, 12:04:00 AM	0	6.842	33.1	61.1	0
3/21/2023, 12:14:00 AM	0	6.842	32.5	61.9	0
3/21/2023, 12:24:00 AM	0	6.842	32	62.7	0
3/21/2023, 12:34:00 AM	0	6.842	31.6	63.4	0
3/21/2023, 12:44:00 AM	0	6.833	31.1	64.2	0
3/21/2023, 12:54:00 AM	0	6.833	30.7	65.1	0
3/21/2023, 1:04:00 AM	0	6.833	30.4	65.9	0
3/21/2023, 1:14:00 AM	0	6.833	30	66.7	0
3/21/2023, 1:24:00 AM	0	6.833	30	67.7	0
3/21/2023, 1:34:00 AM	0	6.833	30	68.7	0
3/21/2023, 1:44:00 AM	0	6.833	30.2	69.7	0
3/21/2023, 1:54:00 AM	0	6.825	30.2	70.5	0
3/21/2023, 2:04:00 AM	0	6.825	30.2	71.2	0
3/21/2023, 2:14:00 AM	0	6.825	30.4	71.8	0
3/21/2023, 2:24:00 AM	0	6.825	30.7	72.5	0
3/21/2023, 2:34:00 AM	0	6.833	32.4	73.2	0
3/21/2023, 2:44:00 AM	0	6.833	34.3	73.4	0
3/21/2023, 2:54:00 AM	0	6.842	35.8	72.8	0
3/21/2023, 3:04:00 AM	0	6.842	36.9	72.4	0
3/21/2023, 3:14:00 AM	0	6.851	37.6	72.2	0
3/21/2023, 3:24:00 AM	0	6.851	37.9	72.2	0
3/21/2023, 3:34:00 AM	0	6.851	38.3	72.4	0
3/21/2023, 3:44:00 AM	0	6.851	38.5	72.6	0
3/21/2023, 3:54:00 AM	0	6.851	38.7	72.8	0
3/21/2023, 4:04:00 AM	0	6.851	38.7	72.9	0
3/21/2023, 4:14:00 AM	0	6.851	38.7	73.1	0
3/21/2023, 4:24:00 AM	0	6.86	38.8	73.2	0
3/21/2023, 4:34:00 AM	0	6.86	38.7	73.2	0
3/21/2023, 4:44:00 AM	0	6.851	38.7	73.2	0
3/21/2023, 4:54:00 AM	0	6.86	38.5	73.2	0
3/21/2023, 5:04:00 AM	0	6.86	38.5	73.2	0
3/21/2023, 5:14:00 AM	0	6.86	38.5	73.1	0
3/21/2023, 5:24:00 AM	0	6.86	38.5	72.9	0
3/21/2023, 5:34:00 AM	0	6.851	38.5	72.6	0
3/21/2023, 5:44:00 AM	0	6.86	38.5	72.3	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/21/2023, 5:54:00 AM	0	6.851	38.5	71.9	0
3/21/2023, 6:04:00 AM	0	6.851	38.3	71.5	0
3/21/2023, 6:14:00 AM	0	6.86	38.3	71.1	0
3/21/2023, 6:24:00 AM	0	6.851	38.1	70.6	0
3/21/2023, 6:34:00 AM	0	6.851	38.1	70.1	0
3/21/2023, 6:44:00 AM	0	6.851	37.9	69.7	0
3/21/2023, 6:54:00 AM	0	6.851	37.9	69.4	0
3/21/2023, 7:04:00 AM	0	6.851	37.9	69.1	0
3/21/2023, 7:14:00 AM	0	6.851	37.9	68.8	0
3/21/2023, 7:24:00 AM	0	6.851	37.9	68.5	0
3/21/2023, 7:34:00 AM	0	6.851	38.1	68.2	0
3/21/2023, 7:44:00 AM	0	6.851	38.3	67.9	0
3/21/2023, 7:54:00 AM	0	6.86	38.7	67.7	0
3/21/2023, 8:04:00 AM	0	6.86	39.2	67.4	0
3/21/2023, 8:14:00 AM	0	6.86	39.6	67	0
3/21/2023, 8:24:00 AM	0	6.86	39.9	66.6	0
3/21/2023, 8:34:00 AM	0	6.86	40.5	66.3	0
3/21/2023, 8:44:00 AM	0	6.86	40.8	65.9	0
3/21/2023, 8:54:00 AM	0	6.86	41.4	65.4	0
3/21/2023, 9:04:00 AM	0	6.86	42.1	65	0
3/21/2023, 9:14:00 AM	0	6.86	42.6	64.6	0
3/21/2023, 9:24:00 AM	0	6.86	43	64.1	0
3/21/2023, 9:34:00 AM	0	6.869	43.7	63.7	0
3/21/2023, 9:44:00 AM	0	6.869	44.8	63.5	0
3/21/2023, 9:54:00 AM	0	6.869	46	63.2	0
3/21/2023, 10:04:00 AM	0	6.869	46.8	62.8	0
3/21/2023, 10:14:00 AM	0	6.869	47.3	62.2	0
3/21/2023, 10:24:00 AM	0	6.877	48.2	61.8	0
3/21/2023, 10:34:00 AM	0	6.877	49.3	61.3	0
3/21/2023, 10:44:00 AM	0	6.877	50.4	61	0
3/21/2023, 10:54:00 AM	0	6.877	51.3	60.5	0
3/21/2023, 11:04:00 AM	0	6.877	51.8	60	0
3/21/2023, 11:14:00 AM	0	6.877	52.5	59.6	0
3/21/2023, 11:24:00 AM	0	6.877	53.1	59.2	0
3/21/2023, 11:34:00 AM	0	6.886	53.8	58.9	0
3/21/2023, 11:44:00 AM	0	6.886	54	58.5	0
3/21/2023, 11:54:00 AM	0	6.886	54.3	58.2	0
3/21/2023, 12:04:00 PM	0	6.886	54.9	58.1	0
3/21/2023, 12:14:00 PM	0	6.886	55.4	57.8	0
3/21/2023, 12:24:00 PM	0	6.886	55.8	57.5	0
3/21/2023, 12:34:00 PM	0	6.886	56.5	57.4	0
3/21/2023, 12:44:00 PM	0	6.886	56.8	57	0
3/21/2023, 12:54:00 PM	0	6.886	56.7	56.7	0
3/21/2023, 1:04:00 PM	0	6.886	56.8	56.5	0
3/21/2023, 1:14:00 PM	0	6.886	56.8	56.4	0
3/21/2023, 1:24:00 PM	0	6.895	57	56.2	0
3/21/2023, 1:34:00 PM	0	6.895	57.4	56.2	0
3/21/2023, 1:44:00 PM	0	6.895	57.4	56	0
3/21/2023, 1:54:00 PM	0	6.895	57.6	56	0
3/21/2023, 2:04:00 PM	0	6.895	57.6	55.8	0
3/21/2023, 2:14:00 PM	0	6.895	57.4	55.6	0
3/21/2023, 2:24:00 PM	0	6.895	57.6	55.6	0
3/21/2023, 2:34:00 PM	0	6.895	57.7	55.6	0
3/21/2023, 2:44:00 PM	0	6.895	57.7	55.5	0
3/21/2023, 2:54:00 PM	0	6.895	57.6	55.5	0
3/21/2023, 3:04:00 PM	0	6.895	57.4	55.5	0
3/21/2023, 3:14:00 PM	0	6.895	57.7	55.5	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/21/2023, 3:24:00 PM	0	6.895	57.9	55.4	0
3/21/2023, 3:34:00 PM	0	6.895	57.9	55.3	0
3/21/2023, 3:44:00 PM	0	6.895	57.7	55.3	0
3/21/2023, 3:54:00 PM	0	6.895	57.6	55.1	0
3/21/2023, 4:04:00 PM	0	6.895	57.7	55.1	0
3/21/2023, 4:14:00 PM	0	6.895	57.6	55.1	0
3/21/2023, 4:24:00 PM	0	6.895	57	55	0
3/21/2023, 4:34:00 PM	0	6.895	56.7	55.2	0
3/21/2023, 4:44:00 PM	0	6.895	55.9	55.4	0
3/21/2023, 4:54:00 PM	0	6.895	55	55.6	0
3/21/2023, 5:04:00 PM	0	6.895	54	55.9	0
3/21/2023, 5:14:00 PM	0	6.895	53.2	56.2	0
3/21/2023, 5:24:00 PM	0	6.886	52.7	56.6	0
3/21/2023, 5:34:00 PM	0	6.886	52.2	56.9	0
3/21/2023, 5:44:00 PM	0	6.886	51.4	57.1	0
3/21/2023, 5:54:00 PM	0	6.886	50.9	57.4	0
3/21/2023, 6:04:00 PM	0	6.886	50.4	57.7	0
3/21/2023, 6:14:00 PM	0	6.886	49.6	58	0
3/21/2023, 6:24:00 PM	0	6.886	49.1	58.4	0
3/21/2023, 6:34:00 PM	0	6.886	48.6	58.8	0
3/21/2023, 6:44:00 PM	0	6.877	48	59.3	0
3/21/2023, 6:54:00 PM	0	6.877	47.3	59.7	0
3/21/2023, 7:04:00 PM	0	6.877	46.8	60.1	0
3/21/2023, 7:14:00 PM	0	6.877	46.2	60.5	0
3/21/2023, 7:24:00 PM	0	6.877	45.7	60.9	0
3/21/2023, 7:34:00 PM	0	6.877	45	61.2	0
3/21/2023, 7:44:00 PM	0	6.877	44.2	61.5	0
3/21/2023, 7:54:00 PM	0	6.877	43.3	61.9	0
3/21/2023, 8:04:00 PM	0	6.869	42.4	62.4	0
3/21/2023, 8:14:00 PM	0	6.869	41.5	62.8	0
3/21/2023, 8:24:00 PM	0	6.869	40.8	63.4	0
3/21/2023, 8:34:00 PM	0	6.869	39.9	63.9	0
3/21/2023, 8:44:00 PM	0	6.869	39.2	64.5	0
3/21/2023, 8:54:00 PM	0	6.86	38.7	65.3	0
3/21/2023, 9:04:00 PM	0	6.86	38.1	66.1	0
3/21/2023, 9:14:00 PM	0	6.86	37.6	66.9	0
3/21/2023, 9:24:00 PM	0	6.86	37.2	67.7	0
3/21/2023, 9:34:00 PM	0	6.86	36.9	68.7	0
3/21/2023, 9:44:00 PM	0	6.851	36.5	69.6	0
3/21/2023, 9:54:00 PM	0	6.851	36.1	70.3	0
3/21/2023, 10:04:00 PM	0	6.851	36	71.2	0
3/21/2023, 10:14:00 PM	0	6.851	35.8	71.9	0
3/21/2023, 10:24:00 PM	0	6.851	35.6	72.6	0
3/21/2023, 10:34:00 PM	0	6.851	35.4	73.2	0
3/21/2023, 10:44:00 PM	0	6.851	35.2	74	0
3/21/2023, 10:54:00 PM	0	6.851	35.1	74.5	0
3/21/2023, 11:04:00 PM	0	6.842	35.1	75	0
3/21/2023, 11:14:00 PM	0	6.842	34.7	75.3	0
3/21/2023, 11:24:00 PM	0	6.842	34.5	75.7	0
3/21/2023, 11:34:00 PM	0	6.842	34.2	76	0
3/21/2023, 11:44:00 PM	0	6.842	33.8	76.2	0
3/21/2023, 11:54:00 PM	0	6.842	33.6	76.4	0
3/22/2023, 12:04:00 AM	0	6.842	33.3	76.7	0
3/22/2023, 12:14:00 AM	0	6.842	33.1	77	0
3/22/2023, 12:24:00 AM	0	6.842	32.9	77.4	0
3/22/2023, 12:34:00 AM	0	6.842	32.7	77.7	0
3/22/2023, 12:44:00 AM	0	6.833	32.5	78	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/22/2023, 12:54:00 AM	0	6.833	32.2	78.1	0
3/22/2023, 1:04:00 AM	0	6.833	32	78.3	0
3/22/2023, 1:14:00 AM	0	6.833	31.8	78.6	0
3/22/2023, 1:24:00 AM	0	6.833	31.5	78.8	0
3/22/2023, 1:34:00 AM	0	6.833	31.3	79	0
3/22/2023, 1:44:00 AM	0	6.833	31.1	79.3	0
3/22/2023, 1:54:00 AM	0	6.833	30.9	79.6	0
3/22/2023, 2:04:00 AM	0	6.833	30.7	79.8	0
3/22/2023, 2:14:00 AM	0	6.833	30.6	80.1	0
3/22/2023, 2:24:00 AM	0	6.833	30.6	80.5	0
3/22/2023, 2:34:00 AM	0	6.825	30.4	80.8	0
3/22/2023, 2:44:00 AM	0	6.825	30.2	80.9	0
3/22/2023, 2:54:00 AM	0	6.825	30	81.1	0
3/22/2023, 3:04:00 AM	0	6.825	29.8	81.3	0
3/22/2023, 3:14:00 AM	0	6.825	29.7	81.5	0
3/22/2023, 3:24:00 AM	0	6.825	29.5	81.6	0
3/22/2023, 3:34:00 AM	0	6.825	29.3	81.8	0
3/22/2023, 3:44:00 AM	0	6.825	29.1	82	0
3/22/2023, 3:54:00 AM	0	6.825	28.9	82.1	0
3/22/2023, 4:04:00 AM	0	6.825	28.8	82.3	0
3/22/2023, 4:14:00 AM	0	6.825	28.6	82.5	0
3/22/2023, 4:24:00 AM	0	6.825	28.6	82.8	0
3/22/2023, 4:34:00 AM	0	6.825	28.8	83	0
3/22/2023, 4:44:00 AM	0	6.825	28.8	83.4	0
3/22/2023, 4:54:00 AM	0	6.825	28.9	83.8	0
3/22/2023, 5:04:00 AM	0	6.825	29.1	84.1	0
3/22/2023, 5:14:00 AM	0	6.825	29.3	84.4	0
3/22/2023, 5:24:00 AM	0	6.825	29.3	84.6	0
3/22/2023, 5:34:00 AM	0	6.825	29.5	84.8	0
3/22/2023, 5:44:00 AM	0	6.825	29.5	85	0
3/22/2023, 5:54:00 AM	0	6.825	29.7	85.2	0
3/22/2023, 6:04:00 AM	0	6.825	29.7	85.3	0
3/22/2023, 6:14:00 AM	0	6.825	29.7	85.4	0
3/22/2023, 6:24:00 AM	0	6.825	29.7	85.5	0
3/22/2023, 6:34:00 AM	0	6.825	29.8	85.7	0
3/22/2023, 6:44:00 AM	0	6.825	29.8	85.8	0
3/22/2023, 6:54:00 AM	0	6.825	29.8	85.9	0
3/22/2023, 7:04:00 AM	0	6.825	29.8	86	0
3/22/2023, 7:14:00 AM	0	6.825	29.8	86.1	0
3/22/2023, 7:24:00 AM	0	6.825	29.8	86.2	0
3/22/2023, 7:34:00 AM	0	6.825	29.8	86.3	0
3/22/2023, 7:44:00 AM	0	6.825	30	86.4	0
3/22/2023, 7:54:00 AM	0	6.825	30.2	86.6	0
3/22/2023, 8:04:00 AM	0	6.825	30.4	86.8	0
3/22/2023, 8:14:00 AM	0	6.825	30.7	87.1	0
3/22/2023, 8:24:00 AM	0	6.833	31.1	87.4	0
3/22/2023, 8:34:00 AM	0	6.833	31.6	87.7	0
3/22/2023, 8:44:00 AM	0	6.833	32	88	0
3/22/2023, 8:54:00 AM	0	6.833	32.7	88.3	0
3/22/2023, 9:04:00 AM	0	6.833	33.6	88.7	0
3/22/2023, 9:14:00 AM	0	6.833	34.7	89.2	0
3/22/2023, 9:24:00 AM	0	6.842	36	89.5	0
3/22/2023, 9:34:00 AM	0	6.842	37.4	89.7	0
3/22/2023, 9:44:00 AM	0	6.851	38.8	89.7	0
3/22/2023, 9:54:00 AM	0	6.851	40.5	89.4	0
3/22/2023, 10:04:00 AM	0	6.851	41.5	88.7	0
3/22/2023, 10:14:00 AM	0	6.86	42.4	87.4	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/22/2023, 10:24:00 AM	0	6.86	43.7	86.1	0
3/22/2023, 10:34:00 AM	0	6.86	45.5	84.9	0
3/22/2023, 10:44:00 AM	0	6.869	47.3	83.4	0
3/22/2023, 10:54:00 AM	0	6.869	49.1	81.6	0
3/22/2023, 11:04:00 AM	0	6.877	50.4	79.6	0
3/22/2023, 11:14:00 AM	0	6.877	51.4	77.9	0
3/22/2023, 11:24:00 AM	0	6.877	52.5	76.2	0
3/22/2023, 11:34:00 AM	0	6.877	53.6	74.6	0
3/22/2023, 11:44:00 AM	0	6.886	54.7	73.1	0
3/22/2023, 11:54:00 AM	0	6.886	55.9	71.8	0
3/22/2023, 12:04:00 PM	0	6.886	57	70.4	0
3/22/2023, 12:14:00 PM	0	6.886	58.5	69.1	0
3/22/2023, 12:24:00 PM	0	6.886	59.5	67.9	0
3/22/2023, 12:34:00 PM	0	6.895	60.3	66.8	0
3/22/2023, 12:44:00 PM	0	6.895	60.8	65.7	0
3/22/2023, 12:54:00 PM	0	6.895	61.5	64.6	0
3/22/2023, 1:04:00 PM	0	6.895	62.1	63.6	0
3/22/2023, 1:14:00 PM	0	6.895	62.2	62.7	0
3/22/2023, 1:24:00 PM	0	6.895	62.4	61.7	0
3/22/2023, 1:34:00 PM	0	6.895	62.6	60.9	0
3/22/2023, 1:44:00 PM	0	6.895	63	60.2	0
3/22/2023, 1:54:00 PM	0	6.904	63	59.4	0
3/22/2023, 2:04:00 PM	0	6.904	63	58.6	0
3/22/2023, 2:14:00 PM	0	6.904	63	57.6	0
3/22/2023, 2:24:00 PM	0	6.904	63	56.9	0
3/22/2023, 2:34:00 PM	0	6.904	63	56.2	0
3/22/2023, 2:44:00 PM	0	6.904	63.1	55.7	0
3/22/2023, 2:54:00 PM	0	6.904	62.8	55.3	0
3/22/2023, 3:04:00 PM	0	6.904	62.4	55.1	0
3/22/2023, 3:14:00 PM	0	6.904	61.9	54.9	0
3/22/2023, 3:24:00 PM	0	6.904	61.2	55	0
3/22/2023, 3:34:00 PM	0	6.904	60.6	55.4	0
3/22/2023, 3:44:00 PM	0	6.904	60.1	55.8	0
3/22/2023, 3:54:00 PM	0	6.904	59.5	56.3	0
3/22/2023, 4:04:00 PM	0	6.904	59.2	56.5	0
3/22/2023, 4:14:00 PM	0	6.904	58.8	56.9	0
3/22/2023, 4:24:00 PM	0	6.895	58.6	57.1	0
3/22/2023, 4:34:00 PM	0	6.895	58.5	57.3	0
3/22/2023, 4:44:00 PM	0	6.895	58.3	57.5	0
3/22/2023, 4:54:00 PM	0	6.895	58.1	57.6	0
3/22/2023, 5:04:00 PM	0	6.895	57.9	57.8	0
3/22/2023, 5:14:00 PM	0	6.895	57.7	58	0
3/22/2023, 5:24:00 PM	0	6.895	57.4	58.1	0
3/22/2023, 5:34:00 PM	0	6.895	57	58.3	0
3/22/2023, 5:44:00 PM	0	6.895	56.8	58.5	0
3/22/2023, 5:54:00 PM	0	6.895	56.7	58.8	0
3/22/2023, 6:04:00 PM	0	6.895	56.3	59	0
3/22/2023, 6:14:00 PM	0	6.895	55.9	59.3	0
3/22/2023, 6:24:00 PM	0	6.895	55.6	59.7	0
3/22/2023, 6:34:00 PM	0	6.895	55	60	0
3/22/2023, 6:44:00 PM	0	6.895	54.7	60.4	0
3/22/2023, 6:54:00 PM	0	6.895	54.1	61.1	0
3/22/2023, 7:04:00 PM	0	6.895	53.8	61.7	0
3/22/2023, 7:14:00 PM	0	6.895	53.2	62.3	0
3/22/2023, 7:24:00 PM	0	6.895	52.9	62.9	0
3/22/2023, 7:34:00 PM	0	6.886	52.5	63.5	0
3/22/2023, 7:44:00 PM	0	6.886	52.2	64.1	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/22/2023, 7:54:00 PM	0	6.886	51.8	64.7	0
3/22/2023, 8:04:00 PM	0	6.886	51.4	65.4	0
3/22/2023, 8:14:00 PM	0	6.886	51.3	66.3	0
3/22/2023, 8:24:00 PM	0	6.886	50.9	66.9	0
3/22/2023, 8:34:00 PM	0	6.886	50.5	67.4	0
3/22/2023, 8:44:00 PM	0	6.886	50.4	67.9	0
3/22/2023, 8:54:00 PM	0	6.886	50	68.4	0
3/22/2023, 9:04:00 PM	0	6.886	49.8	68.7	0
3/22/2023, 9:14:00 PM	0	6.886	49.6	68.9	0
3/22/2023, 9:24:00 PM	0	6.886	49.5	69.3	0
3/22/2023, 9:34:00 PM	0	6.886	49.3	69.7	0
3/22/2023, 9:44:00 PM	0	6.886	49.1	70	0
3/22/2023, 9:54:00 PM	0	6.886	48.9	70.5	0
3/22/2023, 10:04:00 PM	0	6.886	48.7	70.9	0
3/22/2023, 10:14:00 PM	0	6.886	48.6	71.3	0
3/22/2023, 10:24:00 PM	0	6.877	48.4	71.8	0
3/22/2023, 10:34:00 PM	0	6.877	48.4	72.2	0
3/22/2023, 10:44:00 PM	0	6.877	48.2	72.6	0
3/22/2023, 10:54:00 PM	0	6.877	48	72.9	0
3/22/2023, 11:04:00 PM	0	6.877	48	73.4	0
3/22/2023, 11:14:00 PM	0	6.877	47.8	73.8	0
3/22/2023, 11:24:00 PM	0	6.877	47.8	74.2	0
3/22/2023, 11:34:00 PM	0	6.877	47.7	74.5	0
3/22/2023, 11:44:00 PM	0	6.877	47.7	74.7	0
3/22/2023, 11:54:00 PM	0	6.877	47.5	74.9	0
3/23/2023, 12:04:00 AM	0	6.877	47.3	75	0
3/23/2023, 12:14:00 AM	0	6.877	47.1	75.2	0
3/23/2023, 12:24:00 AM	0	6.877	46.9	75.3	0
3/23/2023, 12:34:00 AM	0	6.877	46.8	75.6	0
3/23/2023, 12:44:00 AM	0	6.877	46.6	75.9	0
3/23/2023, 12:54:00 AM	0	6.877	46.6	76.2	0
3/23/2023, 1:04:00 AM	0	6.877	46.4	76.6	0
3/23/2023, 1:14:00 AM	0	6.877	46.4	76.9	0
3/23/2023, 1:24:00 AM	0	6.877	46.2	77	0
3/23/2023, 1:34:00 AM	0	6.877	46.2	77.2	0
3/23/2023, 1:44:00 AM	0	6.877	46.2	77.4	0
3/23/2023, 1:54:00 AM	0	6.877	46.2	77.6	0
3/23/2023, 2:04:00 AM	0	6.877	46.2	77.8	0
3/23/2023, 2:14:00 AM	0	6.877	46.2	78.1	0
3/23/2023, 2:24:00 AM	0	6.877	46.4	78.4	0
3/23/2023, 2:34:00 AM	0	6.877	46.4	78.7	0
3/23/2023, 2:44:00 AM	0	6.877	46.4	78.9	0
3/23/2023, 2:54:00 AM	0	6.877	46.6	79.2	0
3/23/2023, 3:04:00 AM	0	6.877	46.6	79.4	0
3/23/2023, 3:14:00 AM	0	6.877	46.6	79.7	0
3/23/2023, 3:24:00 AM	0	6.877	46.6	80	0
3/23/2023, 3:34:00 AM	0	6.877	46.6	80.2	0
3/23/2023, 3:44:00 AM	0	6.877	46.6	80.3	0
3/23/2023, 3:54:00 AM	0	6.877	46.6	80.5	0
3/23/2023, 4:04:00 AM	0	6.877	46.4	80.9	0
3/23/2023, 4:14:00 AM	0	6.877	46.4	81.3	0
3/23/2023, 4:24:00 AM	0	6.877	46.4	81.8	0
3/23/2023, 4:34:00 AM	0	6.877	46.4	82.3	0
3/23/2023, 4:44:00 AM	0	6.877	46.2	82.7	0
3/23/2023, 4:54:00 AM	0	6.877	46.2	83.1	0
3/23/2023, 5:04:00 AM	0	6.877	46.4	83.4	0
3/23/2023, 5:14:00 AM	0	6.877	46.4	83.7	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/23/2023, 5:24:00 AM	0	6.877	46.4	84	0
3/23/2023, 5:34:00 AM	0	6.877	46.4	84.4	0
3/23/2023, 5:44:00 AM	0	6.877	46.4	84.7	0
3/23/2023, 5:54:00 AM	0	6.877	46.4	84.9	0
3/23/2023, 6:04:00 AM	0	6.877	46.4	85.3	0
3/23/2023, 6:14:00 AM	0	6.877	46.4	85.6	0
3/23/2023, 6:24:00 AM	0	6.877	46.4	85.9	0
3/23/2023, 6:34:00 AM	0	6.877	46.4	86.1	0
3/23/2023, 6:44:00 AM	0	6.877	46.4	86.4	0
3/23/2023, 6:54:00 AM	0	6.877	46.4	86.6	0
3/23/2023, 7:04:00 AM	0	6.877	46.4	86.8	0
3/23/2023, 7:14:00 AM	0	6.877	46.2	87	0
3/23/2023, 7:24:00 AM	0	6.877	46.4	87.2	0
3/23/2023, 7:34:00 AM	0	6.877	46.4	87.4	0
3/23/2023, 7:44:00 AM	0	6.877	46.4	87.6	0
3/23/2023, 7:54:00 AM	0	6.877	46.6	87.9	0
3/23/2023, 8:04:00 AM	0	6.877	46.6	88.1	0
3/23/2023, 8:14:00 AM	0	6.877	46.8	88.2	0
3/23/2023, 8:24:00 AM	0	6.877	46.8	88.4	0
3/23/2023, 8:34:00 AM	0	6.877	46.9	88.7	0
3/23/2023, 8:44:00 AM	0	6.877	47.1	88.9	0
3/23/2023, 8:54:00 AM	0	6.877	47.3	89	0
3/23/2023, 9:04:00 AM	0	6.877	47.7	89.3	0
3/23/2023, 9:14:00 AM	0	6.877	48.2	89.7	0
3/23/2023, 9:24:00 AM	0	6.877	48.9	90.1	0
3/23/2023, 9:34:00 AM	0	6.877	49.5	90.5	0
3/23/2023, 9:44:00 AM	0	6.877	50.2	90.7	0
3/23/2023, 9:54:00 AM	0	6.877	50.7	90.7	0
3/23/2023, 10:04:00 AM	0	6.886	51.3	90.5	0
3/23/2023, 10:14:00 AM	0	6.886	51.6	90.3	0
3/23/2023, 10:24:00 AM	0	6.886	52	89.9	0
3/23/2023, 10:34:00 AM	0	6.886	52.3	89.5	0
3/23/2023, 10:44:00 AM	0	6.886	52.5	89.1	0
3/23/2023, 10:54:00 AM	0	6.886	52.7	88.8	0
3/23/2023, 11:04:00 AM	0	6.886	52.7	88.7	0
3/23/2023, 11:14:00 AM	0	6.886	52.9	88.7	0
3/23/2023, 11:24:00 AM	0	6.886	52.9	88.7	0
3/23/2023, 11:34:00 AM	0	6.886	52.7	88.7	0
3/23/2023, 11:44:00 AM	0	6.886	52.9	88.7	0
3/23/2023, 11:54:00 AM	0	6.886	52.7	88.8	0
3/23/2023, 12:04:00 PM	0	6.886	52.7	88.9	0
3/23/2023, 12:14:00 PM	0	6.886	52.7	89	0
3/23/2023, 12:24:00 PM	0	6.886	52.7	89.1	0
3/23/2023, 12:34:00 PM	0	6.886	52.7	89.3	0
3/23/2023, 12:44:00 PM	0	6.886	52.9	89.7	0
3/23/2023, 12:54:00 PM	0	6.886	53.1	89.9	0
3/23/2023, 1:04:00 PM	0	6.886	53.2	90.2	0
3/23/2023, 1:14:00 PM	0	6.886	53.2	90.4	0
3/23/2023, 1:24:00 PM	0	6.886	53.2	90.5	0
3/23/2023, 1:34:00 PM	0	6.886	53.1	90.4	0
3/23/2023, 1:44:00 PM	0	6.886	52.7	90.3	0
3/23/2023, 1:54:00 PM	0	6.886	52.5	90.2	0
3/23/2023, 2:04:00 PM	0	6.886	52.5	90.2	0
3/23/2023, 2:14:00 PM	0	6.886	52.5	90.3	0
3/23/2023, 2:24:00 PM	0	6.886	52.3	90.3	0
3/23/2023, 2:34:00 PM	0	6.886	52	90	0
3/23/2023, 2:44:00 PM	0	6.886	51.4	89.7	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/23/2023, 2:54:00 PM	0	6.886	51.1	89.5	0
3/23/2023, 3:04:00 PM	0	6.886	50.7	89.5	0
3/23/2023, 3:14:00 PM	0	6.886	50.5	89.5	0
3/23/2023, 3:24:00 PM	0	6.886	50.2	89.5	0
3/23/2023, 3:34:00 PM	0	6.886	49.8	89.4	0
3/23/2023, 3:44:00 PM	0	6.886	49.5	89.3	0
3/23/2023, 3:54:00 PM	0	6.886	49.3	89.3	0
3/23/2023, 4:04:00 PM	0	6.886	49.1	89.4	0
3/23/2023, 4:14:00 PM	0	6.886	48.9	89.5	0
3/23/2023, 4:24:00 PM	0	6.877	48.9	89.6	0
3/23/2023, 4:34:00 PM	0	6.877	48.7	89.8	0
3/23/2023, 4:44:00 PM	0	6.877	48.7	89.9	0
3/23/2023, 4:54:00 PM	0	6.877	48.6	89.9	0
3/23/2023, 5:04:00 PM	0	6.877	48.2	89.8	0
3/23/2023, 5:14:00 PM	0	6.877	47.8	89.7	0
3/23/2023, 5:24:00 PM	0	6.877	47.7	89.7	0
3/23/2023, 5:34:00 PM	0	6.877	47.7	89.7	0
3/23/2023, 5:44:00 PM	0	6.877	47.5	89.8	0
3/23/2023, 5:54:00 PM	0	6.877	47.3	89.8	0
3/23/2023, 6:04:00 PM	0	6.877	47.1	89.9	0
3/23/2023, 6:14:00 PM	0	6.877	46.9	89.9	0
3/23/2023, 6:24:00 PM	0	6.877	46.6	89.8	0
3/23/2023, 6:34:00 PM	0	6.877	46.4	89.8	0
3/23/2023, 6:44:00 PM	0	6.877	46	89.6	0
3/23/2023, 6:54:00 PM	0	6.877	45.5	89.4	0
3/23/2023, 7:04:00 PM	0	6.877	45	89.1	0
3/23/2023, 7:14:00 PM	0	6.877	44.2	88.8	0
3/23/2023, 7:24:00 PM	0	6.869	43.9	88.5	0
3/23/2023, 7:34:00 PM	0	6.869	43.3	88.3	0
3/23/2023, 7:44:00 PM	0	6.869	43	88.2	0
3/23/2023, 7:54:00 PM	0	6.869	42.6	88.1	0
3/23/2023, 8:04:00 PM	0	6.869	42.3	87.9	0
3/23/2023, 8:14:00 PM	0	6.869	42.1	87.9	0
3/23/2023, 8:24:00 PM	0	6.869	41.7	87.8	0
3/23/2023, 8:34:00 PM	0	6.869	41.5	87.8	0
3/23/2023, 8:44:00 PM	0	6.869	41.4	87.9	0
3/23/2023, 8:54:00 PM	0	6.869	41.2	87.9	0
3/23/2023, 9:04:00 PM	0	6.869	41	87.9	0
3/23/2023, 9:14:00 PM	0	6.86	40.8	87.9	0
3/23/2023, 9:24:00 PM	0	6.86	40.6	87.9	0
3/23/2023, 9:34:00 PM	0	6.86	40.5	87.8	0
3/23/2023, 9:44:00 PM	0	6.86	40.3	87.7	0
3/23/2023, 9:54:00 PM	0	6.86	40.1	87.7	0
3/23/2023, 10:04:00 PM	0	6.86	40.1	87.6	0
3/23/2023, 10:14:00 PM	0	6.86	39.9	87.5	0
3/23/2023, 10:24:00 PM	0	6.86	39.7	87.4	0
3/23/2023, 10:34:00 PM	0	6.86	39.7	87.3	0
3/23/2023, 10:44:00 PM	0	6.86	39.6	87.2	0
3/23/2023, 10:54:00 PM	0	6.86	39.6	87.1	0
3/23/2023, 11:04:00 PM	0	6.86	39.4	87	0
3/23/2023, 11:14:00 PM	0	6.86	39	86.7	0
3/23/2023, 11:24:00 PM	0	6.86	38.7	86.3	0
3/23/2023, 11:34:00 PM	0	6.86	38.3	85.8	0
3/23/2023, 11:44:00 PM	0	6.86	37.9	85.3	0
3/23/2023, 11:54:00 PM	0	6.851	37.6	84.9	0
3/24/2023, 12:04:00 AM	0	6.86	37.2	84.7	0
3/24/2023, 12:14:00 AM	0	6.851	37	84.5	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/24/2023, 12:24:00 AM	0	6.851	36.9	84.3	0
3/24/2023, 12:34:00 AM	0	6.851	36.7	84.1	0
3/24/2023, 12:44:00 AM	0	6.851	36.5	83.9	0
3/24/2023, 12:54:00 AM	0	6.851	36.3	83.8	0
3/24/2023, 1:04:00 AM	0	6.851	36.3	83.8	0
3/24/2023, 1:14:00 AM	0	6.851	36.1	83.7	0
3/24/2023, 1:24:00 AM	0	6.851	36.1	83.6	0
3/24/2023, 1:34:00 AM	0	6.851	36	83.5	0
3/24/2023, 1:44:00 AM	0	6.851	36	83.4	0
3/24/2023, 1:54:00 AM	0	6.851	35.8	83.3	0
3/24/2023, 2:04:00 AM	0	6.851	35.6	83.1	0
3/24/2023, 2:14:00 AM	0	6.851	35.2	83	0
3/24/2023, 2:24:00 AM	0	6.851	35.1	82.9	0
3/24/2023, 2:34:00 AM	0	6.851	34.9	82.8	0
3/24/2023, 2:44:00 AM	0	6.851	34.7	82.8	0
3/24/2023, 2:54:00 AM	0	6.842	34.5	82.8	0
3/24/2023, 3:04:00 AM	0	6.842	34.3	82.8	0
3/24/2023, 3:14:00 AM	0	6.842	34.2	82.9	0
3/24/2023, 3:24:00 AM	0	6.842	34	83	0
3/24/2023, 3:34:00 AM	0	6.842	33.8	83	0
3/24/2023, 3:44:00 AM	0	6.842	33.6	83.1	0
3/24/2023, 3:54:00 AM	0	6.842	33.6	83.2	0
3/24/2023, 4:04:00 AM	0	6.842	33.4	83.3	0
3/24/2023, 4:14:00 AM	0	6.842	33.3	83.5	0
3/24/2023, 4:24:00 AM	0	6.842	33.3	83.6	0
3/24/2023, 4:34:00 AM	0	6.842	33.3	83.7	0
3/24/2023, 4:44:00 AM	0	6.842	33.1	83.9	0
3/24/2023, 4:54:00 AM	0	6.842	33.1	84	0
3/24/2023, 5:04:00 AM	0	6.842	33.1	84.1	0
3/24/2023, 5:14:00 AM	0	6.842	33.1	84.2	0
3/24/2023, 5:24:00 AM	0	6.842	33.1	84.2	0
3/24/2023, 5:34:00 AM	0	6.842	33.1	84.3	0
3/24/2023, 5:44:00 AM	0	6.842	33.1	84.3	0
3/24/2023, 5:54:00 AM	0	6.842	33.1	84.4	0
3/24/2023, 6:04:00 AM	0	6.842	32.9	84.4	0
3/24/2023, 6:14:00 AM	0	6.842	32.9	84.5	0
3/24/2023, 6:24:00 AM	0	6.842	32.9	84.5	0
3/24/2023, 6:34:00 AM	0	6.842	32.9	84.6	0
3/24/2023, 6:44:00 AM	0	6.842	32.9	84.7	0
3/24/2023, 6:54:00 AM	0	6.842	32.9	84.8	0
3/24/2023, 7:04:00 AM	0	6.842	32.9	84.8	0
3/24/2023, 7:14:00 AM	0	6.842	32.9	84.9	0
3/24/2023, 7:24:00 AM	0	6.842	32.9	85	0
3/24/2023, 7:34:00 AM	0	6.842	32.9	85	0
3/24/2023, 7:44:00 AM	0	6.842	32.9	85.1	0
3/24/2023, 7:54:00 AM	0	6.842	32.9	85.2	0
3/24/2023, 8:04:00 AM	0	6.842	33.1	85.3	0
3/24/2023, 8:14:00 AM	0	6.842	33.3	85.4	0
3/24/2023, 8:24:00 AM	0	6.842	33.4	85.5	0
3/24/2023, 8:34:00 AM	0	6.842	33.6	85.5	0
3/24/2023, 8:44:00 AM	0	6.842	34	85.6	0
3/24/2023, 8:54:00 AM	0	6.842	34.2	85.6	0
3/24/2023, 9:04:00 AM	0	6.842	34.5	85.5	0
3/24/2023, 9:14:00 AM	0	6.842	34.9	85.6	0
3/24/2023, 9:24:00 AM	0	6.842	35.4	85.6	0
3/24/2023, 9:34:00 AM	0	6.842	35.8	85.5	0
3/24/2023, 9:44:00 AM	0	6.842	36.1	85.3	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/24/2023, 9:54:00 AM	0	6.851	36.7	85.2	0
3/24/2023, 10:04:00 AM	0	6.851	37	85	0
3/24/2023, 10:14:00 AM	0	6.851	37.4	84.8	0
3/24/2023, 10:24:00 AM	0	6.851	37.9	84.5	0
3/24/2023, 10:34:00 AM	0	6.851	38.8	84.3	0
3/24/2023, 10:44:00 AM	0	6.851	39.4	84	0
3/24/2023, 10:54:00 AM	0	6.851	39.9	83.5	0
3/24/2023, 11:04:00 AM	0	6.86	40.5	82.9	0
3/24/2023, 11:14:00 AM	0	6.86	40.8	82.3	0
3/24/2023, 11:24:00 AM	0	6.86	41.2	81.5	0
3/24/2023, 11:34:00 AM	0	6.86	41.7	81	0
3/24/2023, 11:44:00 AM	0	6.86	42.4	80.5	0
3/24/2023, 11:54:00 AM	0	6.86	43.2	79.7	0
3/24/2023, 12:04:00 PM	0	6.86	43.3	78.9	0
3/24/2023, 12:14:00 PM	0	6.869	43.7	78.1	0
3/24/2023, 12:24:00 PM	0	6.869	43.9	77.4	0
3/24/2023, 12:34:00 PM	0	6.869	44.6	76.9	0
3/24/2023, 12:44:00 PM	0	6.869	45.5	76.5	0
3/24/2023, 12:54:00 PM	0	6.869	45.9	75.9	0
3/24/2023, 1:04:00 PM	0	6.869	46.2	75.1	0
3/24/2023, 1:14:00 PM	0	6.869	46.6	74.4	0
3/24/2023, 1:24:00 PM	0	6.869	46.9	73.9	0
3/24/2023, 1:34:00 PM	0	6.877	47.1	73.3	0
3/24/2023, 1:44:00 PM	0	6.877	47.1	72.8	0
3/24/2023, 1:54:00 PM	0	6.877	47.1	72.4	0
3/24/2023, 2:04:00 PM	0	6.877	47.1	72.1	0
3/24/2023, 2:14:00 PM	0	6.877	47.1	71.6	0
3/24/2023, 2:24:00 PM	0	6.877	47.3	71.5	0
3/24/2023, 2:34:00 PM	0	6.877	47.5	71.2	0
3/24/2023, 2:44:00 PM	0	6.877	47.5	70.9	0
3/24/2023, 2:54:00 PM	0	6.877	47.3	70.6	0
3/24/2023, 3:04:00 PM	0	6.877	47.1	70.1	0
3/24/2023, 3:14:00 PM	0	6.877	47.1	69.8	0
3/24/2023, 3:24:00 PM	0	6.877	46.9	69.6	0
3/24/2023, 3:34:00 PM	0	6.877	46.8	69.3	0
3/24/2023, 3:44:00 PM	0	6.877	46.8	69.3	0
3/24/2023, 3:54:00 PM	0	6.877	46.6	69.2	0
3/24/2023, 4:04:00 PM	0	6.877	46.4	68.9	0
3/24/2023, 4:14:00 PM	0	6.877	46.4	68.8	0
3/24/2023, 4:24:00 PM	0	6.877	46.4	68.7	0
3/24/2023, 4:34:00 PM	0	6.877	46.4	68.5	0
3/24/2023, 4:44:00 PM	0	6.877	46	68.2	0
3/24/2023, 4:54:00 PM	0	6.877	45.7	68	0
3/24/2023, 5:04:00 PM	0	6.877	45.1	67.8	0
3/24/2023, 5:14:00 PM	0	6.877	44.8	67.7	0
3/24/2023, 5:24:00 PM	0	6.869	44.4	67.8	0
3/24/2023, 5:34:00 PM	0	6.869	44.1	67.7	0
3/24/2023, 5:44:00 PM	0	6.869	43.9	67.6	0
3/24/2023, 5:54:00 PM	0	6.869	43.2	67.5	0
3/24/2023, 6:04:00 PM	0	6.869	42.6	67.4	0
3/24/2023, 6:14:00 PM	0	6.869	42.1	67.3	0
3/24/2023, 6:24:00 PM	0	6.869	41.7	67.2	0
3/24/2023, 6:34:00 PM	0	6.869	41.2	67.2	0
3/24/2023, 6:44:00 PM	0	6.869	40.8	67.1	0
3/24/2023, 6:54:00 PM	0	6.869	40.5	67	0
3/24/2023, 7:04:00 PM	0	6.86	39.9	66.9	0
3/24/2023, 7:14:00 PM	0	6.86	39.4	66.9	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/24/2023, 7:24:00 PM	0	6.86	38.8	66.9	0
3/24/2023, 7:34:00 PM	0	6.86	38.1	66.9	0
3/24/2023, 7:44:00 PM	0	6.86	37.6	67.1	0
3/24/2023, 7:54:00 PM	0	6.86	37	67.4	0
3/24/2023, 8:04:00 PM	0	6.86	36.5	67.7	0
3/24/2023, 8:14:00 PM	0	6.851	36	68	0
3/24/2023, 8:24:00 PM	0	6.851	35.6	68.4	0
3/24/2023, 8:34:00 PM	0	6.851	35.2	68.8	0
3/24/2023, 8:44:00 PM	0	6.851	34.9	69.3	0
3/24/2023, 8:54:00 PM	0	6.851	34.7	69.8	0
3/24/2023, 9:04:00 PM	0	6.851	34.3	70.3	0
3/24/2023, 9:14:00 PM	0	6.842	34	70.8	0
3/24/2023, 9:24:00 PM	0	6.842	33.6	71.3	0
3/24/2023, 9:34:00 PM	0	6.842	33.3	71.7	0
3/24/2023, 9:44:00 PM	0	6.842	32.7	72.1	0
3/24/2023, 9:54:00 PM	0	6.842	32.4	72.6	0
3/24/2023, 10:04:00 PM	0	6.842	32	73.1	0
3/24/2023, 10:14:00 PM	0	6.842	31.8	73.6	0
3/24/2023, 10:24:00 PM	0	6.833	31.6	74.1	0
3/24/2023, 10:34:00 PM	0	6.833	31.3	74.6	0
3/24/2023, 10:44:00 PM	0	6.833	31.1	75.1	0
3/24/2023, 10:54:00 PM	0	6.833	30.9	75.7	0
3/24/2023, 11:04:00 PM	0	6.833	30.9	76.3	0
3/24/2023, 11:14:00 PM	0	6.833	30.7	76.8	0
3/24/2023, 11:24:00 PM	0	6.833	30.6	77.3	0
3/24/2023, 11:34:00 PM	0	6.833	30.4	77.7	0
3/24/2023, 11:44:00 PM	0	6.833	30.2	78.1	0
3/24/2023, 11:54:00 PM	0	6.833	30	78.4	0
3/25/2023, 12:04:00 AM	0	6.825	29.8	78.8	0
3/25/2023, 12:14:00 AM	0	6.825	29.7	79.2	0
3/25/2023, 12:24:00 AM	0	6.825	29.5	79.5	0
3/25/2023, 12:34:00 AM	0	6.825	29.3	79.8	0
3/25/2023, 12:44:00 AM	0	6.825	29.3	80.1	0
3/25/2023, 12:54:00 AM	0	6.825	29.3	80.4	0
3/25/2023, 1:04:00 AM	0	6.825	29.3	80.7	0
3/25/2023, 1:14:00 AM	0	6.825	29.5	81	0
3/25/2023, 1:24:00 AM	0	6.825	29.7	81.3	0
3/25/2023, 1:34:00 AM	0	6.825	29.7	81.4	0
3/25/2023, 1:44:00 AM	0	6.825	29.7	81.5	0
3/25/2023, 1:54:00 AM	0	6.825	29.8	81.7	0
3/25/2023, 2:04:00 AM	0	6.825	29.8	81.8	0
3/25/2023, 2:14:00 AM	0	6.825	30	81.9	0
3/25/2023, 2:24:00 AM	0	6.825	30	82	0
3/25/2023, 2:34:00 AM	0	6.825	30	81.9	0
3/25/2023, 2:44:00 AM	0	6.833	29.8	81.8	0
3/25/2023, 2:54:00 AM	0	6.833	29.8	81.7	0
3/25/2023, 3:04:00 AM	0	6.825	29.8	81.8	0
3/25/2023, 3:14:00 AM	0	6.825	29.8	81.8	0
3/25/2023, 3:24:00 AM	0	6.825	30	81.9	0
3/25/2023, 3:34:00 AM	0	6.833	30.2	81.9	0
3/25/2023, 3:44:00 AM	0	6.833	30.4	82	0
3/25/2023, 3:54:00 AM	0	6.833	30.6	82	0
3/25/2023, 4:04:00 AM	0	6.833	30.7	82	0
3/25/2023, 4:14:00 AM	0	6.833	30.9	82	0
3/25/2023, 4:24:00 AM	0	6.833	31.1	82	0
3/25/2023, 4:34:00 AM	0	6.833	31.3	81.9	0
3/25/2023, 4:44:00 AM	0	6.833	31.5	81.9	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/25/2023, 4:54:00 AM	0	6.833	31.8	81.9	0
3/25/2023, 5:04:00 AM	0	6.833	32	81.9	0
3/25/2023, 5:14:00 AM	0	6.833	32	81.9	0
3/25/2023, 5:24:00 AM	0	6.833	32.2	81.9	0
3/25/2023, 5:34:00 AM	0	6.833	32.4	81.7	0
3/25/2023, 5:44:00 AM	0	6.833	32.5	81.7	0
3/25/2023, 5:54:00 AM	0	6.842	32.7	81.6	0
3/25/2023, 6:04:00 AM	0	6.833	32.9	81.5	0
3/25/2023, 6:14:00 AM	0	6.842	33.1	81.4	0
3/25/2023, 6:24:00 AM	0	6.842	33.3	81.3	0
3/25/2023, 6:34:00 AM	0	6.842	33.6	81.3	0
3/25/2023, 6:44:00 AM	0	6.842	33.8	81.3	0
3/25/2023, 6:54:00 AM	0	6.842	34	81.1	0
3/25/2023, 7:04:00 AM	0	6.842	34.3	81	0
3/25/2023, 7:14:00 AM	0	6.842	34.5	80.8	0
3/25/2023, 7:24:00 AM	0	6.842	34.7	80.7	0
3/25/2023, 7:34:00 AM	0	6.842	34.9	80.6	0
3/25/2023, 7:44:00 AM	0	6.851	34.9	80.5	0
3/25/2023, 7:54:00 AM	0	6.842	34.7	80.6	0
3/25/2023, 8:04:00 AM	0	6.842	34.7	80.8	0
3/25/2023, 8:14:00 AM	0	6.842	34.7	81.2	0
3/25/2023, 8:24:00 AM	0	6.851	34.9	81.8	0
3/25/2023, 8:34:00 AM	0	6.842	35.2	82.5	0
3/25/2023, 8:44:00 AM	0	6.851	35.6	83.3	0
3/25/2023, 8:54:00 AM	0	6.851	35.8	84	0
3/25/2023, 9:04:00 AM	0	6.851	36.1	84.5	0
3/25/2023, 9:14:00 AM	0	6.851	36.3	85	0
3/25/2023, 9:24:00 AM	0	6.851	36.7	85.4	0
3/25/2023, 9:34:00 AM	0	6.851	36.9	85.9	0
3/25/2023, 9:44:00 AM	0	6.851	37.2	86.1	0
3/25/2023, 9:54:00 AM	0	6.851	37.2	86.3	0
3/25/2023, 10:04:00 AM	0	6.851	37.2	86.5	0
3/25/2023, 10:14:00 AM	0	6.851	37.2	86.6	0
3/25/2023, 10:24:00 AM	0	6.851	37.4	86.8	0
3/25/2023, 10:34:00 AM	0	6.851	37.6	87	0
3/25/2023, 10:44:00 AM	0	6.851	37.8	87.2	0
3/25/2023, 10:54:00 AM	0	6.851	37.9	87.4	0
3/25/2023, 11:04:00 AM	0	6.86	38.1	87.7	0
3/25/2023, 11:14:00 AM	0	6.851	38.5	87.8	0
3/25/2023, 11:24:00 AM	0	6.86	38.8	88	0
3/25/2023, 11:34:00 AM	0	6.86	39.6	88.2	0
3/25/2023, 11:44:00 AM	0	6.86	40.1	88.3	0
3/25/2023, 11:54:00 AM	0	6.86	40.3	88.2	0
3/25/2023, 12:04:00 PM	0	6.86	40.6	87.9	0
3/25/2023, 12:14:00 PM	0	6.86	40.8	87.5	0
3/25/2023, 12:24:00 PM	0	6.86	41.2	87.2	0
3/25/2023, 12:34:00 PM	0	6.86	41.4	86.8	0
3/25/2023, 12:44:00 PM	0	6.869	41.4	86.4	0
3/25/2023, 12:54:00 PM	0	6.869	41.7	86	0
3/25/2023, 1:04:00 PM	0	6.869	41.9	85.8	0
3/25/2023, 1:14:00 PM	0	6.869	42.3	85.6	0
3/25/2023, 1:24:00 PM	0	6.869	42.4	85.4	0
3/25/2023, 1:34:00 PM	0	6.869	42.8	85.2	0
3/25/2023, 1:44:00 PM	0	6.869	43.3	85.1	0
3/25/2023, 1:54:00 PM	0	6.869	43.9	85.1	0
3/25/2023, 2:04:00 PM	0	6.869	44.6	85	0
3/25/2023, 2:14:00 PM	0	6.869	45.1	84.7	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/25/2023, 2:24:00 PM	0	6.869	45.5	84.4	0
3/25/2023, 2:34:00 PM	0	6.869	45.7	84	0
3/25/2023, 2:44:00 PM	0	6.869	45.7	83.7	0
3/25/2023, 2:54:00 PM	0	6.877	45.7	83.5	0
3/25/2023, 3:04:00 PM	0	6.877	45.9	83.3	0
3/25/2023, 3:14:00 PM	0	6.877	45.9	83.1	0
3/25/2023, 3:24:00 PM	0	6.877	45.9	82.9	0
3/25/2023, 3:34:00 PM	0	6.877	45.9	82.8	0
3/25/2023, 3:44:00 PM	0	6.877	45.7	82.8	0
3/25/2023, 3:54:00 PM	0	6.877	45.7	82.9	0
3/25/2023, 4:04:00 PM	0	6.877	45.9	83.1	0
3/25/2023, 4:14:00 PM	0	6.877	45.9	83.2	0
3/25/2023, 4:24:00 PM	0	6.877	46	83.2	0
3/25/2023, 4:34:00 PM	0	6.877	46.2	83.4	0
3/25/2023, 4:44:00 PM	0	6.877	46.6	83.4	0
3/25/2023, 4:54:00 PM	0	6.877	46.9	83.5	0
3/25/2023, 5:04:00 PM	0	6.877	47.1	83.4	0
3/25/2023, 5:14:00 PM	0	6.877	47.3	83.3	0
3/25/2023, 5:24:00 PM	0	6.877	47.3	83.1	0
3/25/2023, 5:34:00 PM	0	6.877	47.5	83	0
3/25/2023, 5:44:00 PM	0	6.877	47.5	82.9	0
3/25/2023, 5:54:00 PM	0	6.877	47.1	82.9	0
3/25/2023, 6:04:00 PM	0	6.877	46.8	82.9	0
3/25/2023, 6:14:00 PM	0	6.877	46.4	83.2	0
3/25/2023, 6:24:00 PM	0	6.877	46.2	83.8	0
3/25/2023, 6:34:00 PM	0	6.877	46.2	84.3	0
3/25/2023, 6:44:00 PM	0	6.877	46.2	85	0
3/25/2023, 6:54:00 PM	0	6.877	46.4	85.5	0
3/25/2023, 7:04:00 PM	0	6.877	46.4	85.7	0
3/25/2023, 7:14:00 PM	0	6.877	46.6	85.9	0
3/25/2023, 7:24:00 PM	0	6.877	46.4	85.9	0
3/25/2023, 7:34:00 PM	0	6.877	46.2	86	0
3/25/2023, 7:44:00 PM	0	6.877	46	86	0
3/25/2023, 7:54:00 PM	0	6.877	45.7	86.1	0
3/25/2023, 8:04:00 PM	0	6.877	45.7	86.4	0
3/25/2023, 8:14:00 PM	0	6.877	45.5	86.6	0
3/25/2023, 8:24:00 PM	0	6.877	45.5	86.9	0
3/25/2023, 8:34:00 PM	0	6.877	45.3	87.2	0
3/25/2023, 8:44:00 PM	0	6.877	45.3	87.5	0
3/25/2023, 8:54:00 PM	0	6.877	45.3	87.8	0
3/25/2023, 9:04:00 PM	0	6.877	45.3	88.1	0
3/25/2023, 9:14:00 PM	0	6.877	45	88.1	0
3/25/2023, 9:24:00 PM	0	6.877	44.2	87.6	0
3/25/2023, 9:34:00 PM	0	6.877	43.7	87.1	0
3/25/2023, 9:44:00 PM	0	6.869	43	86.6	0
3/25/2023, 9:54:00 PM	0	6.869	42.3	86.3	0
3/25/2023, 10:04:00 PM	0	6.869	41.9	86.2	0
3/25/2023, 10:14:00 PM	0	6.869	41.7	86.2	0
3/25/2023, 10:24:00 PM	0	6.869	41.5	86.1	0
3/25/2023, 10:34:00 PM	0	6.869	41.4	86	0
3/25/2023, 10:44:00 PM	0	6.869	41.2	85.9	0
3/25/2023, 10:54:00 PM	0	6.869	41.2	85.8	0
3/25/2023, 11:04:00 PM	0	6.869	41.2	85.7	0
3/25/2023, 11:14:00 PM	0	6.869	41.4	85.5	0
3/25/2023, 11:24:00 PM	0	6.869	41.5	85.1	0
3/25/2023, 11:34:00 PM	0	6.869	41.7	84.6	0
3/25/2023, 11:44:00 PM	0	6.869	41.7	83.9	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/25/2023, 11:54:00 PM	0	6.869	41.9	83.3	0
3/26/2023, 12:04:00 AM	0	6.869	41.9	82.6	0
3/26/2023, 12:14:00 AM	0	6.869	41.9	81.9	0
3/26/2023, 12:24:00 AM	0	6.869	41.9	81.3	0
3/26/2023, 12:34:00 AM	0	6.869	41.9	80.8	0
3/26/2023, 12:44:00 AM	0	6.869	41.7	80.4	0
3/26/2023, 12:54:00 AM	0	6.869	41.5	80	0
3/26/2023, 1:04:00 AM	0	6.869	41.2	79.5	0
3/26/2023, 1:14:00 AM	0	6.869	41	79.2	0
3/26/2023, 1:24:00 AM	0	6.869	40.8	78.8	0
3/26/2023, 1:34:00 AM	0	6.869	40.6	78.5	0
3/26/2023, 1:44:00 AM	0	6.869	40.6	78.1	0
3/26/2023, 1:54:00 AM	0	6.86	40.5	77.8	0
3/26/2023, 2:04:00 AM	0	6.86	40.5	77.4	0
3/26/2023, 2:14:00 AM	0	6.86	40.3	77.1	0
3/26/2023, 2:24:00 AM	0	6.86	40.3	76.7	0
3/26/2023, 2:34:00 AM	0	6.86	40.1	76.4	0
3/26/2023, 2:44:00 AM	0	6.86	40.1	76	0
3/26/2023, 2:54:00 AM	0	6.86	39.9	75.7	0
3/26/2023, 3:04:00 AM	0	6.86	39.9	75.5	0
3/26/2023, 3:14:00 AM	0	6.86	39.6	75.4	0
3/26/2023, 3:24:00 AM	0	6.86	39	75.6	0
3/26/2023, 3:34:00 AM	0	6.86	38.8	76	0
3/26/2023, 3:44:00 AM	0	6.86	38.8	76.4	0
3/26/2023, 3:54:00 AM	0	6.86	38.8	76.6	0
3/26/2023, 4:04:00 AM	0	6.86	39	76.7	0
3/26/2023, 4:14:00 AM	0	6.86	39.2	76.6	0
3/26/2023, 4:24:00 AM	0	6.86	39.2	76.5	0
3/26/2023, 4:34:00 AM	0	6.86	39.4	76.4	0
3/26/2023, 4:44:00 AM	0	6.86	39.4	76.4	0
3/26/2023, 4:54:00 AM	0	6.86	39.4	76.3	0
3/26/2023, 5:04:00 AM	0	6.86	39.6	76.2	0
3/26/2023, 5:14:00 AM	0	6.86	39.6	76.1	0
3/26/2023, 5:24:00 AM	0	6.86	39.6	75.9	0
3/26/2023, 5:34:00 AM	0	6.86	39.6	75.9	0
3/26/2023, 5:44:00 AM	0	6.86	39.7	75.8	0
3/26/2023, 5:54:00 AM	0	6.86	39.7	75.7	0
3/26/2023, 6:04:00 AM	0	6.86	39.7	75.7	0
3/26/2023, 6:14:00 AM	0	6.86	39.7	75.6	0
3/26/2023, 6:24:00 AM	0	6.86	39.7	75.6	0
3/26/2023, 6:34:00 AM	0	6.86	39.6	75.5	0
3/26/2023, 6:44:00 AM	0	6.86	39.6	75.5	0
3/26/2023, 6:54:00 AM	0	6.86	39.6	75.5	0
3/26/2023, 7:04:00 AM	0	6.86	39.4	75.6	0
3/26/2023, 7:14:00 AM	0	6.86	39.4	75.5	0
3/26/2023, 7:24:00 AM	0	6.86	39.4	75.5	0
3/26/2023, 7:34:00 AM	0	6.86	39.4	75.4	0
3/26/2023, 7:44:00 AM	0	6.86	39.4	75.3	0
3/26/2023, 7:54:00 AM	0	6.86	39.4	75.3	0
3/26/2023, 8:04:00 AM	0	6.86	39.4	75.2	0
3/26/2023, 8:14:00 AM	0	6.86	39.6	75.2	0
3/26/2023, 8:24:00 AM	0	6.86	39.6	75.1	0
3/26/2023, 8:34:00 AM	0	6.86	39.6	75.1	0
3/26/2023, 8:44:00 AM	0	6.86	39.7	75	0
3/26/2023, 8:54:00 AM	0	6.86	39.9	74.9	0
3/26/2023, 9:04:00 AM	0	6.86	40.3	74.9	0
3/26/2023, 9:14:00 AM	0	6.86	40.8	74.9	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/26/2023, 9:24:00 AM	0	6.86	41.4	75	0
3/26/2023, 9:34:00 AM	0	6.86	42.1	74.9	0
3/26/2023, 9:44:00 AM	0	6.86	43	74.7	0
3/26/2023, 9:54:00 AM	0	6.869	43.9	74.5	0
3/26/2023, 10:04:00 AM	0	6.869	44.1	73.8	0
3/26/2023, 10:14:00 AM	0	6.869	44.4	73	0
3/26/2023, 10:24:00 AM	0	6.869	45	72.5	0
3/26/2023, 10:34:00 AM	0	6.869	46	72.2	0
3/26/2023, 10:44:00 AM	0	6.869	46.9	71.8	0
3/26/2023, 10:54:00 AM	0	6.869	47.7	71.2	0
3/26/2023, 11:04:00 AM	0	6.869	48	70.3	0
3/26/2023, 11:14:00 AM	0	6.877	48.4	69.8	0
3/26/2023, 11:24:00 AM	0	6.877	48.6	69	0
3/26/2023, 11:34:00 AM	0	6.877	48.9	68.4	0
3/26/2023, 11:44:00 AM	0	6.877	49.3	67.9	0
3/26/2023, 11:54:00 AM	0	6.877	49.6	67.4	0
3/26/2023, 12:04:00 PM	0	6.877	50.2	67	0
3/26/2023, 12:14:00 PM	0	6.877	50.7	66.5	0
3/26/2023, 12:24:00 PM	0	6.877	51.3	66.1	0
3/26/2023, 12:34:00 PM	0	6.877	51.8	65.8	0
3/26/2023, 12:44:00 PM	0	6.877	51.8	65.2	0
3/26/2023, 12:54:00 PM	0	6.877	52.3	64.8	0
3/26/2023, 1:04:00 PM	0	6.886	52.5	64.3	0
3/26/2023, 1:14:00 PM	0	6.886	52.5	64	0
3/26/2023, 1:24:00 PM	0	6.886	52.2	63.5	0
3/26/2023, 1:34:00 PM	0	6.886	51.8	63.2	0
3/26/2023, 1:44:00 PM	0	6.886	52	63.1	0
3/26/2023, 1:54:00 PM	0	6.886	52.2	63.1	0
3/26/2023, 2:04:00 PM	0	6.886	52.5	63.1	0
3/26/2023, 2:14:00 PM	0	6.886	52.7	62.9	0
3/26/2023, 2:24:00 PM	0	6.886	52.9	62.8	0
3/26/2023, 2:34:00 PM	0	6.886	53.4	62.8	0
3/26/2023, 2:44:00 PM	0	6.886	53.4	62.4	0
3/26/2023, 2:54:00 PM	0	6.886	53.4	61.9	0
3/26/2023, 3:04:00 PM	0	6.886	53.4	61.6	0
3/26/2023, 3:14:00 PM	0	6.886	53.4	61.5	0
3/26/2023, 3:24:00 PM	0	6.886	53.2	61.4	0
3/26/2023, 3:34:00 PM	0	6.886	53.2	61.2	0
3/26/2023, 3:44:00 PM	0	6.886	53.2	61.1	0
3/26/2023, 3:54:00 PM	0	6.886	53.2	61	0
3/26/2023, 4:04:00 PM	0	6.886	53.2	60.9	0
3/26/2023, 4:14:00 PM	0	6.886	53.2	60.8	0
3/26/2023, 4:24:00 PM	0	6.886	53.4	60.8	0
3/26/2023, 4:34:00 PM	0	6.886	53.4	60.8	0
3/26/2023, 4:44:00 PM	0	6.886	53.2	60.6	0
3/26/2023, 4:54:00 PM	0	6.886	53.1	60.5	0
3/26/2023, 5:04:00 PM	0	6.886	52.9	60.4	0
3/26/2023, 5:14:00 PM	0	6.886	52.7	60.4	0
3/26/2023, 5:24:00 PM	0	6.886	52.7	60.3	0
3/26/2023, 5:34:00 PM	0	6.886	52.5	60.2	0
3/26/2023, 5:44:00 PM	0	6.886	52.3	60.1	0
3/26/2023, 5:54:00 PM	0	6.886	52.2	60	0
3/26/2023, 6:04:00 PM	0	6.886	51.8	59.9	0
3/26/2023, 6:14:00 PM	0	6.886	51.4	59.8	0
3/26/2023, 6:24:00 PM	0	6.886	51.3	59.8	0
3/26/2023, 6:34:00 PM	0	6.886	50.9	59.8	0
3/26/2023, 6:44:00 PM	0	6.886	50.4	59.8	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/26/2023, 6:54:00 PM	0	6.886	50	59.8	0
3/26/2023, 7:04:00 PM	0	6.886	49.5	59.8	0
3/26/2023, 7:14:00 PM	0	6.886	49.1	59.9	0
3/26/2023, 7:24:00 PM	0	6.886	48.6	60	0
3/26/2023, 7:34:00 PM	0	6.886	47.8	60.1	0
3/26/2023, 7:44:00 PM	0	6.886	47.5	60.2	0
3/26/2023, 7:54:00 PM	0	6.877	46.9	60.4	0
3/26/2023, 8:04:00 PM	0	6.877	46.6	60.5	0
3/26/2023, 8:14:00 PM	0	6.877	46.2	60.7	0
3/26/2023, 8:24:00 PM	0	6.877	45.7	60.9	0
3/26/2023, 8:34:00 PM	0	6.877	45.1	61.1	0
3/26/2023, 8:44:00 PM	0	6.877	44.6	61.3	0
3/26/2023, 8:54:00 PM	0	6.877	43.9	61.6	0
3/26/2023, 9:04:00 PM	0	6.877	43.3	62.1	0
3/26/2023, 9:14:00 PM	0	6.877	42.8	62.6	0
3/26/2023, 9:24:00 PM	0	6.869	42.4	63	0
3/26/2023, 9:34:00 PM	0	6.869	41.9	63.4	0
3/26/2023, 9:44:00 PM	0	6.869	41.4	63.8	0
3/26/2023, 9:54:00 PM	0	6.869	40.6	64.3	0
3/26/2023, 10:04:00 PM	0	6.869	39.9	64.8	0
3/26/2023, 10:14:00 PM	0	6.869	39.2	65.2	0
3/26/2023, 10:24:00 PM	0	6.86	38.5	65.7	0
3/26/2023, 10:34:00 PM	0	6.86	37.8	66.2	0
3/26/2023, 10:44:00 PM	0	6.86	37.2	66.9	0
3/26/2023, 10:54:00 PM	0	6.86	36.5	67.7	0
3/26/2023, 11:04:00 PM	0	6.86	36	68.6	0
3/26/2023, 11:14:00 PM	0	6.851	35.4	69.4	0
3/26/2023, 11:24:00 PM	0	6.851	35.1	70.4	0
3/26/2023, 11:34:00 PM	0	6.851	34.5	71.2	0
3/26/2023, 11:44:00 PM	0	6.851	34.2	71.9	0
3/26/2023, 11:54:00 PM	0	6.851	33.6	72.6	0
3/27/2023, 12:04:00 AM	0	6.842	33.3	73.2	0
3/27/2023, 12:14:00 AM	0	6.842	32.9	73.8	0
3/27/2023, 12:24:00 AM	0	6.842	32.5	74.3	0
3/27/2023, 12:34:00 AM	0	6.842	32.2	74.9	0
3/27/2023, 12:44:00 AM	0	6.842	32	75.4	0
3/27/2023, 12:54:00 AM	0	6.842	31.8	76	0
3/27/2023, 1:04:00 AM	0	6.842	31.5	76.5	0
3/27/2023, 1:14:00 AM	0	6.833	31.3	77	0
3/27/2023, 1:24:00 AM	0	6.833	30.9	77.5	0
3/27/2023, 1:34:00 AM	0	6.833	30.7	77.9	0
3/27/2023, 1:44:00 AM	0	6.833	30.6	78.3	0
3/27/2023, 1:54:00 AM	0	6.833	30.4	78.8	0
3/27/2023, 2:04:00 AM	0	6.833	30.2	79.2	0
3/27/2023, 2:14:00 AM	0	6.833	30	79.6	0
3/27/2023, 2:24:00 AM	0	6.833	29.8	79.9	0
3/27/2023, 2:34:00 AM	0	6.833	29.7	80.2	0
3/27/2023, 2:44:00 AM	0	6.825	29.5	80.5	0
3/27/2023, 2:54:00 AM	0	6.825	29.5	80.8	0
3/27/2023, 3:04:00 AM	0	6.825	29.3	81.2	0
3/27/2023, 3:14:00 AM	0	6.825	29.1	81.5	0
3/27/2023, 3:24:00 AM	0	6.825	29.1	81.8	0
3/27/2023, 3:34:00 AM	0	6.825	28.9	82.1	0
3/27/2023, 3:44:00 AM	0	6.825	28.9	82.3	0
3/27/2023, 3:54:00 AM	0	6.825	28.8	82.5	0
3/27/2023, 4:04:00 AM	0	6.825	28.6	82.7	0
3/27/2023, 4:14:00 AM	0	6.825	28.6	83	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/27/2023, 4:24:00 AM	0	6.825	28.4	83.1	0
3/27/2023, 4:34:00 AM	0	6.825	28.4	83.4	0
3/27/2023, 4:44:00 AM	0	6.825	28.2	83.5	0
3/27/2023, 4:54:00 AM	0	6.825	28	83.7	0
3/27/2023, 5:04:00 AM	0	6.825	28	83.9	0
3/27/2023, 5:14:00 AM	0	6.825	28	84.1	0
3/27/2023, 5:24:00 AM	0	6.825	28	84.3	0
3/27/2023, 5:34:00 AM	0	6.825	28	84.5	0
3/27/2023, 5:44:00 AM	0	6.825	28	84.7	0
3/27/2023, 5:54:00 AM	0	6.825	28.2	85	0
3/27/2023, 6:04:00 AM	0	6.825	28.6	85.4	0
3/27/2023, 6:14:00 AM	0	6.825	28.9	85.8	0
3/27/2023, 6:24:00 AM	0	6.825	29.5	86.2	0
3/27/2023, 6:34:00 AM	0	6.825	29.8	86.6	0
3/27/2023, 6:44:00 AM	0	6.825	30.2	87	0
3/27/2023, 6:54:00 AM	0	6.825	30.6	87.3	0
3/27/2023, 7:04:00 AM	0	6.833	30.9	87.6	0
3/27/2023, 7:14:00 AM	0	6.833	31.3	87.8	0
3/27/2023, 7:24:00 AM	0	6.833	31.5	88	0
3/27/2023, 7:34:00 AM	0	6.833	31.8	88.1	0
3/27/2023, 7:44:00 AM	0	6.833	32	88.3	0
3/27/2023, 7:54:00 AM	0	6.833	32.4	88.4	0
3/27/2023, 8:04:00 AM	0	6.833	32.7	88.6	0
3/27/2023, 8:14:00 AM	0	6.842	33.3	88.8	0
3/27/2023, 8:24:00 AM	0	6.842	33.8	88.9	0
3/27/2023, 8:34:00 AM	0	6.842	34.7	89	0
3/27/2023, 8:44:00 AM	0	6.842	35.4	89.2	0
3/27/2023, 8:54:00 AM	0	6.842	36	89.1	0
3/27/2023, 9:04:00 AM	0	6.851	36.5	88.9	0
3/27/2023, 9:14:00 AM	0	6.851	37.2	88.6	0
3/27/2023, 9:24:00 AM	0	6.851	37.9	88.3	0
3/27/2023, 9:34:00 AM	0	6.851	38.7	87.7	0
3/27/2023, 9:44:00 AM	0	6.851	39.4	87.1	0
3/27/2023, 9:54:00 AM	0	6.86	40.3	86.2	0
3/27/2023, 10:04:00 AM	0	6.86	40.8	85.1	0
3/27/2023, 10:14:00 AM	0	6.86	41.4	83.9	0
3/27/2023, 10:24:00 AM	0	6.86	41.9	82.7	0
3/27/2023, 10:34:00 AM	0	6.86	42.3	81.5	0
3/27/2023, 10:44:00 AM	0	6.869	42.6	80.5	0
3/27/2023, 10:54:00 AM	0	6.869	43	79.6	0
3/27/2023, 11:04:00 AM	0	6.869	43.2	78.8	0
3/27/2023, 11:14:00 AM	0	6.869	43.5	78.1	0
3/27/2023, 11:24:00 AM	0	6.869	43.9	77.5	0
3/27/2023, 11:34:00 AM	0	6.869	44.1	77	0
3/27/2023, 11:44:00 AM	0	6.869	44.1	76.3	0
3/27/2023, 11:54:00 AM	0	6.869	44.2	75.7	0
3/27/2023, 12:04:00 PM	0	6.869	44.4	75.3	0
3/27/2023, 12:14:00 PM	0	6.869	44.8	74.9	0
3/27/2023, 12:24:00 PM	0	6.869	45	74.3	0
3/27/2023, 12:34:00 PM	0	6.869	45.1	73.8	0
3/27/2023, 12:44:00 PM	0	6.869	45.3	73.3	0
3/27/2023, 12:54:00 PM	0	6.877	45.5	72.7	0
3/27/2023, 1:04:00 PM	0	6.877	45.7	72.2	0
3/27/2023, 1:14:00 PM	0	6.877	45.9	71.8	0
3/27/2023, 1:24:00 PM	0	6.877	45.9	71.7	0
3/27/2023, 1:34:00 PM	0	6.877	45.9	71.5	0
3/27/2023, 1:44:00 PM	0	6.877	45.7	71.6	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/27/2023, 1:54:00 PM	0	6.877	45.5	71.6	0
3/27/2023, 2:04:00 PM	0	6.877	45.1	71.6	0
3/27/2023, 2:14:00 PM	0	6.877	44.6	71.8	0
3/27/2023, 2:24:00 PM	0	6.877	44.1	72.2	0
3/27/2023, 2:34:00 PM	0	6.869	43.7	72.7	0
3/27/2023, 2:44:00 PM	0	6.869	43.5	73	0
3/27/2023, 2:54:00 PM	0	6.869	43.2	73.4	0
3/27/2023, 3:04:00 PM	0	6.869	42.8	73.7	0
3/27/2023, 3:14:00 PM	0	6.869	42.3	73.9	0
3/27/2023, 3:24:00 PM	0	6.869	41.7	74.3	0
3/27/2023, 3:34:00 PM	0	6.869	41.4	74.8	0
3/27/2023, 3:44:00 PM	0	6.869	40.8	75.3	0
3/27/2023, 3:54:00 PM	0	6.869	40.3	75.7	0
3/27/2023, 4:04:00 PM	0	6.86	39.7	76.2	0
3/27/2023, 4:14:00 PM	0	6.86	39.2	76.8	0
3/27/2023, 4:24:00 PM	0	6.86	38.7	77.4	0
3/27/2023, 4:34:00 PM	0	6.86	38.3	78	0
3/27/2023, 4:44:00 PM	0	6.86	37.9	78.4	0
3/27/2023, 4:54:00 PM	0	6.86	37.6	79	0
3/27/2023, 5:04:00 PM	0	6.86	37.2	79.3	0
3/27/2023, 5:14:00 PM	0	6.86	36.7	79.7	0
3/27/2023, 5:24:00 PM	0	6.851	36.3	80	0
3/27/2023, 5:34:00 PM	0	6.851	36	80.4	0
3/27/2023, 5:44:00 PM	0	6.851	35.6	80.8	0
3/27/2023, 5:54:00 PM	0	6.851	35.4	81.2	0
3/27/2023, 6:04:00 PM	0	6.851	35.2	81.5	0
3/27/2023, 6:14:00 PM	0	6.851	35.1	82	0
3/27/2023, 6:24:00 PM	0	6.851	34.9	82.4	0
3/27/2023, 6:34:00 PM	0	6.851	34.7	82.8	0
3/27/2023, 6:44:00 PM	0	6.851	34.7	83.1	0
3/27/2023, 6:54:00 PM	0	6.851	34.5	83.5	0
3/27/2023, 7:04:00 PM	0	6.851	34.5	83.9	0
3/27/2023, 7:14:00 PM	0	6.842	34.3	84.2	0
3/27/2023, 7:24:00 PM	0	6.842	34.3	84.5	0
3/27/2023, 7:34:00 PM	0	6.842	34.3	84.8	0
3/27/2023, 7:44:00 PM	0	6.842	34.3	85.1	0
3/27/2023, 7:54:00 PM	0	6.842	34.3	85.3	0
3/27/2023, 8:04:00 PM	0	6.842	34.3	85.6	0
3/27/2023, 8:14:00 PM	0	6.842	34.2	85.7	0
3/27/2023, 8:24:00 PM	0	6.842	34.2	85.9	0
3/27/2023, 8:34:00 PM	0	6.842	34.2	86.1	0
3/27/2023, 8:44:00 PM	0	6.842	34.2	86.3	0
3/27/2023, 8:54:00 PM	0	6.842	34.2	86.5	0
3/27/2023, 9:04:00 PM	0	6.842	34.2	86.7	0
3/27/2023, 9:14:00 PM	0	6.842	34.2	86.9	0
3/27/2023, 9:24:00 PM	0	6.842	34.2	87.1	0
3/27/2023, 9:34:00 PM	0	6.842	34.2	87.3	0
3/27/2023, 9:44:00 PM	0	6.842	34.3	87.4	0
3/27/2023, 9:54:00 PM	0	6.842	34.3	87.6	0
3/27/2023, 10:04:00 PM	0	6.842	34.5	87.9	0
3/27/2023, 10:14:00 PM	0	6.842	34.5	88	0
3/27/2023, 10:24:00 PM	0	6.842	34.7	88.3	0
3/27/2023, 10:34:00 PM	0	6.842	34.9	88.4	0
3/27/2023, 10:44:00 PM	0	6.842	35.1	88.6	0
3/27/2023, 10:54:00 PM	0	6.851	35.1	88.9	0
3/27/2023, 11:04:00 PM	0	6.842	35.2	89	0
3/27/2023, 11:14:00 PM	0	6.851	35.2	89.2	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/27/2023, 11:24:00 PM	0	6.851	35.2	89.3	0
3/27/2023, 11:34:00 PM	0	6.851	35.4	89.4	0
3/27/2023, 11:44:00 PM	0	6.851	35.2	89.4	0
3/27/2023, 11:54:00 PM	0	6.851	35.2	89.4	0
3/28/2023, 12:04:00 AM	0	6.851	35.2	89.5	0
3/28/2023, 12:14:00 AM	0	6.851	35.1	89.5	0
3/28/2023, 12:24:00 AM	0	6.851	34.9	89.5	0
3/28/2023, 12:34:00 AM	0	6.851	34.7	89.4	0
3/28/2023, 12:44:00 AM	0	6.851	34.3	89.3	0
3/28/2023, 12:54:00 AM	0	6.842	34.2	89.2	0
3/28/2023, 1:04:00 AM	0	6.842	34	89.2	0
3/28/2023, 1:14:00 AM	0	6.842	33.8	89.2	0
3/28/2023, 1:24:00 AM	0	6.842	33.8	89.3	0
3/28/2023, 1:34:00 AM	0	6.842	33.8	89.4	0
3/28/2023, 1:44:00 AM	0	6.842	33.8	89.4	0
3/28/2023, 1:54:00 AM	0	6.842	33.6	89.5	0
3/28/2023, 2:04:00 AM	0	6.842	33.6	89.6	0
3/28/2023, 2:14:00 AM	0	6.842	33.4	89.7	0
3/28/2023, 2:24:00 AM	0	6.842	33.3	89.6	0
3/28/2023, 2:34:00 AM	0	6.842	33.1	89.7	0
3/28/2023, 2:44:00 AM	0	6.842	32.9	89.7	0
3/28/2023, 2:54:00 AM	0	6.842	32.7	89.6	0
3/28/2023, 3:04:00 AM	0	6.842	32.5	89.6	0
3/28/2023, 3:14:00 AM	0	6.842	32.4	89.7	0
3/28/2023, 3:24:00 AM	0	6.842	32.2	89.7	0
3/28/2023, 3:34:00 AM	0	6.842	32	89.8	0
3/28/2023, 3:44:00 AM	0	6.842	32	89.8	0
3/28/2023, 3:54:00 AM	0	6.842	31.8	89.8	0
3/28/2023, 4:04:00 AM	0	6.833	31.6	89.8	0
3/28/2023, 4:14:00 AM	0	6.833	31.5	89.8	0
3/28/2023, 4:24:00 AM	0	6.833	31.5	89.8	0
3/28/2023, 4:34:00 AM	0	6.833	31.5	89.9	0
3/28/2023, 4:44:00 AM	0	6.833	31.5	90.1	0
3/28/2023, 4:54:00 AM	0	6.833	31.6	90.3	0
3/28/2023, 5:04:00 AM	0	6.833	31.8	90.5	0
3/28/2023, 5:14:00 AM	0	6.833	31.8	90.6	0
3/28/2023, 5:24:00 AM	0	6.833	32	90.7	0
3/28/2023, 5:34:00 AM	0	6.833	32	90.9	0
3/28/2023, 5:44:00 AM	0	6.842	32.2	91	0
3/28/2023, 5:54:00 AM	0	6.842	32.4	91.1	0
3/28/2023, 6:04:00 AM	0	6.842	32.5	91.3	0
3/28/2023, 6:14:00 AM	0	6.842	32.5	91.4	0
3/28/2023, 6:24:00 AM	0	6.842	32.5	91.4	0
3/28/2023, 6:34:00 AM	0	6.842	32.7	91.5	0
3/28/2023, 6:44:00 AM	0	6.842	32.7	91.5	0
3/28/2023, 6:54:00 AM	0	6.842	32.7	91.6	0
3/28/2023, 7:04:00 AM	0	6.842	32.9	91.7	0
3/28/2023, 7:14:00 AM	0	6.842	32.9	91.7	0
3/28/2023, 7:24:00 AM	0	6.842	33.1	91.8	0
3/28/2023, 7:34:00 AM	0	6.842	33.1	91.8	0
3/28/2023, 7:44:00 AM	0	6.842	33.1	91.9	0
3/28/2023, 7:54:00 AM	0	6.842	33.3	91.9	0
3/28/2023, 8:04:00 AM	0	6.842	33.4	92	0
3/28/2023, 8:14:00 AM	0	6.842	33.6	92	0
3/28/2023, 8:24:00 AM	0	6.842	33.8	92.1	0
3/28/2023, 8:34:00 AM	0	6.842	34	92.1	0
3/28/2023, 8:44:00 AM	0	6.842	34.2	92.3	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/28/2023, 8:54:00 AM	0	6.842	34.5	92.4	0
3/28/2023, 9:04:00 AM	0	6.842	34.7	92.5	0
3/28/2023, 9:14:00 AM	0	6.842	35.2	92.6	0
3/28/2023, 9:24:00 AM	0	6.842	35.4	92.7	0
3/28/2023, 9:34:00 AM	0	6.851	35.6	92.9	0
3/28/2023, 9:44:00 AM	0	6.851	36.1	92.9	0
3/28/2023, 9:54:00 AM	0	6.851	36.5	93	0
3/28/2023, 10:04:00 AM	0	6.851	36.5	93.1	0
3/28/2023, 10:14:00 AM	0	6.851	36.7	93	0
3/28/2023, 10:24:00 AM	0	6.851	36.7	92.9	0
3/28/2023, 10:34:00 AM	0	6.851	37	92.9	0
3/28/2023, 10:44:00 AM	0	6.851	37.4	92.8	0
3/28/2023, 10:54:00 AM	0	6.851	37.6	92.8	0
3/28/2023, 11:04:00 AM	0	6.851	37.9	92.8	0
3/28/2023, 11:14:00 AM	0	6.851	38.1	92.7	0
3/28/2023, 11:24:00 AM	0	6.86	38.3	92.6	0
3/28/2023, 11:34:00 AM	0	6.851	38.1	92.4	0
3/28/2023, 11:44:00 AM	0	6.86	38.1	92.2	0
3/28/2023, 11:54:00 AM	0	6.86	38.3	92	0
3/28/2023, 12:04:00 PM	0	6.86	38.7	91.9	0
3/28/2023, 12:14:00 PM	0	6.86	39.4	92	0
3/28/2023, 12:24:00 PM	0	6.86	39.9	92.1	0
3/28/2023, 12:34:00 PM	0	6.86	40.3	92.1	0
3/28/2023, 12:44:00 PM	0	6.86	40.6	91.8	0
3/28/2023, 12:54:00 PM	0	6.86	40.8	91.6	0
3/28/2023, 1:04:00 PM	0	6.86	41.2	91.3	0
3/28/2023, 1:14:00 PM	0	6.86	41.7	91.1	0
3/28/2023, 1:24:00 PM	0	6.86	42.1	90.8	0
3/28/2023, 1:34:00 PM	0	6.869	42.8	90.4	0
3/28/2023, 1:44:00 PM	0	6.869	43.7	90.1	0
3/28/2023, 1:54:00 PM	0	6.869	44.4	89.7	0
3/28/2023, 2:04:00 PM	0	6.869	45	89	0
3/28/2023, 2:14:00 PM	0	6.869	45.3	88	0
3/28/2023, 2:24:00 PM	0	6.869	45.5	86.9	0
3/28/2023, 2:34:00 PM	0	6.869	45.5	85.8	0
3/28/2023, 2:44:00 PM	0	6.869	45.3	84.6	0
3/28/2023, 2:54:00 PM	0	6.869	45.5	83.8	0
3/28/2023, 3:04:00 PM	0	6.869	45.7	83.3	0
3/28/2023, 3:14:00 PM	0	6.869	46	82.8	0
3/28/2023, 3:24:00 PM	0	6.877	46	82	0
3/28/2023, 3:34:00 PM	0	6.877	46	81.1	0
3/28/2023, 3:44:00 PM	0	6.877	46.4	80.6	0
3/28/2023, 3:54:00 PM	0	6.877	46.6	79.9	0
3/28/2023, 4:04:00 PM	0	6.877	46.9	79.1	0
3/28/2023, 4:14:00 PM	0	6.877	47.3	78.3	0
3/28/2023, 4:24:00 PM	0	6.877	47.7	77.4	0
3/28/2023, 4:34:00 PM	0	6.877	48	76.5	0
3/28/2023, 4:44:00 PM	0	6.877	47.8	75.5	0
3/28/2023, 4:54:00 PM	0	6.877	47.7	74.5	0
3/28/2023, 5:04:00 PM	0	6.877	47.3	73.7	0
3/28/2023, 5:14:00 PM	0	6.877	47.1	73.1	0
3/28/2023, 5:24:00 PM	0	6.877	47.1	72.5	0
3/28/2023, 5:34:00 PM	0	6.877	47.1	72.1	0
3/28/2023, 5:44:00 PM	0	6.877	46.8	71.5	0
3/28/2023, 5:54:00 PM	0	6.877	46.6	70.7	0
3/28/2023, 6:04:00 PM	0	6.877	46.2	70.1	0
3/28/2023, 6:14:00 PM	0	6.877	45.7	69.5	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/28/2023, 6:24:00 PM	0	6.877	45.1	68.9	0
3/28/2023, 6:34:00 PM	0	6.877	44.8	68.5	0
3/28/2023, 6:44:00 PM	0	6.877	44.4	68.3	0
3/28/2023, 6:54:00 PM	0	6.877	44.1	68.1	0
3/28/2023, 7:04:00 PM	0	6.877	43.5	67.9	0
3/28/2023, 7:14:00 PM	0	6.869	43.2	67.8	0
3/28/2023, 7:24:00 PM	0	6.869	42.4	67.7	0
3/28/2023, 7:34:00 PM	0	6.869	41.7	67.7	0
3/28/2023, 7:44:00 PM	0	6.869	41	67.7	0
3/28/2023, 7:54:00 PM	0	6.869	40.3	67.9	0
3/28/2023, 8:04:00 PM	0	6.869	39.6	68.3	0
3/28/2023, 8:14:00 PM	0	6.869	39	68.9	0
3/28/2023, 8:24:00 PM	0	6.86	38.3	69.4	0
3/28/2023, 8:34:00 PM	0	6.86	37.8	70	0
3/28/2023, 8:44:00 PM	0	6.86	37.2	70.7	0
3/28/2023, 8:54:00 PM	0	6.86	36.5	71.3	0
3/28/2023, 9:04:00 PM	0	6.86	36	72	0
3/28/2023, 9:14:00 PM	0	6.86	35.4	72.6	0
3/28/2023, 9:24:00 PM	0	6.851	35.1	73.2	0
3/28/2023, 9:34:00 PM	0	6.851	34.5	73.8	0
3/28/2023, 9:44:00 PM	0	6.851	34	74.4	0
3/28/2023, 9:54:00 PM	0	6.851	33.6	75.1	0
3/28/2023, 10:04:00 PM	0	6.851	33.3	75.7	0
3/28/2023, 10:14:00 PM	0	6.842	32.9	76.3	0
3/28/2023, 10:24:00 PM	0	6.842	32.7	76.9	0
3/28/2023, 10:34:00 PM	0	6.842	32.4	77.5	0
3/28/2023, 10:44:00 PM	0	6.842	32.2	78.1	0
3/28/2023, 10:54:00 PM	0	6.842	32	78.6	0
3/28/2023, 11:04:00 PM	0	6.842	32	79.2	0
3/28/2023, 11:14:00 PM	0	6.842	32	79.7	0
3/28/2023, 11:24:00 PM	0	6.842	31.8	80.2	0
3/28/2023, 11:34:00 PM	0	6.842	31.6	80.7	0
3/28/2023, 11:44:00 PM	0	6.842	31.6	81	0
3/28/2023, 11:54:00 PM	0	6.833	31.5	81.4	0
3/29/2023, 12:04:00 AM	0	6.833	31.3	81.7	0
3/29/2023, 12:14:00 AM	0	6.833	31.3	82.1	0
3/29/2023, 12:24:00 AM	0	6.833	31.1	82.5	0
3/29/2023, 12:34:00 AM	0	6.833	31.1	82.8	0
3/29/2023, 12:44:00 AM	0	6.833	31.1	83.2	0
3/29/2023, 12:54:00 AM	0	6.833	31.1	83.5	0
3/29/2023, 1:04:00 AM	0	6.833	31.1	83.8	0
3/29/2023, 1:14:00 AM	0	6.833	31.1	84.1	0
3/29/2023, 1:24:00 AM	0	6.833	30.9	84.3	0
3/29/2023, 1:34:00 AM	0	6.833	30.9	84.4	0
3/29/2023, 1:44:00 AM	0	6.833	30.7	84.6	0
3/29/2023, 1:54:00 AM	0	6.833	30.6	84.6	0
3/29/2023, 2:04:00 AM	0	6.833	30.6	84.7	0
3/29/2023, 2:14:00 AM	0	6.833	30.4	84.8	0
3/29/2023, 2:24:00 AM	0	6.833	30.2	84.9	0
3/29/2023, 2:34:00 AM	0	6.833	30.2	85.1	0
3/29/2023, 2:44:00 AM	0	6.833	30	85.2	0
3/29/2023, 2:54:00 AM	0	6.833	30	85.3	0
3/29/2023, 3:04:00 AM	0	6.833	29.8	85.5	0
3/29/2023, 3:14:00 AM	0	6.833	29.8	85.6	0
3/29/2023, 3:24:00 AM	0	6.833	29.8	85.7	0
3/29/2023, 3:34:00 AM	0	6.833	29.7	85.7	0
3/29/2023, 3:44:00 AM	0	6.833	29.7	85.8	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/29/2023, 3:54:00 AM	0	6.833	29.5	85.9	0
3/29/2023, 4:04:00 AM	0	6.833	29.3	85.9	0
3/29/2023, 4:14:00 AM	0	6.833	29.3	86	0
3/29/2023, 4:24:00 AM	0	6.833	29.1	86.1	0
3/29/2023, 4:34:00 AM	0	6.825	29.1	86.2	0
3/29/2023, 4:44:00 AM	0	6.825	28.9	86.3	0
3/29/2023, 4:54:00 AM	0	6.825	28.9	86.3	0
3/29/2023, 5:04:00 AM	0	6.825	28.9	86.4	0
3/29/2023, 5:14:00 AM	0	6.825	28.8	86.5	0
3/29/2023, 5:24:00 AM	0	6.825	28.8	86.7	0
3/29/2023, 5:34:00 AM	0	6.825	28.9	86.8	0
3/29/2023, 5:44:00 AM	0	6.825	28.9	87	0
3/29/2023, 5:54:00 AM	0	6.825	28.9	87.2	0
3/29/2023, 6:04:00 AM	0	6.825	29.1	87.3	0
3/29/2023, 6:14:00 AM	0	6.825	29.1	87.5	0
3/29/2023, 6:24:00 AM	0	6.825	29.1	87.6	0
3/29/2023, 6:34:00 AM	0	6.825	29.1	87.7	0
3/29/2023, 6:44:00 AM	0	6.825	29.1	87.7	0
3/29/2023, 6:54:00 AM	0	6.825	29.1	87.8	0
3/29/2023, 7:04:00 AM	0	6.825	29.1	87.9	0
3/29/2023, 7:14:00 AM	0	6.825	29.1	88	0
3/29/2023, 7:24:00 AM	0	6.825	29.1	88.1	0
3/29/2023, 7:34:00 AM	0	6.825	29.3	88.2	0
3/29/2023, 7:44:00 AM	0	6.833	30	88.5	0
3/29/2023, 7:54:00 AM	0	6.833	30.7	89	0
3/29/2023, 8:04:00 AM	0	6.833	31.6	89.5	0
3/29/2023, 8:14:00 AM	0	6.833	32.4	89.9	0
3/29/2023, 8:24:00 AM	0	6.842	33.4	90.1	0
3/29/2023, 8:34:00 AM	0	6.842	34.5	90.3	0
3/29/2023, 8:44:00 AM	0	6.842	35.4	90.2	0
3/29/2023, 8:54:00 AM	0	6.842	36.5	89.8	0
3/29/2023, 9:04:00 AM	0	6.851	37.6	89.2	0
3/29/2023, 9:14:00 AM	0	6.851	38.7	88.4	0
3/29/2023, 9:24:00 AM	0	6.851	39.7	87.3	0
3/29/2023, 9:34:00 AM	0	6.86	40.8	86.1	0
3/29/2023, 9:44:00 AM	0	6.86	41.5	84.6	0
3/29/2023, 9:54:00 AM	0	6.86	42.1	83	0
3/29/2023, 10:04:00 AM	0	6.86	42.8	81.8	0
3/29/2023, 10:14:00 AM	0	6.869	44.1	80.9	0
3/29/2023, 10:24:00 AM	0	6.869	45.5	80	0
3/29/2023, 10:34:00 AM	0	6.869	46.9	79	0
3/29/2023, 10:44:00 AM	0	6.869	48	77.7	0
3/29/2023, 10:54:00 AM	0	6.877	49.1	76.5	0
3/29/2023, 11:04:00 AM	0	6.877	50	75.2	0
3/29/2023, 11:14:00 AM	0	6.877	50.7	73.8	0
3/29/2023, 11:24:00 AM	0	6.877	51.6	72.7	0
3/29/2023, 11:34:00 AM	0	6.877	52.3	71.6	0
3/29/2023, 11:44:00 AM	0	6.886	53.1	70.6	0
3/29/2023, 11:54:00 AM	0	6.886	53.8	69.6	0
3/29/2023, 12:04:00 PM	0	6.886	54.3	68.7	0
3/29/2023, 12:14:00 PM	0	6.886	54.9	67.8	0
3/29/2023, 12:24:00 PM	0	6.886	54.9	66.9	0
3/29/2023, 12:34:00 PM	0	6.886	54.5	66.1	0
3/29/2023, 12:44:00 PM	0	6.886	54.1	65.6	0
3/29/2023, 12:54:00 PM	0	6.886	54.3	65.3	0
3/29/2023, 1:04:00 PM	0	6.886	54.5	64.9	0
3/29/2023, 1:14:00 PM	0	6.886	54.7	64.4	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/29/2023, 1:24:00 PM	0	6.886	55	64	0
3/29/2023, 1:34:00 PM	0	6.886	54.9	63.5	0
3/29/2023, 1:44:00 PM	0	6.886	54.7	63	0
3/29/2023, 1:54:00 PM	0	6.886	54.5	62.6	0
3/29/2023, 2:04:00 PM	0	6.886	54.3	62.3	0
3/29/2023, 2:14:00 PM	0	6.886	54.5	61.9	0
3/29/2023, 2:24:00 PM	0	6.886	54.5	61.5	0
3/29/2023, 2:34:00 PM	0	6.886	54.5	61.1	0
3/29/2023, 2:44:00 PM	0	6.886	54.5	60.9	0
3/29/2023, 2:54:00 PM	0	6.886	54.7	60.5	0
3/29/2023, 3:04:00 PM	0	6.886	54.5	60.1	0
3/29/2023, 3:14:00 PM	0	6.886	54.3	59.8	0
3/29/2023, 3:24:00 PM	0	6.886	54	59.4	0
3/29/2023, 3:34:00 PM	0	6.886	53.6	59.2	0
3/29/2023, 3:44:00 PM	0	6.886	53.4	59.2	0
3/29/2023, 3:54:00 PM	0	6.886	53.1	59.2	0
3/29/2023, 4:04:00 PM	0	6.886	52.7	59.1	0
3/29/2023, 4:14:00 PM	0	6.886	52.3	59	0
3/29/2023, 4:24:00 PM	0	6.886	51.8	59.2	0
3/29/2023, 4:34:00 PM	0	6.886	51.8	59.6	0
3/29/2023, 4:44:00 PM	0	6.886	51.6	60.1	0
3/29/2023, 4:54:00 PM	0	6.886	51.3	60.5	0
3/29/2023, 5:04:00 PM	0	6.886	50.9	60.9	0
3/29/2023, 5:14:00 PM	0	6.886	50.5	61.4	0
3/29/2023, 5:24:00 PM	0	6.886	50.2	61.8	0
3/29/2023, 5:34:00 PM	0	6.886	50	62	0
3/29/2023, 5:44:00 PM	0	6.886	49.5	61.6	0
3/29/2023, 5:54:00 PM	0	6.886	49.1	61.1	0
3/29/2023, 6:04:00 PM	0	6.886	47.8	61	0
3/29/2023, 6:14:00 PM	0	6.886	45.1	61.1	0
3/29/2023, 6:24:00 PM	0	6.877	42.6	61.7	0
3/29/2023, 6:34:00 PM	0	6.877	40.6	62.9	0
3/29/2023, 6:44:00 PM	0	6.869	39.2	64.3	0
3/29/2023, 6:54:00 PM	0	6.869	37.9	65.8	0
3/29/2023, 7:04:00 PM	0	6.86	37.2	67.3	0
3/29/2023, 7:14:00 PM	0	6.86	36.3	68.8	0
3/29/2023, 7:24:00 PM	0	6.86	35.8	70	0
3/29/2023, 7:34:00 PM	0	6.86	35.2	71.1	0
3/29/2023, 7:44:00 PM	0	6.851	34.7	72.1	0
3/29/2023, 7:54:00 PM	0	6.851	34.3	73	0
3/29/2023, 8:04:00 PM	0	6.851	34.2	73.9	0
3/29/2023, 8:14:00 PM	0	6.851	33.8	74.5	0
3/29/2023, 8:24:00 PM	0	6.851	33.6	75.1	0
3/29/2023, 8:34:00 PM	0	6.851	33.3	75.5	0
3/29/2023, 8:44:00 PM	0	6.842	33.1	75.7	0
3/29/2023, 8:54:00 PM	0	6.842	32.5	75.5	0
3/29/2023, 9:04:00 PM	0	6.842	32.2	75.2	0
3/29/2023, 9:14:00 PM	0	6.842	32	74.9	0
3/29/2023, 9:24:00 PM	0	6.842	31.6	74.6	0
3/29/2023, 9:34:00 PM	0	6.842	31.5	74.4	0
3/29/2023, 9:44:00 PM	0	6.842	31.3	74.1	0
3/29/2023, 9:54:00 PM	0	6.842	31.1	73.9	0
3/29/2023, 10:04:00 PM	0	6.833	30.9	73.5	0
3/29/2023, 10:14:00 PM	0	6.833	30.9	73.2	0
3/29/2023, 10:24:00 PM	0	6.833	30.7	73	0
3/29/2023, 10:34:00 PM	0	6.833	30.6	72.7	0
3/29/2023, 10:44:00 PM	0	6.833	30.4	72.6	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/29/2023, 10:54:00 PM	0	6.833	30.2	72.6	0
3/29/2023, 11:04:00 PM	0	6.833	30	72.7	0
3/29/2023, 11:14:00 PM	0	6.833	29.8	72.7	0
3/29/2023, 11:24:00 PM	0	6.833	29.7	72.8	0
3/29/2023, 11:34:00 PM	0	6.833	29.7	72.8	0
3/29/2023, 11:44:00 PM	0	6.833	29.5	72.6	0
3/29/2023, 11:54:00 PM	0	6.833	29.3	72.5	0
3/30/2023, 12:04:00 AM	0	6.833	29.1	72.3	0
3/30/2023, 12:14:00 AM	0	6.833	28.9	72.1	0
3/30/2023, 12:24:00 AM	0	6.833	28.8	71.9	0
3/30/2023, 12:34:00 AM	0	6.825	28.8	71.7	0
3/30/2023, 12:44:00 AM	0	6.825	28.6	71.5	0
3/30/2023, 12:54:00 AM	0	6.825	28.6	71.2	0
3/30/2023, 1:04:00 AM	0	6.825	28.6	71	0
3/30/2023, 1:14:00 AM	0	6.825	28.4	70.8	0
3/30/2023, 1:24:00 AM	0	6.825	28.2	70.5	0
3/30/2023, 1:34:00 AM	0	6.825	28	70.3	0
3/30/2023, 1:44:00 AM	0	6.825	27.7	70.1	0
3/30/2023, 1:54:00 AM	0	6.825	27.5	69.9	0
3/30/2023, 2:04:00 AM	0	6.825	27.3	69.8	0
3/30/2023, 2:14:00 AM	0	6.825	27.3	69.7	0
3/30/2023, 2:24:00 AM	0	6.825	27.1	69.7	0
3/30/2023, 2:34:00 AM	0	6.825	27	69.7	0
3/30/2023, 2:44:00 AM	0	6.825	27	69.6	0
3/30/2023, 2:54:00 AM	0	6.825	26.8	69.6	0
3/30/2023, 3:04:00 AM	0	6.825	26.8	69.6	0
3/30/2023, 3:14:00 AM	0	6.825	26.8	69.6	0
3/30/2023, 3:24:00 AM	0	6.825	26.8	69.7	0
3/30/2023, 3:34:00 AM	0	6.825	26.6	69.7	0
3/30/2023, 3:44:00 AM	0	6.825	26.6	69.8	0
3/30/2023, 3:54:00 AM	0	6.825	26.6	69.8	0
3/30/2023, 4:04:00 AM	0	6.816	26.6	70	0
3/30/2023, 4:14:00 AM	0	6.825	26.6	70	0
3/30/2023, 4:24:00 AM	0	6.825	26.6	70.2	0
3/30/2023, 4:34:00 AM	0	6.816	26.4	70.4	0
3/30/2023, 4:44:00 AM	0	6.816	26.4	70.6	0
3/30/2023, 4:54:00 AM	0	6.816	26.4	70.6	0
3/30/2023, 5:04:00 AM	0	6.816	26.2	70.9	0
3/30/2023, 5:14:00 AM	0	6.816	26.1	71.1	0
3/30/2023, 5:24:00 AM	0	6.816	25.9	71.4	0
3/30/2023, 5:34:00 AM	0	6.816	25.5	71.6	0
3/30/2023, 5:44:00 AM	0	6.816	25.3	71.9	0
3/30/2023, 5:54:00 AM	0	6.816	25.5	72.5	0
3/30/2023, 6:04:00 AM	0	6.816	25.7	72.9	0
3/30/2023, 6:14:00 AM	0	6.816	25.9	73.4	0
3/30/2023, 6:24:00 AM	0	6.816	26.1	73.7	0
3/30/2023, 6:34:00 AM	0	6.816	26.2	74	0
3/30/2023, 6:44:00 AM	0	6.816	26.2	74.1	0
3/30/2023, 6:54:00 AM	0	6.816	26.2	74.2	0
3/30/2023, 7:04:00 AM	0	6.816	26.1	74.4	0
3/30/2023, 7:14:00 AM	0	6.816	26.1	74.5	0
3/30/2023, 7:24:00 AM	0	6.816	26.1	74.6	0
3/30/2023, 7:34:00 AM	0	6.816	26.1	74.6	0
3/30/2023, 7:44:00 AM	0	6.816	25.9	74.5	0
3/30/2023, 7:54:00 AM	0	6.816	25.9	74.4	0
3/30/2023, 8:04:00 AM	0	6.816	25.7	74.3	0
3/30/2023, 8:14:00 AM	0	6.816	25.9	74.3	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/30/2023, 8:24:00 AM	0	6.816	26.1	74.3	0
3/30/2023, 8:34:00 AM	0	6.816	26.2	74.3	0
3/30/2023, 8:44:00 AM	0	6.816	26.4	74.2	0
3/30/2023, 8:54:00 AM	0	6.816	26.6	74.2	0
3/30/2023, 9:04:00 AM	0	6.816	27.3	74.3	0
3/30/2023, 9:14:00 AM	0	6.825	27.9	74.3	0
3/30/2023, 9:24:00 AM	0	6.825	28.8	74.3	0
3/30/2023, 9:34:00 AM	0	6.825	29.8	74.2	0
3/30/2023, 9:44:00 AM	0	6.825	30.7	74	0
3/30/2023, 9:54:00 AM	0	6.833	31.3	73.6	0
3/30/2023, 10:04:00 AM	0	6.833	31.6	73.2	0
3/30/2023, 10:14:00 AM	0	6.833	31.6	72.7	0
3/30/2023, 10:24:00 AM	0	6.833	31.5	72.3	0
3/30/2023, 10:34:00 AM	0	6.833	31.5	71.9	0
3/30/2023, 10:44:00 AM	0	6.833	31.8	71.8	0
3/30/2023, 10:54:00 AM	0	6.833	33.1	72	0
3/30/2023, 11:04:00 AM	0	6.842	33.4	71.9	0
3/30/2023, 11:14:00 AM	0	6.842	33.4	71.2	0
3/30/2023, 11:24:00 AM	0	6.842	34	70.7	0
3/30/2023, 11:34:00 AM	0	6.842	34.9	70.3	0
3/30/2023, 11:44:00 AM	0	6.842	35.6	69.7	0
3/30/2023, 11:54:00 AM	0	6.851	36.3	69	0
3/30/2023, 12:04:00 PM	0	6.851	36.7	68.2	0
3/30/2023, 12:14:00 PM	0	6.851	37	67.3	0
3/30/2023, 12:24:00 PM	0	6.851	37.2	66.7	0
3/30/2023, 12:34:00 PM	0	6.851	37.4	66.2	0
3/30/2023, 12:44:00 PM	0	6.851	38.5	66.1	0
3/30/2023, 12:54:00 PM	0	6.851	39.2	65.8	0
3/30/2023, 1:04:00 PM	0	6.86	39.6	65.3	0
3/30/2023, 1:14:00 PM	0	6.86	39.4	64.6	0
3/30/2023, 1:24:00 PM	0	6.86	39.4	64.2	0
3/30/2023, 1:34:00 PM	0	6.86	39.4	63.8	0
3/30/2023, 1:44:00 PM	0	6.86	39.7	63.6	0
3/30/2023, 1:54:00 PM	0	6.86	40.1	63.3	0
3/30/2023, 2:04:00 PM	0	6.86	40.3	63	0
3/30/2023, 2:14:00 PM	0	6.86	40.5	62.6	0
3/30/2023, 2:24:00 PM	0	6.86	40.3	62.2	0
3/30/2023, 2:34:00 PM	0	6.86	40.6	61.9	0
3/30/2023, 2:44:00 PM	0	6.86	41.2	61.7	0
3/30/2023, 2:54:00 PM	0	6.86	41.7	61.5	0
3/30/2023, 3:04:00 PM	0	6.86	42.1	61.3	0
3/30/2023, 3:14:00 PM	0	6.86	42.1	61	0
3/30/2023, 3:24:00 PM	0	6.869	41.9	60.7	0
3/30/2023, 3:34:00 PM	0	6.869	41.5	60.5	0
3/30/2023, 3:44:00 PM	0	6.869	41.2	60.3	0
3/30/2023, 3:54:00 PM	0	6.86	40.8	60.2	0
3/30/2023, 4:04:00 PM	0	6.869	40.5	60.1	0
3/30/2023, 4:14:00 PM	0	6.86	40.5	60	0
3/30/2023, 4:24:00 PM	0	6.86	40.6	60.2	0
3/30/2023, 4:34:00 PM	0	6.86	40.5	60.2	0
3/30/2023, 4:44:00 PM	0	6.86	40.1	60	0
3/30/2023, 4:54:00 PM	0	6.86	39.6	59.9	0
3/30/2023, 5:04:00 PM	0	6.86	39	59.9	0
3/30/2023, 5:14:00 PM	0	6.86	38.7	59.9	0
3/30/2023, 5:24:00 PM	0	6.86	38.5	60	0
3/30/2023, 5:34:00 PM	0	6.86	38.5	60.3	0
3/30/2023, 5:44:00 PM	0	6.86	38.3	60.5	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/30/2023, 5:54:00 PM	0	6.86	38.3	60.6	0
3/30/2023, 6:04:00 PM	0	6.86	38.1	60.7	0
3/30/2023, 6:14:00 PM	0	6.86	37.9	60.8	0
3/30/2023, 6:24:00 PM	0	6.86	37.8	60.9	0
3/30/2023, 6:34:00 PM	0	6.86	37.4	61	0
3/30/2023, 6:44:00 PM	0	6.86	37	61.1	0
3/30/2023, 6:54:00 PM	0	6.86	36.7	61.2	0
3/30/2023, 7:04:00 PM	0	6.86	36.3	61.4	0
3/30/2023, 7:14:00 PM	0	6.851	36	61.7	0
3/30/2023, 7:24:00 PM	0	6.851	35.4	61.9	0
3/30/2023, 7:34:00 PM	0	6.851	34.9	62.1	0
3/30/2023, 7:44:00 PM	0	6.851	34.2	62.4	0
3/30/2023, 7:54:00 PM	0	6.851	33.4	62.7	0
3/30/2023, 8:04:00 PM	0	6.851	32.7	63.2	0
3/30/2023, 8:14:00 PM	0	6.851	32.2	63.7	0
3/30/2023, 8:24:00 PM	0	6.842	31.8	64.2	0
3/30/2023, 8:34:00 PM	0	6.842	31.3	64.8	0
3/30/2023, 8:44:00 PM	0	6.842	30.9	65.3	0
3/30/2023, 8:54:00 PM	0	6.842	30.4	65.9	0
3/30/2023, 9:04:00 PM	0	6.842	30	66.6	0
3/30/2023, 9:14:00 PM	0	6.833	29.7	67.2	0
3/30/2023, 9:24:00 PM	0	6.833	29.3	67.8	0
3/30/2023, 9:34:00 PM	0	6.833	28.9	68.4	0
3/30/2023, 9:44:00 PM	0	6.833	28.6	69	0
3/30/2023, 9:54:00 PM	0	6.833	28.2	69.7	0
3/30/2023, 10:04:00 PM	0	6.833	27.9	70.4	0
3/30/2023, 10:14:00 PM	0	6.825	27.7	71	0
3/30/2023, 10:24:00 PM	0	6.825	27.5	71.7	0
3/30/2023, 10:34:00 PM	0	6.825	27.3	72.3	0
3/30/2023, 10:44:00 PM	0	6.825	27.1	72.8	0
3/30/2023, 10:54:00 PM	0	6.825	27	73.3	0
3/30/2023, 11:04:00 PM	0	6.825	26.6	73.8	0
3/30/2023, 11:14:00 PM	0	6.825	26.4	74.2	0
3/30/2023, 11:24:00 PM	0	6.825	26.1	74.7	0
3/30/2023, 11:34:00 PM	0	6.825	25.9	75.1	0
3/30/2023, 11:44:00 PM	0	6.816	25.5	75.5	0
3/30/2023, 11:54:00 PM	0	6.816	25.3	75.9	0
3/31/2023, 12:04:00 AM	0	6.816	25.2	76.4	0
3/31/2023, 12:14:00 AM	0	6.816	25	76.8	0
3/31/2023, 12:24:00 AM	0	6.816	24.8	77.1	0
3/31/2023, 12:34:00 AM	0	6.816	24.6	77.5	0
3/31/2023, 12:44:00 AM	0	6.816	24.6	77.9	0
3/31/2023, 12:54:00 AM	0	6.816	24.4	78.2	0
3/31/2023, 1:04:00 AM	0	6.816	24.3	78.6	0
3/31/2023, 1:14:00 AM	0	6.816	24.3	79	0
3/31/2023, 1:24:00 AM	0	6.816	24.1	79.3	0
3/31/2023, 1:34:00 AM	0	6.807	24.1	79.6	0
3/31/2023, 1:44:00 AM	0	6.807	23.9	79.9	0
3/31/2023, 1:54:00 AM	0	6.807	23.9	80.2	0
3/31/2023, 2:04:00 AM	0	6.816	24.1	80.6	0
3/31/2023, 2:14:00 AM	0	6.816	24.3	81.1	0
3/31/2023, 2:24:00 AM	0	6.816	24.3	81.5	0
3/31/2023, 2:34:00 AM	0	6.816	24.4	81.9	0
3/31/2023, 2:44:00 AM	0	6.816	24.6	82.2	0
3/31/2023, 2:54:00 AM	0	6.816	24.8	82.6	0
3/31/2023, 3:04:00 AM	0	6.816	24.8	82.9	0
3/31/2023, 3:14:00 AM	0	6.816	25	83.1	0

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/31/2023, 3:24:00 AM	0	6.816	25.2	83.3	0
3/31/2023, 3:34:00 AM	0	6.816	25.2	83.6	0
3/31/2023, 3:44:00 AM	0	6.816	25.3	83.8	0
3/31/2023, 3:54:00 AM	0	6.816	25.3	83.9	0
3/31/2023, 4:04:00 AM	0	6.816	25.5	84.1	0
3/31/2023, 4:14:00 AM	0	6.816	25.7	84.3	0
3/31/2023, 4:24:00 AM	0	6.816	25.9	84.5	0
3/31/2023, 4:34:00 AM	0	6.816	26.2	84.7	0
3/31/2023, 4:44:00 AM	0	6.816	26.6	84.9	0
3/31/2023, 4:54:00 AM	0	6.825	27	85.2	0
3/31/2023, 5:04:00 AM	0	6.825	27.1	85.3	0
3/31/2023, 5:14:00 AM	0	6.825	27.5	85.5	0
3/31/2023, 5:24:00 AM	0	6.825	27.7	85.6	0
3/31/2023, 5:34:00 AM	0	6.825	28	85.6	0
3/31/2023, 5:44:00 AM	0	6.825	28.2	85.6	0
3/31/2023, 5:54:00 AM	0	6.825	28.6	85.5	0
3/31/2023, 6:04:00 AM	0	6.825	28.8	85.5	0
3/31/2023, 6:14:00 AM	0	6.833	28.9	85.3	0
3/31/2023, 6:24:00 AM	0	6.833	29.1	85.2	0
3/31/2023, 6:34:00 AM	0	6.833	29.3	85.1	0
3/31/2023, 6:44:00 AM	0	6.833	29.5	84.9	0
3/31/2023, 6:54:00 AM	0	6.833	29.7	84.8	0
3/31/2023, 7:04:00 AM	0	6.833	29.8	84.6	0
3/31/2023, 7:14:00 AM	0	6.833	30	84.4	0
3/31/2023, 7:24:00 AM	0	6.833	30.2	84.3	0
3/31/2023, 7:34:00 AM	0	6.833	30.4	84.2	0
3/31/2023, 7:44:00 AM	0	6.833	30.6	84	0
3/31/2023, 7:54:00 AM	0	6.833	30.9	83.9	0
3/31/2023, 8:04:00 AM	0	6.833	31.1	83.8	0
3/31/2023, 8:14:00 AM	0	6.833	31.5	83.7	0
3/31/2023, 8:24:00 AM	0	6.842	31.8	83.6	0
3/31/2023, 8:34:00 AM	0	6.842	32.2	83.5	0
3/31/2023, 8:44:00 AM	0	6.842	32.5	83.4	0
3/31/2023, 8:54:00 AM	0	6.842	32.9	83.2	0
3/31/2023, 9:04:00 AM	0	6.842	33.4	83	0
3/31/2023, 9:14:00 AM	0	6.842	34	82.8	0
3/31/2023, 9:24:00 AM	0	6.842	34.5	82.5	0
3/31/2023, 9:34:00 AM	0	6.851	35.1	82.3	0
3/31/2023, 9:44:00 AM	0	6.851	35.6	81.9	0
3/31/2023, 9:54:00 AM	0	6.851	36	81.6	0
3/31/2023, 10:04:00 AM	0	6.851	36.3	81.2	0
3/31/2023, 10:14:00 AM	0	6.851	36.9	80.9	0
3/31/2023, 10:24:00 AM	0	6.851	37.4	80.7	0
3/31/2023, 10:34:00 AM	0	6.86	37.9	80.3	0
3/31/2023, 10:44:00 AM	0	6.86	38.3	79.9	0
3/31/2023, 10:54:00 AM	0	6.86	38.5	79.5	0
3/31/2023, 11:04:00 AM	0	6.86	38.8	79.3	0
3/31/2023, 11:14:00 AM	0	6.86	39.4	79.1	0
3/31/2023, 11:24:00 AM	0	6.86	39.7	78.8	0
3/31/2023, 11:34:00 AM	0	6.86	40.1	78.4	0
3/31/2023, 11:44:00 AM	0	6.86	40.3	78	0
3/31/2023, 11:54:00 AM	0	6.86	40.6	77.7	0
3/31/2023, 12:04:00 PM	0	6.869	41.2	77.2	0
3/31/2023, 12:14:00 PM	0	6.869	41.5	76.6	0
3/31/2023, 12:24:00 PM	0	6.869	42.3	75.9	0
3/31/2023, 12:34:00 PM	0	6.869	43.2	75.2	0
3/31/2023, 12:44:00 PM	0	6.869	44.1	74.5	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/31/2023, 12:54:00 PM	0	6.869	44.8	73.7	0
3/31/2023, 1:04:00 PM	0	6.869	45.1	72.9	0
3/31/2023, 1:14:00 PM	0	6.877	45.1	72.3	0
3/31/2023, 1:24:00 PM	0	6.877	45	72.2	0
3/31/2023, 1:34:00 PM	0	6.877	44.6	72.7	0
3/31/2023, 1:44:00 PM	0	6.877	44.2	73.4	0
3/31/2023, 1:54:00 PM	0	6.869	43.9	74.2	0
3/31/2023, 2:04:00 PM	0	6.869	43.5	74.9	0
3/31/2023, 2:14:00 PM	0	6.877	43.2	75.6	0
3/31/2023, 2:24:00 PM	0	6.869	43	76.4	0
3/31/2023, 2:34:00 PM	0	6.869	43	77.4	0
3/31/2023, 2:44:00 PM	0	6.869	42.8	78.2	0
3/31/2023, 2:54:00 PM	0	6.869	43.2	79.1	0
3/31/2023, 3:04:00 PM	0	6.869	43.5	80.1	0
3/31/2023, 3:14:00 PM	0	6.869	44.1	81	0
3/31/2023, 3:24:00 PM	0	6.869	44.8	81.8	0
3/31/2023, 3:34:00 PM	0	6.877	45.1	82	0
3/31/2023, 3:44:00 PM	0	6.877	45.3	82	0
3/31/2023, 3:54:00 PM	0	6.877	45.5	82.2	0
3/31/2023, 4:04:00 PM	0	6.877	45.7	82.4	0
3/31/2023, 4:14:00 PM	0	6.877	45.9	82.6	0
3/31/2023, 4:24:00 PM	0	6.877	46.2	82.6	0
3/31/2023, 4:34:00 PM	0	6.877	46.4	82.5	0
3/31/2023, 4:44:00 PM	0	6.877	46.6	82.5	0
3/31/2023, 4:54:00 PM	0	6.877	46.8	82.4	0
3/31/2023, 5:04:00 PM	0	6.877	46.9	82.5	0
3/31/2023, 5:14:00 PM	0	6.877	47.1	82.6	0
3/31/2023, 5:24:00 PM	0	6.877	47.5	82.8	0
3/31/2023, 5:34:00 PM	0	6.877	47.8	82.9	0
3/31/2023, 5:44:00 PM	0	6.877	48	82.8	0
3/31/2023, 5:54:00 PM	0	6.877	48.4	82.8	0
3/31/2023, 6:04:00 PM	0	6.877	48.4	83	0
3/31/2023, 6:14:00 PM	0	6.877	48.4	83.1	0
3/31/2023, 6:24:00 PM	0	6.886	48.4	83.4	0
3/31/2023, 6:34:00 PM	0	6.886	48.4	83.7	0
3/31/2023, 6:44:00 PM	0	6.886	48.4	83.9	0
3/31/2023, 6:54:00 PM	0	6.886	48.2	84.3	0
3/31/2023, 7:04:00 PM	0	6.886	48	84.5	0
3/31/2023, 7:14:00 PM	0	6.886	47.8	84.9	0
3/31/2023, 7:24:00 PM	0	6.886	47.8	85.3	0
3/31/2023, 7:34:00 PM	0	6.877	47.8	85.7	0
3/31/2023, 7:44:00 PM	0	6.877	47.8	86.1	0
3/31/2023, 7:54:00 PM	0	6.886	47.8	86.5	0
3/31/2023, 8:04:00 PM	0	6.877	47.8	86.8	0
3/31/2023, 8:14:00 PM	0	6.877	48	87	0
3/31/2023, 8:24:00 PM	0	6.877	48	87.2	0
3/31/2023, 8:34:00 PM	0	6.877	48	87.4	0
3/31/2023, 8:44:00 PM	0	6.877	48	87.6	0
3/31/2023, 8:54:00 PM	0	6.877	48	87.8	0
3/31/2023, 9:04:00 PM	0	6.877	48	88	0
3/31/2023, 9:14:00 PM	0	6.877	48	88.1	0
3/31/2023, 9:24:00 PM	0	6.877	48.2	88.3	0
3/31/2023, 9:34:00 PM	0	6.877	48.4	88.4	0
3/31/2023, 9:44:00 PM	0	6.877	48.6	88.6	0
3/31/2023, 9:54:00 PM	0	6.877	48.6	88.6	0
3/31/2023, 10:04:00 PM	0	6.886	48.7	88.6	0
3/31/2023, 10:14:00 PM	0	6.886	48.7	88.5	0

Attachment 2

South Monitoring Station

Time Stamp	H_2S (ppb)	Battery (Volts)	Temperature (°F)	Humidity (%)	1-Hour Average (ppb)
3/31/2023, 10:24:00 PM	0	6.886	48.9	88.6	0
3/31/2023, 10:34:00 PM	0	6.886	49.1	88.5	0
3/31/2023, 10:44:00 PM	0	6.886	49.1	88.2	0
3/31/2023, 10:54:00 PM	0	6.886	48.9	87.9	0
3/31/2023, 11:04:00 PM	0	6.886	48.9	87.7	0
3/31/2023, 11:14:00 PM	0	6.886	48.9	87.6	0
3/31/2023, 11:24:00 PM	0	6.886	48.9	87.6	0
3/31/2023, 11:34:00 PM	0	6.886	48.9	87.6	0
3/31/2023, 11:44:00 PM	0	6.886	48.9	87.5	0
3/31/2023, 11:54:00 PM	0	6.886	48.7	87.4	0